

WAVEWORKS

Product Specifications	282
Configuration Options	284
Grommet Location Options	289
Guidelines/General Information	290
Drawer Specifications	290
Assembled	291
EZ Arrangements	291
Assembled Units	293

WAVEWORKS

PRODUCT SPECIFICATIONS

WORKSURFACE

- Worksurfaces are sized on 6" increments for easy planning
- Laminate surfaces are 1½" or 1¾" HPL (high pressure laminate) or 1¾" TFL (thermally fused laminate), and feature a 3mm vinyl rim or 6 veneer rim options
- Veneer surfaces are 1½" or 1¾" and feature a 3mm wood rim or knife rim profile
- Refer to page 284 for rim profiles and colors
- Grain direction runs left-to-right unless otherwise noted
- Size modifications available at no upcharge; many WaveWorks component worksurfaces can be cut down in ½" increments. See component sections for specific models

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable leveling glides are standard on all casegoods
- End panels and support panels are 1¾" thick, modesty panels are ¾" thick
- Laminate modesty panels have vertical grain direction unless otherwise noted
- Wood modesty panels have vertical grain direction unless otherwise noted
- Laminate with horizontal grain (example: Sable Horizontal 792H) will always have horizontal grain direction
- Back panels are fully finished unless otherwise noted

SHELVES

- Shelves on open bookcases will be veneer, when ordering a veneer bookcase
- Doors on bookcases and above worksurface units come standard with touch latch
- Shelves are ¾" thick

PEDESTALS

- Full, lower height or mobile options available

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- For interior drawer dimensions, reference page 290

DRAWER PULLS

- Available in 17 pull styles, refer to page 287 for pull styles and colors

DRAWER SUSPENSION

- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation

FILING

- Drawers are equipped with black metal filing hardware that accommodates various filing requirements
- No-tool, easy installation allows for quick interchangeable filing capabilities
- Refer to page 290 for complete filing details

CORD MANAGEMENT

- Round grommets, racetrack grommets and wire managers are optional on worksurfaces
- Round grommets optional on component end panels
- Half-moon grommet optional on component modesty panels
- Extended radius grommet optional on end panels of component pedestals
- Wire manager worksurfaces have a flexible vinyl trough that allows cords and cables to be routed along the back edge and sides of worksurfaces
- Refer to page 288 for available grommet/wire manager colors
- Refer to page 289 for complete grommet locations and details
- Undersurface wire managers are available for additional cable management requirements; see page 675 for options

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 660

TABLE BASES

- Bases are formed metal with a powder coat finish
- Mobile bases have locking casters, glides are standard on fixed height legs
- Refer to pages 575-606 for recommended base applications

CONFERENCE TABLES, TRAINING TABLES AND PERIPHERAL ITEMS

- For matching conference tables, training tables and peripheral items, see the Tables Price List

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done

HEIGHT ADJUSTABLE DESKS

- Wood, laminate/wood and laminate options
- Wood models are all wood; Laminate/Wood models are laminate tops with wood rim and wood chassis; laminate models are all laminate
- When in raised position, leg will be exposed
- Rim options are all WaveWorks options
- Control pad can be moved to right-handed (RH) or left-handed (LH) by the customer
- Height adjustable customer range: 27¾"-43¾"
- Duty cycle: 2 minutes ON/18 minutes OFF
- Maximum load should not exceed 100 lbs. on the surface
- Power cord: Type A plug, max 10 A, 125 V; 78¾" length
- Modesty panels are inset 1¾" from edge of desk and 3¾" from floor
- Modesty panel options full flush, full breakfront
- Overall dimensions of desk are undersized to allow for pinch points
- No pull or locking options

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

BUFFET CREDENZAS

- Models with trashcan will have 2 drawers and 2 sets of double doors. Trashcan will be housed behind one set of the double doors
- The side where trashcan is located determines the handed side (trashcan on left is a left model)
- One 7 gallon trashcan per model is included
- Models with space to house a refrigerator will have 2 sets of double doors (no drawers). Refrigerator will be housed behind one of the double door sets with ventilation
- The side where refrigerator is located determines the handed side (refrigerator on left is a left model)
- Refrigerator is not included
- Overall opening for refrigerator in a 36" high model is 22½" wide x 28⅞" tall x 25¼" deep. Max refrigerator size is 21½" wide x 27⅞" tall x 21¼" deep
- Overall opening for refrigerator in a 41" high model is 22½" wide x 28⅞" tall x 25¼" deep. Max refrigerator size is 21½" wide x 32⅞" tall x 21¼" deep
- Only locking cabinet is the side with an adjustable shelf
- Buffet credenza with refrigerator access will not be covered under standard warranty if unit is placed where vent will be blocked. Nor will the unit be covered under standard warranty for excess moisture because the unit has been designed to prevent this possibility

PULLOUT STORAGE

- Pull-out storage units are finished on all sides and top. A top is recommended for a finished aesthetic
- Available for left and right-hand applications
- Includes one full-depth shelf on top, one fixed and 2 adjustable shelves and one coat hook
- Simplex power unit is standard
- 2 depths of 24" and 30" with 2 height options of 41" and 53"

COMPONENTS

- Component models will ship bulk packed when applicable

LOCKERS


- Lockers available in laminate options only
- Available for left and right applications
- One door lockers feature 2 fixed shelves and 2 coat hooks
- Two and three door lockers feature 2 coat hooks behind each door
- Pulls will be installed vertically. All Waveworks pull options available with the exception of Horizon
- No pull units will have a touch latch closure
- If using 1 locker by itself it MUST be attached to a wall
- If using more than 1 locker side by side they MUST be ganged together
- If using more than 1 locker back to back, a cluster of 4 lockers MUST be ordered and ganged both side to side and front to back
- Electronic locks available (see electronic locks details below)

ELECTRONIC LOCKS


- Locks ship separately and require field installation
- Available in black or silver
- No pull option on electronic locker models
- Lock is always installed vertically
- Electronic locks feature motorized locking engagement with manual knob
- Battery Life—3 Months usage on Surface Mount
- Micro-B USB port (Android cable) for emergency power jump and battery charging
- Charging available with wired USB charger or mobile USB power pack
- Keypad locks out for 15 minutes after 5 invalid attempts
- 3 USER MODES
 - Resident employee mode—the passcode will not expire and can be re-used
 - Multi-user mode—in resident employee mode, additional users can be added with each user separately identified for higher security applications (e.g. drug, evidence lockers)
 - Shared use mode—suitable for day lockers/hotel safe
- 2 METHODS OF USE
 - Keypad operation
 - Wesko eLock App (must be downloaded to a smartphone)
- Admin passcodes can be managed by keypad commands (via program mode) or with the Wesko App in Admin mode
- MUST contact Customer Service for administrative passcodes

WAVEWORKS - CONFIGURATION OPTIONS


RIM PROFILE OPTIONS




Softened Wood (F)



Reed Wood (R)



Cove Wood (P)*




Zip Wood (Z)



Concave Wood (C)*



Step Wood (T)*



Softened Vinyl (V)



Reed Vinyl (N)

*Not recommended with Canyon, Driftwood, Monterey and Tuscan

VINYL REED RIM

MC	Amber
AC2	Autumn 2
CL	Caramel
CW	Cordovan
HN2	Honey 2
DW	Judicial
MH	Mocha
NM	Natural
TF	Truffle

VINYL SOFTENED RIM

793	Acorn
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
462	Cinder
492	Cinder Linear
440	Cloud
CC	Cordoba
CW	Cordovan
457	Dapple
405	Designer White
491	Designer White Linear
DF	Driftwood
450	Fog
488	Frosty White
461	Graphite
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
478	Platinum Grey
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
425	Shadow
SK	Skyline
460	Storm
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
419	Wallaby
WL	Willow

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CO	Canyon
CL	Caramel
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN	Honey
TM	Huntington
DW	Judicial
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
SC	Sedona
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

WORKSURFACE WIRE MANAGER COLORS

403	Chamois	405	Designer White	425	Shadow
462	Cinder	450	Fog	460	Storm
440	Cloud	461	Graphite	419	Wallaby
485	Dark Chocolate	478	Platinum Grey		

WIRE MANAGER FILLER CAP COLORS & RECOMMENDATIONS

462	Cinder	450	Fog	425	Shadow
440	Cloud	461	Graphite	460	Storm
405	Designer White	443	Pavestone	419	Wallaby

NOTE: 403 Chamois not available. Recommended to use 443 Pavestone.
 485 Dark Chocolate not available. Recommended to use 462 Cinder.
 478 Platinum Grey not available. Recommended to use 440 Cloud.

WOOD FINISHES

AD	Almond Straight Grain	MW	Midtown Walnut
MC	Amber Cherry	MH	Mocha Cherry
AC	Autumn Cherry	YO	Monterey Straight Grain
IM	Brighton Maple	NM	Natural Maple
CO	Canyon Straight Grain	PB	Portobello Straight Grain
CL	Caramel Maple	792	Sable Straight Grain
CC	Cordoba Cherry	SC	Sedona Cherry
CW	Cordovan Walnut	TW	Tribeca Walnut
DF	Driftwood Straight Grain	TF	Truffle Cherry
HN	Honey Maple	NW	Tuscan Straight Grain
TM	Huntington Maple	UW	Urban Walnut
DW	Judicial Walnut		

WORKSURFACE/MODESTY TYPE

M	Main
E	Extension
F	Filler

M = 0 Connecting Worksurface Flat Brackets
 E = 2 Connecting Worksurface Flat Brackets
 F = 4 Connecting Worksurface Flat Brackets

LAMINATE WORKSURFACES**WOODGRAIN LAMINATE**

793	Acorn*
AD	Almond
MC	Amber
AC2	Autumn 2
BZ	Brazilwood*
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai*
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona*
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PC	Porcini*
PT	Portico*
PB	Portobello
792	Sable
SC	Sedona
SK	Skyline*
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow*

*Not available on laminate/wood models

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

- Pattern laminates not available on TFL models
- CSL available on HPL worksurfaces

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecrú

WAVEWORKS - CONFIGURATION OPTIONS

LAMINATE DRAWER/DOOR FRONTS & CHASSIS

WOODGRAIN LAMINATE

793	Acorn*
AD	Almond
ADH	Almond Horizontal
MC	Amber
AC2	Autumn 2
BZ	Brazilwood*
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai*
CC	Cordoba
CW	Cordovan
DF	Driftwood
HN2	Honey 2
TM	Huntington
DW	Judicial
KN	Kona*
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PC	Porcini*
PT	Portico*
PTH	Portico Horizontal*
PB	Portobello
PBH	Portobello Horizontal
792	Sable
792H	Sable Horizontal
SC	Sedona
SK	Skyline*
SKH	Skyline Horizontal*
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow*

*Not available on laminate/wood models

SOLID LAMINATE

462	Cinder
492	Cinder Linear
492H	Cinder Linear Horizontal
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
491H	Designer White Linear Horizontal
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GLASS DOOR ALUMINUM FRAME COLORS

462	Cinder
501	Platinum Metallic
503	Satin Nickel Metallic

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

RESIN COLORS

Grade 1	
1677	Frosted

SOLID SURFACE TOP OPTIONS

COLORS

7101	Bisque (Grade A)
7201	Glacier White (Grade A)
7203	Designer White (Grade B)
7204	Silt (Grade B)
7301	Concrete (Grade C)
7302	Deep Night Sky (Grade C)

LOCKING

KEY RANDOM

KRB	Black
KRS	Silver

KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit
KS3B	Black, 3 locks per unit
KS3S	Silver, 3 locks per unit
KS4B	Black, 4 locks per unit
KS4S	Silver, 4 locks per unit

Unit list price will be reduced by \$29 per lock when selecting Key Specific option. Must order specific lock cores separately (\$29 list each). See page 660 for Key Specific model numbers.



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

PULL OPTIONS



Nantucket (6)

6MB	Cinder
6CC	Concrete
6IR	Iron
6PL	Platinum Metallic
6SN	Satin Nickel Metallic (Boring Pattern 128mm)



Malibu (7)

7MB	Cinder
7CC	Concrete
7IR	Iron
7PL	Platinum Metallic
7SN	Satin Nickel Metallic (Boring Pattern 128mm)



Laguna (76)

76MB	Cinder
76CC	Concrete
76IR	Iron
76PL	Platinum Metallic
76SN	Satin Nickel Metallic (Boring Pattern 128mm)



Summit (70)

70MB	Cinder
70CC	Concrete
70IR	Iron
70PL	Platinum Metallic
70SN	Satin Nickel Metallic (Boring Pattern 128mm)



Spiral (71)

71MB	Cinder
71CC	Concrete
71IR	Iron
71PL	Platinum Metallic
71SN	Satin Nickel Metallic (Boring Pattern 128mm)



Balance (72)

72MB	Cinder
72CC	Concrete
72IR	Iron
72PL	Platinum Metallic
72SN	Satin Nickel Metallic (Boring Pattern 128mm)



Sweep (73)

73MB	Cinder
73CC	Concrete
73IR	Iron
73PL	Platinum Metallic
73SN	Satin Nickel Metallic (Boring Pattern 128mm)



Groove (74)

74MB	Cinder
74CC	Concrete
74IR	Iron
74PL	Platinum Metallic
74SN	Satin Nickel Metallic (Boring Pattern 128mm)



Beam (87)

87MB	Cinder
87CC	Concrete
87IR	Iron
87PL	Platinum Metallic
87SN	Satin Nickel Metallic (Boring Pattern 128mm)



Level (88)

88MB	Cinder
88CC	Concrete
88IR	Iron
88PL	Platinum Metallic
88SN	Satin Nickel Metallic (Boring Pattern 128mm)



Waterfall (89)

89MB	Cinder
89CC	Concrete
89IR	Iron
89PL	Platinum Metallic
89SN	Satin Nickel Metallic (Boring Pattern 96mm)



Horizon (91)

91MB	Cinder
91CC	Concrete
91IR	Iron
91PL	Platinum Metallic
91SN	Satin Nickel Metallic (Boring Pattern 96mm)

- Horizon pull is always flush to the top left of the door or drawer front



Bar (3)

3MB	Cinder
3CC	Concrete
3IR	Iron
3PL	Platinum Metallic (Boring Pattern 32mm)



Curved (83)

83MB	Black
83CC	Concrete
83IR	Iron
83PL	Platinum Metallic (Boring Pattern 128mm)



Elongated (84)

84MB	Black
84CC	Concrete
84IR	Iron
84PL	Platinum Metallic (Boring Pattern 128mm)



Keen (77)

77SN	Satin Nickel (Boring Pattern 96mm)
------	---------------------------------------



Leather Pull (93)

93CA	Camel
93CH	Chestnut
93EB	Ebony
(Boring Pattern 128mm)	
\$58 list upcharge per model	



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

WAVEWORKS - CONFIGURATION OPTIONS


GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Nylon Plastic

\$41 list for each grommet


G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center



Racetrack Grommet, Satin Nickel Metallic

\$46 list for each grommet


G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center



Racetrack Grommet, Platinum Metallic

\$46 list for each grommet


G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center



Racetrack Grommet, Cinder

\$46 list for each grommet

G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center



PEDESTAL GROMMET

If no grommet is desired, specify an X

G22 Extended Radius (\$41 list)

MODESTY GROMMET

If no grommet is desired, specify an X

G21 Half Moon (\$41 list)

WORKSURFACE WIRE MANAGER

If no wire manager is desired, specify an X
(No Wire Manager)

Specify locations and color option
Comes attached to worksurface
\$52 list for each location

Locations:

D1B	Back	\$52 list
D1L	Left	\$52 list
D1R	Right	\$52 list
D1LR	Left & Right	\$104 list
D1BL	Back & Left	\$104 list
D1BR	Back & Right	\$104 list

Sample Option Selections:

D1B425	Wire Manager on Back in Shadow, \$52 list
D1BL403	Wire Manager on Back and Left in Chamois, \$104 list


END PANEL GROMMET

If no grommet is desired, specify an X

G1EL	Round, Black, Left (\$41 list)
G1ER	Round, Black, Right (\$41 list)

ADJUSTABLE HEIGHT LEG PAINT

462	Cinder
501	Platinum Metallic



Colors:


403	Chamois
462	Cinder
440	Cloud
485	Dark Chocolate
405	Designer White
450	Fog
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

Cutout Option for 1 Touch Pivoting Power Grommet

\$41 listupcharge per cutout location


CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center

• Reference page 289 for cutout locations of CUT-G17




**NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW (Sold Separately)**

• Reference page 667 for pricing and details



**NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW (Sold Separately)**

• Reference page 667 for pricing and details



**NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW (Sold Separately)**

• Reference page 667 for pricing and details

NOTE: Interlink IQ units are available in the
Accessories section

PULLOUT STORAGE ELECTRICAL GROMMET

G37PB	Power Grommet	\$111
G37UB	USB Grommet	\$235

PULLOUT STORAGE SPACER SPACER CUTOUT

CT1	Cutout, 1 Side	\$41
CT2	Cutout, 2 Sides	\$41



Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered in 10 days or less.

GROMMET LOCATION OPTIONS

Grommets are available for factory installation in worksurfaces in predetermined locations as shown below. Simply specify the desired grommet style and location in the model number sequence. Refer to page 288 for options.


Round grommets are also available for field installation; see page 665.

- If specifying a grommet in the center location of a component worksurface, be sure there is clearance under the grommet opening so as not to conflict with undersurface components


Worksurface grommet locations:

Excluding the J-Desk and the corner unit, distance to the center of the grommet is the same for the G1 round grommet, G11 racetrack grommet or the CUT-G17 option.


Excluding the J-Desk and the corner unit, the same locations are available for the round or racetrack grommet and the cutout option.




30" and 36" deep Worksurfaces




36" deep Arc Worksurfaces




18" and 24" deep Worksurfaces




U-Shaped Desk




U-Shaped / P-Shaped Worksurface




Corner Worksurface




Corner Units



Extended Corner Worksurface
(Right shown)




Extended P/U Shaped Worksurface
(Right shown)




End Panel


Pedestal



Round Grommet
Plastic



Racetrack Grommet
Zinc



Modesty Panel

GUIDELINES/GENERAL INFORMATION WAVEWORKS

DRAWER SPECIFICATIONS

DESCRIPTION	INTERIOR DIMENSIONS			FILING CAPABILITIES	
	DRAWER	INSIDE WIDTH	INSIDE DEPTH	INSIDE HEIGHT	
Desk—Recessed Modesty Panel 36 x 72	Box	14 ¹⁵ / ₁₆ "	17"	2 ¹ / ₂ "	Letter, legal, and EDP side-to-side filing
	File	14 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal filing front-to-back
Desk—Recessed Modesty Panel 30 x 66, 30 x 60	Box	11 ¹⁵ / ₁₆ "	17"	2 ¹ / ₂ "	Letter filing front-to-back or side-to-side
	File	11 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal and EDP filing side-to-side
Single Pedestal Desk 36 x 72	Box	14 ¹⁵ / ₁₆ "	17"	2 ¹ / ₂ "	Letter, legal, and EDP side-to-side filing
	File	14 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal filing front-to-back
Single Pedestal Desk 30 x 66	Box	11 ¹⁵ / ₁₆ "	17"	2 ¹ / ₂ "	Letter filing front-to-back or side-to-side
	File	11 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal and EDP filing side-to-side
Executive Return 24 x 60, 24 x 48, 24 x 42	Box	11 ¹⁵ / ₁₆ "	17"	2 ¹ / ₂ "	Letter filing front-to-back or side-to-side
	File	11 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal and EDP filing side-to-side
Credenzas 24 x 72	Box	14 ¹⁵ / ₁₆ "	17"	2 ¹ / ₂ "	Letter, legal, and EDP side-to-side filing
	File	14 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal filing front-to-back
Credenzas 24 x 66, 24 x 60	Box	11 ¹⁵ / ₁₆ "	17"	2 ¹ / ₂ "	Letter filing front-to-back or side-to-side
	File	11 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal and EDP filing side-to-side
Credenzas 24 x 72	Lateral File	32 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Single Pedestal Credenzas 24 x 72	Box	14 ¹⁵ / ₁₆ "	17"	2 ¹ / ₂ "	Letter, legal, and EDP side-to-side filing
	File	14 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal filing front-to-back
Single Pedestal Credenzas 24 x 66, 24 x 60	Box	11 ¹⁵ / ₁₆ "	17"	2 ¹ / ₂ "	Letter filing front-to-back or side-to-side
	File	11 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal and EDP filing side-to-side
Single Pedestal Credenzas 24 x 72	Lateral File	32 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File (23" depth) 36" width	Lateral File	32 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File (17" depth) 36" width	Lateral File	32 ¹⁵ / ₁₆ "	12 ¹ / ₃₂ "	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back Letter filing side-to-side
Lateral File (23" depth) 30" width	Lateral File	26 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File (17" depth) 30" width	Lateral File	26 ¹⁵ / ₁₆ "	12 ¹ / ₃₂ "	9 ³ / ₈ "	Letter, legal and EDP filing front-to-back Letter filing side-to-side
Vertical Storage Cabinet 18 x 68	Box	14 ¹⁵ / ₁₆ "	17"	2 ¹ / ₂ "	Letter, legal, and EDP side-to-side filing
	File	14 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal filing front-to-back
Component Pedestals 23 x 18, 29 x 18	Box	14 ¹⁵ / ₁₆ "	17"	2 ¹ / ₂ "	Letter, legal, and EDP side-to-side filing
	File	14 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal filing front-to-back
Component Pedestal 17 x 18	Box	14 ¹⁵ / ₁₆ "	12 ¹ / ₃₂ "	2 ¹ / ₂ "	Letter filing side-to-side
	File	14 ¹⁵ / ₁₆ "	12 ¹ / ₃₂ "	9 ³ / ₈ "	Legal filing front-to-back
Component Pedestals 23 x 15, 29 x 15	Box	11 ¹⁵ / ₁₆ "	17"	2 ¹ / ₂ "	Letter filing front-to-back or side-to-side
	File	11 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	Legal and EDP filing side-to-side
Component Pedestals 17 x 15	Box	11 ¹⁵ / ₁₆ "	12 ¹ / ₃₂ "	2 ¹ / ₂ "	Letter filing front-to-back or side-to-side
	File	11 ¹⁵ / ₁₆ "	12 ¹ / ₃₂ "	9 ³ / ₈ "	
Mobile Pedestals 23 x 15	Box	11 ¹⁵ / ₁₆ "	17"	2 ¹ / ₂ "	Letter filing front-to-back or side-to-side
	File	11 ¹⁵ / ₁₆ "	17"	9 ³ / ₈ "	EDP and legal filing side-to-side





- All file drawers will accommodate A4 and British fools cap filing
- Exterior dimension of legal width pedestal is 18". Letter width is 15"

WAVEWORKS METAL L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

ARRANGEMENTS INCLUDE:

- Integrated pulls
- Softened Wood rim profile (wood models)
- Softened Vinyl, Cinder rim profile (laminate models)
- Random black lock cores
- Center grommet in return
- Must specify finish/laminate and paint


L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE	L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
L-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW8572LFLM	84%D x 71½W	\$ 4186	L-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW7966LFLM	78%D x 66W	\$ 3860
	consists of				consists of		
	WW3672WSSDL	Worksurface	967		WW3066WSSDL	Worksurface	658
	WW2448WSSVDL	Worksurface	463		WW2448WSSVDL	Worksurface	463
	WW3015PUBBFM	B/B/F Pedestal	891		WW3015PUBBFM	B/B/F Pedestal	891
	WW2315PUFFM	F/F Pedestal	794		WW2315PUFFM	F/F Pedestal	794
	WW7227MPM	Full Overlay Modesty	327		WW6627MPM	Full Overlay Modesty	310
	WW3027EPM	End Panel	344		WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118		WW0827SRM	Return Support Panel	118
	WW4827MPM	Full Overlay Modesty	282		WW4827MPM	Full Overlay Modesty	282
	WW7972LFLM	78%D x 71½W	\$ 4124		WW7366LFLM	72%D x 66W	\$ 3798
consists of			consists of				
	WW3672WSSDL	Worksurface	967		WW3066WSSDL	Worksurface	658
	WW2442WSSVDL	Worksurface	421		WW2442WSSVDL	Worksurface	421
	WW3015PUBBFM	B/B/F Pedestal	891		WW3015PUBBFM	B/B/F Pedestal	891
	WW2315PUFFM	F/F Pedestal	794		WW2315PUFFM	F/F Pedestal	794
	WW7227MPM	Full Overlay Modesty	327		WW6627MPM	Full Overlay Modesty	310
	WW3027EPM	End Panel	344		WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118		WW0827SRM	Return Support Panel	118
	WW4227MPM	Full Overlay Modesty	262		WW4227MPM	Full Overlay Modesty	262
L-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW8572LFLLM	84%D x 71½W	\$ 3910	L-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW7966LFLLM	78%D x 66W	\$ 3645
	consists of				consists of		
	WW3672WSSDLL	Worksurface	774		WW3066WSSDLL	Worksurface	526
	WW2448WSSVDLL	Worksurface	380		WW2448WSSVDLL	Worksurface	380
	WW3015PUBBFM	B/B/F Pedestal	891		WW3015PUBBFM	B/B/F Pedestal	891
	WW2315PUFFM	F/F Pedestal	794		WW2315PUFFM	F/F Pedestal	794
	WW7227MPM	Full Overlay Modesty	327		WW6627MPM	Full Overlay Modesty	310
	WW3027EPM	End Panel	344		WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118		WW0827SRM	Return Support Panel	118
	WW4827MPM	Full Overlay Modesty	282		WW4827MPM	Full Overlay Modesty	282
	WW7972LFLLM	78%D x 71½W	\$ 3854		WW7366LFLLM	72%D x 66W	\$ 3589
consists of			consists of				
	WW3672WSSDLL	Worksurface	774		WW3066WSSDLL	Worksurface	526
	WW2442WSSVDLL	Worksurface	344		WW2442WSSVDLL	Worksurface	344
	WW3015PUBBFM	B/B/F Pedestal	891		WW3015PUBBFM	B/B/F Pedestal	891
	WW2315PUFFM	F/F Pedestal	794		WW2315PUFFM	F/F Pedestal	794
	WW7227MPM	Full Overlay Modesty	327		WW6627MPM	Full Overlay Modesty	310
	WW3027EPM	End Panel	344		WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118		WW0827SRM	Return Support Panel	118
	WW4227MPM	Full Overlay Modesty	262		WW4227MPM	Full Overlay Modesty	262


WAVEWORKS METAL U ARRANGEMENTS


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.


ARRANGEMENTS INCLUDE:

- Integrated pulls
- Softened Wood rim profile (wood models)
- Softened Vinyl, Cinder rim profile (laminare models)
- Random black lock cores
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish/laminate and paint

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
U-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10972UFLM 108%D x 71%W	\$ 5617
	consists of	
	WW3672WSSDL Worksurface	967
	WW2448WSSVDL Worksurface	463
	WW2472WSSDL Worksurface	682
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327
	WW7227MPM Full Overlay Modesty	327
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW0827SRM Return Support Panel	118
	WW2427EPM End Panel	304
	WW4827MPM Full Overlay Modesty	282
	WW10372UFLM 102%D x 71%W	\$ 5555
	consists of	
	WW3672WSSDL Worksurface	967
	WW2442WSSVDL Worksurface	421
	WW2472WSSDL Worksurface	682
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327
	WW7227MPM Full Overlay Modesty	327
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW0827SRM Return Support Panel	118
	WW2427EPM End Panel	304
	WW4227MPM Full Overlay Modesty	262

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
U-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10366UFLM 102%D x 66W	\$ 5230
	consists of	
	WW3066WSSDL Worksurface	658
	WW2448WSSVDL Worksurface	463
	WW2466WSSDL Worksurface	638
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW6627MPM Full Overlay Modesty	310
	WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW0827SRM Return Support Panel	118
	WW2427EPM End Panel	304
	WW4827MPM Full Overlay Modesty	282
	WW9766UFLM 96%D x 66W	\$ 5168
	consists of	
	WW3066WSSDL Worksurface	658
	WW2442WSSVDL Worksurface	421
	WW2466WSSDL Worksurface	638
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW6627MPM Full Overlay Modesty	310
	WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW0827SRM Return Support Panel	118
	WW2427EPM End Panel	304
	WW4227MPM Full Overlay Modesty	262

U-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10972UFLM 108%D x 71%W	\$ 5221
	consists of	
	WW3672WSSDLL Worksurface	774
	WW2448WSSVDLL Worksurface	380
	WW2472WSSDLL Worksurface	562
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327
	WW7227MPM Full Overlay Modesty	327
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW0827SRM Return Support Panel	118
	WW2427EPM End Panel	304
	WW4827MPM Full Overlay Modesty	282
	WW10372UFLM 102%D x 71%W	\$ 5165
	consists of	
	WW3672WSSDLL Worksurface	774
	WW2442WSSVDLL Worksurface	344
	WW2472WSSDLL Worksurface	562
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327
	WW7227MPM Full Overlay Modesty	327
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW0827SRM Return Support Panel	118
	WW2427EPM End Panel	304
	WW4227MPM Full Overlay Modesty	262

U-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10366UFLM 102%D x 66W	\$ 4905
	consists of	
	WW3066WSSDLL Worksurface	526
	WW2448WSSVDLL Worksurface	380
	WW2466WSSDLL Worksurface	528
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW6627MPM Full Overlay Modesty	310
	WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW0827SRM Return Support Panel	118
	WW2427EPM End Panel	304
	WW4827MPM Full Overlay Modesty	282
	WW9766UFLM 96%D x 66W	\$ 4849
	consists of	
	WW3066WSSDLL Worksurface	526
	WW2442WSSVDLL Worksurface	344
	WW2466WSSDLL Worksurface	528
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW6627MPM Full Overlay Modesty	310
	WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW0827SRM Return Support Panel	118
	WW2427EPM End Panel	304
	WW4227MPM Full Overlay Modesty	262

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3672DDFAW8 F 1PL G1L KRS AC
 WW3672DDFALW8 VHN2 1PL G1L KRS HN2 461 HN2
 WW3672DDFALW8 F 1PL G1L KRS 461 HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
DOUBLE PEDESTAL DESK ARC TOP 	1 1/8" TOP THICKNESS									
	WWN3684DDFAW8	Wood	\$ 7323	36 1/16	83 1/16	29 3/8	6 3/16	47 3/16	347 lbs.	65.8
	WWN3684DDFALW8	Laminate/Wood	7323	36 1/16	83 1/16	29 3/8	6 3/16	47 3/16	347 lbs.	65.8
	WWN3684DDFAL8	Laminate	4816	36 1/16	83 1/16	29 3/8	6 3/16	47 3/16	347 lbs.	65.8
	WWN3672DDFAW8	Wood	\$ 6604	36 1/16	71 1/16	29 3/8	6 3/16	35 3/8	337 lbs.	52.3
	WWN3672DDFALW8	Laminate/Wood	6604	36 1/16	71 1/16	29 3/8	6 3/16	35 3/8	337 lbs.	52.3
	WWN3672DDFAL8	Laminate	4342	36 1/16	71 1/16	29 3/8	6 3/16	35 3/8	337 lbs.	52.3
	1 1/8" TOP THICKNESS									
	WW3684DDFAW8	Wood	\$ 6724	36 1/16	83 1/16	28 3/16	6 3/16	47 3/16	347 lbs.	65.8
	WW3684DDFALW8	Laminate/Wood	6724	36 1/16	83 1/16	28 3/16	6 3/16	47 3/16	347 lbs.	65.8
	WW3684DDFAL8	Laminate	4420	36 1/16	83 1/16	28 3/16	6 3/16	47 3/16	347 lbs.	65.8
	WW3684DDFALL8	TFL	3535	36 1/16	83 1/16	28 3/8	6 3/16	47 3/16	347 lbs.	65.8
	WW3672DDFAW8	Wood	\$ 6004	36 1/16	71 1/16	28 3/16	6 3/16	35 3/8	317 lbs.	56.3
	WW3672DDFALW8	Laminate/Wood	6004	36 1/16	71 1/16	28 3/16	6 3/16	35 3/8	317 lbs.	56.3
	WW3672DDFAL8	Laminate	3947	36 1/16	71 1/16	28 3/16	6 3/16	35 3/8	317 lbs.	56.3
WW3672DDFALL8	TFL	3157	36 1/16	71 1/16	28 3/8	6 3/16	35 3/8	317 lbs.	56.3	
• Arc top desk is 30" deep at ends • Top overhangs 6" at center • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks



TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3672DDFBW8 F 1PL G1L KRS AC
 WWN3672DDFBAL8 VHN2 1PL G1L KRS HN2 461 HN2
 WWN3672DDFBALW8 F 1PL G1L KRS 461 HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
DOUBLE PEDESTAL DESK ARC TOP BREAKFRONT MODESTY  	1½" TOP THICKNESS								
	WWN3684DDFBW8 Wood	\$ 7543	36⅞	83⅞	29⅜	6⅜	47⅜	347 lbs.	65.8
	WWN3684DDFBALW8 Laminate/Wood	7543	36⅞	83⅞	29⅜	6⅜	47⅜	347 lbs.	65.8
	WWN3684DDFBAL8 Laminate	4962	36⅞	83⅞	29⅜	6⅜	47⅜	347 lbs.	65.8
	WWN3672DDFBW8 Wood	\$ 6802	36⅞	71⅞	29⅜	6⅜	35⅝	337 lbs.	52.3
	WWN3672DDFBALW8 Laminate/Wood	6802	36⅞	71⅞	29⅜	6⅜	35⅝	337 lbs.	52.3
	WWN3672DDFBAL8 Laminate	4473	36⅞	71⅞	29⅜	6⅜	35⅝	337 lbs.	52.3
	1½" TOP THICKNESS								
	WW3684DDFBW8 Wood	\$ 6927	36⅞	83⅞	28⅞	6⅜	47⅜	347 lbs.	65.8
	WW3684DDFBALW8 Laminate/Wood	6927	36⅞	83⅞	28⅞	6⅜	47⅜	347 lbs.	65.8
	WW3684DDFBAL8 Laminate	4553	36⅞	83⅞	28⅞	6⅜	47⅜	347 lbs.	65.8
	WW3684DDFBALL8 TFL	3539	36⅞	83⅞	28⅞	6⅜	47⅜	347 lbs.	65.8
WW3672DDFBW8 Wood	\$ 6182	36⅞	71⅞	28⅞	6⅜	35⅝	317 lbs.	56.3	
WW3672DDFBALW8 Laminate/Wood	6182	36⅞	71⅞	28⅞	6⅜	35⅝	317 lbs.	56.3	
WW3672DDFBAL8 Laminate	4065	36⅞	71⅞	28⅞	6⅜	35⅝	317 lbs.	56.3	
WW3672DDFBALL8 TFL	3156	36⅞	71⅞	28⅞	6⅜	35⅝	317 lbs.	56.3	
	• Arc top desk is 30" deep at ends • Top overhangs 12" at center to the modesty panel • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
DOUBLE PEDESTAL DESK GLASS TOP 	WW3672DDFGW8 Wood	\$ 6549	36⅞	71⅞	29⅜	35⅝	—	275 lbs.	50.0
	WW3672DDFGL8 Laminate	4307	36⅞	71⅞	29⅜	35⅝	—	275 lbs.	50.0
	• Grommet option not available • Clear ½" thick tempered glass top with pencil polished edge • Some assembly required; top ships unattached • Optional modesty panels in veneer or laminate and in full or ½ heights available, see page 466 • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3672DDFW8 F 1PL G1L KRS AC
 WW3672DDFLW8 VHN2 1PL G1L KRS HN2 461 HN2
 WW3672DDFLW8 F 1PL G1L KRS 461 HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	1 1/2" TOP THICKNESS		D	W	H				
DOUBLE PEDESTAL DESK RECESSED MODESTY 	WWN3684DDFW8 Wood	\$ 6103	36 1/16	83 1/16	29 3/8	6 3/16	47 3/16	347 lbs.	65.8
	WWN3684DDFLW8 Laminate/Wood	6103	36 1/16	83 1/16	29 3/8	6 3/16	47 3/16	347 lbs.	65.8
	WWN3684DDFL8 Laminate	3944	36 1/16	83 1/16	29 3/8	6 3/16	47 3/16	347 lbs.	65.8
	WWN3672DDFW8 Wood	\$ 5500	36 1/16	71 1/16	29 3/8	6 3/16	35 3/8	347 lbs.	52.3
	WWN3672DDFLW8 Laminate/Wood	5500	36 1/16	71 1/16	29 3/8	6 3/16	35 3/8	347 lbs.	52.3
	WWN3672DDFL8 Laminate	3556	36 1/16	71 1/16	29 3/8	6 3/16	35 3/8	347 lbs.	52.3
	WWN3066DDFW8 Wood	\$ 5279	30 1/16	66	29 3/8	6 3/16	35 3/8	277 lbs.	40.3
	WWN3066DDFLW8 Laminate/Wood	5279	30 1/16	66	29 3/8	6 3/16	35 3/8	277 lbs.	40.3
	WWN3066DDFL8 Laminate	3414	30 1/16	66	29 3/8	6 3/16	35 3/8	277 lbs.	40.3
	WWN3060DDFW8 Wood	\$ 5023	30 1/16	60	29 3/8	6 3/16	29 15/16	263 lbs.	36.7
	WWN3060DDFLW8 Laminate/Wood	5023	30 1/16	60	29 3/8	6 3/16	29 15/16	263 lbs.	36.7
	WWN3060DDFL8 Laminate	3289	30 1/16	60	29 3/8	6 3/16	29 15/16	263 lbs.	36.7
	1 1/2" TOP THICKNESS								
	WW3684DDFW8 Wood	\$ 5602	36 1/16	83 1/16	28 1/16	6 3/16	47 3/16	374 lbs.	65.8
	WW3684DDFLW8 Laminate/Wood	5602	36 1/16	83 1/16	28 1/16	6 3/16	47 3/16	374 lbs.	65.8
	WW3684DDFL8 Laminate	3620	36 1/16	83 1/16	28 1/16	6 3/16	47 3/16	374 lbs.	65.8
	WW3684DDFLL8 TFL	2899	36 1/16	83 1/16	28 3/8	6 3/16	47 3/16	374 lbs.	65.8
	WW3672DDFW8 Wood	\$ 5001	36 1/16	71 1/16	28 1/16	6 3/16	35 3/8	361 lbs.	56.3
	WW3672DDFLW8 Laminate/Wood	5001	36 1/16	71 1/16	28 1/16	6 3/16	35 3/8	361 lbs.	56.3
	WW3672DDFL8 Laminate	3235	36 1/16	71 1/16	28 1/16	6 3/16	35 3/8	361 lbs.	56.3
	WW3672DDFLL8 TFL	2586	36 1/16	71 1/16	28 3/8	6 3/16	35 3/8	361 lbs.	56.3
	WW3066DDFW8 Wood	\$ 4799	30 1/16	66	28 1/16	6 3/16	35 3/8	285 lbs.	44.4
	WW3066DDFLW8 Laminate/Wood	4799	30 1/16	66	28 1/16	6 3/16	35 3/8	285 lbs.	44.4
	WW3066DDFL8 Laminate	3104	30 1/16	66	28 1/16	6 3/16	35 3/8	285 lbs.	44.4
	WW3066DDFLL8 TFL	2485	30 1/16	66	28 3/8	6 3/16	35 3/8	285 lbs.	44.4
	WW3060DDFW8 Wood	\$ 4569	30 1/16	60	28 1/16	6 3/16	29 15/16	261 lbs.	40.7
	WW3060DDFLW8 Laminate/Wood	4569	30 1/16	60	28 1/16	6 3/16	29 15/16	261 lbs.	40.7
	WW3060DDFL8 Laminate	2991	30 1/16	60	28 1/16	6 3/16	29 15/16	261 lbs.	40.7
	WW3060DDFLL8 TFL	2391	30 1/16	60	28 3/8	6 3/16	29 15/16	261 lbs.	40.7

- 3672 desk has 30" deep pedestals
- 3066 and 3060 desks have 24" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3672DDFBW8 F 1PL G1L KRS AC
 WWN3672DDFBL8 VHN2 1PL G1L KRS HN2 461 HN2
 WWN3672DDFBL8 F 1PL G1L KRS 461 HN

- See pages 284-288 for all options available in WaveWorks

DOUBLE PEDESTAL DESK BREAKFRONT MODESTY



MODEL NO./DESCRIPTION

1 1/8" TOP THICKNESS

WWN3684DDFBW8	Wood	\$ 6283
WWN3684DDFBLW8	Laminate/Wood	6283
WWN3684DDFBL8	Laminate	4062

WWN3672DDFBW8	Wood	\$ 5665
WWN3672DDFBLW8	Laminate/Wood	5665
WWN3672DDFBL8	Laminate	3662

WWN3066DDFBW8	Wood	\$ 5436
WWN3066DDFBLW8	Laminate/Wood	5436
WWN3066DDFBL8	Laminate	3516

WWN3060DDFBW8	Wood	\$ 5174
WWN3060DDFBLW8	Laminate/Wood	5174
WWN3060DDFBL8	Laminate	3388

1 1/8" TOP THICKNESS

WW3684DDFBW8	Wood	\$ 5770
WW3684DDFBLW8	Laminate/Wood	5770
WW3684DDFBL8	Laminate	3729
WW3684DDFBL8	TFL	2899

WW3672DDFBW8	Wood	\$ 5150
WW3672DDFBLW8	Laminate/Wood	5150
WW3672DDFBL8	Laminate	3330
WW3672DDFBL8	TFL	2584

WW3066DDFBW8	Wood	\$ 4941
WW3066DDFBLW8	Laminate/Wood	4941
WW3066DDFBL8	Laminate	3198
WW3066DDFBL8	TFL	2482

WW3060DDFBW8	Wood	\$ 4705
WW3060DDFBLW8	Laminate/Wood	4705
WW3060DDFBL8	Laminate	3079
WW3060DDFBL8	TFL	2391

- 3684 and 3672 desks have 35" deep pedestals
- 3066 and 3060 desks have 30" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Modesty inset

LIST PRICE DIMENSIONS CARTONED CUBIC

D	W	H	A	KW	WEIGHT	FEET
36 1/16	83 1/16	29 3/8	6 3/8	47 3/16	374 lbs.	65.8
36 1/16	83 1/16	29 3/8	6 3/8	47 3/16	374 lbs.	65.8
36 1/16	83 1/16	29 3/8	6 3/8	47 3/16	374 lbs.	65.8
36 1/16	71 1/16	29 3/8	6 3/8	35 3/8	347 lbs.	52.3
36 1/16	71 1/16	29 3/8	6 3/8	35 3/8	347 lbs.	52.3
36 1/16	71 1/16	29 3/8	6 3/8	35 3/8	347 lbs.	52.3
30 1/16	66	29 3/8	6 3/8	35 3/8	277 lbs.	40.3
30 1/16	66	29 3/8	6 3/8	35 3/8	277 lbs.	40.3
30 1/16	66	29 3/8	6 3/8	35 3/8	277 lbs.	40.3
30 1/16	60	29 3/8	6 3/8	29 1/16	263 lbs.	36.7
30 1/16	60	29 3/8	6 3/8	29 1/16	263 lbs.	36.7
30 1/16	60	29 3/8	6 3/8	29 1/16	263 lbs.	36.7
36 1/16	83 1/16	28 1/16	6 3/8	47 3/16	374 lbs.	65.8
36 1/16	83 1/16	28 1/16	6 3/8	47 3/16	374 lbs.	65.8
36 1/16	83 1/16	28 1/16	6 3/8	47 3/16	374 lbs.	65.8
36 1/16	83 1/16	28 1/16	6 3/8	47 3/16	374 lbs.	65.8
36 1/16	71 1/16	28 1/16	6 3/8	35 3/8	361 lbs.	56.3
36 1/16	71 1/16	28 1/16	6 3/8	35 3/8	361 lbs.	56.3
36 1/16	71 1/16	28 1/16	6 3/8	35 3/8	361 lbs.	56.3
36 1/16	71 1/16	28 1/16	6 3/8	35 3/8	361 lbs.	56.3
30 1/16	66	28 1/16	6 3/8	35 3/8	285 lbs.	44.4
30 1/16	66	28 1/16	6 3/8	35 3/8	285 lbs.	44.4
30 1/16	66	28 1/16	6 3/8	35 3/8	285 lbs.	44.4
30 1/16	66	28 1/16	6 3/8	35 3/8	285 lbs.	44.4
30 1/16	60	28 1/16	6 3/8	29 1/16	261 lbs.	40.7
30 1/16	60	28 1/16	6 3/8	29 1/16	261 lbs.	40.7
30 1/16	60	28 1/16	6 3/8	29 1/16	261 lbs.	40.7
30 1/16	60	28 1/16	6 3/8	29 1/16	261 lbs.	40.7

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3672DRFAW1 F 1PL G1L KRS AC
 WW3672DRFAL1 VHN2 1PL G1L KRS HN2 461 HN2
 WW3672DRFALW1 F 1PL G1L KRS 461 HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
SINGLE PEDESTAL DESK ARC TOP  Left shown	1 ¹ / ₂ " TOP THICKNESS				D	W	H	A	KW			
	LEFT PEDESTAL DESK	RIGHT PEDESTAL DESK										
	WWN3684DLFAW1	WWN3684DRFAW1	Wood	\$ 6402	36 ¹ / ₁₆	83 ¹ / ₁₆	29 ³ / ₈	6 ³ / ₁₆	64 ¹ / ₁₆	374 lbs.	65.8	
	WWN3684DLFALW1	WWN3684DRFALW1	Lam/Wood	6402	36 ¹ / ₁₆	83 ¹ / ₁₆	29 ³ / ₈	6 ³ / ₁₆	64 ¹ / ₁₆	374 lbs.	65.8	
	WWN3684DLFAL1	WWN3684DRFAL1	Laminate	4321	36 ¹ / ₁₆	83 ¹ / ₁₆	29 ³ / ₈	6 ³ / ₁₆	64 ¹ / ₁₆	374 lbs.	65.8	
	WWN3672DLFAW1	WWN3672DRFAW1	Wood	\$ 5775	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	6 ³ / ₁₆	52 ¹ / ₁₆	277 lbs.	52.0	
	WWN3672DLFALW1	WWN3672DRFALW1	Lam/Wood	5775	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	6 ³ / ₁₆	52 ¹ / ₁₆	277 lbs.	52.0	
	WWN3672DLFAL1	WWN3672DRFAL1	Laminate	3895	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	6 ³ / ₁₆	52 ¹ / ₁₆	277 lbs.	52.0	
	1 ¹ / ₂ " TOP THICKNESS											
	LEFT PEDESTAL DESK	RIGHT PEDESTAL DESK										
	WW3684DLFAW1	WW3684DRFAW1	Wood	\$ 5877	36 ¹ / ₁₆	83 ¹ / ₁₆	28 ¹ / ₁₆	6 ³ / ₁₆	64 ¹ / ₁₆	374 lbs.	65.8	
	WW3684DLFALW1	WW3684DRFALW1	Lam/Wood	5877	36 ¹ / ₁₆	83 ¹ / ₁₆	28 ¹ / ₁₆	6 ³ / ₁₆	64 ¹ / ₁₆	374 lbs.	65.8	
	WW3684DLFAL1	WW3684DRFAL1	Laminate	3966	36 ¹ / ₁₆	83 ¹ / ₁₆	28 ¹ / ₁₆	6 ³ / ₁₆	64 ¹ / ₁₆	374 lbs.	65.8	
	WW3684DLFALL1	WW3684DRFALL1	TFL	3171	36 ¹ / ₁₆	83 ¹ / ₁₆	28 ³ / ₈	6 ³ / ₁₆	64 ¹ / ₁₆	374 lbs.	65.8	
WW3672DLFAW1	WW3672DRFAW1	Wood	\$ 5248	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	6 ³ / ₁₆	52 ¹ / ₁₆	267 lbs.	56.3		
WW3672DLFALW1	WW3672DRFALW1	Lam/Wood	5248	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	6 ³ / ₁₆	52 ¹ / ₁₆	267 lbs.	56.3		
WW3672DLFAL1	WW3672DRFAL1	Laminate	3544	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ¹ / ₁₆	6 ³ / ₁₆	52 ¹ / ₁₆	267 lbs.	56.3		
WW3672DLFALL1	WW3672DRFALL1	TFL	2835	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ³ / ₈	6 ³ / ₁₆	52 ¹ / ₁₆	267 lbs.	56.3		
• Arc top desk is 30" deep at ends • Top overhangs 6" at center • Random lock core (KRB, KRS) and specied lock core (KS1B, KS1S) available												

- Arc top desk is 30" deep at ends
- Top overhangs 6" at center
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks



TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3672DLFBW1 F 1PL G1L KRS AC
 WWN3672DLFBAL1 VHN2 1PL G1L KRS HN2 461 HN2
 WWN3672DLFBALW1 F 1PL G1L KRS 461 HN

- See pages 284-288 for all options available in WaveWorks

		MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
					D	W	H	A	KW			
 Left shown  Left shown	1½" TOP THICKNESS											
	LEFT PEDESTAL DESK	RIGHT PEDESTAL DESK										
	WWN3684DLFBW1	WWN3684DRFBW1	Wood	\$ 6595	36⅞	83⅝	29⅞	6⅞	64⅞	374 lbs.	65.8	
	WWN3684DLFBALW1	WWN3684DRFBALW1	Lam/Wood	6595	36⅞	83⅝	29⅞	6⅞	64⅞	374 lbs.	65.8	
	WWN3684DLFBAL1	WWN3684DRFBAL1	Laminate	4452	36⅞	83⅝	29⅞	6⅞	64⅞	374 lbs.	65.8	
	WWN3672DLFBW1	WWN3672DRFBW1	Wood	\$ 5949	36⅞	71⅝	29⅞	6⅞	52⅞	277 lbs.	52.0	
	WWN3672DLFBALW1	WWN3672DRFBALW1	Lam/Wood	5949	36⅞	71⅝	29⅞	6⅞	52⅞	277 lbs.	52.0	
	WWN3672DLFBAL1	WWN3672DRFBAL1	Laminate	4012	36⅞	71⅝	29⅞	6⅞	52⅞	277 lbs.	52.0	
	1½" TOP THICKNESS											
	LEFT PEDESTAL DESK	RIGHT PEDESTAL DESK										
WW3684DLFBW1	WW3684DRFBW1	Wood	\$ 6054	36⅞	83⅝	28⅝	6⅞	64⅞	374 lbs.	65.8		
WW3684DLFBALW1	WW3684DRFBALW1	Lam/Wood	6054	36⅞	83⅝	28⅝	6⅞	64⅞	374 lbs.	65.8		
WW3684DLFBAL1	WW3684DRFBAL1	Laminate	4087	36⅞	83⅝	28⅝	6⅞	64⅞	374 lbs.	65.8		
WW3684DLFBALL1	WW3684DRFBALL1	TFL	3172	36⅞	83⅝	28⅞	6⅞	64⅞	374 lbs.	65.8		
WW3672DLFBW1	WW3672DRFBW1	Wood	\$ 5409	36⅞	71⅝	28⅝	6⅞	52⅞	267 lbs.	56.3		
WW3672DLFBALW1	WW3672DRFBALW1	Lam/Wood	5409	36⅞	71⅝	28⅝	6⅞	52⅞	267 lbs.	56.3		
WW3672DLFBAL1	WW3672DRFBAL1	Laminate	3650	36⅞	71⅝	28⅝	6⅞	52⅞	267 lbs.	56.3		
WW3672DLFBALL1	WW3672DRFBALL1	TFL	2835	36⅞	71⅝	28⅞	6⅞	52⅞	267 lbs.	56.3		
• Arc top desk is 30" deep at ends • Top overhangs 12" at center to the modesty panel • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Modesty inset • Grain direction runs with the width of all laminate modesty panels that exceed 60"												

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3672DRFW1 F 1PL G1L KRS AC
 WW3672DRFL1 VHN2 1PL G1L KRS HN2 461 HN2
 WW3672DRFLW1 F 1PL G1L KRS 461 HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS				CARTONED CUBIC		
					D	W	H	A	KW	WEIGHT	FEET
SINGLE PEDESTAL DESK RECESSED MODESTY  Left shown	1½" TOP THICKNESS										
	LEFT PEDESTAL DESK	RIGHT PEDESTAL DESK									
	WWN3684DLFW1	WWN3684DRFW1	Wood	\$ 5223	36⅞	83⅞	29⅝	6⅞	64⅞	374 lbs.	65.8
	WWN3684DLFLW1	WWN3684DRFLW1	Lam/Wood	5223	36⅞	83⅞	29⅝	6⅞	64⅞	374 lbs.	65.8
	WWN3684DLFL1	WWN3684DRFL1	Laminate	3446	36⅞	83⅞	29⅝	6⅞	64⅞	374 lbs.	65.8
	WWN3672DLFW1	WWN3672DRFW1	Wood	\$ 4711	36⅞	71⅞	29⅝	6⅞	52⅞	287 lbs.	52.3
	WWN3672DLFLW1	WWN3672DRFLW1	Lam/Wood	4711	36⅞	71⅞	29⅝	6⅞	52⅞	287 lbs.	52.3
	WWN3672DLFL1	WWN3672DRFL1	Laminate	3105	36⅞	71⅞	29⅝	6⅞	52⅞	287 lbs.	52.3
	WWN3066DLFW1	WWN3066DRFW1	Wood	\$ 4420	30⅞	66	29⅝	6⅞	52⅞	232 lbs.	40.3
	WWN3066DLFLW1	WWN3066DRFLW1	Lam/Wood	4420	30⅞	66	29⅝	6⅞	52⅞	232 lbs.	40.3
	WWN3066DLFL1	WWN3066DRFL1	Laminate	2974	30⅞	66	29⅝	6⅞	52⅞	232 lbs.	40.3
1½" TOP THICKNESS											
LEFT PEDESTAL DESK	RIGHT PEDESTAL DESK										
WW3684DLFW1	WW3684DRFW1	Wood	\$ 4798	36⅞	83⅞	28⅞	6⅞	64⅞	374 lbs.	65.8	
WW3684DLFLW1	WW3684DRFLW1	Lam/Wood	4798	36⅞	83⅞	28⅞	6⅞	64⅞	374 lbs.	65.8	
WW3684DLFL1	WW3684DRFL1	Laminate	3163	36⅞	83⅞	28⅞	6⅞	64⅞	374 lbs.	65.8	
WW3684DLFLL1	WW3684DRFLL1	TFL	2529	36⅞	83⅞	28⅞	6⅞	64⅞	374 lbs.	65.8	
WW3672DLFW1	WW3672DRFW1	Wood	\$ 4283	36⅞	71⅞	28⅞	6⅞	52⅞	311 lbs.	56.3	
WW3672DLFLW1	WW3672DRFLW1	Lam/Wood	4283	36⅞	71⅞	28⅞	6⅞	52⅞	311 lbs.	56.3	
WW3672DLFL1	WW3672DRFL1	Laminate	2824	36⅞	71⅞	28⅞	6⅞	52⅞	311 lbs.	56.3	
WW3672DLFLL1	WW3672DRFLL1	TFL	2258	36⅞	71⅞	28⅞	6⅞	52⅞	311 lbs.	56.3	
WW3066DLFW1	WW3066DRFW1	Wood	\$ 4016	30⅞	66	28⅞	6⅞	52⅞	245 lbs.	44.4	
WW3066DLFLW1	WW3066DRFLW1	Lam/Wood	4016	30⅞	66	28⅞	6⅞	52⅞	245 lbs.	44.4	
WW3066DLFL1	WW3066DRFL1	Laminate	2704	30⅞	66	28⅞	6⅞	52⅞	245 lbs.	44.4	
WW3066DLFLL1	WW3066DRFLL1	TFL	2164	30⅞	66	28⅞	6⅞	52⅞	245 lbs.	44.4	
• 3684 and 3672 desks have 30" deep pedestal • 3066 desk has 24" deep pedestal • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Grain direction runs with the width of all laminate modesty panels that exceed 60"											

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks



TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3672DRFBW1 F 1PL G1L KRS AC
 WWN3672DRFBL1 VHN2 1PL G1L KRS HN2 461 HN2
 WWN3672DRFBLW1 F 1PL G1L KRS 461 HN

- See pages 284-288 for all options available in WaveWorks

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
				D	W	H	A	KW				
SINGLE PEDESTAL DESK BREAKFRONT MODESTY  Left shown  Left shown	1½" TOP THICKNESS											
	LEFT PEDESTAL DESK	RIGHT PEDESTAL DESK										
	WWN3684DLFBW1	WWN3684DRFBW1	Wood	\$	5381	36⅛	83⅛	29⅜	6⅜	64⅞	374 lbs.	65.8
	WWN3684DLFBLW1	WWN3684DRFBLW1	Lam/Wood		5381	36⅛	83⅛	29⅜	6⅜	64⅞	374 lbs.	65.8
	WWN3684DLFBL1	WWN3684DRFBL1	Laminate		3550	36⅛	83⅛	29⅜	6⅜	64⅞	374 lbs.	65.8
	WWN3672DLFBW1	WWN3672DRFBW1	Wood	\$	4854	36⅛	71⅛	29⅜	6⅜	52⅞	287 lbs.	52.3
	WWN3672DLFBLW1	WWN3672DRFBLW1	Lam/Wood		4854	36⅛	71⅛	29⅜	6⅜	52⅞	287 lbs.	52.3
	WWN3672DLFBL1	WWN3672DRFBL1	Laminate		3202	36⅛	71⅛	29⅜	6⅜	52⅞	287 lbs.	52.3
	WWN3066DLFBW1	WWN3066DRFBW1	Wood	\$	4552	30⅛	66	29⅜	6⅜	52⅞	232 lbs.	40.3
	WWN3066DLFBLW1	WWN3066DRFBLW1	Lam/Wood		4552	30⅛	66	29⅜	6⅜	52⅞	232 lbs.	40.3
	WWN3066DLFBL1	WWN3066DRFBL1	Laminate		3061	30⅛	66	29⅜	6⅜	52⅞	232 lbs.	40.3
	1½" TOP THICKNESS											
	LEFT PEDESTAL DESK	RIGHT PEDESTAL DESK										
	WW3684DLFBW1	WW3684DRFBW1	Wood	\$	4940	36⅛	83⅛	28⅞	6⅜	64⅞	374 lbs.	65.8
	WW3684DLFBLW1	WW3684DRFBLW1	Lam/Wood		4940	36⅛	83⅛	28⅞	6⅜	64⅞	374 lbs.	65.8
	WW3684DLFBL1	WW3684DRFBL1	Laminate		3258	36⅛	83⅛	28⅞	6⅜	64⅞	374 lbs.	65.8
	WW3684DLFBLL1	WW3684DRFBLL1	TFL		2529	36⅛	83⅛	28⅞	6⅜	64⅞	374 lbs.	65.8
	WW3672DLFBW1	WW3672DRFBW1	Wood	\$	4411	36⅛	71⅛	28⅞	6⅜	52⅞	311 lbs.	56.3
	WW3672DLFBLW1	WW3672DRFBLW1	Lam/Wood		4411	36⅛	71⅛	28⅞	6⅜	52⅞	311 lbs.	56.3
WW3672DLFBL1	WW3672DRFBL1	Laminate		2906	36⅛	71⅛	28⅞	6⅜	52⅞	311 lbs.	56.3	
WW3672DLFBLL1	WW3672DRFBLL1	TFL		2257	36⅛	71⅛	28⅞	6⅜	52⅞	311 lbs.	56.3	
WW3066DLFBW1	WW3066DRFBW1	Wood	\$	4138	30⅛	66	28⅞	6⅜	52⅞	245 lbs.	44.4	
WW3066DLFBLW1	WW3066DRFBLW1	Lam/Wood		4138	30⅛	66	28⅞	6⅜	52⅞	245 lbs.	44.4	
WW3066DLFBL1	WW3066DRFBL1	Laminate		2785	30⅛	66	28⅞	6⅜	52⅞	245 lbs.	44.4	
WW3066DLFBLL1	WW3066DRFBLL1	TFL		2164	30⅛	66	28⅞	6⅜	52⅞	245 lbs.	44.4	

- 3684 and 3672 desks have 35" deep pedestal
- 3066 desk has 30" deep pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Modesty inset
- Grain direction runs with the width of all laminate modesty panels that exceed 60"

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Paint
6. Laminate Top Color (laminate models)
7. Laminate Chassis Color (laminate models)
8. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN3084DSFA1W F G1L 462 AD
 WWN3084DSFA1LW F G1R 462 440 MH
 WWN3084DSFA1L VPB X 462 PB PB

- See pages 284-288 for all options available in WaveWorks

**ADJUSTABLE HEIGHT
DESK SHELL
FULL FLUSH MODESTY**


Approach view

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
1 1/16" TOP THICKNESS									
36" DEPTH									
WWN3684DSFA1W	Wood	\$ 9179	36 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3684DSFA1LW	Laminate/Wood	9179	36 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3684DSFA1L	Laminate	7934	36 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3678DSFA1W	Wood	\$ 8936	36 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3678DSFA1LW	Laminate/Wood	8936	36 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3678DSFA1L	Laminate	7814	36 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3672DSFA1W	Wood	\$ 8693	36 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3672DSFA1LW	Laminate/Wood	8693	36 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3672DSFA1L	Laminate	7693	36 1/16	71 1/16	27 1/16	—	—	lbs.	
30" DEPTH									
WWN3084DSFA1W	Wood	\$ 8362	30 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3084DSFA1LW	Laminate/Wood	8362	30 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3084DSFA1L	Laminate	6731	30 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3078DSFA1W	Wood	\$ 8117	30 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3078DSFA1LW	Laminate/Wood	8117	30 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3078DSFA1L	Laminate	6614	30 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3072DSFA1W	Wood	\$ 7874	30 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3072DSFA1LW	Laminate/Wood	7874	30 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3072DSFA1L	Laminate	6493	30 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3066DSFA1W	Wood	\$ 7629	30 1/16	66	27 1/16	—	—	lbs.	
WWN3066DSFA1LW	Laminate/Wood	7629	30 1/16	66	27 1/16	—	—	lbs.	
WWN3066DSFA1L	Laminate	6374	30 1/16	66	27 1/16	—	—	lbs.	
WWN3060DSFA1W	Wood	\$ 7384	30 1/16	60	27 1/16	—	—	lbs.	
WWN3060DSFA1LW	Laminate/Wood	7384	30 1/16	60	27 1/16	—	—	lbs.	
WWN3060DSFA1L	Laminate	6255	30 1/16	60	27 1/16	—	—	lbs.	
24" DEPTH									
WWN2454DSFA1W	Wood	\$ 5905	24	54	27 1/16	—	—	lbs.	
WWN2454DSFA1LW	Laminate/Wood	5905	24	54	27 1/16	—	—	lbs.	
WWN2454DSFA1L	Laminate	5247	24	54	27 1/16	—	—	lbs.	
WWN2448DSFA1W	Wood	\$ 5798	24	48 1/16	27 1/16	—	—	lbs.	
WWN2448DSFA1LW	Laminate/Wood	5798	24	48 1/16	27 1/16	—	—	lbs.	
WWN2448DSFA1L	Laminate	5141	24	48 1/16	27 1/16	—	—	lbs.	

- Laminate/Wood combo units consist of a laminate worksurface and veneer shrouds and modesty
- Grain direction on shrouds is always vertical unless specifying a horizontal laminate
- Wire manager located on right side of desk; removeable panel allows for easy access
- Wire manager can be moved to opposite side in field if other side is preferred
- Any laminate modesty over 60" will be horizontal grain direction
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible when the desk is in an upper position; specify paint color of Cinder or Platinum Metallic

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Paint
6. Laminate Top Color (laminate models)
7. Laminate Chassis Color (laminate models)
8. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW3084DSFA1W F G1L 462 AD
WW3084DSFA1LW F G1R 462 440 MH
WW3084DSFA1L VPB X 462 PB PB

- See pages 284-288 for all options available in WaveWorks

ADJUSTABLE HEIGHT DESK SHELL FULL FLUSH MODESTY (CONTINUED)



Approach view

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC
			D	W	H	A	KW	WEIGHT FEET
1 1/2" TOP THICKNESS								
36" DEPTH								
WW3684DSFA1W	Wood	\$ 9043	36 1/16	83 1/16	26 13/16	—	—	lbs.
WW3684DSFA1LW	Laminate/Wood	9043	36 1/16	83 1/16	26 13/16	—	—	lbs.
WW3684DSFA1L	Laminate	7794	36 1/16	83 1/16	26 13/16	—	—	lbs.
WW3678DSFA1W	Wood	\$ 8799	36 1/16	77 1/16	26 13/16	—	—	lbs.
WW3678DSFA1LW	Laminate/Wood	8799	36 1/16	77 1/16	26 13/16	—	—	lbs.
WW3678DSFA1L	Laminate	7678	36 1/16	77 1/16	26 13/16	—	—	lbs.
WW3672DSFA1W	Wood	\$ 8555	36 1/16	71 1/16	26 13/16	—	—	lbs.
WW3672DSFA1LW	Laminate/Wood	8555	36 1/16	71 1/16	26 13/16	—	—	lbs.
WW3672DSFA1L	Laminate	7557	36 1/16	71 1/16	26 13/16	—	—	lbs.
30" DEPTH								
WW3084DSFA1W	Wood	\$ 8224	30 1/16	83 1/16	26 13/16	—	—	lbs.
WW3084DSFA1LW	Laminate/Wood	8224	30 1/16	83 1/16	26 13/16	—	—	lbs.
WW3084DSFA1L	Laminate	6594	30 1/16	83 1/16	26 13/16	—	—	lbs.
WW3078DSFA1W	Wood	\$ 7980	30 1/16	77 1/16	26 13/16	—	—	lbs.
WW3078DSFA1LW	Laminate/Wood	7980	30 1/16	77 1/16	26 13/16	—	—	lbs.
WW3078DSFA1L	Laminate	6474	30 1/16	77 1/16	26 13/16	—	—	lbs.
WW3072DSFA1W	Wood	\$ 7736	30 1/16	71 1/16	26 13/16	—	—	lbs.
WW3072DSFA1LW	Laminate/Wood	7736	30 1/16	71 1/16	26 13/16	—	—	lbs.
WW3072DSFA1L	Laminate	6357	30 1/16	71 1/16	26 13/16	—	—	lbs.
WW3066DSFA1W	Wood	\$ 7492	30 1/16	66	26 13/16	—	—	lbs.
WW3066DSFA1LW	Laminate/Wood	7492	30 1/16	66	26 13/16	—	—	lbs.
WW3066DSFA1L	Laminate	6237	30 1/16	66	26 13/16	—	—	lbs.
WW3060DSFA1W	Wood	\$ 7247	30 1/16	60	26 13/16	—	—	lbs.
WW3060DSFA1LW	Laminate/Wood	7247	30 1/16	60	26 13/16	—	—	lbs.
WW3060DSFA1L	Laminate	6117	30 1/16	60	26 13/16	—	—	lbs.
24" DEPTH								
WW2454DSFA1W	Wood	\$ 5385	24	54	26 13/16	—	—	lbs.
WW2454DSFA1LW	Laminate/Wood	5385	24	54	26 13/16	—	—	lbs.
WW2454DSFA1L	Laminate	4867	24	54	26 13/16	—	—	lbs.
WW2448DSFA1W	Wood	\$ 5279	24	48 1/16	26 13/16	—	—	lbs.
WW2448DSFA1LW	Laminate/Wood	5279	24	48 1/16	26 13/16	—	—	lbs.
WW2448DSFA1L	Laminate	4759	24	48 1/16	26 13/16	—	—	lbs.

- Laminate/Wood combo units consist of a laminate worksurface and veneer shrouds and modesty
- Grain direction on shrouds is always vertical unless specifying a horizontal laminate
- Wire manager located on right side of desk; removeable panel allows for easy access
- Wire manager can be moved to opposite side in field if other side is preferred
- Any laminate modesty over 60" will be horizontal grain direction
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible when the desk is in an upper position; specify paint color of Cinder or Platinum Metallic
- SIN 33721

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Paint
6. Laminate Top Color (laminate models)
7. Laminate Chassis Color (laminate models)
8. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN3084DSFBA1W F G1L 462 AD
 WWN3084DSFBA1LW F G1R 462 440 MH
 WWN3084DSFBA1L VPB X 462 PB PB

- See pages 284-288 for all options available in WaveWorks

**ADJUSTABLE HEIGHT
DESK SHELL
BREAKFRONT FULL
MODESTY**


User side

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
1 1/16" TOP THICKNESS 36" DEPTH			D	W	H				
WWN3684DSFBA1W	Wood	\$ 9317	36 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3684DSFBA1LW	Laminate/Wood	9317	36 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3684DSFBA1L	Laminate	8069	36 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3678DSFBA1W	Wood	\$ 9073	36 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3678DSFBA1LW	Laminate/Wood	9073	36 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3678DSFBA1L	Laminate	7952	36 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3672DSFBA1W	Wood	\$ 8829	36 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3672DSFBA1LW	Laminate/Wood	8829	36 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3672DSFBA1L	Laminate	7832	36 1/16	71 1/16	27 1/16	—	—	lbs.	
30" DEPTH									
WWN3084DSFBA1W	Wood	\$ 8499	30 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3084DSFBA1LW	Laminate/Wood	8499	30 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3084DSFBA1L	Laminate	6868	30 1/16	83 1/16	27 1/16	—	—	lbs.	
WWN3078DSFBA1W	Wood	\$ 8254	30 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3078DSFBA1LW	Laminate/Wood	8254	30 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3078DSFBA1L	Laminate	6750	30 1/16	77 1/16	27 1/16	—	—	lbs.	
WWN3072DSFBA1W	Wood	\$ 8010	30 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3072DSFBA1LW	Laminate/Wood	8010	30 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3072DSFBA1L	Laminate	6630	30 1/16	71 1/16	27 1/16	—	—	lbs.	
WWN3066DSFBA1W	Wood	\$ 7767	30 1/16	66	27 1/16	—	—	lbs.	
WWN3066DSFBA1LW	Laminate/Wood	7767	30 1/16	66	27 1/16	—	—	lbs.	
WWN3066DSFBA1L	Laminate	6512	30 1/16	66	27 1/16	—	—	lbs.	
WWN3060DSFBA1W	Wood	\$ 7521	30 1/16	60	27 1/16	—	—	lbs.	
WWN3060DSFBA1LW	Laminate/Wood	7521	30 1/16	60	27 1/16	—	—	lbs.	
WWN3060DSFBA1L	Laminate	6391	30 1/16	60	27 1/16	—	—	lbs.	

- Laminate/Wood combo units consist of a laminate worksurface and veneer shrouds and modesty
- Grain direction on shrouds is always vertical unless specifying a horizontal laminate
- Wire manager located on right side of desk; removeable panel allows for easy access
- Wire manager can be moved to opposite side in field if other side is preferred
- Any laminate modesty over 60" will be horizontal grain direction
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible when the desk is in an upper position; specify paint color of Cinder or Platinum Metallic
- SIN 33721

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Paint
6. Laminate Top Color (laminate models)
7. Laminate Chassis Color (laminate models)
8. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW3084DSFBA1W F G1L 462 AD
 WW3084DSFBA1LW F G1R 462 440 MH
 WW3084DSFBA1L VPB X 462 PB PB

- See pages 284-288 for all options available in WaveWorks

**ADJUSTABLE HEIGHT
DESK SHELL
BREAKFRONT FULL
MODESTY
(CONTINUED)**



User side

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC
			D	W	H	A	KW	WEIGHT FEET
1$\frac{1}{16}$" TOP THICKNESS 36" DEPTH								
WW3684DSFBA1W	Wood	\$ 9179	36 $\frac{1}{16}$	83 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3684DSFBA1LW	Laminate/Wood	9179	36 $\frac{1}{16}$	83 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3684DSFBA1L	Laminate	7934	36 $\frac{1}{16}$	83 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3678DSFBA1W	Wood	\$ 8936	36 $\frac{1}{16}$	77 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3678DSFBA1LW	Laminate/Wood	8936	36 $\frac{1}{16}$	77 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3678DSFBA1L	Laminate	7814	36 $\frac{1}{16}$	77 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3672DSFBA1W	Wood	\$ 8693	36 $\frac{1}{16}$	71 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3672DSFBA1LW	Laminate/Wood	8693	36 $\frac{1}{16}$	71 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3672DSFBA1L	Laminate	7693	36 $\frac{1}{16}$	71 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
30" DEPTH								
WW3084DSFBA1W	Wood	\$ 8362	30 $\frac{1}{16}$	83 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3084DSFBA1LW	Laminate/Wood	8362	30 $\frac{1}{16}$	83 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3084DSFBA1L	Laminate	6731	30 $\frac{1}{16}$	83 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3078DSFBA1W	Wood	\$ 8117	30 $\frac{1}{16}$	77 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3078DSFBA1LW	Laminate/Wood	8117	30 $\frac{1}{16}$	77 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3078DSFBA1L	Laminate	6614	30 $\frac{1}{16}$	77 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3072DSFBA1W	Wood	\$ 7874	30 $\frac{1}{16}$	71 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3072DSFBA1LW	Laminate/Wood	7874	30 $\frac{1}{16}$	71 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3072DSFBA1L	Laminate	6493	30 $\frac{1}{16}$	71 $\frac{1}{16}$	26 $\frac{13}{16}$	—	—	lbs.
WW3066DSFBA1W	Wood	\$ 7629	30 $\frac{1}{16}$	66	26 $\frac{13}{16}$	—	—	lbs.
WW3066DSFBA1LW	Laminate/Wood	7629	30 $\frac{1}{16}$	66	26 $\frac{13}{16}$	—	—	lbs.
WW3066DSFBA1L	Laminate	6374	30 $\frac{1}{16}$	66	26 $\frac{13}{16}$	—	—	lbs.
WW3060DSFBA1W	Wood	\$ 7384	30 $\frac{1}{16}$	60	26 $\frac{13}{16}$	—	—	lbs.
WW3060DSFBA1LW	Laminate/Wood	7384	30 $\frac{1}{16}$	60	26 $\frac{13}{16}$	—	—	lbs.
WW3060DSFBA1L	Laminate	6255	30 $\frac{1}{16}$	60	26 $\frac{13}{16}$	—	—	lbs.

- Laminate/Wood combo units consist of a laminate worksurface and veneer shrouds and modesty
- Grain direction on shrouds is always vertical unless specifying a horizontal laminate
- Wire manager located on right side of desk; removeable panel allows for easy access
- Wire manager can be moved to opposite side in field if other side is preferred
- Any laminate modesty over 60" will be horizontal grain direction
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible when the desk is in an upper position; specify paint color of Cinder or Platinum Metallic
- SIN 33721

TO ORDER, SPECIFY:

- 1. Model Number

SAMPLE MODEL NUMBERS:

NAC05PCONB
• See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
				D	W	H	A	KW	WEIGHT	FEET
4 POSITION PROGRAMMABLE MEMORY CONTROL FOR ADJUSTABLE HEIGHT UNITS 	NAC05PCONB	Black	\$ 253	2½	5½	1	—	—	3 lbs.	0.1
	• Will allow 4 position programmable option and digital readout. • To be specified when needing a 4 position memory control on any WaveWorks, Tessera, or Naviyd Height Adjustable Desk models, as these models have a 2 position memory control switch as standard									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Laminate Door/Drawer Color (laminate models)
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3072DUW R G1L NL AC
WWN3072DUL VHN2 G1L AC2 AC2

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	1 ¹ / ₁₆ " TOP THICKNESS									
	WWN3672DUW	Wood	\$ 2894	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	—	—	145 lbs.	8.8
	WWN3672DULW	Laminate/Wood	2894	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	—	—	145 lbs.	8.8
	WWN3672DUL	Laminate	1717	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	—	—	145 lbs.	8.8
	WWN3072DUW	Wood	\$ 2735	30 ¹ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	—	—	130 lbs.	8.5
	WWN3072DULW	Laminate/Wood	2735	30 ¹ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	—	—	130 lbs.	8.5
	WWN3072DUL	Laminate	1450	30 ¹ / ₁₆	71 ¹ / ₁₆	29 ³ / ₈	—	—	130 lbs.	8.5
	WWN3066DUW	Wood	\$ 2578	30 ¹ / ₁₆	66	29 ³ / ₈	—	—	100 lbs.	6.3
WWN3066DULW	Laminate/Wood	2578	30 ¹ / ₁₆	66	29 ³ / ₈	—	—	100 lbs.	6.3	
WWN3066DUL	Laminate	1186	30 ¹ / ₁₆	66	29 ³ / ₈	—	—	100 lbs.	6.3	

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 581-584 for support base options
- Some assembly required

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Laminate Door/Drawer Color (laminate models)
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3072DUW R G1L NL AC
WW3072DUL VHN2 G1L AC2 AC2

- See pages 284-288 for all options available in WaveWorks

U-SHAPED DESK
(CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
1 1/16" TOP THICKNESS			D	W	H					
WW3672DUW	Wood	\$ 2630	36 1/16	71 1/16	28 1/16	—	—	—	145 lbs.	8.8
WW3672DULW	Laminate/Wood	2630	36 1/16	71 1/16	28 1/16	—	—	—	145 lbs.	8.8
WW3672DUL	Laminate	1559	36 1/16	71 1/16	28 1/16	—	—	—	145 lbs.	8.8
WW3672DULL	TFL	1246	36 1/16	71 1/16	28 7/8	—	—	—	145 lbs.	8.8
WW3072DUW	Wood	\$ 2487	30 1/16	71 1/16	28 1/16	—	—	—	130 lbs.	8.5
WW3072DULW	Laminate/Wood	2487	30 1/16	71 1/16	28 1/16	—	—	—	130 lbs.	8.5
WW3072DUL	Laminate	1318	30 1/16	71 1/16	28 1/16	—	—	—	130 lbs.	8.5
WW3072DULL	TFL	1053	30 1/16	71 1/16	28 7/8	—	—	—	130 lbs.	8.5
WW3066DUW	Wood	\$ 2344	30 1/16	66	28 1/16	—	—	—	100 lbs.	6.3
WW3066DULW	Laminate/Wood	2344	30 1/16	66	28 1/16	—	—	—	100 lbs.	6.3
WW3066DUL	Laminate	1079	30 1/16	66	28 1/16	—	—	—	100 lbs.	6.3
WW3066DULL	TFL	861	30 1/16	66	28 7/8	—	—	—	100 lbs.	6.3

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 581-584 for support base options
- Some assembly required

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Laminate Door/Drawer Color (laminate models)
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3072DUFW R G1L NL AC
WWN3072DUFL VHN2 G1L AC2 AC2

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
U-SHAPED DESK WITH MODESTY PANEL 	1 1/16" TOP THICKNESS									
	WWN3672DUFW	Wood	\$ 3752	36%	71 1/16	29 3/8	14 1/16	—	165 lbs.	8.9
	WWN3672DUFLW	Laminate/Wood	3752	36%	71 1/16	29 3/8	14 1/16	—	165 lbs.	8.9
	WWN3672DUFL	Laminate	2241	36%	71 1/16	29 3/8	14 1/16	—	165 lbs.	8.9
	WWN3072DUFW	Wood	\$ 3473	30 1/16	71 1/16	29 3/8	14 1/16	—	150 lbs.	8.6
	WWN3072DUFLW	Laminate/Wood	3473	30 1/16	71 1/16	29 3/8	14 1/16	—	150 lbs.	8.6
	WWN3072DUFL	Laminate	1977	30 1/16	71 1/16	29 3/8	14 1/16	—	150 lbs.	8.6
	WWN3066DUFW	Wood	\$ 3190	30 1/16	66	29 3/8	14 1/16	—	120 lbs.	6.5
	WWN3066DUFLW	Laminate/Wood	3190	30 1/16	66	29 3/8	14 1/16	—	120 lbs.	6.5
	WWN3066DUFL	Laminate	1715	30 1/16	66	29 3/8	14 1/16	—	120 lbs.	6.5

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 581-584 for support base options
- Some assembly required

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Laminate Door/Drawer Color (laminate models)
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3072DUFW R G1L NL AC
WW3072DUFL VHN2 G1L AC2 AC2

- See pages 284-288 for all options available in WaveWorks

**U-SHAPED DESK
WITH MODESTY PANEL
(CONTINUED)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A				
1$\frac{3}{16}$" TOP THICKNESS										
WW3672DUFW	Wood	\$ 3412	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	14 $\frac{1}{16}$	—		165 lbs.	8.9
WW3672DUFLW	Laminate/Wood	3412	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	14 $\frac{1}{16}$	—		165 lbs.	8.9
WW3672DUFL	Laminate	2038	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	14 $\frac{1}{16}$	—		165 lbs.	8.9
WW3672DUFLL	TFL	1629	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	14 $\frac{1}{16}$	—		165 lbs.	8.9
WW3072DUFW	Wood	\$ 3156	30 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	14 $\frac{1}{16}$	—		150 lbs.	8.6
WW3072DUFLW	Laminate/Wood	3156	30 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	14 $\frac{1}{16}$	—		150 lbs.	8.6
WW3072DUFL	Laminate	1794	30 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	14 $\frac{1}{16}$	—		150 lbs.	8.6
WW3072DUFLL	TFL	1436	30 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	14 $\frac{1}{16}$	—		150 lbs.	8.6
WW3066DUFW	Wood	\$ 2901	30 $\frac{3}{16}$	66	28 $\frac{1}{16}$	14 $\frac{1}{16}$	—		120 lbs.	6.5
WW3066DUFLW	Laminate/Wood	2901	30 $\frac{3}{16}$	66	28 $\frac{1}{16}$	14 $\frac{1}{16}$	—		120 lbs.	6.5
WW3066DUFL	Laminate	1558	30 $\frac{3}{16}$	66	28 $\frac{1}{16}$	14 $\frac{1}{16}$	—		120 lbs.	6.5
WW3066DUFLL	TFL	1246	30 $\frac{3}{16}$	66	28 $\frac{1}{16}$	14 $\frac{1}{16}$	—		120 lbs.	6.5

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 581-584 for support base options
- Some assembly required

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on P-shaped desks


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color (laminate/combo models)
5. Laminate Door/Drawer Color (laminate models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3072DPLW R AC
WW3072DPLL VHN2 AC2 AC2

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET			
			D	W	H	A	KW					
	1¹/₁₆" TOP THICKNESS											
	LEFT P	RIGHT P										
	WWN3072DPLW	WWN3072DPRW	Wood	\$	3028	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ⁷ / ₁₆	—	—	110 lbs.	6.9
	WWN3072DPLLW	WWN3072DPRLW	Laminate/Wood		3028	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ⁷ / ₁₆	—	—	110 lbs.	6.9
	WWN3072DPLL	WWN3072DPRL	Laminate		1796	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ⁷ / ₁₆	—	—	110 lbs.	6.9
	1³/₁₆" TOP THICKNESS											
	LEFT P	RIGHT P										
	WW3072DPLW	WW3072DPRW	Wood	\$	2754	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ⁷ / ₁₆	—	—	110 lbs.	6.9
	WW3072DPLLW	WW3072DPRLW	Laminate/Wood		2754	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ⁷ / ₁₆	—	—	110 lbs.	6.9
	WW3072DPLL	WW3072DPRL	Laminate		1632	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ⁷ / ₁₆	—	—	110 lbs.	6.9
	WW3072DPLLL	WW3072DPRL	TFL		1308	36 ¹ / ₁₆	71 ¹ / ₁₆	29	—	—	110 lbs.	6.9

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 581-584 for support base options; some assembly required

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on P-shaped desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color (laminate/combo models)
5. Laminate Door/Drawer Color (laminate models)
6. Veneer Chassis Finish/Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WW3072DPLFW R AC
WW3072DPLFL VHN2 AC2 AC2

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS						CARTONED CUBIC WEIGHT FEET
	1 1/16" TOP THICKNESS WITH MODESTY				D	W	H	A	KW		
	LEFT P RIGHT P										
P-SHAPED DESK WITH MODESTY PANEL	WWN3072DPLFW	WWN3072DPRFW	Wood	\$ 3760	36 1/16	71 1/16	29 1/16	14 1/16	—	130 lbs.	8.8
	WWN3072DPLFLW	WWN3072DPRFLW	Laminate/Wood	3760	36 1/16	71 1/16	29 1/16	14 1/16	—	130 lbs.	8.8
	WWN3072DPLFL	WWN3072DPRFL	Laminate	2268	36 1/16	71 1/16	29 1/16	14 1/16	—	130 lbs.	8.8
1 3/16" TOP THICKNESS WITH MODESTY	LEFT P RIGHT P										
	WW3072DPLFW	WW3072DPRFW	Wood	\$ 3416	36 1/16	71 1/16	29 1/16	14 1/16	—	130 lbs.	8.8
	WW3072DPLFLW	WW3072DPRFLW	Laminate/Wood	3416	36 1/16	71 1/16	29 1/16	14 1/16	—	130 lbs.	8.8
	WW3072DPLFL	WW3072DPRFL	Laminate	2064	36 1/16	71 1/16	29 1/16	14 1/16	—	130 lbs.	8.8
	WW3072DPLFLL	WW3072DPRFLL	TFL	1650	36 1/16	71 1/16	29	14 1/16	—	130 lbs.	8.8

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 581-584 for support base options; some assembly required



Left shown

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Only available grommet option on corner units is center location
- Refer to page 288 for grommet options and upcharge


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4242CFSW2	P	G11SNC	MC		
WW4242CFSL2	V	G11SNC	MC	440	MC
WW4242CFSWL2	P	G11SNC	440	MC	440
WW4242CFSWL2	P	G11SNC	440	MC	

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW						
CORNER UNIT  Grain direction runs diagonally	1 1/4" TOP THICKNESS										
	WWN4242CFSW2	Wood	\$ 3220	42 1/16	42 1/16	29 3/8	1/16	—	145 lbs.	50.4	
	WWN4242CFSWL2	Laminate/Wood	3220	42 1/16	42 1/16	29 3/8	1/16	—	145 lbs.	50.4	
	WWN4242CFSL2	Laminate	1956	42 1/16	42 1/16	29 3/8	1/16	—	145 lbs.	50.4	
	WWN4242CFSWL2	Wood/Laminate	2739	42 1/16	42 1/16	29 3/8	1/16	—	145 lbs.	50.4	
	WWN4242CFSWL2	Laminate/Wood/Laminate	2739	42 1/16	42 1/16	29 3/8	1/16	—	145 lbs.	50.4	
	1 3/8" TOP THICKNESS										
	WW4242CFSW2	Wood	\$ 2925	42 1/16	42 1/16	28 15/16	1/16	—	145 lbs.	50.4	
	WW4242CFSWL2	Laminate/Wood	2925	42 1/16	42 1/16	28 15/16	1/16	—	145 lbs.	50.4	
	WW4242CFSL2	Laminate	1780	42 1/16	42 1/16	28 15/16	1/16	—	145 lbs.	50.4	
WW4242CFSLL2	TFL	1425	42 1/16	42 1/16	28 15/16	1/16	—	145 lbs.	50.4		
WW4242CFSWL2	Wood/Laminate	2488	42 1/16	42 1/16	28 15/16	1/16	—	145 lbs.	50.4		
WW4242CFSWL2	Laminate/Wood/Laminate	2488	42 1/16	42 1/16	28 15/16	1/16	—	145 lbs.	50.4		
• Must be connected to 24" deep worksurfaces • 42" corner unit has 25 1/2" on front edge											
1 1/4" TOP THICKNESS											
WWN3636CFSW2	Wood	\$ 3013	36 1/16	36 1/16	29 3/8	1/16	—	125 lbs.	25.9		
WWN3636CFSWL2	Laminate/Wood	3013	36 1/16	36 1/16	29 3/8	1/16	—	125 lbs.	25.9		
WWN3636CFSL2	Laminate	1840	36 1/16	36 1/16	29 3/8	1/16	—	125 lbs.	25.9		
WWN3636CFSWL2	Wood/Laminate	2562	36 1/16	36 1/16	29 3/8	1/16	—	125 lbs.	25.9		
WWN3636CFSWL2	Laminate/Wood/Laminate	2562	36 1/16	36 1/16	29 3/8	1/16	—	125 lbs.	25.9		
1 3/8" TOP THICKNESS											
WW3636CFSW2	Wood	\$ 2739	36 1/16	36 1/16	28 15/16	1/16	—	125 lbs.	25.9		
WW3636CFSWL2	Laminate/Wood	2739	36 1/16	36 1/16	28 15/16	1/16	—	125 lbs.	25.9		
WW3636CFSL2	Laminate	1676	36 1/16	36 1/16	28 15/16	1/16	—	125 lbs.	25.9		
WW3636CFSLL2	TFL	1339	36 1/16	36 1/16	28 15/16	1/16	—	125 lbs.	25.9		
WW3636CFSWL2	Wood/Laminate	2330	36 1/16	36 1/16	28 15/16	1/16	—	125 lbs.	25.9		
WW3636CFSWL2	Laminate/Wood/Laminate	2330	36 1/16	36 1/16	28 15/16	1/16	—	125 lbs.	25.9		
• Grain direction runs diagonally • Must be connected to 24" deep worksurfaces • 36" unit has 17" on front edge • Not intended to be used as freestanding unit											

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Only available grommet option on corner units is center location
- Refer to page 288 for grommet options and upcharge


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WWN4242CFSW3	P	G11SNC	MC		
WWN4242CFSL3	V	G11SNC	MC	440	
WWN4242CFSLWL3	P	G11SNC	440	MC	440
WWN4242CFSLW3	P	G11SNC	440	MC	

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
CORNER UNIT  Grain direction runs diagonally	1 1/8" TOP THICKNESS									
	WWN4242CFSW3	Wood	\$ 3541	42 1/16	42 1/16	29 3/8	1/16	—	145 lbs.	50.4
	WWN4242CFSLW3	Laminate/Wood	3541	42 1/16	42 1/16	29 3/8	1/16	—	145 lbs.	50.4
	WWN4242CFSL3	Laminate	2156	42 1/16	42 1/16	29 3/8	1/16	—	145 lbs.	50.4
	WWN4242CFSWL3	Wood/Laminate	3007	42 1/16	42 1/16	29 3/8	1/16	—	145 lbs.	50.4
	WWN4242CFSLWL3	Laminate/Wood/Laminate	3007	42 1/16	42 1/16	29 3/8	1/16	—	145 lbs.	50.4
	1 3/8" TOP THICKNESS									
	WW4242CFSW3	Wood	\$ 3219	42 1/16	42 1/16	28 13/16	1/16	—	145 lbs.	50.4
	WW4242CFSLW3	Laminate/Wood	3219	42 1/16	42 1/16	28 13/16	1/16	—	145 lbs.	50.4
	WW4242CFSL3	Laminate	1959	42 1/16	42 1/16	28 13/16	1/16	—	145 lbs.	50.4
	WW4242CFSL3	TFL	1568	42 1/16	42 1/16	28 13/16	1/16	—	145 lbs.	50.4
	WW4242CFSWL3	Wood/Laminate	2734	42 1/16	42 1/16	28 13/16	1/16	—	145 lbs.	50.4
	WW4242CFSLWL3	Laminate/Wood/Laminate	2734	42 1/16	42 1/16	28 13/16	1/16	—	145 lbs.	50.4
• Grain direction runs diagonally • Must be connected to 30" deep worksurfaces • 42" corner unit has 12 3/4" on front edge • Not intended to be used as freestanding unit										

TRANSACTION COUNTER



WW1572TCW	Wood	\$ 1407	15 3/16	71 13/16	15 13/16	—	—	90 lbs.	15.5
WW1572TCL	Laminate	766	15 3/16	71 13/16	15 13/16	—	—	90 lbs.	15.5
WW1572TCLL	TFL	611	15 3/16	71 13/16	15 13/16	—	—	90 lbs.	15.5
WW1566TCW	Wood	\$ 1280	15 3/16	66	15 13/16	—	—	85 lbs.	14.5
WW1566TCL	Laminate	711	15 3/16	66	15 13/16	—	—	85 lbs.	14.5
WW1566TCLL	TFL	565	15 3/16	66	15 13/16	—	—	85 lbs.	14.5
• Some assembly required • For tack board options, see pages 722-729									

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 288 for grommet options and upcharge
- See pages 322-326 for reception unit thought starters and examples
- Undersurface pedestals available; see pages 441-451
- Reception worksurfaces available in 1 $\frac{1}{2}$ " only



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Locking
6. Laminate Top Color (laminate/combo models)
7. Laminate Door/Drawer Color (laminate models)
8. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW2572DSTF3W RX CW

- See pages 284-288 for all options available in WaveWorks

RECEPTION DESK MAIN SHELL




MODEL NO./DESCRIPTION

MAIN SHELL


MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW2572DSTFW Wood	\$ 6063	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0
WW2572DSTFLW Laminate/Wood	6063	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0
WW2572DSTFL Laminate	4910	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0
WW2572DSTFLL TFL	3928	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0

- Frosted glass accent piece attached to approach side
- Do not specify pull option
- Center grommet location not available due to cords being visible through glass
- Unit is non-handed; can be used left or right to configure a U-station
- 23" deep undersurface pedestals can be ordered for storage; see pages 442-443
- Reception Counter Kits available; see pages 319-321 for additional information
- For tack board options, see pages 722-729
- When ordering a tack board, it is recommended to also order a reception counter kit for the best appearance

RECEPTION DESK MAIN SHELL



Approach view



User view

MAIN SHELL

QWW2572DSTF3W Wood	\$ 4287	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0
WW2572DSTF3W Wood	4287	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0
WW2572DSTF3L Laminate	\$ 3117	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0
QWW2572DSTF3LL TFL	2494	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0
WW2572DSTF3LL TFL	2494	25	71 $\frac{1}{16}$	40 $\frac{3}{8}$	—	69 $\frac{1}{2}$	230 lbs.	52.0

- Wood worksurface/rim, wood front panel, wood chassis-no glass on unit

- Laminate worksurface/vinyl rim, laminate front panel, laminate chassis-no glass on unit

- Do not specify pull option
- Unit is non-handed; can be used left or right to configure a U-station
- 23" deep undersurface pedestals can be ordered for storage; see pages 442-443
- Reception Counter Kits available; see pages 319-321 for additional information
- For tack board options, see pages 722-729
- When ordering a tack board, it is recommended to also order a reception counter kit for the best appearance

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 288 for grommet options and upcharge
- See pages 322-326 for reception unit thought starters and examples
- Undersurface pedestals available; see pages 441-451
- Reception worksurfaces available in 1 $\frac{1}{8}$ " only



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:


WW2575DSTFLW F 72CC KRB AC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
RECEPTION DESK ADA MAIN SHELL WITH VERTICAL TOWER  Left shown	MAIN SHELL—ADA LEFT										
		RIGHT									
	WW2575DSTFLW	WW2575DSTFRW	Wood	\$ 6546	26 $\frac{1}{8}$ "	74 $\frac{1}{8}$ "	29 $\frac{3}{8}$ "	8	54	230 lbs.	52.0
	WW2575DSTFLLW	WW2575DSTFRLW	Lam/Wood	6546	26 $\frac{1}{8}$ "	74 $\frac{1}{8}$ "	29 $\frac{3}{8}$ "	8	54	230 lbs.	52.0
	WW2575DSTFLL	WW2575DSTFRL	Laminate	5287	26 $\frac{1}{8}$ "	74 $\frac{1}{8}$ "	29 $\frac{3}{8}$ "	8	54	230 lbs.	52.0
	WW2575DSTFLLL	WW2575DSTFRLL	TFL	4228	26 $\frac{1}{8}$ "	74 $\frac{1}{8}$ "	29 $\frac{3}{8}$ "	8	54	230 lbs.	52.0
• Includes glass shelf on approach side • Grommet option not available • Kneespace depth is 15$\frac{1}{2}$" • Vertical tower has access door on approach side to access cords, 24" x 18" cornice tops available for tower; see page 404 • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available											

- Includes glass shelf on approach side
- Grommet option not available
- Kneespace depth is 15 $\frac{1}{2}$ "
- Vertical tower has access door on approach side to access cords, 24" x 18" cornice tops available for tower; see page 404
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

- In order to meet ADA standards from the approach side, specify an ADA compliant main shell and a reception return
- Measurements of unit are compliant with the clearances outlined in the Americans with Disabilities Act guidelines for office furniture
- In order to meet ADA standards from the user side, use the WW2866BSTF___, WW2866BSTF2___ or WW2563BSTF___ reception bridge

**RECEPTION DESK
ADA MAIN SHELL
WITH VERTICAL TOWER**


Left shown

	MAIN SHELL—ADA LEFT	RIGHT			DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
	QWW2472DSTFLW	QWW2472DSTFRW	Wood	\$ 4855	24	72	29 $\frac{3}{8}$ "	8	54	230 lbs.	52.0
	WW2472DSTFLW	WW2472DSTFRW	Wood	4855	24	72	29 $\frac{3}{8}$ "	8	54	230 lbs.	52.0
	WW2472DSTFLLW	WW2472DSTFRLW	Lam/Wood	4855	24	72	29 $\frac{3}{8}$ "	8	54	230 lbs.	52.0
	WW2472DSTFLL	WW2472DSTFRL	Laminate	3584	24	72	29 $\frac{3}{8}$ "	8	54	230 lbs.	52.0
	QWW2472DSTFLL	QWW2472DSTFRL	TFL	2866	24	72	29 $\frac{3}{8}$ "	8	54	230 lbs.	52.0
	WW2472DSTFLL	WW2472DSTFRL	TFL	2866	24	72	29 $\frac{3}{8}$ "	8	54	230 lbs.	52.0
	WW2472DSTFLL	WW2472DSTFRL	TFL	2866	24	72	29 $\frac{3}{8}$ "	8	54	230 lbs.	52.0

- No glass on unit
- Reception Counter Kits available; see below
- Grommet option not available
- Kneespace depth is 15 $\frac{1}{2}$ "
- Vertical tower has access door on approach side to access cords, 24" x 18" cornice tops available for tower; see page 404
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

- Measurements of unit are compliant with the clearances outlined in the Americans with Disabilities Act guidelines for office furniture
- In order to meet ADA standards from the approach side, specify an ADA compliant main shell and a reception return
- In order to meet ADA standard from the user side, use the WW2866BSTF___, WW2866BSTF2___ or WW2563BSTF___ reception bridge

**RECEPTION COUNTER KITS—
ADA**


1 $\frac{1}{8}$ " TOP THICKNESS								
QWW1154TSW	Wood	\$ 933	11	54	1 $\frac{1}{8}$ "	—	—	42 lbs. 1.8
WW1154TSW	Wood	933	11	54	1 $\frac{1}{8}$ "	—	—	42 lbs. 1.8
WW1154TSLW	Laminate/Wood	933	11	54	1 $\frac{1}{8}$ "	—	—	42 lbs. 1.8
WW1154TSL	Laminate	905	11	54	1 $\frac{1}{8}$ "	—	—	42 lbs. 1.8
QWW1154TSL	TFL	725	11	54	1 $\frac{1}{8}$ "	—	—	42 lbs. 1.8
WW1154TSL	TFL	725	11	54	1 $\frac{1}{8}$ "	—	—	42 lbs. 1.8

- For use with Reception Desk ADA Main Shell above
- Unit includes stanchions to attach to the ADA Reception unit

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 288 for grommet options and upcharge
- See pages 322-326 for reception unit thought starters and examples
- Undersurface pedestals available; see pages 441-451
- Reception worksurfaces available in 1 3/8" only


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WW2866BSTFW P G1C AC
WW2866BSTFL NMH G1C MH
WW2866BSTFLW F G1C 461 NH

- See pages 284-288 for all options available in WaveWorks


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	RECEPTION BRIDGE									
	WW2866BSTFW	Wood	\$ 1430	28 1/16"	66"	42 3/4"	—	66"	260 lbs.	60.0
	WW2866BSTFLW	Laminate/Wood	1430	28 1/16"	66"	42 3/4"	—	66"	260 lbs.	60.0
	WW2866BSTFL	Laminate	986	28 1/16"	66"	42 3/4"	—	66"	260 lbs.	60.0
	WW2866BSTFLL	TFL	790	28 1/16"	66"	42 3/4"	—	66"	260 lbs.	60.0
	WW2854BSTFW	Wood	\$ 1230	28 1/16"	54"	42 3/4"	—	54"	243 lbs.	51.0
	WW2854BSTFLW	Laminate/Wood	1230	28 1/16"	54"	42 3/4"	—	54"	243 lbs.	51.0
	WW2854BSTFL	Laminate	750	28 1/16"	54"	42 3/4"	—	54"	243 lbs.	51.0
	WW2854BSTFLL	TFL	601	28 1/16"	54"	42 3/4"	—	54"	243 lbs.	51.0

- Includes 11" deep clear glass reception counter and frosted glass accent piece attached to approach side
- Specify WW2866BSTF_ reception bridge for ADA compliant user side
- When WW2866BSTFL is ordered with woodgrain laminate, laminate will run left-to-right on modesty panel
- Do not specify pull option
- Woodgrain on worksurfaces runs front-to-back
- For tack board options, see pages 722-729

RECEPTION BRIDGE



Approach view



User view

WW2866BSTF2W Wood	\$ 1373	28 1/16"	66"	42 3/4"	—	66"	66"	260 lbs.	60.0
WW2866BSTF2LW Laminate/Wood	1373	28 1/16"	66"	42 3/4"	—	66"	66"	260 lbs.	60.0
WW2866BSTF2L Laminate	970	28 1/16"	66"	42 3/4"	—	66"	66"	260 lbs.	60.0
WW2866BSTF2LL TFL	774	28 1/16"	66"	42 3/4"	—	66"	66"	260 lbs.	60.0
WW2854BSTF2W Wood	\$ 1200	28 1/16"	54"	42 3/4"	—	66"	66"	243 lbs.	51.0
WW2854BSTF2LW Laminate/Wood	1200	28 1/16"	54"	42 3/4"	—	66"	66"	243 lbs.	51.0
WW2854BSTF2L Laminate	711	28 1/16"	54"	42 3/4"	—	66"	66"	243 lbs.	51.0
WW2854BSTF2LL TFL	565	28 1/16"	54"	42 3/4"	—	66"	66"	243 lbs.	51.0

- Includes 11" deep clear glass reception counter
- Specify WW2866BSTF_ or WW2866BSTF2_ reception bridge for ADA compliant user side
- When WW2866BSTF2L is ordered with woodgrain laminate, laminate will run left-to-right on modesty panel
- Do not specify pull option
- Grain direction runs front-to-back on worksurface
- For tack board options, see pages 722-729

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 288 for grommet options and upcharge
- See pages 322-326 for reception unit thought starters and examples
- Undersurface pedestals available; see pages 441-451
- Reception worksurfaces available in 1 $\frac{1}{2}$ " only



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WW2563BSTFW P G1C AC
 WW2563BSTFL NMH G1C MH
 WW2563BSTFLW F G1C 461 NH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
RECEPTION BRIDGE  Approach view  User view	QWW2563BSTFW	Wood	\$ 1323	25 $\frac{1}{8}$	62 $\frac{1}{16}$	40 $\frac{3}{8}$	—	66	260 lbs.	60.0
	WW2563BSTFW	Wood	1323	25 $\frac{1}{8}$	62 $\frac{1}{16}$	40 $\frac{3}{8}$	—	66	260 lbs.	60.0
	WW2563BSTFLW	Laminate/Wood	1323	25 $\frac{1}{8}$	62 $\frac{1}{16}$	40 $\frac{3}{8}$	—	66	260 lbs.	60.0
	WW2563BSTFL	Laminate	921	25 $\frac{1}{8}$	62 $\frac{1}{16}$	40 $\frac{3}{8}$	—	66	260 lbs.	60.0
	QWW2563BSTFLL	TFL	734	25 $\frac{1}{8}$	62 $\frac{1}{16}$	40 $\frac{3}{8}$	—	66	260 lbs.	60.0
	WW2563BSTFLL	TFL	734	25 $\frac{1}{8}$	62 $\frac{1}{16}$	40 $\frac{3}{8}$	—	66	260 lbs.	60.0
	QWW2550BSTFW	Wood	\$ 1148	25 $\frac{1}{8}$	50 $\frac{7}{16}$	40 $\frac{3}{8}$	—	66	243 lbs.	51.0
	WW2550BSTFW	Wood	1148	25 $\frac{1}{8}$	50 $\frac{7}{16}$	40 $\frac{3}{8}$	—	66	243 lbs.	51.0
	WW2550BSTFLW	Laminate/Wood	1148	25 $\frac{1}{8}$	50 $\frac{7}{16}$	40 $\frac{3}{8}$	—	66	243 lbs.	51.0
	WW2550BSTFL	Laminate	658	25 $\frac{1}{8}$	50 $\frac{7}{16}$	40 $\frac{3}{8}$	—	66	243 lbs.	51.0
	QWW2550BSTFLL	TFL	526	25 $\frac{1}{8}$	50 $\frac{7}{16}$	40 $\frac{3}{8}$	—	66	243 lbs.	51.0
	WW2550BSTFLL	TFL	526	25 $\frac{1}{8}$	50 $\frac{7}{16}$	40 $\frac{3}{8}$	—	66	243 lbs.	51.0

- No glass on unit
- Reception Counter Kits available; see pages 319-321 for additional information
- Specify WW2563BSTF_ reception bridge for ADA compliant user side
- When WW2563BSTFL is ordered with woodgrain laminate, laminate will run left-to-right on modesty panel
- Grain direction runs front-to-back on worksurface
- For tack board options, see pages 722-729
- When ordering a tack board, it is recommended to also order a reception counter kit for the best appearance

RECEPTION RETURN



Left Shown

RECEPTION RETURN
LEFT-SHELL

RIGHT-SHELL

WW2860RSTFLW	WW2860RSTFRW	Wood	\$ 2190	27 $\frac{3}{8}$	60	42 $\frac{3}{8}$	—	59 $\frac{1}{4}$	175 lbs.	47.0
WW2860RSTFLW	WW2860RSTFRLW	Lam/Wood	2190	27 $\frac{3}{8}$	60	42 $\frac{3}{8}$	—	59 $\frac{1}{4}$	175 lbs.	47.0
WW2860RSTFLL	WW2860RSTFRL	Laminate	2044	27 $\frac{3}{8}$	60	42 $\frac{3}{8}$	—	59 $\frac{1}{4}$	175 lbs.	47.0
WW2860RSTFLLL	WW2860RSTFRLL	TFL	1637	27 $\frac{3}{8}$	60	42 $\frac{3}{8}$	—	59 $\frac{1}{4}$	175 lbs.	47.0

- Includes 11" deep clear glass reception counter and frosted glass accent piece attached to approach side
- Use with a main shell to make a reception L-station
- 23" deep undersurface pedestals can be ordered for storage; see pages 442-443
- Grain direction runs front-to-back on worksurface
- For tack board options, see pages 722-729

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 288 for grommet options and upcharge
- See pages 322-326 for reception unit thought starters and examples
- Undersurface pedestals available; see pages 441-451
- Reception worksurfaces available in 1½" only
- Counter kits shipped with appropriate hardware to attach to reception units
- Rim on all 4 sides of laminate and wood counter kits
- Refer to pages 322-323 for examples of how the counter kits can be used



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WW2860RSTFL2W P G1C AC
 WW2860RSTFL2LW NMH G1C MH
 WW2860RSTFL2L F G1C 461 NH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
	LEFT-SHELL	RIGHT-SHELL									
	WW2860RSTFL2W	WW2860RSTFR2W	Wood	\$ 2134	27¾	60	42¾	—	59¼	175 lbs.	47.0
	WW2860RSTFL2LW	WW2860RSTFR2LW	Lam/Wood	2134	27¾	60	42¾	—	59¼	175 lbs.	47.0
	WW2860RSTFL2L	WW2860RSTFR2L	Laminate	2004	27¾	60	42¾	—	59¼	175 lbs.	47.0
	WW2860RSTFL2LL	WW2860RSTFR2LL	TFL	1604	27¾	60	42¾	—	59¼	175 lbs.	47.0




Approach view-left shown




User view-left shown

- Includes 11" deep clear glass reception counter
- Use with a main shell to make a reception L-station
- 23" deep undersurface pedestals can be ordered for storage; see pages 442-443
- Grain direction runs front-to-back on worksurface
- For tack board options, see pages 722-729

RECEPTION RETURN



Approach view-right shown



User view-right shown

LEFT-SHELL		RIGHT-SHELL									
QWW2460RSTFLW	QWW2460RSTFRW	Wood	\$	2083	24¼	59%	40%	—	59¼	175 lbs.	47.0
WW2460RSTFLW	WW2460RSTFRW	Wood		2083	24¼	59%	40%	—	59¼	175 lbs.	47.0
WW2460RSTFLLW	WW2460RSTFRLW	Lam/Wood		2083	24¼	59%	40%	—	59¼	175 lbs.	47.0
WW2460RSTFLL	WW2460RSTFRL	Laminate		1954	24¼	59%	40%	—	59¼	175 lbs.	47.0
QWW2460RSTFLLL	QWW2460RSTFRLL	TFL		1563	24¼	59%	40%	—	59¼	175 lbs.	47.0
WW2460RSTFLLL	WW2460RSTFRLL	TFL		1563	24¼	59%	40%	—	59¼	175 lbs.	47.0

- No glass on unit
- Reception Counter Kits available; see pages 319-321 for additional information
- Use with a main shell to make a reception L-station
- 23" deep undersurface pedestals can be ordered for storage; see pages 442-443
- Grain direction runs front-to-back on worksurface
- For tack board options, see pages 722-729
- When ordering a tack board, it is recommended to also order a reception counter kit for the best appearance

PRODUCT SPECIFICATIONS

- Counter kits shipped with appropriate hardware to attach to reception units
- Rim on all 4 sides of laminate and wood counter kits
- Refer to pages 322-323 for examples of how the counter kits can be used

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN15109TSW F MH
 WWN15109TSLW F 405 MH
 WWN15109TSL V405 MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	1 $\frac{1}{16}$ " TOP THICKNESS		D	W	H				
RECEPTION COUNTER KITS	WWN15109TSW Wood	\$ 1715	15 $\frac{3}{16}$	108 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	86 lbs.	3.5
	WWN15109TSLW Laminate/Wood	1715	15 $\frac{3}{16}$	108 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	86 lbs.	3.5
	WWN15109TSL Laminate	1667	15 $\frac{3}{16}$	108 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	86 lbs.	3.5
	WWN1597TSW Wood	\$ 1397	15 $\frac{3}{16}$	96 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	3.1
	WWN1597TSLW Laminate/Wood	1397	15 $\frac{3}{16}$	96 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	3.1
	WWN1597TSL Laminate	1357	15 $\frac{3}{16}$	96 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	3.1
	WWN1584TSW Wood	\$ 1135	15 $\frac{3}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	66 lbs.	2.7
	WWN1584TSLW Laminate/Wood	1135	15 $\frac{3}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	66 lbs.	2.7
	WWN1584TSL Laminate	1103	15 $\frac{3}{16}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	66 lbs.	2.7
	WWN1578TSW Wood	\$ 1087	15 $\frac{3}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	62 lbs.	2.5
	WWN1578TSLW Laminate/Wood	1087	15 $\frac{3}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	62 lbs.	2.5
	WWN1578TSL Laminate	1059	15 $\frac{3}{16}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	62 lbs.	2.5
	WWN1572TSW Wood	\$ 1041	15 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	56 lbs.	2.3
	WWN1572TSLW Laminate/Wood	1041	15 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	56 lbs.	2.3
	WWN1572TSL Laminate	1012	15 $\frac{3}{16}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	56 lbs.	2.3
	WWN1566TSW Wood	\$ 1003	15 $\frac{3}{16}$	65 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	52 lbs.	2.2
	WWN1566TSLW Laminate/Wood	1003	15 $\frac{3}{16}$	65 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	52 lbs.	2.2
	WWN1566TSL Laminate	978	15 $\frac{3}{16}$	65 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	52 lbs.	2.2
	WWN1560TSW Wood	\$ 968	15 $\frac{3}{16}$	59 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	48 lbs.	2.0
	WWN1560TSLW Laminate/Wood	968	15 $\frac{3}{16}$	59 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	48 lbs.	2.0
	WWN1560TSL Laminate	937	15 $\frac{3}{16}$	59 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	48 lbs.	2.0
	WWN1554TSW Wood	\$ 933	15 $\frac{3}{16}$	53 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	44 lbs.	1.8
	WWN1554TSLW Laminate/Wood	933	15 $\frac{3}{16}$	53 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	44 lbs.	1.8
	WWN1554TSL Laminate	905	15 $\frac{3}{16}$	53 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	44 lbs.	1.8

- Reference pages 322-323 for the multiple ways you can use Reception Counter Kits
- All hardware included to attach to reception units
- Reception Counter Kits can be used with Reception Mains, Reception Bridges and Reception Returns that do not have a Glass Reception Counters
- Reception Counter Kits can span the size of the unit or can extend beyond the unit and wrap around an entire L- or U-station to utilize counters on all sides

PRODUCT SPECIFICATIONS

- Counter kits shipped with appropriate hardware to attach to reception units
- Rim on all 4 sides of laminate and wood counter kits
- Refer to pages 322-323 for examples of how the counter kits can be used



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

- Model Number
- Rim
- Vinyl Rim Color (laminate models)
- Laminate Top Color/Veneer Top Finish
- Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW15109TSW F MH
WW15109TSLW F 405 MH
WW15109TSL V405 MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
RECEPTION COUNTER KITS (CONTINUED) 	1½" TOP THICKNESS										
	QWW15109TSW	Wood	\$	1531	15⅞	108⅞	1⅜	—	—	86 lbs.	3.5
	WW15109TSW	Wood		1531	15⅞	108⅞	1⅜	—	—	86 lbs.	3.5
	WW15109TSLW	Laminate/Wood		1531	15⅞	108⅞	1⅜	—	—	86 lbs.	3.5
	WW15109TSL	Laminate		1486	15⅞	108⅞	1⅜	—	—	86 lbs.	3.5
	QWW15109TSL	TFL		1189	15⅞	108⅞	1⅜	—	—	86 lbs.	3.5
	WW15109TSL	TFL		1189	15⅞	108⅞	1⅜	—	—	86 lbs.	3.5
	QWW1597TSW	Wood	\$	1212	15⅞	96⅞	1⅜	—	—	76 lbs.	3.1
	WW1597TSW	Wood		1212	15⅞	96⅞	1⅜	—	—	76 lbs.	3.1
	WW1597TSLW	Laminate/Wood		1212	15⅞	96⅞	1⅜	—	—	76 lbs.	3.1
	WW1597TSL	Laminate		1179	15⅞	96⅞	1⅜	—	—	76 lbs.	3.1
	QWW1597TSL	TFL		944	15⅞	96⅞	1⅜	—	—	76 lbs.	3.1
	WW1597TSL	TFL		944	15⅞	96⅞	1⅜	—	—	76 lbs.	3.1
	QWW1584TSW	Wood	\$	949	15⅞	83⅞	1⅜	—	—	66 lbs.	2.7
	WW1584TSW	Wood		949	15⅞	83⅞	1⅜	—	—	66 lbs.	2.7
	WW1584TSLW	Laminate/Wood		949	15⅞	83⅞	1⅜	—	—	66 lbs.	2.7
	WW1584TSL	Laminate		925	15⅞	83⅞	1⅜	—	—	66 lbs.	2.7
	QWW1584TSL	TFL		740	15⅞	83⅞	1⅜	—	—	66 lbs.	2.7
	WW1584TSL	TFL		740	15⅞	83⅞	1⅜	—	—	66 lbs.	2.7
	QWW1578TSW	Wood	\$	903	15⅞	77⅞	1⅜	—	—	62 lbs.	2.5
	WW1578TSW	Wood		903	15⅞	77⅞	1⅜	—	—	62 lbs.	2.5
	WW1578TSLW	Laminate/Wood		903	15⅞	77⅞	1⅜	—	—	62 lbs.	2.5
	WW1578TSL	Laminate		878	15⅞	77⅞	1⅜	—	—	62 lbs.	2.5
	QWW1578TSL	TFL		702	15⅞	77⅞	1⅜	—	—	62 lbs.	2.5
	WW1578TSL	TFL		702	15⅞	77⅞	1⅜	—	—	62 lbs.	2.5

- Reference pages 322-323 for the multiple ways you can use Reception Counter Kits
- All hardware included to attach to reception units
- Reception Counter Kits can be used with Reception Mains, Reception Bridges and Reception Returns that do not have a Glass Reception Counters
- Reception Counter Kits can span the size of the unit or can extend beyond the unit and wrap around an entire L- or U-station to utilize counters on all sides

PRODUCT SPECIFICATIONS

- Counter kits shipped with appropriate hardware to attach to reception units
- Rim on all 4 sides of laminate and wood counter kits
- Refer to pages 322-323 for examples of how the counter kits can be used



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1572TSW F MH
WW1572TSLW F 405 MH
WW1572TSL V405 MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
RECEPTION COUNTER KITS (CONTINUED) 	1 3/8" TOP THICKNESS (CONTINUED)										
	QWW1572TSW	Wood	\$ 858	15 3/16	71 1/16	1 3/8	—	—	56 lbs.	2.3	
	WW1572TSW	Wood	858	15 3/16	71 1/16	1 3/8	—	—	56 lbs.	2.3	
	WW1572TSLW	Laminate/Wood	858	15 3/16	71 1/16	1 3/8	—	—	56 lbs.	2.3	
	WW1572TSL	Laminate	832	15 3/16	71 1/16	1 3/8	—	—	56 lbs.	2.3	
	QWW1572TSL	TFL	667	15 3/16	71 1/16	1 3/8	—	—	56 lbs.	2.3	
	WW1572TSL	TFL	667	15 3/16	71 1/16	1 3/8	—	—	56 lbs.	2.3	
	QWW1566TSW	Wood	\$ 821	15 3/16	65 1/16	1 3/8	—	—	52 lbs.	2.2	
	WW1566TSW	Wood	821	15 3/16	65 1/16	1 3/8	—	—	52 lbs.	2.2	
	WW1566TSLW	Laminate/Wood	821	15 3/16	65 1/16	1 3/8	—	—	52 lbs.	2.2	
	WW1566TSL	Laminate	798	15 3/16	65 1/16	1 3/8	—	—	52 lbs.	2.2	
	QWW1566TSL	TFL	660	15 3/16	65 1/16	1 3/8	—	—	52 lbs.	2.2	
	WW1566TSL	TFL	660	15 3/16	65 1/16	1 3/8	—	—	52 lbs.	2.2	
	QWW1560TSW	Wood	\$ 782	15 3/16	59 1/16	1 3/8	—	—	48 lbs.	2.0	
	WW1560TSW	Wood	782	15 3/16	59 1/16	1 3/8	—	—	48 lbs.	2.0	
	WW1560TSLW	Laminate/Wood	782	15 3/16	59 1/16	1 3/8	—	—	48 lbs.	2.0	
	WW1560TSL	Laminate	761	15 3/16	59 1/16	1 3/8	—	—	48 lbs.	2.0	
	QWW1560TSL	TFL	609	15 3/16	59 1/16	1 3/8	—	—	48 lbs.	2.0	
	WW1560TSL	TFL	609	15 3/16	59 1/16	1 3/8	—	—	48 lbs.	2.0	
	QWW1554TSW	Wood	\$ 748	15 3/16	53 1/16	1 3/8	—	—	44 lbs.	1.8	
	WW1554TSW	Wood	748	15 3/16	53 1/16	1 3/8	—	—	44 lbs.	1.8	
	WW1554TSLW	Laminate/Wood	748	15 3/16	53 1/16	1 3/8	—	—	44 lbs.	1.8	
	WW1554TSL	Laminate	727	15 3/16	53 1/16	1 3/8	—	—	44 lbs.	1.8	
	QWW1554TSL	TFL	582	15 3/16	53 1/16	1 3/8	—	—	44 lbs.	1.8	
	WW1554TSL	TFL	582	15 3/16	53 1/16	1 3/8	—	—	44 lbs.	1.8	

- Reference pages 322-323 for the multiple ways you can use Reception Counter Kits
- All hardware included to attach to reception units
- Reception Counter Kits can be used with Reception Mains, Reception Bridges and Reception Returns that do not have a Glass Reception Counters
- Reception Counter Kits can span the size of the unit or can extend beyond the unit and wrap around an entire L- or U-station to utilize counters on all sides

WAVEWORKS RECEPTION - THOUGHT STARTERS

- National's reception units are offered without the glass reception counters allowing the customer to keep the space open or add the laminate or wood Reception Counter Kits
- Shown below are thought starters or ideas for how the Reception Counter Kits can be used on 1 side only or used to wrap an entire unit
- Model numbers are shown as examples of sizes used and fit of counter
- Reception Counter Kits will have an overhang on the approach side




Fig. A – Main Shell with Reception Return
(Counter on main shell)




Fig. B – Main Shell with Reception Return
(Counter on reception return spanning main shell)




Fig. C – Main Shell with Reception Return
(Counters across entire unit)




Fig. D – 2 Main Shells with Reception Bridge
(Counters on main shell)




Fig. E – 2 Main Shells with Reception Bridge
(Counter on reception bridge spanning main shells)




Fig. F – 2 Main Shells with Reception Bridge
(Counter on reception bridge spanning main shells)




Fig. G – 2 Main Shells with Reception Bridge
(Counters across entire unit)




Fig. H – 2 Main Shells with Reception Bridge
(Counters across entire unit)

	CONFIGURATION		
	RECEPTION COUNTER KIT(S) COVER MAIN AND/OR ADA SHELL ONLY (SEE FIG. A OR D)	RECEPTION COUNTER KIT COVERS BRIDGE OR RETURN ONLY (SEE FIG. B, E, OR F)	RECEPTION COUNTER KIT(S) COVER ENTIRE UNIT (SEE FIG. C, G, OR H)
WAVEWORKS ADA COMPLIANT U-RECEPTION STATION			
Main Shell	WW1572TS	—	WW1578TS
ADA Shell	WW1154TS	—	WW1154TS
– 63" Bridge	—	WW1566TS	WW1572TS
WAVEWORKS U-RECEPTION STATION			
Main Shell	WW1572TS	—	WW1578TS
ADA Shell	WW1154TS	—	WW1154TS
– 63" Bridge	—	WW1554TS	WW1560TS
WAVEWORKS ADA COMPLIANT L-RECEPTION STATION			
ADA Shell	WW1154TS	—	WW1154TS
– 60" Return	—	WW1566TS	WW1566TS
WAVEWORKS RECEPTION U-UNIT			
2 Main Shells	WW1572TS x 2	—	WW1578TS x 2
– 63" Bridge	—	WW15109TS	WW1584TS
WAVEWORKS RECEPTION U-UNIT			
2 Main Shells	WW1572TS x 2	—	WW1578TS x 2
– 63" Bridge	—	WW1597TS	WW1572TS
WAVEWORKS RECEPTION L-UNIT			
Main Shell	WW1572TS	—	WW1578TS
– 60" Return	—	WW1566TS	WW1572TS

WAVEWORKS RECEPTION - THOUGHT STARTERS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 288 for grommet options and upcharge

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

- See pages 284-288 for all options available in WaveWorks

WAVEWORKS ADA COMPLIANT RECEPTION STATION



ITEM	PAGE	MODEL NO./DESCRIPTION		LIST	QTY	EXT. LIST
WOOD CHASSIS/WORKSURFACE						\$ 14,039
A.	314	WW2572DSTFW	Reception Desk-Main Shell	\$ 6063	1	6,063
B.	316	WW2866BSTFW	Reception Bridge-66"	1430	1	1,430
C.	315	WW2575DSTFRW	Main Right-Shell-ADA	6546	1	6,546
ADDITIONAL ADD-ONS:						\$ 3,447
	404	WW2418CPTW	Cornice Top for ADA Tower	\$ 782	1	782
	442	WW2318PUBBFW	Undersurface Box/Box/File Pedestal	1807	1	1,807
	321	WW1572TSW	Reception Counter Kit	858	1	858
LAMINATE CHASSIS/WORKSURFACE:						\$ 11,183
A.	314	WW2572DSTFL	Reception Desk-Main Shell	\$ 4910	1	4,910
B.	316	WW2866BSTFL	Reception Bridge-66"	986	1	986
C.	315	WW2575DSTFRL	Main Right-Shell-ADA	5287	1	5,287
ADDITIONAL ADD-ONS:						\$ 2,726
	404	WW2418CPTL	Cornice Top for ADA Tower	\$ 761	1	761
	442	WW2318PUBBFL	Undersurface Box/Box/File Pedestal	1133	1	1,133
	321	WW1572TSL	Reception Counter Kit	832	1	832
WOOD CHASSIS/LAMINATE WORKSURFACE WITH WOOD RIM						\$ 14,039
A.	314	WW2572DSTFLW	Reception Desk-Main Shell	\$ 6063	1	6,063
B.	316	WW2866BSTFLW	Reception Bridge-66"	1430	1	1,430
C.	315	WW2575DSTFRLW	Main Right-Shell-ADA	6546	1	6,546
ADDITIONAL ADD-ONS:						\$ 1,640
	404	WW2418CPTLW	Cornice Top for ADA Tower	\$ 782	1	782
	321	WW1572TSLW	Reception Counter Kit	858	1	858


PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 288 for grommet options and upcharge

TO ORDER, SPECIFY:

1. Model Number
 2. Rim
 3. Vinyl Rim Color (laminate models)
 4. Pull
 5. Grommet
 6. Locking
 7. Laminate Top Color (laminate/combo models)
 8. Laminate Door/Drawer (laminate models)
 9. Veneer Chassis Finish/Laminate Chassis Color
- See pages 284-288 for all options available in WaveWorks

WAVEWORKS RECEPTION U-UNIT



ITEM	PAGE	MODEL NO./DESCRIPTION		LIST	QTY	EXT. LIST
WOOD CHASSIS/WORKSURFACE						\$ 13,602
A.	314	WW2572DSTFW	Reception Desk-Main Shell	\$ 6063	2	12,126
B.	316	WW2866BSTFW	Reception Bridge-66"	1430	1	1,430
C.		Racetrack Grommet		46	1	46
ADDITIONAL ADD-ONS:						\$ 3,614
	442	WW2318PUBBFW	Undersurface Box/Box/File Pedestal	\$ 1807	2	3,614
LAMINATE CHASSIS/WORKSURFACE:						\$ 10,852
A.	314	WW2572DSTFL	Reception Desk-Main Shell	\$ 4910	2	9,820
B.	316	WW2866BSTFL	Reception Bridge-66"	986	1	986
C.		Racetrack Grommet		46	1	46
ADDITIONAL ADD-ONS:						\$ 2,266
	442	WW2318PUBBFL	Undersurface Box/Box/File Pedestal	\$ 1133	2	2,266
WOOD CHASSIS/LAMINATE WORKSURFACE WITH WOOD RIM						\$ 13,602
A.	314	WW2572DSTFLW	Reception Desk-Main Shell	\$ 6063	2	12,126
B.	316	WW2866BSTFLW	Reception Bridge-66"	1430	1	1,430
C.		Racetrack Grommet		46	1	46

WAVEWORKS RECEPTIONS - THOUGHT STARTERS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
 2. Rim
 3. Vinyl Rim Color (laminate models)
 4. Pull
 5. Grommet
 6. Locking
 7. Laminate Top Color (laminate/combo models)
 8. Laminate Door/Drawer (laminate models)
 9. Veneer Chassis Finish/Laminate Chassis Color
- See pages 284-288 for all options available in WaveWorks

ITEM	PAGE	MODEL NO./DESCRIPTION			LIST	QTY	EXT. LIST
WAVEWORKS RECEPTION L-UNIT							
WOOD CHASSIS/WORKSURFACE							
\$ 10,106							
A.	314	WW2572DSTFW	Reception Desk-Main Shell	\$ 6063	1	6,063	
B.	317	WW2860RSTFLW	Reception Return-Left	2190	1	2,190	
C.	443	WW2318PUFFW	Undersurface File/File Pedestal	1807	1	1,807	
D.		Racetrack Grommet	Grommet	46	1	46	
ADDITIONAL ADD-ONS:							
\$ 858							
	321	WW1572TSW	Reception Counter Kit	\$ 858	1	858	
LAMINATE CHASSIS/WORKSURFACE:							
\$ 8,133							
A.	314	WW2572DSTFL	Reception Desk-Main Shell	\$ 4910	1	4,910	
B.	317	WW2860RSTFLL	Reception Return-Left	2044	1	2,044	
C.	443	WW2318PUFFL	Undersurface File/File Pedestal	1133	1	1,133	
D.		Racetrack Grommet	Grommet	46	1	46	
ADDITIONAL ADD-ONS:							
\$ 832							
	321	WW1572TSL	Reception Counter Kit	\$ 832	1	832	
WOOD CHASSIS/LAMINATE WORKSURFACE WITH WOOD RIM							
\$ 8,299							
A.	314	WW2572DSTFLW	Reception Desk-Main Shell	\$ 6063	1	6,063	
B.	317	WW2860RSTFLLW	Reception Return-Left	2190	1	2,190	
C.		Racetrack Grommet	Grommet	46	1	46	
ADDITIONAL ADD-ONS:							
\$ 858							
	321	WW1572TSLW	Reception Counter Kit	\$ 858	1	858	

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color
(laminate/combo models)
8. Laminate Door/Drawer Color
(laminate models)
9. Veneer Chassis Finish/
Laminate Chassis Color

WW2442RREFW1	P	7SN	G1C	KRB	AC			
WW2442RREFL1	NAC2	7SN	G1C	KRB	405	AC2	AC2	
WW2442RREFLW1	P	7SN	G1C	KRB	405	AC		

• See pages 284-288 for all options available in WaveWorks



Left shown

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2442RREFW2 P 7SN G1C KS1B AC
 WW2442RREFL2 NAC2 7SN G1C KS1B 405 AC2 AC2
 WW2442RREFLW2 P 7SN G1C KS1B 405 AC

- See pages 284-288 for all options available in WaveWorks

MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
						D	W	H	A	KW		
RETURN FILE/FILE  Left shown	1½" TOP THICKNESS											
	LEFT RETURN		RIGHT RETURN									
	WWN2460RLEFW2	WWN2460RREFW2	Wood	\$	3315	24	60	29⅝	⅛	44	180 lbs.	28.9
	WWN2460RLEFLW2	WWN2460RREFLW2	Laminate/Wood		3315	24	60	29⅝	⅛	44	180 lbs.	28.9
	WWN2460RLEFL2	WWN2460RREFL2	Laminate		2078	24	60	29⅝	⅛	44	180 lbs.	28.9
	WWN2448RLEFW2	WWN2448RREFW2	Wood	\$	3191	24	48⅝	29⅝	⅛	33	160 lbs.	24.7
	WWN2448RLEFLW2	WWN2448RREFLW2	Laminate/Wood		3191	24	48⅝	29⅝	⅛	33	160 lbs.	24.7
	WWN2448RLEFL2	WWN2448RREFL2	Laminate		1945	24	48⅝	29⅝	⅛	33	160 lbs.	24.7
	WWN2442RLEFW2	WWN2442RREFW2	Wood	\$	3067	24	42⅝	29⅝	⅛	27	140 lbs.	20.5
	WWN2442RLEFLW2	WWN2442RREFLW2	Laminate/Wood		3067	24	42⅝	29⅝	⅛	27	140 lbs.	20.5
	WWN2442RLEFL2	WWN2442RREFL2	Laminate		1867	24	42⅝	29⅝	⅛	27	140 lbs.	20.5
	1½" TOP THICKNESS											
	LEFT RETURN		RIGHT RETURN									
	WW2460RLEFW2	WW2460RREFW2	Wood	\$	3013	24	60	28⅞⅙	⅛	44	186 lbs.	33.7
	WW2460RLEFLW2	WW2460RREFLW2	Laminate/Wood		3013	24	60	28⅞⅙	⅛	44	186 lbs.	33.7
	WW2460RLEFL2	WW2460RREFL2	Laminate		1890	24	60	28⅞⅙	⅛	44	186 lbs.	33.7
	WW2460RLEFLL2	WW2460RREFLL2	TFL		1513	24	60	28⅞	⅛	44	186 lbs.	33.7
WW2448RLEFW2	WW2448RREFW2	Wood	\$	2902	24	48⅞⅙	28⅞⅙	⅛	33	175 lbs.	27.6	
WW2448RLEFLW2	WW2448RREFLW2	Laminate/Wood		2902	24	48⅞⅙	28⅞⅙	⅛	33	175 lbs.	27.6	
WW2448RLEFL2	WW2448RREFL2	Laminate		1771	24	48⅞⅙	28⅞⅙	⅛	33	175 lbs.	27.6	
WW2448RLEFLL2	WW2448RREFLL2	TFL		1416	24	48⅞⅙	28⅞	⅛	33	175 lbs.	27.6	
WW2442RLEFW2	WW2442RREFW2	Wood	\$	2790	24	42⅞⅙	28⅞⅙	⅛	27	166 lbs.	24.5	
WW2442RLEFLW2	WW2442RREFLW2	Laminate/Wood		2790	24	42⅞⅙	28⅞⅙	⅛	27	166 lbs.	24.5	
WW2442RLEFL2	WW2442RREFL2	Laminate		1696	24	42⅞⅙	28⅞⅙	⅛	27	166 lbs.	24.5	
WW2442RLEFLL2	WW2442RREFLL2	TFL		1360	24	42⅞⅙	28⅞	⅛	27	166 lbs.	24.5	

- Grain direction runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2442BEFW F X N MC
 WWN2442BEFLW F X NM NM
 WWN2442BEFL F G1C PB PB

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
BRIDGE 	1¹/₁₆" TOP THICKNESS									
	WWN2448BEFW	Wood	\$ 1340	24	48 ⁷ / ₁₆	29 ³ / ₈	¹ / ₁₆	—	80 lbs.	4.1
	WWN2448BEFLW	Laminate/Wood	1340	24	48 ⁷ / ₁₆	29 ³ / ₈	¹ / ₁₆	—	80 lbs.	4.1
	WWN2448BEFL	Laminate	820	24	48 ⁷ / ₁₆	29 ³ / ₈	¹ / ₁₆	—	80 lbs.	4.1
	WWN2442BEFW	Wood	\$ 1265	24	42 ⁷ / ₁₆	29 ³ / ₈	¹ / ₁₆	—	72 lbs.	3.7
	WWN2442BEFLW	Laminate/Wood	1265	24	42 ⁷ / ₁₆	29 ³ / ₈	¹ / ₁₆	—	72 lbs.	3.7
	WWN2442BEFL	Laminate	739	24	42 ⁷ / ₁₆	29 ³ / ₈	¹ / ₁₆	—	72 lbs.	3.7
	1³/₁₆" TOP THICKNESS									
	WW2448BEFW	Wood	\$ 1220	24	48 ⁷ / ₁₆	28 ¹ / ₁₆	¹ / ₁₆	—	80 lbs.	4.1
	WW2448BEFLW	Laminate/Wood	1220	24	48 ⁷ / ₁₆	28 ¹ / ₁₆	¹ / ₁₆	—	80 lbs.	4.1
	WW2448BEFL	Laminate	741	24	48 ⁷ / ₁₆	28 ¹ / ₁₆	¹ / ₁₆	—	80 lbs.	4.1
	WW2448BEFL	TFL	593	24	48 ⁷ / ₁₆	28 ³ / ₈	¹ / ₁₆	—	80 lbs.	4.1
	WW2442BEFW	Wood	\$ 1148	24	42 ⁷ / ₁₆	28 ¹ / ₁₆	¹ / ₁₆	—	72 lbs.	3.7
	WW2442BEFLW	Laminate/Wood	1148	24	42 ⁷ / ₁₆	28 ¹ / ₁₆	¹ / ₁₆	—	72 lbs.	3.7
	WW2442BEFL	Laminate	669	24	42 ⁷ / ₁₆	28 ¹ / ₁₆	¹ / ₁₆	—	72 lbs.	3.7
WW2442BEFL	TFL	537	24	42 ⁷ / ₁₆	28 ³ / ₈	¹ / ₁₆	—	72 lbs.	3.7	
• Some assembly required • Grain direction runs front-to-back										

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2448BEFHW FX CW
WWN2448BEFHL FX 793 793
WWN2448BEFHLW FX PB PB

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
BRIDGE WITH HINGED MODESTY 	1 1/16" TOP THICKNESS									
	WWN2448BEFHW	Wood	\$ 1432	24	48 1/16	29 3/8	1/16	—	80 lbs.	4.1
	WWN2448BEFHLW	Laminate/Wood	1432	24	48 1/16	29 3/8	1/16	—	80 lbs.	4.1
	WWN2448BEFHL	Laminate	905	24	48 1/16	29 3/8	1/16	—	80 lbs.	4.1
	1 1/16" TOP THICKNESS									
	WWN2442BEFHW	Wood	\$ 1357	24	42 1/16	29 3/8	1/16	—	72 lbs.	3.7
	WWN2442BEFHLW	Laminate/Wood	1357	24	42 1/16	29 3/8	1/16	—	72 lbs.	3.7
	WWN2442BEFHL	Laminate	827	24	42 1/16	29 3/8	1/16	—	72 lbs.	3.7
	1 1/16" TOP THICKNESS									
	WW2448BEFHW	Wood	\$ 1312	24	48 1/16	28 15/16	1/16	—	80 lbs.	4.1
	WW2448BEFHLW	Laminate/Wood	1312	24	48 1/16	28 15/16	1/16	—	80 lbs.	4.1
	WW2448BEFHL	Laminate	829	24	48 1/16	28 15/16	1/16	—	80 lbs.	4.1
	WW2448BEFHLL	TFL	663	24	48 1/16	28 7/8	1/16	—	80 lbs.	4.1
	1 1/16" TOP THICKNESS									
	WW2442BEFHW	Wood	\$ 1241	24	42 1/16	28 15/16	1/16	—	72 lbs.	3.7
	WW2442BEFHLW	Laminate/Wood	1241	24	42 1/16	28 15/16	1/16	—	72 lbs.	3.7
	WW2442BEFHL	Laminate	766	24	42 1/16	28 15/16	1/16	—	72 lbs.	3.7
	WW2442BEFHLL	TFL	611	24	42 1/16	28 7/8	1/16	—	72 lbs.	3.7
• Some assembly required • Unit has flexible grommet in modesty for cord management • Modesty is hinged for access to cords • Grain direction runs front-to-back										

- Some assembly required
- Unit has flexible grommet in modesty for cord management
- Modesty is hinged for access to cords
- Grain direction runs front-to-back

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2472CSFW P 7SN X KRB AC
 WW2472CSFL NAC2 7SN X KRB 405 AC2 AC2
 WW2472CSFLW P 7SN X KRB 405 AC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	1 1/8" TOP THICKNESS								
	WWN2472CSFW Wood	\$ 5668	24	71 1/16	29 3/8	3/16	—	383 lbs.	36.3
	WWN2472CSFLW Laminate/Wood	5668	24	71 1/16	29 3/8	3/16	—	383 lbs.	36.3
	WWN2472CSFL Laminate	4517	24	71 1/16	29 3/8	3/16	—	383 lbs.	36.3
	WWN2466CSFW Wood	\$ 5324	24	66	29 3/8	3/16	—	355 lbs.	32.7
	WWN2466CSFLW Laminate/Wood	5324	24	66	29 3/8	3/16	—	355 lbs.	32.7
	WWN2466CSFL Laminate	4342	24	66	29 3/8	3/16	—	355 lbs.	32.7
	WWN2460CSFW Wood	\$ 5179	24	60	29 3/8	3/16	—	325 lbs.	28.9
	WWN2460CSFLW Laminate/Wood	5179	24	60	29 3/8	3/16	—	325 lbs.	28.9
	WWN2460CSFL Laminate	4260	24	60	29 3/8	3/16	—	325 lbs.	28.9
	1 3/8" TOP THICKNESS								
	WW2472CSFW Wood	\$ 5158	24	71 1/16	28 1/16	3/16	—	346 lbs.	39.8
	WW2472CSFLW Laminate/Wood	5158	24	71 1/16	28 1/16	3/16	—	346 lbs.	39.8
	WW2472CSFL Laminate	4105	24	71 1/16	28 1/16	3/16	—	346 lbs.	39.8
	WW2472CSFLL TFL	3286	24	71 1/16	28 3/8	3/16	—	346 lbs.	39.8
	WW2466CSFW Wood	\$ 4839	24	66	28 1/16	3/16	—	334 lbs.	32.7
	WW2466CSFLW Laminate/Wood	4839	24	66	28 1/16	3/16	—	334 lbs.	32.7
	WW2466CSFL Laminate	3947	24	66	28 1/16	3/16	—	334 lbs.	32.7
	WW2466CSFLL TFL	3157	24	66	28 3/8	3/16	—	334 lbs.	32.7
	WW2460CSFW Wood	\$ 4706	24	60	28 1/16	3/16	—	318 lbs.	33.7
	WW2460CSFLW Laminate/Wood	4706	24	60	28 1/16	3/16	—	318 lbs.	33.7
	WW2460CSFL Laminate	3874	24	60	28 1/16	3/16	—	318 lbs.	33.7
	WW2460CSFLL TFL	3101	24	60	28 3/8	3/16	—	318 lbs.	33.7
	• 72" credenza features an adjustable shelf (20" deep x 34 3/16" wide) • 66" credenza features an adjustable shelf (20" deep x 28 3/16" wide) • 60" credenza features an adjustable shelf (20" deep x 22 3/16" wide) • Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available								

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WWN2472CBVW P 7MB G1L KS2B AC
WWN2472CBVL VHN2 7MB X KS2B HN2 HN2
WWN2472CBVLW R 7MB X KS2B 405 AC

- See pages 284-288 for all options available in WaveWorks



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
72"—1½" TOP THICKNESS									
WWN2472CVMSW Wood	\$ 8253	24	72	35½	—	—	383 lbs.	36.3	
WWN2472CVMSLW Laminate/Wood	8253	24	72	35½	—	—	383 lbs.	36.3	
WWN2472CVMSL Laminate	7280	24	72	35½	—	—	383 lbs.	36.3	
60"—1½" TOP THICKNESS									
WWN2460CVMSW Wood	\$ 7995	24	60	35½	—	—	325 lbs.	28.9	
WWN2460CVMSLW Laminate/Wood	7995	24	60	35½	—	—	325 lbs.	28.9	
WWN2460CVMSL Laminate	7016	24	60	35½	—	—	325 lbs.	28.9	
48"—1½" TOP THICKNESS									
WWN2448CVMSW Wood	\$ 7731	24	48½	35½	—	—	290 lbs.	24.7	
WWN2448CVMSLW Laminate/Wood	7731	24	48½	35½	—	—	290 lbs.	24.7	
WWN2448CVMSL Laminate	6749	24	48½	35½	—	—	290 lbs.	24.7	
• Infrared Repeater (IR) included with credenza which allows multi-media equipment to be stored and controlled behind solid doors • Back panel is not fully finished and includes cutouts for venting • Rim profile on front and sides only, 1½" thick worksurface available • Matching wood grommets in end panels for wire access • Features an adjustable shelf • Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high for the WWN2472CVMS models, 21¼" deep x 28½" wide x 24¾" high for the WWN2460CVMS models and 21¼" deep x 22½" wide x 24¾" high for the WWN2448CVMS models • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									

ENTERTAINMENT CREDENZA



1½" TOP THICKNESS									
WWN2472CBVW	Wood	\$ 6509	24	71½	35½	—	—	381 lbs.	46.7
WWN2472CBVLW	Laminate/Wood	6509	24	71½	35½	—	—	381 lbs.	46.7
WWN2472CBVL	Laminate	5317	24	71½	35½	—	—	381 lbs.	46.7
1¾" TOP THICKNESS									
WW2472CBVW	Wood	\$ 5805	24	71½	35½	—	—	381 lbs.	46.7
WW2472CBVLW	Laminate/Wood	5805	24	71½	35½	—	—	381 lbs.	46.7
WW2472CBVL	Laminate	4738	24	71½	35½	—	—	381 lbs.	46.7
WW2472CBVLL	TFL	3789	24	71½	35	—	—	381 lbs.	46.7
• Back panel is not fully finished and includes cutouts for venting • Rim profile on front and sides only • Features an adjustable shelf • Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Locking
6. Laminate Top Color (laminate/combo models)
7. Laminate Door/Drawer Color (laminate models)
8. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2472CBW P 7MB KS2B AC
 WW2472CBL VHN2 7MB KS2B HN2 HN2 HN2
 WW2472CBLW R 7MB KS2B 405 AC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BUFFET CREDENZA 	1 1/8" TOP THICKNESS								
	WWN2472CBW Wood	\$ 6393	24	71 1/16	35 1/16	—	—	381 lbs.	46.7
	WWN2472CBLW Laminate/Wood	6393	24	71 1/16	35 1/16	—	—	381 lbs.	46.7
	WWN2472CBL Laminate	5222	24	71 1/16	35 1/16	—	—	381 lbs.	46.7
	1 3/8" TOP THICKNESS								
	WW2472CBW Wood	\$ 5701	24	71 1/16	35 1/16	—	—	381 lbs.	46.7
	WW2472CBLW Laminate/Wood	5701	24	71 1/16	35 1/16	—	—	381 lbs.	46.7
	WW2472CBL Laminate	4653	24	71 1/16	35 1/16	—	—	381 lbs.	46.7
	WW2472CBL TFL	3721	24	71 1/16	35	—	—	381 lbs.	46.7
	• Grommet option not available • Features an adjustable shelf behind each set of doors • Rim profile on front and sides only • Features a fully finished back • Inside dimension of each storage section is 21 1/4" deep x 34 1/2" wide x 24 3/4" high • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								

**BUFFET CREDENZA
WITH TRASH
RECEPTACLE**


Left shown

1 1/8" TOP THICKNESS									
LEFT	RIGHT								
WWN2472CBTLW	WWN2472CBTRW Wood	\$ 6465	24	71 1/16	35 1/16	—	—	lbs.	
WWN2472CBTLLW	WWN2472CBTRLW Laminate/Wood	6465	24	71 1/16	35 1/16	—	—	lbs.	
WWN2472CBTLL	WWN2472CBTRL Laminate	5257	24	71 1/16	35 1/16	—	—	lbs.	
1 3/8" TOP THICKNESS									
LEFT	RIGHT								
WW2472CBTLW	WW2472CBTRW Wood	\$ 5844	24	71 1/16	35 1/16	—	—	lbs.	
WW2472CBTLLW	WW2472CBTRLW Laminate/Wood	5844	24	71 1/16	35 1/16	—	—	lbs.	
WW2472CBTLL	WW2472CBTRL Laminate	4725	24	71 1/16	35 1/16	—	—	lbs.	
WW2472CBTLLL	WW2472CBTRLL TFL	3862	24	71 1/16	35 1/16	—	—	lbs.	
• Specify a left model to have the trash receptacle on the far left side; right to have it on the right • Includes 7 gallon trash receptacle									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2472CFFW P 7MB G1L KS2B AC
 WWN2472CFFL VHN2 7MB X KS2B HN2 HN2 HN2
 WWN2472CFFLW R 7MB X KS2B 405 AC

- See pages 284-288 for all options available in WaveWorks

BUFFET CREDENZA WITH REFRIGERATOR ACCESS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
1 1/8" TOP THICKNESS			D	W	H	A			
LEFT	RIGHT								
WWN287241CBFLW	WWN287241CBFRW	Wood \$ 7901	28	71 1/16	41 1/16	—	—	lbs.	
WWN287241CBFLW	WWN287241CBFRLW	Laminate/Wood 7901	28	71 1/16	41 1/16	—	—	lbs.	
WWN287241CBFLL	WWN287241CBFRL	Laminate 6119	28	71 1/16	41 1/16	—	—	lbs.	
WWN287236CBFLW	WWN287236CBFRW	Wood \$ 7470	28	71 1/16	35 1/16	—	—	lbs.	
WWN287236CBFLW	WWN287236CBFRLW	Laminate/Wood 7470	28	71 1/16	35 1/16	—	—	lbs.	
WWN287236CBFLL	WWN287236CBFRL	Laminate 5976	28	71 1/16	35 1/16	—	—	lbs.	
1 1/8" TOP THICKNESS									
LEFT	RIGHT								
WW287241CBFLW	WW287241CBFRW	Wood \$ 7281	28	71 1/16	41 3/8	—	—	lbs.	
WW287241CBFLW	WW287241CBFRLW	Laminate/Wood 7281	28	71 1/16	41 3/8	—	—	lbs.	
WW287241CBFLL	WW287241CBFRL	Laminate 5155	28	71 1/16	41 3/8	—	—	lbs.	
WW287241CBFLLL	WW287241CBFRLL	TFL 4222	28	71 1/16	41 3/8	—	—	lbs.	
WW287236CBFLW	WW287236CBFRW	Wood \$ 6850	28	71 1/16	35 1/8	—	—	lbs.	
WW287236CBFLW	WW287236CBFRLW	Laminate/Wood 6850	28	71 1/16	35 1/8	—	—	lbs.	
WW287236CBFLL	WW287236CBFRL	Laminate 5012	28	71 1/16	35 1/8	—	—	lbs.	
WW287236CBFLLL	WW287236CBFRLL	TFL 4079	28	71 1/16	35 1/8	—	—	lbs.	


• Specify a left model to have the refrigerator on the far left side; right to have it on the right, 7 gallon trash receptacle in center section

• Back panel not fully finished and includes cutouts for venting in refrigerator section

• 36" H models only: Maximum refrigerator size 21 1/4" deep, 21 1/2" wide, x 27 1/16" high

• 41" H models only: Maximum refrigerator size 21 1/4" deep, 21 1/2" wide, x 32 1/16" high

LATERAL FILE CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
1 1/8" TOP THICKNESS			D	W	H	A			
WWN2472CFFW	Wood	\$ 6039	24	71 1/16	29 3/8	3/16	—	346 lbs.	36.3
WWN2472CFFLW	Laminate/Wood	6039	24	71 1/16	29 3/8	3/16	—	346 lbs.	36.3
WWN2472CFFL	Laminate	3944	24	71 1/16	29 3/8	3/16	—	346 lbs.	36.3
1 1/8" TOP THICKNESS									
WW2472CFFW	Wood	\$ 5490	24	71 1/16	28 1/16	3/16	—	346 lbs.	39.8
WW2472CFFLW	Laminate/Wood	5490	24	71 1/16	28 1/16	3/16	—	346 lbs.	39.8
WW2472CFFL	Laminate	3589	24	71 1/16	28 1/16	3/16	—	346 lbs.	39.8
WW2472CFFLL	TFL	2869	24	71 1/16	28 1/8	3/16	—	346 lbs.	39.8

• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

• When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

• End panel grommets come standard

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2472CKFW2 P 7MB G1L KRB AC
 WWN2472CKFL2 VHN2 7MB X KRB HN2 HN2
 WWN2472CKFLW2 R 7MB X KRB 405 AC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A					
	1 1/8" TOP THICKNESS										
	WWN2472CKFW2	Wood	\$	5044	24	71 1/16	29 3/8	3 1/16	35 3/8	273 lbs.	36.3
	WWN2472CKFLW2	Laminate/Wood		5044	24	71 1/16	29 3/8	3 1/16	35 3/8	273 lbs.	36.3
	WWN2472CKFL2	Laminate		3416	24	71 1/16	29 3/8	3 1/16	35 3/8	273 lbs.	36.3
	WWN2466CKFW2	Wood	\$	4639	24	66	29 3/8	3 1/16	35 3/8	264 lbs.	32.7
	WWN2466CKFLW2	Laminate/Wood		4639	24	66	29 3/8	3 1/16	35 3/8	264 lbs.	32.7
	WWN2466CKFL2	Laminate		3263	24	66	29 3/8	3 1/16	35 3/8	264 lbs.	32.7
	WWN2460CKFW2	Wood	\$	4495	24	60	29 3/8	3 1/16	29 15/16	250 lbs.	28.9
	WWN2460CKFLW2	Laminate/Wood		4495	24	60	29 3/8	3 1/16	29 15/16	250 lbs.	28.9
	WWN2460CKFL2	Laminate		3205	24	60	29 3/8	3 1/16	29 15/16	250 lbs.	28.9
	1 3/8" TOP THICKNESS										
	WW2472CKFW2	Wood	\$	4588	24	71 1/16	28 15/16	3 1/16	35 3/8	279 lbs.	39.8
	WW2472CKFLW2	Laminate/Wood		4588	24	71 1/16	28 15/16	3 1/16	35 3/8	279 lbs.	39.8
	WW2472CKFL2	Laminate		3105	24	71 1/16	28 15/16	3 1/16	35 3/8	279 lbs.	39.8
	WW2472CKFLL2	TFL		2486	24	71 1/16	28 7/8	3 1/16	35 3/8	279 lbs.	39.8
	WW2466CKFW2	Wood	\$	4217	24	66	28 15/16	3 1/16	35 3/8	267 lbs.	32.7
	WW2466CKFLW2	Laminate/Wood		4217	24	66	28 15/16	3 1/16	35 3/8	267 lbs.	32.7
	WW2466CKFL2	Laminate		2966	24	66	28 15/16	3 1/16	35 3/8	267 lbs.	32.7
	WW2466CKFLL2	TFL		2372	24	66	28 7/8	3 1/16	35 3/8	267 lbs.	32.7
WW2460CKFW2	Wood	\$	4084	24	60	28 15/16	3 1/16	29 15/16	256 lbs.	33.7	
WW2460CKFLW2	Laminate/Wood		4084	24	60	28 15/16	3 1/16	29 15/16	256 lbs.	33.7	
WW2460CKFL2	Laminate		2915	24	60	28 15/16	3 1/16	29 15/16	256 lbs.	33.7	
WW2460CKFLL2	TFL		2333	24	60	28 7/8	3 1/16	29 15/16	256 lbs.	33.7	

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2472CRFW2 P 7MB G1L KRB AC
 WW2472CRFL2 VHN2 7MB X KRB HN2 HN2
 WW2472CRFLW2 R 7MB X KRB 405 AC

- See pages 284-288 for all options available in WaveWorks

SINGLE PEDESTAL
CREENZA
FILE/FILE

MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H

A

KW

CARTONED CUBIC
WEIGHT FEET

1 1/2" TOP THICKNESS

LEFT PEDESTAL

RIGHT PEDESTAL

WWN2472CLFW2	WWN2472CRFW2	Wood	\$ 3808
WWN2472CLFLW2	WWN2472CRFLW2	Laminate/Wood	3808
WWN2472CLFL2	WWN2472CRFL2	Laminate	2721

WWN2466CLFW2	WWN2466CRFW2	Wood	\$ 3744
WWN2466CLFLW2	WWN2466CRFLW2	Laminate/Wood	3744
WWN2466CLFL2	WWN2466CRFL2	Laminate	2600

WWN2460CLFW2	WWN2460CRFW2	Wood	\$ 3675
WWN2460CLFLW2	WWN2460CRFLW2	Laminate/Wood	3675
WWN2460CLFL2	WWN2460CRFL2	Laminate	2553

1 1/2" TOP THICKNESS

LEFT PEDESTAL

RIGHT PEDESTAL

WW2472CLFW2	WW2472CRFW2	Wood	\$ 3463
WW2472CLFLW2	WW2472CRFLW2	Laminate/Wood	3463
WW2472CLFL2	WW2472CRFL2	Laminate	2474
WW2472CLFLL2	WW2472CRFLL2	TFL	1980

WW2466CLFW2	WW2466CRFW2	Wood	\$ 3407
WW2466CLFLW2	WW2466CRFLW2	Laminate/Wood	3407
WW2466CLFL2	WW2466CRFL2	Laminate	2367
WW2466CLFLL2	WW2466CRFLL2	TFL	1892

WW2460CLFW2	WW2460CRFW2	Wood	\$ 3343
WW2460CLFLW2	WW2460CRFLW2	Laminate/Wood	3343
WW2460CLFL2	WW2460CRFL2	Laminate	2320
WW2460CLFLL2	WW2460CRFLL2	TFL	1858

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grain direction runs with the width of all laminate modesty panels that exceed 60"

24	71 1/16	29 3/8	3/16	52 1/16	223 lbs.	36.3
24	71 1/16	29 3/8	3/16	52 1/16	223 lbs.	36.3
24	71 1/16	29 3/8	3/16	52 1/16	223 lbs.	36.3

24	66	29 3/8	3/16	52 1/16	214 lbs.	32.7
24	66	29 3/8	3/16	52 1/16	214 lbs.	32.7
24	66	29 3/8	3/16	52 1/16	214 lbs.	32.7

24	60	29 3/8	3/16	43 1/16	205 lbs.	28.9
24	60	29 3/8	3/16	43 1/16	205 lbs.	28.9
24	60	29 3/8	3/16	43 1/16	205 lbs.	28.9

24	71 1/16	28 1/16	3/16	52 1/16	239 lbs.	39.8
24	71 1/16	28 1/16	3/16	52 1/16	239 lbs.	39.8
24	71 1/16	28 1/16	3/16	52 1/16	239 lbs.	39.8
24	71 1/16	28 3/8	3/16	52 1/16	239 lbs.	39.8

24	66	28 1/16	3/16	52 1/16	227 lbs.	32.7
24	66	28 1/16	3/16	52 1/16	227 lbs.	32.7
24	66	28 1/16	3/16	52 1/16	227 lbs.	32.7
24	66	28 3/8	3/16	52 1/16	227 lbs.	32.7

24	60	28 1/16	3/16	43 1/16	216 lbs.	33.7
24	60	28 1/16	3/16	43 1/16	216 lbs.	33.7
24	60	28 1/16	3/16	43 1/16	216 lbs.	33.7
24	60	28 3/8	3/16	43 1/16	216 lbs.	33.7

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Refer to page 290 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 289 for grommet locations and page 288 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2472CLFW12 F 7MB G1L KS2S AC
 WW2472CLFL12 VHN2 7MB G1LX KS2S HN2 461 HN2
 WW2472CLFLW12 F 7MB G1L KS2S 461 HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET		
				D	W	H	A	KW			
	1 1/2" TOP THICKNESS										
	LEFT PEDESTAL	RIGHT PEDESTAL									
	WWN2472CLFW6	WWN2472CRFW6	Wood	\$ 4564	24	71 1/16	29 3/8	3 1/16	34 3/4	223 lbs.	36.3
	WWN2472CLFLW6	WWN2472CRFLW6	Laminate/Wood	4564	24	71 1/16	29 3/8	3 1/16	34 3/4	223 lbs.	36.3
	WWN2472CLFL6	WWN2472CRFL6	Laminate	2974	24	71 1/16	29 3/8	3 1/16	34 3/4	223 lbs.	36.3
	1 1/2" TOP THICKNESS										
	LEFT PEDESTAL	RIGHT PEDESTAL									
	WW2472CLFW6	WW2472CRFW6	Wood	\$ 4149	24	71 1/16	28 1/16	3 1/16	34 3/4	279 lbs.	39.8
WW2472CLFLW6	WW2472CRFLW6	Laminate/Wood	4149	24	71 1/16	28 1/16	3 1/16	34 3/4	279 lbs.	39.8	
WW2472CLFL6	WW2472CRFL6	Laminate	2704	24	71 1/16	28 1/16	3 1/16	34 3/4	279 lbs.	39.8	
WW2472CLFLL6	WW2472CRFLL6	TFL	2164	24	71 1/16	28 3/8	3 1/16	34 3/4	279 lbs.	39.8	
• To prevent tipping, it is recommended that cabinets be ganged together or anchored to a suitable wall or floor • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front											

SINGLE PEDESTAL CREDENZA BOX/BOX/FILE FILE/FILE


1 1/2" TOP THICKNESS												
LEFT PEDESTAL	RIGHT PEDESTAL											
WWN2472CLFW12	WWN2472CRFW12	Wood	\$	4785	24	71 1/16	29 3/8	3 1/16	34 3/4	223 lbs.	36.3	
WWN2472CLFLW12	WWN2472CRFLW12	Laminate/Wood		4785	24	71 1/16	29 3/8	3 1/16	34 3/4	223 lbs.	36.3	
WWN2472CLFL12	WWN2472CRFL12	Laminate		3416	24	71 1/16	29 3/8	3 1/16	34 3/4	223 lbs.	36.3	
1 1/2" TOP THICKNESS												
LEFT PEDESTAL	RIGHT PEDESTAL											
WW2472CLFW12	WW2472CRFW12	Wood	\$	4349	24	71 1/16	28 1/16	3 1/16	34 3/4	279 lbs.	39.8	
WW2472CLFLW12	WW2472CRFLW12	Laminate/Wood		4349	24	71 1/16	28 1/16	3 1/16	34 3/4	279 lbs.	39.8	
WW2472CLFL12	WW2472CRFL12	Laminate		3105	24	71 1/16	28 1/16	3 1/16	34 3/4	279 lbs.	39.8	
WW2472CLFLL12	WW2472CRFLL12	TFL		2486	24	71 1/16	28 3/8	3 1/16	34 3/4	279 lbs.	39.8	
• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available												

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729

TO ORDER, SPECIFY:


1. Model Number
2. Locking
3. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW7238HBHW KRB HN
WW7238HBHL KRB AC2 AC2

- See pages 284-288 for all options available in WaveWorks

HIGHBACK ORGANIZER OPEN BACK



MODEL NO./DESCRIPTION

38" HIGH—4 DOORS


WW7238HBHW	Wood	\$ 3526
WW7238HBHL	Laminate	1728
WW6638HBHW	Wood	\$ 3336
WW6638HBHL	Laminate	1612
WW6038HBHW	Wood	\$ 3146
WW6038HBHL	Laminate	1493

38" HIGH—3 DOORS

WW4838HBHW	Wood	\$ 2902
WW4838HBHL	Laminate	1382

- Units feature 4 adjustable curved shelves and partially open back
- All units have 4 doors except 48" unit which has 3 doors
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For tack board options, see pages 722-729
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

HIGHBACK ORGANIZER OPEN BACK - NO DOORS



38" HIGH—NO DOORS

WW7238HBEW	Wood	\$ 3177
WW7238HBEL	Laminate	1376
WW6638HBEW	Wood	\$ 2985
WW6638HBEL	Laminate	1255
WW6038HBEW	Wood	\$ 2796
WW6038HBEL	Laminate	1140
WW4838HBEW	Wood	\$ 2690
WW4838HBEL	Laminate	1166

- Units feature 4 adjustable curved shelves and partially open back
- Specify chassis finish only
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For tack board options, see pages 722-729

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729







TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW9050HBH2W KS3S NH
WW9050HBH2L KS3S 440 AC2

- See pages 284-288 for all options available in WaveWorks

HIGHBACK ORGANIZER
FULL BACK

MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H A KWCARTONED CUBIC
WEIGHT FEET

50" HIGH—6 DOORS

WW10850HBH2GW	Glass/Wood	2 Pieces	\$ 6383
WW10850HBH2GL	Glass/Laminate	2 Pieces	5893
WW10850HBH2W	Wood	2 Pieces	4784
WW10850HBH2L	Laminate	2 Pieces	2888

- Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available
- 49" task lights will not work under 2 piece highbacks

WW10250HBH2GW	Glass/Wood	2 Pieces	\$ 6189
WW10250HBH2GL	Glass/Laminate	2 Pieces	5718
WW10250HBH2W	Wood	2 Pieces	4598
WW10250HBH2L	Laminate	2 Pieces	2707

- Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available
- 49" task lights will not work under 2 piece highbacks

WW9650HBH2GW	Glass/Wood	2 Pieces	\$ 5991
WW9650HBH2GL	Glass/Laminate	2 Pieces	5534
WW9650HBH2W	Wood	2 Pieces	4417
WW9650HBH2L	Laminate	2 Pieces	2527

- Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available
- 49" task lights will not work under 2 piece highbacks

WW9050HBH2GW	Glass/Wood		\$ 5793
WW9050HBH2GL	Glass/Laminate		5347
WW9050HBH2W	Wood		4370
WW9050HBH2L	Laminate		2481

- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available

50" HIGH—4 DOORS

WW8450HBH2GW	Glass/Wood		\$ 5592
WW8450HBH2GL	Glass/Laminate		5168
WW8450HBH2W	Wood		4323
WW8450HBH2L	Laminate		2439

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

- Glass doors do not lock
- Not intended for use on table deskings
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- Features an adjustable shelf
- For tack board options, see pages 722-729

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729




TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW7250HBH2W KS2S NH
WW7250HBH2L KS2S 440 AC2

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	50" HIGH—4 DOORS			D	W	H	A	KW		
	WW7850HBH2GW	Glass/Wood	\$ 5391	14¾	77⅞	49⅞	—	—	261 lbs.	51.0
	WW7850HBH2GL	Glass/Laminate	4982	14¾	77⅞	49⅞	—	—	261 lbs.	51.0
	WW7850HBH2W	Wood	4232	14¾	77⅞	49⅞	—	—	261 lbs.	51.0
	WW7850HBH2L	Laminate	2347	14¾	77⅞	49⅞	—	—	261 lbs.	51.0
	WW7250HBH2GW	Glass/Wood	\$ 5192	14¾	71⅞	49⅞	—	—	242 lbs.	47.4
	WW7250HBH2GL	Glass/Laminate	4798	14¾	71⅞	49⅞	—	—	242 lbs.	47.4
	WW7250HBH2W	Wood	4047	14¾	71⅞	49⅞	—	—	242 lbs.	47.4
	WW7250HBH2L	Laminate	2168	14¾	71⅞	49⅞	—	—	242 lbs.	47.4
	WW6650HBH2GW	Glass/Wood	\$ 5013	14¾	65⅞	49⅞	—	—	223 lbs.	43.7
	WW6650HBH2GL	Glass/Laminate	4628	14¾	65⅞	49⅞	—	—	223 lbs.	43.7
	WW6650HBH2W	Wood	3859	14¾	65⅞	49⅞	—	—	223 lbs.	43.7
	WW6650HBH2L	Laminate	1990	14¾	65⅞	49⅞	—	—	223 lbs.	43.7
	WW6050HBH2GW	Glass/Wood	\$ 4814	14¾	59⅞	49⅞	—	—	203 lbs.	40.1
	WW6050HBH2GL	Glass/Laminate	4447	14¾	59⅞	49⅞	—	—	203 lbs.	40.1
	WW6050HBH2W	Wood	3680	14¾	59⅞	49⅞	—	—	203 lbs.	40.1
	WW6050HBH2L	Laminate	1812	14¾	59⅞	49⅞	—	—	203 lbs.	40.1
	50" HIGH—3 DOORS									
	WW4850HBH2GW	Glass/Wood	\$ 4479	14¾	47⅞	49⅞	—	—	173 lbs.	32.8
	WW4850HBH2GL	Glass/Laminate	3702	14¾	47⅞	49⅞	—	—	173 lbs.	32.8
	WW4850HBH2W	Wood	3629	14¾	47⅞	49⅞	—	—	173 lbs.	32.8
	WW4850HBH2L	Laminate	1728	14¾	47⅞	49⅞	—	—	173 lbs.	32.8
	• Not intended for use on table desking • Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between • Features an adjustable shelf • For tack board options, see pages 722-729 • Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729







TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW9038HBH2W KS3S NH
WW9038HBH2L KS3S 440 AC2
WW9038HBH2GW 503 HN

- See pages 284-288 for all options available in WaveWorks

HIGHBACK ORGANIZER
FULL BACK

MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H A KWCARTONED CUBIC
WEIGHT FEET

38" HIGH—6 DOORS

WW10838HBH2GW	Glass/Wood	2 Pieces	\$ 5554
WW10838HBH2GL	Glass/Laminate	2 Pieces	5126
WW10838HBH2W	Wood	2 Pieces	4711
WW10838HBH2L	Laminate	2 Pieces	2523

- Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available
- 49" task lights will not work under 2 piece highbacks

WW10238HBH2GW	Glass/Wood	2 Pieces	\$ 5360
WW10238HBH2GL	Glass/Laminate	2 Pieces	4950
WW10238HBH2W	Wood	2 Pieces	4514
WW10238HBH2L	Laminate	2 Pieces	2346

- Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available
- 49" task lights will not work under 2 piece highbacks

WW9638HBH2GW	Glass/Wood	2 Pieces	\$ 5171
WW9638HBH2GL	Glass/Laminate	2 Pieces	4775
WW9638HBH2W	Wood	2 Pieces	4311
WW9638HBH2L	Laminate	2 Pieces	2167

- Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available
- 49" task lights will not work under 2 piece highbacks

WW9038HBH2GW	Glass/Wood		\$ 4964
WW9038HBH2GL	Glass/Laminate		4585
WW9038HBH2W	Wood		4114
WW9038HBH2L	Laminate		1989

- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available

38" HIGH—4 DOORS

WW8438HBH2GW	Glass/Wood		\$ 4764
WW8438HBH2GL	Glass/Laminate		4401
WW8438HBH2W	Wood		3913
WW8438HBH2L	Laminate		1928

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

- Glass doors do not lock
- Not intended for use on table desking
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For tack board options, see pages 722-729

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WW7838HBH2W KS2S NH
WW7838HBH2L KS2S 440 AC2
WW7838HBH2GW 503 HN

- See pages 284-288 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

HIGHBACK ORGANIZER
FULL BACK



MODEL NO./DESCRIPTION

LIST
PRICE

DIMENSIONS
D W H A KW

CARTONED CUBIC
WEIGHT FEET

38" HIGH-4 DOORS

WW7838HBH2GW	Glass/Wood	\$ 4564	14 3/4	77 1/16	38 1/8	—	—	194 lbs.	39.8
WW7838HBH2GL	Glass/Laminate	4214	14 3/4	77 1/16	38 1/8	—	—	194 lbs.	39.8
WW7838HBH2W	Wood	3721	14 3/4	77 1/16	38 1/8	—	—	194 lbs.	39.8
WW7838HBH2L	Laminate	1841	14 3/4	77 1/16	38 1/8	—	—	194 lbs.	39.8
WW7238HBH2GW	Glass/Wood	\$ 4366	14 3/4	71 1/16	38 1/8	—	—	179 lbs.	37.0
WW7238HBH2GL	Glass/Laminate	4033	14 3/4	71 1/16	38 1/8	—	—	179 lbs.	37.0
QWW7238HBH2W	Wood	3526	14 3/4	71 1/16	38 1/8	—	—	179 lbs.	37.0
WW7238HBH2W	Wood	3526	14 3/4	71 1/16	38 1/8	—	—	179 lbs.	37.0
QWW7238HBH2L	Laminate	1728	14 3/4	71 1/16	38 1/8	—	—	179 lbs.	37.0
WW7238HBH2L	Laminate	1728	14 3/4	71 1/16	38 1/8	—	—	179 lbs.	37.0
WW6638HBH2GW	Glass/Wood	\$ 4175	14 3/4	65 1/16	38 1/8	—	—	164 lbs.	34.1
WW6638HBH2GL	Glass/Laminate	3853	14 3/4	65 1/16	38 1/8	—	—	164 lbs.	34.1
WW6638HBH2W	Wood	3336	14 3/4	65 1/16	38 1/8	—	—	164 lbs.	34.1
WW6638HBH2L	Laminate	1612	14 3/4	65 1/16	38 1/8	—	—	164 lbs.	34.1
WW6038HBH2GW	Glass/Wood	\$ 3983	14 3/4	59 1/16	38 1/8	—	—	148 lbs.	31.3
WW6038HBH2GL	Glass/Laminate	3676	14 3/4	59 1/16	38 1/8	—	—	148 lbs.	31.3
WW6038HBH2W	Wood	3146	14 3/4	59 1/16	38 1/8	—	—	148 lbs.	31.3
WW6038HBH2L	Laminate	1493	14 3/4	59 1/16	38 1/8	—	—	148 lbs.	31.3

38" HIGH-3 DOORS

WW4838HBH2GW	Glass/Wood	\$ 3815	14 3/4	47 7/8	38 1/8	—	—	126 lbs.	25.6
WW4838HBH2GL	Glass/Laminate	3524	14 3/4	47 7/8	38 1/8	—	—	126 lbs.	25.6
WW4838HBH2W	Wood	2902	14 3/4	47 7/8	38 1/8	—	—	126 lbs.	25.6
WW4838HBH2L	Laminate	1382	14 3/4	47 7/8	38 1/8	—	—	126 lbs.	25.6

- Not intended for use on table desking
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For tack board options, see pages 722-729
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- Wood or laminate chassis available, refer to page 285 for options
- If specifying wood, you must specify the same finish for all options
- Tops of units are finished with flat edge detail
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729


TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW10838HBE2W AC
WW10838HBE2L 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
HIGHBACK ORGANIZER FULL BACK - NO DOORS 	38" HIGH—NO DOORS								
	WW10838HBE2W Wood	\$ 4178	13 ³ / ₁₆	107 ¹ / ₁₆	38 ³ / ₈	—	—	282 lbs.	56.9
	WW10838HBE2L Laminate	1989	13 ³ / ₁₆	107 ¹ / ₁₆	38 ³ / ₈	—	—	282 lbs.	56.9
	• 49" task lights will not work under 2 piece highbacks								
	WW10238HBE2W Wood	\$ 3982	13 ³ / ₁₆	101 ³ / ₄	38 ³ / ₈	—	—	266 lbs.	54.1
	WW10238HBE2L Laminate	1812	13 ³ / ₁₆	101 ³ / ₄	38 ³ / ₈	—	—	266 lbs.	54.1
	• 49" task lights will not work under 2 piece highbacks								
	WW9638HBE2W Wood	\$ 3780	13 ³ / ₁₆	95 ³ / ₄	38 ³ / ₈	—	—	252 lbs.	48.3
	WW9638HBE2L Laminate	1628	13 ³ / ₁₆	95 ³ / ₄	38 ³ / ₈	—	—	252 lbs.	48.3
	• 49" task lights will not work under 2 piece highbacks								
	WW9038HBE2W Wood	\$ 3583	13 ³ / ₁₆	89 ³ / ₄	38 ³ / ₈	—	—	233 lbs.	45.5
	WW9038HBE2L Laminate	1452	13 ³ / ₁₆	89 ³ / ₄	38 ³ / ₈	—	—	233 lbs.	45.5
	WW8438HBE2W Wood	\$ 3564	13 ³ / ₁₆	83 ³ / ₄	38 ³ / ₈	—	—	210 lbs.	42.6
	WW8438HBE2L Laminate	1572	13 ³ / ₁₆	83 ³ / ₄	38 ³ / ₈	—	—	210 lbs.	42.6
	WW7838HBE2W Wood	\$ 3370	13 ³ / ₁₆	77 ¹ / ₁₆	38 ³ / ₈	—	—	194 lbs.	39.8
	WW7838HBE2L Laminate	1492	13 ³ / ₁₆	77 ¹ / ₁₆	38 ³ / ₈	—	—	194 lbs.	39.8
	WW7238HBE2W Wood	\$ 3177	13 ³ / ₁₆	71 ¹ / ₁₆	38 ³ / ₈	—	—	179 lbs.	37.0
	WW7238HBE2L Laminate	1376	13 ³ / ₁₆	71 ¹ / ₁₆	38 ³ / ₈	—	—	179 lbs.	37.0
	WW6638HBE2W Wood	\$ 2985	13 ³ / ₁₆	65 ¹ / ₁₆	38 ³ / ₈	—	—	164 lbs.	34.1
	WW6638HBE2L Laminate	1255	13 ³ / ₁₆	65 ¹ / ₁₆	38 ³ / ₈	—	—	164 lbs.	34.1
	WW6038HBE2W Wood	\$ 2796	13 ³ / ₁₆	59 ¹ / ₁₆	38 ³ / ₈	—	—	148 lbs.	31.3
	WW6038HBE2L Laminate	1166	13 ³ / ₁₆	59 ¹ / ₁₆	38 ³ / ₈	—	—	148 lbs.	31.3
	WW4838HBE2W Wood	\$ 2690	13 ³ / ₁₆	47 ⁷ / ₈	38 ³ / ₈	—	—	126 lbs.	25.6
	WW4838HBE2L Laminate	1140	13 ³ / ₁₆	47 ⁷ / ₈	38 ³ / ₈	—	—	126 lbs.	25.6
	• Not intended for use on table desking • Specify chassis finish only • Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between • For tack board options, see pages 722-729								

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 285 for options
- All shelves are ¾" thick
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel



TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3030SOHMGW KS1B AC
WW3030SOHML KS1B 440 AC2
WW3030SOHMGW 501 AC

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW				
OVERHEAD STORAGE CABINET WALL MOUNT  	30" HIGH—3 DOORS										
	WW4830SOHMGW	Glass/Wood	\$	3273	14¾	47⅞	29⅞ ₁₆	—	—	150 lbs.	34.0
	WW4830SOHMGL	Glass/Laminate		2154	14¾	47⅞	29⅞ ₁₆	—	—	150 lbs.	34.0
	WW4830SOHMW	Wood		2356	14¾	47⅞	29⅞ ₁₆	—	—	150 lbs.	34.0
	WW4830SOHML	Laminate		1531	14¾	47⅞	29⅞ ₁₆	—	—	150 lbs.	34.0
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										
	WW4230SOHMGW	Glass/Wood	\$	3155	14¾	41⅞	29⅞ ₁₆	—	—	129 lbs.	29.2
	WW4230SOHMGL	Glass/Laminate		2035	14¾	41⅞	29⅞ ₁₆	—	—	129 lbs.	29.2
	WW4230SOHMW	Wood		2246	14¾	41⅞	29⅞ ₁₆	—	—	129 lbs.	29.2
	WW4230SOHML	Laminate		1453	14¾	41⅞	29⅞ ₁₆	—	—	129 lbs.	29.2
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										
30" HIGH—2 DOORS											
WW3630SOHMGW	Glass/Wood	\$	3034	14¾	35⅞	29⅞ ₁₆	—	—	102 lbs.	25.5	
WW3630SOHMGL	Glass/Laminate		1920	14¾	35⅞	29⅞ ₁₆	—	—	102 lbs.	25.5	
WW3630SOHMW	Wood		2143	14¾	35⅞	29⅞ ₁₆	—	—	102 lbs.	25.5	
WW3630SOHML	Laminate		1377	14¾	35⅞	29⅞ ₁₆	—	—	102 lbs.	25.5	
• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											
WW3030SOHMGW	Glass/Wood	\$	2901	14¾	29⅞ ₁₆	29⅞ ₁₆	—	—	89 lbs.	21.9	
WW3030SOHMGL	Glass/Laminate		1790	14¾	29⅞ ₁₆	29⅞ ₁₆	—	—	89 lbs.	21.9	
WW3030SOHMW	Wood		2034	14¾	29⅞ ₁₆	29⅞ ₁₆	—	—	89 lbs.	21.9	
WW3030SOHML	Laminate		1291	14¾	29⅞ ₁₆	29⅞ ₁₆	—	—	89 lbs.	21.9	
• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Wall mount bracket, for attachment to wall, is included • National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs) • Features an adjustable shelf • For tack board options, see pages 722-729 • Wall mount overheads can be utilized with DIRT antler extrusion; see page 106											

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 285 for options
- All shelves are $\frac{3}{4}$ " thick
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel


TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4830SOEMW AC
WW4830SOEML 440

- See pages 284-288 for all options available in WaveWorks

 WW4230SOEMW shown- Center Divider Panel	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED	CUBIC
					D	W	H	A	KW	WEIGHT	FEET
	30" HIGH—CENTER DIVIDER PANEL										
	WW4830SOEMW	Wood	\$	2356	13 ³ / ₁₆	47 ⁷ / ₈	29 ¹ / ₁₆	—	—	140 lbs.	34.0
	WW4830SOEML	Laminate		1531	13 ³ / ₁₆	47 ⁷ / ₈	29 ¹ / ₁₆	—	—	140 lbs.	34.0
	WW4230SOEMW	Wood	\$	2246	13 ³ / ₁₆	41 ⁷ / ₈	29 ¹ / ₁₆	—	—	119 lbs.	29.2
	WW4230SOEML	Laminate		1453	13 ³ / ₁₆	41 ⁷ / ₈	29 ¹ / ₁₆	—	—	119 lbs.	29.2
	30" HIGH—NO DIVIDER PANEL										
	WW3630SOEMW	Wood	\$	2143	13 ³ / ₁₆	35 ⁷ / ₈	29 ¹ / ₁₆	—	—	92 lbs.	25.5
WW3630SOEML	Laminate		1377	13 ³ / ₁₆	35 ⁷ / ₈	29 ¹ / ₁₆	—	—	92 lbs.	25.5	
WW3030SOEMW	Wood	\$	2034	13 ³ / ₁₆	29 ¹ / ₁₆	29 ¹ / ₁₆	—	—	79 lbs.	21.9	
WW3030SOEML	Laminate		1291	13 ³ / ₁₆	29 ¹ / ₁₆	29 ¹ / ₁₆	—	—	79 lbs.	21.9	

- Wall mount bracket, for attachment to wall, is included
- Cabinets are open and do not have doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- Features an adjustable shelf
- For tack board options, see pages 722-729
- Wall mount overheads can be utilized with DIRT antler extrusion; see page 106

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 285 for options
- All shelves are ¾" thick
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/
Laminate Chassis Color



SAMPLE MODEL NUMBERS:

WW3018SOHMGW KS1B AC
WW3018SOHML KS1B 440 AC2
WW3018SOHMGW 501 AC

- See pages 284-288 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED CUBIC
			D	W	H	A	KW	WEIGHT	FEET
OVERHEAD STORAGE CABINET - WALL MOUNT  	18" HIGH—3 DOORS								
	WW4818SOHMGW Glass/Wood	\$ 2339	14¾	47¾	18¾	—	—	115 lbs.	11.8
	WW4818SOHML Glass/Laminate	1583	14¾	47¾	18¾	—	—	115 lbs.	11.8
	WW4818SOHMGW Wood	1876	14¾	47¾	18¾	—	—	115 lbs.	11.8
	WW4818SOHML Laminate	1136	14¾	47¾	18¾	—	—	115 lbs.	11.8
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
	WW4218SOHMGW Glass/Wood	\$ 2258	14¾	41¾	18¾	—	—	100 lbs.	11.1
	WW4218SOHML Glass/Laminate	1508	14¾	41¾	18¾	—	—	100 lbs.	11.1
	WW4218SOHMGW Wood	1797	14¾	41¾	18¾	—	—	100 lbs.	11.1
	WW4218SOHML Laminate	1057	14¾	41¾	18¾	—	—	100 lbs.	11.1
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
	18" HIGH—2 DOORS								
	WW3618SOHMGW Glass/Wood	\$ 2178	14¾	35¾	18¾	—	—	76 lbs.	7.7
	WW3618SOHML Glass/Laminate	1430	14¾	35¾	18¾	—	—	76 lbs.	7.7
	QWW3618SOHMGW Wood	1717	14¾	35¾	18¾	—	—	76 lbs.	7.7
	WW3618SOHMGW Wood	1717	14¾	35¾	18¾	—	—	76 lbs.	7.7
	QWW3618SOHML Laminate	980	14¾	35¾	18¾	—	—	76 lbs.	7.7
	WW3618SOHML Laminate	980	14¾	35¾	18¾	—	—	76 lbs.	7.7
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
	WW3018SOHMGW Glass/Wood	\$ 2088	14¾	29½	18¾	—	—	64 lbs.	6.4
	WW3018SOHML Glass/Laminate	1343	14¾	29½	18¾	—	—	64 lbs.	6.4
	QWW3018SOHMGW Wood	1626	14¾	29½	18¾	—	—	64 lbs.	6.4
	WW3018SOHMGW Wood	1626	14¾	29½	18¾	—	—	64 lbs.	6.4
	QWW3018SOHML Laminate	899	14¾	29½	18¾	—	—	64 lbs.	6.4
	WW3018SOHML Laminate	899	14¾	29½	18¾	—	—	64 lbs.	6.4
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
	• Wall mount bracket, for attachment to wall, is included • 30" and 36" units have 2 doors; the 42" and 48" units have 3 doors • National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed • For tack board options, see pages 722-729 • Wall mount overheads can be utilized with DIRT antler extrusion; see page 106								

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 285 for options
- All shelves are $\frac{3}{4}$ " thick
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.




TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4818SOEMW AC
WW4818SOEML 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
OVERHEAD STORAGE CABINET NO DOORS - WALL MOUNT  Center Divider Panel shown  No Divider Panel shown	18" HIGH—CENTER DIVIDER PANEL									
	WW4818SOEMW	Wood	\$ 1876	13 ¹⁰ / ₁₆	47 ⁷ / ₈	18 ¹ / ₈	—	—	90 lbs.	13.0
	WW4818SOEML	Laminate	1136	13 ¹⁰ / ₁₆	47 ⁷ / ₈	18 ¹ / ₈	—	—	90 lbs.	13.0
	WW4218SOEMW	Wood	\$ 1797	13 ¹⁰ / ₁₆	41 ¹ / ₈	18 ¹ / ₈	—	—	80 lbs.	11.1
	WW4218SOEML	Laminate	1057	13 ¹⁰ / ₁₆	41 ¹ / ₈	18 ¹ / ₈	—	—	80 lbs.	11.1
	18" HIGH—NO DIVIDER PANEL									
	QWW3618SOEMW	Wood	\$ 1717	13 ¹⁰ / ₁₆	35 ⁵ / ₈	18 ¹ / ₈	—	—	70 lbs.	7.7
	WW3618SOEMW	Wood	1717	13 ¹⁰ / ₁₆	35 ⁵ / ₈	18 ¹ / ₈	—	—	70 lbs.	7.7
QWW3618SOEML	Laminate	980	13 ¹⁰ / ₁₆	35 ⁵ / ₈	18 ¹ / ₈	—	—	70 lbs.	7.7	
WW3618SOEML	Laminate	980	13 ¹⁰ / ₁₆	35 ⁵ / ₈	18 ¹ / ₈	—	—	70 lbs.	7.7	
	QWW3018SOEMW	Wood	\$ 1626	13 ¹⁰ / ₁₆	29 ¹⁵ / ₁₆	18 ¹ / ₈	—	—	60 lbs.	6.4
	WW3018SOEMW	Wood	1626	13 ¹⁰ / ₁₆	29 ¹⁵ / ₁₆	18 ¹ / ₈	—	—	60 lbs.	6.4
	QWW3018SOEML	Laminate	899	13 ¹⁰ / ₁₆	29 ¹⁵ / ₁₆	18 ¹ / ₈	—	—	60 lbs.	6.4
	WW3018SOEML	Laminate	899	13 ¹⁰ / ₁₆	29 ¹⁵ / ₁₆	18 ¹ / ₈	—	—	60 lbs.	6.4
• Wall mount bracket, for attachment to wall, is included • Cabinets are open and do not have doors • National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs) • For tack board options, see pages 722-729 • Wall mount overheads can be utilized with DIRTT antler extrusion; see below										
DIRTT OVERHEAD MOUNTING KITS 	NAC48OK	For 48" Overhead	\$ 263	1	6	1 ¹ / ₈	—	—	8 lbs.	2.0
	NAC42OK	For 42" Overhead	253	1	6	1 ¹ / ₈	—	—	8 lbs.	2.0
	NAC36OK	For 36" Overhead	244	1	6	1 ¹ / ₈	—	—	8 lbs.	2.0
	NAC30OK	For 30" Overhead	225	1	6	1 ¹ / ₈	—	—	8 lbs.	1.5
	• Available in black only • For use with Epic, Renegade, and WaveWorks wall mount cabinets • Bracket designed to interact with the DIRTT antler extrusion • Can be used with 13", 18", and 30" high cabinets • 30" comes with 2 brackets; 36"-48" comes with 3 brackets; each kit also includes a mounting extrusion strip that matches the size of the overhead									

- Wall mount bracket, for attachment to wall, is included
- Cabinets are open and do not have doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- For tack board options, see pages 722-729
- Wall mount overheads can be utilized with DIRTT antler extrusion; see below

- Available in black only
- For use with Epic, Renegade, and WaveWorks wall mount cabinets
- Bracket designed to interact with the DIRTT antler extrusion
- Can be used with 13", 18", and 30" high cabinets
- 30" comes with 2 brackets; 36"-48" comes with 3 brackets; each kit also includes a mounting extrusion strip that matches the size of the overhead

PRODUCT SPECIFICATIONS

- Wood or laminate chassis available; refer to page 285 for options
- All shelves are ¾" thick
- Tops of units are finished with flat edge detail
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4230SOHTGW 503 HN
WW4230SOHTL KRS 440 HN2
WW4230SOHTW KRS HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
OVERHEAD STORAGE CABINET EXHIBIT MOUNT	30" HIGH—3 DOORS								
	WW4830SOHTGW Glass/Wood	\$ 3273	14¾	47⅞	29⅞	—	—	150 lbs.	34.0
	WW4830SOHTGL Glass/Laminate	2154	14¾	47⅞	29⅞	—	—	150 lbs.	34.0
	WW4830SOHTW Wood	2356	14¾	47⅞	29⅞	—	—	150 lbs.	34.0
	WW4830SOHTL Laminate	1531	14¾	47⅞	29⅞	—	—	150 lbs.	34.0
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
	WW4230SOHTGW Glass/Wood	\$ 3155	14¾	41⅞	29⅞	—	—	129 lbs.	29.2
	WW4230SOHTGL Glass/Laminate	2035	14¾	41⅞	29⅞	—	—	129 lbs.	29.2
	WW4230SOHTW Wood	2246	14¾	41⅞	29⅞	—	—	129 lbs.	29.2
	WW4230SOHTL Laminate	1453	14¾	41⅞	29⅞	—	—	129 lbs.	29.2
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
	30" HIGH—2 DOORS								
	WW3630SOHTGW Glass/Wood	\$ 3034	14¾	35⅞	29⅞	—	—	102 lbs.	25.5
	WW3630SOHTGL Glass/Laminate	1920	14¾	35⅞	29⅞	—	—	102 lbs.	25.5
	WW3630SOHTW Wood	2143	14¾	35⅞	29⅞	—	—	102 lbs.	25.5
	WW3630SOHTL Laminate	1377	14¾	35⅞	29⅞	—	—	102 lbs.	25.5
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
	WW3030SOHTGW Glass/Wood	\$ 2901	14¾	29⅞	29⅞	—	—	89 lbs.	21.9
	WW3030SOHTGL Glass/Laminate	1790	14¾	29⅞	29⅞	—	—	89 lbs.	21.9
	WW3030SOHTW Wood	2034	14¾	29⅞	29⅞	—	—	89 lbs.	21.9
	WW3030SOHTL Laminate	1291	14¾	29⅞	29⅞	—	—	89 lbs.	21.9
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Exhibit mount bracket is included, must order Exhibit wall rail separately • It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads • If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail • See page 351 for Exhibit Wall Rail and Filler Strip • Features an adjustable shelf								

PRODUCT SPECIFICATIONS

- Wood or laminate chassis available; refer to page 285 for options
- All shelves are $\frac{3}{4}$ " thick
- Tops of units are finished with flat edge detail
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel


TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4830SOETW AC
WW4830SOETL 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H						
 WW3030SOETW shown- No Divider Panel	30" HIGH—CENTER DIVIDER PANEL										
	WW4830SOETW	Wood	\$	2356	13 ³ / ₁₆	47 ⁷ / ₈	29 ¹ / ₁₆	—	—	140 lbs.	34.0
	WW4830SOETL	Laminate		1531	13 ³ / ₁₆	47 ⁷ / ₈	29 ¹ / ₁₆	—	—	140 lbs.	34.0
	WW4230SOETW	Wood	\$	2246	13 ³ / ₁₆	41 ⁷ / ₈	29 ¹ / ₁₆	—	—	119 lbs.	29.2
	WW4230SOETL	Laminate		1453	13 ³ / ₁₆	41 ⁷ / ₈	29 ¹ / ₁₆	—	—	119 lbs.	29.2
	30" HIGH—NO DIVIDER PANEL										
	WW3630SOETW	Wood	\$	2143	13 ³ / ₁₆	35 ⁷ / ₈	29 ¹ / ₁₆	—	—	92 lbs.	25.5
	WW3630SOETL	Laminate		1377	13 ³ / ₁₆	35 ⁷ / ₈	29 ¹ / ₁₆	—	—	92 lbs.	25.5
	WW3030SOETW	Wood	\$	2034	13 ³ / ₁₆	29 ¹ / ₁₆	29 ¹ / ₁₆	—	—	79 lbs.	21.9
WW3030SOETL	Laminate		1291	13 ³ / ₁₆	29 ¹ / ₁₆	29 ¹ / ₁₆	—	—	79 lbs.	21.9	
• Exhibit mount bracket is included, Exhibit wall rail must be ordered separately • It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads • If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail • See page 351 for Exhibit Wall Rail and Filler Strip • Features an adjustable shelf											

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 285 for options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel



TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/
Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4218SOHTGW 503 HN
WW4218SOHTL KRS 440 HN2
WW4218SOHTW KRS HN

- See pages 284-288 for all options available in WaveWorks

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
OVERHEAD STORAGE CABINET - EXHIBIT MOUNT 	18" HIGH—3 DOORS									
	WW4818SOHTGW	Glass/Wood	\$ 2339	14¾	47⅞	18½	—	—	115 lbs.	11.8
	WW4818SOHTGL	Glass/Laminate	1583	14¾	47⅞	18½	—	—	115 lbs.	11.8
	WW4818SOHTW	Wood	1876	14¾	47⅞	18½	—	—	115 lbs.	11.8
	WW4818SOHTL	Laminate	1136	14¾	47⅞	18½	—	—	115 lbs.	11.8
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
	WW4218SOHTGW	Glass/Wood	\$ 2258	14¾	41⅞	18½	—	—	100 lbs.	11.1
	WW4218SOHTGL	Glass/Laminate	1508	14¾	41⅞	18½	—	—	100 lbs.	11.1
	WW4218SOHTW	Wood	1797	14¾	41⅞	18½	—	—	100 lbs.	11.1
	WW4218SOHTL	Laminate	1057	14¾	41⅞	18½	—	—	100 lbs.	11.1
	• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
18" HIGH—2 DOORS										
WW3618SOHTGW	Glass/Wood	\$ 2178	14¾	35⅝	18½	—	—	76 lbs.	7.7	
WW3618SOHTGL	Glass/Laminate	1430	14¾	35⅝	18½	—	—	76 lbs.	7.7	
WW3618SOHTW	Wood	1717	14¾	35⅝	18½	—	—	76 lbs.	7.7	
WW3618SOHTL	Laminate	980	14¾	35⅝	18½	—	—	76 lbs.	7.7	
• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										
WW3018SOHTGW	Glass/Wood	\$ 2088	14¾	29⅜	18½	—	—	64 lbs.	6.4	
WW3018SOHTGL	Glass/Laminate	1343	14¾	29⅜	18½	—	—	64 lbs.	6.4	
WW3018SOHTW	Wood	1626	14¾	29⅜	18½	—	—	64 lbs.	6.4	
WW3018SOHTL	Laminate	899	14¾	29⅜	18½	—	—	64 lbs.	6.4	
• Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										
• Exhibit mount bracket is included, Exhibit Wall Rail needs to be ordered separately • It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads • If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail • See page 351 for Exhibit Wall Rail and Filler Strip										

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 285 for options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 651-729
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel



TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/
Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WW4818SOETW AC
WW4818SOETL 440

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
OVERHEAD STORAGE CABINET NO DOORS - EXHIBIT MOUNT  Center Divider Panel shown  No Divider Panel shown	18" HIGH—CENTER DIVIDER PANEL								
	WW4818SOETW Wood	\$ 1876	13 ¹ / ₁₆	47 ⁷ / ₈	18 ¹ / ₈	—	—	115 lbs.	11.8
	WW4818SOETL Laminate	1136	13 ¹ / ₁₆	47 ⁷ / ₈	18 ¹ / ₈	—	—	115 lbs.	11.8
	18" HIGH—NO DIVIDER PANEL								
	WW4218SOETW Wood	\$ 1797	13 ¹ / ₁₆	41 ¹ / ₈	18 ¹ / ₈	—	—	100 lbs.	11.1
	WW4218SOETL Laminate	1057	13 ¹ / ₁₆	41 ¹ / ₈	18 ¹ / ₈	—	—	100 lbs.	11.1
	WW3618SOETW Wood	\$ 1717	13 ¹ / ₁₆	35 ¹ / ₈	18 ¹ / ₈	—	—	76 lbs.	7.7
	WW3618SOETL Laminate	980	13 ¹ / ₁₆	35 ¹ / ₈	18 ¹ / ₈	—	—	76 lbs.	7.7
	WW3018SOETW Wood	\$ 1626	13 ¹ / ₁₆	29 ¹ / ₁₆	18 ¹ / ₈	—	—	64 lbs.	6.4
	WW3018SOETL Laminate	899	13 ¹ / ₁₆	29 ¹ / ₁₆	18 ¹ / ₈	—	—	64 lbs.	6.4
• Exhibit mount bracket is included, Exhibit Wall Rail must be ordered separately • Cabinets are open and do not have doors • It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads • If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail • See below for Exhibit Wall Rail and Filler Strip									

OVERHEAD STORAGE CABINET FILLER PANEL



FILLER PANELS

WW1329CPOFPL	\$ 136	6	14	29 ¹ / ₁₆	—	—	—	0.8
WW1318CPOFPL	123	6	14	14 ³ / ₄	—	—	—	0.4

- To be used with overhead storage cabinets to fill in space as needed
- Can be field cut to desired width

EXHIBIT WALL RAIL




WALL RAIL

11N72EXP1	1 Rail/No faceplate	\$ 137	¾	72	1¾	—	—	6 lbs.	0.7
11N144EXP1	1 Rail/No faceplate	199	¾	144	1¾	—	—	12 lbs.	1.4

- Includes 1 wall rail and 2 alignment brackets
- Specify 423 Concrete, 462 Cinder, 463 Iron, 501 Platinum Metallic or 503 Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert

FILLER STRIP KIT EXHIBIT MOUNT



11NCPFSW	Wood	\$ 72	1	3	27 ¹ / ₄	—	—	3 lbs.	1.0
11NCPFSL	Laminate	37	1	3	27 ¹ / ₄	—	—	3 lbs.	1.0

- For use with Exhibit mounted overheads when an insert is not used behind the overhead
- Must be field scribed for 18" and 13" high overhead models
- Specify solid/woodgrain/Gallery laminate or wood finish

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate, glass doors and wood or laminate chassis available; refer to page 285 for options
- Refer to pages 651-729 for accessories
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Rim Color (laminate units only)
4. Pull
5. Locking
6. Top Finish (laminate units only)
7. Drawer Finish (laminate units only)
8. Chassis Finish

SAMPLE MODEL NUMBERS:

WW2436LFF2W C 7MB KRB MC
WW2436LFF2L VMH 7MB KRB 480 480
WW2436LFF2LW V 440 7MB KRB MH

- See pages 284-288 for all options available in WaveWorks


LATERAL FILE 2 DRAWER



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
1½" TOP THICKNESS			D	W	H	A	KW		
WWN2436LFF2W	Wood	\$ 3397	24	36½	29¾	—	—	155 lbs.	22.2
WWN2436LFF2LW	Laminate/Wood	3397	24	36½	29¾	—	—	155 lbs.	22.2
WWN2436LFF2L	Laminate	2240	24	36½	29¾	—	—	155 lbs.	22.2
1¾" TOP THICKNESS									
WW2436LFF2W	Wood	\$ 3088	24	36½	28½	—	—	155 lbs.	22.2
WW2436LFF2LW	Laminate/Wood	3088	24	36½	28½	—	—	155 lbs.	22.2
WW2436LFF2L	Laminate	2037	24	36½	28½	—	—	155 lbs.	22.2
WW2436LFF2LL	TFL	1628	24	36½	28½	—	—	155 lbs.	22.2

• Interlock mechanism allows only 1 drawer to be open at a time
 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
 • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front
 • Wood drawers can be specified on 1¾" Wood models; add a "W" to the end of the model number and add \$329 to the list price

LATERAL FILE 3 DRAWER



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
1½" TOP THICKNESS			D	W	H	A	KW		
WWN2436LFF3W	Wood	\$ 4580	24	36½	41¾	—	—	210 lbs.	30.0
WWN2436LFF3LW	Laminate/Wood	4580	24	36½	41¾	—	—	210 lbs.	30.0
WWN2436LFF3L	Laminate	3020	24	36½	41¾	—	—	210 lbs.	30.0
1¾" TOP THICKNESS									
WW2436LFF3W	Wood	\$ 4164	24	36½	41½	—	—	210 lbs.	30.0
WW2436LFF3LW	Laminate/Wood	4164	24	36½	41½	—	—	210 lbs.	30.0
WW2436LFF3L	Laminate	2743	24	36½	41½	—	—	210 lbs.	30.0
WW2436LFF3LL	TFL	2198	24	36½	41½	—	—	210 lbs.	30.0

• Interlock mechanism allows only 1 drawer to be open at a time
 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
 • When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- If specifying wood, you must specify the same finish for all options
- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Rim Color (laminate units only)
4. Pull
5. Locking
6. Top Finish (laminate units only)
7. Drawer Finish (laminate units only)
8. Chassis Finish

SAMPLE MODEL NUMBERS:

WWN2436PF33W C 7MB KS1B MC
 WWN2436PF33L VMH 7MB KS1B 480 480
 WWN2436PF33LW V 440 7MB KS1B MH

- See pages 284-288 for all options available in WaveWorks

LATERAL FILE
4 DRAWER

MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H A KWCARTONED CUBIC
WEIGHT FEET

1¾" TOP THICKNESS

WWN2436LFF4W	Wood	\$ 5476
WWN2436LFF4LW	Laminate/Wood	5476
WWN2436LFF4L	Laminate	3461

24	36⅞	54⅞	—	—	265 lbs.	33.4
24	36⅞	54⅞	—	—	265 lbs.	33.4
24	36⅞	54⅞	—	—	265 lbs.	33.4


1¾" TOP THICKNESS

WW2436LFF4W	Wood	\$ 4973
WW2436LFF4LW	Laminate/Wood	4973
WW2436LFF4L	Laminate	3150
WW2436LFF4LL	TFL	2520

24	36⅞	54⅞	—	—	265 lbs.	33.4
24	36⅞	54⅞	—	—	265 lbs.	33.4
24	36⅞	54⅞	—	—	265 lbs.	33.4
24	36⅞	54	—	—	265 lbs.	33.4

- Interlock mechanism allows only 1 drawer to be open at a time
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front
- Wood drawers can be specified on 1¾" Wood models; add a "W" to the end of the model number and add \$659 to the list price

MIXED STORAGE CABINET



Left shown

1¾" TOP THICKNESS

OPEN STORAGE
ON LEFTOPEN STORAGE
ON RIGHT

WWN2436PF33W	WWN2436PF32W	Wood	\$ 3835
WWN2436PF33LW	WWN2436PF32LW	Lam/Wood	3835
WWN2436PF33L	WWN2436PF32L	Laminate	2471

24	36⅞	29⅞	—	—	130 lbs.	22.2
24	36⅞	29⅞	—	—	130 lbs.	22.2
24	36⅞	29⅞	—	—	130 lbs.	22.2

1¾" TOP THICKNESS

OPEN STORAGE
ON LEFTOPEN STORAGE
ON RIGHT

WW2436PF33W	WW2436PF32W	Wood	\$ 3526
WW2436PF33LW	WW2436PF32LW	Lam/Wood	3526
WW2436PF33L	WW2436PF32L	Laminate	2266
WW2436PF33LL	WW2436PF32LL	TFL	1812

24	36⅞	28⅞	—	—	130 lbs.	22.2
24	36⅞	28⅞	—	—	130 lbs.	22.2
24	36⅞	28⅞	—	—	130 lbs.	22.2
24	36⅞	28⅞	—	—	130 lbs.	22.2

- Interior dimensions of open storage are 16¼" W, 12" H
- Locking only on lateral file
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Laminate Door Color
6. Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW301853VP01LW 6CC G37PB KRB 405 MH
 WW301853VP01LL 61R X KRB 405 MH
 WW0653VSSPW X 405
 WW0653VSSPL CT1 405

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED CUBIC
					D	W	H	A	KW	WEIGHT FEET
PULLOUT STORAGE 	30" DEPTH									
	LEFT	RIGHT								
	WW301853VP01LW	WW301853VP01RW	Wood	\$ 6334	29½	17½	52½	—	—	lbs.
	WW301853VP01LL	WW301853VP01RL	Laminate	4489	29½	17½	52½	—	—	lbs.
	WW301841VP01LW	WW301841VP01RW	Wood	\$ 6048	29½	17½	40¾	—	—	lbs.
	WW301841VP01LL	WW301841VP01RL	Laminate	4202	29½	17½	40¾	—	—	lbs.
	24" DEPTH									
	LEFT	RIGHT								
	WW241853VP01LW	WW241853VP01RW	Wood	\$ 5761	23¾	17½	52½	—	—	lbs.
	WW241853VP01LL	WW241853VP01RL	Laminate	3914	23¾	17½	52½	—	—	lbs.
	WW241841VP01LW	WW241841VP01RW	Wood	\$ 5473	23¾	17½	40¾	—	—	lbs.
	WW241841VP01LL	WW241841VP01RL	Laminate	3628	23¾	17½	40¾	—	—	lbs.
• See pages for component top for pullout storage pages 439-440 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • All WaveWorks pull options available with exception of Horizon • 1 coathook • 2 adjustable shelves • 1 full shelf at top where electrical is mounted										

PULLOUT STORAGE SPACER



WW0653VSSPW	Wood	\$ 946	6	17½	52½	—	—	lbs.
WW0653VSSPL	Laminate	587	6	17½	52½	—	—	lbs.
WW0641VSSPW	Wood	\$ 928	6	17½	40¾	—	—	lbs.
WW0641VSSPL	Laminate	568	6	17½	40¾	—	—	lbs.
WW1253VSSPW	Wood	\$ 1894	11½	17½	52½	—	—	lbs.
WW1253VSSPL	Laminate	1175	11½	17½	52½	—	—	lbs.
WW1241VSSPW	Wood	\$ 1857	11½	17½	40¾	—	—	lbs.
WW1241VSSPL	Laminate	1139	11½	17½	40¾	—	—	lbs.
• Specify spacer to pass thru electrical when ganging 2 pullout storage back to back • Specify grommet cutout option and finish/laminate only • Can be used with Alloy								

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- If specifying wood, you must specify the same finish for all options



TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door Finish/Laminate Door Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN1880VSWHLW KRB MH
 WWN1880VSWHLL KRB 405 405
 WWN1880VSWHLGW 503 MH
 WWN1880VSWHLGL 503 405

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION				PRICE	DIMENSIONS						
						D	W	H	A	KW	WEIGHT	FEET
WARDROBE/STORAGE CABINET SINGLE DOOR	INTENDED FOR USE WITH 1$\frac{1}{16}$" THICK WORKSURFACE MODELS											
	LEFT HINGED				RIGHT HINGED							
	WWN1880VSWHLGW	WWN1880VSWHRGW	Glass/Wood	\$	5070	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{16}$	—	—	197 lbs.	31.0
	WWN1880VSWHLGL	WWN1880VSWHRGL	Glass/Lam		3255	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{16}$	—	—	197 lbs.	31.0
	WWN1880VSWHLW	WWN1880VSWHRW	Wood		3893	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{16}$	—	—	197 lbs.	31.0
	WWN1880VSWHLL	WWN1880VSWHRL	Laminate		2203	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{16}$	—	—	197 lbs.	31.0
	WWN1869VSWHLGW	WWN1869VSWHRGW	Glass/Wood	\$	4428	23 $\frac{3}{16}$	17 $\frac{1}{16}$	67 $\frac{1}{4}$	—	—	160 lbs.	26.7
	WWN1869VSWHLGL	WWN1869VSWHRGL	Glass/Lam		2841	23 $\frac{3}{16}$	17 $\frac{1}{16}$	67 $\frac{1}{4}$	—	—	160 lbs.	26.7
	WWN1869VSWHLW	WWN1869VSWHRW	Wood		3414	23 $\frac{3}{16}$	17 $\frac{1}{16}$	67 $\frac{1}{4}$	—	—	160 lbs.	26.7
	WWN1869VSWHLL	WWN1869VSWHRL	Laminate		1934	23 $\frac{3}{16}$	17 $\frac{1}{16}$	67 $\frac{1}{4}$	—	—	160 lbs.	26.7
	INTENDED FOR USE WITH 1$\frac{1}{16}$" THICK WORKSURFACE MODELS											
	LEFT HINGED				RIGHT HINGED							
Left shown	WW1879VSWHLGW	WW1879VSWHRGW	Glass/Wood	\$	5070	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{4}$	—	—	197 lbs.	31.0
	WW1879VSWHLGL	WW1879VSWHRGL	Glass/Lam		3255	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{4}$	—	—	197 lbs.	31.0
	WW1879VSWHLW	WW1879VSWHRW	Wood		3893	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{4}$	—	—	197 lbs.	31.0
	WW1879VSWHLL	WW1879VSWHRL	Laminate		2203	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{1}{4}$	—	—	197 lbs.	31.0
	WW1868VSWHLGW	WW1868VSWHRGW	Glass/Wood	\$	4428	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	160 lbs.	26.7
	WW1868VSWHLGL	WW1868VSWHRGL	Glass/Lam		2841	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	160 lbs.	26.7
	WW1868VSWHLW	WW1868VSWHRW	Wood		3414	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	160 lbs.	26.7
	WW1868VSWHLL	WW1868VSWHRL	Laminate		1934	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	160 lbs.	26.7

Left shown

- Can be used as a wardrobe unit by removing adjustable shelves
- Removable coat rod standard
- Shaded shelves are adjustable, 1868 and 1869 models have 1 fixed shelf and 3 adjustable shelves, 1879 and 1880 models have 1 fixed shelf and 4 adjustable shelves
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:


1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door Finish/Laminate Door Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:


WWN1880VSHLW	KRB	MH
WWN1880VSHLL	KRB	405 405
WWN1880VSHLGW	503	MH
WWN1880VSHLGL	503	405

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	LEFT HINGED	RIGHT HINGED		D	W	H	A	KW		
MEDIA STORAGE TOWER SINGLE DOOR	WWN1880VSHLW	WWN1880VSHRW Wood	\$ 4222	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{3}{4}$	—	—	197 lbs.	31.0
	WWN1880VSHLL	WWN1880VSHRL Laminate	2508	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{3}{4}$	—	—	197 lbs.	31.0
	WWN1880VSHLGW	WWN1880VSHRGW Glass/Wood	5425	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{3}{4}$	—	—	197 lbs.	31.0
	WWN1880VSHLGL	WWN1880VSHRGL Glass/Lam	3577	23 $\frac{3}{16}$	17 $\frac{1}{16}$	79 $\frac{3}{4}$	—	—	197 lbs.	31.0
	• Glass units feature opaque glass with aluminum frame • Shaded shelves are adjustable 1 fixed and 4 adjustable shelves • Shortened shelves allow for easy wire access in the back of the cabinet • Features grommets in end panels for wire access • Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less									



STORAGE/WARDROBE WITH FILE/FILE PEDESTAL



Left shown

INTENDED FOR USE WITH 1 $\frac{3}{16}$ " THICK WORKSURFACE MODELS

LEFT HINGED				RIGHT HINGED							
WWN2480VHHL2W	WWN2480VHHR2W	Wood	\$ 5313	23 ³ / ₁₆	24	79 ¹ / ₁₆	—	—	250 lbs.	31.3	
WWN2480VHHL2L	WWN2480VHHR2L	Laminate	3373	23 ³ / ₁₆	24	79 ¹ / ₁₆	—	—	250 lbs.	31.3	
WWN2469VHHL2W	WWN2469VHHR2W	Wood	\$ 4820	23 ³ / ₁₆	24	67 ³ / ₄	—	—	213 lbs.	27.0	
WWN2469VHHL2L	WWN2469VHHR2L	Laminate	3095	23 ³ / ₁₆	24	67 ³ / ₄	—	—	213 lbs.	27.0	

INTENDED FOR USE WITH 1 $\frac{3}{16}$ " THICK WORKSURFACE MODELS

INTENDED FOR USE WITH 1" THICK WORKSURFACE MODELS										
LEFT HINGED				RIGHT HINGED						
WW2479VHHL2W	WW2479VHHR2W	Wood	\$ 5313	23 ³ / ₁₆	24	79 ³ / ₄	—	—	250 lbs.	31.3
WW2479VHHL2L	WW2479VHHR2L	Laminate	3373	23 ³ / ₁₆	24	79 ³ / ₄	—	—	250 lbs.	31.3
WW2468VHHL2W	WW2468VHHR2W	Wood	\$ 4820	23 ³ / ₁₆	24	66 ³ / ₈	—	—	213 lbs.	27.0
WW2468VHHL2L	WW2468VHHR2L	Laminate	3095	23 ³ / ₁₆	24	66 ³ / ₈	—	—	213 lbs.	27.0

- Removable coat rod is standard
- Storage cabinet contains 2 adjustable shelves in 2468 and 2469 models and 3 adjustable shelves in the 2479 and 2480 models
- Wardrobe door is 5 $\frac{1}{2}$ " wide, interior width is 5"
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Veneer Door Finish/Laminate Door Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2480VBWHL2W 7SN KS1B HN
WWN2480VBWHL2L 7SN KS1B 461 461

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
					D	W	H	A	KW		
STORAGE SIDE BOOKCASE/WARDROBE WITH FILE/FILE PEDESTAL  Left shown with Wood/Laminate	INTENDED FOR USE WITH 1 1/2" THICK WORKSURFACE MODELS										
	LEFT HINGED										
	WWN2480VBWHL2W	WWN2480VBWHR2W	Wood	\$ 5567	23 3/16	24	79 1 1/16	—	—	250 lbs.	31.3
	WWN2480VBWHL2L	WWN2480VBWHR2L	Laminate	3631	23 3/16	24	79 1 1/16	—	—	250 lbs.	31.3
	WWN2469VBWHL2W	WWN2469VBWHR2W	Wood	\$ 5075	23 3/16	24	67 3/4	—	—	213 lbs.	27.0
	WWN2469VBWHL2L	WWN2469VBWHR2L	Laminate	3353	23 3/16	24	67 3/4	—	—	213 lbs.	27.0
	INTENDED FOR USE WITH 1 1/2" THICK WORKSURFACE MODELS										
	LEFT HINGED										
	WW2479VBWHL2W	WW2479VBWHR2W	Wood	\$ 5567	23 3/16	24	79 3/4	—	—	250 lbs.	31.3
	WW2479VBWHL2L	WW2479VBWHR2L	Laminate	3631	23 3/16	24	79 3/4	—	—	250 lbs.	31.3
	WW2468VBWHL2W	WW2468VBWHR2W	Wood	\$ 5075	23 3/16	24	66 3/8	—	—	213 lbs.	27.0
	WW2468VBWHL2L	WW2468VBWHR2L	Laminate	3353	23 3/16	24	66 3/8	—	—	213 lbs.	27.0

- Removable coat rod is standard
- Open bookcase contains 2 adjustable shelves in 2468 and 2469 models and 3 adjustable shelves in the 2479 and 2480 models
- Wardrobe door is 5 1/2" wide, interior width is 5"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Wardrobe door features a standard pull
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate drawer fronts and chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- If specifying wood, you must specify the same finish for all options



TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN1880VBL2W 7SN KS1B HN
WWN1880VBR2L 7SN KS1B 461 461

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET	
	INTENDED FOR USE WITH 1 ¹ / ₁₆ " THICK WORKSURFACE MODELS											
	LEFT UNIT	RIGHT UNIT										
	WWN1880VBL2W	WWN1880VBR2W	Wood	\$	4211	23 ³ / ₁₆	17 ¹ / ₁₆	79 ¹ / ₁₆	—	—	207 lbs.	31.0
	WWN1880VBL2L	WWN1880VBR2L	Laminate		2476	23 ³ / ₁₆	17 ¹ / ₁₆	79 ¹ / ₁₆	—	—	207 lbs.	31.0
	WWN1869VBL2W	WWN1869VBR2W	Wood	\$	3721	23 ³ / ₁₆	17 ¹ / ₁₆	67 ¹ / ₄	—	—	175 lbs.	26.7
	WWN1869VBL2L	WWN1869VBR2L	Laminate		2203	23 ³ / ₁₆	17 ¹ / ₁₆	67 ¹ / ₄	—	—	175 lbs.	26.7
	INTENDED FOR USE WITH 1 ¹ / ₁₆ " THICK WORKSURFACE MODELS											
	LEFT UNIT	RIGHT UNIT										
	WW1879VBL2W	WW1879VBR2W	Wood	\$	4211	23 ³ / ₁₆	17 ¹ / ₁₆	79 ¹ / ₄	—	—	207 lbs.	31.0
	WW1879VBL2L	WW1879VBR2L	Laminate		2476	23 ³ / ₁₆	17 ¹ / ₁₆	79 ¹ / ₄	—	—	207 lbs.	31.0
	WW1868VBL2W	WW1868VBR2W	Wood	\$	3721	23 ³ / ₁₆	17 ¹ / ₁₆	66 ³ / ₈	—	—	175 lbs.	26.7
	WW1868VBL2L	WW1868VBR2L	Laminate		2203	23 ³ / ₁₆	17 ¹ / ₁₆	66 ³ / ₈	—	—	175 lbs.	26.7
	• Open bookcase contains 2 adjustable shelves in 1868 and 1869 models and 3 adjustable shelves in the 1879 and 1880 models • Shaded area denotes wood drawer fronts and wood panel • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less											

Left shown

Left shown with Wood/Laminate

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate drawer fronts and chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- If specifying wood, you must specify the same finish for all options



TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3680VSHGW 501 MH
 WWN3680VSHW KS1B MH
 WWN3680VSHL KS1B MH MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
	MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET	
DOUBLE DOOR STORAGE CABINET  	INTENDED FOR USE WITH 1 1/8" THICK WORKSURFACE MODELS										
	WWN3680VSHGW	Glass/Wood	\$ 7624	23 3/16	35 5/8	79 1/16	—	—	345 lbs.	51.4	
	WWN3680VSHGL	Glass/Laminate	4675	23 3/16	35 5/8	79 1/16	—	—	345 lbs.	51.4	
	WWN3680VSHW	Wood	7200	23 3/16	35 5/8	79 1/16	—	—	345 lbs.	51.4	
	WWN3680VSHL	Laminate	3818	23 3/16	35 5/8	79 1/16	—	—	345 lbs.	51.4	
	WWN3669VSHGW	Glass/Wood	\$ 6531	23 3/16	35 5/8	67 1/4	—	—	160 lbs.	44.1	
	WWN3669VSHGL	Glass/Laminate	3979	23 3/16	35 5/8	67 1/4	—	—	160 lbs.	44.1	
	WWN3669VSHW	Wood	6248	23 3/16	35 5/8	67 1/4	—	—	160 lbs.	44.1	
	WWN3669VSHL	Laminate	3277	23 3/16	35 5/8	67 1/4	—	—	160 lbs.	44.1	
INTENDED FOR USE WITH 1 1/2" THICK WORKSURFACE MODELS											
	WW3679VSHGW	Glass/Wood	\$ 7624	23 3/16	35 5/8	79 3/4	—	—	345 lbs.	51.4	
	WW3679VSHGL	Glass/Laminate	4675	23 3/16	35 5/8	79 3/4	—	—	345 lbs.	51.4	
	WW3679VSHW	Wood	7200	23 3/16	35 5/8	79 3/4	—	—	345 lbs.	51.4	
	WW3679VSHL	Laminate	3818	23 3/16	35 5/8	79 3/4	—	—	345 lbs.	51.4	
	WW3668VSHGW	Glass/Wood	\$ 6531	23 3/16	35 5/8	66 7/8	—	—	160 lbs.	44.1	
	WW3668VSHGL	Glass/Laminate	3979	23 3/16	35 5/8	66 7/8	—	—	160 lbs.	44.1	
	WW3668VSHW	Wood	6248	23 3/16	35 5/8	66 7/8	—	—	160 lbs.	44.1	
	WW3668VSHL	Laminate	3277	23 3/16	35 5/8	66 7/8	—	—	160 lbs.	44.1	

- 3668 and 3669 models have 2 fixed and 2 adjustable shelves, 3679 and 3680 models have 2 fixed and 3 adjustable shelves
- Units includes shelves from top to bottom, see above bullet for correct number of shelves according to size
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate drawer fronts and chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:



1. Model Number
2. Pull
3. Locking
4. Door Frame Color (glass door models)
5. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3680VHF2GW 501 MH
WWN3680VHF2W KS1B MH
WWN3680VHF2L KS1B MH MH

- See pages 284-288 for all options available in WaveWorks

STORAGE/LATERAL FILE CABINET



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
INTENDED FOR USE WITH 1 1/4" THICK WORKSURFACE MODELS									
WWN3680VHF2GW	Glass/Wood	\$ 7798	23 1/16	35 1/8	79 11/16	—	—	345 lbs.	56.5
WWN3680VHF2GL	Glass/Laminate	4789	23 1/16	35 1/8	79 11/16	—	—	345 lbs.	56.5
WWN3680VHF2W	Wood	7306	23 1/16	35 1/8	79 11/16	—	—	345 lbs.	56.5
WWN3680VHF2L	Laminate	3879	23 1/16	35 1/8	79 11/16	—	—	345 lbs.	56.5
INTENDED FOR USE WITH 1 1/4" THICK WORKSURFACE MODELS									
WWN3669VHF2GW	Glass/Wood	\$ 6692	23 1/16	35 1/8	67 1/4	—	—	160 lbs.	48.6
WWN3669VHF2GL	Glass/Laminate	4079	23 1/16	35 1/8	67 1/4	—	—	160 lbs.	48.6
WWN3669VHF2W	Wood	6336	23 1/16	35 1/8	67 1/4	—	—	160 lbs.	48.6
WWN3669VHF2L	Laminate	3331	23 1/16	35 1/8	67 1/4	—	—	160 lbs.	48.6
INTENDED FOR USE WITH 1 1/4" THICK WORKSURFACE MODELS									
WW3679VHF2GW	Glass/Wood	\$ 7798	23 1/16	35 1/8	79 1/4	—	—	345 lbs.	56.5
WW3679VHF2GL	Glass/Laminate	4789	23 1/16	35 1/8	79 1/4	—	—	345 lbs.	56.5
WW3679VHF2W	Wood	7306	23 1/16	35 1/8	79 1/4	—	—	345 lbs.	56.5
WW3679VHF2L	Laminate	3879	23 1/16	35 1/8	79 1/4	—	—	345 lbs.	56.5
INTENDED FOR USE WITH 1 1/4" THICK WORKSURFACE MODELS									
WW3668VHF2GW	Glass/Wood	\$ 6692	23 1/16	35 1/8	66 1/8	—	—	160 lbs.	48.6
WW3668VHF2GL	Glass/Laminate	4079	23 1/16	35 1/8	66 1/8	—	—	160 lbs.	48.6
WW3668VHF2W	Wood	6336	23 1/16	35 1/8	66 1/8	—	—	160 lbs.	48.6
WW3668VHF2L	Laminate	3331	23 1/16	35 1/8	66 1/8	—	—	160 lbs.	48.6

- 3679 and 3680 models have 1 fixed and 2 adjustable shelves, 3668 and 3669 models have 1 fixed and 1 adjustable shelf
- For glass/wood or glass/laminate units: random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- For wood, wood/laminate or laminate units: random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate drawer fronts and chassis available; refer to page 285 for options
- Refer to page 290 for filing capabilities
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options



TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Door Frame Color (glass door models)
5. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW1868VHL2GW	75PL	501	MH
WW1868VHL2GL	75PL	501	480
WW1868VHL2W	75PL	KS2B	MH
WW1868VHL2L	75PL	KS2B	480 MH

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
STORAGE CABINET WITH FILE/FILE PEDESTAL	INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS					D	W	H	A	KW		
	LEFT HINGED		RIGHT HINGED									
	WWN1880VHL2GW	WWN1880VHR2GW	Glass/Wood	\$	5243	23⅜	17⅞	79⅞	—	—	207 lbs.	31.0
	WWN1880VHL2GL	WWN1880VHR2GL	Glass/Lam		3366	23⅜	17⅞	79⅞	—	—	207 lbs.	31.0
	WWN1880VHL2W	WWN1880VHR2W	Wood		3996	23⅜	17⅞	79⅞	—	—	207 lbs.	31.0
	WWN1880VHL2L	WWN1880VHR2L	Laminate		2265	23⅜	17⅞	79⅞	—	—	207 lbs.	31.0
	WWN1869VHL2GW	WWN1869VHR2GW	Glass/Wood	\$	4588	23⅜	17⅞	67¼	—	—	175 lbs.	26.7
	WWN1869VHL2GL	WWN1869VHR2GL	Glass/Lam		2943	23⅜	17⅞	67¼	—	—	175 lbs.	26.7
	WWN1869VHL2W	WWN1869VHR2W	Wood		3508	23⅜	17⅞	67¼	—	—	175 lbs.	26.7
	WWN1869VHL2L	WWN1869VHR2L	Laminate		1988	23⅜	17⅞	67¼	—	—	175 lbs.	26.7
	INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS											
	LEFT HINGED		RIGHT HINGED									
	WW1879VHL2GW	WW1879VHR2GW	Glass/Wood	\$	5243	23⅜	17⅞	79¼	—	—	207 lbs.	31.0
	WW1879VHL2GL	WW1879VHR2GL	Glass/Lam		3366	23⅜	17⅞	79¼	—	—	207 lbs.	31.0
	WW1879VHL2W	WW1879VHR2W	Wood		3996	23⅜	17⅞	79¼	—	—	207 lbs.	31.0
	WW1879VHL2L	WW1879VHR2L	Laminate		2265	23⅜	17⅞	79¼	—	—	207 lbs.	31.0
	WW1868VHL2GW	WW1868VHR2GW	Glass/Wood	\$	4588	23⅜	17⅞	66⅞	—	—	175 lbs.	26.7
	WW1868VHL2GL	WW1868VHR2GL	Glass/Lam		2943	23⅜	17⅞	66⅞	—	—	175 lbs.	26.7
	WW1868VHL2W	WW1868VHR2W	Wood		3508	23⅜	17⅞	66⅞	—	—	175 lbs.	26.7
	WW1868VHL2L	WW1868VHR2L	Laminate		1988	23⅜	17⅞	66⅞	—	—	175 lbs.	26.7

- Shaded shelves are adjustable
- 1879 and 1880 models include 3 adjustable shelves, 1868 and 1869 models include 2 adjustable shelves
- For glass/wood or glass/laminate units: random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- For wood, wood/laminate or laminate units: random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less

WAVEWORKS

PRODUCT SPECIFICATIONS


- Laminate only; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Laminate Door-Drawer Color
5. Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW241879VPL1LL 87MB KS1B 461 PT
• See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
OPEN LOCKER 	LOCKERS/OPEN								
	WW241879VPL10L Laminate	\$ 1880	22 $\frac{3}{4}$	17 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	25.8
	WW241579VPL10L Laminate	1880	22 $\frac{3}{4}$	14 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	21.8
	WW241868VPL10L Laminate	\$ 1612	22 $\frac{3}{4}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	22.3
	WW241568VPL10L Laminate	1612	22 $\frac{3}{4}$	14 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	18.9
	WW181879VPL10L Laminate	\$ 1824	16 $\frac{7}{8}$	17 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	20.3
	WW181579VPL10L Laminate	1824	16 $\frac{7}{8}$	14 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	17.2
	WW181868VPL10L Laminate	\$ 1552	16 $\frac{7}{8}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	17.5
	WW181568VPL10L Laminate	1552	16 $\frac{7}{8}$	14 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	14.8

- Lockers offered in laminate model only
- Included are 2 fixed shelves and 2 coat hooks
- If using 1 locker by itself it MUST be attached to a wall
- If using more than 1 locker side by side they MUST be ganged together
- If using more than 1 locker back to back, a cluster of 4 lockers MUST be ordered and ganged both side to side and front to back

LOCKER 1 DOOR



Right shown

LOCKERS/1 DOOR

LEFT HINGED

RIGHT HINGED

WW241879VPL1LL	WW241879VPL1RL	Laminate	\$ 1997	23 $\frac{3}{16}$	17 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	26.8
WW241579VPL1LL	WW241579VPL1RL	Laminate	1997	23 $\frac{3}{16}$	14 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	22.5
WW241868VPL1LL	WW241868VPL1RL	Laminate	\$ 1726	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	23.0
WW241568VPL1LL	WW241568VPL1RL	Laminate	1726	23 $\frac{3}{16}$	14 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	19.5
WW181879VPL1LL	WW181879VPL1RL	Laminate	\$ 1938	17 $\frac{1}{16}$	17 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	21.1
WW181579VPL1LL	WW181579VPL1RL	Laminate	1938	17 $\frac{1}{16}$	14 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	17.9
WW181868VPL1LL	WW181868VPL1RL	Laminate	\$ 1668	17 $\frac{1}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	18.2
WW181568VPL1LL	WW181568VPL1RL	Laminate	1668	17 $\frac{1}{16}$	14 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	15.4

- Lockers offered in laminate only
- 2 fixed shelves and 2 coat hooks included
- If using 1 locker by itself it MUST be attached to a wall
- If using more than 1 locker side by side they MUST be ganged together
- If using more than 1 locker back to back, a cluster of 4 lockers MUST be ordered and ganged both side to side and front to back
- Pulls will be installed vertically. All WaveWorks pull options available with the exception of Horizon
- If specifying the "no pull" option, unit will have a touch latch closure

PRODUCT SPECIFICATIONS

- Laminate only; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Laminate Door-Drawer Color
5. Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW241879VPL2LL 87MB KS2B PT PT
WW241879VPL3LL 87MB KRB PT PT

- See pages 284-288 for all options available in WaveWorks

LOCKER
2 DOOR

Right shown

MODEL NO./DESCRIPTION

LIST
PRICEDIMENSIONS
D W H A KWCARTONED CUBIC
WEIGHT FEETLOCKERS/2 DOOR
LEFT HINGED

RIGHT HINGED

WW241879VPL2LL	WW241879VPL2RL	Laminate	\$ 2141	23 $\frac{3}{16}$	17 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	26.8
WW241579VPL2LL	WW241579VPL2RL	Laminate	2141	23 $\frac{3}{16}$	14 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	22.5
WW241868VPL2LL	WW241868VPL2RL	Laminate	\$ 1869	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	23.0
WW241568VPL2LL	WW241568VPL2RL	Laminate	1869	23 $\frac{3}{16}$	14 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	19.5
WW181879VPL2LL	WW181879VPL2RL	Laminate	\$ 2081	17 $\frac{1}{16}$	17 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	21.1
WW181579VPL2LL	WW181579VPL2RL	Laminate	2081	17 $\frac{1}{16}$	14 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	17.9
WW181868VPL2LL	WW181868VPL2RL	Laminate	\$ 1811	17 $\frac{1}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	18.2
WW181568VPL2LL	WW181568VPL2RL	Laminate	1811	17 $\frac{1}{16}$	14 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	15.4

- Lockers offered in laminate only
- 2 coat hooks behind each door
- If using 1 locker by itself it MUST be attached to a wall
- If using more than 1 locker side by side they MUST be ganged together
- If using more than 1 locker back to back, a cluster of 4 lockers MUST be ordered and ganged both side to side and front to back
- Pulls will be installed vertically. All WaveWorks pull options available with the exception of Horizon
- If specifying the "no pull" option, unit will have a touch latch closure

LOCKER
3 DOOR

Right shown

LOCKERS/3 DOOR
LEFT HINGED

RIGHT HINGED

WW241879VPL3LL	WW241879VPL3RL	Laminate	\$ 2284	23 $\frac{3}{16}$	17 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	26.8
WW241579VPL3LL	WW241579VPL3RL	Laminate	2284	23 $\frac{3}{16}$	14 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	22.5
WW241868VPL3LL	WW241868VPL3RL	Laminate	\$ 2013	23 $\frac{3}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	23.0
WW241568VPL3LL	WW241568VPL3RL	Laminate	2013	23 $\frac{3}{16}$	14 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	19.5
WW181879VPL3LL	WW181879VPL3RL	Laminate	\$ 2225	17 $\frac{1}{16}$	17 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	21.1
WW181579VPL3LL	WW181579VPL3RL	Laminate	2225	17 $\frac{1}{16}$	14 $\frac{1}{16}$	78 $\frac{1}{16}$	—	—	—	17.9
WW181868VPL3LL	WW181868VPL3RL	Laminate	\$ 1956	17 $\frac{1}{16}$	17 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	18.2
WW181568VPL3LL	WW181568VPL3RL	Laminate	1956	17 $\frac{1}{16}$	14 $\frac{1}{16}$	66 $\frac{7}{8}$	—	—	—	15.4

- Lockers offered in laminate only
- 2 coat hooks behind each door
- If using 1 locker by itself it MUST be attached to a wall
- If using more than 1 locker side by side they MUST be ganged together
- If using more than 1 locker back to back, a cluster of 4 lockers MUST be ordered and ganged both side to side and front to back
- Pulls will be installed vertically. All WaveWorks pull options available with the exception of Horizon
- If specifying the "no pull" option, unit will have a touch latch closure

WAVEWORKS

PRODUCT SPECIFICATIONS

- Laminate only; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors

TO ORDER, SPECIFY:

1. Model Number
2. E lock color
3. Laminate Door-Drawer Color
4. Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW241879VPL1LEL B PB PB

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
LOCKER 1 DOOR ELECTRONIC LOCK 	LOCKERS/1 DOOR/ELECTRONIC LOCK									
	LEFT HINGED	RIGHT HINGED								
	WW241879VPL1LEL	WW241879VPL1REL	Laminate	\$	2515	23 ³ / ₁₆	17 ¹ / ₁₆	78 ¹ / ₁₆	—	26.8
	WW241579VPL1LEL	WW241579VPL1REL	Laminate		2515	23 ³ / ₁₆	14 ¹ / ₁₆	78 ¹ / ₁₆	—	22.5
	WW241868VPL1LEL	WW241868VPL1REL	Laminate	\$	2243	23 ³ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₈	—	23.0
	WW241568VPL1LEL	WW241568VPL1REL	Laminate		2243	23 ³ / ₁₆	14 ¹ / ₁₆	66 ⁷ / ₈	—	19.5
	WW181879VPL1LEL	WW181879VPL1REL	Laminate	\$	2455	17 ¹ / ₁₆	17 ¹ / ₁₆	78 ¹ / ₁₆	—	21.1
	WW181579VPL1LEL	WW181579VPL1REL	Laminate		2455	17 ¹ / ₁₆	14 ¹ / ₁₆	78 ¹ / ₁₆	—	17.9
	WW181868VPL1LEL	WW181868VPL1REL	Laminate	\$	2185	17 ¹ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₈	—	18.2
	WW181568VPL1LEL	WW181568VPL1REL	Laminate		2185	17 ¹ / ₁₆	14 ¹ / ₁₆	66 ⁷ / ₈	—	15.4

- Locks ship separately and require field installation
- 2 fixed shelves and 2 coat hooks included
- If using 1 locker by itself it MUST be attached to a wall
- If using more than 1 locker side by side they MUST be ganged together
- If using more than 1 locker back to back, a cluster of 4 lockers MUST be ordered and ganged both side to side and front to back
- Do not specify pull when ordering electronic locking units
- Electronic locking features passcode operation; can be used for multi-use or single use
- Rechargeable lithium battery included. Charge with either a wired USB charger or USB power pack (not included)

LOCKER 2 DOOR ELECTRONIC LOCK



LOCKERS/2 DOOR/ELECTRONIC LOCK											
LEFT HINGED		RIGHT HINGED									
WW241879VPL2LEL	WW241879VPL2REL	Laminate	\$ 3177	23 ³ / ₁₆	17 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	26.8	
WW241579VPL2LEL	WW241579VPL2REL	Laminate	3177	23 ³ / ₁₆	14 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	22.5	
WW241868VPL2LEL	WW241868VPL2REL	Laminate	\$ 2904	23 ³ / ₁₆	17 ¹ / ₁₆	66 ¹ / ₂	—	—	—	23.0	
WW241568VPL2LEL	WW241568VPL2REL	Laminate	2904	23 ³ / ₁₆	14 ¹ / ₁₆	66 ¹ / ₂	—	—	—	19.5	
WW181879VPL2LEL	WW181879VPL2REL	Laminate	\$ 3117	17 ¹ / ₁₆	17 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	21.1	
WW181579VPL2LEL	WW181579VPL2REL	Laminate	3117	17 ¹ / ₁₆	14 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	17.9	
WW181868VPL2LEL	WW181868VPL2REL	Laminate	\$ 2847	17 ¹ / ₁₆	17 ¹ / ₁₆	66 ¹ / ₂	—	—	—	18.2	
WW181568VPL2LEL	WW181568VPL2REL	Laminate	2847	17 ¹ / ₁₆	14 ¹ / ₁₆	66 ¹ / ₂	—	—	—	15.4	

- Locks ship separately and require field installation
- 2 coat hooks behind each door
- If using 1 locker by itself it MUST be attached to a wall
- If using more than 1 locker side by side they MUST be ganged together
- If using more than 1 locker back to back, a cluster of 4 lockers MUST be ordered and ganged both side to side and front to back
- Do not specify pull when ordering electronic locking units
- Electronic locking features passcode operation; can be used for multi-use or single use
- Rechargeable lithium battery included. Charge with either a wired USB charger or USB power pack (not included)

PRODUCT SPECIFICATIONS

- Laminate only; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors

TO ORDER, SPECIFY:

1. Model Number
2. E lock color
3. Laminate Door-Drawer Color
4. Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW241879VPL3LEL S MC MC
WW2379CPFPL CW

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H							
LOCKER 3 DOOR ELECTRONIC LOCK 	LOCKERS/3 DOOR/ELECTRONIC LOCK											
	LEFT HINGED	RIGHT HINGED										
	WW241879VPL3LEL	WW241879VPL3REL	Laminate	\$	3837	23 ³ / ₁₆	17 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	26.8
	WW241579VPL3LEL	WW241579VPL3REL	Laminate		3837	23 ³ / ₁₆	14 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	22.5
	WW241868VPL3LEL	WW241868VPL3REL	Laminate	\$	3566	23 ³ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	23.0
	WW241568VPL3LEL	WW241568VPL3REL	Laminate		3566	23 ³ / ₁₆	14 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	19.5
	WW181879VPL3LEL	WW181879VPL3REL	Laminate	\$	3779	17 ¹ / ₁₆	17 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	21.1
	WW181579VPL3LEL	WW181579VPL3REL	Laminate		3779	17 ¹ / ₁₆	14 ¹ / ₁₆	78 ¹ / ₁₆	—	—	—	17.9
	WW181868VPL3LEL	WW181868VPL3REL	Laminate	\$	3509	17 ¹ / ₁₆	17 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	18.2
	WW181568VPL3LEL	WW181568VPL3REL	Laminate		3509	17 ¹ / ₁₆	14 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	15.4
• Locks ship separately and require field installation • 2 coat hooks behind each door • If using 1 locker by itself it MUST be attached to a wall • If using more than 1 locker side by side they MUST be ganged together • If using more than 1 locker back to back, a cluster of 4 lockers MUST be ordered and ganged both side to side and front to back • Do not specify pull when ordering electronic locking units • Electronic locking features passcode operation; can be used for multi-use or single use • Rechargeable lithium battery included. Charge with either a wired USB charger or USB power pack (not included)												

WARDROBE/STORAGE CABINETS AND LOCKERS FILLER PANELS



23" DEPTH

WW2379CPFPL	\$	281	6	23 ³ / ₁₆	78 ³ / ₄	—	—	—	1.5
WW2368CPFPL		228	6	23 ³ / ₁₆	66 ⁷ / ₁₆	—	—	—	0.9

17" DEPTH


WW1779CPFPL	\$	209	6	17 ¹ / ₁₆	78 ³ / ₄	—	—	—	1.5
WW1768CPFPL		186	6	17 ¹ / ₁₆	66 ⁷ / ₁₆	—	—	—	1.3

- To be used with Wardrobe Storage Cabinets and Lockers to fill in space as needed
- Can be field cut to desired width

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:


1. Model Number
2. Veneer Chassis Finish/Laminate Chassis Color


SAMPLE MODEL NUMBERS:

WWN3680BCOFW MH
WWN3680BCOFL AD

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	INTENDED FOR USE WITH 1 1/8" THICK WORKSURFACE MODELS									
	WWN3680BCOFW	Wood	\$ 2797	13 1/16	35 1/2	79 1/16	—	—	184 lbs.	38.3
	WWN3680BCOFL	Laminate	1389	13 1/16	35 1/2	79 1/16	—	—	184 lbs.	38.3
	INTENDED FOR USE WITH 1 1/8" THICK WORKSURFACE MODELS									
	QWW3679BCOFW	Wood	\$ 2797	13 3/16	35 1/2	79 3/4	—	—	184 lbs.	38.3
	WW3679BCOFW	Wood	2797	13 3/16	35 1/2	79 3/4	—	—	184 lbs.	38.3
	QWW3679BCOFL	Laminate	1389	13 3/16	35 1/2	79 3/4	—	—	184 lbs.	38.3
	WW3679BCOFL	Laminate	1389	13 3/16	35 1/2	79 3/4	—	—	184 lbs.	38.3
	• Specify chassis finish only • Shaded shelves are adjustable • Not intended for use as set-on surface storage • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less									

4 SHELF OPEN BOOKCASE 	INTENDED FOR USE WITH 1 1/8" THICK WORKSURFACE MODELS								
	WWN3669BCOFW Wood	\$ 2432	13 1/16	35 1/2	67 1/4	—	—	188 lbs.	31.6
	WWN3669BCOFL Laminate	1211	13 1/16	35 1/2	67 1/4	—	—	188 lbs.	31.6
	INTENDED FOR USE WITH 1 1/8" THICK WORKSURFACE MODELS								
	QWW3668BCOFW Wood	\$ 2432	13 1/16	35 1/2	66 7/8	—	—	188 lbs.	31.6
	WW3668BCOFW Wood	2432	13 1/16	35 1/2	66 7/8	—	—	188 lbs.	31.6
	QWW3668BCOFL Laminate	1211	13 1/16	35 1/2	66 7/8	—	—	188 lbs.	31.6
	WW3668BCOFL Laminate	1211	13 1/16	35 1/2	66 7/8	—	—	188 lbs.	31.6
	• Specify chassis finish only • Shaded shelves are adjustable • Not intended for use as set-on surface storage • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less								

3 SHELF OPEN BOOKCASE 	QWW3653BCOFW Wood	\$ 2234	13 1/16	35 1/2	52 1/16	—	—	140 lbs.	26.7
	WW3653BCOFW Wood	2234	13 1/16	35 1/2	52 1/16	—	—	140 lbs.	26.7
	QWW3653BCOFL Laminate	1093	13 1/16	35 1/2	52 1/16	—	—	140 lbs.	26.7
	WW3653BCOFL Laminate	1093	13 1/16	35 1/2	52 1/16	—	—	140 lbs.	26.7
	• Specify chassis finish only • Shaded shelves are adjustable • Not intended for use as set-on surface storage								

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color






SAMPLE MODEL NUMBERS:

WW3640BCOFW AC
WW3640BCOFL AC2

- See pages 284-288 for all options available in WaveWorks



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
2 SHELF OPEN BOOKCASE 	QWW3640BCOFW Wood	\$ 1894	13 ¹ / ₁₆	35 ⁵ / ₈	40 ³ / ₁₆	—	—	112 lbs.	20.6
	WW3640BCOFW Wood	1894	13 ¹ / ₁₆	35 ⁵ / ₈	40 ³ / ₁₆	—	—	112 lbs.	20.6
	QWW3640BCOFL Laminate	955	13 ¹ / ₁₆	35 ⁵ / ₈	40 ³ / ₁₆	—	—	112 lbs.	20.6
	WW3640BCOFL Laminate	955	13 ¹ / ₁₆	35 ⁵ / ₈	40 ³ / ₁₆	—	—	112 lbs.	20.6
• Specify chassis finish only • Shaded shelf is adjustable • Not intended for use as set-on surface storage									
1 SHELF OPEN BOOKCASE 	QWW3628BCOFW Wood	\$ 1656	13 ¹ / ₁₆	35 ⁵ / ₈	27 ⁵ / ₁₆	—	—	75 lbs.	13.7
	WW3628BCOFW Wood	1656	13 ¹ / ₁₆	35 ⁵ / ₈	27 ⁵ / ₁₆	—	—	75 lbs.	13.7
	QWW3628BCOFL Laminate	820	13 ¹ / ₁₆	35 ⁵ / ₈	27 ⁵ / ₁₆	—	—	75 lbs.	13.7
	WW3628BCOFL Laminate	820	13 ¹ / ₁₆	35 ⁵ / ₈	27 ⁵ / ₁₆	—	—	75 lbs.	13.7
• Specify chassis finish only • Shaded shelf is adjustable • Not intended for use as set-on surface storage									
BOOKCASE WITH DOORS   	INTENDED FOR USE WITH 1⁵/₁₆" THICK WORKSURFACES								
	WWN3680BCOHFW Wood	\$ 3423	14 ³ / ₄	35 ⁵ / ₈	79 ¹ / ₁₆	—	—	220 lbs.	35.0
	WWN3680BCOHFL Laminate	1943	14 ³ / ₄	35 ⁵ / ₈	79 ¹ / ₁₆	—	—	220 lbs.	35.0
	WWN3669BCOHFW Wood	\$ 2977	14 ³ / ₄	35 ⁵ / ₈	67 ¹ / ₄	—	—	193 lbs.	31.6
	WWN3669BCOHFL Laminate	1690	14 ³ / ₄	35 ⁵ / ₈	67 ¹ / ₄	—	—	193 lbs.	31.6
	INTENDED FOR USE WITH 1³/₁₆" THICK WORKSURFACES								
	WW3679BCOHFW Wood	\$ 3423	14 ³ / ₄	35 ⁵ / ₈	79 ¹ / ₁₆	—	—	220 lbs.	35.0
	WW3679BCOHFL Laminate	1943	14 ³ / ₄	35 ⁵ / ₈	79 ¹ / ₁₆	—	—	220 lbs.	35.0
	WW3668BCOHFW Wood	\$ 2977	14 ³ / ₄	35 ⁵ / ₈	66 ⁵ / ₈	—	—	193 lbs.	31.6
	WW3668BCOHFL Laminate	1690	14 ³ / ₄	35 ⁵ / ₈	66 ⁵ / ₈	—	—	193 lbs.	31.6
	WW3653BCOHFW Wood	\$ 2768	14 ³ / ₄	35 ⁵ / ₈	52 ¹ / ₄	—	—	145 lbs.	26.7
	WW3653BCOHFL Laminate	1566	14 ³ / ₄	35 ⁵ / ₈	52 ¹ / ₄	—	—	145 lbs.	26.7
• Shaded shelves are adjustable • Cabinet features an adjustable shelf in bottom storage behind doors • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Almond Horizontal (ADH), Cinder Linear Horizontal (492H), Designer White Linear Horizontal (491H), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H) and Skyline Horizontal (SKH) laminate options available on models 60" H or less									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3650BCOW AC
WW3650BCOL AC2

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC WEIGHT FEET	
				D	W	H	A	KW		
OPEN BOOKCASE SET-ON SURFACE	50" HIGH									
	WW3650BCOW	Wood	\$ 1972	13 ¹ / ₁₆	35 ⁷ / ₈	50	—	—	109 lbs.	25.5
	WW3650BCOL	Laminate	1130	13 ¹ / ₁₆	35 ⁷ / ₈	50	—	—	109 lbs.	25.5
	WW3050BCOW	Wood	\$ 1837	13 ¹ / ₁₆	29 ¹ / ₁₆	50	—	—	97 lbs.	21.9
	WW3050BCOL	Laminate	1057	13 ¹ / ₁₆	29 ¹ / ₁₆	50	—	—	97 lbs.	21.9
	WW1850BCOW	Wood	\$ 1617	13 ¹ / ₁₆	17 ¹ / ₁₆	50	—	—	81 lbs.	14.7
	WW1850BCOL	Laminate	955	13 ¹ / ₁₆	17 ¹ / ₁₆	50	—	—	81 lbs.	14.7
	WW1550BCOW	Wood	\$ 1484	13 ¹ / ₁₆	14 ¹ / ₁₆	50	—	—	68 lbs.	9.5
	WW1550BCOL	Laminate	878	13 ¹ / ₁₆	14 ¹ / ₁₆	50	—	—	68 lbs.	9.5
	38" HIGH									
	WW3638BCOW	Wood	\$ 1558	13 ¹ / ₁₆	35 ⁷ / ₈	38	—	—	100 lbs.	20.6
	WW3638BCOL	Laminate	748	13 ¹ / ₁₆	35 ⁷ / ₈	38	—	—	100 lbs.	20.6
	WW3038BCOW	Wood	\$ 1430	13 ¹ / ₁₆	29 ¹ / ₁₆	38	—	—	85 lbs.	16.8
	WW3038BCOL	Laminate	680	13 ¹ / ₁₆	29 ¹ / ₁₆	38	—	—	85 lbs.	16.8
	WW1838BCOW	Wood	\$ 1212	13 ¹ / ₁₆	17 ¹ / ₁₆	38	—	—	60 lbs.	11.0
	WW1838BCOL	Laminate	576	13 ¹ / ₁₆	17 ¹ / ₁₆	38	—	—	60 lbs.	11.0
	WW1538BCOW	Wood	\$ 1081	13 ¹ / ₁₆	14 ¹ / ₁₆	38	—	—	55 lbs.	9.5
	WW1538BCOL	Laminate	507	13 ¹ / ₁₆	14 ¹ / ₁₆	38	—	—	55 lbs.	9.5

- Specify chassis finish only
- Not intended for use on table desking
- Shaded shelves are adjustable
- 2 adjustable shelves

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate chassis available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options



TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3650BCHW KRB CW
WW3650BCHL KRB 405 405

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BOOKCASE WITH DOORS SET-ON SURFACE  	50" HIGH									
	WW3650BCHGW	Glass/Wood	\$ 4384	14¾	35⅝	49⅛	—	—	144 lbs.	25.5
	WW3650BCHGL	Glass/Laminate	3409	14¾	35⅝	49⅛	—	—	144 lbs.	25.5
	WW3650BCHW	Wood	2143	14¾	35⅝	49⅛	—	—	144 lbs.	25.5
	WW3650BCHL	Laminate	1188	14¾	35⅝	49⅛	—	—	144 lbs.	25.5
	WW3050BCHGW	Glass/Wood	\$ 3983	14¾	29⅛	49⅛	—	—	126 lbs.	21.9
	WW3050BCHGL	Glass/Laminate	3098	14¾	29⅛	49⅛	—	—	126 lbs.	21.9
	WW3050BCHW	Wood	2013	14¾	29⅛	49⅛	—	—	126 lbs.	21.9
	WW3050BCHL	Laminate	1095	14¾	29⅛	49⅛	—	—	126 lbs.	21.9
	38" HIGH									
	WW3638BCHGW	Glass/Wood	\$ 3911	14¾	35⅝	38⅞	—	—	110 lbs.	19.9
	WW3638BCHGL	Glass/Laminate	2114	14¾	35⅝	38⅞	—	—	110 lbs.	19.9
	WW3638BCHW	Wood	1723	14¾	35⅝	38⅞	—	—	110 lbs.	19.9
	WW3638BCHL	Laminate	809	14¾	35⅝	38⅞	—	—	110 lbs.	19.9
	WW3038BCHGW	Glass/Wood	\$ 3553	14¾	29⅛	38⅞	—	—	94 lbs.	17.1
	WW3038BCHGL	Glass/Laminate	1920	14¾	29⅛	38⅞	—	—	94 lbs.	17.1
	WW3038BCHW	Wood	1593	14¾	29⅛	38⅞	—	—	94 lbs.	17.1
	WW3038BCHL	Laminate	717	14¾	29⅛	38⅞	—	—	94 lbs.	17.1
	• Not intended for use on table desking • Shaded shelves are adjustable • 50" high models have 3 adjustable shelves; 38" high models have 2 adjustable shelves • Glass doors do not lock • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate chassis available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:



WW1850BCHLW KRB CW
WW1850BCHLL KRB 405 405

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H	A			
BOOKCASE WITH DOOR SET-ON SURFACE	50" HIGH LEFT HINGED	RIGHT HINGED								
	WW1850BCHLGW	WW1850BCHRGW	Glass/Wood	\$ 3620	14 $\frac{3}{4}$	17 $\frac{1}{16}$	49 $\frac{1}{16}$	—	—	98 lbs. 14.7
	WW1850BCHLGL	WW1850BCHRGL	Glass/Lam	2545	14 $\frac{3}{4}$	17 $\frac{1}{16}$	49 $\frac{1}{16}$	—	—	98 lbs. 14.7
	WW1850BCHLW	WW1850BCHRW	Wood	1692	14 $\frac{3}{4}$	17 $\frac{1}{16}$	49 $\frac{1}{16}$	—	—	98 lbs. 14.7
	WW1850BCHLL	WW1850BCHRL	Laminate	987	14 $\frac{3}{4}$	17 $\frac{1}{16}$	49 $\frac{1}{16}$	—	—	98 lbs. 14.7
	WW1550BCHLGW	WW1550BCHRGW	Glass/Wood	\$ 3418	14 $\frac{3}{4}$	14 $\frac{1}{16}$	49 $\frac{1}{16}$	—	—	98 lbs. 14.7
	WW1550BCHLGL	WW1550BCHRGL	Glass/Lam	1865	14 $\frac{3}{4}$	14 $\frac{1}{16}$	49 $\frac{1}{16}$	—	—	98 lbs. 14.7
	WW1550BCHLW	WW1550BCHRW	Wood	1579	14 $\frac{3}{4}$	14 $\frac{1}{16}$	49 $\frac{1}{16}$	—	—	98 lbs. 14.7
	WW1550BCHLL	WW1550BCHRL	Laminate	905	14 $\frac{3}{4}$	14 $\frac{1}{16}$	49 $\frac{1}{16}$	—	—	98 lbs. 14.7
	38" HIGH LEFT HINGED	RIGHT HINGED								
	WW1838BCHLGW	WW1838BCHRGW	Glass/Wood	\$ 2325	14 $\frac{3}{4}$	17 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	77 lbs. 11.4
	WW1838BCHLGL	WW1838BCHRGL	Glass/Lam	1255	14 $\frac{3}{4}$	17 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	77 lbs. 11.4
	WW1838BCHLW	WW1838BCHRW	Wood	1283	14 $\frac{3}{4}$	17 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	77 lbs. 11.4
	WW1838BCHLL	WW1838BCHRL	Laminate	611	14 $\frac{3}{4}$	17 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	77 lbs. 11.4
	WW1538BCHLGW	WW1538BCHRGW	Glass/Wood	\$ 2157	14 $\frac{3}{4}$	14 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	77 lbs. 11.4
	WW1538BCHLGL	WW1538BCHRGL	Glass/Lam	1166	14 $\frac{3}{4}$	14 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	77 lbs. 11.4
	WW1538BCHLW	WW1538BCHRW	Wood	1174	14 $\frac{3}{4}$	14 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	77 lbs. 11.4
	WW1538BCHLL	WW1538BCHRL	Laminate	531	14 $\frac{3}{4}$	14 $\frac{1}{16}$	38 $\frac{3}{8}$	—	—	77 lbs. 11.4

- Not intended for use on table desking
- Shaded shelves are adjustable
- 50" high models have 3 adjustable shelves; 38" high models have 2 adjustable shelves
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

BOOKCASE WITH DOOR SET-ON SURFACE



Left shown

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:


1. Model Number
2. Finish (wood models)
3. Door Laminate Color (laminate models)
4. Laminate Color (laminate models)

SAMPLE MODEL NUMBERS:


WW3664BCOHHMALW CW
WW3664BCOHHMALL 405 PB

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
SET-ON BOOKCASE STYLE A  Left shown	64" HIGH										
	LEFT										
	RIGHT										
	WW3664BCOHHMALW	WW3664BCOHHMARW	Wood	\$ 3262	14¾	35½	63¾	—	—	lbs.	
	WW3664BCOHHMALL	WW3664BCOHHMARRL	Laminate	2113	14¾	35½	63¾	—	—	lbs.	
	WW3064BCOHHMALW	WW3064BCOHHMARW	Wood	\$ 3161	14¾	29½	63¾	—	—	lbs.	
	WW3064BCOHHMALL	WW3064BCOHHMARRL	Laminate	2012	14¾	29½	63¾	—	—	lbs.	
	• Cornice frames are available. See pages 405-411 • Not intended for table desking • Shaded shelves are adjustable • Back not finished; for use with wall • Not to be used in open plan; however, units can be used if back to back and ganged • Must be attached to wall • Non-locking, no pull										

SET-ON BOOKCASE
STYLE B

64" HIGH											
WW3664BCOHHMBW	Wood		\$ 3262	14¾	35½	63¾	—	—	lbs.		
WW3664BCOHHMBL	Laminate		2113	14¾	35½	63¾	—	—	lbs.		
WW3064BCOHHMBW	Wood		\$ 3161	14¾	29½	63¾	—	—	lbs.		
WW3064BCOHHMBL	Laminate		2012	14¾	29½	63¾	—	—	lbs.		
• Cornice frames are available. See pages 405-411 • Not intended for table desking • Shaded shelves are adjustable • Back not finished; for use with wall • Not to be used in open plan; however, units can be used if back to back and ganged • Must be attached to wall • Non-locking, no pull											

SET-ON BOOKCASE
STYLE C

64" HIGH											
LEFT											
RIGHT											
WW3664BCOHHMCLW	WW3664BCOHHMCRW	Wood	\$ 3262	14¾	35½	63¾	—	—	lbs.		
WW3664BCOHHMCLL	WW3664BCOHHMCRLL	Laminate	2113	14¾	35½	63¾	—	—	lbs.		
WW3064BCOHHMCLW	WW3064BCOHHMCRW	Wood	\$ 3161	14¾	29½	63¾	—	—	lbs.		
WW3064BCOHHMCLL	WW3064BCOHHMCRLL	Laminate	2012	14¾	29½	63¾	—	—	lbs.		
• Cornice frames are available. See pages 405-411 • Not intended for table desking • Shaded shelves are adjustable • Back not finished; for use with wall • Not to be used in open plan; however, units can be used if back to back and ganged • Must be attached to wall • Non-locking, no pull											

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:


1. Model Number
2. Finish (wood models)
3. Door Laminate Color (laminate models)
4. Laminate Color (laminate models)


SAMPLE MODEL NUMBERS:

WW3050BCOHHMALW MC
WW3050BCOHHMALL 405 462

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
SET-ON BOOKCASE STYLE A  Left shown	50" HIGH LEFT								
	WW3650BCOHHMALW	Wood	\$ 2544	14¾	35½	50	—	—	lbs.
	WW3650BCOHHMALL	Laminate	1825	14¾	35½	50	—	—	lbs.
	50" HIGH RIGHT								
	WW3050BCOHHMALW	Wood	\$ 2443	14¾	29⅞	50	—	—	lbs.
	WW3050BCOHHMALL	Laminate	1724	14¾	29⅞	50	—	—	lbs.
	• Cornice frames are available. See pages 405-411 • Not intended for table desking • Shaded shelves are adjustable • Back not finished; for use with wall • Not to be used in open plan; however, units can be used if back to back and ganged • Must be attached to wall • Non-locking, no pull								

SET-ON BOOKCASE STYLE B 	50" HIGH								
	WW3650BCOHHMBW	Wood	\$ 2544	14¾	35½	50	—	—	lbs.
	WW3650BCOHHMBL	Laminate	1825	14¾	35½	50	—	—	lbs.
	50" HIGH								
	WW3050BCOHHMBW	Wood	\$ 2443	14¾	29⅞	50	—	—	lbs.
	WW3050BCOHHMBL	Laminate	1724	14¾	29⅞	50	—	—	lbs.
	• Cornice frames are available. See pages 405-411 • Not intended for table desking • Shaded shelves are adjustable • Back not finished; for use with wall • Not to be used in open plan; however, units can be used if back to back and ganged • Must be attached to wall • Non-locking, no pull								

SET-ON BOOKCASE STYLE C  Right shown	50" HIGH LEFT								
	WW3650BCOHHMCLW	Wood	\$ 2544	14¾	35½	50	—	—	lbs.
	WW3650BCOHHMCLL	Laminate	1825	14¾	35½	50	—	—	lbs.
	50" HIGH RIGHT								
	WW3050BCOHHMCLW	Wood	\$ 2443	14¾	29⅞	50	—	—	lbs.
	WW3050BCOHHMCLL	Laminate	1724	14¾	29⅞	50	—	—	lbs.
	• Cornice frames are available. See pages 405-411 • Not intended for table desking • Shaded shelf is adjustable • Back not finished; for use with wall • Not to be used in open plan; however, units can be used if back to back and ganged • Must be attached to wall • Non-locking, no pull								

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:


1. Model Number
2. Finish (wood models)
3. Door Laminate Color (laminate models)
4. Laminate Color (laminate models)

SAMPLE MODEL NUMBERS:

WW3638BCOHMALW MC
WW3638BCOHMALL 462 PB

- See pages 284-288 for all options available in WaveWorks


	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
SET-ON BOOKCASE STYLE A  Left shown	38" HIGH										
	LEFT										
	RIGHT										
	WW3638BCOHMALW	WW3638BCOHEMARW	Wood	\$ 2255	14 $\frac{3}{4}$	35 $\frac{5}{8}$	38	—	—	lbs.	
	WW3638BCOHMALL	WW3638BCOHEMARL	Laminate	1538	14 $\frac{3}{4}$	35 $\frac{5}{8}$	38	—	—	lbs.	
	WW3038BCOHMALW	WW3038BCOHEMARW	Wood	\$ 2154	14 $\frac{3}{4}$	29 $\frac{1}{2}$	38	—	—	lbs.	
	WW3038BCOHMALL	WW3038BCOHEMARL	Laminate	1437	14 $\frac{3}{4}$	29 $\frac{1}{2}$	38	—	—	lbs.	
	• Cornice frames are available. See pages 405-411 • Not intended for table desking • Shaded shelf is adjustable • Back not finished; for use with wall • Not to be used in open plan; however, units can be used if back to back and ganged • Must be attached to wall • Non-locking, no pull										

SET-ON BOOKCASE
STYLE B

38" HIGH

WW3638BCOHEMBW	Wood	\$ 2255	14¾	35⅝	38	—	—	lbs.
WW3638BCOHEMBL	Laminate	1538	14¾	35⅝	38	—	—	lbs.
WW3038BCOHEMBW	Wood	\$ 2154	14¾	29⅞	38	—	—	lbs.
WW3038BCOHEMBL	Laminate	1437	14¾	29⅞	38	—	—	lbs.

- Cornice frames are available. See pages 405-411
- Not intended for table desking
- Back not finished; for use with wall
- Not to be used in open plan; however, units can be used if back to back and ganged
- Must be attached to wall
- Non-locking, no pull

SET-ON BOOKCASE
STYLE C

38" HIGH											
LEFT		RIGHT									
WW3638BCOHEMCLW	WW3638BCOHEMCRW	Wood	\$ 2255	14%	35%	38	—	—	lbs.		
WW3638BCOHEMCLL	WW3638BCOHEMCRL	Laminate	1538	14%	35%	38	—	—	lbs.		
WW3038BCOHEMCLW	WW3038BCOHEMCRW	Wood	\$ 2154	14%	29½%	38	—	—	lbs.		
WW3038BCOHEMCLL	WW3038BCOHEMCRL	Laminate	1437	14%	29½%	38	—	—	lbs.		
• Cornice frames are available. See pages 405-411 • Not intended for table desking • Back not finished; for use with wall • Not to be used in open plan; however, units can be used if back to back and ganged • Must be attached to wall • Non-locking, no pull											

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Vinyl Rim Color
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color
10. Metal Color


SAMPLE MODEL NUMBERS:

WWN2415PFBBFW F 3CC KRB
WWN2415PFBBFL F 6CC KRB

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
FREESTANDING PEDESTAL BOX/BOX/FILE 	1¹/₆" TOP THICKNESS								
	WWN2415PFBBFW Wood	\$ 2379	23 ¹ / ₁₆	15 ⁵ / ₁₆	29 ³ / ₄	—	—	83 lbs.	11.4
	WWN2415PFBBFL Laminate	1507	23 ¹ / ₁₆	15 ⁵ / ₁₆	29 ³ / ₄	—	—	83 lbs.	11.4
	1³/₈" TOP THICKNESS								
	WW2415PFBBFW Wood	\$ 1895	23 ¹ / ₁₆	15 ³ / ₁₆	28 ⁷ / ₈	—	—	83 lbs.	11.4
	WW2415PFBBFL Laminate	1249	23 ¹ / ₁₆	15 ³ / ₁₆	28 ⁷ / ₈	—	—	83 lbs.	11.4

FREESTANDING PEDESTAL FILE/FILE 	1¹/₆" TOP THICKNESS								
	WWN2415PFFFW Wood	\$ 2379	23 ¹ / ₁₆	15 ⁵ / ₁₆	29 ³ / ₄	—	—	83 lbs.	11.4
	WWN2415PFFFL Laminate	1507	23 ¹ / ₁₆	15 ⁵ / ₁₆	29 ³ / ₄	—	—	83 lbs.	11.4
	1³/₈" TOP THICKNESS								
	WW2415PFFFW Wood	\$ 1895	23 ¹ / ₁₆	15 ³ / ₁₆	28 ⁷ / ₈	—	—	83 lbs.	11.4
	WW2415PFFFL Laminate	1249	23 ¹ / ₁₆	15 ³ / ₁₆	28 ⁷ / ₈	—	—	83 lbs.	11.4

MOBILE PEDESTAL BOX/BOX/FILE WITH TOP 	WW2315PMBBF2W Wood	\$ 2327	22 ¹ / ₁₆	14 ¹ / ₁₆	25 ¹ / ₈	—	—	75 lbs.	9.9
	WW2315PMBBF2L Laminate	1475	22 ¹ / ₁₆	14 ¹ / ₁₆	25 ¹ / ₈	—	—	75 lbs.	9.9

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- If specifying wood, you must specify the same finish for all options


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color
10. Metal Color

SAMPLE MODEL NUMBER:

WW2315PMBF2W 6MB KRB HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW						
MOBILE PEDESTAL BOX/FILE WITH TOP 	WW2315PMBF2W	Wood	\$ 2327	22 $\frac{1}{8}$ "	15 $\frac{1}{8}$ "	21 $\frac{1}{8}$ "	—	—	—	76 lbs.	8.7
	WW2315PMBF2L	Laminate	1475	22 $\frac{1}{8}$ "	15 $\frac{1}{8}$ "	21 $\frac{1}{8}$ "	—	—	—	76 lbs.	8.7
	• 4 double wheel non-locking casters standard • Maximum weight unit can hold is 300 pounds • Do not specify rim option • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										
MOBILE PEDESTAL FILE/FILE WITH TOP 	WW2315PMFF2W	Wood	\$ 2327	22 $\frac{1}{8}$ "	14 $\frac{1}{8}$ "	25 $\frac{1}{8}$ "	—	—	—	75 lbs.	9.9
	WW2315PMFF2L	Laminate	1475	22 $\frac{1}{8}$ "	14 $\frac{1}{8}$ "	25 $\frac{1}{8}$ "	—	—	—	75 lbs.	9.9

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color
10. Metal Color

SAMPLE MODEL NUMBER:

WW2315PMBFCW 6MB KRB 4 41301 HN

- See pages 284-288 for all options available in WaveWorks

MOBILE PEDESTAL CUSHION TOP



MODEL NO./DESCRIPTION

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7
WW2315PMBFCW	Wood	\$	2052	2082	2096	2118	2142	2183	2238

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	2103	2134	2158	2184	2212	2242	2267	2298	2328	2360
	K	L	M	N	O	P	Q	R	S	T
\$	2407	2505	2566	2597	2629	2660	2692	2723	2754	2785

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7
WW2315PMBFCL	Laminate	\$	1449	1479	1493	1515	1539	1580	1635

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1500	1531	1555	1581	1609	1639	1664	1695	1725	1757
	K	L	M	N	O	P	Q	R	S	T
\$	1804	1902	1963	1994	2026	2057	2089	2120	2151	2182

DIMENSIONS

Depth	22 ¹ / ₄	Height	23	Weight	78
Width	15 ¹ / ₂			Cubic Ft.	9.2

- Maximum weight unit can hold is 300 pounds
- Refer to the Surface Materials Reference Guide for available seating textile options
- Specify textile grade and color for cushion top
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 285 for options
- If specifying wood, you must specify the same finish for all options



TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Vinyl Rim Color
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color
10. Metal Color

SAMPLE MODEL NUMBER:

WWN2436MUCW 6MB KRB HN

- See pages 284-288 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	1 ¹ / ₁₆ " TOP THICKNESS			D	W	H				
	WWN2436MUCW	Wood	\$ 2919	26 ⁷ / ₁₆	36 ¹ / ₁₆	34 ¹ / ₈	—	—	155 lbs.	17.1
	WWN2436MUCLW	Laminate/Wood	2919	26 ⁷ / ₁₆	36 ¹ / ₁₆	34 ¹ / ₈	—	—	155 lbs.	17.1
	WWN2436MUCL	Laminate	2187	26 ⁷ / ₁₆	36 ¹ / ₁₆	34 ¹ / ₈	—	—	155 lbs.	17.1
	1 ³ / ₁₆ " TOP THICKNESS									
	WW2436MUCW	Wood	\$ 2654	26 ⁷ / ₁₆	36 ¹ / ₁₆	34 ¹ / ₂	—	—	155 lbs.	17.1
	WW2436MUCLW	Laminate/Wood	2654	26 ⁷ / ₁₆	36 ¹ / ₁₆	34 ¹ / ₂	—	—	155 lbs.	17.1
	WW2436MUCL	Laminate	1989	26 ⁷ / ₁₆	36 ¹ / ₁₆	34 ¹ / ₂	—	—	155 lbs.	17.1
	WW2436MUCLL	TFL	1591	26 ⁷ / ₁₆	36 ¹ / ₁₆	34 ¹ / ₁₆	—	—	155 lbs.	17.1
	• Can function as a serving cart or media cart • 1 adjustable shelf behind hinged doors • 4 double wheel non-locking casters standard • Center grommet option available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
	MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	1 ¹ / ₁₆ " TOP THICKNESS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	WW2436MCCW	Wood	\$ 3348	27 ³ / ₁₆	36 ¹ / ₈	43 ³ / ₄	—	—	85 lbs.	24.5
	WW2436MCCL	Laminate	2681	27 ³ / ₁₆	36 ¹ / ₈	43 ³ / ₄	—	—	85 lbs.	24.5
	WW2436MCCLL	TFL	2144	27 ³ / ₁₆	36 ¹ / ₈	43 ³ / ₁₆	—	—	85 lbs.	24.5
	• Do not specify pull, grommet or door finish • Mesh cord manager included • Power director included in worksurface • 4 double wheel locking casters standard • Worksurface height is 28¹/₂" • This unit is available with Cinder (462) or Silver Platinum (508) metal components; must specify metal color									


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Finish
4. Laminate
5. Paint

SAMPLE MODEL NUMBER:


WW243626NKBW F CW

- See pages 284-288 for all options available in WaveWorks

NESTING TABLE
KIDNEY SHAPED

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
WW243626NKBW Wood	\$ 1901	24	36	26 $\frac{3}{4}$	—	—	45 lbs.	5.8
WW243626NKBLW Laminate/Wood	1901	24	36	26 $\frac{3}{4}$	—	—	45 lbs.	5.8
WW243626NKBLL Laminate	1375	24	36	26 $\frac{3}{4}$	—	—	45 lbs.	5.8
WW243626NKBLL TFL	1101	24	36	26 $\frac{1}{16}$	—	—	45 lbs.	5.8

- Unit shipped with 4 legs
- Table height is 26 $\frac{3}{4}$ "; slides underneath standard worksurface
- Locking casters
- Zip rim option does not have "run-out" on curves of kidney shaped table
- Table leg finishes:
 - 462 Cinder
 - 501 Platinum Metallic
 - 503 Satin Nickel Metallic

NESTING TABLE
CONVEX SHAPED

WW243626NCVW Wood	\$ 1901	24	36	26 $\frac{3}{4}$	—	—	45 lbs.	5.8
WW243626NCVLW Laminate/Wood	1901	24	36	26 $\frac{3}{4}$	—	—	45 lbs.	5.8
WW243626NCVL Laminate	1375	24	36	26 $\frac{3}{4}$	—	—	45 lbs.	5.8
WW243626NCVLL TFL	1101	24	36	26 $\frac{1}{16}$	—	—	45 lbs.	5.8

- Unit shipped with 4 legs
- Table height is 26 $\frac{3}{4}$ "; slides underneath standard worksurface
- Locking casters
- Table leg finishes:
 - 462 Cinder
 - 501 Platinum Metallic
 - 503 Satin Nickel Metallic