

WAVEWORKS

METAL

Product Specifications	476
Configuration Options	477
Specification Tips	479
Height Adjust Table Suspended Pedestal	479
Island Worksurfaces Tips	479
Modesty Panels	480
Electronic Locks	481
Metals Planning Guide	482
Metal Arrangements Models	486
Metal Units	496

PRODUCT SPECIFICATIONS

PEDESTALS AND STORAGE UNITS

- Leveling glides with 1¼" of adjustment featured on all units except mobile pedestals
- Powder coated paint

DRAWERS

- ¾" thick drawer front consists of 22-gauge cold-rolled steel
- Silencing bumpers ensure quiet drawer operation
- Cinder steel drawer interiors
- Drawer body consists of 22-gauge cold-rolled steel
- Drawers cannot be bottom loaded
- See interior drawer dimensions below

DRAWER PULLS

- Available in 3 styles, refer to page 477 for styles and colors
- Full overlay drawers on all cabinets unless otherwise noted (exceptions are 2 and 4 drawer freestanding lateral files)

DRAWER SUSPENSION

- File drawers have full extension, progressive action slides with precision steel ball bearings
- Box drawers have full extension slides with ball bearing rollers

FILING

- See filing capabilities below

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores. Electronic locking available, see page 481
- To order key specific lock cores, change keys, and master keys, reference page 660
- When ordering electronic locking, specify key specific on the storage unit so as to only get the hole cutout. Can only be used when selecting Integrated pull option

CONSTRUCTION

UNDERSURFACE STORAGE

- Outer chassis is a single piece U-case of 22-gauge cold-rolled steel
- Inner components consist of O-frame of 20-gauge cold-rolled steel

FREESTANDING LATERAL FILES/WARDROBE

- Outer chassis consists of 22-gauge cold-rolled steel
- Lateral file top is mechanically fastened

ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers; see pages 486-495
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

FREESTANDING LATERAL FILES

- Dual-interlock system ensures only 1 drawer may be opened at a time


COUNTERWEIGHTS

- Counterweight kits are required to ensure product stability and are ordered separately for WaveWorks Metal cabinets
- Counterweights are integrated in mobile pedestals. All other metal cabinets with drawers require counterweights to be specified unless covered by the exception below:
 - cabinets attached to panel systems
 - cabinets attached to architectural walls
 - cabinets attached to the floor
 - cabinets used in "L" desk configurations
 - cabinets used in "U" configurations
 - lateral filing cabinets 2, 3, 4, and 5 high ganged back to back
 - island cabinets when used with island worksurfaces
- Counterweight kits are sold separately, please reference the pricing pages for additional counterweight information

DRAWER DESCRIPTION	INTERIOR DIMENSIONS		HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
	WIDTH	DEPTH		
Box Drawers	12¾"	20"	3½"	N/A
File Drawers	12¾"	20"	10¾"	Letter Front-To-Back
30" ULF	26¼"	15½"	9"	Letter and Legal Side-To-Side
36" ULF	32¼"	15½"	9"	Letter and Legal Side-To-Side
Freestanding Lateral File	32½"	15½"	9"	Letter and Legal Side-To-Side

RAILROADED TACK BOARD


- Shaded rectangle portrays a railroaded tack board



DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

RIM PROFILE OPTIONS



Softened Vinyl (V)



Reed Vinyl (N)

VINYL REED RIM

MC	Amber
AC2	Autumn 2
CL	Caramel
CW	Cordovan
HN2	Honey 2
DW	Judicial
MH	Mocha
NM	Natural
TF	Truffle

VINYL SOFTENED RIM

793	Acorn	440	Cloud
AD	Almond	CC	Cordoba
MC	Amber	CW	Cordovan
AC2	Autumn 2	457	Dapple
BZ	Brazilwood	405	Designer White
IM	Brighton	491	Designer White Linear
CO	Canyon	DF	Driftwood
CL	Caramel	450	Fog
CI	Chai	488	Frosty White
462	Cinder	461	Graphite
492	Cinder Linear	HN2	Honey 2

TM	Huntington	792	Sable
DW	Judicial	SC	Sedona
KN	Kona	425	Shadow
MW	Midtown	SK	Skyline
MH	Mocha	460	Storm
YO	Monterey	TW	Tribeca
NM	Natural	TF	Truffle
478	Platinum Grey	NW	Tuscan
PC	Porcini	UW	Urban
PT	Portico	419	Wallaby
PB	Portobello	WL	Willow

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder	450	Fog
492	Cinder Linear	488	Frosty White
440	Cloud	461	Graphite
457	Dapple	478	Platinum Grey
405	Designer White	425	Shadow
491	Designer White Linear	460	Storm
		419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

CHASSIS PAINT COLORS

STANDARD PAINT

437	Cement	463	Iron
462	Cinder	400	Linen
440	Cloud	454	Morrel
423	Concrete	443	Pavestone
457	Dapple	455	Quarry
405	Designer White	420	Sandstone
450	Fog	425	Shadow
109	Fossil	460	Storm
488	Frosty White	419	Wallaby
461	Graphite		

METALLIC PAINT

(10% List Upcharge)

514	Carbon Metallic
547	Dark Bronze Metallic
501	Platinum Metallic
503	Satin Nickel Metallic
544	Silver Pearl
504	Taupe Metallic

GALLERY PAINT

(10% List Upcharge)

G2004	Blush	G2001	Moon Beam
G2006	Brick Red	G2010	Naval
G2003	Chive	G2013	Olive Branch
G2002	Dark Blue	G2011	Rustic Sun
G2008	Eucalyptus	G2005	Sangria
G2012	Ginkgo	G2009	Tidewater
G2007	Lavender Ash		

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

LOCKING

KEY RANDOM

KRB	Black
KRS	Silver

KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit
KS3B	Black, 3 locks per unit
KS3S	Silver, 3 locks per unit
KS4B	Black, 4 locks per unit
KS4S	Silver, 4 locks per unit

Unit list price will be reduced by \$29 per lock when selecting Key Specific option. Must order specific lock cores separately (\$29 list each). See page 660 for Key Specific model numbers.

• CSL available on HPL worksurfaces

PULL OPTIONS



Integrated (5)



Beam (87)

87MB	Cinder
87CC	Concrete
87IR	Iron
87PL	Platinum Metallic
87SN	Satin Nickel Metallic
(Boring Pattern 128mm)	



Malibu (7)

7MB	Cinder
7CC	Concrete
7IR	Iron
7PL	Platinum Metallic
7SN	Satin Nickel Metallic
(Boring Pattern 128mm)	


WORKSURFACE GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet,
Nylon Plastic

\$41 list for each grommet


- G1L Left
- G1R Right
- G1LR Left & Right
- G1C Center
- G1LC Left & Center
- G1RC Right & Center
- G1A Left, Right & Center



Racetrack Grommet,
Satin Nickel Metallic

\$46 list for each grommet


- G11SNL Left
- G11SNR Right
- G11SNLR Left & Right
- G11SNC Center
- G11SNLC Left & Center
- G11SNRC Right & Center
- G11SNA Left, Right & Center



Racetrack Grommet,
Cinder

\$46 list for each grommet


- G11MBL Left
- G11MBR Right
- G11MBLR Left & Right
- G11MBC Center
- G11MBLC Left & Center
- G11MBRC Right & Center
- G11MBA Left, Right & Center



Racetrack Grommet,
Platinum Metallic

\$46 list for each grommet


- G11PLL Left
- G11PLR Right
- G11PLLR Left & Right
- G11PLC Center
- G11PLLC Left & Center
- G11PLRC Right & Center
- G11PLA Left, Right & Center



Cutout Option for 1 Touch Pivoting Power
Grommet

\$41 list upcharge per cutout location

- CUT-G17L Left
- CUT-G17R Right
- CUT-G17LR Left & Right
- CUT-G17C Center
- CUT-G17LC Left & Center
- CUT-G17RC Right & Center
- CUT-G17A Left, Right & Center



• Reference page 289 for cutout locations of CUT-G17



NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW (Sold Separately)

• Reference page 667 for pricing and details



NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW (Sold Separately)

• Reference page 667 for pricing and details




NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW (Sold Separately)

• Reference page 667 for pricing and details


TACK BOARD VERTICAL TEXTILE OPTIONS

Grade AA	Grade A	Grade B
Lea	Compose	Frenzied
	Crossroads	Fuse
	Dune	Linen
	Fusion	Lyko
	Infuse	Pact
	Merge	Prose
	Mykel	Savile
	Plinth	
	Repetition	
	Tapestry	COM (Grade B)


HEIGHT ADJUST TABLE SUSPENDED PEDESTAL



Suspended pedestal available in open compartment or with left or right hinge door storage units. Hinge painted fronts with the integrated pull. Locking is not available



Open



Hinge door

Units are designed to straddle between rails and works on Naviyd "T" Legs Height Adjust Tables

Not available on "C" Leg Bases

INTERIOR DIMENSIONS

Depth 18"
Height 13 1/8"
Width 12"





Table Width A	Kneespace B
71 3/8"	44 3/4"
65 3/8"	38 3/4"
59 3/8"	32 3/4"
53 3/8"	26 3/4"

Not recommended for use with 48" surfaces due to kneespace restrictions

ISLAND WORKSURFACES TIPS



WORKSURFACES SIZES

MODEL NUMBERS

36" x 30"

WW3630WSS L4/LL4

30" W x 18" D
30" W x 18" D

36" x 36"

WW3636WSS L4/LL4

36" W x 18" D
36" W x 18" D

18" D x 18" W	18" D x 18" W
18" D x 18" W	18" D x 18" W

36" x 54"

WW3654WSS L4/LL4

36" W x 18" D	18" D x 18" W
18" D x 18" W	36" W x 18" D

18" D x 18" W	18" D x 18" W	18" D x 18" W
18" D x 18" W	18" D x 18" W	18" D x 18" W

30" x 72"

WW3072WSS L4/LL4

30" W x 18" D		30" W x 18" D
---------------	--	---------------

36" x 72"

WW3672WSS L4/LL4

36" W x 18" D	36" W x 18" D
36" W x 18" D	36" W x 18" D

36" W x 18" D	36" W x 18" D
36" W x 18" D	36" W x 18" D

18" D x 18" W	18" D x 18" W	18" D x 18" W	18" D x 18" W
18" D x 18" W	18" D x 18" W	18" D x 18" W	18" D x 18" W

36" W x 18" D	18" D x 18" W	18" D x 18" W
18" D x 18" W	18" D x 18" W	36" W x 18" D

36" W x 18" D	18" D x 18" W	18" D x 18" W
18" D x 18" W	18" D x 18" W	36" W x 18" D


18" D x 18" W	18" D x 18" W		18" D x 18" W
18" D x 18" W	18" D x 18" W		18" D x 18" W

18" D x 18" D		18" D x 18" D
18" D x 18" D		18" D x 18" D

MODESTY PANELS


FULL OVERLAY MODESTY PANELS - METAL

- Main modesty panels are used in conjunction with component worksurfaces to create modular units, and specified to create a recessed modesty panel




KNEESPACE MODESTY PANELS - METAL

- Gap between top of modesty panel and underside of worksurface is 1½"; gap between bottom of modesty panel and floor is 3";
- Modesty panel not applicable for attachment to suspended pedestals



FULL END PANEL

- Designed for securement to modesty panel
- Intended use for single pedestal desks/credenzas




HALF END PANEL

- Designed for securement to modesty panel
- Utilize on all corner surfaces with cylinder leg and for continuous surface connections when needing additional support




SUPPORT PANEL

- Designed for securement to modesty panel
- Utilize on 36" corner worksurfaces only with cylinder leg and for continuous surface connections



RETURN SUPPORT PANEL

- Designed for securement to modesty panel
- Utilize 1 return support panel for returns
- Utilize 2 return support panels for bridge units
- Use WW0827SRM to create 24" deep return
- Use WW1227SRM to create 30" deep return




CORNER POST

- Creates corner unit utilizing modesty panels
- Designed to secure modesty panels to corner unit
- Corner post must be used with modesty panels



ELECTRONIC LOCKS


Available on WaveWorks metal cabinetry with the extended pull option only



- Locks ship separately and require field installation
- Available in black or silver
- Locks can be ordered as vertical or horizontal unless noted
- Electronic locks feature motorized locking engagement with manual knob
- Battery Life—3 Months usage on Surface Mount
- Micro-B USB port (Android cable) for emergency power jump and battery charging
- Charging available with wired USB charger or mobile USB power pack
- Keypad locks out for 15 minutes after 5 invalid attempts
- 3 USER MODES
 - Resident employee mode—the passcode will not expire and can be re-used
 - Multi-user mode—in resident employee mode, additional users can be added with each user separately identified for higher security applications (e.g. drug, evidence lockers)
 - Shared use mode—suitable for day lockers/hotel safe
- 2 METHODS OF USE
 - Keypad operation
 - Wesko eLock App (must be downloaded to a smartphone)
- Admin passcodes can be managed by keypad commands (via program mode) or with the Wesko App in Admin mode
- MUST contact Customer Service for administrative pass-codes


METALS PLANNING - KNEESPACE MODESTY

RECTANGULAR WORKSURFACES—DOUBLE PEDESTAL DESK/CREDENZA



RECTANGULAR WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
Double Pedestal Desk/Credenza	96"	WW6623MPM
	84"	WW5423MPM
	72"	WW4223MPM
	66"	WW3623MPM
	60"	WW3023MPM

RECTANGULAR WORKSURFACES-SHELL




RECTANGULAR WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
Shell (24", 30" and 36" deep shell units)	96"	WW9423MPM
	84"	WW8223MPM
	72"	WW7023MPM
	66"	WW6423MPM
	60"	WW5823MPM
	54"	WW5223MPM
	48"	WW4523MPM
	42"	WW4023MPM
	36"	WW3423MPM
	30"	WW2823MPM

METALS PLANNING - KNEESPACE MODESTY (CONTINUED)


RECTANGULAR WORKSURFACES—SINGLE PEDESTAL DESK/CREDENZA

Single Pedestal Desk/Credenza must be connected to another unit; not intended for freestanding use



RECTANGULAR WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
Single Pedestal Desk/Credenza	96"	WW8023MPM
	84"	WW6823MPM
	72"	WW5623MPM
	66"	WW5023MPM
	60"	WW4323MPM
	54"	WW3823MPM
	48"	WW3223MPM
	42"	WW2623MPM
	36"	WW2023MPM
	30"	WW1423MPM

RECTANGULAR WORKSURFACES—2 PEDESTALS (SIDE-BY-SIDE)




RECTANGULAR WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
2 Pedestals (side-by-side)	96"	WW6523MPM
	84"	WW52A23MPM
	72"	WW40A23MPM
	66"	WW3523MPM
	60"	WW2923MPM
	54"	WW2323MPM
	48"	WW1723MPM

METALS PLANNING - KNEESPACE MODESTY (CONTINUED)

EXTENDED CORNER WORKSURFACES—SHELL


Extended Corner unit must be connected to another unit; not intended for freestanding use



EXTENDED CORNER WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
Shell	96"	WW8323MPM
	84"	WW7123MPM
	72"	WW5923MPM
	66"	WW5323MPM
	60"	WW4723MPM
	54"	WW4123MPM
	36"	WW2323MPM

EXTENDED CORNER WORKSURFACES—SINGLE PEDESTAL

Extended Corner unit must be connected to another unit; not intended for freestanding use




EXTENDED CORNER WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
Single Pedestal Desk/Credenza	96"	WW6923MPM
	84"	WW5723MPM
	72"	WW4423MPM
	66"	WW3923MPM
	60"	WW3323MPM
	54"	WW2723MPM

METALS PLANNING - KNEESPACE MODESTY (CONTINUED)

EXTENDED CORNER WORKSURFACES—2 PEDESTALS (SIDE BY SIDE)

Extended Corner unit must be connected to another unit; not intended for freestanding use




EXTENDED CORNER WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
2 Pedestals (side-by-side)	96"	WW54A23MPM
	84"	WW42A23MPM
	72"	WW3123MPM


WAVEWORKS METAL L ARRANGEMENTS


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.


ARRANGEMENTS INCLUDE:

- Integrated pulls
- Softened Wood rim profile (wood models)
- Softened Vinyl, Cinder rim profile (laminare models)
- Random black lock cores
- Center grommet in return
- Must specify finish/laminate and paint

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
L-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW8572LFLM 84%D x 71 1/4"W	\$ 4186
	consists of	
	WW3672WSSDL Worksurface	967
	WW2448WSSVDL Worksurface	463
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW4827MPM Full Overlay Modesty	282
	WW7972LFLM 78%D x 71 1/4"W	\$ 4124
	consists of	
	WW3672WSSDL Worksurface	967
	WW2442WSSVDL Worksurface	421
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW4227MPM Full Overlay Modesty	262

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
L-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW7966LFLM 78%D x 66W	\$ 3860
	consists of	
	WW3066WSSDL Worksurface	658
	WW2448WSSVDL Worksurface	463
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW4827MPM Full Overlay Modesty	282
	WW7366LFLM 72%D x 66W	\$ 3798
	consists of	
	WW3066WSSDL Worksurface	658
	WW2442WSSVDL Worksurface	421
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW4227MPM Full Overlay Modesty	262

L-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW8572LFLLM 84%D x 71 1/4"W	\$ 3910
	consists of	
	WW3672WSSDLL Worksurface	774
	WW2448WSSVDLL Worksurface	380
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW4827MPM Full Overlay Modesty	282
	WW7972LFLLM 78%D x 71 1/4"W	\$ 3854
	consists of	
	WW3672WSSDLL Worksurface	774
	WW2442WSSVDLL Worksurface	344
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW7227MPM Full Overlay Modesty	327
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW4227MPM Full Overlay Modesty	262





L-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW7966LFLLM 78%D x 66W	\$ 3645
	consists of	
	WW3066WSSDLL Worksurface	526
	WW2448WSSVDLL Worksurface	380
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW4827MPM Full Overlay Modesty	282
	WW7366LFLLM 72%D x 66W	\$ 3589
	consists of	
	WW3066WSSDLL Worksurface	526
	WW2442WSSVDLL Worksurface	344
	WW3015PUBBFM B/B/F Pedestal	891
	WW2315PUFFM F/F Pedestal	794
	WW6627MPM Full Overlay Modesty	310
	WW3027EPM End Panel	344
	WW0827SRM Return Support Panel	118
	WW4227MPM Full Overlay Modesty	262

WAVEWORKS METAL U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

ARRANGEMENTS INCLUDE:

- Integrated pulls
- Softened Wood rim profile (wood models)
- Softened Vinyl, Cinder rim profile (laminate models)
- Random black lock cores
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish/laminate and paint

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
U-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10972UFLM 108%D x 71% ¹ / ₈ W \$ 5617		U-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10366UFLM 102%D x 66W \$ 5230	
	consists of WW3672WSSDL Worksurface 967 WW2448WSSVDL Worksurface 463 WW2472WSSDL Worksurface 682 WW3015PUBBFM B/B/F Pedestal 891 WW2315PUFFM F/F Pedestal 794 WW7227MPM Full Overlay Modesty 327 WW7227MPM Full Overlay Modesty 327 WW3027EPM End Panel 344 WW0827SRM Return Support Panel 118 WW0827SRM Return Support Panel 118 WW2427EPM End Panel 304 WW4827MPM Full Overlay Modesty 282			consists of WW3066WSSDL Worksurface 658 WW2448WSSVDL Worksurface 463 WW2466WSSDL Worksurface 638 WW3015PUBBFM B/B/F Pedestal 891 WW2315PUFFM F/F Pedestal 794 WW6627MPM Full Overlay Modesty 310 WW6627MPM Full Overlay Modesty 310 WW3027EPM End Panel 344 WW0827SRM Return Support Panel 118 WW0827SRM Return Support Panel 118 WW2427EPM End Panel 304 WW4827MPM Full Overlay Modesty 282	
	WW10372UFLM 102%D x 71% ¹ / ₈ W \$ 5555			WW9766UFLM 96%D x 66W \$ 5168	
	consists of WW3672WSSDL Worksurface 967 WW2442WSSVDL Worksurface 421 WW2472WSSDL Worksurface 682 WW3015PUBBFM B/B/F Pedestal 891 WW2315PUFFM F/F Pedestal 794 WW7227MPM Full Overlay Modesty 327 WW7227MPM Full Overlay Modesty 327 WW3027EPM End Panel 344 WW0827SRM Return Support Panel 118 WW0827SRM Return Support Panel 118 WW2427EPM End Panel 304 WW4227MPM Full Overlay Modesty 262			consists of WW3066WSSDL Worksurface 658 WW2442WSSVDL Worksurface 421 WW2466WSSDL Worksurface 638 WW3015PUBBFM B/B/F Pedestal 891 WW2315PUFFM F/F Pedestal 794 WW6627MPM Full Overlay Modesty 310 WW6627MPM Full Overlay Modesty 310 WW3027EPM End Panel 344 WW0827SRM Return Support Panel 118 WW0827SRM Return Support Panel 118 WW2427EPM End Panel 304 WW4227MPM Full Overlay Modesty 262	
U-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10972UFLLM 108%D x 71% ¹ / ₈ W \$ 5221		U-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10366UFLLM 102%D x 66W \$ 4905	
	consists of WW3672WSSDLL Worksurface 774 WW2448WSSVDLL Worksurface 380 WW2472WSSDLL Worksurface 562 WW3015PUBBFM B/B/F Pedestal 891 WW2315PUFFM F/F Pedestal 794 WW7227MPM Full Overlay Modesty 327 WW7227MPM Full Overlay Modesty 327 WW3027EPM End Panel 344 WW0827SRM Return Support Panel 118 WW0827SRM Return Support Panel 118 WW2427EPM End Panel 304 WW4827MPM Full Overlay Modesty 282			consists of WW3066WSSDLL Worksurface 526 WW2448WSSVDLL Worksurface 380 WW2466WSSDLL Worksurface 528 WW3015PUBBFM B/B/F Pedestal 891 WW2315PUFFM F/F Pedestal 794 WW6627MPM Full Overlay Modesty 310 WW6627MPM Full Overlay Modesty 310 WW3027EPM End Panel 344 WW0827SRM Return Support Panel 118 WW0827SRM Return Support Panel 118 WW2427EPM End Panel 304 WW4827MPM Full Overlay Modesty 282	
	WW10372UFLLM 102%D x 71% ¹ / ₈ W \$ 5165			WW9766UFLLM 96%D x 66W \$ 4849	
	consists of WW3672WSSDLL Worksurface 774 WW2442WSSVDLL Worksurface 344 WW2472WSSDLL Worksurface 562 WW3015PUBBFM B/B/F Pedestal 891 WW2315PUFFM F/F Pedestal 794 WW7227MPM Full Overlay Modesty 327 WW7227MPM Full Overlay Modesty 327 WW3027EPM End Panel 344 WW0827SRM Return Support Panel 118 WW0827SRM Return Support Panel 118 WW2427EPM End Panel 304 WW4227MPM Full Overlay Modesty 262			consists of WW3066WSSDLL Worksurface 526 WW2442WSSVDLL Worksurface 344 WW2466WSSDLL Worksurface 528 WW3015PUBBFM B/B/F Pedestal 891 WW2315PUFFM F/F Pedestal 794 WW6627MPM Full Overlay Modesty 310 WW6627MPM Full Overlay Modesty 310 WW3027EPM End Panel 344 WW0827SRM Return Support Panel 118 WW0827SRM Return Support Panel 118 WW2427EPM End Panel 304 WW4227MPM Full Overlay Modesty 262	

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


TO ORDER, SPECIFY:

1. Model Number
2. Vinyl Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW3672DULM V478 X 478 480

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	QTY	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
U-SHAPE DESK 	WW3672DULM		\$ 1684	36 $\frac{1}{16}$	72	28 $\frac{15}{16}$	—	—	126 lbs.	5.3
	consists of									
	WW3672WSUDL	Worksurface	1							
	WW3627EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	WW3072DULM		\$ 1393	30 $\frac{1}{16}$	72	28 $\frac{15}{16}$	—	—	116 lbs.	5.0
	consists of									
	WW3072WSUDL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	WW3066DULM		\$ 1302	30 $\frac{1}{16}$	65 $\frac{3}{4}$	28 $\frac{15}{16}$	—	—	110 lbs.	4.7
	consists of									
	WW3066WSUDL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	WW2460DULM		\$ 1115	24	60	28 $\frac{15}{16}$	—	—	104 lbs.	4.0
	consists of									
	WW2460WSUDL	Worksurface	1							
	WW2427EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	WW2448DULM		\$ 1041	24	48 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	97 lbs.	4.2
	consists of									
	WW2448WSUDL	Worksurface	1							
	WW2427EPM	End Panel	1							
	WW1227SSM	Support Panel	1							

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 581-584 for support base options
- Assembly required

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


TO ORDER, SPECIFY:

1. Model Number
2. Vinyl Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW3672DULLM V478 X 478 480

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	QTY	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
U-SHAPE DESK TFL 	WW3672DULLM		\$ 1467	36 $\frac{1}{16}$	72	28 $\frac{3}{8}$	—	—	126 lbs.	5.3
	consists of									
	WW3672WSUDLL	Worksurface	1							
	WW3627EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	WW3072DULLM		\$ 1226	30 $\frac{1}{16}$	72	28 $\frac{3}{8}$	—	—	116 lbs.	5.0
	consists of									
	WW3072WSUDLL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	WW3066DULLM		\$ 1151	30 $\frac{1}{16}$	65 $\frac{3}{4}$	28 $\frac{3}{8}$	—	—	110 lbs.	4.7
	consists of									
	WW3066WSUDLL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	WW2460DULLM		\$ 995	24	60	28 $\frac{3}{8}$	—	—	104 lbs.	4.0
	consists of									
	WW2460WSUDLL	Worksurface	1							
	WW2427EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	WW2448DULLM		\$ 936	24	48 $\frac{1}{16}$	28 $\frac{3}{8}$	—	—	97 lbs.	4.2
	consists of									
	WW2448WSUDLL	Worksurface	1							
	WW2427EPM	End Panel	1							
	WW1227SSM	Support Panel	1							

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 581-584 for support base options
- Assembly required

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately





TO ORDER, SPECIFY:

1. Model Number
2. Vinyl Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW3672DUFLM V478 X 478 480

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	QTY	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
U-SHAPE DESK WITH MODESTY 	WW3672DUFLM		\$ 1729	36 $\frac{1}{16}$	72	28 $\frac{1}{16}$	—	—	134 lbs.	6.5
	consists of									
	WW3672WSUDL	Worksurface	1							
	WW3627EPM	End Panel	1							
	WW5323MPM	Kneespace Modesty	1							
	WW3072DUFLM		\$ 1438	30 $\frac{1}{16}$	72	28 $\frac{1}{16}$	—	—	124 lbs.	6.2
	consists of									
	WW3072WSUDL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW5323MPM	Kneespace Modesty	1							
U-SHAPE DESK WITH MODESTY TFL 	WW3066DUFLM		\$ 1345	30 $\frac{1}{16}$	65 $\frac{3}{4}$	28 $\frac{1}{16}$	—	—	116 lbs.	5.7
	consists of									
	WW3066WSUDL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW4723MPM	Kneespace Modesty	1							
	<ul style="list-style-type: none"> • Not recommended as a freestanding unit • 3" or 4" support base must be ordered separately; see pages 581-584 for support base options • Assembly required • Non-defacing column kit WWSBNDP must be ordered separately; see page 514 									
	WW3672DUFLLM		\$ 1512	36 $\frac{1}{16}$	72	28 $\frac{1}{16}$	—	—	134 lbs.	6.5
	consists of									
	WW3672WSUDLL	Worksurface	1							
	WW3627EPM	End Panel	1							
U-SHAPE DESK WITH MODESTY TFL 	WW5323MPM	Kneespace Modesty	1							
	WW3072DUFLLM		\$ 1271	30 $\frac{1}{16}$	72	28 $\frac{1}{16}$	—	—	124 lbs.	6.2
	consists of									
	WW3072WSUDLL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW5323MPM	Kneespace Modesty	1							
	WW3066DUFLLM		\$ 1194	30 $\frac{1}{16}$	65 $\frac{3}{4}$	28 $\frac{1}{16}$	—	—	116 lbs.	5.7
	consists of									
	WW3066WSUDLL	Worksurface	1							
	WW3027EPM	End Panel	1							
U-SHAPE DESK WITH MODESTY TFL 	WW4723MPM	Kneespace Modesty	1							
	<ul style="list-style-type: none"> • Not recommended as a freestanding unit • 3" or 4" support base must be ordered separately; see pages 581-584 for support base options • Assembly required • Non-defacing column kit WWSBNDP must be ordered separately; see page 514 									

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately





TO ORDER, SPECIFY:

1. Model Number
2. Vinyl Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW3072DPLLM V405 X 405 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	QTY	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
P-SHAPE DESK  Left shown	WW3072DPLLM	Left	\$ 1999	30 ³ / ₁₆	72	28 ¹ / ₁₆	—	—	109 lbs.	5.0
	WW3072DPRLM	Right	1999	30 ³ / ₁₆	72	28 ¹ / ₁₆	—	—	109 lbs.	5.0
	consists of									
	WW3072WSPDLL/RL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	<ul style="list-style-type: none"> • Not recommended as a freestanding unit • Support base must be ordered separately; see pages 581-584 for support base options • Assembly required 									
P-SHAPE DESK TFL  Left shown	WW3072DPLLLM	Left	\$ 1711	30 ³ / ₁₆	72	28 ³ / ₁₆	—	—	109 lbs.	5.0
	WW3072DPRLM	Right	1711	30 ³ / ₁₆	72	28 ³ / ₁₆	—	—	109 lbs.	5.0
	consists of									
	WW3072WSPDLL/RL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW1227SSM	Support Panel	1							
	<ul style="list-style-type: none"> • Not recommended as a freestanding unit • Support base must be ordered separately; see pages 581-584 for support base options • Assembly required 									
P-SHAPE DESK WITH MODESTY  Left shown	WW3072DPLFLM	Left	\$ 2044	30 ³ / ₁₆	72	28 ¹ / ₁₆	—	—	117 lbs.	6.2
	WW3072DPRFLM	Right	2044	30 ³ / ₁₆	72	28 ¹ / ₁₆	—	—	117 lbs.	6.2
	consists of									
	WW3072WSPDLL/RL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW5323MPM	Kneespace Modesty	1							
	<ul style="list-style-type: none"> • Not recommended as a freestanding unit • 3" or 4" support base must be ordered separately; see pages 581-584 for support base options • Assembly required • Non-defacing column kit WWSBNDF must be ordered separately; see page 514 									
P-SHAPE DESK WITH MODESTY TFL  Left shown	WW3072DPLFLLM	Left	\$ 1756	30 ³ / ₁₆	72	28 ³ / ₁₆	—	—	117 lbs.	6.2
	WW3072DPRFLLM	Right	1756	30 ³ / ₁₆	72	28 ³ / ₁₆	—	—	117 lbs.	6.2
	consists of									
	WW3072WSPDLL/RL	Worksurface	1							
	WW3027EPM	End Panel	1							
	WW5323MPM	Kneespace Modesty	1							
	<ul style="list-style-type: none"> • Not recommended as a freestanding unit • 3" or 4" support base must be ordered separately; see pages 581-584 for support base options • Assembly required • Non-defacing column kit WWSBNDF must be ordered separately; see page 514 									

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately





TO ORDER, SPECIFY:

1. Model Number
2. Vinyl Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW4242CFSLM3 V405 G1C 405 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	QTY	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
CORNER UNIT 	WW4242CFSLM3		\$ 2020	42 $\frac{1}{16}$	42 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	111 lbs.	8.0
	consists of									
	WW4242WSCSDL3	Worksurface	1							
	WW0827SPM	Corner post	1							
	WW2923MPM	Kneespace Modesty	2							
	WW0827SRM	Return Support Panel	2							
	WW4242CFSLM2		\$ 1927	42 $\frac{1}{16}$	42 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	111 lbs.	8.0
	consists of									
	WW4242WSCSDL2	Worksurface	1							
	WW0827SPM	Corner post	1							
CORNER UNIT TFL 	WW4242CFSLM2		\$ 1834	36 $\frac{1}{16}$	36 $\frac{1}{16}$	28 $\frac{15}{16}$	—	—	91 lbs.	7.6
	consists of									
	WW3636WSCSDL2	Worksurface	1							
	WW0827SPM	Corner post	1							
	WW2323MPM	Kneespace Modesty	2							
	WW0827SRM	Return Support Panel	2							
	<ul style="list-style-type: none"> • Not recommended as a freestanding unit • Models ending in 3 must be connected to 30" deep worksurface • Models ending in 2 must be connected to 24" deep worksurface • Assembly required 									
	WW4242CFSLM3		\$ 1819	42 $\frac{1}{16}$	42 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	111 lbs.	8.0
	consists of									
	WW4242WSCDLL3	Worksurface	1							
CORNER UNIT TFL 	WW4242CFSLM2		\$ 1745	42 $\frac{1}{16}$	42 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	111 lbs.	8.0
	consists of									
	WW4242WSCDLL2	Worksurface	1							
	WW0827SPM	Corner post	1							
	WW2923MPM	Kneespace Modesty	2							
	WW0827SRM	Return Support Panel	2							
	WW3636CFSLM2		\$ 1668	36 $\frac{1}{16}$	36 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	91 lbs.	7.6
	consists of									
	WW3636WSCDLL2	Worksurface	1							
	WW0827SPM	Corner post	1							
CORNER UNIT TFL 	WW4242CFSLM2		\$ 1668	36 $\frac{1}{16}$	36 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	91 lbs.	7.6
	consists of									
	WW3636WSCDLL2	Worksurface	1							
	WW0827SPM	Corner post	1							
	WW2323MPM	Kneespace Modesty	2							
	WW0827SRM	Return Support Panel	2							
	<ul style="list-style-type: none"> • Not recommended as a freestanding unit • Models ending in 3 must be connected to 30" deep worksurface • Models ending in 2 must be connected to 24" deep worksurface • Assembly required 									
	WW4242CFSLM3		\$ 1819	42 $\frac{1}{16}$	42 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	111 lbs.	8.0
	consists of									
	WW4242WSCDLL3	Worksurface	1							

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately



TO ORDER, SPECIFY:

1. Model Number
2. Vinyl Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW3672CFELLM2 V405 G1C 405 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
EXTENDED CORNER UNIT 	WW3672CFELLM2	Left		\$ 2588	35 ¹ / ₁₆	72	28 ¹ / ₁₆	—	—	173 lbs.	8.3
	WW3672CFERLM2	Right		2588	35 ¹ / ₁₆	72	28 ¹ / ₁₆	—	—	173 lbs.	8.3
	consists of										
	WW3672WSCEDLL2/RL2	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW3627EPM	End Panel	1								
	WW7023MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW3666CFELLM2	Left		\$ 2496	35 ³ / ₁₆	66	28 ¹ / ₁₆	—	—	164 lbs.	7.8
	WW3666CFERLM2	Right		2496	35 ³ / ₁₆	66	28 ¹ / ₁₆	—	—	164 lbs.	7.8
	consists of										
	WW3666WSCEDLL2/RL2	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW3627EPM	End Panel	1								
	WW6423MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
<ul style="list-style-type: none"> • Not recommended as a freestanding unit • Must be connected to 24" deep worksurface • Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48" 											
EXTENDED CORNER UNIT TFL 	WW3672CFELLLM2	Left		\$ 2291	35 ¹ / ₁₆	72	28%	—	—	173 lbs.	8.3
	WW3672CFERLLM2	Right		2291	35 ¹ / ₁₆	72	28%	—	—	173 lbs.	8.3
	consists of										
	WW3672WSCEDLLL2/RLL2	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW3627EPM	End Panel	1								
	WW7023MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW3666CFELLLM2	Left		\$ 2213	35 ³ / ₁₆	66	28%	—	—	164 lbs.	7.8
	WW3666CFERLLM2	Right		2213	35 ³ / ₁₆	66	28%	—	—	164 lbs.	7.8
	consists of										
	WW3666WSCEDLLL2/RLL2	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW3627EPM	End Panel	1								
	WW6423MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
<ul style="list-style-type: none"> • Not recommended as a freestanding unit • Must be connected to 24" deep worksurface • Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48" 											

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately


TO ORDER, SPECIFY:


1. Model Number
2. Vinyl Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

SAMPLE MODEL NUMBER:

WW2448RLEFLM2 NCW 7MB G1C KS1B CW 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
<div>RETURN FILE/FILE FULL PEDESTAL</div> <div></div> <div>Right shown</div>	WW2448RLEFLM2	Left		\$ 1534	24	48 ¹ / ₁₆	28 ¹ / ₁₆	—	33	136 lbs.	16.7
	WW2448RREFLM2	Right		1534	24	48 ¹ / ₁₆	28 ¹ / ₁₆	—	33	136 lbs.	16.7
	consists of										
	WW2448WSSVDL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	1								
	WW3223MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW2442RLEFLM2	Left		\$ 1488	24	42 ¹ / ₁₆	28 ¹ / ₁₆	—	27	127 lbs.	16.4
	WW2442RREFLM2	Right		1488	24	42 ¹ / ₁₆	28 ¹ / ₁₆	—	27	127 lbs.	16.4
	consists of										
WW2442WSSVDL	Worksurface	1									
WW2315PUFFM	F/F Pedestal	1									
WW2623MPM	Kneespace Modesty	1									
WW0827SRM	Return Support Panel	1									
<ul style="list-style-type: none">• Not recommended as a freestanding unit• Grain direction runs front-to-back• Assembly required• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location											

<div>RETURN FILE/FILE FULL PEDESTAL TFL</div> <div></div> <div>Right shown</div>	WW2448RLEFLLM2	Left		\$ 1451	24	48 ¹ / ₁₆	28%	—	33	136 lbs.	16.7
	WW2448RREFLLM2	Right		1451	24	48 ¹ / ₁₆	28%	—	33	136 lbs.	16.7
	consists of										
	WW2448WSSVDLL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	1								
	WW3223MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW2442RLEFLLM2	Left		\$ 1411	24	42 ¹ / ₁₆	28%	—	27	127 lbs.	16.4
	WW2442RREFLLM2	Right		1411	24	42 ¹ / ₁₆	28%	—	27	127 lbs.	16.4
	consists of										
WW2442WSSVDLL	Worksurface	1									
WW2315PUFFM	F/F Pedestal	1									
WW2623MPM	Kneespace Modesty	1									
WW0827SRM	Return Support Panel	1									
<ul style="list-style-type: none">• Not recommended as a freestanding unit• Grain direction runs front-to-back• Assembly required• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available• Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location											

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately



TO ORDER, SPECIFY:

1. Model Number
2. Vinyl Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW2448BEFLM NCW G1C CW 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	QTY	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
BRIDGE 	WW2448BEFLM		\$ 897	24	48 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	79 lbs.	4.5
	consists of									
	WW2448WSSVDL	Worksurface	1							
	WW4523MPM	Kneespace Modesty	1							
	WW0827SRM	Return Support Panel	2							
	WW2442BEFLM		\$ 838	24	42 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	71 lbs.	4.3
	consists of									
	WW2442WSSVDL	Worksurface	1							
	WW4023MPM	Kneespace Modesty	1							
	WW0827SRM	Return Support Panel	2							
	<ul style="list-style-type: none"> • Not recommended as a freestanding unit • Grain direction runs front-to-back • Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48" • Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location 									
BRIDGE TFL 	WW2448BEFLLM		\$ 814	24	48 $\frac{1}{16}$	28%	—	—	79 lbs.	4.5
	consists of									
	WW2448WSSVDLL	Worksurface	1							
	WW4523MPM	Kneespace Modesty	1							
	WW0827SRM	Return Support Panel	2							
	WW2442BEFLLM		\$ 761	24	42 $\frac{1}{16}$	28%	—	—	71 lbs.	4.3
	consists of									
	WW2442WSSVDLL	Worksurface	1							
	WW4023MPM	Kneespace Modesty	1							
	WW0827SRM	Return Support Panel	2							
	<ul style="list-style-type: none"> • Not recommended as a freestanding unit • Grain direction runs front-to-back • Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48" • Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location 									

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:


WW2315PUBBFM 5 KRB 461

- See pages 477-478 for all options available in WaveWorks Metal


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
PEDESTAL - UNDERSURFACE BOX/BOX/FILE	WW3015PUBBFM	\$ 891	28 ¹¹ / ₁₆	15	27 ¹ / ₄	—	—	70 lbs.	13.0
	WW2315PUBBFM	842	22 ³ / ₄	15	27 ¹ / ₄	—	—	62 lbs.	11.0
	WW1915PUBBFM	819	18 ³ / ₄	15	27 ¹ / ₄	—	—	56 lbs.	6.3
	WWCW3 Counterweight Kit	233	—	—	—	—	—	26 lbs.	4.3
	<ul style="list-style-type: none"> • File drawers utilize drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Malibu and Beam pulls must be field installed 								




PEDESTAL - UNDERSURFACE FILE/FILE	WW3015PUFFM	\$ 844	28 ¹¹ / ₁₆	15	27 ¹ / ₄	—	—	70 lbs.	13.0
	WW2315PUFFM	794	22 ³ / ₄	15	27 ¹ / ₄	—	—	57 lbs.	11.0
	WW1915PUFFM	771	18 ³ / ₄	15	27 ¹ / ₄	—	—	51 lbs.	6.3
	WWCW3 Counterweight Kit	233	—	—	—	—	—	26 lbs.	4.3
	<ul style="list-style-type: none"> • File drawers utilize drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Malibu and Beam pulls must be field installed 								




PEDESTAL - HANGING UNDERSURFACE BOX/FILE	WW3015PUBFM	\$ 603	28 ¹¹ / ₁₆	15	19 ¹ / ₄	—	—	46 lbs.	8.3
	WW2315PUBFM	594	22 ³ / ₄	15	19 ¹ / ₄	—	—	46 lbs.	8.3
	WW1915PUBFM	575	18 ³ / ₄	15	19 ¹ / ₄	—	—	40 lbs.	6.3
	WWCW3 Counterweight Kit	233	—	—	—	—	—	26 lbs.	4.3
	<ul style="list-style-type: none"> • File drawers utilize drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • When utilizing the hanging pedestal with a 24" deep surface, the pedestal must be attached to the inside of the end panel • When utilizing the hanging pedestal with a 30" or 36" deep surface, the pedestal must be used within a shell unit with modesty panel • Must be utilized with end panels • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available 								




PEDESTAL - UNDERSURFACE BOX/OPEN	WW1915PUBOM	\$ 808	18 ³ / ₄	15	27 ¹ / ₄	—	—	65 lbs.	6.6
	<ul style="list-style-type: none"> • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Malibu and Beam pulls must be field installed 								



PEDESTAL - UNDERSURFACE BOX/HINGE	LEFT HINGED		RIGHT HINGED		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	MODEL NO.	DESCRIPTION	MODEL NO.	DESCRIPTION		D	W	H	A	KW		
	WW1915PUBHLM		WW1915PUBHRM		\$ 903	18 ³ / ₄	15	27 ¹ / ₄	—	—	65 lbs.	6.6
	<ul style="list-style-type: none"> • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Malibu and Beam pulls must be field installed 											
	Right shown											



PEDESTAL - UNDERSURFACE HINGE DOOR	LEFT HINGED		RIGHT HINGED		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	MODEL NO.	DESCRIPTION	MODEL NO.	DESCRIPTION		D	W	H	A	KW		
	WW1915PUHLM		WW1915PUHRM		\$ 864	18 ³ / ₄	15	27 ¹ / ₄	—	—	40 lbs.	6.6
	WW1912PUHLM		WW1912PUHRM		699	18 ³ / ₄	12	27 ¹ / ₄	—	—	35 lbs.	5.8
	<ul style="list-style-type: none"> • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Malibu and Beam pulls must be field installed 											



Right shown

TO ORDER, SPECIFY:


- 1. Model Number
- 2. Paint

SAMPLE MODEL NUMBER:

WW191215PUSHLM 461
• See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED CUBIC	
	LEFT HINGED	RIGHT HINGED		D	W	H	A	KW	WEIGHT	FEET


PEDESTAL - UNDERSURFACE
SUSPENDED, HINGED DOOR



Right shown

WW191215PUSHLM	WW191215PUSHRM	\$ 627	18	12	14¼	—	—	—	37 lbs.	3.2
<ul style="list-style-type: none">• Can only be used with Naviyd• Integrated pull• Pedestal is non-locking										

PEDESTAL - UNDERSURFACE
SUSPENDED, OPEN



WW191215PUSOM		\$ 537	18	12	14¼	—	—	—	37 lbs.	3.2
<ul style="list-style-type: none">• Can only be used with Naviyd										

WAVEWORKS METAL

PRODUCT SPECIFICATIONS


- Pedestals shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Textile Grade/Color
5. Paint

SAMPLE MODEL NUMBER:

WW2315PMBFCM 5 KRB 2 20003 405
• See pages 477-478 for all options available in WaveWorks Metal



MODEL NO./DESCRIPTION

GRADE / LIST PRICE

	1	2/COM	3/COL	4	5	6	7
WW2315PMBFCM	\$ 1040	1070	1084	1106	1130	1171	1226

ALLIANCE GRADE / LIST PRICE


	A	B	C	D	E	F	G	H	I	J
\$	1091	1122	1146	1172	1200	1230	1255	1286	1316	1348
	K	L	M	N	O	P	Q	R	S	T
\$	1395	1493	1554	1585	1617	1648	1680	1711	1742	1773

DIMENSIONS

Depth	22¾	Height	22¾	Weight	93
Width	14⅞			Cubic Ft.	9.4

- File drawer utilizes drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Non-locking casters
- Integrated counterweight included
- Maximum seat weight is 200 lbs
- Refer to the Surface Materials Reference Guide for available seating textile options
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MOBILE PEDESTAL -
CUSHION TOP
BOX/FILE 23" DEEP
WITH PULL



GRADE / LIST PRICE

	1	2/COM	3/COL	4	5	6	7
WW2315PMBFC2M	\$ 1064	1094	1108	1130	1154	1195	1250

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1115	1146	1170	1196	1224	1254	1279	1310	1340	1372
	K	L	M	N	O	P	Q	R	S	T
\$	1419	1517	1578	1609	1641	1672	1704	1735	1766	1797

DIMENSIONS

Depth	22¾	Height	23¾	Weight	93
Width	14⅞			Cubic Ft.	9.4

- File drawer utilizes drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Non-locking casters
- Integrated counterweight included
- Maximum seat weight is 200 lbs
- Refer to the Surface Materials Reference Guide for available seating textile options
- Unit features a fixed pull for ease of mobility
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MODEL NO./DESCRIPTION	LIST PRICE		CARTONED CUBIC WEIGHT FEET	
GLIDE SET	WWGS	\$ 43	2 lbs.	0.25
<ul style="list-style-type: none">• Casters can be field replaced with glide set				

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware





TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Lock
4. Paint

SAMPLE MODEL NUMBER:

WW1915PMBBFM 5 KRB 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
MOBILE PEDESTAL - BOX/BOX/FILE 	WW2415PMBBFM	\$ 917	22¾	15	27	—	—	46 lbs.	8.0
	WW1915PMBBFM	899	18¾	15	27	—	—	59 lbs.	6.3
	<ul style="list-style-type: none"> • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available 								
MOBILE PEDESTAL - FILE/FILE 	WW2415PMFFM	\$ 869	22¾	15	27	—	—	46 lbs.	8.0
	WW1915PMFFM	851	18¾	15	27	—	—	59 lbs.	6.3
	<ul style="list-style-type: none"> • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available 								
MOBILE PEDESTAL - BOX/OPEN 	WW1915PMBOM	\$ 741	18	15	27	—	—	66 lbs.	6.3
	<ul style="list-style-type: none"> • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available 								
MOBILE PEDESTAL - OPEN 	WW1915PMOM	\$ 727	18	15	27	—	—	63 lbs.	6.3
	<ul style="list-style-type: none"> • Non-locking casters • One adjustable shelf 								
GLIDE SET	WWGS	\$ 43						2 lbs.	0.25
	<ul style="list-style-type: none"> • Casters can be field replaced with glide set 								

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

WW2336LFM2M 5 KS1B 462


- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
LATERAL FILE - UNDERSURFACE FILE/FILE 23" DEEP	WW2336LFM2M	\$ 1325	22¾	36	27¼	—	—	95 lbs.	15.0
	WW2330LFM2M	1243	22¾	30	27¼	—	—	84 lbs.	12.8
	WW36CW2M Counterweight—2 Drawer	217	1½	23¾	11½	—	—	37 lbs.	0.1




- File drawers accommodate letter/legal side-to-side filing
- Additional filing hardware may be purchased for front-to-back filing capability
- See additional filing hardware on page 517
- **When using in a freestanding application (as a single unit or in a credenza), 2 counterweights must be specified**
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

LATERAL FILE - UNDERSURFACE FILE/FILE 18" DEEP	WW1836LFM2M	\$ 1288	18¾	36	27¼	—	—	87 lbs.	14.0
	WW1830LFM2M	1140	18¾	30	27¼	—	—	78 lbs.	11.8




- File drawers accommodate letter/legal side-to-side filing
- Additional filing hardware may be purchased for front-to-back filing capability
- See additional filing hardware on page 517
- Lateral file is not for use as a stand alone unit
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When ordering a worksurface, specify 24" deep with modified sizing

HINGED DOOR - UNDERSURFACE DOUBLE DOOR 23" DEEP	WW2336PFHM	\$ 1615	22¾	36	27¼	—	—	95 lbs.	15.0
	WW2330PFHM	1596	22¾	30	27¼	—	—	84 lbs.	12.8



- Unit features standard adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

HINGED DOOR - UNDERSURFACE DOUBLE DOOR 18" DEEP	WW1836PFHM	\$ 1518	18	36	27¼	—	—	87 lbs.	14.0
	WW1830PFHM	1499	18	30	27¼	—	—	78 lbs.	11.8



- Unit features standard adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware

TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

WW233629PU11M 5 KS1B 462


- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
MULTI-FILE - UNDERSURFACE 23" DEEP	FILE DRAWER ON LEFT	FILE DRAWER ON RIGHT							
	WW233629PU11M	WW233629PU10M	\$ 2071	22¾	36	27¼	—	95 lbs.	15.0
	WW233029PU11M	WW233029PU10M	1761	22¾	30	27¼	—	85 lbs.	12.4
	WW36CW2M	Counterweight—2 Drawer	217	1½	23¾	11½	—	37 lbs.	0.1
<ul style="list-style-type: none"> • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for front-to-back filing capability in lateral file drawer • See additional filing hardware on page 517 • When using in a freestanding application (as a single unit or in a credenza), 2 counterweights must be specified • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available 									




Right shown

MULTI-FILE - UNDERSURFACE 18¾" DEEP	WW1830PUBBFLLM	Left	\$ 1835	18¾	30	27¼	—	78 lbs.	11.8
	WW1830PUBBFLRM	Right	1835	18¾	30	27¼	—	78 lbs.	11.8
	<ul style="list-style-type: none"> • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for front-to-back filing capability in lateral file drawer • See additional filing hardware on page 517 • Multi-file is not for use as a stand alone unit • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Metal multi-file units – "left" is opposite of what the veneer/laminate units are set-up • When ordering a worksurface, specify 24" deep with modified sizing 								



Left shown

MIXED STORAGE - UNDERSURFACE 23" DEEP	OPEN STORAGE ON LEFT	OPEN STORAGE ON RIGHT							
	WW233629PU33M	WW233629PU32M	\$ 1714	22¾	36	27¼	—	95 lbs.	15.0
	WW233029PU33M	WW233029PU32M	1667	22¾	30	27¼	—	85 lbs.	12.4
	WW36CW2M	Counterweight—2 Drawer	217	1½	23¾	11½	—	37 lbs.	0.1
<ul style="list-style-type: none"> • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for front-to-back filing capability in lateral file drawer • See additional filing hardware on page 517 • When using in a freestanding application (as a single unit or in a credenza), 2 counterweights must be specified • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available 									



Right shown

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint


SAMPLE MODEL NUMBER:

WW231522PUBFM 5 KRB 462

- See pages 477-478 for all options available in WaveWorks Metal


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
OPEN BOOKCASE - UNDERSURFACE 23" DEEP	WW233629PUOSM	\$ 1136	22¾	36	27¼	—	—		85 lbs.	15.0
	WW233029PUOSM	1090	22¾	30	27¼	—	—		75 lbs.	12.4

- Bookcase is not for use as a stand alone unit




PEDESTAL - UNDERSURFACE BOX/FILE HEIGHT	WW231522PUBFM	\$ 594	22¾	15	21½	—	—		46 lbs.	8.3
--	---------------	--------	-----	----	-----	---	---	--	---------	-----

- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Pedestal is not for use as a stand alone unit
- Not intended to be used as a hanging pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available




BOX/LATERAL FILE - UNDERSURFACE BOX/FILE HEIGHT 23" DEEP	WW233622PUBLM	\$ 1156	22¾	36	21½	—	—		85 lbs.	15.0
	WW233022PUBLM	1041	22¾	30	21½	—	—		75 lbs.	12.4
	WW36CW2M Counterweight—2 Drawer	217	1½	23¾	11½	—	—		37 lbs.	0.1

- See additional filing hardware on page 517
- **When using in a freestanding application (as a single unit or in a credenza), 2 counterweights must be specified**
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available



BOOKCASE - UNDERSURFACE BOX/FILE HEIGHT 23" DEEP	WW233622PUOSM	\$ 1114	22¾	36	21½	—	—		85 lbs.	15.0
	WW233022PUOSM	915	22¾	30	21½	—	—		75 lbs.	12.4

- Unit features standard adjustable shelf
- Bookcase not for use as a stand alone unit





Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.






TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

WW1836LFF5DM 5 KRB 440

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
	WW1842LFF2M	2 Drawer	\$ 1544	18	42	27¼	—	—	121 lbs.	16.4
	QWW1836LFF2M	2 Drawer	1430	18	36	27¼	—	—	113 lbs.	14.2
	WW1836LFF2M	2 Drawer	1430	18	36	27¼	—	—	113 lbs.	14.2
	WW1830LFF2M	2 Drawer	1311	18	30	27¼	—	—	100 lbs.	12.0
	WW36CW2M	Counterweight	217	1½	23¼	11½	—	—	37 lbs.	0.1
• Counterweight must be used unless ganging multiple lateral file units										
	WW1842LFF3M	3 Drawer	\$ 1910	18	42	39¾	—	—	164 lbs.	23.0
	WW1836LFF3M	3 Drawer	1755	18	36	39¾	—	—	146 lbs.	19.9
	WW1830LFF3M	3 Drawer	1542	18	30	39¾	—	—	128 lbs.	16.8
	WW36CW2M	Counterweight	217	1½	23¼	11½	—	—	37 lbs.	0.1
	• Counterweight must be used unless ganging multiple lateral file units									
	WW1842LFF4M	4 Drawer	\$ 2423	18	42	51½	—	—	191 lbs.	29.5
	QWW1836LFF4M	4 Drawer	2147	18	36	51½	—	—	169 lbs.	25.6
	WW1836LFF4M	4 Drawer	2147	18	36	51½	—	—	169 lbs.	25.6
	WW1830LFF4M	4 Drawer	1901	18	30	51½	—	—	148 lbs.	21.7
	WW36CW2M	Counterweight	217	1½	23¼	11½	—	—	37 lbs.	0.1
• Counterweight must be used unless ganging multiple lateral file units										
	WW1842LFF5M	5 Drawer	\$ 3067	18	42	64½	—	—	212 lbs.	36.8
	WW1836LFF5M	5 Drawer	2801	18	36	64½	—	—	187 lbs.	31.9
	WW1830LFF5M	5 Drawer	2556	18	30	64½	—	—	162 lbs.	26.9
	WW36CW2M	Counterweight	217	1½	23¼	11½	—	—	37 lbs.	0.1
	• Counterweight must be used unless ganging multiple lateral file units									
	WW1842LFF5DM	5 Drawer with Recessed Door	\$ 3178	18	42	64½	—	—	212 lbs.	36.8
	WW1836LFF5DM	5 Drawer with Recessed Door	3041	18	36	64½	—	—	187 lbs.	31.9
	WW1830LFF5DM	5 Drawer with Recessed Door	2803	18	30	64½	—	—	162 lbs.	26.9
	WW36CW2M	Counterweight	217	1½	23¼	11½	—	—	37 lbs.	0.1
	• Counterweight must be used unless ganging multiple lateral file units									
<ul style="list-style-type: none">• Drawer fronts are picture framed• File drawers accommodate side-to-side letter/legal filing• Additional filing hardware may be purchased for front-to-back filing capability• See additional filing hardware on page 517• Counterweight must be ordered separately; specify model only• Knockouts are standard to allow for ganging side-by-side• File cannot be moved loaded• Quick Delivery lateral files are available in Cinder (462) and Platinum Metallic (501) finishes• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available• Counterweights must be field installed for freestanding lateral files										

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Overfiles and Storage Cabinets shipped with appropriate hardware
- Overfiles and Storage Cabinets available with integrated pulls

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Paint


SAMPLE MODEL NUMBER:

WW3029LOFHM KRB 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		


OVERFILE HINGED DOORS



WW4229LOFHM	\$ 1332	18	42	29¼	—	—	—	97 lbs.	15.13
WW3629LOFHM	1230	18	36	29¼	—	—	—	89 lbs.	13.06
WW3029LOFHM	1173	18	30	29¼	—	—	—	80 lbs.	10.99

- Unit includes 1 adjustable shelf
- Knockouts are standard to allow for ganging side-by-side
- Cannot be moved loaded
- Random lock core (KRB,KRS) and specified lock core (KS1B, KS1S) available

STORAGE CABINET HINGED DOORS



WW4239LSCHM 3 High	\$ 1584	18	42	39¾	—	—	—	153 lbs.	26.10
WW3639LSCHM 3 High	1487	18	36	39¾	—	—	—	135 lbs.	22.54
WW3039LSCHM 3 High	1468	18	30	39¾	—	—	—	118 lbs.	18.97

- Unit includes 2 adjustable shelves


WW4251LSCHM 4 High	\$ 1813	18	42	51½	—	—	—	118 lbs.	18.97
WW3651LSCHM 4 High	1638	18	36	51½	—	—	—	135 lbs.	22.54
WW3051LSCHM 4 High	1544	18	30	51½	—	—	—	153 lbs.	26.10

- Unit includes 3 adjustable shelves

WW4265LSCHM 5 High	\$ 1898	18	42	64½	—	—	—	170 lbs.	32.92
WW3665LSCHM 5 High	1726	18	36	64½	—	—	—	150 lbs.	28.42
WW3065LSCHM 5 High	1620	18	30	64½	—	—	—	130 lbs.	23.93

- Unit includes 4 adjustable shelves
- Knockouts are standard to allow for ganging side-by-side
- Cannot be moved loaded
- Random lock core (KRB,KRS) and specified lock core (KS1B, KS1S) available
- Floor glides adjustable to ¾"

ACCESSORY WARDROBE KIT



WW1842WB	\$ 130	2¼	35½	3¼	—	—	—	2.0 lbs.	0.32
WW1836WB	125	2¼	35½	3¼	—	—	—	1.8 lbs.	0.32
WW1830WB	113	2¼	35½	3¼	—	—	—	1.5 lbs.	0.32

- Galvanized finish

PRODUCT SPECIFICATIONS

- Hinged doors and lateral file shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Lock
4. Paint


SAMPLE MODEL NUMBER:

WW181839VHLM 5 KRB 461

- See pages 477-478 for all options available in WaveWorks Metal

ISLANDS


VERTICAL STORAGE ISLAND -
HINGED DOORS



Right shown


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
LEFT HINGED	RIGHT HINGED		D	W	H	A	KW		
WW181839VHLM	WW181839VHRM	\$ 962	18	18	39¼	—	—	196 lbs.	10.1
<ul style="list-style-type: none"> • Door fronts are picture framed • Random lock core (KRB,KRS) and specified lock core (KS1B, KS1S) available • 2 adjustable shelves included 									

VERTICAL STORAGE ISLAND -
OPEN



WW183639VOM	\$ 1296	18	36	39¼	—	—	200 lbs.	19.8
WW183039VOM	1251	18	30	39¼	—	—	199 lbs.	16.0
WW181839VOM	911	18	18	39¼	—	—	197 lbs.	10.1
• 2 adjustable shelves included								

VERTICAL STORAGE ISLAND -
BOX/BOX LATERAL FILE



WW183639VBBLFM	\$ 1780	18	36	39¼	—	—	199 lbs.	18.9
WW183039VBBLFM	1668	18	30	39¼	—	—	198 lbs.	16.0
WW36CW2M Counterweight	217	1¼	23¼	11¼	—	—	37 lbs.	0.1
<ul style="list-style-type: none"> • File drawers utilize drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Drawer fronts are picture framed • Random lock core (KRB,KRS) and specified lock core (KS1B, KS1S) available 								

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- For use with the Vertical Storage Islands

TO ORDER, SPECIFY:


1. Model Number
2. Laminate Top Color

SAMPLE MODEL NUMBER:

WW3672WSSIL NAC2 461
• See pages 477-478 for all options available in WaveWorks Metal

VERTICAL STORAGE ISLAND WORKSURFACES

RECTANGULAR WORKSURFACE FOR VERTICAL STORAGE ISLANDS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
36" DEPTH									
WW3672WSSIL	Laminate	\$ 892	36	72	1½	—	—	80 lbs.	5.2
WW3672WSSILL	TFL	848	36	72	1¾	—	—	80 lbs.	5.2
WW3654WSSIL	Laminate	\$ 677	36	54	1½	—	—	63 lbs.	4.0
WW3654WSSILL	TFL	637	36	54	1¾	—	—	63 lbs.	4.0
WW3636WSSIL	Laminate	\$ 433	36	36	1½	—	—	45 lbs.	2.8
WW3636WSSILL	TFL	413	36	36	1¾	—	—	45 lbs.	2.8
WW3630WSSIL	Laminate	\$ 425	36	30	1½	—	—	36 lbs.	2.2
WW3630WSSILL	TFL	399	36	30	1¾	—	—	36 lbs.	2.2
30" DEPTH									
WW3072WSSIL	Laminate	\$ 813	30	72	1½	—	—	69 lbs.	4.0
WW3072WSSILL	TFL	775	30	72	1¾	—	—	69 lbs.	4.0

- HPL worksurfaces are 1½" thick
- TFL worksurfaces are 1¾" thick
- Rim on all 4 sides of worksurfaces
- Unsupported span should not exceed 48"

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware


TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:


WW1567VSHL2M 5 KRB 462

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H						
	STORAGE CABINET WITH FILE/FILE PEDESTAL	LEFT HINGED	RIGHT HINGED								
		WW1567VSHL2M	WW1567VSHR2M	\$ 1990	23¾"	14⅛"	67"	—	—	140 lbs.	17.4
		WW1554VSHL2M	WW1554VSHR2M	1891	23¾"	14⅛"	54¾"	—	—	120 lbs.	14.4
	WW151CW	Counterweight—2 Drawer	48	1½"	23¾"	11½"	—	—	37 lbs.	0.1	
	<ul style="list-style-type: none">• 54" storage cabinet contains 1 removable shelf• 67" storage cabinet contains 2 removable shelves• File drawers utilize drawer body sides for front-to-back letter filing• Additional filing hardware may be purchased for letter or legal side-to-side filing capability• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available• When using in a freestanding application (as a single unit or in a credenza), 1 counterweight must be specified										

Left shown

STORAGE CABINET
WITH BOX/BOX/FILE PEDESTAL




Left shown

LEFT HINGED	RIGHT HINGED									
WW1567VSHL1M	WW1567VSHR1M	\$	2038	23 $\frac{3}{8}$ "	14 $\frac{1}{16}$ "	67"	—	—	140 lbs.	17.0
WW1554VSHL1M	WW1554VSHR1M		1938	23 $\frac{3}{8}$ "	14 $\frac{1}{16}$ "	54 $\frac{3}{8}$ "	—	—	130 lbs.	14.0
WW151CW	Counterweight—2 Drawer		48	1 $\frac{1}{2}$ "	23 $\frac{3}{4}$ "	11 $\frac{1}{2}$ "	—	—	37 lbs.	0.1

- 54" storage cabinet contains 1 removable shelf
- 67" storage cabinet contains 2 removable shelves
- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- **When using in a freestanding application (as a single unit or in a credenza), 1 counterweight must be specified**

STORAGE BOOKCASE
WITH FILE/FILE PEDESTAL




Right shown

LEFT HINGED	RIGHT HINGED									
WW1567VOL2M	WW1567VOR2M	\$	1877	23%	14 ¹ / ₁₆ "	67	—	—	130 lbs.	14.0
WW1554VOL2M	WW1554VOR2M		1789	23%	14 ¹ / ₁₆ "	54%	—	—	128 lbs.	13.92
WW15CW	Counterweight—2 Drawer		48	1%	23%	11%	—	—	37 lbs.	0.1

- 54" storage bookcase contains 1 removable shelf
- 67" storage bookcase contains 2 removable shelves
- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- **When using in a freestanding application (as a single unit or in a credenza), 1 counterweight must be specified**

STORAGE BOOKCASE
WITH BOX/BOX/FILE PEDESTAL



Right shown

LEFT HINGED	RIGHT HINGED									
WW1567VOL1M	WW1567VOR1M	\$	1925	23%	14 ³ / ₁₆ "	67	—	—	144.25 lbs.	16.98
WW1554VOL1M	WW1554VOR1M		1789	23%	14 ³ / ₁₆ "	54 ³ / ₈ "	—	—	128 lbs.	13.92
WW15CW	Counterweight—2 Drawer		48	1 ¹ / ₂ "	23 ³ / ₄ "	11 ¹ / ₂ "	—	—	37 lbs.	0.1

- 54" storage bookcase contains 1 removable shelf
- 67" storage bookcase contains 2 removable shelves
- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- **When using in a freestanding application (as a single unit or in a credenza), 1 counterweight must be specified**

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware





TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

WW2467VSHHL2M 5 KRB 461

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
STORAGE/WARDROBE WITH FILE/FILE PEDESTAL  Left shown	LEFT HINGED								
	WW2467VSHHL2M	\$ 3064	23%	24	67	—	—	170 lbs.	26.6
	WW2454VSHHL2M	2876	23%	24	54%	—	—	145 lbs.	21.9
	<ul style="list-style-type: none"> • Coat rod is standard • Storage cabinet in 54" unit contains 1 removable shelf • Storage cabinet in 67" unit contains 2 removable shelves • File drawers utilize drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available 								
STORAGE WARDROBE WITH BOX/BOX/FILE PEDESTAL  Left shown	LEFT HINGED								
	WW2467VSHHL1M	\$ 3111	23%	24	67	—	—	168 lbs.	22.0
	WW2454VSHHL1M	2923	23%	24	54%	—	—	155 lbs.	18.0
	<ul style="list-style-type: none"> • Coat rod is standard • Storage cabinet in 54" unit contains 1 removable shelf • Storage cabinet in 67" unit contains 2 removable shelves • File drawers utilize drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available 								
STORAGE BOOKCASE/WARDROBE WITH FILE/FILE PEDESTAL  Right shown	LEFT HINGED								
	WW2467VSBWHL2M	\$ 3217	23%	24	67	—	—	180 lbs.	26.6
	WW2454VSBWHL2M	3019	23%	24	54%	—	—	152 lbs.	21.9
	<ul style="list-style-type: none"> • Coat rod is standard • 54" storage bookcase/wardrobe contains 1 removable shelf • 67" storage bookcase/wardrobe contains 2 removable shelves • File drawers utilize drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available 								
STORAGE BOOKCASE/WARDROBE WITH BOX/BOX/FILE PEDESTAL  Right shown	LEFT HINGED								
	WW2467VSBWHL1M	\$ 3264	23%	24	67	—	—	168 lbs.	22.0
	WW2454VSBWHL1M	3067	23%	24	54%	—	—	155 lbs.	18.0
	<ul style="list-style-type: none"> • Coat rod is standard • Storage cabinet in 54" unit contains 1 removable shelf • Storage cabinet in 67" unit contains 2 removable shelves • File drawers utilize drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available 								

PRODUCT SPECIFICATIONS

- Highbacks shipped with appropriate hardware

TO ORDER, SPECIFY:


- Model Number
- Pull
- Locking
- Paint

SAMPLE MODEL NUMBER:

WW7237HBRM 5 KRB 440


- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
HIGHBACK ORGANIZER RECESSED DOORS	WW7237HBRM	\$ 2551	15	71¾	37½	—	—	170 lbs.	21.9
	WW6037HBRM	2154	15	59¾	37½	—	—	145 lbs.	18.3
	WW4837HBRM	1763	15	47¾	37½	—	—	120 lbs.	11.1
	WW4237HBRM	1710	15	41¾	37½	—	—	95 lbs.	3.9
	WW3637HBRM	1657	15	35¾	37½	—	—	75 lbs.	2.0



- Not intended for use on table desking
- An end panel, support panel, or pedestal must be located under end panels of highback for proper support
- 36", 42" and 48" units have 1 locking door; 60" and 72" units have 2 individually locking doors
- Doors recess into top of cabinet
- 72" and 60" units: Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- 36", 42" and 48" units: Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Back of highback has cutouts for cable routing
- Some assembly required
- Reference tack board applicability on page 722


HIGHBACK ORGANIZER FLIPPER DOORS WITH SOFT CLOSE HINGE



WW7237HBFM	\$ 2780	14 ¹ / ₁₆	71¾	37 ¹ / ₁₆	—	—	170 lbs.	21.9
WW6037HBFM	2344	14 ¹ / ₁₆	59¾	37 ¹ / ₁₆	—	—	145 lbs.	18.3
WW4837HBFM	1902	14 ¹ / ₁₆	47¾	37 ¹ / ₁₆	—	—	120 lbs.	11.1
WW4237HBFM	1832	14 ¹ / ₁₆	41¾	37 ¹ / ₁₆	—	—	95 lbs.	3.9
WW3637HBFM	1761	14 ¹ / ₁₆	35¾	37 ¹ / ₁₆	—	—	75 lbs.	2.0

- Not intended for use on table desking
- An end panel, support panel, or pedestal must be located under end and center panels of highback for proper support
- Doors flip up over the top of the unit
- Features soft close hinges
- 36", 42" and 48" units have 1 locking door; 60" and 72" units have 2 individually locking doors
- 72" and 60" units: Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- 36", 42" and 48" units: Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Back of highback has cutouts for cable routing
- Some assembly required
- Reference tack board applicability on page 722

HIGHBACK ORGANIZER NO DOORS



WW7237HBEM	\$ 2429	15	71¾	37½	—	—	170 lbs.	21.9
WW6037HBEM	2038	15	59¾	37½	—	—	145 lbs.	18.3
WW4837HBEM	1705	15	47¾	37½	—	—	120 lbs.	11.1
WW4237HBEM	1654	15	41¾	37½	—	—	95 lbs.	3.9
WW3637HBEM	1597	15	35¾	37½	—	—	75 lbs.	2.0

- Not intended for use on table desking
- An end panel, support panel, or pedestal must be located under end panels of highback for proper support
- Back of highback has cutouts for cable routing
- Some assembly required
- Reference tack board applicability on page 722

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Overheads shipped with appropriate hardware




TO ORDER, SPECIFY:

- Model Number
- Locking
- Paint

SAMPLE MODEL NUMBER:

WW4814SOFTM KRB 461

- See pages 477-478 for all options available in WaveWorks Metal

MODEL NO./DESCRIPTION				LIST PRICE		DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			GRADE AA	GRADE A	GRADE B/COM	D	W	H	A	KW			
	NAC6820TBMA	Railroad	\$ 465	\$ 513	\$ 606	½	68¾	19¾	—	—	13 lbs.	2.2	
	NAC5620TBMA	Railroad	368	405	475	½	56¾	19¾	—	—	9 lbs.	1.8	
	NAC4420TBMA	Railroad	335	365	422	½	44¾	19¾	—	—	8 lbs.	1.5	
	NAC3820TBMA	Railroad	319	345	395	½	38¾	19¾	—	—	7 lbs.	1.3	
	NAC3220TBMA	Railroad	294	316	359	½	32¾	19¾	—	—	6 lbs.	1.0	
	<ul style="list-style-type: none">• For use with WaveWorks metal highback organizers only• Tack board is unfinished on back• Hardware is included to attach to highback organizer• See page 478 for textile options• Reference tack board applicability on page 722												
OVERHEAD STORAGE CABINET RECESSED DOOR EXHIBIT MOUNT													
	WW4814SOFTM					\$ 991	14%	47¾	16%	—	—	67 lbs.	11.7
	WW4214SOFTM					966	14%	41¾	16%	—	—	62 lbs.	11.5
	WW3614SOFTM					946	14%	35¾	16%	—	—	57 lbs.	10.1
	WW3014SOFTM					921	14%	29¾	16%	—	—	43 lbs.	6.6
	<ul style="list-style-type: none">• Exhibit mount bracket and filler strip is included, Exhibit wall rail must be ordered separately• Filler strip is removable in the field if overhead is used with tack/marker board insert• Door recesses into top of cabinet• Unit features 1 door• Unit features an open back• It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads• If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available												
OVERHEAD STORAGE CABINET FLIPPER DOOR WITH SOFT CLOSE HINGE EXHIBIT MOUNT													
	WW4814SOF2TM					\$ 1120	14 ¹ / ₁₆	47¾	16%	—	—	67 lbs.	11.7
	WW4214SOF2TM					1095	14 ¹ / ₁₆	41¾	16%	—	—	62 lbs.	11.5
	WW3614SOF2TM					1073	14 ¹ / ₁₆	35¾	16%	—	—	57 lbs.	10.1
	WW3014SOF2TM					1053	14 ¹ / ₁₆	29¾	16%	—	—	43 lbs.	6.6
	<ul style="list-style-type: none">• Exhibit mount bracket and filler strip is included, Exhibit wall rail must be ordered separately• Filler strip is removable in the field if overhead is used with tack/marker board insert• Door flips up over the top of the unit• Features soft close hinges• Unit features 1 door• Unit features an open back• It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads• If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available												

PRODUCT SPECIFICATIONS

- Overheads shipped with appropriate hardware

TO ORDER, SPECIFY:


- Model Number
- Paint

SAMPLE MODEL NUMBERS:

WW3642BCOFM 501
11N72EXP1 462


- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
OVERHEAD STORAGE CABINET NO DOORS EXHIBIT MOUNT	WW4814SOETM	\$ 927	14%	47%	16%	—	—	67 lbs.	11.7
	WW4214SOETM	905	14%	41%	16%	—	—	62 lbs.	11.5
	WW3614SOETM	883	14%	35%	16%	—	—	57 lbs.	10.1
	WW3014SOETM	859	14%	29%	16%	—	—	43 lbs.	6.6



- Exhibit mount bracket and filler strip is included, Exhibit wall rail must be ordered separately
- Filler strip is removable in the field if overhead is used with tack/marker board insert
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail

EXHIBIT WALL RAIL




WALL RAIL

11N72EXP1	1 Rail/No faceplate	\$ 137	¾	72	1¾	—	—	6 lbs.	0.7
11N144EXP1	1 Rail/No faceplate	199	¾	144	1¾	—	—	12 lbs.	1.4

- Includes 1 wall rail and 2 alignment brackets
- Specify 423 Concrete, 462 Cinder, 463 Iron, 501 Platinum Metallic or 503 Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert


2 SHELF BOOKCASE



WW3642BCOFM	\$ 1226	15½	35½%	41½%	—	—	82 lbs.	16.9
-------------	---------	-----	------	------	---	---	---------	------

- Not intended for use as set-on surface storage
- Shelves are ¾" thick
- Shaded shelves are adjustable


3 SHELF BOOKCASE



WW3654BCOFM	\$ 1456	15½	35½%	53½%	—	—	103 lbs.	21.6
-------------	---------	-----	------	------	---	---	----------	------

- Not intended for use as set-on surface storage
- Shelves are ¾" thick
- Shaded shelves are adjustable

4 SHELF BOOKCASE



WW3666BCOFM	\$ 1712	15½	35½%	65½%	—	—	124 lbs.	26.2
-------------	---------	-----	------	------	---	---	----------	------

- Not intended for use as set-on surface storage
- Shelves are ¾" thick
- Shaded shelves are adjustable

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- See pages 480, 482-485 for modesty panel matrix and guidelines


TO ORDER, SPECIFY:

1. Model Number
2. Paint


SAMPLE MODEL NUMBER:

WW4827MPM 440

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
MODESTY PANEL FULL OVERLAY MODESTY 	WW9627MPM	\$ 396	1½	96	27	—	—	32 lbs.	3.0
	WW8427MPM	372	1½	84	27	—	—	29 lbs.	2.5
	WW7227MPM	327	1½	72	27	—	—	24 lbs.	2.1
	WW6627MPM	310	1½	66	27	—	—	22 lbs.	2.0
	WW6027MPM	292	1½	60	27	—	—	20 lbs.	1.8
	WW5427MPM	285	1½	54	27	—	—	18 lbs.	1.6
	WW4827MPM	282	1½	48	27	—	—	16 lbs.	1.4
	WW4227MPM	262	1½	42	27	—	—	15 lbs.	1.3
	WW3627MPM	239	1½	36	27	—	—	13 lbs.	1.1
	WW3427MPM	227	1½	34	27	—	—	13 lbs.	1.0
	WW3027MPM	217	1½	30	27	—	—	12 lbs.	0.9

- Modesty panel completely covers back of pedestals and kneespace and from underside of worksurface to floor

MODESTY PANEL FULL OVERLAY - BOX/FILE HEIGHT 	WW9621MPM	Metal	\$ 354	1½	96	21¼	—	—	30 lbs.	2.9
	WW8421MPM	Metal	327	1½	84	21¼	—	—	27 lbs.	2.4
	WW7221MPM	Metal	285	1½	72	21¼	—	—	22 lbs.	2.0
	WW6621MPM	Metal	266	1½	66	21¼	—	—	20 lbs.	1.9
	WW6021MPM	Metal	250	1½	60	21¼	—	—	18 lbs.	1.7
	WW5421MPM	Metal	243	1½	54	21¼	—	—	16 lbs.	1.5
	WW4821MPM	Metal	239	1½	48	21¼	—	—	14 lbs.	1.3
	WW4221MPM	Metal	218	1½	42	21¼	—	—	13 lbs.	1.2
	WW3621MPM	Metal	200	1½	36	21¼	—	—	11 lbs.	1.0
	WW3021MPM	Metal	175	1½	30	21¼	—	—	10 lbs.	0.8

- Modesty panel completely covers back of pedestals and kneespace and from underside of worksurface to floor

PRODUCT SPECIFICATIONS

- See pages 480, 482-485 for modesty panel matrix and guidelines


TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

WW9423MPM 440

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
MODESTY PANEL KNEESPACE MODESTY 	WW9423MPM	\$ 361	1½	93¼	23	—	—	32 lbs.	2.8
	WW8323MPM	334	1½	82¾	23	—	—	29 lbs.	2.5
	WW8223MPM	334	1½	81¼	23	—	—	25 lbs.	2.4
	WW8023MPM	334	1½	79⅞	23	—	—	28 lbs.	2.4
	WW7123MPM	296	1½	70⅞	23	—	—	23 lbs.	2.1
	WW7023MPM	296	1½	69¾	23	—	—	23 lbs.	2.1
	WW6923MPM	277	1½	69	23	—	—	23 lbs.	2.1
	WW6823MPM	277	1½	67¾	23	—	—	23 lbs.	2.0
	WW6623MPM	277	1½	65¾	23	—	—	22 lbs.	2.0
	WW6523MPM	277	1½	64¾	23	—	—	22 lbs.	2.0
	WW6423MPM	277	1½	63¾	23	—	—	21 lbs.	1.9
	WW5923MPM	262	1½	58¾	23	—	—	20 lbs.	1.8
	WW5823MPM	262	1½	57¼	23	—	—	20 lbs.	1.7
	WW5723MPM	262	1½	57	23	—	—	19 lbs.	1.7
	WW5623MPM	262	1½	55¾	23	—	—	19 lbs.	1.7
	WW54A23MPM	256	1½	54	23	—	—	19 lbs.	1.6
	WW5423MPM	256	1½	53¾	23	—	—	18 lbs.	1.6
	WW5323MPM	256	1½	52¾	23	—	—	18 lbs.	1.6
	WW52A23MPM	256	1½	52¾	23	—	—	18 lbs.	1.6
	WW5223MPM	256	1½	51¾	23	—	—	18 lbs.	1.6
	WW5023MPM	254	1½	49¾	23	—	—	17 lbs.	1.5
	WW4723MPM	254	1½	46¾	23	—	—	16 lbs.	1.4
	WW4523MPM	239	1½	45¾	23	—	—	16 lbs.	1.4
	WW4423MPM	239	1½	45⅞	23	—	—	15 lbs.	1.3
	WW4323MPM	239	1½	43¾	23	—	—	15 lbs.	1.3
	WW42A23MPM	238	1½	42⅞	23	—	—	14 lbs.	1.3
	WW4223MPM	238	1½	41¾	23	—	—	15 lbs.	1.3
	WW4123MPM	222	1½	40¾	23	—	—	15 lbs.	1.2
	WW40A23MPM	222	1½	40⅞	23	—	—	14 lbs.	1.2
	WW4023MPM	222	1½	39¾	23	—	—	14 lbs.	1.2
	WW3923MPM	216	1½	39⅞	23	—	—	14 lbs.	1.2
	WW3823MPM	216	1½	37¾	23	—	—	14 lbs.	1.2

- Modesty panels are pre-drilled for installation
- Gap between top of modesty panel and underside of worksurface is 1½"; gap between bottom of modesty panel and floor is 3"
- Modesty panel not applicable for attachment to suspended pedestals
- Shell units must be used with suspended pedestals
- See pages 482-485 for planning guideline chart

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- See pages 480, 482-485 for modesty panel matrix and guidelines


TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:


WW3623MPM 501

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
MODESTY PANEL KNEESPACE MODESTY (CONTINUED) 	WW3623MPM	\$ 216	1½	36	23	—	—	13 lbs.	1.1
	WW3523MPM	209	1½	34¾	23	—	—	13 lbs.	1.1
	WW3423MPM	205	1½	33¾	23	—	—	13 lbs.	1.0
	WW3323MPM	205	1½	33¼	23	—	—	13 lbs.	1.0
	WW3223MPM	200	1½	31¾	23	—	—	12 lbs.	1.0
	WW3123MPM	200	1½	30¾	23	—	—	12 lbs.	1.0
	WW3023MPM	200	1½	30	23	—	—	12 lbs.	0.9
	WW2923MPM	200	1½	28¾	23	—	—	11 lbs.	0.9
	WW2823MPM	200	1½	27¾	23	—	—	11 lbs.	0.9
	WW2723MPM	196	1½	27¼	23	—	—	11 lbs.	0.8
	WW2623MPM	196	1½	25¾	23	—	—	9 lbs.	0.7
	WW2323MPM	191	1½	22¾	23	—	—	9 lbs.	0.7
	WW2023MPM	191	1½	19¾	23	—	—	8 lbs.	0.7
	WW1723MPM	188	1½	16¾	23	—	—	7 lbs.	0.7
	WW1423MPM	184	1½	13¾	23	—	—	6 lbs.	0.7

- Modesty panels are pre-drilled for installation
- Gap between top of modesty panel and underside of worksurface is 1½"; gap between bottom of modesty panel and floor is 3"
- Modesty panel not applicable for attachment to suspended pedestals
- Shell units must be used with suspended pedestals
- See pages 482-485 for planning guideline chart


NON-DEFACING PEDESTAL KIT



WWMNDF	\$ 68	—	—	—	—	—	—	1 lbs.	0.3
--------	-------	---	---	---	---	---	---	--------	-----

- Allows attachment of pedestal to modesty panel without drilling holes in sides of cabinet
- Includes hardware for attachment
- Environmental grey finish
- Order 1 non-defacing kit per pedestal
- Specify model number only

NON-DEFACING COLUMN LEG KIT



WWBNDF	Cinder	\$ 68	—	—	—	—	—	1 lbs.	0.3
--------	--------	-------	---	---	---	---	---	--------	-----

- Allows attachment of column to metal modesty panel without defacing the column
- Available in 4 paint options: Designer White (405), Cinder (462), Platinum Metallic (501) and Satin Nickel Metallic (503)






TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

WW1827EPM 405

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
FULL END PANEL WORKSURFACE HEIGHT 	WW3627EPM	\$ 383	34 $\frac{3}{8}$	1 $\frac{1}{4}$	27 $\frac{1}{4}$	—	—	37 lbs.	1.1
	WW3027EPM	344	28 $\frac{1}{2}$	1 $\frac{1}{4}$	27 $\frac{1}{4}$	—	—	30 lbs.	1.0
	WW2427EPM	304	22 $\frac{1}{2}$	1 $\frac{1}{4}$	27 $\frac{1}{4}$	—	—	25 lbs.	0.8
	<ul style="list-style-type: none"> • Non-structural and non-handed • Designed for securement to modesty panel • Intended use for single pedestal desks/credenzas • Includes 2 glides • In single pedestal applications without modesty panels, 2 gusset brackets must be purchased to ensure structural stability 								
FULL END PANEL (BOX/FILE HEIGHT) 	WW2421EPM	\$ 282	22 $\frac{1}{2}$	1 $\frac{1}{4}$	21 $\frac{1}{4}$	—	—	20 lbs.	0.6
	<ul style="list-style-type: none"> • Non-structural and non-handed • Designed for securement to modesty panel • Includes 2 glides • In single pedestal applications without modesty panels, 2 gusset brackets must be purchased to ensure structural stability 								
HALF END PANEL 	WW1827EPM	\$ 276	16	1 $\frac{1}{4}$	27 $\frac{1}{4}$	—	—	19 lbs.	0.6
	<ul style="list-style-type: none"> • Non-structural and non-handed • Designed for securement to modesty panel • Includes 2 glides • In applications without modesty panels, 2 gusset brackets must be purchased to ensure structural stability • Utilize on all corner surfaces with cylinder leg and for continuous surface connections when needing additional support 								
SUPPORT PANEL 	WW1227SSM	\$ 211	11 $\frac{3}{8}$	1 $\frac{1}{4}$	27 $\frac{1}{4}$	—	—	10 lbs.	0.4
	<ul style="list-style-type: none"> • Non-structural and non-handed • Designed for securement to modesty panel • Utilize on 36" corner surfaces only with cylinder leg and for continuous surface connections • Includes 2 glides • In applications without modesty panels, a gusset bracket must be purchased to ensure structural stability 								
SUPPORT PANEL (BOX/FILE HEIGHT) 	WW1221SSM	\$ 120	11 $\frac{3}{8}$	1 $\frac{1}{4}$	21 $\frac{1}{4}$	—	—	13 lbs.	0.8
	<ul style="list-style-type: none"> • Non-structural and non-handed • Designed for securement to modesty panel • Includes 2 glides • In applications without modesty panels, a gusset bracket must be purchased to ensure structural stability 								

WAVEWORKS METAL



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Paint

SAMPLE MODEL NUMBER:


WW0827SRM 462

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
RETURN SUPPORT PANEL	WW0827SRM	\$ 118	7 $\frac{3}{8}$	1 $\frac{1}{4}$	27 $\frac{3}{4}$	—	—	7 lbs.	0.2
	WW1227SRM	168	11 $\frac{3}{8}$	1 $\frac{1}{4}$	27 $\frac{3}{4}$	—	—	9 lbs.	0.4
<ul style="list-style-type: none"> • Non-structural and non-handed • Designed for securement to modesty panel • Utilize 1 return support panel for returns • Utilize 2 return support panels for bridge units • Includes 1 glide for WW0827SRM; includes 2 glides for WW1227SRM • Use WW0827SRM to create 24"D return • Use WW1227SRM to create 30"D return 									



T-SUPPORT PANEL HALF HEIGHT



INTENDED FOR USE WITH 1 $\frac{1}{16}$ " THICK WORKSURFACE MODELS


WWN3605STM	Metal	\$ 275	35 $\frac{3}{8}$	1 $\frac{1}{4}$	4 $\frac{1}{8}$	—	—	19 lbs.	2.0
WWN3005STM	Metal	244	29 $\frac{1}{16}$	1 $\frac{1}{4}$	4 $\frac{1}{8}$	—	—	17 lbs.	1.8
WWN2405STM	Metal	222	22 $\frac{1}{16}$	1 $\frac{1}{4}$	4 $\frac{1}{8}$	—	—	14 lbs.	1.6

INTENDED FOR USE WITH 1 $\frac{1}{16}$ " THICK WORKSURFACE MODELS

WW3606STM	Metal	\$ 275	35 $\frac{3}{8}$	1 $\frac{1}{4}$	5 $\frac{1}{8}$	—	—	19 lbs.	2.0
WW3006STM	Metal	244	29 $\frac{1}{16}$	1 $\frac{1}{4}$	5 $\frac{1}{8}$	—	—	17 lbs.	1.8
WW2406STM	Metal	222	22 $\frac{1}{16}$	1 $\frac{1}{4}$	5 $\frac{1}{8}$	—	—	14 lbs.	1.6

- Some assembly required
- Specify with worksurfaces when overlapping box/file height storage, T-support panel will sit on box/file height storage and support worksurface height worksurfaces

UNDERSURFACE SUPPORT RAIL (WORKSURFACE)



QNAC0248SUR		\$ 274	2 $\frac{3}{4}$	48	1	—	—	5 lbs.	0.5
NAC0248SUR		274	2 $\frac{3}{4}$	48	1	—	—	5 lbs.	0.5
QNAC0236SUR		235	2 $\frac{3}{4}$	36	1	—	—	3 lbs.	0.3
NAC0236SUR		235	2 $\frac{3}{4}$	36	1	—	—	3 lbs.	0.3

- Specify model number only
- Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1 $\frac{3}{16}$ " worksurface and greater than 60" on a 1 $\frac{1}{16}$ " worksurface
- Specify the 36" model to be used up to 66" worksurfaces
- Specify the 48" model to be used up to 72" worksurfaces
- Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces
- Rails are bulk packed per order. The pack may contain both sizes of rails






TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBERS:

WW0827SPM 480
WWGB
WW0127CPFSM

- See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET	
CORNER POST 	WW0827SPM	\$ 381	8	8	27¼	—	—	11 lbs.	1.6	
	<ul style="list-style-type: none"> • Creates corner unit utilizing modesty panels • Designed to secure modesty panels to corner unit • Corner post must be used with modesty panels • Includes 1 glide 									
GUSSET BRACKET 	WWGB	\$ 42	9¾	—	9¾	—	—	1 lbs.	0.2	
	<ul style="list-style-type: none"> • When modesty panels are not utilized, gusset brackets are required for stabilization and support of end and support panels • Non-handed • Includes 1 bracket • Specify model number only • Gusset Brackets are not to be used in place of support panels 									
MODESTY FILLER STRIP (WORKSURFACE HEIGHT) 	WW0127CPFSM	\$ 73	1¾	1	27¾	—	—	1 lbs.	0.2	
	<ul style="list-style-type: none"> • Utilize to close space between back of pedestal and wall • Utilize for 24" deep surfaces/undersurface pedestals • Non-handed • Specify model number only 									
MODESTY FILLER STRIP (BOX/FILE HEIGHT) 	WW0121CPFSM	\$ 51	1¾	1	21¼	—	—	1 lbs.	0.2	
	<ul style="list-style-type: none"> • Utilize to close space between back of pedestal and wall • Utilize for 24" deep surfaces/undersurface pedestals • Non-handed • Specify model number only 									
LATERAL FILE FILING HARDWARE 	WW15FFB	\$ 42	¾	15¾	¾	—	—	1 lbs.	2.0	
	<ul style="list-style-type: none"> • Allows front-to-back letter filing • Set of 2 • Front-to back file bars provide: <ul style="list-style-type: none"> 2 rows of letter or 1 row of legal in 30" W 2 rows of letter or 2 rows of legal in 36" W 3 rows of letter or 2 rows of legal in 42" W 									

WAVEWORKS METAL






TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC0612PT

• See pages 477-478 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
PENCIL TRAY 	NAC0612PT Black	\$ 45	5½	12	1½	—	—	1 lbs.	0.2
	<ul style="list-style-type: none"> • Holds pencils, pens, rulers, etc. • For use in WaveWorks Metal box drawer 								
BOX DRAWER DIVIDER 	NAC1303DD Black	\$ 37	12¾	3¾	—	—	—	1 lbs.	0.2
	<ul style="list-style-type: none"> • For use in WaveWorks Metal box drawer 								
OVERHEAD/SHELF DIVIDER 	NAC9SD Black (Set of 3)	\$ 92	6	9¼	7	—	—	1 lbs.	0.3
	<ul style="list-style-type: none"> • Sits in a WaveWorks Metal highback organizer or overhead 								
ELECTRONIC LOCK VERTICAL 	NAC05LKEVB Black	\$ 580	1	1½	5	—	—	1 lbs.	0.2
	NAC05LKEVS Silver	580	1	1½	5	—	—	1 lbs.	0.2
	<ul style="list-style-type: none"> • Electronic locking features passcode operation • Can be field installed on storage units except where noted. Select specify core separately • Rechargeable lithium battery included. Charge with either a wired USB charger or USB power pack (not included) • If ordering electronic locking as a separate model, specify key specific on the storage unit so as to only get the hole cutout • Hardware is included 								
ELECTRONIC LOCK HORIZONTAL 	NAC05LKEHB Black	\$ 580	1	5	1½	—	—	1 lbs.	0.2
	NAC05LKEHS Silver	580	1	5	1½	—	—	1 lbs.	0.2
	<ul style="list-style-type: none"> • Electronic locking features passcode operation • Can be field installed on storage units except where noted. Select specify core separately • Rechargeable lithium battery included. Charge with either a wired USB charger or USB power pack (not included) • If ordering electronic locking as a separate model, specify key specific on the storage unit so as to only get the hole cutout • Hardware is included 								