
COLLABORATIVE TABLES

Footings	176
Grin	214
Mio	227
Strassa	295

FOOTINGS PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1 $\frac{3}{16}$ " HPL (high pressure laminate) or 1 $\frac{1}{8}$ " TFL (thermally fused laminate), and feature a softened 3mm vinyl rim or knife rim surface
- Veneer surfaces are 1 $\frac{3}{16}$ " and feature a 3mm wood rim or knife rim surface
- Refer to page 177 for rim profile and colors
- Grain direction runs left-to-right
- 120" tops and smaller are a 1 piece top

BASE

- Intended to be used with Footings tops. However, an equal size 1 $\frac{3}{16}$ " top from Wave or Epic can be used
- Ellipse shaped wire management cutout optional on X bases and standard on the Y and quad bases
- The column and foot can be specified as different paint colors
- Adjustable glides are standard
- Column diameter is 2 $\frac{1}{2}$ "

POWER/DATA ELECTRICAL SPECIFICATIONS

ROUND GROMMET (G10)

- NACG10EL features 2 120 volt receptacles and 2 Cat5E data ports and 6' AC cord rated at 15 amps; data ports are not pre-wired
- Field installable
- For conference tables only
- Black nylon
- 8 adapter plates are provided

GLENBEIGH PIVOTING POWER GROMMET (G17A, G17B, G17C)

- Accommodates table thickness of $\frac{3}{4}$ "-1 $\frac{1}{4}$ "
- 10 ft. power cord with 3-prong molded plug
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- 15 amp, 120v (hardwire models)
- 10 ft. metal conduit (hardwire models)
- UL Listed
- G17A available with 2 power outlets
- G17B available with 1 power outlet and 1 USB-A + C combo port
- G17C available with 1 power outlet

INTERLINK IQ SYSTEM (G17A, G17B, G17C)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- Jumper or transitional jumper used between the smart box and G17 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G17A Interlink has 2 power outlets
- G17B Interlink has 1 power and 1 dual USB-A + C combo
- G17C Interlink has 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver, black, or white
- Hardwire available
- 9 foot, 15 amp cord
- UL Listed

DAISY LINK (G23)


- Field installable when CUT-G23 option is specified
- Silver, black, or white
- Includes 2 15 amp power receptacles (no data) and 2 USB (3.0 power) power ports
- Thumbscrew version with 2 backerplates and 2 $\frac{1}{4}$ "-20 thumbscrews
- 72" single circuit power cord for plugged starter unit; 48 $\frac{3}{8}$ " conduit and 24" power cord with 20 amp molded plug
- 72 $\frac{3}{8}$ " multi-circuit conduit power cord for hardwire starter unit
- Add-on unit does include a 60" jumper; jumper cable is 60 $\frac{3}{8}$ " metal conduit with female to female ends for connecting 2 daisy link power grommets
- UL Listed

DAISY LINK JUMPER

- 80", 180", or 240" jumper cable is metal conduit with female to female ends to connect 2 daisy link power grommets when the power is jumped between tables

FOOTINGS SHAPES AND SIZES

• All tops are 1 piece tops



ROUND

- 24" Diameter
- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter



SOFT SQUARE

- 24" x 24"
- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



OVAL

- 24" x 48"
- 30" x 60"
- 36" x 72"
- 42" x 84"
- 48" x 96"



SOFT RECTANGLE

- 24" x 48"
- 30" x 60" and 72"
- 36" x 60", 72", 84" and 96"
- 42" x 72", 84" and 96"
- 48" x 72", 84", 96" and 120"



ARC RECTANGLE

- 24" x 48"
- 30" x 60" and 72"
- 36" x 60", 72", 84" and 96"
- 42" x 72", 84" and 96"
- 48" x 72", 84", 96" and 120"



BOAT

- 24" x 48"
- 30" x 60" and 72"
- 36" x 60", 72", 84" and 96"
- 42" x 72", 84" and 96"
- 48" x 72", 84", 96" and 120"



TAPERED

- 36" x 72"
- 42" x 84"
- 48" x 96"
- 48" x 120"

RIM PROFILE OPTIONS



Softened Wood (F)
(wood tops only)



Softened Vinyl (V)
(laminated tops only)



Knife (K)

RIM PROFILES

SOFTENED VINYL RIM

793	Acorn	TM	Huntington
AD	Almond	DW	Judicial
MC	Amber	KN	Kona
AC2	Autumn 2	MW	Midtown
BZ	Brazilwood	MH	Mocha
IM	Brighton	YO	Monterey
CO	Canyon	NM	Natural
CL	Caramel	478	Platinum Grey
CI	Chai	PC	Porcini
462	Cinder	PT	Portico
492	Cinder Linear	PB	Portobello
440	Cloud	792	Sable
CC	Cordoba	SC	Sedona
CW	Cordovan	425	Shadow
457	Dapple	SK	Skyline
405	Designer White	460	Storm
491	Designer White Linear	TW	Tribeca
DF	Driftwood	TF	Truffle
450	Fog	NW	Tuscan
488	Frosty White	UW	Urban
461	Graphite	419	Wallaby
HN2	Honey 2	WL	Willow

WOOD RIM

AD	Almond
MC	Amber
AC	Autumn
IM	Brighton
CL	Caramel
EW	Clear Walnut
CW	Cordovan
HN	Honey
DW	Judicial
MH	Mocha
YO	Monterey
NM	Natural
PB	Portobello
792	Sable
TF	Truffle

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
 • For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

FOOTINGS - CONFIGURATION OPTIONS

GROMMET AND CUTOUT OPTIONS

Footings tops are available with grommet cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

- G10C Center
- G10E End
- G10LR Left, Right



- Reference page 180 for grommet locations




**NACG10EL
(Sold Separately)**

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details


Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location

- CUT-G17C Center
- CUT-G17E End
- CUT-G17LR Left & Right




- Reference page 181 for cutout locations of CUT-G17




**NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW (Sold Separately)**

- Reference page 562 for pricing and details



**NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW (Sold Separately)**

- Reference page 562 for pricing and details



**NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW (Sold Separately)**


- Reference page 562 pricing and details

NOTE: Interlink IQ units are available in the Accessories section

Cutout Option for G23 Power Grommet and Daisy Link


\$41 list upcharge per cutout location

- CUT-G23C Cutout only for G23 Power Grommet (+\$41 list)




- CUT-G23C Center
- CUT-G23E End
- CUT-G23LR Left, Right

- Reference page 182 for cutout locations of CUT-G23




**NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)**

- Reference page 568 pricing and details



Plugged Starter Unit



Hardwire Starter Unit

**NAC80ELDLJ, NACG23ELDLB1,
NACG23ELDLB2, NACG23ELDLHB1,
NACG23ELDLHS1, NACG23ELDLS1, and
NACG23ELDLS2 (Sold Separately)**

- Reference page 568 pricing and details

TOP WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
EW	Clear Walnut*
CW	Cordovan Walnut
HN	Honey Maple
DW	Judicial Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
TF	Truffle Cherry

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn*	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

*Acorn is the laminate complement to Clear Walnut finish

• CSL available on HPL worksurfaces

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

• Pattern laminates not available on TFL models

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

BASE COLUMN PAINT COLORS

462	Cinder
423	Concrete
405	Designer White
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

BASE FOOT PAINT COLORS


462	Cinder
423	Concrete
405	Designer White
463	Iron
501	Platinum Metallic
265	Polished
503	Satin Nickel Metallic

BASE COLUMN WIRE MANAGEMENT

• Ellipse shaped wire management cutout optional in X bases

CU	Cutout, Upper
X	No Cutout


\$41 list upcharge for cutout in X bases



• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
 • For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

FOOTINGS - GROMMET LOCATIONS

- All grommets are centered on the table top depth
- G10 grommets are shipped installed
- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- For 120" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)




• G10 Round Grommet




GROMMET LOCATION/OPTIONS	TABLE LENGTH (IN)															
	48"					60"					72"					
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D	
	48"	-	24"	-	-	60"	-	30"	-	-	72"	-	36"	-	-	
		-	-	-	-		-	-	-	-		-	-	-	-	
G10E END		A	B	C	D		A	B	C	D		A	B	C	D	
	48"	N/A	-	-	-	60"	24"	-	-	-	72"	26 ¹⁵ / ₁₆ "	-	-	-	
		-	-	-	-		-	-	-	-		-	-	-	-	
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D	
	48"	N/A	-	-	N/A	60"	24"	-	-	36"	72"	26 ¹⁵ / ₁₆ "	-	-	45"	
		-	-	-	-		-	-	-	-		-	-	-	-	
	84"					96"					120"					
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D	
	84"	-	41 ¹⁵ / ₁₆ "	-	-	96"	-	47 ¹⁵ / ₁₆ "	-	-	120"	-	50 ¹⁵ / ₁₆ "	68 ⁷ / ₈ "	-	
		-	-	-	-		-	-	-	-		-	-	-	-	
G10E END		A	B	C	D		A	B	C	D		A	B	C	D	
	84"	29 ¹⁵ / ₁₆ "	-	-	-	96"	32 ¹⁵ / ₁₆ "	-	-	-	120"	29 ¹⁵ / ₁₆ "	-	-	-	
		-	-	-	-		-	-	-	-		-	-	-	-	
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D	
	84"	29 ¹⁵ / ₁₆ "	-	-	54"	96"	32 ¹⁵ / ₁₆ "	-	-	62 ¹⁵ / ₁₆ "	120"	29 ¹⁵ / ₁₆ "	-	-	89 ⁷ / ₈ "	
		-	-	-	-		-	-	-	-		-	-	-	-	

GROMMET LOCATIONS - FOOTINGS


- All grommets are centered on the table top depth
- For 60", 72", 84" 96" and 120" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)



- CUT-G17 option



- 1 Touch Pivoting Power/Data Grommet




- Must be ordered separately

TABLE LENGTH (IN)


GROMMET LOCATION/OPTIONS	48"				60"				72"						
	A	B	C	D	A	B	C	D	A	B	C	D			
G17C CENTER	48"	–	24"	N/A	–	60"	–	26"	34"	–	72"	–	32"	39 1/16"	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
G17E END	A	B	C	D	A	B	C	D	A	B	C	D			
	48"	N/A	–	–	–	60"	24"	–	–	–	72"	26 1/16"	–	–	–
G17LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D			
	48"	N/A	–	–	N/A	60"	24"	–	–	36"	72"	26 1/16"	–	–	45"
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
GROMMET LOCATION/OPTIONS	84"				96"				120"						
	A	B	C	D	A	B	C	D	A	B	C	D			
G17C CENTER	84"	–	38"	45 1/16"	–	96"	–	44"	51 1/16"	–	120"	–	50 1/16"	68 7/8"	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
G17E END	A	B	C	D	A	B	C	D	A	B	C	D			
	84"	29 1/16"	–	–	–	96"	32 1/16"	–	–	–	120"	29 1/16"	–	–	–
G17LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D			
	84"	29 1/16"	–	–	54"	96"	32 1/16"	–	–	62 1/16"	120"	29 1/16"	–	–	89 7/8"
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

FOOTINGS - GROMMET LOCATIONS


- All grommets are centered on the table top depth
- For 120" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)



- CUT-G23 option







- Power Grommet







- Must be ordered separately


TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"				60"				72"						
	A	B	C	D	A	B	C	D	A	B	C	D			
G23C CENTER	48"	–	24"	–	–	60"	–	30"	–	–	72"	–	36"	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
G23E END	A	B	C	D	A	B	C	D	A	B	C	D			
	48"	N/A	–	–	–	60"	24"	–	–	–	72"	26 15/16"	–	–	–
G23LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D			
	48"	N/A	–	–	N/A	60"	24"	–	–	36"	72"	26 15/16"	–	–	45"
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
G23C CENTER	84"				96"				120"						
	A	B	C	D	A	B	C	D	A	B	C	D			
G23C CENTER	84"	–	41 15/16"	–	–	96"	–	47 5/16"	–	–	120"	–	49 3/16"	70 7/8"	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
G23E END	A	B	C	D	A	B	C	D	A	B	C	D			
	84"	29 15/16"	–	–	–	96"	32 15/16"	–	–	–	120"	29 15/16"	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
G23LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D			
	84"	29 15/16"	–	–	54"	96"	32 15/16"	–	–	62 15/16"	120"	29 15/16"	–	–	89 7/8"
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	





TOP SIZE DEPTH WIDTH	BASES:					
24" 24"	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  X Base Occasional Height </div> <div style="text-align: center;">  X Base End Table Height </div> <div style="text-align: center;">  X Base Worksurface Height </div> <div style="text-align: center;">  X Base Counter Height </div> <div style="text-align: center;">  X Base Bar Height </div> </div> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>TOPS OFFERED:</p>  ROUND CBV2115XBP CBV2119XBP CBV2128XBP CBV2135XBP CBV2141XBP </div> <div style="width: 45%; text-align: center;">  SOFT SQUARE CBV2115XBP CBV2119XBP CBV2128XBP CBV2135XBP CBV2141XBP </div> </div>					
24" 48"	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  Y Bases with Rail Occasional Height </div> <div style="text-align: center;">  Y Bases with Rail Worksurface Height </div> </div> <div style="display: flex; justify-content: space-between;"> <div style="width: 20%;"> <p>TOPS OFFERED:</p>  OVAL CBV183115YBKP </div> <div style="width: 20%; text-align: center;">  SOFT RECTANGLE CBV183515YBKP CBV243828YBKP </div> <div style="width: 20%; text-align: center;">  ARC RECTANGLE CBV183515YBKP CBV243828YBKP </div> <div style="width: 20%; text-align: center;">  BOAT CBV183515YBKP CBV243828YBKP </div> </div>					
30" 30"	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  X Base Occasional Height </div> <div style="text-align: center;">  X Base End Table Height </div> <div style="text-align: center;">  X Base Worksurface Height </div> <div style="text-align: center;">  X Base Worksurface Height, Mobile </div> <div style="text-align: center;">  X Base Counter Height </div> <div style="text-align: center;">  X Base Bar Height </div> </div> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>TOPS OFFERED:</p>  ROUND CBV2715XBP CBV2719XBP CBV2728XBP CBV2735XBP CBV2741XBP </div> <div style="width: 45%; text-align: center;">  SOFT SQUARE CBV2715XBP CBV2719XBP CBV2728XBP CBV2735XBP CBV2741XBP </div> </div>					






FOOTINGS - BASE MATRIX

TOP SIZE DEPTH WIDTH		BASES:			
30"	60"	 Y Bases with Rail Occasional Height  Y Bases with Rail Worksurface Height  Y Bases with Rail Counter Height  Y Bases with Rail Bar Height			
		TOPS OFFERED:  OVAL CBV243815YBKP CBV243828YBKP CBV243835YBKP CBV243841YBKP			
30"	72"	 Y Bases with Rail Occasional Height  Y Bases with Rail Worksurface Height  Y Bases with Rail Counter Height  Y Bases with Rail Bar Height			
		TOPS OFFERED:  SOFT RECTANGLE CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP			
36"	36"	 X Base Occasional Height  X Base Worksurface Height  X Base Worksurface Height, Mobile  X Base Counter Height  X Base Bar Height			
		TOPS OFFERED:  ROUND CBV3215XBP CBV3228XBP CBV3228XBMP CBV3235XBP CBV3241XBP			
		 SOFT SQUARE CBV3215XBP CBV3228XBP CBV3228XBMP CBV3235XBP CBV3241XBP			

TOP SIZE DEPTH WIDTH	BASES:				
36" 60"	 <p>Y Bases with Rail Occasional Height Y Bases with Rail Worksurface Height Y Bases with Rail Counter Height Y Bases with Rail Bar Height</p>				
	<p>TOPS OFFERED:</p>				
	 <p>SOFT RECTANGLE</p> <p>CBV244415YBKP CBV244428YBKP CBV244435YBKP CBV244441YBKP</p>	 <p>ARC RECTANGLE</p> <p>CBV244415YBKP CBV244428YBKP CBV244435YBKP CBV244441YBKP</p>	 <p>BOAT</p> <p>CBV244415YBKP CBV244428YBKP CBV244435YBKP CBV244441YBKP</p>		
36" 72"	 <p>Y Bases with Rail Occasional Height Y Bases with Rail Worksurface Height Y Bases with Rail Counter Height Y Bases with Rail Bar Height</p>				
	<p>TOPS OFFERED:</p>				
	 <p>OVAL</p> <p>CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP</p>	 <p>SOFT RECTANGLE</p> <p>CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP</p>	 <p>ARC RECTANGLE</p> <p>CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP</p>	 <p>BOAT</p> <p>CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP</p>	 <p>TAPERED</p> <p>CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP</p>
36" 84"	 <p>Y Bases with Rail Worksurface Height Y Bases with Rail Counter Height Y Bases with Rail Bar Height</p>				
	<p>TOPS OFFERED:</p>				
	 <p>SOFT RECTANGLE</p> <p>CBV245628YBKP CBV245635YBKP CBV245641YBKP</p>	 <p>ARC RECTANGLE</p> <p>CBV245628YBKP CBV245635YBKP CBV245641YBKP</p>	 <p>BOAT</p> <p>CBV245628YBKP CBV245635YBKP CBV245641YBKP</p>		



FOOTINGS - BASE MATRIX

TOP SIZE DEPTH WIDTH	BASES:		
36" 96"	<p>BASES:</p>  <p>Y Bases with Rail Worksurface Height</p>  <p>Y Bases with Rail Counter Height</p>  <p>Y Bases with Rail Bar Height</p> <p>TOPS OFFERED:</p>  <p>SOFT RECTANGLE</p> <p>CBV246228YBKP CBV246235YBKP CBV246241YBKP</p>  <p>ARC RECTANGLE</p> <p>CBV246228YBKP CBV246235YBKP CBV246241YBKP</p>  <p>BOAT</p> <p>CBV246228YBKP CBV246235YBKP CBV246241YBKP</p>		
42" 42"	<p>BASES:</p>  <p>X Base Occasional Height</p>  <p>X Base Worksurface Height</p>  <p>X Base Worksurface Height, Mobile</p>  <p>X Base Counter Height</p>  <p>X Base Bar Height</p> <p>TOPS OFFERED:</p>  <p>ROUND</p> <p>CBV3215XBP CBV3228XBP CBV4028XBP CBV3228XBMP CBV4028XBMP CBV3235XBP CBV3241XBP</p>  <p>SOFT SQUARE</p> <p>CBV3215XBP CBV3228XBP CBV4028XBP CBV3228XBMP CBV4028XBMP CBV3235XBP CBV3241XBP</p>		
42" 72"	<p>BASES:</p>  <p>Y Bases with Rail Worksurface Height</p>  <p>Y Bases with Rail Counter Height</p>  <p>Y Bases with Rail Bar Height</p> <p>TOPS OFFERED:</p>  <p>SOFT RECTANGLE</p> <p>CBV285228YBKP CBV285235YBKP CBV285241YBKP</p>  <p>ARC RECTANGLE</p> <p>CBV285228YBKP CBV285235YBKP CBV285241YBKP</p>  <p>BOAT</p> <p>CBV285228YBKP CBV285235YBKP CBV285241YBKP</p>		

TOP SIZE DEPTH WIDTH	BASES:				
42" 84"	<p>BASES:</p> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  <p>Y Bases with Rail Worksurface Height</p> </div> <div style="text-align: center;">  <p>Y Bases with Rail Counter Height</p> </div> <div style="text-align: center;">  <p>Y Bases with Rail Bar Height</p> </div> </div> <p>TOPS OFFERED:</p> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  <p>OVAL</p> <p>CBV285828YBKP CBV285835YBKP CBV285841YBKP</p> </div> <div style="text-align: center;">  <p>SOFT RECTANGLE</p> <p>CBV285828YBKP CBV285835YBKP CBV285841YBKP</p> </div> <div style="text-align: center;">  <p>ARC RECTANGLE</p> <p>CBV285828YBKP CBV285835YBKP CBV285841YBKP</p> </div> <div style="text-align: center;">  <p>BOAT</p> <p>CBV285828YBKP CBV285835YBKP CBV285841YBKP</p> </div> <div style="text-align: center;">  <p>TAPERED</p> <p>CBV285828YBKP CBV285835YBKP CBV285841YBKP</p> </div> </div>				
42" 96"	<p>BASES:</p> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  <p>Y Bases with Rail Worksurface Height</p> </div> <div style="text-align: center;">  <p>Y Bases with Rail Counter Height</p> </div> <div style="text-align: center;">  <p>Y Bases with Rail Bar Height</p> </div> </div> <p>TOPS OFFERED:</p> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  <p>SOFT RECTANGLE</p> <p>CBV286428YBKP CBV286435YBKP CBV286441YBKP</p> </div> <div style="text-align: center;">  <p>ARC RECTANGLE</p> <p>CBV286428YBKP CBV286435YBKP CBV286441YBKP</p> </div> <div style="text-align: center;">  <p>BOAT</p> <p>CBV286428YBKP CBV286435YBKP CBV286441YBKP</p> </div> </div>				
48" 48"	<p>BASES:</p> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  <p>X Base Worksurface Height</p> </div> <div style="text-align: center;">  <p>X Base Worksurface Height, Mobile</p> </div> <div style="text-align: center;">  <p>X Base Counter Height</p> </div> <div style="text-align: center;">  <p>X Base Bar Height</p> </div> </div> <p>TOPS OFFERED:</p> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  <p>ROUND</p> <p>CBV4028XBP CBV4028XBMP CBV4035XBP CBV4041XBP</p> </div> <div style="text-align: center;">  <p>SOFT SQUARE</p> <p>CBV4028XBP CBV4028XBMP CBV4035XBP CBV4041XBP</p> </div> </div>				

FOOTINGS - BASE MATRIX

TOP SIZE DEPTH WIDTH		BASES:				
48"	72"	<p>Y Bases with Rail Worksurface Height Y Bases with Rail Counter Height Y Bases with Rail Bar Height</p>				
		<p>TOPS OFFERED:</p> <p>SOFT RECTANGLE ARC RECTANGLE BOAT</p>				
		<p>CBV285228YBKP CBV285228YBKP CBV285228YBKP CBV285235YBKP CBV285235YBKP CBV285235YBKP CBV285241YBKP CBV285241YBKP CBV285241YBKP</p>				
48"	84"	<p>Y Bases with Rail Worksurface Height Y Bases with Rail Counter Height Y Bases with Rail Bar Height</p>				
		<p>TOPS OFFERED:</p> <p>SOFT RECTANGLE ARC RECTANGLE BOAT</p>				
		<p>CBV285828YBKP CBV285828YBKP CBV285828YBKP CBV285835YBKP CBV285835YBKP CBV285835YBKP CBV285841YBKP CBV285841YBKP CBV285841YBKP</p>				
48"	96"	<p>Y Bases with Rail Worksurface Height Y Bases with Rail Counter Height Y Bases with Rail Bar Height</p>				
		<p>TOPS OFFERED:</p> <p>OVAL SOFT RECTANGLE ARC RECTANGLE BOAT TAPERED</p>				
		<p>CBV286428YBKP CBV286428YBKP CBV286428YBKP CBV286428YBKP CBV286428YBKP CBV286435YBKP CBV286435YBKP CBV286435YBKP CBV286435YBKP CBV286435YBKP CBV286441YBKP CBV286441YBKP CBV286441YBKP CBV286441YBKP CBV286441YBKP</p>				

TOP SIZE DEPTH WIDTH	BASES:			
48" 120"	<p>BASES:</p>  <p>Y Bases with Rail Worksurface Height</p> <p>TOPS OFFERED:</p>  SOFT RECTANGLE CBV2810028YBKP  ARC RECTANGLE CBV2810028YBKP  BOAT CBV2810028YBKP  TAPERED CBV2810028YBKP			
54" 54"	<p>BASES:</p>  Quad X Base Worksurface Height  Quad X Base Counter Height  Quad X Base Bar Height			
60" 60"	<p>BASES:</p>  Quad X Base Worksurface Height  Quad X Base Counter Height  Quad X Base Bar Height			
	<p>TOPS OFFERED:</p>  ROUND CBV3028QXBP CBV3035QXBP CBV3041QXBP	<p>TOPS OFFERED:</p>  SOFT SQUARE CBV3528QXBP CBV3535QXBP CBV3541QXBP		
	<p>TOPS OFFERED:</p>  ROUND CBV3528QXBP CBV3535QXBP CBV3541QXBP	<p>TOPS OFFERED:</p>  SOFT SQUARE CBV3528QXBP CBV3535QXBP CBV3541QXBP		

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N24RDW K HN
 83N24RDL K461 461
 83N54RDW K G10C HN

• See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
ROUND TOP SOFTENED RIM 	24" ROUND 1 1/8" TOP THICKNESS		DI	H					
	83N24RDW Wood	\$ 1113	24	24	1 1/8	—	—	22 lbs.	1.3
	83N24RDL Laminate	563	24	24	1 1/8	—	—	22 lbs.	1.3
	83N24RDLL TFL	449	24	24	1 1/8	—	—	22 lbs.	1.3
	30" ROUND								
	83N30RDW Wood	\$ 1307	30	30	1 1/8	—	—	43 lbs.	1.9
	83N30RDL Laminate	662	30	30	1 1/8	—	—	43 lbs.	1.9
	83N30RDLL TFL	530	30	30	1 1/8	—	—	43 lbs.	1.9
	36" ROUND								
	83N36RDW Wood	\$ 1811	36	36	1 1/8	—	—	59 lbs.	2.5
	83N36RDL Laminate	778	36	36	1 1/8	—	—	59 lbs.	2.5
	83N36RDLL TFL	624	36	36	1 1/8	—	—	59 lbs.	2.5
	42" ROUND								
	83N42RDW Wood	\$ 1877	42	42	1 1/8	—	—	62 lbs.	3.3
	83N42RDL Laminate	1080	42	42	1 1/8	—	—	62 lbs.	3.3
	83N42RDLL TFL	864	42	42	1 1/8	—	—	62 lbs.	3.3
	48" ROUND								
	83N48RDW Wood	\$ 2252	48	48	1 1/8	—	—	95 lbs.	4.2
	83N48RDL Laminate	1421	48	48	1 1/8	—	—	95 lbs.	4.2
	83N48RDLL TFL	1137	48	48	1 1/8	—	—	95 lbs.	4.2
	54" ROUND								
	83N54RDW Wood	\$ 2588	54	54	1 1/8	—	—	100 lbs.	5.1
	83N54RDL Laminate	1635	54	54	1 1/8	—	—	100 lbs.	5.1
	83N54RDLL TFL	1308	54	54	1 1/8	—	—	100 lbs.	5.1
	60" ROUND								
	83N60RDW Wood	\$ 2978	58 3/8	58 3/8	1 1/8	—	—	117 lbs.	5.9
	83N60RDL Laminate	1882	58 3/8	58 3/8	1 1/8	—	—	117 lbs.	5.9
	83N60RDLL TFL	1504	58 3/8	58 3/8	1 1/8	—	—	117 lbs.	5.9

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- No grommet option available on 24", 30", 36", 42", and 48" round and soft square tops
- Center grommet option available on 54" and 60" round and soft square tops

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N24RDWK K HN
 83N24RDLK K461 461
 83N54RDWK K G10C HN

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ROUND TOP KNIFE RIM	24" ROUND									
	1 1/8" TOP THICKNESS			DI	H					
	83N24RDWK	Wood	\$ 1367	24	24	1 1/8	—	—	22 lbs.	1.3
	83N24RDLK	Laminate	692	24	24	1 1/8	—	—	22 lbs.	1.3
	30" ROUND									
	83N30RDWK	Wood	\$ 1608	30	30	1 1/8	—	—	43 lbs.	1.9
	83N30RDLK	Laminate	814	30	30	1 1/8	—	—	43 lbs.	1.9
	36" ROUND									
	83N36RDWK	Wood	\$ 2227	36	36	1 1/8	—	—	59 lbs.	2.5
	83N36RDLK	Laminate	955	36	36	1 1/8	—	—	59 lbs.	2.5
	42" ROUND									
	83N42RDWK	Wood	\$ 2308	42	42	1 1/8	—	—	62 lbs.	3.3
	83N42RDLK	Laminate	1329	42	42	1 1/8	—	—	62 lbs.	3.3
	48" ROUND									
	83N48RDWK	Wood	\$ 2769	48	48	1 1/8	—	—	95 lbs.	4.2
	83N48RDLK	Laminate	1750	48	48	1 1/8	—	—	95 lbs.	4.2
	54" ROUND									
	83N54RDWK	Wood	\$ 3184	54	54	1 1/8	—	—	100 lbs.	5.1
	83N54RDLK	Laminate	2009	54	54	1 1/8	—	—	100 lbs.	5.1
	60" ROUND									
	83N60RDWK	Wood	\$ 3661	58 1/2	58 1/2	1 1/8	—	—	117 lbs.	5.9
	83N60RDLK	Laminate	2311	58 1/2	58 1/2	1 1/8	—	—	117 lbs.	5.9

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- No grommet option available on 24", 30", 36", 42", and 48" round and soft square tops
- Center grommet option available on 54" and 60" round and soft square tops

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2424SSQW K HN
 83N2424SSQL K461 461
 83N5454SSQW K G10C HN

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
SOFT SQUARE TOP SOFTENED RIM 	24" SQUARE" 1 1/2" TOP THICKNESS									
	83N2424SSQW	Wood	\$ 1143	24	24	1 1/2	—	—	26 lbs.	1.4
	83N2424SSQL	Laminate	580	24	24	1 1/2	—	—	26 lbs.	1.4
	83N2424SSQLL	TFL	465	24	24	1 1/2	—	—	26 lbs.	1.4
	30" SQUARE									
	83N3030SSQW	Wood	\$ 1345	30	30	1 1/2	—	—	40 lbs.	1.9
	83N3030SSQL	Laminate	681	30	30	1 1/2	—	—	40 lbs.	1.9
	83N3030SSQLL	TFL	546	30	30	1 1/2	—	—	40 lbs.	1.9
	36" SQUARE									
	83N3636SSQW	Wood	\$ 1867	36	36	1 1/2	—	—	55 lbs.	2.6
83N3636SSQL	Laminate	799	36	36	1 1/2	—	—	55 lbs.	2.6	
83N3636SSQLL	TFL	641	36	36	1 1/2	—	—	55 lbs.	2.6	
42" SQUARE										
83N4242SSQW	Wood	\$ 2440	42	42	1 1/2	—	—	78 lbs.	3.6	
83N4242SSQL	Laminate	1404	42	42	1 1/2	—	—	78 lbs.	3.6	
83N4242SSQLL	TFL	1124	42	42	1 1/2	—	—	78 lbs.	3.6	
48" SQUARE										
83N4848SSQW	Wood	\$ 2319	48	48	1 1/2	—	—	101 lbs.	4.6	
83N4848SSQL	Laminate	1463	48	48	1 1/2	—	—	101 lbs.	4.6	
83N4848SSQLL	TFL	1171	48	48	1 1/2	—	—	101 lbs.	4.6	
54" SQUARE										
83N5454SSQW	Wood	\$ 2669	54	54	1 1/2	—	—	127 lbs.	5.7	
83N5454SSQL	Laminate	1686	54	54	1 1/2	—	—	127 lbs.	5.7	
83N5454SSQLL	TFL	1346	54	54	1 1/2	—	—	127 lbs.	5.7	
60" SQUARE										
83N6060SSQW	Wood	\$ 3066	58 3/8	58 3/8	1 1/2	—	—	148 lbs.	6.6	
83N6060SSQL	Laminate	1934	58 3/8	58 3/8	1 1/2	—	—	148 lbs.	6.6	
83N6060SSQLL	TFL	1550	58 3/8	58 3/8	1 1/2	—	—	148 lbs.	6.6	

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- No grommet option available on 24", 30", 36", 42", and 48" round and soft square tops
- Center grommet option available on 54" and 60" round and soft square tops

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2424SSQWK K HN
 83N2424SSQLK K461 461
 83N5454SSQLK K G10C HN

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
SOFT SQUARE TOP KNIFE RIM	24" SQUARE" 1 1/8" TOP THICKNESS								
	83N2424SSQWK Wood	\$ 1407	24	24	1 1/8	—	—	26 lbs.	1.4
	83N2424SSQLK Laminate	714	24	24	1 1/8	—	—	26 lbs.	1.4
	30" SQUARE								
	83N3030SSQWK Wood	\$ 1655	30	30	1 1/8	—	—	40 lbs.	1.9
	83N3030SSQLK Laminate	837	30	30	1 1/8	—	—	40 lbs.	1.9
	36" SQUARE								
	83N3636SSQWK Wood	\$ 2294	36	36	1 1/8	—	—	55 lbs.	2.6
	83N3636SSQLK Laminate	984	36	36	1 1/8	—	—	55 lbs.	2.6
	42" SQUARE								
	83N4242SSQWK Wood	\$ 3003	42	42	1 1/8	—	—	78 lbs.	3.6
	83N4242SSQLK Laminate	1727	42	42	1 1/8	—	—	78 lbs.	3.6
	48" SQUARE								
	83N4848SSQWK Wood	\$ 2853	48	48	1 1/8	—	—	101 lbs.	4.6
	83N4848SSQLK Laminate	1801	48	48	1 1/8	—	—	101 lbs.	4.6
	54" SQUARE								
	83N5454SSQWK Wood	\$ 3281	54	54	1 1/8	—	—	127 lbs.	5.7
	83N5454SSQLK Laminate	2072	54	54	1 1/8	—	—	127 lbs.	5.7
	60" SQUARE								
	83N6060SSQWK Wood	\$ 3770	58 1/2	58 1/2	1 1/8	—	—	148 lbs.	6.6
	83N6060SSQLK Laminate	2382	58 1/2	58 1/2	1 1/8	—	—	148 lbs.	6.6

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- No grommet option available on 24", 30", 36", 42", and 48" round and soft square tops
- Center grommet option available on 54" and 60" round and soft square tops

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N24480VW K X HN
83N24480VL K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
OVAL TOP SOFTENED RIM 	24" X 48" 1 1/8" TOP THICKNESS									
	83N24480VW	Wood	\$ 1492	24	48	1 1/8	—	—	42 lbs.	2.3
	83N24480VL	Laminate	1064	24	48	1 1/8	—	—	42 lbs.	2.3
	83N24480VLL	TFL	855	24	48	1 1/8	—	—	42 lbs.	2.3
	30" X 60"									
	83N30600VW	Wood	\$ 1755	30	60	1 1/8	—	—	63 lbs.	3.7
	83N30600VL	Laminate	1254	30	60	1 1/8	—	—	63 lbs.	3.7
	83N30600VLL	TFL	1005	30	60	1 1/8	—	—	63 lbs.	3.7
	36" X 72"									
	83N36720VW	Wood	\$ 2196	36	72	1 1/8	—	—	90 lbs.	5.2
	83N36720VL	Laminate	1568	36	72	1 1/8	—	—	90 lbs.	5.2
	83N36720VLL	TFL	1256	36	72	1 1/8	—	—	90 lbs.	5.2
42" X 84"										
83N42840VW	Wood	\$ 2616	42	84	1 1/8	—	—	121 lbs.	6.8	
83N42840VL	Laminate	1872	42	84	1 1/8	—	—	121 lbs.	6.8	
83N42840VLL	TFL	1496	42	84	1 1/8	—	—	121 lbs.	6.8	
48" X 96"										
83N48960VW	Wood	\$ 3119	48	96	1 1/8	—	—	199 lbs.	8.7	
83N48960VL	Laminate	2422	48	96	1 1/8	—	—	199 lbs.	8.7	
83N48960VLL	TFL	1934	48	96	1 1/8	—	—	199 lbs.	8.7	

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- 48" deep tops only available with a center grommet option

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N24480VWK K X HN
83N24480VLK K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
OVAL TOP KNIFE RIM 	24" X 48" 1 1/8" TOP THICKNESS									
	83N24480VWK	Wood	\$ 1836	24	48	1 1/8	—	—	42 lbs.	2.3
	83N24480VLK	Laminate	1309	24	48	1 1/8	—	—	42 lbs.	2.3
	30" X 60"									
	83N30600VWK	Wood	\$ 1868	30	60	1 1/8	—	—	63 lbs.	3.7
	83N30600VLK	Laminate	1334	30	60	1 1/8	—	—	63 lbs.	3.7
	36" X 72"									
	83N36720VWK	Wood	\$ 2703	36	72	1 1/8	—	—	90 lbs.	5.2
	83N36720VLK	Laminate	1929	36	72	1 1/8	—	—	90 lbs.	5.2
	42" X 84"									
83N42840VWK	Wood	\$ 3219	42	84	1 1/8	—	—	121 lbs.	6.8	
83N42840VLK	Laminate	2299	42	84	1 1/8	—	—	121 lbs.	6.8	
48" X 96"										
83N48960VWK	Wood	\$ 3836	48	96	1 1/8	—	—	199 lbs.	8.7	
83N48960VLK	Laminate	2978	48	96	1 1/8	—	—	199 lbs.	8.7	

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- 48" deep tops only available with a center grommet option

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448SRTW F X HN
83N2448SRTL V461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	24" X 48"									
		1 1/2" TOP THICKNESS								
	83N2448SRTW	Wood	\$ 1492	24	48	1 1/2	—	—	48 lbs.	2.5
	83N2448SRTL	Laminate	1064	24	48	1 1/2	—	—	48 lbs.	2.5
	83N2448SRTLL	TFL	855	24	48	1 1/2	—	—	48 lbs.	2.5
	30" X 60"									
	83N3060SRTW	Wood	\$ 1755	30	60	1 1/2	—	—	89 lbs.	3.4
	83N3060SRTL	Laminate	1254	30	60	1 1/2	—	—	89 lbs.	3.4
	83N3060SRTLL	TFL	1005	30	60	1 1/2	—	—	89 lbs.	3.4
	30" X 72"									
83N3072SRTW	Wood	\$ 1868	30	72	1 1/2	—	—	100 lbs.	4.0	
83N3072SRTL	Laminate	1334	30	72	1 1/2	—	—	100 lbs.	4.0	
83N3072SRTLL	TFL	1065	30	72	1 1/2	—	—	100 lbs.	4.0	
36" X 60"										
83N3660SRTW	Wood	\$ 2064	36	60	1 1/2	—	—	126 lbs.	4.4	
83N3660SRTL	Laminate	1475	36	60	1 1/2	—	—	126 lbs.	4.4	
83N3660SRTLL	TFL	1179	36	60	1 1/2	—	—	126 lbs.	4.4	
36" X 72"										
83N3672SRTW	Wood	\$ 2196	36	72	1 1/2	—	—	144 lbs.	5.2	
83N3672SRTL	Laminate	1568	36	72	1 1/2	—	—	144 lbs.	5.2	
83N3672SRTLL	TFL	1256	36	72	1 1/2	—	—	144 lbs.	5.2	
36" X 84"										
83N3684SRTW	Wood	\$ 2337	36	84	1 1/2	—	—	150 lbs.	6.0	
83N3684SRTL	Laminate	1670	36	84	1 1/2	—	—	150 lbs.	6.0	
83N3684SRTLL	TFL	1335	36	84	1 1/2	—	—	150 lbs.	6.0	
36" X 96"										
83N3696SRTW	Wood	\$ 2484	36	96	1 1/2	—	—	155 lbs.	6.8	
83N3696SRTL	Laminate	1776	36	96	1 1/2	—	—	155 lbs.	6.8	
83N3696SRTLL	TFL	1420	36	96	1 1/2	—	—	155 lbs.	6.8	

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272SRTW F X HN
83N4272SRTL V461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
SOFT RECTANGLE TOP SOFTENED RIM (CONTINUED) 	42" X 72" 1 1/16" TOP THICKNESS									
	83N4272SRTW	Wood	\$ 2460	42	72	1 1/16	—	—	148 lbs.	5.9
	83N4272SRTL	Laminate	1759	42	72	1 1/16	—	—	148 lbs.	5.9
	83N4272SRTLL	TFL	1405	42	72	1 1/8	—	—	148 lbs.	5.9
	42" X 84"									
	83N4284SRTW	Wood	\$ 2616	42	84	1 1/16	—	—	168 lbs.	6.8
	83N4284SRTL	Laminate	1872	42	84	1 1/16	—	—	168 lbs.	6.8
	83N4284SRTLL	TFL	1496	42	84	1 1/8	—	—	168 lbs.	6.8
	42" X 96"									
	83N4296SRTW	Wood	\$ 2785	42	96	1 1/16	—	—	191 lbs.	7.7
83N4296SRTL	Laminate	1989	42	96	1 1/16	—	—	191 lbs.	7.7	
83N4296SRTLL	TFL	1592	42	96	1 1/8	—	—	191 lbs.	7.7	
48" X 72"										
83N4872SRTW	Wood	\$ 2753	48	72	1 1/16	—	—	173 lbs.	6.7	
83N4872SRTL	Laminate	1967	48	72	1 1/16	—	—	173 lbs.	6.7	
83N4872SRTLL	TFL	1573	48	72	1 1/8	—	—	173 lbs.	6.7	
48" X 84"										
83N4884SRTW	Wood	\$ 2930	48	84	1 1/16	—	—	203 lbs.	7.7	
83N4884SRTL	Laminate	2227	48	84	1 1/16	—	—	203 lbs.	7.7	
83N4884SRTLL	TFL	1780	48	84	1 1/8	—	—	203 lbs.	7.7	
48" X 96"										
83N4896SRTW	Wood	\$ 3119	48	96	1 1/16	—	—	234 lbs.	8.7	
83N4896SRTL	Laminate	2422	48	96	1 1/16	—	—	234 lbs.	8.7	
83N4896SRTLL	TFL	1934	48	96	1 1/8	—	—	234 lbs.	8.7	
48" X 120"										
83N48120SRTW	Wood	\$ 3378	48	120	1 1/16	—	—	247 lbs.	10.8	
83N48120SRTL	Laminate	3026	48	120	1 1/16	—	—	247 lbs.	10.8	
83N48120SRTLL	TFL	2422	48	120	1 1/8	—	—	247 lbs.	10.8	

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448SRTWK K X HN
83N2448SRTLK K461 X 461

- See pages 177-179 for all options available in Footings

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
SOFT RECTANGLE TOP KNIFE RIM									
24" X 48"		1 1/2" TOP THICKNESS							
83N2448SRTWK	Wood	\$ 1836	24	48	1 1/2	—	—	48 lbs.	2.5
83N2448SRTLK	Laminate	1309	24	48	1 1/2	—	—	48 lbs.	2.5
30" X 60"									
83N3060SRTWK	Wood	\$ 2157	30	60	1 1/2	—	—	89 lbs.	3.4
83N3060SRTLK	Laminate	1541	30	60	1 1/2	—	—	89 lbs.	3.4
30" X 72"									
83N3072SRTWK	Wood	\$ 2297	30	72	1 1/2	—	—	100 lbs.	4.0
83N3072SRTLK	Laminate	1640	30	72	1 1/2	—	—	100 lbs.	4.0
36" X 60"									
83N3660SRTWK	Wood	\$ 2538	36	60	1 1/2	—	—	126 lbs.	4.4
83N3660SRTLK	Laminate	1814	36	60	1 1/2	—	—	126 lbs.	4.4
36" X 72"									
83N3672SRTWK	Wood	\$ 2703	36	72	1 1/2	—	—	144 lbs.	5.2
83N3672SRTLK	Laminate	1929	36	72	1 1/2	—	—	144 lbs.	5.2
36" X 84"									
83N3684SRTWK	Wood	\$ 2873	36	84	1 1/2	—	—	150 lbs.	6.0
83N3684SRTLK	Laminate	2052	36	84	1 1/2	—	—	150 lbs.	6.0
36" X 96"									
83N3696SRTWK	Wood	\$ 3057	36	96	1 1/2	—	—	155 lbs.	6.8
83N3696SRTLK	Laminate	2184	36	96	1 1/2	—	—	155 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272SRTWK K X HN
83N4272SRTLK K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
SOFT RECTANGLE TOP KNIFE RIM (CONTINUED) 	42" X 72" 1 1/8" TOP THICKNESS									
	83N4272SRTWK	Wood	\$ 3026	42	72	1 1/8	—	—	148 lbs.	5.9
	83N4272SRTLK	Laminate	2161	42	72	1 1/8	—	—	148 lbs.	5.9
	42" X 84"									
	83N4284SRTWK	Wood	\$ 3219	42	84	1 1/8	—	—	168 lbs.	6.8
	83N4284SRTLK	Laminate	2299	42	84	1 1/8	—	—	168 lbs.	6.8
	42" X 96"									
	83N4296SRTWK	Wood	\$ 3425	42	96	1 1/8	—	—	191 lbs.	7.7
	83N4296SRTLK	Laminate	2443	42	96	1 1/8	—	—	191 lbs.	7.7
	48" X 72"									
	83N4872SRTWK	Wood	\$ 3391	48	72	1 1/8	—	—	173 lbs.	6.7
	83N4872SRTLK	Laminate	2422	48	72	1 1/8	—	—	173 lbs.	6.7
	48" X 84"									
	83N4884SRTWK	Wood	\$ 3606	48	84	1 1/8	—	—	203 lbs.	7.7
	83N4884SRTLK	Laminate	2740	48	84	1 1/8	—	—	203 lbs.	7.7
	48" X 96"									
	83N4896SRTWK	Wood	\$ 3836	48	96	1 1/8	—	—	234 lbs.	8.7
	83N4896SRTLK	Laminate	2978	48	96	1 1/8	—	—	234 lbs.	8.7
48" X 120"										
83N48120SRTWK	Wood	\$ 4156	48	120	1 1/8	—	—	247 lbs.	10.8	
83N48120SRTLK	Laminate	3722	48	120	1 1/8	—	—	247 lbs.	10.8	

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448ARTW F X HN
83N2448ARTL V461 X 461

- See pages 177-179 for all options available in Footings

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
ARC RECTANGLE TOP SOFTENED RIM								
24" X 48" 1 1/2" TOP THICKNESS								
83N2448ARTW	Wood \$ 1492	24	48	1 1/2	-	-	47 lbs.	2.5
83N2448ARTL	Laminate 1064	24	48	1 1/2	-	-	47 lbs.	2.5
83N2448ARTLL	TFL 855	24	48	1 1/2	-	-	47 lbs.	2.5
30" X 60"								
83N3060ARTW	Wood \$ 1755	30	60	1 1/2	-	-	87 lbs.	3.4
83N3060ARTL	Laminate 1254	30	60	1 1/2	-	-	87 lbs.	3.4
83N3060ARTLL	TFL 1005	30	60	1 1/2	-	-	87 lbs.	3.4
30" X 72"								
83N3072ARTW	Wood \$ 1868	30	72	1 1/2	-	-	119 lbs.	4.0
83N3072ARTL	Laminate 1334	30	72	1 1/2	-	-	119 lbs.	4.0
83N3072ARTLL	TFL 1065	30	72	1 1/2	-	-	119 lbs.	4.0
36" X 60"								
83N3660ARTW	Wood \$ 2064	36	60	1 1/2	-	-	124 lbs.	4.4
83N3660ARTL	Laminate 1475	36	60	1 1/2	-	-	124 lbs.	4.4
83N3660ARTLL	TFL 1179	36	60	1 1/2	-	-	124 lbs.	4.4
36" X 72"								
83N3672ARTW	Wood \$ 2196	36	72	1 1/2	-	-	130 lbs.	5.2
83N3672ARTL	Laminate 1568	36	72	1 1/2	-	-	130 lbs.	5.2
83N3672ARTLL	TFL 1256	36	72	1 1/2	-	-	130 lbs.	5.2
36" X 84"								
83N3684ARTW	Wood \$ 2337	36	84	1 1/2	-	-	142 lbs.	6.0
83N3684ARTL	Laminate 1670	36	84	1 1/2	-	-	142 lbs.	6.0
83N3684ARTLL	TFL 1335	36	84	1 1/2	-	-	142 lbs.	6.0
36" X 96"								
83N3696ARTW	Wood \$ 2484	36	96	1 1/2	-	-	173 lbs.	6.8
83N3696ARTL	Laminate 1776	36	96	1 1/2	-	-	173 lbs.	6.8
83N3696ARTLL	TFL 1420	36	96	1 1/2	-	-	173 lbs.	6.8



- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option
- Arc width is 6" less than the overall width

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272ARTW F X HN
83N4272ARTL V461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ARC RECTANGLE TOP SOFTENED RIM (CONTINUED) 	42" X 72" 1 1/16" TOP THICKNESS									
	83N4272ARTW	Wood	\$ 2460	42	72	1 1/16	—	—	145 lbs.	5.9
	83N4272ARTL	Laminate	1759	42	72	1 1/16	—	—	145 lbs.	5.9
	83N4272ARTLL	TFL	1405	42	72	1 1/8	—	—	145 lbs.	5.9
	42" X 84"									
	83N4284ARTW	Wood	\$ 2616	42	84	1 1/16	—	—	166 lbs.	6.8
	83N4284ARTL	Laminate	1872	42	84	1 1/16	—	—	166 lbs.	6.8
	83N4284ARTLL	TFL	1496	42	84	1 1/8	—	—	166 lbs.	6.8
	42" X 96"									
	83N4296ARTW	Wood	\$ 2785	42	96	1 1/16	—	—	189 lbs.	7.7
83N4296ARTL	Laminate	1989	42	96	1 1/16	—	—	189 lbs.	7.7	
83N4296ARTLL	TFL	1592	42	96	1 1/8	—	—	189 lbs.	7.7	
48" X 72"										
83N4872ARTW	Wood	\$ 2753	48	72	1 1/16	—	—	170 lbs.	6.7	
83N4872ARTL	Laminate	1967	48	72	1 1/16	—	—	170 lbs.	6.7	
83N4872ARTLL	TFL	1573	48	72	1 1/8	—	—	170 lbs.	6.7	
48" X 84"										
83N4884ARTW	Wood	\$ 2930	48	84	1 1/16	—	—	200 lbs.	7.7	
83N4884ARTL	Laminate	2227	48	84	1 1/16	—	—	200 lbs.	7.7	
83N4884ARTLL	TFL	1780	48	84	1 1/8	—	—	200 lbs.	7.7	
48" X 96"										
83N4896ARTW	Wood	\$ 3119	48	96	1 1/16	—	—	231 lbs.	8.7	
83N4896ARTL	Laminate	2422	48	96	1 1/16	—	—	231 lbs.	8.7	
83N4896ARTLL	TFL	1934	48	96	1 1/8	—	—	231 lbs.	8.7	
48" X 120"										
83N48120ARTW	Wood	\$ 3378	48	120	1 1/16	—	—	244 lbs.	10.8	
83N48120ARTL	Laminate	3026	48	120	1 1/16	—	—	244 lbs.	10.8	
83N48120ARTLL	TFL	2583	48	120	1 1/8	—	—	244 lbs.	10.8	

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- Arc width is 6" less than the overall width
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448ARTWK K X HN
83N2448ARTLK K461 X 461

- See pages 177-179 for all options available in Footings

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
ARC RECTANGLE TOP KNIFE RIM									
24" X 48"		1 1/2" TOP THICKNESS							
83N2448ARTWK	Wood	\$ 1836	24	48	1 1/2	—	—	47 lbs.	2.5
83N2448ARTLK	Laminate	1309	24	48	1 1/2	—	—	47 lbs.	2.5
30" X 60"									
83N3060ARTWK	Wood	\$ 2157	30	60	1 1/2	—	—	87 lbs.	3.4
83N3060ARTLK	Laminate	1541	30	60	1 1/2	—	—	87 lbs.	3.4
30" X 72"									
83N3072ARTWK	Wood	\$ 2297	30	72	1 1/2	—	—	119 lbs.	4.0
83N3072ARTLK	Laminate	1640	30	72	1 1/2	—	—	119 lbs.	4.0
36" X 60"									
83N3660ARTWK	Wood	\$ 2538	36	60	1 1/2	—	—	124 lbs.	4.4
83N3660ARTLK	Laminate	1814	36	60	1 1/2	—	—	124 lbs.	4.4
36" X 72"									
83N3672ARTWK	Wood	\$ 2703	36	72	1 1/2	—	—	130 lbs.	5.2
83N3672ARTLK	Laminate	1929	36	72	1 1/2	—	—	130 lbs.	5.2
36" X 84"									
83N3684ARTWK	Wood	\$ 2873	36	84	1 1/2	—	—	142 lbs.	6.0
83N3684ARTLK	Laminate	2052	36	84	1 1/2	—	—	142 lbs.	6.0
36" X 96"									
83N3696ARTWK	Wood	\$ 3057	36	96	1 1/2	—	—	173 lbs.	6.8
83N3696ARTLK	Laminate	2184	36	96	1 1/2	—	—	173 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option
- Arc width is 6" less than the overall width

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272ARTWK K X HN
83N4272ARTLK K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ARC RECTANGLE TOP KNIFE RIM (CONTINUED) 	42" X 72" 1 1/8" TOP THICKNESS									
	83N4272ARTWK	Wood	\$ 3026	42	72	1 1/8	—	—	145 lbs.	5.9
	83N4272ARTLK	Laminate	2161	42	72	1 1/8	—	—	145 lbs.	5.9
	42" X 84"									
	83N4284ARTWK	Wood	\$ 3219	42	84	1 1/8	—	—	166 lbs.	6.8
	83N4284ARTLK	Laminate	2299	42	84	1 1/8	—	—	166 lbs.	6.8
	42" X 96"									
	83N4296ARTWK	Wood	\$ 3425	42	96	1 1/8	—	—	189 lbs.	7.7
	83N4296ARTLK	Laminate	2443	42	96	1 1/8	—	—	189 lbs.	7.7
	48" X 72"									
	83N4872ARTWK	Wood	\$ 3391	48	72	1 1/8	—	—	170 lbs.	6.7
	83N4872ARTLK	Laminate	2422	48	72	1 1/8	—	—	170 lbs.	6.7
	48" X 84"									
	83N4884ARTWK	Wood	\$ 3606	48	84	1 1/8	—	—	200 lbs.	7.7
	83N4884ARTLK	Laminate	2740	48	84	1 1/8	—	—	200 lbs.	7.7
	48" X 96"									
	83N4896ARTWK	Wood	\$ 3836	48	96	1 1/8	—	—	231 lbs.	8.7
	83N4896ARTLK	Laminate	2978	48	96	1 1/8	—	—	231 lbs.	8.7
48" X 120"										
83N48120ARTWK	Wood	\$ 4156	48	120	1 1/8	—	—	244 lbs.	10.8	
83N48120ARTLK	Laminate	3722	48	120	1 1/8	—	—	244 lbs.	10.8	

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- Arc width is 6" less than the overall width

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448BTW F X HN
83N2448BTL V461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
BOAT TOP SOFTENED RIM 	24" X 48" 1 1/8" TOP THICKNESS								
	83N2448BTW Wood	\$ 1492	24	48	1 1/8	—	—	48 lbs.	2.3
	83N2448BTL Laminate	1064	24	48	1 1/8	—	—	48 lbs.	2.3
	83N2448BTLL TFL	855	24	48	1 1/8	—	—	48 lbs.	2.3
	30" X 60"								
	83N3060BTW Wood	\$ 1755	30	60	1 1/8	—	—	85 lbs.	3.7
	83N3060BTL Laminate	1254	30	60	1 1/8	—	—	85 lbs.	3.7
	83N3060BTLL TFL	1005	30	60	1 1/8	—	—	85 lbs.	3.7
	30" X 72"								
	83N3072BTW Wood	\$ 1868	30	72	1 1/8	—	—	116 lbs.	4.4
83N3072BTL Laminate	1334	30	72	1 1/8	—	—	116 lbs.	4.4	
83N3072BTLL TFL	1065	30	72	1 1/8	—	—	116 lbs.	4.4	
36" X 60"									
83N3660BTW Wood	\$ 2064	36	60	1 1/8	—	—	122 lbs.	4.4	
83N3660BTL Laminate	1475	36	60	1 1/8	—	—	122 lbs.	4.4	
83N3660BTLL TFL	1179	36	60	1 1/8	—	—	122 lbs.	4.4	
36" X 72"									
83N3672BTW Wood	\$ 2196	36	72	1 1/8	—	—	139 lbs.	5.2	
83N3672BTL Laminate	1568	36	72	1 1/8	—	—	139 lbs.	5.2	
83N3672BTLL TFL	1256	36	72	1 1/8	—	—	139 lbs.	5.2	
36" X 84"									
83N3684BTW Wood	\$ 2337	36	84	1 1/8	—	—	149 lbs.	6.0	
83N3684BTL Laminate	1670	36	84	1 1/8	—	—	149 lbs.	6.0	
83N3684BTLL TFL	1335	36	84	1 1/8	—	—	149 lbs.	6.0	
36" X 96"									
83N3696BTW Wood	\$ 2484	36	96	1 1/8	—	—	169 lbs.	6.8	
83N3696BTL Laminate	1776	36	96	1 1/8	—	—	169 lbs.	6.8	
83N3696BTLL TFL	1420	36	96	1 1/8	—	—	169 lbs.	6.8	

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option
- Boat top end depth is 6" less than the overall depth

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272BTW F X HN
83N4272BTL V461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BOAT TOP SOFTENED RIM (CONTINUED) 	42" X 72" 1 1/16" TOP THICKNESS									
	83N4272BTW	Wood	\$ 2460	42	72	1 1/16	—	—	143 lbs.	5.9
	83N4272BTL	Laminate	1759	42	72	1 1/16	—	—	143 lbs.	5.9
	83N4272BTLL	TFL	1405	42	72	1 1/8	—	—	143 lbs.	5.9
	42" X 84"									
	83N4284BTW	Wood	\$ 2616	42	84	1 1/16	—	—	162 lbs.	6.8
	83N4284BTL	Laminate	1872	42	84	1 1/16	—	—	162 lbs.	6.8
	83N4284BTLL	TFL	1496	42	84	1 1/8	—	—	162 lbs.	6.8
	42" X 96"									
	83N4296BTW	Wood	\$ 2785	42	96	1 1/16	—	—	206 lbs.	7.7
83N4296BTL	Laminate	1989	42	96	1 1/16	—	—	206 lbs.	7.7	
83N4296BTLL	TFL	1592	42	96	1 1/8	—	—	206 lbs.	7.7	
48" X 72"										
83N4872BTW	Wood	\$ 2753	48	72	1 1/16	—	—	144 lbs.	6.7	
83N4872BTL	Laminate	1967	48	72	1 1/16	—	—	144 lbs.	6.7	
83N4872BTLL	TFL	1573	48	72	1 1/8	—	—	144 lbs.	6.7	
48" X 84"										
83N4884BTW	Wood	\$ 2930	48	84	1 1/16	—	—	197 lbs.	7.7	
83N4884BTL	Laminate	2227	48	84	1 1/16	—	—	197 lbs.	7.7	
83N4884BTLL	TFL	1780	48	84	1 1/8	—	—	197 lbs.	7.7	
48" X 96"										
83N4896BTW	Wood	\$ 3119	48	96	1 1/16	—	—	227 lbs.	8.7	
83N4896BTL	Laminate	2422	48	96	1 1/16	—	—	227 lbs.	8.7	
83N4896BTLL	TFL	1934	48	96	1 1/8	—	—	227 lbs.	8.7	
48" X 120"										
83N48120BTW	Wood	\$ 3378	48	120	1 1/16	—	—	237 lbs.	10.8	
83N48120BTL	Laminate	3026	48	120	1 1/16	—	—	237 lbs.	10.8	
83N48120BTLL	TFL	2583	48	120	1 1/8	—	—	237 lbs.	10.8	

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- Boat top end depth is 6" less than the overall depth
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448BTWK K X HN
83N2448BTLK K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
BOAT TOP KNIFE RIM	24" X 48"	1$\frac{1}{2}$" TOP THICKNESS								
	83N2448BTWK	Wood	\$ 1836	24	48	1 $\frac{1}{2}$	—	—	48 lbs.	2.3
	83N2448BTLK	Laminate	1309	24	48	1 $\frac{1}{2}$	—	—	48 lbs.	2.3
	30" X 60"									
	83N3060BTWK	Wood	\$ 1987	30	60	1 $\frac{1}{2}$	—	—	85 lbs.	3.7
	83N3060BTLK	Laminate	1417	30	60	1 $\frac{1}{2}$	—	—	85 lbs.	3.7
	30" X 72"									
	83N3072BTWK	Wood	\$ 2297	30	72	1 $\frac{1}{2}$	—	—	116 lbs.	4.4
	83N3072BTLK	Laminate	1640	30	72	1 $\frac{1}{2}$	—	—	116 lbs.	4.4
	36" X 60"									
	83N3660BTWK	Wood	\$ 2538	36	60	1 $\frac{1}{2}$	—	—	122 lbs.	4.4
	83N3660BTLK	Laminate	1814	36	60	1 $\frac{1}{2}$	—	—	122 lbs.	4.4
	36" X 72"									
	83N3672BTWK	Wood	\$ 2703	36	72	1 $\frac{1}{2}$	—	—	139 lbs.	5.2
	83N3672BTLK	Laminate	1929	36	72	1 $\frac{1}{2}$	—	—	139 lbs.	5.2
	36" X 84"									
	83N3684BTWK	Wood	\$ 2873	36	84	1 $\frac{1}{2}$	—	—	149 lbs.	6.0
	83N3684BTLK	Laminate	2052	36	84	1 $\frac{1}{2}$	—	—	149 lbs.	6.0
	36" X 96"									
	83N3696BTWK	Wood	\$ 3057	36	96	1 $\frac{1}{2}$	—	—	169 lbs.	6.8
	83N3696BTLK	Laminate	2184	36	96	1 $\frac{1}{2}$	—	—	169 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option
- Boat top end depth is 6" less than the overall depth

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272BTWK K X HN
83N4272BTLK K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BOAT TOP KNIFE RIM (CONTINUED) 	42" X 72" 1 1/8" TOP THICKNESS									
	83N4272BTWK	Wood	\$ 3026	42	72	1 1/8	—	—	143 lbs.	5.9
	83N4272BTLK	Laminate	2161	42	72	1 1/8	—	—	143 lbs.	5.9
	42" X 84"									
	83N4284BTWK	Wood	\$ 3219	42	84	1 1/8	—	—	162 lbs.	6.8
	83N4284BTLK	Laminate	2299	42	84	1 1/8	—	—	162 lbs.	6.8
	42" X 96"									
	83N4296BTWK	Wood	\$ 3425	42	96	1 1/8	—	—	206 lbs.	7.7
	83N4296BTLK	Laminate	2443	42	96	1 1/8	—	—	206 lbs.	7.7
	48" X 72"									
	83N4872BTWK	Wood	\$ 3391	48	72	1 1/8	—	—	144 lbs.	6.7
	83N4872BTLK	Laminate	2422	48	72	1 1/8	—	—	144 lbs.	6.7
	48" X 84"									
	83N4884BTWK	Wood	\$ 3606	48	84	1 1/8	—	—	197 lbs.	7.7
	83N4884BTLK	Laminate	2740	48	84	1 1/8	—	—	197 lbs.	7.7
	48" X 96"									
	83N4896BTWK	Wood	\$ 3836	48	96	1 1/8	—	—	227 lbs.	8.7
	83N4896BTLK	Laminate	2978	48	96	1 1/8	—	—	227 lbs.	8.7
48" X 120"										
83N48120BTWK	Wood	\$ 4156	48	120	1 1/8	—	—	237 lbs.	10.8	
83N48120BTLK	Laminate	3722	48	120	1 1/8	—	—	237 lbs.	10.8	

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- Boat top end depth is 6" less than the overall depth

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N3672TPW K X HN
83N3672TPL K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A			KW	
	36" X 72"									
		1 3/8" TOP THICKNESS								
	83N3672TPW	Wood	\$ 2196	36	72	1 3/8	—	—	111 lbs.	5.2
	83N3672TPL	Laminate	1568	36	72	1 3/8	—	—	111 lbs.	5.2
	83N3672TPLL	TFL	1256	36	72	1 3/8	—	—	111 lbs.	5.2
	42" X 84"									
	83N4284TPW	Wood	\$ 2616	42	84	1 3/8	—	—	183 lbs.	6.8
	83N4284TPL	Laminate	1872	42	84	1 3/8	—	—	183 lbs.	6.8
	83N4284TPLL	TFL	1496	42	84	1 3/8	—	—	183 lbs.	6.8
	48" X 96"									
83N4896TPW	Wood	\$ 3119	48	96	1 3/8	—	—	233 lbs.	8.7	
83N4896TPL	Laminate	2422	48	96	1 3/8	—	—	233 lbs.	8.7	
83N4896TPLL	TFL	1934	48	96	1 3/8	—	—	233 lbs.	8.7	
48" X 120"										
83N48120TPW	Wood	\$ 3378	48	120	1 3/8	—	—	245 lbs.	10.8	
83N48120TPL	Laminate	3026	48	120	1 3/8	—	—	245 lbs.	10.8	
83N48120TPLL	TFL	2583	48	120	1 3/8	—	—	245 lbs.	10.8	

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- Taper top end depth is 6" less than the overall depth
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

PRODUCT SPECIFICATIONS

- Reference pages 180-182 for grommet options and locations
- Reference pages 183-189 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N3672TPWK K X HM
83N3672TPLK K461 X 461

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
<p>TAPERED TOP KNIFE RIM</p> 	36" X 72" 1 1/8" TOP THICKNESS									
	83N3672TPWK	Wood	\$ 2703	36	72	1 1/8	—	—	111 lbs.	5.2
	83N3672TPLK	Laminate	1929	36	72	1 1/8	—	—	111 lbs.	5.2
	42" X 84"									
	83N4284TPWK	Wood	\$ 3219	42	84	1 1/8	—	—	183 lbs.	6.8
	83N4284TPLK	Laminate	2299	42	84	1 1/8	—	—	183 lbs.	6.8
	48" X 96"									
	83N4896TPWK	Wood	\$ 3836	48	96	1 1/8	—	—	233 lbs.	8.7
	83N4896TPLK	Laminate	2978	48	96	1 1/8	—	—	233 lbs.	8.7
	48" X 120"									
	83N48120TPWK	Wood	\$ 4156	48	120	1 1/8	—	—	245 lbs.	10.8
	83N48120TPLK	Laminate	3721	48	120	1 1/8	—	—	245 lbs.	10.8

- Modified depth and width not available
- For use with Footings base; reference pages 183-189
- Profiled corners have a 4" radius
- Taper top end depth is 6" less than the overall depth

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 183-189 for table base guide
- Adjustable glides standard
- Specify ellipse shaped wire management cutout in the X base column





TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (X base only)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV2115XBP CU 462 265

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
X BASE OCCASIONAL HEIGHT 	CBV2115XBP	\$ 565	20 ¹ / ₁₆	20 ¹ / ₁₆	14 ¹ / ₁₆	—	—	26 lbs.	4.2
	CBV2715XBP	638	27 ¹ / ₄	27 ¹ / ₄	14 ¹ / ₁₆	—	—	28 lbs.	6.3
	CBV3215XBP	711	31 ¹ / ₁₆	31 ¹ / ₁₆	14 ¹ / ₁₆	—	—	28 lbs.	7.9
	<ul style="list-style-type: none"> • 1¹/₂" diameter glide • Not recommended to be placed directly over a grommet cutout 								
X BASE END TABLE HEIGHT 	CBV2119XBP	\$ 605	20 ¹ / ₁₆	20 ¹ / ₁₆	18	—	—	28 lbs.	5.1
	CBV2719XBP	645	27 ¹ / ₄	27 ¹ / ₄	18	—	—	29 lbs.	7.8
	<ul style="list-style-type: none"> • Not recommended to be placed directly over a grommet cutout 								
X BASE WORKSURFACE HEIGHT 	CBV2128XBP	\$ 622	20 ¹ / ₁₆	20 ¹ / ₁₆	27 ¹ / ₁₆	—	—	31 lbs.	7.5
	CBV2728XBP	693	27 ¹ / ₄	27 ¹ / ₄	27 ¹ / ₁₆	—	—	33 lbs.	11.3
	CBV3228XBP	817	31 ¹ / ₁₆	31 ¹ / ₁₆	27 ¹ / ₁₆	—	—	34 lbs.	14.2
	CBV4028XBP	1092	39 ¹ / ₁₆	39 ¹ / ₁₆	27 ¹ / ₁₆	—	—	35 lbs.	20.6
	<ul style="list-style-type: none"> • Not recommended to be placed directly over a grommet cutout 								
X BASE WORKSURFACE HEIGHT, MOBILE 	CBV3228XBMP	\$ 876	31 ¹ / ₁₆	31 ¹ / ₁₆	27 ¹ / ₁₆	—	—	34 lbs.	13.2
	CBV4028XBMP	1138	39 ¹ / ₁₆	39 ¹ / ₁₆	27 ¹ / ₁₆	—	—	35 lbs.	19.1
<ul style="list-style-type: none"> • Mobile base has dual wheel locking casters • Not recommended to be placed directly over a grommet cutout 									
X BASE COUNTER HEIGHT 	CBV2135XBP	\$ 796	20 ¹ / ₁₆	20 ¹ / ₁₆	34 ⁷ / ₈	—	—	34 lbs.	9.2
	CBV2735XBP	969	27 ¹ / ₄	27 ¹ / ₄	34 ⁷ / ₈	—	—	36 lbs.	13.9
	CBV3235XBP	1137	31 ¹ / ₁₆	31 ¹ / ₁₆	34 ⁷ / ₈	—	—	36 lbs.	17.4
	CBV4035XBP	1308	39 ¹ / ₁₆	39 ¹ / ₁₆	34 ⁷ / ₈	—	—	38 lbs.	25.3
	<ul style="list-style-type: none"> • Not recommended to be placed directly over a grommet cutout 								

PRODUCT SPECIFICATIONS

- Reference pages 183-189 for table base guide
- Adjustable glides standard
- Specify ellipse shaped wire management cutout in the X base column

TO ORDER, SPECIFY:


1. Model Number
2. Wire Management Cutout (X base only)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV3028QXBP 462 265

- See pages 177-179 for all options available in Footings


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
X BASE BAR HEIGHT	CBV2141XBP	\$ 874	20 ¹ / ₁₆	20 ¹ / ₁₆	40 ¹ / ₁₆	—	—	36 lbs.	10.6
	CBV2741XBP	1063	27 ¹ / ₄	27 ¹ / ₄	40 ¹ / ₁₆	—	—	38 lbs.	16.1
	CBV3241XBP	1250	31 ¹ / ₁₆	31 ¹ / ₁₆	40 ¹ / ₁₆	—	—	39 lbs.	20.2
	CBV4041XBP	1512	39 ¹ / ₁₆	39 ¹ / ₁₆	40 ¹ / ₁₆	—	—	40 lbs.	29.3



- Not recommended to be placed directly over a grommet cutout

QUAD X BASE WORKSURFACE HEIGHT


CBV3028QXBP	\$ 1494	29 ¹ / ₁₆	29 ¹ / ₁₆	27 ¹ / ₁₆	—	—	115 lbs.	22.4
CBV3528QXBP	1573	34 ³ / ₄	34 ³ / ₄	27 ¹ / ₁₆	—	—	117 lbs.	28.8



- G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base
- Ellipse shaped wire management cutout standard in all 4 columns of the quad base

QUAD X BASE COUNTER HEIGHT

CBV3035QXBP	\$ 1598	29 ¹ / ₁₆	29 ¹ / ₁₆	34 ³ / ₈	—	—	126 lbs.	27.6
CBV3535QXBP	1679	34 ³ / ₄	34 ³ / ₄	34 ³ / ₈	—	—	127 lbs.	35.5



- G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base
- Ellipse shaped wire management cutout standard in all 4 columns of the quad base

QUAD X BASE BAR HEIGHT

CBV3041QXBP	\$ 1702	29 ¹ / ₁₆	29 ¹ / ₁₆	40 ¹ / ₁₆	—	—	135 lbs.	31.9
CBV3541QXBP	1784	34 ³ / ₄	34 ³ / ₄	40 ¹ / ₁₆	—	—	137 lbs.	41.0



- G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base
- Ellipse shaped wire management cutout standard in all 4 columns of the quad base

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 183-189 for table base guide
- Adjustable glides standard
- Shipped in 3 separate cartons
- Standard ellipse shaped wire management cutout in the column

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color
3. Foot Paint Color


SAMPLE MODEL NUMBER:

CBV183115YBKP 462 265


- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
Y BASES WITH RAIL OCCASIONAL HEIGHT 	CBV183115YBKP	\$ 891	30 $\frac{3}{8}$	18 $\frac{1}{16}$	14 $\frac{1}{16}$	—	—	49 lbs.	7.1
	CBV183515YBKP	929	34 $\frac{7}{8}$	18 $\frac{1}{16}$	14 $\frac{1}{16}$	—	—	49 lbs.	7.2
	CBV243815YBKP	970	38 $\frac{1}{16}$	24	14 $\frac{1}{16}$	—	—	51 lbs.	9.8
	CBV244415YBKP	1009	44 $\frac{3}{16}$	24	14 $\frac{1}{16}$	—	—	52 lbs.	9.8
	CBV245015YBKP	1051	50 $\frac{3}{16}$	24	14 $\frac{1}{16}$	—	—	52 lbs.	9.8


- 1 $\frac{1}{8}$ " diameter glide

**Y BASES WITH RAIL
WORKSURFACE HEIGHT**

44" shown



64" shown



100" shown

CBV243828YBKP	\$ 1051	38 $\frac{1}{16}$	24	27 $\frac{13}{16}$	—	—	61 lbs.	17.2
CBV244428YBKP	1089	44 $\frac{3}{16}$	24	27 $\frac{13}{16}$	—	—	62 lbs.	17.2
CBV245028YBKP	1131	50 $\frac{3}{16}$	24	27 $\frac{13}{16}$	—	—	63 lbs.	17.2
CBV245628YBKP	1170	56 $\frac{3}{16}$	24	27 $\frac{13}{16}$	—	—	64 lbs.	17.2
CBV246228YBKP	1210	62 $\frac{3}{16}$	24	27 $\frac{13}{16}$	—	—	65 lbs.	17.2
CBV285228YBKP	1210	52 $\frac{3}{8}$	27 $\frac{1}{2}$	27 $\frac{13}{16}$	—	—	64 lbs.	20.7
CBV285828YBKP	1250	58 $\frac{3}{8}$	27 $\frac{1}{2}$	27 $\frac{13}{16}$	—	—	65 lbs.	20.8
CBV286428YBKP	1250	64 $\frac{3}{8}$	27 $\frac{1}{2}$	27 $\frac{13}{16}$	—	—	66 lbs.	20.8
CBV2810028YBKP	1291	100 $\frac{3}{8}$	27 $\frac{1}{2}$	27 $\frac{13}{16}$	—	—	100 lbs.	29.9

- G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base
- Some assembly required

PRODUCT SPECIFICATIONS

- Reference pages 183-189 for table base guide
- Adjustable glides standard
- Shipped in 3 separate cartons
- Standard ellipse shaped wire management cutout in the column


TO ORDER, SPECIFY:


1. Model Number
2. Column Paint Color
3. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV243835YBKP 462 265

- See pages 177-179 for all options available in Footings

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
Y BASES WITH RAIL COUNTER HEIGHT 	CBV243835YBKP	\$ 1089	38 ³ / ₁₆	24	34 ⁷ / ₈	—	—	67 lbs.	21.2
	CBV244435YBKP	1131	44 ⁷ / ₁₆	24	34 ⁷ / ₈	—	—	68 lbs.	21.2
	CBV245035YBKP	1170	50 ⁷ / ₁₆	24	34 ⁷ / ₈	—	—	68 lbs.	21.3
	CBV245635YBKP	1210	56 ⁷ / ₁₆	24	34 ⁷ / ₈	—	—	69 lbs.	21.4
	CBV246235YBKP	1250	62 ⁷ / ₁₆	24	34 ⁷ / ₈	—	—	70 lbs.	21.4
	CBV285235YBKP	1291	52 ³ / ₈	27 ¹ / ₂	34 ⁷ / ₈	—	—	69 lbs.	25.3
	CBV285835YBKP	1333	58 ³ / ₈	27 ¹ / ₂	34 ⁷ / ₈	—	—	70 lbs.	25.4
	CBV286435YBKP	1372	64 ³ / ₈	27 ¹ / ₂	34 ⁷ / ₈	—	—	71 lbs.	25.4

Y BASES WITH RAIL BAR HEIGHT 	CBV243841YBKP	\$ 1210	38 ³ / ₁₆	24	40 ¹ / ₁₆	—	—	71 lbs.	24.4
	CBV244441YBKP	1250	44 ⁷ / ₁₆	24	40 ¹ / ₁₆	—	—	72 lbs.	24.4
	CBV245041YBKP	1291	50 ⁷ / ₁₆	24	40 ¹ / ₁₆	—	—	73 lbs.	24.5
	CBV245641YBKP	1333	56 ⁷ / ₁₆	24	40 ¹ / ₁₆	—	—	74 lbs.	24.6
	CBV246241YBKP	1333	62 ⁷ / ₁₆	24	40 ¹ / ₁₆	—	—	75 lbs.	24.6
	CBV285241YBKP	1372	52 ³ / ₈	27 ¹ / ₂	40 ¹ / ₁₆	—	—	74 lbs.	29.3
	CBV285841YBKP	1412	58 ³ / ₈	27 ¹ / ₂	40 ¹ / ₁₆	—	—	75 lbs.	29.4
	CBV286441YBKP	1452	64 ³ / ₈	27 ¹ / ₂	40 ¹ / ₁₆	—	—	76 lbs.	29.4

- G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base
- Some assembly required

GRIN

GRIN PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1 $\frac{3}{16}$ " HPL (high pressure laminate) or 1 $\frac{1}{8}$ " TFL (thermally fused laminate), and feature a softened 3mm vinyl or knife rim surface
- Refer to page 215 for rim profile and colors
- Grain direction runs left-to-right

FINISH APPLICATION

- TFL rim top will have edge banding to color match with finish selection
- HPL knife rim top with MDF core will have edge banding to color match with finish selection

APRON RAILS

- Metal undersurface rails come standard on all models. Refer to page 215 for complete color offering.

BASE

- Maple wood legs
- Refer to page 215 for base/leg wood finish options

FOOT RAILS

- Metal foot rails are standard in polished finish on all counter and bar height models
- Powder coated finish option is available for an upcharge. Refer to page 215 for complete color offering

CORD MANAGEMENT

- Round grommets are optional on worksurface, counter, and bar height tops
- Refer to page 216 for complete grommet locations and details
- Undersurface wire managers are available for cable management requirements
- Cords can be routed down the leg utilizing leather strap wire management
- Leather strap can hold wires and attach to a leg in Florence colors: Almond Biscotti, Terra, Mezza Luna, and Struzzo

POWER/DATA ELECTRICAL SPECIFICATIONS

MOIRÉ POWER CENTER (G10A, G10B)

- Installs into round G40 (3" dia.) worksurface cutout
- Adjusts to worksurfaces thickness of 1 $\frac{3}{16}$ "-1 $\frac{1}{16}$ "
- Available in light grey, black, or white
- Spill-proof
- 6' power cord with 3-prong molded plug (15 amp)
- UL Listed
- (G10A) 2 power outlets and 2 USB-A dual ports
- (G10B) 4 power outlets

HEMISPHERE GROMMET (G41)

- Installs into round G41 (3" dia.) worksurface cutout
- 10' power cord with 3-prong molded plug
- Available in black or white soft touch plastic
- UL Listed
- 2 power outlets and 1 USB A & C port

ECLIPSE GROMMET (G42)

- Installs into round G42 (4 $\frac{1}{2}$ " dia.) worksurface cutout
- 10' power cord with 3-prong molded plug
- Available in black or white
- UL Listed
- 2 power outlets and 1 USB A & C port

HPL/TFL TOPS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE

818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecu

RIM PROFILES



Softened Vinyl (V)



Knife (K)

VINYL RIMS

WOODGRAIN

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecu

BASE/LEG WOOD FINISHES

793	Acorn	KN	Kona
AD	Almond	MW	Midtown
MC	Amber	MH	Mocha
AC	Autumn	YO	Monterey
BZ	Brazilwood	NM	Natural
IM	Brighton	PC	Porcini
CO	Canyon	PT	Portico
CL	Caramel	PB	Portobello
CI	Chai	792	Sable
462	Cinder	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
405	Designer White	TF	Truffle
DF	Driftwood	NW	Tuscan
HN	Honey	UW	Urban
TM	Huntington	WL	Willow
DW	Judicial		

METAL APRON RAIL PAINT COLORS

STANDARD PAINT

437	Cement*	461	Graphite*
462	Cinder	463	Iron*
440	Cloud*	400	Linen*
423	Concrete*	454	Morrel*
457	Dapple*	443	Pavestone*
405	Designer	455	Quarry*
	White	420	Sandstone*
450	Fog*	425	Shadow*
109	Fossil*	460	Storm*
488	Frosty White*	419	Wallaby*

*Extended lead time

METALLIC PAINT* (+\$142 LIST)

514	Carbon Metallic
547	Dark Bronze Metallic
501	Platinum Metallic
503	Satin Nickel Metallic
544	Silver Pearl
504	Taupe Metallic

*Extended lead time

GALLERY PAINT** (+\$142 LIST)

G2004	Blush	G2001	Moon Beam
G2006	Brick Red	G2010	Naval
G2003	Chive	G2013	Olive Branch
G2002	Dark Blue	G2011	Rustic Sun
G2008	Eucalyptus	G2005	Sangria
G2012	Ginkgo	G2009	Tidewater
G2007	Lavender Ash		

**Six week lead time

METAL FOOTRAIL PAINT COLORS

STANDARD PAINT (+\$142 LIST)

POL	Polished (Standard - No upcharge)		
437	Cement*	461	Graphite*
462	Cinder	463	Iron*
440	Cloud*	400	Linen*
423	Concrete*	454	Morrel*
457	Dapple*	443	Pavestone*
405	Designer	455	Quarry*
	White	420	Sandstone*
450	Fog*	425	Shadow*
109	Fossil*	460	Storm*
488	Frosty White*	419	Wallaby*

*Extended lead time

METALLIC PAINT* (+\$142 LIST)

514	Carbon Metallic
547	Dark Bronze Metallic
501	Platinum Metallic
503	Satin Nickel Metallic
544	Silver Pearl
504	Taupe Metallic

*Extended lead time

GALLERY PAINT** (+\$142 LIST)

G2004	Blush	G2001	Moon Beam
G2006	Brick Red	G2010	Naval
G2003	Chive	G2013	Olive Branch
G2002	Dark Blue	G2011	Rustic Sun
G2008	Eucalyptus	G2005	Sangria
G2012	Ginkgo	G2009	Tidewater
G2007	Lavender Ash		

**Six week lead time

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com

• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com


GRIN - GROMMET OPTIONS

GRIN - GROMMET OPTIONS


If no grommet is desired, specify an X (No Grommet)

Moire Grommet Option, Black, White, & Light Grey

\$41 list upcharge per cutout location



- Reference the chart below for grommet locations




98KG40AELPGBK, 98KG40AELPGLG, 98KG40AELPGWH, NACG10BELPGB, NACG10BELPGW, and NACG10BELPGG (Sold Separately)


- Reference page 225 for pricing and details

Hemisphere Grommet Option, Black & White

\$41 list upcharge per cutout location



- Reference the chart below for grommet locations




NACG41AELPGB and NACG41AELPGW (Sold Separately)


- Reference page 225 for pricing and details

Eclipse Grommet Option, Black & White

\$41 list upcharge per cutout location



- Reference the chart below for grommet locations




NACG42AELPGB and NACG42AELPGW (Sold Separately)


- Reference page 225 for pricing and details

GRIN - GROMMET LOCATIONS


GROMMET CUTOUT DESIGNATOR	DIAMETER CUTOUT DIMENSION	GROMMET LOCATION	TABLE LENGTH (IN)								
			30"	32"	40"	41"	48"	53"	56"	63"	71"
CUT-G40C	3"	A	15"	16"	20"	20½"	24"	26½"	23"	31½"	35½"
CUT-G41C	3"										
CUT-G42C	4½"										



Round Table Top



Square Table Top



Rectangle Table Top

PRODUCT SPECIFICATIONS




- Metal Apron Rail and Maple Legs

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Finish

SAMPLE MODEL NUMBERS:

- N49T3013RD4L
 N49T3013RD4LK
 • See page 215 for all options available in Grin

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ROUND TOP OCCASIONAL HEIGHT TABLE 	30" ROUND 1 3/8" TOP THICKNESS			DI	H					
	N49T3013RD4LK	HPL - Knife Rim	\$ 2084	30	—	13	—	—	42.6 lbs.	3.1
	N49T3013RD4L	HPL - Softened Rim	1737	30	—	13	—	—	47.9 lbs.	3.1
	N49T3013RD4LL	TFL - Softened Rim	1564	30	—	13	—	—	47.9 lbs.	3.1
	41" ROUND									
	N49T4113RD4LK	HPL - Knife Rim	\$ 3059	41	—	13	—	—	67.0 lbs.	4.4
	N49T4113RD4L	HPL - Softened Rim	2549	41	—	13	—	—	75.7 lbs.	4.4
	N49T4113RD4LL	TFL - Softened Rim	2295	41	—	13	—	—	75.7 lbs.	4.4
	SQUARE TOP OCCASIONAL HEIGHT TABLE 	32" SQUARE 1 3/8" TOP THICKNESS			D	W	H			
N49T323213SSQ4LK		HPL - Knife Rim	\$ 2331	32	32	13	—	—	53.9 lbs.	3.3
N49T323213SSQ4L		HPL - Softened Rim	1943	32	32	13	—	—	61.1 lbs.	3.3
N49T323213SSQ4LL		TFL - Softened Rim	1749	32	32	13	—	—	61.1 lbs.	3.3
40" SQUARE										
N49T404013SSQ4LK		HPL - Knife Rim	\$ 3059	40	40	13	—	—	75.6 lbs.	4.3
N49T404013SSQ4L		HPL - Softened Rim	2549	40	40	13	—	—	85.7 lbs.	4.3
N49T404013SSQ4LL		TFL - Softened Rim	2295	40	40	13	—	—	85.7 lbs.	4.3
RECTANGLE TOP OCCASIONAL HEIGHT TABLE 		24" X 40" RECTANGLE 1 3/8" TOP THICKNESS								
	N49T244013SRT4LK	HPL - Knife Rim	\$ 2200	24	40	13	—	—	53.0 lbs.	3.3
	N49T244013SRT4L	HPL - Softened Rim	1833	24	40	13	—	—	60.0 lbs.	3.3
	N49T244013SRT4LL	TFL - Softened Rim	1650	24	40	13	—	—	60.0 lbs.	3.3
	24 X 48" RECTANGLE									
	N49T244813SRT4LK	HPL - Knife Rim	\$ 2342	24	48	13	—	—	60.6 lbs.	3.7
	N49T244813SRT4L	HPL - Softened Rim	1952	24	48	13	—	—	68.7 lbs.	3.7
	N49T244813SRT4LL	TFL - Softened Rim	1757	24	48	13	—	—	68.7 lbs.	3.7
	32 X 48" RECTANGLE									
	N49T324813SRT4LK	HPL - Knife Rim	\$ 2492	32	48	13	—	—	73.7 lbs.	4.3
	N49T324813SRT4L	HPL - Softened Rim	2076	32	48	13	—	—	83.6 lbs.	4.3
	N49T324813SRT4LL	TFL - Softened Rim	1868	32	48	13	—	—	83.6 lbs.	4.3

GRIN

PRODUCT SPECIFICATIONS

- Metal Apron Rail and Maple Legs

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Finish

SAMPLE MODEL NUMBERS:

N49T4129RD4L
N49T4129RD4LK

- See page 215 for all options available in Grin

ROUND TOP WORKSURFACE HEIGHT TABLE



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
41" ROUND 1 3/8" TOP THICKNESS		DI	H					
N49T4129RD4LK	\$ 3554	41	—	29	—	—	73.8 lbs.	4.9
N49T4129RD4L	2961	41	—	29	—	—	82.5 lbs.	4.9
N49T4129RD4LL	2666	41	—	29	—	—	82.5 lbs.	4.9
53" ROUND								
N49T5329RD4LK	\$ 4295	53	—	29	—	—	105.1 lbs.	6.7
N49T5329RD4L	3579	53	—	29	—	—	117.8 lbs.	6.7
N49T5329RD4LL	3222	53	—	29	—	—	117.8 lbs.	6.7

ROUND TOP WORKSURFACE HEIGHT TABLE MOBILE



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
41" ROUND 1 3/8" TOP THICKNESS		DI	H					
N49T4129RD4MLK	\$ 3767	41	—	29	—	—	75.8 lbs.	4.9
N49T4129RD4ML	3139	41	—	29	—	—	84.5 lbs.	4.9
N49T4129RD4MLL	2825	41	—	29	—	—	84.5 lbs.	4.9
53" ROUND								
N49T5329RD4MLK	\$ 4553	53	—	29	—	—	107.1 lbs.	6.7
N49T5329RD4ML	3795	53	—	29	—	—	119.8 lbs.	6.7
N49T5329RD4MLL	3414	53	—	29	—	—	119.8 lbs.	6.7

PRODUCT SPECIFICATIONS

- Metal Apron Rail and Maple Legs

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Finish

SAMPLE MODEL NUMBERS:

- N49T323229SSQ4L
 N49T323229SSQ4LK
 • See page 215 for all options available in Grin

SQUARE TOP WORKSURFACE HEIGHT TABLE



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
32" SQUARE 1 3/8" TOP THICKNESS								
N49T323229SSQ4LK	HPL - Knife Rim \$ 2825	32	32	29	--	--	60.6 lbs.	3.8
N49T323229SSQ4L	HPL - Softened Rim 2355	32	32	29	--	--	67.8 lbs.	3.8
N49T323229SSQ4LL	TFL - Softened Rim 2120	32	32	29	--	--	67.8 lbs.	3.8
40" SQUARE								
N49T404029SSQ4LK	HPL - Knife Rim \$ 3411	40	40	29	--	--	82.3 lbs.	4.8
N49T404029SSQ4L	HPL - Softened Rim 2843	40	40	29	--	--	92.5 lbs.	4.8
N49T404029SSQ4LL	TFL - Softened Rim 2559	40	40	29	--	--	92.5 lbs.	4.8
48" SQUARE								
N49T484829SSQ4LK	HPL - Knife Rim \$ 4065	48	48	29	--	--	107.7 lbs.	6.1
N49T484829SSQ4L	HPL - Softened Rim 3388	48	48	29	--	--	121.3 lbs.	6.1
N49T484829SSQ4LL	TFL - Softened Rim 3049	48	48	29	--	--	121.3 lbs.	6.1
56" SQUARE								
N49T565629SSQ4LK	HPL - Knife Rim \$ 4321	56	56	29	--	--	136.8 lbs.	7.4
N49T565629SSQ4L	HPL - Softened Rim 3601	56	56	29	--	--	154.2 lbs.	7.4
N49T565629SSQ4LL	TFL - Softened Rim 3240	56	56	29	--	--	154.2 lbs.	7.4

SQUARE TOP WORKSURFACE HEIGHT TABLE MOBILE



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
32" SQUARE 1 3/8" TOP THICKNESS								
N49T323229SSQ4MLK	HPL - Knife Rim \$ 2995	32	32	29	--	--	62.7 lbs.	3.8
N49T323229SSQ4ML	HPL - Softened Rim 2496	32	32	29	--	--	69.9 lbs.	3.8
N49T323229SSQ4MLL	TFL - Softened Rim 2246	32	32	29	--	--	69.9 lbs.	3.8
40" SQUARE								
N49T404029SSQ4MLK	HPL - Knife Rim \$ 3616	40	40	29	--	--	84.3 lbs.	4.8
N49T404029SSQ4ML	HPL - Softened Rim 3014	40	40	29	--	--	94.5 lbs.	4.8
N49T404029SSQ4MLL	TFL - Softened Rim 2712	40	40	29	--	--	94.5 lbs.	4.8
48" SQUARE								
N49T484829SSQ4MLK	HPL - Knife Rim \$ 4308	48	48	29	--	--	109.7 lbs.	6.1
N49T484829SSQ4ML	HPL - Softened Rim 3591	48	48	29	--	--	123.3 lbs.	6.1
N49T484829SSQ4MLL	TFL - Softened Rim 3231	48	48	29	--	--	123.3 lbs.	6.1
56" SQUARE								
N49T565629SSQ4MLK	HPL - Knife Rim \$ 4580	56	56	29	--	--	138.9 lbs.	7.4
N49T565629SSQ4ML	HPL - Softened Rim 3817	56	56	29	--	--	156.3 lbs.	7.4
N49T565629SSQ4MLL	TFL - Softened Rim 3435	56	56	29	--	--	156.3 lbs.	7.4

GRIN

PRODUCT SPECIFICATIONS

- Metal Apron Rail and Maple Legs


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Finish

SAMPLE MODEL NUMBERS:

N49T244029SRT4L
N49T244029SRT4LK

- See page 215 for all options available in Grin

RECTANGLE TOP
WORKSURFACE HEIGHT TABLE

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
24" X 40" RECTANGLE 1 3/8" TOP THICKNESS								
N49T244029SRT4LK HPL - Knife Rim	\$ 2694	24	40	29	—	—	59.7 lbs.	3.8
N49T244029SRT4L HPL - Softened Rim	2245	24	40	29	—	—	66.7 lbs.	3.8
N49T244029SRT4LL TFL - Softened Rim	2021	24	40	29	—	—	66.7 lbs.	3.8
24 X 48" RECTANGLE								
N49T244829SRT4LK HPL - Knife Rim	\$ 2837	24	48	29	—	—	67.3 lbs.	4.2
N49T244829SRT4L HPL - Softened Rim	2364	24	48	29	—	—	75.4 lbs.	4.2
N49T244829SRT4LL TFL - Softened Rim	2128	24	48	29	—	—	75.4 lbs.	4.2
32 X 48" RECTANGLE								
N49T324829SRT4LK HPL - Knife Rim	\$ 2986	32	48	29	—	—	80.4 lbs.	4.8
N49T324829SRT4L HPL - Softened Rim	2488	32	48	29	—	—	86.3 lbs.	4.8
N49T324829SRT4LL TFL - Softened Rim	2239	32	48	29	—	—	86.3 lbs.	4.8
32 X 56" RECTANGLE								
N49T325629SRT4LK HPL - Knife Rim	\$ 3144	32	56	29	—	—	89.8 lbs.	5.3
N49T325629SRT4L HPL - Softened Rim	2619	32	56	29	—	—	101.2 lbs.	5.3
N49T325629SRT4LL TFL - Softened Rim	2358	32	56	29	—	—	101.2 lbs.	5.3
32 X 63" RECTANGLE								
N49T326329SRT4LK HPL - Knife Rim	\$ 3308	32	63	29	—	—	100.3 lbs.	5.8
N49T326329SRT4L HPL - Softened Rim	2757	32	63	29	—	—	113.0 lbs.	5.8
N49T326329SRT4LL TFL - Softened Rim	2481	32	63	29	—	—	113.0 lbs.	5.8
32 X 71" RECTANGLE								
N49T327129SRT4LK HPL - Knife Rim	\$ 3482	32	71	29	—	—	109.6 lbs.	6.3
N49T327129SRT4L HPL - Softened Rim	2903	32	71	29	—	—	123.7 lbs.	6.3
N49T327129SRT4LL TFL - Softened Rim	2612	32	71	29	—	—	123.7 lbs.	6.3
40 X 63" RECTANGLE								
N49T406329SRT4LK HPL - Knife Rim	\$ 3560	40	63	29	—	—	117.1 lbs.	6.5
N49T406329SRT4L HPL - Softened Rim	2966	40	63	29	—	—	132.1 lbs.	6.5
N49T406329SRT4LL TFL - Softened Rim	2670	40	63	29	—	—	132.1 lbs.	6.5
40 X 71" RECTANGLE								
N49T407129SRT4LK HPL - Knife Rim	\$ 3870	40	71	29	—	—	130.4 lbs.	7.2
N49T407129SRT4L HPL - Softened Rim	3225	40	71	29	—	—	146.9 lbs.	7.2
N49T407129SRT4LL TFL - Softened Rim	2903	40	71	29	—	—	146.9 lbs.	7.2

PRODUCT SPECIFICATIONS

- Metal Apron Rail and Maple Legs


TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Finish

SAMPLE MODEL NUMBERS:

- N49T244029SRT4ML
 N49T244029SRT4MLK
 • See page 215 for all options available in Grin

**RECTANGLE TOP
 WORKSURFACE HEIGHT TABLE
 MOBILE**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
24" X 40" RECTANGLE 1 1/2" TOP THICKNESS								
N49T244029SRT4MLK HPL - Knife Rim	\$ 2856	24	40	29	—	—	61.8 lbs.	3.8
N49T244029SRT4ML HPL - Softened Rim	2380	24	40	29	—	—	68.8 lbs.	3.8
N49T244029SRT4MLL TFL - Softened Rim	2142	24	40	29	—	—	68.8 lbs.	3.8
24 X 48" RECTANGLE								
N49T244829SRT4MLK HPL - Knife Rim	\$ 3007	24	48	29	—	—	69.4 lbs.	4.2
N49T244829SRT4ML HPL - Softened Rim	2506	24	48	29	—	—	77.5 lbs.	4.2
N49T244829SRT4MLL TFL - Softened Rim	2255	24	48	29	—	—	77.5 lbs.	4.2
32 X 48" RECTANGLE								
N49T324829SRT4MLK HPL - Knife Rim	\$ 3165	32	48	29	—	—	82.5 lbs.	4.8
N49T324829SRT4ML HPL - Softened Rim	2638	32	48	29	—	—	88.4 lbs.	4.8
N49T324829SRT4MLL TFL - Softened Rim	2374	32	48	29	—	—	88.4 lbs.	4.8
32 X 56" RECTANGLE								
N49T325629SRT4MLK HPL - Knife Rim	\$ 3332	32	56	29	—	—	91.9 lbs.	5.3
N49T325629SRT4ML HPL - Softened Rim	2777	32	56	29	—	—	103.2 lbs.	5.3
N49T325629SRT4MLL TFL - Softened Rim	2499	32	56	29	—	—	103.2 lbs.	5.3
32 X 63" RECTANGLE								
N49T326329SRT4MLK HPL - Knife Rim	\$ 3507	32	63	29	—	—	102.3 lbs.	5.8
N49T326329SRT4ML HPL - Softened Rim	2922	32	63	29	—	—	115.0 lbs.	5.8
N49T326329SRT4MLL TFL - Softened Rim	2631	32	63	29	—	—	115.0 lbs.	5.8
32 X 71" RECTANGLE								
N49T327129SRT4MLK HPL - Knife Rim	\$ 3692	32	71	29	—	—	111.7 lbs.	6.3
N49T327129SRT4ML HPL - Softened Rim	3077	32	71	29	—	—	125.8 lbs.	6.3
N49T327129SRT4MLL TFL - Softened Rim	2769	32	71	29	—	—	125.8 lbs.	6.3
40 X 63" RECTANGLE								
N49T406329SRT4MLK HPL - Knife Rim	\$ 3774	40	63	29	—	—	119.2 lbs.	6.5
N49T406329SRT4ML HPL - Softened Rim	3145	40	63	29	—	—	134.1 lbs.	6.5
N49T406329SRT4MLL TFL - Softened Rim	2830	40	63	29	—	—	134.1 lbs.	6.5
40 X 71" RECTANGLE								
N49T407129SRT4MLK HPL - Knife Rim	\$ 4101	40	71	29	—	—	132.4 lbs.	7.2
N49T407129SRT4ML HPL - Softened Rim	3419	40	71	29	—	—	149.0 lbs.	7.2
N49T407129SRT4MLL TFL - Softened Rim	3077	40	71	29	—	—	149.0 lbs.	7.2

GRIN

PRODUCT SPECIFICATIONS

- Metal Apron Rail and Maple Legs
- Polished or Painted Footrail

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Footrail Paint
8. Finish

SAMPLE MODEL NUMBERS:

N49T4135RD4L
N49T4135RD4MLK

- See page 215 for all options available in Grin

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ROUND TOP COUNTER HEIGHT TABLE 	41" ROUND	1 3/8" TOP THICKNESS	D	W	H	A	KW			
	N49T4135RD4LK	HPL - Knife Rim	\$ 5284	41	—	35	—	—	83.0 lbs.	5.1
	N49T4135RD4L	HPL - Softened Rim	4403	41	—	35	—	—	91.7 lbs.	5.1
	N49T4135RD4LL	TFL - Softened Rim	3963	41	—	35	—	—	91.7 lbs.	5.1

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
ROUND TOP COUNTER HEIGHT TABLE MOBILE 	41" ROUND	1 3/8" TOP THICKNESS	D	W	H	A	KW			
	N49T4135RD4MLK	HPL - Knife Rim	\$ 5601	41	—	35	—	—	85.7 lbs.	5.1
	N49T4135RD4ML	HPL - Softened Rim	4668	41	—	35	—	—	94.4 lbs.	5.1
	N49T4135RD4MLL	TFL - Softened Rim	4201	41	—	35	—	—	94.4 lbs.	5.1

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
SQUARE TOP COUNTER HEIGHT TABLE 	32" SQUARE	1 3/8" TOP THICKNESS	D	W	H	A	KW			
	N49T323235SSQ4LK	HPL - Knife Rim	\$ 4110	32	32	35	—	—	69.9 lbs.	4.0
	N49T323235SSQ4L	HPL - Softened Rim	3425	32	32	35	—	—	77.0 lbs.	4.0
	N49T323235SSQ4LL	TFL - Softened Rim	3082	32	32	35	—	—	77.0 lbs.	4.0

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
SQUARE TOP COUNTER HEIGHT TABLE MOBILE 	32" SQUARE	1 3/8" TOP THICKNESS	D	W	H	A	KW			
	N49T323235SSQ4MLK	HPL - Knife Rim	\$ 4356	32	32	35	—	—	72.6 lbs.	4.0
	N49T323235SSQ4ML	HPL - Softened Rim	3630	32	32	35	—	—	79.8 lbs.	4.0
	N49T323235SSQ4MLL	TFL - Softened Rim	3267	32	32	35	—	—	79.8 lbs.	4.0

PRODUCT SPECIFICATIONS

- Metal Apron Rail and Maple Legs
- Polished or Painted Footrail

TO ORDER, SPECIFY:


1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Footrail Paint
8. Finish

SAMPLE MODEL NUMBERS:

N49T4141RD4L
N49T4141RD4MLK

- See page 215 for all options available in Grin

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
 <p>RECTANGLE TOP COUNTER HEIGHT TABLE</p>	32 X 71" RECTANGLE 1 1/8" TOP THICKNESS									
	N49T327135SRT4LK	HPL - Knife Rim	\$ 5039	32	71	35	-	-	121.6 lbs.	6.5
	N49T327135SRT4L	HPL - Softened Rim	4199	32	71	35	-	-	135.7 lbs.	6.5
	N49T327135SRT4LL	TFL - Softened Rim	3779	32	71	35	-	-	135.7 lbs.	6.5

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
 <p>RECTANGLE TOP COUNTER HEIGHT TABLE MOBILE</p>	32 X 71" RECTANGLE 1 1/8" TOP THICKNESS									
	N49T327135SRT4MLK	HPL - Knife Rim	\$ 5342	32	71	35	-	-	124.4 lbs.	6.5
	N49T327135SRT4ML	HPL - Softened Rim	4451	32	71	35	-	-	138.5 lbs.	6.5
	N49T327135SRT4MLL	TFL - Softened Rim	4006	32	71	35	-	-	138.5 lbs.	6.5

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS		CARTONED WEIGHT	CUBIC FEET				
			DI	H						
 <p>ROUND TOP BAR HEIGHT TABLE</p>	41" ROUND 1 1/8" TOP THICKNESS									
	N49T4141RD4LK	HPL - Knife Rim	\$ 5464	41	-	41	-	-	85.9 lbs.	5.3
	N49T4141RD4L	HPL - Softened Rim	4554	41	-	41	-	-	94.6 lbs.	5.3
	N49T4141RD4LL	TFL - Softened Rim	4098	41	-	41	-	-	94.6 lbs.	5.3

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS		CARTONED WEIGHT	CUBIC FEET				
			DI	H						
 <p>ROUND TOP BAR HEIGHT TABLE MOBILE</p>	41" ROUND 1 1/8" TOP THICKNESS									
	N49T4141RD4MLK	HPL - Knife Rim	\$ 5792	41	-	41	-	-	88.0 lbs.	5.3
	N49T4141RD4ML	HPL - Softened Rim	4827	41	-	41	-	-	96.7 lbs.	5.3
	N49T4141RD4MLL	TFL - Softened Rim	4344	41	-	41	-	-	96.7 lbs.	5.3

GRIN

PRODUCT SPECIFICATIONS

- Metal Apron Rail and Maple Legs
- Polished or Painted Footrail

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Top Laminate Group
5. Laminate Color
6. Paint
7. Footrail Paint
8. Finish

SAMPLE MODEL NUMBERS:

N49T323241SSQ4L
N49T327141SRT4MLK

- See page 215 for all options available in Grin

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
SQUARE TOP BAR HEIGHT TABLE		32" SQUARE	1 3/8" TOP THICKNESS						
N49T323241SSQ4LK	\$ 4428	HPL - Knife Rim	32	32	41	-	-	72.8 lbs.	4.2
N49T323241SSQ4L	3689	HPL - Softened Rim	32	32	41	-	-	80.0 lbs.	4.2
N49T323241SSQ4LL	3321	TFL - Softened Rim	32	32	41	-	-	80.0 lbs.	4.2



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
SQUARE TOP BAR HEIGHT TABLE MOBILE		32" SQUARE	1 3/8" TOP THICKNESS						
N49T323241SSQ4MLK	\$ 4694	HPL - Knife Rim	32	32	41	-	-	74.9 lbs.	4.2
N49T323241SSQ4ML	3911	HPL - Softened Rim	32	32	41	-	-	82.0 lbs.	4.2
N49T323241SSQ4MLL	3521	TFL - Softened Rim	32	32	41	-	-	82.0 lbs.	4.2



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
RECTANGLE TOP BAR HEIGHT TABLE		32 X 71" RECTANGLE	1 3/8" TOP THICKNESS						
N49T327141SRT4LK	\$ 5178	HPL - Knife Rim	32	71	41	-	-	124.5 lbs.	6.7
N49T327141SRT4L	4315	HPL - Softened Rim	32	71	41	-	-	138.6 lbs.	6.7
N49T327141SRT4LL	3883	TFL - Softened Rim	32	71	41	-	-	138.6 lbs.	6.7



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
		D	W	H	A	KW			
RECTANGLE TOP BAR HEIGHT TABLE MOBILE		32 X 71" RECTANGLE	1 3/8" TOP THICKNESS						
N49T327141SRT4MLK	\$ 5488	HPL - Knife Rim	32	71	41	-	-	126.6 lbs.	6.7
N49T327141SRT4ML	4573	HPL - Softened Rim	32	71	41	-	-	140.7 lbs.	6.7
N49T327141SRT4MLL	4116	TFL - Softened Rim	32	71	41	-	-	140.7 lbs.	6.7







TO ORDER, SPECIFY:

1. Model Number
2. Leather Color (when applicable)

SAMPLE MODEL NUMBER:

NAC06WMSTF 82008

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
WIRE MANAGEMENT LEATHER STRAP								
 NAC06WMSTF	\$ 88	1 1/4	6				5 lbs.	0.5
<ul style="list-style-type: none"> • Available in grade L8 Florence only 82002 Florence Almond Biscotti, 82006 Florence Terra, 82008 Florence Mezza Luna, and 82009 Florence Struzzo • Sold in a quantity of 1 								
MOIRÉ, G10 POWER/USB GROMMET								
 98KG40AELPGBK Black	\$ 600						1.7 lbs.	0.24
98KG40AELPGWH White	600						1.7 lbs.	0.24
98KG40AELPGLG Light Grey	600						1.7 lbs.	0.24
<ul style="list-style-type: none"> • 2 power, 2 dual USB A/C, 2.0 amps • Black cord on black and light grey, white cord on white, 6 ft, 15 amp plugged cord • Fits in G10 grommet hole diameter 3" • Adjust to thickness from 1 3/16" - 1 1/8" • UL Listed 								
MOIRÉ, G10 POWER GROMMET								
 NACG10BELPGB Black	\$ 384						1.7 lbs.	0.24
NACG10BELPGW White	384						1.7 lbs.	0.24
NACG10BELPGG Light Grey	384						1.7 lbs.	0.24
<ul style="list-style-type: none"> • 4 power • Black, 6 ft, 15 amp plugged cord with built in circuit breaker • Black cord on black and light grey, white cord on white • Fits in G40 grommet hole diameter 3" • Adjust to thickness from 1 3/16" - 1 1/8" • UL Listed 								
HEMISPHERE								
 NACG41AELPGB Black	\$ 466						lbs.	
NACG41AELPGW White	466						lbs.	
<ul style="list-style-type: none"> • Fits in G41 grommet hole diameter 3" • 10' power cord 								
ECLIPSE								
 NACG42AELPGB Black	\$ 423						lbs.	
NACG42AELPGW White	423						lbs.	
<ul style="list-style-type: none"> • Fits in G42 grommet hole diameter 4 1/2" • 10' power cord 								



GRIN

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC02HKS

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
PERSONAL MARKER BOARD	NAC1214MBL Laminate	\$ 202	¾	12	14	—	—	lbs.		
	<ul style="list-style-type: none"> • High gloss, white laminate marker board • Marker board and hooks sold separately • Hooks to attach to bottom of worksurface to hang marker boards 									
SINGLE HOOK	NAC02HKS Stainless Steel	\$ 80	¾	½	1¾	—	—	lbs.		
	<ul style="list-style-type: none"> • Hooks to attach to bottom of worksurface to hang marker boards 									
DOUBLE HOOK	NAC03HKD Aluminum	\$ 44	1¾	¾	2½	—	—	lbs.		
	<ul style="list-style-type: none"> • Hooks to attach to bottom of worksurface to hang marker boards • Cannot be used on knife rim tops 									

MIO PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1 $\frac{3}{16}$ " HPL (high pressure laminate) and feature a softened 3mm vinyl rim or a vinyl knife rim profile
- Veneer surfaces are 1 $\frac{3}{16}$ " and feature a 3mm wood rim or knife rim profile
- Knife rim surface available on 3 sides
- Refer to page 229 for rim profiles and colors

TAPERED BASES

- MDF
- Adjustable glides are standard
- Features removable panels for wire access

VERTICAL CABLE MANAGER

- Vertical Cable Manager attaches to the Exhibit TV Mount Insert
- Conceals and allows for power cords to be managed and routed from TV to outlet

WALLS

- Walls available in laminate, veneer, or HPL marker board
- Wall features aluminum powder coated trim
- Features removable panels for wire access in the same paint color as the wall trim
- Wall available with no TV mount, single TV mount, or dual TV mount (dual is 60" wide wall only)

EXHIBIT TV MOUNT INSERT

- Laminate or veneer inserts; TV mount included with insert
- Optional single or dual mount on 60" wide inserts

POWER/DATA ELECTRICAL SPECIFICATIONS

DOUBLE PIVOTING M2X-B POWER GROMMET (G15B)

- Accommodates table thicknesses of $\frac{3}{4}$ "-1 $\frac{3}{4}$ "
- 1 touch door remains open during use
- 2 6 ft. power cords with 3-prong molded plug for each side
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- Corded units (standard and hardwire) have 2 72" long power cords (1 for each side) rated at 15 amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Field installable into a CUT-G15 (must be ordered)
- UL Listed
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo
- G15B SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo

POWER/DATA OASIS (G162)

- To be ordered with G16 cutout options
- Must be inserted and installed into cutouts in field
- Fits into CUT-G16C, CUT-G16E, CUT-G16LR, CUT-G16A, and CUT-G16CE options
- Silver or black powder coat
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit
- Power/Data Oasis (G162) unit will feature 6 power receptacles with 2 108" power cords and molded plugs rated at 12 amps 120 volts, 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis hardwire unit (G162) will feature 6 power receptacles with 1 72" long hardwire conduit covered pigtail cable on 1 end which carries 2 20 amp 120 volt circuits to power 2 sides of the Power/Data Oasis, 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack. Not Chicago Code
- Hardwire/Chicago Code available
- Standard units have cords that are 9 ft. long rated at 15 amps 120 volts and molded plug. Hardwire units have cords that are 6 ft. long rated at 20 amps 120 volts and molded plug
- Cannot be field scribed for cutout
- For more specification information: www.electri-cable.com

INTERLINK IQ SYSTEM (G17A, G17B, G17C)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- Jumper or transitional jumper used between the smart box and G17 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G17A Interlink has 2 power outlets
- G17B Interlink has 1 power and 1 dual USB-A + C combo
- G17C Interlink has 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver, black, or white
- Hardwire available
- 9 foot, 15 amp cord
- UL Listed

MIO - CONFIGURATION OPTIONS

EXTENSION - FRONT BAR HEIGHT

ET41 Bar Height Access Panel, Front

- Front extension is always bar height on 79" height walls

EXTENSION - BACK BAR HEIGHT

ET41 Bar Height Access Panel, Back
ET29 Desk Height Access Panel, Back
X No Back Side Extension

POWER POLE CUTOUT OPTIONS

CUT-P1 Power Pole Cutout (\$41 list upcharge)
X No Power Pole Cutout

EXTENSION - FRONT DESK HEIGHT

ET29 Desk Height Access Panel, Front

- Front extension is always desk height on 67" height walls

EXTENSION - BACK DESK HEIGHT

ET29 Desk Height Access Panel, Back
X No Back Side Extension

- TV mount option should not be selected with an Epicenter extension

WALL ACCESS PANEL/ TRIM PAINT/POWER POLE COLOR

462 Cinder
423 Concrete
405 Designer White
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

TV MOUNT - FRONT

TS Single TV Mount, Front (\$540 list upcharge)
TD Dual TV Mount, Front (\$1538 list upcharge)
X No TV Mount, Front

- Dual TV mount available on 60" walls only

TV MOUNT - BACK

TS Single TV Mount, Back (\$540 list upcharge)
TD Dual TV Mount, Back (\$1538 list upcharge)
X No TV Mount, Back

- Dual TV mount available on 60" walls only

EXHIBIT INSERT TV MOUNT

TS Single TV Mount, Front
TD Dual TV Mount, Front (\$998 list upcharge)

WALL, TV MOUNT EXHIBIT INSERT, AND VERTICAL WIRE MANAGER FINISHES

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecu

VENEER WOOD FINISHES

AD	Almond Straight Grain
MC	Amber Cherry
AC	Autumn Cherry
IM	Brighton Maple
CL	Caramel Maple
CW	Cordovan Walnut
HN	Honey Maple
DW	Judicial Walnut
MH	Mocha Cherry
YO	Monterey Straight Grain
NM	Natural Maple
PB	Portobello Straight Grain
792	Sable Straight Grain
TF	Truffle Cherry


• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com

• For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

MDF TAPER BASE PAINT COLORS

- 462 Cinder
- 423 Concrete
- 405 Designer White
- 463 Iron
- 501 Platinum Metallic
- 503 Satin Nickel Metallic

BASE WIRE CHANNEL HEIGHT



- 6 STD Channel Height
- G15 and G16 Grommet Channel (6" deep)

TOP SHAPES AND SIZES



Square

- 48" x 48"
- 54" x 54"
- 60" x 60"



Rectangle

- 36" x 48", 54", 60", 66", 72", 78" and 84"
- 42" x 48", 54", 60", 66", 72", 78" and 84"
- 48" x 54", 60", 66", 72", 78" and 84"
- 54" x 48", 60", 66", 72", 78" and 84"
- 60" x 48", 54", 66", 72", 78" and 84"



Wedge

- 36" x 48", 54", 60", 66", 72", 78" and 84"
- 42" x 48", 54", 60", 66", 72", 78" and 84"
- 48" x 48", 54", 60", 66", 72", 78" and 84"
- 54" x 48", 54", 60", 66", 72", 78" and 84"
- 60" x 48", 54", 60", 66", 72", 78" and 84"



U-Shaped

- 36" x 48", 54", 60", 66", 72", 78" and 84"
- 42" x 48", 54", 60", 66", 72", 78" and 84"
- 48" x 48", 54", 60", 66", 72", 78" and 84"
- 54" x 48", 54", 60", 66", 72", 78" and 84"
- 60" x 48", 54", 60", 66", 72", 78" and 84"

TOP WOOD FINISHES

- AD Almond Straight Grain
- MC Amber Cherry
- AC Autumn Cherry
- IM Brighton Maple
- CL Caramel Maple
- CW Cordovan Walnut
- HN Honey Maple
- DW Judicial Walnut
- MH Mocha Cherry
- YO Monterey Straight Grain
- NM Natural Maple
- PB Portobello Straight Grain
- 792 Sable Straight Grain
- TF Truffle Cherry

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

- | | |
|---------------|---------------|
| 793 Acorn | MW Midtown |
| AD Almond | MH Mocha |
| MC Amber | YO Monterey |
| AC2 Autumn 2 | NM Natural |
| BZ Brazilwood | PC Porcini |
| IM Brighton | PT Portico |
| CO Canyon | PB Portobello |
| CL Caramel | 792 Sable |
| CI Chai | SC Sedona |
| CC Cordoba | SK Skyline |
| CW Cordovan | TW Tribeca |
| DF Driftwood | TF Truffle |
| HN2 Honey 2 | NW Tuscan |
| TM Huntington | UW Urban |
| DW Judicial | WL Willow |
| KN Kona | |

SOLID LAMINATE

- 462 Cinder
- 492 Cinder Linear
- 440 Cloud
- 457 Dapple
- 405 Designer White
- 491 Designer White Linear
- 450 Fog
- 488 Frosty White
- 461 Graphite
- 478 Platinum Grey
- 425 Shadow
- 460 Storm
- 419 Wallaby


PATTERN LAMINATE

- 818 Crisp Linen
- 821 Elemental Concrete
- 819 Flex Gauze
- 822 Smoke Quarstone
- 814 White Tigris


GALLERY LAMINATE

- Grade 1 – 5% upcharge
- G1001 Citadel
- G1011 Pepperdust
- Grade 2 – 6% upcharge
- G1002 Planked Raw Oak
- G1003 Evening Notte
- G1004 Kirsche
- G1005 Midnight Run
- G1006 Sepia Walnut
- G1007 Serotina
- G1008 Timeless
- G1009 White Nebbia
- G1012 Phantom Ecu


RIM PROFILE OPTIONS



**Softened Wood (F)
(wood tops only)**



**Softened Vinyl (V)
(laminate tops only)**



Knife (K)

WOODGRAIN VINYL RIM

- | | |
|---------------|---------------|
| 793 Acorn | MW Midtown |
| AD Almond | MH Mocha |
| MC Amber | YO Monterey |
| AC2 Autumn 2 | NM Natural |
| BZ Brazilwood | PC Porcini |
| IM Brighton | PT Portico |
| CO Canyon | PB Portobello |
| CL Caramel | 792 Sable |
| CI Chai | SC Sedona |
| CC Cordoba | SK Skyline |
| CW Cordovan | TW Tribeca |
| DF Driftwood | TF Truffle |
| HN2 Honey 2 | NW Tuscan |
| TM Huntington | UW Urban |
| DW Judicial | WL Willow |
| KN Kona | |

SOLID VINYL RIM

- 462 Cinder
- 492 Cinder Linear
- 440 Cloud
- 457 Dapple
- 405 Designer White
- 491 Designer White Linear
- 450 Fog
- 488 Frosty White
- 461 Graphite
- 478 Platinum Grey
- 425 Shadow
- 460 Storm
- 419 Wallaby

GALLERY VINYL SOFTENED RIM

- Grade 1 – 5% upcharge
- G1001 Citadel
- G1011 Pepperdust
- Grade 2 – 6% upcharge
- G1002 Planked Raw Oak
- G1003 Evening Notte
- G1004 Kirsche
- G1005 Midnight Run
- G1006 Sepia Walnut
- G1007 Serotina
- G1008 Timeless
- G1009 White Nebbia
- G1012 Phantom Ecu

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
 • For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

MIO - CONFIGURATION OPTIONS


GROMMET AND CUTOUT OPTIONS

Mio tops are available with grommet cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout

CUT-G15C Center
CUT-G15E End




- Reference below for cutout locations of CUT-G15
- Reference pages 0-560 for pricing and details


Cutout Option for Power/Data Oasis

\$41 list upcharge per cutout

CUT-G16C Center
CUT-G16E End



- Reference below for cutout locations of CUT-G16




**NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB
(Sold Separately)**

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 561 for pricing and details

Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G17C Center
CUT-G17E End




- Reference below for cutout locations of CUT-G17




**NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW (Sold Separately)**

- Reference page 562 for pricing and details



**NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW (Sold Separately)**

- Reference page 562 for pricing and details




**NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW (Sold Separately)**

- Reference page 562 pricing and details


Cutout Option for G23 Power Grommet

\$41 list upcharge per cutout

CUT-G23C Center
CUT-G23E End
CUT-G23CE Center, End



- Reference page 232 for cutout locations of CUT-G23



**NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)**


- Must order model NACG23ELB or NACG23ELS to fit into CUT-G23 option
- Reference page 568 for pricing and details

WORKSURFACE WIRE MANAGER OPTIONS


Only available on Exhibit mount tops

If no wire manager is desired, specify an X (No Wire Manager)

Specify location and color option
Comes attached to worksurface



Notch



Locations:

X	No Wire Manager	
NT1	Notch with Sleeve	\$41 list upcharge
D1B	Back	\$52 list upcharge

Colors:

403	Chamois
462	Cinder
440	Cloud
485	Dark Chocolate
405	Designer White
450	Fog
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

WORKSURFACE WIRE MANAGER COLORS

403	Chamois	405	Designer White	425	Shadow
462	Cinder	450	Fog	460	Storm
440	Cloud	461	Graphite	419	Wallaby
485	Dark Chocolate	478	Platinum Grey		

WIRE MANAGER FILLER CAP COLORS & RECOMMENDATIONS

462	Cinder	450	Fog	425	Shadow
440	Cloud	461	Graphite	460	Storm
405	Designer White	443	Pavestone	419	Wallaby

NOTE: 403 Chamois not available. Recommended to use 443 Pavestone.
485 Dark Chocolate not available. Recommended to use 462 Cinder.
478 Platinum Grey not available. Recommended to use 440 Cloud.

MIO - SEATING CAPACITY/GROMMET LOCATIONS

GROMMET LOCATIONS

• Option CUT-G23CE (Center & End) is only available on tops 60", 66", 72", 78", and 84" wide

TABLE LENGTHS

	48"	54"	60"	66"
END & CENTER GROMMET LOCATIONS				

TABLE LENGTHS

	72"	78"	84"
END & CENTER GROMMET LOCATIONS			

FUNCTIONAL SEATING CAPACITY

Reference the chart for the number of seats which can be used with each top size. Value ranges between how many can comfortably sit around the table and how many can tightly fit.

N/A denotes the shape is not applicable to a specific top size.

TOP SHAPES

TOP SIZE WIDTH				
	SQUARE	RECTANGLE	WEDGE	U-SHAPED
48"	4	4	3-4	4
54"	4-6	5	4	4
60"	4-6	5	4-5	4-6
66"	N/A	5-6	5-6	5-6
72"	N/A	6	6	6
78"	N/A	6-7	6-7	6-7
84"	N/A	7-8	7	7

WALL, TOP, AND BASE GUIDE - MIO

COLLABORATIVE TABLES


MIO

WALL	TOP					BASE
	MIO TOP SIZE	 SQUARE	 RECTANGLE	 WEDGE	 U-SHAPED	
48" DESK HEIGHT 	36"/42" x 48"		✓	✓	✓	4828
	48" x 48"	✓		✓	✓	4828
	36"/42"/48" x 54"		✓	✓	✓	5428
	36"/42"/48" x 60"		✓	✓	✓	6028
	36"/42"/48" x 66"			✓	✓	6628
	36"/42"/48" x 72"			✓	✓	7228
	36"/42"/48" x 78"			✓		7828
	36"/42"/48" x 84"			✓		8428
60" DESK HEIGHT 	48"/54"/60" x 48"		✓	✓	✓	4828
	48"/54" x 54"	✓				5428
	48"/54" x 60"		✓	✓	✓	6028
	60" x 54"		✓	✓	✓	5428
	60" x 60"	✓		✓	✓	6028
	48"/54"/60" x 66"			✓	✓	6628
	48"/54"/60" x 72"			✓	✓	7228
	48"/54"/60" x 78"			✓		7828
48"/54"/60" x 84"			✓		8428	
48" BAR HEIGHT 	36"/42" x 48"		✓	✓	✓	4840
	48" x 48"	✓		✓	✓	4840
	36"/42"/48" x 54"		✓	✓	✓	5440
	36"/42"/48" x 60"		✓	✓	✓	6040
	36"/42"/48" x 66"			✓	✓	6640
	36"/42"/48" x 72"			✓	✓	7240
60" BAR HEIGHT 	48"/54"/60" x 48"		✓	✓	✓	4840
	48"/54" x 54"	✓				5440
	48"/54" x 60"		✓	✓	✓	6040
	60" x 54"		✓	✓	✓	5440
	60" x 60"	✓		✓	✓	6040
	48"/54"/60" x 66"			✓	✓	6640
	48"/54"/60" x 72"			✓	✓	7240

✓ denotes the size of top that goes with each wall and the corresponding base size


MIO - EXHIBIT MOUNT TOP AND BASE GUIDE

- Customer determines the size of the Exhibit TV Mount Insert; no restrictions


MIO EXHIBIT MOUNT TOP					MIO EXHIBIT MOUNT BASE
TOP SIZE WIDTH	 SQUARE	 RECTANGLE	 WEDGE	 U-SHAPED	
48"	✓	✓	✓	✓	4828
54"	✓	✓	✓	✓	5428
60"	✓	✓	✓	✓	6028
66"		✓	✓	✓	6628
72"		✓	✓	✓	7228
78"		✓	✓	✓	7828
84"		✓	✓	✓	8428
48"	✓	✓	✓	✓	4840
54"		✓	✓	✓	5440
60"		✓	✓	✓	6040
66"		✓	✓	✓	6640
72"		✓	✓	✓	7240
78"		✓	✓	✓	7840
84"		✓	✓	✓	8440

✓ denotes the size of top that goes with each corresponding base size

- Example of cord routing through the base into the Mio wall




60" WIDE FREESTANDING MIO WALL DESK HEIGHT



PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
15N6067MW2L	Mio, Media Wall, Desk Height Laminate	1	\$ 6305
ET29	Desk Height Access Panel, Front		
TS	Single TV Mount, Front (upcharge)		\$ 540
X	No Backside Extension		
TD	Dual TV Mount, Back (upcharge)		\$ 1538
X	No Power Pole Cutout		
-	Skipped Option		
-	Skipped Option		
-	Skipped Option		
15N6072WGLK	Mio, 60D x 72W, Conference Top, Wedge, Laminate	1	\$ 4746
-	Skipped Option		
-	Skipped Option		
-	Skipped Option		
15N7228TPBP	Mio, 72W x 28H, Taper Height, Paint	1	\$ 3894
-	Skipped Option		
-	Skipped Option		
Total			\$17,023


48" WIDE FREESTANDING MIO WALL BAR HEIGHT

PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
15N4879MW2W	Mio, Media Wall, Bar Height, Wood	1	\$ 6861
ET41	Bar Height Access Panel, Front		
TS	Single TV Mount, Front (upcharge)		\$ 540
ET29	Desk Height Access Panel, Back		
X	No TV Mount, Back		
CUT-P1	Power Pole Cutout (upcharge)		\$ 41
-	Skipped Option		
-	Skipped Option		
15N4872WGL		2	\$ 3104
-	Skipped Option		
-	Skipped Option		
-	Skipped Option		
15N7240TPBP	Mio, 72W x 40H, Taper Height, Paint	1	\$ 4287
-	Skipped Option		
-	Skipped Option		
15N7228TPBP	Mio, 72W x 28H, Taper Height, Paint	1	\$ 3894
-	Skipped Option		
-	Skipped Option		
15N93ELC	Power Pole	1	\$ 408
Total			\$22,239




MIO - THOUGHT STARTERS

48" WIDE FREESTANDING MIO WALL BAR HEIGHT



PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
15N4879MW2WMB	Mio, Media Wall, Bar Height, Wood/Marker Board	1	\$ 8286
ET41	Bar Height Access Panel, Front		
TS	Single TV Mount, Front (upcharge)		\$ 540
X	No Backside Extension		
X	No TV Mount, Back		
X	No Power Pole Cutout		
—	Skipped Option		
—	Skipped Option		
15N4866WGLK	Mio, 48D x 66W, Conference Top, Wedge, Laminate, Knife Rim	1	\$ 3784
—	Skipped Option		
—	Skipped Option		
—	Skipped Option		
15N6640TPBP	Mio, 66W x 40H, Taper Base, Bar Height, Paint	1	\$ 4168
—	Skipped Option		
—	Skipped Option		
Total			\$16,778

48" WIDE FREESTANDING MIO WALL BAR HEIGHT




Front Side

PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
15N4879MW2L	Mio, Media Wall, Bar Height, Laminate	1	\$ 6413
ET41	Bar Height Access Panel, Front		
TS	Single TV Mount, Front (upcharge)		\$ 540
X	No Back Side Extension		
X	No TV Mount, Back		
X	No Power Pole Cutout		
-	Skipped Option		
-	Skipped Option		
-	Skipped Option		
15N4860RTL	Mio, 48D x 60W, Conference Top, Rectangle, Laminate	1	\$ 2515
-	Skipped Option		
-	Skipped Option		
-	Skipped Option		
15N6040TPBP	Mio, 60W x 40H, Taper Base, Bar Height, Paint	1	\$ 4057
-	Skipped Option		
-	Skipped Option		
Total			\$13,525

MIO - THOUGHT STARTERS

MIO TV INSERT WITH EXHIBIT



PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
11N6049TVL TS	TV Mount Exhibit Insert Single TV Mount	1	\$ 3115
15N6060WGDLK	Mio, 60D x 60W, Conference Top, Wedge, Knife Rim, Laminate	1	\$ 4242
—	<i>Skipped Option</i>		
—	<i>Skipped Option</i>		
—	<i>Skipped Option</i>		
15N6028TPOBP	Mio, 60W x 28H, Taper Base, Desk Height, Paint	1	\$ 4242
—	<i>Skipped Option</i>		
—	<i>Skipped Option</i>		
Total			\$11,599

PRODUCT SPECIFICATIONS

- Front side of the wall will always have a worksurface extension that is bar height for bar height walls
- Bar height extension only available on bar height walls
- Dual TV mount available on 60" walls only
- Power pole cutout option on the top of the wall to allow for use with a power pole in open plan applications; located in the top center of the wall
- When pushing a Mio wall against an architectural wall, a back access panel can be selected as an option to allow cord access to the architectural wall
- When TV mount option is selected, it will ship in separate carton
- TV not included; recommended that TV overall width not be greater than Mio wall width
- For detailed specifications, see page 228

TO ORDER, SPECIFY:

1. Model Number
2. Extension - Front
3. TV Mount - Front
4. Extension - Back
5. TV Mount - Back
6. Power Pole Cutout
7. Trim Paint Color
8. Finish/Laminate

SAMPLE MODEL NUMBERS:

15N6079MW2W	ET41	TS	ET29	TS	X	501	MC
15N6079MW2L	ET41	TD	ET41	TS	X	501	478 PB
15N6079MW2WMB	ET41	TS	ET29	X	X	501	MC

• See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
FREESTANDING MIO WALL BAR HEIGHT										
BAR HEIGHT										
	15N6079MW2W	Wood	\$ 7084	3	60%	78¾"	—	—	235 lbs.	14.6
	15N6079MW2L	Laminate	6635	3	60%	78¾"	—	—	235 lbs.	14.6
	15N4879MW2W	Wood	\$ 6861	3	48%	78¾"	—	—	185 lbs.	11.8
	15N4879MW2L	Laminate	6413	3	48%	78¾"	—	—	185 lbs.	11.8
BAR HEIGHT WITH MARKER BOARD										
	15N6079MW2MBW	Marker Board/Wood	\$ 8517	3	60%	78¾"	—	—	235 lbs.	14.6
	15N6079MW2MBL	Marker Board/Laminate	8050	3	60%	78¾"	—	—	235 lbs.	14.6
	15N6079MW2WMB	Wood/Marker Board	8517	3	60%	78¾"	—	—	235 lbs.	14.6
	15N6079MW2LMB	Laminate/Marker Board	8050	3	60%	78¾"	—	—	235 lbs.	14.6
	15N6079MW2MB	Marker Board/Marker Board	9952	3	60%	78¾"	—	—	235 lbs.	14.6
	15N4879MW2MBW	Marker Board/Wood	\$ 8286	3	48%	78¾"	—	—	185 lbs.	11.8
	15N4879MW2MBL	Marker Board/Laminate	7819	3	48%	78¾"	—	—	185 lbs.	11.8
	15N4879MW2WMB	Wood/Marker Board	8286	3	48%	78¾"	—	—	185 lbs.	11.8
	15N4879MW2LMB	Laminate/Marker Board	7819	3	48%	78¾"	—	—	185 lbs.	11.8
	15N4879MW2MB	Marker Board/Marker Board	9720	3	48%	78¾"	—	—	185 lbs.	11.8


FREESTANDING MIO WALL BAR HEIGHT



Without Mount



With Single Mount



With Dual Mount

- Grain direction runs vertically
- Laminate wall is TFL; marker board wall is non-magnetic white HPL
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on models that are 60% wide
- Wall should only be used with National certified TV mount that is included
- Some assembly required
- Must be used with Mio base and top
- Painted access panel will match the trim of the wall; removable for access to cables
- Adjustable glides standard; 2¼" adjustment
- For marker board walls, the material listed first is on the front (marker board/wood means marker board on the front and wood on the back)
- 100 lbs. weight limit for each TV mount

MIO

PRODUCT SPECIFICATIONS

- Front side of the wall will always have a worksurface extension that is desk height for desk height walls
- Dual TV mount available on 60" walls only
- Power pole cutout option on the top of the wall to allow for use with a power pole in open plan applications; located in the top center of the wall
- When pushing a Mio wall against an architectural wall, a back access panel can be selected as an option to allow cord access to the architectural wall
- When TV mount option is selected, it will ship in separate carton
- TV not included; recommended that TV overall width not be greater than Mio wall width
- For detailed specifications, see page 228


TO ORDER, SPECIFY:

1. Model Number
2. Extension - Front
3. TV Mount - Front
4. Extension - Back
5. TV Mount - Back
6. Power Pole Cutout
7. Trim Paint Color
8. Finish/Laminate


SAMPLE MODEL NUMBERS:

- 15N6067MW2W ET41 TS ET29 TS X 501 MC
 15N6067MW2L ET41 TD ET41 TS X 501 478 PB
- See pages 228-231 for all options available in Mio


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
FREESTANDING MIO WALL DESK HEIGHT								
DESK HEIGHT								
15N6067MW2W Wood	\$ 6733	3	60%	66%	-	-	215 lbs.	12.5
15N6067MW2L Laminate	6305	3	60%	66%	-	-	215 lbs.	12.5
<hr/>								
15N4867MW2W Wood	\$ 6518	3	48%	66%	-	-	170 lbs.	10.2
15N4867MW2L Laminate	6091	3	48%	66%	-	-	170 lbs.	10.2
<hr/>								
DESK HEIGHT WITH MARKER BOARD								
15N6067MW2MBW Marker Board/Wood	\$ 8151	3	60%	66%	-	-	215 lbs.	12.5
15N6067MW2MBL Marker Board/Laminate	7706	3	60%	66%	-	-	215 lbs.	12.5
15N6067MW2WMB Wood/Marker Board	8151	3	60%	66%	-	-	215 lbs.	12.5
15N6067MW2LMB Laminate/Marker Board	7706	3	60%	66%	-	-	215 lbs.	12.5
15N6067MW2MB Marker Board/Marker Board	9585	3	60%	66%	-	-	215 lbs.	12.5
<hr/>								
15N4867MW2MBW Marker Board/Wood	\$ 7927	3	48%	66%	-	-	170 lbs.	10.2
15N4867MW2MBL Marker Board/Laminate	7483	3	48%	66%	-	-	170 lbs.	10.2
15N4867MW2WMB Wood/Marker Board	7927	3	48%	66%	-	-	170 lbs.	10.2
15N4867MW2LMB Laminate/Marker Board	7483	3	48%	66%	-	-	170 lbs.	10.2
15N4867MW2MB Marker Board/Marker Board	9364	3	48%	66%	-	-	170 lbs.	10.2



Without Mount



With Single Mount



With Dual Mount

- Grain direction runs vertically
- Laminate wall is TFL; marker board wall is non-magnetic white HPL
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on models that are 60" wide
- Wall should only be used with National certified TV mount that is included
- Some assembly required
- Must be used with Mio base and top
- Painted access panel will match the trim of the wall; removable for access to cables
- Adjustable glides standard; 2¼" adjustment
- For marker board walls, the material listed first is on the front (marker board/wood means marker board on the front and wood on the back)
- 100 lbs. weight limit for each TV mount

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648RTW F CUT-G15C MC
 15N3648RTL V CUT-G15C 425

- See pages 228-231 for all options available in Mio

MIO WALL MOUNT RECTANGLE TOP SOFTENED RIM



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
36" x 48"								
15N3648RTW Wood	\$ 2678	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	50 lbs.	3.9
15N3648RTL Laminate	1761	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	50 lbs.	3.9
36" x 54"								
15N3654RTW Wood	\$ 2872	36 $\frac{1}{8}$	54	1 $\frac{3}{16}$	—	—	55 lbs.	4.4
15N3654RTL Laminate	1955	36 $\frac{1}{8}$	54	1 $\frac{3}{16}$	—	—	55 lbs.	4.4
36" x 60"								
15N3660RTW Wood	\$ 3067	36 $\frac{1}{8}$	60	1 $\frac{3}{16}$	—	—	59 lbs.	5.0
15N3660RTL Laminate	2151	36 $\frac{1}{8}$	60	1 $\frac{3}{16}$	—	—	59 lbs.	5.0
42" x 48"								
15N4248RTW Wood	\$ 2859	42	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	65 lbs.	4.4
15N4248RTL Laminate	1945	42	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	65 lbs.	4.4
42" x 54"								
15N4254RTW Wood	\$ 3055	42	54	1 $\frac{3}{16}$	—	—	76 lbs.	5.0
15N4254RTL Laminate	2140	42	54	1 $\frac{3}{16}$	—	—	76 lbs.	5.0
42" x 60"								
15N4260RTW Wood	\$ 3251	42	60	1 $\frac{3}{16}$	—	—	92 lbs.	5.6
15N4260RTL Laminate	2334	42	60	1 $\frac{3}{16}$	—	—	92 lbs.	5.6
48" x 54"								
15N4854RTW Wood	\$ 3253	48	54	1 $\frac{3}{16}$	—	—	92 lbs.	5.5
15N4854RTL Laminate	2337	48	54	1 $\frac{3}{16}$	—	—	92 lbs.	5.5
48" x 60"								
15N4860RTW Wood	\$ 3433	48	60	1 $\frac{3}{16}$	—	—	110 lbs.	6.2
15N4860RTL Laminate	2515	48	60	1 $\frac{3}{16}$	—	—	110 lbs.	6.2

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color


SAMPLE MODEL NUMBERS:

15N5448RTW F X PB
15N5448RTL V478 X 478

- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
MIO WALL MOUNT RECTANGLE TOP SOFTENED RIM (CONTINUED) 	54" x 48"									
	15N5448RTW	Wood	\$ 3253	54	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	92 lbs.	6.6
	15N5448RTL	Laminate	2337	54	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	92 lbs.	6.6
	54" x 60"									
	15N5460RTW	Wood	\$ 3522	54	60	1 ¹ / ₁₆	—	—	135 lbs.	7.5
	15N5460RTL	Laminate	2607	54	60	1 ¹ / ₁₆	—	—	135 lbs.	7.5
	60" x 48"									
	15N6048RTW	Wood	\$ 3433	58 ³ / ₈	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	121 lbs.	6.9
	15N6048RTL	Laminate	2515	58 ³ / ₈	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	121 lbs.	6.9
	60" x 54"									
	15N6054RTW	Wood	\$ 3522	58 ³ / ₈	54	1 ¹ / ₁₆	—	—	135 lbs.	7.5
	15N6054RTL	Laminate	2607	58 ³ / ₈	54	1 ¹ / ₁₆	—	—	135 lbs.	7.5
	<ul style="list-style-type: none"> • Modified depth and width not available • For use with Mio wall and base • Tops only have a rim profile on 3 sides; profiled corners have a 4" radius • When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483 									

MIO WALL MOUNT RECTANGLE TOP KNIFE RIM



36" x 48"									
15N3648RTWK	Wood	\$ 3708	36 ¹ / ₂	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	50 lbs.	3.9
15N3648RTLK	Laminate	2515	36 ¹ / ₂	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	50 lbs.	3.9
36" x 54"									
15N3654RTWK	Wood	\$ 3906	36 ¹ / ₂	54	1 ¹ / ₁₆	—	—	55 lbs.	4.4
15N3654RTLK	Laminate	2710	36 ¹ / ₂	54	1 ¹ / ₁₆	—	—	55 lbs.	4.4
36" x 60"									
15N3660RTWK	Wood	\$ 4099	36 ¹ / ₂	60	1 ¹ / ₁₆	—	—	59 lbs.	5.0
15N3660RTLK	Laminate	2906	36 ¹ / ₂	60	1 ¹ / ₁₆	—	—	59 lbs.	5.0
	<ul style="list-style-type: none"> • Modified depth and width not available • For use with Mio wall and base • Tops only have a rim profile on 3 sides; profiled corners have a 4" radius • When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483 								

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4248RTWK K X PB
15N4248RTLK K478 X 478

- See pages 228-231 for all options available in Mio

MIO WALL MOUNT RECTANGLE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
42" x 48"								
15N4248RTWK Wood	\$ 3890	42	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	65 lbs.	4.4
15N4248RTLK Laminate	2700	42	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	65 lbs.	4.4
42" x 54"								
15N4254RTWK Wood	\$ 4086	42	54	1 ³ / ₁₆	—	—	76 lbs.	5.0
15N4254RTLK Laminate	2894	42	54	1 ³ / ₁₆	—	—	76 lbs.	5.0
42" x 60"								
15N4260RTWK Wood	\$ 4282	42	60	1 ³ / ₁₆	—	—	92 lbs.	5.6
15N4260RTLK Laminate	3088	42	60	1 ³ / ₁₆	—	—	92 lbs.	5.6
48" x 54"								
15N4854RTWK Wood	\$ 4229	48	54	1 ³ / ₁₆	—	—	92 lbs.	5.5
15N4854RTLK Laminate	3040	48	54	1 ³ / ₁₆	—	—	92 lbs.	5.5
48" x 60"								
15N4860RTWK Wood	\$ 4464	48	60	1 ³ / ₁₆	—	—	110 lbs.	6.2
15N4860RTLK Laminate	3271	48	60	1 ³ / ₁₆	—	—	110 lbs.	6.2
54" x 48"								
15N5448RTWK Wood	\$ 4229	54	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
15N5448RTLK Laminate	3040	54	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
54" x 60"								
15N5460RTWK Wood	\$ 4579	54	60	1 ³ / ₁₆	—	—	135 lbs.	7.5
15N5460RTLK Laminate	3388	54	60	1 ³ / ₁₆	—	—	135 lbs.	7.5
60" x 48"								
15N6048RTWK Wood	\$ 4464	58 ³ / ₈	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	121 lbs.	6.9
15N6048RTLK Laminate	3271	58 ³ / ₈	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	121 lbs.	6.9
60" x 54"								
15N6054RTWK Wood	\$ 4579	58 ³ / ₈	54	1 ³ / ₁₆	—	—	135 lbs.	7.5
15N6054RTLK Laminate	3388	58 ³ / ₈	54	1 ³ / ₁₆	—	—	135 lbs.	7.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4254WGW F X PB
15N4254WGL V478 X 478

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
WEDGE TOP
SOFTENED RIM**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
36" x 48"								
15N3648WGW Wood	\$ 2954	36 ³ / ₈	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	50 lbs.	3.6
15N3648WGL Laminate	1965	36 ³ / ₈	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	50 lbs.	3.6
36" x 54"								
15N3654WGW Wood	\$ 3150	36 ³ / ₈	54	1 ³ / ₁₆	—	—	55 lbs.	4.4
15N3654WGL Laminate	2160	36 ³ / ₈	54	1 ³ / ₁₆	—	—	55 lbs.	4.4
36" x 60"								
15N3660WGW Wood	\$ 3342	36 ³ / ₈	60	1 ³ / ₁₆	—	—	59 lbs.	5.0
15N3660WGL Laminate	2353	36 ³ / ₈	60	1 ³ / ₁₆	—	—	59 lbs.	5.0
36" x 66"								
15N3666WGW Wood	\$ 3537	36 ³ / ₈	66	1 ³ / ₁₆	—	—	65 lbs.	6.0
15N3666WGL Laminate	2712	36 ³ / ₈	66	1 ³ / ₁₆	—	—	65 lbs.	6.0
36" x 72"								
15N3672WGW Wood	\$ 3730	36 ³ / ₈	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	76 lbs.	6.3
15N3672WGL Laminate	2741	36 ³ / ₈	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	76 lbs.	6.3
36" x 78"								
15N3678WGW Wood	\$ 3923	36 ³ / ₈	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
15N3678WGL Laminate	2936	36 ³ / ₈	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
36" x 84"								
15N3684WGW Wood	\$ 4120	36 ³ / ₈	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	105 lbs.	8.0
15N3684WGL Laminate	3128	36 ³ / ₈	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	105 lbs.	8.0
42" x 48"								
15N4248WGW Wood	\$ 3137	42	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	65 lbs.	3.6
15N4248WGL Laminate	2148	42	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	65 lbs.	3.6
42" x 54"								
15N4254WGW Wood	\$ 3332	42	54	1 ³ / ₁₆	—	—	76 lbs.	5.0
15N4254WGL Laminate	2343	42	54	1 ³ / ₁₆	—	—	76 lbs.	5.0

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4860WGW F CUT-G15C CW
 15N4860WGL V478 CUT-G15C 478

- See pages 228-231 for all options available in Mio

MIO WALL MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
42" x 60"								
15N4260WGW Wood	\$ 3527	42	60	1 3/8	—	—	92 lbs.	5.6
15N4260WGL Laminate	2536	42	60	1 3/8	—	—	92 lbs.	5.6
42" x 66"								
15N4266WGW Wood	\$ 3720	42	66	1 3/8	—	—	105 lbs.	6.8
15N4266WGL Laminate	2895	42	66	1 3/8	—	—	105 lbs.	6.8
42" x 72"								
15N4272WGW Wood	\$ 3912	42	71 1/2	1 3/8	—	—	110 lbs.	7.1
15N4272WGL Laminate	2924	42	71 1/2	1 3/8	—	—	110 lbs.	7.1
42" x 78"								
15N4278WGW Wood	\$ 4105	42	77 1/2	1 3/8	—	—	115 lbs.	7.5
15N4278WGL Laminate	3119	42	77 1/2	1 3/8	—	—	115 lbs.	7.5
42" x 84"								
15N4284WGW Wood	\$ 4300	42	83 1/2	1 3/8	—	—	120 lbs.	9.0
15N4284WGL Laminate	3314	42	83 1/2	1 3/8	—	—	120 lbs.	9.0
48" x 48"								
15N4848WGW Wood	\$ 3320	48	48 1/2	1 3/8	—	—	59 lbs.	4.5
15N4848WGL Laminate	2329	48	48 1/2	1 3/8	—	—	59 lbs.	4.5
48" x 54"								
15N4854WGW Wood	\$ 3512	48	54	1 3/8	—	—	92 lbs.	5.5
15N4854WGL Laminate	2525	48	54	1 3/8	—	—	92 lbs.	5.5
48" x 60"								
15N4860WGW Wood	\$ 3707	48	60	1 3/8	—	—	110 lbs.	6.2
15N4860WGL Laminate	2718	48	60	1 3/8	—	—	110 lbs.	6.2
48" x 66"								
15N4866WGW Wood	\$ 3903	48	66	1 3/8	—	—	135 lbs.	7.5
15N4866WGL Laminate	2912	48	66	1 3/8	—	—	135 lbs.	7.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40 1/2" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N5466WGW F CUT-G15C CW
 15N5466WGL V478 CUT-G15C 478

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
 WEDGE TOP
 SOFTENED RIM
 (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
48" x 72"								
15N4872WGW Wood	\$ 4095	48	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	158 lbs.	7.9
15N4872WGL Laminate	3104	48	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	158 lbs.	7.9
48" x 78"								
15N4878WGW Wood	\$ 4288	48	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	180 lbs.	8.3
15N4878WGL Laminate	3299	48	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	180 lbs.	8.3
48" x 84"								
15N4884WGW Wood	\$ 4483	48	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	10.0
15N4884WGL Laminate	3493	48	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	10.0
54" x 48"								
15N5448WGW Wood	\$ 3502	54	48 ⁷ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
15N5448WGL Laminate	2512	54	48 ⁷ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
54" x 54"								
15N5454WGW Wood	\$ 3696	54	54	1 ³ / ₁₆	—	—	121 lbs.	7.1
15N5454WGL Laminate	2707	54	54	1 ³ / ₁₆	—	—	121 lbs.	7.1
54" x 60"								
15N5460WGW Wood	\$ 3889	54	60	1 ³ / ₁₆	—	—	135 lbs.	7.9
15N5460WGL Laminate	2900	54	60	1 ³ / ₁₆	—	—	135 lbs.	7.9
54" x 66"								
15N5466WGW Wood	\$ 4084	54	66	1 ³ / ₁₆	—	—	135 lbs.	8.6
15N5466WGL Laminate	3095	54	66	1 ³ / ₁₆	—	—	135 lbs.	8.6
54" x 72"								
15N5472WGW Wood	\$ 4279	54	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	145 lbs.	9.1
15N5472WGL Laminate	3288	54	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	145 lbs.	9.1
54" x 78"								
15N5478WGW Wood	\$ 4469	54	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	165 lbs.	9.5
15N5478WGL Laminate	3482	54	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	165 lbs.	9.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6072WGW F CUT-G15C CW
 15N6072WGL V478 CUT-G15C 478

- See pages 228-231 for all options available in Mio

MIO WALL MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
54" x 84"								
15N5484WGW Wood	\$ 4668	54	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	200 lbs.	10.3
15N5484WGL Laminate	3678	54	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	200 lbs.	10.3
60" x 48"								
15N6048WGW Wood	\$ 3707	58 ³ / ₈	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	121 lbs.	6.9
15N6048WGL Laminate	2718	58 ³ / ₈	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	121 lbs.	6.9
60" x 54"								
15N6054WGW Wood	\$ 3806	58 ³ / ₈	54	1 ³ / ₁₆	—	—	135 lbs.	7.5
15N6054WGL Laminate	2815	58 ³ / ₈	54	1 ³ / ₁₆	—	—	135 lbs.	7.5
60" x 60"								
15N6060WGW Wood	\$ 4084	58 ³ / ₈	60	1 ³ / ₁₆	—	—	150 lbs.	8.3
15N6060WGL Laminate	3263	58 ³ / ₈	60	1 ³ / ₁₆	—	—	150 lbs.	8.3
60" x 66"								
15N6066WGW Wood	\$ 4279	58 ³ / ₈	66	1 ³ / ₁₆	—	—	182 lbs.	9.1
15N6066WGL Laminate	3455	58 ³ / ₈	66	1 ³ / ₁₆	—	—	182 lbs.	9.1
60" x 72"								
15N6072WGW Wood	\$ 4469	58 ³ / ₈	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	9.6
15N6072WGL Laminate	3651	58 ³ / ₈	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	9.6
60" x 78"								
15N6078WGW Wood	\$ 4664	58 ³ / ₈	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	245 lbs.	10.0
15N6078WGL Laminate	3842	58 ³ / ₈	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	245 lbs.	10.0
60" x 84"								
15N6084WGW Wood	\$ 4857	58 ³ / ₈	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	270 lbs.	10.8
15N6084WGL Laminate	4037	58 ³ / ₈	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	270 lbs.	10.8

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

- 15N3648WGWK K CUT-G15C CW
 15N3648WGLK K478 CUT-G15C 478
- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
 WEDGE TOP
 KNIFE RIM**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
36" x 48"								
15N3648WGWK Wood	\$ 3951	36 ³ / ₈	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	50 lbs.	3.6
15N3648WGLK Laminate	2667	36 ³ / ₈	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	50 lbs.	3.6
36" x 54"								
15N3654WGWK Wood	\$ 4202	36 ³ / ₈	54	1 ³ / ₁₆	—	—	55 lbs.	4.4
15N3654WGLK Laminate	2915	36 ³ / ₈	54	1 ³ / ₁₆	—	—	55 lbs.	4.4
36" x 60"								
15N3660WGWK Wood	\$ 4455	36 ³ / ₈	60	1 ³ / ₁₆	—	—	59 lbs.	5.0
15N3660WGLK Laminate	3171	36 ³ / ₈	60	1 ³ / ₁₆	—	—	59 lbs.	5.0
36" x 66"								
15N3666WGWK Wood	\$ 4708	36 ³ / ₈	66	1 ³ / ₁₆	—	—	65 lbs.	6.0
15N3666WGLK Laminate	3421	36 ³ / ₈	66	1 ³ / ₁₆	—	—	65 lbs.	6.0
36" x 72"								
15N3672WGWK Wood	\$ 4960	36 ³ / ₈	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	76 lbs.	6.3
15N3672WGLK Laminate	3673	36 ³ / ₈	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	76 lbs.	6.3
36" x 78"								
15N3678WGWK Wood	\$ 5211	36 ³ / ₈	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
15N3678WGLK Laminate	3924	36 ³ / ₈	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
36" x 84"								
15N3684WGWK Wood	\$ 5463	36 ³ / ₈	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	105 lbs.	8.0
15N3684WGLK Laminate	4178	36 ³ / ₈	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	105 lbs.	8.0
42" x 48"								
15N4248WGWK Wood	\$ 4133	42	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	65 lbs.	3.6
15N4248WGLK Laminate	2848	42	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	65 lbs.	3.6
42" x 54"								
15N4254WGWK Wood	\$ 4385	42	54	1 ³ / ₁₆	—	—	76 lbs.	5.0
15N4254WGLK Laminate	3098	42	54	1 ³ / ₁₆	—	—	76 lbs.	5.0

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4860WGWK K CUT-G16C AC
 15N4860WGLK K405 CUT-G16C 461

- See pages 228-231 for all options available in Mio

MIO WALL MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
42" x 60"								
15N4260WGWK Wood	\$ 4635	42	60	1 3/8	—	—	92 lbs.	5.6
15N4260WGLK Laminate	3353	42	60	1 3/8	—	—	92 lbs.	5.6
42" x 66"								
15N4266WGWK Wood	\$ 4891	42	66	1 3/8	—	—	105 lbs.	6.8
15N4266WGLK Laminate	3602	42	66	1 3/8	—	—	105 lbs.	6.8
42" x 72"								
15N4272WGWK Wood	\$ 5144	42	71 1/2	1 3/8	—	—	110 lbs.	7.1
15N4272WGLK Laminate	3854	42	71 1/2	1 3/8	—	—	110 lbs.	7.1
42" x 78"								
15N4278WGWK Wood	\$ 5394	42	77 1/2	1 3/8	—	—	115 lbs.	7.5
15N4278WGLK Laminate	4106	42	77 1/2	1 3/8	—	—	115 lbs.	7.5
42" x 84"								
15N4284WGWK Wood	\$ 5645	42	83 1/2	1 3/8	—	—	120 lbs.	9.0
15N4284WGLK Laminate	4358	42	83 1/2	1 3/8	—	—	120 lbs.	9.0
48" x 48"								
15N4848WGWK Wood	\$ 4316	48	48 1/2	1 3/8	—	—	59 lbs.	4.5
15N4848WGLK Laminate	3028	48	48 1/2	1 3/8	—	—	59 lbs.	4.5
48" x 54"								
15N4854WGWK Wood	\$ 4567	48	54	1 3/8	—	—	92 lbs.	5.5
15N4854WGLK Laminate	3282	48	54	1 3/8	—	—	92 lbs.	5.5
48" x 60"								
15N4860WGWK Wood	\$ 4819	48	60	1 3/8	—	—	110 lbs.	6.2
15N4860WGLK Laminate	3536	48	60	1 3/8	—	—	110 lbs.	6.2
48" x 66"								
15N4866WGWK Wood	\$ 5072	48	66	1 3/8	—	—	135 lbs.	7.5
15N4866WGLK Laminate	3784	48	66	1 3/8	—	—	135 lbs.	7.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40 1/2" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N5466WGWK K CUT-G16C AC
 15N5466WGLK K405 CUT-G16C 461

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
 WEDGE TOP
 KNIFE RIM
 (CONTINUED)**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
48" x 72"									
15N4872WGWK	Wood	\$ 5324	48	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	158 lbs.	7.9
15N4872WGLK	Laminate	4037	48	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	158 lbs.	7.9
48" x 78"									
15N4878WGWK	Wood	\$ 5575	48	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	180 lbs.	8.3
15N4878WGLK	Laminate	4290	48	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	180 lbs.	8.3
48" x 84"									
15N4884WGWK	Wood	\$ 5828	48	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	10.0
15N4884WGLK	Laminate	4540	48	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	10.0
54" x 48"									
15N5448WGWK	Wood	\$ 4498	54	48 ³ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
15N5448WGLK	Laminate	3212	54	48 ³ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
54" x 54"									
15N5454WGWK	Wood	\$ 4748	54	54	1 ³ / ₁₆	—	—	121 lbs.	7.1
15N5454WGLK	Laminate	3463	54	54	¹ / ₁₆	—	—	121 lbs.	7.1
54" x 60"									
15N5460WGWK	Wood	\$ 5003	54	60	1 ³ / ₁₆	—	—	135 lbs.	7.9
15N5460WGLK	Laminate	3717	54	60	1 ³ / ₁₆	—	—	135 lbs.	7.9
54" x 66"									
15N5466WGWK	Wood	\$ 5256	54	66	1 ³ / ₁₆	—	—	135 lbs.	8.6
15N5466WGLK	Laminate	3968	54	66	1 ³ / ₁₆	—	—	135 lbs.	8.6
54" x 72"									
15N5472WGWK	Wood	\$ 5507	54	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	145 lbs.	9.1
15N5472WGLK	Laminate	4221	54	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	145 lbs.	9.1
54" x 78"									
15N5478WGWK	Wood	\$ 5759	54	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	165 lbs.	9.5
15N5478WGLK	Laminate	4472	54	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	165 lbs.	9.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40¹/₂" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6072WGWK K CUT-G16C AC
 15N6072WGLK K405 CUT-G16C 461

- See pages 228-231 for all options available in Mio

MIO WALL MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
54" x 84"								
15N5484WGWK Wood	\$ 6011	54	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	200 lbs.	10.3
15N5484WGLK Laminate	4724	54	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	200 lbs.	10.3
60" x 48"								
15N6048WGWK Wood	\$ 4819	58 ³ / ₈	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	121 lbs.	6.9
15N6048WGLK Laminate	3536	58 ³ / ₈	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	121 lbs.	6.9
60" x 54"								
15N6054WGWK Wood	\$ 4945	58 ³ / ₈	54	1 ³ / ₁₆	—	—	135 lbs.	7.5
15N6054WGLK Laminate	3659	58 ³ / ₈	54	1 ³ / ₁₆	—	—	135 lbs.	7.5
60" x 60"								
15N6060WGWK Wood	\$ 5310	58 ³ / ₈	60	1 ³ / ₁₆	—	—	150 lbs.	8.3
15N6060WGLK Laminate	4242	58 ³ / ₈	60	1 ³ / ₁₆	—	—	150 lbs.	8.3
60" x 66"								
15N6066WGWK Wood	\$ 5562	58 ³ / ₈	66	1 ³ / ₁₆	—	—	182 lbs.	9.1
15N6066WGLK Laminate	4493	58 ³ / ₈	66	1 ³ / ₁₆	—	—	182 lbs.	9.1
60" x 72"								
15N6072WGWK Wood	\$ 5810	58 ³ / ₈	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	9.6
15N6072WGLK Laminate	4746	58 ³ / ₈	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	9.6
60" x 78"								
15N6078WGWK Wood	\$ 6065	58 ³ / ₈	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	245 lbs.	10.0
15N6078WGLK Laminate	4998	58 ³ / ₈	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	245 lbs.	10.0
60" x 84"								
15N6084WGWK Wood	\$ 6316	58 ³ / ₈	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	270 lbs.	10.8
15N6084WGLK Laminate	5250	58 ³ / ₈	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	270 lbs.	10.8

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N3648UW F X PB
15N3648UL VPB X PB

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
U-SHAPED TOP
SOFTENED RIM**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
36" x 48"								
15N3648UW Wood	\$ 3174	36 ³ / ₈	48 ⁷ / ₁₆	1 ³ / ₁₆	—	—	50 lbs.	3.6
15N3648UL Laminate	2175	36 ³ / ₈	48 ⁷ / ₁₆	1 ³ / ₁₆	—	—	50 lbs.	3.6
36" x 54"								
15N3654UW Wood	\$ 3370	36 ³ / ₈	54	1 ³ / ₁₆	—	—	55 lbs.	4.4
15N3654UL Laminate	2371	36 ³ / ₈	54	1 ³ / ₁₆	—	—	55 lbs.	4.4
36" x 60"								
15N3660UW Wood	\$ 3565	36 ³ / ₈	60	1 ³ / ₁₆	—	—	59 lbs.	5.0
15N3660UL Laminate	2567	36 ³ / ₈	60	1 ³ / ₁₆	—	—	59 lbs.	5.0
36" x 66"								
15N3666UW Wood	\$ 3761	36 ³ / ₈	66	1 ³ / ₁₆	—	—	65 lbs.	6.0
15N3666UL Laminate	2759	36 ³ / ₈	66	1 ³ / ₁₆	—	—	65 lbs.	6.0
36" x 72"								
15N3672UW Wood	\$ 3955	36 ³ / ₈	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	76 lbs.	6.3
15N3672UL Laminate	2955	36 ³ / ₈	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	76 lbs.	6.3
42" x 48"								
15N4248UW Wood	\$ 3173	42	48 ⁷ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	3.6
15N4248UL Laminate	2173	42	48 ⁷ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	3.6
42" x 54"								
15N4254UW Wood	\$ 3368	42	54	1 ³ / ₁₆	—	—	105 lbs.	5.0
15N4254UL Laminate	2368	42	54	1 ³ / ₁₆	—	—	105 lbs.	5.0
42" x 60"								
15N4260UW Wood	\$ 3564	42	60	1 ³ / ₁₆	—	—	65 lbs.	5.6
15N4260UL Laminate	2565	42	60	1 ³ / ₁₆	—	—	65 lbs.	5.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4266UW F X PB
15N4266UL VPB X PB

- See pages 228-231 for all options available in Mio

MIO WALL MOUNT U-SHAPED TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
42" x 66"								
15N4266UW Wood	\$ 3760	42	66	1 ³ / ₁₆	—	—	76 lbs.	6.8
15N4266UL Laminate	2758	42	66	1 ³ / ₁₆	—	—	76 lbs.	6.8
42" x 72"								
15N4272UW Wood	\$ 3954	42	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	7.1
15N4272UL Laminate	2954	42	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	7.1
48" x 48"								
15N4848UW Wood	\$ 3354	48	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	105 lbs.	4.5
15N4848UL Laminate	2353	48	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	105 lbs.	4.5
48" x 54"								
15N4854UW Wood	\$ 3548	48	54	1 ³ / ₁₆	—	—	110 lbs.	5.5
15N4854UL Laminate	2549	48	54	1 ³ / ₁₆	—	—	110 lbs.	5.5
48" x 60"								
15N4860UW Wood	\$ 3745	48	60	1 ³ / ₁₆	—	—	115 lbs.	6.2
15N4860UL Laminate	2747	48	60	1 ³ / ₁₆	—	—	115 lbs.	6.2
48" x 66"								
15N4866UW Wood	\$ 3941	48	66	1 ³ / ₁₆	—	—	120 lbs.	7.5
15N4866UL Laminate	2942	48	66	1 ³ / ₁₆	—	—	120 lbs.	7.5
48" x 72"								
15N4872UW Wood	\$ 4138	48	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	158 lbs.	7.9
15N4872UL Laminate	3137	48	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	158 lbs.	7.9
54" x 48"								
15N5448UW Wood	\$ 3451	54	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
15N5448UL Laminate	2452	54	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N5454UW F X AC
15N5454UL V425 X 425

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
U-SHAPED TOP
SOFTENED RIM
(CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
54" x 54"								
15N5454UW Wood	\$ 3646	54	54	1 ³ / ₁₆	—	—	121 lbs.	7.1
15N5454UL Laminate	2646	54	54	1 ³ / ₁₆	—	—	121 lbs.	7.1
54" x 60"								
15N5460UW Wood	\$ 3840	54	60	1 ³ / ₁₆	—	—	135 lbs.	7.9
15N5460UL Laminate	2842	54	60	1 ³ / ₁₆	—	—	135 lbs.	7.9
54" x 66"								
15N5466UW Wood	\$ 4036	54	66	1 ³ / ₁₆	—	—	135 lbs.	8.6
15N5466UL Laminate	3039	54	66	1 ³ / ₁₆	—	—	135 lbs.	8.6
54" x 72"								
15N5472UW Wood	\$ 4232	54	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	145 lbs.	9.1
15N5472UL Laminate	3233	54	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	145 lbs.	9.1
60" x 48"								
15N6048UW Wood	\$ 3745	58 ³ / ₁₆	48 ³ / ₁₆	1 ³ / ₁₆	—	—	121 lbs.	6.9
15N6048UL Laminate	2747	58 ³ / ₁₆	48 ³ / ₁₆	1 ³ / ₁₆	—	—	121 lbs.	6.9
60" x 54"								
15N6054UW Wood	\$ 3840	58 ³ / ₁₆	54	1 ³ / ₁₆	—	—	135 lbs.	7.5
15N6054UL Laminate	2842	58 ³ / ₁₆	54	1 ³ / ₁₆	—	—	135 lbs.	7.5
60" x 60"								
15N6060UW Wood	\$ 4123	58 ³ / ₁₆	60	1 ³ / ₁₆	—	—	150 lbs.	8.3
15N6060UL Laminate	3292	58 ³ / ₁₆	60	1 ³ / ₁₆	—	—	150 lbs.	8.3
60" x 66"								
15N6066UW Wood	\$ 4319	58 ³ / ₁₆	66	1 ³ / ₁₆	—	—	182 lbs.	9.1
15N6066UL Laminate	3491	58 ³ / ₁₆	66	1 ³ / ₁₆	—	—	182 lbs.	9.1
60" x 72"								
15N6072UW Wood	\$ 4514	58 ³ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	9.6
15N6072UL Laminate	3688	58 ³ / ₁₆	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	9.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648UWK K X AC
15N3648ULK K462 X 405

- See pages 228-231 for all options available in Mio

MIO WALL MOUNT U-SHAPED TOP KNIFE RIM



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
36" x 48"								
15N3648UWK Wood	\$ 4531	36 $\frac{3}{8}$	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	50 lbs.	3.6
15N3648ULK Laminate	3234	36 $\frac{3}{8}$	48 $\frac{1}{16}$	1 $\frac{3}{16}$	—	—	50 lbs.	3.6
36" x 54"								
15N3654UWK Wood	\$ 4730	36 $\frac{3}{8}$	54	1 $\frac{3}{16}$	—	—	55 lbs.	4.4
15N3654ULK Laminate	3431	36 $\frac{3}{8}$	54	1 $\frac{3}{16}$	—	—	55 lbs.	4.4
36" x 60"								
15N3660UWK Wood	\$ 4924	36 $\frac{3}{8}$	60	1 $\frac{3}{16}$	—	—	59 lbs.	5.0
15N3660ULK Laminate	3625	36 $\frac{3}{8}$	60	1 $\frac{3}{16}$	—	—	59 lbs.	5.0
36" x 66"								
15N3666UWK Wood	\$ 5118	36 $\frac{3}{8}$	66	1 $\frac{3}{16}$	—	—	65 lbs.	6.0
15N3666ULK Laminate	3819	36 $\frac{3}{8}$	66	1 $\frac{3}{16}$	—	—	65 lbs.	6.0
36" x 72"								
15N3672UWK Wood	\$ 5315	36 $\frac{3}{8}$	71 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	76 lbs.	6.3
15N3672ULK Laminate	4017	36 $\frac{3}{8}$	71 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	76 lbs.	6.3
42" x 48"								
15N4248UWK Wood	\$ 3906	42	48 $\frac{7}{16}$	1 $\frac{3}{16}$	—	—	65 lbs.	3.6
15N4248ULK Laminate	3116	42	48 $\frac{7}{16}$	1 $\frac{3}{16}$	—	—	65 lbs.	3.6
42" x 54"								
15N4254UWK Wood	\$ 4099	42	54	1 $\frac{3}{16}$	—	—	76 lbs.	5.0
15N4254ULK Laminate	3310	42	54	1 $\frac{3}{16}$	—	—	76 lbs.	5.0
42" x 60"								
15N4260UWK Wood	\$ 4296	42	60	1 $\frac{3}{16}$	—	—	92 lbs.	5.6
15N4260ULK Laminate	3505	42	60	1 $\frac{3}{16}$	—	—	92 lbs.	5.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4266UWK K X AC
15N4266ULK K462 X 405

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
U-SHAPED TOP
KNIFE RIM
(CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
42" x 66"								
15N4266UWK Wood	\$ 4490	42	66	1 ³ / ₁₆	—	—	105 lbs.	6.8
15N4266ULK Laminate	3700	42	66	1 ³ / ₁₆	—	—	105 lbs.	6.8
42" x 72"								
15N4272UWK Wood	\$ 4684	42	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	110 lbs.	7.1
15N4272ULK Laminate	3894	42	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	110 lbs.	7.1
48" x 48"								
15N4848UWK Wood	\$ 4358	48	48 ³ / ₁₆	1 ³ / ₁₆	—	—	59 lbs.	4.5
15N4848ULK Laminate	3059	48	48 ³ / ₁₆	1 ³ / ₁₆	—	—	59 lbs.	4.5
48" x 54"								
15N4854UWK Wood	\$ 4613	48	54	1 ³ / ₁₆	—	—	92 lbs.	5.5
15N4854ULK Laminate	3317	48	54	1 ³ / ₁₆	—	—	92 lbs.	5.5
48" x 60"								
15N4860UWK Wood	\$ 4866	48	60	1 ³ / ₁₆	—	—	110 lbs.	6.2
15N4860ULK Laminate	3569	48	60	1 ³ / ₁₆	—	—	110 lbs.	6.2
48" x 66"								
15N4866UWK Wood	\$ 5121	48	66	1 ³ / ₁₆	—	—	135 lbs.	7.5
15N4866ULK Laminate	3824	48	66	1 ³ / ₁₆	—	—	135 lbs.	7.5
48" x 72"								
15N4872UWK Wood	\$ 5377	48	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	158 lbs.	7.9
15N4872ULK Laminate	4078	48	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	158 lbs.	7.9
54" x 48"								
15N5448UWK Wood	\$ 4605	54	48 ³ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
15N5448ULK Laminate	3410	54	48 ³ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N6048UWK K X AC
15N6048ULK K462 X 405

- See pages 228-231 for all options available in Mio

**MIO WALL MOUNT
U-SHAPED TOP
KNIFE RIM
(CONTINUED)**


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
54" x 54"								
15N5454UWK Wood	\$ 4800	54	54	1 $\frac{3}{8}$ "	—	—	121 lbs.	7.1
15N5454ULK Laminate	3606	54	54	1 $\frac{3}{8}$ "	—	—	121 lbs.	7.1
54" x 60"								
15N5460UWK Wood	\$ 4997	54	60	1 $\frac{3}{8}$ "	—	—	135 lbs.	7.9
15N5460ULK Laminate	3696	54	60	1 $\frac{3}{8}$ "	—	—	135 lbs.	7.9
54" x 66"								
15N5466UWK Wood	\$ 5189	54	66	1 $\frac{3}{8}$ "	—	—	135 lbs.	8.6
15N5466ULK Laminate	3890	54	66	1 $\frac{3}{8}$ "	—	—	135 lbs.	8.6
54" x 72"								
15N5472UWK Wood	\$ 5385	54	71 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	145 lbs.	9.1
15N5472ULK Laminate	4086	54	71 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	145 lbs.	9.1
60" x 48"								
15N6048UWK Wood	\$ 4866	58 $\frac{1}{2}$ "	48 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	121 lbs.	6.9
15N6048ULK Laminate	3569	58 $\frac{1}{2}$ "	48 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	121 lbs.	6.9
60" x 54"								
15N6054UWK Wood	\$ 4997	58 $\frac{1}{2}$ "	54	1 $\frac{3}{8}$ "	—	—	135 lbs.	7.5
15N6054ULK Laminate	3696	58 $\frac{1}{2}$ "	54	1 $\frac{3}{8}$ "	—	—	135 lbs.	7.5
60" x 60"								
15N6060UWK Wood	\$ 5361	58 $\frac{1}{2}$ "	60	1 $\frac{3}{8}$ "	—	—	150 lbs.	8.3
15N6060ULK Laminate	4284	58 $\frac{1}{2}$ "	60	1 $\frac{3}{8}$ "	—	—	150 lbs.	8.3
60" x 66"								
15N6066UWK Wood	\$ 5615	58 $\frac{1}{2}$ "	66	1 $\frac{3}{8}$ "	—	—	182 lbs.	9.1
15N6066ULK Laminate	4537	58 $\frac{1}{2}$ "	66	1 $\frac{3}{8}$ "	—	—	182 lbs.	9.1
60" x 72"								
15N6072UWK Wood	\$ 5871	58 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	210 lbs.	9.6
15N6072ULK Laminate	4791	58 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	210 lbs.	9.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 483

PRODUCT SPECIFICATIONS


- STD channel height is 6" tall and should be specified when using the G15, G16, G17, G23, or no grommet
- Taper base shipped in 3 separate cartons

TO ORDER, SPECIFY:

1. Model Number
2. Base Wire Channel Height
3. Paint Color


SAMPLE MODEL NUMBER:

- 15N4828TPBP 6 405
- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
MIO WALL MOUNT TAPER BASE BAR HEIGHT 	15N4840TPBP Painted	\$ 3838	12	36 ¹ / ₁₆	39 ³ / ₄	—	—	105 lbs.	12.9
	15N5440TPBP Painted	3947	12	42	39 ³ / ₄	—	—	115 lbs.	14.3
	15N6040TPBP Painted	4057	12	48	39 ³ / ₄	—	—	125 lbs.	15.6
	15N6640TPBP Painted	4168	12	54	39 ³ / ₄	—	—	135 lbs.	17.0
	15N7240TPBP Painted	4287	12	59 ¹ / ₁₆	39 ³ / ₄	—	—	145 lbs.	18.3

- Bases are only intended for use with the Mio wall and tops
- Some assembly required
- Adjustable glides standard; 1¹/₂" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 5¹/₁₆"; desk height bottom channel inside dimension is 5³/₃₂"; top channel top inside dimension is 10¹/₂"; top channel bottom inside dimension for STD height is 9³/₁₆"
- Reference page 233 for wall, top and base guide

MIO WALL MOUNT TAPER BASE DESK HEIGHT



STD Channel Height

15N4828TPBP Painted	\$ 3490	12	36 ¹ / ₁₆	27 ¹ / ₄	—	—	95 lbs.	11.7
15N5428TPBP Painted	3589	12	42	27 ¹ / ₄	—	—	105 lbs.	13.5
15N6028TPBP Painted	3688	12	48	27 ¹ / ₄	—	—	115 lbs.	14.5
15N6628TPBP Painted	3790	12	54	27 ¹ / ₄	—	—	125 lbs.	15.7
15N7228TPBP Painted	3894	12	59 ¹ / ₁₆	27 ¹ / ₄	—	—	135 lbs.	17.5
15N7828TPBP Painted	4006	12	65 ¹ / ₁₆	27 ¹ / ₄	—	—	145 lbs.	18.5
15N8428TPBP Painted	4118	12	71 ¹ / ₁₆	27 ¹ / ₄	—	—	155 lbs.	19.7

- Bases are only intended for use with the Mio wall and tops
- Some assembly required
- Adjustable glides standard; 1¹/₂" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 5¹/₁₆"; desk height bottom channel inside dimension is 5³/₃₂"; top channel top inside dimension is 10¹/₂"; top channel bottom inside dimension for STD height is 9³/₁₆"
- Reference page 233 for wall, top and base guide

MIO

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 481
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information


TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N6034TVW TD MC
11N6034TVL TS 462

- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
TV MOUNT EXHIBIT INSERTS	34" H TV MOUNT EXHIBIT INSERTS								
	11N3634TVW Wood	\$ 2829	½	35 ¹ / ₁₆	34 ¹ / ₈	—	—	47 lbs. 3.1	
	11N3634TVL Laminate	2026	½	35 ¹ / ₁₆	34 ¹ / ₈	—	—	47 lbs. 3.1	
	11N4234TVW Wood	\$ 2833	½	41 ¹ / ₁₆	34 ¹ / ₈	—	—	53 lbs. 3.3	
	11N4234TVL Laminate	2027	½	41 ¹ / ₁₆	34 ¹ / ₈	—	—	53 lbs. 3.3	
	11N4834TVW Wood	\$ 3117	½	47 ¹ / ₁₆	34 ¹ / ₈	—	—	58 lbs. 3.5	
	11N4834TVL Laminate	2225	½	47 ¹ / ₁₆	34 ¹ / ₈	—	—	58 lbs. 3.5	
	11N5434TVW Wood	\$ 3403	½	53 ⁷ / ₁₆	34 ¹ / ₈	—	—	64 lbs. 3.5	
	11N5434TVL Laminate	2426	½	53 ⁷ / ₁₆	34 ¹ / ₈	—	—	64 lbs. 3.5	
	11N6034TVW Wood	\$ 3720	½	59 ¹ / ₁₆	34 ¹ / ₈	—	—	71 lbs. 3.9	
	11N6034TVL Laminate	2643	½	59 ¹ / ₁₆	34 ¹ / ₈	—	—	71 lbs. 3.9	
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS								
	36" H TV MOUNT EXHIBIT INSERTS								
	11N3636TVW Wood	\$ 2863	½	35 ¹ / ₁₆	36 ¹ / ₁₆	—	—	51 lbs. 3.4	
	11N3636TVL Laminate	2051	½	35 ¹ / ₁₆	36 ¹ / ₁₆	—	—	51 lbs. 3.4	
	11N4236TVW Wood	\$ 2870	½	41 ¹ / ₁₆	36 ¹ / ₁₆	—	—	57 lbs. 3.6	
	11N4236TVL Laminate	2055	½	41 ¹ / ₁₆	36 ¹ / ₁₆	—	—	57 lbs. 3.6	
	11N4836TVW Wood	\$ 3159	½	47 ¹ / ₁₆	36 ¹ / ₁₆	—	—	62 lbs. 3.9	
	11N4836TVL Laminate	2255	½	47 ¹ / ₁₆	36 ¹ / ₁₆	—	—	62 lbs. 3.9	
	11N5436TVW Wood	\$ 3448	½	53 ⁷ / ₁₆	36 ¹ / ₁₆	—	—	68 lbs. 4.1	
	11N5436TVL Laminate	2456	½	53 ⁷ / ₁₆	36 ¹ / ₁₆	—	—	68 lbs. 4.1	
	11N6036TVW Wood	\$ 3771	½	59 ¹ / ₁₆	36 ¹ / ₁₆	—	—	74 lbs. 4.3	
	11N6036TVL Laminate	2677	½	59 ¹ / ₁₆	36 ¹ / ₁₆	—	—	74 lbs. 4.3	

(only 60" models)

- TV mount included; some assembly required; VESA mounting compliant
- Almond Horizontal (ADH), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H), and Skyline Horizontal (SKH) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 100 lbs.
- Reference Exhibit section for guidelines

PRODUCT SPECIFICATIONS


- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 481
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

- 11N3637TVW MC
 11N3637TVL 462
 11N6037TVW TS MC
- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A			KW	
TV MOUNT EXHIBIT INSERTS (CONTINUED)  (only 60" models)	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS									
	37"H TV MOUNT EXHIBIT INSERTS									
	11N3637TVW	Wood	\$ 2863	½	35 ¹ / ₁₆	37	—	—	51 lbs.	3.4
	11N3637TVL	Laminate	2051	½	35 ¹ / ₁₆	37	—	—	51 lbs.	3.4
	11N4237TVW	Wood	\$ 2870	½	41 ¹ / ₁₆	37	—	—	57 lbs.	3.6
	11N4237TVL	Laminate	2055	½	41 ¹ / ₁₆	37	—	—	57 lbs.	3.6
	11N4837TVW	Wood	\$ 3159	½	47 ¹ / ₁₆	37	—	—	62 lbs.	3.9
	11N4837TVL	Laminate	2255	½	47 ¹ / ₁₆	37	—	—	62 lbs.	3.9
	11N5437TVW	Wood	\$ 3448	½	53%	37	—	—	68 lbs.	4.1
	11N5437TVL	Laminate	2456	½	53%	37	—	—	68 lbs.	4.1
	11N6037TVW	Wood	\$ 3771	½	59 ¹ / ₁₆	37	—	—	74 lbs.	4.3
	11N6037TVL	Laminate	2677	½	59 ¹ / ₁₆	37	—	—	74 lbs.	4.3
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS									
	48"H TV MOUNT EXHIBIT INSERTS									
	11N3648TVW	Wood	\$ 3337	½	35 ¹ / ₁₆	48 ³ / ₈	—	—	69 lbs.	5.0
	11N3648TVL	Laminate	2378	½	35 ¹ / ₁₆	48 ³ / ₈	—	—	69 lbs.	5.0
	11N4248TVW	Wood	\$ 3341	½	41 ¹ / ₁₆	48 ³ / ₈	—	—	77 lbs.	5.2
	11N4248TVL	Laminate	2380	½	41 ¹ / ₁₆	48 ³ / ₈	—	—	77 lbs.	5.2
11N4848TVW	Wood	\$ 3685	½	47 ¹ / ₁₆	48 ³ / ₈	—	—	85 lbs.	5.5	
11N4848TVL	Laminate	2617	½	47 ¹ / ₁₆	48 ³ / ₈	—	—	85 lbs.	5.5	
11N5448TVW	Wood	\$ 4029	½	53%	48 ³ / ₈	—	—	93 lbs.	5.8	
11N5448TVL	Laminate	2852	½	53%	48 ³ / ₈	—	—	93 lbs.	5.8	
11N6048TVW	Wood	\$ 4406	½	59 ¹ / ₁₆	48 ³ / ₈	—	—	101 lbs.	6.1	
11N6048TVL	Laminate	3115	½	59 ¹ / ₁₆	48 ³ / ₈	—	—	101 lbs.	6.1	

- TV mount included; some assembly required; VESA mounting compliant
- Almond Horizontal (ADH), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H), and Skyline Horizontal (SKH) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 100 lbs.
- Reference Exhibit section for guidelines

MIO

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 481
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:



1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3649TVW MC
11N3649TVL 462
11N6049TVW TS MC

- See pages 228-231 for all options available in Mio

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
TV MOUNT EXHIBIT INSERTS (CONTINUED)								
COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS								
49"H TV MOUNT EXHIBIT INSERTS								
11N3649TVW Wood	\$ 3337	½	35 ¹ / ₁₆	48 ¹³ / ₁₆	—	—	69 lbs.	5.0
11N3649TVL Laminate	2378	½	35 ¹ / ₁₆	48 ¹³ / ₁₆	—	—	69 lbs.	5.0
11N4249TVW Wood	\$ 3341	½	41 ¹ / ₁₆	48 ¹³ / ₁₆	—	—	77 lbs.	5.2
11N4249TVL Laminate	2380	½	41 ¹ / ₁₆	48 ¹³ / ₁₆	—	—	77 lbs.	5.2
11N4849TVW Wood	\$ 3685	½	47 ¹ / ₁₆	48 ¹³ / ₁₆	—	—	85 lbs.	5.5
11N4849TVL Laminate	2617	½	47 ¹ / ₁₆	48 ¹³ / ₁₆	—	—	85 lbs.	5.5
11N5449TVW Wood	\$ 4029	½	53 ⁷ / ₁₆	48 ¹³ / ₁₆	—	—	93 lbs.	5.8
11N5449TVL Laminate	2852	½	53 ⁷ / ₁₆	48 ¹³ / ₁₆	—	—	93 lbs.	5.8
11N6049TVW Wood	\$ 4406	½	59 ¹ / ₁₆	48 ¹³ / ₁₆	—	—	101 lbs.	6.1
11N6049TVL Laminate	3115	½	59 ¹ / ₁₆	48 ¹³ / ₁₆	—	—	101 lbs.	6.1



(only 60" models)

- TV mount included; some assembly required; VESA mounting compliant
- Almond Horizontal (ADH), Portico Horizontal (PTH), Portobello Horizontal (PBH), Sable Horizontal (792H), and Skyline Horizontal (SKH) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 100 lbs.
- Reference Exhibit section for guidelines

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6060SQDW F X NT1 MC
 15N6060SQDL V425 CUT-G15C NT1 425

- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
EXHIBIT MOUNT SQUARE TOP SOFTENED RIM 	48" SQUARE									
	15N4848SQDW	Wood	\$ 3072	48	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	59 lbs.	4.5
	15N4848SQDL	Laminate	2157	48	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	59 lbs.	4.5
	54" SQUARE									
	15N5454SQDW	Wood	\$ 3426	54	54	1 ¹ / ₁₆	—	—	121 lbs.	7.1
	15N5454SQDL	Laminate	2591	54	54	1 ¹ / ₁₆	—	—	121 lbs.	7.1
60" SQUARE										
15N6060SQDW	Wood	\$ 3778	58 ³ / ₈	60	1 ¹ / ₁₆	—	—	150 lbs.	8.3	
15N6060SQDL	Laminate	3019	58 ³ / ₈	60	1 ¹ / ₁₆	—	—	150 lbs.	8.3	

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

EXHIBIT MOUNT SQUARE TOP KNIFE RIM



48" SQUARE									
15N4848SQDWK	Wood	\$ 3995	48	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	59 lbs.	4.5
15N4848SQDLK	Laminate	2805	48	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	59 lbs.	4.5
54" SQUARE									
15N5454SQDWK	Wood	\$ 4512	54	54	1 ¹ / ₁₆	—	—	121 lbs.	7.1
15N5454SQDLK	Laminate	2960	54	54	1 ¹ / ₁₆	—	—	121 lbs.	7.1
60" SQUARE									
15N6060SQDWK	Wood	\$ 4914	58 ³ / ₈	60	1 ¹ / ₁₆	—	—	150 lbs.	8.3
15N6060SQDLK	Laminate	3925	58 ³ / ₈	60	1 ¹ / ₁₆	—	—	150 lbs.	8.3

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N3648RTDW F X NT1 MC
 15N3648RTDL V425 CUT-G15C NT1 425

- See pages 228-231 for all options available in MIO

EXHIBIT MOUNT RECTANGLE TOP SOFTENED RIM



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
36" x 48"								
15N3648RTDW Wood	\$ 2678	36 $\frac{3}{8}$	48 $\frac{7}{16}$	1 $\frac{3}{16}$	—	—	50 lbs.	4.5
15N3648RTDL Laminate	1761	36 $\frac{3}{8}$	48 $\frac{7}{16}$	1 $\frac{3}{16}$	—	—	50 lbs.	4.5
36" x 54"								
15N3654RTDW Wood	\$ 2872	36 $\frac{3}{8}$	54	1 $\frac{3}{16}$	—	—	55 lbs.	4.9
15N3654RTDL Laminate	1955	36 $\frac{3}{8}$	54	1 $\frac{3}{16}$	—	—	55 lbs.	4.9
36" x 60"								
15N3660RTDW Wood	\$ 3067	36 $\frac{3}{8}$	60	1 $\frac{3}{16}$	—	—	59 lbs.	5.3
15N3660RTDL Laminate	2151	36 $\frac{3}{8}$	60	1 $\frac{3}{16}$	—	—	59 lbs.	5.3
36" x 66"								
15N3666RTDW Wood	\$ 3200	36 $\frac{3}{8}$	66	1 $\frac{3}{16}$	—	—	65 lbs.	6.0
15N3666RTDL Laminate	2282	36 $\frac{3}{8}$	66	1 $\frac{3}{16}$	—	—	65 lbs.	6.0
36" x 72"								
15N3672RTDW Wood	\$ 3396	36 $\frac{3}{8}$	71 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	76 lbs.	6.3
15N3672RTDL Laminate	2478	36 $\frac{3}{8}$	71 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	76 lbs.	6.3
36" x 78"								
15N3678RTDW Wood	\$ 3592	36 $\frac{3}{8}$	77 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	92 lbs.	6.6
15N3678RTDL Laminate	2674	36 $\frac{3}{8}$	77 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	92 lbs.	6.6
36" x 84"								
15N3684RTDW Wood	\$ 3787	36 $\frac{3}{8}$	83 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	105 lbs.	8.0
15N3684RTDL Laminate	2868	36 $\frac{3}{8}$	83 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	105 lbs.	8.0
42" x 48"								
15N4248RTDW Wood	\$ 2859	42	48 $\frac{7}{16}$	1 $\frac{3}{16}$	—	—	65 lbs.	4.9
15N4248RTDL Laminate	1945	42	48 $\frac{7}{16}$	1 $\frac{3}{16}$	—	—	65 lbs.	4.9

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4254RTDW F X D1B462 MC
 15N4254RTDL V462 X D1B462 405

- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
 RECTANGLE TOP
 SOFTENED RIM
 (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
42" x 54"								
15N4254RTDW Wood	\$ 3055	42	54	1 ⁵ / ₁₆	—	—	76 lbs.	5.6
15N4254RTDL Laminate	2140	42	54	1 ⁵ / ₁₆	—	—	76 lbs.	5.6
42" x 60"								
15N4260RTDW Wood	\$ 3251	42	60	1 ⁵ / ₁₆	—	—	92 lbs.	6.4
15N4260RTDL Laminate	2334	42	60	1 ⁵ / ₁₆	—	—	92 lbs.	6.4
42" x 66"								
15N4266RTDW Wood	\$ 3505	42	66	1 ⁵ / ₁₆	—	—	105 lbs.	6.8
15N4266RTDL Laminate	2591	42	66	1 ⁵ / ₁₆	—	—	105 lbs.	6.8
42" x 72"								
15N4272RTDW Wood	\$ 3700	42	71 ¹⁵ / ₁₆	1 ⁵ / ₁₆	—	—	110 lbs.	7.1
15N4272RTDL Laminate	2786	42	71 ¹⁵ / ₁₆	1 ⁵ / ₁₆	—	—	110 lbs.	7.1
42" x 78"								
15N4278RTDW Wood	\$ 3771	42	77 ¹⁵ / ₁₆	1 ⁵ / ₁₆	—	—	115 lbs.	7.5
15N4278RTDL Laminate	2857	42	77 ¹⁵ / ₁₆	1 ⁵ / ₁₆	—	—	115 lbs.	7.5
42" x 84"								
15N4284RTDW Wood	\$ 3969	42	83 ¹⁵ / ₁₆	1 ⁵ / ₁₆	—	—	120 lbs.	9.0
15N4284RTDL Laminate	3053	42	83 ¹⁵ / ₁₆	1 ⁵ / ₁₆	—	—	120 lbs.	9.0
48" x 54"								
15N4854RTDW Wood	\$ 3253	48	54	1 ⁵ / ₁₆	—	—	92 lbs.	5.5
15N4854RTDL Laminate	2337	48	54	1 ⁵ / ₁₆	—	—	92 lbs.	5.5
48" x 60"								
15N4860RTDW Wood	\$ 3433	48	60	1 ⁵ / ₁₆	—	—	110 lbs.	6.2
15N4860RTDL Laminate	2515	48	60	1 ⁵ / ₁₆	—	—	110 lbs.	6.2

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4866RTDW F X D1B462 MC
15N4866RTDL V462 X D1B462 405

- See pages 228-231 for all options available in MIO

**EXHIBIT MOUNT
RECTANGLE TOP
SOFTENED RIM
(CONTINUED)**


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
48" x 66"								
15N4866RTDW Wood	\$ 3612	48	66	1 $\frac{1}{2}$ "	—	—	135 lbs.	7.5
15N4866RTDL Laminate	2698	48	66	1 $\frac{1}{2}$ "	—	—	135 lbs.	7.5
48" x 72"								
15N4872RTDW Wood	\$ 3791	48	71 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—	158 lbs.	7.9
15N4872RTDL Laminate	2874	48	71 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—	158 lbs.	7.9
48" x 78"								
15N4878RTDW Wood	\$ 3972	48	77 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—	180 lbs.	8.3
15N4878RTDL Laminate	3055	48	77 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—	180 lbs.	8.3
48" x 84"								
15N4884RTDW Wood	\$ 4151	48	83 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—	210 lbs.	10.0
15N4884RTDL Laminate	3234	48	83 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—	210 lbs.	10.0
54" x 48"								
15N5448RTDW Wood	\$ 3253	54	48 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—	92 lbs.	6.4
15N5448RTDL Laminate	2337	54	48 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—	92 lbs.	6.4
54" x 60"								
15N5460RTDW Wood	\$ 3522	54	60	1 $\frac{1}{2}$ "	—	—	121 lbs.	7.7
15N5460RTDL Laminate	2607	54	60	1 $\frac{1}{2}$ "	—	—	121 lbs.	7.7
54" x 66"								
15N5466RTDW Wood	\$ 3730	54	66	1 $\frac{1}{2}$ "	—	—	135 lbs.	8.6
15N5466RTDL Laminate	2971	54	66	1 $\frac{1}{2}$ "	—	—	135 lbs.	8.6
54" x 72"								
15N5472RTDW Wood	\$ 3924	54	71 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—	145 lbs.	9.1
15N5472RTDL Laminate	3165	54	71 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—	145 lbs.	9.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N5478RTDW F X D1B462 MC
 15N5478RTDL V462 X D1B462 405

- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
 RECTANGLE TOP
 SOFTENED RIM
 (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
54" x 78"								
15N5478RTDW Wood	\$ 4121	54	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	165 lbs.	9.5
15N5478RTDL Laminate	3361	54	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	165 lbs.	9.5
54" x 84"								
15N5484RTDW Wood	\$ 4316	54	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	200 lbs.	10.3
15N5484RTDL Laminate	3556	54	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	200 lbs.	10.3
60" x 48"								
15N6048RTDW Wood	\$ 3433	58 ³ / ₈	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	121 lbs.	6.9
15N6048RTDL Laminate	2515	58 ³ / ₈	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	121 lbs.	6.9
60" x 54"								
15N6054RTDW Wood	\$ 3522	58 ³ / ₈	54	1 ¹ / ₁₆	—	—	135 lbs.	7.5
15N6054RTDL Laminate	2607	58 ³ / ₈	54	1 ¹ / ₁₆	—	—	135 lbs.	7.5
60" x 66"								
15N6066RTDW Wood	\$ 3959	58 ³ / ₈	66	1 ¹ / ₁₆	—	—	182 lbs.	9.1
15N6066RTDL Laminate	3200	58 ³ / ₈	66	1 ¹ / ₁₆	—	—	182 lbs.	9.1
60" x 72"								
15N6072RTDW Wood	\$ 4141	58 ³ / ₈	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	210 lbs.	9.6
15N6072RTDL Laminate	3378	58 ³ / ₈	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	210 lbs.	9.6
60" x 78"								
15N6078RTDW Wood	\$ 4318	58 ³ / ₈	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	245 lbs.	10.0
15N6078RTDL Laminate	3558	58 ³ / ₈	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	245 lbs.	10.0
60" x 84"								
15N6084RTDW Wood	\$ 4498	58 ³ / ₈	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	270 lbs.	10.8
15N6084RTDL Laminate	3736	58 ³ / ₈	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N3648RTDWC K X X PB
15N3648RTDLK K461 X X 461

- See pages 228-231 for all options available in MIO

EXHIBIT MOUNT
RECTANGLE TOP
KNIFE RIM

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
36" x 48"								
15N3648RTDWC Wood	\$ 3708	36 $\frac{3}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	4.5
15N3648RTDLK Laminate	2515	36 $\frac{3}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	4.5
36" x 54"								
15N3654RTDWC Wood	\$ 3906	36 $\frac{3}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.9
15N3654RTDLK Laminate	2710	36 $\frac{3}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.9
36" x 60"								
15N3660RTDWC Wood	\$ 4099	36 $\frac{3}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.3
15N3660RTDLK Laminate	2906	36 $\frac{3}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.3
36" x 66"								
15N3666RTDWC Wood	\$ 4445	36 $\frac{3}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
15N3666RTDLK Laminate	3256	36 $\frac{3}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
36" x 72"								
15N3672RTDWC Wood	\$ 4640	36 $\frac{3}{8}$	71 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
15N3672RTDLK Laminate	3451	36 $\frac{3}{8}$	71 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
36" x 78"								
15N3678RTDWC Wood	\$ 4835	36 $\frac{3}{8}$	77 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
15N3678RTDLK Laminate	3646	36 $\frac{3}{8}$	77 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
36" x 84"								
15N3684RTDWC Wood	\$ 5032	36 $\frac{3}{8}$	83 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0
15N3684RTDLK Laminate	3840	36 $\frac{3}{8}$	83 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0
42" x 48"								
15N4248RTDWC Wood	\$ 3890	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	4.9
15N4248RTDLK Laminate	2700	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	4.9

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

- 15N4854RTDVK K CUT-G23C D1B425 AC
 15N4854RTDLK K425 CUT-G23C D1B425 AC2
- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
 RECTANGLE TOP
 KNIFE RIM
 (CONTINUED)**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
42" x 54"									
15N4254RTDVK	Wood	\$ 4086	42	54	1 ³ / ₁₆	—	—	76 lbs. 5.6	
15N4254RTDLK	Laminate	2894	42	54	1 ³ / ₁₆	—	—	76 lbs. 5.6	
42" x 60"									
15N4260RTDVK	Wood	\$ 4282	42	60	1 ³ / ₁₆	—	—	92 lbs. 6.4	
15N4260RTDLK	Laminate	3088	42	60	1 ³ / ₁₆	—	—	92 lbs. 6.4	
42" x 66"									
15N4266RTDVK	Wood	\$ 4643	42	66	1 ³ / ₁₆	—	—	105 lbs. 6.8	
15N4266RTDLK	Laminate	3452	42	66	1 ³ / ₁₆	—	—	105 lbs. 6.8	
42" x 72"									
15N4272RTDVK	Wood	\$ 4839	42	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	110 lbs. 7.1	
15N4272RTDLK	Laminate	3649	42	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	110 lbs. 7.1	
42" x 78"									
15N4278RTDVK	Wood	\$ 5017	42	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	115 lbs. 7.5	
15N4278RTDLK	Laminate	3829	42	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	115 lbs. 7.5	
42" x 84"									
15N4284RTDVK	Wood	\$ 5212	42	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	120 lbs. 9.0	
15N4284RTDLK	Laminate	4024	42	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	120 lbs. 9.0	
48" x 54"									
15N4854RTDVK	Wood	\$ 4229	48	54	1 ³ / ₁₆	—	—	92 lbs. 5.5	
15N4854RTDLK	Laminate	3040	48	54	1 ³ / ₁₆	—	—	92 lbs. 5.5	
48" x 60"									
15N4860RTDVK	Wood	\$ 4464	48	60	1 ³ / ₁₆	—	—	110 lbs. 6.2	
15N4860RTDLK	Laminate	3271	48	60	1 ³ / ₁₆	—	—	110 lbs. 6.2	

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

- 15N4866RTDVK K CUT-G23C D1B425 AC
 15N4854RTDLK K425 CUT-G23C D1B425 AC2
- See pages 228-231 for all options available in MIO

EXHIBIT MOUNT RECTANGLE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
48" x 66"								
15N4866RTDVK Wood	\$ 4698	48	66	1 1/8	—	—	135 lbs.	7.5
15N4866RTDLK Laminate	3505	48	66	1 1/8	—	—	135 lbs.	7.5
48" x 72"								
15N4872RTDVK Wood	\$ 4930	48	71 1/8	1 1/8	—	—	158 lbs.	7.9
15N4872RTDLK Laminate	3736	48	71 1/8	1 1/8	—	—	158 lbs.	7.9
48" x 78"								
15N4878RTDVK Wood	\$ 5163	48	77 1/8	1 1/8	—	—	180 lbs.	8.3
15N4878RTDLK Laminate	3972	48	77 1/8	1 1/8	—	—	180 lbs.	8.3
48" x 84"								
15N4884RTDVK Wood	\$ 5395	48	83 1/8	1 1/8	—	—	210 lbs.	10.0
15N4884RTDLK Laminate	4207	48	83 1/8	1 1/8	—	—	210 lbs.	10.0
54" x 48"								
15N5448RTDVK Wood	\$ 4229	54	48 1/8	1 1/8	—	—	92 lbs.	6.4
15N5448RTDLK Laminate	3040	54	48 1/8	1 1/8	—	—	92 lbs.	6.4
54" x 60"								
15N5460RTDVK Wood	\$ 4579	54	60	1 1/8	—	—	135 lbs.	7.7
15N5460RTDLK Laminate	3388	54	60	1 1/8	—	—	135 lbs.	7.7
54" x 66"								
15N5466RTDVK Wood	\$ 5079	54	66	1 1/8	—	—	135 lbs.	8.6
15N5466RTDLK Laminate	4093	54	66	1 1/8	—	—	135 lbs.	8.6
54" x 72"								
15N5472RTDVK Wood	\$ 5277	54	71 1/8	1 1/8	—	—	145 lbs.	9.1
15N5472RTDLK Laminate	4288	54	71 1/8	1 1/8	—	—	145 lbs.	9.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

- 15N5478RTDVK K CUT-G23C D1B425 AC
 15N5478RTDLK K425 CUT-G23C D1B425 AC2
- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
 RECTANGLE TOP
 KNIFE RIM
 (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
54" x 78"								
15N5478RTDVK Wood	\$ 5471	54	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	165 lbs.	9.5
15N5478RTDLK Laminate	4483	54	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	165 lbs.	9.5
54" x 84"								
15N5484RTDVK Wood	\$ 5665	54	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	200 lbs.	10.3
15N5484RTDLK Laminate	4678	54	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	200 lbs.	10.3
60" x 48"								
15N6048RTDVK Wood	\$ 4464	58 ³ / ₈	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	121 lbs.	6.9
15N6048RTDLK Laminate	3271	58 ³ / ₈	48 ¹ / ₁₆	1 ¹ / ₁₆	—	—	121 lbs.	6.9
60" x 54"								
15N6054RTDVK Wood	\$ 4579	58 ³ / ₈	54	1 ¹ / ₁₆	—	—	135 lbs.	7.5
15N6054RTDLK Laminate	3388	58 ³ / ₈	54	1 ¹ / ₁₆	—	—	135 lbs.	7.5
60" x 66"								
15N6066RTDVK Wood	\$ 5149	58 ³ / ₈	66	1 ¹ / ₁₆	—	—	182 lbs.	9.1
15N6066RTDLK Laminate	4159	58 ³ / ₈	66	1 ¹ / ₁₆	—	—	182 lbs.	9.1
60" x 72"								
15N6072RTDVK Wood	\$ 5381	58 ³ / ₈	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	210 lbs.	9.6
15N6072RTDLK Laminate	4394	58 ³ / ₈	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	210 lbs.	9.6
60" x 78"								
15N6078RTDVK Wood	\$ 5615	58 ³ / ₈	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	245 lbs.	10.0
15N6078RTDLK Laminate	4628	58 ³ / ₈	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	245 lbs.	10.0
60" x 84"								
15N6084RTDVK Wood	\$ 5847	58 ³ / ₈	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	270 lbs.	10.8
15N6084RTDLK Laminate	4859	58 ³ / ₈	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N3648WGDW F CUT-G15C X TF
15N3648WGD L VTF CUT-G15C X TF

- See pages 228-231 for all options available in MIO

EXHIBIT MOUNT
WEDGE TOP
SOFTENED RIM

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
36" x 48"								
15N3648WGDW Wood	\$ 2954	36 $\frac{3}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.6
15N3648WGD L Laminate	1965	36 $\frac{3}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.6
36" x 54"								
15N3654WGDW Wood	\$ 3150	36 $\frac{3}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
15N3654WGD L Laminate	2160	36 $\frac{3}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
36" x 60"								
15N3660WGDW Wood	\$ 3342	36 $\frac{3}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
15N3660WGD L Laminate	2353	36 $\frac{3}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
36" x 66"								
15N3666WGDW Wood	\$ 3537	36 $\frac{3}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
15N3666WGD L Laminate	2712	36 $\frac{3}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
36" x 72"								
15N3672WGDW Wood	\$ 3730	36 $\frac{3}{8}$	71 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
15N3672WGD L Laminate	2741	36 $\frac{3}{8}$	71 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
36" x 78"								
15N3678WGDW Wood	\$ 3923	36 $\frac{3}{8}$	77 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
15N3678WGD L Laminate	2936	36 $\frac{3}{8}$	77 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
36" x 84"								
15N3684WGDW Wood	\$ 4120	36 $\frac{3}{8}$	83 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0
15N3684WGD L Laminate	3128	36 $\frac{3}{8}$	83 $\frac{15}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4248WGDW F CUT-G15C NT1 CW
 15N4248WGD L V478 CUT-G15C NT1 478

- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
 WEDGE TOP
 SOFTENED RIM
 (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
42" x 48"								
15N4248WGDW Wood	\$ 3137	42	48 ³ / ₁₆	1 ³ / ₁₆	—	—	65 lbs.	3.6
15N4248WGD L Laminated	2148	42	48 ³ / ₁₆	1 ³ / ₁₆	—	—	65 lbs.	3.6
42" x 54"								
15N4254WGDW Wood	\$ 3332	42	54	1 ³ / ₁₆	—	—	76 lbs.	5.0
15N4254WGD L Laminated	2343	42	54	1 ³ / ₁₆	—	—	76 lbs.	5.0
42" x 60"								
15N4260WGDW Wood	\$ 3527	42	60	1 ³ / ₁₆	—	—	92 lbs.	5.6
15N4260WGD L Laminated	2536	42	60	1 ³ / ₁₆	—	—	92 lbs.	5.6
42" x 66"								
15N4266WGDW Wood	\$ 3720	42	66	1 ³ / ₁₆	—	—	105 lbs.	6.8
15N4266WGD L Laminated	2895	42	66	1 ³ / ₁₆	—	—	105 lbs.	6.8
42" x 72"								
15N4272WGDW Wood	\$ 3912	42	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	110 lbs.	7.1
15N4272WGD L Laminated	2924	42	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	110 lbs.	7.1
42" x 78"								
15N4278WGDW Wood	\$ 4105	42	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	115 lbs.	7.5
15N4278WGD L Laminated	3119	42	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	115 lbs.	7.5
42" x 84"								
15N4284WGDW Wood	\$ 4300	42	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	120 lbs.	9.0
15N4284WGD L Laminated	3314	42	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	120 lbs.	9.0
48" x 48"								
15N4848WGDW Wood	\$ 3320	48	48 ³ / ₁₆	1 ³ / ₁₆	—	—	59 lbs.	4.5
15N4848WGD L Laminated	2329	48	48 ³ / ₁₆	1 ³ / ₁₆	—	—	59 lbs.	4.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4254WGDW F CUT-G15C NT1 CW
 15N4254WGD L V478 CUT-G15C NT1 478

- See pages 228-231 for all options available in MIO

EXHIBIT MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
48" x 54"								
15N4854WGDW Wood	\$ 3512	48	54	1 3/8	—	—	92 lbs.	5.5
15N4854WGD L Laminate	2525	48	54	1 3/8	—	—	92 lbs.	5.5
48" x 60"								
15N4860WGDW Wood	\$ 3707	48	60	1 3/8	—	—	110 lbs.	6.2
15N4860WGD L Laminate	2718	48	60	1 3/8	—	—	110 lbs.	6.2
48" x 66"								
15N4866WGDW Wood	\$ 3903	48	66	1 3/8	—	—	135 lbs.	7.5
15N4866WGD L Laminate	2912	48	66	1 3/8	—	—	135 lbs.	7.5
48" x 72"								
15N4872WGDW Wood	\$ 4095	48	71 3/8	1 3/8	—	—	158 lbs.	7.9
15N4872WGD L Laminate	3104	48	71 3/8	1 3/8	—	—	158 lbs.	7.9
48" x 78"								
15N4878WGDW Wood	\$ 4288	48	77 3/8	1 3/8	—	—	180 lbs.	8.3
15N4878WGD L Laminate	3299	48	77 3/8	1 3/8	—	—	180 lbs.	8.3
48" x 84"								
15N4884WGDW Wood	\$ 4483	48	83 3/8	1 3/8	—	—	210 lbs.	10.0
15N4884WGD L Laminate	3493	48	83 3/8	1 3/8	—	—	210 lbs.	10.0
54" x 48"								
15N5448WGDW Wood	\$ 3502	54	48 3/8	1 3/8	—	—	92 lbs.	6.6
15N5448WGD L Laminate	2512	54	48 3/8	1 3/8	—	—	92 lbs.	6.6
54" x 54"								
15N5454WGDW Wood	\$ 3696	54	54	1 3/8	—	—	121 lbs.	7.1
15N5454WGD L Laminate	2707	54	54	1 3/8	—	—	121 lbs.	7.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40 1/2" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N5460WGDW F CUT-G17C X CW
 15N5460WGD L V461 CUT-G17C X CW

- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
 WEDGE TOP
 SOFTENED RIM
 (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
54" x 60"								
15N5460WGDW Wood	\$ 3889	54	60	1 ³ / ₁₆	—	—	135 lbs.	7.9
15N5460WGD L Laminated	2900	54	60	1 ³ / ₁₆	—	—	135 lbs.	7.9
54" x 66"								
15N5466WGDW Wood	\$ 4084	54	66	1 ³ / ₁₆	—	—	135 lbs.	8.6
15N5466WGD L Laminated	3095	54	66	1 ³ / ₁₆	—	—	135 lbs.	8.6
54" x 72"								
15N5472WGDW Wood	\$ 4279	54	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	145 lbs.	9.1
15N5472WGD L Laminated	3288	54	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	145 lbs.	9.1
54" x 78"								
15N5478WGDW Wood	\$ 4469	54	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	165 lbs.	9.5
15N5478WGD L Laminated	3482	54	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	165 lbs.	9.5
54" x 84"								
15N5484WGDW Wood	\$ 4668	54	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	200 lbs.	10.3
15N5484WGD L Laminated	3678	54	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	200 lbs.	10.3
60" x 48"								
15N6048WGDW Wood	\$ 3707	58 ³ / ₈	48 ³ / ₁₆	1 ³ / ₁₆	—	—	121 lbs.	6.9
15N6048WGD L Laminated	2718	58 ³ / ₈	48 ³ / ₁₆	1 ³ / ₁₆	—	—	121 lbs.	6.9
60" x 54"								
15N6054WGDW Wood	\$ 3806	58 ³ / ₈	54	1 ³ / ₁₆	—	—	135 lbs.	7.5
15N6054WGD L Laminated	2815	58 ³ / ₈	54	1 ³ / ₁₆	—	—	135 lbs.	7.5
60" x 60"								
15N6060WGDW Wood	\$ 4084	58 ³ / ₈	60	1 ³ / ₁₆	—	—	150 lbs.	8.3
15N6060WGD L Laminated	3263	58 ³ / ₈	60	1 ³ / ₁₆	—	—	150 lbs.	8.3

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N6084WGDW F CUT-G17C X CW
15N6084WGD L V461 CUT-G17C X CW

- See pages 228-231 for all options available in MIO

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
EXHIBIT MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)								
60" x 66"								
15N6066WGDW Wood	\$ 4279	58%	66	1 $\frac{3}{8}$ "	—	—	182 lbs.	9.1
15N6066WGD L Laminated	3455	58%	66	1 $\frac{3}{8}$ "	—	—	182 lbs.	9.1
60" x 72"								
15N6072WGDW Wood	\$ 4469	58%	71 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	210 lbs.	9.6
15N6072WGD L Laminated	3651	58%	71 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	210 lbs.	9.6
60" x 78"								
15N6078WGDW Wood	\$ 4664	58%	77 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	245 lbs.	10.0
15N6078WGD L Laminated	3842	58%	77 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	245 lbs.	10.0
60" x 84"								
15N6084WGDW Wood	\$ 4857	58%	83 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	270 lbs.	10.8
15N6084WGD L Laminated	4037	58%	83 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	270 lbs.	10.8



- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N3648WGDWK K CUT-G16C X AC
 15N3648WGDLC K405 CUT-G16C X 461

- See pages 228-231 for all options available in MIO

**EXHIBIT MOUNT
 WEDGE TOP
 KNIFE RIM**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
36" x 48"									
15N3648WGDWK	Wood	\$ 3951	36 ³ / ₈	48 ¹ / ₈	1 ¹ / ₈	—	—	50 lbs. 3.6	
15N3648WGDLC	Laminate	2667	36 ³ / ₈	48 ¹ / ₈	1 ¹ / ₈	—	—	50 lbs. 3.6	
36" x 54"									
15N3654WGDWK	Wood	\$ 4202	36 ³ / ₈	54	1 ¹ / ₈	—	—	55 lbs. 4.4	
15N3654WGDLC	Laminate	2915	36 ³ / ₈	54	1 ¹ / ₈	—	—	55 lbs. 4.4	
36" x 60"									
15N3660WGDWK	Wood	\$ 4455	36 ³ / ₈	60	1 ¹ / ₈	—	—	59 lbs. 5.0	
15N3660WGDLC	Laminate	3171	36 ³ / ₈	60	1 ¹ / ₈	—	—	59 lbs. 5.0	
36" x 66"									
15N3666WGDWK	Wood	\$ 4708	36 ³ / ₈	66	1 ¹ / ₈	—	—	65 lbs. 6.0	
15N3666WGDLC	Laminate	3421	36 ³ / ₈	66	1 ¹ / ₈	—	—	65 lbs. 6.0	
36" x 72"									
15N3672WGDWK	Wood	\$ 4960	36 ³ / ₈	71 ¹ / ₈	1 ¹ / ₈	—	—	76 lbs. 6.3	
15N3672WGDLC	Laminate	3673	36 ³ / ₈	71 ¹ / ₈	1 ¹ / ₈	—	—	76 lbs. 6.3	
36" x 78"									
15N3678WGDWK	Wood	\$ 5211	36 ³ / ₈	77 ¹ / ₈	1 ¹ / ₈	—	—	92 lbs. 6.6	
15N3678WGDLC	Laminate	3924	36 ³ / ₈	77 ¹ / ₈	1 ¹ / ₈	—	—	92 lbs. 6.6	
36" x 84"									
15N3684WGDWK	Wood	\$ 5463	36 ³ / ₈	83 ¹ / ₈	1 ¹ / ₈	—	—	105 lbs. 8.0	
15N3684WGDLC	Laminate	4178	36 ³ / ₈	83 ¹ / ₈	1 ¹ / ₈	—	—	105 lbs. 8.0	

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4248WGDWK K CUT-G16C X AC
15N4248WGDLC K405 CUT-G16C X 461

- See pages 228-231 for all options available in MIO

**EXHIBIT MOUNT
WEDGE TOP
KNIFE RIM
(CONTINUED)**


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
42" x 48"								
15N4248WGDWK Wood	\$ 4133	42	48 ⁷ / ₁₆	1 ³ / ₁₆	—	—	65 lbs.	3.6
15N4248WGDLC Laminated	2848	42	48 ⁷ / ₁₆	1 ³ / ₁₆	—	—	65 lbs.	3.6
42" x 54"								
15N4254WGDWK Wood	\$ 4385	42	54	1 ³ / ₁₆	—	—	76 lbs.	5.0
15N4254WGDLC Laminated	3098	42	54	1 ³ / ₁₆	—	—	76 lbs.	5.0
42" x 60"								
15N4260WGDWK Wood	\$ 4635	42	60	1 ³ / ₁₆	—	—	92 lbs.	5.6
15N4260WGDLC Laminated	3353	42	60	1 ³ / ₁₆	—	—	92 lbs.	5.6
42" x 66"								
15N4266WGDWK Wood	\$ 4891	42	66	1 ³ / ₁₆	—	—	105 lbs.	6.8
15N4266WGDLC Laminated	3602	42	66	1 ³ / ₁₆	—	—	105 lbs.	6.8
42" x 72"								
15N4272WGDWK Wood	\$ 5144	42	71 ¹⁵ / ₁₆	1 ³ / ₁₆	—	—	110 lbs.	7.1
15N4272WGDLC Laminated	3854	42	71 ¹⁵ / ₁₆	1 ³ / ₁₆	—	—	110 lbs.	7.1
42" x 78"								
15N4278WGDWK Wood	\$ 5394	42	77 ¹⁵ / ₁₆	1 ³ / ₁₆	—	—	115 lbs.	7.5
15N4278WGDLC Laminated	4106	42	77 ¹⁵ / ₁₆	1 ³ / ₁₆	—	—	115 lbs.	7.5
42" x 84"								
15N4284WGDWK Wood	\$ 5645	42	83 ¹⁵ / ₁₆	1 ³ / ₁₆	—	—	120 lbs.	9.0
15N4284WGDLC Laminated	4358	42	83 ¹⁵ / ₁₆	1 ³ / ₁₆	—	—	120 lbs.	9.0
48" x 48"								
15N4848WGDWK Wood	\$ 4316	48	48 ⁷ / ₁₆	1 ³ / ₁₆	—	—	59 lbs.	4.5
15N4848WGDLC Laminated	3028	48	48 ⁷ / ₁₆	1 ³ / ₁₆	—	—	59 lbs.	4.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4854WGDWK K X X 792
 15N4854WGDLC K792 X X 792

- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
 WEDGE TOP
 KNIFE RIM
 (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
48" x 54"								
15N4854WGDWK Wood	\$ 4567	48	54	1 ³ / ₁₆	—	—	92 lbs.	5.5
15N4854WGDLC Laminated	3282	48	54	1 ³ / ₁₆	—	—	92 lbs.	5.5
48" x 60"								
15N4860WGDWK Wood	\$ 4819	48	60	1 ³ / ₁₆	—	—	110 lbs.	6.2
15N4860WGDLC Laminated	3536	48	60	1 ³ / ₁₆	—	—	110 lbs.	6.2
48" x 66"								
15N4866WGDWK Wood	\$ 5072	48	66	1 ³ / ₁₆	—	—	135 lbs.	7.5
15N4866WGDLC Laminated	3784	48	66	1 ³ / ₁₆	—	—	135 lbs.	7.5
48" x 72"								
15N4872WGDWK Wood	\$ 5324	48	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	158 lbs.	7.9
15N4872WGDLC Laminated	4037	48	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	158 lbs.	7.9
48" x 78"								
15N4878WGDWK Wood	\$ 5575	48	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	180 lbs.	8.3
15N4878WGDLC Laminated	4290	48	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	180 lbs.	8.3
48" x 84"								
15N4884WGDWK Wood	\$ 5828	48	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	10.0
15N4884WGDLC Laminated	4540	48	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	10.0
54" x 48"								
15N5448WGDWK Wood	\$ 4498	54	48 ³ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
15N5448WGDLC Laminated	3212	54	48 ³ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
54" x 54"								
15N5454WGDWK Wood	\$ 4748	54	54	1 ³ / ₁₆	—	—	121 lbs.	7.1
15N5454WGDLC Laminated	3463	54	54	1 ³ / ₁₆	—	—	121 lbs.	7.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N5460WGDWK K X X 792
 15N5460WGDLK K792 X X 792

- See pages 228-231 for all options available in MIO

EXHIBIT MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
54" x 60"								
15N5460WGDWK Wood	\$ 5003	54	60	1 1/16	—	—	135 lbs.	7.9
15N5460WGDLK Laminate	3717	54	60	1 1/16	—	—	135 lbs.	7.9
54" x 66"								
15N5466WGDWK Wood	\$ 5256	54	66	1 1/16	—	—	135 lbs.	8.6
15N5466WGDLK Laminate	3968	54	66	1 1/16	—	—	135 lbs.	8.6
54" x 72"								
15N5472WGDWK Wood	\$ 5507	54	71 1/16	1 1/16	—	—	145 lbs.	9.1
15N5472WGDLK Laminate	4221	54	71 1/16	1 1/16	—	—	145 lbs.	9.1
54" x 78"								
15N5478WGDWK Wood	\$ 5759	54	77 1/16	1 1/16	—	—	165 lbs.	9.5
15N5478WGDLK Laminate	4472	54	77 1/16	1 1/16	—	—	165 lbs.	9.5
54" x 84"								
15N5484WGDWK Wood	\$ 6011	54	83 1/16	1 1/16	—	—	200 lbs.	10.3
15N5484WGDLK Laminate	4724	54	83 1/16	1 1/16	—	—	200 lbs.	10.3
60" x 48"								
15N6048WGDWK Wood	\$ 4819	58 3/8	48 1/16	1 1/16	—	—	121 lbs.	6.9
15N6048WGDLK Laminate	3536	58 3/8	48 1/16	1 1/16	—	—	121 lbs.	6.9
60" x 54"								
15N6054WGDWK Wood	\$ 4945	58 3/8	54	1 1/16	—	—	135 lbs.	7.5
15N6054WGDLK Laminate	3659	58 3/8	54	1 1/16	—	—	135 lbs.	7.5
60" x 60"								
15N6060WGDWK Wood	\$ 5310	58 3/8	60	1 1/16	—	—	150 lbs.	8.3
15N6060WGDLK Laminate	4242	58 3/8	60	1 1/16	—	—	150 lbs.	8.3

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40 1/2" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N6066WGDWK K X D1B485 MH
 15N6066WGDLC K405 X X 405

- See pages 228-231 for all options available in Mio

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
60" x 66"								
15N6066WGDWK Wood	\$ 5562	58%	66	1 ³ / ₁₆	—	—	182 lbs.	9.1
15N6066WGDLC Laminated	4493	58%	66	1 ³ / ₁₆	—	—	182 lbs.	9.1
60" x 72"								
15N6072WGDWK Wood	\$ 5810	58%	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	9.6
15N6072WGDLC Laminated	4746	58%	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	9.6
60" x 78"								
15N6078WGDWK Wood	\$ 6065	58%	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	245 lbs.	10.0
15N6078WGDLC Laminated	4998	58%	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	245 lbs.	10.0
60" x 84"								
15N6084WGDWK Wood	\$ 6316	58%	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	270 lbs.	10.8
15N6084WGDLC Laminated	5250	58%	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	270 lbs.	10.8

**EXHIBIT MOUNT
 WEDGE TOP
 KNIFE RIM
 (CONTINUED)**



- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40%" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N3648UDW F X D1B485 MH
 15N3648UDL V405 X X 405

- See pages 228-231 for all options available in MIO

EXHIBIT MOUNT U-SHAPED TOP SOFTENED RIM



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
36" x 48"								
15N3648UDW Wood	\$ 3174	36 $\frac{3}{8}$	48 $\frac{7}{16}$	1 $\frac{3}{16}$	—	—	50 lbs.	3.6
15N3648UDL Laminate	2175	36 $\frac{3}{8}$	48 $\frac{7}{16}$	1 $\frac{3}{16}$	—	—	50 lbs.	3.6
36" x 54"								
15N3654UDW Wood	\$ 3370	36 $\frac{3}{8}$	54	1 $\frac{3}{16}$	—	—	55 lbs.	4.4
15N3654UDL Laminate	2371	36 $\frac{3}{8}$	54	1 $\frac{3}{16}$	—	—	55 lbs.	4.4
36" x 60"								
15N3660UDW Wood	\$ 3565	36 $\frac{3}{8}$	60	1 $\frac{3}{16}$	—	—	59 lbs.	5.0
15N3660UDL Laminate	2567	36 $\frac{3}{8}$	60	1 $\frac{3}{16}$	—	—	59 lbs.	5.0
36" x 66"								
15N3666UDW Wood	\$ 3761	36 $\frac{3}{8}$	66	1 $\frac{3}{16}$	—	—	65 lbs.	6.0
15N3666UDL Laminate	2759	36 $\frac{3}{8}$	66	1 $\frac{3}{16}$	—	—	65 lbs.	6.0
36" x 72"								
15N3672UDW Wood	\$ 3955	36 $\frac{3}{8}$	71 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	76 lbs.	6.3
15N3672UDL Laminate	2955	36 $\frac{3}{8}$	71 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	76 lbs.	6.3
36" x 78"								
15N3678UDW Wood	\$ 3969	36 $\frac{3}{8}$	77 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	92 lbs.	6.6
15N3678UDL Laminate	2971	36 $\frac{3}{8}$	77 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	92 lbs.	6.6
36" x 84"								
15N3684UDW Wood	\$ 4163	36 $\frac{3}{8}$	83 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	105 lbs.	8.0
15N3684UDL Laminate	3165	36 $\frac{3}{8}$	83 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	105 lbs.	8.0
42" x 48"								
15N4248UDW Wood	\$ 3173	42	48 $\frac{7}{16}$	1 $\frac{3}{16}$	—	—	65 lbs.	3.6
15N4248UDL Laminate	2173	42	48 $\frac{7}{16}$	1 $\frac{3}{16}$	—	—	65 lbs.	3.6

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4254UDW F X NT1 AC
 15N4254UDL V462 X NT1 405

- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
 U-SHAPED TOP
 SOFTENED RIM
 (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
42" x 54"								
15N4254UDW Wood	\$ 3368	42	54	1 ³ / ₁₆	—	—	76 lbs.	5.0
15N4254UDL Laminate	2368	42	54	1 ³ / ₁₆	—	—	76 lbs.	5.0
42" x 60"								
15N4260UDW Wood	\$ 3564	42	60	1 ³ / ₁₆	—	—	92 lbs.	5.6
15N4260UDL Laminate	2565	42	60	1 ³ / ₁₆	—	—	92 lbs.	5.6
42" x 66"								
15N4266UDW Wood	\$ 3760	42	66	1 ³ / ₁₆	—	—	105 lbs.	6.8
15N4266UDL Laminate	2758	42	66	1 ³ / ₁₆	—	—	105 lbs.	6.8
42" x 72"								
15N4272UDW Wood	\$ 3954	42	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	110 lbs.	7.1
15N4272UDL Laminate	2954	42	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	110 lbs.	7.1
42" x 78"								
15N4278UDW Wood	\$ 4151	42	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	115 lbs.	7.5
15N4278UDL Laminate	3152	42	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	115 lbs.	7.5
42" x 84"								
15N4284UDW Wood	\$ 4346	42	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	120 lbs.	9.0
15N4284UDL Laminate	3345	42	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	120 lbs.	9.0
48" x 48"								
15N4848UDW Wood	\$ 3354	48	48 ⁷ / ₁₆	1 ³ / ₁₆	—	—	59 lbs.	4.5
15N4848UDL Laminate	2353	48	48 ⁷ / ₁₆	1 ³ / ₁₆	—	—	59 lbs.	4.5
48" x 54"								
15N4854UDW Wood	\$ 3548	48	54	1 ³ / ₁₆	—	—	92 lbs.	5.5
15N4854UDL Laminate	2549	48	54	1 ³ / ₁₆	—	—	92 lbs.	5.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4860UDW F X NT1 AC
 15N4860UDL V462 X NT1 405

- See pages 228-231 for all options available in Mio

EXHIBIT MOUNT U-SHAPED TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
48" x 60"								
15N4860UDW Wood	\$ 3745	48	60	1 1/16	—	—	110 lbs.	6.2
15N4860UDL Laminate	2747	48	60	1 1/16	—	—	110 lbs.	6.2
48" x 66"								
15N4866UDW Wood	\$ 3941	48	66	1 1/16	—	—	135 lbs.	7.5
15N4866UDL Laminate	2942	48	66	1 1/16	—	—	135 lbs.	7.5
48" x 72"								
15N4872UDW Wood	\$ 4138	48	71 1/16	1 1/16	—	—	158 lbs.	7.9
15N4872UDL Laminate	3137	48	71 1/16	1 1/16	—	—	158 lbs.	7.9
48" x 78"								
15N4878UDW Wood	\$ 4334	48	77 1/16	1 1/16	—	—	180 lbs.	8.3
15N4878UDL Laminate	3333	48	77 1/16	1 1/16	—	—	180 lbs.	8.3
48" x 84"								
15N4884UDW Wood	\$ 4529	48	83 1/16	1 1/16	—	—	210 lbs.	10.0
15N4884UDL Laminate	3530	48	83 1/16	1 1/16	—	—	210 lbs.	10.0
54" x 48"								
15N5448UDW Wood	\$ 3451	54	48 1/16	1 1/16	—	—	92 lbs.	6.6
15N5448UDL Laminate	2452	54	48 1/16	1 1/16	—	—	92 lbs.	6.6
54" x 54"								
15N5454UDW Wood	\$ 3646	54	54	1 1/16	—	—	121 lbs.	7.1
15N5454UDL Laminate	2646	54	54	1 1/16	—	—	121 lbs.	7.1
54" x 60"								
15N5460UDW Wood	\$ 3840	54	60	1 1/16	—	—	135 lbs.	7.9
15N5460UDL Laminate	2842	54	60	1 1/16	—	—	135 lbs.	7.9

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N5466UDW F CUT-G23C X TF
 15N5466UDL VTF CUT-G23C X TF

- See pages 228-231 for all options available in MIO

**EXHIBIT MOUNT
 U-SHAPED TOP
 SOFTENED RIM
 (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
54" x 66"								
15N5466UDW Wood	\$ 4036	54	66	1 ¹ / ₆	—	—	135 lbs.	8.6
15N5466UDL Laminate	3039	54	66	1 ¹ / ₆	—	—	135 lbs.	8.6
54" x 72"								
15N5472UDW Wood	\$ 4232	54	71 ¹ / ₆	1 ¹ / ₆	—	—	145 lbs.	9.1
15N5472UDL Laminate	3233	54	71 ¹ / ₆	1 ¹ / ₆	—	—	145 lbs.	9.1
54" x 78"								
15N5478UDW Wood	\$ 4514	54	77 ¹ / ₆	1 ¹ / ₆	—	—	165 lbs.	9.5
15N5478UDL Laminate	3514	54	77 ¹ / ₆	1 ¹ / ₆	—	—	165 lbs.	9.5
54" x 84"								
15N5484UDW Wood	\$ 4711	54	83 ¹ / ₆	1 ¹ / ₆	—	—	200 lbs.	10.3
15N5484UDL Laminate	3713	54	83 ¹ / ₆	1 ¹ / ₆	—	—	200 lbs.	10.3
60" x 48"								
15N6048UDW Wood	\$ 3745	58 ¹ / ₂	48 ¹ / ₆	1 ¹ / ₆	—	—	121 lbs.	6.9
15N6048UDL Laminate	2747	58 ¹ / ₂	48 ¹ / ₆	1 ¹ / ₆	—	—	121 lbs.	6.9
60" x 54"								
15N6054UDW Wood	\$ 3840	58 ¹ / ₂	54	1 ¹ / ₆	—	—	135 lbs.	7.5
15N6054UDL Laminate	2842	58 ¹ / ₂	54	1 ¹ / ₆	—	—	135 lbs.	7.5
60" x 60"								
15N6060UDW Wood	\$ 4123	58 ¹ / ₂	60	1 ¹ / ₆	—	—	150 lbs.	8.3
15N6060UDL Laminate	3292	58 ¹ / ₂	60	1 ¹ / ₆	—	—	150 lbs.	8.3
60" x 66"								
15N6066UDW Wood	\$ 4319	58 ¹ / ₂	66	1 ¹ / ₆	—	—	182 lbs.	9.1
15N6066UDL Laminate	3491	58 ¹ / ₂	66	1 ¹ / ₆	—	—	182 lbs.	9.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N6072UDW F CUT-G23C X TF
 15N6072UDL VTF CUT-G23C X TF

- See pages 228-231 for all options available in MIO

EXHIBIT MOUNT U-SHAPED TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
60" x 72"								
15N6072UDW Wood	\$ 4514	58%	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	9.6
15N6072UDL Laminate	3688	58%	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	9.6
60" x 78"								
15N6078UDW Wood	\$ 4711	58%	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	245 lbs.	10.0
15N6078UDL Laminate	3882	58%	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	245 lbs.	10.0
60" x 84"								
15N6084UDW Wood	\$ 4906	58%	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	270 lbs.	10.8
15N6084UDL Laminate	4078	58%	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N3648UDWK K X X AC
 15N3648UDLK K462 X X 405

- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
 U-SHAPED TOP
 KNIFE RIM**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
36" x 48"								
15N3648UDWK Wood	\$ 4531	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.6
15N3648UDLK Laminate	3234	36 $\frac{1}{8}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	50 lbs.	3.6
36" x 54"								
15N3654UDWK Wood	\$ 4730	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
15N3654UDLK Laminate	3431	36 $\frac{1}{8}$	54	1 $\frac{1}{16}$	—	—	55 lbs.	4.4
36" x 60"								
15N3660UDWK Wood	\$ 4924	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
15N3660UDLK Laminate	3625	36 $\frac{1}{8}$	60	1 $\frac{1}{16}$	—	—	59 lbs.	5.0
36" x 66"								
15N3666UDWK Wood	\$ 5118	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
15N3666UDLK Laminate	3819	36 $\frac{1}{8}$	66	1 $\frac{1}{16}$	—	—	65 lbs.	6.0
36" x 72"								
15N3672UDWK Wood	\$ 5315	36 $\frac{1}{8}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
15N3672UDLK Laminate	4017	36 $\frac{1}{8}$	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	76 lbs.	6.3
36" x 78"								
15N3678UDWK Wood	\$ 5325	36 $\frac{1}{8}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
15N3678UDLK Laminate	4029	36 $\frac{1}{8}$	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	92 lbs.	6.6
36" x 84"								
15N3684UDWK Wood	\$ 5521	36 $\frac{1}{8}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0
15N3684UDLK Laminate	4226	36 $\frac{1}{8}$	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	105 lbs.	8.0
42" x 48"								
15N4248UDWK Wood	\$ 3906	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	3.6
15N4248UDLK Laminate	3116	42	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	65 lbs.	3.6

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4254UDWK K X X AC
15N4254UDLK K462 X X 405

- See pages 228-231 for all options available in Mio

EXHIBIT MOUNT
U-SHAPED TOP
KNIFE RIM
(CONTINUED)

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
42" x 54"								
15N4254UDWK Wood	\$ 4099	42	54	1 $\frac{1}{16}$	—	—	76 lbs.	5.0
15N4254UDLK Laminate	3310	42	54	1 $\frac{1}{16}$	—	—	76 lbs.	5.0
42" x 60"								
15N4260UDWK Wood	\$ 4296	42	60	1 $\frac{1}{16}$	—	—	92 lbs.	5.6
15N4260UDLK Laminate	3505	42	60	1 $\frac{1}{16}$	—	—	92 lbs.	5.6
42" x 66"								
15N4266UDWK Wood	\$ 4490	42	66	1 $\frac{1}{16}$	—	—	105 lbs.	6.8
15N4266UDLK Laminate	3700	42	66	1 $\frac{1}{16}$	—	—	105 lbs.	6.8
42" x 72"								
15N4272UDWK Wood	\$ 4684	42	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	110 lbs.	7.1
15N4272UDLK Laminate	3894	42	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	110 lbs.	7.1
42" x 78"								
15N4278UDWK Wood	\$ 5508	42	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	115 lbs.	7.5
15N4278UDLK Laminate	4210	42	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	115 lbs.	7.5
42" x 84"								
15N4284UDWK Wood	\$ 5703	42	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	120 lbs.	9.0
15N4284UDLK Laminate	4405	42	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	120 lbs.	9.0
48" x 48"								
15N4848UDWK Wood	\$ 4358	48	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	4.5
15N4848UDLK Laminate	3059	48	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	59 lbs.	4.5
48" x 54"								
15N4854UDWK Wood	\$ 4613	48	54	1 $\frac{1}{16}$	—	—	92 lbs.	5.5
15N4854UDLK Laminate	3317	48	54	1 $\frac{1}{16}$	—	—	92 lbs.	5.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N4860UDWK K X X MC
 15N4860UDLK K478 X X 478

- See pages 228-231 for all options available in Mio

**EXHIBIT MOUNT
 U-SHAPED TOP
 KNIFE RIM
 (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
48" x 60"								
15N4860UDWK Wood	\$ 4866	48	60	1 ³ / ₁₆	—	—	110 lbs.	6.2
15N4860UDLK Laminate	3569	48	60	1 ³ / ₁₆	—	—	110 lbs.	6.2
48" x 66"								
15N4866UDWK Wood	\$ 5121	48	66	1 ³ / ₁₆	—	—	135 lbs.	7.5
15N4866UDLK Laminate	3824	48	66	1 ³ / ₁₆	—	—	135 lbs.	7.5
48" x 72"								
15N4872UDWK Wood	\$ 5377	48	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	158 lbs.	7.9
15N4872UDLK Laminate	4078	48	71 ¹ / ₁₆	1 ³ / ₁₆	—	—	158 lbs.	7.9
48" x 78"								
15N4878UDWK Wood	\$ 5634	48	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	180 lbs.	8.3
15N4878UDLK Laminate	4334	48	77 ¹ / ₁₆	1 ³ / ₁₆	—	—	180 lbs.	8.3
48" x 84"								
15N4884UDWK Wood	\$ 5883	48	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	10.0
15N4884UDLK Laminate	4589	48	83 ¹ / ₁₆	1 ³ / ₁₆	—	—	210 lbs.	10.0
54" x 48"								
15N5448UDWK Wood	\$ 4605	54	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
15N5448UDLK Laminate	3410	54	48 ¹ / ₁₆	1 ³ / ₁₆	—	—	92 lbs.	6.6
54" x 54"								
15N5454UDWK Wood	\$ 4800	54	54	1 ³ / ₁₆	—	—	121 lbs.	7.1
15N5454UDLK Laminate	3606	54	54	1 ³ / ₁₆	—	—	121 lbs.	7.1
54" x 60"								
15N5460UDWK Wood	\$ 4997	54	60	1 ³ / ₁₆	—	—	135 lbs.	7.9
15N5460UDLK Laminate	3696	54	60	1 ³ / ₁₆	—	—	135 lbs.	7.9

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N6066UDWK K X X MC
 15N6066UDLK K478 X X 478

- See pages 228-231 for all options available in Mio

EXHIBIT MOUNT U-SHAPED TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
54" x 66"								
15N5466UDWK Wood	\$ 5189	54	66	1 1/8	—	—	135 lbs.	8.6
15N5466UDLK Laminate	3890	54	66	1 1/8	—	—	135 lbs.	8.6
54" x 72"								
15N5472UDWK Wood	\$ 5385	54	71 1/8	1 1/8	—	—	145 lbs.	9.1
15N5472UDLK Laminate	4086	54	71 1/8	1 1/8	—	—	145 lbs.	9.1
54" x 78"								
15N5478UDWK Wood	\$ 5814	54	77 1/8	1 1/8	—	—	165 lbs.	9.5
15N5478UDLK Laminate	4514	54	77 1/8	1 1/8	—	—	165 lbs.	9.5
54" x 84"								
15N5484UDWK Wood	\$ 6069	54	83 1/8	1 1/8	—	—	200 lbs.	10.3
15N5484UDLK Laminate	4772	54	83 1/8	1 1/8	—	—	200 lbs.	10.3
60" x 48"								
15N6048UDWK Wood	\$ 4866	58 1/2	48 1/8	1 1/8	—	—	121 lbs.	6.9
15N6048UDLK Laminate	3569	58 1/2	48 1/8	1 1/8	—	—	121 lbs.	6.9
60" x 54"								
15N6054UDWK Wood	\$ 4997	58 1/2	54	1 1/8	—	—	135 lbs.	7.5
15N6054UDLK Laminate	3696	58 1/2	54	1 1/8	—	—	135 lbs.	7.5
60" x 60"								
15N6060UDWK Wood	\$ 5361	58 1/2	60	1 1/8	—	—	150 lbs.	8.3
15N6060UDLK Laminate	4284	58 1/2	60	1 1/8	—	—	150 lbs.	8.3
60" x 66"								
15N6066UDWK Wood	\$ 5615	58 1/2	66	1 1/8	—	—	182 lbs.	9.1
15N6066UDLK Laminate	4537	58 1/2	66	1 1/8	—	—	182 lbs.	9.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 230 for grommet and cutout locations
- Reference page 233 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Vinyl Rim Color (laminated models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminated Top Color

SAMPLE MODEL NUMBERS:

15N6072UDWK K X X MC
 15N6072UDLK K478 X X 478

- See pages 228-231 for all options available in Mio

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
EXHIBIT MOUNT U-SHAPED TOP KNIFE RIM (CONTINUED)								
								
60" x 72"								
15N6072UDWK Wood	\$ 5871	58%	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	210 lbs.	9.6
15N6072UDLK Laminate	4791	58%	71 ¹ / ₁₆	1 ¹ / ₁₆	—	—	210 lbs.	9.6
60" x 78"								
15N6078UDWK Wood	\$ 6125	58%	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	245 lbs.	10.0
15N6078UDLK Laminate	5047	58%	77 ¹ / ₁₆	1 ¹ / ₁₆	—	—	245 lbs.	10.0
60" x 84"								
15N6084UDWK Wood	\$ 6380	58%	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	270 lbs.	10.8
15N6084UDLK Laminate	5300	58%	83 ¹ / ₁₆	1 ¹ / ₁₆	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 292
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 231 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 293
- Notch cutout option available on back side, see page 231 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 480
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS


- STD channel height is 6" tall and should be specified when using the G15, G16, G17, G23, or no grommet
- Taper base shipped in 3 separate cartons

TO ORDER, SPECIFY:

1. Model Number
2. Base Wire Channel Height
3. Paint Color


SAMPLE MODEL NUMBER:

- 15N4828TPOBP 6 405
- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
EXHIBIT MOUNT TAPER BASE BAR HEIGHT 	15N4840TPOBP Painted	\$ 4414	12	36 ¹ / ₁₆	39 ³ / ₄	—	—	105 lbs.	18.1
	15N5440TPOBP Painted	4537	12	42	39 ³ / ₄	—	—	115 lbs.	20.7
	15N6040TPOBP Painted	4664	12	48	39 ³ / ₄	—	—	125 lbs.	23.3
	15N6640TPOBP Painted	4794	12	54	39 ³ / ₄	—	—	135 lbs.	25.9
	15N7240TPOBP Painted	4932	12	59 ¹ / ₁₆	39 ³ / ₄	—	—	145 lbs.	28.5
	15N7840TPOBP Painted	5062	12	65 ¹ / ₁₆	39 ³ / ₄	—	—	155 lbs.	31.1
	15N8440TPOBP Painted	5199	12	71 ¹ / ₁₆	39 ³ / ₄	—	—	165 lbs.	33.7

STD Channel Height

- Bases are only intended for use with the Mio Exhibit mount tops and Exhibit architectural wall
- Adjustable glides standard; 1¹/₂" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 5⁵/₁₆"; desk height bottom channel inside dimension is 5³/₁₆"; top channel top inside dimension is 10¹/₂"; top channel bottom inside dimension for STD height is 9³/₁₆"
- Reference page 233 for top and base guide

EXHIBIT MOUNT TAPER BASE DESK HEIGHT 	15N4828TPOBP Painted	\$ 4013	12	36 ¹ / ₁₆	27 ¹ / ₄	—	—	95 lbs.	13.0
	15N5428TPOBP Painted	4126	12	42	27 ¹ / ₄	—	—	110 lbs.	14.8
	15N6028TPOBP Painted	4242	12	48	27 ¹ / ₄	—	—	115 lbs.	16.7
	15N6628TPOBP Painted	4358	12	54	27 ¹ / ₄	—	—	125 lbs.	18.6
	15N7228TPOBP Painted	4482	12	59 ¹ / ₁₆	27 ¹ / ₄	—	—	135 lbs.	20.4
	15N7828TPOBP Painted	4607	12	65 ¹ / ₁₆	27 ¹ / ₄	—	—	145 lbs.	22.3
	15N8428TPOBP Painted	4737	12	71 ¹ / ₁₆	27 ¹ / ₄	—	—	155 lbs.	24.2

STD Channel Height

- Bases are only intended for use with the Mio Exhibit mount tops and Exhibit architectural wall
- Adjustable glides standard; 1¹/₂" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 5⁵/₁₆"; desk height bottom channel inside dimension is 5³/₁₆"; top channel top inside dimension is 10¹/₂"; top channel bottom inside dimension for STD height is 9³/₁₆"
- Reference page 233 for top and base guide


TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:


NAC01WMFM 501


• See pages 228-231 for all options available in Mio


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
EXHIBIT WALL RAIL AND FACEPLATE 	WALL RAIL AND FACEPLATE									
	11N72EXFP2	Set of 2	\$ 392	7/8	72	1 3/4	—	—	6 lbs.	0.7
	11N144EXFP2	Set of 2	563	7/8	144	1 3/4	—	—	12 lbs.	1.4
	11N72EXFP1	Set of 1	\$ 226	7/8	72	1 3/4	—	—	6 lbs.	0.7
	11N144EXFP1	Set of 1	312	7/8	144	1 3/4	—	—	12 lbs.	1.4
<ul style="list-style-type: none"> • Set of 2 includes 2 rails, 2 faceplates, and 4 alignment brackets • Set of 1 includes 1 rail, 1 faceplate, and 2 alignment brackets • Exhibit wall rail available in Cinder, Concrete, Iron, Platinum Metallic or Satin Nickel Metallic • Faceplates must be used when using an insert 										

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
EXHIBIT WALL RAIL 	WALL RAIL									
	11N72EXP1	1 Rail/No faceplate	\$ 137	3/4	72	1 3/4	—	—	6 lbs.	0.7
	11N144EXP1	1 Rail/No faceplate	199	3/4	144	1 3/4	—	—	12 lbs.	1.4
<ul style="list-style-type: none"> • Includes 1 wall rail and 2 alignment brackets • Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic • For use when hanging a worksurface or overhead without the use of an insert 										

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
EXHIBIT TV MOUNT VERTICAL WIRE MANAGER 	11N0615WMVW	Wood	\$ 489	1 1/2	5 3/4	15 7/16	—	—	8 lbs.	0.6
	11N0615WMVL	Laminate	327	1 1/2	5 3/4	15 7/16	—	—	8 lbs.	0.6
<ul style="list-style-type: none"> • Attaches to the Exhibit TV mount inserts; used to conceal power in-feed and data cables • When using Exhibit TV mount inserts and vertical wire manager with a Mio Exhibit mount worksurface, the worksurface needs to be configured with a notch for the worksurface wire manager 										

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
WORKSURFACE WIRE MANAGER FILLER 	NAC01WMFM		\$ 25	1	1	1	—	—	1 lbs.	0.5
	<ul style="list-style-type: none"> • Specify paint color • Paint options and recommendations are listed on page 231 									

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
FLAT PANEL WALL MOUNT KIT 	15NTVMAS	Black	\$ 499	15 3/4-47 1/4	15 3/4-31 1/4	—	—	25 lbs.	2.0	
	<ul style="list-style-type: none"> • Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel • Must mount onto an architectural wall • Black powder coat • VESA mounting compliant 									

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
TV MOUNT ADJUSTABLE, DUAL 	15NTVMAD	Black	\$ 1497	57	2 1/4	17 1/16	—	—	lbs.	2.1
	<ul style="list-style-type: none"> • Adjustable Universal Wall Mount • Must mount onto an architectural wall • Black powder coat • VESA mounting compliant 									

MIO




TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

15N93ELC 501

- See pages 228-231 for all options available in Mio

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
PERSONAL MARKER BOARD 	NAC1214MBL Laminate	\$ 202	$\frac{3}{8}$	12	14	—	—	lbs.	
	<ul style="list-style-type: none"> • High gloss, white laminate marker board • Marker board and hooks sold separately • Hooks to attach to bottom of worksurface to hang marker boards 								
SINGLE HOOK 	NAC02HKS Stainless Steel	\$ 80	$\frac{3}{4}$	$\frac{1}{2}$	$1\frac{3}{4}$	—	—	lbs.	
	<ul style="list-style-type: none"> • Hooks to attach to bottom of worksurface to hang marker boards 								
DOUBLE HOOK 	NAC03HKD Aluminum	\$ 44	$1\frac{3}{4}$	$3\frac{3}{4}$	$2\frac{1}{2}$	—	—	lbs.	
	<ul style="list-style-type: none"> • Hooks to attach to bottom of worksurface to hang marker boards • Cannot be used on knife rim tops 								
POWER POLE 	15N93ELC	\$ 408	$2\frac{1}{8}$	2	93	—	—	lbs.	0.9
	<ul style="list-style-type: none"> • Power pole will need to be cut to desired length in the field • Available in 6 paint colors: (462) Cinder, (423) Concrete, (405) Designer White, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic 								

STRASSA PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1 $\frac{3}{16}$ " HPL (high pressure laminate) or 1 $\frac{1}{8}$ " TFL (thermally fused laminate), and feature a softened 3mm vinyl rim
- Refer to page 297 for rim profile and colors
- Grain direction runs left-to-right
- Sizes 48" - 120" 1 piece top
 - 144" - 192" 2 piece top
 - 216" - 240" 3 piece top
- HPL will have matching grains on 2 and 3 piece tops
- TFL will have non-matching grains on 2 and 3 piece tops

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable leveling glides are standard on all casegoods
- End panels with modesty panels are 1 $\frac{1}{8}$ " thick
- End panels without modesty panels are 3" thick
- Laminate modesty panels have horizontal grain direction unless otherwise noted
- Laminate with horizontal grain (example: Sable Horizontal 792H) will always have horizontal grain direction

POWER/DATA ELECTRICAL SPECIFICATIONS

ROUND GROMMET (G10)

- NACG10EL features 2 120 volt receptacles and 2 Cat5E data ports and 6' AC cord rated at 15 amps; data ports are not pre-wired
- Field installable
- For conference tables only
- Black nylon
- 8 adapter plates are provided

DOUBLE PIVOTING M2X-B POWER GROMMET (G15B)

- Accommodates table thicknesses of $\frac{3}{4}$ "-1 $\frac{1}{4}$ "
- 1 touch door remains open during use
- 2 6 ft. power cords with 3-prong molded plug for each side
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- Corded units (standard and hardwire) have 2 72" long power cords (1 for each side) rated at 15 amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Field installable into a CUT-G15 (must be ordered)
- UL Listed
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo

INTERLINK IQ DOUBLE PIVOTING M2X-B POWER GROMMET (G15B)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- 1 touch door remains open during use
- Maximum of 4 units because G15 is double sided (F8)
- Jumper or transitional jumper used between the smart box and G15 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G15B Interlink has SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB-A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo

GLENBEIGH PIVOTING POWER GROMMET (G17A, G17B, G17C)

- Accommodates table thickness of $\frac{3}{4}$ "-1 $\frac{1}{4}$ "
- 10 ft. power cord with 3-prong molded plug
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- 15 amp, 120v (hardwire models)
- 10 ft. metal conduit (hardwire models)
- UL Listed
- G17A available with 2 power outlets
- G17B available with 1 power outlet and 1 USB-A + C combo port
- G17C available with 1 power outlet

INTERLINK IQ SYSTEM (G17A, G17B, G17C)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- Jumper or transitional jumper used between the smart box and G17 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G17A Interlink has 2 power outlets
- G17B Interlink has 1 power and 1 dual USB-A + C combo
- G17C Interlink has 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver, black, or white
- Hardwire available
- Not intended for use in end panel
- 9 foot, 15 amp cord
- UL Listed

DAISY LINK (G23)

- Field installable when CUT-G23 option is specified
- Not intended for use in end panel
- Silver, black, or white
- Includes 2 15 amp power receptacles (no data) and 2 USB (3.0 power) power ports
- Thumbscrew version with 2 backerplates and 2 $\frac{1}{4}$ "-20 thumbscrews
- 72" single circuit power cord for plugged starter unit; 48 $\frac{3}{8}$ " conduit and 24" power cord with 20 amp molded plug
- 72 $\frac{3}{8}$ " multi-circuit conduit power cord for hardwire starter unit
- Add-on unit does include a 60" jumper; jumper cable is 60 $\frac{3}{8}$ " metal conduit with female to female ends for connecting 2 daisy link power grommets
- UL Listed

DAISY LINK JUMPER

- 80", 180", or 240" jumper cable is metal conduit with female to female ends to connect 2 daisy link power grommets when the power is jumped between tables

4-TRAC

- Used as a power distribution in conjunction with our electrical grommet options
- 4 wires, 2 circuits, 20 amps each (circuit 1 and 2 only)
- 13 duplex receptacles per circuit (26) 15 amp duplex
- UL Listed as a manufactured wiring system
- Ease of install and reconfigure options
- Field installable

UNDERSURFACE POWER/DATA


- Contains 1 electrical outlet and 2 USB ports
- Mounts under surface
- 72" power cord included



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


STRASSA - AVAILABLE SIZES

Standard Height (29"), Full Modesty




36" x 48", 60", 72", 84", 96", 108", and 120"
 42" x 48", 60", 72", 84", 96", 108", and 120"
 48" x 48", 60", 72", 84", 96", 108", and 120"

Counter Height (35"), Full Modesty




36" x 48", 60", 72", 84", 96", 108", and 120"
 42" x 48", 60", 72", 84", 96", 108", and 120"
 48" x 48", 60", 72", 84", 96", 108", and 120"


Bar Height (41"), Full Modesty




36" x 48", 60", 72", 84", 96", 108", and 120"
 42" x 48", 60", 72", 84", 96", 108", and 120"
 48" x 48", 60", 72", 84", 96", 108", and 120"




48" x 144", 168", and 192"




48" x 144", 168", and 192"




48" x 144", 168", and 192"



48" x 216" and 240"




48" x 216" and 240"




48" x 216" and 240"

Standard Height (29"), No Modesty




24" x 48", 60", 72", 84", 96", 108", and 120"
 (single sided)
 30" x 48", 60", 72", 84", 96", 108", and 120"
 (single sided)
 36" x 48", 60", 72", 84", 96", 108", and 120"
 42" x 48", 60", 72", 84", 96", 108", and 120"
 48" x 48", 60", 72", 84", 96", 108", and 120"

Counter Height (35"), No Modesty




24" x 48", 60", 72", 84", 96", 108", and 120"
 (single sided)
 30" x 48", 60", 72", 84", 96", 108", and 120"
 (single sided)
 36" x 48", 60", 72", 84", 96", 108", and 120"
 42" x 48", 60", 72", 84", 96", 108", and 120"
 48" x 48", 60", 72", 84", 96", 108", and 120"


Bar Height (41"), No Modesty




24" x 48", 60", 72", 84", 96", 108", and 120"
 (single sided)
 30" x 48", 60", 72", 84", 96", 108", and 120"
 (single sided)
 36" x 48", 60", 72", 84", 96", 108", and 120"
 42" x 48", 60", 72", 84", 96", 108", and 120"
 48" x 48", 60", 72", 84", 96", 108", and 120"




48" x 144", 168", and 192"




48" x 144", 168", and 192"




48" x 144", 168", and 192"



48" x 216" and 240"



48" x 216" and 240"



48" x 216" and 240"

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn	MW	Midtown
AD	Almond	MH	Mocha
MC	Amber	YO	Monterey
AC2	Autumn 2	NM	Natural
BZ	Brazilwood	PC	Porcini
IM	Brighton	PT	Portico
CO	Canyon	PB	Portobello
CL	Caramel	792	Sable
CI	Chai	SC	Sedona
CC	Cordoba	SK	Skyline
CW	Cordovan	TW	Tribeca
DF	Driftwood	TF	Truffle
HN2	Honey 2	NW	Tuscan
TM	Huntington	UW	Urban
DW	Judicial	WL	Willow
KN	Kona		

• CSL available on HPL worksurfaces

SOLID LAMINATE

462	Cinder
492	Cinder Linear
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

PATTERN LAMINATE


818	Crisp Linen
821	Elemental Concrete
819	Flex Gauze
822	Smoke Quarstone
814	White Tigris

• Pattern laminates not available on TFL models

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

RIM PROFILE



Softened Vinyl (V)

VINYL SOFTENED RIM

793	Acorn	405	Designer White	PC	Porcini
AD	Almond	491	Designer White Linear	PT	Portico
MC	Amber	DF	Driftwood	PB	Portobello
AC2	Autumn 2	450	Fog	792	Sable
BZ	Brazilwood	488	Frosty White	SC	Sedona
IM	Brighton	461	Graphite	425	Shadow
CO	Canyon	HN2	Honey 2	SK	Skyline
CL	Caramel	TM	Huntington	460	Storm
CI	Chai	DW	Judicial	TW	Tribeca
462	Cinder	KN	Kona	TF	Truffle
492	Cinder Linear	MW	Midtown	NW	Tuscan
440	Cloud	MH	Mocha	UW	Urban
CC	Cordoba	YO	Monterey	419	Wallaby
CW	Cordovan	NM	Natural	WL	Willow
457	Dapple	478	Platinum Grey		

GALLERY VINYL SOFTENED RIM

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

END PANEL/MODESTY PANEL LAMINATE COLORS

WOODGRAIN LAMINATE

793	Acorn	MH	Mocha
AD	Almond	YO	Monterey
ADH	Almond Horizontal	NM	Natural
MC	Amber	PC	Porcini
AC2	Autumn 2	PT	Portico
BZ	Brazilwood	PTH	Portico Horizontal
IM	Brighton	PB	Portobello
CO	Canyon	PBH	Portobello Horizontal
CL	Caramel	792	Sable
CI	Chai	792H	Sable Horizontal
CC	Cordoba	SC	Sedona
CW	Cordovan	SK	Skyline
DF	Driftwood	SKH	Skyline Horizontal
HN2	Honey 2	TW	Tribeca
TM	Huntington	TF	Truffle
DW	Judicial	NW	Tuscan
KN	Kona	UW	Urban
MW	Midtown	WL	Willow

SOLID LAMINATE

462	Cinder
492	Cinder Linear
492H	Cinder Linear Horizontal
440	Cloud
457	Dapple
405	Designer White
491	Designer White Linear
491H	Designer White Linear Horizontal
450	Fog
488	Frosty White
461	Graphite
478	Platinum Grey
425	Shadow
460	Storm
419	Wallaby

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

• For a complete overview of the surface materials program, see the Surface Materials Reference Guide at www.kimballinternational.com
 • For special wood finishes, customer-specified paint, customer-specified laminate processes and upcharges, see the Surface Materials Reference Guide at www.kimballinternational.com

STRASSA - CONFIGURATION OPTIONS

GROMMET AND CUTOUT OPTIONS

Strassa tops are available with grommet cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End




- Reference pages 303-306 for grommet locations



NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 340 for pricing and details



98KG40AELPGBK, 98KG40AELPGWH, 98KG40AELPLG, NACG10BELPGB, NACG10BELPGW, and NACG10AELPGG
(Sold Separately)

- NACG10A and NACG10B power/USB grommet is available as a substitute for G10 grommet, if desired
- Reference Electrical Addendum for pricing and details


END PANEL GROMMET

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

\$41 list for each grommet

GE1L	Left
GE1R	Right
GE1LR	Left & Right




- Reference page 344 for pricing and details

Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location


CUT-G17C	Center
CUT-G17E	End
CUT-G17LR	Left & Right
CUT-G17A	All
CUT-G17CE	Center, End




- Reference pages 309-312 for cutout locations of CUT-G17



NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)




NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)




NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

- Reference page 342 for pricing and details




NACG17AELPD2IQKB, NACG17AELPD2IQS, NACG17AELPD2IQKW, NACG17AELPD2IQB, NACG17AELPD2IQS, and NACG17AELPD2IQW
(Sold Separately)

- Reference page 343 for pricing and details



NACG17BELPD2IQKB, NACG17BELPD2IQS, NACG17BELPD2IQKW, NACG17BELPD2IQB, NACG17BELPD2IQS, and NACG17BELPD2IQW
(Sold Separately)

- Reference page 344 for pricing and details




NACG17CELPD2IQKB, NACG17CELPD2IQS, NACG17CELPD2IQKW, NACG17CELPD2IQB, NACG17CELPD2IQS, and NACG17CELPD2IQW
(Sold Separately)

- Reference page 345 for pricing and details


Cutout Option for G23 Power Grommet

\$41 list upcharge per cutout location

CUT-G23C	Center
CUT-G23E	End
CUT-G23LR	Left, Right
CUT-G23A	All
CUT-G23CE	Center, End




- Reference pages 313-316 for cutout locations of CUT-G23




NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)

- Reference page 348 for pricing and details



Plugged Starter Unit



Hardwire Starter Unit

NAC80ELDLJ, NACG23ELDLB1, NACG23ELDLB2, NACG23ELDLHB1, NACG23ELDLHS1, NACG23ELDLS1, and NACG23ELDLS2 (Sold Separately)

- Reference page 348 for pricing and details

END PANEL GROMMET OPTIONS (FOR NO MODESTY MODELS)

If no grommet is desired, specify an X (No Grommet)


**Round Grommet,
Black Plastic**

\$41 list for each grommet location


GE1L	Left
GE1R	Right
GE1LR	Left & Right
CUT-GE17L	Left
CUT-GE17R	Right
CUT-GE17LR	Left & Right
CUT-GE23L	Left
CUT-GE23R	Right
CUT-GE23LR	Left & Right

- GE1 located 17" up from bottom panel
- G17A, G17B, G17C, and G23 is located just below the worksurface and centered


NOTE: Single sided models have electrical closer to approach side of table, therefore end panel grommets will be located closer to the approach side




GE1L, GE1R, GE1LR




**NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW (Sold Separately)**



**NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW (Sold Separately)**



**NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW (Sold Separately)**



**NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)**

STRASSA - CONFIGURATION OPTIONS

GROMMET CUTOUT OPTIONS (FOR NO MODESTY MODELS)

Strassa tops are available with grommet cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, or if using the undersurface power/data, specify an X.

Round Grommet Option, Black

\$103 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End




- Reference pages 303-306 for grommet locations



NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 340 for pricing and details




**98KG40AELPGBK, 98KG40AELPGWH,
98KG40AELPGLG, NACG10BELPGB,
NACG10BELPGW, and NACG10AELPGG**
(Sold Separately)

- NACG10A and NACG10B power/USB grommet is available as a substitute for G10 grommet, if desired
- Reference Electrical Addendum for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

\$41 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End




- Reference pages 307-308 for cutout locations of CUT-G15

Cutout Option for 1 Touch Pivoting Power Grommet

\$41 list upcharge per cutout location


CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center



- Reference pages 309-312 for cutout locations of CUT-G17



**NACG17AELPGB, NACG17AELPGS, and
NACG17AELPGW** (Sold Separately)




**NACG17BELPGB, NACG17BELPGS, and
NACG17BELPGW** (Sold Separately)




**NACG17CELPGB, NACG17CELPGS, and
NACG17CELPGW** (Sold Separately)

- Reference page 342 for pricing and details




**NACG17AELPD2IQKB, NACG17AELPD2IQKS,
NACG17AELPD2IQKB, NACG17AELPD2IQB,
NACG17AELPD2IQS, and NACG17AELPD2IQW**
(Sold Separately)

- Reference page 343 for pricing and details



**NACG17BELPD2IQKB, NACG17BELPD2IQKS,
NACG17BELPD2IQKW, NACG17BELPD2IQB,
NACG17BELPD2IQS, and NACG17BELPD2IQW**
(Sold Separately)

- Reference page 344 for pricing and details




**NACG17CELPD2IQKB, NACG17CELPD2IQKS,
NACG17CELPD2IQKW, NACG17CELPD2IQB,
NACG17CELPD2IQS, and NACG17CELPD2IQW**
(Sold Separately)

- Reference page 345 for pricing and details


Cutout Option for G23 Power Grommet

\$41 list upcharge per cutout location

CUT-G23C	Center
CUT-G23E	End
CUT-G23LR	Left, Right
CUT-G23A	All
CUT-G23CE	Center, End




- Reference pages 313-316 for cutout locations of CUT-G23




NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)

- Reference page 348 for pricing and details



Plugged Starter Unit



Hardwire Starter Unit

**NAC80ELDLJ, NACG23ELDLB1,
NACG23ELDLB2, NACG23ELDLHB1,
NACG23ELDLHS1, NACG23ELDLS1, and
NACG23ELDLS2** (Sold Separately)

- Not intended for use in end panel
- Reference page 348 for pricing and details




TABLE LENGTH	A DUPLEX	B DUPLEX	C DUPLEX	D DUPLEX
48"	n/a	16 ³ / ₁₆	31 ¹³ / ₁₆	n/a
60"	n/a	22 ³ / ₁₆	37 ¹³ / ₁₆	n/a
72"	n/a	24 ³ / ₁₆	47 ¹³ / ₁₆	n/a
84"	n/a	30 ³ / ₈	53 ¹³ / ₁₆	n/a
96"	30 ¹ / ₁₆	36 ³ / ₈	59 ³ / ₄	n/a
108"	36 ¹ / ₁₆	42 ¹ / ₈	65 ³ / ₄	n/a
120"	3 ³ / ₁₆	44 ³ / ₈	75 ¹ / ₁₆	n/a
144"	38 ³ / ₁₆	44 ³ / ₈	99 ⁷ / ₁₆	105 ¹ / ₂
168"	44 ¹ / ₄	50 ³ / ₁₆	117 ³ / ₈	123 ³ / ₁₆
192"	50 ¹ / ₄	56 ³ / ₁₆	135 ³ / ₈	141 ¹ / ₁₆
216"	50 ¹ / ₁₆	56 ¹ / ₄	159 ⁹ / ₁₆	165 ³ / ₈
240"	14 ⁵ / ₈	68 ¹ / ₄	171 ¹ / ₁₆	224 ¹³ / ₁₆

*Dimensions are in inches
See page 339 for pricing

STRASSA - FUNCTIONAL SEATING CAPACITY

FUNCTIONAL SEATING CAPACITY

Reference the chart for the number of seats which can be used with each top size.

TABLE SIZES	
24"/30" x 48"	1
24"/30" x 60"	2
24"/30" x 72"	2
24"/30" x 84"	2
24"/30" x 96"	3
24"/30" x 108"	3
24"/30" x 120"	4
36"/42"/48" x 48"	2
36"/42"/48" x 60"	4
36"/42"/48" x 72"	4
36"/42"/48" x 84"	4
36"/42"/48" x 96"	6
36"/42"/48" x 108"	6
36"/42"/48" x 120"	8
48" x 144"	8
48" x 168"	10
48" x 192"	12
48" x 216"	14
48" x 240"	16





TABLE WIDTH	SEATING CAPACITY	NUMBER OF MINITAPS PER TABLE
48"	2	2 units (1 per side)
60"	4	2 units (1/side); or 4 units (2/side)
72"	4	2 units (1/side); or 4 units (2/side)
84"	4	2 units (1/side); or 4 units (2/side)
96"	6	4 units (2/side); or 6 units (3/side)
108"	6	4 units (2/side); or 6 units (3/side)
120"	8	4 units (2/side); or 6 units (3/side); or 8 units (4/side)
144"	8	4 units (2/side); or 6 units (3/side); or 8 units (4/side)
168"	10	6 units (3/side); or 8 units (4/side)
192"	12	6 units (3/side); or 8 units (4/side)
216"	14	6 units (3/side); or 8 units (4/side)
240"	16	8 units (4/side)

GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY) - STRASSA

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired



• G10 Round Grommet





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"				60"				72"						
		A	B	C	D		A	B	C	D		A	B	C	D
G10C CENTER	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—
G10E END	48"	12"	—	—	—	60"	15"	—	—	—	72"	17½"	—	—	—
G10LR LEFT, RIGHT	48"	12"	—	—	36"	60"	15"	—	—	45"	72"	17½"	—	—	54½"
G10A ALL	48"	12"	24"	—	36"	60"	15"	30"	—	45"	72"	17½"	36"	—	54½"
G10CE CENTER, END	48"	12"	24"	—	—	60"	15"	30"	—	—	72"	17½"	36"	—	—
	84"				96"				108"						
G10C CENTER	84"	—	41½"	—	—	96"	—	47½"	—	—	108"	—	53½"	—	—
G10E END	84"	20½"	—	—	—	96"	23½"	—	—	—	108"	26½"	—	—	—
G10LR LEFT, RIGHT	84"	20½"	—	—	63½"	96"	23½"	—	—	72½"	108"	26½"	—	—	81¾"
G10A ALL	84"	20½"	41½"	—	63½"	96"	23½"	47½"	—	72½"	108"	26½"	53½"	—	81¾"
G10CE CENTER, END	84"	20½"	41½"	—	—	96"	23½"	47½"	—	—	108"	26½"	53½"	—	—

STRASSA - GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY)

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired



• G10 Round Grommet




TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"				144"				168"							
	A	B	C	D	A	B	C	D	A	B	C	D				
G10C CENTER	120"	—	59 ¹ / ₁₆ "	—	—	144"	—	57 ¹ / ₈ "	86 ¹ / ₈ "	—	—	168"	—	66 ³ / ₄ "	100 ¹ / ₁₆ "	—
G10E END	120"	29 ¹ / ₈ "	—	—	—	144"	27 ¹ / ₁₆ "	—	—	—	—	168"	32 ¹ / ₂ "	—	—	—
G10LR LEFT, RIGHT	120"	29 ¹ / ₈ "	—	—	90 ³ / ₄ "	144"	27 ¹ / ₁₆ "	—	—	116 ¹ / ₁₆ "	—	168"	32 ¹ / ₂ "	—	—	135 ³ / ₁₆ "
G10A ALL	120"	29 ¹ / ₈ "	59 ¹ / ₁₆ "	—	90 ³ / ₄ "	144"	27 ¹ / ₁₆ "	57 ¹ / ₈ "	86 ¹ / ₈ "	116 ¹ / ₁₆ "	—	168"	32 ¹ / ₂ "	66 ³ / ₄ "	100 ¹ / ₁₆ "	135 ³ / ₁₆ "
G10CE CENTER, END	120"	29 ¹ / ₈ "	59 ¹ / ₁₆ "	—	—	144"	27 ¹ / ₁₆ "	57 ¹ / ₈ "	86 ¹ / ₈ "	—	—	168"	32 ¹ / ₂ "	66 ³ / ₄ "	100 ¹ / ₁₆ "	—
	192"				216"				240"							
G10C CENTER	192"	—	76 ⁵ / ₁₆ "	115 ⁵ / ₁₆ "	—	216"	—	85 ⁵ / ₈ "	129 ¹ / ₁₆ "	—	—	240"	—	95 ⁵ / ₁₆ "	144 ¹ / ₁₆ "	—
G10E END	192"	37 ⁵ / ₁₆ "	—	—	—	216"	42 ¹ / ₁₆ "	—	—	—	—	240"	46 ⁷ / ₈ "	—	—	—
G10LR LEFT, RIGHT	192"	37 ⁵ / ₁₆ "	—	—	154 ³ / ₈ "	216"	42 ¹ / ₁₆ "	—	—	173 ¹ / ₂ "	—	240"	46 ⁷ / ₈ "	—	—	192 ¹ / ₁₆ "
G10A ALL	192"	37 ⁵ / ₁₆ "	76 ⁵ / ₁₆ "	115 ⁵ / ₁₆ "	154 ³ / ₈ "	216"	42 ¹ / ₁₆ "	85 ⁵ / ₈ "	129 ¹ / ₁₆ "	173 ¹ / ₂ "	—	240"	46 ⁷ / ₈ "	95 ⁵ / ₁₆ "	144 ¹ / ₁₆ "	192 ¹ / ₁₆ "
G10CE CENTER, END	192"	37 ⁵ / ₁₆ "	76 ⁵ / ₁₆ "	115 ⁵ / ₁₆ "	—	216"	42 ¹ / ₁₆ "	85 ⁵ / ₈ "	129 ¹ / ₁₆ "	—	—	240"	46 ⁷ / ₈ "	95 ⁵ / ₁₆ "	144 ¹ / ₁₆ "	—

GROMMET LOCATIONS ON TOPS (SINGLE SIDED - NO MODESTY) - STRASSA

- The 24" and 30" depths have the top grommets 9¹/₁₆" from the approach edge to the center of the grommet
- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired




TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"				60"				72"						
	A	B	C	D	A	B	C	D	A	B	C	D			
G10C CENTER	48"	–	24"	–	–	60"	–	30"	–	–	72"	–	36"	–	–
G10L LEFT	48"	12"	–	–	–	60"	15"	–	–	–	72"	17 ¹ / ₈ "	–	–	–
G10R RIGHT	48"	–	–	–	36"	60"	–	–	–	45"	72"	–	–	–	54 ¹ / ₁₆ "
G10LR LEFT, RIGHT	48"	12"	–	–	36"	60"	15"	–	–	45"	72"	17 ¹ / ₈ "	–	–	54 ¹ / ₁₆ "
G10A ALL	48"	12"	24"	–	36"	60"	15"	30"	–	45"	72"	17 ¹ / ₈ "	36"	–	54 ¹ / ₁₆ "
G10LC LEFT, CENTER	48"	12"	24"	–	–	60"	15"	30"	–	–	72"	17 ¹ / ₈ "	36"	–	–
G10RC RIGHT, CENTER	48"	–	24"	–	36"	60"	–	30"	–	45"	72"	–	36"	–	54 ¹ / ₁₆ "
	84"				96"				108"						
G10C CENTER	84"	–	41 ¹ / ₁₆ "	–	–	96"	–	47 ¹ / ₁₆ "	–	–	108"	–	53 ¹ / ₁₆ "	–	–
G10L LEFT	84"	20 ¹ / ₈ "	–	–	–	96"	23 ¹ / ₈ "	–	–	–	108"	26 ¹ / ₈ "	–	–	–
G10R RIGHT	84"	–	–	–	63 ¹ / ₁₆ "	96"	–	–	–	72 ¹ / ₁₆ "	108"	–	–	–	81 ³ / ₄ "
G10LR LEFT, RIGHT	84"	20 ¹ / ₈ "	–	–	63 ¹ / ₁₆ "	96"	23 ¹ / ₈ "	–	–	72 ¹ / ₁₆ "	108"	26 ¹ / ₈ "	–	–	81 ³ / ₄ "
G10A ALL	84"	20 ¹ / ₈ "	41 ¹ / ₁₆ "	–	63 ¹ / ₁₆ "	96"	23 ¹ / ₈ "	47 ¹ / ₁₆ "	–	72 ¹ / ₁₆ "	108"	26 ¹ / ₈ "	53 ¹ / ₁₆ "	–	81 ³ / ₄ "
G10LC LEFT, CENTER	84"	20 ¹ / ₈ "	41 ¹ / ₁₆ "	–	–	96"	23 ¹ / ₈ "	47 ¹ / ₁₆ "	–	–	108"	26 ¹ / ₈ "	53 ¹ / ₁₆ "	–	–
G10RC RIGHT, CENTER	84"	–	41 ¹ / ₁₆ "	–	63 ¹ / ₁₆ "	96"	–	47 ¹ / ₁₆ "	–	72 ¹ / ₁₆ "	108"	–	53 ¹ / ₁₆ "	–	81 ³ / ₄ "

STRASSA - GROMMET LOCATIONS ON TOPS (SINGLE SIDED - NO MODESTY)

- The 24" and 30" depths have the top grommets 9⁵/₁₆" from the approach edge to the center of the grommet
- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"				
		A	B	C	D
G10C CENTER		A	B	C	D
	120"	—	59 ¹ / ₁₆ "	—	—
G10L LEFT		A	B	C	D
	120"	29 ¹ / ₁₆ "	—	—	—
G10R RIGHT		A	B	C	D
	120"	—	—	—	90 ³ / ₄ "
G10LR LEFT, RIGHT		A	B	C	D
	120"	29 ¹ / ₁₆ "	—	—	90 ³ / ₄ "
G10A ALL		A	B	C	D
	120"	29 ¹ / ₁₆ "	59 ¹ / ₁₆ "	—	90 ³ / ₄ "
G10LC LEFT, CENTER		A	B	C	D
	120"	29 ¹ / ₁₆ "	59 ¹ / ₁₆ "	—	—
G10RC RIGHT, CENTER		A	B	C	D
	120"	—	59 ¹ / ₁₆ "	—	90 ³ / ₄ "

GROMMET LOCATIONS ON TOPS (NO MODESTY) - STRASSA

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- G15 grommet options not available on 24" and 30" depths



• CUT-G15 option






TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"				60"				72"						
		A	B	C	D		A	B	C	D		A	B	C	D
G15C CENTER	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—
G15E END	48"	9 7/8"	—	—	—	60"	12 7/8"	—	—	—	72"	15 7/8"	—	—	—
G15LR LEFT, RIGHT	48"	9 7/8"	—	—	38 3/8"	60"	12 7/8"	—	—	47 3/8"	72"	15 7/8"	—	—	56 1/16"
G15A ALL	48"	9 7/8"	24"	—	38 3/8"	60"	12 7/8"	30"	—	47 3/8"	72"	15 7/8"	36"	—	56 1/16"
G15CE CENTER, END	48"	9 7/8"	24"	—	—	60"	12 7/8"	30"	—	—	72"	15 7/8"	36"	—	—
	84"				96"				108"						
G15C CENTER	84"	—	41 1/16"	—	—	96"	—	47 1/16"	—	—	108"	—	53 1/16"	—	—
G15E END	84"	18 7/8"	—	—	—	96"	21 7/8"	—	—	—	108"	24 7/8"	—	—	—
G15LR LEFT, RIGHT	84"	18 7/8"	—	—	65 1/16"	96"	21 7/8"	—	—	74 1/16"	108"	24 7/8"	—	—	83 3/4"
G15A ALL	84"	18 7/8"	41 1/16"	—	65 1/16"	96"	21 7/8"	47 1/16"	—	74 1/16"	108"	24 7/8"	53 1/16"	—	83 3/4"
G15CE CENTER, END	84"	18 7/8"	41 1/16"	—	—	96"	21 7/8"	47 1/16"	—	—	108"	24 7/8"	53 1/16"	—	—

STRASSA - GROMMET LOCATIONS ON TOPS (NO MODESTY)

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- G15 grommet options not available on 24" and 30" depths



• CUT-G15 option






TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"				144"				168"							
	A	B	C	D	A	B	C	D	A	B	C	D				
G15C CENTER	120"	—	59 ¹ / ₁₆ "	—	—	144"	—	56 ⁵ / ₁₆ "	87 ¹ / ₄ "	—	—	168"	—	66 ¹ / ₈ "	101 ¹ / ₈ "	—
G15E END	120"	27 ³ / ₈ "	—	—	—	144"	25 ³ / ₈ "	—	—	—	—	168"	30 ¹ / ₁₆ "	—	—	—
G15LR LEFT, RIGHT	120"	27 ³ / ₈ "	—	—	92 ¹ / ₄ "	144"	25 ³ / ₈ "	—	—	117 ⁷ / ₈ "	—	168"	30 ¹ / ₁₆ "	—	—	137"
G15A ALL	120"	27 ³ / ₈ "	59 ¹ / ₁₆ "	—	92 ¹ / ₄ "	144"	25 ³ / ₈ "	56 ⁵ / ₁₆ "	87 ¹ / ₄ "	117 ⁷ / ₈ "	—	168"	30 ¹ / ₁₆ "	66 ¹ / ₈ "	101 ¹ / ₈ "	137"
G15CE CENTER, END	120"	27 ³ / ₈ "	59 ¹ / ₁₆ "	—	—	144"	25 ³ / ₈ "	56 ⁵ / ₁₆ "	87 ¹ / ₄ "	—	—	168"	30 ¹ / ₁₆ "	66 ¹ / ₈ "	101 ¹ / ₈ "	—
	192"				216"				240"							
G15C CENTER	192"	—	75 ³ / ₄ "	115 ¹ / ₁₆ "	—	216"	—	85 ⁵ / ₁₆ "	130 ¹ / ₁₆ "	—	—	240"	—	94 ⁷ / ₈ "	144 ¹ / ₁₆ "	—
G15E END	192"	35 ¹ / ₂ "	—	—	—	216"	40 ¹ / ₄ "	—	—	—	—	240"	45 ¹ / ₁₆ "	—	—	—
G15LR LEFT, RIGHT	192"	35 ¹ / ₂ "	—	—	156 ³ / ₁₆ "	216"	40 ¹ / ₄ "	—	—	175 ⁵ / ₁₆ "	—	240"	45 ¹ / ₁₆ "	—	—	194 ¹ / ₁₆ "
G15A ALL	192"	35 ¹ / ₂ "	75 ³ / ₄ "	115 ¹ / ₁₆ "	156 ³ / ₁₆ "	216"	40 ¹ / ₄ "	85 ⁵ / ₁₆ "	130 ¹ / ₁₆ "	175 ⁵ / ₁₆ "	—	240"	45 ¹ / ₁₆ "	94 ⁷ / ₈ "	144 ¹ / ₁₆ "	194 ¹ / ₁₆ "
G15CE CENTER, END	192"	35 ¹ / ₂ "	75 ³ / ₄ "	115 ¹ / ₁₆ "	—	216"	40 ¹ / ₄ "	85 ⁵ / ₁₆ "	130 ¹ / ₁₆ "	—	—	240"	45 ¹ / ₁₆ "	94 ⁷ / ₈ "	144 ¹ / ₁₆ "	—

GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY) - STRASSA

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- For G17, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



• CUT-G17 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"				60"				72"						
	A	B	C	D	A	B	C	D	A	B	C	D			
G17L OR G17R LEFT OR RIGHT	48"	6"	—	—	60"	6"	—	—	72"	6"	—	—			
G17LR LEFT & RIGHT	48"	6"	—	42 ¹ / ₁₆ "	60"	6"	—	54"	72"	6"	—	66"			
G17C CENTER	48"	—	20 ¹ / ₁₆ "	27 ¹ / ₁₆ "	60"	—	26 ¹ / ₁₆ "	33 ¹ / ₁₆ "	72"	—	32 ¹ / ₁₆ "	39 ¹ / ₁₆ "			
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER	48"	6"	20 ¹ / ₁₆ "	27 ¹ / ₁₆ "	60"	6"	26 ¹ / ₁₆ "	33 ¹ / ₁₆ "	72"	6"	32 ¹ / ₁₆ "	39 ¹ / ₁₆ "			
G17A LEFT, RIGHT & CENTER	48"	6"	20 ¹ / ₁₆ "	27 ¹ / ₁₆ "	42 ¹ / ₁₆ "	60"	6"	26 ¹ / ₁₆ "	33 ¹ / ₁₆ "	54"	72"	6"	32 ¹ / ₁₆ "	39 ¹ / ₁₆ "	66"
	84"				96"				108"						
G17L OR G17R LEFT OR RIGHT	84"	6"	—	—	96"	6"	—	—	108"	6"	—	—			
G17LR LEFT & RIGHT	84"	6"	—	77 ¹ / ₁₆ "	96"	6"	—	89 ¹ / ₁₆ "	108"	6"	—	101 ¹ / ₈ "			
G17C CENTER	84"	—	38 ¹ / ₁₆ "	45 ¹ / ₈ "	96"	—	44"	51 ¹ / ₈ "	108"	—	50"	57 ¹ / ₈ "			
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER	84"	6"	38 ¹ / ₁₆ "	45 ¹ / ₈ "	96"	6"	44"	51 ¹ / ₈ "	108"	6"	50"	57 ¹ / ₈ "			
G17A LEFT, RIGHT & CENTER	84"	6"	38 ¹ / ₁₆ "	45 ¹ / ₈ "	77 ¹ / ₁₆ "	96"	6"	44"	51 ¹ / ₈ "	89 ¹ / ₁₆ "	108"	6"	50"	57 ¹ / ₈ "	101 ¹ / ₈ "

STRASSA - GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY)

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- For G17, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)







TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"					144"					168"				
		A	B	C	D		A	B	C	D		A	B	C	D
G17L OR G17R LEFT OR RIGHT	120"	6"	—	—	—	144"	6"	—	—	—	168"	6"	—	—	—
G17LR LEFT & RIGHT	120"	6"	—	—	113 3/8"	144"	6"	—	—	137 13/16"	168"	6"	—	—	161 3/4"
G17C CENTER	120"	—	56"	63 3/8"	—	144"	—	67 13/16"	75 13/16"	—	168"	—	79 13/16"	87 13/16"	—
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER	120"	6"	56"	63 3/8"	—	144"	6"	67 13/16"	75 13/16"	—	168"	6"	79 13/16"	87 13/16"	—
G17A LEFT, RIGHT & CENTER	120"	6"	56"	63 3/8"	113 3/8"	144"	6"	67 13/16"	75 13/16"	137 13/16"	168"	6"	79 13/16"	87 13/16"	161 3/4"
	192"					216"					240"				
G17L OR G17R LEFT OR RIGHT	192"	6"	—	—	—	216"	6"	—	—	—	240"	6"	—	—	—
G17LR LEFT & RIGHT	192"	6"	—	—	185 1/16"	216"	6"	—	—	209 9/16"	240"	6"	—	—	233 3/16"
G17C CENTER	192"	—	91 1/8"	99 3/4"	—	216"	—	103 3/8"	111 1/4"	—	240"	—	115 3/16"	123 1/16"	—
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER	192"	6"	91 1/8"	99 3/4"	—	216"	6"	103 3/8"	111 1/4"	—	240"	6"	115 3/16"	123 1/16"	—
G17A LEFT, RIGHT & CENTER	192"	6"	91 1/8"	99 3/4"	185 1/16"	216"	6"	103 3/8"	111 1/4"	209 9/16"	240"	6"	115 3/16"	123 1/16"	233 3/16"

GROMMET LOCATIONS ON TOPS (SINGLE SIDED - NO MODESTY) - STRASSA

- The 24" and 30" depths have the top grommets 9 $\frac{3}{8}$ " from the approach edge to the center of the grommet



• CUT-G17 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"				60"				72"						
		A	B	C	D		A	B	C	D		A	B	C	D
G17C CENTER	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—
G17L LEFT	48"	10 $\frac{3}{4}$ "	—	—	—	60"	13 $\frac{3}{4}$ "	—	—	—	72"	16 $\frac{3}{4}$ "	—	—	—
G17R RIGHT	48"	—	—	—	37 $\frac{3}{8}$ "	60"	—	—	—	46 $\frac{1}{4}$ "	72"	—	—	—	55 $\frac{1}{4}$ "
G17LR LEFT, RIGHT	48"	10 $\frac{3}{4}$ "	—	—	37 $\frac{3}{8}$ "	60"	13 $\frac{3}{4}$ "	—	—	46 $\frac{1}{4}$ "	72"	16 $\frac{3}{4}$ "	—	—	55 $\frac{1}{4}$ "
G17A ALL	48"	—	—	—	—	60"	—	—	—	—	72"	—	—	—	—
G17LC LEFT, CENTER	48"	10 $\frac{3}{4}$ "	24"	—	—	60"	13 $\frac{3}{4}$ "	30"	—	—	72"	16 $\frac{3}{4}$ "	36"	—	—
G17RC RIGHT, CENTER	48"	—	24"	—	37 $\frac{3}{8}$ "	60"	—	30"	—	46 $\frac{1}{4}$ "	72"	—	36"	—	55 $\frac{1}{4}$ "
	84"				96"				108"						
G17C CENTER	84"	—	41 $\frac{1}{8}$ "	—	—	96"	—	47 $\frac{1}{8}$ "	—	—	108"	—	53 $\frac{1}{8}$ "	—	—
G17L LEFT	84"	19 $\frac{3}{4}$ "	—	—	—	96"	22 $\frac{1}{8}$ "	—	—	—	108"	25 $\frac{1}{8}$ "	—	—	—
G17R RIGHT	84"	—	—	—	64 $\frac{3}{8}$ "	96"	—	—	—	73 $\frac{3}{8}$ "	108"	—	—	—	82 $\frac{3}{8}$ "
G17LR LEFT, RIGHT	84"	19 $\frac{3}{4}$ "	—	—	64 $\frac{3}{8}$ "	96"	22 $\frac{1}{8}$ "	—	—	73 $\frac{3}{8}$ "	108"	25 $\frac{1}{8}$ "	—	—	82 $\frac{3}{8}$ "
G17A ALL	84"	—	—	—	—	96"	22 $\frac{1}{8}$ "	47 $\frac{1}{8}$ "	—	73 $\frac{3}{8}$ "	108"	25 $\frac{1}{8}$ "	53 $\frac{1}{8}$ "	—	82 $\frac{3}{8}$ "
G17LC LEFT, CENTER	84"	19 $\frac{3}{4}$ "	41 $\frac{1}{8}$ "	—	—	96"	22 $\frac{1}{8}$ "	47 $\frac{1}{8}$ "	—	—	108"	25 $\frac{1}{8}$ "	53 $\frac{1}{8}$ "	—	—
G17LC LEFT, CENTER	84"	—	41 $\frac{1}{8}$ "	—	64 $\frac{3}{8}$ "	96"	—	47 $\frac{1}{8}$ "	—	73 $\frac{3}{8}$ "	108"	—	53 $\frac{1}{8}$ "	—	82 $\frac{3}{8}$ "

STRASSA - GROMMET LOCATIONS ON TOPS (SINGLE SIDED - NO MODESTY)

- The 24" and 30" depths have the top grommets 9¹/₁₆" from the approach edge to the center of the grommet



- CUT-G17 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"				
		A	B	C	D
G17C CENTER	120"	—	59 ¹ / ₁₆ "	—	—
G17L LEFT	120"	28 ¹ / ₁₆ "	—	—	—
G17R RIGHT	120"	—	—	—	91 ¹ / ₁₆ "
G17LR LEFT, RIGHT	120"	28 ¹ / ₁₆ "	—	—	91 ¹ / ₁₆ "
G17A ALL	120"	28 ¹ / ₁₆ "	59 ¹ / ₁₆ "	—	91 ¹ / ₁₆ "
G17LC LEFT, CENTER	120"	28 ¹ / ₁₆ "	59 ¹ / ₁₆ "	—	—
G17RC RIGHT, CENTER	120"	—	59 ¹ / ₁₆ "	—	91 ¹ / ₁₆ "

GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY) - STRASSA

- The 36", 42", and 48" depths have the grommets centered on the table top depth



• CUT-G23 option






TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
		A	B	C	D		A	B	C	D		A	B	C	D
G23C CENTER	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—
G23E END	48"	12"	—	—	—	60"	15"	—	—	—	72"	16 ¹ / ₁₆ "	—	—	—
G23LR LEFT, RIGHT	48"	12"	—	—	36"	60"	15"	—	—	45"	72"	16 ¹ / ₁₆ "	—	—	55 ⁵ / ₁₆ "
G23A ALL	48"	12"	24"	—	36"	60"	15"	30"	—	45"	72"	16 ¹ / ₁₆ "	36"	—	55 ⁵ / ₁₆ "
G23CE CENTER, END	48"	12"	24"	—	—	60"	15"	30"	—	—	72"	16 ¹ / ₁₆ "	36"	—	—
	84"					96"					108"				
G23C CENTER	84"	—	41 ¹ / ₁₆ "	—	—	96"	—	47 ¹ / ₁₆ "	—	—	108"	—	53 ¹ / ₁₆ "	—	—
G23E END	84"	19 ¹ / ₁₆ "	—	—	—	96"	22 ¹ / ₁₆ "	—	—	—	108"	25 ⁵ / ₁₆ "	—	—	—
G23LR LEFT, RIGHT	84"	19 ¹ / ₁₆ "	—	—	64 ¹ / ₄ "	96"	22 ¹ / ₁₆ "	—	—	73 ¹ / ₄ "	108"	25 ⁵ / ₁₆ "	—	—	82 ¹ / ₄ "
G23A ALL	84"	19 ¹ / ₁₆ "	41 ¹ / ₁₆ "	—	64 ¹ / ₄ "	96"	22 ¹ / ₁₆ "	47 ¹ / ₁₆ "	—	73 ¹ / ₄ "	108"	25 ⁵ / ₁₆ "	53 ¹ / ₁₆ "	—	82 ¹ / ₄ "
G23CE CENTER, END	84"	19 ¹ / ₁₆ "	41 ¹ / ₁₆ "	—	—	96"	22 ¹ / ₁₆ "	47 ¹ / ₁₆ "	—	—	108"	25 ⁵ / ₁₆ "	53 ¹ / ₁₆ "	—	—

STRASSA - GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY)

- The 36", 42", and 48" depths have the grommets centered on the table top depth



• CUT-G23 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"				144"				168"						
		A	B	C	D		A	B	C	D		A	B	C	D
G23C CENTER	120"	—	59 ¹ / ₁₆ "	—	—	144"	—	57"	86 ¹ / ₁₆ "	—	168"	—	66 ¹ / ₁₆ "	101 ¹ / ₈ "	—
G23E END	120"	28 ³ / ₁₆ "	—	—	—	144"	27 ³ / ₁₆ "	—	—	—	168"	31 ¹ / ₁₆ "	—	—	—
G23LR LEFT, RIGHT	120"	28 ³ / ₁₆ "	—	—	91 ³ / ₁₆ "	144"	27 ³ / ₁₆ "	—	—	116 ³ / ₁₆ "	168"	31 ¹ / ₁₆ "	—	—	135 ³ / ₄ "
G23A ALL	120"	28 ³ / ₁₆ "	59 ¹ / ₁₆ "	—	91 ³ / ₁₆ "	144"	27 ³ / ₁₆ "	57"	86 ¹ / ₁₆ "	116 ³ / ₁₆ "	168"	31 ¹ / ₁₆ "	66 ¹ / ₁₆ "	101 ¹ / ₈ "	135 ³ / ₄ "
G23CE CENTER, END	120"	28 ³ / ₁₆ "	59 ¹ / ₁₆ "	—	—	144"	27 ³ / ₁₆ "	57"	86 ¹ / ₁₆ "	—	168"	31 ¹ / ₁₆ "	66 ¹ / ₁₆ "	101 ¹ / ₈ "	—
	192"				216"				240"						
G23C CENTER	192"	—	76 ³ / ₁₆ "	115 ¹ / ₂ "	—	216"	—	85 ¹ / ₁₆ "	129 ³ / ₈ "	—	240"	—	95 ⁵ / ₁₆ "	144 ¹ / ₄ "	—
G23E END	192"	36 ³ / ₄ "	—	—	—	216"	41 ¹ / ₁₆ "	—	—	—	240"	46 ³ / ₁₆ "	—	—	—
G23LR LEFT, RIGHT	192"	36 ³ / ₄ "	—	—	154 ⁷ / ₈ "	216"	41 ¹ / ₁₆ "	—	—	174 ¹ / ₁₆ "	240"	46 ³ / ₁₆ "	—	—	193 ³ / ₁₆ "
G23A ALL	192"	36 ³ / ₄ "	76 ³ / ₁₆ "	115 ¹ / ₂ "	154 ⁷ / ₈ "	216"	41 ¹ / ₁₆ "	85 ¹ / ₁₆ "	129 ³ / ₈ "	174 ¹ / ₁₆ "	240"	46 ³ / ₁₆ "	95 ⁵ / ₁₆ "	144 ¹ / ₄ "	193 ³ / ₁₆ "
G23CE CENTER, END	192"	36 ³ / ₄ "	76 ³ / ₁₆ "	115 ¹ / ₂ "	—	216"	41 ¹ / ₁₆ "	85 ¹ / ₁₆ "	129 ³ / ₈ "	—	240"	46 ³ / ₁₆ "	95 ⁵ / ₁₆ "	144 ¹ / ₄ "	—

GROMMET LOCATIONS ON TOPS (SINGLE SIDED - NO MODESTY) - STRASSA

- The 24" and 30" depths have the top grommets 9 $\frac{1}{8}$ " from the approach edge to the center of the grommet






TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
		A	B	C	D		A	B	C	D		A	B	C	D
G23C CENTER	48"	—	24"	—	—	60"	—	30"	—	—	72"	—	36"	—	—
G23L LEFT	48"	12"	—	—	—	60"	15"	—	—	—	72"	16 $\frac{1}{16}$ "	—	—	—
G23R RIGHT	48"	—	—	—	36"	60"	—	—	—	45"	72"	—	—	—	55 $\frac{5}{16}$ "
G23LR LEFT, RIGHT	48"	12"	—	—	36"	60"	15"	—	—	45"	72"	16 $\frac{1}{16}$ "	—	—	55 $\frac{5}{16}$ "
G23A ALL	48"	12"	24"	—	36"	60"	15"	30"	—	45"	72"	16 $\frac{1}{16}$ "	36"	—	55 $\frac{5}{16}$ "
G23LC LEFT, CENTER	48"	12"	24"	—	—	60"	15"	30"	—	—	72"	16 $\frac{1}{16}$ "	36"	—	—
G23RC RIGHT, CENTER	48"	—	24"	—	36"	60"	—	30"	—	45"	72"	—	36"	—	55 $\frac{5}{16}$ "
	84"					96"					108"				
G23C CENTER	84"	—	41 $\frac{1}{16}$ "	—	—	96"	—	47 $\frac{1}{16}$ "	—	—	108"	—	53 $\frac{1}{16}$ "	—	—
G23L LEFT	84"	19 $\frac{1}{16}$ "	—	—	—	96"	22 $\frac{1}{16}$ "	—	—	—	108"	25 $\frac{5}{16}$ "	—	—	—
G23R RIGHT	84"	—	—	—	64 $\frac{1}{4}$ "	96"	—	—	—	73 $\frac{3}{4}$ "	108"	—	—	—	82 $\frac{1}{4}$ "
G23LR LEFT, RIGHT	84"	19 $\frac{1}{16}$ "	—	—	64 $\frac{1}{4}$ "	96"	22 $\frac{1}{16}$ "	—	—	73 $\frac{3}{4}$ "	108"	25 $\frac{5}{16}$ "	—	—	82 $\frac{1}{4}$ "
G23A ALL	84"	19 $\frac{1}{16}$ "	41 $\frac{1}{16}$ "	—	64 $\frac{1}{4}$ "	96"	22 $\frac{1}{16}$ "	47 $\frac{1}{16}$ "	—	73 $\frac{3}{4}$ "	108"	25 $\frac{5}{16}$ "	53 $\frac{1}{16}$ "	—	82 $\frac{1}{4}$ "
G23LC LEFT, CENTER	84"	19 $\frac{1}{16}$ "	41 $\frac{1}{16}$ "	—	—	96"	22 $\frac{1}{16}$ "	47 $\frac{1}{16}$ "	—	—	108"	25 $\frac{5}{16}$ "	53 $\frac{1}{16}$ "	—	—
G23RC RIGHT, CENTER	84"	—	41 $\frac{1}{16}$ "	—	64 $\frac{1}{4}$ "	96"	—	47 $\frac{1}{16}$ "	—	73 $\frac{3}{4}$ "	108"	—	53 $\frac{1}{16}$ "	—	82 $\frac{1}{4}$ "

STRASSA - GROMMET LOCATIONS ON TOPS (SINGLE SIDED - NO MODESTY)

- The 24" and 30" depths have the top grommets 9 $\frac{1}{8}$ " from the approach edge to the center of the grommet



- CUT-G23 option




TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"				
		A	B	C	D
G23C CENTER	120"	—	59 $\frac{1}{8}$ "	—	—
G23L LEFT	120"	28 $\frac{1}{8}$ "	—	—	—
G23R RIGHT	120"	—	—	—	91 $\frac{1}{8}$ "
G23LR LEFT, RIGHT	120"	28 $\frac{1}{8}$ "	—	—	91 $\frac{1}{8}$ "
G23A ALL	120"	28 $\frac{1}{8}$ "	59 $\frac{1}{8}$ "	—	91 $\frac{1}{8}$ "
G23LC LEFT, CENTER	120"	28 $\frac{1}{8}$ "	59 $\frac{1}{8}$ "	—	—
G23RC RIGHT, CENTER	120"	—	59 $\frac{1}{8}$ "	—	91 $\frac{1}{8}$ "

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N424829WKF2L V462 X X MC MC MC

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
WORKSURFACE HEIGHT FULL MODESTY	86N364829WKF2L Laminate	\$ 1997	36 ¹ / ₁₆	48 ¹ / ₁₆	28 ⁷ / ₈	—	14 ¹ / ₁₆	221 lbs.	15.2
	86N364829WKF2LL TFL	1766	36 ¹ / ₁₆	48 ¹ / ₁₆	28 ⁷ / ₈	—	14 ¹ / ₁₆	221 lbs.	15.2
	86N366029WKF2L Laminate	\$ 2123	36 ¹ / ₁₆	60	28 ⁷ / ₈	—	14 ¹ / ₁₆	265 lbs.	18.1
	86N366029WKF2LL TFL	1878	36 ¹ / ₁₆	60	28 ⁷ / ₈	—	14 ¹ / ₁₆	265 lbs.	18.1
	86N367229WKF2L Laminate	\$ 2261	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₈	—	14 ¹ / ₁₆	301 lbs.	20.9
	86N367229WKF2LL TFL	1998	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₈	—	14 ¹ / ₁₆	301 lbs.	20.9
	86N368429WKF2L Laminate	\$ 2403	36 ¹ / ₁₆	83 ¹ / ₁₆	28 ⁷ / ₈	—	14 ¹ / ₁₆	334 lbs.	23.8
	86N368429WKF2LL TFL	2125	36 ¹ / ₁₆	83 ¹ / ₁₆	28 ⁷ / ₈	—	14 ¹ / ₁₆	334 lbs.	23.8
	86N369629WKF2L Laminate	\$ 2559	36 ¹ / ₁₆	95 ⁷ / ₈	28 ⁷ / ₈	—	14 ¹ / ₁₆	368 lbs.	26.6
	86N369629WKF2LL TFL	2261	36 ¹ / ₁₆	95 ⁷ / ₈	28 ⁷ / ₈	—	14 ¹ / ₁₆	368 lbs.	26.6
	86N3610829WKF2L Laminate	\$ 3124	36 ¹ / ₁₆	107 ⁷ / ₈	28 ⁷ / ₈	—	14 ¹ / ₁₆	402 lbs.	29.5
	86N3610829WKF2LL TFL	2761	36 ¹ / ₁₆	107 ⁷ / ₈	28 ⁷ / ₈	—	14 ¹ / ₁₆	402 lbs.	29.5
	86N3612029WKF2L Laminate	\$ 3501	36 ¹ / ₁₆	119 ⁹ / ₁₆	28 ⁷ / ₈	—	14 ¹ / ₁₆	436 lbs.	32.4
	86N3612029WKF2LL TFL	3094	36 ¹ / ₁₆	119 ⁹ / ₁₆	28 ⁷ / ₈	—	14 ¹ / ₁₆	436 lbs.	32.4
	86N424829WKF2L Laminate	\$ 2123	42 ¹ / ₁₆	48 ¹ / ₁₆	28 ⁷ / ₈	—	17 ¹ / ₁₆	244 lbs.	16.1
	86N424829WKF2LL TFL	1878	42 ¹ / ₁₆	48 ¹ / ₁₆	28 ⁷ / ₈	—	17 ¹ / ₁₆	244 lbs.	16.1
	86N426029WKF2L Laminate	\$ 2261	42 ¹ / ₁₆	60	28 ⁷ / ₈	—	17 ¹ / ₁₆	290 lbs.	19.1
	86N426029WKF2LL TFL	1998	42 ¹ / ₁₆	60	28 ⁷ / ₈	—	17 ¹ / ₁₆	290 lbs.	19.1
	86N427229WKF2L Laminate	\$ 2403	42 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₈	—	17 ¹ / ₁₆	328 lbs.	22.0
	86N427229WKF2LL TFL	2125	42 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₈	—	17 ¹ / ₁₆	328 lbs.	22.0
	86N428429WKF2L Laminate	\$ 2559	42 ¹ / ₁₆	83 ¹ / ₁₆	28 ⁷ / ₈	—	17 ¹ / ₁₆	364 lbs.	25.0
	86N428429WKF2LL TFL	2261	42 ¹ / ₁₆	83 ¹ / ₁₆	28 ⁷ / ₈	—	17 ¹ / ₁₆	364 lbs.	25.0

- Modesty panel is removable on 1 side to allow wire management access
- A center grommet is not recommended due to the location of the support panel on this size
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N429629WKF2L V462 X X MC MC MC
 • See pages 297-300 for all options available in Strassa

WORKSURFACE HEIGHT FULL MODESTY (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
86N429629WKF2L Laminate	\$ 2721	42 ¹ / ₁₆	95 ⁷ / ₁₆	28 ⁷ / ₁₆	—	17 ¹ / ₁₆	401 lbs.	27.9
86N429629WKF2LL TFL	2404	42 ¹ / ₁₆	95 ⁷ / ₁₆	28 ⁷ / ₁₆	—	17 ¹ / ₁₆	401 lbs.	27.9
86N4210829WKF2L Laminate	\$ 3325	42 ¹ / ₁₆	107 ⁷ / ₁₆	28 ⁷ / ₁₆	—	17 ¹ / ₁₆	437 lbs.	31.0
86N4210829WKF2LL TFL	2940	42 ¹ / ₁₆	107 ⁷ / ₁₆	28 ⁷ / ₁₆	—	17 ¹ / ₁₆	437 lbs.	31.0
86N4212029WKF2L Laminate	\$ 3723	42 ¹ / ₁₆	119 ¹³ / ₁₆	28 ⁷ / ₁₆	—	17 ¹ / ₁₆	473 lbs.	34.0
86N4212029WKF2LL TFL	3290	42 ¹ / ₁₆	119 ¹³ / ₁₆	28 ⁷ / ₁₆	—	17 ¹ / ₁₆	473 lbs.	34.0
86N484829WKF2L Laminate	\$ 2261	48 ¹ / ₁₆	48 ¹ / ₁₆	28 ⁷ / ₁₆	—	20 ¹ / ₁₆	265 lbs.	17.0
86N484829WKF2LL TFL	1998	48 ¹ / ₁₆	48 ¹ / ₁₆	28 ⁷ / ₁₆	—	20 ¹ / ₁₆	265 lbs.	17.0
86N486029WKF2L Laminate	\$ 2403	48 ¹ / ₁₆	60	28 ⁷ / ₁₆	—	20 ¹ / ₁₆	315 lbs.	20.1
86N486029WKF2LL TFL	2125	48 ¹ / ₁₆	60	28 ⁷ / ₁₆	—	20 ¹ / ₁₆	315 lbs.	20.1
86N487229WKF2L Laminate	\$ 2559	48 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₁₆	—	20 ¹ / ₁₆	355 lbs.	23.2
86N487229WKF2LL TFL	2261	48 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₁₆	—	20 ¹ / ₁₆	355 lbs.	23.2
86N488429WKF2L Laminate	\$ 2721	48 ¹ / ₁₆	83 ¹ / ₁₆	28 ⁷ / ₁₆	—	20 ¹ / ₁₆	394 lbs.	26.3
86N488429WKF2LL TFL	2404	48 ¹ / ₁₆	83 ¹ / ₁₆	28 ⁷ / ₁₆	—	20 ¹ / ₁₆	394 lbs.	26.3
86N489629WKF2L Laminate	\$ 2895	48 ¹ / ₁₆	95 ⁷ / ₁₆	28 ⁷ / ₁₆	—	20 ¹ / ₁₆	432 lbs.	29.3
86N489629WKF2LL TFL	2559	48 ¹ / ₁₆	95 ⁷ / ₁₆	28 ⁷ / ₁₆	—	20 ¹ / ₁₆	432 lbs.	29.3
86N4810829WKF2L Laminate	\$ 3538	48 ¹ / ₁₆	107 ⁷ / ₁₆	28 ⁷ / ₁₆	—	20 ¹ / ₁₆	471 lbs.	32.5
86N4810829WKF2LL TFL	3125	48 ¹ / ₁₆	107 ⁷ / ₁₆	28 ⁷ / ₁₆	—	20 ¹ / ₁₆	471 lbs.	32.5
86N4812029WKF2L Laminate	\$ 3960	48 ¹ / ₁₆	119 ¹³ / ₁₆	28 ⁷ / ₁₆	—	20 ¹ / ₁₆	511 lbs.	35.6
86N4812029WKF2LL TFL	3501	48 ¹ / ₁₆	119 ¹³ / ₁₆	28 ⁷ / ₁₆	—	20 ¹ / ₁₆	511 lbs.	35.6

- Modesty panel is removable on 1 side to allow wire management access
- A center grommet is not recommended due to the location of the support panel on this size
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- 144" to 240" top size units shipped in 6 cartons



TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N4814429WKF2L V462 X X MC MC MC

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A			
WORKSURFACE HEIGHT FULL MODESTY (CONTINUED)	86N4814429WKF2L Laminate	\$ 5466	48 ³ / ₁₆	144	28 ⁷ / ₈	—	20 ¹ / ₁₆	710 lbs.	45.0
	86N4814429WKF2LL TFL	5006	48 ³ / ₁₆	144	28 ⁷ / ₈	—	20 ¹ / ₁₆	710 lbs.	45.0
	86N4816829WKF2L Laminate	\$ 6594	48 ³ / ₁₆	168	28 ⁷ / ₈	—	20 ¹ / ₁₆	788 lbs.	51.5
	86N4816829WKF2LL TFL	6133	48 ³ / ₁₆	168	28 ⁷ / ₈	—	20 ¹ / ₁₆	788 lbs.	51.5
144" - 192" Wide Models	86N4819229WKF2L Laminate	\$ 7721	48 ³ / ₁₆	192	28 ⁷ / ₈	—	20 ¹ / ₁₆	864 lbs.	57.7
	86N4819229WKF2LL TFL	7260	48 ³ / ₁₆	192	28 ⁷ / ₈	—	20 ¹ / ₁₆	864 lbs.	57.7
	86N4821629WKF2L Laminate	\$ 8851	48 ³ / ₁₆	216	28 ⁷ / ₈	—	20 ¹ / ₁₆	905 lbs.	64.1
	86N4821629WKF2LL TFL	8390	48 ³ / ₁₆	216	28 ⁷ / ₈	—	20 ¹ / ₁₆	905 lbs.	64.1
216" - 240" Wide Models	86N4824029WKF2L Laminate	\$ 9979	48 ³ / ₁₆	240	28 ⁷ / ₈	—	20 ¹ / ₁₆	1006 lbs.	70.3
	86N4824029WKF2LL TFL	9518	48 ³ / ₁₆	240	28 ⁷ / ₈	—	20 ¹ / ₁₆	1006 lbs.	70.3

- Modesty panel is removable on 1 side to allow wire management access
- A center grommet is not recommended due to the location of the support panel on this size
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on modesties of models that are 216" or 240" wide.

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N364835WKF2L V462 X X MC MC MC

- See pages 297-300 for all options available in Strassa

COUNTER HEIGHT
FULL MODESTY

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
86N364835WKF2L Laminate	\$ 2220	36 ¹ / ₁₆	48 ¹ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	253 lbs.	17.4
86N364835WKF2LL TFL	1960	36 ¹ / ₁₆	48 ¹ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	253 lbs.	17.4
86N366035WKF2L Laminate	\$ 2362	36 ¹ / ₁₆	60	35 ³ / ₁₆	—	14 ¹ / ₁₆	303 lbs.	20.7
86N366035WKF2LL TFL	2087	36 ¹ / ₁₆	60	35 ³ / ₁₆	—	14 ¹ / ₁₆	303 lbs.	20.7
86N367235WKF2L Laminate	\$ 2511	36 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	341 lbs.	23.9
86N367235WKF2LL TFL	2220	36 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	341 lbs.	23.9
86N368435WKF2L Laminate	\$ 2672	36 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	377 lbs.	27.2
86N368435WKF2LL TFL	2363	36 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	377 lbs.	27.2
86N369635WKF2L Laminate	\$ 2842	36 ¹ / ₁₆	95 ⁷ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	414 lbs.	30.5
86N369635WKF2LL TFL	2511	36 ¹ / ₁₆	95 ⁷ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	414 lbs.	30.5
86N3610835WKF2L Laminate	\$ 3325	36 ¹ / ₁₆	107 ⁷ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	452 lbs.	33.7
86N3610835WKF2LL TFL	2940	36 ¹ / ₁₆	107 ⁷ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	452 lbs.	33.7
86N3612035WKF2L Laminate	\$ 3723	36 ¹ / ₁₆	119 ⁹ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	488 lbs.	37.0
86N3612035WKF2LL TFL	3290	36 ¹ / ₁₆	119 ⁹ / ₁₆	35 ³ / ₁₆	—	14 ¹ / ₁₆	488 lbs.	37.0
86N424835WKF2L Laminate	\$ 2362	42 ¹ / ₁₆	48 ¹ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	278 lbs.	18.4
86N424835WKF2LL TFL	2087	42 ¹ / ₁₆	48 ¹ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	278 lbs.	18.4
86N426035WKF2L Laminate	\$ 2511	42 ¹ / ₁₆	60	35 ³ / ₁₆	—	17 ¹ / ₁₆	330 lbs.	21.8
86N426035WKF2LL TFL	2220	42 ¹ / ₁₆	60	35 ³ / ₁₆	—	17 ¹ / ₁₆	330 lbs.	21.8
86N427235WKF2L Laminate	\$ 2672	42 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	325 lbs.	25.1
86N427235WKF2LL TFL	2363	42 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	325 lbs.	25.1
86N428435WKF2L Laminate	\$ 2842	42 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	409 lbs.	28.5
86N428435WKF2LL TFL	2511	42 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	409 lbs.	28.5

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N429635WKF2L V462 X X MC MC MC

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
COUNTER HEIGHT FULL MODESTY (CONTINUED)	86N429635WKF2L Laminate	\$ 3024	42 ¹ / ₁₆	95 ⁷ / ₈	35 ³ / ₁₆	—	17 ¹ / ₁₆	449 lbs.	31.9
	86N429635WKF2LL TFL	2673	42 ¹ / ₁₆	95 ⁷ / ₈	35 ³ / ₁₆	—	17 ¹ / ₁₆	449 lbs.	31.9
	86N4210835WKF2L Laminate	\$ 3538	42 ¹ / ₁₆	107 ⁷ / ₈	35 ³ / ₁₆	—	17 ¹ / ₁₆	489 lbs.	35.3
	86N4210835WKF2LL TFL	3125	42 ¹ / ₁₆	107 ⁷ / ₈	35 ³ / ₁₆	—	17 ¹ / ₁₆	489 lbs.	35.3
	86N4212035WKF2L Laminate	\$ 3960	42 ¹ / ₁₆	119 ¹³ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	528 lbs.	38.7
	86N4212035WKF2LL TFL	3501	42 ¹ / ₁₆	119 ¹³ / ₁₆	35 ³ / ₁₆	—	17 ¹ / ₁₆	528 lbs.	38.7
	86N484835WKF2L Laminate	\$ 2511	48 ¹ / ₁₆	48 ¹ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	302 lbs.	19.4
	86N484835WKF2LL TFL	2220	48 ¹ / ₁₆	48 ¹ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	302 lbs.	19.4
	86N486035WKF2L Laminate	\$ 2672	48 ¹ / ₁₆	60	35 ³ / ₁₆	—	20 ¹ / ₁₆	358 lbs.	22.9
	86N486035WKF2LL TFL	2363	48 ¹ / ₁₆	60	35 ³ / ₁₆	—	20 ¹ / ₁₆	358 lbs.	22.9
	86N487235WKF2L Laminate	\$ 2842	48 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	400 lbs.	26.4
	86N487235WKF2LL TFL	2511	48 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	400 lbs.	26.4
	86N488435WKF2L Laminate	\$ 3024	48 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	442 lbs.	29.9
	86N488435WKF2LL TFL	2673	48 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	442 lbs.	29.9
	86N489635WKF2L Laminate	\$ 3217	48 ¹ / ₁₆	95 ⁷ / ₈	35 ³ / ₁₆	—	20 ¹ / ₁₆	483 lbs.	33.4
	86N489635WKF2LL TFL	2842	48 ¹ / ₁₆	95 ⁷ / ₈	35 ³ / ₁₆	—	20 ¹ / ₁₆	483 lbs.	33.4
	86N4810835WKF2L Laminate	\$ 3765	48 ¹ / ₁₆	107 ⁷ / ₈	35 ³ / ₁₆	—	20 ¹ / ₁₆	526 lbs.	36.9
	86N4810835WKF2LL TFL	3326	48 ¹ / ₁₆	107 ⁷ / ₈	35 ³ / ₁₆	—	20 ¹ / ₁₆	526 lbs.	36.9
	86N4812035WKF2L Laminate	\$ 4213	48 ¹ / ₁₆	119 ¹³ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	568 lbs.	40.4
	86N4812035WKF2LL TFL	3724	48 ¹ / ₁₆	119 ¹³ / ₁₆	35 ³ / ₁₆	—	20 ¹ / ₁₆	568 lbs.	40.4

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- 144" to 240" top size units shipped in 6 cartons



TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N4814435WKF2L V462 X X MC MC MC

- See pages 297-300 for all options available in Strassa

COUNTER HEIGHT FULL MODESTY (CONTINUED)	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
	86N4814435WKF2L Laminate	\$ 5719	48 ⁷ / ₁₆	144	35 ³ / ₁₆	—	20 ¹ / ₁₆	800 lbs.	51.1
	86N4814435WKF2LL TFL	5228	48 ⁷ / ₁₆	144	35 ³ / ₁₆	—	20 ¹ / ₁₆	800 lbs.	51.1
144" - 192" Wide Models	86N4816835WKF2L Laminate	\$ 6846	48 ⁷ / ₁₆	168	35 ³ / ₁₆	—	20 ¹ / ₁₆	884 lbs.	58.3
	86N4816835WKF2LL TFL	6357	48 ⁷ / ₁₆	168	35 ³ / ₁₆	—	20 ¹ / ₁₆	884 lbs.	58.3
	86N4819235WKF2L Laminate	\$ 7975	48 ⁷ / ₁₆	192	35 ³ / ₁₆	—	20 ¹ / ₁₆	966 lbs.	65.3
	86N4819235WKF2LL TFL	7486	48 ⁷ / ₁₆	192	35 ³ / ₁₆	—	20 ¹ / ₁₆	966 lbs.	65.3
216" - 240" Wide Models	86N4821635WKF2L Laminate	\$ 9102	48 ⁷ / ₁₆	216	35 ³ / ₁₆	—	20 ¹ / ₁₆	1020 lbs.	72.5
	86N4821635WKF2LL TFL	8614	48 ⁷ / ₁₆	216	35 ³ / ₁₆	—	20 ¹ / ₁₆	1020 lbs.	72.5
	86N4824035WKF2L Laminate	\$ 10230	48 ⁷ / ₁₆	240	35 ³ / ₁₆	—	20 ¹ / ₁₆	1133 lbs.	79.5
	86N4824035WKF2LL TFL	9744	48 ⁷ / ₁₆	240	35 ³ / ₁₆	—	20 ¹ / ₁₆	1133 lbs.	79.5

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on modesties of models that are 216" or 240" wide.

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N424841WKF2L V462 X X MC MC MC

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A			
BAR HEIGHT FULL MODESTY	86N364841WKF2L Laminate	\$ 2464	36 ⁷ / ₁₆	48 ⁷ / ₁₆	41 ¹ / ₂	—	14 ¹ / ₁₆	284 lbs.	19.5
	86N364841WKF2LL TFL	2179	36 ⁷ / ₁₆	48 ⁷ / ₁₆	41 ¹ / ₂	—	14 ¹ / ₁₆	284 lbs.	19.5
	86N366041WKF2L Laminate	\$ 2623	36 ⁷ / ₁₆	60	41 ¹ / ₂	—	14 ¹ / ₁₆	340 lbs.	23.1
	86N366041WKF2LL TFL	2319	36 ⁷ / ₁₆	60	41 ¹ / ₂	—	14 ¹ / ₁₆	340 lbs.	23.1
	86N367241WKF2L Laminate	\$ 2789	36 ⁷ / ₁₆	71 ¹ / ₁₆	41 ¹ / ₂	—	14 ¹ / ₁₆	381 lbs.	26.8
	86N367241WKF2LL TFL	2469	36 ⁷ / ₁₆	71 ¹ / ₁₆	41 ¹ / ₂	—	14 ¹ / ₁₆	381 lbs.	26.8
	86N368441WKF2L Laminate	\$ 2971	36 ⁷ / ₁₆	83 ¹ / ₁₆	41 ¹ / ₂	—	14 ¹ / ₁₆	421 lbs.	30.4
	86N368441WKF2LL TFL	2623	36 ⁷ / ₁₆	83 ¹ / ₁₆	41 ¹ / ₂	—	14 ¹ / ₁₆	421 lbs.	30.4
	86N369641WKF2L Laminate	\$ 3159	36 ⁷ / ₁₆	95 ⁵ / ₁₆	41 ¹ / ₂	—	14 ¹ / ₁₆	461 lbs.	34.0
	86N369641WKF2LL TFL	2789	36 ⁷ / ₁₆	95 ⁵ / ₁₆	41 ¹ / ₂	—	14 ¹ / ₁₆	461 lbs.	34.0
	86N3610841WKF2L Laminate	\$ 3538	36 ⁷ / ₁₆	107 ⁷ / ₁₆	41 ¹ / ₂	—	14 ¹ / ₁₆	502 lbs.	37.7
	86N3610841WKF2LL TFL	3125	36 ⁷ / ₁₆	107 ⁷ / ₁₆	41 ¹ / ₂	—	14 ¹ / ₁₆	502 lbs.	37.7
	86N3612041WKF2L Laminate	\$ 3960	36 ⁷ / ₁₆	119 ⁹ / ₁₆	41 ¹ / ₂	—	14 ¹ / ₁₆	542 lbs.	41.3
	86N3612041WKF2LL TFL	3501	36 ⁷ / ₁₆	119 ⁹ / ₁₆	41 ¹ / ₂	—	14 ¹ / ₁₆	542 lbs.	41.3
	86N424841WKF2L Laminate	\$ 2623	42 ⁷ / ₁₆	48 ⁷ / ₁₆	41 ¹ / ₂	—	17 ⁷ / ₁₆	312 lbs.	20.6
	86N424841WKF2LL TFL	2319	42 ⁷ / ₁₆	48 ⁷ / ₁₆	41 ¹ / ₂	—	17 ⁷ / ₁₆	312 lbs.	20.6
	86N426041WKF2L Laminate	\$ 2789	42 ⁷ / ₁₆	60	41 ¹ / ₂	—	17 ⁷ / ₁₆	370 lbs.	24.3
	86N426041WKF2LL TFL	2469	42 ⁷ / ₁₆	60	41 ¹ / ₂	—	17 ⁷ / ₁₆	370 lbs.	24.3
	86N427241WKF2L Laminate	\$ 2971	42 ⁷ / ₁₆	71 ¹ / ₁₆	41 ¹ / ₂	—	17 ⁷ / ₁₆	413 lbs.	28.1
	86N427241WKF2LL TFL	2623	42 ⁷ / ₁₆	71 ¹ / ₁₆	41 ¹ / ₂	—	17 ⁷ / ₁₆	413 lbs.	28.1
	86N428441WKF2L Laminate	\$ 3159	42 ⁷ / ₁₆	83 ¹ / ₁₆	41 ¹ / ₂	—	17 ⁷ / ₁₆	455 lbs.	31.8
	86N428441WKF2LL TFL	2789	42 ⁷ / ₁₆	83 ¹ / ₁₆	41 ¹ / ₂	—	17 ⁷ / ₁₆	455 lbs.	31.8

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS


- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N429641WKF2L V462 X X MC MC MC
 • See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
BAR HEIGHT FULL MODESTY (CONTINUED)	86N429641WKF2L Laminate	\$ 3361	42 ¹ / ₁₆	95 ⁷ / ₈	41 ¹ / ₂	—	17 ¹ / ₁₆	499 lbs.	35.5
	86N429641WKF2LL TFL	2971	42 ¹ / ₁₆	95 ⁷ / ₈	41 ¹ / ₂	—	17 ¹ / ₁₆	499 lbs.	35.5
	86N4210841WKF2L Laminate	\$ 3765	42 ¹ / ₁₆	107 ⁷ / ₈	41 ¹ / ₂	—	17 ¹ / ₁₆	542 lbs.	39.4
	86N4210841WKF2LL TFL	3326	42 ¹ / ₁₆	107 ⁷ / ₈	41 ¹ / ₂	—	17 ¹ / ₁₆	542 lbs.	39.4
	86N4212041WKF2L Laminate	\$ 4213	42 ¹ / ₁₆	119 ³ / ₁₆	41 ¹ / ₂	—	17 ¹ / ₁₆	584 lbs.	43.1
	86N4212041WKF2LL TFL	3724	42 ¹ / ₁₆	119 ³ / ₁₆	41 ¹ / ₂	—	17 ¹ / ₁₆	584 lbs.	43.1
	86N484841WKF2L Laminate	\$ 2789	48 ¹ / ₁₆	48 ¹ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	338 lbs.	21.7
	86N484841WKF2LL TFL	2469	48 ¹ / ₁₆	48 ¹ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	338 lbs.	21.7
	86N486041WKF2L Laminate	\$ 2971	48 ¹ / ₁₆	60	41 ¹ / ₂	—	20 ¹ / ₁₆	400 lbs.	25.5
	86N486041WKF2LL TFL	2623	48 ¹ / ₁₆	60	41 ¹ / ₂	—	20 ¹ / ₁₆	400 lbs.	25.5
	86N487241WKF2L Laminate	\$ 3159	48 ¹ / ₁₆	71 ¹ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	445 lbs.	29.5
	86N487241WKF2LL TFL	2789	48 ¹ / ₁₆	71 ¹ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	445 lbs.	29.5
	86N488441WKF2L Laminate	\$ 3361	48 ¹ / ₁₆	83 ¹ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	490 lbs.	33.3
	86N488441WKF2LL TFL	2971	48 ¹ / ₁₆	83 ¹ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	490 lbs.	33.3
	86N489641WKF2L Laminate	\$ 3574	48 ¹ / ₁₆	95 ⁷ / ₈	41 ¹ / ₂	—	20 ¹ / ₁₆	535 lbs.	37.1
	86N489641WKF2LL TFL	3159	48 ¹ / ₁₆	95 ⁷ / ₈	41 ¹ / ₂	—	20 ¹ / ₁₆	535 lbs.	37.1
	86N4810841WKF2L Laminate	\$ 4001	48 ¹ / ₁₆	107 ⁷ / ₈	41 ¹ / ₂	—	20 ¹ / ₁₆	581 lbs.	41.1
	86N4810841WKF2LL TFL	3538	48 ¹ / ₁₆	107 ⁷ / ₈	41 ¹ / ₂	—	20 ¹ / ₁₆	581 lbs.	41.1
	86N4812041WKF2L Laminate	\$ 4483	48 ¹ / ₁₆	119 ³ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	626 lbs.	44.9
	86N4812041WKF2LL TFL	3962	48 ¹ / ₁₆	119 ³ / ₁₆	41 ¹ / ₂	—	20 ¹ / ₁₆	626 lbs.	44.9

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Modesty models shipped in 6 separate cartons



TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N4814441WKF2L V462 X X MC MC MC

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A			
BAR HEIGHT FULL MODESTY (CONTINUED)	86N4814441WKF2L Laminate	\$ 5987	48 ³ / ₁₆	144	41 ¹ / ₂	—	20 ³ / ₁₆	890 lbs.	57.1
	86N4814441WKF2LL TFL	5468	48 ³ / ₁₆	144	41 ¹ / ₂	—	20 ³ / ₁₆	890 lbs.	57.1
	86N4816841WKF2L Laminate	\$ 7114	48 ³ / ₁₆	168	41 ¹ / ₂	—	20 ³ / ₁₆	980 lbs.	64.9
	86N4816841WKF2LL TFL	6596	48 ³ / ₁₆	168	41 ¹ / ₂	—	20 ³ / ₁₆	980 lbs.	64.9
144" - 192" Wide Models	86N4819241WKF2L Laminate	\$ 8244	48 ³ / ₁₆	192	41 ¹ / ₂	—	20 ³ / ₁₆	1070 lbs.	72.7
	86N4819241WKF2LL TFL	7723	48 ³ / ₁₆	192	41 ¹ / ₂	—	20 ³ / ₁₆	1070 lbs.	72.7
	86N4821641WKF2L Laminate	\$ 9372	48 ³ / ₁₆	216	41 ¹ / ₂	—	20 ³ / ₁₆	1135 lbs.	80.7
	86N4821641WKF2LL TFL	8853	48 ³ / ₁₆	216	41 ¹ / ₂	—	20 ³ / ₁₆	1135 lbs.	80.7
216" - 240" Wide Models	86N4824041WKF2L Laminate	\$ 10500	48 ³ / ₁₆	240	41 ¹ / ₂	—	20 ³ / ₁₆	1261 lbs.	88.5
	86N4824041WKF2LL TFL	9982	48 ³ / ₁₆	240	41 ¹ / ₂	—	20 ³ / ₁₆	1261 lbs.	88.5

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on modesties of models that are 216" or 240" wide.

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N244829WKN1L V462 CUT-G17LR X MC MC
 • See pages 297-300 for all options available in Strassa

WORKSURFACE HEIGHT NO MODESTY



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
86N244829WKN1L Laminate	\$ 3910	24	48 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	143 lbs.	8.2
86N244829WKN1LL TFL	3439	24	48 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	143 lbs.	8.2
86N246029WKN1L Laminate	\$ 4157	24	60	28 ⁷ / ₁₆	—	—	172 lbs.	8.9
Q86N246029WKN1LL TFL	3659	24	60	28 ⁷ / ₁₆	—	—	172 lbs.	8.9
86N246029WKN1LL TFL	3659	24	60	28 ⁷ / ₁₆	—	—	172 lbs.	8.9
86N247229WKN1L Laminate	\$ 4423	24	71 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	195 lbs.	9.6
Q86N247229WKN1LL TFL	3892	24	71 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	195 lbs.	9.6
86N247229WKN1LL TFL	3892	24	71 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	195 lbs.	9.6
86N248429WKN1L Laminate	\$ 4707	24	83 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	143 lbs.	10.2
86N248429WKN1LL TFL	4142	24	83 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	143 lbs.	10.2
86N249629WKN1L Laminate	\$ 5007	24	95 ⁷ / ₁₆	28 ⁷ / ₁₆	—	—	238 lbs.	10.9
Q86N249629WKN1LL TFL	4405	24	95 ⁷ / ₁₆	28 ⁷ / ₁₆	—	—	238 lbs.	10.9
86N249629WKN1LL TFL	4405	24	95 ⁷ / ₁₆	28 ⁷ / ₁₆	—	—	238 lbs.	10.9
86N2410829WKN1L Laminate	\$ 5508	24	107 ⁷ / ₁₆	28 ⁷ / ₁₆	—	—	261 lbs.	11.6
86N2410829WKN1LL TFL	4847	24	107 ⁷ / ₁₆	28 ⁷ / ₁₆	—	—	261 lbs.	11.6
86N2412029WKN1L Laminate	\$ 6057	24	119 ³ / ₁₆	28 ⁷ / ₁₆	—	—	283 lbs.	12.3
86N2412029WKN1LL TFL	5331	24	119 ³ / ₁₆	28 ⁷ / ₁₆	—	—	283 lbs.	12.3
86N304829WKN1L Laminate	\$ 4071	30 ¹ / ₁₆	48 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	159 lbs.	9.9
86N304829WKN1LL TFL	3583	30 ¹ / ₁₆	48 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	159 lbs.	9.9
86N306029WKN1L Laminate	\$ 4333	30 ¹ / ₁₆	60	28 ⁷ / ₁₆	—	—	191 lbs.	10.7
Q86N306029WKN1LL TFL	3811	30 ¹ / ₁₆	60	28 ⁷ / ₁₆	—	—	191 lbs.	10.7
86N306029WKN1LL TFL	3811	30 ¹ / ₁₆	60	28 ⁷ / ₁₆	—	—	191 lbs.	10.7
86N307229WKN1L Laminate	\$ 4607	30 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	217 lbs.	11.5
Q86N307229WKN1LL TFL	4057	30 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	217 lbs.	11.5
86N307229WKN1LL TFL	4057	30 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁷ / ₁₆	—	—	217 lbs.	11.5

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N308429WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

WORKSURFACE HEIGHT NO MODESTY (CONTINUED)	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	86N308429WKN1L Laminate	\$ 4902	30 ¹ / ₁₆	83 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	240 lbs.	12.3
	86N308429WKN1LL TFL	4315	30 ¹ / ₁₆	83 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	240 lbs.	12.3
	86N309629WKN1L Laminate	\$ 5214	30 ¹ / ₁₆	95 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	265 lbs.	13.1
	Q86N309629WKN1LL TFL	4590	30 ¹ / ₁₆	95 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	265 lbs.	13.1
	86N309629WKN1LL TFL	4590	30 ¹ / ₁₆	95 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	265 lbs.	13.1
	86N3010829WKN1L Laminate	\$ 5735	30 ¹ / ₁₆	107 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	290 lbs.	13.9
	86N3010829WKN1LL TFL	5048	30 ¹ / ₁₆	107 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	290 lbs.	13.9
	86N3012029WKN1L Laminate	\$ 6312	30 ¹ / ₁₆	119 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	314 lbs.	14.7
	86N3012029WKN1LL TFL	5553	30 ¹ / ₁₆	119 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	314 lbs.	14.7
	86N364829WKN1L Laminate	\$ 4242	36 ¹ / ₁₆	48 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	177 lbs.	11.1
	86N364829WKN1LL TFL	3732	36 ¹ / ₁₆	48 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	177 lbs.	11.1
	86N366029WKN1L Laminate	\$ 4512	36 ¹ / ₁₆	60	28 ⁵ / ₁₆	—	—	212 lbs.	12.4
	86N366029WKN1LL TFL	3971	36 ¹ / ₁₆	60	28 ⁵ / ₁₆	—	—	212 lbs.	12.4
	86N367229WKN1L Laminate	\$ 4800	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	241 lbs.	13.3
	Q86N367229WKN1LL TFL	4226	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	241 lbs.	13.3
	86N367229WKN1LL TFL	4226	36 ¹ / ₁₆	71 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	241 lbs.	13.3
	86N368429WKN1L Laminate	\$ 5106	36 ¹ / ₁₆	83 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	267 lbs.	14.2
	Q86N368429WKN1LL TFL	4493	36 ¹ / ₁₆	83 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	267 lbs.	14.2
	86N368429WKN1LL TFL	4493	36 ¹ / ₁₆	83 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	267 lbs.	14.2
	86N369629WKN1L Laminate	\$ 5432	36 ¹ / ₁₆	95 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	294 lbs.	15.1
Q86N369629WKN1LL TFL	4781	36 ¹ / ₁₆	95 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	294 lbs.	15.1	
86N369629WKN1LL TFL	4781	36 ¹ / ₁₆	95 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	294 lbs.	15.1	
86N3610829WKN1L Laminate	\$ 5978	36 ¹ / ₁₆	107 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	322 lbs.	16.0	
86N3610829WKN1LL TFL	5259	36 ¹ / ₁₆	107 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	322 lbs.	16.0	
86N3612029WKN1L Laminate	\$ 6574	36 ¹ / ₁₆	119 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	349 lbs.	16.9	
86N3612029WKN1LL TFL	5787	36 ¹ / ₁₆	119 ¹ / ₁₆	28 ⁵ / ₁₆	—	—	349 lbs.	16.9	

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N424829WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

WORKSURFACE HEIGHT NO MODESTY (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
86N424829WKN1L Laminate	\$ 4420	42 ¹ / ₁₆	48 ⁷ / ₁₆	28 ³ / ₈	—	—	195 lbs.	13.2
86N424829WKN1LL TFL	3887	42 ¹ / ₁₆	48 ⁷ / ₁₆	28 ³ / ₈	—	—	195 lbs.	13.2
86N426029WKN1L Laminate	\$ 4702	42 ¹ / ₁₆	60	28 ³ / ₈	—	—	232 lbs.	14.2
86N426029WKN1LL TFL	4138	42 ¹ / ₁₆	60	28 ³ / ₈	—	—	232 lbs.	14.2
86N427229WKN1L Laminate	\$ 5002	42 ¹ / ₁₆	71 ¹ / ₁₆	28 ³ / ₈	—	—	262 lbs.	15.2
Q86N427229WKN1LL TFL	4399	42 ¹ / ₁₆	71 ¹ / ₁₆	28 ³ / ₈	—	—	262 lbs.	15.2
86N427229WKN1LL TFL	4399	42 ¹ / ₁₆	71 ¹ / ₁₆	28 ³ / ₈	—	—	262 lbs.	15.2
86N428429WKN1L Laminate	\$ 5320	42 ¹ / ₁₆	83 ¹ / ₁₆	28 ³ / ₈	—	—	291 lbs.	16.2
Q86N428429WKN1LL TFL	4679	42 ¹ / ₁₆	83 ¹ / ₁₆	28 ³ / ₈	—	—	291 lbs.	16.2
86N428429WKN1LL TFL	4679	42 ¹ / ₁₆	83 ¹ / ₁₆	28 ³ / ₈	—	—	291 lbs.	16.2
86N429629WKN1L Laminate	\$ 5659	42 ¹ / ₁₆	95 ⁷ / ₁₆	28 ³ / ₈	—	—	321 lbs.	17.3
Q86N429629WKN1LL TFL	4979	42 ¹ / ₁₆	95 ⁷ / ₁₆	28 ³ / ₈	—	—	321 lbs.	17.3
86N429629WKN1LL TFL	4979	42 ¹ / ₁₆	95 ⁷ / ₁₆	28 ³ / ₈	—	—	321 lbs.	17.3
86N4210829WKN1L Laminate	\$ 6225	42 ¹ / ₁₆	107 ⁷ / ₁₆	28 ³ / ₈	—	—	350 lbs.	18.3
86N4210829WKN1LL TFL	5478	42 ¹ / ₁₆	107 ⁷ / ₁₆	28 ³ / ₈	—	—	350 lbs.	18.3
86N4212029WKN1L Laminate	\$ 6847	42 ¹ / ₁₆	119 ³ / ₁₆	28 ³ / ₈	—	—	378 lbs.	19.3
86N4212029WKN1LL TFL	6026	42 ¹ / ₁₆	119 ³ / ₁₆	28 ³ / ₈	—	—	378 lbs.	19.3
86N484829WKN1L Laminate	\$ 4601	48 ³ / ₁₆	48 ³ / ₁₆	28 ³ / ₈	—	—	212 lbs.	14.7
86N484829WKN1LL TFL	4050	48 ³ / ₁₆	48 ³ / ₁₆	28 ³ / ₈	—	—	212 lbs.	14.7
86N486029WKN1L Laminate	\$ 4897	48 ³ / ₁₆	60	28 ³ / ₈	—	—	252 lbs.	15.8
86N486029WKN1LL TFL	4308	48 ³ / ₁₆	60	28 ³ / ₈	—	—	252 lbs.	15.8
86N487229WKN1L Laminate	\$ 5209	48 ³ / ₁₆	71 ¹ / ₁₆	28 ³ / ₈	—	—	284 lbs.	17.0
Q86N487229WKN1LL TFL	4585	48 ³ / ₁₆	71 ¹ / ₁₆	28 ³ / ₈	—	—	284 lbs.	17.0
86N487229WKN1LL TFL	4585	48 ³ / ₁₆	71 ¹ / ₁₆	28 ³ / ₈	—	—	284 lbs.	17.0
86N488429WKN1L Laminate	\$ 5539	48 ³ / ₁₆	83 ¹ / ₁₆	28 ³ / ₈	—	—	315 lbs.	18.1
Q86N488429WKN1LL TFL	4875	48 ³ / ₁₆	83 ¹ / ₁₆	28 ³ / ₈	—	—	315 lbs.	18.1
86N488429WKN1LL TFL	4875	48 ³ / ₁₆	83 ¹ / ₁₆	28 ³ / ₈	—	—	315 lbs.	18.1

• G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons (up to 120" length)
- 144" to 192" top size units shipped in 5 cartons
- 216" to 240" top size units shipped in 7 cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N489629WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
WORKSURFACE HEIGHT NO MODESTY (CONTINUED)	86N489629WKN1L Laminate	\$ 5894	48 ⁷ / ₁₆	95 ⁷ / ₁₆	28 ⁷ / ₁₆	—	—	346 lbs.	19.3
	Q86N489629WKN1LL TFL	5188	48 ⁷ / ₁₆	95 ⁷ / ₁₆	28 ⁷ / ₁₆	—	—	346 lbs.	19.3
	86N489629WKN1LL TFL	5188	48 ⁷ / ₁₆	95 ⁷ / ₁₆	28 ⁷ / ₁₆	—	—	346 lbs.	19.3
48" - 120" Wide Models	86N4810829WKN1L Laminate	\$ 6485	48 ⁷ / ₁₆	107 ⁷ / ₁₆	28 ⁷ / ₁₆	—	—	377 lbs.	20.4
	86N4810829WKN1LL TFL	5708	48 ⁷ / ₁₆	107 ⁷ / ₁₆	28 ⁷ / ₁₆	—	—	377 lbs.	20.4
144" - 192" Wide Models	86N4812029WKN1L Laminate	\$ 7132	48 ⁷ / ₁₆	119 ¹³ / ₁₆	28 ⁷ / ₁₆	—	—	409 lbs.	21.5
	86N4812029WKN1LL TFL	6277	48 ⁷ / ₁₆	119 ¹³ / ₁₆	28 ⁷ / ₁₆	—	—	409 lbs.	21.5
216" - 240" Wide Models	86N4814429WKN1L Laminate	\$ 7846	48 ⁷ / ₁₆	144	28 ⁷ / ₁₆	—	—	568 lbs.	26.5
	86N4814429WKN1LL TFL	6904	48 ⁷ / ₁₆	144	28 ⁷ / ₁₆	—	—	568 lbs.	26.5
	86N4816829WKN1L Laminate	\$ 8630	48 ⁷ / ₁₆	168	28 ⁷ / ₁₆	—	—	630 lbs.	29.5
	86N4816829WKN1LL TFL	7596	48 ⁷ / ₁₆	168	28 ⁷ / ₁₆	—	—	630 lbs.	29.5
	86N4819229WKN1L Laminate	\$ 9492	48 ⁷ / ₁₆	192	28 ⁷ / ₁₆	—	—	691 lbs.	31.2
	86N4819229WKN1LL TFL	8355	48 ⁷ / ₁₆	192	28 ⁷ / ₁₆	—	—	691 lbs.	31.2
	86N4821629WKN1L Laminate	\$ 10443	48 ⁷ / ₁₆	216	28 ⁷ / ₁₆	—	—	724 lbs.	33.9
	86N4821629WKN1LL TFL	9191	48 ⁷ / ₁₆	216	28 ⁷ / ₁₆	—	—	724 lbs.	33.9
	86N4824029WKN1L Laminate	\$ 11698	48 ⁷ / ₁₆	240	28 ⁷ / ₁₆	—	—	805 lbs.	36.0
	86N4824029WKN1LL TFL	10293	48 ⁷ / ₁₆	240	28 ⁷ / ₁₆	—	—	805 lbs.	36.0

• G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16", 216" or 240" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N244835WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

COUNTER HEIGHT NO MODESTY



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
86N244835WKN1L Laminate	\$ 4115	24	48 ¹ / ₁₆	35 ³ / ₁₆	—	—	164 lbs.	9.2
86N244835WKN1LL TFL	3620	24	48 ¹ / ₁₆	35 ³ / ₁₆	—	—	164 lbs.	9.2
86N246035WKN1L Laminate	\$ 4378	24	60	35 ³ / ₁₆	—	—	196 lbs.	9.9
Q86N246035WKN1LL TFL	3849	24	60	35 ³ / ₁₆	—	—	196 lbs.	9.9
86N246035WKN1LL TFL	3849	24	60	35 ³ / ₁₆	—	—	196 lbs.	9.9
86N247235WKN1L Laminate	\$ 4659	24	71 ¹ / ₁₆	35 ³ / ₁₆	—	—	221 lbs.	10.6
Q86N247235WKN1LL TFL	4097	24	71 ¹ / ₁₆	35 ³ / ₁₆	—	—	221 lbs.	10.6
86N247235WKN1LL TFL	4097	24	71 ¹ / ₁₆	35 ³ / ₁₆	—	—	221 lbs.	10.6
86N248435WKN1L Laminate	\$ 4954	24	83 ¹ / ₁₆	35 ³ / ₁₆	—	—	164 lbs.	11.2
86N248435WKN1LL TFL	4358	24	83 ¹ / ₁₆	35 ³ / ₁₆	—	—	164 lbs.	11.2
86N249635WKN1L Laminate	\$ 5271	24	95 ⁷ / ₁₆	35 ³ / ₁₆	—	—	268 lbs.	11.9
Q86N249635WKN1LL TFL	4636	24	95 ⁷ / ₁₆	35 ³ / ₁₆	—	—	268 lbs.	11.9
86N249635WKN1LL TFL	4636	24	95 ⁷ / ₁₆	35 ³ / ₁₆	—	—	268 lbs.	11.9
86N2410835WKN1L Laminate	\$ 5798	24	107 ⁷ / ₁₆	35 ³ / ₁₆	—	—	293 lbs.	12.6
86N2410835WKN1LL TFL	5102	24	107 ⁷ / ₁₆	35 ³ / ₁₆	—	—	293 lbs.	12.6
86N2412035WKN1L Laminate	\$ 6377	24	119 ³ / ₁₆	35 ³ / ₁₆	—	—	316 lbs.	13.3
86N2412035WKN1LL TFL	5610	24	119 ³ / ₁₆	35 ³ / ₁₆	—	—	316 lbs.	13.3
86N304835WKN1L Laminate	\$ 4286	30 ¹ / ₁₆	48 ¹ / ₁₆	35 ³ / ₁₆	—	—	182 lbs.	11.1
86N304835WKN1LL TFL	3770	30 ¹ / ₁₆	48 ¹ / ₁₆	35 ³ / ₁₆	—	—	182 lbs.	11.1
86N306035WKN1L Laminate	\$ 4560	30 ¹ / ₁₆	60	35 ³ / ₁₆	—	—	218 lbs.	11.9
Q86N306035WKN1LL TFL	4013	30 ¹ / ₁₆	60	35 ³ / ₁₆	—	—	218 lbs.	11.9
86N306035WKN1LL TFL	4013	30 ¹ / ₁₆	60	35 ³ / ₁₆	—	—	218 lbs.	11.9
86N307235WKN1L Laminate	\$ 4852	30 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	—	246 lbs.	12.7
Q86N307235WKN1LL TFL	4268	30 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	—	246 lbs.	12.7
86N307235WKN1LL TFL	4268	30 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	—	246 lbs.	12.7

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N308435WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

**COUNTER HEIGHT
NO MODESTY
(CONTINUED)**




MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
86N308435WKN1L	Laminate	\$ 5159	30 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	—	271 lbs.	13.5
86N308435WKN1LL	TFL	4540	30 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	—	271 lbs.	13.5
86N309635WKN1L	Laminate	\$ 5491	30 ¹ / ₁₆	95 ⁷ / ₁₆	35 ³ / ₁₆	—	—	298 lbs.	14.3
Q86N309635WKN1LL	TFL	4829	30 ¹ / ₁₆	95 ⁷ / ₁₆	35 ³ / ₁₆	—	—	298 lbs.	14.3
86N309635WKN1LL	TFL	4829	30 ¹ / ₁₆	95 ⁷ / ₁₆	35 ³ / ₁₆	—	—	298 lbs.	14.3
86N3010835WKN1L	Laminate	\$ 6039	30 ¹ / ₁₆	107 ⁷ / ₁₆	35 ³ / ₁₆	—	—	326 lbs.	15.1
86N3010835WKN1LL	TFL	5315	30 ¹ / ₁₆	107 ⁷ / ₁₆	35 ³ / ₁₆	—	—	326 lbs.	15.1
86N3012035WKN1L	Laminate	\$ 6641	30 ¹ / ₁₆	119 ¹³ / ₁₆	35 ³ / ₁₆	—	—	351 lbs.	15.9
86N3012035WKN1LL	TFL	5845	30 ¹ / ₁₆	119 ¹³ / ₁₆	35 ³ / ₁₆	—	—	351 lbs.	15.9
86N364835WKN1L	Laminate	\$ 4464	36 ¹ / ₁₆	48 ¹ / ₁₆	35 ³ / ₁₆	—	—	202 lbs.	12.9
86N364835WKN1LL	TFL	3926	36 ¹ / ₁₆	48 ¹ / ₁₆	35 ³ / ₁₆	—	—	202 lbs.	12.9
86N366035WKN1L	Laminate	\$ 4748	36 ¹ / ₁₆	60	35 ³ / ₁₆	—	—	242 lbs.	13.8
86N366035WKN1LL	TFL	4180	36 ¹ / ₁₆	60	35 ³ / ₁₆	—	—	242 lbs.	13.8
86N367235WKN1L	Laminate	\$ 5053	36 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	—	273 lbs.	14.7
Q86N367235WKN1LL	TFL	4449	36 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	—	273 lbs.	14.7
86N367235WKN1LL	TFL	4449	36 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	—	273 lbs.	14.7
86N368435WKN1L	Laminate	\$ 5376	36 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	—	302 lbs.	15.6
Q86N368435WKN1LL	TFL	4732	36 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	—	302 lbs.	15.6
86N368435WKN1LL	TFL	4732	36 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	—	302 lbs.	15.6
86N369635WKN1L	Laminate	\$ 5720	36 ¹ / ₁₆	95 ⁷ / ₁₆	35 ³ / ₁₆	—	—	331 lbs.	16.5
Q86N369635WKN1LL	TFL	5034	36 ¹ / ₁₆	95 ⁷ / ₁₆	35 ³ / ₁₆	—	—	331 lbs.	16.5
86N369635WKN1LL	TFL	5034	36 ¹ / ₁₆	95 ⁷ / ₁₆	35 ³ / ₁₆	—	—	331 lbs.	16.5
86N3610835WKN1L	Laminate	\$ 6290	36 ¹ / ₁₆	107 ⁷ / ₁₆	35 ³ / ₁₆	—	—	362 lbs.	17.4
86N3610835WKN1LL	TFL	5536	36 ¹ / ₁₆	107 ⁷ / ₁₆	35 ³ / ₁₆	—	—	362 lbs.	17.4
86N3612035WKN1L	Laminate	\$ 6920	36 ¹ / ₁₆	119 ¹³ / ₁₆	35 ³ / ₁₆	—	—	390 lbs.	18.3
86N3612035WKN1LL	TFL	6089	36 ¹ / ₁₆	119 ¹³ / ₁₆	35 ³ / ₁₆	—	—	390 lbs.	18.3

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N424835WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

COUNTER HEIGHT NO MODESTY (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
86N424835WKN1L Laminate	\$ 4650	42 ¹ / ₁₆	48 ⁷ / ₁₆	35 ³ / ₁₆	—	—	222 lbs.	14.8
86N424835WKN1LL TFL	4093	42 ¹ / ₁₆	48 ⁷ / ₁₆	35 ³ / ₁₆	—	—	222 lbs.	14.8
86N426035WKN1L Laminate	\$ 4949	42 ¹ / ₁₆	60	35 ³ / ₁₆	—	—	264 lbs.	15.8
86N426035WKN1LL TFL	4354	42 ¹ / ₁₆	60	35 ³ / ₁₆	—	—	264 lbs.	15.8
86N427235WKN1L Laminate	\$ 5262	42 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	—	260 lbs.	16.8
Q86N427235WKN1LL TFL	4632	42 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	—	260 lbs.	16.8
86N427235WKN1LL TFL	4632	42 ¹ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	—	260 lbs.	16.8
86N428435WKN1L Laminate	\$ 5601	42 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	—	327 lbs.	17.8
Q86N428435WKN1LL TFL	4929	42 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	—	327 lbs.	17.8
86N428435WKN1LL TFL	4929	42 ¹ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	—	327 lbs.	17.8
86N429635WKN1L Laminate	\$ 5958	42 ¹ / ₁₆	95 ⁷ / ₁₆	35 ³ / ₁₆	—	—	359 lbs.	18.9
Q86N429635WKN1LL TFL	5242	42 ¹ / ₁₆	95 ⁷ / ₁₆	35 ³ / ₁₆	—	—	359 lbs.	18.9
86N429635WKN1LL TFL	5242	42 ¹ / ₁₆	95 ⁷ / ₁₆	35 ³ / ₁₆	—	—	359 lbs.	18.9
86N4210835WKN1L Laminate	\$ 6553	42 ¹ / ₁₆	107 ⁷ / ₁₆	35 ³ / ₁₆	—	—	391 lbs.	19.9
86N4210835WKN1LL TFL	5766	42 ¹ / ₁₆	107 ⁷ / ₁₆	35 ³ / ₁₆	—	—	391 lbs.	19.9
86N4212035WKN1L Laminate	\$ 7208	42 ¹ / ₁₆	119 ³ / ₁₆	35 ³ / ₁₆	—	—	422 lbs.	20.9
86N4212035WKN1LL TFL	6343	42 ¹ / ₁₆	119 ³ / ₁₆	35 ³ / ₁₆	—	—	422 lbs.	20.9
86N484835WKN1L Laminate	\$ 4846	48 ³ / ₁₆	48 ³ / ₁₆	35 ³ / ₁₆	—	—	242 lbs.	16.5
86N484835WKN1LL TFL	4264	48 ³ / ₁₆	48 ³ / ₁₆	35 ³ / ₁₆	—	—	242 lbs.	16.5
86N486035WKN1L Laminate	\$ 5154	48 ³ / ₁₆	60	35 ³ / ₁₆	—	—	286 lbs.	17.6
86N486035WKN1LL TFL	4535	48 ³ / ₁₆	60	35 ³ / ₁₆	—	—	286 lbs.	17.6
86N487235WKN1L Laminate	\$ 5483	48 ³ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	—	320 lbs.	18.8
Q86N487235WKN1LL TFL	4823	48 ³ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	—	320 lbs.	18.8
86N487235WKN1LL TFL	4823	48 ³ / ₁₆	71 ¹ / ₁₆	35 ³ / ₁₆	—	—	320 lbs.	18.8
86N488435WKN1L Laminate	\$ 5832	48 ³ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	—	354 lbs.	19.9
Q86N488435WKN1LL TFL	5132	48 ³ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	—	354 lbs.	19.9
86N488435WKN1LL TFL	5132	48 ³ / ₁₆	83 ¹ / ₁₆	35 ³ / ₁₆	—	—	354 lbs.	19.9

• G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons (up to 120" length)
- 144" to 192" top size units shipped in 5 cartons
- 216" to 240" top size units shipped in 7 cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N489635WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
COUNTER HEIGHT NO MODESTY (CONTINUED)	86N489635WKN1L Laminate	\$ 6205	48 ⁷ / ₁₆	95 ⁷ / ₈	35 ³ / ₁₆	—	—	386 lbs.	21.1
	Q86N489635WKN1LL TFL	5460	48 ⁷ / ₁₆	95 ⁷ / ₈	35 ³ / ₁₆	—	—	386 lbs.	21.1
	86N489635WKN1LL TFL	5460	48 ⁷ / ₁₆	95 ⁷ / ₈	35 ³ / ₁₆	—	—	386 lbs.	21.1
48" - 120" Wide Models	86N4810835WKN1L Laminate	\$ 6825	48 ⁷ / ₁₆	107 ⁷ / ₈	35 ³ / ₁₆	—	—	421 lbs.	22.2
	86N4810835WKN1LL TFL	6006	48 ⁷ / ₁₆	107 ⁷ / ₈	35 ³ / ₁₆	—	—	421 lbs.	22.2
144" - 192" Wide Models	86N4812035WKN1L Laminate	\$ 7509	48 ⁷ / ₁₆	119 ¹³ / ₁₆	35 ³ / ₁₆	—	—	454 lbs.	23.3
	86N4812035WKN1LL TFL	6606	48 ⁷ / ₁₆	119 ¹³ / ₁₆	35 ³ / ₁₆	—	—	454 lbs.	23.3
216" - 240" Wide Models	86N4814435WKN1L Laminate	\$ 8259	48 ⁷ / ₁₆	144	35 ³ / ₁₆	—	—	640 lbs.	28.9
	86N4814435WKN1LL TFL	7269	48 ⁷ / ₁₆	144	35 ³ / ₁₆	—	—	640 lbs.	28.9
	86N4816835WKN1L Laminate	\$ 9085	48 ⁷ / ₁₆	168	35 ³ / ₁₆	—	—	707 lbs.	31.9
	86N4816835WKN1LL TFL	7995	48 ⁷ / ₁₆	168	35 ³ / ₁₆	—	—	707 lbs.	31.9
	86N4819235WKN1L Laminate	\$ 9994	48 ⁷ / ₁₆	192	35 ³ / ₁₆	—	—	773 lbs.	33.6
	86N4819235WKN1LL TFL	8793	48 ⁷ / ₁₆	192	35 ³ / ₁₆	—	—	773 lbs.	33.6
	86N4821635WKN1L Laminate	\$ 10994	48 ⁷ / ₁₆	216	35 ³ / ₁₆	—	—	816 lbs.	36.3
	86N4821635WKN1LL TFL	9674	48 ⁷ / ₁₆	216	35 ³ / ₁₆	—	—	816 lbs.	36.3
	86N4824035WKN1L Laminate	\$ 12312	48 ⁷ / ₁₆	240	35 ³ / ₁₆	—	—	907 lbs.	38.4
	86N4824035WKN1LL TFL	10835	48 ⁷ / ₁₆	240	35 ³ / ₁₆	—	—	907 lbs.	38.4

• G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16", 216" or 240" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N244841WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

BAR HEIGHT NO MODESTY



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
86N244841WKN1L Laminate	\$ 4572	24	48 ¹ / ₁₆	41 ¹ / ₂	-	-	184 lbs.	10.2
86N244841WKN1LL TFL	4024	24	48 ¹ / ₁₆	41 ¹ / ₂	-	-	184 lbs.	10.2
86N246041WKN1L Laminate	\$ 4864	24	60	41 ¹ / ₂	-	-	220 lbs.	10.9
Q86N246041WKN1LL TFL	4281	24	60	41 ¹ / ₂	-	-	220 lbs.	10.9
86N246041WKN1LL TFL	4281	24	60	41 ¹ / ₂	-	-	220 lbs.	10.9
86N247241WKN1L Laminate	\$ 5174	24	71 ¹ / ₁₆	41 ¹ / ₂	-	-	247 lbs.	11.6
Q86N247241WKN1LL TFL	4554	24	71 ¹ / ₁₆	41 ¹ / ₂	-	-	247 lbs.	11.6
86N247241WKN1LL TFL	4554	24	71 ¹ / ₁₆	41 ¹ / ₂	-	-	247 lbs.	11.6
86N248441WKN1L Laminate	\$ 5506	24	83 ¹ / ₁₆	41 ¹ / ₂	-	-	184 lbs.	12.2
86N248441WKN1LL TFL	4845	24	83 ¹ / ₁₆	41 ¹ / ₂	-	-	184 lbs.	12.2
86N249641WKN1L Laminate	\$ 5855	24	95 ⁷ / ₁₆	41 ¹ / ₂	-	-	299 lbs.	12.9
Q86N249641WKN1LL TFL	5154	24	95 ⁷ / ₁₆	41 ¹ / ₂	-	-	299 lbs.	12.9
86N249641WKN1LL TFL	5154	24	95 ⁷ / ₁₆	41 ¹ / ₂	-	-	299 lbs.	12.9
86N2410841WKN1L Laminate	\$ 6441	24	107 ⁷ / ₁₆	41 ¹ / ₂	-	-	326 lbs.	13.6
86N2410841WKN1LL TFL	5671	24	107 ⁷ / ₁₆	41 ¹ / ₂	-	-	326 lbs.	13.6
86N2412041WKN1L Laminate	\$ 7085	24	119 ⁹ / ₁₆	41 ¹ / ₂	-	-	352 lbs.	14.3
86N2412041WKN1LL TFL	6236	24	119 ⁹ / ₁₆	41 ¹ / ₂	-	-	352 lbs.	14.3
86N304841WKN1L Laminate	\$ 4761	30 ¹ / ₁₆	48 ¹ / ₁₆	41 ¹ / ₂	-	-	256 lbs.	12.3
86N304841WKN1LL TFL	4191	30 ¹ / ₁₆	48 ¹ / ₁₆	41 ¹ / ₂	-	-	256 lbs.	12.3
86N306041WKN1L Laminate	\$ 5066	30 ¹ / ₁₆	60	41 ¹ / ₂	-	-	245 lbs.	13.1
Q86N306041WKN1LL TFL	4458	30 ¹ / ₁₆	60	41 ¹ / ₂	-	-	245 lbs.	13.1
86N306041WKN1LL TFL	4458	30 ¹ / ₁₆	60	41 ¹ / ₂	-	-	245 lbs.	13.1
86N307241WKN1L Laminate	\$ 5392	30 ¹ / ₁₆	71 ¹ / ₁₆	41 ¹ / ₂	-	-	274 lbs.	13.9
Q86N307241WKN1LL TFL	4742	30 ¹ / ₁₆	71 ¹ / ₁₆	41 ¹ / ₂	-	-	274 lbs.	13.9
86N307241WKN1LL TFL	4742	30 ¹ / ₁₆	71 ¹ / ₁₆	41 ¹ / ₂	-	-	274 lbs.	13.9

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N308441WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

**BAR HEIGHT
NO MODESTY
(CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
86N308441WKN1L Laminate	\$ 5732	30 ³ / ₁₆	83 ¹ / ₁₆	41 ¹ / ₂	—	—	303 lbs.	14.7
86N308441WKN1LL TFL	5045	30 ³ / ₁₆	83 ¹ / ₁₆	41 ¹ / ₂	—	—	303 lbs.	14.7
86N309641WKN1L Laminate	\$ 6101	30 ³ / ₁₆	95 ⁵ / ₁₆	41 ¹ / ₂	—	—	332 lbs.	15.5
Q86N309641WKN1LL TFL	5368	30 ³ / ₁₆	95 ⁵ / ₁₆	41 ¹ / ₂	—	—	332 lbs.	15.5
86N309641WKN1LL TFL	5368	30 ³ / ₁₆	95 ⁵ / ₁₆	41 ¹ / ₂	—	—	332 lbs.	15.5
86N3010841WKN1L Laminate	\$ 6709	30 ³ / ₁₆	107 ⁷ / ₁₆	41 ¹ / ₂	—	—	362 lbs.	16.3
86N3010841WKN1LL TFL	5905	30 ³ / ₁₆	107 ⁷ / ₁₆	41 ¹ / ₂	—	—	362 lbs.	16.3
86N3012041WKN1L Laminate	\$ 7380	30 ³ / ₁₆	119 ¹ / ₁₆	41 ¹ / ₂	—	—	391 lbs.	17.1
86N3012041WKN1LL TFL	6493	30 ³ / ₁₆	119 ¹ / ₁₆	41 ¹ / ₂	—	—	391 lbs.	17.1
86N364841WKN1L Laminate	\$ 4962	36 ³ / ₁₆	48 ³ / ₁₆	41 ¹ / ₂	—	—	227 lbs.	14.5
86N364841WKN1LL TFL	4366	36 ³ / ₁₆	48 ³ / ₁₆	41 ¹ / ₂	—	—	227 lbs.	14.5
86N366041WKN1L Laminate	\$ 5278	36 ³ / ₁₆	60	41 ¹ / ₂	—	—	272 lbs.	15.4
86N366041WKN1LL TFL	4644	36 ³ / ₁₆	60	41 ¹ / ₂	—	—	272 lbs.	15.4
86N367241WKN1L Laminate	\$ 5615	36 ³ / ₁₆	71 ¹ / ₁₆	41 ¹ / ₂	—	—	305 lbs.	16.3
Q86N367241WKN1LL TFL	4939	36 ³ / ₁₆	71 ¹ / ₁₆	41 ¹ / ₂	—	—	305 lbs.	16.3
86N367241WKN1LL TFL	4939	36 ³ / ₁₆	71 ¹ / ₁₆	41 ¹ / ₂	—	—	305 lbs.	16.3
86N368441WKN1L Laminate	\$ 5972	36 ³ / ₁₆	83 ¹ / ₁₆	41 ¹ / ₂	—	—	337 lbs.	17.2
Q86N368441WKN1LL TFL	5256	36 ³ / ₁₆	83 ¹ / ₁₆	41 ¹ / ₂	—	—	337 lbs.	17.2
86N368441WKN1LL TFL	5256	36 ³ / ₁₆	83 ¹ / ₁₆	41 ¹ / ₂	—	—	337 lbs.	17.2
86N369641WKN1L Laminate	\$ 6353	36 ³ / ₁₆	95 ⁵ / ₁₆	41 ¹ / ₂	—	—	369 lbs.	18.1
Q86N369641WKN1LL TFL	5591	36 ³ / ₁₆	95 ⁵ / ₁₆	41 ¹ / ₂	—	—	369 lbs.	18.1
86N369641WKN1LL TFL	5591	36 ³ / ₁₆	95 ⁵ / ₁₆	41 ¹ / ₂	—	—	369 lbs.	18.1
86N3610841WKN1L Laminate	\$ 6990	36 ³ / ₁₆	107 ⁷ / ₁₆	41 ¹ / ₂	—	—	402 lbs.	19.0
86N3610841WKN1LL TFL	6150	36 ³ / ₁₆	107 ⁷ / ₁₆	41 ¹ / ₂	—	—	402 lbs.	19.0

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N424841WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

BAR HEIGHT NO MODESTY (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
86N3612041WKN1L Laminate	\$ 7688	36 ¹ / ₁₆	119 ³ / ₁₆	41 ¹ / ₂	—	—	434 lbs.	19.9
86N3612041WKN1LL TFL	6767	36 ¹ / ₁₆	119 ³ / ₁₆	41 ¹ / ₂	—	—	434 lbs.	19.9
86N424841WKN1L Laminate	\$ 5169	42 ¹ / ₁₆	48 ¹ / ₁₆	41 ¹ / ₂	—	—	250 lbs.	16.4
86N424841WKN1LL TFL	4547	42 ¹ / ₁₆	48 ¹ / ₁₆	41 ¹ / ₂	—	—	250 lbs.	16.4
86N426041WKN1L Laminate	\$ 5496	42 ¹ / ₁₆	60	41 ¹ / ₂	—	—	296 lbs.	17.4
86N426041WKN1LL TFL	4837	42 ¹ / ₁₆	60	41 ¹ / ₂	—	—	296 lbs.	17.4
86N427241WKN1L Laminate	\$ 5846	42 ¹ / ₁₆	71 ¹ / ₁₆	41 ¹ / ₂	—	—	330 lbs.	18.4
Q86N427241WKN1LL TFL	5146	42 ¹ / ₁₆	71 ¹ / ₁₆	41 ¹ / ₂	—	—	330 lbs.	18.4
86N427241WKN1LL TFL	5146	42 ¹ / ₁₆	71 ¹ / ₁₆	41 ¹ / ₂	—	—	330 lbs.	18.4
86N428441WKN1L Laminate	\$ 6222	42 ¹ / ₁₆	83 ¹ / ₁₆	41 ¹ / ₂	—	—	364 lbs.	19.4
Q86N428441WKN1LL TFL	5475	42 ¹ / ₁₆	83 ¹ / ₁₆	41 ¹ / ₂	—	—	364 lbs.	19.4
86N428441WKN1LL TFL	5475	42 ¹ / ₁₆	83 ¹ / ₁₆	41 ¹ / ₂	—	—	364 lbs.	19.4
86N429641WKN1L Laminate	\$ 6621	42 ¹ / ₁₆	95 ¹ / ₁₆	41 ¹ / ₂	—	—	399 lbs.	20.5
Q86N429641WKN1LL TFL	5826	42 ¹ / ₁₆	95 ¹ / ₁₆	41 ¹ / ₂	—	—	399 lbs.	20.5
86N429641WKN1LL TFL	5826	42 ¹ / ₁₆	95 ¹ / ₁₆	41 ¹ / ₂	—	—	399 lbs.	20.5
86N4210841WKN1L Laminate	\$ 7279	42 ¹ / ₁₆	107 ⁷ / ₈	41 ¹ / ₂	—	—	434 lbs.	21.5
86N4210841WKN1LL TFL	6409	42 ¹ / ₁₆	107 ⁷ / ₈	41 ¹ / ₂	—	—	434 lbs.	21.5
86N4212041WKN1L Laminate	\$ 8007	42 ¹ / ₁₆	119 ³ / ₁₆	41 ¹ / ₂	—	—	467 lbs.	22.5
86N4212041WKN1LL TFL	7048	42 ¹ / ₁₆	119 ³ / ₁₆	41 ¹ / ₂	—	—	467 lbs.	22.5
86N484841WKN1L Laminate	\$ 5383	48 ¹ / ₁₆	48 ¹ / ₁₆	41 ¹ / ₂	—	—	270 lbs.	18.5
86N484841WKN1LL TFL	4738	48 ¹ / ₁₆	48 ¹ / ₁₆	41 ¹ / ₂	—	—	270 lbs.	18.5
86N486041WKN1L Laminate	\$ 5728	48 ¹ / ₁₆	60	41 ¹ / ₂	—	—	320 lbs.	19.6
86N486041WKN1LL TFL	5040	48 ¹ / ₁₆	60	41 ¹ / ₂	—	—	320 lbs.	19.6

• G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 303-316 for grommet cutout locations
- Shipped in 3 separate cartons (up to 120" length)
- 144" to 192" top size units shipped in 5 cartons
- 216" to 240" top size units shipped in 7 cartons



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Vinyl Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N489641WKN1L V462 X X MC MC

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
BAR HEIGHT NO MODESTY (CONTINUED)	86N487241WKN1L Laminate	\$ 6093	48 ³ / ₁₆	71 ¹³ / ₁₆	41 ¹ / ₂	—	—	356 lbs.	20.8
	Q86N487241WKN1LL TFL	5360	48 ³ / ₁₆	71 ¹³ / ₁₆	41 ¹ / ₂	—	—	356 lbs.	20.8
	86N487241WKN1LL TFL	5360	48 ³ / ₁₆	71 ¹³ / ₁₆	41 ¹ / ₂	—	—	356 lbs.	20.8
48" - 120" Wide Models	86N488441WKN1L Laminate	\$ 6481	48 ³ / ₁₆	83 ³ / ₁₆	41 ¹ / ₂	—	—	392 lbs.	21.9
	Q86N488441WKN1LL TFL	5703	48 ³ / ₁₆	83 ³ / ₁₆	41 ¹ / ₂	—	—	392 lbs.	21.9
	86N488441WKN1LL TFL	5703	48 ³ / ₁₆	83 ³ / ₁₆	41 ¹ / ₂	—	—	392 lbs.	21.9
144" - 192" Wide Models	86N489641WKN1L Laminate	\$ 6893	48 ³ / ₁₆	95 ⁵ / ₁₆	41 ¹ / ₂	—	—	428 lbs.	23.1
	Q86N489641WKN1LL TFL	6068	48 ³ / ₁₆	95 ⁵ / ₁₆	41 ¹ / ₂	—	—	428 lbs.	23.1
	86N489641WKN1LL TFL	6068	48 ³ / ₁₆	95 ⁵ / ₁₆	41 ¹ / ₂	—	—	428 lbs.	23.1
216" - 240" Wide Models	86N4810841WKN1L Laminate	\$ 7583	48 ³ / ₁₆	107 ⁷ / ₁₆	41 ¹ / ₂	—	—	465 lbs.	24.2
	86N4810841WKN1LL TFL	6673	48 ³ / ₁₆	107 ⁷ / ₁₆	41 ¹ / ₂	—	—	465 lbs.	24.2
	86N4812041WKN1L Laminate	\$ 8341	48 ³ / ₁₆	119 ⁹ / ₁₆	41 ¹ / ₂	—	—	501 lbs.	25.3
	86N4812041WKN1LL TFL	7342	48 ³ / ₁₆	119 ⁹ / ₁₆	41 ¹ / ₂	—	—	501 lbs.	25.3
	86N4814441WKN1L Laminate	\$ 9174	48 ³ / ₁₆	144	41 ¹ / ₂	—	—	712 lbs.	31.5
	86N4814441WKN1LL TFL	8075	48 ³ / ₁₆	144	41 ¹ / ₂	—	—	712 lbs.	31.5
	86N4816841WKN1L Laminate	\$ 10094	48 ³ / ₁₆	168	41 ¹ / ₂	—	—	784 lbs.	34.5
	86N4816841WKN1LL TFL	8883	48 ³ / ₁₆	168	41 ¹ / ₂	—	—	784 lbs.	34.5
	86N4819241WKN1L Laminate	\$ 11104	48 ³ / ₁₆	192	41 ¹ / ₂	—	—	856 lbs.	36.2
	86N4819241WKN1LL TFL	9771	48 ³ / ₁₆	192	41 ¹ / ₂	—	—	856 lbs.	36.2
	86N4821641WKN1L Laminate	\$ 12213	48 ³ / ₁₆	216	41 ¹ / ₂	—	—	908 lbs.	38.9
	86N4821641WKN1LL TFL	10747	48 ³ / ₁₆	216	41 ¹ / ₂	—	—	908 lbs.	38.9
	86N4824041WKN1L Laminate	\$ 13679	48 ³ / ₁₆	240	41 ¹ / ₂	—	—	1009 lbs.	41.0
	86N4824041WKN1LL TFL	12038	48 ³ / ₁₆	240	41 ¹ / ₂	—	—	1009 lbs.	41.0

• G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16", 216" or 240" wide

STRASSA

PRODUCT SPECIFICATIONS

- Strassa footrails may be added to any No Modesty Strassa table
- Footrails ship in 1 carton


TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

86N48FRNM

- See pages 297-300 for all options available in Strassa

FOOTRAILS	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	86N48FRNM	\$ 717	3	41 ⁷ / ₁₆	6 ³ / ₁₆	—	—	15 lbs.	0.5
	86N60FRNM	753	3	53 ⁷ / ₁₆	6 ³ / ₁₆	—	—	16 lbs.	0.6
	86N72FRNM	798	3	65 ¹ / ₂	6 ³ / ₁₆	—	—	17 lbs.	0.8
	86N84FRNM	956	3	77 ¹ / ₂	6 ³ / ₁₆	—	—	21 lbs.	0.9
	86N96FRNM	1009	3	89 ⁷ / ₁₆	6 ³ / ₁₆	—	—	22 lbs.	1.0
	86N108FRNM	1098	3	101 ¹ / ₁₆	6 ³ / ₁₆	—	—	25 lbs.	1.2
	86N120FRNM	1161	3	113 ³ / ₁₆	6 ³ / ₁₆	—	—	26 lbs.	1.3
	86N144FRNM	2064	7 ¹ / ₁₆	137 ⁷ / ₁₆	6 ³ / ₁₆	—	—	46 lbs.	2.0
	86N168FRNM	2217	7 ¹ / ₁₆	158 ³ / ₁₆	6 ³ / ₁₆	—	—	50 lbs.	2.3
	86N192FRNM	2259	7 ¹ / ₁₆	185 ¹ / ₁₆	6 ³ / ₁₆	—	—	53 lbs.	2.6
	86N216FRNM	2365	7 ¹ / ₁₆	209	6 ³ / ₁₆	—	—	55 lbs.	2.9
	86N240FRNM	2425	7 ¹ / ₁₆	232 ⁹ / ₁₆	6 ³ / ₁₆	—	—	60 lbs.	3.2

- Footrails are available in Polished only
- Footrails are to be added to No Modesty Strassa models only
- Footrail has 1¹/₂" diameter stainless steel tubing
- Span between support leg is approximately 30"
- The difference in depth on models 144" wide and larger is the span between the mid support panel and the front of the footrail
- Specify model number only


TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:

NACEL4KTC1

• See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
UNDERSURFACE POWER/DATA	98K03ELPG2MTBBK	\$ 392	3	3	1½	—	—	2 lbs.	0.3
	<ul style="list-style-type: none"> • Can be mounted to the underside of any surface • Contains 1 power outlet and 1 dual USB A/C port • 72" power cord included • See page 302 for recommended number of units per table size • Specify model number only 								
4-TRAC POWER ENTRY	NAC120ELE4P	Plugged	\$ 408						
	NAC120ELE4H	Hardwire	274						
	NAC72ELE4NH	NYC Hardwire	501						
 Plug View	<ul style="list-style-type: none"> • Specify model number only 								
4-TRAC KIT	NACEL4KTC1	48"-60" Tables	\$ 276						
	NACEL4KTC2	72"-84" Tables	301						
	NACEL4KTC3	96"-108" Tables	408						
	NACEL4KTC4	120" Tables	501						
	NACEL4KTC5	144" Tables	639						
	NACEL4KTC6	168" Tables	654						
	NACEL4KTC7	192" Tables	686						
	NACEL4KTC8	216" Tables	715						
	NACEL4KTC9	240" Tables	870						
	<ul style="list-style-type: none"> • See page 301 for details • Specify model number only 								



STRASSA



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG10EL

- See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
			D	W	H	A	KW	WEIGHT	FEET
ROUND GROMMET (G10)	NACG10EL Electrical Grommet	\$ 642	4¼	4¼	5	—	—	2 lbs.	0.12
	NACG10 Grommet	104	4¼	4¼	1¼	—	—	1 lbs.	0.12



NACG10EL

NACG10

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:


NACG15BELPDIQ18B

• See pages 297-300 for all options available in Strassa


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
INTERLINK IQ SYSTEM (M2X-B) (G15B)								
FULL SET OF 4 UNITS								
NACG15BELPD2IQKB Set of 4, Black	\$ 8066	8	9¾	1½	–	–	20 lbs.	3.2
NACG15BELPD2IQKS Set of 4, Silver	8066	8	9¾	1½	–	–	20 lbs.	3.2
NACG15BELPD2IQKW Set of 4, White	8066	8	9¾	1½	–	–	20 lbs.	3.2



NACG15BELPD2IQKS




SIDE 1




SIDE 2


NACG15BELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

INTERLINK GROMMETS

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NACG15BELPD2IQB Interlink Grommet, Black	\$ 1930	8	9¾	1½	–	–	5 lbs.	0.4
NACG15BELPD2IQS Interlink Grommet, Silver	1930	8	9¾	1½	–	–	5 lbs.	0.4
NACG15BELPD2IQW Interlink Grommet, White	1930	8	9¾	1½	–	–	5 lbs.	0.4

- Units are powder coated
- Side 1: 2 power, 1 dual USB-A + C, 1 HDMI, and 1 blank
- Side 2: 2 power, 1 dual USB-A + C, 1 VGA, and 1 blank
- 1 touch door remains open during use
- Interlink IQ full set is a set of 4 (8 total sides)
- Maximum is 4 units
- Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NACEL2IQBB Interlink IQ smart box w/starter plug	\$ 733	–	120	–	–	–	3 lbs.	0.15
NACEL2IQ60J Interlink IQ Jumper-60"	163	–	60	–	–	–	3 lbs.	0.15
NACEL2IQ60TJ Transitional Jumper	171	–	60	–	–	–	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- 1 touch door remains open during use
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 4)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 346-347

STRASSA

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:

NACG17AELPGB

• See pages 297-300 for all options available in Strassa


1 TOUCH PIVOTING POWER GROMMET (G17A)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
NACG17AELPGB Black	\$ 472	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17AELPGS Silver	472	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17AELPGW White	472	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17AELHCB Hardwire, Black	\$ 497	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17AELHCS Hardwire, Silver	497	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17AELHCW Hardwire, White	497	4¼	5¼	2½	–	–	3 lbs.	0.15

- Includes 2 power outlets
- Units are powder coated
- See page 295 for details


1 TOUCH PIVOTING POWER GROMMET (G17B)



NACG17BELPGB Black	\$ 485	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17BELPGS Silver	485	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17BELPGW White	485	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17BELHCB Hardwire, Black	\$ 585	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17BELHCS Hardwire, Silver	585	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17BELHCW Hardwire, White	585	4¼	5¼	2½	–	–	3 lbs.	0.15

- Includes 1 power outlet and 1 dual USB-A + C combo
- Units are powder coated
- See page 295 for details

1 TOUCH PIVOTING POWER GROMMET (G17C)



NACG17CELPGB Black	\$ 466	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17CELPGS Silver	466	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17CELPGW White	466	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17CELHCB Hardwire, Black	\$ 491	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17CELHCS Hardwire, Silver	491	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17CELHCW Hardwire, White	491	4¼	5¼	2½	–	–	3 lbs.	0.15

- Includes 1 power outlet
- Units are powder coated
- See page 295 for details




TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17AELPDIQ18B

• See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
INTERLINK IQ SYSTEM (G17A)  NACG17AELPD2IQKS	FULL SET OF 8 UNITS									
	NACG17AELPD2IQKB	Set of 8, Black	\$ 3976	4¼	5¼	2½	–	–	19 lbs.	1.55
	NACG17AELPD2IQKS	Set of 8, Silver	3976	4¼	5¼	2½	–	–	19 lbs.	1.55
	NACG17AELPD2IQKW	Set of 8, White	3976	4¼	5¼	2½	–	–	19 lbs.	1.55
	• Full sets include 8 grommets and smart box with starter plug									
 NACG17AELPD2IQB	INTERLINK GROMMETS									
	NACG17AELPD2IQB	Interlink Grommet, Black	\$ 484	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELPD2IQS	Interlink Grommet, Silver	484	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELPD2IQW	Interlink Grommet, White	484	4¼	5¼	2½	–	–	3 lbs.	0.15
	• Must order smart box with plug separately									
 NACEL2IQBB NACEL2IQ60J NACEL2IQ60TJ	INTERLINK IQ SMART BOX AND JUMPER									
	NACEL2IQBB	Interlink IQ smart box w/starter plug	\$ 733	–	120	–	–	–	3 lbs.	0.15
	NACEL2IQ60J	Interlink IQ Jumper-60"	163	–	60	–	–	–	3 lbs.	0.15
	NACEL2IQ60TJ	Transitional Jumper	171	–	60	–	–	–	3 lbs.	0.15
	• Must order smart box with plug separately • UL Recognized • Non-sequential "Daisy chain" solution • Interlink IQ system must begin with a smart box with plug (or full set) • Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60" • Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019) • Jumpers count as one connection (maximum of 8) • The Interlink IQ system is ONLY plugged. This system cannot be hardwired • Units are powder coated • Built-in status indicator: green means go, red light indicates too many units • See charts on pages 346-347									

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:


NACG17BELPDIQ18B

• See pages 297-300 for all options available in Strassa


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
INTERLINK IQ SYSTEM (G17B)								
FULL SET OF 8 UNITS								
NACG17BELPD2IQKB Set of 8, Black	\$ 5284	4¼	5¼	2½	–	–	19 lbs.	1.55
NACG17BELPD2IQKS Set of 8, Silver	5284	4¼	5¼	2½	–	–	19 lbs.	1.55
NACG17BELPD2IQKW Set of 8, White	5284	4¼	5¼	2½	–	–	19 lbs.	1.55




NACG17BELPD2IQKS




NACG17BELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

• Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS

NACG17BELPD2IQB Interlink Grommet, Black	\$ 676	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17BELPD2IQS Interlink Grommet, Silver	676	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17BELPD2IQW Interlink Grommet, White	676	4¼	5¼	2½	–	–	3 lbs.	0.15

• Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER

NACEL2IQBB Interlink IQ smart box w/starter plug	\$ 733	–	120	–	–	–	3 lbs.	0.15
NACEL2IQ60J Interlink IQ Jumper-60"	163	–	60	–	–	–	3 lbs.	0.15
NACEL2IQ60TJ Transitional Jumper	171	–	60	–	–	–	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 346-347






TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17CELPDIQ18B

• See pages 297-300 for all options available in Strassa

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
INTERLINK IQ SYSTEM (G17C)  NACG17CELPD2IQKS  NACG17CELPD2IQB  NACEL2IQBB  NACEL2IQ60J  NACEL2IQ60TJ	FULL SET OF 8 UNITS									
	NACG17CELPD2IQKB	Set of 8, Black	\$ 3763	4¼	5¼	2½	–	–	19 lbs.	1.55
	NACG17CELPD2IQKS	Set of 8, Silver	3763	4¼	5¼	2½	–	–	19 lbs.	1.55
	NACG17CELPD2IQKW	Set of 8, White	3763	4¼	5¼	2½	–	–	19 lbs.	1.55
	• Full sets include 8 grommets and smart box with starter plug									
	INTERLINK GROMMETS									
	NACG17CELPD2IQB	Interlink Grommet, Black	\$ 456	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELPD2IQS	Interlink Grommet, Silver	456	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELPD2IQW	Interlink Grommet, White	456	4¼	5¼	2½	–	–	3 lbs.	0.15
	• Must order smart box with plug separately									
	INTERLINK IQ SMART BOX AND JUMPER									
	NACEL2IQBB	Interlink IQ smart box w/starter plug	\$ 733	–	120	–	–	–	3 lbs.	0.15
	NACEL2IQ60J	Interlink IQ Jumper-60"	163	–	60	–	–	–	3 lbs.	0.15
	NACEL2IQ60TJ	Transitional Jumper	171	–	60	–	–	–	3 lbs.	0.15
	• Must order smart box with plug separately • UL Recognized • Non-sequential "Daisy chain" solution • Interlink IQ system must begin with a smart box with plug (or full set) • Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60" • Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019) • Jumpers count as one connection (maximum of 8) • The Interlink IQ system is ONLY plugged. This system cannot be hardwired • Units are powder coated • Built-in status indicator: green means go, red light indicates too many units • See charts on pages 346-347									

Configuration of IQ System for Fixed Height Non-Powered Center Beam 72" Tables-
Max of 6 IQ Units per run

6 Power Units

Item	Qty
Smart Box	1
Grommet	6
Jumper	2

5 Power Units

Item	Qty
Smart Box	1
Grommet	5
Jumper	2

4 Power Units

Item	Qty
Smart Box	1
Grommet	4
Jumper	1

3 Power Units

Item	Qty
Smart Box	1
Grommet	3
Jumper	1

2 Power Units

Item	Qty
Smart Box	1
Grommet	2

Configuration of IQ System for Fixed Height Non-Powered Center Beam 66" Tables-
Max of 6 IQ Units per run

6 Power Units

Item	Qty
Smart Box	1
Grommet	6
Jumper	1

5 Power Units

Item	Qty
Smart Box	1
Grommet	5
Jumper	1

4 Power Units

Item	Qty
Smart Box	1
Grommet	4
Jumper	1

3 Power Units








Item	Qty
Smart Box	1
Grommet	3

2 Power Units

Item	Qty
Smart Box	1
Grommet	2

*Quantity shown is per side. Quantity would be duplicated for a double sided application.

Configuration of IQ System for Fixed Height Non-Powered Center Beam 60" Tables-
Max of 6 IQ Units per run

 <p style="text-align: center;">8 Power Units</p>	<table border="1"> <thead> <tr> <th>Item</th> <th>Qty</th> </tr> </thead> <tbody> <tr> <td>Smart Box</td> <td>1</td> </tr> <tr> <td>Grommet</td> <td>8</td> </tr> </tbody> </table>	Item	Qty	Smart Box	1	Grommet	8
Item	Qty						
Smart Box	1						
Grommet	8						
 <p style="text-align: center;">7 Power Units</p>	<table border="1"> <thead> <tr> <th>Item</th> <th>Qty</th> </tr> </thead> <tbody> <tr> <td>Smart Box</td> <td>1</td> </tr> <tr> <td>Grommet</td> <td>7</td> </tr> </tbody> </table>	Item	Qty	Smart Box	1	Grommet	7
Item	Qty						
Smart Box	1						
Grommet	7						
 <p style="text-align: center;">6 Power Units</p>	<table border="1"> <thead> <tr> <th>Item</th> <th>Qty</th> </tr> </thead> <tbody> <tr> <td>Smart Box</td> <td>1</td> </tr> <tr> <td>Grommet</td> <td>6</td> </tr> </tbody> </table>	Item	Qty	Smart Box	1	Grommet	6
Item	Qty						
Smart Box	1						
Grommet	6						
 <p style="text-align: center;">5 Power Units</p>	<table border="1"> <thead> <tr> <th>Item</th> <th>Qty</th> </tr> </thead> <tbody> <tr> <td>Smart Box</td> <td>1</td> </tr> <tr> <td>Grommet</td> <td>5</td> </tr> </tbody> </table>	Item	Qty	Smart Box	1	Grommet	5
Item	Qty						
Smart Box	1						
Grommet	5						
 <p style="text-align: center;">4 Power Units</p>	<table border="1"> <thead> <tr> <th>Item</th> <th>Qty</th> </tr> </thead> <tbody> <tr> <td>Smart Box</td> <td>1</td> </tr> <tr> <td>Grommet</td> <td>4</td> </tr> </tbody> </table>	Item	Qty	Smart Box	1	Grommet	4
Item	Qty						
Smart Box	1						
Grommet	4						
 <p style="text-align: center;">3 Power Units</p>	<table border="1"> <thead> <tr> <th>Item</th> <th>Qty</th> </tr> </thead> <tbody> <tr> <td>Smart Box</td> <td>1</td> </tr> <tr> <td>Grommet</td> <td>3</td> </tr> </tbody> </table>	Item	Qty	Smart Box	1	Grommet	3
Item	Qty						
Smart Box	1						
Grommet	3						
 <p style="text-align: center;">2 Power Units</p>	<table border="1"> <thead> <tr> <th>Item</th> <th>Qty</th> </tr> </thead> <tbody> <tr> <td>Smart Box</td> <td>1</td> </tr> <tr> <td>Grommet</td> <td>2</td> </tr> </tbody> </table>	Item	Qty	Smart Box	1	Grommet	2
Item	Qty						
Smart Box	1						
Grommet	2						

*Quantity shown is per side. Quantity would be duplicated for a double sided application.

STRASSA

TO ORDER, SPECIFY:


1. Model Number

SAMPLE MODEL NUMBER:

NACG23ELB


• See pages 297-300 for all options available in Strassa

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED CUBIC	
		D	W	H	A	KW	WEIGHT	FEET
POWER GROMMET (G23)								
NACG23ELB Black	\$ 683	2½	4½	3¼	–	–	2.3 lbs.	0.2
NACG23ELS Silver	683	2½	4½	3¼	–	–	2.3 lbs.	0.2
NACG23ELHCB Black/Hardwire	\$ 761	2½	4½	3¼	–	–	2.3 lbs.	0.2
NACG23ELHCS Silver/Hardwire	761	2½	4½	3¼	–	–	2.3 lbs.	0.2




- Not intended for use on conference tables
- Includes 2 power outlets and 2 power USB ports
- Units are powder coated

DAISY LINK (G23)



Plugged Starter Unit



Hardwire Starter Unit

DAISY LINK STARTER UNITS

NACG23ELDLB1 Black - G23, Plugged	\$ 777	2½	4½	3¼	–	–	4.1 lbs.	0.4
NACG23ELDLS1 Silver - G23, Plugged	777	2½	4½	3¼	–	–	4.1 lbs.	0.4
NACG23ELDLHB1 Black - G23, Hardwire/Modular Connect	\$ 777	2½	4½	3¼	–	–	3.7 lbs.	0.4
NACG23ELDLS1 Silver - G23, Hardwire/Modular Connect	777	2½	4½	3¼	–	–	3.7 lbs.	0.4

- Not intended for use in end panel on models without modesty
- Modular connect does not meet city code

DAISY LINK ADD-ON UNITS/JUMPER KIT

NACG23ELDLB2 Black - G23	\$ 816	2½	4½	3¼	–	–	2.3 lbs.	0.4
NACG23ELDLS2 Silver - G23	816	2½	4½	3¼	–	–	2.3 lbs.	0.4

- 60" jumper included with each daisy link add-on unit
- Units are powder coated
- Not intended for use in end panel

DAISY LINK JUMPER (80", 180", AND 240")

NAC80ELDLJ 80" Daisy Chain Jumper	\$ 284	¾	80	2	–	–	2.4 lbs.	0.4
NAC180ELDLJ 180" Daisy Chain Jumper	432				–	–		
NAC240ELDLJ 240" Daisy Chain Jumper	509				–	–		

- 80" jumper is needed when connecting power between tables
- Units are powder coated