Classic Model Parts

Eyewash Bowls



154-058 Impact-resistant plastic eyewash bowl, 10" diameter




187-053Corrosion-resistant stainless steel bowl, 1034" diameter

Dust Caps



107-371 Eyewash dust caps only (sold individually; two required per eyewash). Yellow plastic tether. Approximately 1" x 1".

View Latest Version



S53-063

Dual Eye/Face wash dust caps only (sold individually; two required per eyewash). Beaded chain tether, 2¼" x 1".



S53-310 Eyewash dust cap (sold individually; two required per eyewash). Beaded chain tether, 1" x 1".

Sprayhead and Spray Ring Assemblies




\$39-394Eyewash sprayhead assembly with supply stem



S39-396Eye/face wash sprayhead assembly with supply stem



S39-681Eye/face wash sprayhead assembly; stem not included



Eye/face wash sprayhead assembly for use with PVC unit only. Stem not included



\$45-2453Eye/face wash (sprayheads only) Includes 2.4 gpm flow control inside each head.
Total flow from dual heads is 4.8 gpm



\$39-397Eyewash and spray ring assembly with supply stem

Classic Model Parts

Eyewash Ball Valves, Handles and Hardware



S45-122

Plastic eyewash handle with ½" brass NPT stay-open ball valve and hardware

S45-123

Plastic eyewash handle with hardware

128-135

Plastic eyewash handle only

S27-282

Brass ½" NPT stay-open ball valve only



S30-070

Stainless steel eyewash handle with ½" brass NPT stay-open ball valve and hardware

S30-071

Stainless steel eyewash handle with hardware

S08-336

Stainless steel eyewash handle only

S27-282

Brass ½" NPT stay-open ball valve only



S30-072

For stainless steel hinged dust covers only. Stainless steel eyewash handle with ½" brass NPT stay-open ball valve and hardware

S30-087

For stainless steel hinged dust covers only. Stainless steel eyewash handle with hardware

S27-282

Brass ½" NPT stay-open ball valve only



S30-074

For S19-270BL (left-hand) eyewash only. Stainless steel eyewash handle with ½" brass NPT stay-open ball valve and hardware

S30-075

For S19-270BL (left-hand) eyewash only. Stainless steel eyewash handle with hardware

S27-282

Brass ½" NPT stay-open ball valve only



S30-109

Stainless steel eyewash handle with ½" stainless steel NPT stay-open valve

S30-110

Stainless steel eyewash handle with ½" vented stainless steel NPT stay-open ball valve

S30-111

316 stainless steel eyewash handle without dust cover with ½" stainless steel NPT stay-open ball valve

S30-116

316 stainless steel eyewash handle with hardware



S30-112

Stainless steel eyewash handle with dust cover with ½" stainless steel NPT stay-open ball valve



Classic Model Parts

Stem Assemblies, Spacers and Flow Restrictors

Sprayhead Assembly	Galvanized Fixture with Plastic Bowl	Galvanized Fixture with Stainless Steel Bowl	Standard Stainless Steel Fixture	316 Stainless Steel Fixture
Eyewash Only	S21-071 (stem) 113-1185 (stem spacer)	S21-071 (stem) 113-1159 (stem spacer)	S21-072 (stem) 113-1159 (stem spacer)	S21-075 (stem) 113-1159 (stem spacer)
Eye/Face Wash with Spray Ring	S21-073 (stem) 113-1185 (stem spacer)	S21-073 (stem) 113-1159 (stem spacer)	S21-074 (stem) 113-1159 (stem spacer)	None
Eye/Face Wash with Dual Black Heads	113-1150 (stem)	113-1150 (stem)	113-1151 (stem)	None

Stem Assemblies



Spacers 113-1159 and 113-1185 are required for units that shipped on or before 11/2/2005.



Brass stem assembly with flow restrictor; for units with eyewash only 113-1150

Brass stem only; for units with dual black eye/face wash heads



S21-072

Stainless steel stem assembly with flow restrictor; for stainless steel units with eyewash only

316 stainless steel stem assembly with flow restrictor; for 316 stainless steel units (with eyewash) only

Stainless steel stem only: for stainless steel units with dual black eye/face wash heads



S21-073 Brass stem assembly with flow restrictor; for units with eyewash

and spray ring only



S21-074 Stainless steel stem assembly with flow restrictor; for stainless steel units with eyewash and spray ring only

Stem Spacers



113-1159

Stainless steel stem spacer; for use in units with stainless steel bowl



113-1185

Black plastic stem spacer; for use in units with yellow plastic bowl

Eyewash and Eye/Face Wash Flow Restrictors



125-167

3.7 gpm pink flow restrictor; for eyewash with face spray ring only (stem not included)



125-032

3.5 gpm black flow restrictor; for swing-activated and swing-down units

Page 3 of 8 5/16/2024 This information is subject to change without notice. Bradley_SafetyReplacementParts

View Latest Version

© 2024 Bradley P.O. Box 309. Menomonee Falls. WI 53052-0309 +1 262 251 6000 800 BRADLEY (800 272 3539) bradleycorp.com

Halo Model Parts

Covers and Bowl Kits



187-320 Plastic bowl



S90-390 Plastic bowl cover kit



S90-391 Stainless steel bowl kit



S90-388 Stainless steel bowl cover kit

S90-392

316 stainless steel bowl kit

Sprayhead Assemblies



S05-190 Sprayhead assembly



S05-192 Sprayhead assembly




S05-204

304 Stainless steel sprayhead assembly


S05-205

316 Stainless steel sprayhead assembly

Dust Cover Kits



S45-2675 Eyewash cover kit



S45-2676 Eye/Face wash cover kit

Ball Valves



S27-327

Chrome-plated brass 1/2" ball valve

S27-328 (not shown)

Stainless steel 1/2" ball valve

O-ring and Flow Control



S65-339 O-ring and screen



S88-068

0-ring and flow control

Handle Kit



S08-390

Handle kit



Spintec[™] Showerhead and Drench Shower Parts

- Includes integral 22 gpm flow restrictor
- Fully distributes water throughout spray pattern

Compact design minimizes footprint in your facility



\$24-192Plastic shroud and ring (showerhead not included)



\$24-193Stainless steel shroud and ring (showerhead not included)



Plastic showerhead and 1" diameter 90° elbow



S24-200Stainless steel showerhead and 1" diameter 90° elbow



S24-195Plastic shroud with ring, plastic showerhead and 1" diameter 90° elbow




S24-196Stainless steel shroud with ring, plastic showerhead and 1" diameter 90° elbow



154-147 Ring only

Plastic showerhead, white steel in-ceiling recessed shroud assembly, ring, coupling and 1" diameter 90° elbow



128-156A

Drench shower handle for standard (non-barrier-free) units (27¾" x 9")

128-156B

Drench shower handle for flush-mount (non-barrier-free) units (36" x 9")

128-156C

Drench shower handle (48" x 9")

128-156D


Drench shower handle (standard; shipped with barrier-free showers) (45½" x 9")

128-156E

Drench shower handle (57" x 9")

128-156F

Drench shower handle (69" x 9")



S90-365C

Drench shower handle, 2-piece (48" x 9")

S90-365D

Drench shower handle, 2-piece (45½" x



S30-059

Chrome-plated brass 1" NPT ball valve with lever - recommended for optimal performance

S27-278

Chrome-plated brass 1" NPT ball valve only

S30-061 (not shown)

Stainless steel 1" NPT ball valve with lever -recommended for optimal performance. Required to service any product purchased before August 2019.

Drench Hose Parts

Hoses



S89-002

8' thermoplastic hose; yellow

S89-003

6' stainless steel hose



269-053

12' thermoplastic hose; yellow



269-054

25' thermoplastic hose; yellow

Hose Guide Bracket



140-226

Drench hose guide bracket

Drench Hose Replacement Part Valves



S39-817

Replacement valve with drench hose sprayhead

Backflow Prevention



S27-303

Page 6 of 8

Dual-check backflow preventer compliant with ASSE 1024 & CSA B64.6 Watts Series 7



S45-2309

Dual-check vacuum breaker compliant with CSA B64.6 Watts Series 9



S45-2310

Dual-check backflow preventer compliant with ASSE 1012 Watts Series 9D; includes fittings for easy installation



Other

Safety Signs and Tags



114-050

Drench shower sign



114-051

Eyewash sign



114-052

Combination drench shower and eyewash sign



114-050E

International safety drench shower sign



114-051E

International safety eyewash sign



114-052E

International safety combination drench shower and eyewash sign

Foot Treadle Kits



S45-572

Foot treadle and hardware kit (with 3-foot chain) for standard pedestal-mounted eyewashes and combination shower/ eyewash units with hand operation; provides supplemental foot operation

S45-1314SS

Type 316 stainless steel foot treadle and standard stainless steel hardware kit for stainless steel pedestal-mounted eyewashes and combination shower/eyewash units


S45-1314SS16

Type 316 stainless steel foot treadle and 316 stainless steel hardware kit for Type 316 stainless steel pedestal-mounted eyewashes and combination shower/eyewash units



S39-395

Foot treadle and hardware kit for wall-mounted eyewashes with hand operation; provides supplemental foot operation



S45-620

Foot treadle and hardware kit for model S19-310PVC combination drench shower and eyewash unit with hand operation; provides supplemental foot operation

On-Site Portables



S19-949 On-Site Eyewash Kit

Includes replacement cap, nine foam liners, inspection tag

269-1379 On-Site Water Foam Liner

Perforated foam liner (sold individually)



133-152

Gravity fed tank

Miscellaneous Supplies



204-421

Inspection tag (sold individually)



269-964

Safety yellow touch-up paint. 12-oz aerosol



269-1444

Eyewash test gauge

Page 7 of 8 5/16/2024
This information is subject to change without notice.
Bradley_SafetyReplacementParts

View Latest Version

© 2024 Bradley
P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539) +1 262 251 6000
bradleycorp.com

Other

Freeze and Scald Protection Kits

- Freeze protection valves completely open at 35°F (1.6°C) and closes at 45°F (7.2°C)
- Scald protection valves completely open at 105°F (40.5°C) and closes at 85°F (29.4°C)



Classic combination units require both drench shower and eyewash protection valves.




S45-1703

Freeze protection replacement valve for drench showers and eyewashes

S45-1702

Scald protection replacement valve for drench showers and eyewashes




S45-1987

Freeze protection kit for drench showers; includes freeze protection valve, tee, nipples, compression fitting, ball valve, tubing, and cable tie

S45-1990

Scald protection kit for drench showers; includes scald protection valve, tee, nipples, compression fitting, ball valve, tubing, and cable tie



S45-1986

Freeze protection kit for eyewashes; includes freeze protection valve, tee, nipples, compression fitting, ball valve, tubing, and cable tie

S45-1989

Scald protection kit for eyewashes includes scald protection valve, tee, nipples, compression fitting, ball valve, tubing, and cable tie

Optional Adapters

153-395

Female, 13/16" x 24 — Chrome

153-396

Male, 3/8" NPSM — Chrome

153-401

Female, 3/4" (Garden Hose) — Chrome