

General Information	A
Table of Contents	
Terms and Conditions	
Lifetime Warranty	
Finishes	
Key Alike Form	
_	
Systems	
Boulevard	В

Boulevard	В
Product Overview	B.1
Value Added Benefits	B.3
Woodgrain Chart	B.4
Boulevard 1 Technical Information	B.5
Boulevard 1 Panels	B.6
- Guidelines for Ordering Product	
Boulevard 1 Graphic Panels	B.7
Boulevard 1 Panels	B.9
Boulevard 1 Connectors and Trims	B.23
Boulevard System 3 Panel	B.30
System/Technical Information	
Boulevard System 3 Panels	B.31
-Guidelines for Ordering Product	
Boulevard System 3 Graphic Panels	B.32
Boulevard System 3 Panels	B.34
Boulevard System 3 Connectors and Trims	B.52
Boulevard Gallery Panels	B.56
Electrical	B.62
Worksurfaces	B.71
Worksurface Hardware	B.82
Storage	B.86
Diet	^

Diet	С
Diet Panel System/Technical Information Panels	C.1 C.2
Panel Connectors Electrical	C.9 C.15
Linking Panels Linking Panel Connectors	C.16 C.18
Worksurfaces and Hardware Storage	C.19 C.20

Accessories	D
Keyboard Trays and Mechanisms Computer Support	D.1 D.4
Monitor Arms Lights	D.4 D.8
Grommets/Power Modules/Bars	D.9
Paper Management	D.11

Desking

Licence	E
Product Overview	E.1
Noodgrain Chart	E.2
Grommet Chart	E.3
Desks	E.6
Reception Desks	E.14
Desks & Return Desks	E.16
Shaped Table Desks	E.33
Runoff Shaped Tables	E.42
Floating Shaped Tables	E.43
Modesty Panels	E.45
Storage	E.46
Pantry	E.75
Collaboration Tables	E.76
Conference Tables	E.78
Conference Table Bases	E.94
/isual Board	E.98
Conference Table Modules	E.99

Terina Tables

Vice Versa Tables G

FreeFit Height H Adjustable Tables

Bases H.I Tops H.11 Power/Data H.12 Dividers H.13
Power/Data H.1- Dividers H.1
Dividers H.1
A vi II O
Accessories H.2

Wellness Solutions	
Screens	l.1
Booth	1.2

Terms and Conditions

This illustrated list price book has been designed to facilitate fast reference and easy use. The line drawings match actual products (where possible) to aid in instant recognition of each item, but they are graphic representations only.

Sales of Global Contract's products are made only on Global Contract's standard Terms and Conditions of sale which are contained in this list price book. The "Purchaser" in these Terms, Conditions and General Information shall refer to Dealers and those who originally purchase directly from Global Contract for use or re-sale. ments including price changes. These standard Terms and Conditions may be modified or supplemented only by a separately written document signed by Global Contract's authorized personnel at its head office in Toronto, Ontario, Canada. Any term or condition contained in any purchase order or other form used by the Purchaser to order goods (including standard, printed language) which is different from, in addition to, or in any way inconsistent with Global Contract's standard Terms and Conditions shall be of no force or effect whatsoever.

All illustrations, specifications and prices in this list price book are based on the latest product information available at the time of publication. Global Contract reserves the right to make changes at any time and without prior notice to prices, colours, materials, specifications and models offered.

Description

Each product shown or described in this list price book is standard Global Contract product. Available options are noted at the beginning of each series or at the beginning of the price list. Available options may require additional delivery time and cost, and may affect the warranty given. Sizes and weights shown are approximate and are subject to slight changes from time to time.

Prices and Payment

The prices shown in this Book, as well as those quoted by Global Contract, shall be Canadian dollars for orders and will be subject to payment terms described above. shipped to destinations in Canada.

The price does not include any provincial or local property license, privilege, sales, use, value added, gross receipts, G.S.T. or other like taxes which may now or hereafter be applicable to, measured by or imposed upon or with respect to the transaction, the product, its sale, its value or its use, or any services performed in connection therewith.

If shipping date requested is more than 90 days from date of order, Global Contract shall have the right to use published list prices effective at the time of shipment.

Not included in the list price is special or export packing, freight, unpacking and installation. Orders are invoiced at the time of shipment.

Orders are invoiced at the time of shipment. Terms of payment are net 30 days.

All orders are subject to the Purchaser complying with Global's prevailing credit policy.

Any product sold shall remain the property of Global Contract until fully paid for. The Purchaser agrees to perform all acts which may be necessary to perfect and assure retention of title to such products to Global The above points will be checked by Global Contract for

Contract until such time as the goods have been paid for in full.

Delivery shall occur and risk of loss or damage to the product shall pass to Purchaser F.O.B. point of shipment. Purchaser is responsible for filing claims with the carrier for losses or damage to the product occurring during transit, including concealed damage.

Prices are suggested list prices only and are subject to change without notice. Global Contract will, however, attempt to keep the Purchasers up-to-date on all develop-

Taxes

All prices shown in this list price book are exclusive of sales, use, excise, HST and other applicable taxes and duties which may be the Purchaser's responsibility as per the invoice issued by Global. If the Purchaser claims an exemption from such taxes, it shall be the Purchaser's responsibility to furnish Global with an appropriate exemption certificate at time of order.

Order Information

Global Contract requires that all orders be submitted in writing. All orders submitted to Global Contract in writing will be acknowledged on Global Contract's acknowledgement forms governing the transaction.

The details appearing on this acknowledgement will describe the items to be shipped and the approximate shipping date. It is the Purchaser's responsibility to determine that the information in the acknowledgment is correct. In the event of an error, the Purchaser must notify their Global Contract Customer Service representative immediately by telephone followed by written confirmation. Shipping dates are assigned to orders based on the items having the longest manufacturing lead time (unless instructed to partial ship).

Purchaser must indicate if multiple shipping schedules are required. Each shipment will be invoiced at time of shipping

When ordering, please provide the following information:

- 1. Account number (if possible)
- 2. PO number
- "Bill to" and/or "Ship to" and name and address
- Complete model number and selected options including textiles/finishes
- 5. Special instructions and tag information
- 6. Shipping instructions, please indicate: a. pick up
 - b. Global trailer program
 - c. common carrier, provide name of carrier, your account number
- 7. Special quote (SQ) # (if applicable)
- 8. Customer's Own Material (COM), Global Contract
 - Purchased Material (GPM), Customer's Own Leather (COL) - please see below.
- 9. For specials and custom quoted product, please indicate the custom quote # on your PO. If changes are made to the quote, a new quote must be issued prior to submitting the order. It is the Purchaser's responsibility to determine that the information on the quote is correct. Global will not be responsible for wrong product due to errors in the quote.

accuracy. Global Contract will process orders using the codes provided by the Purchaser. Price discrepancy is the responsibility of the Purchaser. The Purchaser must notify Global Contract prior to invoicing.

The Purchaser is responsible for providing correct information when placing an order. If no option(s) are selected the system, will default to standard feature(s). Orders with missing/incorrect information (finish, etc.) will be put on hold until all information is complete. Orders will be scheduled for manufacturing upon receipt of complete information.

Specifications and application drawing may be requested to be supplied for examination prior to approval.

Special Colours

Use of Customer's Own Material must be approved by Global Contract prior to acceptance of order. Fabric vardage requirement will be advised by factory, and additional yardage may be required if pattern requires matching. If Customers Own Material (C.O.M.) is difficult to apply or if product must be modified, extra charges will be made. Global Contract reserves the right to cancel an order at any time if C.O.M. is inadequate for any reason. Customer's own material should be shipped freights and duties paid to Global Contract, 565 Petrolia Road, North York, Ontario. Such shipment must be fully identified with purchaser's order number, Global Contract's acknowledgment number and the item for which material is intended. For C.O.M. prices, use Grade 1 price. Performance of C.O.M. when applied to product is the sole responsibility of the purchaser.

Deposit on Special Orders

Orders for nonstandard products may, at Global Contract's discretion, require deposit prior to scheduling of production, the amount of the deposit being credited against the total price of the project.

Changes and Cancellation

After the date of Global's acknowledgment of the Purchaser's order, the order may not be changed or cancelled by the Purchaser without the written consent of Global. Orders for products upholstered in "special order textiles" (GPM) cannot be cancelled once material has been purchased. Special order items, COM and textile-covered items already in production are not subject to change or cancellation under any circumstances. Textile-covered items are considered to be in production once the textile is scheduled for cutting. Other standard items already in production are subject to a minimum 35% cancellation charge.

Global Contract reserves the right to cancel an order at any time if Special Order is in the sole judgement of Global Contract, inadequate for any reason.

Errors and Omissions

All quotations, acknowledgments and invoices are subject to corrections for any errors and omissions.

Disclaimer

Prices shown are current manufacturer's suggested list prices at the time of printing. Updated pricing is available on Global's website. All applicable taxes are extra. Descriptions, specifications and prices are subject to change without notice. Errors and omissions are subject to correction.

TERMS AND CONDITIONS

Custom Wood Staining

Custom wood staining procedure for wood seating is as follows. Customer provides a sample of the desired wood finish. That sample is sent to Global Contract Customer Service. Several finished samples will be sent back. The customer/end user will sign off on the samples (keeping one for their records) and return the rest of the samples. Global Contract will not necessarily match the wood species but rather will generate a colour that will coordinate with the sample when it is applied to the wood species used in the seating frame.

Metal File Finishes

There is no upcharge on any standard file finish. Any non-standard file finish must be approved by Global Contract prior to acceptance of order and will be subject to a 10% upcharge on orders up to 10 units. There is no upcharge on orders of 11 units or more.

An upcharge of 10% will apply to White, Metallic and Mica finishes regardless of the number of units ordered.

Wood Veneer Finishes

Because the distinctive characteristics and the nature of wood products cause variations, exact matches are not always possible. Global Contract will not be held responsible if the finishes cannot be matched.

Customer's Own Material (COM)

Use of COM must be approved by Global Contract prior to acceptance of order. Please submit the Authorization Request Form. Photocopy and use this form as often as necessary. The customer must provide a 12" x 12" textile sample and advise how the textile is to be applied and quantity of textile being sent. Textile yardage requirement will be advised by the factory, and additional yardage may be required if pattern requires matching. Upon approval from Global Contract, send textile to the COM Department at 565 Petrolia Road, North York, ON, M3J 2X8.

If COM is difficult to apply or if product is required to be modified, extra charges will apply. Global Contract reserves the right to cancel an order at any time if COM is inadequate for any reason. COM must be shipped freight and duties paid if applicable to our factory. Such shipment must be fully identified with the Purchaser's order number, and the item for which the material is intended. Performance of COM when applied to product is the sole responsibility of the Purchaser. Global Contract's standard product warranty shall not apply to COM. The COM price is the lowest published price/grade for the series. The published yardage requirement for COM orders is approximate and shown beside each item in the list price book. The yardage shown there is based on the textile requirements for cutting and sewing a single chair in a plain patterned textile. For textiles with a pattern repeat or for COM orders involving 10 or more chairs, please consult with Customer Service for recalculation of the yardage requirements as this may significantly change the textile requirement.

Textile Grading

All products are priced according to their standard textile grade. Lower grade textiles may be available but at the same price as standard textile grade.

Combining two grades of textiles may result in a revised grade. Please refer to "Fabric Grades Combination Chart" in the Seating list price book. For more than two textiles a special quotation is required.

GPM (Global Contract Purchased Material, Customer Specified)

Global Contract may purchase material specified by the customer. Use of GPM must be approved by Global Contract prior to acceptance of order. If it is difficult to apply or if product is required to be modified, extra charges will apply. Global Contract reserves the right to cancel an order at any time if GPM is inadequate for any reason. Performance of GPM when applied to product is the sole responsibility of the textile vendor. Global Contract's standard warranty will not apply to GPM materials.

Customer's Own Leather (COL)

Not all seating can be upholstered in leather. Please consult series notes for availability. COL price is the lowest published grade for the series (leather or fabric).

Upholstery Coverings

Slight variations in colour may occur between dye lots. Although Global Contract attempts to minimize these variances, they do occur and must be accepted as normal and will not be considered defects.

Leather is a Natural Product

Natural variations occur in the colour, grain and texture of leather. As a result, a degree of variation should be expected. As leather is used it develops a patina. Its colour changes slightly, it will get marked and it will stretch and pull, these are the hallmarks of genuine leather and are not considered defects.

Yardage

Required yardage (yd) is based on unmatched materials with widths of 54" for seating, 63" for panels.

Arms

A wide selection of arms are available for some series. See Arm Chart in the Seating list price book.

Cubic Measure

The stated cubage is an approximate cubic foot measure to calculate freight costs. The figure shown is the volume for one carton, (one unit per carton unless otherwise noted) and is subject to change without notice.

Delays

Global Contract's order acknowledgement will state a shipping date which Global Contract best estimate at the time the order is acknowledged. However, Global Contract shall not incur any obligation or liability to Purchaser for failure to ship by specified date unless Global Contract has agreed to an unequivocal, firm shipping date in a separately signed written document executed by its authorized personnel at its head office. In addition, Global Contract shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgments where such delay, failure, loss or damage is the proximate result of any act or any governmental

authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, act of enemies, delay or default in transportation, strike disputes among or between labour unions or other labour disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Global Contract, whether of the class of causes enumerated or otherwise. Without limiting the generality of the foregoing, Global Contract may, without causing breach or incurring liability, allocate goods which are in short supply, irrespective of the reasons therefore, among purchaser, in any manner which Global Contract, in its sole discretion, deems advisable.

Suspension

In the event that the Purchaser defaults in the payment of any sum due to Global Contract, or in the event the Purchaser's financial condition becomes unsatisfactory to Global Contract, Global Contract shall have the right to defer or discontinue shipment of any goods until such time as the default is cured or the Purchaser provides assurance of payment to Global Contract.

Combined Shipments

Global Contract will make every effort to combine shipments and orders on written request. However, Global Contract cannot be held responsible where such request is not complied with.

Shipments

Purchaser must select, at time of order entry, one of two methods of freight payment. Global Contract will make no end-user shipments unless special arrangements have been made.

- 1) F.O.B. point of shipment, freight collect pick up and common carrier.
- 2) F.O.B. point of shipment, freight pre-paid and invoiced to purchaser.

The Purchaser will determine the method of transportation and routing of shipment. In the event that the purchaser does not specify method and routing, Global Contract will have shipments expedited in the manner deemed appropriate. Contact Customer Service Department,

Global Contract Inc., 565 Petrolia Road, North York, Ontario M3J 2X8

(416) 739-5000 with questions concerning shipping information on acknowledged orders.

F.O.B.

F.O.B. point is Global Contract's factory, Toronto, Ontario, Canada.

Back Charges

Global Contract will not accept charges for expense incurred by the Purchaser in expediting shipments. Global Contract will not accept charges for the repair of damage by others.

Code Restrictions

Global Contract items are within the limitations of local codes.

Service

Service problems are normally handled by the Global Contract's authorized dealer, as appropriate. Where

3

this cannot be accomplished on a local level, service problems should be referred to Customer Service Department, Global Contract Inc., 565 Petrolia Road, North York, Ontario M3J 2X8, (416) 739-5000, csr@globalcontract.com.

Storage

In the event Purchaser requests postponement of delivery beyond the scheduled shipping date after the goods have become work in progress, or at the time when Global Contract is then about to make shipment, Global Contract may transfer the goods to storage for Purchaser's account and at Purchaser's risk and expense. Such transfer to storage shall be deemed delivered to Purchaser for all purposes, including invoicing and payment.

Claims

All goods are sold F.O.B. plant. Global Contract is not responsible for damage which occurs in transit or in storage. The carrier signs for all goods received in apparently good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier for losses or damage to the product occurring during transit, including concealed damage. Any claims made against Global Contract for apparent defects, errors or shortages must be made by the purchaser in writing within 15 working days after any delivery. Failure by the Purchaser to do so shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

Installation

Global Contract requires the use of a certified installer when installing Global Contracts' products and systems so as to avoid any installation misrepresentations and/or unnecessary delivery and installation claims.

"Customer assumes full responsibility for the attachment method of work surfaces which were not purchased as part of a complete table assembly. Failure to secure the work surface capable of supporting the load capacity listed may result in property damage and/or personal injury. Customer agrees to indemnify and hold harmless Global Upholstery Co. Inc., its affiliates, subsidiaries, officers, directors, employees and shareholders (collectively "Global") from and against any lawsuits or threat of lawsuits and all liabilities, direct or implied, claims, proceedings, actions, causes of action, damages, losses, costs and expenses, including, without limitation, legal fees whatsoever which Global may suffer or incur as a result of fulfilling your product order. Customer acknowledges that this product order will not be covered under Global's Lifetime Warranty."

Returns

No returns of goods will be accepted without written consent and shipping instruction of Global Contract. A restocking charge of 35% based on list pricing is made on all authorized returns for credit or refund, provided goods are received by Global Contract in the condition in which they left the factory. This may increase depending on the type of product. No credit will be given if goods cannot be reused. Global's Return Goods Authorization (RGA) numbers must appear prominently on all authorized returns. Special order items are in no event subject to return. All returns must be approved and authorized in writing by Global Contract Customer Service. Global reserves the right to refuse delivery of any unauthorized returns.

Tolerances

All dimensions must be limited by a specified tolerance. When not specified it is understood that Global Contract's normal tolerances and standards shall apply. When purchaser has submitted his own plans and/or specifications, Global Contract will not be responsible for the design and fitting of parts. The conforming of Global Contract products to the specified tolerance is sufficient evidence as to the correctness of the product. Standards of finish, quality and appearance shall, unless specified in writing, be the normal standards of Global Contract.

Copyright

All catalogues, photographs, drawings, price lists and other printed material are protected by copyright. All rights reserved.

Trademark

Most series names are Global Contract's trademarks.

Design

Many of the products produced by Global Contract are protected by Design Registrations, Design Patents and/or Patents. Designs and specifications are subject to change, discontinuance or additions without notice.

Offer of Sale

Possession of this price list or any other literature shall not imply Global Contract's willingness to sell the holder and shall not be construed as a direct offer of sale. If a conflict arises between: (i) prices found in software support packages furnished to the customer by Global Contract or by any other source on behalf of Global Contract; and (ii) Global-Contract's current printed price lists, then the most current shall prevail.

Testing Qualifications

Many Global products pass or exceed the most stringent industry testing standards.

This list price book is effective as of June, 2016. For periodic updates, please check the PDF at www.globalcontract.com. After login, select Resources then Price Lists. From here you will have the option to select any of our price lists. Global Contract warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original Purchaser.

WARNING - SEATING PRODUCTS
TO PREVENT PRODUCT FAILURE AND POSSIBLE INJURY:

Ensure that the appropriate selection is made for the intended use of the chair including user's weight. Some chairs are not recommended for users above a certain weight. Frequently inspect the chair for visible cracks and tighten all screws, bolts and adjustable knobs. If the chair is damaged or unstable, immediately remove it from service.

Casters

The list price book specifies the caster which comes standard with each chair model. Most chairs are equipped with hard casters which are best used on carpeted surfaces. If it is intended to use the product on hard surfaces such as ceramics, concrete, linoleum or hardwood, it is recommended to use different

casters. It is the responsibility of the customer to determine the standard caster for a particular product and whether such caster is appropriate for the given application.

Any information or suggestions concerning applications, specifications or compliances with codes and standards is provided solely for your convenient reference and without any representation as to accuracy or suitability. Global disclaims any legal responsibility. The user must verify and test the suitability of any information or products for his specific application. Global reserves the right to change the Terms and Conditions in the list price book without notice.

LIFETIME WARRANTY

LIFETIME WARRANTY

Global Contract warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original Purchaser.

Global Contract will repair or replace, at Global Contract's option, as the sole remedy for any defect covered by the warranty. The warranty applies to products manufactured after June 1, 2016.

This Lifetime Warranty is NOT applicable to customers who use Global Contract products for rental purposes, product installed by non-certified installer and is effective only for products, parts or components manufactured after August 1, 1998.

General Commercial Seating

Global's warranty for general commercial seating covers all chair components including pneumatic cylinders, bases, casters, glides, frames, arms, plastic seats, backs and other structural components.

Exceptions to the warranty for general commercial seating are as follows:

- Foam, textiles (as sampled on Global Contract branded and textile program cards), mesh material and electrical devices, are warranted for five (5) years
- Control mechanisms are warranted for twelve (12) years

The warranty applies to single shift, standard commercial usage, defined as a standard eight (8) hour day, forty (40) hour week for users weighing up to 300 lbs.

Textiles

Global Contract warrants Global Contract branded textiles and Global Contract carded textile programs inclusive of fabrics, vinyls and leather products for five (5) years. Global does not warrant COM (Customer's Own Material) or GPM (Global Contract Purchased Material) that are customer specified materials, or graded-in and purchased by Global Contract for a customer. For GPM or COM products, please contact the textile supplier for performance information and warranty details. Please refer to our website at www.globalcontract.com for detailed information on cleaning and care instructions. Improper usage of disinfecting/cleaning products may void the warranty.

Seating Warranty Summary

Seating Type - General Commercial Seating Components Warranty For Original Purchaser - lifetime Use Time For Warranty Coverage - 8 hours/5 days per week

Exceptions

Foam/textiles/mesh/electrical devices - 5 years control mechanisms - 10 years

Files, Desks, Modular Furniture, Tables, Panels & Accessories

Global Contract warrants all components of metal storage and filing, laminate and wood veneer surfaces, laminate and wood veneer tables, metal leg components and panels for the lifetime of the product to the original Purchaser.

Exceptions to the warranty for files/desks/tables and panels are as follows:

- Electrical devices, panel and tackboard textiles, adjustable keyboard mechanisms and task lights - five (5) years
- motorized electrical components two (2) years
- · Folding tables one (1) year

Files, Desks, Modular Furniture, Tables, Panels & Accessories Warranty Summary

Product Type

Metal Storage & Filing - Lifetime Warranty No exceptions.

Laminate/Wood Veneer Surfaces and Modular Furniture - Lifetime Warranty Exceptions: tackboard textiles, electrical devices, task lights - 5 years

Boardroom, Conference and Training Tables - Lifetime Warranty

Exceptions: electrical devices - 5 years

Panels - Lifetime Warranty Exceptions: panel textiles, electrical devices, task lights - 5 years

Folding Tables - 1 Year Warranty

FreeFit Tables

· Movable parts - 7 years

Global's warranty does not apply (for any product category) to the following:

- Nominal or normal amount of wear and tear that can occur over time
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Global Contract's written instructions and warnings
- Modifications, attachments or repair methods not approved by Global
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colours, grains or textures (wood, leather, etc.) of natural materials
- Products exposed to extreme hot or cold tem peratures or excessively dry or humid environments
- Colour fastness or the matching of colour of textiles, dye lots of textile can vary
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- · Products used for rental purposes
- Products installed by a non-certified installer
- Purchased parts are warranted for one (1) year
- Failure to follow specific cleaning and care instructions posted on www.globacontract.com

Global Contract's warranty does not cover the costs of transportation or labour. Repair or replacement will be at Global Contract's discretion.

Non-obsolescence Policy

All Global Contract products are designed and manufactured to withstand repeated service, repair and handling, and carry a lifetime warrantee. Global Contract's goal is to ensure that products can be refurbished, disassembled or upgraded as required. In addition, standardization of many parts and components facilitate ease of maintenance, servicing, assembly, and reconfiguration or reassembly.

Global Contract will provide Purchaser with product(s) of comparable function for a term equal to the warranty period. Fabrics and finishes are updated periodically to meet the growing demand of the market. As a result, some fabrics and finishes may be discontinued before expiration of the warrantee period.

Global Contract makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global Contract be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

ISHES		
PANEL FINISHES		
PANEL FINISHES Panel Frame/Raceway/Hardware	Acrylic Glazing	Metal Paper Accessory Colors
		* Minimum of 50 pieces and an
	Smoke SMK	additional 10% on standard list price
	Frosted FRS	Crystal Blue CYB
Designer White DWT		Lime Green LMG
Nevada NEV Silver SIL	Tempered Glass Clear CLR	Orange Flame ORF Steel Blue STB
		Vermilion Red VLR
	Frosted FRST	verimion ned ven
Tungsten TUN		
CTODACE AND WODE	IIDEACE EINICHEC	
STORAGE AND WORKS Metal Storage Colors - Panel Frame	PVC Edge Finishes - Panel Frame Matches	Worksurface DVC Edge Trim - Wood
Matches	1 Vo Luge i misnes i anei i anie matones	Grain Matches
	Black BLK	Absolute Acajou AAE
		Asian Night ASE
	Brushed Cobalt BRC	Avant Cherry ACE
		Avant Honey AHE
	Designer White DWE Nevada NEV	Clear Maple CME Dark Espresso DEE
	Silver SIL	Noce Biondo NBL
		Noce Grigio NGL
	Taupe TPE	Noce Leggero NEL
-		Noce Medio NML
	* Not available for radius or linear handles.	Quartered Mahogany QTM
		Tiger Fruitwood TFE Tiger Walnut TWE
		Tiger Walnut TWE Walnut Heights WHE
		White Chocolate CBE
		Winter Cherry WCE
Low Pressure Laminates (LP) Panel	Low Pressure Laminates (LP) Solids and Patterns	Low Pressure Laminates (LP) Wood Grain Laminates
Frame Matches Rlack RLKLP		
Black BLKLP	Blizzard Matrix BMXLP	Absolute Acajou ACJLP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP String (Nevada) STGLP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP Studio White Matrix SWXLP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP White Chocolate WHCLP Winter Cherry WCRLP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP String (Nevada) STGLP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP Studio White Matrix SWXLP High Pressure Laminates (HP) Solids	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP White Chocolate WHCLP Winter Cherry WCRLP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP String (Nevada) STGLP High Pressure Laminates (HP) Panel Frame Matches	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP Studio White Matrix SWXLP High Pressure Laminates (HP) Solids and Patterns	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP White Chocolate WHCLP Winter Cherry WCRLP High Pressure Laminates (HP) Wood Grain Laminates
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP String (Nevada) STGLP High Pressure Laminates (HP) Panel Frame Matches Black BLKHP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP Studio White Matrix SWXLP High Pressure Laminates (HP) Solids and Patterns Blizzard Matrix BMXHP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP White Chocolate WHCLP Winter Cherry WCRLP High Pressure Laminates (HP) Wood Grain Laminates Absolute Acajou ACJHP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP String (Nevada) STGLP High Pressure Laminates (HP) Panel Frame Matches Black BLKHP Blizzard BZDHP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP Studio White Matrix SWXLP High Pressure Laminates (HP) Solids and Patterns Blizzard Matrix BMXHP Grey Matrix GRXHP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP White Chocolate WHCLP Winter Cherry WCRLP High Pressure Laminates (HP) Wood Grain Laminates Absolute Acajou ACJHP Asian Night ASNHP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP String (Nevada) STGLP High Pressure Laminates (HP) Panel Frame Matches Black BLKHP Blizzard BZDHP Brushed Cobalt (Tungsten) BRCHP Custom Grey (Silver) CGYHP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP Studio White Matrix SWXLP High Pressure Laminates (HP) Solids and Patterns Blizzard Matrix BMXHP Grey Matrix GRXHP Hayden Linen HLNHP Stone Linen SLNHP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP White Chocolate WHCLP Winter Cherry WCRLP High Pressure Laminates (HP) Wood Grain Laminates Absolute Acajou ACJHP Asian Night ASNHP Avant Cherry AWCHP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP String (Nevada) STGLP High Pressure Laminates (HP) Panel Frame Matches Black BLKHP Blizzard BZDHP Brushed Cobalt (Tungsten) BRCHP Custom Grey (Silver) CGYHP Designer White DWTHP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP Studio White Matrix SWXLP High Pressure Laminates (HP) Solids and Patterns Blizzard Matrix BMXHP Grey Matrix GRXHP Hayden Linen HLNHP Stone Linen SLNHP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP White Chocolate WHCLP Winter Cherry WCRLP High Pressure Laminates (HP) Wood Grain Laminates Absolute Acajou ACJHP Asian Night ASNHP Avant Cherry AWCHP Avant Honey AWHHP Clear Maple CMBHP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP String (Nevada) STGLP High Pressure Laminates (HP) Panel Frame Matches Black BLKHP Blizzard BZDHP Brushed Cobalt (Tungsten) BRCHP Custom Grey (Silver) CGYHP Designer White DWTHP Hayden Grey (Taupe) HGTHP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP Studio White Matrix SWXLP High Pressure Laminates (HP) Solids and Patterns Blizzard Matrix BMXHP Grey Matrix GRXHP Hayden Linen HLNHP Stone Linen SLNHP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP White Chocolate WHCLP Winter Cherry WCRLP High Pressure Laminates (HP) Wood Grain Laminates Absolute Acajou ACJHP Asian Night ASNHP Avant Cherry AWCHP Avant Honey AWHHP Clear Maple CMBHP Dark Espresso DESHP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP String (Nevada) STGLP High Pressure Laminates (HP) Panel Frame Matches Black BLKHP Blizzard BZDHP Brushed Cobalt (Tungsten) BRCHP Custom Grey (Silver) CGYHP Designer White DWTHP Hayden Grey (Taupe) HGTHP Stonedust SDTHP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP Studio White Matrix SWXLP High Pressure Laminates (HP) Solids and Patterns Blizzard Matrix BMXHP Grey Matrix GRXHP Hayden Linen HLNHP Stone Linen SLNHP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP White Chocolate WHCLP Winter Cherry WCRLP High Pressure Laminates (HP) Wood Grain Laminates Absolute Acajou ACJHP Avant Cherry AWCHP Avant Honey AWHHP Clear Maple CMBHP Dark Espresso DESHP Noce Biondo NBLHP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP String (Nevada) STGLP High Pressure Laminates (HP) Panel Frame Matches Black BLKHP Blizzard BZDHP Brushed Cobalt (Tungsten) BRCHP Custom Grey (Silver) CGYHP Designer White DWTHP Hayden Grey (Taupe) HGTHP Stonedust SDTHP Storm Grey (Charcoal) SOGHP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP Studio White Matrix SWXLP High Pressure Laminates (HP) Solids and Patterns Blizzard Matrix BMXHP Grey Matrix GRXHP Hayden Linen HLNHP Stone Linen SLNHP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP White Chocolate WHCLP Winter Cherry WCRLP High Pressure Laminates (HP) Wood Grain Laminates Absolute Acajou ACJHP Asian Night ASNHP Avant Cherry AWCHP Avant Honey AWHHP Clear Maple CMBHP Dark Espresso DESHP Noce Biondo NBLHP Noce Grigio NGLHP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP String (Nevada) STGLP High Pressure Laminates (HP) Panel Frame Matches Black BLKHP Blizzard BZDHP Brushed Cobalt (Tungsten) BRCHP Custom Grey (Silver) CGYHP Designer White DWTHP Hayden Grey (Taupe) HGTHP Stonedust SDTHP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP Studio White Matrix SWXLP High Pressure Laminates (HP) Solids and Patterns Blizzard Matrix BMXHP Grey Matrix GRXHP Hayden Linen HLNHP Stone Linen SLNHP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP White Chocolate WHCLP Winter Cherry WCRLP High Pressure Laminates (HP) Wood Grain Laminates Absolute Acajou ACJHP Avant Cherry AWCHP Avant Honey AWHHP Clear Maple CMBHP Dark Espresso DESHP Noce Biondo NBLHP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP String (Nevada) STGLP High Pressure Laminates (HP) Panel Frame Matches Black BLKHP Blizzard BZDHP Brushed Cobalt (Tungsten) BRCHP Custom Grey (Silver) CGYHP Designer White DWTHP Hayden Grey (Taupe) HGTHP Stonedust SDTHP Storm Grey (Charcoal) SOGHP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP Studio White Matrix SWXLP High Pressure Laminates (HP) Solids and Patterns Blizzard Matrix BMXHP Grey Matrix GRXHP Hayden Linen HLNHP Stone Linen SLNHP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP White Chocolate WHCLP Winter Cherry WCRLP High Pressure Laminates (HP) Wood Grain Laminates Absolute Acajou ACJHP Avant Cherry AWCHP Avant Honey AWHP Avant Honey AWHP Clear Maple CMBHP Dark Espresso DESHP Noce Biondo NBLHP Noce Grigio NGLHP Noce Medio NMLHP Quartered Mahogany QTMHP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP String (Nevada) STGLP High Pressure Laminates (HP) Panel Frame Matches Black BLKHP Blizzard BZDHP Brushed Cobalt (Tungsten) BRCHP Custom Grey (Silver) CGYHP Designer White DWTHP Hayden Grey (Taupe) HGTHP Stonedust SDTHP Storm Grey (Charcoal) SOGHP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP Studio White Matrix SWXLP High Pressure Laminates (HP) Solids and Patterns Blizzard Matrix BMXHP Grey Matrix GRXHP Hayden Linen HLNHP Stone Linen SLNHP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP White Chocolate WHCLP Winter Cherry WCRLP High Pressure Laminates (HP) Wood Grain Laminates Absolute Acajou ACJHP Asian Night ASNHP Avant Cherry AWCHP Avant Honey AWHP Clear Maple CMBHP Dark Espresso DESHP Noce Biondo NBLHP Noce Grigio NGLHP Noce Medio NMLHP Quartered Mahogany QTMHP Tiger Fruitwood TFWHP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP String (Nevada) STGLP High Pressure Laminates (HP) Panel Frame Matches Black BLKHP Blizzard BZDHP Brushed Cobalt (Tungsten) BRCHP Custom Grey (Silver) CGYHP Designer White DWTHP Hayden Grey (Taupe) HGTHP Stonedust SDTHP Storm Grey (Charcoal) SOGHP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP Studio White Matrix SWXLP High Pressure Laminates (HP) Solids and Patterns Blizzard Matrix BMXHP Grey Matrix GRXHP Hayden Linen HLNHP Stone Linen SLNHP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP White Chocolate WHCLP Winter Cherry WCRLP High Pressure Laminates (HP) Wood Grain Laminates Absolute Acajou ACJHP Avant Cherry AWCHP Avant Honey AWHP Clear Maple CMBHP Dark Espresso DESHP Noce Biondo NBLHP Noce Grigio NGLHP Noce Medio NMLHP Quartered Mahogany QTMHP Tiger Fruitwood TFWHP Tiger Fruitwood TFWHP Tiger Fruitwood TFWHP Tiger Fruitwood TFWHP Tiger Walnut TWLHP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP String (Nevada) STGLP High Pressure Laminates (HP) Panel Frame Matches Black BLKHP Blizzard BZDHP Brushed Cobalt (Tungsten) BRCHP Custom Grey (Silver) CGYHP Designer White DWTHP Hayden Grey (Taupe) HGTHP Stonedust SDTHP Storm Grey (Charcoal) SOGHP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP Studio White Matrix SWXLP High Pressure Laminates (HP) Solids and Patterns Blizzard Matrix BMXHP Grey Matrix GRXHP Hayden Linen HLNHP Stone Linen SLNHP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP White Chocolate WHCLP Winter Cherry WCRLP High Pressure Laminates (HP) Wood Grain Laminates Absolute Acajou ACJHP Avant Cherry AWCHP Avant Honey AWHP Clear Maple CMBHP Dark Espresso DESHP Noce Biondo NBLHP Noce Grigio NGLHP Noce Medio NMLHP Quartered Mahogany QTMHP Tiger Fruitwood TFWHP Tiger Walnut TWLHP Walnut Heights WHEHP
Black BLKLP Blizzard BZDLP Brushed Cobalt (Tungsten) BRCLP Custom Grey (Silver) CGYLP Designer White DWTLP Hayden Grey (Taupe) HGTLP Stonedust SDTLP Storm Grey (Charcoal) SOGLP String (Nevada) STGLP High Pressure Laminates (HP) Panel Frame Matches Black BLKHP Blizzard BZDHP Brushed Cobalt (Tungsten) BRCHP Custom Grey (Silver) CGYHP Designer White DWTHP Hayden Grey (Taupe) HGTHP Stonedust SDTHP Storm Grey (Charcoal) SOGHP	Blizzard Matrix BMXLP Grey Matrix GRXLP Hayden Linen HLNLP Stone Linen SLNLP Studio White Matrix SWXLP High Pressure Laminates (HP) Solids and Patterns Blizzard Matrix BMXHP Grey Matrix GRXHP Hayden Linen HLNHP Stone Linen SLNHP	Absolute Acajou ACJLP Asian Night ASNLP Avant Cherry AWCLP Avant Honey AWHLP Clear Maple CMBLP Dark Espresso DESLP Noce Biondo NBLLP Noce Grigio NGLLP Noce Leggero NELLP Noce Medio NMLLP Quartered Mahogany QTMLP Tiger Fruitwood TFWLP Tiger Walnut TWLLP Walnut Heights WHELP White Chocolate WHCLP Winter Cherry WCRLP High Pressure Laminates (HP) Wood Grain Laminates Absolute Acajou ACJHP Avant Cherry AWCHP Avant Honey AWHP Clear Maple CMBHP Dark Espresso DESHP Noce Biondo NBLHP Noce Grigio NGLHP Noce Medio NMLHP Quartered Mahogany QTMHP Tiger Fruitwood TFWHP Tiger Fruitwood TFWHP Tiger Fruitwood TFWHP Tiger Fruitwood TFWHP Tiger Walnut TWLHP

WOOD VENEER FII	NISHE	S		PET FELT COLOURS		PREMIUM COLOURS	S
Walnut		Maple			AMT	FOR STORAGE	
Walnut	WIW	Maple	MPW	Apricot		Black Coffee Textured	BKC
Mahogany on Walnut		Sugar Maple	SMW	Black		Bone	BNE
Empress Walnut		White Maple		Blue Smoke		Business Grey	BGR
Cocao Walnut	CAW	Hazelnut	HAW			Claret	CLT
Latte Walnut	ITW	Oyster Maple				Dark Chocolate Textured	DCH
Natural Walnut		Sahara Maple		Graphite		Desert Putty	DPT
Umber Walnut	UBW	ouriara mapre	01111	Lapis	IAP	Grey	GRY
Dark Walnut		White Oak		Mist	MTS	Ice	ICE
Bark Wallat	D 11 11	Biscotti	BTW			lvory	IVR
Cherry		Mocha				Light Grey	LGR
Red Cherry	RCW	Java		Ruby		Metro	MET
Dark Cherry		Milestone		Sunflower	SFR	Mocha Textured	MCH
Amber Cherry		Evening Oak	EVW			Moss	MOS
Windsor Cherry	WCW	Coral		Brick		Navy	NVY
Almond Cherry	AMW	33.4.	0	Denim		Oyster	OYS
Vintage Cherry	VNW			Harvest	HVT	Sky	SKY
· ···tage errerry				Shamrock		Stone	STN
				Sharm son	01111	Storm Grey	SGR
						Tahiti Sand	TSA
						Willow	WIL
						TTHIOW	****
PANEL FABRICS G Anchorage (R)	RADE	E 1 Linea (R)		Merge (R)		Tek (R)	
Birch	ΔΝΔΩ	Queue	NI/1	Fawn N	ИG20		TX60
Green Apple							TX61
Lapis		Twine					TX62
Straw		Thread			MG23		TX64
Wolf		Contour		Graphite N	1G23		TX67
Goose	AN44	Silhouette	LN43				TX69
Angora		Cable					TX71
Cumin	AN40	Route	LIN47	Fire Engine		Glacier	TX72
Asteroid	AN48	Noute	LIN40	Mediterranean N			TX73
Geranium	AN49	Learny (D)				Harmony	TX74
Thistle		Loopy (R) Oyster	LP60	Midnight	VIGZ9		TX75
	ANEI	Putty	LP60	Discouries (D)			TX76
Graphite Slate		Marble			PN11	repole	1 \(\) \(\)
Quarry Blue	VNI2	Hazelnut	L D 6 2	Delight I		Terrace (R)	
Only	AN54						. ala
Onyx Pumpkin	AN55	Pay				Terrace is 57" wide, it cannot fit on pan	
Red Delicious		Wild Rice				wider than 54", it may be railroaded, bu require special application and pricing.	
Sunshine	AN57	Harbor	L D 6 7	Fresh			TC60
Vanilla	AN61	Harbur	LF U/				TC61
Cobalt		Lisbon (R)		Splash	DN10		TC62
Clouds		Lisbon (R) Gesso	I 011				TC63
Clouds	AIN04	Dusk	LO11	Gala	DNIO	Cherry Blossom	TC64
A (D)		Grey	LS12	Gald	FINZU	Bluebell	TC65
Aurora (R) Cloud	۸۱۱۵۸	lvory	LO10	Streak (R)		Apple	TC66
Seal		Henna	L Q 1 5	Streak (R) Beach	SR81		TC67
	VIIO	Nocturnal	LO 10	Shade			TC68
Fog Pewter	VIIOS	Moss				Twilight	TC69
Granite	AU23	Novy	LO17			Wintergreen	TC70
	AU24	Navy Buff	LS19	Poll			TC71
Oat	AUZS	Dull	LS19	RUII .	SKAI		TC72
Coconut	AU26	Sha	L320		OK92	Fine Cone	TC73
Latte	AU27	M. I. J. (D)		Zoom	SR93		
Lake	AUZO	Melody (R)	MEAO	Splash	SR94	Glacier	TC74 TC75
Frost	AUZ9	Spray			SR95 SR96	Glaciei	16/5
Chance (R)		Pond Sand Bar	ME42		01190		
Mist	CN51		ME43				
Dill	CNIST	Pebble	ME44				
Island	CN52	l aka	ME45				
Plaza	CNE	Gravel					
			ME46 ME47				
Tranquil Malt		Boulder	ıVI⊑4/				
Malt	CN56						
Navajo	CN57						
Prairie	CN58						
Cinder	CN59					Mister	
Oasis	CN66					Note:	
						(R) = Recycled Fabric	

PANEL FABRICS GRADE 2

'L L
Quadrille (not available on Diet) (R)
Quadrille is only 54" wide, it cannot fit
0 on panels wider than 48", it may be rail-
1 roaded, but will require special application
3 and pricing.
4 Escapade QU30
6 Shenanigan QU31
9 Revelry QU32
0 Spring QU33
4 Regalia QU34
5 Soiree QU35
6 Zest QU36
7 Gambol QU37
8 Leisure QU38
9 Fair QU39
Fiesta QU40
Carnival QU41
1 Spree QU42
2 Opus QU43
3 Jubilee QU44
4 Masquerade QU45
5 Cabaret QU46
6
7

SEATING FABRICS

For cushions, please chose from any of the Global Furniture Group seating fabrics. Seating fabric cannot be used on panels, dividers and tackboards, please choose a panels fabric.

COM fabric is priced as grade 1.

- _ BAKA Boulevard
- _ LAKA Licence
- _ AAKA GC ADA
- _ DAKA Descor _ BRAKA Bridges II _SONBRAKA Sonoma

<u>SO#</u>

PO TAG# **DATE**

KEY#	SETS	KEY#	SETS	KEY#	SETS	KEY#	SETS	KEY#
404	REQ'D	424	REQ'D	464	REQ'D	404	REQ'D	504
401	1	431	1	461		491		521
402	1	432	1	462	<u> </u>	492		522
403		433		463		493		523
404		434		464		494		524
405		435		465		495		525
406		436		466		496		526
407		437		467		497		527
408		438		468		498		528
409		439		469		499		529
410		440		470		500		530
411		441		471		501		531
412		442		472		502		532
413		443		473		503		533
414		444		474		504		534
415		445		475		505		535
416		446		476		506		536
417		447		477		507		537
418		448		478		508		538
419		449		479		509		539
420		450		480		510		540
421		451		481		511		541
422		452		482		512		542
423		453		483		513		543
424		454		484		514		544
425		455		485		515		545
426		456		486		516		546
427	İ	457		487		517	i	547
428	İ	458	İ	488		518	İ	548
429	İ	459	İ	489		519	İ	549
430	*	460	•	490	•	520	*	550

BOULEVARD 1 PANELS

Features:

- Desk height power and data management
- · Patented "Knuckle-Loc", rigid connection, prevents light and sound transmission
- · Built-in acoustical/tackable properties
- · Sectional multi-accent design options
- · Fabric surfaces are able to be replaced on-site
- · Frame incorporates 1" centred slots for component adjustability
- · Requires no additional top caps, end caps, trim caps, hinges, kick plates or clips
- · Simple to specify
- · Reduced installation time
- · Easy to reconfigure
- · High-tech look/stackable grid appearance
- Rigid, no sway, straight panel sight line
- · Self levelers reduce assembly time, ensure even height
- Over panels extend to 10 feet to enclose an office in fabric and glazed options
- · Patented Raceway cover easily removed
- · Raceway panels top and bottom portion semi tackable

Construction:

- Rigid extruded aluminum, finished frame, self-leveling 2 5/8" thick panel
- 1 1/8" sound absorbent Mineral Wool each side of hardboard septum

Sizes:

- 8 Heights: 29", 37", 42", 50", 54", 58", 66" 74" and 82"
- 9 Widths: 6", 18" to 60" in 6" increments, 72" wide in selected panel configurations.

Adjustability:

- 3" glide stem permits 2 1/2" height adjustment
- Slotted at 1" increments
- Over panels, 8", 16", 24", 37" and 42" for enclosed offices (Non-slotted)

Acoustic Rating

.80NRC/26STC

Door:

- 2 door panel widths, glazed/unglazed, lockable, reversible
- · 2 sliding door widths, non-lockable

Flexibility:

· Universal connector

Panel Finishes:

· 2 grades of fabric, air flow grill, glaze, tempered glass, laminate & COM

Electrical:

· Desk height 8 wire/4 circuit - 1 dedicated

Communication:

- · Desk height data channel
- · Raceway cover easily removed
- · Fabric covered raceways available

SYSTEM 3 PANELS

Features:

- · Base power and data lay-in
- · Desk height power and data feed thru
- · Top data lay-in
- Patented "Knuckle-Loc", rigid connection, prevents light and sound transmission
- Removable multi-functional tile design options
- · Fabric surfaces are able to be replaced on-site
- · Reduced installation time
- · Easy to reconfigure
- · High-tech look/stackable grid appearance
- Rigid, no sway, straight panel sight line
- · Self levelers reduce assembly time, ensure even height
- Over panels extend height to enclose an office in fabric, glazed or laminate options
- Raceway cover easily removed

Construction:

· Rigid extruded aluminum

Sizes:

- 5 Heights: 34", 42", 50", 54", 66"
- 8 Widths: 18" to 60"

Adjustability:

- 3" glide stem permits 2 1/2" height adjustment
- · Slotted at 1" centres
- · Over panels, 8" and 16" (Non-slotted)

Door:

- 2 widths, glazed/solid, lockable, reversible
- 2 sliding door widths, non-lockable

Flexibility:

· Universal connector

Panel Finishes:

 Fabric, air flow accessory, tempered glass, laminate, whiteboard, corkboard (at base only)

ELECTRICAL FOR BOULEVARD 1 PANELS

Features

- Customized power capabilities in each panel
- State-of-the-art snap-in electrical
- 8 wire with 3 regular 15 AMP circuits and 1 isolated 15 AMP circuit.
- 3N and 8K electrical available upon request.
- Snap-in installation harnesses, junction boxes, duplexes
- Accessibility makes changing circuits easy
- Flexibility in choice of duplexes within panel: choice of circuits for each duplex; choice of quantity of duplexes (1 or 2 duplexes per panel)
- · Electrical cords are concealed
- · Separate large channel for data
- · Change electrical without moving pedestals
- Lower installation/reconfiguration costs
- Data terminals snap into cable holder
- · Floor or ceiling feed
- · Duplexes accessible from both sides

ELECTRICAL FOR SYSTEM 3 PANELS

Features:

- · Customized power capabilities in each panel
- State-of-the-art snap-in duplex receptacles
- 8 wire with 3 regular 15 AMP circuits and 1 isolated 15 AMP circuit
- Snap-in installation harnesses, junction boxes, duplexes

- Accessibility makes changing circuits easy
- · Flexibility in choice of duplexes within panel
- Data terminals snap into base raceway cover and mid panel electrical tile
- · Floor or ceiling feed
- · Duplexes accessible from both sides

WORKSURFACES / HARDWARE

- · Features:
- · One universal cantilever support
- · Pedestal eliminates need for end panel/cantilever
- · Grommets are not needed
- · Continuous cable accessibility across back
- Adjustable to any height, in 1" increments.
- · Flush abutment side edge minimize seam crevice
- Metal-to-metal connections (Metal Inserts)
- · Additional cable manager under worksurface
- · Construction:
- Medium-density particle board 1 1/16" thick

· Sizes:

- 3 Depths: 18", 24" and 30"
- 12 Widths: 18" to 84" in 6" increments

Finishes:

- · Tops: High Pressure Laminate, Low Pressure Laminate or Wood
- · Edges: Edge banded PVC or Wood

Types:

Transaction, keyboard, rectangular worksurface, corner, curved, D-top, P-top, Arctop and freestanding

OVERHEAD STORAGE

Features:

- · Completely enclosed unit for 16" overheads
- · Shipped fully assembled or KD
- 13.5" inside height for oversized binders
- · Metal-to-metal connection
- · Lock secures into bottom shelf
- · Doors operate smoothly
- · Flipper door retrofittable on site
- Safety bracket used for extra support
- · Reinforcement built in for larger unit
- · Can be removed and reconfigured without disassembly

Fronts:

· Open or closed fronts

Sizes:

- Overheads 6 widths in 6" increments
- Shelves 7 widths in 6" increments
- 16" deep welded overhead for EDP, ring binder, letter/legal
- 12" deep KD overhead
- 15" deep KD overhead with "Soft-to-the-touch" handles

Paint:

· Dry epoxy powder coating

PEDESTALS

Features:

- · Double wall construction on all drawer fronts
- Fully progressive suspension system
- Full-width pull, "Hytrel® or "Soft-to-the-touch" handles on drawer fronts
- Worksurface supporting option
- · Full extension roller bearing glides on all file drawers
- Rubber bumpers for quietness
- · Movable drawer divider/pencil tray
- 25" filing capacity for file drawers (only in 30" pedestal)
- Durable epoxy finish
- Keved alike options
- · Box/Box/File standard with pencil tray

Construction:

- · Double wall drawer fronts
- 18-20 gauge steel

Sizes:

· 18", 24", 30" depth

Types:

· Worksurface Supporting, Mobile, Freestanding

Paint:

• Dry epoxy powder coating

HOW BOULEVARD 1 CAN REDUCE YOUR COSTS

Finished Panel:

- No inventory costs for connectors, trim caps, top caps, kick plates and clips.
- Less time required to install, or to disassemble, move and re-install.

Fewer Parts:

- Only 1 universal cantilever and 3 brackets are needed to build most workstations.
- · Easy to attach and remove components from panels.
- Universal post for 2-way, 3-way and 4-way applications.
- · Desk Height Electric:
- · Ease of initial electrical installation lowers energy management costs.
- · Snap-in electrical components reduce reconfiguration costs.
- · Can customize power in each panel, pay only for what is required.

Simplified Specifications:

- Fewer parts and components make specifying, ordering, and verifying less work.
- · Product fits a 6" planning module.

Replaceable Panels:

· Panels can be re-upholstered on site.

Communications/Data Channel:

· Desk height data channel reduces time to install and change cables.

Floor to Ceiling Enclosed Office:

- Re-usable enclosed offices with doors eliminate future costs for drywall demolition, new construction, mess and extensive cash flow.
- · Depreciation expense indirectly increases cash flow.

Warrantv:

· Limited Lifetime Warranty on materials and workmanship.

Product:

· Priced less than most other "A" Grade panel systems.

HOW BOULEVARD SYSTEM 3 REDUCES YOUR COSTS

Finished Panel:

- · No inventory costs for connectors, top caps, kick plates and clips.
- · Less time required to install, or to disassemble, move and re-install.

Fewer Parts

- Only 1 universal cantilever and 3 brackets are needed to build most workstations.
- Easy to attach and remove components from panels.
- · Universal post for 2-way, 3-way and 4-way applications.

Base Panel Electric System:

- · Ease of initial electrical installation lowers energy management costs.
- Snap-in electrical components reduce reconfigurations costs.
- · Can customize power in each panel, pay only for what is required.

Simplified Specifications:

- Fewer parts and components make specifying, ordering, and verifying less work.
- Product fits a 6" planning module.

Replaceable Panel Tiles:

· Over Panels and face tiles can be added and interchanged as needs change.

Communications/Data Channel:

 Base and top lay-in communications channel reduces time to install and change cables.

Warranty:

• Limited Lifetime Warranty on materials and workmanship.

Product:

Priced less than most other "A" Grade panel systems.

Value-Added Benefits

On the following pages, we selected a grouping of Boulevard 1, System 3 configurations, some with electrical components and task lights, to give you a better understanding of our product's specifications as they relate to workstations. Our objective is to not only illustrate applications using panels and components, but also to have this serve as a pricing excercise.

All of the value-added benefits of the Boulevard 1 are standard as follows:

- · Desk height power and data capabilities.
- Finished panel including top, corner and end caps.
- · Sectional panel with multiple fabric options.
- · Ease of installation and reconfigurations.
- Removable fabric for on-site refurbishing.
- Exceptional storage capacity in pedestals, overheads, lateral files, storage cabinets and towers.
- · Simplified specifications.

•

All of the value-added benefits of the Boulevard System 3 are standard as follows:

- · Base power and data capabilities.
- · Finished panel including top and corner.
- Monolithic or Pass-Thru panels with multiple fabric options.

• Exceptional storage capacity in pedestals, overheads, lateral files, storage cabi-

· Removable fabric tiles in Pass-Thru Panels for on-site refurbishing.

- All of the value-added benefits of the Diet System are standard as follows:
 Finished panel including top, corner and end caps.
- · Sectional panels with multiple fabric options.
- · Ease of installation and reconfigurations.

· Ease of installation and reconfiguration.

- · Removable fabric for on-site refurbishing.
- Exceptional storage capacity in pedestals, overheads, lateral files, storage cabinets and towers.
- · Simplified specifications.

nets and towers.

· Simplified specifications.

When specifying Boulevard 1, Boulevard System 3 or Diet, you benefit from the ability to:

- · Customize the energy management.
- Minimize the number of necessary parts.
- · Offer a competitive list price.

NOTE: If Key Alike Instructions are not submitted to GLOBAL CONTRACT with the Customer's Purchase Order, all components will be keyed randomly.

WOOD GRAIN (WG) LAMINATE DIRECTION




All Panels


* Panel general direction will default to vertical if monolithic panel is 54" high and if raceway panels are on same order.




BPD Doors.



BWSWorksurfaces.



BWSCWorksurfaces.




BWCFCorner Worksurfaces.




With Exception of 66" or higher panels, the grain is vertical.

BWCL Corner Worksurfaces.




BHFG Full Gable.



BWAC Angled Corner Worksurfaces




BWCE Extended Worksurfaces.



BWCECExtended Worksurfaces.



BWBTBow Tie Worksurfaces.



BWR Radius Worksurfaces.



BWRTDTeardrop Worksurfaces.



BWSRCurved Panel Worksurfaces.




BWCExtended "D"
Worksurfaces.




BWSLCurvelinear
Worksurfaces.



BWD Worksurfaces.



BWPWorksurfaces.



BWTTransaction Worksurfaces.




BWTCCorner Transaction
Worksurfaces.




BWTTTransaction Worksurfaces.




BWTACTransaction
Worksurfaces.




BWTR Curved Transaction Worksurfaces




BWTD "D"Transaction
Worksurfaces.



BWTDD "D"Transaction
Worksurfaces.



BWTEEllipse Transaction
Worksurfaces




BWTPRound Transaction
Worksurfaces.




BWCD Round Tables.



BWSQ Square Tables.



BKDesking Worksurfaces.



BSP Laminate Divider Storage

Boulevard 1 Panel System

The Boulevard philosophy is based on simplicity. A product that is simple to install... simple to reconfigure... and simple to specify, without sacrificing delivery time or quality.

Technically superb and exceptionally precise aluminum extrusion and die-cast fitments achieve exact levels of consistency, panel after panel; everything fits, aligns, and assembles, first time, every time. Most of all it requires very few of the "small parts" associated with most systems. This cross-market integration is celebrated in Boulevard.

Truly a system of broad application, whether installed in a high-tech environment, factory application or executive office, Boulevard will perform! We invite you to share with us a product designed, built and marketed for a global economy.

Our Mission

Our mission is to continue to develop and offer innovative, quality office furniture to value-oriented customers, through a dealer network that provides consistent, high quality service. Our approach in the contract furniture industry is to focus on customer concerns and needs to develop products that minimize your costs of ownership. It represents the culmination of creativity, industry expertise, specialists,

and integrity to help you achieve cost-effective solutions to problems. Our vision is to create a company-wide environment that supports constant improvement and promotes customer satisfaction. We believe that as good as we are today, we must be better tomorrow. Thus, our desire to improve is both continuous and tireless.

Environmental Commitment

At Global Contract, protecting the next generations' environment is of paramount concern. Global Contract believes that it is our responsibility to help protect the environment for future generations. We continue to operate with the environment in mind, making wise business decisions that help protect the earth and its precious natural resources. Our manufacturing procedure incorporates the latest technology for painting products, using a dry epoxy powder or gel paint. This process produces no toxic residue, and therefore is environmentally safe, while other manufacturers still use the wet paint process. Our packaging, veneer selections, and reduction in waste programs all contribute to a better environment. In addition, our concern for the reduction of finishing emissions and wood dust has resulted in a healthier work environment in many ways, including this price book, printed on recycled paper.

Technical Information

Panels

- · All panels are 2 5/8" thick.
- · Lightweight aluminum box frame construction creates superior panel rigidity.
- · Panel frame finish is durable epoxy powder coated.
- · Hang-on capabilities at 1" increments.
- Patented "Knuckle-Loc" design provides solid panel-to-panel connection for fast installation and reconfiguration.
- · Knuckle lock feature ensures even panel heights throughout installation.
- 3" glide stem permits 2 1/2" height adjustment.
- · Panel sizes are actual, eliminating creepage.
- · Panels come complete, eliminating need for separate top, corner end trim and clips.
- · Fabric is replaceable on site.
- All panels include 2 "Capture Strip" panel connectors.
- Fabric retainer is clear.
- Panels are UL listed and CSA approved and have a Class "A" fire rating except when Customer's Own Material (COM) is used.
- Glazing available in acrylic or tempered glass for straight panels, and acrylic only for curved panels.
- Centre septum above raceway overlaid on either side with tackable, 1 1/8" "Sound Absorbent Mineral Board".
- For glazing Smoke developed index 500.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- · Tempered glass is not available for curved panels.
- Solid metal sheet is an OPT option and price accordingly, however, the sheets are 48" wide and cannot be specified on 48" and wider unless they are railroaded. Contact your Customer Service Representative for more information.

Panel Options

- Laminate, whiteboard, or corkboard may be substituted for fabric on panels only, not raceways, see "OPT" column.
- Laminate and whiteboard are held in place with a PVC retainer matching the frame colour and can be retrofitted on site.
- Laminate and whiteboard options reduce the acoustical value of the panel.

Raceway Options

- · · Raceways are standard in PVC matching the panel frame finish.
- · Fabric Covered Raceway (FRC) available. Aluminum raceway available.
- · Wood veneer raceway available.
- Face mount electrical raceway available.
- Face mount openings are 1.5x2.85 for electrical and 1.37x2.755 for data.
- · Cable capacity in raceways is 83 0.220" dia. cables (cat.6).

Desk Height Management

- · Desk height electrical and communication raceway system.
- · State-of-the-art engineering.
- Snap-in modularity of all electrical components including harnesses, junction boxes, duplexes and circuit designations.
- · All power and data outlets are easily accessible from both sides of panel.
- 8 wire system with 4, 15 amp circuits (including 1 dedicated circuit).
- · Optional facemount electrical with 2 duplexes per panel side.
- Outlet and circuit changes accomplished without disruption to workstation.
- Large raceway cavity permits storage of excess cables and equipment cords.
- Total flexibility for 8 wire system: choice of 1, 2 or 4 duplexes per panel; choice of circuitry in each duplex.
- Unique design of fire retardant PVC raceway cover permits access to raceway without disruption to equipment on worksurfaces.
- Clip-on communication management channel (BECC01 and BPH001) included with each raceway panel.
- Communication management channel accepts modular Data/Comm terminals (not supplied by Global Contract Inc.).

Posts


- Enables connection for multiple panel runs such as 90°, 45° or 60° angles and 2 way, 3 way or 4 way.
- · Provides route for base, ceiling, and worksurface cable entry to a panel.
- · Self levelling feature maintains even height of all connected panels.
- Solid lightweight aluminum extrusion fits together through a unique "Knuckle-Loc" design providing rigid post-to-panel connection.
- Includes all required panel connectors and caps.
- Posts add 2 5/8" to a panel run.
- $\bullet\,$ Posts are 1/8" oversized to allow for "panel wrap around" of freestanding desks.
- For all panel runs with multiple posts, this 1/8" must be allotted for.

PANELS - GUIDELINES FOR ORDERING PRODUCT

Code

The product guide uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of Panel: BPRA6636 CHR CHR



How to Specify


Specify Boulevard 1 panel type and size by code. Specify panel frame finish - ie. CHR (Charcoal).

Specify PVC raceway finish - ie. CHR (Charcoal). If PVC raceway colour not specified at time of order, default will be the panel frame colour.

Specify all four panel fabric options if necessary.

Some fabrics have directional pattern and cannot be applied horizontally or vertically. Panels wider then 60" will have fabrics applied horizontally (railroad). Please specify if you want adjacent panels and the rest of the installation upholstered the same way.

Example of Post: BHP066 CHR



How to Specify

Specify Boulevard 1 post by code. Specify frame colour - ie. CHR (Charcoal).

Raceways

PVC:

Standard, at time of order, includes 2 covers.

Standard, when ordering individuals: RCSxxCOL.

Curved, when ordering individuals: 10065IRS24COL for inside and 10065ORS24COL for outside.

Facemount raceways: RCWxxD.

Curved Facemount raceways are not available.

Fabric:

Standard, at time of order: RCWxxFAB, \$33 per side, sold as pair, panel mounted.

Standard, when ordering individuals: 1006FRCxx, shipped separately. Curved raceways: RCR24IFAB for inside and RCR240FAB for outside.

Facemount raceways: FCRxxD.

Curved Facemount raceways are not available.

Aluminum:

Standard, when ordering individuals: BARCxx,

Facemount raceways: RCAxxD.

Curved raceways not available in aluminum.

Curved Facemount raceways are not available.

Wood:

Standard, when ordering individuals: BTRCxx.

Curved Facemount raceways are not available.

COL = Finish colour, xx = Size

Curved wood raceways and top trim not available.

AN50 AN50

BE21

Inside Lower Fabric

Inside Upper Fabric

Outside Lower Fabric

Outside Upper Fabric

Each Order Must Include

Purchase Order

- Layout showing where the image(s) appear in the run of panels.
- A completed Price Chart, showing the location of the image(s) on each appropriate panel.

· Artwork must be submitted in accordance with the following artwork specifications.

NOTE: Final artwork specification approval must be given before order can be processed.

Transfer Devices

- E-mail up to 10MB to your Global Contract Customer Service Representative.
- Courier CD/DVD/USB stick to your Global Contract Customer Service Representative.

Artwork Specifications

Non-Photographic artwork should be vector art, saved in Adobe Illustrator (.ai) or as Leave any PSD files unflattened an EPS (.eps)

All bitmap or photographic artwork has to be at a minimum of 100 dpi at the full size of the panel to be printed.

We accept Adobe CS5 files.

Any linked files must be included or imbedded.

All fonts must be converted to outlines.

Do not convert to CMYK, leave all images as RGB if possible

No Word, Powerpoint, Publisher or other Microsoft files can be used.

Include a PDF or .jpg for reference when sending native Photoshop or Illustrator format files.

Colour Matching

A Pantone colour reference must be supplied or we cannot accept responsibility for When it is not possible to refer to Pantone colours, we will do our best to meet your correct colour.

requirements.

Image Clarity

We will advise should the selected image not lend itself to the element size requested.

NOTE:

We reserve the right to put an order on hold when the files are found to be incomplete or when documents have been either incorrectly saved. Fonts not converted to curves or the job appears not to be commercially acceptable.

Image Bleed:


To facilitate placement on the panel. Extension of the image past the finished visible area of the panel (bleed) is required

· Boulevard Panels need a 5" Bleed on all sides.

Example Of Image resolution:


The resolution required for a 36 wide x 24 high Boulevard panel at 100 dpi (minimum resolution)

4600 pixels (includes 5" bleed)



The resolution required for a 36 wide x 24 high Boulevard panel at 300 dpi (higher quality)

13800 pixels (includes 5" bleed)




5" bleed all around image

7

Pricing, Initial Set-Up Charge per Order:\$235 net


Boulevard 1 Panels • Below Raceway Only



- This List applies to the following panels:
- BPRAxxxx
- BPRGxxxxBPRPxxxx
- BPARxxxx

PANEL HEIGHT	PANEL Width	LIST Price
29"	24"	411
29"	30"	480
29"	36"	561
29"	42"	632
29"	48"	711
29"	54"	782
29"	60"	852
29"	66"	921
29"	72"	993

Boulevard 1 · Above Raceway Only



- This List applies to the following panels:
- BPRAxxxx
- BPRFxxxx

PANEL	HEIGHT	LIST PRICE					
WIDTH	42"	50"	54"	58"	66"	74"	82"
24"	N/A	248	290	331	421	512	592
30"	N/A	292	334	390	501	600	701
36"	N/A	341	395	450	572	691	811
42"	N/A	381	450	520	651	782	921
48"	N/A	431	508	581	732	880	1052
54"	N/A	471	551	632	800	971	1132
60"	N/A	512	600	691	881	1060	1241
66"	N/A	551					
72"	N/A	600					

Boulevard Fabric Acoustic Panels



- This List applies to the following panels:
- BPFAxxxx

PANEL WIDTH	HEIGHT 42"	LIST PRICE 50"	54"	58"	66"	74"	82"
24"	540	632	678	722	800	892	981
30"	641	741	797	852	952	1052	1153
36"	741	860	921	981	1101	1213	1333
42"	841	971	1042	1112	1241	1382	1512
48"	941	1091	1169	1241	1392	1543	1693
54"	1042	1203	1289	1373	1532	1701	1872
60"	1132	1321	1413	1502	1683	1862	2041
66"	1221	1413					
72"	1321	1532					


Boulevard 1 Over Panels

- This List applies to the following Panels:
- BPOFxxxx

PANEL Width	HEIGHT 8"	LIST PRICE 16"	24"	37"	42"	
24"	191	280	361	501	561	
30"	226	331	431	592	660	
36"	260	381	491	681	761	
42"	301	431	561	782	860	
48"	331	480	621	860	961	
54"	372	540	691	961	1060	
60"	401	592	751	1052	1162	
66"	431	632	811	1132	1252	
72"	471	681	871	1221	1351	


Note: Prices shown are an upcharge to the panel price, please add to the list price of panel which you are specifying the graphic for.


BPRA • Acoustical Raceway Panel • Fabric above the raceway provides



- Fabric above the raceway provide visual and acoustic privacy.
- Centre septum above and below raceway overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- Centre septum below raceway overlaid on either side with 1 1/8" Mineral board.
- Acoustic rating of .80 NRC and 26 STC.
- OPT* = Laminate or Whiteboard.

37" High






72" Wide


PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	
CODE	GR 1	GR2	OPT*	H	W	D	LBS	FT ³
BPRA3718	473	482	497	37	18	2.61	18	1.58
BPRA3724	524	536	547	37	24	2.61	21	2.054
BPRA3730	576	588	601	37	30	2.61	25	2.528
BPRA3736	626	670	717	37	36	2.61	28	3.002
BPRA3742	681	727	772	37	42	2.61	32	3.476
BPRA3748	732	776	820	37	48	2.61	35	3.950
BPRA3754	786	830	875	37	54	2.61	39	4.424
BPRA3760	835	881	925	37	60	2.61	44	4.898
BPRA3766	1111	1165	1220	37	66	2.61	50	5.499
BPRA3772	1387	1440	1495	37	72	2.61	56	6.000
BPRA4218	473	497	523	42	18	2.61	22	1.782
BPRA4224	524	550	578	42	24	2.61	28	2.317
BPRA4230	576	600	627	42	30	2.61	32	2.852
BPRA4236	626	678	732	42	36	2.61	36	3.387
BPRA4242	681	733	786	42	42	2.61	40	3.921
BPRA4248	734	789	835	42	48	2.61	44	4.456
BPRA4254	786	836	891	42	54	2.61	48	4.991
BPRA4260	835	886	940	42	60	2.61	52	5.525
BPRA4266	1199	1305	1420	42	66	2.61	62	6.148
BPRA4272	1565	1671	1783	42	72	2.61	72	6.770
BPRA5018	536	562	589	50	18	2.61	25	2.106
BPRA5024	590	627	669	50	24	2.61	30	2.738
BPRA5030	647	685	728	50	30	2.61	35	3.370
BPRA5036	705	767	835	50	36	2.61	40	4.002
BPRA5042	757	820	891	50	42	2.61	45	4.634
BPRA5048	816	879	946	50	48	2.61	50	5.266
BPRA5054	869	932	1002	50	54	2.61	55	5.898
BPRA5060	928	992	1058	50	60	2.61	60	6.530
BPRA5066	1270	1377	1489	50	66	2.61	70	7.300
BPRA5072 BPRA5418	1612	1718 605	1830 635	50 54	72 18	2.61	80 27	8.000 2.250
D	582			<u> </u>		2.61	,	
BPRA5424	641	679	719	54	24	2.61	32	2.960
BPRA5430	696	733	775	54	30	2.61	37	3.689
BPRA5436 BPRA5442	752 814	830 891	910 970	54 54	36 42	2.61	42 47	4.318 4.934
		•		-				
BPRA5448 BPRA5454	868 928	944 1004	1025 1084	54 54	48 54	2.61	52	5.666
D	7 = 0			54 54	· .		59	6.398 7.035
BPRA5460	982	1058	1139	34	60	2.61	62	7.033


BPRA • Acoustical Raceway Panel ...Cont • Fabric above the raceway provides



- visual and acoustic privacy. • Centre septum above and below
- raceway overlaid on either side with tackable, 1 1/8" "Sound absorbent

37" High






72" Wide


I,									
	PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	VOL
	CODE	GR1	GR2	OPT*	Н	W	D	LBS	FT ³
	BPRA5818	582	605	635	58	18	2.61	28	2.431
	BPRA5824	641	679	719	58	24	2.61	33	3.160
	BPRA5830	696	733	775	58	30	2.61	38	3.889
	BPRA5836	752	830	910	58	36	2.61	43	4.618
	BPRA5842	814	891	970	58	42	2.61	48	5.347
	BPRA5848	868	944	1025	58	48	2.61	53	6.076
	BPRA5854	928	1004	1084	58	54	2.61	58	6.806
	BPRA5860	982	1058	1139	58	60	2.61	63	7.535
	BPRA6618	625	662	703	66	18	2.61	32	2.755
	BPRA6624	685	736	789	66	24	2.61	37	3.581
	BPRA6630	746	795	852	66	30	2.61	42	4.407
	BPRA6636	804	892	986	66	36	2.61	48	5.234
	BPRA6642	863	952	1048	66	42	2.61	53	6.060
	BPRA6648	925	1014	1110	66	48	2.61	58	6.887
	BPRA6654	981	1069	1164	66	54	2.61	63	7.713
	BPRA6660	1040	1129	1224	66	60	2.61	68	8.539
	BPRA7418	678	712	754	74	18	2.61	34	3.079
	BPRA7424	735	786	840	74	24	2.61	39	4.002
	BPRA7430	795	848	901	74	30	2.61	45	4.926
	BPRA7436	859	961	1068	74	36	2.61	50	5.850
	BPRA7442	922	1024	1130	74	42	2.61	55	6.773
	BPRA7448	978	1079	1186	74	48	2.61	60	7.697
	BPRA7454	1040	1142	1251	74	54	2.61	65	8.620
	BPRA7460	1103	1204	1311	74	60	2.61	70	9.544
	BPRA8218	732	767	810	82	18	2.61	36	3.403
	BPRA8224	794	858	925	82	24	2.61	42	4.424
	BPRA8230	859	922	992	82	30	2.61	48	5.444
	BPRA8236	923	1036	1157	82	36	2.61	54	6.465
	BPRA8242	982	1096	1219	82	42	2.61	60	7.486
	BPRA8248	1048	1160	1279	82	48	2.61	66	8.507
	BPRA8254	1111	1224	1345	82	54	2.61	72	9.528
	BPRA8260	1176	1290	1409	82	60	2.61	78	10.549

BPRG • Partly Glazed Raceway Panel • Glazing above the raceway provides



- visual accessibility.
- Centre septum below raceway overlaid on either side with 1 1/8" "Sound absorbent mineral board".
- · Glazing replaceable on site.
- Standard glaze is acrylic.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade or finish.

 OPT* = Laminate or Whiteboard.




72" Wide

PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	VNI
CODE	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPRG4218	635	644	660	42	18	2.61	22	1.782
BPRG4224	692	717	744	42	24	2.61	28	2.317
BPRG4230	751	778	805	42	30	2.61	32	2.852
BPRG4236	814	863	917	42	36	2.61	36	3.387
BPRG4242	869	921	973	42	42	2.61	40	3.921
BPRG4248	930	981	1035	42	48	2.61	44	4.456
BPRG4254	992	1040	1095	42	54	2.61	48	4.991
BPRG4260 BPRG4266	1049 1385	1100 1437	1153 1493	42 42	60 66	2.61	52 62	5.525
BPRG4272	1720	1772	1828	42 42	72	2.61	72	6.148 6.770
BPRG5018	702	712	729	50	18	2.61	24	2.106
BPRG5024	761	787	814	50	24	2.61	29	2.738
BPRG5030	824	851	875	50	30	2.61	34	3.370
BPRG5036	886	938	992	50	36	2.61	39	4.002
BPRG5042	944	995	1049	50	42	2.61	44	4.634
BPRG5048	1008	1058	1111	50	48	2.61	48	5.266
BPRG5054	1069	1119	1175	50	54	2.61	54	5.898
BPRG5060	1129	1180	1231	50	60	2.61	59	6.530
BPRG5066	1446	1501	1556	50	66	2.61	70	7.300
BPRG5072	1765	1818	1873	50	72	2.61	78	8.000
BPRG5418	741	752	767	54	18	2.61	27	2.250
BPRG5424	799	825	849	54	24	2.61	30	2.960
BPRG5430	862	887	914	54	30	2.61	35	3.689
BPRG5436	925	977	1030	54	36	2.61	40	4.318
BPRG5442	986	1037	1090	54	42	2.61	45	4.934
BPRG5448 BPRG5454	1049 1111	1100 1162	1154 1215	54 54	48 54	2.61	49 55	5.666 6.398
BPRG5460	1173	1224	1213	54	60	2.61	60	7.035
BPRG5818	778	789	805	58	18	2.61	26	2.431
BPRG5824	838	862	891	58	24	2.61	31	3.160
BPRG5830	901	925	954	58	30	2.61	36	3.889
BPRG5836	965	1015	1069	58	36	2.61	41	4.618
BPRG5842	1027	1078	1132	58	42	2.61	46	5.347
BPRG5848	1090	1140	1192	58	48	2.61	51	6.076
BPRG5854	1153	1203	1258	58	54	2.61	56	6.806
BPRG5860	1218	1267	1319	58	60	2.61	61	7.535
BPRG6618	842	854	868	66	18	2.61	29	2.755
BPRG6624	908	935	961	66	24	2.61	34	3.581
BPRG6630	975	1002	1027	66	30	2.61	39	4.407
BPRG6636 BPRG6642	1043 1111	1092 1161	1145 1216	66 66	36 42	2.61	45 50	5.234 6.060
BPRG6648	1178	1227	1279	66	48	2.61	55	6.887
BPRG6654	1241	1295	1346	66	54	2.61	60	7.713
BPRG6660	1313	1365	1420	66	60	2.61	65	8.539
BPRG7418	910	922	938	74	18	2.61	30	3.079
BPRG7424	981	1008	1033	74	24	2.61	35	4.002
BPRG7430	1052	1102	1155	74	30	2.61	41	4.926
BPRG7436	1121	1171	1224	74	36	2.61	46	5.850
BPRG7442	1191	1242	1296	74	42	2.61	51	6.773
BPRG7448	1264	1313	1369	74	48	2.61	56	7.697
BPRG7454	1335	1385	1437	74	54	2.61	61	8.620
BPRG7460	1418	1466	1520	74	60	2.61	66	9.544
BPRG8218	962	973	989	82	18	2.61	31	3.403
BPRG8224	1038	1065	1091	82	24	2.61	36	4.424
BPRG8230	1118	1143	1171	82	30	2.61	43	5.444
BPRG8236	1196	1250	1301	82	36	2.61	49 55	6.465
BPRG8242 BPRG8248	1279 1356	1331 1407	1382 1462	82 82	42 48	2.61 2.61	55 61	7.486 8.507
BPRG8254	1436	1407	1540	82	54	2.61	67	9.528
BPRG8260	1524	1575	1630	82	60	2.61	73	10.549
DI 1100200	1027	1070	1000	02	00	2.01	, 5	10.0 TJ

BOULEVARD 1

PANELS


BPRF • Air Flow Panel




37" High

- the raceway allows air to flow freely through the bottom of the panel. Centre septum above raceway
- overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- For air flow option above the raceway, add 20% to the Grade 1 price and tag each item with "air flow above raceway". For example: BPRF4218 TAG:*air flow above raceway.

• OPT* = Laminate or Whiteboard.






72" Wide	


Double wall of perforated metal below the received allows sixty flow freely.	PRODUCT CODE	PRICE	CD 2	OPT*	SIZE/	INCHES	_	WEIGHT LBS	VOL FT ³
the raceway allows air to flow freely through the bottom of the panel.	BPRF3718	GR1 528	GR 2	UPI	H 37	W 18	D 2.61	18	1.58
Centre septum above raceway	BPRF3724	598			37	24	2.61	21	2.054
overlaid on either side with tackable, 1	BPRF3730	670			37	30	2.61	25	2.528
1/8" "Sound absorbent mineral board".	BPRF3736	744			37	36	2.61	28	3.002
 For air flow option above the raceway, 	BPRF3742	815			37	42	2.61	32	3.476
add 20% to the Grade 1 price and tag	BPRF3748	886			37	48	2.61	35	3.950
each item with "air flow above race-	BPRF3754	959			37	54	2.61	39	4.424
way". For example: BPRF4218 TAG:*air	BPRF3760	1027			37	60	2.61	44	4.898
flow above raceway.	BPRF3766	1386			37	66	2.61	50	5.449
OPT* = Laminate or Whiteboard.	BPRF3772	1743			37	72	2.61	56	6.000
	BPRF4218	545	550	557	42	18	2.61	22	1.782
	BPRF4224	620	625	632	42	24	2.61	28	2.317
	BPRF4230	692	698	705	42	30	2.61	32	2.852
	BPRF4236	766	778	792	42	36	2.61	36	3.387
	BPRF4242	840	852	865	42	42	2.61	40	3.921
	BPRF4248	912	923	939	42	48	2.61	44	4.456
	BPRF4254	988	999	1014	42	54	2.61	48	4.991
	BPRF4260	1062	1073	1089	42	60	2.61	52	5.525
	BPRF4266	1494	1549	1604	42	66	2.61	62	6.270
	BPRF4272	1927	1981	2036	42	72	2.61	72	6.770
	BPRF5018	609	624	638	50	18	2.61	25	2.106
	BPRF5024	686	700	712	50	24	2.61	30	2.738
	BPRF5030	765	777	790	50	30	2.61	35	3.370
	BPRF5036	841	865	894	50	36	2.61	40	4.002
	BPRF5042	922	946	973	50	42	2.61	45	4.634
	BPRF5048 BPRF5054	998 1073	1024 1100	1051 1127	50 50	48 54	2.61 2.61	50 55	5.266 5.898
	BPRF5060	1151	1177	1203	50	60	2.61	60	6.530
	BPRF5066	1592	1645	1700	50	66	2.61	70	7.300
	BPRF5072	2030	2083	2139	50	72	2.61	80	8.000
	BPRF5418	655	675	693	54	18	2.61	27	2.250
	BPRF5424	734	752	772	54	24	2.61	32	2.230
	BPRF5430	815	835	854	54	30	2.61	37	3.689
	BPRF5436	895	930	972	54	36	2.61	42	4.318
	BPRF5442	971	1009	1051	54	42	2.61	47	4.934
	BPRF5448	1051	1087	1129	54	48	2.61	52	5.666
	BPRF5454	1129	1167	1209	54	54	2.61	57	6.398
	BPRF5460	1213	1250	1291	54	60	2.61	62	7.035
	21 14 0 100	.2.10	.200	/ 1	J 1	50	2.01	52	,.000


BPRF • Air Flow Panel ...Cont



37" High


- Double wall of perforated metal below the raceway allows air to flow freely through the bottom of the panel.
 PRODUCT
 CODE
 BPRF5.
- Centre septum above raceway overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- For air flow option above the raceway, add 20% to the Grade 1 price and tag each item with "air flow above raceway". For example: BPRF4218 TAG:*air flow above raceway.
- · OPT* = Laminate or Whiteboard.





72" Wide


BPRAE • Raceway Panel Electrical



- A 6" raceway panel allows power and communication/data entry along a straight run of panels where a standard post entry cannot be utilized.
- Sections above and below the raceway are upholstered in fabric.
- Inner lower raceway area allows for single or double power feed entry and provides 1.3" x 2.9" opening for communication/data cables.
- All 6" panels must be used in conjunction with a second panel to form a standard panel width. For example: BPRAE6606 + BPRA6618 is equivalent to BPRA6624.
- 6" panels are not to be used as a stability panel in a panel run.

PRODUCT Code	PRICE GR 1	GR2	OPT*	SIZE/ H	INCHES W	D	WEIGHT LBS	FT ³
BPRAE3706	524	538	552	37	6	2.61	24	0.6
BPRAE4206	524	550	579	42	6	2.61	26	0.7
BPRAE5006	590	628	669	50	6	2.61	29	0.8
BPRAE5406	616	654	693	54	6	2.61	31	0.9
BPRAE5806	641	680	719	58	6	2.61	32	0.9
BPRAE6606	685	735	790	66	6	2.61	35	1.0
BPRAE7406	735	787	841	74	6	2.61	37	1.1
BPRAE8206	794	858	924	82	6	2.61	41	1.2


BPRA • Raceway Panel Filler



- A 6" (BPRA) raceway panel for use as a filler panel.
- Sections above and below the raceway are upholstered in fabric.
- All 6" panels must be used in conjunction with a second panel to form a standard panel width. For example: BPRA6606 + BPRA6618 is equivalent to BPRA6624.
- 6" panels are not to be used as a stability panel in a panel run.

PRODUCT	PRICE			SIZE/	INCHES		WEIGH	T VOL
CODE	GR 1	GR 2	OPT*	Н	W	D	LBS	FT ³
BPRA3706	524	538	552	37	6	2.61	24	0.6
BPRA4206	524	550	579	42	6	2.61	26	0.7
BPRA5006	590	628	669	50	6	2.61	29	0.8
BPRA5406	616	652	693	54	6	2.61	31	0.9
BPRA5806	641	679	719	58	6	2.61	32	0.9
BPRA6606	685	735	789	66	6	2.61	35	1.0
BPRA7406	735	787	840	74	6	2.61	37	1.1
BPRA8206	794	857	924	82	6	2.61	41	1.2

BPRP • Pass-Thru Raceway Panel



- 12" Open cavity allows accessibility between workstations.
- Centre septum above 12" opening overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- Centre septum below raceway overlaid on either side with 1 1/8" Mineral board.
- Pass-thru opening is 10 1/2" high starting above the raceway.
- · Panel height to top of opening is fixed.

PRODUCT CODE	PRICE GR 1	GR 2	OPT*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BPRP6618	842	854	868	66	18	2.61	32	2.755
BPRP6624	908	935	961	66	24	2.61	33	3.581
BPRP6630	975	1002	1027	66	30	2.61	38	4.407
BPRP6636	1043	1092	1145	66	36	2.61	44	5.234
BPRP6642	1111	1161	1216	66	42	2.61	49	6.060
BPRP6648	1178	1227	1279	66	48	2.61	54	6.887
BPRP6654	1241	1295	1346	66	54	2.61	59	7.713
BPRP6660	1313	1365	1420	66	60	2.61	64	8.539
BPRP7418	910	941	973	74	18	2.61	31	3.079
BPRP7424	981	1031	1086	74	24	2.61	36	4.002
BPRP7430	1052	1102	1155	74	30	2.61	42	4.926
BPRP7436	1121	1182	1251	74	36	2.61	47	5.850
BPRP7442	1191	1241	1297	74	42	2.61	52	6.773
BPRP7448	1261	1343	1432	74	48	2.61	57	7.697
BPRP7454	1335	1419	1507	74	54	2.61	62	8.620
BPRP7460	1418	1466	1520	74	60	2.61	67	9.544
BPRP8218	962	998	1037	82	18	2.61	34	3.403
BPRP8224	1038	1089	1140	82	24	2.61	40	4.424
BPRP8230	1118	1169	1220	82	30	2.61	46	5.444
BPRP8236	1196	1286	1381	82	36	2.61	52	6.465
BPRP8242	1275	1380	1485	82	42	2.61	58	7.486
BPRP8248	1356	1459	1565	82	48	2.61	64	8.507
BPRP8254	1436	1537	1645	82	54	2.61	70	9.528
BPRP8260	1524	1625	1732	82	60	2.61	76	10.549


BPRPSD • Pass-Thru Sliding Door Kit



- To close the opening in a Boulevard 1 Pass-Thru Panel.
- Sliding frosted tempered glass doors.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
BPRPSD36	341	12	36	2.61	13	1.2
BPRPSD42	384	12	42	2.61	16	1.4
BPRPSD48	430	12	48	2.61	18	1.5
BPRPSD54	473	12	54	2.61	20	1.7
BPRPSD60	516	12	60	2.61	22	2.0


BPAR • Accessory Rail Panel




- 12" Accessory rail covers the standard pass-thru opening and allows users to hang accessories.
- Centre septum above 12" opening overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- Centre septum below raceway overlaid on either side with 1 1/8" mineral board.
- Accessory rail is 12" high starting above the raceway. Panel height to top of opening is fixed.
- OPT* = Laminate or Whiteboard.

1	PRODUCT CODE	PRICE GR 1	GR2	OPT*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
	BPAR6618	1035	1048	1062	66	18	2.61	35	2.755
	BPAR6624	1124	1149	1177	66	24	2.61	42	3.581
	BPAR6630	1231	1259	1286	66	30	2.61	49	4.407
	BPAR6636	1348	1398	1452	66	36	2.61	57	5.234
	BPAR6642	1489	1540	1594	66	42	2.61	65	6.060
	BPAR6648	1601	1650	1704	66	48	2.61	72	6.887
	BPAR6654	1718	1769	1821	66	54	2.61	79	7.713
	BPAR6660	1825	1877	1930	66	60	2.61	86	8.539
	BPAR7418	1103	1135	1169	74	18	2.61	38	3.079
	BPAR7424	1194	1248	1300	74	24	2.61	45	4.002
	BPAR7430	1306	1356	1413	74	30	2.61	53	4.926
	BPAR7436	1429	1489	1489	74	36	2.61	60	5.850
	BPAR7442	1440	1624	1677	74	42	2.61	68	6.773
	BPAR7448	1688	1774	1867	74	48	2.61	75	7.697
	BPAR7454	1807	1856	1909	74	54	2.61	82	8.620
	BPAR7460	1926	1976	2030	74	60	2.61	89	9.544
	BPAR8218	1153	1187	1227	82	18	2.61	41	3.403
	BPAR8224	1256	1302	1353	82	24	2.61	49	4.424
	BPAR8230	1376	1424	1475	82	30	2.61	57	5.444
	BPAR8236	1505	1593	1688	82	36	2.61	65	6.465
	BPAR8242	1658	1760	1866	82	42	2.61	74	7.486
	BPAR8248	1781	1883	1990	82	48	2.61	82	8.507
	BPAR8254	1907	2009	2117	82	54	2.61	90	9.528
	BPAR8260	2034	2133	2241	82	60	2.61	98	10.549

BPFA • Acoustical Fabric Panel



- Complete fabric panel without raceway.
- Acoustical rating of .80 NRC and 26 STC.
- Centre septum overlaid on either side with 1 1/8" Mineral board, non tackable.
- OPT* = Laminate or Whiteboard.




72" Wide

PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	VOL
CODE	GR 1	GR 2	OPT*	H.	W	D	LBS	FT ³
BPFA2918	323	349	374	29	18	2.61	15	1.256
BPFA2924	350	378	408	29	24	2.61	17	1.633
BPFA2930	373	398	425	29	30	2.61	19	2.009
BPFA2936	401	449	504	29	36	2.61	21	2.386
BPFA2942	425	476	529	29	42	2.61	23	2.763
BPFA2948	448	498	554	29	48	2.61	25	3.139
BPFA2954	475	525	579	29	54	2.61	27	3.513
BPFA2960	498	550	603	29	60	2.61	29	3.893
BPFA2966	644	698	754	29	66	2.61	36	4.332
BPFA2972	790	843	-	29	72	2.61	42	4.770
BPFA4218	425	449	477	42	18	2.61	18	1.782
BPFA4224	452	504	557	42	24	2.61	21	2.317
BPFA4230	477	528	582	42	30	2.61	24	2.852
BPFA4236	506	567	637	42	36	2.61	27	3.387
BPFA4242	531	595	663	42	42	2.61	30	3.921
BPFA4248	561	624	692	42	48	2.61	33	4.456
BPFA4254	587	647	717	42	54	2.61	36	4.991
BPFA4260	616	678	745_	42	60	2.61	39	5.525
BPFA4266	875	981	1095	42	66	2.61	47	6.148
BPFA4272	1134	1241	-	42	72	2.61	54	6.770
BPFA5018	479	504	530	50	18	2.61	22	2.106
BPFA5024	509	546	588	50	24	2.61	25	2.738
BPFA5030	538	576	619	50	30	2.61	28	3.370
BPFA5036	566	642	723	50	36	2.61	31	4.002
BPFA5042	597	671	751	50	42	2.61	34	4.634
BPFA5048	624	700	781	50	48	2.61	38	5.266
BPFA5054	654	729	810	50	54	2.61	41	5.898
BPFA5060	682	757	840	50	60	2.61	43	6.530
BPFA5066	944	1049	1164	50	66	2.61	53	7.300
BPFA5072	1207	1311	-	50	72	2.61	62	8.000
BPFA5418	534	558	587	54	18	2.61	23	2.250
BPFA5424	565	601	643	54	24	2.61	26	2.960
BPFA5430	597	635	676	54	30	2.61	30	3.689
BPFA5436	625	701	782	54	36	2.61	34	4.318
BPFA5442	657	733	813	54	42	2.61	38	4.934
BPFA5448	686	762	842	54	48	2.61	41	5.666
BPFA5454	718	794	874	54	54	2.61	43	6.398
BPFA5460	750	826	907	54	60	2.61	46	7.035


BOULEVARD 1 PANELS

BPFA · Acoustical Fabric Panel ...Cont




- Complete fabric panel without raceway.
 Acoustical rating of .80 NRC and 26 STC.
- Centre septum overlaid on either side with 1 1/8" Mineral board, non tackable.
- OPT* = Laminate or Whiteboard.

PRODUCT CODE	PRICE GR 1	GR2	OPT*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BPFA5818	534	571	612	5 8	18	2.61	24	2.431
BPFA5824	565	617	669	58	24	2.61	27	3.160
BPFA5830	597	646	701	58	30	2.61	31	3.889
BPFA5836	625	711	808	58	36	2.61	35	4.618
BPFA5842	657	744	840	58	42	2.61	39	5.347
BPFA5848	686	776	869	58	48	2.61	42	6.076
BPFA5854	718	806	901	58	54	2.61	46	6.806
BPFA5860	750	840	935	58	60	2.61	50	7.535
BPFA6618	583	621	662	66	18	2.61	26	2.755
BPFA6624	619	668	722	66	24	2.61	29	3.581
BPFA6630	652	702	754	66	30	2.61	34	4.407
BPFA6636	685	787	895	66	36	2.61	39	5.234
BPFA6642	719	820	928	66	42	2.61	43	6.060
BPFA6648	752	854	964	66	48	2.61	47	6.887
BPFA6654	788	891	997	66	54	2.61	51	7.713
BPFA6660	820	922	1029	66	60	2.61	55	8.539
BPFA7418	637	674	714	74	18	2.61	28	3.079
BPFA7424	676	739	806	74	24	2.61	32	4.002
BPFA7430	709	775	842	74	30	2.61	37	4.926
BPFA7436	746	859	981	74	36	2.61	42	5.850
BPFA7442	783	896	1016	74	42	2.61	47	6.773
BPFA7448	817	930	1053	74	48	2.61	51	7.697
BPFA7454	854	967	1089	74	54	2.61	55	8.620
BPFA7460	892	1004	1127	74	60	2.61	60	9.544
BPFA8218	692	743	794	82	18	2.61	30	3.403
BPFA8224	729	790	859	82	24	2.61	35	4.424
BPFA8230	767	830	898	82	30	2.61	40	5.444
BPFA8236	805	930	1065	82	36	2.61	45	6.465
BPFA8242	842	968	1102	82	42	2.61	50	7.486
BPFA8248	884	1010	1143	82	48	2.61	55	8.507
BPFA8254	924	1052	1184	82	54	2.61	60	9.528
BPFA8260	964	1090	1224	82	60	2.61	65	10.549



72" Wide

BPFG · Glazed Panel



- Full-height glazing provides visual accessibility.
- Glazing is replaceable on site.
- For tempered glass, add "TG" to the end of the product code and 20% to the list price regardless of finish.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
BPFG5824	745	58	24	2.61	21	3.160
BPFG5830	817	58	30	2.61	24	3.889
BPFG5836	894	58	36	2.61	27	4.618
BPFG5842	965	58	42	2.61	30	5.347
BPFG5848	1037	58	48	2.61	33	6.076
BPFG6624	896	66	24	2.61	25	3.581
BPFG6630	971	66	30	2.61	28	4.407
BPFG6636	1049	66	36	2.61	31	5.234
BPFG6642	1127	66	42	2.61	34	6.060
BPFG6648	1203	66	48	2.61	37	6.887
BPFG7424	938	74	24	2.61	28	4.002
BPFG7430	1016	74	30	2.61	31	4.926
BPFG7436	1100	74	36	2.61	34	5.850
BPFG7442	1181	74	42	2.61	37	6.773
BPFG7448	1261	74	48	2.61	40	7.697
BPFG8224	1024	82	24	2.61	31	4.424
BPFG8230	1113	82	30	2.61	34	5.444
BPFG8236	1203	82	36	2.61	37	6.465
BPFG8242	1295	82	42	2.61	40	7.486
BPFG8248	1382	82	48	2.61	43	8.507


BPFAR • Curved Fabric Panel



- 24" Curved Fabric Panel.
- Replaces 2 straight 24" panels and 1 post in a 90 degree corner configuration.
- OPT* = Laminate or Whiteboard
- · Note: SDT and BZD finishes are not available for any curved plastic parts (ie. kickplate, raceway etc...)

PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	VOL
CODE	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPFAR3724	902	961	1024	37	24 RA	24 RA	35	11.664
BPFAR4224	957	1019	1089	42	24 RA	24 RA	40	13.241
BPFAR5024	1014	1090	1171	50	24 RA	24 RA	46	15.648
BPFAR5824	1076	1164	1261	58	24 RA	24 RA	53	18.056
BPFAR6624	1135	1234	1343	66	24 RA	24 RA	60	20.463
BPFAR7424	1192	1306	1429	74	24 RA	24 RA	67	22.870
BPFAR8224	1256	1381	1513	82	24 RA	24 RA	74	25.278


BPRAR • Curved Fabric Raceway Panel



- 24" Curved Fabric Panel.
- Replaces 2 straight 24" panels and 1 post in a 90 degree corner configuration.
- Electrical pass-thru only in this panel. Fabric Covered Raceway (FCR) available at an additional cost of \$37 per side.
- OPT* = Laminate or Whiteboard
- · Note: SDT and BZD finishes are not available for any curved plastic parts (ie. kickplate, raceway etc...)

PRODUCT	PRICE			SIZE/	INCHES	_	WEIGHT	
CODE	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPRAR3724	1180	1238	1308	37	24 RA	24 RA	37	11.664
BPRAR4224	1191	1257	1324	42	24 RA	24 RA	45	13.241
BPRAR5024	1273	1349	1430	50	24 RA	24 RA	52	15.648
BPRAR5824	1338	1425	1520	58	24 RA	24 RA	59	18.056
BPRAR6624	1409	1511	1618	66	24 RA	24 RA	66	20.463
BPRAR7424	1472	1586	1705	74	24 RA	24 RA	73	22.870
BPRAR8224	1590	1713	1850	82	24 RA	24 RA	80	25.278
BPRAR4224 BPRAR5024 BPRAR5824 BPRAR6624 BPRAR7424	1191 1273 1338 1409 1472	1257 1349 1425 1511 1586	1324 1430 1520 1618 1705	42 50 58 66 74	24 RA 24 RA 24 RA 24 RA 24 RA	24 RA 24 RA 24 RA 24 RA 24 RA	45 52 59 66 73	13.247 15.648 18.056 20.468 22.87

BPRGR • Curved Partly Glazed Raceway Pa



- 24" Curved Fabric Panel.
- · Replaces 2 straight 24" panels and 1 post in a 90 degree corner configuration.
- Electrical pass-thru only in this panel.
- Fabric Covered Raceway (FCR) available at an additional cost of \$37 per side.
- Tempered glass is not available on curved panels.
- OPT* = Laminate or Whiteboard
- · Note: SDT and BZD finishes are not available for any curved plastic parts (ie. kickplate, raceway etc...)

anel								
PRODUCT CODE	PRICE GR 1	GR 2	OPT*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BPRGR4224	1312	1364	1419	42	24 RA	24 RA	45	13.241
BPRGR5024	1446	1499	1551	50	24 RA	24 RA	48	15.648
BPRGR5824	1560	1609	1663	58	24 RA	24 RA	.51	18.056
BPRGR6624	1686	1738	1793	66	24 RA	24 RA	54	20.463
BPRGR7424	1799	1851	1904	74	24 RA	24 RA	.57	22.87
BPRGR8224	1970	2020	2076	82	24 RA	24 RA	60	25.278

BPGFR · Curved Fully Glazed Panel




- 24" radius Curved Fully Glazed Panel in acrylic.
- Replaces 2 straight 24" panels and 1 post in a 90 degree corner configuration.
- Tempered glass is not available on curved panels.
- Note: SDT and BZD finishes are not available for any curved plastic parts (ie. kickplate, raceway etc...)

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT3
BPGFR3724	1194	37	24 RA	24 RA	35	11.664
BPGFR4224	1301	42	24 RA	24 RA	40	13.241
BPGFR5024	1413	50	24 RA	24 RA	46	15.648
BPGFR5824	1523	58	24 RA	24 RA	53	18.056
BPGFR6624	1634	66	24 RA	24 RA	60	20.463
BPGFR7424	1747	74	24 RA	24 RA	67	22.870
BPGFR8224	1862	82	24 RA	24 RA	74	25.278

BOULEVARD 1

PANELS


BPOF • Fabric Over Panel



- · Attaches to top of a panel to create floorto-ceiling wall.
- Centre septum overlaid on either side with 1 1/8" Mineral board.
- · Non-slotted.
- · Factory installed PVC strip attaches and aligns over panel to top of base panel.
- PVC strip runs entire width eliminating light seepage.
- For custom heights and widths, please order size required and price as next size up. Example: 26" high, 35" wide, order BPOF2635 at \$359 Grade 1.
- · Custom heights over 42" must be guoted separately.
- Overpanels can be stacked on any panel. Example: BPOF2418 stacked on BPRA4218 to give an overall height of 66".
- · When stacking on 29" or 37" high B1 panels, custom height required, please contact customer service.
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
- · Minimum height of 6".
- OPT* = Laminate or Whiteboard.

PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	
CODE	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPOF0818	163	174	191	8	18	2.61	6	0.351
BPOF0824	188	212	238	8	24	2.61	6	0.468
BPOF0830	222	249	275	8	30	2.61	8	0.730
BP0F0836	260	286	312	8	36	2.61	10	0.912
BPOF0842	287	312	339	8	42	2.61	10	0.912
BPOF0848	323	349	374	8	48	2.61	12	1.094
BPOF0854	361	384	411	8	54	2.61	12	1.094
BPOF0860	385	411	438	8	60	2.61	14	1.277
BP0F0866	525	579	636	8	66	2.61	17	1.549
BP0F0872	665	719	776	08	72	2.61	20	1.820
BPOF1618	215	227	244	16	18	2.61	8	0.730
BPOF1624	245	269	296	16	24	2.61	8	0.730
BPOF1630	280	304	331	16	30	2.61	10	0.912
BP0F1636	314	340	367	16	36	2.61	12	1.094
BPOF1642	341	367	394	16	42	2.61	12	1.094
BPOF1648	377	405	428	16	48	2.61	14	1.277
BPOF1654	414	438	466	16	54	2.61	14	1.277
BPOF1660	439	466	491	16	60	2.61	15	1.368
BPOF1666	595	648	705	16	66	2.61	20	1.774
BPOF1672	750	804	859	16	72	2.61	24	2.180
BPOF2418	295	306	322	24	18	2.61	12	1.094
BPOF2424	320	344	372	24	24	2.61	14	1.422
BPOF2430	345	372	398	24	30	2.61	17	1.750
BPOF2436	371	408	448	24	36	2.61	18	2.078
BPOF2442	395	433	475	24	42	2.61	21	2.406
BPOF2448	422	460	501	24	48	2.61	22	2.734
BPOF2454	444	471	496	24	54	2.61	24	3.063
BPOF2460	473	509	550	24	60	2.61	27	3.391
BPOF2466	635	687	744	24	66	2.61	32	3.766
BPOF2472	794	848	903	24	72	2.61	36	4.140
BP0F3718	338	363	389	37	18	2.61	17	1.580
BPOF3724	366	392	419	37	24	2.61	19	2.054
BPOF3730	393	431	473	37	30	2.61	22	2.528
BPOF3736	420	481	550	37	36	2.61	24	3.006
BPOF3742	444	508	576	37	42	2.61	28	3.476
BPOF3748	474	535	603	37	48	2.61	30	3.950
BPOF3754	498	562	631	37	54	2.61	32	4.424
BPOF3760	528	590	659	37	60	2.61	34	4.898
BPOF3766	744	849	962	37	66	2.61	41	5.449
BP0F3772	960	1065	-	37	72	2.61	48	6.000
BP0F4218	425	449	477	42	18	2.61	18	1.780
BPOF4224	452	504	557	42	24	2.61	21	2.310
BPOF4230	477	528	582	42	30	2.61	24	2.850
BPOF4236	506	567	637	42	36	2.61	27	3.390
BPOF4242	531	595	663	42	42	2.61	30	3.920
BPOF4248	561	624	697	42	48	2.61	33	4.460
BPOF4254	587	647	717	42	54	2.61	36	4.990
BPOF4260	616	678	745	42	60	2.61	39	5.250
BPOF4266	867	971	1085	42	66	2.61	47	6.015
BPOF4272	1118	1223	1337	42	72	2.61	54	6.780

BPOG • Glazed Over Panel



- Attaches to top of a panel to create floor-to-ceiling wall.
- · Non-slotted.
- Factory installed PVC strip attaches and aligns over panel to top of base panel.
- PVC strip runs entire width eliminating light seepage.
- For custom heights and widths, order size required and price as next size up. Example: 26" high, 35" wide, order BPOG2635 at \$571 in acrylic.
- Custom heights over 42" must be quoted separately.
- Over panels can be stacked on any panel. Example: BPOG2418 stacked on BPRA4218 to give an overall height of 66".
- When stacking on 29" or 37" high B1 panels, custom height required, please contact customer service.
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor.
 Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
- · Minimum height of 6".
- For tempered glass option, add "TG" to the end of the product code and 20% to the list price.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
BPOG0818	108	8	18	2.61	6	0.351
BPOG0824	135	8	24	2.61	6	0.468
BPOG0830	163	8	30	2.61	8	0.730
BPOG0836	188	8	36	2.61	10	0.912
BPOG0842	215	8	42	2.61	10	0.912
BPOG0848	245	8	48	2.61	12	1.094
BPOG0854	271	8	54	2.61	12	1.094
BPOG0860	298	8	60	2.61	14	1.277
BPOG0866	394	8	66	2.61	17	1.549
BPOG0872	491	8	72	2.61	20	1.820
BPOG1618	172	16	18	2.61	8	0.730
BPOG1624	209	16	24	2.61	8	0.730
BPOG1630	245	16	30	2.61	10	0.912
BP0G1636	287	16	36	2.61	12	1.094
BPOG1642	314	16	42	2.61	12	1.094
BPOG1648	351	16	48	2.61	14	1.277
BPOG1654	385	16	54	2.61	14	1.277
BP0G1660	423	16	60	2.61	15	1.368
BP0G1666	550	16	66	2.61	20	1.774
BPOG1672	676	16 24	72	2.61	24 12	2.180
BP0G2418	309		18			
BPOG2424 BPOG2430	345 383	24 24	24 30	2.61	14 17	1.422 1.750
BPOG2436	422	24	36	2.61	18	2.078
BPOG2442	460	24	42	2.61	21	2.406
BP0G2448	496	24	48	2.61	22	2.734
BPOG2454	534	24	54	2.61	24	3.063
BPOG2460	572	24	60	2.61	27	3.391
BPOG2466	786	24	66	2.61	32	3.766
BPOG2472	998	24	72	2.61	36	4.140
BPOG3718	439	37	18	2.61	17	1.580
BP0G3724	482	37	24	2.61	19	2.054
BPOG3730	528	37	30	2.61	22	2.528
BPOG3736	571	37	36	2.61	24	3.006
BPOG3742	616	37	42	2.61	28	3.476
BPOG3748	657	37	48	2.61	30	3.950
BPOG3754	698	37	54	2.61	32	4.424
BPOG3760	745	37	60	2.61	34	4.898
BPOG3766	968	37	66	2.61	41	5.449
BPOG3772	1192	37	72	2.61	48	6.000
BPOG4218	468	42	18	2.61	18	1.780
BPOG4224	513	42	24	2.61	21	2.310
BPOG4230	561	42	30	2.61	24	2.850
BPOG4236	604	42	36	2.61	27	3.390
BPOG4242	657	42	42	2.61	30	3.920
BPOG4248	698	42	48	2.61	33	4.460
BP0G4254	745	42	54	2.61	36	4.990
BP0G4260	789	42	60	2.61	39	5.250
BPOG4266	1035	42	66	2.61	47	6.015
BPOG4272	1278	42	72	2.61	54	6.780

SIZE/ INCHES

1014 24 24 RA 24 RA 29


1102 42 24 RA 24 RA 39

24 RA 24 RA 38

H W

1060 37

BPOFR • Curved Fabric Over Panel



- Attaches to top of a panel to create floorto-ceiling wall.
- Centre septum overlaid on either side with 1 1/8" mineral board.
- · Non-slotted.
- · No hang-on capabilities.
- Factory installed PVC strip attaches and aligns over panel to top of base panel.

PRODUCT

BPOFR2424

BPOFR3724

BPOFR4224

CODE

- For custom heights, please order size required and price as next size up. Example: 26" high, order BPOFR2624 at \$946 Grade 1.
- · Custom heights over 42" must be quoted separately.
- Over panels can be stacked on any panel, excluding 37" high panels. Example: BPOFR2424 stacked on BPRAR4224 to give an overall height of 66".
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.

PRICE

GR 1

937

946

957

GR2

972

1004

1027

- · Minimum height of 6".
- · OPT* = Laminate or Whiteboard.

WEIGHT VOL

FT³

8.125


11.736

12.000

LBS

BOULEVARD 1 PANELS

BPOGR · Curved Glazed Over Panel



- · Attaches to top of a panel to create floor-to-ceiling wall.
- · Non-slotted.
- Factory installed PVC snap attaches and aligns over panel to top of base panel.
- · No hang-on capabilities.

CODE LBS FT³ BPOGR2424 1259 24 24 RA 24 RA 8.125 20 22 23 11.736 12.000 BPOGR3724 1289 37 24 RA 24 RA BPOGR4224 1301 42 24 RA 24 RA

WEIGHT VOL


PRICE SIZE/ INCHES

- For custom heights, please order size required and price as next size up. Example: 26" high, order BPOGR2624 at \$1289.
- · Custom heights over 42" must be quoted separately.
- Over panels can be stacked on any panel, excluding 37" high panels. Example: BPOGR2424 stacked on BPRAR4224 to give an overall height of 66".

PRODUCT

- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
- · Minimum height of 6".
- · Tempered glass is not available on curved panels.


BAPAS · Glass Over Panel with Round Pucks for Boulevard 1



- Glass Over Panel creates division.
 Glass Over Panel with no frame sits on top of a Boulevard 1 Panel with clamps that are secured to the top of the panel.
- · Tempered glass is 16" high.
- Custom sizes available, contact your Customer Service Representative.
- For application where the over panel is sandwiched between two taller panels, please request a special as the glass will not fit due to trims.

i Duulevalu i							
PRODUCT CODE	PRICE CLR	FRST	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BAPAS0824	212	241	8	24	1.3	4	0.22
BAPAS0830	231	259	8	30	1.3	5	0.30
BAPAS0836	249	279	8	36	1.3	6	0.37
BAPAS0842	263	299	8	42	1.3	7	0.43
BAPAS0848	271	317	8	48	1.3	8	0.48
BAPAS1624	212	234	16	24	1.3	8	0.44
BAPAS1630	231	259	16	30	1.3	10	0.59
BAPAS1636	249	279	16	36	1.3	12	0.73
BAPAS1642	263	299	16	42	1.3	14	0.85
BAPAS1648	271	317	16	48	1.3	16	0.96


BAPASS • Glass Over Panel with Square Pucks for Boulevard 1 • Glass Over Panel creates division. PRODUCT PRODUCT PRODUCT



- Glass Over Panel with no frame sits on top of a Boulevard 1 Panel with clamps that are secured to the top of the panel.
- Tempered glass is 16" high.
- Custom sizes available, contact your Customer Service Representative.
- For application where the over panel is sandwiched between two taller panels, please request a special as the glass will not fit due to trims.

PRODUCT	PRICE		SIZE/	INCHES		WEIGHT	VOL
CODE	CLR	FRST	H	W	D	LBS	FT ³
BAPASS0824	216	238	8	24	1.3	4	0.22
BAPASS0830	237	263	8	30	1.3	5	0.30
BAPASS0836	253	284	8	36	1.3	6	0.37
BAPASS0842	268	304	8	42	1.3	7	0.43
BAPASS0848	277	320	8	48	1.3	8	0.48
BAPASS1624	216	238	16	24	1.3	8	0.44
BAPASS1630	237	263	16	30	1.3	10	0.59
BAPASS1636	253	284	16	36	1.3	12	0.73
BAPASS1642	268	304	16	42	1.3	14	0.85
BAPASS1648	277	320	16	48	1.3	16	0.96


BAPAST • Felt Over Panel with Round Pucks for Boulevard 1



- Felt Over Panel creates division.
- Felt Over Panel with no frame sits on top of a Boulevard 1 panel with round clamps that are secured to the top of the panel.
- · Felt panel is 8" and 16" high.
- 9mm different colours. Please specify colour.
- For application where the over panel is sandwiched between two taller panels, please request a special as the glass will not fit due to trims

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
BAPAST0824	137	8	22.7	1.13	1.0	0.11
BAPAST0830	149	8	28.7	1.13	1.1	0.14
BAPAST0836	160	8	34.7	1.13	1.2	0.17
BAPAST0842	173	8	40.7	1.13	1.3	0.20
BAPAST0848	187	8	46.7	1.13	1.4	0.23
BAPAST1624	177	16	22.7	1.13	1.4	0.23
BAPAST1630	200	16	28.7	1.13	1.5	0.29
BAPAST1636	228	16	34.7	1.13	1.7	0.35
BAPAST1642	249	16	40.7	1.13	1.9	0.42
BAPAST1648	265	16	46.7	1.13	2.0	0.48


BAPASST • Fellt Over Panel with Square Pucks for Boulevard



- Felt Over Panel creates division.
- Felt Over Panel with no frame sits on top of a Boulevard 1 panel with round clamps that are secured to the top of the panel.
- Felt panel is 8" and 16" high.
- 9mm different colours. Please specify colour.
- For application where the over panel is sandwiched between two taller panels, please request a special as the glass will not fit due to trims.

PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
137	8	22.7	1.13	1.0	0.11
149	8	28.7	1.13	1.1	0.14
160	8	34.7	1.13	1.2	0.17
173	8	40.7	1.13	1.3	0.20
187	8	46.7	1.13	1.4	0.23
177	16	22.7	1.13	1.4	0.23
200	16	28.7	1.13	1.5	0.29
228	16	34.7	1.13	1.7	0.35
249	16	40.7	1.13	1.9	0.42
265	16	46.7	1.13	2.0	0.48
	PRICE 137 149 160 173 187 177 200 228 249	PRICE SIZE/H 137 8 149 8 160 8 173 8 187 8 177 16 200 16 228 16 249 16	PRICE SIZE/H INCHES W 137 8 22.7 149 8 28.7 160 8 34.7 173 8 40.7 187 8 46.7 177 16 22.7 200 16 28.7 228 16 34.7 249 16 40.7	PRICE SIZE/H INCHES/W D 137 8 22.7 1.13 149 8 28.7 1.13 160 8 34.7 1.13 173 8 40.7 1.13 187 8 46.7 1.13 177 16 22.7 1.13 200 16 28.7 1.13 228 16 34.7 1.13 249 16 40.7 1.13	PRICE SIZE/H INCHES/W WEIGHT LBS 137 8 22.7 1.13 1.0 149 8 28.7 1.13 1.1 160 8 34.7 1.13 1.2 173 8 40.7 1.13 1.3 187 8 46.7 1.13 1.4 177 16 22.7 1.13 1.4 200 16 28.7 1.13 1.5 228 16 34.7 1.13 1.7 249 16 40.7 1.13 1.9

BPDS • Solid Door Panel



- · Aluminum frame with high pressure laminate.
- 1 3/8" thick hollow core door.
- · Actual door size:
- 80" x 32 1/2" in 82" x 36" frame
- 80"x 38 1/2" in 82"x 42" frame
- · 42" wide Door Panel permits wheelchair accessibility.
- · No hang-on capabilities.
- · Non slotted frame.
- 180 degree swing.
- · Specify Door Knob (DL01) or Door Lever (DL02).
- · Lock standard.
- · Handedness can be changed on site.
- · Please specify Right hand (R) or Left hand (L) hung.

PRODUCT CODE	PRICE HP	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BPDS8236R BPDS8242R	2078 2263	82 82	36 42	2.61	61 68	6.465 7.486
BPDS8236L	2078	82	36	2.61	61	6.465
BPDS8242L	2263	82	42	2.61	68	7.486



Right Shown



Door Handle Option

Door Knob - DL01



Door Lever - DL02(Default)


Lock Standard

Lever complies with all handicap codes






BPDH • Half Glazed Door Panel



- Aluminum frame with high pressure laminate door and window.
- 1 3/8" thick hollow core door.
- · Actual door size:
- 80" x 32 1/2" in 82" x 36" frame
- 80"x381/2"in82"x42"frame
- 42" wide Door Panel permits wheelchair accessibility.
- · No hang-on capabilities.
- 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- · Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.
- For tempered glass option, add "TG" at the end of the product code and add an upcharge of \$134 for 36" wide doors and \$167 for 42" wide doors.









Door Handle Option

Door Knob - DL01

Lock Standard

Door Lever - DL02(Default)


Lock Standard

Lever complies with all accessibility codes





BPDG • Solid Glazed Door Panel



- Aluminum frame with either high pressure laminate door and window.
- 1 3/8" thick hollow core door.
- · Actual door size:
- 80" x 32 1/2" in 82" x 36" frame
- 80"x381/2"in82"x42"frame
- 42" wide Door Panel permits wheelchair accessibility.
- · No hang-on capabilities.
- · 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.
- For tempered glass option, add "TG" at the end of the product code and add an upcharge of \$268 for 36" wide doors and \$334 for 42" wide doors.
- Laminate frame is 5" thick on sides and 4" at top and bottom.
 Door Lever DL02(Default) Lock Standard

PRODUCT CODE	PRICE HP	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BPDG8236R	4120	82	36	2.61	53	6.465
BPDG8242R	4507	82	42	2.61	59	7.486
BPDG8236L	4120	82	36	2.61	53	6.465
BPDG82421	4507	82	42	2 61	59	7486

Door Hanging Directions





Door Handle Option

Door Knob - DL01


Lock Standard

Door Lever - DL02(Default) Lock Standard Lever complies with all accessibility codes






BPDSL • Privacy Screen



- Provides territorial privacy in an open plan environment.
- Lightweight, panel mounted sliding partition.
- · Consists of translucent textured polycarbonate.
- Must be mounted to a straight panel of the same size.
- The face of the Privacy Screen sits 3" away from the face of the panel to which it is attached.
- Cable lay-in modules, wood trim and non-load bearing panels may be applied to the top of a panel to which the screen is attached, but not the screen itself.
- When open, the screen may interfere with access doors that open on the outside of an adjacent panel.
- Must specify left or right for the direction in which the door will slide once installed.
- Caps located on the end of the frame default to the panel frame colour.
- · All hardware included.
- Can be mounted on Boulevard 1 or Boulevard System 3 panels of the same width as the Privacy Screen.

Note: Specify left or right for the direction in which the door will slide as per examples above.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BPDSL6636R	2074	66	36	2.61	35	5.98
BPDSL6642R	2234	66	42	2.61	42	6.93
BPDSL8136R	2489	81	36	2.61	43	7.30
BPDSL8142R	2672	81	42	2.61	50	8.45
BPDSL6636L	2074	66	36	2.61	35	5.98
BPDSL6642L	2234	66	42	2.61	42	6.93
BPDSL8136L	2489	81	36	2.61	43	7.30
BPDSL8142L	2672	81	42	2.61	50	8.45



BPDSLLOCK • Privacy Screen Lock



- Lock bracket attaches to Privacy Screen with screws
- Includes strike plate bracket which attaches to slots in connector.
- · Lock included.
- · Available in tungsten only.
- Requires on site installation, drilling into the Privacy Screen aluminum frame.


PRODUCT Code	PRICE	SIZE/ INCHES H W	D	WEIGHT LBS	VOL FT ³
BPDSLLOCKR	320	2.65 1.2	0.9	1	0.2
BPDSLLOCKL	320	2.651.2	0.9	1	0.2

WEIGHT VOL

FT³

LBS

BPXCF · Ceiling Filler



- Durable PVC designed to seal a gap between ceiling and over panel.
- Available in lengths of 124" to be pressed into over panel's horizontal wing profile.

PRODUCT

BPXCF124


CODE

PRICE

59

- · Can be applied during installation or retrofitted later.
- · For use only with Boulevard 1 panels.

BHP • 90 Degree Post



- Enables connection for multiple panel runs such as 90 degree, 3 way and 4 way.
- Includes 2 "Capture Strip" panel connectors, 4 end strips, 4 pairs of raceway end caps, and 1 post cap.
- Posts are designed to accept the following:
- 75 cables 5.6mm (0.220") diameter
 - 60 cables 5.6mm (0.220") diameter with 1 powerfeed
 - 45 cables 5.6mm (0.220") diameter with 2 powerfeeds

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BHP029	71	29	2.61	2.61	4	0.154
BHP037	112	37	2.61	2.61	5	0.195
BHP042	123	42	2.61	2.61	5	0.221
BHP050	139	50	2.61	2.61	6	0.263
BHP054	153	54	2.61	2.61	6	0.284
BHP058	153	58	2.61	2.61	7	0.305
BHP066	166	66	2.61	2.61	8	0.346
BHP074	179	74	2.61	2.61	9	0.388
BHP082	194	82	2.61	2.61	9	0.430
BHP106	230	106	2.61	2.61	12	0.560
BHP119	250	119	2.61	2.61	13	0.622

SIZE/

3.25

INCHES

D

0.125 1

W

124

BHP45 · 45 Degree Post



- Enables connection for two panels at 45 degrees.
- Includes 2 "Capture Strip" panel connectors, 4 end strips, 2 pairs of raceway end caps, and 1 post cap.
- 45 degree post does not accept PVC or Wood End Trim.
- No power infeed/post extension capabilities.
- Posts are designed to accept 30 cables 5.6mm (0.220" diameter

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BHP4529	71	29	2.61	2.61	4	0.154
BHP4537	112	37	2.61	2.61	5	0.195
BHP4542	123	42	2.61	2.61	5	0.221
BHP4550	139	50	2.61	2.61	6	0.263
BHP4554	153	54	2.61	2.61	6	0.284
BHP4558	153	58	2.61	2.61	7	0.305
BHP4566	166	66	2.61	2.61	8	0.346
BHP4574	179	74	2.61	2.61	9	0.388
BHP4582	194	82	2.61	2.61	9	0.430
BHP45106	230	106	2.61	2.61	12	0.560
BHP45119	250	119	2.61	2.61	13	0.622

BHP60 · 60 Degree Post



- Enables connection for multiple panel runs such as 120 degrees and 3 way.
- Includes 2 "Capture Strip" panel connectors, 4 end strips, 3 pair of raceway end caps, and 1 post cap.
- No power infeed/post extension capabilities.

PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
71	29	2.61	2.61	4	0.154
112	37	2.61	2.61	5	0.195
123	42	2.61	2.61	5	0.221
139	50	2.61	2.61	6	0.263
153	54	2.61	2.61	6	0.284
153	58	2.61	2.61	7	0.305
166	66	2.61	2.61	8	0.346
179	74	2.61	2.61	9	0.388
194	82	2.61	2.61	9	0.430
230	106	2.61	2.61	12	0.560
250	119	2.61	2.61	13	0.622
	71 112 123 139 153 153 166 179 194 230	H 71 29 112 37 123 42 139 50 153 54 153 58 166 66 179 74 194 82 230 106	H W 71 29 2.61 112 37 2.61 123 42 2.61 139 50 2.61 153 54 2.61 153 58 2.61 166 66 2.61 179 74 2.61 194 82 2.61 230 106 2.61	H W D 71 29 2.61 2.61 112 37 2.61 2.61 123 42 2.61 2.61 139 50 2.61 2.61 153 54 2.61 2.61 153 58 2.61 2.61 166 66 2.61 2.61 179 74 2.61 2.61 194 82 2.61 2.61 230 106 2.61 2.61	H W D LBS 71 29 2.61 2.61 4 112 37 2.61 2.61 5 123 42 2.61 2.61 5 139 50 2.61 2.61 6 153 54 2.61 2.61 6 153 58 2.61 2.61 7 166 66 2.61 2.61 8 179 74 2.61 2.61 9 194 82 2.61 2.61 9 230 106 2.61 2.61 2.61 12

BHWA · Wall Adapter



- Starts a run of panels off an existing wall.
- Includes 2 "Capture Strip" panel connectors and 1 pair of raceway end caps.
- Mounting hardware not included. The mounting hardware selected must be based on the wall or wall stud material.
- Wall adapter adds 5/16" to a panel run.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BHWA029	47	29	2.61	0.375	4	0.01
BHWA037	49	37	2.61	0.375	5	0.013
BHWA042	56	42	2.61	0.375	5	0.015
BHWA050	64	50	2.61	0.375	6	0.018
BHWA054	68	54	2.61	0.375	6	0.020
BHWA058	69	58	2.61	0.375	7	0.021
BHWA066	72	66	2.61	0.375	8	0.024
BHWA074	76	74	2.61	0.375	9	0.027
BHWA082	82	82	2.61	0.375	9	0.030
BHWA106	99	106	2.61	0.375	12	0.039
BHWA119	108	119	2.61	0.375	13	0.043

CONNECTORS AND TRIMS

BHWASL • Adapter Sleeve



- Wall Adapter Sleeve is attached to the building to provide flexible support to a panel run.
- As opposed to the BHWA wall adapter, which connects to the panels securely to a wall, B1 and B3 Boulevard panels rest inside the vertical "U" channel, providing up to 3.5" of flexible adjustment.
- For panel runs taller then 66" order two Wall Adapter Sleeve and either have them cut short on site below the ceiling, or cut a rectangular hole in the ceiling tile. Rectangular slots in the Channels correspond to 66", 58", 50" and 42" high B1 and B3 panels.

	PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
	CODE		H	W	D	LBS	FT ³
	BHWASL42	201	34.7	4	2	2.5	0.161
	BHWASL50	216	42.7	4	2	3.6	0.198
t.	BHWASL54	223	42.7	4	2	4.2	0.220
	BHWASL58	231	52.7	4	2	5.1	0.244
	BHWASL66	249	58.7	4	2	6.0	0.272
	and the second second						

- · Powder coated steel; specify metal finish.
- Note: the Wall Adapter Sleeve provides flexible, connection, blocks vertical 1" increment clots and cannot, therefore, be used to support overheads and worksurfaces, they must be supported by perpendicular panels, c-legs or gables.
- · Note: No fasteners are provided with the Wall Adapter Sleeve. Select the appropriate fasteners according to a structurally wall type.

PRODUCT

BHPA02

CODE

• Cannot be used to support a door or panel.

BHHF • High Profile Foot



- Provides added support to panel under load.
- · Adjustable glides included.
- · Made of cast aluminum and cold rolled steel.
- · Cannot be used with System 3 Panels

PRODUCT	PRICE	SIZE/	SIZE/INCHES			VOL
CODE		Н	W	D	LBS	FT ³
BHHF01	314	9	1	18.375	4	0.130

BHLF • Low Profile Foot



- · Stabilizes a run of panels.
- Attaches with supplied connectors to an end of a panel.
- · Made of cold rolled steel.
- · Cannot be used with System 3 Panels

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT3	
BHLF01	43	6	9	2.5	7	0.230	

SIZE/

INCHES

W

WEIGHT VOL

0.120

LBS

00.0 0.25

PRICE

43

BHPA · Panel to Panel Adapter



- · Enables mid panel, off-module connection.
- · Slim profile.
- · Formed steel construction.
- · Permanent clamps fit around base channel and fits to top rail.
- · Priced as a complete kit.
- Designed for use with Boulevard 1 panels of the same height only.
- Not to be specified on panel seam or with over panels.
- · Not to be used on the panel seam, with over panels or laminate and metal faced panels.

BHCS • Capture Strip Slot Cover



- An extruded PVC channel to adjoin two panels or a panel to a post. Runs the full length of the panel on both sides providing a positive connection of the "Knuckle-Loc" design.
- · Priced per pair.
- Pliable side membranes cover panel slots.
- · Included with panel components.
- · Only to be ordered separately if required.

PRODUCT CODE	PRICE	SIZE/ H	INCHES	WEIGHT LBS	VOL FT ³
BHCS29	9	29		0.21	0.09
BHCS37	10	37		0.24	0.11
BHCS42	10	42		0.28	0.13
BHCS50	11	50		0.33	0.15
BHCS54	12	54		0.31	0.17
BHCS58	12	58		0.63	0.19
BHCS66	13	66		0.40	0.19
BHCS74	15	74		0.43	0.20
BHCS82	16	82		0.47	0.20

BHCE • End Strip Slot Cover



- End strips with pliable side membrane covers panel slots at end of run.
- · Priced per pair.
- · Included with panel components.
- Only to be ordered separately if required.

PRODUCT CODE	PRICE	SIZE/ H	INCHES	WEIGHT LBS	VOL FT ³
BHCE29	6	29		0.10	0.04
BHCE37	7	37		0.12	0.05
BHCE42	7	42		0.14	0.06
BHCE50	9	50		0.16	0.07
BHCE54	9	54		0.31	0.08
BHCE58	9	58		0.18	0.08
BHCE66	10	66		0.20	0.09
BHCE74	10	74		0.22	0.10
BHCE82	12	82		0.23	0.11

BHRC • Raceway End Cap



- Provides clean detail at the end of a panel run or post. End caps fit flush into communication and power channel entry.
- · Priced per pair.
- · Made of injection molded ABS.
- Included with panel components. Only to be ordered separately if required.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL	
CODE		Н	W	D	LBS	FT ³	
BHRC02	6	3	2.61	0.5	0.04	0.02	


BVTE • Vertical End PVC Trim



- Provides a rounded finished detail to the end of the panel run, or a post.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The PVC end trim is designed to snap at the end of the panel or post.
- Site installed.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BVTE37	28	37	2.61	0.25	0.41	0.065
BVTE42	31	42	2.61	0.25	0.48	0.074
BVTE50	34	50	2.61	0.25	0.57	0.088
BVTE54	36	54	2.61	0.25	0.62	0.095
BVTE58	38	58	2.61	0.25	0.66	0.102
BVTE66	42	66	2.61	0.25	0.75	0.115
BVTE74	47	74	2.61	0.25	0.84	0.013
BVTE82	55	82	2.61	0.25	0.93	0.143


BVTS · Vertical Step Down PVC Trim



- Provides a rounded finished detail to the end of the panel run where two different height panels are specified.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The PVC end trim is designed to snap at the end of the panel or post.
- · Site installed.
- Please specify panels to be used when ordering a 29" step (BVTS29).

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BVTS04	10	4	2.61	0.25	0.05	0.010
BVTS08	12	8	2.61	0.25	0.09	0.015
BVTS12	14	12	2.61	0.25	0.12	0.021
BVTS16	26	16	2.61	0.25	0.18	0.029
BVTS20	27	20	2.61	0.25	0.20	0.035
BVTS24	28	24	2.61	0.25	0.27	0.043
BVTS32	31	32	2.61	0.25	0.36	0.056
BVTS38	32	38	2.61	0.25	0.45	0.067
BVTS40	31	40	2.61	0.25	0.45	0.070
BVTS48	32	48	2.61	0.25	0.54	0.084
BVTS56	34	56	2.61	0.25	0.63	0.098

BVTS · Vertical Step Down PVC Trim for 37" High Panels



- Provides a finished detail to the end of the panel run that sits next to a 37" high panel. This PVC trim will bridge the distance between the 37" and higher panel.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The PVC end trim is designed to snap at the end of the panel or post.
- · Site installed.
- Please specify panels to be used when ordering a 29" step (BVTS29).

u	ieis						
	PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
	BVTS05	10	5	2.61	0.25	0.06	0.015
	BVTS13	14	13	2.61	0.25	0.15	0.029
	BVTS17	27	17	2.61	0.25	0.15	0.035
	BVTS21	28	21	2.61	0.25	0.24	0.043
	BVTS29	29	29	2.61	0.25	0.33	0.051
	BVTS37	31	37	2.61	0.25	0.41	0.067
	BVTS45	32	45	2.61	0.25	0.51	0.084

BAVTE · Aluminum Vertical End Round Trim



- Provides a finished detail to the end of a panel run.
- Aluminum radiused front section and injection molded top cap.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The Aluminum End Trim is designed to snap at the end of the panel or post.
- · Site installed.
- BAVTE119 cannot ship via courier and must be combined with other product.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BAVTE37	75	37	2.61	0.125	1.2	0.03
BAVTE42	85	42	2.61	0.125	1.4	0.03
BAVTE50	99	50	2.61	0.125	1.7	0.04
BAVTE54	108	54	2.61	0.125	1.8	0.04
BAVTE58	115	58	2.61	0.125	1.9	0.04
BAVTE66	131	66	2.61	0.125	2.2	0.05
BAVTE74	155	74	2.61	0.125	2.4	0.05
BAVTE82	163	82	2.61	0.125	2.7	0.06
BAVTE119	236	119	2.61	0.125	3.9	0.08


BAVTS • Aluminum Vertical End Round Trim - Standard Step Down



- Provides a finished detail to the end of a panel run where two different height panels are specified.
- Aluminum radiused front section and injection molded top cap.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The Aluminum End Trim is designed to snap at the end of the panel or post.
- Site installed.
- · Specify panels to be used when ordering a 29" step.

ara Steb Down						
PRODUCT "	PRICE	SIZE/	INCHES		WEIGHT	
CODE		H	W	D	LBS	FT ³
BAVTS04	21	4	2.61	0.125	0.2	0.01
BAVTS08	26	8	2.61	0.125	0.3	0.02
BAVTS12	39	12	2.61	0.125	0.4	0.02
BAVTS16	39	16	2.61	0.125	0.5	0.03
BAVTS20	39	20	2.61	0.125	0.7	0.04
BAVTS24	59	24	2.61	0.125	0.8	0.04
BAVTS32	75	32	2.61	0.125	1.1	0.06
BAVTS38	88	38	2.61	0.125	1.3	0.07
BAVTS40	93	40	2.61	0.125	1.3	0.07
BAVTS48	112	48	2.61	0.125	1.6	0.08
BAVTS56	126	56	2.61	0.125	1.8	0.10


BAVTSF · Aluminum Vertical End Round Trim - Step Down for 37" High Panels



- Provides a finished detail to the end of a panel run adjacent to a 37" high panel.
- Aluminum radiused front section and injection molded top cap.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The Aluminum End Trim is designed to snap at the end of the panel or post.
- · Site installed.

_	DUMII IUI J/	HIGH		1 (2)			
	PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
	BAVTSF05	26	5	2.61	0.125	0.2	0.02
	BAVTSF13	39	13	2.61	0.125	0.4	0.03
	BAVTSF17	39	17	2.61	0.125	0.6	0.04
	BAVTSF21	59	21	2.61	0.125	0.7	0.04
	BAVTSF29	75	29	2.61	0.125	1.0	0.05
	BAVTSF37	88	37	2.61	0.125	1.2	0.07
	BAVTSF45	112	45	2.61	0.125	1.5	0.08


BARC • Aluminum Raceway Cover



- Offers an alternative to the existing raceway options.
- Cover hinges upward for easy access to power and data/ communication terminals.
- Cover may be removed for installation and reconfiguration.
- · May not be used with Boulevard System 3 panels.
- · Sold as singles.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BARC06	32	0.00	5	0.125		0.001
	~ -					
BARC18	36	0.00	17	0.125	1.1	0.001
BARC24	42	0.00	23	0.125	1.4	0.001
BARC30	45	0.00	29	0.125	1.8	0.002
BARC36	49	0.00	35	0.125	2.2	0.002
BARC42	53	0.00	41	0.125	2.5	0.002
BARC48	56	0.00	47	0.125	2.9	0.003
BARC54	64	0.00	53	0.125	3.2	0.003
BARC60	74	0.00	59	0.125	3.7	0.003
BARC66	82	0.00	65	0.125	4.1	0.004
BARC72	86	0.00	72	0.125	4.4	0.004

Boulevard 1 • Flat Aluminum Trims



Flat Aluminum Trims For Boulevard 1: Designed to use top and vertical trims together on the panel. Specifying vertical trims only will make them too long and will not fit correctly.

You must specify vertical trims as a special if you are NOT using top trims.

Post caps BA1PCF must be specified separatley when using trims, .


BA1VTFE • Aluminum Vertical Flat End Trim



- Provides a finish detail to the end of a panel run.
- · Aluminum flat profile with injection molded top cap.
- Included: 2 "capture strip" panel connectors and 1 injection molded top cap.
- The Aluminum End Trim is designed to snap at the end of the panel or post.
- · Site installed.
- · For use with Aluminum Top Caps.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
BA1VTFE29	33	29	2.61	0.125	0.7	0.01
BA1VTFE37	53	37	2.61	0.125	1.0	0.02
BA1VTFE42	59	42	2.61	0.125	1.2	0.03
BA1VTFE50	70	50	2.61	0.125	1.5	0.04
BA1VTFE54	76	54	2.61	0.125	1.6	0.04
BA1VTFE58	81	58	2.61	0.125	1.7	0.04
BA1VTFE66	92	66	2.61	0.125	2.0	0.05
BA1VTFE74	103	74	2.61	0.125	2.2	0.05
BA1VTFE82	115	82	2.61	0.125	2.4	0.06

BA1VTFS • Aluminum Vertical Flat End Trim - Standard Step Down



- Provides a finish detail to the end of a panel run where 2 different height panels are specified.
- Aluminum flat profile with injection molded top cap.
- Included: 2 "capture strip" panel connectors and 1 injection molded top cap.
- The aluminum end trim is designed to snap at the end of the panel or post.
- · Site installed.
- · For use with Aluminum Top Caps.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BA1VTFS04	10	4	2.61	0.125	0.1	0.01
BA1VTFS08	16	8	2.61	0.125	0.2	0.01
BA1VTFS12	25	12	2.61	0.125	0.4	0.02
BA1VTFS16	31	16	2.61	0.125	0.6	0.02
BA1VTFS20	39	20	2.61	0.125	0.6	0.03
BA1VTFS24	42	24	2.61	0.125	0.7	0.03
BA1VTFS32	50	32	2.61	0.125	0.9	0.03
BA1VTFS38	56	38	2.61	0.125	1.1	0.03
BA1VTFS40	59	40	2.61	0.125	1.1	0.03
BA1VTFS48	66	48	2.61	0.125	1.3	0.04
BA1VTFS56	76	56	2.61	0.125	1.6	0.05

BA1VTFS • Aluminum Vertical Flat End Trim - Standard Step Down 37" High Panels

DDODLICT



- Provides a finish detail to the end of a panel run adjacent to a 37" high panel.
- · Aluminum flat profile with injection molded top cap
- Included 2 "capture strip" panel connectors and 1 injection molded top cap
- The aluminum end trim is designed to snap at the end of the panel or post
- Site installed
- Specify panels to be used when ordering a 29" step down trim.
- For use with Aluminum Top Caps.

O	iiu ətep buwii	3/	nigii i	ancı	3		
	PRODUCT CODE	PRICE	SIŽE/ H	INCHES W	n	WEIGHT LBS	VOL FT ³
	BA1VTFS05	15	5	2.61	0.125		0.01
	DAIVIFSUS	10	J	2.01	0.123	U.Z	0.01
	BA1VTFS13	26	13	2.61	0.125	0.4	0.01
	BA1VTFS17	36	17	2.61	0.125	0.4	0.01
	BA1VTFS21	39	21	2.61	0.125	0.6	0.02
	BA1VTFS29	45	19	2.61	0.125		0.03
	BA1VTFS37	54	37	2.61	0.125	1.1	0.03
	BA1VTFS45	64	45	2.61	0.125	1.3	0.04

BA1TTRF • Aluminum Top Cap



- Provides a finish detail to the top of a Boulevard 1 panel.
- · Designed to snap to the top of a panel rail.
- Must be used on panels of corresponding width.
- · Site installed.
- For applications using transaction tops and top mounted storage, please use BHBT02FT bracket
- · To be used with Flat Vertical Trim.

PKUDUCI	PKILE	SIZE/	INCHE2		WEIGHT	VUL
CODE		H	W	D	LBS	FT ³
BA1TTRF06	15	0.125	6	2.61	0.2	0.01
BA1TTRF18	16	0.125	18	2.61	0.6	0.02
BA1TTRF24	20	0.125	24	2.61	0.7	0.03
BA1TTRF30	23	0.125	30	2.61	0.9	0.04
BA1TTRF36	28	0.125	36	2.61	1.1	0.05
BA1TTRF42	34	0.125	42	2.61	1.3	0.06
BA1TTRF48	39	0.125	48	2.61	1.5	0.06
BA1TTRF54	45	0.125	54	2.61	1.6	0.07
BA1TTRF60	50	0.125	60	2.61	1.8	0.08
BA1TTRF66	55	0.125	66	2.61	2.0	0.09
BA1TTRF72	58	0.125	72	2.61	2.2	0.10

INCLIE

WEIGHT VOI

BA1PCF · Post Cap



- Bridges the height difference when using Boulevard 1 panels only with Aluminum Horizontal Top Trims.
- Injection molded post cap to fit on top of 90 degree corner nost
- PRODUCT
 PRICE
 SIZE/
 INCHES
 WEIGHT VOL

 CODE
 H
 W
 D
 LBS
 FT³

 BA1PCF
 10
 0.25
 2.61
 2.61
 0.02
 0.01
- Extends post's overall height to the level corresponding with the height of aluminum horizontal top trim installed on standard Boulevard panel.
- · Site installed.
- Used for Boulevard 1 panels when top aluminum horizontal trim is used.

BHBT37FT • Transaction Bracket for 37" Panels with Flat Trim



- Provides a secure attachment of a transaction worksurface for a 37" high panel with top trim.
- · Includes a left and right bracket and bracket retainer clips.

I IUL I I I I I I I I I I I I I I I I I						
PRODUCT	PRICE	SIZE/	INCHES		WEIGHT VOL	
CODE		H	W	D	LBS	FT ³
BHBT37FT	32	3.3	1.5	2.3	2.0	0.010


BHBT02FT • Transaction Bracket for 42" Panels with Flat Trim



- Provides a secure attachment of a transaction worksurface for 42" high Boulevard panels with flat trim.
- Includes a left and right bracket and bracket retainer clips.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	
CODE		H	W	D	LBS	FT ³
BHBT02FT	31	4	1	3	0.5	0.007


FRC • Fabric Raceway Cover



- · Offers an alternative to the existing raceway options.
- Cover hinges upward for easy access to power and data/communication terminals.
- · Cover may be removed for installation and reconfiguration.
- · May not be used with Boulevard System 3 panels.
- · Sold as singles.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
FRC24	38	7	23	0.125	1.4	0.001
FRC30	45	7	29	0.125	1.8	0.002
FRC36	50	7	35	0.125	2.2	0.002
FRC42	54	7	41	0.125	2.5	0.002
FRC48	59	7	47	0.125	2.9	0.003
FRC54	66	7	53	0.125	3.2	0.003
FRC60	74	7	59	0.125	3.7	0.003
FRC66	79	7	65	0.125	4.1	0.004
FRC72	81	7	72	0.125	4.4	0.004


RCW-D • PVC Facemount Raceway Cover



- PVC raceway cover is punched out to align with the Face Mount Power Distribution Housing and Duplexes.
- Data punch-out accepts industry standard terminal faceplates (not supplied by Global Contract Inc.) Size of opening is 1.37" x 2.755".
- Electrical cut-outs have black PVC trim. Size of opening is 1.5" x 2.85".
- · May not be used with Boulevard System 3 Panels.
- Cover hinges upward for easy access to power and data/ communication terminals.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
RCW24D	33	7	24	0.125	3	0.05
RCW30D	36	7	30	0.125	3	0.06
RCW36D	39	7	36	0.125	4	0.07
RCW42D	45	7	42	0.125	5	0.08
RCW48D	49	7	48	0.125	5	0.09
RCW54D	52	7	54	0.125	6	0.10
RCW60D	55	7	60	0.125	7	0.11
RCW66D	59	7	66	0.125	7	0.12
RCW72D	64	7	72	0.125	8	0.12


FCR-D • Fabric Covered Facemount Raceway



- Fabric raceway cover is punched out to align with the Face Mount Power Distribution Housing and Duplexes.
- Data punch-out accepts industry standard terminal faceplates (not supplied by Global Contract Inc.) Size of opening is 1.37" x 2.755".
- Electrical cut-outs have black PVC trim. Size of opening is 1.5" x 2.85".
- May not be used with Boulevard System 3 Panels.
- Cover hinges upward for easy access to power and data/communication terminals.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
FCR24D	83	7	24	0.125	3	0.05
FCR30D	92	7	30	0.125	3	0.06
FCR36D	101	7	36	0.125	4	0.07
FCR42D	109	7	42	0.125	5	0.08
FCR48D	118	7	48	0.125	5	0.09
FCR54D	126	7	54	0.125	6	0.10
FCR60D	135	7	60	0.125	7	0.11
FCR66D	144	7	66	0.125	7	0.12
FCR72D	164	7	72	0.125	8	0.12


RCA-D · Aluminum Raceway Cover for Face Mounted



- Aluminum raceway cover is punched out to align with the Face Mount Power Distribution Housing and Duplexes.
- Data punch-out accepts industry standard terminal faceplates (not supplied by Global Contract Inc.) Size of opening is 1.37" x 2.755".
- Electrical cut-outs have black PVC trim. Size of opening is $1.5" \times 2.85"$.
- · May not be used with Boulevard System 3 Panels.
- Cover hinges upward for easy access to power and data/communication terminals.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
RCA24D	54	7	24	0.125	2.0	0.06
RCA30D	58	7	30	0.125	2.1	0.06
RCA36D	64	7	36	0.125	2.2	0.07
RCA42D	69	7	42	0.125	2.5	0.08
RCA48D	71	7	48	0.125	2.9	0.09
RCA54D	76	7	54	0.125	3.2	0.10
RCA60D	81	7	60	0.125	3.7	0.11
RCA66D	86	7	66	0.125	3.9	0.12
RCA72D	90	7	72	0.125	4.1	0.12


RCW-SCH · Chicago Facemount Raceway Cover - Single Cutout



- PVC raceway cover is punched out to align with the Face
- Mount Power Distribution Housing and Duplexes.
- Raveway has a single punch out
- Data punchout accepts industry standard terminal faceplates (not supplied by Global Contract Inc.) Size of opening is 1.37" x 2.755".
- Electrical cutouts have black PVC trim. Size of opening is 1.5" x 2.85".
- May not be used with Boulevard System 3 Panels.
- Cover hinges upward for easy access to power and data/ communication terminals.

igic outout						
PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
RCW24SCH	36	7	24	0.13	3.0	0.050
RCW30SCH	38	7	30	0.13	3.0	0.060
RCW36SCH	42	7	36	0.13	4.0	0.070
RCW42SCH	49	7	42	0.13	5.0	0.080
RCW48SCH	53	7	48	0.13	5.0	0.090
RCW54SCH	55	7	54	0.13	6.0	0.100
RCW60SCH	59	7	60	0.13	7.0	0.110
RCW66SCH	65	7	66	0.13	7.0	0.120
RCW72SCH	69	7	72	0.13	8.0	0.120


FCR-SCH · Chicago Fabric Covered Facemount Raceway Cover - Single Cutout



- Fabric raceway cover is punched out to align with the Face Mount Power Distribution Housing and Duplexes.
- · Raveway has a single punch out
- Data punchout accepts industry standard terminal faceplates (not supplied by Global Contract Inc.) Size of opening is 1.37" x 2.755".
- Electrical cutouts have black PVC trim. Size of opening is 1.5" x 2.85".
- May not be used with Boulevard System 3 Panels.
- Cover hinges upward for easy access to power and data/ communication terminals.

1	way Cover - Single Cutout											
	PRODUCT	PRICE	SIZE/	INCHES	n	WEIGHT	VOL FT ³					
	CODE		H	W	D	LBS						
	FCR24SCH	83	7	24	0.13	3.0	0.050					
	FCR30SCH	92	7	30	0.13	3.0	0.060					
	FCR36SCH	101	7	36	0.13	4.0	0.070					
	FCR42SCH	109	7	42	0.13	5.0	0.080					
	FCR48SCH	118	7	48	0.13	5.0	0.090					
	FCR54SCH	126	7	54	0.13	6.0	0.100					
	FCR60SCH	135	7	60	0.13	7.0	0.110					
	FCR66SCH	144	7	66	0.13	7.0	0.120					
	FCR72SCH	164	7	72	0.13	8.0	0.120					


RCA-SCH · Chicago Aluminum Facemount Raceway Cover - Single Cutout



- · Aluminum raceway cover is punched out to align with the
- Face Mount Power Distribution Housing and Duplexes.
- · Raveway has a single punch out
- Data punchout accepts industry standard terminal faceplates (not supplied by Global Contract Inc.) Size of opening is 1.37" x 2.755".
- Electrical cutouts have black PVC trim. Size of opening is 1.5" v 2.85"
- May not be used with Boulevard System 3 Panels.
- Cover hinges upward for easy access to power and data/ communication terminals.

COVEL - SILIU	ie Guu	Jul				
PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
RCA24SCH	58	7	24	0.13	2.0	0.060
RCA30SCH	64	7	30	0.13	2.1	0.060
RCA36SCH	69	7	36	0.13	2.2	0.070
RCA42SCH	72	7	42	0.13	2.5	0.080
RCA48SCH	75	7	48	0.13	2.9	0.090
RCA54SCH	81	7	54	0.13	3.2	0.100
RCA60SCH	86	7	60	0.13	3.7	0.110
RCA66SCH	92	7	66	0.13	3.9	0.120
RCA72SCH	96	7	72	0.13	4.1	0.120

RCW-DCH • Chicago Facemount Raceway Cover - Double Cutout



- PVC raceway cover is punched out to align with the Face
- · Mount Power Distribution Housing and Duplexes.
- · Raveway has a double punch out
- Data punchout accepts industry standard terminal faceplates (not supplied by Global Contract Inc.) Size of opening is 1.37" x 2.755".
- Electrical cutouts have black PVC trim. Size of opening is
- May not be used with Boulevard System 3 Panels.
- Cover hinges upward for easy access to power and data/ communication terminals.

v	upie Gulgul						
	PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
	RCW24DCH	38	7	24	0.13	3.0	0.050
	RCW30DCH	41	7	30	0.13	3.0	0.060
	RCW36DCH	45	7	36	0.13	4.0	0.070
	RCW42DCH	53	7	42	0.13	5.0	0.080
	RCW48DCH	58	7	48	0.13	5.0	0.090
	RCW54DCH	60	7	54	0.13	6.0	0.100
	RCW60DCH	66	7	60	0.13	7.0	0.110
	RCW66DCH	70	7	66	0.13	7.0	0.120
	RCW72DCH	75	7	72	0.13	8.0	0.120


FCR-DCH · Chicago Fabric Covered Facemount Raceway Cover - Double Cutout



- Fabric raceway cover is punched out to align with the Face Mount Power Distribution Housing and Duplexes.
- Raveway has a single punch out
- Data punchout accepts industry standard terminal faceplates (not supplied by Global Contract Inc.) Size of opening is 1.37" x 2.755".
- Electrical cutouts have black PVC trim. Size of opening is 1.5" x 2.85".
- May not be used with Boulevard System 3 Panels.
- Cover hinges upward for easy access to power and data/ communication terminals.

4	way Cover - L	Jouble	Cut	JUL			
	PRODUCT	PRICE	SIZE/	INCHES	_	WEIGHT	
	CODE		H	W	D	LBS	FT ³
	FCR24DCH	83	7	24	0.13	3.0	0.050
	FCR30DCH	92	7	30	0.13	3.0	0.060
	FCR36DCH	101	7	36	0.13	4.0	0.070
	FCR42DCH	109	7	42	0.13	5.0	0.080
	FCR48DCH	118	7	48	0.13	5.0	0.090
	FCR54DCH	126	7	54	0.13	6.0	0.100
	FCR60DCH	135	7	60	0.13	7.0	0.110
	FCR66DCH	144	7	66	0.13	7.0	0.120
	FCR72DCH	164	7	72	0.13	8.0	0.120

RCA-DCH · Chicago Aluminum Facemount Raceway Cover - Double Cutout



- Aluminum raceway cover is punched out to align with the Face Mount Power Distribution Housing and Duplexes.
- · Raveway has a single punch out
- Data punchout accepts industry standard terminal faceplates (not supplied by Global Contract Inc.) Size of opening is 1.37" x 2.755".
- Electrical cutouts have black PVC trim. Size of opening is 1.5" x 2.85".
- · May not be used with Boulevard System 3 Panels.
- Cover hinges upward for easy access to power and data/ communication terminals.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
RCA24DCH	64	7	24	0.13	2.0	0.060
RCA30DCH	69	7	30	0.13	2.1	0.060
RCA36DCH	75	7	36	0.13	2.2	0.070
RCA42DCH	79	7	42	0.13	2.5	0.080
RCA48DCH	82	7	48	0.13	2.9	0.090
RCA54DCH	88	7	54	0.13	3.2	0.100
RCA60DCH	93	7	60	0.13	3.7	0.110
RCA66DCH	99	7	66	0.13	3.9	0.120
RCA72DCH	104	7	72	0.13	4.1	0.120

BPMB • Raceway Cover Caps



- To provide clean detail for the punch-outs of a raceway cover when the punch-outs are not in use. Order only when required.
- Made of injection molded ABS.
- B = Black
- W = White
- G =Grey

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
BPMB020104B	10	1.5	3	0.125	0.04	0.02
BPMB020104G	10	1.5	3	0.125	0.04	0.02
BPMB020104W	10	1.5	3	0.125	0.04	0.02

BHSL · Safety Lock



- · Provides customers a higher degree of privacy.
- · Safety Lock is a set of two ready made brackets and
- It is installed from the inside of a panel adjacent to a opening the door through the raceway.
- To be used for PVC raceways only.

PRODUCT CODE	PRICE
BHSL02	31

WEIGHT VOL


LBS

FT³

0.009

0.026

BHV · Component Wall Adapter - Single and Double



- Used to attach system components to fixed wall.
- Panel frame finish.
- The vertical wall adapter is a "U" shaped channel with a vertical row of slots with 1" centers.
- $\bullet\,$ The double Component Wall Adapter has a double row of slots with 1" centers.
- · Comes in 60" length only.
- Care should be taken to mount adapters only to wall studs using correct fasteners.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material.

PRODUCT

BHV01

BHV02

CODE

- Sold in pairs
- · Failure to do this may result in collapse of the unit and subsequent possible personal injury.

BECC01 · Cable Terminal Channel



- · Houses various combinations of voice and data cables.
- 1 included with every Raceway Panel.
- Accommodates assorted snap-in modular voice and data terminals (not supplied by Global Contract Inc).
- Black only.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT VOL		
CODE		Н	W	D	LBS	FT ³	
BECC01	10	6	4.5	2.5	.20	0.21	

SIZE/

60

60

INCHES

0.75

1.50

0.5

0.5

W

PRICE

77

91

BPHC01 • Cable Terminal Channel



- · Houses various combinations of voice and data cables.
- 2 included with every Raceway Panel.
- · Black only.
- For use with Boulevard 1 Panels only.

PRODUCT	PRICE	SIZE/	INCHES		WEIGH	T VOL
CODE		Н	W	D	LBS	FT ³
RPHC01	7	2.5	1	2	0.1	0.003

Boulevard System 3 Panel System

Boulevard System 3... The next generation of BOULEVARD offers the freedom to plan the office environment 'your way', while keeping an eye on the bottom line. Boulevard System 3 boasts a rich toolbox featuring stack-on panels, complete data/communication lay-in at the top, comprehensive power and data/communication at both the base and at desk height, a selection of interchangeable tiles, monolithic panels, up-mounted storage, new ergonomic worksurface shapes & a revised colour pallet featuring recycled fabrics.... all wrapped up in a sophisticated design statement. Enjoy planning it your way and having the tools to really do it. Boulevard System 3 offers the building blocks to create the framework that perfectly suits your office environment. Combinations of fabric, glazed, open and slat wall panel surface tiles effectively support the creation of various work settings, whether open (to encourage interaction and teamwork) or traditional, with enclosed functional task organizers. Boulevard System 3 lets you plan more effectively and with more versatility than ever before. It is simple to comprehend, specify, install,

maintain and reconfigure. Offering multifunctional furnishing solutions, Boulevard System 3 can be specified on its own or used as a power/data and privacy provider, bridging freestanding/mobile furniture and panels and task related options such as worksurface shapes that help you work better. By utilizing up-mount storage, lower panel heights can be maintained without sacrificing overhead storage where and when needed. Another value-oriented tool... Consider 'Spine' planning to create a power wall that feeds data/communication to a string of perpendicular offices. Incorporate monolithic panels which offer the best cost/performance advantages for value sensitive environments with base panel raceway power/data cable distribution, while adding visual interest...and of course, reconfiguration is a breeze. Now you can have an endless visual pallet and array of practical solutions for today's ever changing and demanding workplace. When you add it all up, Boulevard System 3 gives you more value than ever before.

Technical Information

Panels

All panels are 2 5/8" thick.

Lightweight aluminum box frame construction creates superior panel rigidity. Panel frame finish is durable epoxy powder coated.

Hang-on capabilities at 1" increments.

Patented "Knuckle-Loc" design provides solid panel-to-panel connection for fast installation and reconfiguration.

Knuckle lock feature ensures even panel heights throughout installation. 3" glide stem permits 2 1/2" height adjustment.

Panel sizes are actual, eliminating creepage.

Vertical end trims must be specified to give the panel a finished appearance. Horizontal top trims are included with all panels.

All panels include 2 "Capture Strip" panel connectors.

Panels are UL listed and CSA approved and have a Class "A" fire rating except when Customer's Own Material (COM) is used.

All panels accept Over Panels (see page D.7).

Panel Options

Laminate, whiteboard, or corkboard may be substituted for fabric on panels only, see "OPT" column.

Laminate and whiteboard are held in place with a PVC retainer matching the frame colour and can be retrofitted on site.

Laminate and whiteboard options reduce the acoustical value of the panel.

Monolithic Panels

· Fabric on Monolithic Panels can be re-upholstered on site.

Pass Thru Panels

- Fabric at base of Pass-Thru Panels can be re-upholstered on site.
- · Tiles cannot be re-upholstered on site.

Bottom Lay-in Raceway

Bottom raceway snaps to the bottom of the panel and can be completely removed for unobstructed cable lay-in installation.

Bottom lay-in raceway is 60 mm (2.380") wide x 141 mm (5.560") high. Maximum capacity: 70 cables 5 mm (0.200) diameter, 2 parallel 8 wire, 4 circuit power distribution.

State-of-the-art engineering.

Snap-in modularity of all electrical components including harnesses, distribution housings, duplexes and circuit designations.

All power and data outlets are easily accessible from both sides of panel. 8 wire system with 4, 15 amp circuits (including 1 dedicated circuit). Facemount electrical with 2 duplex per panel side.

Included is 1 data/communication terminal bracket per side.

Raceway cover openings of 2.71" x 1.38" can accommodate a single modular Data/Comm terminal plate per side (not supplied by Global Contract Inc).

Opening complies with the ANSI/TIA/EIA standard furniture openings.

Outlet and circuit changes accomplished without disruption to work station.

Large raceway cavity permits storage of excess cables and equipment cords. Total flexibility for 8 wire system: choice of up to 4 duplexes per panel; choice of circuitry in each duplex.

Unique design of fire retardant metal raceway cover permits access to raceway without disruption to equipment.

Horizontal Lay-in Channel (Excluding all panels with Embedded Glass)

Integrated horizontal lay-in channel 33.5 m (1.320") wide and 38 mm (1.500") high at the top of panels and on top of the door frame.

Maximum capacity: 36 cables 5 mm (0.200") in diameter.

Maximum cable bending radius between two perpendicular panels: 141.2 mm (5.560") [5 mm (0.200") in diameter cables].

Vertical Wire Channel

Where applicable, the vertical wire channel connects horizontal channel above desk height with floor level raceway.

Opening in horizontal channel allows for vertical cable passage from top lay-in channel to base raceway.

Integrated vertical channel 76 mm (2.990") x 27 mm (1.060").

Maximum capacity: 60 cables 5 mm (0.200") in diameter.

Maximum cable bending radius: 141.2 mm (5.560").

Posts

Enables connection for multiple panel runs such as 90° , 45° or 60° angle and 2 way, 3 way or 4 way.

Starts at the top of the bottom lay-in raceway.

90 degree post provides route for ceiling power and data entry to a panel raceway. Knuckle lock feature maintains even height of all connected panels.

Solid lightweight aluminum extrusion fits together through a unique "Knuckle-Loc" design providing rigid post-to-panel connection.

Post has punch-outs at the top to allow for unobstructed horizontal cable passage between adjacent panels.

Includes all required panel connectors and caps.

Posts add 2 5/8" to a panel run.

Posts are 1/8" oversized to allow for "panel wrap around" of freestanding desks. For all panel runs with multiple posts, this 1/8" must be allotted for. Maximum capacity:


- 80 cables 5mm(0.200") diameter
- 65 cables 5mm(0.200") diameter with 1 power feed
- 50 cables 5mm (0.200") diameter with 2 power feeds

PANELS - GUIDELINES FOR ORDERING PRODUCT

Codes

The product guide uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of Panel: BPX3MA6636 CHR CHR



How to Specify

Specify Boulevard System 3 panel type and size by code.

Specify panel frame finish - ie. CHR (Charcoal).

Specify PVC raceway finish - ie. CHR (Charcoal). If raceway colour not specified at time of order, default will be the panel frame colour.

Specify all two panel fabric options if necessary.


Some fabrics have directional pattern and cannot be applied horizontally or vertically. Panels wider then 60" will have fabrics applied horizontally (railroad). Please specify if you want adjacent panels and the rest of the installation upholstered the same way.

Specify whether punchouts are required inside and outside of raceway or if no knockouts are required.

- P2 Punchouts on both sides.
- P1 Punchouts on one side.
- NP No punchouts.

For special width panels, a special must be processed and additional costs apply. Please contact your customer service representative.

Example of Post: BH3PS066 CHR



How to Specify

Specify Boulevard System 3 post by code. Specify frame colour - ie. CHR (Charcoal).

ORDERS

Each Order Must Include

Purchase Order

Layout showing where the image(s) appear in the run of panels.

A completed Price Chart, showing the location of the image(s) on each appropriate panel.

Artwork must be submitted in accordance with the following artwork specifications.

NOTE: Final artwork specification approval must be given before order can be processed.

Transfer Devices

- E-mail up to 10MB to your Global Contract Customer Service Representative.
- Courier CD/DVD/USB stick to your Global Contract Customer Service Representative.

Artwork Specifications

- · Non-Photographic artwork should be vector art, saved in Adobe Illustrator (.ai) or as an EPS (.eps)
- All bitmap or photographic artwork has to be at a minimum of 100 dpi at the full size of the panel to be printed.
- · We accept Adobe CS5 files.
- · Any linked files must be included or imbedded.

- · Leave any PSD files unflattened
- · All fonts must be converted to outlines.
- · Do not convert to CMYK, leave all images as RGB if possible
- · No Word, Powerpoint, Publisher or other Microsoft files can be used.
- · Include a PDF or .jpg for reference when sending native Photoshop or Illustrator format files.

Colour Matching

A Pantone colour reference must be supplied or we cannot accept responsibility for correct colour.

When it is not possible to refer to Pantone colours, we will do our best to meet your requirements.

Image Clarity

We will advise should the selected image not lend itself to the element size requested.

NOTE:

We reserve the right to put an order on hold when the files are found to be incomplete or when documents have been either incorrectly saved. Fonts not converted to curves or the job appears not to be commercially acceptable.

Image Bleed:


To facilitate placement on the panel. Extension of the image past the finished visible area of the panel (bleed) is required

· Boulevard Panels need a 5" Bleed on all sides.

Example Of Image resolution:

The resolution required for a 36 wide x 24 high Boulevard panel at 100dpi (minimum resolution)


4600 pixels (includes 5" bleed)



at 300dpi (higher quality)

The resolution required for a 36 wide x 24 high Boulevard panel

13800 pixels (includes 5" bleed)



5" bleed all around image

Pricing, Initial Set-Up Charge per Image:\$235 net

Boulevard System 3 Tiles

This List applies to the following panels: BP3FTxxxx BP3ETxxxx

PANEL Width	HEIGHT 8"	LIST PRICE 16"
24"	191	280
30"	226	331
36"	260	381
42"	301	431
48"	331	350
54"	372	540
60"	401	592
66"	431	632
72"	471	681


Boulevard System 3 Bottom Section of Pass-Through Panel



This List applies to the following panels: BPX3PTxxxx BPX3PVxxxx

PANEL Width	LIST PRICE 28"	
24"	401	
30"	471	
36"	540	
42"	621	
48"	691	
54"	761	
60"	832	
66"	901	
72"	971	

Boulevard System 3 Monolithic Panels




This List applies to the following panels: BPX3MAxxxx BPX3MVxxxx

PANEL	HEIGHT	LIST PRICE	F0"	CCII
WIDTH	34"	42"	50"	66"
24"	401	491	572	751
30"	471	572	681	881
36"	540	660	782	1021
42"	621	751	871	1162
48"	691	841	1002	1292
54"	761	930	1091	1432
60"	832	1021	1203	1561
66"	901			
72"	971			

Note: Prices shown are an upcharge to the panel price, please add to the list price of panel which you are specifying the graphic for.

BPX3MA • Monolithic Acoustical Panel



- Provides visual and acoustic privacy.
 Centre septum above raceway overlaid on either side with 1 1/8" "Sound absorbent mineral board".
- Acoustic rating of .70 NRC and 25 STC
- OPT* = Laminate or Whiteboard
- "No Knockouts" option for raceways available at no additional charge.
 Please choose option for interior and/ or exterior raceways.

PRODUCT	PRICE			SIZE	INCHES		WEIGHT	VNI
CODE	GR1	GR 2	OPT*	H	W	D	LBS	FT ³
BPX3MA3418	313	333	352	34	18	2.61	11	1.337
BPX3MA3424	350	372	392	34	24	2.61	12	1.738
BPX3MA3430	383	404	422	34	30	2.61	13	2.139
BPX3MA3436	419	457	496	34	36	2.61	15	2.540
BPX3MA3442	452	490	531	34	42	2.61	16	2.941
BPX3MA3448	487	524	566	34	48	2.61	18	3.342
BPX3MA3454	523	561	601	34	54	2.61	20	3.743
	557	593	636	34		2.61	22	4.144
BPX3MA3460					60			
BPX3MA3466	762	815	871	34	66	2.61	26	4.612
BPX3MA3472	965	1018	-	34	72	2.61	30	5.080
BPX3MA4218	338	363	389	42	18	2.61	12	1.782
BPX3MA4224	374	401	426	42	24	2.61	13	2.317
BPX3MA4230	411	437	464	42	30	2.61	15	2.852
BPX3MA4236	447	497	551	42	36	2.61	17	3.387
BPX3MA4242	486	536	590	42	42	2.61	19	3.921
BPX3MA4248	522	572	626	42	48	2.61	21	4.456
BPX3MA4254	561	610	664	42	54	2.61	23	4.991
BPX3MA4260	597	646	701	42	60	2.61	25	5.525
BPX3MA4266	848	951	1060	42	66	2.61	29	6.148
BPX3MA4272	1099	1203	-	42	72	2.61	34	6.770
BPX3MA5018	435	473	514	50	18	2.61	13	2.106
BPX3MA5024	479	517	557	50	24	2.61	15	2.738
BPX3MA5030	523	561	601	50	30	2.61	17	3.370
BPX3MA5036	571	646	728	50	36	2.61	20	4.002
BPX3MA5042	642	717	798	50	42	2.61	23	4.634
BPX3MA5048	660	736	816	50	48	2.61	24	5.266
BPX3MA5054	703	781	859	50	54	2.61	25	5.898
BPX3MA5060	750	826	907	50	60	2.61	27	6.530
BPX3MA5066	1049	1153	1263	50	66	2.61	33	7.265
BPX3MA5072	1346	1450	-	50	72	2.61	40	8.000
BPX3MA5418	490	528	570	54	18	2.61	14	2.406
BPX3MA5424	536	574	616	54	24	2.61	16	3.181
BPX3MA5430	570	605	646	54	30	2.61	19	3.907
BPX3MA5436	633	708	789	54	36	2.61	22	4.602
BPX3MA5442	679	754	835	54	42	2.61	25	5.306
BPX3MA5448	727	802	883	54	48	2.61	26	5.966
BPX3MA5454	770	847	925	54	54	2.61	27	7.287
BPX3MA5460	820	897	977	54	60	2.61	30	7.539
	508	570	638	66	18	2.61	14	2.755
BPX3MA6618								
BPX3MA6624	555	619	685	66	24	2.61	17	3.581
BPX3MA6630	601	664	734	66	30	2.61	20	4.407
BPX3MA6636	652	751	859	66	36	2.61	24	5.234
BPX3MA6642	700	800	907	66	42	2.61	26	6.060
BPX3MA6648	748	851	956	66	48	2.61	28	6.887

54

60

1003 66

1052

2.61 30

2.61 32

7.713

8.539

BPX3MA6654


BPX3MA6660

793

843


896


945



72" Wide

BPX3MV • Monolithic Acoustical Panel with Vertical Wire Channel · Provides visual and acoustic privacy






raceway within panel. · Centre septum above raceway overlaid on either side with 1 1/8" "Sound absorbent mineral board".


and allows for vertical cable passage from top lay-in channel to bottom

- Acoustic rating of .70 NRC and 25 STC. Includes integrated vertical wire
- OPT* = Laminate or Whiteboard
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/ or exterior raceways.

rith vertical w PRODUCT	PRICE	lannei		SIZE/	INCHES		WEIGHT	VNI
CODE	GR1	GR 2	OPT*	H	W	D	LBS	FT ³
BPX3MV3430	414	433	450	34	30	2.61	15	2.139
BPX3MV3436	447	484	530	34	36	2.61	17	2.540
BPX3MV3442	481	519	561	34	42	2.61	18	2.941
BPX3MV3448	518	555	597	34	48	2.61	20	3.342
BPX3MV3454	552	589	631	34	54	2.61	22	3.743
BPX3MV3460	587	624	664	34	60	2.61	24	4.144
BPX3MV3466	808	860	917	34	66	2.61	29	4.612
BPX3MV3472	1027	1061	-	34	72	2.61	34	5.080
BPX3MV4230	503	533	565	42	30	2.61	17	2.852
BPX3MV4236	486	536	590	42	36	2.61	19	3.387
BPX3MV4242	524	576	628	42	42	2.61	21	3.921
BPX3MV4248	561	609	664	42	48	2.61	23	4.456
BPX3MV4254	599	648	703	42	54	2.61	25	4.991
BPX3MV4260	636	685	740	42	60	2.61	27	5.525
BPX3MV4266	908	1010	1122	42	66	2.61	32	6.148
BPX3MV4272	1180	1283	-	42	72	2.61	38	6.770
BPX3MV5030	572	608	652	50	30	2.61	19	3.370
BPX3MV5036	620	696	776	50	36	2.61	22	4.002
BPX3MV5042	662	739	817	50	42	2.61	25	4.634
BPX3MV5048	708	786	865	50	48	2.61	26	5.266
BPX3MV5054	751	829	908	50	54	2.61	27	5.898
BPX3MV5060	798	874	955	50	60	2.61	29	6.530
BPX3MV5066	1126	1227	1339	50	66	2.61	35	7.265
BPX3MV5072	1450	1554	704	50	72	2.61	40	8.000
BPX3MV5430	644	682	724	54 54	30	2.61	19	3.907
BPX3MV5436 BPX3MV5442	692 741	768 816	849 897	54 54	36 42	2.61	22 25	4.602 5.306
BPX3MV5448		865	945	54	48	2.61	26	5.966
BPX3MV5454	789 835	911	992	54	54	2.61	27	7.287
BPX3MV5460	881	957	1037	54	60	2.61	30	7.539
BPX3MV6630	669	733	800	66	30	2.61	22	4.407
BPX3MV6636	717	817	924	66	36	2.61	26	5.234
BPX3MV6642	766	867	973	66	42	2.61	28	6.060
BPX3MV6648	815	916	1024	66	48	2.61	30	6.887
BPX3MV6654	860	962	1069	66	54	2.61	32	7.713
BPX3MV6660	910	1010	1118	66	60	2.61	34	8.539
D. 7.0111 1 0 0 0 0	710	.0.0		50	50	2.01	5 1	0.007



BPX3MG • Monolithic Glazed Panel



- Full-height glazing provides visual acces-
- · Glazing is replaceable on site. Tempered clear glass standard.
- Glazing is standard on one side.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.


PRODUCT	PRICE	FRST/SMK	SIZE/	INCHES		WEIGHT	VOL
CODE			H	W	D	LBS	FT ³
BPX3MG5024	763	916	50	24	2.61	25	2.738
BPX3MG5030	968	1164	50	30	2.61	29	3.370
BPX3MG5036	1026	1231	50	36	2.61	33	4.002
BPX3MG5042	1081	1297	50	42	2.61	36	4.634
BPX3MG5048	1139	1367	50	48	2.61	41	5.266
BPX3MG5424	763	916	54	24	2.61	29	3.138
BPX3MG5430	968	1164	54	30	2.61	34	3.807
BPX3MG5436	1026	1231	54	36	2.61	38	4.602
BPX3MG5442	1081	1297	54	42	2.61	43	5.334
BPX3MG5448	1139	1367	54	48	2.61	48	6.066
BPX3MG6624	950	1139	66	24	2.61	33	3.581
BPX3MG6630	1031	1237	66	30	2.61	39	4.407
BPX3MG6636	1115	1338	66	36	2.61	44	5.234
BPX3MG6642	1196	1435	66	42	2.61	49	6.060
BPX3MG6648	1275	1531	66	48	2.61	54	6.887
	CODE BPX3MG5024 BPX3MG5030 BPX3MG5036 BPX3MG5042 BPX3MG5048 BPX3MG5424 BPX3MG5430 BPX3MG5436 BPX3MG5442 BPX3MG5442 BPX3MG5448 BPX3MG6634 BPX3MG6630 BPX3MG6630 BPX3MG6636 BPX3MG6642	CODE BPX3MG5024 763 BPX3MG5030 968 BPX3MG5036 1026 BPX3MG5042 1081 BPX3MG5048 1139 BPX3MG5424 763 BPX3MG5430 968 BPX3MG5436 1026 BPX3MG5442 1081 BPX3MG5448 1139 BPX3MG6624 950 BPX3MG6630 1031 BPX3MG6636 1115 BPX3MG6642 1196	CODE BPX3MG5024 763 916 BPX3MG5030 968 1164 BPX3MG5036 1026 1231 BPX3MG5042 1081 1297 BPX3MG5048 1139 1367 BPX3MG5424 763 916 BPX3MG5430 968 1164 BPX3MG5436 1026 1231 BPX3MG5442 1081 1297 BPX3MG5448 1139 1367 BPX3MG6624 950 1139 BPX3MG6630 1031 1237 BPX3MG6636 1115 1338 BPX3MG6642 1196 1435	CODE H BPX3MG5024 763 916 50 BPX3MG5030 968 1164 50 BPX3MG5036 1026 1231 50 BPX3MG5042 1081 1297 50 BPX3MG5048 1139 1367 50 BPX3MG5424 763 916 54 BPX3MG5430 968 1164 54 BPX3MG5436 1026 1231 54 BPX3MG5442 1081 1297 54 BPX3MG6448 1139 1367 54 BPX3MG6624 950 1139 66 BPX3MG6630 1031 1237 66 BPX3MG6636 1115 1338 66 BPX3MG6642 1196 1435 66	CODE H W BPX3MG5024 763 916 50 24 BPX3MG5030 968 1164 50 30 BPX3MG5036 1026 1231 50 36 BPX3MG5042 1081 1297 50 42 BPX3MG5048 1139 1367 50 48 BPX3MG5424 763 916 54 24 BPX3MG5430 968 1164 54 30 BPX3MG5436 1026 1231 54 36 BPX3MG5442 1081 1297 54 42 BPX3MG5448 1139 1367 54 48 BPX3MG6624 950 1139 66 24 BPX3MG6630 1031 1237 66 30 BPX3MG6636 1115 1338 66 36 BPX3MG6642 1196 1435 66 42	CODE H W D BPX3MG5024 763 916 50 24 2.61 BPX3MG5030 968 1164 50 30 2.61 BPX3MG5036 1026 1231 50 36 2.61 BPX3MG5042 1081 1297 50 42 2.61 BPX3MG5048 1139 1367 50 48 2.61 BPX3MG5424 763 916 54 24 2.61 BPX3MG5430 968 1164 54 30 2.61 BPX3MG5436 1026 1231 54 36 2.61 BPX3MG5442 1081 1297 54 42 2.61 BPX3MG5448 1139 1367 54 48 2.61 BPX3MG6624 950 1139 66 24 2.61 BPX3MG6630 1031 1237 66 30 2.61 BPX3MG6636 1115 1338 66 36 </th <th>CODE H W D LBS BPX3MG5024 763 916 50 24 2.61 25 BPX3MG5030 968 1164 50 30 2.61 29 BPX3MG5036 1026 1231 50 36 2.61 33 BPX3MG5042 1081 1297 50 42 2.61 36 BPX3MG5048 1139 1367 50 48 2.61 41 BPX3MG5424 763 916 54 24 2.61 29 BPX3MG5430 968 1164 54 30 2.61 34 BPX3MG5436 1026 1231 54 36 2.61 38 BPX3MG5442 1081 1297 54 42 2.61 43 BPX3MG6448 1139 1367 54 48 2.61 48 BPX3MG6630 1031 1237 66 30 2.61 39 BPX3MG6</th>	CODE H W D LBS BPX3MG5024 763 916 50 24 2.61 25 BPX3MG5030 968 1164 50 30 2.61 29 BPX3MG5036 1026 1231 50 36 2.61 33 BPX3MG5042 1081 1297 50 42 2.61 36 BPX3MG5048 1139 1367 50 48 2.61 41 BPX3MG5424 763 916 54 24 2.61 29 BPX3MG5430 968 1164 54 30 2.61 34 BPX3MG5436 1026 1231 54 36 2.61 38 BPX3MG5442 1081 1297 54 42 2.61 43 BPX3MG6448 1139 1367 54 48 2.61 48 BPX3MG6630 1031 1237 66 30 2.61 39 BPX3MG6

BPX3PT • Pass-Thru Panel - Fabric Base










- · Opening allows choice of tile above desk height.
- · Solid fabric base up to 34".
- · Single 8" opening above 34" for 42" high panels.
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- · Horizontal cable management at 34" height.
- OPT* = Laminate or Whiteboard.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.

PRODUCT	PRICE	00.0	ODT#	SIZE/	INCHES		WEIGHT	
CODE	GR 1	GR2	OPT*	H	W	D 0.61	LBS	FT ³
BPX3PT4218	323	349	377	42	18	2.61	14	1.689
BPX3PT4224	365	389	419	42	24	2.61	16	2.233
BPX3PT4230	404	430	458	42	30	2.61	17	2.792
BPX3PT4236	441	468	495	42	36	2.61	19	3.351
BPX3PT4242	480	506	534	42	42	2.61	21	3.908
BPX3PT4248	520	546	574	42	48	2.61	23	4.466
BPX3PT4254	558	584	612	42	54	2.61	26	5.025
BPX3PT4260	598	624	652	42	60	2.61	27	5.592
BPX3PT4266	824	876	932	42	66	2.61	32	6.148
BPX3PT4272	1049	1102	-	42	72	2.61	38	6.700
BPX3PT5018	323	349	377	50	18	2.61	15	2.106
BPX3PT5024	365	389	419	50	24	2.61	17	2.738
BPX3PT5030	404	430	458	50	30	2.61	18	3.370
BPX3PT5036	441	468	495	50	36	2.61	20	4.002
BPX3PT5042	479	509	534	50	42	2.61	22	4.634
BPX3PT5048	520	546	574	50	48	2.61	24	5.266
BPX3PT5054	558	584	612	50	54	2.61	27	5.898
BPX3PT5060	598	624	652	50	60	2.61	29	6.530
BPX3PT5066	824	876	932	50	66	2.61	34	7.265
BPX3PT5072	1049	1102	-	50	72	2.61	40	8.000
BPX3PT6618	403	430	457	66	18	2.61	19	2.755
BPX3PT6624	447	475	501	66	24	2.61	21	3.581
BPX3PT6630	495	522	549	66	30	2.61	23	4.407
BPX3PT6636	544	570	597	66	36	2.61	25	5.234
BPX3PT6642	589	617	642	66	42	2.61	27	6.060
BPX3PT6648	637	663	691	66	48	2.61	30	6.887
BPX3PT6654	684	709	739	66	54	2.61	33	7.713
BPX3PT6660	733	759	787	66	60	2.61	36	8.539
טו אטו וטטטט	700	, 0,	, 0 ,	00	00	2.01	00	0.009

BPX3PV • Pass-Thru Panel with Vertical V






- Opening allows choice of tile above desk height. Vertical wire channel allows passage of cables from top lay-in channel to bottom raceway within panel.
- · Solid fabric base up to 34".
- Single 8" opening above 34" for 42" high panels.
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- · Includes integrated vertical wire channel.
- · Horizontal cable management at 34"
- OPT* = Laminate or Whiteboard.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and or exterior raceways.

wire Channei								
PRODUCT CODE	PRICE GR 1	GR2	OPT*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BPX3PV4230	441	468	495	42	30	2.61	19	2.792
BPX3PV4236	480	506	534	42	36	2.61	21	3.351
BPX3PV4242	520	546	574	42	42	2.61	23	3.908
BPX3PV4248	558	584	612	42	48	2.61	23	4.466
BPX3PV4254	598	624	652	42	54	2.61	28	5.025
BPX3PV4260	638	663	692	42	60	2.61	30	5.592
BPX3PV4266	863	917	972	42	66	2.61	36	6.148
BPX3PV4272	1089	1142	-	42	72	2.61	42	6.700
BPX3PV5030	441	468	495	50	30	2.61	20	3.370
BPX3PV5036	480	506	534	50	36	2.61	22	4.002
BPX3PV5042	520	546	574	50	42	2.61	24	4.634
BPX3PV5048	558	584	612	50	48	2.61	26	5.266
BPX3PV5054	598	624	652	50	54	2.61	29	5.898
BPX3PV5060	638	663	692	50	60	2.61	31	6.530
BPX3PV5066	863	917	972	50	66	2.61	37	7.265
BPX3PV5072	1089	1142	-	50	72	2.61	44	8.000
BPX3PV6630	534	561	588	66	30	2.61	25	4.407
BPX3PV6636	581	608	637	66	36	2.61	27	5.234
BPX3PV6642	628	657	682	66	42	2.61	29	6.060
BPX3PV6648	678	703	732	66	48	2.61	32	6.887
BPX3PV6654	723	749	777	66	54	2.61	35	7.713
BPX3PV6660	768	794	822	66	60	2.61	38	8.539

BPX3PF · Pass-Tru Panel - Air Flow Base



- Allows air to flow freely through the bottom of the panel.
- Double wall perforated metal base up to 34".
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- · Horizontal cable management at 34" height.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BPX3PF5018	450	50	18	2.61	17	2 106
D. 7.0 0 0 . 0		~~			- '	2.100
BPX3PF5024	514	50	24	2.61	18	2.738
BPX3PF5030	574	50	30	2.61	20	3.370
BPX3PF5036	636	50	36	2.61	22	4.002
BPX3PF5042	698	50	42	2.61	23	4.634
BPX3PF5048	759	50	48	2.61	26	5.266
BPX3PF5054	820	50	54	2.61	28	5.898
BPX3PF5060	883	50	60	2.61	31	6.530
BPX3PF6618	528	66	18	2.61	21	2.755
BPX3PF6624	598	66	24	2.61	23	3.581
BPX3PF6630	669	66	30	2.61	25	4.407
BPX3PF6636	741	66	36	2.61	27	5.234
BPX3PF6642	815	66	42	2.61	29	6.060
BPX3PF6648	886	66	48	2.61	32	6.887
BPX3PF6654	957	66	54	2.61	35	7.713
BPX3PF6660	1029	66	60	2.61	37	8.539


BPX30P • Over Panel Frame





- Attaches to the top of any Boulevard System 3 panel to create a floor-to-ceiling wall.
- Any tile can be attached to either side to enclose the frame
- Two non-slotted uprights at either end slide into vertical extrusions on the base panel.
- Shipped without horizontal and vertical trim; the horizontal trim from the base panel will be used.
- Openings in horizontal channels allow for vertical cable passage from top lay-in channe and behind the cover tiles
- Boulevard System 3 Over Panel is not compatible with Boulevard 1 panels.

PRODUCT	PRICE	SIZE/	INCHES	_	WEIGHT	
CODE		Н	W	D	LBS	FT ³
BPX30P0818	77	8	18	2.61	3	0.383
BPX30P0824	85	8	24	2.61	4	0.438
BPX30P0830	93	8	30	2.61	4	0.656
BPX30P0836	101	8	36	2.61	4	0.712
BPX30P0842	110	8	42	2.61	5	0.875
BPX30P0848	117	8	48	2.61	5	0.930
BPX30P0854	124	8	54	2.61	6	1.040
BPX30P0860	131	8	60	2.61	6	1.204
BPX30P0866	191	8	66	2.61	7	1.310
BPX30P0872	249	8	72	2.61	8	1.420
BPX30P1618	77	16	18	2.61	4	0.638
BPX30P1624	85	16	24	2.61	5	0.730
BPX30P1630	93	16	30	2.61	5	1.094
BPX30P1636	101	16	36	2.61	5	1.186
BPX30P1642	110	16	42	2.61	6	1.459
BPX30P1648	117	16	48	2.61	6	1.550
BPX30P1654	124	16	54	2.61	7	1.733
BPX30P1660	131	16	60	2.61	7	2.006
BPX30P1666	191	16	66	2.61	9	2.165
BPX30P1672	249	16	72	2.61	10	2.370

BPX3GMA • Monolithic Acoustical Panel with Embedded Glass








- Provides visual and acoustic privacy. · Centre septum above raceway overlaid on either side with 1 1/8" "Sound absorbent mineral board".
- Acoustic rating of .70 NRC and 25 STC.
- OPT* = Laminate or Whiteboard
- B3 panel top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separatley, Allen key to set the glass pane plumb is provided with each panel.
- 6mm tempered glass, frosted or clear.
- · Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofitable on-site.
- · 16" Glass available as an option, please tag 16" and add the following upcharge per panel size.

PANEL	LIST
WIDTH	
18	104
24	114
30	124
36	133
42	142
48	152
54	162
60	171
66	180
72	190

with Embedae		SS						
PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	
CODE	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPX3GMA3418	605	627	651	34	18	2.61	14	1.627
BPX3GMA3424	668	691	716	34	24	2.61	17	2.178
BPX3GMA3430	730	756	776	34	30	2.61	20	2.729
BPX3GMA3436	795	840	886	34	36	2.61	23	3.270
BPX3GMA3442	857	901	950	34	42	2.61	25	3.791
BPX3GMA3448	917	961	1009	34	48	2.61	29	4.302
BPX3GMA3454	977	1021	1068	34	54	2.61	32	4.853
BPX3GMA3460	1035	1076	1126	34	60	2.61	35	5.404
BPX3GMA3466	1138	1183	1237	34	66	2.61	40	6.022
BPX3GMA3472	1252	1302	-	34	72	2.61	46	6.640
BPX3GMA4218	632	663	692	42	18	2.61	15	2.072
BPX3GMA4224	696	727	756	42	24	2.61	18	2.757
BPX3GMA4230	765	795	826	42	30	2.61	22	3.442
BPX3GMA4236	829	887	950	42	36	2.61	25	4.117
BPX3GMA4242	896	956	1018	42	42	2.61	28	4.771
BPX3GMA4248	957	1015	1079	42	48	2.61	32	5.416
BPX3GMA4254	1021	1079	1140	42	54	2.61	35	6.101
BPX3GMA4260	1080	1138	1202	42	60	2.61	38	6.785
BPX3GMA4266	1187	1252	1321	42	66	2.61	44	7.558
BPX3GMA4272	1306	1377	-	42	72	2.61	50	8.330
BPX3GMA5018	746	790	840	50	18	2.61	16	2.396
BPX3GMA5024	817	862	910	50	24	2.61	20	3.178
BPX3GMA5030	895	939	986	50	30	2.61	24	3.960
BPX3GMA5036	972	1060	1155	50	36	2.61	28	4.732
BPX3GMA5042	1079	1166	1261	50	42	2.61	32	5.484
BPX3GMA5048	1118	1208	1300	50	48	2.61	35	6.226
BPX3GMA5054	1186	1275	1367	50	54	2.61	37	7.008
BPX3GMA5060	1259	1348	1441	50	60	2.61	40	7.790
BPX3GMA5066	1386	1483	1586	50	66	2.61	48	8.675
BPX3GMA5072	1524	1631	-	50	72	2.61	56	9.560
BPX3GMA5418	810	854	902	54	18	2.61	16	2.704
BPX3GMA5424	885	928	977	54	24	2.61	21	3.678
BPX3GMA5430	949	992	1038	54	30	2.61	26	4.560
BPX3GMA5436	1046	1133	1227	54	36	2.61	30	5.332
BPX3GMA5442	1122	1209	1304	54	42	2.61	34	7.126
BPX3GMA5448	1196	1283	1378	54	48	2.61	38	7.923
BPX3GMA5454	1264	1353	1446	54	54	2.61	41	8.423
BPX3GMA5460	1342	1431	1523	54	60	2.61	47	9.219
BPX3GMA6618	832	902	983	66	18	2.61	17	3.045
BPX3GMA6624	905	979	1057	66	24	2.61	22	4.021
BPX3GMA6630	986	1059	1140	66	30	2.61	27	4.997
BPX3GMA6636	1068	1183	1310	66	36	2.61	32	5.964
BPX3GMA6642	1145	1264	1387	66	42	2.61	35	6.910
BPX3GMA6648	1220	1340	1463	66	48	2.61	39	7.847
BPX3GMA6654	1291	1410	1534	66	54	2.61	42	8.823
BPX3GMA6660	1367	1486	1610	66	60	2.61	45	9.799
DI AGOIMAUUUU	1007	1-100	1010	00	00	2.01	TU	7.177

BPX3GMG • Monolithic Glazed Panel with Embedded Glass



- Full-height glazing provides visual accessibility.
- Glazing is replaceable on site. Tempered clear glass standard.
- B3 panel top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separatley, Allen key to set the glass pane plumb is provided with each panel.
- 6mm tempered glass, frosted or clear.
- · Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofitable on-site.
- 16" Glass available as an option, please tag 16" and add the following upcharge per panel size.

PANEL WIDTH	LIST
18	104
24	114
30	124
36	133
42	142
48	152
54	162
60	171
66	180
72	190

ibedded Glass	S						
PRODUCT	PRICE	FRST/SMK	SIZE/	INCHES	_	WEIGHT	VOL
CODE			H	W	D	LBS	FT ³
BPX3GMG5024	1148	1326	50	24	2.61	30	3.178
BPX3GMG5030	1414	1640	50	30	2.61	36	3.960
BPX3GMG5036	1504	1743	50	36	2.61	41	4.732
BPX3GMG5042	1591	1842	50	42	2.61	45	5.484
BPX3GMG5048	1677	1942	50	48	2.61	52	6.226
BPX3GMG5424	1148	1326	54	24	2.61	32	3.678
BPX3GMG5430	1414	1640	54	30	2.61	40	4.360
BPX3GMG5436	1504	1743	54	36	2.61	46	5.317
BPX3GMG5442	1591	1842	54	42	2.61	52	6.010
BPX3GMG5448	1677	1942	54	48	2.61	56	6.890
BPX3GMG6624	1365	1587	66	24	2.61	38	4.021
BPX3GMG6630	1486	1727	66	30	2.61	46	4.997
BPX3GMG6636	1607	1866	66	36	2.61	52	5.964
BPX3GMG6642	1723	2003	66	42	2.61	58	6.910
BPX3GMG6648	1836	2133	66	48	2.61	65	7.847

42" High

50" High

66" High

BPX3GPT · Pass-Thru Panel with Embedd • Opening allows choice of tile above desk height.

- Solid fabric base up to 34".
- · Single 8" opening above 34" for 42" high panels.
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- · Horizontal cable management at 34" height.
- OPT* = Laminate or Whiteboard.
- B3 panel Top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- · Glass shipped separatley.
- 6mm tempered glass, frosted or clear.
- · Square corners on glass.
- · Integrated adjustable brackets and extruded aluminum trim.
- · Not retrofitable on-site.
- 16" Glass available as an option, please tag 16" and add the following upcharge per panel size.

ded Glass -	rapric i	sase						
PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	VOL
CODE	GR 1	GR 2	OPT*	Н	W	D	LBS	FT ³
BPX3GPT4218	616	646	678	42	18	2.61	17	1.979
BPX3GPT4224	684	713	746	42	24	2.61	21	2.673
BPX3GPT4230	756	787	817	42	30	2.61	24	3.382
BPX3GPT4236	822	852	885	42	36	2.61	27	4.081
BPX3GPT4242	890	919	954	42	42	2.61	30	4.758
BPX3GPT4248	956	984	1018	42	48	2.61	34	5.426
BPX3GPT4254	1018	1048	1080	42	54	2.61	38	6.135
BPX3GPT4260	1083	1112	1145	42	60	2.61	40	6.852
BPX3GPT4266	1191	1224	1261	42	66	2.61	47	7.556
BPX3GPT4272	1310	1346	-	42	72	2.61	54	8.260
BPX3GPT5018	616	646	678	50	18	2.61	18	2.396
BPX3GPT5024	684	713	746	50	24	2.61	22	3.178
BPX3GPT5030	756	787	817	50	30	2.61	25	3.960
BPX3GPT5036	822	852	885	50	36	2.61	28	4.732
BPX3GPT5042	889	924	954	50	42	2.61	31	5.484
BPX3GPT5048	956	984	1018	50	48	2.61	35	6.226
BPX3GPT5054	1018	1048	1080	50	54	2.61	39	7.008
BPX3GPT5060	1083	1112	1145	50	60	2.61	42	7.790
BPX3GPT5066	1191	1224	1261	50	66	2.61	49	8.675
BPX3GPT5072	1310	1346	-	50	72	2.61	56	9.560
BPX3GPT6618	708	741	771	66	18	2.61	22	3.045
BPX3GPT6624	781	813	842	66	24	2.61	26	4.021
BPX3GPT6630	862	894	924	66	30	2.61	30	4.997
BPX3GPT6636	940	971	1003	66	36	2.61	33	5.964
BPX3GPT6642	1016	1049	1079	66	42	2.61	36	6.910
BPX3GPT6648	1091	1122	1154	66	48	2.61	41	7.847
BPX3GPT6654	1164	1193	1227	66	54	2.61	45	8.823
BPX3GPT6660	1238	1269	1302	66	60	2.61	49	9.799

PANEL WIDTH	LIST
18	104
24	114
30	124
36	133
42	142
48	152
54	162
60	171
66	180
72	190

BPX3GPV • Pass-Thru Panel with Vertical Wire Channel and Embedded Glass- Fabric Base





- Opening allows choice of tile above desk height. Vertical wire channel allows passage of cables from lay-in channel to bottom raceway within panel.
- · Solid fabric base up to 34".
- Single 8" opening above 34" for 42" high panels.
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Includes integrated vertical wire channel.
- Horizontal cable management at 34" height.
- OPT* = Laminate or Whiteboard.
- B3 panel Top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separatley, Allen key to set the glass pane plumb is provided with each panel.
- 6mm tempered glass, frosted or clear.
- · Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- · Not retrofitable on-site.
- 16" Glass available as an option, please tag 16" and add the following upcharge per panel size.

PANEL	LIST
WIDTH	
18	104
24	114
30	124
36	133
42	142
48	152
54	162
60	171
66	180
72	190

ı ana		uueu i	Jiass	- rau	IIC D	ase	
PRICE			SIZE/	INCHES		WEIGHT	VOL
GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
799	830	862	42	30	2.61	26	3.382
868	896	930	42	36	2.61	29	4.081
938	966	1000	42	42	2.61	32	4.758
1000	1030	1062	42	48	2.61	37	5.426
1063	1094	1128	42	54	2.61	40	6.135
1129	1157	1192	42	60	2.61	43	6.852
1241	1274	1311	42	66	2.61	51	7.556
1365	1402	-	42	72	2.61	58	8.260
799	830	862	50	30	2.61	27	3.960
868	896	930	50	36	2.61	30	4.732
938	966	1000	50	42	2.61	33	5.484
1000	1030	1062	50	48	2.61	37	6.226
1063	1094	1128	50	54	2.61	41	7.008
1129	1157	1192	50	60	2.61	44	7.790
1241	1274	1311	50	66	2.61	52	8.675
1365	1402	-	50	72	2.61	60	9.560
908	939	970	66	30	2.61	32	4.997
984	1016	1049	66	36	2.61	35	5.964
1063	1095	1126	66	42	2.61	38	6.910
1138	1169	1202	66	48	2.61	43	7.847
1209	1238	1273	66	54	2.61	47	8.823
1280	1311	1343	66	60	2.61	51	9.799
	PRICE GR 1 799 868 938 1000 1063 1129 1241 1365 799 868 938 1000 1063 1129 1241 1365 908 984 1063 1138 1209	PRICE GR1 GR2 799 830 868 896 938 966 1000 1030 1063 1094 1129 1157 1241 1274 1365 1402 799 830 868 896 938 966 1000 1030 1063 1094 1129 1157 1241 1274 1365 1402 908 939 984 1016 1063 1095 1138 1169 1209 1238	PRICE GR 1 GR 2 OPT* 799 830 862 868 896 930 938 966 1000 1000 1030 1062 1063 1094 1128 1129 1157 1192 1241 1274 1311 1365 1402 - 799 830 862 868 896 930 938 966 1000 1000 1030 1062 1063 1094 1128 1129 1157 1192 1241 1274 1311 1365 1402 - 908 939 970 984 1016 1049 1063 1095 1126 1138 1169 1202 1209 1238 1273	PRICE SIZE/ GR1 GR2 OPT* H 799 830 862 42 868 896 930 42 938 966 1000 42 1000 1030 1062 42 1063 1094 1128 42 1129 1157 1192 42 1241 1274 1311 42 1365 1402 - 42 799 830 862 50 868 896 930 50 938 966 1000 50 1000 1030 1062 50 1063 1094 1128 50 1129 1157 1192 50 1241 1274 1311 50 1365 1402 - 50 908 939 970 66 984 1016 1049 66	PRICE SIZE/ INCHES GR1 GR2 OPT* H W 799 830 862 42 30 868 896 930 42 36 938 966 1000 42 42 1000 1030 1062 42 48 1063 1094 1128 42 54 1129 1157 1192 42 60 1241 1274 1311 42 66 1365 1402 - 42 72 799 830 862 50 30 868 896 930 50 36 938 966 1000 50 42 1000 1030 1062 50 48 1063 1094 1128 50 54 1129 1157 1192 50 60 1241 1274 1311 50	PRICE GR2 OPT* H W D 799 830 862 42 30 2.61 868 896 930 42 36 2.61 938 966 1000 42 42 2.61 1000 1030 1062 42 48 2.61 1063 1094 1128 42 54 2.61 1129 1157 1192 42 60 2.61 1241 1274 1311 42 66 2.61 1365 1402 - 42 72 2.61 799 830 862 50 30 2.61 868 896 930 50 36 2.61 938 966 1000 50 42 2.61 1063 1094 1128 50 54 2.61 1129 1157 1192 50 60 2.61	PRICE SIZE/ INCHES WEIGHT GR1 GR2 OPT* H W D LBS 799 830 862 42 30 2.61 26 868 896 930 42 36 2.61 29 938 966 1000 42 42 2.61 32 1000 1030 1062 42 48 2.61 37 1063 1094 1128 42 54 2.61 40 1129 1157 1192 42 60 2.61 43 1241 1274 1311 42 66 2.61 51 1365 1402 - 42 72 2.61 58 799 830 862 50 30 2.61 27 868 896 930 50 36 2.61 33 1000 1030 1062 50 48 2.61 37

BPX3GPF • Pass-Tru Panel with Embedded Glass - Air Flow Base





- Allows air to flow freely through the bottom of the panel.
- Double wall perforated metal base up to 34".
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- · Horizontal cable management at 34" height.
- B3 panel Top trim option provided with embedded, frameless glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separatley, Allen key to set the glass pane plumb is provided with each panel.
- 6mm tempered glass, frosted or clear.
- · Square corners on glass.
- · Integrated adjustable brackets and extruded aluminum trim.
- · Not retrofitable on-site.
- 16" Glass available as an option, please tag 16" and add the following upcharge per panel size.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BPX3GPF5018	765	50	18	2.61	20	2.396
BPX3GPF5024	858	50	24	2.61	23	3.178
BPX3GPF5030	955	50	30	2.61	27	3.960
BPX3GPF5036	1048	50	36	2.61	30	4.732
BPX3GPF5042	1144	50	42	2.61	32	5.484
BPX3GPF5048	1234	50	48	2.61	37	6.226
BPX3GPF5054	1322	50	54	2.61	40	7.008
BPX3GPF5060	1414	50	60	2.61	44	7.790
BPX3GPF6618	854	66	18	2.61	24	3.045
BPX3GPF6624	956	66	24	2.61	28	4.021
BPX3GPF6630	1064	66	30	2.61	32	4.997
BPX3GPF6636	1171	66	36	2.61	35	5.964
BPX3GPF6642	1280	66	42	2.61	38	6.910
BPX3GPF6648	1382	66	48	2.61	43	7.847
BPX3GPF6654	1482	66	54	2.61	47	8.823
BPX3GPF6660	1585	66	60	2.61	50	9.799

UPCHARGES FOR 16" GLASS

PANEL	LIST
WIDTH	
18	104
24	114
30	124
36	133
42	142
48	152
54	162
60	171
66	180
72	190

BPX3GOP • Over Panel Frame with Embedded Glass



• Attaches to the top of any Boulevard System 3 panel to create a floor-to-ceiling wall.

PRODUCT

- Any tile can be attached to either side to enclose the frame.
- Two non-slotted uprights at either end slide into vertical extrusions on the base panel.
- Shipped without horizontal and vertical trim; the horizontal trim from the base panel will be used.
- Boulevard System 3 Over Panel is not compatible with Boulevard 1 panels.
- B3 panel Top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separatley, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, frosted or clear.
- · Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- · Not retrofitable on-site.
- 16" Glass available as an option, please tag 16" and add the following upcharge per panel size.

CODE		Н.	W	D	LBS	FT ³
BPX3GOP0818	329	8	18	2.61	6	0.673
BPX3GOP0824	357	8	24	2.61	9	0.878
BPX3GOP0830	394	8	30	2.61	11	1.246
BPX3GOP0836	426	8	36	2.61	12	1.442
BPX3GOP0842	458	8	42	2.61	14	1.725
BPX3GOP0848	484	8	48	2.61	16	1.890
BPX3GOP0854	511	8	54	2.61	18	2.150
BPX3GOP0860	539	8	60	2.61	19	2.464
BPX3GOP0866	593	8	66	2.61	22	2.722
BPX3GOP0872	652	8	72	2.61	24	2.980
BPX3G0P1618	329	16	18	2.61	7	0.928
BPX3GOP1624	357	16	24	2.61	10	1.170
BPX3G0P1630	394	16	30	2.61	12	1.684
BPX3GOP1636	426	16	36	2.61	13	1.916
BPX3GOP1642	458	16	42	2.61	15	2.309
BPX3GOP1648	484	16	48	2.61	17	2.510
BPX3GOP1654	511	16	54	2.61	19	2.843
BPX3GOP1660	539	16	60	2.61	20	3.266
BPX3GOP1666	593	16	66	2.61	23	3.598
BPX3GOP1672	652	16	72	2.61	26	3.930

SIZE/


INCHES


WEIGHT VOL

PRICE

PANEL	LIST
WIDTH	
18	104
24	114
30	124
36	133
42	142
48	152
54	162
60	171
66	180
72	190


BPX3TMA • Monolithic Accoustical Panel with Embedded Felt Divider





- Provides visual and acoustic privacyB3 panel top trim option provided with embedded, frame-less felt panel rising 8" or 16" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high for 8" and 58" high for 16".
- There is 1.25" gap between two adjacent felt panels.
- Felt panel shipped separately.
- 9mm Felt material is tackable and comes in 18 different colours. Please specify colour.
- NOTE: List price shown is for 8" high felt only.

PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	VOL
CODE	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPX3TMA3418	563	592	622	34	18	2.61	11.9	1.627
BPX3TMA3424	630	657	689	34	24	2.61	14.1	2.178
BPX3TMA3430	696	724	754	34	30	2.61	16.3	2.729
BPX3TMA3436	761	819	879	34	36	2.61	18.5	3.270
BPX3TMA3442	832	889	950	34	42	2.61	19.7	3.791
BPX3TMA3448	897	955	1015	34	48	2.61	22.8	4.302
BPX3TMA3454	978	1033	1094	34	54	2.61	25.0	4.853
BPX3TMA3460	1042	1099	1161	34	60	2.61	27.2	5.404
BPX3TMA3466	1107	1186	1273	34	66	2.61	31.4	6.022
BPX3TMA3472	1170	1248	-	34	72	2.61	36.6	6.640
BPX3TMA4218	600	638	679	42	18	2.61	12.9	2.072
BPX3TMA4224	670	709	750	42	24	2.61	15.1	2.757
BPX3TMA4230	740	778	819	42	30	2.61	18.3	3.442
BPX3TMA4236	809	885	966	42	36	2.61	20.5	4.117
BPX3TMA4242	883	960	1041	42	42	2.61	22.7	4.771
BPX3TMA4248	955	1031	1112	42	48	2.61	25.8	5.416
BPX3TMA4254	1033	1111	1192	42	54	2.61	28.0	6.101
DDVOTNA AOCO	1101	1170	1000	40	()	0 (1	Ω	(70 -




UPCHARGES FOR 16" FELT

PANEL WIDTH	LIST
18	33
24	41
30	52
36	63
42	74
48	77
54	83
60	102
66	109
72	118

BPX3TMA3418	563	592	622	34	18	2.61	11.9	1.627
BPX3TMA3424	630	657	689	34	24	2.61	14.1	2.178
BPX3TMA3430	696	724	754	34	30	2.61	16.3	2.729
BPX3TMA3436	761	819	879	34	36	2.61	18.5	3.270
BPX3TMA3442	832	889	950	34	42	2.61	19.7	3.791
BPX3TMA3448	897	955	1015	34	48	2.61	22.8	4.302
BPX3TMA3454	978	1033	1094	34	54	2.61	25.0	4.853
BPX3TMA3460	1042	1099	1161	34	60	2.61	27.2	5.404
BPX3TMA3466	1107	1186	1273	34	66	2.61	31.4	6.022
BPX3TMA3472	1170	1248	-	34	72	2.61	36.6	6.640
BPX3TMA4218	600	638	679	42	18	2.61	12.9	2.072
BPX3TMA4224	670	709	750	42	24	2.61	15.1	2.757
BPX3TMA4230	740	778	819	42	30	2.61	18.3	3.442
BPX3TMA4236	809	885	966	42	36	2.61	20.5	4.117
BPX3TMA4242	883	960	1041	42	42	2.61	22.7	4.771
BPX3TMA4248	955	1031	1112	42	48	2.61	25.8	5.416
BPX3TMA4254	1033	1111	1192	42	54	2.61	28.0	6.101
BPX3TMA4260	1101	1178	1259	42	60	2.61	30.2	6.785
BPX3TMA4266	1207	1361	1531	42	66	2.61	35.4	7.558
BPX3TMA4272	1308	1466	-	42	72	2.61	40.6	8.330
BPX3TMA5018	752	809	870	50	18	2.61	13.9	2.396
BPX3TMA5024	835	891	952	50	24	2.61	17.1	3.178
BPX3TMA5030	922	977	1037	50	30	2.61	20.3	3.960
BPX3TMA5036	1000	1115	1238	50	36	2.61	23.5	4.732
BPX3TMA5042	1087	1202	1324	50	42	2.61	26.7	5.484
BPX3TMA5048	1170	1284	1408	50	48	2.61	28.8	6.226
BPX3TMA5054	1262	1375	1497	50	54	2.61	30.0	7.008
BPX3TMA5060	1346	1461	1583	50	60	2.61	32.2	7.790
BPX3TMA5066	1457	1613	1780	50	66	2.61	39.4	8.675
BPX3TMA5072	1564	1721	-	50	72	2.61	46.6	9.560
BPX3TMA5418	782	837	900	54	18	2.61	13.9	2.704
BPX3TMA5424	864	922	982	54	24	2.61	18.1	3.678
BPX3TMA5430	950	1009	1069	54	30	2.61	22.3	4.560
BPX3TMA5436	1033	1148	1272	54	36	2.61	25.5	5.332
BPX3TMA5442	1122	1236	1360	54	42	2.61	28.7	7.126
BPX3TMA5448	1204	1317	1442	54	48	2.61	31.8	7.923
BPX3TMA5454	1297	1410	1534	54	54	2.61	34.0	8.423
BPX3TMA5460	1383	1497	1620	54	60	2.61	39.2	9.219
BPX3TMA6618	868	964	1065	66	18	2.61	14.9	3.045
BPX3TMA6624	959	1053	1156	66	24	2.61	19.1	4.021
BPX3TMA6630	1041	1137	1237	66	30	2.61	23.3	4.997
BPX3TMA6636	1130	1283	1445	66	36	2.61	27.5	5.964
BPX3TMA6642	1223	1375	1538	66	42	2.61	29.7	6.910
BPX3TMA6648	1308	1462	1624	66	48	2.61	32.8	7.847
BPX3TMA6654	1405	1558	1720	66	54	2.61	35.0	8.823
BPX3TMA6660	1495	1647	1810	66	60	2.61	37.2	9.799

BPX3TMG · Monolithic Glazed Panel with Embedded Felt Divider



- Full-height glazing provides visual accessibility.
 B3 panel top trim option provided with embedded, frame-less felt panel rising 8" or 16" above the top of the panel. For instance, when installed on42" high B3 panel, overall height will be 50" high for 8" and 58" high for 16".
- There is 1.25" gap between two adjacent felt panels.
- · Felt panel shipped separately.
- 9mm Felt material is tackable and comes in 18 different colours. Please specify colour.
- NOTE: List price shown is for 8" high felt only.

PRODUCT CODE	PRICE	FRST/SMK	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BPX3TMG5024	1288	1529	50	24	2.61	27.1	3.178
BPX3TMG5030	1624	1928	50	30	2.61	32.3	3.960
BPX3TMG5036	1726	2050	50	36	2.61	36.5	4.732
BPX3TMG5042	1830	2174	50	42	2.61	39.7	5.484
BPX3TMG5048	1932	2292	50	48	2.61	45.8	6.226
BPX3TMG5424	1365	1621	54	24	2.61	29.1	3.678
BPX3TMG5430	1651	1961	54	30	2.61	36.3	4.360
BPX3TMG5436	1763	2095	54	36	2.61	41.5	5.317
BPX3TMG5442	1874	2228	54	42	2.61	46.7	6.010
BPX3TMG5448	1986	2359	54	48	2.61	49.8	6.890
BPX3TMG6624	1583	1887	66	24	2.61	35.1	4.021
BPX3TMG6630	1723	2051	66	30	2.61	42.3	4.997
BPX3TMG6636	1872	2227	66	36	2.61	47.5	5.964
BPX3TMG6642	2012	2390	66	42	2.61	52.7	6.910
BPX3TMG6648	2150	2555	66	48	2.61	58.8	7.847

UPCHARGES FOR 16" FELT

PANEL Width	LIST
18	33
24	41
30	52
36	63
42	74
48	77
54	83
60	102
66	109
72	118

BPX3TPT • Pass-Thru Panel with Embedded Felt Divider



- Opening allows choice of tile above desk height.
- B3 panel top trim option provided with embedded, frame-less felt panel rising 8" or 16" above the top of the panel.
 For instance, when installed on42" high B3 panel, overall height will be 50" high for 8" and 58" high for 16".
- There is 1.25" gap between twoadjacent felt panels.
- · Felt panel shipped separately.
- 9mm Felt material is tackable and comes in 18 different colours. Please specify colour.
- NOTE: List price shown is for 8" high felt only.

PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	VOL
CODE	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPX3TPT4218	577	615	658	42	18	2.61	17	1.979
BPX3TPT4224	653	692	734	42	24	2.61	21	2.673
BPX3TPT4230	727	765	808	42	30	2.61	24	3.382
BPX3TPT4236	798	836	879	42	36	2.61	27	4.081
BPX3TPT4242	873	911	954	42	42	2.61	30	4.758
BPX3TPT4248	949	988	1031	42	48	2.61	34	5.426
BPX3TPT4254	1032	1070	1113	42	54	2.61	38	6.135
BPX3TPT4260	1102	1142	1183	42	60	2.61	40	6.852
BPX3TPT4266	1180	1259	1346	42	66	2.61	47	7.556
BPX3TPT4272	1257	1335	-	42	72	2.61	54	8.260
BPX3TPT5018	577	615	658	50	18	2.61	18	2.396
BPX3TPT5024	653	692	734	50	24	2.61	22	3.178
BPX3TPT5030	727	765	808	50	30	2.61	25	3.960
BPX3TPT5036	798	836	879	50	36	2.61	28	4.732
BPX3TPT5042	873	911	954	50	42	2.61	31	5.484
BPX3TPT5048	949	988	1031	50	48	2.61	35	6.226
BPX3TPT5054	1032	1070	1113	50	54	2.61	39	7.008
BPX3TPT5060	1102	1142	1183	50	60	2.61	42	7.790
BPX3TPT5066	1180	1259	1346	50	66	2.61	49	8.675
BPX3TPT5072	1257	1335	-	50	72	2.61	56	9.560
BPX3TPT6618	669	709	750	66	18	2.61	22	3.045
BPX3TPT6624	757	798	838	66	24	2.61	26	4.021
BPX3TPT6630	848	889	929	66	30	2.61	30	4.997
BPX3TPT6636	933	973	1014	66	36	2.61	33	5.964
BPX3TPT6642	1024	1064	1105	66	42	2.61	36	6.910
BPX3TPT6648	1117	1157	1198	66	48	2.61	41	7.847
BPX3TPT6654	1216	1257	1297	66	54	2.61	45	8.823
BPX3TPT6660	1307	1348	1388	66	60	2.61	49	9.799

UPCHARGES FOR 16" FELT

PANEL	LIST
WIDTH	
18	33
24	41
30	52
36	63
42	74
48	77
54	83
60	102
66	109
72	118

42" High

50" High

66" High

• Opening allows choice of tile abovedesk height. Vertical wire channelallows passage of cables from lay-inchannel to

- B3 panel top trim option provided with embedded, frame-less felt panel rising 8" or 16" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high for 8" and 58" high for 16".
- There is 1.25" gap between two adjacent felt panels.

bottom raceway withinpanel.

- · Felt panel shipped separately.
- 9mm Felt material is tackable and comes in 18 different colours. Please specify colour.
- NOTE: List price shown is for 8" high felt only.

١	Nire Channel a	and Em	nbedde	ed Felt	Divid	ler- F	abric	Base	9
	PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	
	CODE	GR1	GR2	OPT*	H	W	D	LBS	FT ³
	BPX3TPV4230	787	825	868	42	30	2.61	22.3	3.382
	BPX3TPV4236	859	898	940	42	36	2.61	24.5	4.081
	BPX3TPV4242	938	977	1020	42	42	2.61	26.7	4.758
	BPX3TPV4248	1011	1049	1092	42	48	2.61	30.8	5.426
	BPX3TPV4254	1090	1128	1171	42	54	2.61	33.0	6.135
	BPX3TPV4260	1172	1211	1253	42	60	2.61	35.2	6.852
	BPX3TPV4266	1235	1313	1400	42	66	2.61	42.4	7.556
	BPX3TPV4272	1297	1376	-	42	72	2.61	48.6	8.260
	BPX3TPV5030	787	825	868	50	30	2.61	23.3	3.960
	BPX3TPV5036	859	898	940	50	36	2.61	25.5	4.732
	BPX3TPV5042	938	977	1020	50	42	2.61	27.7	5.484
	BPX3TPV5048	1011	1049	1092	50	48	2.61	30.8	6.226
	BPX3TPV5054	1090	1128	1171	50	54	2.61	34.0	7.008
	BPX3TPV5060	1172	1211	1253	50	60	2.61	36.2	7.790
	BPX3TPV5066	1235	1313	1400	50	66	2.61	43.4	8.675
	BPX3TPV5072	1297	1376	-	50	72	2.61	50.6	9.560
	BPX3TPV6630	935	976	1016	66	30	2.61	28.3	4.997
	BPX3TPV6636	1024	1064	1105	66	36	2.61	30.5	5.964
	BPX3TPV6642	1108	1149	1189	66	42	2.61	32.7	6.910
	BPX3TPV6648	1194	1236	1277	66	48	2.61	36.8	7.847
	BPX3TPV6654	1289	1329	1370	66	54	2.61	40.0	8.823
	BPX3TPV6660	1377	1418	1458	66	60	2.61	43.2	9.799

UPCHARGES FOR 16" FELT

PANEL	LIST
WIDTH	
18	33
24	41
30	52
36	63
42	74
48	77
54	83
60	102
66	109
72	118

BPX3TPF • Pass-Thru Panel with Embedded Felt Divider - Air Flow Base • Allows air to flow freely through the bottom of the panel. PRODUCT PRICE

- 50" High
- B3 panel top trim option provided with embedded, frameless felt panel rising 8" or 16" above the top of the panel.
 For instance, when installed on42" high B3 panel, overall
- height will be 50" high for 8" and 58" high for 16".

 There is 1.25" gap between two adjacent felt panels.
- · Felt panel shipped separately.
- 9mm Felt material is tackable and comes in 18 different colours. Please specify colour.
- NOTE: List price shown is for 8" high felt only.

iuci Ali i low	Dase					
PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BPX3TPF5018	783	50	18	2.61	17.9	2.396
BPX3TPF5024	889	50	24	2.61	20.1	3.178
BPX3TPF5030	993	50	30	2.61	23.3	3.960
BPX3TPF5036	1107	50	36	2.61	25.5	4.732
BPX3TPF5042	1219	50	42	2.61	26.7	5.484
BPX3TPF5048	1328	50	48	2.61	30.8	6.226
BPX3TPF5054	1446	50	54	2.61	33.0	7.008
BPX3TPF5060	1553	50	60	2.61	36.2	7.790
BPX3TPF6618	905	66	18	2.61	21.9	3.045
BPX3TPF6624	1022	66	24	2.61	25.1	4.021
BPX3TPF6630	1151	66	30	2.61	28.3	4.997
BPX3TPF6636	1275	66	36	2.61	30.5	5.964
BPX3TPF6642	1404	66	42	2.61	32.7	6.910
BPX3TPF6648	1529	66	48	2.61	36.8	7.847
BPX3TPF6654	1662	66	54	2.61	40.0	8.823
BPX3TPF6660	1788	66	60	2.61	42.2	9.799

UPCHARGES FOR 16" FELT

PANEL WIDTH	LIST
18	33
24	41
30	52
36	63
42	74
48	77
54	83
60	102
66	109
72	118

BPX3TOP • Over Panel Frame with Embedded Felt Divider




- Attaches to the top of any Boulevard System 3 panel to create a floor-to-ceiling wall
- B3 panel top trim option provided with embedded, frameless felt panel rising 8" or 16" above the top of the panel.
 For instance, when installed on 42" high B3 panel, overall height will be 50" high for 8" and 58" high for 16".
- There is 1.25" gap between two adjacent felt panels.
- Felt panel shipped separately.
- 9mm Felt material is tackable and comes in 18 different colours. Please specify colour.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
BPX3TOP0818	190	8	18	2.61	3.9	0.673
BPX3TOP0824	211	8	24	2.61	6.1	0.878
BPX3TOP0830	233	8	30	2.61	7.3	1.246
BPX3TOP0836	258	8	36	2.61	7.5	1.442
BPX3TOP0842	285	8	42	2.61	8.7	1.725
BPX3T0P0848	308	8	48	2.61	9.8	1.890
BPX3T0P0854	340	8	54	2.61	11.0	2.150
BPX3TOP0860	365	8	60	2.61	11.2	2.464
BPX3TOP0866	401	8	66	2.61	13.4	2.722
BPX3TOP0872	433	8	72	2.61	14.6	2.980
BPX3TOP1618	190	16	18	2.61	4.9	0.928
BPX3T0P1624	211	16	24	2.61	7.1	1.170
BPX3TOP1630	233	16	30	2.61	8.3	1.684
BPX3T0P1636	258	16	36	2.61	8.5	1.916
BPX3TOP1642	285	16	42	2.61	9.7	2.309
BPX3T0P1648	308	16	48	2.61	10.8	2.510
BPX3TOP1654	340	16	54	2.61	12.0	2.843
BPX3TOP1660	365	16	60	2.61	12.2	3.266
BPX3TOP1666	401	16	66	2.61	14.4	3.598
BPX3TOP1672	433	16	72	2.61	16.6	3.930

UPCHARGES FOR 16" FELT

PANEL Width	LIST
18	33
24	41
30	52
36	63
42	74
48	77
54	83
60	102
66	109
72	118

BP3DS · Solid Door Panel



- Aluminum frame with either high pressure laminate door.
- 1 3/8" thick hollow core door.
- · Actual door size:
- 79.9" x 32 1/2" in 82" x 36" frame
- 79.9" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility. **Door Hanging Directions**
- · No hang-on capabilities.
- · 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- · Lock standard.
- · Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.
- · Includes a Horizontal Lay-in Channel.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE	HP	Н	W	D	LBS	FT ³
BP3DS8236R	2078	82	36	2.61	61	6.465
BP3DS8242R	2263	82	42	2.61	68	7.486
BP3DS8236L	2078	82	36	2.61	61	6.465
BP3DS8242L	2263	82	42	2.61	68	7.486



Right Shown



Left Shown

Door Handle Option

Door Knob - DL01
• Lock Standard




Door Lever - DL02 (Default)

Lock Standard

Lever complies with all handicap codes



BP3DH • Half Glazed Door Panel



- Aluminum frame with either high pressure laminate door and window.
- 1 3/8" thick hollow core door.
- Actual door size:
 79.9" x 32 1/2" in 82" x 36" frame
 79.9" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility.
- · No hang-on capabilities.
- 180 degree swing.
- · Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- · Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.
- For tempered glass option, add "TG" at the end of the product code and add an upcharge of \$134 for 36" wide doors and \$167 for 42" wide doors.
- · Includes a Horizontal Lay-in Channel.

PRODUCT CODE	PRICE HP	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BP3DH8236R	2573	82	36	2.61	53	6.465
BP3DH8242R	2814	82	42	2.61	59	7.486
BP3DH8236L	2573	82	36	2.61	53	6.465
BP3DH8242I	2814	82	42	2.61	59	7.486

Door Hanging Directions





Door Handle Option

Door Knob - DL01






Door Lever - DL02 (Default)

Lock Standard

Lever complies with all accessibility codes




BP3DG • Full Glazed Door Panel



- Aluminum frame with either high pressure laminate door and window.
- 1 3/8" thick hollow core door.
- Actual door size:
 79.9" x 32 1/2" in 82" x 36" frame
 79.9" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility.
- · No hang-on capabilities.
- 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- · Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung
- For tempered glass option, add "TG" at the end of the product code and add an upcharge of \$268 for 36" wide doors and \$334 for 42" wide doors.
- · Includes a Horizontal Lay-in Channel.
- Laminate frame is 5" thick at the sides and 4" at the top and bottom.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE	HP	Н	W	D	LBS	FT ³
BP3DG8236R	4120	82	36	2.61	53	6.465
BP3DG8242R	4507	82	42	2.61	59	7.486
BP3DG8236L	4120	82	36	2.61	53	6.465
BP3DG8242L	4507	82	42	2.61	59	7.486

Door Hanging Directions





Door Handle Option

Door Knob - DL01

Lock Standard




Door Lever - DL02 (Default)

Lock Standard Lever complies with all accessibility codes



BPX3NET • Removable Face Tile - Electric





- Attaches to an 8" or 16" opening in a Pass-Thru Panel.
- Fabric covered tile with knock-out for power and data. (Data/Comm blank covers included).
- 24" wide tiles have one duplex and one data/comm opening. 30" and wider tiles have two duplex and two data/comm openings.
- · Easily interchangeable on site.
- Provides access to electrical and data at a required location.
 Chapita Tile Floatrical Vit apparately.
- Specify Tile Electrical Kit separately.
- Duplexes and covers must be specified separately.
- For power outlets on both sides of the panel, specify two Electrical Tiles per panel. For power outlets on one side only, specify one Electrical Tile and a Fabric Tile for the opposite side.
- OPT* = Laminate or Whiteboard.
- For use on panels manufactured after November 1, 2014

cal Tile Kit								
PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	VOL
CODE	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPX3NET0824	118	124	130	8	24	0.125	2.0	0.170
BPX3NET0830	188	201	215	8	30	0.125	2.5	0.200
BPX3NET0836	211	222	237	8	36	0.125	2.5	0.250
BPX3NET0842	218	230	247	8	42	0.125	2.5	0.292
BPX3NET0848	223	236	252	8	48	0.125	3.0	0.333
BPX3NET0854	231	245	259	8	54	0.125	3.0	0.375
BPX3NET0860	237	250	264	8	60	0.125	4.5	0.417
BPX3NET0866	339	392	448	8	66	0.125	4.7	0.475
BPX3NET0872	438	492	-	8	72	0.125	5.0	0.500
BPX3NET1624	118	124	130	16	24	0.125	2.5	3.400
BPX3NET1630	188	201	215	16	30	0.125	3.0	0.416
BPX3NET1636	211	222	237	16	36	0.125	3.0	0.500
BPX3NET1642	218	230	247	16	42	0.125	3.0	0.583
BPX3NET1648	223	236	252	16	48	0.125	4.0	0.666
BPX3NET1654	231	245	259	16	54	0.125	4.0	0.750
BPX3NET1660	237	250	264	16	60	0.125	5.0	0.833
BPX3NET1666	339	392	448	16	66	0.125	5.5	0.911
BPX3NET1672	438	492	-	16	72	0.125	6.0	1.000

BP3GT • Removable Face Tile - Glazed



- Attaches to any opening in a Pass-Thru Panel.
- 8" or 16" high glazing provides visual accessibility and light transfer.
- · Easily interchangeable on site.
- Specify one Glazed Tile for panel opening of corresponding width.
- · Clear tempered glass standard.

PRODUCT CODE	PRICE	FRST/SMK	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BP3GT0818	72	98	8	18	2.61	2.3	0.146
BP3GT0824	96	123	8	24	2.61	3.1	0.165
BP3GT0830	122	149	8	30	2.61	3.9	0.200
BP3GT0836	149	174	8	36	2.61	4.7	0.250
BP3GT0842	172	200	8	42	2.61	5.5	0.292
BP3GT0848	200	225	8	48	2.61	6.3	0.333
BP3GT0854	222	250	8	54	2.61	7.1	0.375
BP3GT0860	250	276	8	60	2.61	7.8	0.417
BP3GT0866	356	383	8	66	2.61	8.6	0.460
BP3GT0872	464	490	8	72	2.61	9.4	0.500
BP3GT1618	72	98	16	18	2.61	4.3	0.292
BP3GT1624	96	123	16	24	2.61	5.8	0.333
BP3GT1630	122	149	16	30	2.61	7.2	0.416
BP3GT1636	149	174	16	36	2.61	8.7	0.500
BP3GT1642	172	200	16	42	2.61	10.2	0.583
BP3GT1648	200	225	16	48	2.61	11.6	0.666
BP3GT1654	222	250	16	54	2.61	13.1	0.750
BP3GT1660	250	276	16	60	2.61	14.6	0.833
BP3GT1666	356	383	16	66	2.61	16.0	0.911
BP3GT1672	464	490	16	72	2.61	17.5	1.000

BPX3ETCS Removable Face Tile - Chicago Electrical Tile Kit - Single Punch





- Attaches to an 8" or 16" opening in Pass-Thru panel.
- Fabric covered tile with single knock-out for power.
- · Easily interchangeable on site.
- Provides access to electrical and data at a required location.
- Specify Chicago Eltrical Kit separately.
- Duplexes and covers must be specifed separately.
- OPT* = Laminate or Whiteboard.
- For use on Panels manufactured after November 1, 2014.

cago Electrical Tile Kit - Single Punch									
PRODUCT	PRICE		•	SIZE/	INCHES		WEIGHT	VOL	
CODE	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³	
BPX3ETCS0824	125	133	139	8	24	0.125	2	0.170	
BPX3ETCS0830	203	214	230	8	30	0.125	2.5	0.200	
BPX3ETCS0836	225	238	253	8	36	0.125	2.5	0.250	
BPX3ETCS0842	234	247	263	8	42	0.125	2.5	0.292	
BPX3ETCS0848	239	252	268	8	48	0.125	3	0.333	
BPX3ETCS0854	248	261	277	8	54	0.125	3	0.375	
BPX3ETCS0860	253	266	282	8	60	0.125	4.5	0.417	
BPX3ETCS0866	362	419	477	8	66	0.125	4.7	0.475	
BPX3ETCS0872	469	525	585	8	72	0.125	5	0.500	
BPX3ETCS1624	125	133	139	16	24	0.125	2	0.400	
BPX3ETCS1630	203	214	230	16	30	0.125	2.5	0.416	
BPX3ETCS1636	225	238	253	16	36	0.125	2.5	0.500	
BPX3ETCS1642	234	247	263	16	42	0.125	2.5	0.583	
BPX3ETCS1648	239	252	268	16	48	0.125	3	0.666	
BPX3ETCS1654	248	261	277	16	54	0.125	3	0.750	
BPX3ETCS1660	253	266	282	16	60	0.125	4.5	0.833	
BPX3ETCS1666	362	419	477	16	66	0.125	4.7	0.911	
BPX3ETCS1672	469	525	585	16	72	0.125	5	1.000	

BPX3ETCS Removable Face Tile - Chi · Attaches to an 8" or 16" opening





- in Pass-Thru panel. • Fabric covered tile with double
- knock-out for power.
- · Easily interchangeable on site.
- Provides access to electrical and data at a required location.
- Specify Chicago Eltrical Kit separately.
- Duplexes and covers must be specifed separately.
- • OPT* = Laminate or Whiteboard.
- · For use on Panels manufactured after November 1, 2014.

П	cago Electrica	al Tile	Kit - Do	uble Pu	inch				
	PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	VOL
	CODE	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
	BPX3ETCD0824	136	144	152	8	24	0.125	2	0.170
	BPX3ETCD0830	220	234	250	8	30	0.125	2.5	0.200
	BPX3ETCD0836	245	259	276	8	36	0.125	2.5	0.250
	BPX3ETCD0842	255	268	287	8	42	0.125		0.292
	BPX3ETCD0848	260	275	293	8	48	0.125	3	0.333
	BPX3ETCD0854	270	286	302	8	54	0.125	3	0.375
	BPX3ETCD0860	276	291	308	8	60	0.125	4.5	0.417
	BPX3ETCD0866	394	457	522	8	66	0.125	4.7	0.475
	BPX3ETCD0872	511	574	638	8	72	0.125	5	0.500
	BPX3ETCD1624	136	144	152	16	24	0.125	2	0.400
	BPX3ETCD1630	220	234	250	16	30	0.125	2.5	0.416
	BPX3ETCD1636	245	259	276	16	36	0.125	2.5	0.500
	BPX3ETCD1642	255	268	287	16	42	0.125	2.5	0.583
	BPX3ETCD1648	260	275	293	16	48	0.125	3	0.666
	BPX3ETCD1654	270	286	302	16	54	0.125	-	0.750
	BPX3ETCD1660	276	291	308	16	60	0.125	4.5	0.833
	BPX3ETCD1666	394	457	522	16	66	0.125	4.7	0.911
	BPX3ETCD1672	511	574	638	16	72	0.125	5	1.000

BP3DGT · Removable Face Tile - Double Glazed



- · Attaches to any opening in a Pass-Thru
- 8" or 16" high glazing provides visual accessibility and light transfer.
- Easily interchangeable on site.
- · Specify one Double Glazed Tile for panel opening of corresponding width.
- · Clear tempered glass standard.

PRODUCT CODE	PRICE	FRST/SMK	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT3
BP3DGT0818	182	216	8	18	2.61	6.0	0.292
BP3DGT0824	243	288	8	24	2.61	8.2	0.330
BP3DGT0830	307	365	8	30	2.61	10.4	0.400
BP3DGT0836	376	448	8	36	2.61	12.6	0.500
BP3DGT0842	436	523	8	42	2.61	14.7	0.584
BP3DGT0848	501	603	8	48	2.61	16.9	0.666
BP3DGT0854	565	679	8	54	2.61	19.0	0.750
BP3DGT0860	630	755	8	60	2.61	21.3	0.834
BP3DGT0866	693	831	8	66	2.61	23.4	0.920
BP3DGT0872	755	907	8	72	2.61	25.6	1.000
BP3DGT1618	212	254	16	18	2.61	10.0	0.584
BP3DGT1624	285	341	16	24	2.61	13.6	0.666
BP3DGT1630	361	432	16	30	2.61	17.1	0.832
BP3DGT1636	439	528	16	36	2.61	20.6	1.000
BP3DGT1642	512	615	16	42	2.61	24.1	1.166
BP3DGT1648	588	706	16	48	2.61	27.7	1.322
BP3DGT1654	664	797	16	54	2.61	31.2	1.500
BP3DGT1660	740	887	16	60	2.61	34.7	1.666
BP3DGT1666	815	937	16	66	2.61	38.2	1.822
BP3DGT1672	887	1020	16	72	2.61	41.7	2.000

BP30T · Removable Face Tile - Open Pass-Thru Kit



- · Attaches to any opening in a Pass-Thru Panel.
- · Trims and internal corners included to create an opening.
- · Easily interchangeable on site.
- · Specify one Pass-Thru Kit for panel opening of corresponding width.
- · Kit works for 8" & 16" openings.
- · Please specify panel frame colour.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BP30T1618	10	16	18	2.61	0.4	0.292
BP30T1624	12	16	24	2.61	0.6	0.333
BP30T1630	15	16	30	2.61	0.8	0.416
BP30T1636	25	16	36	2.61	1.0	0.500
BP30T1642	28	16	42	2.61	1.1	0.583
BP30T1648	32	16	48	2.61	1.3	0.666
BP30T1654	34	16	54	2.61	1.5	0.750
BP30T1660	38	16	60	2.61	1.7	0.833
BP30T1666	53	16	66	2.61	1.9	0.911
BP30T1672	70	16	72	2.61	2.0	1.000

BP3AT • Removable Face Tile - Accessory



- Attaches to any opening in a Pass-Thru Panel.
- Provides support for accessories.
- Easily interchangeable on site.
- · Two tile clips included.
- Specify two tiles per panel opening of corresponding width. Tiles can be combined. For example, Fabric Tile on one side and Accessory Tile on the opposite side of the same panel.
- Accessory Tile cannot be installed opposite an electrical tile.

PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
97	08	18	0.25	1.7	0.146
117	08	24	0.25	2.3	0.167
125	08	30	0.25	2.9	0.208
151	08	36	0.25	3.5	0.250
178	08	42	0.25	4.1	0.292
207	08	48	0.25	4.7	0.333
226	08	54	0.25	5.3	0.375
255	08	60	0.25	5.9	0.417
366	08	66	0.25	6.5	0.459
476	08	72	0.25	7.0	0.500
97	16	18	0.25	3.5	0.292
117	16	24	0.25	4.7	0.333
125	16	30	0.25	5.7	0.416
151	16	36	0.25	7.0	0.500
178	16	42	0.25	8.2	0.583
207	16	48	0.25	9.4	0.666
226	16	54	0.25	10.6	0.750
255	16	60	0.25	11.9	0.833
366	16	66	0.25	13.0	0.916
476	16	72	0.25	14.0	1.000
	97 117 125 151 178 207 226 255 366 476 97 117 125 151 178 207 226 255 366	H 97 08 117 08 125 08 151 08 178 08 207 08 226 08 255 08 366 08 476 08 97 16 117 16 125 16 151 16 178 16 207 16 226 16 255 16 366 16	H W 97 08 18 117 08 24 125 08 30 151 08 36 178 08 42 207 08 48 226 08 54 255 08 60 366 08 66 476 08 72 97 16 18 117 16 24 125 16 30 151 16 36 178 16 42 207 16 48 226 16 54 255 16 60 366 16 66	H W D 97 08 18 0.25 117 08 24 0.25 125 08 30 0.25 151 08 36 0.25 178 08 42 0.25 207 08 48 0.25 226 08 54 0.25 255 08 60 0.25 366 08 66 0.25 476 08 72 0.25 97 16 18 0.25 117 16 24 0.25 125 16 30 0.25 151 16 36 0.25 178 16 42 0.25 207 16 48 0.25 226 16 54 0.25 255 16 60 0.25 366 16 60 0.25	H W D LBS 97 08 18 0.25 1.7 117 08 24 0.25 2.3 125 08 30 0.25 2.9 151 08 36 0.25 3.5 178 08 42 0.25 4.1 207 08 48 0.25 4.7 226 08 54 0.25 5.3 255 08 60 0.25 5.9 366 08 66 0.25 5.9 366 08 72 0.25 7.0 97 16 18 0.25 3.5 117 16 24 0.25 4.7 125 16 30 0.25 5.7 151 16 36 0.25 7.0 178 16 42 0.25 8.2 207 16 48 0.25


BP3FT • Removable Face Tile - Fabric



- Attaches to any opening in a Pass-Thru Panel.
- Tile clips included.
- · Easily interchangeable on site.
- Specify two tiles per panel opening of corresponding width. Tiles can be combined. For example, Fabric Tile on one side and Accessory Tile on the opposite side of the same panel.
- OPT* = Laminate or Whiteboard.

PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	VOL
CODE	GR 1	GR2	OPT*	H	W	D	LBS	FT ³
BP3FT0818	87	93	101	8	18	0.25	1	0.146
BP3FT0824	93	99	108	8	24	0.25	1	0.165
BP3FT0830	99	113	125	8	30	0.25	2	0.200
BP3FT0836	122	134	150	8	36	0.25	2	0.250
BP3FT0842	130	144	158	8	42	0.25	2	0.292
BP3FT0848	136	150	163	8	48	0.25	3	0.333
BP3FT0854	144	156	169	8	54	0.25	3	0.375
BP3FT0860	150	161	174	8	60	0.25	4	0.417
BP3FT0866	227	281	338	8	66	0.25	4	0.460
BP3FT0872	307	361	-	8	72	0.25	4	0.500
BP3FT1618	87	93	101	16	18	0.25	2	0.292
BP3FT1624	93	99	108	16	24	0.25	2	0.333
BP3FT1630	99	113	125	16	30	0.25	3	0.416
BP3FT1636	122	134	150	16	36	0.25	3	0.500
BP3FT1642	130	144	158	16	42	0.25	3	0.583
BP3FT1648	136	150	163	16	48	0.25	4	0.666
BP3FT1654	144	156	169	16	54	0.25	4	0.750
BP3FT1660	150	161	174	16	60	0.25	5	0.833
BP3FT1666	227	281	338	16	66	0.25	5	0.920
BP3FT1672	307	361	-	16	72	0.25	6	1.000

BP30PFA • Fabric Over Panel



- · Attaches to top of a panel to create floorto-ceiling wall.
- · Centre septum overlaid on either side with 11/8" "Sound absorbent mineral
- · Non-slotted.
- · Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in


Attaches to top of a panel to create floor-	PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	VOL
to-ceiling wall.	CODE	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
Centre septum overlaid on either side	BP30PFA18XX	215	227	243	16	18	2.61	8	0.730
with 11/8" "Sound absorbent mineral	BP30PFA24XX	244	254	269	16	24	2.61	8	0.730
board".	BP30PFA30XX	280	291	307	16	30	2.61	10	0.912
Non-slotted.	BP30PFA36XX	314	328	341	16	36	2.61	12	1.094
 Exact height should be specified when 	BP30PFA42XX	342	356	371	16	42	2.61	12	1.094
ordering, with allowance of at least 1" of	BP30PFA48XX	379	394	406	16	48	2.61	14	1.277
free space between over panel and ceil-	BP30PFA54XX	416	426	441	16	54	2.61	14	1.277
ing to accommodate height variations in	BP30PFA60XX	441	452	469	16	60	2.61	15	1.368
ceiling and floor. Can be any height from 4.4" minimum to 15.9" maximum. Please tag exact height required.									

· Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.

PRICE

OPT* = Laminate or Whiteboard.

BP30PFV • Fabric Over Panel with Vertical Wire Channel PRODUCT



- Attaches to top of a panel to create floor-to-ceiling wall.
- Centre septum overlaid on either side with 1" sound absorbent mineral board.
- · Non-slotted.
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Can be any height from 4.4" minimum to 15.9" maximum. Please tag

CODE	GR 1	GR 2	OPT*	Н	W	D	LBS	FT ³
BP30PFV18XX	254	266	280	16	18	2.61	8	0.73
BP30PFV24XX	281	303	308	16	24	2.61	8	0.73
BP30PFV30XX	319	330	345	16	30	2.61	10	0.912
BP30PFV36XX	355	366	382	16	36	2.61	12	1.094
BP30PFV42XX	382	394	409	16	42	2.61	12	1.094
BP30PFV48XX	419	431	444	16	48	2.61	14	1.277
BP30PFV54XX	452	466	479	16	54	2.61	14	1.277
BP30PFV60XX	480	491	508	16	60	2.61	15	1.368
tag exact height required.								


SIZE/

INCHES

WEIGHT VOL

- Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
- OPT* = Laminate or Whiteboard.


BA3PAS • Glass Over Panel with Round Pucks for System 3 · Glass Over Panel creates division.



- · Glass Over Panel with no frame sits on top of a System 3 Panel with clamps that are secured to the top of the panel.
- · Tempered glass is 16" high.
- · Custom sizes available, contact your Customer Service Representative.
- · For application where the over panel is sandwiched between two taller panels, please request a special as the glass will not fit due to trims

PRODUCT	PRICE		SIZE/	INCHES	_		T VOL
CODE	CLR	FRST	Н	W	D	LBS	FT ³
BA3PAS0824	212	234	8	24	1.3	4	0.22
BA3PAS0830	231	259	8	30	1.3	5	0.30
BA3PAS0836	249	279	8	36	1.3	6	0.37
BA3PAS0842	263	299	8	42	1.3	7	0.43
BA3PAS0848	271	317	8	48	1.3	8	0.48
BA3PAS1624	212	234	16	24	1.3	8	0.44
BA3PAS1630	231	259	16	30	1.3	10	0.59
BA3PAS1636	249	279	16	36	1.3	12	0.73
BA3PAS1642	263	299	16	42	1.3	14	0.85
BA3PAS1648	271	317	16	48	1.3	16	0.96

BA3PASS • Glass Over Panel with Square Pucks



- Glass Over Panel creates division.
- · Glass Over Panel with no frame sits on top of a System 3 Panel with clamps that are secured to the top of the panel.
- Tempered glass is 16" high.
- Custom sizes available, contact your Customer Service Representative.
- For application where the over panel is sandwiched between two taller panels, please request a special as the glass will not fit due to trims

s tor System	3						
PRODUCT	PRICE		SIZE/	INCHES	_	WEIGH	
CODE	CLR	FRST	H	W	D	LBS	FT ³
BA3PASS0824	216	238	8	24	1.3	4	0.22
BA3PASS0830	237	263	8	30	1.3	5	0.30
BA3PASS0836	253	284	8	36	1.3	6	0.37
BA3PASS0842	268	304	8	42	1.3	7	0.43
BA3PASS0848	277	320	8	48	1.3	8	0.48
BA3PASS1624	216	238	16	24	1.3	8	0.44
BA3PASS1630	237	263	16	30	1.3	10	0.59
BA3PASS1636	253	284	16	36	1.3	12	0.73
BA3PASS1642	268	304	16	42	1.3	14	0.85
BA3PASS1648	277	320	16	48	1.3	16	0.96

BPMB • Raceway Cover Caps



- To provide clean detail for the punch-outs of a raceway cover when the punch-outs are not in use. Order only when required.
- · Made of injection molded ABS.
- B = Black
- G = Grey
- W = White

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BPMB020104B	10	1.5	3	0.125	0.04	0.02
BPMB020104G	10	1.5	3	0.125	0.04	0.02
BPMB020104W	10	1.5	3	0.125	0.04	0.02

BH3PS • 90 Degree Post



- Enables connection for multiple panel runs such as 90°, 3 way
- · Includes 2 "Capture Strip" panel connectors, 4 end strips, 2 pairs of raceway end caps, and 1 post cap.
- · Posts are designed to accept the following:
- 75 cables 5.6mm (0.220") diameter
- 60 ccables 5.6mm (0.220") diameter with 1 power feed
- 45 cables 5.6mm (0.220") diameter with 2 power feeds

PRICE	SIZE/	INCHES	_		
	Н	W	U	TR2	FT ³
69	27	2.61	2.61	4	0.14
104	35	2.61	2.61	5	0.18
119	43	2.61	2.61	7	0.22
131	47	2.61	2.61	7	0.27
137	51	2.61	2.61	8	0.29
145	59	2.61	2.61	8	0.31
	69 104 119 131 137	H 69 27 104 35 119 43 131 47 137 51	H W 69 27 2.61 104 35 2.61 119 43 2.61 131 47 2.61 137 51 2.61	H W D 69 27 2.61 2.61 104 35 2.61 2.61 119 43 2.61 2.61 131 47 2.61 2.61 137 51 2.61 2.61	H W D LBS 69 27 2.61 2.61 4 104 35 2.61 2.61 5 119 43 2.61 2.61 7 131 47 2.61 2.61 7 137 51 2.61 2.61 8

BH3PS45 · 45 Degree Post



- · Enables connection for two panels at 45°.
- Includes 2 "Capture Strip" panel connectors and 1 post cap.
- · 45 degree post does not accept End Trim.
- · No power infeed capabilities.
- · Posts are designed to accept the following:
- 30 cables 5.6mm (0.220") diameter

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	
CODE		H	W	D	LBS	FT ³
BH3PS45034	69	27	2.61	2.61	4	0.14
BH3PS45042	104	35	2.61	2.61	5	0.18
BH3PS45050	119	43	2.61	2.61	7	0.22
BH3PS45054	131	47	2.61	2.61	7	0.27
BH3PS45058	140	51	2.61	2.61	8	0.29
BH3PS45066	149	59	2.61	2.61	8	0.31

BH3PS60 · 60 Degree Post



- Enables connection for multiple panel runs such as 120° and 3 way.
- Includes 2 "Capture Strip" panel connectors and 1 post cap.
- · No power infeed capabilities.
- · Posts are designed to accept the following:
- · 35 cables 5.6mm (0.220") diameter

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BH3PS60034	69	27	2.61	2.61	4	0.14
BH3PS60042	104	35	2.61	2.61	5	0.18
BH3PS60050	119	43	2.61	2.61	7	0.22
BH3PS60054	131	47	2.61	2.61	7	0.27
BH3PS60058	140	51	2.61	2.61	8	0.29
BH3PS60066	149	59	2.61	2.61	8	0.31

BH3PE • Post Extension for Over Panels



- Provides route for ceiling data or electrical cables through the post to the panel.
- · Includes 2 "Capture Strip" panel connectors.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
BH3PE008	32	8	2.61	2.61	1	0.03
BH3PE016	39	16	2.61	2.61	2	0.07
BH3PE032	69	32	2.61	2.61	4	0.14
BH3PE45016	39	16	2.61	2.61	2	0.07
BH3PE45032	69	32	2.61	2.61	4	0.14
BH3PE60016	39	16	2.61	2.61	2	0.07
BH3PE60032	70	32	2.61	2.61	4	0.14

SIZE/

INCHES

WEIGHT VOL


FT³

0.035

LBS

PRICE

BH3PA · Off-Module Connector (Panel to Panel Adapter)




- · Connects Boulevard System 3 panel to another perpendicular Boulevard System 3 Monolithic Panel off-module.
- Top and bottom brackets bolt to panel vertical of one panel
 - 3.5 BH3PA02 and engage to top and bottom "fabric" edges of adjacent, perpendicular Monolithic Panel of even height.
- · While connecting tile panel to Monolithic Panel is possible, never attempt to secure Off-Module Connectors to a tile panel.
- Once an off-module panel is secure to Monolithic Panel spine with Off-Module Connecting Kit, the raceway on the spine panel cannot be accessed and can only be opened from the opposite side.

CODE

- Special top trim required, provide application to your Customer Service Representative.
- This connector is not a load-bearing connection.
- Not to be used on the panel seam, with over panels or laminate and metal faced panels.


RCX3WMP2 • Raceway Cover with Punchouts Both Si • Metal raceway organizes cables at the base.



- Snaps directly into the base of the panel.
- When opened, cover's side rests on the floor, providing unobstructed access to data/power installation.
- 18" Raceway Covers do not have power and data/communication punch-outs.
- 24" Raceway covers have electrical and one data opening.
- Data opening sizing is as follows: 1.38" x 2.71".
- · Comes standard with all System 3 panels.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.

ides						
PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
RCX3WM24P2	53	5.62	24	2.61	3.3	0.21
RCX3WM30P2	64	5.62	30	2.61	4.1	0.26
RCX3WM36P2	71	5.62	36	2.61	4.9	0.31
RCX3WM42P2	77	5.62	42	2.61	5.7	0.36
RCX3WM48P2	85	5.62	48	2.61	6.6	0.42
RCX3WM54P2	93	5.62	54	2.61	7.4	0.47
RCX3WM60P2	101	5.62	60	2.61	8.3	0.52
RCX3WM66P2	158	5.62	66	2.61	9.1	0.57
RCX3WM72P2	166	5.62	72	2.61	9.8	0.62


RCX3WMP1 • Raceway Cover with Punchouts One Side, None Other Side



- · Metal raceway organizes cables at the base.
- · Snaps directly into the base of the panel.
- When opened, cover's side rests on the floor, providing unobstructed access to data/power installation.
- 18" Raceway Covers do not have power and data/communication punch-outs.
- 24" Raceway covers have electrical and one data opening.
- Data opening sizing is as follows: 1.38" x 2.71".
- Comes standard with all System 3 panels.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.

I	ide, None Other Side										
	PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³				
	RCX3WM24P1	53	5.62	24	2.61	3.3	0.21				
	RCX3WM30P1	64	5.62	30	2.61	4.1	0.26				
	RCX3WM36P1	71	5.62	36	2.61	4.9	0.31				
	RCX3WM42P1	77	5.62	42	2.61	5.7	0.36				
	RCX3WM48P1	85	5.62	48	2.61	6.6	0.42				
	RCX3WM54P1	93	5.62	54	2.61	7.4	0.47				
	RCX3WM60P1	101	5.62	60	2.61	8.3	0.52				
	RCX3WM66P1	158	5.62	66	2.61	9.1	0.57				
	RCX3WM72P1	166	5.62	72	2.61	9.8	0.62				


RCX3WMNP · Raceway Cover with No Punchouts Both Sides



- Metal raceway organizes cables at the base.
- · Snaps directly into the base of the panel.
- When opened, cover's side rests on the floor, providing unobstructed access to data/power installation.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT	T VOL FT3
RCX3WM18NP	45	5.62	18	2.61	2.4	0.16
RCX3WM24NP	53	5.62	24	2.61	3.3	0.21
RCX3WM30NP	64	5.62	30	2.61	4.1	0.26
RCX3WM36NP	71	5.62	36	2.61	4.9	0.31
RCX3WM42NP	77	5.62	42	2.61	5.7	0.36
RCX3WM48NP	85	5.62	48	2.61	6.6	0.42
RCX3WM54NP	93	5.62	54	2.61	7.4	0.47
RCX3WM60NP	101	5.62	60	2.61	8.3	0.52
RCX3WM66NP	158	5.62	66	2.61	9.1	0.57
RCX3WM72NP	166	5.62	72	2.61	9.8	0.62


RCX3WMP1CH · Chicago Raceway Punch Out One Side, None Other Side



- Metal raceway orginizes cables at base.
- To be used with a Chicago Junction Box only
- · Snaps directly at the base of the panel.
- When opened, cover's side rests on the floor, providing unobstructed access to data/power installation.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
RCX3WM24P1CH	61	5.62	24	2.61	3.3	0.21
RCX3WM30P1CH	70	5.62	30	2.61	4.1	0.26
RCX3WM36P1CH	77	5.62	36	2.61	4.9	0.31
RCX3WM42P1CH	90	5.62	42	2.61	5.7	0.36
RCX3WM48P1CH	97	5.62	48	2.61	6.6	0.42
RCX3WM54P1CH	105	5.62	54	2.61	7.4	0.47
RCX3WM60P1CH	114	5.62	60	2.61	8.3	0.52
RCX3WM66P1CH	120	5.62	66	2.61	9.1	0.57
RCX3WM72P1CH	127	5.62	72	2.61	9.8	0.62

RCX3WMP2CH · Chicago Raceway Punch Out Both Side




- Metal raceway orginizes cables at base.
- To be used with a Chicago Junction Box only
- · Snaps directly at the base of the panel.
- When opened, cover's side rests on the floor, providing unobstructed access to data/power installation.

RODUCT	PRICE	SIZE/				
ODE		SIZE/	INCHES		WEIGHT	VOL
UDE		H	W	D	LBS	FT ³
CX3WM24P2CH	61	5.62	24	2.61	3.3	0.21
CX3WM30P2CH	70	5.62	30	2.61	4.1	0.26
CX3WM36P2CH	77	5.62	36	2.61	4.9	0.31
CX3WM42P2CH	90	5.62	42	2.61	5.7	0.36
CX3WM48P2CH	97	5.62	48	2.61	6.6	0.42
CX3WM54P2CH	104	5.62	54	2.61	7.4	0.47
CX3WM60P2CH	114	5.62	60	2.61	8.3	0.52
CX3WM66P2CH	120	5.62	66	2.61	9.1	0.57
CX3WM72P2CH	128	5.62	72	2.61	9.8	0.62
	CX3WM30P2CH CX3WM36P2CH CX3WM42P2CH CX3WM48P2CH CX3WM54P2CH CX3WM60P2CH CX3WM66P2CH	CX3WM24P2CH 61 CX3WM30P2CH 70 CX3WM36P2CH 77 CX3WM42P2CH 90 CX3WM48P2CH 97 CX3WM54P2CH 104 CX3WM60P2CH 114 CX3WM66P2CH 120	CX3WM24P2CH 61 5.62 CX3WM30P2CH 70 5.62 CX3WM36P2CH 77 5.62 CX3WM42P2CH 90 5.62 CX3WM48P2CH 97 5.62 CX3WM54P2CH 104 5.62 CX3WM60P2CH 114 5.62 CX3WM66P2CH 120 5.62	CX3WM24P2CH 61 5.62 24 CX3WM30P2CH 70 5.62 30 CX3WM36P2CH 77 5.62 36 CX3WM42P2CH 90 5.62 42 CX3WM48P2CH 97 5.62 48 CX3WM54P2CH 104 5.62 54 CX3WM60P2CH 114 5.62 60 CX3WM66P2CH 120 5.62 66	CX3WM24P2CH 61 5.62 24 2.61 CX3WM30P2CH 70 5.62 30 2.61 CX3WM36P2CH 77 5.62 36 2.61 CX3WM42P2CH 90 5.62 42 2.61 CX3WM48P2CH 97 5.62 48 2.61 CX3WM54P2CH 104 5.62 54 2.61 CX3WM60P2CH 114 5.62 60 2.61 CX3WM66P2CH 120 5.62 66 2.61	CX3WM24P2CH 61 5.62 24 2.61 3.3 CX3WM30P2CH 70 5.62 30 2.61 4.1 CX3WM36P2CH 77 5.62 36 2.61 4.9 CX3WM42P2CH 90 5.62 42 2.61 5.7 CX3WM48P2CH 97 5.62 48 2.61 6.6 CX3WM54P2CH 104 5.62 54 2.61 7.4 CX3WM60P2CH 114 5.62 60 2.61 8.3 CX3WM66P2CH 120 5.62 66 2.61 9.1

CONNECTORS AND TRIMS

BG3JB-CH • Chicago Juncation Box - Raceway



- Provides single power entry from floor raceway.
- Single Ceiling Feed has a 6" whip, liquid tight.
- · Raceway connection replaces one Duplex Receptacle Block in a standard kit.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BG3JBP1CH BG3JBP2CH	223 230	2.09 2.09	9.78 9.78	2.42 2.42	1.20	0.03

BH3JB-CH • Chicago Juncation Box - Facemount



- Provides single power entry from celing through a post
- · Raceway connection replaces one Duplex Receptacle Block in a standard kit.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BH3JBP1CH	247	2.09	9.78	2.42	1.98	0.03
BH3JBP2CH	253	2.09	9.78	2.42	1.98	0.03

B3HWA • Wall Adapter



- Starts a run of panels off an existing wall.
- · Includes 2 "Capture Strip" panel connectors and 1 pair of raceway end caps.
- · Mounting hardware not included.
- · Mounting hardware selection should be based on wall or wall stud material.
- Wall Adapter adds 5/16" to a panels run.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
B3HWA034	48	34	2.61	0.375	2	0.011
B3HWA042	56	42	2.61	0.375	3	0.015
B3HWA050	64	50	2.61	0.375	3	0.018
B3HWA054	72	54	2.61	0.375	3	0.020
B3HWA058	72	58	2.61	0.375	4	0.021
B3HWA066	72	66	2.61	0.375	4	0.021

SIZE/

34.7

42.7

46.7

INCHES

WEIGHT VOL

FT³

0.161

0.148

0.216

0.244

LBS

25

3.6

5.1

BHWASL • Adapter Sleeve



- Wall Adapter Sleeve is attached to the building to provide flexible support to a panel run.
- · As opposed to the BHWA wall adapter, which connects to the panels rigidly to a wall, B1 and B3 Boulevard panels rest inside of the vertical "U" channel, providing up to 3.5" of flexible adjustment.
- For panel runs taller then 66" order two Wall Adapter Sleeves and either have it cut short on the site below ceiling, BHWASL66 or cut a rectangular hole in the ceiling tile. Rectangular slots in the Channels correspond to 66", 58", 54", 50" and 42" high B1 and B3 panels.
 - 52.7 249 58.7

PRICE

201

216 223

231

- · Powder coated steel; specify metal finish.
- · Note: the Wall Adapter Sleeve provides flexible, non-structual connection, blocks vertical 1" increment clots and cannot, therefore, be used to support overheads and worksurfaces, they must be supported by perpendicular panels, c-legs or gables.

PRODUCT

BHWASL42

BHWASL50

BHWASL54

BHWASL58

CODE

Note: no fasteners are provided with the Wall Adapter Sleeve. Select the appropriate fasteners according to a structurally sound connec-

BH3CS • Capture Strip Slot Cover



- An extruded PVC channel to adjoin two panels or a panel to a post. Runs the full length of the panel on both sides providing a positive connection of the "Knuckle-Loc" design.
- · Priced per pair.
- · Pliable side membranes cover panel slots.
- Included with panel components.
- · Only to be ordered separately if required.

PRODUCT	PRICE	SIZE/	INCHES	WEIGHT	VOL
CODE		H		LBS	FT ³
BH3CS34	15	37		0.24	0.11
BH3CS42	15	42		0.28	0.13
BH3CS50	16	50		0.33	0.15
BH3CS54	16	54		0.31	0.17
BH3CS66	25	66		0.4	0.19

BH3CE • End Strip Slot Cover



- End strips with pliable side membrane covers panel slots at end of run.
- Priced per pair.
- · Included with panel components.
- · Only to be ordered separately if required.


PRODUCT Code	PRICE	SIZE/ H	INCHES	WEIGHT LBS	VOL FT ³
BH3CE34	12	37		0.12	0.05
BH3CE42	12	42		0.14	0.06
BH3CE50	15	50		0.16	0.07
BH3CE54	15	54		0.31	0.08
BH3CE66	16	66		0.20	0.09

BA3VTR • Vertical Aluminum End Trim



- · Finishes the vertical edges of panels and posts (90 and 60 degree).
- In the case of the panel, the trim runs from the top of the panel to the bottom of the raceway, enclosing the horizontal channel openings and the raceway openina.
- In the case of the Over Panel, the trim runs from the top of the Over Panel to the bottom of the Over Panel, enclosing the horizontal channel openings.

PRODUCT CODE	PRICE	ТҮРЕ	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BA3VTR34	72	REGULAR PANEL	34	2.61	0.25	1.1	0.03
BA3VTR42	82		42	2.61	0.25	1.4	0.03
BA3VTR50	95		50	2.61	0.25	1.7	0.04
BA3VTR54	112		54	2.61	0.25	1.9	0.04
BA3VTR58	118		58	2.61	0.25	2.1	0.05
BA3VTR66	125		66	2.61	0.25	2.2	0.05
BA3VTE16	38	OVER PANEL	16	2.61	0.25	0.5	0.03
BA3VTE32	72		32	2.61	0.25	1.1	0.06




- BA3VTS Vertical Aluminum End Trim Standard Step Down
 Finishes the vertical edges of panels and posts (90 and 60 degree).

 PRODUCT CODE
 - Trims run from the top of one panel to the top of lower panel enclosing the horizontal channel opening.

U	DOWII						
	PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	
	CODE		Н	W	D	LBS	FT ³
	BA3VTS04	10	4	2.61	0.25	0.2	0.010
	BA3VTS08	26	8	2.61	0.25	0.3	0.015
	BA3VTS12	33	12	2.61	0.25	0.4	0.022
	BA3VTS16	38	16	2.61	0.25	0.5	0.030
	BA3VTS20	45	20	2.61	0.25	0.7	0.039
	BA3VTS24	53	24	2.61	0.25	0.9	0.045
	BA3VTS32	72	32	2.61	0.25	1.1	0.060


BV3VTR • Vertical PVC End Trim



- Finishes the vertical edges of panels and posts (90 and 60 degree).
- In the case of the panel, the trim runs from the top of the panel to the bottom of the raceway, enclosing the horizontal channel openings and the raceway opening.
- In the case of the over panel, the trim runs from the top of the over panel to the bottom of the over panel, enclosing the horizontal channel openings.

PRODUCT Code	PRICE	ТҮРЕ	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BV3VTR34	48	REGULAR PANEL	34	2.61	0.25	0.6	0.030
BV3VTR42	52		42	2.61	0.25	0.7	0.030
BV3VTR50	64		50	2.61	0.25	0.9	0.040
BV3VTR54	72		54	2.61	0.25	1.0	0.045
BV3VTR58	76		58	2.61	0.25	1.0	0.047
BV3VTR66	81		66	2.61	0.25	1.1	0.050
BV3VTE16	33	OVER PANEL	16	2.61	0.25	0.3	0.030
BV3VTE32	48		32	2.61	0.25	0.6	0.060


BV3VTS · Vertical PVC End Trim Standard Step Down



- Finishes the vertical edges of panels and posts 90 and 60 degree).
- Trims run from the top of one panel to the top of lower panel enclosing the horizontal channel opening.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BV3VTS04	10	3.75	2.61	0.25	0.1	0.010
BV3VTS08	15	7.75	2.61	0.25	0.1	0.015
BV3VTS12	25	11.75	2.61	0.25	0.2	0.020
BV3VTS16	28	15.75	2.61	0.25	0.3	0.030
BV3VTS20	33	19.75	2.61	0.25	0.3	0.035
BV3VTS24	41	23.75	2.61	0.25	0.4	0.045
BV3VTS32	48	31.75	2.61	0.25	0.6	0.060

BA3VTRF • Vertical Aluminum Flat End Trim



- Finishes the vertical edges of panels and posts (90 and 60 degree).
- In the case of the panel, the trim runs from the top of the panel to the bottom of the raceway, enclosing the horizontal channel openings and the raceway opening.
- In the case of the over panel, the trim runs from the top of the over panel to the bottom of the over panel, enclosing the horizontal channel openings.
- BABVTRF119 cannot ship via courier and must be combined with other product.

rım							
PRODUCT	PRICE	TYPE	SIZE/	INCHES		WEIGHT	VOL
CODE			H	W	D	LBS	FT ³
BA3VTRF34	72	REGULAR PANEL	34	2.61	0.125	1.1	0.03
BA3VTRF42	82		42	2.61	0.125	1.4	0.03
BA3VTRF50	95		50	2.61	0.125	1.7	0.04
BA3VTRF54	112		54	2.61	0.125	1.9	0.04
BA3VTRF58	118		58	2.61	0.125	1.9	0.04
BA3VTRF66	125		66	2.61	0.125	2.2	0.05
BA3VTRF119	190		119	2.61	0.125	3.6	0.08
BA3VTEF8	17	OVER PANEL	8	2.61	0.125	0.2	0.01
BA3VTEF16	38		16	2.61	0.125	0.5	0.03
BA3VTEF32	72		32	2.61	0.125	1.1	0.06


BA3VTSF • Vertical Aluminum Flat End Trim Standard Step Down



- Finishes the vertical edges of panels and posts (90 and 60 degree).
- Trims run from the top of one panel to the top of lower panel enclosing the horizontal channel opening.

a otep bomii						
PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BA3VTSF04	13	3.75	2.61	0.125	0.1	0.010
BA3VTSF08	26	7.75	2.61	0.125	0.3	0.015
BA3VTSF12	33	11.75	2.61	0.125	0.4	0.020
BA3VTSF16	38	15.75	2.61	0.125	0.5	0.030
BA3VTSF20	45	19.75	2.61	0.125	0.8	0.035
BA3VTSF24	53	23.75	2.61	0.125	0.9	0.045
BA3VTSF32	72	31.75	2.61	0.125	1.1	0.060


B3LEP-NC • End of Run Gallery Panel in a T configuation, No Connectors for Additional Gallery Panels



- Provides floor standing support while enclosing the end of a panel run on two sides.
- Attaches to the end of a Boulevard Panel with capture strips to form a T configuration.
- · Connection is on the interior face center.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surfaces while the 63" wide accommodates two 30" deep surfaces and 75" wide two 36" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Edged in PVC on three exposed edges and self edged on bottom.

o Connectors 10	or Ada	luon	ai Ga	me	y Pane	!IS
PRODUCT	PRICE		NCHES		WEIGHT	VOL
CODE	LP	Н	W	D	LBS	FT ³
B3LEP4251NC	951	42	51	1	55.17	1.24
B3LEP4263NC	1065	42	63	1	68.01	1.53
B3LEP4275NC	1185	42	75	1	80.86	1.82
B3LEP5051NC	1104	50	51	1	65.92	1.48
B3LEP5063NC	1244	50	63	1	81.27	1.82
B3LEP5075NC	1404	50	75	1	96.62	2.17
B3LEP5451NC	1137	54	51	1	71.3	1.59
B3LEP5463NC	1281	54	63	1	87.9	1.97
B3LEP5475NC	1448	54	75	1	104.49	2.34

B3LSEPL-NC • Left End of Run Single Gallery Panel in L Configuration, No Connectors for Additional Gallery Panels



- Provides floor standing support while enclosing the end of a panel run on one side.
- Attaches to the end of a Boulevard Panel with capture strips to form an L configuration.
- · Connection is on interior face near it's right end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface and 39" wide a 36" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Edged in PVC on three exposed edges and self edged on bottom.

PRODUCT	T PRICE SIZE/INCHES			WEIGHT	VOL	
CODE	LP	H	W	D	LBS	FT ³
B3LSEPL4227NC	725	42	27	1	29.47	0.66
B3LSEPL4233NC	782	42	33	1	35.89	0.80
B3LSEPL4239NC	822	42	39	1	42.32	0.95
B3LSEPL5027NC	824	50	27	1	35.23	0.78
B3LSEPL5033NC	893	50	33	1	42.9	0.95
B3LSEPL5039NC	956	50	39	1	50.57	1.13
B3LSEPL5427NC	848	54	27	1	38.1	0.84
B3LSEPL5433NC	921	54	33	1	46.4	1.03
B3LSEPL5439NC	986	54	39	1	54.7	1.22

B3LSEPR-NC • Right End of Run Single Gallery Panel in L Configuration, No Connectors for Additional Gallery Panels



- Provides floor standing support while enclosing the end of a panel run on one side.
- Attaches to the end of a Boulevard Panel with capture strips to form an L configuration.
- Connection is on interior face near it's right end.
- - Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface and 39" wide a 36" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Edged in PVC on three exposed edges and self edged on bottom.

PRODUCT	PRICE	SIZE/INCHES			WEIGHT	VOL	
CODE	LP	Н	W	D	LBS	FT ³	
B3LSEPR4227NC	725	42	27	1	29.47	0.66	
B3LSEPR4233NC	782	42	33	1_	35.89	0.80	
B3LSEPR4239NC	822	42	39	1	42.32	0.95	
B3LSEPR5027NC	824	50	27	1	35.23	0.78	
B3LSEPR5033NC	893	50	33	1	42.9	0.95	
B3LSEPR5039NC	956	50	39	1	50.57	1.13	
B3LSEPR5427NC	848	54	27	1	38.1	0.84	
B3LSEPR5433NC	921	54	33	1	46.4	1.03	
B3LSEPR5439NC	986	54	39	1	54.7	1.22	

B3LMP-NC • Middle of Run Single Gallery Panel in X Configuration, No Connectors for Additional Gallery Panels



- Provides floor standing support in the middle of a panel run.
- Attaches between panels in a straight Boulevard Panel run with capture strips to form an X configuration.
- Connections are at the center of the interior and exterior faces.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accommodates two 24" deep surfaces while the 63" wide accommodates two 30" deep surfaces and 75" wide two 36" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Edged in PVC on three exposed edges and self edged on bottom.

PRODUCT CODE	PRICE Lp	SIZE/I	NCHES W	D	WEIGHT LBS	VOL FT ³
B3LMP4251NC	1260	42	51	1	55.98	1.24
B3LMP4263NC	1373	42	63	1	68.83	1.53
B3LMP4275NC	1497	42	75	1	81.68	1.85
B3LMP5051NC	1428	50	51	1	66.97	1.48
B3LMP5063NC	1569	50	63	1	82.32	1.82
B3LMP5075NC	1730	50	75	1	97.67	2.17
B3LMP5451NC	1470	54	51	1	72.46	1.59
B3LMP5463NC	1616	54	63	1	89.06	1.97
B3LMP5475NC	1781	54	75	1	105.66	2.34

B3LSMP-NC • Middle of Run Single Gallery Panel in T Configuration, No Connectors for Additional Gallery Panels



- Provides floor standing support at the middle of a panel run.
 Attaches in the middle of a straight Paulayard Panel run with
- Attaches in the middle of a straight Boulevard Panel run with capture strips to form a T configuration.
- · Connections are on the interior and exterior faces of one end.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accommodates a 24" deep surface while the 33" wide accommodates a 30" deep surface and 39" wide a 36" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Edged in PVC on three exposed edges and self edged on bottom.


PRODUCT Code	PRICE LP	SIZE/I	NCHES W	D	WEIGHT LBS	VOL FT ³
B3LSMP4227NC	1037	42	27	1	30.28	0.66
B3LSMP4233NC	1091	42	33	1	36.71	0.80
B3LSMP4239NC	1133	42	39	1	43.13	0.95
B3LSMP5027NC	1148	50	27	1	36.28	0.78
B3LSMP5033NC	1217	50	33	1	43.95	0.95
B3LSMP5039NC	1280	50	39	1	51.63	1.13
B3LSMP5427NC	1182	54	27	1	39.26	0.84
B3LSMP5433NC	1254	54	33	1	47.56	1.03
B3LSMP5439NC	1319	54	39	1	55.86	1.22

B3LEP • End of Run Gallery Panel in a T configuation, with Connectors for Additional Gallery Panels



- Provides floor standing support while enclosing the end of a panel run.
- Attaches to the end of a Boulevard panel with capture strips to form a T configuration.
- Connections at both ends as well as on the middle of interior face.
- The end connections are to connect other Gallery Panels.
- The side right is compatible with right hand Gallery Panels (B3LX-PRXXXX and B3LXPRXXXXNC, B3L2PRXXXX and B3L3PRXXXX) only.
- The left side is compatible with left hand Gallery Panels (B3LX-PLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxx) only.
- The middle interior face connections are for Boulevard panels.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 51" wide gallery panel accomodates two 24" deep surface while the 63" wide accomodates two 30" deep surfaces and 75" wide two 36" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Gallery panel is edged in PVC on exposed top edge only and self edged on the three other edges.

B3LSEPL • Left End of Run Single Gallery Panel in L Configuration, with Connectors for Additional Gallery Panels



- Provides floor standing support while enclosing the end of a panel run.
- Attaches at the end of a Boulevard panel with capture strips to form an L configuration.
- Connection to the Boulevard panel is on interior face near it's right end.
- Connections for a Gallery Panel are on the left edge.
- Compatible with left hand Gallery Panels (B3LXPLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxx) only.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accomodates a 24" deep surface while the 33" wide accomodates a 30" deep surface and 39" wide a 36" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- Flease specify LP laminate limish and PVC edge limish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Edged in PVC on two exposed edges, self edged on connecting to gallery panel edge and the bottom.

PRODUCT	PRICE	SIZE/II		,	WEIGHT	VOL
CODE	LP	H	W	D	LBS	FT ³
B3LEP4251	972	42	51	1	55.25	1.24
B3LEP4263	1085	42	63	1	68.1	1.53
B3LEP4275	1206	42	75	1	80.95	1.82
B3LEP5051	1125	50	51	1	66.01	1.48
B3LEP5063	1265	50	63	1	81.36	1.82
B3LEP5075	1425	50	75	1	96.71	2.17
B3LEP5451	1158	54	51	1	71.38	1.59
B3LEP5463	1302	54	63	1	87.98	1.97
R3I FP5475	1469	54	75	1	104 58	2.34

PRODUCT Code	PRICE LP	SIZE/I H	NCHES W	D	WEIGHT LBS	VOL FT3
B3LSEPL4227	735	42	27	1	29.51	0.66
B3LSEPL4233	792	42	33	1	35.94	0.80
B3LSEPL4239	831	42	39	1	42.36	0.95
B3LSEPL5027	834	50	27	1	35.27	0.78
B3LSEPL5033	905	50	33	1	42.94	0.95
B3LSEPL5039	968	50	39	1	50.62	1.13
B3LSEPL5427	858	54	27	1	38.14	0.84
B3LSEPL5433	930	54	33	1	46.44	1.03
B3LSEPL5439	995	54	39	1	54.74	1.22

B3LSEPR • Right End of Run Single Gallery Panel in L Configuration, with Connectors for additional Gallery Panels



- Provides floor standing support while enclosing the end of a panel run.
- Attaches at the end of a Boulevard panel with capture strips to form an L configuration.
- Connection to the Boulevard panel is on interior face near it's left end.
- Connections for a Gallery Panel are on the right edge.
- Compatible with right hand Gallery Panels (B3LXPRxxxx and B3LXPRxxxxNC, B3L2PRxxxx and B3L3PRxxxx) only.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accomodates a 24" deep surface while the 33" wide accomodates a 30" deep surface and 39" wide a 36" deep
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Edged in PVC on two exposed edges, self edged on connecting to gallery panel edge and the bottom.

B3LMP • Middle of Run Single Gallery Panel in X Configuration, with Connectors for Additional Gallery Panels



- Provides floor standing support in the middle of a panel run.
- Attached in the middle of a straight Boulevard Panel run with capture strips to form an X configuration.
- Connections at both ends (for Gallery Panels) as well as on the middle of the interior and exterior faces (for Boulevard Panels).
- The right side is compatible with right hand Gallery Panels (B3LX-PRxxxx and B3LXPRxxxxNC, B3L2PRxxxx and B3L3PRxxxx) only.
- The left side is compatible with left hand Gallery Panels (B3LX-PLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxx) only.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height. B3LMP5475 1802 54 75 1 105.74 2.34
- 51" wide gallery panel accomodates two 24" deep surface while the 63" wide accomodates two 30" deep surfaces and 75" wide two 36" deep surfaces.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Edged in PVC on exposed top edge only and self edged on the three other.

B3LSMP • Middle of Run Single Gallery Panel in T Configuration, with Connectors for Additional Gallery Panels



- Provides floor standing support at the middle of a panel run.
- Attached in the middle of a straight Boulevard Panel run with capture strips to form a T configuration.
- Connections are on the exposed edge (for Gallery Panel) and near the opposite end on both interior and exterior faces (for Boulevard Panels).
- Compatible with left hand gallery panels (B3LXPLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxx) only.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 27" wide gallery panel accomodates a 24" deep surface while the
- 33" wide accomodates a 30" deep surface and 39" wide a 36" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Edged in PVC on two exposed edges, self edged on connecting to gallery panel edge and the bottom.

PRODUCT Code	PRICE LP	SIZE/I H	NCHES W	D	WEIGHT LBS	VOL FT ³
B3LSEPR4227	735	42	27	1	29.51	0.66
B3LSEPR4233	792	42	33	1	35.94	0.80
B3LSEPR4239	831	42	39	1	42.36	0.95
B3LSEPR5027	834	50	27	1	35.27	0.78
B3LSEPR5033	905	50	33	1	42.94	0.95
B3LSEPR5039	968	50	39	1	50.62	1.13
B3LSEPR5427	858	54	27	1	38.14	0.84
B3LSEPR5433	930	54	33	1	46.44	1.03
B3LSEPR5439	995	54	39	1	54.74	1.22
o surface.						

PRODUCT	PRICE	SIZE/INCHES			WEIGHT	VOL	
CODE	LP	Н	W	D	LBS	FT ³	
B3LMP4251	1281	42	51	1	56.07	1.24	
B3LMP4263	1395	42	63	1	68.91	1.53	
B3LMP4275	1517	42	75	1	81.76	1.82	
B3LMP5051	1449	50	51	1	67.06	1.48	
B3LMP5063	1587	50	63	1	82.41	1.82	
B3LMP5075	1749	50	75	1	97.76	2.17	
B3LMP5451	1491	54	51	1	72.55	1.59	
B3LMP5463	1635	54	63	1	89.15	1.97	
R31 MD5/175	1802	5/	75	1	105 7/	2 2/	

PRODUCT	PRICE	SIZE/INCHES			WEIGHT	VOL	
CODE	LP	Н	W	D	LBS	FT ³	
B3LSMP4227	1044	42	27	1	30.33	0.66	
B3LSMP4233	1103	42	33	1	36.75	0.80	
B3LSMP4239	1142	42	39	1	43.17	0.95	
B3LSMP5027	1158	50	27	1	36.32	0.78	
B3LSMP5033	1227	50	33	1	43.99	0.95	
B3LSMP5039	1290	50	39	1	51.67	1.13	
B3LSMP5427	1193	54	27	1	39.31	0.84	
B3LSMP5433	1265	54	33	1	47.61	1.03	
B3LSMP5439	1329	54	39	1	55.91	1.22	
acurtoso							

B3LXPL • Left Gallery Panel Extension, with Connectors for · Provides floor standing support while extending the Gallery Panels run.

• Attaches to the left edge of a Gallery Panel by the pin connectors

to allow for additional Gallery Panels to be added on the left side. • Pin connectors on the right edge and modular connectors on the left edge of the interior face.

• The right side is compatible with Gallery Panels (B3LEPxxx, B3LSEPL, B3LMPxxx, B3LSMP and B3LXPLxxx) only.

 The left side is compatible with left hand Gallery Panels (B3LX-PLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxx) only.

· Includes all attachment hardware and glides.

• Total height is inclusive of panel glides extended to their full height.

• Please specify LP laminate finish and PVC edge finish.


• If a wood grain laminate is chosen, grain direction run horizontally.

• Edged in PVC on exposed top edge only and self edges on the three other.

• Edged in PVC on two exposed edges, self edged on connecting to gallery panel edge and the bottom.

Additional Gallery Panels										
PRODUCT	PRÍCE		NCHES		WEIGHT	VOL				
CODE	LP	H	W	D	LBS	FT ³				
B3LXPL4224	378	42	24	1	25.83	0.58				
B3LXPL4230	435	42	30	1	32.26	0.73				
B3LXPL4236	492	42	36	1	38.68	0.88				
B3LXPL4242	548	42	42	1	45.11	1.02				
B3LXPL4248	605	42	48	1	51.53	1.17				
B3LXPL5024	450	50	24	1	30.83	0.69				
B3LXPL5030	521	50	30	1	38.51	0.87				
B3LXPL5036	591	50	36	1	46.18	1.04				
B3LXPL5042	660	50	42	1	53.86	1.22				
B3LXPL5048	731	50	48	1	61.53	1.39				
B3LXPL5424	465	54	24	1	33.34	0.75				
B3LXPL5430	537	54	30	1	41.64	0.94				
B3LXPL5436	608	54	36	1	49.94	1.13				
B3LXPL5442	678	54	42	1	58.24	1.31				
B3LXPL5448	755	54	48	1	66.54	1.50				

B3LXPR • Right Gallery Panel Extension, with Connectors for Additional Gallery Panels



 Provides floor standing support while extending the Gallery Panels run.

• Attaches to the right edge of a Gallery Panel by the pin connectors to allow for additional Gallery Panels to be added on the right side.

• Pin connectors on the right edge and modular connectors on the left edge of the interior face.

• The right side is compatible with right hand Gallery Panels (B3LX-PRxxxx and B3LXPRxxxxNC, B3L2PRxxxx and B3L3PRxxxx) only.

• The left side is compatible with Gallery Panels (B3LEPxxx, B3LSEPRxxx, B3LMPxxx and B3LXPRxxx) only.

· Includes all attachment hardware and glides.

• Total height is inclusive of panel glides extended to their full height.


• Please specify LP laminate finish and PVC edge finish.

• If a wood grain laminate is chosen, grain direction run horizontally.

• Edged in PVC on exposed top edge only and self edges on the three other.

Auditional Gallery Pariets									
PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL			
CODE	LP	Н	W	D	LBS	FT ³			
B3LXPR4224	378	42	24	1	25.83	0.58			
B3LXPR4230	435	42	30	1	32.26	0.73			
B3LXPR4236	492	42	36	1	38.68	0.88			
B3LXPR4242	548	42	42	1	45.11	1.02			
B3LXPR4248	605	42	48	1	51.53	1.17			
B3LXPR5024	450	50	24	1	30.83	0.69			
B3LXPR5030	521	50	30	1	38.51	0.87			
B3LXPR5036	591	50	36	1	46.18	1.04			
B3LXPR5042	660	50	42	1	53.86	1.22			
B3LXPR5048	731	50	48	1	61.53	1.39			
B3LXPR5424	465	54	24	1	33.34	0.75			
B3LXPR5430	537	54	30	1	41.64	0.94			
B3LXPR5436	608	54	36	1	49.94	1.13			
B3LXPR5442	678	54	42	1	58.24	1.31			
B3LXPR5448	755	54	48	1	66.54	1.50			


B3LXPL-NC • Left Gallery Panel Extension, No Connectors fo



- · Provides floor standing support while enclosing the end of a Gallery Panel left run.
- Attached to the left edge of a Gallery Panel by the pin connectors to finish the run.
- Pin connectors are on the right edge of the interior face.
- Compatible with gallery panels (B3LEPxxxx, B3LSEPLxxxx, B3LMPxxxx, B3LSMPxxxx and B3LXPLxxxx) only.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- · Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- · Edged in PVC on two exposed edges, self edged on connecting to gallery panel edge and the bottom.

or Additional G	allerv	Pane	IS			
PRODUCT	PRICE	SIZE/IN	ICHES		WEIGHT	VOL
CODE	LP	Н	W	D	LBS	FT ³
B3LXPL4224NC	368	42	24	1	25.8	0.58
B3LXPL4230NC	425	42	30	1	32.22	0.73
B3LXPL4236NC	480	42	36	1	38.65	0.88
B3LXPL4242NC	539	42	42	1	45.07	1.02
B3LXPL4248NC	594	42	48	1	51.5	1.17
B3LXPL5024NC	441	50	24	1	30.8	0.69
B3LXPL5030NC	510	50	30	1	38.47	0.87
B3LXPL5036NC	579	50	36	1	46.15	1.04
B3LXPL5042NC	653	50	42	1	53.82	1.22
B3LXPL5048NC	722	50	48	1	61.5	1.39
B3LXPL5424NC	455	54	24	1	33.3	0.75
B3LXPL5430NC	527	54	30	1	41.6	0.94
B3LXPL5436NC	597	54	36	1	49.9	1.13
B3LXPL5442NC	671	54	42	1	58.2	1.31
B3LXPL5448NC	741	54	48	1	66.5	1.50


B3LXPR-NC • Right Gallery Panel Extension, No Connectors for Additional Gallery Pane



- Provides floor standing support while enclosing the end of a Gallery Panel right run.
- Attached to the right edge of a Gallery Panel by the pin connectors to finish the run.
- Pin connectors are on the left edge of the interior face.
- Compatible with gallery panels (B3LEPxxxx, B3LSEPRxxxx, B3LMPxxxx and B3LXPRxxxx) only.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Edged in PVC on two exposed edges, self edged on connecting to gallery panel edge and the bottom.

for Additional	Galle	ry Par	nels			
PRODUCT	PRICE	SIZE/IN			WEIGHT	VOL
CODE	LP	H	W	D	LBS	FT ³
B3LXPR4224NC	368	42	24	1	25.8	0.58
B3LXPR4230NC	425	42	30	1	32.22	0.73
B3LXPR4236NC	480	42	36	1	38.65	0.88
B3LXPR4242NC	539	42	42	1	45.07	1.02
B3LXPR4248NC	594	42	48	1	51.5	1.17
B3LXPR5024NC	441	50	24	1	30.8	0.69
B3LXPR5030NC	510	50	30	1	38.47	0.87
B3LXPR5036NC	579	50	36	1	46.15	1.04
B3LXPR5042NC	653	50	42	1	53.82	1.22
B3LXPR5048NC	722	50	48	1	61.5	1.39
B3LXPR5424NC	455	54	24	1	33.3	0.75
B3LXPR5430NC	527	54	30	1	41.6	0.94
B3LXPR5436NC	597	54	36	1	49.9	1.13
B3LXPR5442NC	671	54	42	1	58.2	1.31
B3LXPR5448NC	741	54	48	1	66.5	1.50

B3L2PR • Right Gallery Panel End of Run Return



- Provides floor standing support while enclosing the end of a Gallery Panel run.
- Attaches at the Gallery Panel right edge with connectors to form an L configuration.
- Connections to Gallery Panel are on the interior face near it's left end .
- Compatible with Gallery Panels (B3LEPxxxx, B3LSEPxxxx, B3LMPxxxx and B3LXPxxxx) only.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 25" wide gallery panel accomodates a 24" deep surface while the 31" wide accomodates a 30" deep surface and 37" wide a 36" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Edged in PVC on three exposed edges and self edged on the bottom edge.

B3L2PL • Left Gallery Panel End of Run Return




- Provides floor standing support while enclosing the end of a gallery panel run.
- Attaches at the Gallery Panel left edge with connectors to form an L configuration.
- Connections to Gallery Panel are on the interior face near it's right end .
- Compatible with Gallery Panels (B3LEPxxxx, B3LSEPLxxxx, B3LMPxxxx, B3LSMPxxxx and B3LXPLxxxx) only.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 25" wide gallery panel accomodates a 24" deep surface while the 31" wide accomodates a 30" deep surface and 37" wide a 36" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Edged in PVC on three exposed edges and self edged on the bottom edge.

PRODUCT	PRICE	SIZE/I	NCHES		WEIGHT	VOL
CODE	LP	Н	W	D	LBS	FT ³
B3L2PR4225	425	42	25	1	26.87	0.61
B3L2PR4231	480	42	31	1	33.29	0.75
B3L2PR4237	521	42	37	1	39.72	0.90
B3L2PR5025	510	50	25	1	32.08	0.72
B3L2PR5031	579	50	31	1	39.75	0.90
B3L2PR5037	642	50	37	1	47.43	1.07
B3L2PR5425	527	54	25	1	34.68	0.78
B3L2PR5431	597	54	31	1	42.98	0.97
B3L2PR5437	662	54	37	1	51.28	1.16

PRODUCT	PRICE	SIZE/II	NCHES		WEIGHT	VOL
CODE	LP	Н	W	D	LBS	FT ³
B3L2PL4225	425	42	25	1	26.87	0.61
B3L2PL4231	480	42	31	1	33.29	0.75
B3L2PL4237	521	42	37	1	39.72	0.90
B3L2PL5025	510	50	25	1	32.08	0.72
B3L2PL5031	579	50	31	1	39.75	0.90
B3L2PL5037	642	50	37	1	47.43	1.07
B3L2PL5425	527	54	25	1	34.68	0.78
B3L2PL5431	597	54	31	1	42.98	0.97
B3L2PL5437	662	54	37	1	51.28	1.16

B3L3PL • Left Gallery Panel End of Run 3-Way Return



- · Provides floor standing support while enclosing the end of a Gallery Panel run.
- Attaches to the Gallery Panel left edge with connectors to form an T configuration.
- Connections to Gallery Panel are on the interior face in the middle.
- Compatible with Gallery Panels (B3LEPxxxx, B3LSEPLxxxx, B3LMPxxxx, B3LSMPxxxx and B3LXPLxxxx) only.
- · Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 49" wide gallery panel accomodates two 24" deep surfaces while the 61" wide accomodates two 30" deep surface and 73" wide two 36" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Edged in PVC on three exposed edges and self edged on the bottom edge.

PRODUCT	PRICE	SIZE/INCHES			WEIGHT	VOL
CODE	LP	Н	W	D	LBS	FT ³
B3L3PL4249	576	42	49	1	52.57	1.19
B3L3PL4261	764	42	61	1	65.41	1.48
B3L3PL4273	887	42	73	1	78.26	1.77
B3L3PL5049	791	50	49	1	62.77	1.42
B3L3PL5061	930	50	61	1	78.12	1.77
B3L3PL5073	1091	50	73	1	93.47	2.11
B3L3PL5449	815	54	49	1	67.88	1.53
B3L3PL5461	959	54	61	1	84.48	1.91
B3L3PL5473	1125	54	73	1	101.08	2.28

SIZE /INCHES

49

61

49

61

61

42

42 42

50 50

50

54

54

WEIGHT

52.57

65.41

78.26

62.77 78.12

93.47

67.88

84.48

101.08 2.28

LBS

VOL

FT³

1.19

1.48

1.77

177

2.11

1.53

1.91

PRICE

576

764

887

791

930

1091

815

959

1125

LP

CODE

B3L3PR4261

B3L3PR4273

B3L3PR5049


B3L3PR5061

B3L3PR5073

B3L3PR5449


B3L3PR5461

B3L3PR • Right Gallery Panel End of Run 3-Way Return



- Provides floor standing support while enclosing the end of a Gal-PRODUCT lerv Panel run.
- Attaches to the Gallery Panel right edge with connectors to form an B3L3PR4249 T configuration.
- Connections to Gallery Panel are on the interior face in the middle.
- Compatible with gallery panels (B3LEPxxxx, B3LSEPRxxxx, B3LMPxxxx and B3LXPRxxxx) only.
- Includes all attachment hardware and glides.
- Total height is inclusive of panel glides extended to their full height.
- 49" wide gallery panel accomodates two 24" deep surfaces while the 61" wide accomodates two 30" deep surface and 73" wide two B3L3PR5473 36" deep surface.
- Please specify LP laminate finish and PVC edge finish.
- If a wood grain laminate is chosen, grain direction run horizontally.
- Edged in PVC on three exposed edges and self edged on the bottom edge.


B3HLPBB01 • Gallery Panel Bottom Inline Bracket



- Gallery Panel Bottom Inline Bracket connects two Gallery Panels at the bottom with screws.
- Available in standard paint colors.

PRODUCT PRICE		SIZE	INCHES	WEIGHT	VOL		
CODE		Н	W	D	LBS	FT ³	
R3HI DRR01	51	7	15	Q	1	0.5	

B3HLPCB01 • Gallery Panel Corner Bracket



- Gallery Panel Corner Bottom bracket connects two Gallery Panels at 90 degrees.
- Available in standard paint colors.

PRODUCT	PRICE	SIZE/INCHES			WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
B3HLPCB01	50	7	1.5	4	4	0.5

BOULEVARD ELECTRICAL

Electrical

Affordability and widespread availability of wireless networking is gradually diminishing the need for extensive cable capacity housing. However, as our desk top equipment still requires electricity, providing access to power from within a work station is an integral part of any work place design.

The Global Contract family of power components has been assembled to address a variety of common requirements as well as to satisfy specific customer needs and budgets.

Global Contract can now offer the option of 3 duplex per panel, please contact your Customer Service Representative.

Direct Access:

When office equipment plugs directly into a wall or raised floor power source, cable troughs, as well the Boulevard panel internal cavity serve the purpose of organizing cables.

Extensions:

Keeping minimal installation costs in mind, the next natural step is the employment of fused and surge protected power bars, worksurface-clamped receptacles or floor standing power towers.

Four circuit power systems:

In the absence of a raised floor, or when office equipment is to be installed further away from wall outlets, the Boulevard panel or Bridges unit the building power supply - office equipment gap by distributing power at either floor or desk height level. or both.

While Boulevard panels are capable of surrounding a given work station with power and data outlets at multiple levels, it is important to remember that the most economical way of providing four-circuit power distribution is if the harness, junction box and receptacle system remained within the central spine structure. The cost savings here come from a number and lengths of individual connecting power harnesses.

Should there be a need to branch power from Boulevard or central spine onto adjacent, perpendicular work surfaces, the employment of fused and surge protected power bars will assist in keeping the cost under control.

However, the very same, 4-circuit system is capable of delivering a considerable amount of power as there can be up to six, 8 wire-4 circuit systems accommodated within System3 pass-thru panel. For instance: three systems at the floor level and two systems at the desk height.

Various ceiling or floor level power entry feeds are available. See the following pages for individual component description and technical specifications.

Technical Information

Wire Schematic

4-2-2 Wiring Schematic 8-Wire Shared Neuteral "3+1" -3 Utility circuits, 1 dedicated circuit.		WHITE BLACK RED BLUE		120 (125)V	120 (125)V —— 120 (125)V	
Isolated Ground C.C.T		, -	 =		120 (125)V	

8 Wires	4 Circuits	Receptacles
4 Lines (12 ga.)	3 Utility Circuits	Duplex – Up to 6 duplex
2 Neutrals (10 ga.)	1 Dedicated Circuits	receptacles per circuit
2 Grounds (12 ga.)		(Up to 48 infeed)

UL Recognised CSA Certified

Warning: It is recommended that installation of the electrical harness be made under the supervision of a licensed electrician in accordance with applicable codes and regulations.

Special Note: Always determine that harness is electrically connected to only one power supply.

Specifications

System rated for connection to a grounded 120/240 V, single phase*, 20A, 60Hz or 120/208 V, 3 phase, 20A, 60Hz branch circuit for U.S. and 15A if product is marked with a C-UL Mark. Outlets rated 15A max.

* When connected to Single Phase. Only Circuit 1.3 & A are available.

ELECTRICAL BOULEVARD 1 B

STEP-BY-STEP SPECIFICATION - 8 WIRE ELECTRICAL FOR BOULEVARD 1 AND RACEWAY PANELS

STEP 1: Determine the location of the source power entry entering the panel through a post.

- a) From the floor:
- i) Choose from a selection of single or double Base Feeds (BE81BF721, BE81BF722, BE81BF1441, BE81BF1442) to bring the power from the floor to the raceway channel.
- ii) Select a post adjacent to the panel (or panels if using a Double Base Feed) to which the end of the Base Feed will be attached. This panel requires a Power Distribution Housing and must be located next to the post through which the Base Feed is entering.

Note: If it is not practical to have a Power Distribution Housing in a panel adjacent to the selected Base Feed Post, use a BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable to transition through the adjacent non-powered panel(s) that are between the Base Feed Post and the first powered panel. The length of the cable will equal the combined width of the non-powered panel(s).

- b) From the Ceiling:
- i) Choose from a selection of single or double Ceiling Feeds (BE81CF1201, BE81CF12a0-2, BE81CF1441, BE81CF1442) to bring the power from the ceiling to the raceway.
- ii) Select a post adjacent to the panel (or panels if using a Double Ceiling Feed) to which the Ceiling Feed will be attached. This panel requires a Power Distribution Housing and must be located next to the post throught which the Ceiling Feed is entering.

STEP 2: Determine which panels are to be powered.

a) Use a BE81D Concealed Desk Height Power Distribution Housing or a BE8U2D Face Mount Desk Height Power Distribution Housing that corresponds with the width of each panel selected to be powered.

Note: Specify Face Mount Raceway Covers for panels that contain BE8U2D Face Mount Desk Height Power Distribution Housings.


- STEP 3: Connect power to the panels.
- a) Use a BE8JC16 Jumper between two adjacent powered panels.
- b) Use a BE8JC20 Jumper between two powered panels separated by a post.
- c) Use a BE8JM19 Shielded Mesh Jumper between two powered panels separated by a post.
- d) Use a BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable to electrically connect
- a BE8JM19 Shielded Mesh Jumper and a powered panel when the two are separated by one or more non-powered panels in a straight line application only.
 - i) The length of the BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable will equal the combined width of the non-powered panel(s).
- e) Use a BE8CPxxHH Housing-to-Housing Pass-Thru Cable to electrically connect two powered panel separated by one or more non-powered panels in a straight line application only.
 - i) The length of the Pass-Thru Cable corresponds with the width(s) of the non-powered panels that separate two powered panels plus 16" (the termination blocks of the Power Distribution Housing are 8" in from the edge of the powered panel), plus 4" for each post.
- f) Connect two jumpers or cables together by using the I-Connector BE8CI1. This functions as a female-female adapter and it allows the male ends of jumpers and pass-thru cables to connect together.

STEP 4: Designate which circuit each duplex is to tap into.

- a) Each powered panel has four (4) potential locations for duplex receptacles
 2 per side. (Exception: 24" wide panel has only two (2) potential locations
 1 per side, 18" wide panel has no locations for receptacles).
- b) At each location there is a choice of four (4) circuit options. Select the circuit option for each location.

Circuit Selections: Circuits 1, 2, and 3 are utility circuits, all sharing a ground and a neutral. Circuit A is a dedicated circuit with its own ground and neutral.

SPECIFICATION APPLICATIONSBoulevard 1 Jumper Applications



STEP-BY-STEP SPECIFICATION - 8 WIRE ELECTRICAL FOR BOULEVARD SYSTEM 3 BASE RACEWAY

STEP 1: Determine the location of the source power entry entering the panel.

- a. At the base of a panel:
- i. Use a BE8BFxx Base Feed.
- ii. Select the panel to which the Base Feed will be attached. This panel requires a BE83D Power Distribution Housing.
- iii. Select the side of the panel and the receptacle outlet to which the Base Feed is to be attached.
- b. From the ceiling:
 - i. Use a BE8CFxx-1or -2 (single or double).
 - ii. Select the post through which to feed the Ceiling Feed.
 - iii. One panel adjacent to the selected post requires a BE83D Power Distribution Housing. Attach the Ceiling Feed to the nearest end of the Power Distribution Housing.

Note: If it is not practical to have a Power Distribution Housing in a panel adjacent to the selected Ceiling Feed Post, use a BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable to transition through the adjacent non-powered panel(s) that are between the Ceiling Feed Post and the first powered panel. The length of the cable will equal the combined width of the non-powered panel(s).

- c. At the base of a adjoining panel:
 - i. Use a BE83BFR72 Raceway Entry Base Feed
- ii. Select a non-powered panel adjacent to the panel with a Power Distribution Housing.
- iii. Choose a duplex opening on either side of the panel to insert and attach the Raceway Entry Base Feed at that point.
- iv.The Raceway Entry Base Feed will attach to the nearest end of the Power Distribution Housing (similar to the Ceiling Feed attachment).

STEP 2: Determine which panels are to be powered.

a. Use a BE83D Power Distribution Housing that corresponds with the width of the selected panel.

STEP 3: Connect power to the panels.


- a. Use a BE8JC16 Jumper between two adjacent powered panels.
- b. Use a BE8JC20 Jumper between two powered panels separated by a post.
- c. Use a BE8CPxxHH Housing-to-Housing Pass-Thru Cable to connect two powered panels separated by one or more non-powered panels. i. The length of the Pass-Thru Cable corresponds with the width(s) of the non-powered panels that separate two powered panels plus 16" (the termination blocks of the Power Distribution Housing are 8" in from the edge of the powered panel plus 4" for each post.

STEP 4: Designate which circuit each duplex is to tap into.

- a. Each powered panel has four (4) potential locations for duplex receptacles 2 per side. (Exception: 24" wide panel has only two (2) potential locations
 - 1 per side, 18" wide panel has no locations for receptacles).
- b. At each location there is a choice of four (4) circuit options. Select the circuit option for each location.

Circuit Selections: Circuits 1, 2, and 3 are utility circuits, all sharing a ground and a neutral. Circuit A is a dedicated circuit with its own ground and neutral.

SPECIFICATION APPLICATIONS Boulevard System 3 Jumper Applications Jumper BE8JC16 Jumper BE8JC20 Boulevard System 3 Jumper Applications Pass-Thru BE8CPxxHH Jumper BE8JC20




BE8CI-1 • "I" Connector



- Connects two Pass Thru Cables.
 - Inline coupler used to connect two BE8CPxxHH Pass-Thru Cables.

PR(ODUCT De	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BE	8CI1	70	1.5	1.5	4.625	0.06	0.03


BE8D • Duplex Receptacles



- Snaps into Power Distribution Housing.
- Up to 6 duplex receptacles per circuit.
- BE8D1 = Circuit #1 (utility circuit)
- BE8D2 = Circuit #2 (utility circuit)
- BE8D3 = Circuit #3 (utility circuit)
- BE8DA Circuit #A (dedicated circuit)

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BE8D1	32	2	4.625	1.25	0.10	0.01
BE8D2	32	2	4.625		00	0.01
BE8D3	32	2	4.625		0.10	0.01
BE8DA	32	2	4.625	1.25	0.10	0.01

BE8D • USB Receptacles



- Snaps into Power Distribution Housing.
- USB charging module provides convenient charging poweraccess though dual ports on face of recepticels.
- · Two USB ports.
- 2 amp ouput, considered as circut #1.

PRODUCT Code	PRICE	SIZE/	INCHES W	n	WEIGHT LBS	FT ³
BE8DU1-B	269	2	4.625	1.25	0.10	0.01
BE8DU1-W	269	2	4.625	1.25	0.10	0.01

BE83BF • Reversible Base Feed (Boulevard System 3 only)



- Provides single power entry from floor circuit to raceway.

 Takes the release for division reported by acceptant to the release of a division reported by acceptant to the release of a division reported by acceptant to the release of a division reported by the research of the release of
- Takes the place of a duplex receptacle by connecting to the base raceway channel of a Boulevard System 3 panel.
- BE83BF72 includes 72" long liquid-tite conduit, BE83BF144 includes 144" long liquid-tite conduit.
- Must be hard wired to power source by a licensed electrician.

UIIIY)						
PRODUCT	PRICE	SIZE/ H	INCHES I	D		VOL FT ³
BE83BF72	314	3	72	3	3.82	2
BE83BF144	422	3	144	3	6.98	2
	CODE	PRODUCT PRICE CODE BE83BF72 314	PRODUČÍ PRICE SIZE/ CODE H BE83BF72 314 3	PRODUČŤ PRICE SIZE/ INCHES CODE H L BE83BF72 314 3 72	PRODUĆŤ PRICE SIZE/ INCHES CODE H L D BE83BF72 314 3 72 3	PRODUCT PRICE SIZE/ INCHES WEIGHT CODE H L D LBS BE83BF72 314 3 72 3 3.82


BE83BFR72 • Raceway Entry Base Feed (Boulevard System 3 only)



- Brings power to an adjacent panel by entering a nonpowered raceway of a Boulevard System 3 panel through a duplex opening.
- · Includes 72" long liquitite conduit.
- Must be hard wired to power source by a licensed electrician.

9	Aareili a niilä <i>l</i>							
	PRODUCT CODE	PRICE	SIZE/ H	INCHES L	D	WEIGHT LBS	VOL FT3	
-	BE83BFR72	446	3	88	3	4.82	2	


BE8CF-1 · Ceiling Feed - Single



- Provides single power entry from ceiling, through post and into raceway channel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or BE8CPxxHJ Pass-Thru Harness.
- · Specify Post Extension separately.
- · Must be hard wired to power source by a licensed electrician.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT VOL	
CODE		Н	L	D	LBS FT ³	
BE8CF1201	308	6	120	6	5.24 2	
BE8CF1441	349	6	144	6	5.96 2	


BE8CF-2 · Ceiling Feed - Double



- Provides dual power entry from ceiling, through post and into raceway channel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Use 1) In middle of run to distribute power in two directions.
 2) At beginning of run where second Ceiling Feed harness is connected to BE8CPxxHJ and distributes power underneath Power Distribution Housing to pick-up second circuit grouping in long panel run.
- · Specify Post Extension separately.
- Must be hard wired to power source by a licensed electrician.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL	
CODE		Н	L	D	LBS	FT ³	
BE8CF1202	632	6	120	3	5.24	2	
BE8CF1442	712	6	144	3	5.96	2	

BE81BF-1 • Base Feed - Single (Boulevard 1 only)



- Provides single power entry from floor, through post and into Boulevard 1 raceway channel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Power entry dome available in black only, but "Capture Strip" connector will match the post colour as standard.
- 2 1/2" clearance in depth and 5 1/2" away from any obstructions required from power entry point.
- Comes with 32" harness attached. Liquid-tite whip 72" and 144".
- Must be hard wired to power source by a licensed electrician.

PRODUCT CODE	PRICE	SIZE/ H	INCHES L	D	WEIGHT VOL LBS FT ³	
BE81BF721	357	6	107	3	3.82 2	
BF81BF1441	475	6	179	3	5 96 2	


BE81BF-1FL • Base Feed - Single (Boulevard 1 only)



- Provides single power entry from floor, through post and into Boulevard 1 raceway channel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Power entry plate available in black only, but "Capture Strip" connector will match the post colour as standard.
- 2 1/2" clearance in depth and 5 1/2" away from any obstructions required from power entry point.
- Comes with 32" harness attached. Liquid-tite whip 72" and 144".
- Must be hard wired to power source by a licensed electrician.

PRODUCT CODE	PRICE	SIZE/ H	INCHES L	D	WEIGHT LBS	VOL FT ³
BE81BF721FL	357	6	107	3	3.82	2
BE81BF1441FL	475	6	179	3	3.82	2

BE81BF-2 · Base Feed - Double (Boulevard 1 only)



- Provides dual power entry from floor, through post and into Boulevard 1 raceway channel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Use 1) In middle of run to distribute power in two directions.
- 2) At beginning of run where second Base Feed Harness is connected to BE8CPxxHJ and distributes power underneath Power Distribution Housing to pick-up second circuit grouping in long panel run.
- Liquitite whip 72" and 144".
- Power entry box available in black only, but "Capture Strip" connector will match the post colour as standard.
- 2 1/2" clearance in depth and 5 1/2" away from any obstructions required from power entry point.
- · Comes with 32" harness attached.
- · Must be hard wired to power source by a licensed electrician.

BE81BF601 · Base Feed - Single (Boulevard 1 only)




- Provides single power entry from floor, through 6" panel and into Boulevard 1 raceway panel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- · For 6" Power/Cable Access Panel only.
- · Comes with 32" harness attached.
- · Liquitite whip 72".
- Must be hard wired to power source by a licensed electrician

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT VOL		
CODE		H	L	D	LBS	FT ³	
BE81BF722	756	6	107	3	6.98	2	
BE81BF1442	1004	6	179	3	6.98	2	

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL	
CODE		Н	L	D	LBS	FT ³	
BE81BF601	385	6	107	3	4.90	0.062	

BE81BF602 • Base Feed - Double (Boulevard 1 only)



- Provides dual power entry from floor, through 6" panel and into Boulevard 1 raceway panel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- · Use 1. In middle of run to distribute power in two directions.
- 2. At beginning of run where second Base Feed Harness is connected to BE8CPxxHJ and distributes power underneath Power Distribution Housing to pick-up second circuit grouping in long panel run.
- For 6" Power/Cable Access Panel only.
- · Comes with 2x32" harness attached.
- · Liquid-tite whip 72".
- Must be hard wired to power source by a licensed electrician.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	L	D	LBS	FT ³
BE81BF602	775	6	107	3	5.30	0.071

BE8JC • Jumper Cable



- Electrically connects two Power Distribution Housings.
- The BE8JC16 electrically connects two powered panels positioned side by side.
- The BE8JC20 electrically connects two powered panels separated by a post.
- Wires are concealed in a flexible metal conduit.
- Cannot go through a Boulevard 1 post in a corner application. (Please use the Jumper Cable Mesh)

PRODUCT CODE	PRICE	SIZE/ H	INCHES L	D	WEIGHT LBS	VOL FT ³
BE8JC16	130	2	16.75	0.5	0.66	1.17
BE8JC20	136	2	20.75	0.5	0.78	1.17

BE8JM19 · Jumper Cable Mesh



- Electrically connects two Power Distribution Housings in Boulevard 1 panels that are separated by a post in a corner application.
- BE8JM19 Wires are covered with a durable nylon mesh.
- BE8JMS19 Wires are concealed in a flexible metal shroud and covered with a durable nylon mesh.
- Used in System 3 Panels at tile position passing through post at corner application.

PRODUCT Code	PRICE	SIZE/ H	INCHES L	D		VOL FT ³	
BE8JM19	108	2	19	0.5	0.75	1.17	
BE8JMS19	140	2	19	0.5	0.75	1.17	

BE83BT • Base-to-Tile Cable



- Electrically connects a Base Raceway Power Distribution Housing to a Face Mount Tile Power Distribution Housing within a System 3 PV panel.
- · Wires are concealed in a flexible metal conduit.
- BE83BT82 to be used on panels manufactured before November 1st, 2014 and BE83BT40 after.

PRODUCT Code	PRICE	SIZE/ H	INCHES L	D	WEIGHT LBS	VOL FT ³
BE83BT82	199	2	82.5	0.5	3.05	1.38
BE83BT40	179	2	40.5	0.5	1.44	1.17

BE8CP-HH • Housing-to-Housing Pass-Thru Cable



- Electrically connects two Power Distribution Housings in panels separated by one or more non-powered panels.
- · Wires are concealed in a flexible metal conduit.
- NOTE: In Boulevard 1 and or System 3 tile position applications, the Housing-to-Housing Pass-Thru Cables can only be used in a straight run.

PRODUCT Code	PRICE	SIZE/ H	INCHES L	D	WEIGHT LBS	VOL FT ³
BE8CP40HH	163	2	40.5	0.5	1.44	1.17
BE8CP46HH	171	2	46.5	0.5	1.71	1.17
BE8CP52HH	178	2	52.5	0.5	1.95	1.17
BE8CP58HH	187	2	58.5	0.5	2.21	1.17
BE8CP64HH	194	2	64.5	0.5	2.37	1.17
BE8CP70HH	201	2	70.5	0.5	2.6	1.17
BE8CP76HH	209	2	76.5	0.5	2.81	1.17
BE8CP82HH	215	2	82.5	0.5	3.03	1.17
BE8CP88HH	222	2	88.5	0.5	3.05	1.17
BE8CP94HH	230	2	94.5	0.5	3.30	1.17
BE8CP100HH	237	2	100.5	0.5	3.47	1.17
BE8CP106HH	247	2	106.5	0.5	3.87	1.17
BE8CP118HH	260	2	118.5	0.5	4.08	1.17
BE8CP130HH	275	2	130.5	0.5	4.73	1.17
BE8CP142HH	290	2	142.5	0.5	4.99	1.17


BE8CP-HJ · Housing-to-Jumper Pass-Thru Cable



- Electrically connects a Power Distribution Housing to a Housing connection of a harness.
- · Wires are concealed in a flexible metal conduit.
- NOTE: In both Boulevard 1 and System 3 Tile Position applications, the Housing-to-Jumper Pass-Thru Cables can only be used in a straight run.

PRODUCT Code	PRICE	SIZE/ H	INCHES L	D	WEIGHT LBS	VOL FT ³
BE8CP24HJ	125	2	24	0.5	0.9	1.17
BE8CP30HJ	134	2	30	0.5	1.3	1.17
BE8CP36HJ	140	2	36	0.5	1.44	1.17
BE8CP42HJ	146	2	42	0.5	1.71	1.17
BE8CP48HJ	153	2	48	0.5	1.95	1.17
BE8CP54HJ	158	2	54	0.5	2.21	1.17
BE8CP60HJ	163	2	60	0.5	2.37	1.17
BE8CP72HJ	174	2	72	0.5	2.81	1.17
BE8CP84HJ	190	2	84	0.5	3.05	1.17
BE8CP96HJ	203	2	96	0.5	3.3	1.17
BE8CP108HJ	215	2	108	0.5	3.87	1.17
BE8CP120HJ	228	2	120	0.5	4.08	1.17
BE8CP144HJ	242	2	144	0.5	4.59	1.17


BE81D • Power Distribution Housing Kit - Concealed Desk Height (Boulevard 1 only)



- Provides two duplex receptacles per panel for all panel widths above 24" wide.
- Power Distribution Housing is specified per panel size. eg. BE81D36 is for use with a 36" panel.

PRODUCT Code	•	PRICE	SIZE/ H	INCHES	D	WEIGHT LBS	VOL FT ³
BE81D24		134	2	9.25	2.61	0.83	1.17
			Z	7.20	2.01		1.1/
BE81D30		166	2	15.25	2.61	1.28	1.17
BE81D36		174	2	21.25	2.61	1.62	1.65
BE81D42		188	2	27.25	2.61	2.00	2.00
BE81D48		198	2	33.25	2.61	2.32	2.54
BE81D54		207	2	39.25	2.61	2.66	3.20
BE81D60		212	2	45.25	2.61	3.04	3.20
BE81D66		368	2	51.25	2.61	3.49	3.25
BE81D72		368	2	57.2	2.61	3.76	3.30


BE8U2D • Power Distribution Housing Kit - Face Mount Desk Height (Boulevard 1 only)



- Provides two duplex receptacles per panel side for all panel widths above 24" wide.
- Power Distribution Housing is specified per panel size. eg. BE8U2D36 is for use with a 36" panel.
- 24" wide panel allows for only one (1) duplex receptacle per panel side.

PRODUCT	PRICE	SIZE/	INCHES	• •	WEIGHT	VOL
CODE		Н	L	D	LBS	FT ³
BE8U2D24	166	2	9.25	2.61	0.83	1.17
BE8U2D30	191	2	15.25	2.61	1.28	1.17
BE8U2D36	201	2	21.25	2.61	1.62	1.65
BE8U2D42	212	2	27.25	2.61	2.00	2.00
BE8U2D48	221	2	33.25	2.61	2.32	2.54
BE8U2D54	231	2	39.25	2.61	2.66	3.20
BE8U2D60	237	2	45.25	2.61	3.04	3.20
BE8U2D66	368	2	51.25	2.61	3.49	3.25
BE8U2D72	368	2	57.25	2.61	3.76	3.30


BE83D · Power Distribution Housing Kit - Base Raceway (Boulevard System 3 only)



- Provides two duplex receptacles per panel side for all panel widths above 24" wide.
- Power Distribution Housing is specified per panel size. eg. BE83D36 is for use with a 36" panel.
- 24" wide panel allows for only one (1) duplex receptacle per panel side.

PRODUCT	PRICE	SIZE/	INCHES	•	WEIGHT	WEIGHT VOL		
CODE		H	L	D	LBS	FT ³		
BE83D24	166	2	9.25	2.61	0.83	1.17		
BE83D30	191	2	15.25	2.61	1.28	1.17		
BE83D36	201	2	21.25	2.61	1.62	1.65		
BE83D42	212	2	27.25	2.61	2.00	2.00		
BE83D48	221	2	33.25	2.61	2.32	2.54		
BE83D54	228	2	39.25	2.61	2.66	3.20		
BE83D60	237	2	45.25	2.61	3.04	3.20		
BE83D66	368	2	51.25	2.61	3.49	3.25		
BE83D72	368	2	57.25	2.61	3.76	3.30		

BE8U3FM • Power Distribution Housing Kit - Face Mount Tile (Boulevard System 3 only)



- Provides two duplex receptacles for all tile widths above 24". 24" wide tile allows for one (1) duplex receptacle.
- · Housing and mounting hardware included.
- · Specify duplexes, cables and tiles separately.
- BE83BT40 Base-to-Tile Cable is used to connect the tile mounted housing to the Power Distribution Housing tile in the base of the same "PV" panel.
- 24" wide tiles have one duplex and one data/comm opening. 30" and wider tiles have two data/comm openings.
- Note: Not compatible with panels built prior November 1st, 2014

PRODUCT CODE	PRICE	SIZE/ H	INCHES L	D	WEIGHT LBS	VOL FT ³
BE8U3FM24	166	2	9.25	2.61	0.83	1.17
BE8U3FM30	191	2	15.25	2.61	1.28	1.17
BE8U3FM36	201	2	21.25	2.61	1.62	1.65
BE8U3FM42	212	2	27.25	2.61	2.00	2.00
BE8U3FM48	221	2	33.25	2.61	2.32	2.54
BE8U3FM54	228	2	39.25	2.61	2.66	3.20
BE8U3FM60	237	2	45.25	2.61	3.04	3.20
BE8U3FM66	368	2	51.25	2.61	3.49	3.25
BE8U3FM72	368	2	57.25	2.61	3.76	3.30

BE81D-CM · Centermount Power Distribution Housing Qua



- · Provides four duplex receptacles per panel for widths 36' and above.
- Centermount Distribution Housing is specified per panel size. ie. BE81D36CM is for 36" panel.
- · Not available for panels less than 36" wide.

а	ıa Kıt - Conceai	ea ves	к нею	dut (R	i oni	V)	
	PRODUCT	PRICE	SIZE/	INCHES	•	WEIGHT	VOL
	CODE		H	L	D	LBS	FT ³
	BE81D36CM	299	2	21.99	2.61	3.24	1.65
	BE81D42CM	352	2	27.99	2.61	4.00	2.00
	BE81D48CM	368	2	33.99	2.61	4.64	2.54
	BE81D54CM	384	2	39.99	2.61	5.32	3.20
	BE81D60CM	403	2	45.99	2.61	6.04	3.20
	BE81D66CM	551	2	51.99	2.61	6.98	3.25
	BE81D72CM	571	2	57.99	2.61	7.52	3.30

BEPE • Post Extension



- · Lightweight aluminum pole to be used to bring power and/ or data/communication cables from ceiling to a panel through a post.
- · Attaches to ceiling and post.
- · Includes connectors, ceiling trim plate and screws.
- · Post extension will accept: 75 cables 5.6mm (0.220") dia. data cables
- 60 cables 5.6mm (0.220") dia. data cables with 1 power feed 45 cables 5.6mm (0.220") dia. data cables with 2 power feeds.
- Ceiling bezel is white only.

PRODUCT CODE	PRICE	SIZE/	INCHES L	D	WEIGHT LBS	VOL FT ³
BEPE49	95		49	2.61	5.00	0.258
BEPE81	144		81	2.61	9.00	0.424

SIZE/

Н

66

30

SIZE

Н

49

81

INCHES

2.61

2.61

2.61

INCHES

7.61

7.61

D

3.00

3.00 9

WEIGHT VOL

WEIGHT VOL

FT3

0.258

0424

LBS

FT³

0.346

0.195

0.430

LBS

2.61

2.61 5

2.61

BHPOST • Lay in Post Extension



- Three sided lightweight aluminum pole to be used to bring power and/or data/ communication cables from ceiling to a BHPOST66 panel. True lay-in application use
- · Attaches to ceiling and post.
- · Includes connectors and ceiling bezel plate and screws.
- Requires vertical end trim to enclose when used in 2 way and 3 way panel run application.

BHPOSTE30

BHPOSTE78

CODE

PRICE

209

179

PRODUCT

BE2PE49

CODE

TYPE

BASE

EXTENSION EXTENSION

PRICE

214

318


· Trim encloses lay-in cable post extension, sold separately.

BE2PE • Off-Module Post Extension



- · An alternative to the existing Ceiling Post, allows for an off-module Ceiling Feed location.
- · Attaches to the top of horizontal trim.
- Panel ceiling post consists of two aluminum extrusions for BE2PE81 a true lay-in application.
- · Includes brackets, hardware and ceiling trim plate and screws.
- Harness length will vary in length depending on post location along the panel.
- Can only be used with Boulevard System 3 "PV" and "MV" Panels.
- Requires on site cutting of top trim for placement along panel.

DEK • Jumper Harness




- Kit includes all components to add power to Diet Panels. • Typical kit includes: 2 Duplex Receptacle Blocks (either
- circuit #1 or circuit #2), the Jumper Harness between the Duplex Receptacle Blocks, the Jumper Harness to the next panel, the pre-punched Raceway Cover, the aluminum Raceway Junction Cover, 2 PVC Duplex Receptacle Block Spacers and the hardware to attach the components.
- · The length of the Jumper Harness between two Duplex Receptacle Blocks is based on the panel width.
- · Jumper Harness going into the next panel and the aluminum Raceway Junction Covers are standard size.
- Raceway Cover and Raceway Junction Cover are Charcoal (CHR) only.
- Each kit is identified as circuit #1 (ie. DEK240"1") or circuit #2 (ie. DEK240"2").
- 24" wide panels have a single Duplex Receptacle Block only.
- 30" wide panels have 2 Duplex Recepacle Blocks, however they must be facing the same direction.
- 24" and 30" wide panels are not pre-punched for data.
- 36" to 60" wide panels are pre-punched for Duplex Receptacle Blocks on either side and for data just off-center on both sides.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
DEK2401	266	4	18	1.3	4.90	0.07
DEK3001	389	4	24	1.3	5.25	0.08
DEK3601	408	4	30	1.3	5.70	0.10
DEK4201	422	4	36	1.3	6.00	0.13
DEK4801	441	4	42	1.3	6.40	0.15
DEK5401	463	4	48	1.3	7.10	0.16
DEK6001	481	4	54	1.3	7.60	0.19
DEK2402	266	4	18	1.3	4.90	0.07
DEK3002	389	4	24	1.3	5.25	0.08
DEK3602	408	4	30	1.3	5.70	0.10
DEK4202	422	4	36	1.3	6.00	0.13
DEK4802	441	4	42	1.3	6.40	0.15
DEK5402	463	4	48	1.3	7.10	0.16
DEK6002	481	4	54	1.3	7.60	0.19

BOULEVARD

ELECTRICAL


DEJH • Diet Pass-Thru Kit



- · Kit allows electrical to pass through a Diet Panel.
- Kit includes: female-female jumper harness, Raceway Cover and Raceway Junction Cover.
- Pass-Thru harness connects to a Duplex Receptacle Block within one powered panel; passes through a non-powered panel, and the opposite end connects to another Receptacle Block within the second powered panel.
- Raceway Cover and Raceway Junction Cover are Charcoal (CHR) only.

PRODUCT CODE	PRICE	PRICE SIZE/ INCHES H L D				VOL FT ³
DEJH24	182	п 2	42	ט 1	LBS 1.81	0.025
DEJH30	207	2	48	1	2.07	0.023
DEJH36	226	2	54	1	2.12	0.032
DEJH42	245	2	60	1	2.60	0.035
DEJH48	263	2	66	1	2.86	0.038
DEJH54	284	2	72	1	3.13	0.041
DEJH60	301	2	78	1	3.39	0.044

DEBF • Diet Base Feed



- Provides single power entry from floor into raceway.
- Single Ceiling Feed has a 6' whip, liquid tight.
- Raceway connection replaces one Duplex Receptacle Block in a standard kit.

PRODUCT Code	PRICE	SIZE/ H	INCHES L	D	WEIGHT LBS	VOL FT ³
DEBF01	228	2	72	2	5.6	0.06

DECF • Diet Ceiling Feed



- Provides single power entry from ceiling through a post into raceway.
- Raceway connection replaces one Duplex Receptacle Block in a standard kit.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	L	D	LBS	FT ³
DECF01	371	2	144	2	5.6	0.06

DEPE • Diet Post Extension



- Lightweight aluminum pole manages power and data cables between ceiling and floor level raceway.
- Aluminum extrusion with PVC extruded cover secures to the outside of the panel and passes through the worksurface scoop.
- · Includes all hardware and bezel.
- Intended for use on Diet panels with fabric bottoms.

PRODUCT	PRICE	SIZE/	INCHES		WEIGH	WEIGHT VOL		
CODE		Н	W	D	LBS	FT ³		
DEPE116	255	116	4.5	1	7	0.82		

DERJC • Raceway Junction Cover



- Provides an external cover for cables passing between adjacent, in-line panels and off-module "X" panel configurations. Also, capable of bridging two in-line panels in a "T" configuration (outside).
- · Aluminum, powder coated finish.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
DERJC	25	4.3	10	1	0.5	0.1

Worksurfaces

Global Contract offers a wide variety of worksurfaces and user friendly worksurface High and Low pressure worksurfaces are 3mm edge banded. shapes to support a variety of tasks, applications and personal preferences.

Wood veneer surfaces or solid wood edges available.

1 1/16" particle board.

45 lb. density

100% recycled from post consumer industrial material

"Scoops" for cable management.

All worksurfaces have threaded inserts for metal-to-metal connection of support hardware.

Technical Information

Worksurfaces

All worksurfaces have threaded inserts for metal-to-metal connection of support hardware.

Back edge features scoop detail.

Worksurfaces 48" or less have one scoop while those that are 54" or more have a double scoop feature with a 1/2" wire passage trough between the scoops.

LP and HP worksurfaces are 3mm edge banded.

LP worksurfaces are 1" thick particle board with laminate finish.

HP worksurfaces are 1 1/16" thick particle board with laminate finish.

T worksurfaces are 1 1/16" thick particle board with laminate finish and wood trim. W worksurfaces are 1 3/16" thick particle board with wood veneer finish. Edge is solid wood edge banded.

One universal cantilever supports two abutting worksurfaces.

20" deep worksurfaces available at same price as 24" deep worksurfaces. Support hardware must be ordered separately.

Edge banded worksurfaces without scoops available, substitute "NFL" for "SCP" at the end of the code.

Transaction Worksurfaces


To install transaction worksurfaces to a 42" high panel, use BHBT02 bracket. To install transaction worksurfaces to a 37" high panel, use BHBT37 bracket.

WORKSURFACE COMPONENTS - GUIDELINES FOR ORDERING PRODUCT

Codes

The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of Worksurface: BWS2460SCPHPMR71T CHR



How to Specify

Specify Boulevard worksurface type and size by code.


Specify scoops option by adding "SCP" at end of code.

Specify type of finish.

Specify High Pressure Laminate Colour.

Specify PVC edge colour.

Example of Hardware: BHC24 CHR



How to Specify

Specify Boulevard hardware type and size by code. Specify type of finish.

BOC

BWS • Straight Rectangular Worksurface



Worksurfaces 48" or Less




Worksurfaces 54" or Longer

- Straight rectangular worksurfaces are non-handed and can be interchanged on site.
- Please choose from DWT -Designer White, SIL - Silver or BLK - Black for scoop covers.
- Surfaces with wood trim

 (T) and complete wood (W)
 will not have the plastic scoop, they will remain with the curve cut scoop.
 To specify wood trim (T)
- To specify wood trim (T) or complete wood (W) surfaces, please remove the last "P" from the code, replace with "SCP" and add either a "T" or "W" and the old scoop style is going to be created.

uriace	DDIOF	ADOUD			OIZE (INCUES		WEIGH	- 1/01
PRODUCT	PRICE	GROUP		1872	SIZE/	INCHES	_	WEIGH'	
CODE	LP* 119	HP*	T*	W*	H	W	D	LBS 9	FT ³
BWS1818P BWS1824P	130	151 163	218 244	331 409	1	18 24	18 18	12	0.29
BWS1830P	139	173	258	409	1	30	18	15	0.39
BWS1836P	159	173	288	587	1	36	18	18	0.49
BWS1842P	209	258	361	706	1	42	18	21	0.59
BWS1848P	209	308	414	741	1	48	18	24	0.08
BWS1854P	287	361	475	754	1	54	18	27	0.78
BWS1860P	318	395	518	778	1	60	18	30	1.00
BWS1866P	339	423	552	802	1	66	18	32	1.10
BWS1872P	357	446	588	826	1	72	18	35	1.10
BWS1878P	377	471	621	898	1	78	18	38	1.30
BWS1884P	409	511	676	937	1	84	18	41	1.40
BWS2418P	123	155	244	382	1	18	24	12	0.40
BWS2424P	134	166	258	473	1	24	24	16	0.52
BWS2430P	141	176	277	579	1	30	24	20	0.65
BWS2436P	161	201	312	676	1	36	24	23	0.78
BWS2442P	210	261	378	810	1	42	24	28	0.90
BWS2448P	252	314	437	898	1	48	24	31	1.03
BWS2454P	295	368	503	923	1	54	24	35	1.20
BWS2460P	333	414	554	946	i	60	24	39	1.30
BWS2466P	345	433	581	986	1	66	24	43	1.41
BWS2472P	362	452	605	1021	1	72	24	47	1.54
BWS2478P	384	480	652	1124	1	78	24	51	1.70
BWS2484P	414	518	697	1213	1	84	24	55	1.80
BWS3018P	144	178	280	475	1	18	30	15	0.50
BWS3024P	155	194	302	594	1	24	30	20	0.70
BWS3030P	168	211	330	702	1	30	30	25	0.97
BWS3036P	198	248	372	831	1	36	30	30	1.06
BWS3042P	280	350	477	870	1	42	30	34	1.12
BWS3048P	295	368	509	939	1	48	30	39	1.30
BWS3054P	323	405	552	975	1	54	30	44	1.44
BWS3060P	345	433	587	1014	1	60	30	49	1.60
BWS3066P	361	448	612	1092	1	66	30	54	1.80
BWS3072P	381	476	648	1176	11	72	30	59	2.00
BWS3078P	404	504	686	1297	1	78	30	64	2.10
BWS3084P	446	557	751	1398	1	84	30	69	2.24
BWS3672P	724	949	1480	2373	1	72	36	71	2.30


BWSP • Straight Rectangular Worksurface to span a Post



Worksurfaces 48" or Less



Worksurfaces 50" or Longer



Application of Worksurface

- Straight rectangular worksurfaces are non-handed and can be interchanged on site.
 Worksurface will span the width of a post eliminating a gap between standard sizes.
- Please choose from DWT -Designer White, SIL - Silver or BLK - Black for scoop covers.
- Surfaces with wood trim
 (T) and complete wood (W) will not have the plastic scoop, they will remain with the curve cut scoop.
- To specify wood trim (T) or complete wood (W) surfaces, please remove the last "P" from the code, replace with "SCP" and add either a "T" or "W" and the old scoop style is going to be created.

surface to sp	surface to span a Post												
PRODUCT -	PRICE	GROUP			SIZE/	INCHES		WEIGHT	VOL				
CODE	LP*	HP*	T*	W*	Н	W	D	LBS	FT ³				
BWSP1821P	130	163	242	408	1	21	18	10	0.34				
BWSP1827P	139	172	258	497	1	27	18	13	0.44				
BWSP1833P	157	196	287	583	1	33	18	16	0.53				
BWSP1839P	207	258	360	702	1	39	18	19	0.63				
BWSP1845P	245	304	411	736	1	45	18	22	0.72				
BWSP1851P	286	360	474	751	1	51	18	25	0.82				
BWSP1857P	318	395	518	778	1	57	18	28	0.92				
BWSP1863P	338	421	549	795	1	63	18	31	1.01				
BWSP1869P	356	444	584	822	1	69	18	34	1.11				
BWSP1875P	385	469	619	895	1	75	18	37	1.21				
BWSP1881P	406	509	670	930	1	81	18	40	1.30				
BWSP1887P	438	547	761	1038	1	87	18	43	1.40				
BWSP2421P	134	166	258	473	1	21	24	14	0.45				
BWSP2427P	141	176	277	579	1	27	24	17	0.60				
BWSP2433P	161	201	312	676	1	33	24	21	0.70				
BWSP2439P	210	261	378	810	1	39	24	25	0.83				
BWSP2445P	252	314	437	898	1	45	24	29	1.00				
BWSP2451P	295	368	503	923	1	51	24	33	1.10				
BWSP2457P	333	414	554	946	1	57	24	37	1.22				
BWSP2463P	345	433	581	986	1	63	24	41	1.34				
BWSP2469P	362	452	605	1021	1	69	24	45	1.47				
BWSP2475P	384	480	652	1124	1	75	24	49	1.60				
BWSP2481P	414	518	697	1213	1	81	24	53	1.73				
BWSP2487P	522	654	786	1295	1	87	24	57	1.90				
BWSP3021P	155	194	302	594	1	21	30	17	0.56				
BWSP3027P	168	211	330	702	1	27	30	22	0.72				
BWSP3033P	198	248	372	831	1	33	30	27	0.88				
BWSP3039P	280	350	477	870	1	39	30	32	1.04				
BWSP3045P	295	368	509	939	1	45	30	37	1.20				
BWSP3051P	323	405	552	975	1	51	30	41	1.40				
BWSP3057P	345	433	587	1014	1	57	30	46	1.51				
BWSP3063P	361	448	612	1092	1	63	30	51	1.67				
BWSP3069P	381	476	648	1176	1	69	30	56	1.83				
BWSP3075P	404	504	686	1297	1	75	30	61	2.00				
BWSP3081P	446	557	751	1398	1	81	30	66	2.20				
BWSP3087P	598	748	946	1501	1	87	30	70	2.30				
BWSP3675P	741	972	1480	2373	1	75	36	73	2.40				

BWS • Straight Rectangular Worksurface without Flex Lip or Scoops



- Straight rectangular worksurfaces are non-handed and can be interchanged on site.

 Waskaufface factures here.

 Waskaufface factures here.

 The straight rectangular worksurface factures here.


 The straight rectangular worksurface factures here.

 The straight rectangular worksurface factures here.

 The straight rectangular worksurface factures here.
- Worksurface features no scoop or flex lip.

PRODUCT	PRICE	GROUP		Ρ-	SIZE/	INCHES		WEIGHT	VOL
CODE	LP*	HP*	T*	W*	H	W	D	LBS	FT ³
BWS1818NFL	119	151	218	331	1	18	18	9	0.28
BWS1824NFL	130	163	244	409	1	24	18	12	0.40
BWS1830NFL	139	173	258	498	1	30	18	15	0.50
BWS1836NFL	157	196	288	587	1	36	18	18	0.59
BWS1842NFL	209	258	361	706	1	42	18	21	0.68
BWS1848NFL	247	308	414	741	1	48	18	24	0.78
BWS1854NFL	287	361	475	754	1	54	18	27	0.88
BWS1860NFL	318	395	518	778	1	60	18	29	0.97
BWS1866NFL	339	423	552	802	1	66	18	32	1.10
BWS1872NFL	357	446	588	826	1	72	18	35	1.20
BWS1878NFL	377	471	621	898	1	78	18	38	1.30
BWS1884NFL	409	511	676	937	_1	84	18	41	1.40
BWS2418NFL	123	155	244	382	1	18	24	12	0.40
BWS2424NFL	134	166	258	473	11	24	24	16	0.52
BWS2430NFL	141	176	277	579	1	30	24	20	0.65
BWS2436NFL	161	201	312	676	1	36	24	24	0.78
BWS2442NFL	210	261	378	810	1	42	24	28	0.90
BWS2448NFL	252	314	437	898	1	48	24	31	1.03
BWS2454NFL	295	368	503	923	1	54	24	35	1.20
BWS2460NFL	333	414	554	946	1	60	24	39	1.30
BWS2466NFL	345	433	581	986	1	66	24	43	1.41
BWS2472NFL	362	452	605	1021	1	72	24	47	1.54
BWS2478NFL	384	480	652	1124	1	78	24	51	1.70
BWS2484NFL	414	518	697	1213	_1	84	24	55	1.80
BWS3018NFL	144	178	280	475	1	18	30	15	0.50
BWS3024NFL	155	194	302	594	1	24	30	20	0.65
BWS3030NFL	168	211	330	702	1	30	30	25	0.81
BWS3036NFL	198	248	372	831	1	36	30	29	1.00
BWS3042NFL	280	350	477	870	1	42	30	34	1.13
BWS3048NFL	295	368	509	939	1	48	30	39	1.30
BWS3054NFL	323	405	552	975	1	54	30	44	1.44
BWS3060NFL	345	433	587	1014	1	60	30	49	1.60
BWS3066NFL	361	448	612	1092	1	66	30	54	1.76
BWS3072NFL	381	476	648	1176	1	72	30	59	1.91
BWS3078NFL	404	504	686	1297	1	78	30	64	2.10
BWS3084NFL	446	557	751	1398	1	84	30	69	2.24
BWS3672NFL	724	944	1118	1443	1	72	36	71	2.30

BWSC • Curveliniar Front Edge Worksurfac



NOTE: BWSC


24	18	30
A	B	C
WIDTH	WIDTH	LENGTH

- Curvelinear front edge worksurface.
- Allows efficient use of a small footprint.
- The curve on the 30" and 36" wide worksurfaces have been modified to allow a pedestal to fit.
- Please choose from DWT -Designer White, SIL- Silver or BLK - Black for scoop covers.
- Surfaces with wood trim
 (T) and complete wood (W) will not have the plastic scoop, they will remain with the curve cut scoop.
- To specify wood trim (T) or complete wood (W) surfaces, please remove the last "P" from the code, replace with "SCP" and add either a "T" or "W" and the old scoop style is going to be created.

rksurtace									
PRODUCT Code	PRICE LP*	GROUP HP*	T*	W*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWSC182430P	179	222	355	711	1	30	24	18	0.65
BWSC182436P	215	271	404	898	1	36	24	22	0.78
BWSC182442P	252	314	458	898	1	42	24	26	0.90
BWSC182448P	287	361	508	970	1	48	24	30	1.03
BWSC182454P	323	405	561	1035	1	54	24	34	1.20
BWSC182460P	361	448	617	1081	1	60	24	38	1.30
BWSC241830P	179	222	355	711	1	30	24	18	0.65
BWSC241836P	215	271	404	789	1	36	24	22	0.78
BWSC241842P	252	314	458	898	1	42	24	26	0.90
BWSC241848P	287	361	508	970	1	48	24	30	1.03
BWSC241854P	323	405	561	1035	1	54	24	34	1.2
BWSC241860P	361	448	617	1081	1	60	24	38	1.3
BWSC243030P	188	236	367	802	1	30	30	23	0.81
BWSC243036P	215	271	408	868	1	36	30	28	1
BWSC243042P	311	385	540	1010	1	42	30	33	1.13
BWSC243048P	323	405	572	1081	1	48	30	38	1.3
BWSC243054P	361	447	626	1181	1	54	30	42	1.44
BWSC243060P	393	495	681	1227	1	60	30	47	1.6
BWSC302430P	188	236	367	802	1	30	30	23	0.81
BWSC302436P	215	271	408	868	1	36	30	28	1
BWSC302442P	311	385	540	1010	1	42	30	33	1.13
BWSC302448P	323	405	572	1081	1	48	30	38	1.3
BWSC302454P	361	447	626	1181	1	54	30	42	1.44
BWSC302460P	393	491	681	1226	1	60	30	47	1.6

LP = Thermally Fused Laminate, HP = High Pressure Laminate, T= High Pressure Laminate with Wood Trim, W= Wood Veneer

BWCC · Curved Corner Worksurface



NOTE: BWCC

36	l 18
С	Α
WIDTH	DEPTH

 Allows efficient use of corner space for computer or printer applications.

• BWCC3624 has a front radius of 12". It is not usable for keyboard support.

 Please choose from DWT -Designer White, SIL- Silver or BLK - Black for scoop covers.

Surfaces with wood trim
 (T) and complete wood (W) will not have the plastic scoop, they will remain with the curve cut scoop.


• To specify wood trim (T) or complete wood (W) surfaces, please remove

PRICE LP*	GROUP HP*	T*	W*	SIZE/ H	INCHES W	D	WEIGH LBS	T VOL FT3
352	439	622	1198	1	36	36	29	1.20
387	484	792	1335	1	36	36	32	1.20
525	657	856	1407	1	42	42	41	1.60
538	671	853	1448	1	42	42	45	1.60
612	765	1019	1885	1	48	48	50	2.00
612	765	1019	1885	1	48	48	56	2.00
	1P* 352 387 525 538 612	1P* HP* 352 439 387 484 525 657 538 671 612 765	LP* HP* T* 352 439 622 387 484 792 525 657 856 538 671 853 612 765 1019	LP* HP* T* W* 352 439 622 1198 387 484 792 1335 525 657 856 1407 538 671 853 1448 612 765 1019 1885	LP* HP* T* W* H 352 439 622 1198 1 387 484 792 1335 1 525 657 856 1407 1 538 671 853 1448 1 612 765 1019 1885 1	LP* HP* T* W* H W 352 439 622 1198 1 36 387 484 792 1335 1 36 525 657 856 1407 1 42 538 671 853 1448 1 42 612 765 1019 1885 1 48	LP* HP* T* W* H W D 352 439 622 1198 1 36 36 387 484 792 1335 1 36 36 525 657 856 1407 1 42 42 538 671 853 1448 1 42 42 612 765 1019 1885 1 48 48	LP* HP* T* W* H W D LBS 352 439 622 1198 1 36 36 29 387 484 792 1335 1 36 36 32 525 657 856 1407 1 42 42 41 538 671 853 1448 1 42 42 45 612 765 1019 1885 1 48 48 50

CODE	RADIUS "R"	
BWCC3618P	18"	
BWCC3624P	12"	
BWCC4224P	18"	
BWCC4230P	12"	
BWCC4824P	24"	
BWCC4830P	18"	NOTE: 12" radius not recommended for keyboards

the last "P" from the code, replace with "SCP" and add either a "T" or "W" and the old scoop style is going to be created.

BWCF • Five Sided Corner Worksurface



 Creates efficient use of corner space for computer or printer applications.

 Please choose from DWT - Designer White, SIL - Silver or BLK - Black for scoop covers.


 Surfaces with wood trim (T) and complete wood (W) will not have the plastic scoop, they will remain with the curve cut scoop.

To specify wood trim
(T) or complete wood
(W) surfaces, please
remove the last "P" from
the code, replace with
"SCP" and add either a
"T" or "W" and the old
scoop style is going to be
created.

ı	lace										
	PRODUCT	PRICE	GROUP			SIZE/	INCHES		WEIGHT		
	CODE	LP*		HP* T* W*			W	D	LBS FT ³		
	BWCF3012P	218	272	405	1045	1	30	30	28	1.00	
	BWCF3612P	303	378	487	1069	1	36	36	30	1.03	
	BWCF3618P	303	378	487	1069	1	36	36	31	1.20	
	BWCF3624P	318	395	504	1069	1	36	36	33	1.20	
	BWCF3630P	333	414	522	1069	1	36	36	35	1.20	
	BWCF4218P	433	540	664	1273	1	42	42	40	1.60	
	BWCF4224P	446	557	684	1273	1	42	42	45	1.60	
	BWCF4230P	462	576	702	1273	1	42	42	47	1.60	
	BWCF4818P	490	612	775	1474	1	48	48	40	1.60	
	BWCF4824P	506	628	790	1474	1	48	48	45	1.60	
	BWCF4830P	534	664	829	1474	1	48	48	47	1.60	

CODE	PANEL SIZES	ADJOINED WORKSURFACE DEPTH	Α	В
BWCF3012P	30	12	25.5	29.8
BWCF3612P	36	12	34.0	34.0
BWCF3618P	36	18	25.5	37.9
BWCF3624P	36	24	17.0	42.1
BWCF3630P	36	30	8.5	46.4
BWCF4218P	42	18	33.9	42.1
BWCF4224P	42	24	25.5	46.4
BWCF4230P	42	30	17.0	50.6
BWCF4818P	48	18	42.4	46.4
BWCF4824P	48	24	33.9	50.6
BWCF4830P	48	30	25.5	54.8

BWCL • "L" Corner Worksurface



NOTE: BWCL 5" radius not recommend

5" radius not recommended for keyboards.

36	18
C	A
WIDTH	DEPTH

• Creates efficient use of corner space for computer or printer applications.

Please choose from DWT Designer White, SIL - Silver or
BLK - Black for scoop covers.
 Surfaces with wood trim
(T) and complete wood (W)
will not have the plastic

with the curve cut scoop.
To specify wood trim (T) BWCL4818P
or complete wood (W) surBWCL4830P

scoop, they will remain

PRODUCT	PRICE	GROUP	T*	14/*	SIZE/	INCHES	_	WEIGH	
CODE	LP*	HP*		W*	Н	W	D	LBS	FT ³
BWCL3018P	218	270	372	1191	1	30	30	20	0.80
BWCL3024P	215	271	367	1191	1	30	30	23	0.80
BWCL3618P	318	395	508	1198	1	36	36	27	1.20
BWCL3624P	333	414	525	1198	1	36	36	31	1.20
BWCL3630P	345	433	544	1198	1	36	36	34	1.20
BWCL4218P	462	576	702	1407	1	42	42	32	1.60
BWCL4224P	476	594	719	1407	1	42	42	39	1.60
BWCL4230P	490	612	739	1407	1	42	42	44	1.60
BWCL4818P	504	628	790	1608	1	48	48	38	2.00
BWCL4824P	518	647	810	1608	1	48	48	47	2.00
BWCL4830P	531	664	829	1608	1	48	48	54	2.00

faces, please remove the last "P" from the code, replace with "SCP" and add either a "T" or "W" and the old scoop style is going to be created.

BWAC45 • Curved Corner Worksurface for 45 Degree Angle 12"R

NOTE: BWAC

45°	24	18
	С	Α
45º POST	WIDTH	DEPTH

- Five sided corner unit for 45 degree Corner Posts.
- Creates efficient use of space for computer or printer application.
- Please choose from DWT -Designer White, SIL - Silver or BLK - Black for scoop covers.
- Surfaces with wood trim (T) and complete wood (W)

 Five sided corner unit for 	PRODUCT	PRICE	GROUP			SIZE/	INCHES		WEIGHT	VOL
45 degree Corner Posts.	CODE	LP*	HP*	T*	W*	H	W	D	LBS	FT ³
Creates efficient use of	BWAC452418P	352	439	628	1133	1	24	18	38	1.14
space for computer or	BWAC452424P	367	460	775	1398	1	24	24	42	1.29
printer application.	BWAC452430P	382	476	992	1797	1	24	30	48	1.45
 Please choose from DWT - 	BWAC453018P	452	566	1356	1812	1	30	18	53	1.61
Designer White, SIL - Silver	BWAC453024P	513	641	1618	2157	1	30	24	60	1.80
or BLK - Black for scoop	BWAC453030P	567	711	2067	2753	1	30	30	66	2.01
covers.	BWAC453618P	636	793	1578	2096	1	36	18	66	2.01
 Surfaces with wood trim 	BWAC453624P	706	884	1942	2586	1	36	24	71	2.16
(T) and complete wood (W)	BWAC453630P	778	970	2444	3254	1	36	30	76	2.30
will not have the plastic scool	op, they will remain with	the curve	cut scoop).						

W*

905

1133

1520

1793

1947

1767

2096

504

628

684

1143

1344

1462

1334

1572

SIZE

INCHES

W

24

24

24 30

30

30

36

36

WEIGHT VOL

FT³

0.99

1.09

1.19

1.46

1.58

1.71

2.01

2.16

2.31

LBS

33

36

39

48

52

56

66

76

18

30

18

30

24

To specify wood trim (T) or complete wood (W) surfaces, please remove the last "P" from the code, replace with "SCP" and add either a "T" or "W" and the old scoop style is going to be created.

HP*

378

395

414

516

561

601

734

789

BWAC60 • Curved Corner Worksurface for 60 Degree Angle PRODUCT PRICE GROUP

CODE

BWAC602418P

BWAC602424P


BWAC602430P

BWAC603018P

BWAC603024P

BWAC603030P

BWAC603618P



NOTE: BWAC

60°	24	18
	С	Α
60° POST	WIDTH	DEPTH

- · Five sided corner unit for 60 degree Corner Posts.
- Creates efficient use of space for computer or printer application.
- Please choose from DWT -Designer White, SIL - Silver or BLK - Black for scoop covers
- BWAC603624P Surfaces with wood trim (T) and complete wood (W) BWAC603630P
- 678 843 1716 2285 36 30 will not have the plastic scoop, they will remain with the curve cut scoop. · To specify wood trim (T) or complete wood (W) surfaces, please remove the last "P" from the code, replace with "SCP" and add either a "T" or "W" and the old scoop style is going to be created.

LP*

303

318

333

411


447

481

588

632

BWCE • Extended Curved Corner Worksurface



NOTE: BWCE

60	42	24
Α	В	С
WIDTH	WIDTH	LENGTH


- Extended curved corner unit

 PI with a radius user edge.
- Creates efficient use of a corner unit.
- Please choose from DWT -Designer White, SIL - Silver or BLK - Black for scoop covers
- Surfaces with wood trim (T) and complete wood (W) will not have the plastic scoop, they will remain with the curve cut scoop.
- To specify wood trim (T) or complete wood (W) surfaces, please remove the last "P" from the code, replace with "SCP" and add either a "T" or "W" and the old scoop style is going to be created.

PRODUCT	PRICE	GROUP			SIZE	INCHES		WEIGHT	
CODE	LP*	HP*	T*	W*	H	W	D	LBS	FT ³
BWCE426024P	628	788	1198	1970	1	60	42	57	2.2
BWCE426624P	693	867	1286	2056	1	66	42	62	2.5
BWCE427224P	767	1010	1414	2312	1	72	42	66	2.7
BWCE427824P	819	1025	1500	2486	1	78	42	71	2.9
BWCE428424P	883	1103	1626	2655	1	84	42	75	3.1
BWCE486024P	719	900	1500	2486	1	60	48	66	2.5
BWCE486624P	790	992	1587	2569	1	66	48	71	2.8
BWCE487224P	863	1079	1626	2655	1	72	48	76	3.1
BWCE487824P	937	1171	1755	2913	1	78	48	83	3.3
BWCE488424P	1008	1259	1885	3082	1	84	48	93	3.6
BWCE486030P	790	992	1626	2655	1	60	48	68	2.5
BWCE486630P	863	1079	1712	2784	1	66	48	74	2.8
BWCE487230P	937	1171	1755	2870	1	72	48	80	3.1
BWCE487830P	1008	1259	1885	3040	1	78	48	85	3.3
BWCE488430P	1062	1331	1970	3169	1	84	48	96	3.6
BWCE604224P	628	788	1198	1970	1	42	60	57	2.2
BWCE604824P	693	900	1500	2486	1	48	60	66	2.6
BWCE604830P	767	992	1626	2655	1	48	60	68	2.6
BWCE664224P	819	867	1286	2056	1	42	66	62	2.5
BWCE664824P	883	992	1587	2569	1	48	66	71	2.8
BWCE664830P	719	1079	1712	2784	1	48	66	74	2.8
BWCE724224P	790	1010	1414	2312	1	42	72	66	2.7
BWCE724824P	863	1079	1626	2655	1	48	72	76	3.1
BWCE724830P	937	1171	1755	2870	1	48	72	80	3.1
BWCE784224P	1008	1025	1500	2486	1	42	78	71	2.9
BWCE784824P	790	1171	1755	2913	1	48	78	83	3.3
BWCE784830P	863	1259	1885	3040	1	48	78	85	3.3
BWCE844224P	937	1103	1626	2655	1	42	84	75	3.1
BWCE844824P	1008	1259	1885	3082	1	48	84	93	3.6
BWCE844830P	1062	1331	1970	3169	1	48	84	96	3.6

LP = Thermally Fused Laminate, HP = High Pressure Laminate, T= High Pressure Laminate with Wood Trim, W= Wood Veneer

BWCEC • Extended Curvelinear Corner Works



NOTE: BWSC

66	42	24
A	B	C
WIDTH	WIDTH	LENGTH

- Extended curved corner unit with a radius user edge.
- Creates efficient use of a corner unit.
- Please choose from DWT -Designer White, SIL - Silver or BLK - Black for scoop covers.
- Surfaces with wood trim
 (T) and complete wood (W) will not have the plastic scoop, they will remain with the curve cut scoop.
- To specify wood trim (T) or complete wood (W) surfaces, please remove the last "P" from the code, replace with "SCP" and add either a "T" or "W" and the old scoop style is going to be created.

rner Worksurt	ace								
PRODUCT	PRICE	GROUP			SIZE/	INCHES	_	WEIGHT	
CODE	LP*	HP*	T*	W*	Α	В	C	LBS	FT ³
BWCEC366024P	572	714	1024	1704	36	60	24	59	0.05
BWCEC366624P	600	750	1129	1873	36	66	24	65	0.60
BWCEC367224P	655	819	1227	2046	36	72	24	71	0.07
BWCEC367824P	709	889	1334	2217	36	78	24	77	0.07
BWCEC368424P	790	989	1432	2386	36	84	24	83	0.08
BWCEC426624P	691	862	1277	2046	42	66	24	76	0.07
BWCEC427224P	763	955	1405	2303	42	72	24	83	0.08
BWCEC427824P	816	1019	1491	2476	42	78	24	90	0.08
BWCEC428424P	876	1099	1620	2645	42	84	24	96	0.09
BWCEC487230P	932	1164	1747	2857	48	72	30	94	0.09
BWCEC487830P	1004	1256	1873	3028	48	78	30	102	0.09
BWCEC488430P	1057	1321	1963	3154	48	84	30	110	0.10
BWCEC603624P	572	714	1024	1704	60	36	24	59	0.05
BWCEC663624P	600	750	1129	1873	66	36	24	65	0.60
BWCEC664224P	691	862	1277	2046	66	42	24	76	0.07
BWCEC723624P	655	819	1227	2046	72	36	24	71	0.07
BWCEC724224P	763	955	1405	2303	72	42	24	83	0.08
BWCEC724830P	932	1164	1747	2857	72	48	30	94	0.09
BWCEC783624P	709	889	1334	2217	78	36	24	77	0.07
BWCEC784224P	816	1019	1491	2476	78	42	24	89	0.08
BWCEC784830P	1004	1256	1873	3028	78	48	30	102	0.09
BWCEC843624P	790	989	1432	2386	84	36	24	83	0.08
BWCEC844224P	790	989	1432	2386	84	42	24	96	0.09
BWCEC844824P	876	1099	1620	2645	84	48	24	110	0.10
BWCEC844830P	1057	1321	1963	3154	84	48	30	110	0.10

BWSL • Curvelinear Arc Worksurface




RIGHT HAND SHOWN MONOLEG MOUNTED ON THE RIGHT USER SIDE.

- Arc shaped worksurface provides an extended conferencing area.
- 1 BHML03 Monoleg included.
- Not recommended for use with modesty panel due to knee swing interference.
- For chrome finish on leg, please add \$107 list upcharge.

PRICE LP*	GROUP HP*	T*	W*	SIZE/ H	INCHES W	D	WEIGH LBS	T VOL FT3
754	943	1099	1934	29	60	30	48	1.69
790	992	1223	2159	29	66	30	53	1.85
824	1035	1348	2427	29	72	30	58	2.01
754	943	1099	1934	29	60	30	48	1.69
790	992	1223	2159	29	66	30	53	1.85
824	1035	1348	2427	29	72	30	58	2.01
	754 790 824 754 790	LP* HP* 754 943 790 992 824 1035 754 943 790 992	LP* HP* T* 754 943 1099 790 992 1223 824 1035 1348 754 943 1099 790 992 1223	IP* HP* T* W* 754 943 1099 1934 790 992 1223 2159 824 1035 1348 2427 754 943 1099 1934 790 992 1223 2159	LP* HP* T* W* H 754 943 1099 1934 29 790 992 1223 2159 29 824 1035 1348 2427 29 754 943 1099 1934 29 790 992 1223 2159 29	IP* HP* T* W* H W 754 943 1099 1934 29 60 790 992 1223 2159 29 66 824 1035 1348 2427 29 72 754 943 1099 1934 29 60 790 992 1223 2159 29 66	IP* HP* T* W* H W D 754 943 1099 1934 29 60 30 790 992 1223 2159 29 66 30 824 1035 1348 2427 29 72 30 754 943 1099 1934 29 60 30 790 992 1223 2159 29 66 30	IP* HP* T* W* H W D LBS 754 943 1099 1934 29 60 30 48 790 992 1223 2159 29 66 30 53 824 1035 1348 2427 29 72 30 58 754 943 1099 1934 29 60 30 48 790 992 1223 2159 29 66 30 53

A = 27" for 60", 66" worksurfaces A = 26.5" for 72" worksurfaces

BWSL • Curveliniar Arc Worksurface



RIGHT HAND SHOWN MONOLEG MOUNTED ON THE RIGHT USER SIDE.

- Arc shaped worksurface provides an extended conferencing area.
- 1 BHML03 Monoleg included.
- For chrome finish on leg, please add \$107 list upcharge.

PRODUCT	PRICE	GROUP			SIZE/	INCHES		WEIGH	IT VOL
CODE	LP*	HP*	T*	W*	H	W	D	LBS	FT ³
BWSL3660L	859	1079	1259	2203	29	60	36	57	2.07
BWSL3666L	916	1171	1403	2476	29	66	36	64	2.26
BWSL3672L	1003	1259	1549	2741	29	72	36	71	2.45
BWSL3660R	859	1079	1259	2203	29	60	36	57	2.07
BWSL3666R	916	1171	1403	2476	29	66	36	64	2.26
BWSL3672R	1003	1259	1549	2741	29	72	36	71	2.45

B = 33" for 60", 66" worksurfaces B = 32.5" for 72" worksurfaces

BWD • "D" Worksurface



- Rounded worksurface for conferencing.
 Supported by Manager et
- Supported by Monoleg at one end and panel at the opposite end.
- 1 BHML03 Monoleg included.
- Modesty panel available, see BWMP (not included).
- For chrome finish on leg, please add \$107 list upcharge.
- Please choose from DWT -Designer White, SIL - Silver or BLK - Black for scoop covers.

PRODUCT	PRICE	GROUP			SIZE/	INCHES		WEIGHT	
CODE	LP*	HP*	T*	W*	<u> </u>	W	D	LBS	FT ³
BWD2442P	492	619	815	925	1	42	24	27	0.97
BWD2448P	518	647	824	943	1	48	24	31	1.11
BWD2454P	534	664	856	1162	1	54	24	35	1.24
BWD2460P	544	680	876	1391	1	60	24	39	1.36
BWD2466P	557	702	902	1439	1	66	24	43	1.52
BWD2472P	583	728	941	1577	1	72	24	47	1.66
BWD3048P	518	652	858	1500	1	48	30	38	1.38
BWD3054P	546	685	900	1522	1	54	30	43	1.56
BWD3060P	584	729	941	1545	1	60	30	48	1.69
BWD3066P	612	765	986	1630	1	66	30	53	1.82
BWD3072P	646	806	1052	1720	1	72	30	58	2.01
BWD3078P	682	858	1092	2056	1	78	30	63	2.25
BWD3084P	745	935	1198	2229	1	84	30	68	2.42

- · Surfaces with wood trim (T) and complete wood (W) will not have the plastic scoop, they will remain with the curve cut scoop.
- To specify wood trim (T) or complete wood (W) surfaces, please remove the last "P" from the code, replace with "SCP" and add either a "T" or "W" and the old scoop style is going to be created.

BWP • "P" Worksurface



- Rounded worksurface provides an extended conferencing area.
- 36" diameter end.
- Supported by monoleg at one end and panel at the opposite end.
- 1 BHML03 Monoleg included.
- Modesty panel available, see BWMP (not included).
- For chrome finish on leg, please add \$107 list upcharge.

PRODUCT	PRICE	GROUP			SIZE/	INCHES		WEIGH1	T VOL
CODE	LP*	HP*	T*	W*	Н	W	D	LBS	FT ³
BWPL3054	741	924	1155	1836	1	54	36	51	1.87
BWPL3060	775	968	1196	2132	1	60	36	58	2.03
BWPL3066	840	1054	1297	2427	1	66	36	65	2.24
BWPL3072	875	1102	1365	2727	1	72	36	70	2.41
BWPL3084	1133	1223	1515	3251	1	84	36	81	2.79
BWPR3054	741	924	1155	1836	1	54	36	51	1.87
BWPR3060	775	968	1196	2132	1	60	36	58	2.03
BWPR3066	840	1054	1297	2427	1	66	36	65	2.24
BWPR3072	875	1102	1365	2727	1	72	36	70	2.41
BWPR3084	973	1223	1515	3251	1	84	36	81	2.79

BWMP • "D" and "P" Worksurface Modesty Panel



 Made of cold rolled steel, fastens to the worksurface and Monoleg for additional privacy.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
BWMP1248	120	1	32	12	12	0.4
BWMP1254	145	1	38	12	15	0.47
BWMP1260	168	1	44	12	17	0.53
BWMP1266	195	1	50	12	20	0.61
BWMP1272	217	1	56	12	22	0.66
BWMP1278	234	1	62	12	25	0.71
BWMP1284	250	1	68	12	27	0.79

BWR · Radius Worksurface



- Rounded worksurface for conferencing provides a radius corner.
- 18" and 24" come with 1 BHML03 Monoleg and 30" comes with 2.
- PRICE **GROUP** INCHES **PRODUCT** SIZE/ WEIGHT VOL LP* W* CODE HP* W LBS FT³ BWR18P 431 540 670 1033 38.5 18 27 1.70 2.20 BWR24P 498 625 794 1258 50.5 24 41 BWR30P 1339 903 1129 1836
- · Radius cut out on the straight edge allows space for aluminum trims.
- For chrome finish on leg, please add \$107 list upcharge for each leg.
- Please choose from DWT Designer White, SIL Silver or BLK Black for scoop covers.
- · Surfaces with wood trim (T) and complete wood (W) will not have the plastic scoop, they will remain with the curve cut scoop.
- To specify wood trim (T) or complete wood (W) surfaces, please remove the last "P" from the code, replace with "SCP" and add either a "T" or "W" and the old scoop style is going to be created.

BWRTD • Teardrop Worksurface



- Rounded worksurface for conferencing provides a radius corner from a worksurface to worksurface.
- 1 BHML03 Monoleg included.
- For chrome finish on leg, please add \$107 list upcharge.

PRODUCT	PRICE	GROUP			SIZE/	INCHES	;	WEIGH	IT VOL
CODE	LP*	HP*	T*	W*	H	W	D	LBS	FT ³
BWRTD18	260	284	355	446	1	18	18	24	1.60
BWRTD24	328	367	496	660	1	24	24	33	1.90
BWRTD30	417	479	685	945	1	30	30	43	2.20


BWSR • Curved Panel Worksurface



 BWSR2424 provides enclosed corner when using curved panel.

PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWSR1818	130	163	284	404	1	18	18	9	0.30
BWSR2424	184	230	322	498	1	24	24	16	0.52
BWSR3030	242	301	473	643	1	30	30	25	0.81


BWRP • Corner Radius Worksurface with Cutout



- Corner Radius Worksurface with Cut-Out allows worksurface to be used around a post.
 Cut out fits snug to the
- Cut out fits snug to the post, if trim is attached to the post, the worksurface or PVC trim may need to be cut on site to fit.

٦.	e willi Gulbul									
	PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
	BWRP1818	153	188	475	639	1	21	21	12	0.40
	BWRP2424	218	275	489	665	1	27	27	19	0.64
	BWRP3030	270	339	608	840	1	33	33	29	1.00

BWT • Transaction Worksurface



- Attaches to the top of a 37" or 42" high panel to form a transaction worksurface.
- To attach a Boulevard 1 37" high panel please specify BHBT37, all other heights specify BHBT02.
- To attach a Boulevard 1 panel with flat trim, please specify BHBT37FT or BHBT02FT.

PRODUCT	PRICE	GROUP			SIZE/	INCHES		WEIGH	Γ VOL
CODE	LP*	HP*	T*	W*	Н	W	D	LBS	FT ³
BWT1512	64	72	141	214	1	12	15	5	0.22
BWT1518	75	95	179	242	1	18	15	7	0.30
BWT1524	95	115	215	323	1	24	15	10	0.38
BWT1530	112	136	252	382	1	30	15	12	0.46
BWT1536	126	158	287	419	1	36	15	14	0.54
BWT1542	146	179	328	480	1	42	15	17	0.62
BWT1548	161	203	365	522	1	48	15	19	0.70
BWT1554	178	221	401	545	1	54	15	22	0.78
BWT1560	198	247	436	571	1	60	15	24	0.86
BWT1566	212	266	475	626	1	66	15	28	0.94
BWT1572	230	287	511	786	1	72	15	29	1.02
BWT1578	249	311	550	870	1	78	15	31	1.10
BWT1584	266	331	594	965	1	84	15	34	1.18

BWTC • Transaction Corner Worksurface




- Attaches to the top of a 37" or 42" high panel to form a corner transaction worksurface.
- Covers 12" of a panel.
- **PRODUCT** PRICE **GROUP** SIZE / **INCHES** WEIGHT VOL CODE LP* HP* W* W LBS FT³ BWTC90 144 285 20.7 20.7 0.49 176 637 11 215 215 BWTC45 173 334 21.5 12 0.53 660 BWTC60 0.60 660
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.
- To attach a Boulevard 1 panel with flat trim, please specify BHBT37FT or BHBT02FT.



- Attaches to the top of a 37" or 42" high panel to form a "T" corner transaction worksurface
- Covers 12" of a panel.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.

PRODUCT	PRICE	GROUP				SIZE/ INCHES			WEIGHT VOL		
CODE	LP*	HP*	T*	W*	Н	W	D	LBS	FT ³		
BWTT2721	151	188	312	660	1	21.5	26.5	15	0.6		


BWTAC • Transaction Worksurface for 45 Degree Corner Worksurface



- Attaches to the top of 37" or 42" high panel to form a 45 degree corner transaction worksurface.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.

	PRODUCT	PRICE	GROUP			SIZE/	INCHES		WEIGHT VOL		
	CODE	LP*	HP*	T*	W*	Н	W	D	LBS	FT ³	
-	BWTAC452415	628	788	822	1155	1	47	15	39	1.38	

BWTAC • Transaction Worksurface for 60 Degree Corner Worksurface



- Attaches to the top of 42" high panel to form a 60 degree corner transaction worksurface.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.

PRODUCT	-			SIZE/	INCHES		WEIGHT VOL		
CODE	LP*	HP*	T*	W*	Н	W	D	LBS	FT ³
BWTAC602415	680	854	900	1188	1	44	15	38	1.32

BWTR • Transaction Top for Curv




- Attaches to the top of 37" or 42" high curved panel to form a curved transaction worksurface.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.

ve	a Panei	

PRODUCT	PRICE	GROUP SIZE/ INCHES		WEIGH	T VOL				
CODE	LP*	HP*	T*	W*	Н	W	D	LBS	FT ³
BWTR1524	302	374	509	833	1	33	33	11	1.08


BWTD • Transaction "D" Worksurface



- Attaches to the top of a 37" or 42" high panel to form a transaction worksurface with a radiused end.
- Surface overhangs the panel by 7 1/2" on one side.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.

ce										
PRODUCT	PRICE	GROUP			SIZE/	INCHES			IT VOL	
CODE	LP*	HP*	T*	W*	Н	W	D	LBS	FT ³	
BWTD1530	144	176	328	534	1	37.5	15	17	0.65	
BWTD1536	155	190	345	566	1	43.5	15	19	0.69	
BWTD1542	172	212	378	608	1	49.5	15	22	0.74	
BWTD1548	188	236	414	665	1	55.5	15	25	0.77	
BWTD1554	204	254	448	691	1	61.5	15	27	0.85	
BWTD1560	226	281	492	714	1	67.5	15	30	0.94	
BWTD1566	242	302	529	817	1	73.5	15	33	1.02	
BWTD1572	266	328	567	913	1	79.5	15	35	110	


BWTDD • Transaction Double "D" Worksurface



- Attaches to the top of a 37" or 42" high panel to form a transaction worksurface with 2 radius ends.
- Surface overhangs the panel by 7 1/2" on each end.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.

UI KSUI I ALE									
PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWTDD1548	211	266	490	817	1	63	15	28	1.00
BWTDD1554	228	287	536	860	1	69	15	31	1.01
BWTDD1560	248	311	565	884	1	75	15	33	1.04
BWTDD1566	266	334	604	1013	1	81	15	35	1.13
BWTDD1572	287	361	642	1135	1	87	15	38	1.21

BWTE • Elliptical Transaction Worksurface



- Attaches to the top of a 37" or 42" high panel to form a transaction worksurface.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.
- Depth different than standard tops.

SULTACE													
PRODUCT	PRICE	GROUP			SIZE/	INCHES		WEIGHT	VOL				
CODE	LP*	HP*	T*	W*	Н	W	D	LBS	FT ³				
BWTE36	302	378	971	1398	1	52	18	22	0.78				
BWTE42	345	433	1079	1512	1	58	19	24	0.81				

BWTP • Oval Transaction Worksurface



- Attaches to the top of a 37' or 42" high panel to form a transaction worksurface.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.
- Must be specified at post condition or panel joint.

p of a 37"	PRODUCT	PRICE	GROUP			SIZE/	INCHES		WEIGHT	VOL
to form a	CODE	LP*	HP*	T*	W*	H	W	D	LBS	FT ³
urface.	BWTP1518	216	271	439	693	1	15	18	10	0.35

BWCD · Round Table



- Freestanding round meeting table with 4 prong tubular base.
- For chrome base please upcharge \$107 list.

PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWCD30	448	495	829	1078	29	30 dia	30 dia	35	10.0
BWCD36	463	572	992	1235	29	36 dia	36 dia	142	10.0
BWCD42	574	718	1223	1661	29	42 dia	42 dia	152	11.0


BWSQ · Square Table



- Freestanding square meeting table with 4 prong tubular base.
- For chrome base please upcharge \$107 list.

PRODUCT	PRICE	GROUP			SIZE/	INCHES		WEIGH	
CODE	LP*	HP*	T*	W*	Н	W	D	LBS	FT ³
BWSQ24	450	473	702	986	29	24	24	34	10.0
BWSQ30	448	495	829	1078	29	30	30	38	10.0
BWSQ36	459	572	1005	1235	29	36	36	46	11.0
BWSQ42	659	718	1223	1661	29	42	42	57	11.0

BHCL • "C" Leg




- Attaches to panel support worksurface or to provide freestanding table support.
- Steel structure, PVC cover.
- · Universal non-handed.
- For a single rectangular freestanding worksurface application, specify two "C' Legs and one Modesty Panel of corresponding width.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BHCL2618	211	25	1	18	7	0.27
BHCL2624	218	25	1	24	8	0.36
BHCL2918	227	28	1	18	8	0.30
BHCL2924	238	28	1	24	9	0.40

- May be used as a shared leg between two adjoining worksurfaces. Specify one "C" Leg, one Modesty Panel of corresponding width, plus one Modesty Panel Extension Bracket.
- For corner worksurfaces, specify two "C" Legs, one Corner Leg and two Modesty Panels 6" shorter than rear sides of the corner worksurface.
- Can be used as a floor support in a panel attached application (similar to a cantilever).
- Includes worksurface mounting brackets with screws, Bracket Retainer Clip and panel bracket.
- Accommodates 15" knee space.
- · Intended for use with flexlip worksurfaces. When used on other worksurfaces, modesty panel must be installed upside down.


BKC · Corner Leg



- · Five sided worksurface support.
- · Steel construction.
- · Non handed.
- · Includes bolts for modesty panel attachment.
- For corner worksurfaces, specify two "C" Legs, one Corner Leg and two Modesty Panels 6" shorter than rear sides or the corner worksurface.

PRODUCT Code	PRICE	SIZE/ H	INCHE W	S D	WEIGH LBS	T VOL FT3	
BKC26	126	25	7	7	3.0	0.02	
BKC29	145	28	7	7	3 2	0.02	

BKMP • Modesty Panel



- For rectangular worksurfaces, specify Modesty Panel of corresponding width. For corner worksurfaces, specify two Modesty Panels 6" shorter than rear side of corner worksurface.
- Attaches between two "C" Legs, or between one "C" Leg and a Corner Leg, or a shared "C" Leg and "C" Leg at the end of a run.
- Includes brackets and screws to attach Modesty Panel to worksurface.
- · For use with flex lip worksurfaces only.
- To install on "SCP" or "NFL" worksurface, modesty panel must be inverted.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BKMP1224	145	11	24	0.25	2.75	0.17
BKMP1230	153	11	30	0.25	2.75	0.21
BKMP1236	163	11	36	0.25	3.00	0.25
BKMP1242	172	11	42	0.25	4.00	0.29
BKMP1248	179	11	48	0.25	4.50	0.33
BKMP1254	188	11	54	0.25	5.00	0.38
BKMP1260	199	11	60	0.25	5.50	0.42


BHMEB • Modesty Panel Extension Bracket



- · Modesty Panel Extension Bracket made of cold rolled steel.
- Attaches the Modesty Panel of an adjoining worksurface to a shared "C" Leg.
- · Includes all attachment hardware.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL	
CODE		Н	W	D	LBS	FT ³	
BHMFR01	23	10	1.5	0.125	0.5	0.01	

BHFG • Full Gable - Self Edged




- Provides floor standing support while enclosing an end of a run of worksurfaces.
- Includes attachment hardware, Bracket Retainer Clip and levelling glides.
- · Non-handed.
- May be used as a shared gable between two adjoining worksurfaces.

PRODUCT	PRICE	GROUP	SIZE/	INCHES		WEIGHT	VOL
CODE	LP*	HP*	H	W	D	LBS	FT ³
BHFG2608	130	163	25	1	8	7	0.14
BHFG2612	166	209	25	1	12	13	0.21
BHFG2618	203	253	25	1	18	13	0.27
BHFG2624	222	280	25	1	24	19	0.36
BHFG2630	301	374	25	1	30	23	0.45
BHFG2636	378	473	25	1	36	24	0.57
BHFG2908	130	163	28	1	8	7	0.16
BHFG2912	166	209	28	1	12	14	0.30
BHFG2918	203	253	28	1	18	14	0.30
BHFG2924	222	280	28	1	24	17	0.40
BHFG2930	301	374	28	1	30	21	0.50
BHFG2936	378	473	28	1	36	26	0.65

LP = Thermally Fused Laminate, HP = High Pressure Laminate, T= High Pressure Laminate with Wood Trim, W= Wood Veneer


BHFGP • Full Gable - 3mm PVC Edge



- Provides floor standing support while enclosing an end of a run of worksurfaces.
- Includes attachment hardware, Bracket Retainer Clip and levelling glides.
- Provides consistant edging matching the worksurface trim
- · Handed once installed.
- May be used as a shared gable between two adjoining worksurfaces.

Į.	jea							
-	PRODUCT	PRICE	GROUP	SIZE/	INCHES		WEIGHT	VOL
	CODE	LP*	HP*	H	W	D	LBS	FT ³
	BHFGP2608	130	163	25	1	8	7	0.14
	BHFGP2612	166	209	25	1	12	13	0.21
	BHFGP2618	203	253	25	1	18	13	0.27
	BHFGP2624	222	280	25	1	24	19	0.36
	BHFGP2630	301	374	25	1	30	23	0.45
	BHFGP2636	378	473	25	1	36	24	0.57
	BHFGP2908	130	163	28	1	8	7	0.16
	BHFGP2912	166	209	28	1	12	14	0.30
	BHFGP2918	203	253	28	1	18	14	0.30
	BHFGP2924	222	280	28	1	24	17	0.40
	BHFGP2930	301	374	28	1	30	21	0.50
	BHFGP2936	378	473	28	1	36	26	0.65


BHPG • "P" Shaped Full Gable - 3mm PVC Edged



- Provides floor standing support while enclosing an end of a run of worksurfaces.
- Includes attachment hardware, Bracket Retainer Clip and levelling glides.
- · Handed due to hardware attachment and PVC edge.

· CI							
PRODUCT CODE	PRICE LP*	GROUP HP*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BHPG2624L	222	280	25	1	24	19	0.36
BHPG2924L	222	280	28	1	24	17	0.40
BHPG2624R	222	280	25	1	24	19	0.36
BHPG2924R	222	280	28	1	24	17	0.40

BHLEG · Gable Leg



- Support the worksurface and enhances the stability of connected panels
- · Universal leg plate bolts to the underside of the worksurface.
- PRODUCT
 PRICE
 SIZE/
 INCHES
 WEIGHT VOL

 CODE
 H
 W
 D
 LBS
 FT³

 BHLEG
 188
 28
 6
 23
 8
 0.15
- · Can be configured on-site for left, right or shared worksurface support application on front edge
- · Back edge does not have shared support.
- Tubular leg section adjusts in 1" increments, the leveller can be used for fine adjustment.
- 1" increment leg adjustment and 1" increment panel slots allow the leg of installed worksurface to be supported from 26" to 32". (Leg must be removed from panel to manually adjust.)

PRODUCT

- · Side plate is secured to the slots in the vertical of the Boulevard 1 or System 3 panels and the leg plate bolts to underside of the worksurface.
- · Made of extruded aluminum and steel.
- Includes all mounting hardware to connect to panel and worksurface.

BRTHLEG • Boulevard Leg Assembly



- Boulevard Leg Assembly attaches to a Boulevard panel for applications which require functionality of Boulevard panels with an open environment of Bridges tables.
- One leg with horizontal member connecting to 1" increment slots in panel's vertical frame member. Provides support to panel and panel-connected worksurface at the end of a run; design coordinated with Bridges freestanding

	CODE		H	w	U	TR2	FI,	
	BRTHLEG24LL	405	28	2.5	24	9	1.25	
	BRTHLEG24RL	405	28	2.5	24	9	1.25	
	BRTHLEG30LL	425	28	2.5	30	11	1.45	
ie	BRTHLEG30RL	425	28	2.5	30	11	1.45	
nc	tables.							

SIZE /

INCHES

WEIGHT VOL

PRICE

- Supports 24" and 30" deep worksurfaces. By adding 2 BHBF01 flat brackets and 1 BHBC02 corner bracket, a single leg can then support the adjoining worksurface. Leveling glide is standard. No worksurface supporting beams, use panel cantilevers and storage for worksurface support. One aluminum leg with steel structure specify Left or Right and 24" or 30" deep for corresponding worksurface depths. Panel bracket, dislodgment clip and worksurface hardware included.
- · Anodized aluminum leg upcharge \$39.
- · Please specify paint finish for support.

BRTBL • Boulevard Leg Assembly



 Boulevard Leg Assembly attaches to a Boulevard panel for applications which require functionality of Boulevard panels with ar open environment of Bridge 2 tables.

	PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
an	CODE		Н	W	D	LBS	FT ³
	BRTBL	417	28	3	24	12	1.25

- Panel bracket secures the leg to the panel in 1" increments, within a 24" to 32" height range.
- · Panel mounting bracket is reversible for non-handed applications.
- Supports 24" and 30" deep worksurfaces. By adding 2 BHBF01 flat brackets and 1 BHBC02 corner bracket, a single leg can then support the adjoining worksurface. Leveling glide is standard. No worksurface supporting beams, use panel cantilevers and storage for worksurface support. Panel bracket, dislodgment clip and worksurface hardware included.
- · Leveling glide is standard.

WORKSURFACE HARDWARE

BHML · Monoleg



- · 3" diameter Monoleg provides support for worksurfaces.
- Top plate welded to leg.
- 8" x 8" plated attached to worksurface with #10 3/4" wood screws, included.
- 1" height adjustment range.
- · For chrome finish on leg, please add \$107 list upcharge.

PRODUCT PRICE SIZE/ INCHES WEIGHT VOL CODE H W D LBS FT³ BHML03 190 28 3 3 8 0.15

LATBL • Tapered Leg



- · Tapered leg provides support for worksurfaces.
- Top plate welded to leg.
- 8" x 8" plated attached to worksurface with #10 3/4" wood screws, included.
- 1" height adjustment range.
- For chrome finish on leg, please add \$107 list upcharge.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
LATBL28	227	28	3	3	8	0.15

VVLEGLV · Leg with Leveler




- The Viceversa leg features a push button height adjustment mechanism. This mechanism allows the user to easily set the height of a table. The universal mounting plate can be used to qang 2 tables without metal skirt simply by rotating 45 degrees to span both tops.
 - PRODUCT
 PRICE
 SIZE / INCHES
 WEIGHT VOL

 CODE
 H
 D
 W
 LBS
 FT³

 VVLEGLV
 172
 25-32
 8
 10
 8
 1.5
- The Viceversa Leg has a wire management channel that neatly organizes electrical and communication cables running from the worksurface to the floor.
- Legs have a height range of 25" to 32" in 1" increments (inloudes 1" top).
- The wire channel is covered by a clear PVC snap-on cover.
- Levelers have a 1/2" height range.
- · Levelers come in charcoal only.
- · Includes mounting hardware.

VVLEGLC • Leg with Caster



The Viceversa leg features a push button height adjustment mechanism. This mechanism allows the user to easily set the height of a table. The universal mounting plate can be used to qang 2 tables without metal skirt simply by rotating 45 degrees to span both tops.

PRODUCT CODE	PRICE	SIZE/ H	INCHES n	w	WEIGHT LBS	VOL FT3
VVLEGLC	172	26-33	8	10	8	1.5
. to onen beste tene						

- The Viceversa Leg has a wire management channel that neatly organizes electrical and communication cables running from the worksurface to the floor.
- Legs have a height range of 26" to 33" in 1" increments.
- $\bullet\,$ The wire channel is covered by a clear PVC snap-on cover.
- · Casters come in grey with black only.
- · Includes mounting hardware.

VVLEGF • Fixed Height Leg



- The Viceversa fixed height leg with leveler supports the woksurface at a fixed height of 29".
- The Viceversa leg has a wire management channel that VVLEGF 265 2 neatly organizes electrical and communication cables running from the worksurface to the floor.
- Leg can be installed for each corner of the worksurface or can be shared at adjoining surfaces.
- The wire channel is covered by a clear PVC snap-on cover.
- Levelers have a 1/2" height range.
- · Levelers come in charcoal only.
- Levelers come in charcoar on
- Includes mounting hardware.

BHC • Cantilever



- Universal cantilever with steel attachment bracket constructed of cast aluminum to provide support for worksurfaces.
- · Attaches a worksurface to a panel.
- · May be used for shared worksurface support.
- Interchangeable in the field for left or right positioning.
- Includes Bracket Retainer Clip.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
BHC18	77	7	17	2.5	17	0.04
BHC24	77	7	23	2.5	23	0.05

WEIGHT VOL

WEIGHT VOL

0.50

LBS

7.00

FT³

0.001

LBS

2.3


BHBC • Corner End Bracket



- · Formed steel bracket for a corner worksurface or a straight worksurface.
- · Attaches a corner of any worksurface to a panel through the panel vertical slots.
- · Priced one left and one right per package.
- · Includes Bracket Retainer Clip.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BHBC02	26	3.3	1.5	2.3	2	0.007

BHBF • Flat Bracket



- · Flat Bracket made of cold rolled steel.
- · May be used to ensure alignment of neighboring worksurfaces.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BHBF01	18	0.1	3	4	0.5	0.007

SIZE

3.3

INCHES

1.5

PRICE

26

BHBT • Transaction Bracket



- For use on 34", 42", 50", 58", 66", 74" and 82" high Boulevard panels.
- · Transaction Bracket made of cold rolled steel.
- · Includes Bracket Retainer Clip.

• To provide a secure attachment of a transaction worksurface. · Priced one left and one right per package.

PRODUCT

BHBT02

CODE

BHBT • Transaction Bracket for 37" High Boulevard 1



- Transaction Bracket made of cold rolled steel. • To provide a secure attachment of a transaction worksurface for a 37" high Boulevard 1 panel only. Transaction Bracket engages with the top slots in the 37" high panel to supported for the transaction worksurface.
- · Priced one left and one right per package.
- · Includes Bracket Retainer Clip.

i Paneis						
PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BHBT37	32	4	1	3	0.5	0.007

BHBZ • "Z" Bracket



- · Attaches two different heights of worksurfaces.
- To be used in conjunction with a cantilever.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BHBZ03	75	4	21	4	2	0.190

SIZE/


INCHES

D

W

PRICE

FTATB • Boulevard Connector Kit




- FreeFit to Boulevard kit secures FreeFit height adjustable freestanding tables to parallel Boulevard panels.
- It provides panel/table alignment, preventing moving parts FTATB
 - 191 6.5 from rubbing against panel vertical surfaces and maintains 1" clearance around table surface perimeter.

PRODUCT

CODE

- · Standard metal finishes.
- · All hardware included.
- · Sold as a pair.

LHC • HAT Channel



PRODUCT Code	PRICE	Н	W	D	WEIGHT LBS	VOL FT ³
LHC40	75	1.4	40	5	4	0.20
LHC46	83	1.4	46	5	6	0.22
LHC52	91	1.4	52	5	7	0.25
LHC58	102	1.4	58	5	8	0.28
LHC64	113	1.4	64	5	9	0.31
LHC70	124	1.4	70	5	10	0.33

BOULEVARD STORAGE

LATERAL FILE FEATURES • TECHNICAL INFORMATION

Counterweights are recommended for use in all lateral, verticals, pedestals and free · All four leveling glides can be accessed from the interior of the cabinet. standing files of all widths and heights.

Counterweight not included. In order to meet ANSI/BIFMA X5.9-2004, Counterweight must be specified separately.

Pedestals

- · Quality steel construction.
- · For Linear and C series, the pedestal drawer suspension is as follows:
- Box drawers have 3/4 extension ball bearing slides.
- File drawers have full extension ball bearing slides.
- · FF contains 2 file drawers, BF contains 1 box drawer and 1 file drawer, BBF contains 2 box drawers and 1 file drawer.
- 1 pencil tray and 1 drawer divider is included with each unit containing a box drawer.
- · Includes lock with 2 keys.
- · Can be keyed alike to other metal storage components.
- Cannot be field converted into mobile units.
- · Drawer configuration can be converted in the field.
- Interior drawer depth for radius pedestals is as follows: 19.75" for 24" deep and 24.75" for 30" deep.
- · Interiors of drawer bodies are finished Recycled Grey.
- · Levelers provide 1" height adjustment.

Overhead Storage

- Overhead storage comes in a variety of styles and materials.
- Styles include shelves, open overhead, closed overhead with flipper or hinged door.
- · Materials include metal and wood.

Filing

- · A variety of heights in 30", 36" and 42" widths available.
- · Slots for letter, legal and "A4" metric size material.
- · "B" receding opening accommodates ring binders and fixed front opening will accommodate 14 7/8" x 11" EDP binders.
- Receding doors slide into the cabinet.
- Pull-out shelves have a rolled front edge.
- · Fixed drawers are flat for easy material retrieval.
- · Locks are standard with removable cores.
- All cabinets are of welded construction using 18 to 22 gauge cold rolled steel.
- Front corners are mig-welded and ground smooth where the case meets the top and bottom.
- · Interiors are finished with recycled paint.
- · Positive interlocking system is integrated into each drawer for safety.
- File bars are Recycled Grey and pre-installed in drawers.
- Three stage, full progressive, ball bearing suspension.
- Epoxy powder coated .2 mm thick for durability.
- · Drawer fronts come with double wall construction and full pulls.
- · Drawer mechanism includes an anti-bounce-back device.

- · Changes to fixed or receding fronts are special order.
- · Master key available.
- All filing can be purchases in customer colours at a 10% upcharge for 10 or less units, with the exception fo metallic colours. If a color sample has to be made, this could add to your delivery time, please check with your Customer Service Representative.

Storage Cabinet

- · Comes complete with adjustable non-slotted shelves.
- · Quality steel construction.
- · Include hinged doors, lock with two keys and leveling glides.
- · Can be keyed alike to other metal storage components.

Multi Storage Cabinets

- · Provides hinged door storage over a 12" Series opening combination lateral file for multi-functional storage of material.
- · Includes side to side file bars, leveling glides and lock with two keys.
- Counterweight not included. In order to meet ANSI/BIFMA X5.9-2004, Counterweight must be specified separately.
- · Can be keyed alike to other metal storage components.
- · Drawer interiors are finished in Recycled Grey.

Towers

- · Quality steel construction.
- · The tower drawer suspension is as follows:
 - Box drawers have 3/4 extension ball bearing slides.
- File drawers have full extension ball bearing slides.
- · FF contains 2 file drawers, BF contains 1 box drawer and 1 file drawer, BBF contains 2 box drawers and 1 file drawer.
- 1 pencil tray and 1 drawer divider is included with each unit containing a box drawer.
- Includes 2 locks with 2 keys each for side open towers and 3 locks with 2 keys each for standard towers.
- Can be keyed alike to other metal storage components.
- · Materials include metal and wood.
- · Master key available.
- · Individual lock for drawers and doors.


Vertical Filing

- · Recessed full pulls.
- · Includes lock and leveling glides.
- · Full side walls for suspended folders.
- · Follower back.
- · Full progressive suspension.
- · Double wall fronts.
- · Interior paint matches exterior paint.

STORAGE COMPONENTS - GUIDELINES FOR ORDERING PRODU

The price list uses a numbering system with meaningful alpanumeric charcters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of Pedestal: BS1218BBFC CHR




How to Specify

- · Specify storage pedestal type and size by code, including depth.
- · Specify metal colour ie. CHR (Charcoal).
- · Specify handle colour if pedestal is "Radius" or "Linear" series.



Example of Overhead: BSOF1636 CHR



How to Specify

- · Specify overhead storage type and size by code.
- · Specify metal colour ie. CHR (Charcoal).
- · Specify handle colour if pedestal is "Radius" series.

30" WIDE UNITS

MEDIA TYPE:

Letter All Openings

Fixed Front Drawers and Roll-Out Shelves

Legal

All Openings

Fixed Front Drawers and Roll-Out Shelves

SIDE TO SIDE

Capacity - 26 9/16" Accessories required

HFB30

Capacity - 26 9/16" Accessories required



FRONT TO BACK

Capacity - 31 1/2"

Accessories required HFB30 and one pair



HFB30

SIDE TO SIDE



Capacity - 26 5/16"

Accessories required HFB30 and one pair

of FBB



36" WIDE UNITS

MEDIA TYPE:

Letter

All Openings

Fixed Front Drawers and Roll-Out Shelves

Capacity - 32 9/16" Accessories required HFB36

FRONT TO BACK

Capacity - 31 1/2"

Accessories required HFB36 and one pair



Legal

All Openings

Fixed Front Drawers and Roll-Out Shelves

Capacity - 32 9/16" Accessories required HFB36



Capacity - 31 1/2"

Accessories required HFB36 and one pair of FBB



42" WIDE UNITS

MEDIA TYPE: Letter

All Openings

Fixed Front Drawers and Roll-Out Shelves

Capacity - 38 9/16" Accessories required HFB42

SIDE TO SIDE



FRONT TO BACK Capacity - 47 1/4"

Accessories required HFB42 and two pair



Legal

All Openings

Fixed Front Drawers and Roll-Out Shelves


Capacity - 38 9/16" Accessories required

HFB42



Capacity - 40 1/16"

Accessories required HFB42 and one pair of FBB



OPENING DIMENSIONS

Interior Clear Opening Height Dimensions

SIDE TO SIDE

All Opening

Fixed Front Drawer 10 1/2" Receding Door and Roll-Out Shelf 10" Receding Door and Fixed Shelf 10.3/8" Fixed Shelf and no Receding Door 11 1/2"

All Opening

Drawer - Depth 15 3/4" Roll-Out Shelf - Depth 15 3/4" Fixed Shelf - Depth 15 3/4"

Interior Clear Opening Width Dimensions and Filing Capacities

30" Wide Cabinets

Fixed Front Drawer 26 1/2" Receding Door and Roll-Out Shelf 26 1/2" Receding Door and Fixed Shelf 28 1/4"

42" Wide Cabinets

38 1/2" Fixed Front Drawer Receding Door and Roll-Out Shelf 38 1/2" Receding Door and Fixed Shelf 40 1/4"

36" Wide Cabinets

Fixed Front Drawer 32 1/2" Receding Door and Roll-Out Shelf 32 1/2" Receding Door and Fixed Shelf 34 1/4"

STANDARD "B" OPENINGS

EDP 30" Wide

"B" Opening Fixed Front Drawers Only Capacity - 26 1/2" Accessories required HFB30 and one pair of EDPS



EDP 36" Wide

"B" Opening Fixed Front Drawers Only Capacity - 32 1/2" Accessories required HFB36 and one pair EDPS



Interior Clear Opening **Height Dimensions**

SIDE TO SIDE All Opening

Fixed Front Drawer 13" Receding Door and Roll-Out Shelf 12 1/8" Receding Door and Fixed Shelf 12" Fixed Shelf and no Receding Door 12 3/4"

All Opening

Drawer - Depth 15 3/4" Roll-Out Shelf - Depth 15 3/4" Fixed Shelf - Depth 15 3/4"


EDP 42" Wide

"B" Opening Fixed Front Drawers Only

Capacity - 38 1/2" Accessories required HFB42 and one pair EDPS




BSOL • KD Low Profile Shelf



- 12" deep panel-mounted storage shelf with back lip that protects fabric.
- Includes black lock hole plug with Boulevard logo and attachment hardware.
- · Sides are 5" high.
- · Shipped KD.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BSOL1224	115	5	24	12.5	8	0.16
BSOL1230	122	5	30	12.5	10	0.20
BSOL1236	134	5	36	12.5	12	0.25
BSOL1242	136	5	42	12.5	13	0.29
BS0L1248	146	5	48	12.5	15	0.33
BSOL1254	155	5	54	12.5	17	0.37
BS0L1260	158	5	60	12.5	18	0.41


BSOC • KD Corner Shelf Kit



- The corner shelf kit must be used in conjunction with a Low Profile Shelf (BSOL12xx). The Corner Shelf Kit reflects the panel width, the actual size is actual 12" smaller.
- Includes handed corner side end gable, flat bracket, black lock hole plug with Boulevard logo and attachment hardware.
- Shipped KD.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BSOC1236L	115	5	24	12.5	8	0.16
BSOC1242L	122	5	30	12.5	10	0.20
BSOC1248L	134	5	36	12.5	12	0.25
BSOC1254L	136	5	42	12.5	13	0.29
BSOC1260L	146	5	48	12.5	15	0.33
BSOC1266L	155	5	54	12.5	17	0.37
BS0C1272L	158	5	60	12.5	18	0.41
BSOC1236R	115	5	24	12.5	8	0.16
BSOC1242R	122	5	30	12.5	10	0.20
BSOC1248R	134	5	36	12.5	12	0.25
BSOC1254R	146	5	42	12.5	13	0.29
BS0C1260R	155	5	48	12.5	15	0.33
BSOC1266R	158	5	54	12.5	17	0.37
BSOC1272R	158	5	60	12.5	18	0.41


BSOH • High Profile Shelf



- 12" deep panel mounted shelf with back lip to protect fabric.
- Includes black lock hole plug with Boulevard logo and attachment hardware.
- · Shipped KD.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	r vol
CODE		H	W	D	LBS	FT ³
BS0H1224	202	14.6	24	13.5	14	0.18
BS0H1230	208	14.6	30	13.5	16	0.22
BS0H1236	221	14.6	36	13.5	17	0.26
BS0H1242	225	14.6	42	13.5	19	0.31
BSOH1248	231	14.6	48	13.5	21	0.35
BS0H1254	242	14.6	54	13.5	23	0.40
BS0H1260	246	14.6	60	13.5	24	0.44


BSOF • KD Overhead Flipper Door Storage Unit



- 12" Deep units accept BSOFD01, BSOF12DIV or BASD12 binder plate dividers.
- Door retracts up and over the cabinet.
- Inside dimensions: 12" high x 11 3/4" deep.
- All cabinets 54" and longer are reinforced for proper weight distribution.
- Includes mounting brackets, black lock hole plug with Boulevard logo and attachment hardware.
- · Lock not included, specify BALK12 if required.
- Shipped KD.
- · Not Recommended for use with wall rails.
- Back panel ordered separately.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BS0F1224	429	14.6	24	13.5	27	0.79
BS0F1230	440	14.6	30	13.5	31	0.83
BS0F1236	493	14.6	36	13.5	36	0.99
BS0F1242	543	14.6	42	13.5	41	1.16
BS0F1248	592	14.6	48	13.5	46	1.32
BS0F1254	638	14.6	54	13.5	51	1.49
BS0F1260	688	14.6	60	13.5	56	1.66


BSFC • KD Overhead Flipper Door Conversion Kit



- Converts a BSOH12xx unit into a flipper door storage unit on site.
- · Includes gables, top, door and conversion hardware.
- · Lock not included, order BALK12 if lock is required.
- · Shipped KD.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BSFC1224	329	14.5	24	12	4	0.42
BSFC1230	344	14.5	30	12	5	0.48
BSFC1236	391	14.5	36	12	7	0.57
BSFC1242	440	14.5	42	12	9	0.67
BSFC1248	493	14.5	48	12	10	0.77
BSFC1254	543	14.5	54	12	12	0.86
BSFC1260	592	14.5	60	12	13	0.96

BSBC • KD Back Wall Conversion Kit



• Encloses the back of the overhead BSOF12xx for security.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGH LBS	T VOL FT ³
CUDE			VV	ע	LD9	L1,
BSBC1224	107	14.5	24	12	4	0.42
BSBC1230	112	14.5	30	12	5	0.48
BSBC1236	119	14.5	36	12	7	0.57
BSBC1242	124	14.5	42	12	9	0.67
BSBC1248	127	14.5	48	12	10	0.77
BSBC1254	132	14.5	54	12	12	0.86
BSBC1260	141	14.5	60	12	13	0.96

BASD • Shelf Dividers for KD Storage



• Supports books on all types of storage shelves.

• Two dividers per package.

PRODUCT CODE	PRICE	SIZE/	INCHES W	D	WEIGH LBS	IT VOL FT ³
CUDE		П	VV	ע	LDO	FI'
BASD12	48	4.5	4.5	4.5	0.6	0.03

BSOF-DIV • Shelf Dividers for KD Storage



• Supports book on BSOL12xx and BSOF12xx.

· Installs over front edge of shelf and back lip.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL	
CODE		Н	W	D	LBS	FT ³	
BSOF12DIV	141			12			

BALK12 • Lock for Overhead Flipper Door Storage Unit BSOF12



• Includes lock and two keys for BSOF12.

· Site installed.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BALK12	48				0.13	0.001


BSOLC · Upmount KD Open Shelf



- 12" deep panel up-mounted shelf.
- · includes back shelf lip and rod that act as bookstops.
- Shipped KD.

PRODUCT	PRICE	SIZE/	INCHES		WEIGH	
CODE		H	W	D	LBS	FT ³
BSOLC1224	274	10	24	12	10	0.20
BSOLC1230	284	10	30	12	12	0.24
BSOLC1236	295	10	36	12	14	0.29
BSOLC1242	308	10	42	12	15	0.34
BSOLC1248	318	10	48	12	17	0.37
BSOLC1254	331	10	54	12	19	0.41
BSOLC1260	342	10	60	12	20	0.45


BSOH • High Profile Shelf



- 16" deep panel mounted storage shelf with back lip to protect fabric.
- Shipped KD.
- · Includes attachment hardware.

PRODUCT Code	PRICE	SIZE/ H	INCHE:	S D	WEIGHT LBS	VOL FT ³
BS0H1624	313	17.55	24	15.765	18	0.21
BS0H1630	329	17.55	30	15.765	21	0.26
BSOH1636	353	17.55	36	15.765	22	0.32
BS0H1642	371	17.55	42	15.765	25	0.37
BS0H1648	391	17.55	48	15.765	27	0.43
BS0H1654	415	17.55	54	15.765	30	0.48
BS0H1660	457	17.55	60	15.765	31	0.53

BS00 · Open Overhead Storage



- 16" deep panel mounted storage open overhead built with metal sides and back.
- 16" deep unit accommodates letter, legal and tab binder, EDP, and A4 metric filing.
- All cabinets 36" and longer are reinforced for proper weight distribution. Includes mounting brackets.
- Includes mounting brackets.
- Accepts BAPD03 and BAHPD03 plate dividers.
- Flipper door and track assembly (BAFD) can be field retrofitted.
- · Shipped assembled.

	PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
r,	BS001624	477	17.55	24	15.765	29	3.85
	BS001630	500	17.55	30	15.765	35	4.86
	BS001636	529	17.55	36	15.765	47	5.83
	BS001642	568	17.55	42	15.765	54	6.81
	BS001648	603	17.55	48	15.765	59	7.78
	BS001654	641	17.55	54	15.765	64	8.75
	BS001660	657	17.55	60	15.765	65	9.72

BOULEVARD

STORAGE


BAFD • Flipper Door and Track Assembly Retrofit Kit



- Converts an open overhead BSO016xx storage unit into a flipper door storage unit on site.
- · Includes conversion hardware and lock

п	L						
	PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
	BAFD24	280	15	24	1	9	0.21
	BAFD30	299	15	30	1	10	0.26
	BAFD36	314	15	36	1	12	0.31
	BAFD42	327	15	42	1	13	0.36
	BAFD48	341	15	48	1	14	0.42
	BAFD54	357	15	54	1	15	0.47
	BAFD60	382	15	60	1	17	0.52

BSOF · Overhead Flipper Door Storage Unit



- 16"deep unit accommodates letter, legal and tab binder, EDP, and A4 metric filing.
- All cabinets 36" and longer are reinforced for proper weight distribution.
- · Includes mounting brackets and lock with two keys.
- Accepts BAPD03 and BAHPD03 plate dividers.
- · Shipped assembled.
- Inside dimensions are 12.75" high by 14.9" deep.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT3
BS0F1624	762	17.5	24	16	29	3.95
BS0F1630	785	17.5	30	16	49	4.86
BS0F1636	824	17.5	36	16	56	5.83
BS0F1642	877	17.5	42	16	64	6.81
BS0F1648	935	17.5	48	16	75	7.78
BS0F1654	987	17.5	54	16	86	8.75
BS0F1660	1028	17.5	60	16	98	9.72


BHOC · Upmount Cantilever



· Cantilevers up-mount a BSOF16xx

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	
CODE		Н	W	D	LBS	FT ³
BHOC	122	8	1	13.25	3	0.09


BHOBP • Up Mount Back Panel



Optional back panel aesthetically covers the back of the overhead when you up-mount a BS0F16xx and BS0016xx overhead on top of lower panel.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
		п	VV	U	LDO	LI.
BHOBP24	179	17.55	24	1	3	0.320
BHOBP30	207	17.55	30	1	3	0.320
BHOBP36	215	17.55	36	1	4	0.375
BHOBP42	237	17.55	42	1	5	0.438
BHOBP48	326	17.55	48	1	6	0.500
BHOBP54	344	17.55	54	1	7	0.563
BHOBP60	372	17.55	60	1	8	0.018


BSOL • Radius Low Profile Shelf



- 14" deep panel mounted storage shelf with back lip to protect panel fabric.
- Includes attachment hardware.
- Shipped KD.
- Shelf ends are 6" high and shelf depth is 13.5 deep.

PRODUCT Code	PRICE	SIZE/ H	INCHES W) D	WEIGH LBS	IT VOL FT ³	
BSOL1524	193	6	24	14	13	1.6	
BSOL1530	199	6	30	14	15	1.8	
BSOL1536	207	6	36	14	17	1.8	
BSOL1542	215	6	42	14	19	1.8	
BSOL1548	225	6	48	14	21	1.8	l
BSOL1554	237	6	54	14	23	3.1	
BS0L1560	246	6	60	14	25	3.1	


BSOH · Radius High Profile Shelf



- 15" deep panel mounted storage shelf with back lip to protect panel fabric.
- · Includes attachment hardware.
- Shipped KD.
- Shelf ends are 16.5" high and shelf depth is 13.5" deep.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BS0H1524	220	16.5	24	14.75	23	2.2
BS0H1530	225	16.5	30	14.75	25	2.2
BSOH1536	237	16.5	36	14.75	27	2.2
BS0H1542	246	16.5	42	14.75	29	2.2
BSOH1548	254	16.5	48	14.75	31	2.2
BS0H1554	265	16.5	54	14.75	43	2.2
BSOH1560	275	16.5	60	14.75	45	2.2


BSKD • Radius Overhead Storage Unit



- 15" deep panel mounted overhead storage unit with metal sides, retracting flipper door and "soft-to-the-touch" handle.
- · 15" deep units accept BASD12 binder plate dividers.
- All cabinets 54" and longer are reinforced for proper weight
- Inside dimensions are 12.5" high by 13.5" deep.
- · Includes attachment hardware, lock and mounting brackets.
- · Not recommended for use with wall rails.
- Shipped KD.
- · Cannot be converted to up-mount.
- · Back not included.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	
CODE		H	W	D	LBS	FT ³
BSKD1530	638	16.5	30	14.75	39	2.2
BSKD1536	688	16.5	36	14.75	44	2.2
BSKD1542	739	16.5	42	14.75	49	2.2
BSKD1548	780	16.5	48	14.75	55	2.2
BSKD1554	835	16.5	54	14.75	60	2.2
BSKD1560	885	16.5	60	14.75	66	2.2


BSKDGD • Radius Overhead Storage Unit with Glazed



- Frosted acrylic glazing available.
- 15" deep panel mounted overhead storage unit with metal sides and retracting flipper door.
- 15" deep units accept BASD12 binder plate dividers.
- · All cabinets 54" and longer are reinforced for proper weight distribution.
- Inside dimensions are 12.5" high by 13.5" deep.
- · Includes attachment hardware, lock and mounting brackets.
- · Not recommended for use with wall rails.
- Shipped KD.
- · Cannot be converted to up-mount.
- · Back not included.

1	Door						
	PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
	BSKD1530GD	1743	16.5	30	14.75	39	2.2
	BSKD1536GD	1931	16.5	36	14.75	44	2.2
t	BSKD1542GD	2106	16.5	42	14.75	49	2.2
	BSKD1548GD	2281	16.5	48	14.75	55	2.2
	BSKD1554GD	2456	16.5	54	14.75	60	2.2
	BSKD1560GD	2617	16.5	60	14.75	66	2.2

BSKDC • Radius Up Mount Overhead Storage Unit



- Up mounted radius overhead retracting flipper door unit on top of lower panel adds privacy without the expense of an over panel.
- 15" deep units accepts BASD12 binder plate dividers.
- · All cabinets 54" and longer are reinforced for proper weight distribution.
- Inside dimensions: 12" high x 14 3/4" deep.
- · Includes attachment hardware, lock and mounting brackets.
- · Not recommended for use with wall rails, must be used attached to panels by the cantilevers provided.
- · Features a completely finished back.
- Shipped KD

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BSKDC1530	1427	16.5	30	14.75	43	19
BSKDC1536	1541	16.5	36	14.75	49	22
BSKDC1542	1649	16.5	42	14.75	54	24
BSKDC1548	1758	16.5	48	14.75	60	27
BSKDC1554	1869	16.5	54	14.75	66	30
BSKDC1560	1984	16.5	60	14.75	72	32

SIZE

Н

16

16

16

16

16

16

955

1066

1144

1227

1309

1392

1471

INCHES

n 14.2

14.2 27

14 2 32

14.2 37

14.2

14.2

14.2

W

24

30

36

42

48

54

WEIGHT VOL

LBS


42

47

9.3

10.3

BSADA-PM · Panel Mounted Overhead Storage Unit - AODA Compliant PRICE



- · Panel mounted metal overhead storage with opaque acrylic PRODUCT door. The mechanism lifts the door up and stores it out of the way, above the storage unit.
- · Meets CSA B651 Barrier Free Design & AODA (Accessability for Ontarians with Disabilities Act).
- 16" high units accept standard and A4 binders.
- · All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 13.4" deep.
- · Unit includes attachment hardware, lock and mounting brackets. Back not included.
- · Not recommended for use with wall rails.
- • Unit can be converted to Up-Mount Overhead Storage Unit in the field by adding BSADAxxKIT.

CODE

BSADA24PM

BSADA30PM

BSADA36PM

BSADA42PM


BSADA48PM

BSADA54PM

BSADA60PM

· · Shipped partially assembled.

BSADA-UM • Up-Mount Overhead Storage Unit - AOI



- Up mounted storage can reduce furniture costs by reducing the height of all panels to 50". Complete 50" panel installations simplify cable routing at one level, within the top lay-in channel. Up-mounted cantilevers maintain accessability and functionality of the panels' top lay-in channel.
- Meets CSA B651 Barrier Free Design & AODA (Accessability for Ontarians with Disabilities Act).
- 16" high units accept standard and A4 binders.
- · All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 13.4" deep.
- Unit includes attachment hardware, lock, mounting cantilevers and has a finished back.
- · Unit can be converted to a Panel Mounted Overhead Storage Unit in the field by adding BSADAPMxxKIT.
- · Shipped partially assembled.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
BSKDC1530	1427	16.5	30	14.75	43	19
BSKDC1536	1541	16.5	36	14.75	49	22
BSKDC1542	1649	16.5	42	14.75	54	24
BSKDC1548	1758	16.5	48	14.75	60	27
BSKDC1554	1869	16.5	54	14.75	66	30
BSKDC1560	1984	16.5	60	14.75	72	32

Ц	A Compliant						
	PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
	BSADA24UM	1170	16	24	14.2	25	4.3
l	BSADA30UM	1264	16	30	14.2	33	5.3
	BSADA36UM	1523	16	36	14.2	40	6.3
	BSADA42UM	1604	16	42	14.2	46	7.3
	BSADA48UM	1691	16	48	14.2	53	8.3
	BSADA54UM	1775	16	54	14.2	59	9.3
	BSADA60UM	1876	16	60	14.2	66	10.3

WEIGHT VOL

FT³

0.5

0.6

0.7

8.0

0.9

1.0

LBS

10

11

14

BSADA-KIT • Up-Mount Conversion Kit



- · Converts an existing Panel Mounted Overhead Storage Unit BSADA-PM to an Up-Mounted Overhead Storage unit BSADA-UM.
- When used on a 50" high panel, the top of the overhead will match the height of 66" high panels.
- · Kit includes a back panel for the Overhead and Up-Mount Cantilevers

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
BSADA24KIT	237	16	24	2	6	0.6
BSADA30KIT	255	16	30	2	8	0.6
BSADA36KIT	268	16	36	2	10	0.7
BSADA42KIT	283	16	42	2	11	0.8
BSADA48KIT	300	16	48	2	13	0.9
BSADA54KIT	312	16	54	2	14	1.0
BSADA60KIT	327	16	60	2	15	1.1

SIZE/

16

16

16

16

16

16

INCHES

24

30

36

42

48

54

PRICE

237

247

260

273

289

302

BSADA-OMKIT • Off-Module Conversion Kit



- · Converts an existing Panel Mounted Storage Unit BSADA-PM to Off-Module Overhead Storage unit BSADA-OMKIT.
- Kit includes a back panel with integrated hanging bracket and an extruded bottom bracket.
- IMPORTANT: BSADA Overhead with Off-Module Conversion BSADA360MKIT kit can only be installed on B3 fabric tile. Tiles below the overhead can be fabric, laminate and accessory tile. However, the tile the overhead is hanging on must be fabric.
- BSADA600MKIT BSADA Overhead with Off-Module Conversion Kit can be
- · BSADA Overhead with Off-Module Conversion Kit CANNOT be suspended off of two panels separated by a post.
- suspended off of a single fabric tile, or can span two fabric tiles on two adjacent, directly interconnected panels.

PRODUCT

BSADA240MKIT

BSADA300MKIT

BSADA420MKIT

BSADA480MKIT

BSADA540MKIT

CODE

BSADA-KIT · Panel Mount Conversion Kit



- Converts an existing Up-Mount Overhead Storage Unit BSADA-UM to a Panel Mounted Overhead Storage Unit
- · Kit includes panel mounting brackets.

PRODUCT	PRICE	SIZE	INCHES		WEIGH	T VOL
CODE		Н	W	D	LBS	FT ³
BSADAPMKIT	101	16	0.5	2	2	0.009


BSOFD • Overhead Divider



- Attaches to the inside top of the overhead top shelf.
- · Provides a rigid division for books and binders.
- 1 per package.
- · Can be used on BSOF12.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BSOFD01	59	10	0.875		0.5	0.10


BSP1DO · Overhead Divider Storage for Boulevard 1 - Open Double Sided



- Panel top mount allows access on both sides.
- · Storage compartment internal height: 14".
- Overhead available in standard GC laminate
- · Top mount on panels.
- · Connecting hardware included.

uiu i obci	I DOUD	ic olac	. ч					
PRODUCT	PRICE			NCHES		WEIGH	T VOL	
CODE	LP	HP	Н	W	D	LBS	FT ³	
BSP1D036	814	915	16	36	16	81	7	
BSP1D042	837	954	16	42	16	96	8	
BSP1D048	871	1003	16	48	16	100	9	

BSP1LDS · Overhead Divider Storage for Boulevard 1 - Op



- · Panel top mount allows access on both sides.
- Storage compartment internal height: 14"
- · Overhead available in standard GC laminate finishes
- · Top mount on panels.
- Connecting hardware included.
- Sliding laminate doors are not locking.

ı	ı - Open Doub	ie Sine	tu wiui	JIIUI	IIY Lai	IIIIIIa	LE DU	JI
	PRODUCT	PRICE		SIZE/INC	_		WEIGHT	
	CODE	LP	HP	H	W	D	LBS	FT ³
	BSP1LDS36	2558	2659	16	36	16	87	7
	BSP1LDS42	2618	2737	16	42	16	103	8
	BSP1LDS48	2652	2787	16	48	16	108	9

BSP1GDS • Overhead Divider Storage for Boulevard 1 -



- · Panel top mount allows access on both sides.
- Storage compartment internal height: 14".
- · Overhead available in standard GC laminate finishes
- · Top mount on panels.
- · Connecting hardware included.
- Sliding glass doors are not locking.


- Open Double	Sided v	vith Slic	dina (3lass I	Door			
PRODUCT	PRICE		_	NCHES		WEIGHT	r vol	
CODE	LP	HP	Н	W	D	LBS	FT ³	
BSP1GDS36	2650	2752	16	36	16	92	7	
BSP1GDS42	2694	2813	16	42	16	108	8	
BSP1GDS48	2733	2868	16	48	16	113	9	

BSP3DO · Overhead Divider Storage for Boule

- · Panel top mount allows access on both sides.
- Storage compartment internal height: 14".
- · Overhead available in standard GC laminate
- · Top mount on panels.
- · Connecting hardware included.

ì	evara System	3 -	Upen D	ou	bie Sia	ea		
	PRODUCT	PRICE	•	SIZE	INCHES		WEIGHT	VOL
	CODE	LP	HP	Н	W	D	LBS	FT ³
	BSP3D036	790	892	16	36	16	81	9
	BSP3D042	823	943	16	42	16	96	10.5
	BSP3D048	858	993	16	48	16	100	12

BSP3LDS · Overhead Divider Storage for Boulevard Syst



- · Panel top mount allows access on both sides.
- Storage compartment internal height: 14".
- · Overhead available in standard GC laminate finishes.
- · Top mount on panels.
- · Connecting hardware included.
- · Sliding laminate doors are not locking.

E	stem 3 - Upen v	ouble 3	siaea w	/ith 51	laing L	_amın	ate D	DOL
	PRODUCT	PRICE		SIZE/INC	HES		WEIGHT	VOL
	CODE	LP	HP	H	W	D	LBS	FT ³
	BSP3LDS36	2533	2635	16	36	16	106	7
	BSP3LDS42	2596	2713	16	42	16	126	8
	BSP3LDS48	2628	2763	16	48	16	134	9

BSP3GDS • Overhead Divider Storage for Boulevard Sy

- · Panel top mount allows access on both sides.
- Storage compartment internal height: 14".
- Overhead available in standard GC laminate
- · Top mount on panels.
- Connecting hardware included.
- · Sliding glass doors are not locking.

3	ystem 3 - Open	DOUDIE	e Sidec	ı wım	211aiu	q Gia:	55 DO	Or
	PRODUCT	PRICE		SIZE/INC	HES	•	WEIGHT	VOL
	CODE	LP	HP	Н	W	D	LBS	FT ³
	BSP3GDS36	2625	2726	16	36	16	87	6
	BSP3GDS42	2670	2787	16	42	16	103	7
	BSP3GDS48	2709	2843	16	48	16	107	9

BS12BF · One and 1/2 Height BP Pedestal



- · Freestanding Pedestal with long pull offers finished top and back.
- Non worksurface supporting.
- · Steel top features folded corner construction.
- · Lock positioned on the front face, right side.
- · Drawer configuration cannot be changed on site.
- Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

PRODUCT Code	PRICE "C"	"L"	SIZE/ H	INCHES W	D	WEIGH [*] LBS	T VOL FT3
BS1218BF	567	608	21.6	15	19	50	4.65
BS1223BF	574	617	21.6	15	23	54	5.52
BS1229BF	649	694	21.6	15	29	60	6.80

BS12BBF • 12" Series BBF Pedestal Worksurface Supporting



- Worksurface Supporting Pedestal with long pull and double wall drawer front construction.
- · Lock is positioned on the front face, right side.
- Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

u						
PRICE "C"	"L"	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
631	695	27.6	15	18	70	4.29
640	703	27.6	15	23	84	5.62
640	703	27.6	15	24	84	5.62
704	770	27.6	15	29	94	7.03
704	770	27.6	15	30	94	7.03
	"C" 631 640 640 704	PRICE "C" "L" 631 695 640 703 640 703 704 770	PRICE SIZE "C" "L" H 631 695 27.6 640 703 27.6 640 703 27.6 704 770 27.6	PRICE SIZE/ "C" INCHES "C" "L" H W 631 695 27.6 15 640 703 27.6 15 640 703 27.6 15 704 770 27.6 15	PRICE SIZE/ "C" INCHES W D 631 695 27.6 15 18 640 703 27.6 15 23 640 703 27.6 15 24 704 770 27.6 15 29	PRICE SIZE/ "C" INCHES W WEIGHT 631 695 27.6 15 18 70 640 703 27.6 15 23 84 640 703 27.6 15 24 84 704 770 27.6 15 29 94


BS12FF • 12" Series FF Pedestal Worksurface Supporting



- Worksurface Supporting Pedestal with long pull and double wall drawer front construction.
- Lock is positioned on the front face, right side.
- Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

z ouppui tilig							
PRODUCT CODE	PRICE "C"	"L"	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BS1218FF	631	675	27.6	15	18	70	4.29
BS1223FF	640	683	27.6	15	23	84	5.62
BS1224FF	640	683	27.6	15	24	84	5.62
BS1229FF	704	747	27.6	15	29	94	7.03
BS1230FF	704	747	27.6	15	30	94	7.03

BS1230DP • 12" Combination Pedestal



- · Fits under standard 29" worksurface and can be supporting.
- Includes leveling glides.
- Lock is positioned on the front face, center.
- · Interiors are finished in black.
- · No handle or casters.
- · Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to -the-touch" handles.

PRODUCT	PRICE		SIZE/	INCHES	3	WEIGH [*]	r vol	
CODE	"C"	"L"	Н	W	D	LBS	FT ³	
BS1230DPL	1594	1681	27.875	30	18	108	11	
BS1230DPR	1594	1681	27.875	30	18	108	11	

- · Business Lateral File Taxi with two box drawers on right with one pencil tray and one divider plate. Efficient, stationary storage and additional work space.
- 12" legal file drawer on left with full suspension and hanging bars.
- Fixed front drawer with three divider plates.

BS12BFM • 12" BF Mobile Pedestal



- Mobile Pedestal with flat front, double wall drawer construction with "soft-to-the touch" handles.
- · Includes 4 casters and 1 counterweight balance.
- · Lock is positioned on the front face, right side.
- Includes panel mounting bracket, bracket retainer clip and leveling glides.
- · Pedestal will fit under 29" high worksurface.
- · Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

PRODUCT Code	PRICE "C"	"L"	SIZE/ H	INCHES W	D	WEIGH LBS	T VOL FT ³	_
BS1218BFM	748	791	22.5	15	18	80	5.71	
BS1223BFM	756	799	22.5	15	23	83	6.25	
BS1229BFM	869	912	22.5	15	29	86	7.05	

BMP2315C • Mobile Pedestal with File, Box, Pencil Drawer



- · Mobile Pedestal with flat front, double wall drawer construction.
- · Has a file drawer, box drawer and pencil drawer.
- · Includes 4 casters and 1 counterweight balance.
- · Lock is positioned on the front face, right side.
- Includes panel mounting bracket, bracket retainer clip and leveling glides.
- · Pedestal will fit under 29" high worksurface.
- · Not available with "Soft-to-the-touch" handles.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BMP2315C	1287	25	15	23	84	5.62

SIZE/

28

28

SIZE/

28

28

INCHES

19

23 29

19

23 29

W

15

15

INCHES

W

15

15

WEIGHT VOL

WEIGHT VOL

FT³ 6.08

8.91

LBS

95

101

FT³

6.08

7.21

8.91

LBS

95

101

BS12PSB-BBFM • Box Box File Long Pull Mobile Pedestal **PRODUCT**



- Moblie Pedesstal with long pull offers finished top and back. Will fit under 29" high worksurface.
- · Includes 4 casters and 1 factory installed counterweight balance.
- Steel top features folded corner construction.
- · Lock positioned on the front face, right side.
- · Drawer configuration cannot be changed on site.
- · Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

854

866

832

845

856

PRICE

BS12PSB19BBFM 789

BS12PSB23BBFM 803

BS12PSB29BBFM 813

PRODUCT

BS12PSB19FFM

BS12PSB23FFM

BS12PSB29FFM

CODE

BS12PSB-FFM • File File Long Pull Mobile Pedestal



- Moblie Pedesstal with long pull offers finished top and back. Will fit under 29" high worksurface.
- Includes 4 casters and 1 factory installed counterweight balance.
- · Steel top features folded corner construction.
- · Lock positioned on the front face, right side.
- · Drawer configuration cannot be changed on site.
- · Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

PRICE

789

803

"C"

BS12X1HF • One and 1/2 Height Fixed Front & One 12" Fixed Front Lateral File



- · One and half height storage module with long pull handles.
- Top opening is a 1/2 height box drawer.
- · Bottom opening is a full height lateral drawer.
- · Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

PRODUCT	PRICE		SIZE/	INCHES		WEIGHT	VOL
CODE	"C"	"L"	H	W	D	LBS	FT ³
BS1230X1HF	1257	1298	21.75	30	18	137	11
BS1236X1HF	1306	1348	21.75	36	18	164	13
BS1242X1HF	1350	1393	21.75	42	18	189	15

BS12X1S1F · One 1/2 Height Open Shelf & One

 One and half height storage module with long pull handles. · Top opening is a half height open shelf.

· Bottom opening is a full height lateral drawer.

• Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

ľ	e 12" Fixed Fr	ont La	teral f	-ile				
	PRODUCT CODE	PRICE "C"	<i>"</i> "	SIZE/	INCHES W	n	WEIGHT LBS	VOL FT ³
	BS1230X1S1F	1216	1237	21.75	••	18	127	11
	BS1236X1S1F	1238	1261	21.75		18	150	13
	BS1242X1S1F	1268	1268	21 75	42	18	174	15

BS12X1SND · One 1/2 Height Open Shelf & One 12" O

• One and half height storage module.

• Shelf is height adjustable.

Į	open Sneit La	terai	Cabii	1et			
	PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
	BS1230X1SND	980	21.75	30	18	107	11
	BS1236X1SND	1068	21.75	36	18	130	13
	BS1242X1SND	1142	21.75	42	18	154	15

BS12X1S • One 1/2 Height Shelf & One 12" Shelf Lateral Cabinet with Doors

- One and half height storage module with long pulls.
- · Storage cabinet with doors.
- One height adjustable shelf included.
- Note: "C" indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

S	III Lattiai	Capillet	willi P	UUI 3				
	PRODUCT CODE	PRICE "C"	"L"	SIZE/ H	INCHE W	S D	WEIGHT LBS	Γ VOL FT³
	BS1230X1S	1119	1165	21.75	30	18	117	6.80
	BS1236X1S	1150	1190	21.75	36	18	140	8.15
	BS1242X1S	1253	1295	21.75	42	18	164	9.50

BSTC • Pedestal/Lateral Seat Cushion



PRODUCT CODE	YRDS	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BSTCP1518	.75	2	15	18	2	0.41
BSTCP1519	.75	2	15	19	2	0.42
BSTCP1523	.75	2	15	23	2.5	0.5
BSTCP1524	.75	2	15	24	2.5	0.52
BSTCP1529	1	2	15	29	3	0.63
BSTCP1530	1	2	15	30	3	0.75
BSTCL1830	1	2	18	30	4	0.33
BSTCI 1836	1 25	2	18	36	5	0.4

PRODUCT Code	PRICE GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10
BSTCP1518	330	363	403	462	518	575	624	684	744	822
BSTCP1519	338	371	410	471	527	583	634	692	752	829
BSTCP1523	345	377	417	479	534	591	640	699	759	836
BSTCP1524	355	386	426	486	543	598	648	707	767	845
BSTCP1529	437	480	531	611	688	760	829	905	986	1089
BSTCP1530	447	487	540	620	695	769	838	914	993	1097
BSTCL1830	469	512	563	644	719	792	861	938	1018	1122
BSTCL1836	559	615	679	779	872	966	1049	1146	1246	1375

Left Shown

BS12T502B1F · 12" BBF Storage Tower 50" High

· This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.

PRODUCT	PRICE		SIZE/II	NCHES	WEIGH	WEIGHT VOL		
CODE	"C"	"L"	H	W	D	LBS	FT ³	
BS12T502B1FL	2795	2901	50	24	24	158	20	
BS12T502B1FR	2795	2901	50	24	24	158	20	

- · Coat storage may be specified right or left.
- Full height coat storage is 50" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelves and 1 fixed shelf wih a 21" high door for 50" high unit.
- · Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12T502F • 12" FF Storage Tower 50" High



 This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.

PRODUCT	PRICE		SIZE/IN	CHES	WEIGHT VOL		
CODE	"C"	"L"	Н	W	D	LBS	FT ³
BS12T502FL	2795	2880	50	24	24	158	20
BS12T502FR	2795	2880	50	24	24	158	20

- Coat storage may be specified right or left.
- Full height coat storage is 50" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelves and 1 fixed shelf wih a 21" high door for 50" high unit.
- · Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12T542B1F • 12" BBF Storage Tower 54" High



 This versatile tower can be used freestandiang or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.

PRODUCT	PRICE		SIZE/II	NCHES	WEIGHT	WEIGHT VOL		
CODE	"C"	"L"	Н	W	D	LBS	FT ³	
BS12T542B1FL	2814	2921	54	24	24	163	22	
BS12T542B1FR	2814	2921	54	24	24	163	22	

- · Coat storage may be specified right or left.
- Full height coat storage is 54" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelves and 1 fixed shelf wih a 24 13/16" high door for 54" high unit.
- · Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12T542F • 12" FF Storage Tower 54" High




 This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.

PRODUCT	PRICE		SIZE/INCHES			WEIGHT VOL		
CODE	"C"	"L"	Н	W	D	LBS	FT ³	
BS12T542FL	2814	2900	54	24	24	163	22	
BS12T542FR	2814	2900	54	24	24	163	22	

- · Coat storage may be specified right or left.
- Full height coat storage is 54" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelves and 1 fixed shelf wih a 24 13/16" high door for 54" high unit.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12T662B1F • 12" BBF Storage Tower 65 7/8" High



- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.

 PRODUCT CODE

 B\$12T0

 B\$12T0
 - PRICE SIZE/INCHES WEIGHT VOL "C" LBS FT3 BS12T662B1FL 2940 3049 65.875 24 24 177 26 BS12T662B1FR 2940 3049 65.875 24 24 177 26
- Coat storage may be specified right or left.
- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with box, box, file drawers has 2 adjustable shelves and 1 fixed shelf and a 36 3/4" high door.
- · Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.


BS12T662F. 12" FF Storage Tower 65 7/8" High



- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.

 PRODUCT
 CODE
 BS12T
 BS12T
- PRICE SIZE/INCHES WEIGHT VOL CODE LBS "C" FT3 2940 3049 BS12T662FL 24 26 65 875 24 177 2940 3049 65.875 24 BS12T662FR 26
- · Coat storage may be specified right or left.
- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with 2 file drawer or box, box, file drawers has 2 adjustable shelves and 1 fixed shelf and a 36 3/4" high door.
- · Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12TS0502F • 12" Side Opening FF Storage Tower 50" High



- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.

 PRODUCT CODE

 BS12T

 BS12T
 - SIZE/INCHES WEIGHT VOL PRICE Н LBS FT³ BS12TS0502FL 3089 20 3153 50 24 24 158 BS12TS0502FR 20 3089 3153 50 24 24 158
- Coat storage may be specified right or left.
- Full height coat storage is 50" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf with a 21" side opening for 50" high unit.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.
- · Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12TS0502B1F • 12" Series Side Opening BBF Storage Tower 50" High




· This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.

WEIGHT V			
	D LE	BS	FT ³
- 1	24 1	58	20
2	24 1	58	20
		24 1	D LBS 24 158 24 158

- · Coat storage may be specified right or left.
- Full height coat storage is 50" high x 7" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf with a 21" side opening for 50" high unit.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.
- · Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12TS0542F • 12" Side Opening FF Storage Tower 54" High



· This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.

PRODUCT	PRICE	SIZE/INCHES				WEIGHT VOL		
CODE	"C"	"L"	Н	W	D	LBS	FT ³	
BS12TS0542FL	3108	3176	54	24	24	163	22	
BS12TS0542FR	3108	3176	54	24	24	163	22	

3194

3194

3243

3243

3220

3220

PRICE

3157

3157

SIZE/INCHES

SIZE/INCHES

65.875 24

SIZE/INCHES

65.875 24

65.875 24

54

W

24

24

WEIGHT VOL

WEIGHT VOL

WEIGHT VOL

FT³

26

26

LBS

177

177

FT³

26

26

LBS

177

177

FT³

22

22

LBS

163

163

24


24

24

24

- · Coat storage may be specified right or left.
- Full height coat storage is 54" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf with a 24 13/16" side opening for 54" high unit.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.
- · Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12TS0542B1F • 12" Side Opening BBF Storage Tower 54" High PRODUCT



Right Shown

Right Shown

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides BS12TS0542B1FL 3108 storage for hats and coats.
- · Coat storage may be specified right or left.
- Full height coat storage is 54" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf with a 24 13/16" side opening for 54" high unit.


CODE

CODE

- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.
- · Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12TS0542B1FR 3108

BS12T662B1F • 12" Side Opening BBF Storage Tower 65 7/8" High **PRICE**



Right Shown

- This versatile tower can be used freestanding or PRODUCT integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- · Coat storage may be specified right or left.
- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with 2 file drawers or box, box, file drawers have 2 adjustable shelves and 1 fixed shelf and a 36 3/4" high opening.

BS12TS0662B1FL 3157


BS12TS0662B1FR 3157

- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.
- Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12TS0662FL

BS12TS0662FR

BS12T662F • 12" Side Opening FF Storage Tower 65 7/8" High




Right Shown


- This versatile tower can be used freestanding or **PRODUCT** integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- · Coat storage may be specified right or left.
- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with 2 file drawers or box, box, file drawers have 2 adjustable shelves and 1 fixed shelf and a 36 3/4" high opening.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.
- · Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.


BOULEVARD STORAGE

BS12F • 12" Opening Lateral File Fixed Front Drawers









١.	leu Fiviil Diav	vei 5						
	PRODUCT CODE	PRICE "C"	" <u>L"</u>	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
	2 High							
	BS123022FWS	1257	1298	27.75	30	18	103	8.60
	BS123622FWS	1314	1355	27.75	36	18	110	10.41
	BS124222FWS	1387	1430	27.75	42	18	117	12.14
	3 High							
	BS123033F	1648	1712	40.5	30	18	136	12.66
	BS123633F	1733	1797	40.5	36	18	150	15.19
	BS124233F	1832	1898	40.5	42	18	164	17.72
	4 High							
	BS123041R3F	2091	2177	54	30	18	169	16.88
	BS123641R3F	2204	2290	54	36	18	190	20.25
	BS124241R3F	2333	2418	54	42	18	211	23.63
	5 High							
	BS123052R3F	2588	2694	65.88	30	18	202	20.59
	BS123652R3F	2694	2803	65.88	36	18	230	27.02
	BS124252R3F	2843	2949	65.88	42	18	258	28.82


- 12" Opening Lateral File.
- Two High: All openings are Fixed Front Drawer.
- Three High: All openings are Fixed Front Drawer.
- Four High: Top opening is Receding door with fixed shelves, all others are Fixed Front Drawers
- Five High: Top two openings are Receding doors with fixed shelves, Remaining 3 drawers are Fixed Front Drawer.
- · Side-to-Side Bars and Lock included.
- Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12R1F • 12" Receding Door and Roll-Out Shelves










PRODUCT CODE	PRICE "C"	"["	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
2 High							
BS123021R1FWS	1239	1283	27.75	30	18	103	8.60
BS123621R1FWS	1296	1339	27.75	36	18	110	10.41
BS124221R1FWS	1369	1411	27.75	42	18	117	12.14
3 High							
BS123032R1F	1719	1782	40.5	30	18	136	12.66
BS123632R1F	1804	1868	40.5	36	18	150	15.19
BS124232R1F	1903	1966	40.5	42	18	164	17.72
4 High							
BS123043R1F	2199	2285	54	30	18	169	16.88
BS123643R1F	2313	2399	54	36	18	190	20.25
BS124243R1F	2439	2524	54	42	18	211	23.63
5 High							
BS123054R1F	2678	2784	65.88	30	18	202	20.59
BS123654R1F	2820	2927	65.88	36	18	230	27.02
BS124254R1F	2973	3080	65.88	42	18	258	28.82
10" On animal atomal [:12						

- 12" Opening Lateral File.
- Two High: Top opening is Receding Door and Roll-out Shelf. Bottom drawer is Fixed Front Drawer.
- Three High: Top 2 openings are Receding Door and Roll-out Shelf. Bottom drawer is Fixed Front Drawer.
- Four High: Top 3 openings are Receding Door and Roll-out Shelf. Bottom drawer is Fixed Front Drawer.
- Five High: Top 4 openings are Receding Door and Roll-out Shelf. Bottom drawer is Fixed Front Drawer.
- Side-to-Side Bars and Lock included.
- Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12SWS • 12" Receding Door and Fixed Shelves





PRODUC	Γ	PRICE		SIZE/	INCHES		WEIGHT	VOL
CODE		"C"	"L"	H	W	D	LBS	FT ³
2 High								
BS123	3022SWS	1257	1298	27.75	30	18	103	8.60
BS123	8622SWS	1314	1355	27.75	36	18	110	10.41
BS124	222SWS	1387	1430	27.75	42	18	117	12.14
3 High								
BS123	3033S	1648	1712	40.5	30	18	136	12.66
BS123	8633S	1733	1797	40.5	36	18	150	15.19
BS124	233S	1832	1898	40.5	42	18	164	17.72
4 High								
BS123	8044S	2091	2177	54	30	18	169	16.88
BS123	8644S	2204	2290	54	36	18	190	20.25
BS124	244S	2332	2418	54	42	18	211	23.63
5 High								
BS123	8055S	2588	2694	65.88	30	18	202	20.59
BS123	8655S	2694	2803	65.88	36	18	230	27.02
BS124	255S	2842	2949	65.88	42	18	258	28.82

- 12" Opening Lateral File.
- • Two High: All openings are Receding Doors and Fixed Shelves.
- • Three High: All openings are Receding Doors and Fixed Shelves.
- • Four High: All openings are Receding Doors and Fixed Shelves.
- • Five High: All openings are Receding Doors and Fixed Shelves.
- • 3 Plate Dividers and Lock are included.
- Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.


BS12B3F • 12" Opening Lateral File "B" Opening Receding Door and Fixed Shelves



- 12" Opening Lateral File.
- Four High: Top opening is "B": size with Receding Door, Fixed Shelf and 3 Plate Dividers. Remaining 3 drawers are Fixed Front Drawer with Hanging File Bars.
- Five High: Top opening is "B": size with Receding Door, Fixed Shelf and 3 Plate Dividers.
 Remaining 4 drawers are Fixed Front Drawer with Hanging File Bars.
- · Lock is included.

П	y Neceulity Di	JUI AII	u i ixe	u Jile	1163			
	PRODUCT CODE	PRICE "C"	"L"	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
	4 High							
	BS123041B3F	2262	2350	55.375	30	18	103	16.88
	BS123641B3F	2351	2437	55.375	36	18	110	20.25
	BS124241B3F	2440	2525	55.375	42	18	117	23.63
	5 High							
	BS123051B1R3F	2726	2832	67.25	30	18	136	20.59
	BS123651B1R3F	2871	2979	67.25	36	18	150	27.02
	BS124251B1R3F	3032	3139	67.25	42	18	164	28.82

BS12S2F • 12" Opening Multi Storage Unit




5 High

- 2 lateral file drawers and closed cupboard with door height of 24.531".
- Includes 1 fully adjustable shelf.
 Lateral file drawers are same depth for 18" and 24" deep cabinets.
- Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

it							
PRODUCT	PRICE		SIZE/	INCHES		WEIGHT	VOL
CODE	"C"	" <u>L</u> "	H	W	D	LBS	FT ³
4 High (50" High)							
BS1230M502S2F	2642	2727	50	30	18	185	18.66
BS1236M502S2F	2824	2910	50	36	18	209	18.75
BS1242M502S2F	3045	3131	50	42	18	233	21.88
4 High (54" High)							
BS1230M542S2F	2772	2859	54	30	18	191	16.88
BS1236M542S2F	2965	3050	54	36	18	215	20.25
BS1242M542S2F	3196	3283	54	42	18	238	23.63
5 High (2 Lateral)							
BS1230M662S2F	3041	3127	65.88	30	18	235	19.45
BS1236M662S2F	3209	3380	65.88	36	18	266	23.34
BS1242M662S2F	3374	3546	65.88	42	18	297	27.23
5 High (3 Lateral)							
BS1230M662S3F	3056	3162	65.88	30	18	235	19.45
BS1236M662S3F	3274	3382	65.88		18	266	23.34
BS1242M662S3F	3439	3547	65.88		18	297	27.23


BS12S • 12" Storage Cabinet with Hinged Door



- 2S 27 3/4" high with 1 shelf.
- 3S 40 1/2" high with 2 shelves.
- 4S 54" high with 3 shelves.
- 5S 65 7/8" high with 4 shelves.
- 5W 65 7/8" high wardrobe cabinet with a coat rod and 4 half shelves in the 36" and 42" wide units. 30" wide units have a coat rod and 4 coat hooks.
- Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

PRICE "C"	" ["	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
1030	1073	27.75	30	18	74	8.47
1150	1190	27.75	36	18	82	10.17
1253	1295	27.75	42	18	91	11.87
1314	1355	40.5	30	18	100	12.66
1442	1485	40.5	36	18	113	15.19
1597	1640	40.5	42	18	126	17.72
1640	1683	54	30	18	130	16.88
1719	1762	54	36	18	147	20.25
1902	1943	54	42	18	163	23.63
1835	1878	65.88	30	18	155	20.59
1946	1987			18	177	27.02
2156	2199	65.88	42	18	195	28.82
	1817	65.88	30	18	136	20.59
	2025			18	168	27.02
2177	2220	65.88	42	18	183	28.82
	1030 1150 1253 1314 1442 1597 1640 1719 1902 1835 1946 2156	1030 1073 1150 1190 1253 1295 1314 1355 1442 1485 1597 1640 1640 1683 1719 1762 1902 1943 1835 1878 1946 1987 2156 2199	1030 1073 27.75 1150 1190 27.75 1253 1295 27.75 1314 1355 40.5 1442 1485 40.5 1597 1640 40.5 1640 1683 54 1719 1762 54 1902 1943 54 1835 1878 65.88 1946 1987 65.88 1946 1987 65.88 1774 1817 65.88 1981 2025 65.88	1030 1073 27.75 30 1150 1190 27.75 36 1253 1295 27.75 42 1314 1355 40.5 30 1442 1485 40.5 36 1597 1640 40.5 42 1640 1683 54 30 1719 1762 54 36 1902 1943 54 42 1835 1878 65.88 30 1946 1987 65.88 36 1774 1817 65.88 30 1981 2025 65.88 36	TC" TI" H W D 1030 1073 27.75 30 18 1150 1190 27.75 36 18 1253 1295 27.75 42 18 1314 1355 40.5 30 18 1442 1485 40.5 36 18 1597 1640 40.5 42 18 1640 1683 54 30 18 1719 1762 54 36 18 1902 1943 54 42 18 1835 1878 65.88 30 18 1946 1987 65.88 36 18 2156 2199 65.88 30 18 1774 1817 65.88 30 18 1780 65.88 36 18 1881 2025 65.88 36 18	TC" TL" H W D LBS 1030 1073 27.75 30 18 74 1150 1190 27.75 36 18 82 1253 1295 27.75 42 18 91 1314 1355 40.5 30 18 100 1442 1485 40.5 36 18 113 1597 1640 40.5 42 18 126 1640 1683 54 30 18 130 1719 1762 54 36 18 147 1902 1943 54 42 18 163 1835 1878 65.88 30 18 155 1946 1987 65.88 36 18 177 2156 2199 65.88 30 18 136 1774 1817 65.88 30 18 136

BS12ND · Open Storage Cabinet 2 High (WS Supporting



Storage Cabinet with no doors.

- 2SND 27 3/4" high with 1 shelf.
- 3SND 40 1/2" high with 2 shelves.
- · 4SND 54" high with 3 shelves.
- 5SND 65 7/8" high with 4 shelves.

J	pporting)						
	PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
	2 High (WS Supporting)						
	BS1230SF2SNDWS	980	27.75	30	18	61	8.47
	BS1236SF2SNDWS		27.75	36	18	74	10.17
	BS1242SF2SNDWS	1138	27.75	42	18	76	11.87
	3 High						
	BS1230SF3SND	1128	40.5	30	18	39	12.66
	BS1236SF3SND	1219	40.5	36	18	44	15.19
	BS1242SF3SND	1335	40.5	42	18	48	17.72
	4 High						
	BS1230SF4SND	1417	54	30	18	50	16.88
	BS1236SF4SND	1546	54	36	18	58	20.25
	BS1242SF4SND	1632	54	42	18	61	23.63
	5 High						
	BS1230SF5SND	1658	65.88	30	18	62	20.59
	BS1236SF5SND	1749	65.88	36	18	69	27.02
	BS1242SF5SND	1817	65.88	42	18	76	28.82

BS12FKIT • 1212 Drawer Conversion Kit



- Converts an existing box, box, file (6612) Pedestal into a file, file (1212).
- Kit includes 1-12" high drawer front, 1-12" high drawer body, set of slides and 1212 lock bar.
- Specify the type of conversion kit, colour of front, colour of handle, existing pedestal depth to be retrofitted and "soft-to-the-touch" handle colour.

PRODUCT Code	PRICE "C"	" <u>L"</u>	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BS1218FKIT	236	259	15	15	18	20	2
BS1223FKIT	236	259	15	15	23	22	3
BS1224FKIT	236	259	15	15	24	24	3
BS1229FKIT	236	259	15	15	29	24	3
BS1230FKIT	236	259	15	15	30	24	3

BS12BKIT • 6612 Drawer Conversion Kit



- Converts an existing file, file (1212) Pedestal into a box, box, file (6612).
- Kit includes 2-6" high drawer front, 2-6" high drawer body, 2 sets of slides and 6612 lock bar.
- Specify the type of conversion kit, colour of front, colour of handle, existing pedestal depth to be retrofitted and "soft-to-the-touch" handle colour.

PRODUCT CODE	PRICE "C"	" "	SIZE/ H	INCHES W	n	WEIGHT LBS	VUL FT ³
CODE	- U	L		VV	ע	LDO	ΓI°
BS1218BKIT	338	381	15	15	18	20	2
BS1223BKIT	338	381	15	15	23	22	3
BS1224BKIT	338	381	15	15	24	24	3
BS1229BKIT	338	381	15	15	29	24	3
BS1230BKIT	338	381	15	15	30	24	3

BS12FFKIT • Fixed Front Drawer Kit



- · Fixed front drawer, roll-out drawer.
- Indicate position (1,2,3,4 or 5) of conversion from top to bottom.
- · Drawer interiors are finished in black.

PRODUCT CODE	PRICE "C"	"L"	SIZE/ H	INCHES W	D	WEIGH LBS	T VOL FT3
BS1230FFKIT	271	291	13.5	30	17	14	3.73
BS1236FFKIT	271	291	13.5	36	17	16	4.52
BS1242FFKIT	271	291	13.5	42	17	18	5.30

BS12RDKIT • Receding Door with Roll-out Slotted Shelf Kit



- Fixed drawer can be substituted for a roll-out drawer in a receding opening at no extra charge at time of order.
- Add list price to each opening being converted at time of order.
- Indicate position (1,2,3,4 or 5) of conversion from top to bottom.
- Drawer interiors are finished in black.

t	ed Shelf Kit							
	PRODUCT	PRICE		SIZE/	INCHES		WEIGHT	VOL
	CODE	"C"	"L"	H	W	D	LBS	FT ³
	BS1230RDKIT	271	291	9.1	30	16.5	14	2.48
	BS1236RDKIT	271	291	9.1	36	16.5	16	3.00
	DC12/2DDKIT	271	201	0.1	12	16.5	10	2.52

• Receding door and fixed slotted shelf conversion from a fixed front drawer.

Half Height Drawer Kit



- For half height drawer kit, contact your customer service representative.
- Receding Door with Fixed Slotted Shelf cannot be substituted.


BAHFB • Hanging File Bars



Used in lateral files only.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
BAHFB30	43		30		4	0.017
BAHFB36	43		36		4	0.020
BAHFB42	43		42		4	0.024

BAFBB • Front to Back Bars



Used in lateral files only. Shipped in pairs.

PRODUCT	PRICE	SIZE/	INCHES			VOL
CODE		Н	W	D	LBS	FT ³
BAFBB	25		15.25		1	0.03

BALAB • Legal to Letter Adapter



• Used in lateral files only. PRODUCT PRICE SIZE INCHES WEIGHT VOL CODE W D LBS FT³ BALAB30 25 30 0.001 25 25 BALAB36 36 0.002 BALAB42 0.003

BAPD • Divider Plates



 Used in full-height shelves and lateral file drawers only.

Three plates per package.

PRODUCT Code	PRICE		SIZE/ H	INCHES W		/EIGHT BS	VOL FT ³
BAPD03	48	Full Height	7	0.8	13.25 4		0.017
BAHPD03	42	Half Height	4	0.8	13.25.3		0.017

BAPD • Pedestal Divider Plates



• Priced and shipped individually.

PRODUCT	DUCT PRICE SIZE/INCHES			WEIGHT VOL		
CODE		Н	W	D	LBS	FT ³
BAPDIV	30	3.5		12.625		


BAPED-BAR • Pedestal Hanging File Bar



Priced and shipped individually.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
BAPED-BAR	25		15.6		0.5	0.01

BAFFS • Full Flat Shelf



For use in 12" series storage cabinets (non-slotted).

PRODUCT	PRICE	SIZE/	INCHES	;	WEIGHT VOL		
CODE		H	W	D	LBS	FT ³	
BAFFS30	120	1	30	16	6	0.29	
BAFFS36	126	1	36	16	7	0.34	
BAFFS42	134	1	42	16	8	0.40	

BAFS • Full Fixed Slotted Shelf



For use in 12" series storage cabinets.

PRODUCT	PRICE	SIZE/	INCHES		WEIGH	WEIGHT VOL		
CODE		H	W	D	LBS	FT ³		
BAFS30	130	6	30	16	9	1.72		
BAFS36	136	6	36	16	11	2.06		
BAFS42	148	6	42	16	13	2.41		

BAHFFS • Half Fixed Flat Shelf



 For use in 12" series wardrobe cabinets (nonslotted).

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
BAHFFS12	126	12	5	16	3	0.55

BAEDPS • EDP Adapter



• EDP adapters (EDPS). Not for use in receding front drawers.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGH LBS	T VOL	
DAEDDO	11	2	16.5		1	0.01	

BAMS • Max-Stor Module



 The module can be freestanding or installed in any of the empty 36" width storage cabinets at either the top, middle or bottom location. Specify location at time of order.

	opeon's recurrent at time or orden
•	Includes 3 vertical sections and 12 adjustable travs

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BAMS3624	741	24	34.25	14.5	50	6.84


BAMST • Max-Stor Trays



 Package of 12 trays for the BAMS3624 Max-Stor Module.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BAMST18	230	1	1.187	14.5		

BTLP · Pencil Tray



- Plastic molded pen/pencil tray fits into the drawer of 12" series pedestals or towers.
- Compartments organize your writing instruments and paper clips.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BTLPTRAY	43	1	13	5.5	1	0.08

C28 · Letter Width Vertical Storage





• C28 series letter vertical filing.

• Leveler height adjustment range is 3/4".

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
2 High						
C28202	828	28	15	28	82	8
020202	020	20	10	20	02	
3High						
C28302	1085	40.37	15	28	13	13
020002	1000	10.07	10	20	10	
4 High						
C28402	1355	52.25	15	28	151	16
020102	1000	02.20		20	.0.	
5 High						
C28502	1638	62.75	15	28	186	21
02000		0, 0				






C28 · Legal Width Vertical Storage



4 High






- C28 series legal vertical filing.
- Leveler height adjustment range is 3/4".

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT VOL LBS FT ³
2 High					
C28252	833	28	18	28	90
3High					
C28352	1133	40.37	18	28	127
4 High					
C28452	1392	52.25	18	28	167
5 High					
C28552	1663	62.75	18	28	200

BACWB • Counterweight Balance • Recommended for use in all laterals, verticals, pedestals



- and free standing files of all widths and heights.
- · Sold per pair
- "X" represents half height.
- NOTE: File cabinets with counterweight balance included must be specified as special, please contact your customer service representative.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT VOL LBS FT ³
For 30" wide				_	
BACWB12301X	503				56
BACWB12302	336				42
BACWB12303	284				32
BACWB12304	284				33
BACWB12305	191				20
For 36" wide					
BACWB12361X	420				56
BACWB12362	379				48
BACWB12363	336				42
BACWB12364	274				31
BACWB12365	168				19
For 42" wide					
BACWB12421X	568				61
BACWB12422	483				61
BACWB12423	336				42
BACWB12424	336				42
BACWB12425	336				24
BACWBLATMLT	362				80
BACWBVER	174				25
BACWBPED	144				25
BACWBPEDF	275				25

BA · Keys



· Additional k

al key (specify at time of order)	PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³	
	BAAK91	12						
	Master key:							
	BAMK91	34						
	Extra key for existi	ng cabinet:						
	BAEK91	12						
	Core key:							
	BACK91	13						
	Core & Key:							
	BALOCKKEV	30						

LO · Lock and Key



- · Lock and key for wood overhead storage unit.
- · Includes two keys.
- If ordering for units larger than 48", order 2 LO.
 Locks for wood storage units are not compatible with locks for metal units.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³	
10	148				0.13		

Diet Panel System

Diet represents an innovative tool for creating an economical, efficient work space, accommodating various tasks. From 42" high panels which provide an open office feel to 50" and 54" high panels, for seated privacy and 66" high panels for standing privacy, Diet effectively supports the creation of various work environments. Diet is simple, easy to comprehend, easy to specify and install, with a minimum of add-on and dedicated/handed components to maximize reconfiguration flexibility. All Diet panels ship with a set of self-leveling connectors that accommodate any angle, but also straight, 90°, three- way T and 120° configurations, as well as four-way "X". Truly universal connectors support the above panel configurations regardless of panel heights. Such a configuration and height independent connecting method eliminates the need to order additional components during future office reconfigurations. Diet is an economical, "soft wire" system with simple means of optional power and data/communication cable management trough that snaps to the bottom

of the panel. With the exception of panels with open area below the mid rail, all Diet panels are built with 6" clearance opening between the floor and the bottom rail. This feature not only serves as a simple passage for cables between back-to-back stations and an interface for a snap on cable trough, but it mainly provides ultimate flexibility of panel station placement even if one panel needs to be located right above a floor monument. Diet's slim appearance, sophisticated industrial design, detailing and advanced engineering communicate high perceived value, exceeding expectations usually related to budget products. Diet can be specified on its own, with integrated worksurface, storage and accessory support, privacy and space organization in free standing office environments. Whether combined with Boulevard system, or raised floors, Diet, as a tool, bridges mobile or stationary freestanding furniture with power/data delivery solutions, that are hard wired to a building power supply.

Technical Information

Panels

- · Panels are 1.3" thick.
- · Width ranges from 24" to 60" at 6" increments.
- Heights include 42", 50", 54" and 66" (nominal).
- Extruded aluminum frame surrounds a fabric wrapped interior with a 7/8" particle board frame, sandwiched between 2 pieces of 1/8" masonite.
- Panel frame finish is durable epoxy powder coated.
- · Finished panel includes top, corner and end caps.
- For glazing Smoke develoment index 500.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- Top rail accepts Global Contract accessories, monitor arm supports, off-module shelves, and task light brackets.
- Top rail on Glazed Top Panels is not intended for use with panel mounted shelves and panel mounted overhead.
- Middle rail accepts bracket for off-module worksurface support, Global Contract accessories, off-module shelves and power bar.
- Bottom rail accepts brackets for off-module worksurface support, Global Contract accessories, off-module shelves and optional cable manager and power bar.
- · Optional PVC cable manager friction fits into bottom rail.

- Two leveler are included with a 1.75" leveling range.
- · Vertical frame members have integrated grooves for additional components.
- Charcoal covers are provided at front of vertical members where connectors attach.
- Panels include 3 sets of hinge connectors, 1 set of spacers and 6 pins.
- Connecting method is simple, accommodating typical configuration, as well as connection of panels at any angle, regardless of height.

Panel Options

- Laminate or whiteboard may be substituted for fabric on panels only, see "OPT" column.
- Tackboard panels available, please add 25% upcharge. Steel facing available, contact your customer service representative.

Note:

- 42" High Diet panels do not match Boulevard 42"
- 50" High Diet panels match Boulevard 50"
- 54" High Diet panels do not match standard Boulevard 54"
- · 66" High Diet panels matches Boulevard 66"
- To order 42" and 54" high Diet panels to match Boulevard, please order "BDPFF" and "BDPOF".

HOW DIET REDUCES YOUR COSTS

Finished Panel:

- · No inventory costs for connectors, top caps, kick plates and clips.
- · Less time required to install, or to disassemble, move and re-install.
- Open bottom panels can reduce cost and improve circulation within the office.

Fewer Parts:

- Only 1 universal cantilever and 3 brackets are needed to build most workstations.
- · Easy to attach and remove components from panels.

Simplified Specifications:

- Fewer parts and components make specifying, ordering, and verifying less work.
- Product fits a 6" planning module.

Communications Channel:

· Base communication channel reduces time to install and change cables.

Outside Upper

Fabric


- Warranty:
- · Limited Lifetime Warranty on materials and workmanship.

DIET PANELS - GUIDELINES FOR ORDERING PRODUCT

Codes

The product guide uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of Panel: DPFRF6636



How to Specify

Specify Diet Panel type and size by code. Specify panel frame finish - ie. CHR (Charcoal). Specify all six panel fabric options if necessary. AN50 Inside Lower Fabric

AN50 Inside Middle Fabric

AN50 Inside Upper Fabric


BE21 Outside Lower Fabric

Outside Lower Fabric

Outside Middle Fabric

BE21


DPFF • Fabric Bottom and Fabric Top Panel • Fabric above and below the middle rail PR



- provides visual privacy. • Full panel with top, middle and bot-
- tom rail.
- OPT* = Laminate or Whiteboard.
- DPFF Panels do not match standard Boulevard heights of 42" and 54".
- DPFF Panels of 50" and 66" height will match standard Boulevard panel

PRODUCT	PRICE	GROUP		SIZE/	INCHES		WEIGHT	VOL
CODE	1	2	OPT*	Н	W	D	LBS	FT ³
DPFF4224	362	404	447	42	24	1.3	16	1.32
DPFF4230	382	423	469	42	30	1.3	19	1.62
DPFF4236	405	480	561	42	36	1.3	23	1.94
DPFF4242	426	504	587	42	42	1.3	27	2.24
DPFF4248	447	523	603	42	48	1.3	31	2.55
DPFF4254	471	546	626	42	54	1.3	35	2.85
DPFF4260	490	566	646	42	60	1.3	39	3.16
DPFF5024	452	495	540	50	24	1.3	16	1.62
DPFF5030	476	518	562	50	30	1.3	21	2.08
DPFF5036	498	600	707	50	36	1.3	25	2.47
DPFF5042	524	651	757	50	42	1.3	30	2.85
DPFF5048	550	800	757	50	48	1.3	35	3.25
DPFF5054	574	676	783	50	54	1.3	40	3.63
DPFF5060	599	701	808	50	60	1.3	45	4.02
DPFF5424	452	495	540	54	24	1.3	18	1.62
DPFF5430	476	518	562	54	30	1.3	23	2.08
DPFF5436	498	600	707	54	36	1.3	27	2.47
DPFF5442	524	626	734	54	42	1.3	32	2.85
DPFF5448	550	654	761	54	48	1.3	37	3.25
DPFF5454	574	676	783	54	54	1.3	42	3.63
DPFF5460	599	701	808	54	60	1.3	47	4.02
DPFF6624	492	561	632	66	24	1.3	23	2.04
DPFF6630	520	588	659	66	30	1.3	29	2.52
DPFF6636	549	648	756	66	36	1.3	35	3.00
DPFF6642	576	678	784	66	42	1.3	41	3.46
DPFF6648	601	703	811	66	48	1.3	47	3.93
DPFF6654	628	732	838	66	54	1.3	53	4.40
DPFF6660	657	757	868	66	60	1.3	59	4.90


BDPFF • Fabric Bottom and Fabric Top Panel to Match Boulevard Panels



- Fabric above and below the middle rail provides visual privacy.
- · Full panel with top, middle and bottom rail.
- OPT* = Laminate or Whiteboard
- · Panels will match corresponding Boulevard Panel heights.

PRODUCT	PRICE	GROUP		SIZE/	INCHES		WEIGHT	VOL
CODE	1	2	OPT*	H	W	D	LBS	FT ³
BDPFF4224	362	404	448	42	24	1.3	16	1.32
BDPFF4230	382	423	469	42	30	1.3	19	1.62
BDPFF4236	405	480	561	42	36	1.3	23	1.94
BDPFF4242	426	502	582	42	42	1.3	27	2.24
BDPFF4248	447	523	603	42	48	1.3	31	2.55
BDPFF4254	471	547	627	42	54	1.3	35	2.85
BDPFF4260	490	566	646	42	60	1.3	39	3.16
BDPFF5424	452	493	539	54	24	1.3	18	1.62
BDPFF5430	476	518	563	54	30	1.3	23	2.08
BDPFF5436	498	600	707	54	36	1.3	27	2.47
BDPFF5442	524	626	733	54	42	1.3	32	2.85
BDPFF5448	550	651	757	54	48	1.3	37	3.25
BDPFF5454	574	676	783	54	54	1.3	42	3.63
BDPFF5460	599	701	808	54	60	1.3	47	4.02


DPOF • Open Bottom and Fabric Top Panel • Fabric above the middle rail provides P



- Fabric above the middle rail provides visual privacy.
- Panel with top and middle rail only.
- Open bottom reduces cost and improves air circulation within the office.
- OPT* = Laminate or Whiteboard.
- DPOF Panels do not match standard Boulevard heights of 42" and 54".
- DPOF Panels of 50" and 66" height will match standard Boulevard panel heights.

PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
DPOF4224	238	252	266	42	24	1.3	9	1.32
DPOF4230	253	264	280	42	30	1.3	12	1.62
DPOF4236	291	318	342	42	36	1.3	15	1.94
DPOF4242	308	333	361	42	42	1.3	17	2.24
DPOF4248	322	345	373	42	48	1.3	19	2.55
DPOF4254	336	362	387	42	54	1.3	22	2.85
DPOF4260	350	374	403	42	60	1.3	24	3.16
DPOF5024	299	323	350	50	24	1.3	10	1.62
DPOF5030	318	341	368	50	30	1.3	13	2.08
DPOF5036	378	428	481	50	36	1.3	16	2.47
DPOF5042	398	449	503	50	42	1.3	19	2.85
DPOF5048	417	468	520	50	48	1.3	21	3.25
DPOF5054	435	486	539	50	54	1.3	25	3.63
DPOF5060	452	503	556	50	60	1.3	28	4.02
DPOF5424	299	323	350	54	24	1.3	12	1.62
DPOF5430	318	341	368	54	30	1.3	15	2.08
DPOF5436	378	428	481	54	36	1.3	18	2.47
DPOF5442	398	449	503	54	42	1.3	21	2.85
DPOF5448	417	468	520	54	48	1.3	24	3.25
DPOF5454	435	486	539	54	54	1.3	27	3.63
DPOF5460	452	503	556	54	60	1.3	30	4.02
DP0F6624	365	416	469	66	24	1.3	17	2.04
DP0F6630	385	438	492	66	30	1.3	21	2.52
DP0F6636	457	506	558	66	36	1.3	25	3.00
DP0F6642	497 522	549	601	66	42	1.3	29	3.46
DP0F6648 DP0F6654	545	572 595	626 647	66	48 54	1.3	33 37	3.93 4.40
DP0F6660	566	619	670	66 66	60	1.3	41	4.40
טו טו טטטט	500	013	0/0	UU	UU	1.0	+1	7.70

BDPOF • Open Bottom and Fabric Top Panel to Match Boulevard Panels



- Fabric above the middle rail provides visual privacy.
- Panel with top and middle rail only.
- Open bottom reduces cost and improves air circulation within the office.
- OPT* = Laminate or Whiteboard
- Panels will match corresponding Boulevard Panel heights.

PRODUCT	PRICE	GROUP		SIZE/	INCHES		WEIGHT	
CODE	1	2	OPT*	H	W	D	LBS	FT ³
BDP0F4224	238	252	265	42	24	1.3	9	1.32
BDP0F4230	253	264	279	42	30	1.3	12	1.62
BDP0F4236	291	317	342	42	36	1.3	15	1.94
BDP0F4242	308	334	361	42	42	1.3	17	2.24
BDP0F4248	322	347	374	42	48	1.3	19	2.55
BDP0F4254	336	362	388	42	54	1.3	22	2.85
BDP0F4260	350	376	403	42	60	1.3	24	3.16
BDP0F5424	299	324	351	54	24	1.3	12	1.62
BDP0F5430	318	342	371	54	30	1.3	15	2.08
BDP0F5436	378	428	481	54	36	1.3	18	2.47
BDPOF5442	398	449	503	54	42	1.3	21	2.85
BDP0F5448	417	468	520	54	48	1.3	24	3.25
BDP0F5454	435	486	539	54	54	1.3	27	3.63
BDP0F5460	452	503	556	54	60	1.3	30	4.02


DPFRF • Fabric Bottom, Middle and Top Panel • Fabric above, below and between the PRODUCT • PRODUCT



- Fabric above, below and between th middle rails provides visual privacy.
- Full panel with additional rail at 42" high.
- Upper middle rail accepts Global Contract Accessories, Monitor Arm Support and Off-Module Shelves.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
DPFRF5024	475	517	562	50	24	1.3	16	1.62
DPFRF5030	498	529	558	50	30	1.3	21	2.08
DPFRF5036	525	577	631	50	36	1.3	25	2.47
DPFRF5042	552	617	679	50	42	1.3	30	2.85
DPFRF5048	579	655	740	50	48	1.3	35	3.25
DPFRF5054	601	682	757	50	54	1.3	40	3.63
DPFRF5060	628	717	811	50	60	1.3	45	4.02
DPFRF5424	475	517	561	54	24	1.3	18	1.62
DPFRF5430	498	529	558	54	30	1.3	23	2.08
DPFRF5436	525	577	631	54	36	1.3	27	2.47
DPFRF5442	552	612	679	54	42	1.3	32	2.85
DPFRF5448	581	652	735	54	48	1.3	37	3.25
DPFRF5454	601	679	757	54	54	1.3	42	3.63
DPFRF5460	628	705	786	54	60	1.3	47	4.02
DPFRF6624	518	563	610	66	24	1.3	23	2.04
DPFRF6630	547	593	641	66	30	1.3	29	2.52
DPFRF6636	576	651	732	66	36	1.3	35	3.00
DPFRF6642	604	690	783	66	42	1.3	41	3.46
DPFRF6648	635	719	811	66	48	1.3	47	3.93
DPFRF6654	660	751	849	66	54	1.3	53	4.40
DPFRF6660	689	814	950	66	60	1.3	59	4.90

DPORF • Open Bottom Fabric Middle and Top Panel



- Fabric above the middle rail provides visual privacy.
- Open bottom panel with additional rail at 42" high.
- Upper middle rail accepts Global Contract Accessories, Monitor Arm Support and Off-Module Shelves.
- Open bottom reduces cost and improves air circulation within the office.
- OPT* = Laminate or Whiteboard

PRODUCT	PRICE	GROUP		SIZE/	INCHES		WEIGHT	VOL
CODE	_1	2	OPT*	H	W	D	LBS	FT ³
DPORF5024	312	339	372	50	24	1.3	10	1.62
DPORF5030	333	362	392	50	30	1.3	13	2.08
DPORF5036	398	426	459	50	36	1.3	16	2.47
DPORF5042	417	454	502	50	42	1.3	19	2.85
DPORF5048	437	475	523	50	48	1.3	21	3.25
DPORF5054	458	498	540	50	54	1.3	25	3.63
DPORF5060	475	518	566	50	60	1.3	28	4.02
DPORF5424	312	341	373	54	24	1.3	12	1.62
DPORF5430	333	357	392	54	30	1.3	15	2.08
DPORF5436	398	430	462	54	36	1.3	18	2.47
DPORF5442	417	458	498	54	42	1.3	21	2.85
DPORF5448	437	477	520	54	48	1.3	24	3.25
DPORF5454	458	501	550	54	54	1.3	27	3.63
DPORF5460	475	519	567	54	60	1.3	30	4.02
DPORF6624	382	422	466	66	24	1.3	17	2.04
DPORF6630	406	446	489	66	30	1.3	21	2.52
DPORF6636	477	544	612	66	36	1.3	25	3.00
DPORF6642	524	595	670	66	42	1.3	29	3.46
DPORF6648	549	616	684	66	48	1.3	33	3.93
DPORF6654	572	642	718	66	54	1.3	37	4.40
DPORF6660	597	662	733	66	60	1.3	41	4.90

DPFFG • Fabric Bottom, Middle and Glazed Top Panel • Fabric below and between the middle PRODUCT




- rails provides visual privacy.

 Fabric bottom panel with additional
- Fabric bottom panel with additional rail at 28" high.
- Upper middle rail accepts Global Contract Accessories, Monitor Arm Support and Off-Module Shelves.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- OPT* = Laminate or Whiteboard

ed Top Panel								
PRODUC t	PRICE	GROUP		SIZE/	INCHES		WEIGHT	VOL
CODE	_1	2	OPT*	Н	W	D	LBS	FT ³
DPFFG5024	479	509	539	50	24	1.3	12	1.62
DPFFG5030	524	554	583	50	30	1.3	15	2.08
DPFFG5036	571	628	698	50	36	1.3	18	2.47
DPFFG5042	619	678	746	50	42	1.3	21	2.85
DPFFG5048	662	722	790	50	48	1.3	24	3.25
DPFFG5054	709	768	838	50	54	1.3	27	3.63
DPFFG5060	768	829	897	50	60	1.3	30	4.02
DPFFG5424	479	509	539	54	24	1.3	17	1.62
DPFFG5430	524	555	587	54	30	1.3	21	2.08
DPFFG5436	571	635	702	54	36	1.3	25	2.47
DPFFG5442	619	680	748	54	42	1.3	29	2.85
DPFFG5448	662	724	792	54	48	1.3	33	3.25
DPFFG5454	709	775	842	54	54	1.3	37	3.63
DPFFG5460	768	831	900	54	60	1.3	41	4.02
DPFFG6624	567	620	671	66	24	1.3	20	2.04
DPFFG6630	632	682	736	66	30	1.3	25	2.52
DPFFG6636	693	757	829	66	36	1.3	30	3.00
DPFFG6642	754	820	892	66	42	1.3	35	3.46
DPFFG6648	819	885	955	66	48	1.3	40	3.93
DPFFG6654	879	944	1014	66	54	1.3	45	4.40
DPFFG6660	959	1035	1115	66	60	1.3	50	4.90


DPOFG • Open Bottom, Middle Fabric and Glazed Top Panel



- Fabric between the middle rails.
- Open bottom panel with additional rail at 42" high.
- Upper middle rail accepts Global Contract Accessories, Monitor Arm Support and Off-Module Shelves.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- OPT* = Laminate or Whiteboard

	PRODUCT	PRICE	GROUP		SIZE/	INCHES		WEIGHT	VOL
l	CODE	1	2	OPT*	H	W	D	LBS	FT ³
	DPOFG5024	377	387	401	50	24	1.3	14	1.62
	DPOFG5030	411	425	437	50	30	1.3	17	2.08
	DPOFG5036	446	458	470	50	36	1.3	20	2.47
	DPOFG5042	482	493	508	50	42	1.3	24	2.85
	DPOFG5048	518	529	541	50	48	1.3	27	3.25
	DPOFG5054	554	578	604	50	54	1.3	30	3.63
	DPOFG5060	597	621	647	50	60	1.3	34	4.02
	DPOFG5424	377	387	401	54	24	1.3	14	1.62
	DPOFG5430	411	425	437	54	30	1.3	17	2.08
	DPOFG5436	446	458	470	54	36	1.3	20	2.47
	DPOFG5442	482	493	508	54	42	1.3	24	2.85
	DPOFG5448	518	529	541	54	48	1.3	27	3.25
	DPOFG5454	554	578	604	54	54	1.3	30	3.63
	DPOFG5460	597	621	647	54	60	1.3	34	4.02
	DPOFG6624	473	482	497	66	24	1.3	17	2.04
	DPOFG6630	522	534	549	66	30	1.3	21	2.52
	DPOFG6636	576	600	627	66	36	1.3	25	3.00
	DPOFG6642	619	642	669	66	42	1.3	29	3.46
	DPOFG6648	665	692	718	66	48	1.3	33	3.93
	DPOFG6654	722	748	775	66	54	1.3	37	4.40
	DPOFG6660	782	806	832	66	60	1.3	41	4.90

DPFG • Fabric Bottom and Glazed Top Panel



- Fabric between the middle rails.Open bottom panel with additional rail
- Open bottom panel with additional rail at 42" high.
- Upper middle rail accepts Global Contract Accessories, Monitor Arm Support and Off-Module Shelves.
- Open bottom reduces cost and improves air circulation within the office.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- OPT* = Laminate or Whiteboard

1	nei								
ı	PRODUCT CODE	PRICE	GROUP 2	OPT*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
	DPFG4224	627	643	659	4 2	24	1.3	11	1.32
	DPFG4230	679	693	709	42	30	1.3	14	1.62
	DPFG4236	723	739	754	42	36	1.3	16	1.94
	DPFG4242	771	822	875	42	42	1.3	18	2.24
	DPFG4248	817	869	922	42	48	1.3	21	2.55
	DPFG4254	865	916	968	42	54	1.3	23	2.85
	DPFG4260	912	962	1015	42	60	1.3	26	3.16
	DPFG5024	627	643	659	50	24	1.3	12	1.62
	DPFG5030	679	693	709	50	30	1.3	15	2.08
	DPFG5036	723	739	754	50	36	1.3	18	2.47
	DPFG5042	771	822	875	50	42	1.3	21	2.85
	DPFG5048	817	869	922	50	48	1.3	24	3.25
	DPFG5054	865	916	968	50	54	1.3	27	3.63
	DPFG5060	912	962	1015	50	60	1.3	29	4.02
	DPFG5424	627	643	659	54	24	1.3	13	1.62
	DPFG5430	679	693	709	54	30	1.3	16	2.08
	DPFG5436	723	739	754	54	36	1.3	20	2.47
	DPFG5442	771	822	875	54	42	1.3	23	2.85
	DPFG5448	817	869	922	54	48	1.3	26	3.25
	DPFG5454	865	916	968	54	54	1.3	29	3.63
	DPFG5460	912	962	1015	54	60	1.3	32	4.02
	DPFG6624	682	700	717	66	24	1.3	17	2.04
	DPFG6630	734	749	767	66	30	1.3	21	2.52
	DPFG6636	784	833	889	66	36	1.3	24	3.00
	DPFG6642	832	884	939	66	42	1.3	28	3.46
	DPFG6648	883	932	986	66	48	1.3	32	3.93
	DPFG6654	935	983	1037	66	54	1.3	36	4.40
	DPFG6660	988	1037	1091	66	60	1.3	40	4.90

DPFS • Fabric Bottom Slat Top Panel



- Integrated 6" slat rail provides flexibility of use.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE 1	GROUP	OPT*	SIZE/ H	INCHES W	D	WEIGH LBS	T VOL FT ³
DPFS4224	371	393	419	42	24	1.3	19	1.32
DPFS4230	452	476	501	42	30	1.3	23	1.62
DPFS4236	504	566	636	42	36	1.3	28	1.94
DPFS4242	549	616	682	42	42	1.3	33	2.24
DPFS4248	594	657	724	42	48	1.3	37	2.55
DPFS4254	641	703	772	42	54	1.3	42	2.85
DPFS4260	685	748	816	42	60	1.3	47	3.16


DPFSF • Fabric Bottom, Slat Middle and Fabric Top Panel



- Integrated 6" slat rail between the middle rails provides flexibility of use. Fabric at the top provides visual privacy.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- OPT* = Laminate or Whiteboard

abric Top Par	101							
PRODUCT	PRICE	GROUP		SIZE/	INCHES		WEIGHT	VOL
CODE	1	2	OPT*	H	W	D	LBS	FT ³
DPFSF5024	517	539	563	50	24	1.3	21	1.62
DPFSF5030	571	593	617	50	30	1.3	28	2.08
DPFSF5036	627	690	757	50	36	1.3	34	2.47
DPFSF5042	682	745	813	50	42	1.3	40	2.85
DPFSF5048	736	799	813	50	48	1.3	46	3.25
DPFSF5054	789	852	919	50	54	1.3	52	3.63
DPFSF5060	842	905	972	50	60	1.3	58	4.02
DPFSF5424	517	539	563	54	24	1.3	23	1.62
DPFSF5430	571	593	617	54	30	1.3	30	2.08
DPFSF5436	627	690	757	54	36	1.3	36	2.47
DPFSF5442	682	745	813	54	42	1.3	42	2.85
DPFSF5448	736	799	813	54	48	1.3	48	3.25
DPFSF5454	789	852	919	54	54	1.3	54	3.63
DPFSF5460	842	905	972	54	60	1.3	60	4.02
DPFSF6624	592	635	679	66	24	1.3	28	2.04
DPFSF6630	652	693	739	66	30	1.3	35	2.52
DPFSF6636	714	817	923	66	36	1.3	42	3.00
DPFSF6642	771	870	978	66	42	1.3	49	3.46
DPFSF6648	831	932	1038	66	48	1.3	56	3.93
DPFSF6654	889	989	1096	66	54	1.3	63	4.40
DPFSF6660	943	1045	1151	66	60	1.3	70	4.90

DPOSF • Open Bottom, Slat Middle Panel



- Integrated 6" slat rail between the middle rails provides flexibility of use.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- OPT* = Laminate or Whiteboard

PRODUCT	PRICE	GROUP		SIZE/	INCHES	_	WEIGHT	
CODE	1	2	OPT*	H	W	_D	LBS	FT ³
DPOSF4224	334	340	345	42	24	1.3	12	1.32
DPOSF4230	372	378	383	42	30	1.3	17	1.62
DPOSF4236	410	422	437	42	36	1.3	24	1.94
DPOSF4242	447	460	475	42	42	1.3	28	2.24
DPOSF4248	489	501	517	42	48	1.3	36	2.55
DPOSF4254	525	540	554	42	54	1.3	40	2.85
DPOSF4260	563	576	590	42	60	1.3	44	3.16

DPOSF • Open Bottom, Slat Middle and Fabric Top Panel



- Integrated 6" slat rail between the middle rails provides flexibility of use.
 Fabric above middle rail provides privacy.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- Open bottom reduces cost and improves air circulation within the office.
- OPT* = Laminate or Whiteboard

VOL FT ³ 1.62
1.62
2.08
2.47
2.85
3.25
3.63
4.02
1.62
2.08
2.47
2.85
3.25
3.63
4.02
2.04
2.52
3.00
3.46
3.93
4.40
4.90


DPOSG • Open Bottom, Slat Middle and Glazed Top Panel



- Integrated 6" slat rail between the middle rails provides flexibility of use.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- Open bottom reduces cost and improves air circulation within the office.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- OPT* = Laminate or Whiteboard

iazeu Top Par	iei							
PRODUCT	PRICE	GROUP		SIZE/	INCHES	_	WEIGHT	
CODE	1	2	OPT*	Н	W	D	LBS	FT ³
DPOSG5024	659	664	670	50	24	1.3	12	1.62
DPOSG5030	709	714	722	50	30	1.3	15	2.08
DPOSG5036	757	770	786	50	36	1.3	18	2.47
DPOSG5042	810	820	835	50	42	1.3	22	2.85
DPOSG5048	859	870	884	50	48	1.3	25	3.25
DPOSG5054	907	917	932	50	54	1.3	28	3.63
DPOSG5060	959	968	982	50	60	1.3	32	4.02
DPOSG5424	659	664	670	54	24	1.3	14	1.62
DPOSG5430	709	714	722	54	30	1.3	17	2.08
DPOSG5436	757	770	786	54	36	1.3	20	2.47
DPOSG5442	810	820	835	54	42	1.3	24	2.85
DPOSG5448	859	870	884	54	48	1.3	27	3.25
DPOSG5454	907	917	932	54	54	1.3	30	3.63
DPOSG5460	959	968	982	54	60	1.3	34	4.02
DPOSG6624	717	723	729	66	24	1.3	17	2.04
DPOSG6630	768	776	782	66	30	1.3	21	2.52
DPOSG6636	822	833	851	66	36	1.3	25	3.00
DPOSG6642	871	884	898	66	42	1.3	29	3.46
DPOSG6648	928	940	955	66	48	1.3	33	3.93
DPOSG6654	978	992	1005	66	54	1.3	37	4.40
DPOSG6660	1036	1049	1064	66	60	1.3	41	4.90
DE020000	1030	1049	1004	00	UU	1.3	41	4.90


DPFSG • Fabric Bottom, Slat Middle and Gla • Integrated 6" slat rail provides flex-



- ibility of use.
- · Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- · Extruded aluminum frame surrounds acrylic glazing at top.
- · PVC Extrusion is only Charcoal.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- OPT* = Laminate or Whiteboard

Œ	Blazed Top Pa	nel							
	PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
	DPFSG5024	723	744	765	50	24	1.3	15	1.62
	DPFSG5030	781	800	829	50	30	1.3	19	2.08
	DPFSG5036	832	895	960	50	36	1.3	23	2.47
	DPFSG5042	889	949	1016	50	42	1.3	27	2.85
	DPFSG5048	940	999	1068	50	48	1.3	31	3.25
	DPFSG5054	995	1053	1123	50	54	1.3	35	3.63
	DPFSG5060	1049	1108	1177	50	60	1.3	39	4.02
	DPFSG5424	723	744	765	54	24	1.3	17	1.62
	DPFSG5430	781	800	829	54	30	1.3	21	2.08
	DPFSG5436	832	895	960	54	36	1.3	25	2.47
	DPFSG5442	889	949	1016	54	42	1.3	29	2.85
	DPFSG5448	940	999	1068	54	48	1.3	33	3.25
	DPFSG5454	995	1053	1123	54	54	1.3	37	3.63
	DPFSG5460	1049	1108	1177	54	60	1.3	41	4.02
	DPFSG6624	786	808	832	66	24	1.3	20	2.04
	DPFSG6630	842	863	891	66	30	1.3	25	2.52
	DPFSG6636	900	962	1030	66	36	1.3	30	3.00
	DPFSG6642	959	1021	1090	66	42	1.3	35	3.46
	DPFSG6648	1015	1080	1149	66	48	1.3	40	3.93
	DPFSG6654	1072	1135	1203	66	54	1.3	45	4.40
	DPFSG6660	1133	1194	1264	66	60	1.3	50	4.90


DPOPF • Diet Over Panel



- Over Panels attach to regular Diet Panels to provide additonal visual privacy.
- Over Panel is secured to regular Diet Panels with 4 brackets and set
- · Accessory loading capabilities only.
- Not for use with overhead storage.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE 1	GROUP	OPT*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
DPOPF1224	196	207	221	12	24	1.3	5	0.30
DPOPF1230	221	233	249	12	30	1.3	7	0.60
DPOPF1236	252	276	303	12	36	1.3	8	0.75
DPOPF1242	275	302	331	12	42	1.3	9	0.88
DPOPF1248	303	329	356	12	48	1.3	11	1.00
DPOPF1254	333	360	384	12	54	1.3	12	1.13
DPOPF1260	352	378	405	12	60	1.3	13	1.25
DPOPF2424	272	299	326	24	24	1.3	10	1.00
DPOPF2430	295	319	345	24	30	1.3	14	1.25
DPOPF2436	314	352	393	24	36	1.3	16	1.45
DPOPF2442	336	374	416	24	42	1.3	18	1.75
DPOPF2448	357	394	436	24	48	1.3	22	2.00
DPOPF2454	378	416	458	24	54	1.3	24	2.25
DPOPF2460	403	438	480	24	60	1.3	26	2.50


DTMPP • Table Mounted Diet Panels



- · Creates privacy and flexibility at the end of worksurfaces.
- Side Panels for sides of Viceversa® Tables or sides of worksurfaces available 24", and 36" widths (nominal width).
- Back Panels for sides of Viceversa® Tables available 48", 54' and 60" widths.
- Attaches with similar clamp to other clamp on accessories.
- · Non tackable, non load-bearing, no hang on capabilities and not for use with transaction tops.
- Not for use with Licence product due to interference of gables and flush modesties.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
SIDE PANELS								
DTMPP24	214	226	242	16.5	21	1.3	7	0.75
DTMPP30	230	244	258	16.5	27	1.3	8	0.94
DTMPP36	249	272	301	16.5	33	1.3	10	1.13
BACK PANELS								
DTMPP48	275	301	328	16.5	48	1.3	15	1.53
DTMPP54	301	326	352	16.5	54	1.3	17	1.72
DTMPP60	324	350	377	16.5	60	1.3	18	1.91

DPCBM • Panel Cable Manager




- · Provides wire management for the Diet Panels.
- Extruded, dual durometer "U" channel organizes cables below panels.
- Snaps into bottom rail and into mid rail on open bottom panels.
- One data partial knock-out (2.67" wide x 1.36" high) provided on either side of the Raceway Cover accommodates terminal plates from various vendors.
- · Panel Cable Manager comes in charcoal only.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	
CODE		Н	W	D	LBS	FT ³
DPCBM24	11	4	18	1.3	1.3	0.07
DPCBM30	14	4	24	1.3	1.4	0.08
DPCBM36	25	4	30	1.3	1.5	0.10
DPCBM42	28	4	36	1.3	1.6	0.13
DPCBM48	31	4	42	1.3	1.7	0.15
DPCBM54	33	4	48	1.3	1.8	0.16
DPCBM60	36	4	54	1.3	1.9	0.19

DPOFM • Off Module Panel Connector





- Top and bottom brackets bolt to Diet Panel verticals and engage to top and bottom rails of adjacent, perpendicular panel of even or lower height.
- Connectors can also be used to connect a panel in the middle of perpendicular DPFRF, DPORF, DPFFG, DPFSG ad DPFSF at their 42" height secondary middle rail.
- Top and bottom brackets fit in place of standard hinge connectors.
- · All fasteners included.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н.	W	D	LBS	FT ³
DPOFM	42	4	3	2	1	0.08

DPPWA · Wall Adapter





- Bolts to Diet Panel vertical in place of the standard hinge connectors.
- Keyhole openings in Diet adapter slide over fasteners preinstalled to the wall.
- All fasteners included, however, the mounting hardware to affix adapter to wall not included, they will be based on type of wall material.

							a.
PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL	
CODE		Н	W	D	LBS	FT ³	
DPPWA	42	40	2.5		1	0.08	

DPCSTR • Casters



- · Changes a freestanding Diet Panel to mobile.
- Must be used on two panels or more.
- Order 1 caster more than the number of panels. (Using only 1 caster where panels connect.) For example, 3 panels, 4 casters or 2 panels, 3 casters.
- Casters raise Diet Panels by a height of 1.1".

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
DPCSTR	9	1.5	1.5	1.5	.25	1.02

SIZE/


0.75

INCHES

PRICE

106

DPLTSBKIT • Telescopic Sliding Kit



- Diet Telescopic Sliding Kit flexibly connects two standard parallel Diet panels and forms a length-adjustable parition.
- Kit consists of two top and two bottom sliding box assemblies and all the necessary connecting hardware.
- Made of black injection molded resin.
- The panels must be of the same height and equipped with top and bottom standard Diet extrusions.

PRODUCT

DPLTSBKIT

CODE

- The kit can be installed as right or left on site, determining the direction of nesting/sliding.
- The kit offsets the parallel panel and the resulting gap is 12.5mm (½")
- Up to three standard Diet panels can be connected to form the length-adjustable partition.
- The kit is not intended to be used in place of a sliding door.
- The kit cannot be used with Diet overpanels or Diet Linking Panels.

WEIGHT VOL

0.04 0.15

FT³

LBS

0.5

DBSCB • Diet to Boulevard Slot Connector



- Connects a Diet Panel to a Boulevard Panel via slots eliminating the need for the Boulevard Post and reducing the overall length and cost of a panel run.
- Connector can be installed in left or right configuration.
- · Comes as a pair (Upper and lower brackets).
- Worksurfaces should be ordered based on application keeping in mind that this connector will align to the left or right of the end of the Boulevard Panel.
- Application drawings and layout must be provided for specials.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
DBSCB02	49	3	0.5	0.00	1	0.05

DAPPF • Diet Gap Filler



- · Closes the gap between panels.
- · Must be used on two or more panels.
- Order 1 DAPPF36 for a 42" high panel, 1 DAPPF36 and 1 DAPPF12 for a 54" high panel, or 1 DAPPF36 and 2 DAPPF12 for 66" high panel.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
DAPPF12	7	11.5	0.00	0.00	000	000
DAPPF36	17	36.33	0.00	0.00	000	000


DHFFA • Single Flat Foot



- Used to create a freestanding panel
- Foot is flat to the floor with no adjustable glides
- · No load capabilities on freestanding panel
- Only for use with Fabric Bottom panels
- · Can be used to retro fit existing Diet panels on site
- Not for use with Diet Linking Panels
- · Specify standard panel frame paint finishes

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT VOL
CODE		Н	W	D	LBS FT ³
DHFFA	133	6	20	2	3.48 0.15

DHFFA02 • Flat Foot Kit



- Used to create a freestanding panel
- · Feet are flat to the floor with no adjustable glides
- · No load capabilities on freestanding panel
- · Only for use with Fabric Bottom panels
- · Can be used to retro fit existing Diet panels on site
- · Not for use with Diet Linking Panels
- · Specify standard panel frame paint finishes

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	Γ VOL
CODE		Н	W	D	LBS	FT ³
DHFFA02	265	6	20	2	7	0.3

DHCFAN · Single Caster Foot



- · Used to create a mobile panel
- Casters are locking
- No load capabilities on mobile panel
- Only for use with Fabric Bottom panels
- · Can be used to retro fit existing Diet panels on site
- · Not for use with Diet Linking Panels
- Specify standard panel frame paint finishes

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	T VOL		
CODE		Н	W	D	LBS	FT ³		
DHCEAN	176	6	20	2	2 07	0.15		

DHCFAN02 • Caster Foot Kit



- · Used to create a mobile panel
- Casters are locking
- · No load capabilities on mobile panel
- · Only for use with Fabric Bottom panels
- · Can be used to retro fit existing Diet panels on site
- Not for use with Diet Linking Panels
- · Specify standard panel frame paint finishes

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	T VOL	
CODE		Н	W	D	LBS	FT ³	
DHCEANO2	350	6	20	2	77	N 3	

DHCFAL01 • Diet Caster Assembly Kit



- To be used on one side to create a mobile panel with DHCFAN on the other side.
- · Caster is locking.
- No load capabilities on mobile panel
- Only for use with Fabric Bottom panels.
- Can be used to retrofit existing Diet panels on site.
- · Not for use with Diet Linking Panels.
- · Specigy standard panel frame paint finishes.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
DHCFAL01	72	6	1	4.8	1	0.02


DB-P-X • Diet to Boulevard Slim Connector in "X" Configuration • Creates a perpendicular connector Diet to Boulevard 1 "X" Configuration


- Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized worksurfaces.
- Note: For use with new BDPFFxxxx & BDPOFxxxx panels.

Diet to Boulevard 1 "X	(" Configu	ıration						
PRODUCT	PRICE	B1	DIET PANEL	SIZE/	INCHES		WEIGHT	VOL
CODE		HEIGHT	HEIGHT	Н	W	D	LBS	FT ³
BDB1P4242X	123	42"	42"	42	1.3	2.6	4	0.207
BDB1P4250X	139	50"	42"	50	1.3	2.6	5	0.245
BDB1P4254X	153	54"	42"	54	1.3	2.6	5	0.264
BDB1P4258X	153	58"	42"	58	1.3	2.6	6	0.283
BDB1P4266X	166	66"	42"	66	1.3	2.6	7	0.322
BDB1P4274X	179	74"	42"	74	1.3	2.6	8	0.360
BDB1P4282X	196	82"	42"	82	1.3	2.6	9	0.399
BDB1P5050X	139	50"	50"	50	1.3	2.6	5	0.245
BDB1P5054X	153	54"	50"	54	1.3	2.6	5	0.264
BDB1P5058X	153	58"	50"	58	1.3	2.6	6	0.283
BDB1P5066X	166	66"	50"	66	1.3	2.6	7	0.322
BDB1P5074X	179	74"	50"	74	1.3	2.6	8	0.360
BDB1P5082X	196	82"	50"	82	1.3	2.6	9	0.399
BDB1P5454X	153	54"	54"	54	1.3	2.6	5	0.264
BDB1P5458X	153	58"	54"	58	1.3	2.6	6	0.283
BDB1P5466X	166	66"	54"	66	1.3	2.6	7	0.322
BDB1P5474X	179	74"	54"	74	1.3	2.6	8	0.360
BDB1P5482X	196	82"	54"	82	1.3	2.6	9	0.399
BDB1P6666X	166	66"	66"	66	1.3	2.6	7	0.322
BDB1P6674X	179	74"	66"	74	1.3	2.6	8	0.360
BDB1P6682X	196	82"	66"	82	1.3	2.6	9	0.399

Diet to System 3 "X" Configuration

DIET TO SYSTEM 3 X CONTIGURATION									
PRODUCT	PRICE	SYSTEM 3	DIET PANEL	SIZE/	INCHES		WEIGHT	Γ VOL	
CODE		HEIGHT	HEIGHT	H	W	D	LBS	FT ³	
BDB3P4242X	123	42"	42"	42	1.3	2.6	4	0.207	
BDB3P4250X	139	50"	42"	50	1.3	2.6	5	0.245	
BDB3P4254X	153	54"	42"	54	1.3	2.6	6	0.260	
BDB3P4266X	166	66"	42"	66	1.3	2.6	7	0.322	
BDB3P5050X	166	50"	50"	50	1.3	2.6	5	0.245	
BDB3P5054X	153	54"	50"	54	1.3	2.6	6	0.260	
BDB3P5066X	166	66"	50"	66	1.3	2.6	7	0.322	
BDB3P5454X	153	54"	54"	54	1.3	2.6	6	0.260	
BDB3P5466X	166	66"	54"	66	1.3	2.6	7	0.322	
BDB3P6666X	166	66"	66"	66	1.3	2.6	7	0.322	





^{*} Please specify separate end trim (round or flat) to close end.


DBXP-T • Diet to Boulevard Slim Connector in "T" Configuration


- Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized worksurfaces.
- Note: For use with new BDPFFxxxx & BDPOFxxxx panels.

Diet to Boulevard 1 "T	Diet to Boulevard 1 "T" Configuration										
PRODUCT	PRICE	B1	DIET PANEL	SIZE/	INCHES		WEIGHT	VOL			
CODE		HEIGHT	HEIGHT	Н	W	D	LBS	FT ³			
BDB1P4242T	123	42"	42"	42	1.3	2.6	4	0.207			
BDB1P4250T	139	50"	42"	50	1.3	2.6	5	0.245			
BDB1P4254T	141	54"	42"	54	1.3	2.6	5	0.264			
BDB1P4258T	153	58"	42"	58	1.3	2.6	6	0.283			
BDB1P4266T	166	66"	42"	66	1.6	2.6	7	0.322			
BDB1P4274T	179	74"	42"	74	1.3	2.6	8	0.36			
BDB1P4282T	196	82"	42"	82	1.3	2.6	9	0.399			
BDB1P5050T	139	50"	50"	50	1.3	2.6	5	0.245			
BDB1P5054T	153	54"	50"	54	1.3	2.6	5	0.264			
BDB1P5058T	153	58"	50"	58	1.3	2.6	6	0.283			
BDB1P5066T	153	66"	50"	66	1.3	2.6	7	0.322			
BDB1P5074T	179	74"	50"	74	1.3	2.6	8	0.360			
BDB1P5082T	196	82"	50"	82	1.3	2.6	9	0.399			
BDB1P5454T	153	54"	54"	54	1.3	2.6	6	0.245			
BDB1P5458T	153	58"	54"	58	1.3	2.6	6	0.283			
BDB1P5466T	166	66"	54"	66	1.3	2.6	7	0.322			
BDB1P5474T	179	74"	54"	74	1.3	2.6	8	0.360			
BDB1P5482T	196	82"	54"	82	1.3	2.6	9	0.399			
BDB1P6666T	166	66"	66"	66	1.3	2.6	7	0.322			
BDB1P6674T	179	74"	66"	74	1.3	2.6	8	0.360			
BDB1P6682T	196	82"	66"	82	1.3	2.6	9	0.399			

Diet to System 3 "T" Configuration

DIET to System 3 Configuration									
PRODUCT	PRICE	SYSTEM 3	DIET PANEL	SIZE/	INCHES		WEIGHT	VOL	
CODE		HEIGHT	HEIGHT	H	W	D	LBS	FT ³	
BDB3P4242T	123	42"	42"	42	1.3	2.6	4	0.207	
BDB3P4250T	139	50"	42"	50	1.3	2.6	5	0.245	
BDB3P4254T	153	54"	42"	54	1.3	2.6	6	0.245	
BDB3P4266T	166	66"	42"	66	1.3	2.6	7	0.322	
BDB3P5050T	166	50"	50"	50	1.3	2.6	5	0.245	
BDB3P5054T	141	54"	50"	54	1.3	2.6	6	0.245	
BDB3P5066T	162	66"	50"	66	1.3	2.6	7	0.322	
BDB3P5454T	149	54"	54"	54	1.3	2.6	6	0.245	
BDB3P5466T	166	66"	54"	66	1.3	2.6	7	0.322	
BDB3P6666T	166	66"	66"	66	1.3	2.6	7	0.322	





^{*} Please specify separate end trim (round or flat) to close end.

DB-P-X • Diet to Boulevard Slim Connector in "X" Configuration • Creates a perpendicular connecDiet to Boulevard 1 "X" Configuration


- Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized worksurfaces.
- Note: For use with regular DPxxxx panels.


	Diet to Boulevard 1 "X"	Configura	ation		_				
	PRODUCT	PRICE	B1	DIET PANEL	SIZE/	INCHES		WEIGHT	VOL
ł	CODE		HEIGHT	HEIGHT	H	W	D	LBS	FT ³
	DB1P4242X	123	42"	42"	42	1.3	2.6	4	0.207
	DB1P4250X	139	50"	42"	50	1.3	2.6	5	0.245
	DB1P4254X	153	54"	42"	54	1.3	2.6	6	0.266
	DB1P4266X	166	66"	42"	66	1.3	2.6	7	0.322
	DB1P4274X	179	74"	42"	74	1.3	2.6	8	0.360
	DB1P4282X	196	82"	42"	82	1.3	2.6	9	0.399
	DB1P5050X	139	50"	50"	50	1.3	2.6	5	0.245
	DB1P5054X	153	54"	50"	54	1.3	2.6	6	0.266
	DB1P5058X	166	58"	50"	58	1.3	2.6	6	0.283
	DB1P5066X	179	66"	50"	66	1.3	2.6	7	0.322
	DB1P5074X	196	74"	50"	74	1.3	2.6	8	0.360
	DB1P5082X	153	82"	50"	82	1.3	2.6	9	0.399
	DB1P5458X	153	58"	54"	58	1.3	2.6	6	0.283
	DB1P5466X	166	66"	54"	66	1.3	2.6	7	0.322
	DB1P5474X	179	74"	54"	74	1.3	2.6	8	0.360
	DB1P5482X	196	82"	54"	82	1.3	2.6	9	0.399
	DB1P6666X	166	66"	66"	66	1.3	2.6	7	0.322
	DB1P6674X	179	74"	66"	74	1.3	2.6	8	0.360
	DB1P6682X	196	82"	66"	82	1.3	2.6	9	0.399

Diet to System 3 "X" Configuration

Diet to System 5 A Configuration	
PRODUCT PRICE SYSTEM 3 DIET PANEL SIZE/ INCHES WEIGHT	VOL
CODE HEIGHT HEIGHT H W D LBS	FT ³
DB3P4242X 123 42" 42" 42 1.3 2.6 4	0.207
DB3P4250X 139 50" 42" 50 1.3 2.6 5	0.245
DB3P4266X 166 66" 42" 66 1.3 2.6 7	0.322
DB3P5050X 139 50" 50" 50 1.3 2.6 5	0.245
DB3P5066X 139 66" 50" 66 1.3 2.6 7	0.322
DB3P5466X 166 66" 54" 66 1.3 2.6 7	0.322
DB3P5454X 166 54" 54" 54 1.3 2.6 6	0.266
DB3P6666X 166 66" 66" 66 1.3 2.6 7	0.322

Diet to Boulevard 1 Ov PRODUCT CODE	erpanels PRICE	OVER PANEL Height	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
DB10PPC08X	50	8"	8	1.3	2.6	0.8	0.043
DB10PPC16X	55	16"	16	1.3	2.6	1.6	0.082
DB10PPC24X	59	24"	24	1.3	2.6	2.5	0.120
DB10PPC37X	69	37"	37	1.3	2.6	3.5	0.183
DR1OPPC42X	75	42"	42	13	26	4 0	0.207





DBXP-T · Diet to Boulevard Slim Connector in "T" Configuration

- Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized worksurfaces.
- Note: For use with regular DPxxxx panels.


Diet to Boulevard 1 "T	-	ration						
PRODUCT	PRICE	B1	DIET PANEL	SIZE/	INCHES		WEIGHT	VOL
CODE		HEIGHT	HEIGHT	Н	W	D	LBS	FT ³
DB1P4242T	123	42"	42"	42	1.3	2.6	4	0.207
DB1P4250T	139	50"	42"	50	1.3	2.6	5	0.245
DB1P4258T	153	58"	42"	58	1.3	2.6	6	0.283
DB1P4266T	166	66"	42"	66	1.6	2.6	7	0.322
DB1P4274T	179	74"	42"	74	1.3	2.6	8	0.360
DB1P4282T	196	82"	42"	82	1.3	2.6	9	0.399
DB1P5050T	139	50"	50"	50	1.3	2.6	5	0.245
DB1P5058T	166	58"	50"	58	1.3	2.6	6	0.283
DB1P5066T	166	66"	50"	66	1.3	2.6	7	0.322
DB1P5074T	179	74"	50"	74	1.3	2.6	8	0.360
DB1P5082T	196	82"	50"	82	1.3	2.6	9	0.399
DB1P5458T	153	58"	54"	58	1.3	2.6	6	0.283
DB1P5466T	166	66"	54"	66	1.3	2.6	7	0.322
DB1P5474T	179	74"	54"	74	1.3	2.6	8	0.360
DB1P5482T	196	82"	54"	82	1.3	2.6	9	0.399
DB1P6666T	166	66"	66"	66	1.3	2.6	7	0.322
DB1P6674T	179	74"	66"	74	1.3	2.6	8	0.360
DB1P6682T	196	82"	66"	82	1.3	2.6	9	0.399


Diet to System 3 "T" Configuration

Diet to dystem 5 1 domingulation									
PRODUCT CODE	PRICE	SYSTEM 3 Height	DIET PANEL HEIGHT	SIZE/ H	INCHES W	n	WEIGHT LBS	T VOL FT3	
DB3P4242T	123	42"	42"	42	1.3	2.6	4	0.207	
DB3P4250T	139	50"	42"	50	1.3	2.6	5	0.245	
DB3P4266T	166	66"	42"	66	1.3	2.6	7	0.322	
DB3P5050T	167	50"	50"	50	1.3	2.6	5	0.245	
DP3P5066T	162	66"	50"	66	1.3	2.6	7	0.322	
DB3P5466T	166	66"	54"	66	1.3	2.6	7	0.322	
DB3P6666T	166	66"	66"	66	1.3	2.6	7	0.322	

Diet to System	3 Overpanels
----------------	--------------

PRODUCT Code	PRICE	OVER PANEL Height	SIZE/ H	INCHES W	D	WEIGH LBS	T VOL FT³
DB30PPC16	55	16"	16	1.3	2.6	1.6	0.082
DB3OPPC32	69	32"	32	1.3	2.6	3.2	0.159





^{*} Please specify separate end trim (round or flat) to close end.

ELECTRICAL DIET C

PRODUCT

DEK2401

DEK3001

DEK3601

DEK4201

DEK4801

DEK5401

DEK6001

DEK2402

DEK3002

DEK3602

DEK4202

DEK4802

DEK5402

CODE

PRICE

266

389

408

422

441

463

481

266

389

408

422

441

463

481

SIZE/

4

INCHES

W

18

24

30

36

42

48

54

18

24

30

36

42

48

54

WEIGHT VOL

490 007

FT³

0.08

0.10

0.13

0.15

0.16

0.19

0.07

0.10

0.13

0.15

0.16

0.19

5.25 0.08

LBS

5.25 5.70

6.00

7.10

7.60

4.90

6.00

6.40

7.10

7.60

6.40

1.3 1.3

1.3 1.3

1.3

1.3

1.3

1.3 1.3 1.3

1.3

1.3

1.3


DEK • Jumper Harness





- Kit includes all components to add power to Diet Panels.
 Typical kit includes: 2 Duplex Receptacle Blocks (either circuit #1 or circuit #2), the Jumper Harness between the Duplex Receptacle Blocks, the Jumper Harness to the next panel, the pre-punched Raceway Cover, the aluminum Raceway Junction Cover, 2 PVC Duplex Receptacle Block Spacers and the hardware to attach the components.
- The length of the Jumper Harness between two Duplex Receptacle Blocks is based on the panel width.
- Jumper Harness going into the next panel and the aluminum Raceway Junction Covers are standard size.
- Raceway Cover and Raceway Junction Cover are Charcoal (CHR) only.
- Each kit is identified as circuit #1 (ie. DEK240"1") or circuit #2 (ie. DEK240"2").
- 24" wide panels have a single Duplex Receptacle Block only.
- 30" wide panels have 2 Duplex Recepacle Blocks, however they must be facing the same direction.
- 24" and 30" wide panels are not pre-punched for data.
- 36" to 60" wide panels are pre-punched for Duplex Receptacle Blocks on either side and for data just off-center on both sides.


DEJH • Diet Pass-Thru Kit



- · Kit allows electrical to pass through a Diet Panel.
- Kit includes: female-female jumper harness, Raceway Cover and Raceway Junction Cover.
- Pass-Thru harness connects to a Duplex Receptacle Block within one powered panel; passes through a non-powered panel, and the opposite end connects to another Receptacle Block within the second powered panel.
- Raceway Cover and Raceway Junction Cover are Charcoal (CHR) only.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	L	D	LBS	FT ³
DEJH24	182	2	42	1	1.81	0.025
DEJH30	207	2	48	1	2.07	0.028
DEJH36	226	2	54	1	2.12	0.032
DEJH42	245	2	60	1	2.60	0.035
DEJH48	263	2	66	1	2.86	0.038
DEJH54	284	2	72	1	3.13	0.041
DEJH60	301	2	78	1	3.39	0.044

DEBF • Diet Base Feed



- · Provides single power entry from floor into raceway.
- Single Ceiling Feed has a 6^\prime whip, liquid tight.
- Raceway connection replaces one Duplex Receptacle Block in a standard kit.

PRODUCT Code	PRICE	SIZE/ H	INCHES L	D	WEIGHT LBS	VOL FT ³
DEBF01	228	2	72	2	5.6	0.06

DECF • Diet Ceiling Feed



- Provides single power entry from ceiling through a post into raceway.
- Raceway connection replaces one Duplex Receptacle Block in a standard kit.

PRODUCT CODE	PRICE	SIZE/ H	INCHES L	D	WEIGHT LBS	VOL FT ³
DECF01	371	2	144	2	5.6	0.06

DEPE • Diet Post Extension



- Lightweight aluminum pole manages power and data cables between ceiling and floor level raceway.
- Aluminum extrusion with PVC extruded cover secures to the outside of the panel and passes through the worksurface scoop.
- · Includes all hardware and bezel.
- · Intended for use on Diet panels with fabric bottoms.

PRODUCT	PRICE	SIZE/	INCHES		WEIGH	T VOL	VOL	
CODE		Н	W	D	LBS	FT ³		
DFPF116	255	116	4.5	1	7	0.82		


DERJC • Raceway Junction Cover



- Provides an external cover for cables passing between adjacent, in-line panels and off-module "X" panel configurations. Also, capable of bridging two in-line panels in a "T" configuration (outside).
- · Aluminum, powder coated finish.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
DERJC	25	4.3	10	1	0.5	0.1
22.100				•	0.0	0


DPL · Linking Panel - Levelers on both legs



- Diet Linking Panel provides privacy.Aluminum extrusion comes in powder
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Laminate core available in DWTLP Designer White or ACJLP Absolute Acajou.
- Edge banded to match laminate finish.
 Standard height of 54" 66" width in 6"
- Standard height of 54", 66", width in 6" increments from 24" to 60".
- Comes complete with hinge kits and levelers on both legs.

gs						
PRODUCT	PRICE	SIZE/	INCHES	;	WEIGH	IT VOL
CODE		H	W	D	LBS	FT ³
DPL5424	534	54	24	1.3	18	1.62
DPL5430	593	54	30	1.3	23	2.08
DPL5436	652	54	36	1.3	27	2.47
DPL5442	711	54	42	1.3	32	2.85
DPL5448	770	54	48	1.3	37	3.25
DPL5454	829	54	54	1.3	42	3.63
DPL5460	887	54	60	1.3	47	4.02
DPL6624	606	66	24	1.3	23	2.04
DPL6630	670	66	30	1.3	29	2.52
DPL6636	736	66	36	1.3	35	3.00
DPL6642	802	66	42	1.3	41	3.46
DPL6648	865	66	48	1.3	47	3.93
DPL6654	930	66	54	1.3	53	4.40
DPL6660	994	66	60	1.3	59	4.90

DPLSCH · Diet Laminate Panel - Single caster on one leg, leveler on the other



- Diet Linking Panel provides privacy.
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Laminate core available in DWTLP Designer White or ACJLP Absolute Acajou.
- Edge banded to match laminate finish.
- Standard height of 54", 66", width in 6" increments from 24" to 60".
- Comes complete with hinge kits, caster on one leg and leveler on the other.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL.
CODE		Н	W	D	LBS	FT ³
DPLSCH5424	641	54	24	1.3	18	1.62
DPLSCH5430	703	54	30	1.3	23	2.08
DPLSCH5436	765	54	36	1.3	27	2.47
DPLSCH5442	825	54	42	1.3	32	2.85
DPLSCH5448	887	54	48	1.3	37	3.25
DPLSCH5454	949	54	54	1.3	42	3.63
DPLSCH5460	1011	54	60	1.3	47	4.02
DPLSCH6624	714	66	24	1.3	23	2.04
DPLSCH6630	781	66	30	1.3	29	2.52
DPLSCH6636	849	66	36	1.3	35	3
DPLSCH6642	917	66	42	1.3	41	3.46
DPLSCH6648	983	66	48	1.3	47	3.93
DPLSCH6654	1078	66	54	1.3	53	4.4
DPLSCH6660	1119	66	60	1.3	59	4.9

DPLDF • Diet Linking Panel - Flat foot on both legs • Diet Linking Panel provides privacy. PRODUCT PRODUCT



- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Laminate core available in DWTLP Designer White or ACJLP Absolute Acajou.
- · Edge banded to match laminate finish.
- Standard height of 54", 66", width in 6" increments from 24" to 60".
- Comes complete with hinge kits and flat foot on both legs.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT VOL LBS FT ³
DPLDF5424	733	54	24	1.3	40.2 1.6
DPLDF5430	784	54	30	1.3	47.6 2.1
DPLDF5436	835	54	36	1.3	54.9 2.5
DPLDF5442	886	54	42	1.3	62.3 2.9
DPLDF5448	938	54	48	1.3	69.6 3.3
DPLDF5454	989	54	54	1.3	77.0 3.6
DPLDF5460	1041	54	60	1.3	84.3 4.0
DPLDF6624	794	66	24	1.3	48.6 2.0
DPLDF6630	849	66	30	1.3	57.9 2.5
DPLDF6636	906	66	36	1.3	67.3 3.0
DPLDF6642	961	66	42	1.3	76.6 3.5
DPLDF6648	1019	66	48	1.3	85.9 3.9
DPLDF6654	1074	66	54	1.3	95.2 4.4
DPLDF6660	1130	66	60	1.3	104.5 4.9


DPLMN • Diet Linking Panel - Double caste



- · Diet Linking Panel provides privacy. · Aluminum extrusion comes in powder
- coated paint finish, DWT Designer White or TUN - Tungsten.
- · Laminate core available in DWTLP -Designer White or ACJLP - Absolute Acajou.
- · Edge banded to match laminate finish.
- Standard height of 54", 66", width in 6" increments from 24" to 60".
- · Comes complete with hinge kits, and double caster foot on both legs.

er base on both	n legs					
PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
DPLMN5424	777	54	24	1.3	41.8	1.6
DPLMN5430	846	54	30	1.3	49.1	2.1
DPLMN5436	913	54	36	1.3	56.5	2.5
DPLMN5442	979	54	42	1.3	63.8	2.9
DPLMN5448	1048	54	48	1.3	71.2	3.3
DPLMN5454	1116	54	54	1.3	78.5	3.6
DPLMN5460	1182	54	60	1.3	85.8	4.0
DPLMN6624	862	66	24	1.3	50.2	2.0
DPLMN6630	934	66	30	1.3	59.5	2.5
DPLMN6636	1009	66	36	1.3	68.8	3.0
DPLMN6642	1085	66	42	1.3	78.1	3.5
DPLMN6648	1159	66	48	1.3	87.4	3.9
DPLMN6654	1232	66	54	1.3	96.8	4.4
DPLMN6660	1307	66	60	1.3	106.1	4.9


DPLDCMN • Diet Linking Panel - Single cas



- Diet Linking Panel provides privacy.
- · Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- · Laminate core available in DWTLP -Designer White or ACJLP - Absolute Acajou.
- Edge banded to match laminate finish.
- · Standard height of 54", 66", width in 6" increments from 24" to 60".
- Comes complete with hinge kits, single caster on the one leg and double caster foot on the other.

S	ter on one leg	and double caster	base	on th	e oth	er	
	PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
	CODE		Н	W	D	LBS	FT ³
	DPLDCMN5424	732	54	24	1.3	37.6	1.6
	DPLDCMN5430	798	54	30	1.3	45.0	2.1
	DPLDCMN5436	860	54	36	1.3	52.3	2.5
	DPLDCMN5442	927	54	42	1.3	59.7	2.9
	DPLDCMN5448	991	54	48	1.3	67.0	3.3
	DPLDCMN5454	1053	54	54	1.3	74.4	3.6
"	DPLDCMN5460	1119	54	60	1.3	81.7	4.0
	DPLDCMN6624	809	66	24	1.3	46.0	2.0
	DPLDCMN6630	880	66	30	1.3	55.3	2.5
	DPLDCMN6636	950	66	36	1.3	64.7	3.0
	DPLDCMN6642	1020	66	42	1.3	74.0	3.5
	DPLDCMN6648	1092	66	48	1.3	83.3	3.9
	DPLDCMN6654	1162	66	54	1.3	92.6	4.4
	DPLDCMN6660	1234	66	60	1.3	101.9	4.9


DPLDCHN • Diet Linking Panel - Leveler on · Diet Linking Panel provides privacy.



- · Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- · Laminate core available in DWTLP -Designer White or ACJLP - Absolute
- Edge banded to match laminate finish.
- Standard height of 54", 66", width in 6" increments from 24" to 60".
- · Comes complete with hinge kits, leveler on one leg and double caster foot on the other.

one leg and double caster base on the other								
PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL		
CODE		H	W	D	LBS	FT ³		
DPLDCHN5424	689	54	24	1.3	37.1	1.6		
DPLDCHN5430	750	54	30	1.3	44.5	2.1		
DPLDCHN5436	817	54	36	1.3	51.8	2.5		
DPLDCHN5442	883	54	42	1.3	59.2	2.9		
DPLDCHN5448	945	54	48	1.3	66.5	3.3		
DPLDCHN5454	1011	54	54	1.3	73.9	3.6		
DPLDCHN5460	1075	54	60	1.3	81.2	4.0		
DPLDCHN6624	765	66	24	1.3	45.5	2.0		
DPLDCHN6630	836	66	30	1.3	54.9	2.5		
DPLDCHN6636	906	66	36	1.3	64.2	3.0		
DPLDCHN6642	976	66	42	1.3	73.5	3.5		
DPLDCHN6648	1048	66	48	1.3	82.8	3.9		
DPLDCHN6654	1119	66	54	1.3	92.1	4.4		
DPLDCHN6660	1192	66	60	1.3	101.4	4.9		

DPLWA • Wall Connection for Linking Panel



- · Wall Connection connects Linking
- · Panels to walls.
- · Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- · Kit consists of Diet vertical extrusion, charcoal PVC cover and hinge kits.

ls							
PRODUCT	PRICE	SIZE/	INCHE	S	WEIGH	T VOL	
CODE		Н	W	D	LBS	FT ³	
DPLWA54	139	54	2	2	2.3	0.13	l
DPI WA66	157	66	2	2	3.5	0.15	

DPLEKIT • Expanding Kit





- Expanding Kit connects two linking panels in a straight line.
- This kit will accomodate any special width by overlapping the panels.
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Kit consists of a top and bottom bracket and all the hardware needed.

PRODUCT	PRICE	SIZE/	INCHE	S	WEIGHT VOL		
CODE		Н	W	D	LBS	FT ³	
DPLEKIT	242	3	2	2.0	1	0.05	


DP · Door and Door Catch Kit for Linking Panels



- Door Catch Kit converts any Linking Panel into a door.
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Kit consists of striker plate, two hinge kits, single caster foot assembly and 1" Diet caster

EIS							
PRODUCT	PRICE	SIZE/	INCHE	S	WEIGHT VOL		
CODE		Н	W	D	LBS	FT ³	
DDDC01	151	6	2	1 2	2	0.50	ı


DP · Over Panel for Linking Panels



- Over Panel sits atop of Linking Panel and bridges the gap between the top of 66" high Linking Panel and the top of the Screening Booth.
- Kit contains aliminum extrusion and felt insert
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
DPLOP24	124	16.8	24	1.05	1.74	0.39
DPLOP30	146	16.8	30	1.05	2.20	0.49
DPLOP36	172	16.8	36	1.05	2.67	0.59
DPLOP42	191	16.8	42	1.05	3.14	0.70
DPLOP48	286	16.8	48	1.05	3.60	0.80
DPLOP54	309	16.8	54	1.05	4.07	0.90
DPLOP60	335	16.8	60	1.05	4.35	1.01

DP · Booth to Linking Panel Connector



- Booth to Linking Panel Connector facilitates the connection of a Linking Panel to the back gable edge of the Screening Booth.
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Kit includes a Diet vertical extrusion, charcoal PVC cover and all hardware.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
DEBPA	107	66	3	1.3	3.5	0.15

SIZE

66

66

66

66

INCHES

36

42

48

60

WEIGHT VOL

3.00

3.46

3.93

4.90

LBS

35

41

47

59


1.3

1.3

1.3

1.3

DPVAC • Diet VAC Laminate Panels



- Special panel construction designed specifically for clinical applications.
- Segmentented panels offer a thermally fused laminate lower and high pressure upper pressed on a lightweight core.
- Minimal footprint for storage.
- Easy to connect.
- · Easy to reconfigure.
- · Easy to clean.
- Laminate core available in DWTLP/HP Designer White or ACJLP/ACJHP Absolute Acajou.

PRODUCT

CODE DPVAC6636

DPVAC6642

DPVAC6648

DPVAC6660

PRICE

928


956

976

1469

- Aluminum extrusion comes in powder coated paint finish. DWT Designer White or TUN Tungsten.
- · Comes completed with hinge kits and levelers on both legs.

DWS • Worksurface for Diet Panels



- Worksurfaces have scoops at back to allow wires and cables to pass to and from floor level.
- Includes support brackets (DHBRKT), 4 for worksurfaces up to 48", and 5 for any worksurface longer than 48".
- Please choose from DWT -Designer White, SIL - Silver or BLK - Black for scoop covers.

PRODUCT Code	PRICE LP*	GROUP HP*	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
DWS2424P	134	166	1	24	24	15	0.60
DWS2430P	141	176	1	30	24	19	0.72
DWS2436P	161	201	1	36	24	23	0.85
DWS2442P	210	261	1	42	24	27	0.98
DWS2448P	252	314	1	48	24	31	1.11
DWS2454P	295	368	1	54	24	35	1.23
DWS2460P	333	414	1	60	24	39	1.36
DWS2466P	345	433	1	66	24	43	1.49
DWS2472P	362	452	1	72	24	48	1.62
DWS3024P	155	194	1	24	30	19	0.74
DWS3030P	168	211	1	30	30	24	0.90
DWS3036P	198	248	1	36	30	29	1.06
DWS3042P	280	350	1	42	30	34	1.22
DWS3048P	295	368	1	48	30	39	1.38
DWS3054P	323	405	1	54	30	43	1.54
DWS3060P	345	433	1	60	30	48	1.69
DWS3066P	361	448	1	66	30	53	1.85
DWS3072P	381	476	1	72	30	58	2.01

BHC · Diet/Boulevard Worksurface 12" Cantilever Support



- An economical way to connect rear part of the side edge of a worksurface to the Boulevard Panel.
- Front part of the side edge of the worksurface must be supported by an off-module Diet Worksurface Bracket and locked into the adjacent Diet Panel.
- This canitlever is not a shared support

u	pport						
	PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
	BHC12L	41	6	2	12	2	0.03
b	BHC12R	41	6	2	12	2	0.03

SIZE/

Н

28

SIZE

0.75

PRICE

185

PRICE

INCHES

INCHES

2.25

W

WEIGHT VOL

WEIGHT VOL

LBS


3.25

FT³

2.02

LBS


DHLEG · Diet Gable Leg



- · Universal leg, plate and side panel are non handed.
- Supports the worksurface at 29" and enhances the stability of connected panels.
- ity of connected panels.

 Side plate is secured to the side of the Diet panel and leg plate bolts to worksurface.
- Made of extruded aluminum and steel.
- Levelers have 1.75" height adjustment.
- Includes all mounting hardware to connect to panel and worksurfuce.
- · Must attach to Diet Panel vertical.

DHBRKT • Diet Worksurface Bracket



- Extruded aluminum bracket that is bolted to the underside of the worksurface.
- Bracket supports worksurface at any location along the mid rail of panel.
- Includes mounting hardware.
- Brackets are included for all worksurfaces DWS, 4 for worksurfaces up to 48", and 5 for any worksurface longer than 48".

PRODUCT

PRODUCT

DHBRKT

CODE

CODE

DHTBRKT • Diet Transaction Bracket



- · Connects transaction tops to Diet Panels.
- · Includes 1 set of two brackets and all hardware.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³	
DHTBRKT	43	2.5	1.2	2.5	3	0.01	

DWSCSB • Diet Support Bar



- Supports worksurface in 90 degree corner application and eliminates the need for a leg.
- · Diagonally installed.
- · If using a keyboard, spacers will be required.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
For corner application		deep o		adjoinir	ng work	
DWSCSB46	108	1	46	1	7	0.116
For corner application v	where adjo	ining wo	rksurface	e is large	er than 2	4":
DWSCSB80	153	1	80	1	12	0.189

DHOMC • Diet Off-Module Cantilever



- · To be used with Diet Panels that have a fabric bottom.
- Installs on horizontal rails of panels to provide worksurface support.
- · Frees up space under the worksurface.

PRODUCT	PRICE	SIZE/	INCHES		WEIGH	IT VOL	
CODE		Н	W	D	LBS	FT ³	
DHOMC	108	21	3	12	4	0.42	

WEIGHT VOL

WEIGHT VOL

WEIGHT VOL

5.3

6.3

7.3 8.3 9.3

10.3

LBS

33

38

43

48

53

59

14.4

14.4

14.4

14.4

14.4

14.4

1 00


LBS

DSOMSHLF • Diet Off Module 24" Shelf



- · Shelf hangs anywhere along Diet panel rails or Boulevard System 3 panel accessory tile.
- Can create a supplementary surface at worksurface level when suspended from a 42" high Diet panel.
- Shelves may be stacked, one hanging above the other from a higher rail.
- · Shelf made of formed steel and includes suspended arms made of steel.

DSOS · Diet Panel Mounted Shelf



- Provides overhead storage capacity on top of 42" and 54" high Diet panels.
- · Made of formed steel and includes steel mounting brackets.
- CODE H LBS **DSOS48** 48 13.5 40 5.60 265 15 DSOS60 265 15 60 13.5 52 7.00

SIZE/

SIZE/

11.5

H

INCHES

INCHES

D

W

PRICE

196

PRICE

PRICE

963

999

1047

1097

1146

1208

- Support brackets lock to the top of Diet rail at the back and both sides of overhead.
- Must be installed on a "U" or "H" panel configuration.
- Due to structural issues, this product may not be used on top of glazed or partially glazed panels.

PRODUCT

PRODUCT

DSADA30PM

DSADA36PM

DSADA42PM

DSADA48PM

DSADA54PM

DSADA60PM

DSOMSHLF

CODE

DOHLS • Diet Overhead Support



- · To be used with Diet back panel and Diet wing panel either left or right. The support leg will support only one side and eliminate the need for a third panel.
- · To be used and supported on worksurface installed at standard height. Ensure the worksurface that the leg sits on is properly supported.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
DOHLS42	199	12	2	3.5	4	0.139
DOHLS54	199	24	2	3.5	6	0.278

SIZE/

16

16

16

16

16

16

INCHES

30

36


42

48

54

60

DSADA · Easy-Up Diet Overhead



- Diet Panel mounted metal overhead storage with opaque acrylic PRODUCT door. The Metal finish (page A.29). mechanism lifts the door up and stores it out of the way, above the storage unit.
- Meets CSA B651 Barrier Free Design & AODA (Accessibility for Ontarians with Disabilities Act).
- · Meets CSA B651 Barrier Free Design & ADA (Americans with Disabilities Act).
- · 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.375" high x 12" deep.
- · Unit includes back, support cantilevers, attachment hardware, and lock.
- · Shipped partially assembled.

DHPEDB • Pedestal Bracket Kit for Diet Panels



 Attaches to a metal Worksurface Supporting Pedestal at the back and connects the pedestal to the Diet Panel vertical.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
DHPEDB	33	8	1	1	0.5	0.001

Boulevard, Boulevard System 3 & Diet Ergonomic Solutions

Helping Office Inhabitants be Healthy and Efficient

- Ergonomic Computer Accessories
- Energy Efficient Lighting and Power Accessories
- Paper Management Accessories
- · Workstation Enhancement Accessories


GAKSM01 • Keyboard Support Mechanism



PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
GAKSM01	296	4.3	9	23.8	9.2	0.533

Height Range 6" (+1.0"/-5.5")

Soft Touch Knob tilt adjustable range +15°/-15° 360° base swivel



- Soft Touch Knob for simultaneous height & tilt adjustment.
- Spring-assist mechanism helps counter balance weight of keyboard & tray.
- · Low-profile design for maximum leg room.


For use with Boulevard, Boulevard System 3 & Diet (unless otherwise specified).


- Includes 21.75" under worksurface Glide Track
- · Optional Glide Tracks available at no upcharge:
- 12" Glide Track add suffix "12" (EXAMPLE GAKSM0112)
- 18" Glide Track add suffix "18" (EXAMPLE GAKSM0118)
- · Available in black only
- To be used with keyboard trays, sold separately.

GAKSML · Slim Fit Keyboard Support Mechanism



PRODUCT CODE	PRICE	SIZE/ H	INCHES W		WEIGHT LBS	VOL FT ³
GAKSML	389	4.75	9.5	24	9	0.627
GAKSMLW	389	4.75	9.5	24	9	0.627





- Height Range 8.88" (+2.38" / 6.5")
- Tilt Range (+10° / -20°)
- · 360° Swivel.
- Meets ANSI/HFES, 100-2007 conformance requirement for height clearance.
- Super slim mechanism design increases clearance under the worksurface.
- Height & depth indicator incorporated together in an intelligently designed dashboard.
- Patented Lift-N-Lock™ height adjustment without knobs or levers automatically locks into position with release of tray for better AODA/Barrier Free compliance.
- · Easy access to tilt control knob.
- Designed for disassembly and fully recyclable.
- Includes 21.75" undersurface Glide Track.
- · Optional Glide Tracks available:
- - 12" Glide Track add suffix "12" (EXAMPLE GAKSML12)
- - 18" Glide Track add suffix "18" (EXAMPLE GAKSML18)
- · "W" Indicated white finish.


GAKSM02 • Lift-N-Lock Keyboard Support Mechanism



PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
GAKSM02	389	4.3	9	23.8	9.7	0.533

Height Range 8.38" (+2.25"/-6.13")

Dial-Tilt Gauge shows precise tilt angles from $+10^{\circ}/-15^{\circ}$ positions. 360° base swivel



- Patent Pending Height Indicator Gauge allows for precise height setting when used by multiple users, or for returning to optimal height setting after storage.
- Exceeds BIFMA performance standards.
- Includes 21.75" under worksurface Glide Track
- Optional Glide Tracks available at no upcharge:
- 12" Glide Track add suffix "12" (EXAMPLE GAKSM0212)
- 18" Glide Track add suffix "18" (EXAMPLE GAKSM0218)
- · Available in Black Only
- · To be used with keyboard trays, sold separately.
- NOTE: Positive Tilt Lockout available. Contact your Customer Service Representative.
- Patented Lift-N-Lock™ height adjustment without knobs or levelers automatically locks into position with release of tray for greater. Meets CSA B651 Barrier Free Design & AODA (Accessability for Ontarians with Disabilities Act).

GAKSM03 · Lift-N-Lock Keyboard Support Mechanism




- Patent Pending Height Indicator Gauge allows for precise height setting when used by multiple users, or for returning to optimal height setting after storage.
- Curved neck allows user to be closer to the desk when in standing position.
- · Exceeds BIFMA performance standards.
- Includes 21.75" under worksurface Glide Track
- Optional Glide Tracks available at no upcharge:
- 12" Glide Track add suffix "12" (EXAMPLE GAKSM0312)
- 18" Glide Track add suffix "18" (EXAMPLE GAKSM0318)
- Available in black only
- · To be used with keyboard trays, sold separately.
- NOTE: Positive Tilt Lockout available. Contact your Customer Service Representative.
- Maximizes ergonomic support for both seated and standing positions.
- Patented Lift-N-Lock[™] height adjustment without knobs or levelers automatically locks into position with release of tray for greater. Meets CSA B651 Barrier Free Design & AODA (Accessability for Ontarians with Disabilities Act).

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
GAKSM03	626	5.8	9	23.8	11.3	0.719

Height Range 14.13" (+8.25"/-5.88")

Dial-Tilt Gauge shows precise tilt angles from $+10^{\circ}/-15^{\circ}$ positions. 360° base swivel



GAKSM05 • Fixed Mount Trackless Keyboard Arm


Features:

- · Direct Mount, no track required.
- · Ideal solution for Bridges and FreeFit Tables.
- Total height adjustment of 5.73" (-1.25" to -6.98" under the desk surface).
- Enhanced patented Lift-N-Lock™ braking mechanism. Soft Touch Knob Dial Tilt with +10° to -15° tilt angles.
- · Low profile tray head. Separate height and tilt gauges.
- 360° of swivel.
- Optional factory or field installable tilt lockout available.

Benifits:


- Full storage in 9 3/8" undersurface space.
- Exceeds HFES & BIFMA 5" percentile seated keyboarding heights (HFES 22" BIFMA 22.6").
- Easy height adjustment, providing superior lock up and stability with infinite adjustment.
- · ADA Compliant tilt adjustment with easily accessible tilt knob.
- · Greater knee clearance under desking surface.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	S D	WEIGH LBS	IT VOL FT3
GAKSM05	411	5	13	9	6	0.317
GAKSM05W	411	5	13	9	6	0.317



- · · Allows accurate, repeatable tray placement.
- Allows side to side arm movement.
- Locks out positive tilt for specific ergonomic applications or users preference.
- · · Provides increased storage where space permits.
- • "W" indicated white finish.

GATM01 • Tray with Sliding Mouse Support



- · MDF Tray:
- · Formed MDF with Textured Finish.
- · Foam Anti-skid mat.
- Sliding Retractable Mouse Support:
- ABS tray
- Sliding Retractable Mouse Support slides below the tray for left or right mouse positioning.
- Extends 9.91" beyond the end of the Keyboard Tray.
 - 33% recycled content by weight content) and |
 - 92.64% recyclable.
- · Available in black only

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	
CODE		Н	W	D	LBS	FT ³
GATM01	299	2	21.3	10.5	7	0.259


GATM02 • 27" HDPE Tray with Two Mousing Surfaces



- · HDPE Tray:
- ullet 1/2" thick High Density Polyethylene with textured finish.
- Includes removable plug-in, gel free foam palm rest.
- · Anti-skid strips.
- · Mousing Surface:
- · Keyboard and Mouse can be set up left or right.
- · Includes Mouse Fence with Cable Manager.
 - 92.64% recyclable.
- · Available in black only

S						
PRODUCT	PRICE	SIZE/	INCHES		WEIGH	IT VOL
CODE		H	W	D	LBS	FT ³
GATM02	384	1	27	11	6	N 179

GATM03 • Phenolic Tray with Height Adjustable Mouse Support




- · Height Adjustable Mouse Support:
- Ergonomic adjustment of tilt, swivel & height adjustment.
- · Can be mounted either left or right.
- · Includes mouse fence with cable manager.
- · Available in black or white.
- "W" indicates white finish.

u	se suppoi i						
	PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
	CODE		Н	W	D	LBS	FT ³
	GATM03	435	2.8	20.5	11	5.8	0.429
	GATM03W	435	2.8	20.5	11	5.8	0.429

· Phenolic Tray:

- · Solid low profile keyboard tray.
- Graphite finish helps hide fingerprints and smudges.
- Includes removable plug-in, gel-free foam palm rest.
- · Includes foam Anti-skid strips.

GATM04 • HDPE Tray with Height Adjustable Mouse Support · HDPE Tray:




- 1/2" thick High Density Polyethylene with textured finish.
- Includes removable plug-in, gel free foam palm rest.
- · 45% recycled content by weight (45%Post Industrial content) and 99.97% recyclable.
- Includes foam anti-skid strips.

Suppoi t							
PRODUCT Code	PRICE	SIZE/	INCHES W	n	WEIGHT LBS	VOL FT3	
GATM04	464	3.2	20.5	11	6	0.5	

- · Height Adjustable Mouse Support:
- · Ergonomic adjustment of tilt, swivel & height adjustment.
- Can be mounted either left or right.
- Includes mouse fence with cable manager.
 - 92.64% recyclable.
- · Available in black only.

GAGTA01 • Glide Tray Adapter (set of 2)



- · Attaches to Glide Tracks of all Keyboard Mechanisms and Sliding CPU Holders found within this price list.
- · Mounting hardware included.
- · Available in black only.
- · Not required for use with GAKSM05.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
GAGTA01	123	2.5	9	2	0.5	0.025

· Accommodates the placement of sliding keyboard mechanisms and CPU holders below the cross beam of a Bridges tables.

Keyboard Combination Chart • Package Codes and Pricing

"W" at the end of the code designates white keyboard. "W" before 2 numbers designates white mechanism.

"W" in both places in code designates white keyboard and mechanism.










GAKSM01	GAKSP0101 \$594	GAKSP0102 \$680	GAKSP0103 / GAKSP103W \$730	GAKSP0104 \$757
GAROWO				
GAKSML/GAKSMLW	GAKSPML01 / GAKSPMLW01 \$689	GAKSPML02 / GAKSPMLW02 \$775	GAKSPML03 / GAKSPML03W / GAKSPMLW03 / GAKSPMLW03W \$825	GAKSPML04/ GAKSPMLW04 \$853
_				
GAKSM02	GAKSP0201 \$689	GAKSP0202 \$775	GAKSP0203 / GAKSP0203W \$825	GAKSP0204 \$853
GAKSM03	GAKSP0301 \$924	GAKSP0302 \$1010	GAKSP0303 / GAKSP0303W \$1060	GAKSP0304 \$1089
GAKSM05/GAKSM05W	GAKSP0501 / GAKSP0501W \$709	GAKSP0502 / GAKSP0502W \$795	GAKSP0503 / GAKSP05W03 / GAKSP0503W / GAKSP05W03W \$826	GAKSP0504 / GAKSP05W04 \$874


GACPU01 • Fixed Mount CPU Holder



- Fully adjustable clamping mechanism to accept tower
- CPU's width a wide range of 3.5" to 9.3" and a height range of 12.5" to 22.5".
- Soft Touch knob for side clamp adjustment and bayonet lance for vertical height adjustment.
- · Directly mounts to underside of desk surface.
- CPU Holder can also be mounted directly to an upright desk leg surface or wall, via side mounting holes.
- Manufactured from Steel and Engineered Resin, providing rugged durability and support.
- · Available in Black Only

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
GACPU01	245	18.5	11.7	9.2	9	1.152

GACPU02 · CPU Holder on Glide Track



- Accepts tower CPU's with a width range of 3.5" to 9.3" and a height range of 12.5" to 22.5".
- Soft Touch knob for side clamp adjustment and bayonet lance for vertical height adjustment.
- 12" Glide Track mounted and 360° swivel for easy access for rear of CPU
- Manufactured from Steel and Engineered Resin, providing rugged durability and support.
- · Available in Black Only

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT3
GACPU02	352	18.5	11.7	9.2	12.6	1.152

GACPUH • Woof CPU Holder



- Provides convenience access to front and back of CPU.
- Expandable width accommodates various sizes of CPU's. Adjusts from 7" to 10".
- · Includes 4 locking casters and 4 protective "O" rings.
- · Available in Tungsten Only

PRODUCT	PRICE	SIZE/	INCHES	_	WEIGHT	VOL	
CODE		Н	W	D	LBS	FT ³	
GACPUH	188	11	16	7-10	5	1.0	

GAAKS1818 · CRT Corner Plate



- Converts two abutting worksurfaces in a 90° corner into a 45° angle keyboard worksurface.
- Keyboard mechanism not included.
- Fits worksurfaces 1" to 1.25" thick.
- · Available in Panel Frame Finish

PRODUCT	PRICE	SIZE/	INCHES	3	WEIGH	T VOL	
CODE		Н	W	D	LBS	FT ³	
GAAKS1818	136	1 25	18	18	37	0.454	

Monitor Arm Specs

- VESA Mounting plate contains 75 mm & 100 mm mounting configuration
- VESA Plate head is fully adjustable with 180° of tilt, 180° of swivel and 360° of rotation for portrait to landscape viewing
- Keyhole slots in VESA Plate for quick mounting of Display Screen
- Counterbalance spring mechanism does not contain gas cylinders (that are prone to leakage)
- Cable Management provided on arm swivel joints

- Arm components manufactured from 100% recyclable aluminum die cast material, providing stability and durability
- 13" Arm height adjustment on 11" Stainless Steel Pole.
- Pole Support Ring doubles as cable manager.
- 360° of arm swivel around pole.
- Desk Clamp and Grommet mounting options standard on pole applications.
- Monitor arms available in Silver (SIL), Black (BLK), or White (WHT).

GAMCSSDE • Double Extension Monitor Arm for Single Screen



- · Monitor Arm Single Screen Dual Arm Extension.
- 9 1/2" reach from centre of pole to front of VESA Plate
- Display Viewing 180° of tilt, 180° of swivel and 360° of rotation.
- · Quick Mount Versa Plate.
- 12" Pole Adjustment.
- 9" Chrome pole adjustment.

Available in Silver (SIL), Black (BLK) or White (WHT).

· Post is chromed.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
GAMCSSDE	617	29.3	6.8	9.5	7.5	1.095

LBS

8.2

9.5

FT³

1.095

W

29.3 6.8

GAMCSSDEH · Double Extension with Height Adjustable Monitor Arm for Single Screen INCHES WEIGHT VOL SIZE




- **PRODUCT** · Double extension with height adjustable monitor arm for PRICE single screen frees up worksurface space and supports a CODE GAMCSSDEH sit/stand working posture.
- Attaches to the edge of the worksurface or through a grommet.
- Monitor arm adjusts from 3" to 12" from the worksurface.
- · Counterbalanced arm provides an additional 13" of height adjustment.
- Monitor connecting bracket swivels 360 degrees and tilts +/- 90 degrees (180 degrees).
- Double extension has 19" of back and forth movement to allow for different focal depths of viewing comfort.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.
- · Available in Silver (SIL), Black (BLK) or White (WHT).
- · Post is chromed.

GAMCDSDE • Monitor Arms for Dual Screens



- **PRODUCT PRICE** SIZE/ INCHES WEIGHT VOL · Double extension monitor arms for dual screens frees up worksurface space. CODE W LBS FT³ **GAMCDSDE** 1090 29.3 6.8 9.5 1.095 • Used for side-by-side or back-to-back applications. 10.7
- · Attaches to the edge of the worksurface or through a grommet.
- Monitor arm adjusts from 3" to 12" from the worksurface.
- · Monitor connecting extension has 19" of back and forth movement to allow for different focal depths of viewing comfort.
- · Max 32" screen width.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.
- · Available in Silver (SIL), Black (BLK) or White (WHT).
- · Post is chromed.

GAMCDSDEH • Double Extension with Height Adjustable Monitor Arms for Dual Screens



- Double extension with height adjustable monitor arms for-SIZE/ INCHES WEIGHT VOL dual screens frees up the worksurface space and supports **CODE** W LBS FT³ GAMCDSDEH 6.8 a sit/stand working posture. 1350 29.3 9.5
- · Used for side-by-side or back-to-back applications.
- Attaches to the edge of the worksurface or through a grommet.
- Monitor arm adjusts from 3" to 12" from the worksurface.
- Counterbalanced arm provides an additional 13" of height adjustment.
- Monitor connecting bracket swivels 360 degrees and tilts +/- 90 degrees (180 degrees).
- · Double extension has 19" of back and forth movement to allow for different focal depths of viewing comfort.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.
- · Max 35" screen width.
- · Available in Silver (SIL), Black (BLK) or White (WHT).
- · Post is chromed.

GAMLDM20 · Single Screen Monitor Arm for 5 to 20lbs



- **PRODUCT** PRICE **INCHES** WEIGHT VOL Comes with clamp and grommet mount, ideal for all desk SIZE/ mounting configurations, minimizing SKU's. CODE W D LBS FT³ GAMLDM20 644 38 8.5 10.23 1.122 Adjustable counterbalance cylinder provides smooth 14
- ½" of height adjustment with fingertip control. counterbalances monitors from 5 lbs. to 20 lbs
- Double extension arms provide a maximum of 26 3/4" extension from the rear edge of the mounting surface to the VESA Plate for greater monitor adjustment on deep or corner workstations.
- Arms fold back to a minimum dimension of 4 1/2" to provide maximum desk utilization.
- Monitor mounting bracket, with Quick Connect adaptor, contains both 75mm & 100mm hole patterns to match most screen types and compliant with VESA mounting standards.
- Weight gauge provided to allow for quick and easy counterbalance adjustment of the arm prior to installing the screen. Saves time and quesswork especially for multiple arm installations.
- VESA Plate rotates for portrait or landscape viewing with 180° side to side rotation and -90° to +45° tilt for optimal viewing adjustment.
- · Die cast aluminum construction provides greater stability and contains high recycled material content with full recyclability.
- Adjustable rotation limiter to restrict arm rotation to 180°, preventing arms from hitting walls.
- Comes with all tools and mounting hardware for guick and easy installation (Tool-free).
- · Available in Silver (SIL), Black (BLK) or White (WHT).

GAMLDM30 · Single Screen Monitor Arm for 10 to 30lbs



- Comes with clamp and grommet mount, ideal for all desk mounting configurations, minimizing multiple SKU's code H W D LBS FT³
 Adjustable counterbalance cylinder provides smooth 14 GAMLDM30 691 38 6 8.5 10.23 1.122 1/2" of height adjustment with fingertip control counterbalances monitors from 10 lbs. to 30 lbs.
- Double extension arms provides a maximum of 26.7" extension from the rear edge of the mounting surface to the VESA Plate for greater monitor adjustment on deep or corner workstations
- Arms fold back to a minimum dimension of 4 1/2" to provide maximum desk utilization
- Monitor mounting bracket with Quick Connect adaptor, contains both 75mm & 100mm hole patterns to match most screen types and compliant with VESA mounting standards
- · Weight gauge provided to allow for quick and easy counterbalance adjustment of the arm prior to installing the screen.
- Saves time and guesswork especially for multiple arm installations VESA Plate rotates for portrait and landscape viewing with 180° side to side rotation and -90° to +45° tilt for optimal viewing adjustment
- · Die cast aluminum construction provides greater stability and contains high recycled material content with full recyclability
- Adjustable rotation limiter to restrict arm rotation to 180°, preventing arms from contacting walls
- · Comes with all tools and mounting hardware for quick and easy installation (Tool-free)
- · Available in Silver (SIL), Black (BLK) or White (WHT).

GAMLDM40 • Dual Screen Monitor Arm for 15 to 40lbs



- Comes with clamp and grommet mount, ideal for all desk mounting configurations, minimizing multiple SKU's
 Adjustable counterbalance cylinder provides smooth 14
 PRODUCT PRICE SIZE/ INCHES WEIGHT VOL W D LBS FT³
 Adjustable counterbalance cylinder provides smooth 14
 GAMLDM40
 830
 38
 6.25
 8.5
 12.75
 1.168
 - 1/2" of height adjustment with fingertip control and a counterbalance range from 15 lbs. to 40 lbs.
- Double extension arms provide a maximum of 30 3/4" extension from the rear edge of the mounting surface
- to the VESA Plate for greater monitor adjustment on deep or corner workstations
- • Arms fold back to a minimum dimension of 8 3/8" to provide maximum desk utilization
- · · Monitor mounting bracket with Quick Connect Adaptor, contains both 75mm & 100mm hole patterns to match
- most screen types and is compliant with VESA mounting standards
- • Weight gauge provided to allow for guick and easy counterbalance adjustment of the arm prior to installing the screen.
- Saves time and guesswork especially for multiple arm installations.
- • VESA Plate rotates for portrait and landscape viewing with 180° side to side rotation and -90° to +45° tilt for optimal
- · viewing adjustment
- • Die cast aluminum construction provides greater stability and contains high recycled material content with full recyclability
- \cdot Adjustable rotation limiter to restrict arm rotation to 180°, preventing arms from contacting walls
- • Comes with all tools and mounting hardware for quick and easy installation (Tool-free)
- · Available in Silver (SIL), Black (BLK) or White (WHT).

BLVELEDVS • LED Single Arm Lamp



- 7 System watts, 18-fractional LEDS.
- · 3500K 250 lumens, 84 CRI.
- · Soft touch instant on, fade to off.
- · Infinite dimming 100% down to 15%, last state memory.
- Standard 10 hours turn off (ATO).
- 50,000 hour life LEDS.
- 15 watt, 24 volt wall transformer, 6' cord.
- · White (WHT) Silver (SIL) or Black (BLK) Must specify colour choice.
- UL, CUL and CSA compliant, ETL Listed.
- · Base not included.

BLVELEDVD • LED Double Arm Lamp



- 7 System watts, 18-fractional LEDS.
- · 3500K 250 lumens, 84 CRI.
- Double arm articulation with 20" base to head reaches.
- · Soft touch instant on, fade to off.
- Infinite dimming 100% down to 15%, last state memory.
- · Standard 10 hours turn off (ATO).
- 50,000 hour life LEDS.
- 15 watt, 24 volt wall transformer, 6' cord.
- · White (WHT) Silver (SIL) or Black (BLK) Must specify colour choice.
- · UL, CUL and CSA compliant, ETL Listed.
- · Base not included.

BLVELEDRS • LED Single Arm Lamp



- 7 System watts, 18-fractional LEDS.
- 3500K 250 lumens, 84 CRI.
- · Soft touch instant on, fade to off.
- · Infinite dimming 100% down to 15%, last state memory.
- · Standard 10 hours turn off (ATO).
- 50,000 hour life LEDS.
- 15 watt, 24 volt wall transformer, 6' cord.
- · White (WHT) Silver (SIL) or Black (BLK) Must specify colour choice.
- · UL, CUL and CSA compliant, ETL Listed.
- · Base not included.

BLVELEDRD • LED Double Arm Lamp



- 7 System watts, 18-fractional LEDS.
- · 3500K 250 lumens, 84 CRI.
- Double arm articulation with 20" base to head reaches.
- · Soft touch instant on, fade to off.
- · Infinite dimming 100% down to 15%, last state memory.
- Standard 10 hours turn off (ATO).
- 50,000 hour life LEDS.
- 15 watt, 24 volt wall transformer, 6' cord.
- · White (WHT) Silver (SIL) or Black (BLK) Must specify colour choice.
- · UL, CUL and CSA compliant, ETL Listed.
- · Base not included.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BLVELEDVS	843					
With Occupancy Senso	r					
BLVELEÖVSÓ	1258					

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BLVELEDVD	863					
With Occupancy Sens	or					
BLVELEDVDO	1273					

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BLVELEDRS	843					
With Occupancy Senso	r					
BLVELEDRSO	1258					

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BLVELEDRD	863					
With Occupancy Senso	r					
BI VELEDRDO	1273					

7

Lamp Mounting Options



White (WHT) Silver (SIL) or Black (BLK) - Must specify colour

Grommet Mount						
PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
RIVELEDASM	188					







Slat Wall Mount PRODUCT PRICE WEIGHT VOL SIZE/ INCHES CODE W D LBS FT³ Н **BLVELEDASW** 188



Panel Mount PRODUCT PRICE SIZE/ INCHES WEIGHT VOL CODE W D LBS FT³ Н **BLVELEDAPM** 188



Freestanding Base PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³	
BLVELEDAFS	210						

GCLEDESxx · Undercabinet LED Task Light






- · Magnet mounted with optional adhesive metal plates.
- Plug-in power supply with 72" cord length plus 78" DC cord.
- · Technical information:
- 4100 K Colour Temperature
- 90 Colour Rendering Index
- 30,000 hrs rated Lifespan
- Total power input per light, 9.0 for 24", 13.5 per 36" and 18.0 for 48"

PRODUCT	PRICE	SIZE/	INCHES		WEIGH	T VOL	
CODE		Н	W	D	LBS	FT ³	
GCLEDES24	227	1	22.9	1	2.5	0.135	
GCLEDES36	261	1	33.5	1	2.8	0.161	
GCLEDES48	291	1	45.5	1	3.2	0.213	


GCLEDESxxDCS · Undercabinet Daisychain LED Light




- · Undercabinet LED light, 48 inches nominal size , daisychain unit with 1 meter (39 inches) linking cable but no power supply.
- Daisychain units can only be linked up to a total of 48 Watts for all lights on one power supply. This equates to a maximum of 10 feet total nominal length of lights per power supply.
- · Technical information:
- 4100 K Colour Temperature
- 90 Colour Rendering Index
- · 30,000 hrs rated LifespanA
- Total power input per light, 9.0 for 24", 13.5 per 36" and 18.0 for 48"

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGH LBS	T VOL FT3
GCLEDES24DSC	185	1	24	1	2.5	0.135
GCLEDES36DSC	220	1	36	1	2.8	0.161
CCI EDECYODEC	240	1	/ Q	1	3 2	0.212

GCLEDESOS · Occupancy Sensor and Dimmer





PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
GCLEDESOS	91	6	2.5	2	0.4	0.500



BEMAE • Mini-Adapt Power Module



- Accessory Data/Power House.
- · Attaches to scoop at the back of a worksurface.
- · BEMAE1 includes 2 simplex outlets, 6' power cord.
- · BEMAE2 includes 2 simplex outlets, 8' power cord.
- · Available in Black Only

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BEMAE1 BEMAE2	255 281	2	3.625 3.625	-	2.5 3.0	0.149 0.159

BEAxx • Desktop Data/Power Receptacle



- Accessory Data/Power House.
- Attaches to scoop at the back of a worksurface.
- Includes 2 simplexes, 2 voice/data covers, voice/data adapter kit, 6' power cord.
- · Available in Black Only

PRODUCT	PRICE	SIZE	INCHES	3	WEIGHT VOL		
CODE		Н	W	D	LBS	FT ³	
BEA54	475	2.63	7.5	3	2.25	0.149	
BEA44	437	2.63	7.5	3	2.25	0.149	



BRED50 · Duo Module



- · The duo power module is completely integrated with a mounting clamp to attach to the edge of a worksurface.
- Provides two outlets and two 2.1 amp USB ports.
- · White face plate, outlets and bracket; 72" long three-prong cord.

PRODUCT	PRICE SIZE/ INCH		INCHES		VOL		
CODE		Н	W	D	LBS	FT ³	
BRED50	841	1.8	5.5	3.2	2.50	0.14	

SIZE/

SIZE/

SIZE/

INCHES

INCHES

INCHES

D

W

WEIGHT VOL

WEIGHT VOL

WEIGHT VOL

FT³

LBS

LBS

FT³

0.14

0.14

LBS

PRICE

736

PRICE

789

PRICE

BREDU51 • Duo Under Module



- The duo under power module comes with a thin flush mounting bracket to attach to the underside of a work surface or above work surface shelves.
- · Provides two outlets and two 2.1 amp USB ports.
- · White face plate, outlets and brackets; 72" long three-prong cord

BREDB52 • Duo Bezel Module



- · The duo bezel power module is embedded and flushmounted in a piece of furniture or a work surface.
- · Provides two outlets and two 2.1 amp USB ports.
- · White face place, outlets and bezel; 72" long three-prong cord.
- Contact your Customer Service Representative for surface applications.

BRETP53 • Trio Plus Module



- The trio plus power module is completely integrated with a mounting clamp to attach to the edge of a work
- 949 BRETP53 surface or above work surface shelves. 1.8 8 3.2 2.5 0.14 Provides three outlets and two 2.1 amp USB ports and an adapter kit containing blank cover, HDMI, RJ45 or VGA adapter brackets.
- Note: HDMI, RJ45 and VGA connectors are not included.

PRODUCT

CODE

PRODUCT

PRODUCT

BREDB52

CODE

BREDU51

CODE

· White face plate, outlets, adapters and brackets; 72" long three-prong cord.

BRETPU54 • Trio Plus Under Module



- The trio plus under power module comes with a thin flush mounting bracket to attach to the underside of a work surface
- **PRODUCT** PRICE SIZE/ **INCHES** WEIGHT VOL CODE W IRS FT3 BRETPU54 884
- Provides three outlets and two 2.1 amp USB ports and an adapter kit containing blank cover, HDMI, RJ45 or VGA adapter brackets. Note: HDMI, RJ45 and VGA connectors are not included.
- · White face plate, outlets, adapters and brackets; 72" long three-prong cord.

BRETPB55 • Trio Plus Bezel Module



- The trio plus bezel power module is embedded and flushmounted in a piece of furniture or a work surface. · Provides three outlets and two 2.1 amp USB ports and
- PRODUCT PRICE SIZE/ **INCHES** WEIGHT VOL CODE LBS FT³ BRETPB55 905 0.14
- an adapter kit containing blank cover, HDMI, RJ45 or VGA adapter brackets. Note: HDMI, RJ45 and VGA connectors are not included. · White face plate, outlets, adapters and bezel; 72" long three-prong cord.
- Contact your Customer Service Representative for surface applications.

US

BPGDPS20 · Power Module



- · 2 Outlets (power).
- · Available for side mounted installation.
- (TUN) Tungsten finish.
- 12 foot cord.

PRODUCT	PRICE				WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
BPGDPS20	324	2.22	3.58	2.5		

BPGDPS21 • Power and Data Module



- 2 Outlets (power), 1 Telecom blank plate.
- · Available for side mounted installation.
- · (TUN) Tungsten finish.
- 12 foot cord.

PRODUCT Code	PRICE	н	w	n	WEIGHT LBS	VOL FT3	
BPGDPS21	420	2.22	6.75	2.5	LDO	- ' '	

BPGDPS41 • Double Power and Data Module



- · 4 Outlets (power), 1 Telecom blank plate.
- · Available for side mounted installation.
- (TUN) Tungsten finish.
- 12 foot cord.

PRODUCT	PRICE				WEIGHT	VOL	
CODE		Н	W	D	LBS	FT ³	
RPGDPS41	457	2 22	10.25	25			

Telecom Plates



• Note: To be used in conjunction with BPG-DPS21 and BPGDPS41.

PRODUCT CODE


PRICE

Black telcom plate with 2 RJ45 cat 6 data

ABLBB

336





ABLBBB

493









Black telcom plate with 4 RJ45 cat 6 data ABLBBBB

652


BEPB12 • Power Bar



- Power bar with 5 + 1 receptacles (one spaced wide for adapter use), built-in transient voltage surge suppressor and power switch.
- Fits within power channel of panels with raceways.
- · Standard with 2' cord.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
BEPB12	64			12	2	0.02

DABAR • Power Bar



- Power bar with 5 + 1 receptacles (one spaced wide for adapter use), built-in transient voltage surge suppressor and power switch.
- · Standard with 10' cord.
- · Integrated key hole mounting in the back.
- Rating 15A, 125V, AC 60Hz, 1875W.
- Suppressed voltage rating: 330V peak.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	
CODE		Н	W	ע	LBS	FT ³
DABAR	85			12	2	0.02

BABC • Wire Manager



- Attaches to the underside of the worksurface with a peel and stick adhesive that is located on the top of the wire manager. Comes 10 per package.
- Black only

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
BABC04	124	2	4	2	2	0.14

BRACS • Cable Snake



- · Flexible cable management trough.
- · Two pathways within the snake, one for data/communication and one for routing power cables.
- · Clear (CLR) available only.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BRACS	153	30	8		3	0.19
BRACSH	285	49	8		5	0.27

BAVC · Vertical Wire Channel



- PVC extrusion attaches to panel vertical to provide enclosure for a power or light cord.
- Available in 16" and 32" lengths, six per package.
- · Can be cut to required lengths on site.
- Panel frame finish

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BAVCO16 BAVCO32	53 108		16 32		0.5 1.0	0.018 0.036


VVCM · Wire Manager



- Replacement wire manager can be added to Viceversa tables. Wire manager neatly organizes and stores electrical and communication cables.
- Two lengths, 46" for tops 60" and under, 58" for tops 72".
- · Mounts below surface via threaded metal inserts.
- · Integrated steel reinforcement bar.
- Not required on oval, 1/2 ellipse, 1/2 moon, square or round table.

PRODUCT CODE	PRICE	SIZE/ H	INCHES D	w	WEIGHT LBS	VOL FT ³
VVCM43	134	3	5	46	8	0.67
VVCM55	161	3	5	58	9	0.85

BAR · Panel Mounted Slotted Accessory Rail for Boulevard




- · Includes 10 horizontal slats for hanging capacity.
- Includes mouning hardware.
- Panel frame finish

Hangs on standard Boulevard panels and accepts standard accessories.

PRODUCT	PRICE	SIZE/	INCHES		WEIGH	T VOL
CODE		Н	W	D	LBS	FT ³
BAR18	135	10.6	18	0.5	3	0.12
BAR24	150	10.6	24	0.5	4	0.17
BAR30	164	10.6	30	0.5	5	0.22
BAR36	178	10.6	36	0.5	6	0.26
BAR42	194	10.6	42	0.5	7	0.31
BAR48	209	10.6	48	0.5	8	0.35
BAR54	221	10.6	54	0.5	9	0.43
BAR60	237	10.6	60	0.5	10	0.49

BALB • Panel Mounted Load Bar for Boulevard



- Can be panel mounted or wall mounted on rail
- (BHV01 or BHV02).
- · Includes mouning brackets and end caps.
- · Panel frame finish

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BALB18	108	3.5	18	0.75	2	0.031
BALB24	118	3.5	24	0.75	2	0.038
BALB30	130	3.5	30	0.75	3	0.048
BALB36	145	3.5	36	0.75	3	0.057
BALB42	166	3.5	42	0.75	4	0.067
BALB48	190	3.5	48	0.75	4	0.076
BALB54	209	3.5	54	0.75	5	0.086
BALB60	220	3.5	60	0.75	5	0.096

BADLB · Panel Mounted Accessory Rail for Boulevard



Enables accessory items to be hung from a panel. Includes end caps and mounting brackets.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BADLB18	204	4.23	18	1.53	2.34	0.07
BADLB24	215	4.23	24	1.53	2.88	0.09
BADLB30	227	4.23	30	1.53	3.42	0.11
BADLB36	241	4.23	36	1.53	3.97	0.13
BADLB42	253	4.23	42	1.53	4.51	0.16
BADLB48	266	4.23	48	1.53	5.05	0.18
BADLB54	279	4.23	54	1.53	5.59	0.20
BADLB60	288	4.23	60	1.53	6.13	0.22

BABB01 • Binder Bin



- Load bar/accessory rail mounted metal binder bin.
- · Panel frame finish

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BABB01	93	9	5.75	9.25	1.85	0.21


BAFS01 • Flip Sorter



- Load bar/accessory rail mounted metal flip sorter. Comes with chome wire.
- Panel frame finish

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BAFS01	88	9	3	9	0.6	0.14

BASS01 · Slant Sorter



- • Load bar/accessory rail mounted metal slant sorter.
- • Panel frame finish

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BASS01R	59	9.25	2.75	9	1	0.28
BASS01L	59	9.25	2.75	9	1	0.28

BALT • Letter Tray/Legal Tray



- · Load bar/accessory rail mounted metal letter or legal tray.
- · Panel frame finish

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BALT01	68	1.75	12	8.75	0.0	0.15
BALT01LGL	108	1.75	14.7	8.75		0.15

BAMB01 · Media Bin



- · Load bar/accessory rail mounted metal media bin.
- · Panel frame finish

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
BAMB01	82	3	5.75	5.25	0.8	0.05

BAUT01 • Utility Tray



- Load bar/accessory rail mounted metal utility tray.
- · Panel frame finish

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT		
CODE		Н	W	D	LBS	FT ³	
RALIT01	59	1	7.5	4	0.5	0.02	

BAPP01 • Mail Box



- Freestanding unit or load bar/accessory rail mounted.
- · Panel frame finish

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
DADDO1	00	7	10	1 75	2	0.25

BATH01 • Telephone Holder



- Load bar/rail mounted telephone holder.
- · Panel frame finish

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	T VOL FT ³	
BATH01	131	2	8	10	2	0.26	

BAPD · Pencil Drawer



- Provides accommodation for writing instruments and small items at the workspace.
- Attaches to the underside of worksurface with drawer slides.
- · Available in Black ABS Only

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BAPD2015	118	1.5	22.5	17.75	2	0.300

BAHO • Coat Hook



- Over the panel mounted coat hook for Boulevard 1 panels only (not including curved panels and panels with top trim). Priced six per package.
- Panel Frame Finish

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BAH03080	55	3	1	3	0.2	0.001

BAHB3CH • Coat Hook for System 3



- Over the panel mounted coat hook for Boulevard, System 3 panels or Boulevard 1 panels with top trim. Priced six per package.
- Panel Frame Finish

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BAHB3CH	103	3	1	3	0.2	0.001

DAHOCH • Coat Hook for Diet



- · Panel mounted coat hook Diet Panels.
- Panel Frame Finish

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
DAHOCH	28	3	0.75	3	0.2	0.001

BPNP • Boulevard Name Plate



- Name plate attaches to 1" increment slots of Boulevard. It can be set either as a single-sided (parallel to panel surface) or double-sided (perpendicular to panel surface for aisle applications, displaying name on both sides).
- Injection molded frame and die-cast base with black rubberized finish. Steel bracket and fasteners included
- · Includes two slide-in name cards.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BPNP01	112	3.3	5.3	1.25	0.3	0.013

DPN01 • Diet Name Plate



- Name plate can be set either as a single-sided (parallel to panel surface) or double-sided (perpendicular to panel surface - for isle applications, displaying name on both sides).
- Injection molded frame and die-cast base with black rubberized finish. Steel bracket and fasteners included.
- Includes two slide-in name cards.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
DPNP01	112	3.3	5.3	1.25	0.3	0.013

BHTP01 • Bracket to connect Licence Towers to Boulevard Panels



· Panel Frame Finish

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BHTP01	71	2	2.5	1	2	0.05


BATB • Fabric Tackboard for Boulevard



- To provide a tackable surface for notes and memos in a work area. Panel mounted.
- Includes mounting brackets.
- · Class "A" Fire Rated Fabric.

PRODUCT	PRICE		SIZE/	INCHES		WEIGH.	T VOL
CODE	GR1	GR2	Н	W	D	LBS	FT ³
BATB2430	252	263	24	30		3	0.416
BATB2436	287	299	24	36		4	0.500
BATB2442	328	339	24	42		4	0.583
BATB2448	367	393	24	48		5	0.666
BATB2454	406	432	24	54		5	0.750
BATB2460	444	473	24	60		6	0.833
BATB2472	540	592	24	72		6	0.999

BAWB • Write Board for Boulevard



- To provide a writing surface in a work area. Panel mounted.
- · Includes mounting brackets.
- · Black Trim Only

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BAWB2436	408	24	36		13	0.500
BAWB2442	470	24	42		15	0.583
BAWB2448	539	24	48		18	0.666

BAMT12 • Marker Tray



PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	Γ VOL FT3	
BAMT12	91		12		0.5	0.01	

BATP • Touch Up Paint Kit



• Paint to match panel frame colours for easy touch ups. 1/2o. (15ml) bottle

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³	
BATP91	49		••	_	0.41	0.1	

LICENCE 2 SPECIFICATIONS

- · Greenguard certified (www.greenguard.org)
- · Carb compliant
- Level3™ certified (www.levelcertified.org)
- Tested to meet or exceed ANSI/BIFMA X5.9.2004, ANSI/BIFMA X5.5.2008 and CAN/CGSB 44-227-2008
- · Plant is ISO 9001:2015 (Quality) certified
- Plant is ISO 14001: 2015 (Environmental) certified
- · Plant is OHSAS 18001:2007 (Health and Safety) certified
- · 100% made in Canada
- · Lifetime Warranty
- · Over 6500 standard components
- · Custom units available in 5 weeks lead time
- · Over 24 standard laminate finishes available
- Edge colour can be specified select from 20 colours and patterns
- · Desk shells and rectangular returns non handed
- · Panel end style with top over side panel design
- Tops available in 1" thick Low Pressure Laminate
- Tops available in 1-1/16" or 1-7/16" thick High Pressure Laminate
- Tops available in one edge style: Boulevard (S)
- Surfaces constructed of 45lb. density particleboard substructure with high performance thermally fused laminate or optional high pressure laminate
- Chassis constructed from 45lb. density particleboard substructure with thermally fused laminate
- 3mm edges surround all tops, end panels, drawers and door fronts
- · Laminate full modesty and 10" partial modesty available as standard
- Anodized Aluminum framed frosted glazed doors available, no handles included.
- · Box drawers mounted on full extension premium ball bearing slides

- File drawers mounted on premium full extension progressive ball bearing slides
- File drawers accommodate letter and/or legal hanging files (see file drawer capacity page G.2)
- · Locks are standard on all units. Available in black or silver finish
- All lateral files feature a drawer interlocking mechanism
- Desk drawers open with pulls as standard
- Drawer bottoms are routed into the drawer sides
- Drawer fronts are edged on all four sides with matching 3mm edge
- · All drawers locking as standard
- · Key alike available
- Pedestals available in 15-1/2" width and 18, 20, 23, 24, 29, 30, 36 depth, include one pencil tray
- · All mobile pedestals have option for a counterweight
- Storage modules feature levellers 5/16" x 1" easily accessible from outside the unit. All others feature 5/16" x 2" levellers.
- Monopost legs available in 3 different options, 2.5" or 3" square, 3" round and 6" round
- · 6 handle options
- Storage modules available in 4 heights 29", 50", 65.8", 72.8"
- · Lateral modules available in 3 widths 30", 36", 42"
- Rectangular grommets are standard and can be specified in a variety of locations as standard (see Grommet Location page A.10)
- Several Power Grommets style and configurations available.
- Drawers/Door fronts are available in a different finish than that of the chassis.
 Please specify option. Note that the kick plate will match the drawer front finish unless otherwise noted.

FREESTANDING - TECHNICAL INFORMATION


Worksurfaces

Worksurfaces are offered in LP (1"), B (1 1/16") or W (1 7/16"). All worksurfaces are drilled to accept connectors in a desk configuration. Worksurfaces are available in the following shapes: rectangular, bow, wedge and $\frac{1}{2}$

Worksurface Edge trim

Available in 1 $1/16^{"}$ ("B" thickness), 1 7/16" ("W" thickness) or 1" ("LP" thickness). Wood grain PVC edge trim, available in Boulevard (S) edge "B" and "W" thickness only.

Edge Options



Hardware

All attachment hardware is included.

Modesty Panels

Available in full panel 27 5/8" high or half panel ("H" option) 10" high. Modesty panels are flush mounted with 24", 30" and 36" deep end gables. Modesty panels are available recessed for 30" and 36" deep end gables. All recessed modesty panels are inset 6" from the edge. Only flush modesty panels are used for extended shell and bridge.

Only full modesty panels are used for "L2D" desks: Rectagular, Bow, and Wedge worksur-

All exposed edges are edge banded.

Panel and Gables

The term "end gable" or "narrow gable" is used to configure a shell, single pedestal or return

The term "end panel" or "narrow panel" is used to configure a table desk with shaped worksurfaces such as "D", "P", or profiles.

All end gables are interchangeable for left or right hand use.

End gables 24", 30" and 36" deep are drilled to accept full or half modesty panels that are flush mounted.

End gables 30" and 36" are used for full or half modesty panels that are recessed. All panels and end gables are 1" thick and 27 5/8" high.

All panels and end gables are finished in low pressure laminate.

End gables are used in shells and single pedestal desks.

Narrow end gables are used in shells, single pedestal desks, "T", or "L" bases. Narrow panels are routed to accept modular connectors for "T" or "L" applications.

All panels and gables are predrilled to accept levelers at the bottom and connectors at the top.

All panels or gables are 3mm edge banded at the exposed edge .

All narrow gables are routed at the top to allow cables to pass through and come with a connecting flat bracket.

All bottom edges are edge banded.

Handles

Handles are offered in 4 styles.

Options are as follows: BB = Bow Matte Black

BC = Bow Matte Chrome

UB = "U"Dull Black UC = "U"Dull Chrome


FA = Flat Aluminum

RN = Round Nickel


Span dimension between drilling locations is 192mm. e-lock



WOOD GRAIN (WG) LAMINATE DIRECTION



Double Pedestal Desks



Single Pedestal Desks




Reception Desks



Surround Bridges



Right Hand Surround Bridges



Shells



"D" Shaped Tables




"P" Shaped Tables




Profile Corner Round Tables




Profile Corner Cut Tables



Profile Corner Desks




All Corner Desks 42" and Smaller




All Corner Desks Larger than 42"



Occasional Tables




Teardrop Table Tops



Half Moon Table Tops




All Other Table Tops




Bases




Alli Pedestals



All Laterals




All Hinged Door Hutches



All Flip-Up Door Overheads




All Bookcases




All Corner Bookcases




All Towers




All Cabinets




All Credenzas



Gallery Desk



Visual Board




Overhead Divider Storage


GROMMET LOCATION


Notes


All worksurfaces are standard with rectangular grommets # BG5. Worksurfaces 54" wide and under are standard with 1 grommet. Worksurfaces over 54" wide are standard with 2 grommets.


Grommet location must be specified at time of order or it will default to "no grommet" option.
































Swerve Worksurfaces











GROMMET LOCATION


"P" Shaped Tables "L2T"




Extended "D" - L2TED




Extended Corner "L2EC"




Extended Corner Recessed Modesty




Corner Worksurfaces - 1 Piece







"D" Shaped Tables




Extended "D" Cut Out "L2TEDCO"



Wedge Shell Recessed Modesty





Split Corner Worksurfaces - 2 Piece





GROMMET LOCATION

Hockey Shaped Tables "L2TH"












Ō


·B- ·








•














Technical Information

Double Pedestal Desk/ Single Pedestal Desk

- · All desks are Shipped knocked down (KD).
- · Pedestals are shipped assembled
- · Pedestals are LP all over
- · Non Interlocking mechanism Pedestals
- Half modesty available on all Double Pedestal Desks, specify 'H' Before size eg. L2DRH3060FB
- Half modesty available on Single Pedestal Desks, specify "H" before size eg. L2DRH-3060BR
- · All desks have modesty recessed 6"

Executive Return Desk

- · All desks are Shipped knocked down (KD).
- This typed of desk must be connected at open end to adjoining worksurface with flat brackets.
- Half modesty available on all Single Pedestal Returns, specify "H" before size eg. L2RH2036FL

Single Pedestal Returns

- · All desks are Shipped knocked down (KD).
- This type of desk must be connected at open end to adjoining worksurface with flat brackets.

DESKS • GUIDELINES FOR ORDERING PRODUCT

CODES: The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

SPECIFICATION EXAMPLE OF A DESK UNIT

PRODUCT CODE: L2DR3060FB

L2 = New Licence D = Desk R = Rectangular

3060 = Size: Depth x Width

FB = PED FF LEFT / PED BBF RIGHT

OPTIONS:

Top: LP - LP (Low Pressure Laminate) Thickness 1"

HP B - B Thickness 1 1/16" HP W - W Thickness 1 7/16"

Top Finish Laminate: Choose Colour

Top PVC Edging: Choose Colour

Chassis Laminate: Choose Colour

Chassis PVC Edging: Choose Colour

Handle Style: BC - Bow Matte Chrome (DEFAULT)

BB - Bow Matt Black UB - "U" Dull Black UC - "U" Dull Chrome FA - Flat Aluminum RN - Round Nickel

Grommet Location: N - No grommet (DEFAULT)

Double Pedestal desk: TC - Top Centre Only


Single Right Pedestal Desk: TC - Top Centre

TL - Top Left

Single Left Pedestal Desk: TC - Top Centre

TR - Top Right


L2 · Keys



PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
Master key:						
L2MK	29					
Extra key for existing cabinet						
L2EK	11					
Core key:						
L2CK	12					
Core & Key:						
L2LOCKKEY	33					

- Additional key (specify at time of order).
- Please choose black or silver.

L2DR-FB • Double Pedestal Desk, FF Left, BBF Right, Recessed Modesty



 Optional e-lock available for each pedestal in the vertical position. Please specify V-Vertical and add \$304 list for each.

PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2DR3060FB	2942	3115	3274	29	29.5	60	30	224	24
L2DR3066FB	2995	3186	3361	29	29.5	66	30	234	25
L2DR3072FB	3049	3258	3448	29	29.5	72	30	244	25
L2DR3078FB	3105	3330	3534	29	29.5	78	30	272	26
L2DR3084FB	3164	3406	3626	29	29.5	84	30	299	26
L2DR3672FB	3207	3458	3672	29	29.5	72	36	272	26
L2DR3678FB	3265	3539	3771	29	29.5	78	36	299	28
L2DR3684FB	3330	3611	3871	29	29.5	84	36	327	28


L2DR-BF • Double Pedestal Desk, FF Right, BBF Left, Recessed Modesty



 Optional e-lock available for each pedestal in the vertical position. Please specify V-Vertical and add \$304 list for each.

	PRODUCT	FINISH			SIZE/INCH	IES			WEIGHT	VOL
I (CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
ı	_2DR3060BF	2942	3115	3274	29	29.5	60	30	224	24
Ţ	_2DR3066BF	2995	3186	3361	29	29.5	66	30	234	25
L	_2DR3072BF	3049	3258	3448	29	29.5	72	30	244	25
Į	_2DR3078BF	3105	3330	3534	29	29.5	78	30	272	26
L	_2DR3084BF	3164	3406	3626	29	29.5	84	30	299	26
ı	_2DR3672BF	3207	3458	3672	29	29.5	72	36	272	26
L	_2DR3678BF	3265	3539	3771	29	29.5	78	36	299	28
L	_2DR3684BF	3330	3611	3871	29	29.5	84	36	327	28


L2DRH-FB • Double Pedestal Desk, FF Left, BBF Right Recessed Half Modest



 Optional e-lock available for each pedestal in the vertical position. Please specify V-Vertical and add \$304 list for each.

	FF Lett, BBF I	Klant	Keces	sea H	аіт м	odesi	:V			
,	PRODUCT	FINISH			SIZE/INC		,		WEIGHT	VOL
	CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
	L2DRH3060FB	2871	3044	3206	29	29.5	60	30	224	24
	L2DRH3066FB	2914	3104	3278	29	29.5	66	30	234	25
	L2DRH3072FB	2954	3162	3352	29	29.5	72	30	244	25
	L2DRH3078FB	2996	3220	3426	29	29.5	78	30	272	26
	L2DRH3084FB	3042	3286	3503	29	29.5	84	30	299	26
	L2DRH3672FB	3112	3361	3577	29	29.5	72	36	272	26
	L2DRH3678FB	3158	3427	3660	29	29.5	78	36	299	28
	L2DRH3684FB	3210	3502	3749	29	29.5	84	36	327	28


L2DRH-BF • Double Pedestal Desk, BBF Left, FF Right Recessed Half Modesty



 Optional e-lock available for each pedestal in the vertical position. Please specify V-Vertical and add \$304 list for each.

•	PRODUCT	FINISH			SIZE/INC		,		WEIGHT	VOL
	CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	L2DRH3060BF	2871	3044	3206	29	29.5	60	30	224	24
	L2DRH3066BF	2914	3104	3278	29	29.5	66	30	234	25
	L2DRH3072BF	2954	3162	3352	29	29.5	72	30	244	25
	L2DRH3078BF	2996	3220	3426	29	29.5	78	30	272	26
	L2DRH3084BF	3042	3286	3503	29	29.5	84	30	299	26
	L2DRH3672BF	3112	3361	3577	29	29.5	72	36	272	26
	L2DRH3678BF	3158	3427	3660	29	29.5	78	36	299	28
	L2DRH3684BF	3210	3502	3749	29	29.5	84	36	327	28

L2DB-FB · Bowfront Double Pedestal Desk, FF Left, BBF Right, Recessed Modesty




 Optional e-lock available for each pedestal in the vertical position. Please specify V-Vertical and add \$304 list for each.

PRODUCT	FINISH			SIZE/INCH	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2DB3060FB	3007	3215	3399	29	29.5	60	36	374	25
L2DB3066FB	3071	3298	3493	29	29.5	66	36	383	26
L2DB3072FB	3129	3378	3589	29	29.5	72	36	395	26
L2DB3078FB	3191	3460	3683	29	29.5	78	36	422	28
L2DB3084FB	3253	3544	3784	29	29.5	84	36	450	28
L2DB3672FB	3287	3577	3812	29	29.5	72	42	422	28
L2DB3678FB	3352	3666	3918	29	29.5	78	42	450	29
L2DB3684FB	3420	3758	4028	29	29.5	84	42	477	29
	CODE L2DB3060FB L2DB3066FB L2DB3072FB L2DB3078FB L2DB3084FB L2DB3672FB L2DB3678FB	CODE LP L2DB3060FB 3007 L2DB3066FB 3071 L2DB3072FB 3129 L2DB3078FB 3191 L2DB3084FB 3253 L2DB3672FB 3287 L2DB3678FB 3352	CODE LP B L2DB3060FB 3007 3215 L2DB3066FB 3071 3298 L2DB3072FB 3129 3378 L2DB3078FB 3191 3460 L2DB3084FB 3253 3544 L2DB3672FB 3287 3577 L2DB3678FB 3352 3666	CODE LP B W L2DB3060FB 3007 3215 3399 L2DB3066FB 3071 3298 3493 L2DB3072FB 3129 3378 3589 L2DB3078FB 3191 3460 3683 L2DB3084FB 3253 3544 3784 L2DB3672FB 3287 3577 3812 L2DB3678FB 3352 3666 3918	CODE LP B W H(LPIB) L2DB3060FB 3007 3215 3399 29 L2DB3066FB 3071 3298 3493 29 L2DB3072FB 3129 3378 3589 29 L2DB3078FB 3191 3460 3683 29 L2DB3084FB 3253 3544 3784 29 L2DB3672FB 3287 3577 3812 29 L2DB3678FB 3352 3666 3918 29	CODE LP B W H(LPIB) H(W) L2DB3060FB 3007 3215 3399 29 29.5 L2DB3066FB 3071 3298 3493 29 29.5 L2DB3072FB 3129 3378 3589 29 29.5 L2DB3078FB 3191 3460 3683 29 29.5 L2DB3084FB 3253 3544 3784 29 29.5 L2DB3672FB 3287 3577 3812 29 29.5 L2DB3678FB 3352 3666 3918 29 29.5	CODE LP B W H(LP)BJ H(W) W L2DB3060FB 3007 3215 3399 29 29.5 60 L2DB3066FB 3071 3298 3493 29 29.5 66 L2DB3072FB 3129 3378 3589 29 29.5 72 L2DB3078FB 3191 3460 3683 29 29.5 78 L2DB3084FB 3253 3544 3784 29 29.5 84 L2DB3672FB 3287 3577 3812 29 29.5 72 L2DB3678FB 3352 3666 3918 29 29.5 78	CODE LP B W H(LPIB) H(W) W D L2DB3060FB 3007 3215 3399 29 29.5 60 36 L2DB3066FB 3071 3298 3493 29 29.5 66 36 L2DB3072FB 3129 3378 3589 29 29.5 72 36 L2DB3078FB 3191 3460 3683 29 29.5 78 36 L2DB3084FB 3253 3544 3784 29 29.5 84 36 L2DB3672FB 3287 3577 3812 29 29.5 72 42 L2DB3678FB 3352 3666 3918 29 29.5 78 42	CODE LP B W H(P/B) H(W) W D LBS L2DB3060FB 3007 3215 3399 29 29.5 60 36 374 L2DB3066FB 3071 3298 3493 29 29.5 66 36 383 L2DB3072FB 3129 3378 3589 29 29.5 72 36 395 L2DB3078FB 3191 3460 3683 29 29.5 78 36 422 L2DB3084FB 3253 3544 3784 29 29.5 84 36 450 L2DB3672FB 3287 3577 3812 29 29.5 72 42 422 L2DB3678FB 3352 3666 3918 29 29.5 78 42 450

LICENCE


L2DB-BF • Bowfront Double Pedestal Desk, FF Right, BBF Left, Recessed Modesty



 Optional e-lock available for each pedestal in the vertical position. Please specify V-Vertical and add \$304 list for each.

PRODUCT	FINISH		•	SIZE/INC	HES		•	WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2DB3060BF	3007	3215	3399	29	29.5	60	36	374	25
L2DB3066BF	3071	3298	3493	29	29.5	66	36	383	26
L2DB3072BF	3129	3378	3589	29	29.5	72	36	395	26
L2DB3078BF	3191	3460	3683	29	29.5	78	36	422	28
L2DB3084BF	3253	3544	3784	29	29.5	84	36	450	28
L2DB3672BF	3287	3577	3812	29	29.5	72	42	422	28
L2DB3678BF	3352	3666	3918	29	29.5	78	42	450	29
L2DB3684BF	3420	3758	4028	29	29.5	84	42	477	29


L2DBH-FB • Bowfront Double Pedestal Desk, FF Left, BBF Right Recessed Half Modesty



 Optional e-lock available for each pedestal in the vertical position. Please specify V-Vertical and add \$304 list for each.

PRODUCT	FINISH		9	SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2DBH3060FB	2942	3150	3328	29	29.5	60	36	374	25
L2DBH3066FB	2988	3215	3411	29	29.5	66	36	383	26
L2DBH3072FB	3034	3282	3493	29	29.5	72	36	395	26
L2DBH3078FB	3080	3352	3575	29	29.5	78	36	422	28
L2DBH3084FB	3131	3422	3663	29	29.5	84	36	450	28
L2DBH3672FB	3191	3481	3717	29	29.5	72	42	422	28
L2DBH3678FB	3242	3558	3807	29	29.5	78	42	450	29
L2DBH3684FB	3299	3637	3907	29	29.5	84	42	477	29


L2DBH-BF · Bowfront Double Pedestal Desk, BBF Left, FF Right Recessed Half Modesty



 Optional e-lock available for each pedestal in the vertical position. Please specify V-Vertical and add \$304 list for each.

_	stai Desk, DDI	ECIL.				~~				
	PRODUCT	FINISH			SIZE/INCI				WEIGHT	VOL
	CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	L2DBH3060BF	2942	3150	3328	29	29.5	60	36	374	25
	L2DBH3066BF	2988	3215	3411	29	29.5	66	36	383	26
	L2DBH3072BF	3034	3282	3493	29	29.5	72	36	395	26
	L2DBH3078BF	3080	3352	3575	29	29.5	78	36	422	28
	L2DBH3084BF	3131	3422	3663	29	29.5	84	36	450	28
	L2DBH3672BF	3191	3481	3717	29	29.5	72	42	422	28
	L2DBH3678BF	3242	3558	3807	29	29.5	78	42	450	29
	L2DBH3684BF	3299	3637	3907	29	29.5	84	42	477	29


L2DR-BR · Single Pedestal Desk, BBF Right, Recessed Modesty



 Optional e-lock available for the pedestal in the vertical position. Please specify V-Vertical and add \$304 list.

PRODUCT	FINISH		,	SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2DR3060BR	2041	2213	2374	29	29.5	60	30	224	14
L2DR3066BR	2095	2287	2461	29	29.5	66	30	234	15
L2DR3072BR	2150	2358	2548	29	29.5	72	30	244	15
L2DR3078BR	2197	2422	2625	29	29.5	78	30	272	17
L2DR3084BR	2265	2509	2726	29	29.5	84	30	299	17
L2DR3672BR	2288	2536	2754	29	29.5	72	36	272	17
L2DR3678BR	2341	2610	2841	29	29.5	78	36	299	18
L2DR3684BR	2412	2702	2951	29	29.5	84	36	327	18


L2DR-BL · Single Pedestal Desk, BBF Left, Recessed Modesty



 Optional e-lock available for the pedestal in the vertical position. Please specify V-Vertical and add \$304 list.

PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2DR3060BL	2041	2213	2374	29	29.5	60	30	224	14
L2DR3066BL	2095	2287	2461	29	29.5	66	30	234	15
L2DR3072BL	2150	2358	2548	29	29.5	72	30	244	15
L2DR3078BL	2197	2422	2625	29	29.5	78	30	272	17
L2DR3084BL	2265	2509	2726	29	29.5	84	30	299	17
L2DR3672BL	2288	2536	2754	29	29.5	72	36	272	17
L2DR3678BL	2341	2610	2841	29	29.5	78	36	299	18
L2DR3684BL	2412	2702	2951	29	29.5	84	36	327	18


L2DRH-BR • Single Pedestal Desk, BBF Right Recessed Half Modesty



 Optional e-lock available for the pedestal in the vertical position. Please specify V-Vertical and add \$304 list.

DDF KIGIIL KE	cesse	u nan	IVIOUE	:SLV					
PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2DRH3060BR	1909	2080	2243	29	29.5	60	30	224	14
L2DRH3066BR	1950	2141	2315	29	29.5	66	30	234	15
L2DRH3072BR	1991	2200	2391	29	29.5	72	30	244	15
L2DRH3078BR	2034	2258	2461	29	29.5	78	30	272	17
L2DRH3084BR	2079	2320	2538	29	29.5	84	30	299	17
L2DRH3672BR	2130	2379	2596	29	29.5	72	36	272	17
L2DRH3678BR	2176	2445	2678	29	29.5	78	36	299	18
L2DRH3684BR	2225	2519	2768	29	29.5	84	36	327	18

L2DRH-BL • Single Pedestal Desk, BBF Left Recessed Half Modesty



 Optional e-lock available for the pedestal in the vertical position. Please specify V-Vertical and add \$304 list.

DDF Leit Kec	essea	пан г	noues	LY					
PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2DRH3060BL	1909	2080	2243	29	29.5	60	30	224	14
L2DRH3066BL	1950	2141	2315	29	29.5	66	30	234	15
L2DRH3072BL	1991	2200	2391	29	29.5	72	30	244	15
L2DRH3078BL	2034	2258	2461	29	29.5	78	30	272	17
L2DRH3084BL	2079	2320	2538	29	29.5	84	30	299	17
L2DRH3672BL	2130	2379	2596	29	29.5	72	36	272	17
L2DRH3678BL	2176	2445	2678	29	29.5	78	36	299	18
L2DRH3684BL	2225	2519	2768	29	29.5	84	36	327	18


L2DB-BR • Bowfront Single Pedestal Desk, BBF Right, Recessed Modesty



 Optional e-lock available for the pedestal in the vertical position. Please specify V-Vertical and add \$304 list.

r	PRODUCT	FINISH			SIZE/INCI	SIZE/INCHES				VOL
	CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	L2DB3060BR	2110	2316	2499	29	29.5	60	36	264	14
	L2DB3066BR	2171	2398	2596	29	29.5	66	36	274	15
	L2DB3072BR	2229	2478	2689	29	29.5	72	36	286	15
	L2DB3078BR	2283	2553	2776	29	29.5	78	36	314	17
	L2DB3084BR	2354	2645	2883	29	29.5	84	36	338	17
	L2DB3672BR	2366	2656	2893	29	29.5	72	42	310	17
	L2DB3678BR	2424	2738	2991	29	29.5	78	42	338	18
	L2DB3684BR	2501	2840	3109	29	29.5	84	42	362	18

L2DB-BL • Bowfront Single Pedestal Desk, BBF Left, Recessed Modesty



 Optional e-lock available for the pedestal in the vertical position. Please specify V-Vertical and add \$304 list.

PRODUCT '	FINISH			SIZE/INC	HES	WEIGHT	VOL		
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2DB3060BL	2110	2316	2499	29	29.5	60	36	264	14
L2DB3066BL	2171	2398	2596	29	29.5	66	36	274	15
L2DB3072BL	2229	2478	2689	29	29.5	72	36	286	15
L2DB3078BL	2283	2553	2776	29	29.5	78	36	314	17
L2DB3084BL	2354	2645	2883	29	29.5	84	36	338	17
L2DB3672BL	2366	2656	2893	29	29.5	72	42	310	17
L2DB3678BL	2424	2738	2991	29	29.5	78	42	338	18
L2DB3684BL	2501	2840	3109	29	29.5	84	42	362	18


L2DBH-BR • Bowfront Single Pedestal Desk, BBF Right Recessed Half Modesty



 Optional e-lock available for the pedestal in the vertical position. Please specify V-Vertical and add \$304 list.

r	PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL	
	CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³	
	L2DBH3060BR	1977	2184	2364	29	29.5	60	36	264	14	
	L2DBH3066BR	2023	2252	2447	29	29.5	66	36	274	15	
	L2DBH3072BR	2071	2319	2530	29	29.5	72	36	286	15	
	L2DBH3078BR	2117	2387	2611	29	29.5	78	36	314	17	
	L2DBH3084BR	2168	2460	2698	29	29.5	84	36	338	17	
	L2DBH3672BR	2204	2499	2733	29	29.5	72	42	310	17	
	L2DBH3678BR	2258	2573	2827	29	29.5	78	42	338	18	
	L2DBH3684BR	2315	2655	2924	29	29.5	84	42	362	18	


L2DBH-BL • Bowfront Single Pedestal Desk, BBF Left Recessed Half Modesty



 Optional e-lock available for the pedestal in the vertical position. Please specify V-Vertical and add \$304 list.

PRODUCT	FINISH			SIZE/INCI	ZE/INCHES				VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2DBH3060BL	1977	2184	2364	29	29.5	60	36	264	14
L2DBH3066BL	2023	2252	2447	29	29.5	66	36	274	15
L2DBH3072BL	2071	2319	2530	29	29.5	72	36	286	15
L2DBH3078BL	2117	2387	2611	29	29.5	78	36	314	17
L2DBH3084BL	2168	2460	2698	29	29.5	84	36	338	17
L2DBH3672BL	2204	2499	2733	29	29.5	72	42	310	17
L2DBH3678BL	2258	2573	2827	29	29.5	78	42	338	18
L2DBH3684BL	2315	2655	2924	29	29.5	84	42	362	18


L2DRA-FB · Double Desk, FF Left BBF Right Recessed, Glazed Full Modesty



- Modesty is aluminum framed.Glazing is frosted acrylic.
- Optional e-lock available for each pedestal in the vertical position. Please specify V-Vertical and add \$304 list for each.

or Right Recessed, Glazed Full Modesty											
DUCT FINISH			SIZE/INCHES								
LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³			
3712	3892	4060	29.06	29.5	60	30	204	22	ı		
3827	4023	4208	29.06	29.5	66	30	213	23			
3944	4157	4355	29.06	29.5	72	30	222	23			
4054	4291	4501	29.06	29.5	78	30	247	24			
4174	4427	4654	29.06	29.5	84	30	272	24			
4105	4366	4589	29.06	29.5	72	36	247	24	ı		
4222	4505	4748	29.06	29.5	78	36	272	25	ı		
4348	4652	4912	29.06	29.5	84	36	297	25			
	FINISH LP 3712 3827 3944 4054 4174 4105 4222	FINISH LP B 3712 3892 3827 4023 3944 4157 4054 4291 4174 4427 4105 4366 4222 4505	FINISH LP B W 3712 3892 4060 3827 4023 4208 3944 4157 4355 4054 4291 4501 4174 4427 4654 4105 4366 4589 4222 4505 4748	FINISH LP B W H(LP/B) 3712 3892 4060 29.06 3827 4023 4208 29.06 3944 4157 4355 29.06 4054 4291 4501 29.06 4174 4427 4654 29.06 4105 4366 4589 29.06 4222 4505 4748 29.06	FINISH LP B W H(LP/B) H(W) 3712 3892 4060 29.06 29.5 3827 4023 4208 29.06 29.5 3944 4157 4355 29.06 29.5 4054 4291 4501 29.06 29.5 4174 4427 4654 29.06 29.5 4105 4366 4589 29.06 29.5 4222 4505 4748 29.06 29.5	FINISH LP B W H(LP/B) H(W) W 3712 3892 4060 29.06 29.5 60 3827 4023 4208 29.06 29.5 66 3944 4157 4355 29.06 29.5 72 4054 4291 4501 29.06 29.5 78 4174 4427 4654 29.06 29.5 84 4105 4366 4589 29.06 29.5 72 4222 4505 4748 29.06 29.5 78	FINISH LP B W H(IPIB) H(W) W D 3712 3892 4060 29.06 29.5 60 30 3827 4023 4208 29.06 29.5 66 30 3944 4157 4355 29.06 29.5 72 30 4054 4291 4501 29.06 29.5 78 30 4174 4427 4654 29.06 29.5 84 30 4105 4366 4589 29.06 29.5 72 36 4222 4505 4748 29.06 29.5 78 36	FINISH LP B W H(LP)B) H(W) W D LBS 3712 3892 4060 29.06 29.5 60 30 204 3827 4023 4208 29.06 29.5 66 30 213 3944 4157 4355 29.06 29.5 72 30 222 4054 4291 4501 29.06 29.5 78 30 247 4174 4427 4654 29.06 29.5 84 30 272 4105 4366 4589 29.06 29.5 72 36 247 4222 4505 4748 29.06 29.5 78 36 272	FINISH LP B W H(LP/IB) H(W) W D LBS FT3 3712 3892 4060 29.06 29.5 60 30 204 22 3827 4023 4208 29.06 29.5 66 30 213 23 3944 4157 4355 29.06 29.5 72 30 222 23 4054 4291 4501 29.06 29.5 78 30 247 24 4174 4427 4654 29.06 29.5 84 30 272 24 4105 4366 4589 29.06 29.5 72 36 247 24 4222 4505 4748 29.06 29.5 78 36 247 24		


L2DRA-BF · Double Desk, FF Right BBF Left Recessed, Glazed Full Modesty



- Modesty is aluminum framed.Glazing is frosted acrylic.
- Optional e-lock available for each pedestal in the vertical position. Please specify V-Vertical and add \$304 list for each.

BBF Lett Recessed, Glazed Full Modesty												
PRODUCT	FINISH			SIZE/INC	•			WEIGHT	VOL			
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³			
L2DRA3060BF	3712	3892	4060	29.06	29.5	60	30	204	22			
L2DRA3066BF	3827	4023	4208	29.06	29.5	66	30	213	23			
L2DRA3072BF	3944	4157	4355	29.06	29.5	72	30	222	23			
L2DRA3078BF	4054	4291	4501	29.06	29.5	78	30	247	24			
L2DRA3084BF	4174	4427	4654	29.06	29.5	84	30	272	24			
L2DRA3672BF	4105	4366	4589	29.06	29.5	72	36	247	24			
L2DRA3678BF	4222	4505	4748	29.06	29.5	78	36	272	25			
L2DRA3684BF	4348	4652	4912	29.06	29.5	84	36	297	25			


L2DBA-FB · Bowfront Double Desk, FF Left BBF Right Recessed, Glazed Full Modesty



- Modesty is aluminum framed.Glazing is frosted acrylic.
- Optional e-lock available for each pedestal in the vertical position. Please specify V-Vertical and add \$304 list for each.

eit DDF Right Recesseu, Glazeu Full Mouesty												
PRODUCT	FINISH SIZE/INCHES							WEIGHT	VOL			
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³			
L2DBA3060FB	3783	3999	4186	29.06	29.5	60	36	340	23	l		
L2DBA3066FB	3903	4143	4343	29.06	29.5	66	36	348	24			
L2DBA3072FB	4023	4284	4501	29.06	29.5	72	36	359	24			
L2DBA3078FB	4144	4424	4659	29.06	29.5	78	36	384	25			
L2DBA3084FB	4268	4571	4820	29.06	29.5	84	36	409	25			
L2DBA3672FB	4186	4489	4733	29.06	29.5	72	42	384	25	l		
L2DBA3678FB	4312	4640	4901	29.06	29.5	78	42	409	26			
L2DBA3684FB	4442	4796	5075	29.06	29.5	84	42	434	26			


L2DBA-BF • Bowfront Double Desk, FF Right BBF Left Recessed, Gla



- Modesty is aluminum framed.Glazing is frosted acrylic.
- Optional e-lock available for each pedestal in the vertical position. Please specify V-Vertical and add \$304 list for each.

FF RIGHT BBF Left Recessed, Glazed Full Modesty												
PRODUCT	FINISH		, -	SIZE/INC			-,	WEIGHT	VOL			
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³			
L2DBA3060BF	3783	3999	4186	29.06	29.5	60	36	340	23			
L2DBA3066BF	3903	4143	4343	29.06	29.5	66	36	348	24			
L2DBA3072BF	4023	4284	4501	29.06	29.5	72	36	359	24			
L2DBA3078BF	4144	4424	4659	29.06	29.5	78	36	384	25			
L2DBA3084BF	4268	4571	4820	29.06	29.5	84	36	409	25			
L2DBA3672BF	4186	4489	4733	29.06	29.5	72	42	384	25			
L2DBA3678BF	4312	4640	4901	29.06	29.5	78	42	409	26			
L2DBA3684BF	4442	4796	5075	29.06	29.5	84	42	434	26			


L2DRAH-FB · Double Pedestal Des



- Modesty is aluminum framed.
- Glazing is frosted acrylic. Optional e-lock available for each pedestal in the vertical position. Please specify V-Vertical and add \$304 list for each.

31	C, FF Lett BBF	Klant	Kece	ssea.	Hait G	Jiaze	a Mc	aest	V		ı
	PRODUCT	FINISH		,	SIZE/INC				WEIGHT	VOL	
	CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³	
r	L2DRAH3060FB	3514	3695	3863	29.06	29.5	60	30	204	22	ı
al	L2DRAH3066FB	3609	3806	3989	29.06	29.5	66	30	213	23	
	L2DRAH3072FB	3691	3907	4105	29.06	29.5	72	30	222	23	ı
t	L2DRAH3078FB	3776	4006	4219	29.06	29.5	78	30	247	24	
	L2DRAH3084FB	3863	4116	4340	29.06	29.5	84	30	272	24	l
	L2DRAH3672FB	3854	4113	4336	29.06	29.5	72	36	247	24	ı
	L2DRAH3678FB	3944	4222	4465	29.06	29.5	78	36	272	25	ı
	L2DRAH3684FB	4036	4336	4595	29.06	29.5	84	36	297	25	

L2DRAH-BF · Double Pedestal Desl



- Modesty is aluminum framed.
- · Glazing is frosted acrylic.
- · Optional e-lock available for each pedestal in the vertical position. Please specify V-Vertical and add \$304 list for each.


ľ	k, BBF Left FF	BBF Left FF Right Recessed					Glazed Modesty						
	PRODUCT	FINISH		,	SIZE/INC			•	WEIGHT	VOL			
	CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³			
	L2DRAH3060BF	3514	3695	3863	29.06	29.5	60	30	204	22			
	L2DRAH3066BF	3609	3806	3989	29.06	29.5	66	30	213	23			
	L2DRAH3072BF	3691	3907	4105	29.06	29.5	72	30	222	23			
	L2DRAH3078BF	3776	4006	4219	29.06	29.5	78	30	247	24			
	L2DRAH3084BF	3863	4116	4340	29.06	29.5	84	30	272	24			
	L2DRAH3672BF	3854	4113	4336	29.06	29.5	72	36	247	24			
	L2DRAH3678BF	3944	4222	4465	29.06	29.5	78	36	272	25			
	L2DRAH3684BF	4036	4336	4595	29.06	29.5	84	36	297	25			

L2DBAH-FB · Bowfront Double Desk, • Modesty is aluminum framed.

- · Glazing is frosted acrylic.
- Optional e-lock available for each pedestal in the vertical position. Please specify V-Vertical and add \$304 list for each.

1	, FF Left BBF Right Recessed, Haif Glazed Modesty													
•	PRODUCT	FINISH			SIZE/INC			,	WEIGHT	VOL				
	CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³				
	L2DBAH3060FB	3584	3799	3989	29.06	29.5	60	36	340	23				
ı	L2DBAH3066FB	3683	3919	4124	29.06	29.5	66	36	348	24				
	L2DBAH3072FB	3773	4033	4252	29.06	29.5	72	36	359	24				
	L2DBAH3078FB	3860	4143	4377	29.06	29.5	78	36	384	25				
	L2DBAH3084FB	3955	4257	4507	29.06	29.5	84	36	409	25				
	L2DBAH3672FB	3936	4240	4483	29.06	29.5	72	42	384	25				
	L2DBAH3678FB	4032	4359	4620	29.06	29.5	78	42	409	26				
	L2DBAH3684FB	4127	4480	4760	29.06	29.5	84	42	434	26				

L2DBAH-BF • Bowfront Double Desk, BBF Left FF Right Recessed, Half Glazed Modesty · Modesty is aluminum framed.




 Glazing is frosted acrylic. Optional e-lock available for each pedestal in the vertical position. Please specify V-Vertical and add \$304 list

for each.

	PRODUCT	FINISH		•	SIZE/INC	HES		•	WEIGHT	VOL	
	CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³	
r	L2DBAH3060BF	3584	3799	3989	29.06	29.5	60	36	340	23	
ıl	L2DBAH3066BF	3683	3919	4124	29.06	29.5	66	36	348	24	
	L2DBAH3072BF	3773	4033	4252	29.06	29.5	72	36	359	24	
	L2DBAH3078BF	3860	4143	4377	29.06	29.5	78	36	384	25	
	L2DBAH3084BF	3955	4257	4507	29.06	29.5	84	36	409	25	
	L2DBAH3672BF	3936	4240	4483	29.06	29.5	72	42	384	25	
	L2DBAH3678BF	4032	4359	4620	29.06	29.5	78	42	409	26	
	L2DBAH3684BF	4127	4480	4760	29.06	29.5	84	42	434	26	

LICENCE


L2ER-FL • Executive Return with FF Pedestal Left



 Optional e-lock available for the pedestal in the vertical position. Please specify V-Vertical and add \$304 list.

PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2ER2036FL	1458	1540	1624	29	29.5	36	20	151	12
L2ER2042FL	1509	1607	1702	29	29.5	42	20	172	12
L2ER2048FL	1563	1672	1781	29	29.5	48	20	179	12
L2ER2054FL	1614	1739	1860	29	29.5	54	20	184	13
L2ER2436FL	1515	1601	1691	29	29.5	36	24	151	12
L2ER2442FL	1569	1669	1772	29	29.5	42	24	172	12
L2ER2448FL	1624	1739	1853	29	29.5	48	24	179	13
L2ER2454FL	1679	1810	1933	29	29.5	54	24	184	13


L2ER-FR • Executive Return with FF Pedestal Right



 Optional e-lock available for the pedestal in the vertical position. Please specify V-Vertical and add \$304 list.

PRODUCT	FINISH			SIZE/INC	CHES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2ER2036FR	1458	1540	1624	29	29.5	36	20	151	12
L2ER2042FR	1509	1607	1702	29	29.5	42	20	172	12
L2ER2048FR	1563	1672	1781	29	29.5	48	20	179	12
L2ER2054FR	1614	1739	1860	29	29.5	54	20	184	13
L2ER2436FR	1515	1601	1691	29	29.5	36	24	151	12
L2ER2442FR	1569	1669	1772	29	29.5	42	24	172	12
L2ER2448FR	1624	1739	1853	29	29.5	48	24	179	13
L2ER2454FR	1679	1810	1933	29	29.5	54	24	184	13


L2ERH-FL • Executive Return with FF Pedestal Left and Half Modesty



 Optional e-lock available for the pedestal in the vertical position. Please specify V-Vertical and add \$304 list.


PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2ERH2036FL	1391	1475	1561	29	29.5	36	20	151	12
L2ERH2042FL	1430	1528	1624	29	29.5	42	20	172	12
L2ERH2048FL	1467	1578	1688	29	29.5	48	20	179	12
L2ERH2054FL	1505	1630	1748	29	29.5	54	20	184	13
L2ERH2436FL	1446	1533	1621	29	29.5	36	24	151	12
L2ERH2442FL	1486	1587	1679	29	29.5	42	24	172	12
L2ERH2448FL	1526	1642	1756	29	29.5	48	24	179	13
L2ERH2454FL	1565	1695	1819	29	29.5	54	24	184	13

L2ERH-FR • Executive Return with FF Pedestal Right and Half Modesty



 Optional e-lock available for the pedestal in the vertical position. Please specify V-Vertical and add \$304 list.


PRODUCT		FINISH			SIZE/INC	HES			WEIGHT	VOL	
CODE		LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³	
L2ERH20	36FR	1391	1475	1561	29	29.5	36	20	151	12	
L2ERH20	42FR	1430	1528	1624	29	29.5	42	20	172	12	
L2ERH20	48FR	1467	1578	1688	29	29.5	48	20	179	12	
L2ERH20	54FR	1505	1630	1748	29	29.5	54	20	184	13	
L2ERH24	36FR	1446	1533	1621	29	29.5	36	24	151	12	
L2ERH24	42FR	1486	1587	1679	29	29.5	42	24	172	12	
L2ERH24	48FR	1526	1642	1756	29	29.5	48	24	179	13	
L2FRH24	54FR	1565	1695	1819	29	29.5	54	24	184	13	



 Optional e-lock available for the pedestal in the vertical position. Please specify V-Vertical and add \$304 list.

DI I CUCSTAIL				OIZE UNO	UFO			WEIGHT	VOI
PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2ER2036BL	1533	1615	1702	29	29.5	36	20	151	12
L2ER2042BL	1588	1686	1781	29	29.5	42	20	172	12
L2ER2048BL	1641	1752	1860	29	29.5	48	20	179	12
L2ER2054BL	1694	1818	1938	29	29.5	54	20	184	13
L2ER2436BL	1596	1684	1772	29	29.5	36	24	151	12
L2ER2442BL	1650	1752	1853	29	29.5	42	24	172	12
L2ER2448BL	1705	1821	1934	29	29.5	48	24	179	13
L2ER2454BL	1763	1890	2050	29	29.5	54	24	184	13


L2ER-BR • Executive Return with BBF Pedestal Right



 Optional e-lock available for the pedestal in the vertical position. Please specify V-Vertical and add \$304 list.

1	DI FEUESIAIN	IUIIL								
	PRODUCT	FINISH			SIZE/INC				WEIGHT	VOL
	CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
	L2ER2036BR	1533	1615	1702	29	29.5	36	20	151	12
	L2ER2042BR	1588	1686	1781	29	29.5	42	20	172	12
	L2ER2048BR	1641	1752	1860	29	29.5	48	20	179	12
	L2ER2054BR	1694	1818	1938	29	29.5	54	20	184	13
	L2ER2436BR	1596	1684	1772	29	29.5	36	24	151	12
	L2ER2442BR	1650	1752	1853	29	29.5	42	24	172	12
	L2ER2448BR	1705	1821	1934	29	29.5	48	24	179	13
	L2ER2454BR	1763	1890	2050	29	29.5	54	24	184	13


L2ERH-BL • Executive Return with BBF Pedestal Left and Half Modesty



 Optional e-lock available for the pedestal in the vertical position. Please specify V-Vertical and add \$304 list.

	DDF Peuesiai	Leil a	IIU Na	II WIO	162fA						
r	PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL	
	CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
	L2ERH2036BL	1470	1553	1641	29	29.5	36	20	151	12	l
	L2ERH2042BL	1507	1542	1701	29	29.5	42	20	172	12	
	L2ERH2048BL	1547	1656	1766	29	29.5	48	20	179	12	
	L2ERH2054BL	1583	1707	1826	29	29.5	54	20	184	13	
	L2ERH2436BL	1528	1614	1702	29	29.5	36	24	151	12	l
	L2ERH2442BL	1566	1668	1770	29	29.5	42	24	172	12	
	L2ERH2448BL	1607	1723	1836	29	29.5	48	24	179	13	
	L2ERH2454BL	1646	1776	1901	29	29.5	54	24	184	13	

L2ERH-BR • Executive Return with BBF Pedestal Right and Half Modesty



 Optional e-lock available for the pedestal in the vertical position. Please specify V-Vertical and add \$304 list.

PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2ERH2036BR	1470	1553	1641	29	29.5	36	20	151	12
L2ERH2042BR	1507	1542	1701	29	29.5	42	20	172	12
L2ERH2048BR	1547	1656	1766	29	29.5	48	20	179	12
L2ERH2054BR	1583	1707	1826	29	29.5	54	20	184	13
L2ERH2436BR	1528	1614	1702	29	29.5	36	24	151	12
L2ERH2442BR	1566	1668	1770	29	29.5	42	24	172	12
L2ERH2448BR	1607	1723	1836	29	29.5	48	24	179	13
L2ERH2454BR	1646	1776	1901	29	29.5	54	24	184	13

LICENCE RECEPTION DESKS

Technical Information

Technical Information

Reception Desk:

All desks are shipped KD.

Centre desk reception transaction top is available in "LP", "B" or "W" thickness to

match the thickness and profile of worksurface edge.

All other exposed edges are banded with 3mm PVC.

Center unit is freestanding and can be connected on one or both sides with a return or bridge.

Bridge unit is connected to the centre unit to extend the return on either side.

This unit must be connected on both ends and nonhanded.

Left or right hand unit is designed to extend the centre unit. This unit must be connected on one end.

Can be used as a freestanding unit or connected with surrounding bridge or corner surround.

Comes with transaction top.

DESKS • GUIDELINES FOR ORDERING PRODUCT

CODES: The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

SPECIFICATION EXAMPLE OF A GALLERY RECEPTION DESK UNIT

PRODUCT CODE: L2GR66

L2 = New Licence G = Gallery R = Reception 66 = Size: Width

OPTIONS:

Top: LP - LP (Low Pressure Laminate) Thickness 1"


HP B - B Thickness 1 1/16" HP W - W Thickness 1 7/16"

Top Finish Laminate: Choose Colour

Top PVC Edging: Choose Colour

Chassis Laminate: Choose Colour

Chassis PVC Edging: Choose Colour



L2GR • Gallery Reception Desk



 Two grommets installed TL/TR.

PRODUCT CODE	FINISH Lp	R	w	SIZE/INCH H (LP/B)	ES H(W)	w	n	WEIGHT LBS	VOL FT ³
L2GR66	1686	2115	2353	42.315	42.750	66	25	149	15
L2GR72	1771	2238	2494	42.315	42.750	72	25	163	17
L2GR78	1858	2358	2639	42.315	42.750	78	25	166	18
L2GR84	1943	2479	2780	42.315	42.750	84	25	171	20
L2GR96	2117	2725	3067	42.315	42.750	96	25	178	23

L2GB • Gallery Bridge



PRODUCT **FINISH** WEIGHT · One grommet installed TC. SIZE/INCHES VOL CODE ΙP H(LP/B) H(W) LBS FT³ L2GB42 751 946 1029 41.315 41.315 42 25 79 10 41.315 41.315 41.315 41.315 12 13 L2GB48 819 1010 1101 48 86 L2GB54 889 1101 1209 54 957 41.315 41.315 60 25 L2GB60 1191 1306 101 14

L2GR-L • Gallery Left Return



FINISH • One grommet installed TC. **PRODUCT** SIZE/INCHES WEIGHT VOL H(LP/B) H(W) LBS FT³ 994 840 1064 25 90 9 L2GR36L 41.315 41.315 36 25 25 910 1084 42 97 L2GR42L 1170 41.315 41.315 L2GR48L 977 1176 1272 41.315 41.315 48 106 13 L2GR54L 1046 1265 1376 41.315 41.315 54 25 14 L2GR60L 1115 1355 1478 41.315 41.315 60 132 16

L2GR-R • Gallery Right Return



PRODUCT FINISH VOL One grommet installed TC. SIZE/INCHES WEIGHT CODE H(LP/B) H(W) LBS FT³ 994 840 1064 L2GR36R 41.315 41.315 36 25 90 9 1084 25 25 L2GR42R 910 1170 41.315 41.315 42 97 L2GR48R 977 1176 1272 41.315 41.315 48 106 13 L2GR54R 1046 1265 1376 41.315 41.315 54 119 14

1355

1115

L2GD • Gallery Desk Decorative Panel



Front



Back

· To be used in conjunction with a 66", 72" or 84" rectangular desk shell.

Decorative Panel is high pressure laminate.

ICI									
PRODUCT	FINISH	_		SIZE/INCHES			WEIGHT	VOL	
CODE	LP	В	W	H (LP/B)	H (W)	W D	LBS	FT ³	
L2GD66	2077	2257	2450	42.315	42.750	68.25 12	99	20	
L2GD72	2358	2564	2789	42.315	42.750	74.25 12	113	22	
L2GD84	2531	2762	3007	42.315	42.750	86.25 12	117	25	

41.315 41.315

1478

L2GDP • Gallery Desk with Pigeon Holes and Decorative Panel · To be used in conjunc-

L2GR60R



Front



Back

- tion with a 66", 72" or 84" rectangular desk shell. Decorative Panel is high pressure laminate.
- COI L2

RODUCT	FINISH			SIZE/INCHE	S			WEIGHT	VOL
DDE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
2GDP66	2195	2391	2590	42.315	42.750	68.25	12	99	20
2GDP72	2451	2721	2951	42.315	42.750	74.25	12	113	22
2GDP84	2639	2940	3197	42.315	42.750	86.25	12	117	25

L2GRKIT • Reception Kit Gallery



 Unit to be placed on L2DR or L2CRS Desk Shell

PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2GRKIT36H36	555	588	610	18.37	18.75	36	12	68	1.50
L2GRKIT42H36	606	639	671	18.37	18.75	42	12	79	1.75
L2GRKIT48H36	659	705	733	18.37	18.75	48	12	90	2.00
L2GRKIT54H36	711	760	795	18.37	18.75	54	12	101	2.25
L2GRKIT60H36	763	820	857	18.37	18.75	60	12	113	2.50
L2GRKIT36H42	616	675	700	24.37	24.75	36	12	68	1.50
L2GRKIT42H42	678	748	772	24.37	24.75	42	12	79	1.75
L2GRKIT48H42	740	816	849	24.37	24.75	48	12	90	2.00
L2GRKIT54H42	800	894	950	24.37	24.75	54	12	101	2.25
L2GRKIT60H42	863	961	1000	24.37	24.75	60	12	113	2.50

16

Technical Information

- · All Desks and connecting shells are Shipped knocked down (KD).
- All connecting units must be connected to an adjoining worksurface where there is either no end gable or a narrow gable with flat brackets.
- · Gables & partial gables are interchangeable.
- · All bottom edges are edge banded.

 Each shell allows for grommet (BG5) to be specified at no upcharge. Please see general information (Section A) for location.

DESKS • GUIDELINES FOR ORDERING PRODUCT

CODES: The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

SPECIFICATION EXAMPLE OF A DESK UNIT

PRODUCT CODE: L2DR3060

L2 = New Licence D = Desk R = Rectangular


3060 = Size: Depth x Width

OPTIONS:

Top: LP - LP (Low Pressure Laminate) Thickness 1"

HP B - B Thickness 1 1/16" HP W - W Thickness 1 7/16"

Top Finish Laminate: Choose Colour Top PVC Edging: Choose Colour Chassis Laminate: Choose Colour Chassis PVC Edging: Choose Colour



SPECIFICATION EXAMPLE OF A CONNECTING RETURN UNIT

PRODUCT CODE: L2RCH2030R

L2 = New Licence R = Return C = Connecting H = Half Back Panel 2030 = Size: Depth x Width R = Connecting on Right

OPTIONS:


Top: LP - LP (Low Pressure Laminate) Thickness 1"

HP B - B Thickness 1 1/16" HP W - W Thickness 1 7/16"

Top Finish Laminate: Choose Colour Top PVC Edging: Choose Colour Chassis Laminate: Choose Colour Chassis PVC Edging: Choose Colour




L2DR • Rectangular Desk, Recessed Modesty• All recessed modesties are **PRODUCT**



inset 6" from the visitor edge.

u Moncell									
PRODUCT	FINISH			SIZE/INCI	IES		WEIGHT	VOL	
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2DR3060	1095	1338	1504	29	29.5	60	30	136	6
L2DR3066	1153	1418	1598	29	29.5	66	30	145	7
L2DR3072	1211	1495	1691	29	29.5	72	30	155	7
L2DR3078	1268	1575	1783	29	29.5	78	30	175	9
L2DR3084	1335	1661	1888	29	29.5	84	30	185	10
L2DR3660	1221	1505	1695	29	29.5	60	36	155	7
L2DR3666	1284	1594	1802	29	29.5	66	36	165	9
L2DR3672	1346	1684	1906	29	29.5	72	36	176	9
L2DR3678	1408	1771	2013	29	29.5	78	36	197	11
L2DR3684	1479	1868	2125	29	29.5	84	36	208	12


L2DB • Bowfront Desk, Recessed Modesty • All recessed modesties are **PRODUCT**



inset 6" from the visitor edge.


PRODUCT	FINISH					WEIGHT	VOL		
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2DB3060	1169	1450	1650	29	29.5	60	36	155	7
L2DB3066	1230	1540	1755	29	29.5	66	36	165	9
L2DB3072	1294	1629	1861	29	29.5	72	36	176	9
L2DB3078	1356	1720	1968	29	29.5	78	36	197	11
L2DB3084	1429	1815	2080	29	29.5	84	36	208	12
L2DB3660	1294	1618	1844	29	29.5	60	42	155	7
L2DB3666	1362	1720	1961	29	29.5	66	42	165	9
L2DB3672	1430	1815	2077	29	29.5	72	42	176	9
L2DB3678	1500	1915	2192	29	29.5	78	42	197	11
L2DB3684	1575	2022	2319	29	29.5	84	42	208	12

L2CRS • Credenza Shell, Full End Gables on Both Sides and Flush Back



PRODUCT	FINISH			SIZE/INCH	HES	WEIGHT	VOL		
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2CRS2024	646	739	803	29	29.5	24	20	68	3
L2CRS2030	700	808	886	29	29.5	30	20	77	3
L2CRS2036	752	876	970	29	29.5	36	20	87	
L2CRS2042	804	949	1053	29	29.5	42	20	94	3
L2CRS2048	857	1018	1135	29	29.5	48	20	102	4
L2CRS2054	908	1089	1219	29	29.5	54	20	109	4
L2CRS2060	970	1170	1310	29	29.5	60	20	118	4
L2CRS2066	1024	1236	1392	29	29.5	66	20	127	6
L2CRS2072	1076	1308	1475	29	29.5	72	20	135	6
L2CRS2078	1128	1380	1558	29	29.5	78	20	151	7
L2CRS2084	1187	1457	1650	29	29.5	84	20	160	8
L2CRS2424	671	766	837	29	29.5	24	24	68	3
L2CRS2430	728	840	922	29	29.5	30	24	77	3
L2CRS2436	783	912	1010	29	29.5	36	24	87	3
L2CRS2442	836	986	1095	29	29.5	42	24	94	3
L2CRS2448	892	1059	1181	29	29.5	48	24	102	4
L2CRS2454	945	1132	1267	29	29.5	54	24	109	4
L2CRS2460	1010	1215	1364	29	29.5	60	24	118	4
L2CRS2466	1064	1289	1448	29	29.5	66	24	127	6
L2CRS2472	1119	1358	1536	29	29.5	72	24	135	6
L2CRS2478	1173	1434	1619	29	29.5	78	24	151	6 7
L2CRS2484	1234	1515	1716	29	29.5	84	24	160	8
L2CRS3030	798	928	1022	29	29.5	30	30	90	3
L2CRS3036	854	1010	1118	29	29.5	36	30	99	3
L2CRS3042	912	1089	1211	29	29.5	42	30	109	4
L2CRS3048	970	1181	1305	29	29.5	48	30	119	4
L2CRS3054	1027	1248	1398	29	29.5	54	30	127	6
L2CRS3060	1095	1338	1504	29	29.5	60	30	136	6
L2CRS3066	1153	1418	1598	29	29.5	66	30	145	7
L2CRS3072	1211	1495	1691	29	29.5	72	30	155	7
L2CRS3078	1268	1575	1783	29	29.5	78	30	175	9
L2CRS3084	1335	1661	1888	29	29.5	84	30	185	10

L2CRSH · Credenza Shell, Flush Back, Cut Out Modesty, Full End Gables on Both Sides




PRODUCT	FINISH	,,		SIZE/INCH	IES	WEIGHT	VOL		
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2CRSH2030	626	729	811	29	29.5	30	20	77	3
L2CRSH2036	668	787	878	29	29.5	36	20	87	3
L2CRSH2042	703	841	949	29	29.5	42	20	94	3
L2CRSH2048	743	898	1015	29	29.5	48	20	102	4
L2CRSH2054	781	954	1084	29	29.5	54	20	109	4
L2CRSH2060	829	1018	1161	29	29.5	60	20	118	4
L2CRSH2066	867	1073	1229	29	29.5	66	20	127	6
L2CRSH2072	907	1130	1297	29	29.5	72	20	135	6
L2CRSH2078	944	1184	1366	29	29.5	78	20	151	7
L2CRSH2084	992	1251	1442	29	29.5	84	20	160	88
L2CRSH2430	649	773	844	29	29.5	30	24	77	3
L2CRSH2436	691	819	914	29	29.5	36	24	87	3
L2CRSH2442	733	874	984	29	29.5	42	24	94	3
L2CRSH2448	771	932	1056	29	29.5	48	24	102	4
L2CRSH2454	811	992	1128	29	29.5	54	24	109	4
L2CRSH2460	860	1059	1210	29	29.5	60	24	118	4
L2CRSH2466	902	1116	1278	29	29.5	66	24	127	6
L2CRSH2472	941	1176	1349	29	29.5	72	24	135	6
L2CRSH2478	981	1232	1423	29	29.5	78	24	151	7
L2CRSH2484	1030	1300	1501	29	29.5	84	24	160	8
L2CRSH3030	724	853	945	29	29.5	30	30	90	3
L2CRSH3036	766	918	1026	29	29.5	36	30	99	3
L2CRSH3042	813	982	1105	29	29.5	42	30	109	4
L2CRSH3048	857	1048	1184	29	29.5	48	30	119	4
L2CRSH3054	900	1113	1264	29	29.5	54	30	127	6
L2CRSH3060	944	1177	1345	29	29.5	60	30	139	6
L2CRSH3066	986	1245	1425	29	29.5	66	30	145	7
L2CRSH3072	1031	1308	1504	29	29.5	72	30	155	7
L2CRSH3078	1076	1376	1583	29	29.5	78	30	175	9
L2CRSH3084	1119	1437	1661	29	29.5	84	30	185	10




L2RC-R · Return	, Connecting Righ	it, Full Gable	on Rig	ght an	d Narr	ow Ga	ble on	Left			
	Units are non-handed. They	PRODUCT	FINISH	-		SIZE/INCH				WEIGHT	VOL
	can be configured as either	CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
\wedge	lefts or rights.	L2RC2024R	606	697	762	29	29.5	24	20	64	3
		L2RC2030R	663	768	851	29	29.5	30	20	69	3
		L2RC2036R	719	843	938	29	29.5	36	20	79	3
		L2RC2042R	776	918	1021	29	29.5	42	20	86	3
		L2RC2048R	832	992	1110	29	29.5	48	20	95	4
		L2RC2054R	886	1065	1194	29	29.5	54	20	102	4
7		L2RC2060R	957	1155	1297	29	29.5	60	20	110	4
		L2RC2066R	1015	1229	1385	29	29.5	66	20	119	6
		L2RC2072R	1076	1308	1475	29	29.5	72	20	128	6
		L2RC2078R	1132	1383	1563	29	29.5	78	20	143	7
		L2RC2084R	1187	1454	1650	29	29.5	84	20	152	8
		L2RC2424R	631	724	794	29	29.5	24	24	64	3
		L2RC2430R	691	799	883	29	29.5	30	24	69	3
		L2RC2436R	749	876	973	29	29.5	36	24	79	3
		L2RC2442R	806	954	1063	29	29.5	42	24	86	3
		L2RC2448R	865	1030	1155	29	29.5	48	24	95	4
		L2RC2454R	922	1110	1245	29	29.5	54	24	102	4
		L2RC2460R	998	1203	1349	29	29.5	60	24	110	4
		L2RC2466R	1056	1278	1441	29	29.5	66	24	119	6
		L2RC2472R	1119	1358	1536	29	29.5	72	24	128	6
		L2RC2478R	1176	1436	1624	29	29.5	78	24	143	7
		L2RC2484R	1234	1515	1715	29	29.5	84	24	152	88
		L2RC3030R	752	881	976	29	29.5	30	30	83	8
		L2RC3036R	813	965	1073	29	29.5	36	30	91	3
		L2RC3042R	874	1049	1172	29	29.5	42	30	101	4
		L2RC3048R	937	1132	1268	29	29.5	48	30	111	4
		L2RC3054R	998	1215	1366	29	29.5	54	30	119	6
		L2RC3060R	1073	1313	1483	29	29.5	60	30	129	6
		L2RC3066R	1135	1396	1578	29	29.5	66	30	138	7
		L2RC3072R	1203	1486	1683	29	29.5	72	30	147	7
		L2RC3078R	1267	1569	1880	29	29.5	78	30	167	9
		L2RC3084R	1326	1652	1984	29	29.5	84	30	177	10
		L2RC3660R	1161	1445	1634	29	29.5	60	36	145	7
		L2RC3666R	1229	1537	1743	29	29.5	66	36	157	9
		L2RC3672R	1300	1636	1857	29	29.5	72	36	169	9
		L2RC3678R	1367	1727	1968	29	29.5	78	36	190	11
		L2RC3684R	1432	1819	2077	29	29.5	84	36	201	12
					_0.,			· ·			

L2RCH-R • Half Modesty Return, Connecting Right, Full Gable on Right and Narrow Gable on Left • Units are non-handed. They PRODUCT FINISH SIZE/INCHES WEIGH



Units are non-handed. They can be configured as either lefts or rights.

PRODUCT	FINISH		•	SIZE/INC	HES	WEIGHT	VOL		
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2RCH2024R	539	643	713	29	29.5	24	20	55	3
L2RCH2030R	579	703	784	29	29.5	30	20	57	3
L2RCH2036R	621	763	857	29	29.5	36	20	65	3
L2RCH2042R	659	819	929	29	29.5	42	20	69	3
L2RCH2048R	700	880	999	29	29.5	48	20	76	4
L2RCH2054R	741	938	1070	29	29.5	54	20	81	4
L2RCH2060R	794	1014	1162	29	29.5	60	20	86	4
L2RCH2066R	836	1070	1230	29	29.5	66	20	92	6
L2RCH2072R	878	1138	1308	29	29.5	72	20	99	6
L2RCH2078R	918	1196	1342	29	29.5	78	20	112	7
L2RCH2084R	960	1254	1454	29	29.5	84	20	119	8
L2RCH2424R	558	843	741	29	29.5	24	24	56	3
L2RCH2430R	600	729	815	29	29.5	30	24	57	3
L2RCH2436R	644	792	891	29	29.5	36	24	65	3
L2RCH2442R	686	853	966	29	29.5	42	24	69	3
L2RCH2448R	728	913	1041	29	29.5	48	24	76	4
L2RCH2454R	768	976	1113	29	29.5	54	24	81	4
L2RCH2460R	829	1054	1208	29	29.5	60	24	86	4
L2RCH2466R	869	1113	1280	29	29.5	66	24	92	6
L2RCH2472R	914	1180	1360	29	29.5	72	24	99	6
L2RCH2478R	956	1245	1436	29	29.5	78	24	112	7
L2RCH2484R	998	1305	1511	29	29.5	84	24	119	8
L2RCH3030R	668	817	913	29	29.5	30	30	77	3
L2RCH3036R	712	886	998	29	29.5	36	30	83	3
L2RCH3042R	757	954	1081	29	29.5	42	30	87	4
L2RCH3048R	804	1024	1166	29	29.5	48	30	92	4
L2RCH3054R	851	1091	1251	29	29.5	54	30	98	6
L2RCH3060R	911	1176	1349	29	29.5	60	30	105	6 7
L2RCH3066R	956	1248	1432	29	29.5	66	30	111	
L2RCH3072R	1005	1317	1520	29	29.5	72	30	119	7
L2RCH3078R	1052	1387	1694	29	29.5	78	30	136	9
L2RCH3084R	1097	1454	1780	29	29.5	84	30	144	10
L2RCH3660R	998	1310	1456	29	29.5	60	36	123	7
L2RCH3666R	1049	1389	1601	29	29.5	66	36	129	9
L2RCH3672R	1102	1473	1701	29	29.5	72	36	141	9
L2RCH3678R	1155	1550	1797	29	29.5	78	36	154	11
L2RCH3684R	1207	1561	1891	29	29.5	84	36	162	12



L2RC-L · Return	Connecting Left,	Full Gable o	n Left	and N	arrow	Gable	on Ri	ght			
	 Units are non-handed. They 		FINISH			SIZE/INCH		9		WEIGHT	VOL
•	can be configured as either	CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	lefts or rights.	L2RC2024L	606	697	762	29	29.5	24	20	64	3
	<u> </u>	L2RC2030L	663	768	851	29	29.5	30	20	69	3
		L2RC2036L	719	843	938	29	29.5	36	20	79	3
		L2RC2042L	776	918	1021	29	29.5	42	20	86	3
		L2RC2048L	832	992	1110	29	29.5	48	20	95	4
		L2RC2054L	886	1065	1194	29	29.5	54	20	102	4
7		L2RC2060L	957	1155	1297	29	29.5	60	20	110	4
		L2RC2066L	1015	1229	1385	29	29.5	66	20	119	6
		L2RC2072L	1076	1308	1475	29	29.5	72	20	128	6
		L2RC2078L	1132	1383	1563	29	29.5	78	20	143	7
		L2RC2084L	1187	1454	1650	29	29.5	84	20	152	8
		L2RC2424L	631	724	794	29	29.5	24	24	64	3
		L2RC2430L	691	799	883	29	29.5	30	24	69	3
		L2RC2436L	749	876	973	29	29.5	36	24	79	3
		L2RC2442L	806	954	1063	29	29.5	42	24	86	3
		L2RC2448L	865	1030	1155	29	29.5	48	24	95	4
		L2RC2454L	922	1110	1245	29	29.5	54	24	102	4
		L2RC2460L	998	1203	1385	29	29.5	60	24	110	4
		L2RC2466L	1056	1278	1441	29	29.5	66	24	119	6
		L2RC2472L	1119	1358	1536	29	29.5	72	24	128	6
		L2RC2478L	1177	1436	1624	29	29.5	78	24	143	7
		L2RC2484L	1234	1515	1715	29	29.5	84	24	152	8
		L2RC3030L	752	881	976	29	29.5	30	30	83	3
		L2RC3036L	813	965	1073	29	29.5	36	30	91	3
		L2RC3042L	874	1049	1172	29	29.5	42	30	101	4
		L2RC3048L	937	1132	1268	29	29.5	48	30	111	4
		L2RC3054L	998	1215	1366	29	29.5	54	30	119	6
		L2RC3060L	1073	1313	1483	29	29.5	60	30	129	6 7
		L2RC3066L	1135	1396	1578	29	29.5	66	30	138	-
		L2RC3072L	1203	1486	1683	29	29.5	72	30	147	7
		L2RC3078L	1263	1569	1880	29	29.5	78	30	167	9
		L2RC3084L	1326	1652	1984	29	29.5	84	30	177	10 7
		L2RC3660L	1161	1445	1634	29	29.5	60	36	145	
		L2RC3666L	1229	1537	1743	29	29.5	66	36	157	9
		L2RC3672L	1300	1636	1857	29	29.5	72 78	36	169	9
		L2RC3678L	1367	1727	1968	29	29.5		36	190	11
		L2RC3684L	1432	1819	2077	29	29.5	84	36	201	12


E

L2RCH-L • Half Modesty Return, Connecting Left, Full Gable on Left and Narrow Gable on Right • Units are non-handed. They PRODUCT FINISH SIZE/INCHES



Units are non-handed. They can be configured as either lefts or rights.


PRODUCT	FINISH			SIZE/INCHES				WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2RCH2024L	539	643	713	29	29.5	24	20	55	3
L2RCH2030L	579	703	784	29	29.5	30	20	57	3
L2RCH2036L	621	763	857	29	29.5	36	20	65	3
L2RCH2042L	659	819	929	29	29.5	42	20	69	3
L2RCH2048L	700	880	999	29	29.5	48	20	76	4
L2RCH2054L	741	938	1070	29	29.5	54	20	81	4
L2RCH2060L	794	1014	1162	29	29.5	60	20	86	4
L2RCH2066L	836	1070	1230	29	29.5	66	20	92	5
L2RCH2072L	878	1138	1308	29	29.5	72	20	99	5
L2RCH2078L	918	1196	1342	29	29.5	78	20	112	6
L2RCH2084L	960	1254	1454	29	29.5	84	20	119	7
L2RCH2424L	558	843	741	29	29.5	24	24	56	3
L2RCH2430L	600	729	815	29	29.5	30	24	57	3
L2RCH2436L	644	792	891	29	29.5	36	24	65	3
L2RCH2442L	686	853	966	29	29.5	42	24	69	3
L2RCH2448L	728	913	1041	29	29.5	48	24	76	4
L2RCH2454L	768	976	1113	29	29.5	54	24	81	4
L2RCH2460L	829	1054	1208	29	29.5	60	24	86	4
L2RCH2466L	869	1113	1280	29	29.5	66	24	92	5
L2RCH2472L	914	1180	1360	29	29.5	72	24	99	5
L2RCH2478L	956	1245	1436	29	29.5	78	24	112	6
L2RCH2484L	998	1305	1511	29	29.5	84	24	119	7
L2RCH3030L	668	817	913	29	29.5	30	30	77	3
L2RCH3036L	712	886	998	29	29.5	36	30	83	3
L2RCH3042L	757	954	1081	29	29.5	42	30	87	4
L2RCH3048L	804	1024	1166	29	29.5	48	30	92	4
L2RCH3054L	851	1091	1251	29	29.5	54	30	98	5
L2RCH3060L	911	1176	1349	29	29.5	60	30	105	5
L2RCH3066L	956	1248	1432	29	29.5	66	30	111	6
L2RCH3072L	1005	1317	1520	29	29.5	72	30	119	6
L2RCH3078L	1052	1387	1694	29	29.5	78	30	136	8
L2RCH3084L	1097	1454	1780	29	29.5	84	30	144	9
L2RCH3660L	998	1310	1456	29	29.5	60	36	123	6
L2RCH3666L	1049	1389	1601	29	29.5	66	36	129	8
L2RCH3672L	1102	1473	1701	29	29.5	72	36	141	8
L2RCH3678L	1155	1550	1797	29	29.5	78	36	154	10
L2RCH3684L	1207	1561	1891	29	29.5	84	36	162	11



w Gables o	n Rotu	Sides	5						
PRODUCT	FINISH			SIZE/INCI	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2RC2024C	539	626	692	29	29.5	24	20	56	3
L2RC2030C	595	671	749	29	29.5	30	20	62	3
L2RC2036C	649	741	832	29	29.5	36	20	72	3
L2RC2042C	707	811	912	29	29.5	42	20	78	3
L2RC2048C	762	881	995	29	29.5	48	20	87	4
L2RC2054C	819	950	1076	29	29.5	54	20	95	4
L2RC2060C	892	1036	1173	29	29.5	60	20	102	4
L2RC2066C	949	1105	1257	29	29.5	66	20	111	6
L2RC2072C	1008	1180	1343	29	29.5	72	20	120	6
L2RC2078C	1064	1251	1425	29	29.5	78	20	135	7
L2RC2084C	1119	1319	1507	29	29.5	84	20	144	8
L2RC2424C	562	649	719	29	29.5	24	24	56	3
L2RC2430C	621	698	781	29	29.5	30	24	62	3
L2RC2436C	679	771	865	29	29.5	36	24	72	3
L2RC2442C	736	843	950	29	29.5	42	24	78	3
L2RC2448C	794	916	1035	29	29.5	48	24	87	4
L2RC2454C	853	989	1119	29	29.5	54	24	95	4
L2RC2460C	925	1078	1221	29	29.5	60	24	102	4
L2RC2466C	984	1151	1305	29	29.5	66	24	111	6
L2RC2472C	1049	1226	1396	29	29.5	72	24	120	6 7
L2RC2478C	1107	1300	1483	29	29.5	78	24	135	
L2RC2484C	1166	1373	1566	29	29.5	84	24	144	8
L2RC3030C	696	820	914	29	29.5	30	30	75	
L2RC3036C	754	903	1011	29	29.5	36	30	84	3
L2RC3042C	815	986	1111	29	29.5	42	30	94	4
L2RC3048C	876	1021	1155	29	29.5	48	30	103	4
L2RC3054C	940	1101	1247	29	29.5	54	30	116	6
L2RC3060C	1015	1196	1354	29	29.5	60	30	121	6
L2RC3066C	1078	1272	1446	29	29.5	66	30	130	
L2RC3072C	1143	1356	1545	29	29.5	72	30	140	7
L2RC3078C	1207	1436	1637	29	29.5	78	30	160	9
L2RC3084C	1267	1512	1731	29	29.5	84	30	169	10




L2RCH-C • Half Modesty Return, Connecting Narrow Gables on Both Sides




PRODUCT	FINISH	Gabie		SIZE/INCH	IES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2RCH2024C	471	554	622	29	29.5	24	20	46	3
L2RCH2030C	513	612	691	29	29.5	30	20	50	3
L2RCH2036C	551	670	739	29	29.5	36	20	57	3
L2RCH2042C	592	725	832	29	29.5	42	20	62	3
L2RCH2048C	633	784	900	29	29.5	48	20	68	4
L2RCH2054C	649	840	970	29	29.5	54	20	74	4
L2RCH2060C	707	914	1057	29	29.5	60	20	78	4
L2RCH2066C	749	970	1127	29	29.5	66	20	85	6
L2RCH2072C	792	1031	1199	29	29.5	72	20	91	6
L2RCH2078C	832	1090	1270	29	29.5	78	20	105	7
L2RCH2084C	873	1145	1342	29	29.5	84	20	111	8
L2RCH2424C	491	577	646	29	29.5	24	24	46	3
L2RCH2430C	534	637	719	29	29.5	30	24	50	3
L2RCH2436C	576	696	792	29	29.5	36	24	57	3
L2RCH2442C	617	754	865	29	29.5	42	24	62	3
L2RCH2448C	658	815	938	29	29.5	48	24	68	4
L2RCH2454C	679	874	1010	29	29.5	54	24	74	4
L2RCH2460C	736	950	1099	29	29.5	60	24	78	4
L2RCH2466C	778	1010	1172	29	29.5	66	24	85	6
L2RCH2472C	824	1073	1248	29	29.5	72	24	91	6
L2RCH2478C	865	1134	1319	29	29.5	78	24	105	7
L2RCH2484C	907	1191	1392	29	29.5	84	24	111	88
L2RCH3030C	608	734	829	29	29.5	30	30	72	3
L2RCH3036C	655	775	907	29	29.5	36	30	80	3
L2RCH3042C	700	865	986	29	29.5	42	30	85	4
L2RCH3048C	746	932	1069	29	29.5	48	30	90	4
L2RCH3054C	792	999	1151	29	29.5	54	30	95	6
L2RCH3060C	853	1081	1248	29	29.5	60	30	97	6
L2RCH3066C	898	1148	1332	29	29.5	66	30	103	7
L2RCH3072C	949	1221	1418	29	29.5	72	30	111	7
L2RCH3078C	994	1289	1452	29	29.5	78	30	129	9
L2RCH3084C	1038	1353	1577	29	29.5	84	30	136	10

L2RCS • Return Connecting Swerve Left




e Left									
PRODUCT	FINISH			SIZE/INCH	ES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2RCS243018	729	840	977	29	29.5	30	24	70	2
L2RCS243618	787	914	1064	29	29.5	36	24	79	3
L2RCS244218	841	989	1151	29	29.5	42	24	88	3
L2RCS244818	898	1060	1234	29	29.5	48	24	97	4
L2RCS245418	954	1135	1321	29	29.5	54	24	106	4
L2RCS246018	1026	1225	1426	29	29.5	60	24	114	4
L2RCS303024	795	928	1135	29	29.5	30	30	81	3
L2RCS303624	857	1011	1176	29	29.5	36	30	91	3
L2RCS304224	918	1095	1273	29	29.5	42	30	109	4
L2RCS304824	979	1177	1372	29	29.5	48	30	119	4
L2RCS305424	1040	1262	1469	29	29.5	54	30	127	6
L2RCS306024	1102	1344	1566	29	29.5	60	30	136	6

L2RCS • Return Connecting Swerve Right




FINISH			SIZE/INCH	IES			WEIGHT	VOL	
LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
729	840	977	29	29.9	30	24	70	2	l
787	914	1063	29	29.5	36	24	79	3	
841	989	1151	29	29.5	42	24	88	3	
898	1062	1234	29	29.5	48	24	97	4	
954	1135	1321	29	29.5	54	24	106	4	
1026	1225	1426	29	29.5	60	24	114	4	
795	928	1078	29	29.5	30	30	81	3	l
857	1011	1176	29	29.5	36	30	91	3	
918	1095	1273	29	29.5	42	30	109	4	
979	1177	1372	29	29.5	48	30	119	4	
1040	1262	1469	29	29.5	54	30	127	6	
1102	1344	1566	29	29.5	60	30	136	6	
	729 787 841 898 954 1026 795 857 918 979 1040	P 8 729 840 787 914 841 989 898 1062 954 1135 1026 1225 795 928 857 1011 918 1095 979 1177 1040 1262	P B W 729 840 977 787 914 1063 841 989 1151 898 1062 1234 954 1135 1321 1026 1225 1426 795 928 1078 857 1011 1176 918 1095 1273 979 1177 1372 1040 1262 1469	P B W H(IP)B	LP B W H(LP/B) H(W) 729 840 977 29 29.9 787 914 1063 29 29.5 841 989 1151 29 29.5 898 1062 1234 29 29.5 954 1135 1321 29 29.5 795 928 1078 29 29.5 795 928 1078 29 29.5 857 1011 1176 29 29.5 918 1095 1273 29 29.5 979 1177 1372 29 29.5 1040 1262 1469 29 29.5	IP B W H(IP B) H(W) W 729 840 977 29 29.9 30 787 914 1063 29 29.5 36 841 989 1151 29 29.5 42 898 1062 1234 29 29.5 48 954 1135 1321 29 29.5 54 1026 1225 1426 29 29.5 60 795 928 1078 29 29.5 30 857 1011 1176 29 29.5 36 918 1095 1273 29 29.5 42 979 1177 1372 29 29.5 48 1040 1262 1469 29 29.5 54	IP B W H(IP/B) H(W) W D 729 840 977 29 29.9 30 24 787 914 1063 29 29.5 36 24 841 989 1151 29 29.5 42 24 898 1062 1234 29 29.5 48 24 954 1135 1321 29 29.5 54 24 1026 1225 1426 29 29.5 60 24 795 928 1078 29 29.5 30 30 857 1011 1176 29 29.5 36 30 918 1095 1273 29 29.5 42 30 979 1177 1372 29 29.5 54 30 1040 1262 1469 29 29.5 54 30	IP B W H(IP/B) H(W) W D LBS 729 840 977 29 29.9 30 24 70 787 914 1063 29 29.5 36 24 79 841 989 1151 29 29.5 42 24 88 898 1062 1234 29 29.5 48 24 97 954 1135 1321 29 29.5 54 24 106 1026 1225 1426 29 29.5 60 24 114 795 928 1078 29 29.5 30 30 81 857 1011 1176 29 29.5 36 30 91 918 1095 1273 29 29.5 42 30 109 979 1177 1372 29 29.5 48 30 119	LP B W H(LP B) H(W) W D LBS FT³ 729 840 977 29 29.9 30 24 70 2 787 914 1063 29 29.5 36 24 79 3 841 989 1151 29 29.5 42 24 88 3 898 1062 1234 29 29.5 48 24 97 4 954 1135 1321 29 29.5 54 24 106 4 1026 1225 1426 29 29.5 60 24 114 4 795 928 1078 29 29.5 30 30 81 3 857 1011 1176 29 29.5 36 30 91 3 918 1095 1273 29 29.5 42 30 109 4 </td

L2RCSH • Return Connecting Swerve Left with Half Modesty Panel




AC FCIT MITTILL	ali ivi	UUCS	Ly I al						
PRODUCT	FINISH		-,	SIZE/INCH	IES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2RCSH243018	646	752	891	29	29.5	30	24	61	2
L2RCSH243618	686	808	957	29	29.5	36	24	65	3
L2RCSH244218	725	867	1027	29	29.5	42	24	72	3
L2RCSH244818	766	923	1099	29	29.5	48	24	77	4
L2RCSH245418	806	981	1169	29	29.5	54	24	84	4
L2RCSH246018	862	1056	1256	29	29.5	60	24	90	4
L2RCSH303024	711	840	992	29	29.5	30	30	78	3
L2RCSH303624	756	907	1072	29	29.5	36	30	88	3
L2RCSH304224	802	1004	1153	29	29.5	42	30	105	4
L2RCSH304824	848	1040	1232	29	29.5	48	30	114	4
L2RCSH305424	895	1107	1313	29	29.5	54	30	121	5
L2RCSH306024	940	1184	1394	29	29.5	60	30	130	5

L2RCSH • Return Connecting Swerve Right with Half Modesty Panel




ve Rigiil willi	пан	woue	SLV Pa	mei						
PRODUCT	FINISH		,	SIZE/INCH	IES			WEIGHT	VOL	
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³	
L2RCSH183024	646	752	891	29	29.5	30	24	61	2	
L2RCSH183624	686	808	957	29	29.5	36	24	65	3	
L2RCSH184224	725	867	1027	29	29.5	42	24	72	3	
L2RCSH184824	766	923	1099	29	29.5	48	24	77	4	
L2RCSH185424	806	981	1169	29	29.5	54	24	84	4	
L2RCSH186024	862	1056	1256	29	29.5	60	24	90	4	
L2RCSH243030	711	840	992	29	29.5	30	30	78	3	
L2RCSH243630	756	907	1072	29	29.5	36	30	88	3	
L2RCSH244230	802	1004	1153	29	29.5	42	30	105	4	
L2RCSH244830	848	1040	1232	29	29.5	48	30	114	4	
L2RCSH245430	895	1107	1313	29	29.5	54	30	121	6	
L2RCSH246030	940	1184	1394	29	29.5	60	30	130	6	

L2RCW • Return Connecting Wedge




е	Left									
	PRODUCT	FINISH			SIZE/INCHE	S			WEIGHT	VOL
	CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	L2RCW243018	729	840	977	29	29.5	30	24	70	2
	L2RCW243618	787	914	1063	29	29.5	36	24	79	3
	L2RCW244218	841	989	1151	29	29.5	42	24	88	3
	L2RCW244818	898	1060	1234	29	29.5	48	24	97	4
	L2RCW245418	954	1135	1321	29	29.5	54	24	106	4
	L2RCW246018	1026	1225	1426	29	29.5	60	24	114	4
	L2RCW303024	795	928	1078	29	29.5	30	30	81	3
	L2RCW303624	857	1011	1176	29	29.5	36	30	91	3
	L2RCW304224	918	1095	1272	29	29.5	42	30	109	4
	L2RCW304824	981	1177	1373	29	29.5	48	30	119	4
	L2RCW305424	1040	1261	1470	29	29.5	54	30	127	6
	L2RCW306024	1102	1345	1566	29	29.5	60	30	136	6

L2RCW • Return Connecting Wedge




e	Right									
	PRODUCT	FINISH			SIZE/INCHES	S			WEIGHT	VOL
	CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
	L2RCW183024	729	840	976	29	29.5	30	24	70	2
	L2RCW183624	787	914	1063	29	29.5	36	24	79	3
	L2RCW184224	841	989	1150	29	29.5	42	24	88	3
	L2RCW184824	898	1060	1234	29	29.5	48	24	97	4
	L2RCW185424	954	1135	1321	29	29.5	54	24	106	4
	L2RCW186024	1026	1225	1426	29	29.5	60	24	114	4
	L2RCW243030	795	928	1078	29	29.5	30	30	81	3
	L2RCW243630	857	1011	1176	29	29.5	36	30	91	3
	L2RCW244230	918	1095	1272	29	29.5	42	30	109	4
	L2RCW244830	981	1177	1373	29	29.5	48	30	119	4
	L2RCW245430	1040	1261	1470	29	29.5	54	30	127	6
	L2RCW246030	1102	1345	1566	29	29.5	60	30	136	6

L2RCWH • Return Connecting Wedge Left with Half Modesty




PRODUCT	FINISH		- 7	SIZE/INCH	ES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2RCWH243018	646	752	891	29	29.5	30	24	61	2
L2RCWH243618	686	808	957	29	29.5	36	24	65	3
L2RCWH244218	725	867	1027	29	29.5	42	24	72	3
L2RCWH244818	766	923	1099	29	29.5	48	24	77	4
L2RCWH245418	806	981	1169	29	29.5	54	24	84	4
L2RCWH246018	862	1056	1256	29	29.5	60	24	90	4
L2RCWH303024	711	840	992	29	29.5	30	30	78	3
L2RCWH303624	756	907	1072	29	29.5	36	30	88	3
L2RCWH304224	802	972	1153	29	29.5	42	30	105	4
L2RCWH304824	848	1040	1232	29	29.5	48	30	114	4
L2RCWH305424	895	1107	1313	29	29.5	54	30	121	6
L2RCWH306024	940	1173	1394	29	29.5	60	30	130	6

L2RCWH • Return Connecting Wedge Right with Half Modesty




C	je Right with I	Hait i	Modes	stv						
~	PRODUCT	FINISH		,	SIZE/INCHE	S			WEIGHT	VOL
	CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	L2RCWH183024	646	752	891	29	29.5	30	24	61	2
	L2RCWH183624	686	808	957	29	29.5	36	24	65	3
	L2RCWH184224	725	867	1027	29	29.5	42	24	72	3
	L2RCWH184824	766	923	1099	29	29.5	48	24	77	4
	L2RCWH185424	806	981	1169	29	29.5	54	24	84	4
	L2RCWH186024	862	1056	1256	29	29.5	60	24	90	4
	L2RCWH243030	711	840	992	29	29.5	30	30	78	3
	L2RCWH243630	756	907	1072	29	29.5	36	30	88	3
	L2RCWH244230	802	972	1153	29	29.5	42	30	105	4
	L2RCWH244830	848	1040	1232	29	29.5	48	30	114	4
	L2RCWH245430	895	1107	1313	29	29.5	54	30	121	6
	L2RCWH246030	940	1173	1394	29	29.5	60	30	130	6

L2ER-L • Executive Return Left



• Units are non-handed. They can be configured as either lefts or rights.


PRODUCT	FINISH	_		SIZE/INCHI			_	WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2ER2024L	484	567	633	29	29.5	24	20	25	3
L2ER2030L	541	642	719	29	29.5	30	20	29	3
L2ER2036L	600	722	816	29	29.5	36	20	32	3
L2ER2042L	665	804	911	29	29.5	42	20	35	3
L2ER2048L	722	876	998	29	29.5	48	20	37	4
L2ER2054L	778	952	1084	29	29.5	54	20	40	4
L2ER2060L	851	1040	1187	29	29.5	60	20	44	4
L2ER2066L	907	1115	1272	29	29.5	66	20	46	6
L2ER2072L	961	1188	1364	29	29.5	72	20	50	6
L2ER2424L	504	592	658	29	29.5	24	24	25	3
L2ER2430L	562	668	746	29	29.5	30	24	29	3
L2ER2436L	626	750	851	29	29.5	36	24	32	3
L2ER2442L	692	836	949	29	29.5	42	24	35	3
L2ER2448L	750	912	1036	29	29.5	48	24	37	4
L2ER2454L	808	989	1128	29	29.5	54	24	40	4
L2ER2460L	883	1081	1232	29	29.5	60	24	44	4
L2ER2466L	941	1161	1326	29	29.5	66	24	46	6
L2ER2472L	999	1237	1421	29	29.5	72	24	50	6



 Units are non-handed. They can be configured as either lefts or rights.

WEIGHT LBS 25	VOL FT ³
	FT ³
25	
	3
29	3
32	3
35	3
37	4
40	4
44	4
46	6
50	6
25	3
29	3
32	3
35	3
37	4
40	4
44	4
46	6
50	6
	32 35 37 40 44 46 50 25 29 32 35 37 40 44 46


L2ER-R • Executive Return Right



 Units are non-handed. They can be configured as either lefts or rights.

HT VOL
FT ³
3
3
3
3
4
4
4
6
6
3
3
3
3
4
4
4
6
6


L2ERH-R • Executive Return Right, Half Modesty



• Units are non-handed. They can be configured as either lefts or rights.


Hait Modesty									
PRODUCT	FINISH			SIZE/INCH	IES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2ERH2024R	419	497	562	29	29.5	24	20	45	3
L2ERH2030R	458	554	631	29	29.5	30	20	53	3
L2ERH2036R	601	625	719	29	29.5	36	20	62	3
L2ERH2042R	665	682	790	29	29.5	42	20	67	3
L2ERH2048R	722	741	860	29	29.5	48	20	77	4
L2ERH2054R	778	795	928	29	29.5	54	20	83	4
L2ERH2060R	851	870	1015	29	29.5	60	20	94	4
L2ERH2066R	905	925	1084	29	29.5	66	20	101	6
L2ERH2072R	961	984	1160	29	29.5	72	20	110	6
L2ERH2424R	433	517	584	29	29.5	24	24	45	3
L2ERH2430R	475	577	655	29	29.5	30	24	53	3
L2ERH2436R	530	648	749	29	29.5	36	24	62	3
L2ERH2442R	572	708	820	29	29.5	42	24	67	3
L2ERH2448R	615	768	895	29	29.5	48	24	77	4
L2ERH2454R	655	830	965	29	29.5	54	24	83	4
L2ERH2460R	712	903	1056	29	29.5	60	24	94	4
L2ERH2466R	754	964	1128	29	29.5	66	24	101	6
L2ERH2472R	795	1024	1208	29	29.5	72	24	110	6

L2B • Bridge with Flush Mounted Modesty




oaesty									
PRODUCT	FINISH			SIZE/INCH	ES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2B2024	334	409	476	29	29.5	24	20	39	2
L2B2030	389	482	563	29	29.5	30	20	42	3
L2B2036	449	563	658	29	29.5	36	20	68	3
L2B2042	506	637	745	29	29.5	42	20	77	3
L2B2048	562	711	832	29	29.5	48	20	86	4
L2B2054	619	787	918	29	29.5	54	20	94	4
L2B2424	347	426	496	29	29.5	24	24	39	2
L2B2430	405	502	588	29	29.5	30	24	44	3
L2B2436	469	584	684	29	29.5	36	24	68	3
L2B2442	525	663	776	29	29.5	42	24	77	3
L2B2448	584	741	865	29	29.5	48	24	86	4
L2B2454	642	816	954	29	29.5	54	24	94	4

L2BH • Bridge with Flush Mounted Half Modesty




Tali Mouesty									
PRODUCT	FINISH			SIZE/INCHES				WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2BH2024	265	339	406	29	29.5	24	20	36	2
L2BH2030	306	395	475	29	29.5	30	20	36	2
L2BH2036	351	460	554	29	29.5	36	20	54	3
L2BH2042	389	517	625	29	29.5	42	20	61	3
L2BH2048	431	572	692	29	29.5	48	20	66	4
L2BH2054	471	631	762	29	29.5	54	20	72	4
L2BH2424	276	352	422	29	29.5	24	24	36	2
L2BH2430	318	410	492	29	29.5	30	24	42	3
L2BH2436	365	476	577	29	29.5	36	24	54	3
L2BH2442	406	538	648	29	29.5	42	24	61	3
L2BH2448	447	595	722	29	29.5	48	24	66	4
L2BH2454	489	655	794	29	29.5	54	24	72	4

L2EC-R • Extended Corner Desk with 10" End Panel on Left, Full Modesty & Full Gable on Right




iv End Panei	OH L	41. EU	III IVIOC	iesty &	ruii G	abie (m Ri		
PRODUCT	FINISH	,		SIZE/INCHES				WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
For 20" Return Connec	tion								
L2EC20426030R	1385	1713	1945	29	29.5	60	42	187	8
L2EC20426630R	1452	1814	2065	29	29.5	66	42	209	9
L2EC20427230R	1522	1910	2180	29	29.5	72	42	231	10
L2EC20427830R	1591	2011	2295	29	29.5	78	42	253	11
L2EC20428430R	1657	2107	2414	29	29.5	84	42	275	12
For 24" Return Connec	tion								
L2EC24426030R	1385	1713	1945	29	29.5	60	42	187	8
L2EC24426630R	1452	1814	2065	29	29.5	66	42	209	9
L2EC24427230R	1522	1910	2180	29	29.5	72	42	231	10
L2EC24427830R	1591	2011	2295	29	29.5	78	42	253	11
L2EC24428430R	1657	2107	2414	29	29.5	84	42	275	12

L2EC-L • Extended Corner Desk with 10" End Panel on Right, Full Modesty & Full Gable on Left




PRODUCT	FINISH	,,		SIZE/INCHE		unic		WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
For 20" Return Conne	ction								
L2EC30604220L	1385	1713	1945	29	29.5	60	42	187	8
L2EC30664220L	1452	1814	2065	29	29.5	66	42	209	9
L2EC30724220L	1522	1910	2180	29	29.5	72	42	231	10
L2EC30784220L	1591	2011	2295	29	29.5	78	42	253	11
L2EC30844220L	1657	2107	2414	29	29.5	84	42	275	12
For 24" Return Conne	ction								
L2EC30604224L	1385	1713	1945	29	29.5	60	42	187	8
L2EC30664224L	1452	1814	2065	29	29.5	66	42	209	9
L2EC30724224L	1522	1910	2180	29	29.5	72	42	231	10
L2EC30784224L	1591	2011	2295	29	29.5	78	42	253	11
L2EC30844224L	1657	2107	2414	29	29.5	84	42	275	12

L2EC-R • Extended Corner Desk with 10" End Panel on Left. Full Modesty & Full Gable on Right




IV LIIU FAIICI	VIIL	CIL, IL	JII IYIU	ucsty o	t i uii t	Ganic	: UII N	IGIIL	
PRODUCT	FINISH	•		SIZE/ÍNCHI			WEIGHT	VOL	
CODE	LP	В	W	H (LP/B)	H (W)	W	_D	LBS	FT ³
For 20" Return Conect	ion								
L2EC20426024R	1354	1686	1918	29	29.5	60	42	187	8
L2EC20426624R	1425	1783	2034	29	29.5	66	42	209	9
L2EC20427224R	1491	1882	2150	29	29.5	72	42	231	10
L2EC20427824R	1561	1981	2266	29	29.5	78	42	253	11
L2EC20428424R	1630	2079	2386	29	29.5	84	42	275	12
For 24" Return Conect	ion								
L2EC24426024R	1354	1686	1918	29	29.5	60	42	187	8
L2EC24426624R	1425	1783	2034	29	29.5	66	42	209	9
L2EC24427224R	1491	1882	2150	29	29.5	72	42	231	10
L2EC24427824R	1561	1981	2266	29	29.5	78	42	253	11
L2EC24428424R	1630	2079	2386	29	29.5	84	42	275	12
L2EC20428424R For 24" Return Conect L2EC24426024R L2EC24426624R L2EC24427224R L2EC24427824R	1630 ion 1354 1425 1491 1561	2079 1686 1783 1882 1981	2386 1918 2034 2150 2266	29 29 29 29 29	29.5 29.5 29.5 29.5 29.5	60 66 72 78	42 42 42 42 42 42	275 187 209 231 253	8 9 10 11

L2EC-L • Extended Corner Desk with



10" End Panel	on Le	eft, Fu	III Mod	lesty &	Full G	iable :	on Kı	ght	
PRODUCT	FINISH	•		SIZE/INCHE				WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
For 20" Return Conect	ion								
L2EC24604220L	1354	1686	1918	29	29.5	60	42	187	8
L2EC24664220L	1425	1783	2034	29	29.5	66	42	209	9
L2EC24724220L	1491	1882	2150	29	29.5	72	42	231	10
L2EC24784220L	1561	1981	2266	29	29.5	78	42	253	11
L2EC24844220L	1630	2079	2386	29	29.5	84	42	275	12
For 24" Return Conect	ion								
L2EC24604224L	1354	1686	1918	29	29.5	60	42	187	8
L2EC24664224L	1425	1783	2034	29	29.5	66	42	209	9
L2EC24724224L	1491	1882	2150	29	29.5	72	42	231	10
L2EC24784224L	1561	1981	2266	29	29.5	78	42	253	11
L2EC24844224L	1630	2079	2386	29	29.5	84	42	275	12


L2DEC-R • Extended Corner Desk with 10" End Panel on Left, Full Modesty and Full Gable Right



· All recessed modesties are inset 6" from the visitor edge.

I IV LIWI GIICI				icsty di					
PRODUCT		SIZE/INCHE	- 9	WEIGHT	VOL				
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
For 20" Conection									
L2DEC20426030R	1402	1738	1974	29	29.5	60	42	187	8
L2DEC20426630R	1474	1839	2094	29	29.5	66	42	209	9
L2DEC20427230R	1545	1938	2213	29	29.5	72	42	231	10
L2DEC20427830R	1612	2040	2330	29	29.5	78	42	253	11
L2DEC20428430R	1683	2138	2447	29	29.5	84	42	275	12
For 24" Conection									
L2DEC24426030R	1402	1738	1974	29	29.5	60	42	187	8
L2DEC24426630R	1474	1839	2094	29	29.5	66	42	209	9
L2DEC24427230R	1545	1938	2213	29	29.5	72	42	231	10
L2DEC24427830R		2040	2330	29	29.5	78	42	253	11
L2DEC24428430R	1683	2138	2447	29	29.5	84	42	275	12

L2DEC-L • Extended Corner Desk with 10" End Panel on Right. Full Modesty and Full Gable Left




· All recessed modesties are inset 6" from the visitor edge.

i io Eliu Pallei oli i	TIUIIL. I	-uii ivi	ouestv	allu F	uli G	avie L	til	
PRODUCT FINISH			SIZE/INCI				WEIGHT	VOL
CODE LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
For 20" Conection								
L2DEC30604220L 1402	1738	1974	29	29.5	60	42	187	8
L2DEC30664220L 1474	1839	2094	29	29.5	66	42	209	9
L2DEC30724220L 1545	1938	2213	29	29.5	72	42	231	10
L2DEC30784220L 1612	2040	2330	29	29.5	78	42	253	11
L2DEC30844220L 1683	2138	2447	29	29.5	84	42	275	12
For 24" Conection								
L2DEC30604224L 1402	1738	1974	29	29.5	60	42	187	8
L2DEC30664224L 1474	1839	2094	29	29.5	66	42	209	9
L2DEC30724224L 1545	1938	2213	29	29.5	72	42	231	10
L2DEC30784224L 1612	2040	2330	29	29.5	78	42	253	11
L2DEC30844224L 1683	2138	2447	29	29.5	84	42	275	12




L2DEC-R • Extended Corner Desk with 10" End Panel on Left, Full Modesty and Full Gable Right



 All recessed modesties are inset 6" from the visitor edge.

PRODUCT	FINISH	,		SIZE/INCHE			9	WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
For 20" Conection									
L2DEC20426024R	1377	1710	1944	29	29.5	60	42	187	8
L2DEC20426624R	1443	1810	2063	29	29.5	66	42	209	9
L2DEC20427224R	1513	1909	2182	29	29.5	72	42	231	10
L2DEC20427824R	1586	2011	2301	29	29.5	78	42	253	11
L2DEC20428424R	1652	2110	2420	29	29.5	84	42	275	12
For 24" Conection									
L2DEC24426024R	1377	1710	1944	29	29.5	60	42	187	8
L2DEC24426624R	1443	1810	2063	29	29.5	66	42	209	9
L2DEC24427224R	1513	1909	2182	29	29.5	72	42	231	10
L2DEC24427824R	1586	2011	2301	29	29.5	78	42	253	11
L2DEC24428424R	1652	2110	2420	29	29.5	84	42	275	12


L2DEC-L • Extended Corner Desk with 10" End Panel on Right, Full Modesty and Full Gable Left



 All recessed modesties are inset 6" from the visitor edge.

PRODUCT FINI	ISH 3 7		SIZE/INCHES				WEIGHT	VOL
CODE LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
For 20" Conection								
L2DEC24604220L 13	77 1710	1944	29	29.5	60	42	187	8
L2DEC24664220L 14	43 1810	2063	29	29.5	66	42	209	9
L2DEC24724220L 15	13 1909	2182	29	29.5	72	42	231	10
L2DEC24784220L 15	86 2011	2301	29	29.5	78	42	253	11
L2DEC24844220L 16	52 2110	2420	29	29.5	84	42	275	12
For 24" Conection								
L2DEC24604224L 13	77 1710	1944	29	29.5	60	42	187	8
L2DEC24664224L 14	43 1810	2063	29	29.5	66	42	209	9
L2DEC24724224L 15	13 1909	2182	29	29.5	72	42	231	10
L2DEC24784224L 15	86 2011	2301	29	29.5	78	42	253	11
L2DEC24844224L 16	52 2110	2420	29	29.5	84	42	275	12


L2CS • Corner with Straight Front, Full Back Panel & Narrow End Gables



 For grain direction on surfaces larger than 42", please see grain direction chart at beginning of the Price List

PRODUCT	FINISH			SIZE/INCH	ES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2CS183618	1107	1367	1707	29	29.5	36	36	79	3
L2CS183620	1135	1398	1752	29	29.5	36	36	84	3
L2CS183624	1135	1398	1752	29	29.5	36	36	84	
L2CS203618	1135	1398	1752	29	29.5	36	36	84	3
L2CS203620	1181	1475	1899	29	29.5	36	36	88	3
L2CS203624	1210	1509	1942	29	29.5	36	36	88	3
L2CS243618	1135	1398	1752	29	29.5	36	36	84	3
L2CS243620	1210	1509	1942	29	29.5	36	36	88	3
L2CS243624	1210	1509	1942	29	29.5	36	36	88	3
L2CS184218	1214	1501	1863	29	29.5	42	42	87	4
L2CS184220	1247	1537	1910	29	29.5	42	42	92	4
L2CS184224	1247	1537	1910	29	29.5	42	42	92	4
L2CS204218	1247	1537	1910	29	29.5	42	42	92	4
L2CS204220	1247	1537	1910	29	29.5	42	42	97	4
L2CS204224	1275	1575	2017	29	29.5	42	42	97	4
L2CS244218	1247	1537	1910	29	29.5	42	42	92	4
L2CS244220	1275	1575	2017	29	29.5	42	42	97	4
L2CS244224	1275	1575	2017	29	29.5	42	42	97	4
L2CS184818	1286	1572	1936	29	29.5	48	48	97	6
L2CS184820	1317	1610	1984	29	29.5	48	48	101	6
L2CS184824	1317	1610	1984	29	29.5	48	48	101	6
L2CS204818	1317	1610	1984	29	29.5	48	48	101	6
L2CS204820	1317	1610	1984	29	29.5	48	48	107	6
L2CS204824	1349	1648	2089	29	29.5	48	48	107	6
L2CS244818	1317	1610	1984	29	29.5	48	48	101	6
L2CS244820	1349	1648	2089	29	29.5	48	48	107	6
L2CS244824	1349	1648	2089	29	29.5	48	48	107	6


L2CSH • Corner with Straight Front, Cut Out Back Panel & Narrow End Gables · For grain direction on sur-



faces larger than 42", please see grain direction chart at beginning of the Price List

PRODUCT	FINISH	<u> </u>		SIZE/INCI	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2CSH183618	1143	1403	1744	29	29.5	36	36	51	3
L2CSH183620	1176	1437	1790	29	29.5	36	36	55	3
L2CSH183624	1176	1437	1790	29	29.5	36	36	55	3
L2CSH203618	1176	1437	1790	29	29.5	36	36	55	3
L2CSH203620	1221	1512	1938	29	29.5	36	36	59	
L2CSH203624	1248	1549	1981	29	29.5	36	36	59	3
L2CSH243618	1176	1437	1790	29	29.5	36	36	55	3
L2CSH243620	1248	1549	1981	29	29.5	36	36	59	3
L2CSH243624	1248	1549	1981	29	29.5	36	36	59	3
L2CSH184218	1257	1545	1906	29	29.5	42	42	57	4
L2CSH184220	1290	1582	1957	29	29.5	42	42	63	4
L2CSH184224	1290	1582	1957	29	29.5	42	42	63	4
L2CSH204218	1290	1582	1957	29	29.5	42	42	63	4
L2CSH204220	1290	1582	1957	29	29.5	42	42	68	4
L2CSH204224	1319	1619	2063	29	29.5	42	42	68	4
L2CSH244218	1290	1582	1957	29	29.5	42	42	63	4
L2CSH244220	1319	1619	2063	29	29.5	42	42	68	4
L2CSH244224	1319	1619	2063	29	29.5	42	42	68	4
L2CSH184818	1348	1641	2009	29	29.5	48	48	65	6
L2CSH184820	1382	1678	2058	29	29.5	48	48	70	6
L2CSH184824	1382	1678	2058	29	29.5	48	48	70	6
L2CSH204818	1382	1678	2058	29	29.5	48	48	70	6
L2CSH204820	1382	1678	2058	29	29.5	48	48	76	6
L2CSH204824	1414	1718	2166	29	29.5	48	48	76	6
L2CSH244818	1382	1678	2058	29	29.5	48	48	70	6
L2CSH244820	1414	1718	2166	29	29.5	48	48	76	6
L2CSH244824	1414	1718	2166	29	29.5	48	48	76	6

L2CC • Corner with Curved Front, Full Back Panel & Narrow End Gables




 For grain direction on surfaces larger than 42", please see grain direction chart at beginning of the Price List

PRODUCT	FINISH			SIZE/INC				WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2CC183618	1123	1388	1740	29	29.5	36	36	79	3
L2CC183620	1153	1425	1785	29	29.5	36	36	84	3
L2CC183624	1153	1425	1785	29	29.5	36	36	84	3
L2CC203618	1153	1425	1785	29	29.5	36	36	84	3
L2CC203620	1199	1504	1938	29	29.5	36	36	88	3
L2CC203624	1226	1536	1981	29	29.5	36	36	88	3
L2CC243618	1153	1425	1785	29	29.5	36	36	84	3
L2CC243620	1226	1536	1981	29	29.5	36	36	88	3
L2CC243624	1226	1536	1981	29	29.5	36	36	88	3
L2CC184218	1230	1526	1901	29	29.5	42	42	87	4
L2CC184220	1263	1565	1950	29	29.5	42	42	92	4
L2CC184224	1263	1565	1950	29	29.5	42	42	92	4
L2CC204218	1263	1565	1950	29	29.5	42	42	92	4
L2CC204220	1263	1565	1950	29	29.5	42	42	97	4
L2CC204224	1296	1604	2058	29	29.5	42	42	97	4
L2CC244218	1263	1565	1950	29	29.5	42	42	92	4
L2CC244220	1296	1604	2058	29	29.5	42	42	97	4
L2CC244224	1296	1604	2058	29	29.5	42	42	97	4
L2CC184818	1321	1620	2003	29	29.5	48	48	97	6
L2CC184820	1353	1661	2052	29	29.5	48	48	101	6
L2CC184824	1353	1661	2052	29	29.5	48	48	101	6
L2CC204818	1353	1661	2052	29	29.5	48	48	101	6
L2CC204820	1388	1700	2160	29	29.5	48	48	107	6
L2CC204824	1388	1700	2160	29	29.5	48	48	107	6
L2CC244818	1353	1661	2052	29	29.5	48	48	101	6
L2CC244820	1388	1700	2160	29	29.5	48	48	107	6
L2CC244824	1388	1700	2160	29	29.5	48	48	107	6

E

L2CCH • Corner with Curved Front, Cut Out Back Panel & Narrow End Gables



 For grain direction on surfaces larger than 42", please see grain direction chart at beginning of the Price List

PRODUCT	FINISH			SIZE/INCHI	ES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2CCH183618	1161	1426	1903	29	29.5	36	36	51	3
L2CCH183620	1191	1463	1909	29	29.5	36	36	55	3
L2CCH183624	1191	1463	1909	29	29.5	36	36	55	3
L2CCH203618	1191	1463	1909	29	29.5	36	36	55	3
L2CCH203620	1237	1540	2067	29	29.5	36	36	59	3
L2CCH203624	1267	1575	2067	29	29.5	36	36	59	3
L2CCH243618	1191	1463	1909	29	29.5	36	36	55	3
L2CCH243620	1267	1575	2067	29	29.5	36	36	59	3
L2CCH243624	1267	1575	2067	29	29.5	36	36	59	3
L2CCH184218	1274	1569	1943	29	29.5	42	42	57	4
L2CCH184220	1308	1608	1993	29	29.5	42	42	63	4
L2CCH184224	1308	1608	1993	29	29.5	42	42	63	4
L2CCH204218	1308	1608	1993	29	29.5	42	42	63	4
L2CCH204220	1308	1608	1993	29	29.5	42	42	68	4
L2CCH204224	1339	1648	2100	29	29.5	42	42	68	4
L2CCH244218	1308	1608	1993	29	29.5	42	42	63	4
L2CCH244220	1339	1648	2100	29	29.5	42	42	68	4
L2CCH244224	1339	1648	2100	29	29.5	42	42	68	4
L2CCH184818	1375	1666	2046	29	29.5	48	48	65	6
L2CCH184820	1399	1705	2096	29	29.5	48	48	70	6
L2CCH184824	1399	1705	2096	29	29.5	48	48	70	6
L2CCH204818	1399	1705	2096	29	29.5	48	48	70	6
L2CCH204820	1399	1705	2096	29	29.5	48	48	76	6
L2CCH204824	1432	1745	2204	29	29.5	48	48	76	6
L2CCH244818	1399	1705	2096	29	29.5	48	48	70	6
L2CCH244820	1432	1745	2204	29	29.5	48	48	76	6
L2CCH244824	1432	1745	2204	29	29.5	48	48	76	6

L2CK • Split Corner Desk w/Curved Front Keyboard, Full Back Panel & Narrow End Gables



 For grain direction on surfaces larger than 42", please see grain direction chart at beginning of the Price List

PRODUCT	FINISH			SIZE/INCHE			WEIGHT	VOL	
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2CK244224	2203	2586	3067	29	29.5	42	42	97	4
L2CK244824	2309	2698	3186	29	29.5	48	48	107	6

L2CHK • Split Corner Desk w/Curved Front Keyboard, Cut Out Back Panel & Narrow End Gables



• For grain direction on surfaces larger than 42", please see grain direction chart at beginning of the Price List

PRODUCT	FINISH			SIZE/INCHE		WEIGHT	VOL		
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2CHK244224	2246	2607	3089	29	29.5	42	42	68	4
L2CHK244824	2353	2720	3207	29	29.5	48	48	76	6

Technical Information

- · All Shaped tables are Shipped knocked down (KD).
- · Monoleg or square leg ships in a separate box.
- · All Units must be connected to an adjoining unit with flat brackets.
- For 24" deep returns that connect to an adjoining unit with included flat brackets.
- For 24" deep returns that connect to the corner units, the narrow panel is 10" and for 30" deep returns, the narrow panel is 14".
- All bottom edges are edge banded.
- · Monolegs are drilled to accept shoulder screws to attach to the modesty.
- · Modesty are offered 10" high only.

- Top plate with cut-out for 3" monoleg will accept modesty panel 1" thick.
- 8 x 8" plate is attached to surface with #10 3/4 wood screws, included.
- 1" height adjustment range.

TABLES • GUIDELINES FOR ORDERING PRODUCT

CODES: The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

SPECIFICATION EXAMPLE OF A SHAPED TABLE

PRODUCT CODE: L2TDH3060

L2 = New Licence

T = Table

D = D Shape Worksurface H = Half Modesty (10"High) 3060 = Size: Depth x Width

OPTIONS:

Top: LP - LPL (Low Pressure Laminate) Thickness 1"

HP B - B Thickness 1 1/16" HP W - W Thickness 1 7/16"

Leg Option: L2BHML03 (DEFAULT) Round Monoleg

L2LSQ3X3 - Square Leg


Top Finish Laminate: Choose Colour

Top PVC Edging: Choose Colour

Chassis Laminate: Choose Colour

Chassis PVC Edging: Choose Colour


Metal Leg Finish Choose Colour





L2BHML03

L2TD · D-Shaped Top with T-Base & Leg



 Add \$103 to list price for chrome leg option.


PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2TD2442	973	1127	1237	29	29.5	42	24	64	3
L2TD2448	1002	1170	1294	29	29.5	48	24	68	3
L2TD2454	1030	1215	1350	29	29.5	54	24	72	3
L2TD2460	1057	1261	1408	29	29.5	60	24	76	4
L2TD2466	1086	1304	1466	29	29.5	66	24	79	4
L2TD2472	1113	1349	1524	29	29.5	72	24	84	4
L2TD2478	1142	1392	1578	29	29.5	78	24	87	6
L2TD2484	1170	1437	1637	29	29.5	84	24	91	6
L2TD3054	1119	1343	1504	29	29.5	54	30	97	4
L2TD3060	1153	1396	1570	29	29.5	60	30	107	7
L2TD3066	1187	1450	1641	29	29.5	66	30	117	8
L2TD3072	1221	1505	1707	29	29.5	72	30	127	9
L2TD3078	1256	1558	1776	29	29.5	78	30	136	9
L2TD3084	1289	1612	1846	29	29.5	84	30	146	10
L2TD3654	1203	1463	1645	29	29.5	54	36	107	4
L2TD3660	1241	1528	1725	29	29.5	60	36	111	10
L2TD3666	1278	1592	1807	29	29.5	66	36	116	9
L2TD3672	1317	1653	1884	29	29.5	72	36	153	10
L2TD3678	1356	1720	1965	29	29.5	78	36	165	11
L2TD3684	1394	1780	2042	29	29.5	84	36	176	12

L2TDH • D-Shaped Top with Half Modesty & Leg • Add \$103 to list price for chrome leg option. PRODUCT CODE




PRODUCT C	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2TDH2442	954	1105	1218	29	29.5	42	24	63	3
L2TDH2448	995	1164	1286	29	29.5	48	24	69	3
L2TDH2454	1035	1219	1354	29	29.5	54	24	75	3
L2TDH2460	1073	1275	1426	29	29.5	60	24	81	4
L2TDH2466	1115	1334	1494	29	29.5	66	24	87	4
L2TDH2472	1155	1391	1565	29	29.5	72	24	94	4
L2TDH2478	1192	1446	1636	29	29.5	78	24	99	6
L2TDH2484	1232	1505	1702	29	29.5	84	24	106	6
L2TDH3054	1122	1343	1504	29	29.5	54	30	95	4
L2TDH3060	1166	1408	1583	29	29.5	60	30	102	7
L2TDH3066	1211	1478	1663	29	29.5	66	30	112	8
L2TDH3072	1257	1545	1744	29	29.5	72	30	122	9
L2TDH3078	1301	1610	1825	29	29.5	78	30	132	9
L2TDH3084	1346	1677	1909	29	29.5	84	30	142	10
L2TDH3654	1203	1466	1646	29	29.5	54	36	145	4
L2TDH3660	1256	1540	1737	29	29.5	60	36	151	10
L2TDH3666	1292	1604	1818	29	29.5	66	36	154	9
L2TDH3672	1343	1679	1909	29	29.5	72	36	156	10
L2TDH3678	1392	1755	2003	29	29.5	78	36	161	11
L2TDH3684	1445	1830	2095	29	29.5	84	36	172	12

L2TR • Rectangular Top with T-Base & Mono Leg • Add \$103 to list price for chrome leg option. CODE LI




PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2TR2442	1040	1199	1317	29	29.5	42	24	64	3
L2TR2448	1065	1246	1378	29	29.5	48	24	68	3
L2TR2454	1097	1294	1440	29	29.5	54	24	72	3
L2TR2460	1128	1342	1502	29	29.5	60	24	76	4
L2TR2466	1157	1388	1560	29	29.5	66	24	79	4
L2TR2472	1184	1437	1624	29	29.5	72	24	84	4
L2TR2478	1218	1484	1683	29	29.5	78	24	87	6
L2TR2484	1246	1532	1745	29	29.5	84	24	91	6
L2TR3054	1191	1430	1601	29	29.5	54	30	97	4
L2TR3060	1227	1488	1674	29	29.5	60	30	107	7
L2TR3066	1265	1547	1748	29	29.5	66	30	112	8
L2TR3072	1300	1602	1818	29	29.5	72	30	127	9
L2TR3078	1337	1661	1893	29	29.5	78	30	136	9
L2TR3084	1373	1718	1966	29	29.5	84	30	146	10
L2TR3654	1279	1558	1753	29	29.5	54	36	107	4
L2TR3660	1321	1630	1837	29	29.5	60	36	111	7
L2TR3666	1361	1694	1925	29	29.5	66	36	116	8
L2TR3672	1403	1763	2007	29	29.5	72	36	153	9
L2TR3678	1445	1829	2093	29	29.5	78	36	165	9
L2TR3684	1485	1898	2177	29	29.5	84	36	176	10

L2TRH • Rectangular Top with Half Modesty & Mono Leg• Add \$103 to list price for **PRODUCT FINISH** chrome leg option.



Modesty & N	/IONO L	eq							
PRODUCT	FINISH	3		SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2TRH2442	1015	1177	1296	29	29.5	42	24	63	3
L2TRH2448	1059	1237	1382	29	29.5	48	24	69	3
L2TRH2454	1101	1297	1443	29	29.5	54	24	75	3
L2TRH2460	1143	1359	1517	29	29.5	60	24	81	4
L2TRH2466	1187	1421	1593	29	29.5	66	24	87	4
L2TRH2472	1229	1482	1668	29	29.5	72	24	94	4
L2TRH2478	1272	1543	1740	29	29.5	78	24	99	6
L2TRH2484	1313	1602	1814	29	29.5	84	24	100	6
L2TRH3054	1192	1430	1601	29	29.5	54	30	95	4
L2TRH3060	1241	1502	1686	29	29.5	60	30	102	7
L2TRH3066	1290	1572	1772	29	29.5	66	30	112	8
L2TRH3072	1338	1645	1858	29	29.5	72	30	132	9
L2TRH3078	1386	1717	1944	29	29.5	78	30	142	9
L2TRH3084	1436	1783	2033	29	29.5	84	30	145	10
L2TRH3654	1279	1560	1754	29	29.5	54	36	145	4
L2TRH3660	1337	1641	1851	29	29.5	60	36	151	7
L2TRH3666	1377	1710	1937	29	29.5	66	36	154	8
L2TRH3672	1430	1790	2033	29	29.5	72	36	156	9
L2TRH3678	1484	1868	2133	29	29.5	78	36	161	9
L2TRH3684	1540	1950	2233	29	29.5	84	36	172	10

L2TA • Axe Shaped Top with T-Base • Add \$103 to list price for



chrome leg option.

e & Leg									
PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2TA3060	1278	1605	1829	29	29.50	60	42	131	10
L2TA3066	1324	1679	1923	29	29.50	66	42	140	11
L2TA3072	1369	1752	2014	29	29.50	72	42	149	12
L2TA3078	1413	1823	2104	29	29.50	78	42	157	12
L2TA3084	1456	1898	2200	29	29.50	84	42	166	13
L2TA3672	1466	1900	2188	29	29.50	72	48	153	13
L2TA3678	1515	1982	2294	29	29.50	78	48	163	14
L2TA3684	1564	2066	2396	29	29.50	84	48	173	15


L2TAH • Axe Shaped Top with Half Modesty & Leg



 Add \$103 to list price for chrome leg option.

Modesty & Le	ea -								
PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2TAH3060	1292	1618	1846	29	29.50	60	42	127	10
L2TAH3066	1346	1702	1947	29	29.50	66	42	135	11
L2TAH3072	1403	1788	2051	29	29.50	72	42	144	12
L2TAH3078	1459	1877	2155	29	29.50	78	42	153	12
L2TAH3084	1515	1961	2258	29	29.50	84	42	162	13
L2TAH3672	1490	1926	2217	29	29.50	72	48	149	13
L2TAH3678	1553	2022	2332	29	29.50	78	48	158	14
L2TAH3684	1612	2117	2445	29	29.50	84	48	168	15

L2TP-L • P-Shaped Top Left with T-Base & Le



 Add \$103 to list price for chrome leg option.

i-base & Leu									
PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2TP3060L	1219	1505	1707	29	29.50	60	36	121	9
L2TP3066L	1259	1569	1785	29	29.50	66	36	135	9
L2TP3072L	1297	1632	1867	29	29.50	72	36	150	10
L2TP3078L	1335	1695	1945	29	29.50	78	36	164	11
L2TP3084L	1376	1761	2026	29	29.50	84	36	178	12
L2TP3672L	1394	1780	2042	29	29.50	72	42	188	12
L2TP3678L	1441	1853	2134	29	29.50	78	42	202	12
L2TP3684L	1484	1927	2225	29	29.50	84	42	217	13

L2TP-R • P-Shaped Top Right with T-Base & Leg • Add \$103 to list price for PRODUCT



chrome leg option.

FINISH			SIZE/INC	HES			WEIGHT	VOL	
LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
1219	1505	1707	29	29.50	60	36	121	9	
1259	1569	1785	29	29.50	66	36	135	9	
1297	1632	1867	29	29.50	72	36	150	10	
1335	1695	1945	29	29.50	78	36	164	11	
1376	1761	2026	29	29.50	84	36	178	12	
1394	1780	2042	29	29.50	72	42	188	12	
1441	1853	2134	29	29.50	78	42	202	12	
1484	1927	2225	29	29.50	84	42	217	13	
	1219 1259 1297 1335 1376 1394 1441	FINISH LP	FINISH LP B W	FINISH LP B W H(LP/B)	SIZE INCHES LP	SIZE INCHES LP B W H(LP)B H(W) W	SIZE INCHES H(W) W D	SIZE INCHES WEIGHT	SIZE/INCHES WEIGHT VOL LP B W H(LP/IB) H(W) W D LBS FT³

L2TPH-L • P-Shaped Top Left with Half Modesty & Leg



 Add \$103 to list price for chrome leg option.


PRODUCT	FINISH	,		SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2TPH3060L	1230	1516	1720	29	29.50	60	36	117	9
L2TPH3066L	1279	1592	1812	29	29.50	66	36	131	9
L2TPH3072L	1334	1668	1903	29	29.50	72	36	145	10
L2TPH3078L	1383	1744	1996	29	29.50	78	36	160	11
L2TPH3084L	1434	1819	2089	29	29.50	84	36	174	12
L2TPH3672L	1419	1807	2067	29	29.50	72	42	184	12
L2TPH3678L	1474	1890	2173	29	29.50	78	42	198	12
L2TPH3684L	1529	1976	2276	29	29.50	84	42	212	13

L2TPH-R • P-Shaped Top Right with Half Modesty & Leg • Add \$103 to list price for PRODUCT FINISH



chrome leg option.

PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2TPH3060R	1230	1516	1720	29	29.50	60	36	117	9
L2TPH3066R	1279	1592	1812	29	29.50	66	36	131	9
L2TPH3072R	1334	1668	1903	29	29.50	72	36	145	10
L2TPH3078R	1383	1744	1996	29	29.50	78	36	160	11
L2TPH3084R	1434	1819	2089	29	29.50	84	36	174	12
L2TPH3672R	1419	1807	2067	29	29.50	72	42	184	12
L2TPH3678R	1474	1890	2173	29	29.50	78	42	198	12
L2TPH3684R	1529	1976	2276	29	29.50	84	42	212	13



with T-Base &	Leg								
PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
For 20" Return Conne									
L2TH203060L	1268	1561	1781	29	29.50	60	36	121	9
L2TH203066L	1308	1624	1863	29	29.50	66	36	135	9
L2TH203072L	1346	1690	1943	29	29.50	72	36	150	10
L2TH203078L	1387	1753	2026	29	29.50	78	36	164	11
L2TH203084L	1426	1819	2107	29	29.50	84	36	178	12
L2TH203660L	1356	1694	1939	29	29.50	60	42	188	10
L2TH203666L	1403	1769	2034	29	29.50	66	42	202	11
L2TH203672L	1448	1844	2126	29	29.50	72	42	217	12
L2TH203678L	1494	1918	2220	29	29.50	78	42	220	12
L2TH203684L	1537	1991	2312	29	29.50	84	42	237	13
For 24" Return Conne									
L2TH3060L	1268	1561	1781	29	29.50	60	36	121	9
L2TH3066L	1308	1624	1863	29	29.50	66	36	135	9
L2TH3072L	1346	1690	1943	29	29.50	72	36	150	10
L2TH3078L	1387	1753	2026	29	29.50	78	36	164	11
L2TH3084L	1426	1819	2107	29	29.50	84	36	178	12
L2TH3660L	1356	1694	1939	29	29.50	60	42	188	10
L2TH3666L	1403	1769	2034	29	29.50	66	42	202	11
L2TH3672L	1448	1844	2126	29	29.50	72	42	217	12
L2TH3678L	1494	1918	2220	29	29.50	78	42	220	12
L2TH3684L	1537	1991	2312	29	29.50	84	42	237	13

L2TH-R • Hockey Shaped Top Right • Add \$103 to list price for chrome leg option.



n	t with T-Base 8	& Leg								
	PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
	CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	For 20" Return Connec									
	L2TH203060R	1268	1561	1781	29	29.50	60	36	121	9
	L2TH203066R	1308	1624	1863	29	29.50	66	36	135	9
	L2TH203072R	1346	1690	1943	29	29.50	72	36	150	10
	L2TH203078R	1387	1753	2026	29	29.50	78	36	164	11
	L2TH203084R	1426	1819	2107	29	29.50	84	36	178	12
	L2TH203660R	1356	1694	1939	29	29.50	60	42	188	10
	L2TH203666R	1403	1769	2034	29	29.50	66	42	202	11
	L2TH203672R	1448	1844	2126	29	29.50	72	42	217	12
	L2TH203678R	1494	1918	2220	29	29.50	78	42	220	12
	L2TH203684R	1537	1991	2312	29	29.50	84	42	237	13
	For 24" Return Connec									
	L2TH3060R	1268	1561	1781	29	29.50	60	36	121	9
	L2TH3066R	1308	1624	1863	29	29.50	66	36	135	9
	L2TH3072R	1346	1690	1943	29	29.50	72	36	150	10
	L2TH3078R	1387	1753	2026	29	29.50	78	36	164	11
	L2TH3084R	1426	1819	2107	29	29.50	84	36	178	12
	L2TH3660R	1356	1694	1939	29	29.50	60	42	188	10
	L2TH3666R	1403	1769	2034	29	29.50	66	42	202	11
	L2TH3672R	1448	1844	2126	29	29.50	72	42	217	12
	L2TH3678R	1494	1918	2220	29	29.50	78	42	220	12
	L2TH3684R	1537	1991	2312	29	29.50	84	42	237	13

29.50

L2THH-L · Hockey Shaped Top Left with Half Modesty & Leg · Add \$103 to list price for

chrome leg option.



PRODUCT SIZE/INCHES WEIGHT VOL В W FT³ CODE H(LP/B) H(W) W D LBS For 20" Return Connection 36 L2THH203060L 29.50 29.50 L2THH203066L 29 L2THH203072L 29.50 L2THH203078L 29.50 L2THH203084L 29.50 L2THH203660L 29.50 L2THH203666L 29.50 29.50 L2THH203672L 2364 29 42 237 13 L2THH203678L 29.50 L2THH203684L 29.50 For 24" Return Connection L2THH3060L 29.50 L2THH3066L 29.50 L2THH3072L 29.50 L2THH3078L 29.50 78 L2THH3084L 29.50 L2THH3660L 29.50 29 29.50 42 L2THH3666L L2THH3672L 29.50 237 13 L2THH3678L 29.50

L2THH-R • Hockey Shaped Top Right with Half Modesty & Leg


L2THH3684L



Add \$103 to list price for chrome leg option.


PRODUCT	FINISH	.,	-9	SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
For 20" Return Conne	ction								
L2THH203060R	1279	1572	1794	29	29.50	60	36	117	9
L2THH203066R	1334	1650	1890	29	29.50	66	36	131	9
L2THH203072R	1385	1728	1984	29	29.50	72	36	145	10
L2THH203078R	1436	1807	2079	29	29.50	78	36	160	11
L2THH203084R	1488	1884	2173	29	29.50	84	36	174	12
L2THH203660R	1358	1694	1939	29	29.50	60	42	184	10
L2THH203666R	1418	1780	2046	29	29.50	66	42	198	11
L2THH203672R	1474	1867	2150	29	29.50	72	42	212	12
L2THH203678R	1532	1955	2258	29	29.50	78	42	220	12
L2THH203684R	1588	2042	2364	29	29.50	84	42	237	13
For 24" Return Conne	ction								
L2THH3060R	1279	1572	1794	29	29.50	60	36	117	9
L2THH3066R	1334	1650	1890	29	29.50	66	36	131	9
L2THH3072R	1385	1728	1984	29	29.50	72	36	145	10
L2THH3078R	1436	1807	2079	29	29.50	78	36	160	11
L2THH3084R	1488	1884	2173	29	29.50	84	36	174	12
L2THH3660R	1358	1694	1939	29	29.50	60	42	184	10
L2THH3666R	1418	1780	2046	29	29.50	66	42	198	11
L2THH3672R	1474	1867	2150	29	29.50	72	42	212	12
L2THH3678R	1532	1955	2258	29	29.50	78	42	220	12
L2THH3684R	1588	2042	2364	29	29.50	84	42	237	13

L2TEDH-L • Extended "D" with Half Modesty & L · Add \$103 to list price for chrome leg option.



Modesty & Le	3 a								
PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
For 20" Return Connec	ction								
L2TEDH603020L	1388	1653	1894	29	29.50	60	42	110	8
L2TEDH663020L	1446	1737	1996	29	29.50	66	42	121	9
L2TEDH723020L	1505	1821	2099	29	29.50	72	42	132	10
L2TEDH783020L	1563	1906	2201	29	29.50	78	42	143	11
L2TEDH843020L	1618	1991	2304	29	29.50	84	42	154	12
For 24" Return Connec	ction								
L2TEDH603024L	1388	1653	1894	29	29.50	60	42	110	8
L2TEDH663024L	1446	1737	1996	29	29.50	66	42	121	9
L2TEDH723024L	1505	1821	2099	29	29.50	72	42	132	10
L2TEDH783024L	1563	1906	2201	29	29.50	78	42	143	11
L2TEDH843024L	1618	1991	2304	29	29.50	84	42	154	12
L2TEDH783024L	1563	1906	2201	29	29.50	78	42	143	11


L2TED-L • Extended "D" with T-Base & Leg · Add \$103 to list price for



chrome leg option.

FINISH	n	14/					WEIGHT	VOL
	В	w	H (LP/B)	H(W)	w	U	TR2	FT ³
ection								
1376	1621	1860	29	29.50	60	42	110	8
1421	1694	1947	29	29.50	66	42	121	9
1466	1766	2039	29	29.50	72	42	132	10
1511	1836	2130	29	29.50	78	42	143	11
1556	1906	2218	29	29.50	84	42	154	12
ction								
1376	1621	1860	29	29.50	60	42	110	8
1421	1694	1947	29	29.50	66	42	121	9
1466	1766	2039	29	29.50	72	42	132	10
1511	1836	2130	29	29.50	78	42	143	11
1556	1906	2218	29	29.50	84	42	154	12
	LP 1376 1421 1466 1511 1556 ection 1376 1421 1466 1511	LP B lection 1376 1621 1421 1694 1466 1766 1511 1836 1556 1906 lection 1376 1621 1421 1694 1466 1766 1511 1836	LP B W lection 1376 1621 1860 1421 1694 1947 1466 1766 2039 1511 1836 2130 1556 1906 2218 lection 1376 1621 1860 1421 1694 1947 1466 1766 2039 1511 1836 2130	LP B W H(LP/B)	LP B W H(LP/B) H(W) 1376 1621 1860 29 29.50 1421 1694 1947 29 29.50 1466 1766 2039 29 29.50 1511 1836 2130 29 29.50 1556 1906 2218 29 29.50 1600 1860 29 29.50 1421 1694 1947 29 29.50 1466 1766 2039 29 29.50 1511 1836 2130 29 29.50	LP B W H(LP/B) H(W) W 1376 1621 1860 29 29.50 60 1421 1694 1947 29 29.50 66 1466 1766 2039 29 29.50 72 1511 1836 2130 29 29.50 78 1556 1906 2218 29 29.50 84 ection 1376 1621 1860 29 29.50 60 1421 1694 1947 29 29.50 66 1466 1766 2039 29 29.50 72 1511 1836 2130 29 29.50 78	LP B W H(LP/B) H(W) W D 1376 1621 1860 29 29.50 60 42 1421 1694 1947 29 29.50 66 42 1466 1766 2039 29 29.50 72 42 1511 1836 2130 29 29.50 78 42 1556 1906 2218 29 29.50 84 42 **ection* 1376 1621 1860 29 29.50 60 42 1421 1694 1947 29 29.50 66 42 1466 1766 2039 29 29.50 72 42 1511 1836 2130 29 29.50 78 42	LP B W H(LP/B) H(W) W D LBS Introduction 1376 1621 1860 29 29.50 60 42 110 1421 1694 1947 29 29.50 66 42 121 1466 1766 2039 29 29.50 72 42 132 1511 1836 2130 29 29.50 78 42 143 1556 1906 2218 29 29.50 84 42 154 Interior 1376 1621 1860 29 29.50 60 42 110 1421 1694 1947 29 29.50 66 42 121 1466 1766 2039 29 29.50 72 42 132 1511 1836 2130 29 29.50 78 42 143


L2TEDH-R • Extended "D" with Half Modesty & Leg



 Add \$103 to list price for chrome leg option.

ii ividuesty & L	Eu								
PRODUCT CODE	FINISH LP	В	w	SIZE / INC H (LP/B)	HES H (W)	w	D	WEIGHT LBS	VOL FT³
For 20" Return Conne	ction								
L2TEDH603020R	1388	1653	1894	29	29.50	60	42	110	8
L2TEDH663020R	1446	1737	1996	29	29.50	66	42	121	9
L2TEDH723020R	1505	1821	2099	29	29.50	72	42	132	10
L2TEDH783020R	1563	1906	2201	29	29.50	78	42	143	11
L2TEDH843020R	1618	1991	2304	29	29.50	84	42	154	12
For 24" Return Conne	ction								
L2TEDH603024R	1388	1653	1894	29	29.50	60	42	110	8
L2TEDH663024R	1446	1737	1996	29	29.50	66	42	121	9
L2TEDH723024R	1505	1821	2099	29	29.50	72	42	132	10
L2TEDH783024R	1563	1906	2201	29	29.50	78	42	143	11
L2TEDH843024R	1618	1991	2304	29	29.50	84	42	154	12

L2TED-R • Extended "D" with T-Base & I



· Add \$103 to list price for chrome leg option.

se & Leg									
PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
For 20" Return Conne	ction								
L2TED603020R	1376	1621	1860	29	29.50	60	42	110	8
L2TED663020R	1421	1694	1947	29	29.50	66	42	121	9
L2TED723020R	1466	1766	2039	29	29.50	72	42	132	10
L2TED783020R	1511	1836	2130	29	29.50	78	42	143	11
L2TED843020R	1556	1906	2218	29	29.50	84	42	154	12
For 24" Return Conne	ction								
L2TED603024R	1376	1621	1860	29	29.50	60	42	110	8
L2TED663024R	1421	1694	1947	29	29.50	66	42	121	9
L2TED723024R	1466	1766	2039	29	29.50	72	42	132	10
L2TED783024R	1511	1836	2130	29	29.50	78	42	143	11
L2TED843024R	1556	1906	2218	29	29.50	84	42	154	12


L2TROL • Licence 2 Top with "O" Leg and T base • Includes worksurface, loop leg and laminate Property of the control of the co



- T base.
- BG5 grommet please specify TC only.
- · Loop leg is painted please specify standard paint colour.

se							
PRODUCT CODE	FINISH Lp	В	w	D	w	WEIGHT LBS	VOL FT ³
L2TROL2442	1128	1210	1322	24	42	138	5
L2TROL2448	1177	1277	1380	24	48	153	5
L2TROL2454	1230	1343	1436	24	54	168	6
L2TROL2460	1273	1400	1494	24	60	183	6
L2TROL2466	1291	1424	1549	24	66	198	6
L2TROL2472	1308	1448	1609	24	72	213	7
L2TROL2478	1340	1485	1661	24	78	228	7
L2TROL2484	1378	1531	1716	24	84	243	7
L2TROL3042	1322	1429	1524	30	42	168	7
L2TROL3048	1340	1451	1539	30	48	187	7
L2TROL3054	1372	1484	1661	30	54	206	8
L2TROL3060	1400	1533	1729	30	60	225	8
L2TROL3066	1415	1556	1799	30	66	243	8
L2TROL3072	1442	1588	1866	30	72	262	9
L2TROL3078	1472	1621	1933	30	78	281	9
L2TROL3084	1526	1690	2003	30	84	300	10
L2TROL3642	1451	1553	1716	36	42	200	7
L2TROL3648	1505	1618	1801	36	48	222	8
L2TROL3654	1556	1684	1885	36	54	245	8
L2TROL3660	1610	1752	1972	36	60	267	9
L2TROL3666	1663	1818	2057	36	66	290	9
						312	
	1767						
L2TROL3684	1821	2015	2312	36	84	357	11
L2TROL3672 L2TROL3678 L2TROL3684	1716 1767	1883 1947	2142 2228	36 36	72 78	312 335	10 10


L2TCROL · Licence 2 Return with "O" Leg



- · Includes worksurface, loop leg and connecting brackets and connecting flat brackets
- HAT channel is standard on all tops except 42 and 48 wide
- BG5 grommet please specify TL,TC,TR
- · Loop leg is painted please specify standard paint colour
- · Worksurface supporting pedestals and laterals will not fit due to the metal channel under the surface.

PRODUCT	FINISH					WEIGHT	VOL
CODE	LP	В	W	D	W	LBS	FT ³
L2TCROL2442	901	988	1110	24	42	110	4
L2TCROL2448	955	1060	1171	24	48	125	5
L2TCROL2454	1095	1214	1315	24	54	140	5
L2TCROL2460	1150	1288	1388	24	60	155	5
L2TCROL2466	1181	1323	1458	24	66	170	6
L2TCROL2472	1211	1361	1533	24	72	185	6
L2TCROL2478	1257	1413	1599	24	78	200	6
L2TCROL2484	1307	1473	1671	24	84	215	7
L2TCROL3042	1076	1189	1292	30	42	137	6
L2TCROL3048	1095	1214	1307	30	48	156	6
L2TCROL3054	1213	1332	1521	30	54	175	7
L2TCROL3060	1253	1396	1605	30	60	194	7
L2TCROL3066	1279	1431	1691	30	66	212	8
L2TCROL3072	1321	1477	1775	30	72	231	8
L2TCROL3078	1362	1523	1857	30	78	250	8
L2TCROL3084	1432	1609	1943	30	84	269	9
L2TCROL3642	1214	1322	1497	36	42	164	7
L2TCROL3648	1270	1392	1588	36	48	186	7
L2TCROL3654	1409	1547	1763	36	54	209	8
L2TCROL3660	1479	1629	1866	36	60	231	8
L2TCROL3666	1548	1712	1969	36	66	254	9
L2TCROL3672	1613	1792	2071	36	72	276	9
L2TCROL3678	1679	1872	2173	36	78	299	10
L2TCROL3684	1750	1955	2274	36	84	321	10

L2TDOL • Licence 2 Top with Two "O" Legs • Includes worksurface, 2 loop legs • HAT channel is standard on all tops except 42



- and 48 wide
- BG5 grommet please specify TL,TC,TR
- Loop leg is painted please specify standard paint colour
- Worksurface supporting pedestals and laterals will not fit due to the metal channel under the surface.

PRODUCT	FINISH					WEIGHT	VOL
CODE	LP	В	W	D	W	LBS	FT ³
L2TDOL2442	1434	1521	1642	24	42	115	6
L2TD0L2448	1486	1593	1702	24	48	130	7
L2TDOL2454	1628	1747	1847	24	54	145	7
L2TDOL2460	1684	1820	1921	24	60	160	7
L2TDOL2466	1715	1856	1991	24	66	175	8
L2TDOL2472	1744	1894	2067	24	72	190	8
L2TD0L2478	1788	1944	2133	24	78	205	8
L2TDOL2484	1841	2006	2202	24	84	220	9
L2TDOL3042	1691	1806	1907	30	42	143	9
L2TDOL3048	1711	1830	1923	30	48	162	9
L2TDOL3054	1828	1948	2138	30	54	181	10
L2TDOL3060	1869	2012	2223	30	60	200	10
L2TD0L3066	1896	2049	2308	30	66	218	11
L2TDOL3072	1938	2094	2391	30	72	237	11
L2TDOL3078	1979	2141	2474	30	78	256	11
L2TDOL3084	2050	2225	2559	30	84	275	12
L2TDOL3642	1893	2001	2176	36	42	170	10
L2TDOL3648	1949	2071	2267	36	48	192	10
L2TD0L3654	2089	2225	2441	36	54	215	11
L2TDOL3660	2158	2308	2544	36	60	237	11
L2TDOL3666	2227	2391	2648	36	66	260	12
L2TD0L3672	2292	2471	2749	36	72	282	12
L2TD0L3678	2358	2552	2851	36	78	305	13
L2TD0L3684	2429	2635	2953	36	84	327	13

Technical Information

All units must be connected to an adjoining unit with flat brackets included. Grommet option for Runoff tables are "TC" only.

NOTE: All Runoff tables includes HAT CHANNEL support.





OPTIONS:

Top: LP - LPL (Low Pressure Laminate) Thickness 1"

HP B - B Thickness 1 1/16" HP W - W Thickness 1 7/16"

Leg Option: BHML03 (DEFAULT) Round Monoleg

LLSQ3X3H28 - Square Leg

Top Finish Laminate: Choose Colour

Top PVC Edging: Choose Colour

Metal Leg Finish Choose Colour


L2TCD • "D" Shaped Runoff with Leg



 Add \$103 to list price for chrome leg option.

PRODUCT CODE	FINISH Lp	R	w	SIZE/INCHES H (LP/B)	H (W)	w	n	WEIGHT LBS	VOL FT ³
L2TCD3060	916	1151	1218	29	29.5	60	30	97	4
L2TCD3066	972	1226	1310	29	29.5	66	30	106	6
L2TCD3660	998	1272	1373	29	29.5	60	36	97	4
L2TCD3666	1043	1343	1452	29	29.5	66	36	106	6

L2TCR1L • Rectangular Shaped Runoff



 Add \$103 to list price for chrome leg option.

PRODUCT	FINISH			SIZE/INCH	IES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2TCR1L3060	897	1123	1194	29	29.5	60	30	97	4
L2TCR1L3066	937	1181	1261	29	29.5	66	30	106	6
L2TCR1L3660	960	1225	1319	29	29.5	60	36	97	4
L2TCR1L3666	1004	1294	1397	29	29.5	66	36	106	6

L2TCA1L · Axe Shaped Runoff



 Add \$103 to list price for chrome leg option.

PRODUCT	FINISH	FINISH SIZE/INCHES							VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2TCA1L2460	964	1229	1332	29	29.5	60	36	119	4
L2TCA1L2466	1008	1297	1407	29	29.5	66	36	130	6
L2TCA1L3060	1021	1328	1450	29	29.5	60	42	119	4
L2TCA1L3066	1070	1403	1539	29	29.5	66	42	130	6

L2TCP • "P" Shaped Runoff with Leg




 Add \$103 to list price for chrome leg option.

PRODUCT Code	FINISH Lp	В	W	SIZE / INCH H (LP/B)	IES H (W)	w	D	WEIGHT LBS	VOL FT ³
Right									
L2TCP3060R	995	1268	1373	29	29.5	60	36	119	4
L2TCP3066R	1040	1342	1452	29	29.5	66	36	130	6
L2TCP3660R	1059	1377	1504	29	29.5	60	42	119	4
L2TCP3666R	1111	1456	1594	29	29.5	66	42	130	6
Left									
L2TCP3060L	995	1268	1373	29	29.5	60	36	119	4
L2TCP3066L	1040	1342	1452	29	29.5	66	36	130	6
L2TCP3660L	1059	1377	1504	29	29.5	60	42	119	4
L2TCP3666L	1111	1456	1594	29	29.5	66	42	130	6

Left Hand Shown

L2TCW • Wedge Shaped Runoff with Leg



 Add \$103 to list price for chrome leg option.

Leg										
PRODUCT	FINISH			SIZE/INCH				WEIGHT	VOL	
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
Right										
L2TCW3060R	941	1176	1261	29	29.5	60	30	119	4	
L2TCW3066R	982	1237	1331	29	29.5	66	30	130	6	
L2TCW3660R	1008	1284	1391	29	29.5	60	36	119	4	
L2TCW3666R	1053	1353	1470	29	29.5	66	36	130	6	
Left										
L2TCW3060L	941	1176	1261	29	29.5	60	30	119	4	
L2TCW3066L	982	1237	1331	29	29.5	66	30	130	6	
L2TCW3660L	1008	1284	1391	29	29.5	60	36	119	4	
L2TCW3666L	1053	1353	1470	29	29.5	66	36	130	6	

Left Hand Shown

Floating Tops

- · Monolegs and Support channel ships in a separate box.
- Floating tops are not pre-drilled to accept monolegs or spacers.
- Grommet locations (TC only) must be specified at the time of order or it will default to "No Grommet" option.
- Floating top must be placed on top of 1H credenza or 1H lateral open.
- · Grommet Option TC only
- All Floating tables include HAT CHANNEL support.

LLSQ3X3 · "Spacer" Leg



PRODUCT	PRICE	CHROME	SIZE/I	NCHES	WEIGHT	VOL	
CODE		OPT	Н	W	D	LBS	FT ³
LLSQ3X3	183	285	8	3	3	4	0.09

LLSQ3X3H28 · Square Leg



PRODUCT	PRICE	CHROME	SIZE/INCH	IES		WEIGHT	VOL	
CODE		OPT .	H	W	D	LBS	FT ³	
LLSQ3X3H28	328	428	28	3	3	4	0.17	

L2FD • Floating "D" Shaped with Legs and Spacers • Add \$415 to list price for chrome leg option. CODE CODE



PRODUCT	FINISH			SIZE/INCH	IES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2FD3060	1208	1452	1478	29	29.5	60	30	53	7
L2FD3066	1248	1515	1545	29	29.5	66	30	57	7
L2FD3072	1289	1575	1610	29	29.5	72	30	62	8
L2FD3078	1334	1645	1677	29	29.5	78	30	64	8
L2FD3084	1388	1721	1740	29	29.5	84	30	68	9
L2FD3660	1267	1588	1705	29	29.5	60	36	57	8
L2FD3666	1312	1659	1788	29	29.5	66	36	63	8
L2FD3672	1356	1732	1868	29	29.5	72	36	68	9
L2FD3678	1408	1812	1952	29	29.5	78	36	70	9
L2FD3684	1470	1899	2035	29	29.5	84	36	75	10

L2FR • Floating Rectangular Shaped with Legs and Spacers



 Add \$415 to list price for chrome leg option.

PRODUCT	FINISH	n	w	SIZE/INCH				WEIGHT	VOL
CODE	LP	B	W	H (LP/B)	H(W)_	W	D 0 4	LBS	FT ³
L2FR2460	1142	1346	1383	29	29.5	60	24	51	6
L2FR2466	1177	1399	1437	29	29.5	66	24	55	6
L2FR2472	1215	1452	1494	29	29.5	72	24	59	7
L2FR2478	1256	1511	1550	29	29.5	78	24	62	7
L2FR2484	1304	1577	1607	29	29.5	84	24	66	8
L2FR3060	1203	1448	1507	29	29.5	60	30	53	7
L2FR3066	1245	1511	1572	29	29.5	66	30	57	7
L2FR3072	1286	1572	1642	29	29.5	72	30	62	8
L2FR3078	1332	1641	1707	29	29.5	78	30	64	8
L2FR3084	1385	1716	1774	29	29.5	84	30	68	9
L2FR3660	1226	1505	1617	29	29.5	60	36	57	8
L2FR3666	1270	1572	1694	29	29.5	66	36	63	8
L2FR3672	1315	1645	1772	29	29.5	72	36	68	9
L2FR3678	1364	1717	1851	29	29.5	78	36	70	9
L2FR3684	1424	1802	1930	29	29.5	84	36	75	10

L2FA • Floating Axe Shaped with Legs and Spacers



 Add \$415 to list price for chrome leg option.

PRODUCT	FINISH			SIZE/INCH	IES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2FA3060	1334	1661	1770	29	29.5	60	42	77	8
L2FA3066	1385	1743	1860	29	29.5	66	42	81	8
L2FA3072	1436	1823	1950	29	29.5	72	42	84	9
L2FA3078	1491	1909	2039	29	29.5	78	42	88	9
L2FA3084	1558	2006	2130	29	29.5	84	42	95	10
L2FA3660	1421	1790	1936	29	29.5	60	48	83	9
L2FA3666	1475	1880	2038	29	29.5	66	48	88	9
L2FA3672	1533	1971	2138	29	29.5	72	48	90	10
L2FA3678	1594	2067	2239	29	29.5	78	48	95	11
L2FA3684	1666	2171	2341	29	29.5	84	48	101	11


42

88

11

L2FP • Floating "P" Shaped with Legs and Spacers• Add \$415 to list price for **PRODUCT**

chrome leg option.



Left Hand Shown

PRODUCT	FINISH			SIZE/INCH	IES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
Right									
L2FP3060R	1290	1577	1673	29	29.5	60	36	66	8
L2FP3066R	1335	1650	1752	29	29.5	66	36	70	8
L2FP3072R	1383	1721	1829	29	29.5	72	36	75	9
L2FP3078R	1432	1798	1906	29	29.5	78	36	77	9
L2FP3084R	1491	1884	1985	29	29.5	84	36	81	10
L2FP3660R	1353	1684	1803	29	29.5	60	42	70	9
L2FP3666R	1403	1765	1890	29	29.5	66	42	76	9
L2FP3672R	1456	1846	1981	29	29.5	72	42	81	10
L2FP3678R	1512	1930	2071	29	29.5	78	42	84	11
L2FP3684R	1577	2025	2163	29	29.5	84	42	88	11
Left									
L2FP3060L	1290	1577	1673	29	29.5	60	36	66	8
L2FP3066L	1335	1650	1752	29	29.5	66	36	70	8
L2FP3072L	1383	1721	1829	29	29.5	72	36	75	9
L2FP3078L	1432	1798	1906	29	29.5	78	36	77	9
L2FP3084L	1491	1884	1985	29	29.5	84	36	81	10
L2FP3660L	1353	1684	1803	29	29.5	60	42	70	9
L2FP3666L	1403	1765	1890	29	29.5	66	42	76	9
L2FP3672L	1456	1846	1981	29	29.5	72	42	81	10
L2FP3678L	1512	1930	2071	29	29.5	78	42	84	11
105506041	4 - 7 7	0005	0460	0.0	00 5	0.4	40	0.0	4.4

29

29.5

84

2163

1577

L2FP3684L

2025

L2FW • Floating Wedge Shaped with L Add \$415 to list price for

chrome leg option.



Left Hand Shown

Legs and Space	ers								
PRODUCT	FINISH			SIZE/INCHE				WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
Right									
L2FW3060R	1290	1534	1594	29	29.5	60	30	53	7
L2FW3066R	1337	1604	1716	29	29.5	66	30	57	7
L2FW3072R	1382	1668	1740	29	29.5	72	30	62	8
L2FW3078R	1432	1743	1814	29	29.5	78	30	64	8
L2FW3084R	1493	1824	1885	29	29.5	84	30	68	9
L2FW3660R	1351	1640	1721	29	29.5	60	36	57	8
L2FW3666R	1403	1717	1808	29	29.5	66	36	63	8
L2FW3672R	1457	1794	1887	29	29.5	72	36	68	9
L2FW3678R	1511	1872	1971	29	29.5	78	36	70	9
L2FW3684R	1577	1965	2078	29	29.5	84	36	75	10
Left									
L2FW3060L	1290	1534	1594	29	29.5	60	30	53	7
L2FW3066L	1337	1604	1716	29	29.5	66	30	57	7
L2FW3072L	1382	1668	1740	29	29.5	72	30	62	8
L2FW3078L	1432	1743	1814	29	29.5	78	30	64	8
L2FW3084L	1493	1824	1885	29	29.5	84	30	68	9
L2FW3660L	1351	1640	1721	29	29.5	60	36	57	8
L2FW3666L	1403	1717	1808	29	29.5	66	36	63	8
L2FW3672L	1457	1794	1887	29	29.5	72	36	68	9
L2FW3678L	1511	1872	1971	29	29.5	78	36	70	9
L2FW3684L	1577	1965	2078	29	29.5	84	36	75	10

L2FBR • Floating top Rectangular with Legs / SPACERS SOLD SEPARATELY • Anodized aluminum leg PRODUCT FINISH SIZE | INCH




- upcharge \$44.

 Due to beam location, grommet is only available as a special request, please contact your customer
- service representative.

 Worksurface supporting pedestals and laterals will not fit due to the metal channel under the surface.

IGHT VOL
FT ³
6
6
7
7
8
8
9
9
1


L2SPBOX • Laminate Spacers with Glass Shelf



Glazing is clear.

PRODUCT	PRICE	SIZE/IN	SIZE/INCHES				
CODE	LP	H	W	D	LBS	FT ³	
L2SPBOX1620	709	8	16	20	15	1	
L2SPBOX1626	795	8	16	26	18	2	
L2SPB0X1634	901	8	16	34	22	5	

L2FFL • Licence Floating Tops with "O"Leg



- Kit includes a worksurface, "O" leg and channel.
- Option for grommet BG5, TC only.
- Painted loop leg, please specify standard paint colour.
- Worksurface supporting pedestals and laterals will not fit due to the metal channel under the surface.

PRODUCT	FINISH			SIZE/INCH	IES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2FFL2466	1096	1238	1373	1	1.44	66	24	55	6
L2FFL2472	1123	1273	1445	1	1.44	72	24	59	7
L2FFL2478	1165	1319	1502	1	1.44	78	24	62	7
L2FFL2484	1214	1380	1574	1	1.44	84	24	66	8
L2FFL3066	1194	1346	1607	1	1.44	66	30	57	7
L2FFL3072	1232	1388	1686	1	1.44	72	30	62	8
L2FFL3078	1270	1432	1766	1	1.44	78	30	64	8
L2FFL3084	1339	1516	1850	1	1.44	84	30	68	9
L2FFL3666	1463	1628	1884	1	1.44	66	36	63	8
L2FFL3672	1524	1702	1980	1	1.44	72	36	68	9
L2FFL3678	1588	1781	2080	1	1.44	78	36	70	9
L2FFL3684	1656	1862	2181	1	1.44	84	36	75	10

L2HGAMP • Hanging Aluminum Framed Frosted Glazing Modesty



- Framed is anodize aluminum.
- · Glazing is frosted acrylic.
- Hanging brackets are included.

ieu riosteu c	nazing modesty						
PRODUCT Code	PRICE	SIZE/INCHES	w	n	WEIGHT LBS	VOL FT ³	
L2HGAMP36	637	11	36	0.75	10	1	ı
	- 007	14	30	0.70	12	1	
L2HGAMP42	685	14	42	0.75	13	1	
L2HGAMP48	733	14	48	0.75	14	1	
L2HGAMP54	782	14	54	0.75	16	1	

L2HGMP • Hanging Laminate Modesty



Hanging brackets are included.

PRODUCT CODE	PRICE LP	SIZE/INCHES H	w	D	WEIGHT LBS	VOL FT ³
L2HGMP36	285	14	36	0.75	9	1
L2HGMP42	296	14	42	0.75	11	1
L2HGMP48	303	14	48	0.75	13	1
L2HGMP54	311	14	54	0.75	14	1

LICENCE STORAGE

General Notes

Pedestals

Pedestals are shipped assembled.

Pedestals are offered in three types of applications: Worksurface Supporting, Freestanding, and Mobile.

Pedestal front width is 15-1/2" with a deep size variation 18" 23" 24" 29" 30" 36" If specifying a pedestal for a desk or credenza, please ensure you specify next depth lower ie. 23" deep pedestal for a 24" deep credenza or desk.

Worksurface supporting Pedestals are 28"high

Freestanding pedestals come with the choice of "LP", "B" for 29"high or "W" thickness top for 29.5"high

Pedestals Freestanding are on adjustable levelers

Mobile pedestals come with a top with the choice of "LP", "B" for 29"high or "W" thickness top for 29.5"high and have front locking casters to support the pedestal. Pencil tray included in the top box drawer of each pedestal.

Box drawers mounted on full extension ball bearing slides

File drawers mounted on full extension ball bearing slides

All file drawers come with adjustable rails for legal or letter size hanging folders. See File Drawer Capacity chart page G2.

Pull out shelf for CPU and printer units can support 75 lbs. per shelf and has telescopic extension.

CPU and printer units have ventilation grommet on back panel.

Interior clearance of printer shelf is 11".

Printer pedestals have 2 pull out shelves and the back panel has four round grommets

CPU pedestals have 1 pull out shelf and the back panel has two round grommets. Both CPU and printer units must be installed under a worksurface to prevent tipping. All pedestals with a door, include 1 adjustable shelf.

Cases and fronts are finished in low pressure laminate.

Specify thickness of the top to match the thickness of the worksurface. Locks are standard on all units. Available in black or silver finish. The lock will match the handle finish.

Hutches and Overheads

Hutches and overheads are shipped assembled.

Hutches and overheads are offered in "LP" and "W" thickness with three option heights . See Storage Technical Info page G3.

Specify thickness of hutch or overhead top to match the thickness of the worksurface.

Cases and fronts are finished in low pressure laminate.

Hutches and overheads with hinged doors (laminate or aluminum), flip up fronts have no handle option.

Hutches with pigeon holes come with touch latch mechanism.

Hutches and overheads with sliding laminate doors have standard handle options. Hutches and overheads with sliding glass doors are offered with recessed handle only. The recessed handle is in chrome finish.

Hutches and wall mounted overheads are offered in 4 styles: Open storage, Hinged doors - laminate or anodized aluminum frame doors with the option for glazing: frosted or clear, sliding doors are laminate or glass doors and flip-up doors.

Once installed, the bottom of the flip-up door overhead will not line up with the bottom of the open or hinged door overhead.

Wall mounted storage cabinets must be securely attached to wall studs.

Panel mounted overheads include attachment brackets for Boulevard panels. Back panels on hutches comes with a center round grommet for wire access.

Top on hutch and overhead storage cabinets with flip-up doors is 3/4" thick Low Pressure Laminate. Doors slides on top of the unit.

Inside dimension for hutches and wall mounted units with flip-up doors is 13 1/4" high x 14 1/2" deep

Inside dimension for hutches and wall mounted with hinged doors is 12 3/4" high x 15 1/4" deep

Inside dimension for open hutches and wall mounted is $12\ 3/4$ " high x $15\ 1/4$ " deep Inside dimension for hutches and wall mounted with sliding doors is $12\ 3/4$ "high x 13" deep

Use double sided tape to attach hutches to worksurface.

Locks are standard on all units. Available in black or silver finish. The lock will match the handle finish.

Recommended to be installed against and fixed to a wall using appropriate hardware (not included).

Credenzas

Credenzas are shipped assembled.

Credenza model # L2CR2H2H or L2CR1H1H must be ordered with counterweights to avoid tipping.

Credenza come with the choice of "LP", "B" or "W" thickness top

Credenzas are offered with the choice of "LP", "B" for 20"h. or 29"high and "W" thickness top for 20.5"h or 29.5"high

Credenza come with hinged doors, laminate or anodized aluminum frame doors with the option for glazing: frosted or clear

Locks are standard on all units. Available in black or silver finish. The lock will match the handle finish.

Bookcases

Bookcases are Shipped knocked down (KD).

Available in 30" or 36" widths and 12.685" and 16.685"depths dimension at baseboard with range in height from 29" to 72" with 12" clearance between shelves. Bottom shelf is fixed and all other shelves are adjustable.

Specify thickness of the top to match the thickness and profile of the worksurface. Tops are offered "LP" or "B" or "W".

Up to 42"h, Bookcases are offered in "LP", "B", "W".

54"h. and up are offered in "LP" and "W".

Recommended to be installed against and fixed to a wall using appropriate hardware (not included).

Laterals

Laterals are shipped assembled.

Laterals are available in three widths, 30" 36", 42" with a height variation of 28" to 54" and a depth of 20" and 24".

Tops are offered LP, B or W

Worksurface supporting units do not come with a top.

Up to 42"h, laterals are offered in "LP", "B", "W".

54"h and Up are offered in "LP" and "W".

Cases and fronts are finished in low pressure laminate.

Laterals with hinged doors, laminate or anodized aluminum frame doors with the option for glazing: frosted or clear

Lateral files are offered in 2 types of applications: Worksurface Supporting and Freestanding.

All lateral files feature a drawer interlocking mechanism

Up to 42"h, Laterals are offered in "LP", "B", "W".

54"h, and up are offered in "LP" and "W".

All file drawer come with adjustable rails for legal or letter size hanging folders. Counterweights must be specified in a lateral configurations except worksurface supporting.

"C" combo lateral have a pencil drawer included in the box drawer. The penciltray is parallel with the depth of the drawer.

In "C" combo lateral, only one side can be locked.

All laterals with a door, include 1 adjustable shelf.

File drawers mounted on full extension ball bearing slides

Locks are standard on all units. Available in black or silver finish. The lock will match the handle finish.

Towers and cabinets

Towers and cabinets are shipped assembled.

Towers offered 24"w and cabinets 30"w and 36"w are offered in "LP" and "W". Cases are finished in low pressure laminate.

Towers or cabinets are offered with hinged doors, laminate or anodized aluminum frame with the option for glazing: frosted or clear

Towers or cabinets with anodized aluminum doors are offered without handles. Touch latch mechanism is included.

Storage tower with the cupboard above FF or BBF and wardrobe will lock only the wardrobe and drawers.

Storage tower with the wardrobe include a coat rod.

Locks are standard on all units. Available in black or silver finish. The lock will match the handle finish.

Counterweights must be specified for units 20" deep by 60" to 72" high with 2H2D or 2H/Open, please order 2 x LACWB for each unit.

STORAGE LICENCE E

LATERAL FILE DRAWERS

Lateral File Drawer:

36W & 42W

Legal Filing - front to back

Lateral File Drawer:

36W & 42W

Legal Filing - side to side

Letter Filing - front to back

Lateral File Drawer:

30W, 36W & 42W

Letter Filing - front to back

Lateral File Drawer:

36W & 42W

Letter & Legal Filing - front to back

Lateral File Drawer:

30W, 36W & 42W

Legal Filing - side to side









Drawer file with plastic rail 30"W Size 9.44"H x 25.75"W x 16"L 36"W Size 9.44"H x 31.75"W x 16"L 42"W Size 9.44"H x 37.75"W x 16"L

PEDESTAL DRAWERS

Box Drawer:

15.5W

Legal Filing - side to side

File Drawer:

15.5W

Letter Filing - front to back

File Drawer:

15.5W

Legal Filing - side to side







18"D Drawer Box Size 3.93"H x 13"W x 16"L 20.23.24.29.30.36"D Drawer Box Size 3.93"H x 13"W x 20"L

18"D Drawer File with plastic rail Size 9.4"H x 13"W x 16"L 20"D and up Drawer File with plastic rail Size 9.4"H x 13"W x 20"L


18"D Drawer File with plastic rail Size 9.4"H x 13"W x 16"L 20"D and up Drawer File with plastic rail Size 9.4"H x 13"W x 20"L

COMBO LATERAL FILE DRAWERS


For 30" wide units: Drawer width is 11 3/4" and can accommodate only side to side legal or letter filing.

For 36" wide units: Drawer width is 14 3/4" and can accommodate only side to side legal or letter filing.

STORAGE TECHNICAL INFORMATION



STACK ON TWO HEIGHT CABINET IS TO BE PLACED ON 1H CREDENZA



L2PBBF • Worksurface Supporting Box, Box, File Pedesta



- One lock included.
- Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.
- · Counter weight must be ordered separately.

eaestai						
PRODUCT	PRICE		NCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
L2PBBF18	1056	28	15.5	18	94	8
L2PBBF20	1151	28	15.5	20	94	8
L2PBBF23	1169	28	15.5	23	94	8
L2PBBF24	1169	28	15.5	24	99	10
L2PBBF29	1211	28	15.5	29	105	10
L2PBBF30	1211	28	15.5	30	110	10
L2PBBF36	1270	28	15.5	36	116	11

L2PFF • Worksurface Supporting File, File Pedestal



- One lock included.
- Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.

PRODUCT Code	PRICE	SIZE/II H	NCHES W	D	WEIGHT LBS	VOL FT ³
L2PFF18	960	28	15.5	18	94	8
L2PFF20	1073	28	15.5	20	94	8
L2PFF23	1089	28	15.5	23	94	8
L2PFF24	1089	28	15.5	24	99	8
L2PFF29	1143	28	15.5	29	105	10
L2PFF30	1143	28	15.5	30	110	10
L2PFF36	1188	28	15.5	36	116	11

L2P1D · Worksurface Supporting 1 Door Pedestal



- · Includes one adjustable shelf.
- · One lock included.
- Optional e-lock available in the horizontal position. Please specify HL - Horizontal Left and add \$304 list.

PRODUCT CODE	PRICE	SIZE/II H	NCHES W	D	WEIGHT LBS	VOL FT ³
L2P1D18	806	28	15.5	18	66	8
L2P1D20	869	28	15.5	20	74	8
L2P1D23	891	28	15.5	23	74	8
L2P1D24	891	28	15.5	24	75	10
L2P1D29	977	28	15.5	29	84	10
L2P1D30	977	28	15.5	30	85	10

L2PBBF-F • Freestanding Box, Box, File Pedesta



- One lock included.
 Optional e-lock available in the vertical position. Please specify V - Vertical and add
- Counter weight must be ordered separately.

١.	riie reuestai									
•	PRODUCT CODE	FINISH Lp	В	w	SIZE / INCH H (LP/B)	HES H(W)	w	D	WEIGHT LBS	VOL FT ³
2	L2PBBF20F	1251	1286	1335	29	29.5	15.5	20	94	8
1	L2PBBF24F	1267	1304	1353	29	29.5	15.5	24	99	8
	L2PBBF30F	1319	1364	1421	29	29.5	15.5	30	105	10
	L2PBBF36F			11						

L2PFF-F • Freestanding File, File Pedestal • One lock included. PRODUCT

\$304 list.



- Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.
- Counter weight must be ordered separately.

٦(edestal									
	PRODUCT	FINISH			SIZE/INCH	IES			WEIGHT	VOL
	CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
е	L2PFF20F	1132	1169	1251	29	29.5	15.5	20	99	8
d	L2PFF24F	1148	1183	1268	29	29.5	15.5	24	99	8
	L2PFF30F	1245	1289	1342	29	29.5	15.5	30	110	10
	L2PFF36F	1350	1404	1425	29	29.5	15.5	36	116	11

L2P1D-F • Freestanding 1 Door Pedesta



- Includes one adjustable shelf.
- One lock included.
 Optional e-lock available in the horizontal position.
 Please specify HL - Horizontal Left and add \$304 list.
- Counter weight must be ordered separately.

C	iestai									
	PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
	CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	L2P1D20F	965	1031	1078	29	29.5	15.5	20	78	8
	L2P1D24F	981	1048	1092	29	29.5	15.5	24	98	8
-	L2P1D30F	1078	1161	1215	29	29.5	15.5	30	103	10
	L2P1D36F	1181	1279	1343	29	29.5	15.5	36	110	11

L2PBBF-MIT • Mobile Box, Box, File Pedestal to fit up

- · One lock included.
- · Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.
- Counter weight must be ordered separately.
- 18" deep mobile pedestal has a fifth caster at center bottom.

nder worksurface											
PRICE	SIZE/II	SIZE/INCHES			VOL						
	Н	W	D	LBS	FT ³						
1522	28	15.5	18	99	8						
1610	28	15.5	23	105	8						
1690	28	15.5	29	110	10						
	PRICE 1522 1610	PRICE SIZE/II H 1522 28 1610 28	PRICE SIZE/INCHES H W 1522 28 15.5 1610 28 15.5	PRICE SIZE/INCHES H W D 1522 28 15.5 18 1610 28 15.5 23	PRICE SIZE/INCHES WEIGHT H W D LBS 1522 28 15.5 18 99 1610 28 15.5 23 105						

L2PBBF-M • Mobile Box, Box, File Pedestal with Standard Top



- One lock included. · Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.
- · Counter weight must be ordered separately.

cucstal Mittl	olana	ulu lu							
PRODUCT	FINISH	D	•	SIZE/INCI		w		WEIGHT	VOL FT3
CODE	LP	В	W	H (LP/B)	H (W)	W	U	LBS	FI
L2PBBF20M	1642	1652	1728	29	29.5	15.5	20	99	8
L2PBBF24M	1668	1679	1755	29	29.5	15.5	24	99	8
L2PBBF30M	1702	1743	1799	29	29.5	15.5	30	105	10
L2PBBF36M	1772	1819	1872	29	29.5	15.5	36	110	11

20" deep mobile pedestal has a fifth caster at center bottom.

L2PFF-MIT • Mobile File, File Pedestal to fit under Worksurface



- · One lock included.
- Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.
- Counter weight must be ordered separately.
- 18" deep mobile pedestal has a fifth caster at center hottom

VOL
FT³
8
8
10

WEIGHT

LBS

99

99

105

110

VOL

FT3

10

11

8

SIZE/INCHES

H(W)

29.5

29.5

29.5

29.5

15.5

15.5

15.5

15.5

20

24

30

36

H (LP/B)

29

29

29

L2PFF-M · Mobile File, File Pedestal with Standard Top PRODUCT FINISH



- · One lock included. · Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.
- · Counter weight must be ordered separately.

CODE

L2PFF20M

L2PFF24M

L2PFF30M

L2PFF36M

LP

1391

1413

1463

1537

1425

1446

1504

1587

1467

1490

1582

1642



· One lock included. · Optional e-lock availa the vertical position. I specify V - Vertical an \$304 list.

	F
ble in	C
Please	L
id add	L
	L

- PRODUCT **FINISH** SIZE/INCHES WEIGHT VOL CODE LP H(LP/B) H(W) n LBS FT³ 2PBF20M 1214 1251 1317 22.69 23.15 15.5 20 78 22.69 23.15 22.69 23.15 22.69 23.15 2PBF24M 2PBF30M 1229 1267 24 1335 15.5 80 90 1270 1316 30 1369 15.5
- · Counter weight must be ordered separately.
- · 20" deep mobile pedestal has a fifth caster at center bottom.

L2PBF-MIT • Mobile Box, File Pedestal with Inset Top



- · One lock included.
- Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.
- · Counter weight must be ordered separately.
- 18" deep mobile pedestal has a fifth caster at center bottom.

PRODUCT	ICT PRICE SIZE/INCHES				WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
L2PBF18MIT	1135	22	15.5	18	99	8
L2PBF23MIT	1208	22	15.5	23	99	8
L2PBF24MIT	1208	22	15.5	24	105	8
L2PBF29MIT	1275	22	15.5	29	105	8
L2PBF30MIT	1275	22	15.5	30	110	10

L2PU • Printer Unit with 2 Pull Out Shelves



PRODUCT	PRICE	SIZE/INCHES			WEIGHT	VOL
CODE		H (LP/B)	W	D	LBS	FT ³
L2PU18	1164	28	22	18	83	8
L2PU22	1264	28	22	22	88	9
L2PU24	1319	28	22	24	94	10

L2L2H • Worksurface Supporting File, File Lateral for 18"deep and 22" deep units



- One lock included.
- Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.

P	r to deep and		aeeb i	uniu	5		
	PRODUCT	PRICE	SIZE/INC	HES	_	WEIGHT	VOL
	CODE		H (LP/B)	W	D	LBS	FT ³
	L2L2H1830	1550	28	30	18	189	12
	L2L2H1836	1648	28	36	18	209	14
	L2L2H1842	1713	28	42	18	216	20
	L2L2H2230	1592	28	30	22	189	12
	L2L2H2236	1695	28	36	22	209	14
	L2L2H2242	1814	28	42	22	216	20

L2L2D · Worksurface Supporting 2 Door Storage Lateral with 1 Adjustable Shelf



- · One lock included.
- Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right and add \$304 list.

u	ciai Willi I Au	Justar	JIE JII				
,	PRODUCT CODE	PRICE	SIZE / INC H (LP/B)		D	WEIGHT LBS	VOL FT ³
	L2L2D1830	1081	28	30	18	171	12
	L2L2D1836	1139	28	36	18	178	14
	L2L2D1842	1252	28	42	18	180	20
	L2L2D2230	1170	28	30	22	171	12
	L2L2D2236	1203	28	36	22	178	14
	L2L2D2242	1385	28	42	22	180	20

L2L2AD · Worksurface Supporting 2 Aluminum Door Storage Lateral with 1 Adjustable Shelf



- · One lock included.
- E-lock not available for aluminum framed glass doors.

orage Euterar		AGIG		· OIICI		
PRODUCT	PRICE	SIZE/INCI			WEIGHT	VOL
CODE		H (LP/B)	W	D	LBS	FT ³
L2L2AD1830	1866	28	30	18	165	12
L2L2AD1836	1999	28	36	18	172	14
L2L2AD1842	2185	28	42	18	174	20
L2L2AD2230	1954	28	30	22	165	12
L2L2AD2236	2063	28	36	22	172	14
L2L2AD2242	2317	28	42	22	174	20


L2LCR • Worksurface Supporting Lateral File Combo



- · One lock included.
- Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.

PRODUCT CODE	PRICE	SIZE / INC H (LP/B)	HES W	D	WEIGHT LBS	VOL FT ³
L2LCR1830	1899	28	30	18	204	12
L2LCR1836	2218	28	36	18	215	14
L2LCR2230	2208	28	30	22	204	12
L2LCR2236	2320	28	36	22	215	14


L2LCL • Worksurface Supporting Lateral File Combo



- · One lock included.
- · E-lock not available.

v							
	PRODUCT Code	PRICE	SIZE/INCI H(LP/B)	HES W	D	WEIGHT LBS	VOL FT ³
	L2LCL1830	1899	28	30	18	204	12
	L2LCL1836	2218	28	36	18	215	14
	L2LCL2230	2208	28	30	22	204	12
	L2LCL2236	2320	28	36	22	215	14


L2LCR · Lateral File Combo with Top



- · One lock included.
- · Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.

и										
1	PRODUCT CODE	FINISH LP	В	w	SIZE/INCI H(LP/B)	HS H(W)	w	D	WEIGHT LBS	VOL FT ³
	L2LCR2030	2346	2400	2461	29	29.5	30	20	204	12
	L2LCR2036	2460	2493	2618	29	29.5	36	20	215	14
	L2LCR2430	2440	2494	2562	29	29.5	30	24	204	12
	L2LCR2436	2558	2595	2726	29	29.5	36	24	215	14

L2LCL • Lateral File Combo with Top



- · One lock included.
- · E-lock not available.

PRODUCT	FINISH			SIZE/INCI	IES		WEIGHT VOL		
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2LCL2030	2346	2400	2461	29	29.5	30	20	204	12
L2LCL2036	2460	2493	2618	29	29.5	36	20	215	14
L2LCL2430	2440	2494	2562	29	29.5	30	24	204	12
L2LCL2436	2558	2595	2726	29	29.5	36	24	215	14

L2LO · Freestanding 1 High Open Unit



PRODUCT	FINISH		SIZE/INC	HES	WEIGHT	VOL				
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2L02030	837	952	1031	19.94	20.4	30	20	75	11	
L2L02036	994	1130	1176	19.94	20.4	36	20	86	13	
L2L02430	870	989	1036	19.94	20.4	30	24	75	11	
L2L02436	1035	1176	1223	19.94	20.4	36	24	86	13	

L2L2D-H20 · Freestanding 2 Doors, 1 High Unit · One lock included.



· Includes one adjustable shelf. • Optional e-lock available in the horizontal position. Please specify HR - Horizon-

tal Right and add \$304 list.

PRODUCT	FINISH			WEIGHT	VOL				
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2L2D2030H20	1148	1251	1312	19.94	20.4	30	20	95	11
L2L2D2036H20	1251	1372	1441	19.94	20.4	36	20	106	13
- L2L2D2430H20	1196	1300	1367	19.94	20.4	30	24	95	11
L2L2D2436H20	1300	1425	1500	19.94	20.4	36	24	106	13

L2L2AD • Freestanding 2 Aluminum Doors, 1 High



- · One lock included.
- · Includes one adjustable shelf.
- · E-lock not available for aluminum framed glass doors.

ı	i buula, i iligi										
	PRODUCT			WEIGHT	VOL						
	CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
	L2L2AD2030H20	1783	1885	1950	19.5	20	30	20	86	10	
	L2L2AD2036H20	1938	2061	2130	19.5	20	36	20	96	12	
	L2L2AD2430H20	1831	1937	2006	19.5	20	30	24	86	10	
	L2L2AD2436H20	1988	2115	2190	19.5	20	36	24	96	12	

L2L2D • Freestanding 2 Doors, 2 High Unit



- · One lock included.
- · Includes one adjustable shelf.
- · Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right and add \$304 list.

٠	PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
	CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
	L2L2D2030	1267	1407	1445	29	29.5	30	20	171	12
	L2L2D2036	1396	1516	1591	29	29.5	36	20	178	14
	L2L2D2042	1563	1702	1781	29	29.5	42	20	208	20
-	L2L2D2430	1316	1466	1504	29	29.5	30	24	171	12
	L2L2D2436	1452	1578	1652	29	29.5	36	24	178	14
	L2L2D2442	1624	1770	1856	29	29.5	42	24	208	20


L2L2AD • Freestanding 2 Aluminum Doors, 2 High Unit



- One lock included.
- · Includes one adjustable
- · E-lock not available for aluminum framed glass doors.

PRODUCT	RODUCT FINISH SIZE/INCHES						WEIGHT	VOL	
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2L2AD2030	2053	2197	2234	29	29.5	30	20	165	12
L2L2AD2036	2261	2384	2455	29	29.5	36	20	172	14
L2L2AD2042	2501	2644	2724	29	29.5	42	20	174	20
L2L2AD2430	2104	2254	2293	29	29.5	30	24	165	12
L2L2AD2436	2316	2445	2519	29	29.5	36	24	172	14
L2L2AD2442	2563	2710	2796	29	29.5	42	24	174	20

L2L1H • Freestanding 1 High Lateral



One lock included.
Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.

•									
PRODUCT	FINISH	n	\w/	SIZE/INC	WEIGHT	VOL			
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2L1H2030	1142	1207	1248	19.94	20.4	30	20	105	11
L2L1H2036	1221	1296	1364	19.94	20.4	36	20	114	13
L2L1H2042	1319	1404	1484	19.94	20.4	42	20	133	15
L2L1H2430	1187	1252	1297	19.94	20.4	30	24	105	11
L2L1H2436	1270	1346	1419	19.94	20.4	36	24	114	13
L2L1H2442	1373	1462	1543	19.94	20.4	42	24	133	15


L2LBFH20 • Freestanding Box File Lateral



 One lock included.
 Optional e-lock available in the vertical position.
 Please specify V- Vertical and add \$304 list.

FINISH Lp	В	w	SIZE/INC H(LP/B)	HES H(W)	w	D	WEIGHT LBS	VOL FT ³
1753	1800	1894		20	30	20	108	11
1886	1941	2050		20	36	20	117	13
2009	2070	2195		20	42	20	136	15
1817	1864	1958		20	30	24	108	11
1951	2005	2114		20	36	24	117	13
2074	2135	2259		20	42	24	136	15
	1753 1886 2009 1817 1951	IP B 1753 1800 1886 1941 2009 2070 1817 1864 1951 2005	IP B W 1753 1800 1894 1886 1941 2050 2009 2070 2195 1817 1864 1958 1951 2005 2114	IP B W H (LP/B) 1753 1800 1894 1886 1941 2050 2009 2070 2195 1817 1864 1958 1951 2005 2114	IP B W H(IP/B) H(W) 1753 1800 1894 20 1886 1941 2050 20 2009 2070 2195 20 1817 1864 1958 20 1951 2005 2114 20	IP B W H(IP/B) H(W) W 1753 1800 1894 20 30 1886 1941 2050 20 36 2009 2070 2195 20 42 1817 1864 1958 20 30 1951 2005 2114 20 36	IP B W H(IP)B) H(W) W D 1753 1800 1894 20 30 20 1886 1941 2050 20 36 20 2009 2070 2195 20 42 20 1817 1864 1958 20 30 24 1951 2005 2114 20 36 24	IP B W H(LP/B) H(W) W D LBS 1753 1800 1894 20 30 20 108 1886 1941 2050 20 36 20 117 2009 2070 2195 20 42 20 136 1817 1864 1958 20 30 24 108 1951 2005 2114 20 36 24 117

L2L2H • Freestanding 2 High Lateral



- One lock included.
- Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.

а										
	PRODUCT CODE	FINISH Lp	В	w	SIZE/INCI H(LP/B)	HES H (W)	W	D	WEIGHT LBS	VOL FT ³
	L2L2H2030	1728	1788	1853	29	29.5	30	20	189	12
	L2L2H2036	1852	1922	1991	29	29.5	36	20	209	14
	L2L2H2042	1988	2073	2142	29	29.5	42	20	242	20
	L2L2H2430	1799	1860	1927	29	29.5	30	24	189	12
	L2L2H2436	1923	1997	2071	29	29.5	36	24	209	14
	L2L2H2442	2068	2155	2229	29	29.5	42	24	242	20

L2L3H · Freestanding 3 High Lateral



- One lock included.

 Ontional a lask availa
- Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.

aı										
PRODUCT	FINISH			SIZE/INC	HES			WEIGHT VOL		
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³	
L2L3H2030	2360	2419	2486	41.75	42.18	30	20	252	18	
L2L3H2036	2543	2613	2630	41.75	42.18	36	20	264	21	
L2L3H2430	2456	2516	2584	41.75	42.18	30	24	252	18	
L2L3H2436	2645	2720	2735	41.75	42.18	36	24	264	21	

L2L4H • Freestanding 4 High Lateral



- One lock included.
- Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.

ā									
	PRODUCT	FINISH		SIZE/INCI	HES			WEIGHT	VOL
	CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	L2L4H2030	3051	3178	54.5	54.94	30	20	315	23
	L2L4H2036	3206	3390	54.5	54.94	36	20	336	28
	L2L4H2430	3172	3303	54.5	54.94	30	24	315	23
	L2L4H2436	3334	3525	54.5	54.94	36	24	336	28

L2B2H · Bookcase 1 Adjustable Shelf



 Shipped knocked down (KD).

PRODUCT		SIZE/INCHES					WEIGHT	VOL	
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2B2H3012	676	739	795	29	29.5	30	12	95	8
L2B2H3612	784	858	932	29	29.5	36	12	106	9
L2B2H30	806	896	989	29	29.5	30	17	95	11
L2B2H36	930	1003	1078	29	29.5	36	17	106	13

L2B3H • Bookcase 2 Adjustable Shelves



 Shipped knocked down (KD).

PRODUCT	FINISH			SIZE/INCHES				WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2B3H3012	865	925	965	41.75	42.18	30	12	160	9
L2B3H3612	950	1043	1090	41.75	42.18	36	12	171	12
L2B3H30	1076	1166	1268	41.75	42.18	30	17	160	15
L2B3H36	1246	1349	1391	41.75	42.18	36	17	171	18

L2B4H · Bookcase 3 Adjustable Shelves



Shipped knocked down (KD).

PRODUCT Code	FINISH LP	w	SIZE/INC H(LP/B)	HES H (W)	w	D	WEIGHT LBS	VOL FT ³
L2B4H3012	1033	1176	54.5	54.94	30	12	178	13
L2B4H3612	1157	1321	54.5	54.94	36	12	189	15
L2B4H30	1312	1464	54.5	54.94	30	17	178	19
L2B4H36	1436	1575	54.5	54.94	36	17	189	22

L2B5H • Bookcase 4 Adjustable Shelves



· Shipped knocked down (KD).

PRODUCT	FINISH	144	SIZE/INCH		14/	_	WEIGHT	VOL
CODE L2B5H3012	LP 1245	W 1386	H(LP/B) 65.81	H(W) 66.25	W 30	ט 12	LBS 193	FT ³
L2B5H3612	1356	1526	00.0.		36	12	204	19
L2B5H30	1474	1594	65.81	66.25	30	17	193	23
L2B5H36	1647	1825	65.81	66.25	36	17	204	28


L2B6H · Bookcase 5 Adjustable Shelves



Shipped knocked down (KD).

PRODUCT CODE	FINISH LP	w	SIZE/INC H (LP/B)	HES H (W)	w	D	WEIGHT LBS	VOL FT ³
L2B6H3012 L2B6H3612	1342 1504	1510 1704	72.81 72.81	73.24	30 36	12 12	237 248	17 20
L2B6H30	1511	1695	72.81	73.24	30	17	242	25
L2B6H36	1806	2067	72.81	73.24	36	17	253	30


L2BC • Corner Bookcase 20"D x 20"W /24"D x 24"W



 Shipped knocked down (KD).

PRODUCT	FINISH	SIZE/INCHES						WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2BC2H20	1087	1321	1319	29.00	29.50	20	20	90	11
L2BC2H24	1129	1331	1376	29.00	29.50	24	24	90	11
L2BC3H20	1378	1566	1618	41.75	42.18	20	20	125	15
L2BC3H24	1432	1631	1685	41.75	42.18	24	24	125	15
L2BC4H20	1671	-	1916	54.50	54.94	20	20	158	20
L2BC4H24	1738	-	1991	54.50	54.94	24	24	158	20
L2BC5H20	1965	-	2217	65.81	66.25	20	20	188	24
L2BC5H24	2090	-	2304	65.81	66.25	24	24	188	24
L2BC6H20	2207	-	2474	72.81	73.24	20	20	218	26
L2BC6H24	2294	-	2571	72.81	73.24	24	24	218	26

L2TW2D-D · Storage Tower with 2 Doors and 4 Adjustable Shelves



- 50" High Tower comes with 3 adjustable shelves.
- One lock on right door included.
- Optional e-lock available in the horizontal position. Please specify HR
- Horizontal Right and add \$304 list.
- PRODUCT FINISH SIZE/INCHES WEIGHT VOL CODE LP H(LP/B) H(W) LBS FT³ 1899 2031 22 L2TW2D50H20D 49.56 50.00 24 20 211 24 26 65.81 268 283 L2TW2D66H20D 2098 20 2288 66.25 20 L2TW2D72H20D 2191 2370 72.81 73.24 L2TW2D50H24D L2TW2D66H24D 211 268 1971 49.56 50.00 24 22 2117 24 2180 2376 65.81 66.25 24 24 L2TW2D72H24D 2276 72.81 73.24 24 283 2462 26

• 50" High Tower comes with one shelf.

- One lock on right door included.
- · Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right and add \$304 list.

L2TW2DCS-D · S	Storage Tower with 2 Doo	ors, Coat Rod ar	nd Ha	at She	elf					
^	• 50" High Tower comes with one shelf.		FINISH		SIZE/INC	HES			WEIGHT	VOL
	One lock on right door included.	CODE	LP	W	H (LP/B)	H (W)	W	D	LBS	FT ³
	Optional e-lock available in the	L2TW2DCS50H20D	1698	1894	49.56	50.00	24	20	178	22
	horizontal position. Please specify HR	L2TW2DCS66H20D	1922	2063	65.81	66.25	24	20	268	24
(4	- Horizontal Right and add \$304 list.	L2TW2DCS72H20D			72.81	73.24	24	20	284	26
	j .	L2TW2DCS50H24D	1765	1968	49.56	50.00	24	24	178	22
		L2TW2DCS66H24D			65.81	66.25	24	24	268	24
		L2TW2DCS72H24D			72.81	73.24	24	24	284	26

L2TW2H2D-D · Storage Tower with a 3 Hi

• 50" High Tower comes with one adjustable shelf.

- · Two locks included.
- · Optional e-lock available in the vertical position for the file drawers. Please specify V - Vertical and add \$304 list.
- Optional e-lock available in the horizontal position for the upper storage cabinet . Please specify HR- Horizontal Right and add \$304 list.

ш	igii Cuppoaru over a z migii Laterai											
	PRODUCT CODE	FINISH Lp	w	SIZE / INCH H (LP/B)		w	D	WEIGHT LBS	VOL FT ³			
	L2TW2H2D50H20D	2569	2622	49.56		24	20	222	22			
	L2TW2H2D66H20D	2855	2902	65.81	66.25	24	20	279	24			
	L2TW2H2D72H20D	2938	3141	72.81	73.24	24	20	295	26			
	L2TW2H2D50H24D	2673	2730	49.56	50.00	24	24	222	22			
	L2TW2H2D66H24D	2972	3018	65.81	66.25	24	24	279	24			
	L2TW2H2D72H24D	3056	3264	72.81	73.24	24	24	295	26			

L2TW3H2D-D ullet Storage Tower with a 2 Hi

Two locks included.

- Optional e-lock available in the vertical position for the file drawers. Please specify V - Vertical and add \$304 list.
- · Optional e-lock available in the horizontal position for the upper storage cabinet . Please specify HR- Horizontal Right and add \$304 list.

igh Cupboard over a 3 High Lateral												
PRODUCT	FINISH		SIZE/INC				WEIGHT	VOL				
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³				
L2TW3H2D66H20D	3150	3287	65.81	66.25	24	20	296	24				
L2TW3H2D72H20D	3244	3344	72.81	73.24	24	20	311	26				
L2TW3H2D66H24D	3274	3418	65.81	66.25	24	24	296	24				
L2TW3H2D72H24D	3372	3477	72.81	73.24	24	24	311	26				


L2TW4H2D-D • Tower with a 2 Door Storage



- · Two locks included.
- · Lock on cupboard is not available for UB, UC or RN handles.
- · Optional e-lock available in the vertical position for the file drawers. Please specify V - Vertical and add \$304 list.
- Optional e-lock available in the horizontal position for the upper storage cabinet . Please specify HR- Horizontal Right and add \$304 list.

	ge Cabinet over a 4 High Lateral											
•	PRODUCT FINISH			SIZE/INC				WEIGHT	VOL			
	CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³			
	L2TW4H2D66H20D	3575	3717	65.81	66.25	24	20	307	24			
	L2TW4H2D72H20D	3690	3734	72.81	73.24	24	20	322	26			
	L2TW4H2D66H24D	3718	3864	65.81	66.25	24	24	307	24			
	L2TW4H2D72H24D	3771	3882	72.81	73.24	24	24	322	26			

L2TWBBF2DL • Storage Tower with a 3 High Cupboard, BBF Drawers and Wardrobe



Right Hand Shown

- · Storage compartment includes 1 adjustable shelves for 50"h. unit and 2 adjustable shelves for 66"h. and 72"h. units
- · Two locks included.
- · Optional e-lock available in the vertical position for the box, box, file drawers. Please specify V - Vertical and add \$304 list.
- · Optional e-lock available in the horizontal position for the wardrobe. Please specify HR - Horizontal Right or HL - Horizontal Left and add \$304 list.

PRODUCT	FINISH		SIZE/INCI	IES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
Left								
L2TWBBF2DL50H20D	2666	2866	49.56	50.00	24	20	288	20
L2TWBBF2DL66H20D	2969	3107	65.81	66.25	24	20	348	22
L2TWBBF2DL72H20D	3078	3215	72.81	73.25	24	20	378	24
L2TWBBF2DL50H24D	2774	2980	49.5	50.00	24	24	288	20
L2TWBBF2DL66H24D	3087	3231	65.81	66.25	24	24	348	22
L2TWBBF2DL72H24D	3201	3344	72.81	73.25	24	24	378	24
Right								
L2TWBBF2DR50H20D	2666	2866	49.56	50.00	24	20	288	20
L2TWBBF2DR66H20D	2969	3107	65.81	66.25	24	20	348	22
L2TWBBF2DR72H20D	3078	3215	72.81	73.25	24	20	378	24
L2TWBBF2DR50H24D	2774	2980	49.5	50.00	24	24	288	20
L2TWBBF2DR66H24D	3087	3231	65.81	66.25	24	24	348	22
L2TWBBF2DR72H24D	3201	3344	72.81	73.25	24	24	378	24



· Wardrobe has a coat rod.

- · Two locks included.
- · Optional e-lock available in the vertical position for the file drawers. Please specify V - Vertical and add \$304 list.
- Optional e-lock available in the horizontal position for the wardrobe. Please specify HR - Horizontal Right or HL -Horizontal Left and add \$304 list.

I 2TW2F2D-D • 9	Storage Tower with a 3 Hi	ah Cunhoard FF	Drav	Nore :	and W	ardro	he			
	Wardrobe has a coat rod.	PRODUCT PRODUCT	FINISH	ici 3	SIZE/INC				WEIGHT	VOL
	Two locks included.	CODE	LP	W	H (LP/B)	H (W)	W	D	LBS	FT ³
	 Optional e-lock available in the vertical 									
	position for the file drawers. Please	L2TW2F2DL50H20D	2471	2666	49.56	50.00	24	20	222	22
	specify V - Vertical and add \$304 list.	L2TW2F2DL66H20D	2769	2904	65.81	66.25	24	20	279	24
	Optional e-lock available in the horizon-	L2TW2F2DL72H20D	2876	3010	72.81	73.24	24	20	295	26
	tal position for the wardrobe. Please	L2TW2F2DL50H24D	2569	2773	49.56	50.00	24	24	222	22
	specify HR - Horizontal Right or HL -	L2TW2F2DL66H24D	2878	3022	65.81	66.25	24	24	279	24
	Horizontal Left and add \$304 list.	L2TW2F2DL72H24D	2991	3131	72.81	73.24	24	24	295	26
		Right								
		LŽTW2F2DR50H20D	2471	2666	49.56	50.00	24	20	222	22
Right Hand Shown		L2TW2F2DR66H20D	2769	2904	65.81	66.25	24	20	279	24
		L2TW2F2DR72H20D	2876	3010	72.81	73.24	24	20	295	26
		L2TW2F2DR50H24D	2569	2773	49.56	50.00	24	24	222	22
		L2TW2F2DR66H24D		3022	65.81	66.25	24	24	279	24
		L2TW2F2DR72H24D	2991	3131	72.81	73.24	24	24	295	26

L2TW3F2D-D • Storage Tower with a 2 High Cupboard. FFF Drawers and Wardrobe




· Two locks included.

- · Optional e-lock available in the vertical position for the file drawers. Please specify V - Vertical and add \$304 list.
- · Optional e-lock available in the horizontal position for the wardrobe. Please specify HR - Horizontal Right or HL -Horizontal Left and add \$304 list.

PRODUCT	FINISH		SIZE/INC	HES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
Left				. ,				
L2TW3F2DL66H20D	2927	3075	65.81	66.25	24	20	296	24
L2TW3F2DL72H20D	3037	3152	72.81	73.24	24	20	311	26
L2TW3F2DL66H24D	3045	3199	65.81	66.25	24	24	296	24
L2TW3F2DL72H24D	3158	3276	72.81	73.24	24	24	311	26
Right								
LŽTW3F2DR66H20D	2927	3075	65.81	66.25	24	20	296	24
L2TW3F2DR72H20D	3037	3152	72.81	73.24	24	20	311	26
L2TW3F2DR66H24D	3045	3199	65.81	66.25	24	24	296	24
L2TW3F2DR72H24D	3158	3276	72.81	73.24	24	24	311	26

L2TWBBFDO • Storage Tower with 3 High Side Open Cupboard. BBF Drawers and Wardrobe




Right Hand Shown

- Open bookcase compartment includes 1 adjustable shelves for 50"h unit and 2 adjustable shelves for 66"h and 72"h units
- Two locks included.
- · Optional e-lock available in the vertical position for the box, box, file drawers. Please specify V - Vertical and add \$304 list.
- · Optional e-lock available in the horizontal position for the wardrobe. Please specify HR - Horizontal Right or HL -Horizontal Left and add \$304 list.

PRODUCT	FINISH		SIZE/INCH				WEIGHT	VOL
CODE	LP	W	H (LP/B)	H (W)	W	D	LBS	FT ³
Left								
L2TWBBFDOL50H20D	2481	2635	49.50	50.00	24	20	285	20
L2TWBBFDOL66H20D	2742	2833	65.81	66.25	24	20	345	22
L2TWBBFD0L72H20D	2834	2919	72.81	73.25	24	20	375	24
L2TWBBFD0L50H24D	2579	2740	49.50	50.00	24	24	285	20
L2TWBBFDOL66H24D	2853	2946	65.81	66.25	24	24	345	22
L2TWBBFD0L72H24D	2948	3035	72.81	73.25	24	24	375	24
Right								
LŽTWBBFDOR50H20D	2481	2635	49.50	50.00	24	20	285	20
L2TWBBFDOR66H20D	2742	2833	65.81	66.25	24	20	345	22
L2TWBBFDOR72H20D	2834	2919	72.81	73.25	24	20	375	24
L2TWBBFDOR50H24D	2579	2740	49.50	50.00	24	24	285	20
L2TWBBFDOR66H24D	2853	2946	65.81	66.25	24	24	345	22
L2TWBBFDOR72H24D	2948	3035	72.81	73.25	24	24	375	24

L2TW2FDO-D • Storage Tower with a 3 High Side Open Cupboard, FF Drawers and Wardrobe




Right Hand Shown

- 50" High Tower comes with one adjustable shelf.
- · Two locks included.
- · Optional e-lock available in the vertical position for the file drawers. Please specify V - Vertical and add \$304 list.
- Optional e-lock available in the horizontal position for the wardrobe. Please specify HR - Horizontal Right or HL -Horizontal Left and add \$304 list.

PRODUCT	FINISH	,	SIZE/INCI	HES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	H (W)	W	D	LBS	FT ³
Left								
L2TW2FD0L50H20D	2288	2440	49.56	50.00	24	20	211	22
L2TW2FD0L66H20D	2548	2635	65.81	66.25	24	20	268	24
L2TW2FD0L72H20D	2637	2720	72.81	73.24	24	20	284	26
L2TW2FD0L50H24D	2384	2536	49.56	50.00	24	24	211	22
L2TW2FD0L66H24D	2649	2738	65.81	66.25	24	24	268	24
L2TW2FD0L72H24D	2740	2829	72.81	73.24	24	24	284	26
Right								
L2TW2FD0R50H20D	2288	2440	49.56	50.00	24	20	211	22
L2TW2FD0R66H20D	2548	2635	65.81	66.25	24	20	268	24
L2TW2FD0R72H20D	2637	2720	72.81	73.24	24	20	284	26
L2TW2FD0R50H24D	2384	2536	49.56	50.00	24	24	211	22
L2TW2FD0R66H24D	2649	2738	65.81	66.25	24	24	268	24
L2TW2FD0R72H24D	2741	2829	72.81	73.24	24	24	284	26

L2TW3FDO-D • Storage Tower with a 2 High Side Open Cupboard, FFF Drawers and Wardrobe




Right Hand Shown

- Two locks included.
 Optional e-lock available in the vertical position for the file drawers.
 Please specify V Vertical and add \$304 list
- Optional e-lock available in the horizontal position for the wardrobe. Please specify HR Horizontal Right or HL Horizontal Left and add \$304 list.

u	jii Side Opeli Cuj	JUUAI	u. FFI	rviav	vei 5 a	IIIG W	allul	JUE	
•	PRODUCT	FINISH	•	SIZE/INC		-		WEIGHT	VOL
	CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	Left			,					
	L2TW3FD0L66H20D	2751	2942	65.81	66.25	24	20	285	24
	L2TW3FD0L72H20D	2921	2943	72.81	73.24	24	20	300	26
	L2TW3FD0L66H24D	2860	3061	65.81	66.25	24	24	285	24
	L2TW3FD0L72H24D	3038	3058	72.81	73.24	24	24	300	26
	Right								
	L2TW3FD0R66H20D	2751	2942	65.81	66.25	24	20	285	24
	L2TW3FD0R72H20D	2921	2943	72.81	73.24	24	20	300	26
	L2TW3FD0R66H24D	2860	3061	65.81	66.25	24	24	285	24
	L2TW3FD0R72H24D	3038	3058	72.81	73.24	24	24	300	26
				_	_				


L2TWA2DCS • Storage Tower with 2 Aluminum Doors, Coat Rod and Hat Shelf



- 50" High Tower comes with 1 shelf above hang rod.
- One lock included.
- E-locks not available for aluminum framed glass doors.

illulli Dools, ood		ı aııa	HIGL	71 I G I I				
PRODUCT	FINISH		SIZE/INC				WEIGHT	VOL
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2TWA2DCS50H20D	2783	2984	49.56	50.00	24	20	162	20
L2TWA2DCS66H20D	3247	3390	65.81	66.25	24	20	244	22
L2TWA2DCS72H20D	3418	3563	72.81	73.25	24	20	258	24
L2TWA2DCS50H24D	2851	3054	49.56	50.00	24	24	162	20
L2TWA2DCS66H24D	3323	3470	65.81	66.25	24	24	244	22
L2TWA2DCS72H24D	3499	3643	72.81	73.25	24	24	258	24

L2TWA2D • Storage Tower with 2 Aluminum Doors and 4 Adjustable Shelves



- 50" High Tower comes with 3 adjustable shelves.
- · One lock included.
- E-locks not available for aluminum framed glass doors.

И	iii Duuis ailu 4 F	ulus	Lavie	OHE!	V C 2				
	PRODUCT	FINISH		SIZE/INC				WEIGHT	VOL
	CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	L2TWA2D50H20D	2988	3127	49.56	50.00	24	20	192	20
	L2TWA2D66H20D	3427	3618	65.81	66.25	24	20	244	22
	L2TWA2D72H20D	3609	3790	72.81	73.25	24	20	257	24
	L2TWA2D50H24D	3062	3207	49.56	50.00	24	24	192	20
	L2TWA2D66H24D	3510	3707	65.81	66.25	24	24	244	22
	L2TWA2D72H24D	3695	3882	72.81	73.25	24	24	257	24

L2TWA2H2D • Storage Tower with a 3 High Cupboard over a 2 High Lateral



- 50" High Tower comes with 1 adjustable shelf.
- · Lock is on the upper drawer.
- Two locks included.
- Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.
- E-locks not available for aluminum framed glass doors.

ш	ii Cupboaiu Ovei	u		atti					
•	PRODUCT	FINISH	9	SIZE/INC				WEIGHT	VOL
	CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	L2TWA2H2D50H20D	3258	3312	49.56	50.00	24	20	202	20
	L2TWA2H2D66H20D	3783	3828	65.81	66.25	24	20	254	22
	L2TWA2H2D72H20D	3955	4160	72.81	73.25	24	20	258	24
	L2TWA2H2D50H24D	3363	3420	49.56	50.00	24	24	202	20
	L2TWA2H2D66H24D	3901	3947	65.81	66.25	24	24	254	22
	L2TWA2H2D72H24D	4075	4285	72.81	73.25	24	24	258	24

L2TWA3H2D • Storage Tower with a 2 High Cupboard with Aluminum Doors over a 3 High Lateral



- · Lock is on the upper drawer.
- · Two locks included.
- Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.
- E-locks not available for aluminum framed glass doors.

PRODUCT	FINISH		SIZE/INC			9	WEIGHT	VOL
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2TWA3H2D66H20D	3892	4033	65.81	66.25	24	20	269	22
L2TWA3H2D72H20D	4076	4178	72.81	73.25	24	20	283	24
L2TWA3H2D66H24D	4020	4165	65.81	66.25	24	24	269	22
L2TWA3H2D72H24D	4208	4314	72.81	73.25	24	24	283	24
-		-	_					

L2TWA4H2D • Storage Tower with Cupboard with Aluminum Doors over a 4 High Lateral



- Lock is on the upper drawer.
- · Two locks included.
- Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.
- E-locks not available for aluminum framed glass doors.

a	ılu wiçil Alçılılılı	טע וו	01 2 U			ı,				
	PRODUCT	FINISH		SIZE/INC	HES			WEIGHT	VOL	
	CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³	
ı	L2TWA4H2D66H20D	4068	4211	65.81	66.25	24	20	279	22	ı
	L2TWA4H2D72H20D	4285	4332	72.81	73.25	24	20	293	24	
	L2TWA4H2D66H24D	4213	4360	65.81	66.25	24	24	293	22	
	L2TWA4H2D72H24D	4436	4483	72.81	73.25	24	24	293	24	ı

Right Hand Shown

L2TWA2F2D • Storage Tower with a 3 High Cupboard, FF Drawers and Wardrob • Storage compartment includes 1 adjustable shelves for 50"h unit and 2 adjustable shelves for 66"h and 72"h units • Two locks included. • Two locks included.

- Optional e-lock available in the vertical position for the file drawers. Please specify V - Vertical and add \$304 list.
- Optional e-lock available in the horizontal position for the wardrobe. Please specify HR Horizontal Right or HL Horizontal Left and add \$304 list.
- E-locks not available for aluminum framed glass doors.

ш	i Cuppoaru, FF Dra	awei	s allu	walu	IIUDE					
	PRODUCT	FINISH		SIZE/INCI				WEIGHT	VOL	
	CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³	
	L2TWA2F2DR50H20D	2834	3034	49.56	50.00	24	20	219	20	ı
	L2TWA2F2DR66H20D	3278	3415	65.81	66.25	24	20	276	22	
l	L2TWA2F2DR72H20D	3438	3575	72.81	73.25	24	20	292	24	l
	L2TWA2F2DR50H24D	2936	3142	49.56	50.00	24	24	219	20	ı
	L2TWA2F2DR66H24D	3391	3531	65.81	66.25	24	24	276	22	l
	L2TWA2F2DR72H24D	3556	3698	72.81	73.25	24	24	292	24	
	L2TWA2F2DL50H20D	2834	3034	49.56	50.00	24	20	219	20	ı
	L2TWA2F2DL66H20D	3278	3415	65.81	66.25	24	20	276	22	
	L2TWA2F2DL72H20D	3438	3575	72.81	73.25	24	20	292	24	l
	L2TWA2F2DL50H24D	2936	3142	49.56	50.00	24	24	219	20	ı
	L2TWA2F2DL66H24D	3391	3531	65.81	66.25	24	24	276	22	l
	L2TWA2F2DL72H24D	3556	3698	72.81	73.25	24	24	292	24	

L2TWABBF2D • Storage Tower with a 3 High Cupboard, BBF Drawers and Wardrobe




- Storage compartment includes 1 adjustable shelves for 50"h unit and 2 adjustable shelves for 66"h and 72"h units

 True lands included.

 True lands included.
- · Two locks included.
- Optional e-lock available in the vertical position for the box, box, file drawers.
 Please specify V - Vertical and add \$304 list.
- Optional e-lock available in the horizontal position for the wardrobe. Please specify HR - Horizontal Right or HL -Horizontal Left and add \$304 list.
- E-locks not available for aluminum framed glass doors.

u	jii Gupbvaiu, DDI	cı ə a	IIU VV	alulu	JC					
-	PRODUCT	FINISH		SIZE/INC				WEIGHT	VOL	
	CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³	
	L2TWABBF2DL50H20D	2995	3195	49.56	50.00	24	20	288	20	l
	L2TWABBF2DL66H20D	3438	3574	65.81	66.25	24	20	348	22	
	L2TWABBF2DL72H20D	3598	3736	72.81	73.25	24	20	378	24	
	L2TWABBF2DL50H24D	3094	3302	49.56	50.00	24	24	288	20	
	L2TWABBF2DL66H24D	3552	3692	65.81	66.25	24	24	348	22	
	L2TWABBF2DL72H24D	3717	3859	72.81	73.25	24	24	378	24	
	L2TWABBF2DR50H20D	2995	3195	49.56	50.00	24	20	288	20	l
	L2TWABBF2DR66H20D	3438	3574	65.81	66.25	24	20	348	22	
	L2TWABBF2DR72H20D	3598	3736	72.81	73.25	24	20	378	24	
	L2TWABBF2DR50H24D	3094	3302	49.56	50.00	24	24	288	20	
	L2TWABBF2DR66H24D	3552	3692	65.81	66.25	24	24	348	22	
	L2TWABBF2DR72H24D	3717	3859	72.81	73.25	24	24	378	24	


L2TW3F2D-D • Storage Tower with a 2 High Cupboard, FFF Drawers and Wardrobe



- Lock is on the upper drawer.
- Storage compartment includes 1 adjustable shelf.
- · Two locks included.
- Optional e-lock available in the vertical position for the file drawers. Please specify V - Vertical and add \$304 list.
- Optional e-lock available in the horizontal position for the wardrobe. Please specify HR - Horizontal Right or HL -Horizontal Left and add \$304 list.
- E-locks not available for aluminum framed glass doors.

PRODUCT		FINISH		SIZE/INC	HES			WEIGHT	VOL
CODE		LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2TW	A3F2DR66H20D	3358	3504	65.81	66.25	24	20	340	22
L2TW	A3F2DR72H20D	3514	3654	72.81	73.25	24	20	370	24
L2TW	A3F2DR66H24D	3479	3631	65.81	66.25	24	24	340	22
L2TW	A3F2DR72H24D	3638	3758	72.81	73.25	24	24	370	24
L2TW	A3F2DL66H20D	3358	3504	65.81	66.25	24	20	340	22
L2TW	A3F2DL72H20D	3514	3631	72.81	73.25	24	20	370	24
L2TW	A3F2DL66H24D	3479	3654	65.81	66.25	24	24	340	22
L2TW	A3F2DL72H24D	3638	3758	72.81	73.25	24	24	370	24


L2CB · Storage Cabinet with 2 Doors and 4 Adjustable Shelves



- 50"h. cabinet comes with 3 adjustable shelves.
- 66"h. and 72"h. Cabinet comes with 4 adjustable shelves.
- · One lock included.
- Optional e-lock available in the horizontal position. Please specify HR -Horizontal Right and add \$304 list.

PRODUCT CODE	FINISH Lp	w	SIZE/INC	HES H(W)	w	D	WEIGHT LBS	VOL FT ³
L 2CB20302D50H	2163	2341	H(LP/B) 49.56	50.00	30	20	245	21
L2CB20362D50H	2315	2522	49.56	50.00	36	20	281	25
L2CB20302D66H	2456	2630	65.81	66.25	30	20	310	28
L2CB20362D66H	2640	2840	65.81	66.25	36	20	354	33
L2CB20302D72H	2553	2724	72.81	73.24	30	20	327	30
L2CB20362D72H	2738	2938	72.81	73.24	36	20	372	36
L2CB24302D50H	2249	2434	49.56	50.00	30	24	245	25
L2CB24362D50H	2407	2621	49.56	50.00	36	24	281	30
L2CB24302D66H	2557	2735	65.81	66.25	30	24	310	33
L2CB24362D66H	2746	2954	65.81	66.25	36	24	354	39
L2CB24302D72H	2655	2833	72.81	73.24	30	24	327	36
L2CB24362D72H	2850	3056	72.81	73.24	36	24	372	43


L2CB • Storage Cabinet with 2 Doors Coat Rod and 1 Fixed Shelf



- One lock included.
- Optional e-lock available in the horizontal position. Please specify HR -Horizontal Right and add \$304 list.

il Nou allu i i ixt	su oi	ICII						
PRODUCT	FINISH		SIZE / INC	HES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2CB20302DCS50H	1977	2141	49.56	50.00	30	20	204	21
L2CB20362DCS50H	2088	2287	49.56	50.00	36	20	231	25
L2CB20302DCS66H	2168	2374	65.81	66.25	30	20	249	28
L2CB20362DCS66H	2283	2483	65.81	66.25	36	20	281	33
L2CB20302DCS72H	2262	2600	72.81	73.24	30	20	265	30
L2CB20362DCS72H	2386	2586	72.81	73.24	36	20	298	36
L2CB24302DCS50H	2056	2228	49.56	50.00	30	24	204	25
L2CB24362DCS50H	2171	2378	49.56	50.00	36	24	231	30
L2CB24302DCS66H	2254	2471	65.81	66.25	30	24	249	33
L2CB24362DCS66H	2373	2579	65.81	66.25	36	24	281	39
L2CB24302DCS72H	2354	2702	72.81	73.24	30	24	265	36
L2CB24362DCS72H	2481	2689	72.81	73.24	36	24	298	43
		2,02		, 0.2				


L2CB · Storage Cabinet with 3 High Cupboard, 2 Adjustable Shelves over a 2 High Lateral



- 50"h. cabinet comes with one adjustable shelf.
- 66" and 72" Cabinet comes with 2 adjustable shelves.
- · Two locks included.
- Optional e-lock available for the file drawers vertical position. Please specify V - Vertical and add \$304 list.
- Optional e-lock available in the horizontal position for upper storage cabinet. Please specify HR - Horizontal Right and add \$304 list.

Juai u, Z Aujusta			3 010			Lucc	u.	
PRODUCT	FINISH		SIZE/INCI		•		WEIGHT	VOL
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2CB20302H2D50H	2811	2967	49.56	50.00	30	20	256	21
L2CB20362H2D50H	2988	3129	49.56	50.00	36	20	292	25
L2CB20302H2D66H	3146	3305	65.81	66.25	30	20	321	28
L2CB20362H2D66H	3352	3488	65.81	66.25	36	20	365	33
L2CB20302H2D72H	3245	3405	72.81	73.24	30	20	338	30
L2CB20362H2D72H	3422	3584	72.81	73.24	36	20	383	36
L2CB24302H2D50H	2921	3086	49.56	50.00	30	24	256	25
L2CB24362H2D50H	3108	3253	49.56	50.00	36	24	292	30
L2CB24302H2D66H	3272	3438	65.81	66.25	30	24	321	33
L2CB24362H2D66H	3485	3631	65.81	66.25	36	24	365	39
L2CB24302H2D72H	3377	3540	72.81	73.24	30	24	338	36
L2CB24362H2D72H	3558	3728	72.81	73.24	36	24	383	43


L2CB • Storage Cabinet with a 2 High Cupboard, 1 Adjustable Shelf over a 3 High Lateral



- One lock on right door.
- Two locks included.
- Optional e-lock available for the file drawers vertical position. Please specify V - Vertical and add \$304 list.
- Optional e-lock available in the horizontal position for upper storage cabinet. Please specify HR - Horizontal Right and add \$304 list.

podara, i Adjustable dileli dvel a 5 iligli Latei								
FINISH				9		WEIGHT	VOL	
LP	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
3345	3508	65.81	66.25	30	20	337	28	
3556	3749	65.81	66.25	36	20	381	33	
3479	3641	72.81	73.25	30	20	354	30	
3686	3884	72.81	73.25	36	20	399	36	
3480	3649	65.81	66.25	30	24	337	28	
3698	3900	65.81	66.25	36	24	381	33	
3617	3787	72.81	73.25	30	24	354	30	
3834	4041	72.81	73.25	36	24	399	36	
	FINISH LP 3345 3556 3479 3686 3480 3698 3617	FINISH LP W 3345 3508 3556 3749 3641 3686 3884 3480 3649 3698 3900 3617 3787	FINISH LP W H(LP/B) 3345 3508 65.81 3556 3749 65.81 3479 3641 72.81 3686 3884 72.81 3480 3649 65.81 3698 3900 65.81 3617 3787 72.81	FINISH LP W H(LP/B) H(W) H(W) 3345 3508 65.81 66.25 3556 3749 65.81 66.25 3479 3641 72.81 73.25 3686 3884 72.81 73.25 3480 3649 65.81 66.25 3698 3900 65.81 66.25 3617 3787 72.81 73.25	FINISH	FINISH LP W H(LPIB) H(W) W D 3345 3508 65.81 66.25 30 20 3556 3749 65.81 66.25 36 20 3479 3641 72.81 73.25 30 20 3686 3884 72.81 73.25 36 20 3480 3649 65.81 66.25 30 24 3698 3900 65.81 66.25 36 24 3617 3787 72.81 73.25 30 24	FINISH LP W H(LP/B) H(W) W D LBS 3345 3508 65.81 66.25 30 20 337 3556 3749 65.81 66.25 36 20 381 3479 3641 72.81 73.25 30 20 354 3686 3884 72.81 73.25 36 20 399 3480 3649 65.81 66.25 30 24 337 3698 3900 65.81 66.25 36 24 381 3617 3787 72.81 73.25 30 24 354	

L2CB • Storage Cabinet with a 2 Door Storage Cupboard above a 4 High Lateral




- Two locks included.
- Lock on cupboard is not available for UB, UC or RN handles.
- Optional e-lock available for the file drawers vertical position. Please specify V - Vertical and add \$304 list.
- Optional e-lock available in the horizontal position for upper storage cabinet. Please specify HR - Horizontal Right and add \$304 list.

PRODUCT	FINISH		SIZE/INC	HES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2CB20304H2D66H	3795	3992	65.81	66.25	30	20	343	28
L2CB20364H2D66H	4095	4294	65.81	66.25	36	20	387	33
L2CB20304H2D72H	3896	4064	72.81	73.24	30	20	360	30
L2CB20364H2D72H	4135	4334	72.81	73.24	36	20	405	36
L2CB24304H2D66H	3950	4152	65.81	66.25	30	24	278	33
L2CB24364H2D66H	4259	4467	65.81	66.25	36	24	314	39
L2CB24304H2D72H	4052	4226	72.81	73.24	30	24	343	36
L2CB24364H2D72H	4301	4507	72.81	73.24	36	24	387	43

- 50"h. cabinet comes with one adjustable shelf.
- 66"h. and 72"h. Cabinet comes with 2 adjustable Shelves.
- · One lock included.
- · Optional e-lock available in the horizontal position. Please specify HR -Horizontal Right and add \$304 list.

L2CB • Storage C	Cabinet with Open Book	case and 2 Adji	ustabl	le She	lves 8	& 2 Do	or (Cupbo	ard	
•	• 50"h. cabinet comes with one	PRODUCT	FINISH		SIZE/INC			•	WEIGHT	VOL
\sim	adjustable shelf.	CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	66"h. and 72"h. Cabinet comes with	L2CB20302D050H	1814	2056	49.56	50.00	30	20	212	21
	2 adjustable Shelves.	L2CB20362D050H	1938	2276	49.56	50.00	36	20	248	25
	One lock included.	L2CB20302D066H	2035	2342	65.81	66.25	30	20	277	28
	Optional e-lock available in the hori-	L2CB20362D066H	2498	2656	65.81	66.25	36	20	321	33
	zontal position. Please specify HR -	L2CB20302D072H	2103	2436	72.81	73.24	30	20	294	30
	Horizontal Right and add \$304 list.	L2CB20362D072H	2294	2754	72.81	73.24	36	20	339	36
		L2CB24302D050H	1905	2158	49.56	50.00	30	24	212	25
		L2CB24362D050H	2035	2391	49.56	50.00	36	24	248	30
		L2CB24302D066H	2137	2460	65.81	66.25	30	24	277	33
		L2CB24362D066H	2306	2789	65.81	66.25	36	24	321	39
		L2CB24302D072H	2207	2557	72.81	73.24	30	24	294	36
		L2CB24362D072H	2407	2893	72.81	73.24	36	24	339	43


L2CB · Storage Cabinet with Open Bookcase and 2 Adjustable Shelves over a 2 High Lateral



- 50"h. cabinet comes with one adjustable shelf.
- 66"h. and 72"h. Cabinet comes with 2 adjustable Shelves.
- · One lock included.
- · Optional e-lock available in the vertical position. Please specify V -Vertical and add \$304 list.

PRODUCT	FINISH		SIZE/INC		9		WEIGHT	VOL
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2CB20302H050H	2191	2351	49.56	50.00	30	20	226	21
L2CB20362H050H	2300	2471	49.56	50.00	36	20	261	25
L2CB20302H066H	2414	2573	65.81	66.25	30	20	290	28
L2CB20362H066H	2610	2714	65.81	66.25	36	20	334	33
L2CB20302H072H	2509	2554	72.81	73.24	30	20	307	30
L2CB20362H072H	2677	2779	72.81	73.24	36	20	352	36
L2CB24302H050H	2299	2470	49.56	50.00	30	24	226	25
L2CB24362H050H	2414	2596	49.56	50.00	36	24	261	30
L2CB24302H066H	2533	2702	65.81	66.25	30	24	290	33
L2CB24362H066H	2738	2848	65.81	66.25	36	24	334	39
L2CB24302H072H	2632	2682	72.81	73.24	30	24	307	36
L2CB24362H072H	2811	2918	72.81	73.24	36	24	352	43

L2CBA · Storage Cabinet with 2 Doors and 4 Adjustable Shelves



- · One lock included.
- · Door frame is anodized aluminum.
- · Glazing is frosted acrylic.
- · Doors standard with no handles.
- · E-locks not available for aluminum framed glass doors.

PRODUCT	FINISH		SIZE/INC	HES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2CBA20302D50H	3379	3560	49.56	50.00	30	20	235	21
L2CBA20362D50H	3660	3871	49.56	50.00	36	20	281	25
L2CBA20302D66H	3947	4123	65.81	66.25	30	20	300	28
L2CBA20362D66H	4295	4500	65.81	66.25	36	20	344	33
L2CBA20302D72H	4147	4322	72.81	73.25	30	20	317	30
L2CBA20362D72H	4508	4712	72.81	73.25	36	20	362	36
L2CBA24302D50H	3467	3655	49.56	50.00	30	24	235	21
L2CBA24362D50H	3753	3969	49.56	50.00	36	24	281	25
L2CBA24302D66H	4048	4230	65.81	66.25	30	24	300	28
L2CBA24362D66H	4399	4611	65.81	66.25	36	24	344	33
L2CBA24302D72H	4252	4431	72.81	73.25	30	24	317	30
L2CBA24362D72H	4621	4832	72.81	73.25	36	24	362	36


L2CBA · Storage Cabinet with 2 Doors, Coat Rod and 1 Adjustable Shelf



- · One lock included.
- Door frame is anodized aluminum.
- Glazing is frosted acrylic.
- · Doors standard with no handles.
- · E-locks not available for aluminum framed glass doors.

HUSIC	IDIC O						
FINISH			HES			WEIGHT	VOL
LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
3195	3359	49.56	50.00	30	20	195	21
3427	3631	49.56	50.00	36	20	221	25
3654	3864	65.81	66.25	30	20	239	28
3931	4134	65.81	66.25	36	20	271	33
3854	4197	72.81	73.25	30	20	255	30
4152	4352	72.81	73.25	36	20	288	36
3274	3448	49.56	50.00	30	24	195	21
3512	3723	49.56	50.00	36	24	221	25
3742	3962	65.81	66.25	30	24	239	28
4022	4232	65.81	66.25	36	24	271	33
3947	4300	72.81	73.25	30	24	255	30
4248	4460	72.81	73.25	36	24	288	36
	FINISH LP 3195 3427 3654 3931 3854 4152 3274 3512 3742 4022 3947	FINISH LP W 3195 3359 3427 3631 3654 3864 3931 4134 3854 4197 4152 4352 3274 3448 3512 3723 3742 3962 4022 4232 3947 4300	FINISH W H(LP/B) 3195 3359 49.56 3427 3631 49.56 3654 3864 65.81 3931 4134 65.81 3854 4197 72.81 4152 4352 72.81 3274 3448 49.56 3512 3723 49.56 3742 3962 65.81 4022 4232 65.81 3947 4300 72.81	IP W H(IPIB) H(W) 3195 3359 49.56 50.00 3427 3631 49.56 50.00 3654 3864 65.81 66.25 3931 4134 65.81 66.25 3854 4197 72.81 73.25 4152 4352 72.81 73.25 3274 3448 49.56 50.00 3512 3723 49.56 50.00 3742 3962 65.81 66.25 4022 4232 65.81 66.25 3947 4300 72.81 73.25	FINISH LP W H(LP/B) H(W) W 3195 3359 49.56 50.00 30 3427 3631 49.56 50.00 36 3654 3864 65.81 66.25 30 3931 4134 65.81 66.25 36 3854 4197 72.81 73.25 30 4152 4352 72.81 73.25 36 3274 3448 49.56 50.00 30 3512 3723 49.56 50.00 36 3742 3962 65.81 66.25 30 4022 4232 65.81 66.25 36 3947 4300 72.81 73.25 30	FINISH SIZE/INCHES LP W H(LP/B) H(W) W D 3195 3359 49.56 50.00 30 20 3427 3631 49.56 50.00 36 20 3654 3864 65.81 66.25 30 20 3931 4134 65.81 66.25 36 20 3854 4197 72.81 73.25 30 20 4152 4352 72.81 73.25 36 20 3274 3448 49.56 50.00 30 24 3512 3723 49.56 50.00 36 24 3742 3962 65.81 66.25 30 24 4022 4232 65.81 66.25 36 24 3947 4300 72.81 73.25 30 24	FINISH SIZE/INCHES WEIGHT LP W H(LP)B) H(W) W D LBS 3195 3359 49.56 50.00 30 20 195 3427 3631 49.56 50.00 36 20 221 3654 3864 65.81 66.25 30 20 239 3931 4134 65.81 66.25 36 20 271 3854 4197 72.81 73.25 30 20 255 4152 4352 72.81 73.25 36 20 288 3274 3448 49.56 50.00 30 24 195 3512 3723 49.56 50.00 36 24 221 3742 3962 65.81 66.25 30 24 239 4022 4232 65.81 66.25 36 24 271 3947 4300 72.81


L2CBA · Storage Cabinet with 3 High Cup



- · Cabinet 2h2d.
- · One lock on right door.
- · One lock on upper drawer.
- · Door frame is anodized aluminum with lock(s).
- · Glazing is frosted acrylic.
- Doors standard with no handles.
- Two locks included
- · Optional e-lock available in the vertical position. Please specify V -Vertical and add \$304 list.
- · E-locks not available for aluminum framed glass doors.

pboard, 2 Adjusta	able S	Shelve	es ove	er a 2	Hig	h La	teral	
PRODUCT	FINISH		SIZE/INC		•		WEIGHT	VOL
CODE	LP	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2CBA20302H2D50H	3568	3728	49.56	50.00	30	20	233	19
L2CBA20362H2D50H	3810	3956	49.56	50.00	36	20	265	22
L2CBA20302H2D66H	4176	4339	65.81	66.25	30	20	292	25
L2CBA20362H2D66H	4484	4674	65.81	66.25	36	20	332	29
L2CBA20302H2D72H	4377	4540	72.81	73.25	30	20	307	27
L2CBA20362H2D72H	4669	4832	72.81	73.25	36	20	348	32
L2CBA24302H2D50H	3682	3847	49.56	50.00	30	24	233	22
L2CBA24362H2D50H	3933	4082	49.56	50.00	36	24	265	27
L2CBA24302H2D66H	4305	4473	65.81	66.25	30	24	292	29
L2CBA24362H2D66H	4621	4819	65.81	66.25	36	24	332	35
L2CBA24302H2D72H	4508	4676	72.81	73.25	30	24	307	32
L2CBA24362H2D72H	4808	4980	72.81	73.25	36	24	348	38


L2CBA · Storage Cabinet with 2 High Cup



- · Cabinet 3h2d.
- One lock on right door.
- · One lock on upper drawer.
- · Door frame is anodized aluminum with lock(s).
- · Glazing is frosted acrylic.
- · Doors standard with no handles.
- · Two locks included.
- · Optional e-lock available in the vertical position. Please specify V -Vertical and add \$304 list.
- E-locks not available for aluminum framed glass doors.

pboard, 1 Adjusta	able \$	Shelv	es ove	er a 3	Hig	ıh La	ateral	
PRODUCT	FINISH		SIZE/INC		_	,	WEIGHT	VOL
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2CBA20303H2D66H	4117	4280	65.81	66.25	30	20	337	28
L2CBA20363H2D66H	4398	4592	65.81	66.25	36	20	381	33
L2CBA20303H2D72H	4351	4513	72.81	73.25	30	20	354	30
L2CBA20363H2D72H	4643	4842	72.81	73.25	36	20	399	36
L2CBA24303H2D66H	4252	4420	65.81	66.25	30	24	337	28
L2CBA24363H2D66H	4541	4742	65.81	66.25	36	24	381	33
L2CBA24303H2D72H	4489	4659	72.81	73.25	30	24	354	30
L2CBA24363H2D72H	4792	4998	72.81	73.25	36	24	399	36

L2CBA · Storage Cabinet with 2 Aluminum Door Storage Cupboard above a 4 high Lateral · Two locks included.



- · Door frame is anodized aluminum.
- · Glazing is frosted acrylic.
- · Doors standard with no handles.
- One lock on right door.
- · One lock on upper drawer.
- · Optional e-lock available in the vertical position. Please specify V -Vertical and add \$304 list.
- · E-locks not available for aluminum framed glass doors.

и	iii buul Stulaye i	Gubb	varu	abuve	: a + 11	IIUII	Late	zi ai	
	PRODUCT	FINISH		SIZE/INC		9		WEIGHT	VOL
	CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	L2CBA20304H2D66H	4381	4577	65.81	66.25	30	20	343	28
	L2CBA20364H2D66H	4815	5018	65.81	66.25	36	20	387	33
	L2CBA20304H2D72H	4593	4764	72.81	73.25	30	20	360	30
	L2CBA20364H2D72H	4894	5093	72.81	73.25	36	20	345	36
	L2CBA24304H2D66H	4535	4739	65.81	66.25	30	24	343	28
	L2CBA24364H2D66H	4981	5192	65.81	66.25	36	24	387	33
	L2CBA24304H2D72H	4751	4929	72.81	73.25	30	24	360	30
	L2CBA24364H2D72H	5061	5269	72.81	73.25	36	24	345	36

L2BRTPSLSxx • Panel Supporting Lateral Sliding Door



- Fits below Bridges tables, can join with other 21" high, 18" and 23" deep storage units along the panel. Can serve as an additional worksurface or an ad-hoc guest seating with optional cushion.
- Storage compartment internal height: 12.36".
- Sliding door locks on left side.
- Anodized aluminum leg upcharge \$74.
- · Optional e-lock available in the vertical position. Please specify V-Vertical and add \$304 list.

ing Door								
PRODUCT FINISH		ROUP SIZE/		INCHES		WEIGHT		
CODE	LP	HP	H	W	D	LBS	FT ³	
L2BRTPSLS30	1367	1456	1186	30	19	53	6.56	
L2BRTPSLS36	1477	1567	1277	36	19	60	7.87	
L2BRTPSLS42	1590	1678	1367	42	19	67	9.18	
L2BRTPSLS2330	1821	1941	1581	30	24	61	8.39	
L2BRTPSLS2336	1970	2088	1701	36	24	70	10.06	
L2BRTPSLS2342	2119	2239	1824	42	24	79	11.74	

L2BRTPSLxx • Panel Supporting Lateral File Drawer



- Fits below Bridges tables, can join with other 21" high, 18" and 23" deep storage units along the panel. Can serve as an additional worksurface or an ad-hoc quest seating with optional cushion.
- · One file drawer (holds letter, legal and A4 suspended file folders).
- Anodized aluminum leg upcharge \$74.
- Optional e-lock available in the vertical position. Please specify V-Vertical and add \$304 list.

awei							
PRODUCT CODE	FINISH GR LP	OUP HP	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
L2BRTPSL30	1412	1432	1167	30	19	77	6.56
L2BRTPSL36	1544	1634	1331	36	19	84	7.87
L2BRTPSL42	1701	1790	1458	42	19	92	9.18
L2BRTPSL2330	1879	1910	1556	30	24	86	8.39
L2BRTPSL2336	2058	2179	1775	36	24	95	10.06
L2BRTPSL2342	2277	2387	1945	42	24	104	11.74
	PRODUCT CODE L2BRTPSL30 L2BRTPSL36 L2BRTPSL42 L2BRTPSL2330 L2BRTPSL2336	PRODUCT FINISH GR CODE LP L2BRTPSL30 1412 L2BRTPSL36 1544 L2BRTPSL42 1701 L2BRTPSL2330 1879 L2BRTPSL2336 2058	PRODUCT FINISH GROUP CODE LP HP L2BRTPSL30 1412 1432 L2BRTPSL36 1544 1634 L2BRTPSL42 1701 1790 L2BRTPSL2330 1879 1910 L2BRTPSL2336 2058 2179	PRODUCT FINISH GROUP SIZE / HP CODE LP HP H L2BRTPSL30 1412 1432 1167 L2BRTPSL36 1544 1634 1331 L2BRTPSL42 1701 1790 1458 L2BRTPSL2330 1879 1910 1556 L2BRTPSL2336 2058 2179 1775	PRODUCT CODE FINISH GROUP LP SIZE/H INCHES L2BRTPSL30 1412 1432 1167 30 L2BRTPSL36 1544 1634 1331 36 L2BRTPSL42 1701 1790 1458 42 L2BRTPSL2330 1879 1910 1556 30 L2BRTPSL2336 2058 2179 1775 36	PRODUCT FINISH GROUP LP SIZE / HP INCHES CODE LP HP H W D L2BRTPSL30 1412 1432 1167 30 19 L2BRTPSL36 1544 1634 1331 36 19 L2BRTPSL42 1701 1790 1458 42 19 L2BRTPSL2330 1879 1910 1556 30 24 L2BRTPSL2336 2058 2179 1775 36 24	PRODUCT FINISH GROUP LP SIZE/HP INCHES WEIGHT CODE LP HP H W D LBS L2BRTPSL30 1412 1432 1167 30 19 77 L2BRTPSL36 1544 1634 1331 36 19 84 L2BRTPSL42 1701 1790 1458 42 19 92 L2BRTPSL2330 1879 1910 1556 30 24 86 L2BRTPSL2336 2058 2179 1775 36 24 95

L2BRTP25L0xxL • Panel Supporting Open Stora



- Fits below Bridges tables, can join with other 25" high, 18" and 23" deep storage units along the panel. Can serve as an additional worksurface or an ad-hoc guest seating with optional cushion.
- Open compartment with glass adjustable shelf. Storage compartment internal height without height adjustable shelf: 15.8"
- · Anodized aluminum leg upcharge \$74.

age							
PRODUCT Code	FINISH GROUP LP HP		SIZE/ H	IZE INCHES W		WEIGHT D LBS	
L2BRTP25L030L	783	939	765	30	19	49	7.81
L2BRTP25L036L	984	1073	874	36	19	55	9.37
L2BRTP25L042L	1073	1187	967	42	19	62	10.93
L2BRTP25L02330L	1046	1253	1021	30	24	59	10.42
L2BRTP25L02336L	1312	1432	1167	36	24	66	12.50
L2BRTP25L02342L	1432	1581	1288	42	24	72	14.58

L2BRTPLBFxx • Panel Supporting Lateral Box/Fi



- · Fits below Bridges tables, can join with other 25" high, 18" and 23" deep storage units along the panel.
- One lockable file drawer (holds letter, legal and A4 suspended file folders), one box drawer.
- · Anodized aluminum leg upcharge \$74.
- Black injection moulded pencil tray included (can be secured inside the drawer anywhere along the perimeter wall).
- Optional e-lock available in the vertical position. Please specify V-Vertical and add \$304 list.

PRODUCT CODE	FINISH GR LP	OUP HP	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
L2BRTPLBF30	1523	1613	1314	30	19	88	7.81
L2BRTPLBF36	1745	1835	1495	36	19	96	9.37
L2BRTPLBF42	1904	2014	1641	42	19	104	10.93
L2BRTPLBF2330	2136	2239	1824	30	24	98	10.42
L2BRTPLBF2336	2327	2445	1992	36	24	107	12.50
L2BRTPLBF2342	2538	2686	2188	42	24	116	14.58

L2BRTP25L2Dxxxx · Panel Supporting Lateral w/hinged do



- · Fits below Bridges tables, can join with other 25" high, 18" or 23" deep storage units along the panel.
- Can serve as an additional worksurface or an adhoc guest seating with optional cushion.
- · Two lockable doors

Fits below Bridges tables

- · LP chassis and door fronts (specify LP finish)
- 1" top (specify LP or HP finish); metal handles, powder coated aluminum or anodized aluminum legs. Anodized aluminum leg upcharge \$74.

w/mmgea aoors	5						
PRODUCT	FINISH GF	FINISH GROUP		INCHES		WEIGHT	VOL
CODE	LP	HP	H	W	D	LBS	FT ³
L2BRTP25L2D30	1208	1324	1079	30	19	69	7.81
L2BRTP25L2D36	1304	1442	1175	36	19	78	9.38
L2BRTP25L2D42	1369	1529	1246	42	19	90	10.94
L2BRTP25L2D3024	1382	1537	1252	30	24	75	10.42
L2BRTP25L2D3624	1499	1682	1370	36	24	84	12.50
L2BRTP25L2D4224	1610	1772	1444	42	24	96	14.58

L2BRT25BFxxL • 25" Box/File Pedestal





- · Can join with other 25" high storage units of cor-
- responding depth to form a spine or slides out on casters to serve as an additional worksurface.
- · Floor clearance allows for access to panel floor raceway duplex outlets: units on levelers accommodate installation of an optional Cable Basket to manage cords and data cables under storage spine.
- · One box drawer, one file drawer (holds letter, legal and A4 suspended file folders except 18"
- **PRODUCT** FINISH GROUP SIZE/ **INCHES** WEIGHT VOL CODE LP Н D LBS FT³ Levelers L2BRT25BF18L 1118 1187 967 15.5 18 69 3.89 L2BRT25BF24L 1113 74 5.02 1366 L2BRT25BF30L 1410 1500 1222 15.5 30 82 6.15 Casters L2BRT25BF18C 3.89 1208 1277 1040 15.5 69 18 L2BRT25BF24C 1388 1456 15.5 24 74 5.02 1186 L2BRT25BF30C 1500 1590 1295 15.5 30 82 6.15
- Optional Cable Basket suspends off storage unit's bottom and manages cables along the horizontal plane. (NO CASTER models only)
- · Fits under 30" worksurface table beams as is.
- · LP chassis and drawer fronts (specify LP finish) 1" top (specify LP or HP finish); metal handles, powder coated aluminum or anodized aluminum legs specify 5/16x2" levelers or 40mm white/grey, locking casters
- Anodized aluminum leg upcharge \$74.
- · Pedestal with cushion will not fit under beam.
- · Black injection moulded pencil tray included.
- · 25" high Bridges storage should not be used under Back 2 Back Bridges table applications using Below Worksurface Trough. Storage will not fit under
- Optional e-lock available in the vertical position. Please specify V-Vertical and add \$304 list.

STORAGE LICENCE E

L2BRTTW50xxL/R • Storage Tower with Coat Storage



Left Shown

- Provides storage and privacy at the end of a table
 Box+file drawers; open compartment with adjustable shelf (50" high); coat storage with hinged door.
- · Specify Left or Right handed.
- Capable of supporting worksurface on one side (built-in threaded inserts to secure dedicated worksurface supporting beam).

PRODUCT	FINISH GI	ROUP	SIZE/	INCHES		WEIGHT	VOL
CODE	LP	HP	Н	W	D	LBS	FT ³
L2BRTTW5024L	2440	2596	2115	24	24	142	16.66
L2BRTTW5024R	2440	2596	2115	24	24	142	16.66
L2BRTTW5030L	2710	2865	2334	24	30	163	20.83
L2BRTTW5030R	2710	2865	2334	24	30	163	20.83

FINISH GROUP

3375

3375

3723

3723

LP

3173

3173

3523

3523

- Open side storage compartment internal height: 19.6".
- Optional Cable Basket suspends off storage unit's bottom and manages cables along the horizontal plane.
- LP chassis (specify LP finish), 1" top (specify LP or HP finish); metal handles; powder coated aluminum or anodized aluminum legs (specify paint finish).
- · Anodized aluminum leg upcharge \$74.
- · Black injection moulded pencil tray included.
- · Optional e-lock available in the vertical position for the box, file drawer. Please specify V-Vertical and add \$304 list.

CODE

. Optional e-lock available in the horizontal position for the wardrobe. Please specify HR-Horizontal Right or HL-Horizontal Left and add \$284 list.

L2BRTTW6624L

L2BRTTW6624R

L2BRTTW6630L

L2BRTTW6630R

L2BRTTW66xxL/R • Storage Tower with Coat Storage • Provides storage and privacy at the end of a table • PRODUCT



- Provides storage and privacy at the end of a table
 Box+file drawers; open compartment (66" high); coat storage with hinged door and 2 shelves.
- Specify Left or Right handed.
- Capable of supporting worksurface on one side (built-in threaded inserts to secure dedicated worksurface supporting beam).
- Open side storage compartment internal height: 35.6".
- · Optional Cable Basket suspends off storage unit's bottom and manages cables along the horizontal plane.
- LP chassis (specify LP finish), 1" top (specify LP or HP finish); metal handles; powder coated aluminum or anodized aluminum legs (specify paint finish).
- · Anodized aluminum leg upcharge \$74.
- · Black injection moulded pencil tray included.
- Optional e-lock available in the vertical position for the box, file drawer. Please specify V-Vertical and add \$304 list.
- Optional e-lock available in the horizontal position for the wardrobe. Please specify HR-Horizontal Right or HL-Horizontal Left and add \$284 list.

L2BRTSAxx • Storage Table Beam Adapter



 Storage table beam adapter allows a worksurface to be supported by a leg on one side and storage spine on the opposite side. A typical Storage spine is formed by series of interconnected 21" or 25" high storage cabinets of corresponding depth

	PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT³
S	L2BRTSA21	134	6.5	15.2	1	2.15	0.05
	L2BRTSA25	114	2.75	15.2	1	4.3	0.02

SIZE

2750 24

2750 24

3033

3033 24

INCHES

24

24

30

30

WEIGHT VOL

FT³

22 27.5

27.5

LBS

170


170

195

195

- The Storage beam is connected to a single or Back 2 Back leg on one side and to the worksurface on the opposite side thus saving one leg assembly.
- The 21" or 25" adapters provide structural support acting as supports between top of the storage cabinet spine and the bottom of perpendicular worksurfaces.
- The flexible leg/beam/adapter assembly arrangement allows the leg to be tucked in under the worksurface or to be shared by two adjacent worksurfaces. Included hardware connect the adapter to the worksurface and to the Spine storage beam adapter tower.
- · Note: Specify Storage Beam nominally 18" shorter than worksurfaces for storage spine support application.
- Specify Storage Spine Adapter BRTSA21 (21") or BRTSA25 adapter (25") depending on the height of Bridges storage units forming the spine.
- Includes all hardware necessary to connect the adapter to the beam, worksurface and storage spine.

L2BRTC • Cushion



Optional seat cushion may be added to any storage component.

PRODUCT	SIZE/	INCHES		WEIGHT	VOL
CODE	H	W	D	LBS	FT ³
L2BRTC	1.25	15.5	18	1	0.41

PRODUCT	PRICE									
CODE	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10
L2BRTC	257	306	340	387	454	518	582	643	707	776

L2BRPX3MA25xx • 25" High System 3 Panel



 25" high System3 panel facilitates seamless transition from a panel-based, enclosed office to an open one. It can be connected to a cluster of panels on one side and continue with power / data spine distribution into collaborative areas.

	PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	VOL
d,	CODE	GR1	GR2	OPT	Н	W	D	LBS	FT ³
	L2BRPX3MA2530	609	638	666	543	543	2.5	5.00	1.09
	L2BRPX3MA2536	663	720	757	617	617	2.5	6.00	1.30
ta	L2BRPX3MA2542	720	777	816	665	665	2.5	7.00	1.52
20		-					-		_

· 25" high System3 panel also enables creation of a storage-based spine with full 8-wire, 4-circuit power and data capacity.

L2BRPX3MA25xx · 25" High System 3 Panel



· 25" high System3 panel facilitates seamless transition from a panel-based, enclosed office to an open one. It can be connected to a cluster of panels on one side and continue with power / data spine distribution into collaborative areas.


	PRODUCT	PRICE			SIZE/	INCHES		WEIGHT	VOL
d,	CODE	GR1	GR2	OPT	Н	W	D	LBS	FT ³
	L2BRPX3GMA2530	1193	1221	1284	1046	1046	2.5	5.00	1.09
	L2BRPX3GMA2536	1254	1311	1376	1121	1121	2.5	6.00	1.30
ta	L2BRPX3GMA2542	1331	1386	1456	1186	1186	2.5	7.00	1.52

- · 25" high System3 panel also enables creation of a storage-based spine with full 8-wire, 4-circuit power and data capacity.
- B3 panel Top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, acid etched on one side or clear.
- · Square corners on glass.
- · Integrated adjustable brackets and extruded aluminum trim.
- · Cannot be retrofit on-site.

L2HH • Hutch with Hinged Doors



30" - 42" units




54" - 84" units


- 30" 42" units come with one lock.
- 48" 84" units come with two locks.
- · Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right or HL - Horizontal Left for the 48" wide unit and add \$304 list.
- · Hutches 48" or longer require two e-locks.

PRODUCT	FINISH		SIZE / INCHES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	W	D	LBS	FT ³
L2HH30H36	1092	1223	36.81	30	16	138	17
L2HH36H36	1155	1304	36.81	36	16	145	18
L2HH42H36	1252	1436	36.81	42	16	163	19
L2HH48H36	1582	1772	36.81	48	16	180	22
L2HH54H36	1871	2067	36.81	54	16	208	26
L2HH60H36	1910	2154	36.81	60	16	216	29
L2HH66H36	2013	2284	36.81	66	16	233	30
L2HH72H36	2068	2357	36.81	72	16	251	32
L2HH78H36	2186	2553	36.81	78	16	264	46
L2HH84H36	2249	2584	36.81	84	16	277	50
L2HH30H43	1176	1296	43.81	30	16	158	19
L2HH36H43	1215	1364	43.81	36	16	166	20
L2HH42H43	1342	1536	43.81	42	16	175	22
L2HH48H43	1650	1840	43.81	48	16	191	24
L2HH54H43	2114	2311	43.81	54	16	209	31
L2HH60H43	1987	2229	43.81	60	16	227	32
L2HH66H43	2095	2366	43.81	66	16	249	33
L2HH72H43	2196	2487	43.81	72	16	259	36
L2HH78H43	2276	2640	43.81	78	16	272	48
L2HH84H43	2337	2682	43.81	84	16	285	53

L2HH-A · Hutch with Aluminum Hinged Doors









- 30" 42" units come with one lock.
- 48" 84" units come with two locks.
- Door frame is anodized aluminum.
- · Glazing is frosted acrylic.
- · Doors standard with no handles.
- · E-locks not available for aluminum framed glass doors.

PRODUCT	FINISH		SIZE/INCHES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	W	D	LBS	FT ³
L2HH30H36A	1736	1861	36.81	30	16	138	17
L2HH36H36A	1836	1985	36.81	36	16	145	18
L2HH42H36A	1955	2099	36.81	42	16	163	19
L2HH48H36A	2564	2754	36.81	48	16	180	22
L2HH54H36A	3125	3319	36.81	54	16	208	26
L2HH60H36A	3206	3448	36.81	60	16	216	29
L2HH66H36A	3323	3356	36.81	66	16	233	30
L2HH72H36A	3411	3699	36.81	72	16	251	32
L2HH78H36A	3530	3896	36.81	78	16	264	46
L2HH84H36A	3629	3984	36.81	84	16	277	50
L2HH30H43A	1815	1938	43.81	30	16	158	19
L2HH36H43A	1899	2047	43.81	36	16	166	20
L2HH42H43A	2042	2243	43.81	42	16	175	22
L2HH48H43A	2632	2823	43.81	48	16	191	24
L2HH54H43A	3200	3399	43.81	54	16	209	31
L2HH60H43A	3286	3526	43.81	60	16	227	32
L2HH66H43A	3402	3556	43.81	66	16	249	33
L2HH72H43A	3544	3837	43.81	72	16	259	36
L2HH78H43A	3621	3987	43.81	78	16	272	48
L2HH84H43A	3725	4069	43.81	84	16	285	53

L2HO • Open Hutch






PRODUCT	FINISH		SIZE/INCHES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	W	D	LBS	FT ³
L2H030H21	741	876	20.56	30	16	73	11
L2H036H21	806	964	20.56	36	16	81	13
L2H042H21	886	1081	20.56	42	16	96	15
L2H048H21	1024	1226	20.56	48	16	100	18
L2H054H21	1161	1369	20.56	54	16	124	20
L2H060H21	1203	1462	20.56	60	16	134	22
L2H066H21	1278	1572	20.56	66	16	144	24
L2H072H21	1338	1646	20.56	72	16	152	26
L2H078H21	1407	1798	20.56	78	16	161	29
L2H084H21	1479	1839	20.56	84	16	169	31
L2H030H36	829	957	36.81	30	16	91	18
L2H036H36	870	981	36.81	36	16	109	19
L2H042H36	1027	1241	36.81	42	16	127	22
L2H048H36	1097	1301	36.81	48	16	131	24
L2H054H36	1251	1490	36.81	54	16	145	29
L2H060H36	1367	1624	36.81	60	16	138	31
L2H066H36	1446	1737	36.81	66	16	142	33
L2H072H36	1554	1867	36.81	72	16	149	36
L2H078H36	1587	1976	36.81	78	16	154	46
L2H084H36	1661	2026	36.81	84	16	158	50
L2H030H43	606	745	43.81	30	16	99	22
L2H036H43	662	776	43.81	36	16	108	26
L2H042H43	739	932	43.81	42	16	122	31
L2H048H43	820	1024	43.81	48	16	127	35
L2H054H43	989	1196	43.81	54	16	151	40
L2H060H43	1022	1279	43.81	60	16	161	44
L2H066H43	1090	1381	43.81	66	16	171	48
L2H072H43	1132	1441	43.81	72	16	178	53
L2H078H43	1197	1505	43.81	78	16	187	57
L2H084H43	1257	1619	43.81	84	16	196	62

L2HF • Hutch with Flip Up Doors • 30" - 48" units come with one lock.






- 54" 84" units come with two locks. • Optional e-lock available in the horizontal
- position. Please specify HR Horizontal Right and add \$304 list.
- Hutches 48" or longer require two e-locks.



PRODUCT CODE	FINISH Lp	w	SIZE / INCHES H (LP/B)	w	D	WEIGHT LBS	VOL FT ³
L2HF30H36	1099	1142	36.81	30	16	142	18
L2HF36H36	1173	1221	36.81	36	16	146	19
L2HF42H36	1263	1312	36.81	42	16	158	22
L2HF48H36	1268	1319	36.81	48	16	180	24
L2HF54H36	1905	1980	36.81	54	16	182	29
L2HF60H36	2022	2100	36.81	60	16	220	31
L2HF66H36	2115	2200	36.81	66	16	253	33
L2HF72H36	2179	2266	36.81	72	16	259	36
L2HF78H36	2279	2369	36.81	78	16	264	46
L2HF84H36	2362	2456	36.81	84	16	275	50
L2HF30H43	1211	1259	43.81	30	16	150	22
L2HF36H43	1219	1268	43.81	36	16	154	26
L2HF42H43	1310	1362	43.81	42	16	166	31
L2HF48H43	1403	1459	43.81	48	16	188	35
L2HF54H43	1926	2003	43.81	54	16	194	40
L2HF60H43	2079	2163	43.81	60	16	232	44
L2HF66H43	2186	2274	43.81	66	16	265	48
L2HF72H43	2245	2333	43.81	72	16	271	53
L2HF78H43	2412	2511	43.81	78	16	276	57
L2HF84H43	2501	2602	43.81	84	16	287	62




ın	Lami	nate	DOO	ors a	ına	PIG	eon	ПОІ
Г-	ماء المساء ي	ملمت ملمسما		LITE	01	_	DDODII	CT

- For tackboards, please use LTB21xx. • 36" - 42" units come with one lock.
- 48" 72" units come with two locks.
- Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right or HL - Horizontal Left for the 48" wide unit and add \$304 list.
- Hutches 48" or longer require two e-locks.

	eon noies								
•	PRODUCT Code	FINISH Lp	W	SIZE/INCHES H (LP/B)	w	D	WEIGHT LBS	VOL FT ³	
	L2HHP36	1399	1549	43.81	36	16	145	17	
	L2HHP42	1486	1656	43.81	42	16	163	19	
	L2HHP48	2007	2201	43.81	48	16	180	22	
	L2HHP60	2424	2656	43.81	60	16	216	26	
	L2HHP66	2503	2785	43.81	66	16	233	30	
	L2HHP72	2607	2893	43.81	72	16	251	32	

L2HHP-A · Hutch with Aluminum Hinged Doors and Pigeon Holes



- For tackboards, please use LTB21xx.36" 42" units come with one lock.
- 48" 72" units come with two locks.
- Door frame is anodized aluminum.
- · Glazing is frosted acrylic.
- · Doors standard with no handles.
- · E-locks not available for aluminum framed glass doors.

vi s aliu r igevi								
PRODUCT CODE	FINISH LP	W	SIZE / INCHES H (LP/B)	w	D	WEIGHT LBS	VOL FT ³	
L2HHP36A	1993	2142	43.81	36	16.8	132	15	
L2HHP42A	2177	2349	43.81	42	16.8	148	17	
L2HHP48A	2918	3115	43.81	48	16.8	164	20	
L2HHP60A	3607	3839	43.81	60	16.8	196	24	
L2HHP66A	3733	4019	43.81	66	16.8	212	27	
L2HHP72A	3887	4176	43.81	72	16.8	228	29	

L2HSD • Hutch with Sliding Laminate Doors• One lock included.





PRODUCT CODE	FINISH LP	w	SIZE / INCHES H (LP/B)	w	D	WEIGHT LBS	VOL FT ³
L2HSD48H21	1364	1572	20.56	48	16	122	18
L2HSD54H21	1495	1731	20.56	54	16	146	20
L2HSD60H21	1550	1810	20.56	60	16	156	22
L2HSD66H21	1648	1938	20.56	66	16	166	24
L2HSD72H21	1698	1977	20.56	72	16	174	26
L2HSD78H21	1780	2146	20.56	78	16	183	29
L2HSD84H21	1834	2196	20.56	84	16	191	31
L2HSD48H36	1690	1906	36.81	48	16	141	24
L2HSD54H36	1867	2083	36.81	54	16	165	29
L2HSD60H36	1910	2180	36.81	60	16	175	31
L2HSD66H36	2025	2328	36.81	66	16	185	33
L2HSD72H36	2079	2378	36.81	72	16	193	36
L2HSD78H36	2191	2602	36.81	78	16	201	46
L2HSD84H36	2238	2639	36.81	84	16	210	50
L2HSD48H43	1790	2009	43.81	48	16	149	35
L2HSD54H43	1977	2182	43.81	54	16	173	40
L2HSD60H43	2029	2299	43.81	60	16	183	44
L2HSD66H43	2149	2449	43.81	66	16	193	48
L2HSD72H43	2265	2564	43.81	72	16	200	53
L2HSD78H43	2326	2731	43.81	78	16	209	57
L2HSD84H43	2400	2773	43.81	84	16	218	62

L2HGSD • Hutch with Sliding Glass Doors • One lock included.

- Glass is frosted tempered.





PRODUCT	FINISH		SIZE/INCHES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	W	D	LBS	FT ³
L2HGSD48H21	2927	3146	20.56	48	16	139	18
L2HGSD54H21	3087	3330	20.56	54	16	163	20
L2HGSD60H21	3150	3418	20.56	60	16	184	22
L2HGSD66H21	3264	3567	20.56	66	16	194	24
L2HGSD72H21	3341	3663	20.56	72	16	201	26
L2HGSD78H21	3465	3842	20.56	78	16	210	29
L2HGSD84H21	3551	3922	20.56	84	16	219	31
L2HGSD48H36	3108	3330	36.81	48	16	157	24
L2HGSD54H36	3307	3523	36.81	54	16	182	29
L2HGSD60H36	3356	3626	36.81	60	16	202	31
L2HGSD66H36	3483	3787	36.81	66	16	212	33
L2HGSD72H36	3567	3915	36.81	72	16	220	36
L2HGSD78H36	3708	4116	36.81	78	16	229	46
L2HGSD84H36	3807	4181	36.81	84	16	238	50
L2HGSD48H43	3178	3488	43.81	48	16	165	35
L2HGSD54H43	3356	3693	43.81	54	16	189	40
L2HGSD60H43	3433	3795	43.81	60	16	210	44
L2HGSD66H43	3567	3915	43.81	66	16	220	48
L2HGSD72H43	3663	4098	43.81	72	16	228	53
L2HGSD78H43	3803	4271	43.81	78	16	237	57
L2HGSD84H43	3907	4372	43.81	84	16	245	62


L2DSH • Double Sided Hutch with Laminate Doors



· Two locks included.

PRODUCT	FINISH		SIZE/INCHES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	W	D	LBS	FT ³
L2DSH60H21	1632	1890	20.56	60	16	156	22
L2DSH66H21	1732	2023	20.56	66	16	166	24
L2DSH72H21	1785	2035	20.56	72	16	201	26
L2DSH78H21	1880	2243	20.56	78	16	210	29
L2DSH84H21	1938	2294	20.56	84	16	219	31


LTB27 • Tackboards for 43" High Hutches



- Provides a tackable surface for notes and memos.
- · Velcro for installation is included.
- Tackboards for hutches are 3" shorter than the overall size of the hutch.

PRODUCT	FABRIC		SIZE/INC	HES		WEIGHT	VOL
CODE	GR1	GR2	H	W	D	LBS	FT ³
LTB2727	384	422	27	27	1	7	0.46
LTB2733	416	457	27	33	1	7	0.57
LTB2739	449	475	27	39	1	7	0.67
LTB2745	514	539	27	45	1	8	0.78
LTB2751	589	606	27	51	1	8	0.88
LTB2757	658	691	27	57	1	9	0.98
LTB2763	725	768	27	63	1	9	1.09
LTB2769	798	843	27	69	1	10	1.19
LTB2775	892	950	27	75	1	10	1.30
LTB2781	962	1035	27	81	1	11	1.40


LTB21 • Tackboards for 36" High Hutches • Provides a tackable surface for notes and



- memos.
- Velcro for installation is included.
- Tackboards for hutches are 3" shorter than the overall size of the hutch.

PRODUCT	FABRIC		SIZE/II	NCHES		WEIGHT	VOL
CODE	GR1	GR2	Н	W	D	LBS	FT ³
LTB2127	302	330	21	27	1	4	0.38
LTB2133	323	355	21	33	1	4	0.42
LTB2139	352	372	21	39	1	4	0.49
LTB2145	403	422	21	45	1	5	0.56
LTB2151	462	475	21	51	1	5	0.63
LTB2157	514	539	21	57	1	6	0.69
LTB2163	567	600	21	63	1	6	0.76
LTB2169	625	659	21	69	1	7	0.83
LTB2175	697	743	21	75	1	7	0.89
LTB2181	781	836	21	81	1	8	0.96

L2HC • Corner Curved Bookcase



· Shipped knocked down (KD).

PRODUCT CODE	FINISH	w	SIZE/INCHES H (LP/B)	w	n	WEIGHT LBS	VOL FT ³
L2HC1637	794	914	36.81		16.87		7
L2HC1644	843	965	43.81	16.87	16.87		8


L2HBK • Open Hutch Bookcase



· Shipped knocked down (KD).


PRODUCT	FINISH		SIZE/INCHES			WEIGHT	VOL	
CODE	LP	W	H (LP/B)	W	D	LBS	FT ³	
L2HBK303	928	1086	36.81	30	16.875	109	12	
L2HBK363	1005	1191	36.81	36	16.875	123	14	
L2HBK304	1018	1176	43.81	30	16.875	119	13	
L2HBK364	1073	1261	43.81	36	16.875	135	17	

L2WHO · Wall Mounted Open Storage



PRODUCT	FINISH		SIZE/INC	HES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2WH030	665	794	16.75	17.18	30	16	69	7
L2WH036	711	892	16.75	17.18	36	16	78	8
L2WH042	820	998	16.75	17.18	42	16	87	9
L2WH048	873	1068	16.75	17.18	48	16	97	10
L2WH054	941	1184	16.75	17.18	54	16	106	11
L2WH060	1176	1326	16.75	17.18	60	16	117	12
L2WH066	1232	1369	16.75	17.18	66	16	125	13
L2WH072	1289	1505	16.75	17.18	72	16	139	14


L2WHH • Wall Mounted Hinged Door



- 30" 42" units come with one lock. • 48" - 72" units come with two locks.
- Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right or HL - Horizontal Left for the 48" wide unit and add \$304 list.
- Hutches 48" or longer require two e-locks.

PRODUCT	FINISH		SIZE/INC	HES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2WHH30	900	998	16.75	17.18	30	16	120	7
L2WHH36	965	1081	16.75	17.18	36	16	139	8
L2WHH42	1056	1197	16.75	17.18	42	16	143	9
L2WHH48	1319	1475	16.75	17.18	48	16	145	10
L2WHH54	1563	1739	16.75	17.18	54	16	155	11
L2WHH60	1619	1759	16.75	17.18	60	16	165	12
L2WHH66	1695	1856	16.75	17.18	66	16	175	13
L2WHH72	1769	2003	16.75	17.18	72	16	187	14


L2WHF • Wall Mounted Flip-up Door



- 30" 48" units come with one lock.
- 54" 72" units come with two locks.
- Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right or HL - Horizontal Left add \$304 list.
- Hutches 48" or longer require two e-locks.

PRODUCT	FINISH	SIZE/INCHES			WEIGHT	VOL
CODE	LP	H (LP/B) H (W)	W	D	LBS	FT ³
L2WHF30	1005	17.63 17.63	30	16	94	7
L2WHF36	1065	17.63 17.63	36	16	103	8
L2WHF42	1161	17.63 17.63	42	16	113	9
L2WHF48	1219	17.63 17.63	48	16	123	10
L2WHF54	1798	17.63 17.63	54	16	130	11
L2WHF60	1852	17.63 17.63	60	16	141	12
L2WHF66	1961	17.63 17.63	66	16	151	13
L2WHF72	2011	17.63 17.63	72	16	163	14





- **L2WHH Wall Mounted Unit with Aluminu** · Horizontal wall rails included.
 - 30" 42" units come with one lock.
 - 48" 72" units come with two locks.
 - · Door frame is anodized aluminum.
 - · Glazing is frosted acrylic.
 - · Doors standard with no handles.
 - E-locks not available for aluminum framed glass doors.

ım voors								
PRODUCT	FINISH		SIZE/INC	HES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2WHH30A	1520	1617	16.75	17.19	30	16	109	6
L2WHH36A	1639	1756	16.75	17.19	36	16	126	7
L2WHH42A	1780	1926	16.75	17.19	42	16	130	8
L2WHH48A	2274	2434	16.75	17.19	48	16	132	9
L2WHH54A	2746	2925	16.75	17.19	54	16	141	10
L2WHH60A	2859	2995	16.75	17.19	60	16	150	11
L2WHH66A	2967	3127	16.75	17.19	66	16	159	12
L2WHH72A	3112	3347	16.75	17.19	72	16	170	13

LICENCE

L2WSD · Wall Mounted Unit with Sliding Laminate Doors · Wall mounting horizontal rails



- included.
- One lock included.

PRODUCT	FINISH		SIZE/INC	HES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2WSD36	1334	1501	16.75	17.19	36	16	128	7
L2WSD42	1456	1652	16.75	17.19	42	16	130	8
L2WSD48	1509	1704	16.75	17.19	48	16	132	9
L2WSD54	1669	1907	16.75	17.19	54	16	141	10
L2WSD60	1743	2006	16.75	17.19	60	16	150	11
L2WSD66	1862	2163	16.75	17.19	66	16	159	12
L2WSD72	1916	2234	16.75	17.19	72	16	170	13


L2WGSD • Wall Mounted Unit with Sliding



- · Wall mounting horizontal rails included.
- · Standard recessed chrome pull.
- · One lock included.
- · Frosted tempered glass.

ı	Glass Doors								
	PRODUCT	FINISH		SIZE/INC	HES			WEIGHT	VOL
	CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	L2WGSD36	2479	2873	16.75	17.19	36	16	128	7
	L2WGSD42	2898	3099	16.75	17.19	42	16	130	8
	L2WGSD48	2967	3186	16.75	17.19	48	16	132	9
	L2WGSD54	3103	3347	16.75	17.19	54	16	141	10
	L2WGSD60	3184	3455	16.75	17.19	60	16	150	11
	L2WGSD66	3319	3628	16.75	17.19	66	16	159	12
	L2WGSD72	3448	3776	16.75	17.19	72	16	170	13

LTB20 • Tackboards for Wall Mounted Units



- · Please specify wall rails BHV01 and BHV02 separately, see Boulevard Price List.
- · Provides a tackable surface for notes and memos.
- · Mounting brackets for installation included.
- Tackboards for Wall Mounted Unit. Wall Rails (BHV01 and BHV02) must be ordered separately.
- · For tackboards longer than 60", please include an additional BHV01 at the centre.

PRODUCT	FABRIC	SIZE/INCHES			WEIGHT	VOL	
CODE	GR1	GR2	H	W	D	LBS	FT ³
LTB2030	302	317	19.5	30	1	4	0.38
LTB2036	323	342	19.5	36	1	4	0.42
LTB2042	352	378	19.5	42	1	4	0.49
LTB2048	403	427	19.5	48	1	5	0.56
LTB2054	462	475	19.5	54	1	5	0.63
LTB2060	514	539	19.5	60	1	6	0.69
LTB2066	567	600	19.5	66	1	6	0.76
LTB2072	625	649	19.5	72	1	7	0.83
LTB2078	697	723	19.5	78	1	7	0.89
LTB2084	781	805	19.5	84	1	8	0.96

PRICE

91

INCHES

0.75

1.50

D

0.5


0.5

W

SIZE/

60

BHV · Component Wall Adapter - Single and Double





- · Used to attach system components to fixed wall.
- Panel frame finish.
- The vertical wall adapter is a "U" shaped channel with a
- vertical row of slots with 1" centers. BHV02 • The double Component Wall Adapter has a double row of slots with 1" centers.
- Comes in 60" length only.
- Care should be taken to mount adapters only to wall studs using correct fasteners.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material.

PRODUCT

BHV01

CODE

- Failure to do this may result in collapse of the unit and subsequent possible personal injury.
- · Sold in pairs.

WEIGHT VOL

FT³


0.009

0.026

LBS

5

L2PHH • Boulevard Panel Mounted Unit with Aluminum Doors • 30" - 42" units comes with one lock



· Glazing is frosted acrylic.

· Doors standard with no handles.


• E-locks not available for aluminum framed glass doors.

PRODUCT	FINISH			IES		WEIGHT	VOL				
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³			
L2PHH30A	1694	1862	16.75	17.19	30	14.75	111	6			
L2PHH36A	1803	2006	16.75	17.19	36	14.75	128	7			
L2PHH42A	1934	2165	16.75	17.19	42	14.75	132	8			
L2PHH48A	2411	2726	16.75	17.19	48	14.75	134	9			



30" - 42" units

L2PSD • Boulevard Panel Mounted Unit with Sliding Laminate Doors



- · Hardware included to mount the unit on the panel.
- One lock included.

PRODUCT	FINISH		SIZE/INC	HES		WEIGHT	VOL	
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2PSD36	1404	1565	16.75	17.19	36	14.75	123	7
L2PSD42	1502	1698	16.75	17.19	42	14.75	132	8
L2PSD48	1539	1733	16.75	17.19	48	14.75	141	9

- L2PGSD Boulevard Panel Mounted Unit with Sliding Glass Doors · Hardware included to mount the unit on the panel.
 - One lock included.
 - · Standard recessed chrome pull.

PRODUCT	FINISH		SIZE/INCH	IES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2PGSD36	2829	2988	16.75	17.19	36	14.75	123	7
L2PGSD42	2946	3148	16.75	17.19	42	14.75	132	8
L2PGSD48	2999	3217	16.75	17.19	48	14.75	141	9




 Hardware included to mount the unit on the panel.

PRODUCT	FINISH		SIZE/INCHES				WEIGHT	VOL
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2PH030	696	799	16.75	17.18	30	14.75	72	7
L2PH036	739	902	16.75	17.18	36	14.75	80	8
L2PH042	757	977	16.75	17.18	42	14.75	89	9
L2PH048	802	1060	16.75	17.18	48	14.75	99	10

L2PHH • Boulevard Panel Mounted Hinged Door Overhead

30" - 42" units



- · Hardware included to mount the unit on the panel.
- · One lock included.
- · Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right or HL - Horizontal Left for the 48" wide unit and add \$304 list.
- · Hutches 48" or longer require two e-locks.


PRODUCT	FINISH		SIZE/INC			_	WEIGHT	VOL
CODE	LP	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2PHH30	1072	1237	16.75	17.18	30	14.75	122	7
L2PHH36	1128	1328	16.75	17.18	36	14.75	141	8
L2PHH42	1208	1432	16.75	17.18	42	14.75	145	9
L2PHH48	1456	1765	16.75	17.18	48	14.75	147	10

L2PHF • Boulevard Panel Mounted Flip-up Door Overhead



- Hardware included to mount the unit on the panel.
- · One lock included.
- · Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right and add \$304 list.

•	PRODUCT CODE	FINISH Lp	SIZE/INCHES H (LP)	W	D	WEIGHT LBS	VOL FT ³
	L2PHF30	1092	17.63	30	16	94	7
	L2PHF36	1145	17.63	36	16	103	8
?	L2PHF42	1211	17.63	42	16	113	9
	L2PHF48	1274	17.63	48	16	123	10




- · One lock included.
- Optional e-lock available in the horizontal position. Please specify HR

nonzoniai position. I lease s	becaus inv
- Horizontal Right and add \$3	304 list.

L2SOHD • Stack	On 2H Cabinet with Hinge	ed Doors & A	diustab	ole Sho	elf for	1H St	torac	ie		
	One lock included.	PRODUCT	FINISH		SIZE/INC				WEIGHT	VOL
	Optional e-lock available in the	CODE	LP	W	H (LP)	H(W)	W	D	LBS	FT ³
	horizontal position. Please specify HR	one door								
	- Horizontal Right and add \$304 list.	L2SOHDL15	806	895	29.63	29.63	15	16	95	7
	· ·	L2SOHDR15	806	895	29.63	29.63	15	16	95	7
		L2SOHDL18	829	916	29.63	29.63	18	16	99	9
		L2SOHDR18	829	916	29.63	29.63	18	16	99	9
		double door								
		L2SOHD30	1156	1294	29.63	29.63	30	16	171	11
		L2SOHD36	1290	1456	29.63	29.63	36	16	178	13


L2SOALD • Stack On 2H Cabinet with Aluminum Hinged Doors & Adjustable Shelf for 1H Storage



- · One lock included.
- · Door frame is anodized aluminum.
- · Glazing is frosted acrylic.
- Doors standard with no handles.
- E-locks not available for aluminum framed glass doors.


ı	iliulli miliyeu Dools & Aujustable Sileli ioi Tin Storat										
	PRODUCT	FINISH	•	SIZE/INCH	IES			WEIGHT	VOL		
	CODE	LP	W	H (LP)	H(W)	W	D	LBS	FT ³		
	one door										
	L2SOALDL15	1342	1429	29.63	29.63	15	16	88	7		
	L2SOALDR15	1342	1429	29.63	29.63	15	16	88	7		
	L2SOALDL18	1398	1486	29.63	29.63	18	16	94	9		
	L2SOALDR18	1398	1486	29.63	29.63	18	16	94	9		
	double door										
	L2SOALD30	2266	2403	29.63	29.63	30	16	164	11		
	L2SOALD36	2456	2617	29.63	29.63	36	16	172	13		

L2SOO • Stack On 2H Cabinet with Adjustable Shelf for 1H Storage



	Silen for it i Storage											
PRODUCT CODE	FINISH LP	W	SIZE/INCH H(LP)	IES H(W)	w	D	WEIGHT LBS	VOL FT ³				
L2S0015	589	684	29.63	29.63	15	16	61	7				
L2S0018	603	700	29.63	29.63	18	16	72	8				
L2S0030	775	923	29.63	29.63	30	16	88	14				
L2S0036	907	1086	29.63	29.63	36	16	94	19				

L2SOSD • Stack On 2H Cabinet with Sliding Door, Divider & Adjustable Shelves for 1H Storage



- · Includes one sliding door.
- · Lock not included.

PRODUCT	FINISH	SIZE/INCHES				WEIGHT	VOL		
CODE	LP	W	H(LP)	H (W)	W	D	LBS	FT ³	
L2SOSD30	1184	1321	29.63	29.63	30	16	116	14	
L2SOSD36	1394	1561	29.63	29.63	36	16	121	19	


L2SOGSD • Stack On 2H Cabinet with Slidi



- · One lock included.
- · Standard recessed chrome pull.
- Glass is frosted tempered.

ш	แเด ษเสรร มบบเ	5 & A	uiusta	nie 21	ieii id	и іп	Stora	iue		
	PRODUCT	FINISH	.,	SIZE/INC				WEIGHT	VOL	
	CODE	LP	W	H(LP)	H(W)	W	D	LBS	FT ³	
	L2SOGSD30	2792	2914	29.63	29.63	30	16	116	14	
	L2SOGSD36	3056	3204	29.63	29.63	36	16	121	19	


L2CR1H1H · Credenza, 1 High File / File



- Two locks included. · Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.
- · Hutches 48" or longer require two e-locks.

	PRODUCT CODE	FINISH Lp	В	w	SIZE / INC H (LP/B)	HES H(W)	w	D	WEIGHT LBS	VOL FT ³
į	L2CR1H1H2060	2137	2246	2295	19.94	20.5	60	20	189	22
	L2CR1H1H2066	2238	2358	2411	19.94	20.5	66	20	209	24
	L2CR1H1H2072	2272	2403	2461	19.94	20.5	72	20	246	26
	L2CR1H1H2460	2222	2337	2391	19.94	20.5	60	24	189	22
	L2CR1H1H2466	2328	2451	2509	19.94	20.5	66	24	209	24
	L2CR1H1H2472	2362	2501	2560	19.94	20.5	72	24	246	26


L2CR2DO · Credenza, 1 High 2 Doors / Open Shelf



- One lock included.One height adjustable shelf included.
- Optional e-lock available in the horizontal position. Please specify HR
 Horizontal Right and add \$304 list.

7	Open Silen									
	PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
	CODE	LP	В	W	H(LP/B)	H(W)	W	D	LBS	FT ³
	L2CR2D02060	1829	2030	2141	19.94	20.5	60	20	169	22
	L2CR2D02066	1910	2133	2250	19.94	20.5	66	20	180	24
	L2CR2D02072	1993	2238	2369	19.94	20.5	72	20	191	26
	L2CR2D02460	1903	2114	2225	19.94	20.5	60	24	169	22
	L2CR2D02466	1987	2218	2342	19.94	20.5	66	24	180	24
	L2CR2D02472	2076	2326	2463	19.94	20.5	72	24	191	26


L2CRO2D · Credenza, 1 High Open Shelf / 2 Doors



- One lock included.One height adjustable shelf included.
- Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right and add \$304 list.

PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2CRO2D2060	1829	2030	2141	19.94	20.5	60	20	169	22
L2CRO2D2066	1910	2133	2250	19.94	20.5	66	20	180	24
L2CRO2D2072	1993	2238	2369	19.94	20.5	72	20	191	26
L2CRO2D2460	1903	2114	2225	19.94	20.5	60	24	169	22
L2CRO2D2466	1987	2218	2342	19.94	20.5	66	24	180	24
L2CRO2D2472	2076	2326	2463	19.94	20.5	72	24	191	26


L2CR2ADO · Credenza, 2 Aluminum Doors / 1 High Open Shelf



- One lock included.
- One height adjustable shelf included.
- Door frame is anodized aluminum.
- Glazing is frosted acrylic.
- Doors standard with no handles.

Ľ	Joors/ I mign	Uben	Sneir							
	PRODUCT CODE	FINISH LP	В	w	SIZE/INC H (LP/B)	HES H (W)	w	D	WEIGHT LBS	VOL FT ³
	L2CR2AD02060	2474	2679	2790	19.94	20.5	60	20	154	20
	L2CR2AD02066	2610	2833	2953	19.94	20.5	66	20	164	22
	L2CR2AD02072	2693	2940	3073	19.94	20.5	72	20	174	24
	L2CR2AD02460	2551	2763	2949	19.94	20.5	60	24	154	20
	L2CR2AD02466	2687	2921	3046	19.94	20.5	66	24	164	22
	L2CR2AD02472	2775	3031	3167	19.94	20.5	72	24	174	24


L2CRO2AD • Credenza, 1 High Open Shelf / 2 Aluminum Doors



- · One lock included.
- One height adjustable shelf included.
- Door frame is anodized aluminum.
- · Glazing is frosted acrylic.
- Doors standard with no handles.

ŀ	Sneit / Z Alumi	num L	Joors								
	PRODUCT CODE	FINISH LP	В	W	SIZE/INC H(LP/B)	HES H (W)	w	D	WEIGHT LBS	VOL FT ³	
	L2CRO2AD2060	2474	2679	2790	19.94	20.5	60	20	154	20	
	L2CRO2AD2066	2610	2833	2953	19.94	20.5	66	20	164	22	
	L2CRO2AD2072	2693	2940	3073	19.94	20.5	72	20	174	24	
	L2CRO2AD2460	2551	2763	2949	19.94	20.5	60	24	154	20	
	L2CRO2AD2466	2687	2921	3046	19.94	20.5	66	24	164	22	
	L2CRO2AD2472	2775	3031	3167	19.94	20.5	72	24	174	24	


L2CR1H0 · Credenza, 1 High File / Open Shelf



- One lock included.
- One height adjustable shelf included.
- Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.

١.	en Juen									
	PRODUCT CODE	FINISH Lp	В	w	SIZE/INC H (LP/B)	HES H (W)	w	D	WEIGHT LBS	VOL FT ³
	L2CR1H02060	1860	2023	2138	19.94	20.5	60	20	179	22
	L2CR1H02066	1938	2115	2254	19.94	20.5	66	20	189	24
	L2CR1H02072	2079	2274	2386	19.94	20.5	72	20	200	26
	L2CR1H02460	1934	2103	2224	19.94	20.5	60	24	179	22
	L2CR1H02466	2014	2197	2344	19.94	20.5	66	24	189	24
	L2CR1H02472	2163	2364	2481	19.94	20.5	72	24	200	26


L2CRO1H · Credenza, Open Shelf / 1 High File



- One lock included.
- One height adjustable shelf included.
- Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.

	High File										
	PRODUCT CODE	FINISH Lp	В	W	SIZE/INC H(LP/B)	HES H (W)	w	D	WEIGHT LBS	VOL FT ³	
	L2CR01H2060	1860	2023	2138	19.94	20.5	60	20	179	22	
	L2CR01H2066	1938	2115	2254	19.94	20.5	66	20	189	24	
,	L2CR01H2072	2079	2274	2386	19.94	20.5	72	20	200	26	
	L2CR01H2460	1934	2103	2224	19.94	20.5	60	24	179	22	
	L2CR01H2466	2014	2197	2344	19.94	20.5	66	24	189	24	
	L2CR01H2472	2163	2364	2481	19.94	20.5	72	24	200	26	


L2CRO1H · Credenza, 1 High File / 2 [



- · Two locks included. · Optional e-lock available in the vertical position for the file drawer. Please specify V - Vertical and add \$304 list.
- · Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right and add \$304 list.

L	700r										
	PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL	
	CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³	
	L2CR1H2D2060	2262	2378	2531	19.94	20.5	60	20	199	22	
/	L2CR1H2D2066	2284	2416	2733	19.94	20.5	66	20	209	24	
	L2CR1H2D2072	2424	2671	2800	19.94	20.5	72	20	220	26	
	L2CR1H2D2460	2353	2473	2635	19.94	20.5	60	24	199	22	
	L2CR1H2D2466	2374	2515	2841	19.94	20.5	66	24	209	24	
-	L2CR1H2D2472	2520	2776	2913	19.94	20.5	72	24	220	26	


L2CR2D1H · Credenza, 2 Door / 1 High



- Two locks included. Optional e-lock available in the vertical position for the file drawer. Please specify V - Vertical and add \$304 list.
- Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right and add \$304 list.

1	h File									
•	PRODUCT CODE	FINISH LP	В	W	SIZE / INC H (LP/B)	HES H(W)	W	D	WEIGHT LBS	VOL FT ³
	L2CR2D1H2060	2262	2378	2531	19.94	20.5	60	20	199	22
	L2CR2D1H2066	2284	2416	2733	19.94	20.5	66	20	209	24
	L2CR2D1H2072	2424	2671	2800	19.94	20.5	72	20	220	26
	L2CR2D1H2460	2353	2473	2635	19.94	20.5	60	24	199	22
	L2CR2D1H2466	2374	2515	2841	19.94	20.5	66	24	209	24
	L2CR2D1H2472	2520	2776	2913	19.94	20.5	72	24	220	26


L2CR1H2AD · Credenza, 1 High File / 2 Aluminum Door



- Two locks included. · One height adjustable shelf included.
- · Door frame is anodized aluminum.
- · Glazing is frosted acrylic.
- · Doors standard with no handles.
- · Optional e-lock available in the vertical position. Please specify V
- E-locks not available for aluminum framed glass doors.


	PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
f	CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	L2CR1H2AD2060	2915	3031	3188	19.94	20.5	60	20	181	20
	L2CR1H2AD2066	2988	3121	3444	19.94	20.5	66	20	190	22
	L2CR1H2AD2072	3131	3378	3512	19.94	20.5	72	20	200	24
	L2CR1H2AD2460	3005	3127	3292	19.94	20.5	60	24	181	20
	L2CR1H2AD2466	3080	3221	3556	19.94	20.5	66	24	190	22
	L2CR1H2AD2472	3227	3487	3623	19.94	20.5	72	24	200	24
٧-	Vertical and add \$304 list.									

L2CR2AD1H • Credenza, 2 Aluminum Door / 1 High File



- · Two locks included. · One height adjustable shelf included.
- · Door frame is anodized aluminum.
- · Glazing is frosted acrylic.
- · Doors standard with no handles.
- Optional e-lock available in the
- vertical position. Please specify V Vertical and add \$304 list. • E-locks not available for aluminum framed glass doors.


_	PRODUCT	FINISH			SIZE/INCI	HES			WEIGHT	VOL
	CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	L2CR2AD1H2060	2915	3031	3188	19.94	20.5	60	20	181	20
	L2CR2AD1H2066	2988	3121	3444	19.94	20.5	66	20	190	22
	L2CR2AD1H2072	3131	3378	3512	19.94	20.5	72	20	200	24
	L2CR2AD1H2460	3005	3127	3292	19.94	20.5	60	24	181	20
	L2CR2AD1H2466	3080	3221	3556	19.94	20.5	66	24	190	22
	L2CR2AD1H2472	3227	3487	3623	19.94	20.5	72	24	200	24
,	Martinal and add 0004 link									



- · Two locks included.
- · Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.
- · Credenzas require two e-locks.

PRODUCT		SIZE/INC	WEIGHT	VOL					
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2DSCR1H2060	2519	2640	2727	19.94	20.5	60	20	196	22
L2DSCR1H2066	2598	2731	2841	19.94	20.5	66	20	206	24
L2DSCR1H2072	2677	2823	2958	19.94	20.5	72	20	217	26
L2DSCR1H2460	2618	2746	2837	19.94	20.5	60	24	196	22
L2DSCR1H2466	2700	2840	2957	19.94	20.5	66	24	206	24
L2DSCR1H2472	2784	2935	3078	19.94	20.5	72	24	217	26


L2CRBFBF · Credenza, BF / BF



- · Two locks included.
- · Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.
- · Credenzas require two e-locks.

PRODUCT CODE	FINISH LP	В	w	SIZE / INC H (LP/B)	HES H(W)	w	D	WEIGHT LBS	VOL FT ³
L2CRBFBF2060	2902	3010	3062	19.94	20.5	60	20	218	20
L2CRBFBF2066	3015	3139	3193	19.94	20.5	66	20	228	22
L2CRBFBF2072	3066	3200	3258	19.94	20.5	72	20	239	24
L2CRBFBF2460	2988	3103	3158	19.94	20.5	60	24	218	20
L2CRBFBF2466	3108	3235	3292	19.94	20.5	66	24	228	22
L2CRBFBF2472	3158	3298	3358	19.94	20.5	72	24	239	24


L2CRBFO · Credenza, BF / Open



- One lock included.One height adjustable shelf included.
- Optional e-lock available in the vertical position. Please specify V-Vertical and add \$304 list.

PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2CRBF02060	2252	2418	2537	19.94	20.5	60	20	202	20
L2CRBF02066	2347	2525	2666	19.94	20.5	66	20	220	22
L2CRBF02072	2489	2687	2801	19.94	20.5	72	20	254	24
L2CRBF02460	2343	2515	2639	19.94	20.5	60	24	202	20
L2CRBF02466	2440	2639	2774	19.94	20.5	66	24	220	22
L2CRBF02472	2587	2794	2913	19.94	20.5	72	24	254	24


L2CROBF · Credenza, Open / BF



- · One lock included.
- One height adjustable shelf included.
- Optional e-lock available in the vertical position. Please specify V-Vertical and add \$304 list.

PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2CROBF2060	2252	2418	2537	19.94	20.5	60	20	202	20
L2CROBF2066	2347	2525	2666	19.94	20.5	66	20	220	22
L2CROBF2072	2489	2687	2801	19.94	20.5	72	20	254	24
L2CROBF2460	2343	2515	2639	19.94	20.5	60	24	202	20
L2CROBF2466	2440	2639	2774	19.94	20.5	66	24	220	22
L2CROBF2472	2587	2794	2913	19.94	20.5	72	24	254	24


L2CRBF · Credenza, Box File / 2 Doors



- Two locks included.
- One height adjustable shelf included.
- Optional e-lock available in the vertical position for the file drawer. Please specify V - Vertical and add \$304 list.
- Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right and add \$304 list.

R	5										
	PRODUCT CODE	FINISH LP	В	w	SIZE/INC H (LP/B)	HES H (W)	w	D	WEIGHT LBS	VOL FT ³	
	L2CRBF2D2060	2662	2778	2936	19.94	20.5	60	20	214	20	
	L2CRBF2D2066	2698	2830	3154	19.94	20.5	66	20	224	22	
	L2CRBF2D2072	2840	3087	3221	19.94	20.5	72	20	235	24	
	L2CRBF2D2460	2770	2889	3051	19.94	20.5	60	24	214	20	
	L2CRBF2D2466	2806	2945	3280	19.94	20.5	66	24	224	22	
	L2CRBF2D2472	2954	3211	3351	19.94	20.5	72	24	235	24	

L2CR2DBF • Credenza, 2 Doors / Box File



- Two locks included.
- One height adjustable shelf included.
- Optional e-lock available in the vertical position for the file drawer. Please specify V - Vertical and add \$304 list.
- Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right and add \$304 list.

X	File										
	PRODUCT CODE	FINISH LP	В	w	SIZE/INC H(LP/B)	HES H(W)	w	D	WEIGHT LBS	VOL FT ³	
	L2CR2DBF2060	2662	2778	2936	19.94	20.5	60	20	214	20	
	L2CR2DBF2066	2698	2830	3154	19.94	20.5	66	20	224	22	
	L2CR2DBF2072	2840	3087	3221	19.94	20.5	72	20	235	24	
	L2CR2DBF2460	2770	2889	3051	19.94	20.5	60	24	214	20	
	L2CR2DBF2466	2806	2945	3280	19.94	20.5	66	24	224	22	
	L2CR2DBF2472	2954	3211	3351	19.94	20.5	72	24	235	24	


L2CRBF2AD · Credenza, Box File / 2 Aluminum Door



- Two locks included.
- One height adjustable shelf included.
- Door frame is anodized aluminum.
- · Glazing is frosted acrylic.
- Doors standard with no handles.
- Optional e-lock available in the vertical position. Please specify V-Vertical and add \$304 list.
- E-locks not available for aluminum framed glass doors.

PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2CRBF2AD2060	3282	3396	3555	19.94	20.5	60	20	214	20
L2CRBF2AD2066	3368	3503	3825	19.94	20.5	66	20	224	22
L2CRBF2AD2072	3512	3758	3892	19.94	20.5	72	20	235	24
L2CRBF2AD2460	3412	3530	3696	19.94	20.5	60	24	214	20
L2CRBF2AD2466	3504	3642	3979	19.94	20.5	66	24	224	22
L2CRBF2AD2472	3652	3908	4048	19.94	20.5	72	24	235	24

L2CR2ADBF · Credenza, 2 Aluminum



- · Two locks included. · One height adjustable shelf included.
- Door frame is anodized aluminum.
- · Glazing is frosted acrylic.
- · Doors standard with no handles.
- · Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.
- · E-locks not available for aluminum framed glass doors.


n	Doors, Box Fil	e								
	PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
	CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
	L2CR2ADBF2060	3282	3396	3555	19.94	20.5	60	20	214	20
	L2CR2ADBF2066	3368	3503	3825	19.94	20.5	66	20	224	22
	L2CR2ADBF2072	3512	3758	3892	19.94	20.5	72	20	235	24
	L2CR2ADBF2460	3412	3530	3696	19.94	20.5	60	24	214	20
	L2CR2ADBF2466	3504	3642	3979	19.94	20.5	66	24	224	22
	L2CR2ADBF2472	3652	3908	4048	19.94	20.5	72	24	235	24

L2CR2H2D · Credenza, 2 High File / 2

- Two locks included.Optional e-lock available in the vertical position for the file drawer. Please specify V - Vertical and add \$304 list.
- Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right and add \$304 list.

2	Door									
	PRODUCT CODE	FINISH Lp	В	W	SIZE/INC H(LP/B)	HES H(W)	W	D	WEIGHT LBS	VOL FT ³
	L2CR2H2D2060	2949	3151	3249	29	29.5	60	20	363	24
	L2CR2H2D2066	3071	3282	3388	29	29.5	66	20	374	26
	L2CR2H2D2072	3200	3394	3534	29	29.5	72	20	396	30
	L2CR2H2D2460	3066	3276	3380	29	29.5	60	24	363	24
	L2CR2H2D2466	3193	3413	3525	29	29.5	66	24	374	26
b	L2CR2H2D2472	3328	3526	3675	29	29.5	72	24	396	30


L2CR2D2H · Credenza, 2 Door / 2 High File



- Two locks included. Optional e-lock available in the vertical position for the file drawer. Please specify V - Vertical and add \$304 list.
- Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right and add \$304 list.

•	II FIIE									
9	PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
	CODE	LP	В	W	H (LP/B)	H (W)	W	D	LBS	FT ³
	L2CR2D2H2060	2949	3151	3249	29	29.5	60	20	363	24
	L2CR2D2H2066	3071	3282	3388	29	29.5	66	20	374	26
	L2CR2D2H2072	3200	3394	3534	29	29.5	72	20	396	30
	L2CR2D2H2460	3066	3276	3380	29	29.5	60	24	363	24
	L2CR2D2H2466	3193	3413	3525	29	29.5	66	24	374	26
d	L2CR2D2H2472	3328	3526	3675	29	29.5	72	24	396	30


L2CR2H2H · Credenza, 2 High File / F



- · Two locks included.
- · Optional e-lock available in the vertical position. Please specify V - Vertical and add \$304 list.
- · Credenzas require two e-locks.

-ile										
PRODE	UCT	FINISH Lp	В	w	SIZE/INC H(LP/B)	HES H(W)	w	n	WEIGHT LBS	VOL FT ³
	R2H2H2060	3420	3539	3666	29	29.5	60	20	385	24
L2C	R2H2H2066	3540	3671	3804	29	29.5	66	20	407	26
L2C	R2H2H2072	3660	3803	3945	29	29.5	72	20	418	30
L2C	R2H2H2460	3556	3679	3812	29	29.5	60	24	385	24
L2C	R2H2H2466	3680	3819	3956	29	29.5	66	24	407	26
L2C	R2H2H2472	3806	3956	4102	29	29.5	72	24	418	30


L2CR2D2D · Credenza, 2 High 4 Doors



- · Two locks included.
- Optional e-lock available in the horizontal position. Please specify HR - Horizontal Right and add \$304 list.
- · Credenzas require two e-locks.

	PRODUCT CODE	FINISH Lp	В	w	SIZE/INC H(LP/B)	HES H(W)	w	D	WEIGHT LBS	VOL FT ³
	L2CR2D2D2060	2486	2769	2841	29	29.5	60	20	341	24
b	L2CR2D2D2066	2614	2878	2988	29	29.5	66	20	352	26
	L2CR2D2D2072	2747	2989	3131	29	29.5	72	20	363	30
	L2CR2D2D2460	2584	2880	2954	29	29.5	60	24	341	24
	L2CR2D2D2466	2722	2995	3108	29	29.5	66	24	352	26
	L2CR2D2D2472	2859	3109	3255	29	29.5	72	24	363	30

L2CR4AD · Credenza, 2 High 4 Alumi



- Two locks included.
- Door frame is anodized aluminum.
- · Glazing is frosted acrylic.
- Doors standard with no handles.
- · E-lock not available for aluminum framed glass doors.

inum Doors									
PRODUCT	FINISH			SIZE/INC	HES			WEIGHT	VOL
CODE	LP	В	W	H (LP/B)	H(W)	W	D	LBS	FT ³
L2CR4AD2060	4060	4348	4425	29	29.5	60	20	336	24
L2CR4AD2066	4336	4603	4713	29	29.5	66	20	347	26
L2CR4AD2072	4616	4861	5008	29	29.5	72	20	358	30
L2CR4AD2460	4161	4462	4538	29	29.5	60	24	336	24
L2CR4AD2466	4443	4721	4836	29	29.5	66	24	347	26
L2CR4AD2472	4729	4983	5133	29	29.5	72	24	358	30


LPSTC/LLSTC • Pedestal/Lateral Seat Cushion



euestai/ Later	ui oc	ut Ou				
PRODUCT	YRDS	SIZE/	INCHES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
LPSTC1518	0.75	2	15.5	18	2	0.34
LPSTC1520	0.75	2	15.5	20	2	0.40
LPSTC1523	0.75	2	15.5	23	3	0.44
LPSTC1524	0.75	2	15.5	24	3	0.46
LPSTC1529	1.00	2	15.5	29	3	0.55
LPSTC1530	1.00	2	15.5	30	3	0.24
LLSTC2030	1.00	2	20	30	5	0.76
LLSTC2036	1.25	2	20	36	6	0.91
LLSTC2230	1.00	2	22	30	6	0.84
LLSTC2236	1.25	2	22	36	7	1.01
LLSTC2430	1.00	2	24	30	6	0.91
LLSTC2436	1.25	2	24	36	7	1.10

PRODUCT	PRICE									
CODE	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10
LPSTC1518	321	353	392	449	504	560	607	666	723	799
LPSTC1520	328	361	399	458	513	567	616	673	732	807
LPSTC1523	336	367	406	465	519	575	623	679	738	813
LPSTC1524	346	376	414	473	529	582	630	688	746	822
LPSTC1529	425	467	517	594	669	739	807	881	959	1059
LPSTC1530	434	474	525	603	676	748	815	889	966	1067
	456	498	548	626	700	770	838	913	990	1091
LLSTC2030	544	598	660	758	849	939	1021	1115	1212	1338
LLSTC2036	461	504	555	632	707	845	845	919	997	1098
LLSTC2230	552	71	669	765	856	947	1029	1126	1222	1348
LLSTC2236	467	508	560	637	712	782	817	922	1002	1102
LLSTC2430	562	613	676	774	865	958	1039	1134	1229	1357
LLSTC2436										
LLSTC2030 LLSTC2036 LLSTC2230 LLSTC2236 LLSTC2430	456 544 461 552 467	598 504 71 508	548 660 555 669 560	626 758 632 765 637	700 849 707 856 712	770 939 845 947 782	838 1021 845 1029 817	913 1115 919 1126 922	990 1212 997 1222 1002	1091 1338 1098 1348 1102

LACWB · Counterweight Balance for use in Licence Storage Units



PRODUCT CODE	PRICE	SIZE/INCHES H	w	D	WEIGHT LBS	VOL FT ³
LACWB	123	0.5	11.62	11.62	10	0.07

BHTP01 • Bracket to connect Licence Towers to Boulevard Panels



Panel Frame Finish

evalu ralie	:13						
PRODUCT	PRICE	SIZE/	INCHES		WEIGH	IT VOL	
CODE		Н	W	D	LBS	FT ³	
RHTP01	111	2	2.5	1	2	0.05	

L2PO · Pantry Storage



Left Hand Shown

- The pull out cabinet serves as a multifunction, customizable storage unit that both defines space and enhances privacy in an open plan environment.
- Can be used in conjunction with Licence, Bridges, FreeFit and Boulevard.
- Internal organization consists of two fixed shelves top and bottom. The two middle shelves are adjustable. Two accessory rails are standard and will accept GC metal accessories
- Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate.
- · L2P0-NL/R does not fit binders.
- · Only available with FA handle.


Finish

While the Pantry Storage cabinet walls, top and pull-out drawer front door and back panel finish can be specified, The internal cabinet back and adjustable shelves are standard white. Please specify the cabinet top and pull-out drawer front finish.


Options

- Dual USB outlet kit please add "USB" at the end of the code. Add \$512 to the list price
- When you specify dual USB outlet the top shelf will come with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). A two-prong power cord exits the cabinet through the floor at the back.
- Dry-erase marker board Choose "DE" option. Please add \$361 to the list price.
 If specified the Dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

Specifiable finish



PRICE SIZE/INCHES **PRODUCT** WEIGHT VOL CODE ΙP H(LP/B) H(W) W D LBS FT3 2287 2380 30 L2P01224H42NL 42 12 41.56 L2P01230H42NL 41.56 L2P01236H42NL 41.56 L2P01824H42NL .56 41.56 L2P01830H42NL L2P01836H42NL 41.56 L2P01224NI 49.56 L2P01230NL 49.56 L2P01236NL 49.56 L2P01824NL 49.56 L2P01830NL 49.56 L2P01836NL 49.56 L2P01224H54NL 53.56 Q L2P01230H54NL 53.56 L2P01236H54NL 53.56 L2P01824H54NL 53.56 L2P01830H54NL 53.56 L2P01836H54NL 53.56 2380 41.56 12 L2P01224H42NR L2P01230H42NR 41.56 L2P01236H42NR 41.56 L2P01824H42NR 41.56 L2P01830H42NR 41.56 L2P01836H42NR 41.56 L2P01224NR 49.56 L2P01230NR 49.56 L2P01236NR 49.56 L2P01824NR 49.56 L2P01830NR 49.56 L2P01836NR 49.56 L2P01224H54NR 53.56 L2P01230H54NR 53.56 L2P01236H54NR 53.56 L2P01824H54NR 53.56 L2P01830H54NR 53.56 L2P01836H54NR 3078 3163 53.56



Integrated Accessory rails

Two accessory rails (each 18.25" long) are provided to further enhance customization with Global Contract metal accessoriesa.

Upper Accessory Rail:



1xBALT01 or BALT01GL Letter Ttray




1x BALTO1 Letter Ttray 1x BAMBO1 Media Bin



2x BAUTO1 Utility Ttray

Lower Accessory Rail:



1x BALTO1 Letter Ttray 1x BAMBO1 Media Bin



3x BABB01 Media Bin or

3x BAMBO1 Binder Bin



1x BATHO1 Telephone Holder 1x BABBO1 Binder Bin



1x BALTO1 Letter Ttray 1x BABBO1 Binder Bin

Technical Information - Tables

- Tables
- All table surfaces are High Pressure Laminate in "B" or "W" thickness.
- · All tables have "T" mold edge band, unless otherwise indicated.
- Tables up to and including 96" long are manufactured in one piece, 120" to 192" long are manufactured in two pieces and over 216" are manufactured in three pieces. If wood grain laminate is chosen, the wood grain pattern will not line up.
- Tables in 2 or 3 pieces will have the joining edge finished with PVC edge (0.5mm), hardware will be shipped for assembly.
- Power modules and grommets are not included, they must be specified seperately.
- Grommet locations must be specified at the time of order or it will default to "no grommet" option.
- Positions for drop in power and data grommets are intended for use on tops with the following bases: LR, LSQ, LDRUM, TELRS, TELRR, TELBS, TELBR. For any other base, please consult Customer Service Representative.
- · Tables are not pre-drilled to accept legs or bases.
- "LTR" Rectangular shape tables with edge B and W have a 1" radius at each corner.
- For table tops with square corners, please add "NR" at the end of the product code, no upcharge required. The "NR" option is available only with the B and W edge profiles.
- "LBT" Boat shape tables are 6" narrower at the ends. The nominal size is identified at the centre.
- "LBTB" Boat shape tables with bow ends are 12" narrower at the ends. The nominal size is identified at the centre.
- · Trapezoid tables can be used in several combinations.

· Bases

- Available in variety of materials metal, high pressure laminate or low pressure laminate, please refer to specific base in price list
- "LR" Rectangular and "LSQ" square bases come standard with removable access door and cut out on the bottom of the base for pass-thru cables.
- "TELRS / TELBS" square and "TELRR / TELBR" rectangular bases come standard
 with cut out on the bottom of the base for pass-thru cables. Hinged access doors
 are optional and must be specified with an "HD" at the end of the code. There will
 be an upcharge of \$83 to the list price.
- Drum bases are finished in high pressure only and comes with a full bottom and notch at the top. Sand bag included. Access door is not an option.
- · Drum, rectangular and square bases are shipped assembled.

· Foldina Leas

- Legs are folded by pressing the lever. Once folded, the legs are held securely by the interlocking springs.
- Includes adjustable levelers offering 12mm (1/2") of adjustment.
- Minimum special sizing for tables is 54" in length and 25" in depth.
- · Sold per pair.

· Flip Top Training Tables

• "GFT" Rectangular Flip tables with edge B and W edge have straight corners.

Visual Boar

- Unit offered in high pressure laminate (B) comes with 2 high pressure laminate doors
- · Cork board included on one inside door.
- Unit closes with a touch latch mechanism, but no lock option.
- · "MG" indicates a magnetic white board.

Tables • Guidelines For Ordering Product

CODES: The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

SPECIFICATION EXAMPLE OF A TABLE UNIT

PRODUCT CODE: LTS2424

L = Licence T = Table S = Square

2424 = Size: Depth x Width

Edge Options:	"B" Edges	"W" Edges
	HP (B) 1.062" Thickness	HP (W) 1.437" Thickness
	В	W .

LICENCE

Base Specification Guide (See Installation Manual For Examples). • Tables up to 96" in length require 2 T bases

- Tables 108" to 144" in length require 3 T bases
- Tables 156" to 192" in length require 4 T bases
- Tables 216" to 240" in length require 6 T bases

FLAT BAR 3 PRONG "TTFL"			
BASE SPREAD	TOP WIDTH		
18"	24W		
22"	30W		
24"	36W		
30"	42W		
36"	48W		
36"	54W		

LLT/LLTT W/BULLNO BASE SPREAD	SE ENDS Top width
18"	24W
26"	30W
26"	36W
30"	42W
36"	48W
36"	54W
42"	60W

TTFLT FLAT BAR "T" Base spread	, Top width
18"	24W
22"	30W
24"	36W
30"	42W
36"	48W
36"	54W

ROUND TOP SIZE
30" dia
36" dia
42" dia
48" dia
54" dia
60" dia

LSQ, TELRS & TEI	LSQ, TELRS & TELBS SQUARE			
BASE SPREAD	TOP SIZE			
18"	30x30			
18"	36x36			
24"	42x42			
24"	48x48			
30"	54x54			
30"	60x60			

LCT CROSS BASE	
BASE SPREAD	TOP SIZE
18"	24x24
24"	30x30
24"	36x36
30"	42x42
30"	48x48
36"	54x54
42"	60x60

- 1 Piece Tables up to 96" in length require 2 bases
- Tables 108" to 192" in length require 3 bases
- Tables 216" to 240" in length require 4 bases

LR, LSQ, TELRS, TELRR, TELBS, Telbr					
BASE SPREAD	TOP WIDTH				
18"	30				
18"	36				
24"	42				
24"	48				
30"	54				
30"	60				

LELBA, LELB Base Spread	TOP WIDTH
18"	30
18"	36
24"	42
30"	48
36"	54
36"	60

TRUMPET 28H	
BASE SPREAD	TOP SIZE
18"	24x24
24"	30x30
24"	36x36
30"	42x42
30"	48x48
TRUMPET 40.5H	
BASE SPREAD	TOP SIZE
18"	24x24
24"	30x30
24"	36x36

FLAT SQUARE	
BASE SPREAD	TOP SIZE
18"	24x24
18"	30x30
23"	36x36
23"	42x42
30"	48x48
FLAT SQUARE 40.5	H
BASE SPREAD	TOP SIZE
18"	24x24
23"	30x30

FLAT DISC 28H	
BASE SPREAD	TOP SIZE
18"	24x24
18"	30x30
24"	36x36
30"	42x42
30"	48x48
36"	54x54
FLAT DISC 40.5H	
BASE SPREAD	TOP SIZE
18"	24x24
22"	30x30
24"	36x36

FLATBAR X	
BASE SPREAD	TOPSIZE
18"	24x24
18"	30x30
24"	36x36
24"	42x42
30"	48x48
36"	54x54
FLATBAR X 40.5H	
BASE SPREAD	TOP SIZE
18"	24x24
22"	30x30

LL4S W/BULLNOSE ENDS

TOP SIZE
24x24
30x30
36x36
42x42
48x48
54x54
ENDS 40.5H
TOP SIZE
30x30
36x36
42x42


LHC HAT CHANNEL


LHC40	For Table 54" Wide
LHC46	For Table 60" Wide
LHC52	For Table 66" Wide
LHC58	For Table 72" Wide
LHC64	For Table 78" Wide
LHC70	For Table 84" Wide


Tops with post legs must be specified with HAT Channels for structural reinforcement.


Grommet Cut Dimensions (inches)


BG5 3.23 |→ R0.25 **T.85**






















LICENCE **E**


Table Dimension Chart & Grommet Location


LELBA or LELB - Eliptical Base




LELBA, LELB Base Spread	TOP WIDTH
18"	30
18"	36
24"	42
30"	48
36"	54
36"	60










LR - Rectangular Base




Base


Base


Note: Grommet orientation is perpendicular to the length of table.


Base


For One Piece Top















For One Piece Top













LELBA or LELB - Rectangular Base

For One Piece Top












LR - Eliptical Base

For One Piece Top













Table Dimension Chart

LR - Rectangular Base

For One Piece Top













Table Dimension Chart


LR - Rectangular Base

For One Piece Top










thickness have 1" radius corners.


DDODUCT	FDOF		0175 / 18	IOUEO			WEIGHT	V/OI
PRODUCT	EDGE		SIZE/II	ICUE2			WEIGHT	VOL
CODE	В	W	H (B)	H (W)	W	D	LBS	FT ³
LTS2424	193	279	1	1.5	24	24	29	3
LTS3030	285	403	1	1.5	30	30	32	3
LTS3636	351	514	1	1.5	36	36	46	4
LTS4242	520	676	1	1.5	42	42	57	6
LTS4848	669	857	1	1.5	48	48	75	7
LTS5454	832	1060	1	1.5	54	54	86	10
LTS6060	1013	1289	1	1.5	60	60	99	12

L-DIA · Circle Table Top



PRODUCT	EDGE		SIZE/IN	ICHES			WEIGHT	VOL
CODE	В	W	H (B)	H(W)	W	D	LBS	FT ³
L24DIA	199	287	1	1.5	24 dia	24 dia	29	3
L30DIA	250	416	1	1.5	30	30	32	3
L36DIA	360	528	1	1.5	36	36	46	4
L42DIA	538	696	1	1.5	42	42	57	6
L48DIA	687	884	1	1.5	48	48	75	7
L54DIA	857	1095	1	1.5	54	54	86	10
L60DIA	1043	1329	1	1.5	60	60	99	12


LTR • Rectangle Table Top
• Tops with B and W thickness have 1"



radius corners.

PRODUCT Code	EDGE B	w	SIZE/IN		w	D	WEIGHT LBS	VOL FT ³
LTR2430	204	309	H (B)	H(W) 1.5	30	ا 24	26	2
LTR2436	231	357	1	1.5	36	24	31	
LTR2442	304	408	1	1.5	42	24	33	2
LTR2448	365	462	1	1.5	48	24	35	3
LTR2454	426	513	1	1.5	54	24	40	3
LTR2460	479	563	1	1.5	60	24	42	4
LTR2466	498	617	1	1.5	66	24	47	4
LTR2472	522	670	1	1.5	72	24	53	4
LTR3036	286	430	1	1.5	36	30	31	2
LTR3042	405	491	1	1.5	42	30	35	
LTR3048	426	555	1	1.5	48	30	40	2
LTR3054	457	619	1	1.5	54	30	44	3
LTR3060	498	681	1	1.5	60	30	48	3
LTR3066	520	744	1	1.5	66	30	53	3
LTR3072	551	806	1	1.5	72	30	57	3
LTR3078	582	869	1	1.5	78	30	59	4
LTR3084	644	932	1	1.5	84	30	62	4
LTR3096	748	1058	1	1.5	96	30	66	
LTR3642	464	616	1	1.5	42	36	42	4
LTR3648	524	693	1	1.5	48	36	46	
LTR3654	587	771	1	1.5	54	36	51	2
LTR3660	646	851	1	1.5	60	36	57	3
LTR3666	707	928	1	1.5	66	36	63	3
LTR3672	767	1005	1	1.5	72	36	68	3
LTR3678	829	1084	1	1.5	78	36	72	3
LTR3684	891	1164	1	1.5	84	36	74	4
LTR3696	1011	1319	1	1.5	96	36	79	4
LTR4248	628	794	1	1.5	48	42	57	3
LTR4254	702	884	1	1.5	54	42	59	3
LTR4260	777	973	1	1.5	60	42	62	3 3
LTR4266	851	1064	1	1.5	66	42	68	3
LTR4272	921	1154	1	1.5	72	42	73	3
LTR4278	995	1245	1	1.5	78	42	76	
LTR4284	1069	1334	1	1.5	84	42	78	3
LTR4296	1215	1512	1	1.5	96	42	92	4
LTR4854	795	995	1	1.5	54	48	62	3
LTR4860	878	1097	1	1.5	60	48	66	3
LTR4866	961	1197	1	1.5	66	48	73	3
LTR4872	1043	1299	1	1.5	72	48	79	
LTR4878	1127	1399	1	1.5	78	48	84	3
LTR4884	1210	1502	1	1.5	84	48	88	4
LTR4896	1376	1704	1	1.5	96	48	110	4

LTR • Rectangle Table Top 2 Piece • Tables larger than 192" Pi



- Tables larger than 192" long are manufactured in 3 pieces.
- Tops with B and W thickness have 1" radius corners.


PRODUCT	EDGE		SIZE/IN	CHES			WEIGHT	VOL
CODE	В	W	H (B)	H (W)	W	D	LBS	FT ³
LTR36108	1500	1765	1	1.5	108	36	105	4
LTR36120	1650	1945	1	1.5	120	36	114	4
LTR42108	1710	2011	1	1.5	108	42	108	6
LTR42120	1880	2208	1	1.5	120	42	123	6
LTR48108	1909	2238	1	1.5	108	48	110	6
LTR48120	2107	2473	1	1.5	120	48	132	7
LTR48132	2299	2697	1	1.5	132	48	143	7
LTR48144	2332	2737	1	1.5	144	48	158	8
LTR48156	2681	3145	1	1.5	156	48	167	8
LTR48168	2871	3366	1	1.5	168	48	176	9
LTR48180	3218	3773	1	1.5	180	48	189	10
LTR48192	3253	3812	1	1.5	192	48	201	10
LTR54144	2829	3298	1	1.5	144	54	169	10
LTR54168	3253	3794	1	1.5	168	54	187	10
LTR54192	3680	4292	1	1.5	192	54	212	13
LTR54216	4106	4789	1	1.5	216	54	234	18
LTR54240	4533	5287	1	1.5	240	54	259	20
LTR60144	3100	3610	1	1.5	144	60	180	11
LTR60168	3571	4157	1	1.5	168	60	198	13
LTR60192	4041	4703	1	1.5	192	60	223	18
LTR60216	4512	5251	1	1.5	216	60	245	22
LTR60240	4981	5800	1	1.5	240	60	270	24

LTRB • Rectangle Table Top with Bow Ends



DUW EIIUS									
PRODUCT	EDGE			INCHES		WEIGHT	VOL		
CODE	R	W	H (B)	H(W)	W	U	LBS	FT ³	
LTRB4284	1270	1583	1	1.5	84	42	78	3	ı
LTRB4296	1445	1798	1	1.5	96	42	92	4	
LTRB4884	1436	1783	1	1.5	84	48	88	4	
LTRB4896	1634	2025	1	1.5	96	48	110	4	


LTRB • Rectangle Table Top with Bow Ends 2 Piece



• Tables larger than 192" long are manufactured in 3 pieces.

PRODUCT	EDGE		SIZE/INCHES				WEIGHT	VOL
CODE	В	W	H (B)	H (W)	W	D	LBS	FT ³
LTRB42108	1763	2071	1	1.5	108	42	108	6
LTRB42120	1936	2276	1	1.5	120	42	123	6
LTRB48108	1968	2303	1	1.5	108	48	110	6
LTRB48120	2171	2548	1	1.5	120	48	132	7
LTRB48132	2366	2776	1	1.5	132	48	143	7
LTRB48144	2402	2821	1	1.5	144	48	158	8
LTRB48156	2762	3238	1	1.5	156	48	167	8
LTRB48168	2957	3467	1	1.5	168	48	176	9
LTRB48180	3315	3886	1	1.5	180	48	189	10
LTRB48192	3352	3930	1	1.5	192	48	201	10
LTRB54144	2914	3395	1	1.5	144	54	169	10
LTRB54168	3353	3908	1	1.5	168	54	187	10
LTRB54192	3790	4421	1	1.5	192	54	212	13
LTRB54216	4228	4932	1	1.5	216	54	234	18
LTRB54240	4669	5444	1	1.5	240	54	259	20
LTRB60144	3195	3718	1	1.5	144	60	180	11
LTRB60168	3679	4281	1	1.5	168	60	198	13
LTRB60192	4163	4846	1	1.5	192	60	223	18
LTRB60216	4646	5408	1	1.5	216	60	245	22
LTRB60240	5131	5973	1	1.5	240	60	270	24

LRT • Racetrack Table Top



PRODUCT	EDGE					WEIGHT	VOL	
CODE	В	W	H (B)	H (W)	W	D	LBS	FT ³
LRT4284	1270	1583	1	1.5	84	42	78	3
LRT4296	1445	1798	1	1.5	96	42	92	4
LRT4884	1436	1783	1	1.5	84	48	88	4
LRT4896	1634	2025	1	1.5	96	48	110	4



 Tables larger than 192" long are manufactured in 3 pieces.


PRODUCT	EDGE		SIZE/II	NCHES			WEIGHT	VOL
CODE	В	W	H (B)	H(W)	W	D	LBS	FT ³
LRT42108	1763	2071	1	1.5	108	42	108	6
LRT42120	1936	2276	1	1.5	120	42	123	6
LRT48108	1968	2303	1	1.5	108	48	110	6
LRT48120	2171	2548	1	1.5	120	48	132	7
LRT48132	2366	2776	1	1.5	132	48	143	7
LRT48144	2402	2821	1	1.5	144	48	158	8
LRT48156	2762	3238	1	1.5	156	48	167	8
LRT48168	2957	3467	1	1.5	168	48	176	9
LRT48180	3315	3886	1	1.5	180	48	189	10
LRT48192	3352	3930	1	1.5	192	48	201	10
LRT54144	2914	3395	1	1.5	144	54	169	10
LRT54168	3353	3908	1	1.5	168	54	187	10
LRT54192	3790	4421	1	1.5	192	54	204	10
LRT54216	4228	4932	1	1.5	216	54	226	11
LRT54240	4669	5444	1	1.5	240	54	253	11
LRT60144	3195	3718	1	1.5	144	60	180	11
LRT60168	3679	4281	1	1.5	168	60	198	13
LRT60192	4163	4846	1	1.5	192	60	223	18
LRT60216	4646	5408	1	1.5	216	60	245	22
LRT60240	5131	5973	1	1.5	240	60	270	24

LO · Oval Table Top



PRODUCT	EDGE		SIZE/II	ICHES			WEIGHT	VOL
CODE	В	W	H (B)	H(W)	W	D	LBS	FT ³
L03672	912	1196	1	1.5	72	36	68	3
L03684	1057	1383	1	1.5	84	36	74	3
L03696	1203	1569	1	1.5	96	36	79	3
L04284	1270	1583	1	1.5	84	42	78	3
L04296	1445	1798	1	1.5	96	42	92	4
L04884	1436	1783	1	1.5	84	48	88	4
L04896	1634	2025	1	1.5	96	48	110	4


LBT • Boat Table Top



A B 42 36 48 42

PRODUCT	EDGE	SIZE/INCHES				_	WEIGHT	VOL
CODE	В	W	H (B)	H (W)	W	D	LBS	FT ³
LBT4284	1270	1583	1	1.5	84	42	78	3
LBT4296	1445	1798	1	1.5	96	42	92	4
LBT4884	1436	1783	1	1.5	84	48	99	4
LBT4896	1634	2025	1	1.5	96	48	110	4

LBT • Boat Table Top 2 Piece• Tables larger than 192"




 Tables larger than 192" long are manufactured in 3 pieces.

• 6" narrower at the ends.

PRODUCT	EDGE		SIZE/II	NCHES			WEIGHT	VOL
CODE	В	W	H (B)	H (W)	W	D	LBS	FT ³
LBT42108	1763	2071	1	1.5	108	42	108	6
LBT42120	1936	2276	1	1.5	120	42	123	6
LBT48108	1968	2303	1	1.5	108	48	110	6
LBT48120	2171	2548	1	1.5	120	48	132	7
LBT48132	2366	2776	1	1.5	132	48	143	7
LBT48144	2402	2821	1	1.5	144	48	158	8
LBT48156	2762	3238	1	1.5	156	48	167	8
LBT48168	2957	3467	1	1.5	168	48	176	9
LBT48180	3315	3886	1	1.5	180	48	189	10
LBT48192	3352	3930	1	1.5	192	48	201	10
LBT54144	2914	3395	1	1.5	144	54	169	10
LBT54168	3353	3908	1	1.5	168	54	187	10
LBT54192	3790	4421	1	1.5	192	54	212	13
LBT54216	4228	4932	1	1.5	216	54	234	18
LBT54240	4669	5444	1	1.5	240	54	259	20
LBT60144	3195	3718	1	1.5	144	60	180	11
LBT60168	3679	4281	1	1.5	168	60	198	13
LBT60192	4163	4846	1	1.5	192	60	223	18
LBT60216	4646	5408	1	1.5	216	60	245	22
LBT60240	5131	5973	1	1.5	240	60	270	24


LBTB • Boat Table Top with Bow Ends



Α	В
42	30
48	36

PRODUCT	EDGE	SIZE/INCHES				WEIGHT	VOL	
CODE	В	W	H (B)	H(W)	W	D	LBS	FT ³
LBTB4284	1270	1583	1	1.5	84	42	78	3
LBTB4296	1445	1798	1	1.5	96	42	92	4
LBTB4884	1436	1783	1	1.5	84	48	88	4
LBTB4896	1634	2025	1	1.5	96	48	110	4

LBTB • Boat Table Top with Bow Ends 2 Piece
• Tables larger than 192" PRODUCT




 Tables larger than 192" long are manufactured in 3 pieces.

Α	В
60	48
54	42
48	36
42	30

PRODUCT	EDGE		SIZE/IN	CHES		WEIGHT	VOL	
CODE	В	W	H (B)	H (W)	W	D	LBS	FT ³
LBTB42108	1763	2071	1	1.5	108	42	108	6
LBTB42120	1936	2276	1	1.5	120	42	123	6
LBTB48108	1968	2303	1	1.5	108	48	110	6
LBTB48120	2171	2548	1	1.5	120	48	132	7
LBTB48132	2366	2776	1	1.5	132	48	143	7
LBTB48144	2402	2821	1	1.5	144	48	158	8
LBTB48156	2762	3238	1	1.5	156	48	167	8
LBTB48168	2957	3467	1	1.5	168	48	176	9
LBTB48180	3315	3886	1	1.5	180	48	189	10
LBTB48192	3352	3930	1	1.5	192	48	204	11_
LBTB54144	2914	3395	1	1.5	144	54	176	9
LBTB54168	3353	3908	1	1.5	168	54	187	10
LBTB54192	3790	4421	1	1.5	192	54	212	13
LBTB54216	4228	4932	1	1.5	216	54	234	18
LBTB54240	4669	5444	1	1.5	240	54	259	20
LBTB60144	3195	3718	1	1.5	144	60	180	11
LBTB60168	3679	4281	1	1.5	168	60	198	13
LBTB60192	4163	4846	1	1.5	192	60	223	18
LBTB60216	4646	5408	1	1.5	216	60	245	22
LBTB60240	5131	5973	1	1.5	240	60	270	24


LTW · Wedge Table Top



Δ	R
26	40
36	48

PRODUCT	EDGE		SIZE/INCHES				WEIGHT	VOL	
CODE	В	W	H (B)	H(W)	W	D	LBS	FT ³	
1TW4896	1634	2025	1 ′	1`5′	96	48	110	4	


LTW • Wedge Table Top 2 Piece
• Tables larger than 192"



• Tables larger than 192" long are manufactured in 3 pieces.

Α	В
60	48
54	42
48	36


PRODUCT	EDGE						WEIGHT	VOL
CODE	В	W	H (B)	H (W)	W	D	LBS	FT ³
LTW48108	1968	2303	1	1.5	108	48	110	6
LTW48120	2171	2548	1	1.5	120	48	132	7
LTW48132	2366	2776	1	1.5	132	48	143	7
LTW48144	2402	2821	1	1.5	144	48	158	8
LTW48156	2762	3238	1	1.5	156	48	167	8
LTW48168	2957	3467	1	1.5	168	48	176	9
LTW48180	3315	3886	1	1.5	180	48	189	10
LTW48192	3352	3930	1	1.5	192	48	201	10
LTW54144	2914	3395	1	1.5	144	54	169	10
LTW54168	3353	3908	1	1.5	168	54	187	10
LTW54192	3790	4421	1	1.5	192	54	212	13
LTW54216	4228	4932	1	1.5	216	54	234	18
LTW54240	4669	5444	1	1.5	240	54	259	20
LTW60144	3195	3718	1	1.5	144	60	180	11
LTW60168	3679	4281	1	1.5	168	60	198	13
LTW60192	4163	4846	1	1.5	192	60	223	18
LTW60216	4646	5408	1	1.5	216	60	245	22
LTW60240	5131	5973	1	1.5	240	60	270	24



A B 48 36

PRODUCT	EDGE						WEIGHT	VOL
CODE	В	W	H (B)	H (W)	W	D	LBS	FT ³
LTWB4896	1634	2025	1''	1.5	96	48	110	4

LTWB • Wedge Table Top with Bow Ends 2 Piece
• Tables larger than 192" PRODUCT ED




long are manufactured in 3 pieces.

Α	В
48	36
54	42
60	48

PRODUCT	EDGE						WEIGHT	VOL
CODE	В	W	H (B)	H (W)	W	D	LBS	FT ³
LTWB48108	1968	2303	1	1.5	108	48	110	6
LTWB48120	2171	2548	1	1.5	120	48	132	7
LTWB48132	2366	2776	1	1.5	132	48	143	7
LTWB48144	2402	2821	1	1.5	144	48	158	8
LTWB48156	2762	3238	1	1.5	156	48	167	8
LTWB48168	2957	3467	1	1.5	168	48	176	9
LTWB48180	3315	3886	1	1.5	180	48	189	10
LTWB48192	3352	3930	1	1.5	192	48	198	11
LTWB54144	2914	3395	1	1.5	144	54	178	9
LTWB54168	3353	3908	1	1.5	168	54	187	10
LTWB54192	3790	4421	1	1.5	192	54	212	13
LTWB54216	4228	4932	1	1.5	216	54	234	18
LTWB54240	4669	5444	1	1.5	240	54	259	20
LTWB60144	3195	3718	1	1.5	144	60	180	11
LTWB60168	3679	4281	1	1.5	168	60	198	13
LTWB60192	4163	4846	1	1.5	192	60	223	18
LTWB60216	4646	5408	1	1.5	216	60	245	22
LTWB60240	5131	5973	1	1.5	240	60	270	24

LHM • Halfmoon Table Top




PRODUCT	EDGE						WEIGHT	VOL
CODE	В	W	H (B)	H(W)	W	D	LBS	FT ³
LHM2424	227	331	1 ′	1.5	24	24	29	3
LHM2448	433	547	1	1.5	48	24	35	3
LHM2460	571	671	1	1.5	60	24	42	4
LHM2472	622	795	1	1.5	72	24	53	6
LHM3030	288	479	1	1.5	30	30	32	3
LHM3048	506	659	1	1.5	48	30	40	4
LHM3060	593	808	1	1.5	60	30	48	6
LHM3072	655	960	1	1.5	72	30	57	7

LTZ • Trapezoid Table Top



PRODUCT	EDGE						WEIGHT	VOL
CODE	В	W	H (B)	H (W)	W	D	LBS	FT ³
LTZ2460	571	671	1	1.5	60	24	42	4
LTZ2472	622	795	1	1.5	72	24	53	6
LTZ3060	593	808	1	1.5	60	30	48	6
LTZ3072	655	960	1	1.5	72	30	57	7

LW · Wave Table Top



PRODUCT	EDGE						WEIGHT	VOL
CODE	В	W	H (B)	H(W)	W	D	LBS	FT ³
LW2448	433	547	1	1.5	48	24	35	3
LW2460	571	671	1	1.5	60	24	42	4
LW2466	593	734	1	1.5	66	24	47	6
LW2472	622	795	1	1.5	72	24	53	6
LW3060	593	808	1	1.5	60	30	48	6
LW3066	621	883	1	1.5	66	30	53	7
LW3072	655	960	1	1.5	72	30	64	8
LW3660	766	1010	1	1.5	60	36	53	7
LW3666	840	1102	1	1.5	66	36	63	8
LW3672	912	1196	1	1.5	72	36	68	9

LCT · Cross Base for Table Tops



PRODUCT CODE	PRICE	SIZE/IN H	ICHES W	D	WEIGHT LBS	VOL FT ³
LCT18	600	28	18	18	29	6
LCT24	600	28	24	24	39	4
LCT30	676	28	30	30	48	6
LCT36	676	28	36	36	57	8
LCT42	870	28	42	42	62	9

LR · Rectangular Base for Table Tops



· Short side panel is removable for full wire access.

PRODUCT	PRICE	SIZE/IN	ICHES	WEIGHT	VOL	
CODE		Н	W	D	LBS	FT ³
LR18	520	28	18	10	39	3
LR24	589	28	24	10	46	4
LR30	649	28	30	10	54	6
LR36	728	28	36	10	66	8
LR42	836	28	42	10	83	9

LSQ · Square Base for Table Tops



· Short side panel is removable for full wire access.

PRODUCT	PRICE	SIZE/INCH	HES	WEIGHT	VOL	
CODE		Н	W	D	LBS	FT ³
LSQ18	655	28	18	18	50	7
LS024	802	28	24	24	66	11
LSQ30	957	28	30	30	83	17

LDRUM • Drum Base for Table Tops



PRODUCT	PRICE	SIZE/IN	ICHES	WEIGHT	VOL		
CODE		Н	W	D	LBS	FT ³	
LDRUM18	1059	28	18	18	32	8	
LDRUM24	1130	28	24	24	43	11	
LDRUM30	1161	28	30	30	54	14	

LV • "V" Base for Table Tops



PRODUCT	PRICE	SIZE/IN	ICHES	WEIGHT	VOL	
CODE		Н	W	D	LBS	FT ³
LV1818	349	28	18	18	29	3
LV2424	396	28	24	24	39	4
1//3030	160	28	30	30	18	6

LELBA • Elliptical Base with Ribbed Aluminum Extrusion



- Laminate side panels are removable for full wire access.
- · Standard in metal paint finishes.
- Optional anodized aluminum finish available, please add \$45 list.

PRODUCT	PRICE	SIZE/IN	ICHES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT ³
LELBA18	1396	28	18	9	33	2
LELBA24	1450	28	24	10	44	2
LELBA30	1507	28	30	12	55	4
LELBA36	1570	28	36	13	66	7
LELBA42	1630	28	42	14	77	9

LELB • Elliptical Base with Ribbed Plastic Extrusion



- Laminate side panels are removable for full wire access
- Please specify BLK Black or TUN Tungsten plastic molding.

PRODUCT	PRICE	SIZE/IN	ICHES	WEIGHT	VOL	
CODE		Н	W	D	LBS	FT ³
LELB18	1367	28	18	9	33	2
LELB24	1419	28	24	10	44	2
LELB30	1475	28	30	12	55	4
LELB36	1540	28	36	13	66	7
LELB42	1596	28	42	14	77	9

TELRR • Rectangular Panel Base with Anodized Aluminum Radius Corner Detail



• Single hinged access door is optional. Add "HD" to the end of the code. Add \$108 to list price.



PRODUCT CODE	PRICE	SIZE/INCH H	IES W	D	WEIGHT LBS	VOL FT ³
TELRR18	883	28	18	12	66	7
TELRR24	932	28	24	12	72	9
TELRR30	984	28	30	12	105	11
TELRR36	1036	28	36	12	129	13
TELRR42	1086	28	42	12	129	15

TELBR • Rectangular Base with Rectangular Anodized Aluminum Corner Detail



• Single hinged access door is optional. Add "HD" to the end of the code. Add \$108 to list price.



PRODUCT CODE	PRICE	SIZE/IN H	ICHES W	D	WEIGHT LBS	VOL FT ³
TELBR18	912	28	18	12	66	7
TELBR24	964	28	24	12	72	9
TELBR30	1014	28	30	12	105	11
TELBR36	1065	28	36	12	129	13
TELBR42	1118	28	42	12	129	15

TELRS • Square Panel Base with Anodized Aluminum Radius Corner Detail



• Single hinged access door is optional. Add "HD" to the end of the code. Add \$108 to list price.



PRODUCT	PRICE	SIZE/IN	ICHES	WEIGHT	VOL	
CODE		Н	W	D	LBS	FT ³
TELRS18	949	28	18	18	77	7
TELRS24	1045	28	24	24	83	9
TELRS30	1142	28	30	30	117	20
TELRS36	1241	28	36	36	140	24
TELRS42	1339	28	42	42	140	24

TELBS • Square Base with Rectangular Anodized Aluminum End Detail



• Single hinged access door is optional. Add "HD" to the end of the code. Add \$108 to list price.



PRODUCT CODE	PRICE	SIZE/IN H	ICHES W	D	WEIGHT LBS	VOL FT ³
TELBS18	977	28	18	18	77	7
TELBS24	1092	28	24	24	83	9
TELBS30	1215	28	30	30	117	20
TELBS36	1346	28	36	36	140	24
TELBS42	1486	28	42	42	140	24

TRUM • Trumpet Column Base



PRODUCT Code	PRICE Painted	CHROME	SIZE/INC			WEIGHT LBS	VOL FT ³
CUDE	PAINTED	CURCINE		W	D	TD9	_FI*
TRUM18	581	705	28	18	18	15	9
TRUM24	663	788	28	24	24	18	13
TRUM30	1078	1203	28	30	30	20	15
TRUM18BH	854	945	40.5	18	18	26	18
TRUM24BH	978	1069	40.5	24	24	29	15

TTFD • Flat Disk Column Base



PRODUCT	PRICE		SIZE/INCHES		WEIGHT	VOL	
CODE	PAINTED	CHROME	Н	W	D	LBS	FT ³
TTFD18	1036	1119	28	18	18	50	9
TTFD22	1119	1203	28	22	22	55	13
TTFD24	1203	1286	28	24	24	66	14
TTFD30	1615	1699	28	30	30	88	15
TTFD36	2320	2487	28	36	36	110	15
TTFD18BH	1268	1350	40.5	18	18	72	11
TTFD22BH	1350	1434	40.5	22	22	77	15
TTFD24BH	1434	1516	40.5	24	24	110	17

TTSQ • Flat Square Column Base



- Plate size: (18"-30" 11"x11"), (36" 14"x14").
- Column size: (18"-24" 2.1/2"), (30"-36" 3")

PRODUCT CODE	PRICE Painted	CHROME	SIZE/INCH H	IES W	D	WEIGHT LBS	VOL FT ³
TTSQ18	1450	1533	28	18	18	50	9
TTSQ23	1615	1699	28	23	23	61	13
TTSQ30	2073	2155	28	30	30	88	15
TTSQ18BH	1684	1766	40.5	18	18	72	11
TTSQ23BH	1850	1931	40.5	23	23	83	15

TTFLTX • Flat Bar "X" Column Base



- Plate size: (18"-30" 11"x11"), (36" 14"x14").
- Column size: (18"-24" 2.1/2"), (30"-36" 3")

PRODUCT	PRICE	CUDOME	SIZE/INC			WEIGHT	VOL
CODE	PAINTED	CHROME	<u>H</u>	W	D	LBS	FT ³
TTFLTX18	1533	1740	28	18	18	15	9
TTFLTX22	1554	1763	28	22	22	17	11
TTFLTX24	1575	1781	28	24	24	18	13
TTFLTX30	1615	1823	28	30	30	20	15
TTFLTX36	1657	1864	28	36	36	22	24
TTFLTX18BH	1766	1972	40.5	18	18	26	11
TTFLTX22BH	1785	1993	40.5	22	22	28	13
TTFLTX24BH	1850	2014	40.5	24	24	29	15

TTFLT · Flat Bar "T" Column Base



- Plate size: (18"-30" 11"x11"), (36" 14"x14").
- Column size: (18"-24" 2.1/2"), (30"-36" 3")

PRODUCT	PRICE		SIZE/IN	CHES		WEIGHT	VOL
CODE	PAINTED	CHROME	H	W	D	LBS	FT ³
TTFLT18	1161	1328	28		18	9	2
TTFLT22	1181	1346	28		22	10	2
TTFLT24	1203	1369	28		24	11	3
TTFLT30	1245	1408	28		30	13	3
TTFLT36	1286	1450	28		36	15	3

TTFL3P • Flat Bar 3 Prong Column Base



- Plate size: (18"-30" 11"x11"), (36" 14"x14").
- Column size: (18"-24" 2.1/2"), (30"-36" 3")

PRODUCT	PRICE		SIZE/INCHE	S		WEIGHT	VOL
CODE	PAINTED	CHROME	H	W	D	LBS	FT ³
TTFL3P18	1450	1657	28		18	11	7
TTFL3P22	1472	1679	28		22	12	13
TTFL3P24	1491	1699	28		24	13	15
TTFL3P30	1533	1740	28		30	15	15
TTFL3P36	1554	1781	28		36	18	24

LL4S • 4 Star Table Leg with Bullnose End



- Leg Plate is 11"x11" for 26" and 30" spread and 14"x14" for 36" spread.
- For the caster option specify "CS" at the end of the code with a \$68 upcharge

PRODUCT Code	PRICE Painted	CHROME	Н	w	D	WEIGHT LBS	VOL FT ³
LL4S18	589	696	28	18	18	15	7
LL4S26	697	804	28	26	26	18	15
LL4S30	745	852	28	30	30	20	15
LL4S36	816	923	28	36	36	22	24

LL4S-42 · Bistro Leg with Bullnose End



- Leg Plate is 11"x11" for 26" and 30" spread.
- **PRODUCT** PRICE WEIGHT VOL PAINTED CODE CHROME LBS LL4S2642 907 26 26 18 LL4S3042 851 957 40.5 30 30 24 23 LL4S3642 1029 1135 40.5 36 28

LLT • "T" Table Leg with Bullnose End



- Leg Plate is 11"x11"
- For the caster option specify "CS" at the end of the code with a \$34 upcharge

PRODUCT Code	PRICE Painted	CHROME	Н	w	D	WEIGHT LBS	VOL FT ³
LLT18	258	365	28	18	6	9	2
LLT26	275	382	28	26	6	11	3
LLT30	284	389	28	30	6	13	3
LLT36	501	606	28	36	6	15	3



- Leg Plate is 11"x 24"
 - For the caster option specify "CS" at the end of the code with a \$34 upcharge

PRODUCT CODE	PRICE Painted	CHROME	Н	w	D	WEIGHT LBS	VOL FT ³
LLTT18	431	565	28	18	6	13	2
LLTT26	452	587	28	26	6	20	3
LLTT30	479	612	28	30	6	24	3
LLTT36	685	817	28	36	6	26	3
LLTT42	858	993	28	42	6	31	4

LLSQ · Square Post Leg



- 2.5" x 2.5" square tubular leg provides support for worksurfaces.
- · Top plate welded to leg.
- 8" x 8" plate attached with #10 3/4" wood screws included.
- · 1" height adjustment range.

PRODUCT	PRICE		SIZE/IN	ICHES		WEIGHT	VOL	
CODE	PAINTED	CHROME	Н	W	D	LBS	FT ³	
LLS025X25H28	200	302	28	2.5	2.5	9	0.17	

LATBL • Tapered Leg



- · Tapered leg provides support for worksurfaces.
- · Top plate welded to leg.
- 8" x 8" plate attached with #10 3/4" wood screws included.
- 1" height adjustment range.
- Bottom of leg tube is a 1" diameter and top is 2 3/8" diameter.

PRODUCT CODE	PRICE Painted	CHROME	Н	w	D	WEIGHT LBS	VOL FT ³
LATBL28	227	334	28	3	3	9	0.17

BHML • Monolea



- 3" diameter Monoleg provides support for worksurfaces.
- · Top plate welded to leg.
- 8" x 8" plate attached with #10 3/4" wood screws included.
- 1" height adjustment range.

PRODUCT	PRICE					WEIGHT	VOL
CODE	PAINTED	CHROME	Н	W	D	LBS	FT ³
BHML03	190	297	28	3	3	9	0.17

L2BHML • Monoleg



- 3" diameter Monoleg provides support for worksurfaces.
- · Cut-out top plate welded to leg. Cut-out accepts 3/4" modesty panel.
- 8" x 8" plate attached with #10 3/4" wood screws included.
- 1" height adjustment range.

PRODUCT CODE	PRICE Painted	CHROME	Н	w	D	WEIGHT LBS	VOL FT ³
L2BHML03	173	280	28	3	3	9	0.17

LBHML06 · 6" Monoleg



- 6" diameter Monoleg provides support for worksurfaces.
- · Top plate welded to leg flush.
- 8" x 8" plate attached with #10 3/4" wood screws, included.
- · 1" height adjustment range.
- · Leg is offset flush to edge.

PRODUCT CODE	PRICE PAINTED	CHROME	Н	w	D	WEIGHT LBS	VOL FT ³
LBHML06	287	421	28	6	6	9	0.17

FOLDLEG • Folding Leg



- Sold as a set of two.Available in only in (SIL) Silver or (BLK) Black.

PRODUCT	PRICE				WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
FOLDLEG	541	28	24.625	5 3	11	7

LHC • HAT Channel for Conference Tables



See chart on page H.2

PRODUCT	PRICE		WEIGHT	VOL		
CODE		Н	W	D	LBS	FT ³
LHC40	75	1.4	40	5	4	0.20
LHC46	83	1.4	46	5	6	0.22
LHC52	91	1.4	52	5	7	0.25
LHC58	102	1.4	58	5	8	0.28
LHC64	113	1.4	64	5	9	0.31
LHC70	124	1.4	70	5	10	0.33

BRTSLxxC • Single Leg Assembly (Casters)



- · Two Single Leg Assemblies form the structure of the Bridges series Single Table.
- · 40mm white locking casters with grey tires; steel frame, aluminum legs.
- · Anodized aluminum leg upcharge \$67.
- · Please specify paint finish for support.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT VOL		
CODE		H	W	D	LBS	FT ³	
L2BRTSL24C	592	28	2.5	24	8	1.34	
L2BRTSL30C	615	28	2.5	30	8	1.41	
L2BRTSL36C	641	28	2.5	36	8	1.81	

BRTSLxxL • Single Leg Assembly (Levelers)



- Two Single Leg Assemblies form the structure of the Bridges series Single Line Tables.
- · One leg can be shared by 2 adjoining worksurfaces.
- · Leveling glides, steel frame, aluminum legs.
- · Anodized aluminum leg upcharge \$67.
- · Please specify paint finish for support.
- Please specify 2 beams when using BRTSL36L.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGI LBS	HT VOL FT³
L2BRTSL24L	590	28	2.5	24	8	1.34
L2BRTSL30L	616	28	2.5	30	8	1.34
L2BRTSL36L	653	28	2.5	36	9	1.50

BRTBAxxL • Back 2 Back Leg Assembly (Levelers)



- · Two Back 2 Back Leg Assemblies form the structure of the Bridges series Back 2 Back Tables.
- One double leg can be shared by 4 adjoining worksurfaces.
- · Leveling, steel frame, aluminum legs.
- · Anodized aluminum leg upcharge \$67.
- · Please specify paint finish for support.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
L2BRTBA34L	538	28	2.5	34	10	2.47
L2BRTBA51L	582	28	2.5	50.5	12	2.96
L2BRTBA63L	606	28	2.5	62.5	13	3.21

SIZE/

35

35

35

41

41

SIZE/

35

35

35

41

41

41

PRICE

673

806

703

838

PRICE

619

659

751

651

691

783

INCHES

24

30

36

24

24

30

36

24

30

36

W

2.5

2.5

2.5

2.5

2.5

2.5

INCHES

2.5

2.5

2.5

2.5

2.5

2.5

WEIGHT VOL

FT³

1.68

1.76

2.26

1.96

2.06

2.65

1.68

1.76

2.26

1.96

2.06

2.65

LBS

14

16

18

15

19

LBS

14

16

18

15

17

19

WEIGHT VOL

BRTHLxxxxC • Single "H" Leg Assembly (Casters)



- Two Single Leg Assemblies form the structure of the Bridges **PRODUCT** series Single Line Tables.
- · Leveling glides, steel frame, aluminum legs.
- · Anodized aluminum leg upcharge \$67.
- · Please specify paint finish for support.
- · 24" deep tables must have three (3) beams at the top, and one beam (BRTBBxxC "Bottom Table Beam") at the
- · 30" and 36" deep tables must have four (4) beams at the top, and one beam (BRTBBxxC "Bottom Table Beam") at the bottom.

CODE

L2BRTHL3624C

L2BRTHL3630C

L2BRTHL3636C

L2BRTHL4224C

L2BRTHL4230C

L2BRTHL4236C

L2BRTHL3624L

L2BRTHL3630L

L2BRTHL3636L

L2BRTHL4224L

L2BRTHL4230L

L2BRTHL4236L

BRTHLxxxxL • Single "H" Lea Assembly (Levelers)



- Two Single Leg Assemblies form the structure of the Bridges **PRODUCT** series Single Line Tables.
- · One leg can be shared by 2 adjoining worksurfaces.
- · Leveling glides, steel frame, aluminum legs.
- Anodized aluminum leg upcharge \$67.
- · Please specify paint finish for support.
- Note:
- · 24" deep tables must have three (3) beams at the top, and one beam (BRTBBxxC "Bottom Table Beam") at the bottom
- 30" and 36" deep tables must have four (4) beams at the top, and one beam (BRTBBxxC "Bottom Table Beam") at the bottom.

BRTSLLxx · Single Loop Leg



- Two Single Leg Assemblies form the structure of the Bridges series Single Line Tables.
- · One leg can be shared by 2 adjoining worksurfaces.
- · Leveling glides, steel frame, aluminum legs.
- Anodized aluminum leg upcharge \$67.
- · Please specify paint finish for support.
- · Please specify two beams when using BRTSLL36L

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT VOL
CODE		Н	W	D	LBS FT ³
L2BRTSLL24L	512	28	2.5	24	11.00 1.01
L2BRTSLL30L	545	28	2.5	30	13.75 1.26
L2BRTSLL36L	589	28	2.5	36	16.50 1.51

BRTBALLxx • Back 2 Back Loop Leg



- · Two Back 2 Back Leg Assemblies form the structure of the Bridges series Back 2 Back Tables.
- · One double leg can be shared by 4 adjoining worksurfaces.
- · Leveling glides, steel frame, aluminum legs.
- · Anodized aluminum leg upcharge \$67.
- · Please specify paint finish for support.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT VOL LBS FT ³
L2BRTBALL51L	711	28	2.5	50.5	23.14 2.12
L2BRTBALL63L	743	28	2.5	62.5	28.64 2.62

VISUAL BOARD LICENCE **E**


LVB · Visual	Board								
	See page H.1 for technical information.	PRODUCT Code	FINISH LP/B	HP/B	SIZE/INC H(LP/B)	HES W	D	WEIGHT LBS	VOL FT ³
		LVB48	1969	2180	48	48	8	154	10
		LVB48MG	2009	2337	48	48	8	154	10

L2CT • Collaboration Tables with Integrated Wire Management • Units Shipped knocked down (KD) PRODUCT




- Footrest to be ordered seperately.
- · Add "FR" to the end of the code for a footrail and add \$2,446 to the list price.
- Foot rail kit will include a quantity of two 2" diameter rails and 4 flanges.
- "W" thick (1 7/16") top and gables.
- · Low pressure modesty panel.

Standard Grommet Location:



Please see Accessories Section for power grommets.

Half Modesty at 15" high.



Vertical Cable Managers


PRODUCT	FINISH			WEIGHT	VOL
CODE	"W"	W	D	LBS	FT ³
L2CT3060H29	2310	60	30	171	13
L2CT3066H29	2411	66	30	180	14
L2CT3072H29	2511	72	30	189	15
L2CT3078H29	2610	78	30	198	16
L2CT3084H29	2709	84	30	207	18
L2CT3096H29	2907	96	30	216	20
L2CT3060H36	2450	60	30	176	19
L2CT3066H36	2554	66	30	185	21
L2CT3072H36	2651	72	30	194	23
L2CT3078H36	2749	78	30	203	24
L2CT3084H36	2851	84	30	212	26
L2CT3096H36	3050	96	30	221	30
L2CT3060H42	2650	60	30	181	25
L2CT3066H42	2749	66	30	190	28
L2CT3072H42	2850	72	30	199	30
L2CT3078H42	2949	78	30	208	33
L2CT3076H42 L2CT3084H42	3049	84	30	217	35
L2CT30041142 L2CT3096H42	3248	96	30	226	40
LZC13090114Z	3240	90	30	220	40
L2CT3660H29	2595	60	36	180	15
L2CT3666H29	2703	66	36	189	17
L2CT3672H29	2816	72	36	198	18
L2CT3672H29	2926	72 78	36	207	20
L2CT3684H29	3035	84	36	216	21
L2CT3696H29	3259	96	36	225	24
L2CT3660H36	2764	60	36	185	23
L2CT3666H36	2871	66	36	194	25
L2CT3672H36	2984	72	36	203	27
L2CT3678H36	3094	78	36	212	29
L2CT3684H36	3206	84	36	221	32
L2CT3696H36	3427	96	36	230	36
L2CT3660H42	2988	60	36	190	30
L2CT3666H42	3099	66	36	199	33
L2CT3672H42	3210	72	36	208	36
L2CT3678H42	3319	72 78	36	217	39
L2CT3676H42	3431	84	36	226	42
L2CT3696H42	3654	96	36	235	48
LZG13090114Z	3034	90	30	233	40
L2CT4260H29	2875	60	42	189	18
L2CT4266H29	2997	66	42	198	19
L2CT4272H29	3119	72	42	207	21
L2CT4278H29	3243	78	42	216	23
L2CT4284H29	3363	84	42	225	25
L2CT4296H29	3609	96	42	234	28
L2CT4260H36	3072	60	42	194	26
L2CT4266H36	3195	66	42	203	29
L2CT4272H36	3315	72	42	212	32
L2CT4278H36	3438	78	42	221	34
L2CT4284H36	3563	84	42	230	37
L2CT4296H36	3806	96	42	239	42
L2CT4260H42	3326	60	42	199	35
L2CT4266H42	3448	66	42	208	39
L2CT4272H42	3571	72	42	217	42
L2CT4278H42	3692	78	42	226	46
L2CT4284H42	3815	84	42	235	49
L2CT4296H42	4059	96	42	244	56

L2CTV • Collaboration Tables with Media Wall Integrated Wire Management • Units Shipped knocked down (KD) PRODUCT FINISH



- Footrest to be ordered separately.
- · Add "FR" to the end of the code for a foot rail and add \$2,446 to the list price.
- Foot rail kit will include a quantity of two 2" diameter rails and 4 flanges.
- Unit includes TV/Display bracket & mounting hardware.
- "W" thick (1 7/16") top and gables.
- · Low pressure modesty panel.


Standard Grommet Location:



Please see Accessories Section for power grommets.

Half Modesty at 15" high.

Vertical Cable Managers



PRODUCT	FINISH			WEIGHT	VOL
CODE	"W"	w	D	LBS	FT ³
L2CTV4260H29H66	4253	60	42	192	18
L2CTV4266H29H66	4376	66	42	201	19
L2CTV4272H29H66	4497	72	42	210	21
L2CTV4278H29H66	4620	78	42	219	23
L2CTV4284H29H66	4742	84	42	228	25
L2CTV4296H29H66	4987	96	42	237	28
L2CTV4860H29H66	4620	60	48	198	20
L2CTV4866H29H66	4751	66	48	207	22
L2CTV4872H29H66	4886	72	48	216	24
L2CTV4878H29H66	5018	78	48	225	26
L2CTV4884H29H66	5154	84	48	234	28
L2CTV4896H29H66	5418	96	48	243	32
L2CTV4260H36H72	4448	60	42	197	26
L2CTV4266H36H72	4448	66	42	206	29
L2CTV4272H36H72	4695	72	42	215	32
L2CTV4272H36H72 L2CTV4278H36H72	4816	72 78	42	224	34
L2CTV4284H36H72	4937	84	42	233	37
L2CTV4296H36H72	5181	96	42	242	42
L2CTV4860H36H72	4842	60	48	203	30
L2CTV4866H36H72	4976	66	48	212	33
L2CTV4872H36H72	5110	72	48	221	36
L2CTV4878H36H72	5244	78	48	230	39
L2CTV4884H36H72	5377	84	48	239	42
L2CTV4896H36H72	4969	96	48	248	48
L2CTV4260H42H72	4604	60	42	202	35
L2CTV4266H42H72	4726	66	42	211	39
L2CTV4272H42H72	4848	72	42	220	42
L2CTV4278H42H72	5016	78	42	229	46
L2CTV4284H42H72	5093	84	42	238	49
L2CTV4296H42H72	5382	96	42	247	56
L2CTV4860H42H72	5012	60	48	208	40
L2CTV4866H42H72	5144	66	48	217	44
L2CTV4872H42H72	5280	72	48	226	48
L2CTV4878H42H72	5412	78	48	235	52
L2CTV4884H42H72	5547	84	48	244	56
L2CTV4896H42H72	5813	96	48	253	64

E

MSPDM • 1 Duplex, 1 Data



- Includes two simplex, one data and one phone connector.
- Black plastic

PRODUCT	PRICE			_	WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
MSPDM	355	2.75	6.5	3.5	2	0.1

LCTM1 • Surface Access Door for Conference Tables



• Includes two simplex on top and one **PRODUCT** PRICE WEIGHT VOL on bottom. LBS FT³ 9 LCTM101B 546 Black 3.75 5.5 • 10' cord. LCTM101T 546 Tungsten 3.75 5.5 · Includes one telecom knockout.

LCTM2 • Surface Access Door for Conference Tables



 Includes four simplex on top and one PRODUCT PRICE WEIGHT VOL on bottom. CODE LBS FT³ LCTM102B 663 Black 2 3.75 11.9 5.5 • 10' cord LCTM102T · Includes one telecom knock-out. 663 Tungsten 3.75 11.9 5.5

LRTM1 • Recessed Door Voice/Data Connectors



- · Includes two sim-PRODUCT WEIGHT VOL plex on top and one **CODE** D LBS FT³ 712 on bottom. LRTM101B 1 Duplex, 1 Telecom K/O BLK 3.75 4.7 10.7 1 Duplex, 1 Telecom K/O Tungsten 3.75 LRTM101T 712 4.7 2 10.7 • 10' cord.
- Includes one telecom knock-out.

LRTM2 • Recessed Door Voice/Data Connectors



PRODUCT · Includes four WEIGHT VOL CODE simplex on top, one LBS FT³ 830 LRTM202B 2 Duplex, 2 Telecom K/O BLK 3.75 6.125 10.7 on bottom and two 2 Duplex, 2 Telecom K/O Tungsten 3.75 6.125 10.7 telecom knock-outs. LRTM202T 830 2

BG5 • Rectangular Grommet



Option
 (BLK) Black Plastic
 (GRY) Grey Plastic
 (WHT) White Plastic

PRODUCT	PRICE				WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
BG5	58		3.5	2		

BPGDPS20 • Power Module



- · 2 Outlets (power).
- · Available for side mounted installation.
- · (TUN) Tungsten finish.
- 12 foot cord.

PRODUCT	PRICE				WEIGHT	VOL	
CODE		Н	W	D	LBS	FT ³	
BPGDPS20	324	2.22	3.58	2.5			

BPGDPS21 • Power and Data Module



- 2 Outlets (power), 1 Telecom blank plate.
- Available for side mounted installation.
- · (TUN) Tunasten finish.
- 12 foot cord.

PRODUCT CODE	PRICE	н	w	D	WEIGHT LBS	VOL FT ³	
BPGDPS21	419	2.22	6.75	2.5			

BPGDPS41 • Double Power and Data Module



- 4 Outlets (power), 1 Telecom blank plate.
- · Available for side mounted installation.
- · (TUN) Tungsten finish.
- 12 foot cord.

PRODUCT CODE	PRICE	Н	w	D	WEIGHT LBS	VOL FT ³	
BPGDPS41	455	2.22	10.25	2.5			

ESMR · Anodized	d Aluminum V	oice/D	ata					
	PRODUCT CODE	PRICE		Н	w	D	WEIGHT LBS	VOL FT ³
	ESMR101A ESMRH101A	1102 1184	1 Duplex, 1 Telecom K/O 10' Cord 1 Duplex, 1 Telecom K/O Hardwire	3.5 3.5	6.23 6.23	6.2 6.2	5	1
	ESMR201A ESMRH201A	1350 1434	2 Duplex, 1 Telecom K/O 10' Cord 2 Duplex, 1 Telecom K/O Hardwire	3.5 3.5	7.95 7.95	6.2 6.2	6	1
	ESMR202A ESMRH202A	1484 1566	2 Duplex, 2 Telecom K/O 10' Cord 2 Duplex, 2 Telecom K/O Hardwire	3.5 3.5	10.72 10.72	6.2 6.2	6	1
	ESMR203A ESMRH203A	1615 1699	2 Duplex, 3 Telecom K/O 10' Cord 2 Duplex, 3 Telecom K/O Hardwire	3.5 3.5	11.95 11.95	6.23 6.23	7	2 2
	ESMR302A ESMRH302A	1642 1725	3 Duplex, 2 Telecom K/O 10' Cord 3 Duplex, 2 Telecom K/O Hardwire	3.5 3.5	11.95 11.95	6.23 6.23	7	2

Note: if no telecom plate is specified, blank coverplate will be included.

Telecom Plates



PRODUCT PRICE **CODE**Black telcom plate with 2 RJ45 cat 6 data ABLBB 336



Black telcom plate with 3 RJ45 cat 6 data ABLBBB 493









Black telcom plate with 4 RJ45 cat 6 data ABLBBBB 652

7

Terina Tables

Terina™ is a multi-purpose table that allows you to quickly adapt your space to suit your needs. The simple flip-top mechanism is designed for single-handed operation. Tables nest in an upright position to minimize storage space.

Worksurfaces

Laminate surfaces (B) are 1-1/16" thick tops constructed of 45lb. density particle board with high pressure laminate and finished on the underside of the surface with a kraft paper backing. Veneer (V) surfaces are 1-3/16" thick tops constructed of 45 lb. density particle board and are balanced on the underside with veneer (unfinished). Worksurfaces are pre-drilled for alignment of the Terina base.

Base

Tables feature an aluminum leg, cross beam and die-cast foot. Legs and cross beam are available in all standard panel frame painted finishes. Die-cast foot is always in polished aluminum finish. Foot span is 23"

Casters

Casters are standard on all tables. 2-3/8" dual wheel casters with manual lock. Full 360° swivel. Suggested for carpeted surfaces. Available in grey only.

Ganging Plates

Ganging plates are available for ganging adjoining tables together. Ganging plates are black epoxy coated steel plates with two thumbscrews.

Wire Managemant

Wire management option is a snap-in channel that fits on the interior of the leg or on the understand of the flip-top cross beam.

Modesty Panels

GFT3072R

10" Modesty panel affixes to the top and base, articulating when it folds down. available in all standard LP laminate and veneer finishes.

GFT-R • Rectangular Flip Top Training Table



PRODUCT PRICE WEIGHT VOL CODE В LBS FT³ GFT2448R 1668 29 48 48 24 6 29 29 24 24 53 55 GFT2454R 1740 54 6 GFT2460R 1809 60 GFT2466R GFT2472R 29 29 1834 66 24 61 1861 66 48 GFT3048R 1740 29 30 53 6 GFT3054R 1776 29 54 30 55 6 GFT3060R 1834 29 60 30 61 7 29 GFT3066R 1858 66 30 66

GFT-M • Folding Modesty Panel



 Includes hardware to connect to Terina Tables.

B and V edge tops have square corners

 Woodgrain modesty panels over 60" will have the woodgrain run horizontally, whereas others will run vertically.

PRODUCT Code	PRICE Lp	Н	W	D	WEIGHT LBS	VOL FT ³
GFT48M	292	10	46	0.75	11	1
GFT54M	308	10	52	0.75	13	1
GFT60M	324	10	58	0.75	15	1
GFT66M	340	10	64	0.75	18	2
GFT72M	360	10	70	0.75	20	2

29

72

30

68

1898


GFTCM • Wire Manager



- Set of four
- Each piece is 10" long

PRODUCT	PRICE				WEIGHT	VOL	
CODE		Н	W	D	LBS	FT ³	
CETCMOARIK	52	2	10	2	1	1	

GFCNGFP • Ganging Flush Plate



 Please specify application so that inserts may be added to surface.

PRODUCT	PRICE				WEIGHT	VOL	
CODE		Н	W	D	LBS	FT ³	
GECNGEP	52	2.5	5	0.1	0.22	0.01	

Technical Information - Vice Versa Tables Tables

- All worksurfaces have threaded inserts for metal-to-metal connection of support hardware.
- 60" and 72" tables come standard with wire manager.
- HP tops are 1 1/16" thick laminate particle board.
- P tops are 1" thick MDF with a painted finish (for storage only)
- W tops are 1 3/16" thick particle board with wood veneer finish. Edge is solid wood edge banded. (for occasional tables only)

Storage Units

- · All units are shipped assembled.
- High pressure laminate or wood tops are available. Contact your Customer Service Representative.

HP Top with PVC Edge

• Rectangular mobile table made of 1 1/16" thick particle board with High Pressure laminate finish. HP tops have 3.5mm PVC edge.

Viceversa Leg

Universal mounting plate can be used to gang 2 tables simply by rotating 45° to span 2 table tops without metal skirts.

Table legs have a wire management channel that neatly organizes electrical and communication cables running from the worksurfaces to the floor.

The channel is covered by a clear PVC snap-on cover.

The Viceversa leg features a push button height adjustment mechanism. This mechanism allows the user to easily set the height of a table.

Legs have a height range of 23.5" - 30.5" in 1" increments for levelers and 25"-33" with casters.

Viceversa legs are available with:

- · Levelers
- · Locking casters.

NOTES:

Levelers have a 0.5" height range. Levelers available in Charcoal Grey only. Casters available in grey with black only. Legs are available in our (6) standard finishes. Finish is durable environmentally friendly paint.

VVRT · Rectangular Tables with 4 Legs



- Tables are designed to work individually or as a group.
 They can be moved to meet the changing needs of an individual or group.
- Tables come standard with 4 locking casters. Optional levelers available, please specify.
- 6" metal skirt provides strength and stability.
- Modesty Panel, Pong Panel or 6" metal skirt cannot be used on tables with 2 legs or shared tables.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE	HP	Н	D	W	LBS	FT ³
VVRT2448HP4	1277	26-32	24	48	63	7.11
VVRT2460HP4	1403	26-32	24	60	71	7.36
VVRT2472HP4	1470	26-32	24	72	78	7.62
VVRT3060HP4	1536	26-32	30	60	80	7.69
VVRT3072HP4	1597	26-32	30	72	90	8.01

VVS · Square Tables with 4 Legs



- Square tables are designed to work individually or as a grouping. They can be moved to meet the changing needs of an individual or group.
- Tables come standard with 4 locking casters. Optional levelers available, please specify.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE	HP	H	D	W	LBS	FT ³
VVS30HP4	1403	26-32	30	30	71	7.2
VVS36HP4	1470	26-32	36	36	76	7.6
VVS42HP4	1536	26-32	42	42	82	8.0
VVS48HP4	1663	26-32	48	48	88	8.4

VVR · Round Tables with 4 Legs



- Round tables are designed to work individually or as a group. They can be moved to meet the changing needs of an individual or group.
- Tables come standard with 4 locking casters. Optional levelers available, please specify.

PRODUCT CODE	PRICE HP	SIZE/ H	INCHES D	w	WEIGHT LBS	VOL FT ³
VVR30HP4	1342	26-32	30	30	57	6.8
VVR36HP4	1403	26-32	36	36	64	7
VVR42HP4	1470	26-32	42	42	71	7.2
VVR48HP4	1597	26-32	48	48	79	7.6

Guideline for Ordering Product

CODES: The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

SPECIFICATION EXAMPLE OF A HEIGHT ADJUSTABLE TABLE

Ordered as components, please order:

1, BASE

PRODUCT CODE: FT - FreeFit

5 - Standard Range Legs 2 - Leg Quantity SF - Small Frame 24 - Depth CL - C-leg Style S - Standard Controller

OPTIONS:

Frame Style: 5 - Standard Range Frame 27.5" to 47"

6 - Extended Range Frame 22.5" to 48.5"

Leg Quantity: 1 - 1 Leg for return Kit

2 - 2 Leg table Kit 3 - 3 Leg Table Kit 4 - 4 Leg Table Kit

Frame Size: SF - Small Frame, for 48" to 60" wide Tables

LF - Large Frame, for 66" to 84" wide Tables

Worksurface Depth: 24 - For 23" deep worksurfaces

30 - For 29" and 35" deep worksurfaces

Leg Style: CL - C Shaped Table Leg

TL - T Shaped Table Leg

Controller Style: S - Standard Controller

Base Finish: BLK - Black

DWT - Designer White TUN - Tungsten

The following finishes are available for minimum orders of 72 legs for special projects. For customer who request the finishes below, and do not meet the 72 legs threshold, a 30% surcharge will apply to the base and an extended lead time of 6 weeks.

BZD - Blizzard SIL - Silver CHR - Charcoal FOG - Steel NEV - Nevada TPE - Taupe

SDT - Stonedust

2, TOP

PRODUCT CODE: FTWR2436

Top: LP = LP (Low Pressure Laminate) Thickness 1"

HP = HP (High Pressure Laminate) Thickness 1 1/16"

Top Finish Laminate: Choose Colour

Top PVC Edging: Choose Colour

3, ACCESSORIES

PRODUCT CODE: FTAEC12

Base Finish: BLK - Black

DWT - Designer White TUN - Tungsten

The following finishes are available for minimum orders of 72 legs for special projects. For customer who request the finishes below, and do not meet the 72 legs threshold, a 30% surcharge will apply to the base and an extended lead time of 6 weeks.

BZD - Blizzard SIL - Silver CHR - Charcoal FOG - Steel NEV - Nevada TPE - Taupe

SDT - Stonedust



1

Height Adjustable Tables • Product Map C-Leg Base 90 Degree Ret

Standard and Extended Range



90 Degree Retrofit Kit with C-Leg

Standard and Extended Range



Single Frame

Standard and Extended Range



T-Leg Base

Standard and Extended Range



90 Degree Retrofit Kit with T-Leg

Standard and Extended Range



Single End of Run Frame

Standard and Extended Range



90 Degree Table Base,

Equal Sides Standard and Extended Range



120 Degree Table Base

Standard and Extended Range



Media Table Frame

Standard and Extended Range



90 Degree Table Base,

Unequal Sides Standard and Extended Range




Back to Back Frame


Standard and Extended Range






FREEFIT GROMMET LOCATION






120° Corner Table Top









For FTWR worksurfaces 62" and larger, TL/TR, TL/TC and TC/TR are also available.

GAADxx Grommets Rectangular Worksurface TL




GAADxx Grommets Rectangular Worksurface TR



For Back to Back Tables and Freesstanding Tables only. Not available for return table tops.

Media Table Tops



General Specification

FEATURES

Table frames feature 80 X 50 mm rectangular outer leg with the large tube attached to

Open base design with ample room for chair and user's legs.

Flat foot design includes adjustable (10mm) glides.

All table frames include expandable width upper crossbars to create a variety of size tables

Tables have no lower crossbars.

All table frames are easy to assemble with few parts.

Tables are designed so that the paint will never mar on the leg during operation. Steel construction of the leg assembly tubing, feet and upper structure assemblies. Powder coat finishes for bases standard in (DWT) Designer White, (BLK) Black and (TUN) Tungsten.

All standard Global Contract laminate finishes are available.

Sizes of tops are "nominal". Unless otherwise stated, actual depth is 1" less and actual width is 2" less than "nominal" size.

Additional Finishes available minimum quantity of 72 legs (36 - 2 leg tables, 24 - 3 leg tables or 18 B2B Tables) Blizzard, Charcoal, Nevada, Silver, Steel, Stonedust, and Taupe All bases lift 350 lbs on two leg tables.

All bases operate at 1.5" per second.

Standard Range Frame adjusts from 27.5" to 47" including the worksurface. Extended Range Frame adjusts from 22.5" to 48.5" including the worksurface. Tops are warrantied for lifetime and bases are warranted for 7 years.

CERTIFICATIONS

Products are fully compliant with ANSI/BIFMA X5.5 - 2014, CAN/CGSB-44.227 - 2017; EN 60335-1 and UL962

All Global Contract Extended Range tables meet the BIFMA G1-2013 Ergonomic Guideline for "recommended adjustment range".

EXTENDED RANGE COLUMNS

The 3-part construction ensures a short installation dimension combined with a long stroke length making the Extended Range Column the optimum choice no matter the height of the person using it. The middle profile of the column moves synchronously so the profiles are always in the same height optimising the desk design and the stability.

Compact design where guide and actuator functions are an integrated unit Reinforced column and optimised motor housing design for extra strength and

Max. thrust 1200 N per column (12 mm spindle pitch)

Max. speed 38 mm/s unloaded

Installation dimension: 560 mm 518 mm (BIFMA)

Stroke length: 650 mm 665 mm (BIFMA)

Dimensions column: 50 x 80 mm (outer profile), 43.5 x 73.5 mm (middle profile) and STANDARD UP/DOWN CONTROLLER 37 x 67 mm (inner profile)

Low noise level

No visible gliding pads

STANDARD RANGE COLUMNS

The 2-part lifting column is a perfect choice for a wide range of different desk applications in the office.

Compact design where guide and actuator functions are an integrated unit Reinforced column and optimised motor housing design for extra strength and stability Max. load 800 N per column

Max. speed: 38 mm/s unloaded

Standard installation dimension 645 mm

Standard stroke length 500 mm

Dimensions column: 50 x 80 mm (outer profile) and 43.5 x 73.5 mm (inner profile) Dimension motor housing: 177 x 97 x 46 mm

Low noise level

No visible gliding pads

FOOT

Freefit offers two foot styles either a "T" or "C".

The feet are available in two different lengths (560 mm and 710 mm). The foot offers a recessed connection for the column and connects from the bottom with 4 bolts. Adjustable glides are standard

DESK MOUNT FRAME

Can be specified in two lengths Short Frame (SF) for tables 48" - 60" in length. Long Frames (LF) for tables 66"-84" in length

All metal parts Black

Cantilever length: 550 mm

Central or off-centre placement of columns (T-desk and C-desk) Includes all connecting hardware

CONTROL BOX

Two leg tables come standard with a 200 W Control Box

- · Mains voltage 230 VAC, 50 Hz, or 120 VAC, 60 Hz
- · Ultra-compact; length 210 mm length
- · Lightweight control box; weight only approx. 400 g

Three Leg Tables come standard with a 300 W Control Box

- can be connected up to 4 columns
- · Mains voltage 100-240 VAC, 50-60 Hz (universal)
- · Ultra-compact; length 265 mm length
- Lightweight control box; weight only approx. 500 g

Common features for the (200 W and 300 W):

- · Ultra-low; height only 38 mm
- · Environment: Operation Storage

Ambient temperature: 5 to 40 °C -10 to +50 °C

Relative humidity: 20 to 80 % at 30 °C 20 to 80 % at 30 °C

Atmospheric pressure: 700 to 1060 hPa 700 to 1060 hPa

- Compact high-power SMPS (Switch Mode Power Supply)
- · Colour: black
- Protection against overload (EOP), by individual current limitation
- The control box is designed with a soft start/stop function
- Autodetection of the number and type of columns connected
- Cable grooves at the bottom to optimise cable management
- White plugs for easy recognition when mounting/dismounting
- PVC-Free™
- Low standby power consumption only 0.1 W.
- Exchangeable standard mains cable

Features Bluetooth® connection, two favourite positions and a reminder via an LED to remind the users to

use their desk. The Controller is activated by tilting the desk panel in the same direction as the desk is intended to drive. Via pulsating green and orange lights, the LED reminds the users to change positions. Using the integrated Bluetooth® and downloading the Desk Control™ App the user can also be reminded via notifications on computers and smart devices.

- · Colour: Black
- · Black cable with RJ45 modular plug, 1700 mm straight
- PVC-Free[™]
- Featuring ZERO™: Very low power consumption in standby mode
- Approved according to EN 60335-1
- Approved according to UL962

4

DISPLAY UP/DOWN CONTROLLER

Features Bluetooth® connection, four favourite positions, a display to guide the users and a reminder via a light strip to remind the users to use their desks. The Controller is activated by tilting the desk panel in the same direction as the desk is intended to drive. The Display Controller features a modern discreet design with a glossy surface and an integrated display to ensure a clean and minimalist design. The display provides guidance to the users when operating the desk. Via pulsating green and orange lights, the light strip reminds the users to change positions. Using the integrated Bluetooth® and downloading the Desk Control™ App the users can also be reminded via notifications on smart devices.

- · Colour: Black
- Black cable with RJ45 modular plug, 1700 mm straight
- PVC-Free™
- Featuring ZERO™: Very low power consumption in standby mode
- · Approved according to EN 60335-1
- · Approved according to UL962

ANTI COLLISION SENSOR

Features enhanced Anti-Collision protection which can limit material damage to a desk or an object if a collision occurs during driving of the desk. The sensor is a compact plug-in adapter based on gyroscope-technology, and it detects even little tilting of the desk when the desk is driving up or down. Upon detected tilting, the system stops and drives in the opposite direction to avoid collision and damage to the desk or the object. The sensor can detect both hard and soft obstacles. The Anti-Collision Sensor is standard on all desks.

- · Reacts to angle changes bigger than 0.7° per second
- · Just plug it in no mounting required
- · ZEROTM Power capable
- PVC-Free

BATTERY BOX

A high-performance lithium-lon battery with a capacity of 2.15 Ah. On a full charge the table can cycle from 35 to 45 stroke lengths based upon the range of column selected and load on the table.

- · Compact unit for easy handling and installation
- · Battery alarm (audio) when charging is needed
- · Battery charging indicator (LED light bars) indicating the capacity level
- Thermal switch protection, overcurrent protection
- · Colour: black
- · Battery capacity: 2.15 Ah / 52 Wh
- Nominal voltage: 24 V DC
- · Discharge current: 9 A (max)
- · Maximum charging voltage: 40 V DC
- Charging current: 0.5 A
- Weight: 600 g

USAGE

- Ambient temperature: 5 to 40 °C
- · Storage temperature: 0 to 45 °C
- · Approved according to:

EN 62133 (Battery safety testing)

UL 1642 (Lithium cells, standard test)

UN 38.3 (transportation of Lithium batteries)

UL 2054 (Household and commercial batteries)

EN 60335-1 with CBH Advanced

NOTE: All grommets must be specified separately

FT52xxxxCL · Standard Range Base with C-Legs



· Kit includes one beam, two cantilevers, two standard range columns and two C styled feet.

•	SF indicates small frame for
	42" to 60" tables.

midi o Ecgo							
PRODUCT CODE	PRICE	HEIGHT MIN/MAX	WIDTH Min/Max	DEPTH MIN/MAX	WEIGHT LBS	VOL FT³	
FT52SF24CL	2600	27.5" - 47"	42" - 60"	24" - 24"	56.12	2.3	
FT52SF30CL	2621	27.5" - 47"	42" - 60"	30" - 36"	56.12	2.3	
FT52LF24CL	2610	27.5" - 47"	66" - 84"	24" - 24"	59.3	2.3	
FT52LF30CL	2629	27.5" - 47"	66" - 84"	30" - 36"	59.3	2.3	

- LF indicates large frame: 66" to 84" tables.
- For 23" deep worksurfaces, use 24" CL leg.
- For 29" and 35" deep worksurface, use 30" CL leg.
- For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$114 to the list price.
- · Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

FT52xxxxTL • Standard Range Base with T-Legs



 Kit includes one beam, two cantilevers, two standard range columns and two T styled feet.

•	SF indicates small frame for
	42" to 60" tables.

- PRODUCT HEIGHT DEPTH WEIGHT VOL **PRICE** WIDTH CODE MIN/MAX MIN/MAX MIN/MAX FT³ LBS FT52SF24TL 2537 24" - 24" 27.5" - 47 42" - 60' 56.12 42" - 60" 30" - 36" FT52SF30TL 2557 27.5" - 47' 56.12 2.3 24" - 24" 27.5" - 47" 66" - 84" FT52LF24TL 2547 59.3 2.3 30" - 36" FT52LF30TL 2567 27.5" - 47" 66" - 84" 59.3 2.3
- · LF indicates large frame: 66" to 84" tables.
- For 23" deep worksurfaces, use 24" TL leg.
- For 29" deep worksurface, use 30" TL leg.
- · For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$114 to the list price.
- · Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

FT62xxxxCL • Extended Range Base with C-Legs



- Kit includes one beam, two cantilevers, two extended range columns and two C styled feet.
- SF indicates small frame for 42" to 60" tables.

PRODUCT	PRICE	HEIGHT	WIDTH	DEPTH	WEIGHT	VOL	
CODE		MIN/MAX	MIN/MAX	MIN/MAX	LBS	FT ³	
FT62SF24CL	2773	22.5" - 48.5"	42" - 60"	24" - 24"	59.3	2.3	
FT62SF30CL	2792	22.5" - 48.5"	42" - 60"	30" - 36"	59.3	2.3	
FT62LF24CL	2781	22.5" - 48.5"	66" - 84"	24" - 24"	64.7	2.3	
FT62LF30CL	2802	22.5" - 48.5"	66" - 84"	30" - 36"	64.7	2.3	

- LF indicates large frame: 66" to 84" tables.
- For 23" deep worksurfaces, use 24" CL leg.
- For 29" and 35" deep worksurface, use 30" CL leg.
- For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$114 to the list price.

UEICUT

• Specify paint finish: BLK,-Black, DWT-Designer White, TUN-Tungsten.

FT62xxxxTL • Extended Range Base with T-Legs



- Kit includes one beam, two cantilevers, two extended range columns and two T styled feet.
- SF indicates small frame for 42" to 60" tables.

CODE	I HIGE	MIN/MAX	MIN/MAX	MIN/MAX	LBS	FT3	
FT62SF24TL	2710	22.5" - 48.5"		24" - 24"	59.3	2.3	
FT62SF30TL	2730	22.5" - 48.5"	42" - 60"	30" - 36"	59.3	2.3	
FT62LF24TL	2719	22.5" - 48.5"	66" - 84"	24" - 24"	64.7	2.3	
FT62LF30TL	2738	22.5" - 48.5"	66" - 84"	30" - 36"	64.7	2.3	


WIDTH


NEDTH

WEIGHT

- · LF indicates large frame: 66" to 84" tables.
- · For 23" deep worksurfaces, use 24" TL leg.
- · For 29" deep worksurface, use 30" TL leg.
- For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$114 to the list price.
- · Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.


FT539FxxxCL • Standard Range 90 Degree Table Base, Equal Sides





- Kit includes two equal length beams, three cantilevers, one standard range corner column, two standard range columns
- and two C styled feet. · FS indicates small base for 54" to 60" sided tables.
- PRODUCT **PRICE** HEIGHT WIDTH WEIGHT **DEPTH** VOL CODE MIN/MAX MIN/MAX MIN/MAX LBS FT³ 42" - 60" 42" - 60" 66" - 84" 27.5" - 47 791 FT539FS24CL 3784 54" - 60" 27.5" - 47" 27.5" - 47" 54" - 60" 66" - 84" FT539FS30CL 3804 79.1 4.7 FT539FL24CL 59.3 3852 4.7 27.5" - 47" 66" - 84" 66" - 84" FT539FL30CL 59.3 4.7 3871
- FL indicates large base for 66" to 84" sided tables.
- For 23" deep worksurfaces, use 24" CL leg.
- For 29" and 35" deep worksurface, use 30" CL leg.
- For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$114 to the list price.
- Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

FT539FSLxxCL · Standard Range 90 Degree Table Base, Unequal Sides





· Kit includes two beams (one small and one large), three cantilevers, one standard range corner column, two standard range columns and two C styled feet.

PRODUCT	PRICE	HEIGHT	WIDTH	DEPTH	WEIGHT	VOL	
CODE		MIN/MAX	MIN/MAX	MIN/MAX	LBS	FT ³	
FT539FSL24CL	3817	27.5" - 47"	42" - 60"	66" - 84"	85.4	4.7	
FT539FSL30CL	3837	27.5" - 47"	42" - 60"	66" - 84"	85.4	4.7	
wa C atulad faat							

- · For 23" deep worksurfaces, use 24" CL leg.
- For 29" and 35" deep worksurface, use 30" CL lea.
- · For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- · For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$114 to the list price.
- · Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.


FT639FxxxCL • Extended Range 90 Degree Table Base, Equal Sides





- Kit includes two equal length beams, three cantilevers, one extended range corner column, two extended range columns and two C styled feet.
- · FS indicates small base for 54" to 60" sided tables.
- PRODUCT PRICE HĒIGHT WEIGHT WIDTH DEPTH VNI MIN/MAX CODE MIN/MAX MIN/MAX LBS FT3 FT639FS24CL 4042 22.5" - 48.5" 42" - 60' 48" - 60' 76.5 4.7 48" - 60" 66" - 84" 22.5" - 48.5" 42" - 60' FT639FS30CL 4062 76.5 4.7 22.5" - 48.5" 66" - 84" FT639FL24CL 4109 82.7 4.7 22.5" - 48.5" 66" - 84" FT639FL30CL 4129 66" - 84" 82.7 4.7
- FL indicates large base for 66" to 84" sided tables.
- · For 23" deep worksurfaces, use 24" CL leg.
- For 29" and 35" deep worksurface, use 30" CL leg.
- For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- · For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$114 to the list price.
- · Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

FT639FSLxxCL • Extended Range 90 Degree Table Base, Unequal Sides



Kit includes two beams (one small and one large), three	PRODUCT Code	PRICE	HEIGHT MIN/MAX	WIDTH Min/Max	DEPTH MIN/MAX	WEIGHT LBS	VOL FT ³
cantilevers, one extended	FT639FSL24CL	4076	22.5" - 48.5"	48" - 60"	48" - 84"	85.4	4.7
range corner column, two	FT639FSL30CL	4096	22.5" - 48.5"	48" - 60"	48" - 84"	85.4	4.7
extended range columns and t	wo C styled feet.						

- · For 23" deep worksurfaces, use 24" CL leg.
- For 29" and 35" deep worksurface, use 30" CL leg.
- · For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- · For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$114 to the list price.
- Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

FT51xRxxCL • Standard Range 90 Degree Table Retrofit Kit with with C-Leg



- · Kit includes one beam, one cantilever, one standard range column and one C styled foot.
- · SR indicates for short returns of 43" to 67" wide.

PRODUCT Code	PRICE	HEIGHT MIN/MAX	WIDTH MIN/MAX	DEPTH Min/Max	WEIGHT LBS	VOL FT ³	
FT51SR24CL	1689	27.5" - 47"	24" - 48"	24" - 24"	24.9	4.7	
FT51LR24CL	1723	27.5" - 47"	54" - 72"	24" - 24"	26.9	4.7	
FT51SR30CL	1699	27.5" - 47"	24" - 48"	30" - 36"	24.9	4.7	
FT51LR30CL	1733	27.5" - 47"	54" - 72"	30" - 36"	26.9	4.7	

- LR indicates for long returns of 66" to 84" wide.
- · For 23" deep worksurfaces, use 24" CL leg.
- For 29" and 35" deep worksurface, use 30" CL leg.
- · Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

7

FT51xRxxTL • Standard Range 90 Degree Table Retrofit Kit with with T-Leg



- · Kit includes one beam, one cantilever, one standard range column and one T styled foot.
- SR indicates for short returns of 43" to 67" wide.
- DEPTH PRODUCT **PRICE** HEIGHT WIDTH WEIGHT VOL CODE MIN/MAX MIN/MAX MIN/MAX LBS FT³ FT51SR24TI 27.5" - 47" 1721 23 24" - 48' 24" - 24 249 27.5" - 47" 54" - 72 24" - 24" 2.3 2.3 FT51LR24TL 1754 26.9 27.5" - 47" 24" - 48" 30" - 36' FT51SR30TL 24.9 1731 27.5" - 47" 54" - 72" 30" - 36" 2.3 26.9 FT51LR30TL 1765
- LR indicates for long returns of 66" to 84" wide.
- For 23" deep worksurfaces, use 24" TL lea.
- For 29" and 35" deep worksurface, use 30" TL leg.
- · Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

FT61xRxxCL • Extended Range 90 Degree Table Retrofit Kit with with C-Leg




- · Kit includes one beam, one cantilever, one extended range column and one C styled foot.
- SR indicates for short returns of 43" to 67" wide.
- PRODUCT PRICE HEIGHT WIDTH DEPTH WEIGHT VOL CODE MIN/MAX MIN/MAX MIN/MAX LBS FT³ 22.5" - 48.5" 4.7 FT61SR24CL 24" - 48" 1775 27.6 54" - 72" 24" - 24" 22.5" - 48.5" FT61LR24CL 1809 30.7 4.7 FT61SR30CL 22.5" - 48.5" 24" - 48" 30" - 36" 4.7 1785 27.6 22.5" - 48.5" 30" - 36" FT61LR30CL 1819 54" - 72" 30.7 4.7
- · LR indicates for long returns of 66" to 84" wide.
- · For 23" deep worksurfaces, use 24" CL leg.
- · For 29" and 35" deep worksurface, use 30" CL leg.
- · Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

FT61xRxxTL • Extended Range 90 Degree Table Retrofit Kit with with T-Leg



- · Kit includes one beam, one cantilever, one extended range column and one T styled foot.
- SR indicates for short returns of 43" to 67" wide.
- PRODUCT WIDTH DEPTH VOL PRICE WEIGHT HFIGHT CODE MIN/MAX MIN/MAX MIN/MAX LBS FT³ FT61SR24TL 1807 22.5" - 48.5" 23 27.6 54" - 72 FT61LR24TL 1841 22.5" - 48.5" 24" - 24" 30.7 2.3 30" - 36" FT61SR30TL 22.5" - 48.5" 24" - 48" 2.3 1817 27.6 30" - 36" FT61LR30TL 22.5" - 48.5" 54" - 72" 1851 30.7 2.3
- · LR indicates for long returns of 66" to 84" wide.
- For 23" deep worksurfaces, use 24" TL leg.
- For 29" and 35" deep worksurface, use 30" TL leg.
- · Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

FT531FxxxCL • Standard Range 120 Degree Table Base, Equal Sides Kit includes two beams, three




- cantilevers, one standard range corner column, two standard range columns and two C styled feet.
- FS indicates small base for 48" to 54" sided tables.
- PRODUCT PRICE HEIGHT WIDTH DEPTH VOL WEIGHT CODE MIN/MAX MIN/MAX MIN/MAX LBS FT³ FT531FS24CL 3784 27.5" - 47" 48" - 54" 59.7 4.7 48" - 54" 48" - 54" FT531FS30CL 3804 27.5" - 47" 48" - 54" 59.7 4.7 27.5" - 47" FT531FI 24CI 60" - 66' 59.7 4.7 3852 60" - 66' 27.5" - 47" FT531FL30CL 60" - 66" 60" - 66" 59.7 3871 4.7



- FL indicates large base for 60" to 66" sided tables.
- For 23" deep worksurfaces, use 24" CL leg.
- For 29" and 35" deep worksurface, use 30" CL leg.
- For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$114 to the list price.
- Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.


FT631FxxxCL • Extended Range 120 Degree Table Base, Equal Sides



FL Base

٥r

30"



- Kit includes two beams, three cantilevers, one extended range corner column, two extended range columns and two C styled feet.
- FS indicates small base for 48" to 54" sided tables.
- PRODUCT PRICE HEIGHT WIDTH DEPTH WEIGHT VOL CODE MIN/MAX MIN/MAX MIN/MAX LBS FT3 FT631FS24CL 4042 22.5" - 48.5" 48" - 54" 59.7 4.7 22.5" - 48.5" 48" - 54" 48" - 54" FT631FS30CL 4062 59.7 4.7 FT631FL24CL 22.5" - 48.5" 60" - 66" 60" - 66" 4109 59.7 4.7 22.5" - 48.5" 60" - 66" 60" - 66" FT631FL30CL 4129 59.7 4.7
- FL indicates large base for 60" to 66" sided tables.
- For 23" deep worksurfaces, use 24" CL leg.
- For 29" and 35" deep worksurface, use 30" CL leg.
- For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$114 to the list price.
- Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

FT5B2Bxx • Back to Back Standard Range Base



- Kit includes two beams, four cantilevers, four standard range columns and one power trough assembly with two energy chains.
- For 50.5 depth, use two x 23" deep worksurfaces.
- PRODUCT **PRICE** HEIGHT WIDTH DEPTH WEIGHT VOL CODE MIN/MAX MIN/MAX MIN/MAX LBS FT³ FT5B2B48 27.5" - 47" 27.5" - 47" 27.5" - 47" 48" - 48" 54" - 54" 50.5" - 62.5" 50.5" - 62.5" 50.5" - 62.5" 7161 129 FT5B2B54 7212 7292 60" - 60" 4.7 FT5B2B60 27.5" - 47" 66" - 66" 72" - 84" 50.5" - 62.5" 129 50.5" - 62.5" 129 FT5B2B66 7344 27.5" - 47 FT5B2B72 7362
- · For 62.5" depth, use two x 29" deep worksurfaces.
- 30" or larger depth worksurfaces cannot be used with Back to Back bases.
- Duplex receptacles are not included, please specify separately.
- · For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$228 to the list price.
- Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

FT6B2Bxx • Back to Back Extended Range Base



- · Kit includes two beams, four cantilevers, four extended range columns and one power trough assembly with two energy chains.
- For 50.5 depth, use two x 23" deep worksurfaces.
- PRODUCT DEPTH WEIGHT VOL **PRICE** HEIGHT WIDTH CODE MIN/MAX MIN/MAX MIN/MAX LBS FT6B2B48 7489 22.5" - 48.5' 48" - 48" 50.5" - 62.5 47 54" - 54" 22.5" - 48.5" 50.5" - 62.5" 129 FT6B2B54 7540 4.7 22.5" - 48.5" 22.5" - 48.5" 22.5" - 48.5" FT6B2B60 60" - 60" 50.5" - 62.5" 129 7620 4.7 50.5" - 62.5" 50.5" - 62.5" 66" - 66" 72" - 84" FT6B2B66 129 7671 FT6B2B72 7690
- For 62.5" depth, use two x 29" deep worksurfaces.
- 30" or larger depth worksurfaces cannot be used with Back to Back bases.
- Duplex receptacles are not included, please specify separately.
- · For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$228 to the list price.
- Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

FT5SGLxxTxx • Standard Range Single Frame



- · Kit includes one beam, two cantilevers, two standard range columns, two T styled feet and one power trough assembly with one energy chains.
- For T24 leg, use 23" deep worksurfaces.
- For T30 leg, use 29" deep worksurfaces.
- 30" or larger depth worksurfaces cannot be used with Back to Back bases.

PRODUCT CODE	PRICE	HEIGHT Min/Max	WIDTH MIN/MAX	DEPTH Min/Max	WEIGHT LBS	VOL FT ³
FT5SGL48T24	4197	27.5" - 47"	48" - 48"	24" - 24"	75	2.3
FT5SGL54T24	4243	27.5" - 47"	54" - 54"	24" - 24"	75	2.3
FT5SGL60T24	4301	27.5" - 47"	60" - 60"	24" - 24"	75	2.3
FT5SGL66T24	4344	27.5" - 47"	66" - 66"	24" - 24"	75	2.3
FT5SGL72T24	4378	27.5" - 47"	72" - 84"	24" - 24"	75	2.3
FT5SGL48T30	4216	27.5" - 47"	48" - 48"	30" - 30"	75	2.3
FT5SGL54T30	4263	27.5" - 47"	54" - 54"	30" - 30"	75	2.3
FT5SGL60T30	4322	27.5" - 47"	60" - 60"	30" - 30"	75	2.3
FT5SGL66T30	4363	27.5" - 47"	66" - 66"	30" - 30"	75	2.3
FT5SGL72T30	4398	27.5" - 47"	72" - 84"	30" - 30"	75	2.3

- · Duplex receptacles are not included, please specify separately.
- · For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$114 to the list price.
- · Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

FT6SGLxxTxx • Extended Range Single Frame




- · Kit includes one beam, two cantilevers, two extended range columns, two T styled feet and one power trough assembly with one energy chains.
- For T24 leg, use 23" deep worksurfaces.
- For T30 leg, use 29" deep worksurfaces.
- 30" or larger depth worksurfaces cannot be used with Back to Back bases.

aic i i aiiic							
PRODUCT	PRICE	HEIGHT	WIDTH	DEPTH	WEIGHT	VOL	
CODE		MIN/MAX	MIN/MAX	MIN/MAX	LBS	FT ³	_
FT6SGL48T24	4361	22.5" - 48.5"	48" - 48"	24" - 24"	75	2.3	
FT6SGL54T24	4408	22.5" - 48.5"	54" - 54"	24" - 24"	75	2.3	
FT6SGL60T24	4465	22.5" - 48.5"	60" - 60"	24" - 24"	75	2.3	
FT6SGL66T24	4508	22.5" - 48.5"	66" - 66"	24" - 24"	75	2.3	
FT6SGL72T24	4541	22.5" - 48.5"	72" - 84"	24" - 24"	75	2.3	
FT6SGL48T30	4381	22.5" - 48.5"	48" - 48"	30" - 30"	75	2.3	
FT6SGL54T30	4427	22.5" - 48.5"	54" - 54"	30" - 30"	75	2.3	
FT6SGL60T30	4485	22.5" - 48.5"	60" - 60"	30" - 30"	75	2.3	
FT6SGL66T30	4528	22.5" - 48.5"	66" - 66"	30" - 30"	75	2.3	
FT6SGI 72T30	4561	22 5" - 48 5"	72" - 84"	30" - 30"	75	23	

- · Duplex receptacles are not included, please specify separately.
- For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- · For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$114 to the list price.
- · Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

FT5SGLxxTxx · Standard Range End of Run Single Frame



PRODUCT HEIGHT WIDTH DEPTH WEIGHT VOL · Kit includes one beam, two cantilevers, two standard CODE MIN/MAX MIN/MAX MIN/MAX LBS FT³ FT5SGL51T24 4575 27.5" - 47 range columns, two T styled 51" - 62 FT5SGL51T30 4595 27.5" - 47" 51" - 62" 24" - 24" 75 2.3 feet and one power trough assembly with one energy chains.

- For T24 leg, use 23" deep worksurfaces.
- For T30 leg, use 29" deep worksurfaces.
- 30" or larger depth worksurfaces cannot be used with Back to Back bases.
- Duplex receptacles are not included, please specify separately.
- For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$114 to the list price.
- Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

FT6SGLxxTxx • Extended Range End of Run Single Frame



- · Kit includes one beam, two PRODUCT HEIGHT WIDTH DEPTH WEIGHT VOL cantilevers, two extended CODE MIN/MAX MIN/MAX MIN/MAX LBS FT³ FT6SGL51T24 4739 22.5" - 48.5 23 range columns, two T styled 22.5" - 48.5" feet and one power trough FT6SGL51T30 4759 51" - 62" 24" - 24" 75 2.3 assembly with one energy chains.
- For T24 leg, use 23" deep worksurfaces.
- For T30 leg, use 29" deep worksurfaces.
- 30" or larger depth worksurfaces cannot be used with Back to Back bases.
- Duplex receptacles are not included, please specify separately.
- · For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$114 to the list price.
- Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

FTM5B2BxF • Standard Range Media Table Base



- · Kit includes two beams, four PRODUCT HEIGHT WIDTH WEIGHT VOL PRICE DEPTH cantilevers, four standard CODE MIN/MAX MIN/MAX MIN/MAX LBS FT³ FTM5B2BSF range columns and two 5852 27.5" - 47 60" - 60' 54" - 60' 60" - 60" FTM5B2BLF 5872 27.5" - 47" 54" - 60" 129 4.7 controllers.
- SF indicates small base for 60" sided tables.
- LF indicates large base for 66" to 84" sided tables.
- · Duplex receptacles are not included, please specify separately.
- For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$228 to the list price.

WIDTH

MIN/MAX

66" - 84"

DEPTH

MIN/MAX

54" - 60'

WEIGHT

LBS

129

129

VOL

FT³

4.7


• Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.

FTM6B2BxF • Extended Range Media Table Base



- Kit includes two beams, four cantilevers, four extended range columns and two controllers.
 FTM6B2BLF
 FTM6B2BLF
 FTM6B2BLF
 FTM6B2BLF
 FTM6B2BLF
 FTM6B2BLF
 FTM6B2BLF
 FTM6B2BLF
- SF indicates small base for 60" sided tables.
- LF indicates large base for 66" to 84" sided tables.
- Duplex receptacles are not included, please specify separately.
- For enhanced collision detection an Anti Collision Desk Sensor included with every base.
- For Standard Up/Down Controller add (S) at the end of the code. For Display Controller, please add at "D" at the end of the product code and \$228 to the list price.
- · Specify paint finish: BLK-Black, DWT-Designer White, TUN-Tungsten.


FTWR - Rectangular Worksurface



- Rectangular worksurfaces are non-handed and can be interchanged on site.
- · Specify laminate finish and PVC edge finish.
- · Specification:
- For 23" deep worksurfaces, use FT52(S/L) F24CL/TL standard range or FT62(S/L)F24CL/TL extended range base.
- For 29" deep worksurfaces, use FT52(S/L) F30CL/TL standard range or FT62(S/L)F30CL/ TL extended range base.
- For 35" deep worksurfaces, use FT5(S/L) F30CL/TL standard range or FT6(S/L)F30CL/ TL extended range base.
- The 35" deep worksurfaces cannot be used with Back to Back Bases.
- For Back to Back bases, please use the following chart:
- FTW(23/29)46, FT(5/6)B2B48
- FTW(23/29)52, FT(5/6)B2B54
- FTW(23/29)58, FT(5/6)B2B60
- FTW(23/29)64, FT(5/6)B2B66
- FTW(23/29)72, FT(5/6)B2B72
- FTW(23/29)76, FT(5/6)B2B72
- FTW(23/29)82, FT(5/6)B2B72

PRODUCT	FINISH		SIZE/II			WEIGHT	VOL
CODE	LP	HP	Н	W	D	LBS	FT ³
FTWR2346	341	455	1	46	23	31	1.84
FTWR2352	401	530	1	52	23	36	2.08
FTWR2358	452	597	1	58	23	40	2.32
FTWR2364	471	622	1	64	23	44	2.56
FTWR2370	492	652	1	70	23	48	3.80
FTWR2376	529	695	1	76	23	52	3.03
FTWR2382	571	746	1	82	23	56	3.27
FTWR2946	401	530	1	46	29	40	2.32
FTWR2952	438	567	1	52	29	45	2.62
FTWR2958	471	622	1	58	29	50	2.92
FTWR2964	489	651	1	64	29	55	3.22
FTWR2970	519	687	1	70	29	60	3.52
FTWR2976	552	725	1	76	29	65	3.83
FTWR2982	615	805	1	82	29	71	4.13
FTWR3546	525	654	1	46	35	48	2.80
FTWR3552	582	729	1	52	35	54	3.16
FTWR3558	647	806	1	58	35	60	3.52
FTWR3564	706	884	1	64	35	67	3.89
FTWR3570	766	957	1	70	35	73	4.25
FTWR3576	824	1031	1	76	35	79	4.62
FTWR3582	887	1108	1	82	35	85	4.98


FTWRR - Rectangular Return Worksurface



- Rectangular return worksurfaces are nonhanded and can be interchanged on site.
- · Specify laminate finish and PVC edge finish.
- · Includes two flat brackets for connection.
- Specification:
- For 23" deep worksurfaces, use FT51SR24CL/ TL standard range or FT61SR24CL/TL extended range base.
- For 29" deep worksurfaces, use FT51SR30CL/ TL standard range or FT61SR30CL/TL extended range base.

PRODUCT	FINISH		SIZE/	INCHES		WEIGHT	VOL
CODE	LP	HP	Н	W	D	LBS	FT ³
FTWRR2329	206	265	1	29	23	20	1.16
FTWRR2335	228	298	1	35	23	24	1.40
FTWRR2341	295	389	1	41	23	28	1.64
FTWRR2347	352	466	11	47	23	32	1.88
FTWRR2353	412	541	1	53	23	36	2.12
FTWRR2359	463	608	1	59	23	40	2.36
FTWRR2929	239	313	1	29	29	25	1.46
FTWRR2935	280	367	11	35	29	30	1.76
FTWRR2941	393	514	1	41	29	35	2.06
FTWRR2947	412	541	11	47	29	40	2.36
FTWRR2953	449	578	1	53	29	46	2.67
FTWRR2959	482	633	1	59	29	51	2.97

FTWR - Rectangular End of Run Worksurface



- Rectangular end of run worksurfaces are nonhanded and can be interchanged on site.
- · Specify laminate finish and PVC edge finish.
- Specification:
- For 23" deep worksurfaces, use FT52(S/F) L24CL/TL standard range or FT62(S/F)L24CL/ TL extended range base.

PRODUCT	FINISH		SIZE/INCHES	5		WEIGHT	VUL
CODE	LP	HP	Н	W	D	LBS	FT ³
FTWR2351	452	597	1	51	23	40	2.02
FTWR2362	471	622	1	62	23	44	2.5
FTWR2951	471	622	1	51	29	50	2.54
FTWR2962	489	651	1	62	29	55	3.15
	-						

- For 29" deep worksurfaces, use FT52(S/F)L30CL/TL standard range or FT62(S/F)L30CL/TL extended range base.
- · For Back to Back bases, please use the following chart:
- FTWR(23/29)51, FT(5/6)B2B60
- FTWR(23/29)62, FT(5/6)B2B66

FTWCC - 90 Degree Corner Worksurface




- 90 Corner Worksurface.
- Specify laminate finish and PVC edge finish.
- Specification:
- For tables that connect with 23" deep worksurfaces, use FT539FS24CL standard range or FT539FS24CL extended range base.
- For table that connect with 29" deep worksurfaces, use FT539FS30CL standard range or FT639FS30CL extended range base.

PRODUCT	FINISH		SIZE/INCHES	3		WEIGHT	VOL
CODE	LP	HP	Н	W	D	LBS	FT ³
FTWCC235223	897	987	1	52	52	80	4.69
FTWCC235823	1148	1263	1	58	58	100	5.84
FTWCC294629	760	836	1	46	46	63	3.67
FTWCC295229	897	987	1	52	52	80	4.69
FTWCC295829	1148	1263	1	58	58	100	5.84

LP = Thermally Fused Laminate, HP = High Pressure Laminate.


TABLE TOPS FREEFIT F

FTWEC - Left Extended 90 Degree Corner Worksurface




- Left Extended 90 Degree Corner Worksurface.
- Specify laminate finish and PVC edge finish.
- · Specification:
- For tables that connect with 23" deep (A and D) worksurfaces, use FT539F(S/L)24CL standard range or FT539F(S/L)24CL extended range base.
- For table that connect with 29" deep (A and D) worksurfaces, use FT539F(S/L)30CL standard range or FT639F(S/L)30CL extended range base.

NOTE: FTWEC




Ksurtace							
PRODUCT	FINISH		SIZE	/INCHES		WEIGHT	VOL
CODE	LP	HP	H	W	D	LBS	FT ³
FTWEC23584623	1059	1324	1	46	58	115	2.55
FTWEC23644623	1177	1472	1	46	64	127	2.81
FTWEC23704623	1288	1612	1	46	70	138	3.07
FTWEC23764623	1373	1715	1_	46	76	150	3.34
FTWEC23824623	1457	1821	1	46	82	162	3.60
FTWEC23585223	1090	1364	1	52	58	130	2.88
FTWEC23645223	1211	1515	1	52	64	143	3.18
FTWEC23705223	1326	1659	1	52	70	156	3.48
FTWEC23765223	1415	1765	1	52	76	170	3.77
FTWEC23825223	1500	1876	_1_	52	82	183	4.07
FTWEC23645823	1248	1560	1	58	64	160	3.54
FTWEC23705823	1365	1709	1_	58	70	174	3.88
FTWEC23765823	1457	1819	1	58	76	189	4.21
FTWEC23825823	1545	1932	_1_	58	82	204	4.54
FTWEC29584629	1059	1324	1	46	58	115	2.55
FTWEC29644629	1177	1472	1_	46	64	127	2.81
FTWEC29704629	1288	1612	1	46	70	138	3.07
FTWEC29764629	1373	1715	1_	46	76	150	3.34
FTWEC29824629	1457	1821	1_	46	82	152	3.60
FTWEC29585229	1090	1364	1	52	58	130	2.88
FTWEC29645229	1211	1515	1	52	64	143	3.18
FTWEC29705229	1326	1659	1_	52	70	156	3.48
FTWEC29765229	1415	1765	1	52	76	170	3.77
FTWEC29825229	1500	1876	_1_	52	82	183	4.07
FTWEC29645829	1248	1560	1	58	64	160	3.54
FTWEC29705829	1365	1709	1	58	70	174	3.88
FTWEC29765829	1457	1819	1	58	76	189	4.21
FTWEC29825829	1545	1932	1	58	82	204	4.54

FTWEC • Right Extended 90 Degree Corner Worksurface



- Right Extended 90 Degree Corner Worksurface. **PRODUCT**
- Specify laminate finish and PVC edge finish.
- · Specification:
- For tables that connect with 23" deep (A and D) worksurfaces, use FT539F(S/L)24CL standard range or FT539F(S/L)24CL extended range base.
- For table that connect with 29" deep (A and D) worksurfaces, use FT539F(S/L)30CL standard range or FT639F(S/L)30CL extended range base.

NOTE: FTWEC




PRODUCT	FINISH		SIZE	INCHES		WEIGHT	VUL
CODE	LP	HP	Н	W	D	LBS	FT ³
FTWEC23465823	1101	1377	1	46	58	115	2.55
FTWEC23466423	1224	1529	1	46	64	127	2.81
FTWEC23467023	1338	1675	1	46	70	138	3.07
FTWEC23467623	1429	1782	1	46	76	150	3.34
FTWEC23468223	1515	1894	_1_	46	82	162	3.60
FTWEC23525823	1134	1418	1	52	58	130	2.88
FTWEC23526423	1261	1576	1	52	64	143	3.18
FTWEC23527023	1378	1726	1	52	70	156	3.48
FTWEC23527623	1472	1836	1	52	76	170	3.77
FTWEC23528223	1560	1950	1	52	82	183	4.07
FTWEC23586423	1299	1623	1	58	64	160	3.54
FTWEC23587023	1420	1777	1	58	70	174	3.88
FTWEC23587623	1516	1891	1	58	76	189	4.21
FTWEC23588223	1607	2009	1	58	82	204	4.54
FTWEC29465829	1101	1377	1	46	58	115	2.55
FTWEC29466429	1224	1529	1	46	64	127	2.81
FTWEC29467029	1338	1675	1	46	70	138	3.07
FTWEC29467629	1429	1782	1	46	76	150	3.34
FTWEC29468229	1515	1894	_1_	46	82	162	3.60
FTWEC29525829	1134	1418	1	52	58	130	2.88
FTWEC29526429	1261	1576	1	52	64	143	3.18
FTWEC29527029	1378	1726	1	52	70	156	3.48
FTWEC29527629	1472	1836	1	52	76	170	3.77
FTWEC29528229	1560	1950	1	52	82	183	4.07
FTWEC29586429	1299	1623	1	58	64	160	3.54
FTWEC29587029	1420	1777	1	58	70	174	3.88
FTWEC29587629	1516	1891	1	58	76	189	4.21
FTWEC29588229	1607	2009	1	58	82	204	4.54

CITE / INCLIC

WEIGHT

EINIICH


FTWRE • Rectangular Extension Return Worksurface



- Worksurfaces to be used only with Extended 90 Degree Corner Worksurfaces.
- Rectangular Extension Return Worksurface.
- · Specify laminate finish and PVC edge finish.
- · Includes 2 flat brackets for connection.
- · Specification:
- FTWRE23 to be used with FTWEC23xxxx23.
- FTWRE29 to be used with FTWEC29xxxx29.

U	Ігтасе							
	PRODUCT CODE	FINISH Lp	HP	SIZE/INCHES H	w	D	WEIGHT LBS	VOL FT ³
	FTWRE2324	190	250	1	24	23	16	0.96
	FTWRE2330	206	265	1	30	23	20	1.20
	FTWRE2336	228	298	1	36	23	25	1.44
	FTWRE2924	225	291	1	24	29	21	1.21
	FTWRE2930	239	313	1	30	29	26	1.51
	FTWRE2936	280	367	1	36	29	31	1.81


FTWTC • 120 Degree Corner Worksurface



- 120 Degree Corner Worksurface.
- Specify laminate finish and PVC edge finish.
- · Specification:
- For tables that connect with 23" deep (A and C) worksurfaces, use FT531F(S/L)24CL standard range or FT531F(S/L)24CL extended range base.
- For table that connect with 29" deep (A and C) worksurfaces, use FT531F(S/L)30CL standard range or FT631F(S/L)30CL extended range.

PRODUCT	FINISH		SIZE	/INCHES		WEIGHT	VOL
CODE	LP	HP	Н	W	D	LBS	FT ³
FTWTC234623	1072	1494	1	46	23	165	3.67
FTWTC235223	1072	1494	1	52	23	211	4.69
FTWTC235823	1926	2720	1	58	23	263	5.84
FTWTC236423	1926	2720	1	64	23	320	7.11
FTWTC294629	1072	1494	1	46	29	165	3.67
FTWTC295229	1072	1494	1	52	29	211	4.69
FTWTC295829	1926	2720	1	58	29	263	5.84
FTWTC296429	1926	2720	1	64	29	320	7.10


FTWMR · Media Table Top



- Media Table Top.
- · Specify laminate finish and PVC edge finish.
- · Specification:
- For tables FTWMR5460 and 6060, use FTM5B2BSF standard range or FTM6B2BSF extended range base.
- For all other tables, use FTM5B2BLF standard range or FTM6B2BLF extended range base.

PRODUCT	FINISH		SIZE	INCHES		WEIGHT	VOL
CODE	LP	HP	Н	W	D	LBS	FT ³
FTWMR5460	771	1068	1	60	54	96	5.63
FTWMR5466	841	1167	1	66	54	106	6.19
FTWMR5472	911	1268	1	72	54	115	6.75
FTWMR5478	981	1367	1	78	54	125	7.31
FTWMR5484	1051	1467	1	84	54	135	7.88
FTWMR5490	1121	1567	1	90	54	144	8.44
FTWMR5496	1191	1667	1	96	54	154	9.00
FTWMR6060	848	1178	1	60	60	107	6.25
FTWMR6066	924	1289	1	66	60	118	6.88
FTWMR6072	1002	1398	1	72	60	128	7.50
FTWMR6078	1079	1509	1	78	60	139	8.13
FTWMR6084	1156	1619	1	84	60	150	8.75
FTWMR6090	1232	1729	1	90	60	160	9.38
FTWMR6096	1310	1839	1	96	60	171	10.00

FTMT5145 • TV Mount



- TV Mount for FreeFit Media Tables.
- Includes the TV/Display bracket and mounting hardware.
- Maximum TV size is 50".

PRODUCT	FINISH	SIZE/INCH	IES		WEIGHT	VOL	
CODE	LP	Н	W	D	LBS	FT ³	
FTMT5145	899	40.5	51	4	16.82	4.8	l

FTBxxL • Laminate Leg Shroud for C-Leg, Left



- · Laminate shroud for a FreeFit C-Leg on the left side.
- Includes a felt liner at the top.
- Short side panel is removable to access interior.
- Please specify low pressure laminate, PVC edge and felt finishes.

PRODUCT	FINISH	SIZE/INCHES	;		WEIGHT	VOL
CODE	LP	Н	W	D	LBS	FT ³
FTB23L	720	18	23	9	47	2
FTB29L	752	18	29	9	55	3
FTR35I	784	18	35	9	67	3

FTBxxR • Laminate Leg Shroud for C-Leg, Right



- Laminate housing to cover a FreeFit C-Leg on the right side.
- · Includes a felt liner at the top.
- Short side panel is removable to access interior.
- Please specify low pressure laminate, PVC edge and felt finishes.

INISH					
IINION	SIZE/INCHES			WEIGHT	VOL
P	H	W	D	LBS	FT ³
['] 20	18	23	9	47	2
'52	18	29	9	55	3
'84	18	35	9	67	3
	/20 /52	720 18 752 18	720 18 23 752 18 29	20 18 23 9 52 18 29 9	20 18 23 9 47 52 18 29 9 55

FTBxx • Laminate Housing for T-Leg



- · Laminate housing to cover a FreeFit T-Leg.
- · Includes a felt liner at the top.
- · Short side panel is removable to access interior.
- Please specify low pressure laminate, PVC edge and felt finishes.

PRODUCT	FINISH	SIZE/INC	HES		WEIGHT	VOL
CODE	LP	H	W	D	LBS	FT ³
FTB23	720	18	23	9	47	2
FTB29	752	18	29	9	55	3
FTB35	784	18	35	9	67	3

FTBxx • Laminate Leg Shroud for Back to Back and Media Bases



- Laminate shroud for either a FreeFit Back to Back or Media table base.
- · Includes a felt liner at the top.
- Side panel is removable to access the interior.
- Please specify low pressure laminate, PVC edging and felt finish.

Κ	and Media B	sases					
	PRODUCT CODE	FINISH LP	SIZE/INCHES H	w	D	WEIGHT LBS	VOL FT ³
	For Back to Back						
	FTB51	1136	18	50.5	9	110	5
	FTB63	1318	18	62.5	9	134	6
	For Media Tables						
	FTB54	1136	18	54	9	110	5
	FTB60	1318	18	60	9	134	6

FTSCRBFO · Credenza, BF / Open



- Credenza storage with cut out to accomodate a FreeFit C leg base.
- Recommended for use with the standard range bases only.
- · One lock included
- · One adjustable Shelf
- Select any standard Licence2 handle
- Optional E-lock available in the FTCRBF02472 305 vertical position. Please specify V - Vertical and add \$304.00 list.

PRODUCT	FINISH			SIZE/INCHE	S			WEIGHT	VOL	
CODE	LP	В	W	H(LP/B)	H(W)	W	D	LBS	FT ³	
FTCRBF02060	2708	2965	3071	19.94	20.5	60	20	202	20	ı
FTCRBF02066	2789	3069	3184	19.94	20.5	66	20	220	22	
FTCRBF02072	2936	3238	3363	19.94	20.5	72	20	254	24	
FTCRBF02460	2815	3082	3193	19.94	20.5	60	24	202	20	
FTCRBF02466	2902	3193	3313	19.94	20.5	66	24	220	22	
FTCRBF02472	3053	3367	3498	19.94	20.5	72	24	254	24	
tical and add 0004.0	O liet									

FTSCROBF · Credenza, Open / BF



- Credenza storage with cut out to accomodate a FreeFit C leg base.
- Recommended for use with the standard range bases only.
- One lock included
- · One adjustable Shelf
- Select any standard Licence2 handle
- Optional E-lock available in the vertical position. Please specify V - Vertical

PRODUCT	FINISH			SIZE/INCHE	S			WEIGHT	VOL
CODE	LP	В	W	H(LP/B)	H(W)	W	D	LBS	FT ³
FTCROBF2060	2708	2965	3071	19.94	20.5	60	20	202	20
FTCROBF2066	2789	3069	3184	19.94	20.5	66	20	220	22
FTCROBF2072	2936	3238	3363	19.94	20.5	72	20	254	24
FTCROBF2460	2815	3082	3193	19.94	20.5	60	24	202	20
FTCROBF2466	2902	3193	3313	19.94	20.5	66	24	220	22
FTCROBF2472	3053	3367	3498	19.94	20.5	72	24	254	24
ertical and add \$304.0	00 list.								

FTSCRBFO-T · Credenza, BF / Open



- Credenza storage with cut out to accomodate a FreeFit T-leg base.
- Recommended for use with the standard range bases only.
- One lock included
- · One adjustable Shelf
- · Select any standard Licence2 handle
- Optional E-lock available in the vertical position. Please specify V - Vertical and add \$304.00 list.

	PRODUCT	FINISH			SIZE/INCHES				WEIGHT	VOL
	CODE	LP	В	W	H(LP/B)	H(W)	W	D	LBS	FT ³
	FTCRBF02060T	2708	2965	3071	19.94	20.5	60	20	202	20
	FTCRBF02066T	2789	3069	3184	19.94	20.5	66	20	220	22
	FTCRBF02072T	2936	3238	3363	19.94	20.5	72	20	254	24
	FTCRBF02460T	2815	3082	3193	19.94	20.5	60	24	202	20
	FTCRBF02466T	2902	3193	3313	19.94	20.5	66	24	220	22
	FTCRBF02472T	3053	3367	3498	19.94	20.5	72	24	254	24
Δ	rtical and add \$304 00) liet								

FTSCROBF-T · Credenza, Open / BF



- Credenza storage with cut out to accomodate a FreeFit T-leg base.
- Recommended for use with the standard range bases only.
- One lock included
- · One adjustable Shelf
- · Select any standard Licence2 handle
- Optional É-lock available in the FTCROBF2472T 305 vertical position. Please specify V Vertical and add \$304.00 list.

PRODUCT	FINISH			SIZE/INCH	ES			WEIGHT	VOL
CODE	LP	В	W	H(LP/B)	H(W)	W	D	LBS	FT ³
FTCROBF2060T	2708	2965	3071	19.94	20.5	60	20	202	20
FTCROBF2066T	2789	3069	3184	19.94	20.5	66	20	220	22
FTCROBF2072T	2936	3238	3363	19.94	20.5	72	20	254	24
FTCROBF2460T	2815	3082	3193	19.94	20.5	60	24	202	20
FTCROBF2466T	2902	3193	3313	19.94	20.5	66	24	220	22
FTCROBF2472T	3053	3367	3498	19.94	20.5	72	24	254	24

US 14

WEIGHT

LBS

4

10.09

10.09

VOL

FT³

0.19

0.19

BRT8D • Duplex Receptacles



- · Snaps into Power Distribution Housing
- Up to 6 duplex receptacles per circuit.
- xxxD1 = Circuit #1 (utility circuit)
- xxxD2 = Circuit #2 (utility circuit)
- xxxD3 = Circuit #3 (utility circuit)
- · xxxDA Circuit #A (dedicated circuit)
- · XW identifies white colour plastic, all others in standard hlack

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BRT8D1	42	2	4.625	1.25	0.10	0.01
BRT8D2	42	2	4.625	1.25	0.10	0.01
BRT8D3	42	2	4.625	1.25	0.10	0.01
BRT8DA	42	2	4.625	1.25	0.10	0.01
BRT8DXW1	56	2	4.625	1.25	0.10	0.01
BRT8DXW2	56	2	4.625	1.25	0.10	0.01
BRT8DXW3	56	2	4.625	1.25	0.10	0.01
BRT8DXWA	56	2	4.625	1.25	0.10	0.01

GAADG • Access Door Module



- · Soft close door is set back from edge to allow for cable pass thru.
- · Available in all standard panel frame finishes.
- · GAADGDH includes device holder for most mobile phones or tablets. Holder is only available in white.
- · FreeFit can only accomodate one grommet per worksurface.

r	PRODUCT	PRICE	SIZE/INCH	ES		WEIGHT	VOL
	CODE		Н	D	W	LBS	FT ³
	GAADG	76	1.08	5.54	10.09	2	0.04
	GAADGDH	77	1.08	5 54	10.09	2	0.04

SIZE/INCHES

5.54

5.54

5.07

5.07

PRICE

115

122

GAADCT • Access Door Module with Cable Trav



- Soft close door is set back from edge to allow for PRODUCT cable pass thru when closed.
- Cable tray comes one standard telcom knock out GAADCT and a platform to mount a powerbar.
- · Sides are open for easy access.
- · Available in all standard panel frame finishes.
- GAADCTDH includes device holder for most mobile phones or tablets. Holder is only available in white.

CODE

GAADCTDH


· FreeFit can only accomodate one grommet per worksurface.

GAADCTPD · Access Door Module with Cable Tray and Power Bar



- · Powerbar with 3 simplex and 2 USB, CSA Certi-Soft close door is set back from edge to allow for
- cable pass thru when closed.
- PRODUCT PRICE SIZE/INCHES WEIGHT VOL CODE W LBS FT³ 0.20 GAADCTPD 249 6.96 5.54 10.09 **GAADCTPDDH** 254 6.96 5.54 10.09 0.20 4
- · Cable tray comes one standard telcom knock out and a platform to mount a powerbar.
- · Sides are open for easy access.
- Available in all standard panel frame finishes.
- · GAADCTPDDH includes device holder for most mobile phones or tablets. Holder is only available in white.
- · FreeFit can only accomodate one grommet per worksurface.

BWAEGC00158GC • Power Bar with USB



- Power Bar with 3 receptacles + 2 USB and power switch.
- · Standard with 6' cord.
- Rating 15A, 125V, AC 60Hrz, 1875W.
- · USB output 5V, 2.6A (max.)
- · White case, white cord.

PRODUCT	PRICE	SIZE/	INCHES	;	WEIGH	IT VOL
CODE		Н	W	D	LBS	FT ³
BWAEGC00158GC	86	1.3	2.3	1	1	0.02

BG5 • Rectangular Grommet



 Option (BLK) Black Plastic (GRY) Grev Plastic (WHT) White Plastic

PRODUCT	PRICE				WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
BG5	58		3.5	2		

MSPDM • 1 Duplex, 1 Data



- Includes two simplex, one data and one phone connector.
- Black plastic

PRODUCT CODE	PRICE	н	W	D	WEIGHT LBS	VOL FT ³
MSPDM	355	2.75	6.5	3.5	2	0.1

BWAECF • Ceiling Feed Post



· Ceiling pole brings ceiling feed conduit and data cables from the ceiling down to Power troughs height. Accommodates 9'-3" ceiling heights.

PRODUCT	PRICE SIZE/INCHES		WEIGHT	VOL		
CODE		Н	D	W	LBS	FT ³
BWAECF	387	99.32	2.5	4.74	13	0.48

- · A two part construction allows power/data conduit lay-in.
- · Includes mounting hardware and ceiling bezel.
- · Painted finish.

WEIGHT

LBS

5.00

6.00

WEIGHT

LBS

6.00

8.00

9.00

10.60

12.00

LBS

WEIGHT

LBS

0.06

6.00

6.00

2.3

2.3

2.3 2.3

VOL

FT³

VOL

FT³

0.12

0.15

0.18

0.22

0.24

FT3

VOL

0.06

0.28

BWAECFH · Ceiling Feed Harness



- · Ceiling feed provides a single power entry from ceiling, through Ceiling pole into Power Trough, into Power Distribution Housing.
- BWAECFH120 493 120 · An 8-wire (4-circuit) metal conduit harness with BWAECFH144 549 144 6 included metal junction box for hard wiring to the building power supply above ceiling tile.

PRODUCT

FTAEC12

FTAEC18 FTAEC24

FTAEC30 FTAEC36

CODE

CODE

FTABRC

PRODUCT

FTACCL

CODE

CODE

PRODUCT

PRICE

PRICE

372

398

423

446

468

PRICE

557

SIZE/INCHES

SIZE/INCHES

16

28

34

40

Н

- Must be hard wired to the building power supply by a licensed electrician.
- · Ceiling Pole not included.

FTAEC • Table to Table Connector



- Connects Freefit back2back legs and trough provide power data/communication pass thru
- Connector kit consist of formed steel housing, mounting brackets,
- Housing to housing harness and one charcoal grey extruded Data/Communication cable manager
- For table to table up to 72"w (with no storage in between tables), use FTAETTC12.
- For table to table 78"w (when no storage in between), use FTAETTC18.
- · For table to table 84"w (when no storage in betw
- · For table to table up to 72"w with a Pantry Storage

FTABRC • Table to Bridges Connector



- · Connects FreeFit back2back benching to Bridges 29H table with below surface power trough.
- · Please specify paint colour on bracket. Wire manager is always charcoal.

`	PRODUCT	PRICE	SIZE/IN	LITE		WEIGHT	VOL	
	en), use FTAETTC24. e is in between, use FTAI	ETTC24.						
	FTAEC48	536	3	52	2.3	14.00	0.30	
	FTAEC42	501	3	46	2.3	11.60	0.28	

SIZE/INCHES

16

3.2

FTACCL • Leg Wire Manager



- Provides wire management from under FreeFit worksurface, down the leg and to the floor.
- · Can only be used for FreeFit Regular and Media tables. Not for use on FreeFit Back to Back tables.
- · Kit includes wire manager housing, magnets, screws and cable chain.
- Magnetically fastens to the Freefit leg and cable chain is screwed to work surface.
- · Please specify housing paint finish.


FTAEFF • Floor Feed



- · Floor feed housing for FreeFit benching applications only
- Liquitite whip 72"
- · Must be hard wired to power source by a licenced
- · Please choose paint colour for housing.

PRODUCT	PRICE	SIZE/INC	HES		WEIGHT	VOL	
CODE		Н	D	W	LBS	FT ³	
FTAEFF	797	10.8	8.75	2	7	0.23	

FFTCB • Under Worksurface Cable Basket



- · It can be easily unclipped from steel brackets (included) to
- rearrange cable connections from below work surface. As a general rule-specify cable basket 30" shorter that
- the Freefit work surface.

•	Steel wire construction, black painted finish, black stee
	hanging brackets and fasteners.

PRODUCT CODE	PKICE	SIZE/ H	W	D	WEIGH I LBS	VUL FT ³
FFTCB36	109	1	8	8	0.36	0.03
FFTCB48	118	1	16	8	0.73	0.07
FFTCB54	125	1	22	8	1.01	0.10
FFTCB60	133	1	28	8	1.20	0.13
FFTCB66	155	1	34	8	1.56	0.15
FFTCB72	161	1	40	8	1.80	0.18
FFTCB78	169	1	46	8	2.16	0.21
FFTCR84	179	1	52	8	2 3 9	0.24

BRACS · Cable Snake



- · Flexible cable management trough.
- · Two pathways within the snake, one for data/communication and one for routing power cables.
- · Clear (CLR) available only.

PRODUCT CODE	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³	
BRACS	169	30	8	2	3	0.19	
BRACSH	287	49	8	2	5	0.27	

WEIGHT

LBS

0.01

VOL

FT³

0.01

FTBATT • Battery and Charger



- · Battery Pak with charging cable mounts to the underside of the worksurface
- **PRODUCT PRICE** SIZE/INCHES WEIGHT VOL CODE LBS FT³ 1235 FTBATT 154 0.02

SIZE/INCHES

2.36

0.6

- · Features LED bars indicating capacity level and audio alarm when it needs to be charged.
- On a full charge the table can cycle from 35 to 45 stroke lengths based upon the range of column selected and load on the table.

PRODUCT

FTACDS · Anti Collision Desk Sensor USB Plug




- · Provides enhanced anti-collision detection.
- · Plugs directly into leg column.
- · Only one USB plug required for table assem

•	Plugs directly into leg column.	LUDE		П
	Only one USB plug required for table assembly.	FTACDS	103	0.5
	This is a replacement part. The sensor ships stand			

PRICE

FTDPG1C • Display + Bluetooth + Reminder Controller




- Up/down drive with 4 memory positions.

LED Light Strip reminder, table height display.	
Bluetooth enabled connects to Desk Control App	.

							-
PRODUCT	DUCT PRICE SIZE/INCHES					VOL	
CODE		Н	D	W	LBS	FT ³	
ETDDC1C	220	1	2	12	0.4	0.01	

FTDPG1M • Memory + Bluetooth + Diode Reminder Controller



- Up/down drive with 2 memory positions.
- Bluetooth enabled connects to Desk Control App.
- · This is a replacement part. Every base comes standard with a controller.

uei controlle							
PRODUCT	PRICE	SIZE/II	ICHES		WEIGHT	VOL	
CODE		Н	D	W	LBS	FT ³	
FTDPG1M	97	1	3	4.3	0.4	0.01	

FTCD2DUSB · Desk2Device USB Charger




· Charge virtually any USB device directly from your FreeFit desk. Reduce cable clutter and get better power access.

PRODUCT	PRICE	SIZE/INCHI	S		WEIGHT	VOL
CODE		H	D	W	LBS	FT ³
FTCD2DUSB	575	0.85	3.77	1.96	0.187	0.004

- The charger is powered directly by the control box of a FreeFit table, no additional power outlet is required.
- Features one USB Type-A port (output 7.5w), two USB Type-C ports (output 50w if one port is used, 25w if both are used.
- · Housing is white in color and the mounts are in black.
- Can be mounted on top of the table surface or underneath the surface (horizontal or slightly tilted).
- Includes two different mounts and a rubber (silicone) pad to secure placement on a smooth desk surface.
- Low standby power consumption of only 0.1w.
- · LED diodes indicate either charging or that an active device is connected.
- · PVC-Free (TM).

- FreeFit Single Table; 21' high dividers
 FreeFit table mounted dividers for single table or single table row, recessed 6.5" at both ends (for example - 72" (70" actual) FreeFit table mounted divider measures 57").
- The centre of all dividers is always mounted 2.250" from work surface's rear edge. Please note the gap between the divider and the work surface therefore varies, depending on the divider thickness (1.250" framed dividers. 0.750" frame-less LP and 0.250" frame-less glass).
- 48" (33" actual) 66" (51" actual) dividers have 2 mounting brackets.
- 72" (57" actual) dividers have 3 mounting brackets.




FREEFIT TABLE DIVIDERS

FreeFit · Back 2 Back Table; 37" high dividers

FreeFit Back 2 Back stationary dividers, stationary, shared, secured to table structure; recessed 6.5" at both ends (for example - 72" (70" actual) FreeFit table mounted divider measures 57").


 The centre of all dividers is always mounted 2.250" from work surface's rear edge. Please note the gap between the divider and the worksurface therefore varies, depending on the divider thickness (1.250" Framed dividers, 0.750" frame-less LP and 0.250" frame-less glass).



Application example illustrates relationship between 57" shared divider and 72" (70" actual) FreeFit Back 2 Back table.

Example Order: BWASFD72 (actual dimension of 57") for BWA2D6072A8 (actual dimension of 70").

BWATMFD/BWATMLD • Table Mounted Framed Dividers



- · Connects parallel on Freefit single and back 2 back tables.
- · Divider frame and connecting hardware is painted, please choose from standard metal paint finishes.
- · Fabric divider is tackable.
- Divider infill can be specified in fabric, low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM) user side only.

•	Fastens to the underside of the
	worksurface

•	1.625" gap between worksurface and
	divider allows for cable pass thru

· Installed divider measures 15.7" from top of worksurface and 5.75" below the worksurface.

•	48" to 66" dividers include 2 support
	brackets. 72" divider includes 3 suppo

ort brackets.

TACKABLE FABRIC Product Code	PRICE G1	G2	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWATMFD48	409	453	21.5	33	1.25	16	1.23
BWATMFD54	439	481	21.5	39	1.25	18	1.46
BWATMFD60	476	528	21.5	45	1.25	20	1.68
BWATMFD66	532	592	21.5	51	1.25	22	1.90
BWATMFD72	587	647	21.5	57	1.25	26	2.13

LAMINATE									
PRODUCT	PRICE				SIZE/	INCHES		WEIGHT	VOL
CODE	LP	HP	DE	DM	H	W	D	LBS	FT ³
BWATMLD48	255	404	605	790	21.5	33	1.25	35	1.23
BWATMLD54	290	481	726	964	21.5	39	1.25	39	1.46
BWATMLD60	342	545	803	1061	21.5	45	1.25	44	1.68
BWATMLD66	394	676	1358	1823	21.5	51	1.25	48	1.90
BWATMLD72	429	711	1385	1848	21.5	57	1.25	52	2.13

· When dry erase magnetic whiteboard (DM) is specified it is applied user side ONLY and dry erase whiteboard (DE) is applied on the opposite side

BWASFD/BWASLD • Stationary Framed Dividers



- Provides a stationary framed divider between back 2 back height adjustable tables
- · Divider frame and connecting hardware is painted, please choose from standard metal paint finishes.
- · Fabric divider is tackable.
- Divider infill can be specified in fabric, low pressure laminate (LP), high pressure laminate (HP),
- Dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM).
- Divider is anchored to the base and captured between two aluminum upright tracks. The uprights have sliding brackets that connect the worksurfaces to the divider providing continuous support as it travels up and down.
- · 1.625" gap between worksurface and divider allows for cable pass thru
- · Installed divider measures 54" from floor.

TACKABLE FABRIC PRODUCT CODE	PRICE G1	G2	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWASFD48	812	853	37.2	33	2	25	2.13
BWASFD54	830	872	37.2	39	2	28	2.52
BWASFD60	848	900	37.2	45	2	31	2.91
BWASFD66	897	957	37.2	51	2	34	3.29
BWASFD72	1162	1222	37.2	57	2	37	3.68

LAMINATE Product Code	PRICE Lp	HP	DE	DM	SIZE/	INCHES W	D	WEIGHT LBS	VOL FT ³
BWASLD48	701	1086	1578	2998	37.2	33	2	58	2.13
BWASLD54	756	1172	1678	3172	37.2	39	2	66	2.52
BWASLD60	775	1190	1697	3191	37.2	45	2	73	2.91
BWASLD66	815	1279	2829	5667	37.2	51	2	81	3.29
BWASLD72	1061	1752	2998	5986	37.2	57	2	88	3.68

BWATMLLD • Table Mounted Laminate Dividers



- Connects parallel on Freefit single and back 2 back tables.
- · Laminate divider with integrated accessory rail, installed one side only.
- · Integrated anodized aluminum accessory rail, white cut out and rail trims; white powder coat brackets.
- 3/4" LP PVC edged boards, please specify laminate & 3mm PVC edge.
- · Fastens to the underside of the worksurface.
- 1.88 gap between worksurface and divider allows for cable pass thru.
- Installed divider measures 15.7" from top of worksurface and 5.75" below the worksurface.
- 48" to 66" dividers include 2 support brackets. 72" divider includes 3 support brackets.

LAMINATE Product Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT³	
BWATMLLD48	307	21.5	33	0.75	16	1.23	
BWATMLLD54	325	21.5	39	0.75	19	1.46	
BWATMLLD60	344	21.5	45	0.75	21	1.68	
BWATMLLD66	510	21.5	51	0.75	24	1.90	
BWATMLL D72	526	21.5	57	0.75	27	2.13	

WEIGHT VOL

WEIGHT VOL

FT³

2.13

2.52

2.91

3.29

3.68

LBS

30

34

39

43

48

FT³

1.23

1.46

1.68

1.90

2.13

LBS

16

19

24

0.25

0.25

0.25 22

0.25

0.25

BWASLLD • Stationary Laminate Dividers



- Provides a stationary laminate divider between back 2 back height adjustable tables
- Divider uprights and connecting hardware is painted, please choose from standard metal paint finishes.
- · Please specify laminate (LP) finish.
- Divider is anchored to the base and captured between two aluminum upright tracks. The uprights have sliding brackets that connect the worksurfaces to the divider providing continuous support as it travels up and down.

PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT3
622	37.2	33	2	28	2.13
640	37.2	39	2	33	2.52
659	37.2	45	2	37	2.91
999	37.2	51	2	41	3.29
1018	37.2	57	2	46	3.68
	622 640 659 999	H 622 37.2 640 37.2 659 37.2	H W 622 37.2 33 640 37.2 39 659 37.2 45 999 37.2 51	H W D 622 37.2 33 2 640 37.2 39 2 659 37.2 45 2 999 37.2 51 2	H W D LBS 622 37.2 33 2 28 640 37.2 39 2 33 659 37.2 45 2 37 999 37.2 51 2 41

PRICE

657

708

760

805

855

PRICE

583

664

753

833

SIZE/

21.5

21.5

21.5

21.5

21.5

SIZE/

37.2

37.2

37.2

37.2

INCHES

33

39

45

51

INCHES

33

39

45

51

LABAINATE

GLASS

CODE

GLASS

CODE

PRODUCT

BWASGD48

BWASGD54

BWASGD60

BWASGD66

BWASGD72

PRODUCT

BWATMGD48

BWATMGD54


BWATMGD60

BWATMGD66

BWATMGD72

- 1.88" gap between worksurface and divider allows for cable pass thru.
- Installed divider measures 54" from floor.

BWATMGD • Table Mounted Glass Dividers




- Frameless glass divider connects parallel on single and back 2 back tables.
- Tempered glass, acid etched on one side (similar to frosted), satin chrome disc fasteners and powder coated steel support brackets.
- · Fastens to the underside of the worksurface.
- 2.13 gap between worksurface and divider allows for cable pass thru.
- Installed divider measures 15.7" from top of worksurface and 4.75" below the worksurface.
- 54" to 66" dividers include 2 support brackets. 72" divider includes 3 support brackets.
- 1/2" radius on all four corners.

BWASGD • Stationary Glass Dividers



- Provides a stationary glass divider between back 2 back height adjustable tables.
- Tempered glass, acid etched on one side (similar to frosted), satin chrome disc fasteners and white powdercoated steel support brackets.
- Divider is anchored to the base and captured between two aluminum upright tracks. The uprights have sliding brackets that connect the worksurfaces to the divider providing continuous support as it travels up and down.
- 2.13 gap between worksurface and divider allows for cable pass thru.
- 1/2" radius on top two corners.

BWAFWR • Felt Wrap Around Divider for FreeFit Table



Single



- Wraps around FreeFit table to provide privacy.
 9mm Felt material is tackable and comes in 12 different
- 9mm Felt material is tackable and comes in 12 differer colours. Please specify colour.
- Installed divider measures 15.7" high from top of the worksurface.
- Please choose standard metal finish for extrusion and brackets.
- · Upcharge of \$147 for anodized extrusion option.
- Divider extends by 1.5" at the back.
- For sizes 2346, 2351 and 2352, the felt will be manufactured in one pieces, while all others will be manufactured in two pieces as shown.
- Note: Cannot use ceiling feed option with this divider.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
BWAFWR2346	528	18.24	46.84	18.46	26.58	1.07
BWAFWR2352	558	18.24	52.84	18.46	28.40	1.21
BWAFWR2358	589	18.24	58.84	18.46	30.22	1.34
BWAFWR2364	779	18.24	64.84	18.46	32.02	0.74
BWAFWR2370	832	18.24	70.84	18.46	33.84	0.81
BWAFWR2946	599	18.24	46.84	24.46	30.74	1.07
BWAFWR2952	789	18.24	52.84	24.46	32.55	0.60
BWAFWR2958	841	18.24	58.84	24.46	34.37	0.67
BWAFWR2964	894	18.24	64.84	24.46	36.19	0.74
BWAFWR2970	945	18.24	70.84	24.46	38.00	0.81
End of Run						
BWAFWR2351	535	18.24	51.34	27.94	27.94	1.05
BWAFWR2951	788	18.24	51.34	32.09	32.09	0.62
BWAFWR2363	778	18.24	63.34	31.57	31.57	1.50
BWAFWR2963	891	18.24	63.34	35.73	35.73	0.87

21	- 1	IC

BWAFPNxx • Parallel Felt Divider



- Felt divider connects parallel on a single or Back to Back FreeFit table.
- 9 mm felt material is tackable and comes in a wide range of colours.
- Installed, the divider measures 15.7" high from the top of the worksurface.
- Kit includes felt divider, support extrusion and left and right brackets.
- Please choose the finish of the felt and the metal finish for the extrusion and brackets.

PRODUCT CODE	PRICE LIST	SIZE/INC	HES W	D	WEIGHT LBS	VOL FT ³
BWAFPN48	280	18.24	33	5.86	2.82	24.49
BWAFPN54	313	18.24	39	5.86	3.29	28.95
BWAFPN60	356	18.24	45	5.86	3.75	33.40
BWAFPN66	501	18.24	51	5.86	4.22	37.86
BWAFPN72	534	18.24	57	5.86	4.69	42.31

BWAFMPSNxx • Modesty Felt Divider



- Felt modesty panel secures to the rear bottom of a regular FreeFit table and provides privacy below the worksurface.
- 9 mm felt material is tackable and comes in a wide range of colours.
- Installed, the divider measures 15" high below the top of the worksurface.
- · Kit includes felt modesty, support extrusion and left and right brackets.
- Please choose the finish of the felt and the metal finish for the extrusion and brackets.

t	PRODUCT	PRICE	SIZE/INCH	IES		WEIGHT	VOL
	CODE	LIST	Н	W	D	LBS	FT ³
	BWAFMPSN48	261	13.94	33	4.17	2.44	13.32
	BWAFMPSN54	293	13.94	39	4.17	2.86	15.74
	BWAFMPSN60	331	13.94	45	4.17	3.27	18.17
	BWAFMPSN66	468	13.94	51	4.17	3.68	20.59
	BWAFMPSN72	498	13.94	57	4.17	4.09	23.01

SIZE/INCHES

30.68 33

30.68 39

30.68 45

30.68 51

30.68 57

WEIGHT VOL

41.20

48.69

56.18

63.67

71.16

LBS

3.82

5.85

5.86

5.86

5.86 4.5

5.86 5.17

5.86 6.53

PRICE

LIST

420

466

543

832

884

BWAFPDNxx • Parallel Above & Below Felt Divider



- Felt divider and modesty panel kit secures to the rear bottom of a regular FreeFit table and provides privacy above and below the worksurface.
- 9 mm felt material is tackable and comes in a wide range of colours.
- Installed, the divider measures 15.7 high from the top of the worksurface and 15" high below the top of the worksurface.
- Kit includes two felt dividers, support extrusion and left and right brackets
- Please choose the finish of the felt and the metal finish for the extrusion and brackets.

PRODUCT

BWAFPDN48

BWAFPDN54

BWAFPDN60

BWAFPDN66

BWAFPDN72

BWAFC • Corner Wrap Felt Divider






- Felt Corner Wrap secures to the side and rear bottom of a FreeFit table, wraps around one side and provides limited privacy.
- 9 mm felt material is tackable and comes in a wide range of colours
- Installed, the divider measures 15.7 high from the top of the worksurface..
- Kit includes felt dividers, support extrusion and large and small handed brackets.
- Please choose the finish of the felt and the metal finish for the extrusion and brackets.

PRODUCT	PRICE	SIZE/INCHES			WEIGHT	VOL
CODE	LIST	H	W	D	LBS	FT ³
BWAFC2432L	381	18.24	32.46	18.52	4.99	76.15
BWAFC2432R	381	18.24	32.46	18.52	4.99	76.15
BWAFC2438L	435	18.24	38.46	18.52	5.46	90.22
BWAFC2438R	435	18.24	38.46	18.52	5.46	90.22
BWAFC2448L	468	18.24	47.46	18.52	6.16	111.33
BWAFC2448R	468	18.24	47.46	18.52	6.16	111.33
BWAFC3032L	431	18.24	32.46	24.52	5.72	100.82
BWAFC3032R	431	18.24	32.46	24.52	5.72	119.45
BWAFC3038L	462	18.24	38.46	24.52	6.19	147.40
BWAFC3038R	462	18.24	38.46	24.52	6.19	100.82
BWAFC3048L	496	18.24	47.46	24.52	6.89	119.45
BWAFC3048R	496	18.24	47.46	24.52	6.89	147.40

FFTDPxxxxH24 · Height Adjustable Table Polycarbonate Divider Screen Kit, 24" high



- Provides privacy in an open plan environment.
- · Lightweight and easy to clean table mounted partitions.
- Consists of a powder coated aluminum frame, translucent fluted polycarbonate and all hardware to connect. Brackets are painted steel.
- $\bullet\,$ Side dividers extend 6.237" from the front edge of each surface.
- Back divider extends over the back edge of the worksurface by 1 1/2" allowing for the passage of cables to the trough.
- FFTDP24xxH24 are for 23" deep surfaces and FFTD-P30xxH24 are for 29" deep surfaces.
- Width and depth are nominal sizes representing the sizes of the FreeFit Table. Allow for 1/4" overhang at the sides, 1 1/2" at the back and 6.237" at the front.
- Please choose any standard paint finish from Global Contract for frame and hardware. End trim cap is available only in CHR charcoal.

ite pividei 3ci	CCIII	XIL, Ζ°	T 111	yıı		
PRODUCT	PRICE	SIZE/	INCHES	S	WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
FFTDP2436H24	897	24.63	34	31.75	26.55	3.94
FFTDP2442H24	921	24.63	40	31.75	28.10	4.59
FFTDP2448H24	945	24.63	46	31.75	29.65	5.25
FFTDP2454H24	968	24.63	42	31.75	31.20	5.91
FFTDP2460H24	993	24.63	58	31.75	32.75	6.56
FFTDP2466H24	1019	24.63	60	31.75	34.30	7.22
FFTDP2472H24	1041	24.63	70	31.75	35.85	7.88
FFTDP2478H24	1064	24.63	76	31.75	37.40	8.53
FFTDP2484H24	1112	24.63	82	31.75	38.95	9.19
FFTDP3036H24	928	24.63	34	37.75	40.50	4.72
FFTDP3042H24	952	24.63	40	37.75	42.05	5.51
FFTDP3048H24	976	24.63	46	37.75	43.60	6.29
FFTDP3054H24	1000	24.63	42	37.75	45.15	7.08
FFTDP3060H24	1024	24.63	58	37.75	46.70	7.87
FFTDP3066H24	1048	24.63	60	37.75	48.25	8.65
FFTDP3072H24	1072	24.63	70	37.75	49.80	9.44
FFTDP3078H24	1096	24.63	76	37.75	51.35	10.22
FFTDP3084H24	1144	24.63	82	37.75	52.90	11.01


FFTDPxxxxH30 · Height Adjustable Table Polycarbonate Divider Screen Kit, 30" high



- · Provides privacy in an open plan environment.
- · Lightweight and easy to clean table mounted partitions.
- Consists of a powder coated aluminum frame, translucent fluted polycarbonate and all hardware to connect. Brackets are painted steel.
- Side dividers extend 6.237" from the front edge of each surface.
- Back divider extends over the back edge of the worksurface by 1 1/2" allowing for the passage of cables to the trough.
- FFTDP24xxH24 are for 23" deep surfaces and FFTD-P30xxH24 are for 29" deep surfaces.
- Width and depth are nominal sizes representing the sizes of the FreeFit Table. Allow for 1/4" overhang at the sides, 1 1/2" at the back and 6.237" at the front.
- Please choose any standard paint finish from Global Contract for frame and hardware. End trim cap is available only in CHR - charcoal.

PRODUCT	PRICE	SIZÉ/	INCHE	S	WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
FFTDP2436H30	891	30.63	34	31.75	26.55	3.94
FFTDP2442H30	913	30.63	40	31.75	28.10	4.59
FFTDP2448H30	935	30.63	46	31.75	29.65	5.25
FFTDP2454H30	957	30.63	42	31.75	31.20	5.91
FFTDP2460H30	979	30.63	58	31.75	32.75	6.56
FFTDP2466H30	1002	30.63	60	31.75	34.30	7.22
FFTDP2472H30	1024	30.63	70	31.75	35.85	7.88
FFTDP2478H30	1046	30.63	76	31.75	37.40	8.53
FFTDP2484H30	1100	30.63	82	31.75	38.95	9.19
FFTDP3036H30	934	30.63	34	37.75	40.50	4.72
FFTDP3042H30	956	30.63	40	37.75	42.05	5.51
FFTDP3048H30	978	30.63	46	37.75	43.60	6.29
FFTDP3054H30	1000	30.63	42	37.75	45.15	7.08
FFTDP3060H30	1024	30.63	58	37.75	46.70	7.87
FFTDP3066H30	1046	30.63	60	37.75	48.25	8.65
FFTDP3072H30	1068	30.63	70	37.75	49.80	9.44
FFTDP3078H30	1090	30.63	76	37.75	51.35	10.22
FFTDP3084H30	1142	30.63	82	37.75	52.90	11.01

FFTDGxxxxH24 · Height Adjustable Table Glass Divider Screen Kit, 24" high




- · Provides privacy in an open plan environment.
- · Easy to clean table mounted partitions.
- Consists of a powder coated aluminum frame, 4mm clear (CLR) glass and all hardware to connect. Brackets are painted steel.
- Side dividers extend 6.237" from the front edge of each surface.
- Back divider extends over the back edge of the worksurface by 1 1/2" allowing for the passage of cables to the trough.
- FFTDG24xxH24 are for 23" deep surfaces and FFT-DG30xxH24 are for 29" deep surfaces.
- Width and depth are nominal sizes representing the sizes of the FreeFit Table. Allow for 1/4" overhang at the sides, 1 1/2" at the back and 6.237" at the front.
- Please choose any standard paint finish from Global Contract for frame and hardware. End trim cap is available only in CHR - charcoal.
- Upcharge for frosted (FRST) glass is 20%.

i Scieen Kit,		1911				
PRODUCT	PRICE	SIZE/	INCHES	5	WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
FFTDG2436H24	1380	24.60	34	31.50	26.55	3.94
FFTDG2442H24	1425	24.60	40	31.50	28.10	4.59
FFTDG2448H24	1470	24.60	46	31.50	29.65	5.25
FFTDG2454H24	1515	24.60	42	31.50	31.20	5.91
FFTDG2460H24	1560	24.60	58	31.50	32.75	6.56
FFTDG2466H24	1605	24.60	60	31.50	34.30	7.22
FFTDG2472H24	1651	24.60	70	31.50	35.85	7.88
FFTDG2478H24	1696	24.60	76	31.50	37.40	8.53
FFTDG2484H24	1742	24.60	82	31.50	38.95	9.19
FFTDG3036H24	1466	24.60	34	37.75	40.50	4.72
FFTDG3042H24	1511	24.60	40	37.75	42.05	5.51
FFTDG3048H24	1556	24.60	46	37.75	43.60	6.29
FFTDG3054H24	1601	24.60	42	37.75	45.15	7.08
FFTDG3060H24	1647	24.60	58	37.75	46.70	7.87
FFTDG3066H24	1691	24.60	60	37.75	48.25	8.65
FFTDG3072H24	1737	24.60	70	37.75	49.80	9.44
FFTDG3078H24	1782	24.60	76	37.75	51.35	10.22
FFTDG3084H24	1828	24.60	82	37.75	52.90	11.01

TABLE DIVIDERS


FFTDGxxxxH30 · Height Adjustable Table Glass Divide · Provides privacy in an open plan environment.



- · Easy to clean table mounted partitions.
- · Consists of a powder coated aluminum frame, 4mm clear
- (CLR) glass and all hardware to connect. Brackets are
- Side dividers extend 6.237" from the front edge of each surface.
- Back divider extends over the back edge of the worksurface by 1 1/2" allowing for the passage of cables to the trough.
- FFTDG24xxH30 are for 23" deep surfaces and FFT-DG30xxH30 are for 29" deep surfaces.
- · Width and depth are nominal sizes representing the sizes of the FreeFit Table. Allow for 1/4" overhang at the sides, 1 1/2" at the back and 6.237" at the front.
- Please choose any standard paint finish from Global Contract for frame and hardware. End trim cap is available only in CHR - charcoal.
- · Upcharge for frosted (FRST) glass is 20%.

r Screen Kit, 30" high										
PRODUCT	PRICE	SIZE	INCHES		WEIGHT	VOL				
CODE		H	W	D	LBS	FT ³				
FFTDG2436H30	1445	30.60	34	31.50	28.85	3.94				
FFTDG2442H30	1491	30.60	40	31.50	30.40	4.59				
FFTDG2448H30	1538	30.60	46	31.50	31.95	5.25				
FFTDG2454H30	1585	30.60	42	31.50	33.50	5.91				
FFTDG2460H30	1632	30.60	58	31.50	35.05	6.56				
FFTDG2466H30	1679	30.60	60	31.50	36.60	7.22				
FFTDG2472H30	1706	30.60	70	31.50	38.15	7.88				
FFTDG2478H30	1772	30.60	76	31.50	39.70	8.53				
FFTDG2484H30	1819	30.60	82	31.50	41.25	9.19				
FFTDG3036H30	1537	30.60	34	37.75	42.80	4.72				
FFTDG3042H30	1583	30.60	40	37.75	44.35	5.51				
FFTDG3048H30	1630	30.60	46	37.75	45.90	6.29				
FFTDG3054H30	1678	30.60	42	37.75	47.45	7.08				
FFTDG3060H30	1725	30.60	58	37.75	49.00	7.87				
FFTDG3066H30	1771	30.60	60	37.75	50.55	8.65				
FFTDG3072H30	1798	30.60	70	37.75	52.10	9.44				
FFTDG3078H30	1864	30.60	76	37.75	53.65	10.22				
FFTDG3084H30	1911	30.60	82	37.75	55.20	11.01				


FFTDFxxxxH24 • Height Adjustable Table Felt Divider Screen Kit, 24" high



- · Provides privacy in an open plan environment.
- · Consists of a powder coated aluminum frame, 9mm felt and all hardware to connect. Brackets are painted steel.
- Side dividers extend 6.237" from the front edge of each surface.
- Back divider extends over the back edge of the worksurface by 1 1/2" allowing for the passage of cables to the
- FFTDF24xxH24 are for 23" deep surfaces and FFTD-F30xxH24 are for 29" deep surfaces.
- · Width and depth are nominal sizes representing the sizes of the FreeFit Table. Allow for 1/4" overhang at the sides, 1 1/2" at the back and 6.237" at the front.
- · Please choose any standard paint finish from Global Contract for frame and hardware. Select also a felt finish. End trim cap is available only in CHR - charcoal.
- · 9mm felt material is tackable and comes in a variety of colors.

PRODUCT	PRICE	SIZE/INCH	ES		WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
FFTDF2436H24	897	24.60	34	31.50	22.55	3.94
FFTDF2442H24	921	24.60	40	31.50	24.10	4.59
FFTDF2448H24	945	24.60	46	31.50	25.65	5.25
FFTDF2454H24	968	24.60	42	31.50	27.20	5.91
FFTDF2460H24	992	24.60	58	31.50	28.75	6.56
FFTDF2466H24	1016	24.60	60	31.50	30.30	7.22
FFTDF2472H24	1040	24.60	70	31.50	31.85	7.80
FFTDF2478H24	1064	24.60	76	31.50	33.40	8.53
FFTDF2484H24	1112	24.60	82	31.50	34.95	9.19
FFTDF3036H24	928	24.60	34	37.75	36.50	4.72
FFTDF3042H24	952	24.60	40	37.75	38.05	5.51
FFTDF3048H24	976	24.60	46	37.75	39.60	6.29
FFTDF3054H24	1000	24.60	42	37.75	41.15	7.08
FFTDF3060H24	1024	24.60	58	37.75	41.70	7.87
FFTDF3066H24	1048	24.60	60	37.75	44.25	8.65
FFTDF3072H24	1072	24.60	70	37.75	45.80	9.44
FFTDF3078H24	1095	24.60	76	37.75	47.35	10.22
FFTDF3084H24	1143	24.60	82	37.75	48.90	11.01


FFTDFxxxxH30 - Height Adjustable Table Felt Divider Screen Kit, 30" high



- · Provides privacy in an open plan environment.
- Consists of a powder coated aluminum frame, 9mm felt and all hardware to connect. Brackets are painted steel.
- Side dividers extend 6.237" from the front edge of each
- Back divider extends over the back edge of the worksurface by 1 1/2" allowing for the passage of cables to the trough.
- FFTDF24xxH30 are for 23" deep surfaces and FFTD-F30xxH30 are for 29" deep surfaces.
- · Width and depth are nominal sizes representing the sizes of the FreeFit Table. Allow for 1/4" overhang at the sides. 1 1/2" at the back and 6.237" at the front.
- Please choose any standard paint finish from Global Contract for frame and hardware. Select also a felt finish. End trim cap is available only in CHR - charcoal.
- · 9mm felt material is tackable and comes in a variety of colors.


PRODUCT CODE	PRICE	SIZE/INCH H	ES W	D	WEIGHT LBS	VOL FT ³
FFTDF2436H30	891	30.60	34	31.50	24.85	3.94
FFTDF2442H30	913	30.60	40	31.50	24.60	4.59
FFTDF2448H30	935	30.60	46	31.50	27.95	5.25
FFTDF2454H30	957	30.60	42	31.50	29.50	5.91
FFTDF2460H30	979	30.60	58	31.50	31.05	6.56
FFTDF2466H30	1002	30.60	60	31.50	32.60	7.22
FFTDF2472H30	1024	30.60	70	31.50	34.15	7.88
FFTDF2478H30	1046	30.60	76	31.50	35.70	8.53
FFTDF2484H30	1099	30.60	82	31.50	37.25	9.19
FFTDF3036H30	933	30.60	34	37.75	38.80	4.72
FFTDF3042H30	956	30.60	40	37.75	40.35	5.51
FFTDF3048H30	978	30.60	46	37.75	41.90	6.29
FFTDF3054H30	1000	30.60	42	37.75	43.45	7.08
FFTDF3060H30	1024	30.60	58	37.75	45.00	7.87
FFTDF3066H30	1046	30.60	60	37.75	46.55	8.65
FFTDF3072H30	1068	30.60	70	37.75	48.10	9.44
FFTDF3078H30	1090	30.60	76	37.75	49.65	10.22
FFTDF3084H30	1142	30.60	82	37.75	51.20	11.01

FTATB • Boulevard Connector Kit



- FreeFit to Boulevard kit secures FreeFit height adjustable freestanding tables to parallel Boulevard panels.
- **PRODUCT PRICE INCHES** WEIGHT VOL SIZE/ CODE H W D LBS FT3 7.00 0.50 • It provides panel/table alignment, preventing moving parts FTATB 10 6.5 10
 - from rubbing against panel vertical surfaces and maintains 1" clearance around table surface perimeter.
- · Standard metal finishes.
- · All hardware included.
- · Sold as a pair.
- Note: Kit connects to C style base only.

FTAEG • Back to Back End Gable



- · Optional Back to Back Freefit End Gable is intended to be installed at the end of Freefit Back to Back table run. · Made out of 3/4" PL Laminate, it enhances
- SIZE/INCHES **PRODUCT PRICE** WEIGHT VOL CODE LBS FTAEG18H 433 18 30 0.75 10.00 0.24FTAEG22H 468 23 30 0.75 13.00 0.30
- Freefit table assembly aesthetics by reducing number of visible elements below work surface.
- · Two heights available.
- The End Gable connects to Freefit H-frame crossbar; compatible with Floor Feed.
- · Please specify LP finish.
- · Please specify paint finish for the brackets.

FTACPU · CPU Holder



- Accepts tower CPU's with a width range from 7.6"
- to 2.25"- and a maximum height of 18"
- · Durable sheet metal construction
- · Please specify paint finish.

PRODUCT	PRICE	SIZE/INCHES			WEIGHT	VOL
CODE		Н	D	W	LBS	FT ³
FTACPU	403	21	21	8	3.57	2.04

BRTLCS • Locking Caster for Rectangular Leg Tables



· Locking Caster for Rectangular Table. · 40mm dia. locking caster with 8mm thread; whitebody, light grey tires.

PRODUCT	PRICE	SIZE/INC	CHES	WEIGHT	VOL		
CODE		Н	D	W	LBS	FT ³	
BRTLCS	33	2.5	2.7	2.6	0.06	0.01	

T-foot



- · Replacement single "T" foot.
- · Includes attachement hardware.

PRODUCT	PRICE	SIZE/INC	HES	WEIGHT	VOL	
CODE		Н	D	W	LBS	FT ³
FTF00T24TL	136	1.16	23	3	4.4	0.25
FTF00T30TL	144	1.16	29	3	4.85	0.31

FTFOOTxxCL - C-foot



- · Replacement single "C" foot.
- · Includes attachement hardware.

PRODUCT	PRICE	SIZE/INC	HES	WEIGHT	VOL	
CODE		Н	D	W	LBS	FT ³
FTF00T24CL	160	1.16	23	3	4.4	0.25
FTF00T30CL	167	1.16	29	3	4.85	0.31

FTSETGLIDE • Set of Glides



· Replacement Glides a set of two with 1/2" adjustment

PRODUCT	PRICE	SIZE/INCHI	S		WEIGHT	VOL
CODE		H	D	W	LBS	FT ³
FTSETGLIDE	15	1	1.5	1.5	0.06	0.01


BRLBST • Single Table Accessory Rail



- · 'Table mounted accessory rail.
- · Compatible with standard Bins, Trays and Sorters.
- · Includes end caps and mounting hardware.
- · Please specify paint finish
- To ensure proper connection and clearance on tables 46" wide and up, choose accessory rail 13" smaller than the actual table width (70" wide table gets 57" wide rail).
- · Tables 40" wide and smaller use 33" wide accessory rail.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT	
CODE		H	W	D	LBS	FT ³
BRLBST36	366	16	33	2.95	5.9	0.26
BRLBST42	384	16	39	2.95	6.44	0.30
BRLBST48	398	16	45	2.95	6.98	0.35
BRLBST54	412	16	51	2.95	7.52	0.39
BRLBST60	423	16	57	2.95	8.07	0.43
BRLBST66	437	16	63	2.95	8.61	0.48
BRLBST72	452	16	69	2.95	9.15	0.52
BRLBST78	465	16	75	2.95	9.69	0.56
BRLBST84	480	16	81	2.95	10.24	0.61


GCBMSG • Board Mounted Wellness Screen



- Surface mounted wellness screen provides a physical divider.
- · Choose LP (low pressure laminate colour).
- Acrylic glazing is clear and support rails are painted DWT Designer White.
- · Kit includes all hardware to assemble and place on top of a surface.
- · Actual height of the acrylic is 31.5", screws will allow acrylic to be installed at any height along the vertical rails to allow a 1/2" to 10" gap.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT VOL
CODE		Н	W	D	LBS FT ³
GCBMSG3636LP	611	36	36	12	28.45 2.92
GCBMSG3648LP	787	36	48	12	34 17 3 98


GCAMSG • Wellness Screen only, for use with existing worksurface or transaction top



- Surface mounted welnness screen provides a physical divider. Acrylic glazing is clear and support rails are painted DWT Designer White.
- · Kit includes all hardware to install on an existing surface.
- · Actual height of the acrylic is 31.5", screws will allow acrylic to be installed at any height along the vertical rails to allow a 1/2" to 10" gap.

ig Holksullus	c vi t	ıuısu		···		
PRODUCT	PRICE	SIZE/	INCHES	•	WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
GCAMSG3636LP	458	36	36	2	20.2	2.92
GCAMSG3648LP	527	36	48	2	22.8	3.98


GCBRMSG • Wellness Screen with surface mounting bracket, for use with existing worksurface or transaction topface or transaction top



- Surface mounted wellness screen provides a physical divider. Acrylic glazing is clear and support rails are painted DWT Designer White.
- Kit includes all hardware to install on an existing surface.
- Actual height of the acrylic is 31.5", screws will allow acrylic to be installed at any height along the vertical rails to allow 1/2" to 10" gap.

PRODUCT	PRICE	SIZE/	INCHES		WEIGHT VOL
CODE		H	W	D	LBS FT ³
GCBRMSG3636LP	550	36	36	5	20.2 2.92
GCBRMSG3648LP	687	36	48	5	22.8 3.98

GCTCSG • Wellness Screen with clamp mount bracket, for use with existing worksurface or transaction top



- Surface mounted wellness screen provides a physical divider.
- · Acrylic glazing is clear and support rails are painted DWT Designer White.
- · Kit includes all hardware to install on an existing surface.
- · Actual height of the acrylic is 31.5", screws will allow acrylic to be installed at any height along the vertical rails to allow 1/2" to 10" gap.
- · LP code indicated dividers will fit on 1"thick surfaces, where the W code will fit on 1 1/2" thick surfaces.

PRODUCT Code	PRICE	SIZE/ H	INCHES W	D	WEIGHT LBS	VOL FT ³
GCTCSG3636LP	551	36	36	3	20.2	2.92
GCTCSG3648LP	687	36	48	3	22.8	3.98
GCTCSG3636W	566	36	36	3	20.2	2.92
GCTCSG3648W	702	36	48	3	22.8	3.98

SIZE/INCHES

36

WEIGHT

LBS


VOL

238.81 61.50

PRICE

3266

L2RSB • Screening Booth




- Sceening Booth is ideal for hospitals, clinics, reception areas **PRODUCT** or anyhwere a safe self-contained environement is required.
- · Screening Booth has a protected speaker hold, a paper
- space above the work surface, a interior and exterior worksurface.
- · The gap between the work surface and glazed frame can be changed during assembly from 1.5" to 4" based on the direction of the screen.

CODE

- · Booth available in DWTLP Designer White only.
- · Can be closed or connected with Diet Laminate Panels.
- · Ships knocked down.

L2SBCF · Screening Booth Ceiling Feed Pole



- · Screening Booth Ceiling Pole can be used to bring power and/or data from the ceiling to the Booth.
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Kit includes aluminum extrusions, spacer, trim kit and double-sided adhesive tape.
- · Maximum ceiling height of 108".

PRODUCT	PRICE	SIZE/IN	CHES		WEIGHT	VOL
CODE		Н	W	D	LBS	FT ³
L2SBCF	184	76.5	4.5	1.5	8.69	0.29

Global - Bureaux au Canada

Le Groupe Global - Siège social

560, chemin Supertest Toronto (Ontario) M3J 2M6 Tél (416) 650-6500

Centre du Groupe Global Salle d'exposition principale et bureau de vente

1350, chemin Flint Toronto (Ontario) M3J 2J7 Tél (416) 661-3660

Moncton

268, chemin Coverdale Riverview (Nouveau-Brunswick) E1B 3J2 Tél (506) 858-8383

Salles d'exposition

Calgary

2010, 30° avenue N-E, bureau 12 Calgary (Alberta) T2E 7K9 Tél (403) 250-7770

Edmonton

17716, 107e avenue Edmonton (Alberta) T5S 1G8 Tél (780) 444-8922

Halifax

1310, rue Hollis, bureau 150 Halifax (Nouvelle Écosse) B3J 3P3 Tél (902) 422-7434

Montreal

Montréal (emplacement temporaire) 2020 route Transcanadienne, bureau 306 Dorval (Québec) H9P 2N4 Tél (514) 866-4331

Toronto

1350, chemin Flint Toronto (Ontario) M3J 2J7 Tél (416) 661-3660

Toronto - The Blueprint

200, rue Wellington Ouest, bureau 1602 Toronto (Ontario) M5V 3C7

Ottawa

251, avenue Laurier Ouest, bureau 400 Ottawa (Ontario) K1P 5J6 Tél (613) 234-2881 Veuillez téléphoner à l'avance pour prendre rendez-vous.

Vancouver

675, rue West Hastings, bureau 1000 Vancouver (Colombie-Britannique) V6B 1N2 Tél (604) 432-1701

Winnipeg

111, avenue Lombard, bureau 220 Winnipeg (Manitoba) R3B 0T4 Tél (204) 925-3350

