



Prices effective July 5, 2023

Published May 2024

Renew™ Sit-to-Stand Tables

Introduction	page 2
Renew™ Sit-to-Stand Tables	3
Adjustable-Height Tables	5
Sit-to-Stand Table Bases	46
Ambit™ Shroud	50
Ambit Storage	56
Power and Data Support	58
Screens	69
Indices	99
By Name	99
By Number	101
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
Stain-to-Match Program	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective July 5, 2023, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Adjustable-Height Tables

Sit-to-Stand Table Bases

Ambit™ Shroud

Ambit™ Storage


Power and Data Support

Screens



Rectangle Table with C-Foot

DU6ACE
DU6ACS
DU6ACT



Product Information

Description

This rectangular height-adjustable table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains. MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Table with C-Foot

continued

Specification Information	
Step 1.	
DU6AC ☐	
Step 2. Edge	
S.	squared-edge ☐
T.	thin-edge ☐
E.	eased-edge ☐
Step 3. Depth	
24	24" deep (23" surface size) ☐
30	30" deep (29" surface size) ☐
Step 4. Width	
<i>For 24" deep (23" surface size) (24)</i>	
36	36" wide (34" surface size) ☐
42	42" wide (40" surface size) ☐
48	48" wide (46" surface size) ☐
54	54" wide (52" surface size) ☐
60	60" wide (58" surface size) ☐
66	66" wide (64" surface size) ☐
72	72" wide (70" surface size) ☐
84	84" wide (82" surface size) ☐
<i>For 30" deep (29" surface size) (30)</i>	
36	36" wide (34" surface size) ☐
42	42" wide (40" surface size) ☐
48	48" wide (46" surface size) ☐
54	54" wide (52" surface size) ☐
60	60" wide (58" surface size) ☐
66	66" wide (64" surface size) ☐
72	72" wide (70" surface size) ☐
84	84" wide (82" surface size) ☐

Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
J	thermally-fused laminate top/thermoplastic edge with MicrobeCare™ ☐
K	thermally-fused laminate top/universal edge with MicrobeCare™ ☐
M	thermally-fused laminate top/thermoplastic edge ☐
T	thermally-fused laminate top/universal edge ☐
L	high-pressure laminate top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐
U	high-pressure laminate/universal edge ☐
A	high-pressure laminate top/thermoplastic edge with MicrobeCare™ ☐
C	high-pressure laminate top/universal edge with MicrobeCare™ ☐
<i>For thin-edge (T.)</i>	
L	high-pressure laminate top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐
A	high-pressure laminate top/thermoplastic edge with MicrobeCare™ ☐
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge ☐
Step 6. Height Adjustment	
C	crank sit-to-stand ☐
K	crank seated ☐
E	electric standard range ☐
D	electric extended range ☐

Prices for Steps 1-6.							
	JC	JK	JE	JD	KC	KK	
DU6ACS. 24 36	\$2939	2939	3616	4268	2939	2939	
42	\$2997	2997	3792	4336	2997	2997	
48	\$3066	3066	3912	4388	3066	3066	
54	\$3124	3124	3988	4473	3124	3124	
60	\$3183	3183	4100	4475	3183	3183	
66	\$3242	3242	4099	4562	3242	3242	
72	\$3304	3304	4262	4650	3304	3304	
84	\$3380	3380	4354	4662	3380	3380	

Rectangle Table with C-Foot

continued

30 36	\$3109	3026	4003	4339	3026	3026
42	\$3167	3082	4048	4379	3082	3082
48	\$3153	3153	4102	4429	3153	3153
54	\$3212	3212	4182	4513	3212	3212
60	\$3277	3277	4187	4572	3277	3277
66	\$3428	3335	4349	4661	3335	3335
72	\$3495	3400	4349	4750	3400	3400
84	\$3478	3478	4529	4855	3478	3478
	KE	KD	MC	MK	ME	MD
DU6ACS. 24 36	\$3685	4268	2857	2857	3535	4186
42	\$3792	4336	2912	2912	3710	4253
48	\$3912	4388	2970	2970	3817	4292
54	\$3988	4473	3029	3029	3892	4377
60	\$4100	4475	3086	3086	4005	4380
66	\$4177	4562	3148	3148	4003	4468
72	\$4262	4650	3210	3210	4165	4554
84	\$4354	4752	3273	3273	4246	4554
30 36	\$4003	4339	3028	2943	3921	4258
42	\$4048	4379	3085	2999	3965	4296
48	\$4102	4429	3058	3058	4008	4334
54	\$4182	4513	3117	3117	4088	4419
60	\$4267	4572	3181	3181	4091	4477
66	\$4349	4661	3333	3241	4253	4566
72	\$4432	4750	3402	3304	4253	4655
84	\$4529	4855	3369	3369	4421	4748
	TC	TK	TE	TD	LC	LK
DU6ACS. 24 36	\$2857	2857	3603	4186	2900	2900
42	\$2912	2912	3710	4253	2957	2957
48	\$2970	2970	3817	4292	3015	3015
54	\$3029	3029	3892	4377	3075	3075
60	\$3086	3086	4005	4380	3134	3134
66	\$3148	3148	4083	4468	3196	3196
72	\$3210	3210	4165	4554	3259	3259
84	\$3273	3273	4246	4645	3322	3322
30 36	\$2943	2943	3921	4258	3074	2988
42	\$2999	2999	3965	4296	3133	3045
48	\$3058	3058	4008	4334	3104	3104
54	\$3117	3117	4088	4419	3165	3165
60	\$3181	3181	4172	4477	3229	3229
66	\$3241	3241	4253	4566	3384	3290
72	\$3304	3304	4337	4655	3454	3355
84	\$3369	3369	4421	4748	3420	3420

	LE	LD	WC	WK	WE	WD
DU6ACS. 24 36	\$3589	4250	3247	3247	4114	4649
42	\$3767	4317	3313	3313	4240	4724
48	\$3875	4358	3378	3378	4364	4768
54	\$3952	4443	3445	3445	4453	4868
60	\$4066	4447	3515	3515	4584	4871
66	\$4064	4535	3584	3584	4677	4972
72	\$4228	4623	3657	3657	4768	5072
84	\$4310	4623	3731	3731	4864	5178
30 36	\$3981	4322	3346	3346	4487	4728
42	\$4025	4362	3413	3413	4535	4771
48	\$4069	4400	3480	3480	4588	4821
54	\$4151	4486	3550	3550	4681	4919
60	\$4154	4544	3624	3624	4774	4985
66	\$4317	4635	3695	3695	4871	5090
72	\$4317	4725	3769	3769	4969	5192
84	\$4488	4820	3843	3843	5068	5299
	PC	PK	PE	PD	UC	UK
DU6ACS. 24 36	\$2940	2940	3727	4347	2900	2900
42	\$2996	2996	3837	4417	2957	2957
48	\$3059	3059	3949	4458	3015	3015
54	\$3121	3121	4032	4547	3075	3075
60	\$3183	3183	4152	4550	3134	3134
66	\$3244	3244	4231	4641	3196	3196
72	\$3312	3312	4317	4735	3259	3259
84	\$3377	3377	4405	4828	3322	3322
30 36	\$3032	3032	4062	4420	2988	2988
42	\$3091	3091	4105	4461	3045	3045
48	\$3151	3151	4154	4500	3104	3104
54	\$3216	3216	4235	4591	3165	3165
60	\$3279	3279	4324	4652	3229	3229
66	\$3343	3343	4409	4746	3290	3290
72	\$3410	3410	4498	4841	3355	3355
84	\$3479	3479	4588	4938	3420	3420
	UE	UD	AC	AK	AE	AD
DU6ACS. 24 36	\$3658	4250	2984	2984	3671	4332
42	\$3767	4317	3043	3043	3850	4402
48	\$3875	4358	3112	3112	3972	4455
54	\$3952	4443	3172	3172	4049	4540
60	\$4066	4447	3231	3231	4163	4542
66	\$4146	4535	3291	3291	4162	4631
72	\$4228	4623	3355	3355	4326	4720
84	\$4310	4715	3431	3431	4420	4732

Renew™ Adjustable-Height Tables

Rectangle Table with C-Foot

continued

Renew™ Adjustable-Height Tables

30 36	\$3981	4322	3157	3072	4064	4405
42	\$4025	4362	3215	3128	4109	4446
48	\$4069	4400	3201	3201	4165	4496
54	\$4151	4486	3261	3261	4246	4582
60	\$4235	4544	3326	3326	4251	4641
66	\$4317	4635	3480	3386	4415	4731
72	\$4403	4725	3549	3452	4415	4822
84	\$4488	4820	3530	3530	4598	4928

		CC	CK	CE	CD
DU6ACS. 24 36		\$2969	2969	3723	4311
42		\$3028	3028	3831	4380
48		\$3097	3097	3952	4433
54		\$3156	3156	4029	4518
60		\$3215	3215	4142	4520
66		\$3275	3275	4219	4608
72		\$3338	3338	4305	4697
84		\$3414	3414	4398	4800

30 36		\$3057	3057	4044	4383
42		\$3113	3113	4089	4424
48		\$3185	3185	4144	4474
54		\$3245	3245	4225	4559
60		\$3310	3310	4310	4618
66		\$3369	3369	4393	4708
72		\$3435	3435	4477	4798
84		\$3513	3513	4575	4904

	TC	TK	TE	TD	LC	LK
DU6ACT. 24 36	—	—	—	—	\$3164	3164
42	—	—	—	—	\$3222	3222
48	—	—	—	—	\$3289	3289
54	—	—	—	—	\$3355	3355
60	—	—	—	—	\$3423	3423
66	—	—	—	—	\$3489	3489
72	—	—	—	—	\$3560	3560
84	—	—	—	—	\$3631	3631

30 36	—	—	—	—	\$3260	3260
42	—	—	—	—	\$3321	3321
48	—	—	—	—	\$3390	3390
54	—	—	—	—	\$3458	3458
60	—	—	—	—	\$3526	3526
66	—	—	—	—	\$3597	3597
72	—	—	—	—	\$3667	3667
84	—	—	—	—	\$3743	3743

	LE	LD	WC	WK	WE	WD
DU6ACT. 24 36	\$4005	4674	3648	3648	4380	5048
42	\$4129	4752	3721	3721	4519	5137
48	\$4129	4793	3796	3796	4525	5186
54	\$4333	4888	3872	3872	4755	5295
60	\$4465	4892	3949	3949	4906	5302
66	\$4554	4992	4030	4030	5008	5413
72	\$4642	4945	4110	4110	5113	5529
84	\$4737	5191	4189	4189	5219	5646

30 36	\$4366	4755	3760	3760	4798	5141
42	\$4290	4797	3837	3837	4851	5189
48	\$4467	4843	3913	3913	4909	5244
54	\$4557	4940	3990	3990	5011	5354
60	\$4516	5003	4068	4068	5121	5426
66	\$4743	5104	4151	4151	5229	5544
72	\$4698	5204	4235	4235	5186	5661
84	\$4934	5308	4318	4318	5448	5780

	PC	PK	PE	PD	UC	UK
DU6ACT. 24 36	\$3184	3184	4010	4574	—	—
42	\$3253	3253	4138	4655	—	—
48	\$3318	3318	4263	4699	—	—
54	\$3386	3386	4355	4801	—	—
60	\$3455	3455	4486	4803	—	—
66	\$3529	3529	4579	4906	—	—
72	\$3599	3599	4674	5009	—	—
84	\$3674	3674	4771	5116	—	—

30 36	\$3284	3284	4388	4660	—	—
42	\$3353	3353	4438	4703	—	—
48	\$3422	3422	4490	4750	—	—
54	\$3494	3494	4584	4851	—	—
60	\$3564	3564	4549	4919	—	—
66	\$3638	3638	4779	5024	—	—
72	\$3715	3715	4880	5129	—	—
84	\$3789	3789	4979	5240	—	—

	UE	UD	AC	AK	AE	AD
DU6ACT. 24 36	—	—	\$3248	3248	4090	4760
42	—	—	\$3306	3306	4212	4835
48	—	—	\$3385	3385	4227	4891
54	—	—	\$3453	3453	4430	4985
60	—	—	\$3520	3520	4562	4989
66	—	—	\$3586	3586	4650	5088
72	—	—	\$3656	3656	4739	5043
84	—	—	\$3743	3743	4846	5302

Rectangle Table with C-Foot

continued

30 36	—	—	\$3345	3345	4452	4839
42	—	—	\$3405	3405	4375	4881
48	—	—	\$3486	3486	4564	4940
54	—	—	\$3555	3555	4654	5036
60	—	—	\$3623	3623	4613	5100
66	—	—	\$3693	3693	4840	5201
72	—	—	\$3764	3764	4796	5300
84	—	—	\$3852	3852	5044	5418
	PC	PK	PE	PD	UC	UK
DU6ACE. 24 36	\$3164	3164	3975	4586	—	—
42	\$3231	3231	4104	4668	—	—
48	\$3297	3297	4231	4714	—	—
54	\$3364	3364	4317	4814	—	—
60	\$3436	3436	4454	4816	—	—
66	\$3505	3505	4545	4919	—	—
72	\$3579	3579	4642	5021	—	—
84	\$3653	3653	4737	5129	—	—
30 36	\$3263	3263	4355	4671	—	—
42	\$3332	3332	4403	4716	—	—
48	\$3401	3401	4456	4762	—	—
54	\$3471	3471	4419	4862	—	—
60	\$3544	3544	4516	4930	—	—
66	\$3618	3618	4744	5035	—	—
72	\$3693	3693	4845	5141	—	—
84	\$3770	3770	4945	5251	—	—

Step 7. Hidden Power Access

For electric extended range (D)

NNP no power access ☐ +\$0

For crank sit-to-stand (C) or crank seated (K)

NNP no power access ☐ +\$0

PLA leg access ☐ +\$299

For electric standard range (E)

NNP no power access ☐ +\$0

PLA leg access ☐ +\$299

Step 8.

Switch Option

For electric standard range (E) or electric extended range (D) with no power access (NNP), or leg access (PLA)

SUD simple up down ☐ +\$0

SMT no switch - L0100 ☐ +\$0

SRM digital read out with memory ☐ +\$160

Switch Option/Crank Location/Crank Handle Finish

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), or 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP)

TPW top crank, white handle ☐ +\$0

TPG top crank, graphite handle ☐ +\$0

FRT front crank, black handle ☐ +\$40

Switch Option/Crank Location/Crank Handle Finish

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP), or leg access (PLA)

TPW top crank, white handle ☐ +\$0

TPG top crank, graphite handle ☐ +\$0

Step 9.

Top/Edge Finish

For veneer top/veneer edge (W)

2U light brown walnut ☐ +\$85

40 dark brown walnut ☐ +\$85

A2 white ash ☐ +\$85

CHD noble cherry ☐ +\$85

ET clear on ash ☐ +\$85

EU oak on ash ☐ +\$85

EV walnut on ash ☐ +\$85

EW medium matte walnut ☐ +\$85

OU walnut ☐ +\$85

UL natural maple ☐ +\$85

WHN natural white oak ☐ +\$85

Rectangle Table with C-Foot

continued

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey 	+\$0
91	white 	+\$0
LU	soft white 	+\$0
Top Finish		
<i>For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)</i>		
76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HX	aged cherry 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBF	neutral twill 	+\$0
LBJ	graphite twill 	+\$0
LBQ	white twill 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Top Finish		
<i>For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)</i>		
91	white 	+\$0
98	studio white 	+\$0
HM	natural maple 	+\$0
LBA	clear on ash 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBF	neutral twill 	+\$0
LBQ	white twill 	+\$0
LBU	medium matte walnut 	+\$0

Step 10. Edge Finish

<i>For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)</i>		
76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HX	aged cherry 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBF	neutral twill 	+\$0
LBJ	graphite twill 	+\$0
LBQ	white twill 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Rectangle Table with C-Foot

continued

For thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/universal edge (T), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

PLY plywood edge ☐ +\$50

Step 11. Leg/Foot Finish

Metallic Paint

CN metallic champagne leg with metallic champagne foot ☐ +\$0

MS metallic silver leg with metallic silver foot ☐ +\$0

SNA satin aluminum ☐ +\$30

SNB satin bronze ☐ +\$30

SNC satin carbon ☐ +\$30

Sand Texture Paint

BK black leg with black foot ☐ +\$0

LFL black leg with polished aluminum foot ☐ +\$0

Smooth Paint

8Q folkstone grey leg with folkstone grey foot ☐ +\$0

91 white leg with white foot ☐ +\$0

98 studio white leg with studio white foot ☐ +\$0

G2 graphite satin leg with graphite satin foot ☐ +\$0

WL sandstone leg with sandstone foot ☐ +\$0

WN warm grey neutral leg with warm grey neutral foot ☐ +\$0

LFF white leg with polished aluminum foot ☐ +\$160

LFG warm grey neutral leg with polished aluminum foot ☐ +\$160

LFH graphite satin leg with polished aluminum foot ☐ +\$160

LFJ metallic silver leg with polished aluminum foot ☐ +\$160

LFK studio white leg with polished aluminum foot ☐ +\$160

Polished Aluminum

LFM satin carbon leg with polished aluminum foot ☐ +\$190

LFX satin aluminum with polished aluminum foot ☐ +\$190

LFZ satin bronze with polished aluminum foot ☐ +\$190

Step 12. Cord Cover/Cable Management

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PSC simple cable ☐ +\$0

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PSC simple cable ☐ +\$0

PHD high density cable trough ☐ +\$299

Step 13. Power Access Cutout

For 24" deep (23" surface size) (24) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with simple cable (PSC)

NNN no cutout ☐ +\$0

For 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), or 42" wide (40" surface size) (42) with simple cable (PSC)

NNN no cutout ☐ +\$0

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48) with simple cable (PSC), or high density cable trough (PHD)

NNN no cutout ☐ +\$0

For 30" deep (29" surface size) (30) with 54" wide (52" surface size) (54) with high density cable trough (PHD)

NNN no cutout ☐ +\$0

LAC left cutout 6 port - Y1425.D/G or Y1420.X ☐ +\$45

RAC right cutout 6 port - Y1425.D/G or Y1420.X ☐ +\$45

LC5 left cutout 5 port - Y1425.C/F or Y1420.V ☐ +\$45

RC5 right cutout 5 port - Y1425.C/F or Y1420.V ☐ +\$45

For 30" deep (29" surface size) (30) with 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with simple cable (PSC)

NNN no cutout ☐ +\$0

Rectangle Table with C-Foot

continued


Renew™ Adjustable-Height Tables

For 30" deep (29" surface size) (30) with 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with high density cable trough (PHD)

CAC	center cutout 6 port - Y1425.D/G or Y1420.X	A	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V	A	+\$45
LAC	left cutout 6 port - Y1425.D/G or Y1420.X	A	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V	A	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X	A	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V	A	+\$45
NNN	no cutout	A	+\$0

Step 14. Casters/Glides			
57	glides	A	+\$0

Rectangle Counterbalance Table DU6ACG with C-Foot



Product Information

Description

This rectangular height-adjustable table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Glides have $\frac{1}{2}$ " leveling range. Shipped knocked down. Floor to top-of-surface height adjustment range is 27"-46". A nonpowered gas-assisted counterbalance mechanism provides smooth operation throughout the entire height range.


Notes

For additional details on available edge options see Appendices. Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards. Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8". Simple cable cover (PSC) is facility installed only. For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution. For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices. Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Counterbalance Table with C-Foot *continued*

Specification Information						
Step 1.						
DU6ACG ☐						
Step 2. Edge						
S.	squared-edge ☐					
T.	thin-edge ☐					
E.	eased-edge ☐					
Step 3. Depth						
24	24" deep ☐					
30	30" deep ☐					
Step 4. Width						
For 24" deep (24)						
48	48" wide ☐					
60	60" wide ☐					
72	72" wide ☐					
For 30" deep (30)						
48	48" wide ☐					
60	60" wide ☐					
72	72" wide ☐					
Step 5. Surface Material						
For squared-edge (S.)						
L	high-pressure laminate top/thermoplastic edge ☐					
W	veneer top/veneer edge ☐					
P	painted Formcoat® top/edge ☐					
U	high-pressure laminate/universal edge ☐					
For thin-edge (T.)						
L	high-pressure laminate top/thermoplastic edge ☐					
W	veneer top/veneer edge ☐					
P	painted Formcoat® top/edge ☐					
For eased-edge (E.)						
P	painted Formcoat® top/edge ☐					
Prices for Steps 1-5.						
		48L	48W	48P	48U	60L 60W
DU6ACG S.	24	\$4529	5147	4660	4471	4755 5458
	30	\$4598	5280	4778	4582	4868 5587
	T. 24	\$4874	5653	5118	—	5165 5991
	30	\$5000	5799	5250	—	5291 6137

E.	24	—	—	\$5068	—	—	—
	30	—	—	\$5198	—	—	—
		60P	60U	72L	72W	72P	72U
DU6ACG S.	24	\$4939	4739	5059	5805	5255	5040
	30	\$5051	4849	5174	5935	5373	5153
T.	24	\$5425	—	5497	6377	5770	—
	30	\$5554	—	5620	6518	5902	—
E.	24	\$5372	—	—	—	5716	—
	30	\$5502	—	—	—	5844	—
Step 6. Cord Cover/Cable Management							
PSC	simple cable	☐					
							+\$0
Step 7.							
Top Finish							
<i>For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)</i>							
76	light brown walnut	☐					
8Q	folkstone grey	☐					+\$0
91	white	☐					+\$0
98	studio white	☐					+\$0
CL	cool grey neutral	☐					+\$0
HF	inner tone light	☐					+\$0
HM	natural maple	☐					+\$0
HP	light anigre	☐					+\$0
HX	aged cherry	☐					+\$0
LBA	clear on ash	☐					+\$0
LBR	phantom ecru	☐					+\$0
LBS	phantom cocoa	☐					+\$0
LBU	medium matte walnut	☐					+\$0
LBV	warm grey teak	☐					+\$0
LBB	oak on ash	☐					+\$0
LBC	walnut on ash	☐					+\$0
LBF	neutral twill	☐					+\$0
LBJ	graphite twill	☐					+\$0
LBQ	white twill	☐					+\$0
LU	soft white	☐					+\$0
WL	sandstone	☐					+\$0
WN	warm grey neutral	☐					+\$0

Rectangle Counterbalance Table with C-Foot *continued*

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
CHD	noble cherry ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
EW	medium matte walnut ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
WHN	natural white oak ☐	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
LU	soft white ☐	+\$0

Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

For high-pressure laminate/universal edge (U)

PLY	plywood edge ☐	+\$50
------------	---------------------------------------	-------

Step 9. Leg/Foot Finish

Metallic Paint

MS	metallic silver leg with metallic silver foot ☐	+\$0
-----------	--	------


Smooth Paint

G2	graphite satin leg with graphite satin foot ☐	+\$0
-----------	--	------

Step 10. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Rectangle Table with T-Foot

DU6ATE
DU6ATS
DU6ATT**Product Information****Description**

This rectangular height-adjustable table has a T-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains. MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36" wide or 42" wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface.


Requires 6" of clearance from adjacent panel or wall to complete a revolution.

For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions

Rectangle Table with T-Foot

continued

Specification Information

Step 1.

DU6AT [A](#)

Step 2. Edge

S. squared-edge [A](#)

T. thin-edge [A](#)

E. eased-edge [A](#)

Step 3. Depth

30 30" deep (29" surface size) [A](#)

36 36" deep (35" surface size) [A](#)

Step 4. Width

For 30" deep (29" surface size) (30)

36 36" wide (34" surface size) [A](#)

42 42" wide (40" surface size) [A](#)

48 48" wide (46" surface size) [A](#)

54 54" wide (52" surface size) [A](#)

60 60" wide (58" surface size) [A](#)

66 66" wide (64" surface size) [A](#)

72 72" wide (70" surface size) [A](#)

84 84" wide (82" surface size) [A](#)

For 36" deep (35" surface size) (36)

42 42" wide (40" surface size) [A](#)

48 48" wide (46" surface size) [A](#)

54 54" wide (52" surface size) [A](#)

60 60" wide (58" surface size) [A](#)

66 66" wide (64" surface size) [A](#)

72 72" wide (70" surface size) [A](#)

84 84" wide (82" surface size) [A](#)

Step 5. Surface Material

For squared-edge (S.)

J thermally-fused laminate top/thermoplastic edge with MicrobeCare™ [A](#)

K thermally-fused laminate top/universal edge with MicrobeCare™ [A](#)

M thermally-fused laminate top/thermoplastic edge [A](#)

T thermally-fused laminate top/universal edge [A](#)

L high-pressure laminate top/thermoplastic edge [A](#)

W veneer top/veneer edge [A](#)

P painted Formcoat® top/edge [A](#)

U high-pressure laminate/universal edge [A](#)

A high-pressure laminate top/thermoplastic edge with MicrobeCare™ [A](#)

C high-pressure laminate top/universal edge with MicrobeCare™ [A](#)

For thin-edge (T.)

L high-pressure laminate top/thermoplastic edge [A](#)

W veneer top/veneer edge [A](#)

P painted Formcoat® top/edge [A](#)

A high-pressure laminate top/thermoplastic edge with MicrobeCare™ [A](#)

For eased-edge (E.)

P painted Formcoat® top/edge [A](#)

Step 6. Height Adjustment

C crank sit-to-stand [A](#)

K crank seated [A](#)

E electric standard range [A](#)

D electric extended range [A](#)

Prices for Steps 1-6.

	JC	JK	JE	JD	KC	KK
DU6ATS. 30 36	\$3026	3026	4003	4340	3026	3026
42	\$3082	3082	4048	4379	3082	3082
48	\$3154	3154	4103	4429	3154	3154
54	\$3212	3212	4182	4514	3212	3212
60	\$3277	3277	4267	4573	3277	3277
66	\$3336	3336	4350	4661	3336	3336
72	\$3400	3400	4350	4751	3400	3400
84	\$3478	3478	4530	4855	3478	3478

Rectangle Table with T-Foot

continued

Renew™ Adjustable-Height Tables

	36 42	\$3169	3169	4166	4464	3169	3169
	48	\$3242	3242	4224	4566	3242	3242
	54	\$3305	3305	4305	4653	3305	3305
	60	\$3368	3368	4393	4744	3368	3368
	66	\$3431	3431	4477	4834	3431	3431
	72	\$3496	3496	4564	4930	3496	3496
	84	\$3578	3578	4663	4942	3578	3578
		KE	KD	MC	MK	ME	MD
DU6ATS. 30	36	\$4003	4340	2944	2944	3922	4258
	42	\$4048	4379	2999	2999	3966	4297
	48	\$4103	4429	3058	3058	4008	4335
	54	\$4182	4514	3118	3118	4089	4419
	60	\$4267	4573	3182	3182	4173	4477
	66	\$4350	4661	3241	3241	4253	4567
	72	\$4432	4751	3305	3305	4253	4655
	84	\$4530	4855	3370	3370	4421	4749
	36 42	\$4166	4464	3087	3087	4084	4382
	48	\$4224	4566	3149	3149	4129	4471
	54	\$4305	4653	3210	3210	4211	4559
	60	\$4393	4744	3273	3273	4299	4649
	66	\$4477	4834	3336	3336	4382	4740
	72	\$4564	4930	3402	3402	4470	4834
	84	\$4663	5035	3468	3468	4556	4834
		TC	TK	TE	TD	LC	LK
DU6ATS. 30	36	\$2944	2944	3922	4258	2988	2988
	42	\$2999	2999	3966	4297	3045	3045
	48	\$3058	3058	4008	4335	3104	3104
	54	\$3118	3118	4089	4419	3165	3165
	60	\$3182	3182	4173	4477	3229	3229
	66	\$3241	3241	4253	4567	3290	3290
	72	\$3305	3305	4338	4655	3355	3355
	84	\$3370	3370	4421	4749	3420	3420
	36 42	\$3087	3087	4084	4382	3134	3134
	48	\$3149	3149	4129	4471	3196	3196
	54	\$3210	3210	4211	4559	3259	3259
	60	\$3273	3273	4299	4649	3322	3322
	66	\$3336	3336	4382	4740	3386	3386
	72	\$3402	3402	4470	4834	3454	3454
	84	\$3468	3468	4556	4929	3520	3520

		LE	LD	WC	WK	WE	WD
DU6ATS. 30	36	\$3981	4322	3544	3544	4358	5171
	42	\$4025	4362	3614	3614	4489	5216
	48	\$4069	4400	3685	3685	4860	5269
	54	\$4151	4486	3761	3761	4954	5373
	60	\$4235	4544	3835	3835	5057	5443
	66	\$4317	4635	3913	3913	5158	5551
	72	\$4317	4725	3989	3989	5263	5664
	84	\$4488	4820	4072	4072	5369	5776
	36 42	\$4146	4449	3722	3722	4693	5326
	48	\$4191	4538	3798	3798	4999	5434
	54	\$4275	4627	3876	3876	5101	5541
	60	\$4364	4719	3949	3949	5169	5652
	66	\$4449	4811	4029	4029	5304	5765
	72	\$4537	4907	4108	4108	5440	5881
	84	\$4624	4907	4192	4192	5576	5996
		PC	PK	PE	PD	UC	UK
DU6ATS. 30	36	\$3032	3032	3727	4420	2988	2988
	42	\$3091	3091	3836	4461	3045	3045
	48	\$3151	3151	4154	4500	3104	3104
	54	\$3216	3216	4235	4591	3165	3165
	60	\$3279	3279	4324	4652	3229	3229
	66	\$3343	3343	4409	4746	3290	3290
	72	\$3410	3410	4498	4841	3355	3355
	84	\$3479	3479	4588	4938	3420	3420
	36 42	\$3183	3183	4078	4555	3134	3134
	48	\$3246	3246	4290	4644	3196	3196
	54	\$3312	3312	4420	4737	3259	3259
	60	\$3377	3377	4557	4834	3322	3322
	66	\$3444	3444	4646	4927	3386	3386
	72	\$3513	3513	4747	5028	3454	3454
	84	\$3583	3583	4828	5128	3520	3520
		UE	UD	AC	AK	AE	AD
DU6ATS. 30	36	\$3981	4322	3072	3072	4064	4405
	42	\$4025	4362	3128	3128	4109	4446
	48	\$4069	4400	3201	3201	4165	4496
	54	\$4151	4486	3261	3261	4246	4582
	60	\$4235	4544	3326	3326	4331	4641
	66	\$4317	4635	3386	3386	4415	4731
	72	\$4403	4725	3452	3452	4415	4822
	84	\$4488	4820	3530	3530	4598	4928

Rectangle Table with T-Foot

continued

36 42	\$4146	4449	3216	3216	4228	4531
48	\$4191	4538	3291	3291	4288	4634
54	\$4275	4627	3355	3355	4370	4723
60	\$4364	4719	3418	3418	4460	4815
66	\$4449	4811	3483	3483	4544	4907
72	\$4537	4907	3549	3549	4632	5004
84	\$4624	5003	3631	3631	4733	5016

			CC	CK	CE	CD
DU6ATS. 30 36			\$3057	3057	4044	4383
42			\$3113	3113	4089	4424
48			\$3185	3185	4144	4474
54			\$3245	3245	4225	4559
60			\$3310	3310	4310	4618
66			\$3369	3369	4393	4708
72			\$3435	3435	4477	4798
84			\$3513	3513	4575	4904

36 42	\$3200	3200	4207	4509
48	\$3275	3275	4267	4611
54	\$3338	3338	4348	4700
60	\$3401	3401	4438	4791
66	\$3466	3466	4522	4883
72	\$3531	3531	4609	4979
84	\$3613	3613	4710	5086

	TC	TK	TE	TD	LC	LK
DU6ATT. 30 36	—	—	—	—	\$3167	3167
42	—	—	—	—	\$3227	3227
48	—	—	—	—	\$3390	3293
54	—	—	—	—	\$3359	3359
60	—	—	—	—	\$3424	3424
66	—	—	—	—	\$3495	3495
72	—	—	—	—	\$3563	3563
84	—	—	—	—	\$3636	3636

36 42	—	—	—	—	\$3328	3328
48	—	—	—	—	\$3391	3391
54	—	—	—	—	\$3461	3461
60	—	—	—	—	\$3529	3529
66	—	—	—	—	\$3600	3600
72	—	—	—	—	\$3669	3669
84	—	—	—	—	\$3745	3745

		LE	LD	WC	WK	WE	WD
DU6ATT. 30 36		\$3892	4620	3868	3868	4755	5645
42		\$4008	4662	3944	3944	4902	5694
48		\$4467	4703	4026	4026	5304	5750
54		\$4425	4797	4107	4107	5409	5865
60		\$4649	4860	4186	4186	5522	5939
66		\$4607	4958	4271	4271	5631	6059
72		\$4839	5204	4356	4356	5914	6182
84		\$4792	5157	4444	4444	5858	6305

36 42	\$4193	4757	4062	4062	5251	5812
48	\$4553	4853	4145	4145	5643	5931
54	\$4669	4951	4228	4228	5710	6050
60	\$4738	5046	4312	4312	5884	6168
66	\$4822	5150	4399	4399	5986	6295
72	\$4926	5406	4485	4485	6055	6417
84	\$5013	5358	4575	4575	6193	6547

		PC	PK	PE	PD	UC	UK
DU6ATT. 30 36		\$3305	3305	4065	4827	—	—
42		\$3373	3373	4188	4868	—	—
48		\$3441	3441	4534	4917	—	—
54		\$3510	3510	4623	5012	—	—
60		\$3579	3579	4720	5079	—	—
66		\$3650	3650	4814	5179	—	—
72		\$3724	3724	4911	5282	—	—
84		\$3796	3796	5008	5388	—	—

36 42	\$3472	3472	4610	4971	—	—
48	\$3542	3542	4818	5070	—	—
54	\$3615	3615	4942	5168	—	—
60	\$3688	3688	5059	5431	—	—
66	\$3761	3761	5161	5379	—	—
72	\$3837	3837	5263	5488	—	—
84	\$3910	3910	5366	5597	—	—

		UE	UD	AC	AK	AE	AD
DU6ATT. 30 36		—	—	\$3235	3235	3956	4680
42		—	—	\$3297	3297	4072	4722
48		—	—	\$3469	3374	4541	4775
54		—	—	\$3439	3439	4499	4871
60		—	—	\$3504	3504	4722	4933
66		—	—	\$3572	3572	4680	5031
72		—	—	\$3643	3643	4911	5274
84		—	—	\$3727	3727	4879	5241

Renew™ Adjustable-Height Tables

Rectangle Table with T-Foot

continued

Renew™ Adjustable-Height Tables

	36 42	—	—	\$3394	3394	4255	4818
	48	—	—	\$3470	3470	4626	4926
	54	—	—	\$3539	3539	4741	5021
	60	—	—	\$3608	3608	4811	5118
	66	—	—	\$3679	3679	4895	5219
	72	—	—	\$3748	3748	4998	5475
	84	—	—	\$3836	3836	5099	5440
		PC	PK	PE	PD	UC	UK
DU6ATE. 30	36	\$3298	3298	4388	4620	—	—
	42	\$3365	3365	4438	4666	—	—
	48	\$3437	3437	4490	4714	—	—
	54	\$3506	3506	4584	4814	—	—
	60	\$3579	3579	4682	4881	—	—
	66	\$3653	3653	4644	4984	—	—
	72	\$3727	3727	4880	5092	—	—
	84	\$3806	3806	4979	5200	—	—
	36 42	\$3470	3470	4610	4768	—	—
	48	\$3542	3542	4679	4871	—	—
	54	\$3615	3615	4749	4976	—	—
	60	\$3691	3691	4851	5082	—	—
	66	\$3764	3764	4953	5191	—	—
	72	\$3844	3844	5059	5302	—	—
	84	\$3922	3922	5161	5414	—	—

Step 7. Hidden Power Access

For crank sit-to-stand (C) or crank seated (K)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

For electric extended range (D)

NNP	no power access	A	+\$0
------------	-----------------	----------	------

For electric standard range (E)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

Step 8.

Switch Option

For electric standard range (E) or electric extended range (D) with no power access (NNP), or leg access (PLA)

SUD	simple up down	A	+\$0
SMT	no switch - LO100	A	+\$0
SRM	digital read out with memory	A	+\$160

Switch Option/Crank Location/Crank Handle Finish

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP)

TPW	top crank, white handle	A	+\$0
TPG	top crank, graphite handle	A	+\$0
FRT	front crank, black handle	A	+\$40

Switch Option/Crank Location/Crank Handle Finish

For 30" deep (29" surface size) (30) or 36" deep (35" surface size) (36) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP), or leg access (PLA)

TPW	top crank, white handle	A	+\$0
TPG	top crank, graphite handle	A	+\$0

Rectangle Table with T-Foot

continued

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HX	aged cherry 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBF	neutral twill 	+\$0
LBJ	graphite twill 	+\$0
LBQ	white twill 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
HM	natural maple 	+\$0
LBA	clear on ash 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBF	neutral twill 	+\$0
LBQ	white twill 	+\$0
LBU	medium matte walnut 	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$85
40	dark brown walnut 	+\$85
A2	white ash 	+\$85
CHD	noble cherry 	+\$85
ET	clear on ash 	+\$85
EU	oak on ash 	+\$85
EV	walnut on ash 	+\$85
EW	medium matte walnut 	+\$85
OU	walnut 	+\$85
UL	natural maple 	+\$85
WHN	natural white oak 	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey 	+\$0
91	white 	+\$0
LU	soft white 	+\$0

Rectangle Table with T-Foot

continued

Step 10. Edge Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)

76	light brown walnut 	+\$0
8Q	folkstone grey 	+\$0
91	white 	+\$0
98	studio white 	+\$0
CL	cool grey neutral 	+\$0
HF	inner tone light 	+\$0
HM	natural maple 	+\$0
HP	light anigre 	+\$0
HX	aged cherry 	+\$0
LBA	clear on ash 	+\$0
LBR	phantom ecru 	+\$0
LBS	phantom cocoa 	+\$0
LBU	medium matte walnut 	+\$0
LBV	warm grey teak 	+\$0
LBB	oak on ash 	+\$0
LBC	walnut on ash 	+\$0
LBF	neutral twill 	+\$0
LBJ	graphite twill 	+\$0
LBQ	white twill 	+\$0
LU	soft white 	+\$0
WL	sandstone 	+\$0
WN	warm grey neutral 	+\$0

For thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/universal edge (T), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

PLY	plywood edge 	+\$50
------------	--	-------

Step 11. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot 	+\$0
MS	metallic silver leg with metallic silver foot 	+\$0
SNA	satin aluminum 	+\$30
SNB	satin bronze 	+\$30
SNC	satin carbon 	+\$30

Sand Texture Paint

BK	black leg with black foot 	+\$0
LFL	black leg with polished aluminum foot 	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot 	+\$0
91	white leg with white foot 	+\$0
98	studio white leg with studio white foot 	+\$0
G2	graphite satin leg with graphite satin foot 	+\$0
WL	sandstone leg with sandstone foot 	+\$0
WN	warm grey neutral leg with warm grey neutral foot 	+\$0
LFF	white leg with polished aluminum foot 	+\$160
LFG	warm grey neutral leg with polished aluminum foot 	+\$160
LFH	graphite satin leg with polished aluminum foot 	+\$160
LFJ	metallic silver leg with polished aluminum foot 	+\$160
LFK	studio white leg with polished aluminum foot 	+\$160

Polished Aluminum

LFM	satin carbon leg with polished aluminum foot 	+\$190
LFX	satin aluminum with polished aluminum foot 	+\$190
LFZ	satin bronze with polished aluminum foot 	+\$190

Step 12. Cord Cover/Cable Management

For 30" deep (29" surface size) (30) or 36" deep (35" surface size) (36) with 36" wide (34" surface size) (36), or 42" wide (40" surface size) (42)

PSC	simple cable 	+\$0
------------	--	------

For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PHD	high density cable trough 	+\$299
PSC	simple cable 	+\$0

Step 13. Power Access Cutout

For 36" wide (34" surface size) (36) or 42" wide (40" surface size) (42)

NNN	no cutout 	+\$0
------------	---	------

For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

NNN	no cutout 	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X 	+\$45
LAC	left cutout 6 port - Y1425.D/G or Y1420.X 	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X 	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V 	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V 	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V 	+\$45


Rectangle Table with T-Foot

continued

Step 14. Casters/Glides		
57	glides A	+\$0

Oval Table with T-Foot

DU6DTE
DU6DTS
DU6DTT



Product Information

Description

This oval height-adjustable table has a T-leg configuration for maximum access on all sides of the surface, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36" wide or 42" wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface.

Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Oval Table with T-Foot *continued*

Specification Information

Step 1.

DU6DT ☐

Step 2. Edge

S. squared-edge ☐

T. thin-edge ☐

E. eased-edge ☐

Step 3. Depth

30 30" deep ☐

36 36" deep ☐

42 42" deep ☐

Step 4. Width

60 60" wide ☐

72 72" wide ☐

84 84" wide ☐

Step 5. Surface Material

For squared-edge (S.)

M thermally-fused laminate top/thermoplastic edge ☐

L high-pressure laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

For thin-edge (T.)

L high-pressure laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

For eased-edge (E.)

P painted Formcoat® top/edge ☐

Step 6. Height Adjustment

C crank sit-to-stand ☐

K crank seated ☐

E electric standard range ☐

D electric extended range ☐

Prices for Steps 1-6.

	MC	MK	ME	MD	LC	LK
DU6DTS. 30 60	\$3314	3314	3835	4211	3364	3364
72	\$3382	3382	3837	4297	3432	3432
84	\$3451	3451	3991	4384	3503	3503

36 60	\$3518	3454	4074	4471	3571	3506
72	\$3589	3524	4157	4564	3644	3577
84	\$3660	3594	4239	4655	3715	3649
42 60	\$3731	3666	4325	4748	3787	3721
72	\$3835	3770	4446	4882	3893	3826
84	\$3940	3874	4570	5019	3999	3932

	LE	LD	WC	WK	WE	WD
DU6DTS. 30 60	\$3893	4275	3841	3841	4628	5181
72	\$3895	4362	4080	4080	4814	5286
84	\$4052	4451	4164	4164	4910	5392
36 60	\$4135	4538	4248	4248	5010	5503
72	\$4219	4632	4335	4335	5115	5614
84	\$4303	4725	4420	4420	5217	5727
42 60	\$4390	4819	4509	4509	5321	5843
72	\$4513	4956	4637	4637	5469	6005
84	\$4638	5095	4766	4766	5625	6175

	PC	PK	PE	PD
DU6DTS. 30 60	\$3448	3448	4068	4467
72	\$3517	3517	4150	4556
84	\$3590	3590	4234	4652
36 60	\$3663	3663	4321	4746
72	\$3736	3736	4407	4842
84	\$3811	3811	4498	4939
42 60	\$3889	3889	4585	5036
72	\$3998	3998	4714	5178
84	\$4108	4108	4850	5325

	MC	MK	ME	MD	LC	LK
DU6DTT. 30 60	—	—	—	—	\$3594	3594
72	—	—	—	—	\$3666	3666
84	—	—	—	—	\$3743	3743
36 60	—	—	—	—	\$3818	3818
72	—	—	—	—	\$3897	3897
84	—	—	—	—	\$3975	3975
42 60	—	—	—	—	\$4052	4052
72	—	—	—	—	\$4169	4169
84	—	—	—	—	\$4287	4287

	LE	LD	WC	WK	WE	WD
DU6DTT. 30 60	\$4199	4656	4565	4565	5606	6153
72	\$4285	4754	4848	4848	5664	6281
84	\$4416	4850	4945	4945	5836	6408
36 60	\$4506	4951	5048	5048	5955	6539
72	\$4597	5046	5148	5148	6076	6674
84	\$4688	5147	5253	5253	6198	6807

Renew™ Adjustable-Height Tables

Oval Table with T-Foot *continued*

	42 60	\$4783	5254	5359	5359	6322	6940
	72	\$4915	5398	5511	5511	6499	7137
	84	\$5057	5550	5663	5663	6684	7340
			PC	PK	PE	PD	
DU6DTT.	30 60		\$3756	3756	4429	4864	
	72		\$3832	3832	4521	4964	
	84		\$3910	3910	4611	5066	
	36 60		\$3989	3989	4705	5168	
	72		\$4070	4070	4802	5274	
	84		\$4152	4152	4900	5379	
	42 60		\$4238	4238	4996	5485	
	72		\$4354	4354	5137	5641	
	84		\$4478	4478	5282	5801	
			PC	PK	PE	PD	
DU6DTE.	30 60		\$3828	3828	4514	4957	
	72		\$3907	3907	4607	5060	
	84		\$3985	3985	4701	5165	
	36 60		\$4067	4067	4797	5268	
	72		\$4149	4149	4897	5375	
	84		\$4232	4232	4994	5483	
	42 60		\$4319	4319	5093	5592	
	72		\$4439	4439	5237	5751	
	84		\$4565	4565	5385	5914	

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access ☐	+\$0
PLA	leg access ☐	+\$299

For electric extended range (D)

NNP	no power access ☐	+\$0
------------	--	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down ☐	+\$0
SMT	no switch - LO100 ☐	+\$0
SRM	digital read out with memory ☐	+\$160

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
HM	natural maple ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBF	neutral twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBU	medium matte walnut ☐	+\$0

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
CHD	noble cherry ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
EW	medium matte walnut ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
WHN	natural white oak ☐	+\$85

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
LU	soft white ☐	+\$0

Step 10. Edge Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)</i>		
76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 11. Crank Handle Finish		
<i>For crank sit-to-stand (C) or crank seated (K)</i>		
91	white ☐	+\$0
G1	graphite ☐	+\$0

Step 12. Leg/Foot Finish		
Metallic Paint		
CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0
SNA	satin aluminum ☐	+\$30
SNB	satin bronze ☐	+\$30
SNC	satin carbon ☐	+\$30

Sand Texture Paint		
BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0

Smooth Paint		
8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$160
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFM	satin carbon leg with polished aluminum foot ☐	+\$190
LFX	satin aluminum with polished aluminum foot ☐	+\$190
LFZ	satin bronze with polished aluminum foot ☐	+\$190

Step 13. Cord Cover/Cable Management		
PSC	simple cable ☐	+\$0
PHD	high density cable trough ☐	+\$299


Step 14. Power Access Cutout		
<i>For simple cable (PSC)</i>		
NNN	no cutout ☐	+\$0
<i>For high density cable trough (PHD)</i>		
NNN	no cutout ☐	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

Renew™ Adjustable-Height Tables

Step 15. Casters/Glides		
57	glides A	+\$0

90° Extended Corner Table with C-Foot

DU6ECE
DU6ECS
DU6ECT



Product Information

Description

This height-adjustable 90° extended corner table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices. Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. It will be on the extended side of the corner. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.



For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



90° Extended Corner Table with C-Foot *continued*

Specification Information	
Step 1.	
DU6EC	☐
Step 2. Edge	
S.	squared-edge ☐
T.	thin-edge ☐
E.	eased-edge ☐
Step 3. Depth	
24	24" deep (23" surface size) ☐
30	30" deep (29" surface size) ☐
Step 4. Width	
4260	42" wide left x 60" wide right (40" x 58" surface size) ☐
4272	42" wide left x 72" wide right (40" x 70" surface size) ☐
4860	48" wide left x 60" wide right (46" x 58" surface size) ☐
4872	48" wide left x 72" wide right (46" x 70" surface size) ☐
5454	54" wide left x 54" wide right (52" x 52" surface size) ☐
6042	60" wide left x 42" wide right (58" x 40" surface size) ☐
6048	60" wide left x 48" wide right (58" x 46" surface size) ☐
6060	60" wide left x 60" wide right (58" x 58" surface size) ☐
7242	72" wide left x 42" wide right (70" x 40" surface size) ☐
7248	72" wide left x 48" wide right (70" x 46" surface size) ☐
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
M	thermally-fused laminate top/thermoplastic edge ☐
L	high-pressure laminate top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐
<i>For thin-edge (T.)</i>	
L	high-pressure laminate top/thermoplastic edge ☐
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge ☐
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge ☐
Step 6. Height Adjustment	
C	crank sit-to-stand ☐
K	crank seated ☐
E	electric standard range ☐
D	electric extended range ☐

Prices for Steps 1-6.							
		MC	MK	ME	MD	LC	LK
DU6ECS. 24	4260	\$4960	4960	6497	6947	5035	5035
	4272	\$5049	5049	6617	7074	5125	5125
	4860	\$5134	5137	6738	7209	5212	5215
	4872	\$5226	5229	6862	7342	5305	5308
	5454	\$5119	5119	6842	6869	5197	5197
	6042	\$4960	4960	6497	6947	5035	5035
	6048	\$5134	5137	6738	7209	5212	5215
	6060	\$5210	5214	6971	7003	5289	5293
	7242	\$5049	5049	6617	7074	5125	5125
	7248	\$5226	5229	6862	7342	5305	5308
30	4260	\$5323	5323	6698	7235	5404	5404
	4272	\$5419	5419	6826	7378	5501	5501
	4860	\$5513	5513	6956	7514	5597	5597
	4872	\$5614	5614	7091	7662	5699	5699
	5454	\$5151	5151	7283	7490	5229	5229
	6042	\$5323	5323	6698	7235	5404	5404
	6048	\$5513	5513	6956	7514	5597	5597
	6060	\$5239	5243	7420	7632	5318	5322
	7242	\$5419	5419	6826	7378	5501	5501
	7248	\$5614	5614	7091	7662	5699	5699
		LE	LD	WC	WK	WE	WD
DU6ECS. 24	4260	\$6596	7052	6176	6176	7696	7667
	4272	\$6717	7182	6301	6301	7864	7856
	4860	\$6840	7318	6426	6426	8025	8040
	4872	\$6965	7453	6555	6555	8199	8222
	5454	\$6945	6974	5520	5520	6963	8003
	6042	\$6596	7052	6176	6176	7696	7667
	6048	\$6840	7318	6426	6426	8025	8040
	6060	\$7077	7109	5634	5634	7248	8188
	7242	\$6717	7182	6301	6301	7857	7856
	7248	\$6965	7453	6555	6555	8199	8222
30	4260	\$6800	7344	6685	6685	7707	7707
	4272	\$6929	7490	6819	6819	7887	7905
	4860	\$7061	7628	6957	6957	8073	8105
	4872	\$7199	7779	7094	7094	8261	8301
	5454	\$7394	7604	6953	6953	8073	8138
	6042	\$6800	7344	6685	6685	7707	7707
	6048	\$7061	7628	6957	6957	8073	8105
	6060	\$7532	7747	7284	7284	8351	8347
	7242	\$6929	7490	6819	6819	7887	7905
	7248	\$7199	7779	7094	7094	8261	8301

90° Extended Corner Table with
C-Foot *continued*

	PC	PK	PE	PD
DU6ECS. 24 4260	\$5328	5328	6883	7130
4272	\$5433	5433	7023	7288
4860	\$5541	5541	7172	7447
4872	\$5652	5652	7321	7610
5454	\$4948	4948	6507	7196
6042	\$5328	5328	6883	7130
6048	\$5541	5541	7172	7447
6060	\$5048	5048	6640	7334
7242	\$5433	5409	7023	7288
7248	\$5652	5652	7321	7610
30 4260	\$5766	5766	6949	7158
4272	\$5880	5880	7107	7324
4860	\$5997	5997	7265	7499
4872	\$6117	6117	7420	7676
5454	\$4976	4976	6771	6478
6042	\$5766	5766	6949	7158
6048	\$5997	5997	7265	7499
6060	\$5080	5080	6927	7994
7242	\$5880	5880	7107	7324
7248	\$6117	6117	7420	7676

	MC	MK	ME	MD	LC	LK
DU6ECT. 24 4260	—	—	—	—	\$5618	5618
4272	—	—	—	—	\$5719	5719
4860	—	—	—	—	\$5822	5822
4872	—	—	—	—	\$5927	5927
5454	—	—	—	—	\$5802	5802
6042	—	—	—	—	\$5618	5618
6048	—	—	—	—	\$5822	5822
6060	—	—	—	—	\$5907	5907
7242	—	—	—	—	\$5719	5719
7248	—	—	—	—	\$5927	5927
30 4260	—	—	—	—	\$5745	5745
4272	—	—	—	—	\$5853	5853
4860	—	—	—	—	\$5968	5968
4872	—	—	—	—	\$6079	6079
5454	—	—	—	—	\$5547	5547
6042	—	—	—	—	\$5745	5745
6048	—	—	—	—	\$5968	5968
6060	—	—	—	—	\$5654	5654
7242	—	—	—	—	\$5853	5853
7248	—	—	—	—	\$6079	6079

	LE	LD	WC	WK	WE	WD
DU6ECT. 24 4260	\$7018	7368	6335	6335	8108	8376
4272	\$7145	7509	6476	6476	8286	8569
4860	\$7276	7651	6617	6617	8467	8770
4872	\$7412	7797	6761	6761	8654	8972
5454	\$7782	7688	5591	5591	7795	8184
6042	\$7018	7368	6335	6335	8108	8376
6048	\$7276	7651	6617	6617	8467	8770
6060	\$7928	7836	5719	5719	7971	8378
7242	\$7145	7509	6476	6476	8286	8569
7248	\$7412	7797	6761	6761	8654	8972
30 4260	\$7259	7600	6446	6446	8145	8414
4272	\$7399	7746	6593	6593	8341	8627
4860	\$7540	7904	6748	6748	8536	8840
4872	\$7687	8059	6907	6907	8736	9060
5454	\$8325	8323	7323	7323	8616	8566
6042	\$7259	7600	6446	6446	8145	8414
6048	\$7540	7904	6748	6748	8536	8840
6060	\$8491	8492	7828	7828	8902	9033
7242	\$7399	7746	6593	6593	8341	8627
7248	\$7687	8059	6907	6907	8736	9060

	PC	PK	PE	PD
DU6ECT. 24 4260	\$5444	5444	7295	7530
4272	\$5564	5564	7447	7697
4860	\$5688	5688	7602	7869
4872	\$5813	5813	7766	8045
5454	\$5015	5015	7314	7925
6042	\$5444	5444	7295	7530
6048	\$5688	5688	7602	7869
6060	\$5129	5129	7474	8078
7242	\$5564	5564	7447	7697
7248	\$5813	5813	7766	8045
30 4260	\$5512	5512	7323	7591
4272	\$5641	5641	7492	7773
4860	\$5773	5773	7661	7957
4872	\$5908	5908	7833	8146
5454	\$4618	4618	7600	7347
6042	\$5512	5512	7323	7591
6048	\$5773	5773	7661	7957
6060	\$4735	4735	7777	7528
7242	\$5641	5641	7492	7773
7248	\$5908	5908	7833	8146

90° Extended Corner Table with C-Foot *continued*

	PC	PK	PE	PD
DU6ECE. 24 4260	\$5192	5192	6959	7186
4272	\$5310	5310	7107	7345
4860	\$5427	5427	7256	7508
4872	\$5546	5546	7410	7676
5454	\$4785	4785	6980	6680
6042	\$5192	5192	6959	7186
6048	\$5427	5427	7256	7508
6060	\$4894	4894	7131	6831
7242	\$5310	5310	7107	7345
7248	\$5546	5546	7410	7676
30 4260	\$5259	5259	6988	7243
4272	\$5382	5382	7147	7416
4860	\$5509	5509	7311	7592
4872	\$5639	5639	7475	7773
5454	\$4407	4407	7253	7011
6042	\$5259	5259	6988	7243
6048	\$5509	5509	7311	7592
6060	\$4516	4516	7421	7183
7242	\$5382	5382	7147	7416
7248	\$5639	5639	7475	7773

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access ☐	+\$0
PLA	leg access ☐	+\$299

For electric extended range (D)

NNP	no power access ☐	+\$0
------------	--	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down ☐	+\$0
SMT	no switch - LO100 ☐	+\$0
SRM	digital read out with memory ☐	+\$160

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
HM	natural maple ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBF	neutral twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBU	medium matte walnut ☐	+\$0

90° Extended Corner Table with C-Foot *continued*

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
CHD	noble cherry ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
EW	medium matte walnut ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
WHN	natural white oak ☐	+\$85

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
LU	soft white ☐	+\$0

Step 10. Edge Finish		
<i>For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)</i>		
76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 11. Crank Handle Finish		
<i>For crank sit-to-stand (C) or crank seated (K)</i>		
91	white ☐	+\$0
G1	graphite ☐	+\$0

Step 12. Leg/Foot Finish		
Metallic Paint		
CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0
SNA	satin aluminum ☐	+\$30
SNB	satin bronze ☐	+\$30
SNC	satin carbon ☐	+\$30

Sand Texture Paint		
BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0

Smooth Paint		
8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$160

Polished Aluminum		
LFM	satin carbon leg with polished aluminum foot ☐	+\$190
LFX	satin aluminum with polished aluminum foot ☐	+\$190
LFZ	satin bronze with polished aluminum foot ☐	+\$190

Step 13. Cord Cover/Cable Management		
<i>For 24" deep (23" surface size) (24)</i>		
PSC	simple cable ☐	+\$0
<i>For 30" deep (29" surface size) (30)</i>		
PSC	simple cable ☐	+\$0
PHD	high density cable trough ☐	+\$299

90° Extended Corner Table with C-Foot *continued*

Step 14. Power Access Cutout

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with simple cable (PSC)

NNN no cutout ☐ +\$0

For 30" deep (29" surface size) (30) with 42" wide left x 60" wide right (40" x 58" surface size) (4260), 42" wide left x 72" wide right (40" x 70" surface size) (4272), 48" wide left x 60" wide right (46" x 58" surface size) (4860), 48" wide left x 72" wide right (46" x 70" surface size) (4872), 60" wide left x 42" wide right (58" x 40" surface size) (6042), 60" wide left x 48" wide right (58" x 46" surface size) (6048), or 72" wide left x 42" wide right (70" x 40" surface size) (7242), or 72" wide left x 48" wide right (70" x 46" surface size) (7248) with high density cable trough (PHD)

NNN no cutout ☐ +\$0

LAC left cutout 6 port - Y1425.D/G or Y1420.X ☐ +\$45

RAC right cutout 6 port - Y1425.D/G or Y1420.X ☐ +\$45

LC5 left cutout 5 port - Y1425.C/F or Y1420.V ☐ +\$45

RC5 right cutout 5 port - Y1425.C/F or Y1420.V ☐ +\$45

CAC center cutout 6 port - Y1425.D/G or Y1420.X ☐ +\$45

CC5 center cutout 5 port - Y1425.C/F or Y1420.V ☐ +\$45

For 30" deep (29" surface size) (30) with 54" wide left x 54" wide right (52" x 52" surface size) (5454), or 60" wide left x 60" wide right (58" x 58" surface size) (6060) with high density cable trough (PHD)

NNN no cutout ☐ +\$0

LAC left cutout 6 port - Y1425.D/G or Y1420.X ☐ +\$45

RAC right cutout 6 port - Y1425.D/G or Y1420.X ☐ +\$45

LC5 left cutout 5 port - Y1425.C/F or Y1420.V ☐ +\$45


RC5 right cutout 5 port - Y1425.C/F or Y1420.V ☐ +\$45

Step 15. Casters/Glides

57 glides ☐ +\$0

90° Corner Table with C-Foot

DU6FCE
DU6FCS
DU6FCT



Product Information

Description

This height-adjustable 90° corner table has a C-Leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices. Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface.

Requires 6" of clearance from adjacent panel or wall to complete a revolution.




For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



90° Corner Table with C-Foot

continued

Specification Information

Step 1.

DU6FC ☐

Step 2. Edge

S. squared-edge ☐

T. thin-edge ☐

E. eased-edge ☐

Step 3. Depth

24 24" deep (23" surface size) ☐

30 30" deep (29" surface size) ☐

Step 4. Width

42 42" wide (40" surface size) ☐

48 48" wide (46" surface size) ☐

Step 5. Surface Material

For squared-edge (S.)

M thermally-fused laminate top/thermoplastic edge ☐

L high-pressure laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

For thin-edge (T.)

L high-pressure laminate top/thermoplastic edge ☐

W veneer top/veneer edge ☐

P painted Formcoat® top/edge ☐

For eased-edge (E.)

P painted Formcoat® top/edge ☐

Step 6. Height Adjustment

C crank sit-to-stand ☐

K crank seated ☐

E electric standard range ☐

D electric extended range ☐

Prices for Steps 1-6.

	MC	MK	ME	MD	LC	LK
DU6FCS. 24 42	\$3179	3179	3926	4421	3227	3227
48	\$3244	3244	4005	4507	3293	3293
30 42	\$3193	3193	4110	4548	3242	3242
48	\$3258	3258	4195	4637	3307	3307

	LE	LD	WC	WK	WE	WD
DU6FCS. 24 42	\$3986	4488	3853	3853	4593	4934
48	\$4066	4576	3930	3930	4685	5041
30 42	\$4173	4617	3873	3873	4815	5087
48	\$4259	4707	3951	3951	4915	5197

	PC	PK	PE	PD
DU6FCS. 24 42	\$3436	3436	4074	4477
48	\$3506	3506	4160	4571
30 42	\$3454	3454	4275	4609
48	\$3522	3522	4364	4710

	MC	MK	ME	MD	LC	LK
DU6FCT. 24 42	—	—	—	—	\$3567	3567
48	—	—	—	—	\$3639	3639
30 42	—	—	—	—	\$3584	3584
48	—	—	—	—	\$3658	3658

	LE	LD	WC	WK	WE	WD
DU6FCT. 24 42	\$4404	4658	3690	3690	4599	5058
48	\$4493	4755	3771	3771	4702	5173
30 42	\$4612	4797	3710	3710	4844	5221
48	\$4705	4902	3793	3793	4950	5340

	PC	PK	PE	PD
DU6FCT. 24 42	\$3478	3478	4241	4637
48	\$3553	3553	4331	4740
30 42	\$3497	3497	4461	4788
48	\$3573	3573	4561	4899

	PC	PK	PE	PD
DU6FCE. 24 42	\$3443	3443	4196	4589
48	\$3517	3517	4290	4695
30 42	\$3464	3464	4417	4742
48	\$3538	3538	4514	4850

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access ☐	+\$0
PLA	leg access ☐	+\$299

For electric extended range (D)

NNP	no power access ☐	+\$0
------------	--	------

90° Corner Table with C-Foot

continued

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down ☐	+\$0
SMT	no switch - LO100 ☐	+\$0
SRM	digital read out with memory ☐	+\$160

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0
ZZ	open line high-pressure laminate (nonstandard) ☐	+\$50

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
HM	natural maple ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBF	neutral twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBU	medium matte walnut ☐	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
CHD	noble cherry ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
EW	medium matte walnut ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
WHN	natural white oak ☐	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
LU	soft white ☐	+\$0

Step 10. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

90° Corner Table with C-Foot

continued

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white ☐	+\$0
G1	graphite ☐	+\$0

Step 12. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0
SNA	satin aluminum ☐	+\$30
SNB	satin bronze ☐	+\$30
SNC	satin carbon ☐	+\$30

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$160

Polished Aluminum

LFM	satin carbon leg with polished aluminum foot ☐	+\$190
LFX	satin aluminum with polished aluminum foot ☐	+\$190
LFZ	satin bronze with polished aluminum foot ☐	+\$190

Step 13. Cord Cover/Cable Management

PSC	simple cable ☐	+\$0
PHD	high density cable trough ☐	+\$299

Step 14. Power Access Cutout


NNN	no cutout ☐	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

Step 15. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

120° Corner Table with C-Foot

DU6GCE
DU6GCS
DU6GCT



Product Information

Description

This height-adjustable 120° corner table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices. Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



120° Corner Table with C-Foot

continued

Specification Information

Step 1.

DU6GC A

Step 2. Edge

S. squared-edge A

T. thin-edge A

E. eased-edge A

Step 3. Depth

24 24" deep (23" surface size) A

30 30" deep (29" surface size) A

Step 4. Width

42 42" wide (40" surface size) A

48 48" wide (46" surface size) A

Step 5. Surface Material

For squared-edge (S.)

M thermally-fused laminate top/thermoplastic edge A

L high-pressure laminate top/thermoplastic edge A

W veneer top/veneer edge A

P painted Formcoat® top/edge A

For thin-edge (T.)

L high-pressure laminate top/thermoplastic edge A

W veneer top/veneer edge A

P painted Formcoat® top/edge A

For eased-edge (E.)

P painted Formcoat® top/edge A

Step 6. Height Adjustment

C crank sit-to-stand A

K crank seated A

E electric standard range A

D electric extended range A

Prices for Steps 1-6.

	MC	MK	ME	MD	LC	LK
DU6GCS. 24 42	\$3571	3571	4480	4793	3589	3589
48	\$3643	3643	4571	4887	3661	3661
30 42	\$3744	3744	4652	5083	3763	3763
48	\$3812	3812	4741	5180	3831	3831

	LE	LD	WC	WK	WE	WD
DU6GCS. 24 42	\$4503	4817	4482	4482	5344	5575
48	\$4594	4912	4572	4572	5463	5701
30 42	\$4675	5109	4650	4650	5516	5910
48	\$4765	5206	4740	4740	5635	6040

	PC	PK	PE	PD
DU6GCS. 24 42	\$3840	3840	4822	5154
48	\$3916	3916	4916	5255
30 42	\$4008	4008	4992	5452
48	\$4087	4087	5089	5561

	MC	MK	ME	MD	LC	LK
DU6GCT. 24 42	—	—	—	—	\$3985	3985
48	—	—	—	—	\$4068	4068
30 42	—	—	—	—	\$4158	4158
48	—	—	—	—	\$4239	4239

	LE	LD	WC	WK	WE	WD
DU6GCT. 24 42	\$4666	4985	4709	4709	5632	5847
48	\$4766	5093	4809	4809	5764	5990
30 42	\$4839	5294	4880	4880	5804	6202
48	\$4939	5405	4977	4977	5936	6348

	PC	PK	PE	PD
DU6GCT. 24 42	\$3696	3696	4591	5039
48	\$3780	3780	4700	5154
30 42	\$3868	3677	4764	5357
48	\$3954	3761	4872	5475

	PC	PK	PE	PD
DU6GCE. 24 42	\$3678	3678	4571	5013
48	\$3764	3764	4676	5128
30 42	\$3850	3660	4742	5332
48	\$3934	3741	4849	5449

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access A	+\$0
PLA	leg access A	+\$299

For electric extended range (D)

NNP	no power access A	+\$0
------------	---	------

120° Corner Table with C-Foot

continued

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down ☐	+\$0
SMT	no switch - LO100 ☐	+\$0
SRM	digital read out with memory ☐	+\$160

Step 9.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0
ZZ	open line high-pressure laminate (nonstandard) ☐	+\$50

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
HM	natural maple ☐	+\$0
LBA	clear on ash ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBF	neutral twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBU	medium matte walnut ☐	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
A2	white ash ☐	+\$85
CHD	noble cherry ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
EW	medium matte walnut ☐	+\$85
OU	walnut ☐	+\$85
UL	natural maple ☐	+\$85
WHN	natural white oak ☐	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
LU	soft white ☐	+\$0

Step 10. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut ☐	+\$0
8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HM	natural maple ☐	+\$0
HP	light anigre ☐	+\$0
HX	aged cherry ☐	+\$0
LBA	clear on ash ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash ☐	+\$0
LBC	walnut on ash ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

120° Corner Table with C-Foot

continued

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white ☐	+\$0
G1	graphite ☐	+\$0

Step 12. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐	+\$0
MS	metallic silver leg with metallic silver foot ☐	+\$0
SNA	satin aluminum ☐	+\$30
SNB	satin bronze ☐	+\$30
SNC	satin carbon ☐	+\$30

Sand Texture Paint

BK	black leg with black foot ☐	+\$0
LFL	black leg with polished aluminum foot ☐	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐	+\$0
91	white leg with white foot ☐	+\$0
98	studio white leg with studio white foot ☐	+\$0
G2	graphite satin leg with graphite satin foot ☐	+\$0
WL	sandstone leg with sandstone foot ☐	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐	+\$0
LFF	white leg with polished aluminum foot ☐	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐	+\$160
LFH	graphite satin leg with polished aluminum foot ☐	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐	+\$160
LFK	studio white leg with polished aluminum foot ☐	+\$160

Polished Aluminum

LFM	satin carbon leg with polished aluminum foot ☐	+\$190
LFX	satin aluminum with polished aluminum foot ☐	+\$190
LFZ	satin bronze with polished aluminum foot ☐	+\$190

Step 13. Cord Cover/Cable Management

PSC	simple cable ☐	+\$0
PHD	high density cable trough ☐	+\$299


Step 14. Power Access Cutout

NNN	no cutout ☐	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X ☐	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V ☐	+\$45

Step 15. Casters/Glides

57	glides ☐	+\$0
-----------	---------------------------------	------

Height Adjustable Rectangular Worksurface DU6WS.



Product Information

Description

This rectangular work surface attaches to a height adjustable base to create a height adjustable table. It has a 1 1/4"-thick laminate top with thermoplastic edge or laminate top with a thermoplastic backed plywood edge.

Notes

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.


MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Order 2-leg table base kit (DU7A.) separately.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazard.

Dimensions



Specification Information

Step 1.

DU6W

Step 2. Edge

S. squared-edge

Step 3. Depth

24 24" deep (23" surface size)

30 30" deep (29" surface size) **A**

Step 4. Width

48 48" wide (46" surface size)

54 54" wide (52" surface size) **A**

60 60" wide (58" surface size) **A**

66 66" wide (64" surface size) **A**

72 72" wide (70" surface size) **A**

Step 5. Surface Material

For squared-edge (S.)

J thermally-fused laminate top/thermoplastic edge with MicrobeCare™

K thermally-fused laminate top/universal edge with MicrobeCare™

M thermally-fused laminate top/thermoplastic edge

T thermally-fused laminate top/universal edge

L high-pressure laminate top/thermoplastic edge

U high-pressure laminate/universal edge **A**

A high-pressure laminate top/thermoplastic edge with MicrobeCare™ **A**

C high-pressure laminate top/universal edge with MicrobeCare™ **A**

Prices for Steps 1-5.

		J	K	M	T	L	U
DU6WS.24	48	\$386	375	299	288	322	310
	54	\$449	434	360	347	388	374
	60	\$482	465	394	379	425	409
	66	\$538	519	450	432	486	466
	72	\$566	570	479	483	517	521
	30 48	\$471	474	383	386	413	416
	54	\$549	571	462	484	498	522
	60	\$590	590	504	504	544	544
	66	\$663	667	575	579	620	625
	72	\$734	746	647	658	698	710

Height Adjustable Rectangular Worksurface *continued*

	A	C
DU6WS.24 48	\$416	405
54	\$484	468
60	\$520	502
66	\$580	560
72	\$611	615
30 48	\$508	511
54	\$592	616
60	\$637	637
66	\$715	720
72	\$792	805

Step 6. Base Type

V	pre-drilled holes for V1 base	+\$0
----------	-------------------------------	------

Step 7. Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

76	light brown walnut A	+\$99
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
HM	natural maple A	+\$0
HP	light anigre A	+\$0
HX	aged cherry A	+\$99
LBA	clear on ash A	+\$0
LBB	oak on ash A	+\$0
LBC	walnut on ash A	+\$0
LBF	neutral twill A	+\$0
LBJ	graphite twill A	+\$0
LBQ	white twill A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
HM	natural maple	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut	+\$0

Step 8. Edge Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)


76	light brown walnut A	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
HM	natural maple A	+\$0
HP	light anigre A	+\$0
HX	aged cherry A	+\$0
LBA	clear on ash A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LBB	oak on ash A	+\$0
LBC	walnut on ash A	+\$0
LBF	neutral twill A	+\$0
LBJ	graphite twill A	+\$0
LBQ	white twill A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Height Adjustable Rectangular
Workspace *continued*

<i>For thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/universal edge (T), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)</i>		
PLY	plywood edge ☐ A	+\$50
Step 9. Cutout Option		
NNN	no cutout	+\$0

Table Base Kit - 3 Legs

DU7F.



Product Information

Description


This independent 3-leg kit transforms existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of power access and switch type.

Notes

Order work surface stiffener (FV696.) separately.

See Renew™ Sit-to-Stand Tables planning guide for design information.

Dimensions



Specification Information

Step 1.

DU7F. ☐ A

Step 2. Mechanism

E electric standard range ☐ A

D electric extended range ☐ A

Step 3. Depth

24 24" deep (23" actual) ☐ A

30 30" deep (29" actual) ☐ A

Step 4. Foot Type

C C foot ☐ A

Prices for Steps 1-4.

				C
DU7F.	E	24		\$5620
		30		\$5620
	D	24		\$5988
		30		\$5988

Step 5. Hidden Power Access

For electric standard range (E)

NNP no power access ☐ A +\$0

PLA leg access ☐ A +\$299

For electric extended range (D)

NNP no power access ☐ A +\$0

Step 6. Switch Option

SUD simple up down ☐ A +\$0

SMT no switch - LO100 ☐ A +\$0

SRM digital read out with memory ☐ A +\$160

Step 7. Leg/Foot Finish

Metallic Paint

CN metallic champagne leg with metallic champagne foot ☐ A +\$0

MS metallic silver leg with metallic silver foot ☐ A +\$0

SNA satin aluminum ☐ A +\$30

SNB satin bronze ☐ A +\$30

SNC satin carbon ☐ A +\$30

Table Base Kit - 3 Legs *continued*

Sand Texture Paint

BK	black leg with black foot 	+\$0
LFL	black leg with polished aluminum foot 	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot 	+\$0
91	white leg with white foot 	+\$0
98	studio white leg with studio white foot 	+\$0
G2	graphite satin leg with graphite satin foot 	+\$0
WL	sandstone leg with sandstone foot 	+\$0
WN	warm grey neutral leg with warm grey neutral foot 	+\$0
LFF	white leg with polished aluminum foot 	+\$160
LFG	warm grey neutral leg with polished aluminum foot 	+\$160
LFH	graphite satin leg with polished aluminum foot 	+\$160
LFJ	metallic silver leg with polished aluminum foot 	+\$160
LFK	studio white leg with polished aluminum foot 	+\$160

Polished Aluminum


LFM	satin carbon leg with polished aluminum foot 	+\$190
LFX	satin aluminum with polished aluminum foot 	+\$190
LFZ	satin bronze with polished aluminum foot 	+\$190

Step 8. Casters/Glides

57	glides 	+\$0
-----------	--	------

Table Base Kit - 2 Legs

DU7A.



Product Information


Description

This independent 2-leg kit transforms existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of foot type, power access and switch type.

Notes

Order work surface stiffener (FV696.) separately.
See Renew™ Sit-to-Stand Tables planning guide for design information.
To use 2-leg base kit on work surfaces 72" wide and wider, order motor extension cable service part U1B7600 separately.

Dimensions



Specification Information

Step 1.

DU7A. ☐

Step 2. Mechanism

E electric standard range ☐
D electric extended range ☐

Step 3. Depth

24 24" deep (23" actual) ☐
30 30" deep (29" actual) ☐

Step 4. Foot Type

For 24" deep (23" actual) (24)

C C foot ☐

For 30" deep (29" actual) (30)

T T foot ☐
C C foot ☐

Prices for Steps 1-4.

		T	C
DU7A.	E 24	—	\$3486
	30	\$3486	3486
	D 24	—	\$3911
	30	\$3911	3911

Step 5. Hidden Power Access

For electric standard range (E)

NNP no power access ☐ +\$0
PLA leg access ☐ +\$299

For electric extended range (D)

NNP no power access ☐ +\$0

Step 6. Switch Option

SUD simple up down ☐ +\$0
SMT no switch - LO100 ☐ +\$0
SRM digital read out with memory ☐ +\$160

Table Base Kit - 2 Legs *continued*

Step 7. Leg/Foot Finish

Metallic Paint

CN	metallic champagne leg with metallic champagne foot ☐ A	+\$0
MS	metallic silver leg with metallic silver foot ☐ A	+\$0
SNA	satin aluminum ☐ A	+\$30
SNB	satin bronze ☐ A	+\$30
SNC	satin carbon ☐ A	+\$30

Sand Texture Paint

BK	black leg with black foot ☐ A	+\$0
LFL	black leg with polished aluminum foot ☐ A	+\$0

Smooth Paint

8Q	folkstone grey leg with folkstone grey foot ☐ A	+\$0
91	white leg with white foot ☐ A	+\$0
98	studio white leg with studio white foot ☐ A	+\$0
G2	graphite satin leg with graphite satin foot ☐ A	+\$0
LFF	white leg with polished aluminum foot ☐ A	+\$160
LFG	warm grey neutral leg with polished aluminum foot ☐ A	+\$160
LFH	graphite satin leg with polished aluminum foot ☐ A	+\$160
LFJ	metallic silver leg with polished aluminum foot ☐ A	+\$160
LFK	studio white leg with polished aluminum foot ☐ A	+\$160
WL	sandstone leg with sandstone foot ☐ A	+\$0
WN	warm grey neutral leg with warm grey neutral foot ☐ A	+\$0

Polished Aluminum


LFM	satin carbon leg with polished aluminum foot ☐ A	+\$190
LFX	satin aluminum with polished aluminum foot ☐ A	+\$190
LFZ	satin bronze with polished aluminum foot ☐ A	+\$190

Step 8. Casters/Glides

57	glides ☐ A	+\$0
-----------	-----------------------------------	------

Ambit™ Height Adjustable Table Leg Shroud

DV8SM.
DV8SN.
DV8SR.



Product Information


Description

This shroud stands on the floor and replaces the foot of the table. Shroud is available in all-metal, metal wrapper with laminate exterior panel, or metal wrapper with veneer exterior panel. A shroud can be added to one or both legs of a C-leg height-adjustable table. An optional tool rail can be specified.

Notes

Optional tool rail is not retrofittable.
Shroud is retrofittable to existing height-adjustable tables.
Distance between top of shroud and bottom of standard height-adjustable table range is 3.94".
Shroud not compatible with extended range height-adjustable tables.
Cable knockout at top-rear of shroud has bezel available in 3 colors.
Cord cutout at bottom-rear of shroud can route up to 4 cords.
Order optional accessories together or separately:
• Bag hook (YT700.)
• Accessory shelf (YT715.)
• Vertical cable manager (DU16.)
See planning guide for additional information.

Dimensions



Specification Information

Step 1.

DV8S

Step 2. Table Type

- M.** Motia®
- N.** Nevi
- R.** Renew™

Step 3. Leg Type

- C** C-leg

Step 4. Depth

- 24** 24" deep (23" surface size)
- 30** 30" deep (29" surface size)

Step 5. Mechanism

- E** electric standard range

Step 6. Shroud Location

- L** left
- R** right

Step 7. Shroud Option Left

For left (L)

- SL** high-pressure laminate panel + metal wrapper
- SM** all metal
- SW** veneer panel + metal wrapper

For right (R)

- SL** high-pressure laminate panel + metal wrapper
- SM** all metal
- SW** veneer panel + metal wrapper

Prices for Steps 1-7.

		ELSL	ELSM	ELSW	ERSL	ERSM	ERSW
DV8SM.C	24	\$1009	919	1203	1009	919	1203
	30	\$1009	919	1203	1009	919	1203
DV8SN.C	24	\$1009	919	1203	1009	919	1203
	30	\$1009	919	1203	1009	919	1203
DV8SR.C	24	\$1009	919	1203	1009	919	1203
	30	\$1009	919	1203	1009	919	1203

Ambit™ Height Adjustable Table

Leg Shroud *continued*

Step 8. Shroud Finish Left - Metal Wrapper

Metallic Paint

For all metal (SM)

CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For all metal (SM)

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
G1	graphite	+\$0
OLF	olive	+\$20
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Laminate

For high-pressure laminate panel + metal wrapper (SL)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Wood Veneer

For veneer panel + metal wrapper (SW)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$0
OU	walnut	+\$0
UL	natural maple	+\$0

Ambit™ Shroud

Ambit™ Height Adjustable Table

Leg Shroud *continued*

Ambit™ Shroud

Step 9. Edge Finish Left

For high-pressure laminate panel + metal wrapper (SL)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone (discontinuing)	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 10. Shroud Finish Left

For high-pressure laminate panel + metal wrapper (SL) or veneer panel + metal wrapper (SW)

Metallic Paint

CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Step 11. Shroud Cable Management Bezel Left

For left (L) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

8Q	folkstone grey	+\$0
98	studio white	+\$0
BK	black	+\$0

Step 12. Shroud Finish Right - Metal Wrapper

Metallic Paint

For all metal (SM)

CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For all metal (SM)

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Ambit™ Height Adjustable Table

Leg Shroud *continued*

For high-pressure laminate panel + metal wrapper (SL)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
OG	honey maple	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Wood Veneer

For veneer panel + metal wrapper (SW)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$0
OU	walnut	+\$0
UL	natural maple	+\$0

Step 13. Edge Finish Right

For high-pressure laminate panel + metal wrapper (SL)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone (discontinuing)	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 14. Shroud Finish Right

For high-pressure laminate panel + metal wrapper (SL) or veneer panel + metal wrapper (SW)

Metallic Paint

CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Ambit™ Height Adjustable Table

Leg Shroud *continued*

Ambit™ Shroud

Sand Texture Paint

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Step 15. Shroud Cable Management Bezel Right

For right (R) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

8Q	folkstone grey	+\$0
98	studio white	+\$0
BK	black	+\$0

Step 16. Tool Rail Left

For left (L) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

1	none	+\$0
2	Ubi work tool attached	+\$95

Step 17. Accessory Options Left

For 30" deep (29" surface size) (30) with left (L) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
C	YT716 - document holder	+\$0
F	YT715 - sm. shelf with canyon liner	+\$138
G	YT715 - sm. shelf with pesto liner	+\$138
H	YT715 - sm. shelf with bayou liner	+\$138
I	YT715 - sm. shelf with greystone liner	+\$138
J	YT715 - sm. shelf with charcoal liner	+\$138
E	YT715 - large accessory shelf - no liner	+\$187
K	YT715 - lg. shelf with canyon liner	+\$297
L	YT715 - lg. shelf with pesto liner	+\$297
M	YT715 - lg. shelf with bayou liner	+\$297
N	YT715 - lg. shelf with greystone liner	+\$297
O	YT715 - lg. shelf with charcoal liner	+\$297

For 24" deep (23" surface size) (24) with left (L) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
F	YT715 - sm. shelf with canyon liner	+\$138

Step 18. Accessory Options Left Finish

For YT700 - bag hook (B), YT715 - small accessory shelf - no liner (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (J), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)

91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
MS	metallic silver	+\$0

Step 19. Tool Rail Right

For right (R) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)

1	none	+\$0
2	Ubi work tool attached	+\$95

Step 20. Accessory Options Right

For 30" deep (29" surface size) (30) with right (R) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
C	YT716 - document holder	+\$0
F	YT715 - sm. shelf with canyon liner	+\$138
G	YT715 - sm. shelf with pesto liner	+\$138
H	YT715 - sm. shelf with bayou liner	+\$138
I	YT715 - sm. shelf with greystone liner	+\$138
J	YT715 - sm. shelf with charcoal liner	+\$138
E	YT715 - large accessory shelf - no liner	+\$187
K	YT715 - lg. shelf with canyon liner	+\$297
L	YT715 - lg. shelf with pesto liner	+\$297
M	YT715 - lg. shelf with bayou liner	+\$297
N	YT715 - lg. shelf with greystone liner	+\$297
O	YT715 - lg. shelf with charcoal liner	+\$297

Ambit™ Height Adjustable Table

Leg Shroud *continued*

For 24" deep (23" surface size) (24) with right (R) with Ubi work tool attached (2)

A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
F	YT715 - sm. shelf with canyon liner	+\$138

Step 21. Accessory Options Right Finish

For YT700 - bag hook (B), YT715 - small accessory shelf - no liner (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (J), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)

91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
MS	metallic silver	+\$0

Step 22. Vertical Cable Management

1	none	+\$0
3	shroud attached	+\$156


Step 23. Vertical Cable Management Attachment

For shroud attached (3)

2	worksurface connected	+\$0
3	horizontal cable trough connected	+\$0

Step 24. Vertical Cable Management Finish

BK	black	+\$0
SY	silver grey	+\$0



Product Information


Description
This suspended storage is painted metal and comes in 3 configurations: small, large open, and large closed. Options include a lock, and handed door opening on the large closed unit.

Notes


Suspended units must be mounted on inside of table leg.
Small and large open units are not handed. Lock is always on right side.
Suspended storage is designed to mount to the underside of 30" deep, C-leg, standard range, height-adjustable tables.
See planning guide for additional information and for other height-adjustable table mounting capabilities.

Ambit™ Storage


Dimensions



Large suspended storage



Open suspended storage



Small suspended storage

Ambit™ Suspended Storage


continued

Specification Information	
Step 1.	
IH200.	
Step 2. Storage Type	
C	large suspended storage, lock
K	small suspended storage, lock
L	large suspended storage, no lock
S	small suspended storage, no lock
Step 3. Configuration	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
S	standard
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
L	drawer, door hinged left
P	drawer, open
R	drawer, door hinged right
Step 4. Depth	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
13	13" deep
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
16	16" deep
Step 5. Width	
<i>For small suspended storage, lock (K) or small suspended storage, no lock (S)</i>	
10	10" wide
<i>For large suspended storage, lock (C) or large suspended storage, no lock (L)</i>	
10	10-3/4" wide
Step 6. Top Drawer Accessory	
N	none
Step 7. Bottom Accessory	
N	none

Prices for Steps 1-7.		
		1310NN 1610NN
IH200. C L		— \$1097
P		— \$844
R		— \$1097
K S		\$580 —
L L		— \$1042
P		— \$788
R		— \$1042
S S		\$525 —
Step 8. Finish		
CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
G1	graphite	+\$0
OLF	olive	+\$20
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step 9. Door Pull Finish		
<i>For drawer, door hinged left (L) or drawer, door hinged right (R)</i>		
8Q	folkstone grey	+\$0
98	studio white	+\$0
BK	black	+\$0
UBK	ultra black	+\$0
Step 10. Lock		
<i>For large suspended storage, lock (C) or small suspended storage, lock (K)</i>		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0
<i>For large suspended storage, no lock (L) or small suspended storage, no lock (S)</i>		
NL	no lock	+\$0

Ambit™ Storage

Logic G1000 Grommet Mounted Electrical Distributor Y1425.



Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.


Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.


Refer to Renew Sit-to-Stand Tables planning guide for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.


Dimensions




2 simplex receptacles with 1 powered USB A/C combo (H)




4 simplex receptacles with 1 powered USB A/C combo (I)




5 simplex receptacles with 1 powered USB A/C combo (J)



3 simplex receptacles (E)



5 simplex receptacles (F)



6 simplex receptacles (G)

Logic G1000 Grommet Mounted Electrical Distributor *continued*

Specification Information

Step 1.

Y1425.

Step 2. Configuration

H	2 simplex receptacles, 1 powered USB A/C Combo
I	4 simplex receptacles, 1 powered USB A/C Combo
J	5 simplex receptacles, 1 powered USB A/C Combo
E	3 simplex receptacles
F	5 simplex receptacles
G	6 simplex receptacles

Step 3. Power Type

A	power cord with plug end
C	IEC connector for Renew Tables

Step 4. Cord/Conduit Length

For power cord with plug end (A)

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

For IEC connector for Renew Tables (C)

03	3' cord/conduit
-----------	-----------------


Prices for Steps 1-4.

		03	06	10	20
Y1425. H	A	\$873	873	887	901
	C	\$887	—	—	—
I	A	\$1011	1011	1028	1042
	C	\$1028	—	—	—
J	A	\$1104	1104	1117	1130
	C	\$1117	—	—	—
E	A	\$672	672	685	697
	C	\$685	—	—	—
F	A	\$811	811	826	841
	C	\$826	—	—	—
G	A	\$901	901	914	931
	C	\$914	—	—	—

Step 5. Finish

91	white ☐	+\$0
98	studio white ☐	+\$0
BK	black ☐	+\$0
G1	graphite ☐	+\$0
MS	metallic silver ☐	+\$0

Logic C1000 Universal Clamp Mount Distributor Y1423.




Product Information Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.


Notes

- Clamp mounts on worksurfaces 1"11⁄16" thick.
- Faceplate color matches unit color.
- Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.
- USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.


Dimensions



2 simplex receptacles with 1 powered USB A/C combo (H)




4 simplex receptacles with 1 powered USB A/C combo (I)



5 simplex receptacles with 1 powered USB A/C combo (J)



3 simplex receptacles (E)



5 simplex receptacles (F)

Logic C1000 Universal Clamp Mount Distributor *continued*

Specification Information

Step 1.

Y1423.

Step 2. Configuration

H	2 simplex receptacles, 1 powered USB A/C Combo
I	4 simplex receptacles, 1 powered USB A/C Combo
J	5 simplex receptacles, 1 powered USB A/C Combo
E	3 simplex receptacles
F	5 simplex receptacles

Step 3. Power Type

A	power cord with plug end
----------	--------------------------

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit


Prices for Steps 1-4.

	03	06	10
Y1423. H A	\$614	614	629
I A	\$738	738	750
J A	\$789	789	803
E A	\$412	412	427
F A	\$538	538	550

Step 5. Finish


91	white ☐	+\$0
98	studio white ☐	+\$0
BK	black ☐	+\$0
G1	graphite ☐	+\$0
MS	metallic silver ☐	+\$0

Logic G1200 Grommet Pass Thru Y1420.



Product Information
Description
This Logic Power Access Solutions™ grommet mounted metal enclosure provides access to cords kept beneath the surface. The unit has an integrated cord keeper.
Notes
Unit size is based on the grommet mounted electrical distributor (Y1425.) with simplex receptacles.
Dimensions


Renew™ Power and Data Support




Specification Information
Step 1.
Y1420.
Step 2. Configuration
T three outlet opening
V five outlet opening
X six outlet opening
Prices for Steps 1-2.
Y1420. T \$294
V \$323
X \$351
Step 3. Finish
91 white [A] +\$0
98 studio white [A] +\$0
BK black [A] +\$0
G1 graphite [A] +\$0
MS metallic silver [A] +\$0

Logic HD Cable Manager

Y1424.



Product Information
Description
This Logic Power Access Solutions™ stand-alone cable management tray mounts to the underside of most surfaces. It can be used with a Logic unit for cord storage, or used alone with cords routed through the back side of the unit. Tray drops down and holds cords in place while working and can be easily stowed back in place.
Dimensions




Specification Information
Step 1.
Y1424.
Step 2. Size
1717" wide tray
Prices for Steps 1-2.
Y1424. 17\$323
Step 3. Finish
SNA satin aluminum+\$0
SNB satin bronze+\$0
SNC satin carbon+\$0
91 white A+\$0
98 studio white A+\$0
BK black A+\$0
G1 graphite A+\$0
MS metallic silver A+\$0

Renew™ Power and Data Support

External Cable Manager

DU11B.
DU11S.



Product Information

Description

This cable manager seamlessly routes cables from the central trough of height adjustable benching (Renew™ Link or Nevi™ Link) up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.

Dimensions

Specification Information

Step 1.

DU11

Step 2. Attachment

B. high density trough attachment

S. worksurface attachment

Prices for Steps 1-2.


DU11B. \$273

DU11S. \$273

Step 3. Finish


Price Category 5 +\$0

Renew™ Power and Data Support



Renew™ Obstruction Sensor Kit

DUSG1.
DUSG2.



Product Information

Description

This sensor kit provides an additional system failsafe mechanism for Renew™ tables and Renew Link by detecting possible obstructions and/or unsafe conditions in the travel path of the table. Kit comes with 1 or 2 sensors depending on table width. Renew table and Renew Link bench remain UL Listed with sensor installed.


Notes

Warning: Despite this sensor being in place, there may still be a risk of pinching in exceptional cases, as it is not only the control unit, but also the interaction between the mechanical and electronic systems that is responsible for responding to obstructions. Herman Miller cannot therefore eliminate this residual risk completely or accept any liability.

Be sure to maintain a clear path within the envelope of the height adjustable table.

See Renew Link planning guide for design information.

Dimensions



Renew™ Power and Data Support

Renew™ Obstruction Sensor Kit

continued

Specification Information

Step 1.

DUSG ☐

Step 2. Table Width

- 1. 60 inches and under ☐
- 2. over 60 inches ☐


Prices for Steps 1-2.

DUSG1.
\$141
DUSG2.
\$176

Renew™ Power and Data Support

Height-Adjustable Vertical Cable Manager

DU15B.
DU15S.




Product Information

Description

This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.

Dimensions



Specification Information

Step 1.

DU15

Step 2. Attachment

B. cable tray attachment

S. worksurface attachment

Step 3. Table Mechanism

D electric extended range

E electric standard range

Prices for Steps 1-3.

DU15B.D	\$164
E	\$164
DU15S.D	\$170
E	\$170


Step 4. Finish

MS	metallic silver	+\$0
BK	black	+\$0
91	white	+\$0

Renew™ Power and Data Support

Easy Access Height-Adjustable
Vertical Cable Manager

DU16B.
DU16S.




Product Information
Description
This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.
Dimensions

Specification Information
Step 1.
DU16 A
Step 2. Attachment
B. cable tray attachment A
S. worksurface attachment A
Step 3. Table Mechanism
D electric extended range A
E electric standard range A

Prices for Steps 1-3.	
DU16B.D	\$200
E	\$200
DU16S.D	\$200
E	\$200
Step 4. Mesh Finish	
BK black A	+\$0
SY silver grey A	+\$0
Step 5. Cable Cover Finish	


Metallic Paint	
MS metallic silver A	+\$0
Sand Texture Paint	
91 white A	+\$0
98 studio white A	+\$0
BK black A	+\$0
G1 graphite A	+\$0

Renew™ Power and Data Support



Pari Screen, Height Adjustable Tables

Y1116.



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 10" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

A—1.51

B—1.89

C—1.76

D—2.14

E—2.21

F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

24—0.88

30—1.07

36—1.26

42—1.45

48—1.64

54—1.83

60—2.02

66—2.21

72—2.39

For heights C/D/E/F:

24—1.76

30—2.14

36—2.52

42—2.90

48—3.28

54—3.65

60—4.03

66—4.41

72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Pari Screen, Height Adjustable Tables *continued*

Specification Information					
Step 1.					
Y1116. A					
Step 2. Height					
A	privacy (42" high) A				
B	privacy & modesty (42" high/10" below surface) A				
C	privacy (46" high) A				
D	privacy & modesty (46" high/10" below surface) A				
E	privacy (53" high) A				
F	privacy & modesty (53" high/10" below surface) A				
Step 3. Width					
24	24" wide A				
30	30" wide A				
36	36" wide A				
42	42" wide A				
48	48" wide A				
54	54" wide A				
60	60" wide A				
66	66" wide A				
72	72" wide A				
Step 4. Surface Material					
For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)					
R	tackable fabric, horizontal A				
T	tackable fabric A				
D	tackable fabric, horizontal with MicrobeCare™ A				
E	tackable fabric with MicrobeCare™ A				
For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)					
R	tackable fabric, horizontal A				
D	tackable fabric, horizontal with MicrobeCare™ A				
Prices for Steps 1-4.					
		R	T	D	E
Y1116. A	24	\$539	539	606	606
	30	\$626	626	691	691
	36	\$650	650	716	716
	42	\$689	689	756	756
	48	\$714	714	781	781
	54	\$784	—	850	—
	60	\$842	—	909	—
	66	\$900	—	968	—
	72	\$950	—	1015	—

B	24	\$651	651	717	717
	30	\$698	698	763	763
	36	\$742	742	807	807
	42	\$784	784	850	850
	48	\$870	870	936	936
	54	\$979	—	1045	—
	60	\$1004	—	1070	—
	66	\$1080	—	1147	—
	72	\$1107	—	1174	—
C	24	\$613	613	679	679
	30	\$656	656	722	722
	36	\$702	702	768	768
	42	\$745	745	811	811
	48	\$823	823	888	888
	54	\$905	—	970	—
	60	\$1008	—	1074	—
	66	\$1057	—	1123	—
	72	\$1100	—	1165	—
D	24	\$788	788	853	853
	30	\$830	830	896	896
	36	\$874	874	940	940
	42	\$918	918	984	984
	48	\$987	987	1055	1055
	54	\$1035	—	1101	—
	60	\$1097	—	1163	—
	66	\$1152	—	1218	—
	72	\$1182	—	1247	—
E	24	\$806	806	872	872
	30	\$850	850	916	916
	36	\$894	894	959	959
	42	\$964	964	1031	1031
	48	\$992	992	1059	1059
	54	\$1048	—	1116	—
	60	\$1069	—	1136	—
	66	\$1096	—	1162	—
	72	\$1121	—	1187	—
F	24	\$888	888	954	954
	30	\$931	931	998	998
	36	\$976	976	1042	1042
	42	\$1020	1020	1086	1086
	48	\$1098	1098	1164	1164
	54	\$1136	—	1201	—
	60	\$1178	—	1244	—
	66	\$1274	—	1339	—
	72	\$1299	—	1365	—

Pari Screen, Height Adjustable Tables *continued*

Step 5. Cable Trough

For privacy & modesty (42" high/10" below surface) (B), privacy & modesty (46" high/10" below surface) (D), or privacy & modesty (53" high/10" below surface) (F)


NC	no cable way ☐	+\$0
CW	cable way ☐	+\$25

Step 6. Fabric

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$49
Price Category 4	+\$96
Price Category 5	+\$162
Price Category B	+\$86
Price Category C	+\$121
Price Category E	+\$182

Personal Side Screen

Y1117.



Product Information


Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Notes

Screen height is 13" above work surface.
Screen is not compatible with Layout Studio®.
Screen can be used with work surfaces up to 1 1/4" thick.
Bottom of attachment bracket extends 1 1/2" below work surface.
Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.
For vertical fabric direction (T):
Height—Yardage
13—0.94
For horizontal fabric direction (R):
Height—Yardage
13—1.00
For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

Y1117. A

Step 2. Height

13 13" high A

Step 3. Surface Material

R tackable fabric, horizontal A

T tackable fabric A

Prices for Steps 1-3.


	R	T
Y1117. 13	\$483	483

Step 4. Fabric

Price Category 1	+\$0
Price Category 2	+\$13
Price Category 3	+\$28
Price Category 4	+\$53
Price Category 5	+\$90

Surface-Attached Screen, Flat Edge

Y1118.



Product Information

Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (A) top edge is 13" above top of work surface; bottom edge is 3³/₄" below work surface.

Privacy & modesty screen (B) top edge is 13" above top of work surface; bottom edge is 10" below work surface.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2¹/₂" of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

A—1.51

B—1.89

C—1.76

D—2.14

E—2.21

F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

24—0.88

30—1.07

36—1.26

42—1.45

48—1.64

54—1.83

60—2.02

66—2.21

72—2.39

For heights C/D/E/F:

24—1.76

30—2.14

36—2.52

42—2.90

48—3.28

54—3.65

60—4.03

66—4.41

72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Surface-Attached Screen, Flat Edge *continued*

Specification Information					
Step 1.					
Y1118. A					
Step 2. Height					
A	privacy (42" high) A				
B	privacy & modesty (42" high/ 9" below surface) A				
C	privacy (46" high) A				
D	privacy & modesty (46" high/ 9" below surface) A				
E	privacy (53" high) A				
F	privacy & modesty (53" high/ 9" below surface) A				
Step 3. Width					
24	24" wide A				
30	30" wide A				
36	36" wide A				
42	42" wide A				
48	48" wide A				
54	54" wide A				
60	60" wide A				
66	66" wide A				
72	72" wide A				
Step 4. Surface Material					
For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)					
R	tackable fabric, horizontal A				
T	tackable fabric A				
D	tackable fabric, horizontal with MicrobeCare™ A				
E	tackable fabric with MicrobeCare™ A				
For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)					
R	tackable fabric, horizontal A				
D	tackable fabric, horizontal with MicrobeCare™ A				
Prices for Steps 1-4.					
		R	T	D	E
Y1118. A	24	\$375	375	441	441
	30	\$405	405	471	471
	36	\$483	483	550	550
	42	\$520	520	586	586
	48	\$557	557	622	622
	54	\$592	—	657	—
	60	\$642	—	708	—
	66	\$672	—	738	—
	72	\$716	—	782	—

B	24	\$467	467	532	532
	30	\$503	503	570	570
	36	\$539	539	606	606
	42	\$577	577	643	643
	48	\$607	607	674	674
	54	\$640	—	705	—
	60	\$662	—	728	—
	66	\$722	—	789	—
	72	\$776	—	842	—
C	24	\$468	468	534	534
	30	\$516	516	582	582
	36	\$555	555	621	621
	42	\$611	611	677	677
	48	\$685	685	750	750
	54	\$721	—	788	—
	60	\$806	—	872	—
	66	\$848	—	913	—
	72	\$909	—	975	—
D	24	\$588	588	655	655
	30	\$656	656	722	722
	36	\$732	732	797	797
	42	\$748	748	815	815
	48	\$779	779	846	846
	54	\$801	—	866	—
	60	\$887	—	953	—
	66	\$959	—	1026	—
	72	\$999	—	1065	—
E	24	\$638	638	703	703
	30	\$647	647	713	713
	36	\$665	665	731	731
	42	\$781	781	848	848
	48	\$808	808	875	875
	54	\$829	—	895	—
	60	\$866	—	932	—
	66	\$944	—	1011	—
	72	\$1005	—	1071	—
F	24	\$772	772	838	838
	30	\$781	781	848	848
	36	\$795	795	861	861
	42	\$808	808	875	875
	48	\$819	819	886	886
	54	\$830	—	896	—
	60	\$918	—	984	—
	66	\$965	—	1032	—
	72	\$1166	—	1232	—

Surface-Attached Screen, Flat Edge *continued*

Step 5. Cable Trough

For privacy & modesty (42" high/ 9" below surface) (B), privacy & modesty (46" high/ 9" below surface) (D), or privacy & modesty (53" high/ 9" below surface) (F)

NC	no cable way ☐	+\$0
CW	cable way ☐	+\$25

Step 6. Fabric


Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$59
Price Category 4	+\$112
Price Category 5	+\$146
Price Category B	+\$97
Price Category C	+\$133
Price Category E	+\$182

For tackable fabric, horizontal (R) or tackable fabric, horizontal with MicrobeCare™ (D)

Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$59
Price Category 4	+\$112
Price Category 5	+\$146
Price Category B	+\$97
Price Category C	+\$133
Price Category E	+\$182

Personal Side Screen,
Rectangular

Y1119.



Product Information


Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Notes

Screen height is 13" above work surface.
Screen is not compatible with Layout Studio®.
Screen can be used with work surfaces up to 1 1/4" thick.
Bottom of attachment bracket extends 1 1/2" below work surface.
Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.
For vertical fabric direction (T):
Height—Yardage
13—0.94
For horizontal fabric direction (R):
Height—Yardage
13—1.00
For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

Y1119. A

Step 2. Height

13 13" high A

Step 3. Surface Material

R tackable fabric, horizontal A

T tackable fabric A

Prices for Steps 1-3.


	R	T
Y1119. 13	\$474	474

Step 4. Surface Finish

Price Category 1	+\$0
Price Category 2	+\$11
Price Category 3	+\$23
Price Category 4	+\$47
Price Category 5	+\$80

Laminate Screen, Surface Attached

Y1120.



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has a laminate surface with frameless design and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (13A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (13B) top edge aligns with the 42"-high Canvas datum line; bottom edge is 11 1/8" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.


Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (13B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.

Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.

Y1120.

Step 2. Height

13A privacy (13 1/2" above worksurface)

13B privacy & modesty (13 1/2" above worksurface/11 1/8" below worksurface)

Step 3. Width

24 24" wide

30 30" wide

36 36" wide

42 42" wide

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 4. Surface Material

L thermally-fused laminate

U thermally-fused laminate/universal edge

Prices for Steps 1-4.

	L	U
Y1120. 13A 24	\$256	256
30	\$272	272
36	\$286	286
42	\$300	300
48	\$314	314
54	\$327	327
60	\$337	337
66	\$348	348
72	\$362	362
13B 24	\$316	316
30	\$333	333
36	\$350	350
42	\$368	368
48	\$386	386
54	\$400	400
60	\$417	417
66	\$429	429
72	\$443	443

Laminate Screen, Surface Attached *continued*

Step 5. Grain Direction

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)

VTG	vertical grain	+\$0
HRG	horizontal grain	+\$0

For 66" wide (66) or 72" wide (72)

HRG	horizontal grain	+\$0
------------	------------------	------

Step 6. Cable Trough

For privacy (13½" above worksurface) (13A)

NC	no cable way	+\$0
-----------	--------------	------

For privacy & modesty (13½" above worksurface/11⅛" below worksurface) (13B)

NC	no cable way	+\$0
CW	cable way	+\$25

Step 7. Surface Finish

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 8. Edge Finish

For thermally-fused laminate (L)


76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For thermally-fused laminate/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Modesty Panel

Y1113.



Product Information

Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.


Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width 1/4" less than specified value.

Modesty panel is field installed.

Brackets are located to work with Connect™ 2-circuit power system.

Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

Dimensions



Specification Information

Step 1.

Y1113.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 3. Cable Trough

N	without added cable trough
Y	with added cable trough

Step 4. Surface Material

L	thermally-fused laminate top/thermoplastic edge
W	veneer top/veneer edge

Prices for Steps 1-4.

	L	W
Y1113. 24 N	\$267	472
Y	\$474	699
30 N	\$291	529
Y	\$537	800
36 N	\$317	587
Y	\$583	880
42 N	\$343	645
Y	\$641	972
48 N	\$368	705
Y	\$700	1068
54 N	\$396	764
Y	\$761	1160
60 N	\$421	820
Y	\$820	1252
66 N	\$421	877
Y	\$879	1345
72 N	\$455	935
Y	\$936	1437

Step 5. Finish

For thermally-fused laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For veneer top/veneer edge (W)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
UL	natural maple	+\$0


Step 6. Edge Finish

For thermally-fused laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Fabric Modesty Panel

Y1114.



Product Information

Description


This modesty panel attaches to a table, desk, peninsula, or work surface. It has a fabric surface with aluminum top rail and attachment brackets. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.

For use with flip top table (DT5Ax.), modesty panel (Y1114.) is recommended to enable optimal folding functionality of the table.

Dimensions



Specification Information

Step 1.

Y1114. A

Step 2. Width

24	24" wide	A
30	30" wide	A
36	36" wide	A
42	42" wide	A
48	48" wide	A
54	54" wide	A
60	60" wide	A
66	66" wide	A
72	72" wide	A


Prices for Steps 1-2.

Y1114. 24	\$243
30	\$266
36	\$288
42	\$304
48	\$324
54	\$364
60	\$383
66	\$404
72	\$420

Step 3. Fabric

Price Category 4

+\$28



Product Information

Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface. See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage



24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information
Step 1.
FT354. ☐
Step 2. Attachment Type
CL Canvas Surface Attached, End of Run Left Handed ☐
CR Canvas Surface Attached, End of Run Right Handed ☐
Step 3. Height
42 42" high ☐
46 46" high ☐
Step 4. Width
24 24" wide ☐
30 30" wide ☐
36 36" wide ☐
Step 5. Surface Material
R tackable fabric, horizontal ☐
T tackable fabric ☐
Prices for Steps 1-5.


	24R	24T	30R	30T	36R	36T
FT354. CL 42	\$1105	1105	1143	1143	1176	1176
46	\$1163	1163	1208	1208	1256	1256
CR 42	\$1105	1105	1143	1143	1176	1176
46	\$1163	1163	1208	1208	1256	1256

Step 6. Bracket Finish

8Q	folkstone grey ☐	+\$0
91	white ☐	+\$0
98	studio white ☐	+\$0
BK	black ☐	+\$0
G1	graphite ☐	+\$0
SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10
WL	sandstone ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 7. Fabric

Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 4	+\$84
Price Category 5	+\$102
Price Category B	+\$378
Price Category C	+\$128
Price Category E	+\$203



Product Information

Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13¹/₂" or 17¹/₂" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface. See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage


24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Flat Edge Screen, Delineation

continued

Specification Information

Step 1.

FT358.

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed

CR Canvas Surface Attached, End of Run Right Handed

Step 3. Height

42 42" high

46 46" high

Step 4. Width

24 24" wide

30 30" wide

36 36" wide

Step 5. Surface Material

R tackable fabric, horizontal

T tackable fabric

Prices for Steps 1-5.

	24R	24T	30R	30T	36R	36T
FT358. CL 42	\$685	685	724	724	738	738
46	\$745	745	789	789	816	816
CR 42	\$685	685	724	724	738	738
46	\$745	745	789	789	816	816


Step 6. Bracket Finish

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 7. Fabric

Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 4	+\$84
Price Category 5	+\$140
Price Category B	+\$68
Price Category C	+\$122
Price Category E	+\$203

Ambit™ Height Adjustable Table Y1150.
Screen, Thin Profile Fabric



Product Information

Description

This environmentally friendly, surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless, all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

For side-attached (S) privacy screens (A), (C), and (E), top edge is 13" above top of work surface; bottom edge is 3 3/4" below work surface.

For side-attached (S) privacy & modesty screens (B), (D), and (F), top edge is 13" above top of work surface; bottom edge is 10" below work surface.

For both top mount (T) and side mount (S) screens (A) and (B), top edge aligns with the 42" high Canvas datum line.


For both top mount (T) and side mount (S) screens (C) and (D), top edge aligns with the 46" high Canvas datum line.

For both top mount (T) and side mount (S) screens (E) and (F), top edge aligns with the 53" high Canvas datum line.

Side-attached (S) screens contain a center bracket.

Side-attached (S) bracket finish is painted graphite; for top mount (T) screens bracket color is specified.

Dimensions



Specification Information

Step 1.

Y1150.

Step 2. Table Type

- MT Motia
- NL Nevi Link
- NT Nevi
- RL Renew Link
- RT Renew

Step 3. Application

For Motia (MT), Nevi (NT), or Renew (RT)

- L left hand return
- R right hand return
- S back screen only
- U right and left return screen, U screen

For Nevi Link (NL) or Renew Link (RL)

- L left hand return
- R right hand return
- U right and left return screen, U screen

Step 4. Attachment Method

For Motia (MT), Nevi (NT), or Renew (RT) with back screen only (S)

- S attached on outside of work surface (for use with freestanding table)

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

- S attached on outside of work surface (for use with freestanding table)
- T mounted on top of work surface (for benching applications)

For Nevi Link (NL) or Renew Link (RL) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

- T mounted on top of work surface (for benching applications)

Ambit™ Height Adjustable Table Screen, Thin Profile Fabric *continued*

Step 5. Height

For attached on outside of work surface (for use with freestanding table) (S)

A	privacy (42" high)
B	privacy & modesty (42" high/10" below surface)
C	privacy (46" high)
D	privacy & modesty (46" high/10" below surface)
E	privacy (53" high)
F	privacy & modesty (53" high/10" below surface)

For mounted on top of work surface (for benching applications) (T)

A	privacy (42" high)
C	privacy (46" high)
E	privacy (53" high)

Step 6. Width

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy & modesty (42" high/10" below surface) (B) or privacy & modesty (46" high/10" below surface) (D)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Renew (RT) with back screen only (S) with privacy (42" high) (A), privacy & modesty (42" high/10" below surface) (B), privacy (46" high) (C), privacy & modesty (46" high/10" below surface) (D), privacy (53" high) (E), or privacy & modesty (53" high/10" below surface) (F)

36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Motia (MT) or Nevi (NT) with back screen only (S) with privacy (42" high) (A), privacy & modesty (42" high/10" below surface) (B), privacy (46" high) (C), privacy & modesty (46" high/10" below surface) (D), privacy (53" high) (E), or privacy & modesty (53" high/10" below surface) (F)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy & modesty (53" high/10" below surface) (F)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Motia (MT), Nevi Link (NL), Nevi (NT), Renew Link (RL), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy (42" high) (A) or privacy (46" high) (C)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Motia (MT), Nevi Link (NL), Nevi (NT), Renew Link (RL), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy (53" high) (E)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 7. Table Depth

For left hand return (L), right hand return (R), or right and left return screen, U screen (U)

24	24" deep
30	30" deep

Ambit™ Height Adjustable Table Screen, Thin Profile Fabric *continued*

For back screen only (S)

00 no depth selection needed

Step 8. Surface Material

R tackable fabric, horizontal

Prices for Steps 1-8.

	SA3600R	SA4200R	SA4800R	SA4824R	SA4830R	SA5400R
Y1150. MT L	—	—	—	\$773	785	—
R	—	—	—	\$773	773	—
S	—	—	\$546	—	—	580
U	—	—	—	\$1034	1034	—
NT L	—	—	—	\$773	773	—
R	—	—	—	\$773	773	—
S	—	—	\$546	—	—	580
U	—	—	—	\$1034	1034	—
RT L	—	—	—	\$773	773	—
R	—	—	—	\$773	773	—
S	\$474	510	546	—	—	580
U	—	—	—	\$1034	1034	—

	SA5424R	SA5430R	SA6000R	SA6024R	SA6030R	SA6600R
Y1150. MT L	\$831	851	—	867	900	—
R	\$831	851	—	867	900	—
S	—	—	\$630	—	—	660
U	\$1112	1140	—	1158	1201	—
NT L	\$831	851	—	867	900	—
R	\$831	851	—	867	900	—
S	—	—	\$630	—	—	660
U	\$1112	1140	—	1158	1201	—
RT L	\$831	851	—	867	900	—
R	\$831	851	—	867	900	—
S	—	—	\$630	—	—	660
U	\$1112	1140	—	1158	1201	—

	SA6624R	SA6630R	SA7200R	SA7224R	SA7230R	SB3600R
Y1150. MT L	\$897	941	—	936	992	—
R	\$897	941	—	936	992	—
S	—	—	\$702	—	—	—
U	\$1199	1258	—	1252	1328	—
NT L	\$897	941	—	936	992	—
R	\$897	941	—	936	992	—
S	—	—	\$702	—	—	—
U	\$1199	1258	—	1252	1328	—

RT L	\$897	941	—	936	992	—
R	\$897	941	—	936	992	—
S	—	—	\$702	—	—	529
U	\$1199	1258	—	1252	1328	—

	SB4200R	SB4800R	SB4824R	SB4830R	SB5400R	SB5424R
Y1150. MT L	—	—	\$797	834	—	855
R	—	—	\$797	797	—	855
S	—	\$596	—	—	628	—
U	—	—	\$1066	1066	—	1144
NT L	—	—	\$797	797	—	855
R	—	—	\$797	797	—	855
S	—	\$596	—	—	628	—
U	—	—	\$1066	1066	—	1144
RT L	—	—	\$797	797	—	855
R	—	—	\$797	797	—	855
S	\$566	596	—	—	628	—
U	—	—	\$1066	1066	—	1144

	SB5430R	SB6000R	SB6024R	SB6030R	SB6600R	SB6624R
Y1150. MT L	\$876	—	890	923	—	921
R	\$876	—	890	923	—	921
S	—	\$649	—	—	708	—
U	\$1172	—	1190	1233	—	1231
NT L	\$876	—	890	923	—	921
R	\$876	—	890	923	—	921
S	—	\$649	—	—	708	—
U	\$1172	—	1190	1233	—	1231
RT L	\$876	—	890	923	—	921
R	\$876	—	890	923	—	921
S	—	\$649	—	—	708	—
U	\$1172	—	1190	1233	—	1231

	SB6630R	SB7200R	SB7224R	SB7230R	SC3600R	SC4200R
Y1150. MT L	\$965	—	960	1017	—	—
R	\$965	—	960	1017	—	—
S	—	\$762	—	—	—	—
U	\$1289	—	1283	1360	—	—
NT L	\$965	—	960	1017	—	—
R	\$965	—	960	1017	—	—
S	—	\$762	—	—	—	—
U	\$1289	—	1283	1360	—	—
RT L	\$965	—	960	1017	—	—
R	\$965	—	960	1017	—	—
S	—	\$762	—	—	544	599
U	\$1289	—	1283	1360	—	—

Ambit™ Height Adjustable Table Screen, Thin Profile Fabric *continued*

	SC4800R	SC4824R	SC4830R	SC5400R	SC5424R	SC5430R
Y1150. MT L	—	\$889	889	—	948	969
R	—	\$889	889	—	948	969
S	\$672	—	—	707	—	—
U	—	\$1190	1190	—	1267	1295
NT L	—	\$889	889	—	948	969
R	—	\$889	889	—	948	969
S	\$672	—	—	707	—	—
U	—	\$1190	1190	—	1267	1295
RT L	—	\$889	889	—	948	969
R	—	\$889	889	—	948	969
S	\$672	—	—	707	—	—
U	—	\$1190	1190	—	1267	1295

	SC6000R	SC6024R	SC6030R	SC6600R	SC6624R	SC6630R
Y1150. MT L	—	\$983	1016	—	1013	1057
R	—	\$983	1016	—	1013	1057
S	\$791	—	—	832	—	—
U	—	\$1314	1357	—	1355	1414
NT L	—	\$983	1016	—	1013	1057
R	—	\$983	1016	—	1013	1057
S	\$791	—	—	832	—	—
U	—	\$1314	1357	—	1355	1414
RT L	—	\$983	1016	—	1013	1057
R	—	\$983	1016	—	1013	1057
S	\$791	—	—	832	—	—
U	—	\$1314	1357	—	1355	1414

	SC7200R	SC7224R	SC7230R	SD3600R	SD4200R	SD4800R
Y1150. MT L	—	\$1052	1110	—	—	—
R	—	\$1052	1110	—	—	—
S	\$891	—	—	—	—	764
U	—	\$1407	1484	—	—	—
NT L	—	\$1052	1110	—	—	—
R	—	\$1052	1110	—	—	—
S	\$891	—	—	—	—	764
U	—	\$1407	1484	—	—	—
RT L	—	\$1052	1110	—	—	—
R	—	\$1052	1110	—	—	—
S	\$891	—	—	718	734	764
U	—	\$1407	1484	—	—	—

	SD4824R	SD4830R	SD5400R	SD5424R	SD5430R	SD6000R
Y1150. MT L	\$904	904	—	963	983	—
R	\$904	904	—	963	983	—
S	—	—	\$785	—	—	870
U	\$1211	1211	—	1288	1316	—

NT L	\$904	904	—	963	983	—
R	\$904	904	—	963	983	—
S	—	—	\$785	—	—	870
U	\$1211	1211	—	1288	1316	—
RT L	\$904	904	—	963	983	—
R	\$904	904	—	963	983	—
S	—	—	\$785	—	—	870
U	\$1211	1211	—	1288	1316	—

	SD6024R	SD6030R	SD6600R	SD6624R	SD6630R	SD7200R
Y1150. MT L	\$998	1030	—	1028	1072	—
R	\$998	1030	—	1028	1072	—
S	—	—	\$941	—	—	980
U	\$1334	1378	—	1376	1434	—
NT L	\$998	1030	—	1028	1072	—
R	\$998	1030	—	1028	1072	—
S	—	—	\$941	—	—	980
U	\$1334	1378	—	1376	1434	—
RT L	\$998	1030	—	1028	1072	—
R	\$998	1030	—	1028	1072	—
S	—	—	\$941	—	—	980
U	\$1334	1378	—	1376	1434	—

	SD7224R	SD7230R	SE3600R	SE4200R	SE4800R	SE4824R
Y1150. MT L	\$1067	1124	—	—	—	966
R	\$1067	1124	—	—	—	966
S	—	—	—	—	\$793	—
U	\$1428	1504	—	—	—	1293
NT L	\$1067	1124	—	—	—	966
R	\$1067	1124	—	—	—	966
S	—	—	—	—	\$793	—
U	\$1428	1504	—	—	—	1293
RT L	\$1067	1124	—	—	—	966
R	\$1067	1124	—	—	—	966
S	—	—	\$652	766	793	—
U	\$1428	1504	—	—	—	1293

	SE4830R	SE5400R	SE5424R	SE5430R	SE6000R	SE6024R
Y1150. MT L	\$966	—	1024	1045	—	1059
R	\$966	—	1024	1045	—	1059
S	—	\$813	—	—	849	—
U	\$1293	—	1370	1398	—	1417
NT L	\$966	—	1024	1045	—	1059
R	\$966	—	1024	1045	—	1059
S	—	\$813	—	—	849	—
U	\$1293	—	1370	1398	—	1417

Renew™ Screens

Ambit™ Height Adjustable Table Screen, Thin Profile Fabric *continued*

Renew™ Screens

	RT	L	\$966	—	1024	1045	—	1059
	R		\$966	—	1024	1045	—	1059
	S		—	\$813	—	—	849	—
	U		\$1293	—	1370	1398	—	1417
Y1150. MT	L		SE6030R	SE6600R	SE6624R	SE6630R	SE7200R	SE7224R
	R		\$1092	—	1090	1133	—	1129
	S		\$1092	—	1090	1133	—	1129
	U		—	\$926	—	—	986	—
NT	L		\$1461	—	1458	1517	—	1510
	R		\$1092	—	1090	1133	—	1129
	S		\$1092	—	1090	1133	—	1129
	U		—	\$926	—	—	986	—
RT	L		\$1461	—	1458	1517	—	1510
	R		\$1092	—	1090	1133	—	1129
	S		\$1092	—	1090	1133	—	1129
	U		—	\$926	—	—	986	—
Y1150. MT	L		SE7230R	SF3600R	SF4200R	SF4800R	SF4824R	SF4830R
	R		\$1186	—	—	—	1044	1044
	S		\$1186	—	—	—	1044	1044
	U		—	—	—	\$804	—	—
NT	L		\$1587	—	—	—	1396	1396
	R		\$1186	—	—	—	1044	1044
	S		\$1186	—	—	—	1044	1044
	U		—	—	—	\$804	—	—
RT	L		\$1587	—	—	—	1396	1396
	R		\$1186	—	—	—	1044	1044
	S		\$1186	—	—	—	1044	1044
	U		—	\$780	785	804	—	—
Y1150. MT	L		SF5400R	SF5424R	SF5430R	SF6000R	SF6024R	SF6030R
	R		—	\$1103	1123	—	1138	1171
	S		—	\$1103	1123	—	1138	1171
	U		\$814	—	—	901	—	—
NT	L		—	\$1474	1502	—	1520	1564
	R		—	\$1103	1123	—	1138	1171
	S		—	\$1103	1123	—	1138	1171
	U		\$814	—	—	901	—	—
RT	L		—	\$1474	1502	—	1520	1564
	R		—	\$1103	1123	—	1138	1171
	S		—	\$1103	1123	—	1138	1171
	U		\$814	—	—	901	—	—

		SF6600R	SF6624R	SF6630R	SF7200R	SF7224R	SF7230R
Y1150. MT	L	—	\$1167	1212	—	1207	1264
	R	—	\$1167	1212	—	1207	1264
	S	\$947	—	—	1144	—	—
	U	—	\$1562	1620	—	1613	1691
NT	L	—	\$1167	1212	—	1207	1264
	R	—	\$1167	1212	—	1207	1264
	S	\$947	—	—	1144	—	—
	U	—	\$1562	1620	—	1613	1691
RT	L	—	\$1167	1212	—	1207	1264
	R	—	\$1167	1212	—	1207	1264
	S	\$947	—	—	1144	—	—
	U	—	\$1562	1620	—	1613	1691
		TA4824R	TA4830R	TA5424R	TA5430R	TA6024R	TA6030R
Y1150. MT	L	\$773	773	831	851	867	900
	R	\$773	773	831	851	867	900
	U	\$1034	1034	1112	1140	1158	1201
	NL	\$773	773	831	851	867	900
NT	L	\$773	773	831	851	867	900
	R	\$773	773	831	851	867	900
	U	\$1034	1034	1112	1140	1158	1201
	RL	\$773	773	831	851	867	900
RT	L	\$773	773	831	851	867	900
	R	\$773	773	831	851	867	900
	U	\$1034	1034	1112	1140	1158	1201
	RL	\$773	773	831	851	867	900
		TA6624R	TA6630R	TA7224R	TA7230R	TC4824R	TC4830R
Y1150. MT	L	\$897	941	936	992	889	889
	R	\$897	941	936	992	889	889
	U	\$1199	1258	1252	1328	1190	1190
	NL	\$897	941	936	992	889	889
NT	L	\$897	941	936	992	889	889
	R	\$897	941	936	992	889	889
	U	\$1199	1258	1252	1328	1190	1190
	RL	\$897	941	936	992	889	889
RT	L	\$897	941	936	992	889	889
	R	\$897	941	936	992	889	889
	U	\$1199	1258	1252	1328	1190	1190
	RL	\$897	941	936	992	889	889

Ambit™ Height Adjustable Table Screen, Thin Profile Fabric *continued*

		TC5424R	TC5430R	TC6024R	TC6030R	TC6624R	TC6630R
Y1150. MT	L	\$948	969	983	1016	1013	1057
	R	\$948	969	983	1016	1013	1057
	U	\$1267	1295	1314	1357	1355	1414
	NL L	\$948	969	983	1016	1013	1057
	R	\$948	969	983	1016	1013	1057
	U	\$1267	1295	1314	1357	1355	1414
	NT L	\$948	969	983	1016	1013	1057
	R	\$948	969	983	1016	1013	1057
	U	\$1267	1295	1314	1357	1355	1414
	RL L	\$948	969	983	1016	1013	1057
	R	\$948	969	983	1016	1013	1057
	U	\$1267	1295	1314	1357	1355	1414
	RT L	\$948	969	983	1016	1013	1057
	R	\$948	969	983	1016	1013	1057
	U	\$1267	1295	1314	1357	1355	1414
		TC7224R	TC7230R	TE4824R	TE4830R	TE5424R	TE5430R
Y1150. MT	L	\$1052	1110	966	966	1024	1045
	R	\$1052	1110	966	966	1024	1045
	U	\$1407	1484	1293	1293	1370	1398
	NL L	\$1052	1110	966	966	1024	1045
	R	\$1052	1110	966	966	1024	1045
	U	\$1407	1484	1293	1293	1370	1398
	NT L	\$1052	1110	966	966	1024	1045
	R	\$1052	1110	966	966	1024	1045
	U	\$1407	1484	1293	1293	1370	1398
	RL L	\$1052	1110	966	966	1024	1045
	R	\$1052	1110	966	966	1024	1045
	U	\$1407	1484	1293	1293	1370	1398
	RT L	\$1052	1110	966	966	1024	1045
	R	\$1052	1110	966	966	1024	1045
	U	\$1407	1484	1293	1293	1370	1398
		TE6024R	TE6030R	TE6624R	TE6630R	TE7224R	TE7230R
Y1150. MT	L	\$1059	1092	1090	1133	1129	1186
	R	\$1059	1092	1090	1133	1129	1186
	U	\$1417	1461	1458	1517	1510	1587
	NL L	\$1059	1092	1090	1133	1129	1186
	R	\$1059	1092	1090	1133	1129	1186
	U	\$1417	1461	1458	1517	1510	1587
	NT L	\$1059	1092	1090	1133	1129	1186
	R	\$1059	1092	1090	1133	1129	1186
	U	\$1417	1461	1458	1517	1510	1587
	RL L	\$1059	1092	1090	1133	1129	1186
	R	\$1059	1092	1090	1133	1129	1186
	U	\$1417	1461	1458	1517	1510	1587

RT L	\$1059	1092	1090	1133	1129	1186
R	\$1059	1092	1090	1133	1129	1186
U	\$1417	1461	1458	1517	1510	1587

Step 9. Fabric

Price Category 1	+\$0
Price Category 2	+\$31
Price Category 3	+\$71
Price Category 4	+\$134
Price Category 5	+\$220
Price Category B	+\$120
Price Category C	+\$160
Price Category E	+\$220

Step 10. Corner Cover Options

For mounted on top of work surface (for benching applications) (T)

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
DB3	glacier	+\$10
DN2	nightfall	+\$10
DR1	canyon	+\$10
G1	graphite	+\$0
OLF	olive	+\$10
WN	warm grey	+\$0

Step 11. Bracket Color Options

For mounted on top of work surface (for benching applications) (T)

MS	metallic silver	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$10
DB3	glacier	+\$10
DN2	nightfall	+\$10
DR1	canyon	+\$10
OLF	olive	+\$10
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Ambit™ Height Adjustable Table

Screen, Thin Profile Fabric *continued*

Step 12. Screen Accessories

NN	none	+\$0
NH	name tag holder (YT410)	+\$43
MB	24" painted metal markerboard (Y1124.DP)	+\$170
ML	30" painted metal markerboard (Y1124.DP)	+\$182
DM	24" writeable markerboard (Y1124.DM)	+\$238
DL	30" writeable markerboard (Y1124.DM)	+\$265

Step 13. Screen Accessory Finish

For name tag holder (YT410) (NH)

MS	metallic silver	+\$0
-----------	-----------------	------


For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)

CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satın aluminum	+\$10
SNB	satın bronze	+\$10
SNC	satın carbon	+\$10

For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


Ambit™ Height Adjustable Table Y1155.
Screen, PET



Product Information

Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless PET design with a flat edge and comes in privacy and modesty sizes. Attachment hardware included.



Specification Information	
Step 1.	
Y1155.	
Step 2. Table Type	
MT	Motia
NL	Nevi Link
NT	Nevi
RL	Renew Link
RT	Renew
Step 3. Application	
For Motia (MT), Nevi (NT), or Renew (RT)	
L	left hand return
R	right hand return
U	right and left return screen, U screen
For Nevi Link (NL) or Renew Link (RL)	
L	left hand return
R	right hand return
U	right and left return screen, U screen
Step 4. Attachment Method	
For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)	
S	attached on outside of work surface (for use with freestanding table)
T	mounted on top of work surface (for benching applications)
For Nevi Link (NL) or Renew Link (RL) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)	
T	mounted on top of work surface (for benching applications)
Step 5. Height	
For attached on outside of work surface (for use with freestanding table) (S)	
A	privacy (42" high)
B	privacy & modesty (42" high/10" below surface)
C	privacy (46" high)
D	privacy & modesty (46" high/10" below surface)
For mounted on top of work surface (for benching applications) (T)	
A	privacy (42" high)
C	privacy (46" high)

Ambit™ Height Adjustable Table

Screen, PET *continued*

Step 6. Width

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 7. Table Depth

24	24" deep
30	30" deep

Prices for Steps 1-7.

Renew™ Screens

		SA4824	SA4830	SA5424	SA5430	SA6024	SA6030
Y1155. MT	L	\$876	876	897	897	927	927
	R	\$876	876	897	897	927	927
	U	\$979	979	1051	1051	1082	1082
	NT L	\$876	876	897	897	927	927
	R	\$876	876	897	897	927	927
	U	\$979	979	1051	1051	1082	1082
	RT L	\$876	876	897	897	927	927
	R	\$876	876	897	897	927	927
	U	\$979	979	1051	1051	1082	1082

		SA6624	SA6630	SA7224	SA7230	SB4824	SB4830
Y1155. MT	L	\$948	948	969	969	907	907
	R	\$948	948	969	969	907	907
	U	\$1185	1185	1494	1494	1185	1185
	NT L	\$948	948	969	969	907	907
	R	\$948	948	969	969	907	907
	U	\$1185	1185	1494	1494	1185	1185
	RT L	\$948	948	969	969	907	907
	R	\$948	948	969	969	907	907
	U	\$1185	1185	1494	1494	1185	1185

		SB5424	SB5430	SB6024	SB6030	SB6624	SB6630
Y1155. MT	L	\$938	938	958	958	989	989
	R	\$938	938	958	958	989	989
	U	\$1236	1236	1288	1288	1494	1494
	NT L	\$938	938	958	958	989	989
	R	\$938	938	958	958	989	989
	U	\$1236	1236	1288	1288	1494	1494
	RT L	\$938	938	958	958	989	989
	R	\$938	938	958	958	989	989
	U	\$1236	1236	1288	1288	1494	1494

SB7224 SB7230 SC4824 SC4830 SC5424 SC5430

Y1155. MT	L	\$1010	1010	927	927	948	948
	R	\$1010	1010	927	927	948	948
	U	\$1568	1568	1236	1236	1288	1288
	NT L	\$1010	1010	927	927	948	948
	R	\$1010	1010	927	927	948	948
	U	\$1568	1568	1236	1236	1288	1288
	RT L	\$1010	1010	927	927	948	948
	R	\$1010	1010	927	927	948	948
	U	\$1568	1568	1236	1236	1288	1288

SC6024 SC6030 SC6624 SC6630 SC7224 SC7230

Y1155. MT	L	\$969	969	989	989	1010	1010
	R	\$969	969	989	989	1010	1010
	U	\$1339	1339	1442	1442	1545	1545
	NT L	\$969	969	989	989	1010	1010
	R	\$969	969	989	989	1010	1010
	U	\$1339	1339	1442	1442	1545	1545
	RT L	\$969	969	969	969	1010	1010
	R	\$969	969	969	969	1010	1010
	U	\$1339	1339	1442	1442	1545	1545

SD4824 SD4830 SD5424 SD5430 SD6024 SD6030

Y1155. MT	L	\$1334	1334	1345	1345	1391	1391
	R	\$1334	1334	1345	1345	1391	1391
	U	\$1442	1442	1545	1545	1648	1648
	NT L	\$1334	1334	1345	1345	1391	1391
	R	\$1334	1334	1345	1345	1391	1391
	U	\$1442	1442	1545	1545	1648	1648
	RT L	\$1334	1334	1345	1345	1391	1391
	R	\$1334	1334	1345	1345	1391	1391
	U	\$1442	1442	1545	1545	1648	1648

SD6624 SD6630 SD7224 SD7230 TA4824 TA4830

Y1155. MT	L	\$1448	1448	1551	1551	785	786
	R	\$1448	1448	1551	1551	785	786
	U	\$1854	1854	2060	2060	832	833
	NL L	—	—	—	—	\$785	786
	R	—	—	—	—	\$785	786
	U	—	—	—	—	\$832	833
	NT L	\$1447	1448	1551	1551	785	786
	R	\$1448	1448	1551	1551	785	786
	U	\$1854	1854	2060	2060	832	833
	RL L	—	—	—	—	\$785	786
	R	—	—	—	—	\$785	786
	U	—	—	—	—	\$832	833

Ambit™ Height Adjustable Table

Screen, PET *continued*

RT L	\$1448	1448	1551	1551	785	786
R	\$1448	1448	1551	1551	785	786
U	\$1854	1854	2060	2060	832	833

	TA5424	TA5430	TA6024	TA6030	TA6624	TA6630
Y1155. MT L	\$793	793	824	824	861	861
R	\$793	793	824	824	861	861
U	\$835	835	934	935	937	937
NL L	\$793	793	824	824	861	861
R	\$793	793	824	824	861	861
U	\$835	835	934	935	937	937
NT L	\$793	793	824	824	861	861
R	\$793	793	824	824	861	861
U	\$835	835	934	935	937	937
RL L	\$793	793	824	824	861	861
R	\$793	793	824	824	861	861
U	\$835	835	934	935	937	937
RT L	\$793	793	824	824	861	861
R	\$793	793	824	824	861	861
U	\$835	835	934	935	937	937

	TA7224	TA7230	TC4824	TC4830	TC5424	TC5430
Y1155. MT L	\$899	900	887	888	907	907
R	\$899	900	887	888	907	907
U	\$942	943	934	935	937	937
NL L	\$899	900	887	888	907	907
R	\$899	900	887	888	907	907
U	\$942	943	934	935	937	937
NT L	\$899	900	887	888	907	907
R	\$899	900	887	888	907	907
U	\$942	943	934	935	937	937
RL L	\$899	900	887	887	907	907
R	\$899	900	887	887	907	907
U	\$942	943	934	935	937	937
RT L	\$899	900	887	888	907	907
R	\$899	900	887	888	907	907
U	\$942	943	934	935	937	937

	TC6024	TC6030	TC6624	TC6630	TC7224	TC7230
Y1155. MT L	\$938	938	979	979	1048	1048
R	\$938	938	979	979	1048	1048
U	\$1102	1103	1105	1105	1264	1269
NL L	\$938	938	979	979	1048	1048
R	\$938	938	979	979	1048	1048
U	\$1102	1103	1105	1105	1269	1270

NT L	\$938	938	979	979	1048	1048
R	\$938	938	979	979	1048	1048
U	\$1102	1103	1105	1105	1264	1269
RL L	\$938	938	979	979	1048	1048
R	\$938	938	979	979	1048	1048
U	\$1102	1103	1105	1105	1269	1270
RT L	\$938	938	979	979	1048	1048
R	\$938	938	979	979	1048	1048
U	\$1102	1103	1105	1105	1264	1269

Step 8. Material

PHN	heathered nightfall	+\$0
PHO	heathered olive	+\$0
PLG	cool heathered grey	+\$0

Step 9. Bracket Color Options

For mounted on top of work surface (for benching applications) (T)

98	studio white	+\$0
BK	black	+\$0
CRB	carbon	+\$0
DN2	nightfall	+\$10
OLF	olive	+\$10

Step 10. Screen Accessories

MB	24" painted metal markerboard (Y1124.DP)	+\$170
NN	none	+\$0
NH	name tag holder (YT410)	+\$43
ML	30" painted metal markerboard (Y1124.DP)	+\$182
DM	24" writeable markerboard (Y1124.DM)	+\$238
DL	30" writeable markerboard (Y1124.DM)	+\$265

Step 11. Screen Accessory Finish

For name tag holder (YT410) (NH)

MS	metallic silver	+\$0
-----------	-----------------	------

For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)


CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Ambit™ Height Adjustable Table

Screen, PET *continued*

<i>For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)</i>		
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Ambit™ Height Adjustable Table Y1160. Screen, Metal



Product Information


Description

This surface-attached screen attaches to the work surface of a freestanding table. It is painted metal and comes in privacy size. An optional magnetic screen liner is user-adjustable without tools. Screen attachment hardware included.

Notes

Privacy panel actual width is 2" less than specified width.
Privacy screen (A) top edge is 13" above top of work surface.
Privacy screen (A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.
Screens 54" wide and wider include an additional 1"-wide center mounting bracket.
Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.

Y1160.

Step 2. Table Type

MT Motia
NT Nevi
RT Renew

Step 3. Application

U right and left return screen, U screen

Step 4. Attachment Method

S attached on outside of work surface (for use with freestanding table)

Step 5. Height

A privacy (42" high)

Step 6. Width

48 48" wide
54 54" wide
60 60" wide
66 66" wide
72 72" wide

Step 7. Table Depth

30 30" deep

Step 8. Screen Liner

M magnetic liner
N none

Prices for Steps 1-8.

	SA4830M	SA4830N	SA5430M	SA5430N	SA6030M	SA6030N
Y1160. MT U	\$1415	800	1431	816	1449	834
NT U	\$1415	800	1431	816	1449	834
RT U	\$1415	800	1431	816	1449	834

	SA6630M	SA6630N	SA7230M	SA7230N
Y1160. MT U	\$1483	868	1624	1009
NT U	\$1483	868	1624	1009
RT U	\$1483	868	1624	1009

Ambit™ Height Adjustable Table

Screen, Metal *continued*

Renew™ Screens

Step 9. Surface Finish		
CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$60
SNB	satin bronze	+\$60
SNC	satin carbon	+\$60
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
DB3	glacier	+\$50
DN2	nightfall	+\$50
DR1	canyon	+\$50
G1	graphite	+\$0
OLF	olive	+\$50
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step 10. Magnetic Screen Liner Finish		
<i>For magnetic liner (M)</i>		
Price Category 4		+\$0
Step 11. Screen Accessories		
NH	name tag holder (YT410)	+\$39
NN	none	+\$0
Step 12. Screen Accessory Finish		
<i>For name tag holder (YT410) (NH)</i>		
MS	metallic silver	+\$0

Index by Product Name

Renew™ Tables	
90° Corner Table with C-Foot	page(s) 35
90° Extended Corner Table with C-Foot	29
120° Corner Table with C-Foot	39
Ambit™ Height Adjustable Table Leg Shroud	50
Ambit™ Height Adjustable Table Screen, Metal	97
Ambit™ Height Adjustable Table Screen, PET	93
Ambit™ Height Adjustable Table Screen, Thin Profile Fabric	86
Ambit™ Suspended Storage	56
Easy Access Height-Adjustable Vertical Cable Manager	68
External Cable Manager	64
Fabric Modesty Panel	81
Flat Edge Screen, Delineation	84
Height Adjustable Rectangular Worksurface	43
Height-Adjustable Vertical Cable Manager	67
Laminate Screen, Surface Attached	77
Logic C1000 Universal Clamp Mount Distributor	60
Logic G1000 Grommet Mounted Electrical Distributor	58
Logic G1200 Grommet Pass Thru	62
Logic HD Cable Manager	63
Modesty Panel	79
Oval Table with T-Foot	24
Pari Screen, Delineation	82
Pari Screen, Height Adjustable Tables	69
Personal Side Screen	72
Personal Side Screen, Rectangular	76
Rectangle Counterbalance Table with C-Foot	13
Rectangle Table with C-Foot	5
Rectangle Table with T-Foot	16
Renew™ Obstruction Sensor Kit	65
Surface-Attached Screen, Flat Edge	73
Table Base Kit - 2 Legs	48
Table Base Kit - 3 Legs	46

Index by Product Number

DU6ACE Rectangle Table with C-Foot	page(s) 5
DU6ACG Rectangle Counterbalance Table with C-Foot	13
DU6ACS Rectangle Table with C-Foot	5
DU6ACT	
DU6ATE Rectangle Table with T-Foot	16
DU6ATS	
DU6ATT	
DU6DTE Oval Table with T-Foot	24
DU6DTS	
DU6DTT	
DU6ECE 90° Extended Corner Table with C-Foot	29
DU6ECS	
DU6ECT	
DU6FCE 90° Corner Table with C-Foot	35
DU6FCS	
DU6FCT	
DU6GCE 120° Corner Table with C-Foot	39
DU6GCS	
DU6GCT	
DU6WS. Height Adjustable Rectangular Worksurface	43
DU7A. Table Base Kit - 2 Legs	48
DU7F. Table Base Kit - 3 Legs	46
DU11B. External Cable Manager	64
DU11S.	
DU15B. Height-Adjustable Vertical Cable Manager	67
DU15S.	
DU16B. Easy Access Height-Adjustable Vertical Cable Manager	68
DU16S.	
DUSG1. Renew™ Obstruction Sensor Kit	65
DUSG2.	
DV8SM. Ambit™ Height Adjustable Table Leg Shroud	50
DV8SN.	
DV8SR.	
FT354. Pari Screen, Delineation	82
FT358. Flat Edge Screen, Delineation	84
IH200. Ambit™ Suspended Storage	56
Y1113. Modesty Panel	79
Y1114. Fabric Modesty Panel	81
Y1116. Pari Screen, Height Adjustable Tables	69
Y1117. Personal Side Screen	72
Y1118. Surface-Attached Screen, Flat Edge	73
Y1119. Personal Side Screen, Rectangular	76
Y1120. Laminate Screen, Surface Attached	77
Y1150. Ambit™ Height Adjustable Table Screen, Thin Profile	
Fabric	86
Y1155. Ambit™ Height Adjustable Table Screen, PET	93
Y1160. Ambit™ Height Adjustable Table Screen, Metal	97

Y1420. Logic G1200 Grommet Pass Thru	62
Y1423. Logic C1000 Universal Clamp Mount Distributor	60
Y1424. Logic HD Cable Manager	63
Y1425. Logic G1000 Grommet Mounted Electrical Distributor	58



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian®

Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Vary Easy Program

Program Overview

The Vary Easy program offers expanded product selections beyond what is available through our standard offering. From expanded material and finish lists, to size availability, to completely new product configurations, the Vary Easy program offers it all at standard pricing, warranty, and lead-time.

Specifying Vary Easy using Made-to-Measure Plus

Vary Easy products are now available by clicking the Vary Easy/Options tile in the Made-to-Measure Plus tool.

Made-to-Measure Plus is a web-based tool available through Omni that takes the guesswork out of specifying products and service parts. It's quickly evolving to become your one-stop shop for specifying Herman Miller products and service parts, particularly customized product like Vary Easy and HM Options.

Vary Easy products are no longer published in marketing SIF for importing into specIT and other third-party specifiers. Specifying through the Made-to-Measure Plus tool allows us to make frequent updates and offer more complex products. It allows you to easily specify and price products and download SIF files to import into your specification tool. The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead-time and are competitively priced.

For step-by-step instructions, reference the Made-to-Measure Plus page under Tools & Resources on Omni to watch the how-to video and to see how easy it is to specify Vary Easy products in Made-to-Measure Plus.

For Vary Easy product and specification questions, contact Product Services at 866 854 3048 (ext #1).

For technical questions about the Made-to-Measure Plus tool, contact Sales Technology Support at 866 854 3048 (ext #4) or sts@hermanmiller.com.

Stain-to-Match Program

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at: (800) 654 3910

Stain-to-Match Process

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to: options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2024 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

© **HermanMiller**, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyris, Lyris 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.

Valor™ is among the trademarks owned by Nemschoff, Inc.