

GSA prices effective January 30, 2023 (based on October 3, 2022, commercial price list) Published January 2024

## Conference Room and Multipurpose Tables Headway™ Tables

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!®, a menu-driven database system.

The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture FSC/PSC 7110/7125 Contract Number: GS-03F-036DA

UEI: Q2K3MSZ843D8

Contract Period: December 21, 2015—December 20, 2025

MillerKnoll, Inc. 855 East Main Avenue Zeeland, Michigan 49464 (616) 654 3000 Phone (616) 654 8278 Fax www.HermanMiller.com/government

Business Size: Large

## 1a. Special Item Numbers (SIN)

SIN 33721

Furniture Systems, Computer Furniture, Filing and Storage, Tables and Accessories, Upholstered Seating and Multi-Purpose Seating, Project Management, Reconfiguration and Relocation Services, Design/Layout and Installation Services

SIN 33721P

**Packaged Offices** 

SIN 337127

Modular Laboratory Furniture Systems

SIN 339113H

Healthcare Furniture

SIN OLM

Order-Level Materials (OLMs)

This SIN is only for products and/or services used in direct support of the purchase of new furniture. It requires approval from the ordering Contract Officer. Please contact your local MillerKnoll Inc. representative to discuss the appropriate use of this SIN.

SIN 532289

Leasing

Contact MillerKnoll Inc participating government dealer for current leasing information.

## 1b. Lowest Priced Model

SIN 33721:	BVP3.S	\$7.27
SIN 33127:	TW113	\$5.81
SIN 339113H:	CR900NR	\$483.80

## 1c. Service Rates

Project Management

Furniture Project Manager: \$64.75 per hour Furniture Project Coordinator: \$49.00 per hour Build-Out Project Manager: \$80.00 per hour

Reconfiguration and Relocation Services

Not to exceed \$55 per hour.

See \* Additional Notes for Installation & Reconfiguration and Relocation Services.

Design/Layout

Not to exceed \$65 per hour.

Installation Services

Not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation)

See  $\mbox{\ensuremath{^{\star}}}$  Additional Notes for Installation & Reconfiguration and Relocation Services.

## 2. Maximum Order

SIN 33721, 337127, NEW, OLM \$250,000 net product value

SIN 33721P

\$250,000 net value

SIN 339113H

\$500,000 net product value

## 3. Minimum Order

\$100 net

## 4. Geographic Coverage

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

## 5. Point of Production

Zeeland, Ottawa County, Michigan Spring Lake, Ottawa County, Michigan

## 6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

## SIN 33721

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

	Discount
Product Line	From List
Action Office 1	73.8%
Action Office 2	73.8%
Aeron	64.5%
Ambit Workspace Solutions	74.3%
Aside	64.2%
C-Style Overhead Storage	73.8%
Canvas Office Landscape Channel	74.8%
Canvas Office Landscape Dock	74.8%
Canvas Metal Desk	74.8%
Canvas Office Landscape Metal Storage	74.8%
Canvas Office Landscape Private Office	74.8%
Canvas Office Landscape Wood Storage	74.8%
Canvas Office Landscape Vista	74.8%
Canvas Office Landscape Wall	74.8%
Caper	61.5%
Commend Nurses Station	73.3%
Cosm	61.7%
Eames® Conference & Dining Tables	73.6%
Easton Family	54.91%
Embody	59.7%
Energy Distribution Systems	73.8%
Ethospace System	73.8%
Everywhere™ Tables	73.8%
Exclave	61.7%
Fuld	59.7%
Headway™ Tables	73.8%
Intent Solution	58.7%

HermanMiller January 2024

continued

Layout Studio®	60.7%
Lighting	73.8%
Lino	63.7%
Meridian Laterals	67.3%
Meridian Pedestals	64.2%
Meridian Towers	62.7%
Meridian Storage	62.7%
Mirra 2	61.7%
Motia Tables	73.8%
Nemschoff	54.91%
Nevi™ Tables	73.8%
Nevi Link	73.8%
OE1 Boundary	72.8%
OE1 Micro Packs	73.8%
OE1 Storage	72.8%
OE1 Tables and Benching	73.8%
Overlay™	62.7%
Plex® Lounge Furniture	59.5%
Public Office Landscape	61.7%
Renew <sup>™</sup> Tables	73.8%
Renew Link	73.8%
Sayl	62.2%
Setu	59.7%
Swoop Lounge Furniture	60.7%
Thrive Portfolio	62.0%
Thrive Portfolio-CBS Products Extension	62.0%
Tu Lateral Files	74.3%
Tu Pedestals	73.8%
Tu Storage	74.3%
Tu Towers	74.3%
Tu Wood Cases	74.3%
Tu Wood Cubbies	74.3%
Tu Wood Credenzas	74.3%
Tu Wood Pedestals	74.3%
Tu Wood Towers	74.3%
Valor™ Family	54.91%
Verus	63.7%
Zeph	60.2%

## Services

Please refer to section 19 for Terms and Conditions of Installation/ Reconfiguration and Relocation Services.

## **Project Management**

Services under this SIN may be used only in conjuction with the purchase of new furniture. Please contact your local MillerKnoll Inc. representative to discuss the available labor categories (listed below). The hourly rates listed are "Not To Exceed" or "NTE" values.

Furniture Project Manager: \$64.75 per hour Furniture Project Coordinator: \$49.00 per hour Build-Out Project Manager: \$80.00 per hour

## Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour.

See \* Additional Notes for Installation & Reconfiguration and Relocation Services.

## Design/Layout

Design service will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$65 per hour.

#### Installation Services

Installation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation).

See \* Additional Notes for Installation & Reconfiguration and Relocation Services.

#### SIN 337127

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Action Lab	58.5%
Compass System	58.5%
Co/Struc System	58.5%
Healthcare Carts	18.0%
Mora System	58.5%
Bedside Cabinets	58.5%

## SIN 33721P

Packaged Office Furniture - Maximum Order \$250,000 (net).

Includes packaged furniture solutions for customers needing to furnish an office.

## SIN 339113H

Standard Lead Time, Single Order Net Purchase \$100 - 500,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Nemschoff Healthcare Furniture	54.91%

## 7. Quantity Discounts

Reference item #6.

## 8. Payment Terms

Net 30 days

## 9. Foreign Items

None

## 10. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact MillerKnoll Inc. or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

## 11. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

January 2024 HermanMiller

continued

## 12. Ordering Address

a. MillerKnoll Inc.

Government Customer Care 0161

855 East Main Avenue

Zeeland MI 49464.

 For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.

## 13. Payment Address.

MillerKnoll Inc. 22764 Network Place Chicago, IL 60673-1227

## 14. Warranty

MillerKnoll Inc. commercial warranty applies.

## 15. Export Packing Charge

Prices supplied on request.

## 16. Rental Maintenance and Repair Terms

Not applicable

## 17. Terms and Conditions of Installation/Reconfiguration and Relocation Services

\* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions: Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not

limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer. Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

## 18. Terms and Conditions of Repair Parts

Not applicable

## 19. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

#### 20. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/where-to-buy/contact-a-dealer/. Select your market by using the filter.

## 21. Preventive Maintenance

Not applicable

## 22a. Special Attributes.

2022

MillerKnoll earns its 15th consecutive perfect score in Human Rights Campaign Foundation's 2022 Corporate Equality Index.

2021

The OE1 Trolley and Micro Packs are both winners of the 2021 Archiproducts international design competition in the Office Category.

MillerKnoll is named to Michigan's Best and Brightest in Wellness List for 2021.

MillerKnoll is awarded Platinum Rating in CSR by EcoVadis.

OE1 is named winner of Wallpaper's "Most Futuristic Furniture" Category as part of their first-ever Smart Space Awards.

OE1 receives the Workplace category award from Fast Company's 2021 Innovation by Design Awards.

MillerKnoll is named to Fast Company's Annual List of the World's Most Innovative Companies for 2021.

MillerKnoll is recognized as a "Disclosure Leader" by the Chemical Footprint Project (CFP).

MillerKnoll earns its 14th consecutive perfect score in Human Rights Campaign Foundation's 2021 Corporate Equality Index.

HermanMiller January 2024

continued

MillerKnoll is named to Newsweek's List of America's Most Responsible Companies 2021.

Great Lakes Women's Business Council awards MillerKnoll for "Excellence in Supplier Diversity" in the Best In Class category.

#### 2020

Herman Miller is recognized with a 2020 FSC® Leadership Award for our commitment to responsible forestry management.

Herman Miller is named one of Investor's Business Daily Top 50 Best ESG (Environmental, Social, and Corporate Governance) Companies.

Working Mother names Herman Miller as one of the Best Companies for Dads.

Herman Miller is awarded Platinum Rating in CSR by EcoVadis.

Herman Miller is named Diversity Inc 2020 Noteworthy Company for recruitment efforts, employee development opportunities, leadership accountability, and supplier diversity.

Cosm, by Studio 7.5, receives an iF Gold Award in the Office and Industry category at the iF World Design Awards 2020.

Herman Miller earns its 13th consecutive perfect score in Human Rights Campaign Foundation's 2020 Corporate Equality Index.

## 2019

Mora System casework, designed by Collective Ten for Herman Miller, receives silver in the Industrial and Life Science Design/Medical Furniture category at the European Product Design Awards.

Mora System casework is awarded GOOD DESIGN Award 2019, selected for design excellence and innovation.

National Minority Supplier Diversity Council (NMSDC) names Herman Miller as the 2019 Class 1 Corporation of the Year for leadership in supplier diversity.

TIME Magazine names Cosm to its list of 100 Best Inventions of 2019.

Herman Miller is named #12 Overall and #2 in Manufacturing on Investor's Business Daily Best ESG (Environmental, Social, Governance) Companies.

Herman Miller is recognized as a silver level Certified Veteran-Friendly Employer by the Michigan Veterans Affairs Agency for a commitment to veteran hiring, retention, and development. For the second year in a row, Herman Miller receives a Gold Medal from EcoVadis in recognition of Corporate Social Responsibility achievement measured in categories of environment, labor and human rights, ethics, and sustainable procurement.

Herman Miller is named "Frontrunner" in Chemical Footprint Project by Clean Production Action for our chemical management policies and practices.

Herman Miller receives International Interior Design Association and Contract's best showroom design award in the "Large Showroom" category at NeoCon.

Herman Miller earns its 12th consecutive perfect score in Human Rights Campaign Foundation's 2019 Corporate Equality Index.

Cosm, designed by Studio 7.5 for Herman Miller, receives a Red Dot Best of the Best Product Design Award in the "Office Chairs" category.

Lino, designed by Sam Hecht and Kim Colin for Herman Miller, receives an iF Design Award in the Product Design category.

## 2018

Overlay, designed by Birsel+Seck, receives Interior Design Best of Year Award in the Partitions and Wall Systems category.

Herman Miller receives the "Corporation of the Year" in consumer products award from the Michigan Minority Supplier Development Council.

Herman Miller achieves the Advanced Excellence in Supplier Diversity Award from the Great Lakes Women's Business Council for doing business with women-owned suppliers.

Great Lakes Women's Business Council awards Herman Miller for "Excellence in Supplier Diversity" in the Advanced category.

WEConnect awards Herman Miller an Honorable Mention for global supplier diversity initiatives.

As one of the top-scoring companies in the industry for the 14th consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2018 Sustainability Yearbook and receives the Silver Class distinction for excellent sustainability performance—economic, environmental, and social.

For the 11th consecutive year, Herman Miller receives a perfect score on the Human Rights Campaign Foundation's Corporate Equality Index and is designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly LGBT-related policies and practices.

January 2024 HermanMiller

continued

Herman Miller receives Gold Medal from EcoVadis in recognition of Corporate Social Sustainability achievement measured in categories of environment, labor and human rights, ethics, and sustainable procurement. EcoVadis operates the first web-based collaborative platform that allows companies to assess the environmental and social performance of their global suppliers.

Aeron receives Good Design Award from The Chicago Athenaeum Museum of Architecture and Design.

The Cosm Chair wins Mix Interiors "Product of the Year—Task" award.

## 2017

Herman Miller receives "Rising Star Award" from the Michigan Veterans Affairs Agency (MVAA) for exhibiting new and novel approaches to veteran recruitment and hiring.

Herman Miller is named the 2017 "Corporation of the Year" in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller receives a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award. SEAL Award winners are determined by a holistic methodology measuring applicants against established benchmarks that demonstrate impact and progress toward creating a healthy planet and a sustainable future.

Herman Miller earns the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller is named one of the Best and Brightest in Wellness for the 5th year in a row.

Herman Miller earns its 10th consecutive perfect score in Human Rights Campaign Foundation's 2017 Corporate Equality Index.

As one of the top-scoring companies in the industry for the 13th consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2017 Sustainability Yearbook and receives the Bronze Class distinction for excellent economic, environmental, and social sustainability performance. The selection criteria for inclusion in the Yearbook becomes more rigorous each year, and only the top 15 percent of companies within each industry are selected.

Herman Miller once again earns the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience. Herman Miller is the only furniture manufacturer among the 160 companies across the U.S. and Canada honored with the award.

Herman Miller's Mora wins Nightingale Silver Award in the "Furniture Collections" category at the 2017 Healthcare Design Conference.

#### 2016

Herman Miller earns 9th consecutive perfect score in Human Rights Campaign Foundation's Corporate Equality Index and is designated as Best Place to Work for LGBT equality.

Herman Miller is recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC) for being an outstanding partner in support of the growth of WMEAC's programs. WMEAC's award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (5th consecutive year) recognizes Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability. This award celebrates those companies that are making their businesses more sustainable, the lives of their employees better, and the community, both locally and globally, more responsible as a whole.

Herman Miller is recognized by the Michigan Minority Supplier Development Council (MMSDC) as a "Corporation of the Year". Additionally, we are the only West Michigan company this year to receive an "Ambassadors Championing Excellence" Award from the MMSDC.

Herman Miller is recognized with "2016 Excellence in Supplier Diversity Award" from the Great Lakes Women's Business Council.

Herman Miller is recognized as a 2016 Healthiest 100 Workplace in America, ranking 49th in the country for our commitment to health and exceptional corporate wellness programming.

Herman Miller receives the Best and Brightest in Wellness Award for the 4th year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

The Michigan Occupational Safety and Health Administration renews Herman Miller's "Star" status, the highest workplace safety and health designation, for the Hickory facility in Spring Lake.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Herman Miller is named a 2016 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller is selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for the 12th consecutive year.

HermanMiller January 2024

continued

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

## 22b. Section 508 Compliance

Not applicable

## 23. Unique Entity ID: Q2K3MSZ843D8

## 24. Registered in System for Award Management (www.SAM.gov) Database

## 25. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

## 26. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

Returns and restocking policy is not applicable to Options products, products under SIN 337127, 339113H and Nemschoff products.

## MillerKnoll Inc. Miscellaneous Information:

Federal ID Number: 38-0837640

Commercial and Government Entity Code (CAGE): 40636 Data Universal Numbering System (DUNS) 00-601-2801

Commercial Entity Code (CEC): 00702290J

January 2024 HermanMiller

Introduction	page 2
Headway™ Tables	3
Conference Tables	5
Communal Table	78
Table Bases	90
Technology/Accessories	99
Indices	107
By Name	107
By Number	109
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
For the latest materials information, refer to the Materials	pages on HermanMiller.com

## A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

## Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

## Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

## The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

## **General Information**

This book is effective January 30, 2023, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. Herman Miller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest  $^{1}/_{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

## 20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon A will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an A are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.


Conference Tables

Communal Table

**Table Bases** 

Technology/Accessories

## DP1ACS DP1ACT



## Product Information

## Description

This cabinet base rectangle seated-height table comes in a squared-or thin-edge style and offers a laminate top with thermoplastic edge, laminate top with universal edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with  $1^3/2^n$  leveling glides. Shipped knocked down.

#### Notes

Laminate tops 72" to 96" wide have 1-piece construction and are supported by 2 end cabinet bases.

Laminate tops 120" to 192" wide have 2-piece construction and are supported by 2 end cabinet bases and 1 intermediate cabinet base.

Laminate tops 204" to 240" wide have 3-piece construction and are supported by 2 end cabinet bases and 2 intermediate cabinet bases.

Veneer tops 72" to 96" wide have 1-piece construction and are supported by 2 end cabinet bases.

Veneer tops 120" to 192" wide have 2-piece construction and are supported by 2 end cabinet bases and 1 intermediate cabinet base.

Veneer tops 204" to 240" wide have 3-piece construction and are supported by 2 end cabinet bases and 2 intermediate cabinet bases.

When specifying 1 cutout (A) in tables 72" wide to 96" wide, cutout will be located in the center.

When specifying cutouts (A, B) in tables 120" wide to 192" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. For 54"- and 60"-deep tables, cutouts can also be located over the left or right cabinet bases (S, T). No center cutouts available.

When specifying cutouts (A, B, C) in tables 204" wide to 240" wide, cutouts can be located on the left (L), the right (R), or the center (C) of the table, or any combination of the three. For 54"- and 60"-deep tables, cutouts can also be located over the left or right cabinet bases (S, T).

Laminate and veneer tops are  $1^{1}/_{4}$ " thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying technology mounting panels in bases (P), 2 technology panels are included.

When specifying metal painted curtain (C) or trough (T) undersurface wire management option, finish will match inner cabinet base paint finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H) or metal painted curtain with fabric sling (C).


When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) or metal painted curtain with fabric sling (C) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.


Order the following compatible power components separately:


- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)
  Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program. See planning guide for additional information.

## **Dimensions**







Spec	ification Information	
Step :		
DP1A	С	
Step 2	2. Edge	
S.	squared-edge	+\$0
T.	thin-edge	+\$0
Step :	3. Height	
2	28.5" high	+\$0
Step 4	4. Depth	
42	42" deep	+\$0
48	48" deep	+\$0
54	54" deep	+\$0
60	60" deep	+\$0
Step !	5. Width	
For 42	2" deep (42)	
72	72" wide	+\$4576
84	84" wide	+\$4724
96	96" wide	+\$4871
120	120" wide	+\$7029
132	132" wide	+\$7214
144	144" wide	+\$7586
For 48	B" deep (48)	
72	72" wide	+\$4624
84	84" wide	+\$4772
96	96" wide	+\$4918
120	120" wide	+\$7029
132	132" wide	+\$7336
144	144" wide	+\$7646

For E	4" deep (54)	
96	96" wide	+\$5722
120	120" wide	+\$3722
132	132" wide	+\$8668
144	144" wide	+\$8956
156	156" wide	+\$9154
168	168" wide	+\$9353
180	180" wide	+\$9551
192	192" wide	+\$9751
204	204" wide	+\$12259
216	216" wide	+\$12429
228	228" wide	+\$12427
240	240" wide	+\$12770
240	240 wide	+\$12770
For 60	)" deep (60)	
96	96" wide	+\$5809
120	120" wide	+\$8650
132	132" wide	+\$8876
144	144" wide	+\$9102
156	156" wide	+\$9327
168	168" wide	+\$9552
180	180" wide	+\$9780
192	192" wide	+\$10006
204	204" wide	+\$12464
216	216" wide	+\$12776
228	228" wide	+\$13087
240	240" wide	+\$13400
Step	5. Surface Material	
For so	nuared-edge (S.) with 72" wide (72), 84" wide (84), on	96" wide
L	high-pressure laminate top/thermoplastic edge	+\$0
w	veneer top/veneer edge A	+\$1380
U	high-pressure laminate/universal edge	+\$0
	nuared-edge (S.) with 120" wide (120), 132" wide (13 (144), 156" wide (156), 168" wide (168), 180" wide (	
	vide (192)	100), 01
	high-pressure laminate top/thermoplastic edge	+\$0
w	veneer top/veneer edge A	+\$2706
		42,30

high-pressure laminate/universal edge

U

+\$0

For s	quared-edge (S.) with 204" wide (204), 216" wide (216	6), 228"	Step	7. Removable Cabinet Door Material	
wide	(228), or 240" wide (240)		L	high-pressure laminate door material/therm	oplastic edge +\$0
L	high-pressure laminate top/thermoplastic edge	+\$0	W	veneer door material/veneer edge	+\$816
W	veneer top/veneer edge A	+\$3514			
U	high-pressure laminate/universal edge	+\$0	Step	8. Number of Cutouts	
For th	hin-edge (T.) with 72" wide (72), 84" wide (84), or 96" v	wide (96)	For 7	72" wide (72), 84" wide (84), or 96" wide (96)	
L	high-pressure laminate top/thermoplastic edge	+\$1297	N	no cutouts	+\$0
W	veneer top/veneer edge [A]	+\$3245	Α	1 cutout	+\$0
For th	hin-edge (T.) with 120" wide (120), 132" wide (132), 1	44" wide	For 1	20" wide (120), 132" wide (132), 144" wide (14	4), 156" wide
(144)	), 156" wide (156), 168" wide (168), 180" wide (180), o	or 192"	(156	), 168" wide (168), 180" wide (180), or 192" wid	de (192)
wide	(192)		N	no cutouts	+\$0
L	high-pressure laminate top/thermoplastic edge	+\$1624	Α	1 cutout	+\$0
W	veneer top/veneer edge A	+\$6218	В	2 cutouts	+\$0
For th	hin-edge (T.) with 204" wide (204), 216" wide (216), 22	28" wide	For 2	204" wide (204), 216" wide (216), 228" wide (22	8), or 240" wide
(228,	), or 240" wide (240)		(240	)	
L	high-pressure laminate top/thermoplastic edge	+\$2379	N	no cutouts	+\$0
W	veneer top/veneer edge A	+\$8923	Α	1 cutout	+\$0
			В	2 cutouts	+\$0
For s	quared-edge (S.) with 120" wide (120), 132" wide (132	2), 144"	C	3 cutouts	+\$0
wide	(144), 156" wide (156), 168" wide (168), 180" wide (1	80), or			
192"	wide (192)		Step	9. Cutout #1 Location	
L	high-pressure laminate top/thermoplastic edge	+\$0			
W	veneer top/veneer edge A	+\$2706	For 4	2" deep (42), 48" deep (48), 54" deep (54), or 6	0" deep (60) with
U	high-pressure laminate/universal edge	+\$0	72" ı	vide (72), 84" wide (84), or 96" wide (96) with 1	cutout (A)
			C	center cutout	+\$0
For s	quared-edge (S.) with 204" wide (204), 216" wide (216	5), 228"			
wide	(228), or 240" wide (240)		For 4	2" deep (42) or 48" deep (48) with 120" wide (1	20), 132" wide
L	high-pressure laminate top/thermoplastic edge	+\$0	(132	), or 144" wide (144) with 1 cutout (A) or 2 cuto	uts (B)
W	veneer top/veneer edge A	+\$3514	L	left cutout	+\$0
U	high-pressure laminate/universal edge	+\$0	R	right cutout	+\$0
For th	hin-edge (T.) with 120" wide (120), 132" wide (132), 14	44" wide	For 5	4" deep (54) or 60" deep (60) with 120" wide (1	20), 132" wide
(144)	), 156" wide (156), 168" wide (168), 180" wide (180), c	or 192"	(132	), 144" wide (144), 156" wide (156), 168" wide (	(168), 180" wide
wide	(192)		(180	), or 192" wide (192) with 1 cutout (A) or 2 cuto	uts (B)
L	high-pressure laminate top/thermoplastic edge	+\$1624	L	left cutout	+\$0
W	veneer top/veneer edge A	+\$6218	R	right cutout	+\$0
			S	left cutout over cabinet base	+\$0
For th	hin-edge (T.) with 204" wide (204), 216" wide (216), 22	28" wide	T	right cutout over cabinet base	+\$0
	), or 240" wide (240)			-	
L	high-pressure laminate top/thermoplastic edge	+\$2379			
w	veneer top/veneer edge A	+\$8923			
W	veneer top/veneer eage [A]	+\$8923			

For 54" deep (54) or 60" deep (60) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 1 cutout (A), 2 cutouts (B), or 3 cutouts (C)

C	center cutout	+\$0
L	left cutout	+\$0
R	right cutout	+\$0
S	left cutout over cabinet base	+\$0
T	right cutout over cabinet base	+\$0

## Step 10. Cutout #2 Location

For 42" deep (42) or 48" deep (48) with 120" wide (120), 132" wide (132), or 144" wide (144) with 2 cutouts (B) with left cutout (L)

R	right cutout	+\$0
---	--------------	------

For 42" deep (42) or 48" deep (48) with 120" wide (120), 132" wide (132), or 144" wide (144) with 2 cutouts (B) with right cutout (R)

L left cutout +\$0

For 54" deep (54) or 60" deep (60) with 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with 2 cutouts (B) with left cutout (L) or left cutout over cabinet base (S)

R	right cutout	+\$0
T	right cutout over cabinet base	+\$0

For 54" deep (54) or 60" deep (60) with 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with 2 cutouts (B) with right cutout (R) or right cutout over cabinet base (T)

L	left cutout	+\$0
S	left cutout over cabinet base	+\$0

For 54" deep (54) or 60" deep (60) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with left cutout (L) or left cutout over cabinet hase (S)

culoui	is (c) with telt cutout (L) of telt cutout over cubinet base (3)	
R	right cutout	+\$0
T	right cutout over cabinet base	+\$0
C	center cutout	+\$0

For 54" deep (54) or 60" deep (60) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with right cutout (R) or right cutout over cabinet base (T)

L	left cutout	+\$0
S	left cutout over cabinet base	+\$0
C	center cutout	+\$0

For 54" deep (54) or 60" deep (60) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with center cutout (C)

L	left cutout	+\$0
S	left cutout over cabinet base	+\$0
R	right cutout	+\$0
T	right cutout over cabinet base	+\$0

## Step 11. Cutout #3 Location

For 3 cutouts (C) with left cutout (L), right cutout (R), left cutout over cabinet base (S), or right cutout over cabinet base (T) with left cutout (L), right cutout (R), left cutout over cabinet base (S), or right cutout over cabinet base (T)

C	center cutout	+\$0	١
·	center cutout	+ ⊅0	,

For 3 cutouts (C) with center cutout (C), left cutout (L), or left cutout over cabinet base (S) with left cutout (L), left cutout over cabinet base (S), or center cutout (C)

R	right cutout	+\$0
T	right cutout over cabinet base	+\$0

For 3 cutouts (C) with center cutout (C), right cutout (R), or right cutout over cabinet base (T) with center cutout (C), right cutout (R), or right cutout over cabinet base (T)

L	left cutout	+\$0
S	left cutout over cabinet base	+\$0

## Step 12. Technology Integration for Cutout #1

For 1 cutout (A), 2 cutouts (B), or 3 cutouts (C) with center cutout (C), or left cutout (L), or right cutout (R)

TB	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$125
L5	cutout for logic Y1425 5 port	+\$125
L3	cutout for logic Y1425 3 port	+\$65
C5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
<b>C8</b>	cutout for 10" x 4" technology unit	+\$65
C9	cutout for 10" x 6.75" technology unit	+\$125

For 1	cutout (A), 2 cutouts (B), or 3 cutouts (C) with lej	ft cutout over
cabin	et base (S), or right cutout over cabinet base (T)	
C5	cutout for 5.75" x 5.75" technology unit	+\$65
<b>C6</b>	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
<b>C8</b>	cutout for 10" x 4" technology unit	+\$65
<b>C9</b>	cutout for 10" x 6.75" technology unit	+\$125

## Step 13. Technology Integration for Cutout #2

For 2 cutouts (B) or 3 cutouts (C) with left cutout (L), or right cutout (R), or center cutout (C)

ТВ	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$125
L5	cutout for logic Y1425 5 port	+\$125
L3	cutout for logic Y1425 3 port	+\$65
C5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
С8	cutout for 10" x 4" technology unit	+\$65
C9	cutout for 10" x 6.75" technology unit	+\$125

For 2 cutouts (B) or 3 cutouts (C) with left cutout over cabinet base (S), or right cutout over cabinet base (T)

C5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
<b>C8</b>	cutout for 10" x 4" technology unit	+\$65
<b>C9</b>	cutout for 10" x 6.75" technology unit	+\$125
C8	cutout for 10" x 4" technology unit	+\$6!

## Step 14. Technology Integration for Cutout #3

For 3 cutouts (C) with center cutout (C), or left cutout (L), or right cutout (R)

ТВ	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$125
L5	cutout for logic Y1425 5 port	+\$125
L3	cutout for logic Y1425 3 port	+\$65
<b>C5</b>	cutout for 5.75" x 5.75" technology unit	+\$65
<b>C6</b>	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
<b>C8</b>	cutout for 10" x 4" technology unit	+\$65
С9	cutout for 10" x 6.75" technology unit	+\$125

For 3 cutouts (C) with left cutout over cabinet base (S), or right cutout over cabinet base (T)

C5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
<b>C8</b>	cutout for 10" x 4" technology unit	+\$65
C9	cutout for 10" x 6.75" technology unit	+\$125

## Step 15.

## Top Finish

For 72" wide (72), 84" wide (84), or 96" wide (96) with high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/ universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Table continued

## Top/Edge Finish

For 72" wide (72), 84" wide (84), or 96" wide (96) with veneer top/veneer edge (W)

2U	light brown walnut	+\$200
40	dark brown walnut	+\$200
A2	white ash	+\$0
CHD	noble cherry	+\$200
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$200
OU	walnut	+\$200
UL	natural maple	+\$0
WHN	natural white oak	+\$200

## Top Finish

For 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (L)

lamin	ate/universal edge (U)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa 🗚	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak 🛕	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

## Top/Edge Finish

For 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with veneer top/veneer edge (W)

	7, 3 . ,	
2U	light brown walnut	+\$400
40	dark brown walnut	+\$400
A2	white ash	+\$0
CHD	noble cherry	+\$400
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$400
OU	walnut	+\$400
UL	natural maple	+\$0

## Top Finish

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Table continued

## Top/Edge Finish

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with veneer top/veneer edge (W)

2U	light brown walnut	+\$600
40	dark brown walnut	+\$600
A2	white ash	+\$0
CHD	noble cherry	+\$600
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$600
OU	walnut	+\$600
UL	natural maple	+\$0
WHN	natural white oak	+\$600

## Top Finish

For 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

lamin	ate/universal edge (U)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru 🖪	+\$0
LBS	phantom cocoa 🖪	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak 🛕	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

## Top/Edge Finish

For 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with veneer top/veneer edge (W)

2U	light brown walnut	+\$400
40	dark brown walnut	+\$400
A2	white ash	+\$0
CHD	noble cherry	+\$400
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$400
OU	walnut	+\$400
UL	natural maple	+\$0

## Top Finish

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

9	or essure turmate, am ersut suge (e)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak 🛕	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Table continued

Top	/Edge	Finish

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with veneer top/veneer edge (W)  $\,$ 

2U	light brown walnut	+\$600
40	dark brown walnut	+\$600
A2	white ash	+\$0
CHD	noble cherry	+\$600
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$600
OU	walnut	+\$600
UL	natural maple	+\$0
WHN	natural white oak	+\$600

## Step 16. Edge Finish

For 72" wide (72), 84" wide (84), or 96" wide (96) with high-pressure laminate top/thermoplastic edge (L)

lamina	laminate top/thermoplastic edge (L)				
76	light brown walnut	+\$0			
8Q	folkstone grey	+\$0			
91	white	+\$0			
98	studio white	+\$0			
BU	black umber	+\$0			
CL	cool grey neutral	+\$0			
HF	inner tone light	+\$0			
нм	natural maple	+\$0			
HP	light anigre	+\$0			
нх	aged cherry	+\$0			
LBA	clear on ash	+\$0			
LBB	oak on ash	+\$0			
LBC	walnut on ash	+\$0			
LBF	neutral twill	+\$0			
LBJ	graphite twill	+\$0			
LBQ	white twill	+\$0			
LBR	phantom ecru	+\$0			
LBS	phantom cocoa	+\$0			
LBU	medium matte walnut	+\$0			
LBV	warm grey teak	+\$0			
LU	soft white	+\$0			
WL	sandstone	+\$0			

For 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with high-pressure laminate top/thermoplastic edge (L)

p. 000	are tammate top, the moptastic dage (2)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0

Table continued

For 20	04" wide (204), 216" wide (216), 228" wide	e (228), or 240" wide
(240)	with high-pressure laminate top/thermop	olastic edge (L)
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
НΧ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
For 72	?" wide (72), 84" wide (84), or 96" wide (96	6) with high-pressure
lamin	ate/universal edge (U)	
PLY	plywood edge	+\$7!
For 12	?0" wide (120), 132" wide (132), 144" wide	e (144), 156" wide
(156),	168" wide (168), 180" wide (180), or 192	2" wide (192) with high
pressi	ure laminate/universal edge (U)	
PLY	plywood edge	+\$150
For 20	04" wide (204), 216" wide (216), 228" wide	e (228), or 240" wide
(240)	with high-pressure laminate/universal ed	dge (U)
PLY	plywood edge	+\$22!

Step :	17. Removable Cabinet Door Finish	
For hi	gh-pressure laminate door material/thermoplastic edge	(L)
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
For ve	neer door material/veneer edge (W)	
2U	light brown walnut	+\$100
40	dark brown walnut	+\$100
A2	white ash	+\$0
CHD	noble cherry	+\$100
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$100

OU

UL

WHN

walnut

natural maple

natural white oak

+\$100

+\$100

+\$0


#### Step 18. Removable Cabinet Door Edge Finish For high-pressure laminate door material/thermoplastic edge (L) light brown walnut +\$0 8Q folkstone grey +\$0 91 white +\$0 studio white +\$0 BUblack umber +\$0 $\mathsf{CL}$ cool grey neutral +\$0 HF inner tone light +\$0 нм natural maple +\$0 HP light anigre +\$0 aged cherry НΧ +\$0 LBA clear on ash +\$0 LBB oak on ash +\$0 LBC walnut on ash +\$0 LBF neutral twill +\$0 LBJ graphite twill +\$0 **LBQ** white twill +\$0 LBR phantom ecru +\$0 LBS phantom cocoa +\$0 LBU medium matte walnut +\$0 LBV warm grey teak +\$0 +\$0 LU soft white WL sandstone +\$0 WN warm grey neutral +\$0

Step 1	19. Inner Cabinet Leg Finish	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$60
SNB	satin bronze	+\$60
SNC	satin carbon	+\$60
BK	black	+\$0
G1	graphite	+\$0

Step	Step 20. Technology Mounting Panel in Leg				
P	technology panels in bases	+\$260			
N	no panel in bases	+\$0			

For 7	72" wide (72), 84" wide (84), or 96" wide (96)	
N	no undersurface wire management	+\$0
Т	trough	+\$420
C	metal painted curtain with fabric sling	+\$635
Н	hammock	+\$550
For 1	20" wide (120), 132" wide (132), 144" wide (144),	156" wide
(156	), 168" wide (168), 180" wide (180), or 192" wide	(192)
N	no undersurface wire management	+\$0
T	trough	+\$840
C	metal painted curtain with fabric sling	+\$1270
Н	hammock	+\$1100
	204" wide (204), 216" wide (216), 228" wide (228),	or 240" wide
(240) N	no undersurface wire management	+\$0
т	trough	+\$1260
С	metal painted curtain with fabric sling	+\$1905
Н	hammock	+\$1650
Step	22. Hammock Finish	
For h	ammock (H)	
Price	e Category 4	+\$0

## DP1AYS DP1AYT



## Product Information

## Description

This Y-base rectangle seated-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge, laminate top with universal edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with  $1^3/2^n$  leveling glides. Shipped knocked down.

#### Notes

Laminate tops 60" to 108" wide have 1-piece construction and are supported by 2 end legs.

Laminate tops 120" to 192" wide have 2-piece construction and are supported by 2 end legs and 1 intermediate leg.

Laminate tops 204" to 240" wide have 3-piece construction and are supported by 2 end legs and 2 intermediate legs.

Veneer tops 60" to 96" wide have 1-piece construction and are supported by 2 end legs.

Veneer tops 108" to 192" wide have 2-piece construction and are supported by 2 end legs and 1 intermediate leg.

Veneer tops 204" to 240" wide have 3-piece construction and are supported by 2 end legs and 2 intermediate legs.

When specifying 1 cutout (A) in tables 60" wide to 96" wide, cutout will be located in the center.

When specifying cutouts (A, B) in tables 108" wide to 192" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

When specifying cutouts (A, B, C) in tables 204" wide to 240" wide, cutouts can be located on the left (L), the right (R), or the center (C) of the table, or any combination of the three.

Laminate and veneer tops are  $1^{1}/_{4}$ " thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying trough (T) undersurface wire management option, finish will match base finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H).

When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.


Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program. See planning guide for additional information.

## Dimensions



Spec	ification Information	
Step 1	l <b>.</b>	
DP1A	Y	
Step 2	2. Edge	
S.	squared-edge	+\$
T.	thin-edge	+\$
Step 3	3. Height	
28	28.5" high	+\$
Step 4	i. Depth	
36	36" deep	+\$
42	42" deep	+\$
48	48" deep	+\$
54	54" deep	+\$
Step 5	5. Width	
For 36	s" deep (36)	
60	60" wide	+\$370
72	72" wide	+\$393
84	84" wide	+\$415
96	96" wide	+\$437
For 42	?" deep (42)	
60	60" wide	+\$406
72	72" wide	+\$423
84	84" wide	+\$440
96	96" wide	+\$457
108	108" wide	+\$655
120	120" wide	+\$713
132	132" wide	+\$732
144	144" wide	+\$752
For 48	8" deep (48)	
60	60" wide	+\$415
72	72" wide	+\$431
84	84" wide	+\$447
96	96" wide	+\$462
108	108" wide	+\$713
120	120" wide	+\$752
132	132" wide	+\$784
144	144" wide	+\$816

For 54	i'' deep (54)	
96	96" wide	+\$4823
108	108" wide	+\$7413
120	120" wide	+\$7803
132	132" wide	+\$8175
144	144" wide	+\$8546
156	156" wide	+\$8917
168	168" wide	+\$9289
180	180" wide	+\$9660
192	192" wide	+\$10031
204	204" wide	+\$11906
216	216" wide	+\$12192
228	228" wide	+\$12478
240	240" wide	+\$12762
Step	6. Surface Material	
Forse	uared-edge (S.) with 60" wide (60), 72" wide (72), 84	" wido (94)
	uurea-eage (3.) wiiii 60   wide (60), 72   wide (72), 84 ' wide (96)	wiue (64),
L	high-pressure laminate top/thermoplastic edge	+\$0
W	veneer top/veneer edge A	+\$1423
U	high-pressure laminate/universal edge	+\$0
For so	uared-edge (S.) with 108" wide (108), 120" wide (12	0), 132"
wide	(132), 144" wide (144), 156" wide (156), 168" wide (1	168), 180"
wide	(180), or 192" wide (192)	
L	high-pressure laminate top/thermoplastic edge	+\$0
W	veneer top/veneer edge A	+\$2790
U	high-pressure laminate/universal edge	+\$0
For so	uared-edge (S.) with 204" wide (204), 216" wide (21	6), 228"
wide	(228), or 240" wide (240)	
L	high-pressure laminate top/thermoplastic edge	+\$0
W	veneer top/veneer edge A	+\$3623
U	high-pressure laminate/universal edge	+\$0
For th	in-edge (T.) with 60" wide (60), 72" wide (72), 84" wid	de (84), or
96" w	ide (96)	
L	high-pressure laminate top/thermoplastic edge	+\$1337
W	veneer top/veneer edge A	+\$3346
For th	in-edge (T.) with 108" wide (108), 120" wide (120), 1	32" wide
(132)	, 144" wide (144), 156" wide (156), 168" wide (168),	
(180) <b>L</b>	or 192" wide (192) high-pressure laminate top/thermoplastic edge	+\$1675
-	man pressure tunnate top/ triciniopiastic eage	, 410/5

veneer top/veneer edge A

+\$6410

For ti	hin-edge (T.) with 204" wide (204), 216" wide (216), 22	28" wide	Step	9. Cutout #2 Location	
(228	), or 240" wide (240)				
W	high-pressure laminate top/thermoplastic edge veneer top/veneer edge A	+\$2452 +\$9199	(144	08" wide (108), 120" wide (120), 132" v ), 156" wide (156), 168" wide (168), 18 (192) with 2 cutouts (B) with left cutou	0" wide (180), or 192"
Step	7. Number of Cutouts		R	right cutout	+\$0
For 6	10" wide (60), 72" wide (72), 84" wide (84), or 96" wide	(96)	For 1	08" wide (108), 120" wide (120), 132"	wide (132), 144" wide
N	no cutouts	+\$0	(144	), 156" wide (156), 168" wide (168), 18	0" wide (180), or 192"
Α	1 cutout	+\$0	wide	(192) with 2 cutouts (B) with right cuto	ut (R)
			L	left cutout	+\$0
	08" wide (108), 120" wide (120), 132" wide (132), 144				
	), 156" wide (156), 168" wide (168), 180" wide (180), c	r 192"		204" wide (204), 216" wide (216), 228" l	
	(192)			) with 2 cutouts (B) or 3 cutouts (C) with	
N	no cutouts	+\$0	C	center cutout	+\$0
Α _	1 cutout	+\$0	R	right cutout	+\$0
В	2 cutouts	+\$0		20 (   11 (20 () 24 (   11 (24 () 22 0)	: 1 (220) 2 (011 : 1
Fax 2	20 (*ida (20 () 24 (*ida (24 () 220)ida (220) a	(0" wide		204" wide (204), 216" wide (216), 228" (	
	204" wide (204), 216" wide (216), 228" wide (228), or 2	40 wiae	**********	) with 2 cutouts (B) or 3 cutouts (C) with	······
(240)			C	center cutout	+\$0
N	no cutouts	+\$0	L	left cutout	+\$0
A	1 cutout	+\$0		20 / wide (20 /) 21 / wide (21 /) 220 /	da (220) az 240" wida
В	2 cutouts	+\$0		204" wide (204), 216" wide (216), 228" (	
С	3 cutouts	+\$0	(240 <b>L</b>	) with 2 cutouts (B) or 3 cutouts (C) with left cutout	
Step	8. Cutout #1 Location		R	right cutout	+\$( +\$(
For 6	60" wide (60), 72" wide (72), 84" wide (84), or 96" wide	(96) with	Step	10. Cutout #3 Location	
1 cut	tout (A)				
C	center cutout	+\$0	For 3	cutouts (C) with left cutout (L) or right	cutout (R) with left cutout
			(L) o	r right cutout (R)	
For 1	08" wide (108), 120" wide (120), 132" wide (132), 144	" wide	C	center cutout	+\$0
(144	), 156" wide (156), 168" wide (168), 180" wide (180), c	r 192"			
wide	(192) with 1 cutout (A) or 2 cutouts (B)		For 3	cutouts (C) with center cutout (C) or lef	t cutout (L) with center
L	left cutout	+\$0	cuto	ut (C) or left cutout (L)	
R	right cutout	+\$0	R	right cutout	+\$0
For 2	704" wide (204), 216" wide (216), 228" wide (228), or 2	40" wide	For 3	cutouts (C) with center cutout (C) or rig	ht cutout (R) with center
(240	) with 1 cutout (A), 2 cutouts (B), or 3 cutouts (C)			ut (C) or right cutout (R)	
C	center cutout	+\$0	L	left cutout	+\$0
L	left cutout	+\$0			
R	right cutout	+\$0			

Step	11. Technology Integration for Cutout #1	
For 1	cutout (A), 2 cutouts (B), or 3 cutouts (C)	
ТВ	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$125
L5	cutout for logic Y1425 5 port	+\$125
L3	cutout for logic Y1425 3 port	+\$65
C5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
<b>C8</b>	cutout for 10" x 4" technology unit	+\$65
<b>C9</b>	cutout for 10" x 6.75" technology unit	+\$125
Step	12. Technology Integration for Cutout #2	
For 2	cutouts (B) or 3 cutouts (C)	
ТВ	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$125
L5	cutout for logic Y1425 5 port	+\$125
L3	cutout for logic Y1425 3 port	+\$65
C5	cutout for 5.75" x 5.75" technology unit	+\$65 +\$65 +\$65
C6	cutout for 7.13" x 5.75" technology unit	
<b>C7</b>	cutout for 7" x 3.25" technology unity	
С8	cutout for 10" x 4" technology unit	+\$65
С9	cutout for 10" x 6.75" technology unit	+\$125
Step	13. Technology Integration for Cutout #3	
For 3	cutouts (C)	
TB	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$125
L5	cutout for logic Y1425 5 port	+\$125
L3	cutout for logic Y1425 3 port	+\$65
<b>C</b> 5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
<b>C8</b>	cutout for 10" x 4" technology unit	+\$65

+\$125

Step 1	4.	
Top Fi	nich	
•	" wide (60), 72" wide (72), 84" wide (84), or 96	" wide (96) with
	pressure laminate top/thermoplastic edge (L), o	
	ate/universal edge (U)	or mgn-pressure
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut [A]	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Top/E	dge Finish	
For 60	" wide (60), 72" wide (72), 84" wide (84), or 96	" wide (96) with
venee	r top/veneer edge (W)	
2U	light brown walnut	+\$200
40	dark brown walnut	+\$200
A2	white ash	+\$0
CHD	noble cherry	+\$200
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$200
OU	walnut	+\$200
UL	natural maple	+\$0
WHN	natural white oak	+\$200

cutout for 10" x 6.75" technology unit

C9

continued

## Top Finish

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru 🛕	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak 🛕	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

## Top/Edge Finish

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with veneer top/veneer edge (W)

2U	light brown walnut	+\$400
40	dark brown walnut	+\$400
A2	white ash	+\$0
CHD	noble cherry	+\$400
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$400
OU	walnut	+\$400
UL	natural maple	+\$0
WHN	natural white oak	+\$400

## Top Finish

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

			_	_
Ton	/Fdga	Fin	ic	h

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with veneer top/veneer edge (W)

2U	light brown walnut	+\$0
2U	light brown walnut	+\$600
40	dark brown walnut	+\$0
40	dark brown walnut	+\$600
A2	white ash	+\$0
CHD	noble cherry	+\$0
CHD	noble cherry	+\$600
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$0
EW	medium matte walnut	+\$600
OU	walnut	+\$0
OU	walnut	+\$600
UL	natural maple	+\$0
WHN	natural white oak	+\$0
WHN	natural white oak	+\$600

## Step 15. Edge Finish

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with high-pressure laminate/universal edge (U)

PLY plywood edge +\$75

continued

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with high-pressure laminate/universal edge (U)

PLY plywood edge +\$150

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with high-pressure laminate/universal edge (U)

PLY plywood edge +\$225

## Step 16. Base Finish

## Smooth Paint

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)

8Q	folkstone grey leg with folkstone grey foot	+\$0
91	white leg with white foot	+\$0
98	studio white leg with studio white foot	+\$0
WL	sandstone leg with sandstone foot	+\$0
WN	warm grey neutral leg with warm grey neutral foot	+\$0

## Metallic Paint

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)

CN	metallic champagne leg with metallic champagne foot	+\$0
MS	metallic silver leg with metallic silver foot	+\$0
SNA	satin aluminum leg with satin aluminum foot	+\$30
SNB	satin bronze leg with satin bronze foot	+\$30
SNC	satin carbon leg with satin carbon foot	+\$30

continued

Sand	l Texture Paint		Polish	ned Aluminum		
For 6	0" wide (60), 72" wide (72), 84" wide (84), or 96" wide (9	16)	For 10	08" wide (108), 120" wide (120), 132" wide (132), 144	" wide	
BK	black leg with black foot	+\$0	+\$0 (144), 156" wide (156), 168" wide (168), 180" wide (180), or 1			
G1	graphite satin leg with graphite satin foot	+\$0	wide	(192)		
			LFX	satin aluminum with polished aluminum foot	+\$4	
Polis	hed Aluminum		LFZ	satin bronze with polished aluminum foot	+\$4	
For 6	0" wide (60), 72" wide (72), 84" wide (84), or 96" wide (9	<i>(6)</i>	LFL	black leg with polished aluminum foot	+\$3	
LFX	satin aluminum with polished aluminum foot	+\$240	LFM	satin carbon leg with polished aluminum foot	+\$4	
LFZ	satin bronze with polished aluminum foot	+\$240	LFK	studio white leg with polished aluminum foot	+\$3	
LFL	black leg with polished aluminum foot	+\$210	LFF	white leg with polished aluminum foot	+\$3	
LFM	satin carbon leg with polished aluminum foot	+\$240	LFN	graphite leg with polished aluminum foot	+\$3	
LFK	studio white leg with polished aluminum foot	+\$210				
LFF	white leg with polished aluminum foot	+\$210	Smoo	th Paint		
LFN	graphite leg with polished aluminum foot	+\$210	For 20	04" wide (204), 216" wide (216), 228" wide (228), or 2	40" wide	
			(240)			
Smoo	oth Paint		8Q	folkstone grey leg with folkstone grey foot	+	
For 1	08" wide (108), 120" wide (120), 132" wide (132), 144" v	vide	91	white leg with white foot	+	
(144)	), 156" wide (156), 168" wide (168), 180" wide (180), or	192"	98	studio white leg with studio white foot	+	
	(192)		WL	sandstone leg with sandstone foot	+	
8Q	folkstone grey leg with folkstone grey foot	+\$0	WN	warm grey neutral leg with warm grey neutral foot	+	
91	white leg with white foot	+\$0				
98	studio white leg with studio white foot	+\$0	Metal	lic Paint		
WL	sandstone leg with sandstone foot	+\$0	For 20	04" wide (204), 216" wide (216), 228" wide (228), or 2	40" wide	
WN	warm grey neutral leg with warm grey neutral foot	+\$0	(240)			
			CN	metallic champagne leg with metallic champagne fo	oot +	
Meta	llic Paint		MS	metallic silver leg with metallic silver foot	+	
For 1	08" wide (108), 120" wide (120), 132" wide (132), 144" v	wide	SNA	satin aluminum leg with satin aluminum foot	+\$	
	), 156" wide (156), 168" wide (168), 180" wide (180), or		SNB	satin bronze leg with satin bronze foot	+\$	
	(192)		SNC	satin carbon leg with satin carbon foot	+\$	
CN	metallic champagne leg with metallic champagne foc	ot +\$0			,	
MS	metallic silver leg with metallic silver foot	+\$0	Sand	Texture Paint		
SNA	satin aluminum leg with satin aluminum foot	+\$60		04" wide (204), 216" wide (216), 228" wide (228), or 2	40" wide	
SNB	satin bronze leg with satin bronze foot	+\$60	(240)			
SNC	satin carbon leg with satin carbon foot	+\$60	BK	black leg with black foot	+	
			G1	graphite satin leg with graphite satin foot	+	
Sand	Texture Paint			grapinico satin teg min grapinico satin root		
	08" wide (108), 120" wide (120), 132" wide (132), 144" v	vide	Polish	ned Aluminum		
	), 156" wide (156), 168" wide (168), 180" wide (180), or			04" wide (204), 216" wide (216), 228" wide (228), or 2	40" wide	
	(192)	1/2	(240)	74 mac (204), 210 mac (210), 220 mac (220), 012	40 Wide	
BK	black leg with black foot	+\$0	LFX	satin aluminum with polished aluminum foot	+\$5	
G1	graphite satin leg with graphite satin foot	+\$0	LFZ	satin bronze with polished aluminum foot	+\$5	
J.	Stapinice Satin teg with Stapinice Satin 100t	1 40	LFL	black leg with polished aluminum foot	+\$5	
			LFM	satin carbon leg with polished aluminum foot	+\$5	
			LFK	studio white leg with polished aluminum foot	+\$5 +\$5	
			LLI	studio wilite teg with polished aldillillulli 100l	+ Þ5	

LFF

LFN

white leg with polished aluminum foot

graphite leg with polished aluminum foot

+\$420

+\$420 +\$360

+\$420

+\$360 +\$360 +\$360

> +\$0 +\$0 +\$0 +\$0

> +\$0

+\$0

+\$0 +\$80

+\$80 +\$80

> +\$0 +\$0

+\$585 +\$585 +\$505

+\$585

+\$505

+\$505

+\$505

Step	17. Undersurface Wire Management	
For 6	50" wide (60), 72" wide (72), 84" wide (84), or 96	" wide (96)
N	no undersurface wire management	+\$0
Т	trough	+\$420
Н	hammock	+\$550
For 1	08" wide (108), 120" wide (120), 132" wide (132	2), 144" wide
	), 156" wide (156), 168" wide (168), 180" wide (	180), or 192"
wide N	(192)	+\$0
	no undersurface wire management	. 4-
T	trough	+\$840
Н	hammock	+\$1100
For 2	04" wide (204), 216" wide (216), 228" wide (228	3), or 240" wide
(240,	)	
N	no undersurface wire management	+\$0
Т	trough	+\$1260
Н	hammock	+\$1650
Step	18. Hammock Finish	
For h	ammock (H)	
Price	Category 4	+\$0



## Product Information

## Description

This Y-base rectangle standing-height table comes in a squared-or thin-edge style and offers a laminate top with thermoplastic edge, laminate top with universal edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with  $1^3/2^n$  leveling glides. Shipped knocked down.

## Notes

Laminate and veneer tops 60" to 96" wide have 1-piece construction and are supported by 2 end legs.

When specifying 1 cutout (A) in tables 60" wide to 96" wide, cutout will be located in the center.

Laminate and veneer tops are  $1^{1}/4^{\prime\prime}$  thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying trough (T) undersurface wire management option, finish will match base finish.


To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H). When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)
  Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program. See planning guide for additional information.

#### **Dimensions**



Step 1	•	
DP2AY		
Step 2	. Edge	
S.	squared-edge	+\$0
Т.	thin-edge	+\$0
Step 3	. Height	
42	42" high	+\$0
Step 4	. Depth	
36	36" deep	+\$0
42	42" deep	+\$0
48	48" deep	+\$0
Step 5	Width	
For 36	' deep (36)	
60	60" wide	+\$3997
72	72" wide	+\$4222
84	84" wide	+\$4450
96	96" wide	+\$4676
For 42	' deep (42)	
60	60" wide	+\$4366
72	72" wide	+\$4534
84	84" wide	+\$4704
96	96" wide	+\$4876
For 48	' deep (48)	
60	60" wide	+\$4450
72	72" wide	+\$4612
84	84" wide	+\$4772
96	96" wide	+\$4933
Step 6	. Surface Material	
For sq	uared-edge (S.)	
L	high-pressure laminate top/thermoplastic edge	+\$0
W	veneer top/veneer edge A	+\$1449
U	high-pressure laminate/universal edge	+\$0
For thi	n-edge (T.)	
L	high-pressure laminate top/thermoplastic edge	+\$1361
w	veneer top/veneer edge	+\$3406

Step :	7. Number of Cutouts	
N	no cutouts	+\$0
A	1 cutout	+\$0
Step	8. Cutout #1 Location	
For 1	cutout (A)	
С	center cutout	+\$0
Step !	9. Technology Integration for Cutout #1	
For 1	cutout (A)	
ТВ	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$125
L5	cutout for logic Y1425 5 port	+\$125
L3	cutout for logic Y1425 3 port	+\$65
C5	cutout for 5.75" x 5.75" technology unit	+\$65
<b>C</b> 6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C</b> 7	cutout for 7" x 3.25" technology unity	+\$65
<b>C8</b>	cutout for 10" x 4" technology unit	+\$65
C9	cutout for 10" x 6.75" technology unit	+\$125


Step 1	0.	
Top Fi	nish	
	gh-pressure laminate top/thermoplastic	edae (I ) or hiah-
	ure laminate/universal edge (U)	cage (L) or mgn
76	light brown walnut	+\$
80	folkstone grey	+\$
91	white	+\$
98	studio white	+\$
CL	cool grey neutral	+\$
HF	inner tone light	+\$
нм	natural maple	+\$
HP	light anigre	+\$
нх	aged cherry	+\$
LBA	clear on ash	+\$
LBB	oak on ash	+\$
LBC	walnut on ash	+\$
LBF	neutral twill	+\$
LBJ	graphite twill	+\$
LBQ	white twill	+\$
LBR	phantom ecru 🛕	+\$
LBS	phantom cocoa 🛕	+\$
LBU	medium matte walnut 🛕	+\$
LBV	warm grey teak 🛕	+\$
LT	light tone	+\$
LU	soft white	+\$
WL	sandstone	+\$
WN	warm grey neutral	+\$
	dge Finish	
	neer top/veneer edge (W)	
2U	light brown walnut	+\$20
40	dark brown walnut	+\$20
A2	white ash	+\$
CHD	noble cherry	+\$20
ET	clear on ash	+\$
EU	oak on ash	+\$
EV	walnut on ash	+\$
EW	medium matte walnut	+\$20
0U	walnut	+\$20
UL	natural maple	+\$
WHN	natural white oak	+\$20

otep 1	1. Edge Finish	
For hig	gh-pressure laminate top/thermoplastic edge (L)	
76	light brown walnut	+\$
8Q	folkstone grey	+\$
91	white	+\$
98	studio white	+\$
BU	black umber	+\$
CL	cool grey neutral	+\$
HF	inner tone light	+\$
нм	natural maple	+\$
HP	light anigre	+\$
НΧ	aged cherry	+\$
LBA	clear on ash	+\$
LBB	oak on ash	+\$
LBC	walnut on ash	+\$
LBF	neutral twill	+\$
LBJ	graphite twill	+\$
LBQ	white twill	+\$
LBR	phantom ecru	+\$
LBS	phantom cocoa	+\$
LBU	medium matte walnut	+\$
LBV	warm grey teak	+\$
LU	soft white	+\$
WL	sandstone	+\$
WN	warm grey neutral	+\$
For hig	gh-pressure laminate/universal edge (U)	
PLY	plywood edge	+\$7
Step 1	2. Base Finish	
Smoot	th Paint	
8Q	folkstone grey leg with folkstone grey foot	+\$
91	white leg with white foot	+\$
98	studio white leg with studio white foot	+\$
WL	sandstone leg with sandstone foot	+\$
WN	warm grey neutral leg with warm grey neutral foot	+\$
Metall	ic Paint	
CN	metallic champagne leg with metallic champagne foot	+\$
MS	metallic silver leg with metallic silver foot	+\$
SNA	satin aluminum leg with satin aluminum foot	+\$3
SNB	satin bronze leg with satin bronze foot	+\$3
	5	+\$3

Sand	Texture Paint	
ВК	black leg with black foot	+\$0
G1	graphite satin leg with graphite satin foot	+\$0
Polis	hed Aluminum	
LFX	satin aluminum with polished aluminum foot	+\$240
LFZ	satin bronze with polished aluminum foot	+\$240
LFL	black leg with polished aluminum foot	+\$210
LFM	satin carbon leg with polished aluminum foot	+\$240
LFK	studio white leg with polished aluminum foot	+\$210
LFF	white leg with polished aluminum foot	+\$210
LFN	graphite leg with polished aluminum foot	+\$210
Step	13. Undersurface Wire Management	
N	no undersurface wire management	+\$0
T	trough	+\$420
Н	hammock	+\$550
Step	14. Hammock Finish	
For h	ammock (H)	
Price	Category 4	+\$0

## Headway™ Boat Shape, Cabinet-Base, Seated Height Table

## DP1BCS DP1BCT



## **Product Information**

## Description

This cabinet base boat shape seated-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with  $1^{1}/2^{n}$  leveling glides. Shipped knocked down.

## Notes

Laminate tops 72" to 96" wide have 1-piece construction and are supported by 2 end cabinet bases.

Laminate tops 120" to 192" wide have 2-piece construction and are supported by 2 end cabinet bases and 1 intermediate cabinet base. Laminate tops 204" to 240" wide have 3-piece construction and are supported by 2 end cabinet bases and 2 intermediate cabinet bases. Veneer tops 72" to 96" wide have 1-piece construction and are supported by 2 end cabinet bases.

Veneer tops 120" to 192" wide have 2-piece construction and are supported by 2 end cabinet bases and 1 intermediate cabinet base. Veneer tops 204" to 240" wide have 3-piece construction and are supported by 2 end cabinet bases and 2 intermediate cabinet bases. When specifying 1 cutout (A) in tables 72" wide to 96" wide, cutout will be located in the center.

When specifying cutouts (A, B) in tables 120" wide to 192" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. For 54"- and 60"-deep tables, cutouts can also be located over the left or right cabinet bases (S, T). No center cutouts available.

When specifying cutouts (A, B, C) in tables 204" wide to 240" wide, cutouts can be located on the left (L), the right (R), or the center (C) of the table, or any combination of the three. For 54"- and 60"-deep tables, cutouts can also be located over the left or right cabinet bases (S, T).

Laminate and veneer tops are 11/4" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying technology mounting panels in bases (P), 2 technology panels are included.

When specifying metal painted curtain (C) or trough (T) undersurface wire management option, finish will match inner cabinet base paint finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H) or metal painted curtain with fabric sling (C).


When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) or metal painted curtain with fabric sling (C) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)
   Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program. See planning guide for additional information.

## Dimensions



	ification Information	
Step 1		
DP1B	C	
Step 2	2. Edge	
S.	squared-edge	+\$0
T.	thin-edge	+\$
Step 3	3. Height	
2	28.5" high	+\$0
•	4. Depth	
42	42" deep	+\$0
48	48" deep	+\$
54	54" deep	+\$
60	60" deep	+\$1
Step !	5. Width	
For 42	2" deep (42)	
72	72" wide	+\$471
84	84" wide	+\$4870
96	96" wide	+\$5022
120	120" wide	+\$7240
132	132" wide	+\$7438
144	144" wide	+\$782
For 48	B" deep (48)	
72	72" wide	+\$476
84	84" wide	+\$4920
96	96" wide	+\$5070
120	120" wide	+\$724
132	132" wide	+\$756

For 54	" deep (54)	
96	96" wide	+\$5899
120	120" wide	+\$8638
132	132" wide	+\$8936
144	144" wide	+\$9233
156	156" wide	+\$9437
168	168" wide	+\$9642
180	180" wide	+\$9847
192	192" wide	+\$10052
204	204" wide	+\$12638
216	216" wide	+\$12813
228	228" wide	+\$12989
240	240" wide	+\$13165
• · · · · · · · · · · · · · · · · · · ·	" deep (60)	
96	96" wide	+\$5989
120	120" wide	+\$8917
132	132" wide	+\$9150
144	144" wide	+\$9383
156	156" wide	+\$9616
168	168" wide	+\$9848
180	180" wide	+\$10082
192	192" wide	+\$10315
204	204" wide	+\$12850
216	216" wide	+\$13171
228	228" wide	+\$13492
240	240" wide	+\$13814
Step 6	5. Surface Material	
For sq	uared-edge (S.) with 72" wide (72), 96" wide (96), or	84" wide
(84)		
L	high-pressure laminate top/thermoplastic edge	+\$0
W	veneer top/veneer edge A	+\$1898
	uared-edge (S.) with 120" wide (120), 132" wide (13	
	(144), 156" wide (156), 168" wide (168), 180" wide (	180), or
192" v	vide (192)	
L	high-pressure laminate top/thermoplastic edge	+\$0
W	veneer top/veneer edge A	+\$3623
Forso	uared-edge (S.) with 204" wide (204), 216" wide (21	6) 228"
	uurea-eage (3.) wiiii 204  wide (204), 216  wide (21 228), or 240" wide (240)	0), 220
I	high-pressure laminate top/thermoplastic edge	+\$0
W	veneer top/veneer edge A	+\$4713
**	vencer top/vencer eage [A]	τψ4/13

For th	hin-edge (T.) with 72" wide (72), 96" wide (96), or 84" v	vide (84)	For 1	20" wide (120), 132" wide (132), 144" wide	(144), 156" wide
L	high-pressure laminate top/thermoplastic edge	+\$1337	(156	), 168" wide (168), 180" wide (180), or 192"	' wide (192)
W	veneer top/veneer edge A	+\$3346	N	no cutouts	+\$0
			Α	1 cutout	+\$0
For tl	hin-edge (T.) with 120" wide (120), 132" wide (132), 14	44" wide	В	2 cutouts	+\$0
(144,	), 156" wide (156), 168" wide (168), 180" wide (180), c	or 192"			
wide	(192)		For 2	04" wide (204), 216" wide (216), 228" wide	(228), or 240" wide
L	high-pressure laminate top/thermoplastic edge	+\$1675	(240	)	
W	veneer top/veneer edge A	+\$6410	N	no cutouts	+\$0
			Α	1 cutout	+\$0
For tl	hin-edge (T.) with 204" wide (204), 216" wide (216), 22	?8" wide	В	2 cutouts	+\$0
(228,	), or 240" wide (240)		C	3 cutouts	+\$0
L	high-pressure laminate top/thermoplastic edge	+\$2452			
W	veneer top/veneer edge A	+\$9199	Step	9. Cutout #1 Location	
For s	quared-edge (S.) with 120" wide (120), 132" wide (132	2), 144"	For 4	2" deep (42), 48" deep (48), 54" deep (54),	or 60" deep (60) with
	(144), 156" wide (156), 168" wide (168), 180" wide (1			vide (72), 96" wide (96), or 84" wide (84) wit	
	wide (192)		C	center cutout	+\$0
L	high-pressure laminate top/thermoplastic edge	+\$0			
W	veneer top/veneer edge A	+\$3623	For 4	2" deep (42) or 48" deep (48) with 120" wide	e (120), 132" wide
				), or 144" wide (144) with 1 cutout (A) or 2 c	
For s	quared-edge (S.) with 204" wide (204), 216" wide (216	5), 228"	L	left cutout	+\$0
	(228), or 240" wide (240)		R	right cutout	+\$0
L	high-pressure laminate top/thermoplastic edge	+\$0			
W	veneer top/veneer edge A	+\$4713	For 5	4" deep (54) or 60" deep (60) with 120" wide	e (120), 132" wide
				), 144" wide (144), 156" wide (156), 168" wi	
For th	hin-edge (T.) with 120" wide (120), 132" wide (132), 14	44" wide		), or 192" wide (192) with 1 cutout (A) or 2 c	
	), 156" wide (156), 168" wide (168), 180" wide (180), c		L	left cutout	+\$0
	(192)		R	right cutout	+\$0
L	high-pressure laminate top/thermoplastic edge	+\$1675	S	left cutout over cabinet base	+\$0
W	veneer top/veneer edge A	+\$6410	Т	right cutout over cabinet base	+\$0
For th	hin-edge (T.) with 204" wide (204), 216" wide (216), 22	00" wido	For	4" deep (54) or 60" deep (60) with 204" wid	a (204) 216" wide
	mr-eage (1.) with 204 wide (204), 216 wide (216), 22 ), or 240" wide (240)	o wide		), 228" wide (228), or 240" wide (240) with :	
		, ¢2/E2		or 3 cutouts (C)	I culoul (A), 2 culouis
L W	high-pressure laminate top/thermoplastic edge	+\$2452 +\$9199			. ¢0
W	veneer top/veneer edge A	+\$9199	C	center cutout	+\$0
Cton	7 Democrable Cabinet Dear Metarial		L	left cutout	+\$0
	7. Removable Cabinet Door Material	a a d = a . CO	ĸ	right cutout	+\$0
L	high-pressure laminate door material/thermoplasti		S	left cutout over cabinet base	+\$0
W	veneer door material/veneer edge	+\$841	Т	right cutout over cabinet base	+\$0
Step	8. Number of Cutouts		Step	10. Cutout #2 Location	
For 7	'2" wide (72), 96" wide (96), or 84" wide (84)		For 4	2" deep (42) or 48" deep (48) with 120" wid	e (120), 132" wide
	no cutouts	+\$0		), or 144" wide (144) with 2 cutouts (B) with	
N				, or 177 wide (177) with 2 culouts (b) with	

For 42" deep (42) or 48" deep (48) with 120" wide (120), 132" wide (132), or 144" wide (144) with 2 cutouts (B) with right cutout (R) left cutout +\$0 For 54" deep (54) or 60" deep (60) with 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with 2 cutouts (B) with left cutout (L) or left cutout over cabinet base (S) R +\$0 right cutout Т right cutout over cabinet base +\$0 For 54" deep (54) or 60" deep (60) with 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with 2 cutouts (B) with right cutout (R) or right cutout over cabinet base (T) L left cutout +\$0 S left cutout over cabinet base +\$0 For 54" deep (54) or 60" deep (60) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with left cutout (L) or left cutout over cabinet base (S) R right cutout +\$0 Т right cutout over cabinet base +\$0 C center cutout +\$0 For 54" deep (54) or 60" deep (60) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with right cutout (R) or right cutout over cabinet base (T) L +\$0 left cutout S +\$0 left cutout over cabinet base C center cutout +\$0 For 54" deep (54) or 60" deep (60) with 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with 2 cutouts (B) or 3 cutouts (C) with center cutout (C) L left cutout +\$0 S left cutout over cabinet base +\$0 R right cutout +\$0 Т right cutout over cabinet base Step 11. Cutout #3 Location For 3 cutouts (C) with left cutout (L), right cutout (R), left cutout over cabinet base (S), or right cutout over cabinet base (T) with left cutout

(L), right cutout (R), left cutout over cabinet base (S), or right cutout

+\$0

For 3 cutouts (C) with center cutout (C), left cutout (L), or left cutout over cabinet base (S) with left cutout (L), left cutout over cabinet base (S), or center cutout (C)

R	right cutout	+\$0
T	right cutout over cabinet base	+\$0

For 3 cutouts (C) with center cutout (C), right cutout (R), or right cutout over cabinet base (T) with center cutout (C), right cutout (R), or right cutout over cabinet base (T)

L	left cutout	+\$0
S	left cutout over cabinet base	+\$0

## Step 12. Technology Integration for Cutout #1

For 1 cutout (A), 2 cutouts (B), or 3 cutouts (C) with center cutout (C), or left cutout (L), or right cutout (R)

ТВ	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$125
L5	cutout for logic Y1425 5 port	+\$125
L3	cutout for logic Y1425 3 port	+\$65
C5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
<b>C8</b>	cutout for 10" x 4" technology unit	+\$65
C9	cutout for 10" x 6.75" technology unit	+\$125

For 1 cutout (A), 2 cutouts (B), or 3 cutouts (C) with left cutout over cabinet base (S), or right cutout over cabinet base (T)

C5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
<b>C8</b>	cutout for 10" x 4" technology unit	+\$65
C9	cutout for 10" x 6.75" technology unit	+\$125

## Step 13. Technology Integration for Cutout #2

For 2 cutouts (B) or 3 cutouts (C) with left cutout (L), or right cutout (R), or center cutout (C)

ТВ	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$125
L5	cutout for logic Y1425 5 port	+\$125
L3	cutout for logic Y1425 3 port	+\$65
C5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
С8	cutout for 10" x 4" technology unit	+\$65
C9	cutout for 10" x 6.75" technology unit	+\$125

over cabinet base (T)

C center cutout

For 2 cutouts (B) or 3 cutouts (C) with left cutout over cabinet base (S), or right cutout over cabinet base (T) **C5** cutout for 5.75" x 5.75" technology unit +\$65 cutout for 7.13" x 5.75" technology unit +\$65 **C7** cutout for 7" x 3.25" technology unity +\$65 cutout for 10" x 4" technology unit +\$65 cutout for 10" x 6.75" technology unit C9 +\$125 Step 14. Technology Integration for Cutout #3 For 3 cutouts (C) with center cutout (C), or left cutout (L), or right cutout (R) TB cutout for technology bucket +\$190 L6 cutout for logic Y1425 6 port +\$125 L5 cutout for logic Y1425 5 port +\$125 L3 cutout for logic Y1425 3 port +\$65 **C5** cutout for 5.75" x 5.75" technology unit +\$65 **C6** cutout for 7.13" x 5.75" technology unit +\$65 **C7** cutout for 7" x 3.25" technology unity +\$65 **C8** cutout for 10" x 4" technology unit +\$65 C9 cutout for 10" x 6.75" technology unit +\$125

For 3 cutouts (C) with left cutout over cabinet base (S), or right cutout

cutout for 5.75" x 5.75" technology unit

cutout for 7.13" x 5.75" technology unit

cutout for 7" x 3.25" technology unity

cutout for 10" x 6.75" technology unit

cutout for 10" x 4" technology unit

+\$65

+\$65

+\$65

+\$65

+\$125

over cabinet base (T)

**C5** 

**C6** 

**C7** 

**C8** 

C9

#### Step 15. Top Finish For 72" wide (72), 96" wide (96), or 84" wide (84) with high-pressure laminate top/thermoplastic edge (L) light brown walnut folkstone grey 8Q +\$0 91 white +\$0 98 studio white +\$0 CLcool grey neutral +\$0 HF inner tone light +\$0 НМ natural maple +\$0 HP light anigre +\$0 НΧ aged cherry +\$0 **LBA** clear on ash +\$0 oak on ash **LBB** +\$0 **LBC** walnut on ash +\$0 LBF neutral twill +\$0 graphite twill LBJ +\$0 **LBQ** white twill +\$0 **LBR** phantom ecru A +\$0 **LBS** phantom cocoa A +\$0 LBU medium matte walnut [A] +\$0 **LBV** warm grey teak A +\$0 LT light tone +\$0 LU soft white +\$0 WL sandstone +\$0 WN warm grey neutral +\$0

Top/Edge Finish
For 72" wide (72), 96" wide (96), or 84" wide (84) with veneer top/
veneer edge (W)

2U	light brown walnut	+\$200
40	dark brown walnut	+\$200
A2	white ash	+\$0
CHD	noble cherry	+\$200
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$200
OU	walnut	+\$200
UL	natural maple	+\$0
WHN	natural white oak	+\$200

ı	n		IS	

For 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with high-pressure laminate top/thermoplastic edge (L)

pressu	ire tullillate top, thermoplastic eage (2)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

## Top/Edge Finish

For 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with veneer top/veneer edae (W)

veneei	top/veneer eage (w)	
2U	light brown walnut	+\$400
40	dark brown walnut	+\$400
A2	white ash	+\$0
CHD	noble cherry	+\$400
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$400
OU	walnut	+\$400
UL	natural maple	+\$0
WHN	natural white oak	+\$400

## Top Finish

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak 🛕	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

## Top/Edge Finish

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with veneer top/veneer edge (W)

. ,	,, , , ,	
2U	light brown walnut	+\$600
40	dark brown walnut	+\$600
A2	white ash	+\$0
CHD	noble cherry	+\$600
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$600
OU	walnut	+\$600
UL	natural maple	+\$0
WHN	natural white oak	+\$600

## Top Finish

For 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

## Top/Edge Finish

For 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with veneer top/veneer edge (W)

,,	
light brown walnut	+\$400
dark brown walnut	+\$400
white ash	+\$0
noble cherry	+\$400
clear on ash	+\$0
oak on ash	+\$0
walnut on ash	+\$0
medium matte walnut	+\$400
walnut	+\$400
natural maple	+\$0
natural white oak	+\$400
	dark brown walnut white ash noble cherry clear on ash oak on ash walnut on ash medium matte walnut walnut natural maple

## Top Finish

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

## Top/Edge Finish

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with veneer top/veneer edge (W)

2U	light brown walnut	+\$600
40	dark brown walnut	+\$600
A2	white ash	+\$0
CHD	noble cherry	+\$600
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$600
OU	walnut	+\$600
UL	natural maple	+\$0
WHN	natural white oak	+\$600

76	light brown walnut	\$1
lamin	ate top/thermoplastic edge (L)	
For 7	2" wide (72), 96" wide (96), or 84" wide (84) with high-pressure	2
Step	16. Eage Finish	

lummi	ate top/thermoplastic eage (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0

For 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with highpressure laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0

## Step 17. Removable Cabinet Door Finish

For hi	gh-pressure laminate door material/therm	oplastic edge (L)
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


For ve	neer door material/veneer edge (W)	
2U	light brown walnut	+\$100
40	dark brown walnut	+\$100
A2	white ash	+\$0
CHD	noble cherry	+\$100
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$100
OU	walnut	+\$100
UL	natural maple	+\$0
WHN	natural white oak	+\$100

Step 1	8. Removable Cabinet Door Edge Finish	
	h-pressure laminate door material/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
.BA	clear on ash	+\$0
LBB	oak on ash	+\$0
.BC	walnut on ash	+\$0
.BF	neutral twill	+\$0
LBJ	graphite twill	+\$0
.BQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
_BU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 1	.9. Inner Cabinet Leg Finish	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$60
SNB	satin bronze	+\$60
SNC	satin carbon	+\$60
BK	black	+\$0
G1	graphite	+\$0

Step	20. Technology Mounting Panel in Leg	
Р	technology panels in bases	+\$260
N	no panel in bases	+\$0

For 7	2" wide (72), 96" wide (96), or 84" wide (84)	
N	no undersurface wire management	+\$0
Т	trough	+\$420
C	metal painted curtain with fabric sling	+\$635
Н	hammock	+\$550
For 1	20" wide (120), 132" wide (132), 144" wide (144),	, 156" wide
(156,	), 168" wide (168), 180" wide (180), or 192" wide	(192)
N	no undersurface wire management	+\$0
Т	trough	+\$840
C	metal painted curtain with fabric sling	+\$1270
Н	hammock	+\$1100
	04" wide (204), 216" wide (216), 228" wide (228),	or 240" wide
(240)		
N	no undersurface wire management	+\$(
T	trough	+\$1260
C	metal painted curtain with fabric sling	+\$1905
Н	hammock	+\$1650
Step	22. Hammock Finish	
For h	ammock (H)	
Price	Category 4	+\$0



## **Product Information**

### Description

This Y-base boat-shaped seated-height table comes in a squared-or thin-edge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with  $1^1/2^n$  leveling glides. Shipped knocked down.

## Notes

Laminate tops 60" to 108" wide have 1-piece construction and are supported by 2 end legs.

Laminate tops 120" to 192" wide have 2-piece construction and are supported by 2 end legs and 1 intermediate leg.

Laminate tops 204" to 240" wide have 3-piece construction and are supported by 2 end legs and 2 intermediate legs.

Veneer tops 60" to 96" wide have 1-piece construction and are supported by 2 end legs.

Veneer tops 108" to 192" wide have 2-piece construction and are supported by 2 end legs and 1 intermediate leg.

Veneer tops 204" to 240" wide have 3-piece construction and are supported by 2 end legs and 2 intermediate legs.

When specifying 1 cutout (A) in tables 60" wide to 96" wide, cutout will be located in the center.

When specifying cutouts (A, B) in tables 108" wide to 192" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

When specifying cutouts (A, B, C) in tables 204" wide to 240" wide, cutouts can be located on the left (L), the right (R), or the center (C) of the table, or any combination of the three.

Laminate and veneer tops are  $1^{1}/_{4}$ " thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying trough (T) undersurface wire management option, finish will match base finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H). When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.


Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program. See planning guide for additional information.

## **Dimensions**



	ification Information	
Step 1		
DP1B	1	
Step 2	?. Edge	
S.	squared-edge	+\$0
т.	thin-edge	+\$0
Step 3	B. Height	
28	28.5" high	+\$0
Step 4	i. Depth	
36	36" deep	+\$0
42	42" deep	+\$0
48	48" deep	+\$0
54	54" deep	+\$0
Step !	5. Width	
For 36	" deep (36)	
60	60" wide	+\$3596
72	72" wide	+\$3812
84	84" wide	+\$4029
96	96" wide	+\$4245
For 42	" deep (42)	
60	60" wide	+\$3947
72	72" wide	+\$4111
84	84" wide	+\$4271
96	96" wide	+\$4434
108	108" wide	+\$6353
120	120" wide	+\$6920
132	132" wide	+\$7109
144	144" wide	+\$7299
For 48	" deep (48)	
60	60" wide	+\$4029
72	72" wide	+\$4182
84	84" wide	+\$4337
96	96" wide	+\$4487
108	108" wide	+\$6920
120	120" wide	+\$7299
132	132" wide	+\$7609
144	144" wide	+\$7920

For 5	4" deep (54)	
96	96" wide	+\$4678
108	108" wide	+\$7191
120	120" wide	+\$7569
132	132" wide	+\$7929
144	144" wide	+\$8290
156	156" wide	+\$8650
168	168" wide	+\$9010
180	180" wide	+\$9370
192	192" wide	+\$9730
204	204" wide	+\$11549
216	216" wide	+\$11826
228	228" wide	+\$12103
240	240" wide	+\$12379
Step	6. Surface Material	
	quared-edge (S.) with 60" wide (60), 72" wide (72), 84 " wide (96)	i" wide (84),
L	high-pressure laminate top/thermoplastic edge	+\$0
W	veneer top/veneer edge A	+\$1841
For s	quared-edge (S.) with 108" wide (108), 120" wide (12	0), 132"
	(132), 144" wide (144), 156" wide (156), 168" wide (180), or 192" wide (192)	168), 180"
L	high-pressure laminate top/thermoplastic edge	+\$0
W	veneer top/veneer edge A	+\$3514
For s	quared-edge (S.) with 204" wide (204), 216" wide (21	6), 228"
	(228), or 240" wide (240)	**
L	high-pressure laminate top/thermoplastic edge	+\$0
W	veneer top/veneer edge A	+\$4572
For th	nin-edge (T.) with 60" wide (60), 72" wide (72), 84" wid	de (84), or
96" n	vide (96)	
L	high-pressure laminate top/thermoplastic edge	+\$1297
W	veneer top/veneer edge A	+\$3245
For th	nin-edge (T.) with 108" wide (108), 120" wide (120), 1	32" wide
(132)	), 144" wide (144), 156" wide (156), 168" wide (168),	180" wide
(180)	), or 192" wide (192)	
L	high-pressure laminate top/thermoplastic edge	+\$1624
W	veneer top/veneer edge A	+\$6218

	nin-edge (T.) with 204" wide (204), 216" wide (216), 2.	28" wide	Step	9. Cutout #2 Location	
(228) L	), or 240" wide (240) high-pressure laminate top/thermoplastic edge	+\$2379	For 1	08" wide (108), 120" wide (120), 132" w	ide (132). 144" wide
w	veneer top/veneer edge A	+\$8923		), 156" wide (156), 168" wide (168), 180	
		,		(192) with 2 cutouts (B) with left cutout	
Step	7. Number of Cutouts		R	right cutout	+\$0
For 6	0" wide (60), 72" wide (72), 84" wide (84), or 96" wide	(96)	For 1	08" wide (108), 120" wide (120), 132" w	ide (132), 144" wide
N	no cutouts	+\$0	(144	), 156" wide (156), 168" wide (168), 180	" wide (180), or 192"
Α	1 cutout	+\$0	wide	(192) with 2 cutouts (B) with right cutou	et (R)
			L	left cutout	+\$0
For 1	08" wide (108), 120" wide (120), 132" wide (132), 144	4" wide			
(144	), 156" wide (156), 168" wide (168), 180" wide (180), o	or 192"	For 2	04" wide (204), 216" wide (216), 228" w	ide (228), or 240" wide
wide	(192)	······	(240	) with 2 cutouts (B) or 3 cutouts (C) with	left cutout (L)
N	no cutouts	+\$0	C	center cutout	+\$0
Α	1 cutout	+\$0	R	right cutout	+\$0
В	2 cutouts	+\$0			
			For 2	04" wide (204), 216" wide (216), 228" w	ide (228), or 240" wide
For 2	04" wide (204), 216" wide (216), 228" wide (228), or 2	?40" wide	(240	) with 2 cutouts (B) or 3 cutouts (C) with	right cutout (R)
(240	)		C	center cutout	+\$0
N	no cutouts	+\$0	L	left cutout	+\$0
Α	1 cutout	+\$0			
В	2 cutouts	+\$0	For 2	04" wide (204), 216" wide (216), 228" w	ide (228), or 240" wide
C	3 cutouts	+\$0	(240	) with 2 cutouts (B) or 3 cutouts (C) with	center cutout (C)
			L	left cutout	+\$0
Step	8. Cutout #1 Location		R	right cutout	+\$0
	0" wide (60), 72" wide (72), 84" wide (84), or 96" wide	(96) with	Step	10. Cutout #3 Location	
	out (A)		<u></u>		
С	center cutout	+\$0		cutouts (C) with left cutout (L) or right cu	itout (k) with left cutout
	000: (400) 4200: (420) 4220: (422) 47	/// <del></del>		right cutout (R)	
	08" wide (108), 120" wide (120), 132" wide (132), 144		С	center cutout	+\$(
	), 156" wide (156), 168" wide (168), 180" wide (180), (	or 192"		(6) 11 (7)	( ( ( ) ) ( )
	(192) with 1 cutout (A) or 2 cutouts (B)			cutouts (C) with center cutout (C) or left	cutout (L) with center
L	left cutout	+\$0	********	ıt (C) or left cutout (L)	
R	right cutout	+\$0	R	right cutout	+\$0
For 2	04" wide (204), 216" wide (216), 228" wide (228), or 2	240" wide	For 3	cutouts (C) with center cutout (C) or righ	nt cutout (R) with center
(240	) with 1 cutout (A), 2 cutouts (B), or 3 cutouts (C)		cuto	ut (C) or right cutout (R)	
C	center cutout	+\$0	L	left cutout	+\$(
L	left cutout	+\$0			
R	right cutout	+\$0			

Step	11. Technology Integration for Cutout #1	
For 1	cutout (A), 2 cutouts (B), or 3 cutouts (C)	
ТВ	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$125
L5	cutout for logic Y1425 5 port	+\$125
L3	cutout for logic Y1425 3 port	+\$65
<b>C5</b>	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
<b>C8</b>	cutout for 10" x 4" technology unit	+\$65
C9	cutout for 10" x 6.75" technology unit	+\$125
Step	12. Technology Integration for Cutout #2	
For 2	cutouts (B) or 3 cutouts (C)	
TB	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$12
L5	cutout for logic Y1425 5 port	+\$125
L3	cutout for logic Y1425 3 port	+\$65
C5	cutout for 5.75" x 5.75" technology unit	+\$6!
C6	cutout for 7.13" x 5.75" technology unit	+\$6!
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$6
С8	cutout for 10" x 4" technology unit	+\$6
С9	cutout for 10" x 6.75" technology unit	+\$125
	13. Technology Integration for Cutout #3	
	cutouts (C)	
ТВ	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$12!
L5	cutout for logic Y1425 5 port	+\$12!
L3	cutout for logic Y1425 3 port	+\$6!
C5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$6!
<b>C</b> 7	cutout for 7" x 3.25" technology unity	+\$6
<b>C8</b>	cutout for 10" x 4" technology unit	+\$6
C9	cutout for 10" x 6.75" technology unit	+\$125

Step 1	4.	
otep 1		
Top Fi	nish	
For 60	" wide (60), 72" wide (72), 84" wide (84), o	r 96" wide (96) with
high-µ	pressure laminate top/thermoplastic edge	(L)
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut 🖪	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Top/E	dge Finish	
For 60	" wide (60), 72" wide (72), 84" wide (84), o	r 96" wide (96) with
venee	r top/veneer edge (W)	
2U	light brown walnut	+\$200
40	dark brown walnut	+\$200
A2	white ash	+\$0
CHD	noble cherry	+\$200
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$200
OU	walnut	+\$200
UL	natural maple	+\$0
WHN	natural white oak	+\$200

## Top Finish

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

## Top/Edge Finish

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with veneer top/veneer edge (W)

	, , , , , , , , , , , , , , , , , , , ,	
2U	light brown walnut	+\$400
40	dark brown walnut	+\$400
A2	white ash	+\$0
CHD	noble cherry	+\$400
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$400
OU	walnut	+\$400
UL	natural maple	+\$0
WHN	natural white oak	+\$400

## Top Finish

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak 🛕	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

## Top/Edge Finish

For 204" wide (204), 216" wide (216), 228" wide (228), or 240" wide (240) with veneer top/veneer edge (W)

2U	light brown walnut	+\$600
40	dark brown walnut	+\$600
A2	white ash	+\$0
CHD	noble cherry	+\$600
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$600
OU	walnut	+\$600
UL	natural maple	+\$0
WHN	natural white oak	+\$600

C 1	4 -	E 1	F: 1
Step	15.	Lage	Finish

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with high-pressure laminate top/thermoplastic edge (L)

8Q folkstone grey 91 white 98 studio white BU black umber CL cool grey neutral HF inner tone light HM natural maple HP light anigre HX aged cherry LBA clear on ash LBB oak on ash LBC walnut on ash LBC walnut on ash LBJ graphite twill LBJ graphite twill LBQ white twill LBR phantom ecru LBS phantom cocoa LBU medium matte walnut LBV warm grey teak LU soft white WL sandstone	+\$0
98 studio white BU black umber CL cool grey neutral HF inner tone light HM natural maple HP light anigre HX aged cherry LBA clear on ash LBB oak on ash LBC walnut on ash LBF neutral twill LBJ graphite twill LBQ white twill LBR phantom ecru LBS phantom cocoa LBU medium matte walnut LBV warm grey teak LU soft white	+\$0
BU black umber CL cool grey neutral HF inner tone light HM natural maple HP light anigre HX aged cherry LBA clear on ash LBB oak on ash LBC walnut on ash LBF neutral twill LBJ graphite twill LBQ white twill LBR phantom ecru LBS phantom cocoa LBU medium matte walnut LBV warm grey teak LU soft white	+\$0
CL cool grey neutral HF inner tone light HM natural maple HP light anigre HX aged cherry LBA clear on ash LBB oak on ash LBC walnut on ash LBF neutral twill LBJ graphite twill LBQ white twill LBR phantom ecru LBS phantom cocoa LBU medium matte walnut LBV warm grey teak LU soft white	+\$0
HF inner tone light HM natural maple HP light anigre HX aged cherry LBA clear on ash LBB oak on ash LBC walnut on ash LBF neutral twill LBJ graphite twill LBQ white twill LBR phantom ecru LBS phantom cocoa LBU medium matte walnut LBV warm grey teak LU soft white	+\$0
HM natural maple HP light anigre HX aged cherry LBA clear on ash LBC walnut on ash LBF neutral twill LBJ graphite twill LBQ white twill LBR phantom ecru LBS phantom cocoa LBU medium matte walnut LBV warm grey teak LU soft white	+\$0
HP light anigre  HX aged cherry  LBA clear on ash  LBB oak on ash  LBC walnut on ash  LBF neutral twill  LBJ graphite twill  LBQ white twill  LBR phantom ecru  LBS phantom cocoa  LBU medium matte walnut  LBV warm grey teak  LU soft white	+\$0
HX aged cherry LBA clear on ash LBB oak on ash LBC walnut on ash LBJ graphite twill LBQ white twill LBR phantom ecru LBS phantom cocoa LBU medium matte walnut LBV warm grey teak LU soft white	+\$0
LBA clear on ash LBB oak on ash LBC walnut on ash LBF neutral twill LBJ graphite twill LBQ white twill LBR phantom ecru LBS phantom cocoa LBU medium matte walnut LBV warm grey teak LU soft white	+\$0
LBB oak on ash LBC walnut on ash LBF neutral twill LBJ graphite twill LBQ white twill LBR phantom ecru LBS phantom cocoa LBU medium matte walnut LBV warm grey teak LU soft white	+\$0
LBC walnut on ash LBF neutral twill LBJ graphite twill LBQ white twill LBR phantom ecru LBS phantom cocoa LBU medium matte walnut LBV warm grey teak LU soft white	+\$0
LBF neutral twill LBJ graphite twill LBQ white twill LBR phantom ecru LBS phantom cocoa LBU medium matte walnut LBV warm grey teak LU soft white	+\$0
LBJ graphite twill LBQ white twill LBR phantom ecru LBS phantom cocoa LBU medium matte walnut LBV warm grey teak LU soft white	+\$0
LBQ white twill LBR phantom ecru LBS phantom cocoa LBU medium matte walnut LBV warm grey teak LU soft white	+\$0
LBR phantom ecru LBS phantom cocoa LBU medium matte walnut LBV warm grey teak LU soft white	+\$0
LBS phantom cocoa  LBU medium matte walnut  LBV warm grey teak  LU soft white	+\$0
LBU medium matte walnut LBV warm grey teak LU soft white	+\$0
LBV warm grey teak LU soft white	+\$0
LU soft white	+\$0
	+\$0
WI sandstone	+\$0
WL Saliustolle	+\$0
<b>WN</b> warm grey neutral	+\$0

For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide (144), 156" wide (156), 168" wide (168), 180" wide (180), or 192" wide (192) with high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For 20	04" wide (204), 216" wide (216), 228" wide (228), or 240" (	wide	Sand	Texture Paint	
(240)	with high-pressure laminate top/thermoplastic edge (L)		For 60	0" wide (60), 72" wide (72), 84" wide (84), or 96" wide (9	(6)
76	light brown walnut	+\$0	ВК	black leg with black foot	
8Q	folkstone grey	+\$0	G1	graphite satin leg with graphite satin foot	
91	white	+\$0			
98	studio white	+\$0	Polish	ned Aluminum	
BU	black umber	+\$0	For 60	0" wide (60), 72" wide (72), 84" wide (84), or 96" wide (9	(6)
CL	cool grey neutral	+\$0	LFX	satin aluminum with polished aluminum foot	+5
HF	inner tone light	+\$0	LFZ	satin bronze with polished aluminum foot	+5
нм	natural maple	+\$0	LFL	black leg with polished aluminum foot	+5
HP	light anigre	+\$0	LFM	satin carbon leg with polished aluminum foot	+5
нх	aged cherry	+\$0	LFK	studio white leg with polished aluminum foot	+5
LBA	clear on ash	+\$0	LFF	white leg with polished aluminum foot	+5
LBB	oak on ash	+\$0	LFN	graphite leg with polished aluminum foot	+5
LBC	walnut on ash	+\$0			
LBF	neutral twill	+\$0	Smoo	th Paint	
LBJ	graphite twill	+\$0	For 10	08" wide (108), 120" wide (120), 132" wide (132), 144" v	vide
LBQ	white twill	+\$0	(144)	, 156" wide (156), 168" wide (168), 180" wide (180), or	192"
LBR	phantom ecru	+\$0	wide (	(192)	
LBS	phantom cocoa	+\$0	8Q	folkstone grey leg with folkstone grey foot	
LBU	medium matte walnut	+\$0	91	white leg with white foot	
LBV	warm grey teak	+\$0	98	studio white leg with studio white foot	
LU	soft white	+\$0	WL	sandstone leg with sandstone foot	
WL	sandstone	+\$0	WN	warm grey neutral leg with warm grey neutral foot	
WN	warm grey neutral	+\$0			
			Metal	lic Paint	
Step :	16. Base Finish		For 10	08" wide (108), 120" wide (120), 132" wide (132), 144" v	vide
			(144)	, 156" wide (156), 168" wide (168), 180" wide (180), or	192"
Smoo	oth Paint		wide (	(192)	
For 60	0" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)		CN	metallic champagne leg with metallic champagne foo	t
8Q	folkstone grey leg with folkstone grey foot	+\$0	MS	metallic silver leg with metallic silver foot	
91	white leg with white foot	+\$0	SNA	satin aluminum leg with satin aluminum foot	+
98	studio white leg with studio white foot	+\$0	SNB	satin bronze leg with satin bronze foot	+
WL	sandstone leg with sandstone foot	+\$0	SNC	satin carbon leg with satin carbon foot	+
WN	warm grey neutral leg with warm grey neutral foot	+\$0			
			Sand	Texture Paint	
Metal	llic Paint		For 10	08" wide (108), 120" wide (120), 132" wide (132), 144" v	vide
For 60	0" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)		(144)	, 156" wide (156), 168" wide (168), 180" wide (180), or	192"
CN	metallic champagne leg with metallic champagne foot	+\$0	wide (	(192)	
MS	metallic silver leg with metallic silver foot	+\$0	ВК	black leg with black foot	
SNA	satin aluminum leg with satin aluminum foot	+\$30	G1	graphite satin leg with graphite satin foot	
SNB	satin bronze leg with satin bronze foot	+\$30			

+\$30

satin carbon leg with satin carbon foot

+\$0 +\$0

+\$240

+\$240 +\$210

+\$240

+\$210 +\$210 +\$210

+\$0

+\$0 +\$0 +\$0

+\$0

+\$0 +\$0

+\$60 +\$60 +\$60

> +\$0 +\$0

SNC

Polish	ed Aluminum			
For 108" wide (108), 120" wide (120), 132" wide (132), 144" wide				
(144), 156" wide (156), 168" wide (168), 180" wide (180), or 192"				
wide (	(192)			
LFX	satin aluminum with polished aluminum foot			
LFZ	satin bronze with polished aluminum foot	+\$420		
LFL	black leg with polished aluminum foot	+\$360		
LFM	satin carbon leg with polished aluminum foot	+\$420		
LFK	studio white leg with polished aluminum foot	+\$360		
LFF	white leg with polished aluminum foot	+\$360		
LFN	graphite leg with polished aluminum foot	+\$360		
Smoo	th Paint			
For 20	)4" wide (204), 216" wide (216), 228" wide (228), or 240"	wide		
(240)				
8Q	folkstone grey leg with folkstone grey foot	+\$(		
91	white leg with white foot	+\$0		
98	studio white leg with studio white foot	+\$0		
WL	sandstone leg with sandstone foot	+\$0		
WN	warm grey neutral leg with warm grey neutral foot	+\$0		
Metal	lic Paint			
For 20	)4" wide (204), 216" wide (216), 228" wide (228), or 240"	wide		
(240)				
CN	metallic champagne leg with metallic champagne foot	+\$(		
MS	metallic silver leg with metallic silver foot	+\$0		
SNA	satin aluminum leg with satin aluminum foot	+\$80		
SNB	satin bronze leg with satin bronze foot	+\$80		
SNC	satin carbon leg with satin carbon foot	+\$80		
Sand	Texture Paint			
For 20	14" wide (204), 216" wide (216), 228" wide (228), or 240"	wide		
(240)				
ВК	black leg with black foot	+\$0		
G1	graphite satin leg with graphite satin foot	+\$(		
Polish	ed Aluminum			
For 20		wide		

satin aluminum with polished aluminum foot satin bronze with polished aluminum foot

satin carbon leg with polished aluminum foot

studio white leg with polished aluminum foot

black leg with polished aluminum foot

white leg with polished aluminum foot

graphite leg with polished aluminum foot

For 6	60" wide (60), 72" wide (72), 84" wide (84), or 96"	wide (96)
N	no undersurface wire management	+\$0
Т	trough	+\$420
Н	hammock	+\$550
For 1	08" wide (108), 120" wide (120), 132" wide (132	), 144" wide
	), 156" wide (156), 168" wide (168), 180" wide (1 (192)	80), or 192"
N	no undersurface wire management	+\$0
Т	trough	+\$840
Н	hammock	+\$1100
For 2	204" wide (204), 216" wide (216), 228" wide (228)	), or 240" wide
(240	·	
N	no undersurface wire management	+\$0
T	trough	+\$1260
Н	hammock	+\$1650
Step	18. Hammock Finish	
For h	ammock (H)	
Price	Category 4	+\$0

+\$585

+\$585

+\$505

+\$585

+\$505

+\$505

+\$505

(240)

LFX

LFZ LFL

LFM

LFK

LFF

LFN



## **Product Information**

### Description

This Y-base boat-shaped standing-height table comes in a squared-or thin-edge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with  $1^1/2^n$  leveling glides. Shipped knocked down.

## Notes

Laminate and veneer tops 60" to 96" wide have 1-piece construction and are supported by 2 end legs.

When specifying 1 cutout (A) in tables 60" wide to 96" wide, cutout will be located in the center.

Laminate and veneer tops are 11/4" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying trough (T) undersurface wire management option, finish will match base finish.


To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H). When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)
  Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program. See planning guide for additional information.

#### **Dimensions**



Step	ification Information 1.	
P2B		
21	2.51	
	2. Edge	¢.c
S.	squared-edge	+\$0
Г.	thin-edge	+\$0
Step	3. Height	
42	42" high	+\$0
Step	4. Depth	
36	36" deep	+\$0
42	42" deep	+\$0
48	48" deep	+\$0
Step	5. Width	
For 3	5" deep (36)	
60	60" wide	+\$3997
72	72" wide	+\$4222
84	84" wide	+\$4450
96	96" wide	+\$4676
For 4.	2" deep (42)	
60	60" wide	+\$4366
72	72" wide	+\$4534
84	84" wide	+\$4704
96	96" wide	+\$4876
For 4	3" deep (48)	
60	60" wide	+\$4450
72	72" wide	+\$4612
84	84" wide	+\$4772
96	96" wide	+\$4933
Step	6. Surface Material	
For so	guared-edge (S.)	
L	high-pressure laminate top/thermoplastic edge	+\$0
W	veneer top/veneer edge A	+\$1932
For th	in-edge (T.)	
L	high-pressure laminate top/thermoplastic edge	+\$1361
	veneer top/veneer edge A	+\$3406

+\$0
+\$0
+\$0
+\$0
+\$190
+\$125
+\$125
+\$65
+\$65
+\$65
+\$65
. 405
+\$65

Top Fi	nish	<u> </u>
For hi	gh-pressure laminate top/thermoplastic e	dge (L)
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НΧ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru 🛕	+\$0
LBS	phantom cocoa 🗚	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak 🛕	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Top/E	Edge Finish	
	neer top/veneer edge (W)	
2U	light brown walnut	+\$200

Top/E	dge Finish	
For ve	neer top/veneer edge (W)	
2U	light brown walnut	+\$200
40	dark brown walnut	+\$200
A2	white ash	+\$0
CHD	noble cherry	+\$200
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$200
OU	walnut	+\$200
UL	natural maple	+\$0
WHN	natural white oak	+\$200

Step 1	1. Edge Finish	
For hi	gh-pressure laminate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

#### Smooth Paint 8Q folkstone grey leg with folkstone grey foot 91 white leg with white foot 98 studio white leg with studio white foot WL sandstone leg with sandstone foot WN warm grey neutral leg with warm grey neutral foot Metallic Paint metallic champagne leg with metallic champagne foot CN MS metallic silver leg with metallic silver foot SNA satin aluminum leg with satin aluminum foot

Step 12. Base Finish

SNB	NB satin bronze leg with satin bronze foot				
SNC	satin carbon leg with satin carbon foot	+\$30			
Sand	Texture Paint				
ВК	black leg with black foot	+\$0			
G1	graphite satin leg with graphite satin foot	+\$0			

+\$0

+\$0

+\$0

+\$0

+\$0

+\$0

+\$0

+\$30

Polished Aluminum	
LFF white leg with polished aluminum foot	+\$210
<b>LFK</b> studio white leg with polished aluminum	foot +\$210
<b>LFL</b> black leg with polished aluminum foot	+\$210
<b>LFM</b> satin carbon leg with polished aluminum	foot +\$240
<b>LFN</b> graphite leg with polished aluminum foo	t +\$210
<b>LFX</b> satin aluminum with polished aluminum	foot +\$240
<b>LFZ</b> satin bronze with polished aluminum for	ot +\$240
Chan 42 Undergrafe so Wire Management	
Step 13. Undersurface Wire Management	<b>#</b> 0
N no undersurface wire management	+\$0
<b>T</b> trough	+\$420
<b>H</b> hammock	
II Hallimock	+\$550
Step 14. Hammock Finish	+\$550
	+\$550

## DP1CCS DP1CCT



## Product Information

#### Description

This cabinet base tapered top seated-height table comes in a squared- or thin-edge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with  $1^{1}/2^{n}$  leveling glides. Shipped knocked down.

### Notes

Laminate and veneer tops 96" wide have 1-piece construction and are supported by 2 end cabinet bases.

Laminate and veneer tops 114" wide have 2-piece construction and are supported by 2 end cabinet bases and 1 intermediate cabinet base.

When specifying 1 cutout (A) in tables 96" wide, cutout will be located in the center.

When specifying cutouts (A, B) in tables 114" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

Laminate and veneer tops are 11/4" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying technology mounting panels in bases (P), 2 technology panels are included.

When specifying metal painted curtain (C) or trough (T) undersurface wire management option, finish will match inner cabinet base paint finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H) or metal painted curtain with fabric sling (C).


When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) or metal painted curtain with fabric sling (C) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)
  Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program. See planning guide for additional information.

#### **Dimensions**



	fication Information	
Step 1		
DP1C		
Step 2	. Edge	
S.	squared-edge	+\$0
T.	thin-edge	+\$0
Step 3	. Height	
2	28.5" high	+\$0
Step 4	. Depth	
48	48" deep	+\$0
Step 5	. Width	
96	96" wide	+\$5163
114		+\$7093
Step 6	. Surface Material	
For sq	uared-edge (S.) with 96" wide (96)	
L	high-pressure laminate top/thermoplastic edge	+\$0
W	veneer top/veneer edge A	+\$1932
For sq	uared-edge (S.) with 114" wide (114)	
L	high-pressure laminate top/thermoplastic edge	+\$0
W	veneer top/veneer edge A	+\$3689
For th	n-edge (T.) with 96" wide (96)	
L	high-pressure laminate top/thermoplastic edge	+\$1361
W	veneer top/veneer edge A	+\$3406
For th	n-edge (T.) with 114" wide (114)	
L	high-pressure laminate top/thermoplastic edge	+\$1705
W	veneer top/veneer edge A	+\$6527
Step 7	. Removable Cabinet Door Material	
L	high-pressure laminate door material/thermoplasti	c edge +\$0
W	veneer door material/veneer edge	+\$856
Step 8	. Number of Cutouts	
For 96	" wide (96)	
N	no cutouts	+\$0
Α	1 cutout	+\$0

For 1	14" wide (114)	
N	no cutouts	+\$0
Α	1 cutout	+\$0
В	2 cutouts	+\$0
Step	9. Cutout #1 Location	
For 4	18" deep (48) with 96" wide (96) with 1 cutout (A)	
C	center cutout	+\$0
For 4 (B)	8" deep (48) with 114" wide (114) with 1 cutout (A	) or 2 cutouts
L	left cutout	+\$0
R	right cutout	+\$0
Step	10. Cutout #2 Location	
	18" deep (48) with 114" wide (114) with 2 cutouts (	B) with left
cuto		
R	right cutout	+\$0
	i8" deep (48) with 114" wide (114) with 2 cutouts (i ut (R)	B) with right
L	left cutout	+\$0
Step	11. Technology Integration for Cutout #1	
For 1	cutout (A) or 2 cutouts (B) with center cutout (C), l	eft cutout (L),
or rig	ght cutout (R)	
ТВ	cutout for technology bucket	+\$190
L3	cutout for logic Y1425 3 port	+\$65
L5	cutout for logic Y1425 5 port	+\$125
L6	cutout for logic Y1425 6 port	+\$125
C5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
С8	cutout for 10" x 4" technology unit	+\$65
C9	cutout for 10" x 6.75" technology unit	+\$125

# Headway™ Tapered Shape, Cabinet-Base, Seated Height

Table continued

Step 12. Technology Integration for Cutout #2
For 114" wide (114) with 2 cutouts (B) with left cutout (L) or right
cutout (R)

00,000	. (-9	
TB	cutout for technology bucket	+\$190
L3	cutout for logic Y1425 3 port	+\$65
L5	cutout for logic Y1425 5 port	+\$125
L6	cutout for logic Y1425 6 port	+\$125
C5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
<b>C8</b>	cutout for 10" x 4" technology unit	+\$65
C9	cutout for 10" x 6.75" technology unit	+\$125

## Step 13.

## Top Finish

For 96" wide (96) with high-pressure laminate top/thermoplastic edge (1)

(L)		
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa 🛕	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Tω	n/	Fط	ge	Fir	nic	h
10	ν/	Lu	ge	ш	115	ı

For 96" wide (96) with veneer top/veneer edge (W)

2U	light brown walnut	+\$200
40	dark brown walnut	+\$200
A2	white ash	+\$0
CHD	noble cherry	+\$200
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$200
OU	walnut	+\$200
UL	natural maple	+\$0
WHN	natural white oak	+\$200

## Top Finish

For 114" wide (114) with high-pressure laminate top/thermoplastic edge (L)

9- (	7	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

ı	αIJ	ιe	continuea

Step 14. Edge Finish

Top/E	dge Finish	
For 11	4" wide (114) with veneer top/veneer edg	ie (W)
2U	light brown walnut	+\$400
40	dark brown walnut	+\$400
A2	white ash	+\$0
CHD	noble cherry	+\$400
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$400
OU	walnut	+\$400
UL	natural maple	+\$0
WHN	natural white oak	+\$400

For h	igh-pressure laminate top/thermoplastic ed	lge (L)
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
НΧ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For hi	igh-pressure laminate top/thermoplastic ea	lge (L)
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Tab
erence
Conf
4мау™
Неа

step 1	.5. Removable Cabinet Door Finish	
For hi	gh-pressure laminate door material/ther	moplastic edge (L)
76	light brown walnut	+\$(
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$
CL	cool grey neutral	+\$
HF	inner tone light	+\$
нм	natural maple	+\$
HP	light anigre	+\$
НΧ	aged cherry	+\$
LBA	clear on ash	+\$
LBB	oak on ash	+\$
LBC	walnut on ash	+\$
LBF	neutral twill	+\$
LBJ	graphite twill	+\$
LBQ	white twill	+\$
LBR	phantom ecru	+\$
LBS	phantom cocoa	+\$
LBU	medium matte walnut	+\$
LBV	warm grey teak	+\$
LT	light tone	+\$
LU	soft white	+\$
WL	sandstone	+\$
WN	warm grey neutral	+\$
For ve	neer door material/veneer edge (W)	
2U	light brown walnut	+\$10
40	dark brown walnut	+\$10
A2	white ash	+\$
CHD	noble cherry	+\$10
ET	clear on ash	+\$
EU	oak on ash	+\$
EV	walnut on ash	+\$
EW	medium matte walnut	+\$10
OU	walnut	+\$10
UL	natural maple	+\$
WHN	natural white oak	+\$10

_		
	16. Removable Cabinet Door Edge Finish	
	gh-pressure laminate door material/thermoplastic edge (L)	
76	light brown walnut	+\$(
8Q	folkstone grey	+\$(
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step 1	17. Inner Cabinet Leg Finish	
Smoo	th Paint	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$
WL	sandstone	+\$
WN	warm grey neutral	+\$
Metal	lic Paint	
CN	metallic champagne	+\$
MS	metallic silver	+\$
SNA	satin aluminum	+\$6
SNB	satin bronze	+\$60
SNC	satin carbon	+\$60

Sand Texture Paint

black

 ${\sf graphite}$ 


ВК

G1

+\$0

+\$0

Step	18. Technology Mounting Panel in Leg	
N	no panel in bases	+\$0
P	technology panels in bases	+\$260
Step	19. Undersurface Wire Management	
For	96" wide (96)	
N	no undersurface wire management	+\$0
T	trough	+\$420
C	metal painted curtain with fabric sling	+\$635
Н	hammock	+\$550
For	114" wide (114)	
N	no undersurface wire management	+\$0
Т	trough	+\$840
C	metal painted curtain with fabric sling	+\$1270
Н	hammock	+\$1100
Step	20. Hammock Finish	
For I	hammock (H)	
Price	e Category 4	+\$0



## Product Information

#### Description

This Y-base tapered-top seated-height table comes in a squared-or thin-edge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with  $1^1/2^n$  leveling glides. Shipped knocked down.

## Notes

Laminate and veneer tops 60" to 96" wide have 1-piece construction and are supported by 2 end legs.

When specifying 1 cutout (A) in tables 60" wide to 96" wide, cutout will be located in the center.

Laminate and veneer tops are 11/4" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying trough (T) undersurface wire management option, finish will match base finish.


To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H). When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)
  Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program. See planning guide for additional information.

### Dimensions



# Headway™ Tapered Shape, Y-Base, Seated Height Table

continued

Spec	cification Information	
Step	1.	
DP1C	Υ	
Step	2. Edge	
S.	squared-edge	+\$0
T.	thin-edge	+\$0
Step	3. Height	
28	28.5" high	+\$0
Step	4. Depth	
42	42" deep	+\$0
48	48" deep	+\$0
Step	5. Width	
For 4	2" deep (42)	
60 60	60" wide	+\$3947
72	72" wide	+\$3947
72 84	84" wide	+\$4111
96	96" wide	+\$4271
For /u	8" deep (48)	
60	60" wide	+\$4029
72	72" wide	+\$4182
, <u>-</u> 84	84" wide	+\$4337
96	96" wide	+\$4487
Step	6. Surface Material	
For so	quared-edge (S.)	
L	high-pressure laminate top/thermoplastic edge	+\$0
W	veneer top/veneer edge A	+\$1841
For th	in-edge (T.)	
L	high-pressure laminate top/thermoplastic edge	+\$1297
W	veneer top/veneer edge A	+\$3245
Step	7. Number of Cutouts	
N	no cutouts	+\$0
Α	1 cutout	+\$0
Step	8. Cutout #1 Location	
For 1	cutout (A)	
C	center cutout	+\$0

Step	9. Technology Integration for Cutout #1	
For 1	cutout (A)	
ТВ	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$125
L5	cutout for logic Y1425 5 port	+\$125
L3	cutout for logic Y1425 3 port	+\$65
C5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
<b>C8</b>	cutout for 10" x 4" technology unit	+\$65
C9	cutout for 10" x 6.75" technology unit	+\$125

Step 10.

Top F	inish	
For h	igh-pressure laminate top/thermoplastic ec	dge (L)
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НΧ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa 🛕	+\$0
LBU	medium matte walnut 🖪	+\$0
LBV	warm grey teak 🛕	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

continued


Top/E	dge Finish	
For vei	neer top/veneer edge (W)	
2U	light brown walnut	+\$200
40	dark brown walnut	+\$200
A2	white ash	+\$0
CHD	noble cherry	+\$200
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$200
OU	walnut	+\$200
UL	natural maple	+\$0
WHN	natural white oak	+\$200

Step 1	1. Edge Finish	
For hi	gh-pressure laminate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step :	12. Base Finish	
Smoo	th Paint	
8Q	folkstone grey leg with folkstone grey foot	+\$0
91	white leg with white foot	+\$0
98	studio white leg with studio white foot	+\$0
WL	sandstone leg with sandstone foot	+\$0
WN	warm grey neutral leg with warm grey neutral foot	+\$0
Metal	lic Paint	
CN	metallic champagne leg with metallic champagne foot	+\$0
MS	metallic silver leg with metallic silver foot	+\$0
SNA	satin aluminum leg with satin aluminum foot	+\$30
SNB	satin bronze leg with satin bronze foot	+\$30
SNC	satin carbon leg with satin carbon foot	+\$30
Sand	Texture Paint	
BK	black leg with black foot	+\$0
G1	graphite satin leg with graphite satin foot	+\$0
Polish	ned Aluminum	
LFF	white leg with polished aluminum foot	+\$210
LFK	studio white leg with polished aluminum foot	+\$210
LFL	black leg with polished aluminum foot	+\$210
LFM	satin carbon leg with polished aluminum foot	+\$240
LFN	graphite leg with polished aluminum foot	+\$210
LFX	satin aluminum with polished aluminum foot	+\$240
LFZ	satin bronze with polished aluminum foot	+\$240
Step :	13. Undersurface Wire Management	
N	no undersurface wire management	+\$0
Т	trough	+\$420
Н	hammock	+\$550
Step :	14. Hammock Finish	
For ho	nmmock (H)	
Price	Category 4	+\$0

## Headway™ Tapered Shape, Y-Base, Standing Height Table

## DP2CYS DP2CYT



## Product Information

#### Description

This Y-base tapered-top standing-height table comes in a squared-or thin-edge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with  $1^1/_2$ " leveling glides. Shipped knocked down.

#### Notes

Laminate and veneer tops 60" to 96" wide have 1-piece construction and are supported by 2 end legs.

When specifying 1 cutout (A) in tables 60" wide to 96" wide, cutout will be located in the center.

Laminate and veneer tops are 11/4" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying trough (T) undersurface wire management option, finish will match base finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H). When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.


Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

  Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program. See planning guide for additional information.

### **Dimensions**



	•	
DP2CY		
Step 2	. Edge	
S.	squared-edge	+\$0
T.	thin-edge	+\$0
Step 3	. Height	
42	42" high	+\$0
Step 4	. Depth	
42	42" deep	+\$0
48	48" deep	+\$0
Step 5	. Width	
For 42	' deep (42)	
60	60" wide	+\$4327
72	72" wide	+\$4494
84	84" wide	+\$4662
96	96" wide	+\$4832
For 48	' deep (48)	
60	60" wide	+\$4411
72	72" wide	+\$4570
84	84" wide	+\$4729
96	96" wide	+\$4889
Step 6	. Surface Material	
For squ	uared-edge (S.)	
L	high-pressure laminate top/thermoplastic edge	+\$0
W	veneer top/veneer edge A	+\$1915
For thi	n-edge (T.)	
L	high-pressure laminate top/thermoplastic edge	+\$1349
W	veneer top/veneer edge A	+\$3376
Step 7	. Number of Cutouts	
N	no cutouts	+\$0
Α	1 cutout	+\$0
Step 8	. Cutout #1 Location	
For 1 c	utout (A)	
	center cutout	+\$0

Step 9	9. Technology Integration for Cutout #1	
For 1	cutout (A)	
ТВ	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$125
L5	cutout for logic Y1425 5 port	+\$125
L3	cutout for logic Y1425 3 port	+\$65
C5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
C8	cutout for 10" x 4" technology unit	+\$65
C9	cutout for 10" x 6.75" technology unit	+\$125
Step 1	10.	
Top Fi	nish	
	gh-pressure laminate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa 🛕	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


# Headway™ Tapered Shape, Y-Base, Standing Height Table

continued

Top/E	dge Finish		
For veneer top/veneer edge (W)			
2U	light brown walnut	+\$200	
40	dark brown walnut	+\$200	
A2	white ash	+\$0	
CHD	noble cherry	+\$200	
ET	clear on ash	+\$0	
EU	oak on ash	+\$0	
EV	walnut on ash	+\$0	
EW	medium matte walnut	+\$200	
OU	walnut	+\$200	
UL	natural maple	+\$0	
WHN	natural white oak	+\$200	

Step 1	1. Edge Finish		
For high-pressure laminate top/thermoplastic edge (L)			
76	light brown walnut	+\$0	
8Q	folkstone grey	+\$0	
91	white	+\$0	
98	studio white	+\$0	
BU	black umber	+\$0	
CL	cool grey neutral	+\$0	
HF	inner tone light	+\$0	
нм	natural maple	+\$0	
HP	light anigre	+\$0	
нх	aged cherry	+\$0	
LBA	clear on ash	+\$0	
LBB	oak on ash	+\$0	
LBC	walnut on ash	+\$0	
LBF	neutral twill	+\$0	
LBJ	graphite twill	+\$0	
LBQ	white twill	+\$0	
LBR	phantom ecru	+\$0	
LBS	phantom cocoa	+\$0	
LBU	medium matte walnut	+\$0	
LBV	warm grey teak	+\$0	
LU	soft white	+\$0	
WL	sandstone	+\$0	
WN	warm grey neutral	+\$0	

Step 1	12. Base Finish	
Smoo	th Paint	
8Q	folkstone grey leg with folkstone grey foot	+\$0
91	white leg with white foot	+\$0
98	studio white leg with studio white foot	+\$0
WL	sandstone leg with sandstone foot	+\$0
WN	warm grey neutral leg with warm grey neutral foot	+\$0
Metal	lic Paint	
CN	metallic champagne leg with metallic champagne foot	+\$0
MS	metallic silver leg with metallic silver foot	+\$0
SNA	satin aluminum leg with satin aluminum foot	+\$30
SNB	satin bronze leg with satin bronze foot	+\$30
SNC	satin carbon leg with satin carbon foot	+\$30
Sand	Texture Paint	
BK	black leg with black foot	+\$0
G1	graphite satin leg with graphite satin foot	+\$0
Polish	ned Aluminum	
LFF	white leg with polished aluminum foot	+\$210
LFK	studio white leg with polished aluminum foot	+\$210
LFL	black leg with polished aluminum foot	+\$210
LFM	satin carbon leg with polished aluminum foot	+\$240
LFN	graphite leg with polished aluminum foot	+\$210
LFX	satin aluminum with polished aluminum foot	+\$240
LFZ	satin bronze with polished aluminum foot	+\$240
Step 1	13. Undersurface Wire Management	
N	no undersurface wire management	+\$0
T	trough	+\$420
Н	hammock	+\$550
Step 1	14. Hammock Finish	
For ha	ammock (H)	
Price	Category 4	+\$0



## Product Information

#### Description

This cabinet base oval seated-height table comes in a squared-or thin-edge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with  $1^1/2^n$  leveling glides. Shipped knocked down.

## Notes

Laminate and veneer tops 96" wide have 1-piece construction and are supported by 2 end cabinet bases.

Laminate and veneer tops 120" to 144" wide have 2-piece construction and are supported by 2 end cabinet bases and 1 intermediate cabinet base.

When specifying 1 cutout (A) in tables 96" wide, cutout will be located in the center.

When specifying cutouts (A, B) in tables 120" wide to 144" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. For 60"-deep tables, cutouts can also be located over the left or right cabinet bases (S, T). No center cutouts available. Laminate and veneer tops are  $1^{1}/_{4}$ " thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying technology mounting panels in bases (P), 2 technology panels are included.

When specifying metal painted curtain (C) or trough (T) undersurface wire management option, finish will match inner cabinet base paint finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H) or metal painted curtain with fabric sling (C).


When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) or metal painted curtain with fabric sling (C) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.


Order the following compatible power components separately:


- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.) Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program. See planning guide for additional information.

#### **Dimensions**







Spec	cification Information		For t	hin-edge (T.) with 120" wide (120), 132" wide (132), or 1	144" wide
Step	1.		(144	)	
DP1D	OC A		L	high-pressure laminate top/thermoplastic edge [A]	+\$1690
_			W	veneer top/veneer edge [A]	+\$6468
	2. Edge	40			
S. -	squared-edge A	+\$0		quared-edge (S.) with 120" wide (120), 132" wide (132),	, or 144"
T.	thin-edge A	+\$0		(144)	
			L	high-pressure laminate top/thermoplastic edge 🛕	+\$0
Step	3. Height		W	veneer top/veneer edge A	+\$365
2	28.5" high A	+\$0			
			For t	hin-edge (T.) with 120" wide (120), 132" wide (132), or 1	144" wide
Step	4. Depth		(144	)	
48	48" deep 🖪	+\$0	L	high-pressure laminate top/thermoplastic edge 🛕	+\$1690
60	60" deep A	+\$0	W	veneer top/veneer edge [A]	+\$6468
Step	5. Width		Step	7. Removable Cabinet Door Material	
			L	high-pressure laminate door material/thermoplastic	+\$0
For 4	8" deep (48)			edge A	
96	96" wide A	+\$5116	W	veneer door material/veneer edge A	+\$849
120	120" wide A	+\$7312			
132	132" wide A	+\$7632	Step	8. Number of Cutouts	
144	144" wide A	+\$7954			
	117 mas [	. φ, , , , ,	For 9	6" wide (96)	
For 6	0" deep (60)		N	no cutouts A	+\$0
96	96" wide [A]	+\$6043	A	1 cutout A	+\$0
120	120" wide A	+\$8998	^	1 cutout [A]	141
132	132" wide A	+\$9233	For 1	20" wide (120), 132" wide (132), or 144" wide (144)	
		+\$9233	• • • • • • • • • • • • • • • • • • • •		
144	144" wide 🖪	+\$9409	N	no cutouts [A]	+\$(
C+	4.C. C		A	1 cutout A	+\$0
Step	6. Surface Material		В	2 cutouts A	+\$(
For so	quared-edge (S.) with 96" wide (96)		Step	9. Cutout #1 Location	
L	high-pressure laminate top/thermoplastic edge 🛕	+\$0			
W	veneer top/veneer edge A	+\$1915	For 4	8" deep (48) or 60" deep (60) with 96" wide (96) with 1 c	cutout (A) +\$0
For so	quared-edge (S.) with 120" wide (120), 132" wide (132),	or 144"	-		. •
	(144)		For 4	8" deep (48) with 120" wide (120), 132" wide (132), or 1	144" wide
L	high-pressure laminate top/thermoplastic edge A	+\$0		) with 1 cutout (A) or 2 cutouts (B)	
w	veneer top/veneer edge A	+\$3656	L	left cutout A	+\$0
		. 45000	R	right cutout A	+\$0
For th	nin-edge (T.) with 96" wide (96)				
L	high-pressure laminate top/thermoplastic edge 🛕	+\$1349	For 6	0" deep (60) with 120" wide (120), 132" wide (132), or 1	144" wide
W	veneer top/veneer edge A	+\$3376	(144	) with 1 cutout (A) or 2 cutouts (B)	
			L	left cutout 🖪	+\$0
			R	right cutout A	+\$0

S

Т

left cutout over cabinet base [A]

+\$0

+\$0

Step 10. Cutout #2 Location

#### For 48" deep (48) with 120" wide (120), 132" wide (132), or 144" wide (144) with 2 cutouts (B) with left cutout (L) +\$0 right cutout A For 48" deep (48) with 120" wide (120), 132" wide (132), or 144" wide (144) with 2 cutouts (B) with right cutout (R) left cutout A +\$0 For 60" deep (60) with 120" wide (120), 132" wide (132), or 144" wide (144) with 2 cutouts (B) with left cutout (L) or left cutout over cabinet R +\$0 right cutout [A] Т right cutout over cabinet base A +\$0 For 60" deep (60) with 120" wide (120), 132" wide (132), or 144" wide (144) with 2 cutouts (B) with right cutout (R) or right cutout over cabinet base (T) left cutout A +\$0 left cutout over cabinet base [A] +\$0 Step 11. Technology Integration for Cutout #1 For 1 cutout (A) or 2 cutouts (B) with center cutout (C), or left cutout (L), or right cutout (R) TB cutout for technology bucket A +\$190 L6 cutout for logic Y1425 6 port A +\$125 L5 cutout for logic Y1425 5 port A +\$125 L3 cutout for logic Y1425 3 port A +\$65 **C5** cutout for 5.75" x 5.75" technology unit +\$65 **C6** cutout for 7.13" x 5.75" technology unit +\$65 **C7** cutout for 7" x 3.25" technology unity +\$65 **C8** cutout for 10" x 4" technology unit A +\$65 C9 cutout for 10" x 6.75" technology unit +\$125 For 1 cutout (A) or 2 cutouts (B) with left cutout over cabinet base (S), or right cutout over cabinet base (T) **C5** cutout for 5.75" x 5.75" technology unit +\$65 **C6** cutout for 7.13" x 5.75" technology unit +\$65 **C7** cutout for 7" x 3.25" technology unity A +\$65 **C8** cutout for 10" x 4" technology unit A +\$65

Step :	12. Technology Integration for Cutout #2	
For 2	cutouts (B) with left cutout (L), or right cutout (R)	
TB	cutout for technology bucket 🛽 🗚	+\$190
L6	cutout for logic Y1425 6 port 🛕	+\$125
L5	cutout for logic Y1425 5 port 🛕	+\$125
L3	cutout for logic Y1425 3 port A	+\$65
C5	cutout for 5.75" x 5.75" technology unit A	+\$65
C6	cutout for 7.13" x 5.75" technology unit 🛕	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity A	+\$65
<b>C8</b>	cutout for 10" x 4" technology unit 🛕	+\$65
<b>C9</b>	cutout for 10" x 6.75" technology unit [A]	+\$125
For 2	cutouts (B) with left cutout over cabinet base (S), or	right cutout
over d	cabinet base (T)	
C5	cutout for 5.75" x 5.75" technology unit 🛕	+\$65
C6	cutout for 7.13" x 5.75" technology unit 🛕	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity A	+\$65
<b>C8</b>	cutout for 10" x 4" technology unit 🛕	+\$65
С9	cutout for 10" x 6.75" technology unit A	+\$125

cutout for 10" x 6.75" technology unit

+\$125

C9

# Headway™ Oval Shape, Cabinet-Base, Seated Height Table continued

Step 1	13.	
Top Fi	nich	
•	msn gh-pressure laminate top/thermoplastic ed	tae (L)
76	light brown walnut A	+\$0
70 8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
HM	natural maple A	+\$0
HP	light anigre A	+\$0
HX	aged cherry A	+\$0
LBA	clear on ash A	+\$0
LBB	oak on ash 🖪	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill A	+\$0
LBJ	graphite twill A	+\$0
LBQ	white twill A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut 🗚	+\$0
LBV	warm grey teak 🗚	+\$0
LT	light tone A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0
Top/E	dge Finish	
For ve	neer top/veneer edge (W)	
2U	light brown walnut 🛕	+\$200
40	dark brown walnut 🛕	+\$200
A2	white ash 🛕	+\$0
CHD	noble cherry A	+\$200
ET	clear on ash 🛕	+\$0
EU	oak on ash 🛕	+\$0
EV	walnut on ash 🛕	+\$0
EW	medium matte walnut 🛕	+\$200
OU	walnut A	+\$200
UL	natural maple 🛕	+\$0
WHN	natural white oak 🛕	+\$200

Top Fi	nich	
	msn gh-pressure laminate top/thermoplastic ed	ine (I )
76	light brown walnut 🛕	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
нм	natural maple A	+\$0
HP	light anigre A	+\$0
нх	aged cherry A	+\$0
LBA	clear on ash A	+\$0
LBB	oak on ash 🛕	+\$0
LBC	walnut on ash 🛕	+\$0
LBF	neutral twill 🖪	+\$0
LBJ	graphite twill A	+\$0
LBQ	white twill 🖪	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa 🛕	+\$0
LBU	medium matte walnut 🖪	+\$0
LBV	warm grey teak 🛕	+\$0
LT	light tone A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0
Top/E	dge Finish	
For ve	neer top/veneer edge (W)	
2U	light brown walnut 🛕	+\$400
40	dark brown walnut 🛕	+\$400
A2	white ash 🛕	+\$0
CHD	noble cherry A	+\$400
ET	clear on ash 🛕	+\$0
EU	oak on ash 🛕	+\$0
EV	walnut on ash 🛕	+\$0
EW	medium matte walnut 🛕	+\$400
OU	walnut A	+\$400
UL	natural maple A	+\$0
WHN	natural white oak 🛕	+\$400

Top Fi	nish	
	gh-pressure laminate top/thermoplastic ea	lae (L)
76	light brown walnut 🗚	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
нм	natural maple A	+\$0
HP	light anigre A	+\$0
нх	aged cherry A	+\$0
LBA	clear on ash A	+\$0
LBB	oak on ash 🛕	+\$0
LBC	walnut on ash A	+\$0
LBF	neutral twill 🖪	+\$0
LBJ	graphite twill A	+\$0
LBQ	white twill A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa 🖪	+\$0
LBU	medium matte walnut 🛽 🗚	+\$0
LBV	warm grey teak 🛕	+\$0
LT	light tone A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0
Top/E	dge Finish	
For ve	neer top/veneer edge (W)	
2U	light brown walnut 🛕	+\$400
40	dark brown walnut 🛕	+\$400
A2	white ash A	+\$0
CHD	noble cherry A	+\$400
ET	clear on ash 🛕	+\$0
EU	oak on ash 🛕	+\$0
EV	walnut on ash 🛕	+\$0
EW	medium matte walnut 🛕	+\$400
OU	walnut 🖪	+\$400
UL	natural maple 🛕	+\$0
WHN	natural white oak 🛕	+\$400

_		
Step 1	14. Edge Finish	
For hi	gh-pressure laminate top/thermoplastic edge	(1)
76	light brown walnut A	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
BU	black umber 🗚	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
нм	natural maple 🛕	+\$0
HP	light anigre 🛕	+\$0
НХ	aged cherry A	+\$0
LBA	clear on ash 🛕	+\$0
LBB	oak on ash 🛕	+\$0
LBC	walnut on ash 🛕	+\$0
LBF	neutral twill 🛕	+\$0
LBJ	graphite twill A	+\$0
LBQ	white twill A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa 🛕	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak 🛕	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0

For hi	gh-pressure laminate top/thermoplastic ed	ge (L)
76	light brown walnut 🛕	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
BU	black umber 🖪	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light 🛕	+\$0
нм	natural maple 🛕	+\$0
HP	light anigre 🖪	+\$0
нх	aged cherry A	+\$0
LBA	clear on ash 🛕	+\$0
LBB	oak on ash 🛕	+\$0
LBC	walnut on ash 🛕	+\$0
LBF	neutral twill 🛕	+\$0
LBJ	graphite twill 🗚	+\$0
LBQ	white twill A	+\$0
LBR	phantom ecru 🛕	+\$0
LBS	phantom cocoa 🖪	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak 🛕	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0

Step 1	15. Removable Cabinet Door Finish	
For hi	gh-pressure laminate door material/therm	noplastic edge (L)
76	light brown walnut 🗚	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral 🔼	+\$0
HF	inner tone light 🛕	+\$0
нм	natural maple 🛕	+\$0
HP	light anigre 🖪	+\$0
НХ	aged cherry A	+\$0
LBA	clear on ash 🛕	+\$0
LBB	oak on ash 🛕	+\$0
LBC	walnut on ash 🛕	+\$0
LBF	neutral twill A	+\$0
LBJ	graphite twill A	+\$0
LBQ	white twill A	+\$0
LBR	phantom ecru 🛕	+\$0
LBS	phantom cocoa 🗚	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak 🛕	+\$0
LT	light tone 🛕	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral 🛕	+\$0


For ve	neer door material/veneer edge (W)	
2U	light brown walnut 🛕	+\$100
40	dark brown walnut 🛕	+\$100
A2	white ash A	+\$0
CHD	noble cherry A	+\$100
ET	clear on ash 🛕	+\$0
EU	oak on ash 🛕	+\$0
EV	walnut on ash 🛕	+\$0
EW	medium matte walnut 🛕	+\$100
OU	walnut A	+\$100
UL	natural maple A	+\$0
WHN	natural white oak 🛕	+\$100

Step 1	16. Removable Cabinet Door Edge Finish	
For hi	gh-pressure laminate door material/thermoplastic edge (L)	
76	light brown walnut 🛕	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
BU	black umber A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
нм	natural maple 🛛	+\$0
HP	light anigre A	+\$0
нх	aged cherry A	+\$0
LBA	clear on ash 🛕	+\$0
LBB	oak on ash 🛕	+\$0
LBC	walnut on ash 🛕	+\$0
LBF	neutral twill A	+\$0
LBJ	graphite twill A	+\$0
LBQ	white twill A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa 🖪	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak 🛕	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0
Step 1	17. Inner Cabinet Leg Finish	
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0
CN	metallic champagne A	+\$0
MS	metallic silver 🖪	+\$0
SNA		+\$60
SNB		+\$60
SNC		+\$60
BK	black A	+\$0
G1	graphite A	+\$0
Step 1	18. Technology Mounting Panel in Leg	
P	technology panels in bases A +	\$260
N	no panel in bases 🛕	+\$0

For 9	96" wide (96)	
N	no undersurface wire management A	+\$0
Т	trough A	+\$420
C	metal painted curtain with fabric sling A	+\$635
Н	hammock A	+\$550
For 1	120" wide (120), 132" wide (132), or 144" wide (144,	)
N	no undersurface wire management 🛽 🗚	+\$0
Т	trough A	+\$840
C	metal painted curtain with fabric sling A	+\$1270
Н	hammock A	+\$1100
Step	20. Hammock Finish	
For h	nammock (H)	
Price	e Category 4 🖪	+\$0

## Headway™ Oval Shape, Y-Base, Seated Height Table

## DP1DYS DP1DYT



### Product Information

### Description

This Y-base oval seated-height table comes in a squared- or thinedge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with  $1^1/2^n$  leveling glides. Shipped knocked down.

### Notes

Laminate tops 60" to 108" wide have 1-piece construction and are supported by 2 end legs.

Laminate tops 120" to 144" wide have 2-piece construction and are supported by 2 end legs and 1 intermediate leg.

Veneer tops 60" to 96" wide have 1-piece construction and are supported by 2 end legs.

Veneer tops 108" to 144" wide have 2-piece construction and are supported by 2 end legs and 1 intermediate leg.

When specifying 1 cutout (A) in tables 60" wide to 96" wide, cutout will be located in the center.

When specifying cutouts (A, B) in tables 108" wide to 144" wide, cutouts can be located on the left (L), the right (R), or the left and right side(s) of the table. No center cutouts available.

Laminate and veneer tops are 11/4" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying trough (T) undersurface wire management option, finish will match base finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H).


When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.

Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)
  Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program. See planning guide for additional information.

### Dimensions





Step 1  DP1D		
חדוט	·	
Step 2	2. Edge	
S.	squared-edge	+\$0
T.	thin-edge	+\$0
Step 3	B. Height	
28	28.5" high	+\$0
Step 4	i. Depth	
42	42" deep	+\$0
48	48" deep	+\$0
54	54" deep	+\$0
Step 5	5. Width	
For 42	r" deep (42)	
60	60" wide	+\$4069
72	72" wide	+\$4238
84	84" wide	+\$4403
96	96" wide	+\$4571
For 48	r" deep (48)	
60	60" wide	+\$4154
72	72" wide	+\$4311
84	84" wide	+\$4471
96	96" wide	+\$4626
For 54	" deep (54)	
96	96" wide	+\$4823
108	108" wide	+\$7413
120	120" wide	+\$7803
132	132" wide	+\$8175
144	144" wide	+\$8546
Step 6	5. Surface Material	
For sq	uared-edge (S.) with 60" wide (60), 72" wide (72), 84	" wide (84),
	wide (96)	
L	high-pressure laminate top/thermoplastic edge	+\$0
w	veneer top/veneer edge A	+\$1898

L L	quared-edge (S.) with 108" wide (108), 120" wide (120 (132), or 144" wide (144)	.,,
_	high-pressure laminate top/thermoplastic edge	+\$
w	veneer top/veneer edge A	
VV	veneer top/veneer edge [A]	+\$362
For t	hin-edge (T.) with 60" wide (60), 72" wide (72), 84" wid	e (84), or
96" v	vide (96)	
L	high-pressure laminate top/thermoplastic edge	+\$133
W	veneer top/veneer edge A	+\$334
For t	hin-edge (T.) with 108" wide (108), 120" wide (120), 13	32" wide
(132	), or 144" wide (144)	
L	high-pressure laminate top/thermoplastic edge	+\$167
W	veneer top/veneer edge A	+\$641
Step	7. Number of Cutouts	
For 6	60" wide (60), 72" wide (72), 84" wide (84), or 96" wide	(96)
N	no cutouts	+\$
Α	1 cutout	+\$
For 1	08" wide (108), 120" wide (120), 132" wide (132), or 1	44" wide
(144	)	
N	no cutouts	+\$0
Α	1 cutout	+\$0
В	2 cutouts	+\$(
Step	8. Cutout #1 Location	
	0" wide (60), 72" wide (72), 84" wide (84), or 96" wide	(96) with
	tout (A)	
	center cutout	+\$
1 cut <b>C</b> For 1	08" wide (108), 120" wide (120), 132" wide (132), or 1	
1 cut <b>C</b> For 1	08" wide (108), 120" wide (120), 132" wide (132), or 1 ) with 1 cutout (A) or 2 cutouts (B)	
1 cut <b>C</b> For 1	08" wide (108), 120" wide (120), 132" wide (132), or 1	+\$ 44" wide +\$
1 cut <b>C</b> For 1	08" wide (108), 120" wide (120), 132" wide (132), or 1 ) with 1 cutout (A) or 2 cutouts (B)	44" wide
1 cut C For 1 (144 L R	08" wide (108), 120" wide (120), 132" wide (132), or 1 ) with 1 cutout (A) or 2 cutouts (B) left cutout	44" wide +\$
For 1 (144) L R	08" wide (108), 120" wide (120), 132" wide (132), or 1 ) with 1 cutout (A) or 2 cutouts (B) left cutout right cutout	44" wide +\$ +\$
For 1 (144 L Step	08" wide (108), 120" wide (120), 132" wide (132), or 1 ) with 1 cutout (A) or 2 cutouts (B) left cutout right cutout 9. Cutout #2 Location	44" wide +\$ +\$
For 1 (144 L Step	08" wide (108), 120" wide (120), 132" wide (132), or 1 ) with 1 cutout (A) or 2 cutouts (B) left cutout right cutout  9. Cutout #2 Location  08" wide (108), 120" wide (120), 132" wide (132), or 1	44" wide +\$ +\$
1 cut  For 1  (1444  L  R  Step  For 1 (1444  R	08" wide (108), 120" wide (120), 132" wide (132), or 1 ) with 1 cutout (A) or 2 cutouts (B)  left cutout right cutout  9. Cutout #2 Location  08" wide (108), 120" wide (120), 132" wide (132), or 1 ) with 2 cutouts (B) with left cutout (L)	44" wide +\$ +\$ 44" wide
1 cut  For 1 (1444  R  Step  For 1 (1444  R	08" wide (108), 120" wide (120), 132" wide (132), or 1 ) with 1 cutout (A) or 2 cutouts (B)  left cutout right cutout  9. Cutout #2 Location  08" wide (108), 120" wide (120), 132" wide (132), or 1 ) with 2 cutouts (B) with left cutout (L) right cutout	44" wide +\$ +\$ 44" wide

## Headway™ Oval Shape, Y-Base, Seated Height Table continued

Step	10. Technology Integration for Cutout #1	
For 1	cutout (A) or 2 cutouts (B)	
ТВ	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$125
L5	cutout for logic Y1425 5 port	+\$125
L3	cutout for logic Y1425 3 port	+\$65
C5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
<b>C8</b>	cutout for 10" x 4" technology unit	+\$65
C9	cutout for 10" x 6.75" technology unit	+\$125
Step	11. Technology Integration for Cutout #2	
For 2	cutouts (B)	
TB	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$125
L5	cutout for logic Y1425 5 port	+\$125
L3	cutout for logic Y1425 3 port	+\$65
C5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
С8		¢ < 5
CO	cutout for 10" x 4" technology unit	+\$65

+\$125

UL

WHN

natural maple

natural white oak

cutout for 10" x 6.75" technology unit

Step 1	2.	
Top Fi	nish	
For 60	" wide (60), 72" wide (72), 84" wide (84), or 96" wi	de (96) with
high-p	ressure laminate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak 🛕	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Top/Edge Finish For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with veneer top/veneer edge (W) 2U light brown walnut +\$200 40 dark brown walnut +\$200 white ash A2 +\$0 CHD noble cherry +\$200 EΤ clear on ash +\$0 EU +\$0 oak on ash ΕV walnut on ash +\$0 EW medium matte walnut +\$200 OU walnut +\$200

C9

+\$0

+\$200

## Top Finish

For 108" wide (108), 120" wide (120), 132" wide (132), or 144" wide (144) with high-pressure laminate top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak 🛕	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

## Top/Edge Finish

For 108" wide (108), 120" wide (120), 132" wide (132), or 144" wide (144) with veneer top/veneer edge (W)

in remeer top, remeer eage (ii)	
light brown walnut	+\$400
dark brown walnut	+\$400
white ash	+\$0
noble cherry	+\$400
clear on ash	+\$0
oak on ash	+\$0
walnut on ash	+\$0
medium matte walnut	+\$400
walnut	+\$400
natural maple	+\$0
natural white oak	+\$400
	light brown walnut dark brown walnut white ash noble cherry clear on ash oak on ash walnut on ash medium matte walnut walnut natural maple

## Step 13. Edge Finish

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with high-pressure laminate top/thermoplastic edge (L)

nign-p	ressure laminate top/thermoplastic eage (	(L)
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

## Headway™ Oval Shape, Y-Base, Seated Height Table continued

76

light brown walnut

For 108" wide (108), 120" wide (120), 132" wide (132), or 144" wide (144) with high-pressure laminate top/thermoplastic edge (L)

+\$0

8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
LU WL	soft white sandstone	+\$0 +\$0
WL WN	sandstone	+\$0
WL WN Step 1	sandstone warm grey neutral	+\$0
WL WN Step 1	sandstone warm grey neutral  4. Base Finish	+\$0
WL WN Step 1 Smoot	sandstone warm grey neutral  4. Base Finish h Paint	+\$0
WL WN Step 1 Smoot For 60	sandstone warm grey neutral  4. Base Finish h Paint "wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)	+\$0
WL WN Step 1 Smoot	sandstone warm grey neutral  4. Base Finish  h Paint "wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) folkstone grey leg with folkstone grey foot	+\$0 +\$0 +\$0
WL WN Step 1 Smoot For 60' 8Q 91 98	sandstone warm grey neutral  4. Base Finish  h Paint "wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) folkstone grey leg with folkstone grey foot white leg with white foot	+\$0 +\$0 +\$0 +\$0 +\$0
WL Step 1 Smoot For 60' 8Q 91 98 WL	sandstone warm grey neutral  4. Base Finish  h Paint "wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) folkstone grey leg with folkstone grey foot white leg with white foot studio white leg with studio white foot	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0
WL WN Step 1 Smoot For 60 8Q 91 98 WL WN	sandstone warm grey neutral  4. Base Finish  h Paint "wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) folkstone grey leg with folkstone grey foot white leg with white foot studio white leg with studio white foot sandstone leg with sandstone foot	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0
Step 1 Smoot For 60 8Q 91 98 WL WN	sandstone warm grey neutral  4. Base Finish  h Paint "wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) folkstone grey leg with folkstone grey foot white leg with white foot studio white leg with studio white foot sandstone leg with sandstone foot warm grey neutral leg with warm grey neutral foot	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0
Step 1 Smoot For 60 8Q 91 98 WL WN	sandstone warm grey neutral  4. Base Finish  h Paint "wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) folkstone grey leg with folkstone grey foot white leg with white foot studio white leg with studio white foot sandstone leg with sandstone foot warm grey neutral leg with warm grey neutral foot ic Paint	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
WL WN Step 1 Smoot For 60 8Q 91 98 WL WN Metall For 60	sandstone warm grey neutral  4. Base Finish  h Paint "wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) folkstone grey leg with folkstone grey foot white leg with white foot studio white leg with studio white foot sandstone leg with sandstone foot warm grey neutral leg with warm grey neutral foot ic Paint "wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)	+\$0 +\$0
WL WN Step 1 Smoot For 60' 8Q 91 98 WL WN Metall For 60' CN	sandstone warm grey neutral  4. Base Finish  h Paint "wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) folkstone grey leg with folkstone grey foot white leg with white foot studio white leg with studio white foot sandstone leg with sandstone foot warm grey neutral leg with warm grey neutral foot  ic Paint "wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) metallic champagne leg with metallic champagne foot	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
WL WN Step 1 Smoot For 60 8Q 91 98 WL WN Metall For 60 CN MS	sandstone warm grey neutral  4. Base Finish  h Paint "wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) folkstone grey leg with folkstone grey foot white leg with white foot studio white leg with studio white foot sandstone leg with sandstone foot warm grey neutral leg with warm grey neutral foot  ic Paint "wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) metallic champagne leg with metallic champagne foot metallic silver leg with metallic silver foot	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0

Sand	Texture Paint	
For 60	)" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)	
BK	black leg with black foot	+\$0
G1	graphite satin leg with graphite satin foot	+\$(
Polish	ed Aluminum	
For 60	)" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96)	
LFX	satin aluminum with polished aluminum foot	+\$240
LFZ	satin bronze with polished aluminum foot	+\$240
LFL	black leg with polished aluminum foot	+\$210
LFM	satin carbon leg with polished aluminum foot	+\$240
LFK	studio white leg with polished aluminum foot	+\$210
LFF	white leg with polished aluminum foot	+\$210
LFN	graphite leg with polished aluminum foot	+\$210
Smoo	th Paint	
For 10	08" wide (108), 120" wide (120), 132" wide (132), or 144"	wide
(144)		
8Q	folkstone grey leg with folkstone grey foot	+\$0
91	white leg with white foot	+\$0
98	studio white leg with studio white foot	+\$0
WL	sandstone leg with sandstone foot	+\$(
WN	warm grey neutral leg with warm grey neutral foot	+\$0
Metal	lic Paint	
For 10 (144)	08" wide (108), 120" wide (120), 132" wide (132), or 144"	wide
CN	metallic champagne leg with metallic champagne foot	+\$0
MS	metallic silver leg with metallic silver foot	+\$(
SNA	satin aluminum leg with satin aluminum foot	+\$60
SNB	satin bronze leg with satin bronze foot	+\$60
SNC	satin carbon leg with satin carbon foot	+\$60
Sand	Texture Paint	
For 10 (144)	08" wide (108), 120" wide (120), 132" wide (132), or 144"	wide
( - r - r)		
BK	black leg with black foot	+\$(

Polished Aluminum

## Headway™ Oval Shape, Y-Base, Seated Height Table continued

For 10	8" wide (108), 120" wide (120), 132" wide (132), or	144" wide
(144)		
LFX	satin aluminum with polished aluminum foot	+\$420
LFZ	satin bronze with polished aluminum foot	+\$420
LFL	black leg with polished aluminum foot	+\$360
LFM	satin carbon leg with polished aluminum foot	+\$420
LFK	studio white leg with polished aluminum foot	+\$360
LFF	white leg with polished aluminum foot	+\$360
LFN	graphite leg with polished aluminum foot	+\$360
Step 1	5. Undersurface Wire Management	
For 60	" wide (60), 72" wide (72), 84" wide (84), or 96" wid	
N	no undersurface wire management	+\$0
T	trough	+\$420
Н	hammock	+\$550
For 10 (144)	8" wide (108), 120" wide (120), 132" wide (132), or	144" wide
(144) N	no undersurface wire management	+\$0
T	trough	+\$840
H	hammock	+\$1100
п	Hallillock	+\$1100
•	6. Hammock Finish	
For ha	mmock (H)	
Price (	Category 4	+\$0

## Headway™ Oval Shape, Y-Base, Standing Height Table

## DP2DYS DP2DYT



## **Product Information**

### Description

This Y-base oval standing-height table comes in a squared- or thinedge style and offers a laminate top with thermoplastic edge or veneer top with veneer edge. Table may be specified with cutouts to accommodate Herman Miller power options or third-party technology units, both ordered separately. Table also offers multiple understructure cable management options. Table comes with  $1^1/2^n$  leveling glides. Shipped knocked down.

### Notes

Laminate and veneer tops 60" to 96" wide have 1-piece construction and are supported by 2 end legs.

When specifying 1 cutout (A) in tables  $60^{\circ}$  wide to  $96^{\circ}$  wide, cutout will be located in the center.

Laminate and veneer tops are 11/4" thick.

Integrated technology cutouts are sized for Logic G1000 grommet mounted power access solutions, Headway™ technology bucket (DP5B.), and third-party technology units. See planning guide for specific units that fit in the table.

When specifying trough (T) undersurface wire management option, finish will match base finish.

To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), trough (T) for undersurface wire management is recommended. These units are also compatible with hammock (H). When specifying a cutout for a third-party cable retractor, we recommend the hammock (H) for undersurface wire management. See planning guide for specific size guidelines and wire management dimensions.


Order the following compatible power components separately:

- Tech bucket (DP5B.)
- Logic G1000 grommet mounted electrical distributor (Y1425.)

  Third-party technology units must be ordered separately from an outside supplier.

For additional widths and finish options, see Vary Easy program. See planning guide for additional information.

Dimensions



	ification Information	
Step 1		
DP2D	1	
Sten	2. Edge	
<b>S.</b>	squared-edge	+\$0
э. Т.	· -	+\$0
1.	thin-edge	+\$0
	B. Height	
42	42" high	+\$0
Step 4	. Depth	
42	42" deep	+\$0
48	48" deep	+\$0
Step 5	s. Width	
For 42	)" doon (42)	
	" deep (42)	. 0.227
60	60" wide	+\$4327
72	72" wide	+\$4494
84	84" wide	+\$4662
96	96" wide	+\$4832
For 48	" deep (48)	
60	60" wide	+\$4411
72	72" wide	+\$4570
84	84" wide	+\$4729
96	96" wide	+\$4889
Step 6	5. Surface Material	
For sa	uared-edge (S.)	
L	high-pressure laminate top/thermoplastic edge	+\$0
w	veneer top/veneer edge A	+\$1915
•	in-edge (T.)	
L	high-pressure laminate top/thermoplastic edge	+\$1349
W	veneer top/veneer edge A	+\$3656
Step 7	7. Number of Cutouts	
N	no cutouts	+\$0
Α	1 cutout	+\$0
Step 8	3. Cutout #1 Location	
For 1	cutout (A)	
C	center cutout	+\$0

Step 9	9. Technology Integration for Cutout #1	
For 1	cutout (A)	
ТВ	cutout for technology bucket	+\$190
L6	cutout for logic Y1425 6 port	+\$125
L5	cutout for logic Y1425 5 port	+\$125
L3	cutout for logic Y1425 3 port	+\$65
C5	cutout for 5.75" x 5.75" technology unit	+\$65
C6	cutout for 7.13" x 5.75" technology unit	+\$65
<b>C7</b>	cutout for 7" x 3.25" technology unity	+\$65
C8	cutout for 10" x 4" technology unit	+\$65
C9	cutout for 10" x 6.75" technology unit	+\$125
Step 1	10.	
Top Fi	nish	
	gh-pressure laminate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

# Headway™ Oval Shape, Y-Base, Standing Height Table continued


Top/E	dge Finish	
For ve	neer top/veneer edge (W)	
2U	light brown walnut	+\$200
40	dark brown walnut	+\$200
A2	white ash	+\$0
CHD	noble cherry	+\$200
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$200
OU	walnut	+\$200
UL	natural maple	+\$0
WHN	natural white oak	+\$200

Step 1	11. Edge Finish	
For hi	gh-pressure laminate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 1	2. Base Finish	
Cmaa	th Paint	
80	folkstone grey leg with folkstone grey foot	+\$0
91	white leg with white foot	+\$0
98	studio white leg with studio white foot	+\$0
WL	sandstone leg with sandstone foot	+\$0
WN	warm grey neutral leg with warm grey neutral foot	+\$0
Metall	ic Paint	
CN	metallic champagne leg with metallic champagne foot	+\$0
MS	metallic silver leg with metallic silver foot	+\$0
SNA	satin aluminum leg with satin aluminum foot	+\$30
SNB	satin bronze leg with satin bronze foot	+\$30
SNC	satin carbon leg with satin carbon foot	+\$30
Sand	Texture Paint	
BK	black leg with black foot	+\$0
G1	graphite satin leg with graphite satin foot	+\$0
Polish	ed Aluminum	
LFX	satin aluminum with polished aluminum foot	+\$240
LFZ	satin bronze with polished aluminum foot	+\$240
LFL	black leg with polished aluminum foot	+\$210
LFM	satin carbon leg with polished aluminum foot	+\$240
LFK	studio white leg with polished aluminum foot	+\$210
LFF	white leg with polished aluminum foot	+\$210
LFN	graphite leg with polished aluminum foot	+\$210
	3. Undersurface Wire Management	
N	no undersurface wire management	+\$0
Т	trough	+\$420
Н	hammock	+\$550
	4. Hammock Finish	
	mmock (H)	
Price (	Category 4	+\$0

## Headway™ Communal Table, Seated Height





## **Product Information**

## Description

This seated height communal table comes in a squared edge style and offers a laminate top with thermoplastic edge, laminate top with universal edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate Logic Mini™ power options. Tables comes with 1¹/₂" leveling glides. Shipped knocked down.

## Notes

Communal seated table height is  $28^{1}/_{2}^{n}$  from floor to top of surface. All laminate and veneer tops will have 1-piece construction. When specifying cutouts for  $60^{n}$ ,  $72^{n}$ , or  $84^{n}$ -wide tables, options are for no cutout (NN), or for cutouts located on left and right (C3). When specifying cutouts for  $96^{n}$ ,  $108^{n}$ , or  $120^{n}$ -wide tables, options are for no cutout (NN), for cutouts located on left and right (C3), or for cutouts on left, right, and center (C5).

Order the following compatible power components separately:

• Logic mini vine for Headway™ communal table (DP1416.)

For additional finish options, see Vary Easy program.

See planning guide for additional information.

### Dimensions







эрссі	incation information				
Step 1					
DP1EF	DP1EF				
Step 2	•				
S.	squared-edge	+\$0			
Step 3	. Depth				
24	24" deep	+\$0			
36	36" deep	+\$0			
42	42" deep	+\$0			
Step 4	. Width				
For 24	" deep (24)				
60	60" wide	+\$4358			
72	72" wide	+\$4447			
84	84" wide	+\$4535			
96	96" wide	+\$4624			
108	108" wide	+\$5369			
120	120" wide	+\$6114			
For 36	" deep (36)				
60	60" wide	+\$5056			
72	72" wide	+\$5185			
84	84" wide	+\$5315			
96	96" wide	+\$5445			
108	108" wide	+\$6297			
120	120" wide	+\$7147			

## Step 5. Top Surface Material

For 42" deep (42)

84" wide 96" wide

108" wide

120" wide

84

96 108

120

Specification Information

For 6	60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (	96)
L	high-pressure laminate top/thermoplastic edge	+\$0
U	high-pressure laminate/universal edge	+\$0
W	veneer top/veneer edge A	+\$975
For 1	08" wide (108) or 120" wide (120)	
For 1	08" wide (108) or 120" wide (120) high-pressure laminate top/thermoplastic edge	+\$0

+\$5860

+\$6029

+\$6738

+\$7450

## Headway™ Communal Table, Seated Height continued

Step (	6. Outer Leg Panel Material	
L	high-pressure laminate outer leg panel/	
	thermoplastic edge	
W	veneer outer leg panel/veneer edge	+\$1682
Step :	7. Cutouts	
For 60	" wide (60), 72" wide (72), or 84" wide (84)	
NN	no cutouts	+\$0
С3	cutout for logic mini vine, 1 left and 1 right	+\$130
	41	
For 96	6" wide (96), 108" wide (108), or 120" wide (120)	
For 96	s" wide (96), 108" wide (108), or 120" wide (120) no cutouts	+\$0
• · · · · · · · · · · · · · · · · · · ·		+\$0 +\$130

## Top Finish

Step 8.

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grev	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa 🛕	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

## Top/Edge Finish

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with veneer top/veneer edge (W)

2U	light brown walnut	+\$200
40	dark brown walnut	+\$200
A2	white ash	+\$0
CHD	noble cherry	+\$200
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$200
OU	walnut	+\$200
UL	natural maple	+\$0
WHN	natural white oak	+\$200

## Top Finish

For 108" wide (108) or 120" wide (120) with high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НΧ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak 🛕	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 9. Top Edge Finish

#### For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with high-pressure laminate top/thermoplastic edge (L) 76 light brown walnut +\$0 8Q folkstone grey +\$0 91 white +\$0 98 studio white +\$0 $\mathsf{CL}$ cool grey neutral +\$0 HF inner tone light +\$0 HM natural maple +\$0 HP light anigre +\$0 НΧ aged cherry +\$0 LBA clear on ash +\$0 LBB oak on ash +\$0 LBC walnut on ash +\$0 LBF neutral twill +\$0 LBJ graphite twill +\$0 LBQ white twill +\$0 LBR phantom ecru +\$0 LBS phantom cocoa +\$0 LBU medium matte walnut +\$0 LBV warm grey teak +\$0 LU soft white +\$0 WL sandstone +\$0 WN warm grey neutral +\$0

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with

+\$85

high-pressure laminate/universal edge (U)

plywood edge

For 10	08" wide (108) or 120" wide (120) with high	h-pressure laminate
top/th	hermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For 108" wide (108) or 120" wide (120) with high-pressure laminate/universal edge (U)

PLY plywood edge +\$100

## Headway™ Communal Table, Seated Height continued

Step 10. Outer Leg Panel Finish

76	light brown walnut	+\$0
3Q	folkstone grey	+\$0
91	white	+\$
98	studio white	+\$0
:L	cool grey neutral	+\$
HF.	inner tone light	+\$
HM	natural maple	+\$
ΗP	light anigre	+\$(
НΧ	aged cherry	+\$(
_BA	clear on ash	+\$(
_BB	oak on ash	+\$(
_BC	walnut on ash	+\$(
_BF	neutral twill	+\$(
_BJ	graphite twill	+\$(
.BQ	white twill	+\$
.BR	phantom ecru	+\$
.BS	phantom cocoa	+\$
.BU	medium matte walnut	+\$
.BV	warm grey teak	+\$
.T	light tone	+\$0
.U	soft white	+\$(
NL	sandstone	+\$
WN	warm grey neutral	+\$6
or ve	neer outer leg panel/veneer edge (W)	
2U	light brown walnut	+\$20
40	dark brown walnut	+\$20
12	white ash	+\$
CHD	noble cherry	+\$20
T	clear on ash	+\$(
EU	oak on ash	+\$(
V	walnut on ash	+\$
W	medium matte walnut	+\$20
OU	walnut	+\$20
JL	natural maple	+\$0
		+\$200

	11. Outer Leg Panel Edge Finish	
For hi	gh-pressure laminate outer leg panel/thermoplas	stic edge (L)
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
Step 1	12. Inner Structure Finish	
Smoo	th Paint	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Metal	lic Paint	
CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$60
SNB	satin bronze	+\$60
SNC	satin carbon	+\$60
Sand	Texture Paint	
ВК	black	+\$0
	1.4	


G1

graphite

+\$0

## Headway™ Communal Table, Counter Height

DP1EGS



## **Product Information**

## Description

This counter height communal table comes in a squared edge style and offers a laminate top with thermoplastic edge, laminate top with universal edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate Logic Mini™ power options. Tables comes with 1¹/₂″ leveling glides. Shipped knocked down.

### Notes

Communal counter table height is 36" from floor to top of surface.

All laminate and veneer tops will have 1-piece construction.

When specifying cutouts for 60"-, 72", or 84"-wide tables, options are for no cutout (NN), or for cutouts located on left and right (C3).

When specifying cutouts for 96"-, 108", or 120" wide tables, options are for no cutout (NN), for cutouts located on left and right (C3), or for cutouts on left, right, and center (C5).

Order the following compatible power components separately:

• Logic mini vine for Headway™ communal table (DP1416.)

For additional finish options, see Vary Easy program.

See planning guide for additional information.

### Dimensions







## Specification Information Step 1.

squared-edge

## DP1EG

Step 2. Edge

Step	3. Depth	
24	24" deep	+\$0
36	36" deep	+\$0
42	42" doon	. 40

## Step 4. Width

For 24" deep (24)		
60	60" wide	+\$4527
72	72" wide	+\$4615
84	84" wide	+\$4703
96	96" wide	+\$4789
108	108" wide	+\$5536
120	120" wide	+\$6282

For 36" deep (36)		
60	60" wide	+\$5433
72	72" wide	+\$5563
84	84" wide	+\$5695
96	96" wide	+\$5824
108	108" wide	+\$6675

For 42" deep (42)		
84	84" wide	+\$6235
96	96" wide	+\$6401
108	108" wide	+\$7111
120	120" wide	+\$7824

## Step 5. Top Surface Material

120" wide

120

For 6	50" wide (60), 72" wide (72), 84" wide (84), or 96" wide (	(96)
L	high-pressure laminate top/thermoplastic edge	+\$0
U	high-pressure laminate/universal edge	+\$0
W	veneer top/veneer edge A	+\$975
For 1	08" wide (108) or 120" wide (120)	
L	high-pressure laminate top/thermoplastic edge	+\$0
U	high-pressure laminate/universal edge	+\$0

+\$7526

## Headway™ Communal Table, Counter Height *continued*

Step	6. Outer Leg Panel Material	
L	high-pressure laminate outer leg panel/	+\$0
	thermoplastic edge	
W	veneer outer leg panel/veneer edge	+\$1949
Step	7. Cutouts	
For 6	0" wide (60), 72" wide (72), or 84" wide (84)	
NN	no cutouts	+\$0
С3	cutout for logic mini vine, 1 left and 1 right	+\$130
	cutout for logic mini vine, 1 left and 1 right  6" wide (96), 108" wide (108), or 120" wide (120)	+\$130
		+\$130
For 9	6" wide (96), 108" wide (108), or 120" wide (120)	

## Top Finish

Step 8.

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grev	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa 🛕	+\$0
LBU	medium matte walnut 🛕	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

## Top/Edge Finish

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with veneer top/veneer edge (W)

2U	light brown walnut	+\$200
40	dark brown walnut	+\$200
A2	white ash	+\$0
CHD	noble cherry	+\$200
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$200
OU	walnut	+\$200
UL	natural maple	+\$0
WHN	natural white oak	+\$200

## Top Finish

For 108" wide (108) or 120" wide (120) with high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

#### Step 9. Top Edge Finish For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with high-pressure laminate top/thermoplastic edge (L) 76 light brown walnut +\$0 8Q folkstone grey +\$0 91 white +\$0 98 studio white +\$0 $\mathsf{CL}$ cool grey neutral +\$0 HF inner tone light +\$0 HM natural maple +\$0 HP light anigre +\$0 НΧ aged cherry +\$0 LBA clear on ash +\$0 LBB oak on ash +\$0 LBC walnut on ash +\$0 LBF neutral twill +\$0 LBJ graphite twill +\$0 LBQ white twill +\$0 phantom ecru LBR +\$0 LBS phantom cocoa +\$0 LBU medium matte walnut +\$0 LBV warm grey teak +\$0 LU soft white +\$0 WL sandstone +\$0 WN

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with high-pressure laminate/universal edge (U)

warm grey neutral

plywood edge +\$85

+\$0

For 108" wide (108) or 120" wide (120) with high-pressure laminate
top/thermoplastic edge (L)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For 108" wide (108) or 120" wide (120) with high-pressure laminate/ universal edge (U)

PLY plywood edge +\$100

## Headway™ Communal Table, Counter Height continued


Step 10. Outer Leg Panel Finish

76	light brown walnut	+\$(
3Q	folkstone grey	+\$(
91	white	+\$(
98	studio white	+\$0
:L	cool grey neutral	+\$0
łF	inner tone light	+\$0
·M	natural maple	+\$(
IP	light anigre	+\$0
ΙX	aged cherry	+\$0
.BA	clear on ash	+\$0
.BB	oak on ash	+\$0
.BC	walnut on ash	+\$0
.BF	neutral twill	+\$0
.BJ	graphite twill	+\$(
.BQ	white twill	+\$(
.BR	phantom ecru	+\$(
.BS	phantom cocoa	+\$(
.BU	medium matte walnut	+\$0
.BV	warm grey teak	+\$0
.T	light tone	+\$0
.U	soft white	+\$
٧L	sandstone	+\$
VN	warm grey neutral	+\$0
or ve	neer outer leg panel/veneer edge (W)	
2U	light brown walnut	+\$300
40	dark brown walnut	+\$300
12	white ash	+\$
CHD	noble cherry	+\$30
ΞT	clear on ash	+\$
U	oak on ash	+\$(
V	walnut on ash	+\$
W	medium matte walnut	+\$30
OU	walnut	+\$30
JL	natural maple	+\$0

For hi	gh-pressure laminate outer leg panel/th	ermoplastic edge (L)
76	light brown walnut	+\$0
BQ	folkstone grey	+\$1
91	white	+\$1
98	studio white	+\$1
BU	black umber	+\$
CL	cool grey neutral	+\$
HF	inner tone light	+\$
нм	natural maple	+\$
HP	light anigre	+\$
НΧ	aged cherry	+\$
LBA	clear on ash	+\$
LBB	oak on ash	+\$
LBC	walnut on ash	+\$
LBF	neutral twill	+\$
LBJ	graphite twill	+\$
LBQ	white twill	+\$
LBR	phantom ecru	+\$
LBS	phantom cocoa	+\$
LBU	medium matte walnut warm grey teak	+\$
LBV		+\$
LU	soft white	+\$
WL	sandstone	+\$
Step 1	12. Inner Structure Finish	
Smoo	th Paint	
BQ	folkstone grey	+\$
91	white	+\$
98	studio white	+\$
WL	sandstone	+\$
WN	warm grey neutral	+\$
Metal	lic Paint	
CN	metallic champagne	+\$
MS	metallic silver	+\$
SNA	satin aluminum	+\$6
SNB	satin bronze	+\$6
CNC	satin carbon	+\$6
SINC		
SNC Sand	Texture Paint	
	Texture Paint black	+\$

## Headway™ Communal Table, Standing Height

## DP1EPS



## **Product Information**

## Description

This standing height communal table comes in a squared edge style and offers a laminate top with thermoplastic edge, laminate top with universal edge, or veneer top with veneer edge. Table may be specified with cutouts to accommodate Logic Mini™ power options. Tables comes with 1¹/₂″ leveling glides. Shipped knocked down.

## Notes

Communal standing table height is 42" from floor to top of surface.

All laminate and veneer tops will have 1-piece construction.

When specifying cutouts for 60"-, 72", or 84"-wide tables, options are for no cutout (NN), or for cutouts located on left and right (C3).

When specifying cutouts for 96", 108", or 120" wide tables, options are for no cutout (NN), for cutouts located on left and right (C3), or for cutouts on left, right, and center (C5).


Order the following compatible power components separately:

• Logic mini vine for Headway™ communal table (DP1416.)

For additional finish options, see Vary Easy program.

See planning guide for additional information.

## Dimensions







## Specification Information

## Step 1.

Step 2	2. Edge	
S.	squared-edge	+\$(
Step 3	3. Depth	
24	24" deep	+\$0
36	36" deep	+\$0
42	42" deep	+\$0
Step 4	4. Width	
 For 24	:" deep (24)	
60	60" wide	+\$4590
72	72" wide	+\$4679
84	84" wide	+\$4768
96	96" wide	+\$4856
108	108" wide	+\$5602
120	120" wide	+\$6347
 For 36	" deep (36)	
60	60" wide	+\$5651
72	72" wide	+\$5780
84	84" wide	+\$5910
96	96" wide	+\$6039
108	108" wide	+\$6890
120	120" wide	+\$7742
For 42	?" deep (42)	
84	84" wide	+\$645!
96	96" wide	+\$6623
108	108" wide	+\$7333
120	120" wide	+\$804

Step	5. Top Surface Material	
For 6	60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (	96)
L	high-pressure laminate top/thermoplastic edge	+\$0
U	high-pressure laminate/universal edge	+\$0
W	veneer top/veneer edge A	+\$975
For 1	08" wide (108) or 120" wide (120)	
L	high-pressure laminate top/thermoplastic edge	+\$0
U	high-pressure laminate/universal edge	+\$0

## Headway™ Communal Table, Standing Height continued

_		
Step 6	6. Outer Leg Panel Material	
L	high-pressure laminate outer leg panel/	+\$0
	thermoplastic edge	
W	veneer outer leg panel/veneer edge	+\$2436
Step 7	7. Cutouts	
For 60	" wide (60), 72" wide (72), or 84" wide (84)	
NN	no cutouts	+\$0
C3	cutout for logic mini vine, 1 left and 1 right	+\$130
For 96	" wide (96), 108" wide (108), or 120" wide (120)	
NN	no cutouts	+\$0
С3	cutout for logic mini vine, 1 left and 1 right	+\$130
<b>C</b> 5	cutout for logic mini vine, 1 left, 1 right, and 1 center	+\$195

## Top Finish

Step 8.

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

## Top/Edge Finish

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with veneer top/veneer edge (W)

2U	light brown walnut	+\$200
40	dark brown walnut	+\$200
A2	white ash	+\$0
CHD	noble cherry	+\$200
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$200
OU	walnut	+\$200
UL	natural maple	+\$0
WHN	natural white oak	+\$200

## Top Finish

For 108" wide (108) or 120" wide (120) with high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НΧ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut [A]	+\$0
LBV	warm grey teak 🛕	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

#### Step 9. Top Edge Finish For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with high-pressure laminate top/thermoplastic edge (L) 76 light brown walnut +\$0 8Q folkstone grey +\$0 91 white +\$0 98 studio white +\$0 $\mathsf{CL}$ cool grey neutral +\$0 HF inner tone light +\$0 HM natural maple +\$0 HP light anigre +\$0 НΧ aged cherry +\$0 LBA clear on ash +\$0 LBB oak on ash +\$0 LBC walnut on ash +\$0 LBF neutral twill +\$0 LBJ graphite twill +\$0 LBQ white twill +\$0 LBR phantom ecru +\$0 LBS phantom cocoa +\$0 LBU medium matte walnut +\$0 LBV warm grey teak +\$0 LU soft white +\$0 WL sandstone +\$0 WN warm grey neutral +\$0

For 10	08" wide (108) or 120" wide (120) with high	n-pressure laminate
top/tl	nermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For 108" wide (108) or 120" wide (120) with high-pressure laminate/universal edge (U)

PLY plywood edge +\$100

For 60" wide (60), 72" wide (72), 84" wide (84), or 96" wide (96) with

## Headway™ Communal Table, Standing Height continued

For hi	gh-pressure laminate outer leg panel/the	rmoplastic edge (L)
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НΧ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$(
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$(
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
For ve	neer outer leg panel/veneer edge (W)	
2U	light brown walnut	+\$350
40	dark brown walnut	+\$350
A2	white ash	+\$
CHD	noble cherry	+\$350
ET	clear on ash	+\$
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$350
OU	walnut	+\$350

Step 1	11. Outer Leg Panel Edge Finish	
For hi	gh-pressure laminate outer leg panel/thermoplas	tic edge (L)
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
Step :	12. Inner Structure Finish	
Smoo	th Paint	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Metal	lic Paint	
CN	metallic champagne	+\$0
MS	metallic silver	+\$0

+\$0


+\$350

UL

natural maple

WHN natural white oak

# Headway™ Cabinet Base, Seated DP3C. Height



## **Product Information**

### Description

This independent 2-cabinet base kit allows for customized surfaces from suppliers other than HermanMiller. Cabinet base comes in multiple depths and widths. The removable cabinet doors come in laminate or veneer. Base accommodates multiple understructure cable management options. Base kit comes with  $1^1/2^n$  leveling glides. Surface attachment hardware included. Shipped knocked down.

N	0	te	S
---	---	----	---

Cabinet bases are 22" deep.

When specifying technology mounting panels in bases (P), 2 technology panels are included.


When specifying metal painted curtain (C) or trough (T) undersurface wire management option, finish will match inner cabinet base paint finish.


To use the Headway™ tech bucket (DP5B.) or any of the Logic G1000 units (Y1425.), specify trough (T) for undersurface wire management. When specifying a cabinet base only for a customized top, see planning guide for top restrictions and guidelines.

The included surface attachment hardware is used for a wood top or wood sub-top. See planning guide for attachment information for nonwood tops.

See planning guide for additional information.

## Dimensions







## Specification Information

### Step 1.

### DP3C.

ירטע	<b></b>	
Step	2. Height	
2	28" high	+\$0
Step	3. Table Depth	
42	42" deep	+\$0
48	48" deep	+\$0
54	54" deep	+\$0
60	60" deep	+\$0
Step	4. Table Width	
For 4	42" deep (42) or 48" deep (48)	
72	72" wide	+\$3538
78	78" wide	+\$3655
~.		*

For 42	2" deep (42) or 48" deep (48)	
72	72" wide	+\$3538
78	78" wide	+\$3655
84	84" wide	+\$3769
90	90" wide	+\$3924
96	96" wide	+\$4078
102	102" wide	+\$5135
108	108" wide	+\$5210
114	114" wide	+\$5246
120	120" wide	+\$5282
126	126" wide	+\$5320
132	132" wide	+\$5355
138	138" wide	+\$5392
144	144" wide	+\$5427

## Headway™ Cabinet Base, Seated Height continued

For 54" deep (54) or 60" deep (60)		
96	96" wide	+\$4253
102	102" wide	+\$5805
108	108" wide	+\$5893
114	114" wide	+\$5940
120	120" wide	+\$5986
126	126" wide	+\$6030
132	132" wide	+\$6074
138	138" wide	+\$6120
144	144" wide	+\$6165
150	150" wide	+\$6210
156	156" wide	+\$6254
162	162" wide	+\$6300
168	168" wide	+\$6344
174	174" wide	+\$6391
180	180" wide	+\$6434
186	186" wide	+\$6480
192	192" wide	+\$6525
198	198" wide	+\$7648
204	204" wide	+\$7713
210	210" wide	+\$7745
216	216" wide	+\$7775
222	222" wide	+\$7807
228	228" wide	+\$7837
234	234" wide	+\$7870
240	240" wide	+\$7903

Step	Step 5. Removable Cabinet Door Material			
L	high-pressure laminate door/thermoplastic edge	+\$0		
W	veneer door/veneer edge	+\$849		

Step	6. Removable Cabinet Door Finish	
For h	igh-pressure laminate door/thermoplastic o	edge (L)
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НХ	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

For veneer door/veneer edge (W)			
2U	light brown walnut	+\$100	
40	dark brown walnut	+\$100	
A2	white ash	+\$0	
CHD	noble cherry	+\$100	
ET	clear on ash	+\$0	
EU	oak on ash	+\$0	
EV	walnut on ash	+\$0	
EW	medium matte walnut	+\$100	
OU	walnut	+\$100	
UL	natural maple	+\$0	
WHN	natural white oak	+\$100	

Step 7	7. Removable Cabinet Door Edge Finish	
	gh-pressure laminate door/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нх	aged cherry	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step 8	B. Inner Cabinet Leg Finish	
Smoo	th Paint	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Metal	lic Paint	
CN	metallic champagne	+\$0
MS	metallic silver	+\$0
SNA	satin aluminum	+\$60
SNB	satin bronze	+\$60
SNC	satin carbon	+\$60
Sand	Texture Paint	
BK	black	+\$0
G1	graphite	+\$0

N	9. Technology Mounting Panel in Leg no panel in bases	+\$0
P	technology panels in bases	+\$260
	371	
Step	10. Undersurface Wire Management	
For 7 wide	'2" wide (72), 96" wide (96), 78" wide (78), 84" wid (90)	e (84), or 90"
N	no undersurface wire management	+\$0
Т	trough	+\$420
C	metal painted curtain with fabric sling	+\$635
Н	hammock	+\$550
For 1	02" wide (102), 108" wide (108), 114" wide (114),	120" wide
(120)	), 126" wide (126), 132" wide (132), 138" wide (13	8), 144" wide
(144)	), 150" wide (150), 156" wide (156), 162" wide (16	52), 168" wide
(168)	), 174" wide (174), 180" wide (180), 186" wide (18	86), or 192"
wide	(192)	
N	no undersurface wire management	+\$0
T	trough	+\$840
C	metal painted curtain with fabric sling	+\$1270
Н	hammock	+\$1100
For 1	98" wide (198), 204" wide (204), 210" wide (210),	216" wide
	), 222" wide (222), 228" wide (228), 234" wide (23 (240)	(4), or 240"
N	no undersurface wire management	+\$0
Т	trough	+\$1260
C	metal painted curtain with fabric sling	+\$1905
	hammock	+\$1650
Н		
	11. Hammock Finish	
Step	11. Hammock Finish ammock (H)	

## Headway™ Y-Base, Seated Height

DP3Y.



## Product Information

## Description

This independent Y-base supports surfaces to create a complete table. Base accommodates multiple understructure cable management options. Base comes with  $1^1\!/2^n$  leveling glides. Surface attachment hardware included. Shipped knocked down.


Notes
Tables 60" to 96" wide have 2 legs.
Tables 108" to 192" wide have 3 legs.
Tables 204" to 240" wide have 4 legs.
Base supports surfaces 36" to 54" deep.
This base-only product cannot be used with a stone top larger than
42"D×78"W


The included surface attachment hardware is used for a wood top or wood sub-top. See planning guide for attachment information for nonwood tops

When specifying trough (T) undersurface wire management option, finish will match base finish.

For base load limits, nonstandard surface dimensions, cutout locations, and other planning information, see planning guide.

## Dimensions







## Specification Information

Step 1.

## DP3Y.

Step 2. Height			
28	28.5" high	+\$0	
Step	3. Table Depth		
36	36" deep	+\$0	
42	42" deep	+\$0	
48	48" deep	+\$0	
54	54" deep	+\$0	

## Step 4. Table Width

For 3	6" deep (36)	
60	60" wide	+\$3037
66	66" wide	+\$3075
72	72" wide	+\$3112
78	78" wide	+\$3153
84	84" wide	+\$3190
90	90" wide	+\$3226
96	96" wide	+\$3264

For 4	2" deep (42)	
60	60" wide	+\$3037
66	66" wide	+\$3075
72	72" wide	+\$3112
78	78" wide	+\$3153
84	84" wide	+\$3190
90	90" wide	+\$3226
96	96" wide	+\$3264
102	102" wide	+\$4894
108	108" wide	+\$4966
114	114" wide	+\$5000
120	120" wide	+\$5034
126	126" wide	+\$5071
132	132" wide	+\$5104
138	138" wide	+\$5140
144	1///" wide	±\$517 <i>/</i> i

For 48	8" deep (48)	
60	60" wide	+\$3037
66	66" wide	+\$3075
72	72" wide	+\$3112
78	78" wide	+\$3153
84	84" wide	+\$3190
90	90" wide	+\$3226
96	96" wide	+\$3264
102	102" wide	+\$4894
108	108" wide	+\$4966
114	114" wide	+\$5000
120	120" wide	+\$5034
126	126" wide	+\$5071
132	132" wide	+\$5104
138	138" wide	+\$5140
144	144" wide	+\$5174
For 5	4" deep (54)	
96	96" wide	+\$3264
102	102" wide	+\$4894
108	108" wide	+\$4966
114	114" wide	+\$5000
120	120" wide	+\$5034
126	126" wide	+\$5071
132	132" wide	+\$5104
138	138" wide	+\$5140
144	144" wide	+\$5174
150	150" wide	+\$5488
156	156" wide	+\$5802
162	162" wide	+\$5848
168	168" wide	+\$5892
174	174" wide	+\$5938
180	180" wide	+\$5983
186	186" wide	+\$6028
192	192" wide	+\$6074
198	198" wide	+\$7087
204	204" wide	+\$7284
210	210" wide	+\$7382
216	216" wide	+\$7481
222	222" wide	+\$7580
228	228" wide	+\$7676
234	234" wide	+\$7775
240	240" wide	+\$7874

Smoo	th Paint	
	on . a O" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 8	34"
	(84), 90" wide (90), or 96" wide (96)	
8Q	folkstone grey leg with folkstone grey foot	+\$0
91	white leg with white foot	+\$0
98	studio white leg with studio white foot	+\$0
WL	sandstone leg with sandstone foot	+\$0
WN	warm grey neutral leg with warm grey neutral foot	+\$0
Metal	lic Paint	
For 60	)" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 8	34"
wide	(84), 90" wide (90), or 96" wide (96)	
CN	metallic champagne leg with metallic champagne foot	+\$0
MS	metallic silver leg with metallic silver foot	+\$0
SNA	satin aluminum leg with satin aluminum foot	+\$30
SNB	satin bronze leg with satin bronze foot	+\$30
SNC	satin carbon leg with satin carbon foot	+\$30
Sand	Texture Paint	
F //	(20) (41) (44) (10) (10)	
FOT 60	)" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 8	34"
	r wiae (60), 66° wiae (66), 72° wiae (72), 78° wiae (78), 8 (84), 90° wide (90), or 96° wide (96)	34"
wide		
wide <b>BK</b>	(84), 90" wide (90), or 96" wide (96)	+\$0
wide BK G1	(84), 90" wide (90), or 96" wide (96) black leg with black foot	+\$0 +\$0
wide BK G1 Polish	(84), 90" wide (90), or 96" wide (96) black leg with black foot graphite satin leg with graphite satin foot	+\$0
BK G1 Polish	(84), 90" wide (90), or 96" wide (96)  black leg with black foot  graphite satin leg with graphite satin foot  ned Aluminum	+\$0
BK G1 Polish	(84), 90" wide (90), or 96" wide (96)  black leg with black foot graphite satin leg with graphite satin foot  med Aluminum on wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 8	+\$0 +\$0
BK G1 Polish For 60 wide	(84), 90" wide (90), or 96" wide (96)  black leg with black foot graphite satin leg with graphite satin foot  ned Aluminum (9" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 8 (84), 90" wide (90), or 96" wide (96)	+\$0 +\$0 34"
BK G1 Polish For 60 wide	(84), 90" wide (90), or 96" wide (96)  black leg with black foot graphite satin leg with graphite satin foot  med Aluminum of wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 8 (84), 90" wide (90), or 96" wide (96)  satin aluminum with polished aluminum foot black leg with polished aluminum foot	+\$0 +\$0 84" +\$240 +\$240
Polish For 60 wide	(84), 90" wide (90), or 96" wide (96)  black leg with black foot graphite satin leg with graphite satin foot  med Aluminum of wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 8 (84), 90" wide (90), or 96" wide (96)  satin aluminum with polished aluminum foot satin bronze with polished aluminum foot	+\$0 +\$0 84" +\$240 +\$240
Wide BK G1 Polish For 60 Wide LFX LFZ LFL	(84), 90" wide (90), or 96" wide (96)  black leg with black foot graphite satin leg with graphite satin foot  med Aluminum of wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 8 (84), 90" wide (90), or 96" wide (96)  satin aluminum with polished aluminum foot black leg with polished aluminum foot	+\$0 +\$0 +\$1 +\$2 +\$2 +\$2 +\$2 +\$2 +\$2
Polish For 60 wide LFX LFZ LFL	(84), 90" wide (90), or 96" wide (96)  black leg with black foot graphite satin leg with graphite satin foot  med Aluminum "wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 8 (84), 90" wide (90), or 96" wide (96)  satin aluminum with polished aluminum foot satin bronze with polished aluminum foot satin carbon leg with polished aluminum foot	+\$0

## Headway™ Y-Base, Seated Height continued

### Smooth Paint

For 102" wide (102), 108" wide (108), 114" wide (114), 120" wide (120), 126" wide (126), 132" wide (132), 138" wide (138), 144" wide (144), 150" wide (150), 156" wide (156), 162" wide (162), 168" wide (168), 174" wide (174), 180" wide (180), 186" wide (186), or 192" wide (192)

8Q	folkstone grey leg with folkstone grey foot	+\$0
91	white leg with white foot	+\$0
98	studio white leg with studio white foot	+\$0
WL	sandstone leg with sandstone foot	+\$0
WN	warm grey neutral leg with warm grey neutral foot	+\$0

### Metallic Paint

For 102" wide (102), 108" wide (108), 114" wide (114), 120" wide (120), 126" wide (126), 132" wide (132), 138" wide (138), 144" wide (144), 150" wide (150), 156" wide (156), 162" wide (162), 168" wide (168), 174" wide (174), 180" wide (180), 186" wide (186), or 192" wide (192)

CN	metallic champagne leg with metallic champagne foot	+\$0
MS	metallic silver leg with metallic silver foot	+\$0
SNA	satin aluminum leg with satin aluminum foot	+\$60
SNB	satin bronze leg with satin bronze foot	+\$60
SNC	satin carbon leg with satin carbon foot	+\$60

## Sand Texture Paint

For 102" wide (102), 108" wide (108), 114" wide (114), 120" wide (120), 126" wide (126), 132" wide (132), 138" wide (138), 144" wide (144), 150" wide (150), 156" wide (156), 162" wide (162), 168" wide (168), 174" wide (174), 180" wide (180), 186" wide (186), or 192" wide (192)

BK	black leg with black foot	+\$0
G1	graphite satin leg with graphite satin foot	+\$0

## Polished Aluminum

For 102" wide (102), 108" wide (108), 114" wide (114), 120" wide (120), 126" wide (126), 132" wide (132), 138" wide (138), 144" wide (144), 150" wide (150), 156" wide (156), 162" wide (162), 168" wide (168), 174" wide (174), 180" wide (180), 186" wide (186), or 192" wide (192)

LFL	black leg with polished aluminum foot	+\$360
LFM	satin carbon leg with polished aluminum foot	+\$420
LFK	studio white leg with polished aluminum foot	+\$360
LFF	white leg with polished aluminum foot	+\$360
LFN	graphite leg with polished aluminum foot	+\$360

### Smooth Paint

For 198" wide (198), 204" wide (204), 210" wide (210), 216" wide (216), 222" wide (222), 228" wide (228), 234" wide (234), or 240" wide (240)

+\$0
+\$0
+\$0
+\$0
+\$0

## Metallic Paint

For 198" wide (198), 204" wide (204), 210" wide (210), 216" wide (216), 222" wide (222), 228" wide (228), 234" wide (234), or 240" wide (240)

CN	metallic champagne leg with metallic champagne foot	+\$0
MS	metallic silver leg with metallic silver foot	+\$0
SNA	satin aluminum leg with satin aluminum foot	+\$80
SNB	satin bronze leg with satin bronze foot	+\$80
SNC	satin carbon leg with satin carbon foot	+\$80

## Sand Texture Paint

For 198" wide (198), 204" wide (204), 210" wide (210), 216" wide (216), 222" wide (222), 228" wide (228), 234" wide (234), or 240" wide (240)

BK	black leg with black foot	+\$0
G1	graphite satin leg with graphite satin foot	+\$0

### Polished Aluminum

For 198" wide (198), 204" wide (204), 210" wide (210), 216" wide (216), 222" wide (222), 228" wide (228), 234" wide (234), or 240" wide (240)

LFX	satin aluminum with polished aluminum foot	+\$585
LFZ	satin bronze with polished aluminum foot	+\$585
LFL	black leg with polished aluminum foot	+\$505
LFM	satin carbon leg with polished aluminum foot	+\$585
LFK	studio white leg with polished aluminum foot	+\$505
LFF	white leg with polished aluminum foot	+\$505
LFN	graphite leg with polished aluminum foot	+\$505

## Step 6. Undersurface Wire Management

For 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)

N	no undersurface wire management	+\$0
T	trough	+\$420
Н	hammock	+\$550

For 102" wide (102), 108" wide (108), 114" wide (114), 120" wide (120), 126" wide (126), 132" wide (132), 138" wide (138), 144" wide (144), 150" wide (150), 156" wide (156), 162" wide (162), 168" wide (168), 174" wide (174), 180" wide (180), 186" wide (186), or 192" wide (192)

N	no undersurface wire management	+\$0
Т	trough	+\$840
Н	hammock	+\$1100

For 198" wide (198), 204" wide (204), 210" wide (210), 216" wide (216), 222" wide (222), 228" wide (228), 234" wide (234), or 240" wide (240)

N	no undersurface wire management	+\$0
Т	trough	+\$1260
Н	hammock	+\$1650

Step 7. Hammock Finish	
For hammock (H)	
Price Category 4	+\$0

+\$3500

## Headway™ Y-Base, Standing Height

DP4Y.



## Product Information

## Description

This independent standing-height Y-base supports surfaces to create a complete table. Base accommodates multiple understructure cable management options. Base comes with  $1^1/2^n$  leveling glides. Surface attachment hardware included. Shipped knocked down.

### Notes

All standing-height Y-bases have 2 legs.

When specifying trough (T) undersurface wire management option, finish will match base finish.


For base load limits, nonstandard surface dimensions, cutout locations, and other planning information, see planning guide.

Base supports surfaces 60" to 96" wide, and 36", 42", and 48" deep.

This base-only product cannot be used with a stone top larger than 42"D×78"W.

The included surface attachment hardware is used for a wood top or wood sub-top. See planning guide for attachment information for nonwood tops.

## Dimensions



## Specification Information

Step 1.

### DP4Y.

Step	2. Height	
42	42" high	+\$0
Step	3. Table Depth	
36	36" deep	+\$0
42	42" deep	+\$0
48	48" deep	+\$0
Step	4. Table Width	
60	60" wide	+\$3275
66	66" wide	+\$3314
72	72" wide	+\$3350
78	78" wide	+\$3387
84	84" wide	+\$3425
90	90" wide	+\$3461

## Step 5. Base Finish

Sand Texture Paint

96" wide

96


Smoo	oth Paint	
8Q	folkstone grey leg with folkstone grey foot	+\$0
91	white leg with white foot	+\$0
98	studio white leg with studio white foot	+\$0
WL	sandstone leg with sandstone foot	+\$0
WN	warm grey neutral leg with warm grey neutral foot	+\$0
 Meta	llic Paint	
CN	metallic champagne leg with metallic champagne foot	+\$0
MC	metallic silver leg with metallic silver foot	+\$0
MS	metatile silver leg with metatile silver root	
SNA	satin aluminum leg with satin aluminum foot	
	<u> </u>	+\$30 +\$30

BK	black leg with black foot	+\$0
G1	graphite satin leg with graphite satin foot	+\$0

Polish	ned Aluminum				
LFX	LFX satin aluminum with polished aluminum foot				
LFZ	satin bronze with polished aluminum foot	+\$240			
LFL	black leg with polished aluminum foot	+\$210			
LFM	satin carbon leg with polished aluminum foot	+\$240			
LFK	studio white leg with polished aluminum foot	+\$210			
LFF	white leg with polished aluminum foot	+\$210			
LFN	graphite leg with polished aluminum foot	+\$210			
Step	6. Undersurface Wire Management				
N	no undersurface wire management	+\$0			
Т	trough	+\$420			
Н	hammock	+\$550			
Step :	7. Hammock Finish				
For hammock (H)					

## Logic Mini Vine for Headway™ Communal Table

## DP1416



### Product Information

### Description

This electrical distributor plugs directly into floor, wall, or ceiling-drop outlets to provide AC and USB power to Headway™ communal tables. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is ETL listed to UL962A.

### Notes


Cord length is 18' from plug end to junction box.

Junction box is 3' from end of table.

USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C port provides 15 watts of power and USB-A port provides 10 watts of power individually. If using both USB-C and USB-A ports, USB-C remains at 15 watts and USB-A drops to 5 watts.

Cord head contains a circuit breaker when unit contains more than 3 simplex receptacles.

## Dimensions



Two Power Modules



Three Power Modules

## Specification Information

Step 1.

DP1416.

### Step 2. Number of Modules

- 2 two power modules
- 3 three power modules

## Step 3. Power Type

- J 1 AC simplex receptacle, 2 powered USB A, all modules
- **M** 1 AC simplex receptacle, 1 powered USB A/C Combo
- **K** 2 AC simplex receptacles, all modules
- L first module has 1 AC simplex plus 2 powered USB A all other modules have all AC simplexe
- N first module has 1 AC simplex plus 1 powered USB A/C Combo all other modules have all AC simplexes

## Step 4. Power Infeed Length

**18** 18' cord

## Step 5. Table Width

### For two power modules (2)

- L for use with Communal Table 120" wide
- M for use with Communal Table 96" wide or 108" wide
- **S** for use with Communal Table 60" wide or 72" wide or 84" wide

## For three power modules (3)

- L for use with Communal Table 120" wide
- **M** for use with Communal Table 96" wide or 108" wide

Prices for St	eps 1-5.			
		18	BL 181	185
DP1416. 2	J	\$182	22 1813	3 1802
	M	\$182	22 1813	3 1802
	K	\$126	8 126	3 1254
	L	\$154	3 1537	7 1530
	N	\$154	3 1537	7 1530
3	J	\$241	2 240	2 —
	M	\$241	2 2402	2 –
	K	\$161	4 1609	9 –
	L	\$189	1886	б —
	N	\$189	1886	5 <b>–</b>

## Logic Mini Vine for Headway™ Communal Table continued

Step	6. Finish	
91	white	+\$0
98	studio white	+\$0
ВК	black	+\$0
G1	graphite	+\$0



# Product Information

#### Description


This tech bucket is grommet mounted in Headway $^{\text{\tiny{TM}}}$  cabinet-base and Y-base tables to conceal cords off the table surface. It can be customized with faceplates to accommodate hard-wired power and data needs. It has 4 pass-through openings for data cords to be routed into the bucket. Lid opens toward either side of the table and pivots 95° from closed to open allowing easy access to the bucket. Bucket is black. Lid comes in a choice of finishes.

#### Notes

Tech bucket has knockouts at both ends to allow for data faceplates. See planning guide for specific knockout dimensions.

For Chicago power, specify the tech bucket and hardwire in a junction box. A licensed electrician must wire junction box to the building's electrical supply.

# Dimensions







Speci	fication Information	
Step 1		
DP5B.		\$702
Step 2	. Lid Finish	
91	white	+\$0
98	studio white	+\$0
BK	black	+\$0
G1	graphite	+\$0




# Product Information


#### Description

This perforated shelf mounts to the rails under the surface for cabinet-base and Y-base tables. It can manage technology equipment away from wire management to allow more room for power cords and data cables. Finish is black to match rail finish.

# Dimensions







# Specification Information

Step 1.

DP6L.

Step 2. Length


**9** 9" long

Prices for Steps 1-2.

**DP6L. 9** \$248

# Logic G1000 Grommet Mounted Electrical Distributor

Y1425.



#### Product Information

#### Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

#### Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.

Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.


USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.

Refer to Renew Sit-to-Stand Tables planning guide for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.

#### **Dimensions**






2 simplex receptacles with 1 powered USB A/C combo (H)






4 simplex receptacles with 1 powered USB A/C combo (I)






5 simplex receptacles with 1 powered USB A/C combo (J)  $\,$ 





3 simplex receptacles (E)





5 simplex receptacles (F)





6 simplex receptacles (G)


Spe	cification Information
Step	1.
Y142	5.
Cton	2. Configuration
•	5
Η.	2 simplex receptacles, 1 powered USB A/C Combo
1	4 simplex receptacles, 1 powered USB A/C Combo
J	5 simplex receptacles, 1 powered USB A/C Combo
E	3 simplex receptacles
F	5 simplex receptacles
G	6 simplex receptacles
Step	3. Power Type
Α	power cord with plug end
C	IEC connector for Renew Tables
Step	4. Cord/Conduit Length
For p	ower cord with plug end (A)
03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for	Steps 1-4.				
		03	06	10	20
Y1425. H	Α	\$873	873	887	901
	C	\$887	_	_	_
I	A	\$1011	1011	1028	1042
	C	\$1028	_	_	_
J	A	\$1104	1104	1117	1130
	C	\$1117	_	_	_
E	A	\$672	672	685	697
	C	\$685	_	_	_
F	Α	\$811	811	826	841
	С	\$826	_	_	_
G	Α	\$901	901	914	931
	C	\$914	_	_	_

Step	5. Finish	
91	white A	+\$0
98	studio white A	+\$0
ВК	black 🗚	+\$0
G1	graphite 🖪	+\$0
MS	metallic silver A	+\$0

For IEC connector for Renew Tables (C)

3' cord/conduit



#### **Product Information**

#### Description


This power module mounts inside of the tech bucket. It comes with 4 AC simplex receptacles and has the option of 4 USB (2 Type-A, 2 Type-C). The module is powered using a standard power cord with plug end. Power module finish is black. Product is UL Listed. Attachment hardware included.

#### Notes


USB Type-A ports supply up to 10 watts of power, and USB Type-C ports supply up to 15 watts of power for charging most devices such as tables and phones. Smart Power Sharing limits Type-A port to 5 watts when USB-C port is in use.

Order the tech bucket (DP5B.) separately.

#### Dimensions



4 AC Simplex Receptacles



4 AC Simplex Receptacles, 4 USB

# Specification Information

Step 1.

DP6B.

# Step 2. Configuration

**A** 4 AC simplex recptacles

**B** 4 AC simplex recptacles, 4 USB (2 Type-A, 2 Type C)

# Step 3. Cord Length

15 15' long24' long

# Prices for Steps 1-3.

	15	24
DP6B. A	\$654	747
D	¢1,420	1517

Headway™ Tables	
Headway™ Boat Shape, Cabinet-Base, Seated Height	
Table	page(s) 28
Headway™ Boat Shape, Y-Base, Seated Height Table	38
Headway™ Boat Shape, Y-Base, Standing Height Table	46
Headway™ Cabinet Base, Seated Height	90
Headway™ Communal Table, Counter Height	82
Headway™ Communal Table, Seated Height	78
Headway™ Communal Table, Standing Height	86
Headway™ Oval Shape, Cabinet-Base, Seated Height Table	62
Headway™ Oval Shape, Y-Base, Seated Height Table	69
Headway™ Oval Shape, Y-Base, Standing Height Table	75
Headway™ Rectangle Shape, Cabinet-Base, Seated Height Ta	able 5
Headway™ Rectangle Shape, Y-Base, Seated Height Table	15
Headway™ Rectangle Shape, Y-Base, Standing Height Table	24
Headway™ Tapered Shape, Cabinet-Base, Seated Height Tab	ole 50
Headway™ Tapered Shape, Y-Base, Seated Height Table	56
Headway™ Tapered Shape, Y-Base, Standing Height Table	59
Headway™ Y-Base, Seated Height	93
Headway™ Y-Base, Standing Height	97
Logic G1000 Grommet Mounted Electrical Distributor	103
Logic Mini Vine for Headway™ Communal Table	99
Power Module for Tech Bucket	105
Tech Bucket	101
Tech Shelf	102

DP1ACS Headway** Rectangle Shape, Cabinet-Base, Seated Height Table page(s) 5  DP1ACT  DP1AYS Headway** Rectangle Shape, Y-Base, Seated Height Table 15  DP1AYT  DP1BCS Headway** Boat Shape, Cabinet-Base, Seated Height Table 28  DP1BCT  DP1BCS Headway** Boat Shape, Y-Base, Seated Height Table 28  DP1BYT  DP1CS Headway** Tapered Shape, Cabinet-Base, Seated Height Table 50  DP1CCT  DP1CYS Headway** Tapered Shape, Y-Base, Seated Height Table 62  DP1CCT  DP1CYS Headway** Oval Shape, Cabinet-Base, Seated Height Table 62  DP1DCT  DP1DYS Headway** Oval Shape, Y-Base, Seated Height Table 62  DP1DYT  DP1EFS Headway** Communal Table, Seated Height 78  DP1EGS Headway** Communal Table, Counter Height 82  DP1EFS Headway** Communal Table, Standing Height 86  DP2AYS Headway** Rectangle Shape, Y-Base, Standing Height 74  DP2AYS Headway** Boat Shape, Y-Base, Standing Height 75  DP2BYS Headway** Boat Shape, Y-Base, Standing Height 75  DP2BYS Headway** Boat Shape, Y-Base, Standing Height 75  DP2BYS Headway** Communal Table, Seated Height 75  DP2BYS Headway** Communal Table, Seated Height 75  DP2BYS Headway** Boat Shape, Y-Base, Standing Height 75  DP2BYS Headway** Communal Table, Seated Height 75  DP2BYS Headway** Communal 76  DP2BYT  DP2CYS Headway** Communal Table, Seated Height 75  DP2DYS Headway** Cabinet Base, Seated Height 75  DP2DYS Headway** Cabinet Base, Seated Height 75  DP3C. Headway** Cabinet Base, Seated Height 99  DP3Y. Headway** Y-Base, Standing Height 99  DP3Y. Headway** Y-Base, Standing Height 99  DP4Y. Headway** Y-Base, Standing Height 99  DP4Y. Headway** Y-Base, Standing Height 99  DP4Y. Headway** Y-Base, Standing Height 99  DP6B. Tech Bucket 105  DP6B. Power Module for Tech Bucket 105  DP6B. Tech Shelf 102  DP1416 Logic Mini Vine for Headway** Communal Table 99  Y1425. Logic G1000 Grommet Mounted Electrical Distributor 103			
DP1ACT  DP1AYS Headway™ Rectangle Shape, Y-Base, Seated Height Table  DP1BCS Headway™ Boat Shape, Cabinet-Base, Seated Height Table  DP1BYT  DP1BYS Headway™ Boat Shape, Y-Base, Seated Height Table  DP1BYT  DP1CCS Headway™ Tapered Shape, Cabinet-Base, Seated Height Table  DP1CT  DP1CT  DP1CYS Headway™ Tapered Shape, Y-Base, Seated Height Table  DP1CYT  DP1DCS Headway™ Tapered Shape, Y-Base, Seated Height Table  DP1CYT  DP1DCS Headway™ Oval Shape, Cabinet-Base, Seated Height Table  DP1DCT  DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table  DP1DYT  DP1EFS Headway™ Communal Table, Seated Height Table  DP1EPS Headway™ Communal Table, Seated Height  Table  DP2AYS Headway™ Communal Table, Standing Height  Table  DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height  Table  DP2BYS Headway™ Rectangle Shape, Y-Base, Standing Height  Table  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table  DP2CYT  DP2DYS Headway™ Tapered Shape, Y-Base, Standing Height Table  DP2DYT  DP3C. Headway™ Cobinet Base, Seated Height  PP3C. Headway™ Cabinet Base, Seated Height  PP3C. Headway™ Cabinet Base, Seated Height  PP3C. Headway™ Y-Base, Standing Height  Table  DP3C. Headway™ Y-Base, Standing Height  PP3C. Headway™ Y-Base, Standing Height  PP4C. Headway™ Y-Base, Standing Height  PP5B. Tech Bucket  DP6B. Power Module for Tech Bucket  DP6L. Tech Shelf  DP1416 Logic Mini Vine for Headway™ Communal Table  P99	DP1ACS		_
DP1AYS Headway™ Rectangle Shape, Y-Base, Seated Height Table  DP1BCS Headway™ Boat Shape, Cabinet-Base, Seated Height Table  DP1BYS Headway™ Boat Shape, Y-Base, Seated Height Table DP1BYT  DP1CCS Headway™ Tapered Shape, Cabinet-Base, Seated Height Table  DP1CCT DP1CYS Headway™ Tapered Shape, Y-Base, Seated Height Table DP1CYT DP1DCS Headway™ Tapered Shape, Y-Base, Seated Height Table DP1CYT DP1DYS Headway™ Oval Shape, Cabinet-Base, Seated Height Table DP1DT  DP1BYS Headway™ Oval Shape, Cabinet-Base, Seated Height Table DP1DYT DP1EFS Headway™ Communal Table, Seated Height DP1EFS Headway™ Communal Table, Seated Height DP1EPS Headway™ Communal Table, Seated Height DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height Table DP2AYT DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table DP2BYT DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table DP2CYT DP2DYS Headway™ Tapered Shape, Y-Base, Standing Height Table DP2CYT DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table DP2CYT DP2DYS Headway™ Cabinet Base, Seated Height DP3C. Headway™ Cabinet Base, Seated Height DP3Y. Headway™ Y-Base, Standing Height DP3Y. Headway™ Y-Base, Standing Height DP4Y. Headway™ Y-Base, Standing Height DP5B. Tech Bucket DP6B. Power Module for Tech Bucket DP6CL. Tech Shelf DP1416 Logic Mini Vine for Headway™ Communal Table DP6D. DP1416 Logic Mini Vine for Headway™ Communal Table	DD1 ACT	Table	page(s) J
Table  DP1AYT  DP1BCS Headway™ Boat Shape, Cabinet-Base, Seated Height Table  DP1BYS Headway™ Boat Shape, Y-Base, Seated Height Table  DP1BYT  DP1CCS Headway™ Tapered Shape, Cabinet-Base, Seated Height Table  DP1CCT  DP1CYS Headway™ Tapered Shape, Y-Base, Seated Height Table  DP1CYT  DP1DCS Headway™ Oval Shape, Cabinet-Base, Seated Height Table  DP1DCT  DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table  DP1DTT  DP1BYS Headway™ Communal Table, Seated Height Table  DP1EFS Headway™ Communal Table, Seated Height  Table  DP1EPS Headway™ Communal Table, Standing Height  Table  DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height  Table  DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table  DP2BYT  DP2CYS Headway™ Boat Shape, Y-Base, Standing Height Table  DP2CYT  DP2DYS Headway™ Tapered Shape, Y-Base, Standing Height Table  DP2CYT  DP2DYS Headway™ Cobinet Base, Seated Height  Table  DP3Y. Headway™ Cabinet Base, Seated Height  90  DP3Y. Headway™ Cabinet Base, Seated Height  97  DP3C. Headway™ Cabinet Base, Seated Height  97  DP3C. Headway™ Y-Base, Standing Height  97  DP3C. Headway™ Y-Base, Standing Height  97  DP3C. Headway™ Y-Base, Standing Height  97  DP3C. Headway™ Y-Base, Seated Height  99  DP3Y. Headway™ Y-Base, Standing Height  97  DP4Y. Headway™ Y-Base, Standing Height  97  DP5B. Tech Bucket  101  DP6B. Power Module for Tech Bucket  102  DP1416 Logic Mini Vine for Headway™ Communal Table		Hoadway™ Postanglo Shano, V Paso, Soated Height	
DP1AYT  DP1BCS Headway™ Boat Shape, Cabinet-Base, Seated Height Table  DP1BYS Headway™ Boat Shape, Y-Base, Seated Height Table DP1BYT  DP1CCS Headway™ Tapered Shape, Cabinet-Base, Seated Height Table DP1CCT DP1CYS Headway™ Tapered Shape, Y-Base, Seated Height Table DP1CYT DP1DCS Headway™ Oval Shape, Cabinet-Base, Seated Height Table DP1DCT DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table DP1DTT DP1EFS Headway™ Communal Table, Seated Height Table DP1EFS Headway™ Communal Table, Seated Height Table DP1EPS Headway™ Communal Table, Standing Height ABLE DP1EPS Headway™ Rectangle Shape, Y-Base, Standing Height Table DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height Table DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table DP2BYT DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table DP2CYT DP2DYS Headway™ Cominum Base, Seated Height Table DP2CYT DP3C. Headway™ Cabinet Base, Seated Height DP3Y. Headway™ Cabinet Base, Seated Height DP3Y. Headway™ Y-Base, Standing Height DP3Y. Headway™ Y-Base, Standing Height DP3Y. Headway™ Y-Base, Seated Height DP3Y. Headway™ Y-Base, Standing Height DP4Y. Headway™ Y-Base, Standing Height DP5B. Tech Bucket DP6B. Power Module for Tech Bucket DP6L. Tech Shelf DP1416 Logic Mini Vine for Headway™ Communal Table	DEIMIS		1.5
DP1BCS Headway™ Boat Shape, Cabinet-Base, Seated Height Table  DP1BCT  DP1BYS Headway™ Boat Shape, Y-Base, Seated Height Table DP1BYT  DP1CCS Headway™ Tapered Shape, Cabinet-Base, Seated Height Table  DP1CCT  DP1CYS Headway™ Tapered Shape, Y-Base, Seated Height Table DP1CYT  DP1DCS Headway™ Oval Shape, Cabinet-Base, Seated Height Table DP1DCT  DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table DP1DYT  DP1EFS Headway™ Communal Table, Seated Height Table DP1EFS Headway™ Communal Table, Counter Height Seated Height Table DP2AYS Headway™ Communal Table, Standing Height Table DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height Table DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table DP2BYT DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table DP2CYT DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table DP2CYT DP3C. Headway™ Oval Shape, Y-Base, Standing Height Table DP3Y. Headway™ Cabinet Base, Seated Height DP3Y. Headway™ Cabinet Base, Seated Height DP3Y. Headway™ Cabinet Base, Seated Height DP3Y. Headway™ Y-Base, Standing Height DP4Y. Headway™ Y-Base, Standing Height DP5B. Tech Bucket DP6B. Power Module for Tech Bucket DP6L. Tech Shelf DP1416 Logic Mini Vine for Headway™ Communal Table	DD1 AVT	Table	15
Table  DP1BCT  DP1BYS Headway™ Boat Shape, Y-Base, Seated Height Table  DP1BYT  DP1CCS Headway™ Tapered Shape, Cabinet-Base, Seated Height  Table  DP1CCT  DP1CYS Headway™ Tapered Shape, Y-Base, Seated Height Table  DP1CYT  DP1DCS Headway™ Oval Shape, Cabinet-Base, Seated Height Table  DP1DCT  DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table  DP1DYT  DP1EFS Headway™ Communal Table, Seated Height Table  DP1EFS Headway™ Communal Table, Counter Height  Table  DP2AYS Headway™ Communal Table, Standing Height  Table  DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height  Table  DP2BYS Headway™ Boat Shape, Y-Base, Standing Height  Table  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height  Table  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height  Table  DP2CYT  DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table  DP3C, Headway™ Cabinet Base, Seated Height  DP3C, Headway™ Cabinet Base, Seated Height  DP3Y, Headway™ Cabinet Base, Seated Height  DP3Y, Headway™ Y-Base, Standing Height  DP3Y, Headway™ Y-Base, Standing Height  DP4Y, Headway™ Y-Base, Standing Height  DP5B, Tech Bucket  DP6B, Power Module for Tech Bucket  DP6L, Tech Shelf  DP1416 Logic Mini Vine for Headway™ Communal Table	***************************************	III	
DP1BYS Headway™ Boat Shape, Y-Base, Seated Height Table DP1BYT  DP1CCS Headway™ Tapered Shape, Cabinet-Base, Seated Height Table DP1CCT  DP1CYS Headway™ Tapered Shape, Y-Base, Seated Height Table DP1CYT DP1DYS Headway™ Oval Shape, Cabinet-Base, Seated Height Table DP1DCT DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table DP1DCT DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table DP1DYS DP1EFS Headway™ Communal Table, Seated Height Table DP1EFS Headway™ Communal Table, Seated Height DP1EFS Headway™ Communal Table, Standing Height Table DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height Table DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table DP2BYT DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table DP2CYT DP2DYS Headway™ Cabinet Base, Seated Height DP3C. Headway™ Cabinet Base, Seated Height DP3Y. Headway™ Y-Base, Standing Height DP4Y. Headway™ Y-Base, Standing Height DP5B. Tech Bucket DP6B. Power Module for Tech Bucket DP6C. Tech Shelf DP1416 Logic Mini Vine for Headway™ Communal Table DP1416 Logic Mini Vine for Headway™ Communal Table	DEIRCS		
DP1BYS Headway™ Boat Shape, Y-Base, Seated Height Table DP1BYT  DP1CCS Headway™ Tapered Shape, Cabinet-Base, Seated Height Table DP1CCT  DP1CYS Headway™ Tapered Shape, Y-Base, Seated Height Table DP1CYT  DP1DCS Headway™ Oval Shape, Cabinet-Base, Seated Height Table DP1DCT  DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table DP1DYT DP1BYS Headway™ Oval Shape, Y-Base, Seated Height Table DP1DYT DP1EFS Headway™ Communal Table, Seated Height Table DP1EPS Headway™ Communal Table, Standing Height Table DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height Table DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table DP2BYT DP2BYS Headway™ Tapered Shape, Y-Base, Standing Height Table DP2CYT DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table DP2CYT DP3C. Headway™ Cabinet Base, Seated Height DP3Y. Headway™ Cabinet Base, Seated Height DP3Y. Headway™ Y-Base, Standing Height DP4Y. Headway™ Y-Base, Standing Height DP5B. Tech Bucket DP6B. Power Module for Tech Bucket DP6C. Tech Shelf DP1416 Logic Mini Vine for Headway™ Communal Table DP1416 Logic Mini Vine for Headway™ Communal Table	DD4D6T	lable	28
DP1BYT  DP1CCS Headway™ Tapered Shape, Cabinet-Base, Seated Height Table  DP1CCT  DP1CYS Headway™ Tapered Shape, Y-Base, Seated Height Table DP1CYT  DP1DCS Headway™ Oval Shape, Cabinet-Base, Seated Height Table  DP1DCT  DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table DP1DYT  DP1EFS Headway™ Communal Table, Seated Height Table DP1EFS Headway™ Communal Table, Seated Height BP1EGS Headway™ Communal Table, Standing Height Table DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height Table DP2AYT DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table DP2BYT DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table DP2CYT DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table DP2DYT DP3C. Headway™ Oval Shape, Y-Base, Standing Height Table DP3Y. Headway™ Cabinet Base, Seated Height DP3Y. Headway™ Y-Base, Seated Height DP3Y. Headway™ Y-Base, Standing Height DP4Y. Headway™ Y-Base, Standing Height DP4Y. Headway™ Y-Base, Standing Height DP6B. Power Module for Tech Bucket DP6B. Power Module for Tech Bucket DP6L. Tech Shelf DP111 DP11 DP11 DP11 DP11 DP11 DP11 DP1	***************************************		
DP1CCS Headway™ Tapered Shape, Cabinet-Base, Seated Height Table  DP1CCT  DP1CYS Headway™ Tapered Shape, Y-Base, Seated Height Table DP1CYT  DP1DCS Headway™ Oval Shape, Cabinet-Base, Seated Height Table  DP1DCT  DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table DP1DYT  DP1EFS Headway™ Communal Table, Seated Height Table DP1EGS Headway™ Communal Table, Counter Height S2 DP1EGS Headway™ Communal Table, Standing Height Table DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height Table DP2AYT DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table DP2BYT DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table DP2CYT DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table DP2DYT DP3C. Headway™ Oval Shape, Y-Base, Standing Height Table DP3Y. Headway™ Cabinet Base, Seated Height DP3Y. Headway™ Y-Base, Seated Height DP3Y. Headway™ Y-Base, Standing Height DP4Y. Headway™ Y-Base, Standing Height DP4Y. Headway™ Y-Base, Standing Height DP5B. Tech Bucket DP6B. Power Module for Tech Bucket DP6C. Tech Shelf DP1116 Logic Mini Vine for Headway™ Communal Table DP1116 Logic Mini Vine for Headway™ Communal Table		Headway!" Boat Shape, Y-Base, Seated Height Table	38
Table 50 DP1CCT  DP1CYS Headway™ Tapered Shape, Y-Base, Seated Height Table 56 DP1CYT  DP1DCS Headway™ Oval Shape, Cabinet-Base, Seated Height Table 62 DP1DCT  DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table 69 DP1DYT  DP1EFS Headway™ Communal Table, Seated Height 78 DP1EGS Headway™ Communal Table, Counter Height 82 DP1EPS Headway™ Communal Table, Standing Height 86 DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height 7able 7ab	***************************************		
DP1CYS Headway™ Tapered Shape, Y-Base, Seated Height Table DP1CYT  DP1DCS Headway™ Oval Shape, Cabinet-Base, Seated Height Table DP1DCT  DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table DP1DYT DP1EFS Headway™ Communal Table, Seated Height Table DP1EFS Headway™ Communal Table, Counter Height BP1EFS Headway™ Communal Table, Standing Height Table DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height Table DP2AYT DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table DP2BYT DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table DP2CYT DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table DP2DYT DP3C. Headway™ Oval Shape, Y-Base, Standing Height Table DP3Y. Headway™ Cabinet Base, Seated Height DP3Y. Headway™ Y-Base, Seated Height DP4Y. Headway™ Y-Base, Standing Height DP5B. Tech Bucket DP6B. Power Module for Tech Bucket DP6L. Tech Shelf DP11	DP1CCS		
DP1CYS Headway™ Tapered Shape, Y-Base, Seated Height Table DP1CYT  DP1DCS Headway™ Oval Shape, Cabinet-Base, Seated Height Table DP1DCT  DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table DP1DYT  DP1EFS Headway™ Communal Table, Seated Height Table DP1EFS Headway™ Communal Table, Counter Height SP1EFS Headway™ Communal Table, Standing Height Table DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height Table DP2AYT DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table DP2BYT DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table DP2CYT DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table DP2DYT DP3C. Headway™ Cabinet Base, Seated Height DP3Y. Headway™ Cabinet Base, Seated Height DP4Y. Headway™ Y-Base, Standing Height DP4Y. Headway™ Y-Base, Standing Height DP5B. Tech Bucket DP6L. Tech Shelf DP1DP1 Tech Shelf		Table	50
DP1CYT  DP1DCS Headway™ Oval Shape, Cabinet-Base, Seated Height Table 62  DP1DCT  DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table 69  DP1DYT  DP1EFS Headway™ Communal Table, Seated Height 78  DP1EGS Headway™ Communal Table, Counter Height 82  DP1EPS Headway™ Communal Table, Standing Height 86  DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height Table 24  DP2AYT  DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table DP2BYT  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table 59  DP2CYT  DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table 75  DP2DYT  DP3C. Headway™ Cabinet Base, Seated Height 90  DP3Y. Headway™ Y-Base, Standing Height 90  DP4Y. Headway™ Y-Base, Standing Height 97  DP5B. Tech Bucket 101  DP6B. Power Module for Tech Bucket 105  DP6L. Tech Shelf 102  DP1416 Logic Mini Vine for Headway™ Communal Table 99	***************************************		
DP1DCS Headway™ Oval Shape, Cabinet-Base, Seated Height Table  DP1DCT  DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table DP1DYT  DP1EFS Headway™ Communal Table, Seated Height  DP1EGS Headway™ Communal Table, Counter Height  DP1EPS Headway™ Communal Table, Standing Height  Table DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height  Table DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table DP2BYT  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height  Table DP2CYT  DP2CYS Headway™ Oval Shape, Y-Base, Standing Height Table DP2DYT  DP3C. Headway™ Oval Shape, Y-Base, Standing Height Table DP3Y. Headway™ Cabinet Base, Seated Height  DP3Y. Headway™ Y-Base, Seated Height  DP4Y. Headway™ Y-Base, Standing Height DP5B. Tech Bucket  DP6B. Power Module for Tech Bucket  DP6L. Tech Shelf  DP11116 Logic Mini Vine for Headway™ Communal Table	DP1CYS	Headway™ Tapered Shape, Y-Base, Seated Height Ta	able 56
Table  DP1DCT  DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table DP1DYT  DP1EFS Headway™ Communal Table, Seated Height  DP1EGS Headway™ Communal Table, Counter Height  DP1EPS Headway™ Communal Table, Standing Height  BP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height  Table  DP2AYT  DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table DP2BYT  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height  Table  DP2CYT  DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table DP2DYT  DP3C. Headway™ Cabinet Base, Seated Height  DP3Y. Headway™ Y-Base, Seated Height  DP4Y. Headway™ Y-Base, Standing Height  DP4Y. Headway™ Y-Base, Standing Height  DP5B. Tech Bucket  DP6B. Power Module for Tech Bucket  DP6L. Tech Shelf  DP11116 Logic Mini Vine for Headway™ Communal Table	DP1CYT		
DP1DCT  DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table  DP1DYT  DP1EFS Headway™ Communal Table, Seated Height  DP1EGS Headway™ Communal Table, Counter Height  DP1EPS Headway™ Communal Table, Standing Height  BP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height  Table  DP2AYT  DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table  DP2BYT  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height  Table  DP2CYT  DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table  DP2DYT  DP3C. Headway™ Cabinet Base, Seated Height  DP3Y. Headway™ Y-Base, Seated Height  DP4Y. Headway™ Y-Base, Standing Height  DP4Y. Headway™ Y-Base, Standing Height  DP5B. Tech Bucket  DP6B. Power Module for Tech Bucket  DP6L. Tech Shelf  DP11416 Logic Mini Vine for Headway™ Communal Table	DP1DCS	Headway™ Oval Shape, Cabinet-Base, Seated Heigh	it
DP1DYS Headway™ Oval Shape, Y-Base, Seated Height Table DP1DYT  DP1EFS Headway™ Communal Table, Seated Height DP1EGS Headway™ Communal Table, Counter Height DP1EPS Headway™ Communal Table, Standing Height BP1EPS Headway™ Rectangle Shape, Y-Base, Standing Height Table DP2AYT DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table DP2BYT DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table DP2CYT DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table DP2DYT DP3C. Headway™ Cabinet Base, Seated Height DP3Y. Headway™ Y-Base, Standing Height DP4Y. Headway™ Y-Base, Standing Height DP4Y. Headway™ Y-Base, Standing Height DP5B. Tech Bucket DP6B. Power Module for Tech Bucket DP6L. Tech Shelf DP1416 Logic Mini Vine for Headway™ Communal Table 99		Table	62
DP1DYT  DP1EFS Headway™ Communal Table, Seated Height 78  DP1EGS Headway™ Communal Table, Counter Height 82  DP1EPS Headway™ Communal Table, Standing Height 86  DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height Table 24  DP2AYT  DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table 46  DP2BYT  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table 59  DP2CYT  DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table 75  DP2DYT  DP3C. Headway™ Cabinet Base, Seated Height 90  DP3Y. Headway™ Y-Base, Standing Height 93  DP4Y. Headway™ Y-Base, Standing Height 97  DP5B. Tech Bucket 101  DP6B. Power Module for Tech Bucket 105  DP6L. Tech Shelf 102  DP1416 Logic Mini Vine for Headway™ Communal Table 99	***************************************		
DP1EFS Headway™ Communal Table, Seated Height  DP1EGS Headway™ Communal Table, Counter Height  DP1EPS Headway™ Communal Table, Standing Height  B6  DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height  Table  DP2AYT  DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table  DP2BYT  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height  Table  DP2CYT  DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table  DP2DYT  DP3C. Headway™ Cabinet Base, Seated Height  DP3Y. Headway™ Y-Base, Standing Height  DP4Y. Headway™ Y-Base, Standing Height  DP5B. Tech Bucket  DP6B. Power Module for Tech Bucket  DP6L. Tech Shelf  DP11416 Logic Mini Vine for Headway™ Communal Table	DP1DYS	Headway™ Oval Shape, Y-Base, Seated Height Table	e 69
DP1EGS Headway™ Communal Table, Counter Height  DP1EPS Headway™ Communal Table, Standing Height  Table  DP2AYT  DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table  DP2BYT  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table  DP2CYT  DP2DYS Headway™ Tapered Shape, Y-Base, Standing Height Table  DP2CYT  DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table  DP2DYT  DP3C. Headway™ Cabinet Base, Seated Height  DP3Y. Headway™ Y-Base, Standing Height  90  DP4Y. Headway™ Y-Base, Standing Height  97  DP5B. Tech Bucket  DP6B. Power Module for Tech Bucket  DP6L. Tech Shelf  DP11416 Logic Mini Vine for Headway™ Communal Table	DP1DYT		
DP1EPS Headway™ Communal Table, Standing Height  DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height  Table  DP2AYT  DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table  DP2BYT  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table  DP2CYT  DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table  DP2DYT  DP3C. Headway™ Cabinet Base, Seated Height  DP3Y. Headway™ Y-Base, Seated Height  DP4Y. Headway™ Y-Base, Standing Height  DP5B. Tech Bucket  DP6B. Power Module for Tech Bucket  DP6L. Tech Shelf  DP1416 Logic Mini Vine for Headway™ Communal Table  99	DP1EFS	Headway™ Communal Table, Seated Height	78
DP2AYS Headway™ Rectangle Shape, Y-Base, Standing Height Table  DP2AYT  DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table  DP2BYT  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table  DP2CYT  DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table  DP2DYT  DP3C. Headway™ Cabinet Base, Seated Height  DP3Y. Headway™ Y-Base, Seated Height  DP4Y. Headway™ Y-Base, Standing Height  DP5B. Tech Bucket  DP6B. Power Module for Tech Bucket  DP6L. Tech Shelf  DP1416 Logic Mini Vine for Headway™ Communal Table  99	DP1EGS	Headway™ Communal Table, Counter Height	82
Table  DP2AYT  DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table  DP2BYT  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table  DP2CYT  DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table  DP2DYT  DP3C. Headway™ Cabinet Base, Seated Height  DP3Y. Headway™ Y-Base, Standing Height  DP4Y. Headway™ Y-Base, Standing Height  DP5B. Tech Bucket  DP6B. Power Module for Tech Bucket  DP6L. Tech Shelf  DP1416 Logic Mini Vine for Headway™ Communal Table  99	DP1EPS	Headway™ Communal Table, Standing Height	86
DP2AYT  DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table  DP2BYT  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table  DP2CYT  DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table  DP2DYT  DP3C. Headway™ Cabinet Base, Seated Height  DP3Y. Headway™ Y-Base, Seated Height  DP4Y. Headway™ Y-Base, Standing Height  DP5B. Tech Bucket  DP6B. Power Module for Tech Bucket  DP6L. Tech Shelf  DP1416 Logic Mini Vine for Headway™ Communal Table  99	DP2AYS	Headway™ Rectangle Shape, Y-Base, Standing Heig	ht
DP2BYS Headway™ Boat Shape, Y-Base, Standing Height Table  DP2BYT  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table  DP2CYT  DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table  DP2DYT  DP3C. Headway™ Cabinet Base, Seated Height  DP3Y. Headway™ Y-Base, Seated Height  DP4Y. Headway™ Y-Base, Standing Height  DP5B. Tech Bucket  DP6B. Power Module for Tech Bucket  DP6L. Tech Shelf  DP1416 Logic Mini Vine for Headway™ Communal Table  99		Table	24
DP2BYT  DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table  DP2CYT  DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table  DP2DYT  DP3C. Headway™ Cabinet Base, Seated Height  DP3Y. Headway™ Y-Base, Seated Height  93  DP4Y. Headway™ Y-Base, Standing Height  97  DP5B. Tech Bucket  DP6B. Power Module for Tech Bucket  DP6L. Tech Shelf  DP1416 Logic Mini Vine for Headway™ Communal Table  99	DP2AYT		
DP2CYS Headway™ Tapered Shape, Y-Base, Standing Height Table  DP2CYT  DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table  DP2DYT  DP3C. Headway™ Cabinet Base, Seated Height  DP3Y. Headway™ Y-Base, Seated Height  93  DP4Y. Headway™ Y-Base, Standing Height  97  DP5B. Tech Bucket  101  DP6B. Power Module for Tech Bucket  DP6L. Tech Shelf  DP1416 Logic Mini Vine for Headway™ Communal Table  99	DP2BYS	Headway™ Boat Shape, Y-Base, Standing Height Tal	ole 46
Table 59 DP2CYT  DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table 75 DP2DYT  DP3C. Headway™ Cabinet Base, Seated Height 90 DP3Y. Headway™ Y-Base, Seated Height 93 DP4Y. Headway™ Y-Base, Standing Height 97 DP5B. Tech Bucket 101 DP6B. Power Module for Tech Bucket 105 DP6L. Tech Shelf 102 DP1416 Logic Mini Vine for Headway™ Communal Table 99	DP2BYT		
DP2CYT  DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table  DP2DYT  DP3C. Headway™ Cabinet Base, Seated Height  90  DP3Y. Headway™ Y-Base, Seated Height  93  DP4Y. Headway™ Y-Base, Standing Height  97  DP5B. Tech Bucket  101  DP6B. Power Module for Tech Bucket  105  DP6L. Tech Shelf  102  DP1416 Logic Mini Vine for Headway™ Communal Table  99	DP2CYS	Headway™ Tapered Shape, Y-Base, Standing Height	
DP2DYS Headway™ Oval Shape, Y-Base, Standing Height Table  DP2DYT  DP3C. Headway™ Cabinet Base, Seated Height  P037. Headway™ Y-Base, Seated Height  DP4Y. Headway™ Y-Base, Standing Height  DP5B. Tech Bucket  DP6B. Power Module for Tech Bucket  DP6L. Tech Shelf  DP1416 Logic Mini Vine for Headway™ Communal Table  99		Table	59
DP2DYTDP3C.Headway™ Cabinet Base, Seated Height90DP3Y.Headway™ Y-Base, Seated Height93DP4Y.Headway™ Y-Base, Standing Height97DP5B.Tech Bucket101DP6B.Power Module for Tech Bucket105DP6L.Tech Shelf102DP1416Logic Mini Vine for Headway™ Communal Table99	DP2CYT		
DP3C.Headway™ Cabinet Base, Seated Height90DP3Y.Headway™ Y-Base, Seated Height93DP4Y.Headway™ Y-Base, Standing Height97DP5B.Tech Bucket101DP6B.Power Module for Tech Bucket105DP6L.Tech Shelf102DP1416Logic Mini Vine for Headway™ Communal Table99	DP2DYS	Headway™ Oval Shape, Y-Base, Standing Height Tab	ole 75
DP3Y.Headway™ Y-Base, Seated Height93DP4Y.Headway™ Y-Base, Standing Height97DP5B.Tech Bucket101DP6B.Power Module for Tech Bucket105DP6L.Tech Shelf102DP1416Logic Mini Vine for Headway™ Communal Table99	DP2DYT		
DP3Y.Headway™ Y-Base, Seated Height93DP4Y.Headway™ Y-Base, Standing Height97DP5B.Tech Bucket101DP6B.Power Module for Tech Bucket105DP6L.Tech Shelf102DP1416Logic Mini Vine for Headway™ Communal Table99	DP3C.	Headway™ Cabinet Base, Seated Height	90
DP4Y.Headway™ Y-Base, Standing Height97DP5B.Tech Bucket101DP6B.Power Module for Tech Bucket105DP6L.Tech Shelf102DP1416Logic Mini Vine for Headway™ Communal Table99	DP3Y.		93
DP6B.Power Module for Tech Bucket105DP6L.Tech Shelf102DP1416 Logic Mini Vine for Headway™ Communal Table99	DP4Y.		97
DP6L. Tech Shelf 102 DP1416 Logic Mini Vine for Headway™ Communal Table 99	DP5B.	Tech Bucket	101
DP6L. Tech Shelf 102 DP1416 Logic Mini Vine for Headway™ Communal Table 99	DP6B.	Power Module for Tech Bucket	105
•	DP6L.	Tech Shelf	102
•	DP1416	Logic Mini Vine for Headway™ Communal Table	99
	• • • • • • • • • • • • • • • • • • • •		r 103



# 20-Day or Less/Assigned Lead-Time Order Information

**GSA** 

# 20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon A will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an A are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

#### **Ordering Procedure**

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian  ${\rm @\ Filing\ and\ Storage:}$ 

(616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

# **Shipments and Delivery**

Per Herman Miller Terms and Conditions.

#### **Changes and Cancellation**

Per Herman Miller Terms and Conditions.

HermanMiller May 2022

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2024 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

<sup>®</sup> HermanMiller, ♠, Action Office, Aeron, Aside, Canvas Office Landscape, Caper, Cosm, Co/Struc, Eames, Embody, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Intent, Layout Studio, Lino, Maharam, Meridian, Mirra, Motia, Nelson, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Sayl, Setu, Tu, Verus, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

MaireWeave, Bubbletack, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Durawrap, Everywhere, Flex-Edge, Headway, Hopsak 2, Iota, Keyless Entry, Latitude, Lyris 2, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Renew, Stackable, Swoop, Thrive, TriFlex, Twist and Valor are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

 $\label{lem:chemsurf} \begin{tabular}{ll} Chemsurf @ is a registered trademark of Wilsonart International. \end{tabular}$ 

 ${\sf Corian}^{\otimes}$  is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET<sup>™</sup> is a trademark of Milliken & Company.

Floor Saver Glide  $^{\circledR}$  is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council<sup>®</sup> is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC<sup>®</sup> certified (FSC<sup>®</sup> C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

 $MicrobeCare^{TM}$  is a trademark of Parasol Medical LLC.

 ${\rm Microsoft}^{\circledcirc}$  and  ${\rm Natural}^{\circledcirc}$  Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles® is a registered trademark of Place Textiles.