

Prices effective July 5, 2023 Published February 2024

Herman Miller Ancillary

10-Day or Less

| Introduction | page 2 |
|--|------------------|
| Desks and Tables 10-Day or Less | 3 |
| Accessories 10-Day or Less | 9 |
| Lighting | 11 |
| Indices | 15 |
| By Name | 15 |
| By Number | 17 |
| Appendices | |
| 10-Day or Less Order Information | |
| For the latest materials information, refer to the Materials pages on He | ermanMiller.com. |
| | |

HermanMiller

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective July 5, 2023, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. Herman Miller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

For additional product information such as demensional drawings and product descriptions, refer to the standard price books.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

Tables

Eames® Conference Table, Round

ET107 ET108



| Specif | fication Information |
|---------|---------------------------------------|
| Step 1. | |
| ET | |
| | |
| Step 2. | Height |
| 1 | 28 ¹ / ₂ " high |
| | |
| Step 3. | Diameter |
| 07 | 30" diameter |
| 08 | 36" diameter |
| | |

| Step 4 | . Base |
|--------|--------------------------------------|
| For 30 | " diameter (07) or 36" diameter (08) |
| C | contract base |
| U | universal base |
| Cton F | Curface Material |
| Step 5 | . Surface Material |
| For 30 | " diameter (07) or 36" diameter (08) |

| For 30' | ' diameter (07) or 36" diameter (08) |
|---------|--|
| L | high-pressure laminate top with vinyl edge |
| M | thin profile HPL top with black edge |
| G | back-painted glass top |
| | |

| For 30 | 0" diameter (07) or 36" diameter (08) |
|--------|---------------------------------------|
| NG | no grommet |

 CC single center cutout

Prices for Steps 1-6.

Step 6. Grommets

| | | NG | CC |
|---------|-----|--------|------|
| ET107 C | : L | \$1246 | 1311 |
| | M | \$2273 | 2386 |
| | G | \$4970 | 5578 |
| ι | J L | \$1246 | 1311 |
| | M | \$2273 | 2386 |
| | G | \$4970 | 5578 |
| | | | |
| | | NG | CC |
| ET108 (| : L | \$1358 | 1422 |
| | M | \$2784 | 2893 |
| | G | \$6051 | 6608 |
| ι | J L | \$1358 | 1422 |
| | M | \$2784 | 2893 |
| | G | \$6051 | 6608 |
| | | | |

| Step : | 7. Top Finish | |
|------------|--|---------------------------|
| Finish | 1 | |
| | ' 0" diameter (07) or 36" diameter (08) | with hack-nainted alass |
| top (6 | | With back painted glass |
| 8Q | folkstone grey | +\$0 |
| 91 | white | +\$0 |
| ВК | black | +\$0 |
| WN | warm grey neutral | +\$0 |
| Finish | 1 | |
| For 30 | 0" diameter (07) or 36" diameter (08) | with thin profile HPL top |
| with Ł | black edge (M) | |
| 91 | white | +\$0 |
| G1 | graphite | +\$0 |
| BK | black | +\$0 |
| Solid- | -Color Laminate | |
| For 30 | 0" diameter (07) or 36" diameter (08) | with high-pressure |
| lamin | nate top with vinyl edge (L) | |
| 8Q | folkstone grey | +\$0 |
| 91 | white | +\$0 |
| BKM | black matte | +\$0 |
| HF | inner tone light | +\$0 |
| LU | soft white | +\$0 |
| WL | sandstone | +\$0 |
| WN | warm grey neutral | +\$0 |
| Step | 8. Edge Finish | |
| For hi | igh-pressure laminate top with vinyl e | edge (L) |
| 8Q | folkstone grey | +\$0 |
| 91 | white | +\$0 |
| BU | black umber | +\$0 |
| HF | inner tone light | +\$0 |
| LU | soft white | +\$0 |
| WL | sandstone | +\$0 |
| WN | warm grey neutral | +\$0 |
| | | |

For 30" diameter (07) or 36" diameter (08) with high-pressure laminate top with vinyl edge (L), thin profile HPL top with black edge (M), or back-painted glass top (G) with single center cutout (CC)

Step 9. Grommet Finish

polished aluminum

+\$0

Eames® Conference Table, Round

Step 10. Column Finish

white

black

Step 11. Base Finish

white

black

black umber

metallic silver

black umber

Step 12. Casters/Glides

glides

casters

glides

metallic silver

polished aluminum

For 30" diameter (07) or 36" diameter (08) with high-pressure laminate top with vinyl edge (L), or thin profile HPL top with black

For 30" diameter (07) or 36" diameter (08) with back-painted glass

91

BK

BU

MS

91

BK

BU

MS

PA

edge (M)

top (G) G

G

C

Eames® Conference Table, Rectangular continued

ET143 ET187



|--|

| Specification | Information |
|---------------|-------------|
| | |

Step 1.

ΕT

+\$0

+\$0

+\$0

+\$0

+\$0

+\$0

+\$0

+\$0

+\$0

+\$0

+\$80

+\$0

Step 2. Height

281/2" high

Step 3. Depth/Width

87R 30" deep x 60" wide

36" deep x 72" wide 43R

Step 4. Base

S segmented base

Step 5. Surface Material

For 30" deep x 60" wide (87R) or 36" deep x 72" wide (43R)

L high-pressure laminate top with vinyl edge

C veneer top with vinyl edge

W veneer top with veneer edge

thin profile HPL top with black edge M

G back-painted glass top

Step 6. Grommets

For 30" deep x 60" wide (87R) or 36" deep x 72" wide (43R)

NG no grommet

C2 2 round cutouts, over columns

CR single centered oval cutout

2 round cutouts and center oval cutout

| Prices for S | Prices for Steps 1-6. | | | | |
|--------------|-----------------------|---------|-------|-------|-------|
| | | NG | C2 | CR | CA |
| ET187R S | L | \$2405 | 3068 | 2736 | 3399 |
| | С | \$2949 | 3614 | 3282 | 3945 |
| | W | \$3181 | 3843 | 3513 | 4179 |
| | M | \$4596 | 5260 | 4927 | 5593 |
| | G | \$9609 | 10736 | 10792 | 11931 |
| | | | | | |
| | | NG | C2 | CR | CA |
| ET143R S | L | \$2785 | 3450 | 3117 | 3783 |
| | C | \$3383 | 4046 | 3716 | 4380 |
| | W | \$3716 | 4380 | 4046 | 4713 |
| | M | \$5607 | 6270 | 5941 | 6604 |
| | G | \$12307 | 13434 | 13490 | 14635 |
| | | | | | |

Eames® Conference Table, Rectangular continued

| Step 7 | • | |
|---------|--|----------|
| | | |
| Top Fi | nish: Top Finish | |
| For ba | ck-painted glass top (G) | |
| 8Q | folkstone grey | +\$0 |
| 91 | white | +\$0 |
| BK | black | +\$0 |
| WN | warm grey neutral | +\$0 |
| Top Fi | nish: Top Finish | |
| For thi | n profile HPL top with black edge (M) | |
| 91 | white | +\$0 |
| G1 | graphite | +\$0 |
| BK | black | +\$0 |
| Top Fi | nish: Solid-Color Laminate | |
| For hig | gh-pressure laminate top with vinyl edge (L) | |
| 8Q | folkstone grey | +\$0 |
| 91 | white | +\$0 |
| BKM | black matte | +\$0 |
| HF | inner tone light | +\$0 |
| LU | soft white | +\$0 |
| WL | sandstone | +\$0 |
| WN | warm grey neutral | +\$0 |
| Top Fi | nish | |
| For 30 | " deep x 60" wide (87R) with veneer top with vinyl | edge (C) |
| 2U | light brown walnut | +\$250 |
| 40 | dark brown walnut | +\$250 |
| 9N | santos palisander | +\$950 |
| A2 | white ash | +\$250 |
| CHD | noble cherry | +\$250 |
| EN | ebony | +\$250 |
| OU | walnut | +\$250 |
| UL | natural maple | +\$250 |
| WHN | natural white oak | +\$0 |

| Top Fi | nich | |
|-----------|--|---------------------------|
| • | msn " deep x 72" wide (43R) with veneer top | with vinyl adag (C) |
| 2U | light brown walnut | +\$290 |
| 40 | dark brown walnut | +\$290 |
| 40 9N | santos palisander | +\$290 |
| A2 | white ash | +\$1102 |
| CHD | noble cherry | +\$290 |
| EN | ebony | +\$290 |
| OU | walnut | +\$290 |
| UL | natural maple | +\$290 |
| WHN | natural white oak | +\$270 |
| ****** | natural write oak | + ψ0 |
| Top/E | dge Finish | |
| For 30 | " deep x 60" wide (87R) with veneer top | with veneer edge (W) |
| 2U | light brown walnut | +\$250 |
| 40 | dark brown walnut | +\$250 |
| 9N | santos palisander | +\$950 |
| A2 | white ash | +\$250 |
| CHD | noble cherry | +\$250 |
| EN | ebony | +\$250 |
| OU | walnut | +\$250 |
| UL | natural maple | +\$250 |
| WHN | natural white oak | +\$0 |
| Top/F | dge Finish | |
| , . | " deep x 72" wide (43R) with veneer top | with veneer edae (W) |
| 2U | light brown walnut | +\$290 |
| 40 | dark brown walnut | +\$290 |
| 9N | santos palisander | +\$1104 |
| A2 | white ash | +\$290 |
| CHD | noble cherry | +\$290 |
| EN | ebony | +\$290 |
| OU | walnut | +\$290 |
| UL | natural maple | +\$290 |
| WHN | natural white oak | +\$0 |
| a | | |
| | B. Edge Finish | (1) |
| | gh-pressure laminate top with vinyl edg | Je (L) or veneer top with |
| - | edge (C) | * |
| 8Q | folkstone grey | +\$0 |
| 91 | white | +\$(|
| BU | black umber | +\$(|
| HF ··· | inner tone light | +\$(|
| LU | soft white | +\$0 |
| WL | sandstone | +\$(|
| | | |

WN

warm grey neutral

+\$0

Eames® Conference Table, Rectangular continued

| Step | 9. Grommet rimsn | |
|-------|--------------------------------|--------------------------------------|
| | | |
| For 2 | round cutouts, over columns | |
| 91 | white | +\$0 |
| BK | black | +\$0 |
| PA | polished aluminum | +\$0 |
| | |) or 2 round cutouts and center oval |
| | it (CA) | |
| 91 | white | +\$0 |
| BK | black | +\$0 |
| PA | polished aluminum | +\$150 |
| Step | 10. Column Finish | |
| 91 | white | +\$0 |
| BK | black | +\$0 |
| BU | black umber | +\$0 |
| MS | metallic silver | +\$0 |
| Step | 11. Base Finish | |
| 91 | white | +\$0 |
| BK | black | +\$0 |
| BU | black umber | +\$0 |
| MS | metallic silver | +\$0 |
| PA | polished aluminum | +\$0 |
| Step | 12. Casters/Glides | |
| For 3 | 0" doon v 60" wide (87P) or 36 | " deep x 72" wide (43R) with high- |
| | • | lge (L), or veneer top with vinyl |
| • | | |
| | | edge (W), or thin profile HPL top |
| | black edge (M) | |
| G | glides | +\$0 |
| С | casters | +\$80 |
| | | " deep x 72" wide (43R) with back- |
| | ed glass top (G) | |
| G | glides | +\$0 |

HermanMiller Ancillary Accessories 10-Day or Less

Lighting



| Specification | Information |
|---------------|---------------|
| Suecilication | IIIIOIIIIauoi |

Step 1.

H761

Step 2. Size

medium

Step 3. Cord Length

10 10 feet

20 20 feet

Prices for Steps 1-3.

H761M 10 \$767

20 \$879

Step 4. Trim Finish brushed nickel +\$0



Specification Information

Step 1.

H762

Step 2. Size

medium

L large

Step 3. Cord Length

For medium (M) or large (L)

10 10 feet

20 20 feet

Prices for Steps 1-3. H762M 10 \$767 20 \$879

H762L 10 \$867 20 \$979

Step 4. Trim Finish

brushed nickel

+\$0

H770M

Nelson® Saucer Bubble Pendant

H763L H763M H763S



Specification Information

Step 1.

H770

HermanMiller Ancillary—Lighting

Step 2. Size

M medium

Step 3. Cord Length


10 10 feet

20 20 feet

| Prices for Steps 1-3. | |
|-----------------------|-------|
| H770M 10 | \$767 |
| 20 | \$879 |

Step 4. Trim Finish

BNS brushed nickel +\$0



Specification Information

Step 1.

H763

Step 2. Size

S small

M medium

L large

Step 3. Cord Length

For small (S), medium (M), or large (L)

10 10 feet

20 20 feet

| Prices f | or Steps 1-3. | |
|----------|----------------|-------|
| H763S | 10 | \$615 |
| | 20 | \$728 |
| H763M | 10 | \$767 |
| | 20 | \$879 |
| H763L | 10 | \$867 |
| | 20 | \$979 |
| Step 4. | Trim Finish | |
| BNS | brushed nickel | +\$0 |


Nelson® Saucer Crisscross **Bubble Pendant**

H763C


Nelson® Triple Bubble Lamp Fixture

B-3-7






| Spec | ification Information | | |
|--------|-----------------------|-------|------|
| Step : | 1. | | |
| H763 | сс | | |
| | | | |
| Step 2 | 2. Size | | |
| M | medium | | |
| Step 3 | 3. Cord Length | | |
| 10 | 10 feet | | |
| 20 | 20 feet | | |
| Prices | s for Steps 1-3. | | |
| | | 10 | 20 |
| H763 | CC M | \$767 | 879 |
| Step 4 | 4. Trim Finish | | |
| BNS | brushed nickel | | +\$0 |



| Specif | fication Information | |
|---------|----------------------|-------|
| Step 1. | | |
| B-3-74 | 0 | \$451 |
| | | |
| Step 2. | . Finish | |
| BNS | brushed nickel | +\$0 |



| Specification Info | rmation | |
|---------------------|---------|-------|
| Step 1. | | |
| H762SC | | \$793 |
| | | |
| Step 2. Bracket Fir | ish | |
| WAL walnut | | +\$0 |
| | | |
| Step 3. Arm Finish | | |
| BNS brushed n | ickel | +\$0 |
| | | |

| HermanMiller Ancillary Accessories 10-Day or Less | |
|--|------------|
| Nelson® Ball Bubble Pendant | page(s) 11 |
| Nelson® Cigar Bubble Pendant | 11 |
| Nelson® Cigar Wall Sconce | 14 |
| Nelson® Pear Bubble Pendant | 12 |
| Nelson® Saucer Bubble Pendant | 12 |
| Nelson® Saucer Crisscross Bubble Pendant | 13 |
| Nelson® Triple Bubble Lamp Fixture | 13 |
| HermanMiller Ancillary Desks and Tables 10-Day or Less | |
| Eames® Conference Table, Rectangular | page(s) 6 |
| Eames® Conference Table, Round | 5 |
| | |

| B-3-7 | Nelson® Triple Bubble Lamp Fixture | page(s) 13 |
|-------|--|------------|
| ET107 | Eames® Conference Table, Round | 5 |
| ET108 | | |
| ET143 | Eames® Conference Table, Rectangular | 6 |
| ET187 | | |
| H761M | Nelson® Ball Bubble Pendant | 11 |
| H762L | Nelson® Cigar Bubble Pendant | 11 |
| H762M | | |
| H762S | Nelson® Cigar Wall Sconce | 14 |
| H763C | Nelson® Saucer Crisscross Bubble Pendant | 13 |
| H763L | Nelson® Saucer Bubble Pendant | 12 |
| H763M | | |
| H763S | | |
| H770M | Nelson® Pear Bubble Pendant | 12 |



10-Day or Less Program

10-day or less products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple West Michigan manufacturing facilities. These include Holland, Spring Lake, and Zeeland. Orders will be shipped within 10 business days or less from the date of Herman Miller acknowledgement.

Ordering Procedures

- Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.
 - Order Entry fax number for Meridian® Filing and Storage: (616) 846 9236.
 - Order Entry fax number for all other products: (616) 654 3085.
- 2. Orders must be clearly marked "10-day or less program" and include only 10-day or less products. Orders not marked this way will be processed under standard lead times. Orders for standard lead times must be placed on a separate purchase order.
- 3. Only fabrics and finishes listed with each product are available through the 10-day or less program.
- 4. For any 10-day or less project over \$250,000 list price, please contact your Customer Care representative within 48 hours of order entry to reserve lead time.
- 5. For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

HermanMiller May 2022



For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2024 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

® HermanMiller, ®, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

TM About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, lota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyris, Lyris 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

 $^{\mbox{\scriptsize SM}}$ Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP[™] is a trademark of Extron Electronics.

Alexander $\mathsf{Girard}^{\$}$ is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian $^{\otimes}$ is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

 $\mbox{\it Crypton}^{\circledast}$ is a registered trademark of $\mbox{\it Crypton}$, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

 $\mathsf{Extron}^{\$}$ is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

 $\mathsf{FLEXNET}^{\scriptscriptstyle\mathsf{TM}}$ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council $^{\otimes}$ is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC $^{\otimes}$ certified (FSC $^{\otimes}$ C102895).

 $\mathsf{FSC}^{\$}$ is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office

Holophane® is a registered trademark of Holophane.

Ingeo[™] is a trademark of Cargill Dow LLC.

 $iPad^{\scriptsize @}$ and Mac $mini^{\scriptsize @}$ are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Logitech G® is a registered trademark of Logitech International S.A.

Magis[®], Bombo[®], and Me Too[®] are registered trademarks of Magis S.p.A.

MicrobeCare[™] is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat[™] is a trademark of Dahti Seating, a division of ITW.

Valor[™] is among the trademarks owned by Nemschoff, Inc.