

---

# Office Seating

Price List  
July 2024

# Knoll

Introduction	Placing Your Knoll Office Seating Order	3
	Office Seating Visual Index	4
	Office Seating Control Index	7
	KnollTextiles Fabric Application	8
	Customer's Own Material Seating Process Overview	9
	KnollTextiles Matrix	11
	Spinneybeck Leather Application	22
Life® Seating	Life® : plastic base, seat topper, no back topper	28
	Life® : plastic base, seat topper and back topper	30
	Life® : aluminum base, seat topper, no back topper	32
	Life® : aluminum base, seat topper and back topper	34
	Life® : replacement parts	36
	How to Specify a Life® Chair	40
	Life® Upholstery Options and Construction Information	42
	Life® Dimensions, Features and Operating Instructions	44
Newson Task™	Newson Task™ : task chair with 5-star base	46
	Newson Task™ : task chair with Newson Aluminum base	48
	Newson Task™ Dimensions, Features and Operating Instructions	50
	Newson Task™ Technical Information	52
Generation by Knoll®	Generation by Knoll® : work chair	54
	Generation by Knoll® Dimensions, Features and Operating Instructions	56
	Generation by Knoll® Technical Information	58
ReGeneration by Knoll®	ReGeneration by Knoll® : Flex Back Net work chair	60
	ReGeneration by Knoll® : fully upholstered work chair	
	Single Upholstery	64
	ReGeneration by Knoll® : fully upholstered work chair	
	Split Upholstery	66
	ReGeneration by Knoll® : Flex Back Net high task chair	68
	ReGeneration by Knoll® : fully upholstered high task chair	
	Single Upholstery	72
	ReGeneration by Knoll® : fully upholstered high task chair	
	Split Upholstery	74
	ReGeneration by Knoll® Dimensions, Features and Operating Instructions	76
	ReGeneration by Knoll® Technical Information	78
MultiGeneration by Knoll®	MultiGeneration by Knoll® : multipurpose chair	80
	MultiGeneration by Knoll® : stools	82
	MultiGeneration by Knoll® : light task / high task	84
	MultiGeneration by Knoll® Dimensions and Instructions	86
	MultiGeneration by Knoll® Technical Information	88
Olo	Olo with Shell Back : light task chair / high task chair with 5-star base	90
	Olo with Shell Back : light task chair with 4-star base	92
	Olo with Knit Back : light task chair / high task chair with 5-star base	94
	Olo with Knit Back : light task chair with 4-star base	96
	Olo with Shell Back Dimensions	98
	Olo Technical Information	100
Remix®	Remix® : side chair	
	Single Upholstery	102
	Remix® : side chair	
	Split Upholstery	104
	Remix® Side Chair Dimensions	106
Moment™	Moment™ : side chair	108
	Moment™ Technical and Environmental Information	110
Toboggan®	Toboggan®	112
	Toboggan® Technical and Environmental Information	114
Alpha-Numeric Index		114
Selling Policy		115
General Ordering Information		117

---

## Use the Following Addresses

If you would like to send a standard lead time order to our order entry department, please use the following address:

*For North American orders:*  
Knoll, Inc.  
1235 Water Street  
East Greenville, PA 18041  
Attn: Order Entry

Fax: 215 679-1788  
Tel: 800 343-KNOLL (5665)

All accepted orders will be confirmed in writing on the Knoll standard order confirmation form.

## For More Information














For complete Knoll Selling Policy and warranty information, please refer to page 117 of this price list.

For additional information on Knoll Office Seating, contact your Knoll representative, a Knoll dealer, or telephone Customer Services at 800 343-KNOLL (5665).

## Shipping Method

All Generation by Knoll chairs, ReGeneration by Knoll chairs, Remix chairs and Chadwick task chairs in this price list will ship boxed in two pieces.

If you would like a fully assembled, blanket wrapped Generation by Knoll chair, ReGeneration by Knoll chair, Remix chair, or Chadwick task chair, please consult the Office Seating Standard Specials price list for pattern numbers and associated upcharges.

Life®	Plastic base, p. 26	Aluminum base, p. 30	Aluminum base, seat topper and back topper, p. 32	
				
<hr/>				
Newson Task™	Work chair, 5 star base p. 42	Task chair, aluminum base, p. 44		
				
<hr/>				
Generation by Knoll®	Dark finish, plastic base p. 50	Dark finish, aluminum base, p. 50		
				
<hr/>				
	Light finish, plastic base, p. 50	Light finish, aluminum base, p. 50		
				
<hr/>				
ReGeneration by Knoll®	Flex Back Net, p. 56	Fully upholstered, p.60	Flex Back Net High task, p. 64	Fully upholstered High task, p. 68
				



MultiGeneration by Knoll®

Stacking, p. 76



Hybrid, p. 76



Stools, p. 78



Light task, p. 80



High task, p. 80



Olo

Shell back chair, p. 88



Knit back chair, p. 90



Remix®

Side chair, p. 98



---

**Moment™**

Side, p. 104





---

**Toboggan®**

Pull up table, p.108



Control	Illustration	Description	Application
Weight-Compensated Control with Synchronized Recline		360° swivel; uses body weight in seat as counterbalance for recline resistance, the chair is perfectly adjusted by sitting in it — no adjustment necessary; promotes movement and balance; preference control accommodates a wider range of users.	Life task chairs Generation by Knoll work chairs ReGeneration by Knoll work chairs
Synchronized Spring Tilt Control		360° swivel; back and seat recline in one synchronized movement to support the user's back throughout the recline. As back reclines, the seat drops down slightly, relieving pressure points.	Chadwick task chairs (tilt stop and basic controls) Remix chairs (Work and High Back models) k. task

### Fabric Application

The application of KnollTextiles fabrics on Knoll Office Seating provides the broadest and most exciting selection of standard fabrics in the contract furniture industry.

Developed in collaboration with leading designers, KnollTextiles upholstery harmonizes pattern, color and texture in the Modernist tradition. Choose from a wide selection of fabrics that are appropriate for corporate, hospitality, and healthcare use, ranging from natural fibers such as wool and cotton, to high performance options like Crypton® fabrics. Visit KnollTextiles.com to search the online database.

Fabrics are grouped into categories referred to as “grades.” The selection of approved fabrics varies by chair.

### Always check with KnollTextiles for textile changes or new applications on seating.

Visit KnollTextiles.com and click on “Textile Matrices” to find the link to the most up-to-date Seating Approval Matrix.

### Performance Upholstery Fabrics

KnollTextiles offers a wide selection of high durability and high performance fabric options. For excellent stain resistance, choose from upholstery products with a Nano-Tex® finish. For a complete moisture barrier, so that nothing penetrates the fabric into the cushion, you can select from among Crypton® stain, moisture, odor and bacteria resistant fabrics. In addition, there are bleach-cleanable upholstery products, such as vinyl and solution-dyed nylon. Visit KnollTextiles.com and click on “Upholstery” or “Technical Documents” for details.

**Nano-Tex® and Teflon®:** Both Nano-Tex and Teflon provide additional performance—spill and stain protection—and come stocked on a number of fabrics. These finishes can also be applied to dozens of KnollTextiles fabrics for an upcharge and additional lead time. For a moisture barrier, we also offer Crypton and Nano-Tex with DuraBlock™.

**Crypton®:** KnollTextiles stocks over a dozen patterns with Crypton. It has a moisture barrier plus stain, odor and bacteria resistance, to protect the fabric and the cushion.

### Nano-Tex® with DuraBlock™:

Nano-Tex with DuraBlock provides a durable moisture barrier with a soil and stain resistant topical treatment. Even under high pressure, no liquid can travel through the treatment into the cushion. This finish option is stocked on some products and can be added to many existing KnollTextiles upholstery fabrics for an additional upcharge and lead time.

### Environmental Options

KnollTextiles offers dozens of upholstery patterns with recycled content or natural fiber. Included in the line is a selection of 100% recycled upholstery fabrics that have no added backing or finish. Visit KnollTextiles.com and click on “Environmental Fabrics” for details.

### California Technical Bulletin 133 (Cal 133)

Cal 133 is a flammability test procedure for seating furniture for use in public occupancies. Testing must be performed on the designated chair and textile together. Component data alone cannot be used to certify compliance with the regulation. Under Cal 133, one cannot assume that seating or textiles that have passed individually will pass together.

### Cal 133 (cont.)

Many Knoll Office Seating products can be specified to comply with Cal 133. Applicable upcharge and specification rules are listed on the respective price list page. Chadwick, MultiGeneration by Knoll (non-upholstered) and Toboggan are Cal 133 approved standard. Please refer to the textile matrix for pre-approved Cal 133 upholstery options for the following chairs:

Sapper  
Life  
Generation by Knoll  
(dark finish only)  
ReGeneration by Knoll  
Remix  
RPM  
Essentials Work Chairs  
Moment  
MultiGeneration by Knoll  
(upholstered)

If any other KnollTextiles fabric or COM is desired, Knoll will test the compliance of the specified fabric on the specified chair. The cost of the test will be the price of the chair in the specified fabric plus \$520. The additional fee is to cover the cost of the test. Please see the respective price list page for yardage requirements. The process time for test results is 4-8 weeks. Contact your Knoll customer service representative at 800 343-KNOLL (5665) for further test processing instructions.

	Soil & Stain Resistance		Moisture Barrier Plus Soil & Stain Resistance	
	Teflon®	Nano-Tex®	Crypton®	Nano-Tex® with DuraBlock™
Soil and Stain Resistant Topical Treatment	Yes (Topical)	Yes (Immersion)	Yes	Yes
Water Repellant Finish	No	Yes	Yes	Yes
Moisture Resistant Backing/Barrier	No	No	Yes *	Yes
Breathable	Yes	Yes	Yes	Yes
Microbial Resistant	No	Yes	Yes	Yes
Fabrics Stocked with Finish	Some	Some	Yes	No
Minimum Yardage on Non-Stocked Fabrics	5	5	n/a	5

**\*Please Note:** The moisture resistant backing/barrier on Crypton fabrics is compromised in the Cal 133 lamination process and is therefore not covered under warranty when specified as Cal 133.

Knoll is pleased to cooperate with Customer's Own Material (COM) or Customer's Own Leather (COL) selections after they have been approved by Knoll.

Please refer to the table below for COM process overview. See price list pages for specific chair information. For additional information see Customer's Own Material section in the Selling Policy.

Seating	Pre-Approval				Application Testing		
	Color Specific Testing?	Send to CSR/PM:	Process Time	Application Test Required?	Requires:	Yardage Required for Test	Process Time
Life	No	COM Seating Form & Memo Sample	2-3 days	No*			
Generation by Knoll	No	COM Seating Form & Memo Sample	2-3 days	No*			
ReGeneration by Knoll	No	COM Seating Form & Memo Sample	2-3 days	No*			
MultiGeneration by Knoll	No	COM Seating Form & Memo Sample	2-3 days	No*			
Remix	No	COM Seating Form & Memo Sample	2-3 days	No*			
Moment	No	COM Seating Form & Memo Sample	2-3 days	No*			

**\*Guideline only – subject to the discretion of the production floor.**

#### Cal 133 COM Process Overview

If COM is desired, the fire barrier must be attached when fabric arrives at Knoll. Intek F187 fire barrier is recommended. Knoll will test the compliance of the specified fabric on the specified chair. The cost of the test will include the price of the chair and COM fabric plus \$520. The fee is to cover the cost of the test. Please see respective price list page for yardage requirement. The process time for test results is 4-8 weeks. Contact your Knoll Customer Service Representative at 800-343-KNOLL (5665) for further test processing instructions.

**This page intentionally left blank**

Textile Name	Grade	Type	Direction	Part #	Generation by Knoll	Life Back Topper	Life Seat Topper	Newson Seat Pad
Aegean	E	Fabric	NR	K2074	■	■	■	■
All Star	G	Fabric	NR	K2209	■	■	■	○
Alter Ego	G	Wool	NR	K2140	■	■	■	■
Andissa	G	Fabric	NR	K2083	■	■	■	■
Argyle	B	Fabric	NR	K1938	■	■	■	■
Arrondissement	G	Fabric	NR	K2200	■	■	■	■
Aswan	I	Fabric	NR	K2046	■	■	■	■
Atelier	F	Polyurethane	NR	K1607	■	■	■	■
Atlas	C	Polyurethane	NR*	K1236	■	■	■	■
Attire	B	Fabric	NR	K2340	■	■	■	■
Axiom <sup>fr</sup>	C	Vinyl	NR	K1650	■ ^	■ ^	■	■
Baxter	C	Fabric	NR	K1557	■	■	■	■
Beacon	A	Fabric	NR	W1597	■	○	○	■
Belize	B	Fabric	NR	K1165	■	■	■	■
Biota	C	Fabric	NR	K1297	■ ♣	■	■	■
Biscayne	F	Fabric	NR	K1771	■	■	■	■
Block Party <sup>fr</sup>	B	Fabric	NR	WC2335	■	■	■	○
Bocce	A	Fabric	NR	K1255	■ ♣	■	■	■
Boundary	B	Fabric	NR	K1828	■ ♣	■ ♣	■ ♣	■
Brigadoon <sup>fr</sup>	B	Vinyl	NR	K2167	○	○	○	○
Buzz	D	Fabric	NR	K2373	■	■	■	■
Cairo	C	Fabric	NR	K2034	■	■	■	■
Calais Cotton Velvet	F	Fabric	NR	K787	○	○	○	○
Calypso	B	Fabric	NR	K2127	■	■	■	■
Cameo	B	Fabric	NR	K1443	■	■	■	■
Cato	I	Wool	RR	KH800	○	○	○	○
Catwalk	H	Wool	NR	K2156	■	■	■	■
Century	F	Fabric	NR	K1051	■	■ ♣	■ ♣	■
Chain Link	D	Fabric	NR	K2191	■	■	■	■
Chameleon	C	Polyurethane	NR	K2372	■	■	■	■
Chance	A	Fabric	NR	K1552	■	■	■	■
Charm	C	Fabric	NR	K1049	■	■ ♣	■ ♣	■
Chiseled	H	Fabric	NR	K2249	○	○	○	○
Circa	C	Fabric	NR	K1054	■	■ ♣	■ ♣	■
Classic Boucle	C	Wool	NR*	K162	■	■ ♣	■ ♣	■
Cleo	E	Fabric	NR	K2168	■	■	■	■
Code	D	Fabric	NR	K2251	■	○	■	○
Color Collage	G	Fabric	NR	K2349	○	○	○	○

■=Available      ○ =Not Available  
<sup>fr</sup> (Fire Retardant Chemicals)

♣=Cal 133 Pre-approved

^=Use of vinyl prohibits client from achieving sustainability certifications

Textile Name	Grade	Moment	Multi- Generation by Knoll	Olo	ReGeneration by Knoll Seat	ReGeneration by Knoll Inner Back	Remix Side
Aegean	E	■	■	■	■	■	■
All Star	G	■	■	■	■	■	■
Alter Ego	G	■	■	■	■	■	■
Andissa	G	■	■	■	■	■	■
Argyle	B	■	■	■	■	■	■
Arrondissement	G	■ 🔥	■	■	■	■	■
Aswan	I	■	■	■	■	■	■
Atelier	F	■	■	■	■	■	■
Atlas	C	■	■	■	■	■	○
Attire	B	■	■	■	■	■	■
Axiom <sup>(fr)</sup>	C	■ ^	■ ^	■ ^	■ ^	○	○
Baxter	C	■	■	■	■	■	○
Beacon	A	■	■	■ 🔥	○	○	○
Belize	B	■	■	■	■	■	■
Biota	C	■	■ 🔥	■ 🔥	■ 🔥	■ 🔥	■ 🔥
Biscayne	F	■	■	■	■	■	■
Block Party <sup>(fr)</sup>	B	○	■	○	○	○	○
Bocce	A	○	■ 🔥	■ 🔥	○	○	○
Boundary	B	■ 🔥	■ 🔥	■ 🔥	■ 🔥	■ 🔥	■ 🔥
Brigadoon <sup>(fr)</sup>	B	■	○	○	○	○	○
Buzz	D	■	■	■	■	■	■
Cairo	C	■ 🔥	■	■	■	■	■
Calais Cotton Velvet	F	○	○	○	○	○	○
Calypso	B	■	■	■	■	■	■
Cameo	B	■	■	■	■	■	■
Cato	I	○	○	○	○	○	○
Catwalk	H	■	■	■	■	■	■
Century	F	■	○	■	■	■	■
Chain Link	D	■	■	■	■	■	■
Chameleon	C	■	■	■	○	○	■
Chance	A	■	■	■	■	■	■
Charm	C	■ 🔥	■	■	■	■	■
Chiseled	H	○	○	○	○	○	○
Circa	C	■	■	■	■	■	■
Classic Boucle	C	■	○	■	■	■	■
Cleo	E	■	■	■	■	■	■
Code	D	■	■	■	■	■	■
Color Collage	G	■	■	○	■	■	■



Textile Name	Grade	Type	Direction	Part #	Generation by Knoll	Life Back Topper	Life Seat Topper	Newson Seat Pad
Color Field	C	Polyurethane	NR	K2226	○	○	○	○
Common Ground	A	Fabric	NR*	K448	■ ♯	■ ♯	■ ♯	■
Commuter Cloth	A	Fabric	NR	K1778	■ ♯	■ ♯	■ ♯	■
Coterie	D	Fabric	NR	K1564	○	○	○	○
Cozy Cord	B	Fabric	RR	K2407	■	■	■	○
Cross Tech	A	Fabric	NR	K2279	■	○	■	■
Crossroad	A	Fabric	NR	K2085	■	■	■	■
Day Tripper	B	Wool	NR*	K2248	■	■	■	■
Delite	A	Fabric	NR	K2026	■	■ ♯	■ ♯	■
Demure	E	Fabric	NR	K2023	■	■	■	■
Diva	B	Fabric	NR	K2051	■	■	■	■
Djenne	G	Fabric	RR	K2029	■	■	■	■
Doily	I	Fabric	NR	K2449	■	■	■	■
Dottie	B	Fabric	NR	K2259	■	■	■	■
Double Agent (fr)	F	Fabric	NR	K2199	■	■	■	■
Durand	C	Fabric	NR	K1885	■	■	■	■
Dynamic	I	Wool	NR	K1617	■	■	■	■
Earthwork	C	Wool	NR	K1238	■ ♯	■	■	■
Eclat Weave	D	Fabric	NR	K1104	■	■	■	■
Entourage	C	Fabric	NR	K1389	■	■ ♯	■ ♯	■
Entwine	C	Fabric	NR	K2355	■	■	■	■
Essence	C	Fabric	NR	K2059	■	■	■	■
Fancy Twill	G	Fabric	NR	K2348	■	■	■	■
Feeling Plaid	G	Wool	NR	K2150	○	○	○	○
Ferry	B	Fabric	NR*	K1697	■	■	■	■
Fibra	C	Fabric	NR	K1105	■	■	■	■
Firefly	H	Fabric	NR	K2021	■	■	■	■
Floressence	I	Fabric	NR	K2357	■	■	■	■
Flower Power	E	Fabric	NR	K2418	■	■	■	○
Foil Rap	A	Fabric	NR	W535	○	○	○	○
Forza (fr)	B	Vinyl	NR*	K584	○	○	○	○
Gala II	B	Fabric	NR	K1520	■ ♯	■ ♯	■ ♯	■
Gibson	G	Fabric	NR	K1086	■	■	■	■
Glider	F	Fabric	NR	K1717	■	■	■	■
Grande	B	Fabric	NR*	K180	■	■	■	■
Grandview	B	Fabric	NR	K1463	■	■	■	■
Greenwich	C	Fabric	NR	K1753	■	■	■	■
Groovy	C	Polyurethane	NR*	K2242	■	○	○	■
Guise	I	Fabric	NR	K2430	■	■	■	■
Haze	G	Fabric	NR	K109	■	■	■	■
Heavy Metal	A	Fabric	NR	W539	○	○	○	○
Helios	B	Fabric	NR	K2089	■	■	■	■

■ = Available      ○ = Not Available  
 (fr) (Fire Retardant Chemicals)

♯ = Cal 133 Pre-approved

^ = Use of vinyl prohibits client from achieving sustainability certifications

Textile Name	Grade	Moment	Multi- Generation by Knoll	Olo	ReGeneration by Knoll Seat	ReGeneration by Knoll Inner Back	Remix Side
Color Field	C	○	■	○	○	○	○
Common Ground	A	■ 🔥	■ 🔥	■	■ 🔥	■ 🔥	■
Commuter Cloth	A	■ 🔥	■ 🔥	■ 🔥	■ 🔥	■ 🔥	■ 🔥
Coterie	D	○	■	○	○	○	○
Cozy Cord	B	○	■	■	○	○	■
Cross Tech	A	■	■	■	■	■	■
Crossroad	A	■	■	■ 🔥	■	■	■
Day Tripper	B	■ 🔥	■	■	■	■	■
Delite	A	■ 🔥	■	■ 🔥	■	■	■ 🔥
Demure	E	■	■	■	■	■	■
Diva	B	■	■	■	■	■	■
Djenne	G	■	■	■	■	■	■
Doily	I	■	■	■	■	■	■
Dottie	B	■	■	■	■	■	■
Double Agent <sup>(fr)</sup>	F	■	■	■	■	■	■
Durand	C	■	■	■	■	■	■
Dynamic	I	■ 🔥	■	■	■	■	■
Earthwork	C	■ 🔥	■ 🔥	■ 🔥	■ 🔥	■ 🔥	■ 🔥
Eclat Weave	D	■	■	■	■	■	■
Entourage	C	■ 🔥	■ 🔥	■	■	■	■
Entwine	C	■	■	■	■	■	■
Essence	C	■	■	■	■	■	○
Fancy Twill	G	■	■	■	■	■	■
Feeling Plaid	G	○	○	○	○	○	○
Ferry	B	○	○	■	○	○	○
Fibra	C	■ 🔥	■	■	■	■	■
Firefly	H	■	■	■	■	■	■
Floressence	I	■	■	■	○	○	○
Flower Power	E	■	■	■	■	■	■
Foil Rap	A	○	○	○	○	○	○
Forza <sup>(fr)</sup>	B	○	○	○	○	○	○
Gala II	B	■ 🔥	■ 🔥	■	■ 🔥	■ 🔥	■
Gibson	G	■ 🔥	■	■	■	■	○
Glider	F	■	■	■	■	■	■
Grande	B	■	■	■	■	■	■
Grandview	B	■	■	■	■	■	■
Greenwich	C	■	■	■	■	■	■
Groovy	C	○	■	■	○	○	○
Guisse	I	○	■	■	○	○	■
Haze	G	■	■	■	■	■	■
Heavy Metal	A	○	○	○	○	○	○
Helios	B	■	■	■ 🔥	○	○	○

Textile Name	Grade	Type	Direction	Part #	Generation by Knoll	Life Back Topper	Life Seat Topper	Newson Seat Pad
Hourglass	A	Fabric	NR	K1523	■	■	■	■
Hudson	C	Fabric	NR	K1765	■	■	■	■
Ikat Square	E	Fabric	NR	K1703	○	○	○	○
Ikat Stripe	D	Fabric	NR	K1701	■	■	■	■
Imprint	F	Fabric	NR	K2333	■	■	■	■
In Step	I	Fabric	NR	K2375	■	■	■	○
In Stitches	F	Wool	NR	K2190	■	■	■	■
Infinite	A	Fabric	RR	K2263	■	■	■	■
Instinct	B	Fabric	NR	K2258	■	■	■	■
Island	D	Fabric	NR	K2053	■	■	■	■
Journey	B	Fabric	NR	K1806	■	■	■	■
Juno	E	Fabric	NR	K2152	○	○	○	○
Kabuki	D	Fabric	NR	K2084	■	■	■	■
Kampala	E	Fabric	NR	K2032	■	■	■	■
Katazome	E	Fabric	NR	K1459	■	■	■	■
Keaton	B	Fabric	NR	K1596	■	■	■	■
Kimono	E	Fabric	NR	K1174	■	■	■	■
Kinabulu	G	Fabric	NR	K1800	○	○	○	○
Knoll Felt	B	Wool	NR	K1207	■	■ ♣	■ ♣	■
Knoll Hopsack	B	Wool	NR	K1206	■	■ ♣	■ ♣	■
Knoll Velvet	I	Fabric	RR	K784	○	○	○	○
Lagos	C	Fabric	NR	K2028	■	■	■	■
Liberty	F	Wool	NR	K1888	■	■	■	■
Limani	I	Fabric	NR	K2079	○	○	○	○
Little Devil	B	Fabric	NR	K2112	■	■	■	■
Looped In	G	Fabric	NR	K2390	■	■	■	■
Lore CR	C	Fabric	NR	HC1123	■	■	■	■
Ludlow	B	Fabric	NR	K1998	■	■	■	■
Magnolia	C	Fabric	NR	K1999	■	■	■	■
Mamba	E	Fabric	NR	K549	■	■	■	■
Mariner	A	Fabric	NR*	K642	■	■	■	■
Melange	G	Wool	NR	K1882	■	■ ♣	■ ♣	■
Melody <sup>®</sup>	B	Vinyl	NR	K2067	■ ^	○	■ ^	■
Menagerie	D	Fabric	NR	K1322	■	■	■	■
Meroe	E	Fabric	NR	K2043	■	■	■	■
Midpoint	E	Fabric	NR	K2123	○	○	○	○
Milestone	C	Fabric	NR	K1886	■	■	○	■
Mod Plaid	F	Fabric	NR	K1630	○	○	○	■
Modern Tweed	G	Wool	NR	K2155	■	■	■	■
Monarch	A	Fabric	NR	K1149	■ ♣	■ ♣	■ ♣	■

■=Available      ○ =Not Available  
<sup>®</sup> (Fire Retardant Chemicals)

♣=Cal 133 Pre-approved

^=Use of vinyl prohibits client from achieving sustainability certifications

Textile Name	Grade	Moment	Multi- Generation by Knoll	Olo	ReGeneration by Knoll Seat	ReGeneration by Knoll Inner Back	Remix Side
Hourglass	A	■	■	■	■	■	■
Hudson	C	■	■	■	■	■	■
Ikat Square	E	○	○	○	○	○	○
Ikat Stripe	D	■	■	■	■	■	■
Imprint	F	■	■	■	■	■	■
In Step	I	■	■	○	○	○	○
In Stitches	F	■	■	■	■	■	■
Infinite	A	■	■	■	■	■	■
Instinct	B	■	■	■	■	■	○
Island	D	■	■	■	■	■	■
Journey	B	■ 🔥	■	■	■	■	■
Juno	E	○	■	○	○	○	○
Kabuki	D	■	■	■	■	■	■
Kampala	E	■	■	■	■	■	■
Katazome	E	■	■	■	■	■	■
Kaya CR	C	■	■ 🔥	■	■	■	■ 🔥
Keaton	B	■	■	■	■	■	■
Kimono	E	■ 🔥	■	■	■	■	■
Kinabulu	G	○	○	○	○	○	○
Knoll Felt	B	■ 🔥	■ 🔥	■	■	■	■
Knoll Hopsack	B	■ 🔥	■ 🔥	■	■	■	■
Knoll Velvet	I	○	○	○	○	○	○
Lagos	C	■	■	■	■	■	■
Liberty	F	■	■	■	■	■	■
Limani	I	○	○	○	○	○	○
Little Devil	B	■	■	■	■	■	■
Looped In	G	■	■	■	○	○	○
Lore CR	C	■	■ 🔥	■	■	■	■
Ludlow	B	■	■	■	■	■	■
Magnolia	C	■	■	■	■	■	■
Mamba	E	■	■	■	■	■	■
Mariner	A	■ 🔥	■	■	■	■	■
Melange	G	■ 🔥	■	■	■	■	■
Melody <sup>fr</sup>	B	■	■	■	○	○	■
Menagerie	D	■	■	■	■	■	■
Meroe	E	■	■	■	■	■	■
Midpoint	E	○	■	○	○	○	○
Milestone	C	■	■	■	○	○	○
Mod Plaid	F	○	○	○	○	○	○
Modern Tweed	G	■	■	■	■	■	■
Monarch	A	■ 🔥	■ 🔥	■ 🔥	■ 🔥	■ 🔥	○

Textile Name	Grade	Type	Direction	Part #	Generation by Knoll	Life Back Topper	Life Seat Topper	Newson Seat Pad
Nature Walk	E	Polyurethane	NR	K2081	■	○	■	■
Off the Grid	E	Fabric	NR	K2408	■	■	■	○
Oh La La	A	Fabric	NR	K2201	■ ♯	○	○	■
On Point	C	Fabric	NR	K2293	■	○	■	■
Origins	D	Fabric	NR	K1700	■	■	■	■
Overture	A	Fabric	NR	K2169	■	■ ♯	■ ♯	■
Palisade	C	Polyurethane	NR	K2030	■	○	■	■
Panache CR	C	Fabric	NR	HC1047	■	■	■	■
Patchwork	C	Fabric	NR	K2292	■	■	■	■
Plaid On	C	Fabric	NR	K2420	■	■	■	○
Plaidtastic	D	Fabric	NR	K2238	■	■	■	■
Ponder	A	Fabric	NR	W2382	■	■	■	■
Prairie (fr)	B	Vinyl	NR	K1925	■ ^	○	■ ^	■
Premier	E	Fabric	NR	K2294	■	■	■	■
Prep	A	Fabric	NR	K1076	■ ♯	○	○	○
Prestini	C	Fabric	NR	K2450	■	■	■	■
Presto	A	Fabric	NR	K1000	■ ♯	■ ♯	■ ♯	■
Puff	B	Fabric	NR	K2433	○	○	○	○
Pullman	C	Fabric	NR	K2124	■	■	■	■
Quark	C	Fabric	NR	K781	■	■	■	■
Radiance	B	Fabric	NR	K1921	■	■	■	■
Rebel	E	Fabric	NR	K2261	■	■	■	■
Retreat	D	Fabric	NR	K2367	■	■	■	■
Rivington	F	Wool	NR	K1080	■	■	■	■
Roam	B	Wool	NR	K1657	■	■	■	■
Rush Hour	B	Fabric	NR	K1824	■	■	■	■
Sahara	C	Fabric	NR	HC1269	○	■	○	■
Shadow Play	B	Fabric	NR	K2398	■	■	■	■
Sherman	E	Wool	RR	K1789	■	■	■	■
Shima	E	Fabric	NR	K1468	○	○	○	■
Sideline	F	Fabric	NR	K2210	■	■	■	■
Soliloquy	A	Fabric	NR	K1458	■	■	■	■
Sonnet	A	Fabric	NR	K1460	■ ♯	■	■	■
Soon	F	Fabric	NR	K1787	○	○	○	■
Spencer	G	Wool	NR	K1106	○	○	○	■
Spree	B	Fabric	NR	K1600	■ ♯	■ ♯	■ ♯	■

Textile Name	Grade	Moment	Multi- Generation by Knoll	Olo	ReGeneration by Knoll Seat	ReGeneration by Knoll Inner Back	Remix Side
Nature Walk	E	○	■	■	○	○	○
Off the Grid	E	■	■	■	○	■	○
Oh La La	A	○	■ 🔥	○	○	○	○
On Point	C	■	■	■	○	○	■
Origins	D	■	■	■	■	■	■
Overture	A	■	■ 🔥	■ 🔥	■	■	■
Palisade	C	■	■	■ 🔥	○	○	○
Panache CR	C	■	■ 🔥	■ 🔥	■	■	■
Patchwork	C	■	■	■	■	■	■
Plaid On	C	■	■	■	■	■	○
Plaidtastic	D	■	■	■	■	■	■
Ponder	A	■	■	■	■	■	■
Prairie	B	■ ^	■ ^	■ ^	○	○	○
Premier	E	■	■	■	■	■	○
Prep	A	■ 🔥	■ 🔥	■ 🔥	■ 🔥	■ 🔥	○
Prestini	C	■	■	■	■	■	■
Presto	A	■ 🔥	■ 🔥	■ 🔥	■ 🔥	■ 🔥	■ 🔥
Puff	B	○	■	○	○	○	○
Pullman	C	■	■	■	■	■	■
Quark	C	■	■	■	■	■	■
Radiance	B	■	■	■	■	■	■
Rebel	E	■	■	■	■	■	■
Retreat	D	■	■	■	■	■	■
Rivington	F	■	■	■	■	■	■
Roam	B	■	■	■	■	■	■
Rush Hour	B	■	■	■	■	■	■
Sahara	C	■	■	○	○	○	○
Shadow Play	B	■	■	■	■	■	■
Sherman	E	■	■	■	■	■	■
Shima	E	○	○	○	○	○	○
Sideline	F	■	■	■	■	■	■
Soliloquy	A	■	■	■ 🔥	■	■	○
Sonnet	A	■ 🔥	■	■ 🔥	■ 🔥	■ 🔥	■
Soon	F	■	■	○	○	○	○
Spencer	G	○	■	○	○	○	○
Spree	B	■ 🔥	■ 🔥	■ 🔥	■ 🔥	■	○

Textile Name	Grade	Type	Direction	Part #	Generation by Knoll	Life Back Topper	Life Seat Topper	Newson Seat Pad
Stepping Stones	C	Wool	RR	K346	■	■	■	■
Stretch Appeal	H	Wool	NR	K2188	■	■	■	■
Striae Stripe	G	Fabric	NR	K1827	■	■	■	■
Stripe It	I	Fabric	NR	K2368	■	■	■	■
Stripemania	B	Fabric	RR	K2225	■	■	■	■
Summit	B	Fabric	NR	K2020	■	■	■	■
Sutton	B	Fabric	NR	K1750	■	■	■	■
Swank	F	Fabric	NR	K2221	■	■	■	○
Swing	C	Fabric	NR	K479	■	■	■	■
Synth	B	Fabric	NR	K1693	■ ♣	■ ♣	■ ♣	■
Tabloid	B	Fabric	NR	K2023	■ ♣	■	■	○
Tempest	E	Fabric	NR	K2377	■	■	■	■
Texnet	G	Fabric	NR	K2399	■	■	■	○
Tight Rope (fr)	C	Polyurethane	NR	K1798	■	○	■	■
Tilden (fr)	C	Polyurethane	NR	K1779	■	○	■	■
Tinge (fr)	B	Vinyl	NR	K2068	■	○	■	■
Topos	B	Fabric	NR	K2397	■	■	■	■
Totem	F	Fabric	NR	K1561	○	○	○	○
Tower Grid	C	Fabric	NR	K1887	■	■	■	■
Trophy	A	Fabric	NR	K1709	■ ♣	■ ♣	■ ♣	■
Twist Tie	H	Fabric	NR	K2264	■	○	■	○
Ultrasuede	G	Fabric	NR	K1021	■ ♣	■	■	■
Uni-Form	A	Fabric	NR	K2125	■	■	■	■
Utopia	C	Fabric	NR	K2371	■	■	■	○
Utrillo	G	Wool	NR	K1807	■	■	■	■
Vatera	E	Fabric	NR	K2071	■	■	○	■
Venue	B	Fabric	NR	K1558	■	■	■	■
Versa	B	Fabric	NR*	K1698	■ ♣	■ ♣	■ ♣	■
Vert	G	Fabric	NR	K2447	■	■	■	■
Vibe II (fr)	B	Polyurethane	NR*	K2154	■	■	■	■
Vice Versa	E	Fabric	NR	K2361	■	■	■	■
Westwood	B	Polyurethane	RR	K1949	■	○	■	■
Whip	E	Polyurethane	NR	K1386	■	■	■	■
Wild Thing	B	Fabric	NR	K2240	■	■	■	■
Wit	C	Fabric	NR	K2050	■	■	■	■
Woodland II	C	Fabric	NR	K2401	■	■	■	■
World Piece	H	Fabric	NR	KL2208	■	○	○	○
Wow Factor	C	Wool	NR	K2362	■	■	■	■
Wrap Up	A	Fabric	NR	W2410	■	■	■	■
Yeni	B	Fabric	NR	K2082	○	○	○	○
Zoom	D	Fabric	NR	K113	■	○	○	■

Textile Name	Grade	Moment	Multi- Generation by Knoll	Olo	ReGeneration by Knoll Seat	ReGeneration by Knoll Inner Back	Remix Side
Stepping Stones	C	■	■	■	■	■	■
Stretch Appeal	H	○ *	■	■	■	■	○ *
Striae Stripe	G	○	■	■	○	○	○
Stripe It	I	■	■	■	○	○	■
Stripemania	B	■	■	■	■	■	■
Summit	B	■	■	■	■	■	■
Sutton	B	○	■	■ ♯	○	○	○
Swank	F	■	■	■	■	■	■
Swing	C	■	■	■	■	■	■
Synth	B	■ ♯	■ ♯	■ ♯	■ ♯	■ ♯	○
Tabloid	B	■ ♯	■	■ ♯	■ ♯	■ ♯	■
Tempest	E	■	■	■	■	■	■
Texnet	G	■	■	■	■	■	■
Tight Rope (fr)	C	■	■	■ ♯	■	■	○
Tilden (fr)	C	■	■	■ ♯	○	○	○
Tinge (fr)	B	■ ^	■ ^	■ ^ ♯	○	■ ^	■
Topos	B	■	■	■	■	■	■
Totem	F	■	○	○	○	○	○
Tower Grid	C	■	■	■	■	■	■
Trophy	A	■ ♯	■ ♯	■ ♯	■ ♯	■ ♯	■ ♯
Twist Tie	H	■	■	■	■	■	■
Ultrasuede	G	■ ♯	■ ♯	■	■ ♯	■ ♯	○
Uni-Form	A	■	■	■ ♯	■	■	■
Utopia	C	■	■	○	○	○	○
Utrillo	G	■ ♯	■	■	■	■	■
Vatera	E	■	■	■	■	■	○
Venue	B	■	■	■ ♯	■	■	■ ♯
Versa	B	■ ♯	■ ♯	■ ♯	■ ♯	■ ♯	■ ♯
Vert	G	■	■	■	■	■	■
Vibe II (fr)	B	■	■	■ ♯	○	■	■
Vice Versa	E	■	■	■	■	■	■
Westwood	B	■	■	■ ♯	○	○	○
Whip	E	■ ♯	■	■ ♯	■	■	■
Wild Thing	B	■	■	■	■	■	■
Wit	C	■	■	■	■	■	■
Woodland II	C	■	■	■	■	■	■
World Piece	H	○	○	○	○	○	○
Wow Factor	C	■	■	■	■	■	■
Wrap Up	A	■	■	■	■	■	■
Yeni	B	○	■	○	○	○	○
Zoom	D	■ *** ♯	■	■	■	■	○



**This page intentionally left blank**

For the ultimate in comfort, durability, and prestige, many Knoll Office Seating products can be upholstered in Spinneybeck leathers.

Spinneybeck leathers are made from the top 2% of the world's finest hides, inspected numerous times during production.

After tanning, all Spinneybeck leathers are drum-dyed, a time-consuming procedure which ensures color penetration throughout the hide. Then each hide is finished in the manner which will best bring out its individual character.

Spinneybeck leathers are all full-grain aniline drum-dyed products imported from Italy.

The following Spinneybeck leathers are approved for application on Knoll Office Seating products. Leathers are grouped into five price categories referred to as "grades." The selection of approved leathers varies by product. Please refer to the pricing page for each product line for more information.

Square footage requirements for Customer's Own Leather (COL) are listed on each chair's pricing page. Please refer to COM Seating Process Overview for further information regarding COL.

For further information, call Spinneybeck at 1 800 482-7777.

Grades	Characteristics
<b>U</b>	
Volo	Finished cowhide, corrected grain, slightly raised grain texture.
Vicenza	Finished cowhide, corrected grain that is slightly raised.
<b>V</b>	
Acqua	Water-repellent finished cowhide, corrected grain, slightly raised grain texture.
Andes	Slightly pronounced grain, finished cowhide and enhanced grain.
Embossed	Corrected grain, aniline dyed, two-tone, heavily finished leathers breathable protective finish.
Tipped	
España	Smooth, tight grain cowhide; breathable, protective finish, enhanced grain.
Hand Tipped	Two-toned leather, lightly finished cowhide, pronounced pebble grain texture.
Maremma	Full grain textured suede with impregnated soil-resistant treatment.
Velluto Pelle	Slightly pronounced grain, finished cowhide and enhanced grain.
<b>W</b>	
Alaska	Pearlized-iridescent protective finish cowhide, full grain with smooth texture.
Antique	Mid-weight, full grain cowhide; colors of the Amazonian jungle, raised grain texture.
Derby	Smooth tight grain cowhide, lightly antiqued to produce an elegant patina, enhanced grain .
Forte	Combination-tanned cowhide; full grain, lightly finished and raised grain texture.
Lucente	High performance, full grain leather with slightly pronounced grain texture.
Sabrina	Smooth, very tight grain cowhide; subtle sheen; light casein finish.
	Smooth, tight and full grain cowhide with a breathable protective finish.
<b>X</b>	
Ducale	Embossed shrunken grain cowhide with protective finish, full grain.
Ducale Velour	Full grain-sueded cowhide, embossed shrunken grain, scotch-guarded.
<b>Y</b>	
Cervo	Chrome-free, light protective finish, full grain cowhide.
Copenhagen	Full aniline, cowhide, pronounced grain texture, extremely soft and supple hand.
Distressed	Full aniline, 100% vegetable tanned leather, full grain.
Lucca	Aniline-dyed, paraffin wax final ironing process with a smooth finish, and full grain.
Marissa	Grain sueded, aniline dyed, velvety suede surface.
Portofino	Grain-sueded cowhide, smooth suede grain with soil resistant treatment.
Riva	Full grain, lightly finished cowhide with a pronounced raised texture.
Saddle	Slightly pronounced grain texture, water-repellent, full grain.
	Full aniline, smooth very tight grain surface takes on a rich patina over time.


Leather Name	Grade	Part #	Generation by Knoll	Life Back Topper	Life Seat Topper
Acqua	V	AU	■ ♣	■ ♣	■ ♣
Alaska	W	AL	■ ♣	■ ♣	■ ♣
Andes	V	AD	■ ♣	■ ♣	■ ♣
Antique	W	AQ	■ ♣	■ ♣	■ ♣
Cervo	Y	CV	■	■	■
Copenhagen	Y	CO	■	■	■
Derby	W	DE	■	■	■
Distressed	Y	DT	■	■	■
Ducale	X	DL	■	○	○
Ducale Velour	X	DV	■	○	○
Embossed Tipped	V	ET	■ ♣	○	■ ♣
España	V	ES	■ ♣	■ ♣	■ ♣
Forte	W	FE	○	■ ♣	■ ♣
Hand Tipped	V	HT	■	■ ♣	○
Lucca	Y	LC	■	○	■
Lucente	W	LU	○	○	○
Maremma	V	MM	■	■	■
Marissa	Y	MA	■ ♣	■ ♣	■ ♣
Portofino	Y	PT	○	○	○
Riva	Y	RA	■ ♣	■ ♣	■ ♣
Sabrina	W	SA	■ ♣	■ ♣	■ ♣
Saddle	Y	SL	○	○	○
Velluto Pelle	V	VP	■ ♣	■ ♣	■ ♣
Vicenza	U	VZ	■ ♣	■ ♣	■ ♣
Volo	U	VO	■ ♣	■ ♣	■ ♣

Leather Name	Moment	ReGeneration by Knoll Seat	ReGeneration by Knoll Inner Back	Remix Side
Acqua	■ ♣	■ ♣	■ ♣	■
Alaska	■ ♣	■ ♣	■ ♣	○
Andes	■ ♣	■ ♣	■ ♣	■
Antique	■ ♣	■ ♣	■ ♣	■
Cervo	■	■	■	■
Copenhagen	■ ♣	■	■	■
Derby	■ ♣	■	■	○
Distressed	■ ♣	■	■	■
Ducale	○	■	■	○
Ducale Velour	○	■	■	○
Embossed Tipped	■ ♣	■	■	○
España	■ ♣	■ ♣	■ ♣	■
Forte	■ ♣	○	○	○
Hand Tipped	■ ♣	■	■	○
Lucca	■	■	○	○
Lucente	○	○	○	○
Maremma	■ ♣	■	■	○
Marissa	■ ♣	■ ♣	■ ♣	■
Portofino	■ ♣	○	○	○
Riva	■ ♣	■ ♣	■ ♣	■
Sabrina	■ ♣	■ ♣	■ ♣	■
Saddle	○	○	○	○
Velluto Pelle	■ ♣	■ ♣	■ ♣	■ *
Vicenza	■ ♣	■ ♣	■ ♣	○
Volo	■ ♣	■ ♣	■ ♣	■


---

Any of our leather grades may be perforated with any of the patterns shown below to create a crisp, contemporary look.


Perforated Leather is a specialty product, available only on a custom order basis. Please use pattern numbers below.  
Perforated Leather is available in half hides only.




Pattern #330  
.052 in. diameter  
diagonal pattern  
12 holes per square inch



Pattern #457  
.052 in. diameter  
diagonal pattern  
21 holes per square inch



Pattern Multiple Diamond  
.052 in. diameter  
tri-star pattern  
18 holes per square inch








Pattern #419 Mini Perf  
.052 in. diameter  
straight pattern  
70 holes per square inch

**This page intentionally left blank**



*plastic base, seat topper, no back topper*





	arm	description	pattern no. *
 <p><i>Designer(s):</i> Formway Design Studio, 2002</p> <p><i>Award(s):</i> GOOD DESIGN Award, Chicago Athenaeum, 2003, USA NeoCon Gold, Best of NeoCon, Task Chair - Seating Design, June 2002, USA IIDEX/NeoCon, Sustainable Design Gold Award, 2002, Canada</p>	Armless 	Plastic base, fabric or leather seat topper, no back topper	<b>55C-3-(2 or 6)-A-5-K-GH BSF( )-ST( )-NB</b>
	Fixed Aluminum 	Plastic base, fabric or leather seat topper, no back topper	<b>55M-3-(2 or 6)-A-5-K-GH BSF( )-ST( )-NB</b>
	Height Adjustable 	Plastic base, fabric or leather seat topper, no back topper	<b>55H-3-(2 or 6)-A-5-K-GH BSF( )-ST( )-NB</b>
	High Performance 	Plastic base, fabric or leather seat topper, no back topper	<b>55P-3-(2 or 6)-A-5-K-GH BSF( )-ST( )-NB</b>

1 Base Grade	grade <b>A</b>	COM <b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	COL <b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>
\$1,947.	\$2,026.	\$2,034.	\$2,071.	\$2,108.	\$2,137.	\$2,178.	\$2,193.	\$2,223.	\$2,263.	\$2,609.	\$2,709.	\$2,939.	\$2,968.	\$3,102.

2,272.	2,355.	2,363.	2,401.	2,439.	2,465.	2,504.	2,525.	2,552.	2,592.	2,938.	3,039.	3,270.	3,293.	3,429.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------






2,278.	2,360.	2,369.	2,408.	2,445.	2,472.	2,510.	2,529.	2,561.	2,596.	2,943.	3,044.	3,278.	3,302.	3,434.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------



2,432.	2,510.	2,519.	2,555.	2,594.	2,626.	2,659.	2,681.	2,709.	2,748.	3,099.	3,196.	3,425.	3,450.	3,586.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

Order Code		Ordering Information		Options	
<i>Example:</i>	<b>55H-3-6-A5K-GH-BSF33-ST-K1206/9-NB</b>	<i>Specify:</i>	1. Pattern number with back suspension fabric BSF().	<i>Cylinder Height Options:</i>	<i>Caster Options:</i>
<b>55</b>	Life chair		2. Seat topper textile, either KST() for knitted seat topper or ST() for fabric or leather. NS for no seat topper.	For height ranges see Life Dimensions and Operating Instructions. Replace 5 in pattern with one of the following options:	Replace GH in pattern with one of the following options:
<b>H</b>	Height adjustable arms		3. Back topper textile, BT() for fabric or leather. NB for no back topper.	<i>Code: Upchg: Description:</i>	<i>Code: Upchg: Description:</i>
<b>3</b>	High back			L n/c low cylinder	BH n/c hard black caster
<b>6</b>	Grey base			H n/c high cylinder	BR \$23 soft black caster
<b>A</b>	Advanced control with sliding seat				GR \$23 soft grey caster
<b>5</b>	Standard height cylinder				CH \$23 hard clear caster
<b>K</b>	No lumbar				CR \$23 soft clear caster
<b>GH</b>	Grey hard caster	<b>Options</b>	<i>Armpad Options:</i>	<i>Lumbar Options:</i>	<i>Glides:</i>
<b>BSF33</b>	Plum Back Suspension Fabric		For leather armpads, add J after the arm pattern code (Example: 55PJ) and specify leather. Available in Spinneybeck Volo (Grade U) and Sabrina (Grade W) leathers.	For lumbar, replace K with L() in the pattern number. Specify color code in the parentheses after L.	Replace GH in pattern with GG. No upcharge for this option.
<b>ST-K1206/9</b>	Knoll Hopsack, Magenta seat topper			<i>Code: Upchg: Description:</i>	<i>Glide detail</i>
<b>NB</b>	No back topper			L(K1029/13) \$160 Vibe, Glam	
				L(K1029/14) \$160 Vibe, Poise	
				L(K1029/BLK) \$160 Vibe, Black	
		<i>Code: Upchg: Description:</i>	<i>Lumbar detail</i>		
		J \$304 Spinneybeck Volo			
		J \$408 Spinneybeck Sabrina			
		<i>Base Options:</i>			
		<i>Code: Upchg: Description:</i>			
		3 n/c painted matte aluminum base			
		4 n/c polished aluminum base			

Back Suspension Fabric - Standard	Knitted Seat Topper - Base Grade	Textile Options
<p><i>Code: Description:</i></p> <p>BSF 15 Eclipse</p> <p>BSF 17 Blackout</p> <p>BSF 19 Beige</p> <p>BSF 22 Grain</p> <p>BSF 31 Navy</p> <p>BSF 32 Rouge</p> <p>BSF 33 Plum</p> <p>BSF 34 Sunset</p> <p>BSF 35 Avocado</p> <p>BSF 37 Bronze</p> <p>BSF 38 Chestnut</p> <p>BSF 39 Platinum</p> <p>BSF 40 Charcoal</p> <p>BSF 41 Frost</p>	<p><i>Code: Description:</i></p> <p>KST 15 Eclipse/Blackout</p> <p>KST 18 Camel</p> <p>KST 19 Beige</p> <p>KST 31 Dark Blue</p> <p>KST 32 Scarlet</p> <p>KST 33 Grape</p> <p>KST 36 Olive</p> <p>KST 38 Dark Brown</p> <p>KST 40 Dark Grey</p> <p>For no seat topper (NS), subtract \$62 from KST base grade list price.</p> <p>There is no base grade upholstery for the back topper.</p> <p>Ordering Samples/Viewing online: To view BSF and KST colors see Surface Finish Library on knoll.com. Physical samples are the best representation of color. To order samples, contact a Knoll sales representative or Knoll dealer.</p>	<p>Please refer to the matrices at the beginning of the price list for approved Knoll Textiles fabrics and Spinneybeck leathers for seat and back toppers.</p> <p><i>Ultra Seat Topper Options:</i> For ultra seat topper, which is 1/2" thicker foam than standard seat topper, add U before the seat topper pattern code.</p> <p><i>Code: Upchg: Description:</i></p> <p>UST \$69 Ultra Seat Topper in fabric or leather</p> <p>UKST \$69 Ultra Knitted Seat Topper</p> <p><i>Perforated Leather Option:</i> For perforated patterns in leather seat and/or back toppers, insert PERF( ) after ST( ) and/or BT( ) in pattern number. Seat topper upcharge is \$121. Back topper upcharge is \$254. See Spinneybeck Leather Application section for pattern codes.</p> <p><b>COM/COL Textile Requirements</b></p> <p><i>Seat Topper:</i> 0.7 yards fabric 9.0 sq ft leather</p> <p><i>Back Topper:</i> 1.3 yards fabric 16.0 sq ft leather</p>
		<p><i>CAL 133 Options:</i></p> <p>To meet Cal 133 requirements, Life must have seat topper or seat and back toppers with approved FR upholstery. Not compliant with KST. See textile matrix at the beginning of the price list for pre-approved Cal 133 textiles. <b>A</b> = Cal 133 pre-approved.</p> <p>Insert C after ST( ) option. See below for upcharges.</p> <p><i>Code: Upchg: Description:</i></p> <p>C \$96 CAL 133 fabric seat topper</p> <p>C \$327 CAL 133 fabric seat and back toppers</p> <p>C \$187 CAL 133 leather seat topper</p> <p>C \$459 CAL 133 leather seat and back toppers</p> <p><b>Minimum order of 3 chairs required</b> No minimum order required</p>




	arm	description	pattern no. *
<i>Designer(s):</i> Formway Design Studio, 2002	Armless 	Plastic base, fabric or leather seat and back toppers	<b>55C-3-(2 or 6)-A-5-K-GH BSF( )-ST( )-BT( )</b>
<i>Award(s):</i> GOOD DESIGN Award, Chicago Athenaeum, 2003, USA NeoCon Gold, Best of NeoCon, Task Chair - Seating Design, June 2002, USA IIDEX/NeoCon, Sustainable Design Gold Award, 2002, Canada	Fixed Aluminum 	Plastic base, fabric or leather seat and back toppers	<b>55M-3-(2 or 6)-A-5-K-GH BSF( )-ST( )-BT( )</b>
	Height Adjustable 	Plastic base, fabric or leather seat and back toppers	<b>55H-3-(2 or 6)-A-5-K-GH BSF( )-ST( )-BT( )</b>
	High Performance 	Plastic base, fabric or leather seat and back toppers	<b>55P-3-(2 or 6)-A-5-K-GH BSF( )-ST( )-BT( )</b>





Order Code	Ordering Information	Options
<i>Example:</i> <b>55H-3-6-A5K-GH-BSF33-ST-K1206/9-BT</b>	<i>Specify:</i>  1. Pattern number with back suspension fabric BSF( ).  2. Seat topper textile, either KST( ) for knitted seat topper or ST( ) for fabric or leather. NS for no seat topper.  3. Back topper textile, BT( ) for fabric or leather. NB for no back topper.	<i>Cylinder Height Options:</i> For height ranges see Life Dimensions and Operating Instructions. Replace 5 in pattern with one of the following options:  <i>Code: Upchg: Description:</i> L n/c low cylinder H n/c high cylinder
<b>55</b> Life chair		<i>Caster Options:</i> Replace GH in pattern with one of the following options:  <i>Code: Upchg: Description:</i> BH n/c hard black caster BR \$23 soft black caster GR \$23 soft grey caster CH \$23 hard clear caster CR \$23 soft clear caster
<b>H</b> Height adjustable arms		<i>Glides:</i> Replace GH in pattern with GG. No upcharge for this option.
<b>3</b> High back		Glide detail 
<b>6</b> Grey base		
<b>A</b> Advanced control with sliding seat		
<b>5</b> Standard height cylinder		
<b>K</b> No lumbar		
<b>GH</b> Grey hard caster		
<b>BSF33</b> Plum Back Suspension Fabric	<b>Options</b>	
<b>ST-K1206/9</b> Knoll Hopsack, Magenta seat topper	<i>Armpad Options:</i> For leather armpads, add J after the arm pattern code (Example: 55PJ) and specify leather. Available in Spinneybeck Volo (Grade U) and Sabrina (Grade W) leathers.	<i>Lumbar Options:</i> For lumbar, replace K with L( ) in the pattern number. Specify color code in the parentheses after L.  <i>Code: Upchg: Description:</i> L(K1029/13) \$160 Vibe, Glam L(K1029/14) \$160 Vibe, Poise L(K1029/BLK) \$160 Vibe, Black
<b>BT</b> With back topper	<i>Code: Upchg: Description:</i> J \$304 Spinneybeck Volo J \$408 Spinneybeck Sabrina	Lumbar detail 
	<i>Base Options:</i>  <i>Code: Upchg: Description:</i> 3 n/c painted matte aluminum base  4 n/c polished aluminum base	

List price base grade	grade <b>A</b>	COM <b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	COL <b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>
\$2,273.	\$2,412.	\$2,461.	\$2,544.	\$2,636.	\$2,708.	\$2,758.	\$2,937.	\$2,974.	\$3,036.	\$3,687.	\$3,873.	\$4,596.	\$4,643.	\$4,847.
2,598.	2,741.	2,790.	2,874.	2,967.	3,036.	3,084.	3,269.	3,303.	3,365.	4,016.	4,203.	4,927.	4,968.	5,174.
2,604.	2,746.	2,796.	2,881.	2,973.	3,043.	3,090.	3,273.	3,312.	3,369.	4,021.	4,208.	4,935.	4,977.	5,179.
2,758.	2,896.	2,946.	3,028.	3,122.	3,197.	3,239.	3,425.	3,460.	3,521.	4,177.	4,360.	5,082.	5,125.	5,331.

Back Suspension Fabric - Standard	Knitted Seat Topper - Base Grade	Textile Options
<i>Code: Description:</i> BSF 15 Eclipse BSF 17 Blackout BSF 19 Beige BSF 22 Grain BSF 31 Navy BSF 32 Rouge BSF 33 Plum BSF 34 Sunset BSF 35 Avocado BSF 37 Bronze BSF 38 Chestnut BSF 39 Platinum BSF 40 Charcoal BSF 41 Frost	<i>Code: Description:</i> KST 15 Eclipse/Blackout KST 18 Camel KST 19 Beige KST 31 Dark Blue KST 32 Scarlet KST 33 Grape KST 36 Olive KST 38 Dark Brown KST 40 Dark Grey   For no seat topper (NS), subtract \$62 from KST base grade list price.   There is no base grade upholstery for the back topper.   Ordering Samples/Viewing online: To view BSF and KST colors see Surface Finish Library on knoll.com. Physical samples are the best representation of color. To order samples, contact a Knoll sales representative or Knoll dealer.	Please refer to the matrices at the beginning of the price list for approved KnollTextiles fabrics and Spinneybeck leathers for seat and back toppers.  <i>Ultra Seat Topper Options:</i> For ultra seat topper, which is ½” thicker foam than standard seat topper, add U before the seat topper pattern code.  <i>Code: Upchg: Description:</i> UST \$69 Ultra Seat Topper in fabric or leather UKST \$69 Ultra Knitted Seat Topper   <i>Perforated Leather Option:</i> For perforated patterns in leather seat and/or back toppers, insert PERF( ) after ST( ) and/or BT( ) in pattern number. Seat topper upcharge is \$121. Back topper upcharge is \$254. See Spinneybeck Leather Application section for pattern codes.  <b>COM/COL Textile Requirements</b> <i>Seat Topper:</i> 0.7 yards fabric 9.0 sq ft leather   <i>Back Topper:</i> 1.3 yards fabric 16.0 sq ft leather
		<i>CAL 133 Options:</i>  To meet Cal 133 requirements, Life must have seat topper or seat and back toppers with approved FR upholstery. Not compliant with KST. See textile matrix at the beginning of the price list for pre-approved Cal 133 textiles. <b>▲</b> = Cal 133 pre-approved.  Insert C after ST( ) option. See below for upcharges.  <i>Code: Upchg: Description:</i> C \$96 CAL 133 fabric seat topper C \$327 CAL 133 fabric seat and back toppers C \$187 CAL 133 leather seat topper C \$459 CAL 133 leather seat and back toppers No minimum order required

*aluminum base, seat topper, no back topper*





	arm	description	pattern no. *
<i>Designer(s):</i> Formway Design Studio, 2002  <i>Award(s):</i> GOOD DESIGN Award, Chicago Athenaeum, 2003, USA NeoCon Gold, Best of NeoCon, Task Chair - Seating Design, June 2002, USA IIDEX/NeoCon, Sustainable Design Gold Award, 2002, Canada	Armless 	Aluminum base, fabric or leather seat topper, no back topper	<b>55C-3-(3 or 4)-A-5-K-GH BSF( )-ST( )-NB</b>
	Fixed Aluminum 	Aluminum base, fabric or leather seat topper, no back topper	<b>55M-3-(3 or 4)-A-5-K-GH BSF( )-ST( )-NB</b>
	Height Adjustable 	Aluminum base, fabric or leather seat topper, no back topper	<b>55H-3-(3 or 4)-A-5-K-GH BSF( )-ST( )-NB</b>
	High Performance 	Aluminum base, fabric or leather seat topper, no back topper	<b>55P-3-(3 or 4)-A-5-K-GH BSF( )-ST( )-NB</b>

List price base grade	grade <b>A</b>	COM <b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	COL <b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>
\$2,068.	\$2,148.	\$2,156.	\$2,195.	\$2,232.	\$2,262.	\$2,300.	\$2,318.	\$2,350.	\$2,385.	\$2,735.	\$2,835.	\$3,064.	\$3,089.	\$3,222.

2,407.	2,486.	2,494.	2,531.	2,573.	2,596.	2,636.	2,655.	2,684.	2,724.	3,069.	3,171.	3,405.	3,425.	3,561.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

2,412.	2,490.	2,501.	2,537.	2,577.	2,605.	2,642.	2,660.	2,693.	2,729.	3,080.	3,176.	3,409.	3,432.	3,567.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------






2,569.	2,647.	2,655.	2,696.	2,730.	2,760.	2,798.	2,814.	2,849.	2,885.	3,231.	3,332.	3,562.	3,588.	3,724.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

Order Code	Ordering Information	Options
<i>Example:</i> <b>55H-3-6-A5K-GH-BSF33-ST-K1206/9-NB</b>	<i>Specify:</i>	<i>Cylinder Height Options:</i>
<b>55</b> Life chair	1. Pattern number with back suspension fabric BSF( ).	For height ranges see Life Dimensions and Operating Instructions. Replace 5 in pattern with one of the following options:
<b>H</b> Height adjustable arms	2. Seat topper textile, either KST( ) for knitted seat topper or ST( ) for fabric or leather. NS for no seat topper.	<i>Code: Upchg: Description:</i>
<b>3</b> High back	3. Back topper textile, BT( ) for fabric or leather. NB for no back topper.	L n/c low cylinder
<b>6</b> Grey base		H n/c high cylinder
<b>A</b> Advanced control with sliding seat		
<b>5</b> Standard height cylinder		
<b>K</b> No lumbar		
<b>GH</b> Grey hard caster		
<b>BSF33</b> Plum Back Suspension Fabric		
<b>ST-K1206/9</b> Knoll Hopsack, Magenta seat topper		
<b>NB</b> No back topper		
	<b>Options</b>	<i>Caster Options:</i>
	<i>Armpad Options:</i>	Replace GH in pattern with one of the following options:
	For leather armpads, add J after the arm pattern code (Example: 55PJ) and specify leather. Available in Spinneybeck Volo (Grade U) and Sabrina (Grade W) leathers.	<i>Code: Upchg: Description:</i>
	<i>Code: Upchg: Description:</i>	BH n/c hard black caster
	J \$304 Spinneybeck Volo	BR \$23 soft black caster
	J \$408 Spinneybeck Sabrina	GR \$23 soft grey caster
		CH \$23 hard clear caster
		CR \$23 soft clear caster
	<i>Base Options:</i>	<i>Glides:</i>
	<i>Code: Upchg: Description:</i>	Replace GH in pattern with GG. No upcharge for this option.
	3 n/c painted matte aluminum base	
	4 n/c polished aluminum base	<i>Glide detail</i>
		
		<i>Lumbar detail</i>
		



Back Suspension Fabric - Standard	Knitted Seat Topper - Base Grade	Textile Options
<p><i>Code: Description:</i></p> <p>BSF 15 Eclipse</p> <p>BSF 17 Blackout</p> <p>BSF 19 Beige</p> <p>BSF 22 Grain</p> <p>BSF 31 Navy</p> <p>BSF 32 Rouge</p> <p>BSF 33 Plum</p> <p>BSF 34 Sunset</p> <p>BSF 35 Avocado</p> <p>BSF 37 Bronze</p> <p>BSF 38 Chestnut</p> <p>BSF 39 Platinum</p> <p>BSF 40 Charcoal</p> <p>BSF 41 Frost</p>	<p><i>Code: Description:</i></p> <p>KST 15 Eclipse/Blackout</p> <p>KST 18 Camel</p> <p>KST 19 Beige</p> <p>KST 31 Dark Blue</p> <p>KST 32 Scarlet</p> <p>KST 33 Grape</p> <p>KST 36 Olive</p> <p>KST 38 Dark Brown</p> <p>KST 40 Dark Grey</p> <p>For no seat topper (NS), subtract \$62 from KST base grade list price.</p> <p>There is no base grade upholstery for the back topper.</p> <p>Ordering Samples/Viewing online: To view BSF and KST colors see Surface Finish Library on knoll.com. Physical samples are the best representation of color. To order samples, contact a Knoll sales representative or Knoll dealer.</p>	<p>Please refer to the matrices at the beginning of the price list for approved Knoll Textiles fabrics and Spinneybeck leathers for seat and back toppers.</p> <p><i>Ultra Seat Topper Options:</i> For ultra seat topper, which is 1/2" thicker foam than standard seat topper, add U before the seat topper pattern code.</p> <p><i>Code: Upchg: Description:</i></p> <p>UST \$69 Ultra Seat Topper in fabric or leather</p> <p>UKST \$69 Ultra Knitted Seat Topper</p> <p><i>Perforated Leather Option:</i> For perforated patterns in leather seat and/or back toppers, insert PERF( ) after ST( ) and/or BT( ) in pattern number. Seat topper upcharge is \$121. Back topper upcharge is \$254. See Spinneybeck Leather Application section for pattern codes.</p> <p><b>COM/COL Textile Requirements</b></p> <p><i>Seat Topper:</i> 0.7 yards fabric 9.0 sq ft leather</p>
		<p><i>CAL 133 Options:</i></p> <p>To meet Cal 133 requirements, Life must have seat topper or seat and back toppers with approved FR upholstery. Not compliant with KST. See textile matrix at the beginning of the price list for pre-approved Cal 133 textiles. <b>A</b>= Cal 133 pre-approved.</p> <p>Insert C after ST( ) option. See below for upcharges.</p> <p><i>Code: Upchg: Description:</i></p> <p>C \$96 CAL 133 fabric seat topper</p> <p>C \$327 CAL 133 fabric seat and back toppers</p> <p>C \$187 CAL 133 leather seat topper</p> <p>C \$459 CAL 133 leather seat and back toppers</p> <p>No minimum order required</p>

Life®

aluminum base, seat topper and back topper

	arm	description	pattern no. *
<i>Designer(s):</i> Formway Design Studio, 2002	Armless 	Aluminum base, fabric or leather seat and back topper	<b>55C-3-(3 or 4)-A-5-K-GH BSF( )-ST( )-BT( )</b>
<i>Award(s):</i> GOOD DESIGN Award, Chicago Athenaeum, 2003, USA NeoCon Gold, Best of NeoCon, Task Chair - Seating Design, June 2002, USA IIDEX/NeoCon, Sustainable Design Gold Award, 2002, Canada	Fixed Aluminum 	Aluminum base, fabric and leather seat and back topper	<b>55M-3-(3 or 4)-A-5-K-GH BSF( )-ST( )-BT( )</b>
	Height Adjustable 	Aluminum base, fabric and leather seat and back topper	<b>55H-3-(3 or 4)-A-5-K-GH BSF( )-ST( )-BT( )</b>
	High Performance 	Aluminum base, fabric and leather seat and back topper	<b>55P-3-(3 or 4)-A-5-K-GH BSF( )-ST( )-BT( )</b>

List price base grade	grade <b>A</b>	COM <b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	COL <b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>
\$2,394.	\$2,534.	\$2,583.	\$2,668.	\$2,760.	\$2,833.	\$2,880.	\$3,062.	\$3,101.	\$3,158.	\$3,813.	\$3,999.	\$4,721.	\$4,764.	\$4,967.
2,733.	2,872.	2,921.	3,004.	3,101.	3,167.	3,216.	3,399.	3,435.	3,497.	4,147.	4,335.	5,062.	5,100.	5,306.
2,738.	2,876.	2,928.	3,010.	3,105.	3,176.	3,222.	3,404.	3,444.	3,502.	4,158.	4,340.	5,066.	5,107.	5,312.
2,895.	3,033.	3,082.	3,169.	3,258.	3,331.	3,378.	3,558.	3,600.	3,658.	4,309.	4,496.	5,219.	5,263.	5,469.

Order Code	Ordering Information	Options
<i>Example:</i> <b>55H-3-6-A5K-GH-BSF33-ST-K1206/9-BT</b>	<i>Specify:</i> 1. Pattern number with back suspension fabric BSF( ). 2. Seat topper textile, either KST( ) for knitted seat topper or ST( ) for fabric or leather. NS for no seat topper. 3. Back topper textile, BT( ) for fabric or leather. NB for no back topper.	<i>Cylinder Height Options:</i> For height ranges see Life Dimensions and Operating Instructions. Replace 5 in pattern with one of the following options:  <i>Code: Upchg: Description:</i> L n/c low cylinder H n/c high cylinder  <i>Lumbar Options:</i> For lumbar, replace K with L( ) in the pattern number. Specify color code in the parentheses after L.  <i>Code: Upchg: Description:</i> L(K1029/13) \$160 Vibe, Glam L(K1029/14) \$160 Vibe, Poise L(K1029/BLK) \$160 Vibe, Black
<b>55</b> Life chair		<i>Caster Options:</i> Replace GH in pattern with one of the following options:  <i>Code: Upchg: Description:</i> BH n/c hard black caster BR \$23 soft black caster GR \$23 soft grey caster CH \$23 hard clear caster CR \$23 soft clear caster
<b>H</b> Height adjustable arms		<i>Glides:</i> Replace GH in pattern with GG. No upcharge for this option.
<b>3</b> High back		Glide detail 
<b>6</b> Grey base		Lumbar detail 
<b>A</b> Advanced control with sliding seat		
<b>5</b> Standard height cylinder		
<b>K</b> No lumbar		
<b>GH</b> Grey hard caster		
<b>BSF33</b> Plum Back Suspension Fabric	<i>Armpad Options:</i> For leather armpads, add J after the arm pattern code (Example: 55PJ) and specify leather. Available in Spinneybeck Volo (Grade U) and Sabrina (Grade W) leathers.  <i>Code: Upchg: Description:</i> J \$304 Spinneybeck Volo J \$408 Spinneybeck Sabrina	
<b>ST-K1206/9</b> Knoll Hopsack, Magenta seat topper		
<b>BT</b> With back topper	<i>Base Options:</i>  <i>Code: Upchg: Description:</i> 3 n/c painted matte aluminum base 4 n/c polished aluminum base	


Back Suspension Fabric - Standard	Knitted Seat Topper - Base Grade	Textile Options
<i>Code: Description:</i> BSF 15 Eclipse BSF 17 Blackout BSF 19 Beige BSF 22 Grain BSF 31 Navy BSF 32 Rouge BSF 33 Plum BSF 34 Sunset BSF 35 Avocado BSF 37 Bronze BSF 38 Chestnut BSF 39 Platinum BSF 40 Charcoal BSF 41 Frost	<i>Code: Description:</i> KST 15 Eclipse/Blackout KST 18 Camel KST 19 Beige KST 31 Dark Blue KST 32 Scarlet KST 33 Grape KST 36 Olive KST 38 Dark Brown KST 40 Dark Grey  For no seat topper (NS), subtract \$62 from KST base grade list price.  There is no base grade upholstery for the back topper.  Ordering Samples/Viewing online: To view BSF and KST colors see Surface Finish Library on knoll.com. Physical samples are the best representation of color. To order samples, contact a Knoll sales representative or Knoll dealer.	Please refer to the matrices at the beginning of the price list for approved KnollTextiles fabrics and Spinneybeck leathers for seat and back toppers.  <i>Ultra Seat Topper Options:</i> For ultra seat topper, which is ½” thicker foam than standard seat topper, add U before the seat topper pattern code.  <i>Code: Upchg: Description:</i> UST \$69 Ultra Seat Topper in fabric or leather UKST \$69 Ultra Knitted Seat Topper  <i>Perforated Leather Option:</i> For perforated patterns in leather seat and/or back toppers, insert PERF( ) after ST( ) and/or BT( ) in pattern number. Seat topper upcharge is \$121. Back topper upcharge is \$254. See Spinneybeck Leather Application section for pattern codes.  <b>COM/COL Textile Requirements</b> <i>Seat Topper:</i> 0.7 yards fabric 9.0 sq ft leather  <i>Back Topper:</i> 1.3 yards fabric 16.0 sq ft leather
		<i>CAL 133 Options:</i>  To meet Cal 133 requirements, Life must have seat topper or seat and back toppers with approved FR upholstery. Not compliant with KST. See textile matrix at the beginning of the price list for pre-approved Cal 133 textiles. <b>▲</b> = Cal 133 pre-approved.  Insert C after ST( ) option. See below for upcharges.  <i>Code: Upchg: Description:</i> C \$96 CAL 133 fabric seat topper C \$327 CAL 133 fabric seat and back toppers C \$187 CAL 133 leather seat topper C \$459 CAL 133 leather seat and back toppers No minimum order required

	description	pattern no.
<i>Designer(s):</i> Formway Design Studio, 2002  <i>Award(s):</i> GOOD DESIGN Award, Chicago Athenaeum, 2003, USA NeoCon Gold, Best of NeoCon, Task Chair - Seating Design, June 2002, USA IIDEX/NeoCon, Sustainable Design Gold Award, 2002, Canada	Replacement fabric or leather back topper	<b>55BACKTOPPER</b>
	Replacement fabric seat topper	<b>55FABRICTOPPER</b>
	Replacement KST or leather seat topper upholstery	<b>55SEATTOPPER</b>
	Replacement lumbar	<b>55LUMBAR</b>



Order Code	Ordering Information	Options												
<i>Example:</i> <b>55FABRICTOPPER-ST-K1206/9</b>	<i>Specify:</i> 1. Pattern number 2. Textile	<i>Lumbar Options:</i> For lumbar, specify color code in the parentheses after L.  <table><tr><td><i>Code:</i></td><td><i>Upchg:</i></td><td><i>Description:</i></td></tr><tr><td>K1029/13</td><td>\$160</td><td>Vibe, Glam</td></tr><tr><td>K1029/14</td><td>\$160</td><td>Vibe, Poise</td></tr><tr><td>K1029/BLK</td><td>\$160</td><td>Vibe, Black</td></tr></table>	<i>Code:</i>	<i>Upchg:</i>	<i>Description:</i>	K1029/13	\$160	Vibe, Glam	K1029/14	\$160	Vibe, Poise	K1029/BLK	\$160	Vibe, Black
<i>Code:</i>	<i>Upchg:</i>	<i>Description:</i>												
K1029/13	\$160	Vibe, Glam												
K1029/14	\$160	Vibe, Poise												
K1029/BLK	\$160	Vibe, Black												
<b>55</b>	Life chair													
<b>FABRIC TOPPER</b>	Replacement fabric seat topper													
<b>ST</b>	Seat topper													
<b>K1206/9</b>	Knoll Hopsack, Magenta													

Lumbar detail



List price base grade	grades <b>A</b>	COM <b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	COL <b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>
\$326.	\$386.	\$427.	\$473.	\$528.	\$571.	\$580.	\$744.	\$751.	\$773.	\$1,078.	\$1,164.	\$1,657.	\$1,675.	\$1,745.
80.	160.	169.	210.	245.	273.	312.	328.	360.	400.					
80.										747.	844.	1,077.	1,102.	1,236.
160.														

Knitted Seat Topper - Base Grade

*Code:*    *Description:*  
KST 15 Eclipse/Blackout  
KST 18 Camel  
KST 19 Beige  
KST 31 Dark Blue  
KST 32 Scarlet  
KST 33 Grape  
KST 36 Olive  
KST 38 Dark Brown  
KST 40 Dark Grey

There is no base grade upholstery for the back topper.

Ordering Samples/Viewing online:  
To view BSF and KST colors see Surface Finish Library on knoll.com. Physical samples are the best representation of color. To order samples, contact a Knoll sales representative or Knoll dealer.

Textile Options

Please refer to the matrices at the beginning of the price list for approved KnollTextiles fabrics and Spinneybeck leathers for seat and back toppers.

*Ultra Seat Topper Options:*  
For ultra seat topper, which is ½” thicker foam than standard seat topper, add U before the seat topper pattern code.

<i>Code:</i>	<i>Upchg:</i>	<i>Description:</i>
UST	\$69	Ultra Seat Topper in fabric or leather
UKST	\$69	Ultra Knitted Seat Topper

*Perforated Leather Option:*  
For perforated patterns in leather seat and/or back toppers, insert PERF( ) after ST( ) and/or BT( ) in pattern number. Seat topper upcharge is \$121. Back topper upcharge is \$254. See Spinneybeck Leather Application section for pattern codes.

COM/COL Textile Requirements

*Seat Topper:*  
0.7 yards fabric  
9.0 sq ft leather

*Back Topper:*  
1.3 yards fabric  
16.0 sq ft leather

CAL 133 Options:

To meet Cal 133 requirements, Life must have seat topper or seat and back toppers with approved FR upholstery. Not compliant with KST. See textile matrix at the beginning of the price list for pre-approved Cal 133 textiles. **▲**= Cal 133 pre-approved.

Insert C after ST( ) option. See below for upcharges.

<i>Code:</i>	<i>Upchg:</i>	<i>Description:</i>
C	\$96	CAL 133 fabric seat topper
C	\$327	CAL 133 fabric seat and back toppers
C	\$187	CAL 133 leather seat topper
		<b>Minimum order of 3 chairs required</b>
C	\$459	CAL 133 leather seat and back toppers
		No minimum order required

How to Specify a Life Chair

Step 1 Basic Pattern Number																						
Select a Chair Type (including arm, base, cylinder, lumbar and caster type)																						
Arm						Base				Cylinder		Lumbar		Caster								
Life Chair	Height Adjustable Arms	High Performance Arms	Fixed Aluminum Arms	Armless	Leather Armpads	High Back	Grey Plastic Base	Polished Aluminum Base	Painted Matte Aluminum Base	Black Plastic Base	Advanced Control with Sliding Seat	Medium Height Cylinder	Low Height Cylinder	High Height Cylinder	Height Adjustable Lumbar, Color #	No Lumbar	Grey Hard Caster	Grey Soft Caster	Clear Hard Caster	Clear Soft Caster	Black Hard Caster	Black Soft Caster
55	H	P	M	C	J	3	6	4	3	2	A	5	L	H	L	K	GH	GR	CH	CR	BH	BR

The basic pattern numbers are configured for you in the price list.


EXAMPLES:

<b>55PJ-3-6-A5L-K1029-13-GH-BSF17-ST-K451/4-BT-K451/4</b> (Life with plastic base and upholstered seat and back toppers) Life / High Performance Arm / Leather Armpads / Grey Base / Height Adjustable Lumbar, Vibe K1029-13 Glam / Grey Hard Caster / Life Back Suspension Fabric-Blackout / Seat Topper Fabric-Una, Ebony / Back Topper Fabric-Una, Ebony
<b>55H-3-4-A5K-CH-BSF22-KST19-NB</b> (Life with aluminum base and knitted seat topper, no back topper) Life / Height Adjustable Arms / Polished Aluminum Base / No Lumbar / Clear Hard Caster / Life Back Suspension Fabric-Grain / Life Knitted Seat Topper / No Back Topper

Step 2		Step 3		Step 4	
	Select Back Suspension Fabric color	Select No Seat Topper	<div>or</div> Select Seat Topper and Upholstery Choice	Select No Back Topper	<div>or</div> Select Back Topper and Upholstery Choice
	Life Back Suspension Fabric	No Seat Topper (-\$54 from base grade list price)	Seat Topper and Upholstery Number  Life Knitted Seat Toppers are base grade. Additional options include all approved KnollTextiles fabrics, Spinneybeck leathers, COM or COL	No Back Topper	Back Topper and Upholstery Code  Options include all approved KnollTextiles fabrics, Spinneybeck leathers, COM or COL
	BSF(15-41)	NS	Life Knitted Seat Topper <b>KST(15-40)</b> (base grade) <div>or</div> <b>UKST(15-40)</b> (optional Ultra Knitted Seat Topper) <div>or</div> <b>ST-(KnollTextiles or Spinneybeck Upholstery Code*)</b> (optional fabric or leather seat topper) <div>or</div> <b>UST-(Upholstery Code*)</b> (optional fabric or leather Ultra Seat Topper) <div>or</div> <b>COM or COL</b>	NB	No base grade available  <div>or</div> <b>BT-(KnollTextiles or Spinneybeck Upholstery Code*)</b> (optional fabric or leather back topper)  <div>or</div> <b>COM or COL</b>

\* Please refer to the matrices at the beginning of the price list for approved fabrics and leathers.



			
<b>Back Suspension Fabric with No Seat Topper</b> Life Back Suspension Fabric (BSF) is required for every chair and comes in 14 updated colors including warm and cool neutrals and vibrant, saturated colors.			
<b>Back Suspension Fabric with Upholstered Seat Topper</b> You may choose to add a seat topper. In addition to a wide range of approved KnollTextiles fabrics and Spinneybeck leathers, an exclusive Life Knitted Seat Topper (KST) is available in a palette to match the Life BSF. Life KST is base grade and included in the basic model pricing.			
<b>Back Suspension Fabric with Upholstered Seat and Back Toppers</b> Change the look of Life by adding an upholstered back topper. A wide range of approved KnollTextiles fabrics and Spinneybeck leathers are available as back toppers. Life KST is not available as a back topper. There is no base grade back topper.			
<b>Construction</b>			
<b>COM/COL Approval Procedure</b> Prior to order placement a sample* of the actual COM/COL must be submitted to Knoll East Greenville, with completed Knoll COM/COL Approval Request Form. Even after such preliminary approval, Knoll reserves the right to reject COM, including, if necessary, the item intended for use with COM, if Knoll considers the customer-supplied material inadequate for any reason. When specifying suede and shrunken cowhide, add 10% to the square footage requirement. When specifying calfskin, add 15% to the square footage requirement. COM is graded at Life KST base grade and COL is grade U.			
<b>Cleaning Note:</b> Life BSF is cleaning code W, meaning water-based cleaning agents or foam may be used.  Life KST is cleaning code W-S, meaning water-based cleaning agents and foam or mild water-free solvents may be used.  Both BSF and KST can be cleaned with low environmental impact cleaning fluids, including GS-37 certified products.  See KnollTextiles.com for further details on cleaning codes.			
<b>Back:</b> Glass filled nylon frame. Polyester multi-filament yarn with co-polymer polyester elastomeric knit back suspension fabric.			
<b>Upholstery toppers:</b> High density urethane foam material ¾" foam - back thickness 1 ¾" foam - seat thickness 2 ¼" foam - ultra seat thickness			
<b>Flexing Seat Pan:</b> Glass filled nylon seat structure.			
<b>Fixed Aluminum Arms:</b> Aluminum armpost with soft integrally colored self-skinning urethane pad and integrally molded thermoplastic glass-filled nylon support.			
<b>Height Adjustable and High Performance Arms:</b> Aluminum armpost with soft integrally colored self-skinning urethane pad and integrally molded thermoplastic glass-filled nylon support.			
<b>Black and Grey Plastic Base:</b> Glass filled nylon.			
<b>Polished and painted matte aluminum base:</b> Aluminum			
<b>Optional Lumbar:</b> Slow recovery urethane foam with KnollTextiles Vibe fabric cover. Attaches with neodymium magnets in TPU back frame.			
<b>Casters:</b> Nylon 6 hard caster. Nylon 6 soft caster with urethane overmolding.			

**Visual impression and scale:**  
Doesn't dominate the look of the work environment, it complements it. Translucent back, sculpted mechanism and thin profile integrate Life into the landscape. Generous scale and features accommodate all size users.

**Synchronized recline with auto-balanced tension:**  
Utilizes user's body weight for resistance and recline. Allows for constant sightline — no need to refocus. Promotes movement and balance. Preference control accommodates a wider range of users.

**Dynamic seat pan with forward flex:**  
Unique cut-out pattern with ribbed understructure provides dynamic movement and structural stability. Cradles and accommodates ischials (sit bones) without pressure points. Automatic flex responds to user's every move. Flex front automatically supports perching and enables a balanced posture. Flex front includes waterfall edge (gradual radius at the front edge that does not cause pressure under the knee). Ribs prevent "hammocking" or sagging and allow for easier movement.

**Back flex:**  
The back frame is also a flexible plane like the seat that moves with you as you recline in the chair.

**Life Back Suspension Fabric (BSF):**  
Exclusive elastomeric knit has built in lumbar support and is available in 14 color options. Has a soft feel that is not harsh to skin or clothing.

**Arms:**  
Soft armpads alleviate pressure points. Types available: fixed, height adjustable, high performance (includes height adjustment and armpad positioning). Retrofittable or changeable.

**High performance arms:**  
One-hand operation. Armposts are set toward the rear of the seat for a better fit. Soft armpads float in an orbital motion with locked stops. A great deal of adjustment in a surprisingly slim package.

**Optional lumbar attachment:**  
Made of slow recovery foam, it magnetically attaches anywhere on the Life Back Suspension Fabric (BSF), and is covered in Vibe by KnollTextiles.

**Low profile base and casters:**  
Feet can rest on the base comfortably. Low profile enables easier foot movement. Caster ribs absorb energy, flex and spread the static load for easier rolling.

**Controls:**  
Adjustable from the seated position. Easy, obvious and labeled. Automated where possible.

**Environmental: SMaRT® Sustainable Gold certified.**  
Life was the first product in the industry to be SMaRT® certified. SMaRT® Consensus Sustainable Product Standard is a comprehensive, transparent, sustainable product standard that measures a product's environmental, economic and social benefits over its life and throughout its global supply chain, from raw materials through reclamation or re-use. Life can contribute to achieving a LEED® Innovation in Design Credit.

**BIFMA level® certified** BIFMA has established level® as a common framework against which to evaluate the environmental and social responsibility of a variety of products. level® is part of BIFMA's ongoing development of voluntary product and industry standards that support safe, healthy and sustainable workplaces. To achieve level® certification, Knoll partners with Scientific Certification Systems (SCS), known for its integrity and scientific rigor.

**Warranty:**  
Life is warranted for 24-hour, 7 days a week, multi shift use: 12 years parts and labor to repair; 3 years seating upholstery, textiles and leathers, and finishes. See Knoll Selling Policy for further details, conditions and exclusions.

**Life Awards:**  
Good Design Award, Chicago Athenaeum, 2003, USA  
NeoCon Gold, Best of NeoCon, Task Chair - Seating Design, June 2002, USA  
IIDEX/NeoCon, Sustainable Design Gold Award, 2002, Canada  
IIDEX/NeoCon, Seating Desk, Workstation Chair Gold Award, 2002, Canada  
FX Awards, Seating Product of the Year, 2002, UK  
FX Awards, Overall Interior Product of the Year, 2002, UK


Life Ergonomic Dimensions			
Seat*	Seat Topper	No Seat Topper	Ultra Seat Topper
Seat Height	14.75" - 18.5" (low cylinder) 15.75" - 21" (standard cylinder)	14.25" - 18" (low cylinder) 15.25" - 20.5" (standard cylinder)	15" - 18.75" (low cylinder) 16" - 21.25" (standard cylinder)
Seat Depth (Adjustable)	15" - 17.5"		
Seat Width	18.75"		
Seat Pan Angle (Fixed)	4° rearward		
Back*			
Backrest Height	25"		
Backrest Width	18.25"		
Lumbar Support (Fixed)	7.5"		
Lumbar Support (Adjustable)	Exceeds 5.5" - 9.8" (optional lumbar)		
Angle Between Seat and Back	95° - 119°		
Tilt Range of Back	24°		
Arms*	Seat Topper	No Seat Topper	Ultra Seat Topper
Armrest Height (Fixed)	9.5" (fixed arm)	10.5" (fixed arm)	8.5" (fixed arm)
Armrest Height (Adjustable)	6.8" - 10.8" (height adjustable)	7.8" - 11.8" (height adjustable)	5.8" - 9.8" (height adjustable)
	6.8" - 10.8" (high performance)	7.8" - 11.8" (high performance)	5.8" - 9.8" (high performance)
Inside Distance Between Armrests (Fixed)	18.5" (fixed); 18.25" (height adjustable)		
Inside Distance Between Armrests (Adjustable)	17.25" - 19.75" (high performance)		

\* All measurements taken with BIFMA Chair Measuring Device using the Universal Measurement Procedure which has a measurement uncertainty of ± 5%

Life Chair Measurements\*\*

A. Overall Height	38.5" - 43.75" (back topper adds 0.5")
B. Overall Width	26.5"
C. Overall Depth	24.5"
D. Arm Height from Floor	25" - 30" (fixed arm)
	22" - 31.5" (height adjustable)
	22" - 31.5" (high performance)
E. Base Diameter	26"
Weight	36.5 lbs. (plastic base, high performance arms, seat topper)
	38 lbs. (aluminum base, high performance arms, seat topper)

\*\*Standard cylinder



Life - Additional Information


Synchronized recline ratio seat : back is 1° : 4.8°
High performance arms adjust 2.5" in armpad width (1.25" per side) and 3" armpad fore/aft movement
Optional lumbar measures 11.5" x 5.5"
Optional headrest measures 9"W x 6" - 9"H

Compliancy: ANSI/BIFMA x5.1-2017 (U.S. structural standard)

- BIFMA G1 : 2002 (U.S. ergonomic guidelines)
- California T.B. 117 (U.S. flammability standard for foam)
- California T.B. 133 with approved FR textile (U.S. flammability standard for full chair)
- CAN/CGSB 44.232-2008, BS 5459.2 : 2000 (European structural standard)

The Life chair has been tested and is approved for use by individuals weighing up to 300 pounds.


Life® Operating Instructions



Standard Features:

Synchronized recline with auto-balanced tension

No need to adjust tension. Automatic recline tension counter-balances your body weight, resulting in perfect balance as you recline.




Forward seat flex

No knobs or levers needed. Lean forward or perch toward the edge of the seat and Life's seat pan automatically adjusts to support your position.



Tension preference selector

To perfect the tension adjust the preference lever located at the back left of the chair while in the upright position.




Arm Options:

Fixed arms:

Non-adjustable.


Height Adjustable Arms:

Lift the lever on the outside of the armpad to adjust arm height.



Seat height adjustment


To raise or lower the height, lift the lever on the right side of the chair and adjust to the proper height.



High Performance Arms:


Lift the lever on the outside of the armpad to adjust arm height.

The armpads adjust in an orbital motion and lock into a fixed position by pressing the button on the inside of the pad. The armpads can be positioned to the front or back and in width.



Sliding seat depth adjustment

Using the same lever as the seat height, push down to slide the seat within the 2.5" seat depth range. Release the lever to lock the seat into position.



Lumbar Options:


Height Adjustable Lumbar

The lumbar support is held on to the chair with magnets for easy installation and a maximum range of adjustability.

To install the lumbar, separate the halves of the magnetic lumbar and place it in the desired position on your chair. Secure it by putting both halves back together around the back suspension fabric on the chair.

Adjust the lumbar by sliding the lumbar pad up and down the back of the chair.

Note: Product contains magnets. Consult the lumbar hangtag for more information.



Upright tilt lock

To lock the seat in an upright position, push down the lever located on the left side of seat. Lift lever to unlock.

Newson Task™  
task chair with 5-star base

Designer(s):  
Marc Newson, 2022



model	description	pattern no.
armless	5-star plastic base, standard cylinder, no optional lumbar, hard casters	<b>88-1-NA-2-S-X-HC</b>
height adjustable arms	5-star plastic base, standard cylinder, no optional lumbar, hard casters	<b>88-1-HA-2-S-X-HC</b>
high performance arms	5-star plastic base, standard cylinder, no optional lumbar, hard casters	<b>88-1-HP-2-S-X-HC</b>
NEWTSEAT	Newson Replacement Seat	<b>NEWTSEAT</b>

list price base grade	grades <b>A</b>	COM <b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	COL <b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>
\$1,825.	\$1,895.	\$1,910.	\$1,930.	\$1,950.	\$1,980.	\$2,015.	\$2,050.	\$2,070.	\$2,150.	\$2,320.	\$2,495.	\$2,695.	\$2,785.	\$2,875.

1,925.	1,995.	2,010.	2,030.	2,050.	2,080.	2,115.	2,150.	2,170.	2,250.	2,420.	2,595.	2,795.	2,885.	2,975.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

2,025.	2,095.	2,110.	2,130.	2,150.	2,180.	2,215.	2,250.	2,270.	2,350.	2,520.	2,695.	2,895.	2,985.	3,075.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

325.	350.	370.	388.	415.	449.	490.	532.	546.	640.	855.	1,081.	1,375.	1,457.	1,538.
------	------	------	------	------	------	------	------	------	------	------	--------	--------	--------	--------

Order Code	Ordering Information	Options
<i>Example:</i> <b>88-1-NA-2-S-X-HC-IN-IN-IN-USF-K2085B/31</b>	<i>Specify:</i> 1. Pattern number 2. Honeycomb elastomer finish 3. Back frame finish 4. Seat foam 5. Seat textile	<i>5-Star Polished Aluminum Base:</i> Replace 2 in pattern with 4. <i>Code:</i> <i>Upchg:</i> <i>Description:</i> 4     \$90     5-Star polished aluminum base
<b>88</b>	Newson	
<b>1</b>	Task chair	
<b>NA</b>	Armless	
<b>2</b>	5-Star Plastic Base	
<b>S</b>	Standard cylinder	
<b>X</b>	No lumbar included	
<b>HC</b>	Hard casters for soft floors	
<b>IN</b>	Ink honeycomb elastomer finish	
<b>IN</b>	Ink back frame finish	
<b>IN</b>	Ink Base finish	
<b>USF</b>	Ultra seat foam	
<b>K2085B/31</b>	Base grade Crossroad, Ink seat	
<i>Example for Cal 133:</i> <b>88-1-NA-2-S-X-HC-IN-IN-IN-USF-K2085B/31-133</b>		
		<i>Cylinder Height Options:</i> Replace S in pattern with one of the following: <i>Code:</i> <i>Description:</i> L     low cylinder H     high cylinder
		<i>Casters:</i> Replace HC in pattern with the following: <i>Code:</i> <i>Description:</i> SC     Soft casters for hard floors
		<i>Honeycomb Elastomer Finish:</i> Elastomer finish functions independently of all other parts. Select one of the following: <i>Code:</i> <i>Description:</i> GT     Graphite (grey) IN     Ink (black) PT     Petal (pink) UM     Umber (brown)
		<i>Back Frame Finish:</i> Back frame finish drives all of the color match parts of the chair. Select one of the following: <i>Code:</i> <i>Upchg:</i> <i>Description.</i> GT     \$250     Graphite (grey) IN     n/c     Ink (black) PT     \$350     Petal (pink) UM     \$350     Umber (brown)
		<i>Base Finish:</i> Defaults to one of the following based on back frame finish. <i>Code:</i> <i>Description:</i> A     Aluminum CL     Cloud (light grey) IN     Ink (black)
		<i>Note:</i> Unless Polished Aluminum is specified in pattern, base finish defaults to Ink when Ink or Umber back frame is selected and base defaults to Cloud when Petal or Graphite back frame is selected.
		<i>Seat Foam Options:</i> Select one of the following: <i>Code:</i> <i>Description:</i> TSF     thin seat foam USF     ultra seat foam (default)

Crossroad K2085 Base Grade Textiles	Textile Options
KnollTextiles Crossroad K2085 is the base grade textile for the Newson task chair. Choose K2085B for the seat, followed by a color code. Note, colors marked with * are custom and reserved only for use on Newson Task. Select one of the following: <i>Code:</i> <i>Description:</i> 15     Flamingo 31     Ink * 33     Graphite * 34     Umber * 01     Pearl 02     Gravel 03     Honey Bee 04     Zest 05     Blossom 06     Paprika 07     Lime 08     Leaf 09     Tropical 10     Ocean	<i>KnollTextiles fabrics and Spinneybeck leathers:</i> Please refer to the textile matrices at the beginning of the price list for approved fabrics and leathers.  <i>Customer's Own Material/Leather:</i> See Customer's Own Material Seating Process Overview at the beginning of the price list  COM/COL Textile Requirements (for both thin and ultra seat foam):  COM fabric     .8 yards COL leather     14 sq. ft.
	<i>Cal 133:</i> See textile matrices at the beginning of the price list for additional Cal 133 pre-approved textiles. ▲ = Cal 133 pre-approved  To specify, insert C before seat textile selection and 133 after the seat selection. <i>Code:</i> <i>Upchg:</i> <i>Description:</i> C( )133 \$ 108     Cal 133 compliant



Newson Task™  
task chair with Newson Aluminum base

Office Seating

	model	description	pattern no.
<i>Designer(s):</i> Marc Newson, 2022	armless	Newson aluminum base, standard cylinder, no optional lumbar, hard casters	<b>88-1-NA-7-S-X-HC</b>
	height adjustable arms	Newson aluminum base, standard cylinder, no optional lumbar, hard casters	<b>88-1-HA-7-S-X-HC</b>
	high performance arms	Newson aluminum base, standard cylinder, no optional lumbar, hard casters	<b>88-1-HP-7-S-X-HC</b>



Order Code	Ordering Information	Options
<i>Example:</i> <b>88-1-NA-7-S-X-HC-IN-IN-IN-A-USF-K2085B/31</b>	<i>Specify:</i>	<i>Cylinder Height Options:</i>
<b>88</b>	1. Pattern number	Replace S in pattern with one of the following:
<b>1</b>	2. Honeycomb elastomer finish	
<b>NA</b>	3. Back frame finish	<i>Code: Description:</i>
<b>7</b>	4. Seat foam	L low cylinder
<b>S</b>	5. Seat textile	H high cylinder
<b>X</b>		
<b>HC</b>		<i>Casters:</i>
<b>IN</b>		Replace HC in pattern with the following:
<b>IN</b>		<i>Code: Description:</i>
<b>IN</b>		SC Soft casters for hard floors
<b>A</b>		
<b>USF</b>		<i>Honeycomb Elastomer Finish:</i>
<b>K2085B/31</b>		Elastomer finish functions independently of all other parts.
		Select one of the following:
		<i>Code: Description:</i>
		GT Graphite (grey)
		IN Ink (black)
		PT Petal (pink)
		UM Umber (brown)
		<i>Back Frame Finish:</i>
		Back frame finish drives all of the color match parts of the chair.
		Select one of the following:
		<i>Code: Upchg: Description:</i>
		GT \$250 Graphite (grey)
		IN n/c Ink (black)
		PT \$350 Petal (pink)
		UM \$350 Umber (brown)
		<i>Seat Foam Options:</i>
		Select one of the following:
		<i>Code: Description:</i>
		TSF thin seat foam
		USF ultra seat foam (default)

*Example for Cal 133:*  
**88-1-NA-7-S-X-HC-IN-IN-A-USF-K2085B/31-133**

list price base grade	grades <b>A</b>	COM <b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	COL <b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>
\$1,915.	\$1,985.	\$2,000.	\$2,020.	\$2,040.	\$2,070.	\$2,105.	\$2,140.	\$2,160.	\$2,240.	\$2,410.	\$2,585.	\$2,785.	\$2,875.	\$2,965.

2,015.	2,085.	2,100.	2,120.	2,140.	2,170.	2,205.	2,240.	2,260.	2,340.	2,510.	2,685.	2,885.	2,975.	3,065.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

2,115.	2,185.	2,200.	2,220.	2,240.	2,270.	2,305.	2,340.	2,360.	2,440.	2,610.	2,785.	2,985.	3,075.	3,165.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

Crossroad K2085 Base Grade Textiles	Textile Options
KnollTextiles Crossroad K2085 is the base grade textile for the Newson task chair. Choose K2085B for the seat, followed by a color code. Note, colors marked with * are custom and reserved only for use on Newson Task. Select one of the following:	<i>KnollTextiles fabrics and Spinneybeck leathers:</i> Please refer to the textile matrices at the beginning of the price list for approved fabrics and leathers.
<i>Code: Description:</i>	<i>Cal 133:</i> See textile matrices at the beginning of the price list for additional Cal 133 pre-approved textiles. ▲ = Cal 133 pre-approved
11 Horizon	
12 Mineral	
13 Moon Light	
14 Granite	
16 Cinnamon	
17 Pistachio	
18 Spring	
19 Cabana	
20 Tride	
21 Shadow Box	
22 Almond	
01 Pearl	
02 Gravel	
03 Honey Bee	
04 Zest	
05 Blossom	
06 Paprika	
07 Lime	
08 Leaf	
09 Tropical	
10 Ocean	
	<i>Customer's Own Material/Leather:</i> See Customer's Own Material Seating Process Overview at the beginning of the price list
	To specify, insert C before seat textile selection and 133 after the seat selection.
	<i>Code: Upchg: Description:</i> C( )133 \$ 108 Cal 133 compliant
	COM fabric .8 yards
	COL leather 14 sq. ft.


Newson Task Ergonomic Dimensions		
Seat*	Thin Seat Foam	Ultra Seat Foam
Seat Height	14.8" - 18.8" (low cylinder)	15.7" - 19.7" (low cylinder)
	16.3" - 20.7" (standard cylinder)	17.2" - 21.6" (standard cylinder)
	18.1" - 22.5" (high cylinder)	19" - 23.4" (high cylinder)
Seat Depth (Adjustable)	15.8" - 18.8"	15.8" - 18.8"
Seat Width	19.2"	19.2"
Seat Pan Angle (Fixed)	1° rearward at rest	2.6° rearward at rest
Back*		
Backrest Height	22.7"	
Backrest Width	18.7"	
Lumbar Support (Fixed)	6.0"	
Angle between Seat and Back	102° - 119°	
Tilt Range of Back	19°	
Arms*	Thin Seat Foam	Ultra Seat Foam
Armrest Height from Seat	6.8" - 11.8" (height adjustable arms)	7.1" - 12.1" (height adjustable arms)
	7.2" - 12.2" (high performance arms)	7.5" - 12.5" (high performance arms)
Inside Distance between Armrests (Fixed)	20.4" (fixed arms)	20.4" (fixed arms)
Inside Distance between Armrests (Adjustable)	18" (high performance arms)	18" (high performance arms)

\*All measurements taken with the BIFMA Chair Measuring Device using the Universal Measurement Procedure which has a measurement uncertainty of ± 5%

Newson Task Measurements\*\*

A. Overall Height	37.8 - 42.2"
B. Overall Width	25.8" (armless)
	26.2" (height adjustable arms)
	26.9" (high performance arms)
C. Overall Depth	20.6" (excluding base)
D. Arm Height from Floor	23.5" - 32.5" (height adjustable arms)
	24" - 33" (high performance arms)
E. Base Diameter	28"
Weight	47 lbs. (height adjustable/high performance arms) (add 2 lbs. for aluminum base)

\*\* standard cylinder, plastic base




Newson Task Performance Information

Synchronized recline ratio seat: back is 1° : 2°
High performance arm pads measure 9.1" long x 4.5" wide
Height adjustable arm pads measure 9.6" long x 3.5" wide
High performance arm pads adjust 2.5" in depth and pivot 40° (20° inward, 20° outward)

Compliance: ANSI/BIFMA X5.1-2017 (US structural standard)  
CAN/CGSB 44.232-2018 (CAN structural standard)  
BIFMA G1-2013 (US ergonomic guideline)  
California T.B. 117 (US flammability standard for urethane foam)- the label is applied to the seat cosmetic cover  
California T.B. 133 with pre-approved FR upholstery with F187 fire barrier (US flammability standard for full chair)  
Newson Task has been tested and is approved for use by individuals weighing up to 300 pounds

Newson Task™ Features and Operating Instructions

No Adjustment Necessary




**Honeycomb Back**  
Pairs a uniquely flexible nylon frame with a rubberized, thermoplastic elastomeric skin that work together to support all levels of movement—from an upright posture to the deepest recline.




**Floating Seat**  
The contoured foam seat provides targeted cushioning for long-term comfort and waterfall edges for shifting postures.


Intuitive Adjustments (Standard)




**T1 Control**  
To leave the underside of the chair free and uncluttered, the synchronized tilt tension control has been reoriented and flipped vertically to be tucked beneath the seat. The tension adjustment delivers the same simple, fluid experience to a wide variety of users.




**Seat Depth**  
Pull out the handle embedded in the left side of the seat pan then slide seat to the desired position. Release handle to lock seat in place.



**Seat Height**  
To lower the seat, lift the right lever while seated in the chair. To raise the seat, remove your weight from the seat while lifting right lever. Release to lock.




**Tilt Tension Knob**  
Turn right knob forward to increase the tilt tension or backward to reduce the tension.




**Tilt Limiter**  
The tilt limiter provides three levels of recline: 100%, 60%, 0%. Keep the limiter lever level for free recline. Pull the tilt limiter up once to limit the recline to 60%. Pull it up again to the top-most position to lock out the recline completely.

Performance Options



**Height Adjustable Arm**  
To adjust the height, push the button underneath the arm pad. Slide the arm to the desired position and release the button to lock.



**High Performance Arm**  
In addition to arm height adjustment, free float arm pads easily move in width, depth and pivot. Pull the button on the side of the arm and slide the arm to the desired height. Push, pull, and pivot the arm pad as desired.

CONSTRUCTION  
INFORMATION

Honeycomb back frame

Integrally colored, textured, glass reinforced nylon

Honeycomb elastomeric skin

Integrally colored, high-performance elastomer with co-polyester structure

Arm pads

Integrally colored, self skinning polyurethane

Height adjustable and high-performance arm supports

Integrally colored, glass reinforced nylon

Seat

High-resiliency molded foam with integrally colored, molded plastic cover

T1 control

Powder coated aluminum housing, glass reinforced nylon cover, thermoplastic elastomer cover, glass reinforced polyester levers and knobs, glass reinforced polyester seat slide plate

Pneumatic cylinder

Powder coated steel

5-star base

Integrally colored, glass reinforced nylon or polished, cast aluminum

Hard casters

Integrally colored nylon and steel

Soft casters

Integrally colored nylon over molded with polyurethaneand steel

KnollTextiles Crossroad

43% Polyester, 37% Post Industrial Recycled Polyester, 20% Post Consumer Recycled Polyester

CLEANING INSTRUCTIONS

General Cleaning

Clean using a soft rag, either dry or wet. When needed, use mil pH-balanced soap diluted in water. Do not use abrasive sponges, acidic products or solvents containing ammonia.

Frequent vacuuming or light brushing to remove dust and grime from the back, the control, and the base is recommended. Spot clean upholstery with a mild upholstery shampoo or the foam from a mild detergent. When using a cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With any cleaning method, pretest a small area before proceeding. When an overall soiled condition has been reached, use a professional furniture cleaning service or call Knoll Field Service at 800-445-5045 with questions.

Healthcare cleaning

Newson Task’s hard surfaces and Honeycomb Back successfully passed third-party testing for the following five cleaning agents commonly used in healthcare facilities:

- Clorox Germicidal Liquid Bleach diluted 1:5 ratio to tap water (pH 3.7)
- Clorox Cleanup undiluted 100% solution (pH 9.7)
- Wex-Cide 128 Concentrate Phenolic Germicide by Wexford Labs diluted 1 ounce to 1 gallon tap water (pH 3.7)
- Formula 880 Quaternary Germicide by Grand Technologies diluted ½ ounce to 1 gallon tap water (pH 8.1)
- Hydroxi Pro Concentrate 128 by Core Products diluted 1:8 ratio to tap water (pH 7.2)

In addition to the testing detailed above, Knoll has conducted internal testing of Virox 5 RTU cleaning solution on Newson Task structural parts with no adverse effects.

KnollTextiles Crossroad Cleaning Instructions

Cleaning code W-S: water or solvent based cleaning agent; can be cleaned with low environmental impact cleaning fluids, including GS-37 certified products. See KnollTextiles Price List for further details on cleaning codes.

ENVIRONMENTAL

BIFMA level® certified






BIFMA has established level® as a common framework against which to evaluate the environmental and social responsibility of a variety of products. level® is part of BIFMA’s ongoing development of voluntary product and industry standards that support safe, healthy and sustainable workplaces. To achieve level® certification, Knoll partners with Scientific Certification Systems (SCS), known for its integrity and scientific rigor.

Warranty:

Newson Task is warranted for 24-hour, 7 days a week, multi shift use; 12 years parts and labor to repair; 3 years seating upholstery, textiles and leathers, and finishes. See Knoll Selling Policy for further details, conditions and exclusions.

This page intentionally left blank.

Generation by Knoll®  
*work chair*

	model	description	pattern no.
<b>Designer(s):</b> Formway Design, 2009  <b>Award(s):</b> NeoCon Gold, Best of NeoCon, Task Chair - Seating, June 2009, USA Best of Year Award, <i>Interior</i> <i>Design</i> , Seating: Contract/Task, December 2009, USA GOOD DESIGN Award, Chicago Athenaeum, 2009, USA Product of the Year: Workplace Seating, FX International Interior Design Awards, November 2010, UK Middle East Office, Exhibition Gold Award, 2010		plastic base, standard cylinder, no optional lumbar, hard casters	<b>11-1-NA-2-S-X-HC</b>
		plastic base, standard cylinder, no optional lumbar, hard casters	<b>11-1-FA-2-S-X-HC</b>
		plastic base, standard cylinder, no optional lumbar, hard casters	<b>11-1-HA-2-S-X-HC</b>
		plastic base, standard cylinder, no optional lumbar, hard casters	<b>11-1-HP-2-S-X-HC</b>
<b>GENSEAT</b> Replacement seat <b>GENSEAT</b>			

Order Code	Ordering Information	Options	
<b>Example:</b> 11-1-HP-2-S-X-HC-DK-01-USF-GENU01	<b>Specify:</b> 1. Pattern number 2. Finish color 3. Flex Back Net color 4. Seat foam 5. Seat textile	<b>Lumbar Option:</b> For height adjustable lumbar, replace X in pattern with L  <b>Code:</b> <b>Upchg:</b> <b>Description:</b> L \$90 height adjustable lumbar support	<b>Finish Colors:</b> Select one of the following:  <b>Code:</b> <b>Description:</b> DK Dark finish LT Light finish
<b>11</b> Generation by Knoll		<b>Note:</b> To order a lumbar separately, use pattern number 11LUMBAR. The list price is \$90.	<b>Flex Back Net Colors:</b> Select one of the following:
<b>1</b> Work chair			<b>Code:</b> <b>Description:</b>
<b>HP</b> High performance arms		<b>Casters and Glides:</b> Replace HC in pattern with one of the following:	01 Storm (dark grey)
<b>2</b> Plastic base			02 Meteor (light grey)
<b>S</b> Standard cylinder			03 Pebble (medium grey)
<b>X</b> No optional lumbar			04 Desert (beige)
<b>HC</b> Hard casters for soft floors			05 Lemongrass (green)
<b>DK</b> Dark finish			06 Espresso (brown)
<b>01</b> Storm Flex Back Net color			07 Firecracker (red)
<b>USF</b> Ultra seat foam			08 Bluemarine (navy blue)
<b>GENU01</b> Generation Fabric, Storm			09 Onyx (black)
			10 Olive (dark green)
			11 Sunset (orange)
			12 Grapefruit (pink)
			13 Teal Breeze (teal)
			14 Lime (lime green)
			15 Ocean (medium blue)
			16 Dandelion (yellow)
<b>Example for Cal 133:</b>			<b>Seat Foam Options:</b> Select one of the following:
<b>11-1-HP-2-S-X-HC-DK-01-USF-C-GENU01-133</b>			<b>Code:</b> <b>Description:</b>
			TSF thin seat foam
			USF ultra seat foam (default)

list price	grades	COM								COL				
base grade	A	B	C	D	E	F	G	H	I	U	V	W	X	Y
\$1,630.	\$1,712.	\$1,742.	\$1,767.	\$1,793.	\$1,827.	\$1,842.	\$1,875.	\$1,931.	\$1,981.	\$2,081.	\$2,221.	\$2,396.	\$2,482.	\$2,555.
1,957.	2,040.	2,072.	2,094.	2,120.	2,154.	2,167.	2,201.	2,260.	2,310.	2,406.	2,547.	2,727.	2,806.	2,881.
1,957.	2,040.	2,072.	2,094.	2,120.	2,154.	2,167.	2,201.	2,260.	2,310.	2,406.	2,547.	2,727.	2,806.	2,881.
2,120.	2,201.	2,233.	2,260.	2,283.	2,316.	2,332.	2,367.	2,422.	2,473.	2,570.	2,709.	2,888.	2,967.	3,047.
246.	328.	360.	386.	410.	442.	459.	495.	548.	599.	695.	836.	1,015.	1,096.	1,174.

Generation Fabric - Base Grade	Textile Options	Shipping Options
<p>Generation Fabric prefix GENT for thin seat foam or GENU for ultra seat foam, followed by two digit color code. Select one of the following:</p> <p><i>Code: Description:</i></p> <p>01 Storm</p> <p>03 Pebble</p> <p>04 Desert</p> <p>05 Lemongrass</p> <p>06 Espresso</p> <p>07 Firecracker</p> <p>08 Bluemarine</p> <p>09 Onyx</p> <p>10 Olive</p>	<p><i>KnollTextiles fabrics and Spinneybeck leathers:</i></p> <p>Please refer to the textile matrices at the beginning of the price list for approved fabrics and leathers.</p> <p><i>Customer's Own Material/Leather:</i></p> <p>See Customer's Own Material Seating Process Overview at the beginning of the price list</p> <p>COM/COL Textile Requirements (for both thin and ultra seat foam):</p> <p>COM fabric .75 yards</p> <p>COL leather 11 sq. ft.</p>	<p><i>Cal 133:</i></p> <p>See textile matrices at the beginning of the price list for additional Cal 133 pre-approved textiles. Dark finish with fire-retardant additive only approved for Cal 133. Generation Fabric is Cal 133 approved but it must be specified as described below and the upcharge does apply.</p> <p>♣ = Cal 133 pre-approved</p> <p>To specify, insert C before seat textile selection and 133 after it.</p> <p><i>Code: Upchg: Description:</i></p> <p>C()133 \$ 113 Cal 133 compliant</p> <p><i>Fully Assembled:</i></p> <p>Generation by Knoll ships knocked down.</p> <p>For a fully assembled version, add the suffix -ASM to the end of the base pattern number.</p> <p>The upcharge for fully assembled is \$50.</p>



Generation by Knoll Ergonomic Dimensions		
Seat*	Thin Seat Foam	Ultra Seat Foam
Seat Height	15" - 19.5" (low cylinder) 16.5" - 21.75" (standard cylinder) 17.75" - 23.25" (high cylinder)	15.75" - 20.25" (low cylinder) 17.25" - 22.5" (standard cylinder) 18.5" - 24" (high cylinder)
Seat Depth (Adjustable)	15" - 18" (with arms) 15" - 17.5" (without arms)	15.75" - 18.75" (with arms) 15.75" - 18.25" (without arms)
Seat Width	21"	
Seat Pan Angle (Fixed)	2.85° rearward at rest	

Back*	
Backrest Height	24.125"
Backrest Width	19.375" at top of lumbar area
Lumbar Support (Fixed)	9.25"
Lumbar Support (Adjustable)	8.125" - 11.375" (optional lumbar)
Angle between Seat and Back	96° - 111°
Tilt Range of Back	15°

Arms*	Thin Seat Foam	Ultra Seat Foam
Armrest Height from Seat (Fixed)	10" (fixed)	9.5" (fixed)
Armrest Height from Seat (Adjustable)	6.625" - 11.125" (height adjustable arms) 6.625" - 11.125" (high performance arms)	6.125" - 10.625" (height adjustable arms) 6.125" - 10.625" (high performance arms)
Inside Distance between Armrests (Fixed)	21.5" (fixed and height adjustable arms)	
Inside Distance between Armrests (Adjustable)	17.5" - 19.5" (high performance arms)	


\*All measurements taken with the BIFMA Chair Measuring Device using the Universal Measurement Procedure which has a measurement uncertainty of ± 5%

Generation by Knoll Chair Measurements**	
A. Overall Height	39.25" - 44.5" (glides reduce height by 0.25")
B. Overall Width	21" (armless) 28.5" (with arms)
C. Overall Depth	26" excluding base
D. Arm Height from Floor	26.625" - 32" (fixed arms) 22.75" - 32.5" (height adjustable and high performance arms)
E. Base Diameter	26.75"
Weight	37 lbs. (plastic base, high performance arms) 39 lbs. (aluminum base, high performance arms)

\*\*Standard cylinder


Generation by Knoll Performance Information	
Synchronized recline ratio seat:back is 1° : 4.4°	
Arm pads measure 9.6" long x 4.3" wide	
High performance arm pads adjust 2" in width (1" per arm), 1.5" in depth and pivot 45°	
Flex Top folds up to 90° rearward	

Compliancy: ANSI/BIFMA X5.1 : 2011 (U.S. structural standard)  
BIFMA G1 : 2013 (U.S. ergonomic guidelines)  
ANSI/HFES 100-2007 (U.S. ergonomic standard)  
California T.B. 117 (U.S. flammability standard for foam)  
California T.B. 133 with approved FR textile and Dark finish with fire-retardant additive (U.S. flammability standard for full chair)  
EN 1335-1 : 2000 (European ergonomic standard)  
AS/NZS 4438 : 1997 Level 6 (Australia, New Zealand structural and dimensional standard)  
The Generation by Knoll work chair has been tested and is approved for use by individuals weighing up to 300 pounds



## Generation by Knoll® Features and Operating Instructions

### No Adjustment Necessary




#### Flex Back

Sit back and the Flex Back supports you and responds to your multidimensional movements.




#### Flex Top

Simply rest your arms comfortably over the top of the Flex Back.



#### Flex Seat


Sit in any position—forward or sideways—and the Flex Seat supports you with 270° of seat edge flex.



#### Dynamic Suspension control


The synchronized recline counterbalances your body weight for a smooth and effortless ride. Four independent flexors act as suspension devices that respond to your multidirectional movements—forward, backward and side-to-side.

### Intuitive Adjustments (Standard)




#### Seat height

Lift the right front lever. Sit down to lower the seat or remove your weight to raise it. Release the lever to lock.



#### Seat depth


While seated, lift the left lever and slide the seat to the desired position. Release the lever to lock.



#### Tilt preference selector


Select the degree of recline movement for your preference and your task. Sit fully upright. Rotate the back right lever until it clicks into one of three positions—all the way back for the most movement, in the middle for less, or all the way forward for greater upright support.

### Performance Options




#### Arm options

Cantilevered arm supports provide seated clearance for your legs and feature Continuous Lumbar, so your back is supported when side sitting.




#### Height adjustable arm

To adjust the height, lift the lever on the arm and lift the arm to disengage. Slide the arm to the desired position and release the lever to lock.



#### High performance arm

To adjust the height, lift the lever on the arm and lift the arm to disengage. Slide the arm to the desired position and release the lever to lock. Free float arm pads move easily in width and depth, and pivot.



#### Height adjustable lumbar

Grasp both sides of the lumbar support and slide it to the desired position.

CONSTRUCTION INFORMATION

**Flex Back**  
Integrally colored, high performance elastomer and glass reinforced polyester structure

**Fixed, height adjustable and high performance arms**  
Burnished cast aluminum and integrally colored, glass reinforced nylon supports with integrally colored, self skinning polyurethane arm pads

**Flex Seat**  
High-resiliency molded urethane foam with textile cover and integrally colored, glass reinforced, impact modified nylon structure

**Controls**  
A. Dynamic Suspension control  
A solid state construction of integrally colored, high performance elastomer, glass reinforced polyester and cast zinc  
B. Tilt preference selector  
Integrally colored nylon and acetal; integrally colored, glass reinforced acetal  
C. Seat depth adjustment mechanism  
Steel plate with integrally colored polypropylene parts

**Pneumatic cylinder**  
Steel

**Base**  
Burnished cast aluminum or integrally colored, glass reinforced nylon; five star design

**Hard casters and glides**  
Integrally colored nylon

**Soft casters**  
Integrally colored nylon over molded with thermoplastic polyurethane

**Height adjustable lumbar**  
Integrally colored, glass reinforced polycarbonate

CLEANING INSTRUCTIONS

**Hard surfaces and Flex Back Net**  
**General cleaning**  
Frequent vacuuming or light brushing to remove dust and grime is recommended. Spot clean with a mild upholstery shampoo or the foam from a mild detergent. When using a cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With any method, pretest a small area before proceeding. When an overall soiled conditioned has been reached, use a professional furniture cleaning service or call Knoll Field Service at 800-445-5045 with questions.

**Healthcare cleaning**  
Generation’s hard surfaces and Flex Back Net successfully passed third-party testing for the following five cleaning agents commonly used in healthcare facilities:

- Clorox Germicidal Liquid Bleach diluted 1:5 ratio to tap water (pH 3.7)
- Clorox Cleanup undiluted 100% solution (pH 9.7)
- Wex-Cide 128 Concentrate Phenolic Germicide by Wexford Labs diluted 1 ounce to 1 gallon tap water (pH 3.7)
- Formula 880 Quaternary Germicide by Grand Technologies diluted ½ ounce to 1 gallon tap water (pH 8.1)
- Hydroxi Pro Concentrate 128 by Core Products diluted 1:8 ratio to tap water (pH 7.2)

In addition to the testing detailed above, Knoll has conducted internal testing of Virox 5 RTU cleaning solution on Generation structural parts with no adverse effects.

**Generation Fabric**  
Cleaning code W-S: water or solvent based cleaning agent; can be cleaned with low environmental impact cleaning fluids, including CS-37 certified products. See KnollTextiles Price List for further details on cleaning codes.

ENVIRONMENTAL

**SMaRT® Sustainable Platinum certified**  
SMaRT® Consensus Sustainable Product Standard is a comprehensive, transparent sustainable product standard that measures a product’s environmental, economic and social benefits over its life cycle and throughout its global supply chain, from raw materials extraction through use, reclamation or re-use. Generation can contribute to achieving a LEED® Innovation in Design credit for its SMaRT® certification.

**BIFMA level® certified** BIFMA has established level® as a common framework against which to evaluate the environmental and social responsibility of a variety of products. level® is part of BIFMA’s ongoing development of voluntary product and industry standards that support safe, healthy and sustainable workplaces. To achieve level® certification, Knoll partners with Scientific Certification Systems (SCS), known for its integrity and scientific rigor.

**Warranty:**  
Generation by Knoll is warranted for 12 years, 24-hour, 7 days a week, multi shift use including the Flex Back Net, structural and operational parts, controls, casters, and pneumatic cylinders; 12 years parts and labor to repair; 3 years upholstery, finishes and labor to repair. See Knoll Selling Policy for further details, conditions and exclusions.

This page intentionally left blank.



ReGeneration by Knoll®  
Flex Back Net work chair

	model	description	pattern no.
Designer(s): Formway Design, 2012	REGENSEAT	Replacement seat	REGENSEAT

Award(s):  
GOOD DESIGN, Chicago  
Athenaeum, 2012, USA



list price base grade	grades A	COM B	C	D	E	F	G	H	I	COL U	V	W	X	Y
\$283.	\$305.	\$313.	\$334.	\$359.	\$368.	\$408.	\$428.	\$473.	\$536.	\$592.	\$718.	\$842.	\$886.	\$933.

Order Code	Ordering Information	Options
Example: 44-1-HP-2-S-X-HC-DK-09-USF-RU01	Specify:	Lumbar Option:
44	ReGeneration by Knoll	For optional lumbar, replace X in pattern with L
1	Flex Back Net model	Code: Upchg: Description:
HP	High performance arms	L \$62 lumbar support
2	Plastic base	Note:
S	Standard cylinder	To order a lumbar separately, use pattern number 44LUMBAR. The list price is \$62.
X	No optional lumbar	Casters and Glides:
HC	Hard casters for soft floors	Replace HC in pattern with one of the following:
DK	Dark finish	Code: Upchg: Description:
09	Onyx Flex Back Net color	SC n/c soft casters for hard floors
USF	Ultra seat foam	GL n/c glides
RU01	Generation Fabric, Storm	Finish Color:
Example for Cal 133:	Cylinder Height Options:	Code: Description: Upchg
44-1-HP-4-S-X-HC-DK-01-USF-C-K448/12-133	For height ranges see ReGeneration Dimensions page. Replace S in pattern with one of the following:	DK Dark finish/a
	Code: Description:	LT Light \$95
	L low cylinder	finish *
	H high cylinder	*Note, Glides not available with light finish.


Generation Fabric - Base Grade	Textile Options
Generation Fabric prefix RT for thin seat foam or RU for ultra seat foam, followed by two digit color code. Select one of the following:	KnollTextiles fabrics and Spinneybeck leathers:
Code: Description:	Please refer to the textile matrices at the beginning of the price list for approved fabrics and leathers.
01 Storm	Customer's Own Material/Leather:
03 Pebble	See Customer's Own Material Seating Process Overview at the beginning of the price list
04 Desert	To specify, insert C before seat textile selection and 133 after it
05 Lemongrass	Code: Upchg: Description:
06 Espresso	C()133 \$61 Cal 133 compliant
07 Firecracker	COM/COL Textile Requirements
08 Bluemarine	For both thin and ultra seat foam:
09 Onyx	COM seat = .7 yards
10 Olive	COL seat = 11 square feet



ReGeneration by Knoll®

fully upholstered work chair

Single Upholstery

	model	description	pattern no.
<div>Designer(s): Formway Design, 2012</div> <div>Award(s): GOOD DESIGN, Chicago Athenaeum, 2012, USA</div> <div></div>	armless	full upholstery over a high performance elastomer suspension back, recline resistance feature, sliding seat, plastic base, standard cylinder, hard casters	<b>44-2-NA-2-S-X-HC</b>
	fixed arm	full upholstery over a high performance elastomer suspension back, recline resistance feature, sliding seat, plastic base, standard cylinder, hard casters	<b>44-2-FA-2-S-X-HC</b>
	height adjustable	full upholstery over a high performance elastomer suspension back, recline resistance feature, sliding seat, plastic base, standard cylinder, hard casters	<b>44-2-HA-2-S-X-HC</b>
	high performance	full upholstery over a high performance elastomer suspension back, recline resistance feature, sliding seat, plastic base, standard cylinder, hard casters	<b>44-2-HP-2-S-X-HC</b>
<b>REGENSEAT</b>		Replacement seat	<b>REGENSEAT</b>

Order Code	Ordering Information	Options	Generation Fabric - Base Grade
<i>Example:</i> <b>44-2-HP-2-S-X-HC-DK-USF-RU09-RB09-ROB09</b>	<i>Specify:</i> 1. Pattern number 2. Finish color 3. Seat foam 4. Seat textile 5. Inner back textile 6. Outer back Generation Fabric color	<i>Casters and Glides:</i> Replace HC in pattern with one of the following:  <i>Code: Upchg: Description:</i> SC n/c soft casters for hard floors GL n/c glides  <i>Finish Color:</i> <i>Code: Description: Upchg</i> DK Dark finish/a LT Light \$191 finish * *Note, Glides not available with light finish.	Generation Fabric prefix RT for thin seat foam or RU for ultra seat foam, RB for inner back textile, and ROB for outer back textile, followed by two digit color code. Select one of the following:  <i>Code: Description:</i> 01 Storm 03 Pebble 04 Desert 05 Lemongrass 06 Espresso 07 Firecracker 08 Bluemarine 09 Onyx 10 Olive
<b>44</b>	ReGeneration by Knoll		
<b>2</b>	Fully upholstered back		
<b>HP</b>	High performance arms		
<b>2</b>	Plastic base		
<b>S</b>	Standard cylinder		
<b>X</b>	No optional lumbar		
<b>HC</b>	Hard casters for soft floors		
<b>DK</b>	Dark finish		
<b>USF</b>	Ultra seat foam		
<b>RU09</b>	Seat textile in Generation Fabric, Storm		
<b>RB09</b>	Inner back textile in Generation Fabric, Storm		
<b>ROB09</b>	Outer back in Generation Fabric, Storm		
<i>Example for Cal 133:</i>			
<b>44-2-HP-2-S-X-HC-DK-USF-C-RU09/133-RB09/133-ROB09</b>	Polished Aluminum Base: Replace 2 in pattern with 4  <i>Code: Upchg: Description:</i> 4 \$85 polished aluminum base  <i>Cylinder Height Options:</i> For height ranges see ReGeneration Dimensions page. Replace S in pattern with one of the following:  <i>Code: Description:</i> L low cylinder H high cylinder	<i>Seat Foam Options:</i> Select one of the following:  <i>Code: Description:</i> TSF thin seat foam USF ultra seat foam (default)	

list price base grade	grades <b>A</b>	COM <b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	COL <b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>
\$1,480.	\$1,526.	\$1,576.	\$1,619.	\$1,649.	\$1,669.	\$1,747.	\$1,793.	\$1,886.	\$2,029.	\$2,128.	\$2,118.	\$2,231.	\$2,295.	\$2,378.

1,793.	1,842.	1,886.	1,933.	1,965.	1,982.	2,059.	2,106.	2,200.	2,341.	2,450.	2,433.	2,545.	2,604.	2,694.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

1,793.	1,842.	1,886.	1,933.	1,965.	1,982.	2,059.	2,106.	2,200.	2,341.	2,450.	2,433.	2,545.	2,604.	2,694.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

1,951.	1,994.	2,045.	2,089.	2,118.	2,140.	2,218.	2,261.	2,357.	2,498.	2,608.	2,592.	2,699.	2,761.	2,848.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------


283.	305.	313.	334.	359.	368.	408.	428.	473.	536.	592.	718.	842.	886.	933.
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

Textile Options	Shipping Options
<i>KnollTextiles fabrics and Spinneybeck leathers:</i> Please refer to the textile matrices at the beginning of the price list for approved fabrics and leathers for the seat and inner back.  Note: ReGeneration outer back can only be upholstered with Generation Fabric.  <i>Split upholstery:</i> ReGeneration seats and inner backs can be upholstered in any two approved fabrics or leathers.	<i>Customer's Own Material/Leather:</i> See Customer's Own Material Seating Process Overview at the beginning of the price list  COM/COL Textile Requirements  COM seat (TSF and USF) = .7 yards COM inner back = 1.2 yards COL seat (TSF and USF) = 11 square feet COL inner back = 14 square feet  <i>Cal 133:</i> See textile matrices at the beginning of the price list for pre-approved Cal 133 textiles. ♣ = Cal 133 pre-approved  To specify, insert C before textile selections and 133 after the seat and inner back textile codes.  <i>Code: Upchg: Description:</i> C()133 \$122 Cal 133 compliant
	<i>Fully Assembled:</i> ReGeneration by Knoll ships knocked down. For a fully assembled version, add a suffix - ASM to the end of the base pattern number. The upcharge for fully assembled is \$50.

ReGeneration by Knoll®

fully upholstered work chair

Split Upholstery



	model	description	pattern no.
<i>Designer(s):</i> Formway Design, 2012	armless	full upholstery over a high performance elastomer suspension back, recline resistance feature, sliding seat, plastic base, standard cylinder, hard casters	<b>44-2-NA-2-S-X-HC Back</b>
			44-2-NA-2-S-X-HC Seat
<i>Award(s):</i> GOOD DESIGN, Chicago Athenaeum, 2012, USA	fixed arm	full upholstery over a high performance elastomer suspension back, recline resistance feature, sliding seat, plastic base, standard cylinder, hard casters	<b>44-2-FA-2-S-X-HC Back</b>
			44-2-FA-2-S-X-HC Seat
	height adjustable	full upholstery over a high performance elastomer suspension back, recline resistance feature, sliding seat, plastic base, standard cylinder, hard casters	<b>44-2-HA-2-S-X-HC Back</b>
			44-2-HA-2-S-X-HC Seat
	high performance	full upholstery over a high performance elastomer suspension back, recline resistance feature, sliding seat, plastic base, standard cylinder, hard casters	<b>44-2-HP-2-S-X-HC Back</b>
			44-2-HP-2-S-X-HC Seat



list price base grade	grades A	COM B	C	D	E	F	G	H	I	COL U		V	W	X	Y
\$858.	\$876.	\$897.	\$914.	\$926.	\$934.	\$965.	\$983.	\$1,021.	\$1,078.	\$1,118.	\$1,113.	\$1,159.	\$1,185.	\$1,218.	
622.	650.	679.	705.	723.	735.	782.	810.	865.	951.	1,010.	1,005.	1,072.	1,110.	1,160.	

1,040.	1,060.	1,078.	1,096.	1,109.	1,116.	1,147.	1,165.	1,203.	1,259.	1,303.	1,296.	1,341.	1,364.	1,401.	
753.	782.	808.	837.	856.	866.	912.	941.	997.	1,082.	1,147.	1,137.	1,204.	1,240.	1,293.	

1,040.	1,060.	1,078.	1,096.	1,109.	1,116.	1,147.	1,165.	1,203.	1,259.	1,303.	1,296.	1,341.	1,364.	1,401.	
753.	782.	808.	837.	856.	866.	912.	941.	997.	1,082.	1,147.	1,137.	1,204.	1,240.	1,293.	






1,132.	1,149.	1,170.	1,187.	1,198.	1,208.	1,239.	1,256.	1,294.	1,350.	1,395.	1,388.	1,431.	1,456.	1,490.	
819.	845.	875.	902.	920.	932.	979.	1,005.	1,063.	1,148.	1,213.	1,204.	1,268.	1,305.	1,358.	

Order Code	Ordering Information	Options	Generation Fabric - Base Grade
<i>Example:</i> <b>44-2-HP-2-S-X-HC-DK-USF-RU09-RB09-ROB09</b>	<i>Specify:</i> 1. Pattern number 2. Finish color 3. Seat foam 4. Seat textile 5. Inner back textile 6. Outer back Generation Fabric color	<i>Casters and Glides:</i> Replace HC in pattern with one of the following:  <i>Code: Upchg: Description:</i> SC n/c soft casters for hard floors GL n/c glides  <i>Finish Color:</i> <i>Code: Description: Upchg</i> DK Dark finish n/a LT Light finish * \$191	Generation Fabric prefix RT for thin seat foam or RU for ultra seat foam, RB for inner back textile, and ROB for outer back textile, followed by two digit color code. Select one of the following:  <i>Code: Description:</i> 01 Storm 03 Pebble 04 Desert 05 Lemongrass 06 Espresso 07 Firecracker 08 Bluemarine 09 Onyx 10 Olive
<b>44</b>	ReGeneration by Knoll		
<b>2</b>	Fully upholstered back		
<b>HP</b>	High performance arms		
<b>2</b>	Plastic base		
<b>S</b>	Standard cylinder		
<b>X</b>	No optional lumbar		
<b>HC</b>	Hard casters for soft floors		
<b>DK</b>	Dark finish		
<b>USF</b>	Ultra seat foam		
<b>RU09</b>	Seat textile in Generation Fabric, Storm		
<b>RB09</b>	Inner back textile in Generation Fabric, Storm		
<b>ROB09</b>	Outer back in Generation Fabric, Storm		
<i>Example for Cal 133:</i>			
<b>44-2-HP-2-S-X-HC-DK-USF-C-RU09/133-RB09/133-ROB09</b>	<i>Polished Aluminum Base:</i> Replace 2 in pattern with 4  <i>Code: Upchg: Description:</i> 4 \$85 polished aluminum base  <i>Cylinder Height Options:</i> For height ranges see ReGeneration Dimensions page. Replace S in pattern with one of the following:  <i>Code: Description:</i> L low cylinder H high cylinder	<i>Seat Foam Options:</i> Select one of the following:  <i>Code: Description:</i> TSF thin seat foam USF ultra seat foam (default)	

Textile Options	Shipping Options
<i>KnollTextiles fabrics and Spinneybeck leathers:</i> Please refer to the textile matrices at the beginning of the price list for approved fabrics and leathers for the seat and inner back.  Note: ReGeneration outer back can only be upholstered with Generation Fabric.  <i>Split upholstery:</i> ReGeneration seats and inner backs can be upholstered in any two approved fabrics or leathers.	<i>Customer's Own Material/Leather:</i> See Customer's Own Material Seating Process Overview at the beginning of the price list  COM/COL Textile Requirements  COM seat (TSF and USF) = .7 yards COM inner back = 1.2 yards COL seat (TSF and USF) = 11 square feet COL inner back = 14 square feet  <i>Cal 133:</i> See textile matrices at the beginning of the price list for pre-approved Cal 133 textiles. ✱ = Cal 133 pre-approved  To specify, insert C before textile selections and 133 after the seat and inner back textile codes.  <i>Code: Upchg: Description:</i> C()133 \$122 Cal 133 compliant

ReGeneration by Knoll®  
Flex Back Net high task chair

Office Seating

	model	description	pattern no.
<div><div>Designer(s): Formway Design, 2012</div><div>Award(s): GOOD DESIGN, Chicago Athenaeum, 2012, USA</div><div></div></div>	armless	high performance elastomer suspension back, sliding seat, plastic base, high task cylinder, no optional lumbar, hard casters	<b>44-1-NA-2-T-X-HC</b>
			
	fixed arm	high performance elastomer suspension back, sliding seat, plastic base, high task cylinder, no optional lumbar, hard casters	<b>44-1-FA-2-T-X-HC</b>
			
	height adjustable	high performance elastomer suspension back, sliding seat, plastic base, high task cylinder, no optional lumbar, hard casters	<b>44-1-HA-2-T-X-HC</b>
			
	high performance	high performance elastomer suspension back, sliding seat, plastic base, high task cylinder, no optional lumbar, hard casters	<b>44-1-HP-2-T-X-HC</b>
			

Order Code	Ordering Information	Options
<i>Example:</i> <b>44-1-HP-2-T-X-HC-DK-09-USF-RU01</b>	<i>Specify:</i> 1. Pattern number 2. Finish color 3. Flex Back Net color 4. Seat foam 5. Seat textile	<i>Lumbar Option:</i> For optional lumbar, replace X in pattern with L  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> L       \$62       lumbar support  <i>Note:</i> To order a lumbar separately, use pattern number 44LUMBAR. The list price is \$62.
<b>44</b>	ReGeneration by Knoll	
<b>1</b>	Flex Back Net model	
<b>HP</b>	High performance arms	
<b>2</b>	Plastic base	
<b>T</b>	High task cylinder	
<b>X</b>	No optional lumbar	
<b>HC</b>	Hard casters for soft floors	
<b>DK</b>	Dark finish	
<b>09</b>	Onyx Flex Back Net color	
<b>USF</b>	Ultra seat foam	
<b>RU01</b>	Generation Fabric, Storm	
<i>Example for Cal 133:</i>		
<b>44-1-HP-4-S-X-HC-DK-01-USF-C-K448/12-133</b>		
	<i>Polished Aluminum Base:</i> Replace 2 in pattern with 4  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> 4       \$85       polished aluminum base	<i>Casters and Glides:</i> Replace HC in pattern with one of the following:  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> SC      n/c       soft casters for hard floors GL      n/c       glides  <i>Finish Color:</i>  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> DK      n/a       Dark finish

list price base grade	grades <b>A</b>	COM <b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	COL <b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>
\$1,465.	\$1,487.	\$1,497.	\$1,520.	\$1,550.	\$1,559.	\$1,596.	\$1,618.	\$1,668.	\$1,735.	\$1,795.	\$1,926.	\$2,056.	\$2,105.	\$2,159.

1,771.	1,795.	1,808.	1,829.	1,857.	1,864.	1,906.	1,926.	1,973.	2,044.	2,105.	2,232.	2,364.	2,409.	2,463.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

1,771.	1,795.	1,808.	1,829.	1,857.	1,864.	1,906.	1,926.	1,973.	2,044.	2,105.	2,232.	2,364.	2,409.	2,463.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

1,926.	1,950.	1,955.	1,984.	2,010.	2,017.	2,056.	2,077.	2,128.	2,197.	2,256.	2,385.	2,519.	2,563.	2,620.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

Textile Options
Generation Fabric prefix RT for thin seat foam or RU for ultra seat foam, followed by two digit color code. Select one of the following:  <i>Code:</i> <i>Description:</i> 01       Storm 03       Pebble 04       Desert 05       Lemongrass 06       Espresso 07       Firecracker 08       Bluemarine 09       Onyx 10       Olive
<i>KnollTextiles fabrics and Spinneybeck leathers:</i> Please refer to the textile matrices at the beginning of the price list for approved fabrics and leathers.  <i>Customer's Own Material/Leather:</i> See Customer's Own Material Seating Process Overview at the beginning of the price list  COM/COL Textile Requirements For both thin and ultra seat foam:  COM seat = .7 yards COL seat = 11 square feet
<i>Cal 133:</i> See textile matrices at the beginning of the price list for pre-approved Cal 133 textiles. ♣ = Cal 133 pre-approved  To specify, insert C before seat textile selection and 133 after it  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> C()133 \$61       Cal 133 compliant

ReGeneration by Knoll®  
Flex Back Net high task chair

	model	description	pattern no.
<i>Designer(s):</i> Formway Design, 2012	REGENSEAT	Replacement seat	REGENSEAT

*Award(s):*  
GOOD DESIGN, Chicago  
Athenaeum, 2012, USA








list price base grade	grades A	COM B	C	D	E	F	G	H	I	COL U	V	W	X	Y
\$283.	\$305.	\$313.	\$334.	\$359.	\$368.	\$408.	\$428.	\$473.	\$536.	\$592.	\$718.	\$842.	\$886.	\$933.

Order Code	Ordering Information	Options
<i>Example:</i> <b>44-1-HP-2-T-X-HC-DK-09-USF-RU01</b>	<i>Specify:</i> 1. Pattern number 2. Finish color 3. Flex Back Net color 4. Seat foam 5. Seat textile	<i>Lumbar Option:</i> For optional lumbar, replace X in pattern with L  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> L      \$62      lumbar support  <i>Note:</i> To order a lumbar separately, use pattern number 44LUMBAR. The list price is \$62.
<b>44</b> ReGeneration by Knoll		
<b>1</b> Flex Back Net model		
<b>HP</b> High performance arms		
<b>2</b> Plastic base		
<b>T</b> High task cylinder		
<b>X</b> No optional lumbar		
<b>HC</b> Hard casters for soft floors		
<b>DK</b> Dark finish		
<b>09</b> Onyx Flex Back Net color		
<b>USF</b> Ultra seat foam		
<b>RU01</b> Generation Fabric, Storm		
<i>Example for Cal 133:</i> <b>44-1-HP-4-S-X-HC-DK-01-USF-C-K448/12-133</b>	<i>Polished Aluminum Base:</i> Replace 2 in pattern with 4  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> 4      \$85      polished aluminum base	<i>Flex Back Net Colors:</i> Select one of the following back colors:  <i>Code:</i> <i>Description:</i> 02 Meteor (light grey) 03 Pebble (medium grey) 06 Espresso (brown) 09 Onyx (black) 10 Olive (dark green)  <i>Seat Foam Options:</i> Select one of the following:  <i>Code:</i> <i>Description:</i> TSF thin seat foam USF ultra seat foam (default)  <i>Casters and Glides:</i> Replace HC in pattern with one of the following:  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> SC    n/c    soft casters for hard floors GL    n/c    glides  <i>Finish Color:</i>  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> DK    n/a    Dark finish

Textile Options
Generation Fabric prefix RT for thin seat foam or RU for ultra seat foam, followed by two digit color code. Select one of the following:  <i>Code:</i> <i>Description:</i> 01 Storm 03 Pebble 04 Desert 05 Lemongrass 06 Espresso 07 Firecracker 08 Bluemarine 09 Onyx 10 Olive
<i>KnollTextiles fabrics and Spinneybeck leathers:</i> Please refer to the textile matrices at the beginning of the price list for approved fabrics and leathers.  <i>Customer's Own Material/Leather:</i> See Customer's Own Material Seating Process Overview at the beginning of the price list
<i>Cal 133:</i> See textile matrices at the beginning of the price list for pre-approved Cal 133 textiles. ♣ = Cal 133 pre-approved  To specify, insert C before seat textile selection and 133 after it  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> C()133 \$61      Cal 133 compliant
COM/COL Textile Requirements For both thin and ultra seat foam:  COM seat = .7 yards COL seat = 11 square feet

ReGeneration by Knoll®  
*fully upholstered high task chair*  
*Single Upholstery*

	model	description	pattern no.
	armless	full upholstery over a high performance elastomer suspension back, sliding seat, plastic base, high task cylinder, hard casters	<b>44-2-NA-2-T-X-HC</b>
			
	fixed arm	full upholstery over a high performance elastomer suspension back, sliding seat, plastic base, high task cylinder, hard casters	<b>44-2-FA-2-T-X-HC</b>
			
	height adjustable	full upholstery over a high performance elastomer suspension back, sliding seat, plastic base, high task cylinder, hard casters	<b>44-2-HA-2-T-X-HC</b>
			
	high performance	full upholstery over a high performance elastomer suspension back, sliding seat, plastic base, high task cylinder, hard casters	<b>44-2-HP-2-T-X-HC</b>
			
REGENSEAT		Replacement seat	REGENSEAT

Order Code	Ordering Information	Options	Generation Fabric - Base Grade
<i>Example:</i> <b>44-2-HP-2-T-X-HC-DK-USF-RU09-RB09-ROB09</b>	<i>Specify:</i> 1. Pattern number 2. Finish color 3. Seat foam 4. Seat textile 5. Inner back textile 6. Outer back Generation Fabric color	<i>Casters and Glides:</i> Replace HC in pattern with one of the following:  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> SC      n/c      soft casters for hard floors  GL      n/c      glides  <i>Finish Color:</i>  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> DK      n/a      Dark finish  <i>Seat Foam Options:</i> Select one of the following:  <i>Code:</i> <i>Description:</i> TSF      thin seat foam USF      ultra seat foam (default)	Generation Fabric prefix RT for thin seat foam or RU for ultra seat foam, RB for inner back textile, and ROB for outer back textile, followed by two digit color code. Select one of the following:  <i>Code:</i> <i>Description:</i> 01      Storm 03      Pebble 04      Desert 05      Lemongrass 06      Espresso 07      Firecracker 08      Bluemarine 09      Onyx 10      Olive
<b>44</b>	ReGeneration by Knoll		
<b>2</b>	Fully upholstered back		
<b>HP</b>	High performance arms		
<b>2</b>	Plastic base		
<b>T</b>	High task cylinder		
<b>X</b>	No optional lumbar		
<b>HC</b>	Hard casters for soft floors		
<b>DK</b>	Dark finish		
<b>USF</b>	Ultra seat foam		
<b>RU09</b>	Seat textile in Generation Fabric, Storm		
<b>RB09</b>	Inner back textile in Generation Fabric, Storm		
<b>ROB09</b>	Outer back in Generation Fabric, Storm		
<i>Example for Cal 133:</i>			
<b>44-2-HP-2-S-X-HC-DK-USF-C-RU09/133-RB09/133-ROB09</b>			

list price base grade	grades A	COM B	C	D	E	F	G	H	I	COL U	V	W	X	Y
\$1,729.	\$1,774.	\$1,824.	\$1,871.	\$1,901.	\$1,918.	\$1,995.	\$2,044.	\$2,139.	\$2,274.	\$2,386.	\$2,372.	\$2,482.	\$2,545.	\$2,628.
2,045.	2,089.	2,139.	2,185.	2,218.	2,231.	2,309.	2,357.	2,446.	2,592.	2,704.	2,685.	2,795.	2,858.	2,942.
2,045.	2,089.	2,139.	2,185.	2,218.	2,231.	2,309.	2,357.	2,446.	2,592.	2,704.	2,685.	2,795.	2,858.	2,942.
2,200.	2,246.	2,294.	2,342.	2,373.	2,386.	2,465.	2,512.	2,604.	2,747.	2,864.	2,842.	2,950.	3,013.	3,099.
283.	305.	313.	334.	359.	368.	408.	428.	473.	536.	592.	718.	842.	886.	933.

## Textile Options

*KnollTextiles fabrics and Spinneybeck leathers:*  
Please refer to the textile matrices at the beginning of the price list for approved fabrics and leathers for the seat and inner back.

Note: ReGeneration outer back can only be upholstered with Generation Fabric.

*Split upholstery:*  
ReGeneration seats and inner backs can be upholstered in any two approved fabrics or leathers.

*Customer's Own Material/Leather:*  
See Customer's Own Material Seating  
Process Overview at the beginning of the  
price list

## COM/COL Textile Requirements

COM seat (TSF and USF) = .7 yards  
COM inner back = 1.2 yards  
COL seat (TSF and USF) = 11 square feet  
COL inner back = 14 square feet

**Cal 133:**  
See textile matrices at the beginning of  
the price list for pre-approved Cal 133  
textiles.  
♣ = Cal 133 pre-approved


To specify, insert C before textile selections and 133 after the seat and inner back textile codes.

Code:	Upchg:	Description:
C()133	\$122	Cal 133 compliant

ReGeneration by Knoll®

fully upholstered high task chair

Split Upholstery

	model	description	pattern no.
<i>Designer(s):</i> Formway Design, 2012  <i>Award(s):</i> GOOD DESIGN, Chicago Athenaeum, 2012, USA  	armless	full upholstery over a high performance elastomer suspension back, sliding seat, plastic base, high task cylinder, hard casters	<b>44-2-NA-2-T-X-HC Back</b> 44-2-NA-2-T-X-HC Seat
	fixed arm	full upholstery over a high performance elastomer suspension back, sliding seat, plastic base, high task cylinder, hard casters	<b>44-2-FA-2-T-X-HC Back</b> 44-2-FA-2-T-X-HC Seat
	height adjustable	full upholstery over a high performance elastomer suspension back, sliding seat, plastic base, high task cylinder, hard casters	<b>44-2-HA-2-T-X-HC Back</b> 44-2-HA-2-T-X-HC Seat
	high performance	full upholstery over a high performance elastomer suspension back, sliding seat, plastic base, high task cylinder, hard casters	<b>44-2-HP-2-T-X-HC Back</b> 44-2-HP-2-T-X-HC Seat

list price base grade	grades A	COM B	C	D	E	F	G	H	I	COL					
\$1,003.	\$1,021.	\$1,041.	\$1,059.	\$1,072.	\$1,078.	\$1,109.	\$1,129.	\$1,166.	\$1,221.	\$1,265.	\$1,260.	\$1,304.	\$1,329.	\$1,363.	
726.	753.	783.	812.	829.	840.	886.	915.	973.	1,053.	1,121.	1,112.	1,178.	1,216.	1,265.	
1,186.	1,203.	1,224.	1,242.	1,255.	1,260.	1,291.	1,310.	1,347.	1,404.	1,449.	1,442.	1,486.	1,511.	1,544.	
859.	886.	915.	943.	963.	971.	1,018.	1,047.	1,099.	1,188.	1,255.	1,243.	1,309.	1,347.	1,398.	
1,186.	1,203.	1,224.	1,242.	1,255.	1,260.	1,291.	1,310.	1,347.	1,404.	1,449.	1,442.	1,486.	1,511.	1,544.	
859.	886.	915.	943.	963.	971.	1,018.	1,047.	1,099.	1,188.	1,255.	1,243.	1,309.	1,347.	1,398.	
1,277.	1,295.	1,313.	1,333.	1,346.	1,350.	1,382.	1,401.	1,438.	1,495.	1,541.	1,533.	1,576.	1,601.	1,636.	
923.	951.	981.	1,009.	1,027.	1,036.	1,083.	1,111.	1,166.	1,252.	1,323.	1,309.	1,374.	1,412.	1,463.	

Order Code	Ordering Information	Options	Generation Fabric - Base Grade
<i>Example:</i> <b>44-2-HP-2-T-X-HC-DK-USF-RU09-RB09-ROB09</b>	<i>Specify:</i> 1. Pattern number 2. Finish color 3. Seat foam 4. Seat textile 5. Inner back textile 6. Outer back Generation Fabric color	<i>Casters and Glides:</i> Replace HC in pattern with one of the following:  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> SC    n/c    soft casters for hard floors GL    n/c    glides  <i>Finish Color:</i> <i>Code:</i> <i>Upchg:</i> <i>Description:</i> DK    n/a    Dark finish  <i>Seat Foam Options:</i> Select one of the following:  <i>Code:</i> <i>Description:</i> TSF    thin seat foam USF    ultra seat foam (default)	Generation Fabric prefix RT for thin seat foam or RU for ultra seat foam, RB for inner back textile, and ROB for outer back textile, followed by two digit color code. Select one of the following:  <i>Code:</i> <i>Description:</i> 01    Storm 03    Pebble 04    Desert 05    Lemongrass 06    Espresso 07    Firecracker 08    Bluemarine 09    Onyx 10    Olive
<b>44</b>	ReGeneration by Knoll		
<b>2</b>	Fully upholstered back		
<b>HP</b>	High performance arms		
<b>2</b>	Plastic base		
<b>T</b>	High task cylinder		
<b>X</b>	No optional lumbar		
<b>HC</b>	Hard casters for soft floors		
<b>DK</b>	Dark finish		
<b>USF</b>	Ultra seat foam		
<b>RU09</b>	Seat textile in Generation Fabric, Storm		
<b>RB09</b>	Inner back textile in Generation Fabric, Storm		
<b>ROB09</b>	Outer back in Generation Fabric, Storm		
<i>Example for Cal 133:</i> <b>44-2-HP-2-S-X-HC-DK-USF-C-RU09/133-RB09/133-ROB09</b>			

Textile Options			
<i>KnollTextiles fabrics and Spinneybeck leathers:</i> Please refer to the textile matrices at the beginning of the price list for approved fabrics and leathers for the seat and inner back.  Note: ReGeneration outer back can only be upholstered with Generation Fabric.	<i>Split upholstery:</i> ReGeneration seats and inner backs can be upholstered in any two approved fabrics or leathers.	<i>Customer's Own Material/Leather:</i> See Customer's Own Material Seating Process Overview at the beginning of the price list  COM/COL Textile Requirements  COM seat (TSF and USF) = .7 yards COM inner back = 1.2 yards COL seat (TSF and USF) = 11 square feet COL inner back = 14 square feet	<i>Cal 133:</i> See textile matrices at the beginning of the price list for pre-approved Cal 133 textiles. ♣ = Cal 133 pre-approved  To specify, insert C before textile selections and 133 after the seat and inner back textile codes.  <i>Code: Upchg: Description:</i> C()133 \$122 Cal 133 compliant



ReGeneration by Knoll Ergonomic Dimensions		
Seat*	Thin Seat Foam	Ultra Seat Foam
Seat Height	15" - 19.7" (low cylinder) 16.4" - 21.6" (standard cylinder) 18" - 23.2" (high cylinder) 22" - 30.8" (high task)	15.3" - 20" (low cylinder) 16.7" - 21.9" (standard cylinder) 18.3" - 23.5" (high cylinder) 22.2" - 31" (high task)
Seat Depth (Adjustable)	16" - 18"	16" - 18"
Seat Width	19.7"	19.7"
Seat Pan Angle (Fixed)	2° rearward at rest	3° rearward at rest
Seat Pan Angle (Adjustable)	2° - 6° rearward during recline	3° - 7° rearward during recline
Back*	Flex Back Net	Fully upholstered
Backrest Height	23.1"	23.1"
Backrest Width	19.9"	19.9"
Lumbar Support (Fixed)	8.5"	8.5"
Lumbar Support (Adjustable)	8.9"	n/a
Angle between Seat and Back	95° (work and high task chairs)	96° (work and high task chairs)
Tilt Range of Back	15° (work chair); 4° (high task chair)	15° (work chair); 4° (high task chairs)
Arms*	Thin Seat Foam	Ultra Seat Foam
Armrest Height from Seat	9.6" fixed arms 6.8" - 10.8" height adjustable arms 6.6" - 10.8" high performance arms	9.3" fixed arms 6.5" - 10.5" height adjustable arms 6.3" - 10.5" high performance arms
Inside Distance between Armrests (Fixed)	19.7" height adjustable arms	19.7" height adjustable arms
Inside Distance between Armrests (Adjustable)	16" - 20" high performance arms	16" - 20" high performance arms
* All measurements taken with the BIFMA Chair Measuring Device using the Universal Measurement Procedure which has a measurement uncertainty of ± 5%		

ReGeneration by Knoll Chair Measurements\*\*

A. Overall Height	38.1" - 43.3" with standard cylinder 43.5" - 52.3" with high task cylinder (add 0.4" for aluminum base)
B. Overall Width	26" armless 28.5" with height adjustable arms 29" with high performance arms
C. Overall Depth	24.6" excluding base
D. Arm Height from Floor	22.9" - 32.1" (work chair, height adjustable arms) 22.5" - 31.9" (work chair, high performance arms) 28.3" - 40.9" (high task chair, height adjustable arms) 27.9" - 40.7" (high task chair, high performance arms) (add 0.4" for aluminum base)
E. Base Diameter	26"
Weight	27 lbs. (height adjustable arms), 28 lbs. (high performance arms) (aluminum base adds 2 lbs., upholstered back option adds 3 lbs., high task chair adds 4.8 lbs.)

\*\* Flex Back Net, standard cylinder, plastic base


ReGeneration by Knoll Performance Information

Synchronized recline ratio seat: back is 1° : 6°	High task footing measures 18" in diameter
High performance arm pads measure 8.2" long x 3.8" wide	Height adjustable arm pads measure 6.25" long x 3.4" wide
High performance arm pads adjust 4" in width (2" per arm), 1.75" in depth and pivot 30.5° (20° inward, 10.5° outward)	


Compliance: ANSI/BIFMA X5.1 : 2011 (U.S. structural standard)  
ANSI/HFES 100-2007 (U.S. ergonomic standard)  
BIFMA G1 : 2013 (U.S. ergonomic guidelines)  
EN 1335-1 : 2000 (Europe ergonomic standard) for Flex Back armless work chair  
AS/NXS 4438 : 1997 Level 6 (Australia, New Zealand structural and dimensional standard) for Flex Back armless work chair  
California T.B. 117 (U.S. flammability standard for foam)  
California T.B. 133 with approved FR textile (U.S. flammability standard for full chair)  
The ReGeneration by Knoll work chair has been tested and is approved for use by individuals weighing up to 300 pounds.

ReGeneration by Knoll® Features and Operating Instructions


No Adjustment Necessary




**Flex Back Net**  
Sit back and the Flex Back Net cradles your back, providing integral lumbar support. Optional fully upholstered back provides the additional comfort of foam and fabric over the Flex Back Net.



**Slim profile back**  
The contoured frame provides continuous support, following the curves of your shoulders, back and lumbar.




**Flex Seat**  
Sit in any position—forward, sideways or perched—and the Flex Seat supports you with 270° of seat edge flex.




**Dynamic Suspension control**  
The synchronized recline counterbalances your body weight for a smooth and effortless ride. Four independent flexors act as suspension devices that respond to your multidirectional movements—forward, backward and side-to-side.


Intuitive Adjustments (Standard)



**Seat height**  
Lift the right lever. Sit down to lower the seat or remove your weight to raise it. Release the lever to lock.




**Seat depth**  
To adjust the seat depth while sitting on the chair, lift the left lever and slide the seat to the desired location. Release the lever to lock.




**Recline resistance**  
Sit fully upright. Push the right lever backward for the full range of recline, or pull it forward for upright support.


Performance Options




**Arm options**  
Set-back arm supports provide clearance for your legs and feature Continuous Lumbar, so your back is supported when side sitting.



**Height adjustable arm**  
To adjust the height, push the button on the arm. Slide the arm to the desired position and release the button to lock.



**High performance arm**  
To adjust the height, lift the lever on the arm. Slide the arm to the desired position and release the lever to lock. Free float arm pads easily move in width and depth and pivot.



**Adjustable lumbar**  
(Flex Back Net model only)  
Grasp the lever at the center of the outer back and slide it to the desired position.

CONSTRUCTION INFORMATION

**Slim profile back support**  
Integrally colored, rapidly-renewable, high performance elastomer with polyester structure; optional biobased urethane foam upholstery with glass reinforced nylon and ABS substrates and sewn textile cover

**Adjustable arm supports**  
Integrally colored, glass reinforced, polyester structure

**Arm pads**  
Integrally colored, self skinning polyurethane

**Flex Seat**  
High-resiliency molded biobased foam with sewn textile cover and integrally colored, glass reinforced, impact modified nylon seat structure

**Controls**  
A. Dynamic Suspension control  
A solid state construction of integrally colored, high performance elastomer, glass reinforced and cast aluminum

B. Adjustment levers. Integrally colored, glass reinforced nylon

C. Seat depth adjustment plate  
Integrally colored, glass reinforced, nylon

**Pneumatic cylinder**  
Steel

**Base**  
Integrally colored, glass reinforced nylon with cast zinc insert or polished, cast aluminum; five star design

**Hard casters**  
Integrally colored nylon and steel

**Soft casters**  
Integrally colored nylon over molded with polyurethane, and steel

**Glides**  
Integrally colored nylon

**Optional adjustable lumbar**  
Frosted clear polyester blend

**Footring**  
Steel footring, aluminum die cast spokes and rubber fit ring

**Generation Fabric**  
100% polyester; 100,000+ double rubs, Wyzenbeek method; Oeko-Tex certified for human safety.

CLEANING INSTRUCTIONS

Hard surfaces and Flex Back Net

**General cleaning**  
Frequent vacuuming or light brushing to remove dust and grime is recommended. Spot clean with a mild upholstery shampoo or the foam from a mild detergent. When using a cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With any method, pretest a small area before proceeding. When an overall soiled conditioned has been reached, use a professional furniture cleaning service or call Knoll Field Service at 800-445-5045 with questions.

**Healthcare cleaning**  
ReGeneration’s hard surfaces and Flex Back Net successfully passed third-party testing for the following five cleaning agents commonly used in healthcare facilities:

- Clorox Germicidal Liquid Bleach diluted 1:5 ratio to tap water (pH 3.7)
- Clorox Cleanup undiluted 100% solution (pH 9.7)
- Wexcide 128 Concentrate Phenolic Germicide by Wexford Labs diluted 1 ounce to 1 gallon tap water (pH 3.7)
- Formula 880 Quaternary Germicide by Grand Technologies diluted ½ ounce to 1 gallon tap water (pH 8.1)
- Hydroxi Pro Concentrate 128 by Core Products diluted 1:8 ratio to tap water (pH 7.2)

In addition to the testing detailed above, Knoll has conducted internal testing of Virox 5 RTU cleaning solution on ReGeneration structural parts with no adverse effects.

**Generation Fabric**  
Fabric with cleaning codes W or W-S are designed to be cleaned with low environmental impact cleaning fluids, including GS-37 certified products. See KnollTextiles Price List for further details on cleaning codes.

ENVIRONMENTAL

**SMaRT® Sustainable Platinum certified**  
SMaRT® Consensus Sustainable Product Standard is a comprehensive, transparent sustainable product standard that measures a product’s environmental, economic and social benefits over its life cycle and throughout its global supply chain, from raw materials extraction through use, reclamation or re-use. ReGeneration can contribute to achieving a LEED® Innovation in Design credit for its SMaRT® certificaton.

**BIFMA level® certified** BIFMA has established level® as a common framework against which to evaluate the environmental and social responsibility of a variety of products. level® is part of BIFMA’s ongoing development of voluntary product and industry standards that support safe, healthy and sustainable workplaces. To achieve level® certification, Knoll partners with Scientific Certification Systems (SCS), known for its integrity and scientific rigor.

**Oeko-Tex certified**  
Generation Fabric is certified by the international third party Oeko-Tex for human safety






This page intentionally left blank.



MultiGeneration by Knoll®

multipurpose chair

Office Seating

	model	description	pattern no.
<p><i>Designer(s):</i> Formway Design, 2010</p> <p><i>Award(s):</i> Chicago Athenaeum, GOOD DESIGN Award, 2010</p>  <p>Stacking chair shown top, Hybrid chair shown bottom</p>	stacking armless	armless stacking chair with glides	<b>2-S-C-N-X-GL</b>
			
	stacking arm	stacking chair with fixed arms and glides	<b>2-S-A-N-X-GL</b>
			
	hybrid armless	armless hybrid chair with glides	<b>2-H-C-N-X-GL</b>
			
	hybrid arm	hybrid chair with fixed arms and glides	<b>2-H-A-N-X-GL</b>
			
	upholstered seat	upholstered seat option (replace N in pattern with S)	<b>S</b>
	2SDOLLY	dolly to transport up to 10 stacking chairs	<b>2SDOLLY</b>
	2SGA	ganging clip to connect armless stacking chairs	<b>2SGA</b>
	2SEAT	seat reupholstery assembly	<b>2SEAT</b>

list price non- upholstered	base grade	A	COM B	C	D	E	F	G	H	I
\$419.										
504.										
674.										
758.										
168.	207.	230.	249.	275.	296.	327.	339.	403.	435.	
592.										
10.										
228.	265.	287.	307.	330.	353.	385.	395.	457.	490.	

Order Code	Ordering Information	Options
<i>Example:</i>		
<b>2-H-A-S-X-HC 2 ON GENF09</b>	<i>Specify:</i>	<i>Tablet arm (2SC - models only, assembly required):</i>
<b>2</b>	1. Pattern number	
<b>H</b>	2. Frame finish	
<b>A</b>	3. Shell color	
<b>S</b>	4. Seat upholstery fabric (if applicable)	
<b>X</b>		
<b>HC</b>		
<b>2</b>		
<b>ON</b>		
<b>GENF09</b>		
<i>Example for Cal 133:</i>		
<b>2-H-A-S-X-HC 2 ON C (GENF09)133</b>		



Finish Options	Generation Fabric - Base Grade	Fabric Options
<i>Frame finishes:</i> Select one of the following	<i>Seat pad fabric colors:</i> Use prefix GENF following by the two digit color code. Select one of the following:	<i>KnollTextiles fabrics:</i> Please refer to the textile matrices at the beginning of the price list for approved fabrics.
<i>Code:</i> <i>Upchg:</i> <i>Description:</i>	<i>Code:</i> <i>Description:</i>	<i>Customer's Own Material:</i> See Customer's Own Material Seating Process Overview at the beginning of the price list
2 n/c Black	01 Storm (dark grey)	
3 n/c Metallic Grey	03 Pebble (medium grey)	
4 n/c Silver	04 Desert (beige)	
C \$241 Chrome (2H- models only)	05 Lemongrass (green)	
BR n/c Bright Blue	06 Espresso (brown)	
DT n/c Dark Teal	07 Firecracker (red)	
RO n/c Red Orange	08 Bluemarine (blue)	
	09 Onyx (black)	
	10 Olive (dark green)	
<i>Shell colors:</i> Select one of the following		
<i>Code:</i> <i>Upchg:</i> <i>Description:</i>		
RD n/c Dark Red		
YW n/c Yellow		
WH n/c Off White		
GY n/c Grey		
DC n/c Dark Grey		
ON n/c Onyx (black)		
BR n/c Bright Blue		
DT n/c Dark Teal		
RO n/c Red Orange		

MultiGeneration by Knoll®  
stools

Designer(s):  
Formway Design, 2015



Bar-height stool

model	description	pattern no.
counter-height stool	armless counter-height stool	<b>2-C-C-N-X</b>
		
bar-height stool	armless bar-height stool	<b>2-B-C-N-X</b>
		
upholstered seat	upholstered seat option (replace N in pattern with S)	<b>S</b>
2SEAT	seat reupholstery assembly	<b>2SEAT</b>

Order Code	Ordering Information	Finish Options	Generation Fabric - Base Grade
<i>Example:</i> <b>2-B-C-S-X 2 ON GENF09</b>	<i>Specify:</i>	<i>Frame finishes:</i>	<i>Seat pad fabric colors:</i>
<b>2</b> MultiGeneration by Knoll	1. Pattern number	Select one of the following	Use prefix GENF following by the two
<b>B</b> bar-height stool	2. Frame finish	<i>Code:</i> <i>Upchg:</i> <i>Description:</i>	digit color code. Select one of the
<b>C</b> armless	3. Shell color	2 n/c Black	following:
<b>S</b> upholstered seat pad	4. Seat upholstery fabric (if applicable)	3 n/c Metallic Grey	<i>Code:</i> <i>Description:</i>
<b>X</b> no book basket		4 n/c Silver	01 Storm (dark grey)
<b>2</b> Black frame finish			03 Pebble (medium grey)
<b>ON</b> Onyx shell color		<i>Shell colors:</i>	04 Desert (beige)
<b>GENF09</b> Generation Fabric, Onyx		Select one of the following	05 Lemongrass (green)
<i>Example for Cal 133:</i>		<i>Code:</i> <i>Upchg:</i> <i>Description:</i>	06 Espresso (brown)
<b>2-B-C-S-X 2 ON C (GENF09)133</b>		RD n/c Dark Red	07 Firecracker (red)
		YW n/c Yellow	08 Bluemarine (blue)
		WH n/c Off White	09 Onyx (black)
		GY n/c Grey	10 Olive (dark green)
		DC n/c Dark Grey	
		ON n/c Onyx	
		BR n/c Bright Blue	
		DT n/c Dark Teal	
		RO n/c Red Orange	

list price non- upholstered	base grade	A	COM B	C	D	E	F	G	H	I
\$908.										
908.										
168.	207.	230.	249.	275.	296.	327.	339.	403.	435.	
228.	265.	287.	307.	330.	353.	385.	395.	457.	490.	

Fabric Options		
<i>KnollTextiles fabrics:</i> Please refer to the textile matrices at the beginning of the price list for approved fabrics.	<i>Cal 133:</i> MultiGeneration is Cal 133 compliant standard when non-upholstered. For upholstered seat chairs, an upcharge is required. See textile matrix at the beginning of the price list for pre-approved Cal 133 fabrics.	
<i>Customer's Own Material:</i> See Customer's Own Material Seating Process Overview at the beginning of the price list	♣ = Cal 133 pre-approved	
COM Requirements: fabric .65 yards	To specify, insert C before seat fabric selection and 133 after it.	
	<i>Code:</i> C()133 \$ 61	<i>Upchg:</i> Cal 133 compliant fabric
	<i>Description:</i>	

MultiGeneration by Knoll®  
light task / high task

Designer(s):  
Formway Design, 2016




Light task chair

model	description	pattern no.
light task armless	armless 5-star base with hard casters	2-5-S-C-N-2-HC
light task arm	5-star base with fixed arms and hard casters	2-5-S-A-N-2-HC
high task armless	armless high task chair with hard casters	2-5-T-C-N-2-HC
high task arm	high task chair with fixed arms and hard casters	2-5-T-A-N-2-HC
upholstered seat	upholstered seat option (replace N in pattern with S)	S
2SEAT	seat reupholstery assembly	2SEAT

list price non- upholstered	base grade	A	COM B	C	D	E	F	G	H	I
\$760.										
835.										
987.										
1,062.										
	168.	207.	230.	249.	275.	296.	327.	339.	403.	435.
	228.	265.	287.	307.	330.	353.	385.	395.	457.	490.

Order Code	Ordering Information	Finish Options	Generation Fabric - Base Grade
Example: 2-5-S-A-S-2-HC 2 ON GENF09	Specify: 1. Pattern number 2. Frame finish (specify only with fixed arms) 3. Shell color 4. Seat upholstery fabric (if applicable)  Options Base options: Code: Upchg: Description: 2 n/c black plastic base 3 n/c grey plastic base 4 \$81 polished aluminum base	Casters and Glides: Replace HC in pattern with one of the following: Code: Upchg: Description: SC \$23 soft casters for hard floors GL n/c glides  Frame finishes: Select one of the following Code: Upchg: Description: 2 n/c Black 3 n/c Metallic Grey 4 n/c Silver C \$241 Chrome	Seat pad fabric colors: Use prefix GENF following by the two digit color code. Select one of the following: Code: Description: 01 Storm (dark grey) 03 Pebble (medium grey) 04 Desert (beige) 05 Lemongrass (green) 06 Espresso (brown) 07 Firecracker (red) 08 Bluemarine (blue) 09 Onyx (black) 10 Olive (dark green)
Example for Cal 133: 2-5-S-A-S-2-HC 2 ON C (GENF09)133	Cylinder Height Options: Code: Description: L low cylinder	Shell colors: Select one of the following Code: Upchg: Description: RD n/c Dark Red YW n/c Yellow WH n/c Off White GY n/c Grey DC n/c Dark Grey ON n/c Onyx (black) BR n/c Bright Blue DT n/c Dark Teal RO n/c Red Orange	

Fabric Options		
<i>KnollTextiles fabrics:</i> Please refer to the textile matrices at the beginning of the price list for approved fabrics.	<i>Cal 133:</i> MultiGeneration is Cal 133 compliant standard when non-upholstered. For upholstered seat chairs, an upcharge is required. See textile matrix at the beginning of the price list for pre-approved Cal 133 fabrics.	
<i>Customer's Own Material:</i> See Customer's Own Material Seating Process Overview at the beginning of the price list	♣ = Cal 133 pre-approved	
COM Requirements: fabric .65 yards	To specify, insert C before seat fabric selection and 133 after it.	
	<i>Code:</i>	<i>Upchg: Description:</i>
	C()133 \$ 61	Cal 133 compliant fabric



MultiGeneration Chair Measurements \*

	Stacking Chair	Hybrid Chair	Stacking Dolly
A. Overall Height	33.6"	33.9"	27.1"
B. Overall Width	21.6" armless / 25.6" fixed arm	20.5" armless / 25.6" fixed arm	19.7"
C. Overall Depth	21.4"	21.9"	43.8"
D. Arm Height from Seat	9.1" non-upholstered / 8.8" upholstered seat	9.1" non-upholstered / 8.8" upholstered seat	n/a
E. Arm Height from Floor	27.25"	27.25"	n/a
F. Inside Distance between Arm Rests	20.8"	20.8"	n/a
G. Seat Height	17.3" non-upholstered / 17.6" upholstered seat	17.3" non-upholstered / 17.6" upholstered seat	n/a
H. Seat Width	18.1"	18.1"	n/a
I. Seat Depth	16.3"	16.3"	n/a
Book basket	6.7" height, 11.5" width, 11.8" depth, 9.2" from floor		
Tablet arm	21" length, 14.5" width, 0.5" thick		
Weight	12 lbs. armless; 15 lbs. fixed arm Seat upholstery adds 2 lbs. Book basket adds 1 lb.; can hold 20 lbs. Tablet arm assembly adds 9 lbs. to armless chair; can hold 150 lbs.	17.5 lbs. armless; 23.5 lbs. fixed arm Seat upholstery adds 1.5 lbs.	16.1 lbs.


\* All measurements taken with BIFMA Chair Measuring Device using the Universal Measurement Procedure which has a measurement uncertainty of ± 5%

Stacking Instructions

Stacking chairs—with or without fixed arms and with or without casters—stack up to 6 units high on the floor. Stacked 6 high on the floor measures 41.8" high non-upholstered or 42.6" high upholstered.

To stack chairs, place the rear legs of the top chair in front of the rear legs of the bottom chair and set the top chair down on the bottom chair.

To transport a stack of chairs, use the MultiGeneration by Knoll dolly. Stacking chairs stack up to 10 units high on the dolly. The dolly stacked with 10 non-upholstered stacking chairs measures 53.5" high and with 10 upholstered seat stacking chairs, measures 55" high.



Non-upholstered stacking chairs

Non-upholstered stacking chairs feature bumpers to protect the seat finish of the chair below and prevent chairs from slipping. Do not stack non-upholstered chairs on upholstered chairs, as the bumpers could damage the upholstery of the chair below.

Upholstered stacking chairs

Upholstered stacking chairs feature a stacking shield on the underside of the seat to protect the upholstery of the chair below. Do not stack upholstered chairs on non-upholstered chairs, as the stacking shield could damage the seat finish of the chair below.


Hybrid chairs and stacking chairs with book basket and/or tablet arm

Hybrid chairs and stacking chairs with book basket and/or tablet arm do not stack.

MultiGeneration Stacking Chair Ganging Instructions


The MultiGeneration ganging clip adjoins the back legs of the armless stacking chairs. Position the chairs side-by-side and snap the ganging device onto the chair legs just above the top of the glides. Arm and armless chairs can be ganged if alternated, but armed chairs cannot be ganged side-by-side.

Compliance: ANSI / BIFMA X5.1 : 2011 (U.S. structural standard)  
EN 15373 : 2007 (European structural standard)  
GPD-6 (Canadian structural standard)  
AS/NZS 4688 : 2000 (Australian/New Zealand structural and dimensional standard)  
California T.B. 117 (U.S. flammability standard for foam)  
California T.B. 133 standard for non-upholstered models, with approved FR textile for upholstered models (U.S. flammability standard for full chair)  
MultiGeneration by Knoll has been tested and is approved for use by individuals weighing up to 300 lbs.



MultiGeneration Stool Chair Measurements \*

	Bar-Height Stool	Counter-Height Stool
A. Overall Height	44.5"	41.7"
B. Overall Width	18.6"	18.6"
C. Overall Depth	23.4"	23.4"
D. Seat Height	29.5" non-upholstered / 29.8" upholstered seat	26.7" non-upholstered / 27" upholstered seat
E. Seat Width	18.1"	18.1"
F. Seat Depth	16.3"	16.3"
G. Foot Rest Height	10.9" from floor, 18.6" from seat	8" from floor, 17.5" from seat
Weight	17.2 lbs. Seat upholstery adds 1.5 lbs.	16.6 lbs. Seat upholstery adds 1.5 lbs.



MultiGeneration Light Task and High Task Measurements \*

	Light Task	High Task
A. Overall Height	29.5 - 35" low cylinder 31 - 37.5" standard cylinder	38 - 48"
B. Overall Width	23"	27"
C. Overall Depth	23"	27"
D. Seat Height	14.6 - 19.8" low cylinder 16.1 - 22.4" standard cylinder	22.7 - 33"
E. Seat Width	18.1"	18.1"
F. Seat Depth	16.3"	16.3"
G. Back Height	17.3"	17.3"
H. Armrest Height from Seat	9.1" non-upholstered / 8.8" upholstered	9.1" non-upholstered / 8.8" upholstered
I. Inside Distance between Armrests	20.8"	20.8"
J. Base Diameter	23"	26"
K. Footrest Diameter	n/a	20"
Weight	14.4 lbs. armless; 20.2 lbs. with arms Seat upholstery adds 1.5 lbs.	19.1 lbs. armless; 24.9 lbs. with arms Seat upholstery adds 1.5 lbs.

\* All measurements taken with BIFMA Chair Measuring Device using the Universal Measurement Procedure which has a measurement uncertainty of ± 5%

Compliance: ANSI / BIFMA X5.1 : 2011 (U.S. structural standard)  
California T.B. 117 (U.S. flammability standard for foam)  
California T.B. 133 standard for non-upholstered models, with approved FR textile for upholstered models (U.S. flammability standard for full chair)  
MultiGeneration by Knoll has been tested and is approved for use by individuals weighing up to 300 lbs.

CONSTRUCTION INFORMATION

**Shell:**  
Integrally colored, textured, glass reinforced nylon.

**Stacking frame:**  
Powder coat over steel

**Hybrid frame:**  
Powder coat or chrome over steel

**Arm pads:**  
Integrally colored, textured thermoplastic polyurethane (TPU)

**Bumpers (non-upholstered stacking):**  
Integrally colored, textured TPU

**Stacking shield (upholstered stacking):**  
Clarified polypropylene copolymer

**Dynamic Seat Structure (hybrid):**  
Fiber-reinforced polymer spring and nylon

**Seat upholstery:**  
High resiliency molded biobased foam (7% biobased on average) with textile cover, plastic and steel

**Generation Fabric (upholstered chairs):**  
100% polyester, Cal 117 compliant, exceeds 100,000+ double rubs, Wyzenbeck method.

**Fasteners,hardware and lever:**  
Steel

**Book basket:**  
Steel wire

**Tablet arm:**  
Phenolic board covered with black core laminate and tubular steel support.

**Glides:**  
Integrally colored, textured nylon

**Hard Casters:**  
Integrally colored, textured nylon and steel

**Soft Casters:**  
Integrally colored, textured nylon with polyurethane overmold and steel

**5-star base:**  
Glass reinforced nylon

**Adjustment lever:**  
Nylon

**Transom and cylinder:**  
Steel

**Footing:**  
Steel

CLEANING INSTRUCTIONS

**General cleaning:**  
Clean using a soft rag, either dry or wet. When needed, use mild pH-balanced soap diluted in water. Do not use abrasive sponges, acidic products or solvents containing ammonia.

**Healthcare cleaning:**  
The following products can be used safely on the MultiGeneration by Knoll shell only (not on the frame):

- Clorox Germicidal Liquid Bleach diluted 1:5 ratio to tap water (pH 3.7)
- Clorox Cleanup undiluted 100% solution (pH 9.7)
- Wex-Cide 128 Concentrate Phenolic Germicide by Wexford Labs diluted 1 ounce to 1 gallon tap water (pH 3.7)
- Formula 880 Quaternary Germicide by Grand Technologies diluted 1/2 ounce to 1 gallon tap water (pH 8.1)
- Hydroxi Pro Concentrate 128 by Core Products diluted 1:8 ration to tap water (pH 7.2)
- Virox 5 RTU cleaning solution

**Upholstery cleaning:**  
Base grade Generation Fabric is cleaning code W-S–Water or solvent based cleaning agent—and can be cleaned with low environmental impact cleaning fluids, including GS-37 certified products.

For further instruction, please see KnollTextiles Cleaning Information found in the Resources section of knolltextiles.com.

ENVIRONMENTAL

**SMaRT® Sustainable Gold certified**  
SMaRT® Consensus Sustainable Product Standard is a comprehensive, transparent sustainable product standard that measures a product’s environmental, economic and social benefits over its life cycle and throughout its global supply chain, from raw materials extraction through use, reclamation or re-use. MultiGeneration can contribute to achieving a LEED® Innovation in Design credit for its SMaRT® certification.






**BIFMA level® certified**  
BIFMA has established level® as a common framework against which to evaluate the environmental and social responsibility of a variety of products. level® is part of BIFMA’s ongoing development of voluntary product and industry standards that support safe, healthy and sustainable workplaces. To achieve level® certification, Knoll partners with Scientific Certification Systems (SCS), known for its integrity and scientific rigor.

WARRANTY

MultiGeneration is warranted for 24-hour, 7 days a week, multi shift use: 12 years parts and labor to repair; 3 years seating upholstery, textiles and leathers, and finishes. See Knoll Selling Policy for further details, conditions and exclusions.



Ollo with Shell Back  
*light task chair / high task chair with 5-star base*




	model	description	pattern no.
<div>Designer(s): Glen Oliver Loew, 2019</div> 	light task armless, 5-star base	Armless plastic back, plastic 5-star base, standard cylinder, hard casters	<b>7-P-NA-2-S-HC</b>
			
	light task fixed arms, 5-star base	Fixed arm plastic back, plastic 5-star base, standard cylinder, hard casters	<b>7-P-FA-2-S-HC</b>
			
	high task armless, 5-star base	Armless plastic back, plastic 5-star base, high task cylinder, hard casters	<b>7-P-NA-2-T-HC</b>
			
	high task fixed arms, 5-star base	Fixed arm plastic back, plastic 5-star base, high task cylinder, hard casters	<b>7-P-FA-2-T-HC</b>
			
Replacement seat		<b>OLLOSEAT</b>	

list price base grade	grades <b>A</b>	COM <b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	COL <b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>
\$967.	\$1,022.	\$1,061.	\$1,095.	\$1,120.	\$1,156.	\$1,196.	\$1,224.	\$1,250.	\$1,304.	\$1,545.	\$1,745.	\$1,879.	\$1,948.	\$2,081.
1,049.	1,101.	1,143.	1,175.	1,201.	1,236.	1,277.	1,304.	1,329.	1,382.	1,625.	1,826.	1,961.	2,028.	2,163.
1,169.	1,224.	1,263.	1,296.	1,324.	1,356.	1,395.	1,423.	1,450.	1,504.	1,745.	1,948.	2,081.	2,148.	2,283.
1,250.	1,304.	1,342.	1,376.	1,403.	1,435.	1,476.	1,504.	1,531.	1,585.	1,826.	2,028.	2,163.	2,229.	2,364.
175.	229.	269.	300.	327.	364.	403.	430.	455.	511.	752.	954.	1,089.	1,156.	1,290.

Order Code	Ordering Information	Options	
<i>Example:</i> <b>7-P-FA-2-S-HC-B-B-B-P-K2026B/13</b>	<i>Specify:</i>	<i>Polished aluminum base:</i> Replace 2 in pattern with 4:	
<b>7</b>	1. Pattern number	<i>Code:</i> <i>Upchg:</i> <i>Description:</i>	
<b>P</b>	2. Lower back finish	4	\$97 Polished
<b>FA</b>	3. Base finish	aluminum base	
<b>2</b>	4. Upper back finish		
<b>S</b>	5. Control finish		
<b>HC</b>	6. Seat textile		
<b>B</b>		<i>Polished control:</i> Replace P in pattern with A:	
<b>B</b>		<i>Code:</i> <i>Upchg:</i> <i>Description:</i>	
<b>B</b>		A	\$81 Polished control
<b>P</b>		<i>Casters and Glides:</i> Replace HC in pattern with the following:	
<b>K2026B/13</b>		<i>Code:</i> <i>Upchg:</i> <i>Description:</i>	
		SC	n/c Soft casters for hard floors
<i>Example for Cal 133:</i>			
<b>7-P-FA-2-SA-HC-B-B-B-P-C-K2026B/13-133</b>			

Delite K2026 - Base Grade	Textile Options	
KnollTextiles Delite K2026 is the base grade textile for the Ollo chair. Choose K2026B for the seat, followed by a two digit color code. Select one of the following:	<i>KnollTextiles fabrics and Spinneybeck leathers:</i> Please refer to the textile matrices at the beginning of the price list for approved fabrics and leathers.	<i>Cal 133:</i> See textile matrices at the beginning of the price list for pre-approved Cal 133 textiles. ♣ = Cal 133 pre-approved
<i>Code:</i> <i>Description:</i>	<i>Customer's Own Material/Leather:</i> See Customer's Own Material Seating Process Overview at the beginning of the price list	To specify, insert C before seat textile selections and 133 after the seat and back selection.
01 Orange	COM/COL Textile Requirements	<i>Code:</i> <i>Upchg:</i> <i>Description:</i>
02 Red		C()133 \$108 Cal 133 compliant
03 Catalina		
04 Turquoise		
05 Parrot		
06 Green		
07 Cinder		
08 Stone		
09 Gray		
10 Slate		
11 Tobacco		
12 Charcoal		
13 Onyx		
14 Purple		

Ollo with Shell Back  
*light task chair with 4-star base*

<div>Designer(s): Glen Oliver Loew, 2019</div> 	model	description	pattern no.
	armless, 4-star base	Armless plastic back, aluminum 4-star base, standard cylinder, glides	<b>7-P-NA-6-S-GL</b>
			
	fixed arms, 4-star base	Fixed arm plastic back, aluminum 4-star base, standard cylinder, glides	<b>7-P-FA-6-S-GL</b>
			
		Replacement seat	<b>OLLOSEAT</b>

list price base grade	grades <b>A</b>	COM <b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	COL <b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>
\$1,075.	\$1,126.	\$1,169.	\$1,201.	\$1,229.	\$1,263.	\$1,304.	\$1,329.	\$1,356.	\$1,410.	\$1,650.	\$1,854.	\$1,988.	\$2,053.	\$2,189.





1,156.	1,209.	1,250.	1,283.	1,311.	1,342.	1,382.	1,410.	1,435.	1,491.	1,732.	1,934.	2,068.	2,135.	2,269.
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

175.	229.	269.	300.	327.	364.	403.	430.	455.	511.	752.	954.	1,089.	1,156.	1,290.
------	------	------	------	------	------	------	------	------	------	------	------	--------	--------	--------

Order Code	Ordering Information	Options
<i>Example:</i> <b>7-P-FA-6-S-GL-B-B-P-K2026B/13</b>	<i>Specify:</i> 1. Pattern number 2. Lower back finish 3. Base finish 4. Upper back finish 5. Control finish 6. Seat textile	<i>Polished control:</i> Replace P in pattern with A:  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> A    \$81    Polished control
<b>7</b>	Ollo	<i>Lower back finish:</i> Select one of the following colors:  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> B    n/c    Black MG   \$65    Medium Grey LG   \$65    Light Grey
<b>P</b>	Plastic back	<i>Upper back finish:</i> Select one of the following colors:  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> B    n/c    Black MG   n/c    Medium Grey LG   n/c    Light Grey
<b>FA</b>	Fixed arms	
<b>6</b>	4-star polished aluminum base	
<b>S</b>	Standard cylinder	
<b>GL</b>	Hard casters	
<b>B</b>	Black lower back	
<b>B</b>	Black upper back	
<b>P</b>	Painted control	
<b>K2026B/13</b>	Base grade Delite, Onyx seat	
<i>Example for Cal 133:</i> <b>7-P-FA-6-S-GL-B-B-P-C-K2026B 13-133</b>		

Delite K2026 - Base Grade	Textile Options
KnollTextiles Delite K2026 is the base grade textile for the Ollo chair. Choose K2026B for the seat, followed by a two digit color code. Select one of the following:  <i>Code:</i> <i>Description:</i> 01    Orange 02    Red 03    Catalina 04    Turquoise 05    Parrot 06    Green 07    Cinder 08    Stone 09    Gray 10    Slate 11    Tobacco 12    Charcoal 13    Onyx 14    Purple	<i>KnollTextiles fabrics and Spinneybeck leathers:</i> Please refer to the textile matrices at the beginning of the price list for approved fabrics and leathers.  <i>Customer's Own Material/Leather:</i> See Customer's Own Material Seating Process Overview at the beginning of the price list  COM/COL Textile Requirements  COM fabric seat = .8 yards COL leather seat = 14 square feet
	<i>Cal 133:</i> See textile matrices at the beginning of the price list for pre-approved Cal 133 textiles. ♣ = Cal 133 pre-approved  To specify, insert C before seat textile selections and 133 after the seat and back selection.  <i>Code:</i> <i>Upchg:</i> <i>Description:</i> C( )133 \$108    Cal 133 compliant

Ollo with Knit Back  
light task chair / high task chair with 5-star base

	model	description	pattern no.
<i>Designer(s):</i> Glen Oliver Loew, 2021	light task armless, 5-star base	Armless knit back, plastic 5-star base, standard cylinder, hard casters	<b>7-K-NA-2-S-HC</b>
			
	light task fixed arms, 5-star base	Fixed arm knit back, plastic 5-star base, standard cylinder, hard casters	<b>7-K-FA-2-S-HC</b>
			
	high task armless, 5-star base	Armless knit back, plastic 5-star base, high task cylinder, hard casters	<b>7-K-NA-2-T-HC</b>
			
	high task fixed arms, 5-star base	Fixed arm knit back, plastic 5-star base, high task cylinder, hard casters	<b>7-K-FA-2-T-HC</b>
			

Order Code	Ordering Information	Options	Delite K2026-Base Grade
<i>Example:</i>	<b>7-K-FA-2-S-HC-LG-18-K2263B/18</b>	<i>Specify:</i>	<i>Polished aluminum base:</i>
<b>7</b>	Ollo	1. Pattern number	Replace 2 in pattern with 4:
<b>K</b>	Knit back	2. Back frame finish	
<b>FA</b>	Fixed arms	3. Knit color	<i>Code: Upchg: Description:</i>
<b>2</b>	5-star plastic base	4. Seat textile	4 \$97 Polished aluminum base
<b>S</b>	Standard cylinder		MG \$65 Medium Grey
<b>HC</b>	Hard casters		LG \$65 Light Grey
<b>LG</b>	Light grey back frame	<i>Casters and Glides:</i>	
<b>18</b>	Stonework knit	Replace HC in pattern with the following:	<i>Base finish:</i>
<b>K2263B/18</b>	Base grade Infinite, Stonework seat	<i>Code: Upchg: Description:</i>	Default same finish as back frame unless Polished aluminum is specified in pattern.
		SC n/c Soft casters for hard floors	
		GL n/c Glides *	<i>Knit Color:</i>
			Select one of the following colors:
		*Glides only available on chairs with black frames.	<i>Code: Upchg: Description:</i>
			1 n/c Black
			2 n/c Husk
			7 n/c Dune
			13 n/c Poppy
			15 n/c Blueberry
			18 n/c Stonework
			22 n/c Gunmetal




list price base grade	grades <b>A</b>	COM <b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	COL <b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>
\$1,030.	\$1,082.	\$1,121.	\$1,153.	\$1,180.	\$1,212.	\$1,252.	\$1,278.	\$1,304.	\$1,356.	\$1,591.	\$1,785.	\$1,917.	\$1,981.	\$2,111.
1,108.	1,160.	1,199.	1,232.	1,259.	1,291.	1,329.	1,356.	1,381.	1,434.	1,668.	1,863.	1,995.	2,060.	2,190.
1,225.	1,278.	1,318.	1,349.	1,376.	1,407.	1,446.	1,474.	1,499.	1,552.	1,785.	1,981.	2,111.	2,177.	2,307.
1,304.	1,356.	1,395.	1,427.	1,455.	1,486.	1,525.	1,552.	1,578.	1,630.	1,863.	2,060.	2,190.	2,255.	2,386.

Infinite K2263 - Base Grade	Delite K2026 - Base Grade	Textile Options
KnollTextiles Delite K2263 is one of the base grade textiles for the Ollo chair with knit back. Choose K2263B for the seat, followed by a color code. Select one of the following:	KnollTextiles Delite K2026 is also a base grade textile for the Ollo chair with knit back. Choose K2026B for the seat, followed by a two digit color code. Select one of the following:	<i>KnollTextiles fabrics and Spinneybeck leathers:</i> Please refer to the textile matrices at the beginning of the price list for approved fabrics and leathers.
<i>Code: Description:</i>	<i>Code: Description:</i>	<i>Customer's Own Material/Leather:</i>
1 Sugar	01 Orange	See Customer's Own Material Seating
2 Husk	02 Red	Process Overview at the beginning of the price list
3 Natural	03 Catalina	
4 Calm	04 Turquoise	COM/COL Textile Requirements
5 Honeycomb	05 Parrot	
6 Copper	06 Green	COM fabric seat = .3 yards
7 Celery	07 Cinder	COL leather seat = 14 square feet
8 Eucalyptus	08 Stone	
9 Hillside	09 Gray	
10 Feather	10 Slate	
11 Raindrop	11 Tobacco	
12 Pepper	12 Charcoal	
13 Poppy	13 Onyx	
14 Wisteria	14 Purple	
15 Blueberry		
16 Midnight		
17 Birch		
18 Stonework		
19 Nutmeg		
20 Acorn		
21 Mercury		
22 Gunmetal		



Ollo with Knit Back


light task chair with 4-star base

	model	description	pattern no.
<div>Designer(s): Glen Oliver Loew, 2021</div> <div></div>	armless, 4-star base	Armless knit back back, polished aluminum 4-star base, standard cylinder, glides	<b>7-K-NA-6-S-GL</b>
			
	fixed arms, 4-star base	Fixed arm knit back back, polished aluminum 4-star base, standard cylinder, glides	<b>7-K-FA-6-S-GL</b>
			

Order Code	Ordering Information	Options
<i>Example:</i>	<b>7-K-FA-6-S-GL-LG-18-K2263B/18</b>	
<b>7</b>	Ollo	<i>Caster and Glides:</i>  4-star base only available with glides.
<b>K</b>	Knit back	
<b>FA</b>	Fixed arms	Glides only available in black.
<b>6</b>	4-star polished aluminum base	
<b>S</b>	Standard cylinder	
<b>GL</b>	Glides	
<b>LG</b>	Light grey back frame	
<b>18</b>	Stonework knit	
<b>K2263B/18</b>	Base grade Infinite, Stonework seat	
<i>Example for Cal 133:</i>		
<b>7-K-FA-6-S-GL-LG-18-C-K2263B/18-133</b>		

list price base grade	grades <b>A</b>	COM <b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	COL <b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>
\$1,134.	\$1,186.	\$1,225.	\$1,259.	\$1,285.	\$1,318.	\$1,356.	\$1,381.	\$1,407.	\$1,460.	\$1,696.	\$1,890.	\$2,020.	\$2,085.	\$2,216.
1,212.	1,265.	1,304.	1,337.	1,363.	1,395.	1,434.	1,460.	1,486.	1,538.	1,773.	1,969.	2,098.	2,164.	2,294.

Infinite K2263 - Base Grade	Delite K2026 - Base Grade	Textile Options
KnollTextiles Delite K2263 is one of the base grade textile for the Ollo chair with knit back. Choose K2263B for the seat, followed by a color code. Select one of the following:	KnollTextiles Delite K2026 is also a base grade textile for the Ollo chair with knit back. Choose K2026B for the seat, followed by a color code. Select one of the following:	<i>KnollTextiles fabrics and Spinneybeck leathers:</i> Please refer to the textiles matrices at the beginning of the price list for approved fabrics and leathers.  <i>Customer's Own Material/Leather:</i> See Customer's Own Material Seating Process Overview at the beginning of the price list  COM/COL Textile Requirements  COM fabric seat = .3 yards COL leather seat = 14 square feet
<i>Code:</i> <i>Description:</i> 1      Sugar 2      Husk 3      Natural 4      Calm 5      Honeycomb 6      Copper 7      Celery 8      Eucalyptus 9      Hillside 10     Feather 11     Raindrop 12     Pepper 13     Poppy 14     Wisteria 15     Blueberry 16     Midnight 17     Birch 18     Stonework 19     Nutmeg 20     Acorn 21     Mercury 22     Gunmetal	<i>Code:</i> <i>Description:</i> 01     Orange 02     Red 03     Catalina 04     Turquoise 05     Parrot 06     Green 07     Cinder 08     Stone 09     Gray 10     Slate 11     Tobacco 12     Charcoal 13     Onyx 14     Purple	




Ollo Ergonomic Dimensions*	Light Task	High Task
<b>Seat</b>		
Seat Height	16.1 - 21.3” (5-star plastic base with casters) 16.1 - 21.3” (4-star aluminum base with glides)	22.6-31.0” (5-star plastic base with casters)
Seat Width	19.75”	19.75”
Seat Depth	18”	18”
Seat Pan Angle (Fixed)	3.7°	3.7°
<b>Back</b>		
Backrest Height	16.5”	16.5”
Backrest Width	18.5”	18.5”
Angle between Seat and Back	97°	97°
Tilt Range of Back	14°	14°
<b>Arms</b>		
Armrest Height from Seat	8.5”	8.5”
Inside Distance between Armrests	19.5”	19.5”

\* All measurements taken with BIFMA Chair Measuring Device using the Universal Measurement Procedure which has a measurement uncertainty of ± 5%

Ollo Light Task Measurements	Light Task	High Task
A. Overall Height	31.75 -37” (5-star plastic base with glides is 0.4” lower) (5-star aluminum base with casters is 0.3” lower) (5-star aluminum base with glides is 0.7” lower)	38.5-47.0”
B. Overall Width	23.5” (armless) 25.2” (arms)	25.9” (armless) 25.9” (arms)
C. Overall Depth	23”	24.65”
D. Arm Height from Floor	24 - 29”	30.5-38.75”
E. Base Diameter	24.4”	26.0”
Weight	23.5 lb (armless) 24.8 lb (arm)	30.0 lb (Armless) 31.3 lb (Arms)

Performance Information	
Armpads measure	8.75 x 3”

Compliancy: ANSI / BIFMA X5.1 : 2011 (U.S. structural standard)  
California T.B. 117 (U.S. flammability standard for foam)  
California T.B. 133 standard for non-upholstered models, with approved FR textile for upholstered models (U.S. flammability standard for full chair)  
Ollo has been tested and is approved for use by individuals weighing up to 300 lbs.



Ollo Ergonomic Dimensions*	Light Task	High Task
<b>Seat</b>		
Seat Height	16.1 - 21.3” (5 -star plastic base with casters) 16.1 - 21.3” (4-star aluminum base with glides)	22.6 - 31.0” (5-star plastic base with casters)
Seat Width	19.75”	19.75”
Seat Depth	16.5”	16.5”
Seat Pan Angle (fixed)	3.7°	3.7°
<b>Back</b>		
Backrest Height	21”	21”
Backrest Width	19.5”	19.5”
Lumbar Support (fixed)	8.5”	8.5”
Angle between Seat and Back	98.8°	98.8°
Tilt Range of Back	16°	16°
<b>Arms</b>		
Armrest Height from Seat	9.1”	9.1”
Inside Distance between Armrests	19-1”	19-1”

\*All measurements taken with BIFMA Chair Measuring Device using the Universal Measurement Procedure which has a measurement uncertainty of +/- 5%

Ollo with Knit Back Measurements	Light Task	High Task
A. Overall Height	35 - 40.2”	41.5 - 49.9”
B. Overall Width	21.3” (armless) 25.5” (arms)	21.3” (armless) 25.5” (arms)
C. Overall Depth	20.9”	20.9”
D. Arm Height from Floor	24.2”	30.7”
E. Base Diameter	24.6”	26”
Weight	24.2 lbs (armless) 25.4 lbs (arms)	30.6 lbs (armless) 31.8 lbs (arms)

Performance Information	
Armpads measure	8.75” long x 3” wide

Compliancy: ANSI/BIFMA X5.1:2017  
California T.B. 117 (U.S. flammability standard for foam)  
California T.B. 133 standard for non-upholstered models, with approved FR textile for upholstered models (U.S. flammability standard for full chair)  
Ollo has been tested and is approved for use by individuals weighing up to 300 lbs.

CONSTRUCTION INFORMATION	CLEANING INSTRUCTIONS	ENVIRONMENTAL	WARRANTY
<b>Shell back lower back and knit back frame</b> glass reinforced nylon	<b>General cleaning:</b> Clean using a soft rag, either dry or wet. When needed, use mild pH-balanced soap diluted in water. Do not use abrasive sponges, acidic products or solvents containing ammonia.	<b>Shell back: BIFMA level® certified</b> BIFMA has established level as a common framework against which to evaluate the environmental and social responsibility of a variety of products. level is part of BIFMA’s ongoing development of voluntary product and industry standards that support safe, healthy and sustainable workplaces. To achieve level certification, Knoll partners with Scientific Certification Systems (SCS), known for its integrity and scientific rigor.	Ollo is warranted for 24-hour, 7 days a week, multi shift use; 12 years parts and labor to repair; 3 years seating upholstery, textiles and leathers, and finishes. See Knoll Selling Policy for further details, conditions and exclusions.
<b>Shell back upper back:</b> nylon			
<b>Arm pads:</b> glass reinforced nylon and self-skinning polyurethane	<b>Delite Fabric</b> Fabric with cleaning codes W or W-S are designed to be cleaned with low environmental impact cleaning fluids, including GS-37 certified products. See KnollTextiles Price List for further details on cleaning codes.		
<b>Seat structure:</b> glass reinforced nylon, acetal slides, and steel hardware			
<b>Foam carrier:</b> polypropylene			
<b>Seat upholstery:</b> High resiliency molded foam with textile cover	<b>Infinite Fabric</b> Fabric with cleaning codes W or W-S are designed to be cleaned with low environmental impact cleaning fluids. Water-based cleaning agents and foam or mild, water-free solvents may be used for cleaning this fabric. See KnollTextiles Price List for further details on cleaning codes.		
<b>Control:</b> cast aluminum, glass reinforced nylon adjustment lever, steel hardware and rubber bushing			
<b>Cylinder:</b> steel			
<b>Base:</b> integrally color, glass reinforced nylon or cast aluminum			
<b>Fasteners and hardware:</b> steel			
<b>Hard casters:</b> integrally colored nylon and steel			
<b>Soft casters:</b> integrally colored nylon over molded with polyurethane and steel			
<b>Glides:</b> integrally colored nylon and steel			
<b>Delite textile:</b> 100% Polyester			
<b>Infinite Textile:</b> 100% Polyester			

Remix®  
side chair  
Single Upholstery

Office Seating

	model	description	pattern no.
Designer(s): Formway Design, 2016	side chair	Fully upholstered side chair with glides	<b>64-S-X-GL</b>



list price base grade	grades <b>A</b>	COM <b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	COL <b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>
\$1,003.	\$1,065.	\$1,169.	\$1,231.	\$1,295.	\$1,327.	\$1,459.	\$1,507.	\$1,704.	\$1,851.	\$1,949.	\$2,031.	\$2,277.	\$2,317.	\$2,592.

Order Code	Ordering Information	Options	Delite K2026 - Base Grade
Example: <b>64-S-X-HC-2-RXS02-RXB02</b>	Specify: 1. Pattern number 2. Finish color 3. Seat textile 4. Back textile	<b>Casters and Glides:</b> Replace GL in pattern with one of the following:  <b>Code:</b> <b>Upchg:</b> <b>Description:</b> HC     \$36     hard casters for soft floors SC     \$23     soft casters for hard floors  <b>Frame Finish:</b> <b>Code:</b> <b>Description:</b> 2     Black frame finish 115     Medium Grey finish	KnollTextiles Delite K2026 is the base grade textile for the Remix side chair. Select one of the following:  <b>Code:</b> <b>Description:</b> 01     Orange 02     Red 03     Catalina 04     Turquoise 05     Parrot 06     Green 07     Cinder 08     Stone 09     Gray 10     Slate 11     Tobacco 12     Charcoal 13     Onyx 14     Purple

Textile Options		
<p><i>KnollTextiles fabrics and Spinneybeck leathers:</i></p> <p>Please refer to the textile matrices at the beginning of the price list for approved fabrics and leathers.</p> <p><i>Split upholstery:</i></p> <p>Remix side seats backs can be upholstered in any two approved fabrics or leathers.</p>	<p><i>Customer's Own Material/Leather:</i></p> <p>See Customer's Own Material Seating Process Overview at the beginning of the price list</p> <p>COM/COL Textile Requirements</p> <p>COM fabric seat = 1.4 yards</p> <p>COL leather seat = 9 square feet</p> <p>COM fabric back = 1.25 yard</p> <p>COL leather back = 14 square feet</p>	<p><i>Cal 133:</i></p> <p>See textile matrices at the beginning of the price list for pre-approved Cal 133 textiles.</p> <p>♣ = Cal 133 pre-approved</p> <p>To specify, insert C before seat textile selections and 133 after the seat and inner back textile codes.</p> <p><i>Code: Upchg: Description:</i></p> <p>C()133 \$117 Cal 133 compliant</p>

Remix®  
side chair  
Split Upholstery




	model	description	pattern no.
<i>Designer(s):</i> Formway Design, 2016	side chair	Fully upholstered side chair with glides	<b>64-S-X-GL Back</b>
		Fully upholstered side chair with glides	<b>64-S-X-GL Seat</b>

list price base grade	grades A	COM B	C	D	E	F	G	H	I	COL U	V	W	X	Y
\$472.	\$501.	\$550.	\$579.	\$609.	\$624.	\$686.	\$708.	\$801.	\$870.	\$916.	\$955.	\$1,070.	\$1,089.	\$1,218.
531.	564.	619.	652.	686.	703.	773.	799.	903.	981.	1,033.	1,076.	1,207.	1,228.	1,374.

Order Code	Ordering Information	Options	Delite K2026 - Base Grade
<i>Example:</i> <b>64-S-X-HC-2-RXS02-RXB02</b>	<i>Specify:</i> 1. Pattern number 2. Finish color 3. Seat textile 4. Back textile	<i>Casters and Glides:</i> Replace GL in pattern with one of the following:  <i>Code: Upchg: Description:</i> HC \$36 hard casters for soft floors SC \$23 soft casters for hard floors  <i>Frame Finish:</i> <i>Code: Description:</i> 2 Black frame finish 115 Medium Grey finish	KnollTextiles Delite K2026 is the base grade textile for the Remix side chair. Select one of the following:  <i>Code: Description:</i> 01 Orange 02 Red 03 Catalina 04 Turquoise 05 Parrot 06 Green 07 Cinder 08 Stone 09 Gray 10 Slate 11 Tobacco 12 Charcoal 13 Onyx 14 Purple

Textile Options		
<i>KnollTextiles fabrics and Spinneybeck leathers:</i> Please refer to the textile matrices at the beginning of the price list for approved fabrics and leathers.	<i>Customer's Own Material/Leather:</i> See Customer's Own Material Seating Process Overview at the beginning of the price list	<i>Cal 133:</i> See textile matrices at the beginning of the price list for pre-approved Cal 133 textiles. ♣ = Cal 133 pre-approved
<i>Split upholstery:</i> Remix side seats backs can be upholstered in any two approved fabrics or leathers.	COM/COL Textile Requirements  COM fabric seat = 1.4 yards COL leather seat = 9 square feet COM fabric back = 1.25 yard COL leather back = 14 square feet	To specify, insert C before seat textile selections and 133 after the seat and inner back textile codes.  <i>Code: Upchg: Description:</i> C()133 \$117 Cal 133 compliant



Side Chair with Casters

Remix Side Chair Measurements *	
	Side Chair
A. Overall Height	31.5”
B. Overall Width	23”
C. Overall Depth	22.4”
D. Arm Height from Seat	9.4”
E. Arm Height from Floor	26”
F. Inside Distance between Arm Rests	20.1”
G. Seat Height	17.7”
H. Seat Width	18.9”
I. Seat Depth	17.3”
Weight	21.8 lbs.

\* All measurements taken with BIFMA Chair Measuring Device using the Universal Measurement Procedure which has a measurement uncertainty of ± 5%

Compliancy: ANSI / BIFMA X5.1 : 2011 (U.S. structural standard)  
GPD-6 : 2013 (Canadian structural standard)  
California T.B. 117 (U.S. flammability standard for foam)  
California T.B. 133 with approved FR textile (U.S. flammability standard for full chair)  
Remix side chair has been tested and is approved for use by individuals weighing up to 300 lbs.

CONSTRUCTION INFORMATION

**Back**  
High-resiliency foam with textile cover and integrally colored, 13% glass reinforced nylon structure

**Seat**  
High-resiliency molded foam with textile cover and integrally colored, 13% glass reinforced nylon structure

**Seat cosmetic cover**  
Integrally colored, 30% glass filled polypropolene

**Frame**  
Powder coated steel

**Fasteners**  
Steel

**Hard casters**  
Integrally colored nylon and steel

**Soft casters**  
Integrally colored nylon over molded with polyurethane, and steel

**Glides**  
Integrally colored impact modified nylon

**Delite textile**  
100% polyester

CLEANING INSTRUCTIONS

**Remix Fabric**  
Fabric with cleaning codes W or W-S are designed to be cleaned with low environmental impact cleaning fluids, including GS-37 certified products. See KnollTextiles Price List for further details on cleaning codes.

ENVIRONMENTAL

WARRANTY


Remix side is warranted for 24-hour, 7 days a week, multi shift use: 12 years parts and labor to repair; 3 years seating upholstery, textiles and leathers, and finishes. See Knoll Selling Policy for further details, conditions and exclusions.

Moment™  
side chair

Office Seating

Designer(s):  
Jeffrey Bennett and  
Nicholas Dodziuk, 2007




arm	description	pattern no.
fixed	Cantilevered side chair with painted frame, stacks 4 high on the floor	<b>9-A-SL-S</b>
		
<b>9RSEAT</b>	Replacement upholstered seat assembly	<b>9RSEAT</b>

list price base grade	grades <b>A</b>	COM <b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>I</b>	COL <b>U</b>	<b>V</b>	<b>W</b>	<b>X</b>	<b>Y</b>
\$878.	\$902.	\$942.	\$955.	\$994.	\$1,025.	\$1,051.	\$1,099.	\$1,164.	\$1,188.	\$1,359.	\$1,526.	\$1,741.	\$1,832.	\$1,927.

354.	395.	429.	455.	482.	514.	537.	568.	630.	680.	880.	1,056.	1,289.	1,392.	1,493.
------	------	------	------	------	------	------	------	------	------	------	--------	--------	--------	--------

Order Code	Ordering Information	Finish Options
Example: <b>9-A-SL-S-2-AB-K1000B/14</b>	Specify:	Frame:
<b>9</b>	1. Pattern number	Select one of the following frame finishes
<b>A</b>	2. Frame finish color	
<b>SL</b>	3. Back color	Code: Upchg: Description:
<b>S</b>	4. Upholstery selection	2 n/c Black
<b>2</b>		3 n/c Metallic Grey
<b>AB</b>		4 n/c Metallic Silver
<b>K1000B/14</b>		C \$178 Trivalent Chrome
		Back:
Example for Cal 133:		Select one of the following back colors
<b>9-A-SL-S-2-AB-C-K1000B/14-133</b>		Code: Upchg: Description:
		AB n/c Almost Black
		CH n/c Charcoal
		WH n/c White

Presto - Base Grade Fabric	Textile Options
Select K1523B - then one of the color options:	KnollTextiles fabrics and Spinneybeck leathers:
Code: Description:	Please refer to the textile matrices at the beginning of the price list for approved fabrics and leathers.
1 Air	CAL 133:
2 Gull	See textile matrices at the beginning of the price list for pre-approved Cal 133 textiles. ♣ = Cal 133 pre-approved
3 Sandbar	
4 Cork	Insert C after back color and 133 after upholstery selection
5 Flax	Code: Upchg: Description:
6 Beeswax	C()133 \$59 Cal 133 compliant textile
7 Tangerine	
8 Sunshine	
9 Sizzle	
10 Flame	
11 Tart	
12 Jelly	
13 Bluebird	
14 Liberty	




Moment Chair Measurements

A. Overall Height	32.5"
B. Overall Width	21"
C. Overall Depth	21"
D. Arm Height from Seat	8.5"
E. Arm Height from Floor	26.25"
F. Seat Height	17.75"
G. Seat Width	19"
H. Seat Depth	17.5"
Weight	24 lbs.

Stacking Instructions

Moment stacks up to 4 units high on the floor and features a non-marking cosmetic cover under the seat that reduces fabric wear from stacking.

To stack chairs, place the top chair seat on top of the seat of the chair below. The base of the top chair fits between the legs of the lower chair and rests on top of the lower chair base.



Construction Information

Frame	Powder coat or trivalent chrome over steel
Back structure	Integrally colored, textured, glass reinforced nylon
Back bar	Powder coat or trivalent chrome over aluminum die cast
Seat upholstery plate	Integrally colored polypropylene
Seat cosmetic cover	Integrally colored, textured, impact modified polypropylene
Upholstery	High resiliency molded urethane foam with textile cover
Tip stops and glides	Black, integrally colored, molded nylon
Fasteners and hardware	Steel



Environmental Information

SMaRT®	Moment is SMaRT® Sustainable Gold Certified
Powder Coat	Knoll metal powder coating processes are 99% VOC-free
Trivalent Chrome	Trivalent chrome uses a safer, more environmentally friendly process to achieve a chrome finish

Compliancy: ANSI/BIFMA X5.1 : 2011 (U.S. structural standard)  
California T.B. 117 (U.S. flammability standard for foam)  
California T.B. 133 with approved FR textile (U.S. flammability standard for full chair)  
The Moment chair has been tested and is approved for use by individuals weighing up to 300 lbs.

This page intentionally left blank.




	model	description	pattern number
<i>Designer(s):</i> Antenna Design, 2013	pull up table	pull up table that also serves as a place to perch	<b>ACT-TB-2-GL</b>
			

	list price laminate	veneer	accent laminate
	\$986.	\$1,062.	\$1,157.

Order Code	Ordering Information	Finish Options
<i>Example:</i> <b>ACT-TB-1-GL-118-130-130</b>	<i>Specify:</i> 1. Pattern number 2. Frame finish 3. Tablet finish 4. Seat finish	<i>Frame:</i> Select one of the following frame finishes  <i>Code:   Description:</i> 111T   Jet Black 115T   Medium Grey 118T   Bright White 130T   Dark Red 131T   Slate Blue
<b>ACT</b> Activity Spaces		<i>Tablet:</i> Select one of the following tablet finishes  <i>Code:   Description:</i> 111    Jet Black laminate 115    Medium Grey laminate 118    Bright White laminate 130    Dark Red accent laminate 131    Slate Blue accent laminate VWO   White Oak veneer GSO    Grey Stained Oak veneer
<b>TB</b> Toboggan		<i>Seat:</i> Select one of the following seat finishes  <i>Code:   Description:</i> 111    Jet Black laminate 115    Medium Grey laminate 118    Bright White laminate 130    Dark Red accent laminate 131    Slate Blue accent laminate VWO   White Oak veneer GSO    Grey Stained Oak veneer
<b>1</b> Sled base chair		<b>Note:</b> Dark Red and Slate Blue accent laminates are priced differently than standard laminate colors.
<b>GL</b> Glides		<b>Note:</b> Grey Stained Oak veneer is not available on the sled base chair desk.
<b>118T</b> Bright White frame finish		
<b>130</b> Dark Red laminate tablet finish		
<b>130</b> Dark Red laminate seat finish		

<i>Split finishes:</i>  For split finishes on tablet and seat, list price defaults to higher list price.	<i>CAL 133:</i>  Toboggan is CAL 133 approved standard. No options or upcharge required.
--	--

Dimensions	Pull-up Table
A. Overall Height	24.5"
B. Overall Width	18.4"
C. Width of Tablet	17.9"
D. Overall Depth	16.4"
E. Depth of Tablet	13.0"
Weight	22 lbs.



Pull-up Table

Construction Information	
Frame	Powder-coated steel
Seat and tablet	Molded plywood with laminate or veneer surfaces
Tip stops and glides	Molded nylon
Fasteners and hardware	Steel

Compliancy:

ANSI/BIFMA X5.1 : 2011 (U.S. structural standard)  
The Toboggan chair has been tested and is approved for use by individuals weighing up to 300 pounds.

California T.B. 133 (U.S. flammability standard for full chair)

Warranty:

Toboggan is warranted for 24-hour, 7 days a week, multi shift use:  
12 years parts and labor to repair. See Knoll Selling Policy for further details, conditions and exclusions.

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
11-1-FA-2-S-X-HC	52	7-P-NA-2-S-HC	88
11-1-HA-2-S-X-HC	52	7-P-NA-2-T-HC	88
11-1-HP-2-S-X-HC	52	7-P-NA-6-S-GL	90
11-1-NA-2-S-X-HC	52	88-1-HA-2-S-X-HC	44
2-5-S-A-N-2-HC	82	88-1-HA-7-S-X-HC	46
2-5-S-C-N-2-HC	82	88-1-HP-2-S-X-HC	44
2-5-T-A-N-2-HC	82	88-1-HP-7-S-X-HC	46
2-5-T-C-N-2-HC	82	88-1-NA-2-S-X-HC	44
2-B-C-N-X	80	88-1-NA-7-S-X-HC	46
2-C-C-N-X	80	9-A-SL-S	106
2-H-A-N-X-GL	78	9RSEAT	106
2-H-C-N-X-GL	78	ACT-TB-2-GL	110
2-S-A-N-X-GL	78	GENSEAT	52
2-S-C-N-X-GL	78	NEWTSEAT	44
2SDOLLY	78	OLLOSEAT	88, 90
2SEAT	78, 80, 82	REGENSEAT	60, 62, 68, 70
2SGA	78	S	78, 80, 82
44-1-FA-2-S-X-HC	58		
44-1-FA-2-T-X-HC	66		
44-1-HA-2-S-X-HC	58		
44-1-HA-2-T-X-HC	66		
44-1-HP-2-S-X-HC	58		
44-1-HP-2-T-X-HC	66		
44-1-NA-2-S-X-HC	58		
44-1-NA-2-T-X-HC	66		
44-2-FA-2-S-X-HC	62		
44-2-FA-2-S-X-HC Back	64		
44-2-FA-2-T-X-HC	70		
44-2-FA-2-T-X-HC Back	72		
44-2-HA-2-S-X-HC	62		
44-2-HA-2-S-X-HC Back	64		
44-2-HA-2-T-X-HC	70		
44-2-HA-2-T-X-HC Back	72		
44-2-HP-2-S-X-HC	62		
44-2-HP-2-S-X-HC Back	64		
44-2-HP-2-T-X-HC	70		
44-2-HP-2-T-X-HC Back	72		
44-2-NA-2-S-X-HC	62		
44-2-NA-2-S-X-HC Back	64		
44-2-NA-2-T-X-HC	70		
44-2-NA-2-T-X-HC Back	72		
55BACKTOPPER	36		
55C-3	28, 30, 32, 34		
55FABRICTOPPER	36		
55H-3	28, 30, 32, 34		
55LUMBAR	36		
55M-3	28, 30, 32, 34		
55P-3	28, 30, 32, 34		
55SEATTOPPER	36		
64-S-X-GL	100		
64-S-X-GL Back	102		
64-S-X-GL Seat	102		
7-K-FA-2-S-HC	92		
7-K-FA-2-T-HC	92		
7-K-FA-6-S-GL	94		
7-K-NA-2-S-HC	92		
7-K-NA-2-T-HC	92		
7-K-NA-6-S-GL	94		
7-P-FA-2-S-HC	88		
7-P-FA-2-T-HC	88		
7-P-FA-6-S-GL	90		

# Selling Policy

	<p>This Selling Policy supersedes all previous selling policies and is inclusive of Knoll, KnollStudio and Muuto. Prices, discounts and product offerings are subject to change without notice.</p>
<b>Terms &amp; Conditions of Sales</b>	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supersede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
<b>Ordering Information</b>	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
<b>Order Confirmation</b>	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
<b>Pricing Policies</b>	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
<b>Taxes</b>	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
<b>Terms of Payment</b>	<p>Payment for one hundred percent (100%) of the net order amount (including any applicable shipping and handling fee) is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
<b>Changes and Cancellation</b>	<p>Standard purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p> <p>QuickShip orders may not be changed or canceled without Knoll's authorization. In the event of Muuto order changes, 25% payment of original net order amount is required for changes incurring the week the order was entered. 100% payment of original net order amount is required for changes incurring the week the order is scheduled to ship. If Muuto is ordered on QuickShip, the QuickShip policy supersedes.</p>
<b>Freight Prepaid</b>	<p>For standard orders, freight is prepaid and included in the price of all Knoll Office and KnollStudio Products, except KnollTextiles and Muuto, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p> <p>Freight for all Muuto orders must be specified at time of order placement and added to the PO.</p>
<b>Delivery/Freight Charges</b>	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Orders for QuickShip product shipping direct parcel or White Glove are subject to additional shipping and handling charges and must be paid by Purchaser. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
<b>Claims</b>	<p>All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.</p>

# Selling Policy

<b>Seller's Security Interest</b>	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
<b>Returns</b>	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
<b>Held Orders/Storage</b>	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.
<b>Customer's Own Material</b>	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
<b>Delay/Force Majeure</b>	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
<b>Compliance with Law</b>	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
<b>Patents</b>	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.
	The foregoing indemnity does not apply to the following:
	<ul style="list-style-type: none"><li>• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.</li><li>• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.</li><li>• Any settlements of a suit or proceeding made without Seller's written consent.</li></ul>
<b>Limitations of Liability</b>	<b>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</b>  Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.
<b>Warranty</b>	please visit warranty website link <a href="https://www.knoll.com/help/warranty">https://www.knoll.com/help/warranty</a> for up-to-date information.

# General Ordering Information

---

## **The Products**

This guide encompasses all standard products for this product group.

## **Sizes**

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

## **Pricing**

All prices shown are list.

## **How to Order**

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

## **Mail all orders to:**

Knoll, Inc.  
1235 Water Street  
P.O. Box 157  
East Greenville, PA 18041  
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

# Sustainability Statement

---

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to [knoll.com](http://knoll.com), click on "About Knoll" and then "Environmental Focus."