
Dividends Horizon[®]

Price List
July 2024

Knoll

Introduction	Knoll Color Program Finishes	3
	Dividends Legacy Finishes	5
	Dividends Horizon Fabrics	7
Panels, Pre-Configured	Monolithic Panels	8
	Tiled Panels	16
	Beltway Panels	32
Panels, Build-To-Spec	Topway and Full View Panel Frame Assemblies	37
	Base Raceway Covers	40
	Stack Frames	41
	Monolithic Panel Fabric Inserts	43
	Monolithic Laminate and Veneer Inserts	46
	Tiled Fabric Inserts	50
	Tiled Laminate and Veneer Inserts	53
	Beltway Inserts	55
	High Acoustic Core Inserts	59
	Window Insert Kits	60
	Markerboard Tiles	61
	Steel Insert Kits	63
	Slatwall Tiles	72
	Freestanding Foot	73
	Rolling Door	74
	Glass Screens	76
	Glass Stacking Screens	80
	Standard Frameless Add Up	83
	Recessed Frameless Add Up	85
Post Connectors/End Trim	Dividends Horizon DP8 Post Assemblies	93
	Dividends Horizon DP8 Post Components	95
	Panel End Trim and Panel Top Caps	101
	Panel Wall Starter, Panel-to-Panel Top Cap Transition	109
	Wall Mount Tracks and Components	110
	Coat Hooks and Reveal Fillers	112
Alternative Planning	Universal Gallery Panels	114
	Elevated Spine	126
	Concealed Post	156
	120° Planning	180
Electrical/Data Components	Base Raceway Electrical	184
	Receptacles	186
	Vertical Electrical	189
	Data Faceplate	190
	Double Vertical Electrical	191
	Desktop Power and Data Modules	192
	Beltway Electrical	196
	Electrical Infeeds and Power Poles	198
	Electrical Infeeds	201
	New York City, San Francisco and Chicago Electrical	202
	Cable Management	204
Storage Components	Flip-Up Door Overheads	206
	Sliding Door Overheads	208
	Up Mounted Overheads	218
	Overhead Bookshelf	219
	Mounting Brackets and Accessories	220
	Task Lights	222
	Pedestals	223
	Credenzas	225
	Flip-up Door Overdesk and Tackboards	236
	Sliding Door Overdesks	238
	Sliding Door Overdesks with Tackboard	246

Worksurfaces	Rectangular Worksurfaces	256
	Curvilinear Wave End Worksurfaces	262
	Smooth Wave Worksurfaces	263
	Faceted Worksurfaces	264
	Trapezoidal Worksurfaces	266
	Corner Worksurfaces	267
	Peninsula Worksurfaces	271
	Curvilinear Half- and Corner-Round Worksurfaces	274
	Transaction Counter Worksurfaces	275
Postformed	Postformed Worksurfaces, 1 3/4"	276
	Postformed Worksurfaces, 1 1/4"	282
	Postformed Options worksurfaces 1 1/4"	293
Worksurface Supports and Screens	Panel Mounted Worksurface Brackets	303
	Network Privacy screens	307
	Screen-to-Worksurface Brackets	311
	Universal Modesty Panel, steel	312
	Universal Modesty Panel, fabric	313
	Universal Privacy Screen, fabric and fabric w/7" slatwall	314
	Universal Privacy Screen, steel	315
	Universal Privacy Screen, fabric	318
	Universal Privacy Screen, fabric and fabric w/7" or 14" slatwall	319
	Panel Mounted Worksurface Supports	320
	Peninsula Worksurface Supports	321
Tables	Y Leg Tables	322
	X Base Tables	328
	Table Supports	332
	Conference Tables	334
Freestanding Desks	Preconfigured Desks	337
	Desk Components	341
	Desk Accessories	344
Wall Mounting of Knoll Products		346
Alpha-Numeric Index		348
Selling Policy		365
KnollKey Lock Program		367
General Ordering Information		368

Specify Core or Central Palette finishes for all new customers. (CP) - Refers to the central palette material selections. Central palette material options are available to order on Knoll and Herman Miller products.

Paint Finishes

91T	White (CP)
98T	Studio White (CP)
111T++	Jet Black
112T	Brown
113T ++	Dark Grey
114T ++	Folkstone Grey
115T	Medium Grey
116T	Sandstone
117T++	Soft Grey
118T @	Bright White
120T ^^	Black Brown
611T	Beige Mist Metallic (CP)
612T	Medium Metallic Grey
613T	Silver (CP)
CRBT	Carbon (CP)
G1T	Graphic (CP)
UBKT	Ultra Black (CP)
WLT	Warm Stone (CP)

Paint Finish Applications:

Panel base raceway covers
Screen Frames
Steel and slatwall tile inserts
D1 style tile supports
DP8 metal panel trim
DP8 power poles
Worksurface supports
Overhead and overdesk cases ad doors
Credenza case, top and door
Pedestal case and fronts
Table bases

Laminate Finishes

111 **	Jet Black
114 ** + +	Folkstone Grey (S)
115 **	Medium Grey
117 **	Soft Grey
118 * * * @	Bright White (S)
119 **	Pumice
121 ^^	Micro Grey
122 * ^^	Brushed Sand
123 * ++	Brushed Grey
124 * * ++	Medium Cherry
125 **	Natural Maple (CP)
126 **	Natural Cherry (CP)
127 **	Walnut (CP)
128 * * * ^^	Fog
129 * ++	Micro Sand
139 **	Light Ash (CP)
140 **	Warm Ash (CP)
141 **	Whitened Ash (CP)
142 **	Grey Ash
143 * *	Classic Oak
144 **	Graphic Pear
145 ^^	Zebra
147 * * * ^^	Silverwood
148 * * * ^^	Smokewood
149 * * * ^^	Barnwood
LBA **	Clear on Ash (CP)

LBB **	Walnut on Ash (CP)
LBU **	Medium Matte Walnut (CP)

Laminate Finish Applications:

Worksurfaces
Overhead and overdesk door
Credenza top and door
Laminate tile inserts
Freestanding desk worksurfaces
Table tops

2mm Edgeband Finish Applications:

Worksurfaces
Freestanding desk worksurfaces
Table tops

2mm Edgeband Finishes

111	Jet Black
114 * * + +	Folkstone Grey
115	Medium Grey
117	Soft Grey
118 @	Bright White (S)
119	Pumice
121 ^^	Micro Grey
122 * ^^	Brushed Sand
123 * ++	Brushed Grey
124 ++	Medium Cherry
125	Natural Maple (CP)
126	Natural Cherry (CP)
127	Walnut (CP)
128 ^^	Fog
129 * ++	Micro Sand
139	Light Ash (CP)
140	Warm Ash (CP)
141	Whitened Ash
142	Grey Ash
143	Classic Oak
144	Graphic Pear
145 ^^	Zebra
147 ^^	Silverwood
148 ^^	Smokewood
149 ^^	Barnwood

2mm Edgeband Finish Applications:

Worksurfaces
Freestanding desk worksurfaces
Table tops

Cascade Worksurface Finishes:

114 + +	Folkstone Grey (S)
117 ++	Soft Grey
118 @	Bright White
119	Pumice
124 ++	Medium Cherry
125	Natural Maple (CP)
126	Natural Cherry (CP)
127	Walnut (CP)
LBA	Clear on ASH (CP)
LBB	Oak on Ash (CP)
LBC	Walnut on Ash (CP)
LBU	Medium Matte Walnut (CP)

Cascade Worksurface Finish

Applications:
Cascade edge worksurface

Techwood Finishes:

506	Maple
509	Cherry
512	Medium Walnut
513	Medium Teak
514	Espresso
628	Dark Mahogany
637	Natural
638	Blond Maple
639	Light Cherry
641	Black Oak
644	Light Walnut
645	Dove Grey

Techwood Finish Applications:

Worksurfaces
Overhead and overdesk doors
Credenza top and door
Panel Trim
Veneer tile inserts
Table tops

Note: All Dividends Horizon products except DS2 pedestals and doublewide pedestals are painted with a textured finish excluding 613 Silver, which is available as a smooth finish only. X and Y base tables and the freestanding screen kits are always painted with a textured finish, including 613 Silver.

Note: Laminates and other finishes may vary in color due to different dye lots. Slight variations are to be expected.

Note: Worksurfaces, overhead and overdesk doors, credenza tops, and doors, and veneer tile inserts will have the same Techwood finish on the surface and the edge.

**Finish not available on laminate panel inserts*

*** Melamine worksurface finish.*

Worksurfaces manufactured in Melamine are available in High Pressure Laminate at a 15% upcharge. Other products are also available in High Pressure Laminate and would need to be quoted separately.

Notes:

@	Limited Availability
++	Discontinued May 2025
^^	Discontinued August 2024
(CP)	Central Palette
(S)	Screen Finish option

[illegible]

++ Discontinued May 2025

Most products introduced after 2004 are not available in Legacy finishes. See individual pricing pages for availability.

Specify Legacy finishes to match existing product only. Legacy finishes are not available for new customers.

Trim Finishes

Panel top caps
Panel post trim
Pedestal drawer top caps
Overhead drawer top caps
Pedestal drawer pulls
Y1 Pewter

Paint Finishes

Panel base raceway covers
Panel tiled insert supports
Solid Steel panel inserts
Perforated steel panel inserts
Embossed steel panel inserts
Overhead storage components
Pedestals
Desk Components
Metal panel topcaps and trim

P1 Finishes

Y1 Pewter

P2 Finishes

H Beige Metallic
W Light Tan Metallic

All other Knoll paint finishes and custom finishes (Series 2 components only)

Laminates

Worksurfaces

An upcharge applies where specifying Legacy laminates. Add an amount equal to 10% of the solid PVC edgeband list price to the price of any product specified with a Legacy laminate.

CM Clear Maple
M1 Light Grey
PA Pearwood
SD Sand
B Snow
WM Warm Cherry
MR6 Winter Grey Matrix

Note: Laminates and other finishes may vary in color due to different dye lots. Slight variations are to be expected.

Worksurface Edges

2mm edgeband

Y3 Dark Grey
Y2 Medium Grey
MT Metal
Y1 Pewter
SD Sand
B Snow
WM Warm Cherry

Order Code	Color Name	Old Order Code	Paint Grade	Paint Finishes	Laminate Finishes	2mm Edgeband Finishes	Cascade Worksurface Finishes	Techwood Finishes	Plastic Trim Finishes	DS1 Storage Plastic Finishes
Techwoods										
641	Black Oak							•		
638	Blond Maple (formerly known as maple techgrain)							•		
509	Cherry							•		
628	Dark Mahogany							•		
514	Espresso							•		
639	Light Cherry (formerly known as cherry techgrain)							•		
506	Maple							•		
513	Medium Teak							•		
512	Medium Walnut							•		
637	Natural							•		
644	Light Walnut							•		
645	Dove Grey							•		

	Gloss Level	Fill Level
A	Low Gloss	Closed Pore
B	Medium Gloss	Closed Pore
C	High Gloss	Closed Pore
D	Low Gloss	Open Pore
E	Medium Gloss	Open Pore
F	High Gloss	Open Pore

Edge Options for Veneers	
WOOD	Complimentary Wood
SYN	Complimentary Synthetic
WPLY	Wood Ply Edge*
SPLY	Synthetic Ply Edge*

For more detailed information on Veneer finishes, please refer to the Wood Finish Matrix on the Knoll.com

Fabric Options**Grade 10**

Annex (W3160) excluding Salt (1)
 Beacon (W14975)
 Broadcloth II (W1619)
 Circuit (W17545)
 Element (W1077)
 Growth Spurt (W692)
 Messa (W2061)
 Skylark (W17187)
 Symbolic Details (W3693)
 Tailor Made II (1610)
 Twister (W1923)
 Wrap Up (W2410)

Grade 20

Circle Line (W1146)
 Criss Cross (W305)
 Delite (K2026)
 Edo (W211)
 Infinite (K2263) **
 Mainframe (W17835)
 Photon (W1293)
 Pondeer (W2382)
 Reflect (W884)

Grade 30

Commuter Cloth (K1779)
 Micro (W465)
 Relay (W1020)
 Synth (K1693)

Grade 40

Amplify (W1215)
 Bandwidth (W1219)
 Boundary (K1828)
 Crossroad (K2085)
 Hourglass (K1523)

Grade 50

Presto (K1000)

Grade 55

Transition (W816)
 Knoll Hopsack (K1207)

COM (Customer's Own Material)

COM can be applied to Dividends Horizon product on a select basis. Please consult your Knoll Customer Service Representative for details. Steps for approval:

1. Obtain COM Systems Approval Form from your Knoll Customer Service Representative and submit it along with \$750 for processing.

2. Submit 10 yards for testing to East Greenville. *Note: always contact your Customer Service Representative prior to sending any COM (including pre-approved KnollTextiles) to the manufacturing facility.*

3. Knoll manufactures test panels and evaluates for application (approximately 2 weeks). UL testing may also be required for some fabrics which requires an additional 25 yards and 6-9 weeks for processing.

4. Evaluation results are returned to the client.

Pricing for COM fabrics is at Grade 10.

** Not approved on Network Screens

Monolithic Panels

Standard Base Raceway

Worksurface Height and 36" High

Dividends Horizon

description	h	w	d	pattern no.	grade 10	20	30	40
Worksurface Height	28 1/2"	15"	3"	DP8CMMRRWH15	\$689.	\$742.	\$774.	\$795.
Monolithic Standard Base	28 1/2"	18"	3"	DP8CMMRRWH18	689.	742.	774.	795.
Raceway	28 1/2"	24"	3"	DP8CMMRRWH24	764.	822.	854.	882.
	28 1/2"	30"	3"	DP8CMMRRWH30	800.	861.	896.	923.
	28 1/2"	36"	3"	DP8CMMRRWH36	896.	964.	1,007.	1,040.
	28 1/2"	42"	3"	DP8CMMRRWH42	988.	1,067.	1,111.	1,150.
	28 1/2"	48"	3"	DP8CMMRRWH48	1,043.	1,120.	1,171.	1,214.
	28 1/2"	60"	3"	DP8CMMRRWH60	1,245.	1,336.	1,398.	1,447.
	28 1/2"	72"	3"	DP8CMMRRWH72RR*	1,569.	1,687.	1,766.	1,828.
	28 1/2"	84"	3"	DP8CMMRRWH84RR*	1,634.	1,751.	1,835.	1,902.
	28 1/2"	96"	3"	DP8CMMRRWH96RR*	1,699.	1,823.	1,910.	1,975.
36" High, Monolithic	35 1/8"	15"	3"	DP8CMMRR3615	689.	742.	774.	795.
Standard Base	35 1/8"	18"	3"	DP8CMMRR3618	689.	742.	774.	795.
Raceway	35 1/8"	24"	3"	DP8CMMRR3624	764.	822.	854.	882.
	35 1/8"	30"	3"	DP8CMMRR3630	800.	861.	896.	923.
	35 1/8"	36"	3"	DP8CMMRR3636	896.	964.	1,007.	1,040.
	35 1/8"	42"	3"	DP8CMMRR3642	988.	1,067.	1,111.	1,150.
	35 1/8"	48"	3"	DP8CMMRR3648	1,043.	1,120.	1,171.	1,214.
	35 1/8"	60"	3"	DP8CMMRR3660	1,245.	1,336.	1,398.	1,447.
	35 1/8"	72"	3"	DP8CMMRR3672RR*	1,442.	1,548.	1,619.	1,675.
	35 1/8"	84"	3"	DP8CMMRR3684RR*	1,650.	1,769.	1,854.	1,918.
	35 1/8"	96"	3"	DP8CMMRR3696RR*	1,715.	1,841.	1,929.	1,995.

Dimensions listed under h w d are actual to the nearest 1/16"

* RR = Pattern only available with railroaded fabric

Ordering Information	Order Code	Included with:	Options
Monolithic Panel with Standard Base Raceway: 1. Pattern number 2. Top cap type 3. Top cap finish 4. Raceway knockout option 5. Raceway trim finish 6. Panel fabric	Monolithic Panel Standard Base Raceway <i>Example:</i> DP8CMMRR3618 4/117/K/117/B191 DP8 Dividends Horizon Panel C Topway frame MM Monolithic both sides RR Base Raceway 4 Radius Metal top cap 117 Soft Grey top cap finish K Base raceway with knockouts both sides 117 Soft Grey base raceway finish B191 Fairfield fabric	Monolithic Panel with Standard Base Raceway: - Panel frame - Acoustic panel inserts (2) - Base raceway covers - Top cap - Connection hardware Note: Preconfigured Worksurface Height panels are not available with plastic top caps. Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others. Note: Frames larger than 72" wide ship knock down with two panels to achieve the 72" width.	Monolithic Panel with Standard Base Raceway Options: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V", No upcharge. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Options: (K) = Knockouts both side (N) = No Knockouts

Monolithic Panels

Standard Base Raceway

42" and 50" High

Dividends Horizon

Panels, Pre-Configured

description	h	w	d	pattern no.	grade 10	20	30	40
42" High, Monolithic Standard Base Raceway 	42 3/16"	15"	3"	DP8CMMRR4215	\$716.	\$774.	\$804.	\$835.
	42 3/16"	18"	3"	DP8CMMRR4218	716.	774.	804.	835.
	42 3/16"	24"	3"	DP8CMMRR4224	774.	834.	867.	891.
	42 3/16"	30"	3"	DP8CMMRR4230	841.	906.	949.	978.
	42 3/16"	36"	3"	DP8CMMRR4236	916.	984.	1,033.	1,063.
	42 3/16"	42"	3"	DP8CMMRR4242	1,007.	1,084.	1,127.	1,169.
	42 3/16"	48"	3"	DP8CMMRR4248	1,065.	1,142.	1,194.	1,233.
	42 3/16"	60"	3"	DP8CMMRR4260	1,264.	1,361.	1,422.	1,469.
	42 3/16"	72"	3"	DP8CMMRR4272RR*	1,599.	1,717.	1,799.	1,854.
	42 3/16"	84"	3"	DP8CMMRR4284RR*	1,664.	1,786.	1,869.	1,929.
	42 3/16"	96"	3"	DP8CMMRR4296RR*	1,728.	1,856.	1,944.	2,009.
50" High, Monolithic Standard Base Raceway 	49 1/2"	15"	3"	DP8CMMRR5015	764.	822.	854.	882.
	49 1/2"	18"	3"	DP8CMMRR5018	764.	822.	854.	882.
	49 1/2"	24"	3"	DP8CMMRR5024	826.	883.	920.	951.
	49 1/2"	30"	3"	DP8CMMRR5030	905.	971.	1,016.	1,047.
	49 1/2"	36"	3"	DP8CMMRR5036	988.	1,067.	1,111.	1,150.
	49 1/2"	42"	3"	DP8CMMRR5042	1,087.	1,169.	1,222.	1,257.
	49 1/2"	48"	3"	DP8CMMRR5048	1,170.	1,256.	1,310.	1,350.
	49 1/2"	60"	3"	DP8CMMRR5060	1,390.	1,495.	1,559.	1,615.
	49 1/2"	72"	3"	DP8CMMRR5072RR*	1,756.	1,890.	1,973.	2,041.
	49 1/2"	84"	3"	DP8CMMRR5084RR*	1,828.	1,965.	2,051.	2,124.
	49 1/2"	96"	3"	DP8CMMRR5096RR*	1,902.	2,046.	2,132.	2,208.

Dimensions listed under h w d are actual to the nearest 1/16"

* RR = Pattern only available with railrooded fabric

Ordering Information	Order Code	Included with:	Options
Monolithic Panel with Standard Base Raceway: 1. Pattern number 2. Top cap type 3. Top cap finish 4. Raceway knockout option 5. Raceway trim finish 6. Panel fabric	Monolithic Panel Standard Base Raceway <i>Example:</i> DP8CMMRR3618 4/117/K/117/B191 DP8 Dividends Horizon Panel C Topway frame MM Monolithic both sides RR Base Raceway 4 Radius Metal top cap 117 Soft Grey top cap finish K Base raceway with knockouts both sides 117 Soft Grey base raceway finish B191 Fairfield fabric	Monolithic Panel with Standard Base Raceway: - Panel frame - Acoustic panel inserts (2) - Base raceway covers - Top cap - Connection hardware Note: Preconfigured Worksurface Height panels are not available with plastic top caps. Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others. Note: Frames larger than 72" wide ship knock down with two panels to achieve the 72" width.	Monolithic Panel with Standard Base Raceway Options: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V", No upcharge. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Options: (K) = Knockouts both side (N) = No Knockouts

Monolithic Panels

Standard Base Raceway

57", 64" and 78" High

Dividends Horizon




description	h	w	d	pattern no.	grade 10	20	30	40
57" High, Monolithic Standard Base Raceway 	56 ¹³ / ₁₆ "	15"	3"	DP8CMMRR5715	\$827.	\$883.	\$922.	\$952.
	56 ¹³ / ₁₆ "	18"	3"	DP8CMMRR5718	827.	883.	922.	952.
	56 ¹³ / ₁₆ "	24"	3"	DP8CMMRR5724	886.	952.	991.	1,028.
	56 ¹³ / ₁₆ "	30"	3"	DP8CMMRR5730	979.	1,050.	1,099.	1,131.
	56 ¹³ / ₁₆ "	36"	3"	DP8CMMRR5736	1,067.	1,145.	1,197.	1,237.
	56 ¹³ / ₁₆ "	42"	3"	DP8CMMRR5742	1,157.	1,245.	1,300.	1,340.
	56 ¹³ / ₁₆ "	48"	3"	DP8CMMRR5748	1,241.	1,338.	1,394.	1,442.
	56 ¹³ / ₁₆ "	60"	3"	DP8CMMRR5760	1,398.	1,507.	1,573.	1,626.
64" High, Monolithic Standard Base Raceway 	64 ¹ / ₁₆ "	15"	3"	DP8CMMRR6415	878.	946.	982.	1,020.
	64 ¹ / ₁₆ "	18"	3"	DP8CMMRR6418	878.	946.	982.	1,020.
	64 ¹ / ₁₆ "	24"	3"	DP8CMMRR6424	946.	1,015.	1,053.	1,094.
	64 ¹ / ₁₆ "	30"	3"	DP8CMMRR6430	1,047.	1,125.	1,174.	1,216.
	64 ¹ / ₁₆ "	36"	3"	DP8CMMRR6436	1,137.	1,224.	1,275.	1,316.
	64 ¹ / ₁₆ "	42"	3"	DP8CMMRR6442	1,221.	1,310.	1,366.	1,415.
	64 ¹ / ₁₆ "	48"	3"	DP8CMMRR6448	1,307.	1,405.	1,469.	1,519.
	64 ¹ / ₁₆ "	60"	3"	DP8CMMRR6460	1,559.	1,684.	1,755.	1,813.
78" High, Monolithic Standard Base Raceway 	78 ⁹ / ₁₆ "	15"	3"	DP8CMMRR7815	1,230.	1,320.	1,387.	1,423.
	78 ⁹ / ₁₆ "	18"	3"	DP8CMMRR7818	1,230.	1,320.	1,387.	1,423.
	78 ⁹ / ₁₆ "	24"	3"	DP8CMMRR7824	1,346.	1,457.	1,519.	1,568.
	78 ⁹ / ₁₆ "	30"	3"	DP8CMMRR7830	1,462.	1,568.	1,642.	1,695.
	78 ⁹ / ₁₆ "	36"	3"	DP8CMMRR7836	1,587.	1,709.	1,790.	1,849.
	78 ⁹ / ₁₆ "	42"	3"	DP8CMMRR7842	1,717.	1,857.	1,933.	2,000.
	78 ⁹ / ₁₆ "	48"	3"	DP8CMMRR7848	1,830.	1,975.	2,063.	2,132.

Dimensions listed under h w d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Monolithic Panel with Standard Base Raceway: 1. Pattern number 2. Top cap type 3. Top cap finish 4. Raceway knockout option 5. Raceway trim finish 6. Panel fabric	Monolithic Panel Standard Base Raceway <i>Example:</i> DP8CMMRR3618 4/117/K/117/B191 DP8 Dividends Horizon Panel C Topway frame MM Monolithic both sides RR Base Raceway 4 Radius Metal top cap 117 Soft Grey top cap finish K Base raceway with knockouts both sides 117 Soft Grey base raceway finish B191 Fairfield fabric	Monolithic Panel with Standard Base Raceway: • Panel frame • Acoustic panel inserts (2) • Base raceway covers • Top cap • Connection hardware Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Monolithic Panel with Standard Base Raceway Options: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V", No upcharge. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Options: (K) = Knockouts both side (N) = No Knockouts

Open Base

Worksurface Height, 36", 42" and 50" High

description	h	w	d	pattern no.	grade 10	20	30	40
 Worksurface Height, Monolithic Open Base	28 1/2"	18"	3"	DP8CMMLLWH18	\$692.	\$747.	\$779.	\$799.
	28 1/2"	24"	3"	DP8CMMLLWH24	768.	827.	857.	886.
	28 1/2"	30"	3"	DP8CMMLLWH30	803.	866.	900.	927.
	28 1/2"	36"	3"	DP8CMMLLWH36	900.	970.	1,012.	1,046.
	28 1/2"	42"	3"	DP8CMMLLWH42	994.	1,073.	1,115.	1,155.
	28 1/2"	48"	3"	DP8CMMLLWH48	1,049.	1,126.	1,177.	1,220.
	28 1/2"	60"	3"	DP8CMMLLWH60	1,250.	1,341.	1,403.	1,453.
 36" High, Monolithic Open Base	35 1/8"	18"	3"	DP8CMMLL3618	692.	747.	779.	799.
	35 1/8"	24"	3"	DP8CMMLL3624	768.	827.	857.	886.
	35 1/8"	30"	3"	DP8CMMLL3630	803.	866.	900.	927.
	35 1/8"	36"	3"	DP8CMMLL3636	900.	970.	1,012.	1,046.
	35 1/8"	42"	3"	DP8CMMLL3642	994.	1,073.	1,115.	1,155.
	35 1/8"	48"	3"	DP8CMMLL3648	1,049.	1,126.	1,177.	1,220.
	35 1/8"	60"	3"	DP8CMMLL3660	1,250.	1,341.	1,403.	1,453.
 42" High, Monolithic Open Base	42 3/16"	18"	3"	DP8CMMLL4218	721.	779.	807.	839.
	42 3/16"	24"	3"	DP8CMMLL4224	779.	838.	870.	895.
	42 3/16"	30"	3"	DP8CMMLL4230	845.	910.	952.	982.
	42 3/16"	36"	3"	DP8CMMLL4236	920.	988.	1,037.	1,067.
	42 3/16"	42"	3"	DP8CMMLL4242	1,012.	1,089.	1,131.	1,174.
	42 3/16"	48"	3"	DP8CMMLL4248	1,069.	1,148.	1,198.	1,238.
	42 3/16"	60"	3"	DP8CMMLL4260	1,272.	1,366.	1,428.	1,475.
 50" High, Monolithic Open Base	49 1/2"	18"	3"	DP8CMMLL5018	768.	827.	857.	886.
	49 1/2"	24"	3"	DP8CMMLL5024	830.	888.	923.	957.
	49 1/2"	30"	3"	DP8CMMLL5030	909.	975.	1,022.	1,052.
	49 1/2"	36"	3"	DP8CMMLL5036	994.	1,073.	1,115.	1,155.
	49 1/2"	42"	3"	DP8CMMLL5042	1,091.	1,174.	1,229.	1,263.
	49 1/2"	48"	3"	DP8CMMLL5048	1,176.	1,261.	1,316.	1,359.
	49 1/2"	60"	3"	DP8CMMLL5060	1,397.	1,503.	1,567.	1,622.

Dimensions listed under h w d are actual to the nearest 1/16"




Ordering Information	Order Code	Included with:	Options
Monolithic Panel with Open Base: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Base finish 5. Panel fabric	Monolithic Panel with Open Base <i>Example:</i> DP8CMMLL 3618 4/117/117/B191 DP8 Dividends Horizon Panel C Topway frame MM Monolithic both sides LL Open base 4 Radius Metal top cap 117 Soft Grey top cap finish 117 Soft Grey raceway finish B191 Fairfield light fabric	Monolithic Panel with Open Base: - Panel frame - Acoustic panel inserts (2) - Open base - Top cap - Connection hardware Note: Preconfigured Worksurface Height panels are not available with plastic top caps. Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others.	Monolithic Panel with Open Base: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4

Monolithic Panels

Open Base

57", 64" and 78" High

Dividends Horizon

description	h	w	d	pattern no.	grade 10	20	30	40
57" High, Monolithic Open Base 	56 ¹³ / ₁₆ "	18"	3"	DP8CMMLL5718	\$827.	\$883.	\$922.	\$952.
	56 ¹³ / ₁₆ "	24"	3"	DP8CMMLL5724	886.	952.	991.	1,028.
	56 ¹³ / ₁₆ "	30"	3"	DP8CMMLL5730	979.	1,050.	1,099.	1,131.
	56 ¹³ / ₁₆ "	36"	3"	DP8CMMLL5736	1,067.	1,145.	1,197.	1,237.
	56 ¹³ / ₁₆ "	42"	3"	DP8CMMLL5742	1,157.	1,245.	1,300.	1,340.
	56 ¹³ / ₁₆ "	48"	3"	DP8CMMLL5748	1,241.	1,338.	1,394.	1,442.
	56 ¹³ / ₁₆ "	60"	3"	DP8CMMLL5760	1,398.	1,507.	1,573.	1,626.
64" High, Monolithic Open Base 	64 ¹ / ₁₆ "	18"	3"	DP8CMMLL6418	878.	946.	982.	1,020.
	64 ¹ / ₁₆ "	24"	3"	DP8CMMLL6424	946.	1,015.	1,053.	1,094.
	64 ¹ / ₁₆ "	30"	3"	DP8CMMLL6430	1,047.	1,125.	1,174.	1,216.
	64 ¹ / ₁₆ "	36"	3"	DP8CMMLL6436	1,137.	1,224.	1,275.	1,316.
	64 ¹ / ₁₆ "	42"	3"	DP8CMMLL6442	1,221.	1,310.	1,366.	1,415.
	64 ¹ / ₁₆ "	48"	3"	DP8CMMLL6448	1,307.	1,405.	1,469.	1,519.
	64 ¹ / ₁₆ "	60"	3"	DP8CMMLL6460	1,559.	1,684.	1,755.	1,813.
78" High, Monolithic Open Base 	78 ³ / ₁₆ "	18"	3"	DP8CMMLL7818	1,230.	1,320.	1,387.	1,423.
	78 ³ / ₁₆ "	24"	3"	DP8CMMLL7824	1,346.	1,457.	1,519.	1,568.
	78 ³ / ₁₆ "	30"	3"	DP8CMMLL7830	1,462.	1,568.	1,642.	1,695.
	78 ³ / ₁₆ "	36"	3"	DP8CMMLL7836	1,587.	1,709.	1,790.	1,849.
	78 ³ / ₁₆ "	42"	3"	DP8CMMLL7842	1,717.	1,857.	1,933.	2,000.
	78 ³ / ₁₆ "	48"	3"	DP8CMMLL7848	1,830.	1,975.	2,063.	2,132.

Dimensions listed under h w d are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Monolithic Panel with Open Base: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Base finish 5. Panel fabric	Monolithic Panel with Open Base <i>Example:</i> DP8CMMLL3618 4/117/117/B191 DP8 Dividends Horizon Panel C Topway frame MM Monolithic both sides LL Open Base 4 Radius Metal top cap 117 Soft Grey top cap finish 117 Soft Grey base raceway finish B191 Fairfield light fabric	Monolithic Panel with Open Base: • Panel frame • Acoustic panel inserts (2) • Open base • Top cap • Connection hardware Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Monolithic Panel with Open Base: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4




Monolithic Panels

Tile to Floor One Side

Worksurface Height, 36" and 42" High

Dividends Horizon

Panels, Pre-Configured

description	h	w	d	pattern no.	grade 10	20	30	40
Worksurface Height, Monolithic Tile to Floor 	28 1/2"	15"	3"	DP8CMMFRWH15	\$724.	\$777.	\$809.	\$830.
	28 1/2"	18"	3"	DP8CMMFRWH18	724.	777.	809.	830.
	28 1/2"	24"	3"	DP8CMMFRWH24	799.	857.	889.	917.
	28 1/2"	30"	3"	DP8CMMFRWH30	835.	896.	931.	958.
	28 1/2"	36"	3"	DP8CMMFRWH36	931.	999.	1,042.	1,075.
	28 1/2"	42"	3"	DP8CMMFRWH42	1,023.	1,102.	1,146.	1,185.
	28 1/2"	48"	3"	DP8CMMFRWH48	1,078.	1,155.	1,206.	1,249.
	28 1/2"	60"	3"	DP8CMMFRWH60	1,280.	1,371.	1,433.	1,482.
36" High, Monolithic Tile to Floor 	35 1/8"	15"	3"	DP8CMMFR3615	724.	777.	809.	830.
	35 1/8"	18"	3"	DP8CMMFR3618	724.	777.	809.	830.
	35 1/8"	24"	3"	DP8CMMFR3624	799.	857.	889.	917.
	35 1/8"	30"	3"	DP8CMMFR3630	835.	896.	931.	958.
	35 1/8"	36"	3"	DP8CMMFR3636	931.	999.	1,042.	1,075.
	35 1/8"	42"	3"	DP8CMMFR3642	1,023.	1,102.	1,146.	1,185.
	35 1/8"	48"	3"	DP8CMMFR3648	1,078.	1,155.	1,206.	1,249.
	35 1/8"	60"	3"	DP8CMMFR3660	1,282.	1,371.	1,433.	1,482.
42" High, Monolithic Tile to Floor 	42 3/16"	15"	3"	DP8CMMFR4215	751.	809.	839.	870.
	42 3/16"	18"	3"	DP8CMMFR4218	751.	809.	839.	870.
	42 3/16"	24"	3"	DP8CMMFR4224	809.	869.	902.	926.
	42 3/16"	30"	3"	DP8CMMFR4230	876.	941.	984.	1,013.
	42 3/16"	36"	3"	DP8CMMFR4236	951.	1,019.	1,068.	1,098.
	42 3/16"	42"	3"	DP8CMMFR4242	1,042.	1,119.	1,162.	1,204.
	42 3/16"	48"	3"	DP8CMMFR4248	1,100.	1,177.	1,229.	1,268.
	42 3/16"	60"	3"	DP8CMMFR4260	1,299.	1,396.	1,457.	1,504.

Dimensions listed under h w d are actual to the nearest 1/16"




Ordering Information	Order Code	Included with:	Options
Monolithic Panel with Tile to Floor: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Raceway knockout option 5. Base raceway finish 6. Panel fabric	Monolithic Panel with Tile to Floor <i>Example:</i> DP8CMMFR 3618 4/117/K/117/B191 DP8 Dividends Horizon Panel C Topway frame MM Monolithic both sides FR Tile to Floor 4 Radius Metal top cap 117 Soft Grey top cap finish K Base raceway with knockouts one side 117 Soft Grey base raceway finish B191 Fairfield light fabric	Monolithic Panel with Tile to Floor: - Panel frame - Acoustic panel inserts (2) - Top cap - Connection hardware - Base raceway on one side Note: Preconfigured Worksurface Height panels are not available with plastic top caps. Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others.	Monolithic Panel with Tile to Floor: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Tile to Floor Side Option: Tile to Floor standard on side 2. To specify tile to floor on side 1, change "FR" in pattern number to "RF". Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No Knockouts

Monolithic Panels

Tile to Floor One Side

50", 57" and 64" High

Dividends Horizon

description	h	w	d	pattern no.	grade 10	20	30	40
50" High, Monolithic Tile to Floor 	49 1/2"	15"	3"	DP8CMMFR5015	\$799.	\$857.	\$889.	\$917.
	49 1/2"	18"	3"	DP8CMMFR5018	799.	857.	889.	917.
	49 1/2"	24"	3"	DP8CMMFR5024	861.	918.	955.	986.
	49 1/2"	30"	3"	DP8CMMFR5030	940.	1,006.	1,051.	1,082.
	49 1/2"	36"	3"	DP8CMMFR5036	1,023.	1,102.	1,146.	1,185.
	49 1/2"	42"	3"	DP8CMMFR5042	1,122.	1,204.	1,257.	1,292.
	49 1/2"	48"	3"	DP8CMMFR5048	1,205.	1,291.	1,345.	1,385.
	49 1/2"	60"	3"	DP8CMMFR5060	1,425.	1,530.	1,594.	1,650.
57" High, Monolithic Tile to Floor 	56 13/16"	15"	3"	DP8CMMFR5715	862.	918.	957.	987.
	56 13/16"	18"	3"	DP8CMMFR5718	862.	918.	957.	987.
	56 13/16"	24"	3"	DP8CMMFR5724	921.	987.	1,026.	1,063.
	56 13/16"	30"	3"	DP8CMMFR5730	1,014.	1,085.	1,134.	1,166.
	56 13/16"	36"	3"	DP8CMMFR5736	1,102.	1,180.	1,232.	1,272.
	56 13/16"	42"	3"	DP8CMMFR5742	1,192.	1,280.	1,335.	1,375.
	56 13/16"	48"	3"	DP8CMMFR5748	1,276.	1,373.	1,429.	1,477.
	56 13/16"	60"	3"	DP8CMMFR5760	1,433.	1,542.	1,608.	1,661.
64" High, Monolithic Tile to Floor 	64 1/16"	15"	3"	DP8CMMFR6415	913.	981.	1,017.	1,055.
	64 1/16"	18"	3"	DP8CMMFR6418	913.	981.	1,017.	1,055.
	64 1/16"	24"	3"	DP8CMMFR6424	981.	1,050.	1,088.	1,129.
	64 1/16"	30"	3"	DP8CMMFR6430	1,082.	1,160.	1,209.	1,251.
	64 1/16"	36"	3"	DP8CMMFR6436	1,172.	1,259.	1,310.	1,351.
	64 1/16"	42"	3"	DP8CMMFR6442	1,256.	1,345.	1,401.	1,450.
	64 1/16"	48"	3"	DP8CMMFR6448	1,342.	1,440.	1,504.	1,554.
	64 1/16"	60"	3"	DP8CMMFR6460	1,594.	1,719.	1,790.	1,848.

Dimensions listed under h w d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Monolithic Panel with Tile to Floor: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Raceway knockout option 5. Base raceway finish 6. Panel fabric	Monolithic Panel with Tile to Floor <i>Example:</i> DP8CMMFR 3618 4/117/K/117/B191 DP8 Dividends Horizon Panel C Topway frame MM Monolithic both sides FR Tile to Floor 4 Radius Metal top cap 117 Soft Grey top cap finish K Base raceway with knockouts one side 117 Soft Grey raceway finish B191 Fairfield light fabric	Monolithic Panel with Tile to Floor: - Panel frame - Acoustic panel inserts (2) - Top cap - Connection hardware - Base raceway on one side Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Monolithic Panel with Tile to Floor: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Tile to Floor Side Option: Tile to Floor standard on side 2. To specify tile to floor on side 1, change "FR" in pattern number to "RF". Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No Knockouts

Monolithic Panels

Tile to Floor One Side

78" High

Dividends Horizon

Panels, Pre-Configured

description	h	w	d	pattern no.	grade 10	20	30	40
78" High, Monolithic Tile to Floor	78 ⁹ / ₁₆ "	15"	3"	DP8CMMFR7815	\$1,265.	\$1,355.	\$1,422.	\$1,458.
	78 ⁹ / ₁₆ "	18"	3"	DP8CMMFR7818	1,265.	1,355.	1,422.	1,458.
	78 ⁹ / ₁₆ "	24"	3"	DP8CMMFR7824	1,381.	1,492.	1,554.	1,603.
	78 ⁹ / ₁₆ "	30"	3"	DP8CMMFR7830	1,497.	1,603.	1,677.	1,730.
	78 ⁹ / ₁₆ "	36"	3"	DP8CMMFR7836	1,622.	1,744.	1,825.	1,884.
	78 ⁹ / ₁₆ "	42"	3"	DP8CMMFR7842	1,752.	1,892.	1,968.	2,035.
	78 ⁹ / ₁₆ "	48"	3"	DP8CMMFR7848	1,865.	2,010.	2,098.	2,167.



Dimensions listed under h w d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Monolithic Panel with Tile to Floor: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Raceway knockout option 5. Base raceway finish 6. Panel fabric	Monolithic Panel with Tile to Floor <i>Example:</i> DP8CMMFR 3618 4/117/K/117/B191 DP8 Dividends Horizon Panel C Topway frame MM Monolithic both sides FR Tile to Floor 4 Radius Metal top cap 117 Soft Grey top cap finish K Base raceway with knockouts one side 117 Soft Grey raceway finish B191 Fairfield light fabric	Monolithic Panel with Tile to Floor: • Panel frame • Acoustic panel inserts (2) • Top cap • Connection hardware • Base raceway on one side Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Monolithic Panel with Tile to Floor: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Tile to Floor Side Option: Tile to Floor standard on side 2. To specify tile to floor on side 1, change "FR" in pattern number to "RF". Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No Knockouts

Tiled Panels

Base Raceway

36", 42" and 50" High

Dividends Horizon

description	h	w	d	pattern no.	grade 10	20	30	40	Deduct for Monolithic One Side
 36" High Tiled Standard Base Raceway	35 1/8"	15"	3"	DP8CTTRR3615	\$1,080.	\$1,167.	\$1,216.	\$1,255.	\$88.
	35 1/8"	18"	3"	DP8CTTRR3618	1,080.	1,167.	1,216.	1,255.	88.
	35 1/8"	24"	3"	DP8CTTRR3624	1,145.	1,235.	1,285.	1,334.	89.
	35 1/8"	30"	3"	DP8CTTRR3630	1,212.	1,301.	1,355.	1,404.	90.
	35 1/8"	36"	3"	DP8CTTRR3636	1,320.	1,416.	1,481.	1,533.	92.
	35 1/8"	42"	3"	DP8CTTRR3642	1,413.	1,519.	1,586.	1,642.	91.
	35 1/8"	48"	3"	DP8CTTRR3648	1,475.	1,588.	1,658.	1,715.	93.
	35 1/8"	60"	3"	DP8CTTRR3660	1,762.	1,894.	1,977.	2,046.	95.
 42" High Tiled Standard Base Raceway	42 3/16"	15"	3"	DP8CTTRR4215	1,107.	1,193.	1,246.	1,285.	88.
	42 3/16"	18"	3"	DP8CTTRR4218	1,107.	1,193.	1,246.	1,285.	88.
	42 3/16"	24"	3"	DP8CTTRR4224	1,174.	1,260.	1,315.	1,356.	89.
	42 3/16"	30"	3"	DP8CTTRR4230	1,255.	1,346.	1,405.	1,458.	90.
	42 3/16"	36"	3"	DP8CTTRR4236	1,339.	1,442.	1,503.	1,558.	92.
	42 3/16"	42"	3"	DP8CTTRR4242	1,427.	1,535.	1,600.	1,651.	91.
	42 3/16"	48"	3"	DP8CTTRR4248	1,497.	1,615.	1,688.	1,743.	93.
	42 3/16"	60"	3"	DP8CTTRR4260	1,791.	1,929.	2,014.	2,078.	95.
 50" High Tiled Standard Base Raceway	49 1/2"	15"	3"	DP8CTTRR5015	1,180.	1,271.	1,325.	1,374.	87.
	49 1/2"	18"	3"	DP8CTTRR5018	1,180.	1,271.	1,325.	1,374.	87.
	49 1/2"	24"	3"	DP8CTTRR5024	1,268.	1,372.	1,429.	1,472.	90.
	49 1/2"	30"	3"	DP8CTTRR5030	1,338.	1,440.	1,505.	1,555.	87.
	49 1/2"	36"	3"	DP8CTTRR5036	1,419.	1,521.	1,586.	1,644.	81.
	49 1/2"	42"	3"	DP8CTTRR5042	1,504.	1,619.	1,691.	1,745.	76.
	49 1/2"	48"	3"	DP8CTTRR5048	1,580.	1,699.	1,776.	1,840.	74.
	49 1/2"	60"	3"	DP8CTTRR5060	1,827.	1,965.	2,055.	2,124.	95.

Dimensions listed under h w d are actual to the nearest 1/8"

Ordering Information	Order Code	Included with:	Options
Tiled Panel with Standard Base Raceway: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Raceway knockout option 5. Raceway finish 6. Tile Support profile 7. Panel fabric	Tiled Panel with Standard Base Raceway <i>Example:</i> DP8CTTRR3618 4/117/K/117/2/B191 DP8 Dividends Horizon Panel C Topway frame TT Tiled both sides RR Base raceway 36 Height 18 Width 4 Radius Metal top cap 117 Soft Grey top cap finish K Base raceway with knockouts both sides 117 Soft Grey base raceway finish 2 D2 style tile supports B191 Fairfield light fabric	Tiled Panel with Standard Base Raceway: • Panel frame • Acoustic panel inserts • Base raceway covers • Top cap • Connection hardware Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Tiled Panels with Standard Base Raceway: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Option: For one side tiled, one side monolithic, change "TT" in pattern number to "MT" and deduct amount in far right column. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts (N) = No knockouts Tile Support Options: (1) = D1 External Reveal (2) = D2 Recessed Reveal


Tiled Panels

Base Raceway

57", 64" and 78" High

Dividends Horizon

Panels, Pre-Configured

description	h	w	d	pattern no.	grade 10	20	30	40	Deduct for Monolithic One Side
 57" High Tiled Standard Base Raceway	56 ^{13/16"}	15"	3"	DP8CTTRR5715	\$1,423.	\$1,528.	\$1,595.	\$1,647.	\$109.
	56 ^{13/16"}	18"	3"	DP8CTTRR5718	1,423.	1,528.	1,595.	1,647.	109.
	56 ^{13/16"}	24"	3"	DP8CTTRR5724	1,521.	1,635.	1,704.	1,766.	113.
	56 ^{13/16"}	30"	3"	DP8CTTRR5730	1,605.	1,733.	1,808.	1,867.	116.
	56 ^{13/16"}	36"	3"	DP8CTTRR5736	1,699.	1,832.	1,917.	1,977.	118.
	56 ^{13/16"}	42"	3"	DP8CTTRR5742	1,801.	1,936.	2,021.	2,095.	121.
	56 ^{13/16"}	48"	3"	DP8CTTRR5748	1,899.	2,044.	2,132.	2,206.	123.
	56 ^{13/16"}	60"	3"	DP8CTTRR5760	2,195.	2,366.	2,470.	2,559.	125.
 64" High Tiled Standard Base Raceway	64 ^{1/16"}	15"	3"	DP8CTTRR6415	1,500.	1,614.	1,688.	1,743.	131.
	64 ^{1/16"}	18"	3"	DP8CTTRR6418	1,500.	1,614.	1,688.	1,743.	131.
	64 ^{1/16"}	24"	3"	DP8CTTRR6424	1,605.	1,733.	1,802.	1,866.	138.
	64 ^{1/16"}	30"	3"	DP8CTTRR6430	1,693.	1,825.	1,911.	1,972.	134.
	64 ^{1/16"}	36"	3"	DP8CTTRR6436	1,794.	1,933.	2,019.	2,091.	135.
	64 ^{1/16"}	42"	3"	DP8CTTRR6442	1,902.	2,049.	2,139.	2,210.	137.
	64 ^{1/16"}	48"	3"	DP8CTTRR6448	2,000.	2,149.	2,247.	2,323.	138.
	64 ^{1/16"}	60"	3"	DP8CTTRR6460	2,313.	2,496.	2,610.	2,695.	138.
 78" High Tiled Standard Base Raceway	78 ^{9/16"}	15"	3"	DP8CTTRR7815	2,249.	2,427.	2,532.	2,622.	235.
	78 ^{9/16"}	18"	3"	DP8CTTRR7818	2,249.	2,427.	2,532.	2,622.	235.
	78 ^{9/16"}	24"	3"	DP8CTTRR7824	2,418.	2,604.	2,724.	2,813.	243.
	78 ^{9/16"}	30"	3"	DP8CTTRR7830	2,559.	2,750.	2,881.	2,980.	237.
	78 ^{9/16"}	36"	3"	DP8CTTRR7836	2,729.	2,942.	3,074.	3,183.	258.
	78 ^{9/16"}	42"	3"	DP8CTTRR7842	2,886.	3,110.	3,257.	3,365.	263.
	78 ^{9/16"}	48"	3"	DP8CTTRR7848	3,054.	3,298.	3,446.	3,567.	315.

Dimensions listed under h w d are actual to the nearest 1/8"




Ordering Information	Order Code	Included with:	Options
Tiled Panel with Standard Base Raceway: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Raceway knockout option 5. Raceway finish 6. Tile support profile 7. Tile support finish 8. Panel fabric	Tiled Panel with Standard Base Raceway <i>Example:</i> DP8CTTRR3618 4/117/K/117/2/B191 DP8 Dividends Horizon Panel C Topway frame TT Tiled both sides RR Base raceway 36 Height 18 Width 4 Radius Metal top cap 117 Soft Grey top cap finish K Base raceway with knockouts both sides 117 Soft Grey base raceway finish 2 D2 style tile supports B191 Fairfield light fabric	Tiled Panel with Standard Base Raceway: • Panel frame • Acoustic panel inserts • Base raceway covers • Top cap • Connection hardware Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Tiled Panels with Standard Base Raceway: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Option: For one side tiled, one side monolithic, change "TT" in pattern number to "MT" and deduct amount in far right column. Top Cap Options: (3) = No Top Cap (4) = Radius Metal, add \$40 P1, \$42 P2, \$44 P3 paint grades (5) = Flat Metal, add \$40 P1, \$42 P2, \$44 P3 paint grades Raceway Knockout Options: (K) = Knockouts (N) = No knockouts Tile Support Options: (1) = D1 External Reveal (2) = D2 Recessed Reveal

Tiled Panels

Open Base

36", 42" and 50" High

Dividends Horizon

description	h	w	d	pattern no.	10	20	30	40	Deduct for Monolithic One Side
36" High Tiled Open Base 	35 1/8"	18"	3"	DP8CTTLL3618	\$1,080.	\$1,167.	\$1,216.	\$1,255.	\$88.
	35 1/8"	24"	3"	DP8CTTLL3624	1,145.	1,235.	1,285.	1,334.	89.
	35 1/8"	30"	3"	DP8CTTLL3630	1,212.	1,301.	1,355.	1,404.	90.
	35 1/8"	36"	3"	DP8CTTLL3636	1,320.	1,416.	1,481.	1,533.	92.
	35 1/8"	42"	3"	DP8CTTLL3642	1,413.	1,519.	1,586.	1,642.	91.
	35 1/8"	48"	3"	DP8CTTLL3648	1,475.	1,588.	1,658.	1,715.	93.
	35 1/8"	60"	3"	DP8CTTLL3660	1,762.	1,894.	1,977.	2,046.	95.
42" High Tiled Open Base 	42 3/16"	18"	3"	DP8CTTLL4218	1,107.	1,193.	1,246.	1,285.	88.
	42 3/16"	24"	3"	DP8CTTLL4224	1,174.	1,260.	1,315.	1,356.	89.
	42 3/16"	30"	3"	DP8CTTLL4230	1,255.	1,346.	1,405.	1,458.	90.
	42 3/16"	36"	3"	DP8CTTLL4236	1,339.	1,442.	1,503.	1,558.	92.
	42 3/16"	42"	3"	DP8CTTLL4242	1,427.	1,535.	1,600.	1,651.	91.
	42 3/16"	48"	3"	DP8CTTLL4248	1,497.	1,615.	1,688.	1,743.	93.
	42 3/16"	60"	3"	DP8CTTLL4260	1,791.	1,929.	2,014.	2,078.	95.
50" High Tiled Open Base 	49 1/2"	18"	3"	DP8CTTLL5018	1,145.	1,235.	1,285.	1,334.	87.
	49 1/2"	24"	3"	DP8CTTLL5024	1,234.	1,329.	1,390.	1,428.	90.
	49 1/2"	30"	3"	DP8CTTLL5030	1,300.	1,398.	1,464.	1,510.	87.
	49 1/2"	36"	3"	DP8CTTLL5036	1,378.	1,475.	1,540.	1,596.	81.
	49 1/2"	42"	3"	DP8CTTLL5042	1,462.	1,573.	1,642.	1,695.	76.
	49 1/2"	48"	3"	DP8CTTLL5048	1,535.	1,650.	1,724.	1,787.	74.
	49 1/2"	60"	3"	DP8CTTLL5060	1,827.	1,965.	2,055.	2,124.	95.

Dimensions listed under h w d are actual to the nearest 1/8"

Ordering Information	Order Code	Included with:	Options
Tiled Panel with Open Base: 1. Pattern Number 2. Top cap type 3. Top Cap finish 4. Base finish 5. Tile support profile 6. Panel fabric	Tiled Panel with Open Base <i>Example:</i> DP8CTTLL3618 4/117/117/2/B191 DP8 Dividends Horizon Panel C Topway frame TT Tiled both sides LL Open base 36 Height 18 Width 4 Radius Metal top cap 117 Soft Grey top cap finish 117 Soft Grey base finish 2 D2 style tile supports B191 Fairfield light fabric	Tiled Panel with Open Base: - Panel frame - Acoustic panel inserts - Open base - Top cap - Connection hardware Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Tiled Panel with Open Base: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Option: For one side tiled, one side monolithic, change "TT" in pattern number to "MT" and deduct amount in far right column. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Tile Support Options: (1) = D1 External Reveal (2) = D2 Recessed Reveal




Tiled Panels

Open Base

57", 64" and 78" High

Dividends Horizon

Panels, Pre-Configured

description	h	w	d	pattern no.	10	20	30	40	deduct for Monolithic One Side
57" High Tiled Open Base 	56 ¹³ / ₁₆ "	18"	3"	DP8CTTLL5718	\$1,382.	\$1,483.	\$1,548.	\$1,600.	\$109.
	56 ¹³ / ₁₆ "	24"	3"	DP8CTTLL5724	1,475.	1,587.	1,656.	1,715.	113.
	56 ¹³ / ₁₆ "	30"	3"	DP8CTTLL5730	1,559.	1,684.	1,755.	1,813.	116.
	56 ¹³ / ₁₆ "	36"	3"	DP8CTTLL5736	1,650.	1,778.	1,862.	1,922.	118.
	56 ¹³ / ₁₆ "	42"	3"	DP8CTTLL5742	1,748.	1,878.	1,964.	2,036.	121.
	56 ¹³ / ₁₆ "	48"	3"	DP8CTTLL5748	1,842.	1,985.	2,070.	2,141.	123.
	56 ¹³ / ₁₆ "	60"	3"	DP8CTTLL5760	2,195.	2,366.	2,470.	2,559.	125.
64" High Tiled Open Base 	64 ¹ / ₁₆ "	18"	3"	DP8CTTLL6418	1,457.	1,566.	1,638.	1,692.	131.
	64 ¹ / ₁₆ "	24"	3"	DP8CTTLL6424	1,559.	1,684.	1,749.	1,812.	138.
	64 ¹ / ₁₆ "	30"	3"	DP8CTTLL6430	1,645.	1,771.	1,856.	1,913.	134.
	64 ¹ / ₁₆ "	36"	3"	DP8CTTLL6436	1,743.	1,876.	1,961.	2,028.	135.
	64 ¹ / ₁₆ "	42"	3"	DP8CTTLL6442	1,846.	1,988.	2,075.	2,145.	137.
	64 ¹ / ₁₆ "	48"	3"	DP8CTTLL6448	1,943.	2,086.	2,183.	2,258.	138.
	64 ¹ / ₁₆ "	60"	3"	DP8CTTLL6460	2,313.	2,496.	2,610.	2,695.	138.
78" High Tiled Open Base 	78 ⁹ / ₁₆ "	18"	3"	DP8CTTLL7818	2,249.	2,427.	2,532.	2,622.	235.
	78 ⁹ / ₁₆ "	24"	3"	DP8CTTLL7824	2,418.	2,604.	2,724.	2,813.	243.
	78 ⁹ / ₁₆ "	30"	3"	DP8CTTLL7830	2,559.	2,750.	2,881.	2,980.	237.
	78 ⁹ / ₁₆ "	36"	3"	DP8CTTLL7836	2,729.	2,942.	3,074.	3,183.	258.
	78 ⁹ / ₁₆ "	42"	3"	DP8CTTLL7842	2,886.	3,110.	3,257.	3,365.	263.
	78 ⁹ / ₁₆ "	48"	3"	DP8CTTLL7848	3,054.	3,298.	3,446.	3,567.	315.

Dimensions listed under h w d are actual to the nearest 1/8"



Ordering Information	Order Code	Included with:	Options
Tiled Panel with Open Base:	Tiled Panel with Open Base	Tiled Panel with Open Base:	Tiled Panel with Open Base:
1. Pattern Number	<i>Example:</i> DP8CTTLL3618	• Panel frame	Full View Frame Option:
2. Top cap type	4/117/117/2/B191	• Acoustic panel inserts	To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V".
3. Top Cap finish		• Open base	No upcharge.
4. Base finish	DP8 Dividends Horizon Panel	• Top cap	Monolithic Side Option:
5. Tile support profile	C Topway frame	• Connection hardware	For one side tiled, one side monolithic, change "TT" in pattern number to "MT" and deduct amount in far right column.
6. Panel fabric	TT Tiled both sides	Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Top Cap Options:
	LL Open base		No Top Cap - Deduct \$40;
	36 Height		Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4
	18 Width		Tile Support Options:
	4 Radius Metal top cap		(1) = D1 External Reveal
	117 Soft Grey top cap finish		(2) = D2 Recessed Reveal
	117 Soft Grey base finish		
	2 D2 style tile supports		
	B191 Fairfield light fabric		

Tiled Panels

Tile To Floor One Side

36" and 42" High

Dividends Horizon

description	h	w	d	pattern no.	10	20	30	40	Deduct for Monolithic One Sideide 1
36" High Tiled Panel Tile to Floor One Side 	35 1/8"	15"	3"	DP8CTTFR3615	\$1,115.	\$1,202.	\$1,251.	\$1,290.	\$88.
	35 1/8"	18"	3"	DP8CTTFR3618	1,115.	1,202.	1,251.	1,290.	88.
	35 1/8"	24"	3"	DP8CTTFR3624	1,180.	1,270.	1,320.	1,369.	89.
	35 1/8"	30"	3"	DP8CTTFR3630	1,247.	1,336.	1,390.	1,439.	90.
	35 1/8"	36"	3"	DP8CTTFR3636	1,355.	1,451.	1,516.	1,568.	92.
	35 1/8"	42"	3"	DP8CTTFR3642	1,448.	1,554.	1,621.	1,677.	91.
	35 1/8"	48"	3"	DP8CTTFR3648	1,510.	1,623.	1,693.	1,750.	93.
	35 1/8"	60"	3"	DP8CTTFR3660	1,797.	1,929.	2,012.	2,081.	95.
42" High Tiled Panel Tile to Floor One Side 	42 3/16"	15"	3"	DP8CTTFR4215	1,142.	1,228.	1,281.	1,320.	88.
	42 3/16"	18"	3"	DP8CTTFR4218	1,142.	1,228.	1,281.	1,320.	88.
	42 3/16"	24"	3"	DP8CTTFR4224	1,209.	1,295.	1,350.	1,391.	89.
	42 3/16"	30"	3"	DP8CTTFR4230	1,290.	1,381.	1,440.	1,493.	90.
	42 3/16"	36"	3"	DP8CTTFR4236	1,374.	1,477.	1,538.	1,593.	92.
	42 3/16"	42"	3"	DP8CTTFR4242	1,462.	1,570.	1,635.	1,686.	91.
	42 3/16"	48"	3"	DP8CTTFR4248	1,532.	1,650.	1,723.	1,778.	93.
	42 3/16"	60"	3"	DP8CTTFR4260	1,826.	1,964.	2,049.	2,113.	95.

Dimensions listed under h w d are actual to the nearest 1/8"

Ordering Information	Order Code	Included with:	Options
Tiled Panel with Tile to Floor: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Base raceway finish 5. Tile support profile 6. Panel fabric	Tiled Panel with Tile to Floor <i>Example:</i> DP8CTTFR3618 4/117/K/117/2/B191 DP8 Dividends Horizon Panel C Topway frame TT Tiled both sides FR Tile to floor side one, raceway side two 36 Height 18 Width 4 Radius Metal top cap 117 Soft Grey top cap finish K Knockouts for one-sided base raceway 117 Soft Grey base raceway finish 2 D2 style tile supports B191 Fairfield light fabric	Tiled Panel with Tile to Floor: - Panel frame - Acoustic panel inserts - Top cap - Connection hardware - Base raceway with knockout one side - Tile to the floor one side Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Tiled Panels With Tile To Floor One Side: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Option: For side 1 monolithic, side 2 tiled, change "TT" in pattern number to "MT" and deduct amount in far right column. Tile to Floor Side Option: Tile to floor standard on side 2. To specify tile to floor on side 1, change "RF" in pattern number to "FR". Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No knockouts on raceway side Tile Support Options: (1) = D1 External Reveal (2) = D2 Recessed Reveal

Tiled Panels


Tile To Floor One Side

50" and 57" High


Dividends Horizon

Panels, Pre-Configured

description	h	w	d	pattern no.	grade 10	20	30	40	deduct for Monolithic One Side
50" High Tiled Panel Tile to Floor One Side	49 1/2"	15"	3"	DP8CTTFR5015	\$1,215.	\$1,306.	\$1,360.	\$1,409.	\$87.
	49 1/2"	18"	3"	DP8CTTFR5018	1,215.	1,306.	1,360.	1,409.	87.
	49 1/2"	24"	3"	DP8CTTFR5024	1,303.	1,407.	1,464.	1,507.	90.
	49 1/2"	30"	3"	DP8CTTFR5030	1,373.	1,475.	1,540.	1,590.	87.
	49 1/2"	36"	3"	DP8CTTFR5036	1,454.	1,556.	1,621.	1,679.	81.
	49 1/2"	42"	3"	DP8CTTFR5042	1,539.	1,654.	1,726.	1,780.	76.
	49 1/2"	48"	3"	DP8CTTFR5048	1,615.	1,734.	1,811.	1,875.	74.
	49 1/2"	60"	3"	DP8CTTFR5060	1,862.	2,000.	2,090.	2,159.	95.



57" High Tiled Panel Tile to Floor One Side	56 13/16"	15"	3"	DP8CTTFR5715	1,458.	1,563.	1,630.	1,682.	109.
	56 13/16"	18"	3"	DP8CTTFR5718	1,458.	1,563.	1,630.	1,682.	109.
	56 13/16"	24"	3"	DP8CTTFR5724	1,556.	1,670.	1,739.	1,801.	113.
	56 13/16"	30"	3"	DP8CTTFR5730	1,640.	1,768.	1,843.	1,902.	116.
	56 13/16"	36"	3"	DP8CTTFR5736	1,734.	1,867.	1,952.	2,012.	118.
	56 13/16"	42"	3"	DP8CTTFR5742	1,836.	1,971.	2,056.	2,130.	121.
	56 13/16"	48"	3"	DP8CTTFR5748	1,934.	2,079.	2,167.	2,241.	123.
	56 13/16"	60"	3"	DP8CTTFR5760	2,230.	2,401.	2,505.	2,594.	125.



Dimensions listed under h w d are actual to the nearest 1/8"

Ordering Information	Order Code	Included with:	Options
Tiled Panel with Tile to Floor: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Base raceway finish 5. Tile support profile 6. Panel fabric	Tiled Panel with Tile to Floor <i>Example:</i> DP8CTTFR5018 4/117/K/117/2/B191 DP8 Dividends Horizon Panel C Topway frame TT Tiled both sides FR Tile to floor side one, raceway side two 50 Height 18 Width 4 Radius Metal top cap 117 Soft Grey top cap finish K Knockouts for one-sided base raceway 117 Soft Grey base raceway finish 2 D2 style tile supports B191 Fairfield light fabric	Tiled Panel with Tile to Floor: - Panel frame - Acoustic panel inserts - Top cap - Connection hardware - Base raceway with knockout one side - Tile to the floor one side Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Tiled Panels With Tile To Floor One Side: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Options: For side 1 monolithic, side 2 tiled, change "TT" in pattern number to "MT" and deduct amount in far right column. Tile to Floor Side Option: Tile to floor standard on side 1. To specify tile to floor on side 2, change "RF" in pattern number to "FR". Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No knockouts on raceway side Tile Support Options: (1) = D1 External Reveal (2) = D2 Recessed Reveal


Tiled Panels

Tile To Floor One Side


64" and 78" High

Dividends Horizon

description	h	w	d	pattern no.	grade 10	20	30	40	deduct for Monolithic One Side
64" High Tiled Panel Tile to Floor One Side	64 1/16"	15"	3"	DP8CTTFR6415	\$1,535.	\$1,649.	\$1,723.	\$1,778.	\$131.
	64 1/16"	18"	3"	DP8CTTFR6418	1,535.	1,649.	1,723.	1,778.	131.
	64 1/16"	24"	3"	DP8CTTFR6424	1,640.	1,768.	1,837.	1,901.	138.
	64 1/16"	30"	3"	DP8CTTFR6430	1,728.	1,860.	1,946.	2,007.	134.
	64 1/16"	36"	3"	DP8CTTFR6436	1,829.	1,968.	2,054.	2,126.	135.
	64 1/16"	42"	3"	DP8CTTFR6442	1,937.	2,084.	2,174.	2,245.	137.
	64 1/16"	48"	3"	DP8CTTFR6448	2,035.	2,184.	2,282.	2,358.	138.
	64 1/16"	60"	3"	DP8CTTFR6460	2,348.	2,531.	2,645.	2,730.	138.



78" High Tiled Panel Tile to Floor One Side	78 9/16"	15"	3"	DP8CTTFR7815	2,284.	2,462.	2,567.	2,657.	235.
	78 9/16"	18"	3"	DP8CTTFR7818	2,284.	2,462.	2,567.	2,657.	235.
	78 9/16"	24"	3"	DP8CTTFR7824	2,453.	2,639.	2,759.	2,848.	243.
	78 9/16"	30"	3"	DP8CTTFR7830	2,594.	2,785.	2,916.	3,015.	237.
	78 9/16"	36"	3"	DP8CTTFR7836	2,764.	2,977.	3,109.	3,218.	258.
	78 9/16"	42"	3"	DP8CTTFR7842	2,921.	3,145.	3,292.	3,400.	263.
	78 9/16"	48"	3"	DP8CTTFR7848	3,089.	3,333.	3,481.	3,602.	315.



Dimensions listed under h w d are actual to the nearest 1/8"

Ordering Information	Order Code	Included with:	Options
Tiled Panel with Tile to Floor: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Base raceway finish 5. Tile support profile 6. Panel fabric	Tiled Panel with Tile to Floor <i>Example:</i> DP8CTTFR6418 4/117/K/117/2/B191 DP8 Dividends Horizon Panel C Topway frame TT Tiled both sides FR Tile to floor side one, raceway side two 64 Height 18 Width 4 Radius Metal top cap 117 Soft Grey top cap finish K Knockouts for one-sided base raceway 117 Soft Grey base raceway finish 2 D2 style tile supports B191 Fairfield light fabric	Tiled Panel with Tile to Floor: • Panel frame • Acoustic panel inserts • Top cap • Connection hardware • Base raceway with knockout one side • Tile to the floor one side Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Tiled Panels With Tile To Floor One Side: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Options: For side 1 monolithic, side 2 tiled, change "TT" in pattern number to "MT" and deduct amount in far right column. Tile to Floor Side Option: Tile to floor standard on side 1. To specify tile to floor on side 2, change "RF" in pattern number to "FR". Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No knockouts on raceway side Tile Support Options: (1) = D1 External Reveal (2) = D2 Recessed Reveal

Tiled Panels

28" Lower Tile and Base Raceway

42" and 50" High

Dividends Horizon

Panels, Pre-Configured

description	h	w	d	pattern no.	grade 10	20	30	40	Deduct for Monolithic One Side
42" High Tiled Panel with 28" Lower Tile and Base Raceway	42 3/16"	15"	3"	DP8CPPRR4215	\$1,009.	\$1,090.	\$1,141.	\$1,184.	\$59.
	42 3/16"	18"	3"	DP8CPPRR4218	1,009.	1,090.	1,141.	1,184.	59.
	42 3/16"	24"	3"	DP8CPPRR4224	1,073.	1,163.	1,212.	1,257.	59.
	42 3/16"	30"	3"	DP8CPPRR4230	1,154.	1,248.	1,303.	1,348.	60.
	42 3/16"	36"	3"	DP8CPPRR4236	1,237.	1,339.	1,402.	1,457.	62.
	42 3/16"	42"	3"	DP8CPPRR4242	1,323.	1,429.	1,496.	1,552.	62.
	42 3/16"	48"	3"	DP8CPPRR4248	1,398.	1,513.	1,586.	1,644.	63.
	42 3/16"	60"	3"	DP8CPPRR4260	1,688.	1,825.	1,910.	1,983.	64.
50" High Tiled Panel with 28" Lower Tile and Base Raceway	49 1/2"	15"	3"	DP8CPPRR5015	1,043.	1,127.	1,184.	1,232.	58.
	49 1/2"	18"	3"	DP8CPPRR5018	1,043.	1,127.	1,184.	1,232.	58.
	49 1/2"	24"	3"	DP8CPPRR5024	1,126.	1,229.	1,282.	1,329.	60.
	49 1/2"	30"	3"	DP8CPPRR5030	1,195.	1,296.	1,355.	1,410.	58.
	49 1/2"	36"	3"	DP8CPPRR5036	1,272.	1,378.	1,437.	1,492.	54.
	49 1/2"	42"	3"	DP8CPPRR5042	1,349.	1,469.	1,537.	1,594.	50.
	49 1/2"	48"	3"	DP8CPPRR5048	1,429.	1,550.	1,628.	1,686.	49.
	49 1/2"	60"	3"	DP8CPPRR5060	1,722.	1,866.	1,950.	2,023.	64.

Dimensions listed under h w d are actual to the nearest 1/8"

Ordering Information	Order Code	Included with:	Options
Tiled Panel with 28" Lower Tile and Base Raceway: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Raceway knockout option 5. Raceway trim finish 6. Tile support profile 7. Panel fabric	Tiled Panels with 28" Lower Tile and Base Raceway <i>Example:</i> DP8CPPRR4218 4/117/K/117/2/B191 DP8 Dividends Horizon Panel C Topway frame PP Tiled both sides, 28" Lower Tile RR Raceway both sides 42 Height 18 Width 4 Radius Metal top cap 117 Soft Grey top cap finish K Base raceway with knockouts both sides 117 Soft Grey base raceway finish 2 D2 style tile supports B191 Fairfield light fabric	Tiled Panel with Standard Base Raceway and 28" Base Tile: • Panel frame • Acoustic panel inserts • Base raceway covers • Top cap • Connection hardware Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Tiled Panel with 28" Lower Tile and Base Raceway: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Option: For side 1 monolithic, side 2 tiled, change "PP" in pattern number to "MP" and deduct amount in far right column. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No knockouts Tile Support Options: (1) = D1 External Reveal (2) = D2 Recessed Reveal


Tiled Panels

28" Lower Tile and Base Raceway


57" and 64" High

Dividends Horizon

description	h	w	d	pattern no.	grade 10	20	30	40	Deduct for Monolithic One Side
57" High Tiled Panel with 28" Lower Tile and Base Raceway	56 ¹³ / ₁₆ "	15"	3"	DP8CPPRR5715	\$1,274.	\$1,385.	\$1,447.	\$1,496.	\$73.
	56 ¹³ / ₁₆ "	18"	3"	DP8CPPRR5718	1,274.	1,385.	1,447.	1,496.	73.
	56 ¹³ / ₁₆ "	24"	3"	DP8CPPRR5724	1,378.	1,484.	1,558.	1,613.	76.
	56 ¹³ / ₁₆ "	30"	3"	DP8CPPRR5730	1,458.	1,578.	1,647.	1,709.	78.
	56 ¹³ / ₁₆ "	36"	3"	DP8CPPRR5736	1,550.	1,676.	1,762.	1,818.	79.
	56 ¹³ / ₁₆ "	42"	3"	DP8CPPRR5742	1,645.	1,778.	1,865.	1,932.	81.
	56 ¹³ / ₁₆ "	48"	3"	DP8CPPRR5748	1,736.	1,877.	1,965.	2,039.	82.
	56 ¹³ / ₁₆ "	60"	3"	DP8CPPRR5760	2,094.	2,259.	2,371.	2,455.	85.



64" High Tiled Panel with 28" Lower Tile and Base Raceway	64 ¹ / ₁₆ "	15"	3"	DP8CPPRR6415	1,347.	1,466.	1,535.	1,588.	89.
	64 ¹ / ₁₆ "	18"	3"	DP8CPPRR6418	1,347.	1,466.	1,535.	1,588.	89.
	64 ¹ / ₁₆ "	24"	3"	DP8CPPRR6424	1,458.	1,578.	1,646.	1,708.	93.
	64 ¹ / ₁₆ "	30"	3"	DP8CPPRR6430	1,541.	1,664.	1,755.	1,813.	90.
	64 ¹ / ₁₆ "	36"	3"	DP8CPPRR6436	1,644.	1,776.	1,862.	1,929.	91.
	64 ¹ / ₁₆ "	42"	3"	DP8CPPRR6442	1,740.	1,886.	1,976.	2,041.	92.
	64 ¹ / ₁₆ "	48"	3"	DP8CPPRR6448	1,842.	1,988.	2,077.	2,160.	93.
	64 ¹ / ₁₆ "	60"	3"	DP8CPPRR6460	2,217.	2,393.	2,506.	2,595.	93.



Dimensions listed under h w d are actual to the nearest 1/8"

Ordering Information	Order Code	Included with:	Options
Tiled Panel with 28" Lower Tile and Base Raceway: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Raceway knockout option 5. Raceway trim finish 6. Tile support style 7. Panel fabric	Tiled Panels with 28" Lower Tile and Base Raceway <i>Example:</i> DP8CPPRR5718 4/117/K/117/2/B191 DP8 Dividends Horizon Panel C Topway frame PP Tiled both sides, 28" Lower Tile RR Raceway both sides 57 Height 18 Width 4 Radius Metal top cap 117 Soft Grey top cap finish K Base raceway with knockouts both sides 117 Soft Grey base raceway finish 2 D2 style tile support B191 Fairfield light fabric	Tiled Panel with Standard Base Raceway and 28" Base Tile: • Panel frame • Acoustic panel inserts • Base raceway covers • Top cap • Connection hardware Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Tiled Panels with 28" Lower Tile and Base Raceway: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Option: For side 1 monolithic, side 2 tiled, change "PP" in pattern number to "MP" and deduct amount in far right column. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No knockouts Tile Support Options: (1) = D1 External Reveal (2) = D2 Recessed Reveal

Tiled Panels


28" Lower Tile and Base Raceway

78" High

Dividends Horizon

Panels, Pre-Configured

description	h	w	d	pattern no.	grade 10	20	30	40	deduct for Monolithic One Side
78" High Tiled Panel with 28" Lower Tile and Base Raceway	78 ⁹ / ₁₆ "	15"	3"	DP8CPPRR7815	\$2,156.	\$2,322.	\$2,430.	\$2,519.	\$158.
	78 ⁹ / ₁₆ "	18"	3"	DP8CPPRR7818	2,156.	2,322.	2,430.	2,519.	158.
	78 ⁹ / ₁₆ "	24"	3"	DP8CPPRR7824	2,312.	2,503.	2,622.	2,711.	163.
	78 ⁹ / ₁₆ "	30"	3"	DP8CPPRR7830	2,455.	2,648.	2,774.	2,879.	160.
	78 ⁹ / ₁₆ "	36"	3"	DP8CPPRR7836	2,630.	2,835.	2,974.	3,075.	173.
	78 ⁹ / ₁₆ "	42"	3"	DP8CPPRR7842	2,786.	3,008.	3,149.	3,268.	176.
	78 ⁹ / ₁₆ "	48"	3"	DP8CPPRR7848	2,956.	3,196.	3,346.	3,465.	211.



Dimensions listed under h w d are actual to the nearest 1/8"



Ordering Information	Order Code	Included with:	Options
Tiled Panel with 28" Lower Tile and Base Raceway: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Raceway knockout option 5. Raceway trim finish 6. Tile support style 7. Panel fabric	Tiled Panels with 28" Lower Tile and Base Raceway <i>Example:</i> DP8CPPRR7818 4/117/K/117/2/B191 DP8 Dividends Horizon Panel C Topway frame PP Tiled both sides, 28" Lower Tile RR Raceway both sides 78 Height 18 Width 4 Radius Metal top cap 117 Soft Grey top cap finish K Base raceway with knockouts both sides 117 Soft Grey base raceway finish 2 D2 style tile support B191 Fairfield light fabric	Tiled Panel with Standard Base Raceway and 28" Base Tile: • Panel frame • Acoustic panel inserts • Base raceway covers • Top cap • Connection hardware Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Tiled Panels with 28" Lower Tile and Base Raceway: Full View Frame Option: To specify full view frame for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Option: For side 1 monolithic, side 2 tiled, change "PP" in pattern number to "MP" and deduct amount in far right column. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No knockouts Tile Support Options: (1) = D1 External Reveal (2) = D2 Recessed Reveal

Tiled Panels

28" Lower Tile and Open Base

42" and 50" High

Dividends Horizon

description	h	w	d	pattern no.	grade 10	20	30	40	Deduct for Monolithic One Side
42" High Tiled Panel with 28" Lower Tile and Open Base 	42 3/16"	18"	3"	DP8CPPLL4218	\$1,009.	\$1,090.	\$1,141.	\$1,184.	\$59.
	42 3/16"	24"	3"	DP8CPPLL4224	1,073.	1,163.	1,212.	1,257.	59.
	42 3/16"	30"	3"	DP8CPPLL4230	1,154.	1,248.	1,303.	1,348.	60.
	42 3/16"	36"	3"	DP8CPPLL4236	1,237.	1,339.	1,402.	1,457.	62.
	42 3/16"	42"	3"	DP8CPPLL4242	1,323.	1,429.	1,496.	1,552.	62.
	42 3/16"	48"	3"	DP8CPPLL4248	1,398.	1,513.	1,586.	1,644.	63.
	42 3/16"	60"	3"	DP8CPPLL4260	1,688.	1,825.	1,910.	1,983.	64.
50" High Tiled Panel with 28" Lower Tile and Open Base 	49 1/2"	18"	3"	DP8CPPLL5018	1,043.	1,127.	1,184.	1,232.	58.
	49 1/2"	24"	3"	DP8CPPLL5024	1,126.	1,229.	1,282.	1,329.	60.
	49 1/2"	30"	3"	DP8CPPLL5030	1,195.	1,296.	1,355.	1,410.	58.
	49 1/2"	36"	3"	DP8CPPLL5036	1,272.	1,378.	1,437.	1,492.	54.
	49 1/2"	42"	3"	DP8CPPLL5042	1,349.	1,469.	1,537.	1,594.	50.
	49 1/2"	48"	3"	DP8CPPLL5048	1,429.	1,550.	1,628.	1,686.	49.
	49 1/2"	60"	3"	DP8CPPLL5060	1,722.	1,866.	1,950.	2,023.	64.

Dimensions listed under h w d are actual to the nearest 1/8"

Ordering Information	Order Code	Included with:	Options
Tiled Panels with 28" Lower Tile and Open Base: 1. Pattern Number 2. Top cap type 3. Top cap trim finish 4. Base support trim finish 5. Tile support style 6. Panel fabric	Tiled Panels with 28" Lower Tile and Open Base <i>Example:</i> DP8CPPLL4218 4/117/KK/117/2/B191 DP8 Dividends Horizon Panel C Topway frame PP Tiled both sides, 28" Lower Tile LL Open Base 42 Height 18 Width 4 Radius Metal top cap 117 Soft Grey top cap finish 117 Soft Grey base support finish 2 D2 style tile supports B191 Fairfield light fabric	Tiled Panels with 28" Lower Tile and Open Base: • Panel frame • Acoustic panel inserts • Open base • Top cap • Connection hardware Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Tiled Panels with 28" Lower Tile and Open Base: Full View Frame Option: To specify full view frames for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Option: To specify monolithic on side one of panel, change "PP" in pattern number to "MP" and deduct amount in far right column. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Base Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No knockouts Tile Support Options: (1) = D1 External Reveal (2) = D2 Recessed Reveal

Tiled Panels


28" Lower Tile and Open Base

57" and 64" High


Dividends Horizon

Panels, Pre-Configured

description	h	w	d	pattern no.	grade 10	20	30	40	deduct for Monolithic One Side
57" High Tiled Panel with 28" Lower Tile and Open Base	56 ¹³ / ₁₆ "	18"	3"	DP8CPPLL5718	\$1,274.	\$1,385.	\$1,447.	\$1,496.	\$73.
	56 ¹³ / ₁₆ "	24"	3"	DP8CPPLL5724	1,378.	1,484.	1,558.	1,613.	76.
	56 ¹³ / ₁₆ "	30"	3"	DP8CPPLL5730	1,458.	1,578.	1,647.	1,709.	78.
	56 ¹³ / ₁₆ "	36"	3"	DP8CPPLL5736	1,550.	1,676.	1,762.	1,818.	79.
	56 ¹³ / ₁₆ "	42"	3"	DP8CPPLL5742	1,645.	1,778.	1,865.	1,932.	81.
	56 ¹³ / ₁₆ "	48"	3"	DP8CPPLL5748	1,736.	1,877.	1,965.	2,039.	82.
	56 ¹³ / ₁₆ "	60"	3"	DP8CPPLL5760	2,094.	2,259.	2,371.	2,455.	85.



64" High Tiled Panel with 28" Lower Tile and Open Base	64 ¹ / ₁₆ "	18"	3"	DP8CPPLL6418	1,347.	1,466.	1,535.	1,588.	89.
	64 ¹ / ₁₆ "	24"	3"	DP8CPPLL6424	1,458.	1,578.	1,646.	1,708.	93.
	64 ¹ / ₁₆ "	30"	3"	DP8CPPLL6430	1,541.	1,664.	1,755.	1,813.	90.
	64 ¹ / ₁₆ "	36"	3"	DP8CPPLL6436	1,644.	1,776.	1,862.	1,929.	91.
	64 ¹ / ₁₆ "	42"	3"	DP8CPPLL6442	1,740.	1,886.	1,976.	2,041.	92.
	64 ¹ / ₁₆ "	48"	3"	DP8CPPLL6448	1,842.	1,988.	2,077.	2,160.	93.
	64 ¹ / ₁₆ "	60"	3"	DP8CPPLL6460	2,217.	2,393.	2,506.	2,595.	93.



Dimensions listed under h w d are actual to the nearest 1/8"

Ordering Information	Order Code	Included with:	Options
Tiled Panels with 28" Lower Tile and Open Base: 1. Pattern Number 2. Top cap type 3. Top cap trim finish 4. Base support trim finish 5. Tile support style 6. Panel fabric	Tiled Panels with 28" Lower Tile and Open Base <i>Example:</i> DP8CPPLL5718 4/117/KK/117/2/B191 DP8 Dividends Horizon Panel C Topway frame PP Tiled both sides, 28" Lower Tile LL Open Base 57 Height 18 Width 4 Radius Metal top cap 117 Soft Grey top cap finish 117 Soft Grey base support finish 2 D2 style tile support B191 Fairfield light fabric	Tiled Panels with 28" Lower Tile and Open Base: - Panel frame - Acoustic panel inserts - Open base - Top cap - Connection hardware Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Tiled Panels with 28" Lower Tile and Open Base: Full View Frame Option: To specify full view frames for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Option: To specify monolithic on side one of panel, change "PP" in pattern number to "MP" and deduct amount in far right column. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Base Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No knockouts Tile Support Options: (1) = D1 External Reveal (2) = D2 Recessed Reveal


Tiled Panels

28" Lower Tile and Open Base

78" High

Dividends Horizon

description	h	w	d	pattern no.	grade 10	20	30	40	deduct for Monolithic One Side
78" High Tiled Panel with 28" Lower Tile and Open Base	78 ⁹ / ₁₆ "	18"	3"	DP8CPPLL7818	\$2,156.	\$2,322.	\$2,430.	\$2,519.	\$158.
	78 ⁹ / ₁₆ "	24"	3"	DP8CPPLL7824	2,312.	2,503.	2,622.	2,711.	163.
	78 ⁹ / ₁₆ "	30"	3"	DP8CPPLL7830	2,455.	2,648.	2,774.	2,879.	160.
	78 ⁹ / ₁₆ "	36"	3"	DP8CPPLL7836	2,630.	2,835.	2,974.	3,075.	173.
	78 ⁹ / ₁₆ "	42"	3"	DP8CPPLL7842	2,786.	3,008.	3,149.	3,268.	176.
	78 ⁹ / ₁₆ "	48"	3"	DP8CPPLL7848	2,956.	3,196.	3,346.	3,465.	211.



Dimensions listed under h w d are actual to the nearest 1/8"

Ordering Information	Order Code	Included with:	Options
Tiled Panels with 28" Lower Tile and Open Base: 1. Pattern Number 2. Top cap type 3. Top cap trim finish 4. Base support trim finish 5. Tile support style 6. Panel fabric	Tiled Panels with 28" Lower Tile and Open Base <i>Example:</i> DP8CPPLL7818 4/117/KK/117/2/B191 DP8 Dividends Horizon Panel C Topway frame PP Tiled both sides, 28" Lower Tile LL Open Base 78 Height 18 Width 4 Radius Metal top cap 117 Soft Grey top cap finish 117 Soft Grey base support finish 2 D2 style tile support B191 Fairfield light fabric	Tiled Panels with 28" Lower Tile and Open Base: • Panel frame • Acoustic panel inserts • Open base • Top cap • Connection hardware Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Tiled Panels with 28" Lower Tile and Open Base: Full View Frame Option: To specify full view frames for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Option: To specify monolithic on side one of panel, change "PP" in pattern number to "MP" and deduct amount in far right column. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Base Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No knockouts Tile Support Options: (1) = D1 External Reveal (2) = D2 Recessed Reveal

Tiled Panels

28" Lower Tile and Tile To Floor

42" and 50" High

Dividends Horizon

Panels, Pre-Configured

description	h	w	d	pattern no.	grade 10	20	30	40	Deduct for 1 side Monolithic
42" High Tiled Panel with 28" Lower Tile and Tile to Floor	42 3/16"	15"	3"	DP8CPPFR4215	\$1,044.	\$1,125.	\$1,176.	\$1,219.	\$59.
	42 3/16"	18"	3"	DP8CPPFR4218	1,044.	1,125.	1,176.	1,219.	59.
	42 3/16"	24"	3"	DP8CPPFR4224	1,108.	1,198.	1,247.	1,292.	59.
	42 3/16"	30"	3"	DP8CPPFR4230	1,189.	1,283.	1,338.	1,383.	60.
	42 3/16"	36"	3"	DP8CPPFR4236	1,272.	1,374.	1,437.	1,492.	62.
	42 3/16"	42"	3"	DP8CPPFR4242	1,358.	1,464.	1,531.	1,587.	62.
	42 3/16"	48"	3"	DP8CPPFR4248	1,433.	1,548.	1,621.	1,679.	63.
	42 3/16"	60"	3"	DP8CPPFR4260	1,723.	1,860.	1,945.	2,018.	64.
50" High Tiled Panel with 28" Lower Tile and Tile to Floor	49 1/2"	15"	3"	DP8CPPFR5015	1,078.	1,162.	1,219.	1,267.	58.
	49 1/2"	18"	3"	DP8CPPFR5018	1,078.	1,162.	1,219.	1,267.	57.
	49 1/2"	24"	3"	DP8CPPFR5024	1,161.	1,264.	1,317.	1,364.	60.
	49 1/2"	30"	3"	DP8CPPFR5030	1,230.	1,331.	1,390.	1,445.	58.
	49 1/2"	36"	3"	DP8CPPFR5036	1,307.	1,413.	1,472.	1,527.	54.
	49 1/2"	42"	3"	DP8CPPFR5042	1,384.	1,504.	1,572.	1,629.	50.
	49 1/2"	48"	3"	DP8CPPFR5048	1,464.	1,585.	1,663.	1,721.	49.
	49 1/2"	60"	3"	DP8CPPFR5060	1,757.	1,901.	1,985.	2,058.	64.

Dimensions listed under h w d are actual to the nearest 1/8"

Ordering Information	Order Code	Included with:	Options
Tiled Panels with 28" Lower Tile and Tile To Floor: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Knockout option 5. Base raceway finish 6. Tile support style 7. Panel fabric	Tiled Panels with 28" Lower Tile and Tile To Floor: <i>Example:</i> DP8CPPFF4218 4/117/K/117/2B191 DP8CPP Pattern number FF4218 4 Radius Metal top cap 117 Soft Grey top cap finish K Base raceway with knockouts 117 Soft grey base raceway finish 2 D2 style tile supports B191 Fairfield light fabric	Tiled Panels with 28" Lower Tile and Tile To Floor: • Panel frame • Acoustic panel inserts • Top cap • Connection hardware • Tile to floor side 1 • Base raceway with knockout when required side 2 Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Tiled Panels with 28" Lower Tile and Tile To Floor: Full View Frame Option: To specify full view frames for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Tile to Floor Side Option: Tile to Floor standard on side 1. To specify tile to floor on side 2, change "FR" in pattern number to "RF". Monolithic Side Option: To specify monolithic on side one of panel, change "PP" in pattern number to "MP" and deduct amount in far right column. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No knockouts Tile Support Options: (1) = D1 External Reveal (2) = D2 Recessed Reveal


Tiled Panels

28" Lower Tile and Tile To Floor


57" and 64" High

Dividends Horizon

description	h	w	d	pattern no.	grade 10	20	30	40	deduct for 1 side Monolithic
57" High Tiled Panel with 28" Lower Tile and Tile to Floor	56 ¹³ / ₁₆ "	15"	3"	DP8CPPFR5715	\$1,309.	\$1,420.	\$1,482.	\$1,531.	\$73.
	56 ¹³ / ₁₆ "	18"	3"	DP8CPPFR5718	1,309.	1,420.	1,482.	1,531.	73.
	56 ¹³ / ₁₆ "	24"	3"	DP8CPPFR5724	1,413.	1,519.	1,593.	1,648.	76.
	56 ¹³ / ₁₆ "	30"	3"	DP8CPPFR5730	1,493.	1,613.	1,682.	1,744.	78.
	56 ¹³ / ₁₆ "	36"	3"	DP8CPPFR5736	1,585.	1,711.	1,797.	1,853.	79.
	56 ¹³ / ₁₆ "	42"	3"	DP8CPPFR5742	1,680.	1,813.	1,900.	1,967.	81.
	56 ¹³ / ₁₆ "	48"	3"	DP8CPPFR5748	1,771.	1,912.	2,000.	2,074.	82.
	56 ¹³ / ₁₆ "	60"	3"	DP8CPPFR5760	2,129.	2,294.	2,406.	2,490.	85.



64" High Tiled Panel with 28" Lower Tile and Tile to Floor	64 ¹ / ₁₆ "	15"	3"	DP8CPPFR6415	1,382.	1,501.	1,570.	1,623.	89.
	64 ¹ / ₁₆ "	18"	3"	DP8CPPFR6418	1,382.	1,501.	1,570.	1,623.	89.
	64 ¹ / ₁₆ "	24"	3"	DP8CPPFR6424	1,493.	1,613.	1,681.	1,743.	93.
	64 ¹ / ₁₆ "	30"	3"	DP8CPPFR6430	1,576.	1,699.	1,790.	1,848.	90.
	64 ¹ / ₁₆ "	36"	3"	DP8CPPFR6436	1,679.	1,811.	1,897.	1,964.	91.
	64 ¹ / ₁₆ "	42"	3"	DP8CPPFR6442	1,775.	1,921.	2,011.	2,076.	92.
	64 ¹ / ₁₆ "	48"	3"	DP8CPPFR6448	1,877.	2,023.	2,112.	2,195.	93.
	64 ¹ / ₁₆ "	60"	3"	DP8CPPFR6460	2,252.	2,428.	2,541.	2,630.	93.



Dimensions listed under h w d are actual to the nearest ¹/₈"

Ordering Information	Order Code	Included with:	Options
Tiled Panels with 28" Lower Tile and Tile To Floor: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Knockout option 5. Base raceway finish 6. Tile support style 7. Panel fabric	Tiled Panels with 28" Lower Tile and Tile To Floor: <i>Example:</i> DP8CPPFF4218 4/117/K/117/2/B191 DP8CPP Pattern number FF4218 4 Radius Metal top cap 117 Soft Grey top cap finish K Base raceway with knockouts 117 Soft Grey base raceway finish 2 D2 style tile supports B191 Fairfield light fabric	Tiled Panels with 28" Lower Tile and Tile To Floor: • Panel frame • Acoustic panel inserts • Top cap • Connection hardware • Tile to floor side 1 • Base raceway with knockout when required side 2 Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Tiled Panels with 28" Lower Tile and Tile To Floor: Full View Frame Option: To specify full view frames for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Tile to Floor Side Option: Tile to Floor standard on side 1. To specify tile to floor on side 2, change "FR" in pattern number to "RF". Monolithic Side Option: To specify monolithic on side one of panel, change "PP" in pattern number to "MP" and deduct amount in far right column. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No knockouts Tile Support Options: (1) = D1 External Reveal (2) = D2 Recessed Reveal

Tiled Panels


28" Lower Tile and Tile To Floor

78" High

Dividends Horizon

Panels, Pre-Configured

description	h	w	d	pattern no.	grade 10	20	30	40	deduct for 1 side Monolithic
78" High Tiled Panel with 28" Lower Tile and Tile to Floor	78 ⁹ / ₁₆ "	15"	3"	DP8CPPFR7815	\$2,191.	\$2,357.	\$2,465.	\$2,554.	\$158.
	78 ⁹ / ₁₆ "	18"	3"	DP8CPPFR7818	2,191.	2,357.	2,465.	2,554.	158.
	78 ⁹ / ₁₆ "	24"	3"	DP8CPPFR7824	2,347.	2,538.	2,657.	2,746.	163.
	78 ⁹ / ₁₆ "	30"	3"	DP8CPPFR7830	2,490.	2,683.	2,809.	2,914.	160.
	78 ⁹ / ₁₆ "	36"	3"	DP8CPPFR7836	2,665.	2,870.	3,009.	3,110.	173.
	78 ⁹ / ₁₆ "	42"	3"	DP8CPPFR7842	2,821.	3,043.	3,184.	3,303.	176.
	78 ⁹ / ₁₆ "	48"	3"	DP8CPPFR7848	2,991.	3,231.	3,381.	3,500.	211.



Ordering Information	Order Code	Included with:	Options																
Tiled Panels with 28" Lower Tile and Tile To Floor: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Knockout option 5. Base raceway finish 6. Tile support style 7. Panel fabric	Tiled Panels with 28" Lower Tile and Tile To Floor: Example: DP8CPPFF4218 4/117/K/117/2/B191 <table><tr><td>DP8CPP</td><td>Pattern number</td></tr><tr><td>FF4218</td><td></td></tr><tr><td>4</td><td>Radius Metal top cap</td></tr><tr><td>117</td><td>Soft Grey top cap finish</td></tr><tr><td>K</td><td>Base raceway with knockouts</td></tr><tr><td>117</td><td>Soft Grey base raceway finish</td></tr><tr><td>2</td><td>D2 style tile supports</td></tr><tr><td>B191</td><td>Fairfield light fabric</td></tr></table>	DP8CPP	Pattern number	FF4218		4	Radius Metal top cap	117	Soft Grey top cap finish	K	Base raceway with knockouts	117	Soft Grey base raceway finish	2	D2 style tile supports	B191	Fairfield light fabric	Tiled Panels with 28" Lower Tile and Tile To Floor: • Panel frame • Acoustic panel inserts • Top cap • Connection hardware • Base raceway with knockout when required Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Tiled Panels with 28" Lower Tile and Tile To Floor: Full View Frame Option: To specify full view frames for window or stacking applications, replace the “C” in pattern number with “V”. No upcharge. Tile to Floor Side Option: Tile to Floor standard on side 1. To specify tile to floor on side 2, change “FR” in pattern number to “RF”. Monolithic Side Option: To specify monolithic on side one of panel, change “PP” in pattern number to “MP” and deduct amount in far right column. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No knockouts Tile Support Options: (1) = D1 External Reveal (2) = D2 Recessed Reveal
DP8CPP	Pattern number																		
FF4218																			
4	Radius Metal top cap																		
117	Soft Grey top cap finish																		
K	Base raceway with knockouts																		
117	Soft Grey base raceway finish																		
2	D2 style tile supports																		
B191	Fairfield light fabric																		

Beltway Panels

Standard Base Raceway

42" and 50" High

Dividends Horizon

description	h	w	d	pattern no.	grade				Deduct for Monolithic on side 2
					10	20	30	40	
 42" Beltway Panels with Standard Base Raceway	42 ³ / ₁₆ "	18"	3"	DP8CBBRR4218	\$1,059.	\$1,141.	\$1,191.	\$1,229.	\$92.
	42 ³ / ₁₆ "	24"	3"	DP8CBBRR4224	1,195.	1,279.	1,339.	1,386.	114.
	42 ³ / ₁₆ "	30"	3"	DP8CBBRR4230	1,306.	1,404.	1,468.	1,510.	123.
	42 ³ / ₁₆ "	36"	3"	DP8CBBRR4236	1,426.	1,535.	1,601.	1,656.	136.
	42 ³ / ₁₆ "	42"	3"	DP8CBBRR4242	1,539.	1,659.	1,736.	1,790.	142.
	42 ³ / ₁₆ "	48"	3"	DP8CBBRR4248	1,639.	1,767.	1,840.	1,905.	153.
	42 ³ / ₁₆ "	60"	3"	DP8CBBRR4260	1,852.	1,996.	2,082.	2,156.	153.
 50" Beltway Panels with Standard Base Raceway	49 ¹ / ₂ "	18"	3"	DP8CBBRR5018	1,097.	1,181.	1,232.	1,272.	91.
	49 ¹ / ₂ "	24"	3"	DP8CBBRR5024	1,250.	1,340.	1,402.	1,449.	115.
	49 ¹ / ₂ "	30"	3"	DP8CBBRR5030	1,352.	1,451.	1,510.	1,566.	119.
	49 ¹ / ₂ "	36"	3"	DP8CBBRR5036	1,457.	1,567.	1,639.	1,691.	125.
	49 ¹ / ₂ "	42"	3"	DP8CBBRR5042	1,568.	1,691.	1,771.	1,830.	131.
	49 ¹ / ₂ "	48"	3"	DP8CBBRR5048	1,672.	1,803.	1,883.	1,950.	136.
	49 ¹ / ₂ "	60"	3"	DP8CBBRR5060	1,891.	2,037.	2,132.	2,202.	136.

Dimensions listed under h w d are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Beltway Panel with Standard Base Raceway: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Base raceway knockout option 5. Base raceway finish 6. Beltway finish 7. Panel fabric	Beltway Panel with Standard Base Raceway <i>Example:</i> DP8CBBRR4218 4/117/K/117/117/B191 DP8CBB RR4218 Pattern number 4 Radius Metal top cap 117 Soft Grey top cap finish K Base Raceway with knockouts both sides 117 Soft Grey base raceway finish 117 Beltway finish B191 Fairfield light fabric	Beltway Panel with Standard Base Raceway: - Panel frame - Acoustic panel inserts - Base raceway covers - Beltway covers - Top cap - Connection hardware Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Beltway Panel with Standard Raceway Options: Full View Frame Option: To specify full view frames for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Option: To specify monolithic on side one of panel, change "BB" in pattern number to "MB" and deduct amount in far right column. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No Knockouts

Beltway Panels

Standard Base Raceway

57", 64" and 78" High

Dividends Horizon

Panels, Pre-Configured

description	h	w	d	pattern no.	grade				Deduct for Monolithic on side 2
					10	20	30	40	
 57" Beltway Panels with Standard Base Raceway	56 ¹³ / ₁₆ "	18"	3"	DP8CBRR5718	\$1,169.	\$1,257.	\$1,311.	\$1,360.	\$91.
	56 ¹³ / ₁₆ "	24"	3"	DP8CBRR5724	1,315.	1,420.	1,483.	1,533.	115.
	56 ¹³ / ₁₆ "	30"	3"	DP8CBRR5730	1,420.	1,529.	1,599.	1,651.	119.
	56 ¹³ / ₁₆ "	36"	3"	DP8CBRR5736	1,556.	1,674.	1,749.	1,808.	125.
	56 ¹³ / ₁₆ "	42"	3"	DP8CBRR5742	1,664.	1,793.	1,873.	1,939.	131.
	56 ¹³ / ₁₆ "	48"	3"	DP8CBRR5748	1,779.	1,915.	2,002.	2,072.	136.
	56 ¹³ / ₁₆ "	60"	3"	DP8CBRR5760	1,997.	2,151.	2,248.	2,325.	136.
 64" Beltway Panels with Standard Base Raceway	64 ¹ / ₁₆ "	18"	3"	DP8CBRR6418	1,237.	1,331.	1,388.	1,439.	98.
	64 ¹ / ₁₆ "	24"	3"	DP8CBRR6424	1,387.	1,492.	1,559.	1,612.	121.
	64 ¹ / ₁₆ "	30"	3"	DP8CBRR6430	1,487.	1,601.	1,671.	1,730.	121.
	64 ¹ / ₁₆ "	36"	3"	DP8CBRR6436	1,651.	1,776.	1,852.	1,913.	138.
	64 ¹ / ₁₆ "	42"	3"	DP8CBRR6442	1,764.	1,892.	1,976.	2,041.	146.
	64 ¹ / ₁₆ "	48"	3"	DP8CBRR6448	1,887.	2,035.	2,126.	2,195.	159.
	64 ¹ / ₁₆ "	60"	3"	DP8CBRR6460	2,124.	2,288.	2,390.	2,470.	159.
 78" Beltway Panels with Standard Base Raceway	78 ⁹ / ₁₆ "	18"	3"	DP8CBRR7818	1,539.	1,659.	1,736.	1,790.	89.
	78 ⁹ / ₁₆ "	24"	3"	DP8CBRR7824	1,722.	1,849.	1,927.	1,998.	102.
	78 ⁹ / ₁₆ "	30"	3"	DP8CBRR7830	1,839.	1,985.	2,072.	2,141.	105.
	78 ⁹ / ₁₆ "	36"	3"	DP8CBRR7836	2,030.	2,186.	2,288.	2,367.	123.
	78 ⁹ / ₁₆ "	42"	3"	DP8CBRR7842	2,178.	2,342.	2,455.	2,537.	126.
	78 ⁹ / ₁₆ "	48"	3"	DP8CBRR7848	2,390.	2,579.	2,692.	2,790.	156.

Dimensions listed under h w d are actual to the nearest 1/16"



Ordering Information	Order Code	Included with:	Options
Beltway Panel with Standard Base Raceway: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Base raceway knockout option 5. Base raceway finish 6. Beltway finish 7. Panel fabric	Beltway Panel with Standard Base Raceway <i>Example:</i> DP8CBRR4218 4/117/K/117/117/B191 DP8CBB Pattern number RR4218 4 Radius Metal top cap 117 Soft Grey top cap finish K Base Raceway with knockouts both sides 117 Soft Grey base raceway finish 117 Beltway finish B191 Fairfield light fabric	Beltway Panel with Standard Base Raceway: - Panel frame - Acoustic panel inserts - Base raceway covers - Beltway covers - Top cap - Connection hardware Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Beltway Panel with Standard Raceway Options: Full View Frame Option: To specify full view frames for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Option: To specify monolithic on side one of panel, change "BB" in pattern number to "MB" and deduct amount in far right column. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No Knockouts

Beltway Panels

Tile to the Floor

42" and 50" High

Dividends Horizon

description	h	w	d	pattern no.	grade 10	20	30	40	Deduct for Monolithic side 1
 42" Beltway Panels with Tile to the Floor	42 ³ / ₁₆ "	18"	3"	DP8CBBFR4218	\$1,094.	\$1,176.	\$1,226.	\$1,264.	\$92.
	42 ³ / ₁₆ "	24"	3"	DP8CBBFR4224	1,230.	1,314.	1,374.	1,421.	114.
	42 ³ / ₁₆ "	30"	3"	DP8CBBFR4230	1,341.	1,439.	1,503.	1,545.	123.
	42 ³ / ₁₆ "	36"	3"	DP8CBBFR4236	1,461.	1,570.	1,636.	1,691.	136.
	42 ³ / ₁₆ "	42"	3"	DP8CBBFR4242	1,574.	1,694.	1,771.	1,825.	142.
	42 ³ / ₁₆ "	48"	3"	DP8CBBFR4248	1,674.	1,802.	1,875.	1,940.	153.
	42 ³ / ₁₆ "	60"	3"	DP8CBBFR4260	1,887.	2,031.	2,117.	2,191.	153.
 50" Beltway Panels with Tile to the Floor	49 ¹ / ₂ "	18"	3"	DP8CBBFR5018	1,132.	1,216.	1,267.	1,307.	91.
	49 ¹ / ₂ "	24"	3"	DP8CBBFR5024	1,285.	1,375.	1,437.	1,484.	115.
	49 ¹ / ₂ "	30"	3"	DP8CBBFR5030	1,387.	1,486.	1,545.	1,601.	119.
	49 ¹ / ₂ "	36"	3"	DP8CBBFR5036	1,492.	1,602.	1,674.	1,726.	125.
	49 ¹ / ₂ "	42"	3"	DP8CBBFR5042	1,603.	1,726.	1,806.	1,865.	131.
	49 ¹ / ₂ "	48"	3"	DP8CBBFR5048	1,707.	1,838.	1,918.	1,985.	136.
	49 ¹ / ₂ "	60"	3"	DP8CBBFR5060	1,926.	2,072.	2,167.	2,237.	136.

Dimensions listed under h w c are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Beltway Panel with Tile to the Floor: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Base raceway knockout option 5. Base raceway finish 6. Beltway finish 7. Panel fabric	Beltway Panel with Tile to the Floor: <i>Example:</i> DP8CBBFR4218 4/117/K/117/117/B191 DP8CBB Pattern number FR4218 4 Radius Metal top cap 117 Soft Grey top cap finish K Base raceway with knockouts both sides 117 Soft Grey base raceway finish 117 Soft Grey beltway cover finish B191 Fairfield light fabric	Beltway Panel with Tile to the Floor: - Panel frame - Acoustic panel inserts - Top cap - Connection hardware - Base raceway side 2 - Beltway with covers - Tile to the floor side 1 Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Beltway Panel with Tile to the Floor: Full View Frame Option: To specify full view frames for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Option: For side 1 monolithic, side 2 beltway, change "BB" in pattern number to "MB" and deduct amount in far right column. Tile to Floor Side Option: Panels are standard with tile to floor side 1, raceway side 2. To specify raceway side one and tile to floor side 2, change "FR" in pattern number to "RF". Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No Knockouts



Beltway Panels

Tile to the Floor

57" and 64" High

Dividends Horizon

Panels, Pre-Configured

description	height	width	depth	pattern number	10	20	30	40	Deduct for Monolithic side 1
 57" Beltway Panels with Tile to the Floor	56 ¹³ / ₁₆ "	18"	3"	DP8CBBFR5718	\$1,204.	\$1,292.	\$1,346.	\$1,395.	\$91.
	56 ¹³ / ₁₆ "	24"	3"	DP8CBBFR5724	1,350.	1,455.	1,518.	1,568.	115.
	56 ¹³ / ₁₆ "	30"	3"	DP8CBBFR5730	1,455.	1,564.	1,634.	1,686.	119.
	56 ¹³ / ₁₆ "	36"	3"	DP8CBBFR5736	1,591.	1,709.	1,784.	1,843.	125.
	56 ¹³ / ₁₆ "	42"	3"	DP8CBBFR5742	1,699.	1,828.	1,908.	1,974.	131.
	56 ¹³ / ₁₆ "	48"	3"	DP8CBBFR5748	1,814.	1,950.	2,037.	2,107.	136.
	56 ¹³ / ₁₆ "	60"	3"	DP8CBBFR5760	2,032.	2,186.	2,283.	2,360.	136.
 64" Beltway Panels with Tile to the Floor	64 ¹ / ₁₆ "	18"	3"	DP8CBBFR6418	1,272.	1,366.	1,423.	1,474.	98.
	64 ¹ / ₁₆ "	24"	3"	DP8CBBFR6424	1,422.	1,527.	1,594.	1,647.	121.
	64 ¹ / ₁₆ "	30"	3"	DP8CBBFR6430	1,522.	1,636.	1,706.	1,765.	121.
	64 ¹ / ₁₆ "	36"	3"	DP8CBBFR6436	1,686.	1,811.	1,887.	1,948.	138.
	64 ¹ / ₁₆ "	42"	3"	DP8CBBFR6442	1,799.	1,927.	2,011.	2,076.	146.
	64 ¹ / ₁₆ "	48"	3"	DP8CBBFR6448	1,922.	2,070.	2,161.	2,230.	159.
	64 ¹ / ₁₆ "	60"	3"	DP8CBBFR6460	2,159.	2,323.	2,425.	2,505.	159.

Dimensions listed under h w c are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Beltway Panel with Tile to the Floor: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Base raceway knockout option 5. Base raceway finish 6. Beltway finish 7. Panel fabric	Beltway Panel with Tile to the Floor: <i>Example:</i> DP8CBBFR5718 4/117/K/117/117/B191 DP8CBB Pattern number FR5718 4 Radius Metal top cap 117 Soft Grey top cap finish K Base raceway with knockouts both sides 117 Soft Grey base raceway finish 117 Soft Grey beltway cover finish B191 Fairfield light fabric	Beltway Panel with Tile to the Floor: - Panel frame - Acoustic panel inserts - Top cap - Connection hardware - Base raceway - Beltway with covers - Tile to the floor side 1 Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Beltway Panel with Tile to the Floor: Full View Frame Option: To specify full view frames for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Option: For side 1 monolithic, side 2 beltway, change "BB" in pattern number to "MB" and deduct amount in far right column. Tile to Floor Side Option: Panels are standard with tile to floor side 1, raceway side 2. To specify raceway side one and tile to floor side 2, change "FR" in pattern number to "RF". Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No Knockouts


Beltway Panels

Tile to the Floor

78" High

Dividends Horizon

description	height	width	depth	pattern number	10	20	30	40	Deduct for Monolithic side 1
78" Beltway Panels with Tile to the Floor	78 ⁹ / ₁₆ "	18"	3"	DP8CBBFR7818	\$1,574.	\$1,694.	\$1,771.	\$1,825.	\$89.
	78 ⁹ / ₁₆ "	24"	3"	DP8CBBFR7824	1,757.	1,884.	1,962.	2,033.	102.
	78 ⁹ / ₁₆ "	30"	3"	DP8CBBFR7830	1,874.	2,020.	2,107.	2,176.	105.
	78 ⁹ / ₁₆ "	36"	3"	DP8CBBFR7836	2,065.	2,221.	2,323.	2,402.	123.
	78 ⁹ / ₁₆ "	42"	3"	DP8CBBFR7842	2,213.	2,377.	2,490.	2,572.	126.
	78 ⁹ / ₁₆ "	48"	3"	DP8CBBFR7848	2,425.	2,614.	2,727.	2,825.	156.



Dimensions listed under h w c are actual to the nearest ¹/₁₆"




Ordering Information	Order Code	Included with:	Options
Beltway Panel with Tile to the Floor: 1. Pattern Number 2. Top cap type 3. Top cap finish 4. Base raceway knockout option 5. Base raceway finish 6. Beltway finish 7. Panel fabric	Beltway Panel with Tile to the Floor: <i>Example:</i> DP8CBBFR7818 4/117/K/117/117/B191 DP8CBB Pattern number FR7818 4 Radius Metal top cap 117 Soft Grey top cap finish K Base raceway with knockouts both sides 117 Soft Grey base raceway finish 117 Soft Grey beltway cover finish B191 Fairfield light fabric	Beltway Panel with Tile to the Floor: • Panel frame • Acoustic panel inserts • Top cap • Connection hardware • Base raceway • Beltway with covers • Tile to the floor side 1 Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Beltway Panel with Tile to the Floor: Full View Frame Option: To specify full view frames for window or stacking applications, replace the "C" in pattern number with "V". No upcharge. Monolithic Side Option: For side 1 monolithic, side 2 beltway, change "BB" in pattern number to "MB" and deduct amount in far right column. Tile to Floor Side Option: Panels are standard with tile to floor side 1, raceway side 2. To specify raceway side one and tile to floor side 2, change "FR" in pattern number to "RF". Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Knockout Options: (K) = Knockouts on raceway side (N) = No Knockouts

Topway and Full View Panel Frame Assemblies

Worksurface Height, 36" and 42" High

Dividends Horizon

Panels, Build-To-Spec

description	h	w	d	pattern no.	list
Worksurface Height	28 1/2"	15"	3"	DP8()RRWH15	\$483.
Panel Frame Assembly	28 1/2"	18"	3"	DP8()RRWH18	483.
Standard Base Raceway	28 1/2"	24"	3"	DP8()RRWH24	494.
	28 1/2"	30"	3"	DP8()RRWH30	509.
	28 1/2"	36"	3"	DP8()RRWH36	537.
	28 1/2"	42"	3"	DP8()RRWH42	589.
	28 1/2"	48"	3"	DP8()RRWH48	589.
	28 1/2"	60"	3"	DP8()RRWH60	671.
36" High Panel Frame Assembly	35 1/8"	15"	3"	DP8()RR3615	483.
Standard Base Raceway	35 1/8"	18"	3"	DP8()RR3618	483.
	35 1/8"	24"	3"	DP8()RR3624	494.
(topway and full view shown)	35 1/8"	30"	3"	DP8()RR3630	509.
	35 1/8"	36"	3"	DP8()RR3636	537.
	35 1/8"	42"	3"	DP8()RR3642	589.
	35 1/8"	48"	3"	DP8()RR3648	589.
	35 1/8"	60"	3"	DP8()RR3660	671.
42" High Panel Frame Assembly	42 3/16"	15"	3"	DP8()RR4215	438.
Standard Base Raceway	42 3/16"	18"	3"	DP8()RR4218	438.
	42 3/16"	24"	3"	DP8()RR4224	447.
(topway and full view shown)	42 3/16"	30"	3"	DP8()RR4230	483.
	42 3/16"	36"	3"	DP8()RR4236	509.
	42 3/16"	42"	3"	DP8()RR4242	545.
	42 3/16"	48"	3"	DP8()RR4248	569.
	42 3/16"	60"	3"	DP8()RR4260	641.




Dimensions listed under h w d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Panel Frame Assembly	Topway Panel Frame Assembly	Panel Frame Assembly:	Panel Frame Assembly:
1. Pattern Number	<i>Example:</i> DP8CRR6448	• Panel frame	Option:
2. Top cap type	4/117K/117	• Top cap (optional)	(C) = Topway Panel Frame
3. Top cap trim finish		• Connection hardware	(V) = Full View Panel Frame
4. Raceway knockout option	DP8CRR	• Base raceway	Panel Base Options
5. Base raceway finish if required	6448	Note: Worksurface Height panel frame assemblies are not available with plastic top caps.	Open Panel Base Option: For open panel base, change 'RR' to 'LL'.
	4	Note: 15" wide panels are only available with standard base raceway or tile to floor.	Tile to Floor Option: For tile to floor on one side and base raceway on the other side change 'RR' to 'FR' and add \$35 to list price.
	117	Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others.	Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4
	K		Base Raceway Knockout Options: (for RR and RF bases only) (K) = Knockouts on raceway side
	117		(N) = No knockouts

Topway and Full View Panel Frame Assemblies

50", 57" and 64" High

Dividends Horizon

description	h	w	d	pattern no.	list
50" High Panel Frame Assembly Standard Base Raceway  (topway and full view shown)	49 1/2"	15"	3"	DP8()RR5015	\$447.
	49 1/2"	18"	3"	DP8()RR5018	447.
	49 1/2"	24"	3"	DP8()RR5024	468.
	49 1/2"	30"	3"	DP8()RR5030	499.
	49 1/2"	36"	3"	DP8()RR5036	519.
	49 1/2"	42"	3"	DP8()RR5042	555.
	49 1/2"	48"	3"	DP8()RR5048	581.
	49 1/2"	60"	3"	DP8()RR5060	625.
57" High Panel Frame Assembly Standard Base Raceway  (topway and full view shown)	56 13/16"	15"	3"	DP8()RR5715	447.
	56 13/16"	18"	3"	DP8()RR5718	447.
	56 13/16"	24"	3"	DP8()RR5724	468.
	56 13/16"	30"	3"	DP8()RR5730	488.
	56 13/16"	36"	3"	DP8()RR5736	517.
	56 13/16"	42"	3"	DP8()RR5742	542.
	56 13/16"	48"	3"	DP8()RR5748	570.
	56 13/16"	60"	3"	DP8()RR5760	595.
64" High Panel Frame Assembly Standard Base Raceway  (topway and full view shown)	64 1/16"	15"	3"	DP8()RR6415	474.
	64 1/16"	18"	3"	DP8()RR6418	474.
	64 1/16"	24"	3"	DP8()RR6424	503.
	64 1/16"	30"	3"	DP8()RR6430	519.
	64 1/16"	36"	3"	DP8()RR6436	550.
	64 1/16"	42"	3"	DP8()RR6442	581.
	64 1/16"	48"	3"	DP8()RR6448	609.
	64 1/16"	60"	3"	DP8()RR6460	696.

Dimensions listed under h w d are actual to the nearest 1/16"


Ordering Information	Order Code	Included with:	Options
Panel Frame Assembly 1. Pattern Number 2. Top cap type 3. Top cap trim finish 4. Raceway knockout option 5. Base raceway finish if required	Topway Panel Frame Assembly <i>Example:</i> DP8CRR6448 4/117K/117 DP8CRR6448 Topway Panel Frame Assembly with Base Raceway 4 Radius metal topcap 117 Soft Grey top cap finish K Raceway knockouts 117 Soft Grey raceway finish	Panel Frame Assembly: - Panel frame - Top cap (optional) - Connection hardware - Base raceway Note: 15" wide panels are only available with a standard base raceway or tile to floor. Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others	Panel Frame Assembly: Option: (C) = Topway Panel Frame (V) = Full View Panel Frame Panel Base Options Open Panel Base Option: For open panel base, change 'RR' to 'LL'. Tile to Floor Option: For tile to floor on one side and base raceway on the other side change 'RR' to 'FR' and add \$35 to list price. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Base Raceway Knockout Options: (for RR and RF base only) (K) = Knockouts on raceway side (N) = No knockouts

Topway and Full View Panel Frame Assemblies

78" High

Dividends Horizon

description	h	w	d	pattern no.	list
78" High Panel Frame Assembly	78 ⁹ / ₁₆ "	15"	3"	DP8()RR7815	\$685.
Standard Base Raceway	78 ⁹ / ₁₆ "	18"	3"	DP8()RR7818	685.
	78 ⁹ / ₁₆ "	24"	3"	DP8()RR7824	719.
	78 ⁹ / ₁₆ "	30"	3"	DP8()RR7830	749.
	78 ⁹ / ₁₆ "	36"	3"	DP8()RR7836	795.
	78 ⁹ / ₁₆ "	42"	3"	DP8()RR7842	839.
	78 ⁹ / ₁₆ "	48"	3"	DP8()RR7848	870.




(topway and full view shown)

Panels, Build-To-Spec

Dimensions listed under h w d are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Panel Frame Assembly 1. Pattern Number 2. Top cap type 3. Top cap trim finish 4. Raceway knockout option 5. Base raceway finish if required	Topway Panel Frame Assembly <i>Example:</i> DP8CRR7848 4/117K/117 DP8CRR7848 Topway Panel Frame Assembly with Base Raceway 4 Radius metal topcap 117 Soft Grey top cap finish K Raceway knockouts 117 Soft Grey raceway finish	Panel Frame Assembly: • Panel frame • Top cap (optional) • Connection hardware • Base raceway Note: 15" wide panels are only available with a standard base raceway or tile to floor. Note: Panel to panel connector specified separately: DP8PPC for all DP8 to DP8 same height and type panel connections. DP8HLC for all others.	Panel Frame Assembly: Option: (C) = Topway Panel Frame (V) = Full View Panel Frame Panel Base Options Open Panel Base Option: For open panel base, change 'RR' to 'LL'. Tile to Floor Option: For tile to floor on one side and base raceway on the other side change 'RR' to 'FR' and add \$35 to list price. Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Base Raceway Knockout Options: (for RR and RF base only) (K) = Knockouts on raceway side (N) = No knockouts

description	h	w	d	pattern no.	list
Base Raceway Covers 	6"	15"	1/8"	DP8PBRN15	\$92.
	6"	18"	1/8"	DP8PBR()18	96.
	6"	24"	1/8"	DP8PBR()24	100.
	6"	30"	1/8"	DP8PBR()30	104.
	6"	36"	1/8"	DP8PBR()36	118.
	6"	42"	1/8"	DP8PBR()42	122.
	6"	48"	1/8"	DP8PBR()48	127.
	6"	60"	1/8"	DP8PBR()60	137.
	6"	72"	1/8"	DP8PBR()72	141.
	6"	84"	1/8"	DP8PBR()84	147.
	6"	96"	1/8"	DP8PBR()96	152.

Dimensions listed under h w d are actual to the nearest 1/16".





Ordering Information	Order Code	Options
Base Raceway	Topway Panel Frame Assembly	Base Raceway Knockout Options: (for RR and RF base only)
1. Pattern Number	<i>Example:</i> DP8PBRK60117	
2. Raceway knockout option	DP8PBR Base Raceway	(K) = Knockouts on raceway
3. Raceway trim finish	K Raceway knockouts	side
	117 Soft Grey raceway finish	(N) = No knockouts

Stack Frames

D1 Style With External Reveal

(For Use With Topway Panels Only)




Dividends Horizon

description	h	w	d	pattern no.	with topway	full view (without topway)
28" High Stack Panel Frame Only (full view shown) 	29 1/4"	18"	3"	DP2S(T/N)F 2818	\$296.	\$356.
	29 1/4"	24"	3"	DP2S(T/N)F 2824	301.	372.
	29 1/4"	30"	3"	DP2S(T/N)F 2830	327.	394.
	29 1/4"	36"	3"	DP2S(T/N)F 2836	369.	425.
	29 1/4"	42"	3"	DP2S(T/N)F 2842	393.	462.
	29 1/4"	48"	3"	DP2S(T/N)F 2848	413.	475.
21" High Stack Panel Frame Only 	21 7/8"	18"	3"	DP2STF 2118	302.	n/a
	21 7/8"	24"	3"	DP2STF 2124	322.	n/a
	21 7/8"	30"	3"	DP2STF 2130	345.	n/a
	21 7/8"	36"	3"	DP2STF 2136	380.	n/a
	21 7/8"	42"	3"	DP2STF 2142	418.	n/a
	21 7/8"	48"	3"	DP2STF 2148	435.	n/a
14" High Stack Panel, load bearing 	14"	18"	3"	DP2 STFL1418	245.	n/a
	14"	24"	3"	DP2 STFL1424	255.	n/a
	14"	30"	3"	DP2 STFL1430	296.	n/a
	14"	36"	3"	DP2 STFL1436	324.	n/a
	14"	42"	3"	DP2 STFL1442	363.	n/a
	14"	48"	3"	DP2 STFL1448	385.	n/a
14" High Stack Panel non-load bearing 	14"	18"	3"	DP2S(T/N)F 1418	245.	296.
	14"	24"	3"	DP2S(T/N)F 1424	255.	301.
	14"	30"	3"	DP2S(T/N)F 1430	296.	327.
	14"	36"	3"	DP2S(T/N)F 1436	324.	369.
	14"	42"	3"	DP2S(T/N)F 1442	363.	393.
	14"	48"	3"	DP2S(T/N)F 1448	385.	413.

NOTE: D1 Stack Frames may be used with Topway Panels only.

Ordering Information	Order Code	Included with:	Options
Stack Panel Frame	Stack Panel Frame	Stack Panel Frame	Stack Panel Frame
1. Pattern Number	<i>Example:</i> DP2STF 1448, 113	Note: When stacking (2) D1 style stack frames, the stack frame in the first tier position must have a topway trough to be able to accept the second tier stack frame.	Stack frame option: (T) = with topway (N) = without topway
2. Trim Finish	DP1STF Pattern Number		
	1448		
	113 Dark grey paint finish		
	Stack Panel Post		
	<i>Example:</i> DP2ASPO 14	Note: 21" stack panel frame not available without a topway.	Note: D1 Stack Frames are load bearing on first tier only.
	DP2ASPO Pattern Number		
	14		

*D2 Style With Recessed Reveal**(For Use With DP8 Full View Panels Only)*

description	w	h	d	pattern no.	list
 14" High Dividends Stack Frame	18"	14 ⁵ / ₈ "	3"	DPS7V1418()	\$372.
	24"	14 ⁵ / ₈ "	3"	DPS7V1424()	376.
	30"	14 ⁵ / ₈ "	3"	DPS7V1430()	411.
	36"	14 ⁵ / ₈ "	3"	DPS7V1436()	444.
	42"	14 ⁵ / ₈ "	3"	DPS7V1442()	462.
	48"	14 ⁵ / ₈ "	3"	DPS7V1448()	474.
	60"	14 ⁵ / ₈ "	3"	DPS7V1460()	488.
 21" High Dividends Stack Frame	18"	21 ⁷ / ₈ "	3"	DPS7V2118()	432.
	24"	21 ⁷ / ₈ "	3"	DPS7V2124()	456.
	30"	21 ⁷ / ₈ "	3"	DPS7V2130()	475.
	36"	21 ⁷ / ₈ "	3"	DPS7V2136()	506.
	42"	21 ⁷ / ₈ "	3"	DPS7V2142()	521.
	48"	21 ⁷ / ₈ "	3"	DPS7V2148()	538.
	60"	21 ⁷ / ₈ "	3"	DPS7V2160()	565.
 28" High Dividends Stack Frame	18"	29 ¹ / ₄ "	3"	DPS7V2818()	412.
	24"	29 ¹ / ₄ "	3"	DPS7V2824()	434.
	30"	29 ¹ / ₄ "	3"	DPS7V2830()	463.
	36"	29 ¹ / ₄ "	3"	DPS7V2836()	499.
	42"	29 ¹ / ₄ "	3"	DPS7V2842()	521.
	48"	29 ¹ / ₄ "	3"	DPS7V2848()	539.
	60"	29 ¹ / ₄ "	3"	DPS7V2860()	583.

NOTE: D2 Stack Frames may be used with DP8 Full View Panels only.

Ordering Information	Order Code	Included with:	Options
Stack Frames:	Stack Panel Frame Assembly	Stack Panel Frame:	Tile Options/Pattern Number
1. Pattern Number	Example: DPS7V1418TT	• Stack Frame	Suffix:
2. Tile Support Configuration	DPS7 Stack Panel Frame	Note: Slatwall tiles, single pane and double pane window kits cannot be used with D2 stack frames.	(TT) = Tile support located at the base of stacker to support segmented tiles on both sides of a panel.
	V Full View	Note: D2 Stack Frames are load bearing on first and second tier.	(TM) = Tile support located at the base of the stacker to support segmented tiles on one side and a monolithic tile on the other side of the panel.
	14 Height		(MM) = Monolithic tiles on both sides of the panel.
	18 Width		
	TT Segmented Tile Supports Both Side		

For Worksurface Height, 36", 42" and 50" High Panel Frames

description	w*	w	h	d	pattern no.	grade 10	20	30	40
 Worksurface Height Individual Monolithic Fabric Insert (For worksurface height Panel Frame only)	15"	14 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP1SOWH15	\$167.	\$193.	\$213.	\$232.
	18"	17 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP1SOWH18	167.	193.	213.	232.
	24"	23 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP1SOWH24	209.	237.	260.	274.
	30"	29 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP1SOWH30	229.	260.	282.	306.
	36"	35 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP1SOWH36	249.	282.	318.	335.
	42"	41 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP1SOWH42	258.	285.	320.	341.
	48"	47 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP1SOWH48	270.	306.	332.	363.
	60"	59 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP1SOWH60	308.	329.	349.	370.
	72"	71 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP1SOWH72RR*	485.	522.	546.	564.
	84"	83 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP1SOWH84RR*	505.	542.	566.	587.
	96"	95 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP1SOWH96RR*	558.	599.	626.	647.
 28" High Individual Tiled Fabric Insert	15"	14 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP1SO2815	189.	200.	214.	236.
	18"	17 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP1SO2818	189.	200.	214.	236.
	24"	23 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP1SO2824	213.	246.	270.	282.
	30"	29 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP1SO2830	235.	270.	288.	314.
	36"	35 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP1SO2836	255.	288.	327.	345.
	42"	42 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP1SO2842	267.	289.	329.	353.
	48"	47 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP1SO2848	275.	314.	342.	369.
	60"	59 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP1SO2860	327.	350.	363.	383.
	72"	71 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP1SO2872RR*	606.	649.	696.	743.
	84"	83 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP1SO2884RR*	631.	674.	723.	773.
	96"	95 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP1SO2896RR*	671.	717.	768.	785.
 35" High Individual Monolithic Fabric Insert (For 42"H Panel Frame)	15"	14 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP1SO4215	195.	221.	244.	260.
	18"	17 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP1SO4218	195.	221.	244.	260.
	24"	23 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP1SO4224	221.	250.	271.	287.
	30"	29 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP1SO4230	244.	282.	310.	321.
	36"	35 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP1SO4236	271.	315.	324.	353.
	42"	41 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP1SO4242	314.	349.	376.	396.
	48"	47 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP1SO4248	324.	372.	404.	423.
	60"	59 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP1SO4260	339.	369.	384.	396.
	72"	71 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP1SO4272RR*	624.	666.	712.	763.
	84"	83 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP1SO4284RR*	638.	684.	731.	781.
	96"	95 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP1SO4296RR*	697.	731.	795.	854.

* Note: 72", 84", 96"; Inserts are only available with Railroad Fabric.

w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Monolithic Fabric Inserts 1. Pattern Number 2. Fabric	Monolithic Fabric Inserts <i>Example:</i> DP1 SO6442, W1077 DP1 Pattern Number SO6442 W1077 Element	Monolithic Fabric Inserts • Attachment clips Note: Worksurface height monolithic tiles are to be used with worksurface height panel frames only.	Monolithic Fabric Inserts Tile to Floor Option: To specify tile to floor for use with panel frames, add an "F" suffix to the pattern number and add \$11 to the list price. Railroading fabric option: To specify railroaded fabric, add "RR" to the suffix of the pattern number. Note: Tile to floor option available for Worksurface Heights, 36", 42", 50", 57", 64" and 78" panel heights.

For Worksurface Height, 36", 42" and 50" High Panel Frames

description	w*	w	h	d	pattern no.	grade 10	20	30	40
42" High Individual Monolithic Fabric Insert (For 50"H Panel Frame) 	15"	14 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	7 ¹ / ₁₆ "	DP1SO5015	\$215.	\$244.	\$266.	\$282.
	18"	17 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	7 ¹ / ₁₆ "	DP1SO5018	215.	244.	266.	282.
	24"	23 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	7 ¹ / ₁₆ "	DP1SO5024	242.	274.	291.	316.
	30"	29 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	7 ¹ / ₁₆ "	DP1SO5030	271.	315.	333.	353.
	36"	35 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	7 ¹ / ₁₆ "	DP1SO5036	315.	350.	376.	403.
	42"	41 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	7 ¹ / ₁₆ "	DP1SO5042	343.	393.	420.	442.
	48"	47 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	7 ¹ / ₁₆ "	DP1SO5048	381.	427.	460.	484.
	60"	59 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	7 ¹ / ₁₆ "	DP1SO5060	437.	475.	498.	510.
	72"	71 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	7 ¹ / ₁₆ "	DP1SO5072RR*	715.	765.	798.	824.
	84"	83 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	7 ¹ / ₁₆ "	DP1SO5084RR*	726.	777.	809.	837.
	96"	95 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	7 ¹ / ₁₆ "	DP1SO5096RR*	737.	790.	822.	849.

* Note: 72", 84", 96"; Inserts are only available with Railroad Fabric.

w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Monolithic Fabric Inserts 1. Pattern Number 2. Fabric	Monolithic Fabric Inserts <i>Example:</i> DP1 SO6442, W1077 DP1 Pattern Number SO6442 W1077 Element 	Monolithic Fabric Inserts Attachment clips Note: Worksurface height monolithic tiles are to be used with worksurface height panel frames only.	Monolithic Fabric Inserts Tile to Floor Option: To specify tile to floor for use with panel frames, add an "F" suffix to the pattern number and add \$11 to the list price. Railroading fabric option: To specify railroaded fabric, add "RR" to the suffix of the pattern number. Note: Tile to floor option available for Worksurface Heights, 36", 42", 50", 57", 64" and 78" panel heights.

Monolithic Panel Fabric Inserts

For 57", 64" and 78" High Panel Frames

Dividends Horizon

description	w*	w	h	d	pattern no.	grade 10	20	30	40
49" High Individual Monolithic Fabric Insert (For 57"H Panel Frame)	15"	14 ⁵ / ₈ "	50 ¹ / ₁₆ "	⁷ / ₁₆ "	DP1SO5715	\$237.	\$260.	\$271.	\$279.
	18"	17 ⁵ / ₈ "	50 ¹ / ₁₆ "	⁷ / ₁₆ "	DP1SO5718	237.	260.	271.	279.
	24"	23 ⁵ / ₈ "	50 ¹ / ₁₆ "	⁷ / ₁₆ "	DP1SO5724	267.	284.	302.	315.
	30"	29 ⁵ / ₈ "	50 ¹ / ₁₆ "	⁷ / ₁₆ "	DP1SO5730	308.	329.	340.	354.
	36"	35 ⁵ / ₈ "	50 ¹ / ₁₆ "	⁷ / ₁₆ "	DP1SO5736	340.	371.	385.	404.
	42"	41 ⁵ / ₈ "	50 ¹ / ₁₆ "	⁷ / ₁₆ "	DP1SO5742	380.	407.	424.	442.
	48"	47 ⁵ / ₈ "	50 ¹ / ₁₆ "	⁷ / ₁₆ "	DP1SO5748	412.	440.	463.	479.
	60"	59 ⁵ / ₈ "	50 ¹ / ₁₆ "	⁷ / ₁₆ "	DP1SO5760	476.	510.	537.	558.
56" High Individual Monolithic Fabric Insert (For 64"H Panel Frame)	15"	14 ⁵ / ₈ "	58 ¹ / ₄ "	⁷ / ₁₆ "	DP1SO6415	266.	305.	322.	339.
	18"	17 ⁵ / ₈ "	58 ¹ / ₄ "	⁷ / ₁₆ "	DP1SO6418	266.	305.	322.	339.
	24"	23 ⁵ / ₈ "	58 ¹ / ₄ "	⁷ / ₁₆ "	DP1SO6424	285.	327.	350.	370.
	30"	29 ⁵ / ₈ "	58 ¹ / ₄ "	⁷ / ₁₆ "	DP1SO6430	335.	381.	410.	428.
	36"	35 ⁵ / ₈ "	58 ¹ / ₄ "	⁷ / ₁₆ "	DP1SO6436	372.	423.	452.	476.
	42"	41 ⁵ / ₈ "	58 ¹ / ₄ "	⁷ / ₁₆ "	DP1SO6442	407.	458.	488.	512.
	48"	47 ⁵ / ₈ "	58 ¹ / ₄ "	⁷ / ₁₆ "	DP1SO6448	443.	499.	536.	560.
	60"	59 ⁵ / ₈ "	58 ¹ / ₄ "	⁷ / ₁₆ "	DP1SO6460	460.	499.	517.	541.
70" High Individual Monolithic Fabric Insert (For 78"H Panel Frame)	15"	14 ⁵ / ₈ "	72 ⁷ / ₈ "	⁷ / ₁₆ "	DP1SO7815	310.	327.	343.	354.
	18"	17 ⁵ / ₈ "	72 ⁷ / ₈ "	⁷ / ₁₆ "	DP1SO7818	310.	327.	343.	354.
	24"	23 ⁵ / ₈ "	72 ⁷ / ₈ "	⁷ / ₁₆ "	DP1SO7824	363.	385.	405.	420.
	30"	29 ⁵ / ₈ "	72 ⁷ / ₈ "	⁷ / ₁₆ "	DP1SO7830	407.	440.	460.	476.
	36"	35 ⁵ / ₈ "	72 ⁷ / ₈ "	⁷ / ₁₆ "	DP1SO7836	452.	487.	510.	533.
	42"	41 ⁵ / ₈ "	72 ⁷ / ₈ "	⁷ / ₁₆ "	DP1SO7842	505.	547.	568.	592.
	48"	47 ⁵ / ₈ "	72 ⁷ / ₈ "	⁷ / ₁₆ "	DP1SO7848	554.	602.	629.	646.

w* = nominal width

Dimensions listed under w h d are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Monolithic Fabric Inserts 1. Pattern Number 2. Fabric	Monolithic Fabric Inserts <i>Example:</i> DP1 SO6442, W1077 DP1 Pattern Number SO6442 W1077 Element	Monolithic Fabric Inserts • Attachment clips Note: Worksurface height monolithic tiles are to be used with worksurface height panel frames only.	Monolithic Fabric Inserts Tile to Floor Option: To specify tile to floor for use with panel frames, add an "F" suffix to the pattern number and add \$11 to the list price. Railroading fabric option: To specify railroaded fabric, add "RR" to the suffix of the pattern number. Note: Tile to floor option available for Worksurface Heights, 36", 42", 50" 57", 64" and 78" panel heights.

Panels, Build-To-Spec

Monolithic Laminate and Veneer Inserts

For Worksurface Height, 36" and 42" High Panel Frames

Base Raceway or Open Base

Dividends Horizon

description	w *	w	h	d	pattern no.	Laminate	V1	V2	V3
 Worksurface Height Individual Monolithic Insert (For worksurface height panel frame only)	15"	14 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP3(L/V)1WH15	\$303.	\$845.	\$972.	\$1,070.
	18"	17 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP3(L/V)1WH18	319.	862.	992.	1,090.
	24"	23 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP3(L/V)1WH24	364.	895.	1,028.	1,131.
	30"	29 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP3(L/V)1WH30	424.	944.	1,085.	1,193.
	36"	35 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP3(L/V)1WH36	460.	988.	1,138.	1,252.
	42"	41 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP3(L/V)1WH42	550.	1,043.	1,199.	1,320.
	48"	47 ⁵ / ₈ "	22 ¹ / ₂ "	7 ¹ / ₁₆ "	DP3(L/V)1WH48	558.	1,093.	1,256.	1,382.
 28" High Individual Monolithic Insert (For 36"H Panel Frame)	15"	14 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP3(L/V)12815	303.	888.	1,022.	1,124.
	18"	17 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP3(L/V)12818	319.	900.	1,034.	1,137.
	24"	23 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP3(L/V)12824	364.	922.	1,061.	1,167.
	30"	29 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP3(L/V)12830	424.	994.	1,142.	1,257.
	36"	35 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP3(L/V)12836	460.	1,062.	1,221.	1,344.
	42"	41 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP3(L/V)12842	550.	1,131.	1,301.	1,432.
	48"	47 ⁵ / ₈ "	29"	7 ¹ / ₁₆ "	DP3(L/V)12848	558.	1,202.	1,384.	1,521.
 35" H Individual Monolithic Insert (For 42"H Panel Frame)	15"	14 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP3(L/V)14215	363.	968.	1,112.	1,223.
	18"	17 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP3(L/V)14218	397.	996.	1,146.	1,261.
	24"	23 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP3(L/V)14224	452.	1,043.	1,196.	1,316.
	30"	29 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP3(L/V)14230	545.	1,131.	1,302.	1,433.
	36"	35 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP3(L/V)14236	737.	1,336.	1,537.	1,692.
	42"	41 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP3(L/V)14242	774.	1,577.	1,817.	1,997.
	48"	47 ⁵ / ₈ "	36 ³ / ₈ "	7 ¹ / ₁₆ "	DP3(L/V)14248	780.	1,861.	2,142.	2,356.

w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:
Monolithic Laminate and Veneer Inserts 1. Pattern Number 2. Laminate or Veneer Finish 3. Edgeband Finish	Monolithic Inserts <i>Example:</i> DP3L14224 DP3L1 Pattern Number 4224 118 Bright White Laminate 118 Bright White Edgeband 	Monolithic Inserts • Attachment clips Note: Worksurface height monolithic tiles are to be used with worksurface height panel frames only.

Monolithic Laminate and Veneer Inserts

Dividends Horizon

*For Worksurface Height, 36" and 42" High Panel Frames
Tile To Floor*

description	w *	w	d	pattern no.	Laminate	V1	V2	V3
 Worksurface Ht. Individual Monolithic Insert (For worksurface ht. panel frame only)	15"	14 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)1WH15F	\$303.	\$845.	\$972.	\$1,070.
	18"	17 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)1WH18F	319.	862.	992.	1,090.
	24"	23 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)1WH24F	364.	895.	1,028.	1,131.
	30"	29 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)1WH30F	424.	944.	1,085.	1,193.
	36"	35 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)1WH36F	460.	988.	1,138.	1,252.
	42"	41 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)1WH42F	550.	1,043.	1,199.	1,320.
	48"	47 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)1WH48F	558.	1,093.	1,256.	1,382.
 36" H Individual Monolithic Insert (For 36"H panel frame)	15"	14 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)12815F	303.	888.	1,022.	1,124.
	18"	17 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)12818F	319.	900.	1,034.	1,137.
	24"	23 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)12824F	364.	922.	1,061.	1,167.
	30"	29 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)12830F	424.	994.	1,142.	1,257.
	36"	35 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)12836F	460.	1,062.	1,221.	1,344.
	42"	41 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)12842F	550.	1,131.	1,301.	1,432.
	48"	47 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)12848F	558.	1,202.	1,384.	1,521.
 42" H Individual Monolithic Insert (For 42"H panel frame)	15"	14 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)14215F	369.	968.	1,112.	1,223.
	18"	17 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)14218F	424.	996.	1,146.	1,261.
	24"	23 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)14224F	476.	1,043.	1,196.	1,316.
	30"	29 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)14230F	550.	1,131.	1,302.	1,433.
	36"	35 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)14236F	742.	1,336.	1,537.	1,692.
	42"	41 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)14242F	780.	1,577.	1,817.	1,997.
	48"	47 ⁵ / ₈ "	⁷ / ₁₆ "	DP3(L/V)14248F	790.	1,861.	2,142.	2,356.

Panels, Build-To-Spec

w* = nominal width

Dimensions listed under w h d are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:
Monolithic Laminate and Veneer Inserts 1. Pattern Number 2. Laminate or Veneer Finish 3. Edgeband Finish	Monolithic Inserts <i>Example:</i> DP3L14224F DP3L1 Pattern Number 4224F 118 Bright White Laminate 118 Bright White Edgeband	Monolithic Inserts • Attachment clips Note: Worksurface height monolithic tiles are to be used with worksurface height panel frames only.

Monolithic Laminate and Veneer Inserts

For 50", 57" and 64" High Panel Frames

Base Raceway or Open Base

Dividends Horizon

description	w *	w	h	d	pattern no.	Laminate	V1	V2	V3
 42" H Individual Monolithic Insert (For 50"H Panel Frame)	15"	14 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)15015	\$371.	\$1,045.	\$1,197.	\$1,318.
	18"	17 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)15018	428.	1,076.	1,240.	1,364.
	24"	23 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)15024	479.	1,143.	1,289.	1,420.
	30"	29 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)15030	554.	1,177.	1,352.	1,488.
	36"	35 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)15036	746.	1,387.	1,594.	1,754.
	42"	41 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)15042	785.	1,635.	1,882.	2,071.
	48"	47 ⁵ / ₈ "	43 ¹¹ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)15048	792.	1,927.	2,217.	2,439.
 49" H Individual Monolithic Insert (For 57"H Panel Frame)	15"	14 ⁵ / ₈ "	50 ¹ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)15715	432.	1,082.	1,360.	1,496.
	18"	17 ⁵ / ₈ "	50 ¹ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)15718	465.	1,115.	1,401.	1,541.
	24"	23 ⁵ / ₈ "	50 ¹ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)15724	555.	1,205.	1,514.	1,665.
	30"	29 ⁵ / ₈ "	50 ¹ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)15730	697.	1,304.	1,639.	1,803.
	36"	35 ⁵ / ₈ "	50 ¹ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)15736	755.	1,557.	1,948.	2,143.
	42"	41 ⁵ / ₈ "	50 ¹ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)15742	925.	1,833.	2,297.	2,526.
	48"	47 ⁵ / ₈ "	50 ¹ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)15748	931.	2,164.	2,712.	2,983.
 64" H Monolithic Tile Insert	15"	14 ⁵ / ₈ "	64"	⁷ / ₁₆ "	DP3V16415		1,125.	1,410.	1,551.
	18"	17 ⁵ / ₈ "	64"	⁷ / ₁₆ "	DP3V16418		1,160.	1,452.	1,598.
	24"	23 ⁵ / ₈ "	64"	⁷ / ₁₆ "	DP3V16424		1,261.	1,584.	1,742.
	30"	29 ⁵ / ₈ "	64"	⁷ / ₁₆ "	DP3V16430		1,362.	1,709.	1,881.
	36"	35 ⁵ / ₈ "	64"	⁷ / ₁₆ "	DP3V16436		1,605.	2,012.	2,212.
	42"	41 ⁵ / ₈ "	64"	⁷ / ₁₆ "	DP3V16442		1,896.	2,375.	2,613.
	48"	47 ⁵ / ₈ "	64"	⁷ / ₁₆ "	DP3V16448		2,237.	2,801.	3,082.
	60"	59 ⁵ / ₈ "	64"	⁷ / ₁₆ "	DP3V16460		2,795.	3,505.	3,857.

w* = nominal width

Dimensions listed under w h d are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:
Monolithic Inserts 1. Pattern Number 2. Laminate or Veneer Finish 3. Edgeband Finish	Monolithic Inserts <i>Example:</i> DP3L15024 DP3L1 Pattern Number 5024 118 Bright White Laminate 118 Bright White Edgeband	Monolithic Inserts • Attachment clips Note: Worksurface height monolithic tiles are to be used with worksurface height panel frames only.

Monolithic Laminate and Veneer Inserts

For 50", 57" and 64" High Panel Frames

Tile To Floor

Dividends Horizon

description	w *	w	d	pattern no.	Laminate	V1	V2	V3
50" H Individual Monolithic Insert Tile To Floor (For 50"H panel frame) 	15"	14 5/8"	7/16"	DP3(L/V)15015F	\$431.	\$1,045.	\$1,197.	\$1,318.
	18"	17 5/8"	7/16"	DP3(L/V)15018F	461.	1,076.	1,240.	1,364.
	24"	23 5/8"	7/16"	DP3(L/V)15024F	552.	1,143.	1,289.	1,420.
	30"	29 5/8"	7/16"	DP3(L/V)15030F	693.	1,177.	1,352.	1,488.
	36"	35 5/8"	7/16"	DP3(L/V)15036F	751.	1,387.	1,594.	1,754.
	42"	41 5/8"	7/16"	DP3(L/V)15042F	919.	1,635.	1,882.	2,071.
	48"	47 5/8"	7/16"	DP3(L/V)15048F	928.	1,927.	2,217.	2,439.
57" H Individual Monolithic Insert Tile To Floor (for 57"H panel frame) 	15"	14 5/8"	7/16"	DP3(L/V)15715F	440.	1,082.	1,360.	1,496.
	18"	17 5/8"	7/16"	DP3(L/V)15718F	474.	1,115.	1,401.	1,541.
	24"	23 5/8"	7/16"	DP3(L/V)15724F	560.	1,205.	1,514.	1,665.
	30"	29 5/8"	7/16"	DP3(L/V)15730F	701.	1,304.	1,639.	1,803.
	36"	35 5/8"	7/16"	DP3(L/V)15736F	763.	1,557.	1,948.	2,143.
	42"	41 5/8"	7/16"	DP3(L/V)15742F	929.	1,833.	2,297.	2,526.
	48"	47 5/8"	7/16"	DP3(L/V)15748F	938.	2,164.	2,712.	2,983.
64" H Monolithic Tile Insert, Tile to Floor 	15"	14 5/8"	7/16"	DP3V16415F		1,125.	1,410.	1,551.
	18"	17 5/8"	7/16"	DP3V16418F		1,160.	1,452.	1,598.
	24"	23 5/8"	7/16"	DP3V16424F		1,261.	1,584.	1,742.
	30"	29 5/8"	7/16"	DP3V16430F		1,362.	1,709.	1,881.
	36"	35 5/8"	7/16"	DP3V16436F		1,605.	2,012.	2,212.
	42"	41 5/8"	7/16"	DP3V16442F		1,896.	2,375.	2,613.
	48"	47 5/8"	7/16"	DP3V16448F		2,237.	2,801.	3,082.
	60"	59 5/8"	7/16"	DP3V16460F		2,795.	3,505.	3,857.

Panels, Build-To-Spec

w* = nominal width
 Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:
Monolithic Laminate and Veneer Inserts 1. Pattern Number 2. Laminate or Veneer Finish 3. Edgeband Finish	Monolithic Inserts <i>Example:</i> DP3L15024F DP3L1 Pattern Number 5024F 118 Bright White Laminate 118 Bright White Edgeband	Monolithic Inserts • Attachment clips Note: Worksurface height monolithic tiles are to be used with worksurface height panel frames only.

Tiled Fabric Inserts 7", 10" and 14" High

Dividends Horizon

description	w *	w	h	d	pattern no.	grade 10	20	30	40
7" High Individual Tiled Fabric Insert 	15"	14 ⁵ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP1SO715	\$97.	\$112.	\$138.	\$144.
	18"	17 ³ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP1SO718	97.	112.	138.	144.
	24"	23 ³ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP1SO724	102.	130.	141.	153.
	30"	29 ³ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP1SO730	117.	144.	158.	166.
	36"	35 ³ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP1SO736	138.	158.	166.	175.
	42"	41 ³ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP1SO742	144.	165.	180.	189.
	48"	47 ³ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP1SO748	154.	172.	189.	217.
	60"	59 ³ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP1SO760	166.	183.	190.	196.
10" High Individual Tiled Fabric Insert 	15"	14 ³ / ₈ "	10 ⁷ / ₈ "	⁷ / ₁₆ "	DP1SO1015	125.	140.	148.	152.
	18"	17 ³ / ₈ "	10 ⁷ / ₈ "	⁷ / ₁₆ "	DP1SO1018	125.	140.	148.	152.
	24"	23 ³ / ₈ "	10 ⁷ / ₈ "	⁷ / ₁₆ "	DP1SO1024	137.	149.	153.	163.
	30"	29 ³ / ₈ "	10 ⁷ / ₈ "	⁷ / ₁₆ "	DP1SO1030	140.	152.	162.	167.
	36"	35 ³ / ₈ "	10 ⁷ / ₈ "	⁷ / ₁₆ "	DP1SO1036	148.	162.	174.	202.
	42"	41 ³ / ₈ "	10 ⁷ / ₈ "	⁷ / ₁₆ "	DP1SO1042	152.	167.	196.	207.
	48"	47 ³ / ₈ "	10 ⁷ / ₈ "	⁷ / ₁₆ "	DP1SO1048	162.	186.	207.	212.
	60"	59 ³ / ₈ "	10 ⁷ / ₈ "	⁷ / ₁₆ "	DP1SO1060	167.	189.	198.	204.
14" High Individual Tiled Fabric Insert 	15"	14 ³ / ₈ "	14 ³ / ₁₆ "	⁷ / ₁₆ "	DP1SO1415	150.	166.	179.	186.
	18"	17 ³ / ₈ "	14 ³ / ₁₆ "	⁷ / ₁₆ "	DP1SO1418	150.	166.	179.	186.
	24"	23 ³ / ₈ "	14 ³ / ₁₆ "	⁷ / ₁₆ "	DP1SO1424	164.	183.	189.	202.
	30"	29 ³ / ₈ "	14 ³ / ₁₆ "	⁷ / ₁₆ "	DP1SO1430	166.	186.	196.	209.
	36"	35 ³ / ₈ "	14 ³ / ₁₆ "	⁷ / ₁₆ "	DP1SO1436	179.	196.	213.	243.
	42"	41 ³ / ₈ "	14 ³ / ₁₆ "	⁷ / ₁₆ "	DP1SO1442	186.	209.	237.	249.
	48"	47 ³ / ₈ "	14 ³ / ₁₆ "	⁷ / ₁₆ "	DP1SO1448	196.	229.	249.	258.
	60"	59 ³ / ₈ "	14 ³ / ₁₆ "	⁷ / ₁₆ "	DP1SO1460	209.	231.	238.	247.

w* = nominal width



Dimensions listed under w h d are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Tiled Inserts 1. Pattern Number 2. Fabric	Tiled Inserts <i>Example:</i> DP1 SO1436, W234-5 DP1 Pattern Number SO1436 W234-5 Peano Sand fabric	Tiled Inserts • Attachment clips Note: Tiled insert supports must be ordered separately (see opposite page for quantities required).	Tiled Inserts Tile to Floor Option: To specify tile to floor for use with panel frames, add an "F" suffix to the pattern number and add \$11 to the list price. Railroading fabric option: To specify railroaded fabric, add "RR" to the suffix of the pattern number. Note: Tile to floor option available for 14" and 28" High inserts.

Tiled Fabric Inserts

21" and 28" High

Dividends Horizon

description	w *	w	h	d	pattern no.	grade 10	20	30	40
21" High Individual Tiled Fabric Insert 	15"	14 5/8"	21 3/16"	7/16"	DP1SO2115	\$179.	\$208.	\$225.	\$246.
	18"	17 5/8"	21 3/16"	7/16"	DP1SO2118	179.	208.	225.	246.
	24"	23 5/8"	21 3/16"	7/16"	DP1SO2124	219.	257.	279.	291.
	30"	29 5/8"	21 3/16"	7/16"	DP1SO2130	238.	279.	300.	321.
	36"	35 5/8"	21 3/16"	7/16"	DP1SO2136	266.	300.	338.	359.
	42"	41 5/8"	21 3/16"	7/16"	DP1SO2142	274.	303.	342.	368.
	48"	47 5/8"	21 3/16"	7/16"	DP1SO2148	288.	321.	357.	385.
	60"	59 5/8"	21 3/16"	7/16"	DP1SO2160	316.	342.	358.	369.
28" High Individual Tiled Fabric Insert 	15"	14 5/8"	29"	7/16"	DP1SO2815	189.	200.	214.	236.
	18"	17 5/8"	29"	7/16"	DP1SO2818	189.	200.	214.	236.
	24"	23 5/8"	29"	7/16"	DP1SO2824	213.	246.	270.	282.
	30"	29 5/8"	29"	7/16"	DP1SO2830	235.	270.	288.	314.
	36"	35 5/8"	29"	7/16"	DP1SO2836	255.	288.	327.	345.
	42"	42 5/8"	29"	7/16"	DP1SO2842	267.	289.	329.	353.
	48"	47 5/8"	29"	7/16"	DP1SO2848	275.	314.	342.	369.
	60"	59 5/8"	29"	7/16"	DP1SO2860	327.	350.	363.	383.

Panels, Build-To-Spec

w* = nominal width




Dimensions listed under w h d are actual to the nearest 1/16

Ordering Information	Order Code	Included With:	Options
Tiled Inserts	Tiled Inserts	Tiled Inserts	Tiled Inserts
1. Pattern Number	<i>Example:</i> DP1 SO1436, W234-5	• Attachment clips	Tile to Floor Option:
2. Fabric	DP1 Pattern Number	Note: Tiled insert supports must be ordered separately (see opposite page for quantities required).	To specify tile to floor for use with panel frames, add an "F" suffix to the pattern number and add \$11 to the list price.
	SO1436		Railroading fabric option:
	W234-5 Peano Sand fabric		To specify railroaded fabric, add "RR" to the suffix of the pattern number.
			Note: Tile to floor option available for 14" and 28" High inserts.

Tiled Fabric Inserts

Tile Supports

Dividends Horizon

description	w *	d	pattern no.	list
 D1 Tile Support/ External Reveal	15"	$\frac{5}{8}$ "	DP1SOS15	\$55.
	18"	$\frac{5}{8}$ "	DP1SOS18	55.
	24"	$\frac{5}{8}$ "	DP1SOS24	56.
	30"	$\frac{5}{8}$ "	DP1SOS30	63.
	36"	$\frac{5}{8}$ "	DP1SOS36	64.
	42"	$\frac{5}{8}$ "	DP1SOS42	67.
	48"	$\frac{5}{8}$ "	DP1SOS48	67.
	60"	$\frac{5}{8}$ "	DP1SOS60	72.
 D2 Tile Support/ Recessed Reveal	15"		DP2SOS15	49.
	18"		DP2SOS18	49.
	24"		DP2SOS24	50.
	30"		DP2SOS30	55.
	36"		DP2SOS36	56.
	42"		DP2SOS42	63.
	48"		DP2SOS48	63.
	60"		DP2SOS60	67.
 D2 Tile Support Mounting Brackets (pair)			DP2SOSC	0.

w* = nominal width

Dimensions listed under w h d are actual to the nearest $\frac{1}{16}$ "


Ordering Information	Order Code	Included with:	Options
D1 Tile Support / External Reveal	D1 Tile Support / External Reveal Supports	Note: D2 insert supports require mounting brackets.	Tiled Insert Supports
1. Pattern Number	<i>Example:</i> DP1 SOS18, 117		
D2 Tile Support / Recessed Reveal	DP1 Pattern Number		
1. Pattern Number	SOS18		
	117 Soft Grey trim finish		

Tiled Laminate and Veneer Inserts

7", 10", 14", 21" and 28" High

Base Raceway or Open Base

Dividends Horizon

description	w*	w	h	d	pattern no.	Laminate	V1	V2	V3
7" H Individual Tiled Insert 	15"	14 ⁵ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)10715	\$202.	\$772.	\$890.	\$979.
	18"	17 ⁵ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)10718	204.	793.	910.	1,002.
	24"	23 ⁵ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)10724	212.	840.	966.	1,063.
	30"	29 ⁵ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)10730	217.	881.	1,014.	1,116.
	36"	35 ⁵ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)10736	247.	927.	1,067.	1,173.
	42"	41 ⁵ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)10742	255.	977.	1,122.	1,234.
	48"	47 ⁵ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)10748	265.	1,013.	1,167.	1,283.
10" H Individual Tiled Insert 	15"	14 ⁵ / ₈ "	10 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)11015	207.	783.	900.	989.
	18"	17 ⁵ / ₈ "	10 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)11018	212.	804.	924.	1,016.
	24"	23 ⁵ / ₈ "	10 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)11024	217.	848.	974.	1,072.
	30"	29 ⁵ / ₈ "	10 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)11030	242.	897.	1,030.	1,134.
	36"	35 ⁵ / ₈ "	10 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)11036	274.	938.	1,078.	1,185.
	42"	41 ⁵ / ₈ "	10 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)11042	284.	984.	1,131.	1,244.
	48"	47 ⁵ / ₈ "	10 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)11048	291.	1,028.	1,182.	1,300.
14" H Individual Tiled Insert 	15"	14 ⁵ / ₈ "	14 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)11415	212.	794.	912.	1,004.
	18"	17 ⁵ / ₈ "	14 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)11418	214.	818.	941.	1,034.
	24"	23 ⁵ / ₈ "	14 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)11424	235.	862.	992.	1,090.
	30"	29 ⁵ / ₈ "	14 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)11430	260.	907.	1,043.	1,148.
	36"	35 ⁵ / ₈ "	14 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)11436	306.	949.	1,092.	1,200.
	42"	41 ⁵ / ₈ "	14 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)11442	315.	996.	1,145.	1,260.
	48"	47 ⁵ / ₈ "	14 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)11448	319.	1,038.	1,195.	1,315.
21" H Individual Tiled Insert 	15"	14 ⁵ / ₈ "	21 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)12115	232.	845.	972.	1,070.
	18"	17 ⁵ / ₈ "	21 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)12118	255.	862.	992.	1,090.
	24"	23 ⁵ / ₈ "	21 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)12124	302.	895.	1,028.	1,131.
	30"	29 ⁵ / ₈ "	21 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)12130	308.	944.	1,085.	1,193.
	36"	35 ⁵ / ₈ "	21 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)12136	440.	988.	1,138.	1,252.
	42"	41 ⁵ / ₈ "	21 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)12142	445.	1,043.	1,199.	1,320.
	48"	47 ⁵ / ₈ "	21 ³ / ₁₆ "	⁷ / ₁₆ "	DP3(L/V)12148	452.	1,093.	1,256.	1,382.
28" H Individual Tiled Insert 	15"	14 ⁵ / ₈ "	29"	⁷ / ₁₆ "	DP3(L/V)12815	303.	888.	1,022.	1,124.
	18"	17 ⁵ / ₈ "	29"	⁷ / ₁₆ "	DP3(L/V)12818	319.	900.	1,034.	1,137.
	24"	23 ⁵ / ₈ "	29"	⁷ / ₁₆ "	DP3(L/V)12824	364.	922.	1,061.	1,167.
	30"	29 ⁵ / ₈ "	29"	⁷ / ₁₆ "	DP3(L/V)12830	424.	994.	1,142.	1,257.
	36"	35 ⁵ / ₈ "	29"	⁷ / ₁₆ "	DP3(L/V)12836	460.	1,062.	1,221.	1,344.
	42"	41 ⁵ / ₈ "	29"	⁷ / ₁₆ "	DP3(L/V)12842	550.	1,131.	1,301.	1,432.
	48"	47 ⁵ / ₈ "	29"	⁷ / ₁₆ "	DP3(L/V)12848	558.	1,202.	1,384.	1,521.


w* = nominal width

Dimensions listed under w h d are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:
Tiled Laminate and Veneer Inserts	Tiled Inserts	Tiled Inserts
1. Pattern Number		• Attachment clips
2. Laminate or Veneer Finish	<i>Example:</i> DP3L10724	Note: Tiled insert supports must be ordered separately (see opposite page for quantities required)
3. Edgeband Finish	DP3L1 Pattern Number	
	0724	
	118 Bright White Laminate	
	118 Bright White Edgeband	

Tiled Laminate and Veneer Inserts
14" and 28" High
Tile To Floor

Dividends Horizon

description	w*	w	d	pattern no.	Laminate	V1	V2	V3
14" H Individual Tiled Insert Tile to Floor 	15"	14 ³ / ₈ "	⁷ / ₁₆ "	DP3(L/V)11415F	\$221.	\$794.	\$912.	\$1,004.
	18"	17 ³ / ₈ "	⁷ / ₁₆ "	DP3(L/V)11418F	236.	818.	941.	1,034.
	24"	23 ³ / ₈ "	⁷ / ₁₆ "	DP3(L/V)11424F	258.	862.	992.	1,090.
	30"	29 ³ / ₈ "	⁷ / ₁₆ "	DP3(L/V)11430F	289.	907.	1,043.	1,148.
	36"	35 ³ / ₈ "	⁷ / ₁₆ "	DP3(L/V)11436F	343.	949.	1,092.	1,200.
	42"	41 ³ / ₈ "	⁷ / ₁₆ "	DP3(L/V)11442F	370.	996.	1,145.	1,260.
	48"	47 ³ / ₈ "	⁷ / ₁₆ "	DP3(L/V)11448F	376.	1,038.	1,195.	1,315.
28" H Individual Tiled Insert Tile to Floor 	15"	14 ³ / ₈ "	⁷ / ₁₆ "	DP3(L/V)12815F	303.	888.	1,022.	1,124.
	18"	17 ³ / ₈ "	⁷ / ₁₆ "	DP3(L/V)12818F	319.	900.	1,034.	1,137.
	24"	23 ³ / ₈ "	⁷ / ₁₆ "	DP3(L/V)12824F	364.	922.	1,061.	1,167.
	30"	29 ³ / ₈ "	⁷ / ₁₆ "	DP3(L/V)12830F	424.	994.	1,142.	1,257.
	36"	35 ³ / ₈ "	⁷ / ₁₆ "	DP3(L/V)12836F	460.	1,062.	1,221.	1,344.
	42"	41 ³ / ₈ "	⁷ / ₁₆ "	DP3(L/V)12842F	550.	1,131.	1,301.	1,432.
	48"	47 ³ / ₈ "	⁷ / ₁₆ "	DP3(L/V)12848F	558.	1,202.	1,384.	1,521.

w* = nominal width

Dimensions listed under w h d are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:
Tiled Laminate and Veneer Inserts	Tiled Inserts	Tiled Inserts
1. Pattern Number	<i>Example:</i> DP3L11424F	• Attachment clips
2. Laminate or Veneer Finish	DP3L1 Pattern Number	Note: Tiled insert supports must be ordered separately (see opposite page for quantities required)
3. Edgeband Finish	1424F	
	118 Bright White Laminate	
	118 Bright White Edgeband	

Beltway Inserts

Lower Fabric Inserts

Beltway Cover and Insert Supports

Dividends Horizon

description	w*	w	h	d	pattern no.	grade 10	20	30	40
8" High Fabric Beltway Lower Insert, (For Worksurface Height Below Worksurface Beltway Panels)	18"	17 5/8"	7 7/8"	7/16"	DP1SO0818	\$88.	\$102.	\$125.	\$130.
	24"	23 5/8"	7 7/8"	7/16"	DP1SO0824	91.	119.	128.	141.
	30"	29 5/8"	7 7/8"	7/16"	DP1SO0830	105.	130.	144.	153.
	36"	35 5/8"	7 7/8"	7/16"	DP1SO0836	125.	144.	153.	162.
	42"	41 5/8"	7 7/8"	7/16"	DP1SO0842	130.	152.	164.	168.
	48"	47 5/8"	7 7/8"	7/16"	DP1SO0848	142.	158.	168.	200.
	60"	59 5/8"	7 7/8"	7/16"	DP1SO0860	153.	165.	170.	179.
10" High Fabric Beltway Lower Insert, (For Below Worksurface Beltway Panels with Tile to Floor)	18"	17 5/8"	15 5/8"	7/16"	DP1SO1018F	137.	151.	160.	164.
	24"	23 5/8"	15 5/8"	7/16"	DP1SO1024F	148.	161.	165.	174.
	30"	29 5/8"	15 5/8"	7/16"	DP1SO1030F	151.	164.	173.	179.
	36"	35 5/8"	15 5/8"	7/16"	DP1SO1036F	160.	173.	186.	213.
	42"	41 5/8"	15 5/8"	7/16"	DP1SO1042F	164.	179.	208.	218.
	48"	47 5/8"	15 5/8"	7/16"	DP1SO1048F	173.	197.	218.	224.
	60"	59 5/8"	15 5/8"	7/16"	DP1SO1060F	179.	201.	210.	215.
24" High Fabric Beltway Lower Insert, (For Beltway Panels only)	18"	17 5/8"	25 1/2"	7/16"	DP1SO2418	165.	190.	208.	225.
	24"	23 5/8"	25 1/2"	7/16"	DP1SO2424	206.	233.	255.	270.
	30"	29 5/8"	25 1/2"	7/16"	DP1SO2430	221.	255.	277.	301.
	36"	35 5/8"	25 1/2"	7/16"	DP1SO2436	244.	277.	314.	327.
	42"	41 5/8"	25 1/2"	7/16"	DP1SO2442	252.	281.	316.	335.
	48"	47 5/8"	25 1/2"	7/16"	DP1SO2448	266.	301.	322.	355.
	60"	59 5/8"	25 1/2"	7/16"	DP1SO2460	302.	321.	341.	363.
Beltway Cover and Insert Supports	18"			7/16"	DP8BC18K	182.	n/a	n/a	n/a
	24"			7/16"	DP8BC24K	208.	n/a	n/a	n/a
	30"			7/16"	DP8BC30K	231.	n/a	n/a	n/a
	36"			7/16"	DP8BC36K	252.	n/a	n/a	n/a
	42"			7/16"	DP8BC42K	281.	n/a	n/a	n/a
	48"			7/16"	DP8BC48K	316.	n/a	n/a	n/a
	60"			7/16"	DP8BC60K	364.	n/a	n/a	n/a

w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Beltway Cover/Insert Supports	Beltway Inserts	Beltway Inserts	Beltway Panel Inserts
1. Pattern Number	<i>Example:</i> DP1 SO2442, W257-6	Beltway Cover/Insert Supports	Beltway Cover/Insert Supports
2. Beltway Cover/Trim Finish	DP1 Pattern Number	• Individual beltway cover	Beltway cover has a smooth finish
Beltway Inserts	SO2442	• Insert supports (top and bottom rail)	
1. Pattern Number	W257-6 Solid Crepe Blue Pine fabric	• Attachment hardware	Tile to Floor Option:
2. Fabric		• Beltway knockout covers	To specify tile to floor, add an "F" suffix to the pattern number and add \$11 to the list price.
	Beltway Cover/Insert Supports	Note: 24"H inserts are to only be used below beltways.	Note: Tile to floor option available for 24" high inserts.
	<i>Example:</i> DP2 BC42K, 117		
	DP2 Pattern Number		
	BC42K		
	117 Soft Grey Beltway Cover Trim		

Beltway Inserts
Lower Fabric Inserts
Beltway Cover and Insert Supports

Dividends Horizon

description	w*	w	h	d	pattern no.	grade 10	20	30	40
Beltway Knockout Replacement Cover for Electrical and Data	Pkg of 10				DE2KC10	\$130.	n/a	n/a	n/a



w* = nominal width




Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Beltway Cover/Insert Supports	Beltway Inserts	Beltway Inserts	Beltway Panel Inserts
1. Pattern Number	<i>Example:</i> DP1 SO2442, W257-6	Beltway Cover/Insert Supports	Beltway Cover/Insert Supports
2. Beltway Cover/Trim Finish	DP1 Pattern Number	• Individual beltway cover • Insert supports (top and bottom rail) • Attachment hardware • Beltway knockout covers	Beltway cover has a smooth finish
Beltway Inserts	SO2442		
1. Pattern Number	W257-6 Solid Crepe Blue Pine fabric	Note: 24"H inserts are to only be used below beltways.	Tile to Floor Option:
2. Fabric	Beltway Cover/Insert Supports		To specify tile to floor, add an "F" suffix to the pattern number and add \$11 to the list price.
	<i>Example:</i> DP2 BC42K, 117		
	DP2 Pattern Number		Note: Tile to floor option available for 24" high inserts.
	BC42K		
	117 Soft Grey Beltway Cover Trim		

Beltway Inserts

Lower Steel Inserts

Dividends Horizon

description	w*	w	h	d	pattern no.	1 pack P1	1 pack P2	1 pack P3	2 pack P1	2 pack P2	2 pack P3
24" High Solid Steel Insert 	18"	17 5/8"	25 1/2"	7/16"	DP3SS()2418	\$194.	\$232.	\$247.	\$335.	\$391.	\$427.
	24"	23 5/8"	25 1/2"	7/16"	DP3SS()2424	238.	274.	300.	420.	480.	520.
	30"	29 5/8"	25 1/2"	7/16"	DP3SS()2430	252.	295.	321.	443.	520.	564.
	36"	35 5/8"	25 1/2"	7/16"	DP3SS()2436	285.	322.	360.	496.	564.	629.
	42"	41 5/8"	25 1/2"	7/16"	DP3SS()2442	292.	324.	361.	518.	572.	636.
	48"	47 5/8"	25 1/2"	7/16"	DP3SS()2448	303.	344.	379.	531.	609.	665.
24" High Perforated Steel Insert 	18"	17 5/8"	25 1/2"	7/16"	DP3PSB()2418	289.	343.	377.	503.	589.	641.
	24"	23 5/8"	25 1/2"	7/16"	DP3PSB()2424	358.	411.	445.	629.	716.	785.
	30"	29 5/8"	25 1/2"	7/16"	DP3PSB()2430	385.	443.	482.	671.	785.	848.
	36"	35 5/8"	25 1/2"	7/16"	DP3PSB()2436	429.	485.	539.	742.	848.	939.
	42"	41 5/8"	25 1/2"	7/16"	DP3PSB()2442	442.	488.	542.	777.	861.	951.
	48"	47 5/8"	25 1/2"	7/16"	DP3PSB()2448	449.	519.	565.	805.	919.	1,001.
24" High Embossed Steel Insert 	18"	17 5/8"	25 1/2"	7/16"	DP3ESB()2418	289.	343.	377.	503.	589.	641.
	24"	23 5/8"	25 1/2"	7/16"	DP3ESB()2424	358.	411.	445.	629.	716.	785.
	30"	29 5/8"	25 1/2"	7/16"	DP3ESB()2430	385.	443.	482.	671.	785.	848.
	36"	35 5/8"	25 1/2"	7/16"	DP3ESB()2436	429.	485.	539.	742.	848.	939.
	42"	41 5/8"	25 1/2"	7/16"	DP3ESB()2442	442.	488.	542.	777.	861.	951.
	48"	47 5/8"	25 1/2"	7/16"	DP3ESB()2448	449.	519.	565.	805.	919.	1,001.



w* = nominal width
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Steel Insert 1. Pattern number 2. Paint finish	Steel Insert Example: DP3SS()2418 115 DP3 Pattern number SS22418 115 Medium Grey paint	Steel Insert Note: 24"H inserts are to only be used below beltways.	Steel Insert Insert pack quantity into parenthesis in pattern number Tile to Floor Option: To specify tile to floor, add an 'F' suffix to the pattern number and add \$17 for a single pack or \$33 for a double pack. Note: Tile to Floor option available for 24" high inserts.

Beltway Inserts

Lower Laminate and Veneer Inserts

Dividends Horizon

description	w*	w	d	pattern no.	Laminate	V1	V2	V3
24" H Beltway Lower Insert Base Raceway or Open Base 	15"	14 ⁵ / ₈ "	7 ¹ / ₆ "	DP3(L/V)12415	\$250.	\$845.	\$972.	\$1,070.
	18"	17 ⁵ / ₈ "	7 ¹ / ₆ "	DP3(L/V)12418	267.	862.	992.	1,090.
	24"	23 ⁵ / ₈ "	7 ¹ / ₆ "	DP3(L/V)12424	300.	895.	1,028.	1,131.
	30"	29 ⁵ / ₈ "	7 ¹ / ₆ "	DP3(L/V)12430	355.	944.	1,085.	1,193.
	36"	35 ⁵ / ₈ "	7 ¹ / ₆ "	DP3(L/V)12436	435.	988.	1,138.	1,252.
	42"	41 ⁵ / ₈ "	7 ¹ / ₆ "	DP3(L/V)12442	443.	1,043.	1,199.	1,320.
	48"	47 ⁵ / ₈ "	7 ¹ / ₆ "	DP3(L/V)12448	448.	1,093.	1,256.	1,382.
24" H Beltway Lower Insert Tile to Floor 	15"	14 ⁵ / ₈ "	7 ¹ / ₆ "	DP3(L/V)12415F	250.	845.	972.	1,070.
	18"	17 ⁵ / ₈ "	7 ¹ / ₆ "	DP3(L/V)12418F	267.	862.	992.	1,090.
	24"	23 ⁵ / ₈ "	7 ¹ / ₆ "	DP3(L/V)12424F	300.	895.	1,028.	1,131.
	30"	29 ⁵ / ₈ "	7 ¹ / ₆ "	DP3(L/V)12430F	355.	944.	1,085.	1,193.
	36"	35 ⁵ / ₈ "	7 ¹ / ₆ "	DP3(L/V)12436F	435.	988.	1,138.	1,252.
	42"	41 ⁵ / ₈ "	7 ¹ / ₆ "	DP3(L/V)12442F	443.	1,043.	1,199.	1,320.
	48"	47 ⁵ / ₈ "	7 ¹ / ₆ "	DP3(L/V)12448F	448.	1,093.	1,256.	1,382.

w* = nominal width




Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:
Beltway Laminate and Veneer Inserts	Beltway Inserts	Beltway Inserts
1. Pattern Number	<i>Example:</i> DP3L12436	• Attachment clips
2. Laminate or Veneer Finish	DP3L1 Pattern Number	Note: 24"H inserts are to only be used below beltways.
3. Edgeband Finish	2436	
	118 Bright White Laminate	
	118 Bright White Edgeband	

High Acoustic Core Inserts

Sound Transmission Septum Inserts

Dividends Horizon

description	type	pattern no.	High Acoustic Core Insert	Sound Transmission Septum Insert
 50" High	For 18" panel width	DP1() 5018	\$235.	\$89.
	For 24" panel width	DP1() 5024	256.	89.
	For 30" panel width	DP1() 5030	274.	89.
	For 36" panel width	DP1() 5036	295.	138.
	For 42" panel width	DP1() 5042	321.	138.
	For 48" panel width	DP1() 5048	371.	138.
 64" High	For 18" panel width	DP1() 6418	274.	89.
	For 24" panel width	DP1() 6424	295.	89.
	For 30" panel width	DP1() 6430	311.	89.
	For 36" panel width	DP1() 6436	362.	138.
	For 42" panel width	DP1() 6442	415.	138.
	For 48" panel width	DP1() 6448	457.	138.
 78" High	For 18" panel width	DP1() 7818	316.	147.
	For 24" panel width	DP1() 7824	360.	147.
	For 30" panel width	DP1() 7830	403.	147.
	For 36" panel width	DP1() 7836	437.	168.
	For 42" panel width	DP1() 7842	465.	168.
	For 48" panel width	DP1() 7848	564.	168.

Panels, Build-To-Spec

Ordering Information	Order Code	Included with:	Options
Inserts 1. Pattern Number	Inserts <i>Example:</i> DP1(AC) 6448 DP1(AC) Pattern Number 6448	Inserts • High Acoustic Core Insert • Sound Transmission Septum Insert	Inserts Insert the appropriate letters for insert required within the parentheses of the pattern number. (AC) = High Acoustic (ST) = Sound Transmission

Window Insert Kits

Single Pane Windows

Dividends Horizon

description	h	w	pattern no.	P1	P2	P3
 Window, top position with topway	14"	24"	D2P1()T1424	\$755.	\$802.	\$839.
	14"	30"	D2P1()T1430	880.	921.	968.
	14"	36"	D2P1()T1436	925.	971.	1,020.
	14"	42"	D2P1()T1442	1,099.	1,154.	1,211.
	14"	48"	D2P1()T1448	1,121.	1,179.	1,240.
	21"	24"	D2P1()T2124	824.	865.	905.
	21"	30"	D2P1()T2130	971.	1,021.	1,070.
	21"	36"	D2P1()T2136	1,046.	1,099.	1,147.
	21"	42"	D2P1()T2142	1,246.	1,310.	1,371.
	21"	48"	D2P1()T2148	1,388.	1,462.	1,530.
	28"	24"	D2P1()T2824	905.	952.	1,003.
	28"	30"	D2P1()T2830	1,070.	1,121.	1,178.
	28"	36"	D2P1()T2836	1,147.	1,211.	1,263.
	28"	42"	D2P1()T2842	1,371.	1,443.	1,513.
	28"	48"	D2P1()T2848	1,530.	1,607.	1,681.
 Window, top position full view	14"	24"	D2P1()VT1424	706.	748.	781.
	14"	30"	D2P1()VT1430	822.	858.	902.
	14"	36"	D2P1()VT1436	925.	971.	1,020.
	14"	42"	D2P1()VT1442	1,099.	1,154.	1,211.
	14"	48"	D2P1()VT1448	1,121.	1,179.	1,240.
	21"	24"	D2P1()VT2124	824.	865.	905.
	21"	30"	D2P1()VT2130	971.	1,021.	1,070.
	21"	36"	D2P1()VT2136	1,046.	1,099.	1,147.
	21"	42"	D2P1()VT2142	1,246.	1,310.	1,371.
	21"	48"	D2P1()VT2148	1,388.	1,462.	1,530.
	28"	24"	D2P1()VT2824	905.	952.	1,003.
	28"	30"	D2P1()VT2830	1,070.	1,121.	1,178.
	28"	36"	D2P1()VT2836	1,147.	1,211.	1,263.
	28"	42"	D2P1()VT2842	1,371.	1,443.	1,513.
	28"	48"	D2P1()VT2848	1,530.	1,607.	1,681.
 Window, middle position	14"	24"	D2P1()VL1424	706.	748.	781.
	14"	30"	D2P1()VL1430	822.	858.	902.
	14"	36"	D2P1()VL1436	925.	971.	1,020.
	14"	42"	D2P1()VL1442	1,099.	1,154.	1,211.
	14"	48"	D2P1()VL1448	1,121.	1,179.	1,240.

Ordering Information

Single Pane Window Kit

1. Pattern number
2. Paint finish

Order Code

Single Pane Window Kit

Example: **D2P1GT1448, 117**

D2P1	Single Pane Window w/
GT1448	Clear Glass
117	Soft Grey Paint

Included with:

Single Pane Window Kit

Note: The single pane window insert kit is not compatible with the D2 style stack frame. Use D1 style stack frames with single pane window insert kits.

Note: Use top position window insert kits when using with D1 style stack frames.

Options

Single Pane Window Kit





Note: Single Pane Window Kit must be used with D2 Style Supports

Glass Options:
(G) = Clear Tempered Glass
(F) = Powder Glass

Markerboard Tiles

7", 10", 14" and 21" High

Dividends Horizon

description	h	w	pattern no.	1 pack	6 pack
D3 7" Markerboard tile 	7"	18"	DP3MB()718	\$137.	\$600.
	7"	24"	DP3MB()724	142.	636.
	7"	30"	DP3MB()730	152.	702.
	7"	36"	DP3MB()736	189.	821.
	7"	42"	DP3MB()742	201.	875.
	7"	48"	DP3MB()748	209.	927.
D3 10" Markerboard tile 	10"	18"	DP3MB()1018	189.	836.
	10"	24"	DP3MB()1024	201.	889.
	10"	30"	DP3MB()1030	202.	927.
	10"	36"	DP3MB()1036	227.	983.
	10"	42"	DP3MB()1042	233.	1,043.
	10"	48"	DP3MB()1048	247.	1,109.
D3 14" Markerboard tile 	14"	18"	DP3MB()1418	189.	836.
	14"	24"	DP3MB()1424	201.	889.
	14"	30"	DP3MB()1430	202.	927.
	14"	36"	DP3MB()1436	227.	983.
	14"	42"	DP3MB()1442	233.	1,043.
	14"	48"	DP3MB()1448	247.	1,109.
D3 21" Markerboard tile 	21"	18"	DP3MB()2118	238.	1,245.
	21"	24"	DP3MB()2124	301.	1,561.
	21"	30"	DP3MB()2130	320.	1,676.
	21"	36"	DP3MB()2136	361.	1,859.
	21"	42"	DP3MB()2142	369.	1,928.
	21"	48"	DP3MB()2148	380.	2,009.




Panels, Build-To-Spec

Ordering Information	Order Code	Included with:	Options
Markerboard Tiles	Markerboard Tiles	Markerboard Tiles	Markerboard Tiles
1. Pattern Number	Example: DP3MB(1) 1436		(1) = 1 Pack
	DP3MB(1) Pattern Number		(6) = 6 Pack
	1436		

Markerboard Tiles




24" and 28" High and Markerboard Tray

Dividends Horizon

description	height	width	pattern number	1 pack	2 pack	P1	P2	P3
D3 24" Markerboard tile 	24"	18"	DP3MB()2418	\$238.	\$416.			
	24"	24"	DP3MB()2424	301.	518.			
	24"	30"	DP3MB()2430	320.	557.			
	24"	36"	DP3MB()2436	361.	622.			
	24"	42"	DP3MB()2442	369.	642.			
	24"	48"	DP3MB()2448	380.	666.			
D3 28" Markerboard tile 	28"	18"	DP3MB()2818	264.	453.			
	28"	24"	DP3MB()2824	303.	526.			
	28"	30"	DP3MB()2830	321.	566.			
	28"	36"	DP3MB()2836	361.	634.			
	28"	42"	DP3MB()2842	369.	651.			
	28"	48"	DP3MB()2848	380.	673.			
Markerboard Tray 		24"	DP1MBT24			209.	219.	229.
		30"	DP1MBT30			214.	224.	233.
		36"	DP1MBT36			217.	229.	236.
		42"	DP1MBT42			221.	232.	242.
		48"	DP1MBT48			227.	235.	247.



Ordering Information	Order Code	Included with:	Options
Markerboard Tiles 1. Pattern Number	Markerboard Tiles <i>Example:</i> DP3MB(1) 1436	Markerboard Tiles	Markerboard Tiles (1) = 1 Pack (2) = 2 Pack
Markerboard Tray 1. Pattern Number 2. Paint Finish	DP3MB(1) Pattern Number 1436		

7", 8", 10", 14" and 21" High Solid Steel Insert

description	w*	w	h	d	pattern no.	1 pack P1	1 pack P2	1 pack P3	6 pack P1	6 pack P2	6 pack P3
D3 7" High Solid Steel Insert 	15"	14 5/8"	7 3/16"	7/16"	DP3SS()715	\$106.	\$128.	\$149.	\$483.	\$558.	\$665.
	18"	17 5/8"	7 3/16"	7/16"	DP3SS()718	106.	128.	149.	483.	558.	665.
	24"	23 5/8"	7 3/16"	7/16"	DP3SS()724	114.	142.	152.	513.	635.	691.
	30"	29 5/8"	7 3/16"	7/16"	DP3SS()730	130.	154.	173.	573.	706.	767.
	36"	35 5/8"	7 3/16"	7/16"	DP3SS()736	150.	180.	192.	665.	767.	825.
	42"	41 5/8"	7 3/16"	7/16"	DP3SS()742	161.	190.	202.	706.	815.	884.
	48"	47 5/8"	7 3/16"	7/16"	DP3SS()748	168.	194.	204.	750.	861.	931.
D3 8" High Solid Steel Insert 	18"	17 5/8"	8 3/16"	7/16"	DP3SS()0818	119.	138.	155.	486.	566.	671.
	24"	23 5/8"	8 3/16"	7/16"	DP3SS()0824	123.	149.	163.	518.	638.	692.
	30"	29 5/8"	8 3/16"	7/16"	DP3SS()0830	141.	164.	180.	584.	710.	774.
	36"	35 5/8"	8 3/16"	7/16"	DP3SS()0836	156.	189.	198.	673.	772.	833.
	42"	41 5/8"	8 3/16"	7/16"	DP3SS()0842	166.	195.	206.	710.	817.	887.
	48"	47 5/8"	8 3/16"	7/16"	DP3SS()0848	174.	200.	213.	753.	865.	949.
D3 10" High Solid Steel Insert 	15"	14 5/8"	10 3/16"	7/16"	DP3SS()1015	150.	174.	185.	676.	767.	801.
	18"	17 5/8"	10 3/16"	7/16"	DP3SS()1018	150.	174.	185.	676.	767.	801.
	24"	23 5/8"	10 3/16"	7/16"	DP3SS()1024	161.	189.	192.	726.	825.	861.
	30"	29 5/8"	10 3/16"	7/16"	DP3SS()1030	163.	192.	198.	750.	873.	903.
	36"	35 5/8"	10 3/16"	7/16"	DP3SS()1036	185.	204.	221.	801.	919.	962.
	42"	41 5/8"	10 3/16"	7/16"	DP3SS()1042	191.	214.	238.	841.	962.	1,055.
	48"	47 5/8"	10 3/16"	7/16"	DP3SS()1048	198.	242.	247.	903.	1,083.	1,129.

Order information	Order Code	Included with:	
Freestanding Foot 1. Pattern number 2. Finish	Freestanding Foot	Solid Steel Insert	
	Example: DDFEUS()		
	DDFEUS Pattern number		
	115 Medium Grey paint		
		Solid Steel Insert Insert pack quantity into parenthesis in pattern number Tile to Floor Option: Tile to Floor available in heights of 14", Worksurface Height, 24" and 28". To specify tile to floor, add an 'F' suffix to the pattern number and add \$17 for a single pack, \$33 for a double pack and \$99 for a 6 pack to the list price.	

7", 8", 10", 14" and 21" High Solid Steel Insert

description	w*	w	h	d	pattern no.	1 pack P1	1 pack P2	1 pack P3	6 pack P1	6 pack P2	6 pack P3
D3 14" High Solid Steel Insert 	15"	14 5/8"	14 3/16"	7/16"	DP3SS()1415	\$150.	\$174.	\$185.	\$676.	\$767.	\$801.
	18"	17 5/8"	14 3/16"	7/16"	DP3SS()1418	150.	174.	185.	676.	767.	801.
	24"	23 5/8"	14 3/16"	7/16"	DP3SS()1424	161.	189.	192.	726.	825.	861.
	30"	29 5/8"	14 3/16"	7/16"	DP3SS()1430	163.	192.	198.	750.	873.	903.
	36"	35 5/8"	14 3/16"	7/16"	DP3SS()1436	185.	204.	221.	801.	919.	962.
	42"	41 5/8"	14 3/16"	7/16"	DP3SS()1442	191.	214.	238.	841.	962.	1,055.
	48"	47 5/8"	14 3/16"	7/16"	DP3SS()1448	198.	242.	247.	903.	1,083.	1,129.
D3 21" High Solid Steel Insert 	15	14 5/8"	21 3/16"	7/16"	DP3SS()2115	195.	233.	249.	1,010.	1,191.	1,296.
	18"	17 5/8"	21 3/16"	7/16"	DP3SS()2118	195.	233.	249.	1,010.	1,191.	1,296.
	24"	23 5/8"	21 3/16"	7/16"	DP3SS()2124	243.	275.	302.	1,262.	1,441.	1,580.
	30"	29 5/8"	21 3/16"	7/16"	DP3SS()2130	257.	301.	324.	1,353.	1,580.	1,700.
	36"	35 5/8"	21 3/16"	7/16"	DP3SS()2136	287.	328.	364.	1,506.	1,700.	1,897.
	42"	41 5/8"	21 3/16"	7/16"	DP3SS()2142	298.	329.	366.	1,566.	1,731.	1,927.
	48"	47 5/8"	21 3/16"	7/16"	DP3SS()2148	305.	350.	381.	1,623.	1,850.	2,016.

Order information	Order Code	Included with:	
Freestanding Foot	Freestanding Foot	Solid Steel Insert	Solid Steel Insert
1. Pattern number	Example: DFFEUS()		Insert pack quantity into parenthesis in pattern number
2. Finish	DFFEUS Pattern number		
	115 Medium Grey paint		Tile to Floor Option: Tile to Floor available in heights of 14", Worksurface Height, 24" and 28". To specify tile to floor, add an 'F' suffix to the pattern number and add \$17 for a single pack, \$33 for a double pack and \$99 for a 6 pack to the list price.




Worksurface Height and 28" High Solid Steel Insert

description	w*	w	h	d	pattern no.	1 pack P1	1 pack P2	1 pack P3	2 pack P1	2 pack P2	2 pack P3
D3 Worksurface Height Solid Steel Insert	15"	14 5/8"	22 1/2"	7/16"	DP3SS()WH15	\$195.	\$233.	\$249.	\$339.	\$396.	\$433.
	18"	17 5/8"	22 1/2"	7/16"	DP3SS()WH18	195.	233.	249.	339.	396.	433.
	24"	23 5/8"	22 1/2"	7/16"	DP3SS()WH24	243.	275.	302.	422.	483.	522.
	30"	29 5/8"	22 1/2"	7/16"	DP3SS()WH30	257.	301.	324.	446.	522.	571.
	36"	35 5/8"	22 1/2"	7/16"	DP3SS()WH36	287.	328.	364.	501.	571.	635.
	42"	41 5/8"	22 1/2"	7/16"	DP3SS()WH42	298.	329.	366.	520.	582.	641.
	48"	47 5/8"	22 1/2"	7/16"	DP3SS()WH48	305.	350.	381.	537.	617.	674.

D3 28" High Solid Steel Insert	15"	14 5/8"	29"	7/16"	DP3SS()2815	212.	212.	247.	366.	399.	433.
	18"	17 5/8"	29"	7/16"	DP3SS()2818	212.	212.	247.	366.	399.	433.
	24"	23 5/8"	29"	7/16"	DP3SS()2824	245.	245.	302.	424.	486.	529.
	30"	29 5/8"	29"	7/16"	DP3SS()2830	265.	301.	328.	460.	529.	582.
	36"	35 5/8"	29"	7/16"	DP3SS()2836	287.	328.	364.	509.	582.	641.
	42"	41 5/8"	29"	7/16"	DP3SS()2842	298.	333.	364.	522.	585.	649.
	48"	47 5/8"	29"	7/16"	DP3SS()2848	305.	350.	383.	547.	621.	676.



Ordering Information	Order Code	Included with:	Options
Solid Steel Insert	Solid Steel Insert	Solid Steel Insert	Solid Steel Insert
1. Pattern number	Example: DP3SS()2118 115		Insert pack quantity into parenthesis in pattern number
2. Paint finish	DP3 Pattern number SS22118 115 Medium Grey paint		Tile to Floor Option: Tile to Floor available in heights of 14", Worksurface Height, 24" and 28". To specify tile to floor, add an 'F' suffix to the pattern number and add \$17 for a single pack, \$33 for a double pack and \$99 for a 6 pack to the list price.

7", 10", 14" and 21" High Perforated Steel Insert

description	w*	w	h	d	pattern no.	1 pack P1	1 pack P2	1 pack P3	6 pack P1	6 pack P2	6 pack P3
D3 7" High Perforated Steel Insert 	15"	14 ⁵ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()715	\$163.	\$191.	\$229.	\$726.	\$841.	\$992.
	18"	17 ⁵ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()718	163.	191.	229.	726.	841.	992.
	24"	23 ⁵ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()724	174.	214.	235.	767.	949.	1,034.
	30"	29 ⁵ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()730	194.	242.	252.	861.	1,070.	1,159.
	36"	35 ⁵ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()736	233.	270.	285.	992.	1,159.	1,246.
	42"	41 ⁵ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()742	246.	279.	305.	1,070.	1,219.	1,337.
	48"	47 ⁵ / ₈ "	7 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()748	251.	288.	315.	1,129.	1,296.	1,394.
D3 8" High Perforated Steel Insert 	18"	17 ⁵ / ₈ "	8 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()0818	167.	196.	235.	731.	851.	992.
	24"	23 ⁵ / ₈ "	8 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()0824	182.	219.	242.	772.	951.	1,042.
	30"	29 ⁵ / ₈ "	8 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()0830	200.	247.	264.	865.	1,072.	1,042.
	36"	35 ⁵ / ₈ "	8 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()0836	238.	275.	291.	995.	1,161.	1,248.
	42"	41 ⁵ / ₈ "	8 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()0842	251.	285.	315.	1,072.	1,222.	1,338.
	48"	47 ⁵ / ₈ "	8 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()0848	260.	297.	319.	1,133.	1,297.	1,395.
D3 10" High Perforated Steel Insert 	15"	14 ⁵ / ₈ "	10 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()1015	233.	265.	272.	1,022.	1,159.	1,205.
	18"	17 ⁵ / ₈ "	10 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()1018	233.	265.	272.	1,022.	1,159.	1,205.
	24"	23 ⁵ / ₈ "	10 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()1024	246.	275.	285.	1,083.	1,246.	1,296.
	30"	29 ⁵ / ₈ "	10 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()1030	247.	285.	301.	1,129.	1,309.	1,353.
	36"	35 ⁵ / ₈ "	10 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()1036	272.	315.	329.	1,205.	1,383.	1,441.
	42"	41 ⁵ / ₈ "	10 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()1042	284.	324.	353.	1,262.	1,441.	1,580.
	48"	47 ⁵ / ₈ "	10 ³ / ₁₆ "	⁷ / ₁₆ "	DP3PSB()1048	301.	357.	379.	1,353.	1,623.	1,700.



Ordering Information	Order Code	Included with:	Options
Perforated Steel Insert	Perforated Steel Insert	Perforated Steel Insert	Perforated Steel Insert
1. Pattern number	Example: DP3PBS21430 117		Insert pack quantity into parenthesis in pattern number
2. Paint finish	DP3 Pattern number PSB21430 117 Soft Grey paint		Tile to Floor Option: Tile to Floor available in heights of 14", Worksurface Height, 24" and 28". To specify tile to floor, add an 'F' suffix to the pattern number and add \$17 for a single pack, \$33 for a double pack and \$99 for a 6 pack to the list price. Tile to Floor Option not available on DP2 perforated steel tile insert.

7", 10", 14" and 21" High Perforated Steel Insert

description	w*	w	h	d	pattern no.	1 pack P1	1 pack P2	1 pack P3	6 pack P1	6 pack P2	6 pack P3
D3 14" High Perforated Steel Insert 	15"	14 5/8"	14 3/16"	7/16"	DP3PSB()1415	\$233.	\$265.	\$272.	\$1,022.	\$1,159.	\$1,205.
	18"	17 5/8"	14 3/16"	7/16"	DP3PSB()1418	233.	265.	272.	1,022.	1,159.	1,205.
	24"	23 5/8"	14 3/16"	7/16"	DP3PSB()1424	246.	275.	285.	1,083.	1,246.	1,296.
	30"	29 5/8"	14 3/16"	7/16"	DP3PSB()1430	247.	285.	301.	1,129.	1,309.	1,353.
	36"	35 5/8"	14 3/16"	7/16"	DP3PSB()1436	272.	315.	329.	1,205.	1,383.	1,441.
	42"	41 5/8"	14 3/16"	7/16"	DP3PSB()1442	284.	324.	353.	1,262.	1,441.	1,580.
	48"	47 5/8"	14 3/16"	7/16"	DP3PSB()1448	301.	357.	379.	1,353.	1,623.	1,700.
D3 21" High Perforated Steel Insert 	15"	14 5/8"	21 3/16"	7/16"	DP3PSB()2115	290.	349.	380.	1,519.	1,787.	1,945.
	18"	17 5/8"	21 3/16"	7/16"	DP3PSB()2118	290.	349.	380.	1,519.	1,787.	1,945.
	24"	23 5/8"	21 3/16"	7/16"	DP3PSB()2124	361.	417.	453.	1,897.	2,166.	2,376.
	30"	29 5/8"	21 3/16"	7/16"	DP3PSB()2130	386.	446.	486.	2,028.	2,376.	2,561.
	36"	35 5/8"	21 3/16"	7/16"	DP3PSB()2136	434.	492.	547.	2,252.	2,561.	2,844.
	42"	41 5/8"	21 3/16"	7/16"	DP3PSB()2142	445.	497.	548.	2,350.	2,600.	2,889.
	48"	47 5/8"	21 3/16"	7/16"	DP3PSB()2148	458.	521.	572.	2,441.	2,784.	3,028.




Ordering Information	Order Code	Included with:	Options
Perforated Steel Insert	Perforated Steel Insert	Perforated Steel Insert	Perforated Steel Insert
1. Pattern number	Example: DP3PSB21430 117		Insert pack quantity into parenthesis in pattern number
2. Paint finish	DP3 Pattern number PSB21430 117 Soft Grey paint		Tile to Floor Option: Tile to Floor available in heights of 14", Worksurface Height, 24" and 28". To specify tile to floor, add an 'F' suffix to the pattern number and add \$17 for a single pack, \$33 for a double pack and \$99 for a 6 pack to the list price. Tile to Floor Option not available on DP2 perforated steel tile insert.

14", Worksurface Height and 28" High Perforated Steel Insert

description	w*	w	h	d	pattern no.	1 pack P1	1 pack P2	1 pack P3	2 pack P1	2 pack P2	2 pack P3
D3 Worksurface Height Perforated Steel Insert 	15"	14 5/8"	22 1/2"	7/16"	DP3PSB()WH15	\$290.	\$349.	\$380.	\$509.	\$593.	\$649.
	18"	17 5/8"	22 1/2"	7/16"	DP3PSB()WH18	290.	349.	380.	509.	593.	649.
	24"	23 5/8"	22 1/2"	7/16"	DP3PSB()WH24	361.	417.	453.	635.	726.	795.
	30"	29 5/8"	22 1/2"	7/16"	DP3PSB()WH30	386.	446.	486.	676.	795.	857.
	36"	35 5/8"	22 1/2"	7/16"	DP3PSB()WH36	434.	492.	547.	750.	857.	949.
	42"	41 5/8"	22 1/2"	7/16"	DP3PSB()WH42	445.	497.	548.	784.	868.	962.
	48"	47 5/8"	22 1/2"	7/16"	DP3PSB()WH48	458.	521.	572.	815.	928.	1,010.
D3 28" High Perforated Steel Insert 	15"	14 5/8"	29"	7/16"	DP3PSB()2815	318.	318.	379.	549.	603.	649.
	18"	17 5/8"	29"	7/16"	DP3PSB()2818	318.	318.	379.	549.	603.	649.
	24"	24 5/8"	29"	7/16"	DP3PSB()2824	366.	366.	453.	641.	733.	801.
	30"	29 5/8"	29"	7/16"	DP3PSB()2830	389.	446.	492.	691.	801.	868.
	36"	35 5/8"	29"	7/16"	DP3PSB()2836	434.	492.	547.	762.	868.	962.
	42"	41 5/8"	29"	7/16"	DP3PSB()2842	445.	498.	547.	795.	873.	972.
	48"	47 5/8"	29"	7/16"	DP3PSB()2848	458.	521.	573.	822.	931.	1,017.

Ordering Information	Order Code	Included with:	Options
Perforated Steel Insert 1. Pattern number 2. Paint finish	Perforated Steel Insert Example: DP3PBS21430 117 DP3 Pattern number PSB21430 117 Soft Grey paint	Perforated Steel Insert	Perforated Steel Insert Insert pack quantity into parenthesis in pattern number Tile to Floor Option: Tile to Floor available in heights of 14", Worksurface Height, 24" and 28". To specify tile to floor, add an 'F' suffix to the pattern number and add \$17 for a single pack, \$33 for a double pack and \$99 for a 6 pack to the list price. Tile to Floor Option not available on DP2 perforated steel tile insert.

7", 10", 14" and 21" High Embossed Steel Insert

description	w*	w	h	d	pattern no.	1 pack P1	1 pack P2	1 pack P3	6 pack P1	6 pack P2	6 pack P3
D3 7" High Embossed Steel Insert 	15"	14 5/8"	7 3/16"	7/16"	DP3ESB()715	\$163.	\$191.	\$229.	\$726.	\$841.	\$992.
	18"	17 5/8"	7 3/16"	7/16"	DP3ESB()718	163.	191.	229.	726.	841.	992.
	24"	23 5/8"	7 3/16"	7/16"	DP3ESB()724	174.	214.	235.	767.	949.	1,034.
	30"	30 5/8"	7 3/16"	7/16"	DP3ESB()730	194.	242.	252.	861.	1,070.	1,159.
	36"	35 5/8"	7 3/16"	7/16"	DP3ESB()736	233.	270.	285.	992.	1,159.	1,246.
	42"	41 5/8"	7 3/16"	7/16"	DP3ESB()742	246.	279.	305.	1,070.	1,219.	1,337.
	48"	47 5/8"	7 3/16"	7/16"	DP3ESB()748	251.	288.	315.	1,129.	1,296.	1,394.
D3 8" High Embossed Steel Insert 	18"	17 5/8"	8 3/16"	7/16"	DP3ESB()0818	167.	196.	235.	731.	845.	995.
	24"	23 5/8"	8 3/16"	7/16"	DP3ESB()0824	182.	219.	242.	772.	951.	1,034.
	30"	29 5/8"	8 3/16"	7/16"	DP3ESB()0830	201.	247.	264.	865.	1,072.	1,161.
	36"	35 5/8"	8 3/16"	7/16"	DP3ESB()0836	238.	275.	290.	995.	1,161.	1,230.
	42"	41 5/8"	8 3/16"	7/16"	DP3ESB()0842	251.	285.	314.	977.	1,230.	1,338.
	48"	47 5/8"	8 3/16"	7/16"	DP3ESB()0848	260.	297.	319.	1,133.	1,297.	1,395.
D3 10" High Embossed Steel Insert 	15"	14 5/8"	10 3/16"	7/16"	DP3ESB()1015	233.	265.	272.	1,022.	1,159.	1,205.
	18"	17 5/8"	10 3/16"	7/16"	DP3ESB()1018	233.	265.	272.	1,022.	1,159.	1,205.
	24"	23 5/8"	10 3/16"	7/16"	DP3ESB()1024	246.	275.	285.	1,083.	1,246.	1,296.
	30"	29 5/8"	10 3/16"	7/16"	DP3ESB()1030	247.	285.	301.	1,129.	1,309.	1,353.
	36"	35 5/8"	10 3/16"	7/16"	DP3ESB()1036	272.	315.	329.	1,205.	1,383.	1,441.
	42"	41 5/8"	10 3/16"	7/16"	DP3ESB()1042	284.	324.	353.	1,262.	1,441.	1,580.
	48"	47 5/8"	10 3/16"	7/16"	DP3ESB()1048	301.	357.	379.	1,353.	1,623.	1,700.

Ordering Information

Embossed Steel Insert

1. Pattern number
2. Paint finish

Order Code

Embossed Steel Insert

Example: **DP3ESB21430 117****DP3** Pattern number**ESB21430****117** Soft Grey paint

Included with:

Embossed Steel Insert



Options

Embossed Steel Insert

Insert pack quantity into parenthesis in pattern number



Tile to Floor Option:
 Tile to Floor available in heights of 14", Worksurface Height, 24" and 28". To specify tile to floor, add an 'F' suffix to the pattern number and add \$17 for a single pack, \$33 for a double pack and \$99 for a 6 pack to the list price.

7", 10", 14" and 21" High Embossed Steel Insert

description	w*	w	h	d	pattern no.	1 pack P1	1 pack P2	1 pack P3	6 pack P1	6 pack P2	6 pack P3
D3 14" High Embossed Steel Insert 	15"	14 5/8"	14 3/16"	7/16"	DP3ESB()1415	\$233.	\$265.	\$272.	\$1,022.	\$1,159.	\$1,205.
	18"	17 5/8"	14 3/16"	7/16"	DP3ESB()1418	233.	265.	272.	1,022.	1,159.	1,205.
	24"	23 5/8"	14 3/16"	7/16"	DP3ESB()1424	246.	275.	285.	1,083.	1,246.	1,296.
	30"	29 5/8"	14 3/16"	7/16"	DP3ESB()1430	247.	285.	301.	1,129.	1,309.	1,353.
	36"	35 5/8"	14 3/16"	7/16"	DP3ESB()1436	272.	315.	329.	1,205.	1,383.	1,441.
	42"	41 5/8"	14 3/16"	7/16"	DP3ESB()1442	284.	324.	353.	1,262.	1,441.	1,580.
	48"	47 5/8"	14 3/16"	7/16"	DP3ESB()1448	301.	357.	379.	1,353.	1,623.	1,700.
D3 21" Embossed Steel Insert 	15"	14 5/8"	21"	7/16"	DP3ESB()2115	290.	349.	380.	1,519.	1,787.	1,945.
	18"	17 5/8"	21"	7/16"	DP3ESB()2118	290.	349.	380.	1,519.	1,787.	1,945.
	24"	23 5/8"	21"	7/16"	DP3ESB()2124	361.	417.	453.	1,897.	2,166.	2,376.
	30"	29 5/8"	21"	7/16"	DP3ESB()2130	386.	446.	486.	2,028.	2,376.	2,561.
	36"	35 5/8"	21"	7/16"	DP3ESB()2136	434.	492.	547.	2,252.	2,561.	2,844.
	42"	41 5/8"	21"	7/16"	DP3ESB()2142	445.	497.	548.	2,350.	2,600.	2,889.
	48"	47 5/8"	21"	7/16"	DP3ESB()2148	458.	521.	572.	2,441.	2,784.	3,028.

Ordering Information	Order Code	Included with:	Options
Embossed Steel Insert 1. Pattern number 2. Paint finish	Embossed Steel Insert Example: DP3ESB21430 117 DP3 Pattern number ESB21430 117 Soft Grey paint 	Embossed Steel Insert	Embossed Steel Insert Insert pack quantity into parenthesis in pattern number Tile to Floor Option: Tile to Floor available in heights of 14", Worksurface Height, 24" and 28". To specify tile to floor, add an 'F' suffix to the pattern number and add \$17 for a single pack, \$33 for a double pack and \$99 for a 6 pack to the list price.

Worksurface Height and 28" High Embossed Steel Insert



description	w*	w	h	d	pattern no.	1 pack P1	1 pack P2	1 pack P3	2 pack P1	2 pack P2	2 pack P3
D3 Worksurface Height Embossed Steel Insert 	15"	14 5/8"	22 1/2"	7/16"	DP3ESB()WH15	\$290.	\$349.	\$380.	\$509.	\$593.	\$649.
	18"	17 5/8"	22 1/2"	7/16"	DP3ESB()WH18	290.	349.	380.	509.	593.	649.
	24"	23 5/8"	22 1/2"	7/16"	DP3ESB()WH24	361.	417.	453.	635.	726.	795.
	30"	39 5/8"	22 1/2"	7/16"	DP3ESB()WH30	386.	446.	486.	676.	795.	857.
	36"	35 5/8"	22 1/2"	7/16"	DP3ESB()WH36	434.	492.	547.	750.	857.	949.
	42"	41 5/8"	22 1/2"	7/16"	DP3ESB()WH42	445.	497.	548.	784.	868.	962.
	48"	47 5/8"	22 1/2"	7/16"	DP3ESB()WH48	458.	521.	572.	815.	928.	1,010.
D3 28" High Embossed Steel Insert 	15"	14 5/8"	29"	7/16"	DP3ESB()2815	318.	318.	379.	549.	603.	649.
	18"	17 5/8"	29"	7/16"	DP3ESB()2818	318.	318.	379.	549.	603.	649.
	24"	23 5/8"	29"	7/16"	DP3ESB()2824	366.	366.	453.	641.	733.	801.
	30"	29 5/8"	29"	7/16"	DP3ESB()2830	389.	446.	492.	691.	801.	868.
	36"	35 5/8"	29"	7/16"	DP3ESB()2836	434.	492.	547.	762.	868.	962.
	42"	41 5/8"	29"	7/16"	DP3ESB()2842	445.	498.	547.	795.	873.	972.
	48"	47 5/8"	29"	7/16"	DP3ESB()2848	458.	521.	573.	822.	931.	1,017.

Ordering Information	Order Code	Included with:	Options
Embossed Steel Insert 1. Pattern number 2. Paint finish	Embossed Steel Insert Example: DP3ESB22130 117 DP3 Pattern number ESB22130 117 Soft Grey paint 	Embossed Steel Insert	Embossed Steel Insert Insert pack quantity into parenthesis in pattern number Tile to Floor Option: Tile to Floor available in heights of 14", Worksurface Height, 24" and 28". To specify tile to floor, add an 'F' suffix to the pattern number and add \$17 for a single pack, \$33 for a double pack and \$99 for a 6 pack to the list price.

Slatwall Tiles

7", 14", 21" and 28" High

Dividends Horizon

description	w	h	d	pattern no.	P1	P2	P3
7" High Slatwall Tile 	24"	7"	7/16"	DP1SW0724()	\$386.	\$422.	\$441.
	30"	7"	7/16"	DP1SW0730()	411.	457.	470.
	36"	7"	7/16"	DP1SW0736()	441.	486.	504.
	42"	7"	7/16"	DP1SW0742()	466.	510.	536.
	48"	7"	7/16"	DP1SW0748()	496.	542.	564.
14" High Slatwall Tile 	24"	14"	7/16"	DP1SW1424()	517.	570.	627.
	30"	14"	7/16"	DP1SW1430()	608.	671.	729.
	36"	14"	7/16"	DP1SW1436()	699.	768.	838.
	42"	14"	7/16"	DP1SW1442()	762.	838.	911.
	48"	14"	7/16"	DP1SW1448()	825.	908.	995.
21" High Slatwall Tile 	24"	21"	7/16"	DP1SW2124()	685.	753.	823.
	30"	21"	7/16"	DP1SW2130()	824.	904.	984.
	36"	21"	7/16"	DP1SW2136()	962.	1,058.	1,154.
	42"	21"	7/16"	DP1SW2142()	1,062.	1,170.	1,275.
	48"	21"	7/16"	DP1SW2148()	1,159.	1,277.	1,392.
28" Top Position Slatwall Tile 	24"	28"	7/16"	DP1SW2824()	852.	939.	1,022.
	30"	28"	7/16"	DP1SW2830()	1,034.	1,140.	1,243.
	36"	28"	7/16"	DP1SW2836()	1,224.	1,340.	1,463.
	42"	28"	7/16"	DP1SW2842()	1,355.	1,490.	1,621.
	48"	28"	7/16"	DP1SW2848()	1,489.	1,636.	1,783.

Ordering Information

- Post Assemblies**
1. Pattern Number
2. Paint Finish

Order Code

Post Assemblies
Example: **DP1 S2824T, 111**
DP1 S2824Pattern Number
T
111 Jet Black Paint

Included with:

Note: Middle position slatwall tiles are able to be used on topway or full view panels.





Options

Panel Options:
(T) = for topway panel top position
(F) = for full view panel top position
(M) = for middle position

Freestanding Foot

Freestanding Foot

Dividends Horizon

description	type	pattern no.	list
End Universal 	2 per pack	DFFEUD	\$509.
	single pack	DFFEUS	260.
Center Universal 	single pack	DFFCUS	272.
Center Single Sided 	Single pack	DFFSSS	299.
End SingleSided 	left, single pack	DFFELS	252.
	right, single pack	DFFERS	252.

Right hand shown


Panels, Build-To-Spec

Order information	Order Code	Included with:
Freestanding Foot	Freestanding Foot	Freestanding Foot
1. Pattern number	Example: DFFEUS()	
2. Finish	DFFEUS Pattern number	
	115 Medium Grey paint	

Rolling Door

57", 64" and 78" High

Dividends Horizon

description	type	w	d	h	pattern no.	Temp	GL13	Metal P1	Metal P2	Metal P3	Plastic
							GL25 GL35				
 <i>right hand shown</i>	57" High with lock	36"	3"	57"	DPRD15736(L/R)L	\$4,300.	\$4,434.				
		42"	3"	57"	DPRD15742(L/R)L	4,671.	4,803.				
		48"	3"	57"	DPRD15748(L/R)L	5,145.	5,284.				
	57" High no lock	36"	3"	57"	DPRD15736(L/R)N	4,169.	4,295.				
		42"	3"	57"	DPRD15742(L/R)N	4,538.	4,665.				
		48"	3"	57"	DPRD15748(L/R)N	4,990.	5,133.				
	64" High with lock	36"	3"	64"	DPRD16436(L/R)L	4,475.	4,639.				
		42"	3"	64"	DPRD16442(L/R)L	4,849.	5,007.				
		48"	3"	64"	DPRD16448(L/R)L	5,334.	5,505.				
	64" High no lock	36"	3"	64"	DPRD16436(L/R)N	4,343.	4,505.				
		42"	3"	64"	DPRD16442(L/R)N	4,713.	4,872.				
		48"	3"	64"	DPRD16448(L/R)N	5,184.	5,360.				
	78" High with lock	36"	3"	78"	DPRD17836(L/R)L	5,206.	5,425.				
		42"	3"	78"	DPRD17842(L/R)L	5,576.	5,792.				
		48"	3"	78"	DPRD17848(L/R)L	6,135.	6,371.				
	78" High no lock	36"	3"	78"	DPRD17836(L/R)N	5,070.	5,288.				
		42"	3"	78"	DPRD17842(L/R)N	5,440.	5,660.				
		48"	3"	78"	DPRD17848(L/R)N	5,985.	6,225.				
Panel Top Caps for Jamb Side		18"			DP()PT18RD			109.	112.	114.	0.
		24"			DP()PT24RD			109.	112.	114.	0.
		30"			DP()PT30RD			109.	112.	114.	0.
		36"			DP()PT36RD			109.	112.	114.	0.
		42"			DP()PT42RD			109.	112.	114.	0.
		48"			DP()PT48RD			109.	112.	114.	0.
		54"			DP()PT54RD			114.	120.	123.	0.
		60"			DP()PT60RD			122.	124.	126.	0.
		66"			DP()PT66RD			126.	130.	138.	0.
		72"			DP()PT72RD			137.	141.	149.	0.
		78"			DP()PT78RD			145.	154.	161.	0.

Ordering Information	Order Code	Included With:	Options
Rolling Door 1. Pattern Number 2. Glass type Top Cap 1. Pattern Number 2. Paint finish Application Notes: Stacking screen header bracket is for use on 78"h doors (connection side) when connecting door header to top of 14"h stacking screen positioned on top of a 64"h panel.	Rolling Door <i>Example:</i> DPRD1 5736 RL DPRD1 Rolling Door 57 Height 36 Width R Right L Lock 118T Bright White Textured GL13 Frosted Glass	Rolling Door 57" and 64" High • Rolling Door • Mounting Brackets • Door jamb • Threshold 78" High • Rolling Door • Header • Mounting Brackets • Door jamb • Panel end trim • Threshold Top Cap • Top Cap • End Plug	Rolling Door Mounting Options: L = Left Hand R = Right Hand Paint Finish: All Core paint finishes Glass Type: Temp = Clear Glass GL13 = Frosted Glass GL25 = Bronze Glass GL35 = Grey Glass Top Cap Top Cap Options: (4) = Radius Metal (5) = Flat Metal

Rolling Door

57", 64" and 78" High

Dividends Horizon

description	type	w	d	h	pattern no.	Temp	GL13 GL25 GL35	Metal P1	Metal P2	Metal P3	Plastic
Panel Top Caps for Jamb Side		84"			DP()PT84RD			\$156.	\$166.	\$172.	\$0.
		90"			DP()PT90RD			170.	176.	180.	0.
		96"			DP()PT96RD			177.	186.	193.	0.
Door Jamb Kit to mount to DP8 Post					DPRD1JPM			0.	0.	0.	41.
Stacking screen header bracket					DPRD1SSB			0.	0.	0.	39.

Panels, Build-To-Spec

Ordering Information	Order Code	Included With:	Options
Rolling Door 1. Pattern Number 2. Glass type Top Cap 1. Pattern Number 2. Paint finish Application Notes: Stacking screen header bracket is for use on 78"h doors (connection side) when connecting door header to top of 14"h stacking screen positioned on top of a 64"h panel.	Rolling Door <i>Example:</i> DPRD1 5736 RL DPRD1 Rolling Door 57 Height 36 Width R Right L Lock 118T Bright White Textured GL13 Frosted Glass	Rolling Door 57" and 64" High • Rolling Door • Mounting Brackets • Door jamb • Threshold 78" High • Rolling Door • Header • Mounting Brackets • Door jamb • Panel end trim • Threshold Top Cap • Top Cap • End Plug	Rolling Door Mounting Options: L = Left Hand R = Right Hand Paint Finish: All Core paint finishes Glass Type: Temp = Clear Glass GL13 = Frosted Glass GL25 = Bronze Glass GL35 = Grey Glass Top Cap <i>Top Cap Options:</i> (4) = Radius Metal (5) = Flat Metal


Glass Screens

Triangular Frame Screen with Glass


42" and 50" High

Dividends Horizon

description	h	w	t	pattern no.	P1	P2	P3
42" High Triangular Frame Screen with Glass	42"	24"	3"	DP7S()T()4224	\$1,768.	\$1,803.	\$1,835.
	42"	30"	3"	DP7S()T()4230	1,867.	1,905.	1,936.
	42"	36"	3"	DP7S()T()4236	1,973.	2,008.	2,045.
	42"	42"	3"	DP7S()T()4242	2,009.	2,049.	2,088.
	42"	48"	3"	DP7S()T()4248	2,049.	2,088.	2,125.



50" High Triangular Frame Screen with Glass	50"	24"	3"	DP7S()T()5024	1,895.	1,928.	1,972.
	50"	30"	3"	DP7S()T()5030	1,940.	1,980.	2,016.
	50"	36"	3"	DP7S()T()5036	1,990.	2,028.	2,064.
	50"	42"	3"	DP7S()T()5042	2,150.	2,189.	2,228.
	50"	48"	3"	DP7S()T()5048	2,301.	2,349.	2,395.



*Note: Frame with raceway covers shown

Ordering Information	Order Code	Included with:	Options
Triangular Frame Screen with Glass:	Triangular Frame with Glass:	Triangular Frame with Glass	GlassOptions:
1. Pattern number	<i>Example:</i> DP7SGTRR4236	• Topcap (when specified)	(G)= Clear Tempered Glass
2. Frame finish	117/4/117/117	• Connecting hardware	(F) = Powder Glass
3. Glass type	DP7SGT	Note: Screens are only available in Knoll core finishes.	Top Cap Options:
4. Top cap style	Triangular frame with clear glass		No Top Cap - Deduct \$40;
5. Top cap finish	RR		Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4
6. Raceway finish	117		Raceway Type:
	4		(FF) = Frame to the Floor both sides
	117		(RR) = Raceway covers no knockouts
	117		(LL) = Open base

Note: Raceway covers are not available with knockouts.


Glass Screens

Triangular Frame Screen with Glass

57" and 64" High

Dividends Horizon

description	h	w	t	pattern no.	P1	P2	P3
57" High Triangular Frame Screen with Glass	57"	24"	3"	DP7S()T()5724	\$1,940.	\$1,980.	\$2,016.
	57"	30"	3"	DP7S()T()5730	2,045.	2,083.	2,122.
	57"	36"	3"	DP7S()T()5736	2,151.	2,193.	2,231.
	57"	42"	3"	DP7S()T()5742	2,231.	2,277.	2,319.
	57"	48"	3"	DP7S()T()5748	2,312.	2,360.	2,407.



64" High Triangular Frame Screen with Glass	64"	24"	3"	DP7S()T()6424	1,989.	2,024.	2,062.
	64"	30"	3"	DP7S()T()6430	2,150.	2,189.	2,228.
	64"	36"	3"	DP7S()T()6436	2,303.	2,354.	2,402.
	64"	42"	3"	DP7S()T()6442	2,315.	2,363.	2,409.
	64"	48"	3"	DP7S()T()6448	2,326.	2,368.	2,415.



Panels, Build-To-Spec

*Note: Frame to the floor shown

Ordering Information	Order Code	Included with:	Options
Triangular Frame Screen with Glass:	Triangular Frame with Glass:	Triangular Frame with Glass	Glass Options:
1. Pattern number	<i>Example:</i> DP7SGTRR5736	• Topcap (when specified)	(G) = Clear Tempered Glass
2. Frame finish	117/4/117/117	• Connecting hardware	(F) = Powder Glass
3. Glass type	DP7SGT Triangular frame with clear glass	Note: Screens are only available in Knoll core finishes.	Top Cap Options:
4. Top cap style	RR Raceway type		No Top Cap - Deduct \$40;
5. Top cap finish	117 Frame finish		Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4
6. Raceway finish	4 Radius metal top cap		Raceway Type:
	117 Top cap finish		(FF) = Frame to the Floor both sides
	117 Raceway finish		(RR) = Raceway covers no knockouts
			(LL) = Open base

Note: Raceway covers are not available with knockouts.


Glass Screens

Rectangular Frame Screen with Glass


42" and 50" High

Dividends Horizon

description	h	w	t	pattern no.	P1	P2	P3
42" High Rectangular Frame Screen with Glass	42"	24"	3"	DP7S()R()4224	\$1,776.	\$1,810.	\$1,848.
	42"	30"	3"	DP7S()R()4230	1,878.	1,916.	1,953.
	42"	36"	3"	DP7S()R()4236	1,988.	2,022.	2,061.
	42"	42"	3"	DP7S()R()4242	2,024.	2,062.	2,100.
	42"	48"	3"	DP7S()R()4248	2,064.	2,105.	2,148.



50" High Rectangular Frame Screen with Glass	50"	24"	3"	DP7S()R()5024	1,910.	1,945.	1,988.
	50"	30"	3"	DP7S()R()5030	1,957.	1,996.	2,036.
	50"	36"	3"	DP7S()R()5036	2,007.	2,045.	2,083.
	50"	42"	3"	DP7S()R()5042	2,168.	2,211.	2,247.
	50"	48"	3"	DP7S()R()5048	2,328.	2,371.	2,417.



Ordering Information	Order Code	Included with:	Options
Rectangular Frame Screen with Glass: 1. Pattern number 2. Frame finish 3. Glass type 4. Top cap style 5. Top cap finish 6. Raceway finish	Rectangular Frame with Glass: <i>Example:</i> DP7SGRRR4236 117/4/117/117 DP7SGR Rectangular frame screen with clear glass RR Raceway type 117 Frame finish 4 Radius metal top cap 117 Top cap finish 117 Raceway finish	Rectangular Frame Glass • Topcap (when specified) • Connecting hardware Note: Screens are only available in Knoll core finishes.	Glass Options: (G)= Clear Tempered Glass (F) = Powder Glass Top Cap Options: No Top Cap - Deduct \$40; Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4 Raceway Type: (RR) = Raceway covers no knockouts (LL) = Open base Frame to floor option not available on Rectangular glass screens. Note: Raceway covers are not available with knockouts.


Glass Screens

Rectangular Frame Screen with Glass

57" and 64" High

Dividends Horizon

description	h	w	t	pattern no.	P1	P2	P3
57" High Rectangular Frame Screen with Glass	57"	24"	3"	DP7S()R()5724	\$1,954.	\$1,993.	\$2,032.
	57"	30"	3"	DP7S()R()5730	2,062.	2,104.	2,147.
	57"	36"	3"	DP7S()R()5736	2,170.	2,214.	2,248.
	57"	42"	3"	DP7S()R()5742	2,248.	2,294.	2,343.
	57"	48"	3"	DP7S()R()5748	2,339.	2,377.	2,426.



64" High Rectangular Frame Screen with Glass	64"	24"	3"	DP7S()R()6424	1,997.	2,040.	2,074.
	64"	30"	3"	DP7S()R()6430	2,164.	2,210.	2,246.
	64"	36"	3"	DP7S()R()6436	2,329.	2,373.	2,418.
	64"	42"	3"	DP7S()R()6442	2,339.	2,377.	2,426.
	64"	48"	3"	DP7S()R()6448	2,344.	2,390.	2,432.



Panels, Build-To-Spec

Ordering Information	Order Code	Included with:	Options
Rectangular Frame Screen with Glass:	Rectangular Frame with Glass:	Rectangular Frame Glass	Glass Options:
1. Pattern number	<i>Example:</i> DP7SGRRR5736	• Topcap (when specified)	(G)= Clear Tempered Glass
2. Frame finish	117/4/117/117	• Connecting hardware	(F) = Powder Glass
3. Glass type	DP7SGR Rectangular frame	Note: Screens are only available in Knoll core finishes.	Top Cap Options:
4. Top cap style	screen with clear glass		No Top Cap - Deduct \$40;
5. Top cap finish	RR Raceway type		Radius and Flat Metal P1 as standard; P2 \$2, P3 \$4
6. Raceway finish	117 Frame finish		Raceway Type:
	4 Radius metal top cap		(RR) = Raceway covers no knockouts
	117 Top cap finish		(LL) = Open base
	117 Raceway finish		Frame to floor option not available on Rectangular glass screens.
			Note: Raceway covers are not available with knockouts.

Glass Stacking Screens

Triangular Frame Stacking Screen with Glass

Dividends Horizon

description	h	w	t	pattern no.	P1	P2	P3
14" High Triangular Frame Stacking Screen with Glass 	14"	24"	3"	DP7SS()T1424	\$1,043.	\$1,065.	\$1,084.
	14"	30"	3"	DP7SS()T1430	1,095.	1,115.	1,136.
	14"	36"	3"	DP7SS()T1436	1,147.	1,173.	1,197.
	14"	42"	3"	DP7SS()T1442	1,200.	1,223.	1,250.
	14"	48"	3"	DP7SS()T1448	1,253.	1,274.	1,302.
	14"	54"	3"	DP7SS()T1454	1,313.	1,358.	1,398.
	14"	60"	3"	DP7SS()T1460	1,381.	1,422.	1,463.
	14"	66"	3"	DP7SS()T1466	1,455.	1,493.	1,545.
	14"	72"	3"	DP7SS()T1472	1,525.	1,569.	1,617.
	14"	78"	3"	DP7SS()T1478	1,601.	1,649.	1,697.
	14"	84"	3"	DP7SS()T1484	1,683.	1,733.	1,781.
	14"	90"	3"	DP7SS()T1490	1,768.	1,822.	1,873.
	14"	96"	3"	DP7SS()T1496	1,853.	1,911.	1,968.
21" High Triangular Frame Stacking Screen with Glass 	21"	24"	3"	DP7SS()T2124	1,049.	1,069.	1,093.
	21"	30"	3"	DP7SS()T2130	1,109.	1,129.	1,155.
	21"	36"	3"	DP7SS()T2136	1,164.	1,188.	1,213.
	21"	42"	3"	DP7SS()T2142	1,223.	1,248.	1,272.
	21"	48"	3"	DP7SS()T2148	1,283.	1,310.	1,336.
	21"	54"	3"	DP7SS()T2154	1,346.	1,384.	1,422.
	21"	60"	3"	DP7SS()T2160	1,410.	1,452.	1,494.
	21"	66"	3"	DP7SS()T2166	1,482.	1,526.	1,571.
	21"	72"	3"	DP7SS()T2172	1,556.	1,599.	1,651.
	21"	78"	3"	DP7SS()T2178	1,632.	1,684.	1,731.
	21"	84"	3"	DP7SS()T2184	1,712.	1,769.	1,818.
	21"	90"	3"	DP7SS()T2190	1,802.	1,853.	1,910.
	21"	96"	3"	DP7SS()T2196	1,893.	1,950.	2,002.
28" High Triangular Frame Stacking Screen with Glass 	28"	24"	3"	DP7SS()T2824	1,126.	1,150.	1,173.
	28"	30"	3"	DP7SS()T2830	1,193.	1,220.	1,238.
	28"	36"	3"	DP7SS()T2836	1,261.	1,284.	1,313.
	28"	42"	3"	DP7SS()T2842	1,334.	1,361.	1,385.
	28"	48"	3"	DP7SS()T2848	1,401.	1,429.	1,454.
	28"	54"	3"	DP7SS()T2854	1,471.	1,515.	1,557.
	28"	60"	3"	DP7SS()T2860	1,544.	1,587.	1,635.
	28"	66"	3"	DP7SS()T2866	1,620.	1,668.	1,715.
	28"	72"	3"	DP7SS()T2872	1,702.	1,750.	1,803.
	28"	78"	3"	DP7SS()T2878	1,783.	1,839.	1,894.
	28"	84"	3"	DP7SS()T2884	1,874.	1,926.	1,990.
	28"	90"	3"	DP7SS()T2890	1,971.	2,030.	2,087.
	28"	96"	3"	DP7SS()T2896	2,067.	2,128.	2,195.

Ordering Information	Order Code	Included with:	Options
Triangular Frame Stacking Screen 1. Pattern number 2. Frame finish 3. Glass	Triangular Frame Stacking Screen <i>Example:</i> DP7SSGT1424 / 117 DP7SSGT Stack, Triangular Frame, w/ clear tempered glass 117 Frame finish	Triangular Frame Stacking Screen • Attachment hardware Note: Screens are only available in Knoll core finishes. Note: Reveal strips for stacking screens 60" or wider must be specified separately.	NOTE: Stacking screens are compatible with DP8 Full View panels only. Glass Options: (G)= Clear Tempered Glass (F) = Powder Glass

Glass Stacking Screens

Glass Stacking Screen Reveal Filler Strips

Dividends Horizon

description	h	w	t	pattern no.	P1	P2	P3
Stacking Screen Reveal Filler	2"	24"	2"	DP8PRFN24	n/c	n/c	n/c
	2"	30"	2"	DP8PRFN30	n/c	n/c	n/c
	2"	36"	2"	DP8PRFN36	n/c	n/c	n/c
	2"	42"	2"	DP8PRFN42	n/c	n/c	n/c
	2"	48"	2"	DP8PRFN48	n/c	n/c	n/c
	2"	60"	2"	DP8PRFN60	n/c	n/c	n/c

Panels, Build-To-Spec

Ordering Information	Order Code	Included with:	Options
Triangular Frame Stacking Screen	Triangular Frame Stacking Screen	Triangular Frame Stacking Screen	NOTE: Stacking screens are compatible with DP8 Full View panels only. Glass Options: (G)= Clear Tempered Glass (F) = Powder Glass
1. Pattern number	<i>Example:</i> DP7SSGT1424 / 117	• Attachment hardware	
2. Frame finish	DP7SSGT Stack, Triangular Frame, w/ clear tempered glass	Note: Screens are only available in Knoll core finishes.	
3. Glass	117 Frame finish	Note: Reveal strips for stacking screens 60" or wider must be specified separately.	

Glass Stacking Screens

Rectangular Frame Stacking Screen with Glass

Dividends Horizon



description	h*	w	t	pattern no.	P1	P2	P3
14" High Rectangular Frame Stacking Screen with Glass 	14"	24"	3"	DP7SS()R1424	\$959.	\$973.	\$993.
	14"	30"	3"	DP7SS()R1430	1,007.	1,029.	1,045.
	14"	36"	3"	DP7SS()R1436	1,057.	1,075.	1,101.
	14"	42"	3"	DP7SS()R1442	1,108.	1,128.	1,152.
	14"	48"	3"	DP7SS()R1448	1,157.	1,180.	1,203.
	14"	54"	3"	DP7SS()R1454	1,218.	1,252.	1,289.
	14"	60"	3"	DP7SS()R1460	1,276.	1,310.	1,350.
	14"	66"	3"	DP7SS()R1466	1,338.	1,380.	1,416.
	14"	72"	3"	DP7SS()R1472	1,405.	1,447.	1,490.
	14"	78"	3"	DP7SS()R1478	1,477.	1,523.	1,567.
	14"	84"	3"	DP7SS()R1484	1,550.	1,596.	1,644.
	14"	90"	3"	DP7SS()R1490	1,629.	1,679.	1,726.
	14"	96"	3"	DP7SS()R1496	1,708.	1,762.	1,812.
21" High Rectangular Frame Stacking Screen with Glass 	21"	24"	3"	DP7SS()R2124	1,159.	1,184.	1,205.
	21"	30"	3"	DP7SS()R2130	1,229.	1,255.	1,274.
	21"	36"	3"	DP7SS()R2136	1,295.	1,321.	1,347.
	21"	42"	3"	DP7SS()R2142	1,364.	1,387.	1,415.
	21"	48"	3"	DP7SS()R2148	1,425.	1,454.	1,488.
	21"	54"	3"	DP7SS()R2154	1,494.	1,544.	1,587.
	21"	60"	3"	DP7SS()R2160	1,571.	1,620.	1,668.
	21"	66"	3"	DP7SS()R2166	1,651.	1,701.	1,751.
	21"	72"	3"	DP7SS()R2172	1,731.	1,782.	1,836.
	21"	78"	3"	DP7SS()R2178	1,822.	1,875.	1,925.
	21"	84"	3"	DP7SS()R2184	1,911.	1,971.	2,028.
	21"	90"	3"	DP7SS()R2190	2,007.	2,067.	2,125.
	21"	96"	3"	DP7SS()R2196	2,106.	2,171.	2,229.
28" High Rectangular Frame Stacking Screen with Glass 	28"	24"	3"	DP7SS()R2824	1,115.	1,133.	1,159.
	28"	30"	3"	DP7SS()R2830	1,183.	1,209.	1,226.
	28"	36"	3"	DP7SS()R2836	1,252.	1,273.	1,303.
	28"	42"	3"	DP7SS()R2842	1,325.	1,348.	1,379.
	28"	48"	3"	DP7SS()R2848	1,397.	1,419.	1,444.
	28"	54"	3"	DP7SS()R2854	1,462.	1,507.	1,550.
	28"	60"	3"	DP7SS()R2860	1,533.	1,582.	1,624.
	28"	66"	3"	DP7SS()R2866	1,612.	1,660.	1,707.
	28"	72"	3"	DP7SS()R2872	1,694.	1,741.	1,792.
	28"	78"	3"	DP7SS()R2878	1,776.	1,830.	1,882.
	28"	84"	3"	DP7SS()R2884	1,867.	1,919.	1,977.
	28"	90"	3"	DP7SS()R2890	1,962.	2,018.	2,079.
	28"	96"	3"	DP7SS()R2896	2,053.	2,118.	2,178.

Ordering Information	Order Code	Included with:	Options
Rectangular Frame Stacking Screen: 1. Pattern number 2. Frame finish 3. Glass	Rectangular Frame Stacking Screen: <i>Example:</i> DP7SSGR1424 /117 DP7SSGR Stack, Rectangular Frame, w/clear tempered glass 117 Raceway finish	Rectangular Frame Stacking Screen: Attachment hardware Note: Screens are only available in Knoll core finishes. Note: Reveal strips for stacking screens 60" or wider must be specified separately.	NOTE: Stacking screens are compatible with DP8 Full View panels only. Glass Options: (G)= Clear Tempered Glass (F) = Powder Glass

Standard Frameless Add Up

1/2" Clear, Frosted, Bronze and Grey Glass

Dividends Horizon

description	w	d	h	pattern no.	list	Clear	Frosted
						(TEMP)	(GL13) Bronze (GL25) Grey (GL35)
Frameless Add Up, 7" High 	15"	1/2"	7"	DP1AU0715()G		\$396.	\$422.
	18"	1/2"	7"	DP1AU0718()G		437.	474.
	24"	1/2"	7"	DP1AU0724()G		482.	531.
	30"	1/2"	7"	DP1AU0730()G		525.	581.
	36"	1/2"	7"	DP1AU0736()G		593.	659.
	42"	1/2"	7"	DP1AU0742()G		659.	744.
	48"	1/2"	7"	DP1AU0748()G		732.	821.
	54"	1/2"	7"	DP1AU0754()G		795.	899.
	60"	1/2"	7"	DP1AU0760()G		860.	970.
	66"	1/2"	7"	DP1AU0766()G		923.	1,046.
	72"	1/2"	7"	DP1AU0772()G		985.	1,122.
	78"	1/2"	7"	DP1AU0778()G		1,069.	1,214.
	84"	1/2"	7"	DP1AU0784()G		1,148.	1,310.
	90"	1/2"	7"	DP1AU0790()G		1,242.	1,416.
	96"	1/2"	7"	DP1AU0796()G		1,340.	1,530.
Shortened Frameless Add Up, 7" High 	14"	1/2"	7"	DP1AU0714()G		396.	422.
	17"	1/2"	7"	DP1AU0717()G		437.	474.
	23"	1/2"	7"	DP1AU0723()G		482.	531.
	29"	1/2"	7"	DP1AU0729()G		525.	581.
	35"	1/2"	7"	DP1AU0735()G		593.	659.
	41"	1/2"	7"	DP1AU0741()G		659.	744.
	47"	1/2"	7"	DP1AU0747()G		732.	821.
	53"	1/2"	7"	DP1AU0753()G		795.	899.
	59"	1/2"	7"	DP1AU0759()G		860.	970.
	65"	1/2"	7"	DP1AU0765()G		923.	1,046.
	71"	1/2"	7"	DP1AU0771()G		985.	1,122.
	77"	1/2"	7"	DP1AU0777()G		1,069.	1,214.
	83"	1/2"	7"	DP1AU0783()G		1,148.	1,310.
	89"	1/2"	7"	DP1AU0789()G		1,242.	1,416.
	95"	1/2"	7"	DP1AU0795()G		1,340.	1,530.



Panels, Build-To-Spec

Ordering Information	Order Code	Included with:	Options
Frameless Add Up with Clear Glass 1. Pattern number 2. Frame finish 3. Glass finish End Cap 1. Pattern number 2. Frame finish	Standard Frameless Add Up with Clear Glass <i>Example:</i> DP1AU0736VG DP1AU Standard Frameless Add Up 07 7" High 36 36" Wide V Full view G Glass 117 Frame finish TEMP Clear glass finish	Standard Frameless Add Up with Clear Glass • Attachment hardware • Topway Trough Spacer (Topway only) • Alignment Clip	Frame Options: (V) = Full view (C) = Topway Glass Options: (TEMP) = Clear (GL13) = Frosted (GL25) = Bronze (GL35) = Grey

Standard Frameless Add Up

1/2" Clear, Frosted, Bronze and Grey Glass

Dividends Horizon


description	w	d	h	pattern no.	list	Clear	Frosted
						(TEMP)	(GL13) Bronze (GL25) Grey (GL35)
Frameless Add Up, 14" High 	15"	1/2"	14"	DP1AU1415()G		\$488.	\$542.
	18"	1/2"	14"	DP1AU1418()G		566.	642.
	24"	1/2"	14"	DP1AU1424()G		643.	732.
	30"	1/2"	14"	DP1AU1430()G		713.	827.
	36"	1/2"	14"	DP1AU1436()G		819.	954.
	42"	1/2"	14"	DP1AU1442()G		923.	1,079.
	48"	1/2"	14"	DP1AU1448()G		1,029.	1,210.
	54"	1/2"	14"	DP1AU1454()G		1,130.	1,331.
	60"	1/2"	14"	DP1AU1460()G		1,230.	1,455.
	66"	1/2"	14"	DP1AU1466()G		1,332.	1,578.
	72"	1/2"	14"	DP1AU1472()G		1,435.	1,703.
	78"	1/2"	14"	DP1AU1478()G		1,547.	1,838.
	84"	1/2"	14"	DP1AU1484()G		1,675.	1,987.
	90"	1/2"	14"	DP1AU1490()G		1,808.	2,146.
	96"	1/2"	14"	DP1AU1496()G		1,954.	2,315.
Shortened Frameless Add Up, 14" High 	14"	1/2"	14"	DP1AU1414()G		488.	542.
	17"	1/2"	14"	DP1AU1417()G		566.	642.
	23"	1/2"	14"	DP1AU1423()G		643.	732.
	29"	1/2"	14"	DP1AU1429()G		713.	827.
	35"	1/2"	14"	DP1AU1435()G		819.	954.
	41"	1/2"	14"	DP1AU1441()G		923.	1,079.
	47"	1/2"	14"	DP1AU1447()G		1,029.	1,210.
	53"	1/2"	14"	DP1AU1453()G		1,130.	1,331.
	59"	1/2"	14"	DP1AU1459()G		1,230.	1,455.
	65"	1/2"	14"	DP1AU1465()G		1,332.	1,578.
	71"	1/2"	14"	DP1AU1471()G		1,435.	1,703.
	77"	1/2"	14"	DP1AU1477()G		1,547.	1,838.
	83"	1/2"	14"	DP1AU1483()G		1,675.	1,987.
	89"	1/2"	14"	DP1AU1489()G		1,808.	2,146.
	95"	1/2"	14"	DP1AU1495()G		1,954.	2,315.
End Cap 				DP1AUECTP	70.		


Ordering Information	Order Code	Included with:	Options
Frameless Add Up with Clear Glass 1. Pattern number 2. Frame finish 3. Glass finish End Cap 1. Pattern number 2. Frame finish	Standard Frameless Add Up with Clear Glass <i>Example:</i> DP1AU1436VG DP1AU Standard Frameless Add Up 14 14" High 36 36" Wide V Full view G Glass 117 Frame finish TEMP Clear glass finish	Standard Frameless Add Up with Clear Glass - Attachment hardware - Topway Trough Spacer (Topway only) - Alignment Clip	Frame Options: (V) = Full view (C) = Topway Glass Options: (TEMP) = Clear (GL13) = Frosted (GL25) = Bronze (GL35) = Grey

Recessed Frameless Add Up

1/2" Clear, Powder, Bronze, Grey Glass and PET

Dividends Horizon

description	w	d	h	pattern no.	PET (PET)	Clear (TEMP)	Frosted (GL13)	Bronze (GL25) Grey (GL35)
Recessed Frameless Add Up, 7" High 	15"	1/2"	7"	DP1AR0715H()	\$353.	\$363.	\$467.	\$579.
	18"	1/2"	7"	DP1AR0718H()	382.	393.	482.	597.
	24"	1/2"	7"	DP1AR0724H()	416.	427.	513.	626.
	30"	1/2"	7"	DP1AR0730H()	447.	459.	542.	653.
	36"	1/2"	7"	DP1AR0736H()	499.	509.	596.	723.
	42"	1/2"	7"	DP1AR0742H()	555.	567.	671.	827.
	48"	1/2"	7"	DP1AR0748H()	613.	626.	755.	921.
	54"	1/2"	7"	DP1AR0754H()	713.	723.	896.	1,080.
	60"	1/2"	7"	DP1AR0760H()	770.	782.	970.	1,181.
	66"	1/2"	7"	DP1AR0766H()	831.	842.	1,037.	1,268.
	72"	1/2"	7"	DP1AR0772H()	884.	895.	1,107.	1,367.
	78"	1/2"	7"	DP1AR0778H()	943.	953.	1,152.	1,455.
	84"	1/2"	7"	DP1AR0784H()	999.	1,010.	1,241.	1,549.
	90"	1/2"	7"	DP1AR0790H()	1,065.	1,075.	1,301.	1,614.
	96"	1/2"	7"	DP1AR0796H()	1,128.	1,141.	1,382.	1,707.

Recessed Shortened Frameless Add Up, 7" High 	14"	1/2"	7"	DP1AR0714H()	353.	377.	467.	579.
	17"	1/2"	7"	DP1AR0717H()	382.	387.	482.	597.
	23"	1/2"	7"	DP1AR0723H()	416.	426.	513.	626.
	29"	1/2"	7"	DP1AR0729H()	447.	456.	542.	653.
	35"	1/2"	7"	DP1AR0735H()	499.	506.	596.	723.
	41"	1/2"	7"	DP1AR0741H()	555.	564.	671.	827.
	47"	1/2"	7"	DP1AR0747H()	613.	623.	746.	909.
	53"	1/2"	7"	DP1AR0753H()	713.	723.	863.	1,045.
	59"	1/2"	7"	DP1AR0759H()	770.	779.	936.	1,146.
	65"	1/2"	7"	DP1AR0765H()	831.	832.	1,002.	1,233.
	71"	1/2"	7"	DP1AR0771H()	884.	886.	1,056.	1,317.
	77"	1/2"	7"	DP1AR0777H()	943.	941.	1,080.	1,420.
	83"	1/2"	7"	DP1AR0783H()	999.	1,001.	1,210.	1,528.
	89"	1/2"	7"	DP1AR0789H()	1,065.	1,071.	1,276.	1,589.
	95"	1/2"	7"	DP1AR0795H()	1,128.	1,126.	1,358.	1,707.

Panels, Build-To-Spec

Ordering Information	Order Code	Included with:	Options
Frameless Add Up with Clear Glass 1. Pattern number 2. Frame finish 3. Glass finish	Recessed Frameless Add Up with Clear Glass <i>Example:</i> DP1AR0736HTEMP117 DP1AR Recessed Frameless Add Up 07 7" High 36 36" Wide H 1/2" Thick TEMP Clear glass finish 117 Frame finish	Recessed Frameless Add Up with Clear Glass - Attachment hardware - Alignment Clip	Frame Options: Glass Options: (TEMP) = Clear (GL13) = Frosted (GL25) = Bronze (GL35) = Grey PET Options: (12SL) = Slate (12PW) = Pewter (12SM) = Smoke (12OC) = Ochre (12CB) = Cobalt

Recessed Frameless Add Up

1/2" Clear, Powder, Bronze, Grey Glass and PET

Dividends Horizon

description	w	d	h	pattern no.	PET (PET)	Clear (TEMP)	Frosted (GL13)	Bronze (GL25) Grey (GL35)
Recessed Frameless Add Up, 14" High	15"	1/2"	14"	DP1AR1415H()	\$396.	\$407.	\$456.	\$597.
	18"	1/2"	14"	DP1AR1418H()	462.	474.	537.	617.
	24"	1/2"	14"	DP1AR1424H()	527.	538.	613.	754.
	30"	1/2"	14"	DP1AR1430H()	585.	596.	693.	896.
	36"	1/2"	14"	DP1AR1436H()	673.	685.	798.	1,045.
	42"	1/2"	14"	DP1AR1442H()	757.	770.	903.	1,195.
	48"	1/2"	14"	DP1AR1448H()	852.	863.	999.	1,303.
	54"	1/2"	14"	DP1AR1454H()	936.	946.	1,105.	1,493.
	60"	1/2"	14"	DP1AR1460H()	1,019.	1,030.	1,199.	1,620.
	66"	1/2"	14"	DP1AR1466H()	1,104.	1,115.	1,301.	1,789.
	72"	1/2"	14"	DP1AR1472H()	1,191.	1,201.	1,420.	1,956.
	78"	1/2"	14"	DP1AR1478H()	1,286.	1,298.	1,507.	2,063.
	84"	1/2"	14"	DP1AR1484H()	1,391.	1,402.	1,629.	2,207.
	90"	1/2"	14"	DP1AR1490H()	1,498.	1,512.	1,805.	2,427.
	96"	1/2"	14"	DP1AR1496H()	1,624.	1,636.	1,946.	2,550.


Recessed Shortened Frameless Add Up, 14" High	14"	1/2"	14"	DP1AR1414H()	396.	406.	456.	597.
	17"	1/2"	14"	DP1AR1417H()	462.	474.	537.	617.
	23"	1/2"	14"	DP1AR1423H()	527.	537.	613.	754.
	29"	1/2"	14"	DP1AR1429H()	585.	597.	693.	896.
	35"	1/2"	14"	DP1AR1435H()	673.	685.	798.	1,045.
	41"	1/2"	14"	DP1AR1441H()	757.	771.	903.	1,195.
	47"	1/2"	14"	DP1AR1447H()	852.	863.	999.	1,317.
	53"	1/2"	14"	DP1AR1453H()	936.	946.	1,105.	1,514.
	59"	1/2"	14"	DP1AR1459H()	1,019.	1,030.	1,199.	1,626.
	65"	1/2"	14"	DP1AR1465H()	1,104.	1,115.	1,295.	1,789.
	71"	1/2"	14"	DP1AR1471H()	1,191.	1,201.	1,420.	1,956.
	77"	1/2"	14"	DP1AR1477H()	1,286.	1,298.	1,514.	2,071.
	83"	1/2"	14"	DP1AR1483H()	1,391.	1,402.	1,629.	2,242.
	89"	1/2"	14"	DP1AR1489H()	1,498.	1,512.	1,778.	2,402.
	95"	1/2"	14"	DP1AR1495H()	1,624.	1,636.	1,946.	2,561.


Ordering Information	Order Code	Included with:	Options
Frameless Add Up with Clear Glass 1. Pattern number 2. Frame finish 3. Glass finish	Recessed Frameless Add Up with Clear Glass <i>Example:</i> DP1AR1436HTEMP117 DP1AR Recessed Frameless Add Up 14 14" High 36 36" Wide H 1/2" Thick TEMP Clear glass finish 117 Frame finish	Recessed Frameless Add Up with Clear Glass - Attachment hardware - Alignment Clip	Frame Options: Glass Options: (TEMP) = Clear (GL13) = Frosted (GL25) = Bronze (GL35) = Grey PET Options: (12SL) = Slate (12PW) = Pewter (12SM) = Smoke (12OC) = Ochre (12CB) = Cobalt

Recessed Frameless Add Up

1/2" PET

Dividends Horizon

description	w	d	h	pattern no.	PET (PET)
Recessed Frameless Add Up, 21" High 	15"	1/2"	21"	DP1AR2115H()	\$407.
	18"	1/2"	21"	DP1AR2118H()	473.
	24"	1/2"	21"	DP1AR2124H()	541.
	30"	1/2"	21"	DP1AR2130H()	604.
	36"	1/2"	21"	DP1AR2136H()	693.
	42"	1/2"	21"	DP1AR2142H()	782.
	48"	1/2"	21"	DP1AR2148H()	875.
	54"	1/2"	21"	DP1AR2154H()	962.
	60"	1/2"	21"	DP1AR2160H()	1,048.
	66"	1/2"	21"	DP1AR2166H()	1,137.
	72"	1/2"	21"	DP1AR2172H()	1,223.
	78"	1/2"	21"	DP1AR2178H()	1,324.
	84"	1/2"	21"	DP1AR2184H()	1,429.
	90"	1/2"	21"	DP1AR2190H()	1,544.
	96"	1/2"	21"	DP1AR2196H()	1,671.

Recessed Shortened Frameless Add Up, 21" High 	14"	1/2"	21"	DP1AR2114H()	407.
	17"	1/2"	21"	DP1AR2117H()	473.
	23"	1/2"	21"	DP1AR2123H()	541.
	29"	1/2"	21"	DP1AR2129H()	604.
	35"	1/2"	21"	DP1AR2135H()	693.
	41"	1/2"	21"	DP1AR2141H()	782.
	47"	1/2"	21"	DP1AR2147H()	875.
	53"	1/2"	21"	DP1AR2153H()	962.
	59"	1/2"	21"	DP1AR2159H()	1,048.
	65"	1/2"	21"	DP1AR2165H()	1,137.
	71"	1/2"	21"	DP1AR2171H()	1,223.
	77"	1/2"	21"	DP1AR2177H()	1,324.
	83"	1/2"	21"	DP1AR2183H()	1,429.
	89"	1/2"	21"	DP1AR2189H()	1,544.
	95"	1/2"	21"	DP1AR2195H()	1,671.



Panels, Build-To-Spec

Ordering Information	Order Code	Included with:	Options
Frameless Add Up with PET 1. Pattern number 2. PET color 3. Frame finish	Recessed Frameless Add Up with PET <i>Example:</i> DP1AR2136HPET12SL117 DP1AR Recessed Frameless Add Up 21 21" High 36 36" Wide H 1/2" Thick PET12SL PET Slate 117 Frame finish	Recessed Frameless Add Up with PET • Attachment hardware • Alignment Clip	PET Options: (12SL) = Slate (12PW) = Pewter (12SM) = Smoke (12OC) = Ochre (12CB) = Cobalt

Recessed Frameless Add Up

3/8" Clear and Laminate Frosted

Dividends Horizon



description	w	d	h	pattern no.	Clear (TEMP)	laminate Powder (GL60)
Recessed Frameless Add Up, 7" high 	15"	3/8"	7"	DP1AR0715W()	\$328.	\$422.
	18"	3/8"	7"	DP1AR0718W()	355.	434.
	24"	3/8"	7"	DP1AR0724W()	385.	462.
	30"	3/8"	7"	DP1AR0730W()	413.	489.
	36"	3/8"	7"	DP1AR0736W()	459.	537.
	42"	3/8"	7"	DP1AR0742W()	511.	605.
	48"	3/8"	7"	DP1AR0748W()	563.	671.
	54"	3/8"	7"	DP1AR0754W()	653.	777.
	60"	3/8"	7"	DP1AR0760W()	705.	840.
	66"	3/8"	7"	DP1AR0766W()	757.	900.
	72"	3/8"	7"	DP1AR0772W()	805.	969.
	78"	3/8"	7"	DP1AR0778W()	861.	1,010.
	84"	3/8"	7"	DP1AR0784W()	908.	1,088.
	90"	3/8"	7"	DP1AR0790W()	968.	1,170.
	96"	3/8"	7"	DP1AR0796W()	1,025.	1,221.
Recessed Shortened Frameless Add Up, 7" high 	14"	3/8"	7"	DP1AR0714W()	338.	422.
	17"	3/8"	7"	DP1AR0717W()	350.	434.
	23"	3/8"	7"	DP1AR0723W()	383.	462.
	29"	3/8"	7"	DP1AR0729W()	411.	489.
	35"	3/8"	7"	DP1AR0735W()	457.	537.
	41"	3/8"	7"	DP1AR0741W()	507.	605.
	47"	3/8"	7"	DP1AR0747W()	561.	683.
	53"	3/8"	7"	DP1AR0753W()	653.	788.
	59"	3/8"	7"	DP1AR0759W()	700.	861.
	65"	3/8"	7"	DP1AR0765W()	749.	903.
	71"	3/8"	7"	DP1AR0771W()	797.	969.
	77"	3/8"	7"	DP1AR0777W()	845.	1,010.
	83"	3/8"	7"	DP1AR0783W()	899.	1,098.
	89"	3/8"	7"	DP1AR0789W()	963.	1,170.
	95"	3/8"	7"	DP1AR0795W()	1,013.	1,221.

Ordering Information	Order Code	Included with:	Options
Frameless Add Up with Clear Glass 1. Pattern number 2. Frame finish 3. Glass finish	Recessed Frameless Add Up with Clear Glass <i>Example:</i> DP1AR0736WTEMP117 DP1AR Recessed Frameless Add Up 07 7" High 36 36" Wide W 3/8" Thick TEMP Clear glass finish 117 Frame finish	Recessed Frameless Add Up with Clear Glass • Attachment hardware • Alignment clip	Frame Options: Glass Options: (TEMP) = Clear (GL60) = Laminated Powder

Recessed Frameless Add Up

3/8" Clear and Laminate Frosted

Dividends Horizon



description	w	d	h	pattern no.	Clear (TEMP)	laminate Powder (GL60)
Recessed Frameless Add Up, 14" high 	15"	3/8"	14"	DP1AR1415W()	\$365.	\$449.
	18"	3/8"	14"	DP1AR1418W()	426.	483.
	24"	3/8"	14"	DP1AR1424W()	483.	553.
	30"	3/8"	14"	DP1AR1430W()	537.	626.
	36"	3/8"	14"	DP1AR1436W()	617.	719.
	42"	3/8"	14"	DP1AR1442W()	692.	815.
	48"	3/8"	14"	DP1AR1448W()	777.	910.
	54"	3/8"	14"	DP1AR1454W()	853.	1,004.
	60"	3/8"	14"	DP1AR1460W()	926.	1,096.
	66"	3/8"	14"	DP1AR1466W()	1,006.	1,184.
	72"	3/8"	14"	DP1AR1472W()	1,083.	1,284.
	78"	3/8"	14"	DP1AR1478W()	1,168.	1,395.
	84"	3/8"	14"	DP1AR1484W()	1,262.	1,502.
	90"	3/8"	14"	DP1AR1490W()	1,362.	1,623.
	96"	3/8"	14"	DP1AR1496W()	1,474.	1,752.
Recessed Shortened Frameless Add Up, 14" high 	14"	3/8"	14"	DP1AR1414W()	364.	449.
	17"	3/8"	14"	DP1AR1417W()	426.	483.
	23"	3/8"	14"	DP1AR1423W()	483.	553.
	29"	3/8"	14"	DP1AR1429W()	538.	626.
	35"	3/8"	14"	DP1AR1435W()	617.	719.
	41"	3/8"	14"	DP1AR1441W()	693.	815.
	47"	3/8"	14"	DP1AR1447W()	777.	910.
	53"	3/8"	14"	DP1AR1453W()	853.	1,004.
	59"	3/8"	14"	DP1AR1459W()	926.	1,096.
	65"	3/8"	14"	DP1AR1465W()	1,006.	1,184.
	71"	3/8"	14"	DP1AR1471W()	1,083.	1,290.
	77"	3/8"	14"	DP1AR1477W()	1,168.	1,395.
	83"	3/8"	14"	DP1AR1483W()	1,262.	1,478.
	89"	3/8"	14"	DP1AR1489W()	1,362.	1,623.
	95"	3/8"	14"	DP1AR1495W()	1,474.	1,752.

Panels, Build-To-Spec

Ordering Information	Order Code	Included with:	Options
Frameless Add Up with Clear Glass 1. Pattern number 2. Frame finish 3. Glass finish	Recessed Frameless Add Up with Clear Glass <i>Example:</i> DP1AR1436WTEMP117 DP1AR Recessed Frameless Add Up 14 7" High 36 36" Wide W 3/8" Thick TEMP Clear glass finish 117 Frame finish	Recessed Frameless Add Up with Clear Glass • Attachment hardware • Alignment Clip	Frame Options: Glass Options: (TEMP) = Clear (GL60) = Laminated Powder

Recessed Frameless Add Up 1/4" Clear and Powder Glass

Dividends Horizon



description	w	d	h	pattern no.	Clear (TEMP)	Frosted (GL13)
Recessed Frameless Add Up, 7" High 	15"	1/4"	7"	DP1AR0715E()	\$308.	\$375.
	18"	1/4"	7"	DP1AR0718E()	334.	385.
	24"	1/4"	7"	DP1AR0724E()	362.	410.
	30"	1/4"	7"	DP1AR0730E()	388.	436.
	36"	1/4"	7"	DP1AR0736E()	432.	479.
	42"	1/4"	7"	DP1AR0742E()	454.	538.
	48"	1/4"	7"	DP1AR0748E()	502.	597.
	54"	1/4"	7"	DP1AR0754E()	581.	691.
	60"	1/4"	7"	DP1AR0760E()	626.	750.
	66"	1/4"	7"	DP1AR0766E()	674.	803.
	72"	1/4"	7"	DP1AR0772E()	716.	862.
	78"	1/4"	7"	DP1AR0778E()	766.	919.
	84"	1/4"	7"	DP1AR0784E()	807.	969.
	90"	1/4"	7"	DP1AR0790E()	861.	1,044.
	96"	1/4"	7"	DP1AR0796E()	914.	1,087.
Recessed Shortened Frameless Add Up, 7" High 	14"	1/4"	7"	DP1AR0714E()	301.	375.
	17"	1/4"	7"	DP1AR0717E()	309.	385.
	23"	1/4"	7"	DP1AR0723E()	340.	410.
	29"	1/4"	7"	DP1AR0729E()	384.	436.
	35"	1/4"	7"	DP1AR0735E()	430.	479.
	41"	1/4"	7"	DP1AR0741E()	451.	538.
	47"	1/4"	7"	DP1AR0747E()	501.	609.
	53"	1/4"	7"	DP1AR0753E()	581.	701.
	59"	1/4"	7"	DP1AR0759E()	624.	766.
	65"	1/4"	7"	DP1AR0765E()	667.	805.
	71"	1/4"	7"	DP1AR0771E()	711.	862.
	77"	1/4"	7"	DP1AR0777E()	754.	942.
	83"	1/4"	7"	DP1AR0783E()	802.	981.
	89"	1/4"	7"	DP1AR0789E()	858.	1,044.
	95"	1/4"	7"	DP1AR0795E()	903.	1,087.

Ordering Information	Order Code	Included with	Options
Frameless Add Up with Clear Glass 1. Pattern number 2. Frame finish 3. Glass finish	Recessed Frameless Add Up with Clear Glass <i>Example:</i> DP1AR0736ETEMP117 DP1AR Recessed Frameless Add Up 07 7" High 36 36" Wide E 1/4" Thick TEMP Clear glass finish 117 Frame finish	Recessed Frameless Add Up with Clear Glass • Attachment hardware • Topway Trough Spacer • Alignment Clip	Frame Options: Glass Options: (TEMP) = Clear (GL13) = Frosted

Recessed Frameless Add Up

1/4" Clear and Powder Glass

Dividends Horizon

description	w	d	h	pattern no.	Clear (TEMP)	Frosted (GL13)
Recessed Frameless Add Up, 14" High 	15"	1/4"	14"	DP1AR1415E()	\$328.	\$365.
	18"	1/4"	14"	DP1AR1418E()	378.	430.
	24"	1/4"	14"	DP1AR1424E()	431.	491.
	30"	1/4"	14"	DP1AR1430E()	479.	557.
	36"	1/4"	14"	DP1AR1436E()	551.	639.
	42"	1/4"	14"	DP1AR1442E()	617.	724.
	48"	1/4"	14"	DP1AR1448E()	691.	810.
	54"	1/4"	14"	DP1AR1454E()	758.	894.
	60"	1/4"	14"	DP1AR1460E()	827.	979.
	66"	1/4"	14"	DP1AR1466E()	897.	1,057.
	72"	1/4"	14"	DP1AR1472E()	965.	1,142.
	78"	1/4"	14"	DP1AR1478E()	1,042.	1,240.
	84"	1/4"	14"	DP1AR1484E()	1,123.	1,335.
	90"	1/4"	14"	DP1AR1490E()	1,212.	1,444.
	96"	1/4"	14"	DP1AR1496E()	1,311.	1,558.
Recessed Shortened Frameless Add Up, 14" high 	14"	1/4"	14"	DP1AR1414E()	327.	365.
	17"	1/4"	14"	DP1AR1417E()	378.	430.
	23"	1/4"	14"	DP1AR1423E()	430.	491.
	29"	1/4"	14"	DP1AR1429E()	480.	557.
	35"	1/4"	14"	DP1AR1435E()	551.	639.
	41"	1/4"	14"	DP1AR1441E()	618.	724.
	47"	1/4"	14"	DP1AR1447E()	691.	810.
	53"	1/4"	14"	DP1AR1453E()	758.	894.
	59"	1/4"	14"	DP1AR1459E()	827.	979.
	65"	1/4"	14"	DP1AR1465E()	897.	1,057.
	71"	1/4"	14"	DP1AR1471E()	965.	1,147.
	77"	1/4"	14"	DP1AR1477E()	1,042.	1,240.
	83"	1/4"	14"	DP1AR1483E()	1,123.	1,318.
	89"	1/4"	14"	DP1AR1489E()	1,212.	1,444.
	95"	1/4"	14"	DP1AR1495E()	1,311.	1,558.



Panels, Build-To-Spec

Ordering Information	Order Code	Included with	Options
Frameless Add Up with Clear Glass 1. Pattern number 2. Frame finish 3. Glass finish	Recessed Frameless Add Up with Clear Glass <i>Example:</i> DP1AR0736ETEMP117 DP1AR Recessed Frameless Add Up 07 7" High 36 36" Wide E 1/4" Thick TEMP Clear glass finish 117 Frame finish	Recessed Frameless Add Up with Clear Glass • Attachment hardware • Topway Trough Spacer • Alignment clip	Frame Options: Glass Options: (TEMP) = Clear (GL13) = Frosted

Recessed Frameless Add Up

1/4" Clear and Powder Glass

Dividends Horizon

description	w	d	h	pattern no.	Clear (TEMP)	Frosted (GL13)
Recessed Frameless Add Up, 21" high 	15"	1/4"	21"	DP1AR2115E()	\$440.	\$488.
	18"	1/4"	21"	DP1AR2118E()	507.	579.
	24"	1/4"	21"	DP1AR2124E()	580.	662.
	30"	1/4"	21"	DP1AR2130E()	644.	749.
	36"	1/4"	21"	DP1AR2136E()	740.	859.
	42"	1/4"	21"	DP1AR2142E()	831.	975.
	48"	1/4"	21"	DP1AR2148E()	930.	1,089.
	54"	1/4"	21"	DP1AR2154E()	1,019.	1,202.
	60"	1/4"	21"	DP1AR2160E()	1,110.	1,316.
	66"	1/4"	21"	DP1AR2166E()	1,203.	1,420.
	72"	1/4"	21"	DP1AR2172E()	1,296.	1,535.
	78"	1/4"	21"	DP1AR2178E()	1,398.	1,667.
	84"	1/4"	21"	DP1AR2184E()	1,508.	1,796.
	90"	1/4"	21"	DP1AR2190E()	1,628.	1,942.
	96"	1/4"	21"	DP1AR2196E()	1,762.	2,094.
Recessed Shortened Frameless Add Up, 21" high 	14"	1/4"	21"	DP1AR2114E()	439.	488.
	17"	1/4"	21"	DP1AR2117E()	507.	579.
	23"	1/4"	21"	DP1AR2123E()	579.	662.
	29"	1/4"	21"	DP1AR2129E()	645.	749.
	35"	1/4"	21"	DP1AR2135E()	740.	859.
	41"	1/4"	21"	DP1AR2141E()	832.	975.
	47"	1/4"	21"	DP1AR2147E()	930.	1,089.
	53"	1/4"	21"	DP1AR2153E()	1,019.	1,202.
	59"	1/4"	21"	DP1AR2159E()	1,110.	1,316.
	65"	1/4"	21"	DP1AR2165E()	1,203.	1,420.
	71"	1/4"	21"	DP1AR2171E()	1,296.	1,543.
	77"	1/4"	21"	DP1AR2177E()	1,398.	1,667.
	83"	1/4"	21"	DP1AR2183E()	1,508.	1,771.
	89"	1/4"	21"	DP1AR2189E()	1,628.	1,942.
	95"	1/4"	21"	DP1AR2195E()	1,762.	2,094.

Ordering Information	Order Code	Included with	Options
Frameless Add Up with Clear Glass 1. Pattern number 2. Frame finish 3. Glass finish	Recessed Frameless Add Up with Clear Glass <i>Example:</i> DP1AR2136ETEMP117 DP1AR Recessed Frameless Add Up 21 21" High 36 36" Wide E 1/4" Thick TEMP Clear glass finish 117 Frame finish	Recessed Frameless Add Up with Clear Glass • Attachment hardware • Topway Trough Spacer • Alignment clip	Frame Options: Glass Options: (TEMP) = Clear (GL13) = Frosted

Dividends Horizon DP8 Post Assemblies

L, T and X Configurations

Dividends Horizon

description	h	w	d	pattern no.	Metal P1	Metal P2	Metal P3	V1	V2	V3
Dividends Horizon Two-Way Post Assembly ("L")	28 1/2"	3"	3"	DP8(C/V/U)PAWH2()	\$252.	\$267.	\$281.	\$804.	\$909.	\$1,054.
	36"	3"	3"	DP8(C/V/U)PA362()	252.	267.	281.	806.	911.	1,057.
	42"	3"	3"	DP8(C/V/U)PA422()	252.	267.	281.	831.	939.	1,089.
	50"	3"	3"	DP8(C/V/U)PA502()	273.	291.	300.	904.	1,022.	1,185.
	57"	3"	3"	DP8(C/V/U)PA572()	322.	341.	356.	1,052.	1,189.	1,379.
	64"	3"	3"	DP8(C/V/U)PA642()	322.	341.	356.	1,091.	1,233.	1,431.
	78"	3"	3"	DP8(C/V/U)PA782()	466.	497.	516.	1,310.	1,482.	1,719.

Dividends Horizon Three-Way Post Assembly ("T")	28 1/2"	3"	3"	DP8(C/V/U)PAWH3()	265.	277.	291.	762.	862.	1,000.
	36"	3"	3"	DP8(C/V/U)PA363()	265.	277.	291.	810.	915.	1,062.
	42"	3"	3"	DP8(C/V/U)PA423()	265.	277.	291.	827.	935.	1,085.
	50"	3"	3"	DP8(C/V/U)PA503()	281.	294.	306.	865.	978.	1,134.
	57"	3"	3"	DP8(C/V/U)PA573()	322.	343.	356.	935.	1,055.	1,225.
	64"	3"	3"	DP8(C/V/U)PA643()	322.	343.	356.	1,021.	1,154.	1,338.
	78"	3"	3"	DP8(C/V/U)PA783()	462.	484.	513.	1,174.	1,326.	1,538.

Dividends Horizon Four-Way Post Assembly ("X")	28 1/2"	3"	3"	DP8(C/V/U)PAWH4()	244.	254.	268.	762.	862.	1,000.
	36"	3"	3"	DP8(C/V/U)PA364()	244.	254.	268.	810.	915.	1,062.
	42"	3"	3"	DP8(C/V/U)PA424()	244.	254.	268.	827.	935.	1,085.
	50"	3"	3"	DP8(C/V/U)PA504()	254.	272.	288.	865.	978.	1,134.
	57"	3"	3"	DP8(C/V/U)PA574()	294.	308.	323.	935.	1,055.	1,225.
	64"	3"	3"	DP8(C/V/U)PA644()	294.	308.	323.	1,021.	1,154.	1,338.
	78"	3"	3"	DP8(C/V/U)PA784()	424.	444.	466.	1,174.	1,326.	1,538.

Post Connectors/End Trim

Ordering Information	Order Code	Included with:	Options
Post Assemblies	Post Assemblies	Post Assemblies	Post Assemblies
1. Pattern Number	Example: DP8A362,5,113	• Post	(4) = Radius Metal
2. Finish	613 Silver Paint Finish	• Post top cap	(5) = Flat Metal
		• Post cover	(V4) = Radius Veneer
		• Connecting hardware	(V5) = Flat Veneer
			Note: Plastic versions not available.

Dividends Horizon DP8 Post Assemblies

Recessed Add Up Glass L, T and X Configurationa

Dividends Horizon

description	h	w	d	pattern no.	Metal P1	Metal P2	Metal P3
Dividends Horizon Two-Way Post Assembly ("L") for Recessed Glass 	28 1/2"	3"	3"	DP8CPAGWH25	\$252.	\$267.	\$281.
	36"	3"	3"	DP8CPAG3625	252.	267.	281.
	42"	3"	3"	DP8CPAG4225	252.	267.	281.
	50"	3"	3"	DP8CPAG5025	273.	291.	300.
	57"	3"	3"	DP8CPAG5725	322.	341.	356.
	64"	3"	3"	DP8CPAG6425	322.	341.	356.
	78"	3"	3"	DP8CPAG7825	466.	497.	516.

Dividends Horizon Three-Way Post Assembly ("T") for Recessed Glass 	28 1/2"	3"	3"	DP8CPAGWH35	265.	277.	291.
	36"	3"	3"	DP8CPAG3635	265.	277.	291.
	42"	3"	3"	DP8CPAG4235	265.	277.	291.
	50"	3"	3"	DP8CPAG5035	281.	294.	306.
	57"	3"	3"	DP8CPAG5735	322.	343.	356.
	64"	3"	3"	DP8CPAG6435	322.	343.	356.
	78"	3"	3"	DP8CPAG7835	462.	484.	513.

Dividends Horizon Four-Way Post Assembly ("X") for Recessed Glass 	28 1/2"	3"	3"	DP8CPAGWH45	244.	254.	268.
	36"	3"	3"	DP8CPAG3645	244.	254.	268.
	42"	3"	3"	DP8CPAG4245	244.	254.	268.
	50"	3"	3"	DP8CPAG5045	254.	272.	288.
	57"	3"	3"	DP8CPAG5745	294.	308.	323.
	64"	3"	3"	DP8CPAG6445	294.	308.	323.
	78"	3"	3"	DP8CPAG7845	424.	444.	466.

Ordering Information

Post Assemblies
1. Pattern Number
2. Finish

Order Code

Post Assemblies
Example: **DP8CPAG3625,613**
DP8CPAG Pattern Number
36 Height
2 Assembly Type
5 Flat End Trim
613 Silver Paint Finish

Included with:

Post Assemblies

- **Post**
- **Post top cap**
- **Post cover**
- **Connecting hardware**

Post, Stack Panel Post, Post Top Caps and Inside Corner Raceway Filler

description	type	h	w	d	pattern no.	list price	P1	P2	P3	V1	V2	V3
Dividends Horizon Universal Post 		28 1/2"	3"	3"	DP8POWH	\$132.						
		36"	3"	3"	DP8PO36	132.						
		42"	3"	3"	DP8PO42	132.						
		50"	3"	3"	DP8PO50	153.						
		57"	3"	3"	DP8PO57	184.						
		64"	3"	3"	DP8PO64	184.						
		78"	3"	3"	DP8PO78	317.						
Dividends Horizon Universal Post-Four-Way High-Low 		28 1/2"	3"	3"	DP8(C/V/U)POWH4	144.						
		36"	3"	3"	DP8(C/V/U)PO364	144.						
		42"	3"	3"	DP8(C/V/U)PO424	146.						
		50"	3"	3"	DP8(C/V/U)PO504	168.						
		57"	3"	3"	DP8(C/V/U)PO574	196.						
		64"	3"	3"	DP8(C/V/U)PO644	196.						
		78"	3"	3"	DP8(C/V/U)PO784	328.						
Dividends Horizon Universal Post-Three-Way High-Low 		28 1/2"	3"	3"	DP8(C/V/U)POWH3	144.						
		36"	3"	3"	DP8(C/V/U)PO363	144.						
		42"	3"	3"	DP8(C/V/U)PO423	146.						
		50"	3"	3"	DP8(C/V/U)PO503	168.						
		57"	3"	3"	DP8(C/V/U)PO573	196.						
		64"	3"	3"	DP8(C/V/U)PO643	196.						
		78"	3"	3"	DP8(C/V/U)PO783	328.						

Ordering Information	Order Code	Included with:	Options
Post Top Cap 1. Pattern number 2. Finish	Post Top Caps <i>Example:</i> DP8PTG45 DP8PTG Pattern Number 4 Configuration 5 Flat End Trim 613 Silver Paint Finish 		Post Top Caps Options (5) = Flat Metal (V5) = Flat Veneer An inside corner raceway filler is used to block the light leak created when two raceway covers meet at a 90° connection.

Post, Stack Panel Post, Post Top Caps and Inside Corner Raceway Filler

description	type	h	w	d	pattern no.	list price	P1	P2	P3	V1	V2	V3
Dividends Horizon Universal Post-Two-Way High-Low 		28 1/2"	3"	3"	DP8(C/V/U)POWH2	\$144.						
		36"	3"	3"	DP8(C/V/U)PO362	144.						
		42"	3"	3"	DP8(C/V/U)PO422	146.						
		50"	3"	3"	DP8(C/V/U)PO502	168.						
		57"	3"	3"	DP8(C/V/U)PO572	196.						
		64"	3"	3"	DP8(C/V/U)PO642	196.						
		78"	3"	3"	DP8(C/V/U)PO782	328.						

Dividends Horizon Universal Post-Straight High-Low 		28 1/2"	3"	3"	DP8(C/V/U)POWHS	144.						
		36"	3"	3"	DP8(C/V/U)PO36S	144.						
		42"	3"	3"	DP8(C/V/U)PO42S	146.						
		42"	3"	3"	DP8(C/V/U)PO50S	168.						
		57"	3"	3"	DP8(C/V/U)PO57S	196.						
		64"	3"	3"	DP8(C/V/U)PO64S	196.						
		78"	3"	3"	DP8(C/V/U)PO78S	328.						

14" High Dividends Horizon Stack Panel Post		14 5/8"	3"	3"	DP8SPO14	139.						
---	--	---------	----	----	-----------------	------	--	--	--	--	--	--

21" High Dividends Horizon Stack Panel Post		21 15/16"	3"	3"	DP8SPO21	140.						
---	--	-----------	----	----	-----------------	------	--	--	--	--	--	--

Ordering Information	Order Code	Included with:	Options
Post Top Cap 1. Pattern number 2. Finish	Post Top Caps <i>Example:</i> DP8PTG45 DP8PTG Pattern Number 4 Configuration 5 Flat End Trim 613 Silver Paint Finish 		Post Top Caps Options (5) = Flat Metal (V5) = Flat Veneer An inside corner raceway filler is used to block the light leak created when two raceway covers meet at a 90° connection.


Post, Stack Panel Post, Post Top Caps and Inside Corner Raceway Filler

description	type	h	w	d	pattern no.	list price	P1	P2	P3	V1	V2	V3
28" High Dividends Horizon Stack Panel Post		29 1/4"	3"	3"	DP8SPO28	\$158.						



Worksurface Height Panel Change of Height Kit	DP7HLCWH	102.
--	-----------------	------

Dividends Horizon
Post Top Cap Assemblies



Four-Way	1/2"	3"	3"	DP8(C/V/U)PT4()	11.	12.	12.	175.	194.	219.
In-line Straght	1/2"	3"	3"	DP8(C/V/U)PTS()	11.	12.	12.	169.	187.	212.
One-Way	1/2"	3"	3"	DP8(C/V/U)PT1()	11.	12.	12.	150.	167.	189.
Three-Way	1/2"	3"	3"	DP8(C/V/U)PT3()	11.	12.	12.	170.	188.	213.
Two-Way	1/2"	3"	3"	DP8(C/V/U)PT2()	11.	12.	12.	172.	191.	215.


Ordering Information	Order Code	Included with:	Options
Post Top Cap	Post Top Caps		Post Top Caps Options
1. Pattern number	<i>Example:</i> DP8PTG45		(5) = Flat Metal
2. Finish	DP8PTG Pattern Number		(V5) = Flat Veneer
	4 Configuration		An inside corner raceway filler is used to block the light leak created when two raceway covers meet at a 90° connection.
	5 Flat End Trim		
	613 Silver Paint Finish		

Dividends Horizon DP8 Post Components

Post Top Caps for Recessed Glass, Filler, Connectors

Dividends Horizon


description	type	h	w	d	pattern no.	list price	P1	P2	P3
Dividends Horizon Post Top Cap Assemblies for Recessed Glass	Four-Way	1/2"	3"	3"	DP8CPTG45	\$11.	\$12.	\$12.	
	In-line Straight	1/2"	3"	3"	DP8CPTGS5	11.	12.	12.	
	One-Way	1/2"	3"	3"	DP8CPTG15	11.	12.	12.	
	Three-Way	1/2"	3"	3"	DP8CPTG35	11.	12.	12.	
	Two-Way	1/2"	3"	3"	DP8CPTG25	11.	12.	12.	



Inside Corner Raceway Filler	DP7BF	14.
------------------------------	--------------	-----



Panel to Panel Connectors	High-low (10 qty)	1 1/2"	1/2"	1/2"	DP8HLC	41.
	In Line (10 qty)	6 1/2"	3/4"	1/4"	DP8PPC	30.



Ordering Information	Order Code	Included with:	Options
Post Top Cap	Post Top Caps		Post Top Caps Options
1. Pattern number	Example: DP8CPTG45		(4) = Radius Metal
2. Finish	613 Silver Paint Finish		(5) = Flat Metal
			(V4) = Radius Veneer
			(V5) = Flat Veneer

An inside corner raceway filler is used to block the light leak created when two raceway covers meet at a 90° connection.

Dividends Horizon DP8 Post Components

Post Covers and High Low Post Covers

Dividends Horizon

description	h	pattern no.	Metal P1	Metal P2	Metal P3	V1	V2	V3
Dividends Horizon Post Covers Full Height "T" 	36"	DP8PC36	\$84.	\$88.	\$116.	\$381.	\$423.	\$478.
	42"	DP8PC42	84.	88.	116.	399.	443.	501.
	50"	DP8PC50	85.	93.	100.	416.	461.	521.
	57"	DP8PC57	98.	103.	110.	467.	519.	586.
	64"	DP8PC64	98.	103.	110.	540.	600.	677.
	71"	DP8PC71	104.	114.	121.	566.	628.	710.
	78"	DP8PC78	110.	123.	127.	609.	676.	763.
	85"	DP8PC85	124.	133.	142.	671.	744.	841.
	92"	DP8PC92	142.	151.	166.	713.	791.	895.
	99"	DP8PC99	167.	179.	192.	837.	929.	1,050.
	106"	DP8PC106	193.	203.	214.	909.	1,010.	1,141.
	28 1/2"	DP8PCWH	84.	88.	116.	335.	372.	421.
	28 1/2" + 14"	DP8PCWHS14	176.	196.	205.	381.	423.	478.
	28 1/2" + 21"	DP8PCWHS21	195.	216.	223.	416.	461.	521.
	28 1/2" + 28"	DP8PCWHS28	206.	227.	235.	467.	519.	586.
Dividends Horizon Post Covers Full Height "L" 	36"	DP8PC362	131.	138.	142.	458.	508.	574.
	42"	DP8PC422	131.	138.	142.	483.	537.	607.
	50"	DP8PC502	138.	143.	148.	542.	602.	679.
	57"	DP8PC572	145.	153.	169.	672.	746.	842.
	64"	DP8PC642	145.	153.	169.	696.	773.	874.
	71"	DP8PC712	153.	166.	176.	770.	855.	966.
	78"	DP8PC782	169.	180.	184.	838.	930.	1,051.
	85"	DP8PC852	179.	191.	195.	881.	979.	1,106.
	92"	DP8PC922	193.	213.	231.	950.	1,055.	1,193.
	99"	DP8PC992	213.	228.	248.	1,020.	1,132.	1,279.
	106"	DP8PC1062	228.	248.	267.	1,063.	1,180.	1,334.
	28 1/2"	DP8PCWH2	131.	138.	142.	461.	511.	578.
	28 1/2" + 14"	DP8PCWHS142	187.	205.	214.	483.	537.	607.
	28 1/2" + 21"	DP8PCWHS212	197.	218.	228.	542.	602.	679.
	28 1/2" + 28"	DP8PCWHS282	211.	228.	236.	672.	746.	842.
Dividends Horizon High Low Post Covers 	36" - 42"	DP8PC07()	14.	16.	16.	263.	292.	330.
	42" - 50"	DP8PC07()	14.	16.	16.	263.	292.	330.
	50" - 57"	DP8PC07()	14.	16.	16.	263.	292.	330.
	57" - 64"	DP8PC07()	14.	16.	16.	263.	292.	330.
	36" - 50"	DP8PC14()	25.	40.	43.	294.	327.	369.
	42" - 57"	DP8PC14()	25.	40.	43.	294.	327.	369.
	64" - 78"	DP8PC14()	25.	40.	43.	294.	327.	369.
	50" - 64"	DP8PC14()	25.	40.	43.	294.	327.	369.

Post Connectors/End Trim

Ordering Information	Order Code	Included with:	Options
Post Covers 1. Pattern number 2. Finish	Post Top Caps <i>Example:</i> DP8PT45 613 Silver Paint Finish		Post Covers Add a "V" suffix to the base pattern number for a veneer finish. High Low Post Covers Options (H) = Straight Condition (RH) = Right Hand Condition (LH) = Left Hand Condition Two DP8HLC - Panel to Panel Connectors High-low (a.k.a utility connector assembly) ship with the hi-lo post cover.

Dividends Horizon DP8 Post Components

Post Covers and High Low Post Covers

Dividends Horizon


description	h	pattern no.	Metal P1	Metal P2	Metal P3	V1	V2	V3
Dividends Horizon	36" - 57"	DP8PC21()	\$47.	\$48.	\$49.	\$322.	\$358.	\$404.
High Low Post Covers	42" - 64"	DP8PC21()	47.	48.	49.	322.	358.	404.
	57" - 78"	DP8PC21()	47.	48.	49.	322.	358.	404.
	50" - 78"	DP8PC28()	68.	75.	76.	350.	389.	438.
	36" - 64"	DP8PC28()	68.	75.	76.	350.	389.	438.
	42" - 78"	DP8PC36()	88.	98.	103.	419.	465.	525.
	36" - 78"	DP8PC42()	100.	107.	112.	458.	508.	574.
	28 1/2" - 36"	DP8PCWH36()	145.	159.	166.	696.	773.	874.
	28 1/2" - 42"	DP8PCWH42()	151.	168.	174.	566.	628.	710.
	28 1/2" - 50"	DP8PCWH50()	174.	194.	201.	609.	676.	763.
	28 1/2" - 57"	DP8PCWH57()	175.	195.	203.	671.	744.	841.
	28 1/2" - 64"	DP8PCWH64()	176.	196.	205.	713.	791.	895.
	28 1/2" - 78"	DP8PCWH78()	184.	203.	213.	837.	929.	1,050.
Dividends Horizon Post	36"	DP8PC36U	205.	223.	232.	429.	477.	539.
Covers Full Height	42"	DP8PC42U	213.	229.	238.	467.	519.	586.
Double Underlap	50"	DP8PC50U	231.	253.	268.	528.	586.	662.
	57"	DP8PC57U	232.	257.	271.	576.	639.	723.
	64"	DP8PC64U	253.	282.	293.	641.	711.	803.
	78"	DP8PC78U	350.	383.	399.	817.	906.	1,024.
	28 1/2"	DP8PCWHU	195.	216.	223.	397.	441.	498.
Dividends Horizon High Low Post Covers Double	57"-64"	DP8PC07UH	151.	168.	174.	310.	343.	387.
Underlap	42"-50"	DP8PC07UH	151.	168.	174.	310.	343.	387.
	36"-42"	DP8PC07UH	151.	168.	174.	310.	343.	387.
	50"-57"	DP8PC07UH	151.	168.	174.	310.	343.	387.
	42"-57"	DP8PC14UH	158.	175.	184.	359.	399.	450.
	36"-50"	DP8PC14UH	158.	175.	184.	359.	399.	450.
	50"-64"	DP8PC14UH	158.	175.	184.	359.	399.	450.
	64"-78"	DP8PC14UH	158.	175.	184.	359.	399.	450.
	57"-78"	DP8PC21UH	156.	174.	180.	373.	414.	468.
	36"-57"	DP8PC21UH	156.	174.	180.	373.	414.	468.
	42"-64"	DP8PC28UH	170.	188.	195.	412.	458.	517.
	36"-64"	DP8PC28UH	170.	188.	195.	412.	458.	517.
	50"-78"	DP8PC28UH	170.	188.	195.	412.	458.	517.

Ordering Information	Order Code	Included with:	Options
Post Covers	Post Top Caps		Post Covers
1. Pattern number	<i>Example:</i> DP8PT45		Add a "V" suffix to the base pattern number for a veneer finish.
2. Finish	613 Silver Paint Finish		High Low Post Covers Options (H) = Straight Condition (RH) = Right Hand Condition (LH) = Left Hand Condition Two DP8HLC - Panel to Panel Connectors High-low (a.k.a utility connector assembly) ship with the hi-lo post cover.

Panel End Trim and Panel Top Caps

Panel End and High-Low Panel End

Dividends Horizon

description	type	h *	w	d	pattern no.	Metal P1	Metal P2	Metal P3	V1	V2	V3
 Panel End	28 1/2"	28 1/2"	3"	5/8"	DP()PEWH	\$102.	\$113.	\$119.	\$356.	\$405.	\$524.
	36"	36"	3"	5/8"	DP()PE36F	102.	113.	119.	372.	424.	547.
	42"	42"	3"	5/8"	DP()PE42	106.	116.	120.	397.	453.	584.
	28 1/2" + 14"	42 1/2"	3"	5/8"	DP()PEWHS14	119.	127.	131.	317.	361.	466.
	28 1/2" + 21"	49 1/2"	3"	5/8"	DP()PEWHS21	123.	132.	139.	336.	383.	495.
	50"	50"	3"	5/8"	DP()PE50	112.	119.	121.	446.	509.	656.
	28 1/2" + 28"	56 1/2"	3"	5/8"	DP()PEWHS28	125.	138.	141.	350.	399.	515.
	57"	57"	3"	5/8"	DP()PE57	116.	121.	124.	500.	570.	735.
	64"	64"	3"	5/8"	DP()PE64	116.	121.	124.	540.	615.	794.
	71"	71"	3"	5/8"	DP()PE71	120.	127.	129.	562.	641.	826.
	78"	78"	3"	5/8"	DP()PE78	124.	129.	133.	589.	672.	866.
	85"	85"	3"	5/8"	DP()PE85	128.	138.	141.	615.	701.	905.
	92"	92"	3"	5/8"	DP()PE92	139.	145.	151.	672.	767.	988.
	99"	99"	3"	5/8"	DP()PE99	149.	156.	168.	733.	836.	1,077.
	106"	106"	3"	5/8"	DP()PE106	165.	172.	181.	790.	900.	1,161.
 Panel End for Recessed Glass	28 1/2"	28 1/2"	3"	5/8"	DP5PEGWH	102.	113.	119.			
	36"	36"	3"	5/8"	DP5PEG36F	102.	113.	119.			
	42"	42"	3"	5/8"	DP5PEG42	106.	116.	120.			
	28 1/2" + 14"	42 1/2"	3"	5/8"	DP5PEGWHS14	119.	127.	131.			
	28 1/2" + 21"	49 1/2"	3"	5/8"	DP5PEGWHS21	123.	132.	139.			
	50"	50"	3"	5/8"	DP5PEG50	112.	119.	121.			
	28 1/2" + 28"	56 1/2"	3"	5/8"	DP5PEGWHS28	125.	138.	141.			
	57"	57"	3"	5/8"	DP5PEG57	116.	121.	124.			
	64"	64"	3"	5/8"	DP5PG64	116.	121.	124.			
	78"	78"	3"	5/8"	DP5PEG78	124.	129.	133.			
 Panel End, High-Low	28 1/2" - 42"	13 1/2"	3"	3/8"	DP()PEWH42	89.	101.	103.	397.		
	50" - 64"	14"	3"	3/8"	DP()PE14	68.	72.	74.	317.		
	64" - 78"	14"	3"	3/8"	DP()PE14	68.	72.	74.	317.		
	36" - 50"	14"	3"	3/8"	DP()PE14	68.	72.	74.	317.		
	42" - 57"	15"	3"	3/8"	DP()PE14	68.	72.	74.	317.		
	36" - 57"	21"	3"	3/8"	DP()PE22	72.	76.	78.	336.		
	57" - 78"	21"	3"	3/8"	DP()PE22	72.	76.	78.	336.		
	28 1/2" - 50"	21 1/2"	3"	3/8"	DP()PEWH50	98.	106.	112.	446.		

Post Connectors/End Trim


h* = Nominal height
Dimensions listed under h w d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Panel End 1. Pattern Number 2. Trim Finish	Panel End <i>Example:</i> DP2A PE42, 117 DP2A Pattern Number PE42 117 Soft grey	Panel End • Panel end cover • Connecting hardware High-Low Panel End • Panel end cover • Connecting hardware • Lower transition cap	Panel End, High-Low Panel End and Top Caps Trim options (4) = Radius Metal (5) = Flat Metal (V5) = Flat Veneer
High-Low Panel End 1. Pattern Number 2. Trim Finish	High-Low Panel End <i>Example:</i> DP2A PE42 117 DP2A Pattern Number PE42 117 Soft Grey		

Panel End Trim and Panel Top Caps

Panel End and High-Low Panel End

Dividends Horizon

description	type	h *	w	d	pattern no.	Metal P1	Metal P2	Metal P3	V1	V2	V3
	Panel End, High-Low	42" - 64"	22"	3"	$\frac{3}{8}$ "	DP()PE22	\$72.	\$76.	\$78.	\$336.	
		50" - 78"	28"	3"	$\frac{3}{8}$ "	DP()PE28	85.	91.	100.	350.	
		36" - 64"	28"	3"	$\frac{3}{8}$ "	DP()PE28	85.	91.	100.	350.	
		28 $\frac{1}{2}$ " - 57"	28 $\frac{1}{2}$ "	3"	$\frac{3}{8}$ "	DP()PEWH57	102.	116.	120.	500.	
		28 $\frac{1}{2}$ " - 64"	35 $\frac{1}{2}$ "	3"	$\frac{3}{8}$ "	DP()PEWH64	106.	120.	124.	541.	
		42" - 78"	36"	3"	$\frac{3}{8}$ "	DP()PE36	102.	113.	119.	375.	
		36" - 78"	42"	3"	$\frac{3}{8}$ "	DP()PE42H	106.	116.	120.	403.	
		28 $\frac{1}{2}$ " - 78"	49 $\frac{1}{2}$ "	3"	$\frac{3}{8}$ "	DP()PEWH78	120.	128.	132.	589.	
		36" - 42"	6"	3"	$\frac{3}{8}$ "	DP()PE08	64.	68.	71.	275.	
		50" - 57"	7"	3"	$\frac{3}{8}$ "	DP()PE08	64.	68.	71.	275.	
		57" - 64"	7"	3"	$\frac{3}{8}$ "	DP()PE08	64.	68.	71.	275.	
		28 $\frac{1}{2}$ " - 36"	7 $\frac{1}{2}$ "	3"	$\frac{3}{8}$ "	DP()PEWH36	82.	95.	100.	372.	
		42" - 50"	8"	3"	$\frac{3}{8}$ "	DP()PE08	64.	68.	71.	275.	



h* = Nominal height

Dimensions listed under h w d are actual to the nearest $\frac{1}{16}$ "

Ordering Information	Order Code	Included with:	Options
Panel End 1. Pattern Number 2. Trim Finish	Panel End <i>Example:</i> DP2A PE42, 117 DP2A Pattern Number PE42 117 Soft grey High-Low Panel End <i>Example:</i> DP2A PE42 117 DP2A Pattern Number PE42 117 Soft Grey 	Panel End • Panel end cover • Connecting hardware High-Low Panel End • Panel end cover • Connecting hardware • Lower transition cap	Panel End, High-Low Panel End and Top Caps Trim options (4) = Radius Metal (5) = Flat Metal (V5) = Flat Veneer

High-Low Panel End Trim for Recessed Add Up Glass

description	type	h *	w	d	pattern no.	Metal P1	Metal P2	Metal P3
Panel End, High-Low Glass Lower Panel/ No Glass Upper	28 1/2" - 36"	7 1/2"	3"	3/8"	DP5PEGNWH36	\$82.	\$95.	\$100.
	28 1/2" - 42"	13 1/2"	3"	3/8"	DP5PEGNWH42	89.	101.	103.
	28 1/2" - 50"	21 1/2"	3"	3/8"	DP5PEGNWH50	98.	106.	112.
	28 1/2" - 57"	28 1/2"	3"	3/8"	DP5PEGNWH57	102.	116.	120.
	28 1/2" - 64"	35 1/2"	3"	3/8"	DP5PEGNWH64	106.	120.	124.
	28 1/2" - 78"	49 1/2"	3"	3/8"	DP5PEGNWH78	120.	128.	132.
	36" - 42"	6"	3"	3/8"	DP5PEGN08	64.	68.	74.
	36" - 50"	14"	3"	3/8"	DP5PEGN14	68.	72.	74.
	36" - 57"	21"	3"	3/8"	DP5PEGN22	72.	76.	78.
	36" - 64"	28"	3"	3/8"	DP5PEGN28	85.	91.	100.
	36" - 78"	42"	3"	3/8"	DP5PEGN42H	106.	116.	120.
	42" - 50"	8"	3"	3/8"	DP5PEGN08	64.	68.	74.
	42" - 57"	15"	3"	3/8"	DP5PEGN14	68.	72.	74.
	42" - 64"	22"	3"	3/8"	DP5PEGN22	72.	76.	78.
	42" - 78"	36"	3"	3/8"	DP5PEGN36	102.	113.	119.
	50" - 57"	7"	3"	3/8"	DP5PEGN08	64.	68.	74.
	50" - 64"	14"	3"	3/8"	DP5PEGN14	68.	72.	74.
	50" - 78"	28"	3"	3/8"	DP5PEGN28	85.	91.	100.
	57" - 64"	7"	3"	3/8"	DP5PEGN08	64.	68.	74.
	57" - 78"	21"	3"	3/8"	DP5PEGN22	72.	76.	78.
	64" - 78"	14"	3"	3/8"	DP5PEGN14	68.	72.	74.



h* = Nominal height

Dimensions listed under h w d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
High-Low Panel End	High-Low Panel End	High-Low Panel End	Panel End, High-Low Panel End and Top Caps
1. Pattern Number		• Panel end cover	
2. Trim Finish		• Connecting hardware	Trim options
	<i>Example:</i> DP5PEGG42H 117		
	DP5PE Pattern Number		
	GG Configuration		
	42 Height		
	117 Soft Grey		

High-Low Panel End Trim for Recessed Add Up Glass

description	type	h *	w	d	pattern no.	Metal P1	Metal P2	Metal P3
Panel End, High-Low Glass Lower Panel/ Glass Upper Panel	28 1/2" - 36"	7 1/2"	3"	3/8"	DP5PEGGWH36	\$82.	\$95.	\$100.
	28 1/2" - 42"	13 1/2"	3"	3/8"	DP5PEGGWH42	89.	101.	103.
	28 1/2" - 50"	21 1/2"	3"	3/8"	DP5PEGGWH50	98.	106.	112.
	28 1/2" - 57"	28 1/2"	3"	3/8"	DP5PEGGWH57	102.	116.	120.
	28 1/2" - 64"	35 1/2"	3"	3/8"	DP5PEGGWH64	106.	120.	124.
	28 1/2" - 78"	49 1/2"	3"	3/8"	DP5PEGGWH78	120.	128.	132.
	36" - 42"	6"	3"	3/8"	DP5PEGG08	64.	68.	74.
	36" - 50"	14"	3"	3/8"	DP5PEGG14	68.	72.	74.
	36" - 57"	21"	3"	3/8"	DP5PEGG22	72.	76.	78.
	36" - 64"	28"	3"	3/8"	DP5PEGG28	85.	91.	100.
	36" - 78"	42"	3"	3/8"	DP5PEGG42H	106.	116.	120.
	42" - 50"	8"	3"	3/8"	DP5PEGG08	64.	68.	74.
	42" - 57"	15"	3"	3/8"	DP5PEGG14	68.	72.	74.
	42" - 64"	22"	3"	3/8"	DP5PEGG22	72.	76.	78.
	42" - 78"	36"	3"	3/8"	DP5PEGG36	102.	113.	119.
	50" - 57"	7"	3"	3/8"	DP5PEGG08	64.	68.	74.
	50" - 64"	14"	3"	3/8"	DP5PEGG14	68.	72.	74.
	50" - 78"	28"	3"	3/8"	DP5PEGG28	85.	91.	100.
	57" - 64"	7"	3"	3/8"	DP5PEGG08	64.	68.	74.
	57" - 78"	21"	3"	3/8"	DP5PEGG22	72.	76.	78.
	64" - 78"	14"	3"	3/8"	DP5PEGG14	68.	72.	74.

h* = Nominal height

Dimensions listed under h w d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
High-Low Panel End	High-Low Panel End	High-Low Panel End	Panel End, High-Low Panel End and Top Caps
1. Pattern Number		• Panel end cover	
2. Trim Finish		• Connecting hardware	
	<i>Example:</i> DP5PEGG42H 117		Trim options
	DP5PE Pattern Number		
	GG Configuration		
	42 Height		
	117 Soft Grey		

High-Low Panel End Trim for Recessed Add Up Glass

description	type	h *	w	d	pattern no.	Metal P1	Metal P2	Metal P3
Panel End, High-Low No Glass Lower Panel/ Glass Upper Panel	28 1/2" - 36"	7 1/2"	3"	3/8"	DP5PENGWH36	\$82.	\$95.	\$100.
	28 1/2" - 42"	13 1/2"	3"	3/8"	DP5PENGWH42	89.	101.	103.
	28 1/2" - 50"	21 1/2"	3"	3/8"	DP5PENGWH50	98.	106.	112.
	28 1/2" - 57"	28 1/2"	3"	3/8"	DP5PENGWH57	102.	116.	120.
	28 1/2" - 64"	35 1/2"	3"	3/8"	DP5PENGWH64	106.	120.	124.
	28 1/2" - 78"	49 1/2"	3"	3/8"	DP5PENGWH78	120.	128.	132.
	36" - 42"	6"	3"	3/8"	DP5PENG08	64.	68.	74.
	36" - 50"	14"	3"	3/8"	DP5PENG14	68.	72.	74.
	36" - 57"	21"	3"	3/8"	DP5PENG22	72.	76.	78.
	36" - 64"	28"	3"	3/8"	DP5PENG28	85.	91.	100.
	36" - 78"	42"	3"	3/8"	DP5PENG42H	106.	116.	120.
	42" - 50"	8"	3"	3/8"	DP5PENG08	64.	68.	74.
	42" - 57"	15"	3"	3/8"	DP5PENG14	68.	72.	74.
	42" - 64"	22"	3"	3/8"	DP5PENG22	72.	76.	78.
	42" - 78"	36"	3"	3/8"	DP5PENG36	102.	113.	119.
	50" - 57"	7"	3"	3/8"	DP5PENG08	64.	68.	74.
	50" - 64"	14"	3"	3/8"	DP5PENG14	68.	72.	74.
	50" - 78"	28"	3"	3/8"	DP5PENG28	85.	91.	100.
	57" - 64"	7"	3"	3/8"	DP5PENG08	64.	68.	74.
	57" - 78"	21"	3"	3/8"	DP5PENG22	72.	76.	78.
	64" - 78"	14"	3"	3/8"	DP5PENG14	68.	72.	74.

* Lower Transition Cap is included with the products on this page.

h* = Nominal height

Dimensions listed under h w d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
High-Low Panel End	High-Low Panel End	High-Low Panel End	Panel End, High-Low Panel End and Top Caps
1. Pattern Number		• Panel end cover	
2. Trim Finish		• Connecting hardware	Trim options
	<i>Example:</i> DP5PEGG42H 117		
	DP5PE Pattern Number		
	GG Configuration		
	42 Height		
	117 Soft Grey		

Thin Profile Panel End Trim and High-Low Panel End

description	type	h*	w	d	pattern no.	P1	P2	P3
Thin Profile Panel End 	28 1/2"	28 1/2"	3"	5/8"	DP6PEWH	\$158.	\$158.	\$158.
	28 1/2" + 14"	42 1/2"	3"	5/8"	DP6PEWHS14	188.	206.	215.
	28 1/2" + 21"	49 1/2"	3"	5/8"	DP6PEWHS21	203.	222.	231.
	28 1/2" + 28"	56 1/2"	3"	5/8"	DP6PEWHS28	217.	238.	246.
	36"	36"	3"	5/8"	DP6PE36F	158.	158.	158.
	42"	42"	3"	5/8"	DP6PE42	172.	172.	172.
	50"	50"	3"	5/8"	DP6PE50	191.	191.	191.
	57"	57"	3"	5/8"	DP6PE57	206.	206.	206.
	64"	64"	3"	5/8"	DP6PE64	222.	222.	222.
	78"	78"	3"	5/8"	DP6PE78	260.	260.	260.
Thin Profile Panel End High-Low 	28 1/2"-36"	36"	3"	5/8"	DP6PEWH36	114.	124.	128.
	28 1/2"-42"	42"	3"	5/8"	DP6PEWH42	127.	140.	143.
	28 1/2"-50"	50"	3"	5/8"	DP6PEWH50	140.	154.	159.
	28 1/2"-57"	57"	3"	5/8"	DP6PEWH57	153.	169.	175.
	28 1/2"-64"	64"	3"	5/8"	DP6PEWH64	170.	190.	195.
	28 1/2"-78"	78"	3"	5/8"	DP6PEWH78	203.	226.	232.
	36"-42"	6"	3"	5/8"	DP6PE08	79.	82.	82.
	36"-50"	14"	3"	5/8"	DP6PE14	103.	110.	110.
	36"-57"	21"	3"	5/8"	DP6PE22	124.	129.	129.
	36"-64"	28"	3"	5/8"	DP6PE28	142.	150.	150.
	36"-78"	42"	3"	5/8"	DP6PE42H	175.	190.	190.
	42"-50"	8"	3"	5/8"	DP6PE08	79.	82.	82.
	42"-57"	15"	3"	5/8"	DP6PE14	103.	110.	110.
	42"-64"	22"	3"	5/8"	DP6PE22	124.	129.	129.
	42"-78"	36"	3"	5/8"	DP6PE36	163.	170.	170.
	50"-57"	7"	3"	5/8"	DP6PE08	79.	82.	82.
	50"-64"	14"	3"	5/8"	DP6PE14	103.	110.	110.
	50"-78"	28"	3"	5/8"	DP6PE28	142.	150.	150.
	57"-64"	7"	3"	5/8"	DP6PE08	79.	82.	82.
	57"-78"	21"	3"	5/8"	DP6PE22	124.	129.	129.
	64"-78"	14"	3"	5/8"	DP6PE14	103.	110.	110.

h* = Nominal height



Dimensions listed under h w d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Thin Profile End Trim 1. Pattern Number 2. Finish	Thin Profile End Trim	Thin Panel End Trim	
	<i>Example:</i> DP6PE42 117	Attachment hardware	
	DP Dividends Panel	Note: Thin profile end trim is only available in Knoll core paint finishes.	
	6 Thin Profile		
	PE Panel End		
	42 Height		
	117 Finish		

Panel End Trim and Panel Top Caps

Topway and Full View Frame Top Caps

Dividends Horizon

description	w	pattern no.	Metal P1	Metal P2	Metal P3	V1	V2	V3
 Panel Top Caps	15"	DP()PT15	\$68.	\$72.	\$75.	\$140.	\$158.	\$183.
	18"	DP()PT18	68.	72.	75.	154.	175.	203.
	24"	DP()PT24	68.	72.	75.	176.	200.	231.
	30"	DP()PT30	68.	72.	75.	202.	227.	264.
	36"	DP()PT36	68.	72.	75.	226.	255.	296.
	42"	DP()PT42	68.	72.	75.	251.	284.	329.
	48"	DP()PT48	68.	72.	75.	287.	323.	375.
	54"	DP()PT54	75.	77.	79.	318.	359.	417.
	60"	DP()PT60	78.	80.	87.	359.	405.	470.
	72"	DP()PT72	98.	104.	110.	414.	468.	543.
	78"	DP()PT78	107.	114.	120.	437.	495.	573.
	84"	DP()PT84	119.	123.	129.	461.	520.	604.
	90"	DP()PT90	127.	132.	139.	490.	553.	643.
	96"	DP()PT96	133.	144.	151.	517.	584.	678.
 Elevated Spine Top Caps	66"	DP()PT66	87.	93.	100.	391.	441.	511.

Post Connectors/End Trim


Ordering Information	Order Code	Included with:	Options
Panel Top Cap 1. Pattern Number 2. Trim Finish	Panel Top Cap <i>Example:</i> DP5PT18, 117 DP5PT18 Pattern number 117 Soft Grey trim finish	Panel Top Cap • Panel Top Cap	Panel Top Caps Trim options (4) = Radius Metal (5) = Flat Metal (V4) = Radius Veneer (V5) = Flat Veneer

Panel End Trim and Panel Top Caps

Shortened Panel Top Caps

Dividends Horizon

description	w	pattern no.	Metal P1	Metal P2	Metal P3	V1	V2	V3
Shortened Panel Top Caps (for lower panel on high-low panel to panel application) Not for use with DP6 Thin profile panel ends	14"	DP()PT14	\$68.	\$72.	\$75.	\$140.	\$158.	\$183.
	17"	DP()PT17	68.	72.	75.	154.	175.	203.
	23"	DP()PT23	68.	72.	75.	176.	200.	231.
	29"	DP()PT29	68.	72.	75.	202.	227.	264.
	35"	DP()PT35	68.	72.	75.	226.	255.	296.
	41"	DP()PT41	68.	72.	75.	251.	284.	329.
	47"	DP()PT47	68.	72.	75.	287.	323.	375.
	53"	DP()PT53	75.	77.	79.	318.	359.	417.
	59"	DP()PT59	78.	80.	87.	359.	405.	470.
	65"	DP()PT65	87.	93.	100.	391.	441.	511.
	71"	DP()PT71	98.	104.	110.	414.	468.	543.
	77"	DP()PT77	107.	114.	120.	437.	495.	573.
	83"	DP()PT83	119.	123.	129.	461.	520.	604.
	89"	DP()PT89	127.	132.	139.	490.	553.	643.
	95"	DP()PT95	133.	144.	151.	517.	584.	678.




h* = Nominal height

Dimensions listed under h w d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Panel Top Cap	Panel Top Cap	Panel Top Cap	Panel Top Caps
1. Pattern Number	<i>Example:</i> DP5PT18, 117	• Panel Top Cap	Trim options
2. Trim Finish	DP5PT18 Pattern number		(4) = Radius Metal
Panel-to-Panel Top Cap Transition	117 Soft Grey trim finish		(5) = Flat Metal
1. Pattern Number			
2. Trim Finish			

Panel Wall Starter, Panel-to-Panel Top Cap Transition and Off-Module Panel Connector

Dividends Horizon

description	type	h *	h	w	d	pattern no.	Single pack list	10 pack list
 Panel/Screen Wall Starter		14"	13 1/5"	2"	3/4"	DP3PWS14	\$98.	n/a
		21"	20 4/5"	2"	3/4"	DP3PWS21	112.	n/a
		28"	27 4/5"	2"	3/4"	DP3PWS28	127.	n/a
		36"	28"	2"	3/4"	DP3PWS36	169.	n/a
		42"	35 3/8"	2"	3/4"	DP3PWS42	175.	n/a
		50"	42 11/16"	2"	3/4"	DP3PWS50	181.	n/a
		57"	50"	2"	3/4"	DP3PWS57	187.	n/a
		64"	57 1/4"	2"	3/4"	DP3PWS64	196.	n/a
		71"	64 1/2"	2"	3/4"	DP3PWS71	202.	n/a
		78"	71 7/8"	2"	3/4"	DP3PWS78	205.	n/a
Panel-to-Panel Top Cap Transition		3/4"	1"	3"		DP() TCT()	9.	103.
 Off-Module Panel Connector		36"	28"	2"	3/4"	DP2PMS36	110.	n/a
		42"	35 3/8"	2"	3/4"	DP2PMS42	110.	n/a
		50"	42 11/16"	2"	3/4"	DP2PMS50	124.	n/a
		57"	50"	2"	3/4"	DP2PMS57	128.	n/a
		64"	57 1/4"	2"	3/4"	DP2PMS64	131.	n/a
		78"	71 7/8"	2"	3/4"	DP2PMS78	156.	n/a
Radius Post Top Cap (for use with off-module panel connector when radius metal top caps are used)	three-way		1/2"	3"	3"	DP1PT3	6.	n/a
	four-way		1/2"	3"	3"	DP1PT4	6.	n/a
 Panel to storage bracket	Left Hand					DPGPPBL	0.	91.
	Right Hand					DPGPPBR	0.	91.
	Available in black only.							

h* = nominal height


Dimensions listed under h w d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Panel Wall Starter	Panel Wall Starter	Panel Wall Starter	Panel Wall Starter
1. Pattern Number	<i>Example:</i> DP1 PWS 64	Off-Module Panel Connector	Off-Module Panel Connector
Off-Module Panel Connector	DP1 PW Pattern Number	Panel-to-Panel Top Cap Transition	Panel-to-Panel Top Cap Transition
1. Pattern Number	64	Note: Three-way or four-way post top cap must be ordered separately when radius metal panel top caps are being used.	Trim Option: (4) = Radius Metal (5) = Flat Metal (V4) = Radius Veneer (V5) = Flat Veneer
Panel-to-Panel Top Cap Transition	Off-Module Panel Connector		
1. Pattern Number	<i>Example:</i> DP1 PMS50		
2. Trim Finish	DP1 Pattern Number		
	PMS50		
	Panel-to-Panel Top Cap Transition		Panel-to-Panel Top Cap Transition
	<i>Example:</i> DP1 TCT, 117		Add an 'SP' suffix to the base pattern number for single pack or 'TP' suffix for a 10 pack.
	DP1 TCT Pattern Number		
	117 Soft Grey		

Wall Mount Tracks and Components

57", 64", 71" and 78" High

Dividends Horizon

description	w	h	d	pattern no.	NA Black	P1	P2	P3
Wall Mount Tracks (pair)	1 1/2"	57"	1 1/2"	DP1WT57	\$376.	\$376.	\$416.	\$434.
	1 1/2"	64"	1 1/2"	DP1WT64	393.	393.	434.	447.
	1 1/2"	71"	1 1/2"	DP1WT71	408.	408.	447.	469.
	1 1/2"	78"	1 1/2"	DP1WT78	422.	422.	467.	483.
End Trim for Wall Mount Tracks	1 1/2"	57"	5/8"	DP1WTET57	n/a	139.	150.	156.
	1 1/2"	64"	5/8"	DP1WTET64	n/a	150.	169.	175.
	1 1/2"	71"	5/8"	DP1WTET71	n/a	150.	169.	175.
	1 1/2"	78"	5/8"	DP1WTET78	n/a	150.	169.	175.
Top Cap for Wall Mount Tracks	15"	3/4"	1 1/2"	DP1WTTC15	n/a	112.	124.	128.
	18"	3/4"	1 1/2"	DP1WTTC18	n/a	120.	128.	132.
	24"	3/4"	1 1/2"	DP1WTTC24	n/a	124.	133.	140.
	30"	3/4"	1 1/2"	DP1WTTC30	n/a	138.	146.	155.
	36"	3/4"	1 1/2"	DP1WTTC36	n/a	154.	170.	176.
	42"	3/4"	1 1/2"	DP1WTTC42	n/a	169.	182.	192.
	48"	3/4"	1 1/2"	DP1WTTC48	n/a	169.	182.	192.
	54"	3/4"	1 1/2"	DP1WTTC54	n/a	197.	219.	228.
	60"	3/4"	1 1/2"	DP1WTTC60	n/a	201.	221.	229.
	66"	3/4"	1 1/2"	DP1WTTC66	n/a	201.	221.	229.
	72"	3/4"	1 1/2"	DP1WTTC72	n/a	201.	221.	229.
	78"	3/4"	1 1/2"	DP1WTTC78	n/a	211.	229.	239.
	84"	3/4"	1 1/2"	DP1WTTC84	n/a	284.	308.	319.
	90"	3/4"	1 1/2"	DP1WTTC90	n/a	290.	313.	328.
	96"	3/4"	1 1/2"	DP1WTTC96	n/a	295.	323.	339.
Bottom Tile Channel for Wall Mount Tracks	15"			DP1WTBTC15	n/a	78.	84.	89.
	18"			DP1WTBTC18	n/a	79.	87.	93.
	24"			DP1WTBTC24	n/a	84.	98.	102.
	30"			DP1WTBTC30	n/a	89.	102.	104.
	36"			DP1WTBTC36	n/a	112.	124.	128.
	42"			DP1WTBTC42	n/a	127.	139.	142.
	48"			DP1WTBTC48	n/a	142.	158.	168.

Ordering Information	Order Code	Included with:	Options
Wall Mount Tracks	Wall Mount Tracks	Wall Mount Tracks	
1. Pattern Number	<i>Example:</i> DP1WT57613	Wall fasteners are not included or supplied by Knoll.	
2. Paint Finish	DP1WT57 Pattern Number		
End Trim for Wall Mount Tracks	613 Paint Finish	Bottom Tile Channel for Wall Mount Tracks	
1. Pattern Number	Tile Support Brackets	• Hardware	
2. Paint Finish	<i>Example:</i> DP1WTTSB	Tile Support Brackets for Wall Mount Tracks	
Top Cap for Wall Mount Tracks	DP1WT Pattern Number	• Hardware	
1. Pattern Number	TSB		
2. Paint Finish			
Bottom Tile Channel for Wall Mount Tracks			
1. Pattern Number			
2. Paint Finish			
Tile Support Brackets			
1. Pattern Number			

Wall Mount Tracks and Components 57", 64", 71" and 78" High

description	w	h	d	pattern no.	NA Black	P1	P2	P3
Tile Support Brackets for Wall Mount Tracks (pair)				DP1WTTSB	\$15.	n/a	n/a	n/a






Ordering Information	Order Code	Included with:	Options
Wall Mount Tracks	Wall Mount Tracks	Wall Mount Tracks	
1. Pattern Number	Example: DP1WT57613	Wall fasteners are not included or supplied by Knoll.	
2. Paint Finish	DP1WT57 Pattern Number		
End Trim for Wall Mount Tracks	613 Paint Finish	Bottom Tile Channel for Wall Mount Tracks	
1. Pattern Number	Tile Support Brackets	• Hardware	
2. Paint Finish	Example: DP1WTTSB	Tile Support Brackets for Wall Mount Tracks	
Top Cap for Wall Mount Tracks	DP1WT Pattern Number	• Hardware	
1. Pattern Number	TSB		
2. Paint Finish			
Bottom Tile Channel for Wall Mount Tracks			
1. Pattern Number			
2. Paint Finish			
Tile Support Brackets			
1. Pattern Number			

Coat Hooks and Reveal Fillers

Carpet Grippers

Dividends Horizon

description	type	h	w	d	pattern no.	list	P1	P2	P3
Carpet Grippers 	Package of 10				DP1 CG	\$21.			
Coat Hook (For Panel Slotted Standard) 	Package of 10				DP2CHTP		246.	246.	246.
Coat Hook (For radius metal and plastic trim only) (Package of 4) 	Anodized Black Finish				DP1 CHB	215.			
	Matte Aluminum Finish				DP1 CHP	203.			
Wide Panel Reveal Filler (for panel-to-panel, panel-to-DP2/4/5 end trim or between laminate inserts) 	15 Fillers	74"			DP2PRFW15 ()	102.			
Narrow Panel Reveal Filler (for panel-to-post attachment and panel-to-DP6 end trim) 	15 Fillers	74"			DP2PRFN15 ()	77.			
Corner Panel Reveal Filler (for inside corner of DP8 post) 	15 Fillers	74"			DP2PRFIC15	293.			

Ordering Information	Order Code	Included with:	Options
Panel Rigidizer Bracket	Panel Rigidizer Bracket	Panel Rigidizer Bracket	Panel Rigidizer Bracket
1. Pattern Number	<i>Example:</i> DP1 PRBL	• Rigidizer Bracket	Panel Reveal Filler
Panel Reveal Filler	Panel Reveal Filler	• Set Screws	Note: Two narrow panel reveal fillers are required for inside corner on DP2/4/5 posts. They are used only on the outside of DP8 posts.
1. Pattern Number	<i>Example:</i> DP1PRF N15	Panel Reveal Filler	Panel Reveal Option:
Slotted Standard Coat Hook	Slotted Standard Coat Hook	• Reveal Fillers (15 qty)	(B) = Black
1. Pattern Number	<i>Example:</i> DP2CH		(W) = White
2. Paint Finish	118 Bright White		(G) = Grey

Coat Hooks and Reveal Fillers

Accessories

Dividends Horizon

description	type	w	d	h	pattern no.	list	lam.	V1	V2
Coathooks (10)					MM2-CH	\$155.	\$0.	\$0.	\$0.
Carpet grips (10)	Morrison Panel only				MM2-CG	48.	0.	0.	0.
Privacy screen alignment clips, set of 10	Corner				MZ1-LS	74.	0.	0.	0.
	Straight				MZ1-SS	74.	0.	0.	0.
Sample Worksurface	Dividends Horizon Post Formed	16"	16"	1 1/4"	MSAMP1616	0.	176.	227.	469.

Post Connectors/End Trim

Order Code	Specification Information	Application Notes
Example: MM1-PD-612	<i>Specify paint finishes:</i>	Stabilizer foot attaches to connector track to stabilize panel runs.
MM1 Accessory	Pencil tray is molded plastic and available in black or clear.	Carpet grips snap under panel glides to prevent panel runs from sliding. Glide rotates in carpet grip to permit leveling. Coathooks engage below the top cap at any point on the vertical panel.
PD Height	Black: N	Pencil drawer secures underneath a worksurface.
612 Medium Grey	Clear: C	

Covered L Specification

The Covered L Gallery Panel attaches directly to the end of a Dividends Horizon Panel as a return without the need for a Universal Post. Covered L applications are specified as either right or left handed and have a maximum overall width of 99". Extension can be added to create longer runs. Returns can be added to enclose a space or provide additional stability. All hardware is included.

Follow the steps below to complete a Covered L Gallery Panel specification:

- 1. Application:** Covered L (L).
- 2. Plus Dimension:** In applications where a Return is required, choose the plus dimension: left, right or none (L, R or N). L and R add 1 $\frac{3}{16}$ " to the overall width and preserves the on-module width inside the workstation.

3. Height: Worksurface Height, 36" 42", 50"

4. Width: 16", 19", 20", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"

Note: Widths above are the usable, on-module dimension inside the workstation, not overall dimension.

5. Handed: Choose either left or right (L or R). handedness is determined from the user's perspective within the workstation. See below.

Note: If a Plus Dimension is chosen (L or R), the handedness must match (L or R).

6. Adjacent Panel Height: Choose the height of the adjacent Dividends Horizon (50, 42, 36 or WH).

Note: Hi Lo applications with WH Dividends Panels are not supported.

7. Finish: Choose the appropriate laminate or veneer finish.

8. Laminate Grain Direction: Choose vertical or horizontal grain direction (V or H) or (~) for solid color laminate.

Note: No grain direction choice is required for solid color laminate.

Note: Woodgrain laminate is not available with grain matching in Shared T and Extension/Return Gallery Panel applications.



Note: See width limitations by finish option as referenced on the Dividends Horizon Gallery Panel Specification page.

9. Edgeband: Choose any standard synthetic edge option.


Length of Run Restriction: No Covered L Gallery Panel run can exceed 96" (usable), including extensions without lateral support for stability i.e. attaching to freestanding storage or using a Gallery Panel Return.

Product Line	Category	Application (1)	Plus Dimensions (2)	Height (3)	Width 1 (4)	Handed (5)	Adjacent Panel (6)	Finish (7)	Grain Direction (8)	Edgeband (9)
DP	GP	L	R	WH	16	R	WH	118	~	118
DP= Dividend Panel	GP= Gallery Panel	L= Covered L	R= Add 1 $\frac{3}{16}$ " to the right side L= Add 1 $\frac{3}{16}$ " to the left side N= No Added dimensions	WH= Work surface height 36= 36" Height 42= 42" Height 50= 50" Height	16= 16" Wide 19= 19" Wide 20= 20" Wide 24= 24" Wide 30= 30" Wide 36= 36" Wide 42= 42" Wide 48= 48" Wide 54= 54" Wide 60= 60" Wide 66= 66" Wide 72= 72" Wide 78= 78" Wide 84= 84" Wide 90= 90" Wide 96= 96" Wide	R= Right Handed L= Left Handed	WH: WH 36: 36" 42: 42" or 36" 50: 50", 42" or 36"	Select Finish	V= Vertical H= Horizontal ~ = Solid color lam	Select Edge Band


Gallery Panel to Dividends Horizon Panel Alignment



Covered L, Left Hand



Covered L, Right Hand



Covered L, Attachment

Covered T Specification

The Covered T Gallery Panel attaches to the end of a Dividends Horizon Panel run as a dual return without the need for a universal post. Covered T applications have widths that are specified independently and cannot exceed an overall width of 99". Extension can be added to create longer runs. Returns can be added to enclose a space or provide additional stability. All hardware included.

Follow the steps below to complete a Covered T Gallery Panel Specification:

- 1. Application:** Covered T (T).
- 2. Plus Dimension:** In applications where a Return(s) are required, choose the plus dimension: left, right, both or none (L, R, B or N). L and R add 1 $\frac{3}{16}$ " to the left or right sides, B adds 1 $\frac{3}{16}$ " to both left and right sides and preserves the on-module width inside the workstation.

3. Height: Worksurface Height, 36" 42", 50"

4. Width 1: 16", 19", 20", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"

5. Width 2: 16", 19", 20", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"

Note: Widths above are the usable, on-module dimension inside the workstation, not overall dimension.

Note: No combination of Width 1 and Width 2 can exceed 96".

6. Adjacent Panel Height: Choose the height of the adjacent Dividends Horizon (50, 42, 36 or WH).

Note: Hi Lo applications with WH Dividends Panels are not supported.

7. Finish: Choose the appropriate laminate or veneer finish.

8. Laminate Grain Direction: Choose vertical or horizontal grain direction (V or H) or (~) for solid color laminate.



Note: See width limitations by finish option as referenced on the Dividends Horizon Gallery Panel Specification page.

9. Edgeband: Choose any standard synthetic edge option.


Length of Run Restriction: No Covered T Gallery Panel run can exceed 96" (usable), including extensions without lateral support for stability i.e. attaching to freestanding storage or using a Gallery Panel Return.

Product Line	Category	Application (1)	Plus Dimensions (2)	Height (3)	Width 1 (4)	Width 2 (5)	Adjacent Panel (6)	Finish (7)	Grain Direction (8)	Edgeband (9)
DP	GP	T	R	WH	16	16	WH	118	~	118
DP= Dividend Panel	GP= Gallery Panel	T= Covered T	R= Add 1 $\frac{3}{16}$ " to the right side L= Add 1 $\frac{3}{16}$ " to the left side N= No Added dimensions	WH= Work surface height 36= 36" Height 42= 42" Height 50= 50" Height	16= 16" Wide 19= 19" Wide 20= 20" Wide 24= 24" Wide 30= 30" Wide 36= 36" Wide 42= 42" Wide 48= 48" Wide 54= 54" Wide 60= 60" Wide 66= 66" Wide 72= 72" Wide 78= 78" Wide	16= 16" Wide 19= 19" Wide 20= 20" Wide 24= 24" Wide 30= 30" Wide 36= 36" Wide 42= 42" Wide 48= 48" Wide 54= 54" Wide 60= 60" Wide 66= 66" Wide 72= 72" Wide 78= 78" Wide	WH: WH 36: 36" 42: 42" or 36" 50: 50", 42" or 36"	Select Finish	V= Vertical H= Horizontal ~ = Solid color lam	Select Edge Band


Gallery Panel to Dividends Horizon Panel Alignment




Covered T: Combination of W1 and W2 not to exceed 96"



Covered T: Overall width not to exceed 99"



50"H Covered T with 42"H Adjacent Dividends Horizon Panel



Covered T Attachment

Shared T Specification

The Shared T Gallery Panel application attaches to the end of a Dividends Horizon Panel run and specified as an assembly of two gallery panels without the need for a universal post. Shared T applications have widths that are specified independently up to 96" for greater planning flexibility and where the joints bisects the adjacent Dividends Horizon Panel. Extension can be added to create longer runs. Returns can be added to enclose a space or provide additional stability. All hardware is included.

Follow the steps below to complete a Shared T Gallery Panel specification:

- 1. Application:** Shared T (S).
- 2. Plus Dimension:** In applications where a Return(s) are required, choose the plus dimension: left, right, both or none (L, R, B or N). L and R add 1 3/16" to the left or right sides, B adds 1 3/16" to both left and right sides and preserves the on-module width inside the workstation.

3. Height: Worksurface Height, 36" 42", 50"

4. Width 1: 16", 19", 20", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"

5. Width 2: 16", 19", 20", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"

Note: Widths above are the usable, on-module dimension inside the workstation, not overall dimension.

6. Adjacent Panel Height: Choose the height of the adjacent Dividends Horizon (50, 42, 36 or WH)

Note: Hi Lo applications with WH Dividends Panels are not supported.

7. Finish: Choose the appropriate laminate or veneer finish.



8. Laminiate Grain Direction: Choose vertical or horizontal grain direction (V or H) or (~) for solid color laminate.

Note: See width limitations by finish option as referenced on the Dividends Horizon Gallery Panel Specification page.

9. Edgeband: Choose any standard synthetic edge option.



Length of Run Restriction: No Shared T Gallery Panel run can exceed 96" (usable), including extensions without lateral support for stability i.e. attaching to freestanding storage or using a Gallery Panel Return.

Product Line	Category	Application (1)	Plus Dimensions (2)	Height (3)	Width 1 (4)	Width 2 (5)	Adjacent Panel (6)	Finish (7)	Grain Direction (8)	Edgeband (9)
DP	GP	S	R	WH	16	16	WH	118	~	118
DP= Dividend Panel GP= Gallery Panel S= Shared T			R= Add 1 3/16" to the right side L= Add 1 3/16" to the left side N= No Added dimensions	WH= Work surface height 36= 36" Height 42= 42" Height 50= 50" Height	16= 16" Wide 19= 19" Wide 20= 20" Wide 24= 24" Wide 30= 30" Wide 36= 36" Wide 42= 42" Wide 48= 48" Wide 54= 54" Wide 60= 60" Wide 66= 66" Wide 72= 72" Wide 78= 78" Wide 84= 84" Wide 90= 90" Wide 96= 96" Wide	16= 16" Wide 19= 19" Wide 20= 20" Wide 24= 24" Wide 30= 30" Wide 36= 36" Wide 42= 42" Wide 48= 48" Wide 54= 54" Wide 60= 60" Wide 66= 66" Wide 72= 72" Wide 78= 78" Wide 84= 84" Wide 90= 90" Wide 96= 96" Wide	WH: WH 36= 36" 42= 42" or 36" 50= 50", 42" or 36"	Select Finish	V= Vertical H= Horizontal ~ = Solid color lam	Select Edge Band




Gallery Panel to Dividends Horizon Panel alignment

Shared T: W1 or W2 can exceed 96"



50"H Shared T with 42"H Adjacent Dividends Horizon Panel



Shared T Gallery Panel Connection

Extension/ Return Specification

The **Extension Gallery Panel** application attaches, in-line, to the end of an existing gallery panel to add length to a run. Maximum width is 78". All hardware is included.

The **Return Gallery Panels** application attaches the face of an existing gallery panel to add stability to a panel run or privacy to a workstation. Maximum width is 78". All hardware is included.

Note: Extensions and Returns are identical except for where the attach to an existing gallery panel.

Extension can be added to create longer runs. Returns can be added to enclose a space or provide additional stability.

Follow the steps below to complete an Extension/ Return Gallery Panel Specification:

- 1. **Application:** Extension/ Return (E).
- 2. **Plus Dimension:** In applications where a Return(s) are required, choose the plus dimension: left, right, both or none (L, R, B or N). L and R add 1 3/16" to the left or right sides, B adds 1 3/16" to both left and right sides and preserves the on-module width inside the workstation.
- 3. **Height:** Worksurface Height, 36" 42" 50"
- 4. **Width 1:** 16", 19", 20", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78"

5. **Finish:** Choose the appropriate laminate or veneer finish.


6. **Laminate Grain Direction:** Choose vertical or horizontal grain direction (V or H) or (~) for solid color laminate.

Note: See width limitations by finish option as referenced on the Dividends Horizon Gallery Panel Specification page.



7. **Edgeband:** Choose any standard synthetic edge option.

Length of Run Restriction: No Shared T Gallery Panel run can exceed 96" (usable), including extensions without lateral support for stability i.e. attaching to freestanding storage or using a Gallery Panel Return.

Product Line	Category	Application (1)	Plus Dimensions (2)	Height (3)	Width 1 (4)	Finish (5)	Grain Direction (6)	Edgeband (7)
DP	GP	E	R	WH	16	118	~	118
DP= Dividend Panel	GP= Gallery Panel	E= Extension	R= Add 1 3/16" to the right side L= Add 1 3/16" to the left side N= No Added dimensions	WH= Work surface height 36= 36" Height 42= 42" Height 50= 50" Height	16= 16" Wide 19= 19" Wide 20= 20" Wide 24= 24" Wide 30= 30" Wide 36= 36" Wide 42= 42" Wide 48= 48" Wide 54= 54" Wide 60= 60" Wide 66= 66" Wide 72= 72" Wide 78= 78" Wide	Select Finish	V= Vertical H= Horizontal ~ = Solid color lam	Select Edge Band



Covered T with an Extension Gallery Panel to create a longer run



Attached storage or Return Gallery Panel for stability on ALL runs that exceed 96"

Intermediate Specification

The Intermediate Gallery Panel application can be specified as either Freestanding or Panel Mounted.

Freestanding Intermediate Gallery Panels are specified as an off-module divider between workstations and are not connected to the Dividends Horizon slotted standard. Maximum width is 78". Extensions/Returns cannot be added.

Dividends Horizon Freestanding Feet (DPGPF) are offered in pairs. Two (2) pairs are required to complete the assembly and are ordered separately.

Note: Freestanding Intermediate applications are best suited for 42" and wider Gallery Panels.

Panel Mounted Intermediate Gallery Panels are specified as a divider between workstations and are connected to the Dividends Horizon Panel slotted standard. Maximum width is 78". Extensions/Returns cannot be added to intermediate gallery panels.


Dividends Horizon Gallery Panel Brackets (DPGPPB) are offered in pairs, either left or right handed. One (1) pair is required to complete the assembly and are ordered separately.

Note: Panel Mounted Intermediate applications are best suited for 16"-36" wide Gallery Panels.


Follow the steps below to complete an Extension/ Return Gallery Panel Specification:

- 1. Application:** Intermediate (I).
- 2. Height:** Worksurface Height, 36" 42", 50"
- 3. Width 1:** 16", 19", 20", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78"
- Note:** Widths above are the usable, on-module dimension inside the workstation, not overall dimension.
- 4. Finish:** Choose the appropriate laminate or veneer finish.
- 5. Laminate Grain Direction:** Choose vertical or horizontal grain direction (V or H) or (~) for solid color laminate.
- Note:** See width limitations by finish option as referenced on the Dividends Horizon Gallery Panel Specification page.
- 6. Edgeband:** Choose any standard synthetic edge option.



Product Line	Category	Application (1)	Height (2)	Width 1 (3)	Finish (4)	Grain Direction (5)	Edgeband (6)
DP	GP	I	WH	16	118	~	118
DP= Dividend Panel	GP= Gallery Panel	I= Intermediate	WH= Work surface height 36= 36" Height 42= 42" Height 50= 50" Height	16= 16" Wide 19= 19" Wide 20= 20" Wide 24= 24" Wide 30= 30" Wide 36= 36" Wide 42= 42" Wide 48= 48" Wide 54= 54" Wide 60= 60" Wide 66= 66" Wide 72= 72" Wide 78= 78" Wide	Select Finish	V= Vertical H= Horizontal ~ = Solid color lam	Select Edge Band




Intermediate Gallery Panel with Freestanding Feet




Gallery Panel, Freestanding Feet, DPGPF




Left-Hand Panel Bracket DPGPPBL



Right-Hand Panel Bracket DPGPPBR



Intermediate Gallery Panel with Left-Hand Panel Bracket



Intermediate Gallery Panel with Right-Hand Bracket



Follow the steps below to complete an Add Up for Covered L Gallery Panel specification:

1. Application: Covered L (L).

2. Plus Dimension: In applications where a Return is required, choose the plus dimension: 1 3/18" or none (1 or N). "1" adds 1 3/16" to the overall width and preserves the on-module width inside the workstation.

3. Add Up Height: 7", 14" and 21"

4. Width: 16", 19", 20", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96".

Note: Widths above are the usable, on-module dimension inside the workstation, not overall dimension.

5. Material: 1/4", 3/8", 1/2" Glass or 12mm PET


6. Material Finish:

- 1/2" glass options: clear, frosted, bronze or grey
- 3/8" Glass options: clear or laminated powder
- 1/4" Glass options: clear or frosted
- 12mm PET options: Slate, Pewter, Smoke, Ochre, Cobalt

7. Frame Finish: Choose a standard Knoll powdercoat finish.

Note: Add ups must be specified to match the base Gallery Panel application type.

Product Line	Category	Application (1)	Plus Dimensions (2)	Height (3)	Width 1 (4)	Material (5)	Finish (6)	Frame Finish (7)
DP	GPAU	T	1	7	16	H	TEMP	113T
DP= Dividend Panel	GPAU= Gallery Panel Add Up	L= Covered	N=No added dimension 1=Add 1 3/16" to the end	7=7" Height 14=14" Height 21=21" Height	16=16" Wide 19=19" Wide 20=20" Wide 24=24" Wide 30=30" Wide 36=36" Wide 42=42" Wide 48=48" Wide 54=54" Wide 60=60" Wide 66=66" Wide 72=72" Wide 78=78" Wide 84=84" Wide 90=90" Wide 96=96" Wide	H=1/2" Glass W=3/8" Glass E=1/4" Glass T=12mm PET	For H glass option: (Temp)=Clear (GL13)=Frosted (GL25)=Bronze (GL35)=Grey For E glass option: (Temp)=Clear (GL13)=Frosted For W glass option: (Temp)=Clear (GL60)=Laminated Powder For T option: (PET12SL)=Slate (PET12PW)=Pewter (PET12SM)=Smoke (PET12OC)=Ochre (PET12CB)=Cobalt	(611T)=Beige Mist Metallic (120T)=Black Brown (118T)=Bright White (112T)=Brown (113T)=Dark Grey (114T)=Folkstone Grey (111T)=Jet Black (115T)=Medium Grey (612T)=Medium Metallic Grey (116T)=Sandstone (613)=Silver (117T)=Soft Grey





Follow the steps below to complete an Add Up for Covered T Gallery Panel specification:

1. Application: Covered T (T).

2. Plus Dimension: In applications where a Return is required, choose the plus dimension: 1 3/16" or none (1 or N). "1" adds 1 3/16" to the overall width and preserves the on-module width inside the workstation.

3. Add Up Height: 7", 14" and 21"

4. Width 1: 16", 19", 20", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78"

5. Width 2: 16", 19", 20", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78"

Note: Widths above are the usable, on-module dimension inside the workstation, not overall dimension.

6. Material: 1/4", 3/8", 1/2" Glass or 12mm PET



7. Material Finish:

- 1/2" glass options: clear, frosted, bronze or grey
- 3/8" Glass options: clear or laminated powder
- 1/4" Glass options: clear or frosted
- 12mm PET options: Slate, Pewter, Smoke, Ochre, Cobalt

8. Frame Finish: Choose a standard Knoll powdercoat finish.

Note: Add ups must be specified to match the base Gallery Panel application type.

Product Line	Category	Application (1)	Plus Dimensions (2)	Height (3)	Width 1 (4)	Width 2 (5)	Material (6)	Finish (7)	Frame Finish (8)
DP	GPAU	T	1	7	16	60	H	TEMP	113T
DP= Dividend Panel	GPAU= Gallery Panel Add Up	T= Covered	N=No added dimension 1=Add 1 3/16" to the end	7=7" Height	16=16" Wide	16=16" Wide	H=1/2" Glass	For H glass option: (Temp)=Clear (GL13)=Frosted (GL25)=Bronze (GL35)=Grey For E glass option: (Temp)=Clear (GL13)=Frosted For W glass option: (Temp)=Clear (GL60)=Laminated Powder For T option: (PET12SL)=Slate (PET12PW)=Pewter (PET12SM)=Smoke (PET12OC)=Ochre (PET12CB)=Cobalt	(611T)=Beige
				14=14" Height	19=19" Wide	19=19" Wide	W=3/8" Glass		Mist Metallic
				21=21" Height	20=20" Wide	20=20" Wide	E=1/4" Glass		(120T)=Black Brown
					24=24" Wide	24=24" Wide	T=12mm PET		(118T)=Bright White
					30=30" Wide	30=30" Wide			(112T)=Brown
					36=36" Wide	36=36" Wide			(113T)=Dark Grey
					42=42" Wide	42=42" Wide			(114T)=Folkstone Grey
					48=48" Wide	48=48" Wide			(111T)=Jet Black
					54=54" Wide	54=54" Wide			(115T)=Medium Grey
					60=60" Wide	60=60" Wide			(612T)=Medium Metallic Grey
					66=66" Wide	66=66" Wide			(116T)=Sandstone
					72=72" Wide	72=72" Wide			(613)=Silver
					78=78" Wide	78=78" Wide			(117T)=Soft Grey
					84=84" Wide	84=84" Wide			
					90=90" Wide	90=90" Wide			
					96=96" Wide	96=96" Wide			





Follow the steps below to complete an Add Up for Shared T Gallery Panel specification:

1. Application: Shared T (S).

2. Plus Dimension: In applications where a Return is required, choose the plus dimension: 1 3/18" or none (1 or N). "1" adds 1 3/16" to the overall width and preserves the on-module width inside the workstation.

3. Add Up Height: 7", 14" and 21"

4. Width: 16", 19", 20", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96".

Note: Widths above are the usable, on-module dimension inside the workstation, not overall dimension.

5. Material: 1/4", 3/8", 1/2" Glass or 12mm PET



6. Material Finish:

- 1/2" glass options: clear, frosted, bronze or grey
- 3/8" Glass options: clear or laminated powder
- 1/4" Glass options: clear or frosted
- 12mm PET options: Slate, Pewter, Smoke, Ochre, Cobalt

7. Frame Finish: Choose a standard Knoll powdercoat finish.

Note: Add ups must be specified to match the base Gallery Panel application type.

Product Line	Category	Application (1)	Plus Dimensions (2)	Height (3)	Width 1 (4)	Material (5)	Finish (6)	Frame Finish (7)
DP	GPAU	T	1	7	16	H	TEMP	113T
DP= Dividend Panel	GPAU= Gallery Panel Add Up	S= Shared T	N=No added dimension 1=Add 1 3/16" to the end	7=7" Height 14=14" Height 21=21" Height	16=16" Wide 19=19" Wide 20=20" Wide 24=24" Wide 30=30" Wide 36=36" Wide 42=42" Wide 48=48" Wide 54=54" Wide 60=60" Wide 66=66" Wide 72=72" Wide 78=78" Wide 84=84" Wide 90=90" Wide 96=96" Wide	H=1/2" Glass W=3/8" Glass E=1/4" Glass T=12mm PET	For H glass option: (Temp)=Clear (GL13)=Frosted (GL25)=Bronze (GL35)=Grey For E glass option: (Temp)=Clear (GL13)=Frosted For W glass option: (Temp)=Clear (GL60)=Laminated Powder For T option: (PET12SL)=Slate (PET12PW)=Pewter (PET12SM)=Smoke (PET12OC)=Ochre (PET12CB)=Cobalt	(611T)=Beige Mist Metallic (120T)=Black Brown (118T)=Bright White (112T)=Brown (113T)=Dark Grey (114T)=Folkstone Grey (111T)=Jet Black (115T)=Medium Grey (612T)=Medium Metallic Grey (116T)=Sandstone (613)=Silver (117T)=Soft Grey





Follow the steps below to complete an Add Up for Extension/Return Gallery Panel specification:

1. Application: Extension/Return (E).

2. Plus Dimension: In applications where a Return is required, choose the plus dimension: 1 3/16" or none (1 or N). "1" adds 1 3/16" to the overall width and preserves the on-module width inside the workstation.

3. Add Up Height: 7", 14" and 21"

4. Width: 16", 19", 20", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96".

Note: Widths above are the usable, on-module dimension inside the workstation, not overall dimension.

5. Material: 1/4", 3/8", 1/2" Glass or 12mm PET



6. Material:

- 1/2" glass options: clear, frosted, bronze or grey
- 3/8" Glass options: clear or laminated powder
- 1/4" Glass options: clear or frosted
- 12mm PET options: Slate, Pewter, Smoke, Ochre, Cobalt

7. Frame Finish: Choose a standard Knoll powdercoat finish.

Note: Add ups must be specified to match the base Gallery Panel application type.

Product Line	Category	Application (1)	Plus Dimensions (2)	Height (3)	Width 1 (4)	Material (5)	Finish (6)	Frame Finish (7)
DP	GPAU	T	1	7	16	H	TEMP	113T
DP= Dividend Panel	GPAU= Gallery Panel Add Up	L= Covered	N=No added dimension 1=Add 1 3/16" to the end	7=7" Height	16=16" Wide	H=1/2" Glass	For H glass option: (Temp)=Clear	(611T)=Beige Mist Metallic
				14=14" Height	19=19" Wide	W=3/8" Glass	(GL13)=Frosted	(120T)=Black Brown
				21=21" Height	20=20" Wide	E=1/4" Glass	(GL25)=Bronze	(118T)=Bright White
					24=24" Wide	T=12mm PET	(GL35)=Grey	(112T)=Brown
					30=30" Wide		For E glass option: (Temp)=Clear	(113T)=Dark Grey
					36=36" Wide		(GL13)=Frosted	(114T)=Folkstone Grey
					42=42" Wide		For W glass option: (Temp)=Clear	(111T)=Jet Black
					48=48" Wide		(GL60)=Laminated Powder	(115T)=Medium Grey
					54=54" Wide		For T option: (PET12SL)=Slate	(612T)=Medium Metallic Grey
					60=60" Wide		(PET12PW)=Pewter	(116T)=Sandstone
					66=66" Wide		(PET12SM)=Smoke	(613)=Silver
					72=72" Wide		(PET12OC)=Ochre	(117T)=Soft Grey
					78=78" Wide		(PET12CB)=Cobalt	
					84=84" Wide			
					90=90" Wide			
					96=96" Wide			





Follow the steps below to complete an Add Up for Intermediate Gallery Panel specification:

1. Application: Intermediate (i).

2. Add Up Height: 7", 14" and 21"

3. Width: 16", 19", 20", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96".

Note: Widths above are the usable, on-module dimension inside the workstation, not overall dimension.

4. Material: 1/4", 3/8", 1/2" Glass or 12mm PET

5. Material:

- 1/2" glass options: clear, frosted, bronze or grey
- 3/8" Glass options: clear or laminated powder
- 1/4" Glass options: clear or frosted
- 12mm PET options: Slate, Pewter, Smoke, Ochre, Cobalt

6. Frame Finish: Choose a standard Knoll powdercoat finish.

Note: Add ups must be specified to match the base Gallery Panel application type.


Product Line	Category	Application (1)	Height (3)	Width 1 (4)	Material (5)	Finish (6)	Frame Finish (7)
DP	GPAU	i	7	16	H	TEMP	113T
DP= Dividend Panel	GPAU= Gallery Panel Add Up	i=intermediate	7=7" Height	16=16" Wide	H=1/2" Glass	For H glass option:	(611T)=Beige
			14=14" Height	19=19" Wide	W=3/8" Glass	(Temp)=Clear	Mist Metallic
			21=21" Height	20=20" Wide	E=1/4" Glass	(GL13)=Frosted	(120T)=Black Brown
				24=24" Wide	T=12mm PET	(GL25)=Bronze	(118T)=Bright White
				30=30" Wide		(GL35)=Grey	(112T)=Brown
				36=36" Wide		For E glass option:	(113T)=Dark Grey
				42=42" Wide		(Temp)=Clear	(114T)=Folkstone Grey
				48=48" Wide		(GL13)=Frosted	(111T)=Jet Black
				54=54" Wide		For W glass option:	(115T)=Medium Grey
				60=60" Wide		(Temp)=Clear	(612T)=Medium
				66=66" Wide		(GL60)=Laminated Powder	Metallic Grey
				72=72" Wide		For T option:	(116T)=Sandstone
				78=78" Wide		(PET12SL)=Slate	(613)=Silver
				84=84" Wide		(PET12PW)=Pewter	(117T)=Soft Grey
				90=90" Wide		(PET12SM)=Smoke	
				96=96" Wide		(PET12OC)=Ochre	
						(PET12CB)=Cobalt	

Universal Gallery Panels

Gallery Panel

Components

Dividends Horizon

description	w	h	d	pattern no.	list	P1	P2	P3
Gallery Panel Freestanding Foot (Assembly - Single Foot) 	4"	3"	5"	DPGPF		\$335.	\$345.	\$350.
Gallery Panel Panel Brackets (Pair) 	1"	3"		DPGPPB(L/R)	91.	0.	0.	0.
Gallery Panel Carpet Grippers (10 per pack) 	3/4"	1/8"	3/4"	DPGPCG	20.	0.	0.	0.

Ordering Information	Order Code	Included with:	Options:
Concealed Post 1. Pattern Number 2. Paint Finish Code	Concealed Post Example: DP8PO42CPF DP8PO42 Pattern Number CPF	Concealed Post • Tile to floor filler	Post Top Cap Option: (4) = Radius Profile (5) = Flat Profile
Concealed Post Top Caps 1. Pattern Number 2. Paint Finish Code	Con- cealed Post Caps Example: DP8PTCP5 DP8PTCP Pattern Number 5 Flat profile 613 Silver paint finish	Concealed Post Top Caps	

Universal Gallery Panels

Add Up Screen

Components

Dividends Horizon



description	type	pattern no.	Single	10 pack
Gallery Panel	For 1/2" Glass	DP1AUACH	\$3.	\$42.
Add Up Screen, Glass/PET	For 1/4" Glass	DP1AUACE	3.	42.
Alignment Clips	For 3/8" Glass	DP1AUACW	3.	42.

Alternative Planning

Ordering Information	Order Code	Options:
Alignment Clips	Concealed Post	Alignment Clip
1. Pattern Number	<i>Example:</i> DP1AUACES	S = Single Pack
2. Pack size	DP1AUACE Pattern Number	T = Ten Pack
	S Flat profile	

Elevated Spine Frame Assemblies

Dividends Horizon

description	h	w	d	pattern no.	list
27" H Elevated Spine Frame Assembly Topway 	22 1/2"	42"	3"	DP8ES2742	\$467.
	22 1/2"	48"	3"	DP8ES2748	478.
	22 1/2"	60"	3"	DP8ES2760	488.
	22 1/2"	66"	3"	DP8ES2766	494.
	22 1/2"	72"	3"	DP8ES2772	499.
36" H Elevated Spine Frame Assembly Topway 	29 1/2"	42"	3"	DP8ES3642	483.
	29 1/2"	48"	3"	DP8ES3648	488.
	29 1/2"	60"	3"	DP8ES3660	494.
	29 1/2"	66"	3"	DP8ES3666	499.
	29 1/2"	72"	3"	DP8ES3672	504.
Spine Frame Cable Management Tray	1"	15"	2"	DP8ESCMT	108.

Ordering Information

Spine Frame Assembly
1. Pattern Number
2. Finish

Order Code

Topway Panel Frame Assembly

Example: **DP8ES3642,118**

DP8ES Elevated Spine
Assembly

36 Height

42 Width

118 Bright White

Included with:

Panel Frame Assembly:


- Frame Assembly
- Cable management tray (1 qty)

Note: Spine Frame assemblies come with 1 quantity cable management tray. Order additional tray separately or longer frames.


Elevated Spine Legs and Covers

Dividends Horizon

description	type	h	w	d	pattern no.	Laminate
Elevated Spine End Leg w/Foot	No Infeed Cutout in Cover	13"	3"	22"	DP8ESFE	\$341.
	With Infeed Cutout in Cover	13"	3"	22"	DP8ESFF	378.



Elevated Spine Shared Leg w/Foot	No Infeed Cutout in Cover	10"	3"	22"	DP8ESFS	362.
	With Infeed Cutout in Cover	10"	3"	22"	DP8ESFR	399.



Elevated Spine Shared Leg No Foot	No Infeed Cutout in Cover	11"	3"	3"	DP8ESFI	294.
	With Infeed Cutout in Cover	11"	3"	3"	DP8ESFJ	326.



Elevated Spine Leg Cover	No Infeed Cutout in Cover	9"	3"	3"	DP8ESFC	221.
	With Infeed Cutout in Cover	9"	3"	3"	DP8ESFO	242.



Alternative Planning


Ordering Information	Order Code	Included with:
Spine Legs	Spine Legs	Spine Legs:
1. Pattern Number	<i>Example:</i> DP8ESFR 117	• Leg Assembly
2. Finish	DP8ES Elevated Spine Assembly	• Cover
	E End leg	
	R With Foot	
	117 Soft Grey Leg Finish	

description	type	h*	w	d	pattern no.	Metal P1	Metal P2	Metal P3	V
Spine End Trim 	27 1/2"	27 1/2"	3"	5/8"	DP5PEES27	\$102.	\$113.	\$119.	
	36"	36"	3"	5/8"	DP5PE36F	102.	113.	119.	375.
Spine End Trim for Recessed Glass 	27 1/2"	27 1/2"	3"	5/8"	DP5PEGES27	102.	113.	119.	356.
	36"	36"	3"	5/8"	DP5PEG36F	102.	113.	119.	

h* = nominal height
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:
Spine End Trim	Spine End Trim	Spine End Trim:
1. Pattern Number	Example: DP5PE36F, 117	• Panel end cover
2. Trim Finish	DP5PE Spine End Trim	• Connection hardware
	36 Height	
	F Flat Trim	
	117 Pattern number	

description	w	pattern no.	Metal P1	Metal P2	Metal P3	V1	V2	V3
Elevated Spine Top Caps	42"	DP5PT42	\$68.	\$72.	\$75.	\$251.	\$284.	\$329.
	48"	DP5PT48	68.	72.	75.	287.	323.	375.
	60"	DP5PT60	78.	80.	87.	359.	405.	470.
	66"	DP5PT66	87.	93.	100.	391.	441.	511.
	72"	DP5PT72	98.	104.	110.	414.	468.	543.



Alternative Planning

Ordering Information	Order Code	Included with:	Options
Panel Top Cap	Panel Top Cap	Panel Top Cap	
1. Pattern Number	<i>Example:</i> DP5PT42 , 117	• Panel Top Cap	
2. Trim Finish	DP5PT42 Pattern number		
	117 Soft Grey trim finish		


Elevated Spine

Monolithic Panel Fabric Inserts


For 27.5" h Elevated Spine

Dividends Horizon


description	w*	w	h	d	pattern no.	grade 10	20	30	40
17" High Individual Monolithic Fabric Insert, - No Cutouts	42"	41 5/8"	17 1/2"	7/16"	DP1SO1742NN	\$232.	\$264.	\$284.	\$307.
	48"	47 5/8"	17 1/2"	7/16"	DP1SO1748NN	263.	294.	314.	337.
	60"	59 5/8"	17 1/2"	7/16"	DP1SO1760NN	281.	313.	333.	356.
	66"	65 5/8"	17 1/2"	7/16"	DP1SO1766NN	294.	326.	345.	369.
	72"	71 5/8"	17 1/2"	7/16"	DP1SO1772NN	310.	341.	361.	384.



17" High Individual Monolithic Fabric Insert, - Single Electrical Cutout Left	42"	41 5/8"	17 1/2"	7/16"	DP1SO1742ELN	243.	274.	294.	317.
	48"	47 5/8"	17 1/2"	7/16"	DP1SO1748ELN	273.	305.	324.	348.
	60"	59 5/8"	17 1/2"	7/16"	DP1SO1760ELN	292.	323.	343.	366.
	66"	65 5/8"	17 1/2"	7/16"	DP1SO1766ELN	305.	336.	356.	379.
	72"	71 5/8"	17 1/2"	7/16"	DP1SO1772ELN	320.	352.	372.	395.



17" High Individual Monolithic Fabric Insert, - Single Electrical Cutout Right	42"	41 5/8"	17 1/2"	7/16"	DP1SO1742ERN	243.	274.	294.	317.
	48"	47 5/8"	17 1/2"	7/16"	DP1SO1748ERN	273.	305.	324.	348.
	60"	59 5/8"	17 1/2"	7/16"	DP1SO1760ERN	292.	323.	343.	366.
	66"	65 5/8"	17 1/2"	7/16"	DP1SO1766ERN	305.	336.	356.	379.
	72"	71 5/8"	17 1/2"	7/16"	DP1SO1772ERN	320.	352.	372.	395.




* Note: 72" Inserts are only available with Railroad Fabric.
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Monolithic Fabric Inserts	Monolithic Fabric Inserts	Monolithic Fabric Inserts	Note: Inserts 72"w fabric must be railroaded.
1. Pattern Number	<i>Example:</i> DP1 Pattern Number		
2. Fabric	SO1742		
	W1077 Element		


Elevated Spine
Monolithic Panel Fabric Inserts
For 27.5" h Elevated Spine

Dividends Horizon

description	w*	w	h	d	pattern no.	grade 10	20	30	40
17" High Individual Monolithic Fabric Insert, - Electrical & Data Cutout Left	42"	41 5/8"	17 1/2"	7/16"	DP1SO1742ELD	\$243.	\$274.	\$294.	\$317.
	48"	47 5/8"	17 1/2"	7/16"	DP1SO1748ELD	273.	305.	324.	348.
	60"	59 5/8"	17 1/2"	7/16"	DP1SO1760ELD	292.	323.	343.	366.
	66"	65 5/8"	17 1/2"	7/16"	DP1SO1766ELD	305.	336.	356.	379.
	72"	71 5/8"	17 1/2"	7/16"	DP1SO1772ELD	320.	352.	372.	395.



17" High Individual Monolithic Fabric Insert, - Electrical & Data Cutout Right	42"	41 5/8"	17 1/2"	7/16"	DP1SO1742ERD	243.	274.	294.	317.
	48"	47 5/8"	17 1/2"	7/16"	DP1SO1748ERD	273.	305.	324.	348.
	60"	59 5/8"	17 1/2"	7/16"	DP1SO1760ERD	292.	323.	343.	366.
	66"	65 5/8"	17 1/2"	7/16"	DP1SO1766ERD	305.	336.	356.	379.
	72"	71 5/8"	17 1/2"	7/16"	DP1SO1772ERD	320.	352.	372.	395.




* Note: 72" Inserts are only available with Railroad Fabric.
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Monolithic Fabric Inserts	Monolithic Fabric Inserts	Monolithic Fabric Inserts	Note: Inserts 72"w fabric must be railroaded.
1. Pattern Number	<i>Example:</i> DP1 Pattern Number		
2. Fabric	SO1742		
	W1077 Element		


Elevated Spine
Monolithic Panel Fabric Inserts
For 27.5" h Elevated Spine

Dividends Horizon

description	w*	w	h	d	pattern no.	grade 10	20	30	40
17" High Individual Monolithic Fabric Insert, - Left & Right Electrical Cutouts	42"	41 5/8"	17 1/2"	7/16"	DP1SO1742EBN	\$253.	\$285.	\$305.	\$328.
	48"	47 5/8"	17 1/2"	7/16"	DP1SO1748EBN	284.	315.	335.	358.
	60"	59 5/8"	17 1/2"	7/16"	DP1SO1760EBN	302.	334.	354.	377.
	66"	65 5/8"	17 1/2"	7/16"	DP1SO1766EBN	315.	347.	366.	390.
	72"	71 5/8"	17 1/2"	7/16"	DP1SO1772EBN	331.	362.	382.	405.



17" High Individual Monolithic Fabric Insert, - Left & Right Electrical and Data Cutouts	42"	41 5/8"	17 1/2"	7/16"	DP1SO1742EBD	253.	285.	305.	328.
	48"	47 5/8"	17 1/2"	7/16"	DP1SO1748EBD	284.	315.	335.	358.
	60"	59 5/8"	17 1/2"	7/16"	DP1SO1760EBD	302.	334.	354.	377.
	66"	65 5/8"	17 1/2"	7/16"	DP1SO1766EBD	315.	347.	366.	390.
	72"	71 5/8"	17 1/2"	7/16"	DP1SO1772EBD	331.	362.	382.	405.



* Note: 72" Inserts are only available with Railroad Fabric.
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Monolithic Fabric Inserts	Monolithic Fabric Inserts	Monolithic Fabric Inserts	Note: Inserts 72"w fabric must be railroaded.
1. Pattern Number	<i>Example:</i> DP1 SO1742		
2. Fabric	DP1 Pattern Number		
	SO1742		
	W1077 Element		


Elevated Spine

Monolithic Panel Fabric Inserts


For 27.5" h Elevated Spine

Dividends Horizon


description	w*	w	h	d	pattern no.	grade 10	20	30	40
17" High Individual Monolithic Fabric Insert, - Data Cutout Left	42"	41 5/8"	17 1/2"	7/16"	DP1SO1742NDL	\$243.	\$274.	\$294.	\$317.
	48"	47 5/8"	17 1/2"	7/16"	DP1SO1748NDL	273.	305.	324.	348.
	60"	59 5/8"	17 1/2"	7/16"	DP1SO1760NDL	292.	323.	343.	366.
	66"	65 5/8"	17 1/2"	7/16"	DP1SO1766NDL	305.	336.	356.	379.
	72"	71 5/8"	17 1/2"	7/16"	DP1SO1772NDL	320.	352.	372.	395.



17" High Individual Monolithic Fabric Insert, - Data Cutout Right	42"	41 5/8"	17 1/2"	7/16"	DP1SO1742NDR	243.	274.	294.	317.
	48"	47 5/8"	17 1/2"	7/16"	DP1SO1748NDR	273.	305.	324.	348.
	60"	59 5/8"	17 1/2"	7/16"	DP1SO1760NDR	292.	323.	343.	366.
	66"	65 5/8"	17 1/2"	7/16"	DP1SO1766NDR	305.	336.	356.	379.
	72"	71 5/8"	17 1/2"	7/16"	DP1SO1772NDR	320.	352.	372.	395.



17" High Individual Monolithic Fabric Insert, - Data Cutout Right & Left	42"	41 5/8"	17 1/2"	7/16"	DP1SO1742NDB	253.	285.	305.	328.
	48"	47 5/8"	17 1/2"	7/16"	DP1SO1748NDB	284.	315.	335.	358.
	60"	59 5/8"	17 1/2"	7/16"	DP1SO1760NDB	302.	334.	354.	377.
	66"	65 5/8"	17 1/2"	7/16"	DP1SO1766NDB	315.	347.	366.	390.
	72"	71 5/8"	17 1/2"	7/16"	DP1SO1772NDB	331.	362.	382.	405.



* Note: 72" Inserts are only available with Railroad Fabric.
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Monolithic Fabric Inserts	Monolithic Fabric Inserts	Monolithic Fabric Inserts	Note: Inserts 72"w fabric must be railroaded.
1. Pattern Number	<i>Example:</i> DP1 SO1742, W1077		
2. Fabric	DP1 Pattern Number		
	SO1742		
	W1077 Element		


Elevated Spine

Monolithic Panel Fabric Inserts


For 36" h Elevated Spine

Dividends Horizon


description	w*	w	h	d	pattern no.	grade 10	20	30	40
25" High Individual Monolithic Fabric Insert, - No Cutouts	42"	41 5/8"	24 1/2"	7/16"	DP1SO2542NN	\$237.	\$269.	\$289.	\$312.
	48"	47 5/8"	24 1/2"	7/16"	DP1SO2548NN	268.	299.	319.	342.
	60"	59 5/8"	24 1/2"	7/16"	DP1SO2560NN	287.	318.	338.	361.
	66"	65 5/8"	24 1/2"	7/16"	DP1SO2566NN	299.	331.	351.	374.
	72"	71 5/8"	24 1/2"	7/16"	DP1SO2572NN	315.	347.	366.	390.



25" High Individual Monolithic Fabric Insert, - Single Electrical Cutout Left	42"	41 5/8"	24 1/2"	7/16"	DP1SO2542ELN	248.	279.	299.	322.
	48"	47 5/8"	24 1/2"	7/16"	DP1SO2548ELN	278.	310.	330.	353.
	60"	59 5/8"	24 1/2"	7/16"	DP1SO2560ELN	297.	329.	349.	372.
	66"	65 5/8"	24 1/2"	7/16"	DP1SO2566ELN	310.	341.	361.	384.
	72"	71 5/8"	24 1/2"	7/16"	DP1SO2572ELN	326.	357.	377.	400.



25" High Individual Monolithic Fabric Insert, - Single Electrical Cutout Right	42"	41 5/8"	24 1/2"	7/16"	DP1SO2542ERN	248.	279.	299.	322.
	48"	47 5/8"	24 1/2"	7/16"	DP1SO2548ERN	278.	310.	330.	353.
	60"	59 5/8"	24 1/2"	7/16"	DP1SO2560ERN	297.	329.	349.	372.
	66"	65 5/8"	24 1/2"	7/16"	DP1SO2566ERN	310.	341.	361.	384.
	72"	71 5/8"	24 1/2"	7/16"	DP1SO2572ERN	326.	357.	377.	400.



* Note: 72" Inserts are only available with Railroad Fabric.
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Monolithic Fabric Inserts	Monolithic Fabric Inserts	Monolithic Fabric Inserts	Note: Inserts 72"w fabric must be railroaded.
1. Pattern Number	Example: DP1 SO2542, W1077		
2. Fabric	DP1 Pattern Number SO2542 W1077 Element		


Elevated Spine

Monolithic Panel Fabric Inserts


For 36" h Elevated Spine

Dividends Horizon

description	w*	w	h	d	pattern no.	grade 10	20	30	40
25" High Individual Monolithic Fabric Insert, - Electrical & Data Cutout Left	42"	41 5/8"	24 1/2"	7/16"	DP1SO2542ELD	\$248.	\$279.	\$299.	\$322.
	48"	47 5/8"	24 1/2"	7/16"	DP1SO2548ELD	278.	310.	330.	353.
	60"	59 5/8"	24 1/2"	7/16"	DP1SO2560ELD	297.	329.	349.	372.
	66"	65 5/8"	24 1/2"	7/16"	DP1SO2566ELD	310.	341.	361.	384.
	72"	71 5/8"	24 1/2"	7/16"	DP1SO2572ELD	326.	357.	377.	400.



25" High Individual Monolithic Fabric Insert, - Electrical & Data Cutout Right	42"	41 5/8"	24 1/2"	7/16"	DP1SO2542ERD	248.	279.	299.	322.
	48"	47 5/8"	24 1/2"	7/16"	DP1SO2548ERD	278.	310.	330.	353.
	60"	59 5/8"	24 1/2"	7/16"	DP1SO2560ERD	297.	329.	349.	372.
	66"	65 5/8"	24 1/2"	7/16"	DP1SO2566ERD	310.	341.	361.	384.
	72"	71 5/8"	24 1/2"	7/16"	DP1SO2572ERD	326.	357.	377.	400.




* Note: 72" Inserts are only available with Railroad Fabric.
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Monolithic Fabric Inserts	Monolithic Fabric Inserts	Monolithic Fabric Inserts	Note: Inserts 72"w fabric must be railroaded.
1. Pattern Number	Example: DP1 SO2542, W1077		
2. Fabric	DP1 Pattern Number		
	SO2542		
	W1077 Element		


Elevated Spine
Monolithic Panel Fabric Inserts
For 36" h Elevated Spine

Dividends Horizon

description	w*	w	h	d	pattern no.	grade 10	20	30	40
25" High Individual Monolithic Fabric Insert, - Left & Right Electrical Cutouts	42"	41 5/8"	24 1/2"	7/16"	DP1SO2542EBN	\$258.	\$290.	\$310.	\$333.
	48"	47 5/8"	24 1/2"	7/16"	DP1SO2548EBN	289.	320.	340.	363.
	60"	59 5/8"	24 1/2"	7/16"	DP1SO2560EBN	308.	339.	359.	382.
	66"	65 5/8"	24 1/2"	7/16"	DP1SO2566EBN	320.	352.	372.	395.
	72"	71 5/8"	24 1/2"	7/16"	DP1SO2572EBN	336.	368.	387.	411.



25" High Individual Monolithic Fabric Insert, - Left & Right Electrical and Data Cutouts	42"	41 5/8"	24 1/2"	7/16"	DP1SO2542EBD	258.	290.	310.	333.
	48"	47 5/8"	24 1/2"	7/16"	DP1SO2548EBD	289.	320.	340.	363.
	60"	59 5/8"	24 1/2"	7/16"	DP1SO2560EBD	308.	339.	359.	382.
	66"	65 5/8"	24 1/2"	7/16"	DP1SO2566EBD	320.	352.	372.	395.
	72"	71 5/8"	24 1/2"	7/16"	DP1SO2572EBD	336.	368.	387.	411.



* Note: 72" Inserts are only available with Railroad Fabric.
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Monolithic Fabric Inserts	Monolithic Fabric Inserts	Monolithic Fabric Inserts	Note: Inserts 72"w fabric must be railroaded.
1. Pattern Number	<i>Example:</i> DP1 SO2542, W1077		
2. Fabric	DP1 Pattern Number		
	SO2542		
	W1077 Element		


Elevated Spine

Monolithic Panel Fabric Inserts


For 36" h Elevated Spine

Dividends Horizon


description	w*	w	h	d	pattern no.	grade 10	20	30	40
25" High Individual Monolithic Fabric Insert, - Data Cutout Left	42"	41 5/8"	24 1/2"	7/16"	DP1SO2542NDL	\$248.	\$279.	\$299.	\$322.
	48"	47 5/8"	24 1/2"	7/16"	DP1SO2548NDL	278.	310.	330.	353.
	60"	59 5/8"	24 1/2"	7/16"	DP1SO2560NDL	297.	329.	349.	372.
	66"	65 5/8"	24 1/2"	7/16"	DP1SO2566NDL	310.	341.	361.	384.
	72"	71 5/8"	24 1/2"	7/16"	DP1SO2572NDL	326.	357.	377.	400.



25" High Individual Monolithic Fabric Insert, - Data Cutout Right	42"	41 5/8"	24 1/2"	7/16"	DP1SO2542NDR	248.	279.	299.	322.
	48"	47 5/8"	24 1/2"	7/16"	DP1SO2548NDR	278.	310.	330.	353.
	60"	59 5/8"	24 1/2"	7/16"	DP1SO2560NDR	297.	329.	349.	372.
	66"	65 5/8"	24 1/2"	7/16"	DP1SO2566NDR	310.	341.	361.	384.
	72"	71 5/8"	24 1/2"	7/16"	DP1SO2572NDR	326.	357.	377.	400.



25" High Individual Monolithic Fabric Insert, - Data Cutout Right & Left	42"	41 5/8"	24 1/2"	7/16"	DP1SO2542NDB	258.	290.	310.	333.
	48"	47 5/8"	24 1/2"	7/16"	DP1SO2548NDB	289.	320.	340.	363.
	60"	59 5/8"	24 1/2"	7/16"	DP1SO2560NDB	308.	339.	359.	382.
	66"	65 5/8"	24 1/2"	7/16"	DP1SO2566NDB	320.	352.	372.	395.
	72"	71 5/8"	24 1/2"	7/16"	DP1SO2572NDB	336.	368.	387.	411.




* Note: 72" Inserts are only available with Railroad Fabric.
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Monolithic Fabric Inserts	Monolithic Fabric Inserts	Monolithic Fabric Inserts	Note: Inserts 72"w fabric must be railroaded.
1. Pattern Number	Example: DP1 SO2542, W1077		
2. Fabric	DP1 Pattern Number SO2542 W1077 Element		


Elevated Spine
Monolithic Panel Laminate Inserts
For 27.5" h Elevated Spine

Dividends Horizon


description	w*	w	h	d	pattern no.	Laminate
17" H Individual Monolithic Insert	42"	41 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11742NN	\$460.
Laminate Insert	48"	47 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11748NN	550.
- No Cutouts	60"	59 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11760NN	558.
	66"	65 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11766NN	583.
	72"	71 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11772NN	596.



17" H Individual Monolithic Insert	42"	41 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11742ELN	470.
Laminate Insert	48"	47 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11748ELN	561.
- Single Electrical Cutout Left	60"	59 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11760ELN	568.
	66"	65 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11766ELN	593.
	72"	71 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11772ELN	607.



17" H Individual Monolithic Insert	42"	41 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11742ERN	470.
Laminate Insert	48"	47 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11748ERN	561.
- Single Electrical Cutout Right	60"	59 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11760ERN	568.
	66"	65 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11766ERN	593.
	72"	71 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11772ERN	607.



w* = nominal width
Dimensions listed under w h d are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:
Monolithic Laminate Inserts	Monolithic Laminate Inserts	Monolithic Laminate Inserts
1. Pattern Number		
2. Finish		
	<i>Example:</i> DPL11742NN, 118	
	DPL1742 Pattern Number	
	NN No Cutouts	
	118 Bright White Laminate	


Elevated Spine

Monolithic Panel Laminate Inserts


For 27.5" h Elevated Spine

Dividends Horizon


description	w*	w	h	d	pattern no.	Laminate
17" H Individual Monolithic Insert	42"	41 5/8"	17 1/2	7/16"	DPL11742ELD	\$481.
Laminate Insert	48"	47 5/8"	17 1/2	7/16"	DPL11748ELD	571.
- Electrical & Data Cutout Left	60"	59 5/8"	17 1/2	7/16"	DPL11760ELD	604.
	66"	65 5/8"	17 1/2	7/16"	DPL11766ELD	604.
	72"	71 5/8"	17 1/2	7/16"	DPL11772ELD	617.



17" H Individual Monolithic Insert	42"	41 5/8"	17 1/2	7/16"	DPL11742ERD	481.
Laminate Insert	48"	47 5/8"	17 1/2	7/16"	DPL11748ERD	571.
- Electrical & Data Cutout Right	60"	59 5/8"	17 1/2	7/16"	DPL11760ERD	604.
	66"	65 5/8"	17 1/2	7/16"	DPL11766ERD	604.
	72"	71 5/8"	17 1/2	7/16"	DPL11772ERD	617.



17" H Individual Monolithic Insert	42"	41 5/8"	17 1/2	7/16"	DPL11742EBN	481.
Laminate Insert	48"	47 5/8"	17 1/2	7/16"	DPL11748EBN	571.
- Electrical Cutouts, Left & Right	60"	59 5/8"	17 1/2	7/16"	DPL11760EBN	604.
	66"	65 5/8"	17 1/2	7/16"	DPL11766EBN	604.
	72"	71 5/8"	17 1/2	7/16"	DPL11772EBN	617.



Alternative Planning

w* = nominal width
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:
Monolithic Laminate Inserts	Monolithic Laminate Inserts	Monolithic Laminate Inserts
1. Pattern Number		
2. Finish		
	<i>Example:</i> DPL11742NN, 118	
	DPL1742 Pattern Number	
	NN No Cutouts	
	118 Bright White Laminate	


Elevated Spine

Monolithic Panel Laminate Inserts


For 27.5" h Elevated Spine

Dividends Horizon


description	w*	w	h	d	pattern no.	Laminate
17" H Individual Monolithic Insert	42"	41 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11742EBD	\$502.
Laminate Insert	48"	47 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11748EBD	592.
- Electrical & Data Cutouts, Left & Right	60"	59 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11760EBD	625.
	66"	65 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11766EBD	625.
	72"	71 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11772EBD	638.



17" H Individual Monolithic Insert	42"	41 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11742NDL	512.
Laminate Insert	48"	47 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11748NDL	561.
- Data Cutout Left	60"	59 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11760NDL	568.
	66"	65 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11766NDL	593.
	72"	71 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11772NDL	607.



17" H Individual Monolithic Insert	42"	41 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11742NDR	512.
Laminate Insert	48"	47 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11748NDR	561.
- Data Cutout Right	60"	59 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11760NDR	568.
	66"	65 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11766NDR	593.
	72"	71 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11772NDR	607.



w* = nominal width
Dimensions listed under w h d are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:
Monolithic Laminate Inserts	Monolithic Laminate Inserts	Monolithic Laminate Inserts
1. Pattern Number		
2. Finish		
	<i>Example:</i> DPL11742NN, 118	
	DPL1742 Pattern Number	
	NN No Cutouts	
	118 Bright White Laminate	


Elevated Spine

Monolithic Panel Laminate Inserts

For 27.5" h Elevated Spine

Dividends Horizon

description	w*	w	h	d	pattern no.	Laminate
17" H Individual Monolithic Insert	42"	41 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11742NDB	\$481.
Laminate Insert	48"	47 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11748NDB	571.
- Data Cutout, Left & Right	60"	59 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11760NDB	604.
	66"	65 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11766NDB	604.
	72"	71 ⁵ / ₈ "	17 1/2	⁷ / ₁₆ "	DPL11772NDB	617.




w* = nominal width
Dimensions listed under w h d are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:
Monolithic Laminate Inserts	Monolithic Laminate Inserts	Monolithic Laminate Inserts
1. Pattern Number		
2. Finish		
	<i>Example:</i> DPL11742NN, 118	
	DPL1742 Pattern Number	
	NN No Cutouts	
	118 Bright White Laminate	


Elevated Spine
Monolithic Panel Laminate Inserts
For 36" h Elevated Spine

Dividends Horizon


description	w*	w	h	d	pattern no.	Laminate
25" H Individual Monolithic Insert	42"	41 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12542NN	\$550.
Laminate Insert	48"	47 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12548NN	558.
- No Cutouts	60"	59 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12560NN	569.
	66"	65 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12566NN	583.
	72"	71 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12572NN	592.



25" H Individual Monolithic Insert	42"	41 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12542ELN	561.
Laminate Insert	48"	47 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12548ELN	568.
- Single Electrical Cutout Left	60"	59 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12560ELN	580.
	66"	65 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12566ELN	593.
	72"	71 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12572ELN	603.



25" H Individual Monolithic Insert	42"	41 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12542ERN	561.
Laminate Insert	48"	47 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12548ERN	568.
- Single Electrical Cutout Right	60"	59 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12560ERN	580.
	66"	65 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12566ERN	593.
	72"	71 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12572ERN	603.



w* = nominal width
Dimensions listed under w h d are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:
Monolithic Laminate Inserts	Monolithic Laminate Inserts	Monolithic Laminate Inserts
1. Pattern Number		
2. Finish		
	<i>Example:</i> DPL12542NN, 118	
	DPL12542 Pattern Number	
	NN No Cutouts	
	118 Bright White Laminate	


Elevated Spine

Monolithic Panel Laminate Inserts


For 36" h Elevated Spine

Dividends Horizon


description	w*	w	h	d	pattern no.	Laminate
25" H Individual Monolithic Insert	42"	41 5/8"	24 1/2	7/16"	DPL12542ELD	\$571.
Laminate Insert	48"	47 5/8"	24 1/2	7/16"	DPL12548ELD	579.
- Electrical & Data Cutout Left	60"	59 5/8"	24 1/2	7/16"	DPL12560ELD	590.
	66"	65 5/8"	24 1/2	7/16"	DPL12566ELD	604.
	72"	71 5/8"	24 1/2	7/16"	DPL12572ELD	613.



25" H Individual Monolithic Insert	42"	41 5/8"	24 1/2	7/16"	DPL12542ERD	571.
Laminate Insert	48"	47 5/8"	24 1/2	7/16"	DPL12548ERD	579.
- Electrical & Data Cutout Right	60"	59 5/8"	24 1/2	7/16"	DPL12560ERD	590.
	66"	65 5/8"	24 1/2	7/16"	DPL12566ERD	604.
	72"	71 5/8"	24 1/2	7/16"	DPL12572ERD	613.



25" H Individual Monolithic Insert	42"	41 5/8"	24 1/2	7/16"	DPL12542EBD	592.
Laminate Insert	48"	47 5/8"	24 1/2	7/16"	DPL12548EBD	600.
- Electrical & Data Cutouts, Left & Right	60"	59 5/8"	24 1/2	7/16"	DPL12560EBD	611.
	66"	65 5/8"	24 1/2	7/16"	DPL12566EBD	625.
	72"	71 5/8"	24 1/2	7/16"	DPL12572EBD	634.



Alternative Planning

w* = nominal width
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:
Monolithic Laminate Inserts	Monolithic Laminate Inserts	Monolithic Laminate Inserts
1. Pattern Number		
2. Finish		
	<i>Example:</i> DPL12542NN, 118	
	DPL12542 Pattern Number	
	NN No Cutouts	
	118 Bright White Laminate	


Elevated Spine

Monolithic Panel Laminate Inserts


For 36" h Elevated Spine

Dividends Horizon


description	w*	w	h	d	pattern no.	Laminate
25" H Individual Monolithic Insert	42"	41 5/8"	24 1/2	7/16"	DPL12542EBN	\$571.
Laminate Insert	48"	47 5/8"	24 1/2	7/16"	DPL12548EBN	579.
- Electrical Cutouts, Left & Right	60"	59 5/8"	24 1/2	7/16"	DPL12560EBN	590.
	66"	65 5/8"	24 1/2	7/16"	DPL12566EBN	604.
	72"	71 5/8"	24 1/2	7/16"	DPL12572EBN	613.



25" H Individual Monolithic Insert	42"	41 5/8"	24 1/2	7/16"	DPL12542NDL	561.
Laminate Insert	48"	47 5/8"	24 1/2	7/16"	DPL12548NDL	568.
- Data Cutout Left	60"	59 5/8"	24 1/2	7/16"	DPL12560NDL	580.
	66"	65 5/8"	24 1/2	7/16"	DPL12566NDL	593.
	72"	71 5/8"	24 1/2	7/16"	DPL12572NDL	603.



25" H Individual Monolithic Insert	42"	41 5/8"	24 1/2	7/16"	DPL12542NDR	561.
Laminate Insert	48"	47 5/8"	24 1/2	7/16"	DPL12548NDR	568.
- Data Cutout Right	60"	59 5/8"	24 1/2	7/16"	DPL12560NDR	580.
	66"	65 5/8"	24 1/2	7/16"	DPL12566NDR	593.
	72"	71 5/8"	24 1/2	7/16"	DPL12572NDR	603.




w* = nominal width
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:
Monolithic Laminate Inserts	Monolithic Laminate Inserts	Monolithic Laminate Inserts
1. Pattern Number		
2. Finish		
	<i>Example:</i> DPL12542NN, 118	
	DPL12542 Pattern Number	
	NN No Cutouts	
	118 Bright White Laminate	

Elevated Spine
Monolithic Panel Laminate Inserts
For 36" h Elevated Spine

Dividends Horizon

description	w*	w	h	d	pattern no.	Laminate
25" H Individual Monolithic Insert	42"	41 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12542NDB	\$571.
Laminate Insert	48"	47 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12548NDB	579.
- Data Cutout, Left & Right	60"	59 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12560NDB	590.
	66"	65 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12566NDB	604.
	72"	71 ⁵ / ₈ "	24 1/2	⁷ / ₁₆ "	DPL12572NDB	613.




w* = nominal width
Dimensions listed under w h d are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:
Monolithic Laminate Inserts	Monolithic Laminate Inserts	Monolithic Laminate Inserts
1. Pattern Number		
2. Finish		
	<i>Example:</i> DPL12542NN, 118	
	DPL12542 Pattern Number	
	NN No Cutouts	
	118 Bright White Laminate	


Elevated Spine
Monolithic Panel Steel Inserts
For 27.5" h Elevated Spine

Dividends Horizon


description	w*	w	h	d	pattern no.	Laminate
17" H Individual Monolithic Steel Insert - No Cutouts	42"	41 5/8"	17 1/2	7/16"	DPSS1742NN	\$277.
	48"	47 5/8"	17 1/2	7/16"	DPSS1748NN	294.
	60"	59 5/8"	17 1/2	7/16"	DPSS1760NN	316.
	66"	65 5/8"	17 1/2	7/16"	DPSS1766NN	337.
	72"	71 5/8"	17 1/2	7/16"	DPSS1772NN	357.



17" H Individual Monolithic Steel Insert - Single Electrical Cutout Left	42"	41 5/8"	17 1/2	7/16"	DPSS1742ELN	288.
	48"	47 5/8"	17 1/2	7/16"	DPSS1748ELN	305.
	60"	59 5/8"	17 1/2	7/16"	DPSS1760ELN	327.
	66"	65 5/8"	17 1/2	7/16"	DPSS1766ELN	348.
	72"	71 5/8"	17 1/2	7/16"	DPSS1772ELN	368.



17" H Individual Monolithic Steel Insert - Single Electrical Cutout Right	42"	41 5/8"	17 1/2	7/16"	DPSS1742ERN	288.
	48"	47 5/8"	17 1/2	7/16"	DPSS1748ERN	305.
	60"	59 5/8"	17 1/2	7/16"	DPSS1760ERN	327.
	66"	65 5/8"	17 1/2	7/16"	DPSS1766ERN	348.
	72"	71 5/8"	17 1/2	7/16"	DPSS1772ERN	368.




w* = nominal width
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:
Monolithic Steel Inserts	Monolithic Steel Inserts	Monolithic Steel Inserts
1. Pattern Number	<i>Example:</i> DPSS1742,	
2. Finish	W1077	
	DPSS1742	Pattern
	W1077	Number
		Element


Elevated Spine
Monolithic Panel Steel Inserts
For 27.5" h Elevated Spine

Dividends Horizon


description	w*	w	h	d	pattern no.	Laminate
17" H Individual Monolithic Steel Insert	42"	41 5/8"	17 1/2	7/16"	DPSS1742ELD	\$298.
- Electrical & Data Cutout Left	48"	47 5/8"	17 1/2	7/16"	DPSS1748ELD	315.
	60"	59 5/8"	17 1/2	7/16"	DPSS1760ELD	337.
	66"	65 5/8"	17 1/2	7/16"	DPSS1766ELD	358.
	72"	71 5/8"	17 1/2	7/16"	DPSS1772ELD	378.



17" H Individual Monolithic Steel Insert	42"	41 5/8"	17 1/2	7/16"	DPSS1742ERD	298.
- Electrical & Data Cutout Right	48"	47 5/8"	17 1/2	7/16"	DPSS1748ERD	315.
	60"	59 5/8"	17 1/2	7/16"	DPSS1760ERD	337.
	66"	65 5/8"	17 1/2	7/16"	DPSS1766ERD	358.
	72"	71 5/8"	17 1/2	7/16"	DPSS1772ERD	378.



17" H Individual Monolithic Steel Insert	42"	41 5/8"	17 1/2	7/16"	DPSS1742EBN	319.
- Electrical Cutouts, Left & Right	48"	47 5/8"	17 1/2	7/16"	DPSS1748EBN	336.
	60"	59 5/8"	17 1/2	7/16"	DPSS1760EBN	358.
	66"	65 5/8"	17 1/2	7/16"	DPSS1766EBN	379.
	72"	71 5/8"	17 1/2	7/16"	DPSS1772EBN	399.



Alternative Planning


w* = nominal width
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:
Monolithic Steel Inserts	Monolithic Steel Inserts	Monolithic Steel Inserts
1. Pattern Number	Example: DPSS1742	
2. Finish	W1077	Pattern Number Element


Elevated Spine
Monolithic Panel Steel Inserts
For 27.5" h Elevated Spine

Dividends Horizon


description	w*	w	h	d	pattern no.	Laminate
17" H Individual Monolithic Steel Insert	42"	41 5/8"	17 1/2	7/16"	DPSS1742EBD	\$298.
- Electrical & Data Cutouts, Left & Right	48"	47 5/8"	17 1/2	7/16"	DPSS1748EBD	315.
	60"	59 5/8"	17 1/2	7/16"	DPSS1760EBD	337.
	66"	65 5/8"	17 1/2	7/16"	DPSS1766EBD	358.
	72"	71 5/8"	17 1/2	7/16"	DPSS1772EBD	378.



17" H Individual Monolithic Steel Insert	42"	41 5/8"	17 1/2	7/16"	DPSS1742NDL	288.
- Data Cutout Left	48"	47 5/8"	17 1/2	7/16"	DPSS1748NDL	305.
	60"	59 5/8"	17 1/2	7/16"	DPSS1760NDL	327.
	66"	65 5/8"	17 1/2	7/16"	DPSS1766NDL	348.
	72"	71 5/8"	17 1/2	7/16"	DPSS1772NDL	368.



17" H Individual Monolithic Steel Insert	42"	41 5/8"	17 1/2	7/16"	DPSS1742NDR	288.
- Data Cutout Right	48"	47 5/8"	17 1/2	7/16"	DPSS1748NDR	305.
	60"	59 5/8"	17 1/2	7/16"	DPSS1760NDR	327.
	66"	65 5/8"	17 1/2	7/16"	DPSS1766NDR	348.
	72"	71 5/8"	17 1/2	7/16"	DPSS1772NDR	368.




w* = nominal width
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:
Monolithic Steel Inserts	Monolithic Steel Inserts	Monolithic Steel Inserts
1. Pattern Number	Example: DPSS1742,	
2. Finish	W1077	
	DPSS1742	Pattern
	W1077	Number
		Element

Elevated Spine
Monolithic Panel Steel Inserts
For 27.5" h Elevated Spine

Dividends Horizon

description	w*	w	h	d	pattern no.	Laminate
17" H Individual Monolithic Steel Insert	42"	41 5/8"	17 1/2	7/16"	DPSS1742NDB	\$298.
- Data Cutout, Left & Right	48"	47 5/8"	17 1/2	7/16"	DPSS1748NDB	315.
	60"	59 5/8"	17 1/2	7/16"	DPSS1760NDB	337.
	66"	65 5/8"	17 1/2	7/16"	DPSS1766NDB	358.
	72"	71 5/8"	17 1/2	7/16"	DPSS1772NDB	378.




w* = nominal width
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:
Monolithic Steel Inserts	Monolithic Steel Inserts	Monolithic Steel Inserts
1. Pattern Number	<i>Example:</i> DPSS1742,	
2. Finish	W1077	
	DPSS1742	Pattern
	W1077	Number
		Element


Elevated Spine
Monolithic Panel Steel Inserts
For 36" h Elevated Spine

Dividends Horizon


description	w*	w	h	d	pattern no.	Laminate
25" H Individual Monolithic Steel Insert - No Cutouts	42"	41 5/8"	24 1/2	7/16"	DPSS2542NN	\$320.
	48"	47 5/8"	24 1/2	7/16"	DPSS2548NN	328.
	60"	59 5/8"	24 1/2	7/16"	DPSS2560NN	347.
	66"	65 5/8"	24 1/2	7/16"	DPSS2566NN	373.
	72"	71 5/8"	24 1/2	7/16"	DPSS2572NN	385.



25" H Individual Monolithic Steel Insert - Single Electrical Cutout Left	42"	41 5/8"	24 1/2	7/16"	DPSS2542ELN	334.
	48"	47 5/8"	24 1/2	7/16"	DPSS2548ELN	341.
	60"	59 5/8"	24 1/2	7/16"	DPSS2560ELN	358.
	66"	65 5/8"	24 1/2	7/16"	DPSS2566ELN	384.
	72"	71 5/8"	24 1/2	7/16"	DPSS2572ELN	397.



25" H Individual Monolithic Steel Insert - Single Electrical Cutout Right	42"	41 5/8"	24 1/2	7/16"	DPSS2542ERN	334.
	48"	47 5/8"	24 1/2	7/16"	DPSS2548ERN	341.
	60"	59 5/8"	24 1/2	7/16"	DPSS2560ERN	358.
	66"	65 5/8"	24 1/2	7/16"	DPSS2566ERN	384.
	72"	71 5/8"	24 1/2	7/16"	DPSS2572ERN	397.



w* = nominal width
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	
Monolithic Steel Inserts 1. Pattern Number 2. Finish	Monolithic Steel Inserts	Monolithic Steel Inserts
	Example: DPSS2542 , W1077	
	DPSS2542 Pattern Number	
	W1077 Element	


Elevated Spine

Monolithic Panel Steel Inserts


For 36" h Elevated Spine

Dividends Horizon


description	w*	w	h	d	pattern no.	Laminate
25" H Individual Monolithic Steel Insert	42"	41 5/8"	24 1/2	7/16"	DPSS2542ELD	\$347.
- Electrical & Data Cutout Left	48"	47 5/8"	24 1/2	7/16"	DPSS2548ELD	368.
	60"	59 5/8"	24 1/2	7/16"	DPSS2560ELD	389.
	66"	65 5/8"	24 1/2	7/16"	DPSS2566ELD	394.
	72"	71 5/8"	24 1/2	7/16"	DPSS2572ELD	406.



25" H Individual Monolithic Steel Insert	42"	41 5/8"	24 1/2	7/16"	DPSS2542ERD	347.
- Electrical & Data Cutout Right	48"	47 5/8"	24 1/2	7/16"	DPSS2548ERD	368.
	60"	59 5/8"	24 1/2	7/16"	DPSS2560ERD	389.
	66"	65 5/8"	24 1/2	7/16"	DPSS2566ERD	394.
	72"	71 5/8"	24 1/2	7/16"	DPSS2572ERD	406.



25" H Individual Monolithic Steel Insert	42"	41 5/8"	24 1/2	7/16"	DPSS2542EBN	347.
- Electrical Cutouts, Left & Right	48"	47 5/8"	24 1/2	7/16"	DPSS2548EBN	368.
	60"	59 5/8"	24 1/2	7/16"	DPSS2560EBN	389.
	66"	65 5/8"	24 1/2	7/16"	DPSS2566EBN	394.
	72"	71 5/8"	24 1/2	7/16"	DPSS2572EBN	406.



Alternative Planning

w* = nominal width
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	
Monolithic Steel Inserts	Monolithic Steel Inserts	Monolithic Steel Inserts
1. Pattern Number		
2. Finish		
	Example: DPSS2542, W1077	
	DPSS2542 Pattern Number	
	W1077 Element	


Elevated Spine

Monolithic Panel Steel Inserts


For 36" h Elevated Spine

Dividends Horizon


description	w*	w	h	d	pattern no.	Laminate
25" H Individual Monolithic Steel Insert	42"	41 5/8"	24 1/2	7/16"	DPSS2542EBD	\$368.
- Electrical & Data Cutouts, Left & Right	48"	47 5/8"	24 1/2	7/16"	DPSS2548EBD	389.
	60"	59 5/8"	24 1/2	7/16"	DPSS2560EBD	410.
	66"	65 5/8"	24 1/2	7/16"	DPSS2566EBD	415.
	72"	71 5/8"	24 1/2	7/16"	DPSS2572EBD	427.



25" H Individual Monolithic Steel Insert	42"	41 5/8"	24 1/2	7/16"	DPSS2542NDL	334.
- Data Cutout Left	48"	47 5/8"	24 1/2	7/16"	DPSS2548NDL	341.
	60"	59 5/8"	24 1/2	7/16"	DPSS2560NDL	358.
	66"	65 5/8"	24 1/2	7/16"	DPSS2566NDL	384.
	72"	71 5/8"	24 1/2	7/16"	DPSS2572NDL	397.



25" H Individual Monolithic Steel Insert	42"	41 5/8"	24 1/2	7/16"	DPSS2542NDR	334.
- Data Cutout Right	48"	47 5/8"	24 1/2	7/16"	DPSS2548NDR	334.
	60"	59 5/8"	24 1/2	7/16"	DPSS2560NDR	358.
	66"	65 5/8"	24 1/2	7/16"	DPSS2566NDR	384.
	72"	71 5/8"	24 1/2	7/16"	DPSS2572NDR	397.



w* = nominal width
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	
Monolithic Steel Inserts	Monolithic Steel Inserts	Monolithic Steel Inserts
1. Pattern Number		
2. Finish		
	<i>Example:</i> DPSS2542, W1077	
	DPSS2542 Pattern Number	
	W1077 Element	


Elevated Spine

Monolithic Panel Steel Inserts

For 36" h Elevated Spine

Dividends Horizon



description	w*	w	h	d	pattern no.	Laminate
25" H Individual Monolithic Steel Insert - Data Cutout, Left & Right	42"	41 5/8"	24 1/2	7/16"	DPSS2542NDB	\$344.
	48"	47 5/8"	24 1/2	7/16"	DPSS2548NDB	352.
	60"	59 5/8"	24 1/2	7/16"	DPSS2560NDB	369.
	66"	65 5/8"	24 1/2	7/16"	DPSS2566NDB	395.
	72"	71 5/8"	24 1/2	7/16"	DPSS2572NDB	407.



w* = nominal width
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	
Monolithic Steel Inserts	Monolithic Steel Inserts	Monolithic Steel Inserts
1. Pattern Number	Example: DPSS2542, W1077	
2. Finish		
	DPSS2542 Pattern Number	
	W1077 Element	

*Elevated Spine Electrical**Power Jumpers, Power Modules, Electrical and Data Faceplates*

description	type	pattern no.	E / list	8&N	250v T
Power Jumper 	42" Panel	DE(1E,18,1T,12V,N) PJ42NP	\$176.	\$196.	\$244.
	48" Panel	DE(1E,18,1T,12V,N) PJ48NP	191.	213.	252.
Power Jumper (with post) 	18" Panel + Post	DE(1E,18,1T,12V,N) PJ18WP	151.	166.	215.
	42" Panel + Post	DE(1E,18,1T,12V,N) PJ42WP	182.	203.	246.
	48" Panel + Post	DE(1E,18,1T,12V,N) PJ48WP		216.	260.
Multiple Panel Power Jumper (with or without post) 	60" Panel Run	DE(1E,18,1T,12V,N) PJ60 WP	213.	231.	272.
	66" Panel Run	DE(1E,18,1T,12V,N) PJ66 WP	221.	242.	291.
	72" Panel Run	DE(1E,18,1T,12V,N) PJ72WP	227.	247.	298.
	84" Panel Run	DE(1E,18,1T,12V,N) PJ84WP	236.	274.	462.
Intermediate Connector	250v	DE12VPA	39.		
	Independent neutrals (4-4-2)	DE1IPA	39.		
	Shared neutrals (3+1, 2+2, 3+3)	DE1SPA	39.		
Double Vertical Power Module 	Double Vertical Power Module	DEESVPM	324.		
Double Vertical Power Module Trim Plate 	Trim Plate - Double	DE6 D FD P	82.		
Vertical Power Knockout Replacement Cover(for electrical) 	Package of 10	DE2 KC10	130.		

Elevated Spine
Elevated Spine Electrical
Power Jumpers, Power Modules, Electrical and Data Faceplates

Dividends Horizon

description	type	pattern no.	E / list	8&N	250v
					T
Single Floating Data Port Trim Plate (Field install kit)	Faceplate, backplate and hardware	DE2FDP	\$87.		



Concealed Post

Post Components

Post and Post Top Caps Assemblies

Dividends Horizon

description	w	h	d	pattern no.	P1	P2	P3
Concealed Post 	3"	28 1/2"	3"	DP8(C/V/U)POWHCPF	\$218.	\$218.	\$218.
	3"	36"	3"	DP8(C/V/U)PO36CPF	247.	247.	247.
	3"	42"	3"	DP8(C/V/U)PO42CPF	268.	268.	268.
	3"	50"	3"	DP8(C/V/U)PO50CPF	291.	291.	291.
	3"	57"	3"	DP8(C/V/U)PO57CPF	311.	311.	311.
	3"	64"	3"	DP8(C/V/U)PO64CPF	347.	347.	347.
Concealed Post Same Height Top Caps 	3"	1/2"	3"	DP8(C/V/U)PTCP()	16.	21.	22.
Concealed Post High Low Top Caps 	3"	1/2"	3"	DP8(C/V/U)PTCPH()	16.	21.	22.
Concealed Post Same Height Top Caps for Recessed Add Up Glass 	3"	1/2"	3"	DP8CPTCPG5	16.	21.	22.
Concealed Post High Low Top Caps for Recessed Add Up Glass 	3"	1/2"	3"	DP8CPTCPHG5	16.	21.	22.



Ordering Information	Order Code	Included with:	Options:
Concealed Post 1. Pattern Number 2. Paint Finish Code Concealed Post Top Caps 1. Pattern Number 2. Paint Finish Code	Concealed Post <i>Example:</i> DP8PO42CPF DP8PO42 Pattern Number CPF U Panel Type PO36CPF Pattern number 613 Silver Paint finish Concealed Post Top Caps <i>Example:</i> DP8PTCP5613 DP8PTCP Pattern Number 5 Flat profile 613 Silver paint finish 	Concealed Post • Tile to floor filler Concealed Post Top Caps	Concealed Post Option: C = Topway panel V = Full view panel U = Universal panel Post Top Cap Option: (4) = Radius Profile (5) = Flat Profile

Concealed Post

Post Components

Panel Top Caps

Dividends Horizon

description	w	h	d	pattern no.	P1	P2	P3
Concealed Post Panel Top Caps 	33"	1/2"	3"	DP5(C/V/U)PT30CP	\$120.	\$130.	\$133.
	39"	1/2"	3"	DP5(C/V/U)PT36CP	121.	131.	138.
	51"	1/2"	3"	DP5(C/V/U)PT48CP	124.	132.	139.
	63"	1/2"	3"	DP5(C/V/U)PT60CP	125.	133.	140.
	75"	1/2"	3"	DP5(C/V/U)PT72CP	129.	139.	143.
	87"	1/2"	3"	DP5(C/V/U)PT84CP	131.	143.	146.
	99"	1/2"	3"	DP5(C/V/U)PT96CP	132.	144.	148.
Concealed Post Shortened Panel Top Caps 	32"	1/2"	3"	DP5(C/V/U)PT29CP	120.	130.	133.
	38"	1/2"	3"	DP5(C/V/U)PT35CP	121.	131.	138.
	50"	1/2"	3"	DP5(C/V/U)PT47CP	124.	132.	139.
	62"	1/2"	3"	DP5(C/V/U)PT59CP	125.	133.	140.
	74"	1/2"	3"	DP5(C/V/U)PT71CP	129.	139.	143.
	86"	1/2"	3"	DP5(C/V/U)PT83CP	131.	143.	146.
	98"	1/2"	3"	DP5(C/V/U)PT95CP	132.	144.	148.

Alternative Planning

Ordering Information	Order Code	Included with:	Options:
Concealed Post Panel Top Caps 1. Pattern Number 2. Paint Finish Code	Concealed Post Panel Top Caps <i>Example:</i> DP5PT48CP DP5PT48 Pattern Number CP 117 Soft Grey paint finish	Concealed Post Panel Top Caps • Panel Top Caps	Trim Option: (5) = Metal, Flat

*Monolithic Panel Half Post Fabric Inserts**Worksurface Height, 28" and 42" High*

description	w *	w	h	d	pattern no.	10	20	30	40
Worksurface Height Concealed Post	15"	16 1/2"	27 1/4"	7/16"	DP1SOWH15()F	\$190.	\$203.	\$214.	\$219.
Monolithic Panel Half Post	18"	19 1/2"	27 1/4"	7/16"	DP1SOWH18()F	214.	229.	236.	245.
Fabric Inserts	24"	25 1/2"	27 1/4"	7/16"	DP1SOWH24()F	232.	249.	263.	271.
	30"	31 1/2"	27 1/4"	7/16"	DP1SOWH30()F	253.	273.	286.	298.
	36"	37 1/2"	27 1/4"	7/16"	DP1SOWH36()F	274.	300.	312.	322.
	42"	43 1/2"	27 1/4"	7/16"	DP1SOWH42()F	298.	321.	335.	343.
	48"	49 1/2"	27 1/4"	7/16"	DP1SOWH48()F	320.	341.	359.	371.
	60"	61 1/2"	27 1/4"	7/16"	DP1SOWH60()F	335.	362.	383.	394.
28" High Concealed Post	15"	16 1/2"	33 13/16"	7/16"	DP1SO2815()F	191.	167.	175.	181.
Monolithic Panel Half Post	18"	19 1/2"	33 13/16"	7/16"	DP1SO2818()F	217.	206.	219.	226.
Fabric Inserts	24"	25 1/2"	33 13/16"	7/16"	DP1SO2824()F	245.	251.	266.	272.
(For 36"H Panel Frame)	30"	31 1/2"	33 13/16"	7/16"	DP1SO2830()F	272.	293.	310.	320.
	36"	37 1/2"	33 13/16"	7/16"	DP1SO2836()F	300.	335.	352.	364.
	42"	43 1/2"	33 13/16"	7/16"	DP1SO2842()F	324.	383.	397.	410.
	48"	49 1/2"	33 13/16"	7/16"	DP1SO2848()F	352.	383.	399.	412.
	60"	61 1/2"	33 13/16"	7/16"	DP1SO2860()F	372.	403.	421.	435.
42" High Concealed Post	15"	16 1/2"	41 3/16"	7/16"	DP1SO4215()F	195.	215.	223.	232.
Monolithic Panel Half Post	18"	19 1/2"	41 3/16"	7/16"	DP1SO4218()F	231.	248.	260.	271.
Fabric Inserts	24"	25 1/2"	41 3/16"	7/16"	DP1SO4224()F	263.	284.	298.	308.
	30"	31 1/2"	41 3/16"	7/16"	DP1SO4230()F	293.	320.	331.	341.
	36"	37 1/2"	41 3/16"	7/16"	DP1SO4236()F	324.	352.	368.	384.
	42"	43 1/2"	41 3/16"	7/16"	DP1SO4242()F	356.	389.	403.	419.
	48"	49 1/2"	41 3/16"	7/16"	DP1SO4248()F	391.	421.	438.	454.
	60"	61 1/2"	41 3/16"	7/16"	DP1SO4260()F	414.	449.	469.	490.

w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16

Ordering Information	Order Code	Included with:	Options
Concealed Post Monolithic Panel Fabric Inserts	Concealed Post Monolithic Panel Fabric Inserts	Concealed Post Monolithic Panel Fabric Inserts	Concealed Post Monolithic Panel Fabric Inserts
1. Pattern Number	<i>Example:</i> DP1SO2818CE	• Attachment Clips	Configuration:
2. Fabric	DP1SO Pattern Number		(CE) = Left Half Post: Tile ends in the center of the post on the left and at the right side of the panel frame.
	2818		(EC) = Right Half Post: Tile ends in the center of the post on the right and at the left side of the panel frame.
	CE Center left, End Right		
	F Tile to Floor		
	W1077 Element		

Concealed Post

Monolithic Panel Half Post Fabric Inserts

50", 57" and 64" High

Dividends Horizon

description	w *	w	h	d	pattern no.	10	20	30	40
 50" High Concealed Post Monolithic Panel Half Post Fabric Inserts	15"	16 1/2"	48 1/2"	7/16"	DP1SO5015()F	\$203.	\$217.	\$229.	\$236.
	18"	19 1/2"	48 1/2"	7/16"	DP1SO5018()F	242.	259.	271.	277.
	24"	25 1/2"	48 1/2"	7/16"	DP1SO5024()F	275.	303.	317.	323.
	30"	31 1/2"	48 1/2"	7/16"	DP1SO5030()F	318.	338.	355.	368.
	36"	37 1/2"	48 1/2"	7/16"	DP1SO5036()F	353.	383.	399.	412.
	42"	43 1/2"	48 1/2"	7/16"	DP1SO5042()F	391.	421.	441.	454.
	48"	49 1/2"	48 1/2"	7/16"	DP1SO5048()F	426.	463.	485.	502.
	60"	61 1/2"	48 1/2"	7/16"	DP1SO5060()F	461.	499.	515.	538.
 57" High Concealed Post Monolithic Panel Half Post Fabric Inserts	15"	16 1/2"	55 3/8"	7/16"	DP1SO5715()F	211.	226.	235.	244.
	18"	19 1/2"	55 3/8"	7/16"	DP1SO5718()F	251.	272.	281.	293.
	24"	25 1/2"	55 3/8"	7/16"	DP1SO5724()F	298.	320.	331.	341.
	30"	31 1/2"	55 3/8"	7/16"	DP1SO5730()F	336.	364.	383.	395.
	36"	37 1/2"	55 3/8"	7/16"	DP1SO5736()F	383.	410.	426.	444.
	42"	43 1/2"	55 3/8"	7/16"	DP1SO5742()F	424.	454.	475.	498.
	48"	49 1/2"	55 3/8"	7/16"	DP1SO5748()F	466.	503.	524.	543.
	60"	61 1/2"	55 3/8"	7/16"	DP1SO5760()F	503.	542.	565.	583.
 64" High Concealed Post Monolithic Panel Half Post Fabric Inserts	15"	16 1/2"	63 1/16"	7/16"	DP1SO6415()F	214.	229.	238.	245.
	18"	19 1/2"	63 1/16"	7/16"	DP1SO6418()F	260.	277.	293.	306.
	24"	25 1/2"	63 1/16"	7/16"	DP1SO6424()F	312.	332.	345.	359.
	30"	31 1/2"	63 1/16"	7/16"	DP1SO6430()F	356.	387.	403.	419.
	36"	37 1/2"	63 1/16"	7/16"	DP1SO6436()F	406.	437.	461.	474.
	42"	43 1/2"	63 1/16"	7/16"	DP1SO6442()F	454.	492.	511.	531.
	48"	49 1/2"	63 1/16"	7/16"	DP1SO6448()F	504.	543.	569.	589.
	60"	61 1/2"	63 1/16"	7/16"	DP1SO6460()F	546.	588.	617.	642.

w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16

Ordering Information	Order Code	Included with:	Options
Concealed Post Monolithic Panel Fabric Inserts 1. Pattern Number 2. Fabric	Concealed Post Monolithic Panel Fabric Inserts <i>Example:</i> DP1SO5718CEF DP1SO Pattern Number 5718 CE Center left, End Right F Tile to Floor W1077 Element	Concealed Post Monolithic Panel Fabric Inserts • Attachment Clips	Concealed Post Monolithic Panel Fabric Inserts Configuration: (CE) = Left Half Post: Tile ends in the center of the post on the left and at the right side of the panel frame. (EC) = Right Half Post: Tile ends in the center of the post on the right and at the left side of the panel frame.

Monolithic Panel Half Post Laminate and Veneer Inserts
Worksurface Height, 28" and 42" High

description	w *	w	h	d	pattern no.	Laminate	V1	V2	V3
Worksurface Height Concealed Post	15"	16 1/2"	27 1/4"	7/16"	DP3(L/V)1WH15()F	\$321.	\$854.	\$982.	\$1,080.
Monolithic Panel Half Post	18"	19 1/2"	27 1/4"	7/16"	DP3(L/V)1WH18()F	366.	870.	1,002.	1,101.
Laminate and Veneer Inserts	24"	25 1/2"	27 1/4"	7/16"	DP3(L/V)1WH24()F	426.	903.	1,038.	1,142.
	30"	31 1/2"	27 1/4"	7/16"	DP3(L/V)1WH30()F	463.	952.	1,095.	1,204.
	36"	37 1/2"	27 1/4"	7/16"	DP3(L/V)1WH36()F	552.	999.	1,150.	1,264.
	42"	43 1/2"	27 1/4"	7/16"	DP3(L/V)1WH42()F	562.	1,053.	1,212.	1,332.
	48"	49 1/2"	27 1/4"	7/16"	DP3(L/V)1WH48()F	740.	1,105.	1,268.	1,395.



28" High Concealed Post	15"	16 1/2"	33 13/16"	7/16"	DP3(L/V)12815()F	321.	931.	1,072.	1,180.
Monolithic Panel Half Post	18"	19 1/2"	33 13/16"	7/16"	DP3(L/V)12818()F	366.	959.	1,107.	1,217.
Laminate and Veneer Inserts	24"	25 1/2"	33 13/16"	7/16"	DP3(L/V)12824()F	426.	1,000.	1,154.	1,269.
(For 36"H Panel Frame)	30"	31 1/2"	33 13/16"	7/16"	DP3(L/V)12830()F	463.	1,072.	1,233.	1,358.
	36"	37 1/2"	33 13/16"	7/16"	DP3(L/V)12836()F	552.	1,266.	1,453.	1,598.
	42"	43 1/2"	33 13/16"	7/16"	DP3(L/V)12842()F	562.	1,491.	1,720.	1,891.
	48"	49 1/2"	33 13/16"	7/16"	DP3(L/V)12848()F	740.	1,764.	2,030.	2,233.



42" High Concealed Post	15"	16 1/2"	41 3/16"	7/16"	DP3(L/V)14215()F	426.	978.	1,122.	1,235.
Monolithic Panel Half Post	18"	19 1/2"	41 3/16"	7/16"	DP3(L/V)14218()F	475.	1,006.	1,157.	1,273.
Laminate and Veneer Inserts	24"	25 1/2"	41 3/16"	7/16"	DP3(L/V)14224()F	552.	1,053.	1,209.	1,328.
	30"	31 1/2"	41 3/16"	7/16"	DP3(L/V)14230()F	746.	1,142.	1,315.	1,447.
	36"	37 1/2"	41 3/16"	7/16"	DP3(L/V)14236()F	785.	1,348.	1,552.	1,707.
	42"	43 1/2"	41 3/16"	7/16"	DP3(L/V)14242()F	793.	1,593.	1,834.	2,017.
	48"	49 1/2"	41 3/16"	7/16"	DP3(L/V)14248()F	870.	1,878.	2,163.	2,379.



w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Concealed Post Monolithic Panel Inserts	Concealed Post Monolithic Panel Inserts	Concealed Post Monolithic Panel Inserts	Concealed Post Monolithic Panel Inserts
1. Pattern Number		• Attachment Clips	Configuration:
2. Laminate or Veneer Finish	<i>Example:</i> DP3(L/V)14236CEF		(CE) = Left Half Post: Tile ends in the center of the post on the left and at the right side of the panel frame.
3. Edgeband Finish	DP3(L/V)1 Pattern Number		(EC) = Right Half Post: Tile ends in the center of the post on the right and at the left side of the panel frame.
	4236		
	CE Center left, End Right		
	F Tile to Floor		
	118 Bright White Laminate		
	118 Bright White Edgeband		

Monolithic Panel Half Post Laminate and Veneer Inserts
50" and 57" High

description	w*	w	h	d	pattern no.	Laminate	V1	V2	V3
50" High Concealed Post Monolithic Panel Half Post Laminate and Veneer Inserts 	15"	16 1/2"	48 1/2"	7/16"	DP3(L/V)15015()F	\$464.	\$1,054.	\$1,210.	\$1,330.
	18"	19 1/2"	48 1/2"	7/16"	DP3(L/V)15018()F	554.	1,087.	1,253.	1,378.
	24"	25 1/2"	48 1/2"	7/16"	DP3(L/V)15024()F	696.	1,155.	1,302.	1,433.
	30"	31 1/2"	48 1/2"	7/16"	DP3(L/V)15030()F	755.	1,189.	1,366.	1,503.
	36"	37 1/2"	48 1/2"	7/16"	DP3(L/V)15036()F	924.	1,401.	1,610.	1,770.
	42"	43 1/2"	48 1/2"	7/16"	DP3(L/V)15042()F	933.	1,651.	1,901.	2,091.
	48"	49 1/2"	48 1/2"	7/16"	DP3(L/V)15048()F	1,202.	1,946.	2,239.	2,462.
57" High Concealed Post Monolithic Panel Half Post Laminate and Veneer Inserts 	15"	16 1/2"	55 3/8"	7/16"	DP3(L/V)15715()F	473.	1,092.	1,373.	1,511.
	18"	19 1/2"	55 3/8"	7/16"	DP3(L/V)15718()F	564.	1,126.	1,414.	1,556.
	24"	25 1/2"	55 3/8"	7/16"	DP3(L/V)15724()F	707.	1,217.	1,529.	1,682.
	30"	31 1/2"	55 3/8"	7/16"	DP3(L/V)15730()F	765.	1,318.	1,655.	1,820.
	36"	37 1/2"	55 3/8"	7/16"	DP3(L/V)15736()F	935.	1,573.	1,968.	2,164.
	42"	43 1/2"	55 3/8"	7/16"	DP3(L/V)15742()F	940.	1,851.	2,319.	2,552.
	48"	49 1/2"	55 3/8"	7/16"	DP3(L/V)15748()F	1,212.	2,186.	2,738.	3,012.

w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Concealed Post Monolithic Panel Inserts 1. Pattern Number 2. Laminate or Veneer Finish 3. Edgeband Finish	Concealed Post Monolithic Panel Inserts <i>Example:</i> DP3(L/V)15736CEF DP3(L/V)1 Pattern Number 5736 CE Center left, End Right F Tile to Floor 118 Bright White Laminate 118 Bright White Edgeband	Concealed Post Monolithic Panel Inserts • Attachment Clips	Concealed Post Monolithic Panel Inserts Configuration: (CE) = Left Half Post: Tile ends in the center of the post on the left and at the right side of the panel frame. (EC) = Right Half Post: Tile ends in the center of the post on the right and at the left side of the panel frame.

*Monolithic Panel Centered Fabric Inserts**Worksurface Height, 28" and 42" High*

description	w *	w	d	h	pattern no.	10	20	30	40
Worksurface Height Concealed Post	15"	18"	7/16"	27 1/4"	DP1SOWH15CCF	\$266.	\$286.	\$303.	\$312.
Monolithic Panel Centered Fabric Insert	18"	21"	7/16"	27 1/4"	DP1SOWH18CCF	272.	298.	312.	321.
	24"	27"	7/16"	27 1/4"	DP1SOWH24CCF	281.	306.	320.	328.
	30"	33"	7/16"	27 1/4"	DP1SOWH30CCF	288.	317.	326.	338.
	36"	39"	7/16"	27 1/4"	DP1SOWH36CCF	300.	323.	336.	350.
	42"	45"	7/16"	27 1/4"	DP1SOWH42CCF	310.	331.	343.	359.
	48"	51"	7/16"	27 1/4"	DP1SOWH48CCF	318.	339.	355.	370.
	60"	63"	7/16"	27 1/4"	DP1SOWH60CCF	332.	359.	376.	391.
28" High Concealed Post	15"	18"	7/16"	33 13/16"	DP1SO2815CCF	284.	312.	323.	332.
Monolithic Panel Centered Fabric Insert	18"	21"	7/16"	33 13/16"	DP1SO2818CCF	298.	322.	335.	343.
(For 36"H Panel Frame)	24"	27"	7/16"	33 13/16"	DP1SO2824CCF	308.	331.	345.	359.
	30"	33"	7/16"	33 13/16"	DP1SO2830CCF	320.	341.	359.	371.
	36"	39"	7/16"	33 13/16"	DP1SO2836CCF	328.	355.	371.	385.
	42"	45"	7/16"	33 13/16"	DP1SO2842CCF	338.	366.	385.	399.
	48"	51"	7/16"	33 13/16"	DP1SO2848CCF	352.	376.	397.	410.
	60"	63"	7/16"	33 13/16"	DP1SO2860CCF	371.	401.	420.	435.
42" High Concealed Post	15"	18"	7/16"	41 3/16"	DP1SO4215CCF	312.	332.	345.	359.
Monolithic Panel Centered Fabric Insert	18"	21"	7/16"	41 3/16"	DP1SO4218CCF	323.	345.	364.	373.
	24"	27"	7/16"	41 3/16"	DP1SO4224CCF	335.	364.	376.	394.
	30"	33"	7/16"	41 3/16"	DP1SO4230CCF	350.	376.	395.	408.
	36"	39"	7/16"	41 3/16"	DP1SO4236CCF	364.	394.	410.	424.
	42"	45"	7/16"	41 3/16"	DP1SO4242CCF	373.	408.	424.	438.
	48"	51"	7/16"	41 3/16"	DP1SO4248CCF	391.	421.	438.	454.
	60"	63"	7/16"	41 3/16"	DP1SO4260CCF	414.	449.	469.	490.

w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Concealed Post Monolithic Panel Fabric Inserts	Concealed Post Monolithic Panel Fabric Inserts	Concealed Post Monolithic Panel Fabric Inserts	Concealed Post Monolithic Panel Fabric Inserts
1. Pattern Number	<i>Example:</i> DP1SO2818CCF	• Attachment Clips	
2. Fabric	DP1SO Pattern Number		
	2818		
	CC Center Left, Center Right		
	F Tile to Floor		
	W1077 Element		

Concealed Post

Monolithic Panel Centered Fabric Inserts

50", 57" and 64" High

Dividends Horizon

description	w *	w	h	d	pattern no.	10	20	30	40
50" High Concealed Post	15"	18"	48 1/2"	7/16"	DP1SO5015CCF	\$335.	\$362.	\$373.	\$391.
Monolithic Panel Centered Fabric Insert	18"	21"	48 1/2"	7/16"	DP1SO5018CCF	352.	376.	395.	408.
	24"	27"	48 1/2"	7/16"	DP1SO5024CCF	366.	397.	412.	426.
	30"	33"	48 1/2"	7/16"	DP1SO5030CCF	384.	412.	428.	445.
	36"	39"	48 1/2"	7/16"	DP1SO5036CCF	399.	426.	447.	464.
	42"	45"	48 1/2"	7/16"	DP1SO5042CCF	412.	445.	466.	485.
	48"	45"	48 1/2"	7/16"	DP1SO5048CCF	426.	463.	485.	503.
	60"	63"	48 1/2"	7/16"	DP1SO5060CCF	461.	499.	518.	540.
57" High Concealed Post	15"	18"	55 3/8"	7/16"	DP1SO5715CCF	355.	389.	403.	419.
Monolithic Panel Centered Fabric Insert	18"	21"	55 3/8"	7/16"	DP1SO5718CCF	372.	408.	424.	438.
	24"	27"	55 3/8"	7/16"	DP1SO5724CCF	395.	425.	445.	461.
	30"	33"	55 3/8"	7/16"	DP1SO5730CCF	412.	445.	466.	479.
	36"	39"	55 3/8"	7/16"	DP1SO5736CCF	428.	466.	487.	504.
	42"	45"	55 3/8"	7/16"	DP1SO5742CCF	449.	485.	508.	522.
	48"	51"	55 3/8"	7/16"	DP1SO5748CCF	467.	504.	525.	546.
	60"	63"	55 3/8"	7/16"	DP1SO5760CCF	504.	543.	566.	588.
64" High Concealed Post	15"	18"	63 1/16"	7/16"	DP1SO6415CCF	387.	413.	429.	447.
Monolithic Panel Centered Fabric Insert	18"	21"	63 1/16"	7/16"	DP1SO6418CCF	406.	435.	454.	470.
	24"	27"	63 1/16"	7/16"	DP1SO6424CCF	425.	458.	475.	499.
	30"	33"	63 1/16"	7/16"	DP1SO6430CCF	445.	478.	503.	518.
	36"	39"	63 1/16"	7/16"	DP1SO6436CCF	466.	503.	524.	543.
	42"	45"	63 1/16"	7/16"	DP1SO6442CCF	487.	522.	547.	566.
	48"	51"	63 1/16"	7/16"	DP1SO6448CCF	506.	546.	570.	591.
	60"	63"	63 1/16"	7/16"	DP1SO6460CCF	546.	589.	621.	643.

w* = nominal width
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Concealed Post Monolithic Panel Fabric Inserts	Concealed Post Monolithic Panel Fabric Inserts	Concealed Post Monolithic Panel Fabric Inserts	Concealed Post Monolithic Panel Fabric Inserts
1. Pattern Number	Example: DP1SO5718CCF	• Attachment Clips	
2. Fabric	DP1SO Pattern Number		
	5718		
	CC Center Left, Center Right		
	F Tile to Floor		
	W1077 Element		

Concealed Post

Monolithic Panel Centered Laminate Inserts

Worksurface Height, 28" and 42" High

Dividends Horizon

description	w *	w	h	d	pattern no.	Laminate	V1	V2	V3
Worksurface Height Concealed Post	15"	18"	27 1/4"	7/16"	DP3(L/V)1WH15CCF	\$321.	\$854.	\$982.	\$1,080.
Monolithic Panel Centered Insert	18"	21"	27 1/4"	7/16"	DP3(L/V)1WH18CCF	366.	870.	1,002.	1,101.
	24"	27"	27 1/4"	7/16"	DP3(L/V)1WH24CCF	426.	903.	1,038.	1,142.
	30"	33"	27 1/4"	7/16"	DP3(L/V)1WH30CCF	463.	952.	1,095.	1,204.
	36"	39"	27 1/4"	7/16"	DP3(L/V)1WH36CCF	552.	999.	1,150.	1,264.
	42"	45"	27 1/4"	7/16"	DP3(L/V)1WH42CCF	562.	1,053.	1,212.	1,332.
	48"	51"	27 1/4"	7/16"	DP3(L/V)1WH48CCF	740.	1,105.	1,268.	1,395.
28" H Concealed Post	15"	18"	33 13/16"	7/16"	DP3(L/V)12815CCF	321.	931.	1,072.	1,180.
Monolithic Panel Centered Insert	18"	21"	33 13/16"	7/16"	DP3(L/V)12818CCF	366.	959.	1,107.	1,217.
(For 36"H Panel Frame)	24"	27"	33 13/16"	7/16"	DP3(L/V)12824CCF	426.	1,000.	1,154.	1,269.
	30"	33"	33 13/16"	7/16"	DP3(L/V)12830CCF	463.	1,072.	1,233.	1,358.
	36"	39"	33 13/16"	7/16"	DP3(L/V)12836CCF	552.	1,266.	1,453.	1,598.
	42"	45"	33 13/16"	7/16"	DP3(L/V)12842CCF	562.	1,491.	1,720.	1,891.
	48"	51"	33 13/16"	7/16"	DP3(L/V)12848CCF	740.	1,764.	2,030.	2,233.
42" H Concealed Post	15"	18"	41 3/16"	7/16"	DP3(L/V)14215CCF	426.	978.	1,122.	1,235.
Monolithic Panel Centered Insert	18"	21"	41 3/16"	7/16"	DP3(L/V)14218CCF	475.	1,006.	1,157.	1,273.
(For 42"H Panel Frame)	24"	27"	41 3/16"	7/16"	DP3(L/V)14224CCF	552.	1,053.	1,209.	1,328.
	30"	33"	41 3/16"	7/16"	DP3(L/V)14230CCF	746.	1,142.	1,315.	1,447.
	36"	39"	41 3/16"	7/16"	DP3(L/V)14236CCF	785.	1,348.	1,552.	1,707.
	42"	45"	41 3/16"	7/16"	DP3(L/V)14242CCF	793.	1,593.	1,834.	2,017.
	48"	51"	41 3/16"	7/16"	DP3(L/V)14248CCF	870.	1,878.	2,163.	2,379.

w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Concealed Post Monolithic Panel Inserts	Concealed Post Monolithic Panel Inserts	Concealed Post Monolithic Panel Inserts	
1. Pattern Number	<i>Example:</i> DP3(L/V)14236CCF	• Attachment Clips	
2. Laminate or Veneer Finish	DP3L1 Pattern Number		
3. Edgeband Finish	4236		
	CC Center Left, Center Right		
	F Tile to Floor		
	118 Bright White Laminate		
	118 Bright White Edgeband		

Concealed Post

Monolithic Panel Centered Laminate Inserts

50" and 57" High

Dividends Horizon

description	w*	w	h	d	pattern no.	Laminate	V1	V2	V3
50" H Concealed Post Monolithic Panel Centered Insert (For 50"H Panel Frame)	15"	18"	48 1/2"	7/16"	DP3(L/V)15015CCF	\$464.	\$1,054.	\$1,210.	\$1,330.
	18"	21"	48 1/2"	7/16"	DP3(L/V)15018CCF	554.	1,087.	1,253.	1,378.
	24"	27"	48 1/2"	7/16"	DP3(L/V)15024CCF	696.	1,155.	1,302.	1,433.
	30"	33"	48 1/2"	7/16"	DP3(L/V)15030CCF	755.	1,189.	1,366.	1,503.
	36"	39"	48 1/2"	7/16"	DP3(L/V)15036CCF	924.	1,401.	1,610.	1,770.
	42"	45"	48 1/2"	7/16"	DP3(L/V)15042CCF	933.	1,651.	1,901.	2,091.
	48"	51"	48 1/2"	7/16"	DP3(L/V)15048CCF	1,202.	1,946.	2,239.	2,462.
57" H Concealed Post Monolithic Panel Centered Insert (For 57"H Panel Frame)	15"	18"	55 3/8"	7/16"	DP3(L/V)15715CCF	473.	1,092.	1,373.	1,511.
	18"	21"	55 3/8"	7/16"	DP3(L/V)15718CCF	564.	1,126.	1,414.	1,556.
	24"	27"	55 3/8"	7/16"	DP3(L/V)15724CCF	707.	1,217.	1,529.	1,682.
	30"	33"	55 3/8"	7/16"	DP3(L/V)15730CCF	765.	1,318.	1,655.	1,820.
	36"	39"	55 3/8"	7/16"	DP3(L/V)15736CCF	935.	1,573.	1,968.	2,164.
	42"	45"	55 3/8"	7/16"	DP3(L/V)15742CCF	940.	1,851.	2,319.	2,552.
	48"	51"	55 3/8"	7/16"	DP3(L/V)15748CCF	1,212.	2,186.	2,738.	3,012.

w* = nominal width
 Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Concealed Post Monolithic Panel Inserts 1. Pattern Number 2. Laminate or Veneer Finish 3. Edgeband Finish	Concealed Post Monolithic Panel Inserts <i>Example:</i> DP3(L/V)15736CCF DP3L1 Pattern Number 5736 CC Center Left, Center Right F Tile to Floor 118 Bright White Laminate 118 Bright White Edgeband	Concealed Post Monolithic Panel Inserts • Attachment Clips	

Monolithic Panel Double with Post Fabric Inserts
Worksurface Height, 28" and 42" High

description	w *	w	h	d	pattern no.	10	20	30	40
Worksurface Height Concealed Post	30"	33"	27 1/4"	7/16"	DP1SOWH30EPEF	\$266.	\$286.	\$303.	\$310.
Monolithic Panel Double with	36"	39"	27 1/4"	7/16"	DP1SOWH36EPEF	293.	320.	331.	339.
Post Fabric Insert	48"	51"	27 1/4"	7/16"	DP1SOWH48EPEF	322.	345.	364.	373.
	60"	63"	27 1/4"	7/16"	DP1SOWH60EPEF	352.	383.	397.	410.



28" High Concealed Post	30"	33"	33 13/16"	7/16"	DP1SO2830EPEF	206.	223.	235.	242.
Monolithic Panel Double with	36"	39"	33 13/16"	7/16"	DP1SO2836EPEF	281.	306.	320.	326.
Post Fabric Insert	48"	51"	33 13/16"	7/16"	DP1SO2848EPEF	353.	384.	400.	413.
(For 36"h panel frame)	60"	63"	33 13/16"	7/16"	DP1SO2860EPEF	426.	463.	485.	502.



42" High Concealed Post	30"	33"	41 3/16"	7/16"	DP1SO4230EPEF	259.	277.	288.	303.
Monolithic Panel Double with	36"	39"	41 3/16"	7/16"	DP1SO4236EPEF	326.	353.	368.	384.
Post Fabric Insert	48"	51"	41 3/16"	7/16"	DP1SO4248EPEF	397.	426.	445.	463.
	60"	63"	41 3/16"	7/16"	DP1SO4260EPEF	466.	503.	522.	543.



w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Concealed Post Monolithic Panel Fabric Inserts	Concealed Post Monolithic Panel Fabric Inserts	Concealed Post Monolithic Panel Fabric Inserts	Concealed Post Monolithic Panel Fabric Inserts
1. Pattern Number	<i>Example:</i> DP1SO2836EPEF	• Attachment Clips	
2. Fabric	DP1SO Pattern Number		
	2836		
	EPE End, Post, End		
	F Tile to Floor		
	W1077 Element		

Concealed Post

Monolithic Panel Double with Post Fabric Inserts

50", 57" and 64" High

Dividends Horizon

description	w *	w	h	d	pattern no.	10	20	30	40
50" High Concealed Post	30"	33"	48 1/2"	7/16"	DP1SO5030EPEF	\$308.	\$326.	\$341.	\$356.
Monolithic Panel Double with	36"	39"	48 1/2"	7/16"	DP1SO5036EPEF	370.	399.	419.	434.
Post Fabric Insert	48"	51"	48 1/2"	7/16"	DP1SO5048EPEF	434.	467.	491.	508.
	60"	63"	48 1/2"	7/16"	DP1SO5060EPEF	501.	540.	564.	581.



57" High Concealed Post	30"	33"	55 3/8"	7/16"	DP1SO5730EPEF	353.	384.	400.	413.
Monolithic Panel Double with	36"	39"	55 3/8"	7/16"	DP1SO5736EPEF	413.	445.	467.	485.
Post Fabric Insert	48"	51"	55 3/8"	7/16"	DP1SO5748EPEF	470.	509.	534.	552.
	60"	51"	55 3/8"	7/16"	DP1SO5760EPEF	531.	571.	606.	625.



64" High Concealed Post	30"	33"	63 1/16"	7/16"	DP1SO6430EPEF	449.	487.	508.	524.
Monolithic Panel Double with	36"	39"	63 1/16"	7/16"	DP1SO6436EPEF	478.	518.	543.	563.
Post Fabric Insert	48"	51"	63 1/16"	7/16"	DP1SO6448EPEF	509.	552.	576.	595.



Alternative Planning

w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Concealed Post Monolithic Panel Fabric Inserts	Concealed Post Monolithic Panel Fabric Inserts	Concealed Post Monolithic Panel Fabric Inserts	Concealed Post Monolithic Panel Fabric Inserts
1. Pattern Number	<i>Example:</i> DP1SO5736EPEF	• Attachment Clips	
2. Fabric	DP1SO Pattern Number		
	5736		
	EPE End, Post, End		
	F Tile to Floor		
	W1077 Element		

Monolithic Panel Double with Post Laminate and Veneer Inserts
Worksurface Height, 28" and 42" High

description	w *	w	h	d	pattern no.	Laminate	V1	V2	V3
Worksurface Ht. Concealed Post	30"	33"	27 1/4"	7/16"	DP3(L/V)1WH30EPEF	\$463.	\$1,004.	\$1,154.	\$1,269.
Monolithic Panel Double with	36"	39"	27 1/4"	7/16"	DP3(L/V)1WH36EPEF	552.	1,072.	1,233.	1,358.
Post Insert	48"	51"	27 1/4"	7/16"	DP3(L/V)1WH48EPEF	566.	1,142.	1,314.	1,446.
	60"	63"	27 1/4"	7/16"	DP3(L/V)1WH60EPEF	744.	1,215.	1,398.	1,537.
	72"	75"	27 1/4"	7/16"	DP3(L/V)1WH72EPEF	760.	1,324.	1,523.	1,675.
	84"	87"	27 1/4"	7/16"	DP3(L/V)1WH84EPEF	776.	1,443.	1,660.	1,826.
									
28" H Concealed Post	30"	33"	33 13/16"	7/16"	DP3(L/V)12830EPEF	689.	1,072.	1,233.	1,358.
Monolithic Panel Double with	36"	39"	33 13/16"	7/16"	DP3(L/V)12836EPEF	698.	1,266.	1,453.	1,598.
Post Insert	48"	51"	33 13/16"	7/16"	DP3(L/V)12848EPEF	740.	1,491.	1,720.	1,891.
(For 36" h panel frame)	60"	63"	33 13/16"	7/16"	DP3(L/V)12860EPEF	1,198.	1,764.	2,030.	2,233.
	72"	75"	33 13/16"	7/16"	DP3(L/V)12872EPEF	1,214.	1,923.	2,212.	2,435.
	84"	87"	33 13/16"	7/16"	DP3(L/V)12884EPEF	1,231.	2,096.	2,412.	2,653.
									
42" H Concealed Post	30"	33"	41 3/16"	7/16"	DP3(L/V)14230EPEF	746.	1,142.	1,315.	1,447.
Monolithic Panel Double with	36"	39"	41 3/16"	7/16"	DP3(L/V)14236EPEF	785.	1,348.	1,552.	1,707.
Post Insert	48"	51"	41 3/16"	7/16"	DP3(L/V)14248EPEF	817.	1,593.	1,834.	2,017.
	60"	63"	41 3/16"	7/16"	DP3(L/V)14260EPEF	1,210.	1,878.	2,163.	2,379.
	72"	75"	41 3/16"	7/16"	DP3(L/V)14272EPEF	1,224.	2,048.	2,357.	2,594.
	84"	87"	41 3/16"	7/16"	DP3(L/V)14284EPEF	1,241.	2,231.	2,569.	2,827.
									

w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Concealed Post Monolithic Panel Inserts	Concealed Post Monolithic Panel Inserts	Concealed Post Monolithic Panel Inserts	Concealed Post Monolithic Panel Inserts
1. Pattern Number		• Attachment Clips	
2. Laminate or Veneer Finish	<i>Example:</i> DP3(L/V)14236EPEF		
3. Edgeband Finish	DP3L1 Pattern Number		
	4236		
	EPE End, Post, End		
	F Tile to Floor		
	118 Bright White Laminate		
	118 Bright White Edgeband		

Monolithic Panel Double with Post Laminate and Veneer Inserts
50" and 57" High



description	w *	w	h	d	pattern no.	Laminate	V1	V2	V3
50" H Concealed Post	30"	33"	48 1/2"	7/16"	DP3(L/V)15030EPEF	\$755.	\$1,189.	\$1,366.	\$1,503.
Monolithic Panel Double with Post Insert	36"	39"	48 1/2"	7/16"	DP3(L/V)15036EPEF	924.	1,401.	1,610.	1,770.
	48"	51"	48 1/2"	7/16"	DP3(L/V)15048EPEF	1,202.	1,651.	1,901.	2,091.
	60"	63"	48 1/2"	7/16"	DP3(L/V)15060EPEF	1,220.	1,946.	2,239.	2,462.
	72"	75"	48 1/2"	7/16"	DP3(L/V)15072EPEF	1,236.	2,121.	2,441.	2,684.
	84"	87"	48 1/2"	7/16"	DP3(L/V)15084EPEF	1,252.	2,312.	2,661.	2,926.
57" H Concealed Post	30"	33"	55 3/8"	7/16"	DP3(L/V)15730EPEF	765.	1,573.	1,968.	2,164.
Monolithic Panel Double with Post Insert	36"	39"	55 3/8"	7/16"	DP3(L/V)15736EPEF	935.	1,851.	2,319.	2,552.
	48"	51"	55 3/8"	7/16"	DP3(L/V)15748EPEF	1,212.	2,186.	2,738.	3,012.
	60"	63"	55 3/8"	7/16"	DP3(L/V)15760EPEF	1,229.	2,382.	2,984.	3,282.
	72"	75"	55 3/8"	7/16"	DP3(L/V)15772EPEF	1,242.	2,597.	3,253.	3,577.
	84"	87"	55 3/8"	7/16"	DP3(L/V)15784EPEF	1,258.	2,831.	3,545.	3,900.

w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Concealed Post Monolithic Panel Inserts	Concealed Post Monolithic Panel Inserts	Concealed Post Monolithic Panel Inserts	Concealed Post Monolithic Panel Inserts
1. Pattern Number		• Attachment Clips	
2. Laminate or Veneer Finish	<i>Example:</i> DP3(L/V)15736EPEF		
3. Edgeband Finish	DP3L1 Pattern Number		
	5736		
	EPE End, Post, End		
	F Tile to Floor		
	118 Bright White Laminate		
	118 Bright White Edgeband		

*Standard Frameless Add Up**1/2" Clear, Powder, Bronze and Grey Glass*

description	w	d	h	pattern no.	list	Clear (TEMP)	Frosted (GL13) Bronze (GL25) Grey (GL35)
Frameless Add Up, 7" High (For use with concealed post only) 	51"	1/2"	7"	DP1AU0751()G		\$751.	\$843.
	57"	1/2"	7"	DP1AU0757()G		814.	914.
	63"	1/2"	7"	DP1AU0763()G		874.	989.
	69"	1/2"	7"	DP1AU0769()G		941.	1,062.
	75"	1/2"	7"	DP1AU0775()G		1,004.	1,139.
	81"	1/2"	7"	DP1AU0781()G		1,085.	1,237.
	87"	1/2"	7"	DP1AU0787()G		1,175.	1,334.
	93"	1/2"	7"	DP1AU0793()G		1,268.	1,445.
	99"	1/2"	7"	DP1AU0799()G		1,368.	1,559.
Shortened Frameless Add Up, 7" High (For use with concealed post only) 	50"	1/2"	7"	DP1AU0750()G		751.	843.
	56"	1/2"	7"	DP1AU0756()G		814.	914.
	62"	1/2"	7"	DP1AU0762()G		874.	989.
	68"	1/2"	7"	DP1AU0768()G		941.	1,062.
	74"	1/2"	7"	DP1AU0774()G		1,004.	1,139.
	80"	1/2"	7"	DP1AU0780()G		1,085.	1,237.
	86"	1/2"	7"	DP1AU0786()G		1,175.	1,334.
	92"	1/2"	7"	DP1AU0792()G		1,268.	1,445.
	98"	1/2"	7"	DP1AU0798()G		1,368.	1,559.

Ordering Information

Frameless Add Up with Glass

1. Pattern number
2. Frame finish
3. Glass finish

End Cap

1. Pattern number
2. Paint finish

Order Code

Frameless Add Up with Glass

Example: DP1AU0757VG

DP1AU Frameless Add Up

07 7" High

57 57" Wide

V Glass

117 Frame finish

TEMP Clear glass finish

Included with:

- Frameless Add Up with Glass
- Attachment hardware
- Topway Trough Spacer (Topway only)
- Alignment Clip


Options


Frame Options:
(V) = Full view
(C) = Topway

Glass Options:
(TEMP) = Clear
(GL13) = Frosted
(GL25) = Bronze
(GL35) = Grey

Concealed Post
Standard Frameless Add Up
1/2" Clear, Powder, Bronze and Grey Glass

Dividends Horizon

description	w	d	h	pattern no.	list	Clear (TEMP)	Frosted (GL13) Bronze (GL25) Grey (GL35)
 Frameless Add Up, 14" High (For use with concealed post only)	51"	1/2"	14"	DP1AU1451()G		\$1,058.	\$1,245.
	57"	1/2"	14"	DP1AU1457()G		1,158.	1,366.
	63"	1/2"	14"	DP1AU1463()G		1,260.	1,490.
	69"	1/2"	14"	DP1AU1469()G		1,358.	1,611.
	75"	1/2"	14"	DP1AU1475()G		1,457.	1,733.
	81"	1/2"	14"	DP1AU1481()G		1,583.	1,873.
	87"	1/2"	14"	DP1AU1487()G		1,707.	2,028.
	93"	1/2"	14"	DP1AU1493()G		1,844.	2,189.
	99"	1/2"	14"	DP1AU1499()G		1,994.	2,364.

 Shortened Frameless Add Up, 14" High (For use with concealed post only)	50"	1/2"	14"	DP1AU1450()G		1,058.	1,245.
	56"	1/2"	14"	DP1AU1456()G		1,158.	1,366.
	62"	1/2"	14"	DP1AU1462()G		1,260.	1,490.
	68"	1/2"	14"	DP1AU1468()G		1,358.	1,611.
	74"	1/2"	14"	DP1AU1474()G		1,457.	1,733.
	80"	1/2"	14"	DP1AU1480()G		1,583.	1,873.
	86"	1/2"	14"	DP1AU1486()G		1,707.	2,028.
	92"	1/2"	14"	DP1AU1492()G		1,844.	2,189.
	98"	1/2"	14"	DP1AU1498()G		1,994.	2,364.



End Cap				DP1AUECTP	70.		
---------	--	--	--	-----------	-----	--	--



Alternative Planning



Ordering Information	Order Code	Included with:	Options
Frameless Add Up with Glass 1. Pattern number 2. Frame finish 3. Glass finish	Frameless Add Up with Glass <i>Example:</i> DP1AU0757VG DP1AU Frameless Add Up 14 14" High 57 57" Wide V Glass 117 Frame finish TEMP Clear glass finish	Frameless Add Up with Glass • Attachment hardware • Topway Trough Spacer (Topway only) • Alignment Clip	Frame Option: (V) = Full view (C) = Topway Glass Options: (TEMP) = Clear (GL13) = Frosted (GL25) = Bronze (GL35) = Grey

*Recessed Frameless Add Up**1/2" Clear, Powder, Bronze, Grey Glass and PET*

description	w	d	h	pattern no.	PET (PET)	Clear (TEMP)	Frosted (GL13)	Bronze (GL25) Grey (GL35)
Recessed Frameless Add Up, 7" High (For use with concealed post only) 	51"	1/2"	7"	DP1AR0751H()	\$713.	\$706.	\$863.	\$999.
	51"	1/2"	7"	DP1AR0757H()	770.	760.	936.	1,105.
	63"	1/2"	7"	DP1AR0763H()	831.	818.	982.	1,171.
	69"	1/2"	7"	DP1AR0769H()	884.	873.	1,065.	1,284.
	75"	1/2"	7"	DP1AR0775H()	943.	921.	1,120.	1,372.
	81"	1/2"	7"	DP1AR0781H()	999.	989.	1,175.	1,452.
	87"	1/2"	7"	DP1AR0787H()	1,065.	1,049.	1,263.	1,554.
	93"	1/2"	7"	DP1AR0793H()	1,128.	1,115.	1,358.	1,694.
	99"	1/2"	7"	DP1AR0799H()	1,148.	1,293.	1,610.	1,656.
Recessed Shortened Frameless Add Up, 7" High (For use with concealed post only) 	50"	1/2"	7"	DP1AR0750H()	713.	704.	863.	999.
	56"	1/2"	7"	DP1AR0756H()	770.	758.	936.	1,105.
	62"	1/2"	7"	DP1AR0762H()	831.	805.	982.	1,171.
	68"	1/2"	7"	DP1AR0768H()	884.	869.	1,065.	1,284.
	74"	1/2"	7"	DP1AR0774H()	943.	912.	1,120.	1,372.
	80"	1/2"	7"	DP1AR0780H()	999.	985.	1,175.	1,452.
	86"	1/2"	7"	DP1AR0786H()	1,065.	1,047.	1,263.	1,554.
	92"	1/2"	7"	DP1AR0792H()	1,128.	1,111.	1,358.	1,694.
	98"	1/2"	7"	DP1AR0798H()	1,148.	1,278.	1,671.	2,036.

Ordering Information	Order Code	Included with:	Options
Frameless Add Up with Glass 1. Pattern number 2. Frame finish 3. Glass finish	Frameless Add Up with Glass <i>Example:</i> DP1AR0757H DP1AR Frameless Add Up 07 7" High 57 57" Wide H 1/2" Thick 117 Frame finish TEMP Clear glass finish	Frameless Add Up with Glass • Attachment hardware • Topway Trough Spacer • Alignment Clip	Glass Options: (TEMP)= Clear (GL13)= Frosted (GL25)= Bronze (GL35)= Grey PET Options: (12SL)= Slate (12PW)= Pewter (12SM)= Smoke (12OC)= Ochre (12CB)= Cobalt

*Recessed Frameless Add Up**1/2" Clear, Powder, Bronze, Grey Glass and PET*

description	w	d	h	pattern no.	PET (PET)	Clear (TEMP)	Frosted (GL13) Bronze (GL25) Grey (GL35)	Bronze (GL25) Grey (GL35)
Recessed Frameless Add Up, 14" High (For use with concealed post only) 	51"	1/2"	14"	DP1AR1451H()	\$936.	\$903.	\$1,105.	\$1,447.
	57"	1/2"	14"	DP1AR1457H()	1,019.	989.	1,199.	1,579.
	63"	1/2"	14"	DP1AR1463H()	1,104.	1,074.	1,274.	1,722.
	69"	1/2"	14"	DP1AR1469H()	1,191.	1,157.	1,405.	1,882.
	75"	1/2"	14"	DP1AR1475H()	1,286.	1,241.	1,502.	2,023.
	81"	1/2"	14"	DP1AR1481H()	1,391.	1,350.	1,597.	2,153.
	87"	1/2"	14"	DP1AR1487H()	1,498.	1,455.	1,765.	2,309.
	93"	1/2"	14"	DP1AR1493H()	1,624.	1,575.	1,946.	2,496.
	99"	1/2"	14"	DP1AR1499H()	1,668.	1,813.	2,119.	2,742.
Recessed Shortened Frameless Add Up, 14" High (For use with concealed post only) 	50"	1/2"	14"	DP1AR1450H()	936.	903.	1,105.	1,447.
	56"	1/2"	14"	DP1AR1456H()	1,019.	989.	1,199.	1,579.
	62"	1/2"	14"	DP1AR1462H()	1,104.	1,074.	1,274.	1,722.
	68"	1/2"	14"	DP1AR1468H()	1,191.	1,157.	1,405.	1,882.
	74"	1/2"	14"	DP1AR1474H()	1,286.	1,241.	1,502.	2,023.
	80"	1/2"	14"	DP1AR1480H()	1,391.	1,349.	1,597.	2,153.
	86"	1/2"	14"	DP1AR1486H()	1,498.	1,455.	1,765.	2,309.
	92"	1/2"	14"	DP1AR1492H()	1,624.	1,575.	1,946.	2,496.
	98"	1/2"	14"	DP1AR1498H()	1,668.	1,814.	2,119.	2,742.



Ordering Information	Order Code	Included with:	Options
Frameless Add Up with Glass 1. Pattern number 2. Frame finish 3. Glass finish End Cap 1. Pattern number 2. Paint finish	Frameless Add Up with Glass <i>Example:</i> DP1AR0757H DP1AR Frameless Add Up 07 7" High 57 57" Wide H 1/2" Thick 117 Frame finish TEMP Clear glass finish	Frameless Add Up with Glass • Attachment hardware • Topway Trough Spacer (Topway only) • Alignment Clip	Glass Options: (TEMP) = Clear (GL13) = Frosted (GL25) = Bronze (GL35) = Grey PET Options: (12SL) = Slate (12PW) = Pewter (12SM) = Smoke (12OC) = Ochre (12CB) = Cobalt

Concealed Post

Recessed Frameless Add Up



1/2" PET

Dividends Horizon

description	w	d	h	pattern no.	PET (PET)
Recessed Frameless Add Up, 21" High (For use with concealed post only) 	51"	1/2"	21"	DP1AR2151H()	\$962.
	57"	1/2"	21"	DP1AR2157H()	1,048.
	63"	1/2"	21"	DP1AR2163H()	1,137.
	69"	1/2"	21"	DP1AR2169H()	1,223.
	75"	1/2"	21"	DP1AR2175H()	1,324.
	81"	1/2"	21"	DP1AR2181H()	1,429.
	87"	1/2"	21"	DP1AR2187H()	1,544.
	93"	1/2"	21"	DP1AR2193H()	1,671.
	99"	1/2"	21"	DP1AR2199H()	1,722.
Recessed Shortened Frameless Add Up, 21" High (For use with concealed post only) 	50"	1/2"	21"	DP1AR2150H()	962.
	56"	1/2"	21"	DP1AR2156H()	1,048.
	62"	1/2"	21"	DP1AR2162H()	1,137.
	68"	1/2"	21"	DP1AR2168H()	1,223.
	74"	1/2"	21"	DP1AR2174H()	1,324.
	80"	1/2"	21"	DP1AR2180H()	1,429.
	86"	1/2"	21"	DP1AR2186H()	1,544.
	92"	1/2"	21"	DP1AR2192H()	1,671.
	98"	1/2"	21"	DP1AR2198H()	1,722.

Ordering Information	Order Code	Included with:	Options
Frameless Add Up with PET 1. Pattern number 2. PET finish 3. Frame finish	Frameless Add Up with PET <i>Example:</i> DP1AR2136HPET12SL117 DP1AR Recessed Frameless Add Up 21 21" High 36 36" Wide H 1/2" Thick PET12SL PET Slate 117 Frame finish	Frameless Add Up with Glass • Attachment hardware • Alignment Clip	PET Options: (12SL) = Slate (12PW) = Pewter (12SM) = Smoke (12OC) = Ochre (12CB) = Cobalt

*Recessed Frameless Add Up**3/8" Clear and Laminated Frosted Glass*


description	w	d	h	pattern no.	list	Clear (TEMP)	Powder Laminated (GL60)
Recessed Frameless Add Up, 7" high (For use with concealed post only) 	51"	3/8"	7"	DP1AR0751W()		\$634.	\$788.
	57"	3/8"	7"	DP1AR0757W()		685.	840.
	63"	3/8"	7"	DP1AR0763W()		735.	910.
	69"	3/8"	7"	DP1AR0769W()		788.	969.
	75"	3/8"	7"	DP1AR0775W()		826.	1,034.
	81"	3/4"	7"	DP1AR0781W()		890.	1,088.
	87"	3/4"	7"	DP1AR0787W()		946.	1,170.
	93"	3/4"	7"	DP1AR0793W()		1,006.	1,221.
	99"	3/4"	7"	DP1AR0799W()		1,049.	1,336.
Recessed Shortened Frameless Add Up, 7" high (For use with concealed post only) 	50"	3/8"	7"	DP1AR0750W()		632.	788.
	56"	3/8"	7"	DP1AR0756W()		683.	840.
	62"	3/8"	7"	DP1AR0762W()		726.	910.
	68"	3/8"	7"	DP1AR0768W()		783.	969.
	74"	3/8"	7"	DP1AR0774W()		822.	1,010.
	80"	3/4"	7"	DP1AR0786W()		887.	1,088.
	86"	3/4"	7"	DP1AR0780W()		944.	1,170.
	92"	3/4"	7"	DP1AR0792W()		1,000.	1,221.
	98"	3/4"	7"	DP1AR0798W()		1,049.	1,277.

Ordering Information	Order Code	Included with:	Options
Recessed Frameless Add Up with Clear Glass 1. Pattern number 2. Glass finish	Frameless Add Up with Glass <i>Example:</i> DP1AR0736W TEMP DP1AR Frameless Add Up 07 7" High 36 36" Wide W 3/8" Thick TEMP Clear glass finish	Recessed Frameless Add Up with Clear Glass • Attachment hardware • Alignment Clip	Glass Options: (TEMP)= Clear (GL60) = Laminated Powder


Recessed Frameless Add Up

3/8" Clear and Laminated Frosted Glass

description	w	d	h	pattern no.	list	Clear (TEMP)	Powder Laminated (GL60)
Recessed Frameless Add Up, 14" high (For use with concealed post only)	51"	3/8"	14"	DP1AR1451W()		\$815.	\$1,004.
	57"	3/8"	14"	DP1AR1457W()		890.	1,080.
	63"	3/8"	14"	DP1AR1463W()		967.	1,173.
	69"	3/8"	14"	DP1AR1469W()		1,042.	1,277.
	75"	3/8"	14"	DP1AR1475W()		1,118.	1,363.
	81"	3/8"	14"	DP1AR1481W()		1,217.	1,468.
	87"	3/8"	14"	DP1AR1487W()		1,310.	1,623.
	93"	3/8"	14"	DP1AR1493W()		1,416.	1,752.
	99"	3/8"	14"	DP1AR1499W()		1,531.	1,807.





Recessed Shortened Frameless Add Up, 14" high (For use with concealed post only)	50"	3/8"	14"	DP1AR1450W()		815.	1,004.
	56"	3/8"	14"	DP1AR1456W()		890.	1,080.
	62"	3/8"	14"	DP1AR1462W()		967.	1,173.
	68"	3/8"	14"	DP1AR1468W()		1,042.	1,277.
	74"	3/8"	14"	DP1AR1474W()		1,118.	1,363.
	80"	3/8"	14"	DP1AR1480W()		1,216.	1,468.
	86"	3/8"	14"	DP1AR1486W()		1,310.	1,623.
	92"	3/8"	14"	DP1AR1492W()		1,416.	1,752.
	98"	3/8"	14"	DP1AR1498W()		1,534.	1,809.



Ordering Information	Order Code	Included with:	Options
Recessed Frameless Add Up with Clear Glass 1. Pattern number 2. Glass finish	Frameless Add Up with Glass <i>Example:</i> DP1AR0736W TEMP DP1AR Frameless Add Up 07 7" High 36 36" Wide W 3/8" Thick TEMP Clear glass finish	Recessed Frameless Add Up with Clear Glass • Attachment hardware • Alignment Clip	Glass Options: (TEMP)= Clear (GL60)= Laminated Powder

Concealed Post
Recessed Frameless Add Up
1/4" Clear and Powder Glass

Dividends Horizon


description	w	d	h	pattern no.	list	Clear (TEMP)	Frosted (GL13)
Recessed Frameless Add Up, 7" high (For use with concealed post only) 	51"	1/4"	7"	DP1AR0751E()		\$564.	\$701.
	54"	1/4"	7"	DP1AR0757E()		611.	750.
	63"	1/4"	7"	DP1AR0763E()		657.	810.
	69"	1/4"	7"	DP1AR0769E()		701.	862.
	75"	1/4"	7"	DP1AR0775E()		738.	919.
	81"	1/4"	7"	DP1AR0781E()		792.	969.
	87"	1/4"	7"	DP1AR0787E()		843.	1,044.
	93"	1/4"	7"	DP1AR0793E()		897.	1,087.
	99"	1/4"	7"	DP1AR0799E()		936.	1,217.
Recessed Shortened Frameless Add Up, 7" high (For use with concealed post only) 	50"	1/4"	7"	DP1AR0750E()		563.	701.
	56"	1/4"	7"	DP1AR0756E()		609.	750.
	62"	1/4"	7"	DP1AR0762E()		645.	810.
	68"	1/4"	7"	DP1AR0768E()		697.	862.
	74"	1/4"	7"	DP1AR0774E()		732.	941.
	80"	1/4"	7"	DP1AR0780E()		790.	969.
	86"	1/4"	7"	DP1AR0786E()		842.	1,044.
	92"	1/4"	7"	DP1AR0792E()		891.	1,087.
	98"	1/4"	7"	DP1AR0798E()		936.	1,137.


Alternative Planning

Ordering Information	Order Code	Included with:	Options
Frameless Add Up with Glass 1. Pattern number 2. Frame finish 3. Glass finish	Recessed Frameless Add Up with Glass <i>Example:</i> DP1AR0736E TEMP DP1AR Frameless Add Up 07 7" High 36 36" Wide E 1/4" Thick 117 Frame finish TEMP Clear glass finish	Recessed Frameless Add Up with Clear Glass • Attachment hardware • Alignment Clip	Glass Options: (TEMP)= Clear (GL13)= Frosted

Concealed Post
Recessed Frameless Add Up
1/4" Clear and Powder Glass

Dividends Horizon


description	w	d	h	pattern no.	list	Clear (TEMP)	Frosted (GL13)
Recessed Frameless Add Up, 14" high (For use with concealed post only) 	51"	1/4"	14"	DP1AR1451E()		\$724.	\$894.
	57"	1/4"	14"	DP1AR1457E()		792.	961.
	63"	1/4"	14"	DP1AR1463E()		860.	1,045.
	69"	1/4"	14"	DP1AR1469E()		928.	1,137.
	75"	1/4"	14"	DP1AR1475E()		994.	1,213.
	81"	1/4"	14"	DP1AR1481E()		1,084.	1,306.
	87"	1/4"	14"	DP1AR1487E()		1,167.	1,444.
	93"	1/4"	14"	DP1AR1493E()		1,262.	1,558.
	99"	1/4"	14"	DP1AR1499E()		1,364.	1,609.


Recessed Shortened Frameless Add Up, 14" high (For use with concealed post only) 	50"	1/4"	14"	DP1AR1450E()		724.	894.
	56"	1/4"	14"	DP1AR1456E()		792.	961.
	62"	1/4"	14"	DP1AR1462E()		860.	1,045.
	68"	1/4"	14"	DP1AR1468E()		928.	1,137.
	74"	1/4"	14"	DP1AR1474E()		994.	1,213.
	80"	1/4"	14"	DP1AR1480E()		1,082.	1,306.
	86"	1/4"	14"	DP1AR1486E()		1,167.	1,444.
	92"	1/4"	14"	DP1AR1492E()		1,262.	1,558.
	98"	1/4"	14"	DP1AR1498E()		1,364.	1,612.

Ordering Information	Order Code	Included with:	Options
Frameless Add Up with Glass 1. Pattern number 2. Frame finish 3. Glass finish	Recessed Frameless Add Up with Glass <i>Example:</i> DP1AR0736E TEMP DP1AR Frameless Add Up 07 7" High 36 36" Wide E 1/4" Thick 117 Frame finish TEMP Clear glass finish	Recessed Frameless Add Up with Clear Glass • Attachment hardware • Alignment Clip	Glass Options: (TEMP)= Clear (GL13)= Frosted

Concealed Post
Recessed Frameless Add Up
1/4" Clear and Powder Glass

Dividends Horizon

description	w	d	h	pattern no.	list	Clear (TEMP)	Frosted (GL13)
Recessed Frameless Add Up, 21" high (For use with concealed post only) 	51"	1/4"	21"	DP1AR2151E()		\$975.	\$1,202.
	57"	1/4"	21"	DP1AR2157E()		1,065.	1,291.
	63"	1/4"	21"	DP1AR2163E()		1,157.	1,404.
	69"	1/4"	21"	DP1AR2169E()		1,246.	1,528.
	75"	1/4"	21"	DP1AR2175E()		1,337.	1,630.
	81"	1/4"	21"	DP1AR2181E()		1,455.	1,755.
	87"	1/4"	21"	DP1AR2187E()		1,570.	1,942.
	93"	1/4"	21"	DP1AR2193E()		1,697.	2,094.
	99"	1/4"	21"	DP1AR2199E()		1,835.	2,163.

Recessed Shortened Frameless Add Up, 21" high (For use with concealed post only) 	50"	1/4"	21"	DP1AR2150E()		975.	1,202.
	56"	1/4"	21"	DP1AR2156E()		1,065.	1,291.
	62"	1/4"	21"	DP1AR2162E()		1,157.	1,404.
	68"	1/4"	21"	DP1AR2168E()		1,246.	1,528.
	74"	1/4"	21"	DP1AR2174E()		1,337.	1,630.
	80"	1/4"	21"	DP1AR2180E()		1,452.	1,755.
	86"	1/4"	21"	DP1AR2186E()		1,570.	1,942.
	92"	1/4"	21"	DP1AR2192E()		1,697.	2,094.
	98"	1/4"	21"	DP1AR2198E()		1,835.	2,165.

Alternative Planning

Ordering Information	Order Code	Included with:	Options
Frameless Add Up with Glass 1. Pattern number 2. Frame finish 3. Glass finish	Recessed Frameless Add Up with Glass Example: DP1AR2151E 117TEMP DP1AR Frameless Add Up 21 21" High 51 51" Wide E 1/4" Thick 117 Frame finish TEMP Clear glass finish	Recessed Frameless Add Up with Clear Glass • Attachment hardware • Alignment Clip	Glass Options: (TEMP)= Clear (GL13)= Frosted

120° Planning

120° Post Assemblies

Dividends Horizon

description	h*	w	d	pattern no.	Black	Metal P1	Metal P2	Metal P3
 120°Two-Way Post Assembly	36"	3"	3"	DP8(C/V/U)120PA362()		\$474.	\$487.	\$503.
	42"	3"	3"	DP8(C/V/U)120PA422()		474.	487.	503.
	50"	3"	3"	DP8(C/V/U)120PA502()		494.	513.	526.
	57"	3"	3"	DP8(C/V/U)120PA572()		547.	566.	586.
	64"	3"	3"	DP8(C/V/U)120PA642()		547.	566.	586.
	78"	3"	3"	DP8(C/V/U)120PA782()		698.	730.	750.
 120°Three-Way Post Assembly	36"	3"	3"	DP8(C/V/U)120PA363()		484.	499.	513.
	42"	3"	3"	DP8(C/V/U)120PA423()		484.	499.	513.
	50"	3"	3"	DP8(C/V/U)120PA503()		503.	518.	536.
	57"	3"	3"	DP8(C/V/U)120PA573()		547.	566.	586.
	64"	3"	3"	DP8(C/V/U)120PA643()		547.	566.	586.
	78"	3"	3"	DP8(C/V/U)120PA783()		694.	720.	744.
 120°Two-Way Post Assembly for Recessed Add Up Glass	36"	3"	3"	DP8(C/V/U)120PAG362()		474.	487.	503.
	42"	3"	3"	DP8(C/V/U)120PAG422()		474.	487.	503.
	50"	3"	3"	DP8(C/V/U)120PAG502()		494.	513.	526.
	57"	3"	3"	DP8(C/V/U)120PAG572()		547.	566.	586.
	64"	3"	3"	DP8(C/V/U)120PAG642()		547.	566.	586.
	78"	3"	3"	DP8(C/V/U)120PAG782()		698.	730.	750.
 120°Three-Way Post Assembly for Recessed Add Up Glass	36"	3"	3"	DP8(C/V/U)120PAG363()		484.	499.	513.
	42"	3"	3"	DP8(C/V/U)120PAG423()		484.	499.	513.
	50"	3"	3"	DP8(C/V/U)120PAG503()		503.	518.	536.
	57"	3"	3"	DP8(C/V/U)120PAG573()		547.	566.	586.
	64"	3"	3"	DP8(C/V/U)120PAG643()		547.	566.	586.
	78"	3"	3"	DP8(C/V/U)120PAG783()		694.	720.	744.

h = nominal height

Ordering Information	Order Code	Included with:	Options
Post Assemblies 1. Pattern Number 2. Trim Finish	Post Assemblies <i>Example:</i> DP(4)120PA 642, 113 DP(4)120 Pattern Number PA 642 113 Dark grey trim finish	Post Assemblies • Post assemblies • Post top cap • Post cover • Connecting hardware	Post assembly trim options (4) = Metal, Radius (5) = Metal, Flat

description	h*	w	d	pattern no.	Black	Metal P1	Metal P2	Metal P3
14" High 120° Stack Panel Posts	14 ^{5/8"}	3"	3"	DP8120SPO 14	\$191.			
								
21" High 120° Stack Panel Posts	21 ^{15/16"}	3"	3"	DP8120SPO 21	215.			
								
28" High 120° Stack Panel Posts	29 ^{1/4"}	3"	3"	DP8120SPO 28	222.			
								

h = nominal height

Ordering Information	Order Code	Included with:	Options
Post Assemblies	Post Assemblies	Post Assemblies	Post assembly trim options
1. Pattern Number	Example: DP(4)120PA 642, 113	• Post assemblies	(4) = Metal, Radius
2. Trim Finish	DP(4)120 Pattern Number	• Post top cap	(5) = Metal, Flat
	PA 642	• Post cover	
	113 Dark grey trim finish	• Connecting hardware	

120° Planning

120° High Low Planning

Dividends Horizon

description	type	h	w	d	pattern no.	Metal P1	Metal P2	Metal P3
 Post Covers (Straight) High-Low Connection	36" - 42"	8"			DP8120PC08S	\$14.	\$16.	\$16.
	36" - 50"	14"			DP8120PC14S	25.	40.	43.
	36" - 64"	28"			DP8120PC28S	68.	75.	76.
	36" - 78"	42"			DP8120PC42SH	100.	107.	112.
	42" - 50"	8"			DP8120PC08S	14.	16.	16.
	42" - 64"	22"			DP8120PC22S	47.	48.	49.
	42" - 78"	36"			DP8120PC36S	88.	98.	103.
	50" - 64"	14"			DP8120PC14S	25.	40.	43.
	50" - 78"	28"			DP8120PC28S	68.	75.	76.
	64" - 78"	14"			DP8120PC14S	25.	40.	43.
 Post Top Caps	One-Way	1/2"	3"	3"	DP8(C/V/U)120PT1	11.	12.	12.
	Three-Way	1/2"	3"	3"	DP8(C/V/U)120PT3	11.	12.	12.
	Two-Way	1/2"	3"	3"	DP8(C/V/U)120PT2	11.	12.	12.
 Post Top Caps for Recessed Add Up Glass	One-Way	1/2"	3"	3"	DP8(C/V/U)120PTG1	11.	12.	12.
	Three-Way	1/2"	3"	3"	DP8(C/V/U)120PTG3	11.	12.	12.
	Two-Way	1/2"	3"	3"	DP8(C/V/U)120PTG2	11.	12.	12.
 Post Covers (Straight)	36"				DP8120PC36SF	77.	80.	89.
	42"				DP8120PC42S	77.	80.	89.
	50"				DP8120PC50S	78.	85.	91.
	57"				DP8120PC57S	89.	95.	101.
	64"				DP8120PC64S	89.	95.	101.
	78"				DP8120PC78S	101.	112.	116.
 Universal Post (Post Only)	36"	3"	3"		DP8120PO36	336.		
	42"	3"	3"		DP8120PO42	336.		
	50"	3"	3"		DP8120PO50	356.		
	57"	3"	3"		DP8120PO57	383.		
	64"	3"	3"		DP8120PO64	383.		
	78"	3"	3"		DP8120PO78	517.		

Ordering Information	Order Code	Included with:	Options
Universal Post	Universal Post	Universal Post	120° Post
1. Pattern Number	<i>Example:</i> DP2A P050	Connecting hardware	Panel Top Cap and Post Covers
Panel Top Cap	DP2A Pattern Number	Panel Top Cap	(4) = Metal, Radius
1. Pattern Number	P050	Post Covers	(5) = Metal, Flat
2. Trim finish	Panel Top Cap		
Post Covers	<i>Example:</i> DPV1 PT4, V04		
1. Pattern Number	DPV1 PT4 Pattern Number		
2. Trim finish	V04 Maple trim finish		
	Post Covers		
	<i>Example:</i> DP2A PC50S, 117		
	DP(2A) Pattern Number		
	PC50S		
	117 Soft grey trim finish		

120° Planning

120° Worksurface and Transition Tops






Dividends Horizon

description	top name	w	return depth	d	pattern no.	2 mm	woodgrain edge	metal edge
Worksurface	W11L	48"	18"L-24"R		D1WW11481824	\$1,831.	\$2,014.	\$2,197.
	W11L	48"	24"L-18"R		D1WW11482418	1,831.	2,014.	2,197.
	W12L	48"	24"		D1WW124824L	1,911.	2,111.	2,297.
	W12R	48"	24"		D1WW124824R	1,911.	2,111.	2,297.
	W1318L	48"	24"L-18"R		D1WW13482418	1,831.	2,014.	2,197.
	W1318R	48"	18"L-24"R		D1WW13481824	1,831.	2,014.	2,197.
	W13L	48"	24"		D1WW134824L	1,831.	2,014.	2,197.
	W13R	48"	24"		D1WW134824R	1,831.	2,014.	2,197.
	W218L	48"	24"L-18"R		D1WW12482418	1,911.	2,111.	2,297.
	W218R	48"	18"L-24"R		D1WW12481824	1,911.	2,111.	2,297.
	W3	48"	24"		D1WW34824	1,401.	1,534.	1,670.
	W4	48"	24"		D1WW44824	1,435.	1,582.	1,723.
	W5L	48"	24"		D1WW54824L	1,156.	1,273.	1,397.
	W5R	48"	24"		D1WW54824R	1,156.	1,273.	1,397.
	W6L	48"	24"		D1WW64824L	1,551.	1,707.	1,861.
	W6R	48"	24"		D1WW64824R	1,551.	1,707.	1,861.
	W7L	48"	24"		D1WW74824L	1,546.	1,705.	1,853.
	W7R	48"	24"		D1WW74824R	1,546.	1,705.	1,853.
Transition tops	T2	50"	24"		D1WT224	930.	1,026.	1,117.
	T218	37 1/2"	18"		D1WT218	872.	965.	1,044.
	T3	26"	24"		D1WT324	886.	979.	1,070.
	T4	26"	24"		D1WT424	1,069.	1,174.	1,279.
	T5	50"	24"		D1WT524	1,080.	1,190.	1,292.
	T518	37 1/2"	18"		D1WT518	969.	1,065.	1,158.

Alternative Planning



Ordering Information	Order Code	Included with:	Options
Worksurface 1. Pattern number 2. Finish	Example: D1WW134824L, 118, 118	Worksurface	Refer to the worksurface planning page for worksurface drawings and applications. Note: W3 worksurfaces have a grain direction option. Specify left, right or diagonal. Add \$26 to the list price when specifying diagonal.
	D1W Dividends 120 w/s 2mm edge	• Worksurface	
	W13 Worksurface #13	Worksurface supports must be ordered separately.	
	4824 Side width/return depth	For all tops, specify laminate and edge color.	
	L Pedestal on left side	Transition and peninsula tops require a column base for support.	
	118 Bright White laminate	Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	
	118 Bright White edge		

*Power Modules, Connectors and Jumpers**(3+1), (2+2 Shared and Independent Neutrals), (3+3) and (250v)*

description	type	pattern no.	E	8 & N	250v T
Power Module - Double sided for raceway on both sides 	24"W Panel	DE(1E,18,1T,12V) PM24	\$182.	\$203.	\$215.
	30"W Panel	DE(1E,18,1T,12V) PM30	195.	216.	219.
	36"W Panel	DE(1E,18,1T,12V) PM36	203.	221.	230.
	42"W Panel	DE(1E,18,1T,12V) PM42	218.	238.	242.
	48"W Panel	DE(1E,18,1T,12V) PM48	230.	249.	252.
	60"W Panel	DE(1E,18,1T,12V) PM60	257.	284.	290.
Power Module - Single sided for raceway on one side 	24"W Panel	DE(1E,18,1T,12V) PMS24	182.	203.	215.
	30"W Panel	DE(1E,18,1T,12V) PMS30	195.	216.	219.
	36"W Panel	DE(1E,18,1T,12V) PMS36	203.	221.	230.
	42"W Panel	DE(1E,18,1T,12V) PMS42	218.	238.	242.
	48"W Panel	DE(1E,18,1T,12V) PMS48	230.	249.	252.
	60"W Panel	DE(1E,18,1T,12V) PMS60	257.	284.	290.
Power Module - Double sided for raceway on both sides for 2+2 Independent Neutrals 	24"W Panel	DENPM242	0.	203.	0.
	30"W Panel	DENPM302	0.	216.	0.
	36"W Panel	DENPM362	0.	221.	0.
	42"W Panel	DENPM422	0.	238.	0.
	48"W Panel	DENPM482	0.	249.	0.
Power Module - Single sided for raceway on single side for 2+2 Independent Neutrals 	24"W Panel	DENPM241	0.	203.	0.
	30"W Panel	DENPM301	0.	216.	0.
	36"W Panel	DENPM361	0.	221.	0.
	42"W Panel	DENPM421	0.	238.	0.
	48"W Panel	DENPM481	0.	249.	0.
Power Connector - (power module-to-power module) 	12" no post	DE(1E,18,1T,N) PCNP	121.	129.	148.
	12" no post	DE1(2V) PCNPM	0.	129.	148.
	15" with post	DE(1E,18,1T,N) PCWP	124.	132.	158.
	15" with post	DE1(2V) PCWPM	0.	132.	158.
	21" Mesh with post	DE1(E,8,T,2V) PC21M		142.	179.

Ordering Information	Order Code	Included with:	Options
Power Jumper	Power Jumper	Power Jumper	Power Jumper
1. Pattern Number	Example: DE1E PJ42NP DE1E Pattern Number PJ42NP		Options (E) = 3+1 (8) = 2+2 Shared Neutral (N) = 2+2 Independent Neutral (T) = 3+3 (2V) = 250v Note: Double-sided power module will not fit in a panel base raceway with tile to the floor on one side.

*Power Modules, Connectors and Jumpers**(3+1), (2+2 Shared and Independent Neutrals), (3+3) and (250v)*


description	type	pattern no.	E	8 & N	250v T
	15" Panel	DE1(E,8,T,2V) PJ15NP	\$139.	\$159.	\$208.
	18" Panel	DE(1E,18,1T,12V,N) PJ18NP	139.	159.	208.
	24" Panel	DE(1E,18,1T,12V,N) PJ24NP	158.	169.	217.
	30" Panel	DE(1E,18,1T,12V,N) PJ30NP	165.	176.	223.
	36" Panel	DE(1E,18,1T,12V,N) PJ36NP	169.	184.	236.
	42" Panel	DE(1E,18,1T,12V,N) PJ42NP	176.	196.	244.
	48" Panel	DE(1E,18,1T,12V,N) PJ48NP	191.	213.	252.
	15" Panel + Post	DE1(E,8,T,2V) PJ15WP	151.	166.	215.
	18" Panel + Post	DE(1E,18,1T,12V,N) PJ18WP	151.	166.	215.
	24" Panel + Post	DE(1E,18,1T,12V,N) PJ24WP	159.	174.	222.
	30" Panel + Post	DE(1E,18,1T,12V,N) PJ30WP	166.	181.	229.
	36" Panel + Post	DE(1E,18,1T,12V,N) PJ36WP	174.	194.	242.
	42" Panel + Post	DE(1E,18,1T,12V,N) PJ42WP	182.	203.	246.
	54" Panel Run	DE(1E,18,1T,12V,N) PJ54 WP	206.	226.	272.
	60" Panel Run	DE(1E,18,1T,12V,N) PJ60 WP	213.	231.	272.
	66" Panel Run	DE(1E,18,1T,12V,N) PJ66 WP	221.	242.	291.
	72" Panel Run	DE(1E,18,1T,12V,N) PJ72WP	227.	247.	298.
	78" Panel Run	DE(1E,18,1T,12V,N) PJ78 WP	236.	260.	306.
	84" Panel Run	DE(1E,18,1T,12V,N) PJ84WP	236.	274.	462.
	96" Panel Run	DE(1E,18,1T,12V,N) PJ96WP	259.	288.	336.

Ordering Information	Order Code	Included with:	Options
Power Jumper	Power Jumper	Power Jumper	Power Jumper
1. Pattern Number	<i>Example:</i> DE1E PJ42NP DE1E Pattern Number PJ42NP		Options (E) = 3+1 (8) = 2+2 Shared Neutral (N) = 2+2 Independent Neutral (T) = 3+3 (2V) = 250v Note: Double-sided power module will not fit in a panel base raceway with tile to the floor on one side.

Receptacles

Knockout Replacement Covers

Dividends Horizon

description	type	pattern no.	Single pack list	Ten pack list
Receptacle, (3+1) 	Duplex circuit 1	DE1DR1 ()	\$65.	\$508.
	Duplex circuit 2	DE1DR2 ()	65.	508.
	Duplex circuit 3	DE1DR3 ()	65.	508.
	Duplex circuit 4	DE1DR4 ()	65.	508.
Receptacle, (2+2 Shared Neutral) 	Duplex circuit 1	DE1DR1 ()	65.	508.
	Duplex circuit 2	DE1DR2 ()	65.	508.
	Duplex circuit 4	DE1DR4 ()	65.	508.
	Duplex circuit 5	DE1DR5 ()	65.	508.
Receptacle, (3+3) 	Duplex circuit 1	DE1DR1 ()	65.	508.
	Duplex circuit 2	DE1DR2 ()	65.	508.
	Duplex circuit 3	DE1DR3 ()	65.	508.
	Duplex circuit 4	DE1DR4 ()	65.	508.
	Duplex circuit 5	DE1DR5 ()	65.	508.
	Duplex circuit 6	DE1DR6 ()	65.	508.
Receptacle, (Orange) 	Duplex circuit 4	DE1DOR4()	65.	508.
	Duplex circuit 5	DE1DOR5()	65.	508.
	Duplex circuit 6	DE1DOR6()	65.	508.
Receptacle, (With Controlled Symbol) 	Duplex circuit 1	DE1DR1C ()	65.	508.
	Duplex circuit 2	DE1DR2C ()	65.	508.
	Duplex circuit 3	DE1DR3C ()	65.	508.
	Duplex circuit 4	DE1DR4C ()	65.	508.
	Duplex circuit 5	DE1DR5C ()	65.	508.
	Duplex circuit 6	DE1DR6C ()	65.	508.
Receptacle, (250v) 	Duplex circuit 1	DE1DR12V ()	66.	508.
	Duplex circuit 2 (orange)	DE1DR22V ()	66.	508.
	Duplex circuit 3	DE1DR32V ()	66.	508.
	Duplex circuit 4	DE1DR42V ()	66.	508.

Ordering Information	Order Code	Included with:	Options
Receptacle	Receptacle	Receptacle	Receptacle
1. Pattern Number	<i>Example:</i> DE1 DR4 DE1 DR4 Pattern Number		Quantity Option: (SP) = Single Pack (TP) = Ten Pack Color Option: 111 = Black 114 = Folkstone Grey 115 = Medium Grey 118 = White 117 = Soft Grey 611 = Beige Mist Metallic

Receptacles

Knockout Replacement Covers

Dividends Horizon

description	type	pattern no.	Single pack list	Ten pack list
 Receptacle, (2+2 Independent Neutral, 15 AMP)	Duplex circuit 1	DEODRA()	\$65.	\$0.
	Duplex circuit 2	DEODRB()	65.	0.
	Duplex circuit 3	DEODRC()	65.	0.
	Duplex circuit 4	DEODRX()	65.	0.
 Receptacle, (2+2 Independent Neutral, 20 AMP)	Duplex circuit 1	DEODRA2()	65.	0.
	Duplex circuit 2	DEODRB2()	65.	0.
	Duplex circuit 3	DEODRC2()	65.	0.
	Duplex circuit 4	DEODRX2()	65.	0.
 Base Raceway Knockout Replacement Cover(for electrical or data)	Package of 10	DE2KC10	n/a	130.

Electrical/Data
Components

Ordering Information	Order Code	Included with:	Options
Receptacle 1. Pattern Number	Receptacle <i>Example:</i> DE1 DR4 DE1 DR4 Pattern Number	Receptacle	Receptacle Quantity Option: (SP) = Single Pack (TP) = Ten Pack Color Option: 111 = Black 114 = Folkstone Grey 115 = Medium Grey 118 = White 117 = Soft Grey 611 = Beige Mist Metallic

Receptacles

USB

Dividends Horizon

description	type	pattern no.	Single pack list	Ten pack list
 USB Receptacle Horizontal	Circuit 1	DE1USB1H()	\$179.	\$1,692.
	Circuit 2	DE1USB2H()	179.	1,692.
	Circuit 3	DE1USB3H()	179.	1,692.
	Circuit 4	DE1USB4H()	179.	1,692.
	Circuit 5	DE1USB5H()	179.	1,692.
	Circuit 6	DE1USB6H()	179.	1,692.

Ordering Information	Order Code	Included with:	Options
Vertical Power Module	Vertical Power Module	Vertical Power Module	Vertical Power Module
1. Pattern Number	<i>Example:</i> DE1 USB 1V10W DE1USB Pattern Number 1V10W	• USB Receptacle	Quantity Option: (V) = Vertical Single Pack (V10) = Vertical Ten Pack (H) = Horizontal Single Pack (H10) = Horizontal Ten Pack Color Option: 111 = Black 114 = Folkstone Grey 115 = Medium Grey 118 = White 117 = Soft Grey 611 = Beige Mist Metallic

Vertical Electrical

Power Jumpers

Dividends Horizon


description	type	pattern no.	3+1	2+2	250v 3+3
 Base Raceway Power Jumpers	48" Jumper	DE(1E,18,1T,12V,N) PJ48WP	\$195.	\$216.	\$260.
	54" Jumper	DE(1E,18,1T,12V,N) PJ54WP	206.	226.	272.
	60" Jumper	DE(1E,18,1T,12V,N) PJ60WP	213.	231.	272.
	66" Jumper	DE(1E,18,1T,12V,N) PJ66WP	221.	242.	291.
	72" Jumper	DE(1E,18,1T,12V,N) PJ72WP	227.	247.	298.
	78" Jumper	DE(1E,18,1T,12V,N) PJ78WP	236.	260.	306.
	84" Jumper	DE(1E,18,1T,12V,N) PJ84WP	245.	274.	462.

Data Faceplate


Trim Plate Single Parts

Dividends Horizon

description	type	pattern no.	Single pack	Ten pack	3+1	2+2	250v 3+3
Single Trim Plate Filler	Package of 10	DE6 FDPF	n/a	\$66.			



Single Floating Data Port Trim Plate (field install kit)	Faceplate, backplate and hardware	DE1 FDP	76.	n/a			
---	--------------------------------------	----------------	-----	-----	--	--	--



Double Vertical Electrical Power Module and Trim Plate Double Ports

Dividends Horizon

description	type	pattern no.	Single pack	Ten pack	3+1	2+2	250v 3+3
Double Vertical Power Module 	Double Vertical Power Module	DE6DVPM	\$324.	n/a			
Double Vertical Power Module Trim Plate 	Trim Plate - Double	DE6 D FD P	82.	n/a			
Base Raceway Knockout Replacement Cover(for electrical or data)	Package of 10	DE2KC10	n/a	130.			




Electrical/Data
Components

Ordering Information	Order Code	Included with:	Options
Vertical Power Module 1. Pattern Number	Double Vertical Power Module <i>Example:</i> DE6 D VPM DE6 D Pattern Number VPM	Vertical Power Module	Vertical Power Module Insert appropriate letter for type of wiring required within the parentheses of the pattern number.(E) = 3+1 (8) = 2+2 (T) = 3+3 (2V) = 250v (X) = 2 + 2 (Independent Neutral) Double Trim Plate Color Option: 111 = Black 114 = Folkstone Grey 115 = Medium Grey 118 = White 117 = Soft Grey 611 = Beige Mist Metallic

Desktop Power and Data Modules

Table Undermount Outlet

Dividends Horizon

description	type	pattern no.	list
Electrical Outlet for Table Undermount 110, 1 power + 1 dual USB + 0 Data 	72" cordset	DDOTU110C72(BB/WW/WS)	\$645.
	120" cordset	DDOTU110C120(BB/WW/WS)	659.
Electrical Outlet for Table Undermount 210, 2 power + 1 dual USB + 0 data 	72" cordset	DE4TU210C72(BB/WW/WS)	801.
	120" cordset	DE4TU210C120(BB/WW/WS)	829.
	72" hardwire	DE4TU210CH(BB/WW/WS)	892.
Electrical Outlet for Table Undermount 311, 3 power + 1 dual USB + 1 data 	72" cordset	DE4TU311C72(BB/WW/WS)	969.
	120" cordset	DE4TU311C120(BB/WW/WS)	997.
	72" hardwire	DE4TU311CH(BB/WW/WS)	1,098.

Order Code	Specification Information	Application Notes
Example: DE4TU21072 (BB)	<i>To order please specify pattern number including:</i> 1. Color option, (housing / bracket): BB=Black/Black WW = White/White WS=White/Silver	Installation instruction sheet available on Knoll Exchange. Refer to planning guide pages for complete description. USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed. Simplex receptacles and USB charging ports are wired together and on the same circuit.
DE4 Dividends Horizon Desktop Outlet		
TU Table Undermount		
210 2 Power, 1 USB, 0 Data		
72 72" cordset, 120=120" cord, H=72" Hardwire		
() Color Option		

Desktop Power and Data Modules

Clamp-on

Dividends Horizon

description	type	pattern no.	list
Clamp-on Electrical Outlet 110, 1 power + 1 dual USB + 0 data	72" cordset	DDOCL110C72(BB/WW/WS)	\$713.
	120" cordset	DDOCL110C120(BB/WW/WS)	736.
Clamp-on Electrical Outlet 210, 2 power + 1 dual USB + 0 data	72" cordset	DE4CL210C72(BB/WW/WS)	865.
	120" cordset	DE4CL210C120(BB/WW/WS)	889.
	72" hardwire	DE4CL210CH(BB/WW/WS)	957.
Clamp-on Electrical Outlet 311, 3 power + 1 dual USB + 1 data	72" cordset	DE4CL311C72(BB/WW/WS)	956.
	120" cordset	DE4CL311C120(BB/WW/WS)	983.
	72" hardwire	DE4CL311CH(BB/WW/WS)	1,084.
Thumb Screw Kit	1 set = 2 screws	RDOTK1	20.


Order Code	Specification Information	Application Notes
Example: DE4CL21072 (BB)	<i>To order please specify pattern number including:</i>	Installation instruction sheet available on Knoll Exchange.
DE4 Dividends Horizon Desktop Outlet	1. Color option, (housing / bracket):	Refer to planning guide pages for complete description.
CL Clamp-on	BB=Black/Black	USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.
210 2 Power, 1 USB, 0 Data	WW = White/White	Simplex receptacles and USB charging ports are wired together and on the same circuit.
72 72" cordset, 120=120" cord, H=72" Hardwire	WS=White/Silver	
() Color Option		

Desktop Power and Data Modules


Offset Clamp-on

Dividends Horizon


description	type	pattern no.	list
Offset Clamp-on Electrical Outlet 110, 1 power + 1 dual USB + 0 data	72" cordset	DDOOC110C72 (BB/WW/WS)	\$733.
	120" cordset	DDOOC110C120 (BB/WW/WS)	754.



Offset Clamp-on Electrical Outlet 210, 2 power + 1 dual USB + 0 data	72" cordset	DE4OC210C72 (BB/WW/WS)	865.
	120" cordset	DE4OC210C120 (BB/WW/WS)	889.
	72" hardwire	DE4OC210CH (BB/WW/WS)	957.



Offset Clamp-on Electrical Outlet 311, 3 power + 1 dual USB + 1 data	72" cordset	DE4OC311C72 (BB/WW/WS)	956.
	120" cordset	DE4OC311C120 (BB/WW/WS)	983.
	72" hardwire	DE4OC311CH (BB/WW/WS)	1,084.



Order Code	Specification Information	Application Notes
Example: DE4OC21072 (BB)	<i>To order please specify pattern number including:</i>	Installation instruction sheet available on Knoll Exchange.
DE4 Dividends Horizon Desktop Outlet	1. Color option, (housing / bracket):	Refer to planning guide pages for complete description.
OC Offset Clamp-on	BB=Black/Black	USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.
210 2 Power, 1 USB, 0 Data	WW = White/White	
72 72" cordset, 120=120" cord, H=72" Hardwire	WS=White/Silver	
() Color Option		Simplex receptacles and USB charging ports are wired together and on the same circuit.

Desktop Power and Data Modules

Clamp mount

description	type	w	d	h	pattern no.	list
Desktop Power Module, clamp mount, Black	With 72" Cord	3 3/4"	4 1/2"	2 1/2"	DE4WSME72	\$188.
	With 108" Cord	3 3/4"	4 1/2"	2 1/2"	DE4WSME108	234.



Desktop Power + Data Module, clamp mount, Black	With 72" Cord	6 1/8"	4 1/2"	2 1/2"	DE4WSMED72	453.
	With 108" Cord	6 1/8"	4 1/2"	2 1/2"	DE4WSMED108	501.






Ordering Information	Order Code	Included with	Options
Desktop Power Module	Desktop Power Module		
1. Pattern Number	Example: DE4 WSME108		

Beltway Electrical

Power Modules, Power Connectors and Power Jumpers

Dividends Horizon

description	type	length	pattern no.	list	3+1	2+2	250v 3+3
		30"	DE1() BPM301		\$254.	\$282.	\$288.
		36"	DE1() BPM361		269.	293.	288.
		42"	DE1() BPM421		282.	300.	293.
		48"	DE1() BPM481		293.	326.	293.
		60"	DE1() BPM601		331.	339.	305.
		30"	DE1() BPM302		254.	282.	305.
		36"	DE1() BPM362		269.	293.	319.
		42"	DE1() BPM422		282.	300.	319.
		48"	DE1() BPM482		293.	326.	347.
		60"	DE1() BPM602		331.	339.	347.
	17" No Post		DE2() BPCNP		127.	138.	159.
	20" With Post		DE2() BPCWP		129.	149.	166.
	21" Mesh with post		DE1(E,8,T,2V) PC21M		132.	142.	179.
Intermediate Connector	250v		DE12VPA	39.			
	Independent neutrals (4-4-2)		DE1IPA	39.			
	Shared neutrals (3+1, 2+2, 3+3)		DE1SPA	39.			
		18"	DE2() BPJ18NP		156.	168.	215.
		24"	DE2() BPJ24NP		163.	175.	221.
		30"	DE2() BPJ30NP		168.	182.	235.
		36"	DE2() BPJ36NP		175.	194.	242.
		42"	DE2() BPJ42NP		188.	208.	251.
		48"	DE2() BPJ48NP		193.	214.	259.
		18"	DE2() BPJ18WP		158.	172.	219.
		24"	DE2() BPJ24WP		165.	180.	227.
		30"	DE2() BPJ30WP		172.	192.	239.
		36"	DE2() BPJ36WP		181.	203.	245.
		42"	DE2() BPJ42WP		193.	214.	259.
		48"	DE2() BPJ48WP		208.	217.	263.
		54" Panel Run	DE2() BPJ54WP		208.	230.	269.
		60" Panel Run	DE2() BPJ60WP		218.	239.	288.
		66" Panel Run	DE2() BPJ66WP		226.	245.	295.
		72" Panel Run	DE2() BPJ72WP		235.	257.	300.
		78" Panel Run	DE2() BPJ78WP		244.	269.	308.
		84" Panel Run	DE2() BPJ84WP		257.	288.	332.

Ordering Information	Order Code	Included with:	Options
Beltway Power Jumper 1. Pattern Number Note: Insert appropriate letter for type of wiring required within the parentheses of the pattern number.	Beltway Power Jumper <i>Example:</i> DE1(E) BPJ30 DE1(E) Pattern Number BPJ30	Beltway Power Jumper	Beltway Power Jumper Insert appropriate letter for type of wiring required within the parentheses of the pattern number. • E= 3+1 • 8= 2+2 (Shared Neutral) • N=2+2 (Independent Neutral) • T= 3+3 • 2V= 250v

Beltway Electrical

Power Modules, Power Connectors and Power Jumpers

Dividends Horizon

description	type	length	pattern no.	list	3+1	2+2	250v 3+3
Multiple Panel Power Jumper (with or without post)		96" Panel Run	DE2() BPJ96WP		\$277.	\$297.	\$345.
 90° Beltway Power Jumper		30" Beltway Panel	DE1() PJ120WP		335.	366.	428.
		36" Beltway Panel	DE1() PJ126WP		344.	380.	446.
		42" Beltway Panel	DE1() PJ138WP		361.	398.	460.
		48" Beltway Panel	DE1() PJ144WP		372.	413.	475.
Vertical Power Jumper (Within Same Panel)			DE1() VPJ		288.	312.	291.
 Vertical Power Jumper (From Adjacent Panel)		30" Beltway Panel	DE(1E,18,1T,12V,N) PJ48WP		195.	216.	260.
		36" Beltway Panel	DE(1E,18,1T,12V,N) PJ54WP		206.	226.	272.
		42" Beltway Panel	DE(1E,18,1T,12V,N) PJ60WP		213.	231.	272.

Ordering Information	Order Code	Included with:	Options
Beltway Power Jumper 1. Pattern Number Note: Insert appropriate letter for type of wiring required within the parentheses of the pattern number.	Beltway Power Jumper <i>Example:</i> DE1(E) BPJ30 DE1(E) Pattern Number BPJ30	Beltway Power Jumper	Beltway Power Jumper Insert appropriate letter for type of wiring required within the parentheses of the pattern number. • E= 3+1 • 8= 2+2 (Shared Neutral) • N=2+2 (Independent Neutral) • T= 3+3 • 2V= 250v

Electrical Infeeds and Power Poles

Base Power and Raceway-to-Ceiling Infeeds

Dividends Horizon

description	type	length	pattern no.	list
Base Power Infeed (specify left or right) (right shown) 	250v	56"	DE12V BI56(L/R)	\$249.
	3+1	56"	DE1E BI56(L/R)	330.
	2+2 (Independent Neutral)	56"	DENBI56(L/R)	362.
	2+2 (Shared Neutral)	56"	DE18 BI56(L/R)	362.
	3+3	56"	DE1T BI56(L/R)	424.
	2+2 (Shared Neutral)	144"	DE18 BI144(L/R)	525.
	3+1	144"	DE1E BI144(L/R)	525.
	3+3	144"	DE1T BI144(L/R)	571.
	2+2 (Independent Neutral)	144"	DENBI144(L/R)	593.
	2+2 (Independent Neutral)	156"	DENBI156(L/R)	716.
	2+2 (Shared Neutral)	216"	DE18 BI216(L/R)	716.
	3+0	216"	DE1E BI216(L/R)	716.
	3+3	216"	DE1T BI216(L/R)	773.
	2+2 (Independent Neutral)	216"	DENBI216(L/R)	1,007.
	2+2 (Shared Neutral)	288"	DE18 BI288(L/R)	1,007.
	3+1	288"	DE1E BI288(L/R)	1,007.
	3+3	288"	DE1T BI288(L/R)	1,093.
Base Power Infeed (reversible) 	250v	56"	DE12V RBI56	263.
	3+1	56"	DE1E RBI56	399.
	2+2 (Independent Neutral)	56"	DENRBI56	437.
	2+2 (Shared Neutral)	56"	DE18 RBI56	437.
	3+3	56"	DE1T RBI56	522.
	2+2 (Independent Neutral)	144"	DENRBI144	643.
	2+2 (Shared Neutral)	144"	DE18 RBI144	643.
	3+1	144"	DE1E RBI144	643.
	3+3	144"	DE1T RBI144	690.
	2+2 (Independent Neutral)	156"	DENRBI156	784.
	2+2 (Independent Neutral)	216"	DENRBI216	858.
	2+2 (Shared Neutral)	216"	DE18 RBI216	858.
	2+2 (Independent Neutral)	288"	DENRBI288	1,075.
	2+2 (Shared Neutral)	288"	DE18 RBI288	1,075.
	3+1	288"	DE1E RBI288	1,075.
	3+3	288"	DE1T RBI288	1,170.

Ordering Information	Order Code	Included with:	Options
Base Power Infeed (L/R) 1. Pattern Number Power Pole 1. Pattern Number 2. Trim Finish Note: Power poles mount atop existing post connectors in "L", "T" and "X" configurations	Base Power Infeed (L/R) <i>Example:</i> DE18 BI56(L) DE18 Pattern Number (left entry) Power Pole <i>Example:</i> DE(1) PP64S, 117 DE(1) Pattern Number PP64S 117 Soft Grey trim finish	Base Power Infeed (L/R) Power Pole - Power pole - Ceiling trim plate - Connecting hardware - Post/power pole trim cover Note: Power pole does not include raceway-to-ceiling infeed which must be ordered separately.	Base Power Infeed (L/R) - To specify direction of entry, add either an "L" or "R" suffix to the pattern number. Insert appropriate number for post cover option within the parentheses of the pattern number Dividends Horizon Power Pole - Post cover

Electrical Infeeds and Power Poles

Base Power and Raceway-to-Ceiling Infeeds

Dividends Horizon

description	type	length	pattern no.	list
Base Power Infeed (reversible) 	3+1	216"	DE1E RBI216	\$858.
	3+3	216"	DE1T RBI216	923.
Raceway-to-Ceiling Infeed 	250v	144"	DE2V CI144	272.
	3+1	144"	DE1E CI144	480.
	2+2 (Independent Neutral)	144"	DENCI144	527.
	2+2 (Shared Neutral)	144"	DE18 CI144	527.
	3+3	144"	DE1T CI144	611.

Ordering Information	Order Code	Included with:	Options
Base Power Infeed (L/R)	Base Power Infeed (L/R)	Base Power Infeed (L/R)	Base Power Infeed (L/R)
1. Pattern Number	<i>Example:</i> DE18 BI56(L)	Power Pole	To specify direction of entry, add either an "L" or "R" suffix to the pattern number.
Power Pole	DE18 Pattern Number (left entry)	- Power pole - Ceiling trim plate - Connecting hardware - Post/power pole trim cover	Insert appropriate number for post cover option within the parentheses of the pattern number
1. Pattern Number	BI56(L)	Note: Power pole does not include raceway-to-ceiling infeed which must be ordered separately.	Dividends Horizon Power Pole
2. Trim Finish	Power Pole		
Note: Power poles mount atop existing post connectors in "L", "T" and "X" configurations	<i>Example:</i> DE(1) PP64S, 117		
	DE(1) Pattern Number		
	PP64S		
	117 Soft Grey trim finish		Post cover

Electrical Infeeds and Power Poles

DP7 and DP8 Power Poles

Dividends Horizon



description	type	length	pattern no.	P1	P2	P3
Dividends Horizon Power Pole for use with DP7 & DP8 Series Posts only (does not include Raceway-to-Ceiling Infeed) For 126" ceiling height	For 36"H DP7 Post	90"	DP7PP36S	\$681.	\$715.	\$749.
	For 42"H DP7 Post	84"	DP7PP42S	626.	655.	690.
	For 50"H DP7 Post	76"	DP7PP50S	576.	604.	633.
	For 57"H DP7 Post	69"	DP7PP57S	509.	532.	563.
	For 64"H DP7 Post	62"	DP7PP64S	502.	522.	552.
	For 78"H DP7 Post	48"	DP7PP78S	502.	522.	552.
Dividends Horizon Power Pole for use with DP7 & DP8 Series Posts only (does not include Raceway-to-Ceiling Infeed) For 144" ceiling height	For 36"H DP7 Post	108"	DP7PP36T	694.	731.	760.
	For 42"H DP7 Post	102"	DP7PP42T	635.	669.	701.
	For 50"H DP7 Post	94"	DP7PP50T	576.	604.	633.
	For 57"H DP7 Post	86"	DP7PP57T	509.	532.	563.
	For 64"H DP7 Post	80"	DP7PP64T	502.	522.	552.
	For 78"H DP7 Post	66"	DP7PP78T	502.	522.	552.

Ordering Information	Order Code	Included With
Power Pole	Power Pole	Power Pole
1. Pattern Number	<i>Example:</i> DE(2) PP64S, 117	• Power pole • Ceiling trim plate • Connecting hardware • Post/power pole trim cover
2. Trim Finish	DE(2) Pattern Number	Note: Power pole does not include raceway-to-ceiling infeed which must be ordered separately. Note: Power poles mount atop existing post connectors in "L", "T" and "X" configurations.
	PP64S	
	117 Soft Grey trim finish	

Electrical Infeeds

Raceway-to-Ceiling and End-of-Run Infeeds


Dividends Horizon

description	type	length	pattern no.	list
 Raceway-to-Ceiling Infeed	2+2	288"	DE18 CI288	\$897.
	3+1	288"	DE1E CI288	897.
	3+3	288"	DE1T CI288	973.
 End-of-Run Infeed	10-wire (2+2)	56"	DE1X ERE56	789.
	2+2	56"	DE18 ERE56	737.
	250v	56"	DE12V ERE56	798.
	3+1	56"	DE1E ERE56	742.
	3+3	56"	DE1T ERE56	795.

Ordering Information	Order Code	Included with:	Options
Base Power Infeed (L/R)	Base Power Infeed (L/R)	Base Power Infeed (L/R)	Base Power Infeed (L/R)
1. Pattern Number	<i>Example:</i> DE18 BI56(L)	Power Pole	To specify direction of entry, add either an "L" or "R" suffix to the pattern number.
Power Pole	DE18 Pattern Number (left entry)	- Power pole - Ceiling trim plate - Connecting hardware - Post/power pole trim cover	Insert appropriate number for post cover option within the parentheses of the pattern number
1. Pattern Number	BI56(L)	Note: Power pole does not include raceway-to-ceiling infeed which must be ordered separately.	Dividends Horizon Power Pole Post cover
2. Trim Finish	Power Pole		
Note: Power poles mount atop existing post connectors in "L", "T" and "X" configurations	<i>Example:</i> DE(1) PP64S, 117		
	DE(1) Pattern Number		
	PP64S		
	117 Soft Grey trim finish		

New York City, San Francisco and Chicago Electrical Infeeds and Retrofit Kit




Dividends Horizon

description	type	l	pattern no.	list
 Hardwire Infeed (NYC) - 1 Direction	2+2		DE18 B1NY1	\$998.
	3+1		DE1E B1NY1	865.
	3+3		DE1T B1NY1	1,116.
 Base Power Infeed (San Francisco)	2+2	56"	DE18 BI56()SF	343.
	3+1	56"	DE1E BI56()SF	308.
	3+3	56"	DE1T BI56()SF	403.
 Reversible Base Power Infeed (San Francisco)	2+2	56"	DE18 RBI56SF	417.
	3+1	56"	DE1E RBI56SF	376.
	3+3	56"	DE1T RBI56SF	500.
Electrical Retrofit Kit (Chicago) (for electrical on new panel base raceway)			DP7CERK	110.

Ordering Information	Order Code	Included with:	Options
Hardwire Infeed (NYC) 1. Pattern Number	Hardwire Infeed (NYC) Example: DE1E B1NY1 DE1E Pattern Number B1NY1	Hardwire Infeed (NYC) • Junction box with power connector and infeed • Ceiling trim plate • Attachment screws	Hardwire Infeed (NYC) Power System • 3+1 • 2+2 • 3+3 San Francisco Infeed direction option (L) = Left (R) = Right Note: The electrical retrofit kit provides brackets that connect Chicago Electrical components that were manufactured prior to June 2008 to DP8 panel base raceways.

New York City, San Francisco and Chicago Electrical Infeeds, Receptacle Kits and Replacement Kits



Dividends Horizon

description	type	l	pattern no.	list
 Hardwire Infeed Raceway Kit (Chicago)	Double Sided	24"	DP7HIRKD24	\$613.
	Double Sided	30"	DP7HIRKD30	1,038.
	Double Sided	36"	DP7HIRKD36	1,045.
	Double Sided	42"	DP7HIRKD42	1,055.
	Double Sided	48"	DP7HIRKD48	1,063.
	Double Sided	60"	DP7HIRKD60	1,078.
	Single Sided	24"	DP7HIRKS24	861.
	Single Sided	30"	DP7HIRKS30	1,224.
	Single Sided	36"	DP7HIRKS36	1,231.
	Single Sided	42"	DP7HIRKS42	1,236.
	Single Sided	48"	DP7HIRKS48	1,244.
	Single Sided	60"	DP7HIRKS60	1,264.
 Hardwire Receptacle Raceway Kit (Chicago)	Double Sided	24"	DP7HRRKD24	470.
	Double Sided	30"	DP7HRRKD30	789.
	Double Sided	36"	DP7HRRKD36	798.
	Double Sided	42"	DP7HRRKD42	804.
	Double Sided	48"	DP7HRRKD48	812.
	Double Sided	60"	DP7HRRKD60	832.
	Single Sided	24"	DP7HRRKS24	546.
	Single Sided	30"	DP7HRRKS30	770.
	Single Sided	36"	DP7HRRKS36	779.
	Single Sided	42"	DP7HRRKS42	779.
	Single Sided	48"	DP7HRRKS48	785.
	Single Sided	60"	DP7HRRKS60	802.
 Pre-Drilled Replacement Covers, Pair (Chicago)	24" Wide Panel	24"	DP7RCCH24	67.
	30" Wide Panel	30"	DP7RCCH30	74.
	36" Wide Panel	36"	DP7RCCH36	77.
	42" Wide Panel	42"	DP7RCCH42	88.
	48" Wide Panel	48"	DP7RCCH48	93.
	60" Wide Panel	60"	DP7RCCH60	110.

Ordering Information	Order Code	Included with:	Options
Hardwire Infeed (NYC) 1. Pattern Number	Hardwire Infeed (NYC) Example: DE1E B1NY1 DE1E Pattern Number B1NY1	Hardwire Infeed (NYC) • Junction box with power connector and infeed • Ceiling trim plate • Attachment screws	Hardwire Infeed (NYC) Power System • 3+1 • 2+2 • 3+3 San Francisco Infeed direction option (L) = Left (R) = Right Note: The electrical retrofit kit provides brackets that connect Chicago Electrical components that were manufactured prior to June 2008 to DP8 panel base raceways.

Cable Management Accessories

Dividends Horizon




description	type	pattern no.	list
	19 1/2" wide	D1WB20	\$72.
	25 1/2" wide	D1WB26	75.
	31 1/2" wide	D1WB32	92.
	35" wide	D1WB36	103.
	41" wide	D1WB42	110.
Vertical Wire Pathway Grommet (optional)	Package of 10	DP1 VWG	300.
			
Topway Cable Grommet	Package of 40	DP1 TKC	104.
			
Worksurface Cable Management Clip	Package of 10	D1WC	68.
			
Data Shield	1 Pair for use with base raceway	DE1DATSHD	71.
	1 Pair for use with tile to floor	DE1DATSHDF	93.
			

Ordering Information	Order Code	Included with:	Options
Base Raceway Cable Tray	Base Raceway Cable Tray	Base Raceway Cable Tray	Base Raceway Cable Tray
1. Pattern Number	<i>Example:</i> DP1 RCT24 DP1 Pattern Number RCT24		Note: Cable trays are for use with all DP7 and DP8 series panels and all panels produced prior to November 2007. Note: Data Shield is not compatible with open base panels.

Cable Management

Base Raceway and Beltway Cable Trays

Dividends Horizon

description	type	pattern no.	list
Base Raceway Cable Tray - double sided for use with raceway on both sides (optional) 	18" Panel Width	DP72RCT18	\$46.
	24" Panel Width	DP72RCT24	48.
	30" Panel Width	DP72RCT30	55.
	36" Panel Width	DP72RCT36	59.
	42" Panel Width	DP72RCT42	61.
	48" Panel Width	DP72RCT48	68.
	60" Panel Width	DP72RCT60	74.
Base Raceway Cable Tray - single sided for use with raceway on one side (optional) 	18" Panel Width	DP71RCT18	46.
	24" Panel Width	DP71RCT24	48.
	30" Panel Width	DP71RCT30	55.
	36" Panel Width	DP71RCT36	59.
	42" Panel Width	DP71RCT42	61.
	48" Panel Width	DP71RCT48	68.
	60" Panel Width	DP71RCT60	74.
Beltway Cable Tray (optional) 	18" Panel Width	DP1BCT18	48.
	24" Panel Width	DP1BCT24	49.
	30" Panel Width	DP1BCT30	57.
	36" Panel Width	DP1BCT36	60.
	42" Panel Width	DP1BCT42	65.
	48" Panel Width	DP1BCT48	71.
	60" Panel Width	DP1BCT60	102.

Ordering Information	Order Code	Included with:	Options
Base Raceway Cable Tray	Base Raceway Cable Tray	Base Raceway Cable Tray	Base Raceway Cable Tray
1. Pattern Number	Example: DP1 RCT24 DP1 Pattern Number RCT24		Note: Cable trays are for use with all DP7 and DP8 series panels and all panels produced prior to November 2007.


Flip-Up Door Overheads

Panel- and Wall-Mounted

Series 2 and Horizon Series 3

Dividends Horizon


description	w*	w	d	h	pattern no.	P1	P2	P3	V1-P1	V1-P2	V1-P3
Series 2 Flip-Up Overhead w/ Steel or Veneer Door	24"	23 7/8"	14 1/8"	15"	DS2PM24L	\$916.	\$1,057.	\$1,106.	\$1,431.	\$1,572.	\$1,621.
	30"	29 7/8"	14 1/8"	15"	DS2PM30L	916.	1,057.	1,106.	1,431.	1,572.	1,621.
	36"	35 7/8"	14 1/8"	15"	DS2PM36L	998.	1,150.	1,198.	1,447.	1,599.	1,647.
	42"	41 7/8"	14 1/8"	15"	DS2PM42L	1,091.	1,250.	1,301.	1,497.	1,656.	1,707.
	48"	47 7/8"	14 1/8"	15"	DS2PM48L	1,198.	1,373.	1,437.	1,597.	1,772.	1,836.
	54"	53 7/8"	14 1/8"	15"	DS2PM54L	1,419.	1,635.	1,709.	2,270.	2,486.	2,560.
	60"	59 7/8"	14 1/8"	15"	DS2PM60L	1,419.	1,635.	1,709.	2,270.	2,486.	2,560.
	66"	65 7/8"	14 1/8"	15"	DS2PM66L	1,584.	1,822.	1,903.	2,381.	2,619.	2,700.
	72"	71 7/8"	14 1/8"	15"	DS2PM72L	1,584.	1,822.	1,903.	2,381.	2,619.	2,700.



Dividends "touchdown" retro-fit (two kits required for 54"w - 72"w)


DS1EAKIT 475.

Series 3 Flip-Up Overhead
w/ Steel Door



30"	29 7/8"	14 1/2"	15"	DS3PMS30L	887.	978.	1,023.
36"	35 7/8"	14 1/2"	15"	DS3PMS36L	914.	1,007.	1,052.
42"	41 7/8"	14 1/2"	15"	DS3PMS42L	940.	1,038.	1,085.
48"	47 7/8"	14 1/2"	15"	DS3PMS48L	973.	1,072.	1,116.
60"	59 7/8"	14 1/2"	15"	DS3PMS60L	1,225.	1,349.	1,414.
66"	65 7/8"	14 1/2"	15"	DS3PMS66L	1,335.	1,473.	1,537.
72"	71 7/8"	14 1/2"	15"	DS3PMS72L	1,335.	1,473.	1,537.

Series 3 Flip-Up Overhead
w/ Laminate Door



30"	29 7/8"	14 1/2"	15"	DS3PML30L	1,339.	1,494.	1,560.
36"	35 7/8"	14 1/2"	15"	DS3PML36L	1,403.	1,533.	1,601.
42"	41 7/8"	14 1/2"	15"	DS3PML42L	1,442.	1,581.	1,651.
48"	47 7/8"	14 1/2"	15"	DS3PML48L	1,528.	1,679.	1,751.
60"	59 7/8"	14 1/2"	15"	DS3PML60L	2,288.	2,511.	2,620.
66"	65 7/8"	14 1/2"	15"	DS3PML66L	2,323.	2,549.	2,683.
72"	71 7/8"	14 1/2"	15"	DS3PML72L	2,390.	2,626.	2,745.

w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Dividends Series 2 Flip-Up Door Overhead	Dividends Series 2 Flip-Up Door Overhead	Dividends Series 2 Flip-Up Door Overhead	Flip-Up Door Door Overhead To specify overhead cabinet without locks replace the "L" suffix from the pattern number with "N" Deduct \$20. For 54", 60", 66" and 72" overhead cabinets Deduct \$40
1. Pattern Number	<i>Example:</i> DS2O 30L, 113, 113	Series 2 Flip-Up Overhead	
2. Paint Finish	DS2O 30L Pattern Number	Series 3 Flip-Up Overhead	
3. Door End Cap Finish	113 Dark grey paint finish	Note: Touchdown mechanism not available on veneer or laminate front Flip-Up overheads.	
Series 2 Flip-Up Door Overhead	113 Dark grey End cap finish	Note: Series 3 Horizon overheads are only available in Knoll core finishes.	To specify Touchdown overhead cabinet, add "E" as the 2nd to last digit of the pattern number <i>Example:</i> DS3PML48EL (Add \$163 for cabinet widths of 48" or less. Add \$327 for cabinet widths of 54" or greater).
1. Pattern Number	Series 2 Flip-Up Overhead w/ Steel Door	Wallmount bracket specified separately.	
2. Paint Finish	<i>Example:</i> DS2PM 30L, 115		
3. Door Finish (veneer door only)	DS2PM Pattern Number		
Series 3 Flip-Up Door Overhead	30L		
1. Pattern Number	115 Medium grey paint finish		Series 2 and Series 3 Flip-Up Door Overhead Finish Option: Add a "Y" to the end of the pattern number to specify a different finish for the door versus the case. Use P3 pricing for this dual finish option.
2. Paint Finish case			
3. Door Finish (laminate and veneer door only)			
4. Door Edge Finish (laminate door only)			


Flip-Up Door Overheads

Panel- and Wall-Mounted

Series 2 and Horizon Series 3

Dividends Horizon

description	w*	w	d	h	pattern no.	P1	P2	P3	V1-P1	V1-P2	V1-P3
Series 3 Flip-Up Overhead w/ Veneer Door	30"	29 ⁷ / ₈ "	14 ¹ / ₂ "	15"	DS3PMV30L	\$1,852.	\$2,029.	\$2,121.			
	36"	35 ⁷ / ₈ "	14 ¹ / ₂ "	15"	DS3PMV36L	1,895.	2,079.	2,175.			
	42"	41 ⁷ / ₈ "	14 ¹ / ₂ "	15"	DS3PMV42L	1,938.	2,128.	2,225.			
	48"	47 ⁷ / ₈ "	14 ¹ / ₂ "	15"	DS3PMV48L	2,022.	2,199.	2,300.			
	60"	59 ⁷ / ₈ "	14 ¹ / ₂ "	15"	DS3PMV60L	3,263.	3,583.	3,742.			
	66"	65 ⁷ / ₈ "	14 ¹ / ₂ "	15"	DS3PMV66L	3,351.	3,684.	3,868.			
	72"	71 ⁷ / ₈ "	14 ¹ / ₂ "	15"	DS3PMV72L	3,379.	3,707.	3,879.			



w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Dividends Series 2 Flip-Up Door Overhead	Dividends Series 2 Flip-Up Door Overhead	Dividends Series 2 Flip-Up Door Overhead	Flip-Up Door Door Overhead To specify overhead cabinet without locks replace the "L" suffix from the pattern number with "N" Deduct \$20. For 54", 60", 66" and 72" overhead cabinets Deduct \$40
1. Pattern Number	<i>Example:</i> DS2O 30L, 113, 113	Series 2 Flip-Up Overhead	
2. Paint Finish	DS2O 30L Pattern Number	Series 3 Flip-Up Overhead	
3. Door End Cap Finish	113 Dark grey paint finish	Note: Touchdown mechanism not available on veneer or laminate front Flip-Up overheads.	
Series 2 Flip-Up Door Overhead	113 Dark grey End cap finish	Note: Series 3 Horizon overheads are only available in Knoll core finishes.	To specify Touchdown overhead cabinet, add "E" as the 2nd to last digit of the pattern number <i>Example:</i> DS3PML48EL (Add \$163 for cabinet widths of 48" or less. Add \$327 for cabinet widths of 54" or greater).
1. Pattern Number	Series 2 Flip-Up Overhead w/ Steel Door	Wallmount bracket specified separately.	
2. Paint Finish	<i>Example:</i> DS2PM 30L, 115		
3. Door Finish (veneer door only)	DS2PM Pattern Number		
Series 3 Flip-Up Door Overhead	30L		
1. Pattern Number	115 Medium grey paint finish		Series 2 and Series 3 Flip-Up Door Overhead Finish Option: Add a "Y" to the end of the pattern number to specify a different finish for the door versus the case. Use P3 pricing for this dual finish option.
2. Paint Finish case			
3. Door Finish (laminate and veneer door only)			
4. Door Edge Finish (laminate door only)			


Sliding Door Overheads

14" High Panel-Mounted


Dividends Horizon and Template Doors

Dividends Horizon


description	w *	w	d	h	pattern no.	P1	P2	P3
Dividends Horizon Panel-Mounted Overhead without Door	29 7/8"	30"	12 1/2"	14"	DS3PMNS3014	\$522.	\$573.	\$601.
	35 7/8"	36"	12 1/2"	14"	DS3PMNS3614	544.	599.	630.
	41 7/8"	42"	12 1/2"	14"	DS3PMNS4214	561.	616.	644.
	47 7/8"	48"	12 1/2"	14"	DS3PMNS4814	579.	638.	665.
	59 7/8"	60"	12 1/2"	14"	DS3PMNS6014	663.	727.	761.
	65 7/8"	66"	12 1/2"	14"	DS3PMNS6614	684.	751.	784.
	71 7/8"	72"	12 1/2"	14"	DS3PMNS7214	698.	772.	807.




Template Panel-Mounted Sliding Door Overhead with Steel Doors	35 7/8"	36"	15"	14"	DS3PMT(S/G)3614L	1,136.	1,250.	1,303.
	41 7/8"	42"	15"	14"	DS3PMT(S/G)4214L	1,177.	1,297.	1,350.
	47 7/8"	48"	15"	14"	DS3PMT(S/G)4814L	1,213.	1,332.	1,398.
	59 7/8"	60"	15"	14"	DS3PMT(S/G)6014L	1,730.	1,905.	1,991.
	71 7/8"	72"	15"	14"	DS3PMT(S/G)7214L	1,829.	2,014.	2,106.



Dividends Horizon Panel-Mounted Sliding Door Overhead w/Steel Door	29 7/8"	30"	13 1/2"	14"	DS3PMSS3014L	864.	952.	994.
	35 7/8"	36"	13 1/2"	14"	DS3PMSS3614L	887.	977.	1,026.
	41 7/8"	42"	13 1/2"	14"	DS3PMSS4214L	918.	1,011.	1,054.
	47 7/8"	48"	13 1/2"	14"	DS3PMSS4814L	933.	1,028.	1,077.
	59 7/8"	60"	13 1/2"	14"	DS3PMSS6014L	1,054.	1,161.	1,213.
	65 7/8"	66"	13 1/2"	14"	DS3PMSS6614L	1,083.	1,192.	1,245.
	71 7/8"	72"	13 1/2"	14"	DS3PMSS7214L	1,101.	1,211.	1,262.



Dividends Horizon Panel-Mounted Sliding Door Overhead w/ Laminate Door	29 7/8"	30"	13 1/2"	14"	DS3PMSL3014L	1,492.	1,639.	1,715.
	35 7/8"	36"	13 1/2"	14"	DS3PMSL3614L	1,535.	1,683.	1,758.
	41 7/8"	42"	13 1/2"	14"	DS3PMSL4214L	1,579.	1,730.	1,810.
	47 7/8"	48"	13 1/2"	14"	DS3PMSL4814L	1,620.	1,775.	1,853.
	59 7/8"	60"	13 1/2"	14"	DS3PMSL6014L	1,661.	1,824.	1,903.
	65 7/8"	66"	13 1/2"	14"	DS3PMSL6614L	1,704.	1,870.	1,951.
	71 7/8"	72"	13 1/2"	14"	DS3PMSL7214L	1,744.	1,911.	1,997.



w* = nominal width
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included With	Options
Sliding Door Overheads: 1. Pattern number 2. Paint finish case 3. Door finish (laminated and veneer door only) 4. Door edge finish (laminated door only)	Sliding Door Overhead w/ Steel Door Example: DS3PMSS3014L /117/117 DS3PMSS Pattern Number 3014L 117 Dark grey paint finish case	Sliding Door Overhead Note: Sliding door overheads are only available in Knoll core finishes. Specify one of the following for Template Glass door option: (Temp) = Clear (GL13) = Powder (GL25) = Bronze (GL35) = Grey	Sliding Door Overhead Lock/No lock For non-locking units substitute the "L" suffix with a "N" and deduct \$20.00 from the list price. Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and sliding door. P3 pricing applies to all products with dual paint finishes. Overheads with Template style doors only accept LED task light.


Sliding Door Overheads

14" High Panel-Mounted

Dividends Horizon and Template Doors

Dividends Horizon

description	w *	w	d	h	pattern no.	P1	P2	P3
Dividends Horizon Panel-Mounted	29 ⁷ / ₈ "	30"	13 ¹ / ₂ "	14"	DS3PMSV3014L	\$1,651.	\$1,810.	\$1,893.
Sliding Door Overhead w/ Veneer Door	35 ⁷ / ₈ "	36"	13 ¹ / ₂ "	14"	DS3PMSV3614L	1,704.	1,869.	1,951.
	41 ⁷ / ₈ "	42"	13 ¹ / ₂ "	14"	DS3PMSV4214L	1,752.	1,925.	2,008.
	47 ⁷ / ₈ "	48"	13 ¹ / ₂ "	14"	DS3PMSV4814L	1,809.	1,988.	2,071.
	59 ⁷ / ₈ "	60"	13 ¹ / ₂ "	14"	DS3PMSV6014L	1,860.	2,044.	2,133.
	65 ⁷ / ₈ "	66"	13 ¹ / ₂ "	14"	DS3PMSV6614L	1,911.	2,099.	2,193.
	71 ⁷ / ₈ "	72"	13 ¹ / ₂ "	14"	DS3PMSV7214L	1,968.	2,160.	2,255.



w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included With	Options
Sliding Door Overheads:	Sliding Door Overhead w/ Steel Door	Sliding Door Overhead	Sliding Door Overhead
1. Pattern number		Note: Sliding door overheads are only available in Knoll core finishes.	Lock/No lock
2. Paint finish case	Example: DS3PMSS3014L		For non-locking units substitute the "L" suffix with a "N" and deduct \$20.00 from the list price.
3. Door finish (laminated and veneer door only)	/117/117		
4. Door edge finish (laminated door only)	DS3PMSS Pattern Number 3014L	Specify one of the following for Template Glass door option:	Paint Configuration Option:
	117 Dark grey paint finish case	(Temp) = Clear	Add "Y" at the end of the pattern number to specify a different paint finish on the case and sliding door. P3 pricing applies to all products with dual paint finishes.
		(GL13) = Powder	
		(GL25) = Bronze	
		(GL35) = Grey	
			Overheads with Template style doors only accept LED task light.


Sliding Door Overheads

21" High Panel-Mounted


Dividends Horizon Full Height Door

Dividends Horizon


description	w *	w	d	h	pattern no.	P1	P2	P3
Dividends Horizon Panel-Mounted Overhead without Door	29 7/8"	30"	12 1/2"	21"	DS3PMNS3021	\$720.	\$795.	\$831.
	35 7/8"	36"	12 1/2"	21"	DS3PMNS3621	755.	825.	864.
	41 7/8"	42"	12 1/2"	21"	DS3PMNS4221	779.	854.	891.
	47 7/8"	48"	12 1/2"	21"	DS3PMNS4821	807.	885.	924.
	59 7/8"	60"	12 1/2"	21"	DS3PMNS6021	918.	1,011.	1,054.
	65 7/8"	66"	12 1/2"	21"	DS3PMNS6621	751.	824.	861.
	71 7/8"	72"	12 1/2"	21"	DS3PMNS7221	971.	1,072.	1,116.




Dividends Horizon Panel-Mounted Sliding Door Overhead w/ Steel Door	29 7/8"	30"	13 1/2"	21"	DS3PMSS3021FL	1,126.	1,237.	1,295.
	35 7/8"	36"	13 1/2"	21"	DS3PMSS3621FL	1,161.	1,276.	1,334.
	41 7/8"	42"	13 1/2"	21"	DS3PMSS4221FL	1,202.	1,315.	1,379.
	47 7/8"	48"	13 1/2"	21"	DS3PMSS4821FL	1,231.	1,350.	1,414.
	59 7/8"	60"	13 1/2"	21"	DS3PMSS6021FL	1,410.	1,551.	1,623.
	65 7/8"	66"	13 1/2"	21"	DS3PMSS6621FL	1,450.	1,593.	1,668.
	71 7/8"	72"	13 1/2"	21"	DS3PMSS7221FL	1,479.	1,624.	1,698.



Dividends Horizon Panel-Mounted Sliding Door Overhead w/ Laminate Door	29 7/8"	30"	13 1/2"	21"	DS3PMSL3021FL	1,860.	2,044.	2,129.
	35 7/8"	36"	13 1/2"	21"	DS3PMSL3621FL	1,914.	2,100.	2,197.
	41 7/8"	42"	13 1/2"	21"	DS3PMSL4221FL	1,973.	2,162.	2,264.
	47 7/8"	48"	13 1/2"	21"	DS3PMSL4821FL	2,033.	2,226.	2,323.
	59 7/8"	60"	13 1/2"	21"	DS3PMSL6021FL	2,082.	2,290.	2,387.
	65 7/8"	66"	13 1/2"	21"	DS3PMSL6621FL	2,136.	2,349.	2,451.
	71 7/8"	72"	13 1/2"	21"	DS3PMSL7221FL	2,193.	2,409.	2,513.



Dividends Horizon Panel-Mounted Sliding Door Overhead w/ Veneer Door	29 7/8"	30"	13 1/2"	21"	DS3PMSV3021FL	2,028.	2,224.	2,322.
	35 7/8"	36"	13 1/2"	21"	DS3PMSV3621FL	2,098.	2,307.	2,408.
	41 7/8"	42"	13 1/2"	21"	DS3PMSV4221FL	2,177.	2,387.	2,495.
	47 7/8"	48"	13 1/2"	21"	DS3PMSV4821FL	2,251.	2,473.	2,584.
	59 7/8"	60"	13 1/2"	21"	DS3PMSV6021FL	2,326.	2,558.	2,669.
	65 7/8"	66"	13 1/2"	21"	DS3PMSV6621FL	2,405.	2,641.	2,756.
	71 7/8"	72"	13 1/2"	21"	DS3PMSV7221FL	2,483.	2,726.	2,846.



w* = nominal width
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included With	Options
Sliding Door Overheads:	Sliding Door Overhead w/ Steel Door	Sliding Door Overhead	Sliding Door Overhead
1. Pattern number	Example: DS3PMSS3021FL	Note: Sliding door overheads are only available in Knoll core finishes.	Lock/No lock For non-locking units substitute the "L" suffix with a "N" and deduct \$20.00 from the list price.
2. Paint finish case	/117/117		
3. Door finish (laminate and veneer door only)	DS3PMSS Pattern Number		
4. Door edge finish (laminate door only)	3021FL		
	117 Dark grey paint finish case		Paint Configuration Option:

Add "Y" at the end of the pattern number to specify a different paint finish on the case and sliding door. P3 pricing applies to all products with dual paint finishes.


Sliding Door Overheads

21" High Panel-Mounted


Dividends Horizon Partial Height Door

Dividends Horizon


description	w *	w	d	h	pattern number	P1	P2	P3
Dividends Horizon Panel-Mounted Sliding Door Overhead w/ Steel Door	29 7/8"	30"	13 1/2"	21"	DS3PMSS3021PL	\$1,116.	\$1,231.	\$1,285.
	35 7/8"	36"	13 1/2"	21"	DS3PMSS3621PL	1,156.	1,264.	1,328.
	41 7/8"	42"	13 1/2"	21"	DS3PMSS4221PL	1,191.	1,306.	1,364.
	47 7/8"	48"	13 1/2"	21"	DS3PMSS4821PL	1,220.	1,341.	1,405.
	59 7/8"	60"	13 1/2"	21"	DS3PMSS6021PL	1,349.	1,486.	1,553.
	65 7/8"	66"	13 1/2"	21"	DS3PMSS6621PL	1,398.	1,529.	1,597.
	71 7/8"	72"	13 1/2"	21"	DS3PMSS7221PL	1,416.	1,556.	1,629.



Dividends Horizon Panel-Mounted Sliding Door Overhead w/ Laminate Door	29 7/8"	30"	13 1/2"	21"	DS3PMSL3021PL	1,847.	2,028.	2,115.
	35 7/8"	36"	13 1/2"	21"	DS3PMSL3621PL	1,901.	2,086.	2,177.
	41 7/8"	42"	13 1/2"	21"	DS3PMSL4221PL	1,954.	2,142.	2,241.
	47 7/8"	48"	13 1/2"	21"	DS3PMSL4821PL	2,007.	2,202.	2,303.
	59 7/8"	60"	13 1/2"	21"	DS3PMSL6021PL	2,064.	2,267.	2,367.
	65 7/8"	66"	13 1/2"	21"	DS3PMSL6621PL	2,118.	2,324.	2,431.
	71 7/8"	72"	13 1/2"	21"	DS3PMSL7221PL	2,171.	2,382.	2,494.



Dividends Horizon Panel-Mounted Sliding Door Overhead w/ Veneer Door	29 7/8"	30"	13 1/2"	21"	DS3PMSV3021PL	2,028.	2,224.	2,318.
	35 7/8"	36"	13 1/2"	21"	DS3PMSV3621PL	2,086.	2,291.	2,389.
	41 7/8"	42"	13 1/2"	21"	DS3PMSV4221PL	2,146.	2,359.	2,460.
	47 7/8"	48"	13 1/2"	21"	DS3PMSV4821PL	2,213.	2,424.	2,534.
	59 7/8"	60"	13 1/2"	21"	DS3PMSV6021PL	2,271.	2,494.	2,605.
	65 7/8"	66"	13 1/2"	21"	DS3PMSV6621PL	2,327.	2,560.	2,674.
	71 7/8"	72"	13 1/2"	21"	DS3PMSV7221PL	2,390.	2,631.	2,745.



w* = nominal width
Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included With	Options
Sliding Door Overheads: 1. Pattern number 2. Paint finish case 3. Door finish (laminate and veneer door only) 4. Door edge finish (laminate door only)	Sliding Door Overhead w/ Steel Door <i>Example:</i> DS3PMSS3021PL /117/117 DS3PMSS Pattern Number 3021PL 117 Dark grey paint finish case	Sliding Door Overhead Note: Sliding door overheads are only available in Knoll core finishes.	Sliding Door Overhead Lock/No lock For non-locking units substitute the "L" suffix with a "N" and deduct \$20.00 from the list price. Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and sliding door. P3 pricing applies to all products with dual paint finishes.


Sliding Door Overheads

14" High Wall-Mounted


Dividends Horizon and Template Doors

Dividends Horizon


description	w *	w	d	h	pattern no.	P1	P2	P3
Dividends Horizon Wall-Mounted Sliding Door Overhead without Door	35 ⁷ / ₈ "	36"	14"	14"	DS3WMN3614	\$1,261.	\$1,391.	\$1,451.
	42 ⁷ / ₈ "	42"	14"	14"	DS3WMN4214	1,334.	1,475.	1,535.
	47 ⁷ / ₈ "	48"	14"	14"	DS3WMN4814	1,404.	1,540.	1,609.
	59 ⁷ / ₈ "	60"	14"	14"	DS3WMN6014	1,914.	2,106.	2,201.
	71 ⁷ / ₈ "	72"	14"	14"	DS3WMN7214	2,075.	2,288.	2,387.




Dividends Horizon Wall-Mounted Sliding Door Overhead w/ Steel Door	35 ⁷ / ₈ "	36"	15"	14"	DS3WMSS3614L	1,586.	1,744.	1,824.
	42 ⁷ / ₈ "	42"	15"	14"	DS3WMSS4214L	1,667.	1,835.	1,916.
	47 ⁷ / ₈ "	48"	15"	14"	DS3WMSS4814L	1,734.	1,907.	1,993.
	59 ⁷ / ₈ "	60"	15"	14"	DS3WMSS6014L	2,264.	2,489.	2,605.
	71 ⁷ / ₈ "	72"	15"	14"	DS3WMSS7214L	2,434.	2,675.	2,799.



Dividends Horizon Wall-Mounted Sliding Door Overhead w/ Laminate Door	35 ⁷ / ₈ "	36"	15"	14"	DS3WMSL3614L	2,118.	2,118.	2,118.
	42 ⁷ / ₈ "	42"	15"	14"	DS3WMSL4214L	2,197.	2,197.	2,197.
	47 ⁷ / ₈ "	48"	15"	14"	DS3WMSL4814L	2,271.	2,271.	2,271.
	59 ⁷ / ₈ "	60"	15"	14"	DS3WMSL6014L	2,820.	2,820.	2,820.
	71 ⁷ / ₈ "	72"	15"	14"	DS3WMSL7214L	3,005.	3,005.	3,005.



Dividends Horizon Wall-Mounted Sliding Door Overhead w/ Veneer Door	35 ⁷ / ₈ "	36"	15"	14"	DS3WMSV3614L	2,457.	2,457.	2,457.
	41 ⁷ / ₈ "	42"	15"	14"	DS3WMSV4214L	2,547.	2,547.	2,547.
	47 ⁷ / ₈ "	48"	15"	14"	DS3WMSV4814L	2,652.	2,652.	2,652.
	59 ⁷ / ₈ "	60"	15"	14"	DS3WMSV6014L	3,210.	3,210.	3,210.
	71 ⁷ / ₈ "	72"	15"	14"	DS3WMSV7214L	3,428.	3,428.	3,428.



Ordering Information	Order Code	Included With	Options
Sliding Door Overheads:	Sliding Door Overhead	Sliding Door Overhead	Sliding Door Overhead
1. Pattern number	<i>Example:</i> DS3WMSS4214N	Wall mount cleat Hardware	Lock Option:
2. Paint finish case	/118/118		For non-locking units substitute the "L" suffix with a "N" and deduct \$20.00 from the list price.
3. Door finish (laminate and veneer door only)	DS3WM Pattern Number	Specify one of the following for Template Glass door option:	Paint Configuration Option:
4. Door edge finish (laminate door only)	SS Steel Door	(Temp) = Clear	Add "Y" at the end of the pattern number to specify a different paint finish on the case and sliding door. P3 pricing applies to all products with dual paint finishes.
	42 Width	(GL13) = Powder	
	14 Height	(GL25) = Bronze	
	N No lock	(GL35) = Grey	
	118 Bright White Paint Finish		
	118 Bright White Paint Finish		

Note: Sliding door overheads are only available in Knoll core finishes.

Overheads on this page accept LED task lights only.


Sliding Door Overheads

14" High Wall-Mounted

Dividends Horizon and Template Doors

Dividends Horizon

description	w *	w	d	h	pattern no.	P1	P2	P3
Template Wall-Mounted	35 ⁷ / ₈ "	36"	15"	14"	DS3WMT(S/G)3614L	\$1,556.	\$1,717.	\$1,798.
Sliding Door Overhead w/Steel or Glass Doors	42 ⁷ / ₈ "	42"	15"	14"	DS3WMT(S/G)4214L	1,644.	1,810.	1,893.
	47 ⁷ / ₈ "	48"	15"	14"	DS3WMT(S/G)4814L	1,717.	1,883.	1,973.
	59 ⁷ / ₈ "	60"	15"	14"	DS3WMT(S/G)6014L	2,255.	2,483.	2,595.
	71 ⁷ / ₈ "	72"	15"	14"	DS3WMT(S/G)7214L	2,440.	2,687.	2,807.



Ordering Information	Order Code	Included With	Options
Sliding Door Overheads:	Sliding Door Overhead	Sliding Door Overhead	Sliding Door Overhead
1. Pattern number	<i>Example:</i> DS3WMSS4214N	Wall mount cleat	Lock Option:
2. Paint finish case	/118/118	Hardware	For non-locking units
3. Door finish	DS3WM Pattern Number	Specify one of the following	substitute the "L" suffix with a
(laminate and veneer door	SS Steel Door	for Template Glass door	"N" and deduct \$20.00 from
only)	42 Width	option:	the list price.
4. Door edge finish	14 Height	(Temp) = Clear	Paint Configuration Option:
(laminate door only)	N No lock	(GL13) = Powder	Add "Y" at the end of the
	118 Bright White Paint	(GL25) = Bronze	pattern number to specify a
	Finish	(GL35) = Grey	different paint finish on the
	118 Bright White Paint		case and sliding door. P3
	Finish		pricing applies to all products
			with dual paint finishes.

Note: Sliding door overheads are only available in Knoll core finishes.

Overheads on this page accept LED task lights only.


Sliding Door Overheads

14" High Shared Center-Mounted


Dividends Horizon and Template Doors

Dividends Horizon


description	w *	w	d	h	pattern no.	P1	P2	P3
Dividends Horizon Shared Top-Mounted Sliding Door Overhead without Door	35 7/8"	36"	14"	14"	DS3SMN3614	\$1,693.	\$1,864.	\$1,950.
	42 7/8"	42"	14"	14"	DS3SMN4214	1,765.	1,945.	2,035.
	47 7/8"	48"	14"	14"	DS3SMN4814	1,820.	1,999.	2,092.
	59 7/8"	60"	14"	14"	DS3SMN6014	2,153.	2,369.	2,479.
	71 7/8"	72"	14"	14"	DS3SMN7214	2,249.	2,473.	2,586.




Template Shared Top-Mounted Sliding Door Overhead with Steel Doors	35 7/8"	36"	15"	14"	DS3SMT(S/G)3614L	2,001.	2,202.	2,303.
	42 7/8"	42"	15"	14"	DS3SMT(S/G)4214L	2,086.	2,294.	2,395.
	47 7/8"	47"	15"	14"	DS3SMT(S/G)4814L	2,133.	2,349.	2,451.
	59 7/8"	60"	15"	14"	DS3SMT(S/G)6014L	2,489.	2,738.	2,861.
	71 7/8"	72"	15"	14"	DS3SMT(S/G)7214L	2,633.	2,897.	3,026.



Dividends Horizon Shared Top-Mounted Sliding Door Overhead with Steel Door	35 7/8"	36"	15"	14"	DS3SMSS3614L	2,115.	2,324.	2,432.
	42 7/8"	42"	15"	14"	DS3SMSS4214L	2,198.	2,417.	2,521.
	47 7/8"	48"	15"	14"	DS3SMSS4814L	2,249.	2,473.	2,586.
	59 7/8"	60"	15"	14"	DS3SMSS6014L	2,596.	2,857.	2,988.
	71 7/8"	72"	15"	14"	DS3SMSS7214L	2,738.	3,009.	3,150.



Dividends Horizon Shared Top-Mounted Sliding Door Overhead with Laminate Door	35 7/8"	36"	15"	14"	DS3SMSL3614L	3,248.	3,248.	3,248.
	42 7/8"	42"	15"	14"	DS3SMSL4214L	3,321.	3,321.	3,321.
	47 7/8"	48"	15"	14"	DS3SMSL4814L	3,383.	3,383.	3,383.
	59 7/8"	60"	15"	14"	DS3SMSL6014L	3,742.	3,742.	3,742.
	71 7/8"	72"	15"	14"	DS3SMSL7214L	3,904.	3,904.	3,904.



Ordering Information	Order Code	Included With	Options
Sliding Door Overheads:	Sliding Door Overhead	Sliding Door Overhead	Sliding Door Overhead
1. Pattern number	<i>Example:</i> DS3SMSS4214N	Hardware	Lock Option:
2. Case paint finish	/118/118	Specify one of the following for Template Glass door option:	For non-locking units substitute the "L" suffix with a "N" and deduct \$20.00 from the list price. Deduct \$40.00 for shared overheads.
3. Door finish (laminated and veneer door only)	DS3SM Pattern Number	(Temp) = Clear	Paint Configuration Option:
4. Door edge finish (laminated door only)	SS Steel Door	(GL13) = Powder	Add "Y" at the end of the pattern number to specify a different paint finish on the case and sliding door. P3 pricing applies to all products with dual paint finishes.
	42 Width	(GL25) = Bronze	
	14 Height	(GL35) = Grey	
	N No lock		
	118 Bright White Paint Finish		
	118 Bright White Paint Finish		

Note: Sliding door overheads are only available in Knoll core finishes.

Note: Center-mounted sliding door overheads mount on full view panels only and must mount on module with panel widths.

Overheads on this page accept LED task lights only.


Sliding Door Overheads

14" High Shared Center-Mounted

Dividends Horizon and Template Doors

Dividends Horizon

description	w *	w	d	h	pattern no.	P1	P2	P3
Dividends Horizon Shared Top-Mounted	35 ⁷ / ₈ "	36"	15"	14"	DS3SMSV3614L	\$3,925.	\$3,925.	\$3,925.
Sliding Door Overhead with Veneer Door	42 ⁷ / ₈ "	42"	15"	14"	DS3SMSV4214L	4,025.	4,025.	4,025.
	47 ⁷ / ₈ "	48"	15"	14"	DS3SMSV4814L	4,139.	4,139.	4,139.
	59 ⁷ / ₈ "	60"	15"	14"	DS3SMSV6014L	4,520.	4,520.	4,520.
	71 ⁷ / ₈ "	72"	15"	14"	DS3SMSV7214L	4,749.	4,749.	4,749.



Ordering Information	Order Code	Included With	Options
Sliding Door Overheads:	Sliding Door Overhead	Sliding Door Overhead	Sliding Door Overhead
1. Pattern number	<i>Example:</i> DS3SMSS4214N	Hardware	Lock Option:
2. Case paint finish	/118/118	Specify one of the following for Template Glass door option:	For non-locking units substitute the "L" suffix with a "N" and deduct \$20.00 from the list price. Deduct \$40.00 for shared overheads.
3. Door finish (laminated and veneer door only)	DS3SM Pattern Number	(Temp) = Clear	Paint Configuration Option:
4. Door edge finish (laminated door only)	SS Steel Door	(GL13) = Powder	Add "Y" at the end of the pattern number to specify a different paint finish on the case and sliding door. P3 pricing applies to all products with dual paint finishes.
	42 Width	(GL25) = Bronze	
	14 Height	(GL35) = Grey	
	N No lock		
	118 Bright White Paint Finish		
	118 Bright White Paint Finish		

Note: Sliding door overheads are only available in Knoll core finishes.

Note: Center-mounted sliding door overheads mount on full view panels only and must mount on module with panel widths.

Overheads on this page accept LED task lights only.

Storage Components


Sliding Door Overheads

14" High Individual Center-Mounted


Dividends Horizon Doors / Template Doors

Dividends Horizon


description	w *	w	d	h	pattern no.	P1	P2	P3	LAM	V1
Dividends Horizon Individual Center-Mounted Overhead without Door	35 7/8"	36"	14"	14"	DS3CMN3614	\$1,356.	\$1,490.	\$1,556.		
	41 7/8"	42"	14"	14"	DS3CMN4214	1,413.	1,554.	1,626.		
	47 7/8"	48"	14"	14"	DS3CMN4814	1,450.	1,593.	1,668.		
	59 7/8"	60"	14"	14"	DS3CMN6014	2,021.	2,223.	2,322.		
	71 7/8"	72"	14"	14"	DS3CMN7214	2,125.	2,343.	2,442.		



Template Individual Center-Mounted Sliding Door Overhead with Steel Doors	35 7/8"	36"	15"	14"	DS3CMT(S/G)3614L	1,622.	1,785.	1,865.		
	42 7/8"	42"	15"	14"	DS3CMT(S/G)4214L	1,692.	1,860.	1,949.		
	47 7/8"	48"	15"	14"	DS3CMT(S/G)4814L	1,734.	1,907.	1,993.		
	59 7/8"	60"	15"	14"	DS3CMT(S/G)6014L	2,359.	2,595.	2,711.		
	71 7/8"	72"	15"	14"	DS3CMT(S/G)7214L	2,492.	2,739.	2,864.		



Dividends Horizon Individual Center-Mounted Sliding Door Overhead with Steel Doors	35 7/8"	36"	15"	14"	DS3CMSS3614L	1,790.	1,971.	2,057.		
	41 7/8"	42"	15"	14"	DS3CMSS4214L	1,855.	2,045.	2,137.		
	47 7/8"	48"	15"	14"	DS3CMSS4814L	1,907.	2,098.	2,197.		
	59 7/8"	60"	15"	14"	DS3CMSS6014L	2,288.	2,512.	2,630.		
	71 7/8"	72"	15"	14"	DS3CMSS7214L	2,416.	2,659.	2,779.		



Ordering Information	Order Code	Included With	Options
Sliding Door Overheads: 1. Pattern number 2. Case paint finish 3. Door finish 4. Door edge finish (laminate door only)	Sliding Door Overhead	Sliding Door Overhead	Sliding Door Overhead
	<i>Example:</i> DS3CMTS4214N /118/118	Hardware	Lock Option: For non-locking units substitute the "L" suffix with a "N" and deduct \$20.00 from the list price.
	DS3CM Pattern Number	Specify one of the following for Template Glass door option:	Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and sliding door. P3 pricing applies to all products with dual paint finishes.
	T Template Style Door	(Temp) = Clear	Note: Sliding door overheads are only available in Knoll core finishes. Note: Center-mounted sliding door overheads mount on full view panels only and must mount on module with panel widths. Overheads on this page accept LED task lights only.
	S Steel Door	(GL13) = Powder	
	42 Width	(GL25) = Bronze	
	14 Height	(GL35) = Grey	
	N No lock		
	118 Bright White Paint Finish		
	118 Bright White Paint Finish		


Sliding Door Overheads

14" High Individual Center-Mounted


Dividends Horizon Doors / Template Doors

Dividends Horizon

description	w *	w	d	h	pattern no.	P1	P2	P3	LAM	V1
Dividends Horizon Individual Center-Mounted Sliding Door Overhead with Laminate Doors	35 7/8"	36"	15"	14"	DS3CMSL3614L	\$2,327.	\$2,327.	\$2,327.		
	41 7/8"	42"	15"	14"	DS3CMSL4214L	2,396.	2,396.	2,396.		
	47 7/8"	48"	15"	14"	DS3CMSL4814L	2,451.	2,451.	2,451.		
	59 7/8"	60"	15"	14"	DS3CMSL6014L	2,850.	2,850.	2,850.		
	71 7/8"	72"	15"	14"	DS3CMSL7214L	2,988.	2,988.	2,988.		



Dividends Horizon Individual Center-Mounted Sliding Door Overhead with Veneer Doors	35 7/8"	36"	15"	14"	DS3CMSV3614L	2,655.	2,655.	2,655.		
	41 7/8"	42"	15"	14"	DS3CMSV4214L	2,747.	2,747.	2,747.		
	47 7/8"	48"	15"	14"	DS3CMSV4814L	2,835.	2,835.	2,835.		
	59 7/8"	60"	15"	14"	DS3CMSV6014L	3,231.	3,231.	3,231.		
	71 7/8"	72"	15"	14"	DS3CMSV7214L	3,408.	3,408.	3,408.		



Ordering Information	Order Code	Included With	Options
Sliding Door Overheads:	Sliding Door Overhead	Sliding Door Overhead	Sliding Door Overhead
1. Pattern number	<i>Example:</i> DS3CMTS4214N	Hardware	Lock Option:
2. Case paint finish	/118/118	Specify one of the following for Template Glass door option:	For non-locking units substitute the "L" suffix with a "N" and deduct \$20.00 from the list price.
3. Door finish	DS3CM Pattern Number	(Temp) = Clear	Paint Configuration Option:
4. Door edge finish (laminate door only)	T Template Style Door	(GL13) = Powder	Add "Y" at the end of the pattern number to specify a different paint finish on the case and sliding door. P3 pricing applies to all products with dual paint finishes.
	S Steel Door	(GL25) = Bronze	
	42 Width	(GL35) = Grey	
	14 Height		
	N No lock		
	118 Bright White Paint Finish		Note: Sliding door overheads are only available in Knoll core finishes.
	118 Bright White Paint Finish		Note: Center-mounted sliding door overheads mount on full view panels only and must mount on module with panel widths.

Overheads on this page accept LED task lights only.

Up Mounted Overheads

Dividends and Series 2

Dividends Horizon

description	w *	w	d	h	pattern no.	P1	P2	P3	V1-P1	V1-P2	V1-P3
Series 2 Overhead Cabinet With Enclosed Back and Lock 	30"	29 7/8"	14 1/8"	15"	DS2UM30L	\$1,174.	\$1,352.	\$1,406.	\$1,584.	\$1,762.	\$1,816.
	36"	35 7/8"	14 1/8"	15"	DS2UM36L	1,211.	1,397.	1,454.	1,634.	1,820.	1,877.
	42"	41 7/8"	14 1/8"	15"	DS2UM42L	1,253.	1,437.	1,502.	1,696.	1,880.	1,945.
	48"	47 7/8"	14 1/8"	15"	DS2UM48L	1,274.	1,464.	1,528.	1,786.	1,976.	2,040.
	54"	53 7/8"	14 1/8"	15"	DS2UM54L	1,710.	1,971.	2,053.	2,498.	2,759.	2,841.
	60"	59 7/8"	14 1/8"	15"	DS2UM60L	1,710.	1,971.	2,053.	2,532.	2,793.	2,875.
	66"	65 7/8"	14 1/8"	15"	DS2UM66L	1,787.	2,057.	2,148.	2,609.	2,879.	2,970.
	72"	71 7/8"	14 1/8"	15"	DS2UM72L	1,787.	2,057.	2,148.	2,609.	2,879.	2,970.
Overhead Upmount Brackets (Pair) 		7/8"	12 3/16"	11 3/4"	DB1U18	127.	138.	143.	n/a	n/a	n/a

w* = nominal width


Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Upmount Overhead Cabinet	Upmount Overhead Cabinet	Upmount Overhead Cabinet	Upmount Overhead Cabinet
1. Pattern Number	<i>Example:</i> DS1E 30L, 113, 113	Series 2 Overhead Cabinet	To specify overhead cabinet without locks, replace the "L" suffix from the pattern number with "N"
2. Paint Finish	DS1E 30L Pattern Number	Up Mount overheads include an enclosed back.	Deduct \$20 For 54", 60", 66" and 72" overhead cabinets Deduct \$40
3. Door End Cap Finish	113 Dark grey paint finish	Up Mount brackets are required and must be ordered separately.	To specify Touchdown overhead cabinet, add "E" as the 2nd to last digit of the pattern number
Series 2 Overhead Cabinet	113 Dark grey end cap finish		<i>Example:</i> DS3PML48EL
1. Pattern Number	Series 2 Overhead Cabinet		(Add \$163 for cabinet widths of 48" or less. Add \$327 for cabinet widths of 54" or greater).
2. Paint Finish	<i>Example:</i> DS2UM 30L, 115		Series 2 Up Mount Overhead Finish Option:
	DS2UM 30L Pattern Number		Add a "Y" to the end of the pattern number to specify a front color that is different than the case color. Use P3 pricing for this dual finish option.
	115 Medium grey paint finish		

Overhead Bookshelf

7 1/4" High

Dividends Horizon

description	w *	w	d	h	pattern no.	P1	P2	P3
 Overhead Bookshelf	24"	23 7/8"	14 1/8"	7 1/4"	DS1S 24	\$275.	\$308.	\$322.
	30"	29 7/8"	14 1/8"	7 1/4"	DS1S 30	275.	308.	322.
	36"	35 7/8"	14 1/8"	7 1/4"	DS1S 36	292.	308.	323.
	42"	41 7/8"	14 1/8"	7 1/4"	DS1S 42	306.	323.	336.
	48"	47 7/8"	14 1/8"	7 1/4"	DS1S 48	321.	332.	348.
	54"	53 7/8"	14 1/8"	7 1/4"	DS1S 54	341.	362.	377.
	60"	59 7/8"	14 1/8"	7 1/4"	DS1S 60	341.	362.	377.
	66"	65 7/8"	14 1/8"	7 1/4"	DS1S 66	371.	394.	413.
	72"	71 7/8"	14 1/8"	7 1/4"	DS1S 72	371.	394.	413.

w* = nominal width

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information

1. Pattern Number
2. Paint Finish

Order Code

Overhead Bookshelf

Example: **DS1S 60, 113**

DS1S 60 Pattern Number

113 Dark Grey Finish



Included with:

Note: An upcharge applies when specifying a Legacy laminate. See Legacy finish page for more information.

Mounting Brackets and Accessories

Overhead Backstop, Wall-mount Brackets and Currents Downmount Brackets

Dividends Horizon

description	w *	w	d	h	pattern no.	black	P1	P2	P3
 Overhead Back Stop (Dark Grey Only)	24"	23 ¹¹ / ₁₆ "	⁵ / ₈ "	1 ⁷ / ₁₆ "	DS1BS 24		\$4.	n/a	n/a
	30"	29 ¹¹ / ₁₆ "	⁵ / ₈ "	1 ⁷ / ₁₆ "	DS1BS 30		4.	n/a	n/a
	36"	35 ¹¹ / ₁₆ "	⁵ / ₈ "	1 ⁷ / ₁₆ "	DS1BS 36		4.	n/a	n/a
	42"	41 ¹¹ / ₁₆ "	⁵ / ₈ "	1 ⁷ / ₁₆ "	DS1BS 42		9.	n/a	n/a
	48"	47 ¹¹ / ₁₆ "	⁵ / ₈ "	1 ⁷ / ₁₆ "	DS1BS 48		9.	n/a	n/a
	54"	53 ¹¹ / ₁₆ "	⁵ / ₈ "	1 ⁷ / ₁₆ "	DS1BS 54		14.	n/a	n/a
	60"	59 ¹¹ / ₁₆ "	⁵ / ₈ "	1 ⁷ / ₁₆ "	DS1BS 60		14.	n/a	n/a
	66"	65 ¹¹ / ₁₆ "	⁵ / ₈ "	1 ⁷ / ₁₆ "	DS1BS 66		14.	n/a	n/a
 14" H Overhead Wall-Mount Bracket	24"	24"	¹ / ₂ "	1 4 ¹ / ₄ "	DS1WM 24	130.	138.	142.	145.
	30"	30"	¹ / ₂ "	1 4 ¹ / ₄ "	DS1WM 30	130.	138.	142.	145.
	36"	36"	¹ / ₂ "	1 4 ¹ / ₄ "	DS1WM 36	139.	143.	146.	158.
	42"	42"	¹ / ₂ "	1 4 ¹ / ₄ "	DS1WM 42	149.	159.	172.	177.
	48"	48"	¹ / ₂ "	1 4 ¹ / ₄ "	DS1WM 48	166.	176.	181.	188.
 Overhead Shelf-Mount Bracket	30"	30"	¹ / ₂ "	7"	DS1SWM 30		229.	246.	267.
	36"	36"	¹ / ₂ "	7"	DS1SWM 36		239.	271.	286.
	42"	42"	¹ / ₂ "	7"	DS1SWM 42		267.	297.	306.
	48"	48"	¹ / ₂ "	7"	DS1SWM 48		291.	316.	323.
 Dividends Series 2 Downmount Brackets (For Currents spine use)	24"				DSCSWDB24		421.	n/a	n/a
	30"				DSCSWDB30		435.	n/a	n/a
	36"				DSCSWDB36		445.	n/a	n/a
	42"				DSCSWDB42		460.	n/a	n/a
	48"				DSCSWDB48		469.	n/a	n/a

w* = nominal width

Dimensions listed under w h d are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Overhead Wall-Mount Bracket	Overhead Wall-Mount Bracket	Overhead Wall-Mount Bracket	Overhead Wall-Mount Bracket
1. Pattern Number	<i>Example:</i> DS1WM 30	Overhead Back Stop	Overhead Back Stop
Overhead Back Stop	DS1WM Pattern Number		
1. Pattern Number	30		
	Overhead Back Stop		
	<i>Example:</i> DB1BS 30		
	DB1BS 30 Pattern Number		


Dividends Horizon

Storage Components

Task Lights


Cord Management Clip


Dividends Horizon


description	type	w	d	h	pattern no.	list
	Use with 36" and wider overhead (48 LED's)	31"	2"	1/2"	DL4L31	\$1,345.
	Use with 44" and wider overhead (72 LED's)	44"	2"	1/2"	DL4L44	1,753.
	Use with 66" and wider overhead (96 LED's)	58"	2"	1/2"	DL4L58	2,199.
	Use with 24" and wider overhead (24 LED's)	17"	2"	1/2"	DL4L17	805.
	Cord management clip	(package of 50)			DL3TC	77.

Ordering Information	Order Code	Included with:	Options
Task Lights	LED Task Light	LED Task Lights: Includes LED's, power supply with 9-12' cord and mounting hardware. Housings are clear anodized aluminum with white color end-caps. Cord Management Clips: Additional clips must be ordered separately.	LED Task Lights: Power cord is able to attach to either end of fixture. Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.
1. Pattern Number	Example: DL4L17		
Cord Management Clip	DL4 Task Light		
1. Pattern Number	L LED		
	17 Width		

Series 2 Floorstanding, Doublewide and Mobile
18", 24" and 30" Depths

description	type	d*	d	w	h	pattern no.	P1	P2	P3
 Series 2 Floorstanding Pedestals with Locks	6/6/12 w/back	18"	17 1/2"	14 7/8"	26 7/8"	DS2PF L18A	\$1,137.	\$1,306.	\$1,364.
	12/12 w/back	18"	17 1/2"	14 7/8"	26 7/8"	DS2PF L18B	1,092.	1,258.	1,311.
	6/6/12 with back	24"	23 1/2"	14 7/8"	26 7/8"	DS2PF L24AB	1,147.	1,321.	1,370.
	12/12 with back	24"	23 1/2"	14 7/8"	26 7/8"	DS2PF L24BB	1,097.	1,259.	1,309.
	6/6/12 w/back	30"	29 1/2"	14 7/8"	26 7/8"	DS2PF L30A	1,311.	1,509.	1,579.
	12/12 w/back	30"	29 1/2"	14 7/8"	26 7/8"	DS2PF L30B	1,254.	1,440.	1,503.



	Series 2 Mobile Pedestals with Locks	6/6/12	18"	16 3/4"	14 7/8"	26 3/8"	DS2PM L18A	1,651.	1,892.	1,975.
		12/12	18"	16 3/4"	14 7/8"	26 3/8"	DS2PM L18B	1,595.	1,840.	1,919.
		6/12	18"	16 3/4"	14 7/8"	20 5/8"	DS2PM L18F	1,466.	1,689.	1,761.
		6/6/12	24"	22 3/4"	14 7/8"	26 3/8"	DS2PM L24A	1,369.	1,582.	1,651.
		12/12	24"	22 3/4"	14 7/8"	26 3/8"	DS2PM L24B	1,369.	1,582.	1,651.
		6/12	24"	22 3/4"	14 7/8"	20 5/8"	DS2PM L24F	1,231.	1,413.	1,471.

	Series 2 Doublewide Pedestals with Locks	12/12	19"	18 3/4"	30"	26 7/8"	DS2DW 30L	1,691.	1,947.	2,030.
		12/12	19"	18 3/4"	36"	26 7/8"	DS2DW 36L	1,786.	2,058.	2,146.

d* = nominal depth

Dimensions listed under d w h are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Pedestals 1. Pattern Number 2. Paint Finish	Floorstanding Pedestals	Floorstanding Pedestals	Floorstanding Pedestals
	<i>Example:</i> DS2PF L24AB, 117	All above listed patterns include finished back.	To specify pedestals without locks, replace the "L" suffix with an "N". Deduct \$15
	DS2PF Pattern Number	Mobile Pedestals	Doublewide Pedestals
	L24AB	Hanging file bar not included in 24" deep mobile pedestals, file support channel may be specified separately.	To specify pedestals without locks, replace the "L" suffix with an "N". Deduct \$20
	117 Soft Grey paint finish		
	Doublewide Pedestals	Doublewide Pedestals	Mobile Pedestals
	<i>Example:</i> DS2DW 30L, 113	- Hanging File Bar (front-to-back) - Hanging file rail (side-to-side)	- To specify a Series 2 mobile pedestal without a steel top, replace "M" character with "O" in the pattern number ie. DS2P(O)L24A Deduct \$35 - Add \$55 list for mobile handle. Add a "P" between the "L" lock code and the case size to designate the handle option, example (DS2PMLP24A)
	DS2DW Pattern Number	Doublewide pedestals are not intended for freestanding use and must be secured beneath a panel supported worksurface.	
	30L		
	113 Dark grey paint finish		
			Full Extension Drawer Slide Option
			To specify full extension drawer slides for box drawers, add "F" at the end of the pattern number and add \$25 to the list price.

description	type	w	d	h	pattern no.	list
 Pencil Tray	Black finish	13 1/4"	5 7/8"	7/8"	DS2PPTN	\$66.
	Clear finish	13 1/4"	5 7/8"	7/8"	DS2PPTC	77.
 Hanging File Bar		12 3/16"	2 15/16"	1/2"	DS1PFS	59.
 Drawer Divider, Box	version 1 (shown)	12 3/8"	3"	3 1/8"	DS1PBD	59.
	version 2	4 7/16"	2 1/4"	4 1/4"	DS2PBD	103.
 Drawer Divider, File	version 1 (shown)	10	3 5/8"	6 3/8"	DS1PFD	59.
	version 2	11 7/8"	2 1/4"	9 1/8"	DS2PFD	110.
 Stationary Inserts, box (4 trays)		13	15/16"	8 7/8"	DS1PST	308.
 Worksurface Grommet Kit (Dark Grey)		2 3/16"	2 5/16"	1 3/8"	D1WSG	42.
Dividends Floorstanding Pedestal Lock Retrofit Kit					DS1LKKT	127.
Series 2 Floorstanding Pedestal Lock Retrofit Kit	24" ped only				DS2LKKT	105.
Dividends Doublewide Pedestal Lock Retrofit Kit					DS1DWDPL	113.
Series 2 Doublewide Pedestal Lock Retrofit Kit		30"			DS2DWDPL30	110.
		36"			DS2DWDPL36	113.
End panel to Dividends panel brackets					BC1EPDPB(L/R)	55.





Ordering Information	Order Code	Specification Information	Options
Pencil Tray 1. Pattern Number	Pencil Tray	Version 1 drawer dividers and stationary inserts are compatible with all pedestals shipped prior to March 21, 2022, all 24" deep pedestals without finished back, and all 24" deep mobile pedestals. Version 2 drawer dividers are compatible with 18" deep mobile pedestals and floorstanding pedestals with finished back shipped after March 21, 2022. Stationary inserts are not compatible with 18" deep mobile pedestals or floorstanding pedestals with finished back shipped on or after March 21, 2022. DS1PFS file support channel is compatible with 24" deep mobile pedestals and floorstanding pedestals without finished back.	
	<i>Example:</i> DS2PPT		
	DS2PPT Pattern Number		

Credenzas

Single Depth with Steel Top

With or Without a Sliding Door




Dividends Horizon

description	w	h	d	pattern no.	P1	P2	P3
 Credenza without Door	42"	24"	13 5/16"	DS4LC1ANS42N	\$1,131.	\$1,242.	\$1,300.
	48"	24"	13 5/16"	DS4LC1ANS48N	1,161.	1,275.	1,336.
	54"	24"	13 5/16"	DS4LC1ANS54N	1,294.	1,425.	1,490.
	60"	24"	13 5/16"	DS4LC1ANS60N	1,307.	1,440.	1,506.
	66"	24"	13 5/16"	DS4LC1ANS66N	1,346.	1,479.	1,547.
	72"	24"	13 5/16"	DS4LC1ANS72N	1,403.	1,541.	1,605.
 Credenza with Steel Sliding Door	42"	24"	13 5/16"	DS4LC1BSS42L	1,402.	1,537.	1,601.
	48"	24"	13 5/16"	DS4LC1BSS48L	1,426.	1,571.	1,639.
	54"	24"	13 5/16"	DS4LC1BSS54L	1,587.	1,747.	1,824.
	60"	24"	13 5/16"	DS4LC1BSS60L	1,595.	1,760.	1,835.
	66"	24"	13 5/16"	DS4LC1BSS66L	1,644.	1,810.	1,894.
	72"	24"	13 5/16"	DS4LC1BSS72L	1,704.	1,867.	1,953.
 Credenza with Laminate Sliding Door	42"	24"	13 5/16"	DS4LC1BLS42L	2,270.	2,496.	2,606.
	48"	24"	13 5/16"	DS4LC1BLS48L	2,327.	2,555.	2,666.
	54"	24"	13 5/16"	DS4LC1BLS54L	2,377.	2,615.	2,730.
	60"	24"	13 5/16"	DS4LC1BLS60L	2,432.	2,673.	2,789.
	66"	24"	13 5/16"	DS4LC1BLS66L	2,490.	2,733.	2,854.
	72"	24"	13 5/16"	DS4LC1BLS72L	2,546.	2,789.	2,918.
 Credenza with Veneer Sliding Door	42"	24"	13 5/16"	DS4LC1BVS42L	2,420.	2,660.	2,780.
	48"	24"	13 5/16"	DS4LC1BVS48L	2,490.	2,733.	2,853.
	54"	24"	13 5/16"	DS4LC1BVS54L	2,557.	2,807.	2,932.
	60"	24"	13 5/16"	DS4LC1BVS60L	2,624.	2,881.	3,009.
	66"	24"	13 5/16"	DS4LC1BVS66L	2,692.	2,955.	3,086.
	72"	24"	13 5/16"	DS4LC1BVS72L	2,756.	3,025.	3,164.

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Credenza with Sliding Door: 1. Pattern number 2. Paint finish 3. Door finish (laminated and veneer only) 4. Door edge finish (laminated only)	Credenza with Sliding Door: Example: DS4LC1BSS42L /117 DS4LC1B Pattern Number SS42L 117 Dark grey paint Credenza without a Sliding Door: Example: DS4LC1ANS42N /117 DS4LC1A Pattern Number NS42N 117 Dark grey paint	Credenza with or without Sliding Door: Note: Credenzas are only available in Knoll core finishes.	Credenza with or without Sliding Door: Lock/No lock option For non-locking credenzas with a sliding door or a drawer, substitute the "L" suffix with an "N" and deduct \$20 from the list price. Note: Credenzas with a drawer have a full back. Credenzas without a drawer have a partial back that encloses the binder storage area below the shelf.
Credenza without Sliding Door: 1. Pattern number 2. Paint finish			Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.

*Single Depth with Steel Top**Without a Sliding Door and with a Drawer*


description	w	h	d	pattern no.	P1	P2	P3
 Credenza with Steel Drawer	42"	24"	13 ⁵ / ₁₆ "	DS4LC1CSS42L	\$1,701.	\$1,807.	\$1,867.
	48"	24"	13 ⁵ / ₁₆ "	DS4LC1CSS48L	1,725.	1,839.	1,897.
	54"	24"	13 ⁵ / ₁₆ "	DS4LC1CSS54L	1,860.	1,990.	2,052.
	60"	24"	13 ⁵ / ₁₆ "	DS4LC1CSS60L	1,874.	2,002.	2,069.
	66"	24"	13 ⁵ / ₁₆ "	DS4LC1CSS66L	1,907.	2,045.	2,113.
	72"	24"	13 ⁵ / ₁₆ "	DS4LC1CSS72L	1,964.	2,106.	2,177.
 Credenza with Laminate Drawer	42"	24"	13 ⁵ / ₁₆ "	DS4LC1CLS42L	2,011.	2,122.	2,183.
	48"	24"	13 ⁵ / ₁₆ "	DS4LC1CLS48L	2,041.	2,153.	2,209.
	54"	24"	13 ⁵ / ₁₆ "	DS4LC1CLS54L	2,177.	2,303.	2,369.
	60"	24"	13 ⁵ / ₁₆ "	DS4LC1CLS60L	2,189.	2,319.	2,381.
	66"	24"	13 ⁵ / ₁₆ "	DS4LC1CLS66L	2,227.	2,360.	2,424.
	72"	24"	13 ⁵ / ₁₆ "	DS4LC1CLS72L	2,276.	2,418.	2,490.
 Credenza with Veneer Drawer	42"	24"	13 ⁵ / ₁₆ "	DS4LC1CVS42L	2,079.	2,191.	2,248.
	48"	24"	13 ⁵ / ₁₆ "	DS4LC1CVS48L	2,111.	2,225.	2,283.
	54"	24"	13 ⁵ / ₁₆ "	DS4LC1CVS54L	2,241.	2,371.	2,434.
	60"	24"	13 ⁵ / ₁₆ "	DS4LC1CVS60L	2,254.	2,387.	2,451.
	66"	24"	13 ⁵ / ₁₆ "	DS4LC1CVS66L	2,294.	2,424.	2,495.
	72"	24"	13 ⁵ / ₁₆ "	DS4LC1CVS72L	2,345.	2,489.	2,557.

Dimensions listed under w h d are actual to the nearest 1/16"


Ordering Information	Order Code	Included with:	Options
Credenza with a Drawer: 1. Pattern number 2. Paint finish 3. Drawer front finish (laminite and veneer only) 4. Drawer front edge finish (laminite only)	Credenza with a Drawer: <i>Example:</i> DS4LC1CLS42L /117/118/118 DS4LC1C Pattern Number LS42L 117 Dark grey paint 118 Bright white drawer front 118 Bright white drawer front edge	Credenza with a Drawer: Note: Credenzas are only available in Knoll core finishes.	Credenza with a Drawer: Lock/No lock option For non-locking credenzas with a sliding door or a drawer, substitute the "L" suffix with an "N" and deduct \$20 from the list price. Note: Credenzas with a drawer have a full back. Credenzas without a drawer have a partial back that encloses the binder storage area below the shelf. Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.

*Single Depth with Steel Top**With a Sliding Door and with a Drawer*


description	w	h	d	pattern no.	P1	P2	P3
Credenza with Steel Sliding Door and Drawer	42"	24"	13 ⁵ / ₁₆ "	DS4LC1DSS42L	\$1,962.	\$2,105.	\$2,175.
	48"	24"	13 ⁵ / ₁₆ "	DS4LC1DSS48L	1,992.	2,135.	2,201.
	54"	24"	13 ⁵ / ₁₆ "	DS4LC1DSS54L	2,148.	2,310.	2,387.
	60"	24"	13 ⁵ / ₁₆ "	DS4LC1DSS60L	2,163.	2,323.	2,402.
	66"	24"	13 ⁵ / ₁₆ "	DS4LC1DSS66L	2,206.	2,373.	2,457.
	72"	24"	13 ⁵ / ₁₆ "	DS4LC1DSS72L	2,265.	2,426.	2,518.



Credenza with Laminate Sliding Door and Drawer	42"	24"	13 ⁵ / ₁₆ "	DS4LC1DLS42L	2,838.	3,060.	3,166.
	48"	24"	13 ⁵ / ₁₆ "	DS4LC1DLS48L	2,893.	3,120.	3,231.
	54"	24"	13 ⁵ / ₁₆ "	DS4LC1DLS54L	2,942.	3,175.	3,295.
	60"	24"	13 ⁵ / ₁₆ "	DS4LC1DLS60L	2,997.	3,235.	3,357.
	66"	24"	13 ⁵ / ₁₆ "	DS4LC1DLS66L	3,051.	3,299.	3,421.
	72"	24"	13 ⁵ / ₁₆ "	DS4LC1DLS72L	3,108.	3,357.	3,483.



Credenza with Veneer Sliding Door and Drawer	42"	24"	13 ⁵ / ₁₆ "	DS4LC1DVS42L	2,985.	3,224.	3,346.
	48"	24"	13 ⁵ / ₁₆ "	DS4LC1DVS48L	3,051.	3,299.	3,419.
	54"	24"	13 ⁵ / ₁₆ "	DS4LC1DVS54L	3,123.	3,369.	3,497.
	60"	24"	13 ⁵ / ₁₆ "	DS4LC1DVS60L	3,185.	3,442.	3,574.
	66"	24"	13 ⁵ / ₁₆ "	DS4LC1DVS66L	3,251.	3,521.	3,649.
	72"	24"	13 ⁵ / ₁₆ "	DS4LC1DVS72L	3,320.	3,593.	3,726.



Dimensions listed under w h d are actual to the nearest ¹/₁₆"




Ordering Information	Order Code	Included with:	Options
Credenza with a Sliding Door and a Drawer: 1. Pattern number 2. Paint finish 3. Drawer/Door finish (laminated and veneer only) 4. Drawer/Door edge finish (laminated only)	Credenza with a Sliding Door and a Drawer: <i>Example:</i> DS4LC1DSS42L /117 DS4LC1D Pattern Number SS42L 117 Dark grey paint	Credenza with a Sliding Door and a Drawer: Note: Credenzas are only available in Knoll core finishes.	Credenza with a Sliding Door and a Drawer: Lock/No lock option For non-locking credenzas with a sliding door or a drawer, substitute the "L" suffix with an "N" and deduct \$40 from the list price. Note: Credenzas with a drawer have a full back. Credenzas without a drawer have a partial back that encloses the binder storage area below the shelf. Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.

Credenzas

Single Depth with Laminate Top

With or without a Sliding Door

Dividends Horizon

description	w	h	d	pattern no.	P1	P2	P3
 Credenza without Door	24"	24"	13 ⁵ / ₁₆ "	DS4LC1ANL24N	\$1,523.	\$1,670.	\$1,751.
	30"	24"	13 ⁵ / ₁₆ "	DS4LC1ANL30N	1,523.	1,670.	1,751.
	36"	24"	13 ⁵ / ₁₆ "	DS4LC1ANL36N	1,523.	1,670.	1,751.
	42"	24"	13 ⁵ / ₁₆ "	DS4LC1ANL42N	1,523.	1,670.	1,751.
	48"	24"	13 ⁵ / ₁₆ "	DS4LC1ANL48N	1,565.	1,722.	1,802.
	54"	24"	13 ⁵ / ₁₆ "	DS4LC1ANL54N	1,685.	1,855.	1,941.
	60"	24"	13 ⁵ / ₁₆ "	DS4LC1ANL60N	1,687.	1,860.	1,944.
	66"	24"	13 ⁵ / ₁₆ "	DS4LC1ANL66N	1,747.	1,923.	2,008.
	72"	24"	13 ⁵ / ₁₆ "	DS4LC1ANL72N	1,805.	1,989.	2,074.
 Credenza with Steel Sliding Door	30"	24"	13 ⁵ / ₁₆ "	DS4LC1BSL30L	1,772.	1,947.	2,035.
	36"	24"	13 ⁵ / ₁₆ "	DS4LC1BSL36L	1,772.	1,947.	2,035.
	42"	24"	13 ⁵ / ₁₆ "	DS4LC1BSL42L	1,772.	1,947.	2,035.
	48"	24"	13 ⁵ / ₁₆ "	DS4LC1BSL48L	1,812.	1,995.	2,088.
	54"	24"	13 ⁵ / ₁₆ "	DS4LC1BSL54L	1,971.	2,171.	2,265.
	60"	24"	13 ⁵ / ₁₆ "	DS4LC1BSL60L	1,972.	2,175.	2,268.
	66"	24"	13 ⁵ / ₁₆ "	DS4LC1BSL66L	2,035.	2,238.	2,338.
	72"	24"	13 ⁵ / ₁₆ "	DS4LC1BSL72L	2,093.	2,302.	2,408.
 Credenza with Laminate Sliding Door	30"	24"	13 ⁵ / ₁₆ "	DS4LC1BLL30L	2,468.	2,710.	2,833.
	36"	24"	13 ⁵ / ₁₆ "	DS4LC1BLL36L	2,468.	2,710.	2,833.
	42"	24"	13 ⁵ / ₁₆ "	DS4LC1BLL42L	2,468.	2,710.	2,833.
	48"	24"	13 ⁵ / ₁₆ "	DS4LC1BLL48L	2,546.	2,789.	2,920.
	54"	24"	13 ⁵ / ₁₆ "	DS4LC1BLL54L	2,623.	2,880.	3,006.
	60"	24"	13 ⁵ / ₁₆ "	DS4LC1BLL60L	2,700.	2,966.	3,094.
	66"	24"	13 ⁵ / ₁₆ "	DS4LC1BLL66L	2,777.	3,048.	3,184.
	72"	24"	13 ⁵ / ₁₆ "	DS4LC1BLL72L	2,852.	3,135.	3,277.

Dimensions listed under w h d are actual to the nearest 1/16"


Ordering Information	Order Code	Included with:	Options
Credenza with Sliding Door: 1. Pattern number 2. Paint finish 3. Top finish 4. Top edge finish 5. Door finish (laminate and veneer only) 6. Door edge finish (laminate only)	Credenza with Sliding Door: <i>Example:</i> DS4LC1BLL42L /117/118/117/118/118 DS4LC1B Pattern Number LL42L 117 Dark grey paint 118 Bright white top 117 Dark grey top edge 118 Bright white door 118 Bright white door edge Credenza without a Sliding Door: <i>Example:</i> DS4LC1ANL42N /117 DS4LC1A Pattern Number NL42N 117 Dark grey paint 118 Bright white top 117 Dark grey top edge	Credenza with or without Sliding Door: Note: Credenzas are only available in Knoll core finishes.	Credenza with or without Sliding Door: Lock/No lock option For non-locking credenzas with sliding door or a drawer, substitute the "L" suffix with a "N" and deduct \$20. from the list price. Note: Credenzas with a drawer have a full back. Credenzas without a drawer have a partial back that encloses the binder storage area below the shelf. Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.

Credenzas

Single Depth with Laminate Top

With or without a Sliding Door

Dividends Horizon




description	w	h	d	pattern no.	P1	P2	P3
 Credenza with Veneer Sliding Door	30"	24"	13 ⁵ / ₁₆ "	DS4LC1BVL30L	\$2,623.	\$2,880.	\$3,009.
	36"	24"	13 ⁵ / ₁₆ "	DS4LC1BVL36L	2,623.	2,880.	3,009.
	42"	24"	13 ⁵ / ₁₆ "	DS4LC1BVL42L	2,623.	2,880.	3,009.
	48"	24"	13 ⁵ / ₁₆ "	DS4LC1BVL48L	2,711.	2,980.	3,111.
	54"	24"	13 ⁵ / ₁₆ "	DS4LC1BVL54L	2,795.	3,077.	3,215.
	60"	24"	13 ⁵ / ₁₆ "	DS4LC1BVL60L	2,892.	3,173.	3,315.
	66"	24"	13 ⁵ / ₁₆ "	DS4LC1BVL66L	2,980.	3,272.	3,421.
	72"	24"	13 ⁵ / ₁₆ "	DS4LC1BVL72L	3,068.	3,369.	3,523.

Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Credenza with Sliding Door: 1. Pattern number 2. Paint finish 3. Top finish 4. Top edge finish 5. Door finish (laminate and veneer only) 6. Door edge finish (laminate only)	Credenza with Sliding Door: Example: DS4LC1BLL42L /117/118/117/118/118 DS4LC1B Pattern Number LL42L 117 Dark grey paint 118 Bright white top 117 Dark grey top edge 118 Bright white door 118 Bright white door edge Credenza without a Sliding Door: Example: DS4LC1ANL42N /117 DS4LC1A Pattern Number NL42N 117 Dark grey paint 118 Bright white top 117 Dark grey top edge	Credenza with or without Sliding Door: Note: Credenzas are only available in Knoll core finishes.	Credenza with or without Sliding Door: Lock/No lock option For non-locking credenzas with sliding door or a drawer, substitute the "L" suffix with a "N" and deduct \$20. from the list price. Note: Credenzas with a drawer have a full back. Credenzas without a drawer have a partial back that encloses the binder storage area below the shelf. Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.

Storage Components


*Single Depth with Laminate Top
Without a Sliding Door and with a Drawer*


description	w	h	d	pattern no.	P1	P2	P3
 Credenza with Steel Drawer	30"	24"	13 5/16"	DS4LC1CSL30L	\$2,088.	\$2,235.	\$2,314.
	36"	24"	13 5/16"	DS4LC1CSL36L	2,088.	2,235.	2,314.
	42"	24"	13 5/16"	DS4LC1CSL42L	2,088.	2,235.	2,314.
	48"	24"	13 5/16"	DS4LC1CSL48L	2,128.	2,285.	2,364.
	54"	24"	13 5/16"	DS4LC1CSL54L	2,249.	2,418.	2,506.
	60"	24"	13 5/16"	DS4LC1CSL60L	2,251.	2,420.	2,507.
	66"	24"	13 5/16"	DS4LC1CSL66L	2,310.	2,486.	2,571.
	72"	24"	13 5/16"	DS4LC1CSL72L	2,369.	2,550.	2,638.
 Credenza with Laminate Drawer	30"	24"	13 5/16"	DS4LC1CLL30L	2,405.	2,550.	2,630.
	36"	24"	13 5/16"	DS4LC1CLL36L	2,405.	2,550.	2,630.
	42"	24"	13 5/16"	DS4LC1CLL42L	2,405.	2,550.	2,630.
	48"	24"	13 5/16"	DS4LC1CLL48L	2,443.	2,599.	2,680.
	54"	24"	13 5/16"	DS4LC1CLL54L	2,567.	2,733.	2,826.
	60"	24"	13 5/16"	DS4LC1CLL60L	2,569.	2,734.	2,827.
	66"	24"	13 5/16"	DS4LC1CLL66L	2,625.	2,795.	2,889.
	72"	24"	13 5/16"	DS4LC1CLL72L	2,685.	2,864.	2,954.
 Credenza with Veneer Drawer	30"	24"	13 5/16"	DS4LC1CVL30L	2,472.	2,620.	2,699.
	36"	24"	13 5/16"	DS4LC1CVL36L	2,472.	2,620.	2,699.
	42"	24"	13 5/16"	DS4LC1CVL42L	2,472.	2,620.	2,699.
	48"	24"	13 5/16"	DS4LC1CVL48L	2,512.	2,665.	2,749.
	54"	24"	13 5/16"	DS4LC1CVL54L	2,633.	2,799.	2,892.
	60"	24"	13 5/16"	DS4LC1CVL60L	2,637.	2,801.	2,893.
	66"	24"	13 5/16"	DS4LC1CVL66L	2,696.	2,867.	2,955.
	72"	24"	13 5/16"	DS4LC1CVL72L	2,753.	2,932.	3,019.


Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Credenza with a Drawer: 1. Pattern number 2. Paint finish 3. Top finish 4. Top edge finish 5. Drawer finish (laminite and veneer only) 6. Drawer edge finish (laminite only)	Credenza with a Drawer: <i>Example:</i> DS4LC1CSL42L /117/118/117 DS4LC1C Pattern Number SL42L 117 Dark grey paint 118 Bright white top 117 Dark grey top edge	Credenza with a Drawer: Note: Credenzas are only available in Knoll core finishes.	Credenza with a Drawer: Lock/No lock option For non-locking credenzas with a sliding door or a drawer, substitute the "L" suffix with an "N" and deduct \$20 from the list price. Note: Credenzas with a drawer have a full back. Credenzas without a drawer have a partial back that encloses the binder storage area below the shelf. Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.

*Single Depth with Laminate Top
With a Sliding Door and with a Drawer*

description	w	d	h	pattern no.	P1	P2	P3
 Credenza with Steel Sliding Door and Drawer	30"	13 ⁵ / ₁₆ "	24"	DS4LC1DSL30L	\$2,333.	\$2,512.	\$2,599.
	36"	13 ⁵ / ₁₆ "	24"	DS4LC1DSL36L	2,333.	2,512.	2,599.
	42"	13 ⁵ / ₁₆ "	24"	DS4LC1DSL42L	2,333.	2,512.	2,599.
	48"	13 ⁵ / ₁₆ "	24"	DS4LC1DSL48L	2,376.	2,562.	2,650.
	54"	13 ⁵ / ₁₆ "	24"	DS4LC1DSL54L	2,534.	2,730.	2,831.
	60"	13 ⁵ / ₁₆ "	24"	DS4LC1DSL60L	2,535.	2,731.	2,835.
	66"	13 ⁵ / ₁₆ "	24"	DS4LC1DSL66L	2,599.	2,799.	2,906.
	72"	13 ⁵ / ₁₆ "	24"	DS4LC1DSL72L	2,657.	2,864.	2,970.

 Credenza with Laminate Sliding Door and Drawer	30"	13 ⁵ / ₁₆ "	24"	DS4LC1DLL30L	3,029.	3,277.	3,396.
	36"	13 ⁵ / ₁₆ "	24"	DS4LC1DLL36L	3,029.	3,277.	3,396.
	42"	13 ⁵ / ₁₆ "	24"	DS4LC1DLL42L	3,029.	3,277.	3,396.
	48"	13 ⁵ / ₁₆ "	24"	DS4LC1DLL48L	3,108.	3,357.	3,484.
	54"	13 ⁵ / ₁₆ "	24"	DS4LC1DLL54L	3,184.	3,440.	3,573.
	60"	13 ⁵ / ₁₆ "	24"	DS4LC1DLL60L	3,263.	3,526.	3,661.
	66"	13 ⁵ / ₁₆ "	24"	DS4LC1DLL66L	3,341.	3,612.	3,752.
	72"	13 ⁵ / ₁₆ "	24"	DS4LC1DLL72L	3,414.	3,700.	3,833.

 Credenza with Veneer Sliding Door and Drawer	30"	13 ⁵ / ₁₆ "	24"	DS4LC1DVL30L	3,184.	3,440.	3,574.
	36"	13 ⁵ / ₁₆ "	24"	DS4LC1DVL36L	3,184.	3,440.	3,574.
	42"	13 ⁵ / ₁₆ "	24"	DS4LC1DVL42L	3,184.	3,440.	3,574.
	48"	13 ⁵ / ₁₆ "	24"	DS4LC1DVL48L	3,278.	3,541.	3,677.
	54"	13 ⁵ / ₁₆ "	24"	DS4LC1DVL54L	3,364.	3,637.	3,778.
	60"	13 ⁵ / ₁₆ "	24"	DS4LC1DVL60L	3,451.	3,740.	3,881.
	66"	13 ⁵ / ₁₆ "	24"	DS4LC1DVL66L	3,541.	3,830.	3,990.
	72"	13 ⁵ / ₁₆ "	24"	DS4LC1DVL72L	3,632.	3,935.	4,085.

Dimensions listed under w h d are actual to the nearest 1/16"




Ordering Information	Order Code	Included with:	Options
Credenza with a Sliding Door and a Drawer: 1. Pattern number 2. Paint finish 3. Top finish 4. Top edge finish 5. Drawer/Door finish (laminate and veneer only) 6. Drawer/Door edge finish (laminate only)	Credenza with a Sliding Door and a Drawer: <i>Example:</i> DS4LC1DSL42L /117/118/117 DS4LC1D Pattern Number SL42L 117 Dark grey paint 118 Bright white top 117 Dark grey top edge	Credenza with a Sliding Door and a Drawer: Note: Credenzas are only available in Knoll core finishes.	Credenza with a Sliding Door and a Drawer: Lock/No lock option For non-locking credenzas with a sliding door or a drawer substitute the "L" suffix with an "N" and deduct \$40 from the list price. Note: Credenzas with a drawer have a full back. Credenzas without a drawer have a partial back that encloses the binder storage area below the shelf. Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.

Credenzas

Single Depth with Veneer Top

With or without a Sliding Door

Dividends Horizon

description	w	h	d	pattern no.	P1	P2	P3
 Credenza without Door	24"	24"	13 ³ / ₁₆ "	DS4LC1ANV24N	\$2,329.	\$2,566.	\$2,682.
	30"	24"	13 ³ / ₁₆ "	DS4LC1ANV30N	2,329.	2,566.	2,682.
	36"	24"	13 ³ / ₁₆ "	DS4LC1ANV36N	2,329.	2,566.	2,682.
	42"	24"	13 ³ / ₁₆ "	DS4LC1ANV42N	2,329.	2,566.	2,682.
	48"	24"	13 ³ / ₁₆ "	DS4LC1ANV48N	2,382.	2,625.	2,748.
	54"	24"	13 ³ / ₁₆ "	DS4LC1ANV54N	2,442.	2,691.	2,808.
	60"	24"	13 ³ / ₁₆ "	DS4LC1ANV60N	2,499.	2,750.	2,876.
	66"	24"	13 ³ / ₁₆ "	DS4LC1ANV66N	2,555.	2,808.	2,936.
	72"	24"	13 ³ / ₁₆ "	DS4LC1ANV72N	2,611.	2,873.	3,001.
 Credenza with Steel Sliding Door	30"	24"	13 ³ / ₁₆ "	DS4LC1BSV30L	2,460.	2,702.	2,826.
	36"	24"	13 ³ / ₁₆ "	DS4LC1BSV36L	2,460.	2,702.	2,826.
	42"	24"	13 ³ / ₁₆ "	DS4LC1BSV42L	2,460.	2,702.	2,826.
	48"	24"	13 ³ / ₁₆ "	DS4LC1BSV48L	2,519.	2,768.	2,892.
	54"	24"	13 ³ / ₁₆ "	DS4LC1BSV54L	2,580.	2,833.	2,961.
	60"	24"	13 ³ / ₁₆ "	DS4LC1BSV60L	2,638.	2,900.	3,025.
	66"	24"	13 ³ / ₁₆ "	DS4LC1BSV66L	2,699.	2,965.	3,091.
	72"	24"	13 ³ / ₁₆ "	DS4LC1BSV72L	2,756.	3,025.	3,164.
 Credenza with Laminate Sliding Door	30"	24"	13 ³ / ₁₆ "	DS4LC1BLV30L	2,987.	3,284.	3,430.
	36"	24"	13 ³ / ₁₆ "	DS4LC1BLV36L	2,987.	3,284.	3,430.
	42"	24"	13 ³ / ₁₆ "	DS4LC1BLV42L	2,987.	3,284.	3,430.
	48"	24"	13 ³ / ₁₆ "	DS4LC1BLV48L	3,045.	3,348.	3,497.
	54"	24"	13 ³ / ₁₆ "	DS4LC1BLV54L	3,108.	3,413.	3,566.
	60"	24"	13 ³ / ₁₆ "	DS4LC1BLV60L	3,166.	3,482.	3,637.
	66"	24"	13 ³ / ₁₆ "	DS4LC1BLV66L	3,226.	3,547.	3,707.
	72"	24"	13 ³ / ₁₆ "	DS4LC1BLV72L	3,291.	3,615.	3,778.

Dimensions listed under w h d are actual to the nearest ¹/₁₆"


Ordering Information	Order Code	Included with:	Options
Credenza with Sliding Door: 1. Pattern number 2. Paint finish 3. Top finish 4. Door finish (laminate and veneer) 5. Door edge finish (laminate only)	Credenza with Sliding Door: <i>Example:</i> DS4LC1BSV42L / 117/Y319 DS4LC1B Pattern Number SV42L 117 Dark grey paint Y319 Cherry Techwood top	Credenza with or without Sliding Door: Note: Credenzas are only available in Knoll core finishes.	Credenza with or without a Sliding Door: Lock/No lock option For non-locking credenzas with a sliding door or a drawer, substitute the "L" suffix with an "N" and deduct \$20 from the list price. Note: Credenzas with a drawer have a full back. Credenzas without a drawer have a partial back that encloses the binder storage area below the shelf.
Credenza without a Sliding Door: 1. Pattern number 2. Paint finish 3. Top finish	Credenza without a Sliding Door: <i>Example:</i> DS4LC1ANV42N / 117/Y319 DS4LC1A Pattern Number NV42N 117 Dark grey paint Y319 Cherry Techwood top		Note: Credenzas with a drawer have a full back. Credenzas without a drawer have a partial back that encloses the binder storage area below the shelf. Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.

Credenzas

Single Depth with Veneer Top

With or without a Sliding Door




Dividends Horizon

description	w	h	d	pattern no.	P1	P2	P3
 Credenza with Veneer Sliding Door	30"	24"	13 ⁵ / ₁₆ "	DS4LC1BVV30L	\$3,142.	\$3,448.	\$3,609.
	36"	24"	13 ⁵ / ₁₆ "	DS4LC1BVV36L	3,142.	3,448.	3,609.
	42"	24"	13 ⁵ / ₁₆ "	DS4LC1BVV42L	3,142.	3,448.	3,609.
	48"	24"	13 ⁵ / ₁₆ "	DS4LC1BVV48L	3,215.	3,531.	3,692.
	54"	24"	13 ⁵ / ₁₆ "	DS4LC1BVV54L	3,290.	3,612.	3,777.
	60"	24"	13 ⁵ / ₁₆ "	DS4LC1BVV60L	3,359.	3,692.	3,856.
	66"	24"	13 ⁵ / ₁₆ "	DS4LC1BVV66L	3,432.	3,773.	3,942.
	72"	24"	13 ⁵ / ₁₆ "	DS4LC1BVV72L	3,507.	3,849.	4,024.

Dimensions listed under w h d are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Credenza with Sliding Door: 1. Pattern number 2. Paint finish 3. Top finish 4. Door finish (laminated and veneer) 5. Door edge finish (laminated only)	Credenza with Sliding Door: <i>Example:</i> DS4LC1BSV42L /117/Y319 DS4LC1B Pattern Number SV42L 117 Dark grey paint Y319 Cherry Techwood top	Credenza with or without Sliding Door: Note: Credenzas are only available in Knoll core finishes.	Credenza with or without a Sliding Door: Lock/No lock option For non-locking credenzas with a sliding door or a drawer, substitute the "L" suffix with an "N" and deduct \$20 from the list price. Note: Credenzas with a drawer have a full back. Credenzas without a drawer have a partial back that encloses the binder storage area below the shelf.
Credenza without a Sliding Door: 1. Pattern number 2. Paint finish 3. Top finish	Credenza without a Sliding Door: <i>Example:</i> DS4LC1ANV42N /117/Y319 DS4LC1A Pattern Number NV42N 117 Dark grey paint Y319 Cherry Techwood top		Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.


*Single Depth with Veneer Top
Without a Sliding Door and with a Drawer*


description	w	h	d	pattern no.	P1	P2	P3
 Credenza with Steel Door	30"	24"	13 5/16"	DS4LC1CSV30L	\$2,896.	\$3,127.	\$3,240.
	36"	24"	13 5/16"	DS4LC1CSV36L	2,896.	3,127.	3,240.
	42"	24"	13 5/16"	DS4LC1CSV42L	2,896.	3,127.	3,240.
	48"	24"	13 5/16"	DS4LC1CSV48L	2,952.	3,187.	3,306.
	54"	24"	13 5/16"	DS4LC1CSV54L	3,005.	3,250.	3,375.
	60"	24"	13 5/16"	DS4LC1CSV60L	3,063.	3,309.	3,436.
	66"	24"	13 5/16"	DS4LC1CSV66L	3,120.	3,375.	3,505.
	72"	24"	13 5/16"	DS4LC1CSV72L	3,173.	3,434.	3,564.
 Credenza with Laminate Door	30"	24"	13 5/16"	DS4LC1CLV30L	3,213.	3,442.	3,558.
	36"	24"	13 5/16"	DS4LC1CLV36L	3,213.	3,442.	3,558.
	42"	24"	13 5/16"	DS4LC1CLV42L	3,213.	3,442.	3,558.
	48"	24"	13 5/16"	DS4LC1CLV48L	3,267.	3,506.	3,626.
	54"	24"	13 5/16"	DS4LC1CLV54L	3,320.	3,564.	3,691.
	60"	24"	13 5/16"	DS4LC1CLV60L	3,380.	3,628.	3,753.
	66"	24"	13 5/16"	DS4LC1CLV66L	3,434.	3,691.	3,820.
	72"	24"	13 5/16"	DS4LC1CLV72L	3,488.	3,752.	3,881.
 Credenza with Veneer Door	30"	24"	13 5/16"	DS4LC1CVV30L	3,280.	3,509.	3,628.
	36"	24"	13 5/16"	DS4LC1CVV36L	3,280.	3,509.	3,628.
	42"	24"	13 5/16"	DS4LC1CVV42L	3,280.	3,509.	3,628.
	48"	24"	13 5/16"	DS4LC1CVV48L	3,332.	3,574.	3,692.
	54"	24"	13 5/16"	DS4LC1CVV54L	3,388.	3,634.	3,756.
	60"	24"	13 5/16"	DS4LC1CVV60L	3,446.	3,694.	3,820.
	66"	24"	13 5/16"	DS4LC1CVV66L	3,501.	3,756.	3,886.
	72"	24"	13 5/16"	DS4LC1CVV72L	3,557.	3,819.	3,950.


Dimensions listed under w h d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Credenza with a Drawer: 1. Pattern number 2. Paint finish 3. Top finish 4. Door finish (laminated and veneer only) 5. Door edge finish (laminated only)	Credenza with a Drawer: <i>Example:</i> DS4LC1CSV42L /117/ Y319 DS4LC1C Pattern Number SV42L 117 Dark grey paint Y319 Cherry Techwood top	Credenza with a Drawer: Note: Credenzas are only available in Knoll core finishes.	Credenza with a Drawer: Lock/No lock option For non-locking credenzas with a sliding door or a drawer, substitute the "L" suffix with an "N" and deduct \$20 from the list price. Note: Credenzas with a drawer have a full back. Credenzas without a drawer have a partial back that encloses the binder storage area below the shelf. Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.

*Single Depth with Veneer Top
With a Sliding Door and with a Drawer*

description	w	h	d	pattern no.	P1	P2	P3
Credenza with Steel Sliding Door and Drawer 	30"	24"	13 ⁵ / ₁₆ "	DS4LC1DSV30L	\$3,021.	\$3,267.	\$3,383.
	36"	24"	13 ⁵ / ₁₆ "	DS4LC1DSV36L	3,021.	3,267.	3,383.
	42"	24"	13 ⁵ / ₁₆ "	DS4LC1DSV42L	3,021.	3,267.	3,383.
	48"	24"	13 ⁵ / ₁₆ "	DS4LC1DSV48L	3,083.	3,327.	3,451.
	54"	24"	13 ⁵ / ₁₆ "	DS4LC1DSV54L	3,142.	3,396.	3,523.
	60"	24"	13 ⁵ / ₁₆ "	DS4LC1DSV60L	3,204.	3,461.	3,593.
	66"	24"	13 ⁵ / ₁₆ "	DS4LC1DSV66L	3,261.	3,525.	3,658.
	72"	24"	13 ⁵ / ₁₆ "	DS4LC1DSV72L	3,320.	3,593.	3,726.

Credenza with Laminate Sliding Door and Drawer 	30"	24"	13 ⁵ / ₁₆ "	DS4LC1DLV30L	3,548.	3,845.	3,995.
	36"	24"	13 ⁵ / ₁₆ "	DS4LC1DLV36L	3,548.	3,845.	3,995.
	42"	24"	13 ⁵ / ₁₆ "	DS4LC1DLV42L	3,548.	3,845.	3,995.
	48"	24"	13 ⁵ / ₁₆ "	DS4LC1DLV48L	3,611.	3,907.	4,065.
	54"	24"	13 ⁵ / ₁₆ "	DS4LC1DLV54L	3,674.	3,977.	4,130.
	60"	24"	13 ⁵ / ₁₆ "	DS4LC1DLV60L	3,729.	4,046.	4,201.
	66"	24"	13 ⁵ / ₁₆ "	DS4LC1DLV66L	3,788.	4,114.	4,268.
	72"	24"	13 ⁵ / ₁₆ "	DS4LC1DLV72L	3,850.	4,179.	4,340.

Credenza with Veneer Sliding Door and Drawer 	30"	24"	13 ⁵ / ₁₆ "	DS4LC1DVV30L	3,705.	4,012.	4,176.
	36"	24"	13 ⁵ / ₁₆ "	DS4LC1DVV36L	3,705.	4,012.	4,176.
	42"	24"	13 ⁵ / ₁₆ "	DS4LC1DVV42L	3,705.	4,012.	4,176.
	48"	24"	13 ⁵ / ₁₆ "	DS4LC1DVV48L	3,778.	4,097.	4,253.
	54"	24"	13 ⁵ / ₁₆ "	DS4LC1DVV54L	3,849.	4,178.	4,338.
	60"	24"	13 ⁵ / ₁₆ "	DS4LC1DVV60L	3,923.	4,253.	4,423.
	66"	24"	13 ⁵ / ₁₆ "	DS4LC1DVV66L	3,997.	4,334.	4,507.
	72"	24"	13 ⁵ / ₁₆ "	DS4LC1DVV72L	4,072.	4,415.	4,585.

Dimensions listed under w h d are actual to the nearest ¹/₁₆"


Ordering Information	Order Code	Included with:	Options
Credenza with a Sliding Door and a Drawer: 1. Pattern number 2. Paint finish 3. Top finish 4. Drawer/Door finish (laminated and veneer only) 5. Drawer/Door edge finish (laminated only)	Credenza with a Sliding Door and a Drawer: <i>Example:</i> DS4LC1SV42L /117/Y319 DS4LC1 Pattern Number SV42L 117 Dark grey paint Y319 Cherry Techwood top	Credenza with a Sliding Door and a Drawer: Note: Credenzas are only available in Knoll core finishes.	Credenza with a Sliding Door and a Drawer: Lock/No lock option For non-locking credenzas with a sliding door or a drawer, substitute the "L" suffix with an "N" and deduct \$40 from the list price. Note: Credenzas with a drawer have a full back. Credenzas without a drawer have a partial back that encloses the binder storage area below the shelf. Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.

Flip-up Door Overdesk and Tackboards

Dividends and Series 2

Dividends Horizon

description	w	d	h	pattern no.	black	P1	P2	P3	V1-P1	V1-P2	V1-P3
Series 2 Flip-Up Door Overdesk with Enclosed Back and Lock (includes Stanchions)	36"	13 1/2"	15"	DS2OD 36L	n/a	\$2,054.	\$2,365.	\$2,466.	\$2,508.	\$2,819.	\$2,920.
	42"	13 1/2"	15"	DS2OD 42L	n/a	2,098.	2,413.	2,513.	2,569.	2,884.	2,984.
	48"	13 1/2"	15"	DS2OD 48L	n/a	2,124.	2,440.	2,546.	2,666.	2,982.	3,088.
	54"	13 1/2"	15"	DS2OD 54L	n/a	2,584.	2,973.	3,108.	3,420.	3,809.	3,944.
	60"	13 1/2"	15"	DS2OD 60L	n/a	2,584.	2,973.	3,108.	3,420.	3,809.	3,944.
	66"	13 1/2"	15"	DS2OD 66L	n/a	2,669.	3,073.	3,205.	3,542.	3,946.	4,078.
	72"	13 1/2"	15"	DS2OD 72L	n/a	2,669.	3,073.	3,205.	3,542.	3,946.	4,078.



Vertical Dividers (for flip-up overheads and open shelves)	DS1 VD	181.	188.	195.	204.
--	---------------	------	------	------	------

Package of 4



Ordering Information	Order Code	Included with:	Options
Pedestals	Overdesk Cabinet	Overdesk Cabinet	Overdesk Cabinet
1. Pattern Number	<i>Example:</i> DD2OD 48L, 613, 113	Stanchion mount overdesk cabinets included an enclosed back.	To specify overhead cabinet without locks, replace the "L": suffix from the pattern number with "N". For 30" to 48" wide overdesk units, Deduct \$20. For 54", 60" 66" and 72" wide overdesk units, Deduct \$40.
2. Paint Finish	DD2OD Pattern Number		
3. Door End Cap Finish	48L		
	613 Silver paint finish		
	113 Dark grey door end cap finish		
			To specify Touchdown overhead cabinet, add "E" as the 2nd to last digit of the pattern number. Example: DS3PML48EL (Add \$163 for cabinet widths of 48" or less. Add \$327 for cabinet widths for 54" or greater).
			Add "Y" to the end of the pattern number to specify a different finish for the door versus the case. Use P3 pricing for this dual finish option.

Dividends Horizon



Options


Note: Flip-up Door overdesk tackable privacy screen is for use with Dividends and Series 2 Flip-up door overheads.

Sliding Door Overdesks


Dividends Horizon

57" High Cabinet with 14" High Storage, 14" High Door


description	width	pattern no.	P1	P2	P3
57"h Overdesk without Door with 14" Tall Cabinet	30"	DS3ODNS1573014	\$1,758.	\$1,931.	\$2,014.
	36"	DS3ODNS1573614	1,791.	1,971.	2,057.
	42"	DS3ODNS1574214	1,824.	2,002.	2,095.
	48"	DS3ODNS1574814	1,893.	2,074.	2,170.
	60"	DS3ODNS1576014	2,050.	2,254.	2,353.
	66"	DS3ODNS1576614	2,095.	2,310.	2,415.
	72"	DS3ODNS1577214	2,130.	2,343.	2,447.




57"h Overdesk with Steel Sliding Door and 14" Tall Cabinet	30"	DS3ODSS1573014L	1,899.	2,083.	2,175.
	36"	DS3ODSS1573614L	1,941.	2,130.	2,224.
	42"	DS3ODSS1574214L	1,983.	2,176.	2,272.
	48"	DS3ODSS1574814L	2,049.	2,246.	2,345.
	60"	DS3ODSS1576014L	2,237.	2,464.	2,568.
	66"	DS3ODSS1576614L	2,291.	2,519.	2,631.
	72"	DS3ODSS1577214L	2,328.	2,555.	2,664.



57"h Overdesk with Laminate Sliding Door and 14" Tall Cabinet	30"	DS3ODSL1573014L	2,502.	2,753.	2,876.
	36"	DS3ODSL1573614L	2,569.	2,828.	2,948.
	42"	DS3ODSL1574214L	2,636.	2,896.	3,025.
	48"	DS3ODSL1574814L	2,708.	2,970.	3,104.
	60"	DS3ODSL1576014L	2,773.	3,044.	3,178.
	66"	DS3ODSL1576614L	2,838.	3,120.	3,258.
	72"	DS3ODSL1577214L	2,901.	3,189.	3,333.




57"h Overdesk with Veneer Sliding Door and 14" Tall Cabinet	30"	DS3ODSV1573014L	2,639.	2,900.	3,032.
	36"	DS3ODSV1573614L	2,717.	2,985.	3,124.
	42"	DS3ODSV1574214L	2,795.	3,069.	3,210.
	48"	DS3ODSV1574814L	2,872.	3,153.	3,299.
	60"	DS3ODSV1576014L	2,948.	3,240.	3,385.
	66"	DS3ODSV1576614L	3,032.	3,327.	3,477.
	72"	DS3ODSV1577214L	3,107.	3,411.	3,567.




Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	Example: DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
2. Case Finish	1573014FL,613		
3. Door Finish	DS3ODSS Pattern number		
4. Edge Finish (laminate door only)	1573014FL		
	613 Silver Paint Finish		

57" High Cabinet with 21" High Storage, (Full Height Door)


description	width	pattern no.	P1	P2	P3
57"h without Sliding Door Overdesk with 21" Tall Cabinet	30"	DS3ODNS()573021	\$1,894.	\$2,082.	\$2,175.
	36"	DS3ODNS()573621	1,936.	2,130.	2,226.
	42"	DS3ODNS()574221	1,982.	2,177.	2,273.
	48"	DS3ODNS()574821	2,057.	2,266.	2,368.
	60"	DS3ODNS()576021	2,250.	2,479.	2,591.
	66"	DS3ODNS()576621	2,312.	2,546.	2,658.
	72"	DS3ODNS()577221	2,349.	2,579.	2,705.




57"h Steel Sliding Door Overdesk with 21" Tall Cabinet	30"	DS3ODSS2573021FL	2,160.	2,371.	2,479.
	36"	DS3ODSS2573621FL	2,199.	2,418.	2,521.
	42"	DS3ODSS2574221FL	2,266.	2,484.	2,596.
	48"	DS3ODSS2574821FL	2,392.	2,622.	2,741.
	60"	DS3ODSS2576021FL	2,623.	2,881.	3,008.
	66"	DS3ODSS2576621FL	2,710.	2,975.	3,113.
	72"	DS3ODSS2577221FL	2,766.	3,038.	3,173.



57"h Laminate Sliding Door Overdesk with 21" Tall Cabinet	30"	DS3ODSL2573021FL	2,833.	3,113.	3,251.
	36"	DS3ODSL2573621FL	2,928.	3,215.	3,361.
	42"	DS3ODSL2574221FL	3,021.	3,324.	3,471.
	48"	DS3ODSL2574821FL	3,124.	3,425.	3,576.
	60"	DS3ODSL2576021FL	3,214.	3,535.	3,693.
	66"	DS3ODSL2576621FL	3,310.	3,641.	3,798.
	72"	DS3ODSL2577221FL	3,405.	3,743.	3,913.



57"h Veneer Sliding Door Overdesk with 21" Tall Cabinet	30"	DS3ODSV2573021FL	2,979.	3,269.	3,416.
	36"	DS3ODSV2573621FL	3,088.	3,399.	3,554.
	42"	DS3ODSV2574221FL	3,212.	3,530.	3,687.
	48"	DS3ODSV2574821FL	3,326.	3,652.	3,819.
	60"	DS3ODSV2576021FL	3,446.	3,782.	3,956.
	66"	DS3ODSV2576621FL	3,560.	3,913.	4,087.
	72"	DS3ODSV2577221FL	3,676.	4,041.	4,223.




Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	Example: DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Back option for No Door units (1)= Back covering overhead only
2. Case Finish	2573021FL,613		(2)= Back covering overhead and shelf section.
3. Door Finish	DS3ODSS Pattern number		Paint Configuration Option:
4. Edge Finish (laminate door only)	2573021FL		Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
	613 Silver Paint Finish		

Sliding Door Overdesks


Dividends Horizon

57" High Cabinet with 21" High Storage, (Partial Height Door)


description	width	pattern no.	P1	P2	P3
57"h Steel Sliding Door Overdesk with 21" Tall Cabinet	30"	DS3ODSS()573021PL	\$2,160.	\$2,371.	\$2,479.
	36"	DS3ODSS()573621PL	2,199.	2,418.	2,521.
	42"	DS3ODSS()574221PL	2,266.	2,484.	2,596.
	48"	DS3ODSS()574821PL	2,392.	2,622.	2,741.
	60"	DS3ODSS()576021PL	2,623.	2,881.	3,008.
	66"	DS3ODSS()576621PL	2,710.	2,975.	3,113.
	72"	DS3ODSS()577221PL	2,766.	3,038.	3,173.



57"h Laminate Sliding Door Overdesk with 21" Tall Cabinet	30"	DS3ODSL()573021PL	2,815.	3,088.	3,228.
	36"	DS3ODSL()573621PL	2,911.	3,200.	3,339.
	42"	DS3ODSL()574221PL	3,005.	3,302.	3,448.
	48"	DS3ODSL()574821PL	3,096.	3,404.	3,558.
	60"	DS3ODSL()576021PL	3,199.	3,505.	3,667.
	66"	DS3ODSL()576621PL	3,291.	3,617.	3,779.
	72"	DS3ODSL()577221PL	3,383.	3,718.	3,887.



57"h Veneer Sliding Door Overdesk with 21" Tall Cabinet	30"	DS3ODSV()573021PL	2,949.	3,245.	3,388.
	36"	DS3ODSV()573621PL	3,061.	3,361.	3,506.
	42"	DS3ODSV()574221PL	3,163.	3,482.	3,637.
	48"	DS3ODSV()574821PL	3,274.	3,596.	3,758.
	60"	DS3ODSV()576021PL	3,380.	3,712.	3,882.
	66"	DS3ODSV()576621PL	3,489.	3,830.	4,002.
	72"	DS3ODSV()577221PL	3,592.	3,952.	4,129.




Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	Example: DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Back option for No Door units (1)= Back covering overhead only
2. Case Finish	2573021FL,613		(2)= Back covering overhead and shelf section.
3. Door Finish	DS3ODSS Pattern number		Paint Configuration Option:
4. Edge Finish (laminated door only)	2573021FL		Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
	613 Silver Paint Finish		


Sliding Door Overdesks 64" High Cabinet with 14" High Storage

Dividends Horizon


description	width	pattern no.	P1	P2	P3
64"h without Sliding Door Overdesk with 14" Tall Cabinet	30"	DS3ODNS1643014	\$1,818.	\$1,996.	\$2,086.
	36"	DS3ODNS1643614	1,833.	2,009.	2,103.
	42"	DS3ODNS1644214	1,894.	2,074.	2,163.
	48"	DS3ODNS1644814	2,056.	2,255.	2,353.
	60"	DS3ODNS1646014	2,121.	2,327.	2,424.
	66"	DS3ODNS1646614	2,163.	2,377.	2,483.
	72"	DS3ODNS1647214	2,195.	2,412.	2,513.



64"h Steel Sliding Door Overdesk with 14" Tall Cabinet	30"	DS3ODSS1643014L	1,914.	2,100.	2,195.
	36"	DS3ODSS1643614L	1,957.	2,147.	2,239.
	42"	DS3ODSS1644214L	1,999.	2,195.	2,288.
	48"	DS3ODSS1644814L	2,065.	2,267.	2,368.
	60"	DS3ODSS1646014L	2,260.	2,481.	2,591.
	66"	DS3ODSS1646614L	2,322.	2,546.	2,658.
	72"	DS3ODSS1647214L	2,343.	2,569.	2,687.



64"h Laminate Sliding Door Overdesk with 14" Tall Cabinet	30"	DS3ODSL1643014L	2,521.	2,774.	2,896.
	36"	DS3ODSL1643614L	2,592.	2,847.	2,975.
	42"	DS3ODSL1644214L	2,661.	2,921.	3,056.
	48"	DS3ODSL1644814L	2,728.	2,997.	3,132.
	60"	DS3ODSL1646014L	2,795.	3,069.	3,210.
	66"	DS3ODSL1646614L	2,861.	3,142.	3,288.
	72"	DS3ODSL1647214L	2,930.	3,216.	3,363.




Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	<i>Example:</i> DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
2. Case Finish	2643014FL,613		
3. Door Finish	DS3ODSS Pattern number		
4. Edge Finish (laminate door only)	2643014FL		
	613 Silver Paint Finish		

Sliding Door Overdesks

64" High Cabinet with 14" High Storage

Dividends Horizon


description	width	pattern no.	P1	P2	P3
64"h Veneer Sliding Door Overdesk with 14" Tall Cabinet	30"	DS3ODSV1643014L	\$2,661.	\$2,924.	\$3,058.
	36"	DS3ODSV1643614L	2,741.	3,008.	3,142.
	42"	DS3ODSV1644214L	2,821.	3,096.	3,233.
	48"	DS3ODSV1644814L	2,900.	3,184.	3,327.
	60"	DS3ODSV1646014L	2,983.	3,271.	3,420.
	66"	DS3ODSV1646614L	3,061.	3,360.	3,506.
	72"	DS3ODSV1647214L	3,137.	3,446.	3,604.




Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	<i>Example:</i> DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
2. Case Finish	2643014FL,613		
3. Door Finish	DS3ODSS Pattern number		
4. Edge Finish (laminate door only)	2643014FL		
	613 Silver Paint Finish		

64" High Cabinet with 21" High Storage (Full Height Door)


description	width	pattern no.	P1	P2	P3
64"h without Sliding Door Overdesk with 21" Tall Cabinet	30"	DS3ODNS()643021	\$1,931.	\$2,128.	\$2,220.
	36"	DS3ODNS()643621	1,966.	2,160.	2,260.
	42"	DS3ODNS()644221	2,009.	2,216.	2,324.
	48"	DS3ODNS()644821	2,142.	2,353.	2,465.
	60"	DS3ODNS()646021	2,350.	2,586.	2,708.
	66"	DS3ODNS()646621	2,424.	2,666.	2,791.
	72"	DS3ODNS()647221	2,482.	2,730.	2,854.



64"h Steel Sliding Door Overdesk with 21" Tall Cabinet	30"	DS3ODSS2643021FL	2,175.	2,390.	2,492.
	36"	DS3ODSS2643621FL	2,216.	2,431.	2,546.
	42"	DS3ODSS2644221FL	2,274.	2,498.	2,612.
	48"	DS3ODSS2644821FL	2,405.	2,636.	2,759.
	60"	DS3ODSS2646021FL	2,636.	2,896.	3,025.
	66"	DS3ODSS2646621FL	2,721.	2,991.	3,127.
	72"	DS3ODSS2647221FL	2,781.	3,056.	3,189.



64"h Laminate Sliding Door Overdesk with 21" Tall Cabinet	30"	DS3ODSL2643021FL	2,857.	3,140.	3,281.
	36"	DS3ODSL2643621FL	2,949.	3,245.	3,388.
	42"	DS3ODSL2644221FL	3,051.	3,351.	3,500.
	48"	DS3ODSL2644821FL	3,142.	3,457.	3,611.
	60"	DS3ODSL2646021FL	3,239.	3,561.	3,724.
	66"	DS3ODSL2646621FL	3,336.	3,667.	3,830.
	72"	DS3ODSL2647221FL	3,434.	3,776.	3,945.




Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	Example: DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Back option for No Door units (1)= Back covering overhead only
2. Case Finish	2643021FL,613		(2)= Back covering overhead and shelf section.
3. Door Finish	DS3ODSS Pattern number		Paint Configuration Option:
4. Edge Finish (laminate door only)	2643021FL		Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
	613 Silver Paint Finish		

Sliding Door Overdesks

Dividends Horizon

64" High Cabinet with 21" High Storage (Full Height Door)


description	width	pattern no.	P1	P2	P3
64"h Veneer Sliding Door Overdesk with 21" Tall Cabinet	30"	DS3ODSV2643021FL	\$3,003.	\$3,299.	\$3,447.
	36"	DS3ODSV2643621FL	3,124.	3,425.	3,576.
	42"	DS3ODSV2644221FL	3,233.	3,557.	3,715.
	48"	DS3ODSV2644821FL	3,352.	3,687.	3,846.
	60"	DS3ODSV2646021FL	3,471.	3,810.	3,987.
	66"	DS3ODSV2646621FL	3,584.	3,942.	4,117.
	72"	DS3ODSV2647221FL	3,705.	4,069.	4,248.




Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	Example: DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Back option for No Door units (1)= Back covering overhead only (2)= Back covering overhead and shelf section.
2. Case Finish	2643021FL,613		Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
3. Door Finish	DS3ODSS Pattern number		
4. Edge Finish (laminated door only)	2643021FL		
	613 Silver Paint Finish		

64" High Cabinet with 21" High Storage, (Partial Height Door)


description	width	pattern no.	P1	P2	P3
64"h Steel Sliding Door Overdesk with 21" Tall Cabinet	30"	DS3ODSS()643021PL	\$2,175.	\$2,390.	\$2,492.
	36"	DS3ODSS()643621PL	2,216.	2,431.	2,546.
	42"	DS3ODSS()644221PL	2,274.	2,498.	2,612.
	48"	DS3ODSS()644821PL	2,405.	2,636.	2,759.
	60"	DS3ODSS()646021PL	2,636.	2,896.	3,025.
	66"	DS3ODSS()646621PL	2,721.	2,991.	3,127.
	72"	DS3ODSS()647221PL	2,781.	3,056.	3,189.



64"h Laminate Sliding Door Overdesk with 21" Tall Cabinet	30"	DS3ODSL()643021PL	2,841.	3,125.	3,263.
	36"	DS3ODSL()643621PL	2,933.	3,225.	3,367.
	42"	DS3ODSL()644221PL	3,033.	3,332.	3,482.
	48"	DS3ODSL()644821PL	3,127.	3,434.	3,585.
	60"	DS3ODSL()646021PL	3,217.	3,541.	3,701.
	66"	DS3ODSL()646621PL	3,314.	3,645.	3,802.
	72"	DS3ODSL()647221PL	3,408.	3,746.	3,919.



64"h Veneer Sliding Door Overdesk with 21" Tall Cabinet	30"	DS3ODSV()643021PL	2,983.	3,274.	3,420.
	36"	DS3ODSV()643621PL	3,083.	3,395.	3,544.
	42"	DS3ODSV()644221PL	3,197.	3,503.	3,665.
	48"	DS3ODSV()644821PL	3,302.	3,629.	3,784.
	60"	DS3ODSV()646021PL	3,405.	3,743.	3,907.
	66"	DS3ODSV()646621PL	3,508.	3,857.	4,035.
	72"	DS3ODSV()647221PL	3,620.	3,976.	4,157.





Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	Example: DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Back option for No Door units (1)= Back covering overhead only
2. Case Finish	2643021FL,613		(2)= Back covering overhead and shelf section.
3. Door Finish	DS3ODSS Pattern number		Paint Configuration Option:
4. Edge Finish (laminated door only)	2643021FL		Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
	613 Silver Paint Finish		


Sliding Door Overdesks with Tackboard

57" High Cabinet with 14" High Storage, 14" High Door

Dividends Horizon

description	width	pattern no.	P1	P2	P3
 57"h Overdesk without Door with 14" Tall Cabinet with tackboard	30"	DS3ODNS1573014T	\$2,318.	\$2,494.	\$2,573.
	36"	DS3ODNS1573614T	2,364.	2,546.	2,628.
	42"	DS3ODNS1574214T	2,428.	2,611.	2,705.
	48"	DS3ODNS1574814T	2,515.	2,699.	2,792.
	60"	DS3ODNS1576014T	2,717.	2,924.	3,023.
	66"	DS3ODNS1576614T	2,766.	2,983.	3,083.
	72"	DS3ODNS1577214T	2,853.	3,065.	3,172.

 57"h Overdesk with Steel Sliding Door and 14" Tall Cabinet with tackboard	30"	DS3ODSS1573014LT	2,460.	2,643.	2,731.
	36"	DS3ODSS1573614LT	2,515.	2,705.	2,795.
	42"	DS3ODSS1574214LT	2,592.	2,783.	2,878.
	48"	DS3ODSS1574814LT	2,674.	2,870.	2,975.
	60"	DS3ODSS1576014LT	2,909.	3,132.	3,238.
	66"	DS3ODSS1576614LT	2,969.	3,192.	3,304.
	72"	DS3ODSS1577214LT	3,051.	3,276.	3,386.

 57"h Overdesk with Laminate Sliding Door and 14" Tall Cabinet with tackboard	30"	DS3ODSL1573014LT	3,065.	3,312.	3,436.
	36"	DS3ODSL1573614LT	3,142.	3,399.	3,525.
	42"	DS3ODSL1574214LT	3,240.	3,503.	3,636.
	48"	DS3ODSL1574814LT	3,332.	3,592.	3,725.
	60"	DS3ODSL1576014LT	3,440.	3,715.	3,847.
	66"	DS3ODSL1576614LT	3,503.	3,784.	3,927.
	72"	DS3ODSL1577214LT	3,628.	3,913.	4,059.


Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	Example: DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
2. Case Finish	1573014FL,613		
3. Door Finish	DS3ODSS Pattern number		
4. Edge Finish (laminate door only)	1573014FL	Note: Fabric tackboard covers from top of worksurface to bottom of lower shelf.	
5. Tackboard fabric	613 Silver Paint Finish		

Sliding Door Overdesks with Tackboard

57" High Cabinet with 14" High Storage, 14" High Door

Dividends Horizon

description	width	pattern no.	P1	P2	P3
57"h Overdesk with Veneer Sliding Door and 14" Tall Cabinet with tackboard	30"	DS3ODSV1573014LT	\$3,199.	\$3,459.	\$3,586.
	36"	DS3ODSV1573614LT	3,294.	3,558.	3,694.
	42"	DS3ODSV1574214LT	3,405.	3,676.	3,819.
	48"	DS3ODSV1574814LT	3,500.	3,781.	3,923.
	60"	DS3ODSV1576014LT	3,627.	3,918.	4,059.
	66"	DS3ODSV1576614LT	3,701.	3,996.	4,145.
	72"	DS3ODSV1577214LT	3,827.	4,136.	4,287.




Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	Example: DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
2. Case Finish	1573014FL,613		
3. Door Finish	DS3ODSS Pattern number		
4. Edge Finish (laminated door only)	1573014FL	Note: Fabric tackboard covers from top of worksurface to bottom of lower shelf.	
5. Tackboard fabric	613 Silver Paint Finish		

Sliding Door Overdesks with Tackboard


57" High Cabinet with 21" High Storage, (Full Height Door)

Dividends Horizon


description	width	pattern no.	P1	P2	P3
57"h without Sliding Door Overdesk with 21" Tall Cabinet with tackboard	30"	DS3ODNS()573021T	\$2,280.	\$2,472.	\$2,564.
	36"	DS3ODNS()573621T	2,340.	2,535.	2,626.
	42"	DS3ODNS()574221T	2,420.	2,612.	2,711.
	48"	DS3ODNS()574821T	2,513.	2,717.	2,828.
	60"	DS3ODNS()576021T	2,753.	2,982.	3,088.
	66"	DS3ODNS()576621T	2,811.	3,044.	3,155.
	72"	DS3ODNS()577221T	2,901.	3,134.	3,258.



57"h Steel Sliding Door Overdesk with 21" Tall Cabinet with tackboard	30"	DS3ODSS2573021FLT	2,550.	2,765.	2,867.
	36"	DS3ODSS2573621FLT	2,608.	2,827.	2,930.
	42"	DS3ODSS2574221FLT	2,703.	2,924.	3,038.
	48"	DS3ODSS2574821FLT	2,844.	3,075.	3,197.
	60"	DS3ODSS2576021FLT	3,126.	3,382.	3,508.
	66"	DS3ODSS2576621FLT	3,210.	3,472.	3,611.
	72"	DS3ODSS2577221FLT	3,321.	3,585.	3,724.



57"h Laminate Sliding Door Overdesk with 21" Tall Cabinet with tackboard	30"	DS3ODSL2573021FLT	3,217.	3,501.	3,641.
	36"	DS3ODSL2573621FLT	3,332.	3,627.	3,764.
	42"	DS3ODSL2574221FLT	3,459.	3,759.	3,907.
	48"	DS3ODSL2574821FLT	3,574.	3,882.	4,035.
	60"	DS3ODSL2576021FLT	3,716.	4,035.	4,191.
	66"	DS3ODSL2576621FLT	3,810.	4,141.	4,299.
	72"	DS3ODSL2577221FLT	3,959.	4,297.	4,465.




Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	Example: DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Back option for No Door units (1)= Back covering overhead only
2. Case Finish	2573021FL,613	Note: Fabric tackboard covers from top of worksurface to bottom of lower shelf.	(2)= Back covering overhead and shelf section.
3. Door Finish	DS3ODSS Pattern number		Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
4. Edge Finish (laminated door only)	2573021FL		
5. Tackboard fabric	613 Silver Paint Finish		

Sliding Door Overdesks with Tackboard

57" High Cabinet with 21" High Storage, (Full Height Door)

Dividends Horizon

description	width	pattern no.	P1	P2	P3
57"h Veneer Sliding Door Overdesk with 21" Tall Cabinet with tackboard	30"	DS3ODSV2573021FLT	\$3,365.	\$3,656.	\$3,802.
	36"	DS3ODSV2573621FLT	3,497.	3,800.	3,957.
	42"	DS3ODSV2574221FLT	3,649.	3,970.	4,123.
	48"	DS3ODSV2574821FLT	3,781.	4,109.	4,275.
	60"	DS3ODSV2576021FLT	3,945.	4,283.	4,457.
	66"	DS3ODSV2576621FLT	4,062.	4,411.	4,587.
	72"	DS3ODSV2577221FLT	4,229.	4,594.	4,770.




Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	Example: DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Back option for No Door units (1)= Back covering overhead only
2. Case Finish	2573021FL,613	Note: Fabric tackboard covers from top of worksurface to bottom of lower shelf.	(2)= Back covering overhead and shelf section.
3. Door Finish	DS3ODSS Pattern number		Paint Configuration Option:
4. Edge Finish (laminated door only)	2573021FL		Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
5. Tackboard fabric	613 Silver Paint Finish		

Sliding Door Overdesks with Tackboard


57" High Cabinet with 21" High Storage, (Partial Height Door)

Dividends Horizon


description	width	pattern no.	P1	P2	P3
57"h Steel Sliding Door Overdesk with 21" Tall Cabinet with tackboard	36"	DS3ODSS()573021PLT	\$2,550.	\$2,765.	\$2,867.
	36"	DS3ODSS()573621PLT	2,608.	2,827.	2,930.
	42"	DS3ODSS()574221PLT	2,703.	2,924.	3,038.
	48"	DS3ODSS()574821PLT	2,844.	3,075.	3,197.
	60"	DS3ODSS()576021PLT	3,126.	3,382.	3,508.
	66"	DS3ODSS()576621PLT	3,210.	3,472.	3,611.
	72"	DS3ODSS()577221PLT	3,321.	3,585.	3,724.



57"h Laminate Sliding Door Overdesk with 21" Tall Cabinet with tackboard	30"	DS3ODSL()573021PLT	3,207.	3,483.	3,626.
	36"	DS3ODSL()573621PLT	3,314.	3,605.	3,743.
	42"	DS3ODSL()574221PLT	3,442.	3,739.	3,887.
	48"	DS3ODSL()574821PLT	3,554.	3,856.	4,012.
	60"	DS3ODSL()576021PLT	3,701.	4,008.	4,166.
	66"	DS3ODSL()576621PLT	3,791.	4,114.	4,278.
	72"	DS3ODSL()577221PLT	3,935.	4,274.	4,438.



57"h Veneer Sliding Door Overdesk with 21" Tall Cabinet with tackboard	30"	DS3ODSV()573021PLT	3,347.	3,637.	3,781.
	36"	DS3ODSV()573621PLT	3,463.	3,764.	3,918.
	42"	DS3ODSV()574221PLT	3,604.	3,920.	4,073.
	48"	DS3ODSV()574821PLT	3,726.	4,051.	4,214.
	60"	DS3ODSV()576021PLT	3,881.	4,214.	4,383.
	66"	DS3ODSV()576621PLT	3,990.	4,330.	4,503.
	72"	DS3ODSV()577221PLT	4,144.	4,503.	4,683.





Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	Example: DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Back option for No Door units (1)= Back covering overhead only
2. Case Finish	2573021FL,613	Note: Fabric tackboard covers from top of worksurface to bottom of lower shelf.	(2)= Back covering overhead and shelf section.
3. Door Finish	DS3ODSS Pattern number		Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
4. Edge Finish (laminated door only)	2573021FL		
5. Tackboard fabric	613 Silver Paint Finish		


Sliding Door Overdesks with Tackboard

64" High Cabinet with 14" High Storage

Dividends Horizon

description	width	pattern no.	P1	P2	P3
 64"h without Sliding Door Overdesk with 14" Tall Cabinet with tackboard	30"	DS3ODNS1643014T	\$2,432.	\$2,612.	\$2,703.
	36"	DS3ODNS1643614T	2,465.	2,643.	2,731.
	42"	DS3ODNS1644214T	2,558.	2,745.	2,837.
	48"	DS3ODNS1644814T	2,747.	2,940.	3,043.
	60"	DS3ODNS1646014T	2,854.	3,062.	3,162.
	66"	DS3ODNS1646614T	2,901.	3,116.	3,216.
	72"	DS3ODNS1647214T	2,988.	3,205.	3,308.

 64"h Steel Sliding Door Overdesk with 14" Tall Cabinet with tackboard	30"	DS3ODSS1643014LT	2,535.	2,715.	2,811.
	36"	DS3ODSS1643614LT	2,589.	2,781.	2,871.
	42"	DS3ODSS1644214LT	2,669.	2,859.	2,960.
	48"	DS3ODSS1644814LT	2,753.	2,949.	3,059.
	60"	DS3ODSS1646014LT	2,991.	3,214.	3,327.
	66"	DS3ODSS1646614LT	3,058.	3,279.	3,397.
	72"	DS3ODSS1647214LT	3,136.	3,365.	3,477.

 64"h Laminate Sliding Door Overdesk with 14" Tall Cabinet with tackboard	30"	DS3ODSL1643014LT	3,140.	3,388.	3,510.
	36"	DS3ODSL1643614LT	3,222.	3,477.	3,604.
	42"	DS3ODSL1644214LT	3,329.	3,586.	3,721.
	48"	DS3ODSL1644814LT	3,416.	3,687.	3,820.
	60"	DS3ODSL1646014LT	3,535.	3,802.	3,946.
	66"	DS3ODSL1646614LT	3,600.	3,882.	4,025.
	72"	DS3ODSL1647214LT	3,724.	4,014.	4,157.


Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	Example: DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
2. Case Finish	2643014FLT,613		
3. Door Finish	DS3ODSS Pattern number		
4. Edge Finish (laminated door only)	2643014FLT	Note: Fabric tackboard covers from top of worksurface to bottom of lower shelf.	
5. Tackboard fabric	613 Silver Paint Finish		
	W1360 Annex Tackboard fabric		

Sliding Door Overdesks with Tackboard

64" High Cabinet with 14" High Storage

Dividends Horizon

description	width	pattern no.	P1	P2	P3
64"h Veneer Sliding Door Overdesk with 14" Tall Cabinet with tackboard	30"	DS3ODSV1643014LT	\$3,277.	\$3,541.	\$3,673.
	36"	DS3ODSV1643614LT	3,368.	3,644.	3,779.
	42"	DS3ODSV1644214LT	3,492.	3,764.	3,906.
	48"	DS3ODSV1644814LT	3,585.	3,869.	4,014.
	60"	DS3ODSV1646014LT	3,716.	4,008.	4,155.
	66"	DS3ODSV1646614LT	3,795.	4,095.	4,247.
	72"	DS3ODSV1647214LT	3,933.	4,242.	4,400.




Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	<i>Example:</i> DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
2. Case Finish	2643014FLT,613		
3. Door Finish	DS3ODSS Pattern number		
4. Edge Finish (laminated door only)	2643014FLT	Note: Fabric tackboard covers from top of worksurface to bottom of lower shelf.	
5. Tackboard fabric	613 Silver Paint Finish		
	W1360 Annex Tackboard fabric		

Sliding Door Overdesks with Tackboard


64" High Cabinet with 21" High Storage (Full Height Door)

Dividends Horizon


description	width	pattern no.	P1	P2	P3
64"h without Sliding Door Overdesk with 21" Tall Cabinet with tackboard	30"	DS3ODNS()643021T	\$2,494.	\$2,690.	\$2,781.
	36"	DS3ODNS()643621T	2,540.	2,731.	2,833.
	42"	DS3ODNS()644221T	2,621.	2,828.	2,930.
	48"	DS3ODNS()644821T	2,768.	2,983.	3,087.
	60"	DS3ODNS()646021T	3,020.	3,257.	3,374.
	66"	DS3ODNS()646621T	3,096.	3,336.	3,461.
	72"	DS3ODNS()647221T	3,205.	3,455.	3,575.



64"h Steel Sliding Door Overdesk with 21" Tall Cabinet with tackboard	30"	DS3ODSS2643021FLT	2,731.	2,945.	3,053.
	36"	DS3ODSS2643621FLT	2,791.	3,006.	3,123.
	42"	DS3ODSS2644221FLT	2,883.	3,109.	3,217.
	48"	DS3ODSS2644821FLT	3,025.	3,263.	3,382.
	60"	DS3ODSS2646021FLT	3,306.	3,569.	3,700.
	66"	DS3ODSS2646621FLT	3,397.	3,662.	3,795.
	72"	DS3ODSS2647221FLT	3,502.	3,779.	3,913.



64"h Laminate Sliding Door Overdesk with 21" Tall Cabinet with tackboard	30"	DS3ODSL2643021FLT	3,420.	3,705.	3,845.
	36"	DS3ODSL2643621FLT	3,528.	3,820.	3,968.
	42"	DS3ODSL2644221FLT	3,654.	3,957.	4,106.
	48"	DS3ODSL2644821FLT	3,772.	4,080.	4,235.
	60"	DS3ODSL2646021FLT	3,913.	4,232.	4,394.
	66"	DS3ODSL2646621FLT	4,008.	4,335.	4,499.
	72"	DS3ODSL2647221FLT	4,155.	4,496.	4,669.




Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	Example: DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Back option for No Door units (1)= Back covering overhead only
2. Case Finish	2643021FL,613	Note: Fabric tackboard covers from top of worksurface to bottom of lower shelf.	(2)= Back covering overhead and shelf section.
3. Door Finish	DS3ODSS Pattern number		Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
4. Edge Finish (laminated door only)	2643021FL		
5. Tackboard fabric	613 Silver Paint Finish		
	W1360 Annex Tackboard Finish		

Sliding Door Overdesks with Tackboard

64" High Cabinet with 21" High Storage (Full Height Door)

Dividends Horizon

description	width	pattern no.	P1	P2	P3
64"h Veneer Sliding Door Overdesk with 21" Tall Cabinet with tackboard	30"	DS3ODSV2643021FLT	\$3,562.	\$3,856.	\$4,008.
	36"	DS3ODSV2643621FLT	3,694.	4,001.	4,154.
	42"	DS3ODSV2644221FLT	3,846.	4,162.	4,322.
	48"	DS3ODSV2644821FLT	3,975.	4,313.	4,471.
	60"	DS3ODSV2646021FLT	4,141.	4,478.	4,655.
	66"	DS3ODSV2646621FLT	4,257.	4,613.	4,787.
	72"	DS3ODSV2647221FLT	4,424.	4,791.	4,972.




Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	Example: DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Back option for No Door units (1)= Back covering overhead only
2. Case Finish	2643021FL,613	Note: Fabric tackboard covers from top of worksurface to bottom of lower shelf.	(2)= Back covering overhead and shelf section.
3. Door Finish	DS3ODSS Pattern number		Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
4. Edge Finish (laminated door only)	2643021FL		
5. Tackboard fabric	613 Silver Paint Finish		
	W1360 Annex Tackboard Finish		

Sliding Door Overdesks with Tackboard


64" High Cabinet with 21" High Storage, (Partial Height Door)

Dividends Horizon


description	width	pattern no.	P1	P2	P3
64"h Steel Sliding Door Overdesk with 21" Tall Cabinet with tackboard	30"	DS3ODSS()643021PLT	\$2,731.	\$2,945.	\$3,053.
	36"	DS3ODSS()643621PLT	2,791.	3,006.	3,123.
	42"	DS3ODSS()644221PLT	2,883.	3,109.	3,217.
	48"	DS3ODSS()644821PLT	3,025.	3,263.	3,382.
	60"	DS3ODSS()646021PLT	3,306.	3,569.	3,700.
	66"	DS3ODSS()646621PLT	3,397.	3,662.	3,795.
	72"	DS3ODSS()647221PLT	3,502.	3,779.	3,913.



64"h Laminate Sliding Door Overdesk with 21" Tall Cabinet with tackboard	30"	DS3ODSL()643021PLT	3,401.	3,684.	3,821.
	36"	DS3ODSL()643621PLT	3,506.	3,798.	3,942.
	42"	DS3ODSL()644221PLT	3,639.	3,938.	4,087.
	48"	DS3ODSL()644821PLT	3,752.	4,060.	4,214.
	60"	DS3ODSL()646021PLT	3,892.	4,213.	4,368.
	66"	DS3ODSL()646621PLT	3,987.	4,317.	4,475.
	72"	DS3ODSL()647221PLT	4,133.	4,471.	4,639.



64"h Veneer Sliding Door Overdesk with 21" Tall Cabinet with tackboard	30"	DS3ODSV()643021PLT	3,541.	3,833.	3,982.
	36"	DS3ODSV()643621PLT	3,654.	3,969.	4,117.
	42"	DS3ODSV()644221PLT	3,800.	4,112.	4,275.
	48"	DS3ODSV()644821PLT	3,925.	4,251.	4,411.
	60"	DS3ODSV()646021PLT	4,077.	4,413.	4,579.
	66"	DS3ODSV()646621PLT	4,179.	4,535.	4,702.
	72"	DS3ODSV()647221PLT	4,345.	4,697.	4,884.



Ordering Information	Order Code	Included with:	Options
Sliding Door Overdesk	Sliding Door Overdesk	Sliding Door Overdesk	No lock - substitute "N" for "L" at the end of pattern number, subtract \$20.
1. Pattern Number	Example: DS3ODSS	Note: Overheads are only available in Knoll core finishes.	Back option for No Door units (1)= Back covering overhead only
2. Case Finish	2643021FL,613	Note: Fabric tackboard covers from top of worksurface to bottom of lower shelf.	(2)= Back covering overhead and shelf section.
3. Door Finish	DS3ODSS Pattern number		Paint Configuration Option: Add "Y" at the end of the pattern number to specify a different paint finish on the case and fronts. P3 pricing applies on all product with dual paint finishes.
4. Edge Finish (laminated door only)	2643021FL		
5. Tackboard fabric	613 Silver Paint Finish		
	W1360 Annex Tackboard Finish		

Rectangular Worksurfaces

18" Deep

Dividends Horizon

description	w *	w	d	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	techwood w/ techwood edge	V2	V3
18" Deep Rectangular No Grommets 	18"	17 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 1818N	\$267.	\$291.	\$317.	\$652.	\$743.	\$959.
	21"	20 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 2118N	272.	298.	328.	698.	796.	1,027.
	24"	23 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 2418N	280.	305.	331.	683.	778.	1,004.
	27"	26 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 2718N	286.	313.	343.	701.	800.	1,031.
	30"	29 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 3018N	293.	322.	350.	717.	818.	1,054.
	33"	32 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 3318N	306.	344.	373.	730.	832.	1,073.
	36"	35 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 3618N	326.	362.	395.	750.	855.	1,103.
	39"	38 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 3918N	344.	387.	427.	771.	879.	1,133.
	42"	41 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 4218N	377.	416.	452.	788.	898.	1,158.
	45"	44 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 4518N	400.	439.	484.	802.	915.	1,180.
	48"	47 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 4818N	421.	465.	508.	821.	936.	1,208.
	51"	50 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 5118N	436.	478.	517.	838.	956.	1,233.
	54"	53 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 5418N	447.	492.	540.	848.	967.	1,247.
	57"	56 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 5718N	467.	513.	554.	861.	982.	1,266.
	60"	59 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 6018N	488.	536.	586.	882.	1,006.	1,297.
	63"	62 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 6318N	501.	561.	615.	902.	1,028.	1,326.
	66"	65 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 6618N	525.	578.	632.	917.	1,045.	1,348.
	69"	68 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 6918N	528.	586.	644.	935.	1,066.	1,374.
	72"	71 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 7218N	553.	608.	664.	947.	1,079.	1,392.
	75"	74 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 7518N	568.	630.	688.	971.	1,108.	1,428.
	78"	77 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 7818N	595.	654.	715.	988.	1,127.	1,453.
	81"	80 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 8118N	612.	670.	737.	1,010.	1,152.	1,486.
	84"	83 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 8418N	626.	689.	749.	1,026.	1,170.	1,509.
	87"	86 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 8718N	657.	717.	782.	1,045.	1,191.	1,536.
	90"	89 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 9018N	698.	771.	833.	1,067.	1,216.	1,569.
	93"	92 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 9318N	734.	802.	870.	1,087.	1,227.	1,582.
	96"	95 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 9618N	774.	845.	924.	1,106.	1,260.	1,626.
	99"	98 ¹³ / ₁₆ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1R 9918N	805.	877.	951.	1,146.	1,306.	1,684.

w* = nominal width

Dimensions listed under w d t are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Worksurfaces 1. Pattern Number 2. Top Finish Type 3. Edge Finish	Worksurfaces <i>Example:</i> D1R 4818N, 114, 114 D1R Pattern Number 4818N 114 Folkstone Grey Laminate 114 Folkstone Grey Edge Band	Worksurfaces Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	Worksurfaces - Center-Located Edge Grommet - Woodgrain ABS edge - Metal edge - Techwood edge To specify edge grommet, replace the "N" suffix from the pattern number with "G". Add \$19.

Rectangular Worksurfaces

24" Deep

Dividends Horizon

description	w	w	d	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	techwood w/ techwood edge	V2	V3
24" Deep Rectangular No Grommets 	18"	17 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 1824N	\$280.	\$305.	\$331.	\$683.	\$778.	\$1,004.
	21"	20 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 2124N	286.	313.	344.	689.	785.	1,013.
	24"	23 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 2424N	294.	324.	359.	704.	802.	1,034.
	27"	26 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 2724N	316.	352.	377.	723.	824.	1,064.
	30"	29 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 3024N	339.	372.	403.	742.	846.	1,092.
	33"	32 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 3324N	355.	389.	432.	761.	868.	1,119.
	36"	35 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 3624N	375.	412.	447.	784.	895.	1,154.
	39"	38 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 3924N	400.	435.	484.	804.	917.	1,182.
	42"	41 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 4224N	429.	471.	519.	823.	939.	1,211.
	45"	44 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 4524N	453.	501.	542.	843.	961.	1,240.
	48"	47 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 4824N	479.	528.	579.	864.	985.	1,271.
	51"	50 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 5124N	501.	557.	600.	886.	1,010.	1,303.
	54"	53 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 5424N	521.	573.	625.	911.	1,040.	1,340.
	57"	56 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 5724N	543.	593.	652.	935.	1,066.	1,374.
	60"	59 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 6024N	566.	617.	671.	953.	1,087.	1,402.
	63"	62 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 6324N	589.	642.	701.	978.	1,114.	1,437.
	66"	65 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 6624N	607.	666.	730.	994.	1,134.	1,463.
	69"	68 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 6924N	615.	686.	744.	1,013.	1,155.	1,490.
	72"	71 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 7224N	634.	699.	762.	1,040.	1,185.	1,529.
	75"	74 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 7524N	668.	723.	786.	1,067.	1,216.	1,569.
	78"	77 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 7824N	683.	746.	813.	1,089.	1,241.	1,601.
	81"	80 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 8124N	698.	770.	840.	1,109.	1,264.	1,631.
	84"	83 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 8424N	719.	795.	865.	1,133.	1,292.	1,666.
	87"	86 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 8724N	771.	858.	921.	1,170.	1,334.	1,720.
	90"	89 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 9024N	812.	888.	975.	1,183.	1,349.	1,740.
	93"	92 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 9324N	854.	948.	1,028.	1,204.	1,373.	1,771.
	96"	95 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 9624N	884.	977.	1,068.	1,229.	1,401.	1,807.
	99"	98 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 9924N	899.	1,025.	1,106.	1,273.	1,451.	1,871.
	102"	101 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 10224N	928.	1,012.	1,118.	1,298.	1,479.	1,909.
	108"	107 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 10824N	1,041.	1,113.	1,225.	1,408.	1,605.	2,071.
	120"	119 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1R 12024N	1,119.	1,156.	1,273.	1,565.	1,784.	2,301.

w* = nominal width


Dimensions listed under w d t are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Worksurfaces 1. Pattern Number 2. Top Finish Type 3. Edge Finish	Worksurfaces <i>Example:</i> D1R 4818N, 114, 114 D1R Pattern Number 4818N 114 Folkstone Grey Laminate 114 Folkstone Grey Edge Band	Worksurfaces Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	Worksurfaces - Center-Located Edge Grommet - Woodgrain ABS edge - Metal edge - Techwood edge To specify edge grommet, replace the "N" suffix from the pattern number with "G". Add \$19.

Rectangular Worksurfaces

16" Deep

Dividends Horizon

description	w *	w	d	t	pattern no.	laminate w/ ABS edge	laminate w/ woodgrain edge	laminate w/ metal edge	techwood w/ techwood edge	V2	V3
16" Deep Rectangular - No Grommets (for use with doublewide pedestals) 	24"	23 ¹³ / ₁₆ "	16"	1 ¹ / ₄ "	D1R2416N	\$261.	\$286.	\$308.	\$657.	\$742.	\$936.
	30"	29 ¹³ / ₁₆ "	16"	1 ¹ / ₄ "	D1R3016N	274.	302.	329.	675.	763.	962.
	36"	35 ¹³ / ₁₆ "	16"	1 ¹ / ₄ "	D1R3616N	306.	341.	373.	707.	798.	1,006.
	42"	41 ¹³ / ₁₆ "	16"	1 ¹ / ₄ "	D1R4216N	356.	393.	427.	743.	840.	1,058.
	48"	47 ¹³ / ₁₆ "	16"	1 ¹ / ₄ "	D1R4816N	398.	441.	483.	786.	888.	1,119.
	54"	53 ¹³ / ₁₆ "	16"	1 ¹ / ₄ "	D1R5416N	424.	467.	513.	802.	906.	1,142.
	60"	59 ¹³ / ₁₆ "	16"	1 ¹ / ₄ "	D1R6016N	463.	509.	559.	846.	957.	1,205.
	66"	65 ¹³ / ₁₆ "	16"	1 ¹ / ₄ "	D1R6616N	499.	550.	603.	869.	983.	1,238.
	72"	71 ¹³ / ₁₆ "	16"	1 ¹ / ₄ "	D1R7216N	527.	580.	634.	909.	1,028.	1,295.
	78"	77 ¹³ / ₁₆ "	16"	1 ¹ / ₄ "	D1R7816N	567.	625.	684.	949.	1,073.	1,351.
	84"	83 ¹³ / ₁₆ "	16"	1 ¹ / ₄ "	D1R8416N	597.	658.	716.	996.	1,126.	1,419.
	90"	89 ¹³ / ₁₆ "	16"	1 ¹ / ₄ "	D1R9016N	668.	738.	798.	1,025.	1,158.	1,460.
	96"	95 ¹³ / ₁₆ "	16"	1 ¹ / ₄ "	D1R9616N	809.	893.	969.	1,155.	1,305.	1,644.

w* = nominal width

Dimensions listed under w d t are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Worksurfaces 1. Pattern Number 2. Top Finish Type 3. Edge Finish	Worksurfaces <i>Example:</i> D1R 4816N, 114, 114 D1R Pattern Number 4816N 114 Folkstone Grey Laminated 114 Folkstone Grey Edge Band	Worksurfaces Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	Worksurfaces - Center-Located Edge Grommet - Woodgrain ABS edge - Metal edge - Techwood edge To specify edge grommet, replace the "N" suffix from the pattern number with "G". Add \$19.

Rectangular Worksurfaces

19" Deep

Dividends Horizon

description	w *	w	d	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	techwood w/ techwood edge	V2	V3
19" Deep Rectangular - No Grommets (for use with doublewide pedestals) 	24"	23 ¹³ / ₁₆ "	18 ³ / ₄ "	1 ¹ / ₄ "	D1R2419N	\$282.	\$308.	\$337.	\$685.	\$780.	\$1,007.
	30"	29 ¹³ / ₁₆ "	18 ³ / ₄ "	1 ¹ / ₄ "	D1R3019N	300.	330.	361.	719.	820.	1,057.
	36"	35 ¹³ / ₁₆ "	18 ³ / ₄ "	1 ¹ / ₄ "	D1R3619N	337.	371.	401.	758.	864.	1,115.
	42"	41 ¹³ / ₁₆ "	18 ³ / ₄ "	1 ¹ / ₄ "	D1R4219N	385.	425.	465.	793.	904.	1,166.
	48"	47 ¹³ / ₁₆ "	18 ³ / ₄ "	1 ¹ / ₄ "	D1R4819N	429.	473.	518.	830.	946.	1,220.
	54"	53 ¹³ / ₁₆ "	18 ³ / ₄ "	1 ¹ / ₄ "	D1R5419N	461.	508.	553.	863.	984.	1,269.
	60"	59 ¹³ / ₁₆ "	18 ³ / ₄ "	1 ¹ / ₄ "	D1R6019N	502.	550.	601.	896.	1,021.	1,317.
	66"	65 ¹³ / ₁₆ "	18 ³ / ₄ "	1 ¹ / ₄ "	D1R6619N	538.	593.	647.	928.	1,058.	1,365.
	72"	71 ¹³ / ₁₆ "	18 ³ / ₄ "	1 ¹ / ₄ "	D1R7219N	570.	625.	684.	966.	1,101.	1,421.
	78"	77 ¹³ / ₁₆ "	18 ³ / ₄ "	1 ¹ / ₄ "	D1R7819N	607.	666.	731.	1,006.	1,147.	1,479.
	84"	83 ¹³ / ₁₆ "	18 ³ / ₄ "	1 ¹ / ₄ "	D1R8419N	644.	708.	774.	1,042.	1,188.	1,532.
	90"	89 ¹³ / ₁₆ "	18 ³ / ₄ "	1 ¹ / ₄ "	D1R9019N	717.	788.	861.	1,084.	1,235.	1,594.
	96"	95 ¹³ / ₁₆ "	18 ³ / ₄ "	1 ¹ / ₄ "	D1R9619N	790.	868.	948.	1,122.	1,280.	1,651.

w* = nominal width


Dimensions listed under w d t are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Worksurfaces 1. Pattern Number 2. Top Finish Type 3. Edge Finish	Worksurfaces <i>Example:</i> D1R 4819N, 114, 114 D1R Pattern Number 4819N 114 Folkstone Grey Laminated 114 Folkstone Grey Edge Band	Worksurfaces Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	Worksurfaces - Center-Located Edge Grommet - Woodgrain ABS edge - Metal edge - Techwood edge To specify edge grommet, replace the "N" suffix from the pattern number with "G". Add \$19.

Rectangular Worksurfaces

30" and 36" Deep

Dividends Horizon

description	w	w	d	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	techwood w/ techwood edge	V2	V3
30" Deep Rectangular No Grommets 	24"	23 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 2430N	\$376.	\$413.	\$448.	\$730.	\$832.	\$1,073.
	27"	26 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 2730N	399.	432.	471.	749.	854.	1,101.
	30"	29 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 3030N	421.	465.	508.	786.	897.	1,156.
	33"	32 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 3330N	444.	485.	538.	806.	920.	1,185.
	36"	35 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 3630N	467.	515.	565.	839.	957.	1,234.
	39"	38 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 3930N	488.	531.	576.	866.	988.	1,274.
	42"	41 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 4230N	508.	557.	604.	896.	1,021.	1,317.
	45"	44 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 4530N	540.	591.	650.	921.	1,050.	1,355.
	48"	47 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 4830N	566.	617.	671.	950.	1,084.	1,398.
	51"	50 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 5130N	607.	647.	713.	971.	1,108.	1,428.
	54"	53 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 5430N	641.	701.	767.	992.	1,131.	1,460.
	57"	56 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 5730N	657.	742.	806.	1,010.	1,152.	1,486.
	60"	59 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 6030N	704.	776.	840.	1,036.	1,181.	1,524.
	63"	62 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 6330N	743.	827.	898.	1,054.	1,202.	1,550.
	66"	65 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 6630N	782.	861.	939.	1,076.	1,227.	1,582.
	69"	68 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 6930N	797.	875.	957.	1,100.	1,255.	1,618.
	72"	71 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 7230N	812.	888.	975.	1,114.	1,271.	1,638.
	75"	74 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 7530N	831.	918.	1,010.	1,137.	1,297.	1,673.
	78"	77 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 7830N	866.	961.	1,042.	1,168.	1,331.	1,717.
	81"	80 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 8130N	886.	994.	1,070.	1,191.	1,358.	1,751.
	84"	83 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 8430N	922.	1,012.	1,109.	1,217.	1,387.	1,789.
	102"	101 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 10230N	928.	1,067.	1,139.	1,338.	1,525.	1,968.
	87"	86 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 8730N	948.	1,044.	1,147.	1,242.	1,416.	1,827.
	108"	107 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 10830N	977.	1,110.	1,192.	1,380.	1,573.	2,029.
	90"	89 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 9030N	990.	1,089.	1,188.	1,268.	1,446.	1,865.
	93"	92 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 9330N	1,013.	1,140.	1,237.	1,295.	1,476.	1,904.
	96"	95 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 9630N	1,065.	1,169.	1,274.	1,319.	1,504.	1,939.
	99"	98 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 9930N	1,083.	1,204.	1,313.	1,347.	1,536.	1,981.
	114"	113 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 11430N	1,012.	1,150.	1,242.	1,428.	1,628.	2,100.
	120"	119 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	D1R 12030N	1,103.	1,220.	1,331.	1,548.	1,764.	2,276.

w* = nominal width


Dimensions listed under w h t are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Worksurfaces 1. Pattern Number 2. Top Finish Type 3. Edge Finish	Worksurfaces <i>Example:</i> D1R 6030N, 114, 114 D1R Pattern Number 6030N 114 Folkstone Grey Laminate 114 Folkstone Grey Edge Band	Worksurfaces Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	Worksurfaces • Center-Located Edge Grommet • Woodgrain ABS edge • Metal edge • Techwood edge To specify edge grommet, replace the "N" suffix from the pattern number with "G". Add \$19.

Rectangular Worksurfaces

30" and 36" Deep

Dividends Horizon

description	w	w	d	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	techwood w/ techwood edge	V2	V3
36" Deep Rectangular No Grommets 	60"	59 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	D1R 6036N	\$899.	\$989.	\$1,078.	\$1,226.	\$1,399.	\$1,804.
	66"	65 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	D1R 6636N	993.	1,096.	1,191.	1,269.	1,447.	1,867.
	72"	71 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	D1R 7236N	1,096.	1,210.	1,313.	1,315.	1,498.	1,933.
	78"	77 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	D1R 7836N	1,168.	1,239.	1,328.	1,332.	1,519.	1,959.
	84"	83 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	D1R 8436N	1,236.	1,273.	1,336.	1,345.	1,533.	1,978.
	90"	89 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	D1R 9036N	1,332.	1,368.	1,423.	1,445.	1,647.	2,125.
	96"	95 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	D1R 9636N	1,425.	1,470.	1,507.	1,548.	1,764.	2,276.



w* = nominal width
Dimensions listed under w h t are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Worksurfaces 1. Pattern Number 2. Top Finish Type 3. Edge Finish	Worksurfaces <i>Example:</i> D1R 6030N, 114, 114 D1R Pattern Number 6030N 114 Folkstone Grey Laminate 114 Folkstone Grey Edge Band	Worksurfaces Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	Worksurfaces - Center-Located Edge Grommet - Woodgrain ABS edge - Metal edge - Techwood edge To specify edge grommet, replace the "N" suffix from the pattern number with "G". Add \$19.

Curvilinear Wave End Worksurfaces

Mixed Depths

Dividends Horizon

description	w*	1	2	3	A	B	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	techwood w/ techwood edge	V2	V3
Curvilinear Wave End Left	36"	35 ¹³ / ₁₆ "	23 ¹ / ₂ "	29 ¹ / ₂ "	14 ¹⁵ / ₁₆ "	2 ¹⁵ / ₁₆ "	1 ¹ / ₄ "	D1W 363024N	\$793.	\$868.	\$953.	\$1,520.	\$1,734.	\$2,235.
No Grommets	42"	41 ¹³ / ₁₆ "	23 ¹ / ₂ "	29 ¹ / ₂ "	14 ¹⁵ / ₁₆ "	8 ¹⁵ / ₁₆ "	1 ¹ / ₄ "	D1W 423024N	831.	918.	994.	1,565.	1,784.	2,301.
	48"	47 ¹³ / ₁₆ "	23 ¹ / ₂ "	29 ¹ / ₂ "	14 ¹⁵ / ₁₆ "	14 ¹⁵ / ₁₆ "	1 ¹ / ₄ "	D1W 483024N	885.	978.	1,069.	1,608.	1,832.	2,364.
	72"	71 ¹³ / ₁₆ "	17 ¹ / ₂ "	29 ¹ / ₂ "	23 ⁷ / ₁₆ "	14 ¹⁵ / ₁₆ "	1 ¹ / ₄ "	D1W 723018N	1,103.	1,211.	1,319.	1,652.	1,883.	2,429.
	72"	71 ¹³ / ₁₆ "	23 ¹ / ₂ "	29 ¹ / ₂ "	23 ⁷ / ₁₆ "	30 ⁷ / ₁₆ "	1 ¹ / ₄ "	D1W 723024N	1,131.	1,242.	1,363.	1,701.	1,939.	2,501.
	72"	71 ¹³ / ₁₆ "	23 ¹ / ₂ "	35 ¹ / ₂ "	23 ⁷ / ₁₆ "	14 ¹⁵ / ₁₆ "	1 ¹ / ₄ "	D1W 723624N	1,170.	1,284.	1,404.	1,741.	1,985.	2,560.
Curvilinear Wave End Right	36"	35 ¹³ / ₁₆ "	29 ¹ / ₂ "	23 ¹ / ₂ "	2 ¹⁵ / ₁₆ "	14 ¹⁵ / ₁₆ "	1 ¹ / ₄ "	D1W 362430N	793.	868.	953.	1,520.	1,734.	2,235.
No Grommets	42"	41 ¹³ / ₁₆ "	29 ¹ / ₂ "	23 ¹ / ₂ "	8 ¹⁵ / ₁₆ "	14 ¹⁵ / ₁₆ "	1 ¹ / ₄ "	D1W 422430N	831.	918.	994.	1,565.	1,784.	2,301.
	48"	47 ¹³ / ₁₆ "	29 ¹ / ₂ "	23 ¹ / ₂ "	14 ¹⁵ / ₁₆ "	14 ¹⁵ / ₁₆ "	1 ¹ / ₄ "	D1W 482430N	885.	978.	1,069.	1,608.	1,832.	2,364.
	72"	71 ¹³ / ₁₆ "	29 ¹ / ₂ "	17 ¹ / ₂ "	14 ¹⁵ / ₁₆ "	23 ⁷ / ₁₆ "	1 ¹ / ₄ "	D1W 721830N	1,103.	1,211.	1,319.	1,652.	1,883.	2,429.
	72"	71 ¹³ / ₁₆ "	29 ¹ / ₂ "	23 ¹ / ₂ "	30 ⁷ / ₁₆ "	23 ⁷ / ₁₆ "	1 ¹ / ₄ "	D1W 722430N	1,131.	1,242.	1,363.	1,701.	1,939.	2,501.
	72"	71 ¹³ / ₁₆ "	35 ¹ / ₂ "	23 ¹ / ₂ "	14 ¹⁵ / ₁₆ "	23 ⁷ / ₁₆ "	1 ¹ / ₄ "	D1W 722436N	1,170.	1,284.	1,404.	1,741.	1,985.	2,560.


w* = nominal width

A and B = straight edge length

Dimensions listed under 1, 2 and 3 are actual to nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Worksurfaces	Worksurfaces	Worksurfaces	Worksurfaces
1. Pattern Number	<i>Example:</i> D1R 6030N, 114, 114	Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	- Center-Located Edge Grommet - Woodgrain ABS edge - Metal edge - Techwood edge
2. Top Finish Type	D1R Pattern Number		
3. Edge Finish	6030N		
	114 Folkstone Grey Laminate		
	114 Folkstone Grey Edge Band		

To specify edge grommet, replace the "N" suffix from the pattern number with "G". Add \$19.

description	w*	w	depth left	depth right	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	techwood w/ techwood edge	V2	V3
Smooth Wave 	48"	47 ¹³ / ₁₆ "	17 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1W S481824N	\$885.	\$978.	\$1,069.	\$1,547.	\$1,763.	\$2,274.
	48"	47 ¹³ / ₁₆ "	17 ¹ / ₂ "	29 ¹ / ₂ "	1 ¹ / ₄ "	D1W S481830N	885.	978.	1,069.	1,551.	1,768.	2,281.
	48"	47 ¹³ / ₁₆ "	23 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1W S482418N	885.	978.	1,069.	1,562.	1,781.	2,297.
	48"	47 ¹³ / ₁₆ "	23 ¹ / ₂ "	29 ¹ / ₂ "	1 ¹ / ₄ "	D1W S482430N	885.	978.	1,069.	1,567.	1,786.	2,304.
	48"	47 ¹³ / ₁₆ "	29 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1W S483018N	885.	978.	1,069.	1,573.	1,793.	2,313.
	48"	47 ¹³ / ₁₆ "	29 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1W S483024N	885.	978.	1,069.	1,580.	1,802.	2,324.
	60"	59 ¹³ / ₁₆ "	17 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1W S601824N	1,030.	1,131.	1,233.	1,586.	1,807.	2,332.
	60"	59 ¹³ / ₁₆ "	17 ¹ / ₂ "	29 ¹ / ₂ "	1 ¹ / ₄ "	D1W S601830N	1,030.	1,131.	1,233.	1,593.	1,815.	2,343.
	60"	59 ¹³ / ₁₆ "	23 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1W S602418N	1,030.	1,131.	1,233.	1,598.	1,822.	2,350.
	60"	59 ¹³ / ₁₆ "	23 ¹ / ₂ "	29 ¹ / ₂ "	1 ¹ / ₄ "	D1W S602430N	1,030.	1,131.	1,233.	1,608.	1,832.	2,364.
	60"	59 ¹³ / ₁₆ "	29 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1W S603018N	1,030.	1,131.	1,233.	1,618.	1,845.	2,379.
	60"	59 ¹³ / ₁₆ "	29 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1W S603024N	1,030.	1,131.	1,233.	1,622.	1,849.	2,386.
	66"	65 ¹³ / ₁₆ "	17 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1W S661824N	1,103.	1,212.	1,324.	1,629.	1,856.	2,395.
	66"	65 ¹³ / ₁₆ "	17 ¹ / ₂ "	29 ¹ / ₂ "	1 ¹ / ₄ "	D1W S661830N	1,103.	1,212.	1,324.	1,632.	1,861.	2,399.
	66"	65 ¹³ / ₁₆ "	23 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1W S662418N	1,103.	1,212.	1,324.	1,639.	1,869.	2,411.
	66"	65 ¹³ / ₁₆ "	23 ¹ / ₂ "	29 ¹ / ₂ "	1 ¹ / ₄ "	D1W S662430N	1,103.	1,212.	1,324.	1,649.	1,880.	2,424.
	66"	65 ¹³ / ₁₆ "	29 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1W S663018N	1,103.	1,212.	1,324.	1,657.	1,889.	2,437.
	66"	65 ¹³ / ₁₆ "	29 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1W S663024N	1,103.	1,212.	1,324.	1,660.	1,892.	2,441.
	72"	71 ¹³ / ₁₆ "	17 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1W S721824N	1,170.	1,284.	1,404.	1,668.	1,902.	2,454.
	72"	71 ¹³ / ₁₆ "	17 ¹ / ₂ "	29 ¹ / ₂ "	1 ¹ / ₄ "	D1W S721830N	1,170.	1,284.	1,404.	1,673.	1,907.	2,460.
	72"	71 ¹³ / ₁₆ "	23 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1W S722418N	1,170.	1,284.	1,404.	1,683.	1,918.	2,475.
	72"	71 ¹³ / ₁₆ "	23 ¹ / ₂ "	29 ¹ / ₂ "	1 ¹ / ₄ "	D1W S722430N	1,170.	1,284.	1,404.	1,695.	1,932.	2,493.
	72"	71 ¹³ / ₁₆ "	29 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1W S723018N	1,170.	1,284.	1,404.	1,702.	1,940.	2,503.
	72"	71 ¹³ / ₁₆ "	29 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1W S723024N	1,170.	1,284.	1,404.	1,706.	1,946.	2,510.
	78"	77 ¹³ / ₁₆ "	17 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1W S781824N	1,236.	1,364.	1,486.	1,712.	1,951.	2,517.
	78"	77 ¹³ / ₁₆ "	17 ¹ / ₂ "	29 ¹ / ₂ "	1 ¹ / ₄ "	D1W S781830N	1,236.	1,364.	1,486.	1,717.	1,957.	2,524.
	78"	77 ¹³ / ₁₆ "	23 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1W S782418N	1,236.	1,364.	1,486.	1,719.	1,959.	2,527.
	78"	77 ¹³ / ₁₆ "	23 ¹ / ₂ "	29 ¹ / ₂ "	1 ¹ / ₄ "	D1W S782430N	1,236.	1,364.	1,486.	1,726.	1,968.	2,539.
	78"	77 ¹³ / ₁₆ "	29 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1W S783018N	1,236.	1,364.	1,486.	1,733.	1,975.	2,547.
	78"	77 ¹³ / ₁₆ "	29 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1W S783024N	1,236.	1,364.	1,486.	1,740.	1,983.	2,559.
	84"	83 ¹³ / ₁₆ "	17 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1W S841824N	1,310.	1,439.	1,571.	1,744.	1,989.	2,565.
	84"	83 ¹³ / ₁₆ "	17 ¹ / ₂ "	29 ¹ / ₂ "	1 ¹ / ₄ "	D1W S841830N	1,310.	1,439.	1,571.	1,752.	1,998.	2,577.
	84"	83 ¹³ / ₁₆ "	23 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1W S842418N	1,310.	1,439.	1,571.	1,762.	2,009.	2,591.
	84"	83 ¹³ / ₁₆ "	23 ¹ / ₂ "	29 ¹ / ₂ "	1 ¹ / ₄ "	D1W S842430N	1,310.	1,439.	1,571.	1,768.	2,016.	2,600.
	84"	83 ¹³ / ₁₆ "	29 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	D1W S843018N	1,310.	1,439.	1,571.	1,773.	2,021.	2,608.
	84"	83 ¹³ / ₁₆ "	29 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1W S843024N	1,310.	1,439.	1,571.	1,781.	2,030.	2,619.

Ordering Information

Worksurfaces

1. Pattern Number
2. Top Finish Type
3. Edge Finish

Order Code

Worksurfaces

Example: **D1R 6030N, 114, 114**

D1W	Dividends Worksurface
S	Smooth Wave Shape
72	Overall width in inches
30	Nominal depth at user's left side
24	Nominal depth at user's right side
N	No grommet
114	Folkstone Grey Laminate
114	Folkstone Grey Edge Band

Included with:

Worksurfaces

Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.

Options

Worksurfaces



- 1 Center-Located Edge Grommets
- Woodgrain ABS edge
- Metal edge
- Techwood edge

To specify edge grommets, replace the "N" suffix from the pattern number with a "G". Add \$29

Faceted Worksurfaces

Faceted Secondary Worksurfaces

Dividends Horizon





description	w*	w	depth left	depth right	t	pattern no.	Lam ABS edge band	V1	V2	V3
20" Deep Secondary Desk, Left Hand 	60"	59 ¹⁵ / ₁₆ "	19 ¹ / ₁₆ "	11 ¹ / ₂ "	1 ¹ / ₄ "	DVDS6020LN	\$827.	\$1,655.	\$1,887.	\$2,434.
	66"	65 ¹⁵ / ₁₆ "	19 ¹ / ₁₆ "	11 ¹ / ₂ "	1 ¹ / ₄ "	DVDS6620LN	893.	1,785.	2,035.	2,625.
	72"	71 ¹⁵ / ₁₆ "	19 ¹ / ₁₆ "	11 ¹ / ₂ "	1 ¹ / ₄ "	DVDS7220LN	961.	1,922.	2,190.	2,826.
	78"	77 ¹⁵ / ₁₆ "	19 ¹ / ₁₆ "	11 ¹ / ₂ "	1 ¹ / ₄ "	DVDS7820LN	1,026.	2,052.	2,339.	3,018.
	84"	83 ¹⁵ / ₁₆ "	19 ¹ / ₁₆ "	11 ¹ / ₂ "	1 ¹ / ₄ "	DVDS8420LN	1,091.	2,182.	2,487.	3,209.
	90"	89 ¹⁵ / ₁₆ "	19 ¹ / ₁₆ "	11 ¹ / ₂ "	1 ¹ / ₄ "	DVDS9020LN	1,158.	2,316.	2,641.	3,406.
	96"	95 ¹⁵ / ₁₆ "	19 ¹ / ₁₆ "	11 ¹ / ₂ "	1 ¹ / ₄ "	DVDS9620LN	1,224.	2,449.	2,791.	3,600.
20" Deep Secondary Desk, Right Hand 	60"	59 ¹⁵ / ₁₆ "	11 ¹ / ₂ "	19 ¹ / ₁₆ "	1 ¹ / ₄ "	DVDS6020RN	827.	1,655.	1,887.	2,434.
	66"	65 ¹⁵ / ₁₆ "	11 ¹ / ₂ "	19 ¹ / ₁₆ "	1 ¹ / ₄ "	DVDS6620RN	893.	1,785.	2,035.	2,625.
	72"	71 ¹⁵ / ₁₆ "	11 ¹ / ₂ "	19 ¹ / ₁₆ "	1 ¹ / ₄ "	DVDS7220RN	961.	1,922.	2,190.	2,826.
	78"	77 ¹⁵ / ₁₆ "	11 ¹ / ₂ "	19 ¹ / ₁₆ "	1 ¹ / ₄ "	DVDS7820RN	1,026.	2,052.	2,339.	3,018.
	84"	83 ¹⁵ / ₁₆ "	11 ¹ / ₂ "	19 ¹ / ₁₆ "	1 ¹ / ₄ "	DVDS8420RN	1,091.	2,182.	2,487.	3,209.
	90"	89 ¹⁵ / ₁₆ "	11 ¹ / ₂ "	19 ¹ / ₁₆ "	1 ¹ / ₄ "	DVDS9020RN	1,158.	2,316.	2,641.	3,406.
	96"	95 ¹⁵ / ₁₆ "	11 ¹ / ₂ "	19 ¹ / ₁₆ "	1 ¹ / ₄ "	DVDS9620RN	1,224.	2,449.	2,791.	3,600.

Ordering Information	Order Code	Included With	Options
Worksurfaces 1. Pattern Number 2. Top Finish Type 3. Edge Finish	Worksurfaces <i>Example:</i> DVDS6020LN,114, 114 DVD Dividends Worksurface S Secondary, Faceted 60 Overall width in inches 20 Overall depth in inches L Left or Right handed N No grommet 114 Folkstone Grey Laminate 114 Folkstone Grey Edge Band	Worksurfaces Note: Faceted worksurfaces available in standard laminates only.	


Faceted Worksurfaces

Faceted Bench Worksurfaces

Dividends Horizon

description	w*	w	depth left	depth right	t	pattern no.	Lam ABS edge band	V1	V2	V3
24" Deep Faceted Bench, Left Hand 	60"	59 ¹⁵ / ₁₆ "	23 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	DVDB6024LN	\$1,026.	\$2,052.	\$2,339.	\$3,018.
	66"	65 ¹⁵ / ₁₆ "	23 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	DVDB6624LN	1,091.	2,182.	2,487.	3,209.
	72"	71 ¹⁵ / ₁₆ "	23 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	DVDB7224LN	1,158.	2,316.	2,641.	3,406.
	78"	77 ¹⁵ / ₁₆ "	23 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	DVDB7824LN	1,224.	2,449.	2,791.	3,411.
	84"	83 ¹⁵ / ₁₆ "	23 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	DVDB8424LN	1,290.	2,581.	2,942.	3,796.
	90"	89 ¹⁵ / ₁₆ "	23 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	DVDB9024LN	1,358.	2,715.	3,095.	3,993.
	96"	95 ¹⁵ / ₁₆ "	23 ¹ / ₂ "	17 ¹ / ₂ "	1 ¹ / ₄ "	DVDB9624LN	1,422.	2,843.	3,241.	4,181.
24" Deep Faceted Bench, Right Hand 	60"	59 ¹⁵ / ₁₆ "	17 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	DVDB6024RN	1,026.	2,052.	2,339.	3,018.
	66"	65 ¹⁵ / ₁₆ "	17 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	DVDB6624RN	1,091.	2,182.	2,487.	3,209.
	72"	71 ¹⁵ / ₁₆ "	17 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	DVDB7224RN	1,158.	2,316.	2,641.	3,406.
	78"	77 ¹⁵ / ₁₆ "	17 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	DVDB7824RN	1,224.	2,449.	2,791.	3,600.
	84"	83 ¹⁵ / ₁₆ "	17 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	DVDB8424RN	1,290.	2,581.	2,942.	3,796.
	90"	89 ¹⁵ / ₁₆ "	17 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	DVDB9024RN	1,358.	2,715.	3,095.	3,993.
	96"	95 ¹⁵ / ₁₆ "	17 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	DVDB9624RN	1,422.	2,843.	3,241.	4,181.
30" Deep Faceted Bench, Left Hand 	60"	59 ¹⁵ / ₁₆ "	29 ¹ / ₂ "	19 ¹ / ₁₆ "	1 ¹ / ₄ "	DVDB6030LN	1,041.	2,081.	2,372.	3,061.
	66"	65 ¹⁵ / ₁₆ "	29 ¹ / ₂ "	19 ¹ / ₁₆ "	1 ¹ / ₄ "	DVDB6630LN	1,109.	2,218.	2,528.	3,261.
	72"	71 ¹⁵ / ₁₆ "	29 ¹ / ₂ "	19 ¹ / ₁₆ "	1 ¹ / ₄ "	DVDB7230LN	1,174.	2,348.	2,676.	3,452.
	78"	77 ¹⁵ / ₁₆ "	29 ¹ / ₂ "	19 ¹ / ₁₆ "	1 ¹ / ₄ "	DVDB7830LN	1,238.	2,476.	2,822.	3,641.
	84"	83 ¹⁵ / ₁₆ "	29 ¹ / ₂ "	19 ¹ / ₁₆ "	1 ¹ / ₄ "	DVDB8430LN	1,306.	2,612.	2,978.	3,842.
	90"	89 ¹⁵ / ₁₆ "	29 ¹ / ₂ "	19 ¹ / ₁₆ "	1 ¹ / ₄ "	DVDB9030LN	1,371.	2,743.	3,127.	4,033.
	96"	95 ¹⁵ / ₁₆ "	29 ¹ / ₂ "	19 ¹ / ₁₆ "	1 ¹ / ₄ "	DVDB9630LN	1,437.	2,875.	3,277.	4,228.
30" Deep Faceted Bench, Right Hand 	60"	59 ¹⁵ / ₁₆ "	19 ¹ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	DVDB6030RN	1,041.	2,081.	2,372.	3,061.
	66"	65 ¹⁵ / ₁₆ "	19 ¹ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	DVDB6630RN	1,109.	2,218.	2,528.	3,261.
	72"	71 ¹⁵ / ₁₆ "	19 ¹ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	DVDB7230RN	1,174.	2,348.	2,676.	3,452.
	78"	77 ¹⁵ / ₁₆ "	19 ¹ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	DVDB7830RN	1,238.	2,476.	2,822.	3,641.
	84"	83 ¹⁵ / ₁₆ "	19 ¹ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	DVDB8430RN	1,306.	2,612.	2,978.	3,842.
	90"	89 ¹⁵ / ₁₆ "	19 ¹ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	DVDB9030RN	1,371.	2,743.	3,127.	4,033.
	96"	95 ¹⁵ / ₁₆ "	19 ¹ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	DVDB9630RN	1,437.	2,875.	3,277.	4,228.

Ordering Information	Order Code	Included With	Options
Worksurfaces 1. Pattern Number 2. Top Finish Type 3. Edge Finish	Worksurfaces <i>Example:</i> DVDB6024LN,114,114 DVD Dividends Worksurface B Faceted, Bench 60 Overall width in inches 24 Overall depth in inches L Left or right handed N No grommet 114 Folkstone Grey Laminate 114 Folkstone Grey Edge Band	Worksurfaces Note: Faceted worksurfaces available in standard laminates only.	

description	w*	w	depth left	depth right	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	techwood w/ techwood edge	V2	V3
Trapezoidal 	48"	47 ¹³ / ₁₆ "	23 ¹ / ₂ "	29 ¹ / ₂ "	1 ¹ / ₄ "	D1W T482430N	\$885.	\$978.	\$1,069.	\$1,109.	\$1,264.	\$1,631.
	48"	47 ¹³ / ₁₆ "	29 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1W T483024N	885.	978.	1,069.	1,109.	1,264.	1,631.
	60"	59 ¹³ / ₁₆ "	23 ¹ / ₂ "	29 ¹ / ₂ "	1 ¹ / ₄ "	D1W T602430N	1,030.	1,131.	1,233.	1,170.	1,334.	1,720.
	60"	59 ¹³ / ₁₆ "	29 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1W T603024N	1,030.	1,131.	1,233.	1,170.	1,334.	1,720.
	66"	65 ¹³ / ₁₆ "	23 ¹ / ₂ "	29 ¹ / ₂ "	1 ¹ / ₄ "	D1W T662430N	1,103.	1,212.	1,324.	1,230.	1,402.	1,808.
	66"	65 ¹³ / ₁₆ "	29 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1W T663024N	1,103.	1,212.	1,324.	1,230.	1,402.	1,808.
	72"	71 ¹³ / ₁₆ "	23 ¹ / ₂ "	29 ¹ / ₂ "	1 ¹ / ₄ "	D1W T722430N	1,170.	1,284.	1,404.	1,294.	1,474.	1,903.
	72"	71 ¹³ / ₁₆ "	29 ¹ / ₂ "	23 ¹ / ₂ "	1 ¹ / ₄ "	D1W T723024N	1,170.	1,284.	1,404.	1,294.	1,474.	1,903.

Ordering Information	Order Code	Included with:	Options
Worksurfaces	Worksurfaces	Worksurface	Worksurfaces
1. Pattern Number	<i>Example:</i> D1W T482430N	Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	• 1 Center-Located Edge Grommets • Woodgrain ABS edge • Metal edge • Techwood edge To specify edge grommets replace the "N" suffix from the pattern number with a "G". Add \$29.
2. Top Finish Type	D1W Dividends Worksurface		
3. Edge Finish	T Trapezoidal Shape		
	48 Overall Width, inches		
	24 Nominal depth at user's left side		
	30 Nominal depth at user's right side		
	N No grommet		
	114 Folkstone Grey Laminate		
	114 Folkstone Grey Edge Band		

Corner Worksurfaces

Rectilinear and Split Top Corner

Mixed Depths



Dividends Horizon

description	1	2	3	4	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	techwood w/ techwood edge	V2	V3
 Rectilinear Corner Worksurface No Grommets	36"	36"	18"	18"	1 1/4"	D1C 3618N	\$680.	\$743.	\$812.	\$1,373.	\$1,566.	\$2,020.
	36"	36"	24"	24"	1 1/4"	D1C 3624N	690.	762.	830.	1,506.	1,717.	2,214.
	42"	42"	24"	24"	1 1/4"	D1C 4224N	780.	858.	930.	1,631.	1,859.	2,398.
	48"	48"	24"	24"	1 1/4"	D1C 4824N	886.	979.	1,070.	1,764.	2,011.	2,595.
	48"	48"	30"	30"	1 1/4"	D1C 4830N	918.	1,008.	1,103.	1,893.	2,158.	2,784.
Rectilinear Corner Worksurface. 24" Deep	42"	42"	24"	30"	1 1/4"	D1C 422430N	813.	896.	978.	1,773.	2,021.	2,608.
Return Left 30" Deep Return Right No Grommets	48"	48"	24"	30"	1 1/4"	D1C 482430N	924.	1,017.	1,113.	1,893.	2,158.	2,784.
 Rectilinear Corner Worksurface. 30" Deep	42"	42"	30"	24"	1 1/4"	D1C 423024N	813.	896.	978.	1,773.	2,021.	2,608.
	48"	48"	30"	24"	1 1/4"	D1C 483024N	924.	1,017.	1,113.	1,893.	2,158.	2,784.
 Split Top Corner Worksurface No Grommets	42"	42"	24"	24"	1 1/4"	D1CS 4224N	2,766.	3,038.	3,315.	4,697.	5,354.	6,907.
	48"	48"	24"	24"	1 1/4"	D1CS 4824N	2,844.	3,127.	3,413.	4,853.	5,532.	7,137.
	48"	48"	30"	30"	1 1/4"	D1CS 4830N	2,862.	3,150.	3,440.	5,012.	5,713.	7,370.

Note: Above 1, 2, 3, and 4 dimensions are all nominal
Actual dimensions are 1/2" less than shown above.

Ordering Information	Order Code	Included with:	Options
Worksurfaces 1. Pattern Number 2. Top Finish Type 3. Edge Finish	Worksurfaces <i>Example:</i> D1C 423024N, 117, 115 D1C Pattern Number 423024N 117 Soft Grey Laminate 115 Medium Grey Edge Band	Worksurfaces • Worksurface • Panel-to-Worksurface Bracket Split Top Corner Worksurfaces • Front Worksurface • Back Worksurface • Split Top Mechanism • Flat Brackets • Panel-to-Worksurface Bracket	Worksurfaces • 2 Center-Located Edge Grommets • Woodgrain PVC edge • Metal edge • Techwood edge To specify edge grommets, replace the "N" suffix from the pattern number with a "G". Add \$29 Split Top Corner Worksurfaces • 2 Center-Located Edge Grommets • Woodgrain PVC edge • Metal edge • Techwood edge Note: Overdesk units are not compatible with corner worksurfaces.
Split Top Corner Worksurfaces 1. Pattern Number 2. Top Finish Type 3. Edge Finish	Split Top Corner Worksurfaces <i>Example:</i> D1CS 4224N, 117, 117 D1CS Pattern Number 4224N 117 Soft Grey Laminate 117 Soft Grey Edge Band	Note: When wood grain or brushed laminates are specified on corner worksurfaces where side 1 and 2 are of equal length, one of three grain direction options must be specified. Insert the desired grain direction option (L,R or D) after the laminate code. Please add \$26 to the list price for diagonal grain (D) selection. Note: Techwood corner worksurfaces with the same dimension on side 1 and side 2 have a diagonal grain direction. See grain direction page for more information. Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	

Curvilinear Corner “L” Shape - 24" Depths
24" Depths

description	1	2	3	4	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	V1	V2	V3
Curvilinear Corner “L” Shape Worksurface 24"	36"	36"	24"	24"	1 1/4"	D1L 3636SSN	\$735.	\$807.	\$881.	\$1,697.	\$1,934.	\$2,495.
Deep Returns Left and Right	36"	48"	24"	24"	1 1/4"	D1L 3648SSN	761.	848.	916.	1,853.	2,113.	2,726.
	36"	54"	24"	24"	1 1/4"	D1L 3654SSN	898.	990.	1,082.	1,913.	2,181.	2,813.
	36"	60"	24"	24"	1 1/4"	D1L 3660SSN	1,205.	1,342.	1,441.	1,995.	2,274.	2,934.
	36"	72"	24"	24"	1 1/4"	D1L 3672SSN	1,284.	1,414.	1,553.	2,206.	2,515.	3,245.
	36"	78"	24"	24"	1 1/4"	D1L 3678SSN	1,298.	1,442.	1,567.	2,339.	2,667.	3,440.
	42"	42"	24"	24"	1 1/4"	D1L 4242SSN	884.	977.	1,068.	1,801.	2,053.	2,648.
	42"	48"	24"	24"	1 1/4"	D1L 4248SSN	981.	1,087.	1,180.	1,941.	2,213.	2,855.
	42"	54"	24"	24"	1 1/4"	D1L 4254SSN	994.	1,110.	1,197.	1,968.	2,243.	2,894.
	42"	60"	24"	24"	1 1/4"	D1L 4260SSN	1,220.	1,341.	1,465.	2,008.	2,289.	2,953.
	42"	66"	24"	24"	1 1/4"	D1L 4266SSN	1,253.	1,387.	1,507.	2,061.	2,350.	3,031.
	42"	72"	24"	24"	1 1/4"	D1L 4272SSN	1,300.	1,430.	1,563.	2,164.	2,468.	3,183.
	42"	78"	24"	24"	1 1/4"	D1L 4278SSN	1,313.	1,445.	1,579.	2,266.	2,583.	3,333.
	42"	84"	24"	24"	1 1/4"	D1L 4284SSN	1,404.	1,474.	1,567.	2,266.	2,583.	3,333.
	48"	36"	24"	24"	1 1/4"	D1L 4836SSN	761.	848.	917.	1,854.	2,114.	2,727.
	48"	42"	24"	24"	1 1/4"	D1L 4842SSN	981.	1,087.	1,307.	1,944.	2,216.	2,858.
	48"	48"	24"	24"	1 1/4"	D1L 4848SSN	994.	1,103.	1,193.	1,902.	2,168.	2,796.
	48"	54"	24"	24"	1 1/4"	D1L 4854SSN	1,091.	1,205.	1,425.	2,069.	2,358.	3,042.
	48"	60"	24"	24"	1 1/4"	D1L 4860SSN	1,233.	1,360.	1,478.	2,113.	2,409.	3,107.
	48"	66"	24"	24"	1 1/4"	D1L 4866SSN	1,276.	1,406.	1,530.	2,216.	2,525.	3,258.
	48"	72"	24"	24"	1 1/4"	D1L 4872SSN	1,329.	1,456.	1,584.	2,315.	2,640.	3,405.
	48"	78"	24"	24"	1 1/4"	D1L 4878SSN	1,465.	1,608.	1,752.	2,368.	2,700.	3,482.
	48"	84"	24"	24"	1 1/4"	D1L 4884SSN	1,639.	1,805.	1,972.	2,416.	2,754.	3,553.
	48"	96"	24"	24"	1 1/4"	D1L 4896SSN	1,476.	1,534.	1,584.	2,368.	2,700.	3,482.
	54"	36"	24"	24"	1 1/4"	D1L 5436SSN	898.	990.	1,095.	1,869.	2,130.	2,749.
	54"	42"	24"	24"	1 1/4"	D1L 5442SSN	994.	1,110.	1,197.	1,968.	2,243.	2,894.
	54"	48"	24"	24"	1 1/4"	D1L 5448SSN	1,091.	1,205.	1,425.	2,069.	2,358.	3,042.



Note: Above 1, 2, 3, and 4 dimensions are all nominal
Actual dimensions are 1/2" less than shown above.

Ordering Information	Order Code	Included with:	Options
1. Worksurfaces	Worksurfaces	Worksurfaces	Worksurfaces
2. Pattern Number		• Worksurface	• 2 center-located edge grommets
3. Top Finish Type	<i>Example:</i> D1L 4860SSN, 117, 117	• Panel-to-Worksurface Bracket	• Woodgrain ABS edge
4. Edge Finish	D1L Pattern Number		• Metal edge
	4860SSN		• Techwood
	117 Soft Grey laminate		
	117 Soft Grey Edge Band		

To specify edge grommets, replace the “N” suffix from the pattern number with “G”
Add \$29

Note: Overdesk units are not compatible with corner worksurfaces.

Curvilinear Corner “L” Shape - 24" Depths
24" Depths

description	1	2	3	4	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	V1	V2	V3
Curvilinear Corner “L” Shape Worksurface 24"	60"	36"	24"	24"	1 1/4"	D1L 6036SSN	\$1,205.	\$1,345.	\$1,441.	\$2,043.	\$2,329.	\$3,005.
Deep Returns Left and Right	60"	42"	24"	24"	1 1/4"	D1L 6042SSN	1,220.	1,341.	1,465.	2,008.	2,289.	2,953.
	60"	48"	24"	24"	1 1/4"	D1L 6048SSN	1,233.	1,360.	1,478.	2,113.	2,409.	3,107.
	66"	42"	24"	24"	1 1/4"	D1L 6642SSN	1,253.	1,387.	1,507.	2,061.	2,350.	3,031.
	66"	48"	24"	24"	1 1/4"	D1L 6648SSN	1,276.	1,406.	1,530.	2,216.	2,525.	3,258.
	72"	36"	24"	24"	1 1/4"	D1L 7236SSN	1,268.	1,414.	1,553.	2,207.	2,516.	3,246.
	72"	42"	24"	24"	1 1/4"	D1L 7242SSN	1,300.	1,430.	1,563.	2,164.	2,468.	3,183.
	72"	48"	24"	24"	1 1/4"	D1L 7248SSN	1,329.	1,456.	1,584.	2,315.	2,640.	3,405.
	78"	36"	24"	24"	1 1/4"	D1L 7836SSN	1,298.	1,442.	1,567.	2,294.	2,616.	3,374.
	78"	42"	24"	24"	1 1/4"	D1L 7842SSN	1,313.	1,445.	1,579.	2,266.	2,583.	3,333.
	78"	48"	24"	24"	1 1/4"	D1L 7848SSN	1,465.	1,608.	1,752.	2,368.	2,700.	3,482.
	84"	42"	24"	24"	1 1/4"	D1L 8442SSN	1,404.	1,474.	1,577.	2,266.	2,583.	3,333.
	84"	48"	24"	24"	1 1/4"	D1L 8448SSN	1,639.	1,805.	1,972.	2,416.	2,754.	3,553.
	96"	48"	24"	24"	1 1/4"	D1L 9648SSN	1,476.	1,534.	1,442.	2,369.	2,701.	3,484.



Note: Above 1, 2, 3, and 4 dimensions are all nominal
Actual dimensions are 1/2" less than shown above.

Ordering Information	Order Code	Included with:	Options
1. Worksurfaces	Worksurfaces	Worksurfaces	Worksurfaces
2. Pattern Number		• Worksurface	• 2 center-located edge grommets
3. Top Finish Type	<i>Example:</i> D1L 4860SSN, 117, 117	• Panel-to-Worksurface Bracket	• Woodgrain ABS edge
4. Edge Finish	D1L Pattern Number		• Metal edge
	4860SSN		• Techwood
	117 Soft Grey laminate		
	117 Soft Grey Edge Band		

To specify edge grommets, replace the “N” suffix from the pattern number with “G”
Add \$29

Note: Overdesk units are not compatible with corner worksurfaces.

Curvilinear Corner “L” shape-Mixed Depths
Mixed Depths

description	1	2	3	4	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	techwood w/ techwood edge	V2	V3
Curvilinear Corner “L” Shape Worksurface. 30” Deep Returns Left and Right	48”	48”	30”	30”	1 1/4”	D1L 4848DDN	\$1,076.	\$1,183.	\$1,287.	\$1,923.	\$2,191.	\$2,828.
Curvilinear Corner “L” Shape Worksurface 24” Deep Return Left 30” Deep Return Right	48”	48”	24”	30”	1 1/4”	D1L 4848SDN	1,065.	1,169.	1,274.	1,923.	2,191.	2,828.
	48”	60”	24”	30”	1 1/4”	D1L 4860SDN	1,213.	1,336.	1,451.	1,975.	2,251.	2,904.
	48”	66”	24”	30”	1 1/4”	D1L 4866SDN	1,273.	1,402.	1,526.	2,021.	2,305.	2,973.
	48”	72”	24”	30”	1 1/4”	D1L 4872SDN	1,336.	1,470.	1,596.	2,074.	2,365.	3,049.
	60”	48”	24”	30”	1 1/4”	D1L 6048SDN	1,188.	1,306.	1,426.	2,128.	2,427.	3,130.
	66”	48”	24”	30”	1 1/4”	D1L 6648SDN	1,248.	1,371.	1,505.	2,182.	2,487.	3,209.
	72”	48”	24”	30”	1 1/4”	D1L 7248SDN	1,310.	1,442.	1,573.	2,229.	2,541.	3,278.
Curvilinear Corner “L” Shape Worksurface 30” Deep Return Left 24” Deep Return Right	48”	48”	30”	24”	1 1/4”	D1L 4848DSN	1,065.	1,169.	1,274.	1,923.	2,191.	2,828.
	48”	60”	30”	24”	1 1/4”	D1L 4860DSN	1,188.	1,306.	1,426.	1,975.	2,251.	2,904.
	48”	66”	30”	24”	1 1/4”	D1L 4866DSN	1,248.	1,371.	1,505.	2,021.	2,305.	2,973.
	48”	72”	30”	24”	1 1/4”	D1L 4872DSN	1,310.	1,442.	1,573.	2,074.	2,365.	3,049.
	60”	48”	30”	24”	1 1/4”	D1L 6048DSN	1,213.	1,336.	1,451.	2,128.	2,427.	3,130.
	66”	48”	30”	24”	1 1/4”	D1L 6648DSN	1,273.	1,402.	1,526.	2,182.	2,487.	3,209.
	72”	48”	30”	24”	1 1/4”	D1L 7248DSN	1,336.	1,470.	1,596.	2,229.	2,541.	3,278.

Note: Above 1, 2, 3, and 4 dimensions are all nominal
Actual dimensions are 1/2” less than shown above.


Ordering Information	Order Code	Included with:	Options
Worksurfaces	Worksurfaces	Worksurfaces	Worksurfaces
1. Pattern Number	<i>Example:</i> D1L 4860SDN, 117, 117	• Worksurface	• 2 center-located edge grommets
2. Top Finish Type	D1L Pattern Number	• Panel-to-worksurface bracket	• Woodgrain ABS edge
3. Edge Band Finish	4860SDN	Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	• Metal edge
	117 Soft Grey Laminate		• Techwood
	117 Soft Grey edge band		To specify edge grommets, replace the “N” suffix from the pattern number with “G” Add \$29
			Note: An overdesk unit will not align with the width of a corner worksurface due to the 1/2” wire drop gap. The overdesk will be 1/2” too wide.

Peninsula Worsurfaces

"D", "P", "9" and Blended "D"

Mixed Depths

Dividends Horizon

description	type	w *	w	d	dia.	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	V1	V2	V3
"D" Peninsula Worksurface Laminate No Grommets 		66"	65 ¹³ / ₁₆ "	35 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 6636N	\$1,002.	\$1,162.	\$1,276.	\$1,997.	\$2,276.	\$2,937.
		60"	59 ¹³ / ₁₆ "	29 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 6030N	1,026.	1,128.	1,230.	1,926.	2,196.	2,832.
		66"	65 ¹³ / ₁₆ "	29 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 6630N	1,118.	1,229.	1,341.	1,990.	2,268.	2,926.
		72"	71 ¹³ / ₁₆ "	23 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 7224N	1,127.	1,268.	1,384.	2,017.	2,300.	2,966.
		78"	77 ¹³ / ₁₆ "	23 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 7824N	1,155.	1,310.	1,341.	2,119.	2,416.	3,116.
		72"	71 ¹³ / ₁₆ "	29 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 7230N	1,179.	1,294.	1,412.	2,046.	2,333.	3,009.
		78"	77 ¹³ / ₁₆ "	29 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 7830N	1,183.	1,339.	1,368.	2,137.	2,402.	3,099.
		78"	77 ¹³ / ₁₆ "	35 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 7836N	1,212.	1,367.	1,400.	2,190.	2,436.	3,143.
		84"	83 ¹³ / ₁₆ "	23 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 8424N	1,219.	1,377.	1,406.	2,263.	2,497.	3,221.
		84"	83 ¹³ / ₁₆ "	29 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 8430N	1,248.	1,404.	1,437.	2,324.	2,580.	3,327.
		84"	83 ¹³ / ₁₆ "	35 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 8436N	1,276.	1,433.	1,465.	2,359.	2,649.	3,417.
		96"	95 ¹³ / ₁₆ "	23 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 9624N	1,277.	1,439.	1,474.	2,368.	2,690.	3,469.
		72"	71 ¹³ / ₁₆ "	35 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 7236N	1,287.	1,414.	1,547.	2,107.	2,700.	3,482.
		96"	95 ¹³ / ₁₆ "	29 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 9630N	1,308.	1,465.	1,502.	2,408.	2,745.	3,541.
		96"	95 ¹³ / ₁₆ "	35 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 9636N	1,337.	1,505.	1,539.	2,471.	2,816.	3,633.
		30"	29 ¹³ / ₁₆ "	23 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 3024N	599.	679.	749.	1,694.	1,931.	2,491.
		30"	29 ¹³ / ₁₆ "	29 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 3030N	627.	707.	780.	1,707.	1,947.	2,511.
		36"	35 ¹³ / ₁₆ "	23 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 3624N	627.	707.	780.	1,707.	1,947.	2,511.
		36"	35 ¹³ / ₁₆ "	29 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 3630N	655.	717.	806.	1,733.	1,975.	2,547.
		48"	47 ¹³ / ₁₆ "	23 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 4824N	730.	802.	875.	1,807.	2,060.	2,658.
		54"	53 ¹³ / ₁₆ "	23 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 5424N	797.	972.	1,217.	1,883.	2,146.	2,769.
		48"	47 ¹³ / ₁₆ "	29 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 4830N	802.	881.	967.	1,868.	2,129.	2,747.
		54"	53 ¹³ / ₁₆ "	29 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 5430N	869.	1,029.	1,143.	1,910.	2,178.	2,809.
		54"	53 ¹³ / ₁₆ "	35 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 5436N	940.	1,103.	1,213.	1,926.	2,196.	2,832.
		60"	59 ¹³ / ₁₆ "	23 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 6024N	942.	1,106.	1,220.	1,931.	2,201.	2,839.
		60"	59 ¹³ / ₁₆ "	35 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 6036N	972.	1,132.	1,250.	1,980.	2,258.	2,913.
		66"	65 ¹³ / ₁₆ "	23 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1D 6624N	972.	1,132.	1,250.	1,980.	2,258.	2,913.
Blended "D" Peninsula Worksurface (Left hand shown) 	RH w/ 24" return depth	60"	59 ¹³ / ₁₆ "	47 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1BD6048SR	1,159.	1,284.	1,401.	4,190.	4,776.	6,161.
		66"	65 ¹³ / ₁₆ "	47 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1BD6648SR	1,190.	1,310.	1,429.	4,219.	4,810.	6,204.
		72"	71 ¹³ / ₁₆ "	41 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1BD7242SR	1,190.	1,310.	1,429.	4,246.	4,841.	6,244.
		72"	71 ¹³ / ₁₆ "	47 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1BD7248SR	1,217.	1,339.	1,462.	4,255.	4,850.	6,257.
		78"	77 ¹³ / ₁₆ "	47 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1BD7848SR	1,328.	1,473.	1,605.	4,268.	4,866.	6,277.
		84"	83 ¹³ / ₁₆ "	47 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1BD8448SR	1,384.	1,528.	1,661.	4,326.	4,932.	6,362.
	LH w/ 24" return depth	60"	59 ¹³ / ₁₆ "	47 ¹³ / ₁₆ "	1 ¹ / ₄ "		D1BD6048SL	1,159.	1,284.	1,401.	4,190.	4,776.	6,161.

w* = nominal width
 Dimensions listed under w d t are actual to the nearest 1/16"



Ordering Information	Order Code	Included with:	Options
"D" Worksurface 1. Pattern Number 2. Top Finish Type 3. Edge Finish	"D" Worksurface <i>Example:</i> D1H 6030, 114, 114 D1H 6030 Pattern Number 114 Folkstone Grey Laminate 114 Folkstone Grey Edge Band	Worksurface Note: Support column and panel-to-worksurface brackets must be ordered separately. Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	Worksurfaces • Woodgrain ABS edge • Metal edge • Techwood edge To specify an edge grommet, replace "N" suffix from pattern number with "G". Add \$19.

Peninsula Worksurfaces

“D”, “P”, “9” and Blended “D”

Mixed Depths

Dividends Horizon

description	type	w *	w	d	dia.	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	V1	V2	V3
Blended “D” Peninsula Worksurface (Left hand shown) 	LH w/ 24” return depth	66”	65 ^{13/16} ”	47 ^{13/16} ”	1 1/4”		D1BD6648SL	\$1,190.	\$1,310.	\$1,429.	\$4,219.	\$4,810.	\$6,204.
		72”	71 ^{13/16} ”	41 ^{13/16} ”	1 1/4”		D1BD7242SL	1,190.	1,310.	1,429.	4,246.	4,841.	6,244.
		72”	71 ^{13/16} ”	47 ^{13/16} ”	1 1/4”		D1BD7248SL	1,217.	1,339.	1,462.	4,255.	4,850.	6,257.
		78”	77 ^{13/16} ”	47 ^{13/16} ”	1 1/4”		D1BD7848SL	1,328.	1,473.	1,605.	4,268.	4,866.	6,277.
		84”	83 ^{13/16} ”	47 ^{13/16} ”	1 1/4”		D1BD8448SL	1,384.	1,528.	1,661.	4,326.	4,932.	6,362.
	LH w/ 30” return depth	66”	65 ^{13/16} ”	47 ^{13/16} ”	1 1/4”		D1BD6648DL	1,253.	1,387.	1,507.	4,219.	4,810.	6,204.
		72”	71 ^{13/16} ”	41 ^{13/16} ”	1 1/4”		D1BD7242DL	1,203.	1,326.	1,442.	4,260.	4,856.	6,264.
		72”	71 ^{13/16} ”	47 ^{13/16} ”	1 1/4”		D1BD7248DL	1,299.	1,429.	1,562.	4,255.	4,850.	6,257.
		78”	77 ^{13/16} ”	47 ^{13/16} ”	1 1/4”		D1BD7848DL	1,341.	1,486.	1,620.	4,284.	4,884.	6,300.
		84”	83 ^{13/16} ”	47 ^{13/16} ”	1 1/4”		D1BD8448DL	1,400.	1,544.	1,677.	4,340.	4,948.	6,382.
	RH w/ 30” return depth	66”	65 ^{13/16} ”	47 ^{13/16} ”	1 1/4”		D1BD6648DR	1,253.	1,387.	1,507.	4,219.	4,810.	6,204.
		72”	71 ^{13/16} ”	41 ^{13/16} ”	1 1/4”		D1BD7242DR	1,203.	1,326.	1,442.	4,260.	4,856.	6,264.
		72”	71 ^{13/16} ”	47 ^{13/16} ”	1 1/4”		D1BD7248DR	1,299.	1,429.	1,562.	4,255.	4,850.	6,257.
		78”	77 ^{13/16} ”	47 ^{13/16} ”	1 1/4”		D1BD7848DR	1,341.	1,486.	1,620.	4,284.	4,884.	6,300.
		84”	83 ^{13/16} ”	47 ^{13/16} ”	1 1/4”		D1BD8448DR	1,400.	1,544.	1,677.	4,340.	4,948.	6,382.
Conferencing worksurface (left hand shown) 		60”	59 ^{13/16} ”	48”	24”	1 1/4”	DB1BD48SL	1,637.	1,804.	1,971.	4,177.	4,762.	6,143.
		60”	59 ^{13/16} ”	48”	24”	1 1/4”	DB1BD48SR	1,637.	1,804.	1,971.	4,177.	4,762.	6,143.
Peninsula Worksurface-Laminate No Grommets (9-shaped shown) 	P-shaped	78”	77 ^{13/16} ”	35 ^{13/16} ”	48	1 1/4”	D1P 7836N	1,352.	1,487.	1,615.	2,911.	3,318.	4,281.

w* = nominal width
 Dimensions listed under w d t are actual to the nearest 1/16”

Ordering Information	Order Code	Included with:	Options
“D” Worksurface 1. Pattern Number 2. Top Finish Type 3. Edge Finish	“D” Worksurface <i>Example:</i> D1H 6030, 114, 114 D1H 6030 Pattern Number 114 Folkstone Grey Laminate 114 Folkstone Grey Edge Band	Worksurface Note: Support column and panel-to-worksurface brackets must be ordered separately. Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	Worksurfaces • Woodgrain ABS edge • Metal edge • Techwood edge To specify an edge grommet, replace “N” suffix from pattern number with “G”. Add \$19.

Peninsula Worksurfaces

“D”, “P”, “9” and Blended “D”

Mixed Depths

Dividends Horizon

description	type	w *	w	d	dia.	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	V1	V2	V3
Peninsula Worksurface No Grommets (9-shaped shown) 	P-shaped	54"	53 13/16"	29 13/16"	36	1 1/4"	D1P 5430N	\$1,145.	\$1,256.	\$1,377.	\$2,571.	\$2,932.	\$3,781.
		60"	59 13/16"	29 13/16"	36	1 1/4"	D1P 6030N	1,157.	1,268.	1,390.	2,644.	3,015.	3,888.
		66"	65 13/16"	29 13/16"	36	1 1/4"	D1P 6630N	1,170.	1,284.	1,404.	2,702.	3,080.	3,973.
		72"	71 13/16"	29 13/16"	42	1 1/4"	D1P 7230N	1,191.	1,311.	1,430.	2,777.	3,166.	4,085.
		78"	77 13/16"	29 13/16"	42	1 1/4"	D1P 7830N	1,338.	1,473.	1,598.	2,854.	3,254.	4,197.
		84"	83 13/16"	29 13/16"	42	1 1/4"	D1P 8430N	1,366.	1,502.	1,629.	2,942.	3,354.	4,327.
		90"	89 13/16"	29 13/16"	42	1 1/4"	D1P 9030N	1,398.	1,529.	1,657.	2,990.	3,409.	4,397.
	9-shaped	54"	53 13/16"	29 13/16"		1 1/4"	D19 5430N	1,145.	1,256.	1,377.	2,571.	2,932.	3,781.
		60"	59 13/16"	29 13/16"		1 1/4"	D19 6030N	1,157.	1,268.	1,390.	2,644.	3,015.	3,888.
		66"	65 13/16"	29 13/16"		1 1/4"	D19 6630N	1,170.	1,284.	1,404.	2,702.	3,080.	3,973.
		72"	71 13/16"	29 13/16"		1 1/4"	D19 7230N	1,191.	1,311.	1,430.	2,777.	3,166.	4,085.
		78"	77 13/16"	29 13/16"		1 1/4"	D19 7830N	1,338.	1,473.	1,598.	2,854.	3,254.	4,197.
		84"	83 13/16"	35 13/16"		1 1/4"	D19 7836N	1,352.	1,487.	1,615.	2,911.	3,318.	4,281.
		84"	83 13/16"	29 13/16"		1 1/4"	D19 8430N	1,366.	1,502.	1,629.	2,942.	3,354.	4,327.
		90"	89 13/16"	29 13/16"		1 1/4"	D19 9030N	1,398.	1,529.	1,657.	2,990.	3,409.	4,397.

w* = nominal width
Dimensions listed under w d t are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
“D” Worksurface 1. Pattern Number 2. Top Finish Type 3. Edge Finish	“D” Worksurface <i>Example:</i> D1H 6030, 114, 114 D1H 6030 Pattern Number 114 Folkstone Grey Laminates 114 Folkstone Grey Edge Band	Worksurface Note: Support column and panel-to-worksurface brackets must be ordered separately. Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	Worksurfaces • Woodgrain ABS edge • Metal edge • Techwood edge To specify an edge grommet, replace “N” suffix from pattern number with “G”. Add \$19.

Curvilinear Half- and Corner-Round Worksurfaces

Mixed Depths

Dividends Horizon

description	type	w	return depth	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	techwood w/ techwood edge	V2	V3	
	Curvilinear Half-Round Worksurface	w/o panels	48"	18"	1 1/4"	D1H4818	\$634.	\$699.	\$762.	\$1,738.	\$1,981.	\$2,556.
		w/o panels	60"	24"	1 1/4"	D1H6024	874.	965.	1,045.	1,893.	2,158.	2,784.
		w/panels	51"	18"	1 1/4"	D1H5118P	645.	713.	776.	1,811.	2,065.	2,664.
		w/panels	63"	24"	1 1/4"	D1H6324P	882.	975.	1,067.	1,971.	2,247.	2,898.
	Transition Worksurface	w panels	51"	24"	1 1/4"	D2H5124P	780.	858.	930.	2,018.	2,301.	2,967.
		w panels	51"	36"	1 1/4"	D2H5136P	793.	868.	953.	2,092.	2,385.	3,075.
		w panels	51"	48"	1 1/4"	D2H5148P	807.	885.	972.	2,151.	2,453.	3,164.
		w/o panels	48"	24"	1 1/4"	D2H4824	771.	840.	921.	1,825.	2,080.	2,684.
		w/o panels	48"	36"	1 1/4"	D2H4836	781.	859.	938.	1,893.	2,158.	2,784.
		w/o panels	48"	48"	1 1/4"	D2H4848	797.	875.	961.	1,956.	2,230.	2,877.
	Corner Round Worksurface	left	23 13/16"	23 1/2"	1 1/4"	D1CRL24	499.	543.	591.	2,164.	2,468.	3,183.
		notched	23 1/2"	23 1/2"	1 1/4"	D1CRN24	499.	543.	591.	2,164.	2,468.	3,183.
		right	23 13/16"	23 1/2"	1 1/4"	D1CRR24	499.	543.	591.	2,164.	2,468.	3,183.
		right	29 13/16"	23 13/16"	1 1/4"	D1CRR30	525.	571.	618.	2,237.	2,549.	3,289.

Ordering Information	Order Code	Included with:	Options
Half-Round Worksurface	Half-Round Worksurface	Half-Round Worksurface	Half-Round Worksurface
1. Pattern Number	<i>Example:</i> D1H 5118P, 118, 118	• Worksurface	• Woodgrain ABS edge
2. Top Finish Type	D1H Pattern Number	• 2 flat brackets	• Metal edge
3. Edge Finish	5118P	Note: Support column must be ordered separately.	• Techwood edge
Transition Worksurface	118 Bright White Laminate	Transition Worksurface	Transition Worksurface
1. Pattern Number	118 Bright White Edge Band	• Worksurface	• Woodgrain ABS edge
2. Top Finish Type	Transition Worksurface	• 2 flat brackets	• Metal edge
3. Edge Finish	<i>Example:</i> D2H 5136P, 117, 117	Note: Support column must be ordered separately.	• Techwood edge
Corner-Round Worksurface	D2H Pattern Number	Corner Round Worksurface	Corner-Round Worksurface
1. Pattern Number	5136P	• Worksurface	• Woodgrain ABS edge
2. Top Finish Type	117 Soft Grey Laminate		• Metal edge
3. Edge Finish	117 Soft Grey Edge Band		• Techwood edge
		Note: 2 cantilevers must be ordered separately.	Curvilinear Half-Round and Transition Worksurface Option
		Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	Add an 'F' suffix to the pattern number when using with flat profile panel trim.

Transaction Counter Worksurfaces

Rectangular, Square Corner and Quarter-round Corner

15" Deep

Dividends Horizon

description	w *	w	d	t	pattern no.	lam w/ ABS edge	lam w/ woodgrain edge	lam w/ metal edge	techwood w/ techwood edge	V2	V3
15" Deep Quarter-Round Shape Corner Counter Worksurface 	15"	14 ^{13/16"}	15"	1 ^{1/4"}	D1R 1515C	\$355.	\$393.	\$427.	\$1,430.	\$1,631.	\$2,103.
15" Deep Square-Shape Corner Counter Worksurface 	15"	14 ^{13/16"}	15"	1 ^{1/4"}	D1R 1515S	323.	361.	393.	895.	1,020.	1,316.
15" Deep Rectangular Counter Worksurface 	24"	23 ^{13/16"}	15"	1 ^{1/4"}	D1R 2415	475.	519.	569.	1,082.	1,233.	1,591.
	30"	29 ^{13/16"}	15"	1 ^{1/4"}	D1R 3015	515.	566.	613.	1,131.	1,289.	1,663.
	36"	35 ^{13/16"}	15"	1 ^{1/4"}	D1R 3615	524.	579.	633.	1,183.	1,349.	1,740.
	42"	41 ^{13/16"}	15"	1 ^{1/4"}	D1R 4215	525.	581.	637.	1,226.	1,399.	1,804.
	48"	47 ^{13/16"}	15"	1 ^{1/4"}	D1R 4815	525.	581.	637.	1,279.	1,458.	1,881.
	54"	54 ^{13/16"}	15"	1 ^{1/4"}	D1R 5415	550.	599.	663.	1,324.	1,510.	1,947.
	60"	59 ^{13/16"}	15"	1 ^{1/4"}	D1R 6015	581.	644.	704.	1,377.	1,570.	2,024.
	66"	65 ^{13/16"}	15"	1 ^{1/4"}	D1R 6615	599.	664.	727.	1,423.	1,622.	2,093.
	72"	71 ^{13/16"}	15"	1 ^{1/4"}	D1R 7215	659.	727.	793.	1,474.	1,681.	2,168.
	78"	77 ^{13/16"}	15"	1 ^{1/4"}	D1R 7815	704.	770.	839.	1,518.	1,730.	2,232.
	84"	83 ^{13/16"}	15"	1 ^{1/4"}	D1R 8415	734.	809.	885.	1,569.	1,788.	2,307.
	90"	89 ^{13/16"}	15"	1 ^{1/4"}	D1R 9015	773.	848.	924.	1,622.	1,849.	2,386.
	96"	95 ^{13/16"}	15"	1 ^{1/4"}	D1R 9615	809.	893.	969.	1,667.	1,901.	2,452.


w* = nominal width

Dimensions listed under w d are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
15"D Counter Worksurface	15"D Counter Worksurface	15"D Counter Worksurface	15"D Counter Worksurface
1. Pattern Number	<i>Example:</i> D1R 3615, 117, 117, 117	• Four counter worksurface brackets	• Woodgrain ABS edge
2. Top Finish Type	D1R 3615 Pattern Number	• Attachment hardware	• Metal edge
3. Edge Finish	117 Soft Grey Laminate		• Techwood edge
4. Counter Worksurface Bracket Finish	117 Soft Grey Edge Band	Square-Shape Counter Worksurface	Square-Shape Counter Worksurface
Square-Shape Corner Counter Worksurface	117 Soft Grey Bracket Finish	• Three counter worksurface flat brackets	• Woodgrain ABS edge
1. Pattern Number	Square-Shape Counter Worksurface	• Attachment hardware	• Metal edge
2. Top Finish Type	<i>Example:</i> D1R 1515S, 117, 117	Quarter-Round Shape Counter Worksurface	• Techwood edge
3. Edge Finish	D1R Pattern Number		
Quarter-Round Shape Counter Worksurface	1515S	• Two counter worksurface flat brackets	• Woodgrain ABS edge
1. Pattern Number	117 Soft Grey Laminate	• Attachment hardware	• Metal edge
2. Top Finish Type	117 Soft Grey Edge Band		• Techwood edge
3. Edge Finish	Quarter-Round Shape Counter Worksurface		
	<i>Example:</i> D1R 1515C, 117, 117		
	D1R Pattern Number		
	1515C		
	117 Soft Grey Laminate		
	117 Soft Grey Edge Band		
		Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	

Postformed Worksurfaces, 1 3/4" 18" Deep

Dividends Horizon



description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 18"D 	No grommet	30"	17 5/8"	1 3/4"	MW2-S3018-B-()	\$795.	\$1,169.	\$1,644.
		36"	17 5/8"	1 3/4"	MW2-S3618-B-()	874.	1,256.	1,770.
		42"	17 5/8"	1 3/4"	MW2-S4218-B-()	964.	1,372.	1,971.
		48"	17 5/8"	1 3/4"	MW2-S4818-B-()	1,079.	1,482.	2,136.
		54"	17 5/8"	1 3/4"	MW2-S5418-B-()	1,156.	1,615.	2,298.
		60"	17 5/8"	1 3/4"	MW2-S6018-B-()	1,192.	1,685.	2,464.
		66"	17 5/8"	1 3/4"	MW2-S6618-B-()	1,324.	1,894.	2,750.
		72"	17 5/8"	1 3/4"	MW2-S7218-B-()	1,440.	2,103.	3,000.

Order Code	Specification Information	Application Notes
Example: MW2-S3618-B-117	B: Worksurface does not include grommets Specify surface finish All worksurfaces are U.L.-listed.	18"D worksurfaces are used interchangeably in desk and panel system applications as shallow main surfaces, extensions, or credenza tops. They must be supported at each end by a pedestal, end panel, end support cantilever or cantilever bridging bracket with a maximum span of 60" between supports. All worksurfaces have threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations. MW2- worksurfaces are supported by brackets with machine screws. Panel supported worksurfaces over 60" must be mid-span supported by MB2-C18 bracket, specified separately. 18"D worksurfaces with desk supports or filler panels do not accept pedestals.
MW2 Worksurface 1 3/4" thick		
S Worksurface type		
36 Width		
18 Depth		
B No grommets		
117 Surface finish		All worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.

Postformed Worksurfaces, 1 3/4" 24" Deep

Dividends Horizon



Postformed

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 24"D 	Grommets	24"	23 3/8"	1 3/4"	MW2-S2424-A-()	\$967.	\$1,454.	\$1,971.
		30"	23 3/8"	1 3/4"	MW2-S3024-A-()	1,045.	1,498.	2,052.
		36"	23 3/8"	1 3/4"	MW2-S3624-A-()	1,130.	1,580.	2,139.
		42"	23 3/8"	1 3/4"	MW2-S4224-A-()	1,253.	1,656.	2,303.
		48"	23 3/8"	1 3/4"	MW2-S4824-A-()	1,329.	1,822.	2,555.
		54"	23 3/8"	1 3/4"	MW2-S5424-A-()	1,409.	1,978.	2,760.
		60"	23 3/8"	1 3/4"	MW2-S6024-A-()	1,526.	2,107.	2,918.
		66"	23 3/8"	1 3/4"	MW2-S6624-A-()	1,647.	2,303.	3,210.
		72"	23 3/8"	1 3/4"	MW2-S7224-A-()	1,810.	2,504.	3,539.
		78"	23 3/8"	1 3/4"	MW2-S7824-A-()	1,967.	2,705.	3,779.
		84"	23 3/8"	1 3/4"	MW2-S8424-A-()	2,082.	2,909.	4,067.
		90"	23 3/8"	1 3/4"	MW2-S9024-A-()	2,242.	3,150.	4,438.
		96"	23 3/8"	1 3/4"	MW2-S9624-A-()	2,453.	3,472.	4,850.
Straight, 24"D - No grommets 	No grommets	24"	23 3/8"	1 3/4"	MW2-S2424-B-()	795.	1,287.	1,807.
		30"	23 3/8"	1 3/4"	MW2-S3024-B-()	874.	1,332.	1,893.
		36"	23 3/8"	1 3/4"	MW2-S3624-B-()	964.	1,410.	1,971.
		42"	23 3/8"	1 3/4"	MW2-S4224-B-()	1,079.	1,482.	2,136.
		48"	23 3/8"	1 3/4"	MW2-S4824-B-()	1,156.	1,650.	2,385.
		54"	23 3/8"	1 3/4"	MW2-S5424-B-()	1,248.	1,812.	2,591.
		60"	23 3/8"	1 3/4"	MW2-S6024-B-()	1,353.	1,944.	2,750.
		66"	23 3/8"	1 3/4"	MW2-S6624-B-()	1,478.	2,136.	3,039.
		72"	23 3/8"	1 3/4"	MW2-S7224-B-()	1,633.	2,340.	3,372.
		78"	23 3/8"	1 3/4"	MW2-S7824-B-()	1,799.	2,536.	3,619.
		84"	23 3/8"	1 3/4"	MW2-S8424-B-()	1,920.	2,737.	3,903.
		90"	23 3/8"	1 3/4"	MW2-S9024-B-()	2,070.	2,985.	4,268.
		96"	23 3/8"	1 3/4"	MW2-S9624-B-()	2,276.	3,308.	4,683.

Order Code	Specification Information	Application Notes	
Example: MW2-S7224-A-117	<i>Grommets / no grommets:</i>		
MW2	Worksurface 1 3/4" thick	24"D worksurfaces are used interchangeably as shallow main surfaces, extensions or credenza tops. They must be supported at each end by a pedestal, end panel, end support cantilever or cantilever bridging bracket with a maximum span of 60" between supports.	
S	Worksurface type		
72	Width		
24	Depth		
A	Grommets		
117	Surface finish	All worksurfaces are U.L.-listed.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.
	Specify surface finish	All worksurfaces have threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations.	Plastic laminate worksurfaces are post-formed top and bottom, front and back.
		MW2- worksurfaces are supported by brackets with machine screws.	Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.
		Use 18"D pedestals with 24"D worksurface for full wire management capability in desk or panel applications.	Panel supported worksurfaces over 60" must be mid-span supported by MB2-C18 bracket, specified separately.
		18"D worksurfaces with desk supports or filler panels do not accept pedestals.	

Postformed Worksurfaces, 1 3/4" 30" Deep

Dividends Horizon



description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 30"D 	Grommets	30"	29 5/8"	1 3/4"	MW2-S3030-A-()	\$1,164.	\$1,620.	\$2,266.
		36"	29 5/8"	1 3/4"	MW2-S3630-A-()	1,288.	1,738.	2,431.
		42"	29 5/8"	1 3/4"	MW2-S4230-A-()	1,365.	1,864.	2,591.
		48"	29 5/8"	1 3/4"	MW2-S4830-A-()	1,482.	2,021.	2,790.
		54"	29 5/8"	1 3/4"	MW2-S5430-A-()	1,558.	2,180.	2,949.
		60"	29 5/8"	1 3/4"	MW2-S6030-A-()	1,647.	2,303.	3,210.
		66"	29 5/8"	1 3/4"	MW2-S6630-A-()	1,772.	2,465.	3,492.
		72"	29 5/8"	1 3/4"	MW2-S7230-A-()	1,967.	2,705.	3,779.
		78"	29 5/8"	1 3/4"	MW2-S7830-A-()	2,126.	2,949.	4,104.
		84"	29 5/8"	1 3/4"	MW2-S8430-A-()	2,286.	3,194.	4,482.
		90"	29 5/8"	1 3/4"	MW2-S9030-A-()	2,490.	3,506.	4,972.
		96"	29 5/8"	1 3/4"	MW2-S9630-A-()	2,728.	3,833.	5,462.
Straight, 30"D - no grommets 	No Grommets	30"	29 5/8"	1 3/4"	MW2-S3030-B-()	1,006.	1,453.	2,103.
		36"	29 5/8"	1 3/4"	MW2-S3630-B-()	1,120.	1,577.	2,265.
		42"	29 5/8"	1 3/4"	MW2-S4230-B-()	1,192.	1,685.	2,430.
		48"	29 5/8"	1 3/4"	MW2-S4830-B-()	1,319.	1,846.	2,626.
		54"	29 5/8"	1 3/4"	MW2-S5430-B-()	1,400.	2,018.	2,787.
		60"	29 5/8"	1 3/4"	MW2-S6030-B-()	1,478.	2,136.	3,039.
		66"	29 5/8"	1 3/4"	MW2-S6630-B-()	1,603.	2,298.	3,326.
		72"	29 5/8"	1 3/4"	MW2-S7230-B-()	1,799.	2,536.	3,619.
		78"	29 5/8"	1 3/4"	MW2-S7830-B-()	1,962.	2,787.	3,940.
		84"	29 5/8"	1 3/4"	MW2-S8430-B-()	2,122.	3,023.	4,311.
		90"	29 5/8"	1 3/4"	MW2-S9030-B-()	2,319.	3,340.	4,810.
		96"	29 5/8"	1 3/4"	MW2-S9630-B-()	2,550.	3,653.	5,297.

Order Code	Specification Information	Application Notes
Example: MW2-S4230-A-117	<i>Grommets / no grommets:</i>	30"D worksurfaces are used interchangeably in desk and panel system applications as main surfaces, extensions, or credenza tops. They must be supported at each end by a pedestal, end panel, end support cantilever or cantilever bridging bracket with a maximum span of 60" between supports. All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens. MW2- worksurfaces are supported by brackets with machine screws.
MW2 Worksurface 1 3/4" thick	A: Worksurface includes 3" grommet in each back corner leading into desk support or wire manager.	
S Worksurface type	B: Worksurface does not include grommets	
42 Width	Specify surface finish	
30 Depth	All worksurfaces are U.L.-listed.	
A Grommets		Panel supported worksurfaces over 60" must be mid-span supported by MB2-C18 bracket, specified separately. Plastic laminate worksurfaces are post-formed top and bottom, front and back.
117 Surface finish		

Postformed Worksurfaces, 1 3/4" 36" Deep

Dividends Horizon

Postformed



description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 36"D 	Recessed Grommet	66"	35 3/4"	1 3/4"	MW2-S6636-R-()	\$2,162.	\$2,909.	\$3,988.
		72"	35 3/4"	1 3/4"	MW2-S7236-R-()	2,286.	3,150.	4,438.
		78"	35 3/4"	1 3/4"	MW2-S7836-R-()	2,490.	3,435.	4,721.
Straight, 36"D - no grommets 	No Grommets	66"	35 3/4"	1 3/4"	MW2-S6636-B-()	1,993.	2,737.	3,823.
		72"	35 3/4"	1 3/4"	MW2-S7236-B-()	2,122.	2,985.	4,268.
		78"	35 3/4"	1 3/4"	MW2-S7236-B-()	2,319.	3,271.	4,561.

Order Code	Specification Information	Application Notes
Example: MW2-S3636-R-117	<i>Grommet / no grommets:</i>	36"D desk may be planned with 6" recessed desk support and 24"D pedestals or end panels, or 29" or 35"W universal end panels with kneehole filler. 36"D worksurfaces do not accept privacy screens. Panel supported worksurfaces over 60" must be mid-span supported by MB2-C18 bracket, specified separately. Plastic laminate worksurfaces are post-formed top and bottom, front and back. All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens. MW2- worksurfaces are supported by brackets with machine screws.
MW2 Worksurface 1 3/4" thick	B: worksurface does not include grommets	
S Worksurface type	R: worksurface includes 3" grommets recessed for use with 6" recessed desk support	
36 Width	Specify surface finish	
36 Depth	All worksurfaces are U.L.-listed.	
R Recessed grommets		
117 Surface finish		

Postformed Worksurfaces, 1 3/4"

VDT corners

Dividends Horizon

description	type	w	d	h	pattern no.	lam.	V1	V2
Corner 	Corner grommet only	35 5/8"	17 3/8"	1 3/4"	MW2-V3618-A-()	\$2,052.	\$2,570.	\$3,630.
		35 5/8"	23 5/8"	1 3/4"	MW2-V3624-A-()	2,136.	2,607.	3,716.
		41 5/8"	23 5/8"	1 3/4"	MW2-V4224-A-()	2,210.	2,731.	3,869.
		41 5/8"	29 5/8"	1 3/4"	MW2-V4230-A-()	2,337.	2,892.	4,104.
		47 5/8"	23 5/8"	1 3/4"	MW2-V4824-A-()	2,610.	3,124.	4,561.
		47 5/8"	29 5/8"	1 3/4"	MW2-V4830-A-()	2,735.	3,359.	4,795.
Corner - 3 grommets 	3 Grommets	35 5/8"	23 3/8"	1 3/4"	MW2-V3624-C-()	2,303.	2,783.	3,870.
		41 5/8"	23 5/8"	1 3/4"	MW2-V4224-C-()	2,377.	2,896.	4,040.
		41 5/8"	29 5/8"	1 3/4"	MW2-V4230-C-()	2,504.	3,057.	4,278.
		47 5/8"	23 5/8"	1 3/4"	MW2-V4824-C-()	2,773.	3,290.	4,721.
		47 5/8"	29 5/8"	1 3/4"	MW2-V4830-C-()	2,904.	3,533.	4,965.



Order Code	Specification Information		Application Notes	
Example: MW2-V4830-C-117	<i>Grommets/no grommets:</i>		VDT corners may be used interchangeably in desk and panel system applications. They must be supported by VDT support brackets on each back edge or cantilever bridging brackets on each side edge and a cantilever bracket on the back corner. 36"W x 18"D VDT corners accept 18"D returns, 36", 42", and 48"W x 24"D VDT corners accept 24"D returns, 42" and 48"W x 30"D VDT corners accept 30"D returns. VDT corners are³/₈" less than nominal depth for rear wire clearance or privacy screens. Plastic laminate worksurfaces are post-formed on front and back edges. 48" x 24" VDT corners have an inside radius, T-mold front edge that curves into an optimal 45° straight keyboard location.	
MW2	Worksurface 1 ³ / ₄ " thick	A- VDT corner includes 3" grommet in back corner.		All VDT corner worksurfaces are bored to accept and are shipped with wire manager clips.
V	VDT corner	C- VDT corner includes 3" grommet in all three back corners.		
48	Width			
30	Depth of return			
C	Three grommets			
117	Surface finish			
		Specify surface finish. VDT worksurfaces have threaded metal inserts at all desk support and bracket locations. MW2- worksurfaces are supported by brackets with machine screws. All worksurfaces are U.L.-listed.		

Postformed Worksurfaces, 1 3/4"

Rounded end, 30" deep

Dividends Horizon


Postformed

description	type	w	d	h	pattern no.	lam.	V1	V2
30"D - End grommets 		63"	30"	1 3/4"	MW2-R6330E()	\$3,203.	\$4,196.	\$5,960.
		75"	30"	1 3/4"	MW2-R7530E()	3,324.	4,376.	6,129.
		87"	30"	1 3/4"	MW2-R8730E()	3,557.	4,521.	6,420.
30"D - No grommets 		63"	30"	1 3/4"	MW2-R6330B()(L/R)	3,024.	4,030.	5,790.
		75"	30"	1 3/4"	MW2-R7530B()(L/R)	3,149.	4,192.	5,952.
		87"	30"	1 3/4"	MW2-R8730B()(L/R)	3,388.	4,358.	6,245.

Order Code	Specification Information	Application Notes	
Example: MW2-R8730E-117	<i>Grommets/no grommets:</i>		
MW2	Worksurface, 1 3/4" thick		
R	Rounded end		
87	Width		
30	Depth		
E	End grommets		
117	Surface finish		
	B- worksurface does not include grommets.	Rounded end worksurfaces may be used to create fully enclosed desks or open table/desks with support column. For front modesty, use 48"W desk support with 63" rounded end, 60"W desk support with 75" rounded end; 72"W desk support with 87" rounded end.	Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.
	E- rounded end worksurface includes 3" grommet in each straight end corner.		Worksurfaces with end grommets may not be supported by conference end panels.
	R- rounded end worksurface includes 3" grommets recessed for use with 6" recessed desk support.	Use 18"D pedestal or end panel each end with 30"D rounded end with recessed grommets. Rounded end worksurfaces with end grommets are supported by 30"W or 36"W desk support and support column.	Plastic laminate worksurfaces have radiused T-mold edge.
	Specify surface finish.		Rounded end worksurfaces have threaded metal inserts for desk support, end panel each end, and at all bracket locations. End grommet worksurfaces have no pedestal inserts.
	Rounded end worksurfaces with recessed or no grommets are specified left or right to determine position of grommets and pedestal drilling. Rounded end when seated at desk defines L/R hand (Right hand shown above). All worksurfaces are U.L.-listed.		MW2- worksurfaces are supported by brackets with machine screws.
	Recessed grommets align with desk support recessed 6".		

Postformed Worksurfaces, 1 1/4" 18" Deep

Dividends Horizon



description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 18"D 	No grommet	30"	17 5/8"	1 1/4"	MU1-S3018-B-()	\$616.	\$957.	\$1,400.
		36"	17 5/8"	1 1/4"	MU1-S3618-B-()	684.	1,030.	1,507.
		42"	17 5/8"	1 1/4"	MU1-S4218-B-()	715.	1,116.	1,663.
		48"	17 5/8"	1 1/4"	MU1-S4818-B-()	839.	1,233.	1,824.
		54"	17 5/8"	1 1/4"	MU1-S5418-B-()	874.	1,306.	1,941.
		60"	17 5/8"	1 1/4"	MU1-S6018-B-()	914.	1,384.	2,099.
		66"	17 5/8"	1 1/4"	MU1-S6618-B-()	988.	1,541.	2,323.
		72"	17 5/8"	1 1/4"	MU1-S7218-B-()	1,103.	1,726.	2,560.

Order Code	Specification Information	Application Notes
Example: MU1-S4818-B-117	B: Worksurface does not include grommets.	18"D worksurfaces are used interchangeably in desk and panel system applications as shallow main surfaces, extensions, or credenza tops. They may be supported at each end by an 18" end support bracket, 18" cantilever bracket, 18"W conference end panel, 18"D pedestal, or 12"W end panel (MN2-E12) in conjunction with a desk support. 18"D worksurfaces with desk supports do not accept pedestals. All worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens. Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C18 bracket, specified separately. Suspended pedestals may not be used with 1 1/4" worksurfaces.
MU1 Worksurface 1 1/4" thick	Specify surface finish.	
S Worksurface type	1 1/4" worksurfaces are 3-ply, solid core construction with threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations.	
48 Width	All worksurfaces are U.L.-listed.	
18 Depth	MU1- worksurfaces are supported by brackets with machine screws.	
B No grommets		
117 Surface finish		

Postformed Worksurfaces, 1 1/4" 24" Deep

Dividends Horizon



Postformed

description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 24"D 	Grommets	24"	23 5/8"	1 1/4"	MU1-S2424-A-()	\$782.	\$1,248.	\$1,717.
		30"	23 5/8"	1 1/4"	MU1-S3024-A-()	848.	1,283.	1,797.
		36"	23 5/8"	1 1/4"	MU1-S3624-A-()	885.	1,313.	1,831.
		42"	23 5/8"	1 1/4"	MU1-S4224-A-()	1,006.	1,397.	1,980.
		48"	23 5/8"	1 1/4"	MU1-S4824-A-()	1,036.	1,505.	2,220.
		54"	23 5/8"	1 1/4"	MU1-S5424-A-()	1,120.	1,656.	2,374.
		60"	23 5/8"	1 1/4"	MU1-S6024-A-()	1,191.	1,737.	2,490.
		66"	23 5/8"	1 1/4"	MU1-S6624-A-()	1,306.	1,938.	2,763.
		72"	23 5/8"	1 1/4"	MU1-S7224-A-()	1,423.	2,079.	3,035.
		78"	23 5/8"	1 1/4"	MU1-S7824-A-()	1,547.	2,265.	3,245.
		84"	23 5/8"	1 1/4"	MU1-S8424-A-()	1,649.	2,427.	3,484.
		90"	23 5/8"	1 1/4"	MU1-S9024-A-()	1,751.	2,580.	3,716.
		96"	23 5/8"	1 1/4"	MU1-S9624-A-()	1,913.	2,823.	4,067.
Straight, 24"D - No grommets 	No grommets	24"	23 5/8"	1 1/4"	MU1-S2424-B-()	616.	1,079.	1,553.
		30"	23 5/8"	1 1/4"	MU1-S3024-B-()	684.	1,116.	1,632.
		36"	23 5/8"	1 1/4"	MU1-S3624-B-()	715.	1,156.	1,663.
		42"	23 5/8"	1 1/4"	MU1-S4224-B-()	839.	1,233.	1,824.
		48"	23 5/8"	1 1/4"	MU1-S4824-B-()	874.	1,345.	2,056.
		54"	23 5/8"	1 1/4"	MU1-S5424-B-()	952.	1,499.	2,214.
		60"	23 5/8"	1 1/4"	MU1-S6024-B-()	1,029.	1,577.	2,323.
		66"	23 5/8"	1 1/4"	MU1-S6624-B-()	1,140.	1,772.	2,602.
		72"	23 5/8"	1 1/4"	MU1-S7224-B-()	1,259.	1,923.	2,868.
		78"	23 5/8"	1 1/4"	MU1-S7824-B-()	1,368.	2,099.	3,078.
		84"	23 5/8"	1 1/4"	MU1-S8424-B-()	1,479.	2,264.	3,321.
		90"	23 5/8"	1 1/4"	MU1-S9024-B-()	1,582.	2,418.	3,550.
		96"	23 5/8"	1 1/4"	MU1-S9624-B-()	1,741.	2,652.	3,903.

Order Code	Specification Information	Application Notes
Example: MU1-S3024-B-117		
MU1 Worksurface, 1 1/4" thick	<i>Grommets/no grommets:</i>	24"D worksurfaces are used interchangeably as shallow main surfaces, extensions or credenza tops. They can be supported at each end by 24" end support bracket, 24" cantilever bracket, 24"W end panel, 18"D pedestal or end panel in conjunction with desk support.
S Straight worksurface	A- Worksurfaces include 3" grommet in each back corner leading into desk support or wire manager.	
30 Width	B- Worksurface does not include grommets.	
24 Depth	Specify surface finish.	Use 18"D pedestals with 24"D worksurfaces for full wire management capability in desk or panel applications.
B No grommets	1 1/4" worksurfaces are 3-ply, solid core construction with threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations.	
117 Surface finish	Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	
	All worksurfaces are U.L.-listed.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.
	MU1- worksurfaces are supported by brackets with machine screws.	
		Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C18 bracket, specified separately.
		Suspended pedestals may not be used with 1 1/4" worksurfaces.

Postformed Worksurfaces, 1 1/4" 30" Deep

Dividends Horizon



description	type	w	d	h	pattern no.	lam.	V1	V2
Straight, 30"D 	Grommets	30"	29 5/8"	1 1/4"	MU1-S3030-A-()	\$931.	\$1,350.	\$1,947.
		36"	29 5/8"	1 1/4"	MU1-S3630-A-()	1,006.	1,435.	2,067.
		42"	29 5/8"	1 1/4"	MU1-S4230-A-()	1,082.	1,550.	2,220.
		48"	29 5/8"	1 1/4"	MU1-S4830-A-()	1,155.	1,656.	2,374.
		54"	29 5/8"	1 1/4"	MU1-S5430-A-()	1,233.	1,810.	2,569.
		60"	29 5/8"	1 1/4"	MU1-S6030-A-()	1,306.	1,938.	2,763.
		66"	29 5/8"	1 1/4"	MU1-S6630-A-()	1,378.	2,046.	2,994.
		72"	29 5/8"	1 1/4"	MU1-S7230-A-()	1,529.	2,238.	3,224.
		78"	29 5/8"	1 1/4"	MU1-S7830-A-()	1,651.	2,427.	3,552.
		84"	29 5/8"	1 1/4"	MU1-S8430-A-()	1,782.	2,616.	3,838.
		90"	29 5/8"	1 1/4"	MU1-S9030-A-()	1,885.	2,779.	4,089.
		96"	29 5/8"	1 1/4"	MU1-S9630-A-()	2,049.	3,019.	4,444.
Straight, 30"D - no grommets 	No Grommets	30"	29 5/8"	1 1/4"	MU1-S3030-B-()	767.	1,184.	1,786.
		36"	29 5/8"	1 1/4"	MU1-S3630-B-()	839.	1,268.	1,907.
		42"	29 5/8"	1 1/4"	MU1-S4230-B-()	914.	1,384.	2,056.
		48"	29 5/8"	1 1/4"	MU1-S4830-B-()	988.	1,499.	2,214.
		54"	29 5/8"	1 1/4"	MU1-S5430-B-()	1,058.	1,647.	2,412.
		60"	29 5/8"	1 1/4"	MU1-S6030-B-()	1,140.	1,772.	2,602.
		66"	29 5/8"	1 1/4"	MU1-S6630-B-()	1,212.	1,875.	2,832.
		72"	29 5/8"	1 1/4"	MU1-S7230-B-()	1,365.	2,071.	3,060.
		78"	29 5/8"	1 1/4"	MU1-S7830-B-()	1,482.	2,264.	3,388.
		84"	29 5/8"	1 1/4"	MU1-S8430-B-()	1,615.	2,448.	3,672.
		90"	29 5/8"	1 1/4"	MU1-S9030-B-()	1,727.	2,620.	3,925.
		96"	29 5/8"	1 1/4"	MU1-S9630-B-()	1,878.	2,854.	4,284.

Order Code	Specification Information	Application Notes	
Example: MU1-S3030B-117	<i>Grommets/no grommets:</i>	Plastic laminate worksurfaces are post-formed top and bottom, front and back.	30"D worksurfaces are used interchangeably in desk and panel system applications as main surfaces, extensions or credenza tops. They can be supported at each end by 30" end support bracket, 30" cantilever bracket, 30" flat bracket, 30"W end panel, 24"D pedestal or end panel in conjunction with desk support, or 30"D pedestal.
MU1 Worksurface, 1 1/4" thick	A- Worksurfaces include 3" grommet in each back corner leading into desk support or wire manager.		
S Straight worksurface	B- Worksurface does not include grommets.	Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.
30 Width	Specify surface finish.		
30 Depth	1 1/4" worksurfaces are 3-ply, solid core construction with threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations.	Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
B No grommets	Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.		
117 Surface finish	Specify surface finish.	All worksurfaces are U.L.-listed.	MU1- worksurfaces are supported by brackets with machine screws.
	1 1/4" worksurfaces are 3-ply, solid core construction with threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations.		
	Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	All worksurfaces are U.L.-listed.	MU1- worksurfaces are supported by brackets with machine screws.
	All worksurfaces are U.L.-listed.		
	MU1- worksurfaces are supported by brackets with machine screws.	Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.
		Worksurfaces with grommets are bored to accept and are shipped with wire manager clips.	MU1- worksurfaces are supported by brackets with machine screws.

Postformed Worksurfaces, 1 1/4" VDT corners

Dividends Horizon



Postformed

description	type	w	d	h	pattern no.	lam.	V1	V2
Corner 	Corner grommet only	35 5/8"	17 5/8"	1 1/4"	MU1-V3618-A()	\$1,581.	\$2,071.	\$3,044.
		35 5/8"	23 5/8"	1 1/4"	MU1-V3624-A()	1,621.	2,112.	3,083.
		41 5/8"	23 5/8"	1 1/4"	MU1-V4224-A()	1,686.	2,188.	3,238.
		41 5/8"	29 5/8"	1 1/4"	MU1-V4230-A()	1,779.	2,300.	3,394.
		47 5/8"	23 5/8"	1 1/4"	MU1-V4824-A()	1,996.	2,482.	3,801.
		47 5/8"	29 5/8"	1 1/4"	MU1-V4830-A()	2,075.	2,678.	3,995.
Corner - 3 grommets 	3 Grommets	35 5/8"	23 5/8"	1 1/4"	MU1-V3624-C()	1,792.	2,274.	3,249.
		41 5/8"	23 5/8"	1 1/4"	MU1-V4224-C()	1,861.	2,348.	3,401.
		41 5/8"	29 5/8"	1 1/4"	MU1-V4230-C()	1,943.	2,460.	3,554.
		47 5/8"	23 5/8"	1 1/4"	MU1-V4824-C()	2,157.	2,650.	3,973.
		47 5/8"	29 5/8"	1 1/4"	MU1-V4830-C()	2,241.	2,838.	4,165.

Order Code	Specification Information	Application Notes
Example: MU1-V4830-C-117		
MU1 Worksurface, 1 1/4" thick	<i>Grommets/no grommets:</i>	VDT corners may be used interchangeably in desk and panel system applications. They may be supported by VDT end support brackets on each back edge; they may be supported by flat bracket or bridging bracket on each side edge. 36"W x 18"D VDT corners accept 18"D returns, 36", 42", and 48"W x 24"D VDT corners accept 24"D returns, 42" and 48"W x 30"D VDT corners accept 30"D returns.
V VDT corner	A- VDT corner includes 3" grommet in back corner.	
48 Width	C- VDT corner includes 3" grommet in all three back corners.	
30 Depth of return	Specify surface finish. 1 1/4" VDT corners are solid core construction with threaded metal inserts at desk support and all bracket locations. All worksurfaces are U.L.-listed.	
C Three grommets	MU1- worksurfaces are supported by brackets with machine screws.	VDT corners are 3/8" less than nominal depth for rear wire clearance or privacy screens. 48" x 24" VDT corners have an inside radius, T-mold front edge that curves into an optimal 45° straight keyboard location. Corner worksurfaces with equal rear edges have diagonal grain direction.
117 Surface finish		

Postformed Worksurfaces, 1 1/4" split top VDT corners

Dividends Horizon

description	type	w	d	h	pattern no.	lam.	V1	V2
VDT Corner 	Corner grommet only	41 5/8"	23 5/8"	1 1/4"	MU1-V42SS-A()	\$4,287.	\$4,757.	\$5,807.
		47 5/8"	23 5/8"	1 1/4"	MU1-V48SS-A()	4,586.	5,057.	6,375.
		47 5/8"	29 5/8"	1 1/4"	MU1-V48DS-A()	4,670.	5,250.	6,563.
VDT Corner - 3 grommets 	3 Grommets	41 5/8"	23 5/8"	1 1/4"	MU1-V42SS-C()	4,449.	4,919.	5,970.
		47 5/8"	23 5/8"	1 1/4"	MU1-V48SS-C()	4,757.	5,221.	6,535.
		47 5/8"	29 5/8"	1 1/4"	MU1-V48DS-C()	4,836.	5,417.	6,727.

Order Code	Specification Information	Application Notes
Example: MU1-V48SS-A-117	<i>VDT Corner Depth:</i>	Split top worksurfaces include counterbalanced adjustable keyboard/ mouse support with fingertip control. 48"W split-top VDT corners must be supported by VDT-end support kits in conjunction with cantilever brackets at side edges.
MU1 Worksurface, 1 1/4" thick V VDT corner 48 Width S Depth S Split top A Grommet 117 Surface finish	S- 24"D sides D- 30"D sides <i>Grommets/no grommets:</i> A- Grommets in back corners of straight tops, one back corner of VDT C- Grommets in all three back corners of VDT Specify surface finish. 1 1/4" VDT corners are solid core construction with threaded metal inserts at desk support and all bracket locations. All worksurfaces are U.L.-listed. MU1- worksurfaces are supported by brackets with machine screws.	
		Front surface adjusts from 5" below back surface to 7" above, and adjusts in tilt from -10° to +10°. Split top surfaces may be panel supported or desk supported with standard brackets. Specify 18"D cantilever brackets with 23 5/8" split corners, and 24"D cantilever or bridging brackets with 29 5/8" D split corners.


Postformed Worksurfaces, 1 1/4"

Rounded end worksurfaces


Dividends Horizon

Postformed

description	type	w	d	h	pattern no.	lam.	V1	V2
30"D rounded end - No grommets		62 5/8"	30"	1 1/4"	MU1-R6330B() (L/R)	\$2,303.	\$3,271.	\$4,894.
		74 5/8"	30"	1 1/4"	MU1-R7530B() (L/R)	2,381.	3,379.	4,998.



30"D rounded end - End grommets		62 5/8"	30"	1 1/4"	MU1-R6330E()	2,466.	3,435.	5,057.
		74 5/8"	30"	1 1/4"	MU1-R7530E()	2,550.	3,548.	5,172.



Order Code	Specification Information	Application Notes
Example: MU1-R6330E-117		
MU1 Worksurface, 1 1/4" thick	<i>Grommets/no grommets:</i>	End grommets tops have inserts to accept desk support at straight end and no pedestal inserts. Plastic laminate worksurfaces have radiused T mold edge and a flat self-edge in the straight edge.
R Rounded end	E- rounded end worksurface includes 3" grommet in each straight end corner.	
63 Width	R- rounded end worksurface includes 3" grommets recessed for use with 6" recessed desk support.	
30 Depth	B- rounded end worksurface does not include grommets	
E End grommets	Specify surface finish. Rounded end worksurfaces with recessed or no grommets are specified left or right to determine position of grommets and pedestal drilling. Rounded end when seated at desk defines L/R hand (Right hand shown above).	Rounded end worksurfaces are used interchangeably in desk and panel system applications as main surfaces or extensions. They may be supported by 30" end support brackets, 30" cantilever bracket, 30" flat bracket or 30" conference end panel, and by a support column at the rounded end. Use 18"D pedestal or end panel with desk support under rounded end worksurfaces with recessed grommets. Use 48"D desk support with 63" rounded end and 60"W desk support with 75" rounded end. Worksurfaces with end grommets may not be supported by conference end panel. Suspended pedestals may not be used with 1 1/4" worksurfaces.
117 Surface finish	1 1/4" worksurfaces are 3-ply, solid core construction with threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations.	
	MU1- worksurfaces are supported by brackets with machine screws.	
	All worksurfaces are U.L.-listed.	
		Rounded end worksurfaces have threaded metal inserts for desk support, end panel each end, and at all bracket locations. End grommet worksurfaces have no pedestal inserts.

Postformed Worksurfaces, 1 1/4" conference shapes

Dividends Horizon

description	type	w	d	h	pattern no.	lam.	V1	V2
Half round - Standard		30"	48"	1 1/4"	MU1-R3048-B-()	\$1,681.	\$2,403.	\$3,417.
								
Half round - With vertical panel		50 3/8"	48"	1 1/4"	MU1-R3050-B-()	1,868.	2,636.	3,765.
								



Order Code	Specification Information	Application Notes
Example: MU1-R3050B-117	<i>Grommets/no grommets:</i>	Half-round and extended half-round are used with back-to-back 24"D straight or VDT corner worksurfaces. Half round with vertical panel attaches to 24"D straight or VDT corner worksurfaces supported by vertical panel.
MU1 Worksurface, 1 1/4" thick	B- worksurface does not include grommets.	
R Rounded end	Specify surface finish.	Conference worksurfaces must be supported by support column and flat bracket or bridging bracket to adjacent worksurface.
30 Width	1 1/4" worksurfaces are 3-ply, solid core construction with threaded metal inserts at all end panel, desk support and bracket locations and pilot holes at pedestal locations.	
50 Depth	MU1- worksurfaces are supported by brackets with machine screws.	
B No grommet	Plastic laminate worksurfaces have radiused T mold edge.	
117 Surface finish	All worksurfaces are U.L.-listed.	

Postformed Worksurfaces, 1 1/4"

P-shape curvilinear

Dividends Horizon

Postformed





description	type	w	d	h	pattern no.	lam.	V1	V2
 Rounded end left	24" D return	48"	72"	1 1/4"	MU1-P72SA()L	\$4,293.	\$5,515.	\$7,728.
	30" D return	48"	78"	1 1/4"	MU1-P78DA()L	4,473.	5,756.	8,059.
 Rounded end right	24" D return	48"	72"	1 1/4"	MU1-P72SA()R	4,293.	5,515.	7,728.
	30" D return	48"	78"	1 1/4"	MU1-P78DA()R	4,473.	5,756.	8,059.

Order Code	Specification Information	Application Notes
Example: MU1-P72SA-117L	S- 24"D side edge D- 30"D side edge	P-shape curvilinear worksurfaces may be used interchangeably in desk and panel system applications. They may be supported by a 48" VDT support bracket kit, or 48" desk support and 6" end panel, in conjunction with rounded end support column. Use flat bracket or bridging bracket to join to adjacent 1 1/4" worksurface. P-shape laminate surfaces have continuous T-mold edge in profile to match adjacent 1 1/4" worksurfaces.
MU1 Worksurface, 1 1/4"		
P P-shape curvilinear	Specify surface finish.	
72 Overall length	1 1/4" curvilinear surfaces are solid core construction with threaded metal inserts at desk support and all bracket locations.	
S Depth of return	MU1- worksurfaces are supported by brackets with machine screws.	
A Grommets	All worksurfaces are U.L.-listed.	
117 Surface finish	All P-shape worksurfaces have 2 grommets at 48" end for use with 48" desk and overhead supports.	
L Rounded end left		

Postformed Worksurfaces, 1 1/4"

L-shape curvilinear


Dividends Horizon

description	type	w	d	h	pattern no.	lam.	V1	V2
24" D returns left and right 	3 grommet	42"	42"	1 1/4"	MU1-C4242SS()	\$1,966.	\$2,532.	\$3,545.
		48"	48"	1 1/4"	MU1-C4848SS()	2,141.	2,763.	3,857.
		48"	60"	1 1/4"	MU1-C4860SS()	2,434.	3,128.	4,386.
		48"	72"	1 1/4"	MU1-C4872SS()	2,790.	3,599.	5,049.
		60"	48"	1 1/4"	MU1-C6048SS()	2,434.	3,128.	4,386.
		72"	48"	1 1/4"	MU1-C7248SS()	2,790.	3,599.	5,049.
24" D return left, 30" D right 	3 grommet	48"	48"	1 1/4"	MU1-C4848SD()	2,141.	2,763.	3,857.
		48"	60"	1 1/4"	MU1-C4860SD()	2,434.	3,128.	4,386.
		48"	72"	1 1/4"	MU1-C4872SD()	2,790.	3,599.	5,049.
		60"	48"	1 1/4"	MU1-C6048SD()	2,434.	3,128.	4,386.
		72"	48"	1 1/4"	MU1-C7248SD()	2,790.	3,599.	5,049.
30" D return left, 24" D right 	3 grommet	48"	48"	1 1/4"	MU1-C4848DS()	2,141.	2,763.	3,857.
		48"	60"	1 1/4"	MU1-C4860DS()	2,434.	3,128.	4,386.
		48"	72"	1 1/4"	MU1-C4872DS()	2,790.	3,599.	5,049.
		60"	48"	1 1/4"	MU1-C6048DS()	2,434.	3,128.	4,386.
		72"	48"	1 1/4"	MU1-C7248DS()	2,790.	3,599.	5,049.
30" D returns left and right 	3 grommet	48"	48"	1 1/4"	MU1-C4848DD()	2,141.	2,763.	3,857.

Order Code	Specification Information	Application Notes
Example: MU1-C4860SD-117 MU1 Worksurface, 1 1/4" C L-shape curvilinear 48 Width left 60 Width right S Depth of left return D Depth of right return 117 Surface finish	Width dimension (W) refers to width of left-side back edge; depth dimension (D) indicates width of right-side back edge. S- 24"D side edge D- 30"D side edge Specify surface finish. 1 1/4" curvilinear surfaces are solid core construction with threaded metal inserts at desk support and all bracket locations. MU1- worksurfaces are supported by brackets with machine screws. All worksurfaces are U.L.-listed. All L-shape curvilinear worksurfaces have three grommets. Corner worksurfaces with equal rear edges have diagonal grain direction.	L-shape curvilinear worksurfaces may be used interchangeably in desk and panel system applications. They may be supported by corner desk supports or by VDT end support bracket kit. Use cantilever bridging brackets or flat brackets to join to adjacent worksurfaces. L-shape surfaces may also be supported by MN1- end panel in conjunction with desk support, or cantilever bracket in panel planning. L-shape surfaces are veneer or post-formed plastic laminate on both back edges, matching profile T-mold on curvilinear front, and self-edge on sides. Curvilinear worksurfaces are available only in 1 1/4" thickness. L-shape surfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens. If specifying privacy screens on both back edges, one or both must be 48" back-of-VDT type.

120° corners

90° return


description	w	return	h	pattern no.	lam.	V1	V2
90° return	36"	24"	1 1/4"	MU1-Y36S-AL-()()	\$1,478.	\$2,070.	\$2,517.
Left hand - grommet	42"	24"	1 1/4"	MU1-Y42S-AL-()()	1,556.	2,506.	3,310.
	48"	24"	1 1/4"	MU1-Y48S-AL-()()	1,733.	2,760.	4,145.
	60"	24"	1 1/4"	MU1-Y60S-AL-()()	2,106.	n/a	n/a
90° return	36"	24"	1 1/4"	MU1-Y36S-AR-()()	1,478.	2,070.	2,517.
Right hand - grommet	42"	24"	1 1/4"	MU1-Y42S-AR-()()	1,556.	2,506.	3,310.
	48"	24"	1 1/4"	MU1-Y48S-AR-()()	1,733.	2,760.	4,145.
	60"	24"	1 1/4"	MU1-Y60S-AR-()()	2,106.	n/a	n/a
Transitional	24"		1 1/4"	MU1-YTS-()()	1,173.	1,541.	1,999.
							

Order Code	Specification Information	Application Notes	
Example: MU1-Y48S-A-R-L-117	Width dimension (w) refers to width of both back edges.	Worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.	Use cantilever bridging brackets to join to adjacent worksurface or to transitional 120° worksurface.
MU1	Worksurface, 1 1/4" thick		
Y	120° corner, 90° returns		
48	Width	120° worksurfaces with 90° returns are used mainly in panel system applications. They can be supported at each end with 24" end support brackets, 24" cantilever bracket, 24"W end panel, 18"D and 24"D pedestal or end panel in conjunction with desk supports.	Transitional worksurfaces connect two 120° corner tops with 90° returns.
S	24"D return		
A	Grommets		
R	Right hand		
L	Laminate		Corner worksurfaces have diagonal grain direction.
117	Surface finish	120° corner is supported by a standard (90°) 24"D cantilever bracket.	


120° corners

Meeting Corners

description	w	return	h	pattern no.	lam.
Meeting corner Left hand - grommet	48"	24"	1 1/4"	MU1-M48S-AL-()()	\$1,786.



Meeting corner Right hand - grommet	48"	24"	1 1/4"	MU1-M48S-AR-()()	1,786.
--	-----	-----	--------	-------------------------	--------





Order Code	Specification Information	Application Notes
Example: MU1-M48S-A-L-L-117		
MU1	Worksurface, 1 1/4" thick	Worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.
M	Meeting corner	120° meeting worksurfaces are used mainly in panel system applications. Support at the rounded meeting end with a support column, specified separately. They can be supported at the other end by 24" end support brackets, 24" cantilever bracket, 24"W end panel, 18"D and 24"D pedestal or end panel in conjunction with desk supports. Network straight desk support may be used under the 48W back edge.
48	Width	120° corner is supported by 24"D cantilever bracket.
S	24"D return	Use 24"D cantilever bridging brackets to join to adjacent worksurfaces.
A	Grommets	
L	Left hand	
L	Laminate	
117	Surface finish	
	Width dimension (w) refers to width of smaller back edge. Total width of back edge with rounded meeting area is 62 1/2". Specify surface finish. 1 1/4" worksurfaces are solid core construction with threaded metal inserts at desk supports and all standard bracket locations. MU1- worksurfaces are supported by brackets with machine screws. Grommets/no grommets: A- worksurface includes 2 grommets in 2 back corners. B- worksurface does not include grommets.	

Postformed Options worksurfaces 1 1/4" 18" Deep

Dividends Horizon

Postformed



description	w	d	h	pattern no.	lam.	V1	V2
Straight, 18"D - Grommet 	30"	17 5/8"	1 1/4"	LU1-S3018-A-()	\$502.	\$839.	\$1,256.
	36"	17 5/8"	1 1/4"	LU1-S3618-A-()	528.	870.	1,328.
	42"	17 5/8"	1 1/4"	LU1-S4218-A-()	595.	977.	1,502.
	48"	17 5/8"	1 1/4"	LU1-S4818-A-()	659.	1,030.	1,597.
	54"	17 5/8"	1 1/4"	LU1-S5418-A-()	718.	1,137.	1,737.
	60"	17 5/8"	1 1/4"	LU1-S6018-A-()	789.	1,239.	1,917.
	66"	17 5/8"	1 1/4"	LU1-S6618-A-()	848.	1,367.	2,124.
	72"	17 5/8"	1 1/4"	LU1-S7218-A-()	911.	1,505.	2,300.
	78"	17 5/8"	1 1/4"	LU1-S7818-A-()	975.	1,581.	2,424.
	84"	17 5/8"	1 1/4"	LU1-S8418-A-()	1,036.	1,660.	2,544.
	90"	17 5/8"	1 1/4"	LU1-S9018-A-()	1,101.	1,772.	2,711.
	96"	17 5/8"	1 1/4"	LU1-S9618-A-()	1,164.	1,868.	2,862.
	108"	17 5/8"	1 1/4"	LU1-S10818-A-()	1,260.	1,999.	3,062.
	120"	17 5/8"	1 1/4"	LU1-S12018-A-()	1,378.	2,156.	3,321.

Straight, 18"D - No Grommet 	30"	17 5/8"	1 1/4"	LU1-S3018-B-()	438.	780.	1,185.
	36"	17 5/8"	1 1/4"	LU1-S3618-B-()	473.	810.	1,260.
	42"	17 5/8"	1 1/4"	LU1-S4218-B-()	528.	911.	1,437.
	48"	17 5/8"	1 1/4"	LU1-S4818-B-()	596.	977.	1,541.
	54"	17 5/8"	1 1/4"	LU1-S5418-B-()	659.	1,079.	1,677.
	60"	17 5/8"	1 1/4"	LU1-S6018-B-()	719.	1,177.	1,851.
	66"	17 5/8"	1 1/4"	LU1-S6618-B-()	789.	1,307.	2,058.
	72"	17 5/8"	1 1/4"	LU1-S7218-B-()	848.	1,440.	2,238.
	78"	17 5/8"	1 1/4"	LU1-S7818-B-()	912.	1,525.	2,356.
	84"	17 5/8"	1 1/4"	LU1-S8418-B-()	975.	1,599.	2,482.
	90"	17 5/8"	1 1/4"	LU1-S9018-B-()	1,041.	1,712.	2,647.
	96"	17 5/8"	1 1/4"	LU1-S9618-B-()	1,101.	1,807.	2,808.
	108"	17 5/8"	1 1/4"	LU1-S10818-B-()	1,198.	1,941.	3,001.
	120"	17 5/8"	1 1/4"	LU1-S12018-B-()	1,324.	2,103.	3,258.

Order Code	Specification Information	Application Notes
Example: LU1-S4818-B-117	<i>Grommet/no grommet:</i>	18"D worksurfaces are used in panel system applications as shallow main surfaces, extensions or credenza tops. They may be supported at each end by an 18" end support bracket, 18" cantilever bracket, 18"W desk end panel or 18"D pedestal.
LU1 Worksurface, 1 1/4" thick	A- worksurface includes one edge grommet	
S Straight worksurface	B- worksurface does not include grommet	Options worksurfaces cannot be used in conjunction with Network desk supports.
48 Width		
18 Depth		All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance.
B No grommet		
117 Surface finish		Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C18 bracket, specified separately.
	Specify surface finish.	Panel-supported 1 1/4" worksurfaces over 96" must be pedestal or MB2-C24 cantilever bracket supported every 48".
	1 1/4" Options worksurfaces are 3-ply, solid core construction with pilot holes at all pedestal, end panel, and bracket locations.	Suspended pedestals may not be used with 1 1/4" worksurfaces.
	Edge grommets are centered at rear of worksurface.	
	LU1- worksurfaces are supported by brackets with wood screws.	

Postformed Options worksurfaces 1 1/4" 24" Deep

Dividends Horizon



description	w	d	h	pattern no.	lam.	V1	V2
Straight, 24"D - Grommet 	24"	23 3/8"	1 1/4"	LU1-S2424-A-()	\$565.	\$1,010.	\$1,454.
	30"	23 3/8"	1 1/4"	LU1-S3024-A-()	595.	1,042.	1,499.
	36"	23 3/8"	1 1/4"	LU1-S3624-A-()	632.	1,084.	1,528.
	42"	23 3/8"	1 1/4"	LU1-S4224-A-()	691.	1,117.	1,632.
	48"	23 3/8"	1 1/4"	LU1-S4824-A-()	757.	1,202.	1,846.
	54"	23 3/8"	1 1/4"	LU1-S5424-A-()	819.	1,337.	2,018.
	60"	23 3/8"	1 1/4"	LU1-S6024-A-()	884.	1,405.	2,119.
	66"	23 3/8"	1 1/4"	LU1-S6624-A-()	947.	1,548.	2,333.
	72"	23 3/8"	1 1/4"	LU1-S7224-A-()	1,010.	1,642.	2,548.
	78"	23 3/8"	1 1/4"	LU1-S7824-A-()	1,066.	1,688.	2,654.
	84"	23 3/8"	1 1/4"	LU1-S8424-A-()	1,136.	1,839.	2,799.
	90"	23 3/8"	1 1/4"	LU1-S9024-A-()	1,192.	1,959.	2,980.
	96"	23 3/8"	1 1/4"	LU1-S9624-A-()	1,260.	2,069.	3,145.
	108"	23 3/8"	1 1/4"	LU1-S10824-A-()	1,378.	2,197.	3,367.
	120"	23 3/8"	1 1/4"	LU1-S12024-A-()	1,512.	2,400.	3,645.
Straight, 24"D - No Grommet 	24"	23 3/8"	1 1/4"	LU1-S2424-B-()	502.	943.	1,405.
	30"	23 3/8"	1 1/4"	LU1-S3024-B-()	528.	984.	1,435.
	36"	23 3/8"	1 1/4"	LU1-S3624-B-()	569.	1,019.	1,465.
	42"	23 3/8"	1 1/4"	LU1-S4224-B-()	632.	1,054.	1,567.
	48"	23 3/8"	1 1/4"	LU1-S4824-B-()	691.	1,139.	1,786.
	54"	23 3/8"	1 1/4"	LU1-S5424-B-()	758.	1,279.	1,955.
	60"	23 3/8"	1 1/4"	LU1-S6024-B-()	819.	1,341.	2,054.
	66"	23 3/8"	1 1/4"	LU1-S6624-B-()	885.	1,481.	2,272.
	72"	23 3/8"	1 1/4"	LU1-S7224-B-()	947.	1,580.	2,489.
	78"	23 3/8"	1 1/4"	LU1-S7824-B-()	1,010.	1,630.	2,595.
	84"	23 3/8"	1 1/4"	LU1-S8424-B-()	1,069.	1,777.	2,737.
	90"	23 3/8"	1 1/4"	LU1-S9024-B-()	1,136.	1,906.	2,916.
	96"	23 3/8"	1 1/4"	LU1-S9624-B-()	1,198.	2,003.	3,084.
	108"	23 3/8"	1 1/4"	LU1-S10824-B-()	1,324.	2,135.	3,306.
	120"	23 3/8"	1 1/4"	LU1-S12024-B-()	1,445.	2,336.	3,582.

Order Code	Specification Information	Application Notes
Example: LU1-S3024-B-117	<i>Grommet/no grommet:</i>	Options worksurfaces cannot be used in conjunction with Network desk supports.
LU1 Worksurface, 1 1/4" thick	A- worksurface includes one edge grommet	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance.
S Straight worksurface	B- worksurface does not include grommet	
30 Width	Specify surface finish.	Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C18 bracket, specified separately.
24 Depth		
B No grommet	1 1/4" Options worksurfaces are 3-ply, solid core construction with pilot holes at all pedestal, end panel, and bracket locations.	Panel-supported 1 1/4" worksurfaces over 96" must be pedestal or MB2-C24 cantilever bracket supported every 48".
117 Surface finish		
	Edge grommets are centered at rear of worksurface.	Suspended pedestals may not be used with 1 1/4" worksurfaces.
	LU1- worksurfaces are supported by brackets with wood screws.	

Postformed Options worksurfaces 1 1/4" 30" Deep

Dividends Horizon

Postformed





description	w	d	h	pattern no.	lam.	V1	V2
Straight, 30"D - Grommet 	30"	29 5/8"	1 1/4"	LU1-S3030-A-()	\$659.	\$1,056.	\$1,633.
	36"	29 5/8"	1 1/4"	LU1-S3630-A-()	718.	1,136.	1,733.
	42"	29 5/8"	1 1/4"	LU1-S4230-A-()	789.	1,239.	1,870.
	48"	29 5/8"	1 1/4"	LU1-S4830-A-()	848.	1,336.	2,011.
	54"	29 5/8"	1 1/4"	LU1-S5430-A-()	911.	1,473.	2,189.
	60"	29 5/8"	1 1/4"	LU1-S6030-A-()	975.	1,577.	2,360.
	66"	29 5/8"	1 1/4"	LU1-S6630-A-()	1,036.	1,667.	2,574.
	72"	29 5/8"	1 1/4"	LU1-S7230-A-()	1,136.	1,802.	2,741.
	78"	29 5/8"	1 1/4"	LU1-S7830-A-()	1,192.	1,882.	2,882.
	84"	29 5/8"	1 1/4"	LU1-S8430-A-()	1,260.	1,988.	3,039.
	90"	29 5/8"	1 1/4"	LU1-S9030-A-()	1,324.	2,091.	3,172.
	96"	29 5/8"	1 1/4"	LU1-S9630-A-()	1,378.	2,197.	3,339.
Straight, 30"D - No grommet 	30"	29 5/8"	1 1/4"	LU1-S3030-B-()	596.	1,008.	1,570.
	36"	29 5/8"	1 1/4"	LU1-S3630-B-()	659.	1,077.	1,672.
	42"	29 5/8"	1 1/4"	LU1-S4230-B-()	719.	1,177.	1,810.
	48"	29 5/8"	1 1/4"	LU1-S4830-B-()	789.	1,274.	1,950.
	54"	29 5/8"	1 1/4"	LU1-S5430-B-()	848.	1,413.	2,126.
	60"	29 5/8"	1 1/4"	LU1-S6030-B-()	912.	1,512.	2,303.
	66"	29 5/8"	1 1/4"	LU1-S6630-B-()	975.	1,608.	2,513.
	72"	29 5/8"	1 1/4"	LU1-S7230-B-()	1,069.	1,738.	2,687.
	78"	29 5/8"	1 1/4"	LU1-S7830-B-()	1,136.	1,830.	2,827.
	84"	29 5/8"	1 1/4"	LU1-S8430-B-()	1,198.	1,927.	2,982.
	90"	29 5/8"	1 1/4"	LU1-S9030-B-()	1,260.	2,030.	3,115.
	96"	29 5/8"	1 1/4"	LU1-S9630-B-()	1,324.	2,135.	3,278.

Order Code	Specification Information	Application Notes
Example: LU1-S3030B-117	<i>Grommets/no grommets:</i>	30"D worksurfaces are used in panel system applications as main surfaces, extensions or credenza tops. They can be supported at each end by 30" end support bracket, 30" cantilever bracket or 30"W end panel.
LU1 Worksurface, 1 1/4" thick	A- worksurface includes one edge grommet	
S Straight worksurface	B- worksurface does not include grommets	Options worksurfaces cannot be used in conjunction with Network desk supports.
30 Width		
30 Depth	Specify surface finish.	All straight worksurfaces are 3/8" less than nominal depth for rear wire clearance.
B No grommets	1 1/4" Options worksurfaces are 3-ply, solid core construction with pilot holes at all pedestal, end panel, and bracket locations.	
117 Surface finish	Edge grommets are centered at rear of worksurface.	Panel-supported 1 1/4" worksurfaces over 48" must be mid-span supported by MB2-C24 bracket, specified separately.
	LU1- worksurfaces are supported by brackets with wood screws.	
		Suspended pedestals may not be used with 1 1/4" worksurfaces.

Postformed Options worksurfaces 1 1/4"

Trapezoidal

Dividends Horizon

description	w	d	h	pattern no.	lam.	V1	V2
Right hand - grommet 	48"	30"/24"	1 1/4"	LU1-T48A-R-()	\$1,066.	\$1,521.	\$2,125.
	54"	30"/24"	1 1/4"	LU1-T54A-R-()	1,356.	1,928.	2,700.
	60"	30"/24"	1 1/4"	LU1-T60A-R-()	1,644.	2,340.	3,278.
	72"	30"/24"	1 1/4"	LU1-T72A-R-()	1,938.	2,752.	3,847.
Left hand - grommet 	48"	30"/24"	1 1/4"	LU1-T48A-L-()	1,066.	1,521.	2,125.
	54"	30"/24"	1 1/4"	LU1-T54A-L-()	1,356.	1,928.	2,700.
	60"	30"/24"	1 1/4"	LU1-T60A-L-()	1,644.	2,340.	3,278.
	72"	24"/30"	1 1/4"	LU1-T72A-L-()	1,938.	2,752.	3,847.
Right hand - no grommet 	48"	30"/24"	1 1/4"	LU1-T48B-R-()	1,011.	1,437.	2,003.
	54"	30"/24"	1 1/4"	LU1-T54B-R-()	1,295.	1,846.	2,586.
	60"	30"/24"	1 1/4"	LU1-T60B-R-()	1,582.	2,264.	3,152.
	72"	30"/24"	1 1/4"	LU1-T72B-R-()	1,872.	2,662.	3,732.
Left hand - no grommet 	48"	30"/24"	1 1/4"	LU1-T48B-L-()	1,011.	1,437.	2,003.
	54"	30"/24"	1 1/4"	LU1-T54B-L-()	1,295.	1,846.	2,586.
	60"	30"/24"	1 1/4"	LU1-T60B-L-()	1,582.	2,264.	3,152.
	72"	30"/24"	1 1/4"	LU1-T72B-L-()	1,872.	2,662.	3,732.


Order Code	Specification Information	Application Notes
Example: LU1-T48B-R-117	<i>Grommets/ no grommets</i>	1 1/4" Options worksurfaces are 3- ply solid core construction with pilot holes at all pedestal, end panel and bracket locations.
LU1 Worksurface, 1 1/4" thick	A- worksurface includes one edge grommet	LU1- worksurfaces are supported by brackets with wood screws.
T Trapezoidal	B- worksurface does not include grommets	
48 Width	Specify surface finish.	Trapezoidal worksurfaces must be supported at each end by a pedestal, cantilever or cantilever bridging bracket with a maximum span of 48" between supports. Panel-supported worksurfaces over 48" must be mid-span supported by MB2-C18 brackets, specified separately.
B No grommets	Edge grommets are centered at rear of worksurface. Right-and-Left and are defined by applying trapezoidal tops as returns from rectilinear worksurfaces.	
R Right hand	R- Right hand	Options worksurfaces cannot be used in conjunction with Network desk supports.
117 Surface finish	30" D Left, 24" D Right edge	
	L- Left hand	All worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.
	24" D Left, 30" D Right edge	

Postformed Options worksurfaces 1 1/4"

VDT corners and split-top surfaces

Dividends Horizon

Postformed





description	type	w	d	h	pattern no.	lam.	V1	V2
Corner 	Corner grommet only	36"	17 5/8"	1 1/4"	LU1-V3618-A()	\$1,198.	\$1,667.	\$2,594.
		36"	23 5/8"	1 1/4"	LU1-V3624-A()	1,226.	1,696.	2,622.
		42"	23 5/8"	1 1/4"	LU1-V4230-A()	1,290.	1,766.	2,765.
		42"	29 5/8"	1 1/4"	LU1-V4224-A()	1,356.	1,861.	2,896.
		48"	23 5/8"	1 1/4"	LU1-V4824-A()	1,520.	1,978.	3,238.
		48"	29 5/8"	1 1/4"	LU1-V4830-A()	1,577.	2,147.	3,407.

Order Code	Specification Information	Application Notes
Example: LU1-V4830-A-117	<i>Grommet/no grommet:</i>	VDT corners and split top straight surfaces are used in panel system applications. Options VDT corners may be supported by left or right hand 24" cantilever brackets at the rear corner, and cantilever bridging bracket on each side edge (see page 0).
LU1 Worksurface, 1 1/4" thick	A- VDT corner includes one edge grommet in back corner. Straight split top has one center back edge grommet.	36"W x 18"D VDT corners accept 18"D returns, 36", 42", and 48"W x 24"D VDT corners accept 24"D returns, 42" and 48"W x 30"D VDT corners accept 30"D returns.
V VDT corner		VDT corners are 3/8" less than nominal depth for rear wire clearance.
48 Width		Split top corners have counterbalanced adjustable keyboard/mouse surface with fingertip control. Front surface adjusts from 5" below to 7" above back surface, and adjusts in tilt from -10° to +10°.
30 Depth of return		Corner worksurfaces with equal rear edges have diagonal grain direction.
A Corner grommet		
117 Specify finish		
	Specify surface finish.	
	1 1/4" Options worksurfaces are solid core construction with pilot holes at all bracket locations.	Options straight split top should be supported by 18"D cantilever bracket.
	LU1- worksurfaces are supported by brackets with wood screws.	48"W split-top corners must be supported by VDT- end support brackets kits in conjunction with cantilever brackets at side edges.

Postformed Options worksurfaces 1 1/4"

L-shape curvilinear

Dividends Horizon

description	type	w	d	h	pattern no.	lam.	V1	V2
	2 grommet	48"	60"	1 1/4"	LU1-C4872SS()	\$2,128.	\$2,900.	\$4,272.
		48"	72"	1 1/4"	LU1-C4860SS()	1,851.	2,517.	3,716.
		60"	48"	1 1/4"	LU1-C7248SS()	2,128.	2,900.	4,272.
		72"	48"	1 1/4"	LU1-C6048SS()	1,851.	2,517.	3,716.
	Corner grommet	42"	42"	1 1/4"	LU1-C4242SS()	1,498.	2,044.	3,000.
		48"	48"	1 1/4"	LU1-C4848SS()	1,633.	2,224.	3,271.
	Corner grommet	48"	48"	1 1/4"	LU1-C4848SD()	1,633.	2,224.	3,271.
	2 grommets	48"	60"	1 1/4"	LU1-C4860SD()	1,851.	2,517.	3,716.
		48"	72"	1 1/4"	LU1-C4872SD()	2,128.	2,900.	4,272.
		60"	48"	1 1/4"	LU1-C6048SD()	1,851.	2,517.	3,716.
		72"	48"	1 1/4"	LU1-C7248SD()	2,128.	2,900.	4,272.
	Corner grommet	48"	48"	1 1/4"	LU1-C4848DD()	1,633.	2,224.	3,271.
	2 grommets	48"	60"	1 1/4"	LU1-C4860DS()	1,851.	2,517.	3,716.
		48"	72"	1 1/4"	LU1-C4872DS()	2,128.	2,900.	4,272.
		60"	48"	1 1/4"	LU1-C6048DS()	1,851.	2,517.	3,716.
		72"	48"	1 1/4"	LU1-C7248DS()	2,128.	2,900.	4,272.
	Corner grommet	48"	48"	1 1/4"	LU1-C4848DS()	1,633.	2,224.	3,271.


Order Code	Specification Information	Application Notes
Example: LU1-C4860SD-117		
LU1 Options worksurface, 1 1/4"	Width dimension (W) refers to width of left-side back edge; depth dimension (D) indicates width of right-side back edge.	L-shape worksurfaces have grain direction along the longer back edge.
C L-shape curvilinear	S- 24"D side edge D- 30"D side edge	Options L-shaped curvilinear worksurfaces may be supported by left- or right-hand cantilever brackets at the rear corner and cantilever bridging bracket on each side edge. Use mid-span support whenever Options worksurfaces span more than 48".
48 Width left	Specify surface finish.	
60 Width right	1 1/4" curvilinear surfaces are solid core construction with pilot holes at all bracket locations.	L-shape surfaces are veneer or post-formed plastic laminate on both back edges, matching profile T-mold on curvilinear front, and self-edge on sides.
S Depth of left return	LU1- worksurfaces are supported by brackets with wood screws.	Curvilinear worksurfaces are available only in 1 1/4" thickness.
D Depth of right return	Corner worksurfaces with equal rear edges have diagonal grain direction.	L-shape surfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.
117 Surface finish		

Postformed Options worksurfaces 1 1/4"

Rounded end and conference shapes

Dividends Horizon

Postformed





description	type	w	d	h	pattern no.	lam.	V1	V2
Half round 	With vertical panel	30"	50 3/8"	1 1/4"	LU1-R3050-B- ()	\$1,288.	\$1,966.	\$2,936.
30"D rounded end 	No grommets	62 5/8"	30"	1 1/4"	LU1-R6330B() (L/R)	1,751.	2,666.	4,245.
		74 5/8"	30"	1 1/4"	LU1-R7530B() (L/R)	1,814.	2,766.	4,313.

Order Code	Specification Information	Application Notes
Example: LU1-R6330B-117-L	<i>Grommets/no grommets:</i>	
LU1 Options worksurface, 1 1/4" thick	B- worksurface does not include grommets.	Rounded end worksurfaces may be supported by 30" end support brackets, 30" flat bracket or 30" conference end panel, and by a support column at the rounded end.
R Rounded end	Specify surface finish.	Suspended pedestals may not be used with 1 1/4" worksurfaces. Conference worksurfaces must be supported by support column and flat bracket or bridging bracket to adjacent desk.
63 Width	1 1/4" worksurfaces are 3-ply, solid core construction. Plastic laminate worksurfaces have radiused T mold edge.	Half round with vertical panel attaches to 24"D straight or VDT corner worksurfaces supported by vertical panel.
30 Depth	Rounded end worksurfaces have a flat self-edge in the straight end.	
B No grommets	LU1- worksurfaces are supported by brackets with wood screws.	
117 Surface finish		
L Left hand		

Postformed Options worksurfaces 1 1/4"

Wave-end surfaces



Dividends Horizon

description	w	d	h	pattern no.	lam.
Left wave-end - Grommet 	36"	29 5/8"	1 1/4"	LU1-W36AL ()	\$1,541.
	42"	29 5/8"	1 1/4"	LU1-W42AL ()	1,633.
	48"	29 5/8"	1 1/4"	LU1-W48AL ()	1,730.
Left wave-end - No grommets 	36"	29 5/8"	1 1/4"	LU1-W36BL ()	1,512.
	42"	29 5/8"	1 1/4"	LU1-W42BL ()	1,601.
	48"	29 5/8"	1 1/4"	LU1-W48BL ()	1,702.
Right wave-end - Grommet 	36"	29 5/8"	1 1/4"	LU1-W36AR ()	1,541.
	42"	29 5/8"	1 1/4"	LU1-W42AR ()	1,633.
	48"	29 5/8"	1 1/4"	LU1-W48AR ()	1,730.
Right wave-end - No grommets 	36"	29 5/8"	1 1/4"	LU1-W36BR ()	1,512.
	42"	29 5/8"	1 1/4"	LU1-W42BR ()	1,601.
	48"	29 5/8"	1 1/4"	LU1-W48BR ()	1,702.

Order Code	Specification Information	Application Notes
Example: LU1-W48AL-117		
LU1 Options worksurface, 1 1/4"	1 1/4" curvilinear surfaces are solid core construction with pilot holes at bracket and pedestal locations.	Options wave-end curvilinear worksurfaces are for panel planning only and cannot be used in conjunction with Network desk supports.
W Wave-end curvilinear		
48 Width	LU1- worksurfaces are supported by brackets with wood screws.	Use cantilever bridging bracket to join to adjacent 1 1/4" worksurface.
A With grommets	Grommets/no grommets:	Wave-end surfaces are post-formed on back edge, matching profile T-mold on curvilinear front, and self-edge on sides.
L Left	A- Worksurface includes one edge grommet	Wave-end surfaces are available only in plastic laminate, 1 1/4" thickness.
117 Surface finish	B- Worksurface does not include grommets	Wave-end surfaces are nominal 30"D at left or right, and align with 24"D surface at the other end.
	Specify surface finish.	
	Edge grommets are centered at rear of worksurface.	

120° corners

90° return

description	w	return	h	pattern no.	lam.	V1	V2
90° return 	36"	24"	1 1/4"	LU1-Y36S-B() ()	\$1,386.	\$1,955.	\$2,371.
	42"	24"	1 1/4"	LU1-Y42S-B() ()	1,465.	2,371.	3,127.
	48"	24"	1 1/4"	LU1-Y48S-B() ()	1,623.	2,602.	3,919.
	60"	24"	1 1/4"	LU1-Y60S-B() ()	1,981.	n/a	n/a
Diamond 	36"	24"	1 1/4"	LU1-D36S-B() ()	1,368.	1,977.	2,440.
	42"	24"	1 1/4"	LU1-D42S-B() ()	1,523.	2,416.	3,257.
	48"	24"	1 1/4"	LU1-D48S-B() ()	1,667.	2,704.	4,102.
Transitional 	24"	24"	1 1/4"	LU1-YTS-() ()	1,066.	1,400.	1,815.

Order Code	Specification Information	Application Notes
Example: LU1-Y48S-B-L-L-117 LU1 Options worksurface, 1 1/4" thick Y 120° corner, 90° returns 48 Width S 24"D return B No Grommets L Left hand L Laminate 117 Surface finish	Width dimensions (w) refers to width of both back edges. Specify surface finish. 1 1/4" Options worksurfaces are solid core construction with pilot holes at standard support locations. 120° Options worksurfaces are available without grommets only. LU1- worksurfaces are supported by brackets with wood screws.	Worksurfaces are 3/8" less than nominal depth for rear wire clearance. 120° Postformed Options worksurfaces with 90° returns are used in panel system applications only. They can be supported at each end by 24" end support brackets, 24" cantilever bracket or 18"D and 24"D pedestals. 120° corner is supported by a standard (90°) 24"D cantilever bracket. Use cantilever bridging brackets to join to adjacent worksurfaces or to transitional 120° worksurfaces. Use mid-span support whenever Options worksurfaces span more than 48". Transitional worksurfaces connect two 120° corner tops with 90° returns.
		120° Postformed Options worksurfaces with 120° returns are used in panel system applications only. They can be supported at each return end by 24" end support brackets, 24" cantilever bracket or 18"D and 24"D pedestals. 120° corner is supported by standard (90°) 24"D cantilever bracket. Order brackets with wood screws for Postformed Options worksurfaces. Corner worksurfaces have diagonal grain direction.


Postformed Options worksurfaces 1 1/4"

Dividends Horizon


120° corners

Meeting Corners

description	w	return	h	pattern no.	lam.	V1	V2
Meeting corner Righ hand - no grommets	48"	24"	1 1/4"	LU1-M48S-BRL()	\$1,673.	n/a	n/a




Meeting corner Left hand - no grommets	48"	24"	1 1/4"	LU1-M48S-BLL()	1,673.	n/a	n/a
---	-----	-----	--------	------------------------	--------	-----	-----



Order Code	Specification Information	Application Notes
Example: LU1-M48S-B-L-L-117	Width dimension (w) refers to width of smaller back edge. Total width of back edge with rounded meeting area is 62 1/2".	Worksurfaces are 3/8" less than nominal depth for rear wire clearance or privacy screens.
LU1 Options worksurface, 1 1/4" thick	Specify surface finish.	120° corner is supported by 24"D cantilever bracket.
M Meeting corner	1 1/4" worksurfaces are solid core construction with pilot holes at all support locations.	Use 24"D cantilever bridging brackets to join to adjacent worksurfaces.
48 Width	120° Options worksurfaces are available without grommets only.	Postformed Options 120° meeting worksurfaces are used in panel system application only. They are supported at the rounded meeting end by a Postformed support column, specified separately. They can be supported at the other end by 24" end support brackets, 24" cantilever bracket or 18"D and 24"D pedestals.
S 24"D return	LU1- worksurfaces are supported by brackets with wood screws.	
B No Grommets		
L Left hand		
L Laminate		
117 Surface finish		

Cantilevers, Flat Brackets and Panel-to-Worksurface Brackets

description	type	w	d	h	pattern no.	black	P1	P2	P3
Cantilever Bracket Left or Right (Left Shown) (Package of 10) 	For 18"D WS	1 ³ / ₁₆ "	12 ³ / ₁₆ "	11 ¹³ / ₁₆ "	DB1C 18 (L or R) 10	\$654.	\$688.	\$716.	750.
	For 24"D WS	1 ³ / ₁₆ "	20 ⁵ / ₈ "	10 ¹ / ₂ "	DB1C 24 (L or R) 10	813.	854.	895.	937.
	For 30"D WS	1 ³ / ₁₆ "	26 ¹⁵ / ₁₆ "	10 ¹ / ₂ "	DB1C 30 (L or R) 10	1,161.	1,220.	1,275.	1,336.
Cantilever Brackets, Left or Right (Left Shown) (single pack) 	For 18"D WS	1 ³ / ₁₆ "	12 ³ / ₁₆ "	11 ¹³ / ₁₆ "	DB1C18 (L or R)	79.	82.	87.	88.
	For 24"D WS	1 ³ / ₁₆ "	20 ⁵ / ₈ "	10 ¹ / ₂ "	DB1C24 (L or R)	102.	110.	119.	121.
	For 30"D WS	1 ³ / ₁₆ "	26 ¹⁵ / ₁₆ "	10 ¹ / ₂ "	DB1C30 (L or R)	143.	150.	158.	168.
Cantilever Brackets for 120° Planning (Left Shown)(single pack) 		20 ⁵ / ₈ "		1 ⁵ / ₁₆ "	DB120C (L or R)	102.	110.	119.	121.
Flat Bracket (single pack) 	For 18"D WS	3 ³ / ₄ "	8 ⁵ / ₁₆ "		DB1F18SP	41.	n/a	n/a	n/a
	For 24"D WS	3 ³ / ₄ "	14 ⁵ / ₈ "		DB1F24SP	47.	n/a	n/a	n/a
	For 30"D WS	3 ³ / ₄ "	20 ¹⁵ / ₁₆ "		DB1F30SP	53.	n/a	n/a	n/a
Flat Bracket (package of 10) 	For 18"D WS	3 ³ / ₄ "	8 ⁵ / ₁₆ "		DB1F18TP	221.	n/a	n/a	n/a
	For 24"D WS	3 ³ / ₄ "	14 ⁵ / ₁₆ "		DB1F24TP	368.	n/a	n/a	n/a
	For 30"D WS	3 ³ / ₄ "	20 ¹⁵ / ₁₆ "		DB1F30TP	422.	n/a	n/a	n/a
Worksurface Reinforcement 	For 54"D WS	48"	4"		DB1WR54	106.	n/a	n/a	n/a
	For 60"D WS	54"	4"		DB1WR60	107.	n/a	n/a	n/a
	For 66"D WS	60"	4"		DB1WR66	113.	n/a	n/a	n/a
	For 72"D WS	66"	4"		DB1WR72	119.	n/a	n/a	n/a
Panel-to-Worksurface Brackets 	Left (Shown)	3"	3"	4 ¹¹ / ₁₆ "	DB1PWSL	13.	13.	14.	16.
	Right	3"	3"	4 ¹¹ / ₁₆ "	DB1PWSR	13.	13.	14.	16.
	Pair	3"	3"	4 ¹¹ / ₁₆ "	DB1PWSP	25.	25.	28.	32.

Ordering Information

Panel-to-Worksurface Bracket,
Off Module

1. Pattern Number
2. Trim Finish

Order Code

Panel-to-Worksurface Bracket,
Off ModuleExample: **DB1P WS36, 113****DB1P** Pattern Number
WS36**113** Dark Grey Finish

Included with:

Panel-to-Worksurface Bracket,
Off Module

- Trim finish mounting rail
- Worksurface brackets

Options

Panel-to-Worksurface Bracket,
Off Module

Cantilevers, Flat Brackets and Panel-to-Worksurface Brackets


description	type	w	d	h	pattern no.	black	P1	P2	P3
Panel-to-Worksurface Brackets (package of 10)	Left (Shown)	3"	3"	4 ¹¹ / ₁₆ "	DB1PWSL10	\$123.	\$123.	\$139.	\$154.
	Right	3"	3"	4 ¹¹ / ₁₆ "	DB1PWSR10	123.	123.	139.	154.




Panel-to-Worksurface Brackets for use with Worksurface Height Panels ONLY	Left	3"	3"	4 ¹¹ / ₁₆ "	DB1PWSLWH	41.	43.	47.	49.
	Right	3"	3"	4 ¹¹ / ₁₆ "	DB1PWSRWH	41.	43.	47.	49.
	Pair	3"	3"	4 ¹¹ / ₁₆ "	DB1PWSPWH	76.	80.	88.	98.



Panel-to-Worksurface Brackets (Off Module)	For 24" Wide Panel				DB1PWS24	n/a	113.	123.	125.
	For 30" Wide Panel				DB1PWS30	n/a	120.	128.	133.
	For 36" Wide Panel				DB1PWS36	n/a	124.	133.	141.
	For 42" Wide Panel				DB1PWS42	n/a	131.	146.	156.
	For 48" Wide Panel				DB1PWS48	n/a	141.	156.	165.



Layered Cantilever Assembly Left or Right					DBVDC (L or R)	144.	151.	163.	169.
---	--	--	--	--	-----------------------	------	------	------	------




Right hand shown

Ordering Information	Order Code	Included with:	Options
Panel-to-Worksurface Bracket, Off Module	Panel-to-Worksurface Bracket, Off Module	Panel-to-Worksurface Bracket, Off Module	Panel-to-Worksurface Bracket, Off Module
1. Pattern Number	<i>Example:</i> DB1P WS36, 113	• Trim finish mounting rail	
2. Trim Finish	DB1P Pattern Number	• Worksurface brackets	
	WS36		
	113 Dark Grey Finish		

Panel Mounted Worksurface Brackets

Currents worksurfaces for Dividends Horizon Stiffeners

Dividends Horizon

description	type	w	d	h	pattern no.	list
Stiffener for straight and corner worksurfaces 	36"	20"	1/2"	2"	AWM1 S36	\$103.
	42"	26"	1/2"	2"	AWM1 S42	111.
	48"	32"	1/2"	2"	AWM1 S48	114.
	60"	44"	1/2"	2"	AWM1 S60	116.
	66"	50"	1/2"	2"	AWM1 S66	122.
	72"	56"	1/2"	2"	AWM1 S72	127.
	78"	62"	1/2"	2"	AWM1 S78	134.
	84"	68"	1/2"	2"	AWM1 S84	136.

Worksurface Supports and Screens

Ordering Information	Order Code	Application Notes	Specification Information
1. Pattern Number	Stiffener <i>Example:</i> AWM1 S48 AW1 Worksurface S Stiffener 48 Type	Currents worksurfaces for Dividends Horizon require stiffener when the span between structural supports exceeds 36". Specify worksurface stiffeners and supports separately. When using Dividends Horizon end support brackets, order MB3-EC18, 24 or 30. For 90" application span, use two AWM1-S42 stiffeners. For 96" application span, use two AWM1-S48 stiffeners.	Stiffener mounts 18" from front edge of worksurface and will interfere with mobile or floorstanding pedestals greater than 18" deep. To accommodate a floorstanding pedestal greater than 18" deep at one end of worksurface, specify stiffener for 12" narrower worksurface. To accommodate two floorstanding pedestals or double-wide at one end of worksurface, specify stiffener for 24" narrower worksurface.

Panel Mounted Worksurface Brackets



Flat Brackets

description	type	w	d	h	pattern no.	list
Flat brackets with machine screws 	18" surface	3 1/2"	8"		MB3-F18M	\$72.
	24" surface	3 1/2"	14"		MB3-F24M	77.
	30"/36" surface	3 1/2"	20"		MB3-F30M	88.
Flat brackets with wood screws 	18" surface	3 1/2"	8"		MB3-F18W	72.
	24" surface	3 1/2"	14"		MB3-F24W	77.
	30"/36" surface	3 1/2"	20"		MB3-F30W	88.

Ordering Information	Order Code	Application Notes
Flat Brackets 1. Pattern Number	Flat Brackets	Flat bridging brackets attach two worksurfaces at the same height in 90° “L”, VDT or end-to-end applications (in conjunction with floorstanding pedestal support) Flat bridging brackets are universal for freestanding or panel based planning.
	<i>Example:</i> MB3-F24M	
	MB3 Bracket	
	F Bracket type	
	24 Bracket depth	
	M Machine screws	Brackets with machine screws (suffix-M) are used with MW2- and MU1-worksurfaces. Brackets with wood screws (suffix-W) are used with LU1- and AWM2- worksurfaces.

Network Privacy screens back screens

Dividends Horizon

description	type	w	d	h	pattern no.	10	15	20	30	40	45	50	55
Back of worksurface screens to 42"H 		30"	3/4"	15"	MZ1-B3015-()	\$470.	\$528.	\$544.	\$595.	\$668.	\$743.	\$770.	\$817.
		36"	3/4"	15"	MZ1-B3615-()	566.	616.	633.	693.	760.	821.	864.	906.
		42"	3/4"	15"	MZ1-B4215-()	693.	725.	746.	823.	897.	960.	988.	1,057.
		48"	3/4"	15"	MZ1-B4815-()	780.	810.	835.	914.	1,026.	1,093.	1,130.	1,203.
		54"	3/4"	15"	MZ1-B5415-()	909.	936.	964.	1,065.	1,159.	1,230.	1,262.	1,350.
		60"	3/4"	15"	MZ1-B6015-()	1,004.	1,019.	1,056.	1,157.	1,290.	1,371.	1,413.	1,505.
		66"	3/4"	15"	MZ1-B6615-()	1,092.	1,100.	0.	0.	0.	0.	0.	0.
		72"	3/4"	15"	MZ1-B7215-()	1,173.	1,222.	0.	0.	0.	0.	0.	0.
		78"	3/4"	15"	MZ1-B7815-()	1,292.	1,337.	0.	0.	0.	0.	0.	0.
Back of worksurface screens to overhead support height, 46"H 		30"	3/4"	19"	MZ1-B3019-()	596.	652.	668.	734.	805.	877.	902.	964.
		36"	3/4"	19"	MZ1-B3619-()	737.	779.	796.	881.	937.	994.	1,030.	1,103.
		42"	3/4"	19"	MZ1-B4219-()	874.	895.	912.	1,012.	1,117.	1,182.	1,222.	1,292.
		48"	3/4"	19"	MZ1-B4819-()	992.	1,015.	1,041.	1,147.	1,325.	1,349.	1,399.	1,481.
		54"	3/4"	19"	MZ1-B5419-()	1,131.	1,137.	1,179.	1,292.	1,386.	1,476.	1,520.	1,620.
		60"	3/4"	19"	MZ1-B6019-()	1,222.	1,255.	1,290.	1,429.	1,515.	1,618.	1,668.	1,775.
		66"	3/4"	19"	MZ1-B6619-()	1,341.	1,372.	0.	0.	0.	0.	0.	0.
		72"	3/4"	19"	MZ1-B7219-()	1,476.	1,502.	0.	0.	0.	0.	0.	0.
		78"	3/4"	19"	MZ1-B7819-()	1,608.	1,629.	0.	0.	0.	0.	0.	0.

Worksurface Supports and Screens


Oreder Code	Specification Information	Application Notes
Example: MZ1-B6619-15	<i>Surface type:</i> 10- Fabric group 10 15- Fabric group 15 20- Fabric group 20 30- Fabric group 30 40- Fabric group 40 45- Fabric group 45	Back of worksurface screens provide visual barrier and tackable surface from underside of worksurface to a height of 42", 46" or 49". Screen widths should correspond to straight worksurface width, or sum of VDT corner and return widths. Use back of worksurface screen for VDT applications where one side is backed by a vertical panel. VDT worksurfaces will accept back screens on only one back edge. Back screens may not be used at the end of a straight worksurface; use end screens in this application. Privacy screens are not available in a combination of fabrics. Back of worksurface screens are full dimension: two smaller screens may be substituted for a larger one. For example, if using fabric grades 20-70, specify two 36" screens for a 72" surface.
MZ1 Network privacy screen B Back of worksurface 66 Width 19 Height 15 Surface type and group no. W210 Upholstery	Network screens may be used with Plannable Upstart tables. Refer to front of Upstart price book for planning information. * Screens 66"w and wider are available with fabric railroaded to fit the screens' width. Please contact Knoll Custom Product Development to establish pattern numbers.	Between back-to-back straight or VDT worksurfaces specify a single 3/4" back screen. This allows back-to-back 23 5/8"D or 29 5/8"D worksurfaces to plan on a precise 6" module. 15" high screens are used for a 42" horizon. 19"H screens are used to fill in space between worksurface and overhead. 22"H screens fill the space between worksurface and Reuter overhead. All but shared end screens start at the bottom of the worksurface. Privacy screens are supported by brackets fastened at worksurface inserts. Privacy screens include mounting brackets, insert kit, and stiffener clip. For replacement screen stiffeners see Accessories page. Privacy screens may be specified to achieve ASTM E-84 Class "A" flamespread rating.

Network Privacy screens

back screens

Dividends Horizon

description	type	w	d	h	pattern no.	10	15	20	30	40	45	50	55
Back of worksurface screens, to Reuter overhead support height, 49"H		30"	3/4"	22"	MZ1-B3022-()	\$734.	\$771.	\$789.	\$877.	\$937.	\$1,004.	\$1,033.	\$1,104.
		36"	3/4"	22"	MZ1-B3622-()	906.	936.	964.	1,058.	1,136.	1,179.	1,214.	1,290.
		42"	3/4"	22"	MZ1-B4222-()	1,041.	1,058.	1,093.	1,203.	1,337.	1,401.	1,444.	1,541.
		48"	3/4"	22"	MZ1-B4822-()	1,222.	1,223.	1,259.	1,391.	1,483.	1,619.	1,671.	1,776.
		54"	3/4"	22"	MZ1-B5422-()	1,338.	1,341.	1,391.	1,541.	1,636.	1,727.	1,782.	1,910.
		60"	3/4"	22"	MZ1-B6022-()	1,429.	1,494.	1,541.	1,696.	1,799.	1,861.	1,920.	2,049.
		66"	3/4"	22"	MZ1-B6622-()	1,595.	1,660.	0.	0.	0.	0.	0.	0.
		72"	3/4"	22"	MZ1-B7222-()	1,776.	1,779.	0.	0.	0.	0.	0.	0.
		78"	3/4"	22"	MZ1-B7822-()	1,913.	1,917.	0.	0.	0.	0.	0.	0.




Oreder Code	Specification Information	Application Notes
Example: MZ1-B6619-15	<i>Surface type:</i> 10- Fabric group 10 15- Fabric group 15 20- Fabric group 20 30- Fabric group 30 40- Fabric group 40 45- Fabric group 45	Back of worksurface screens provide visual barrier and tackable surface from underside of worksurface to a height of 42", 46" or 49". Screen widths should correspond to straight worksurface width, or sum of VDT corner and return widths. Use back of worksurface screen for VDT applications where one side is backed by a vertical panel. VDT worksurfaces will accept back screens on only one back edge. Back screens may not be used at the end of a straight worksurface; use end screens in this application. Privacy screens are not available in a combination of fabrics. Back of worksurface screens are full dimension: two smaller screens may be substituted for a larger one. For example, if using fabric grades 20-70, specify two 36" screens for a 72" surface.
MZ1 Network privacy screen B Back of worksurface 66 Width 19 Height 15 Surface type and group no. W210 Upholstery	Network screens may be used with Plannable Upstart tables. Refer to front of Upstart price book for planning information. * Screens 66"w and wider are available with fabric railroaded to fit the screens' width. Please contact Knoll Custom Product Development to establish pattern numbers.	Between back-to-back straight or VDT worksurfaces specify a single 3/4" back screen. This allows back-to-back 23 5/8"D or 29 5/8"D worksurfaces to plan on a precise 6" module. 15" high screens are used for a 42" horizon. 19"H screens are used to fill in space between worksurface and overhead. 22"H screens fill the space between worksurface and Reuter overhead. All but shared end screens start at the bottom of the worksurface. Privacy screens are supported by brackets fastened at worksurface inserts. Privacy screens include mounting brackets, insert kit, and stiffener clip. For replacement screen stiffeners see Accessories page. Privacy screens may be specified to achieve ASTM E-84 Class "A" flamespread rating.

Network Privacy screens

VDT Screens

Dividends Horizon



description	type	w	d	h	pattern no.	10	15	20	30	40	45	50	55
 Back of VDT screens	To 42"H	35 3/8"	3/4"	15"	MZ1-V3615-()	\$566.	\$616.	\$633.	\$668.	\$743.	\$821.	\$864.	\$906.
	To 42"H	41 3/8"	3/4"	15"	MZ1-V4215-()	693.	725.	746.	805.	877.	960.	988.	1,057.
	To 42"H	47 3/8"	3/4"	15"	MZ1-V4815-()	780.	810.	835.	897.	994.	1,093.	1,130.	1,203.
	To 42"H	59 3/8"	3/4"	15"	MZ1-V6015-()	988.	1,026.	1,058.	1,132.	1,253.	1,356.	0.	0.
	To 42"H	71 3/8"	3/4"	15"	MZ1-V7215-()	1,192.	1,223.	0.	0.	0.	0.	0.	0.
	To 46"H	35 3/8"	3/4"	19"	MZ1-V3619-()	744.	773.	796.	848.	910.	994.	1,030.	1,103.
	To 46"H	41 3/8"	3/4"	19"	MZ1-V4219-()	874.	895.	912.	977.	1,093.	1,182.	1,222.	1,292.
	To 46"H	47 3/8"	3/4"	19"	MZ1-V4819-()	992.	1,019.	1,056.	1,122.	1,223.	1,349.	1,399.	1,481.
	To 46"H	59 3/8"	3/4"	19"	MZ1-V6019-()	1,248.	1,288.	1,336.	1,448.	1,601.	1,733.	0.	0.
	To 46"H	71 3/8"	3/4"	19"	MZ1-V7219-()	1,494.	1,554.	0.	0.	0.	0.	0.	0.
	To 49"H	35 3/8"	3/4"	22"	MZ1-V3622-()	906.	936.	964.	1,029.	1,093.	1,179.	1,214.	1,290.
	To 49"H	41 3/8"	3/4"	22"	MZ1-V4222-()	1,041.	1,058.	1,093.	1,147.	1,308.	1,401.	1,444.	1,541.
	To 49"H	47 3/8"	3/4"	22"	MZ1-V4822-()	1,222.	1,225.	1,261.	1,341.	1,349.	1,619.	1,671.	1,776.
	To 49"H	59 3/8"	3/4"	22"	MZ1-V6022-()	1,444.	1,499.	1,547.	1,684.	1,853.	2,014.	0.	0.
	To 49"H	71 3/8"	3/4"	22"	MZ1-V7222-()	1,727.	1,799.	0.	0.	0.	0.	0.	0.

Worksurface Supports and Screens

Order Code	Specification Information	Application Notes
Example: MZ1-V4822-15	<i>Surface type:</i>	Privacy screens are supported by brackets fastened at worksurface inserts. Privacy screens include mounting brackets, insert kit and stiffener clip.
MZ1 Network privacy screen	10- Fabric group 10	15" high screens are used for a 42" horizon.
V VDT	15- Fabric group 15	
48 Width	20- Fabric group 20	
22 Height	30- Fabric group 30	
15 Surface type and group no.	40- Fabric group 40	
W210 Upholstery	45- Fabric group 45	19"H screens are used to fill in space between worksurface and desk mounted Network overheads.
	VDT worksurfaces will not accept back screens on both back edges. Use VDT screens on at least one back edge.	22"H screens fill the space between worksurface and desk mounted Reuter overheads.
	VDT screens are not in pairs; specify one for each back edge or one VDT screen and one back screen.	Privacy screens may be specified to achieve ASTM E-84 Class "A" flamespread rating.
	* Screens 66"w and wider are available with fabric railroaded to fit the screens' width. Please contact Knoll Custom Product Development to establish pattern numbers.	

Network Privacy screens end screens

Dividends Horizon

description	type	w	d	h	pattern no.	10	15	20	30	40	45	50	55
 End screens for outside application	To 42"H	24"	3/4"	15"	MZ1-E2415-W/U-()	\$447.	\$511.	\$525.	\$551.	\$637.	\$725.	\$746.	\$805.
	To 42"H	30"	3/4"	15"	MZ1-E3015-W/U-()	501.	546.	566.	609.	681.	773.	804.	851.
	To 46"H	24"	3/4"	19"	MZ1-E2419-W/U-()	543.	591.	596.	657.	725.	812.	837.	897.
	To 46"H	30"	3/4"	19"	MZ1-E3019-W/U-()	626.	680.	693.	743.	812.	906.	937.	994.
	To 49"H	24"	3/4"	22"	MZ1-E2422-W/U-()	637.	673.	689.	737.	817.	903.	936.	992.
	To 49"H	30"	3/4"	22"	MZ1-E3022-W/U-()	760.	805.	819.	881.	952.	1,040.	1,069.	1,140.
 End screens for shared application	To 42"H	24"	3/4"	13"	MZ1-S2415-W/U-()	432.	492.	509.	531.	616.	694.	719.	771.
	To 42"H	30"	3/4"	13"	MZ1-S3015-W/U-()	470.	528.	544.	587.	655.	743.	770.	817.
	To 46"H	24"	3/4"	17"	MZ1-S2419-W/U-()	518.	566.	587.	625.	694.	785.	810.	869.
	To 46"H	30"	3/4"	17"	MZ1-S3019-W/U-()	596.	652.	668.	715.	785.	877.	902.	964.
	To 49"H	24"	3/4"	20"	MZ1-S2422-W/U-()	609.	650.	659.	712.	786.	874.	897.	957.
	To 49"H	30"	3/4"	20"	MZ1-S3022-W/U-()	734.	771.	789.	848.	910.	1,004.	1,033.	1,104.

Oreder Code	Specification Information	Application Notes
Example: MZ1-S3019W15 MZ1 Network privacy screen S Shared 30 Width 19 Height W For 1 3/4" worksurface 15 Surface type and group no. W210 Upholstery	<i>Surface type:</i> 10- Fabric group 10 15- Fabric group 15 20- Fabric group 20 30- Fabric group 30 40- Fabric group 40 45- Fabric group 45 <i>End screens specify:</i> W- For use with 1 3/4" thick worksurfaces U- For use with 1 1/4" thick worksurfaces * Network screens may be used with Plannable Upstart tables. Refer to front of Upstart price book for planning information.	End screens must be used at the end of straight or rounded end worksurfaces. End screens for outside application cover the end of the worksurface and align with adjacent back screens. End screens for shared application begin above the worksurface to allow modular planning when straight worksurfaces are end-to-end. When specifying end screens under 64"H panel mounted Network overheads with task lights, only screens to 42"H will fit. With 64"H panel-mounted Reuter overheads any screen up to 49"H may be planned perpendicular to storage.
		Privacy screens are supported by brackets fastened at worksurface inserts. Privacy screens include mounting brackets, insert kit and stiffener clip. 15" high screens are used for a 42" horizon. 19"H screens are used to fill in space between worksurface and desk mounted Network overheads. 22"H screens fill the space between worksurface and desk mounted Reuter overheads. All but shared end screens start at the bottom of the worksurface. Privacy screens may be specified to achieve ASTM E-84 Class "A" flamespread rating.

Screen-to-Worksurface Brackets

Screen mid-span worksurface support

Dividends Horizon

description	type	w	d	h	pattern no.	P1	P2	P3
Screen-to-Worksurface Brackets (Individual)	Left				DB1SWSL	\$9.	\$12.	\$16.
	Right				DB1WSR	9.	12.	16.



Left hand shown

Screen-to-Worksurface Brackets (Pair)	Left/Right				DB1SWSP	49.	53.	57.
---------------------------------------	------------	--	--	--	----------------	-----	-----	-----

Screen Mid-Span Worksurface Support	left hand				DBSMLH	43.	46.	47.
	right hand				DBSMRH	43.	46.	47.



Left hand shown


Worksurface Supports and Screens

Ordering Information	Order Code	Included with:	Options
Panel-to-Worksurface Bracket, Off Module	Panel-to-Worksurface Bracket, Off Module	Panel-to-Worksurface Bracket, Off Module	Panel-to-Worksurface Bracket, Off Module
1. Pattern Number	<i>Example:</i> DB1P WS36, 113	• Trim finish mounting rail	
2. Trim Finish	DB1P Pattern Number	• Worksurface brackets	
	WS36		
	113 Dark Grey Finish		

Universal Modesty Panel, steel

10" High


Dividends Horizon

description	w	d	h	pattern no.	P1	P2	P3
10"h Universal modesty panel Under worksurface mount 	24"	1"	10"	D1PS1024S	\$406.	\$458.	\$475.
	30"	1"	10"	D1PS1030S	420.	473.	488.
	36"	1"	10"	D1PS1036S	422.	475.	497.
	42"	1"	10"	D1PS1042S	427.	484.	501.
	48"	1"	10"	D1PS1048S	444.	500.	518.
	54"	1"	10"	D1PS1054S	473.	531.	553.
	60"	1"	10"	D1PS1060S	511.	576.	606.

Order Code	Specification Information	Application Notes	
Universal Modesty Panel	Pricing listed is for textured paint.	Modesty panel attaches to underside of any standard worksurface.	Wire Management Trough
Example: D1PS1024S	Add \$35 to the list prices above for smooth paint finish option.	Modesty panels are actual width.	Each screen includes a steel trough that sits between the cantilevers to support and/or conceal excess wires.
D1PS1024S Pattern Number		Cantilevers are color matched and each include a knockout with cover to provide horizontal management of cables.	

Universal Modesty Panel, fabric 10" High

Dividends Horizon

description	w	d	h	pattern no.	10	20	30	40
10"h Universal modesty panel Under worksurface mount 	24"	1"	10"	D1PS1024F	\$699.	\$749.	\$788.	\$809.
	30"	1"	10"	D1PS1030F	716.	772.	799.	824.
	36"	1"	10"	D1PS1036F	736.	794.	823.	857.
	42"	1"	10"	D1PS1042F	751.	809.	848.	874.
	48"	1"	10"	D1PS1048F	780.	832.	869.	899.
	54"	1"	10"	D1PS1054F	782.	835.	872.	902.
	60"	1"	10"	D1PS1060F	859.	921.	962.	990.



Worksurface Supports and
Screens

Order Code	Specification Information	Application Notes
Universal Modesty Panel <i>Example:</i> D1PS1024F D1PS1024F Pattern Number		Modesty panel attaches to underside of any standard worksurface. Modesty panels are actual width. Cantilevers are color matched and each include a knockout with cover to provide horizontal management of cables. Wire Management Trough Each screen includes a steel trough that sits between the cantilevers to support and/or conceal excess wires.

Univeral Privacy Screen, fabric and fabric w/7" slatwall

42"h horizon with 10" modesty

Dividends Horizon


description	w	d	h	pattern no.	10	20	30	40
Universal privacy sceen, fabric 42"h horizon with 10" modesty 	24"	1"	24 1/2"	D1PS4224F	\$817.	\$878.	\$921.	\$948.
	30"	1"	24 1/2"	D1PS4230F	846.	910.	948.	982.
	36"	1"	24 1/2"	D1PS4236F	896.	965.	1,007.	1,042.
	42"	1"	24 1/2"	D1PS4242F	906.	978.	1,020.	1,055.
	48"	1"	24 1/2"	D1PS4248F	930.	1,002.	1,049.	1,082.
	54"	1"	24 1/2"	D1PS4254F	957.	1,025.	1,069.	1,108.
	60"	1"	24 1/2"	D1PS4260F	979.	1,055.	1,104.	1,140.
Universal privacy sceen, fabric w/7" slatwall 42"h horizon with 10" modesty 	24"	1"	24 1/2"	D1PS4224W1	990.	1,065.	1,114.	1,154.
	30"	1"	24 1/2"	D1PS4230W1	1,089.	1,170.	1,224.	1,264.
	36"	1"	24 1/2"	D1PS4236W1	1,156.	1,245.	1,302.	1,346.
	42"	1"	24 1/2"	D1PS4242W1	1,241.	1,339.	1,400.	1,449.
	48"	1"	24 1/2"	D1PS4248W1	1,287.	1,389.	1,432.	1,498.
	54"	1"	24 1/2"	D1PS4254W1	1,433.	1,544.	1,617.	1,672.
	60"	1"	24 1/2"	D1PS4260W1	1,487.	1,599.	1,673.	1,730.

Order Code	Specification Information	Application Notes
Universal Privacy Screen Example: D1PS4224F D Dividends 1 Generation 1 PS Privacy Screen 42 Height 24 Width F Fabric		Modesty panel attaches to underside of any standard worksurface. Modesty panels are actual width. Cantilevers are color matched and each include a knockout with cover to provide horizontal management of cables.
		Wire Management Trough Each screen includes a steel trough that sits between the cantilevers to support and/or conceal excess wires.

Univeral Privacy Screen, steel

42" h horizon with 10" modesty

Dividends Horizon

description	w	d	h	pattern no.	P1	P2	P3
Universal privacy screen, steel 42" h horizon with 10" modesty 	24"	1"	24 1/2"	D1PS4224S	\$877.	\$1,006.	\$1,050.
	30"	1"	24 1/2"	D1PS4230S	897.	1,025.	1,068.
	36"	1"	24 1/2"	D1PS4236S	829.	1,062.	1,108.
	42"	1"	24 1/2"	D1PS4242S	940.	1,077.	1,120.
	48"	1"	24 1/2"	D1PS4248S	1,005.	1,150.	1,198.
	54"	1"	24 1/2"	D1PS4254S	1,053.	1,202.	1,256.
	60"	1"	24 1/2"	D1PS4260S	1,146.	1,308.	1,363.


Worksurface Supports and Screens

Ordering Code	Specification Information	Application Notes
Uni- ver- Example: D1PS4224S D1PS4224S Dividends 1 Generation 1 Privacy Privacy Screen Screen 42 Height 24 Width S Steel	Pricing listed is for textured paint. Add \$35 to the list prices above for smooth paint finish option. Steel insert color matches screen back color.	Privacy screen attaches to underside of any standard worksurface. Privacy screens are actual width. Cantilevers are color matched and each include a knockout with cover to provide horizontal management of cables. 42" horizon screen provides approximately 13 1/4" of privacy above worksurface height and 10" of modesty coverage below worksurface height.
		Wire Management Trough Each screen includes a steel trough that sits between the cantilevers to support and/or conceal excess wires.

Univeral Privacy Screen, steel

42" h horizon with 17" modesty

Dividends Horizon


description	w	d	h	pattern no.	P1	P2	P3
Universal privacy screen, steel 42" h horizon with 17" modesty 	24"	1"	31 7/8"	D1PS42T24S	\$906.	\$1,041.	\$1,084.
	30"	1"	31 7/8"	D1PS42T30S	936.	1,068.	1,115.
	36"	1"	31 7/8"	D1PS42T36S	982.	1,126.	1,170.
	42"	1"	31 7/8"	D1PS42T42S	1,010.	1,156.	1,209.
	48"	1"	31 7/8"	D1PS42T48S	1,049.	1,198.	1,245.
	54"	1"	31 7/8"	D1PS42T54S	1,093.	1,256.	1,306.
	60"	1"	31 7/8"	D1PS42T60S	1,191.	1,364.	1,425.

Ordering Code	Specification Information	Application Notes
Uni- ver- Example: D1PS42T24S D Dividends Pri- Generation 1 1 Privacy Screen PS Screen 42 Height 24 Width S Steel	Pricing listed is for textured paint. Add \$35 to the list prices above for smooth paint finish option. Steel insert color matches screen back color.	Privacy screen attaches to underside of any standard worksurface. Privacy screens are actual width. Cantilevers are color matched and each include a knockout with cover to provide horizontal management of cables. 42" horizon screen provides approximately 13 1/4" of privacy above worksurface height and 17" of modesty coverage below worksurface height.
		Wire Management Trough Each screen includes a steel trough that sits between the cantilevers to support and/or conceal excess wires.

Univeral Privacy Screen, steel

50"h horizon with 10" modesty

Dividends Horizon

description	w	d	h	pattern no.	P1	P2	P3
Universal privacy screen, steel 50"h horizon with 10" modesty 	24"	1"	31 ⁷ / ₈ "	D1PS5024S	\$906.	\$1,041.	\$1,084.
	30"	1"	31 ⁷ / ₈ "	D1PS5030S	935.	1,068.	1,115.
	36"	1"	31 ⁷ / ₈ "	D1PS5036S	982.	1,126.	1,170.
	42"	1"	31 ⁷ / ₈ "	D1PS5042S	1,010.	1,156.	1,209.
	48"	1"	31 ⁷ / ₈ "	D1PS5048S	1,049.	1,198.	1,245.
	54"	1"	31 ⁷ / ₈ "	D1PS5054S	1,093.	1,256.	1,306.
	60"	1"	31 ⁷ / ₈ "	D1PS5060S	1,191.	1,364.	1,425.


Worksurface Supports and Screens

Ordering Code	Specification Information	Application Notes
Uni- ver- Example: D1PS5024S D1PS5024S Dividends 1 Generation 1 Privacy Privacy Screen Screen 50 Height 24 Width S Steel	Pricing listed is for textured paint. Add \$35 to the list prices above for smooth paint finish option. Steel insert color matches screen back color.	Privacy screen attaches to underside of any standard worksurface. Privacy screens are actual width. Cantilevers are color matched and each include a knockout with cover to provide horizontal management of cables. 42" horizon screen provides approximately 13³/₄" of privacy above worksurface height and 10" of modesty coverage below worksurface height.
		Wire Management Trough Each screen includes a steel trough that sits between the cantilevers to support and/or conceal excess wires.

Univeral Privacy Screen, fabric

42" h horizon with 17" modesty

Dividends Horizon


description	w	d	h	pattern no.	10	20	30	40
Universal privacy sceen, fabric 42" h horizon with 17" modesty 	24"	1"	31 7/8"	D1PS42T24F	\$860.	\$924.	\$965.	\$995.
	30"	1"	31 7/8"	D1PS42T30F	881.	948.	993.	1,025.
	36"	1"	31 7/8"	D1PS42T36F	957.	1,025.	1,069.	1,108.
	42"	1"	31 7/8"	D1PS42T42F	971.	1,050.	1,093.	1,130.
	48"	1"	31 7/8"	D1PS42T48F	1,000.	1,078.	1,126.	1,166.
	54"	1"	31 7/8"	D1PS42T54F	1,028.	1,108.	1,156.	1,193.
	60"	1"	31 7/8"	D1PS42T60F	1,057.	1,140.	1,191.	1,233.

Order Code	Specification Information	Application Notes	
Universal Privacy Screen	Pricing listed is for textured paint.	Privacy screen attaches to underside of any standard worksurface.	Wire Management Trough Each screen includes a steel trough that sits between the cantilevers to support and/or conceal excess wires.
Example: D1PS42T24F	Add \$35 to the list prices above for smooth paint finish option.	Privacy screens are actual width.	
D Dividends	Slatwall color matches screen back color.	Cantilevers are color matched and each include a knockout with cover to provide horizontal management of cables.	
1 Generation 1			
PS Privacy Screen			
42 Height			
24 Width			
Fabric Fabric		42" horizon screen provides approximately 13¼" of privacy above worksurface height and 10" of modesty coverage below worksurface height.	


Universal Privacy Screen, fabric and fabric w/7" or 14" slatwall

Dividends Horizon
50"h horizon with 10" modesty


description	w	d	h	pattern no.	10	20	30	40
Universal privacy sceen, fabric 50"h horizon with 10" modesty	24"	1"	31 7/8"	D1PS5024F	\$860.	\$924.	\$965.	\$995.
	30"	1"	31 7/8"	D1PS5030F	881.	948.	993.	1,025.
	36"	1"	31 7/8"	D1PS5036F	957.	1,025.	1,069.	1,108.
	42"	1"	31 7/8"	D1PS5042F	971.	1,050.	1,093.	1,130.
	48"	1"	31 7/8"	D1PS5048F	1,000.	1,078.	1,126.	1,166.
	54"	1"	31 7/8"	D1PS5054F	1,028.	1,108.	1,156.	1,193.
	60"	1"	31 7/8"	D1PS5060F	1,057.	1,140.	1,191.	1,233.



Universal privacy sceen, fabric w/7" slatwall, 50"h horizon with 10" modesty	24"	1"	31 7/8"	D1PS5024W1	1,032.	1,109.	1,157.	1,199.
	30"	1"	31 7/8"	D1PS5030W1	1,129.	1,218.	1,269.	1,313.
	36"	1"	31 7/8"	D1PS5036W1	1,213.	1,307.	1,364.	1,415.
	42"	1"	31 7/8"	D1PS5042W1	1,307.	1,408.	1,473.	1,526.
	48"	1"	31 7/8"	D1PS5048W1	1,358.	1,461.	1,529.	1,582.
	54"	1"	31 7/8"	D1PS5054W1	1,509.	1,630.	1,701.	1,762.
	60"	1"	31 7/8"	D1PS5060W1	1,570.	1,685.	1,765.	1,827.



Universal privacy sceen, fabric w/14" slatwall, 50"h horizon with 10" modesty	24"	1"	31 7/8"	D1PS5024W2	1,219.	1,309.	1,368.	1,419.
	30"	1"	31 7/8"	D1PS5030W2	1,387.	1,493.	1,557.	1,615.
	36"	1"	31 7/8"	D1PS5036W2	1,481.	1,595.	1,670.	1,723.
	42"	1"	31 7/8"	D1PS5042W2	1,637.	1,769.	1,847.	1,911.
	48"	1"	31 7/8"	D1PS5048W2	1,709.	1,844.	1,927.	1,997.
	54"	1"	31 7/8"	D1PS5054W2	1,983.	2,144.	2,243.	2,318.
	60"	1"	31 7/8"	D1PS5060W2	2,065.	2,225.	2,328.	2,409.







Order Code	Specification Information	Application Notes
Universal Privacy Screen	Pricing listed is for textured paint.	Privacy screen attaches to underside of any standard worksurface.
Example: D1PS5024F	Add \$35 to the list prices above for smooth paint finish option.	Privacy screens are actual width.
D Dividends	Slatwall color matches screen back color.	Cantilevers are color matched and each include a knockout with cover to provide horizontal management of cables.
1 Generation 1		50" horizon screen provides approximately 17 1/2" of privacy above worksurface height and 10" of modesty coverage below worksurface height.
PS Privacy Screen		
50 Height		
24 Width		
Fabric Fabric		

Wire Management Trough
Each screen includes a steel trough that sits between the cantilevers to support and/or conceal excess wires.

Panel Mounted Worksurface Supports

Open Support Leg, C-Leg and Worksurface End Panel

Dividends Horizon

description	type	w	d	h	pattern no.	P1	P2	P3
Panel Mounted C-Leg Worksurface Support (Left-hand shown) 	Left-hand C-Leg			26 ⁷ / ₈ "	DB1CL24L	\$565.	\$618.	\$645.
	Right-hand C-Leg			26 ⁷ / ₈ "	DB1CL 24R	565.	618.	645.
	Shared C-Leg			26 ⁷ / ₈ "	DB1CL24S	595.	657.	690.
Panel Mounted C-Leg Worksurface Support Radiused Foot (Right-hand shown) 	LH Shared Worksurface C-Leg			26 ⁷ / ₈ "	DB2CL24LS	708.	784.	813.
	LH Single Worksurface C-Leg			26 ⁷ / ₈ "	DB2CL24L	670.	736.	772.
	RH Shared Worksurface C-Leg			26 ⁷ / ₈ "	DB2CL24RS	708.	784.	813.
	RH Single Worksurface C-Leg			26 ⁷ / ₈ "	DB2CL24R	670.	736.	772.
Open Support Leg Panel Attachment 		3"	15"	26 ⁷ / ₈ "	DB1LSP15()	540.	571.	593.
		3"	18"	26 ⁷ / ₈ "	DB1LSP18()	540.	571.	593.
		3"	24"	26 ⁷ / ₈ "	DB1LSP24()	528.	563.	589.
		3"	30"	26 ⁷ / ₈ "	DB1LSP30()	561.	586.	615.
		3"	36"	26 ⁷ / ₈ "	DB1LSP36()	590.	618.	645.
Open Support Leg Screen Attachment 		3"	15"	26 ⁷ / ₈ "	DB1LSS15()	540.	571.	593.
		3"	18"	26 ⁷ / ₈ "	DB1LSS18()	540.	571.	593.
		3"	24"	26 ⁷ / ₈ "	DB1LSS24()	528.	563.	589.
		3"	30"	26 ⁷ / ₈ "	DB1LSS30()	561.	586.	615.
		3"	36"	26 ⁷ / ₈ "	DB1LSS36()	590.	618.	645.
Worksurface End Panel Panel Attachment 		1 ¹ / ₄ "	15"	26 ⁷ / ₈ "	DB1PSP15	492.	538.	568.
		1 ¹ / ₄ "	18"	26 ⁷ / ₈ "	DB1PSP18	511.	565.	589.
		1 ¹ / ₄ "	19"	26 ⁷ / ₈ "	DB1PSP19	536.	579.	607.
		1 ¹ / ₄ "	24"	26 ⁷ / ₈ "	DB1PSP24	563.	617.	644.
		1 ¹ / ₄ "	30"	26 ⁷ / ₈ "	DB1PSP30	601.	665.	696.
		1 ¹ / ₄ "	36"	26 ⁷ / ₈ "	DB1PSP36	643.	708.	737.

Ordering Information	Order Code	Included with:	Options
Panel-Mounted C-Leg Worksurface Support 1. Pattern Number 2. Paint Finish Worksurface End Panel 1. Pattern Number 2. Paint Finish Open Support Leg 1. Pattern Number 2. Paint Finish	Panel Mounted C-Leg Worksurface Support <i>Example:</i> DB1 CL24R, 117 DB1 Pattern Number CL24R 117 Soft Grey finish Worksurface End Panel <i>Example:</i> DB1 PSP 24 DB1 PSP Pattern Number 24 117 Soft Grey finish	Panel-Mounted C-Leg Worksurface Support • C-leg foot • C-leg column • Panel attachment bracket • C-leg flat bracket • Leveling glides Worksurface End Panel • Panel attachment bracket • Leveling glides Note: Open Support Legs are only available in Knoll core finishes. Note: The shared open support leg is designed for use where 2 panels meet. It cannot be used at the end of a panel run.	Open Support Leg Option (R) = Right-hand leg (L) = Left-hand leg (S) = Shared leg Note: Worksurface end panels are for use with panels only.

Peninsula Worksurface Supports

Round Support Column, T-Support Base and A Leg

Dividends Horizon

description	w	d	h	pattern no.	P1	P2	P3
 T-End Unit	21 ¹³ / ₁₆ "	12"	26 ⁷ / ₈ "	DD1TEU24	\$528.	\$588.	\$615.
	27 ¹³ / ₁₆ "	12"	26 ⁷ / ₈ "	DD1TEU30	586.	641.	669.
 T-Support Base	23 ¹ / ₂ "	12"	26 ⁷ / ₈ "	DB1TB	503.	554.	576.
 Round Support Column	4"	4"	26 ⁷ / ₈ "	DB1S CR	434.	453.	487.
 A Leg	3"	15"	26 ⁷ / ₈ "	DB1LS15A	570.	627.	650.
	3"	18"	26 ⁷ / ₈ "	DB1LS18A	589.	645.	671.
	3"	24"	26 ⁷ / ₈ "	DB1LS24A	607.	668.	696.
	3"	30"	26 ⁷ / ₈ "	DB1LS30A	630.	690.	715.
	3"	36"	26 ⁷ / ₈ "	DB1LS36A	643.	708.	735.
 2.5" Round Support Column				DBSCR	434.	453.	487.

Worksurface Supports and Screens

Dimensions listed under w d t are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
T-End Unit	T-End Unit	T-End Unit	T-End Unit
1. Pattern Number	<i>Example:</i> DD1TEU24, 115	• Worksurface	T-Support Base
2. Paint Finish	DD1TEU24 Pattern Number	T-Support Base	A Leg
T-Support Base	115 Medium Grey Paint Finish	Note: The A leg is for use in peninsula worksurface applications only. It is not to be used in freestanding applications.	Round Support Column
1. Pattern Number	T-Support Base		
2. Paint Finish	<i>Example:</i> DB1TB, 115		
A Leg	DB1TB Pattern Number	Note: A Legs are only available in Knoll core finishes.	
1. Pattern Number	115 Medium Grey Paint Finish		
2. Paint Finish			
Round Support Column	Round Support Column		
1. Pattern Number	<i>Example:</i> DB1SCR, 118		
2. Paint Finish	DB1SCR Pattern Number		
	118 Bright White Paint Finish		


Y Leg Tables

Freestanding Rectangular Table Top

24" and 30" Deep


Dividends Horizon

description	w*	w	d	t	h	pattern no.	Laminate Top P1 Paint	Laminate Top P2 Paint	Laminate Top P3 Paint	Techgrain Top P1 Paint	Techgrain Top P2 Paint	Techgrain Top P3 Paint
24" Deep Rectangular with (2) Y-Legs, No Grommet	60"	59 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY6024NS	\$2,630.	\$2,896.	\$3,011.	\$3,015.	\$3,314.	\$3,451.
	66"	65 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY6624NS	2,661.	2,930.	3,043.	3,061.	3,372.	3,507.
	72"	71 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY7224NS	2,690.	2,961.	3,080.	3,113.	3,424.	3,562.
	78"	77 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY7824NS	2,720.	2,990.	3,111.	3,165.	3,484.	3,624.
	84"	83 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY8424NS	2,770.	3,044.	3,168.	3,217.	3,537.	3,679.
	90"	89 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY9024NS	2,816.	3,104.	3,225.	3,264.	3,595.	3,734.
	96"	95 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY9624NS	2,868.	3,158.	3,280.	3,312.	3,645.	3,794.



(with stretcher shown)

30" Deep Rectangular with (2) Y-Legs, No Grommet	60"	59 ¹³ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY6030NS	2,699.	2,969.	3,089.	3,083.	3,388.	3,524.
	66"	65 ¹³ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY6630NS	2,736.	3,011.	3,133.	3,140.	3,453.	3,592.
	72"	71 ¹³ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY7230NS	2,774.	3,050.	3,175.	3,198.	3,520.	3,661.
	78"	77 ¹³ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY7830NS	2,810.	3,094.	3,219.	3,257.	3,582.	3,725.
	84"	83 ¹³ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY8430NS	2,864.	3,153.	3,277.	3,312.	3,645.	3,794.
	90"	89 ¹³ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY9030NS	2,918.	3,212.	3,340.	3,374.	3,708.	3,859.
	96"	95 ¹³ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY9630NS	2,970.	3,269.	3,398.	3,434.	3,776.	3,925.



(with stretcher shown)

w* = nominal width

Dimensions listed under w d t h are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Freestanding Y Leg Table:	Freestanding Y Leg Table:	Freestanding Y Leg Table:	Grommet Option:
1. Pattern number	<i>Example:</i> DT1ARY6024NS, 114, 114	(2) Y Legs - Hardware kit - Table top - Stretcher or stiffening plate	To specify an edge grommet, replace the "N" suffix from the pattern number with an "E" and add \$18.
2. Base/Stretcher Paint Finish	DT1 Dividends Horizon Table	Note: Y Leg tables are finished with textured paint, including 613 Silver.	Stretcher Option:
3. Top Finish	A 2 Leg table assembly	Note: Y Leg Tables are only available in Knoll core finishes.	A stretcher is optional on 24" and 30" deep tables ONLY. To specify a table without a stretcher replace the "S" suffix from the pattern number with an "N".
4. Edge Finish	R Rectangular shape		
	Y Y Leg Base		
	60 Overall width in inches		
	24 Overall depth in inches		
	N No grommet		
	S Stretcher		
	114 Base/ stretcher paint finish		
	114 Laminate top finish		
	114 Edgeband finish		

Stretchers are required on 36" and 42" depths.


Y Leg Tables

Freestanding Rectangular Table Top


36" and 42" Deep

Dividends Horizon

description	w*	w	d	t	h	pattern no.	Laminate Top P1 Paint	Laminate Top P2 Paint	Laminate Top P3 Paint	Techgrain Top P1 Paint	Techgrain Top P2 Paint	Techgrain Top P3 Paint
36" Deep Rectangular with (2) Y-Legs, No Grommet	60"	59 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ARY6036N	\$2,789.	\$3,063.	\$3,187.	\$3,219.	\$3,541.	\$3,679.
	66"	65 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ARY6636N	2,840.	3,120.	3,248.	3,278.	3,609.	3,753.
	72"	71 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ARY7236N	2,883.	3,175.	3,303.	3,344.	3,677.	3,824.
	78"	77 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ARY7836N	2,933.	3,228.	3,357.	3,405.	3,746.	3,898.
	84"	83 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ARY8436N	2,982.	3,280.	3,413.	3,471.	3,817.	3,968.
	90"	89 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ARY9036N	3,031.	3,334.	3,469.	3,533.	3,888.	4,040.
	96"	95 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ARY9636N	3,083.	3,388.	3,524.	3,597.	3,957.	4,112.



42" Deep Rectangular with (2) Y-Legs, No Grommet	84"	83 ^{13/16"}	41 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ARY8442N	3,058.	3,367.	3,505.	3,882.	4,268.	4,444.
	90"	89 ^{13/16"}	41 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ARY9042N	3,125.	3,437.	3,575.	3,938.	4,331.	4,505.
	96"	95 ^{13/16"}	41 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ARY9642N	3,173.	3,492.	3,630.	3,991.	4,388.	4,563.



w* = nominal width

Dimensions listed under w d t h are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Freestanding Y Leg Table:	Freestanding Y Leg Table:	Freestanding Y Leg Table:	Grommet Option:
1. Pattern number	<i>Example:</i> DT1ARY6024NS, 114, 114	(2) Y Legs - Hardware kit - Table top - Stretcher or stiffening plate	To specify an edge grommet, replace the "N" suffix from the pattern number with an "E" and add \$18.
2. Base/Stretcher Paint Finish	DT1 Dividends Horizon Table	Note: Y Leg tables are finished with textured paint, including 613 Silver.	Stretcher Option:
3. Top Finish	A 2 Leg table assembly	Note: Y Leg Tables are only available in Knoll core finishes.	A stretcher is optional on 24" and 30" deep tables ONLY. To specify a table without a stretcher replace the "S" suffix from the pattern number with an "N".
4. Edge Finish	R Rectangular shape		Stretchers are required on 36" and 42" depths.
	Y Y Leg Base		
	60 Overall width in inches		
	24 Overall depth in inches		
	N No grommet		
	S Stretcher		
	114 Base/ stretcher paint finish		
	114 Laminate top finish		
	114 Edgeband finish		

Y Leg Tables

Freestanding Racetrack Table Top

24" and 30" Deep

description	w*	w	d	t	h	pattern no.	Laminate Top P1 Paint	Laminate Top P2 Paint	Laminate Top P3 Paint	Techgrain Top P1 Paint	Techgrain Top P2 Paint	Techgrain Top P3 Paint
24" Deep Racetrack with (2) Y-Legs, No Grommet	60"	59 ^{13/16"}	23 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY6024NS	\$2,628.	\$2,895.	\$3,009.	\$4,695.	\$5,162.	\$5,373.
	66"	65 ^{13/16"}	23 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY6624NS	2,713.	2,982.	3,104.	4,742.	5,211.	5,420.
	72"	71 ^{13/16"}	23 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY7224NS	2,791.	3,073.	3,194.	4,781.	5,263.	5,471.
	78"	77 ^{13/16"}	23 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY7824NS	2,873.	3,162.	3,288.	4,826.	5,311.	5,518.
	84"	83 ^{13/16"}	23 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY8424NS	2,924.	3,216.	3,344.	4,864.	5,354.	5,570.
	90"	89 ^{13/16"}	23 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY9024NS	2,970.	3,269.	3,398.	4,911.	5,402.	5,622.
	96"	95 ^{13/16"}	23 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY9624NS	3,023.	3,324.	3,458.	4,956.	5,448.	5,669.



(with stretcher shown)

30" Deep Racetrack with (2) Y-Legs, No Grommet	60"	59 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY6030NS	2,734.	3,005.	3,127.	4,765.	5,246.	5,453.
	66"	65 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY6630NS	2,808.	3,091.	3,216.	4,813.	5,293.	5,505.
	72"	71 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY7230NS	2,888.	3,175.	3,303.	4,856.	5,343.	5,558.
	78"	77 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY7830NS	2,965.	3,258.	3,388.	4,905.	5,398.	5,615.
	84"	83 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY8430NS	3,019.	3,321.	3,453.	4,954.	5,447.	5,667.
	90"	89 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY9030NS	3,074.	3,381.	3,515.	5,000.	5,500.	5,719.
	96"	95 ^{13/16"}	29 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY9630NS	3,128.	3,444.	3,578.	5,043.	5,551.	5,774.



(with stretcher shown)

w* = nominal width

Dimensions listed under w d t h are actual to the nearest 1/16"

Ordering Information	Order Code	Included With	Options
Freestanding Y Leg Table:	Freestanding Y Leg Table:	Freestanding Y Leg Table:	Grommet Option:
1. Pattern number	<i>Example:</i> DT1ATY6024NS, 114, 114	• (2) Y Legs	• To specify an edge grommet, replace the "N" suffix from the pattern number with an "E" and add \$18.
2. Base/Stretcher Paint Finish	DT1 Dividends Horizon Table	• Hardware kit	
3. Top Finish	A 2 Leg table assembly	• Stretcher or stiffening plate	
4. Edge Finish	T Racetrack shape	Note: Y Leg tables are finished with textured paint, including 613 Silver.	Stretcher Option:
	Y Y Leg Base	Note: Y Leg Tables are only available in Knoll core finishes.	• A stretcher is optional on 24" and 30" deep tables ONLY. To specify a table without a stretcher replace the "S" suffix from pattern number with an "N". Stretchers are required on 36" and 42" depths.
	60 Overall width in inches		
	24 Overall depth in inches		
	N No grommet		
	S Stretcher		
	114 Base/ stretcher paint finish		
	114 Laminate top finish		
	114 Edgeband finish		

Y Leg Tables


Freestanding Racetrack Table Top

36" and 42" Deep

description	w*	w	d	t	h	pattern no.	Laminate Top P1 Paint	Laminate Top P2 Paint	Laminate Top P3 Paint	Techgrain Top P1 Paint	Techgrain Top P2 Paint	Techgrain Top P3 Paint
36" Deep Racetrack with (2) Y-Legs, No Grommet	60"	59 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY6036N	\$2,827.	\$3,111.	\$3,233.	\$4,834.	\$5,321.	\$5,532.
	66"	65 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY6636N	2,917.	3,207.	3,334.	4,889.	5,373.	5,589.
	72"	71 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY7236N	3,001.	3,304.	3,436.	4,934.	5,429.	5,648.
	78"	77 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY7836N	3,091.	3,398.	3,536.	4,985.	5,485.	5,705.
	84"	83 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY8436N	3,140.	3,455.	3,592.	5,038.	5,541.	5,767.
	90"	89 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY9036N	3,188.	3,508.	3,647.	5,084.	5,599.	5,824.
	96"	95 ^{13/16"}	35 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY9636N	3,236.	3,561.	3,704.	5,139.	5,653.	5,879.



42" Deep Racetrack with (2) Y-Legs, No Grommet	84"	83 ^{13/16"}	41 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY8442N	3,216.	3,536.	3,676.	5,126.	5,641.	5,863.
	90"	89 ^{13/16"}	41 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY9042N	3,276.	3,605.	3,749.	5,182.	5,698.	5,922.
	96"	95 ^{13/16"}	41 ^{1/2"}	1 ^{1/4"}	28 ^{1/2"}	DT1ATY9642N	3,334.	3,672.	3,816.	5,229.	5,757.	5,989.



w* = nominal width


Dimensions listed under w d t h are actual to the nearest 1/16"

Ordering Information	Order Code	Included With	Options
Freestanding Y Leg Table:	Freestanding Y Leg Table:	Freestanding Y Leg Table:	Grommet Option:
1. Pattern number	<i>Example:</i> DT1ATY6024NS, 114, 114	• (2) Y Legs	• To specify an edge grommet, replace the "N" suffix from the pattern number with an "E" and add \$18.
2. Base/Stretcher Paint Finish	DT1 Dividends Horizon Table	• Hardware kit	
3. Top Finish	A 2 Leg table assembly	• Table top	
4. Edge Finish	T Racetrack shape	• Stretcher or stiffening plate	
	Y Y Leg Base	Note: Y Leg tables are finished with textured paint, including 613 Silver.	Stretcher Option:
	60 Overall width in inches	Note: Y Leg Tables are only available in Knoll core finishes.	• A stretcher is optional on 24" and 30" deep tables ONLY. To specify a table without a stretcher replace the "S" suffix from pattern number with an "N". Stretchers are required on 36" and 42" depths.
	24 Overall depth in inches		
	N No grommet		
	S Stretcher		
	114 Base/ stretcher paint finish		
	114 Laminate top finish		
	114 Edgeband finish		

Y Leg Tables


Credenza Supported Rectangular Table Top
24", 30" and 36" deep

description	w*	w	d	t	h	pattern no.	Laminate Top P1 Paint	Laminate Top P2 Paint	Laminate Top P3 Paint	Techgrain Top P1 Paint	Techgrain Top P2 Paint	Techgrain Top P3 Paint
24" Deep Rectangular with (1) Y-Leg and (1) Spacer - No Grommet	60"	59 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY6024N	\$2,198.	\$2,420.	\$2,517.	\$2,579.	\$2,839.	\$2,946.
	66"	65 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY6624N	2,226.	2,450.	2,550.	2,625.	2,890.	3,003.
	72"	71 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY7224N	2,255.	2,482.	2,584.	2,675.	2,942.	3,060.
	78"	77 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY7824N	2,284.	2,515.	2,615.	2,730.	3,000.	3,120.
	84"	83 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY8424N	2,335.	2,567.	2,669.	2,780.	3,053.	3,177.
	90"	89 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY9024N	2,389.	2,622.	2,730.	2,827.	3,111.	3,232.
	96"	95 ¹³ / ₁₆ "	23 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY9624N	2,435.	2,678.	2,787.	2,878.	3,165.	3,292.




(credenza not included)

30" Deep Rectangular with (1) Y-Leg and (1) Spacer - No Grommet	60"	59 ¹³ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY6030N	2,265.	2,486.	2,588.	2,645.	2,907.	3,024.
	66"	65 ¹³ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY6630N	2,298.	2,528.	2,628.	2,703.	2,973.	3,091.
	72"	71 ¹³ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY7230N	2,337.	2,568.	2,673.	2,764.	3,038.	3,159.
	78"	77 ¹³ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY7830N	2,374.	2,611.	2,717.	2,816.	3,104.	3,225.
	84"	83 ¹³ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY8430N	2,430.	2,669.	2,780.	2,878.	3,165.	3,292.
	90"	89 ¹³ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY9030N	2,482.	2,733.	2,843.	2,934.	3,230.	3,357.
	96"	95 ¹³ / ₁₆ "	29 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY9630N	2,536.	2,791.	2,903.	2,991.	3,294.	3,422.



(credenza not included)

36" Deep Rectangular with (1) Y-Leg and (1) Spacer - No Grommet	60"	59 ¹³ / ₁₆ "	35 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY6036N	2,402.	2,641.	2,741.	2,826.	3,109.	3,232.
	66"	65 ¹³ / ₁₆ "	35 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY6636N	2,442.	2,687.	2,795.	2,883.	3,175.	3,300.
	72"	71 ¹³ / ₁₆ "	35 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY7236N	2,489.	2,737.	2,847.	2,940.	3,235.	3,367.
	78"	77 ¹³ / ₁₆ "	35 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY7836N	2,535.	2,789.	2,900.	3,001.	3,303.	3,435.
	84"	83 ¹³ / ₁₆ "	35 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY8436N	2,596.	2,857.	2,970.	3,058.	3,364.	3,500.
	90"	89 ¹³ / ₁₆ "	35 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY9036N	2,661.	2,928.	3,043.	3,120.	3,432.	3,567.
	96"	95 ¹³ / ₁₆ "	35 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1CRY9636N	2,728.	2,997.	3,114.	3,177.	3,494.	3,634.



(credenza not included)

w* = nominal width

Dimensions listed under w d t h are actual to the nearest 1/16"


Ordering Information	Order Code	Included with	Options
Credenza Supported Y Leg Table:	Credenza Supported Y Leg Table:	Credenza Supported Y leg Table:	Grommet Option:
1. Pattern number	<i>Example:</i> DT1CRY6024N, 114, 114	• (1) Y Leg	• To specify an edge grommet, replace the "N" suffix from the pattern number with an "E" and add \$18.
2. Base/Stretcher Paint Finish	DT1 Dividends Horizon Table	• (1) Credenza support spacer	
3. Top Finish	C Credenza support assembly	• Hardware kit	
4. Edge Finish	R Rectangular shape	• Table top	
	Y Y Leg Base	• Stiffening plate	
	60 Overall width in inches	Credenza must be specified separately	Note: Credenza supported tables may be used with laminate or veneer top credenzas only and are not compatible with steel top credenzas.
	24 Overall depth in inches	Note: Y Leg tables are finished with textured paint, including 613 Silver.	
	N No grommet	Note: Y Leg Tables are only available in Knoll core finishes.	
	114 Base/ stretcher paint finish		
	114 Laminate top finish		
	114 Edgeband finish		

Y Leg Tables

Dividends Horizon


Credenza Supported Racetrack Table Top 24", 30" and 36" deep

description	w*	w	d	h	pattern no.	Laminate Top P1 Paint	Laminate Top P2 Paint	Laminate Top P3 Paint	Techgrain Top P1 Paint	Techgrain Top P2 Paint	Techgrain Top P3 Paint
24" Deep Racetrack with (1) Y-Leg and (1) Spacer - No Grommet	60"	59 ^{13/16"}	23 ^{1/2"}	28 ^{1/2"}	DT1CTY6024N	\$2,196.	\$2,415.	\$2,515.	\$4,298.	\$4,727.	\$4,855.
	66"	65 ^{13/16"}	23 ^{1/2"}	28 ^{1/2"}	DT1CTY6624N	2,276.	2,504.	2,606.	4,322.	4,755.	4,896.
	72"	71 ^{13/16"}	23 ^{1/2"}	28 ^{1/2"}	DT1CTY7224N	2,359.	2,594.	2,696.	4,342.	4,781.	4,930.
	78"	77 ^{13/16"}	23 ^{1/2"}	28 ^{1/2"}	DT1CTY7824N	2,439.	2,682.	2,790.	4,371.	4,808.	4,969.
	84"	83 ^{13/16"}	23 ^{1/2"}	28 ^{1/2"}	DT1CTY8424N	2,468.	2,713.	2,819.	4,390.	4,834.	5,004.
	90"	89 ^{13/16"}	23 ^{1/2"}	28 ^{1/2"}	DT1CTY9024N	2,492.	2,739.	2,852.	4,418.	4,857.	5,041.
	96"	95 ^{13/16"}	23 ^{1/2"}	28 ^{1/2"}	DT1CTY9624N	2,518.	2,773.	2,880.	4,442.	4,890.	5,079.




(credenza not included)

30" Deep Racetrack with (1) Y-Leg and (1) Spacer - No Grommet	60"	59 ^{13/16"}	29 ^{1/2"}	28 ^{1/2"}	DT1CTY6030N	2,298.	2,528.	2,628.	4,324.	4,757.	4,915.
	66"	65 ^{13/16"}	29 ^{1/2"}	28 ^{1/2"}	DT1CTY6630N	2,375.	2,615.	2,720.	4,373.	4,810.	4,976.
	72"	71 ^{13/16"}	29 ^{1/2"}	28 ^{1/2"}	DT1CTY7230N	2,453.	2,696.	2,805.	4,419.	4,860.	5,038.
	78"	77 ^{13/16"}	29 ^{1/2"}	28 ^{1/2"}	DT1CTY7830N	2,528.	2,785.	2,895.	4,467.	4,915.	5,093.
	84"	83 ^{13/16"}	29 ^{1/2"}	28 ^{1/2"}	DT1CTY8430N	2,586.	2,843.	2,960.	4,517.	4,969.	5,154.
	90"	89 ^{13/16"}	29 ^{1/2"}	28 ^{1/2"}	DT1CTY9030N	2,641.	2,903.	3,019.	4,563.	5,025.	5,215.
	96"	95 ^{13/16"}	29 ^{1/2"}	28 ^{1/2"}	DT1CTY9630N	2,692.	2,965.	3,084.	4,613.	5,075.	5,275.



(credenza not included)

36" Deep Racetrack with (1) Y-Leg and (1) Spacer - No Grommet	60"	59 ^{13/16"}	35 ^{1/2"}	28 ^{1/2"}	DT1CTY6036N	2,434.	2,675.	2,786.	4,348.	4,784.	4,976.
	66"	65 ^{13/16"}	35 ^{1/2"}	28 ^{1/2"}	DT1CTY6636N	2,518.	2,773.	2,880.	4,423.	4,862.	5,060.
	72"	71 ^{13/16"}	35 ^{1/2"}	28 ^{1/2"}	DT1CTY7236N	2,606.	2,864.	2,981.	4,493.	4,943.	5,141.
	78"	77 ^{13/16"}	35 ^{1/2"}	28 ^{1/2"}	DT1CTY7836N	2,690.	2,961.	3,080.	4,568.	5,027.	5,221.
	84"	83 ^{13/16"}	35 ^{1/2"}	28 ^{1/2"}	DT1CTY8436N	2,752.	3,026.	3,151.	4,639.	5,106.	5,311.
	90"	89 ^{13/16"}	35 ^{1/2"}	28 ^{1/2"}	DT1CTY9036N	2,812.	3,096.	3,221.	4,710.	5,184.	5,393.
	96"	95 ^{13/16"}	35 ^{1/2"}	28 ^{1/2"}	DT1CTY9636N	2,877.	3,164.	3,291.	4,783.	5,264.	5,476.



(credenza not included)

w* = nominal width

Dimensions listed under w d t h are actual to the nearest 1/16"

Ordering Information	Order Code	Included with	Options
Credenza Supported Y Leg Table:	Credenza Supported Y Leg Table:	Credenza Supported Y Leg Table:	Grommet Option:
1. Pattern number	<i>Example:</i> DT1CTY6024N, 114, 114	• (1) Y Leg	• To specify an edge grommet, replace the "N" suffix from the pattern number with an "E" and add \$18.
2. Base/Stretcher Paint Finish	DT1 Dividends Horizon Table	• (1) Credenza support spacer	
3. Top Finish	C Credenza support assembly	• Hardware kit	
4. Edge Finish	T Racetrack shape	• Table top	
	Y Y Leg Base	• Stiffening plate	
	60 Overall width in inches	Credenza must be specified separately	Note: Credenza supported tables may be used with laminate or veneer top credenzas only and are not compatible with steel top credenzas.
	24 Overall depth in inches	Note: Y Leg tables are finished with textured paint, including 613 Silver.	
	N No grommet	Note: Y Leg Tables are only available in Knoll core finishes.	
	114 Base/ stretcher paint finish		
	114 Laminate top finish		
	114 Edgeband finish		

X Base Tables

Square Table Tops

17", 21", 28", 36" and 42" High

Dividends Horizon

description	w*	w	d	t	h	pattern no.	Laminate Top P1 Paint	Laminate Top P2 Paint	Laminate Top P3 Paint	Techgrain Top P1 Paint	Techgrain Top P2 Paint	Techgrain Top P3 Paint
	30"	29 ^{13/16"}	29 ^{13/16"}	1 ^{1/4"}	17"	DT1ASX303017	\$1,598.	\$1,765.	\$1,835.	\$2,364.	\$2,611.	\$2,716.
	36"	35 ^{13/16"}	35 ^{13/16"}	1 ^{1/4"}	17"	DT1ASX363617	1,670.	1,844.	1,917.	2,496.	2,749.	2,859.
	42"	41 ^{13/16"}	41 ^{13/16"}	1 ^{1/4"}	17"	DT1ASX424217	1,853.	2,043.	2,122.	2,644.	2,909.	3,026.
	48"	47 ^{13/16"}	47 ^{13/16"}	1 ^{1/4"}	17"	DT1ASX484817	1,944.	2,144.	2,227.	2,748.	3,025.	3,151.

	30"	29 ^{13/16"}	29 ^{13/16"}	1 ^{1/4"}	21"	DT1ASX303021	1,598.	1,765.	1,835.	2,364.	2,611.	2,716.
	36"	35 ^{13/16"}	35 ^{13/16"}	1 ^{1/4"}	21"	DT1ASX363621	1,670.	1,844.	1,917.	2,496.	2,749.	2,859.
	42"	41 ^{13/16"}	41 ^{13/16"}	1 ^{1/4"}	21"	DT1ASX424221	1,853.	2,043.	2,122.	2,644.	2,909.	3,026.
	48"	47 ^{13/16"}	47 ^{13/16"}	1 ^{1/4"}	21"	DT1ASX484821	1,944.	2,144.	2,227.	2,748.	3,025.	3,151.

	30"	29 ^{13/16"}	29 ^{13/16"}	1 ^{1/4"}	28 ^{1/2"}	DT1ASX3030	1,637.	1,803.	1,873.	2,402.	2,647.	2,752.
	36"	35 ^{13/16"}	35 ^{13/16"}	1 ^{1/4"}	28 ^{1/2"}	DT1ASX3636	1,707.	1,876.	1,951.	2,534.	2,787.	2,897.
	42"	41 ^{13/16"}	41 ^{13/16"}	1 ^{1/4"}	28 ^{1/2"}	DT1ASX4242	1,888.	2,081.	2,161.	2,678.	2,944.	3,061.
	48"	47 ^{13/16"}	47 ^{13/16"}	1 ^{1/4"}	28 ^{1/2"}	DT1ASX4848	1,978.	2,178.	2,267.	2,786.	3,060.	3,185.

	30"	29 ^{13/16"}	29 ^{13/16"}	1 ^{1/4"}	36"	DT1ASX303036	1,728.	1,893.	1,967.	2,489.	2,737.	2,843.
	36"	35 ^{13/16"}	35 ^{13/16"}	1 ^{1/4"}	36"	DT1ASX363636	1,800.	1,969.	2,044.	2,622.	2,877.	2,987.
	42"	41 ^{13/16"}	41 ^{13/16"}	1 ^{1/4"}	36"	DT1ASX424236	1,977.	2,168.	2,251.	2,770.	3,038.	3,155.
	48"	47 ^{13/16"}	47 ^{13/16"}	1 ^{1/4"}	36"	DT1ASX484836	2,070.	2,270.	2,357.	2,876.	3,153.	3,275.

	30"	29 ^{13/16"}	29 ^{13/16"}	1 ^{1/4"}	42"	DT1ASX303042	1,764.	1,927.	1,997.	2,523.	2,776.	2,878.
	36"	35 ^{13/16"}	35 ^{13/16"}	1 ^{1/4"}	42"	DT1ASX363642	1,830.	2,004.	2,082.	2,660.	2,914.	3,024.
	42"	41 ^{13/16"}	41 ^{13/16"}	1 ^{1/4"}	42"	DT1ASX424242	2,018.	2,206.	2,286.	2,805.	3,074.	3,188.
	48"	47 ^{13/16"}	47 ^{13/16"}	1 ^{1/4"}	42"	DT1ASX484842	2,106.	2,302.	2,394.	2,909.	3,187.	3,309.

w* = nominal width

Dimensions listed under w d t h are actual to the nearest 1/16"



Ordering Information	Order Code	Included with:	Options
X Base Table:	X Base Table:	X Base Table:	
1. Pattern number	<i>Example:</i> DT1ASX3030, 114, 114,	• (1) X Base	
2. Base Paint Finish	114	• Hardware kit	
3. Top Finish	DT1 Dividends Horizon	• Table top	
4. Edge Finish	A Table assembly	Note: X Base Tables are	
	S Square shape	finished with textured paint,	
	X X Base	including 613 Silver.	
	30 Overall width in inches	Note: X Base Tables are only	
	30 Overall depth in inches	available in Knoll core	
	114 Base finish	finishes.	
	114 Laminate top finish		
	114 Edgeband finish		

X Base Tables

Round Table Tops

17", 21", 28", 36" and 42" High

Dividends Horizon

description	w*	w	d	t	h	pattern no.	Laminate Top P1 Paint	Laminate Top P2 Paint	Laminate Top P3 Paint	Techgrain Top P1 Paint	Techgrain Top P2 Paint	Techgrain Top P3 Paint
 17" High Round X Base Table	30"	29 ^{13/16"}	29 ^{13/16"}	1 ^{1/4"}	17"	DT1ACX3017	\$1,618.	\$1,783.	\$1,855.	\$3,611.	\$3,972.	\$4,137.
	36"	35 ^{13/16"}	35 ^{13/16"}	1 ^{1/4"}	17"	DT1ACX3617	1,684.	1,854.	1,928.	3,754.	4,136.	4,299.
	42"	41 ^{13/16"}	41 ^{13/16"}	1 ^{1/4"}	17"	DT1ACX4217	1,861.	2,050.	2,137.	3,931.	4,331.	4,507.
	48"	47 ^{13/16"}	47 ^{13/16"}	1 ^{1/4"}	17"	DT1ACX4817	1,951.	2,151.	2,237.	4,040.	4,447.	4,627.
 21" High Round X Base Table	30"	29 ^{13/16"}	29 ^{13/16"}	1 ^{1/4"}	21"	DT1ACX3021	1,618.	1,783.	1,855.	3,611.	3,972.	4,137.
	36"	35 ^{13/16"}	35 ^{13/16"}	1 ^{1/4"}	21"	DT1ACX3621	1,684.	1,854.	1,928.	3,754.	4,136.	4,299.
	42"	41 ^{13/16"}	41 ^{13/16"}	1 ^{1/4"}	21"	DT1ACX4221	1,861.	2,050.	2,137.	3,931.	4,331.	4,507.
	48"	47 ^{13/16"}	47 ^{13/16"}	1 ^{1/4"}	21"	DT1ACX4821	1,951.	2,151.	2,237.	4,040.	4,447.	4,627.
 28" High Round X Base Table	30"	29 ^{13/16"}	29 ^{13/16"}	1 ^{1/4"}	28 ^{1/2"}	DT1ACX30	1,656.	1,820.	1,893.	3,645.	4,010.	4,174.
	36"	35 ^{13/16"}	35 ^{13/16"}	1 ^{1/4"}	28 ^{1/2"}	DT1ACX36	1,721.	1,890.	1,968.	3,789.	4,172.	4,333.
	42"	41 ^{13/16"}	41 ^{13/16"}	1 ^{1/4"}	28 ^{1/2"}	DT1ACX42	1,897.	2,091.	2,171.	3,970.	4,368.	4,544.
	48"	47 ^{13/16"}	47 ^{13/16"}	1 ^{1/4"}	28 ^{1/2"}	DT1ACX48	1,991.	2,188.	2,274.	4,077.	4,484.	4,663.
 36" High Round X Base Table	30"	29 ^{13/16"}	29 ^{13/16"}	1 ^{1/4"}	36"	DT1ACX3036	1,743.	1,910.	1,980.	3,735.	4,097.	4,260.
	36"	35 ^{13/16"}	35 ^{13/16"}	1 ^{1/4"}	36"	DT1ACX3636	1,809.	1,978.	2,054.	3,880.	4,259.	4,424.
	42"	41 ^{13/16"}	41 ^{13/16"}	1 ^{1/4"}	36"	DT1ACX4236	1,990.	2,177.	2,263.	4,060.	4,459.	4,632.
	48"	47 ^{13/16"}	47 ^{13/16"}	1 ^{1/4"}	36"	DT1ACX4836	2,082.	2,277.	2,367.	4,166.	4,575.	4,754.
 42" High Round X Base Table	30"	29 ^{13/16"}	29 ^{13/16"}	1 ^{1/4"}	42"	DT1ACX3042	1,779.	1,945.	2,021.	3,774.	4,137.	4,298.
	36"	35 ^{13/16"}	35 ^{13/16"}	1 ^{1/4"}	42"	DT1ACX3642	1,848.	2,020.	2,095.	3,919.	4,296.	4,461.
	42"	41 ^{13/16"}	41 ^{13/16"}	1 ^{1/4"}	42"	DT1ACX4242	2,028.	2,214.	2,294.	4,094.	4,491.	4,669.
	48"	47 ^{13/16"}	47 ^{13/16"}	1 ^{1/4"}	42"	DT1ACX4842	2,115.	2,314.	2,403.	4,203.	4,612.	4,786.

w* = nominal width

Dimensions listed under w d t h are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
X Base Table: 1. Pattern number 2. Base Paint Finish 3. Top Finish 4. Edge Finish	X Base Table: <i>Example:</i> DT1ACX3030, 114, 114, 114 DT1 Dividends Horizon Table A Table assembly C Round shape X X Base 30 Overall width in inches 30 Overall depth in inches 114 Base finish 114 Laminate top finish 114 Edgeband finish	X Base Table: • (1) X Base • Hardware kit • Table top Note: X Base Tables are finished with textured paint, including 613 Silver. Note: X Base Tables are only available in Knoll core finishes.	

X Base Tables

Rounded Square Table Tops

17", 21", 28", 36" and 42" High

Dividends Horizon

description	w*	w	d	t	h	pattern no.	Laminate Top P1 Paint	Laminate Top P2 Paint	Laminate Top P3 Paint	Techgrain Top P1 Paint	Techgrain Top P2 Paint	Techgrain Top P3 Paint
	30"	29 ^{13/16"}	29 ^{13/16"}	1 ^{1/4"}	17"	DT1ADX303017	\$1,618.	\$1,783.	\$1,855.	\$3,611.	\$3,972.	\$4,137.
	36"	35 ^{13/16"}	35 ^{13/16"}	1 ^{1/4"}	17"	DT1ADX363617	1,684.	1,854.	1,928.	3,754.	4,136.	4,299.
	42"	41 ^{13/16"}	41 ^{13/16"}	1 ^{1/4"}	17"	DT1ADX424217	1,861.	2,050.	2,137.	3,931.	4,331.	4,507.
	48"	47 ^{13/16"}	47 ^{13/16"}	1 ^{1/4"}	17"	DT1ADX484817	1,951.	2,151.	2,237.	4,040.	4,447.	4,627.

	30"	29 ^{13/16"}	29 ^{13/16"}	1 ^{1/4"}	21"	DT1ADX303021	1,618.	1,783.	1,855.	3,611.	3,972.	4,137.
	36"	35 ^{13/16"}	35 ^{13/16"}	1 ^{1/4"}	21"	DT1ADX363621	1,684.	1,854.	1,928.	3,754.	4,136.	4,299.
	42"	41 ^{13/16"}	41 ^{13/16"}	1 ^{1/4"}	21"	DT1ADX424221	1,861.	2,050.	2,137.	3,931.	4,331.	4,507.
	48"	47 ^{13/16"}	47 ^{13/16"}	1 ^{1/4"}	21"	DT1ADX484821	1,951.	2,151.	2,237.	4,040.	4,447.	4,627.

	30"	29 ^{13/16"}	29 ^{13/16"}	1 ^{1/4"}	28 ^{1/2"}	DT1ADX3030	1,656.	1,820.	1,893.	3,645.	4,010.	4,174.
	36"	35 ^{13/16"}	35 ^{13/16"}	1 ^{1/4"}	28 ^{1/2"}	DT1ADX3636	1,721.	1,890.	1,968.	3,789.	4,172.	4,333.
	42"	41 ^{13/16"}	41 ^{13/16"}	1 ^{1/4"}	28 ^{1/2"}	DT1ADX4242	1,897.	2,091.	2,171.	3,970.	4,368.	4,544.
	48"	47 ^{13/16"}	47 ^{13/16"}	1 ^{1/4"}	28 ^{1/2"}	DT1ADX4848	1,991.	2,188.	2,274.	4,077.	4,484.	4,663.

	30"	29 ^{13/16"}	29 ^{13/16"}	1 ^{1/4"}	36"	DT1ADX303036	1,743.	1,910.	1,980.	3,735.	4,097.	4,260.
	36"	35 ^{13/16"}	35 ^{13/16"}	1 ^{1/4"}	36"	DT1ADX363636	1,809.	1,978.	2,054.	3,880.	4,259.	4,424.
	42"	41 ^{13/16"}	41 ^{13/16"}	1 ^{1/4"}	36"	DT1ADX424236	1,990.	2,177.	2,263.	4,060.	4,459.	4,632.
	48"	47 ^{13/16"}	47 ^{13/16"}	1 ^{1/4"}	36"	DT1ADX484836	2,082.	2,277.	2,367.	4,166.	4,575.	4,754.

w* = nominal width

Dimensions listed under w d t h are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
X Base Table:	X Base Table:	X Base Table:	
1. Pattern number	<i>Example:</i> DT1ADX3030, 114, 114,	• (1) X Base	
2. Base Paint Finish	114	• Hardware kit	
3. Top Finish	DT1 Dividends Horizon	• Table top	
4. Edge Finish	A Table assembly	Note: X Base Tables are	finished with textured paint,
	D Rounded Square shape	including 613 Silver.	
	X X Base	Note: X Base Tables are only	available in Knoll core
	30 Overall width in inches	finishes.	
	30 Overall depth in inches		
	114 Base finish		
	114 Laminate top finish		
	114 Edgeband finish		

X Base Tables

Rounded Square Table Tops

17", 21", 28", 36" and 42" High

Dividends Horizon

description	w*	w	d	t	h	pattern no.	Laminate Top P1 Paint	Laminate Top P2 Paint	Laminate Top P3 Paint	Techgrain Top P1 Paint	Techgrain Top P2 Paint	Techgrain Top P3 Paint
42" High Rounded Square X Base Table	30"	29 13/16"	29 13/16"	1 1/4"	42"	DT1ADX303042	\$1,779.	\$1,945.	\$2,021.	\$3,774.	\$4,137.	\$4,298.
	36"	35 13/16"	35 13/16"	1 1/4"	42"	DT1ADX363642	1,848.	2,020.	2,095.	3,919.	4,296.	4,461.
	42"	41 13/16"	41 13/16"	1 1/4"	42"	DT1ADX424242	2,028.	2,214.	2,294.	4,094.	4,491.	4,669.
	48"	47 13/16"	47 13/16"	1 1/4"	42"	DT1ADX484842	2,115.	2,314.	2,403.	4,203.	4,612.	4,786.



Tables

w* = nominal width

Dimensions listed under w d t h are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
X Base Table:	X Base Table:	X Base Table:	
1. Pattern number	<i>Example:</i> DT1ADX3030, 114, 114,	• (1) X Base	
2. Base Paint Finish	114	• Hardware kit	
3. Top Finish	DT1 Dividends Horizon	• Table top	
4. Edge Finish	A Table assembly	Note: X Base Tables are	
	D Rounded Square shape	finished with textured paint,	
	X X Base	including 613 Silver.	
	30 Overall width in inches	Note: X Base Tables are only	
	30 Overall depth in inches	available in Knoll core	
	114 Base finish	finishes.	
	114 Laminate top finish		
	114 Edgeband finish		

Table Supports

X Bases

Credenza Support Spacer

Dividends Horizon

description	w	h	d	pattern no.	P1	P2	P3
Small X-Base, for use with 30" or 36" wide round, square or rounded square table tops		17"		DT1BXS17	\$860.	\$950.	\$990.
		21"		DT1BXS21	860.	950.	990.
		28"		DT1BXS	895.	988.	1,028.
		36"		DT1BXS36	988.	1,076.	1,116.
		42"		DT1BXS42	1,021.	1,114.	1,153.



Large X Base, for use with 42" or 48" wide round, square or rounded square table tops		17"		DT1BXL17	948.	1,045.	1,089.
		21"		DT1BXL21	948.	1,045.	1,089.
		28"		DT1BXL	986.	1,082.	1,127.
		36"		DT1BXL36	1,075.	1,173.	1,217.
		42"		DT1BXL42	1,111.	1,211.	1,253.



Credenza Support Spacer For use with Dividends Horizon Credenza	9 ⁵ / ₈ "	2 ¹⁵ / ₁₆ "	1 ⁹ / ₁₆ "	DT1S	254.	284.	294.
--	---------------------------------	-----------------------------------	----------------------------------	-------------	------	------	------



Small T-Base, for use with 24" or 30" deep tops		28"		DT1BTS	895.	988.	1,028.
---	--	-----	--	---------------	------	------	--------



Large T-Base, for use with 36" or 48" deep tops		28"		DT1BTL	986.	1,082.	1,127.
---	--	-----	--	---------------	------	--------	--------



Ordering Information	Order Code	Included with:	Options
Table Supports:	X Base:	X Base:	Casters are designed for use on X- and Y-bases only.
1. Pattern number	<i>Example:</i> DT1BXS, 114	• X Base	• Hardware kit
2. Paint Finish	DT1 Dividends Horizon Table	T Base:	• T Base
	B Base	• Hardware kit	
	S X Shape	Credenza Support spacer:	• Support spacer
	114 Paint finish	• Hardware Kit	
	Credenza Support Spacer:		
	<i>Example:</i> DT1S, 114		
	DT1 Dividends Horizon Table	Note: X and T bases are painted with textured paint, including 613 Silver.	
	S Support Spacer		
	114 Paint finish	Note: Table supports are only available in Knoll core finishes.	

Table Supports
X Bases
Credenza Support Spacer

Dividends Horizon

description	w	h	d	pattern no.	P1	P2	P3
Caster Kit (set of 4) black only    		1"		DT1CK4	\$61.	\$0.	\$0.


Ordering Information	Order Code	Included with:	Options
Table Supports:	X Base:	X Base:	Casters are designed for use on X- and Y-bases only.
1. Pattern number	<i>Example:</i> DT1BXS, 114	• X Base	
2. Paint Finish	DT1 Dividends Horizon Table	• Hardware kit	Tables with casters may not exceed 28"h, 84"w or 42"d.
	B Base	T Base:	
	S X Shape	• T Base	
	114 Paint finish	• Hardware kit	
	Credenza Support Spacer:	Credenza Support spacer:	
	<i>Example:</i> DT1S, 114	• Support spacer	
	DT1 Dividends Horizon Table	• Hardware Kit	
	S Support Spacer	Note: X and T bases are painted with textured paint, including 613 Silver.	
	114 Paint finish	Note: Table supports are only available in Knoll core finishes.	

Conference Tables


Rectangular Table Top

36", 42" and 48" deep


description	w*	w	d	t	h	pattern no.	Laminate Top P1 Paint	Laminate Top P2 Paint	Laminate Top P3 Paint	Techgrain Top P1 Paint	Techgrain Top P2 Paint	Techgrain Top P3 Paint
36" Deep Rectangular Conference Table	102"	101 ¹³ / ₁₆ "	35 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY10236N	\$3,793.	\$3,881.	\$3,972.	\$4,332.	\$4,515.	\$4,877.
	108"	107 ¹³ / ₁₆ "	35 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY10836N	3,881.	3,972.	4,065.	4,423.	4,862.	5,063.



42" Deep Rectangular Conference Table	102"	101 ¹³ / ₁₆ "	41 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY10242N	3,881.	3,972.	4,065.	4,423.	4,604.	4,967.
	108"	107 ¹³ / ₁₆ "	41 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY10842N	3,972.	4,065.	4,153.	4,467.	4,967.	5,211.
	120"	119 ¹³ / ₁₆ "	41 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY12042N	4,248.	4,334.	4,425.	4,640.	5,107.	5,312.
	132"	131 ¹³ / ₁₆ "	41 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY13242N	4,425.	4,517.	4,608.	5,398.	5,937.	6,176.
	144"	143 ¹³ / ₁₆ "	41 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY14442N	4,608.	4,697.	4,785.	6,149.	6,767.	7,034.



48" Deep Rectangular Conference Table	102"	101 ¹³ / ₁₆ "	47 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY10248N	3,972.	4,065.	4,153.	4,515.	4,783.	5,145.
	108"	107 ¹³ / ₁₆ "	47 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY10848N	4,065.	4,153.	4,245.	4,650.	5,100.	5,327.
	120"	119 ¹³ / ₁₆ "	47 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY12048N	4,347.	4,438.	4,532.	4,779.	5,258.	5,464.
	132"	131 ¹³ / ₁₆ "	47 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY13248N	4,532.	4,620.	4,709.	5,545.	6,099.	6,345.
	144"	143 ¹³ / ₁₆ "	47 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ARY14448N	4,709.	4,797.	4,892.	6,311.	6,943.	7,225.



w* = nominal width

Dimensions listed under w d t h are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Conference Tables:	Conference Table:	Conference Table:	Conference Tables
1. Pattern number	<i>Example:</i> DT1ARY10836N	• (2) Y Legs	
2. Base/Stretcher Paint Finish	DT1 Dividends Horizon Table	• (1) T leg	
3. Top Finish	A Table Assembly	• (2) Stretchers	
4. Edge Finish	R Rectangular shape	• Table Top	
	Y Y Leg Base	• Hardware Kit	
	108 Overall width in inches		
	36 Overall depth in inches		
	N No grommet		
	114 Base/ stretcher paint finish		
	114 Laminate top finish		
	114 Edgeband finish		


Conference Tables

Racetrack Table Top


36", 42" and 48" deep

Dividends Horizon


description	w*	w	d	t	h	pattern no.	Laminate Top P1 Paint	Laminate Top P2 Paint	Laminate Top P3 Paint	Techgrain Top P1 Paint	Techgrain Top P2 Paint	Techgrain Top P3 Paint
36" Deep Racetrack Conference Table	102"	101 ¹³ / ₁₆ "	35 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ATY10236N	\$3,793.	\$3,881.	\$3,972.	\$5,599.	\$6,138.	\$6,320.
	108"	107 ¹³ / ₁₆ "	35 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ATY10836N	3,881.	3,972.	4,065.	5,679.	6,246.	6,494.



42" Deep Racetrack Conference Table	102"	101 ¹³ / ₁₆ "	41 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ATY10242N	3,881.	3,972.	4,065.	5,644.	6,227.	6,497.
	108"	107 ¹³ / ₁₆ "	41 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ATY10842N	3,972.	4,065.	4,153.	5,776.	6,320.	6,588.
	120"	119 ¹³ / ₁₆ "	41 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ATY12042N	4,248.	4,334.	4,425.	5,899.	6,487.	6,745.
	132"	131 ¹³ / ₁₆ "	41 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ATY13242N	4,425.	4,517.	4,608.	6,774.	7,446.	7,746.
	144"	143 ¹³ / ₁₆ "	41 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ATY14442N	4,608.	4,697.	4,785.	7,641.	8,404.	8,743.



48" Deep Racetrack Conference Table	102"	101 ¹³ / ₁₆ "	47 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ATY10248N	3,972.	4,065.	4,153.	5,776.	6,274.	6,546.
	108"	107 ¹³ / ₁₆ "	47 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ATY10848N	4,065.	4,153.	4,245.	5,960.	6,411.	6,680.
	120"	119 ¹³ / ₁₆ "	47 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ATY12048N	4,347.	4,438.	4,532.	6,027.	6,632.	6,897.
	132"	131 ¹³ / ₁₆ "	47 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ATY13248N	4,532.	4,620.	4,709.	6,914.	7,607.	7,917.
	144"	143 ¹³ / ₁₆ "	47 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ATY14448N	4,709.	4,797.	4,892.	7,809.	8,584.	8,928.



w* = nominal width

Dimensions listed under w d t h are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Conference Tables:	Conference Table:	Conference Table:	Conference Tables
1. Pattern number	<i>Example:</i> DT1ARY10836N	• (2) Y Legs	
2. Base/Stretcher Paint Finish	DT1 Dividends Horizon Table	• (1) T leg	
3. Top Finish	A Table Assembly	• (2) Stretchers	
4. Edge Finish	R Rectangular shape	• Table Top	
	Y Y Leg Base	• Hardware Kit	
	108 Overall width in inches		
	36 Overall depth in inches		
	N No grommet		
	114 Base/ stretcher paint finish		
	114 Laminate top finish		
	114 Edgeband finish		

Tables


Conference Tables

Boat Shape Table Top


42" and 48" deep

Dividends Horizon

description	w*	w	d	t	h	pattern no.	Laminate Top	Laminate Top	Laminate Top	Techgrain Top	Techgrain Top	Techgrain Top
							P1 Paint	P2 Paint	P3 Paint	P1 Paint	P2 Paint	P3 Paint
42" Deep Boat Shape Conference Table	102"	101 ¹³ / ₁₆ "	41 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ABY10242N	\$3,881.	\$3,972.	\$4,065.	\$5,644.	\$6,227.	\$6,497.
	108"	107 ¹³ / ₁₆ "	41 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ABY10842N	3,972.	4,065.	4,153.	5,776.	6,320.	6,588.
	120"	119 ¹³ / ₁₆ "	41 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ABY12042N	4,248.	4,334.	4,425.	5,899.	6,487.	6,745.
	132"	131 ¹³ / ₁₆ "	41 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ABY13242N	4,425.	4,517.	4,608.	6,774.	7,446.	7,746.
	144"	143 ¹³ / ₁₆ "	41 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ABY14442N	4,608.	4,697.	4,785.	7,641.	8,404.	8,743.



48" Deep Boat Shape Conference Table	102"	101 ¹³ / ₁₆ "	47 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ABY10248N	3,972.	4,065.	4,153.	5,776.	6,274.	6,546.
	108"	107 ¹³ / ₁₆ "	47 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ABY10848N	4,065.	4,153.	4,245.	5,960.	6,411.	6,680.
	120"	119 ¹³ / ₁₆ "	47 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ABY12048N	4,347.	4,438.	4,532.	6,027.	6,632.	6,897.
	132"	131 ¹³ / ₁₆ "	47 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ABY13248N	4,532.	4,620.	4,709.	6,914.	7,607.	7,917.
	144"	143 ¹³ / ₁₆ "	47 ¹ / ₂ "	1 ¹ / ₄ "	28 ¹ / ₂ "	DT1ABY14448N	4,709.	4,797.	4,892.	7,809.	8,584.	8,928.



w* = nominal width

Dimensions listed under w d t h are actual to the nearest ¹/₁₆"




Ordering Information	Order Code	Included with:	Options
Conference Tables:	Conference Table:	Conference Table:	Conference Tables
1. Pattern number	<i>Example:</i> DT1ARY10836N	• (2) Y Legs	
2. Base/Stretcher Paint Finish	DT1 Dividends Horizon Table	• (1) T leg	
3. Top Finish	A Table Assembly	• (2) Stretchers	
4. Edge Finish	R Rectangular shape	• Table Top	
	Y Y Leg Base	• Hardware Kit	
	108 Overall width in inches		
	36 Overall depth in inches		
	N No grommet		
	114 Base/ stretcher paint finish		
	114 Laminate top finish		
	114 Edgeband finish		

Preconfigured Desks

Series 2 Single and Double Pedestal

24", 30" and 36" Deep

Dividends Horizon

description	w*	w	d	h	pattern no.	P1	P2	P3
 Single Pedestal Desk with Locks	60"	59 ^{13/16"}	23 ^{1/2"}	28 ^{1/2"}	DD2S L6024N	\$2,665.	\$2,882.	\$2,983.
	60"	59 ^{13/16"}	29 ^{1/2"}	28 ^{1/2"}	DD2S L6030N	2,924.	3,147.	3,257.
	66"	65 ^{13/16"}	23 ^{1/2"}	28 ^{1/2"}	DD2S L6624N	2,731.	2,944.	3,053.
	66"	65 ^{13/16"}	29 ^{1/2"}	28 ^{1/2"}	DD2S L6630N	3,019.	3,248.	3,357.
	72"	71 ^{13/16"}	23 ^{1/2"}	28 ^{1/2"}	DD2S L7224N	2,779.	2,993.	3,101.
	72"	71 ^{13/16"}	29 ^{1/2"}	28 ^{1/2"}	DD2S L7230N	3,070.	3,299.	3,410.
 Double Pedestal Desk with Locks	60"	59 ^{13/16"}	23 ^{1/2"}	28 ^{1/2"}	DD2D L6024N	3,069.	3,320.	3,446.
	60"	59 ^{13/16"}	29 ^{1/2"}	28 ^{1/2"}	DD2D L6030N	3,310.	3,573.	3,701.
	66"	65 ^{13/16"}	23 ^{1/2"}	28 ^{1/2"}	DD2D L6624N	3,135.	3,386.	3,515.
	66"	65 ^{13/16"}	29 ^{1/2"}	28 ^{1/2"}	DD2D L6630N	3,410.	3,675.	3,806.
	72"	71 ^{13/16"}	23 ^{1/2"}	28 ^{1/2"}	DD2D L7224N	3,178.	3,435.	3,564.
	72"	71 ^{13/16"}	29 ^{1/2"}	28 ^{1/2"}	DD2D L7230N	3,460.	3,723.	3,859.
 Double Pedestal Desk with Locks and 6" Front Overhang	60"	59 ^{13/16"}	35 ^{1/2"}	28 ^{1/2"}	DD2O L6036N	3,510.	3,771.	3,903.
	66"	65 ^{13/16"}	35 ^{1/2"}	28 ^{1/2"}	DD2O L6636N	3,626.	3,891.	4,016.
	72"	71 ^{13/16"}	35 ^{1/2"}	28 ^{1/2"}	DD2O L7236N	3,744.	4,011.	4,139.

w* = nominal width

Dimensions listed under w d h are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Single Pedestal Desk 1. Pattern Number 2. Laminate Finish 3. Edge Band Finish 4. Paint Finish	Single Pedestal Desk <i>Example:</i> DD2S L7230N, 117, 117, 117 DD2S Pattern Number L7230N 117 Soft Grey laminate 117 Soft Grey edge finish 117 Soft Grey paint finish	Single Pedestal Desk Double Pedestal Desk Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	Single Pedestal Desk - To specify desk with center located edge grommet, replace the suffix letter "N" with a "G". Add \$19 (Grommets not available for overhang desks) - To specify pedestals without locks, replace the fifth character "L" with an "N". Deduct \$20. Double Pedestal Desk - To specify desk with center located edge grommet, replace the suffix letter "N" with a "G". Add \$19 (Grommets not available for overhang desks) - To specify pedestals without locks, replace the fifth character "L" with an "N". Deduct \$40.
Double Pedestal Desk 1. Pattern Number 2. Laminate Finish 3. Edge Band Finish 4. Paint Finish	Double Pedestal Desk <i>Example:</i> DD2D L7230N, 117, 117, 117 DD2D Pattern Number L7230N 117 Soft Grey laminate 117 Soft Grey edge finish 117 Soft Grey paint finish		

Preconfigured Desks

Series 2 Freestanding Corner Unit

24" Deep

Dividends Horizon

description	type	w *	w	d	h	pattern no.	P1	P2	P3
 Freestanding Corner Unit (Assembly)		36"	35 1/2"	23 1/2"	28 1/2"	DD2VD 3624 N	\$2,252.	\$2,481.	\$2,594.
		42"	41 1/2"	23 1/2"	28 1/2"	DD2VD 4224 N	2,329.	2,564.	2,683.
		48"	47 1/2"	23 1/2"	28 1/2"	DD2VD 4824 N	2,443.	2,691.	2,811.
 Freestanding Curved Corner Unit (Assembly)		36"	35 1/2"	23 1/2"	28 1/2"	DD2VL 3624 N	2,302.	2,533.	2,650.
		42"	41 1/2"	23 1/2"	28 1/2"	DD2VL 4224 N	2,442.	2,690.	2,810.
		48"	47 1/2"	23 1/2"	28 1/2"	DD2VL 4824 N	2,552.	2,810.	2,932.
 Freestanding Corner End Unit (Component)			6 9/16"	6 9/16"	26 7/8"	DD1R CU6	473.	521.	544.

w* = nominal width

Dimensions listed under w d h are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Freestanding Corner 1. Pattern Number 2. Laminate Finish 3. Edge Band Finish 4. Paint Finish	Freestanding Corner <i>Example:</i> DD2VD 3624 N, 117, 117, 117 DD2VD 3624 Pattern Number N No Grommets 117 Soft Grey laminate 117 Soft Grey edge finish 117 Soft Grey paint finish	Freestanding Corner • Corner supports (3) • Back panels (2) • Corner worksurface • Connecting hardware Freestanding Corner End Unit Note: Series 2 freestanding corner units have full height modesty panels. Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	Freestanding Corner • To specify two center-mounted edge grommets, replace the suffix letter "N" with a "G". Add \$29. Freestanding Corner End Unit
Freestanding Corner End Unit 1. Pattern Number 2. Paint Finish	Freestanding Corner End Unit <i>Example:</i> DD1RCU6, 117 DD1RCU6 Pattern Number 117 Soft Grey paint finish		

Preconfigured Desks

Freestanding Corner Unit

24" Deep

Dividends Horizon

description	type	w *	w	d	h	pattern no.	P1	P2	P3
Freestanding Corner End Unit (Component)			6 ⁹ / ₁₆ "	6 ⁹ / ₁₆ "	26 ⁷ / ₈ "	DD1R CU6	\$473.	\$521.	\$544.
									
Freestanding Corner Unit (Component)			6 ⁹ / ₁₆ "	12 ⁹ / ₁₆ "	26 ⁷ / ₈ "	DD1S CU12	561.	614.	642.
									
Back Panels for Freestanding Corner Unit (Component)	full height	36"	20 ¹⁵ / ₁₆ "	26 ⁷ / ₈ "		DD1 FBPV36	336.	368.	383.
	full height	42"	26 ¹⁵ / ₁₆ "	26 ⁷ / ₈ "		DD1 FBPV42	338.	372.	390.
	full height	48"	32 ¹⁵ / ₁₆ "	26 ⁷ / ₈ "		DD1 FBPV48	343.	377.	395.
	half height	36"	20 ¹⁵ / ₁₆ "	11"		DD1 BPV36	282.	306.	321.
	half height	42"	26 ¹⁵ / ₁₆ "	11"		DD1 BPV42	295.	324.	338.
	half height	48"	32 ¹⁵ / ₁₆ "	11"		DD1 BPV48	308.	341.	361.
									

w* = nominal width
Dimensions listed under w d h are actual to the nearest 1/16"

Ordering Information	Order Code	Included with:	Options
Freestanding Corner	Freestanding Corner	Freestanding Corner	Freestanding Corner
1. Pattern Number	<i>Example:</i> DD1VD 3624 N, 117, 117	• Corner supports (3)	• To specify two center-mounted edge grommets, replace the suffix letter "N" with a "G".
2. Laminate Finish		• Back panels (2)	
3. Edge Band Finish	DD1VD Pattern Number	• Corner worksurface	
4. Paint Finish	3624	• Connecting hardware	
Freestanding Corner End Unit	N No Grommets	Freestanding Corner End Unit	Add \$29.
1. Pattern Number	117 Soft Grey laminate	Note: Series 2 freestanding corner units have full height modesty panels.	Freestanding Corner End Unit
2. Paint Finish	117 Soft Grey edge finish		Freestanding Corner Back Panel
	117 Soft Grey paint finish	Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	
	Freestanding Corner End Unit		
	<i>Example:</i> DD1RCU6, 117		
	DD1RCU6 Pattern Number		
	117 Soft Grey paint finish		

Preconfigured Desks

Series 2 Returns and Bridge Units

18" and 24" Deep

Dividends Horizon

description	w *	w	d	h	pattern no.	P1	P2	P3
 End Panel Return	36"	35 ¹³ / ₁₆ "	17 ¹ / ₂ "	28 ¹ / ₂ "	DD2E 3618N	\$1,244.	\$1,337.	\$1,377.
	36"	35 ¹³ / ₁₆ "	23 ¹ / ₂ "	28 ¹ / ₂ "	DD2E 3624N	1,362.	1,454.	1,506.
	42"	41 ¹³ / ₁₆ "	17 ¹ / ₂ "	28 ¹ / ₂ "	DD2E 4218N	1,308.	1,402.	1,449.
	42"	41 ¹³ / ₁₆ "	23 ¹ / ₂ "	28 ¹ / ₂ "	DD2E 4224N	1,425.	1,523.	1,573.
 Pedestal Return	36"	35 ¹³ / ₁₆ "	17 ¹ / ₂ "	28 ¹ / ₂ "	DD2P (L)3618N	1,609.	1,737.	1,801.
	36"	35 ¹³ / ₁₆ "	23 ¹ / ₂ "	28 ¹ / ₂ "	DD2P (L)3624N	1,760.	1,893.	1,959.
	42"	41 ¹³ / ₁₆ "	17 ¹ / ₂ "	28 ¹ / ₂ "	DD2P (L)4218N	1,680.	1,805.	1,865.
	42"	41 ¹³ / ₁₆ "	23 ¹ / ₂ "	28 ¹ / ₂ "	DD2P (L)4224N	1,828.	1,966.	2,029.
	48"	47 ¹³ / ₁₆ "	17 ¹ / ₂ "	28 ¹ / ₂ "	DD2P (L)4818N	1,741.	1,865.	1,930.
	48"	47 ¹³ / ₁₆ "	23 ¹ / ₂ "	28 ¹ / ₂ "	DD2P (L)4824N	1,899.	2,039.	2,107.
 Bridge Unit	30"	29 ¹³ / ₁₆ "	17 ¹ / ₂ "	28 ¹ / ₂ "	DD2B 3018N	607.	635.	644.
	36"	35 ¹³ / ₁₆ "	17 ¹ / ₂ "	28 ¹ / ₂ "	DD2B 3618N	669.	699.	713.
	36"	35 ¹³ / ₁₆ "	23 ¹ / ₂ "	28 ¹ / ₂ "	DD2B 3624N	716.	746.	760.
	42"	41 ¹³ / ₁₆ "	17 ¹ / ₂ "	28 ¹ / ₂ "	DD2B 4218N	725.	757.	772.
	42"	41 ¹³ / ₁₆ "	23 ¹ / ₂ "	28 ¹ / ₂ "	DD2B 4224N	788.	817.	831.
	48"	47 ¹³ / ₁₆ "	17 ¹ / ₂ "	28 ¹ / ₂ "	DD2B 4818N	788.	817.	831.
	48"	47 ¹³ / ₁₆ "	23 ¹ / ₂ "	28 ¹ / ₂ "	DD2B 4824N	858.	888.	903.

w* = nominal width

Dimensions listed under w d h are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Pedestal Return 1. Pattern Number 2. Laminate Finish 3. Edge Band Finish 4. Paint Finish	Pedestal Return <i>Example:</i> DD2P L4824N, 117, 117, 117 DP2P Pattern Number L4824N 117 Soft Grey laminate 117 Soft Grey edge finish 117 Soft Grey paint finish End Panel Return or Bridge Unit <i>Example:</i> DD2B 4224N, 117, 117, 117 DD2B Pattern Number 4424 117 Soft Grey laminate 117 Soft Grey finish 117 Soft Grey finish	Pedestal Return • Worksurface • Pedestal • Back panel • Half height flat bracket (1) • Connecting hardware End Panel Return or Bridge Unit • Worksurface • Back panel • Half height flat brackets (2) • Connecting hardware Note: An upcharge applies when specifying Legacy laminates. See Legacy finish page.	Pedestal Return • To specify center-mounted edge grommet, replace the "N" suffix from the pattern number with "G". Add \$19 • To specify pedestal without locks, replace the 5th digit "L" from the pattern number with "N". Deduct \$20. End Panel Return or Bridge Unit • To specify center-mounted edge grommet, replace the "N" suffix from the pattern number with "G". Add \$19

*End Units**Desk End, Desk Integration and Intermediate*

description	d *	d	w	h	pattern no.	P1	P2	P3
 Desk End Unit	18"	16 ³ / ₈ "	14 ⁷ / ₈ "	26 ⁷ / ₈ "	DD1 EU18	\$593.	\$655.	\$689.
	24"	22 ³ / ₈ "	14 ⁷ / ₈ "	26 ⁷ / ₈ "	DD1 EU24	657.	719.	756.
	30"	28 ⁵ / ₈ "	14 ⁷ / ₈ "	26 ⁷ / ₈ "	DD1 EU30	715.	785.	823.
 Desk Integration End Unit (Non-structural)	1 ¹ / ₂ "	1 ¹ / ₂ "	14 ⁷ / ₈ "	26 ⁷ / ₈ "	DD1 DIEU	331.	362.	375.
 Intermediate End Unit	14"	12"	31 ⁹ / ₁₆ "	26 ⁷ / ₈ "	DD1 IE30	593.	655.	689.

d* = nominal depth

Dimensions listed under d w h are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Desk End Unit 1. Pattern Number 2. Paint Finish	Desk End Unit <i>Example:</i> DD1 EU18, 117 DD1 EU18 Pattern Number 117 Soft Grey Paint Finish	Desk End Unit Desk Integration End Unit • Panel-to-Worksurface Brackets (2)	Desk End Unit Desk Integration End Unit Intermediate End Unit
Desk Integration End Unit 1. Pattern Number 2. Paint Finish	Desk Integration End Unit <i>Example:</i> DD1 DIEU, 117 DD1 DIEU Pattern Number 117 Soft Grey Paint Finish	Intermediate End Unit	
Intermediate End Unit 1. Pattern Number 2. Paint Finish	Intermediate End Unit <i>Example:</i> DD1 IE30, 117 DD1 IE30 Pattern Number 117 Soft Grey Paint Finish		

Desk Components

Half Height Back Panels

For Desks, Returns, Bridges and 2 Pedestal Configuration

Dividends Horizon

description	top width	w *	h	pattern no.	P1	P2	P3
 Half Height Back panels for Desks	54"	29 ⁷ / ₈ "	11"	DD1 BPD54	\$332.	\$363.	\$377.
	60"	29 ⁷ / ₈ "	11"	DD1 BPD60	348.	383.	399.
	66"	35 ⁷ / ₈ "	11"	DD1 BPD66	368.	403.	420.
	72"	41 ⁷ / ₈ "	11"	DD1 BPD72	385.	422.	446.
 Half Height Back panels for Returns	36"	21 ⁵ / ₈ "	11"	DD1 BPR36	295.	324.	338.
	42"	27 ⁵ / ₈ "	11"	DD1 BPR42	306.	338.	359.
	48"	33 ³ / ₈ "	11"	DD1 BPR48	331.	362.	375.
	60"	45 ³ / ₈ "	11"	DD1 BPR60	368.	403.	420.
 Half Height Back panels for Bridges	30"	31 ³ / ₈ "	11"	DD1 BPB30	263.	288.	300.
	36"	37 ³ / ₈ "	11"	DD1 BPB36	282.	306.	321.
	42"	43 ³ / ₈ "	11"	DD1 BPB42	295.	324.	338.
	48"	49 ³ / ₈ "	11"	DD1 BPB48	311.	343.	362.
 Half Height Back panels for 2 Pedestal "U" Credenza	72"	26 ¹⁵ / ₁₆ "	11"	DD1 BPU72	295.	324.	338.

Dimensions listed under w h are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Back Panels for Bridges 1. Pattern Number 2. Paint Finish	Back Panels for Bridges <i>Example:</i> DD1 BPB36 , 117 DD1 Pattern Number BPB36 117 Soft Grey Paint Finish	Back Panels for Bridges • Attachment Hardware	Back Panels for Bridges


*Full Back Panels**For Desks, Returns, Bridges and 2 Pedestal Configuration*

description	top width	w *	h	pattern no.	P1	P2	P3
Full Back panels for Desks 	54"	23 ⁷ / ₈ "	26 ⁵ / ₈ "	DD1 FBPD54	\$394.	\$434.	\$453.
	60"	29 ⁷ / ₈ "	26 ⁵ / ₈ "	DD1 FBPD60	400.	441.	462.
	66"	35 ⁷ / ₈ "	26 ⁵ / ₈ "	DD1 FBPD66	413.	454.	469.
	72"	41 ⁷ / ₈ "	26 ⁵ / ₈ "	DD1 FBPD72	425.	466.	490.
Full Back panels for Returns 	36"	21 ⁵ / ₈ "	26 ⁵ / ₈ "	DD1 FBPR36	371.	406.	425.
	42"	27 ⁵ / ₈ "	26 ⁵ / ₈ "	DD1 FBPR42	377.	416.	435.
	48"	33 ⁵ / ₈ "	26 ⁵ / ₈ "	DD1 FBPR48	395.	435.	454.
	60"	45 ⁵ / ₈ "	26 ⁵ / ₈ "	DD1 FBPR60	434.	470.	502.
Full Back panels for Bridges 	30"	31 ³ / ₈ "	26 ⁵ / ₈ "	DD1 FBPB30	347.	380.	397.
	36"	37 ³ / ₈ "	26 ⁵ / ₈ "	DD1 FBPB36	364.	400.	417.
	42"	43 ³ / ₈ "	26 ⁵ / ₈ "	DD1 FBPB42	395.	435.	454.
	48"	49 ³ / ₈ "	26 ⁵ / ₈ "	DD1 FBPB48	406.	447.	466.
Full Back panels for 2 Pedestal "U" Credenza 	72"	26 ¹⁵ / ₁₆ "	26 ⁵ / ₈ "	DD1 FBPU72	377.	416.	435.

Dimensions listed under w h are actual to the nearest ¹/₁₆"

Ordering Information	Order Code	Included with:	Options
Back Panels for Bridges 1. Pattern Number 2. Paint Finish	Back Panels for Bridges <i>Example:</i> DD1 FBPB36 , 117 DD1 Pattern Number FBPB36 117 Soft Grey Paint Finish	Back Panels for Bridges • Attachment Hardware	Back Panels for Bridges

Drawer Organizers, Cable Management and Grommet Kits

description	type	w	d	h	pattern no.	list
Pencil Tray 	Black finish	13 1/4"	5 7/8"	7/8"	DS2PPTN	\$66.
	Clear finish	13 1/4"	5 7/8"	7/8"	DS2PPTC	77.
Hanging File Bar 		12 3/16"	2 15/16"	1/2"	DS1PFS	59.
Drawer Divider, Box 	version 1 (shown)	12 3/8"	3"	3 1/8"	DS1PBD	59.
Drawer Divider, File 	version 1 (shown)	10	3 5/8"	6 3/8"	DS1PFD	59.
Stationary Inserts, box (4 trays) 		13	15 1/16"	8 7/8"	DS1PST	308.
Worksurface Cable Management Clip 	Package of 10	3/4"	1/2"		D1WC	68.
Worksurface Cable Management Basket 	19 1/2" wide	16 1/2"	3 1/2"	1 1/2"	D1WB20	72.
	25 1/2" wide	25 1/2"	3 1/2"	1 1/2"	D1WB26	75.
	31 1/2" wide	31 1/2"	3 1/2"	1 1/2"	D1WB32	92.
	35" wide	35"	3 1/2"	1 1/2"	D1WB36	103.
	41" wide	41"	3 1/2"	1 1/2"	D1WB42	110.
Worksurface Grommet Kit (Dark Grey) 		2 3/16"	2 5/16"	1 3/8"	D1WSG	42.

Ordering Information

Pencil Tray
1. Pattern Number

Order Code

Pencil Tray
Example: **DS1 PPT**
DS1 PPT Pattern Number


Included with:

Pencil Tray

Options

Desk Accessories

Flat Brackets and Worksurface Reinforcements

description	w	d	pattern no.	black
Flat Bracket (single pack) 	3 3/4"	14 5/8"	DB1F24SP	\$47.
	3 3/4"	20 15/16"	DB1F30SP	53.
	3 3/4"	8 5/16"	DB1F18SP	41.
Flat Bracket (package of 10) 	3 3/4"	14 5/16"	DB1F24TP	368.
	3 3/4"	20 5/16"	DB1F30TP	422.
	3 3/4"	8 5/16"	DB1F18TP	221.
Worksurface Reinforcement 	48"	4"	DB1WR54	106.
	54"	4"	DB1WR60	107.
	60"	4"	DB1WR66	113.
	66"	4"	DB1WR72	119.

Ordering Information	Order Code	Included with:	Options
Flat Bracket	Flat Bracket	Flat Bracket	Flat Bracket
1. Pattern Number	Example: DB1PWSP DB1PWSP Pattern Number		

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

		EXISTING CONSTRUCTION				
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16" Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
*Graham Wall Hung Shelf	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AWM1 S36	305	D1D 5424N	271	D1L 6036SSN	269	D1PS4260S	315
AWM1 S42	305	D1D 5430N	271	D1L 6042SSN	269	D1PS4260W1	314
AWM1 S48	305	D1D 5436N	271	D1L 6048DSN	270	D1PS42T24F	318
AWM1 S60	305	D1D 6024N	271	D1L 6048SDN	270	D1PS42T24S	316
AWM1 S66	305	D1D 6030N	271	D1L 6048SSN	269	D1PS42T30F	318
AWM1 S72	305	D1D 6036N	271	D1L 6642SSN	269	D1PS42T30S	316
AWM1 S78	305	D1D 6624N	271	D1L 6648DSN	270	D1PS42T36F	318
AWM1 S84	305	D1D 6630N	271	D1L 6648SDN	270	D1PS42T36S	316
BC1EPDPB(L/R)	224	D1D 6636N	271	D1L 6648SSN	269	D1PS42T42F	318
D19 5430N	273	D1D 7224N	271	D1L 7236SSN	269	D1PS42T42S	316
D19 6030N	273	D1D 7230N	271	D1L 7242SSN	269	D1PS42T48F	318
D19 6630N	273	D1D 7236N	271	D1L 7248DSN	270	D1PS42T48S	316
D19 7230N	273	D1D 7824N	271	D1L 7248SDN	270	D1PS42T54F	318
D19 7830N	273	D1D 7830N	271	D1L 7248SSN	269	D1PS42T54S	316
D19 7836N	273	D1D 7836N	271	D1L 7836SSN	269	D1PS42T60F	318
D19 8430N	273	D1D 8424N	271	D1L 7842SSN	269	D1PS42T60S	316
D19 9030N	273	D1D 8430N	271	D1L 7848SSN	269	D1PS5024F	319
D1BD6048SL	271	D1D 8436N	271	D1L 8442SSN	269	D1PS5024S	317
D1BD6048SR	271	D1D 9624N	271	D1L 8448SSN	269	D1PS5024W1	319
D1BD6648DL	272	D1D 9630N	271	D1L 9648SSN	269	D1PS5024W2	319
D1BD6648DR	272	D1D 9636N	271	D1P 5430N	273	D1PS5030F	319
D1BD6648SL	272	D1H4818	274	D1P 6030N	273	D1PS5030S	317
D1BD6648SR	271	D1H5118P	274	D1P 6630N	273	D1PS5030W1	319
D1BD7242DL	272	D1H6024	274	D1P 7230N	273	D1PS5030W2	319
D1BD7242DR	272	D1H6324P	274	D1P 7830N	273	D1PS5036F	319
D1BD7242SL	272	D1L 3636SSN	268	D1P 7836N	272	D1PS5036S	317
D1BD7242SR	271	D1L 3648SSN	268	D1P 8430N	273	D1PS5036W1	319
D1BD7248DL	272	D1L 3654SSN	268	D1P 9030N	273	D1PS5036W2	319
D1BD7248DR	272	D1L 3660SSN	268	D1PS1024F	313	D1PS5042F	319
D1BD7248SL	272	D1L 3672SSN	268	D1PS1024S	312	D1PS5042S	317
D1BD7248SR	271	D1L 3678SSN	268	D1PS1030F	313	D1PS5042W1	319
D1BD7848DL	272	D1L 4242SSN	268	D1PS1030S	312	D1PS5042W2	319
D1BD7848DR	272	D1L 4248SSN	268	D1PS1036F	313	D1PS5048F	319
D1BD7848SL	272	D1L 4254SSN	268	D1PS1036S	312	D1PS5048S	317
D1BD7848SR	271	D1L 4260SSN	268	D1PS1042F	313	D1PS5048W1	319
D1BD8448DL	272	D1L 4266SSN	268	D1PS1042S	312	D1PS5048W2	319
D1BD8448DR	272	D1L 4272SSN	268	D1PS1048F	313	D1PS5054F	319
D1BD8448SL	272	D1L 4278SSN	268	D1PS1048S	312	D1PS5054S	317
D1BD8448SR	271	D1L 4284SSN	268	D1PS1054F	313	D1PS5054W1	319
D1C 3618N	267	D1L 4836SSN	268	D1PS1054S	312	D1PS5054W2	319
D1C 3624N	267	D1L 4842SSN	268	D1PS1060F	313	D1PS5060F	319
D1C 422430N	267	D1L 4848DDN	270	D1PS1060S	312	D1PS5060S	317
D1C 4224N	267	D1L 4848DSN	270	D1PS4224F	314	D1PS5060W1	319
D1C 423024N	267	D1L 4848SDN	270	D1PS4224S	315	D1PS5060W2	319
D1C 482430N	267	D1L 4848SSN	268	D1PS4224W1	314	D1R 10224N	257
D1C 4824N	267	D1L 4854SSN	268	D1PS4230F	314	D1R 10230N	260
D1C 483024N	267	D1L 4860DSN	270	D1PS4230S	315	D1R 10824N	257
D1C 4830N	267	D1L 4860SDN	270	D1PS4230W1	314	D1R 10830N	260
D1CRL24	274	D1L 4860SSN	268	D1PS4236F	314	D1R 11430N	260
D1CRN24	274	D1L 4866DSN	270	D1PS4236S	315	D1R 12024N	257
D1CRR24	274	D1L 4866SDN	270	D1PS4236W1	314	D1R 12030N	260
D1CRR30	274	D1L 4866SSN	268	D1PS4242F	314	D1R 1515C	275
D1CS 4224N	267	D1L 4872DSN	270	D1PS4242S	315	D1R 1515S	275
D1CS 4824N	267	D1L 4872SDN	270	D1PS4242W1	314	D1R 1818N	256
D1CS 4830N	267	D1L 4872SSN	268	D1PS4248F	314	D1R 1824N	257
D1D 3024N	271	D1L 4878SSN	268	D1PS4248S	315	D1R 2118N	256
D1D 3030N	271	D1L 4884SSN	268	D1PS4248W1	314	D1R 2124N	257
D1D 3624N	271	D1L 4896SSN	268	D1PS4254F	314	D1R 2415	275
D1D 3630N	271	D1L 5436SSN	268	D1PS4254S	315	D1R 2418N	256
D1D 4824N	271	D1L 5442SSN	268	D1PS4254W1	314	D1R 2424N	257
D1D 4830N	271	D1L 5448SSN	268	D1PS4260F	314	D1R 2430N	260

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
D1R 2718N	256	D1R 7830N	260	D1W 723024N	262	D1WW13481824	183
D1R 2724N	257	D1R 7836N	261	D1W 723624N	262	D1WW13482418	183
D1R 2730N	260	D1R 8118N	256	D1W S481824N	263	D1WW134824L	183
D1R 3015	275	D1R 8124N	257	D1W S481830N	263	D1WW134824R	183
D1R 3018N	256	D1R 8130N	260	D1W S482418N	263	D1WW34824	183
D1R 3024N	257	D1R 8415	275	D1W S482430N	263	D1WW44824	183
D1R 3030N	260	D1R 8418N	256	D1W S483018N	263	D1WW54824L	183
D1R 3318N	256	D1R 8424N	257	D1W S483024N	263	D1WW54824R	183
D1R 3324N	257	D1R 8430N	260	D1W S601824N	263	D1WW64824L	183
D1R 3330N	260	D1R 8436N	261	D1W S601830N	263	D1WW64824R	183
D1R 3615	275	D1R 8718N	256	D1W S602418N	263	D1WW74824L	183
D1R 3618N	256	D1R 8724N	257	D1W S602430N	263	D1WW74824R	183
D1R 3624N	257	D1R 8730N	260	D1W S603018N	263	D2H4824	274
D1R 3630N	260	D1R 9015	275	D1W S603024N	263	D2H4836	274
D1R 3918N	256	D1R 9018N	256	D1W S661824N	263	D2H4848	274
D1R 3924N	257	D1R 9024N	257	D1W S661830N	263	D2H5124P	274
D1R 3930N	260	D1R 9030N	260	D1W S662418N	263	D2H5136P	274
D1R 4215	275	D1R 9036N	261	D1W S662430N	263	D2H5148P	274
D1R 4218N	256	D1R 9318N	256	D1W S663018N	263	D2P1	60
D1R 4224N	257	D1R 9324N	257	D1W S663024N	263	DB120C (L or R)	303
D1R 4230N	260	D1R 9330N	260	D1W S721824N	263	DB1BD48SL	272
D1R 4518N	256	D1R 9615	275	D1W S721830N	263	DB1BD48SR	272
D1R 4524N	257	D1R 9618N	256	D1W S722418N	263	DB1C 18 (L or R) 10	303
D1R 4530N	260	D1R 9624N	257	D1W S722430N	263	DB1C 24 (L or R) 10	303
D1R 4815	275	D1R 9630N	260	D1W S723018N	263	DB1C 30 (L or R) 10	303
D1R 4818N	256	D1R 9636N	261	D1W S723024N	263	DB1C18 (L or R)	303
D1R 4824N	257	D1R 9918N	256	D1W S781824N	263	DB1C24 (L or R)	303
D1R 4830N	260	D1R 9924N	257	D1W S781830N	263	DB1C30 (L or R)	303
D1R 5118N	256	D1R 9930N	260	D1W S782418N	263	DB1CL 24R	320
D1R 5124N	257	D1R2416N	258	D1W S782430N	263	DB1CL24L	320
D1R 5130N	260	D1R2419N	259	D1W S783018N	263	DB1CL24S	320
D1R 5415	275	D1R3016N	258	D1W S783024N	263	DB1F18SP	303, 345
D1R 5418N	256	D1R3019N	259	D1W S841824N	263	DB1F18TP	303, 345
D1R 5424N	257	D1R3616N	258	D1W S841830N	263	DB1F24SP	303, 345
D1R 5430N	260	D1R3619N	259	D1W S842418N	263	DB1F24TP	303, 345
D1R 5718N	256	D1R4216N	258	D1W S842430N	263	DB1F30SP	303, 345
D1R 5724N	257	D1R4219N	259	D1W S843018N	263	DB1F30TP	303, 345
D1R 5730N	260	D1R4816N	258	D1W S843024N	263	DB1LS15A	321
D1R 6015	275	D1R4819N	259	D1W T482430N	266	DB1LS18A	321
D1R 6018N	256	D1R5416N	258	D1W T483024N	266	DB1LS24A	321
D1R 6024N	257	D1R5419N	259	D1W T602430N	266	DB1LS30A	321
D1R 6030N	260	D1R6016N	258	D1W T603024N	266	DB1LS36A	321
D1R 6036N	261	D1R6019N	259	D1W T662430N	266	DB1LSP15	320
D1R 6318N	256	D1R6616N	258	D1W T663024N	266	DB1LSP18	320
D1R 6324N	257	D1R6619N	259	D1W T722430N	266	DB1LSP24	320
D1R 6330N	260	D1R7216N	258	D1W T723024N	266	DB1LSP30	320
D1R 6615	275	D1R7219N	259	D1WB20	204, 344	DB1LSP36	320
D1R 6618N	256	D1R7816N	258	D1WB26	204, 344	DB1LSS15	320
D1R 6624N	257	D1R7819N	259	D1WB32	204, 344	DB1LSS18	320
D1R 6630N	260	D1R8416N	258	D1WB36	204, 344	DB1LSS24	320
D1R 6636N	261	D1R8419N	259	D1WB42	204, 344	DB1LSS30	320
D1R 6918N	256	D1R9016N	258	D1WC	204, 344	DB1LSS36	320
D1R 6924N	257	D1R9019N	259	D1WSC	224, 344	DB1PSP15	320
D1R 6930N	260	D1R9616N	258	D1WT218	183	DB1PSP18	320
D1R 7215	275	D1R9619N	259	D1WT224	183	DB1PSP19	320
D1R 7218N	256	D1W 362430N	262	D1WT324	183	DB1PSP24	320
D1R 7224N	257	D1W 363024N	262	D1WT424	183	DB1PSP30	320
D1R 7230N	260	D1W 422430N	262	D1WT518	183	DB1PSP36	320
D1R 7236N	261	D1W 423024N	262	D1WT524	183	DB1PWS24	304
D1R 7518N	256	D1W 482430N	262	D1WW11481824	183	DB1PWS30	304
D1R 7524N	257	D1W 483024N	262	D1WW11482418	183	DB1PWS36	304
D1R 7530N	260	D1W 721830N	262	D1WW12481824	183	DB1PWS42	304
D1R 7815	275	D1W 722430N	262	D1WW12482418	183	DB1PWS48	304
D1R 7818N	256	D1W 722436N	262	D1WW124824L	183	DB1PWSL	303
D1R 7824N	257	D1W 723018N	262	D1WW124824R	183	DB1PWSL10	304

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
DB1PWSLWH	304	DD2B 3018N	340	DE18 CI144	199	DE(1E,18,1T,12V,N) PJ48NP	154, 185
DB1PWSP	303	DD2B 3618N	340	DE18 CI288	201	DE(1E,18,1T,12V,N) PJ48WP	154, 189, 197
DB1PWSPWH	304	DD2B 3624N	340	DE18 ERE56	201	DE(1E,18,1T,12V,N) PJ54 WP	185
DB1PWSR	303	DD2B 4218N	340	DE18 RBI144	198	DE(1E,18,1T,12V,N) PJ54WP	189, 197
DB1PWSR10	304	DD2B 4224N	340	DE18 RBI216	198	DE(1E,18,1T,12V,N) PJ60 WP	154, 185
DB1PWSRWH	304	DD2B 4818N	340	DE18 RBI288	198	DE(1E,18,1T,12V,N) PJ60WP	189, 197
DB1S CR	321	DD2B 4824N	340	DE18 RBI56	198	DE(1E,18,1T,12V,N) PJ66 WP	154, 185
DB1SWSL	311	DD2D L6024N	337	DE18 RBI56SF	202	DE(1E,18,1T,12V,N) PJ66WP	189
DB1SWSP	311	DD2D L6030N	337	DE1DATSHD	204	DE(1E,18,1T,12V,N) PJ72WP	154, 185, 189
DB1SWSR	311	DD2D L6624N	337	DE1DATSHDF	204	DE(1E,18,1T,12V,N) PJ78 WP	185
DB1TB	321	DD2D L6630N	337	DE1DOR4	186	DE(1E,18,1T,12V,N) PJ78WP	189
DB1U18	218, 221	DD2D L7224N	337	DE1DOR5	186	DE(1E,18,1T,12V,N) PJ84WP	154, 185, 189
DB1WR54	303, 345	DD2D L7230N	337	DE1DOR6	186	DE(1E,18,1T,12V,N) PJ96WP	185
DB1WR60	303, 345	DD2E 3618N	340	DE1DR1	186	DE(1E,18,1T,N) PCNP	184
DB1WR66	303, 345	DD2E 3624N	340	DE1DR12V	186	DE(1E,18,1T,N) PCWP	184
DB1WR72	303, 345	DD2E 4218N	340	DE1DR1C	186	DE1(E,8,T,2V) PC21M	184, 196
DB2CL24L	320	DD2E 4224N	340	DE1DR2	186	DE1(E,8,T,2V) PJ15NP	185
DB2CL24LS	320	DD2O L6036N	337	DE1DR22V	186	DE1(E,8,T,2V) PJ15WP	185
DB2CL24R	320	DD2O L6636N	337	DE1DR2C	186	DE1IPA	154, 196
DB2CL24RS	320	DD2O L7236N	337	DE1DR3	186	DE1SPA	154, 196
DBSCR	321	DD2P (L)3618N	340	DE1DR32V	186	DE1T B1NY1	202
DBSMLH	311	DD2P (L)3624N	340	DE1DR3C	186	DE1T BI144(L/R)	198
DBSMRH	311	DD2P (L)4218N	340	DE1DR4	186	DE1T BI216(L/R)	198
DBVDC (L or R)	304	DD2P (L)4224N	340	DE1DR42V	186	DE1T BI288(L/R)	198
DD1 BPB30	342	DD2P (L)4818N	340	DE1DR4C	186	DE1T BI56	202
DD1 BPB36	342	DD2P (L)4824N	340	DE1DR5	186	DE1T BI56(L/R)	198
DD1 BPB42	342	DD2S L6024N	337	DE1DR5C	186	DE1T CI144	199
DD1 BPB48	342	DD2S L6030N	337	DE1DR6	186	DE1T CI288	201
DD1 BPD54	342	DD2S L6624N	337	DE1DR6C	186	DE1T ERE56	201
DD1 BPD60	342	DD2S L6630N	337	DE1E B1NY1	202	DE1T RBI144	198
DD1 BPD66	342	DD2S L7224N	337	DE1E BI144(L/R)	198	DE1T RBI216	199
DD1 BPD72	342	DD2S L7230N	337	DE1E BI216(L/R)	198	DE1T RBI288	198
DD1 BPR36	342	DD2VD 3624 N	338	DE1E BI288(L/R)	198	DE1T RBI56	198
DD1 BPR42	342	DD2VD 4224 N	338	DE1E BI56	202	DE1T RBI56SF	202
DD1 BPR48	342	DD2VD 4824 N	338	DE1E BI56(L/R)	198	DE1USB1H	188
DD1 BPR60	342	DD2VL 3624 N	338	DE1E CI144	199	DE1USB2H	188
DD1 BPU72	342	DD2VL 4224 N	338	DE1E CI288	201	DE1USB3H	188
DD1 BPV36	339	DD2VL 4824 N	338	DE1E ERE56	201	DE1USB4H	188
DD1 BPV42	339	DD3 PS36	237	DE1E RBI144	198	DE1USB5H	188
DD1 BPV48	339	DD3 PS42	237	DE1E RBI216	199	DE1USB6H	188
DD1 DIEU	341	DD3 PS48	237	DE1E RBI288	198	DE1X ERE56	201
DD1 EU18	341	DD3 PS54	237	DE1E RBI56	198	DE2	196, 197
DD1 EU24	341	DD3 PS60	237	DE1E RBI56SF	202	DE2 KC10	154
DD1 EU30	341	DD3 PS66	237	DE(1E,18,1T,12V) PM24	184	DE2FDP	155
DD1 FBPB30	343	DD3 PS72	237	DE(1E,18,1T,12V) PM30	184	DE2KC10	56, 187, 191
DD1 FBPB36	343	DDOCL110C120(BB/WW/WS)	193	DE(1E,18,1T,12V) PM36	184	DE2V CI144	199
DD1 FBPB42	343	DDOCL110C72(BB/WW/WS)	193	DE(1E,18,1T,12V) PM42	184	DE4CL210C120(BB/WW/WS)	193
DD1 FBPB48	343	DDOOC110C120 (BB/WW/WS)	194	DE(1E,18,1T,12V) PM48	184	DE4CL210C72(BB/WW/WS)	193
DD1 FBPD54	343	DDOOC110C72 (BB/WW/WS)	194	DE(1E,18,1T,12V) PM60	184	DE4CL210CH(BB/WW/WS)	193
DD1 FBPD60	343	DDOTU110C120(BB/WW/WS)	192	DE(1E,18,1T,12V) PMS24	184	DE4CL311C120(BB/WW/WS)	193
DD1 FBPD66	343	DDOTU110C72(BB/WW/WS)	192	DE(1E,18,1T,12V) PMS30	184	DE4CL311C72(BB/WW/WS)	193
DD1 FBPD72	343	DE1	196, 197	DE(1E,18,1T,12V) PMS36	184	DE4CL311CH(BB/WW/WS)	193
DD1 FBPR36	343	DE1 FDP	190	DE(1E,18,1T,12V) PMS42	184	DE4OC210C120 (BB/WW/WS)	194
DD1 FBPR42	343	DE12V BI56(L/R)	198	DE(1E,18,1T,12V) PMS48	184	DE4OC210C72 (BB/WW/WS)	194
DD1 FBPR48	343	DE12V ERE56	201	DE(1E,18,1T,12V) PMS60	184	DE4OC210CH (BB/WW/WS)	194
DD1 FBPR60	343	DE1(2V) PCNPM	184	DE(1E,18,1T,12V,N) PJ18NP	185	DE4OC311C120 (BB/WW/WS)	194
DD1 FBPU72	343	DE1(2V) PCWPM	184	DE(1E,18,1T,12V,N) PJ18WP	154, 185	DE4OC311C72 (BB/WW/WS)	194
DD1 FBPV36	339	DE12V RBI56	198	DE(1E,18,1T,12V,N) PJ24NP	185	DE4OC311CH (BB/WW/WS)	194
DD1 FBPV42	339	DE12VPA	154, 196	DE(1E,18,1T,12V,N) PJ24WP	185	DE4TU210C120(BB/WW/WS)	192
DD1 FBPV48	339	DE18 B1NY1	202	DE(1E,18,1T,12V,N) PJ30NP	185	DE4TU210C72(BB/WW/WS)	192
DD1 IE30	341	DE18 BI144(L/R)	198	DE(1E,18,1T,12V,N) PJ30WP	185	DE4TU210CH(BB/WW/WS)	192
DD1R CU6	338, 339	DE18 BI216(L/R)	198	DE(1E,18,1T,12V,N) PJ36NP	185	DE4TU311C120(BB/WW/WS)	192
DD1S CU12	339	DE18 BI288(L/R)	198	DE(1E,18,1T,12V,N) PJ36WP	185	DE4TU311C72(BB/WW/WS)	192
DD1TEU24	321	DE18 BI56	202	DE(1E,18,1T,12V,N) PJ42NP	154, 185	DE4TU311CH(BB/WW/WS)	192
DD1TEU30	321	DE18 BI56(L/R)	198	DE(1E,18,1T,12V,N) PJ42WP	154, 185	DE4WSME108	195

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
DE4WSME72	195	DP1AR0723H	85	DP1AR0768E	177	DP1AR0799W	175
DE4WSMED108	195	DP1AR0723W	88	DP1AR0768H	172	DP1AR1414E	91
DE4WSMED72	195	DP1AR0724E	90	DP1AR0768W	175	DP1AR1414H	86
DE6 D FD P	154, 191	DP1AR0724H	85	DP1AR0769E	177	DP1AR1414W	89
DE6 FDPF	190	DP1AR0724W	88	DP1AR0769H	172	DP1AR1415E	91
DEESVPM	154, 191	DP1AR0729E	90	DP1AR0769W	175	DP1AR1415H	86
DENBI144(L/R)	198	DP1AR0729H	85	DP1AR0771E	90	DP1AR1415W	89
DENBI156(L/R)	198	DP1AR0729W	88	DP1AR0771H	85	DP1AR1417E	91
DENBI216(L/R)	198	DP1AR0730E	90	DP1AR0771W	88	DP1AR1417H	86
DENBI56(L/R)	198	DP1AR0730H	85	DP1AR0772E	90	DP1AR1417W	89
DENCI144	199	DP1AR0730W	88	DP1AR0772H	85	DP1AR1418E	91
DENPM241	184	DP1AR0735E	90	DP1AR0772W	88	DP1AR1418H	86
DENPM242	184	DP1AR0735H	85	DP1AR0774E	177	DP1AR1418W	89
DENPM301	184	DP1AR0735W	88	DP1AR0774H	172	DP1AR1423E	91
DENPM302	184	DP1AR0736E	90	DP1AR0774W	175	DP1AR1423H	86
DENPM361	184	DP1AR0736H	85	DP1AR0775E	177	DP1AR1423W	89
DENPM362	184	DP1AR0736W	88	DP1AR0775H	172	DP1AR1424E	91
DENPM421	184	DP1AR0741E	90	DP1AR0775W	175	DP1AR1424H	86
DENPM422	184	DP1AR0741H	85	DP1AR0777E	90	DP1AR1424W	89
DENPM481	184	DP1AR0741W	88	DP1AR0777H	85	DP1AR1429E	91
DENPM482	184	DP1AR0742E	90	DP1AR0777W	88	DP1AR1429H	86
DENRBI144	198	DP1AR0742H	85	DP1AR0778E	90	DP1AR1429W	89
DENRBI156	198	DP1AR0742W	88	DP1AR0778H	85	DP1AR1430E	91
DENRBI216	198	DP1AR0747E	90	DP1AR0778W	88	DP1AR1430H	86
DENRBI288	198	DP1AR0747H	85	DP1AR0780E	177	DP1AR1430W	89
DENRBI56	198	DP1AR0747W	88	DP1AR0780H	172	DP1AR1435E	91
DEODRA	187	DP1AR0748E	90	DP1AR0780W	175	DP1AR1435H	86
DEODRA2	187	DP1AR0748H	85	DP1AR0781E	177	DP1AR1435W	89
DEODRB	187	DP1AR0748W	88	DP1AR0781H	172	DP1AR1436E	91
DEODRB2	187	DP1AR0750E	177	DP1AR0781W	175	DP1AR1436H	86
DEODRC	187	DP1AR0750H	172	DP1AR0783E	90	DP1AR1436W	89
DEODRC2	187	DP1AR0750W	175	DP1AR0783H	85	DP1AR1441E	91
DEODRX	187	DP1AR0751E	177	DP1AR0783W	88	DP1AR1441H	86
DEODRX2	187	DP1AR0751H	172	DP1AR0784E	90	DP1AR1441W	89
DFFCUS	73	DP1AR0751W	175	DP1AR0784H	85	DP1AR1442E	91
DFFELS	73	DP1AR0753E	90	DP1AR0784W	88	DP1AR1442H	86
DFFERS	73	DP1AR0753H	85	DP1AR0786E	177	DP1AR1442W	89
DFFEUD	73	DP1AR0753W	88	DP1AR0786H	172	DP1AR1447E	91
DFFEUS	73	DP1AR0754E	90	DP1AR0786W	175	DP1AR1447H	86
DFFSSS	73	DP1AR0754H	85	DP1AR0787E	177	DP1AR1447W	89
DL3TC	222	DP1AR0754W	88	DP1AR0787H	172	DP1AR1448E	91
DL4L17	222	DP1AR0756E	177	DP1AR0787W	175	DP1AR1448H	86
DL4L31	222	DP1AR0756H	172	DP1AR0789E	90	DP1AR1448W	89
DL4L44	222	DP1AR0756W	175	DP1AR0789H	85	DP1AR1450E	178
DL4L58	222	DP1AR0757E	177	DP1AR0789W	88	DP1AR1450H	173
DP	74, 75, 101, 102, 107, 108, 109	DP1AR0757H	172	DP1AR0790E	90	DP1AR1450W	176
DP1	59	DP1AR0757W	175	DP1AR0790H	85	DP1AR1451E	178
DP1 CG	112	DP1AR0759E	90	DP1AR0790W	88	DP1AR1451H	173
DP1 CHB	112	DP1AR0759H	85	DP1AR0792E	177	DP1AR1451W	176
DP1 CHP	112	DP1AR0759W	88	DP1AR0792H	172	DP1AR1453E	91
DP1 TKC	204	DP1AR0760E	90	DP1AR0792W	175	DP1AR1453H	86
DP1 VWG	204	DP1AR0760H	85	DP1AR0793E	177	DP1AR1453W	89
DP1AR0714E	90	DP1AR0760W	88	DP1AR0793H	172	DP1AR1454E	91
DP1AR0714H	85	DP1AR0762E	177	DP1AR0793W	175	DP1AR1454H	86
DP1AR0714W	88	DP1AR0762H	172	DP1AR0795E	90	DP1AR1454W	89
DP1AR0715E	90	DP1AR0762W	175	DP1AR0795H	85	DP1AR1456E	178
DP1AR0715H	85	DP1AR0763E	177	DP1AR0795W	88	DP1AR1456H	173
DP1AR0715W	88	DP1AR0763H	172	DP1AR0796E	90	DP1AR1456W	176
DP1AR0717E	90	DP1AR0763W	175	DP1AR0796H	85	DP1AR1457E	178
DP1AR0717H	85	DP1AR0765E	90	DP1AR0796W	88	DP1AR1457H	173
DP1AR0717W	88	DP1AR0765H	85	DP1AR0798E	177	DP1AR1457W	176
DP1AR0718E	90	DP1AR0765W	88	DP1AR0798H	172	DP1AR1459E	91
DP1AR0718H	85	DP1AR0766E	90	DP1AR0798W	175	DP1AR1459H	86
DP1AR0718W	88	DP1AR0766H	85	DP1AR0799E	177	DP1AR1459W	89
DP1AR0723E	90	DP1AR0766W	88	DP1AR0799H	172	DP1AR1460E	91

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
DP1AR1460H	86	DP1AR1493E	178	DP1AR2166E	92	DP1AU0757	170
DP1AR1460W	89	DP1AR1493H	173	DP1AR2166H	87	DP1AU0759	83
DP1AR1462E	178	DP1AR1493W	176	DP1AR2168E	179	DP1AU0760	83
DP1AR1462H	173	DP1AR1495E	91	DP1AR2168H	174	DP1AU0762	170
DP1AR1462W	176	DP1AR1495H	86	DP1AR2169E	179	DP1AU0763	170
DP1AR1463E	178	DP1AR1495W	89	DP1AR2169H	174	DP1AU0765	83
DP1AR1463H	173	DP1AR1496E	91	DP1AR2171E	92	DP1AU0766	83
DP1AR1463W	176	DP1AR1496H	86	DP1AR2171H	87	DP1AU0768	170
DP1AR1465E	91	DP1AR1496W	89	DP1AR2172E	92	DP1AU0769	170
DP1AR1465H	86	DP1AR1498E	178	DP1AR2172H	87	DP1AU0771	83
DP1AR1465W	89	DP1AR1498H	173	DP1AR2174E	179	DP1AU0772	83
DP1AR1466E	91	DP1AR1498W	176	DP1AR2174H	174	DP1AU0774	170
DP1AR1466H	86	DP1AR1499E	178	DP1AR2175E	179	DP1AU0775	170
DP1AR1466W	89	DP1AR1499H	173	DP1AR2175H	174	DP1AU0777	83
DP1AR1468E	178	DP1AR1499W	176	DP1AR2177E	92	DP1AU0778	83
DP1AR1468H	173	DP1AR2114E	92	DP1AR2177H	87	DP1AU0780	170
DP1AR1468W	176	DP1AR2114H	87	DP1AR2178E	92	DP1AU0781	170
DP1AR1469E	178	DP1AR2115E	92	DP1AR2178H	87	DP1AU0783	83
DP1AR1469H	173	DP1AR2115H	87	DP1AR2180E	179	DP1AU0784	83
DP1AR1469W	176	DP1AR2117E	92	DP1AR2180H	174	DP1AU0786	170
DP1AR1471E	91	DP1AR2117H	87	DP1AR2181E	179	DP1AU0787	170
DP1AR1471H	86	DP1AR2118E	92	DP1AR2181H	174	DP1AU0789	83
DP1AR1471W	89	DP1AR2118H	87	DP1AR2183E	92	DP1AU0790	83
DP1AR1472E	91	DP1AR2123E	92	DP1AR2183H	87	DP1AU0792	170
DP1AR1472H	86	DP1AR2123H	87	DP1AR2184E	92	DP1AU0793	170
DP1AR1472W	89	DP1AR2124E	92	DP1AR2184H	87	DP1AU0795	83
DP1AR1474E	178	DP1AR2124H	87	DP1AR2186E	179	DP1AU0796	83
DP1AR1474H	173	DP1AR2129E	92	DP1AR2186H	174	DP1AU0798	170
DP1AR1474W	176	DP1AR2129H	87	DP1AR2187E	179	DP1AU0799	170
DP1AR1475E	178	DP1AR2130E	92	DP1AR2187H	174	DP1AU1414	84
DP1AR1475H	173	DP1AR2130H	87	DP1AR2189E	92	DP1AU1415	84
DP1AR1475W	176	DP1AR2135E	92	DP1AR2189H	87	DP1AU1417	84
DP1AR1477E	91	DP1AR2135H	87	DP1AR2190E	92	DP1AU1418	84
DP1AR1477H	86	DP1AR2136E	92	DP1AR2190H	87	DP1AU1423	84
DP1AR1477W	89	DP1AR2136H	87	DP1AR2192E	179	DP1AU1424	84
DP1AR1478E	91	DP1AR2141E	92	DP1AR2192H	174	DP1AU1429	84
DP1AR1478H	86	DP1AR2141H	87	DP1AR2193E	179	DP1AU1430	84
DP1AR1478W	89	DP1AR2142E	92	DP1AR2193H	174	DP1AU1435	84
DP1AR1480E	178	DP1AR2142H	87	DP1AR2195E	92	DP1AU1436	84
DP1AR1480H	173	DP1AR2147E	92	DP1AR2195H	87	DP1AU1441	84
DP1AR1480W	176	DP1AR2147H	87	DP1AR2196E	92	DP1AU1442	84
DP1AR1481E	178	DP1AR2148E	92	DP1AR2196H	87	DP1AU1447	84
DP1AR1481H	173	DP1AR2148H	87	DP1AR2198E	179	DP1AU1448	84
DP1AR1481W	176	DP1AR2150E	179	DP1AR2198H	174	DP1AU1450	171
DP1AR1483E	91	DP1AR2150H	174	DP1AR2199E	179	DP1AU1451	171
DP1AR1483H	86	DP1AR2151E	179	DP1AR2199H	174	DP1AU1453	84
DP1AR1483W	89	DP1AR2151H	174	DP1AU0714	83	DP1AU1454	84
DP1AR1484E	91	DP1AR2153E	92	DP1AU0715	83	DP1AU1456	171
DP1AR1484H	86	DP1AR2153H	87	DP1AU0717	83	DP1AU1457	171
DP1AR1484W	89	DP1AR2154E	92	DP1AU0718	83	DP1AU1459	84
DP1AR1486E	178	DP1AR2154H	87	DP1AU0723	83	DP1AU1460	84
DP1AR1486H	173	DP1AR2156E	179	DP1AU0724	83	DP1AU1462	171
DP1AR1486W	176	DP1AR2156H	174	DP1AU0729	83	DP1AU1463	171
DP1AR1487E	178	DP1AR2157E	179	DP1AU0730	83	DP1AU1465	84
DP1AR1487H	173	DP1AR2157H	174	DP1AU0735	83	DP1AU1466	84
DP1AR1487W	176	DP1AR2159E	92	DP1AU0736	83	DP1AU1468	171
DP1AR1489E	91	DP1AR2159H	87	DP1AU0741	83	DP1AU1469	171
DP1AR1489H	86	DP1AR2160E	92	DP1AU0742	83	DP1AU1471	84
DP1AR1489W	89	DP1AR2160H	87	DP1AU0747	83	DP1AU1472	84
DP1AR1490E	91	DP1AR2162E	179	DP1AU0748	83	DP1AU1474	171
DP1AR1490H	86	DP1AR2162H	174	DP1AU0750	170	DP1AU1475	171
DP1AR1490W	89	DP1AR2163E	179	DP1AU0751	170	DP1AU1477	84
DP1AR1492E	178	DP1AR2163H	174	DP1AU0753	83	DP1AU1478	84
DP1AR1492H	173	DP1AR2165E	92	DP1AU0754	83	DP1AU1480	171
DP1AR1492W	176	DP1AR2165H	87	DP1AU0756	170	DP1AU1481	171

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
DP1AU1483	84	DP1SO1742ERN	130	DP1SO2542ERN	134	DP1SO2872RR*	43
DP1AU1484	84	DP1SO1742NDB	133	DP1SO2542NDB	137	DP1SO2884RR*	43
DP1AU1486	171	DP1SO1742NDL	133	DP1SO2542NDL	137	DP1SO2896RR*	43
DP1AU1487	171	DP1SO1742NDR	133	DP1SO2542NDR	137	DP1SO4215	43, 158
DP1AU1489	84	DP1SO1742NN	130	DP1SO2542NN	134	DP1SO4215CCF	162
DP1AU1490	84	DP1SO1748EBD	132	DP1SO2548EBD	136	DP1SO4218	43, 158
DP1AU1492	171	DP1SO1748EBN	132	DP1SO2548EBN	136	DP1SO4218CCF	162
DP1AU1493	171	DP1SO1748ELD	131	DP1SO2548ELD	135	DP1SO4224	43, 158
DP1AU1495	84	DP1SO1748ELN	130	DP1SO2548ELN	134	DP1SO4224CCF	162
DP1AU1496	84	DP1SO1748ERD	131	DP1SO2548ERD	135	DP1SO4230	43, 158
DP1AU1498	171	DP1SO1748ERN	130	DP1SO2548ERN	134	DP1SO4230CCF	162
DP1AU1499	171	DP1SO1748NDB	133	DP1SO2548NDB	137	DP1SO4230EPEF	166
DP1UAACE	125	DP1SO1748NDL	133	DP1SO2548NDL	137	DP1SO4236	43, 158
DP1UAACH	125	DP1SO1748NDR	133	DP1SO2548NDR	137	DP1SO4236CCF	162
DP1UAACW	125	DP1SO1748NN	130	DP1SO2548NN	134	DP1SO4236EPEF	166
DP1AUECTP	84, 171	DP1SO1760EBD	132	DP1SO2560EBD	136	DP1SO4242	43, 158
DP1BCT18	205	DP1SO1760EBN	132	DP1SO2560EBN	136	DP1SO4242CCF	162
DP1BCT24	205	DP1SO1760ELD	131	DP1SO2560ELD	135	DP1SO4248	43, 158
DP1BCT30	205	DP1SO1760ELN	130	DP1SO2560ELN	134	DP1SO4248CCF	162
DP1BCT36	205	DP1SO1760ERD	131	DP1SO2560ERD	135	DP1SO4248EPEF	166
DP1BCT42	205	DP1SO1760ERN	130	DP1SO2560ERN	134	DP1SO4260	43, 158
DP1BCT48	205	DP1SO1760NDB	133	DP1SO2560NDB	137	DP1SO4260CCF	162
DP1BCT60	205	DP1SO1760NDL	133	DP1SO2560NDL	137	DP1SO4260EPEF	166
DP1MBT24	62	DP1SO1760NDR	133	DP1SO2560NDR	137	DP1SO4272RR*	43
DP1MBT30	62	DP1SO1760NN	130	DP1SO2560NN	134	DP1SO4284RR*	43
DP1MBT36	62	DP1SO1766EBD	132	DP1SO2566EBD	136	DP1SO4296RR*	43
DP1MBT42	62	DP1SO1766EBN	132	DP1SO2566EBN	136	DP1SO5015	44, 159
DP1MBT48	62	DP1SO1766ELD	131	DP1SO2566ELD	135	DP1SO5015CCF	163
DP1PT3	109	DP1SO1766ELN	130	DP1SO2566ELN	134	DP1SO5018	44, 159
DP1PT4	109	DP1SO1766ERD	131	DP1SO2566ERD	135	DP1SO5018CCF	163
DP1SO0818	55	DP1SO1766ERN	130	DP1SO2566ERN	134	DP1SO5024	44, 159
DP1SO0824	55	DP1SO1766NDB	133	DP1SO2566NDB	137	DP1SO5024CCF	163
DP1SO0830	55	DP1SO1766NDL	133	DP1SO2566NDL	137	DP1SO5030	44, 159
DP1SO0836	55	DP1SO1766NDR	133	DP1SO2566NDR	137	DP1SO5030CCF	163
DP1SO0842	55	DP1SO1766NN	130	DP1SO2566NN	134	DP1SO5030EPEF	167
DP1SO0848	55	DP1SO1772EBD	132	DP1SO2572EBD	136	DP1SO5036	44, 159
DP1SO0860	55	DP1SO1772EBN	132	DP1SO2572EBN	136	DP1SO5036CCF	163
DP1SO1015	50	DP1SO1772ELD	131	DP1SO2572ELD	135	DP1SO5036EPEF	167
DP1SO1018	50	DP1SO1772ELN	130	DP1SO2572ELN	134	DP1SO5042	44, 159
DP1SO1018F	55	DP1SO1772ERD	131	DP1SO2572ERD	135	DP1SO5042CCF	163
DP1SO1024	50	DP1SO1772ERN	130	DP1SO2572ERN	134	DP1SO5048	44, 159
DP1SO1024F	55	DP1SO1772NDB	133	DP1SO2572NDB	137	DP1SO5048CCF	163
DP1SO1030	50	DP1SO1772NDL	133	DP1SO2572NDL	137	DP1SO5048EPEF	167
DP1SO1030F	55	DP1SO1772NDR	133	DP1SO2572NDR	137	DP1SO5060	44, 159
DP1SO1036	50	DP1SO1772NN	130	DP1SO2572NN	134	DP1SO5060CCF	163
DP1SO1036F	55	DP1SO2115	51	DP1SO2815	43, 51, 158	DP1SO5060EPEF	167
DP1SO1042	50	DP1SO2118	51	DP1SO2815CCF	162	DP1SO5072RR*	44
DP1SO1042F	55	DP1SO2124	51	DP1SO2818	43, 51, 158	DP1SO5084RR*	44
DP1SO1048	50	DP1SO2130	51	DP1SO2818CCF	162	DP1SO5096RR*	44
DP1SO1048F	55	DP1SO2136	51	DP1SO2824	43, 51, 158	DP1SO5715	45, 159
DP1SO1060	50	DP1SO2142	51	DP1SO2824CCF	162	DP1SO5715CCF	163
DP1SO1060F	55	DP1SO2148	51	DP1SO2830	43, 51, 158	DP1SO5718	45, 159
DP1SO1415	50	DP1SO2160	51	DP1SO2830CCF	162	DP1SO5718CCF	163
DP1SO1418	50	DP1SO2418	55	DP1SO2830EPEF	166	DP1SO5724	45, 159
DP1SO1424	50	DP1SO2424	55	DP1SO2836	43, 51, 158	DP1SO5724CCF	163
DP1SO1430	50	DP1SO2430	55	DP1SO2836CCF	162	DP1SO5730	45, 159
DP1SO1436	50	DP1SO2436	55	DP1SO2836EPEF	166	DP1SO5730CCF	163
DP1SO1442	50	DP1SO2442	55	DP1SO2842	43, 51, 158	DP1SO5730EPEF	167
DP1SO1448	50	DP1SO2448	55	DP1SO2842CCF	162	DP1SO5736	45, 159
DP1SO1460	50	DP1SO2460	55	DP1SO2848	43, 51, 158	DP1SO5736CCF	163
DP1SO1742EBD	132	DP1SO2542EBD	136	DP1SO2848CCF	162	DP1SO5736EPEF	167
DP1SO1742EBN	132	DP1SO2542EBN	136	DP1SO2848EPEF	166	DP1SO5742	45, 159
DP1SO1742ELD	131	DP1SO2542ELD	135	DP1SO2860	43, 51, 158	DP1SO5742CCF	163
DP1SO1742ELN	130	DP1SO2542ELN	134	DP1SO2860CCF	162	DP1SO5748	45, 159
DP1SO1742ERD	131	DP1SO2542ERD	135	DP1SO2860EPEF	166	DP1SO5748CCF	163

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
DP1SO5748EPEF	167	DP1SOWH60EPEF	166	DP2PMS57	109	DP3(L/V)12130	53
DP1SO5760	45, 159	DP1SOWH72RR*	43	DP2PMS64	109	DP3(L/V)12136	53
DP1SO5760CCF	163	DP1SOWH84RR*	43	DP2PMS78	109	DP3(L/V)12142	53
DP1SO5760EPEF	167	DP1SOWH96RR*	43	DP2PRFIC15	112	DP3(L/V)12148	53
DP1SO6415	45, 159	DP1SW0724	72	DP2PRFN15	112	DP3(L/V)12415	58
DP1SO6415CCF	163	DP1SW0730	72	DP2PRFW15	112	DP3(L/V)12415F	58
DP1SO6418	45, 159	DP1SW0736	72	DP2SOS15	52	DP3(L/V)12418	58
DP1SO6418CCF	163	DP1SW0742	72	DP2SOS18	52	DP3(L/V)12418F	58
DP1SO6424	45, 159	DP1SW0748	72	DP2SOS24	52	DP3(L/V)12424	58
DP1SO6424CCF	163	DP1SW1424	72	DP2SOS30	52	DP3(L/V)12424F	58
DP1SO6430	45, 159	DP1SW1430	72	DP2SOS36	52	DP3(L/V)12430	58
DP1SO6430CCF	163	DP1SW1436	72	DP2SOS42	52	DP3(L/V)12430F	58
DP1SO6430EPEF	167	DP1SW1442	72	DP2SOS48	52	DP3(L/V)12436	58
DP1SO6436	45, 159	DP1SW1448	72	DP2SOS60	52	DP3(L/V)12436F	58
DP1SO6436CCF	163	DP1SW2124	72	DP2SOSC	52	DP3(L/V)12442	58
DP1SO6436EPEF	167	DP1SW2130	72	DP2STF 2118	41	DP3(L/V)12442F	58
DP1SO6442	45, 159	DP1SW2136	72	DP2STF 2124	41	DP3(L/V)12448	58
DP1SO6442CCF	163	DP1SW2142	72	DP2STF 2130	41	DP3(L/V)12448F	58
DP1SO6448	45, 159	DP1SW2148	72	DP2STF 2136	41	DP3(L/V)12815	46, 53, 160
DP1SO6448CCF	163	DP1SW2824	72	DP2STF 2142	41	DP3(L/V)12815CCF	164
DP1SO6448EPEF	167	DP1SW2830	72	DP2STF 2148	41	DP3(L/V)12815F	47, 54
DP1SO6460	45, 159	DP1SW2836	72	DP2S(T/N)F 1418	41	DP3(L/V)12818	46, 53, 160
DP1SO6460CCF	163	DP1SW2842	72	DP2S(T/N)F 1424	41	DP3(L/V)12818CCF	164
DP1SO715	50	DP1SW2848	72	DP2S(T/N)F 1430	41	DP3(L/V)12818F	47, 54
DP1SO718	50	DP1WT57	110	DP2S(T/N)F 1436	41	DP3(L/V)12824	46, 53, 160
DP1SO724	50	DP1WT64	110	DP2S(T/N)F 1442	41	DP3(L/V)12824CCF	164
DP1SO730	50	DP1WT71	110	DP2S(T/N)F 1448	41	DP3(L/V)12824F	47, 54
DP1SO736	50	DP1WT78	110	DP2S(T/N)F 2818	41	DP3(L/V)12830	46, 53, 160
DP1SO742	50	DP1WTBTC15	110	DP2S(T/N)F 2824	41	DP3(L/V)12830CCF	164
DP1SO748	50	DP1WTBTC18	110	DP2S(T/N)F 2830	41	DP3(L/V)12830EPEF	168
DP1SO760	50	DP1WTBTC24	110	DP2S(T/N)F 2836	41	DP3(L/V)12830F	47, 54
DP1SO7815	45	DP1WTBTC30	110	DP2S(T/N)F 2842	41	DP3(L/V)12836	46, 53, 160
DP1SO7818	45	DP1WTBTC36	110	DP2S(T/N)F 2848	41	DP3(L/V)12836CCF	164
DP1SO7824	45	DP1WTBTC42	110	DP3ESB	57, 69, 70, 71	DP3(L/V)12836EPEF	168
DP1SO7830	45	DP1WTBTC48	110	DP3(L/V)10715	53	DP3(L/V)12836F	47, 54
DP1SO7836	45	DP1WTET57	110	DP3(L/V)10718	53	DP3(L/V)12842	46, 53, 160
DP1SO7842	45	DP1WTET64	110	DP3(L/V)10724	53	DP3(L/V)12842CCF	164
DP1SO7848	45	DP1WTET71	110	DP3(L/V)10730	53	DP3(L/V)12842F	47, 54
DP1SOS15	52	DP1WTET78	110	DP3(L/V)10736	53	DP3(L/V)12848	46, 53, 160
DP1SOS18	52	DP1WTTC15	110	DP3(L/V)10742	53	DP3(L/V)12848CCF	164
DP1SOS24	52	DP1WTTC18	110	DP3(L/V)10748	53	DP3(L/V)12848EPEF	168
DP1SOS30	52	DP1WTTC24	110	DP3(L/V)11015	53	DP3(L/V)12848F	47, 54
DP1SOS36	52	DP1WTTC30	110	DP3(L/V)11018	53	DP3(L/V)12860EPEF	168
DP1SOS42	52	DP1WTTC36	110	DP3(L/V)11024	53	DP3(L/V)12872EPEF	168
DP1SOS48	52	DP1WTTC42	110	DP3(L/V)11030	53	DP3(L/V)12884EPEF	168
DP1SOS60	52	DP1WTTC48	110	DP3(L/V)11036	53	DP3(L/V)14215	46, 160
DP1SOWH15	43, 158	DP1WTTC54	110	DP3(L/V)11042	53	DP3(L/V)14215CCF	164
DP1SOWH15CCF	162	DP1WTTC60	110	DP3(L/V)11048	53	DP3(L/V)14215F	47
DP1SOWH18	43, 158	DP1WTTC66	110	DP3(L/V)11415	53	DP3(L/V)14218	46, 160
DP1SOWH18CCF	162	DP1WTTC72	110	DP3(L/V)11415F	54	DP3(L/V)14218CCF	164
DP1SOWH24	43, 158	DP1WTTC78	110	DP3(L/V)11418	53	DP3(L/V)14218F	47
DP1SOWH24CCF	162	DP1WTTC84	110	DP3(L/V)11418F	54	DP3(L/V)14224	46, 160
DP1SOWH30	43, 158	DP1WTTC90	110	DP3(L/V)11424	53	DP3(L/V)14224CCF	164
DP1SOWH30CCF	162	DP1WTTC96	110	DP3(L/V)11424F	54	DP3(L/V)14224F	47
DP1SOWH30EPEF	166	DP1WTTSB	111	DP3(L/V)11430	53	DP3(L/V)14230	46, 160
DP1SOWH36	43, 158	DP2 STFL1418	41	DP3(L/V)11430F	54	DP3(L/V)14230CCF	164
DP1SOWH36CCF	162	DP2 STFL1424	41	DP3(L/V)11436	53	DP3(L/V)14230EPEF	168
DP1SOWH36EPEF	166	DP2 STFL1430	41	DP3(L/V)11436F	54	DP3(L/V)14230F	47
DP1SOWH42	43, 158	DP2 STFL1436	41	DP3(L/V)11442	53	DP3(L/V)14236	46, 160
DP1SOWH42CCF	162	DP2 STFL1442	41	DP3(L/V)11442F	54	DP3(L/V)14236CCF	164
DP1SOWH48	43, 158	DP2 STFL1448	41	DP3(L/V)11448	53	DP3(L/V)14236EPEF	168
DP1SOWH48CCF	162	DP2CHTP	112	DP3(L/V)11448F	54	DP3(L/V)14236F	47
DP1SOWH48EPEF	166	DP2PMS36	109	DP3(L/V)12115	53	DP3(L/V)14242	46, 160
DP1SOWH60	43, 158	DP2PMS42	109	DP3(L/V)12118	53	DP3(L/V)14242CCF	164
DP1SOWH60CCF	162	DP2PMS50	109	DP3(L/V)12124	53	DP3(L/V)14242F	47

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
DP3(L/V)14248	46, 160	DP3(L/V)1WH18CCF	164	DP5(C/V/U)PT96CP	157	DP6PE64	106
DP3(L/V)14248CCF	164	DP3(L/V)1WH18F	47	DP5PE36F	128	DP6PE78	106
DP3(L/V)14248EPEF	168	DP3(L/V)1WH24	46, 160	DP5PEES27	128	DP6PEWH	106
DP3(L/V)14248F	47	DP3(L/V)1WH24CCF	164	DP5PEG36F	101, 128	DP6PEWH36	106
DP3(L/V)14260EPEF	168	DP3(L/V)1WH24F	47	DP5PEG42	101	DP6PEWH42	106
DP3(L/V)14272EPEF	168	DP3(L/V)1WH30	46, 160	DP5PEG50	101	DP6PEWH50	106
DP3(L/V)14284EPEF	168	DP3(L/V)1WH30CCF	164	DP5PEG57	101	DP6PEWH57	106
DP3(L/V)15015	48, 161	DP3(L/V)1WH30EPEF	168	DP5PEG78	101	DP6PEWH64	106
DP3(L/V)15015CCF	165	DP3(L/V)1WH30F	47	DP5PEGES27	128	DP6PEWH78	106
DP3(L/V)15015F	49	DP3(L/V)1WH36	46, 160	DP5PEGG08	104	DP6PEWHS14	106
DP3(L/V)15018	48, 161	DP3(L/V)1WH36CCF	164	DP5PEGG14	104	DP6PEWHS21	106
DP3(L/V)15018CCF	165	DP3(L/V)1WH36EPEF	168	DP5PEGG22	104	DP6PEWHS28	106
DP3(L/V)15018F	49	DP3(L/V)1WH36F	47	DP5PEGG28	104	DP71RCT18	205
DP3(L/V)15024	48, 161	DP3(L/V)1WH42	46, 160	DP5PEGG36	104	DP71RCT24	205
DP3(L/V)15024CCF	165	DP3(L/V)1WH42CCF	164	DP5PEGG42H	104	DP71RCT30	205
DP3(L/V)15024F	49	DP3(L/V)1WH42F	47	DP5PEGGWH36	104	DP71RCT36	205
DP3(L/V)15030	48, 161	DP3(L/V)1WH48	46, 160	DP5PEGGWH42	104	DP71RCT42	205
DP3(L/V)15030CCF	165	DP3(L/V)1WH48CCF	164	DP5PEGGWH50	104	DP71RCT48	205
DP3(L/V)15030EPEF	169	DP3(L/V)1WH48EPEF	168	DP5PEGGWH57	104	DP71RCT60	205
DP3(L/V)15030F	49	DP3(L/V)1WH48F	47	DP5PEGGWH64	104	DP72RCT18	205
DP3(L/V)15036	48, 161	DP3(L/V)1WH60EPEF	168	DP5PEGGWH78	104	DP72RCT24	205
DP3(L/V)15036CCF	165	DP3(L/V)1WH72EPEF	168	DP5PEGN08	103	DP72RCT30	205
DP3(L/V)15036EPEF	169	DP3(L/V)1WH84EPEF	168	DP5PEGN14	103	DP72RCT36	205
DP3(L/V)15036F	49	DP3MB	61, 62	DP5PEGN22	103	DP72RCT42	205
DP3(L/V)15042	48, 161	DP3PSB	57, 66, 67, 68	DP5PEGN28	103	DP72RCT48	205
DP3(L/V)15042CCF	165	DP3PWS14	109	DP5PEGN36	103	DP72RCT60	205
DP3(L/V)15042F	49	DP3PWS21	109	DP5PEGN42H	103	DP7BF	98
DP3(L/V)15048	48, 161	DP3PWS28	109	DP5PEGNWH36	103	DP7CERK	202
DP3(L/V)15048CCF	165	DP3PWS36	109	DP5PEGNWH42	103	DP7HIRKD24	203
DP3(L/V)15048EPEF	169	DP3PWS42	109	DP5PEGNWH50	103	DP7HIRKD30	203
DP3(L/V)15048F	49	DP3PWS50	109	DP5PEGNWH57	103	DP7HIRKD36	203
DP3(L/V)15060EPEF	169	DP3PWS57	109	DP5PEGNWH64	103	DP7HIRKD42	203
DP3(L/V)15072EPEF	169	DP3PWS64	109	DP5PEGNWH78	103	DP7HIRKD48	203
DP3(L/V)15084EPEF	169	DP3PWS71	109	DP5PEGWH	101	DP7HIRKD60	203
DP3(L/V)15715	48, 161	DP3PWS78	109	DP5PEGWHS14	101	DP7HIRKS24	203
DP3(L/V)15715CCF	165	DP3SS	57, 63, 64, 65	DP5PEGWHS21	101	DP7HIRKS30	203
DP3(L/V)15715F	49	DP3V16415	48	DP5PEGWHS28	101	DP7HIRKS36	203
DP3(L/V)15718	48, 161	DP3V16415F	49	DP5PENG08	105	DP7HIRKS42	203
DP3(L/V)15718CCF	165	DP3V16418	48	DP5PENG14	105	DP7HIRKS48	203
DP3(L/V)15718F	49	DP3V16418F	49	DP5PENG22	105	DP7HIRKS60	203
DP3(L/V)15724	48, 161	DP3V16424	48	DP5PENG28	105	DP7HLCWH	97
DP3(L/V)15724CCF	165	DP3V16424F	49	DP5PENG36	105	DP7HRRKD24	203
DP3(L/V)15724F	49	DP3V16430	48	DP5PENG42H	105	DP7HRRKD30	203
DP3(L/V)15730	48, 161	DP3V16430F	49	DP5PENGWH36	105	DP7HRRKD36	203
DP3(L/V)15730CCF	165	DP3V16436	48	DP5PENGWH42	105	DP7HRRKD42	203
DP3(L/V)15730EPEF	169	DP3V16436F	49	DP5PENGWH50	105	DP7HRRKD48	203
DP3(L/V)15730F	49	DP3V16442	48	DP5PENGWH57	105	DP7HRRKD60	203
DP3(L/V)15736	48, 161	DP3V16442F	49	DP5PENGWH64	105	DP7HRRKS24	203
DP3(L/V)15736CCF	165	DP3V16448	48	DP5PENGWH78	105	DP7HRRKS30	203
DP3(L/V)15736EPEF	169	DP3V16448F	49	DP5PG64	101	DP7HRRKS36	203
DP3(L/V)15736F	49	DP3V16460	48	DP5PT42	129	DP7HRRKS42	203
DP3(L/V)15742	48, 161	DP3V16460F	49	DP5PT48	129	DP7HRRKS48	203
DP3(L/V)15742CCF	165	DP5(C/V/U)PT29CP	157	DP5PT60	129	DP7HRRKS60	203
DP3(L/V)15742F	49	DP5(C/V/U)PT30CP	157	DP5PT66	129	DP7PP36S	200
DP3(L/V)15748	48, 161	DP5(C/V/U)PT35CP	157	DP5PT72	129	DP7PP36T	200
DP3(L/V)15748CCF	165	DP5(C/V/U)PT36CP	157	DP6PE08	106	DP7PP42S	200
DP3(L/V)15748EPEF	169	DP5(C/V/U)PT47CP	157	DP6PE14	106	DP7PP42T	200
DP3(L/V)15748F	49	DP5(C/V/U)PT48CP	157	DP6PE22	106	DP7PP50S	200
DP3(L/V)15760EPEF	169	DP5(C/V/U)PT59CP	157	DP6PE28	106	DP7PP50T	200
DP3(L/V)15772EPEF	169	DP5(C/V/U)PT60CP	157	DP6PE36	106	DP7PP57S	200
DP3(L/V)15784EPEF	169	DP5(C/V/U)PT71CP	157	DP6PE36F	106	DP7PP57T	200
DP3(L/V)1WH15	46, 160	DP5(C/V/U)PT72CP	157	DP6PE42	106	DP7PP64S	200
DP3(L/V)1WH15CCF	164	DP5(C/V/U)PT83CP	157	DP6PE42H	106	DP7PP64T	200
DP3(L/V)1WH15F	47	DP5(C/V/U)PT84CP	157	DP6PE50	106	DP7PP78S	200
DP3(L/V)1WH18	46, 160	DP5(C/V/U)PT95CP	157	DP6PE57	106	DP7PP78T	200

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
DP7RCCH24	203	DP8CBBFR7818	36	DP8CMMFR5718	14	DP8CMMLL7818	12
DP7RCCH30	203	DP8CBBFR7824	36	DP8CMMFR5724	14	DP8CMMLL7824	12
DP7RCCH36	203	DP8CBBFR7830	36	DP8CMMFR5730	14	DP8CMMLL7830	12
DP7RCCH42	203	DP8CBBFR7836	36	DP8CMMFR5736	14	DP8CMMLL7836	12
DP7RCCH48	203	DP8CBBFR7842	36	DP8CMMFR5742	14	DP8CMMLL7842	12
DP7RCCH60	203	DP8CBBFR7848	36	DP8CMMFR5748	14	DP8CMMLL7848	12
DP7S	76, 77, 78, 79	DP8CBRR4218	32	DP8CMMFR5760	14	DP8CMMLLWH18	11
DP7SS	80, 82	DP8CBRR4224	32	DP8CMMFR6415	14	DP8CMMLLWH24	11
DP8	37, 38, 39	DP8CBRR4230	32	DP8CMMFR6418	14	DP8CMMLLWH30	11
DP8120PC08S	182	DP8CBRR4236	32	DP8CMMFR6424	14	DP8CMMLLWH36	11
DP8120PC14S	182	DP8CBRR4242	32	DP8CMMFR6430	14	DP8CMMLLWH42	11
DP8120PC22S	182	DP8CBRR4248	32	DP8CMMFR6436	14	DP8CMMLLWH48	11
DP8120PC28S	182	DP8CBRR4260	32	DP8CMMFR6442	14	DP8CMMLLWH60	11
DP8120PC36S	182	DP8CBRR5018	32	DP8CMMFR6448	14	DP8CMMRR3615	8
DP8120PC36SF	182	DP8CBRR5024	32	DP8CMMFR6460	14	DP8CMMRR3618	8
DP8120PC42S	182	DP8CBRR5030	32	DP8CMMFR7815	15	DP8CMMRR3624	8
DP8120PC42SH	182	DP8CBRR5036	32	DP8CMMFR7818	15	DP8CMMRR3630	8
DP8120PC50S	182	DP8CBRR5042	32	DP8CMMFR7824	15	DP8CMMRR3636	8
DP8120PC57S	182	DP8CBRR5048	32	DP8CMMFR7830	15	DP8CMMRR3642	8
DP8120PC64S	182	DP8CBRR5060	32	DP8CMMFR7836	15	DP8CMMRR3648	8
DP8120PC78S	182	DP8CBRR5718	33	DP8CMMFR7842	15	DP8CMMRR3660	8
DP8120PO36	182	DP8CBRR5724	33	DP8CMMFR7848	15	DP8CMMRR3672RR*	8
DP8120PO42	182	DP8CBRR5730	33	DP8CMMFRWH15	13	DP8CMMRR3684RR*	8
DP8120PO50	182	DP8CBRR5736	33	DP8CMMFRWH18	13	DP8CMMRR3696RR*	8
DP8120PO57	182	DP8CBRR5742	33	DP8CMMFRWH24	13	DP8CMMRR4215	9
DP8120PO64	182	DP8CBRR5748	33	DP8CMMFRWH30	13	DP8CMMRR4218	9
DP8120PO78	182	DP8CBRR5760	33	DP8CMMFRWH36	13	DP8CMMRR4224	9
DP8120SPO 14	181	DP8CBRR6418	33	DP8CMMFRWH42	13	DP8CMMRR4230	9
DP8120SPO 21	181	DP8CBRR6424	33	DP8CMMFRWH48	13	DP8CMMRR4236	9
DP8120SPO 28	181	DP8CBRR6430	33	DP8CMMFRWH60	13	DP8CMMRR4242	9
DP8BC18K	55	DP8CBRR6436	33	DP8CMMLL3618	11	DP8CMMRR4248	9
DP8BC24K	55	DP8CBRR6442	33	DP8CMMLL3624	11	DP8CMMRR4260	9
DP8BC30K	55	DP8CBRR6448	33	DP8CMMLL3630	11	DP8CMMRR4272RR*	9
DP8BC36K	55	DP8CBRR6460	33	DP8CMMLL3636	11	DP8CMMRR4284RR*	9
DP8BC42K	55	DP8CBRR7818	33	DP8CMMLL3642	11	DP8CMMRR4296RR*	9
DP8BC48K	55	DP8CBRR7824	33	DP8CMMLL3648	11	DP8CMMRR5015	9
DP8BC60K	55	DP8CBRR7830	33	DP8CMMLL3660	11	DP8CMMRR5018	9
DP8CBBFR4218	34	DP8CBRR7836	33	DP8CMMLL4218	11	DP8CMMRR5024	9
DP8CBBFR4224	34	DP8CBRR7842	33	DP8CMMLL4224	11	DP8CMMRR5030	9
DP8CBBFR4230	34	DP8CBRR7848	33	DP8CMMLL4230	11	DP8CMMRR5036	9
DP8CBBFR4236	34	DP8CMMFR3615	13	DP8CMMLL4236	11	DP8CMMRR5042	9
DP8CBBFR4242	34	DP8CMMFR3618	13	DP8CMMLL4242	11	DP8CMMRR5048	9
DP8CBBFR4248	34	DP8CMMFR3624	13	DP8CMMLL4248	11	DP8CMMRR5060	9
DP8CBBFR4260	34	DP8CMMFR3630	13	DP8CMMLL4260	11	DP8CMMRR5072RR*	9
DP8CBBFR5018	34	DP8CMMFR3636	13	DP8CMMLL5018	11	DP8CMMRR5084RR*	9
DP8CBBFR5024	34	DP8CMMFR3642	13	DP8CMMLL5024	11	DP8CMMRR5096RR*	9
DP8CBBFR5030	34	DP8CMMFR3648	13	DP8CMMLL5030	11	DP8CMMRR5715	10
DP8CBBFR5036	34	DP8CMMFR3660	13	DP8CMMLL5036	11	DP8CMMRR5718	10
DP8CBBFR5042	34	DP8CMMFR4215	13	DP8CMMLL5042	11	DP8CMMRR5724	10
DP8CBBFR5048	34	DP8CMMFR4218	13	DP8CMMLL5048	11	DP8CMMRR5730	10
DP8CBBFR5060	34	DP8CMMFR4224	13	DP8CMMLL5060	11	DP8CMMRR5736	10
DP8CBBFR5718	35	DP8CMMFR4230	13	DP8CMMLL5718	12	DP8CMMRR5742	10
DP8CBBFR5724	35	DP8CMMFR4236	13	DP8CMMLL5724	12	DP8CMMRR5748	10
DP8CBBFR5730	35	DP8CMMFR4242	13	DP8CMMLL5730	12	DP8CMMRR5760	10
DP8CBBFR5736	35	DP8CMMFR4248	13	DP8CMMLL5736	12	DP8CMMRR6415	10
DP8CBBFR5742	35	DP8CMMFR4260	13	DP8CMMLL5742	12	DP8CMMRR6418	10
DP8CBBFR5748	35	DP8CMMFR5015	14	DP8CMMLL5748	12	DP8CMMRR6424	10
DP8CBBFR5760	35	DP8CMMFR5018	14	DP8CMMLL5760	12	DP8CMMRR6430	10
DP8CBBFR6418	35	DP8CMMFR5024	14	DP8CMMLL6418	12	DP8CMMRR6436	10
DP8CBBFR6424	35	DP8CMMFR5030	14	DP8CMMLL6424	12	DP8CMMRR6442	10
DP8CBBFR6430	35	DP8CMMFR5036	14	DP8CMMLL6430	12	DP8CMMRR6448	10
DP8CBBFR6436	35	DP8CMMFR5042	14	DP8CMMLL6436	12	DP8CMMRR6460	10
DP8CBBFR6442	35	DP8CMMFR5048	14	DP8CMMLL6442	12	DP8CMMRR7815	10
DP8CBBFR6448	35	DP8CMMFR5060	14	DP8CMMLL6448	12	DP8CMMRR7818	10
DP8CBBFR6460	35	DP8CMMFR5715	14	DP8CMMLL6460	12	DP8CMMRR7824	10

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
DP8CMMRR7830	10	DP8CPPFR6442	30	DP8CPPRR5742	24	DP8CTTFR7815	22
DP8CMMRR7836	10	DP8CPPFR6448	30	DP8CPPRR5748	24	DP8CTTFR7818	22
DP8CMMRR7842	10	DP8CPPFR6460	30	DP8CPPRR5760	24	DP8CTTFR7824	22
DP8CMMRR7848	10	DP8CPPFR7815	31	DP8CPPRR6415	24	DP8CTTFR7830	22
DP8CMMRRWH15	8	DP8CPPFR7818	31	DP8CPPRR6418	24	DP8CTTFR7836	22
DP8CMMRRWH18	8	DP8CPPFR7824	31	DP8CPPRR6424	24	DP8CTTFR7842	22
DP8CMMRRWH24	8	DP8CPPFR7830	31	DP8CPPRR6430	24	DP8CTTFR7848	22
DP8CMMRRWH30	8	DP8CPPFR7836	31	DP8CPPRR6436	24	DP8CTTLL3618	18
DP8CMMRRWH36	8	DP8CPPFR7842	31	DP8CPPRR6442	24	DP8CTTLL3624	18
DP8CMMRRWH42	8	DP8CPPFR7848	31	DP8CPPRR6448	24	DP8CTTLL3630	18
DP8CMMRRWH48	8	DP8CPPLA218	26	DP8CPPRR6460	24	DP8CTTLL3636	18
DP8CMMRRWH60	8	DP8CPPLA224	26	DP8CPPRR7815	25	DP8CTTLL3642	18
DP8CMMRRWH72RR*	8	DP8CPPLA230	26	DP8CPPRR7818	25	DP8CTTLL3648	18
DP8CMMRRWH84RR*	8	DP8CPPLA236	26	DP8CPPRR7824	25	DP8CTTLL3660	18
DP8CMMRRWH96RR*	8	DP8CPPLA242	26	DP8CPPRR7830	25	DP8CTTLL4218	18
DP8CPAG3625	94	DP8CPPLA248	26	DP8CPPRR7836	25	DP8CTTLL4224	18
DP8CPAG3635	94	DP8CPPLA260	26	DP8CPPRR7842	25	DP8CTTLL4230	18
DP8CPAG3645	94	DP8CPPL5018	26	DP8CPPRR7848	25	DP8CTTLL4236	18
DP8CPAG4225	94	DP8CPPL5024	26	DP8CPTCPG5	156	DP8CTTLL4242	18
DP8CPAG4235	94	DP8CPPL5030	26	DP8CPTCPHG5	156	DP8CTTLL4248	18
DP8CPAG4245	94	DP8CPPL5036	26	DP8CPTG15	98	DP8CTTLL4260	18
DP8CPAG5025	94	DP8CPPL5042	26	DP8CPTG25	98	DP8CTTLL5018	18
DP8CPAG5035	94	DP8CPPL5048	26	DP8CPTG35	98	DP8CTTLL5024	18
DP8CPAG5045	94	DP8CPPL5060	26	DP8CPTG45	98	DP8CTTLL5030	18
DP8CPAG5725	94	DP8CPPL5718	27	DP8CPTGS5	98	DP8CTTLL5036	18
DP8CPAG5735	94	DP8CPPL5724	27	DP8CTTFR3615	20	DP8CTTLL5042	18
DP8CPAG5745	94	DP8CPPL5730	27	DP8CTTFR3618	20	DP8CTTLL5048	18
DP8CPAG6425	94	DP8CPPL5736	27	DP8CTTFR3624	20	DP8CTTLL5060	18
DP8CPAG6435	94	DP8CPPL5742	27	DP8CTTFR3630	20	DP8CTTLL5718	19
DP8CPAG6445	94	DP8CPPL5748	27	DP8CTTFR3636	20	DP8CTTLL5724	19
DP8CPAG7825	94	DP8CPPL5760	27	DP8CTTFR3642	20	DP8CTTLL5730	19
DP8CPAG7835	94	DP8CPPL6418	27	DP8CTTFR3648	20	DP8CTTLL5736	19
DP8CPAG7845	94	DP8CPPL6424	27	DP8CTTFR3660	20	DP8CTTLL5742	19
DP8CPAGWH25	94	DP8CPPL6430	27	DP8CTTFR4215	20	DP8CTTLL5748	19
DP8CPAGWH35	94	DP8CPPL6436	27	DP8CTTFR4218	20	DP8CTTLL5760	19
DP8CPAGWH45	94	DP8CPPL6442	27	DP8CTTFR4224	20	DP8CTTLL6418	19
DP8CPPFR4215	29	DP8CPPL6448	27	DP8CTTFR4230	20	DP8CTTLL6424	19
DP8CPPFR4218	29	DP8CPPL6460	27	DP8CTTFR4236	20	DP8CTTLL6430	19
DP8CPPFR4224	29	DP8CPPL7818	28	DP8CTTFR4242	20	DP8CTTLL6436	19
DP8CPPFR4230	29	DP8CPPL7824	28	DP8CTTFR4248	20	DP8CTTLL6442	19
DP8CPPFR4236	29	DP8CPPL7830	28	DP8CTTFR4260	20	DP8CTTLL6448	19
DP8CPPFR4242	29	DP8CPPL7836	28	DP8CTTFR5015	21	DP8CTTLL6460	19
DP8CPPFR4248	29	DP8CPPL7842	28	DP8CTTFR5018	21	DP8CTTLL7818	19
DP8CPPFR4260	29	DP8CPPL7848	28	DP8CTTFR5024	21	DP8CTTLL7824	19
DP8CPPFR5015	29	DP8CPPRR4215	23	DP8CTTFR5030	21	DP8CTTLL7830	19
DP8CPPFR5018	29	DP8CPPRR4218	23	DP8CTTFR5036	21	DP8CTTLL7836	19
DP8CPPFR5024	29	DP8CPPRR4224	23	DP8CTTFR5042	21	DP8CTTLL7842	19
DP8CPPFR5030	29	DP8CPPRR4230	23	DP8CTTFR5048	21	DP8CTTLL7848	19
DP8CPPFR5036	29	DP8CPPRR4236	23	DP8CTTFR5060	21	DP8CTTRR3615	16
DP8CPPFR5042	29	DP8CPPRR4242	23	DP8CTTFR5715	21	DP8CTTRR3618	16
DP8CPPFR5048	29	DP8CPPRR4248	23	DP8CTTFR5718	21	DP8CTTRR3624	16
DP8CPPFR5060	29	DP8CPPRR4260	23	DP8CTTFR5724	21	DP8CTTRR3630	16
DP8CPPFR5715	30	DP8CPPRR5015	23	DP8CTTFR5730	21	DP8CTTRR3636	16
DP8CPPFR5718	30	DP8CPPRR5018	23	DP8CTTFR5736	21	DP8CTTRR3642	16
DP8CPPFR5724	30	DP8CPPRR5024	23	DP8CTTFR5742	21	DP8CTTRR3648	16
DP8CPPFR5730	30	DP8CPPRR5030	23	DP8CTTFR5748	21	DP8CTTRR3660	16
DP8CPPFR5736	30	DP8CPPRR5036	23	DP8CTTFR5760	21	DP8CTTRR4215	16
DP8CPPFR5742	30	DP8CPPRR5042	23	DP8CTTFR6415	22	DP8CTTRR4218	16
DP8CPPFR5748	30	DP8CPPRR5048	23	DP8CTTFR6418	22	DP8CTTRR4224	16
DP8CPPFR5760	30	DP8CPPRR5060	23	DP8CTTFR6424	22	DP8CTTRR4230	16
DP8CPPFR6415	30	DP8CPPRR5715	24	DP8CTTFR6430	22	DP8CTTRR4236	16
DP8CPPFR6418	30	DP8CPPRR5718	24	DP8CTTFR6436	22	DP8CTTRR4242	16
DP8CPPFR6424	30	DP8CPPRR5724	24	DP8CTTFR6442	22	DP8CTTRR4248	16
DP8CPPFR6430	30	DP8CPPRR5730	24	DP8CTTFR6448	22	DP8CTTRR4260	16
DP8CPPFR6436	30	DP8CPPRR5736	24	DP8CTTFR6460	22	DP8CTTRR5015	16

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
DP8CTTRR5018	16	DP8(C/V/U)PA424	93	DP8ES3666	126	DP8PO36	95
DP8CTTRR5024	16	DP8(C/V/U)PA502	93	DP8ES3672	126	DP8PO42	95
DP8CTTRR5030	16	DP8(C/V/U)PA503	93	DP8ESCMT	126	DP8PO50	95
DP8CTTRR5036	16	DP8(C/V/U)PA504	93	DP8ESFC	127	DP8PO57	95
DP8CTTRR5042	16	DP8(C/V/U)PA572	93	DP8ESFE	127	DP8PO64	95
DP8CTTRR5048	16	DP8(C/V/U)PA573	93	DP8ESFF	127	DP8PO78	95
DP8CTTRR5060	16	DP8(C/V/U)PA574	93	DP8ESFI	127	DP8POWH	95
DP8CTTRR5715	17	DP8(C/V/U)PA642	93	DP8ESFJ	127	DP8PPC	98
DP8CTTRR5718	17	DP8(C/V/U)PA643	93	DP8ESFO	127	DP8PRFN24	81
DP8CTTRR5724	17	DP8(C/V/U)PA644	93	DP8ESFR	127	DP8PRFN30	81
DP8CTTRR5730	17	DP8(C/V/U)PA782	93	DP8ESFS	127	DP8PRFN36	81
DP8CTTRR5736	17	DP8(C/V/U)PA783	93	DP8HLC	98	DP8PRFN42	81
DP8CTTRR5742	17	DP8(C/V/U)PA784	93	DP8PBR	40	DP8PRFN48	81
DP8CTTRR5748	17	DP8(C/V/U)PAWH2	93	DP8PBRN15	40	DP8PRFN60	81
DP8CTTRR5760	17	DP8(C/V/U)PAWH3	93	DP8PC07	99	DP8SP014	96
DP8CTTRR6415	17	DP8(C/V/U)PAWH4	93	DP8PC07UH	100	DP8SP021	96
DP8CTTRR6418	17	DP8(C/V/U)PO362	96	DP8PC106	99	DP8SP028	97
DP8CTTRR6424	17	DP8(C/V/U)PO363	95	DP8PC1062	99	DPCPCG	124
DP8CTTRR6430	17	DP8(C/V/U)PO364	95	DP8PC14	99	DPCPFF	124
DP8CTTRR6436	17	DP8(C/V/U)PO36CPF	156	DP8PC14UH	100	DPCPPBL	109
DP8CTTRR6442	17	DP8(C/V/U)PO36S	96	DP8PC21	100	DPCPPB(L/R)	124
DP8CTTRR6448	17	DP8(C/V/U)PO422	96	DP8PC21UH	100	DPCPPBR	109
DP8CTTRR6460	17	DP8(C/V/U)PO423	95	DP8PC28	100	DPL11742EBD	140
DP8CTTRR7815	17	DP8(C/V/U)PO424	95	DP8PC28UH	100	DPL11742EBN	139
DP8CTTRR7818	17	DP8(C/V/U)PO42CPF	156	DP8PC36	99, 100	DPL11742ELD	139
DP8CTTRR7824	17	DP8(C/V/U)PO42S	96	DP8PC362	99	DPL11742ELN	138
DP8CTTRR7830	17	DP8(C/V/U)PO502	96	DP8PC36U	100	DPL11742ERD	139
DP8CTTRR7836	17	DP8(C/V/U)PO503	95	DP8PC42	99, 100	DPL11742ERN	138
DP8CTTRR7842	17	DP8(C/V/U)PO504	95	DP8PC422	99	DPL11742NDB	141
DP8CTTRR7848	17	DP8(C/V/U)PO50CPF	156	DP8PC42U	100	DPL11742NDL	140
DP8(C/V/U)120PA362	180	DP8(C/V/U)PO50S	96	DP8PC50	99	DPL11742NDR	140
DP8(C/V/U)120PA363	180	DP8(C/V/U)PO572	96	DP8PC502	99	DPL11742NN	138
DP8(C/V/U)120PA422	180	DP8(C/V/U)PO573	95	DP8PC50U	100	DPL11748EBD	140
DP8(C/V/U)120PA423	180	DP8(C/V/U)PO574	95	DP8PC57	99	DPL11748EBN	139
DP8(C/V/U)120PA502	180	DP8(C/V/U)PO57CPF	156	DP8PC572	99	DPL11748ELD	139
DP8(C/V/U)120PA503	180	DP8(C/V/U)PO57S	96	DP8PC57U	100	DPL11748ELN	138
DP8(C/V/U)120PA572	180	DP8(C/V/U)PO642	96	DP8PC64	99	DPL11748ERD	139
DP8(C/V/U)120PA573	180	DP8(C/V/U)PO643	95	DP8PC642	99	DPL11748ERN	138
DP8(C/V/U)120PA642	180	DP8(C/V/U)PO644	95	DP8PC64U	100	DPL11748NDB	141
DP8(C/V/U)120PA643	180	DP8(C/V/U)PO64CPF	156	DP8PC71	99	DPL11748NDL	140
DP8(C/V/U)120PA782	180	DP8(C/V/U)PO64S	96	DP8PC712	99	DPL11748NDR	140
DP8(C/V/U)120PA783	180	DP8(C/V/U)PO782	96	DP8PC78	99	DPL11748NN	138
DP8(C/V/U)120PAG362	180	DP8(C/V/U)PO783	95	DP8PC782	99	DPL11760EBD	140
DP8(C/V/U)120PAG363	180	DP8(C/V/U)PO784	95	DP8PC78U	100	DPL11760EBN	139
DP8(C/V/U)120PAG422	180	DP8(C/V/U)PO78S	96	DP8PC85	99	DPL11760ELD	139
DP8(C/V/U)120PAG423	180	DP8(C/V/U)POWH2	96	DP8PC852	99	DPL11760ELN	138
DP8(C/V/U)120PAG502	180	DP8(C/V/U)POWH3	95	DP8PC92	99	DPL11760ERD	139
DP8(C/V/U)120PAG503	180	DP8(C/V/U)POWH4	95	DP8PC922	99	DPL11760ERN	138
DP8(C/V/U)120PAG572	180	DP8(C/V/U)POWHCPF	156	DP8PC99	99	DPL11760NDB	141
DP8(C/V/U)120PAG573	180	DP8(C/V/U)POWHHS	96	DP8PC992	99	DPL11760NDL	140
DP8(C/V/U)120PAG642	180	DP8(C/V/U)PT1	97	DP8PCWH	99	DPL11760NDR	140
DP8(C/V/U)120PAG643	180	DP8(C/V/U)PT2	97	DP8PCWH2	99	DPL11760NN	138
DP8(C/V/U)120PAG782	180	DP8(C/V/U)PT3	97	DP8PCWH36	100	DPL11766EBD	140
DP8(C/V/U)120PAG783	180	DP8(C/V/U)PT4	97	DP8PCWH42	100	DPL11766EBN	139
DP8(C/V/U)120PT1	182	DP8(C/V/U)PTCP	156	DP8PCWH50	100	DPL11766ELD	139
DP8(C/V/U)120PT2	182	DP8(C/V/U)PTCPH	156	DP8PCWH57	100	DPL11766ELN	138
DP8(C/V/U)120PT3	182	DP8(C/V/U)PTS	97	DP8PCWH64	100	DPL11766ERD	139
DP8(C/V/U)120PTG1	182	DP8ES2742	126	DP8PCWH78	100	DPL11766ERN	138
DP8(C/V/U)120PTG2	182	DP8ES2748	126	DP8PCWHS14	99	DPL11766NDB	141
DP8(C/V/U)120PTG3	182	DP8ES2760	126	DP8PCWHS142	99	DPL11766NDL	140
DP8(C/V/U)PA362	93	DP8ES2766	126	DP8PCWHS21	99	DPL11766NDR	140
DP8(C/V/U)PA363	93	DP8ES2772	126	DP8PCWHS212	99	DPL11766NN	138
DP8(C/V/U)PA364	93	DP8ES3642	126	DP8PCWHS28	99	DPL11772EBD	140
DP8(C/V/U)PA422	93	DP8ES3648	126	DP8PCWHS282	99	DPL11772EBN	139
DP8(C/V/U)PA423	93	DP8ES3660	126	DP8PCWHU	100	DPL11772ELD	139

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
DPL11772ELN	138	DPRD16442(L/R)L	74	DPSS1766ELD	147	DPSS2572NDL	152
DPL11772ERD	139	DPRD16442(L/R)N	74	DPSS1766ELN	146	DPSS2572NDR	152
DPL11772ERN	138	DPRD16448(L/R)L	74	DPSS1766ERD	147	DPSS2572NN	150
DPL11772NDB	141	DPRD16448(L/R)N	74	DPSS1766ERN	146	DS1 OHL	221
DPL11772NDL	140	DPRD17836(L/R)L	74	DPSS1766NDB	149	DS1 VD	221, 236
DPL11772NDR	140	DPRD17836(L/R)N	74	DPSS1766NDL	148	DS1BS 24	220
DPL11772NN	138	DPRD17842(L/R)L	74	DPSS1766NDR	148	DS1BS 30	220
DPL12542EBD	143	DPRD17842(L/R)N	74	DPSS1766NN	146	DS1BS 36	220
DPL12542EBN	144	DPRD17848(L/R)L	74	DPSS1772EBD	148	DS1BS 42	220
DPL12542ELD	143	DPRD17848(L/R)N	74	DPSS1772EBN	147	DS1BS 48	220
DPL12542ELN	142	DPRD1JPM	75	DPSS1772ELD	147	DS1BS 54	220
DPL12542ERD	143	DPRD1SSB	75	DPSS1772ELN	146	DS1BS 60	220
DPL12542ERN	142	DPS7V1418	42	DPSS1772ERD	147	DS1BS 66	220
DPL12542NDB	145	DPS7V1424	42	DPSS1772ERN	146	DS1BS 72	220
DPL12542NDL	144	DPS7V1430	42	DPSS1772NDB	149	DS1DWDPL	224
DPL12542NDR	144	DPS7V1436	42	DPSS1772NDL	148	DS1EAKIT	206
DPL12542NN	142	DPS7V1442	42	DPSS1772NDR	148	DS1LKKT	224
DPL12548EBD	143	DPS7V1448	42	DPSS1772NN	146	DS1PBD	224, 344
DPL12548EBN	144	DPS7V1460	42	DPSS2542EBD	152	DS1PFD	224, 344
DPL12548ELD	143	DPS7V2118	42	DPSS2542EBN	151	DS1PFS	224, 344
DPL12548ELN	142	DPS7V2124	42	DPSS2542ELD	151	DS1PST	224, 344
DPL12548ERD	143	DPS7V2130	42	DPSS2542ELN	150	DS1S 24	219
DPL12548ERN	142	DPS7V2136	42	DPSS2542ERD	151	DS1S 30	219
DPL12548NDB	145	DPS7V2142	42	DPSS2542ERN	150	DS1S 36	219
DPL12548NDL	144	DPS7V2148	42	DPSS2542NDB	153	DS1S 42	219
DPL12548NDR	144	DPS7V2160	42	DPSS2542NDL	152	DS1S 48	219
DPL12548NN	142	DPS7V2818	42	DPSS2542NDR	152	DS1S 54	219
DPL12560EBD	143	DPS7V2824	42	DPSS2542NN	150	DS1S 60	219
DPL12560EBN	144	DPS7V2830	42	DPSS2548EBD	152	DS1S 66	219
DPL12560ELD	143	DPS7V2836	42	DPSS2548EBN	151	DS1S 72	219
DPL12560ELN	142	DPS7V2842	42	DPSS2548ELD	151	DS1SWM 30	220
DPL12560ERD	143	DPS7V2848	42	DPSS2548ELN	150	DS1SWM 36	220
DPL12560ERN	142	DPS7V2860	42	DPSS2548ERD	151	DS1SWM 42	220
DPL12560NDB	145	DPSS1742EBD	148	DPSS2548ERN	150	DS1SWM 48	220
DPL12560NDL	144	DPSS1742EBN	147	DPSS2548NDB	153	DS1WM 24	220
DPL12560NDR	144	DPSS1742ELD	147	DPSS2548NDL	152	DS1WM 30	220
DPL12560NN	142	DPSS1742ELN	146	DPSS2548NDR	152	DS1WM 36	220
DPL12566EBD	143	DPSS1742ERD	147	DPSS2548NN	150	DS1WM 42	220
DPL12566EBN	144	DPSS1742ERN	146	DPSS2560EBD	152	DS1WM 48	220
DPL12566ELD	143	DPSS1742NDB	149	DPSS2560EBN	151	DS2DW 30L	223
DPL12566ELN	142	DPSS1742NDL	148	DPSS2560ELD	151	DS2DW 36L	223
DPL12566ERD	143	DPSS1742NDR	148	DPSS2560ELN	150	DS2DWDPL30	224
DPL12566ERN	142	DPSS1742NN	146	DPSS2560ERD	151	DS2DWDPL36	224
DPL12566NDB	145	DPSS1748EBD	148	DPSS2560ERN	150	DS2LKKT	224
DPL12566NDL	144	DPSS1748EBN	147	DPSS2560NDB	153	DS2OD 36L	236
DPL12566NDR	144	DPSS1748ELD	147	DPSS2560NDL	152	DS2OD 42L	236
DPL12566NN	142	DPSS1748ELN	146	DPSS2560NDR	152	DS2OD 48L	236
DPL12572EBD	143	DPSS1748ERD	147	DPSS2560NN	150	DS2OD 54L	236
DPL12572EBN	144	DPSS1748ERN	146	DPSS2566EBD	152	DS2OD 60L	236
DPL12572ELD	143	DPSS1748NDB	149	DPSS2566EBN	151	DS2OD 66L	236
DPL12572ELN	142	DPSS1748NDL	148	DPSS2566ELD	151	DS2OD 72L	236
DPL12572ERD	143	DPSS1748NDR	148	DPSS2566ELN	150	DS2PBD	224
DPL12572ERN	142	DPSS1748NN	146	DPSS2566ERD	151	DS2PF L18A	223
DPL12572NDB	145	DPSS1760EBD	148	DPSS2566ERN	150	DS2PF L18B	223
DPL12572NDL	144	DPSS1760EBN	147	DPSS2566NDB	153	DS2PF L24AB	223
DPL12572NDR	144	DPSS1760ELD	147	DPSS2566NDL	152	DS2PF L24BB	223
DPL12572NN	142	DPSS1760ELN	146	DPSS2566NDR	152	DS2PF L30A	223
DPRD15736(L/R)L	74	DPSS1760ERD	147	DPSS2566NN	150	DS2PF L30B	223
DPRD15736(L/R)N	74	DPSS1760ERN	146	DPSS2572EBD	152	DS2PFD	224
DPRD15742(L/R)L	74	DPSS1760NDB	149	DPSS2572EBN	151	DS2PM L18A	223
DPRD15742(L/R)N	74	DPSS1760NDL	148	DPSS2572ELD	151	DS2PM L18B	223
DPRD15748(L/R)L	74	DPSS1760NDR	148	DPSS2572ELN	150	DS2PM L18F	223
DPRD15748(L/R)N	74	DPSS1760NN	146	DPSS2572ERD	151	DS2PM L24A	223
DPRD16436(L/R)L	74	DPSS1766EBD	148	DPSS2572ERN	150	DS2PM L24B	223
DPRD16436(L/R)N	74	DPSS1766EBN	147	DPSS2572NDB	153	DS2PM L24F	223

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
DS2PM24L	206	DS3ODNS1644814	241	DS3ODSS	240, 245, 250, 255	DS3ODSV1574814LT	247
DS2PM30L	206	DS3ODNS1644814T	251	DS3ODSS1573014L	238	DS3ODSV1576014L	238
DS2PM36L	206	DS3ODNS1646014	241	DS3ODSS1573014LT	246	DS3ODSV1576014LT	247
DS2PM42L	206	DS3ODNS1646014T	251	DS3ODSS1573614L	238	DS3ODSV1576614L	238
DS2PM48L	206	DS3ODNS1646614	241	DS3ODSS1573614LT	246	DS3ODSV1576614LT	247
DS2PM54L	206	DS3ODNS1646614T	251	DS3ODSS1574214L	238	DS3ODSV1577214L	238
DS2PM60L	206	DS3ODNS1647214	241	DS3ODSS1574214LT	246	DS3ODSV1577214LT	247
DS2PM66L	206	DS3ODNS1647214T	251	DS3ODSS1574814L	238	DS3ODSV1643014L	242
DS2PM72L	206	DS3ODSL	240, 245, 250, 255	DS3ODSS1574814LT	246	DS3ODSV1643014LT	252
DS2PPTC	224, 344	DS3ODSL1573014L	238	DS3ODSS1576014L	238	DS3ODSV1643614L	242
DS2PPTN	224, 344	DS3ODSL1573014LT	246	DS3ODSS1576014LT	246	DS3ODSV1643614LT	252
DS2UM30L	218	DS3ODSL1573614L	238	DS3ODSS1576614L	238	DS3ODSV1644214L	242
DS2UM36L	218	DS3ODSL1573614LT	246	DS3ODSS1576614LT	246	DS3ODSV1644214LT	252
DS2UM42L	218	DS3ODSL1574214L	238	DS3ODSS1577214L	238	DS3ODSV1644814L	242
DS2UM48L	218	DS3ODSL1574214LT	246	DS3ODSS1577214LT	246	DS3ODSV1644814LT	252
DS2UM54L	218	DS3ODSL1574814L	238	DS3ODSS1643014L	241	DS3ODSV1646014L	242
DS2UM60L	218	DS3ODSL1574814LT	246	DS3ODSS1643014LT	251	DS3ODSV1646014LT	252
DS2UM66L	218	DS3ODSL1576014L	238	DS3ODSS1643614L	241	DS3ODSV1646614L	242
DS2UM72L	218	DS3ODSL1576014LT	246	DS3ODSS1643614LT	251	DS3ODSV1646614LT	252
DS3CMN3614	216	DS3ODSL1576614L	238	DS3ODSS1644214L	241	DS3ODSV1647214L	242
DS3CMN4214	216	DS3ODSL1576614LT	246	DS3ODSS1644214LT	251	DS3ODSV1647214LT	252
DS3CMN4814	216	DS3ODSL1577214L	238	DS3ODSS1644814L	241	DS3ODSV2573021FL	239
DS3CMN6014	216	DS3ODSL1577214LT	246	DS3ODSS1644814LT	251	DS3ODSV2573021FLT	249
DS3CMN7214	216	DS3ODSL1643014L	241	DS3ODSS1646014L	241	DS3ODSV2573621FL	239
DS3CMSL3614L	217	DS3ODSL1643014LT	251	DS3ODSS1646014LT	251	DS3ODSV2573621FLT	249
DS3CMSL4214L	217	DS3ODSL1643614L	241	DS3ODSS1646614L	241	DS3ODSV2574221FL	239
DS3CMSL4814L	217	DS3ODSL1643614LT	251	DS3ODSS1646614LT	251	DS3ODSV2574221FLT	249
DS3CMSL6014L	217	DS3ODSL1644214L	241	DS3ODSS1647214L	241	DS3ODSV2574821FL	239
DS3CMSL7214L	217	DS3ODSL1644214LT	251	DS3ODSS1647214LT	251	DS3ODSV2574821FLT	249
DS3CMSS3614L	216	DS3ODSL1644814L	241	DS3ODSS2573021FL	239	DS3ODSV2576021FL	239
DS3CMSS4214L	216	DS3ODSL1644814LT	251	DS3ODSS2573021FLT	248	DS3ODSV2576021FLT	249
DS3CMSS4814L	216	DS3ODSL1646014L	241	DS3ODSS2573621FL	239	DS3ODSV2576621FL	239
DS3CMSS6014L	216	DS3ODSL1646014LT	251	DS3ODSS2573621FLT	248	DS3ODSV2576621FLT	249
DS3CMSS7214L	216	DS3ODSL1646614L	241	DS3ODSS2574221FL	239	DS3ODSV2577221FL	239
DS3CMSV3614L	217	DS3ODSL1646614LT	251	DS3ODSS2574221FLT	248	DS3ODSV2577221FLT	249
DS3CMSV4214L	217	DS3ODSL1647214L	241	DS3ODSS2574821FL	239	DS3ODSV2643021FL	244
DS3CMSV4814L	217	DS3ODSL1647214LT	251	DS3ODSS2574821FLT	248	DS3ODSV2643021FLT	254
DS3CMSV6014L	217	DS3ODSL2573021FL	239	DS3ODSS2576021FL	239	DS3ODSV2643621FL	244
DS3CMSV7214L	217	DS3ODSL2573021FLT	248	DS3ODSS2576021FLT	248	DS3ODSV2643621FLT	254
DS3CMT(S/G)3614L	216	DS3ODSL2573621FL	239	DS3ODSS2576621FL	239	DS3ODSV2644221FL	244
DS3CMT(S/G)4214L	216	DS3ODSL2573621FLT	248	DS3ODSS2576621FLT	248	DS3ODSV2644221FLT	254
DS3CMT(S/G)4814L	216	DS3ODSL2574221FL	239	DS3ODSS2577221FL	239	DS3ODSV2644821FL	244
DS3CMT(S/G)6014L	216	DS3ODSL2574221FLT	248	DS3ODSS2577221FLT	248	DS3ODSV2644821FLT	254
DS3CMT(S/G)7214L	216	DS3ODSL2574821FL	239	DS3ODSS2643021FL	243	DS3ODSV2646021FL	244
DS3ODNS	239, 243, 248, 253	DS3ODSL2574821FLT	248	DS3ODSS2643021FLT	253	DS3ODSV2646021FLT	254
DS3ODNS1573014	238	DS3ODSL2576021FL	239	DS3ODSS2643621FL	243	DS3ODSV2646621FL	244
DS3ODNS1573014T	246	DS3ODSL2576021FLT	248	DS3ODSS2643621FLT	253	DS3ODSV2646621FLT	254
DS3ODNS1573614	238	DS3ODSL2576621FL	239	DS3ODSS2644221FL	243	DS3ODSV2647221FL	244
DS3ODNS1573614T	246	DS3ODSL2576621FLT	248	DS3ODSS2644221FLT	253	DS3ODSV2647221FLT	254
DS3ODNS1574214	238	DS3ODSL2577221FL	239	DS3ODSS2644821FL	243	DS3PML30L	206
DS3ODNS1574214T	246	DS3ODSL2577221FLT	248	DS3ODSS2644821FLT	253	DS3PML36L	206
DS3ODNS1574814	238	DS3ODSL2643021FL	243	DS3ODSS2646021FL	243	DS3PML42L	206
DS3ODNS1574814T	246	DS3ODSL2643021FLT	253	DS3ODSS2646021FLT	253	DS3PML48L	206
DS3ODNS1576014	238	DS3ODSL2643621FL	243	DS3ODSS2646621FL	243	DS3PML60L	206
DS3ODNS1576014T	246	DS3ODSL2643621FLT	253	DS3ODSS2646621FLT	253	DS3PML66L	206
DS3ODNS1576614	238	DS3ODSL2644221FL	243	DS3ODSS2647221FL	243	DS3PML72L	206
DS3ODNS1576614T	246	DS3ODSL2644221FLT	253	DS3ODSS2647221FLT	253	DS3PMNS3014	208
DS3ODNS1577214	238	DS3ODSL2644821FL	243	DS3ODSV	240, 245, 250, 255	DS3PMNS3021	210
DS3ODNS1577214T	246	DS3ODSL2644821FLT	253	DS3ODSV1573014L	238	DS3PMNS3614	208
DS3ODNS1643014	241	DS3ODSL2646021FL	243	DS3ODSV1573014LT	247	DS3PMNS3621	210
DS3ODNS1643014T	251	DS3ODSL2646021FLT	253	DS3ODSV1573614L	238	DS3PMNS4214	208
DS3ODNS1643614	241	DS3ODSL2646621FL	243	DS3ODSV1573614LT	247	DS3PMNS4221	210
DS3ODNS1643614T	251	DS3ODSL2646621FLT	253	DS3ODSV1574214L	238	DS3PMNS4814	208
DS3ODNS1644214	241	DS3ODSL2647221FL	243	DS3ODSV1574214LT	247	DS3PMNS4821	210
DS3ODNS1644214T	251	DS3ODSL2647221FLT	253	DS3ODSV1574814L	238	DS3PMNS6014	208

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
DS3PMNS6021	210	DS3PMSV4821PL	211	DS3WMSV6014L	212	DS4LC1BSS66L	225
DS3PMNS6614	208	DS3PMSV6014L	209	DS3WMSV7214L	212	DS4LC1BSS72L	225
DS3PMNS6621	210	DS3PMSV6021FL	210	DS3WMT(S/G)3614L	213	DS4LC1BSV30L	232
DS3PMNS7214	208	DS3PMSV6021PL	211	DS3WMT(S/G)4214L	213	DS4LC1BSV36L	232
DS3PMNS7221	210	DS3PMSV6614L	209	DS3WMT(S/G)4814L	213	DS4LC1BSV42L	232
DS3PMS30L	206	DS3PMSV6621FL	210	DS3WMT(S/G)6014L	213	DS4LC1BSV48L	232
DS3PMS36L	206	DS3PMSV6621PL	211	DS3WMT(S/G)7214L	213	DS4LC1BSV54L	232
DS3PMS42L	206	DS3PMSV7214L	209	DS4LC1ANL24N	228	DS4LC1BSV60L	232
DS3PMS48L	206	DS3PMSV7221FL	210	DS4LC1ANL30N	228	DS4LC1BSV66L	232
DS3PMS60L	206	DS3PMSV7221PL	211	DS4LC1ANL36N	228	DS4LC1BSV72L	232
DS3PMS66L	206	DS3PMT(S/G)3614L	208	DS4LC1ANL42N	228	DS4LC1BVL30L	229
DS3PMS72L	206	DS3PMT(S/G)4214L	208	DS4LC1ANL48N	228	DS4LC1BVL36L	229
DS3PMSL3014L	208	DS3PMT(S/G)4814L	208	DS4LC1ANL54N	228	DS4LC1BVL42L	229
DS3PMSL3021FL	210	DS3PMT(S/G)6014L	208	DS4LC1ANL60N	228	DS4LC1BVL48L	229
DS3PMSL3021PL	211	DS3PMT(S/G)7214L	208	DS4LC1ANL66N	228	DS4LC1BVL54L	229
DS3PMSL3614L	208	DS3PMV30L	207	DS4LC1ANL72N	228	DS4LC1BVL60L	229
DS3PMSL3621FL	210	DS3PMV36L	207	DS4LC1ANS42N	225	DS4LC1BVL66L	229
DS3PMSL3621PL	211	DS3PMV42L	207	DS4LC1ANS48N	225	DS4LC1BVL72L	229
DS3PMSL4214L	208	DS3PMV48L	207	DS4LC1ANS54N	225	DS4LC1BVS42L	225
DS3PMSL4221FL	210	DS3PMV60L	207	DS4LC1ANS60N	225	DS4LC1BVS48L	225
DS3PMSL4221PL	211	DS3PMV66L	207	DS4LC1ANS66N	225	DS4LC1BVS54L	225
DS3PMSL4814L	208	DS3PMV72L	207	DS4LC1ANS72N	225	DS4LC1BVS60L	225
DS3PMSL4821FL	210	DS3SMN3614	214	DS4LC1ANV24N	232	DS4LC1BVS66L	225
DS3PMSL4821PL	211	DS3SMN4214	214	DS4LC1ANV30N	232	DS4LC1BVS72L	225
DS3PMSL6014L	208	DS3SMN4814	214	DS4LC1ANV36N	232	DS4LC1BVV30L	233
DS3PMSL6021FL	210	DS3SMN6014	214	DS4LC1ANV42N	232	DS4LC1BVV36L	233
DS3PMSL6021PL	211	DS3SMN7214	214	DS4LC1ANV48N	232	DS4LC1BVV42L	233
DS3PMSL6614L	208	DS3SMSL3614L	214	DS4LC1ANV54N	232	DS4LC1BVV48L	233
DS3PMSL6621FL	210	DS3SMSL4214L	214	DS4LC1ANV60N	232	DS4LC1BVV54L	233
DS3PMSL6621PL	211	DS3SMSL4814L	214	DS4LC1ANV66N	232	DS4LC1BVV60L	233
DS3PMSL7214L	208	DS3SMSL6014L	214	DS4LC1ANV72N	232	DS4LC1BVV66L	233
DS3PMSL7221FL	210	DS3SMSL7214L	214	DS4LC1BLL30L	228	DS4LC1BVV72L	233
DS3PMSL7221PL	211	DS3SMSS3614L	214	DS4LC1BLL36L	228	DS4LC1CLL30L	230
DS3PMSS3014L	208	DS3SMSS4214L	214	DS4LC1BLL42L	228	DS4LC1CLL36L	230
DS3PMSS3021FL	210	DS3SMSS4814L	214	DS4LC1BLL48L	228	DS4LC1CLL42L	230
DS3PMSS3021PL	211	DS3SMSS6014L	214	DS4LC1BLL54L	228	DS4LC1CLL48L	230
DS3PMSS3614L	208	DS3SMSS7214L	214	DS4LC1BLL60L	228	DS4LC1CLL54L	230
DS3PMSS3621FL	210	DS3SMSV3614L	215	DS4LC1BLL66L	228	DS4LC1CLL60L	230
DS3PMSS3621PL	211	DS3SMSV4214L	215	DS4LC1BLL72L	228	DS4LC1CLL66L	230
DS3PMSS4214L	208	DS3SMSV4814L	215	DS4LC1BLS42L	225	DS4LC1CLL72L	230
DS3PMSS4221FL	210	DS3SMSV6014L	215	DS4LC1BLS48L	225	DS4LC1CLS42L	226
DS3PMSS4221PL	211	DS3SMSV7214L	215	DS4LC1BLS54L	225	DS4LC1CLS48L	226
DS3PMSS4814L	208	DS3SMT(S/G)3614L	214	DS4LC1BLS60L	225	DS4LC1CLS54L	226
DS3PMSS4821FL	210	DS3SMT(S/G)4214L	214	DS4LC1BLS66L	225	DS4LC1CLS60L	226
DS3PMSS4821PL	211	DS3SMT(S/G)4814L	214	DS4LC1BLS72L	225	DS4LC1CLS66L	226
DS3PMSS6014L	208	DS3SMT(S/G)6014L	214	DS4LC1BLV30L	232	DS4LC1CLS72L	226
DS3PMSS6021FL	210	DS3SMT(S/G)7214L	214	DS4LC1BLV36L	232	DS4LC1CLV30L	234
DS3PMSS6021PL	211	DS3WMN3614	212	DS4LC1BLV42L	232	DS4LC1CLV36L	234
DS3PMSS6614L	208	DS3WMN4214	212	DS4LC1BLV48L	232	DS4LC1CLV42L	234
DS3PMSS6621FL	210	DS3WMN4814	212	DS4LC1BLV54L	232	DS4LC1CLV48L	234
DS3PMSS6621PL	211	DS3WMN6014	212	DS4LC1BLV60L	232	DS4LC1CLV54L	234
DS3PMSS7214L	208	DS3WMN7214	212	DS4LC1BLV66L	232	DS4LC1CLV60L	234
DS3PMSS7221FL	210	DS3WMSL3614L	212	DS4LC1BLV72L	232	DS4LC1CLV66L	234
DS3PMSS7221PL	211	DS3WMSL4214L	212	DS4LC1BSL30L	228	DS4LC1CLV72L	234
DS3PMSV3014L	209	DS3WMSL4814L	212	DS4LC1BSL36L	228	DS4LC1CSL30L	230
DS3PMSV3021FL	210	DS3WMSL6014L	212	DS4LC1BSL42L	228	DS4LC1CSL36L	230
DS3PMSV3021PL	211	DS3WMSL7214L	212	DS4LC1BSL48L	228	DS4LC1CSL42L	230
DS3PMSV3614L	209	DS3WMSS3614L	212	DS4LC1BSL54L	228	DS4LC1CSL48L	230
DS3PMSV3621FL	210	DS3WMSS4214L	212	DS4LC1BSL60L	228	DS4LC1CSL54L	230
DS3PMSV3621PL	211	DS3WMSS4814L	212	DS4LC1BSL66L	228	DS4LC1CSL60L	230
DS3PMSV4214L	209	DS3WMSS6014L	212	DS4LC1BSL72L	228	DS4LC1CSL66L	230
DS3PMSV4221FL	210	DS3WMSS7214L	212	DS4LC1BSS42L	225	DS4LC1CSL72L	230
DS3PMSV4221PL	211	DS3WMSV3614L	212	DS4LC1BSS48L	225	DS4LC1CSS42L	226
DS3PMSV4814L	209	DS3WMSV4214L	212	DS4LC1BSS54L	225	DS4LC1CSS48L	226
DS3PMSV4821FL	210	DS3WMSV4814L	212	DS4LC1BSS60L	225	DS4LC1CSS54L	226

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
DS4LC1CSS60L	226	DS4LC1DSS54L	227	DT1ACX4817	329	DT1ASX3636	328
DS4LC1CSS66L	226	DS4LC1DSS60L	227	DT1ACX4821	329	DT1ASX363617	328
DS4LC1CSS72L	226	DS4LC1DSS66L	227	DT1ACX4836	329	DT1ASX363621	328
DS4LC1CSV30L	234	DS4LC1DSS72L	227	DT1ACX4842	329	DT1ASX363636	328
DS4LC1CSV36L	234	DS4LC1DSV30L	235	DT1ADX3030	330	DT1ASX363642	328
DS4LC1CSV42L	234	DS4LC1DSV36L	235	DT1ADX303017	330	DT1ASX4242	328
DS4LC1CSV48L	234	DS4LC1DSV42L	235	DT1ADX303021	330	DT1ASX424217	328
DS4LC1CSV54L	234	DS4LC1DSV48L	235	DT1ADX303036	330	DT1ASX424221	328
DS4LC1CSV60L	234	DS4LC1DSV54L	235	DT1ADX303042	331	DT1ASX424236	328
DS4LC1CSV66L	234	DS4LC1DSV60L	235	DT1ADX3636	330	DT1ASX424242	328
DS4LC1CSV72L	234	DS4LC1DSV66L	235	DT1ADX363617	330	DT1ASX4848	328
DS4LC1CVL30L	230	DS4LC1DSV72L	235	DT1ADX363621	330	DT1ASX484817	328
DS4LC1CVL36L	230	DS4LC1DVL30L	231	DT1ADX363636	330	DT1ASX484821	328
DS4LC1CVL42L	230	DS4LC1DVL36L	231	DT1ADX363642	331	DT1ASX484836	328
DS4LC1CVL48L	230	DS4LC1DVL42L	231	DT1ADX4242	330	DT1ASX484842	328
DS4LC1CVL54L	230	DS4LC1DVL48L	231	DT1ADX424217	330	DT1ATY10236N	335
DS4LC1CVL60L	230	DS4LC1DVL54L	231	DT1ADX424221	330	DT1ATY10242N	335
DS4LC1CVL66L	230	DS4LC1DVL60L	231	DT1ADX424236	330	DT1ATY10248N	335
DS4LC1CVL72L	230	DS4LC1DVL66L	231	DT1ADX424242	331	DT1ATY10836N	335
DS4LC1CVS42L	226	DS4LC1DVL72L	231	DT1ADX4848	330	DT1ATY10842N	335
DS4LC1CVS48L	226	DS4LC1DVS42L	227	DT1ADX484817	330	DT1ATY10848N	335
DS4LC1CVS54L	226	DS4LC1DVS48L	227	DT1ADX484821	330	DT1ATY12042N	335
DS4LC1CVS60L	226	DS4LC1DVS54L	227	DT1ADX484836	330	DT1ATY12048N	335
DS4LC1CVS66L	226	DS4LC1DVS60L	227	DT1ADX484842	331	DT1ATY13242N	335
DS4LC1CVS72L	226	DS4LC1DVS66L	227	DT1ARY10236N	334	DT1ATY13248N	335
DS4LC1CVV30L	234	DS4LC1DVS72L	227	DT1ARY10242N	334	DT1ATY14442N	335
DS4LC1CVV36L	234	DS4LC1DVV30L	235	DT1ARY10248N	334	DT1ATY14448N	335
DS4LC1CVV42L	234	DS4LC1DVV36L	235	DT1ARY10836N	334	DT1ATY6024NS	324
DS4LC1CVV48L	234	DS4LC1DVV42L	235	DT1ARY10842N	334	DT1ATY6030NS	324
DS4LC1CVV54L	234	DS4LC1DVV48L	235	DT1ARY10848N	334	DT1ATY6036N	325
DS4LC1CVV60L	234	DS4LC1DVV54L	235	DT1ARY12042N	334	DT1ATY6624NS	324
DS4LC1CVV66L	234	DS4LC1DVV60L	235	DT1ARY12048N	334	DT1ATY6630NS	324
DS4LC1CVV72L	234	DS4LC1DVV66L	235	DT1ARY13242N	334	DT1ATY6636N	325
DS4LC1DLL30L	231	DS4LC1DVV72L	235	DT1ARY13248N	334	DT1ATY7224NS	324
DS4LC1DLL36L	231	DSCSWDB24	220	DT1ARY14442N	334	DT1ATY7230NS	324
DS4LC1DLL42L	231	DSCSWDB30	220	DT1ARY14448N	334	DT1ATY7236N	325
DS4LC1DLL48L	231	DSCSWDB36	220	DT1ARY6024NS	322	DT1ATY7824NS	324
DS4LC1DLL54L	231	DSCSWDB42	220	DT1ARY6030NS	322	DT1ATY7830NS	324
DS4LC1DLL60L	231	DSCSWDB48	220	DT1ARY6036N	323	DT1ATY7836N	325
DS4LC1DLL66L	231	DT1ABY10242N	336	DT1ARY6624NS	322	DT1ATY8424NS	324
DS4LC1DLL72L	231	DT1ABY10248N	336	DT1ARY6630NS	322	DT1ATY8430NS	324
DS4LC1DLS42L	227	DT1ABY10842N	336	DT1ARY6636N	323	DT1ATY8436N	325
DS4LC1DLS48L	227	DT1ABY10848N	336	DT1ARY7224NS	322	DT1ATY8442N	325
DS4LC1DLS54L	227	DT1ABY12042N	336	DT1ARY7230NS	322	DT1ATY9024NS	324
DS4LC1DLS60L	227	DT1ABY12048N	336	DT1ARY7236N	323	DT1ATY9030NS	324
DS4LC1DLS66L	227	DT1ABY13242N	336	DT1ARY7824NS	322	DT1ATY9036N	325
DS4LC1DLS72L	227	DT1ABY13248N	336	DT1ARY7830NS	322	DT1ATY9042N	325
DS4LC1DLV30L	235	DT1ABY14442N	336	DT1ARY7836N	323	DT1ATY9624NS	324
DS4LC1DLV36L	235	DT1ABY14448N	336	DT1ARY8424NS	322	DT1ATY9630NS	324
DS4LC1DLV42L	235	DT1ACX30	329	DT1ARY8430NS	322	DT1ATY9636N	325
DS4LC1DLV48L	235	DT1ACX3017	329	DT1ARY8436N	323	DT1ATY9642N	325
DS4LC1DLV54L	235	DT1ACX3021	329	DT1ARY8442N	323	DT1BTL	332
DS4LC1DLV60L	235	DT1ACX3036	329	DT1ARY9024NS	322	DT1BTS	332
DS4LC1DLV66L	235	DT1ACX3042	329	DT1ARY9030NS	322	DT1BXL	332
DS4LC1DLV72L	235	DT1ACX36	329	DT1ARY9036N	323	DT1BXL17	332
DS4LC1DSL30L	231	DT1ACX3617	329	DT1ARY9042N	323	DT1BXL21	332
DS4LC1DSL36L	231	DT1ACX3621	329	DT1ARY9624NS	322	DT1BXL36	332
DS4LC1DSL42L	231	DT1ACX3636	329	DT1ARY9630NS	322	DT1BXL42	332
DS4LC1DSL48L	231	DT1ACX3642	329	DT1ARY9636N	323	DT1BXS	332
DS4LC1DSL54L	231	DT1ACX42	329	DT1ARY9642N	323	DT1BXS17	332
DS4LC1DSL60L	231	DT1ACX4217	329	DT1ASX3030	328	DT1BXS21	332
DS4LC1DSL66L	231	DT1ACX4221	329	DT1ASX303017	328	DT1BXS36	332
DS4LC1DSL72L	231	DT1ACX4236	329	DT1ASX303021	328	DT1BXS42	332
DS4LC1DSS42L	227	DT1ACX4242	329	DT1ASX303036	328	DT1CK4	333
DS4LC1DSS48L	227	DT1ACX48	329	DT1ASX303042	328	DT1CRY6024N	326

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
DT1CRY6030N	326	DVDB9030RN	265	LU1-S3630-B	295	LU1-T54A-L	296
DT1CRY6036N	326	DVDB9624LN	265	LU1-S4218-A	293	LU1-T54A-R	296
DT1CRY6624N	326	DVDB9624RN	265	LU1-S4218-B	293	LU1-T54B-L	296
DT1CRY6630N	326	DVDB9630LN	265	LU1-S4224-A	294	LU1-T54B-R	296
DT1CRY6636N	326	DVDB9630RN	265	LU1-S4224-B	294	LU1-T60A-L	296
DT1CRY7224N	326	DVDS6020LN	264	LU1-S4230-A	295	LU1-T60A-R	296
DT1CRY7230N	326	DVDS6020RN	264	LU1-S4230-B	295	LU1-T60B-L	296
DT1CRY7236N	326	DVDS6620LN	264	LU1-S4818-A	293	LU1-T60B-R	296
DT1CRY7824N	326	DVDS6620RN	264	LU1-S4818-B	293	LU1-T72A-L	296
DT1CRY7830N	326	DVDS7220LN	264	LU1-S4824-A	294	LU1-T72A-R	296
DT1CRY7836N	326	DVDS7220RN	264	LU1-S4824-B	294	LU1-T72B-L	296
DT1CRY8424N	326	DVDS7820LN	264	LU1-S4830-A	295	LU1-T72B-R	296
DT1CRY8430N	326	DVDS7820RN	264	LU1-S4830-B	295	LU1-V3618-A	297
DT1CRY8436N	326	DVDS8420LN	264	LU1-S5418-A	293	LU1-V3624-A	297
DT1CRY9024N	326	DVDS8420RN	264	LU1-S5418-B	293	LU1-V4224-A	297
DT1CRY9030N	326	DVDS9020LN	264	LU1-S5424-A	294	LU1-V4230-A	297
DT1CRY9036N	326	DVDS9020RN	264	LU1-S5424-B	294	LU1-V4824-A	297
DT1CRY9624N	326	DVDS9620LN	264	LU1-S5430-A	295	LU1-V4830-A	297
DT1CRY9630N	326	DVDS9620RN	264	LU1-S5430-B	295	LU1-W36AL	300
DT1CRY9636N	326	LU1-C4242SS	298	LU1-S6018-A	293	LU1-W36AR	300
DT1CTY6024N	327	LU1-C4848DD	298	LU1-S6018-B	293	LU1-W36BL	300
DT1CTY6030N	327	LU1-C4848DS	298	LU1-S6024-A	294	LU1-W36BR	300
DT1CTY6036N	327	LU1-C4848SD	298	LU1-S6024-B	294	LU1-W42AL	300
DT1CTY6624N	327	LU1-C4848SS	298	LU1-S6030-A	295	LU1-W42AR	300
DT1CTY6630N	327	LU1-C4860DS	298	LU1-S6030-B	295	LU1-W42BL	300
DT1CTY6636N	327	LU1-C4860SD	298	LU1-S6618-A	293	LU1-W42BR	300
DT1CTY7224N	327	LU1-C4860SS	298	LU1-S6618-B	293	LU1-W48AL	300
DT1CTY7230N	327	LU1-C4872DS	298	LU1-S6624-A	294	LU1-W48AR	300
DT1CTY7236N	327	LU1-C4872SD	298	LU1-S6624-B	294	LU1-W48BL	300
DT1CTY7824N	327	LU1-C4872SS	298	LU1-S6630-A	295	LU1-W48BR	300
DT1CTY7830N	327	LU1-C6048DS	298	LU1-S6630-B	295	LU1-Y36S-B	301
DT1CTY7836N	327	LU1-C6048SD	298	LU1-S7218-A	293	LU1-Y42S-B	301
DT1CTY8424N	327	LU1-C6048SS	298	LU1-S7218-B	293	LU1-Y48S-B	301
DT1CTY8430N	327	LU1-C7248DS	298	LU1-S7224-A	294	LU1-Y60S-B	301
DT1CTY8436N	327	LU1-C7248SD	298	LU1-S7224-B	294	LU1-YTS	301
DT1CTY9024N	327	LU1-C7248SS	298	LU1-S7230-A	295	MB3-F18M	306
DT1CTY9030N	327	LU1-D36S-B	301	LU1-S7230-B	295	MB3-F18W	306
DT1CTY9036N	327	LU1-D42S-B	301	LU1-S7818-A	293	MB3-F24M	306
DT1CTY9624N	327	LU1-D48S-B	301	LU1-S7818-B	293	MB3-F24W	306
DT1CTY9630N	327	LU1-M48S-BLL	302	LU1-S7824-A	294	MB3-F30M	306
DT1CTY9636N	327	LU1-M48S-BRL	302	LU1-S7824-B	294	MB3-F30W	306
DT1S	332	LU1-R3050-B	299	LU1-S7830-A	295	MM2-CG	113
DVDB6024LN	265	LU1-R6330B	299	LU1-S7830-B	295	MM2-CH	113
DVDB6024RN	265	LU1-R7530B	299	LU1-S8418-A	293	MSAMP1616	113
DVDB6030LN	265	LU1-S10818-A	293	LU1-S8418-B	293	MU1-C4242SS	290
DVDB6030RN	265	LU1-S10818-B	293	LU1-S8424-A	294	MU1-C4848DD	290
DVDB6624LN	265	LU1-S10824-A	294	LU1-S8424-B	294	MU1-C4848DS	290
DVDB6624RN	265	LU1-S10824-B	294	LU1-S8430-A	295	MU1-C4848SD	290
DVDB6630LN	265	LU1-S12018-A	293	LU1-S8430-B	295	MU1-C4848SS	290
DVDB6630RN	265	LU1-S12018-B	293	LU1-S9018-A	293	MU1-C4860DS	290
DVDB7224LN	265	LU1-S12024-A	294	LU1-S9018-B	293	MU1-C4860SD	290
DVDB7224RN	265	LU1-S12024-B	294	LU1-S9024-A	294	MU1-C4860SS	290
DVDB7230LN	265	LU1-S2424-A	294	LU1-S9024-B	294	MU1-C4872DS	290
DVDB7230RN	265	LU1-S2424-B	294	LU1-S9030-A	295	MU1-C4872SD	290
DVDB7824LN	265	LU1-S3018-A	293	LU1-S9030-B	295	MU1-C4872SS	290
DVDB7824RN	265	LU1-S3018-B	293	LU1-S9618-A	293	MU1-C6048DS	290
DVDB7830LN	265	LU1-S3024-A	294	LU1-S9618-B	293	MU1-C6048SD	290
DVDB7830RN	265	LU1-S3024-B	294	LU1-S9624-A	294	MU1-C6048SS	290
DVDB8424LN	265	LU1-S3030-A	295	LU1-S9624-B	294	MU1-C7248DS	290
DVDB8424RN	265	LU1-S3030-B	295	LU1-S9630-A	295	MU1-C7248SD	290
DVDB8430LN	265	LU1-S3618-A	293	LU1-S9630-B	295	MU1-C7248SS	290
DVDB8430RN	265	LU1-S3618-B	293	LU1-T48A-L	296	MU1-M48S-AL	292
DVDB9024LN	265	LU1-S3624-A	294	LU1-T48A-R	296	MU1-M48S-AR	292
DVDB9024RN	265	LU1-S3624-B	294	LU1-T48B-L	296	MU1-P72SA	289
DVDB9030LN	265	LU1-S3630-A	295	LU1-T48B-R	296	MU1-P78DA	289

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
MU1-R3048-B	288	MU1-V3624-A	285	MW2-S6624-B	277	MZ1-B7815	307
MU1-R3050-B	288	MU1-V3624-C	285	MW2-S6630-A	278	MZ1-B7819	307
MU1-R6330B	287	MU1-V4224-A	285	MW2-S6630-B	278	MZ1-B7822	308
MU1-R6330E	287	MU1-V4224-C	285	MW2-S6636-B	279	MZ1-E2415-W/U	310
MU1-R7530B	287	MU1-V4230-A	285	MW2-S6636-R	279	MZ1-E2419-W/U	310
MU1-R7530E	287	MU1-V4230-C	285	MW2-S7218-B	276	MZ1-E2422-W/U	310
MU1-S2424-A	283	MU1-V42SS-A	286	MW2-S7224-A	277	MZ1-E3015-W/U	310
MU1-S2424-B	283	MU1-V42SS-C	286	MW2-S7224-B	277	MZ1-E3019-W/U	310
MU1-S3018-B	282	MU1-V4824-A	285	MW2-S7230-A	278	MZ1-E3022-W/U	310
MU1-S3024-A	283	MU1-V4824-C	285	MW2-S7230-B	278	MZ1-LS	113
MU1-S3024-B	283	MU1-V4830-A	285	MW2-S7236-B	279	MZ1-S2415-W/U	310
MU1-S3030-A	284	MU1-V4830-C	285	MW2-S7236-R	279	MZ1-S2419-W/U	310
MU1-S3030-B	284	MU1-V48DS-A	286	MW2-S7824-A	277	MZ1-S2422-W/U	310
MU1-S3618-B	282	MU1-V48DS-C	286	MW2-S7824-B	277	MZ1-S3015-W/U	310
MU1-S3624-A	283	MU1-V48SS-A	286	MW2-S7830-A	278	MZ1-S3019-W/U	310
MU1-S3624-B	283	MU1-V48SS-C	286	MW2-S7830-B	278	MZ1-S3022-W/U	310
MU1-S3630-A	284	MU1-Y36S-AL	291	MW2-S7836-B	279	MZ1-SS	113
MU1-S3630-B	284	MU1-Y36S-AR	291	MW2-S7836-R	279	MZ1-V3615	309
MU1-S4218-B	282	MU1-Y42S-AL	291	MW2-S8424-A	277	MZ1-V3619	309
MU1-S4224-A	283	MU1-Y42S-AR	291	MW2-S8424-B	277	MZ1-V3622	309
MU1-S4224-B	283	MU1-Y48S-AL	291	MW2-S8430-A	278	MZ1-V4215	309
MU1-S4230-A	284	MU1-Y48S-AR	291	MW2-S8430-B	278	MZ1-V4219	309
MU1-S4230-B	284	MU1-Y60S-AL	291	MW2-S9024-A	277	MZ1-V4222	309
MU1-S4818-B	282	MU1-Y60S-AR	291	MW2-S9024-B	277	MZ1-V4815	309
MU1-S4824-A	283	MU1-YTS	291	MW2-S9030-A	278	MZ1-V4819	309
MU1-S4824-B	283	MW2-R6330B	281	MW2-S9030-B	278	MZ1-V4822	309
MU1-S4830-A	284	MW2-R6330E	281	MW2-S9624-A	277	MZ1-V6015	309
MU1-S4830-B	284	MW2-R7530B	281	MW2-S9624-B	277	MZ1-V6019	309
MU1-S5418-B	282	MW2-R7530E	281	MW2-S9630-A	278	MZ1-V6022	309
MU1-S5424-A	283	MW2-R8730B	281	MW2-S9630-B	278	MZ1-V7215	309
MU1-S5424-B	283	MW2-R8730E	281	MW2-V3618-A	280	MZ1-V7219	309
MU1-S5430-A	284	MW2-S2424-A	277	MW2-V3624-A	280	MZ1-V7222	309
MU1-S5430-B	284	MW2-S2424-B	277	MW2-V3624-C	280	RDOTK1	193
MU1-S6018-B	282	MW2-S3018-B	276	MW2-V4224-A	280		
MU1-S6024-A	283	MW2-S3024-A	277	MW2-V4224-C	280		
MU1-S6024-B	283	MW2-S3024-B	277	MW2-V4230-A	280		
MU1-S6030-A	284	MW2-S3030-A	278	MW2-V4230-C	280		
MU1-S6030-B	284	MW2-S3030-B	278	MW2-V4824-A	280		
MU1-S6618-B	282	MW2-S3618-B	276	MW2-V4824-C	280		
MU1-S6624-A	283	MW2-S3624-A	277	MW2-V4830-A	280		
MU1-S6624-B	283	MW2-S3624-B	277	MW2-V4830-C	280		
MU1-S6630-A	284	MW2-S3630-A	278	MZ1-B3015	307		
MU1-S6630-B	284	MW2-S3630-B	278	MZ1-B3019	307		
MU1-S7218-B	282	MW2-S4218-B	276	MZ1-B3022	308		
MU1-S7224-A	283	MW2-S4224-A	277	MZ1-B3615	307		
MU1-S7224-B	283	MW2-S4224-B	277	MZ1-B3619	307		
MU1-S7230-A	284	MW2-S4230-A	278	MZ1-B3622	308		
MU1-S7230-B	284	MW2-S4230-B	278	MZ1-B4215	307		
MU1-S7824-A	283	MW2-S4818-B	276	MZ1-B4219	307		
MU1-S7824-B	283	MW2-S4824-A	277	MZ1-B4222	308		
MU1-S7830-A	284	MW2-S4824-B	277	MZ1-B4815	307		
MU1-S7830-B	284	MW2-S4830-A	278	MZ1-B4819	307		
MU1-S8424-A	283	MW2-S4830-B	278	MZ1-B4822	308		
MU1-S8424-B	283	MW2-S5418-B	276	MZ1-B5415	307		
MU1-S8430-A	284	MW2-S5424-A	277	MZ1-B5419	307		
MU1-S8430-B	284	MW2-S5424-B	277	MZ1-B5422	308		
MU1-S9024-A	283	MW2-S5430-A	278	MZ1-B6015	307		
MU1-S9024-B	283	MW2-S5430-B	278	MZ1-B6019	307		
MU1-S9030-A	284	MW2-S6018-B	276	MZ1-B6022	308		
MU1-S9030-B	284	MW2-S6024-A	277	MZ1-B6615	307		
MU1-S9624-A	283	MW2-S6024-B	277	MZ1-B6619	307		
MU1-S9624-B	283	MW2-S6030-A	278	MZ1-B6622	308		
MU1-S9630-A	284	MW2-S6030-B	278	MZ1-B7215	307		
MU1-S9630-B	284	MW2-S6618-B	276	MZ1-B7219	307		
MU1-V3618-A	285	MW2-S6624-A	277	MZ1-B7222	308		

Selling Policy

	This Selling Policy supersedes all previous selling policies and is inclusive of Knoll, KnollStudio and Muuto. Prices, discounts and product offerings are subject to change without notice.
Terms & Conditions of Sales	Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supersede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.
Ordering Information	All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.
Order Confirmation	A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.
Pricing Policies	List prices are subject to change without notice. List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.
Taxes	All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.
Terms of Payment	Payment for one hundred percent (100%) of the net order amount (including any applicable shipping and handling fee) is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice. KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment. If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.
Changes and Cancellation	Standard purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled. QuickShip orders may not be changed or canceled without Knoll's authorization. In the event of Muuto order changes, 25% payment of original net order amount is required for changes incurring the week the order was entered. 100% payment of original net order amount is required for changes incurring the week the order is scheduled to ship. If Muuto is ordered on QuickShip, the QuickShip policy supersedes.
Freight Prepaid	For standard orders, freight is prepaid and included in the price of all Knoll Office and KnollStudio Products, except KnollTextiles and Muuto, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice. Freight for all Muuto orders must be specified at time of order placement and added to the PO.
Delivery/Freight Charges	Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin. For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination. Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing. Nonstandard methods of shipment and/or additional services are available upon request. Orders for QuickShip product shipping direct parcel or White Glove are subject to additional shipping and handling charges and must be paid by Purchaser. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery. Partial shipments may be made and invoiced by Seller.
Claims	All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.

Selling Policy

Seller's Security Interest	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
Returns	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
Held Orders/Storage	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.
Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Delay/Force Majeure	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.
	The foregoing indemnity does not apply to the following:
	• Products supplied according to a design other than that of Seller, and which is required by the Purchaser. • Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer. • Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT. Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.
Warranty	please visit warranty website link https://www.knoll.com/help/warranty for up-to-date information.

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$11
KBLANK	Shrouded Key Blank	\$11
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$23
KCHANGE	Change Key	\$11
HLKRKMASTER*	Master Key	\$14

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."