
Quoin®

Price List
July 2024

Knoll

Introduction	Quoin Finish Selections	2
	KnollTextiles and Spinneybeck Leather Approvals	3
	KnollTextiles and Spinneybeck for Cushions	5
Raised Storage	Quoin Foot Specifications	6
	Foot Kits	7
Pedestals	Pedestal Specifications	8
	Mobile Pedestals	11
	Mobile Pedestals Accessories	20
	Desk Supporting Pedestals	22
	Pedestal Accessories	25
Credenzas	Credenza Specifications	26
	Credenzas	28
	Credenza Accessories	30
Lockers	Locker Specifications	33
	Desk Supporting Lockers	35
	Lockers	39
	Locker Tops	53
	Lockers Accessories	57
Keyless Locking	Digital Keypad and RFID Lock Specifications	60
	Keyless Locking Accessories	62
Selling Policy		68
KnollKey Lock Program		70
General Ordering Information		71

Knoll Color Program**Core Paint Finishes, Smooth***P1 Smooth Paint Finishes*

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	SandStone
117	Soft Grey
118	Bright White
120	Black Brown

P2 Smooth Paint Finishes

611	Beige Mist Metallic
612	Medium Metallic Grey

P3 Smooth Paint Finishes

613	Silver
-----	--------

Core Paint Finishes, Textured*P1 Textured Paint Finishes*

111T	Textured Jet Black
112T	Textured Brown
113T	Textured Dark Grey
114T	Textured Folkstone Grey
115T	Textured Medium Grey
116T	Textured SandStone
117T	Textured Soft Grey
118T	Textured Bright White
120T	Textured Black Brown

P2 Textured Paint Finishes

611T	Textured Beige Mist Metallic
612T	Textured Medium Metallic Grey

Accent Paint Finishes, Smooth*P1 Smooth Accent Paint Finishes*

130	Dark Red
131	Slate Blue
132	Olive Green
133	Canary Yellow
134	Knoll Red

Accent Paint Finishes, Textured*P1 Textured Accent Paint Finishes*

130T	Textured Dark Red
131T	Textured Slate Blue
132T	Textured Olive Green
133T	Textured Canary Yellow
134T	Textured Knoll Red

Anodized Finishes

AA	Anodized Aluminum
AN	Anodized Nickel

Laminate Finishes

* denotes melamine finish
Worksurfaces manufactured in Melamine are available in High Pressure Laminate at a 10% upcharge.
Other products are also available in High Pressure Laminate and would need to be quoted separately.

L1 - Solid Colors

114*	Folkstone Grey
117*	Soft Grey
118*	Bright White
119*	Pumice

L2 - Solid Colors

111*	Jet Black
115*	Medium Grey
128*	Fog

L2 - Patterned

121	Micro Grey
122	Brushed Sand
123	Brushed Grey
129	Micro Sand
	<i>114 edge band</i>
	<i>119 edge band</i>
	<i>128 edge band</i>
	<i>119 edge band</i>

L2 - Wood Grain

124*	Medium Cherry
125*	Natural Maple
126*	Natural Cherry
127*	Walnut
139*	Light Ash
140*	Warm Ash
141*	Whitened Ash
142*	Grey Ash
143*	Classic Oak
144*	Graphite Pear
145	Zebra
147*	Silverwood
148*	Smokewood
149*	Barnwood

Finish Applications**Case Finish, all products**

Core Paint Finishes, Smooth
 Core Paint Finishes, Textured

Front Finish, Mobile Pedestals

Core Paint Finishes, Smooth
 Core Paint Finishes, Textured

Front Finish, Quoin Mobile Cart

Core Paint Finishes, Smooth
 Core Paint Finishes, Textured
 Accent Paint Finishes, Smooth
 Accent Paint Finishes, Textured

Top Laminate, credenzas

Laminate Finishes

Pull Finish

5" T-Pull
 Smooth Core Paint Finishes
 Smooth Accent Paint Finishes
 Anodized Finishes

Grommet Pull
 (B) Black Rubber

Foot Finish, all foot kits

Select Textured Finishes as follows:

111T	Textured Jet Black
114T	Textured Folkstone Grey
115T	Textured Medium Grey
118T	Textured Bright White
613T	Textured Silver

Lock Finish, cylinder lock, all products

C	Chrome
B	Black

Lock Finish, digital keypad or

RFID lock, lockers
 NO Brushed Nickel

Color

All inside and outside case surfaces are painted in the same specified paint color.

Custom Color Policy

For all colors outside the standard palettes for Quoin storage as defined within this price list, Knoll will custom match your specification. Please submit the request using Knoll's Custom Finish Planner available on Dealer Portal.

Custom colors will be processed at a P2 list price for finishes that are not metallic, clear or white. Metallic, clear and white finishes will be processed at a P3 list price.

Extended lead times may apply to custom paint match selections.

Knoll Textiles Options for Pedestal and Credenza Cushions**Grade A**

- C P** Alignment (K349)
- P** Beacon (W1597)
- C P** Bocce (K1255) ♣
- C P** Chance (K1552)
- C P** Commuter Cloth (K1778) ♣
- C P** Crossroad (K2085)
- C P** Delite (K2026) ♣
- C P** Facet (K2473)
- P** Foil Rap (WP535)
- P** Heavy Metal (W539)
- C P** Hourglass (K1523)
- C P** Infinite (K2263)
- C P** Monarch (K1149) ♣
- P** Oh La La (K2201)
- C P** Overture (K2169) ♣
- C P** Prep (K1076) ♣
- C P** Reflect (W884)
- C P** Soliloquy (K1458)
- C P** Sonnet (K1460) ♣
- C P** Trophy (K1709) ♣
- C P** Uni-form (K2125)
- C P** Wrap Up (W2410)

Grade B

- C P** Attire (K2340)
- C P** Belize (K1165)
- C P** Block Party (WC2335) Ⓘ
- C P** Boundary (K1828) ♣
- C P** Brigadoon (K2167) Ⓘ
- C P** Calypso (K2127)
- C P** Cameo (K1443)
- C P** Day Tripper (K2248)
- C P** Diva (K2051) ♣
- C P** Dottie (K2259)
- C P** Ferry (K1697)

- P** Forza (K584) Ⓘ
- C P** Gala II (K1520) ♣
- C P** Grande (K180)
- C P** Grandview (K1463)
- C P** Helios (K2089) ♣
- C P** Instinct (K2258)
- C P** Journey (K1806) ♣
- C P** Keaton (K1596)
- C P** Knoll Felt (K1207) ♣
- C P** Knoll Hopsack (K1206) ♣
- C P** Little Devil (K2112)
- C P** Ludlow (K1998) ♣
- C P** Melody (K2067) Ⓘ
- C P** Night Life (K181)
- P** Prairie (K1925)
- C P** Puff (K2433)
- C P** Radiance (K1921)
- C P** Roam (K1657)
- C P** Rush Hour (K1824)
- C P** Soiree (K1616) ♣
- C P** Spree (K1600) ♣
- C P** Stripemania (K2225)
- P** Summit (K2020) ♣
- C P** Sutton (K1750) ♣
- P** Synth (K1693) ♣
- C P** Tabloid (K2022) ♣
- C P** Tinge (K2068) Ⓘ
- C P** Topos (K2397)
- C P** Venue (K1558)
- C P** Vibe II (K2154) Ⓘ
- C P** Westwood (K1949) ♣
- C P** Wild Thing (K2240)
- C P** Yeni (K2082) ♣

Grade C

- C P** Atlas (K1236)
- P** Axiom (K1650) Ⓘ
- C P** Baxter (K1557)
- C P** Cairo (K2034) ♣
- C P** Chameleon (K2372)
- C P** Charm (K1049)
- C P** Circa (K1054)
- C P** Classic Boucle (K162) ♣
- P** Color Field (K2226)
- C P** Contour (K2476)
- C P** Durand (K1885)
- C P** Earthwork (K1238) ♣
- C P** Entwine (K2355)
- C P** Essence (K2059) ♣
- C P** Fibra (K1105)
- P** Groovy (K2242)
- C P** Greenwich (K1753)
- C P** Hudson (K1765)
- P** Kaya CR (K2122)
- C P** Lagos (K2028) ♣
- C P** Magnolia (K1999) ♣
- C P** Milestone (K1886)
- C P** On Point (K2293)
- C P** Palisade (K2030)
- C P** Panache CR (HC1047)
- C P** Patchwork (K2292)
- C P** Plaid On (K2420)
- C P** Prestini (K2450)
- C P** Pullman (K2124)
- C P** Quark (K781)
- C P** Sahara (HC1269)
- C P** Stepping Stones (K346)
- C P** Tight Rope (K1798) Ⓘ
- C P** Tilden (K1779) Ⓘ
- C P** Tower Grid (K1887)
- P** Utmost II (K2358)
- C P** Wit (K2050) ♣

Grade D

- C P** Buzz (K2373)
- C P** Chain Link (K2192)
- C P** Code (K2251)
- P** Coterie (K1564)
- C P** Eclat Weave (K1104)
- C P** Hologram (K500)
- P** Island (K2053)
- P** Kabuki (K2084)
- C P** Menagerie (K1322)
- P** Origins (K1700)
- C P** Plaidtastic (K2238)
- C P** Retreat (K2367)
- P** Woodland (K2049) ♣

Grade E

- C P** Aegean (K2074) ♣
- C P** Cleo (K2168)
- C P** Currents (K2486)
- C P** Flower Power (K2418)
- C P** Kampala (K2032)
- C P** Katazome (K1459)
- C P** Kimono (K1174)
- C P** Meroe (K2043) ♣
- P** Midpoint (K2123) ♣
- P** Nature Walk (K2081) ♣
- C** Off the Grid (K2408)
- C P** Premier (K2294)
- C P** Rebel (K2261)
- C P** Seurat (K2151)
- P** Sherman (K1789) ♣
- P** Shima (K1468)
- C P** Tempest (K2377)
- C P** Vatera (K2071) ♣
- C P** Vice Versa (K2361)
- C P** Whip (K1386)

C = approved for use on credenza cushion
P = approved for use on mobile pedestal cushion

Ⓘ Fire Retardants Chemicals

♣ = CAL 133 Pre-approved

**Knoll Textiles Options for Pedestal
and Credenza Cushions****Grade F**

- C P** Atelier (K1607)
- C P** Biscayne (K1771)
- C P** Century (K1051)
- C P** Double Agent (K2199) [Ⓔ]
- C P** Glider (K1717)
- C P** Imprint (K2333)
- C P** In Stitches (K2190)
- C P** It's Complicated (K2252) [Ⓔ]
- C P** Liberty (K1888) [♠]
- C P** Mod Plaid (K1630)
- C P** Rivington (K1080)
- C P** Sideline (K2210)
- C P** Soon (K1787)
- C P** Swank (K2221)
- C P** Totem (K1561)

Grade G

- C P** All Star (K2208)
- C P** Alter Ego (K2140)
- C** Andissa (K2083)
- P** Arber (K1711)
- C P** Arrondissement (K2200)
- P** Aurora (K2438)
- C P** Color Collage (K2349)
- C P** Dapper (K2338)
- C P** Djenne (K2029)
- C P** Fancy Twill (K2348)
- C P** Gibson (K1086)
- C P** Haze (K109)
- C P** Kingston (K1826) [♠]
- P** Looped In (K2390)
- C P** Melange (K1882) [♠]
- C P** Modern Tweed (K2155)
- P** Spencer (K1106)
- C P** Striae Stripe (K1827)
- C P** Ultrasuede (K1021) [♠]
- C P** Utrillo (K1807)
- C** Vert (K2447)

Grade H

- C P** Catwalk (K2156)
- P** Chiseled (K2249)
- P** Firefly (K2021)
- C P** Stretch Appeal (K2188)
- C P** Twist Tie (K2264)
- P** World Piece (KL2208)

Grade I

- C P** Aswan (K2046) [♠]
- P** Cato (K800)
- C P** Doily (K2449)
- C P** Dynamic (K1617)
- C P** Floressence
- C P** Guise (K2430)
- P** In Step (K2375)
- P** North Island (K1159)
- P** Prince Hairy (K2237)
- C P** Stripe IT (K2368)

- C** = approved for use on credenza cushion
- P** = approved for use on mobile pedestal cushion

[Ⓔ] Fire Retardants Chemicals

[♠] = CAL 133 Pre-approved

Spinneybeck Leather Options for Cushions**Grade U**

P Volo

Grade V

P Andes

P Espana

P Maremma

P Velluto Pelle

Grade W

P Alaska

P Amazon

P Arizona

P Derby

P Sabrina

Grade X

P Ducale

P Ducale Velours

Grade Y

P Cervo

P Copenhagen

P Cordovan

P Distressed

P Marissa

P Prima

P Riva

P Saddle

P Salon

C = approved for use on credenza cushion
P = approved for use on mobile pedestal cushion

Ⓙ Fire Retardants Chemicals

♣ = CAL 133 Pre-approved

Quoin Raised Storage

Feet are nominally 3" high with black leveling glide. Foot kits are specified separately as kits and installed on-site.

Feet are available only for products as stated in the application notes on the pricing pages and within this section.


Application

Quoin storage units raised on feet may be used freestanding or ganged to panels or adjacent storage units as noted within applicable pricing sections.


When used freestanding, counterweights or ganging may be required. Refer to applicable counterweight specification information for details.

Components of uniformed depth may be ganged to one another via T-Feet. Components of differing depths may not utilize shared T-Foot for ganging.

When ganging two units together, (4) Corner Feet will be replaced by (2) T-Feet spanning the seam between the units.



Individual Units, 8 Corner Feet



Ganged Units, 4 Corner Feet + 2 T-Feet

Corner Feet are available in a 4-piece kit or as 40-piece bulk kits. T-Feet are available in a 2-piece kit or as 20-piece bulk kits. Hardware is included to attach to storage unit.

Credenzas

To specify Quoin credenzas raised on feet, utilize standard credenza pattern numbers (V2G22 . .). Credenzas include pre-installed leveling glides to be removed on-site when utilizing foot kits.

Feet are additive to the height of a standard credenza. Overall height of a credenza raised on feet is 25.5" high.



Individual units 18"-36" wide require (4) Corner Feet per unit. Double credenzas 36"-72" wide require (4) Corner Feet and (2) T-Feet for additional support.

Lockers

Lockers for use with Feet (VLF . .) do not include pre-installed leveling glides. Applicable foot kits must be specified for use.

Foot kits may not be used with (VLG . .) pattern numbers.

Noted elevation heights of Lockers for Use with Feet include height of 3" feet. Case height of Lockers for Use with Feet is 3" less than Lockers with standard leveling glides to accommodate height of foot.

description	type	pattern no.	list
Foot Kit, Corner 	Corner foot kit, 4 pieces	VAFC04P	\$169.
	Corner foot kit, bulk 40 pieces	VAFC40P	1,579.
Foot Kit, T 	T foot kit, 2 pieces	VAFT02P	114.
	T foot kit, bulk 20 pieces	VAFT20P	1,024.

Order Information

1. *Base Pattern Number*
2. *Paint Finish*
See Finish Options page

Order Code

Example:	VAFC04P
VA	Quoin, Accessory
F	Foot Kit
C	Corner
04	Kit of 4
P	Painted

Specification Information

Foot kits are specified separately as kits and installed on site. Kits include hardware for attaching feet to Quoin storage unit.

Individual lockers or single credenzas require 4 corner feet. Double credenzas additionally require 2 T-feet for ganging and support.

When ganging two units side-by-side, units must be of uniformed depth. Two individual ganged units require 4 corner feet plus 2 T-feet at the seam.

Application Notes

Feet are nominally 3" high and include a black leveling glide.

Feet are additive to the height of a standard credenza bringing the overall finished height of the credenza on feet to 25.5" high (nominal).

Lockers for use with feet (VLF.. pattern numbers) feature a shorter case to compensate for height of feet maintaining overall elevation height as noted.

Foot kits are only compatible with Quoin Credenzas (V2G..) and Lockers For Use with Feet (VLF..)

Quoin Mobile Pedestals

Quoin mobile pedestals offer a variety of configurations in 2 widths and 2 depths. Pedestal cases are preassembled and ship with drawers installed. Casters are field installed.

5 Configurations Available:

Open with Shelf, 20" high
Full Door, 20" high
Box/File, 20" high
File/File, 26" high
Box/Box/File, 26" high

Mobile pedestals feature full overlay door or drawer fronts and casters. Pedestals are available with steel or cushion top. All mobile pedestals include 2 locking and 2 non-locking casters. Pedestals with drawers include additional non-locking caster mounted beneath file drawer for added stability as drawer is extended.

Available Sizes

Nominal Sizes (*actual dimension*)

Height: 20" (19.91"), 26" (25.89")

Width: 12" (11.93"), 15" (14.9")

Depths: 18", 24" (18.78", 23.2")

When specified, cushion top adds 1" to overall pedestal height.

Drawers and Filing

Each Box/File pedestal contains one 6" high box drawer and one 12" high file drawer. Each File/File pedestal contains two 12" high file drawers. Each Box/Box/File pedestal contains two 6" high box drawers and one 12" high file drawer. Each File drawer includes 1 file bar set to accommodate side-to-side Letter or Legal filing. Side-to-side filing hangs from back edge of drawer body providing clearance for storage of other small items or supplies within front section of drawer. Additional file bar kits are available to shift side-to-side filing to front portion of the drawer. 15" wide pedestals also accommodate front-to-back Letter filing. 12" wide pedestals do not accommodate front-to-back filing.

Box Drawer, Internal Dimensions

Width: 9-5/16", 12"

Height: 4-7/16"


Depth: 16-5/16", 21-3/16"

File Drawer, Internal Dimensions

Width: 9-5/16", 12"

Height: 9-1/4"

Depth: 16-5/16", 21-3/16"



Letter Filing 18" deep Legal Filing 18" deep Letter Filing 24" deep Legal Filing 24" deep

Construction

Quoin mobile pedestals feature an innovative 1-piece wrapper design consistent with Quoin Lockers, providing optimal material efficiency without sacrificing strength and durability.

- Wrapper: 20-gauge steel
- Front vertical channel: 16-gauge steel
- Base: 16-gauge steel
- Top Support Crossrail: 16-gauge steel
- Finished Steel Top: 14-gauge steel
- Drawer Fronts: 20-gauge steel
- Drawer Bodies: 20 and 22-gauge steel
- Full extension, ball bearing drawer slides
- Door: 20 and 22-gauge steel
- Removable shelf: 20-gauge steel
- Cantilever shelf support: 16-gauge steel

Locks

Quoin mobile pedestals may be ordered non-locking or locking with cylinder lock and key. Lock drilling is omitted when specified as non-locking. Pedestals feature slim profile lock bezel to match specified lock core finish, available in black or chrome.


Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cored K001-K250. To specify units as such, reference KnollKey Lock Program.

Pulls

Quoin desk supporting pedestals are available with two pull styles:

- 5" finger pull
- Rubber grommet pull

All pulls are factory installed. T-Pulls are positioned horizontally 3/8" from top of drawer fronts or vertically 1" below from top of door or drawer front. Grommet pulls are 1.5" in diameter and positioned 1" below from top of door or drawer front.



Standard Pull Position

Shelves


Open Pedestals include (1) removable shelf and 2 supporting cantilevers. Full door pedestals do not include a shelf.

Cushions

Mobile pedestals may be specified without a finished top for use with field installed cushion top (specified separately). Cushion top may not be applied to mobile pedestals with finished steel top. Cushions are available in a range of KnollTextiles, Spinneybeck leather or upholstered in customer's own material. When specified, cushion top adds 1" to overall pedestal height

Planning

Quoin mobile pedestals are designed to plan with all other Knoll Office products including height adjustable tables.



Casters provide adequate clearance to roll over top Tone or k stand height adjustable table foot for enhanced planning efficiency. Refer to table clearance requirements when planning Quoin pedestals beneath height adjustable tables.

Pedestal Accessories

Optional accessory kits include:

Additional File Bar kits for 12w or 15w pedestals

Plastic pencil trays for 15" wide pedestal Box drawers

Pedestal accessories are specified separately, see Pedestal Accessories.

Pedestal Specifications

Mobile Cart

Quoin

Quoin Mobile Cart

The Quoin Mobile Cart offers a multi-functional solution for personal storage within a compact size. Available in one size and configuration, the Quoin Mobile Cart includes a removable bin, open cubby, tray top and seat. Mobile Cart is non-locking.

Available Sizes

Nominal Sizes (*actual dimensions*)

Height: 17" (17.4")

Width: 12" (12.0")

Depth: 18" (18.0")

Construction

Quoin Mobile Cart features a 1-piece wrapper design consistent with Quoin Lockers, providing optimal material efficiency without sacrificing strength and durability.

Removable Bin

The lower bin can be partially extended for use as a personal drawer or fully removed, bringing contents to the desktop or other easy to access surface. Bin is composed of steel and finished with paint selected as "Front Finish". Removable bin includes two round finger holes, one each front and back. Black rubber grommet pull is included to finish hole if desired.

Fixed Shelf and Open Cubby

A factory-installed fixed shelf is located immediately above removable bin to conceal bin contents and form open cubby above. Fixed shelf is steel and finished with paint selected as "Front Finish". Interior of outer case wrapper forms the vertical sides of the open cubby, finished in paint selected as "Case Finish". Clear dimensions of open cubby are: 10.4" wide x 17.9" deep x 8.75" high.

Tray Top

A factory-installed tray top is formed on sides and back creating a nominally 2" high tray to store papers, mobile technology or other items. Tray Top is composed of steel and finished with paint selected as "Front Finish". Notched back allows charging cords to exit the tray and be plugged into an outlet.

Tray Pad

A black tray pad is included to add cushion beneath devices sitting in the tray or for use as a mousepad. Tray pad may be placed as desired and is not permanently attached.

Upper Shelf

A small upper shelf is designed to sit within tray top. Upper shelf is moveable within tray or removable allowing it to serve as a laptop stand. When placed within the tray, upper shelf can serve as a seated surface.

Casters


4 factory-installed casters are included, 2 non-locking casters in the back and 2 locking casters in the front.

Finishes

Cart may be specified as monochromatic, available in all Knoll Core finishes (specify front finish to be "same as case") or two-toned. When specified as two toned, Case Finish is applied to outer wrapper and vertical surfaces of open cubby. Case Finish may be selected from all standard Knoll Core Paints. Front Finish applies to all other surfaces including Bin, Fixed Shelf, Tray Top and Upper Shelf. Front Finish may be selected from all standard Knoll Core Paints or Accent Paints. Casters, tray pad and rubber grommet pulls on bin are black.

Optional two-toned finish application

□ Case Finish
■ Front Finish



Quoin Desk Supporting Pedestals

Quoin desk supporting pedestals are available in a variety of widths, depths and configurations

12" and 15" wide pedestals are available in 3 depths and the following configurations:

Box/Box/File, with leveling glides

File/File, with leveling glides

Data/File, for use with feet

30" and 36" wide pedestals are available in 1 depth and the following configuration:

File/File, with leveling glides

Desk supporting pedestals do not include a finished top, worksurface top must be specified separately.

Available Sizes

Nominal Sizes (*actual dimension*)

Height without finished top: 27" (26.98")

Width: 12" (11.97"), 15" (14.99"), 30" (29.9"), 36" (35.9")

Depths: 18" (18.84"), 24" (23.26"), 30" (29.26")

Drawers and Filing

Box drawers are nominally 6" high. Data drawers are nominally 9" high and include a Box drawer body.

File drawers are nominally 12" high and accommodate Letter and Legal filing.

Each 12" and 15" wide file drawer includes 1 file bar set to accommodate side-to-side Letter or Legal filing. Side-to-side filing hangs from back edge of drawer body providing clearance for storage of other small items or supplies within front section of drawer. Additional file bar kits are available to shift side-to-side filing to front portion of the drawer. 15" wide pedestals also accommodate front-to-back Letter filing. 12" wide pedestals do not accommodate front-to-back filing.

Each 30" and 36" wide file drawer includes side-to-side and front-to-back filing bars allowing for Letter or Legal filing in either orientation.

30" deep pedestals utilize common internal drawer components with 24" deep pedestals.

Construction

Quoin pedestals feature an innovative 1-piece wrapper design consistent with Quoin Lockers, providing optimal material efficiency without sacrificing strength and durability.

All Quoin desk supporting pedestals include a finished back, standard.

- Wrapper: 20-gauge steel
- Front vertical channels: 16-gauge steel
- Rear vertical channels: 20-gauge steel
- Base: 16-gauge steel
- Top Support Crossrails: 16-gauge steel
- Drawer Fronts: 20-gauge steel
- Drawer Bodies: 20 and 22-gauge steel
- Full Extension, ball bearing drawer slides

Locks

Quoin pedestals may be ordered non-locking or locking with cylinder lock and key. Lock drilling is omitted when specified as non-locking. Pedestals feature slim profile lock bezel to match specified lock core finish, available in black or chrome.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cored K001-K250. To specify units as such, reference KnollKey Lock Program

Pulls

Quoin desk supporting pedestals are available with two pull styles:

- 5" finger pull
- Rubber grommet pull

All pulls are factory installed. T-pulls are positioned vertically 3/8" from top of drawer fronts. Grommet pulls are 1.5" in diameter and positioned 1" below top of drawer front.

Raised Foot

VPF pedestals for use with feet are designed with a nominally 3" shorter case height to maintain alignment with Dividends Horizon surfaces with field installed foot kits.

Foot kits must be specified separately. See Quoin Foot Specifications information for additional details.

Planning and Stability

Desk supporting pedestals are designed to support one end of a fixed height Dividends Horizon worksurface. Pedestals must be ganged to panel or other storage units for stability, not designed for freestanding use.

Pedestals are compatible with DB1PWS brackets. All brackets must be specified separately.

18" deep pedestals are designed for use with 19" deep Dividends Horizon worksurfaces or deeper. Quoin desk supporting pedestals are not compatible with 18" deep Dividends Horizon worksurfaces.

24" deep pedestals may be used with Dividends Horizon worksurfaces 24" deep or deeper (23.5" actual depth).

30" deep pedestals may be used with Dividends Horizon worksurfaces 30" deep or deeper (29.5" actual depth).

Pedestal Accessories

Optional accessory kits include:

- Additional File Bar kits for 12w or 15w pedestals
- Plastic pencil trays for 15" wide pedestal Box drawers

Pedestal accessories are specified separately, see Pedestal Accessories.


Antenna Power Beam Tray (YNATRAY) may be used within 12", 30", or 36" wide pedestal box drawers. Must be specified separately.

Mobile Pedestals


12" Wide, with Steel Top

Quoin


description	configuration	height	width	depth	pattern number	P1	P2	P3
Open with shelf, 12" wide, steel top	Open	19 ¹⁵ / _{16"}	12"	18 ¹³ / _{16"}	VPM201218OSS	\$843.	\$885.	\$925.
	Open	19 ¹⁵ / _{16"}	12"	23 ¹ / _{4"}	VPM201224OSS	870.	915.	957.




Full Door, 12" wide, steel top	Full Door, Left	19 ¹⁵ / _{16"}	12"	18 ¹³ / _{16"}	VPM201218FDLSSL	1,021.	1,071.	1,122.
	Full Door, Left	19 ¹⁵ / _{16"}	12"	23 ¹ / _{4"}	VPM201224FDLSSL	1,049.	1,103.	1,155.
	Full Door, Right	19 ¹⁵ / _{16"}	12"	18 ¹³ / _{16"}	VPM201218FDRSSL	1,021.	1,071.	1,122.
	Full Door, Right	19 ¹⁵ / _{16"}	12"	23 ¹ / _{4"}	VPM201224FDRSSL	1,049.	1,103.	1,155.



Box/File, 12" wide, steel top	Box/File	19 ¹⁵ / _{16"}	12"	18 ¹³ / _{16"}	VPM201218BFSSL	1,163.	1,222.	1,280.
	Box/File	19 ¹⁵ / _{16"}	12"	23 ¹ / _{4"}	VPM201224BFSSL	1,192.	1,251.	1,312.



File/File, 12" wide, steel top	File/File	25 ⁷ / _{8"}	12"	18 ¹³ / _{16"}	VPM261218FFSSL	1,403.	1,473.	1,543.
	File/File	25 ⁷ / _{8"}	12"	23 ¹ / _{4"}	VPM261224FFSSL	1,570.	1,648.	1,727.



Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VPM201218BFSSL	Mobile pedestals with steel top are not intended for use as a seat. If seated use is required, specify pedestal without top and field installed cushion top. Steel top is factory-installed.	Mobile pedestals include 4 casters (2 locking). Pedestals with drawers include additional non-locking caster mounted beneath file drawer for added stability. Casters are field installed.
2. <i>Lock option</i> L = Cylinder Lock N = Non-locking	VPM Quoin, Pedestal Mobile		
3. <i>Case Finish</i> See Finish Options page	20 20" High	Door or drawer front finish may be specified as "same as case" or in a contrasting P1, P2 or P3 paint finish. When contrasting front finish is specified, list price is determined by Case Finish price category.	Finished Height of 20" high mobile pedestals with finished steel top are designed to fit beneath the following height adjustable tables at their lowest position: Tone Standard Electric Range k. stand Standard Electric Range k. stand Extended Electric Range Telescope Standard Electric Range k. bench Standard Electric Range k. bench Extended Electric Range
	12 12" Wide		
4. <i>Front Finish</i> See Finish Options page	18 18" Deep		
	BF Box / File		
5. <i>Caster Type</i> H = Hard Casters	S Steel Top	Patterns listed above include standard cylinder lock. To specify as non-locking, substitute final character with (N), deduct \$15 list. Example: VPM201218BFSSN.	Finished Height of 26" high mobile pedestals are designed to fit beneath standard fixed height worksurfaces.
	S Steel Front		
6. <i>Pull type</i> T = 5" Finger pull G = Rubber Grommet pull	(L) Cylinder Lock	Open pedestals include (1) removable steel shelf.	Casters provide adequate clearance to roll overtop Tone, k. stand or k. base foot.
	(118) Case Finish, Bright White		
7. <i>Pull finish</i> See Finish Options page	(~) Front Finish, same as Case	Pedestals with full door do not include shelf.	Each file drawer within 12" wide pedestals includes (1) file bar allowing side-to-side Letter or Legal filing to be hung from back edge of the drawer body.
	H Hard Casters		
8. <i>Lock finish</i> B = Black C = Chrome	(T) Pull Style, 5" Finger Pull	Pedestals with full door are available with standard or Soft Close hinge option.	
	(118) Pull Finish, Bright White		
	(C) Lock Finish, Chrome		

Mobile Pedestals

12" Wide, with Steel Top

Quoin

description	configuration	height	width	depth	pattern number	P1	P2	P3
Box/Box/File, 12" wide, steel top	Box/Box/File	25 7/8"	12"	18 13/16"	VPM261218BBFSSL	\$1,403.	\$1,473.	\$1,543.
	Box/Box/File	25 7/8"	12"	23 1/4"	VPM261224BBFSSL	1,570.	1,648.	1,727.




Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VPM201218BFSSL	Mobile pedestals with steel top are not intended for use as a seat. If seated use is required, specify pedestal without top and field installed cushion top. Steel top is factory-installed.	Mobile pedestals include 4 casters (2 locking). Pedestals with drawers include additional non-locking caster mounted beneath file drawer for added stability. Casters are field installed.
2. <i>Lock option</i> L = Cylinder Lock N = Non-locking	VPM Quoin, Pedestal Mobile		
3. <i>Case Finish</i> See Finish Options page	20 20" High	Door or drawer front finish may be specified as "same as case" or in a contrasting P1, P2 or P3 paint finish. When contrasting front finish is specified, list price is determined by Case Finish price category.	Finished Height of 20" high mobile pedestals with finished steel top are designed to fit beneath the following height adjustable tables at their lowest position: Tone Standard Electric Range k. stand Standard Electric Range k. stand Extended Electric Range Telescope Standard Electric Range k. bench Standard Electric Range k. bench Extended Electric Range
	12 12" Wide		
4. <i>Front Finish</i> See Finish Options page	18 18" Deep		
	BF Box / File		
5. <i>Caster Type</i> H = Hard Casters	S Steel Top	Patterns listed above include standard cylinder lock. To specify as non-locking, substitute final character with (N), deduct \$15 list. Example: VPM201218BFSSN.	Finished Height of 26" high mobile pedestals are designed to fit beneath standard fixed height worksurfaces.
	S Steel Front		
6. <i>Pull type</i> T = 5" Finger pull G = Rubber Grommet pull	(L) Cylinder Lock	Open pedestals include (1) removable steel shelf.	Casters provide adequate clearance to roll overtop Tone, k. stand or k. base foot.
	(118) Case Finish, Bright White		
7. <i>Pull finish</i> See Finish Options page	(~) Front Finish, same as Case	Pedestals with full door do not include shelf.	Each file drawer within 12" wide pedestals includes (1) file bar allowing side-to-side Letter or Legal filing to be hung from back edge of the drawer body.
	H Hard Casters		
8. <i>Lock finish</i> B = Black C = Chrome	(T) Pull Style, 5" Finger Pull	Pedestals with full door are available with standard or Soft Close hinge option.	
	(118) Pull Finish, Bright White		
	(C) Lock Finish, Chrome		

Mobile Pedestals

12" Wide, Mobile Cart

Quoin

description	configuration	height	width	depth	pattern number	P1	P2	P3
Mobile Cart, 12" wide, Tray top	Cart	17 ⁷ / ₁₆ "	12"	18"	VPM171218SBT	\$1,388.	\$1,456.	\$1,526.




Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VPM171218SBT		
2. <i>Case Finish</i> Core Paints	VPM Quoin, Pedestal Mobile	Mobile Cart includes removable lower bin, open cubby above fixed shelf, tray top, tray pad and removable seat.	Mobile pedestals include 4 casters (2 locking), factory installed.
3. <i>Front Finish</i> Core Paints Accent Paints	17 17" High 12 12" Wide 18 18" Deep		Cushion top may not be used with Mobile Cart.
4. <i>Caster Type</i> H = Hard Casters	SB Shelf with Bin T Tray Top with Seat	Selected case Finish is applied to outer case and within open cubby. Selected Front Finish is applied to bin, fixed shelf, tray top, and seat.	Finished Height plans beneath all Knoll height adjustable tables at their lowest point without risk of collision.
5. <i>Pull</i> R = Rubber Grommet	(118) Case Finish, Bright White (131) Front Finish, Slate Blue H Hard Casters R Rubber Grommet, Black	Tray pad and rubber grommet pull are black. Mobile Cart is not available with lock.	Castors provide adequate clearance to roll overtop Tone, k. stand or k. base foot.

Mobile Pedestals


12" Wide, without Finished Top

Quoin


description	configuration	height	width	depth	pattern number	P1	P2	P3
Open with shelf, 12" wide, no top	Open	19 ¹⁵ / ₁₆ "	12"	18 ¹³ / ₁₆ "	VPM201218OSN	\$993.	\$1,045.	\$1,093.
	Open	19 ¹⁵ / ₁₆ "	12"	23 ¹ / ₄ "	VPM201224OSN	1,022.	1,075.	1,125.




Full Door, 12" wide, no top	Full Door, Left	19 ¹⁵ / ₁₆ "	12"	18 ¹³ / ₁₆ "	VPM201218FDLNSL	1,269.	1,333.	1,396.
	Full Door, Left	19 ¹⁵ / ₁₆ "	12"	23 ¹ / ₄ "	VPM201224FDLNSL	1,296.	1,362.	1,427.
	Full Door, Right	19 ¹⁵ / ₁₆ "	12"	18 ¹³ / ₁₆ "	VPM201218FDRNSL	1,269.	1,333.	1,396.
	Full Door, Right	19 ¹⁵ / ₁₆ "	12"	23 ¹ / ₄ "	VPM201224FDRNSL	1,296.	1,362.	1,427.



Box/File, 12" wide, no top	Box/File	19 ¹⁵ / ₁₆ "	12"	18 ¹³ / ₁₆ "	VPM201218BFNSL	1,185.	1,245.	1,303.
	Box/File	19 ¹⁵ / ₁₆ "	12"	23 ¹ / ₄ "	VPM201224BFNSL	1,213.	1,275.	1,334.



File/File, 12" wide, no top	File/File	25 ⁷ / ₈ "	12"	18 ¹³ / ₁₆ "	VPM261218FFNSL	1,378.	1,447.	1,516.
	File/File	25 ⁷ / ₈ "	12"	23 ¹ / ₄ "	VPM261224FFNSL	1,542.	1,618.	1,696.




Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VPM201218BFNSL	Quoin mobile pedestals without top require field installed cushion top (specified separately). Once cushion is installed mobile pedestal may be used as seated surface.	Mobile pedestals include 4 casters (2 locking). Pedestals with drawers include additional non-locking caster mounted beneath file drawer for added stability. Casters are field installed.
2. <i>Lock option</i> L = Cylinder Lock N = Non-locking	VPM Quoin, Pedestal Mobile 20 20" High 12 12" Wide 18 18" Deep		
3. <i>Case Finish</i> See Finish Options page	BF Box / File N No Finish Top S Steel Front (L) Cylinder Lock	Door or drawer front finish may be specified as "same as case" or in a contrasting P1, P2 or P3 paint finish. When contrasting front finish is specified, list price is determined by Case Finish price category.	Finished Height of 20" high mobile pedestals with cushion top installed are designed to fit beneath the following height adjustable tables at their lowest position: Tone Standard Electric Range k. stand Standard Electric Range k. stand Extended Electric Range Telescope Standard Electric Range k. bench Standard Electric Range
4. <i>Front Finish</i> See Finish Options page	(118) Case Finish, Bright White (~) Front Finish, same as Case H Hard Casters (T) Pull Style, 5" Finger Pull (118) Pull Finish, Bright White (C) Lock Finish, Chrome		
5. <i>Caster Type</i> H = Hard Casters		Patterns listed above include standard cylinder lock. To specify as non-locking, substitute final character with (N), deduct \$15 list. Example: VPM201218BFNSN.	Finished Height of 26" high mobile pedestals are designed to fit beneath standard fixed height worksurfaces.
6. <i>Pull type</i> T = 5" Finger pull G = Rubber Grommet pull		Open pedestals include (1) removable steel shelf.	
7. <i>Pull finish</i> See Finish Options page		Pedestals with full door do not include shelf.	Casters provide adequate clearance to roll overtop Tone, k. stand or k. base foot.
8. <i>Lock finish</i> B = Black C = Chrome		Pedestals with full door are available with standard or Soft Close hinge option.	
			Each file drawer within 12" wide pedestals include (1) file bar allowing side-to-side Letter or Legal filing to be hung from back edge or drawer body.

Mobile Pedestals

12" Wide, without Finished Top

Quoin

description	configuration	height	width	depth	pattern number	P1	P2	P3
Box/Box/File, 12" wide, no top	Box/Box/File	25 7/8"	12"	18 13/16"	VPM261218BBFNSL	\$1,378.	\$1,447.	\$1,516.
	Box/Box/File	25 7/8"	12"	23 1/4"	VPM261224BBFNSL	1,542.	1,618.	1,696.




Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VPM201218BFNSL	Quoin mobile pedestals without top require field installed cushion top (specified separately). Once cushion is installed mobile pedestal may be used as seated surface.	Mobile pedestals include 4 casters (2 locking). Pedestals with drawers include additional non-locking caster mounted beneath file drawer for added stability. Casters are field installed.
2. <i>Lock option</i> L = Cylinder Lock N = Non-locking	VPM Quoin, Pedestal Mobile 20 20" High 12 12" Wide 18 18" Deep		
3. <i>Case Finish</i> See Finish Options page	BF Box / File N No Finish Top S Steel Front (L) Cylinder Lock	Door or drawer front finish may be specified as "same as case" or in a contrasting P1, P2 or P3 paint finish. When contrasting front finish is specified, list price is determined by Case Finish price category.	Finished Height of 20" high mobile pedestals with cushion top installed are designed to fit beneath the following height adjustable tables at their lowest position: Tone Standard Electric Range k. stand Standard Electric Range k. stand Extended Electric Range Telescope Standard Electric Range k. bench Standard Electric Range
4. <i>Front Finish</i> See Finish Options page	(118) Case Finish, Bright White (~) Front Finish, same as Case H Hard Casters (T) Pull Style, 5" Finger Pull (118) Pull Finish, Bright White (C) Lock Finish, Chrome		
5. <i>Caster Type</i> H = Hard Casters		Patterns listed above include standard cylinder lock. To specify as non-locking, substitute final character with (N), deduct \$15 list. Example: VPM201218BFNSN.	Finished Height of 26" high mobile pedestals are designed to fit beneath standard fixed height worksurfaces. Casters provide adequate clearance to roll overtop Tone, k. stand or k. base foot.
6. <i>Pull type</i> T = 5" Finger pull G = Rubber Grommet pull		Open pedestals include (1) removable steel shelf. Pedestals with full door do not include shelf. Pedestals with full door are available with standard or Soft Close hinge option.	
7. <i>Pull finish</i> See Finish Options page			Each file drawer within 12" wide pedestals include (1) file bar allowing side-to-side Letter or Legal filing to be hung from back edge or drawer body.
8. <i>Lock finish</i> B = Black C = Chrome			

Mobile Pedestals


15" Wide, with Steel Top

Quoin

description	configuration	height	width	depth	pattern number	P1	P2	P3
Open with shelf, 15" wide, steel top	Open	19 ^{15/16"}	15"	18 ^{13/16"}	VPM201518OSS	\$913.	\$956.	\$997.
	Open	19 ^{15/16"}	15"	23 ^{1/4"}	VPM201524OSS	942.	985.	1,029.



Full Door, 15" wide, steel top	Full Door, Left	19 ^{15/16"}	15"	18 ^{13/16"}	VPM201518FDLSSL	1,093.	1,144.	1,195.
	Full Door, Left	19 ^{15/16"}	15"	23 ^{1/4"}	VPM201524FDLSSL	1,120.	1,174.	1,225.
	Full Door, Right	19 ^{15/16"}	15"	18 ^{13/16"}	VPM201518FDRSSL	1,093.	1,144.	1,195.
	Full Door, Right	19 ^{15/16"}	15"	23 ^{1/4"}	VPM201524FDRSSL	1,120.	1,174.	1,225.



Box/File, 15" wide, steel top	Box/File	19 ^{15/16"}	15"	18 ^{13/16"}	VPM201518BFSSL	1,235.	1,294.	1,351.
	Box/File	19 ^{15/16"}	15"	23 ^{1/4"}	VPM201524BFSSL	1,263.	1,324.	1,384.



File/File, 15" wide, steel top	File/File	25 ^{7/8"}	15"	18 ^{13/16"}	VPM261518FFSSL	1,475.	1,549.	1,622.
	File/File	25 ^{7/8"}	15"	23 ^{1/4"}	VPM261524FFSSL	1,640.	1,724.	1,806.



Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VPM201218BFSSL	Mobile pedestals with steel top are not intended for use as a seat. If seated use is required, specify pedestal without top and field installed cushion top. Steel top is factory-installed.	Mobile pedestals include 4 casters (2 locking). Pedestals with drawers include additional non-locking caster mounted beneath file drawer for added stability. Casters are field installed.
2. <i>Lock option</i> L = Cylinder Lock N = Non-locking	VPM Quoin, Pedestal Mobile		
3. <i>Case Finish</i> See Finish Options page	20 20" High	Door or drawer front finish may be specified as "same as case" or in a contrasting P1, P2 or P3 paint finish. When contrasting front finish is specified, list price is determined by Case Finish price category.	Finished Height of 20" high mobile pedestals with finished steel top are designed to fit beneath the following height adjustable tables at their lowest position: Tone Standard Electric Range k. stand Standard Electric Range k. bench Standard Electric Range k. bench Extended Electric Range
	15 15" Wide		
4. <i>Front Finish</i> See Finish Options page	18 18" Deep		
5. <i>Caster Type</i> H = Hard Casters	BF Box / File		
6. <i>Pull type</i> T = 5" Finger pull G = Rubber Grommet pull	S Steel Top	Patterns listed above include standard cylinder lock. To specify as non-locking, substitute final character with (N), deduct \$15 list. Example: VPM201218BFSSN.	Finished Height of 26" high mobile pedestals are designed to fit beneath standard fixed height worksurfaces.
	S Steel Front		
7. <i>Pull finish</i> See Finish Options page	(L) Cylinder Lock	Open pedestals include (1) removable steel shelf.	Casters provide adequate clearance to roll overtop Tone, k. stand or k. base foot.
	(118) Case Finish, Bright White		
8. <i>Lock finish</i> B = Black C = Chrome	(~) Front Finish, same as Case	Pedestals with full door do not include shelf.	File drawers of 15" wide pedestals provide front-to-back Letter filing and include one File bar for side-to-side filing. Additional side-to-side file bar may be added, specify separately.
	H Hard Casters		
	(T) Pull Style, 5" Finger Pull	Pedestals with full door are available with standard or Soft Close hinge option.	
	(118) Pull Finish, Bright White		
	(C) Lock Finish, Chrome	Plastic pencil tray is available for use within Box drawers of 15" wide pedestals, specified separately.	

Mobile Pedestals

15" Wide, with Steel Top

Quoin

description	configuration	height	width	depth	pattern number	P1	P2	P3
Box/Box/File, 15" wide, steel top	Box/Box/File	25 7/8"	15"	18 13/16"	VPM261518BBFSSL	\$1,475.	\$1,549.	\$1,622.
	Box/Box/File	25 7/8"	15"	23 1/4"	VPM261524BBFSSL	1,640.	1,724.	1,806.




Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VPM201218BFSSL	Mobile pedestals with steel top are not intended for use as a seat. If seated use is required, specify pedestal without top and field installed cushion top. Steel top is factory-installed.	Mobile pedestals include 4 casters (2 locking). Pedestals with drawers include additional non-locking caster mounted beneath file drawer for added stability. Casters are field installed.
2. <i>Lock option</i> L = Cylinder Lock N = Non-locking	VPM Quoin, Pedestal Mobile		
3. <i>Case Finish</i> See Finish Options page	20 20" High	Door or drawer front finish may be specified as "same as case" or in a contrasting P1, P2 or P3 paint finish. When contrasting front finish is specified, list price is determined by Case Finish price category.	Finished Height of 20" high mobile pedestals with finished steel top are designed to fit beneath the following height adjustable tables at their lowest position: Tone Standard Electric Range k. stand Standard Electric Range k. stand Extended Electric Range Telescope Standard Electric Range k. bench Standard Electric Range k. bench Extended Electric Range
	15 15" Wide		
4. <i>Front Finish</i> See Finish Options page	18 18" Deep	Patterns listed above include standard cylinder lock. To specify as non-locking, substitute final character with (N), deduct \$15 list. Example: VPM201218BFSSN.	Finished Height of 26" high mobile pedestals are designed to fit beneath standard fixed height worksurfaces.
5. <i>Caster Type</i> H = Hard Casters	BF Box / File		
6. <i>Pull type</i> T = 5" Finger pull G = Rubber Grommet pull	S Steel Top	Open pedestals include (1) removable steel shelf.	Casters provide adequate clearance to roll overtop Tone, k. stand or k. base foot.
	S Steel Front		
7. <i>Pull finish</i> See Finish Options page	(L) Cylinder Lock	Pedestals with full door do not include shelf.	File drawers of 15" wide pedestals provide front-to-back Letter filing and include one File bar for side-to-side filing. Additional side-to-side file bar may be added, specify separately.
	(118) Case Finish, Bright White		
8. <i>Lock finish</i> B = Black C = Chrome	(~) Front Finish, same as Case	Pedestals with full door are available with standard or Soft Close hinge option.	
	H Hard Casters		
	(T) Pull Style, 5" Finger Pull	Plastic pencil tray is available for use within Box drawers of 15" wide pedestals, specified separately.	
	(118) Pull Finish, Bright White		
	(C) Lock Finish, Chrome		

Mobile Pedestals


15" Wide, without Finished Top

Quoin


description	configuration	height	width	depth	pattern number	P1	P2	P3
Open with shelf, 15" wide, no top	Open	19 ¹⁵ / ₁₆ "	15"	18 ¹³ / ₁₆ "	VPM201518OSN	\$1,065.	\$1,117.	\$1,171.
	Open	19 ¹⁵ / ₁₆ "	15"	23 ¹ / ₄ "	VPM201524OSN	1,092.	1,147.	1,202.




Full Door, 15" wide, no top	Full Door, Left	19 ¹⁵ / ₁₆ "	15"	18 ¹³ / ₁₆ "	VPM201518FDLNSL	1,338.	1,406.	1,472.
	Full Door, Left	19 ¹⁵ / ₁₆ "	15"	23 ¹ / ₄ "	VPM201524FDLNSL	1,366.	1,434.	1,504.
	Full Door, Right	19 ¹⁵ / ₁₆ "	15"	18 ¹³ / ₁₆ "	VPM201518FDRNSL	1,338.	1,406.	1,472.
	Full Door, Right	19 ¹⁵ / ₁₆ "	15"	23 ¹ / ₄ "	VPM201524FDRNSL	1,366.	1,434.	1,504.



Box/File, 15" wide, no top	Box/File	19 ¹⁵ / ₁₆ "	15"	18 ¹³ / ₁₆ "	VPM201518BFNSL	1,254.	1,318.	1,380.
	Box/File	19 ¹⁵ / ₁₆ "	15"	23 ¹ / ₄ "	VPM201524BFNSL	1,282.	1,347.	1,411.



File/File, 15" wide, no top	File/File	25 ⁷ / ₈ "	15"	18 ¹³ / ₁₆ "	VPM261518FFNSL	1,448.	1,520.	1,593.
	File/File	25 ⁷ / ₈ "	15"	23 ¹ / ₄ "	VPM261524FFNSL	1,611.	1,693.	1,774.




Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VPM201518BFNSL	Quoin mobile pedestals without top require field installed cushion top (specified separately). Once cushion is installed mobile pedestal may be used as seated surface.	Mobile pedestals include 4 casters (2 locking). Pedestals with drawers include additional non-locking caster mounted beneath file drawer for added stability. Casters are field installed.
2. <i>Lock option</i> L = Cylinder Lock N = Non-locking	VPM Quoin, Pedestal Mobile		
3. <i>Case Finish</i> See Finish Options page	20 20" High	Door or drawer front finish may be specified as "same as case" or in a contrasting P1, P2 or P3 paint finish. When contrasting front finish is specified, list price is determined by Case Finish price category.	Finished Height of 20" high mobile pedestals with finished steel top are designed to fit beneath the following height adjustable tables at their lowest position: Tone Standard Electric Range k. stand Standard Electric Range k. stand Extended Electric Range Telescope Standard Electric Range k. bench Standard Electric Range k. bench Extended Electric Range
	15 15" Wide		
4. <i>Front Finish</i> See Finish Options page	18 18" Deep	Patterns listed above include standard cylinder lock. To specify as non-locking, substitute final character with (N). deduct \$15 list. Example: VPM201218BFNSN.	Finished Height of 26" high mobile pedestals are designed to fit beneath standard fixed height worksurfaces.
5. <i>Caster Type</i> H = Hard Casters	BF Box / File		
6. <i>Pull type</i> T = 5" Finger pull G = Rubber Grommet pull	N No Finish Top	Open pedestals include (1) removable steel shelf.	Casters provide adequate clearance to roll overtop Tone, k. stand or k. base foot.
	S Steel Front		
7. <i>Pull finish</i> See Finish Options page	(L) Cylinder Lock	Pedestals with full door do not include shelf.	File drawers of 15" wide pedestals provide front-to-back Letter filing and include one File bar for side-to-side filing. Additional side-to-side file bar may be added, specify separately.
	(118) Case Finish, Bright White		
8. <i>Lock finish</i> B = Black C = Chrome	(~) Front Finish, same as Case	Pedestals with full door are available with standard or Soft Close hinge option.	
	H Hard Casters		
	(T) Pull Style, 5" Finger Pull	Plastic pencil tray is available for use within Box drawers of 15" wide pedestals, specified separately.	
	(118) Pull Finish, Bright White		
	(C) Lock Finish, Chrome		

Mobile Pedestals

15" Wide, without Finished Top

Quoin

description	configuration	height	width	depth	pattern number	P1	P2	P3
Box/Box/File, 15" wide, no top	Box/Box/File	25 ⁷ / ₈ "	15"	18 ¹³ / ₁₆ "	VPM261518BBFNSL	\$1,448.	\$1,520.	\$1,593.
	Box/Box/File	25 ⁷ / ₈ "	15"	23 ¹ / ₄ "	VPM261524BBFNSL	1,611.	1,693.	1,774.




Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VPM201518BFNSL	Quoin mobile pedestals without top require field installed cushion top (specified separately). Once cushion is installed mobile pedestal may be used as seated surface.	Mobile pedestals include 4 casters (2 locking). Pedestals with drawers include additional non-locking caster mounted beneath file drawer for added stability. Casters are field installed.
2. <i>Lock option</i> L = Cylinder Lock N = Non-locking	VPM Quoin, Pedestal Mobile 20 20" High 15 15" Wide		
3. <i>Case Finish</i> See Finish Options page	18 18" Deep	Door or drawer front finish may be specified as "same as case" or in a contrasting P1, P2 or P3 paint finish. When contrasting front finish is specified, list price is determined by Case Finish price category.	Finished Height of 20" high mobile pedestals with finished steel top are designed to fit beneath the following height adjustable tables at their lowest position: Tone Standard Electric Range k. stand Standard Electric Range k. stand Extended Electric Range Telescope Standard Electric Range k. bench Standard Electric Range k. bench Extended Electric Range
4. <i>Front Finish</i> See Finish Options page	BF Box / File N No Finish Top S Steel Front (L) Cylinder Lock		
5. <i>Caster Type</i> H = Hard Casters	(118) Case Finish, Bright White	Patterns listed above include standard cylinder lock. To specify as non-locking, substitute final character with (N), deduct \$15 list. Example: VPM201218BFNSN.	Finished Height of 26" high mobile pedestals are designed to fit beneath standard fixed height worksurfaces.
6. <i>Pull type</i> T = 5" Finger pull G = Rubber Grommet pull	(~) Front Finish, same as Case H Hard Casters		
7. <i>Pull finish</i> See Finish Options page	(T) Pull Style, 5" Finger Pull (118) Pull Finish, Bright White	Open pedestals include (1) removable steel shelf. Pedestals with full door do not include shelf. Pedestals with full door are available with standard or Soft Close hinge option.	Casters provide adequate clearance to roll overtop Tone, k. stand or k. base foot.
8. <i>Lock finish</i> B = Black C = Chrome	(C) Lock Finish, Chrome		
		Plastic pencil tray is available for use within Box drawers of 15" wide pedestals, specified separately.	File drawers of 15" wide pedestals provide front-to-back Letter filing and include one File bar for side-to-side filing. Additional side-to-side file bar may be added, specify separately.

Mobile Pedestals Accessories


Cushion Top, Fabric

Quoin

description	type	w	d	h	pattern no.	A	B (COM)	C	D	E	F	G	H	I
Pedestal Cushion, 12" wide	For Mobile Pedestal	12"	18 ^{13/16"}	1"	VPMC1218	\$319.	\$359.	\$419.	\$438.	\$482.	\$523.	\$580.	\$639.	\$661.
	For Mobile Pedestal	12"	23 ^{1/4"}	1"	VPMC1224	389.	434.	511.	535.	589.	637.	704.	778.	807.



Pedestal Cushion, 15" wide	For Mobile Pedestal	15"	18 ^{13/16"}	1"	VPMC1518	319.	359.	419.	438.	482.	523.	580.	639.	661.
	For Mobile Pedestal	15"	23 ^{1/4"}	1"	VPMC1524	389.	434.	511.	535.	589.	637.	704.	778.	807.





Ordering Information	Order Code	Specification Information	Application Notes
Seat Cushions 1. Base Pattern Number 2. Textile Type 3. Textile Finish	Example: VPMC1218 VPM Quoin, Pedestal Mobile C Cushion Top 12 12" wide 18 18" deep (~) Standard (K448) Common Ground	For use with Quoin mobile pedestals without finished top only. Cushions may not be applied to Quoin mobile pedestals specified with finished steel top. Cushion may not be applied to Quoin Mobile Cart.	Pedestal cushions are upholstered (from the front to the back of the pedestal) with fabric direction matching the textile sample. Pedestal cushion includes hardware to attach to Quoin mobile pedestal without finished top. Cushions are field installed. For CAL133 backing on the cushion, add \$80 to the list price. Use Grade B pricing for COM. For Customer's Own Material, specify 0.75 yards of fabric per 18" deep cushion and 0.9 yards of fabric per 24" deep cushion.

Mobile Pedestals Accessories

Cushion Top, Leather

Quoin

description	type	w	d	h	pattern no.	U (COL)	V	W	X	Y
Pedestal Cushion, 12" wide 	For Mobile Pedestal	12"	18 ^{13/16"}	1"	VPMC1218	\$615.	\$738.	\$910.	\$937.	\$984.
	For Mobile Pedestal	12"	23 ^{1/4"}	1"	VPMC1224	782.	932.	1,153.	1,209.	1,276.
Pedestal Cushion, 15" wide 	For Mobile Pedestal	15"	18 ^{13/16"}	1"	VPMC1518	615.	738.	910.	937.	984.
	For Mobile Pedestal	15"	23 ^{1/4"}	1"	VPMC1524	782.	932.	1,153.	1,209.	1,276.

Ordering Information

Seat Cushions

1. Base Pattern Number
2. Textile Type
3. Textile Finish

Order Code

Example:	VPMC1218
VPM	Quoin, Pedestal Mobile
C	Cushion Top
12	12" wide
18	18" deep
(~)	Standard
(VO)	Volo

Specification Information

For use with Quoin mobile pedestals without finished top only. Cushions may not be applied to Quoin mobile pedestals specified with finished steel top.

Cushion may not be applied to Quoin Mobile Cart.

Application Notes

Pedestal cushion includes hardware to attach to Quoin mobile pedestal without finished top. Cushions are field installed.


For perforated leather, add \$105 to the list price.

Use Grade U pricing for customer's own leather. Specify 11.5 square feet of material per 18" deep cushions and 14.5 square feet of material per 24" deep cushion.


Desk Supporting Pedestals 12" Wide

Quoin

description	configuration	height	width	depth	pattern number	P1	P2	P3
Box/Box/File, 12" wide	Box/Box/File, with leveling glides	27 1/16"	12"	18 13/16"	VPG281218BBFCNSL	\$1,101.	\$1,156.	\$1,212.
		27 1/16"	12"	23 1/4"	VPG281224BBFCNSL	1,142.	1,201.	1,259.
		27 1/16"	12"	29 1/4"	VPG281230BBFCNSL	1,274.	1,337.	1,401.



File/File, 12" wide	File/File, with leveling glides	27 1/16"	12"	18 13/16"	VPG281218FFCNSL	1,022.	1,072.	1,126.
		27 1/16"	12"	23 1/4"	VPG281224FFCNSL	1,058.	1,112.	1,165.
		27 1/16"	12"	29 1/4"	VPG281230FFCNSL	1,181.	1,240.	1,301.



Data/File, 12" wide	Data/File, for use with feet	27 1/16"	12"	18 13/16"	VPF281218DFCNSL	1,022.	1,072.	1,126.
		27 1/16"	12"	23 1/4"	VPF281224DFCNSL	1,058.	1,112.	1,165.
		27 1/16"	12"	29 1/4"	VPF281230DFCNSL	1,181.	1,240.	1,301.




Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VPG281224BBFCNSL	Drawer front finish may be specified as "same as case" or in a contrasting P1, P2 or P3 paint finish. When contrasting front finish is specified, list price is determined by Case Finish price category.	18" deep pedestals are designed for use with 19" deep Dividends Horizon worksurfaces or deeper. Quoin desk supporting pedestals are not compatible with 18" deep Dividends Horizon worksurfaces.
2. <i>Lock Option:</i> L = Cylinder Lock N = Non-locking	VPG Quoin, Pedestal with Glides		
3. <i>Case Finish</i> See Finish Options page	28 Desk height 12 12" Wide		
4. <i>Front Finish</i> See Finish Options page Accent Paints	24 24" Deep BBF Box/Box/File	Patterns listed above include standard cylinder lock. To specify as non-locking, substitute final character with (N), deduct \$15 list. Example: VPG281524BBFCNS <u>N</u> .	Quoin desk supporting pedestals are designed to support one end of a fixed height Dividends Horizon worksurface. Pedestals are compatible with DB1WS brackets. Brackets must be specified separately.
5. <i>Pull type</i> T = 5" Finger pull G = Rubber Grommet pull	C Desk Supporting N No Top		
6. <i>Pull finish</i> See Finish Options page	S Steel Front (L) Cylinder Lock		
7. <i>Lock Finish</i> B = Black C = Chrome	(118) Case Finish, Bright White (~) Front Finish, Same as case (T) Pull Type, T-Pull (118) Pull Finish (B) Lock Finish, Black	File drawers accommodate the following applications standard: 12" wide: side-to-side Letter or Legal filing. 15" wide: side-to-side Letter or Legal filing or front-to-back Letter filing. 30" and 36" wide: side-to-side or front-to-back Letter or Legal filing.	Pedestals are not designed for freestanding use and must be ganged to panel or other units for stability. VPF pedestals for use with feet require foot kits to be specified separately (VAF.. patterns)


Desk Supporting Pedestals 15" Wide

Quoin

description	configuration	height	width	depth	pattern number	P1	P2	P3
Box/Box/File, 15" wide	Box/Box/File, with leveling glides	27 1/16"	15"	18 13/16"	VPG281518BBFCNSL	\$1,156.	\$1,213.	\$1,274.
		27 1/16"	15"	23 1/4"	VPG281524BBFCNSL	1,198.	1,259.	1,319.
		27 1/16"	15"	29 1/4"	VPG281530BBFCNSL	1,328.	1,396.	1,460.



File/File, 15" wide	File/File, with leveling glides	27 1/16"	15"	18 13/16"	VPG281518FFCNSL	1,077.	1,130.	1,185.
		27 1/16"	15"	23 1/4"	VPG281524FFCNSL	1,113.	1,168.	1,225.
		27 1/16"	15"	29 1/4"	VPG281530FFCNSL	1,236.	1,299.	1,361.



Data/File, 15" wide	Data/File, for use with feet	27 1/16"	15"	18 13/16"	VPF281518DFCNSL	1,077.	1,130.	1,185.
		27 1/16"	15"	23 1/4"	VPF281524DFCNSL	1,113.	1,168.	1,225.
		27 1/16"	15"	29 1/4"	VPF281530DFCNSL	1,236.	1,299.	1,361.




Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VPG281524BBFCNSL	Drawer front finish may be specified as "same as case" or in a contrasting P1, P2 or P3 paint finish. When contrasting front finish is specified, list price is determined by Case Finish price category.	18" deep pedestals are designed for use with 19" deep Dividends Horizon worksurfaces or deeper. Quoin desk supporting pedestals are not compatible with 18" deep Dividends Horizon worksurfaces.
2. <i>Lock Option:</i> L = Cylinder Lock N = Non-locking	VPG Quoin, Pedestal with Glides		
3. <i>Case Finish</i> See Finish Options page	28 Desk height 15 15" Wide		
4. <i>Front Finish</i> See Finish Options page Accent Paints	24 24" Deep BBF Box/Box/File	Patterns listed above include standard cylinder lock. To specify as non-locking, substitute final character with (N), deduct \$15 list. Example: VPG281524BBFCNS <u>N</u> .	Quoin desk supporting pedestals are designed to support one end of a fixed height Dividends Horizon worksurface. Pedestals are compatible with DB1WS brackets. Brackets must be specified separately.
5. <i>Pull type</i> T = 5" Finger pull G = Rubber Grommet pull	C Desk Supporting N No Top		
6. <i>Pull finish</i> See Finish Options page	S Steel Front (L) Cylinder Lock		
7. <i>Lock Finish</i> B = Black C = Chrome	(118) Case Finish, Bright White (~) Front Finish, Same as case (T) Pull Type, T-Pull (118) Pull Finish (B) Lock Finish, Black	File drawers accommodate the following applications standard: 12" wide: side-to-side Letter or Legal filing. 15" wide: side-to-side Letter or Legal filing or front-to-back Letter filing. 30" and 36" wide: side-to-side or front-to-back Letter or Legal filing.	Pedestals are not designed for freestanding use and must be ganged to panel or other units for stability. VPF pedestals for use with feet require foot kits to be specified separately (VAF.. patterns)

Desk Supporting Pedestals 30" and 36" Wide


Quoin

description	configuration	height	width	depth	pattern number	P1	P2	P3
-------------	---------------	--------	-------	-------	----------------	----	----	----

File/File, 30" wide	File/File, with leveling glides	27 1/16"	30"	18 13/16"	VPG283018FFCNSL	\$1,702.	\$1,960.	\$2,045.
------------------------	---------------------------------	----------	-----	-----------	------------------------	----------	----------	----------



File/File, 36" wide	File/File, with leveling glides	27 1/16"	36"	18 13/16"	VPG283618FFCNSL	1,798.	2,072.	2,160.
------------------------	---------------------------------	----------	-----	-----------	------------------------	--------	--------	--------




Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VPG283018FFCNSL		
2. <i>Lock Option:</i> L = Cylinder Lock N = Non-locking	VPG Quoin, Pedestal with Glides	Drawer front finish may be specified as "same as case" or in a contrasting P1, P2 or P3 paint finish. When contrasting front finish is specified, list price is determined by Case Finish price category.	18" deep pedestals are designed for use with 19" deep Dividends Horizon worksurfaces or deeper. Quoin desk supporting pedestals are not compatible with 18" deep Dividends Horizon worksurfaces.
3. <i>Case Finish</i> See Finish Options page	28 Desk height		
	30 30" Wide		
4. <i>Front Finish</i> See Finish Options page Accent Paints	18 18 13/16" Deep		
	FF File/File	Patterns listed above include standard cylinder lock. To specify as non-locking, substitute final character with (N), deduct \$15 list. Example: VPG281524BBFCNS <u>N</u> .	Quoin desk supporting pedestals are designed to support one end of a fixed height Dividends Horizon worksurface.
5. <i>Pull type</i> T = 5" Finger pull G = Rubber Grommet pull	C Desk Supporting		
	N No Top		
6. <i>Pull finish</i> See Finish Options page	S Steel Front		Pedestals are compatible with DB1WS brackets. Brackets must be specified separately.
	(L) Cylinder Lock	File drawers accommodate the following applications standard: 12" wide: side-to-side Letter or Legal filing. 15" wide: side-to-side Letter or Legal filing or front-to-back Letter filing. 30" and 36" wide: side-to-side or front-to-back Letter or Legal filing.	Pedestals are not designed for freestanding use and must be ganged to panel or other units for stability.
7. <i>Lock Finish</i> B = Black C = Chrome	(118) Case Finish, Bright White		VPF pedestals for use with feet require foot kits to be specified separately (VAF.. patterns)
	(~) Front Finish, Same as case		
	(T) Pull Type, T-Pull		
	(118) Pull Finish		
	(B) Lock Finish, Black		

Pedestal Accessories


Accessories

Quoin

description	type	color	pattern no.	list
Pedestal File Bar Kit	for 12" wide pedestal		VAPFB1201	\$61.
	for 15" wide pedestal		VAPFB1501	61.



Plastic Pencil Tray	for 15" wide pedestal	Black	VAPPT15N	69.
	for 15" wide pedestal	Clear	VAPPT15C	80.



Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>		File drawers of 12" and 15" wide pedestals include (1) File Bar Kit allowing side-to-side Letter or Legal filing to be suspended between bar and back edge of drawer body. Additional (1) File Bar Kit may be specified to file toward front section of drawer body.	File Bar Kit includes (1) bar and (2) plastic clips to attach to sides of drawer body. Plastic Pencil Tray is designed for use with Box drawer of 15" wide pedestals. Plastic pencil tray cannot be suspended in the Box drawer of 12" wide pedestals.

Quoin Credenzas

Quoin credenzas are nominally 22.5" high and are available in a variety of open and drawer configurations. Credenza cases are preassembled; tops are installed on site. Credenzas with more than one unit (double units and box/file with open) contain two preassembled cases and one common top that are assembled on site. Five configurations are available:

- Single Open
- Double Open
- Single Box/File
- Double Box/File
- Box/File with Open

Each Box/File unit contains one 6" high box drawer and one 12" high file drawer. File drawer allows for side-to-side letter or legal filing and front-to-back letter filing.

- Internal height: 9³/₄"
- Internal width: 26³/₄" and 32³/₄"
- Internal depth: 15³/₄"

Open Quoin credenzas include one adjustable shelf, standard. The Quoin credenza case features two shelf positions to either align horizontally with adjacent credenza drawer fronts or to accommodate binder storage.

Available Sizes (Nominal)

Depth: 18.75"

Widths: 18", 24", 30", 36", 48", 54", 60", 66", 72"

Height: 22 1/2"

Construction

Credenza specifications:

- Outer wrapper: 20-gauge steel
- Drawer front: 20-gauge steel
- Back: 20-gauge
- Full extension ball bearing drawer slides
- Leveling glides: 5/16" diameter steel stem with a 13/16" of height adjustment
- Extended Leveling glides: 5/16" diameter steel stem; provides 2 5/8" clearance when fully extended
- Standard interlock feature prevents both drawers from being opened at the same time for added stability.

Locks

Quoin credenzas with drawers are available non-locking or locking with cylinder lock and key. Lock drilling is omitted when specified as non-locking.


Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. All locks are factory-installed and can be specified with black or chrome finish.

Pulls


Quoin Desk supporting pedestals are available with two pull styles:

- 5" finger pull
- Rubber grommet pull

All pulls are factory installed. T-pulls are positioned horizontally 3/8" from top of drawer fronts. Grommet pulls are 1.5" in diameter and positioned 1" below from top of drawer front.



Standard Pull Position



Pull profile**

Planning


When planning credenza overlaying a table foot, Extended Leveler kit may be specified separately. Confirm clearance and overall credenza height when planning with height adjustable tables.

When planning credenza with VACS22P Template credenza spacer to support a Dividends Horizon worksurface, specify one credenza spacer per credenza. In this application, front leveling glides must be moved from the standard position to the secondary location within base. Template credenza spacer may not be used with credenzas raised on feet.


Quoin Credenzas may be planned on raised feet, see *Quoin Raised Foot Specifications* page for details.

When planning credenza in freestanding application, counterweight may be required. See credenza counterweight specifications for details.


Credenza with Standard Leveling Glides



Credenza with Extended Leveling Glides



Credenza with Foot Kit



Shelf Clearances

Shelf Position 1

A: 11 1/4"

B: 6 1/16"

Shelf Position 2

A: 11 13/16"

B: 5 7/16"

Credenza Counterweight Application

Select Quoin credenzas require counterweight for use in freestanding applications. Credenzas secured to a panel, supporting a worksurface with a credenza spacer or ganged back-to-back with another unit do not require counterweight.

Single or double open units without drawers do not require counterweight.

When required, counterweights are specified separately and are field installed.



Reference the following list of pattern numbers and corresponding counterweight kits required for freestanding applications:

Credenza	Counterweight Kit(s) Required
V2G2218180SL	counterweight not required
V2G2224180SL	counterweight not required
V2G2230180SL	counterweight not required
V2G2236180SL	counterweight not required
V2G223618018018L	counterweight not required
V2G224218024018L	counterweight not required
V2G224818024024L	counterweight not required
V2G224818030018L	counterweight not required
V2G225418030024L	counterweight not required
V2G225418036018L	counterweight not required
V2G226018030030L	counterweight not required
V2G226018036024L	counterweight not required
V2G226618036030L	counterweight not required
V2G227218036036L	counterweight not required
V2G223018BFLSL	(1) VA2CW3035
V2G223618BFLSL	(1) VA2CW3635
V2G224818B30018LSL	(1) VA2CW3020
V2G225418B30024LSL	(1) VA2CW3015
V2G225418B36018LSL	(1) VA2CW3620
V2G226018B30030LSL	counterweight not required
V2G226018B36024LSL	(1) VA2CW3620
V2G226618B30036LSL	counterweight not required
V2G226618B36030LSL	counterweight not required
V2G227218B36036LSL	counterweight not required
V2G226018B30B30LSL	(1) VA2CW3035 + (1) VA2CW3040
V2G226618B36B30LSL	(1) VA2CW3040 + (1) VA2CW3640
V2G227218B36B36LSL	(2) VA2CW3640

Credenzas

Open with Shelf

Quoin

description	width	depth	height	pattern number	L1	L2
 Single Unit, Open with shelf	18"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G221818OSL	\$1,509.	\$1,524.
	24"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G222418OSL	1,526.	1,628.
	30"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G223018OSL	1,514.	1,646.
	36"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G223618OSL	1,595.	1,778.
 Double Unit, Open with shelf	36"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G223618O18O18L	2,337.	2,497.
	42"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G224218O24O18L	2,443.	2,602.
	48"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G224818O24O24L	2,590.	2,765.
	48"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G224818O30O18L	2,556.	2,733.
	54"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G225418O30O24L	2,638.	2,838.
	54"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G225418O36O18L	2,668.	2,869.
	60"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G226018O30O30L	2,684.	2,915.
	60"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G226018O36O24L	2,626.	2,855.
	66"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G226618O36O30L	2,795.	3,039.
	72"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G227218O36O36L	2,847.	3,120.


Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: V2G223018BFLSL	Credenzas are non-handed upon specifications. Double units may be arranged as left or right handed upon installation. Ganging hardware (provided) attaches units from the underside, allowing units to be converted in the future.	Credenzas may be used in freestanding position. Complete units without drawers do not require counterweight. Units with drawers may require counterweight in freestanding position. See credenza Specification Information for details.
2. <i>Lock option</i> L = Cylinder Lock N = Non-locking	V2G Quoin, Credenza		
3. <i>Paint Finish</i> See Finish Options page	22 22.5" High		
4. <i>Top Laminate</i> See Finish Options page	30 30" Wide		
5. <i>Pull type</i> T = 5" Finger pull G = Rubber Grommet pull	18 18.75" Deep	Credenzas include factory installed leveling glides. Leveling glides must be removed during installation if installing with raised foot kit (specified separately).	Extended leveler kit may be specified separately for credenzas overlaying table foot. May be used with raised foot kit (specified separately).
6. <i>Pull finish</i> See Finish Options page	BF Box / File		
7. <i>Lock finish</i> B = Black C = Chrome	L Laminate Top		
	S Steel Front		
	(L) Cylinder Lock	L1/L2 pricing is based on laminate top finish.	Each open case unit includes 1 removable shelf, field installed.
	(118) Paint Finish, Bright White		
	(139) Top laminate, Light Ash		
	(T) Pull Style, 5" Finger Pull		
	(118) Pull Finish, Bright White		
	(B) Lock Finish, Black		

Credenzas


Box / File

Quoin


description	width	depth	height	pattern number	L1	L2
Single Unit, Box/File	30"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G223018BFLSL	\$2,216.	\$2,582.
	36"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G223618BFLSL	230.	2,718.



Double Unit, Box/File + Open	48"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G224818B30O18LSL	3,258.	3,432.
	54"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G225418B30O24LSL	3,340.	3,543.
	54"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G225418B36O18LSL	3,368.	3,577.
	60"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G226018B30O30LSL	3,329.	3,559.
	60"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G226018B36O24LSL	3,502.	3,749.
	66"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G226618B30O36LSL	3,501.	3,748.
	66"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G226618B36O30LSL	3,502.	3,749.
	72"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G227218B36O36LSL	3,553.	3,828.



Double Unit, Box/File + Box/File	60"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G226018B30B30LSL	4,243.	4,548.
	66"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G226618B36B30LSL	4,466.	4,743.
	72"	18 ¹³ / ₁₆ "	22 ¹ / ₂ "	V2G227218B36B36LSL	4,473.	4,826.




Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: V2G223018BFLSL	Credenzas are non-handed upon specifications. Double units may be arranged as left or right handed upon installation. Ganging hardware (provided) attaches units from the underside, allowing units to be converted in the future.	Credenzas may be used in freestanding position. Complete units without drawers do not require counterweight. Units with drawers may require counterweight in freestanding position. See credenza Specification Information for details.
2. <i>Lock option</i> L = Cylinder Lock N = Non-locking	V2G Quoin, Credenza		
3. <i>Paint Finish</i> See Finish Options page	22 22.5" High		
4. <i>Top Laminate</i> See Finish Options page	30 30" Wide	Credenzas include factory installed leveling glides. Leveling glides must be removed during installation if installing with raised foot kit (specified separately).	Extended leveler kit may be specified separately for credenzas overlaying table foot.
5. <i>Pull type</i> T = 5" Finger pull G = Rubber Grommet pull	18 18.75" Deep		
6. <i>Pull finish</i> See Finish Options page	BF Box / File		
7. <i>Lock finish</i> B = Black C = Chrome	L Laminate Top	L1/L2 pricing is based on laminate top finish.	May be used with raised foot kit (specified separately).
	S Steel Front		
	(L) Cylinder Lock		
	(118) Paint Finish, Bright White		
	(139) Top laminate, Light Ash		
	(T) Pull Style, 5" Finger Pull		
	(118) Pull Finish, Bright White		
	(B) Lock Finish, Black		

Credenza Accessories


Credenza Cushion Top, Fabric

Quoin

description	type	w	d	h	pattern no.	A	B (COM)	C	D	E	F	G	H	I
<div>Credenza Cushion, 18" deep</div> 	For Credenza	18"	18"	1 1/4"	VCCT1818	\$591.	\$647.	\$688.	\$755.	\$768.	\$847.	\$897.	\$980.	\$1,109.
	For Credenza	24"	18"	1 1/4"	VCCT2418	622.	677.	717.	785.	798.	876.	928.	1,009.	1,138.
	For Credenza	30"	18"	1 1/4"	VCCT3018	652.	707.	748.	813.	831.	906.	957.	1,039.	1,168.
	For Credenza	36"	18"	1 1/4"	VCCT3618	683.	739.	782.	840.	858.	937.	989.	1,073.	1,206.
	For Credenza	42"	18"	1 1/4"	VCCT4218	714.	772.	812.	874.	889.	971.	1,022.	1,105.	1,237.

Ordering Information	Order Code	Specification Information	Application Notes
Credenza Cushions 1. Base Pattern Number 2. Textile Finish	Example: VCCT3018() <hr/> V Quoin <hr/> CCT Credenza Cushion Top <hr/> 30 12" wide <hr/> 18 18" deep <hr/> (K448) Common Ground	For use with Quoin credenzas only. Cushions mounts atop credenza laminate top. Cushion does not replace credenza top. Cushions are designed to be centered front-to-back on credenza with slight reveal on each front and back. Cushion are preassembled with hook and loop velcro for mounting to credenza top.	For Customer's Own Material (COM) applications, specify the following yardage per cushion; 18" - 36 wide cushions: 1.25 yards 42" wide cushions: 1.5 yards

description	type	w	d	pattern no.	list	P1	P2	P3
Ganging Hardware Kits	Ganging Hardware, Kit of 1			VA2GB01	\$77.			
	Ganging Hardware, Kit of 10			VA2GB10	257.			
Extended Leveling Glides	Extended Leveling Glides, 100 pieces			VA2LX100	561.			
	Extended Leveling Glides, 20 pieces			VA2LX20	160.			
	Extended Leveling Glides, 4 pieces			VA2LX04	75.			
Credenza Spacer	Credenza spacer for Dividends Horizon worksurface			VACS22P		262.	293.	302.



Order Information	Order Code	Specific Information	Application Notes
1. Base Pattern Number	<p>Example: VA2CW3015</p> <p>VA Quoin, Accessory</p> <p>2GB Credenza Ganging Bracket Kit</p> <p>01 Single Kit</p>	<p>Ganging brackets may be used to attach side-by-side credenzas to one another.</p> <p>Ganging hardware attaches units from the underside allowing handedness to be determined on-site or converted in the future.</p> <p>Credenzas each include one half of a ganging kit, standard. Bulk kits may be specified separately if additional brackets are required.</p>	<p>Extended leveler kit may be specified separately for units overlaying table foot.</p> <p>Units with drawers require counterweight in freestanding position. Refer to Series 2 Overview - Series 2 Credenza section for specifics.</p> <p>Extended leveler kit may not be used with Quoin lockers.</p> <p>Credenza spacer may be used to support one end of a Dividends Horizon worksurface. Spacer may not be used with credenzas raised on feet.</p>

Credenza Accessories

Counterweight Kits

Quoin

description	type	w	weight	pattern no.	list
Credenza Counterweight Kit for 30" wide drawer unit		30"	15 lbs	VA2CW3015	\$294.
		30"	20 lbs	VA2CW3020	386.
		30"	25 lbs	VA2CW3025	434.
		30"	30 lbs	VA2CW3030	482.
		30"	35 lbs	VA2CW3035	562.
		30"	40 lbs	VA2CW3040	595.
Credenza Counterweight Kit for 36" wide drawer unit		36	15 lbs	VA2CW3615	296.
		36	20 lbs	VA2CW3620	389.
		36	25 lbs	VA2CW3625	438.
		36	30 lbs	VA2CW3630	487.
		36	35 lbs	VA2CW3635	566.
		36	40 lbs	VA2CW3640	601.

Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VA2CW3015 VA Quoin, Accessory 2CW Credenza Counterweight Kit 30 30" wide drawer unit 15 15 lbs.	Credenzas with drawers may require counterweight when used in freestanding position. Refer to Quoin Credenza Specifications to identify the appropriate kit. Counterweight kits are specified separately and field installed.	Counterweight kits include mounting hardware and brackets to install the counterweight plates. Counterweight plates are mounted to the back panel behind file drawer(s) inside credenza. Counterweight kits are specific to Quoin credenzas and may not be used for Quoin lockers.

Quoin Lockers

Quoin Lockers are 12" and 15" wide steel construction cabinets offered in 4 depths and 5 heights.

Available Sizes (nominal)

Height: 28", 36", 42", 50", 57"

Width: 12", 15"

Depth: 15", 18", 24", 30"

Lockers with full door include right or left full overlay hinged door, dual prong coat hook and one adjustable shelf. Desk supporting lockers exclude coat hook.

Open lockers without door include 1-3 factory installed, adjustable shelves in quantities as noted below.

28", 36" high: 1

42" high: 2

50" high: 3

57" high: 3

When specified with finished steel top, top ships assembled with coat hook installed. Lockers ship assembled including steel top.

When specified without finished steel top, individual or common laminate top must be specified separately. Lockers specified without top include appropriate top attachment hardware. No top lockers with full door, 36" high and taller, include coat hook for field installation.


Locker heights are designed to align dimensionally with underside of Dividends Horizon panel top cap. Lockers for use with feet are designed to maintain alignment with corresponding Dividends Horizon panel when installed on raised feet (specified separately).

Select lockers require ganging or counterweight for stability. See Locker Stability Requirements for details.

Construction

Quoin lockers feature an innovative 1-piece wrapper design providing optimal material efficiency without sacrificing strength and durability.

- Wrapper: 20-gauge steel
- Slotted vertical channel: 16-gauge steel
- Base: 18-gauge steel
- Support Crossrails: 16-gauge steel
- Top: 20-gauge steel
- Door Outer Panel: 20-gauge steel
- Door Inner Panel: 22-gauge steel
- Adjustable Shelves: 20-gauge steel
- Cantilever Shelf Support: 14-gauge steel
- Leveling glides: $\frac{3}{8}$ " diameter steel stem with 1-5/16" of adjustment providing up to 1-7/8" clearance beneath locker, 4 leveling glides included per locker.

**Internal Clearances Internal Height:**

A: 12 1/16"

B*: 12 1/2"

C: 11 5/8"

D: 6 1/4"

E: 13 1/2"

F*: 17 9/16"

**B and F dimension reduced by 3 1/4" when specified for use with feet (VLF pattern numbers)*

Adjustable shelves ship factory installed. Lockers with full door include one shelf installed in lowest position.

Internal Clear Width: 10 5/16", 13 5/16"

Actual dimensions to nearest 1/16th of an inch

Exterior Dimensions

Finished Height: 34 3/16", 41 1/2", 48 3/4", 56 1/16"

Actual Width: 12", 15"

Actual Depth: 15 13/16", 18 13/16", 23 1/4", 29 1/4"

Actual dimensions to nearest 1/16th of an inch

Common Laminate Tops

Common laminate tops may be specified to gang lockers in locker bank applications. Laminate tops are 15/16" thick laminate with ABS Edgeband.

Common tops are designed to span a single run of up to 8 lockers of consistent width and depth or back-to-back locker banks of up to 16 lockers of consistent width and depth.

To specify locker bank application, lockers must be specified with "no top" option and appropriate number of locker ganging brackets must be specified separately (VARQ01 or VARQ10), see locker accessories for details.

Select locker banks require counterweight for stability. See Locker Stability Requirements for details.

Locks

Quoin lockers with full door may be ordered with or without locks. No lock hole is drilled when specified as non-locking.

Lock options include cylinder lock with key, digital keypad lock or RFID lock.

Cylinder locks feature flush-mount lock housing to match specified lock finish, available in black or chrome. Cylinder locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cored K001-K250. To specify units as such, reference KnollKey Lock Program.

Digital keypad and RFID lock options are available with brushed nickel faceplate finish. Keyless locks ship program-ready in shared use mode. Refer to Keyless Locking Specifications for details.

Hinges

Standard (S) or soft close (Q) hinges are available for all lockers with full door.

Pulls

Quoin desk supporting pedestals are available with two pull styles:

- 5" finger pull
- Rubber grommet pull


All pulls are factory installed 1" below top of door front. T-pulls are positioned vertically. Grommet pulls are 1.5" in diameter.

Coat Hook and Coat Rods

Lockers 36"-57" high with door include factory installed coat hook, centered front-to-back. Top mount coat rods are available to replace standard coat hook within 18-30" deep lockers, see *Locker Accessories* for details.



Dual Prong Coat Hook



Locker Specifications

Locker Stability and Accessories

Quoin

Locker Stability

Quoin lockers are tested per ANSI/BIFMA X5.9-2019 requirements. Select locker applications require ganging or counterweight to comply with stability requirements.

Individual Lockers

The following lockers may be used *freestanding* without additional stability accommodations:

- All 28", 36" and 42" high lockers
- All 30" deep lockers

The following lockers require *ganging or counterweight* to meet stability requirements:

- 50"H x 12", 15"W x 15", 18", 24"D
- 57"H x 12", 15"W x 15", 18", 24"D

See *Locker Counterweights* for details

Counterweight Requirements

Counterweights are available to provide additional stability to Quoin lockers as needed. When required, counterweights are specified separately and field installed.

Locker Type	Individual Locker Application	Bank Application 2 Lockers	Bank Application 3 Lockers	Bank Application 4 Lockers
50"H x 12"W x 15"D	GR	(1) VALCW1210 + (1) VALCW1220	(1) VALCW1210	(1) VALCW1210
50"H x 12"W x 18"D	(1) VALCW1223	(1) VALCW1212		
50"H x 12"W x 24"D	(1) VALCW1212			
50"H x 15"W x 15"D	GR	(1) VALCW1513 + (1) VALCW1526	(1) VALCW1526	(1) VALCW1513
50"H x 15"W x 18"D	(1) VALCW1530	(1) VALCW1515		
50"H x 15"W x 24"D	(1) VALCW1515			
57"H x 12"W x 15"D	GR	(1) VALCW1210 + (1) VALCW1220	(1) VALCW1210	(1) VALCW1210
57"H x 12"W x 18"D	(1) VALCW1223	(1) VALCW1212		
57"H x 12"W x 24"D	(1) VALCW1212			
57"H x 15"W x 15"D	GR	(1) VALCW1526	(1) VALCW1526	(1) VALCW1513
57"H x 15"W x 18"D	(1) VALCW1530	(1) VALCW1515		
57"H x 15"W x 24"D	(1) VALCW1515			

GR = Ganging to a panel or wall required


Ganging Kits

A variety of ganging kits are available to provide additional stability as required. Counterweights are not required when ganging units except in locker bank applications as described in Counterweight Requirements chart.

All ganging kits are specified separately and field installed.

Applications include:

- Panel attachment brackets (VARDL01, VARDR01) secure Quoin locker to Dividends Horizon panel.
- Locker to credenza ganging kit (VARSO1) secures Quoin locker to Quoin credenza.



Dividends Horizon Panel Bracket for Quoin Locker Stability

Locker Banks

Most locker banks may be planned freestanding except applications as described below which require counterweight or anchoring to a wall or panel for additional stability:


- Bank of 2-4 lockers: 50"H x 12", 15"W x 15"D
- Bank of 2-4 lockers: 57"H x 12", 15"W x 15"D
- Bank of 2 lockers: 50"H x 12", 15"W x 18", 24"D
- Bank of 2 lockers: 57"H x 12", 15"W x 18", 24"D

Worksurface Mount Bracket

Worksurface mount brackets allow Quoin lockers to support one end of a Dividends Horizon fixed height worksurface. When specified, worksurface mount bracket replaces otherwise required support at the end of the worksurface (cantilever, support leg or similar).

Worksurface mount brackets are specified separately and field installed. Installation requires attachment through locker side panel and is intended to be permanent. Brackets are available in all core smooth and textured paint colors. Due to visibility of bracket within locker, it is recommended bracket finish coordinates with specified locker case finish.

Worksurface mount bracket applications require locker and attached worksurface to be of uniform depth.





Desk Supporting Lockers

With Leveling Glides

12" Wide

Quoin

description	configuration	h	w	d	pattern no.	P1	P2	P3
 Open with shelf, 12" wide	Open Pedestal, One shelf	27 1/16"	12"	15 13/16"	VLG281215OSN	\$1,140.	\$1,196.	\$1,255.
	Open Pedestal, One shelf	27 1/16"	12"	18 13/16"	VLG281218OSN	1,198.	1,260.	1,319.
	Open Pedestal, One shelf	27 1/16"	12"	23 1/4"	VLG281224OSN	1,348.	1,417.	1,483.
	Open Pedestal, One shelf	27 1/16"	12"	29 1/4"	VLG281230OSN	1,536.	1,614.	1,691.
 Hinged Door, 12" wide	Full Door Pedestal, left hand	27 1/16"	12"	15 13/16"	VLG281215FDLNSL	1,412.	1,482.	1,552.
	Full Door Pedestal, right hand	27 1/16"	12"	15 13/16"	VLG281215FDRNSL	1,412.	1,482.	1,552.
	Full Door Pedestal, left hand	27 1/16"	12"	18 13/16"	VLG281218FDLNSL	1,470.	1,546.	1,619.
	Full Door Pedestal, right hand	27 1/16"	12"	18 13/16"	VLG281218FDRNSL	1,470.	1,546.	1,619.
	Full Door Pedestal, left hand	27 1/16"	12"	23 1/4"	VLG281224FDLNSL	1,621.	1,701.	1,781.
	Full Door Pedestal, right hand	27 1/16"	12"	23 1/4"	VLG281224FDRNSL	1,621.	1,701.	1,781.
	Full Door Pedestal, left hand	27 1/16"	12"	29 1/4"	VLG281230FDLNSL	1,808.	1,901.	1,990.
	Full Door Pedestal, right hand	27 1/16"	12"	29 1/4"	VLG281230FDRNSL	1,808.	1,901.	1,990.



Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VLG281524FDLNSL	Desk supporting lockers include 1 removable shelf.	Desk supporting lockers do not include coat hook.
2. <i>Lock option</i> D = Digital Keypad Lock L = Cylinder Lock N = Non-Locking R = RFID Lock	VLG Quoin, Locker with Glides 28 28" High 15 15" Wide 24 24" Deep FDL Full Door Left N No finished top S Steel Door (L) Cylinder Lock (118) Paint Finish, Bright White (S) Standard Hinge (T) Pull Style, 5" Finger Pull (118) Pull Finish, Bright White (B) Lock finish, Black	Lockers with full door (FD) listed above include standard cylinder lock. For additional lock options, substitute with: N = Non-Locking, deduct \$15 D = Digital Keypad lock, add \$605 R = RFID Lock, add \$672 Example (VLG281524FDLNSN) Programming and Manager Key(s) are required for D or R lock types, specified separately. See Digital Keypad and RFID lock specifications for details. Lockers with full door are available with soft close hinges. Specify Q hinge type, add \$75 list.	Desk supporting lockers include hardware to attach to laminate top. Steel top option is not available for desk supporting units. Desk supporting lockers are intended to support one end of a worksurface or may be used in freestanding or bank applications. Finished height (28" nominal) aligns with standard Dividends Horizon worksurface height. When specified non-locking, lock drilling is omitted from door front.
3. <i>Paint Finish</i> See Finish Options page			
4. <i>Pull Style</i> T = 5" Finger Pull G = Rubber Grommet pull			
5. <i>Pull Finish</i> See Finish Option page			
6. <i>Lock Finish</i>			Dimensions listed under "w", "h", "d" are actual to the nearest 1/26".

Desk Supporting Lockers

With Leveling Glides

15" wide

Quoin

description	configuration	h	w	d	pattern no.	P1	P2	P3
 Open with shelf, 15" wide	Open Pedestal, One shelf	27 1/16"	15"	15 13/16"	VLG281515OSN	\$1,323.	\$1,390.	\$1,456.
	Open Pedestal, One shelf	27 1/16"	15"	18 13/16"	VLG281518OSN	1,390.	1,458.	1,530.
	Open Pedestal, One shelf	27 1/16"	15"	23 1/4"	VLG281524OSN	1,536.	1,614.	1,691.
	Open Pedestal, One shelf	27 1/16"	15"	29 1/4"	VLG281530OSN	1,619.	1,699.	1,779.
 Hinged Door, 15" wide	Full Door Pedestal, left hand	27 1/16"	15"	15 13/16"	VLG281515FDLNSL	1,625.	1,707.	1,789.
	Full Door Pedestal, right hand	27 1/16"	15"	15 13/16"	VLG281515FDRNSL	1,625.	1,707.	1,789.
	Full Door Pedestal, left hand	27 1/16"	15"	18 13/16"	VLG281518FDLNSL	1,691.	1,777.	1,860.
	Full Door Pedestal, right hand	27 1/16"	15"	18 13/16"	VLG281518FDRNSL	1,691.	1,777.	1,860.
	Full Door Pedestal, left hand	27 1/16"	15"	23 1/4"	VLG281524FDLNSL	1,838.	1,930.	2,022.
	Full Door Pedestal, right hand	27 1/16"	15"	23 1/4"	VLG281524FDRNSL	1,838.	1,930.	2,022.
	Full Door Pedestal, left hand	27 1/16"	15"	29 1/4"	VLG281530FDLNSL	1,918.	2,014.	2,111.
	Full Door Pedestal, right hand	27 1/16"	15"	29 1/4"	VLG281530FDRNSL	1,918.	2,014.	2,111.



Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VLG281524FDLNSL	Desk supporting lockers include 1 removable shelf.	Desk supporting lockers do not include coat hook.
2. <i>Lock option</i> D = Digital Keypad Lock L = Cylinder Lock N = Non-Locking R = RFID Lock	VLG Quoin, Locker with Glides 28 28" High 15 15" Wide 24 24" Deep FDL Full Door Left N No finished top S Steel Door (L) Cylinder Lock (118) Paint Finish, Bright White (S) Standard Hinge (T) Pull Style, 5" Finger Pull (118) Pull Finish, Bright White (B) Lock finish, Black	Lockers with full door (FD) listed above include standard cylinder lock. For additional lock options, substitute with: N = Non-Locking, deduct \$15 D = Digital Keypad lock, add \$605 R = RFID Lock, add \$672 Example (VLG281524FDLNSN) R and D lock types are not available with Grommet pull option. Programming and Manager Key(s) are required for D or R lock types, specified separately. See Digital Keypad and RFID lock specifications for details. Lockers with full door are available with soft close hinges. Specify Q hinge type, add \$75 list.	Desk supporting lockers include hardware to attach to laminate top. Steel top option is not available for desk supporting units. Desk supporting lockers are intended to support one end of a worksurface or may be used in freestanding or bank applications. Finished height (28" nominal) aligns with standard Dividends Horizon worksurface height. When specified non-locking, lock drilling is omitted from door front.
3. <i>Paint Finish</i> See Finish Options page			
4. <i>Pull Style</i> T = 5" Finger Pull G = Rubber Grommet pull			
5. <i>Pull Finish</i> See Finish Option page			
6. <i>Lock Finish</i>			Dimensions listed under "w", "h", "d" are actual to the nearest 1/26".

Desk Supporting Lockers

For use with Feet

12" Wide

Quoin

description	configuration	h	w	d	pattern no.	P1	P2	P3
 Open with shelf, 12" wide	Open Pedestal, One shelf	27 1/16"	12"	15 13/16"	VLF281215OSN	\$1,140.	\$1,196.	\$1,255.
	Open Pedestal, One shelf	27 1/16"	12"	18 13/16"	VLF281218OSN	1,198.	1,260.	1,319.
	Open Pedestal, One shelf	27 1/16"	12"	23 1/4"	VLF281224OSN	1,348.	1,417.	1,483.
	Open Pedestal, One shelf	27 1/16"	12"	29 1/4"	VLF281230OSN	1,536.	1,614.	1,691.
 Hinged Door, 12" wide	Full Door Pedestal, left hand	27 1/16"	12"	15 13/16"	VLF281215FDLNSL	1,412.	1,482.	1,552.
	Full Door Pedestal, right hand	27 1/16"	12"	15 13/16"	VLF281215FDRNSL	1,412.	1,482.	1,552.
	Full Door Pedestal, left hand	27 1/16"	12"	18 13/16"	VLF281218FDLNSL	1,470.	1,546.	1,619.
	Full Door Pedestal, right hand	27 1/16"	12"	18 13/16"	VLF281218FDRNSL	1,470.	1,546.	1,619.
	Full Door Pedestal, left hand	27 1/16"	12"	23 1/4"	VLF281224FDLNSL	1,621.	1,701.	1,781.
	Full Door Pedestal, right hand	27 1/16"	12"	23 1/4"	VLF281224FDRNSL	1,621.	1,701.	1,781.
	Full Door Pedestal, left hand	27 1/16"	12"	29 1/4"	VLF281230FDLNSL	1,808.	1,901.	1,990.
	Full Door Pedestal, right hand	27 1/16"	12"	29 1/4"	VLF281230FDRNSL	1,808.	1,901.	1,990.



Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VLF281524FDLNSL	Foot kits not included, must be specified separately and installed on site.	Desk supporting lockers do not include coat hook.
2. <i>Lock option</i> D = Digital Keypad Lock L = Cylinder Lock N = Non-Locking R = RFID Lock	VLF Quoin Locker, For use with Feet 28 28" High 15 15" Wide 24 24" Deep	Desk supporting lockers include 1 removable shelf.	Desk supporting lockers include hardware to attach to laminate top. Steel top option is not available for desk supporting units.
3. <i>Paint Finish</i> See Finish Options page	FDL Full Door Left	Lockers with full door (FD) listed above include standard cylinder lock. For additional lock options, substitute with: N = Non-Locking, deduct \$15 D = Digital Keypad lock, add \$605 R = RFID Lock, add \$672 Example (VLF281524FDLNSN) R and D lock types are not available with Grommet pull option.	Desk supporting lockers are intended to support one end of a worksurface or may be used in freestanding or bank applications.
4. <i>Pull Style</i> T = 5" Finger Pull G = Rubber Grommet pull	N No finished top S Steel Door		Finished height with foot kit installed is 28" nominal to align with standard Dividends Horizon worksurface height.
5. <i>Pull Finish</i> See Finish Option page	(L) Cylinder Lock		
6. <i>Lock Finish</i>	(118) Paint Finish, Bright White (S) Standard Hinge (T) Pull Style, 5" Finger Pull (118) Pull Finish, Bight White (B) Lock finish, Black	Programming and Manager Key(s) are required for D or R lock types, specified separately. See Digital Keypad and RFID lock specifications for details. Lockers with full door are available with soft close hinges. Specify Q hinge type, add \$75 list.	When specified non-locking, lock drilling is omitted from door front. Dimensions listed under "w", "h", "d" are actual to the nearest 1/26".

Desk Supporting Lockers

Quoin

For use with Feet

15" wide

description	configuration	h	w	d	pattern no.	P1	P2	P3
 Open with shelf, 15" wide	Open Pedestal, One shelf	27 1/16"	15"	15 13/16"	VLF281515OSN	\$1,323.	\$1,390.	\$1,456.
	Open Pedestal, One shelf	27 1/16"	15"	18 13/16"	VLF281518OSN	1,390.	1,458.	1,530.
	Open Pedestal, One shelf	27 1/16"	15"	23 1/4"	VLF281524OSN	1,536.	1,614.	1,691.
	Open Pedestal, One shelf	27 1/16"	15"	29 1/4"	VLF281530OSN	1,619.	1,699.	1,779.
 Hinged Door, 15" wide	Full Door Pedestal, left hand	27 1/16"	15"	15 13/16"	VLF281515FDLNSL	1,625.	1,707.	1,789.
	Full Door Pedestal, right hand	27 1/16"	15"	15 13/16"	VLF281515FDRNSL	1,625.	1,707.	1,789.
	Full Door Pedestal, left hand	27 1/16"	15"	18 13/16"	VLF281518FDLNSL	1,691.	1,777.	1,860.
	Full Door Pedestal, right hand	27 1/16"	15"	18 13/16"	VLF281518FDRNSL	1,691.	1,777.	1,860.
	Full Door Pedestal, left hand	27 1/16"	15"	23 1/4"	VLF281524FDLNSL	1,838.	1,930.	2,022.
	Full Door Pedestal, right hand	27 1/16"	15"	23 1/4"	VLF281524FDRNSL	1,838.	1,930.	2,022.
	Full Door Pedestal, left hand	27 1/16"	15"	29 1/4"	VLF281530FDLNSL	1,918.	2,014.	2,111.
	Full Door Pedestal, right hand	27 1/16"	15"	29 1/4"	VLF281530FDRNSL	1,918.	2,014.	2,111.


Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VLF281524FDLNSL	Foot kits not included, must be specified separately and installed on site.	Desk supporting lockers do not include coat hook.
2. <i>Lock option</i> D = Digital Keypad Lock L = Cylinder Lock N = Non-Locking R = RFID Lock	VLF Quoin Locker, For use with Feet 28 28" High 15 15" Wide 24 24" Deep FDL Full Door Left N No finished top S Steel Door (L) Cylinder Lock (118) Paint Finish, Bright White (S) Standard Hinge (T) Pull Style, 5" Finger Pull (118) Pull Finish, Bight White (B) Lock finish, Black	Desk supporting lockers include 1 removable shelf. Lockers with full door (FD) listed above include standard cylinder lock. For additional lock options, substitute with: N = Non-Locking, deduct \$15 D = Digital Keypad lock, add \$605 R = RFID Lock, add \$672 Example (VLF281524FDLNSN) R and D lock types are not available with Grommet pull options. Programming and Manager Key(s) are required for D or R lock types, specified separately. See Digital Keypad and RFID lock specifications for details. Lockers with full door are available with soft close hinges. Specify Q hinge type, add \$75 list.	Desk supporting lockers include hardware to attach to laminate top. Steel top option is not available for desk supporting units. Desk supporting lockers are intended to support one end of a worksurface or may be used in freestanding or bank applications. Finished height with foot kit installed is 28" nominal to align with standard Dividends Horizon worksurface height. When specified non-locking, lock drilling is omitted from door front. Dimensions listed under "w", "h", "d" are actual to the nearest 1/26".


Lockers


Open with Shelves with Leveling Glides


12" Wide

Quoin

description	no. shelves	nominal ht.	h	w	d	pattern no.	P1	P2	P3
	1	36"	34 ³ / ₁₆ "	12"	15 ¹³ / ₁₆ "	VLG361215OSS	\$1,264.	\$1,329.	\$1,391.
	2	42"	41 ¹ / ₂ "	12"	15 ¹³ / ₁₆ "	VLG421215OSS	1,330.	1,395.	1,463.
	3	50"	48 ³ / ₄ "	12"	15 ¹³ / ₁₆ "	VLG501215OSS	1,431.	1,504.	1,574.
	3	57"	56 ¹ / ₁₆ "	12"	15 ¹³ / ₁₆ "	VLG571215OSS	1,535.	1,611.	1,687.

	1	36"	34 ³ / ₁₆ "	12"	18 ¹³ / ₁₆ "	VLG361218OSS	1,330.	1,395.	1,463.
	2	42"	41 ¹ / ₂ "	12"	18 ¹³ / ₁₆ "	VLG421218OSS	1,395.	1,465.	1,535.
	3	50"	48 ³ / ₄ "	12"	18 ¹³ / ₁₆ "	VLG501218OSS	1,504.	1,577.	1,654.
	3	57"	56 ¹ / ₁₆ "	12"	18 ¹³ / ₁₆ "	VLG571218OSS	1,611.	1,694.	1,772.

	1	36"	34 ³ / ₁₆ "	12"	23 ¹ / ₄ "	VLG361224OSS	1,452.	1,524.	1,598.
	2	42"	41 ¹ / ₂ "	12"	23 ¹ / ₄ "	VLG421224OSS	1,524.	1,601.	1,675.
	3	50"	48 ³ / ₄ "	12"	23 ¹ / ₄ "	VLG501224OSS	1,645.	1,725.	1,808.
	3	57"	56 ¹ / ₁₆ "	12"	23 ¹ / ₄ "	VLG571224OSS	1,768.	1,857.	1,946.

	1	36"	34 ³ / ₁₆ "	12"	29 ¹ / ₄ "	VLG361230OSS	1,632.	1,715.	1,795.
	2	42"	41 ¹ / ₂ "	12"	29 ¹ / ₄ "	VLG421230OSS	1,715.	1,800.	1,886.
	3	50"	48 ³ / ₄ "	12"	29 ¹ / ₄ "	VLG501230OSS	1,856.	1,948.	2,042.
	3	57"	56 ¹ / ₁₆ "	12"	29 ¹ / ₄ "	VLG571230OSS	1,998.	2,099.	2,199.





Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VLG421224OSS	All open lockers include adjustable height shelves in quantities indicated above. Shelves are factory installed. See Specification Information for shelf positions and clearances.	Above listed lockers include a finished steel top. Lockers may be specified without a steel top for use with an individual or common laminate top, specified separately, to specify locker without top, substitute top option character with an "N" and deduct \$40 list (Example: VLG421224OSN).
2. <i>Paint Finish</i> See Finish Options page	VLG Quoin, Locker with Glides		
	42 42" High	Lockers are designed to align with underside of Dividends Horizon panel top cap.	Dimensions listed under 'w', 'h', 'd' are actual to the nearest 1/16".
	12 12" Wide		
	24 24" Deep	Lockers include (4) adjustable leveling glides.	50" and 57" high lockers, 15", 18" and 24" deep (nominal) require ganging or counterweight for stability. See Locker Stability Requirements for details.
	OS Open with shelves		
	S Steel Top		All lockers 42" and 36" high may be used freestanding.
	(118) Paint Finish, Bright White		
			All lockers 30" deep may be used freestanding.

Lockers

Open with Shelves with Leveling Glides

15" Wide

Quoin

description	configuration	nominal ht.	h	w	d	pattern no.	P1	P2	P3
 Open with Shelves, 15"w x 15"d	1	36"	34 ³ / ₁₆ "	15"	15 ¹³ / ₁₆ "	VLG361515OSS	\$1,817.	\$1,906.	\$1,998.
	2	42"	41 ¹ / ₂ "	15"	15 ¹³ / ₁₆ "	VLG421515OSS	1,890.	1,983.	2,080.
	3	50"	48 ³ / ₄ "	15"	15 ¹³ / ₁₆ "	VLG501515OSS	1,995.	2,095.	2,194.
	3	57"	56 ¹ / ₁₆ "	15"	15 ¹³ / ₁₆ "	VLG571515OSS	2,103.	2,205.	2,312.
 Open with Shelves, 15"w x 18"d	1	36"	34 ³ / ₁₆ "	15"	18 ¹³ / ₁₆ "	VLG361518OSS	1,872.	1,965.	2,057.
	2	42"	41 ¹ / ₂ "	15"	18 ¹³ / ₁₆ "	VLG421518OSS	1,947.	2,044.	2,143.
	3	50"	48 ³ / ₄ "	15"	18 ¹³ / ₁₆ "	VLG501518OSS	2,055.	2,158.	2,260.
	3	57"	56 ¹ / ₁₆ "	15"	18 ¹³ / ₁₆ "	VLG571518OSS	2,164.	2,272.	2,379.
 Open with Shelves, 15"w x 24"d	1	36"	34 ³ / ₁₆ "	15"	23 ¹ / ₄ "	VLG361524OSS	1,996.	2,096.	2,196.
	2	42"	41 ¹ / ₂ "	15"	23 ¹ / ₄ "	VLG421524OSS	2,075.	2,178.	2,284.
	3	50"	48 ³ / ₄ "	15"	23 ¹ / ₄ "	VLG501524OSS	2,196.	2,306.	2,415.
	3	57"	56 ¹ / ₁₆ "	15"	23 ¹ / ₄ "	VLG571524OSS	2,320.	2,436.	2,553.
 Open with Shelves, 15"w x 30"d	1	36"	34 ³ / ₁₆ "	15"	29 ¹ / ₄ "	VLG361530OSS	2,177.	2,287.	2,396.
	2	42"	41 ¹ / ₂ "	15"	29 ¹ / ₄ "	VLG421530OSS	2,515.	2,641.	2,765.
	3	50"	48 ³ / ₄ "	15"	29 ¹ / ₄ "	VLG501530OSS	2,668.	2,801.	2,936.
	3	57"	56 ¹ / ₁₆ "	15"	29 ¹ / ₄ "	VLG571530OSS	2,827.	2,968.	3,109.




Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VLG421524OSS	All open lockers include adjustable height shelves in quantities indicated above. Shelves are factory installed. See Specification Information for shelf positions and clearances.	Above listed lockers include a finished steel top. Lockers may be specified without a steel top for use with an individual or common laminate top, specified separately, to specify locker without top, substitute top option character with an "N" and deduct \$40 list (Example: VLG421224OSN).
2. <i>Paint Finish</i> See Finish Options page	VLG Quoin, Locker with Glides		
	42 42" High	Lockers are designed to align with underside of Dividends Horizon panel top cap.	Dimensions listed under 'w', 'h', 'd' are actual to the nearest 1/16".
	15 15" Wide		
	24 24" Deep	Lockers include (4) adjustable leveling glides.	50" and 57" high lockers, 18.75" and 24" deep require ganging or counterweight for stability. See Locker Stability Requirements for details.
	OS Open with shelves		
	S Steel Top		All lockers 42" and 36" high may be used freestanding.
	(118) Paint Finish, Bright White		
			All lockers 30" deep may be used freestanding.

Lockers

Full Door with Leveling Glides

12" Wide

Quoin

description	configuration	nominal ht.	h	w	d	pattern no.	P1	P2	P3	
	Full Height Door, 12"w x 15"d	left hand	36"	34 ³ / ₁₆ "	12"	15 ¹³ / ₁₆ "	VLG361215FDLSSL	\$1,438.	\$1,511.	\$1,581.
		right hand	36"	34 ³ / ₁₆ "	12"	15 ¹³ / ₁₆ "	VLG361215FDRSSL	1,438.	1,511.	1,581.
		left hand	42"	41 ¹ / ₂ "	12"	15 ¹³ / ₁₆ "	VLG421215FDLSSL	1,511.	1,586.	1,662.
		right hand	42"	41 ¹ / ₂ "	12"	15 ¹³ / ₁₆ "	VLG421215FDRSSL	1,511.	1,586.	1,662.
		left hand	50"	48 ³ / ₄ "	12"	15 ¹³ / ₁₆ "	VLG501215FDLSSL	1,625.	1,707.	1,789.
		right hand	50"	48 ³ / ₄ "	12"	15 ¹³ / ₁₆ "	VLG501215FDRSSL	1,625.	1,707.	1,789.
		left hand	57"	56 ¹ / ₁₆ "	12"	15 ¹³ / ₁₆ "	VLG571215FDLSSL	1,742.	1,827.	1,915.
		right hand	57"	56 ¹ / ₁₆ "	12"	15 ¹³ / ₁₆ "	VLG571215FDRSSL	1,742.	1,827.	1,915.
 <i>(left hand shown)</i>	Full Height Door, 12"w x 18"d	left hand	36"	34 ³ / ₁₆ "	12"	18 ¹³ / ₁₆ "	VLG361218FDLSSL	1,511.	1,586.	1,662.
		right hand	36"	34 ³ / ₁₆ "	12"	18 ¹³ / ₁₆ "	VLG361218FDRSSL	1,511.	1,586.	1,662.
		left hand	42"	41 ¹ / ₂ "	12"	18 ¹³ / ₁₆ "	VLG421218FDLSSL	1,586.	1,664.	1,744.
		right hand	42"	41 ¹ / ₂ "	12"	18 ¹³ / ₁₆ "	VLG421218FDRSSL	1,586.	1,664.	1,744.
		left hand	50"	48 ³ / ₄ "	12"	18 ¹³ / ₁₆ "	VLG501218FDLSSL	1,707.	1,792.	1,876.
		right hand	50"	48 ³ / ₄ "	12"	18 ¹³ / ₁₆ "	VLG501218FDRSSL	1,707.	1,792.	1,876.
		left hand	57"	56 ¹ / ₁₆ "	12"	18 ¹³ / ₁₆ "	VLG571218FDLSSL	1,827.	1,918.	2,010.
		right hand	57"	56 ¹ / ₁₆ "	12"	18 ¹³ / ₁₆ "	VLG571218FDRSSL	1,827.	1,918.	2,010.
 <i>(left hand shown)</i>	Full Height Door, 12"w x 24"d	left hand	36"	34 ³ / ₁₆ "	12"	23 ¹ / ₄ "	VLG361224FDLSSL	1,648.	1,730.	1,810.
		right hand	36"	34 ³ / ₁₆ "	12"	23 ¹ / ₄ "	VLG361224FDRSSL	1,648.	1,730.	1,810.
		left hand	42"	41 ¹ / ₂ "	12"	23 ¹ / ₄ "	VLG421224FDLSSL	1,730.	1,817.	1,903.
		right hand	42"	41 ¹ / ₂ "	12"	23 ¹ / ₄ "	VLG421224FDRSSL	1,730.	1,817.	1,903.
		left hand	50"	48 ³ / ₄ "	12"	23 ¹ / ₄ "	VLG501224FDLSSL	1,863.	1,958.	2,051.
		right hand	50"	48 ³ / ₄ "	12"	23 ¹ / ₄ "	VLG501224FDRSSL	1,863.	1,958.	2,051.
		left hand	57"	56 ¹ / ₁₆ "	12"	23 ¹ / ₄ "	VLG571224FDLSSL	2,003.	2,104.	2,203.
		right hand	57"	56 ¹ / ₁₆ "	12"	23 ¹ / ₄ "	VLG571224FDRSSL	2,003.	2,104.	2,203.


Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VLG421224FDLSSL	All lockers 36" high and taller with hinged door include factory installed, dual-prong coat hook and one adjustable shelf installed in lowest shelf position. See Specification Information for additional shelf positions.	Above listed lockers include a finished steel top. Lockers may be specified without a steel top for use with an individual or common laminate top, specified separately, to specify locker without top, substitute top option character with an "N" and deduct \$40 list (Example: VLG421224FDLNSL).
2. <i>Lock option</i>	VLG Quoin, Locker with Glides		
D = Digital Keypad Lock L = Cylinder Lock N = Non-locking R = RFID Lock	42 42" High 12 12" Wide		
3. <i>Paint Finish</i>	24 24" Deep	Above listed pattern numbers include standard cylinder lock. For additional lock options, substitute the final "L" of pattern number with: N = Non-Locking, deduct \$15 D = Digital Keypad lock, add \$605 R = RFID lock, add \$672 Example (VLG501224FDLSSN). R and D lock types are not available with Grommet pull option.	When specified non-locking, lock drilling is omitted from door front. Dimensions listed under 'w', 'h', 'd' are actual to the nearest 1/8". 50" and 57" high lockers, 15", 18" and 24" deep (nominal) require ganging or counterweight for stability. See Locker Stability Requirements for details.
See Finish Options page	FDL Full Door Left		
4. <i>Pull style</i>	S Steel Top S Steel Door		
T = 5" Finger pull G = Rubber Grommet pull	(L) Cylinder Lock	Programming and Manager Key(s) are required for D or R lock types, <i>specified separately</i> . See Digital Keypad and RFID lock specifications for details.	All lockers 42" and 36" high may be used freestanding. All lockers 30" deep may be used freestanding.
5. <i>Pull finish</i>	(118) Paint Finish, Bright White		
See Finish Options page	(S) Standard Hinge (T) Pull Style, 5" Finger pull		
6. <i>Lock finish</i>	(118) Pull Finish, Bright White (B) Lock finish, Black	Lockers with full door are available with soft close hinges. Specify Q hinge type, add \$75 list.	

Lockers

Full Door with Leveling Glides

12" Wide

Quoin

description	configuration	nominal ht.	h	w	d	pattern no.	P1	P2	P3
 (left hand shown)	left hand	36"	34 ³ / ₁₆ "	12"	29 ¹ / ₄ "	VLG361230FDLSSL	\$1,851.	\$1,943.	\$2,036.
	right hand	36"	34 ³ / ₁₆ "	12"	29 ¹ / ₄ "	VLG361230FDRSSL	1,851.	1,943.	2,036.
	left hand	42"	41 ¹ / ₂ "	12"	29 ¹ / ₄ "	VLG421230FDLSSL	1,943.	2,039.	2,136.
	right hand	42"	41 ¹ / ₂ "	12"	29 ¹ / ₄ "	VLG421230FDRSSL	1,943.	2,039.	2,136.
	left hand	50"	48 ³ / ₄ "	12"	29 ¹ / ₄ "	VLG501230FDLSSL	2,102.	2,204.	2,311.
	right hand	50"	48 ³ / ₄ "	12"	29 ¹ / ₄ "	VLG501230FDRSSL	2,102.	2,204.	2,311.
	left hand	57"	56 ¹ / ₁₆ "	12"	29 ¹ / ₄ "	VLG571230FDLSSL	2,260.	2,374.	2,487.
	right hand	57"	56 ¹ / ₁₆ "	12"	29 ¹ / ₄ "	VLG571230FDRSSL	2,260.	2,374.	2,487.




Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VLG421224FDLSSL	All lockers 36" high and taller with hinged door include factory installed, dual-prong coat hook and one adjustable shelf installed in lowest shelf position. See Specification Information for additional shelf positions.	Above listed lockers include a finished steel top. Lockers may be specified without a steel top for use with an individual or common laminate top, specified separately, to specify locker without top, substitute top option character with an "N" and deduct \$40 list (Example: VLG421224FDLNSL).
2. <i>Lock option</i> D = Digital Keypad Lock L = Cylinder Lock N = Non-locking R = RFID Lock	VLG Quoin, Locker with Glides		
3. <i>Paint Finish</i> See Finish Options page	42 42" High	Above listed pattern numbers include standard cylinder lock. For additional lock options, substitute the final "L" of pattern number with: N = Non-Locking, deduct \$15 D = Digital Keypad lock, add \$605 R = RFID lock, add \$672 Example (VLG501224FDLSSN). R and D lock types are not available with Grommet pull option.	When specified non-locking, lock drilling is omitted from door front.
4. <i>Pull style</i> T = 5" Finger pull G = Rubber Grommet pull	12 12" Wide		
5. <i>Pull finish</i> See Finish Options page	24 24" Deep	Programming and Manager Key(s) are required for D or R lock types, specified separately. See Digital Keypad and RFID lock specifications for details.	Dimensions listed under 'w', 'h', 'd' are actual to the nearest 1/8". 50" and 57" high lockers, 15", 18" and 24" deep (nominal) require ganging or counterweight for stability. See Locker Stability Requirements for details.
6. <i>Lock finish</i>	FDL Full Door Left		
	S Steel Top	Lockers with full door are available with soft close hinges. Specify Q hinge type, add \$75 list.	All lockers 42" and 36" high may be used freestanding. All lockers 30" deep may be used freestanding.
	S Steel Door		
	(L) Cylinder Lock		
	(118) Paint Finish, Bright White		
	(S) Standard Hinge		
	(T) Pull Style, 5" Finger pull		
	(118) Pull Finish, Bright White		
	(B) Lock finish, Black		

Lockers

Full Door with Leveling Glides

15" Wide

Quoin

description	configuration	nominal ht.	h	w	d	pattern no.	P1	P2	P3	
	Full Height Door, 15"w x 15"d	left hand	36"	34 ³ / ₁₆ "	15"	15 ¹³ / ₁₆ "	VLG361515FDLSSL	\$2,056.	\$2,159.	\$2,261.
		right hand	36"	34 ³ / ₁₆ "	15"	15 ¹³ / ₁₆ "	VLG361515FDRSSL	2,056.	2,159.	2,261.
		left hand	42"	41 1/2"	15"	15 ¹³ / ₁₆ "	VLG421515FDLSSL	2,137.	2,245.	2,351.
		right hand	42"	41 1/2"	15"	15 ¹³ / ₁₆ "	VLG421515FDRSSL	2,137.	2,245.	2,351.
		right hand	50"	48 ³ / ₄ "	15"	15 ¹³ / ₁₆ "	VLG501515FDLSSL	2,256.	2,367.	2,482.
		left hand	50"	48 ³ / ₄ "	15"	15 ¹³ / ₁₆ "	VLG501515FDRSSL	2,256.	2,367.	2,482.
		left hand	57"	56 1/16"	15"	15 ¹³ / ₁₆ "	VLG571515FDLSSL	2,375.	2,493.	2,613.
		right hand	57"	56 1/16"	15"	15 ¹³ / ₁₆ "	VLG571515FDRSSL	2,375.	2,493.	2,613.
 (left hand shown)	Full Height Door, 15"w x 18"d	left hand	36"	34 ³ / ₁₆ "	15"	18 ¹³ / ₁₆ "	VLG361518FDLSSL	2,118.	2,224.	2,330.
		right hand	36"	34 ³ / ₁₆ "	15"	18 ¹³ / ₁₆ "	VLG361518FDRSSL	2,118.	2,224.	2,330.
		left hand	42"	41 1/2"	15"	18 ¹³ / ₁₆ "	VLG421518FDLSSL	2,203.	2,313.	2,423.
		right hand	42"	41 1/2"	15"	18 ¹³ / ₁₆ "	VLG421518FDRSSL	2,203.	2,313.	2,423.
		left hand	50"	48 ³ / ₄ "	15"	18 ¹³ / ₁₆ "	VLG501518FDLSSL	2,322.	2,439.	2,556.
		right hand	50"	48 ³ / ₄ "	15"	18 ¹³ / ₁₆ "	VLG501518FDRSSL	2,322.	2,439.	2,556.
		left hand	57"	56 1/16"	15"	18 ¹³ / ₁₆ "	VLG571518FDLSSL	2,446.	2,567.	2,690.
		right hand	57"	56 1/16"	15"	18 ¹³ / ₁₆ "	VLG571518FDRSSL	2,446.	2,567.	2,690.
 (left hand shown)	Full Height Door, 15"w x 24"d	left hand	36"	34 ³ / ₁₆ "	15"	23 1/4"	VLG361524FDLSSL	2,257.	2,370.	2,485.
		right hand	36"	34 ³ / ₁₆ "	15"	23 1/4"	VLG361524FDRSSL	2,257.	2,370.	2,485.
		left hand	42"	41 1/2"	15"	23 1/4"	VLG421524FDLSSL	2,348.	2,463.	2,582.
		right hand	42"	41 1/2"	15"	23 1/4"	VLG421524FDRSSL	2,348.	2,463.	2,582.
		left hand	50"	48 ³ / ₄ "	15"	23 1/4"	VLG501524FDLSSL	2,482.	2,605.	2,730.
		right hand	50"	48 ³ / ₄ "	15"	23 1/4"	VLG501524FDRSSL	2,482.	2,605.	2,730.
		left hand	57"	56 1/16"	15"	23 1/4"	VLG571524FDLSSL	2,621.	2,750.	2,883.
		right hand	57"	56 1/16"	15"	23 1/4"	VLG571524FDRSSL	2,621.	2,750.	2,883.


Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VLG421224FDLSSL	All lockers 36" high and taller with hinged door include factory installed, dual-prong coat hook and one adjustable shelf installed in lowest shelf position. See Specification Information for additional shelf positions.	Above listed lockers include a finished steel top. Lockers may be specified without a steel top for use with an individual or common laminate top, specified separately, to specify locker without top, substitute top option character with an "N" and deduct \$40 list (Example: VLG421224FDLNSL).
2. <i>Lock option</i>	VLG Quoin, Locker with Glides		
D = Digital Keypad Lock L = Cylinder Lock N = Non-locking R = RFID Lock	42 42" High 15 15" Wide 24 24" Deep		
3. <i>Paint Finish</i>	FDL Full Door Left	Above listed pattern numbers include standard cylinder lock. For additional lock options, substitute the final "L" of pattern number with: N = Non-Locking, deduct \$15 D = Digital Keypad lock, add \$605 R = RFID lock, add \$672 Example (VLG501224FDLSSN). R and D lock types are not available with Grommet pull options.	When specified non-locking, lock drilling is omitted from door front. Dimensions listed under 'w', 'h', 'd' are actual to the nearest 1/8". 50" and 57" high lockers, 15", 18" and 24" deep (nominal) require ganging or counterweight for stability. See Locker Stability Requirements for details.
4. <i>Pull style</i>	S Steel Top S Steel Door		
T = 5" Finger pull G = Rubber Grommet pull	(L) Cylinder Lock		
5. <i>Pull finish</i>	(118) Paint Finish, Bright White	Programming and Manager Key(s) are required for D or R lock types, <i>specified separately</i> . See Digital Keypad and RFID lock specifications for details.	All lockers 42" and 36" high may be used freestanding. All lockers 30" deep may be used freestanding.
See Finish Options page	(S) Standard Hinge (T) Pull Style, 5" Finger pull		
6. <i>Lock finish</i>	(118) Pull Finish, Bright White (B) Lock finish, Black		

Lockers

Full Door with Leveling Glides

15" Wide

Quoin

description	configuration	nominal ht.	h	w	d	pattern no.	P1	P2	P3
 (left hand shown)	left hand	36"	34 ³ / ₁₆ "	15"	29 ¹ / ₄ "	VLG361530FDLSSL	\$2,461.	\$2,585.	\$2,706.
	right hand	36"	34 ³ / ₁₆ "	15"	29 ¹ / ₄ "	VLG361530FDRSSL	2,461.	2,585.	2,706.
	left hand	42"	41 ¹ / ₂ "	15"	29 ¹ / ₄ "	VLG421530FDLSSL	2,560.	2,688.	2,815.
	right hand	42"	41 ¹ / ₂ "	15"	29 ¹ / ₄ "	VLG421530FDRSSL	2,560.	2,688.	2,815.
	left hand	50"	48 ³ / ₄ "	15"	29 ¹ / ₄ "	VLG501530FDLSSL	2,717.	2,854.	2,991.
	right hand	50"	48 ³ / ₄ "	15"	29 ¹ / ₄ "	VLG501530FDRSSL	2,717.	2,854.	2,991.
	left hand	57"	56 ¹ / ₁₆ "	15"	29 ¹ / ₄ "	VLG571530FDLSSL	2,879.	3,023.	3,166.
	right hand	57"	56 ¹ / ₁₆ "	15"	29 ¹ / ₄ "	VLG571530FDRSSL	2,879.	3,023.	3,166.

Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VLG421224FDLSSL	All lockers 36" high and taller with hinged door include factory installed, dual-prong coat hook and one adjustable shelf installed in lowest shelf position. See Specification Information for additional shelf positions.	Above listed lockers include a finished steel top. Lockers may be specified without a steel top for use with an individual or common laminate top, specified separately, to specify locker without top, substitute top option character with an "N" and deduct \$40 list (Example: VLG421224FDLNSL).
2. <i>Lock option</i> D = Digital Keypad Lock L = Cylinder Lock N = Non-locking R = RFID Lock	VLG Quoin, Locker with Glides		
3. <i>Paint Finish</i> See Finish Options page	42 42" High	Above listed pattern numbers include standard cylinder lock. For additional lock options, substitute the final "L" of pattern number with: N = Non-Locking, deduct \$15 D = Digital Keypad lock, add \$605 R = RFID lock, add \$672 Example (VLG501224FDLSSN). R and D lock types are not available with Grommet pull options.	When specified non-locking, lock drilling is omitted from door front.
4. <i>Pull style</i> T = 5" Finger pull G = Rubber Grommet pull	15 15" Wide		
5. <i>Pull finish</i> See Finish Options page	24 24" Deep	Programming and Manager Key(s) are required for D or R lock types, specified separately. See Digital Keypad and RFID lock specifications for details.	Dimensions listed under 'w', 'h', 'd' are actual to the nearest 1/8". 50" and 57" high lockers, 15", 18" and 24" deep (nominal) require ganging or counterweight for stability. See Locker Stability Requirements for details.
6. <i>Lock finish</i>	FDL Full Door Left		
	S Steel Top	Lockers with full door are available with soft close hinges. Specify Q hinge type, add \$75 list.	All lockers 42" and 36" high may be used freestanding. All lockers 30" deep may be used freestanding.
	S Steel Door		
	(L) Cylinder Lock		
	(118) Paint Finish, Bright White		
	(S) Standard Hinge		
	(T) Pull Style, 5" Finger pull		
	(118) Pull Finish, Bright White		
	(B) Lock finish, Black		


Lockers

Open with Shelves, for use with feet

12" Wide


Quoin

description	no. shelves	elevation ht.	h	w	d	pattern no.	P1	P2	P3
Open with Shelves, 12"w x 15"d	1	36"	30 ⁷ / ₈ "	12"	15 ¹³ / ₁₆ "	VLF361215OSS	\$1,264.	\$1,329.	\$1,391.
	2	42"	38 ³ / ₁₆ "	12"	15 ¹³ / ₁₆ "	VLF421215OSS	1,330.	1,395.	1,463.
	3	50"	45 ¹ / ₂ "	12"	15 ¹³ / ₁₆ "	VLF501215OSS	1,431.	1,504.	1,574.
	3	57"	52 ¹³ / ₁₆ "	12"	15 ¹³ / ₁₆ "	VLF571215OSS	1,535.	1,611.	1,687.



*shown with foot kit, specified separately

Open with Shelves, 12"w x 18"d	1	36"	30 ⁷ / ₈ "	12"	18 ¹³ / ₁₆ "	VLF361218OSS	1,330.	1,395.	1,463.
	2	42"	38 ³ / ₁₆ "	12"	18 ¹³ / ₁₆ "	VLF421218OSS	1,395.	1,465.	1,535.
	3	50"	45 ¹ / ₂ "	12"	18 ¹³ / ₁₆ "	VLF501218OSS	1,504.	1,577.	1,654.
	3	57"	52 ¹³ / ₁₆ "	12"	18 ¹³ / ₁₆ "	VLF571218OSS	1,611.	1,694.	1,772.



*shown with foot kit, specified separately

Open with Shelves, 12"w x 24"d	1	36"	30 ⁷ / ₈ "	12"	23 ¹ / ₄ "	VLF361224OSS	1,452.	1,524.	1,598.
	2	42"	38 ³ / ₁₆ "	12"	23 ¹ / ₄ "	VLF421224OSS	1,524.	1,601.	1,675.
	3	50"	45 ¹ / ₂ "	12"	23 ¹ / ₄ "	VLF501224OSS	1,645.	1,725.	1,808.
	3	57"	52 ¹³ / ₁₆ "	12"	23 ¹ / ₄ "	VLF571224OSS	1,768.	1,857.	1,946.



*shown with foot kit, specified separately

Order Information	Order Code	Specific Information	Application Notes
1. Base Pattern Number	Example: VLF421224OSS	Foot kits not included, must be specified separately and installed on site.	Above listed lockers include a finished steel top. Lockers may be specified without a steel top for use with an individual or common laminate top, specified separately.
2. Paint Finish	VLF Quoin, for Feet	All open lockers include adjustable height shelves in quantities indicated above. Shelves are factory installed. See Specification	to specify locker without top, substitute top option character with an "N" and deduct \$40 list (Example: VLG421224OSN).
See Finish Options page	42 42" High	Information for shelf positions and clearances.	Dimensions listed under 'w', 'h', 'd' are actual to the nearest 1/6".
	12 12" Wide	Lockers for use with feet are designed to align with underside of Dividends Horizon panel top cap with foot kits installed.	50" and 57" high lockers, 15", 18" and 24" deep (nominal) require ganging or counterweight for stability. See Locker Stability Requirements for details.
	24 24" Deep	Lockers for feet do not include leveling glides.	All lockers 42" and 36" high may be used freestanding.
	OS Open with shelves		All lockers 30" deep may be used freestanding.
	S Steel Top		
	(118) Paint Finish, Bright White		


Lockers

Open with Shelves, for use with feet

12" Wide

Quoin

description	no. shelves	elevation ht.	h	w	d	pattern no.	P1	P2	P3
Open with Shelves, 12"w x 30"d	1	36"	30 ⁷ / ₈ "	12"	29 ¹ / ₄ "	VLF361230OSS	\$1,632.	\$1,715.	\$1,795.
	2	42"	38 ³ / ₁₆ "	12"	29 ¹ / ₄ "	VLF421230OSS	1,715.	1,800.	1,886.
	3	50"	45 ¹ / ₂ "	12"	29 ¹ / ₄ "	VLF501230OSS	1,856.	1,948.	2,042.
	3	57"	52 ¹³ / ₁₆ "	12"	29 ¹ / ₄ "	VLF571230OSS	1,998.	2,099.	2,199.



*shown with foot kit, specified separately

Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VLF421224OSS	Foot kits not included, must be specified separately and installed on site.	Above listed lockers include a finished steel top. Lockers may be specified without a steel top for use with an individual or common laminate top, specified separately.
2. <i>Paint Finish</i>	VLF Quoin, for Feet	All open lockers include adjustable height shelves in quantities indicated above. Shelves are factory installed. See Specification	to specify locker without top, substitute top option character with an "N" and deduct \$40 list (Example: VLG421224OSN).
See Finish Options page	42 42" High	Information for shelf positions and clearances.	Dimensions listed under 'w', 'h', 'd' are actual to the nearest 1/6".
	12 12" Wide	Lockers for use with feet are designed to align with underside of Dividends Horizon panel top cap with foot kits installed.	50" and 57" high lockers, 15", 18" and 24" deep (nominal) require ganging or counterweight for stability. See Locker Stability Requirements for details.
	24 24" Deep	Lockers for feet do not include leveling glides.	All lockers 42" and 36" high may be used freestanding.
	OS Open with shelves		All lockers 30" deep may be used freestanding.
	S Steel Top		
	(118) Paint Finish, Bright White		


Lockers

Open with Shelves, for use with feet

15" Wide


Quoin

description	configuration	elevation ht.	h	w	d	pattern no.	P1	P2	P3
Open with Shelves, 15"w x 15"d	1	36"	30 ⁷ / ₈ "	15"	15 ¹³ / ₁₆ "	VLF361515OSS	\$1,817.	\$1,906.	\$1,998.
	2	42"	38 ³ / ₁₆ "	15"	15 ¹³ / ₁₆ "	VLF421515OSS	1,890.	1,983.	2,080.
	3	50"	45 ¹ / ₂ "	15"	15 ¹³ / ₁₆ "	VLF501515OSS	1,995.	2,095.	2,194.
	3	57"	52 ¹³ / ₁₆ "	15"	15 ¹³ / ₁₆ "	VLF571515OSS	2,103.	2,205.	2,312.




*shown with foot kit, specified separately

Open with Shelves, 15"w x 18"d	1	36"	30 ⁷ / ₈ "	15"	18 ¹³ / ₁₆ "	VLF361518OSS	1,872.	1,965.	2,057.
	2	42"	38 ³ / ₁₆ "	15"	18 ¹³ / ₁₆ "	VLF421518OSS	1,947.	2,044.	2,143.
	3	50"	45 ¹ / ₂ "	15"	18 ¹³ / ₁₆ "	VLF501518OSS	2,055.	2,158.	2,260.
	3	57"	52 ¹³ / ₁₆ "	15"	18 ¹³ / ₁₆ "	VLF571518OSS	2,164.	2,272.	2,379.



*shown with foot kit, specified separately

Open with Shelves, 15"w x 24"d	1	36"	30 ⁷ / ₈ "	15"	23 ¹ / ₄ "	VLF361524OSS	1,996.	2,096.	2,196.
	2	42"	38 ³ / ₁₆ "	15"	23 ¹ / ₄ "	VLF421524OSS	2,075.	2,178.	2,284.
	3	50"	45 ¹ / ₂ "	15"	23 ¹ / ₄ "	VLF501524OSS	2,196.	2,306.	2,415.
	3	57"	52 ¹³ / ₁₆ "	15"	23 ¹ / ₄ "	VLF571524OSS	2,320.	2,436.	2,553.



*shown with foot kit, specified separately

Order Information	Order Code	Specific Information	Application Notes
1. Base Pattern Number	Example: VLF421524OSS	Foot kits not included, must be specified separately and installed on site.	Above listed lockers include a finished steel top. Lockers may be specified without a steel top for use with an individual or common laminate top, specified separately.
2. Paint Finish	VLF Quoin, for Feet	All open lockers include adjustable height shelves in quantities indicated above. Shelves are factory installed. See Specification	to specify locker without top, substitute top option character with an "N" and deduct \$40 list (Example: VLG421224OSN).
See Finish Options page	42 42" High	Information for shelf positions and clearances.	
	15 15" Wide	Lockers for use with feet are designed to align with underside of Dividends Horizon panel top cap with foot kits installed.	Dimensions listed under 'w', 'h', 'd' are actual to the nearest 1/6".
	24 24" Deep	Lockers for feet do not include leveling glides.	50" and 57" high lockers, 18.75" and 24" deep require ganging or counterweight for stability. See Locker Stability Requirements for details.
	OS Open with shelves		
	S Steel Top		
	(118) Paint Finish, Bright White		All lockers 42" and 36" high may be used freestanding.
			All lockers 30" deep may be used freestanding.


Lockers

Open with Shelves, for use with feet

15" Wide

Quoin

description	configuration	elevation ht.	h	w	d	pattern no.	P1	P2	P3
Open with Shelves, 15"w x 30"d	1	36"	30 ⁷ / ₈ "	15"	29 ¹ / ₄ "	VLF361530OSS	\$2,177.	\$2,287.	\$2,396.
	2	42"	38 ³ / ₁₆ "	15"	29 ¹ / ₄ "	VLF421530OSS	2,515.	2,641.	2,765.
	3	50"	45 ¹ / ₂ "	15"	29 ¹ / ₄ "	VLF501530OSS	2,668.	2,801.	2,936.
	3	57"	52 ¹³ / ₁₆ "	15"	29 ¹ / ₄ "	VLF571530OSS	2,827.	2,968.	3,109.



*shown with foot kit, specified separately


Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VLF421524OSS	Foot kits not included, must be specified separately and installed on site.	Above listed lockers include a finished steel top. Lockers may be specified without a steel top for use with an individual or common laminate top, specified separately.
2. <i>Paint Finish</i>	VLF Quoin, for Feet	All open lockers include adjustable height shelves in quantities indicated above. Shelves are factory installed. See Specification	to specify locker without top, substitute top option character with an "N" and deduct \$40 list (Example: VLG421224OSN).
See Finish Options page	42 42" High	Information for shelf positions and clearances.	
	15 15" Wide	Lockers for use with feet are designed to align with underside of Dividends Horizon panel top cap with foot kits installed.	Dimensions listed under 'w', 'h', 'd' are actual to the nearest 1/6".
	24 24" Deep	Lockers for feet do not include leveling glides.	50" and 57" high lockers, 18.75" and 24" deep require ganging or counterweight for stability. See Locker Stability Requirements for details.
	OS Open with shelves		
	S Steel Top		
	(118) Paint Finish, Bright White		All lockers 42" and 36" high may be used freestanding.
			All lockers 30" deep may be used freestanding.

Lockers


Full Door, for use with feet

12" Wide

Quoin

description	configuration	elevation ht.	h	w	d	pattern no.	P1	P2	P3
	left hand	36"	30 ⁷ / ₈ "	12"	15 ¹³ / ₁₆ "	VLF361215FDLSSL	\$1,438.	\$1,511.	\$1,581.
	right hand	36"	30 ⁷ / ₈ "	12"	15 ¹³ / ₁₆ "	VLF361215FDRSSL	1,438.	1,511.	1,581.
	left hand	42"	38 ³ / ₁₆ "	12"	15 ¹³ / ₁₆ "	VLF421215FDLSSL	1,511.	1,586.	1,662.
	right hand	42"	38 ³ / ₁₆ "	12"	15 ¹³ / ₁₆ "	VLF421215FDRSSL	1,511.	1,586.	1,662.
	left hand	50"	45 ¹ / ₂ "	12"	15 ¹³ / ₁₆ "	VLF501215FDLSSL	1,625.	1,707.	1,789.
	right hand	50"	45 ¹ / ₂ "	12"	15 ¹³ / ₁₆ "	VLF501215FDRSSL	1,625.	1,707.	1,789.
	left hand	57"	52 ¹³ / ₁₆ "	12"	15 ¹³ / ₁₆ "	VLF571215FDLSSL	1,742.	1,827.	1,915.
	right hand	57"	52 ¹³ / ₁₆ "	12"	15 ¹³ / ₁₆ "	VLF571215FDRSSL	1,742.	1,827.	1,915.

*Shown with feet, specified separately

	left hand	36"	30 ⁷ / ₈ "	12"	18 ¹³ / ₁₆ "	VLF361218FDLSSL	1,511.	1,586.	1,662.
	right hand	36"	30 ⁷ / ₈ "	12"	18 ¹³ / ₁₆ "	VLF361218FDRSSL	1,511.	1,586.	1,662.
	left hand	42"	38 ³ / ₁₆ "	12"	18 ¹³ / ₁₆ "	VLF421218FDLSSL	1,586.	1,664.	1,744.
	right hand	42"	38 ³ / ₁₆ "	12"	18 ¹³ / ₁₆ "	VLF421218FDRSSL	1,586.	1,664.	1,744.
	left hand	50"	45 ¹ / ₂ "	12"	18 ¹³ / ₁₆ "	VLF501218FDLSSL	1,707.	1,792.	1,876.
	right hand	50"	45 ¹ / ₂ "	12"	18 ¹³ / ₁₆ "	VLF501218FDRSSL	1,707.	1,792.	1,876.
	left hand	57"	52 ¹³ / ₁₆ "	12"	18 ¹³ / ₁₆ "	VLF571218FDLSSL	1,827.	1,918.	2,010.
	right hand	57"	52 ¹³ / ₁₆ "	12"	18 ¹³ / ₁₆ "	VLF571218FDRSSL	1,827.	1,918.	2,010.

*Shown with feet, specified separately


Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VLF421224FDLSSL	Foot kits not included, must be specified separately and installed on site.	Above listed lockers include a finished steel top. Lockers may be specified without a steel top for use with an individual or common laminate top, specified separately. to specify locker without top, substitute top option character with an "N" and deduct \$40 list (Example: VLG421224FDLNSL).
2. <i>Lock option</i>	VLF Quoin, Locker for Feet		
D = Digital Keypad Lock	42 42" High		
L = Cylinder Lock	12 12" Wide	All lockers 36" high and taller with hinged door include factory installed, dual-prong coat hook and one adjustable shelf installed in lowest shelf position. See Specification Information for additional shelf positions.	When specified non-locking, lock drilling is omitted from door front.
N = Non-locking	24 24" Deep		
R = RFID Lock	FDL Full Door Left		
3. <i>Paint Finish</i>	S Steel Top	Above listed pattern numbers include standard cylinder lock. For additional lock options, substitute the final "L" of pattern number with: N = Non-Locking, deduct \$15 D = Digital Keypad lock, add \$605 R = RFID lock, add \$672 Example (VLG501224FDLSSN). R and D lock types are not available with Grommet pull option.	Dimensions listed under 'w', 'h', 'd' are actual to the nearest 1/8". 50" and 57" high lockers, 15", 18" and 24" deep (nominal) require ganging or counterweight for stability. See Locker Stability Requirements for details.
See Finish Options page	S Steel Door		
4. <i>Pull style</i>	(L) Cylinder Lock		
T = 5" Finger pull	(118) Paint Finish, Bright White	Lockers for feet do not include leveling glides. Lockers for use with feet are designed to align with underside of Dividends Horizon panel top cap with foot kits installed.	All lockers 42" and 36" high may be used freestanding. All lockers 30" deep may be used freestanding.
G = Rubber Grommet pull	(S) Standard Hinge		
5. <i>Pull finish</i>	(T) Pull Style, 5" Finger pull		
See Finish Options page	(118) Pull Finish, Bright White	Lockers with full door are available with soft close hinges. Specify Q hinge type, add \$75 list.	
6. <i>Lock finish</i>	(B) Lock finish, Black		

Lockers


Full Door, for use with feet

12" Wide

Quoin

description	configuration	elevation ht.	h	w	d	pattern no.	P1	P2	P3
	left hand	36"	30 ⁷ / ₈ "	12"	23 ¹ / ₄ "	VLF361224FDLSSL	\$1,648.	\$1,730.	\$1,810.
	left hand	42"	38 ³ / ₁₆ "	12"	23 ¹ / ₄ "	VLF421224FDLSSL	1,730.	1,817.	1,903.
	left hand	50"	45 ¹ / ₂ "	12"	23 ¹ / ₄ "	VLF501224FDLSSL	1,863.	1,958.	2,051.
	left hand	57"	52 ¹³ / ₁₆ "	12"	23 ¹ / ₄ "	VLF571224FDLSSL	2,003.	2,104.	2,203.
	right hand	36"	30 ⁷ / ₈ "	12"	23 ¹ / ₄ "	VLF361224FDRSSL	1,648.	1,730.	1,810.
	right hand	42"	38 ³ / ₁₆ "	12"	23 ¹ / ₄ "	VLF421224FDRSSL	1,730.	1,817.	1,903.
	right hand	50"	45 ¹ / ₂ "	12"	23 ¹ / ₄ "	VLF501224FDRSSL	1,863.	1,958.	2,051.
	right hand	57"	52 ¹³ / ₁₆ "	12"	23 ¹ / ₄ "	VLF571224FDRSSL	2,003.	2,104.	2,203.

*Shown with feet, specified separately

	left hand	36"	30 ⁷ / ₈ "	12"	29 ¹ / ₄ "	VLF361230FDLSSL	1,851.	1,943.	2,036.
	left hand	42"	38 ³ / ₁₆ "	12"	29 ¹ / ₄ "	VLF421230FDLSSL	1,943.	2,039.	2,136.
	left hand	50"	45 ¹ / ₂ "	12"	29 ¹ / ₄ "	VLF501230FDLSSL	2,102.	2,204.	2,311.
	left hand	57"	52 ¹³ / ₁₆ "	12"	29 ¹ / ₄ "	VLF571230FDLSSL	2,260.	2,374.	2,487.
	right hand	36"	30 ⁷ / ₈ "	12"	29 ¹ / ₄ "	VLF361230FDRSSL	1,851.	1,943.	2,036.
	right hand	42"	38 ³ / ₁₆ "	12"	29 ¹ / ₄ "	VLF421230FDRSSL	1,943.	2,039.	2,136.
	right hand	50"	45 ¹ / ₂ "	12"	29 ¹ / ₄ "	VLF501230FDRSSL	2,102.	2,204.	2,311.
	right hand	57"	52 ¹³ / ₁₆ "	12"	29 ¹ / ₄ "	VLF571230FDRSSL	2,260.	2,374.	2,487.

*Shown with feet, specified separately


Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VLF421224FDLSSL	Foot kits not included, must be specified separately and installed on site.	Above listed lockers include a finished steel top. Lockers may be specified without a steel top for use with an individual or common laminate top, specified separately.
2. <i>Lock option</i>	VLF Quoin, Locker for Feet	All lockers 36" high and taller with hinged door include factory installed, dual-prong coat hook and one adjustable shelf installed in lowest shelf position. See Specification Information for additional shelf positions.	to specify locker without top, substitute top option character with an "N" and deduct \$40 list (Example: VLG421224FDLNSL).
D = Digital Keypad Lock	42 42" High		
L = Cylinder Lock	12 12" Wide		
N = Non-locking	24 24" Deep		
R = RFID Lock	FDL Full Door Left		
3. <i>Paint Finish</i>	S Steel Top		When specified non-locking, lock drilling is omitted from door front.
See Finish Options page	S Steel Door		
4. <i>Pull style</i>	(L) Cylinder Lock		
T = 5" Finger pull	(118) Paint Finish, Bright White	Above listed pattern numbers include standard cylinder lock. For additional lock options, substitute the final "L" of pattern number with: N = Non-Locking, deduct \$15	Dimensions listed under 'w', 'h', 'd' are actual to the nearest 1/8".
G = Rubber Grommet pull	(S) Standard Hinge	D = Digital Keypad lock, add \$605	50" and 57" high lockers, 15", 18" and 24" deep (nominal) require ganging or counterweight for stability. See Locker Stability Requirements for details.
5. <i>Pull finish</i>	(T) Pull Style, 5" Finger pull	R = RFID lock, add \$672	
See Finish Options page	(118) Pull Finish, Bright White	Example (VLG501224FDLSSN).	
6. <i>Lock finish</i>	(B) Lock finish, Black	R and D lock types are not available with Grommet pull option.	All lockers 42" and 36" high may be used freestanding.
		Lockers for feet do not include leveling glides.	All lockers 30" deep may be used freestanding.
		Lockers for use with feet are designed to align with underside of Dividends Horizon panel top cap with foot kits installed.	
		Lockers with full door are available with soft close hinges. Specify Q hinge type, add \$75 list.	

Lockers


Full Door, for use with feet

15" Wide

Quoin

description	configuration	elevation ht.	h	w	d	pattern no.	P1	P2	P3
	left hand	36"	30 ⁷ / ₈ "	15"	15 ¹³ / ₁₆ "	VLF361515FDLSSL	\$2,056.	\$2,159.	\$2,261.
	right hand	36"	30 ⁷ / ₈ "	15"	15 ¹³ / ₁₆ "	VLF361515FDRSSL	2,056.	2,159.	2,261.
	left hand	42"	38 ³ / ₁₆ "	15"	15 ¹³ / ₁₆ "	VLF421515FDLSSL	2,137.	2,245.	2,351.
	right hand	42"	38 ³ / ₁₆ "	15"	15 ¹³ / ₁₆ "	VLF421515FDRSSL	2,137.	2,245.	2,351.
	left hand	50"	45 ¹ / ₂ "	15"	15 ¹³ / ₁₆ "	VLF501515FDLSSL	2,256.	2,367.	2,482.
	right hand	50"	45 ¹ / ₂ "	15"	15 ¹³ / ₁₆ "	VLF501515FDRSSL	2,256.	2,367.	2,482.
	left hand	57"	52 ¹³ / ₁₆ "	15"	15 ¹³ / ₁₆ "	VLF571515FDLSSL	2,375.	2,493.	2,613.
	right hand	57"	52 ¹³ / ₁₆ "	15"	15 ¹³ / ₁₆ "	VLF571515FDRSSL	2,375.	2,493.	2,613.

*Shown with feet, specified separately

	left hand	36"	30 ⁷ / ₈ "	15"	18 ¹³ / ₁₆ "	VLF361518FDLSSL	2,118.	2,224.	2,330.
	right hand	36"	30 ⁷ / ₈ "	15"	18 ¹³ / ₁₆ "	VLF361518FDRSSL	2,118.	2,224.	2,330.
	left hand	42"	38 ³ / ₁₆ "	15"	18 ¹³ / ₁₆ "	VLF421518FDLSSL	2,203.	2,313.	2,423.
	right hand	42"	38 ³ / ₁₆ "	15"	18 ¹³ / ₁₆ "	VLF421518FDRSSL	2,203.	2,313.	2,423.
	left hand	50"	45 ¹ / ₂ "	15"	18 ¹³ / ₁₆ "	VLF501518FDLSSL	2,322.	2,439.	2,556.
	right hand	50"	45 ¹ / ₂ "	15"	18 ¹³ / ₁₆ "	VLF501518FDRSSL	2,322.	2,439.	2,556.
	left hand	57"	52 ¹³ / ₁₆ "	15"	18 ¹³ / ₁₆ "	VLF571518FDLSSL	2,446.	2,567.	2,690.
	right hand	57"	52 ¹³ / ₁₆ "	15"	18 ¹³ / ₁₆ "	VLF571518FDRSSL	2,446.	2,567.	2,690.

*Shown with feet, specified separately


Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VLF421224FDLSSL	Foot kits not included, must be specified separately and installed on site.	Above listed lockers include a finished steel top. Lockers may be specified without a steel top for use with an individual or common laminate top, specified separately. to specify locker without top, substitute top option character with an "N" and deduct \$40 list (Example: VLG421224FDLNSL).
2. <i>Lock option</i>	VLF Quoin, Locker for Feet		
D = Digital Keypad Lock	42 42" High		
L = Cylinder Lock	15 15" Wide	All lockers 36" high and taller with hinged door include factory installed, dual-prong coat hook and one adjustable shelf installed in lowest shelf position. See Specification Information for additional shelf positions.	When specified non-locking, lock drilling is omitted from door front.
N = Non-locking	24 24" Deep		
R = RFID Lock	FDL Full Door Left		
3. <i>Paint Finish</i>	S Steel Top	Above listed pattern numbers include standard cylinder lock. For additional lock options, substitute the final "L" of pattern number with: N = Non-Locking, deduct \$15 D = Digital Keypad lock, add \$605 R = RFID lock, add \$672 Example (VLG501224FDLSSN). R and D lock types are not available with Grommet pull option.	Dimensions listed under 'w', 'h', 'd' are actual to the nearest 1/8". 50" and 57" high lockers, 15", 18" and 24" deep (nominal) require ganging or counterweight for stability. See Locker Stability Requirements for details.
See Finish Options page	S Steel Door		
4. <i>Pull style</i>	(L) Cylinder Lock		
T = 5" Finger pull	(118) Paint Finish, Bright White	Lockers for feet do not include leveling glides. Lockers for use with feet are designed to align with underside of Dividends Horizon panel top cap with foot kits installed.	All lockers 42" and 36" high may be used freestanding. All lockers 30" deep may be used freestanding.
G = Rubber Grommet pull	(S) Standard Hinge		
5. <i>Pull finish</i>	(T) Pull Style, 5" Finger pull		
See Finish Options page	(118) Pull Finish, Bright White	Lockers with full door are available with soft close hinges. Specify Q hinge type, add \$75 list.	
6. <i>Lock finish</i>	(B) Lock finish, Black		

Lockers


Full Door, for use with feet

15" Wide

Quoin

description	configuration	elevation ht.	h	w	d	pattern no.	P1	P2	P3
	left hand	36"	30 ⁷ / ₈ "	15"	23 ¹ / ₄ "	VLF361524FDLSSL	\$2,257.	\$2,370.	\$2,485.
	left hand	42"	38 ³ / ₁₆ "	15"	23 ¹ / ₄ "	VLF421524FDLSSL	2,348.	2,463.	2,582.
	left hand	50"	45 ¹ / ₂ "	15"	23 ¹ / ₄ "	VLF501524FDLSSL	2,482.	2,605.	2,730.
	left hand	57"	52 ¹³ / ₁₆ "	15"	23 ¹ / ₄ "	VLF571524FDLSSL	2,621.	2,750.	2,883.
	right hand	36"	30 ⁷ / ₈ "	15"	23 ¹ / ₄ "	VLF361524FDRSSL	2,257.	2,370.	2,485.
	right hand	42"	38 ³ / ₁₆ "	15"	23 ¹ / ₄ "	VLF421524FDRSSL	2,348.	2,463.	2,582.
	right hand	50"	45 ¹ / ₂ "	15"	23 ¹ / ₄ "	VLF501524FDRSSL	2,482.	2,605.	2,730.
	right hand	57"	52 ¹³ / ₁₆ "	15"	23 ¹ / ₄ "	VLF571524FDRSSL	2,621.	2,750.	2,883.

*Shown with feet, specified separately

	left hand	36"	30 ⁷ / ₈ "	15"	29 ¹ / ₄ "	VLF361530FDLSSL	2,461.	2,585.	2,706.
	left hand	42"	38 ³ / ₁₆ "	15"	29 ¹ / ₄ "	VLF421530FDLSSL	2,560.	2,688.	2,815.
	left hand	50"	45 ¹ / ₂ "	15"	29 ¹ / ₄ "	VLF501530FDLSSL	2,717.	2,854.	2,991.
	left hand	57"	52 ¹³ / ₁₆ "	15"	29 ¹ / ₄ "	VLF571530FDLSSL	2,879.	3,023.	3,166.
	right hand	36"	30 ⁷ / ₈ "	15"	29 ¹ / ₄ "	VLF361530FDRSSL	2,461.	2,585.	2,706.
	right hand	42"	38 ³ / ₁₆ "	15"	29 ¹ / ₄ "	VLF421530FDRSSL	2,560.	2,688.	2,815.
	right hand	50"	45 ¹ / ₂ "	15"	29 ¹ / ₄ "	VLF501530FDRSSL	2,717.	2,854.	2,991.
	right hand	57"	52 ¹³ / ₁₆ "	15"	29 ¹ / ₄ "	VLF571530FDRSSL	2,879.	3,023.	3,166.



*Shown with feet, specified separately

Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VLF421224FDLSSL	Foot kits not included, must be specified separately and installed on site.	Above listed lockers include a finished steel top. Lockers may be specified without a steel top for use with an individual or common laminate top, specified separately. to specify locker without top, substitute top option character with an "N" and deduct \$40 list (Example: VLG421224FDLNSL).
2. <i>Lock option</i>	VLF Quoin, Locker for Feet		
D = Digital Keypad Lock	42 42" High		
L = Cylinder Lock	15 15" Wide	All lockers 36" high and taller with hinged door include factory installed, dual-prong coat hook and one adjustable shelf installed in lowest shelf position. See Specification Information for additional shelf positions.	When specified non-locking, lock drilling is omitted from door front.
N = Non-locking	24 24" Deep		
R = RFID Lock	FDL Full Door Left		
3. <i>Paint Finish</i>	S Steel Top	Above listed pattern numbers include standard cylinder lock. For additional lock options, substitute the final "L" of pattern number with: N = Non-Locking, deduct \$15 D = Digital Keypad lock, add \$605 R = RFID lock, add \$672 Example (VLG501224FDLSSN). R and D lock types are not available with Grommet pull option.	Dimensions listed under 'w', 'h', 'd' are actual to the nearest 1/8". 50" and 57" high lockers, 15", 18" and 24" deep (nominal) require ganging or counterweight for stability. See Locker Stability Requirements for details.
See Finish Options page	S Steel Door		
4. <i>Pull style</i>	(L) Cylinder Lock		
T = 5" Finger pull	(118) Paint Finish, Bright White	Lockers for feet do not include leveling glides. Lockers for use with feet are designed to align with underside of Dividends Horizon panel top cap with foot kits installed.	All lockers 42" and 36" high may be used freestanding. All lockers 30" deep may be used freestanding.
G = Rubber Grommet pull	(S) Standard Hinge		
5. <i>Pull finish</i>	(T) Pull Style, 5" Finger pull		
See Finish Options page	(118) Pull Finish, Bright White	Lockers with full door are available with soft close hinges. Specify Q hinge type, add \$75 list.	
6. <i>Lock finish</i>	(B) Lock finish, Black		

Locker Tops

Laminate Tops For 15" deep Lockers

Quoin

description	type	w	d	h	pattern no.	L1	L2
Locker top, individual locker, 15" deep	individual locker top, 12" w	12"	15 ⁷ / ₈ "	1 ⁵ / ₁₆ "	VLTS1215L	\$310.	\$353.
	individual locker top, 15" w	14 ¹⁵ / ₁₆ "	15 ⁷ / ₈ "	1 ⁵ / ₁₆ "	VLTS1515L	316.	362.
Locker top, single run, 15" deep 	common top for (2) 12" w lockers	23 ⁷ / ₈ "	15 ⁷ / ₈ "	1 ⁵ / ₁₆ "	VLTC2415L	316.	397.
	common top for (2) 15" w lockers	29 ¹³ / ₁₆ "	15 ⁷ / ₈ "	1 ⁵ / ₁₆ "	VLTC3015L	339.	427.
	common top for (3) 12" w lockers	35 ¹³ / ₁₆ "	15 ⁷ / ₈ "	1 ⁵ / ₁₆ "	VLTC3615L	362.	450.
	common top for (3) 15" w lockers	44 ¹¹ / ₁₆ "	15 ⁷ / ₈ "	1 ⁵ / ₁₆ "	VLTC4515L	397.	545.
	common top for (4) 12" w lockers	47 ² / ₃ "	15 ⁷ / ₈ "	1 ⁵ / ₁₆ "	VLTC4815L	415.	558.
	common top for (4) 15" w / (5) 12" w lockers	59 ⁹ / ₁₆ "	15 ⁷ / ₈ "	1 ⁵ / ₁₆ "	VLTC6015L	462.	691.
	common top for (6) 12" w lockers	71 ⁷ / ₈ "	15 ⁷ / ₈ "	1 ⁵ / ₁₆ "	VLTC7215L	495.	795.
	common top for (5) 15" w lockers	74 ⁷ / ₁₆ "	15 ⁷ / ₈ "	1 ⁵ / ₁₆ "	VLTC7515L	531.	853.
	common top for (7) 12" w lockers	83 ³ / ₁₆ "	15 ⁷ / ₈ "	1 ⁵ / ₁₆ "	VLTC8415L	573.	928.
	common top for (6) 15" w lockers	89 ⁷ / ₁₆ "	15 ⁷ / ₈ "	1 ⁵ / ₁₆ "	VLTC9015L	633.	988.
	common top for (8) 12" w lockers	95 ¹ / ₈ "	15 ⁷ / ₈ "	1 ⁵ / ₁₆ "	VLTC9615L	699.	1,052.
	common top for (7) 15" w lockers	104 ³ / ₁₆ "	15 ⁷ / ₈ "	1 ⁵ / ₁₆ "	VLTC10515L	774.	1,118.
	common top for (8) 15" w lockers	119 ¹ / ₁₆ "	15 ⁷ / ₈ "	1 ⁵ / ₁₆ "	VLTC12015L	861.	1,198.
Locker top, back-to-back run, 30" deep 	common top for (4) 12" w lockers	23 ⁷ / ₈ "	31 ¹¹ / ₁₆ "	1 ⁵ / ₁₆ "	VLTB2430L	416.	520.
	common top for (4) 15" w lockers	29 ¹³ / ₁₆ "	31 ¹¹ / ₁₆ "	1 ⁵ / ₁₆ "	VLTB3030L	488.	611.
	common top for (6) 12" w lockers	35 ¹³ / ₁₆ "	31 ¹¹ / ₁₆ "	1 ⁵ / ₁₆ "	VLTB3630L	553.	705.
	common top for (6) 15" w lockers	45 ¹¹ / ₁₆ "	31 ¹¹ / ₁₆ "	1 ⁵ / ₁₆ "	VLTB4530L	653.	833.
	common top for (8) 12" w lockers	47 ² / ₃ "	31 ¹¹ / ₁₆ "	1 ⁵ / ₁₆ "	VLTB4830L	692.	896.
	common top for (8) 15" w / (10) 12" w lockers	59 ⁹ / ₁₆ "	31 ¹¹ / ₁₆ "	1 ⁵ / ₁₆ "	VLTB6030L	844.	1,098.
	common top for (12) 12" w lockers	71 ⁷ / ₈ "	31 ¹¹ / ₁₆ "	1 ⁵ / ₁₆ "	VLTB7230L	1,002.	1,307.
	common top for (10) 15" w lockers	74 ⁷ / ₁₆ "	31 ¹¹ / ₁₆ "	1 ⁵ / ₁₆ "	VLTB7530L	1,049.	1,370.
	common top for (14) 12" w lockers	83 ³ / ₁₆ "	31 ¹¹ / ₁₆ "	1 ⁵ / ₁₆ "	VLTB8430L	1,145.	1,486.
	common top for (12) 15" w lockers	89 ⁷ / ₁₆ "	31 ¹¹ / ₁₆ "	1 ⁵ / ₁₆ "	VLTB9030L	1,238.	1,601.
	common top for (16) 12" w lockers	95 ¹ / ₈ "	31 ¹¹ / ₁₆ "	1 ⁵ / ₁₆ "	VLTB9630L	1,354.	1,739.
	common top for (14) 15" w lockers	104 ³ / ₁₆ "	31 ¹¹ / ₁₆ "	1 ⁵ / ₁₆ "	VLTB10530L	1,455.	1,826.
	common top for (16) 15" w lockers	119 ¹ / ₁₆ "	31 ¹¹ / ₁₆ "	1 ⁵ / ₁₆ "	VLTB12030L	1,577.	1,942.

Order Information

1. Base Pattern Number
2. Laminate Finish
See Finish Options page
3. Edge band Finish

Order Code

Example:	VLTC3618L
VL	Quoin, Locker
C	Common top, Single Run
36	36" Wide
18	18 ⁷ / ₈ " Deep
L	Laminate
118	Laminate finish, Bright White
118	Edgeband finish, Bright White

Specific Information

Ganging kits (VARQ01, VARQ10 pattern numbers) are required for use with VLTC or VLTB common tops, specified separately.

Tops are designed to span a maximum of (8) lockers of uniformed width side-by-side, flush with no gap.

VLTB back-to-back tops are designed to be used over lockers of the same depth, positioned back-to-back flush with no gap.

Application Notes

For use with Quoin lockers with "no top" option only.

Hardware to attach laminate tops is included with each "no top" Quoin locker.



Common locker top design features a slight overhang on all 4 sides.

Some locker bank applications may require counterweight for stability. See Locker Stability Requirements for details. Counterweights must be specified separately if required.

Locker Tops

Laminate Tops For 18" deep Lockers

Quoin

description	type	w	d	h	pattern no.	L1	L2
Locker top, individual locker, 18" deep	individual locker top, 12" w	12"	18 ⁷ / ₈ "	15 ¹ / ₁₆ "	VLTS1218L	\$316.	\$362.
	individual locker top, 15" w	14 ¹⁵ / ₁₆ "	18 ⁷ / ₈ "	15 ¹ / ₁₆ "	VLTS1518L	324.	368.
Locker top, single run, 18" deep 	common top for (2) 12" w lockers	23 ⁷ / ₈ "	18 ⁷ / ₈ "	15 ¹ / ₁₆ "	VLTC2418L	324.	410.
	common top for (2) 15" w lockers	29 ¹³ / ₁₆ "	18 ⁷ / ₈ "	15 ¹ / ₁₆ "	VLTC3018L	344.	435.
	common top for (3) 12" w lockers	35 ¹³ / ₁₆ "	18 ⁷ / ₈ "	15 ¹ / ₁₆ "	VLTC3618L	362.	457.
	common top for (3) 15" w lockers	44 ¹¹ / ₁₆ "	18 ⁷ / ₈ "	15 ¹ / ₁₆ "	VLTC4518L	404.	558.
	common top for (4) 12" w lockers	47 ² / ₃ "	18 ⁷ / ₈ "	15 ¹ / ₁₆ "	VLTC4818L	415.	584.
	common top for (4) 15" w / (5) 12" w lockers	59 ⁹ / ₁₆ "	18 ⁷ / ₈ "	15 ¹ / ₁₆ "	VLTC6018L	509.	717.
	common top for (6) 12" w lockers	71 ⁷ / ₈ "	18 ⁷ / ₈ "	15 ¹ / ₁₆ "	VLTC7218L	609.	861.
	common top for (5) 15" w lockers	74 ⁷ / ₁₆ "	18 ⁷ / ₈ "	15 ¹ / ₁₆ "	VLTC7518L	647.	920.
	common top for (7) 12" w lockers	83 ³ / ₁₆ "	18 ⁷ / ₈ "	15 ¹ / ₁₆ "	VLTC8418L	710.	1,003.
	common top for (6) 15" w lockers	89 ⁵ / ₁₆ "	18 ⁷ / ₈ "	15 ¹ / ₁₆ "	VLTC9018L	750.	1,067.
	common top for (8) 12" w lockers	95 ¹ / ₈ "	18 ⁷ / ₈ "	15 ¹ / ₁₆ "	VLTC9618L	801.	1,135.
	common top for (7) 15" w lockers	104 ³ / ₁₆ "	18 ⁷ / ₈ "	15 ¹ / ₁₆ "	VLTC10518L	839.	1,208.
	common top for (8) 15" w lockers	119 ¹ / ₁₆ "	18 ⁷ / ₈ "	15 ¹ / ₁₆ "	VLTC12018L	889.	1,288.
Locker top, back-to-back run, 38" deep 	common top for (4) 12" w lockers	23 ⁷ / ₈ "	37 ² / ₃ "	15 ¹ / ₁₆ "	VLTB2438L	545.	637.
	common top for (4) 15" w lockers	29 ¹³ / ₁₆ "	37 ² / ₃ "	15 ¹ / ₁₆ "	VLTB3038L	691.	779.
	common top for (6) 12" w lockers	35 ¹³ / ₁₆ "	37 ² / ₃ "	15 ¹ / ₁₆ "	VLTB3638L	804.	947.
	common top for (6) 15" w lockers	44 ¹¹ / ₁₆ "	37 ² / ₃ "	15 ¹ / ₁₆ "	VLTB4538L	928.	1,089.
	common top for (8) 12" w lockers	47 ² / ₃ "	37 ² / ₃ "	15 ¹ / ₁₆ "	VLTB4838L	1,005.	1,194.
	common top for (8) 15" w / (10) 12" w lockers	59 ⁹ / ₁₆ "	37 ² / ₃ "	15 ¹ / ₁₆ "	VLTB6038L	1,216.	1,452.
	common top for (12) 12" w lockers	71 ⁷ / ₈ "	37 ² / ₃ "	15 ¹ / ₁₆ "	VLTB7238L	1,429.	1,715.
	common top for (10) 15" w lockers	74 ⁷ / ₁₆ "	37 ² / ₃ "	15 ¹ / ₁₆ "	VLTB7538L	1,492.	1,788.
	common top for (14) 12" w lockers	83 ³ / ₁₆ "	37 ² / ₃ "	15 ¹ / ₁₆ "	VLTB8438L	1,620.	1,915.
	common top for (12) 15" w lockers	89 ⁵ / ₁₆ "	37 ² / ₃ "	15 ¹ / ₁₆ "	VLTB9038L	1,772.	2,091.
	common top for (16) 12" w lockers	95 ¹ / ₈ "	37 ² / ₃ "	15 ¹ / ₁₆ "	VLTB9638L	1,971.	2,303.
	common top for (14) 15" w lockers	104 ³ / ₁₆ "	37 ² / ₃ "	15 ¹ / ₁₆ "	VLTB10538L	2,135.	2,445.
	common top for (16) 15" w lockers	119 ¹ / ₁₆ "	37 ² / ₃ "	15 ¹ / ₁₆ "	VLTB12038L	2,354.	2,650.

Order Information

1. Base Pattern Number
2. Laminate Finish
See Finish Options page
3. Edge band Finish

Order Code

Example:	VLTC3618L
VL	Quoin, Locker
C	Common top, Single Run
36	36" Wide
18	18 ⁷ / ₈ " Deep
L	Laminate
118	Laminate finish, Bright White
118	Edgeband finish, Bright White

Specific Information

Ganging kits (VARQ01, VARQ10 pattern numbers) are required for use with VLTC or VLTB common tops, specified separately.

Tops are designed to span a maximum of (8) lockers of uniformed width side-by-side, flush with no gap.

VLTB back-to-back tops are designed to be used over lockers of the same depth, positioned back-to-back flush with no gap.

Application Notes

For use with Quoin lockers with "no top" option only.

Hardware to attach laminate tops is included with each "no top" Quoin locker.



Common locker top design features a slight overhang on all 4 sides.

Some locker bank applications may require counterweight for stability. See Locker Stability Requirements for details. Counterweights must be specified separately if required.

Locker Tops

Laminate Tops For 24" deep Lockers

Quoin

description	type	w	d	h	pattern no.	L1	L2
Locker top, individual locker, 24" deep	individual locker top, 12" w	12"	23 1/4"	15/16"	VLTS1224L	\$324.	\$368.
	individual locker top, 15" w	14 15/16"	23 1/4"	15/16"	VLTS1524L	330.	376.
Locker top, single run, 24" deep 	common top for (2) 12" w lockers	23 7/8"	23 1/4"	15/16"	VLTC2424L	330.	440.
	common top for (2) 15" w lockers	29 13/16"	23 1/4"	15/16"	VLTC3024L	353.	500.
	common top for (2) 15" w lockers	35 13/16"	23 1/4"	15/16"	VLTC3624L	384.	544.
	common top for (3) 15" w lockers	44 11/16"	23 1/4"	15/16"	VLTC4524L	473.	664.
	common top for (4) 12" w lockers	47 7/8"	23 1/4"	15/16"	VLTC4824L	486.	699.
	common top for (4) 15" w / (5) 12" w lockers	59 9/16"	23 1/4"	15/16"	VLTC6024L	595.	862.
	common top for (6) 12" w lockers	71 7/8"	23 1/4"	15/16"	VLTC7224L	715.	1,031.
	common top for (5) 15" w lockers	74 7/16"	23 1/4"	15/16"	VLTC7524L	750.	1,089.
	common top for (7) 12" w lockers	83 3/16"	23 1/4"	15/16"	VLTC8424L	829.	1,203.
	common top for (6) 15" w lockers	89 5/16"	23 1/4"	15/16"	VLTC9024L	883.	1,274.
	common top for (8) 12" w lockers	95 1/8"	23 1/4"	15/16"	VLTC9624L	941.	1,367.
	common top for (7) 15" w lockers	104 3/16"	23 1/4"	15/16"	VLTC10524L	1,002.	1,413.
	common top for (8) 15" w lockers	119 1/16"	23 1/4"	15/16"	VLTC12024L	1,061.	1,469.
Locker top, back-to-back, 48" deep 	common top for (4) 12" w lockers	23 7/8"	46 1/2"	15/16"	VLTB2448L	617.	730.
	common top for (4) 15" w lockers	29 13/16"	46 1/2"	15/16"	VLTB3048L	765.	889.
	common top for (6) 12" w lockers	35 13/16"	46 1/2"	15/16"	VLTB3648L	916.	1,088.
	common top for (6) 15" w lockers	44 11/16"	46 1/2"	15/16"	VLTB4548L	1,075.	1,281.
	common top for (8) 12" w lockers	47 7/8"	46 1/2"	15/16"	VLTB4848L	1,145.	1,374.
	common top for (8) 15" w / (10) 12" w lockers	59 9/16"	46 1/2"	15/16"	VLTB6048L	1,392.	1,679.
	common top for (12) 12" w lockers	71 7/8"	46 1/2"	15/16"	VLTB7248L	1,647.	1,985.
	common top for (10) 15" w lockers	74 7/16"	46 1/2"	15/16"	VLTB7548L	1,767.	2,091.
	common top for (14) 12" w lockers	83 3/16"	46 1/2"	15/16"	VLTB8448L	2,023.	2,325.
	common top for (12) 15" w lockers	89 5/16"	46 1/2"	15/16"	VLTB9048L	2,119.	2,502.
	common top for (16) 12" w lockers	95 1/8"	46 1/2"	15/16"	VLTB9648L	2,252.	2,708.
	common top for (14) 15" w lockers	104 3/16"	46 1/2"	15/16"	VLTB10548L	2,384.	2,885.
	common top for (16) 15" w lockers	119 1/16"	46 1/2"	15/16"	VLTB12048L	2,546.	3,090.

Order Information

1. Base Pattern Number
2. Laminate Finish
See Finish Options page
3. Edge band Finish

Order Code

Example:	VLTC3618L
VL	Quoin, Locker
C	Common top, Single Run
36	36" Wide
18	18 7/8" Deep
L	Laminate
118	Laminate finish, Bright White
118	Edgeband finish, Bright White

Specific Information

Ganging kits (VARQ01, VARQ10 pattern numbers) are required for use with VLTC or VLTB common tops, specified separately.

Tops are designed to span a maximum of (8) lockers of uniformed width side-by-side, flush with no gap.

VLTB back-to-back tops are designed to be used over lockers of the same depth, positioned back-to-back flush with no gap.

Application Notes

For use with Quoin lockers with "no top" option only.

Hardware to attach laminate tops is included with each "no top" Quoin locker.



Common locker top design features a slight overhang on all 4 sides.

Some locker bank applications may require counterweight for stability. See Locker Stability Requirements for details. Counterweights must be specified separately if required.

Locker Tops

Laminate Tops For 30" deep Lockers

Quoin

description	type	w	d	h	pattern no.	L1	L2
Locker top, individual locker, 30" deep	individual locker top, 12" w	12"	29 1/4"	15 1/16"	VLTS1230L	\$330.	\$376.
	individual locker top, 15" w	14 15/16"	29 1/4"	15 1/16"	VLTS1530L	339.	391.
Locker top, single run, 30" deep 	common top for (3) 15" w lockers	23 7/8"	29 1/4"	15 1/16"	VLTC2430L	416.	520.
	common top for (2) 15" w lockers	29 13/16"	29 1/4"	15 1/16"	VLTC3030L	488.	611.
	common top for (3) 12" w lockers	35 13/16"	29 1/4"	15 1/16"	VLTC3630L	553.	705.
	common top for (3) 15" w lockers	44 11/16"	29 1/4"	15 1/16"	VLTC4530L	653.	833.
	common top for (4) 12" w lockers	47 7/8"	29 1/4"	15 1/16"	VLTC4830L	692.	896.
	common top for (4) 15" w / (5) 12" w lockers	59 9/16"	29 1/4"	15 1/16"	VLTC6030L	844.	1,098.
	common top for (6) 12" w lockers	71 7/8"	29 1/4"	15 1/16"	VLTC7230L	1,002.	1,307.
	common top for (5) 15" w lockers	74 7/16"	29 1/4"	15 1/16"	VLTC7530L	1,049.	1,370.
	common top for (7) 12" w lockers	83 3/16"	29 1/4"	15 1/16"	VLTC8430L	1,145.	1,486.
	common top for (6) 15" w lockers	89 5/16"	29 1/4"	15 1/16"	VLTC9030L	1,238.	1,601.
	common top for (8) 12" w lockers	95 1/8"	29 1/4"	15 1/16"	VLTC9630L	1,354.	1,739.
	common top for (7) 15" w lockers	104 3/16"	29 1/4"	15 1/16"	VLTC10530L	1,455.	1,826.
	common top for (8) 15" w lockers	119 1/16"	29 1/4"	15 1/16"	VLTC12030L	1,577.	1,942.
Locker top, back-to-back, 60" deep 	common top for (4) 12" w lockers	23 7/8"	58 1/2"	15 1/16"	VLTB2460L	759.	839.
	common top for (4) 15" w lockers	29 13/16"	58 1/2"	15 1/16"	VLTB3060L	1,030.	1,061.
	common top for (6) 12" w lockers	35 13/16"	58 1/2"	15 1/16"	VLTB3660L	1,230.	1,352.
	common top for (6) 15" w lockers	44 11/16"	58 1/2"	15 1/16"	VLTB4560L	1,383.	1,516.
	common top for (8) 12" w lockers	47 7/8"	58 1/2"	15 1/16"	VLTB4860L	1,525.	1,688.
	common top for (8) 15" w / (10) 12" w lockers	59 9/16"	58 1/2"	15 1/16"	VLTB6060L	1,836.	2,039.
	common top for (12) 12" w lockers	71 7/8"	58 1/2"	15 1/16"	VLTB7260L	2,148.	2,398.
	common top for (10) 15" w lockers	74 7/16"	58 1/2"	15 1/16"	VLTB7560L	2,238.	2,488.
	common top for (14) 12" w lockers	83 3/16"	58 1/2"	15 1/16"	VLTB8460L	2,409.	2,625.
	common top for (12) 15" w lockers	89 5/16"	58 1/2"	15 1/16"	VLTB9060L	2,663.	2,908.
	common top for (16) 12" w lockers	95 1/8"	58 1/2"	15 1/16"	VLTB9660L	3,000.	3,237.
	common top for (14) 15" w lockers	104 3/16"	58 1/2"	15 1/16"	VLTB10560L	3,268.	3,475.
	common top for (16) 15" w lockers	119 1/16"	58 1/2"	15 1/16"	VLTB12060L	3,649.	3,827.

Order Information

1. Base Pattern Number
2. Laminate Finish
See Finish Options page
3. Edge band Finish

Order Code

Example:	VLTC3618L
VL	Quoin, Locker
C	Common top, Single Run
36	36" Wide
18	18 7/8" Deep
L	Laminate
118	Laminate finish, Bright White
118	Edgeband finish, Bright White

Specific Information

Ganging kits (VARQ01, VARQ10 pattern numbers) are required for use with VLTC or VLTB common tops, specified separately.

Tops are designed to span a maximum of (8) lockers of uniformed width side-by-side, flush with no gap.

VLTB back-to-back tops are designed to be used over lockers of the same depth, positioned back-to-back flush with no gap.

Application Notes

For use with Quoin lockers with "no top" option only.

Hardware to attach laminate tops is included with each "no top" Quoin locker.




Common locker top design features a slight overhang on all 4 sides.

Some locker bank applications may require counterweight for stability. See Locker Stability Requirements for details. Counterweights must be specified separately if required.

Lockers Accessories

Shelf Kits and Worksurface Brackets

Quoin

description	type	w(nom.)	d(nom.)	pattern no.	P1	P2	P3
 Locker shelf kits, 12" wide	Single shelf kit	12"	15"	VALS121501	\$140.	\$147.	\$154.
	Bulk 10 shelf kit	12"	15"	VALS121510	1,236.	1,297.	1,363.
	Single shelf kit	12"	18"	VALS121801	147.	154.	162.
	Bulk 10 shelf kit	12"	18"	VALS121810	1,310.	1,376.	1,441.
	Single shelf kit	12"	24"	VALS122401	162.	170.	178.
	Bulk 10 shelf kit	12"	24"	VALS122410	1,472.	1,547.	1,620.
	Single shelf kit	12"	30"	VALS123001	184.	192.	204.
	Bulk 10 shelf kit	12"	30"	VALS123010	1,693.	1,778.	1,862.
 Locker shelf kits, 15" wide	Single shelf kit	15"	15"	VALS151501	154.	162.	170.
	Bulk 10 shelf kit	15"	15"	VALS151510	1,383.	1,454.	1,523.
	Single shelf kit	15"	18"	VALS151801	168.	178.	187.
	Bulk 10 shelf kit	15"	18"	VALS151810	1,531.	1,607.	1,684.
	Single shelf kit	15"	24"	VALS152401	189.	198.	207.
	Bulk 10 shelf kit	15"	24"	VALS152410	1,736.	1,825.	1,910.
	Single shelf kit	15"	30"	VALS153001	213.	226.	234.
	Bulk 10 shelf kit	15"	30"	VALS153010	1,988.	2,087.	2,188.
 Locker Worksurface Mount Bracket	Bracket for 18" deep locker		18"	VARWLB01	65.	69.	75.
	Bracket for 24" deep locker		24"	VARWLB02	82.	85.	90.
	Bracket for 30" deep locker		30"	VARWLB03	110.	116.	121.

Order Information

1. *Base Pattern Number*
2. *Paint Finish*
See Finish Options page

Order Code

Example:	VALS121501
VA	Quoin, Accessory
LS	Locker Shelf
12	12" Wide
15	15" Deep
01	Single shelf kit
(118)	Paint Finish, Bright White

Specification Information

Locker shelf kits are available in all core paint options to match or contrast locker units as desired.

All locker shelf kits include appropriate cantilever brackets for installation. When specified separately, shelf kits are field installed.

Locker worksurface mount brackets include a 2-piece bracket set and attachment hardware.

Worksurface mount bracket application requires visible bracket mounted within locker. Specifying bracket in finish to match locker case is recommended.

Application Notes

Lockers with full door include (1) adjustable shelf, standard. Open lockers without door include 1 to 3 shelves depending on locker height. Above shelf kits may be specified when additional shelves are required.

Locker shelves may only be installed in pre-determined locations. See Specification Information for shelf position details.

Locker worksurface mount brackets may be used to support one end of a fixed Dividends Horizon worksurface.

Worksurface mount bracket applications require locker and worksurface to be of uniformed depth.

Worksurface mount bracket application satisfies locker stability requirements.





Worksurface mount bracket requires field drilling through locker side panel.

Lockers Accessories

Accessories

Quoin

description	type	pattern no.	list
Dual Prong Coat Hook Kit	Top mount	VACHD01	\$53.
Locker Coat Rod Kit	for 12" wide locker	VACRTM12	110.
	for 15" wide locker	VACRTM15	126.
Panel Attachment Bracket	Left hand	VARDL01	55.
	Right hand	VARDR01	55.
Locker to Credenza Ganging Kit	Kit for single connection	VARQ01	76.
Locker to Locker Ganging Kit	Bulk kit, 10 connections	VARQ10	626.
	Kit for single connection	VARQ01	65.





Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	VACHD01 Nickel plated	Dual prong coat hook and coat rod kit includes hook with attachment screws for steel or laminate top.	Lockers with full hinged door include one factory installed coat hook, standard. VACHD01 coat hook may be specified when additional hooks are required or for use within open lockers without door. When specified separately, coat hooks are field installed.
2. <i>Paint Finish</i>	VARDR01 Black		
See Finish Options page	VARDL01 Black	Panel attachment bracket kits include 2 brackets designed to engage with Dividends Horizon panel providing additional stability to the locker. Specify one kit per locker to panel attachment.	
	VARQ01 Galvanized steel		
	VACR-TM12 Chrome	Locker to credenza ganging kit includes 2 brackets and connection hardware allowing one locker to be connected to one credenza or Series 2 doublewide to provide additional stability to locker.	Full width locker coat rod kits accommodate clothing hangers as follows: 15" deep locker: will not accommodate clothing hangers 18" deep locker: accommodates hangers up to 17" wide 24-30" deep lockers: accommodate all standard or oversized clothing hangers up to 19" wide
	VACR-TM15 Chrome	VARQ01 kits includes 2 brackets and connection hardware to join 2 Quoin lockers. VARQ10 includes 20 brackets and connection hardware required for 10 locker connections.	When specified, locker coat rod is designed to replace coat hook, coat rod may not be used together with coat hook(s). Coat rods are field installed.
		VARQ01 or VARQ10 must be specified when ganging lockers with VALTC.. or VALTB.. common laminate tops.	Handedness of panel attachment bracket set is determined by viewing locker from the front.
			See locker Specification Information for specific stability recommendations.

Lockers Accessories

Counterweight Kits

Quoin


description	type	w	weight	pattern no.	list
	15" deep locker	12"	10 lbs	VALCW1210	\$234.
	15" deep locker	12"	20 lbs	VALCW1220	391.
	18-30" deep locker	12"	12 lbs	VALCW1212	234.
	18-30" deep locker	12"	23 lbs	VALCW1223	391.

	15" deep locker	13"	15 lbs	VALCW1513	274.
	15" deep locker	26"	15 lbs	VALCW1526	462.
	18-30" deep locker	15"	15 lbs	VALCW1515	274.
	18-30" deep locker	15"	30 lbs	VALCW1530	462.

Order Information	Order Code	Specific Information	Application Notes
1. <i>Base Pattern Number</i>	Example: VALCW1223 VA Quoin, Accessory LCW Locker Counterweight Kit 12 12" wide 23 23 lbs.	Quoin lockers may require additional stability when used in freestanding applications. Stability may be provided by various ganging methods or with counterweight kit. See published Specification Information for stability guidelines. Counterweight kits are specified separately and field installed.	Counterweight kits include mounting hardware and brackets to install the counterweight plates. Locker counterweights are installed beneath the unit. Locker counterweight kits are intended for Quoin lockers and may not be used for Quoin credenzas.



Digital Keypad lock



RFID lock

Application

Quoin lockers with Digital Keypad or RFID lock options support applications where units are shared by multiple users providing a secure storage alternative to a standard key lock. This eliminates the use of a standard key which can easily be misplaced or taken offsite.

The Digital Keypad lock option requires input of a user-selected 4-digit code while the RFID lock operates when the user presents a compatible RFID card to the lock. To operate, the user must press the C or Key button depending on lock type, enter code or present RFID card, then press the Key button again to lock or unlock the unit.

If an RFID credential is lost or a code is forgotten, a Manager Key (specified separately) can be used to bypass the lost or forgotten credential and unlock the unit. In situations where a user is unable to operate the keypad or RFID reader, a User Key (specified separately) can be utilized to override code input or RFID requirement, allowing the lock to comply with ADA requirements.

Each installation site with Digital Keypad or RFID lock requires one Programming Key and at least one Manager Key, specified separately.

All Digital Keypad and RFID locks are shipped program-ready for Shared Use mode. Initial setup is required on-site prior to use. See Keyless Locking Guide for procedure details.

To operate in Shared Use mode, the user will select an unused unit, place their items within and follow the locking procedure. Once their items are retrieved, the lock will remain unlocked until it is locked by the next user. Locks may be converted to Assigned Use mode in which the lock remains locked until accessed by assigned user(s).

To convert an RFID lock to Assigned Use mode, an Assigned Use Reset Key must be used. Reset Key expires 6 weeks from date of order.

To convert Digital Keypad lock to Assigned Use mode, follow the sequence listed within the appropriate User Guide.

Specifications and Features

- Brushed Nickel finish
- Vertical body orientation
- Recessed-mount, factory installed
- All metal lock housing
- Automatic (motorized) 1/2" dead bolt
- Powered by 4 premium AA batteries (included)
- Duracell CopperTop or Energizer brand batteries required. Rechargeable batteries are not recommended.
- Shared Use Mode is default, locks may be converted to Assigned Use Mode
- Tamper guard
- Audible and visible usage indicators
- Lock can be bypassed with a Manager Key if code is forgotten, RFID credential is lost or in case of battery failure.
- LED usage indicator prompts the lock's LED to flash when the unit is locked, indicating the locker is in use. The default setting for this feature is ON, however the LED usage indicator can be turned off for Digital Keypad locks at any time by following the procedure listed in the user guide.
- Typical battery life is 3-5 years (based on length of usage). Turning the LED usage indicator feature off extends battery life.

Digital Keypad Lock

- Operated with a user-selected 4-digit code

To specify a locker or pedestal with a Digital Keypad lock, select "D" in the pattern number for the lock option. *Example:* VLG421224FDLSS(D) - Locker with full door 42H x 12W x 24D, steel door, steel top, **Digital Keypad lock**. When specified, Digital Keypad lock is factory installed. Instructions for programming are included.

RFID Lock

- Operated with a compatible RFID Card or employee badge.
- Knoll RFID locks operate on 13.56 MHz frequency with both iClass (ISO 15693) and Mifare (ISO 14443). Anchor RFID locks are not compatible with HID systems.

To specify a locker or pedestal with a RFID lock, select "R" in the pattern number for the lock option. *Example:* VLG421224FDLSS(R) - Locker with full door 42H x 12W x 24D, steel door, steel top, **RFID lock**. When specified, RFID lock is factory installed. Instructions for programming are included.

User Key


- User Keys allow ADA access to Digital Keypad or RFID locks for users unable to operate the keypad or RFID reader.
- User Keys are used by touching key to prongs of the lock to lock and unlock the unit.

Manager Key

- Manager Key is used to bypass a locked unit.
- Manager Keys are registered to locks using the Programming Key.
- Up to (6) Manager Keys may be registered to each lock. This allows the client to design a lock system that suits their management access requirements.
- Additional Manager Key(s) may be registered to a lock without erasing previously registered Manager Keys.
- Provides external power in case of battery failure.

Programming Key

- The Programming Key is a communication device used to initialize locks out of factory default mode and to register Manager Keys to the locks. It is used to transfer, but not store information.
- **Only one Programming Key should be specified per installation site. Multiple Programming Keys cannot be used in conjunction with each other.**
- Add-on or phased orders for Digital Keypad or RFID locks should be initialized and programmed using the original Programming Key.
- Used to turn on/off Digital Keypad lock features such as LED usage indicator and auto unlock.
- Provides external power in case of battery failure.
- If a programming key is lost, a Replacement Programming Key may be ordered but the original Programming Key will become obsolete.



programming key (yellow)



user key (black)



manager key (black)

Calculating the total number of manager keys

The Digital Keypad and RFID lock systems are flexible, allowing the client to choose the number of manager keys required. Solutions may range from simple to complex, depending on client needs. It may be helpful to create a chart to organize and calculate the number of manager keys required, similar to the examples shown below.

Considerations:

- If units will be located on different floors, consider ordering keys that can be registered to bypass all locks as a floor-specific “master key”.
- If units will be located within different zones or areas, consider ordering keys that can be registered to locks within specific zones on each floor.
- If the client would like to create a “master key”, one or more manager keys can be registered to all locks to act as a “master key”.
- Only one Programming Key is required per site regardless of total number of locks or Manager Keys.


Manager key count examples

Sample project is a three story space, each floor is divided into three zones containing a varied number of lockers. Example 1 is a simple lock system showing two manager keys registered to all locks, regardless of floor or zone. Example 2 is a more complex solution showing manager keys registered to locks in a layered approach. At the lowest management level, keys are registered specific to zone, followed by keys that are floor-specific and at the top level, keys are registered to all locks to be used as overall master keys.

The manager key counts shown in the examples are sample numbers; the ratio of manager keys to the number of locks is decided by the client.


Example 1:

Two (2) manager keys registered to all locks throughout the space. No manager keys registered specific to floor or zone.



Example 2:

- Manager keys registered to all locks within each specific zone on each floor. Number of manager keys is decided by client. Once registered, these manager keys may be used to bypass any lock within that zone on that floor, but will not be able to bypass any of the other units.
- One (1) manager key for each floor registered to all locks in all zones on that floor, used as first, second and third floor “master keys”.
- Two (2) manager keys registered to all locks, in all zones on all floors used as “overall master keys”.



Keyless Locking Accessories

Accessories

Quoin

description	finish	pattern no.	list
Manager Key for digital keypad and RFID lock	black	VADKEYM	\$283.
Programming Key for digital keypad and RFID lock	yellow	VADKEYP	388.
User Key for digital keypad and RFID lock	black	VADKEYU	126.
Reset Key, Shared Use Mode	yellow	VADKEYR	428.
Reset Key, Assigned Use Mode, Automatic Lock	yellow	VADKEYV	428.
Replacement Programming Key	yellow	VADKEYZ	428.

Order Information	Order Code	Specification Information	Application Notes
		<p>Programming and manager key(s) must be specified with digital keypad or RFID locks. See specification page for further details.</p> <p>User key is an optional key available for users who are unable to use a keypad or card reader function, allowing the lock to comply with ADA requirements. User key is not required to use digital keypad or RFID lock system.</p> <p>Reset key is an optional key when restoring lock to factory settings is desired. Using a reset key will erase all programming including programming key, manager key(s) and user credentials if applicable.</p>	<p>VADKEYR is used to reset any digital keypad or RFID lock to shared use mode.</p> <p>VADKEYV is used to reset digital keypad or RFID locks to assigned use mode.</p> <p>Reset key is required when converting RFID lock from standard shared use mode to assigned use mode.</p>

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

		EXISTING CONSTRUCTION				
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16" Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
*Graham Wall Hung Shelf	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
V2G221818OSL	28	VALCW1223	59	VLf2815300SN	38	VLf501515FDLSSL	51
V2G222418OSL	28	VALCW1513	59	VLf361215FDLSSL	49	VLf501515FDRSSL	51
V2G223018BFLSL	29	VALCW1515	59	VLf361215FDRSSL	49	VLf501515OSS	47
V2G223018OSL	28	VALCW1526	59	VLf361215OSS	45	VLf501518FDLSSL	51
V2G223618BFLSL	29	VALCW1530	59	VLf361218FDLSSL	49	VLf501518FDRSSL	51
V2G223618O18O18L	28	VALS121501	57	VLf361218FDRSSL	49	VLf501518OSS	47
V2G223618OSL	28	VALS121510	57	VLf361218OSS	45	VLf501524FDLSSL	52
V2G224218O24O18L	28	VALS121801	57	VLf361224FDLSSL	50	VLf501524FDRSSL	52
V2G224818B30O18LSL	29	VALS121810	57	VLf361224FDRSSL	50	VLf501524OSS	47
V2G224818O24O24L	28	VALS122401	57	VLf361224OSS	45	VLf501530FDLSSL	52
V2G224818O30O18L	28	VALS122410	57	VLf361230FDLSSL	50	VLf501530FDRSSL	52
V2G225418B30O24LSL	29	VALS123001	57	VLf361230FDRSSL	50	VLf501530OSS	48
V2G225418B36O18LSL	29	VALS123010	57	VLf361230OSS	46	VLf571215FDLSSL	49
V2G225418O30O24L	28	VALS151501	57	VLf361515FDLSSL	51	VLf571215FDRSSL	49
V2G225418O36O18L	28	VALS151510	57	VLf361515FDRSSL	51	VLf571215OSS	45
V2G226018B30B30LSL	29	VALS151801	57	VLf361515OSS	47	VLf571218FDLSSL	49
V2G226018B30O30LSL	29	VALS151810	57	VLf361518FDLSSL	51	VLf571218FDRSSL	49
V2G226018B36O24LSL	29	VALS152401	57	VLf361518FDRSSL	51	VLf571218OSS	45
V2G226018O30O30L	28	VALS152410	57	VLf361518OSS	47	VLf571224FDLSSL	50
V2G226018O36O24L	28	VALS153001	57	VLf361524FDLSSL	52	VLf571224FDRSSL	50
V2G226618B30O36LSL	29	VALS153010	57	VLf361524FDRSSL	52	VLf571224OSS	45
V2G226618B36B30LSL	29	VAPFB1201	25	VLf361524OSS	47	VLf571230FDLSSL	50
V2G226618B36O30LSL	29	VAPFB1501	25	VLf361530FDLSSL	52	VLf571230FDRSSL	50
V2G226618O36O30L	28	VAPPT15C	25	VLf361530FDRSSL	52	VLf571230OSS	46
V2G227218B36B36LSL	29	VAPPT15N	25	VLf361530OSS	48	VLf571515FDLSSL	51
V2G227218B36O36LSL	29	VARDL01	58	VLf421215FDLSSL	49	VLf571515FDRSSL	51
V2G227218O36O36L	28	VARDR01	58	VLf421215FDRSSL	49	VLf571515OSS	47
VA2CW3015	32	VARQ01	58	VLf421215OSS	45	VLf571518FDLSSL	51
VA2CW3020	32	VARQ10	58	VLf421218FDLSSL	49	VLf571518FDRSSL	51
VA2CW3025	32	VARSO1	58	VLf421218FDRSSL	49	VLf571518OSS	47
VA2CW3030	32	VARWLB01	57	VLf421218OSS	45	VLf571524FDLSSL	52
VA2CW3035	32	VARWLB02	57	VLf421224FDLSSL	50	VLf571524FDRSSL	52
VA2CW3040	32	VARWLB03	57	VLf421224FDRSSL	50	VLf571524OSS	47
VA2CW3615	32	VCCT1818	30	VLf421224OSS	45	VLf571530FDLSSL	52
VA2CW3620	32	VCCT2418	30	VLf421230FDLSSL	50	VLf571530FDRSSL	52
VA2CW3625	32	VCCT3018	30	VLf421230FDRSSL	50	VLf571530OSS	48
VA2CW3630	32	VCCT3618	30	VLf421230OSS	46	VLG281215FDLNSL	35
VA2CW3635	32	VCCT4218	30	VLf421515FDLSSL	51	VLG281215FDRNSL	35
VA2CW3640	32	VLf281215FDLNSL	37	VLf421515FDRSSL	51	VLG281215OSN	35
VA2GB01	31	VLf281215FDRNSL	37	VLf421515OSS	47	VLG281218FDLNSL	35
VA2GB10	31	VLf281215OSN	37	VLf421518FDLSSL	51	VLG281218FDRNSL	35
VA2LX04	31	VLf281218FDLNSL	37	VLf421518FDRSSL	51	VLG281218OSN	35
VA2LX100	31	VLf281218FDRNSL	37	VLf421518OSS	47	VLG281224FDLNSL	35
VA2LX20	31	VLf281218OSN	37	VLf421524FDLSSL	52	VLG281224FDRNSL	35
VACHD01	58	VLf281224FDLNSL	37	VLf421524FDRSSL	52	VLG281224OSN	35
VACRTM12	58	VLf281224FDRNSL	37	VLf421524OSS	47	VLG281230FDLNSL	35
VACRTM15	58	VLf281224OSN	37	VLf421530FDLSSL	52	VLG281230FDRNSL	35
VACS22P	31	VLf281230FDLNSL	37	VLf421530FDRSSL	52	VLG281230OSN	35
VADKEYM	62	VLf281230FDRNSL	37	VLf421530OSS	48	VLG281515FDLNSL	36
VADKEYP	62	VLf281230OSN	37	VLf501215FDLSSL	49	VLG281515FDRNSL	36
VADKEYR	62	VLf281515FDLNSL	38	VLf501215FDRSSL	49	VLG281515OSN	36
VADKEYU	62	VLf281515FDRNSL	38	VLf501215OSS	45	VLG281518FDLNSL	36
VADKEYV	62	VLf281515OSN	38	VLf501218FDLSSL	49	VLG281518FDRNSL	36
VADKEYZ	62	VLf281518FDLNSL	38	VLf501218FDRSSL	49	VLG281518OSN	36
VAFC04P	7	VLf281518FDRNSL	38	VLf501218OSS	45	VLG281524FDLNSL	36
VAFC40P	7	VLf281518OSN	38	VLf501224FDLSSL	50	VLG281524FDRNSL	36
VAFT02P	7	VLf281524FDLNSL	38	VLf501224FDRSSL	50	VLG281524OSN	36
VAFT20P	7	VLf281524FDRNSL	38	VLf501224OSS	45	VLG281530FDLNSL	36
VALCW1210	59	VLf281524OSN	38	VLf501230FDLSSL	50	VLG281530FDRNSL	36
VALCW1212	59	VLf281530FDLNSL	38	VLf501230FDRSSL	50	VLG281530OSN	36
VALCW1220	59	VLf281530FDRNSL	38	VLf501230OSS	46	VLG361215FDLSSL	41

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
VLC361215FDRSSL	41	VLC501524FDLSSL	43	VLTB7260L	56	V LTC9615L	53
VLC361215OSS	39	VLC501524FDRSSL	43	VL TB7530L	53	V LTC9618L	54
VLC361218FDLSSL	41	VLC501524OSS	40	VL TB7538L	54	V LTC9624L	55
VLC361218FDRSSL	41	VLC501530FDLSSL	44	VL TB7548L	55	V LTC9630L	56
VLC361218OSS	39	VLC501530FDRSSL	44	VL TB7560L	56	VL TS1215L	53
VLC361224FDLSSL	41	VLC501530OSS	40	VL TB8430L	53	VL TS1218L	54
VLC361224FDRSSL	41	VLC571215FDLSSL	41	VL TB8438L	54	VL TS1224L	55
VLC361224OSS	39	VLC571215FDRSSL	41	VL TB8448L	55	VL TS1230L	56
VLC361230FDLSSL	42	VLC571215OSS	39	VL TB8460L	56	VL TS1515L	53
VLC361230FDRSSL	42	VLC571218FDLSSL	41	VL TB9030L	53	VL TS1518L	54
VLC361230OSS	39	VLC571218FDRSSL	41	VL TB9038L	54	VL TS1524L	55
VLC361515FDLSSL	43	VLC571218OSS	39	VL TB9048L	55	VL TS1530L	56
VLC361515FDRSSL	43	VLC571224FDLSSL	41	VL TB9060L	56	V PF281218DFCNSL	22
VLC361515OSS	40	VLC571224FDRSSL	41	VL TB9630L	53	V PF281224DFCNSL	22
VLC361518FDLSSL	43	VLC571224OSS	39	VL TB9638L	54	V PF281230DFCNSL	22
VLC361518FDRSSL	43	VLC571230FDLSSL	42	VL TB9648L	55	V PF281518DFCNSL	23
VLC361518OSS	40	VLC571230FDRSSL	42	VL TB9660L	56	V PF281524DFCNSL	23
VLC361524FDLSSL	43	VLC571230OSS	39	V LTC10515L	53	V PF281530DFCNSL	23
VLC361524FDRSSL	43	VLC571515FDLSSL	43	V LTC10518L	54	V PG281218BFCNSL	22
VLC361524OSS	40	VLC571515FDRSSL	43	V LTC10524L	55	V PG281218FFCNSL	22
VLC361530FDLSSL	44	VLC571515OSS	40	V LTC10530L	56	V PG281224BFCNSL	22
VLC361530FDRSSL	44	VLC571518FDLSSL	43	V LTC12015L	53	V PG281224FFCNSL	22
VLC361530OSS	40	VLC571518FDRSSL	43	V LTC12018L	54	V PG281230BFCNSL	22
VLC421215FDLSSL	41	VLC571518OSS	40	V LTC12024L	55	V PG281230FFCNSL	22
VLC421215FDRSSL	41	VLC571524FDLSSL	43	V LTC12030L	56	V PG281518BFCNSL	23
VLC421215OSS	39	VLC571524FDRSSL	43	V LTC2415L	53	V PG281518FFCNSL	23
VLC421218FDLSSL	41	VLC571524OSS	40	V LTC2418L	54	V PG281524BFCNSL	23
VLC421218FDRSSL	41	VLC571530FDLSSL	44	V LTC2424L	55	V PG281524FFCNSL	23
VLC421218OSS	39	VLC571530FDRSSL	44	V LTC2430L	56	V PG281530BFCNSL	23
VLC421224FDLSSL	41	VLC571530OSS	40	V LTC3015L	53	V PG281530FFCNSL	23
VLC421224FDRSSL	41	VL TB10530L	53	V LTC3018L	54	V PG283018FFCNSL	24
VLC421224OSS	39	VL TB10538L	54	V LTC3024L	55	V PG283618FFCNSL	24
VLC421230FDLSSL	42	VL TB10548L	55	V LTC3030L	56	V PM171218SBT	13
VLC421230FDRSSL	42	VL TB10560L	56	V LTC3615L	53	V PM201218BFNSL	14
VLC421230OSS	39	VL TB12030L	53	V LTC3618L	54	V PM201218BFSSL	11
VLC421515FDLSSL	43	VL TB12038L	54	V LTC3624L	55	V PM201218FDLNSL	14
VLC421515FDRSSL	43	VL TB12048L	55	V LTC3630L	56	V PM201218FDLSSL	11
VLC421515OSS	40	VL TB12060L	56	V LTC4515L	53	V PM201218FDRNSL	14
VLC421518FDLSSL	43	VL TB2430L	53	V LTC4518L	54	V PM201218FDRSSL	11
VLC421518FDRSSL	43	VL TB2438L	54	V LTC4524L	55	V PM201218OSN	14
VLC421518OSS	40	VL TB2448L	55	V LTC4530L	56	V PM201218OSS	11
VLC421524FDLSSL	43	VL TB2460L	56	V LTC4815L	53	V PM201224BFNSL	14
VLC421524FDRSSL	43	VL TB3030L	53	V LTC4818L	54	V PM201224BFSSL	11
VLC421524OSS	40	VL TB3038L	54	V LTC4824L	55	V PM201224FDLNSL	14
VLC421530FDLSSL	44	VL TB3048L	55	V LTC4830L	56	V PM201224FDLSSL	11
VLC421530FDRSSL	44	VL TB3060L	56	V LTC6015L	53	V PM201224FDRNSL	14
VLC421530OSS	40	VL TB3630L	53	V LTC6018L	54	V PM201224FDRSSL	11
VLC501215FDLSSL	41	VL TB3638L	54	V LTC6024L	55	V PM201224OSN	14
VLC501215FDRSSL	41	VL TB3648L	55	V LTC6030L	56	V PM201224OSS	11
VLC501215OSS	39	VL TB3660L	56	V LTC7215L	53	V PM201518BFNSL	18
VLC501218FDLSSL	41	VL TB4530L	53	V LTC7218L	54	V PM201518BFSSL	16
VLC501218FDRSSL	41	VL TB4538L	54	V LTC7224L	55	V PM201518FDLNSL	18
VLC501218OSS	39	VL TB4548L	55	V LTC7230L	56	V PM201518FDLSSL	16
VLC501224FDLSSL	41	VL TB4560L	56	V LTC7515L	53	V PM201518FDRNSL	18
VLC501224FDRSSL	41	VL TB4830L	53	V LTC7518L	54	V PM201518FDRSSL	16
VLC501224OSS	39	VL TB4838L	54	V LTC7524L	55	V PM201518OSN	18
VLC501230FDLSSL	42	VL TB4848L	55	V LTC7530L	56	V PM201518OSS	16
VLC501230FDRSSL	42	VL TB4860L	56	V LTC8415L	53	V PM201524BFNSL	18
VLC501230OSS	39	VL TB6030L	53	V LTC8418L	54	V PM201524BFSSL	16
VLC501515FDLSSL	43	VL TB6038L	54	V LTC8424L	55	V PM201524FDLNSL	18
VLC501515FDRSSL	43	VL TB6048L	55	V LTC8430L	56	V PM201524FDLSSL	16
VLC501515OSS	40	VL TB6060L	56	V LTC9015L	53	V PM201524FDRNSL	18
VLC501518FDLSSL	43	VL TB7230L	53	V LTC9018L	54	V PM201524FDRSSL	16
VLC501518FDRSSL	43	VL TB7238L	54	V LTC9024L	55	V PM201524OSN	18
VLC501518OSS	40	VL TB7248L	55	V LTC9030L	56	V PM201524OSS	16

<i>pattern no.</i>	<i>page</i>
VPM261218BBFNSL	15
VPM261218BBFSSL	12
VPM261218FFNSL	14
VPM261218FFSSL	11
VPM261224BBFNSL	15
VPM261224BBFSSL	12
VPM261224FFNSL	14
VPM261224FFSSL	11
VPM261518BBFNSL	19
VPM261518BBFSSL	17
VPM261518FFNSL	18
VPM261518FFSSL	16
VPM261524BBFNSL	19
VPM261524BBFSSL	17
VPM261524FFNSL	18
VPM261524FFSSL	16
VPMC1218	20, 21
VPMC1224	20, 21
VPMC1518	20, 21
VPMC1524	20, 21

Selling Policy

	<p>This Selling Policy supersedes all previous selling policies and is inclusive of Knoll, KnollStudio and Muuto. Prices, discounts and product offerings are subject to change without notice.</p>
Terms & Conditions of Sales	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supersede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
Ordering Information	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
Order Confirmation	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
Pricing Policies	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
Taxes	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
Terms of Payment	<p>Payment for one hundred percent (100%) of the net order amount (including any applicable shipping and handling fee) is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
Changes and Cancellation	<p>Standard purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p> <p>QuickShip orders may not be changed or canceled without Knoll's authorization. In the event of Muuto order changes, 25% payment of original net order amount is required for changes incurring the week the order was entered. 100% payment of original net order amount is required for changes incurring the week the order is scheduled to ship. If Muuto is ordered on QuickShip, the QuickShip policy supersedes.</p>
Freight Prepaid	<p>For standard orders, freight is prepaid and included in the price of all Knoll Office and KnollStudio Products, except KnollTextiles and Muuto, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p> <p>Freight for all Muuto orders must be specified at time of order placement and added to the PO.</p>
Delivery/Freight Charges	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Orders for QuickShip product shipping direct parcel or White Glove are subject to additional shipping and handling charges and must be paid by Purchaser. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
Claims	<p>All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.</p>

Selling Policy

Seller's Security Interest	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
Returns	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
Held Orders/Storage	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.
Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Delay/Force Majeure	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.
	The foregoing indemnity does not apply to the following:
	<ul style="list-style-type: none">• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.• Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT. Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.
Warranty	please visit warranty website link https://www.knoll.com/help/warranty for up-to-date information.

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$11
KBLANK	Shrouded Key Blank	\$11
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$23
KCHANGE	Change Key	\$11
HLKRKMASTER*	Master Key	\$14

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."