Steelcase Flex Collection

Availability

Electronic price list updated with release 200.M (U.S.) and 156.M (Canada), dated June 17, 2024.

All specifications subject to change without notice.

Reference the electronic catalog/Hedberg for current pricing

Transitional products in this specification guide are maintained for existing customers only and are likely to be phased out over time. These products are indicated with a . Products that are scheduled to be culled are indicated with an . ollowed by the last order entry date.

Surface Materials

The surface materials team has announced the launch of the Finish Library, found at www.steelcase.com/finishlibrary/.

► For a list of all trademarks, refer to the last page of this specification guide. © 2024 Steelcase Inc.

Norking with This Specification Guide	
Ten Tips: How to Get the Most Out of This Book	4
Additional Resources	e
Statement of Line	

Understanding

Height-Adjustable Desks Comparison Chart	16
Rectangle Height-Adjustable Desks and Bases	20
120° Height-Adjustable Desks	24
How to Calculate Power Needs	27
Work Tables and Slim Tables	28
Single Tables	30
Mobile Power	32
Curved Screens	33
Freestanding Screens	34
Acoustic Boundary	35
Carts	36
Media Cart	38
Markerboard Solutions	40
Mobile Power Charging Cart	42
Perch Stool	44
Docking Station	48
Personal Spaces	50
Accessories	56
Flex Active Frames	58
Flex Active Frame Media Towers	66
Flex Active Frames Work Island	70

▶ Table of Contents, continued on next page



For Canadian Pricing

Canadian factor can be found at www.steelcase.com/CADpricing.
Calculate in the following order to avoid rounding errors:

- Multiply the base price and each option by the Canadian factor.
- · Round each to the nearest dollar.
- · Add base and options for total list price.


Steelcase Flex Collection, continued

▶ Table of Contents, continued from previous page

Specifying	
Rectangle Height-Adjustable Desks	73
120° Height-Adjustable Desks	75
Height-Adjustable Bases	79
Work Tables—Seated Height	81
Rectangle Work Tables—Standing Height	83
Rectangle Work Table - Bases Only	85
Slim Table	86
Slim Table—Base Only, Standing Height	87
Single Tables	88
Curved Screens	92
Freestanding Screens	93
Acoustic Boundary	94
Carts	95
Media Cart	96
Markerboard Solutions	97
Mobile Power and Charging Cart	99
Perch Stool	101
Docking Station	102
Personal Spaces	103
Accessories	107
Flex Active Frames	113
Surface Materials Resources	139 145

Steelcase Flex Collection

Ten Tips: How to Get the Most Out of This Book



Watch the tabs on the right-hand edges of the pages. They'll always indicate which chapter you are in.

Tip 2



Use the Statement of Line pages for an overview of the available components, their sizes, and page references for additional information. Each *Understanding* chapter includes a statement of line after the table of contents.



Study the product detail pages in the *Understanding* section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where

applicable:
• Product Drawing

Actual DimensionsProduct DetailsConnections

· Wiring and Cabling

Surface Materials

· Application Topics


Product Details gives specific information on the product and how it is used.

Connections

describes how the product is assembled or how it attaches to another product.



Find cross references by looking for page numbers flagged with an arrow.



details the power and

of the product.

cable-management and

cable routing capabilities

lists what material is

used for each part of

the product.

table lists the dimensions

of the product.

Refer to the specifying

pages for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:

- Product Drawing
- · Standard Includes
- · Required to Specify
- Options
- Related Products
- · Specification Information
- Dimensions
- · Style Number

Product Drawing

shows you what the

product looks like.

• Price

Standard Includes

(under the red or dark grey band) provides a list of what comes standard with the product.

(under the red or dark grey band) itemizes the information that you must provide to order the standard product and the preferred sequence for specification.

Required to Specify

Specification Information

(under the teal or light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.

e Horizontal Frame Packages—Thi Change-e Height Top Cap

Options

(under the black band) lists all the options that apply to the product, their price, and what is required to specify.

Related Products

provide specification information for products that are directly related.

Specify with Customiz Stain

Italic typeface on specifying pages usually identifies wording that you should use in your order.


Tip 7

To determine how many skins are needed to complete a panel, consult the table at the right.

Tip: Remember to order skins for both sides of the panel buildup.

Watch for tips throughout the text that give you explanations and helpful instructions.

Tip



Learn what you cannot do by looking for drawings crossed out with an "X."

Tip 9

Use the surface materials listings in the Surface Materials section of this book to find surface material color numbers.

Tip 10

Style Number	Page
TS7042BL	131
TS7042S	130
TS7048BL	131
TS7048S	130
TS7060BL	131
TS7060S	130
TS7072BL	131

Refer to the style number index when you know a style number and you need to find the page that has more details about the product.

Additional Resources

Flex products are supported with informational materials, tools, and software to help you plan, specify, and order an installation efficiently.

Printed Materials

Other Specification Guides

Steelcase offers a comprehensive portfolio of furniture and solutions. For the full offering of products, refer to the individual product specification guides. These can be accessed at the www.steelcase.com web site or at village.steelcase.com.

Computer Tools

Electronic Catalog

Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business System, SmartTools-Steelcase's design and specification software (for more information on SmartTools, please email SmartTools@steelcase.com), the ProjectMatrix Project Symbols libraries, as well as 20-20 CAP Studio.

Furniture Symbol Graphic Data

Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.

Digital Publications

You can access these digital publications at www.steelcase.com or village.steelcase.com.

Support

Steelcase Capabilities

Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

For ordering or product assistance,

please call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.

Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any post-shipment quality concerns or service parts questions.

For warranty information, please go to http://www.steelcase.com/warranty/.

Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1.616.247.2500.

For information about Steelcase, the name of your nearest Steelcase dealer, or for product literature, call 1.800.333.9939 or visit our Web site: www.steelcase.com.

Sustainability

At Steelcase, we believe business can be a force for good. We create longlasting products that are better for people and better for the planet. Our products and operations use life cycle thinking to meet our commitment to reducing climate change. This commitment is reinforced by practices such as designing to minimize global warming and other life cycle impacts, ensuring material health, and enabling end-of-use strategies. To learn more at a corporate level, visit: https://www.steelcase.com/ discover/steelcase/esgoverview/environmental/ Product Environmental Profiles, which provide key environmental attributes such as recycled content, embodied carbon and recyclability, as well as product certifications can be found by searching for Steelcase at Origin.build.

Additional Resources

Statement of Line



Understanding


Page 20 Specifying

▶ Page 73

Rectangle Height-Adjustable Desks

	46"W	58"W	70"W
23"D or 24"D	•	•	•
29"D or 30"D	•	•	•

Tip: Widths are parametric to 1/16" from 46"-72".




Understanding ▶Page 24

Specifying
Page 75

120° Straight Height-Adjustable Desks

	Depth Left	Depth Right	Width Back	Width Front
Left-Hand	2211/16"	407/16"	4013/16"	715/16"
Right-Hand	407/16"	2211/16"	4013/16"	715/16"



Understanding
Page 24
Specifying

▶Page 77

120° Corner Height-Adjustable Desks

	Depth Left	Depth Right	Width Back	Width Front
Left-Hand	231/4"	14 ¹ /4"	42"	42"
Right-Hand	141/4"	231/4"	42"	42"



Understanding
► Page 20
Specifying
► Page 79




Understanding
►Page 28
Specifying
►Page 81

Rectangle Height-Adjustable Bases

	46"W	58"W	70"W
23"D or 24"D	•	•	•
29"D or 30"D	•	•	•

Rectangle Work Tables—Seated Height

	46"W	58"W	70"W
23"D	•	•	•
29"D	•	•	•



120° Straight Work Table—Seated Height

	Depth Left	Depth Right	Width Back	Width Front
Left-Hand	2211/16"	407/16"	4013/16"	715/16"
Right-Hand	40 ⁷ /16"	2211/16"	4013/16"	715/16"

Steelcase June 2024



Understanding
►Page 28
Specifying
►Page 83

|--|--|--|--|

Understanding
►Page 28
Specifying
►Page 85

Rectangle Work Tables—Standing Height

	46"W	58"W	70"W
23"D	•	•	•
29"D	•	•	•

Rectangle Work Table—Bases Only

Statement of Line, continued



Understanding
▶Page 28
Specifying
▶Page 86



18"D

Understanding
►Page 28
Specifying
►Page 87

Slim Table

	58"W
18"D	•

Slim Table—Base Only, Standing Height

58"W	
•	



Understanding
►Page 30
Specifying
►Page 88



Understanding
►Page 30
Specifying
►Page 89

Single Tables-Seated Height

	Rectangle	Chevron	
	33"W	333/5"W	
18"D	•		
20"D		•	

Single Tables-Standing Height

	Rectangle	Chevron
	33"W	33⅓₅"W
18"D	•	
20"D		•



Understanding
Page 30
Specifying
Page 91

Specifying ► Page 91


Singl	le Table Modesty Panel	
	24"W	
11"H	•	



Understanding
►Page 30
Specifying
►Page 90

Single Tables-Pneumatic Height


	Rectangle	Chevron
	33"W	333/5"W
18"D	•	
20"D		•




Understanding ▶Page 33

Specifying
Page 92

Curved Screens



Understanding
►Page 34
Specifying
►Page 93



Understanding
►Page 34
Specifying

► Page 93

Rectangle Freestanding Screen

	•		
	47"H	60"H	71"H
24"W	•	•	•
30"W	•	•	•
36"W	•	•	•
42"W	•	•	•

Tip: Rectangle screens are also available parametrically in width to the $^{1}/_{16}$ " between 24" and 42". Parametric specification defines actual screen width.

Angled Freestanding Screen

	47"H		
47"W	•		



Understanding
►Page 35
Specifying
►Page 94



Understanding
►Page 36
Specifying
►Page 95

Acoustic Boundary

	79"H	116 ⁷ / ₈ "H	
58 ³ /8"W	•	•	

Team Cart

	41 ³ /8"H			
46"W	•			

Statement of Line, continued



Understanding
▶Page 36
Specifying

► Page 95



Understanding
►Page 36
Specifying
►Page 95

Board Cart

	41 ³ /8"H		
46"\W	•		

Board Cart Package

41³/8"H



Understanding ▶Page 38 Specifying ▶Page 96



46"W

Understanding
►Page 40
Specifying
►Page 97

Media Cart

	26 ⁴ /5"D			
30 ¹ / ₅ "W	•			

Markerboard

47"H 71"H



Understanding ▶Page 40 Specifying

► Page 97



35¹/2"W

Understanding Page 40
Specifying ▶Page 97

Markerboard Package

	47"H	71"H		
35 ¹ /2"W	•	•		

Stand

38"H

16" Dia.



Understanding
▶Page 40
Specifying
▶Page 98

Understanding
►Page 40
Specifying
►Page 98

Wall Rails

Tip: Widths are parametric to 1/16" from 48"-96"W.

Wall Rails Package

Tip: Widths are parametric to 1/16" from 48"–96"W.



Understanding
►Page 32
Specifying
►Page 99



Understanding
► Page 42
Specifying
► Page 100

Mobile Power

Mobile Power Charging Cart



Understanding
Page 44
Specifying
Page 101



Understanding
► Page 48
Specifying
► Page 102


Perch Stool

Docking Station

Personal Spaces Privacy Wraps



120° Freestanding
Privacy Wrap
Understanding
▶Page 50
Specifying
▶Page 103



120° Desk Mount Privacy Wrap Understanding ▶Page 51 Specifying ▶Page 104



90° Desk Mount Privacy Wrap Understanding ▶Page 51 Specifying ▶Page 105



120° Back
Privacy Wrap
Understanding
Page 52
Specifying
Page 106

Accessories



Power Hanger




Baskets



Cups



Cable Tray for Rectangle Height-Adjustable Desks



Understanding
►Page 56
Specifying
►Pages 107–112

Cable Tray for 120° Flex Height-Adjustable



Cable Catch for Rectangle Work Tables



Cable Brackets



Cable Riser



Brakes for Rectangle Height-Adjustable Desks



Media Cart Basket



Media Cart Power



Media Cart VESA Plate Adapter



Magnetic Cable Clips




Modesty Panel for 120° Height-Adjustable and 120° Straight Work Table



Magnetic Name Tag

Flex Active Frames



Understanding ▶Page 58 Specifying Page 113





Extension Understanding ▶Page 58 Specifying Page 115



Fixed Board Understanding ▶Page 58 Specifying Page 117



Infill Single Panel Understanding ▶Page 58 Specifying Page 118



Shelf Understanding ▶Page 58 Specifying Page 119



Door Understanding ▶Page 58 Specifying ▶Page 120



Tool Box Understanding ▶Page 58 Specifying Page 121



Mobile Board Clip Understanding ▶Page 58 Specifying Page 121



Cable Clip Understanding ▶Page 58 Specifying Page 121




Bookends Understanding ▶Page 58 Specifying Page 121




Understanding ▶Page 58 Specifying ▶Page 122

Flex Active Frame Media Tower



Media Tower Internal Mount Understanding

Understandir
▶Page 66
Specifying
▶Page 123



Media Tower Internal Mount, Extension

Understanding
►Page 66
Specifying
►Page 123



Media Tower External Mount Understanding

Page 66
Specifying
Page 126



Media Tower Utility Power


Understanding
Page 66
Specifying
Page 128



Media Table D-Shape


Understanding
▶Page 66
Specifying

Page 129



Media Table Rectangle

Understanding
▶Page 66
Specifying
▶Page 130



Media Table Sightline

Understanding
►Page 66
Specifying
►Page 131




Worksurface Clamp

Power Understanding

Page 66
Specifying


▶ Page 132

Flex Active Frames Work Island




Frame Understanding ▶Page 70

Specifying ▶ Page 133




Extension

Understanding
Page 70
Specifying
Page 135



Worksurface

Understanding
►Page 70
Specifying
►Page 137



Infill Center Panel

Understanding


▶Page 70

Specifying

▶Page 138

Height-Adjustable Desks Comparison Chart

Rectangle Height-Adjustable Desks



Enhanced sit-to-stand height-adjustability

A push button delivers electric adjustability up to $1^{1/2}$ per second. Includes two controller options:

- Simple touch
- · Active touch

	Weight Capacity
Flex Rectangle	360 lb


Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected.

See Storage Specification Guide for worksurface weights.


Adjustables Comparison	Chart					
	Flex Rectangle					
	Sit-to-Stand					
Range of Adjustment	Extended height: 223/5"—487/10"					
	Basic height: 27%"—46%10"					
Type of Adjustment	Electric					
Distributed Weight	360 lb					
Capacity						
Worksurface Weight	See page 19 for worksurface weights					
Worksurface Thickness	1"					
Controller	Simple touch, Active touch					
Integrated Rail	No					
Integrated Soft Edge	No					
Integrated Power	Yes					
Motor	Enclosed					
Decibel Rating	< 45 dBA					
Volts	120v AC					
Input Amps	2.5A					
Watts	300W					
Standby Power	0.1W					
Frequency and Phase	60 Hz Single Phase					
Adjustablilty Speed	1½" per second					
Stretcher or Understructure Design	Fixed					
Base Only Availability	Yes					
ANSI/BIFMA (29"D Knee depth requirement for worksurface)	Meet or Exceed					

120° Height-Adjustable Desks

Extended Height







Enhanced sit-to-stand height-adjustability

A push button delivers electric adjustability up to 11/2" per second. Includes two controller options:

• Simple touch


- Active touch

	Weight Capacity
Flex 120° Straight and Flex 120° Corner	540 lb

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options selected. See Storage Specification Guide for worksurface weights.

Adjustables Comparison Chart					
	Flex 120° Straight and Flex 120° Corner Sit-to-Stand				
Range of Adjustment	Extended height: 223/5"—487/10" Basic height: 273/5"—469/10"				
Type of Adjustment	Electric				
Distributed Weight Capacity	540 lb				
Worksurface Weight	See page 19 for worksurface weights				
Worksurface Thickness	1"				
Controller	Simple touch, Active touch				
Integrated Rail	No				
Integrated Soft Edge	No				
Integrated Power	Yes				
Motor	Partially enclosed				
Decibel Rating	< 45 dBA				
Volts	100v-240v AC				
Input Amps	3.75A				
Watts	450W				
Standby Power	0.1W				
Frequency and Phase	60 Hz Single Phase				
Adjustablilty Speed	11/2" per second				
Stretcher or Understructure Design	Fixed				
Base Only Availability	No				
ANSI/BIFMA (29"D Knee depth requirement for worksurface)	Meet or Exceed				


Rectangle Height-Adjustable Desks and Bases



Product Details

High-Pressure Laminate Desks

Edge profile is available in 3 mm edge profile.



PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and woodgrain finishes.

Edge profile finishes are specified separately from laminate color.

Radius corners are standard and have a 5" radius on all four sides with a continuous user edge. Radius corners eliminate sharp edges and are appropriate for mobile furniture.

Wood Veneer Desks

Edge profile is wood veneer with a square (3 mm)

Simple touch control-

ler is available as an option and easily adjusts height of desk, at a rate of 11/2" per second, by lifting or pressing down on the controller. Tip: Available with an antimicrobial option.

Active touch controller

is Bluetooth-enabled; is standard and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders.

Tip: Mobile app is available that pairs with any active touch controller to support preferences, presets, and activity tracking.

Obstruction sensing technology is standard with all Flex desks. The worksurface will backtrack when it makes contact with an object.

The overall depth of the worksurface is 23"D, 24"D, 29"D, or 30"D.

Desk overhang for CPU holder or layering of low storage and pedestals is available as an option. The overhang is 9" and available on 58"W or larger desks. Desk widths 70"W or larger allow for single or dual overhang.



Extended height Flex desks adjust 223/5"H to 487/10"H in any increment. Basic height-adjustable base adjusts from 273/5"H-469/10"H in any increment.

Wiring and Cabling

Low surge electric motor with quiet operation adjusts at 11/2" per second. Motor is 110V and includes a 10' power cord. Motor has 0.1W standby power.

Chicago requires that desks shipping into Illinois ship with a 9' power cord.

Flex desks and bases are listed by ETL.




Cable trays are available as an option or can be ordered separately. 46"W-5715/16"W desks use the 28" cable tray. 58"W-72"W desks use the 40"W cable tray. When specifying a desk overhang, see the chart below for additional guidelines.

		Worksurface Width					
Overhang	46"W-57 ¹⁵ / ₁₆ "W	58"W-65 ¹⁵ / ₁₆ "W 66"W-69 ¹⁵ / ₁₆ "W 70"W-72					
None	28"W Cable Tray	Tray 40"W Cable Tray					
Left or Right		28"W Cable Tray	40"W Cable Tray				
Left and Right			28"W Cable T				

Integrated power is optional and is located in the understructure of a desk. Integrated power consolidates technology to provide one cord out of the desk for convenience to the user. Two versions are available: underworksurface only and underworksurface plus worksurface clamp on convenience power. Worksurface power has two power outlet options, either dual USB-A or USB-C. Desks 5715/16"W and under receive three power outlets in the understructure and desks 58"W and above receive five power outlets. Over-current power protection is standard on the integrated power option. If the over-current protection trips, reset by pushing the button located on the face of the understructure.

Integrated power is standard with a 10' standard black power cord. A 20' cord option is available if additional length is needed. For extra color, braided cord option is available.

Integrated power is available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug for use with onedoor and two-door low-profile connectors.



Cable riser, with fence connection, inside dimensions are $1"D \times 1"W$ to accommodate a variety of cord sizes. Overall depth is 2".



Magnetic cable clips are optimized for the Flex braided one-cord out solution. However, the magnetic cable clips will work on Ology, Migration SE, and the standard Flex power cords. The clips are used to manage power cords out of the users way. Orderable as a separate style number.



Cable brackets, ordered separately, support horizontal cable management below the worksurface.

► Specifying, page 109



Inside dimensions of cable brackets are $6"D\ x\ 2^1/4"W\ x\ ^1/18"H$.

Surface Materials

High-Pressure Laminate Desk

- · Laminate
- See Surface Materials
 Reference Manual.
- Open Line laminate (option)
 A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials
 Reference Manual.

3 mm edge profile

Plastic

Wood Veneer Desk

- · Wood veneer (standard)
- · Customiz stain (option)
- Full-fill finish (option)

Square 3 mm edge profile

 Wood veneer to match desk

Height-adjustable base

- 4799 Platinum Metallic7207 Black
- 7243 Seagull
- 7360 Merle

Foot

Paint

Rollers

- 6053 Seagull
- 6205 Black
- 6249 Platinum Solid
- 6527 Merle

Brake

• 6527 Merle

Braided Cord Color Matrix

Braided cord samples are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish color for color reference purposes. *Tip: Braided cord color is defaulted to 9007 Sterling.*

Finish	Similar Steelcase Color
9003 Fuchsia	PerfectMatch
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling*	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull

*Default finish on integrated power.

Application Topics

Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.

Universal boundary

screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.

On extended height desks, any storage

higher than 19" will impede the height range of the desk. On basic height desks, any storage higher than 237/10" will impede the height range of the desk. Tip: Do not place storage underneath controller.

When mounting CPU holders, specify the over-

hang option.
Tip: CPU holders that
require less than 12"D
clearance may be mounted
inboard of legs.

All assemblies meet or exceed ANSI/BIFMA standards.

AWARNING

Read base only warranty limitations.

Keyboard assemblies

are not allowed for use on height-adjustable desks. They do not meet minimum safety requirements.

Installation

Desks ship with pre-drilled holes for mounting bases.

Height-adjustable base requires attachment to the worksurface.

Base supports a maximum distributed weight capacity of 360 pounds.

Tip: When calculating lifting capacity, subtract the weight of the worksurface, understructure, and options.

Tip: A label applied to the underside of the worksurface will include the load-capacity for each desk.

Tip: Flex 90° desk mounted wraps will work on Flex rectangular height-adjustable desks 23"D x 52"W and above.

:	Worksurface	Weight							
:							·Options		Accessory
	Worksurface	W	D	·Worksurface	Understructure		Integrated	· Desk	·Curved
	Shape			Weight	Weight	Clearance	Power	Mounted	Screen*
:				•	•	· (A)	Weight	Wrap	
•				:					






			23"D	24"D					
Rectangular	46"	23" or 24"	27 lb	29 lb	7.1 lb	91/2"	5.0 lb	29 lb	1.9 lb
	58"	23" or 24"	35 lb	36 lb	9.4 lb	91/2"	5.0 lb	29 lb	3.7 lb
	70"	23" or 24"	42 lb	43 lb	11.7 lb	91/2"	5.0 lb	29 lb	5.5 lb
			29"D	30"D					
	46"	29" or 30"	34 lb	36 lb	7.1 lb	121/2"	5.0 lb	29 lb	1.9 lb
	58"	29" or 30"	43 lb	45 lb	9.4 lb	121/2"	5.0 lb	29 lb	3.7 lb
	70"	29" or 30"	52 lb	54 lb	11.7 lb	121/2"	5.0 lb	29 lb	5.5 lb

^{*}For detailed curved screen information, see page 33.


120° Height-Adjustable Desks



Product Details

High-Pressure Laminate Desks

Edge profile is available in 3 mm edge profile.



PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and woodgrain finishes.

Edge profile finishes are specified separately from laminate color.

Radius corners are standard with a continuous user edge. Radius corners eliminate sharp edges and are appropriate for mobile furniture

Wood Veneer Desks

Edge profile is wood veneer with a square (3 mm) radius.

Simple touch control-

ler is available as an option and easily adjusts height of desk, at a rate of 1½" per second, by lifting or pressing down on the controller.


Tip: Available with an antimicrobial option.

Active touch control-

ler is standard and includes digital display, two preset buttons, double-tap automatic drive, and active motion posture reminders. Tip: Mobile app is available that pairs with any active touch controller to support preferences, presets, and activity tracking.


Obstruction sensing technology is standard with all Flex desks. The worksurface will backtrack when it makes contact with an object.

120° Straight





120° Corner





Left Hand Right Hand

Extended height Flex desks adjust 223/s"H to 487/10"H in any increment.

Basic height-adjustable base adjusts from 27%"H–46%10"H in any increment.



Modesty panels are available on the 120° height-adjustable desks as an option, or can be ordered separately. The two piece design provides modesty for the user, and attachment for the magnetic cable clips to keep the height-adjustable power cord out of the users way.


Monitor arms approved for use with Flex 120° height-adjustable desks are: CSFSTDDUALBAR, CFINTROSLIDE, CFINTRO.

Wiring and Cabling

Low surge electric motor with quiet operation adjusts at 1½" per second. Motor is 110V and includes a 10' power cord. Motor has 0.1W standby power.

Chicago requires that desks shipping into Illinois ship with a 9' power cord.

Flex desks and bases are listed by ETL.




120° cable tray is available on the 120° height-adjustable desks as an option, or can be ordered separately.

Integrated power is optional and is located in the understructure of a desk. Integrated power consolidates technology to provide one cord out of the desk for convenience to the user. Two versions are available: underworksurface only and underworksurface plus worksurface clamp on convenience power. Worksurface power has two power outlet options, either dual USB-A or USB-C. Desks receive five power outlets. Over-current power protection is standard on the integrated power option. If the over-current protection rips, reset by pushing the button located on the face of the understructure.

Integrated power is standard with a 10' standard black power cord. A 20' cord option is available if additional length is needed. For extra color, a braided cord option is available. Curly cord is also available for extra cord management.

Integrated power is available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug for use with one-door and two-door low-profile connectors.



Cable riser, with fence connection, inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".



Magnetic cable clips are optimized for the Flex braided one-cord out solution. However, the magnetic cable clips will work on Ology, Migration SE, and the standard Flex power cords. The clips are used to manage power cords out of the users way. Orderable as a option on the 120° Flex height-adjustable desks, or as a separate style number.



Cable brackets, ordered separately, support horizontal cable management below the worksurface.

► Specifying, page 109



Inside dimensions of cable brackets are 6"D x 21/4"W x 1/18"H.

Surface Materials

High-Pressure Laminate Desk

- Laminate
- ▶ See Surface Materials Reference Manual.
- · Open Line laminate (option)
- A program including non- Steelcase laminates which are suitable for use on Steelcase products.
- See Surface Materials Reference Manual.

3 mm edge profile

Plastic

Wood Veneer Desk

- · Wood veneer (standard)
- · Customiz stain (option)
- · Full-fill finish (option)

Square 3 mm edge profile · Wood veneer to match desk

Height-adjustable base

- 4799 Platinum Metallic
- 7207 Black
- 7243 Seagull
- 7360 Merle

Desk slide glide

6527 Merle

Modesty panel

Paint

Modesty panel bracket

Magnetic cable clips

· 6053 Seagull

Braided Cord Color Matrix

Braided cord samples are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish color for color reference purposes. Tip: Braided cord color is defaulted to 9007 Sterling.

Finish	Similar Steelcase Color
9003 Fuchsia	PerfectMatch
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling*	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull

*Default finish on integrated power.

Application Topics

Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.

Universal boundary screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.

On extended height desks, any storage higher than 19" will impede the height range of the desk. On basic height desks, any storage higher than 237/10" will impede the height range of the desk.

Tip: Do not place storage underneath controller.

All assemblies meet or exceed ANSI/BIFMA standards.



Read base only warranty limitations.

Keyboard assemblies are not allowed for use on height-adjustable desks. They do not meet minimum safety requirements.

How to Calculate Power Needs

Use This to Determine How Many Power-Ins You'll Need

When planning a power network, you must calculate the amperage requirements of all your electrical components so you can provide sufficient electricity to power them.

If your usage is not known in advance:

The National Electrical Code (NEC) allows a maximum of 13 receptacles on each 20-amp circuit. This provides up to 30 receptacles for each 3-circuit power-in.

If your usage is known in advance:

• Device

Add up the amperage used by each piece of equipment in the workstation. Whenever you reach 60 amps (20 amps times 3 circuits) from items that are likely to be used at the same time, you have reached the limit for a single power-in. Specify another power-in and continue until all equipment is powered.

If the circuits will normally be subject to a continuous load (three or more hours of continuous use, such as lights or computers), the NEC requires that circuit capacity be "de-rated" by 20 percent. Therefore, treat circuits used for continuous loads as if they were rated at 16 amps instead of the regular 20 amps.

Try to anticipate future increases in power requirements and build some excess capacity into your plan.

See table at right for typical and actual amperage usages for components.

To calculate amperage when the wattage of a device is known, divide watts by 120.

Some appliances, such as large copiers, coffee makers, or space heaters require most of the current available on a 20-amp circuit. It is recommended that such devices be supplied with their own receptacle/circuit, directly from the building. This leaves the capacity of the furniture circuits available for the more dynamic requirements of the office equipment.

Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper planning of electrical circuits in your locale.

Approximate power consumption for common devices

· Wattage · Amperage · Voltage · Number of Devices

Device	Wattage	Amperage	Voltage	Number of Devices Supported on Single 20 Amp Circuit
Laptop (Low)	30	0.25	120	64
Laptop (High)	100	0.83	120	19
CPU/Desktop Computer (Low)	65	0.54	120	30
CPU/Desktop Computer (High)	150	1.25	120	13
Monitor (Low)	15	0.13	120	128
Monitor (High)	80	0.67	120	24
Phone	5	0.04	120	384
High Power Tablet	10	0.08	120	192
Lower Power Tablet	45	0.38	120	43
Desktop Printer	40	0.33	120	48
42" LCD Screen	120	1.00	120	16
Projector (Small)	50	0.42	120	38
Projector (Medium)	250	2.08	120	8
Projector (Large)	800	6.67	120	2
Desktop Lamp	20	0.17	120	96
Large Printer/Copier	1600	13.33	120	1
Small Printer/Copier	800	6.67	120	2
Paper Shredder (Small)	250	2.08	120	8
Paper Shredder (Large)	800	6.67	120	2
Desktop Fan	25	0.21	120	77
Standing Fan	125	1.04	120	15
Coffee Maker (Low)	500	4.17	120	4
Coffee Maker (High)	1500	12.50	120	1
Microwave (Low)	600	5.00	120	3
Microwave (High)	1000	8.33	120	2
Refrigerator (Low)	200	1.67	120	10
Refrigerator (High)	1500	12.50	120	1
Vacuum (Low)	200	1.67	120	10
Vacuum (High)	1500	12.50	120	1
Space Heater (Low)	400	3.33	120	5
Space Heater (High)	1500	12.50	120	1
Height-Adjustable Desk (Low Power Consumption)*	200	1.67	120	10
Height-Adjustable Desk (High Power Consumption)*	550	4.58	120	3

Tip: These calculations are estimations and are meant solely for informational purposes. It is important to conduct proper power planning for each installation to prevent overloading a circuit.

^{*} Refer to the Height-Adjustable Desks Specification Guide for specific product information.

Work Tables and Slim Tables



tables are a family of standing and seated height tables that span a wide array of team activities; from an individual desk for focus work, to collaborative work-surfaces for the team, and in-between spaces.

► Specifying, pages 81–87

Pegs are standard on all four legs and provide a convenient place to hang a backpack, cable catch, power hanger, or accessory cup.

Wheel housing finish

matches the wheel/glide finish selected.

Radius corners are standard on the top and have 5" radius on all four corners with a continuous user edge.

Legs come standard with four glides on standing and seated height tables. Mobile two wheels and two glides is available as an option. Slim tables are only available with four glides.


Legs are 2" diameter.

Footrest on standing height table supports change of posture and brings comfort for sitting all day.

Wheels provide intentional user mobility.



Cable catch, optional, attaches to the pegs to assist cord and cable routing.



Pegs are standard on all four legs and provide a convenient place to hang a backpack, power hanger, or accessory cup.




Glides provide 1" of leveling and are used for installation on uneven floors.

Actual Dimensions				
• Feature	• Overall • Depth	Width	Height	• Footrest • Height
Rectangle standing height table	23" or 29"	46", 58", or 70"	41 ³ /8"	11"
Rectangle seated height table	23" or 29"	46", 58", or 70"	281/2"	N.A.
120° straight seated height table	40 ⁷ /16"	715/16"	281/2"	N.A.
Slim table	18"	58"	413/8"	. 11"

Product Details

High-Pressure Laminate Worksurface



Edge profile is available in 3 mm edge profile.

PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and woodgrain finishes

Edge profile finishes are specified separately from laminate color.

Radius corners are standard with a continuous user edge. Radius corners eliminate sharp edges and are appropriate for mobile furniture.

Wood Veneer Worksurface

Edge profile is wood veneer with a square (3 mm) radius.


Cable catch joined between two tables acts as a simple trough cable management. Cable catch is not an option for the 120° seated height or slim work table.

Cable catch is felted PET and will stretch or conform, dependent on the weight of the cords stored. Do not place items within that restrict airflow to electrical components.


Frame, pegs, and footrest for rectangle work tables can be specified in different colors.

120° Seated Height Work Table


Left Hand



Right Hand



Base only style numbers are available for customers who want to provide their own tops for rectangle work tables. Tops for rectangle work tables can be sized with no more than 8" overhang on all sides and be no more than 60 pounds. Tops for slim tables can be sized with no more than 6" overhang on all sides and be no more than 30 pounds. Tops need to be a minimum of 1" thick to use the provided screws.



Modesty panels are available on the 120° seated height work table as an option, or can be ordered separately. The two piece design provides modesty for the user, and attachment for the magnetic cable clips to keep the height-adjustable power cord out of the users way.

Surface Materials

Top

- Laminate
- · Wood veneer
- · Customiz stain (option)
- Full-fill finish (option)

3 mm edge profile

- Plastic (if laminate top is selected)
- Square wood veneer to match table (if wood top is selected)

Frame

Paint

Footrest

Paint

Pegs

Paint

Wheels, glides, and housing

- 6527 Merle with Merle tread
- 6053 Seagull with sterling dark solid tread

Cable catch

- · P630 Medium Heather Grey
- P631 Dark Heather Grey

120° work table glides

- · 6053 Seagull
- 6527 Merle


120° work table modesty panel


Paint

120° work table modesty panel bracket


• 6527 Merle

Single Tables






Modesty panels are constructed of PET and attach to the underside of the table with screws.



Actual Dimensions				
• Feature	• Overal • Depth	I Width	Height	• Footrest • Height
Rectangle seated height table	18"	33"	281/2"	N.A.
Chevron seated height table	20"	333/5"	281/2"	N.A.
Rectangle standing height table	18"	33"	413/8"	11"
Chevron standing height table	20"	333/5"	41%"	11"
Rectangle pneumatic height table	18"	33"	285/8"-47"	N.A.
Chevron pneumatic height table	20"	333/5"	285/8"-47"	N.A.
Modesty panel*	N.A.	24"	11"*	N.A.


* Modesty panel height is 11" below surface when installed.

Product Details



Privacy 56" Soffio

screens can be added to all chevron or rectangle single table style numbers to give additional privacy and protection for users.



Edge profile is available in 3 mm edge profile.

PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and woodgrain finishes.

Edge profile finishes


are specified separately from laminate color.

Radius corners are standard with a continuous user edge. Radius corners eliminate sharp edges and are appropriate for mobile furniture.

Wood Veneer Worksurface

Edge profile is wood veneer with a square (3 mm) radius.

Frame includes column, base, and footrest on standing height tables. All pieces always match for single tables.



Surface Materials

Top

- Laminate
- Wood veneer
- Customiz stain (option)
- · Full-fill finish (option)

3 mm edge profile

- · Plastic (if laminate top is selected)
- Square wood veneer to match table (if wood top is selected)

Base

Paint

Pneumatic adjustable column

- 7360 Merle
- 73ZW Pearl Snow

Pneumatic handle

· Black plastic

Casters

6527 Merle

Glides

Black plastic

Modesty panel · P630 Medium Heather

- Grey
- P631 Dark Heather Grey

Tip: For a fully monochromatic merle base, order the pneumatic column and the base in 7360 Merle.

Tip: For a fully monochromatic pearl snow base, order the pneumatic column in 73ZW Pearl Snow and the base in 4844 Glacier.

Mobile Power

Mobile power is a sleek, smart mobile power solution that gives teams and individuals the freedom to work anywhere they want.

Specifying, page 99

Mobile power is ordered and shipped as a kit of five mobile power units and one mobile power charging tray.

Mobile power charging tray can charge five mobile power units simultaneously in less than eight hours.

Three USB-C power

Integrated handle for portability, light bar to indicate power level and light dot to indicate use.

A 7-segment LED power level gauge displays the remaining power in the mobile power unit.

Bumper is an option on mobile power charging tray. Order without bumper option for mobile power integrated into the Steelcase Flex mobile power-charging cart. *Tip: Bumper can be added or un-installed in the field.*

Plastic housing with a flexible handle make for easy portability.

Product Details

Mobile power units

have a capacity of 218-watt hours each and can provide up to 117-watt of power simultaneously to up to four devices.

Mobile power charging tray can be specified as standalone freestanding tray, with a bumper on the outside with rubber feet, or without the bumper so it can be integrated into the Steelcase Flex mobile power-charging cart.

Mobile power charging tray ships with a freestanding 200-watt power supply. The power supply comes with a 84/s¹ cord when specified as freestanding or a 62/s¹ cord when specified without the bumper.

Surface Materials

Flex mobile power kit (tray and power units always match)

- 6000 Black
- 6009 Arctic White

laptops via USB-C simultaneously all day. One USB-A port included for legacy devices like phones and older tablets.


delivery ports and one

Three USB-C ports allow three users to charge their

USB-A port.

Actual Dimensions			
	Mobile power unit	Mobile power charging tray	
Depth	N.A.	1"	
Width	4"	101/5"	
Length	112/5"	161/10"	

Curved Screens



Product Details

Curved screens perform to an NRC rating of 0.45.

Application Topics

Curved screens are sized to work with modular size desks. Mounting a pair of screens on a parametric sized desk will create a gap between screens.

Tip: It is recommended that CET SmartTools be used to evaluate the gap on the desk.

Curved screen is mounted with a 5%" cord drop.

Fabric is applied in a warp horizontal direction. Due to the size of the screens, fabric is unable to be applied in a warp vertical direction.

Privacy configuration

provides 11½" of screen above the worksurface and 5½" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen. Screens are meant to be handled by the user. Choose fabrics colors that will wear well over time.

Modesty configuration

provides 3½" of screen above the worksurface and 13½" of screen below the worksurface. The height is measured from the top of the mounting surface to the top of the screen, and from the bottom of the mounting surface to the bottom of the screen.

When ordering a single

screen, selecting the correct hand is important. Handedness is assigned from the user position when the curved screen is mounted in privacy mode.

Single curved screens

mounted to a modular size desk will cover half the width of the desk. If more coverage is desired, order the next size larger of screens. Tip: It is recommended that CET SmartTools be used to evaluate the placement of the screen on the desk.

Surface Materials

Screen

Fabric

Tip: Some thin, light colored fabrics are not available on these screens. Please see Surface Materials for available fabric finishes.

▶Page 143

Brackets

6527 Merle

Actual Dimensions


		_
Desk width	46", 58", or 70"	
Height	18"	
Weight	1.9 lb, 3.7 lb, 5.5 lb	
Depth	1/2"	


Freestanding Screens

Freestanding screens

offer infinite possibilities for space division, personal privacy, and keeping information visible.

Specifying, page 93





Actual Dimensions

·Feature	Overall				
	Depth	Modular Width	Actual Width	Modular Height	Actual Height
Rectangle screen	15/32"	24", 30", 36", or 42"	$23\frac{5}{8}$ ", $29\frac{1}{2}$ ", $35\frac{7}{8}$ ", or $41\frac{1}{4}$ "	47", 60", or 71"	471/4", 60", or 707/8"
Angled screen	15/32"	47"	471/4"	47"	471/4"

Tip: Rectangle screens are also available parametrically in width to the 1/16" between 24" and 42". Parametric specification defines actual screen width.

Tip: Screens ordered parametrically may not align exactly with modular screens. It is highly recommended to use CET SmartTools to confirm all dimensions before ordering.

Product Details

Freestanding screens are lightweight for ease of

are lightweight for ease of use in both portrait and landscape modes. 47"H screens weigh under 8 pounds, 60"H screens weigh under 9 pounds, and 71"H screens weigh under 11 pounds.

Rectangle freestanding screens at 71"H x 35½"W are the same size as the markerboards and can be displayed in the same locations: board cart, team cart, stand, and wall rail.

Flex freestanding screens perform to a NRC rating between 0.40-0.65 dependent on fabric type and use.

Magnet edge allows for 360° of attachment to other screens. Straight line, T, or X applications are possible.

Fabric is applied in a warp vertical direction. Due to the size of the screens, fabric is unable to be applied in a warp horizontal direction.

Screens are meant to be handled by the user. Choose fabrics colors that will wear well over time.

Color scheme can have contrasting color as long as it is within the same fabric family. (For example, 5H16 Indigo can be specified for Surface 1 and 5H19 Cumulus can be specified for Surface 2; both are Billiard Multi-Use by Designtex.)

Surface Materials

Screen

Fabric

Magnet edge and glide

• 6527 Merle

Acoustic Boundary

Steelcase Flex acoustic boundary improves acoustic performance and creates flexible space

division. ▶Specifying, page 94

Skins are made of formed felted PET and available in two colors with a molded organic pattern. Board clips are optional and lock markerboards and screens in place, either in portrait or landscape mode. Cups hang on the board clips to keep dry erase markers and erasers easily accessible ►See page 108 for accessory cups. Locking casters ensure Handle allows for ease of

stability when working with

supported markerboards

and screens.

Product Details



Aligning of boundary units to reduce gaps where sound can travel allows for optimal acoustic performance.

Short boundary fits through a standard door opening, allowing for ease of movement throughout an office environment.





No clip or single sided

Acoustic boundaries perform to an NRC rating of 0.75.


Surface Materials

Outer skin

- P631 Dark Heather **Grey PET**
- P636 Light Heather Grey PET

Board clips and casters

6053 Seagull 6527 Merle



Avoid pendant lighting when moving acoustic boundaries through office environments. Top of boundary must be two feet lower than ceiling height to allow clearance for fire suppression systems.

clip option is available if a clean aesthetic is desired.

Due to recycled content of PET, there may be slight color variation between skins.

Actual Dimensions

· Feature

·Overall

movement within a team

space.

Carts

The Flex carts consist of a team cart and a board cart. The team cart provides storage for team needs. The board cart holds up to eight markerboards and allows teams to create, move, and share information.


▶Specifying, page 95

Clips are standard and lock markerboards and screens in place in portrait mode or support in landscape mode.

Carts are standard with two wheels and two locking casters for ease of mobility.

> Board cart holds eight markerboards and/or screens internal and two markerboards/screens displayed. Cart cannot hold freestanding screens larger than 36"W.

Hooks are standard and hold backpacks, power Hooks can hold up to 25 pounds.




Product Details

Shelves are specifiable in a contrasting color from the

Accessory baskets,


ordered separately, sit on the team cart shelves to provide storage for team needs.



Board cart package

contains a cart, eight 71"H markerboards, and an accessory cup.

Markerboards or freestanding screens can be positioned in a portrait or landscape orientation on the carts.



Shelves are non-adjustable fixed height.

Carts cannot hold Flex screens larger than 36"W.

Actual Dimensions

Depth	20"
Width	46"
Height	413/8"

Surface Materials

Frame

Paint

Shelves

Paint

- Wheels and casters

 6053 Seagull with sterling dark solid tread

 • 6527 Merle with Merle
- tread

Board clips

- 6053 Seagull6527 Merle

Board organizer

• 6527 Merle

Accessory cup


- P635 Heather Navy exterior with P630 Medium Heather Grey interior
- P636 Light Heather Grey exterior with P631 Dark Heather Grey interior

Media Cart

Technology agnostic and effortlessly mobile, Steelcase Flex media cart

Steelcase Flex media cart keeps up with people, projects, and organizations on the move.

Media cart is ordered and shipped without technology. ► Specifying, page 96





Product Details

The Flex media cart is a technology agnostic solution, allowing one to bring their own technology application to the table. Customers are responsible for bringing and integrating technology and audio-visual components.


Tip: Consult an AV or IT professional early in the design process for potential technology applications.

No larger than 65" monitors should be used on the mobile media cart with a maximum 50 pounds weight capacity.





Mobile media cart includes a universal 200x200 VESA mounting plate with the ability to option a flexible adapter bracket to support monitors with a 400 VESA mounting pattern.



Cord management system allows different power and data cords to easily be secured on each leg.

Media cart power is optional and is in the media basket for a more integrated solution. Integrated power consolidates technology to provide one cord off the media cart for convenience to the user.

Two versions are available, basket power only and basket power plus worksurface clamp on convenience power.

Cart shelf power has two power outlet options, either dual USB-A or USB-C. Over-current power protection is standard on the integrated power option and prevents media cart from drawing more than 15 amps of power. If the over-current protection trips, reset by pushing the button located on the face of the understructure.

Integrated power is standard with a 10' standard black power cord. A 20' cord option is available if additional length is needed. For extra color, braided cord option is available.

Tip: Chicago requires that cart shipping into Illinois ship with a 9' power cord.

Integrated power is available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug for use with one door and two-door low-profile connectors.

Surface Materials

Shelf

· High-Pressure Laminate

Frame

Paint

Clamp-on power

- 5U23 Blue Jay
- 6000 Black
- · 6009 Arctic White
- · 6053 Seagull
- 6249 Platinum Solid
- 6338 Chili
- 6527 Merle

PET on basket

· P631 Dark Heather Grey

Braided Cord Color Matrix

Braided cord samples are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish or Pantone color for color reference purposes.

Finish	Similar Steelcase Color
9002 Silver	N.A.
9003 Fuchsia	PerfectMatch
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull
9012 Merle	N.A.
9013 Brass	N.A.

Tip: Braided cord color is defaulted to 9007 Sterling.

Markerboard Solutions

Steelcase Flex markerboard solutions

are lightweight and mobile for creating, sharing, and moving your work.

Specifying, pages 97–98

Wall rails offer additional display options for markerboards and screens and can activate otherwise blank walls.

Markerboards are lightweight and easily portable bringing information wherever it is needed.

Stand provides freestanding space division with boards and also serves as a podium for active collaboration and quick meet-ups.

Pegs are standard on the stand and provide a convenient place to hang a backpack, power hanger, or accessory cup.

Product Details

Stand is standard with a plywood top and two slots. Slots support markerboards and screens to create a freestanding display and space division. Stand weighs approximately 20 pounds. Tip: Plywood is a natural material and variations will occur in color, grain, and texture.

Markerboards are double sided and available in two sizes: 47"H and 71"H.

Markerboards have a plywood edge for increased durability.

Markerboards are lightweight for ease of use in both portrait and landscape modes. 47"H markerboards weigh 8 pounds and 71"H markerboards weigh approximately 10 pounds.

Radius corners have a 31/2" radius.

Wall rails come in a top and bottom rail set.


Wall rails are double tracked to provide density of information display. Tracks are lined with low friction tape for ease of sliding markerboards and screens.

Wall rails can be installed for either portrait or landscape positioning of markerboards and screens.

Wall rails can be field cut or are available in factory cut sizes from 48"W to 96"W with 1/16" increments.

Wall rails can be joined together with included pins for sizes longer than 96"W.

Actual Dimensions · Feature · Overall Depth Width Height Stand 16" Dia. N.A. 38" 47" or 71" Markerboard 1/2" 36" Wall rail 48"-96" N.A.



Wall rails mount directly to structural wall. When used with a markerboard there is a 11/5" clearance between the wall and the inner markerboard.

Wall rail tracks are sized for ¹/₂" or thinner boards. Wall rail is not intended for glass.

Wall rail is only intended for use with Steelcase Flex Collection screens and markerboards

Wall rail package contains a top and bottom set of wall rails and four 71"H markerboards.

When applying markerboards or screens to wall rails, consult with your local officials for code compliance details.

Maintenance

Markerboard

Use any high-quality dry erase marker.

CAUTION! The use of Low Odor markers may cause ghosting to occur. If Low Odor markers have been used, the surface can be completely cleaned by following the cleaning instructions below.

Maintenance and Care

- Use clean dry eraser or microfiber cloth to remove ink
- Use Expo cleaner or other markerboard cleaner with microfiber cloth. If the markerboards are used daily, cleaning may be required 2-3x per week.
- For heavily used markerboards and persistent markings, clean with 91% isopropyl alcohol with a microfiber cloth.

Surface Materials

Stand base

- 6053 Seagull
- 6527 Merle

Stand top

Plywood

Wall rail

- 4799 Platinum Metallic
- 7360 Merle

Accessory cups


- P635 Heather Navy exterior with P630 Medium Heather Grey interior
- P636 Light Heather Grey exterior with P631 Dark Heather Grey interior

Steelcase Flex Collection Specification Guide

Mobile Power Charging Cart

Mobile power charging cart allows for convenient charging for up to 10 mobile power units with one cord to connect to an outlet.

►Specifying, page 100



Two charging shelves always ship with cutout and railing to accommodate two mobile power charging trays. Mobile power ordered sepa-

rately, see page 32.

Product Details

Top two shelves are specifiable in either black or white and should be selected based on mobile power color that will be purchased.

Bottom shelf color will always match cart frame.

Mobile power charging cart does not accommodate clips or hooks for hanging accessories or markerboards.

Mobile power charging cart is available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug.

Surface Materials

Frame and bottom shelf

Paint

Top two shelves

- 7204 Black
- 7241 Arctic White

Wheels and casters

- 6053 Seagull with sterling dark solid tread
- 6527 Merle with Merle tread

Actual Dimensions Depth 13"

32"

Height 413/8"

Width

Perch Stool

Perch stool is a short-term seating solution that nests for easy use and storage in your agile team spaces. Its beautiful design, flexibility, and light weight make it the perfect perching option for stand-ups, team huddles, and working sessions. Pair Perch stool with your current Steelcase Flex Collection applications for a seamless integration.

Specifying, page 101

Frame and seat are one molded piece, available in five colors.

Plastic frame is a 4-leg base available in five colors.

Plastic glides are suitable for hard floors or

carpet.

Product Details





Perch stools are available in one height option, have a 4-leg base, and come standard with glides. Choose from single or 4-pack.

Seat and frame

are molded out of ChemCycled™ nylon and are 100% recyclable.

One-piece molded

design make it easy for Perch stools to be cleaned and sanitized. See Surface Materials Reference Guide for detailed cleaning instructions.

Glides are available in one type suitable for both hard floors and carpet. Glides are designed with texture to keep Perch stool in place during use.



Perch stool can support up to 300 pounds.



Textured seat provides adequate grip ideal for perching.



Perch stools nest on the floor in rows. There is no limit to the number of Perch stools that can nest as long as you like.

Surface Materials

Frame and seat

- 6527 Merle
- 6697 Fog
- 6302 Baltic
- 6BE2 Light Peacock
- 6BD7 Saffron

Glides

- Soft plastic glides are made of Thermoplastic Polyurethane and come standard on all models of Perch stools on 6205 Black
- Felt glides are unavailable for use with Perch stools.

Programs & Services

▶See the Surface Materials Reference Manual for further detail about programs and services offered for seating.

The Customer's Own Material (COM) Program

offers the opportunity for customers to select fabrics that are not offered through the standard Steelcase surface materials program for use on Steelcase products. Through the COM program, Steelcase will test your materials for application on Steelcase products. Once approved, you can place your order. Steelcase will facilitate the entire ordering process and give you a production schedule. Steelcase will order the COM fabric directly from the textile manufacturer. For up-to-date information regarding fabric test results for all COM fabrics and details regarding yardage requirements for most Seating lines, visit the COM website. To locate the COM website:

· Visit www.steelcase.com

Soil retardants are treatments that provide long-term soil and stain resistance to a fabric without affecting the shade or the integrity of the fabric. The following Steelcase Textiles are available pre-treated with soil retardant. (You do not need to select the soil-retardant option for these fabrics and incur the upcharge.)

- Jacks
- Link

For information on soil retardant fabrics on Select Surfaces, please refer to the Surface Materials Reference Manual.

Dimensions Perch Stool

	· Overall Depth	·Overall Width	· Overall Height	• Seat Depth	· Seat Width	Seat Height from floor	Seat Height from floor	
	:	:	:	:	:	:	:	
Perch Stool								
	12 ¹ /2"	211/2"	281/8"	91/8"	17 ¹⁰ /16"	265/8"	281/8"	

•Seat Angle	· Footrest height from floor (front of seat)	· Footrest height from seat (Back of seat)
7.2°	81/16 "	189/16"
:	:	

Docking Station

Docking station is a

next-generation thunderbolt 4 docking station that provides a one-cord-in connection between a laptop and the monitors, hardwired data, and USB peripherals at a workstation. With a patented above-the-desk design, the docking station gives users the access they need to power while managing all cords and connections to the workstation at the back of the dock and out of sight.

► Specifying, page 102

Illuminated power but- ton used to power on or off. Button Illuminates when dock is powered on.

3.5 mm audio jack.

USB-A port supports BC1.2 with charging speeds up to 5V-1.5A. Supports transfer at speeds up to 5 GB/s.


USB-A port with charging speeds up to 5V-0.9A when a laptop is connected to the docking station. Supports transfer at speeds up to 5 GB/s.

Upstream Thunderbolt

4 port. Connect to provide PD charging of your Thunderbolt & USB-C laptops at 90W. When connected to a non-Thunderbolt USB-C laptop, the performance may be affected.

Downstream Thunderbolt 4 port.

When connected to Thunderbolt laptops, this port will provide video, USB 3.0, and USB 2.0 data speeds and provide daisy chain capability. Charge at a maximum output of 5V–3A, 15W. Data transmission rate up to 40Gbps and maximum resolution of 8k at 30Hz.



DC Input. Connect to the power outlet using the included power cable.

Ethernet port. Connect to a router or modem at 10/100/1000 Mbps. For 1000 Mbps data speed, must use a Cat 5e or later ethernet cable.

Display port video outputs. Please refer to the video output resolution chart.


Product Details



Docking station is compatible with CF Series, CF Series modular, and CF Series intro arms with the standard top-down C-clamp.

Docking station provides 90W of power delivery to laptops connected via the included Thunderbolt 4 cable.

Video output of 4K video resolution for up to 2 monitors is supported.



Cable management

included on the back collar allows for cables to be routed above the dock to monitors or below the dock to connect to power and ethernet under the desk.

Compatible operating systems:

- Windows: Win10 10.0.18363 or above
- Chrome: v84 or above– macOS 11 Big Sur or later
- iPadOS 14.4 or later

AC adapter

- Input voltage: 100-240 V~
 2.0A, 50-60Hz
- Output voltage: 22V~5.45A



0.7m Thunderbolt 4 cable with docking station tether is included. Note: Only use Thunderbolt cable provided with unit, other cables may void product warranty. If cable replacement is required, please contact your Steelcase dealer.

Surface Materials

Docking station is available in pewter, pearl snow, and black.

Environment	
Temperature—Operating	0°C to 40°C
Temperature—Non-operating	-40°C to 80°C
Relative Humidity—Operating	No requirement
Relative Humidity Non-operating	90-95%, when the temparature is 80±2°C
AltitudeOperating	5000m
Altitude—Non-operating	5000m

Video Output Resolution Chart

Item	DisplayPort 1	DisplayPort 2	Type-C (Thunderbolt)	
Single display	7680 x 4320@30Hz	N.A.	N.A.	
output (1DP Stream with	N.A.	7680 x 4320@30Hz	N.A.	
HBR3 no DSC (34.5Gbps)	N.A.	N.A.	7680 x 4320@30Hz	
Dual DP on Single Display	5120 x 28	N.A.		
Dual display output	3840 x 2160@60Hz	3840 x 2160@60Hz	N.A.	
(1DP Streams with	3840 x 2160@60Hz	N.A.	3840 x 2160@60Hz	
HBR3 no DSC)	N.A.	3840 x 2160@60Hz	3840 x 2160@60Hz	
Triple display output (2DP Streams with HBR3+HBR no DSC)	3840 x 2160@60Hz	3840 x 2160@60Hz	3840 x 2160@60Hz	


Note: The video out ability depends on the user's laptop and the monitor specification. Note: MacBooks with the new M1 chipset will only display to a single monitor due to chipset limitations.

Personal Spaces 120° Freestanding Privacy Wrap

Tackable acoustic pri-

vacy wrap offers acoustic privacy and personalization for the user.

▶Specifying, page 103



Upholstery details continue the curvature of the wrap.

Internal metal frame

can accept magnetic name tag or Flex freestanding screens to add personalization and privacy to the workstation.

Wrap knit covers the entire frame creating a warm and enclosed privacy element.

Glides, three adjustable glides sit within the footprint of the frame. Adjustment up to 1/2".

Integrated light option cord can exit the wrap at any of the three glide locations. Light cord placement is determined at install.

Actual Dimensions


Width Left 409/10"

Width Right 409/10"

Height 741/2"

Personal Spaces


Desk Mount Privacy Wraps



Actual Dimensions

120° Privacy Wrap

: Width Left	409/10"
: Width Right	409/10"
: Height	451/4"



Actual Dimensions

90° Privacy Wrap


Depth	254/5"	
Width	529/10"	
: Height	451/4"	

Personal Spaces

Back Wrap

Tackable acoustic privacy wrap offers acoustic privacy and personalization for the user.

▶Specifying, page 106



Product Details


Freestanding privacy wraps nest into 42"W Answer segments in hex application planning.





120° straight heightadjustable desk nests into freestanding privacy wrap for optimal privacy.


Actual Dimensions Depth 12.8" Width 40.9"

fence.









Height-adjustable desks can move independent of privacy wrap to multiple positions when planning in a hex application.

Freestanding privacy wraps are optimized to be planned in a hex or hybrid application allowing for reconfiguration, creating privacy in the open plan.




Flex 90° desk mount wraps will work on Flex rectangular heightadjustable desks 23"D x 52"W and above.




Flex 90° desk mount wraps 23"D x 52"W and above also work on Migration SE heightadjustable desks with 5" radius corners.



Freestanding privacy wraps can be used in the open plan to create added privacy to ancillary settings.




Freestanding privacy wraps have a modern upholstery



Privacy wraps with a light have three light settings. Controlled by a power button on the left hand side of the light.


Desk mount wraps attach to desks with 6527 Merle finished brackets.



Desk mount wraps are 45"H; providing 9"H of modesty and 36"H privacy above worksurface.



Desk mounted wraps give a 1" gap from the back of the worksurface to the front of the screen.



Back wrap is offered in left and right handedness.

Surface Materials

Privacy wraps • 5KJ1 Merle • 5KJ2 Cloud

- 5KJ3 Fog5KJ4 Sand

- Light
 6052 Milk
- 6053 Seagull 6527 Merle

Desk mounted privacy wrap bracket


• 7360 Merle

Back wrap bracket

Paint

Matrix					
Wrap Finish Name	Wrap Finish Code	Light Finish Name	Light Finish Code		
Merle (Dark Grey)	5KJ1	Merle	6527		
Cloud (Light Blue)	5KJ2	Seagull	6053		
Fog (Light Grey/ Platinum)	5KJ3	Seagull	6053		
Sand (Beige)	5KJ4	Milk	6052		

Accessories



Actual Dimensions					
	Depth	Width	Height		
Cup	51/2"	6"	54/5"		
Basket	111/2"	131/2"	73/5"		
Power Hanger	23/10"	10"	13⁄8"		

Braided Cord Color Matrix

Braided cord samples are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish or Pantone color for color reference purposes.

Finish	Similar Steelcase Color
9003 Fuchsia	PerfectMatch
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull
T' Deside to a deside t	to the first transfer of the first transfer

Tip: Braided cord color is defaulted to cover finish but can be changed if desired.

Product Details

Power hangers are standard with a 10' standard black power cord. A 20' cord option is available if additional length is needed. For extra color, braided cord option is available.

Power hangers are available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug for use with one-door and two-door low-profile connectors.

Power hangers are weighted and have a rubberized back to allow them to sit firmly on the worksurface.

Power cords should not be routed in walkways or where subject to damage.

Over-current protection


is standard on power hangers. The reset button is located on the side of the power hanger. If the over-current protection trips, reset by pushing the button back into place.

Baskets and cups are cleanable with a damp cloth.



Rectangular cable


trays are available as an option or can be ordered separately. 46"W–57¹⁵/₁₆"W desks use the 28"W cable tray. 58"W–72"W desks use the 40"W cable tray. When specifying a desk overhang, see additional cable tray specifying details chart on page 17.



120° cable tray is available on the 120° height-adjustable desks as an option, or can be ordered separately.



Cable catch, optional on rectangle work tables, attaches to the pegs to assist cord and cable routing.



Cable riser, with fence connection, inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. Overall depth is 2".




Cable brackets, ordered separately, support horizontal cable management below the worksurface.

► Specifying, page "Standard Includes" on page 109



Inside dimensions of cable brackets are 6"D x 21/4"W x 1/18"H.



Magnetic cable clips are finished in 6053 Seagull with a 6527 Merle magnet logo.

Surface Materials

Power hangers

- 4AY2 Chili
- · 4AZ5 Marlin
- 4CZ8 Light Peacock
- 7243 Seagull
- 7360 Merle

Baskets

- P635 Heather Navy exterior with P630 Medium Heather Grey interior
- P636 Light Heather Grey exterior with P631 Dark Heather Grey interior

Accessory cups

- P635 Heather Navy exterior with P630 Medium Heather Grey interior
- P636 Light Heather Grey exterior with P631 Dark Heather Grey interior

Rectangular and 120° cable trays

· P631 Dark Heather Grey

Cable bracket

• 6527 Merle

Cable riser

7360 Merle

Cable catch

- P630 Medium Heather Grey
- P631 Dark Heather Grey

Magnetic cable clips

 6053 Seagull with 6527 Merle magnet symbol

Magnetic name tag

 6009 Arctic White (erasable)



Flex Active Frames

Active frames are made up of structures. They are either 1 wide or 2 wide and come in a minimum of 2 unit high and stretch up to 5 unit high. Frames are steel and can be specified in any paint finish.

► Specifying, pages 113–122


Four top caps are provided to finish the top end of the upright tubes.

Tubes are a painted 25 mm square, set at a 45° angle, and available in 2 unit, 3 unit, 4 unit, or 5 unit heights.

Tip: Four tubes come standard with the frame and two tubes come standard with the frame extension.

Leveling guides adjust for installations on uneven floors. Adjustability range is 17/8".






Product Details



Frames (FLXAFFRAME)

consist of a base, four tubes, four leveling glides, four top caps, and a counterweight(s) if necessary. All tubes in a frame will be the same height. A top shelf and base shelf will be required to specify and designers will be able to select the number of additional shelves within each frame. Two wide, two unit high shown.



Frame extensions (FLXAFFRAMEEXT) con-

sist of a base, two tubes, two leveling glides, and two top caps. The tubes in a frame extension may be different heights. A base shelf and top shelf are required with each extension, designers will be able to select the remaining number of shelves within the extension. Two wide, two unit high shown.

Frames and frame

extensions are available in 1 wide (15¾"W) or 2 wide (31½"W). Frame tube heights are expressed in units and are available in 2 unit (36¼"H), 3 unit (52½"H), 4 unit (677/8"H), or 5 unit (83¾"H). All heights are when glides are fully compressed.

Tip: Tube heights on frame extensions can be specified separately to allow for a variety of configurations.

Only one frame (FLXAFFRAME) consisting of four tubes will be needed per configuration. A frame extension (**FLXAFFRAMEEXT**) with two tubes will be required to build out the remainder of the unit. Please refer to SmartTools for details.

Counterweights for 1 Wide Frame					
	2 Unit	3 Unit	4 Unit	5 Unit	
No Accessories	0	0	2	2	
Infill	0	0	2	2	
Fixed Board	0	2	4	4	
Mobile Board Clips	0	2	4	4	
Infill and Fixed Board	0	4	4	4	
Infill and Mobile Board Clips	0	4	4	4	
Fixed Board and Mobile Board Clips	0	4	N.A.	N.A.	
Infill, Fixed Board, and Mobile Board Clips	0	4	N.A.	N.A.	

Counterweights for 2 Wide Frame					
	2 Unit	3 Unit	4 Unit	5 Unit	
No Accessories	0	0	0	0	
Infill	0	0	2	2	
Fixed Board	0	2	4	4	
Mobile Board Clips	0	2	4	4	
Infill and Fixed Board	0	4	4	4	
Infill and Mobile Board Clips	0	4	4	4	
Fixed Board and Mobile Board Clips	0	4	4	4	
Infill, Fixed Board, and Mobile Board Clips	0	4	4	4	

Counterweights for 1	Frame +	1 Fram	e Exter	nsion
	2 Unit	3 Unit	4 Unit	5 Unit
No Accessories	0	2	2	2
Infill	0	2	2	2
Fixed Board	0	6	6	6
Mobile Board Clips	0	6	6	6
Infill and Fixed Board	0	6	6	6
Infill and Mobile Board Clips	0	6	6	6
Fixed Board and Mobile Board Clips	0	6	6	6
Infill, Fixed Board, and Mobile Board Clips	0	10	10	10


Counterweights for 1	Frame +	2 Fram	e Exter	nsions
	2 Unit	3 Unit	4 Unit	5 Unit
No Accessories	0	0	0	0
Infill	0	10	10	10
Fixed Board	0	10	10	10
Mobile Board Clips	0	10	10	10
Infill and Fixed Board	0	10	10	10
Infill and Mobile Board Clips	0	10	10	10
Fixed Board and Mobile Board Clips	0	10	10	10
Infill, Fixed Board, and Mobile Board Clips	0	10	10	10

Counterweights for 1	Frame +	3 Fram	e Exter	nsions
	2 Unit	3 Unit	4 Unit	5 Unit
No Accessories	0	6	6	6
Infill	0	10	10	10
Fixed Board	0	10	10	10
Mobile Board Clips	0	10	10	10
Infill and Fixed Board	0	10	10	10
Infill and Mobile Board Clips	0	10	10	10
Fixed Board and Mobile Board Clips	0	10	10	10
Infill, Fixed Board, and Mobile Board Clips	0	10	10	10

Counterweights for 1	Frame +	4 Fram	e Exter	sions
	2 Unit	3 Unit	4 Unit	5 Unit
No Accessories	0	0	0	0
Infill	0	6	6	0
Fixed Board	0	6	6	0
Mobile Board Clips	0	6	6	0
Infill and Fixed Board	0	6	6	0
Infill and Mobile Board Clips	0	6	6	0
Fixed Board and Mobile Board Clips	0	6	6	0
Infill, Fixed Board, and Mobile Board Clips	0	6	6	0

Counterweights are required in certain configurations to ensure product stability and are added as part of the frame. Please refer to SmartTools and the matrix below for further information.

	Connection Holes				
	1	2	3	4	
Frame					
Upright 1	•	•	•	•	
Upright 2	•	•	•	•	
Upright 3	•	•	•	•	
Upright 4	•	•	•	•	
Frame Extension					
Upright 1	•	•	•	•	
Upright 2	•	•	•	•	




Connection holes refers to the number of faces of the tube (upright) that have holes for attaching shelves. When an upright has 1 connection hole, shelves can only be attached to one side of the upright. These uprights are always on the ends of a configuration. When an upright has 2 connection holes, shelves can be attached on two consecutive sides of the upright. These intermediate uprights are always used to connect frames and extensions that are assembled in a single row. Uprights with 3 connection holes can attach to shelves on three sides. These intermediate uprights are used for L- or T-configurations. Uprights with 4 connection holes can attach to shelves on all four sides. Please refer to SmartTools for details.

Upright connection holes for frame and frame extensions can be specified as 1, 2, 3, or 4


holes per tube side, allowing for a variety of shelf placements and configurations. Tip: If choosing to omit a shelf, there will still be connection holes along the tube.



Base is 31/s"H x 153/4"W (1 wide) or 311/2"W (2 wide). A base is included with each frame and frame extension. Tubes will connect to the base using a flanged hex socket head screw with H5 drive in all four corners.



Top and bottom shelves are required in each frame configuration. Top and bottom shelf connects to the tubes with accompanying shelf connectors, washers and flanged hex socket head screw with H5 drive. One shelf in each frame will have stability guidance and may be installed at any height within the frame except as the bottom shelf.




Shelves are 15¾"D x 15¾"W (1 wide) or 31½"W (2 wide) and ½" thick. Additional shelves are available and connect at various heights within the frame. All four corners must attach using the shelf connector and screw.


Shelves are High-Pressure Laminate and are available in contrasting finishes. High-Pressure Laminate woodgrain direction will always be horizontal.

1 wide shelves have a weight limit of 49 pounds.

2 wide shelves have a weight limit of 98 pounds.




Nickel-plated shelf connectors come installed in the shelves and are recessed within each corner of the shelf. The shelves are fastened to the tubes at all four corners of the shelf by clamping the shelf connector with a washer, and a flanged hex socket head screw with a H5 drive. A H5 ball tip allen extension bit is included with the frame (FLXAFFRAME) to aid in shelf installation.




Infills are available and are 3/5" thick and either 153/4"W (1 wide) or 311/2"W (2 wide) and are available in High-Pressure Laminate or PET. Infills connect in all four corners at the top and bottom of the coordinating shelves and tubes using a plastic connection. Infills are available as a single unit. A maximum of three infills can be installed per shelf. High-Pressure Laminate woodgrain direction will always be horizontal.

Doors are available and are %" thick and either 15³/4"W (1 wide) or 31¹/2"W (2 wide) in High-Pressure Laminate with plastic door rails that will secure on the corresponding infills. High-Pressure Laminate woodgrain direction will always be horizontal. Door pulls are a striped fabric looped material with light elasticity and included with each door.

Tip: You must also specify three High-Pressure Laminate infills in addition to the doors.




Locks are available field-installed. Optional field-installed locks are available with consecutive, specific, and random keying options.




Field-installed lock cylinders (LOCK9201FR or LOCK9250FR) must be specified separately. When cylinders are ordered, the factory will omit lock cylinders from all doors.

► Lock and Keying, page 146

Locks are not supported on doors containing electrical appliances or receptacles, as this could violate the national electrical code.



Optional locks on doors are located centered on the door panel and directly above the door pull.




Fixed boards are available and connect to the frame in six places. The bottom of the fixed board must align with a shelf to install on the frame. Fixed boards are available 3 high and 4 high in PET/PET or whiteboard/PET finish.



	3 H	4 H
1 W	•	•
2 W	•	•



Book ends fit on the front side of a shelf and come in quantities of two.



Cable management clips are plastic and come in packages of six. Cable management clips fit on the frame to help manage cords and wires. Cable management clips can manage a maximum of 0.38" dia. cord or wire.



Toolbox comes in a package of four. Toolboxes are molded PET in a light grey finish and come with name tags.



Mobile board clips fit securely on the front of the tube and can move up and down the frame to integrate with Flex mobile boards (FLXMB). Flex cups (FLXCUP) and Flex power hanger (FLXPH) can hang from the front of the clip for easy accessibility. Mobile board clips come in a package of four.

The maximum weight capacity of each mobile board clip is 8 pounds. Mobile board clips may only move along the frame when they are in the unlocked position.



Two wide coat rod



One wide coat rod

Coat rod is available in one wide and two wide and secures under a shelf on each side. The coat rod can be moved on the shelf from front-to-back for desired placement. The one wide coat rod can be oriented in the width or depth direction.

A one wide coat rod has a weight limit of 25 pounds.

A two wide coat rod has a weight limit of 52 pounds.

Maintenance

Markerboard

Use any high-quality dry erase marker.



The use of low odor markers may cause ghosting to occur. If low odor markers have been used, the surface can be completely cleaned by following the cleaning instructions below.

Maintenance and Care

- Use clean dry eraser or microfiber cloth to remove ink
- Use Expo cleaner or other markerboard cleaner with microfiber cloth. If the markerboards are used daily, cleaning may be required 2-3 x per week.
- For heavily used markerboards and persistent markings, clean with 91% isopropyl alcohol with a microfiber cloth.

Surface Materials

Tubes and bases for frame and frame extension

Paint

Shelves

· High-Pressure Laminate

Infills

- High-Pressure LaminateP631 Dark Heather Grey
- P631 Dark Heather Grey PET
- P636 Light Heather Grey PET

Doors

· High-Pressure Laminate

Lock

- 9201 Polished Chrome
- 9250 Ember Chrome

Bookends

Paint

Mobile board clip

- 6053 Seagull
- 6527 Merle

Cable management clip

• 6527 Merle

Fixed board

- P631 Dark Heather Grey PET
- P636 Light Heather Grey PET
- 2977 White Markerboard

Coat rod

Paint

Toolbox

 P636 Light Heather Grey PET

Actual Dimensions

Flex Active Frames

1 Wide Frame						
	2 High	3 High	4 High	5 High		
Depth	17.042"	17.042"	17.042"	17.042"		
Width	17.042"	17.042"	17.042"	17.042"		
Height	36.296"	52.102"	67.908"	83.714"		

2 Wide Frame						
	2 High	3 High	4 High	5 High		
Depth	17.042"	17.042"	17.042"	17.042"		
Width	32.783"	32.783"	32.783"	32.783"		
Height	36.296"	52.102"	67.908"	83.714"		

1 Wide Frame Extension							
	2 High	3 High	4 High	5 High			
Depth	17.042"	17.042"	17.042"	17.042"			
Width	16.392"	16.392"	16.392"	16.392"			
Height	36.296"	52.102"	67.908"	83.714"			

2 Wide Frame Extension						
	2 High	3 High	4 High	5 High		
Depth	17.042"	17.042"	17.042"	17.042"		
Width	32.140"	32.140"	32.140"	32.140"		
Height	36.296"	52.102"	67.908"	83.714"		

Tip: All dimensions shown refer to overall exterior dimensions.

Additional Dimensions

Flex Active Frames

	Width	Height	Thickness
Distance from floor (with glides fully compressed)			
Bottom of base		0.629"	
Top of base		3.778"	
Top of bottom shelf		4.684"	
Exterior base			
1 Wide x 1 Deep	15.433"	3.150"	
2 Wide x 2 Deep	31.181"	3.150"	
nterior base			
Wide x 1 Deep	15.283"	3.000"	
2 Wide x 2 Deep	31.031"	3.000"	
Shelf			
1 Wide x 1 Deep	15.512"	15.512"	0.806"
2 Wide x 2 Deep	31.260"	31.260"	0.806"
Height between Shelves			
1 High		15.000"	
2 High		30.806"	
B High		46.612"	
High		62.418"	
5 High		78.224"	
Poor			
Wide	14.173"	14.646"	0.556"
Wide	29.921"	14.646"	0.556"
nfill			
Wide	14.350"	14.764"	0.556"
Wide	30.098"	14.764"	0.556"
Opening between LH and RH Infills (without doors)			
Wide	14.400"		
2 Wide	30.148"		
Opening between LH and RH Infills (with doors)			
1 Wide	14.282"		
2 Wide	30.038"		
ixed board			
Whiteboard/PET			0.746"
PET/PET			0.700"
Wide	14.016"		
2 Wide	29.764"		
3 High		48.031"	
4 High		63.780"	

[▶]Additional Dimensions, continued on next page

▶Additional Dimensions, continued from previous page

	Depth	Height	
Height of opening when door open		13.244"	
Outside depth of door and rear infill	15.512"		
Depth from front of shelf to front of rear infill	14.956"		
Depth from back of door to front of rear infill	14.400"		

Flex Active Frame Media Towers

Flex Active Frame Media Tower Internal Mount

Flex active frame media towers are


configured with the same base and extension logic as active frames. Media towers can support a standing and seated posture. To maintain a proper monitor height, standing posture is only available in 5 high and seated posture is only available in 4 high.

Media tower is an agnostic technology solution, allowing one to bring their own technology application to the system. Customers are responsible for bringing and integrating technology and audio-visual components. Customers must follow all instructions and warnings, for all products involved.

Tip: Consult an AV or IT professional early in the design process for potential technology applications.

Monitor back panel has a wood core with a High-Pressure Laminate surface.

3 high side infill is available with a High-Pressure Laminate. Only available for internal mounted media tower.



5 High Standing

4 wide top shelf has a wood core with a High-Pressure Laminate surface. Shelves connect to the tubes with accompanying shelf connectors. Top shelf is required and will always have a an oblong grommet for ceiling power or data routing.

Fixed boards for media towers are suggested to help conceal cords and monitor mount. If selected, two 1 wide and one 2 wide fixed boards will be added. Tip: Fixed boards are required for open plan applications, but not included in the base price.

400x400 VESA mounting plate attaches to the active frame tubes with monitor frame brackets and supports various mounting patterns.

2 wide non-locking door underneath the monitor provides easy storage and access to additional power and technology. Three infills are required to complete the door kit. Tip: Door and infills are required but not included in base price.

Center 2 wide shelves include an oblong grommet for easy cable and power routing.

Leveling guides adjust for installations on uneven floors. Adjustability range is 17/8"

Product Details



Media tower internal mount 4 high (FLXAFFRAMET1) consist of three bases, eight tubes, eight leveling glides, eight top caps, monitor back panel, top 4 wide shelf, two left 1 wide shelves, two right 1 wide shelves, two center 2 wide shelves, 3 high left and right side infills, a 400x400 VESA mounting plate, monitor mounting frame brackets, and a counterweight(s) if necessary. Bases consist of a 1 wide base. 2 wide base and a 1 wide base. Six tubes in a media tower will be the same height. A base shelf and top shelf is required with

Media tower internal mount extension (FLXAFFRAMEEXTT1) 4

each extension or frame.

high consist of three bases, six tubes, six leveling glides, six top caps, monitor back panel, top 4 wide shelf, two left 1 wide shelves, two right 1 wide shelves, two center 2 wide shelves. 3 high left and right side infills, a 400x400 VESA mounting plate, and a counterweight(s) if necessary. Bases consist of a 1 wide base, 2 wide base and a 1 wide base. Two tubes in the back will always be the same height. Two tubes in the front will be short. Two end tube heights will depend on height of what unit is connected to. A base shelf and top shelf is required with each extension or frame.

and power routing. Base has a 12"x12" square cutout.

Base is painted and is con-


figured with a 1 wide base, 2

wide base and 1 wide base.

The center 2 wide base has

an oblong grommet for wire





Internal mount and internal mount extension are also avialable in 5 high and include an addi-

tional center 2 wide shelf, left 1 wide shelf and right 1 wide shelf.

Internal media tower and internal media tower extension are available in 1 deep (153/4"D) and 4 wide (63"W).


2 wide non locking door and infills directly beneath monitor provide easy storage and access to additional utility power and technology. Three infills are required to complete the

door kit. Tip: Door and infills are required but not included in base price.


High-Pressure Laminates with grain direction can be applied in a vertical or horizontal direction. Monitor back panel is available in horizontal grain direction only.

Shelf and infill finishes

will be the same for all shelves and infills unless contrasting is selected.



Fixed boards for media towers are suggested to help conceal cords and monitor mount. If selected, two 1 wide and one 2 wide fixed boards will be added. Tip: Fixed boards are required for open plan applications, but not included in the base price.



Fixed boards are available and connect to the frame in six places. The bottom of the fixed board must align with a shelf in order to install on the frame. Fixed boards must always align with top of media tower but not required to extend to the floor.

Fixed boards are available 3 high and 4 high in High-Pressure Laminate, PET/PET or whiteboard/ PET finish. 5 high fixed boards are available in High-Pressure Laminate only.

Wiring and Cabling



Monitor back panel and infill (for door) include a round grommet for easy cable and power routing.




Center 2 wide shelves and top shelf include an oblong grommet for easy cable and power routing.



Media utility power is available with a 9' or 10' standard black power cord. A 20' cord option is available if additional length is needed. For extra color, braided cord option is avail-

Media utility power is available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug for use with one-door and two-door low-profile connectors.



Media towers include a universal 400x400 VESA mounting plate with the ability to accommodate various mounting

VESA mounting plates are available in two mounting configurations: internal mount (FLXAFFRAMET1 and FLXAFFRAMEEXTT1) and external mount (FLXAFRAMEEXTT2)

Optional monitor mount hardware package is available and includes hardware to accommodate a variety of monitors.

No larger than 65" monitors should be used on the media tower with a maximum 66 pounds weight capacity.

Surface Materials

Tubes and bases for media towers and media tower extensions

Paint

Shelves

· High-Pressure Laminate

3 mm edge profile

Plastic

Monitor back panel

· High-Pressure Laminate

VESA mounting plate

7360 Merle

Infills

- · High-Pressure Laminate
- · P631 Dark Heather **Grey PET**
- P636 Light Heather Grey PET

· High-Pressure Laminate

Fixed board

- · High-Pressure Laminate
- P631 Dark Heather Grev PET
- P636 Light Heather **Grey PET**
- 2977 White Markerboard

Media utility power cord

Standard rubber cord

- Black
- White

Braided cord

- 9002 Silver
- 9003 Fuchsia · 9004 Marlin
- 9006 Chili
- · 9007 Sterling
- 9008 Honey
- 9009 Black
- 9010 Light Peacock
- · 9011 Seagull
- 9012 Merle
- 9013 Brass

Flex Active Frame Media Towers

Flex Active Frame Media Tower External Mount

Media tower external mount has two heights, 4 high supports seated/ lounge postures and 5 high supports standing posture. External mount extension requires an

extension and base frame on either side of the media


High-Pressure Laminate fixed board with round grommet

provides clean aesthetics and conceals cable, power, or other cords. Fixed board is required for external media tower and must be same height as the unit. Tip: Infill is required but not included in base price.


Center 2 wide shelves include an oblong grommet

for easy cable and power routing at every center shelf location.

4 High Seated or Lounge



5 High Standing



Product Details



Media tower external mount extension (FLXAFFRAMEEXTT2)

consist of one 2 wide base, two tubes, two leveling glides, two top caps, top shelf, three center shelves, and a 400x400 VESA mounting plate.




Media tower external mount extension

requires an extension and base frame on either side of the media tower.

Tip: Additional frame and extensions are required but not included in the base price.

External media mount extension is available in 1 deep (153/4"D) and 2 wide (311/2"D).



Door, shelf, and grommet infill are

required on external media towers to house additional power and technology. The door is always located on the third shelf from the bottom on both 4 high and 5 high external media towers.

Door and infills are

always placed on the third shelf from the bottom for both 4 high or 5 high media tower external mount extensions.

Tip: Door and infills are required but not included in base price.

2 wide non-locking door and infills directly behind monitor provide

easy storage and access to additional utility power and technology. Three infills are required to complete the door kit.

Tip: Door and infills are required but not included in base price.



Fixed board is required for media towers to help conceal cords and monitor mount. Fixed board must be same height as the unit. Tip: Fixed board is required, but not included in the base price

2 wide non-locking door and infills directly beneath monitor provide easy storage and access to additional utility power and technology. Three infills are required to complete the door kit. The rear infill has a round grommet for cable management.

Tip: Door and infills are required but not included in base price.

High-Pressure Laminates with grain

direction can be applied in a vertical or horizontal direction. Shelves available in horizontal grain direction

Shelf finishes will be the same for all shelves unless contrasting is selected.

Wiring and Cabling



Infill includes a round grommet for easy cable and power routing.




Center 2 wide shelves and top shelf include an oblong grommet for easy cable and power routing.



Media utility power is available with a 9' or 10' standard black power cord. A 20' cord option is available if additional length is needed. Braided cord is available and comes in 11 color options.

Media utility power is available with either a standard three prong NEMA plug for use with standard receptacles or with Steelcase's proprietary thread low-profile plug for use with one-door and two-door low-profile connectors.



Media towers include a universal 400x400 VESA mounting plate with the ability to accommodate various mounting patterns.

VESA mounting plates are available in two mounting configurations: internal mount (FLXAFFRAMET1 and FLXAFFRAMEEXTT1) and external mount (FLXAFRAMEEXTT2)

Optional monitor mount hardware package is available and includes hardware to accommodate a variety of monitors.

No larger than 65" monitors should be used on the media tower with a maximum 66 pounds weight capacity.

Surface Materials

Tubes and bases for media towers and media tower

extensions

Paint

Shelves

· High-Pressure Laminate

3 mm edge profile

Plastic

Monitor back panel

High-Pressure Laminate

VESA mounting plate

7360 Merle

Infills

- High-Pressure LaminateP631 Dark Heather Grey PET
- P636 Light Heather Grey PET

Door

· High-Pressure Laminate

Media utility power cord

Standard rubber cord

- Black
- White

Braided cord

- 9002 Silver
- 9003 Fuchsia9004 Marlin
- 9006 Chili
- 9007 Sterling
- 9008 Honey
- 9009 Black
- 9010 Light Peacock
- 9011 Seagull9012 Merle
- 9013 Brass

Flex Active Frames Work Island

Work islands are configured with the same base and extension logic as active frames. To maintain a proper gathering height, work islands are only available 2 high. To reach the proper gathering height, a 4" high piling shelf is added to the 2 high unit.

The width of work islands is fixed and can be filled by the combination of 1 and 2 wide frames and extensions.

A work bridge can be configured when a knee space is needed to accommodate stools. The same 802/s" overall width applies, but this unit can have a minimum 141/2" to maximum 46" wide knee span. Both ends of the unit need to be supported by frames of either size and the configuration does not need to be symmetrical.

included with each frame

and frame extension.

Work islands are available as 1 or 2 deep configurations.

► Specifying, pages 130–131


Continuous top is

783/4"W (5 wide) x 153/4"D (1 deep) or 311/2"D (2 deep) and 1" thick. Continuous top is available in High-Pressure Laminate with a 3 mm edge profile to match top finish. Corners are always square with no overhangs on the left or right. Pilot holes always present to accommodate all configuration options.

Shelves have a wood core with a High-Pressure Laminate surface. Shelves connect to the tubes with accompanying shelf connectors. A top and bottom shelf is required in all applications. Additional shelves are available to connect at various heights within the frame or frame extension.

Tubes are a painted 25 mm square, set at a 45° angle, and available as an end or intermediate.


Tip: Four tubes come standard with the frame and two tubes come standard with the frame extension.




Product Details



Work bridge application consists of a continuous top with two work island frames and an opening between the two. Each work island frame consists of four tubes and four leveling glides. Additional shelves are available. When no extension is used with a frame, all three shelves are required.




Work island frames (FLXAFCTFRAME) consist of a base, four tubes, and four leveling glides. Additional shelves are available.



Work island frame extensions (FLXAFCTFRAMEEXT)

consist of a base, two tubes, top shelf, and two leveling glides. Additional shelves are available.





1 wide x 1 deep





2 wide x 1 deep

Work island frames and work island frame

extensions are available in 1 wide (15³/₄"W) or 2 wide (31½"W) and 1 deep (15³/₄"D) or 2 deep (31½"D).

Only one frame (FLXAFFRAME) consisting of four tubes will be needed per configuration. Two to four frame extensions (FLXAFFRAMEEXT) with two tubes will be required to build out the remainder of the unit. Please refer to SmartTools for details.

Connection Holes

2

|--|

Upright 1	•	•
Upright 2	•	•

Work Island Extension


Upright 1	•	•
Upright 2	•	•

Upright connection holes for work island frame and work island extension can be specified as 1 or 2 holes per tube side, allowing for shelf placement. Upright 1 and 2 must have same number of connection holes.

connection holes.

Tip: If choosing to omit a shelf, there will still be connection holes along the tube.

Shelves are 15%"D x 15%"W (1 wide) or 31½"W (2 wide) and %" thick. When attached to an extension, the middle shelves are optional and connect at various heights within the frame. All four corners must attach using the shelf connector. Shelves are available in contrasting finishes.




Nickel-plated shelf connectors come installed in the shelves and are recessed within each corner of the shelf. The shelves are fastened to the tubes at all four corners of the shelf by clamping the shelf connector with a washer, and a flanged hex socket head screw with a H5 drive.

Center panels are


required on a 2 deep work bridge or work island frame to separate the space between the two sides.

Center panels can be used with doors on both sides or doors on no sides, however not with a door on only one side. Center panel and side infill finish must match.




Infills are available and are 3/s" thick and either 153/4"W (1 wide) or 311/2"W (2 wide) and are available in High-Pressure Laminate or PET. Infills connect in all four corners at the top and bottom of the coordinating shelves and tubes using a plastic connection. Infills are available in a single infill.

Doors are available and are 3/s" thick and either 153/4"W (1 wide) or 311/2"W (2 wide) in High-Pressure Laminate with plastic door rails that will secure on the corresponding infills. Door pulls are a striped fabric looped material with light elasticity and included with each door. Tip: You must also specify three High-Pressure Laminate infills in addition to the door infills and center panels.




Locks are available or field-installed. Optional field-installed locks are available with consecutive, specific, and random keying options.



Field-installed lock cylinders (LOCK9201FR or LOCK9250FR) must be specified separately. When cylinders are ordered, the factory will omit lock cylinders from all doors.


► Lock and Keying, page 146



Optional locks on doors are located centered on the door panel and directly above the door pull.



Book ends fit on the front side of a shelf and come in quantities of two.



clips are plastic and come in packages of six. Cable management clips fit on the frame to help manage cords and wires. Cable management clips can manage a maximum of 0.38"dia. cord or wire.



Toolbox comes in a package of four. Toolboxes are molded PET in a light grey finish

Surface Materials

Tubes and bases for work island frame and work island frame extension

Paint

Shelves

· High-Pressure Laminate

Continuous top

· High-Pressure Laminate

3 mm edge profile

Plastic

Infills

- High-Pressure Laminate
- P631 Dark Heather Grey PET
- P636 Light Heather Grey PET

Doors

High-Pressure Laminate

Lock

• 9201 Polished Chrome

9250 Ember Chrome

Bookends

Paint

Cable management clip


• 6527 Merle

Toolbox

 P636 Light Heather Grey PET

Actual Dimensions Flex Active Frames Work Island

Work Island Worksurface				
	1 Deep	2 Deep		
Depth	17.402"	33.150"		
Width	80.394"	80.394"		
Thickness	0.993"	0.993"		



Additional Dimensions			
	Depth	Width	Height
Depth from front of shelf to inside of center infill	15.352"		
Depth from back of door to front of center infill	14.976"		
Worksurface			
1 Deep	17.402"		
2 Deep	33.150"		
5 Wide		80.394"	
Height to top of worksurface (with glides fully compressed)			41.385"
Height to bottom of worksurface (with glides fully compressed)			40.391"
Opening height from top shelf to worksurface bottom			4.096"
Opening between tubes			
1 Wide		14.461"	
2 Wide		30.209"	
3 Wide		45.957"	
Outermost planning widths			
1 Wide frame		17.042"	
2 Wide frame		32.783"	
1 Wide extension		16.392"	
2 Wide extension		32.140"	
On-center planning connections			
1 Wide x 1 Deep		15.748"	
2 Wide x 2 Deep		31.496"	

Rectangle Height-Adjustable Desks



Tip: Height-adjustable desks shipping to Illinois will receive 9' power cord.

Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: The 9" overhang is available on 58"W or larger desks.

Tip: Desks 70"W or larger allow for single or dual overhang.

Tip: When specifying a desk overhang, see understanding for additional cable tray specifying details.

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Veneer Group 02, Veneer Group 03, and Veneer Full Fill upcharge is in addition to the Veneer Group 01 cost.

Tip: Composite Veneer Group 02 upcharge is in addition to the Composite Veneer Group 01 cost.

Tip: On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use. See Steelcase Worktools Specification Guide.

Tip: For desks 29"/30"Dx 58"W and greater additional monitor arm configurations are allowed. See Steelcase Worktools Specification Guide

Tip: Standard plug is a NEMA 5-15 3-prong plug.

Standard Includes

- · Worksurface:
- High-Pressure Laminate price group 01 with 3 mm plastic edge
- Wood group 01 veneer with matching 3 mm square edge, if selected
- Electric height-adjustable sit-to-stand base: paint price group 01
- · Active touch controller
- Foot: paint price group 01
- · Roller: plastic
- Modular widths: 46", 58", or 70"
- · Attachment hardware
- · No overhang on worksurface
- · Power cord: 10' with standard plug

Size Option	Modular	No cost		
	Parametric	No cost		
 Overhang	No Overhang	No cost		
	Overhang - Left	No cost		
	Overhang - Left & Right	No cost		
	Overhang - Right	No cost		
Top Surface Finish	Laminate HPL Price Group 01	No cost		
	Veneer Custom Stain	No cost		
	Laminate HPL Price Group 02	46"W-54"W: +\$25		
		54 1/16"W"-72"W: +\$33		
	Laminate HPL Price Group 03	46"W-54"W: +\$49		
		54 1/16"W"-72"W: +\$65		
	Composite Veneer Price Group 01	See below		
	Composite Veneer Price Group 02	+\$102		
	Veneer Price Group 01	See below		
	Veneer Full Fill	+\$102		
	Veneer Price Group 03	+\$359		
	OLL Price Group 1	+\$102		
Base Finish	Paint Price Group 01	No cost		
	Paint Price Group 02	+\$22		
Foot Finish	Paint Price Group 01	No cost		
	Paint Price Group 02	+\$22		
	Paint Price Group 03	+\$41		
Power Configuration	No under Worksurface Power	No cost		
	Under Worksurf Clamp with USB-A	46"W-57 15/16"W: +\$801		
		58"W"-72"W: +\$834		
	Under Worksurf Clamp with USB-C	46"W-57 15/16"W: +\$1,122		
		58"W"-72"W: +\$1,153		
	Under Worksurface Only	46"W-57 15/16"W: +\$476		
		58"W"-72"W: +\$508		
Power Cord	10' Standard Cord	No cost		
	10' Braided Cord	+\$74		
	20' Standard Cord	+\$74		
	20' Braided Cord	+\$220		
	8' Curly Cord	+\$319		
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost		
	Thread Low Profile Plug	+\$40		
PVC	With PVC	No cost		
	Non PVC	+\$34		

▶ Product Information continued on next page

Rectangle Height-Adjustable Desks

▶ Product Information continued from previous page


29" or 30"

Options		
Cable Tray	No Cable Tray	No cost
	With Cable Tray	See below
Controller	Active Touch Controller	No cost
	Simple Touch Controller	-\$74
Antimicrobial	Non-Antimicrobial	No cost
	With Antimicrobial	No cost
Brake	No Brake	No cost
	With Brake	+\$69

Tip: The standard active touch controller is Bluetooth enabled to allow pairing with the Steelcase Rise app.

Tip: Antimicrobial can be specified only when specifying simple touch controller.

Specifiaction Information



Style Numb	er Dimensions		Base Price	es				Cable Tray
	Depth	Size Option	Width					(Add \$ to Base Price)
		Modular	46"W	N.A.	58"W	N.A.	70"W	_
		Parametric	46"W- 48"W	48 ¹ / ₁₆ "W- 54"W	54 ¹ / ₁₆ "W- 60"W	60 ¹ / ₁₆ "W– 66"W	66½16"W- 72"W	_
Dante	nale Hei	aht-Adiu	stable	Desks				
Recta	igie nei	, ,						
	PL Price Group							
				\$2474	\$2548	\$2629	\$2709	+\$183

FLXSRQ	23" or 24"	\$2400	\$2474	\$2548	\$2629	\$2709	+\$183	
	29" or 30"	\$2691	\$2777	\$2859	\$2946	\$3037	+\$205	
Composite	Veneer Price Group (01—Basic Height						
FLXSRQ	23" or 24"	\$3207	\$3294	\$3381	\$3477	\$3567	+\$183	
	29" or 30"	\$3534	\$3632	\$3724	\$3829	\$3928	+\$205	
Veneer Pric	e Group 01 – Basic H	leight						
FLXSRQ	23" or 24"	\$3207	\$3294	\$3381	\$3477	\$3567	+\$183	
	29" or 30"	\$3534	\$3632	\$3724	\$3829	\$3928	+\$205	
Laminate H	PL Price Group 01—	Extended Height						
FLXERQ	23" or 24"	\$2604	\$2683	\$2765	\$2852	\$2935	+\$183	
	29" or 30"	\$2920	\$3010	\$3102	\$3196	\$3292	+\$205	
Composite	Veneer Price Group (01—Extended Heig	ht					
FLXERQ	23" or 24"	\$3411	\$3503	\$3598	\$3700	\$3793	+\$183	
	29" or 30"	\$3763	\$3865	\$3967	\$4079	\$4183	+\$205	
Veneer Pric	e Group 01 – Extende	ed Height						
FLXERQ	23" or 24"	\$3411	\$3503	\$3598	\$3700	\$3793	+\$183	

\$3763

\$3865

\$3967

\$4079

\$4183

+\$205



Tip: Height-adjustable desks shipping to Illinois will receive 9' power cord.

Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Veneer Group 02, Veneer Group 03, and Veneer Full Fill upcharge is in addition to the Veneer Group 01 cost.

Tip: Composite Veneer Group 02 upcharge is in addition to the Composite Veneer Group 01 cost.

Tip: Standard plug is a NEMA 5-15 3-prong plug.

Tip: The standard active touch controller is Bluetooth enabled to allow pairing with the Steelcase Rise app.

Standard Includes

- · Worksurface:
- High-Pressure Laminate price group 01 with 3 mm plastic edge
- Wood group 01 veneer with matching 3 mm square edge, if selected
- Electric height-adjustable sit-to-stand base: paint price group 01
- Active touch controller
- · Power cord: 10' with standard plug
- · Slide glide: plastic
- · Attachment hardware

	1.611	At .
Handedness	Left Hand	No cost
	Right Hand	No cost
Depth-Left	22 ¹¹ /16"	No cost
	407/16"	No cost
Depth—Right	2211/16"	No cost
, ,	407/16"	No cost
Width Back	4013/16"	No cost
Width Front	715/16"	No cost
Top Surface Finish	Laminate HPL Price Group 01	No cost
	Veneer Custom Stain	No cost
	Laminate HPL Price Group 02	+\$33
	Laminate HPL Price Group 03	+\$63
	Veneer Full Fill	+\$102
	Veneer Price Group 03	+\$359
	Composite Veneer Price Group 01	+\$744
	Composite Veneer Price Group 02	+\$102
	Veneer Price Group 01	+\$744
	OLL Price Group 1	+\$102
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$22
Power Configuration	No under Worksurface Power	No cost
3	Under Worksurface Only	+\$508
	Under Worksurface Clamp with USB-A	+\$834
	Under Worksurface Clamp with USB-C	+\$1153
Power Cord	10' Standard Cord	No cost
	10' Braided Cord	+\$74
	20' Standard Cord	+\$74
	20' Braided Cord	+\$220
	8' Curly Cord	+\$319
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
3 7	Thread Low Profile Plug	+\$40
PVC	With PVC	No cost
	Non PVC	+\$34
Controller	Active Touch Controller	No cost
	Simple Touch Controller	- \$74
Antimicrobial	Non-Antimicrobial	No cost
	With Antimicrobial	No cost
Magnetic Cable Clip	No Magnetic Cable Clip	No cost
	With Magnetic Cable Clips	+\$95

▶ Product Information continued on next page

▶ Product Information continued from previous page


Base Prices

Tip: Antimicrobial can be specified only when specifying simple touch controller.

Tip: Magnetic cable clips come in a pack of two when ordered with the heightadjustable desk style number.

Options		
Cable Tray	No Cable Tray	No cost
	With Cable Tray	+\$183
Modesty Panel	No Modesty Panel	No cost
	Modesty Panel	+\$650
Modesty Panel Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$20
	Paint Price Group 03	+\$37

Specifiaction Information






120° Straight Desk Height-Adjustable, Basic Height

FLXSWS3 \$3106

120° Straight Desk Height-Adjustable, Extended Height

FLXEWS3 \$337



Tip: Height-adjustable desks shipping to Illinois will receive 9' power cord.

Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Veneer Group 02, Veneer Group 03, and Veneer Full Fill upcharge is in addition to the Veneer Group 01 cost.

Tip: Composite Veneer Group 02 upcharge is in addition to the Composite Veneer Group 01 cost.

Tip: Standard plug is a NEMA 5-15 3-prong plug.

Tip: The standard active touch controller is Bluetooth enabled to allow pairing with the Steelcase Rise app.

Tip: Antimicrobial can be specified only when specifying simple touch controller.

Standard Includes

- · Worksurface:
- High-Pressure Laminate price group 01 with 3 mm plastic edge
- Wood group 01 veneer with matching 3 mm square edge, if selected
- Electric height-adjustable sit-to-stand base: paint price group 01
- · Active touch controller
- · Power cord: 10' with standard plug
- Slide glide: plasticAttachment hardware

Harada da ara	Lafe Hand	Maria 1
Handedness	Left Hand	No cost
	Right Hand	No cost
Depth-Left	141/4"	No cost
	231/4"	No cost
Depth—Right	141/4"	No cost
	231/4"	No cost
Width-Left	42"	No cost
Width—Right	42"	No cost
Гор Surface Finish	Laminate HPL Price Group 01	No cost
	Veneer Custom Stain	No cost
	Laminate HPL Price Group 02	+\$33
	Laminate HPL Price Group 03	+\$63
	Veneer Full Fill	+\$102
	Veneer Price Group 03	+\$359
	Composite Veneer Price Group 01	+\$744
	Composite Veneer Price Group 02	+\$102
	Veneer Price Group 01	+\$744
	OLL Price Group 1	+\$102
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$22
Power Configuration	No under Worksurface Power	No cost
ower comigaration	Under Worksurface Only	+\$508
	Under Worksurface Clamp with USB-A	+\$834
	Under Worksurface Clamp with USB-C	+\$1153
Power Cord	10' Standard Cord	No cost
5.10. 55.4	10' Braided Cord	+\$74
	20' Standard Cord	+\$74
	20' Braided Cord	+\$220
	8' Curly Cord	+\$319
Power Cord Finish	Braided Cord	No cost
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
· · ·	Thread Low Profile Plug	+\$40
PVC	With PVC	No cost
	Non PVC	+\$34
Controller	Active Touch Controller	No cost
	Simple Touch Controller	- \$74
Antimicrobial	Non-Antimicrobial	No cost
	With Antimicrobial	No cost

▶ Product Information continued on next page


▶ Product Information continued from previous page

Base Prices

Tip: Magnetic cable clips come in a pack of two when ordered with the heightadjustable desk style number.

Options		
Magnetic Cable Clip	No Magnetic Cable Clip With Magnetic Cable Clips	No cost +\$95
Cable Tray	No Cable Tray With Cable Tray	No cost +\$183
Modesty Panel	No Modesty Panel Modesty Panel	No cost +\$650
Modesty Panel Finish	Paint Price Group 01 Paint Price Group 02 Paint Price Group 03	No cost +\$20 +\$37

Specifiaction Information



120°	Corner	Desk	Height.	Adiustahla.	Rasic Height

FLXSWC3 \$3137

Style Number

120° Corner Desk Height-Adjustable, Extended Height

FLXSWC3 \$3403

Rectangle Height-Adjustable Bases



Tip: Attachment hardware is intended for worksurfaces 1" thick only.

Tip: The 9" overhang is available on 58"W or larger desks

Tip: Desks 70"W or larger allow for single or dual overhang.

Tip: When specifying a desk overhang, see understanding for additional cable tray specifying details.

Tip: Standard plug is a NEMA 5-15 3-prong plug.

Tip: On 23"/24"D and less than 58"W desks, only single and dual fl at panel monitor arm applications are permitted for use. See Steelcase Worktools Specification Guide.

Tip: For desks 29"/30"D x 58"W and greater additional monitor arm configurations are allowed. See Steelcase Worktools Specification Guide.

Tip: The standard active touch controller is Bluetooth enabled to allow pairing with the Steelcase Rise app.

Tip: Antimicrobial can be specified only when specifying simple touch controller.

Standard Includes

- Electric height-adjustable sit-to-stand base: paint price group 01
- · Foot: paint price group 01
- Roller: plastic
- · Active touch controller
- Modular widths: 46", 58", or 70"
- · Attachment hardware
- · No overhang on worksurface
- · Power cord: 10' with standard plug

Options		
Size Options	Modular	No cost
	Parametric	No cost
Overhang	No Overhang	No cost
	Overhang—Left	No cost
	Overhang—Left & Right	No cost
	Overhang—Right	No cost
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$22
Foot Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$22
	Paint Price Group 03	+\$41
Power Configuration	No under Worksurface Power	No cost
	Under Worksurface Clamp with USB-A	46"W-57 ¹⁵ /16"W: +\$801
		58"W-72"W: +\$834
	Under Worksurface Clamp with USB-C	46"W-57 ¹⁵ /16"W: +\$1122
		58"W-72"W: +\$1153
	Under Worksurface Only	46"W-57 ¹⁵ /16"W: +\$476
		58"W-72"W: +\$508
Power Cord	10' Standard Cord	No cost
	10' Braided Cord	+\$74
	20' Standard Cord	+\$74
	20' Braided Cord	+\$220
	8' Curly Cord	+\$319
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
	Thread Low Profile Plug	+\$40
PVC	With PVC	No cost
	Non PVC	+\$34
Cable Tray	No Cable Tray	No cost
	With Cable Tray	See below
Controller	Active Touch Controller	No cost
	Simple Touch Controller	-\$74
Antimicrobial	Non-Antimicrobial	No cost
	With Antimicrobial	No cost
Brake	No Brake	No cost
	With Brake	+\$69

▶ Product Information continued on next page

Rectangle Height-Adjustable Bases

▶ Product Information continued from previous page

29" or 30"

	Style Numbe	r Dimensions		Base Pric	es				Cable Tray
	·	Depth	Width Size Option						(Add \$ to Base Price)
			Modular	46"W	N.A.	58"W	N.A.	70"W	
			Parametric	46"W- 48"W	48½16"W- 54"W	54 ¹ / ₁₆ "W- 60"W	60½16"W– 66"W	66½16"W- 72"W	_
	Rectan	gle Heig	ht-Adju	stable	Bases				
	Basic H	leight							
	FLXSRQB	23" or 24"		\$2271	\$2344	\$2418	\$2500	\$2577	+\$183
		29" or 30"		\$2557	\$2641	\$2668	\$2715	\$2740	+\$205
_	Extend	ed Heigh	nt						

\$2774

\$2862

\$2943



+\$205

\$2970

Work Tables-Seated Height



Standard Includes

- · Top surface:
- High-Pressure Laminate price group 01 with 3 mm plastic edge
- Wood group 01 veneer with matching 3 mm square edge, if selected
- Frame: paint price group 01
- · Pegs:
- paint price group 01
- paint price group 02
- paint price group 02paint price group 03Lux Coatings
- 1" adjustable glides:
- 6053 Seagull
- 6527 Merle
- · Attachment hardware

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Veneer Group 02, Veneer Group 03, and Veneer Full Fill upcharge is in addition to the Veneer Group 01 cost.

Tip: Composite Veneer Group 02 upcharge is in addition to the Composite Veneer Group 01 cost.

Options				
Top Surface Finish	Laminate HPL Price Group 01	No cost		
	Veneer Custom Stain	No cost		
	Laminate HPL Price Group 02	46"W: +\$25		
		58"W: +\$33		
		70"W: +\$33		
	Laminate HPL Price Group 03	46"W: +\$48		
		58"W: +\$63		
		70"W: +\$63		
	Composite Veneer Price Group 01	See below		
	Composite Veneer Price Group 02	+\$102		
	Veneer Price Group 01	+\$744		
	Veneer Full Fill	+\$102		
	Veneer Price Group 03	+\$359		
	OLL Price Group 1	+\$102		
Frame Finish	Paint Price Group 01	No cost		
	Paint Price Group 02	+\$62		
	Paint Price Group 03	+\$105		
Cable Catch	No Cable Catch	No cost		
	With Cable Catch	46"W: +\$189		
		58"W: +\$210		
		70"W: +\$230		
Mobility	Static—4 Glides	No cost		
,	Mobile-2 Glides and 2 Wheels	+\$72		

Specifiaction Information

Style Number Dimensions Base Prices Depth Width 46"W 58"W 70"W

Rectangle Seated-Height Work Table



ate HP	L Price (Group 0	1	
23"	\$1283	\$1335	\$1432	
29"	\$1393	\$1466	\$1579	
site V	eneer Pr	ice Gro	up 01	
23"	\$2112	\$2192	\$2315	
29"	\$2261	\$2355	\$2496	
	23" 29" Osite V	23" \$1283 29" \$1393 Desite Veneer Pr 23" \$2112	23" \$1283 \$1335 29" \$1393 \$1466 Desite Veneer Price Gro 23" \$2112 \$2192	29" \$1393 \$1466 \$1579 Site Veneer Price Group 01 23" \$2112 \$2192 \$2315

20	ΨΖΖΟΊ	Ψ2000	Ψ2-100	
Price	Group 0	1		
23"	\$2112	\$2192	\$2315	
29"	\$2261	\$2355	\$2496	
	Price	Price Group 0 23" \$2112	Price Group 01 23" \$2112 \$2192	Price Group 01 23" \$2112 \$2192 \$2315

Work Tables-Seated Height



Tip: Left hand shown in above image.

Standard Includes

- Top surface:
- High-Pressure Laminate price group 01 with 3 mm plastic edge
- Wood group 01 veneer with matching 3 mm square edge, if selected
- Frame: paint price group 01
- Pegs:
- paint price group 01
- paint price group 02
- paint price group 03
- Lux Coatings
- · Attachment hardware

Options		
Handedness	Left Hand	No cost
	Right Hand	No cost
Depth-Left	2211/16"	No cost
	407/16"	No cost
Depth—Right	22 ¹¹ /16"	No cost
	407/16"	No cost
Width Back	4013/16"	No cost
Width Front	715⁄16"	No cost
Top Surface Finish	Laminate HPL Price Group 01	No cost
	Veneer Custom Stain	No cost
	Composite Veneer Price Group 01	No cost
	Composite Veneer Price Group 02	+\$102
	Veneer Price Group 01	No cost
	Laminate HPL Price Group 02	+\$33
	Laminate HPL Price Group 03	+\$63
	Veneer Full Fill	+\$102
	Veneer Price Group 03	+\$359
	OLL Price Group 1	+\$102
Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$62
	Paint Price Group 03	+\$105
Peg Finish	Paint Price Group 01	No cost
	Paint Price Group 02	No cost
	Paint Price Group 03	No cost
Glide Finish	Plastic—PG1	No cost
Modesty Panel	No Modesty Panel	No cost
-	Modesty Panel	+\$650
Modesty Panel Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$20
	Paint Price Group 03	+\$37

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Veneer Group 02, Veneer Group 03, and Veneer Full Fill upcharge is in addition to the Veneer Group 01 cost.

Tip: Composite Veneer Group 02 upcharge is in addition to the Composite Veneer Group 01 cost.

Base Price



120° Straight Seated-Height Work Table

FLXWTLWS \$1732

Rectangle Work Tables-Standing Height



Standard Includes

- · Top surface:
 - High-Pressure Laminate price group 01 with 3 mm plastic edge
- Wood group 01 veneer with matching 3 mm square edge, if selected
- Frame: paint price group 01
- Footrest, if selected: paint price group 01
- · Pegs:
- paint price group 01
- paint price group 02
- paint price group 03
- Lux Coatings
- · Wheels or 1" adjustable glides:
- Wheels or 1" ad – 6053 Seagull
- 6527 Merle
- · Attachment hardware

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Veneer Group 02, Veneer Group 03, and Veneer Full Fill upcharge is in addition to the Veneer Group 01 cost.

Tip: Composite Veneer Group 02 upcharge is in addition to the Composite Veneer Group 01 cost.

Paint Price Group 02 Paint Price Group 03 +\$62 +\$105 Footrest Finish Paint Price Group 01 Paint Price Group 02 Paint Price Group 02 Paint Price Group 03 Cable Catch No Cable Catch With Cable Catch With Cable Catch Orow: +\$189 58"W: +\$210 70"W: +\$230	Options		
Laminate HPL Price Group 02 46"W: +\$25 58"W: +\$33 70"W: +\$33 46"W: +\$48 58"W: +\$63 70"W: +\$63 70"W: +\$63 58"W: +\$63 70"W: +\$63 70"W: +\$63 58"W: +\$62 58e below Veneer Price Group 01 58e below Veneer Full Fill 4\$102 Veneer Full Fill 4\$102 Veneer Price Group 03 58e below Veneer Full Fill 4\$102 Frame Finish Paint Price Group 03 58e below Veneer Full Fill 5869 Frame Finish Paint Price Group 03 5862 Footrest Finish Paint Price Group 01 70"W: +\$62 Footrest Finish Paint Price Group 02 7834 7834 7834 7838 78"W: +\$210 70"W: +\$189 78"W: +\$230 Mobility Static—4 Glides No cost	Top Surface Finish	Laminate HPL Price Group 01	No cost
Laminate HPL Price Group 03		Veneer Custom Stain	No cost
Laminate HPL Price Group 03		Laminate HPL Price Group 02	46"W: +\$25
Laminate HPL Price Group 03 46"W: +\$48 58"W: +\$63 70"W: +\$63 70"W: +\$63 Composite Veneer Price Group 01 Composite Veneer Price Group 02 Veneer Price Group 02 Veneer Price Group 03 Veneer Full Fill Veneer Price Group 03 OLL Price Group 01 Paint Price Group 01 Paint Price Group 02 Paint Price Group 03 Frotrest Finish Paint Price Group 01 Paint Price Group 03 Paint Price Group 03 Footrest Finish Paint Price Group 01 Paint Price Group 03 Paint Price Group 03 Paint Price Group 03 Paint Price Group 04 Paint Price Group 05 Potental Paint Price Group 06 Paint Price Group 07 Paint Price Group 08 Pa			58"W: +\$33
S8"W: +\$63 70"W: +\$63 70"W: +\$63 See below S			70"W: +\$33
Composite Veneer Price Group 01 See below		Laminate HPL Price Group 03	46"W: +\$48
Composite Veneer Price Group 01 See below			58"W: +\$63
Composite Veneer Price Group 02			70"W: +\$63
Veneer Price Group 01 See below +\$102 Veneer Full Fill +\$102 Veneer Price Group 03 +\$359 OLL Price Group 1 +\$102		Composite Veneer Price Group 01	See below
Veneer Full Fill		Composite Veneer Price Group 02	+\$102
Veneer Price Group 03		Veneer Price Group 01	See below
OLL Price Group 1		Veneer Full Fill	+\$102
Frame Finish Paint Price Group 01 No cost +\$62 Paint Price Group 03 +\$105 Footrest Finish Paint Price Group 01 No cost Paint Price Group 02 Paint Price Group 03 +\$34 Paint Price Group 03 +\$62 Cable Catch No Cable Catch No cost With Cable Catch With Cable Catch 46"W: +\$189 58"W: +\$210 70"W: +\$230 Mobility Static—4 Glides No cost		Veneer Price Group 03	+\$359
Paint Price Group 02		OLL Price Group 1	+\$102
Paint Price Group 03	Frame Finish	Paint Price Group 01	No cost
Footrest Finish Paint Price Group 01 Paint Price Group 02 Paint Price Group 03 Cable Catch No Cable Catch With Cable Catch With Cable Catch With Cable Catch SarW: +\$189 58"W: +\$210 70"W: +\$230 Mobility Static—4 Glides No cost		Paint Price Group 02	+\$62
Paint Price Group 02 Paint Price Group 03 +\$34 +\$62 Cable Catch No Cable Catch With Cable Catch With Cable Catch Serw: +\$189 58"W: +\$210 70"W: +\$230 Mobility Static—4 Glides No cost		Paint Price Group 03	+\$105
Paint Price Group 03 +\$62 Cable Catch No Cable Catch No cost With Cable Catch 46"W: +\$189 58"W: +\$210 70"W: +\$230 Mobility Static-4 Glides No cost	Footrest Finish	Paint Price Group 01	No cost
Cable Catch No Cable Catch No cost With Cable Catch 46"W: +\$189 58"W: +\$210 70"W: +\$230 Mobility Static—4 Glides No cost		Paint Price Group 02	+\$34
With Cable Catch 46"W: +\$189 58"W: +\$210 70"W: +\$230 Mobility Static—4 Glides No cost		Paint Price Group 03	+\$62
58"W: +\$210 70"W: +\$230 Mobility Static—4 Glides No cost	Cable Catch	No Cable Catch	No cost
		With Cable Catch	46"W: +\$189
Mobility Static—4 Glides No cost			58"W: +\$210
,			70"W: +\$230
Mobile—2 Glides and 2 Wheels +\$72	Mobility	Static-4 Glides	No cost
		Mobile—2 Glides and 2 Wheels	+\$72

▶ Product Information continued on next page

Rectangle Work Tables-Standing Height

▶ Product Information continued from previous page

Specifiaction Information

 Style Number Dimensions
 Base Prices

 Depth
 Width

 46"W
 58"W
 70"W



		46"W	58"W	70"W	
Rectan	igle Sta	nding-l	Height	Work Table	
Lamina	ate HPL	Price	Group	01	
LXWTH	23"	\$1878	\$2034	\$2231	
	29"	\$2030	\$2204	\$2421	
Compo	site Ve	neer P	rice Gr	oup 01	
LXWTH	23"	\$2707	\$2891	\$3114	
	29"	\$2898	\$3093	\$3338	
Veneer	r Price (Group ()1		
LXWTH	23"	\$2707	\$2891	\$3114	
	29"	\$2898	\$3093	\$3338	

Rectangle Work Table-Bases Only



Standard Includes

- Frame: paint price group 01
- Footrest, if selected: paint price group 01
- Footrest, if selected: paint price
 Pegs:
 paint price group 01
 paint price group 02
 paint price group 03
 Lux Coatings
 Wheels or 1" adjustable glides:
 6053 Seagull
 6527 Marla

 - 6527 Merle
- · Attachment hardware

Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$62
	Paint Price Group 03	+\$105
Footrest Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$34
	Paint Price Group 03	+\$62
Cable Catch	No Cable Catch	No cost
	With Cable Catch	46"W: +\$189
		58"W: +\$210
		70"W: +\$230
Mobility	Static—4 Glides	No cost
-	Mobile - 2 Glides and 2 Wheels	+\$72

Specifiaction Information

Style Number Dimensions Base Prices Width

Depth

46"W 58"W 70"W



Rectan	gle Se	eated He	ight		
FLXWTLB	23"	\$1136	\$1187	\$1280	
	29"	\$1238	\$1305	\$1413	



Rectan	gle St	anding I	leight		
FLXWTHB	23"	\$1732	\$1887	\$2076	
	20"	\$1877	\$2045	\$2255	

Slim Table



Standard Includes

- Top surface:
- High-Pressure Laminate price group 01 with 3 mm plastic edge
- Wood group 01 veneer with matching 3 mm square edge, if selected
- Frame: paint price group 01
- Footrest, if selected: paint price group 01
- · Pegs:
- paint price group 01paint price group 02paint price group 03

- Lux Coatings
- · Wheels or 1" adjustable glides:
- 6053 Seagull
- 6527 Merle
- · Attachment hardware

Tip: Cost for OLL Price
Group 1 is in addition to
cost of laminate.

Tip: Veneer Group 02, Veneer Group 03, and Veneer Full Fill upcharge is in addition to the Veneer Group 01 cost.

Tip: Composite Veneer Group 02 upcharge is in addition to the Composite Veneer Group 01 cost.

Options Top Surface Finish	Laminate HPL Price Group 01	No cost
Top Surface Fiffish	Veneer Custom Stain	No cost
	Composite Veneer Price Group 01	See below
	Composite Veneer Price Group 02	+\$102
	Veneer Price Group 01	See below
	Laminate HPL Price Group 02	+\$33
	Laminate HPL Price Group 03	+\$63
	Veneer Full Fill	+\$102
	Veneer Price Group 03	+\$359
	OLL Price Group 1	+\$102
Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$62
	Paint Price Group 03	+\$105
Footrest Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$34
	Paint Price Group 03	+\$62

Spec	ifiaction	Information	
Dimensio	ns	Style Number	Base Prices
Depth	Width		
Lami	nate HI	PL Price G	roup 01
10"	EO!!	EL VOLTM	¢10E0

Composite Veneer Price Group 01

FLXSLIM \$2788

Veneer Price Group 01

FLXSLIM \$2788

Slim Table-Base Only, Standing Height



Standard Includes

- Frame: paint price group 01
- Footrest, if selected: paint price group 01

 - paint price group 01paint price group 02paint price group 03
- Lux Coatings1" adjustable glide:6053 Seagull
- 6527 Merle
- · Attachment hardware

Options		
Frame Finish	Paint Price Group 01 Paint Price Group 02 Paint Price Group 03	No cost +\$62 +\$105
Footrest Finish	Paint Price Group 01 Paint Price Group 02 Paint Price Group 03	No cost +\$34 +\$62

Speci	ifiaction	Information				
Dimensions Style Number		Base Price				
Depth	Width					
Standing Height						
18"	58"	FLXSLIMB	\$1834			

Single Tables



Tip: Attaching monitor arms to single tables with casters or glides is not permitted due to tipping hazards.

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Veneer Group 02, Veneer Group 03, and Veneer Full Fill upcharge is in addition to the Veneer Group 01 cost.

Tip: Composite Veneer Group 02 upcharge is in addition to the Composite Veneer Group 01 cost.

Tip: Mobile caster option includes two locking and two non-locking soft casters.

Standard Includes

- Top surface:
- High-Pressure Laminate price group 01 with 3 mm plastic edge
- Wood group 01 veneer with matching 3 mm square edge, if selected
- Frame: paint price group 01
- · Attachment hardware

Options		
Top Surface Finish	Veneer Custom Stain	No cost
	Laminate HPL Price Group 01	See below
	Composite Veneer Price Group 01	See below
	Composite Veneer Price Group 02	+\$102
	Veneer Price Group 01	See below
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$33
	Veneer Full Fill	+\$102
	Veneer Price Group 03	+\$359
	OLL Price Group 1	+\$102
Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$62
	Paint Price Group 03	+\$105
Mobility	Static—4 Glides	No cost
	Mobile-2 Glides and 2 Wheels	+\$72

Specifiaction Information

Style Number Dimensions Base Prices

Depth Width



Rectan	gle Si	ngle T	able—Seated	Height
Laminate HPI	L Price Gr	oup 01		
FLXSRTL	18"	33"	\$957	
Composite Ve	eneer Pric	e Group 01		
FLXSRTL	18"	33"	\$1758	
Veneer Price Group 01				
FLXSRTL	18"	33"	\$1758	



Chevron Single Table—Seated Height				
Laminate HPL Price Group 01				
FLXSCTL	20"	333/5"	\$1075	
Composite V	eneer Pric	e Group 01		
FLXSCTL	20"	333/5"	\$1876	
Veneer Price Group 01				
FLXSCTL	20"	333/5"	\$1876	

Single Tables



Tip: Attaching monitor arms to single tables with casters or glides is not permitted due to tipping hazards.

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Veneer Group 02, Veneer — Group 03, and Veneer Full Fill upcharge is in addition to the Veneer Group 01 cost.

Tip: Composite Veneer Group 02 upcharge is in addition to the Composite Veneer Group 01 cost.

Tip: Mobile caster option includes two locking and two non-locking soft casters.

Standard Includes

- · Top surface:
- High-Pressure Laminate price group 01 with 3 mm plastic edge
- Wood group 01 veneer with matching 3 mm square edge, if selected
- Frame: paint price group 01
- · Attachment hardware


Veneer Custom Stain	No cost
Laminate HPL Price Group 01	See below
Composite Veneer Price Group 01	See below
Composite Veneer Price Group 02	+\$102
Veneer Price Group 01	See below
Laminate HPL Price Group 02	+\$17
Laminate HPL Price Group 03	+\$33
Veneer Full Fill	+\$102
Veneer Price Group 03	+\$359
OLL Price Group 1	+\$102
Paint Price Group 01	No cost
Paint Price Group 02	+\$62
Paint Price Group 03	+\$105
Static—4 Glides	No cost
Mobile—2 Glides and 2 Wheels	+\$72
	Laminate HPL Price Group 01 Composite Veneer Price Group 01 Composite Veneer Price Group 02 Veneer Price Group 01 Laminate HPL Price Group 02 Laminate HPL Price Group 03 Veneer Full Fill Veneer Price Group 03 OLL Price Group 01 Paint Price Group 01 Paint Price Group 02 Paint Price Group 03 Static—4 Glides

Specifiaction Information

Style Number Dimensions Base Prices

Depth Width







Chevron Single Table—Standing Height				
Laminate HPI	L Price Gr	oup 01		
FLXSCTH	20"	333/5"	\$1321	
Composite Ve	eneer Pric	e Group 01		
FLXSCTH	20"	333/5"	\$2122	
Veneer Price Group 01				
FLXSCTH	20"	333/5"	\$2122	

Single Tables



Tip: Composite Veneer Group 02 upcharge is in addition to the Composite Veneer Group 01 cost.

Tip: For a fully monochromatic merle column and base, order pneumatic column in 7360 Merle and the base in finish 7360 Merle.

Tip: For a fully monochromatic pearl snow column and base, order pneumatic column in 73ZW Pearl Snow and the base finish in 4844 Glacier.

Standard Includes

- Top surface:
- High-Pressure Laminate price group 01 with 3 mm plastic edge
- Wood group 01 veneer with matching 3 mm square edge, if selected
- Frame: paint price group 01
- · Pneumatic adjustable column:
 - 7360 Merle
- 73ZW Pearl Snow
- · Attachment hardware

Options		
Top Surface Finish	Veneer Custom Stain	No cost
	Laminate HPL Price Group 01	See below
	Composite Veneer Price Group 01	See below
	Composite Veneer Price Group 02	+\$102
	Veneer Price Group 01	See below
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$33
	Veneer Full Fill	+\$102
	Veneer Price Group 03	+\$359
	OLL Price Group 1	+\$102
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$62
	Paint Price Group 03	+\$105
Mobility	Static—4 Glides	No cost
	Mobile—2 Glides and 2 Wheels	+\$72



Specifiaction Information



Style Nulliber	Difficusions		Dase Frices	
	Depth	Width		

333/5"

Rectangle Single Table—Pneumatic Height						
Laminate HP	Laminate HPL Price Group 01					
FLXSRTP	18"	33"	\$1566			
Composite Vo	eneer Pric	e Group 01				
FLXSRTP	18"	33"	\$2367			
Veneer Price Group 01						
FLXSRTP	18"	33"	\$2367			

Chevro	Chevron Single Table—Pneumatic Height Laminate HPL Price Group 01					
Laminate HP						
FLXSCTP	20"	333/5"	\$1648	_		
Composite Vo	eneer Pric	e Group 01		_		
FLXSCTP	20"	333/5"	\$2449			
Veneer Price	Group 01			_		

\$2449

FLXSCTP

Page Head



Standard Includes

- Modesty panel: P630 Medium Heather Grey or P631 Dark Heather Grey soft PET felt
- Attachment hardwaree

Specifiaction Information

Style Number Dimensions Price
Depth Width

Modesty Panel for use with Single Tables

FLXSTMP 11" 24" \$200



Standard Includes

• Glides, quantity of four: black plastic

Specifiaction Information

Style Number Price

Glides

MGSGLD \$3

Curved Screens



Tip: Handedness is only needed to specify when ordering single curved screen.

Tip: Fabric is applied in a warp horizontal direction. Due to the size of the screens, fabric is unable to be applied in a warp vertical direction.

Tip: When choosing contrasting fabrics, outside and inside screen fabric must stay within same fabric family.


Standard Includes

- Curved desk screen: fabric price group A or 01
- · Magnet attachment housing: 6527 Merle
- Attachment hardware


Options		
Inside Screen Finish	Fabric Price Group 01	No cost
	Fabric Price Group A	No cost
	Fabric Customer's Own Material	+\$9
	Fabric Price Group 02	+\$25
	Fabric Price Group 03	+\$65
	Fabric Price Group 04	+\$83
	Fabric Price Group 05	+\$102
	Fabric Price Group 06	+\$118
	Fabric Price Group 07	+\$136
	Fabric Price Group 08	+\$154
	Fabric Price Group 09	+\$172
	Fabric Price Group 10	+\$189
Outside Screen Finish	Fabric Price Group 01	No cost
	Fabric Price Group A	No cost
	Fabric Customer's Own Material	+\$9
	Fabric Price Group 02	+\$25
	Fabric Price Group 03	+\$65
	Fabric Price Group 04	+\$83
	Fabric Price Group 05	+\$102
	Fabric Price Group 06	+\$118
	Fabric Price Group 07	+\$136
	Fabric Price Group 08	+\$154
	Fabric Price Group 09	+\$172
	Fabric Price Group 10	+\$189
Handedness	LH Privacy/RH Modesty	No cost
	RH Privacy/LH Modesty	No cost

Spec	Specifiaction Information									
Dimensions		Style Number	Base Price	ces						
Depth Height		ht	Desk Width							
			46"W	58"W	70"W					
Sing	le									
1/2"	18"	FLXCS	\$678	\$782	\$886					
Pair										
1/2"	18"	FLXCSP	\$1356	\$1564	\$1772					

Freestanding Screens



Fabric Surface 1



Fabric Surface 2

Tip: When choosing contrasting fabrics, the angled screen becomes right-handed on the side of surface 1 and left-handed on the side of surface 2.

Tip: When choosing contrasting fabrics, surface 1 and surface 2 must stay within the same fabric family.

Tip: Fabric is applied in a warp horizontal direction. Due to the size of the screens, fabric is unable to be applied in a warp vertical direction.

Tip: The angled screen attaches magnetically only on its long side.

Tip: 60"H and 71"H is only available on the rectangle freestanding screen.

Tip: Rectangle screens are also available parametrically in width to the ½6" between 24" and 42". Parametric specifi cation defi nes actual screen width.

Tip: Screens ordered parametrically may not align exactly with modular screens. It is highly recommended to use CET SmartTools to confirm all dimensions before ordering.

Standard Includes

- Freestanding screen: fabric price group A or 01
- · Magnetic edge: 6527 Merle

Surf1 Finish	Fabric Price Group 01	No cost
ourr r misn	Fabric Price Group A	No cost
	Fabric Customer's Own Material	+\$9
	Fabric Price Group 02	+\$25
	Fabric Price Group 03	+\$65
	Fabric Price Group 04	+\$83
	Fabric Price Group 05	+\$102
	Fabric Price Group 06	+\$118
	Fabric Price Group 07	+\$136
	Fabric Price Group 08	+\$154
	Fabric Price Group 09	+\$172
	Fabric Price Group 10	+\$189
Surf2 Finish	Fabric Price Group 01	No cost
	Fabric Price Group A	No cost
	Fabric Customer's Own Material	+\$9
	Fabric Price Group 02	+\$25
	Fabric Price Group 03	+\$65
	Fabric Price Group 04	+\$83
	Fabric Price Group 05	+\$102
	Fabric Price Group 06	+\$118
	Fabric Price Group 07	+\$136
	Fabric Price Group 08	+\$154
	Fabric Price Group 09	+\$172
	Fabric Price Group 10	+\$189
Size Option	Modular	No cost
Size Option	Modulai	140 0031

Specifiaction Information

Style Number

Dimensions





	Modular	Parametric	Height			
	Width	Width	47"	60"	71"	
Rectangle						
FLXFSRQ	24"	24"	\$943	\$995	\$1116	
	30"	241/16"-30"	\$977	\$1029	\$1150	
	36"	301/16"-36"	\$1015	\$1067	\$1188	
	42"	361/16"-42"	\$1053	\$1105	\$1226	

Base Prices



Acoustic Boundary



Standard Includes

- Acoustic boundary:
 P631 Dark Heather Grey
 P636 Light Heather Grey
 Four casters: black plastic
 Board clips:
 6053 Seagull

 - 6527 Merle
- CounterweightsAttachment hardware

Options					
Height	Short Tall	See below See below			
Clip Position	No clips Clips—Single Side Clips—Dual Dide	No cost +\$34 +\$68			

Dimensions	Style Number	Base Pric	es	
Depth Width		Height		
		Short	Tall	
		(79"H)	(116 ⁷ / ₈ "H)	

Tip: Board cart package includes a board cart, eight 71"H markerboards, and an accessory cup.


Standard Includes

- Frame: paint price group 01
- · One perforated shelf, if board cart or board cart package is selected: paint price group 01
- Three perforated shelves, if team cart is selected: paint price group 01
- · Wheels and casters:
- 6053 Seagull
- 6527 Merle
- · Board clips:
- 6053 Seagull
- 6527 Merle
- Board organizer: 6527 Merle
- Board cart package, if selected: board cart, eight 71"H markerboards, and accessory cup:
- P635 Heather Navy or P636 Light Heather Grey molded PET felt

Options		
Frame Finish	Paint Price Group 01 Paint Price Group 02 Paint Price Group 03	No cost +\$48 +\$97
Shelf Finish	Paint Price Group 01	No cost
	Paint Price Group 02	Board cart: +\$27 Team cart: +\$48
	Paint Price Group 03	Board cart: +\$55
		Team cart: +\$97

Specifiaction Information







Board	l Cart			
20"	46"	413/8"	FLXCTBD	\$2654



Board Cart Package FLXCTBDPKG \$8973

Media Cart



Tip: Many monitors larger than 43"W require a 400x400 mounting pattern. Specify with VESA plate adapter if monitor requires larger mounting pattern.

Tip: Technology not included.

Standard Includes

- Mobile stand

- Two rear non-locking casters
 Two front locking casters
 Shelf: High-Pressure Laminate price group 01 with 3 mm plastic edge
 200x200 VESA monitor mounting plate
- Frame: paint price group 01
- Attachment hardware

Options		
Frame Finish	Paint Price Group 01 Paint Price Group 02 Paint Price Group 03	No cost +\$48 +\$97
Shelf Finish	Laminate HPL Price Group 01 Laminate HPL Price Group 02 Laminate HPL Price Group 03 OLL Price Group 1	No cost +\$33 +\$63 +\$102
Edge Finish	Plastic—PG1	No cost
Power Configuration	No Power Power in Basket Power in Basket + Clamp USB-A Power in Basket + Clamp USB-C	No cost +\$489 +\$824 +\$1153
Power Cord	10' Standard Cord 10' Braided Cord 20' Standard Cord 20' Braided Cord	No cost +\$74 +\$74 +\$220
Power Cord Finish	Braided Cord	No cost
Cord Color	Black No White	cost No cost
Power Finish	Plastic—PG1	No cost
Power Plug Type	Standard NEMA 5-15 3-Prong Thread Low Profile Plug	No cost +\$40
PVC	With PVC Non PVC	No cost +\$34
Vesa Plate Adapter	No VESA Plate Adapter With VESA Plate Adapter	No cost +\$104
Media Basket	No Media Basket With Media Basket	No cost +\$320
Core Option	Standard Core	No cost

Spe	cifiactio	n Inforr	nation	
Dimens	sions		Style Number	Base Price
Depth	Width	Height		
Med	lia Carl	t		

Markerboard Solutions

Tip: Four markerboards come in the markerboard package.


Standard Includes

- · Markerboard, double sided
- · Markerboard package, if selected: four double-sided markerboards

Specifiaction Information

Style Number	Dimensions	Prices			
	Width	Height			
		47"	71"		
Markerb	oard				








Markerboard Package

FLXMB4 \$2897 \$3107



Tip: Plywood is a natural material and variations will occur in color, grain, and texture.

Standard Includes

- Stand worksurface: plywood
- Stand base:
- 6053 Seagull
- 6527 Merle

Specifiaction Information

Dimensions Style Number Price Diameter Height

Stand

16" **FLXSTAND**

Markerboard Solutions

Tip: Wall rails can be joined together with included pins for sizes longer than 96"W.

Tip: The wall rail package contains one upper and one lower wall rail and four 71"H markerboards.

Standard Includes

- Wall-mounted rails, upper, and lower rail: paint price group 01
- · End caps: plastic default to match paint color
- Parametric widths: 48"-96" with 1/16" increments
- Wall rail package, if selected: upper and lower wall rail and four 71"H markerboards
- Pins for connecting two wall rails together

Options		
Wall Rail	Paint Price Group 01	No cost
	Paint Price Group 02	+\$83

	Paint Price 0	Group 02		+\$83		
Specifiaction Infor	mation					
	Style Number	Dimensions Width	Base Prices			
	Wall Rai	ls				
	FLXWR	48"–96"	\$1013			
		l Packag	ıe			
	FLXWRPKG	48"–96"	\$4120			



Wall Rai	l Packa	age	
FLXWRPKG	48"-96"	\$4120	

Mobile Power



Tip: Mobile power and tray ship separately via FedEx ground due to lithium ion battery regulations.

Tip: Flex mobile power can only charge laptops that receive power via a USB-C port. Use of adapters or converters from USB-C to legacy barrel jack connectors may void laptop warranty.

Tip: With bumper option includes a 84/5" cord. No bumper option includes a 6²/5" cord.

Standard Includes

· Five mobile power units

FLXMBATPKG

- One mobile power charging trayOne power supply with standard NEMA plug
- Battery and tray: 6000 Black or 6009 Arctic White

Options		
Bumper	No Bumper	No cost
	With Bumper	No cost

Specifiact	ion Information					
Style Number	Price					
Mobile Po	wer					

Mobile Power Charging Cart



Standard Includes

- Frame: paint price group 01
- · One perforated bottom shelf: paint matches frame
- Two shelves for mobile power charging tray integration: 7204 Black or 7241 Arctic White
- · Castors:
- 6053 Seagull
- 6527 Merle
- · Power routing clips and cable management tray for underside of cart
- Power tap for plugging in mobile power charging tray power supplies
- 9' core

Options		
Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$48
	Paint Price Group 03	+\$97
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
	Thread Low Profile Plug	+\$40

Tip: Cart is standard with shelves and cable routing for two mobile power kits.

Spec	ifiactio	n Inforr	nation	
Dimensi	ons		Style Number	Base Price
Depth	Width	Height		
Mobi	le Pov	ver Ch	arging Ca	rt
13"	30"	/13/o"	EI YRCTRAT	¢2256

Perch Stool



Tip: Perch stools can be nested in rows for easy storage. There is no limit to the number of stools that can be nested together.

Tip: Perch stool is a single molded component. Plastic frame color option applies to both frame and seat.

Tip: Perch stool comes standard with soft plastic glides. No additional glide options are available.

Tip: Glides may scratch hardwood floors. To minmize damage, keep floors and glides clean of dirt and debris.

Standard Includes

- 281/8"H perching stool
- · Molded plastic frame and seat
- · Soft plastic glides

Options		
Frame Finish	Plastic—PG1	No cost
	Plastic—PG2	No cost

Specifiaction Information

Style Number Prices

Perch Stool, Quantity 1

FLXPR1 \$450

Perch Stool, Quantity 4

FLXPR4 \$1478

Docking Station



Tip: DisplayPort cables are not included with the docking

Standard Includes

- Docking station, paint:
 0835 Black
- 7018 Pewter
- ZW01 Pearl Snow
- Attachment collar and top cap
- Power supply
- Thunderbolt 4 cable

Options		
Application	CF Series C-Clamp	No cost
	CF Series Intro Dual C-Clamp	No cost

Spec	Specifiaction Information							
Dimensi	ons		Style Number	Price				
Depth	Width	Height						
Dock	cing S	tation						
6"	8"	2"	FLEXDOCK	\$774				

Freestanding Privacy Wraps



Tip: To coordinate the wrap knit finish and light finish see Wrap Knit and Light Finish Matrix for Personal Spaces.

Tip: 120° freestanding privacy wrap is optimized for use with the 120° straight and 120° corner height-adjustable tables.

Tip: 120° freestanding privacy wrap can be used in the open plan to add shielding in a respite area.

Standard Includes

- Wrap: knit price group 01:
- 5KJ1 Merle
- 5KJ2 Cloud
- 5KJ3 Fog
- 5KJ3 F0g - 5KJ4 Sand
- Light, if selected: plastic price group 01:
- 6052 Milk
- 6053 Seagull
- 6527 Merle

Options		
Height	741/2"	No cost
Width-Left	409/10"	No cost
Width—Right	409/10"	No cost
Light	No Light With Light	No cost +\$828 10 Pack: +\$8.284

Specifiaction Information

Style Number Base Prices


120° Freestanding Privacy Wrap

FLXFWW \$2580

120° Freestanding Privacy Wrap, Quantity 10

FLXFWW10 \$24290

Desk Mount Privacy Wraps



Tip: To coordinate the wrap knit finish and light finish see Wrap Knit and Light Finish Matrix for Personal Spaces.

Tip: 120° desk mounted privacy wrap is optimized for use with the 120° straight and 120° corner height-adjustable tables.

Standard Includes

- Wrap: knit price group 01:
- 5KJ1 Merle
- 5KJ2 Cloud
- 5KJ3 Fog
- 5KJ4 Sand
- Light, if selected: plastic price group 01:
- 6052 Milk
- 6053 Seagull
- 6527 Merle

Options		
Height	451/4"	No cost
Width-Left	409/10"	No cost
Width—Right	409/10"	No cost
Light	No Light With Light	No cost +\$828 10 Pack: +\$8,284

Specifia	Specifiaction Information					
Style Number	Base Prices					
120° De	sk Mount Privacy Wrap					
FLXDWW	\$2294					

120° Desk Mount Privay Wrap, Quantity 10

FLXDWW10 \$21,486

Desk Mount Privacy Wraps



Tip: To coordinate the wrap knit finish and light finish see Wrap Knit and Light Finish Matrix for Personal Spaces.

Standard Includes

- Wrap: knit price group 01:
- 5KJ1 Merle
- 5KJ2 Cloud
- 5KJ3 Fog
- 5KJ3 Fog - 5KJ4 Sand
- Light, if selected: plastic price group 01:
- 6052 Milk
- 6053 Seagull
- 6527 Merle


Options		
Handedness	Left Hand Right Hand	No cost No cost
Height	451/4"	No cost
Width-Left	40%10"	No cost
Width—Right	40%10"	No cost
Light	No Light With Light	No cost +\$828 10 Pack: +\$8,284

Specifiaction Information Style Number Base Prices 90° Desk Mount Privacy Wrap FLXDWR \$2294

90° Desk Mount Privacy Wrap, Quantity 10

FLXDWR10 \$21,486

Back Privacy Wraps



Tip: Back wrap connects into the Answer end-of-run or V-junctions.

Standard Includes

- Wrap: knit price group 01:
- 5KJ1 Merle
- 5KJ1 Merie - 5KJ2 Cloud
- 5KJ3 Fog
- 5KJ4 Sand
- Bracket paint price group 01

Options				
Handedness	Left Hand Right Hand	No cost No cost		
Height	60"	No cost		
Width-Left	40%10"	No cost		
Width—Right	124/5"	No cost		
Bracket Finish	Paint Price Group 01 Paint Price Group 02 Paint Price Group 03	No cost No cost No cost		

Specifiaction Information

Style Number Prices

120° Back Privacy Wrap

FLXBW \$1619

120° Back Privacy Wrap, Quantity 10

FLXBW10 \$14,814

Accessories



Tip: Power hangers shipping to Illinois will receive 9' power

Tip: Each USB port can utilize up to 2.1 amps. Each port is independent of the other.

cord.

Tip: Braided cord color is defaulted to cover finish but can be changed if desired.

Tip: Standard plug is a NEMA 5-15 3-prong plug.

Standard Includes

- Rubberized hanger back: 7360 Merle paint
- Cover
- 4AY2 Chili
- 4AZ5 Marlin
- 4BQ7 Fuchsia
- 4CZ8 Light Peacock
- 7243 Seagull
- 7360 Merle
- · Power cord: 10' with standard plug

Power Configuration	4 Power	No cost
-	3 Power 1 USB	+\$119
Power Cord 10'	Standard Cord	No cost
	10' Braided Cord	+\$74
	20' Standard Cord	+\$74
	20' Braided Cord	+\$220
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
	Thread Low Profile Plug	+\$40
PVC	With PVC	No cost
	Non PVC	+\$34

Specifiaction Information

Style Number Base Price

Power Hanger

FLXPH \$538



Standard Includes

• Package of four baskets: P635 Heather Navy or P636 Light Heather Grey molded PET felt


Specifiaction Information

Style Number Price

Baskets

FLXBSK \$713

Accessories



Standard Includes


• Package of four cups: P635 Heather Navy or P636 Light Heather Grey molded PET felt

Specifiaction Information

Style Number Price

Cups

FLXCUP \$420



Tip: Not for use with 120° straight seated-height or slim work table.

Standard Includes


· Cable management for work tables: P630 Medium Heather Grey or P631 Dark Heather Grey soft PET felt

70"W

Specifiaction Information

Cable Catch

FLXCC \$189 \$210 \$230



Tip: 46"W-57¹⁵/16"W desks use the 28"W cable tray. 58"W-72"W desks use the 48"W cable tray.

Tip: When specifying a desk overhang, see understanding for additional cable tray specifying details.

Standard Includes

- · Cable tray: P631 Dark Heather Grey molded PET felt
- · Attachment hardware
- 28"W cable tray, if 46"W-5715/16"W worksurface selected
- 40"W cable tray, if 58"W-72"W worksurface selected

Options


Depth Worksurface	23"	No cost
	24"	No cost
	29"	No cost
	30"	No cost

Specifiaction Information

Style Number	Dimensions	Prices
	Worksurface	Worksurface
	Width	Depth
		23"D/24"D 29"D/30"D

Cable Tray for Rectangle Height-Adjustable Desks

FLXCT 46"-72" \$183 \$205



Tip: Flex 120° cable tray can be used with the Flex 120° straight and Flex 120° corner height-adjustable desks.

Standard Includes


- Cable tray: P631 Dark Heather Grey molded PET felt
- · Attachment hardware

Specifiaction Information

Style Number Price

Cable Tray for 120° Height-Adjustable Desks

FLXWCT \$183



Standard Includes

Magnetic clips: 6053 Seagull

Specifiaction Information

Style Number Prices

Magnetic Cable Clips, Quantity 2

FLXMCC2 \$97

Magnetic Cable Clips, Quantity 10

FLXMCC10 \$385



Tip: Cable brackets can be used instead of cable trays or will fit inside footprint of 29"/30"D cable trays.

Standard Includes

Cable brackets, quantity of four: 6527 Merle

Specifiaction Information

\$51

Style Number Price

Cable Brackets

FLXCBK4



Tip: Cable riser leg connection is not compatible with the Flex heightadjustable desk.

Standard Includes

- Cable riser with fence connection: 7360 Merle paint
- · Attachment hardware

Options

Connection Type Fence Connection Leg Connection No cost +\$152

Specifiaction Information

Style Number Base Price

Cable Riser

OLCR \$104



Standard Includes


- Two brakes: 6527 Merle
- · Attachment hardware

Specifiaction Information

Style Number Price

Brakes for Rectangle Height-Adjustable Desks

FLXBRK \$69



Standard Includes


Basket for media cart: P631 Dark Heather Grey molded PET felt

Specifiaction Information

Style Number Price

Media Cart Basket

FLXMDBSK \$320




Tip: Cable riser leg connection is not compatible with the Flex heightadjustable desk.

Standard Includes

- · Power for media cart
- · 10' power cord: black or white
- Standard NEMA 5-15 3 prong plug

Options		
Power Cord	10' Standard Cord 10' Braided Cord	No cost +\$74
	20' Standard Cord	+\$74
	20' Braided Cord	+\$220
Power Cord Finish	Braided Cord	No cost
Cord Color	Black	No cost
	White	No cost
Power Finish	Plastic—PG1	No cost
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
	Thread Low Profile Plug	+\$40
PVC	With PVC	No cost
	Non PVC	+\$34

Style Number Base Prices Power in Basket Power in Basket + Clamp USB-A Clamp USB-C Media Cart Power FLXMDP \$489 \$824 \$1153



Standard Includes

• Universal VESA adapter extenders convert 200x200 mount ot fit 400x200, 400x300, 400x400, and 300x300 patterns

Specifiaction Information

Style Number Price

Media Cart VESA Plate Adapter

FLXMDADPT \$104

Standard Includes

Modesty panel: paint price group 01



Options

Modesty Panel Finish

No cost +\$20 +\$37

Tip: Modesty panel can be used with 120° straight and corner height-adjustable desks and 120° straight seated height work table.

Specifiaction Information

Paint Price Group 01


Paint Price Group 02

Paint Price Group 03

Style Number Base Price

120° Modesty Panel

FLXWMP \$662



Tip: Magnetic name tags work on the privacy wraps.

Standard Includes

Name tags: 6009 Arctic White

Specifiaction Information

Style Number Prices

Magnetic Name Tags, Quantity 2

FLXMNT2 \$157

Magnetic Name Tags, Quantity 10

FLXMNT10 \$1016



Tip: Users will have to specify width and height in SmartTools.

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Shelf finish is dependent upon unit height and if shelf is selected for each

Tip: Unit requires a top and base shelf. Additional shelf placement is available and dependent upon height.

- Frame: paint price group 01
- Base: paint price group 01Adjusting leveling glides

Options		
Width	1 Wide	See below
	2 Wide	See below
Unit Height	1 Unit	See below
_	2 Units	See below
	3 Units	See below
	4 Units	See below
	5 Units	See below
Contrasting Shelf	Contrasting	No cost
	Non-Contrasting	No cost
Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Base Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Shelf 2	No Shelf	No cost
	With Shelf	1 wide: +\$135
		2 wide: +\$169
Shelf 3	No Shelf	No cost
	With Shelf	1 wide: +\$135
		2 wide: +\$169
Shelf 4	No Shelf	No cost
	With Shelf	1 wide: +\$135
		2 wide: +\$169
Shelf 5	No Shelf	No cost
	With Shelf	1 wide: +\$135
		2 wide: +\$169
op Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$28
	Paint Price Group 03	+\$44
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$28
	Paint Price Group 03	+\$44
Counterweight	No Counterweight	No cost
	2 Counterweight	+\$238
	4 Counterweight	+\$476
	6 Counterweight	+\$714
	8 Counterweight	+\$952

Tip: Counterweight packages are required to ensure product stability in some confi gurations and are ordered with the frame style number. See SmartTools for further requirements.

▶ Product Information continued on next page

▶ Product Information continued from previous page


Specifiaction Information Base Prices Style Number Dimensions Depth Width Height 1 Wide Frame FLXAFFRAME 153/4" 15¾" 1 Unit \$646 153/4" 153/4" 2 Unit \$680

153/4"

153/4"

15¾"

153/4"



	153/4"	153/4"	5 Unit	\$1360	
2 Wide Fra	ıme				
FLXAFFRAME	15 ³ /4"	31½"	1 Unit	\$839	
	153/4"	311/2"	2 Unit	\$883	
	153/4"	311/2"	3 Unit	\$1102	
	153/4"	311/2"	4 Unit	\$1415	
	153/4"	311/2"	5 Unit	\$1769	

3 Unit

4 Unit

\$850

\$1089



Tip: Users will have to specify width and height in SmartTools.

Tip: Tube height can be equal to or greater than unit height, but never smaller.

Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Shelf finish is dependent upon unit height and if shelf is selected for each unit.

Tip: Unit requires a top and base shelf. Additional shelf placement is available and dependent upon height.

Standard Includes

- Frame: paint price group 01
- Base: paint price group 01Adjusting leveling glides

Vidth	1 Wide	See below
viatri	2 Wide	See below
Init Height	1 Unit	See below
	2 Units	See below
	3 Units	See below
	4 Units	See below
	5 Units	See below
Tube Height 1	1 Height	No cost
	2 Heights	No cost
	3 Heights	No cost
	4 Heights	No cost
	5 Heights	No cost
ube Height 2	1 Height	No cost
-	2 Heights	No cost
	3 Heights	No cost
	4 Heights	No cost
	5 Heights	No cost
Contrasting Shelf	Contrasting	No cost
	Non-Contrasting	No cost
helf Finish	Laminate HPL Price Group 01	No cost
onen rinisti	Laminate HPL Price Group 02	+\$17
		+\$17
	Laminate HPL Price Group 03	
	OLL Price Group 1	+\$102
ase Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
helf 2	No Shelf	No cost
	With Shelf	1 wide: +\$135
		2 wide: +\$169
Shelf 3	No Shelf	No cost
	With Shelf	1 wide: +\$135
		2 wide: +\$169
Shelf 4	No Shelf	No cost
	With Shelf	1 wide: +\$135
	That offers	2 wide: +\$169
		2 wide. #\$105
helf 5	No Shelf	No cost
	With Shelf	1 wide: +\$135
		2 wide: +\$169
op Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102


▶ Product Information continued on next page

▶ Product Information continued from previous page

Options		
Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$16
	Paint Price Group 03	+\$22
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$16
	Paint Price Group 03	+\$22

Tip: Base finish defaults to match frame finish. Base finish can be changed by specifier

	*





2 Wide Frame					
FLXAFFRAMEEXT	153/4"	311/2"	1 Unit	\$502	
	153/4"	311/2"	2 Unit	\$528	
	153/4"	311/2"	3 Unit	\$824	
	15¾"	311/2"	4 Unit	\$847	
	153/4"	311/2"	5 Unit	\$1060	




Standard Includes

Fixed board: PET/PET fi xed board

Options		
Width	1 Wide	See below
	2 Wide	See below
Height	3 High	See below
	4 High	See below
	5 High	See below
Side 1 Finish	Laminate HPL Price Group 01	No cost
	Fabric Price Group 01	See PET below
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Side 2 Finish	Laminate HPL Price Group 01	No cost
	Fabric Price Group 01	See PET below
	Markerboard Price Group 01	See below
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Grommet	No Grommet	No cost
	With Grommet	+\$97

Tip: Grommet option only available on 2 wide fixed board.

Style Number	Dimensions Base Prices		Options		
	Height		(Add \$ to Base	(Add \$ to Base Price)	
			Markerboard	PET	
1 Wide Fixed	Board				
FLXAFFIXBOARD	3 High	\$318	+\$255	+\$157	
	4 High	\$399	+\$413	+\$196	
	5 High	\$498	N.A.	N.A.	
2 Wide Fixed	l Board				
FLXAFFIXBOARD	3 High	\$383	+\$380	+\$188	
	4 High	\$478	+\$570	+\$236	
	5 High	\$598	N.A.	N.A.	



Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Tip: Grommet option only available on 2 wide fixed board.

Standard Includes

• 1-wide, 1-high infill: High-Pressure Laminate price group 01 with 3 mm plastic edge

Width	1 Wide	See below
	2 Wide	See below
Infill Finish	Fabric Price Group 01	See PET below
	Laminate HPL Price Group 01	See below
	Laminate HPL Price Group 02	See below
	Laminate HPL Price Group 03	See below
	OLL Price Group 1	+\$102
Grain Directon	Horizontal	No cost
	No Grain Direction	No cost
	Vertical	No cost
Grommet	No Grommet	No cost
	With Grommet	+\$97

Style Number	Base Prices	s Options				
	(Add		o Base Price)			
		Laminate Price Group 2	Laminate Price Group 3	PET		
1 Wide Sin	ale Infill Da	nel				
	gic iiiiiii i e					
	\$80	+\$17	+\$34	+\$21		
FLXAFINF 2 Wide Sin	\$80	+\$17	+\$34	+\$21		



Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.


Tip: Grommet option only available on 2 wide fixed board.

Standard Includes

Shelf: High-Pressure Laminate price group 01 with 3 mm plastic edge

Options		
Width	1 Wide	See below
	2 Wide	See below
Depth	1 Deep	See below
	2 Deep	See below
Shelf Finish	Laminate HPL Price Group 01	See below
	Laminate HPL Price Group 02	See below
	Laminate HPL Price Group 03	See below
	OLL Price Group 1	+\$102
Grommet	No Grommet	No cost
	With Grommet	+\$100

Specifiactio	n Informatio	n			
Style Number	Dimensions	Base Prices	Options		
	Depth		(Add \$ to Base Price)		
			Laminate Price Group 2	Laminate Price Group 3	
1 Wide Sing	gle Infill Pa	anel	_	_	_
FLXAFSHELF	1 Deep	\$135	+\$17	+\$34	
	2 Deep	\$169	+\$17	+\$34	
2 Wide Sing	gle Infill Pa	anel			
FLXAFSHELF	1 Deep	\$169	+\$17	+\$34	
	2 Deep	\$211	+\$32	+\$34	



Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Standard Includes

• 1-wide, 1-high door: High-Pressure Laminate price group 01 with 3 mm plastic edge

Options		
Width	1 Wide	No cost
	2 Wide	See below
Door Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Grain Directon	Horizontal	No cost
	No Grain Direction	No cost
	Vertical	No cost
	See OLL Database	No cost
Lock Option	No Lock	No cost
	With Lock	+\$63
Lock Finish	Ember Chrome	No cost
	Polished Chrome	No cost
Keys	Key Plug	No cost
	Master Key Plug	+\$36

Specifiact	Specifiaction Information				
Style Number	Base Prices				
1 Wide D	oor				
FLXAFDOOR	\$169				

2 Wide Door

FLXAFDOOR \$229



Standard Includes

• Tool box, quantity 4: PET

Specifiaction Information

Price

Style Number

Tool Boxes

FLXAFTBOX \$800



Standard Includes


- · Mobile board clips, quantity 4:
- 6053 Seagull
- 6527 Merle

Specifiaction Information

Style Number

Mobile Board Clips

FLXAFMBRDCLIP \$159



Standard Includes


- · Cable clips, quantity 6:
- 6527 Merle

Specifiaction Information

Style Number Price

Cable Clips

FLXAFCBLMGT \$119



Standard Includes

• Book ends, quantity 2: paint price group 01

Options

Paint Finish Paint Price Group 01 Paint Price Group 02

Paint Price Group 03

▶ Product Information continued on next page

No cost

+\$21 +\$33


▶ Product Information continued from previous page

Specifiaction Information

Style Number Base Price

Bookends

FLXAFBKEND \$221



Standard Includes

Coat rod: paint price group 01

Options		
Width	1 Wide 2 Wide	No cost See below
Paint Finish	Paint Price Group 01 Paint Price Group 02 Paint Price Group 03	No cost +\$33 +\$65

Specifiaction Information


Style Number Base Prices

1 Wide Coat Rod

FLXAFCOATROD \$159

2 Wide Coat Rod

FLXAFCOATROD \$169



Standard Includes

- Frame: paint price group 01
- Base: paint price group 01
 Monitor back panel: High-Pressure Laminate price group 01 with 3 mm plastic edge
- 3 high left and right infill: High-Pressure Laminate price group 01 with 3 mm plastic edge
 4 wide top shelf with grommet: High-Pressure Laminate price group 01 with 3 mm plastic edge
- 2 wide center shelves with grommet: High-Pressure Laminate price group 01 with 3 mm plastic edge
- 400x400 VESA monitor mounting plate: 7360 Merle
- · Adjusting leveling glides

Options

Tip: Tube height can be equal to or greater than unit height, but never smaller.

Tip: Left and right infill finish is only selectable when contrasting infill is selected.

Tube Height 1	4 Heights	No cost
	5 Heights	No cost
Tube Height 2	4 Heights	No cost
	5 Heights	No cost
Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$28
	Paint Price Group 03	+\$44
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$28
	Paint Price Group 03	+\$44
Monitor Back Panel Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Contrasting Infill	Contrasting	No cost
	Non-Contrasting	No cost
Infill Finish	Laminate HPL Price Group 01	No cost
	Fabric Price Group 01	PET: +\$468
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Infill Grain Direction	Horizontal Grain Direction	No cost
	No Grain Direction	No cost
	Vertical Grain Direction	No cost
	See OLL Database	No cost
Left Infill Finish	Laminate HPL Price Group 01	No cost
	Fabric Price Group 01	PET: +\$468
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
_eft Infill Grain Direction	Horizontal Grain Direction	No cost
	No Grain Direction	No cost
	Vertical Grain Direction	No cost
	See OLL Database	No cost
Right Infill Finish	Laminate HPL Price Group 01	No cost
	Fabric Price Group 01	PET: +\$468
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34

▶ Product Information continued on next page

▶ Product Information continued from previous page

	Options		
	Right Infill Finish	OLL Price Group 1	+\$102
	Right Infill Grain Direction	Horizontal Grain Direction No Grain Direction Vertical Grain Direction	No cost No cost No cost
		See OLL Database	No cost
Tip: Selecting contrasting shelf finish will allow user to select base, shelf 2 and top	Contrasting Shelf	Contrasting Non-Contrasting	No cost No cost
shelf finishes.	Shelf Finish	Laminate HPL Price Group 01 Laminate HPL Price Group 02 Laminate HPL Price Group 03 OLL Price Group 1	No cost +\$17 +\$34 +\$102
Tip: Base shelf finishes are only available when contrasting shelf finish is selected.	Base Shelf Left Finish	Laminate HPL Price Group 01 Laminate HPL Price Group 02 Laminate HPL Price Group 03 OLL Price Group 1	No cost +\$17 +\$34 +\$102
	Base Shelf Center Finish	Laminate HPL Price Group 01 Laminate HPL Price Group 02 Laminate HPL Price Group 03 OLL Price Group 1	No cost +\$17 +\$34 +\$102
	Base Shelf Right Finish	Laminate HPL Price Group 01 Laminate HPL Price Group 02 Laminate HPL Price Group 03 OLL Price Group 1	No cost +\$17 +\$34 +\$102
Tip: Shelf 2 finish is only available when contrasting shelf finish is selected.	Shelf 2 Left Finish	Laminate HPL Price Group 01 Laminate HPL Price Group 02 Laminate HPL Price Group 03 OLL Price Group 1	No cost +\$17 +\$34 +\$102
	Shelf 2 Center Finish	Laminate HPL Price Group 01 Laminate HPL Price Group 02 Laminate HPL Price Group 03 OLL Price Group 1	No cost +\$17 +\$34 +\$102
	Shelf 2 Right Finish	Laminate HPL Price Group 01 Laminate HPL Price Group 02 Laminate HPL Price Group 03 OLL Price Group 1	No cost +\$17 +\$34 +\$102
Tip: Shelf 3 is only avail- able when 5 unit height and contrasting shelf finish is selected.	Shelf 3 Left Finish	Laminate HPL Price Group 01 Laminate HPL Price Group 02 Laminate HPL Price Group 03 OLL Price Group 1	No cost +\$17 +\$34 +\$102
	Shelf 3 Center Finish	Laminate HPL Price Group 01 Laminate HPL Price Group 02 Laminate HPL Price Group 03 OLL Price Group 1	No cost +\$17 +\$34 +\$102
	Shelf 3 Right Finish	Laminate HPL Price Group 01 Laminate HPL Price Group 02 Laminate HPL Price Group 03 OLL Price Group 1	No cost +\$17 +\$34 +\$102

▶ Product Information continued on next page

▶ Product Information continued from previous page

Tip: Top shelf finish is only available when contrasting shelf finish is selected.


Options		
Top Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Table	No Table	No cost
	With Table	No cost
Monitor Mount Hardware	No Hardware	No cost
	With Hardware	+\$100
Counterweight	No Counterweight	No cost
	2 Counterweight	+\$238
	4 Counterweight	+\$476
	6 Counterweight	+\$714
	8 Counterweight	+\$952
	10 Counterweight	+\$1190

Specifiaction Information

Style Number Dimensions **Base Prices** Depth Width Height **Media Tower Internal Mount** FLXAFFRAMET1 15¾" 63" 4 Unit \$4336 153/4" 63" 5 Unit \$5018

Tip: Fixed boards are required for open plan applications, but not included in the base

price.



Media Tower	Media Tower Internal Mount Extension				
FLXAFFRAMEEXTT1		63"	4 Unit	\$3768	
	153/4"	63"	5 Unit	\$4309	



Tip: Tube height can be equal to or greater than unit height, but never smaller.

Standard Includes

- Frame: paint price group 01
- · Base: paint price group 01
- Monitor back panel: High-Pressure Laminate price group 01 with 3 mm plastic edge
- 4 wide top shelf with grommet: High-Pressure Laminate price group 01 with 3 mm plastic edge
- 2 wide center shelves with grommet: High-Pressure Laminate price group 01 with 3 mm plastic edge
- 400x400 VESA monitor mounting plate: 7360 Merle
- · Adjusting leveling glides

Options		
Tube Height 1	4 Heights	No cost
	5 Heights	No cost
Tube Height 2	4 Heights	No cost
	5 Heights	No cost
Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$28
	Paint Price Group 03	+\$44
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$28
	Paint Price Group 03	+\$44
Contrasting Infill	Contrasting	No cost
	Non-Contrasting	No cost
Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Base Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Shelf 2 Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Shelf 3 Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Shelf 4 Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Shelf 5 Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Top Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102

Tip: Left and right infill finish is only selectable when contrasting infill is selected.

Tip: Top shelf finish is only available when contrasting shelf finish is selected.

▶ Product Information continued on next page

▶ Product Information continued from previous page

Options

Monitor Mount Hardware No Hardware No cost
With Hardware +\$100

Specifiaction Information

Tip: Additonal frame and extensions are required but not included in the base price.



Style Number	Dimensions		Base Prices		
	Depth	Width	Height		
Media Tower	Exte	rnal M	ount E	xtension	
FLXAFFRAMEEXTT2	15¾"	311/2"	4 Unit	\$1158	
	153/4"	311/2"	5 Unit	\$1371	



Standard Includes

Power cord: 10' with standard plug


Power Cord	10' Standard Cord	No cost
	9' Standard Cord	No cost
	10' Braided Cord	+\$74
	20' Standard Cord	+\$74
	9' Braided Cord	+\$74
	20' Braided Cord	+\$220
Power Cord Finish	Braided Cord	No cost
Cord Color	Black	No cost
	White	No cost
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
	Thread Low Profile Plug	+\$40
PVC	With PVC	No cost
	Non PVC	+\$34

Specifiaction Information

Style Number Base Price

Media Power Utility

FLXAFMPU \$5




- Column height: seated height fixed
- Top: High-Pressure Laminate price group 01
 Column: paint price group 01
 Base: paint price group 01
 Power cord: 10' with standard plug

 - Clamp on power: plastic price group 01
 - Standard core

Column Height	Seated Height Fixed	No cost
Ü	Standing Height Fixed	+\$110
Top Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$32
	Laminate HPL Price Group 03	+\$51
	OLL Price Group 1	+\$102
Column Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$28
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	\$28
	Paint Price Group 03	+\$44
Power Option	No Power	No cost
	With Clamp on Power	+\$356
Overcurrent Protection	Without Overcurrent Protection	No cost
	With Overcurrent Protection	+\$52
Clamp on Power Configuration	2 Power 2 USB A	No cost
	3 Power	No cost
	2 Power 1 USB C	+\$64
	2 Power 1 USB A + C	+\$323
Power Cord	10' Standard Cord	No cost
	9' Standard Cord	No cost
	10' Braided Cord	+\$74
	20' Standard Cord	+\$74
	9' Braided Cord	+\$74
	20' Braided Cord	+\$220
Power Cord Finish	Braided Cord	No cost
Cord Color	Black	No cost
	White	No cost
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
	Thread Low Profile Plug	+\$40
PVC	With PVC	No cost
	Non PVC	+\$34

Specifiaction	n Inforr	nation	
Style Number	Dimensi	ons	Base Prices
	Width	Depth	
Madia Tab	I - D O		
Media Tab	ie p-si	nape	
FLXAFDSHAPE	47"	63"	\$1602




- Column height: seated height fixed
- Top: High-Pressure Laminate price group 01
 Column: paint price group 01
 Base: paint price group 01
 Power cord: 10' with standard plug

- Clamp on power: plastic price group 01
- Standard core

Column Height	Seated Height Fixed Standing Height Fixed	No cost +\$110
Ton Finish		·
Top Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$32
	Laminate HPL Price Group 03	+\$51
	OLL Price Group 1	+\$102
Column Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$28
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	\$28
	Paint Price Group 03	+\$44
Power Option	No Power	No cost
	With Clamp on Power	+\$356
Overcurrent Protection	Without Overcurrent Protection	No cost
	With Overcurrent Protection	+\$52
Clamp on Power Configuration	2 Power 2 USB A	No cost
	3 Power	No cost
	2 Power 1 USB C	+\$64
	2 Power 1 USB A + C	+\$323
Power Cord	10' Standard Cord	No cost
	9' Standard Cord	No cost
	10' Braided Cord	+\$74
	20' Standard Cord	+\$74
	9' Braided Cord	+\$74
	20' Braided Cord	+\$220
Power Cord Finish	Braided Cord	No cost
Cord Color	Black	No cost
	White	No cost
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
	Thread Low Profile Plug	+\$40
PVC	With PVC	No cost
	Non PVC	+\$34

Specifiacti	ion Info	rmation			
Style Number	Dimensions		Base Price		
	Width	Depth			
Media Tal	ble Re	ctangl	е		
FLXAFRECT	39"	75"	\$1715		




- Column height: seated height fixed
- Top: High-Pressure Laminate price group 01
 Column: paint price group 01
 Base: paint price group 01
 Power cord: 10' with standard plug

 - Clamp on power: plastic price group 01
 - Standard core

Options		
Column Height	Seated Height Fixed	No cost
	Standing Height Fixed	+\$110
Top Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$32
	Laminate HPL Price Group 03	+\$51
	OLL Price Group 1	+\$102
Column Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$28
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	\$28
	Paint Price Group 03	+\$44
Power Option	No Power	No cost
	With Clamp on Power	+\$356
Overcurrent Protection	Without Overcurrent Protection	No cost
	With Overcurrent Protection	+\$52
Clamp on Power Configuration	2 Power 2 USB A	No cost
	3 Power	No cost
	2 Power 1 USB C	+\$64
	2 Power 1 USB A + C	+\$323
Power Cord	10' Standard Cord	No cost
	9' Standard Cord	No cost
	10' Braided Cord	+\$74
	20' Standard Cord	+\$74
	9' Braided Cord	+\$74
	20' Braided Cord	+\$220
Power Cord Finish	Braided Cord	No cost
Cord Color	Black	No cost
	White	No cost
Power Plug Type	Standard NEMA 5-15 3-Prong	No cost
	Thread Low Profile Plug	+\$40
PVC	With PVC	No cost
	Non PVC	+\$34

Specifiacti	ion Info	mation	
Style Number	Dimens	sions	Base Price
	Width	Depth	
Media Tal	ble Sig	htline	
FLXAFRECT	51"	75"	\$1763




Standard Includes

Power cord: 10' with standard plug

Options		
Clamp on Power Configuration	2 Power 2 USB A 3 Power 2 Power 1 USB C 2 Power 1 USB A + C	No cost No cost +\$64 +\$323
Overcurrent Protection	Without Overcurrent Protection With Overcurrent Protection	No cost +\$52
Power Cord	10' Standard Cord 9' Standard Cord 10' Braided Cord 20' Standard Cord 9' Braided Cord 20' Braided Cord	No cost No cost +\$74 +\$74 +\$74 +\$220
Power Cord Finish	Braided Cord	No cost
Cord Color	Black White	No cost No cost
Power Plug Type	Standard NEMA 5-15 3-Prong Thread Low Profile Plug	No cost +\$40
PVC	With PVC Non PVC	No cost +\$34

Specifiaction	Information		
Style Number	Base Price		
Worksurfac	e Clamp Power		
FLXAFMCLMPPWR	\$356		



Standard Includes

- Frame: paint price group 01
- Base: paint price group 01Adjusting leveling glides

Options

Tip: Cost for OLL Price Group
1 is in addition to cost of

laminate.

Tip: In SmartTools, no shelf means it includes the base and top shelves, and with shelf includes the base, top
shelf includes the base, top and intermediary shelves.

Width	1 Wide	See below
	2 Wide	See below
Depth	1 Deep	See below
	2 Deep	See below
Contrasting Shelf	Contrasting	No cost
	Non-Contrasting	No cost
Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Base Shelf	Finish Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Shelf 2	No Shelf	+\$270
	With Shelf	+\$405
Shelf 2 Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Top Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$28
	Paint Price Group 03	+\$44
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$28
	Paint Price Group 03	+\$44

Specifiaction Information

Style Number Dimension **Base Prices** Depth



1 Wide Work Island Frame

FLXAFCTFRAME 1 Deep \$1763 2 Deep \$1424


▶ Product Information continued on next page

▶ Product Information continued from previous page

Specifiaction Information



Style Number	Dimension	Base Prices
	Depth	
2 Wide Wor	k Island	Frame
FLXAFCTFRAME	1 Deep	\$1424



Standard Includes

- Frame: paint price group 01
- Base: paint price group 01Adjusting leveling glides

Ontions

Tip: Cost for OLL Price Group
1 is in addition to cost of
laminate.

Tip: In SmartTools, no shelf means it includes the base and top shelves, and with shelf includes the base, top and intermediary shelves.

Width	1 Wide	See below
	2 Wide	See below
Depth	1 Deep	See below
	2 Deep	See below
Contrasting Shelf	Contrasting	No cost
	Non-Contrasting	No cost
Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Base Shelf	Finish Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Shelf 2	No Shelf	+\$270
	With Shelf	+\$405
Shelf 2 Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Top Shelf Finish	Laminate HPL Price Group 01	No cost
	Laminate HPL Price Group 02	+\$17
	Laminate HPL Price Group 03	+\$34
	OLL Price Group 1	+\$102
Frame Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$28
	Paint Price Group 03	+\$44
Base Finish	Paint Price Group 01	No cost
	Paint Price Group 02	+\$28
	Paint Price Group 03	+\$44

Specifiaction Information

Style Number Dimension **Base Prices** Depth



1 Wide Work Island Frame Extension

FLXAFCTFRAMEEXT 1 Deep \$547 2 Deep \$855

▶ Product Information continued on next page

▶ Product Information continued from previous page

Specifiaction Information


Style Number Dimension Depth

2 Wide Work Island Frame Extension

FLXAFCTFRAMEEXT 1 Deep \$855

\$1069

2 Deep






Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Standard Includes

Worksurface: High-Pressure Laminate price group 01 with 3 mm plastic edge

Options				
Width	5 Wide	See below		
Depth	1 Deep	No cost		
	2 Deep	See below		
Top Finish	Laminate HPL Price Group 01	No cost		
	Laminate HPL Price Group 02	+\$17		
	Laminate HPL Price Group 03	+\$34		
	OLL Price Group 1	+\$102		

Specifiac	tion Infor	mation	
Style Number	Dimension Depth	Base Prices	
	_ op		
5 Wide W		and Worksurface	
5 Wide W		and Worksurface \$491	



Tip: Cost for OLL Price Group 1 is in addition to cost of laminate.

Standard Includes

• 1-wide, 1-high infill: High-Pressure Laminate price group 01 with 3 mm plastic edge

Width	1 Wide	See below
	2 Wide	See below
Infill Finish	Fabric Price Group 01	See PET below
	Laminate HPL Price Group 01	See below
	Laminate HPL Price Group 02	See below
	Laminate HPL Price Group 03	See below
	OLL Price Group 1	+\$102
Grain Directon	Horizontal	No cost
	No Grain Direction	No cost
	Vertical	No cost

Style Number	Base Prices	Options			
		(Add \$ to Base Price)			
		Laminate Price Group 2	Laminate Price Group 3	PET	
1 Wide Cen	ter Infill P	anel			
1 Wide Cent	\$340	anel +\$17	+\$34	+\$85	
	\$340	+\$17	+\$34	+\$85	

Surface Materials

Surface Materials

140

Surface Materials

This listing includes all the surface material choices that are available for the products in this specification guide.

Resources

For more information about surface materials, refer to the following resources:

Additional surface materials specification tools

are available to assist you in the specification process—the Surface Materials Binders.

The global surface materials palette is a

core collection of fi nishes that is available across multiple geographies (Americas/ EMEA - Europe, Middle East, and Africa/APAC - Asia Pacific) and on global product lines, where applicable. For a list of finishes included in the offering, see the Surface Materials Reference Manual. Additional details, like product approvals by geography and finish number conversions, can also be found in the Surface Materials Reference Manual or see steelcase.com/ surface-materials.

Surface Materials

Binders include:

- Surface Materials
 Reference Manual
- A complete set of swatch cards for hard surfaces, vertical surface fabrics, and seating upholstery

Paint

Tip: All products may not be available in all colors listed below.

Applies to:

 Height-adjustable desk lifting columns
 4799 Platinum Metallic

7207 Black 7243 Seagull

7243 Seagul 7360 Merle

Applies to:

• Wall rails

4799 Platinum Metallic

7360 Merle

Applies to:

 Power hanger cover 4AY2 Chili

4AY2 Chili 4AZ5 Marlin

4CZ8 Light Peacock

7243 Seagull

7360 Merle

Applies to:

Docking station
 0835 Black

7018 Pewter

ZW01 Pearl Snow

Applies to:

Pneumatic table column
 7360 Merle
 73ZW Pearl Snow

Applies to:

Table frames

Pegs

Footrest

· Cart frame

Cart shelvesFlex active frames

Flex active frames work island

· Height-adjustable desk feet

Modesty panel

Privacy back wrap bracket

Single tables framePneumatic table base

Price Group 1

Smooth Paint

4238 Mocha 4239 Clay

4240 Chalk

4242 Milk

4710 Low Gloss Black

Textured Paint

7207 Black 7225 Sand

7237 Slate **3**

7238 Fieldstone

7239 Midnight

7241 Arctic White

7243 Seagull

7250 Sterling Dark Solid

7278 Dark Bronze

7360 Merle

Price Group 2

Smooth Paint

4700 Warm White

Smooth Metallic Paint

4743 Mineral Metallic

4750 Champagne Metallic

4798 Sterling Metallic

1799 Platinum Metallic

4/99 Platinum Metallic 4803 Near Black Metallic

Textured Metallic Paint

7245 Carbon Metallic 7246 Midnight Metallic

Price Group 3

Accent Paint

1ATG Rose Quartz

4AV3 Blue Jay 4AV4 Baltic

4AV4 Ballic

4AY2 Chili

4AZ5 Marlin

4BH7 Canary*

4CL7 Sandstone

4CL8 Smokey Plum

4CZ5 Honey 4CZ6 Lagoon

4CZ8 Light Peacock

Coatings

1ATT Cast Shadow

Lux Coatings

4B20 Obsidian

4B22 Matte Brass

4B23 Burnished Bronze

4B24 Night Bronze

4B25 Matte Copper

4B26 Smoked Mica 4B29 Cast Iron

4D29 Cast IIOII

*Available on Flex active frames and Flex active frames work island only.

Custom Surfaces

Price Group 3

PerfectMatch

PerfectMatch is a service that allows you to create your own paint color. Refer to the Surface Materials Reference Manual for more information about this program.

Tip: Price Group 3 paints are not available on height-adjustable bench bases.

Accessory Paint

Steelcase Surfaces

Applies to:

Table frames

• Pegs

Footrest

Cart frame

Cart shelves

Flex active frames

 Flex active frames work island

· Height-adjustable desk feet

Single tables frame
 4140 Arctic White Gloss

4144 Black Gloss

Laminate

High-Pressure Laminate

Applies to:

Flex active frames

Flex active frames work island

Height-adjustable desk

worksurface
Single tables

Tables

Price Group 1

Fiber Laminate

2850 Vanadium Fiber

2852 Tungsten Fiber 2854 Vellum Fiber €

2860 Granite Fiber

2862 Stucco Fiber **5**

Markerboard Laminate

2977 Markerboard*

Micro Laminate

2920 Marl Micro 2921 Gypsum Micro

2922 Clay Micro

Patina Laminate 2870 Blonde Bronze Patina 2873 Instant Iron Patina

Solid Laminate

2722 Cream **(3**

2730 Arctic White

2746 Black

2811 Mist **6** 2883 Seagull

2884 Milk

2885 Dune

2HAA Persian Salt 2HAB Rose

2HAC Indigo

2HAD Green Citrine 2HAE Dark Olivine

2HAF Cloudy 2HMG Merle

Speckle Laminate

820 Coffee Speckle 3

2823 Driftwood Speckle

2824 Smoke Speckle

2825 Vanadium Speckle Tip: Some wood veneer finishes and woodgrain lami-

nates share the same name. Because of the difference in materials, veneers and laminates of the same name are not an exact match but do coordinate with each other.

Woodgrain Laminate

2406 Clear Cherry **G**

2409 Clear Maple

2410 Graphite Walnut

2412 Natural Cherry

2422 Medium Cherry2511 Winter on Maple

2511 Winter on Maple 2535 Virginia Walnut

2536 Blackwood **G**

2538 Clear Walnut

2592 Blonde on Maple **3** 2612 Marbled Maple **3**

2614 Chocolate Walnut **3**

2615 Marbled Cherry V2 G

2714 Natural Walnut 3

2HAK Clear Oak 2HAL Scarlet*

2HAN Ash Noce

2HAT Acacia

2HAW Ash Wenge 2HBN Bisque Noce

2HBW Bisque Wenge

2HCN Clay Noce

2HCW Clay Wenge 2HSN Storm Noce

2HSW Storm Wenge

2HUB Burnished Bronze* 2HWA Grey Kingswood

2HWB Planked Walnut

2HWD Resolute Walnut 2HWE Natural Recon 2HWF Smoked Walnut

*Available on Flex active frames and Flex active frames work island only.

Price Group 2

Textured Laminate 2TH2 Fawn Cypress

2TH4 Saddle Oak

2TH5 Veranda Teak 2TH7 Walnut Heights

2UH1 Reclaimed Aggregate 2UH2 Reclaimed Gravel

2UH4 Cement* 2UH6 Sheetrock

*2UH4 Cement has limited availability, determined by product sizing and/or options.

140

Price Group 3

Solid Laminate

24H1 Satin White 24H2 Satin Black

24H3 Satin Stone

24H4 Satin Mocha

Custom Surfaces

Open Line Laminate (OLL)

This service allows you to order non-standard laminate at an additional processing fee of \$102 U.S. per unit, plus the cost of the laminate.

High-Pressure Laminate pricing does not include premium or digitally printed patterns from any suppliers. Laminate cost may also vary for basic or standard laminates from other suppliers. Please contact the OLL consultant at 616.475.2426 for pricing. The cost of the laminate will be added to your invoice as a separate line on the acknowledgement.

Enter the required edge finish as you would a standard laminate. Laminate Approval and Material Requirements to confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:

Visit www.steelcase.com

For additional information, refer to the *Surface Materials Reference Manual*.

Wood

Applies to:

- Height-adjustable desk worksurface
- Single tables
- Tables

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color, grain and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer. We recommend that desk accessories be rearranged periodically to ensure even aging of wood surfaces.

When storing your wood furniture, please follow the following quidelines:

- · Do not store products in trailers
- Store products in areas that simulate offi ce temperatures (60°F to 90°F)
- Store products in areas that maintain constant, office–like humidity levels
- Keep product away from light. Cover products to make sure they are not exposed to light.

Steelcase Surfaces

Veneers are matched for proper balance and consistency. Veneers are available quarter cut, except for Oak, which is rift cut. Refer to the *Surface Materials Reference Manual* for descriptions of each cut.

Open-pore finish is a medium gloss finish that leaves the wood grain texture visible to the eye and distinguishable to the touch.

Veneer

Wood Group 1

Flat-Cut Open-Pore

3062 FC/OP Graphite Walnut

3402 FC/OP Clear Cherry (Aged)

3412 FC/OP Natural Cherry 6

3422 FC/OP Medium Cherry 3522 FC/OP Clear Maple

3592 FC/OP Blonde on Maple 3

3702 FC/OP Clear Walnut

3712 FC/OP Natural Walnut

3752 FC/OP Medium Walnut **9** 3762 FC/OP Dark Walnut

3772 FC/OP Medium Mahogany on Walnut

Flat-Cut Open-Pore, Natural Veneer

3342 FC/OP Black Walnut

35A2 FC/OP Blanch Maple

37A2 FC/OP Thunder Walnut

Quarter-Cut Open-Pore

3042 QC/OP Ash **G**

3222 QC/OP Clear Maple

3292 QC/OP Blonde on Maple 3

3302 QC/OP Clear Walnut

3312 QC/OP Natural Walnut

3352 QC/OP Medium Walnut **9** 3362 QC/OP Dark Walnut

3372 QC/OP Medium Mahogany on Walnut

3382 QC/OP Graphite Walnut

Quarter-Cut Open-Pore, Natural Veneer

32A2 QC/OP Blanch Maple

33A2 QC/OP Thunder Walnut

3392 QC/OP Black Walnut

Rift-Cut Open-Pore

3602 RC/OP Desert Oak

Rift-Cut Full-Fill, Natural Veneer

36A2 RC/OP Volcanic Oak

Wood Group 3

Flat-Cut Open-Pore, Natural Veneer

3082 FC/OP Washed Walnut

Wood Group 1

Open-Pore Planked Veneer

3P41 OP Planked Cherry

3P51 OP Planked Maple

3P61 OP Planked Oak

3P71 OP Planked Walnut

3VFX OP Unmarked Oak

Tip: Known for its uniqueness, planked veneer has intentional and natural variations that include, but are not limited to: character marks, grain pattern, color, and natural color

Full-Fill

Full-fill finish is a medium-gloss finish that completely fills the grain texture, yet allows the grain pattern to be seen. The wood has a lustrous, satiny look, and it is smooth to the touch. This finish is available on the wood worksurface or field-installed top only.

Wood Group 2

Flat-Cut Full-Fill

3064 FC/FF Graphite Walnut

3404 FC/FF Clear Cherry (Aged)

3414 FC/FF Natural Cherry 3

3424 FC/FF Medium Cherry

3524 FC/FF Clear Maple

3544 FC/FF Blonde on Maple **6**

3704 FC/FF Clear Walnut

3714 FC/FF Natural Walnut

3754 FC/FF Medium Walnut **3**764 FC/FF Dark Walnut

3774 FC/FF Medium Mahogany on Walnut

Flat-Cut Full-Fill, Natural Veneer

3734 FC/FF Black Walnut

Quarter-Cut Full-Fill

3224 QC/FF Clear Maple

3294 QC/FF Blonde on Maple **3**

3304 QC/FF Clear Walnut 3314 QC/FF Natural Walnut

3354 QC/FF Medium Walnut **6**

3364 QC/FF Medium Wainut 3364 QC/FF Dark Walnut

3374 QC/FF Medium Mahogany on Walnut

3384 QC/FF Graphite Walnut

Quarter-Cut Full-Fill, Natural Veneer

3394 QC/FF Black Walnut

Rift-Cut Full-Fill

3604 RC/FF Desert Oak

Wood Group 3

Flat-Cut Full-Fill, Natural Veneer

3084 FC/FF Washed Walnut

Premium Veneers

A selection of Premium veneers in this collection are available on most Steelcase brand products. The collection will be available as close to standard leadtimes as possible. However, because adequate supplies of veneer and solids must be secured, all orders will be scheduled individually. Leadtimes will vary based on Premium veneer and Premium solids availability at the time the order is placed. The collection is available as Wood Group 3 as part of our Select Surfaces program and supported like standard veneers to make ordering easy. Please see the Steelcase surface materials section on village.steelcase.com for sample information and product line availability. All premium veneers are in clear-coat

Wood Group 3

Quarter-Cut Open-Pore

3832 QC/OP Figured Anegre

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase.com/surface-materials under the Select Surfaces section.

Composite Veneer

Composite veneers are an engineered wood intended to create specific grain patterns and characteristics. They are pre-stained and finished with Steelcase's Clarity water-borne UV topcoat, which protects the environment while providing durability and clarity. Only open-pore finishes are available on composite wood. Composite veneers with natural solid nosings because composite and natural wood grain and color matching are rarely compatible. Composite veneers are Select Surfaces as Wood Group 1 pricing.

Composite Veneer Group 1

Composite Flat-Cut Open-Pore

3JDX FC/OP Oak Composite

3JJX FC/OP Walnut Composite

3LAX FC/OP Graphite on Oak Composite

3LCX FC/OP Medium Cherry on Cherry Composite

Composite Quarter-Cut Open-Pore

3F8X QC/OP European Walnut Composite

3GGX QC/OP Zebrano Composite

3HGX QC/OP Oak Composite

3HVX QC/OP Walnut Composite

3LBX QC/OP Clear Walnut on Walnut Composite

3LDX QC/OP Natural Walnut on Walnut Composite

3ZNX QC/OP Night Cerused Oak Composite

Composite Veneer Group 2

Composite Flat-Cut Open-Pore

3LHX FC/OP Espresso on Walnut Composite

Composite Quarter-Cut Open-Pore

3LEX QC/OP Desert Oak on Oak Composite 3LGX QC/OP Chai on Walnut Composite

3LJX QC/OP Ebony on Walnut Composite

Custom Surfaces

Customiz stain is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all product

lines that offer wood veneer.

A \$500 stain-matching fee applies on CUSTOMIZ requests (Exception: The \$500 fee does not apply on matches to Coalesse standard finishes or for a low-gloss finish request on a standard color). The \$500 fee covers the cost of formulating the Customiz color finish and applies ssregardless of whether or not an order for product is placed.

In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A \$1,500 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time period. After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a \$1,000 fee at any point within five years after the \$1.500 initiation fee was paid. If the finish is not reac-. tivated within five years after the \$1,500 initiation fee was paid, the finish will be culled and the customer will need to pay the \$1,500 initiation fee again. All style number related Customiz charges products are no cost as of April 2014. The matching and initiation fees are not discountable

Customiz stain takes 10 days to formulate. Consult the Surface Materials Reference Manual for more information. Custom veneers are also available and must be quoted by Steelcase specials group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate.

Requirements and information on ordering a Customiz stain color are found in the Surface Materials Reference Manual.

Wrap Knit

5KJ1 Merle 5KJ2 Cloud 5KJ3 Fog 5KJ4 Sand

Plastic

Applies to:

 Height-adjustable desk rollers 6053 Seagull 6205 Black

6249 Platinum Solid

6527 Merle

6655 Warm White

Applies to:

- · Acoustic boundary
- · Cart board clips
- · Cart wheels and casters
- Flex active frames mobile board clip
- Slim table glides
- · Table wheels and casters 6053 Seagull

6527 Merle

- Applies to: Board cart board organizer
- · Flex active frames cable

6527 Merle

Applies to:

· Cable clip 6053 Seagull

Applies to:

· Wall rail end caps 6527 Merle

6249 Platinum Solid

Applies to:

· Height-adjustable desk power

5U23 Blue Jay

6000 Black

6009 Arctic White

6053 Seagull

6249 Platinum Solid

6338 Chili

6527 Merle

Applies to: · Perch stool

6302 Baltic

6527 Merle

6697 Fog

6BD7 Saffron

6BE2 Light Peacock

Applies to:

Wrap light

6052 Milk

6053 Seagull

6527 Merle

Applies to:

· Height-adjustable desk worksurface

- Media cart
- · Single tables
- · Tables top surface

Tabl	ies top surface		
6000	Black	6619	Ice 3
6009	Arctic White	6631	Cream G
6034	Natural Cherry	6635	Dawn 😉
6036	Medium Cherry	6636	Mist
6037	Winter on Maple	6654	Sand
6038	Blonde on Maple G	6695	Midnight
6041	Natural Walnut 😉	6697	Fog
6052	Milk	6698	Fieldston
6053	Seagull	66WA	Grey Kingswood
60AL	Scarlet*	66WB	Planked Walnut
60UB	Burnished Bronze*	66WD	Resolute Walnut
6169	Stone	66WE	Natural Recon
6170	Mocha	66WF	Smoked Walnut
61AA	Persian Salt	6703	Ash Wenge
61AB	Rose	6704	Storm Wenge
61AC	Indigo	6705	Bisque Wenge
61AD	Green Citrine	6706	Clay Wenge
61AE	Dark Olivine	6707	Ash Noce
61AF	Cloudy	6708	Bisque Noce
6213	Acacia	6709	Clay Noce
6219	Clear Oak	6710	
6231	Graphite Walnut	6T02	Fawn Cypress
6237	Clear Maple	6T04	
6242	Virginia Walnut	6T05	
6243		6T07	0
6245	Clear Walnut	6T08	Aggregate
6249		6T09	
6271	Plywood	6T10	Cement
6527	Merle	6T12	Sheetrock

*Available on Flex active frames and Flex active frames work island only.

Tip: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects.

Tip: Plywood is a natural material and variations will occur in color, grain, and texture.

PET

Applies to:

Cable catch

6612 Grey V2 G

Single tables modesty panels

P630 Medium Heather Grey

P631 Dark Heather Grey

Applies to:

- · Cable tray
- · Media cart basket

P631 Dark Heather Grey

Applies to:

- Cup
- Basket

P635 Heather Navv P636 Light Heather Grey

Established

Applies to:

- Acoustic boundary
- · Flex active frames toolbox
- · Single tables modesty panels P631 Dark Heather Grey

P636 Light Heather Grev

Upholstery

Braided Cord Color Matrix

Braided cord samples are not available to order. Use matrix below that compares the braided cord finish to the nearest Steelcase finish or Pantone color for color reference

Tip: Braided cord color is defaulted to 9007 Sterling.

Finish	Pantone Color
9003 Fuchsia	PerfectMatch
9004 Marlin	4AZ5 Marlin
9006 Chili	6338 Chili
9007 Sterling*	6059 Sterling Dark Solid
9008 Honey	4CZ5 Honey
9009 Black	0835 Black
9010 Light Peacock	4CZ8 Light Peacock
9011 Seagull	4858 Seagull

^{*}Default finish on integrated power.

Applies to:

- · Curved screens
- Freestanding screens

Tip: The following thin, light colored fabrics are not available on Flex curved screens:

Abacus

P122 Entasis P126 Artifact

Alloy

P525 Polar P526 Skim

P528 Tern

Charm

P505 Shell

P506 Mimosa

P508 Sparkle

Code

5FA5 Sea Salt

Latch P601 Clam

P603 Zen

Optic

P541 Twinkle

P544 Shine

Flip: Orbit

5F91 Blizzard

Pianista

P420 Sand P428 Flax

Sprite

5541 Snow

Price Group A

Sprite

Price Group 1

Abacus **G** Alloy Boccie

Buzz2 Charm I ink

Optic Pianista* Rhythm

Price Group 2

Bariolage Cogent: Connect Dovetail by Designtex Flip: Orbit Flip: TexHex Fresco Intersection Latch SoftNext

Price Group 3

Billiard by Designtex

Price Group 6

Fusion

Stencil

*Not available on freestanding screens

Select Surfaces

For information on products within Select Surfaces.

including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the Surface Materials Reference Manual or visit steelcase. com/surface-materials under the Select Surfaces section.

Custom Surfaces

Price Group COM (Customer's Own . Material)

Fabric Approval and

Yardage To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

· Visit www.steelcase.com

For additional information regarding Customer's Own Material, call 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Resources

Resources


Lock and Keying Options	146
Style Number Index	148

Lock and Keying Options

Flex Active Frames

All locking products

are standard with factoryinstalled, keyed-random locks. Consecutive, specific, and random keying are available as field-installed options. Exceptions: Individual locking drawers are only available with field-installed locks. Overfiles are only available with factory-installed locks.



Locks consist of a factoryor field-installed lock cylinder and a factory-installed lock face ring. Two types of locks are available — the standard keying system (FR series) and the master keying system (XF series). All the locks in the XF series can be opened with a single master key.

Factory-Installed Keying

Factory-installed locks

are always key random (standard) or master key random (option). Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). All locks within a unit will be keved alike.

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify field-installed, key specific or key consecutive lock cylinders.

> See below.

Key Random

FR305
FR305
or

XF1011 XF

XF1042 Master

XF1011

Required to Specify

Master key random

+\$36

Specify with master key random.

Field-Installed Keying

Field-installed locks are only available on products that include factory-installed

lock mechanisms.

Exception: Overfiles are only available with factory-installed locks.

Specify "plug" when specifying furniture, and the product will ship with a plastic plug in place of the lock cylinder.

Tip: For products with optional lock colors, make sure to specify the color for both the lock and lock face ring.

Front-removable lock cylinders must be speci-

cylinders must be specified separately. You must also order a special lock tool to install or remove lock cylinders in the field.

Tip: Lock tools are reusable. You do not need to order additional lock tools with every furniture order. **Lock cylinders** will be shipped separately so that you can install the locks when you are ready.

Three keying choices are available for field installation—random (standard), specific, and consecutive. All three are also available with master keying, which means that all locks can be opened with a single master key.

Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify key specific or key consecutive lock cylinders.

Key specific means that you can specify any

that you can specify any key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). This option can be used to key all the furniture units in a workstation or department the same.

Tip: Designate the quantity per key number in your specification.

►See example at right.

Key consecutive means that you can specify lock numbers in a consecutive order to ensure that no two locks have the same key number until the key sequence repeats. You must select a beginning key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).

Example of a typical lock cylinder specification is shown below:

10 LOCK9201FR FR320

5 LOCK9201FR FR350


15 LOCK9201XF XF1100


30 Total

1 877102003SR standard lock tool


1 877102002SR master lock tool

Key Random Key






Key Consecutive



Lock Cylinders



Tip: Lock price is included in price of furniture with locks.

Standard Includes	Required to Specify

- Lock cylinder, keyed random: 9201 Polished Chrome or 9250 Ember Chrome
- Two keys

- 1 Style number
- 2 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Key specific	No cost	Select key number from FR305–FR454.
Key consecutive	No cost	Specify <i>key consecutive</i> and must select beginning key number from FR305–FR454.
Master key random	+\$36 each	Specify master key random.
Master key specific	+\$36 each	Specify key number from XF1001–XF1150.
Master key consecutive	+\$36 each	Specify <i>master key consecutive</i> and must select beginning key number from XF1001–XF1150.

Tip: For replacement lock cylinders, refer to Service Parts.

Specification Information			
·Color	· Style	·U.S.	
	Number	Base	
:	:	Price	

FR Series (Standard Keying System)—Lock Cylinder

Polished Chrome	LOCK9201FR	No cost
Ember Chrome	LOCK9250FR	No cost

Tip: You can change lock cylinders in the field by using the appropriate lock tool.

Standard Lock Tool

877102003SR

XF Series (Master Keying System)—Lock Cylinder					
Polished Chrome	LOCK9201XF	No additional cost. Price included in price of furniture with master-keyed locks.			
Ember Chrome	LOCK9250XF	No additional cost. Price included in price of furniture with master-keyed locks.			

Master Lock Tool



Style Number Index

Style Number	Page	Description	: Style : Number	Page	Description
			:		
877102002SR	147	Master Lock Tool	FLXMB	97	Flex, Markerboard
877102003SR	147	Standard Lock Tool	FLXMB4	97	Flex, Markerboard Package
FLEXDOCK	102	Steelcase Flex Dock	FLXMBATPKG	99	Flex, Mobile Power
FLXAFBKEND	122	Flex, Active Frame Bookend	FLXMCC10	109	Magnetic Cable Clips
FLXAFCBLMGT	121	Flex, Active Frame Cable Clip	FLXMCC2	109	Magnetic Cable Clips
FLXAFCOATROD	122	Flex, Active Frame Coat Rod	FLXMDADPT	111	Flex, Media Cart VESA Plate Adapter
FLXAFCTFRAME 13		Flex, Active Frame Work Island Frame	FLXMDBSK	110	Flex, Media Cart Basket
FLXAFCTFRAMEEX		Florida San San Well-lated Fit	FLXMDP	111	Flex, Media Cart Power
	5-136	Flex, Actve Frame Frame Work Island Ext	FLXMNT10	112	Magnetic Name Tag
FLXAFCTWS	137	Flex, Active Frame Work Island Worksurface	FLXMNT2	112	Magnetic Name Tag
FLXAFDOOR	120	Flex, Active Frame Door	FLXPH	107	Flex, Power Hanger
FLXAFDSHAPE	129	Flex, Active Frame D-Shape Table	FLXPR1	101	Perch Stool
FLXAFFIXBOARD	117	Flex, Active Frame Fixed Board	FLXPR4	101	Perch Stool
FLXAFFRAME	114	Flex, Active Frame Frame	FLXSCTH	89	Single Table, Chevron
FLXAFFRAMEEXT	116	Flex, Active Frame Frame Extension	FLXSCTL	88	Single Table, Chevron
FLXAFFRAMEEXTT1		Flex, Active Frame Internal Media Ext	FLXSCTP	90	Single Table Pneumatic Height
		Flex, Active Frame External Media Tower	FLXSLIM	86	Flex, Slim Tables, Stding-Hgt
FLXAFFRAMET1	125	Flex, Active Frame Internal Media Tower	FLXSLIMB	87	Flex, Slim Table, Stding-Hgt
FLXAFINF	118	Flex, Active Frame Infill	FLXSRQ	74	Flex, Hgt-Adj Desks, Basic Height
FLXAFINFCTR	138	Flex, Active Frame Center Infill	FLXSRQB	80	Flex, Hgt-Adj Bases, Basic Height
FLXAFMBRDCLIP	121	Flex, Active Frame Board Clip	FLXSRTH	89	Single Table
FLXAFMCLMPPWR	132	Flex, Active Frame Clamp Power	FLXSRTL	88	Single Table
FLXAFMPU	128	Flex, Active Frame Power Utility	FLXSRTP	90	Single Table Pneumatic Height
FLXAFRECT	130	Flex, Active Frame Rectangle Table	FLXSTAND	97	Flex, Stand
FLXAFSHELF	119	Flex, Active Frame Shelf	FLXSTMP	91	Single Table, Modesty Pane
FLXAFSIGHT	131	Flex, Active Frame Sightline Table	FLXSWC3	78 76	120° Height-Adjustable Desk
FLXAFTBOX	121	Flex, Active Frame Tool Box	FLXSWS3	76	120° Height-Adjustable Desk, Cable Tray
FLXBCTBAT	100 94	Flex, Mobile Power Charging Cart	FLXWCT	109	120° Height-Adjustable Desk
FLXBDRY	110	Flex, Acoustic Boundary	FLXWMP FLXWR	112	120° Modesty Panel
FLXBSK	107	Flex, Brakes for Hgt-Adj Desks Flex, Baskets	FLXWRPKG	98 98	Flex, Wall Rails Flex, Wall Rail Package
FLXBW	106	Back Privacy Wrap	FLXWTH	84	Flex, Stding-Hgt Work Tables
FLXBW10	106	Back Privacy Wrap	FLXWTHB	85	Flex, Stding-Hgt Work Tables Flex, Stding-Hgt Work Tables, Base
FLXCBK4	100	Cable Brackets	FLXWTL	81	Flex, Seated-Hgt Tables
FLXCC	108	Flex. Cable Catch	FLXWTLB	85	Flex, Seated-Hgt Tables Flex, Seated-Hgt Tables, Base
FLXCS	92	Flex, Curved Screen	FLXWTLWS	82	Work Tables-Seated Height
FLXCSP	92	Flex, Curved Screen, Pair	LOCK9201FR	147	Lock Cylinder
FLXCT	108	Flex, Cable Tray	LOCK9201XF	147	Lock Cylinder
FLXCTBD	95	Flex, Board Cart	LOCK9250FR	147	Lock Cylinder
FLXCTBDPKG	95	Flex, Board Cart Package	LOCK9250XF	147	Lock Cylinder
FLXCTMD	96	Flex, Media Cart	MGSGLD	91	Migration SE, Cable Bracket
FLXCTTM	95	Flex, Team Cart	OLCR	110	Cable Riser
FLXCUP	108	Flex, Cups	:		
FLXDWR	105	Desk Mount Privacy Wrap	:		
FLXDWR10	105	Desk Mount Privacy Wrap			
FLXDWW	104	Desk Mount Privacy Wrap	•		
FLXDWW10	104	Desk Mount Privacy Wrap	•		
FLXERQ	74	Flex, Hgt-Adj Desks, Ext Height	•		
FLXERQB	80	Flex, Hgt-Adj Bases, Ext Height	•		
FLXEWC3	78	120° Height-Adjustable Desk	:		
FLXEWS3	76	120° Height-Adjustable Desk	•		
FLXFSAG	93	Flex, Freestanding Screen, Angled	:		
FLXFSRQ	93	Flex, Freestanding Screen, Rectangle	•		
FLXFWW	103	Freestanding Privacy Wrap	:		
FLXFWW10	103	Freestanding Privacy Wrap	•		
•		, -ar	•		

Trademark List

 $^{\text{TM}}$ /® The following is a non-exhaustive list of trademarks and registered trademarks for products of Steelcase Inc. or one of its related corporate entities: Agree, Airtouch, Alight, Amia, Answer, Aspekt, Avenir, Await, B-Free, Ballet, Bassline, Bindu, Bivi, Bix, Bottomline, Brody, Buoy, Cachet, Campfire, Capa, CF Series, CG 1, Chord, Circa, Clipper, Cobi, Collaboration, Convene, Coupe, Cura, Currency, dash, Divisio, Duo, E-Table 2, Edge Series, Elbrook, Elective Elements, Embold, Empath, Everwall, Exponents, Folio, FrameOne, Gesture, Groupwork, Host, Hosu, i2i, Jenny, Kart, Kathryn, Kick, Lagunitas, Leap, Leela, LessThanFive, LiveBack, LiveSeat, Mackinac, Marien152, Max-Stacker, media:scape, Migration, Millbrae, Mineral, Mitra, Montage, Montara650, MoreThanFive, Move, Node, Ocular, Ology, Opus, Paperflo, Passerelle, Player, Pocket, Potrero415, QiVi, Radia, Regard, Relay, Reply, Ripple, Roam, Sarto, Scoop, Sebastopol, Senti Series, Senza, Shortcut, Sidewalk, Siento, Sieste, SILQ, Soffio, Sorrel, SOTO, Steelcase Eclipse, Steelcase Flex, Steelcase Karman, Steelcase Relay, Steelcase Rise, Steelcase Series, Surround, SW 1, Switch, Sync, Tava, Tenor, Think, Thoughtful, Thread, Together, Train, Trees, Turnstone, Umami, Underscore, V.I.A., Verb, Verge, Verlay, Victor2, Visalia, WorkValet, and X-tenz.

™/® The following are trademarks or registered trademarks of AMQ Solutions, LLC: 3F, Activ, Amobi, Bixby, Bodi, Cluvo, Concur, Embank, FL-X, Iline, Jaku, Kinex, Personality Plus, Revi, S-Series, Siva, Tektis, Tizu, Uptake, and Zilo.

™/® The following are trademarks or registered trademarks of Orangebox Ltd., Cardiff, UK: Air3, Aspect, Avi, Away from the Desk, Border, Campers & Dens, Coppice, Cubb, Kirn, On the QT, Ramsey, Skomer, Sully, Track-B, and Vale,

™/® The following are trademarks or registered trademarks of Viccarbe Habitat, S.L.: Aleta, Cambio, Designed in The Sun, Foro, Funda, Holy Day, Kelly, Last Minute, Noha, Savina, Sistema, Sistema, Viable, and Wrapp.

® The following are registered brands of Steelcase Inc. and its family of companies: Steelcase, AMQ, Coalesse, Designtex, Halcon, Orangebox, Smith System, and Viccarbe,

® The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong.

® The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora

® The following is a registered trademark of DuPont, Wilmington, DE: Corian.

® The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Lightolier

® The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein:

® The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.

® The following is a registered trademark of Mechanical Plastics Corp. Elmsford, NY: Toggler,

® The following is a registered trademark of Microsoft Corporation, Redmond, WA: Microsoft.

® The following are registered trademarks of Orangebox Ltd., Cardiff, UK: Orangebox.

® The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.

® The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa

® The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.

® The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.

® The following are registered trademarks of Polyvision Corp: Flow, Motif, Polyvision, Sans, and Serif.

® The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.

® The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.

® The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: EMU.

® The following is a registered trademark of Security People, Inc.: Digilock.

® The following are registered trademarks of Natural Capital Partners Europe Limited: CarbonNeutral and the CarbonNeutral Certified logo.

™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.

The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI; ResinCore1,

™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.

The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis,

™ The following trademarks are under license from Walter Knoll: Andoo. Bob. Lazlo. Lox. Ribbon. and Together

™ The following trademarks are under license from PP Møbler: Bar and Flag Halyard.

™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishhone

™ The following trademarks are under license from Cambridge Sound Management, LLC Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.

The following is a trademark of Electri-Cable Assemblies, Shelton, CT; Interact.

™ The following is a trademark of Clestra Hauserman: IRYS.

The following is a trademark of Wiesner-Hager Möbel GmbH; Nooi.

™ The following are trademarks of Polyvision: Accord, a3, e3, Boundri, and Nota.

™ The following is a trademark of Bostock Company, Inc: SnapCab.

™ The following is a trademark of Williams-Sonoma, Inc: West Elm.

The following is a trademark of Elena Marguina Testor: nanimarguina.

The following is a trademark of Forbo International SA: Forbo

Trademarks used herein are the property of Steelcase Inc. or their respective owners