



Veil (TVLT)

Product Quick Specs

Style Name/Number	Veil TVLT
Color Name/Number	Mask VLT13
Construction	Patterned Scroll
Standard Backing	Nexus® Modular
Dye Method	Solution Dyed
Fiber Type	Encore® SD Ultima® (with recycled content)
Face Weight	24 oz./sy (814 grams/m2)
Pile Density	8471 oz./y3 (314.11 kg/m3)
Pattern Repeat	N/A
Stitches	11 stitches/in (4.33 stitches/cm)
Standard Size	12" x 48" approx. (30.48cm x 121.92cm)
Standard Adhesive	Commercialon Premium Modular and LVT Adhesive
Optional Adhesive	TileTabs
Smoke Density	Less then 450 flaming
Static Test	Less then 3 kv
Standard Warranties	Nexus Modular Commercialon Adhesive for Modular Carpet & LVT Nexus FC Cushion Encore SD Ultima Fiber
Optional Warranties	Commercialon High Moisture Adhesive for Modular Carpet and LVT Tile Tabs Encore® 100 Fiber



Products Installed



Veil TVLT Modular
VLT13 Mask

CARPET

Installation Method



Parquet (12x48)

This three dimensional rendering is for visualization purposes only and may not be an exact representations of the selected products. Pile heights may vary from product to product and adhesive requirements may vary depending on product selection. The review of actual product samples are recommended before final selection. Please contact your EF Contract sales representative with any questions. This unique carpet design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.

Keys



Veil TVLT Modular
VLT13 Mask

CARPET



Pattern Diagram

