

COLOR:

TOP RAIL WOOD SPECIES: _____

TOP RAIL WOOD FINISH: _____

*END CAPS: _____

COLOR TO BE SELECTED FROM ONE OF CS STANDARD COLORS.

*CAPS/CORNERS ARE AVAILABLE WITH AN OPTIONAL POWDER COAT FINISH.

PLEASE ADVISE POWDER COAT FINISH IF REQUIRED.

WOOD END CAPS AND INSIDE/OUTSIDE CORNERS ALSO AVAILABLE.

NOTE: STAINLESS STEEL CORNERS OTHER THAN 90° ARE UNAVAILABLE FOR THIS MODEL. THIS MODEL IS FABRICATED CUT-TO-SIZE, THEREFORE FIELD VERIFIED DIMENSIONS ARE REQUIRED.

TOTAL
L/F REQ'DEND
CAPSI.S.C.
REQ'DO.S.C.
REQ'DSTAINLESS STEEL
INSERT (24S066000)3 1/16"
[77.7mm]1 1/2"
[38.1mm]WOOD HANDRAIL
(24W354xxx)3 1/2"
[88.8mm]4 3/4"
[120.5mm]1/4-20 X 3" S/S FLAT HD BOLT
W/ TOGGLE
32" [812.8mm] O.C. MAX.STAINLESS STEEL
MOUNTING BRACKET
(24S165000)MIN. 20 GA. HORIZONTAL /
VERTICAL STEEL STUD AND
STRAPPING (BY OTHERS)

G.W.B. (BY OTHERS)

HRWS-6CSLB

WALL CONDITION	SPECIFIED FASTENER	DRILL DIAMETERS		CS PART NUMBER
		WALL	RETAINER	
STEEL STUD/GYPSUM WALL	1/4-20 X 3" S/S FLAT HD BOLT WITH TOGGLE	3/4"	N/A	90H184002
CONCRETE/CONC. BLOCK	1/4" X 1 3/4" S/S FLAT HEAD MASONRY ANCHOR	3/16"	N/A	90H390000
WOOD STUD/GYPSUM WALL	#14 X 3" S/S PHILLIPS FLAT HEAD WOOD SCREW	7/32"	N/A	90H538004
20 GA. STEEL STUD/GYPSUM WALL (OSHPD)	1/4-20 X 3" S/S FLAT HEAD BOLT 1/4" TOGGLER WING 3M MOLDABLE FIRE PUTTY	1/2"	N/A	90H063002 90H062004 90M012000

PROJECT:**REVISION:****JOB NO.:****F&F:****CUSTOMER:****REP:****DATE:****DRAWN BY:****SHEET NO:**

Hughesville, PA | 800.233.8493 | 570.546.5941
Mississauga, ON | 888.895.8955 | 905.274.3611
www.c-sgroup.com

© Copyright 2019 Construction Specialties, Inc.