Make your space work.

HON®

2024 List Pricer

# WORKSPACES

Desks | Workstations | Storage | Universal Screens



Effective Date | February 2024 | Updated July 2024

# LIST PRICER
## Effective Date: February 2024

- **All illustrations and specifications in this publication are based on the latest product information available at the time of print. For the most recent version, please go to www.hon.com.**
- Software support packages furnished to the customer, either by The HON Company or by another source, which support the sale of HON products are superseded by printed price lists.
- All dimensions shown in this publication are nominal.
- Pricing is subject to change without notice.
- All orders are subject to prices in effect at the time of order.
- Ordering information appears at the beginning of a section complete with examples on how to specify. These specifying information pages are referenced at the bottom center of product pages.
- HON Full Lifetime Warranty applies unless otherwise noted.
- HON nationwide customer service: Phone: (800) 833-3964

# HON LIST PRICER
## Table of Contents


**INTRODUCTION**

Table of Contents ..... 1-3
Additions ..... 4
Discontinuations ..... 6
HON Full Lifetime Warranty Information ..... 7
HON Limited 5-Year Warranty Information ..... 8
Ordering Information ..... 9
Integrated Design Solutions ..... 10
Tailored Solutions Ordering Information ..... 11
Customer's Own Material Ordering Information ..... 12-13
Partnership Textile Information ..... 14
Paint Program ..... 15
HON Open Line Laminate Program ..... 16
Environmental Statement ..... 17
Important Information ..... 18
Legend ..... 19
Fabric Patterns & Codes ..... 20
Lead Times ..... 21
Seating Fabric Patterns & Codes ..... 22-25
Panel Fabric Patterns & Codes ..... 26-27

**DESKS**

Features Offered on HON Laminate Casegoods ..... 29
**Concinnity™** ..... 30
**Concinnity™ Ordering Information** ..... 31
**Concinnity™ Statement of Line** ..... 32-34
**Concinnity™ Laminate Design/Materials Information** ..... 35-37
**Concinnity™ Laminate Ordering/Specification Information** ..... 38
**Concinnity™ Stack-on Storage Applications** ..... 39-40
**Concinnity™ Wall Mount Storage Applications** ..... 41-42
**Concinnity™ Components** ..... 43-45
**Concinnity™ Modesty/Back Panels** ..... 46
**Concinnity™ Privacy Screens** ..... 47
**Concinnity™ Components — Supports** ..... 48
**Concinnity™ Paper Organizer Compatibility** ..... 49
**Concinnity™ Cord Management** ..... 50-51
Concinnity™ Typicals ..... 52-56
Concinnity™ Desks ..... 57-59
Concinnity™ Peninsulas ..... 60-61
Concinnity™ Corner Unit ..... 62
Concinnity™ Credenzas ..... 63
Concinnity™ Low Credenzas ..... 64
Concinnity™ Returns ..... 65
Concinnity™ Bridges ..... 66
Concinnity™ Stack-on Storage ..... 67-71
Concinnity™ Wall Mount Storage ..... 72-75
Concinnity™ Bookcase Hutches ..... 76-77
Concinnity™ Reception Stations ..... 78-80
Concinnity™ Mobile Pedestals ..... 81
Concinnity™ Lateral Files ..... 82
Concinnity™ Storage Cabinets ..... 83-84
Concinnity™ Wardrobes ..... 85
Concinnity™ Storage Towers ..... 86
Concinnity™ Bookcases ..... 87
Concinnity™ Components — Worksurfaces ..... 88-93
Concinnity™ Components — Supports ..... 94
Concinnity™ Components — Modesty/Back Panels ..... 95-97
Concinnity™ Components — Supports ..... 98
Concinnity™ Kneespace Clearance End Panels ..... 99
Concinnity™ Components — Supports ..... 100-104
Concinnity™ Height Adjustable Bases ..... 105-107
Concinnity™ Components — Supports ..... 108-110
Concinnity™ Components — Pedestal Tops ..... 111
Concinnity™ Components — Pedestal Back Panels ..... 112
Concinnity™ Accessories ..... 113
**Coordinate™** ..... 114
**Coordinate™ Ordering Information** ..... 115
Coordinate™ Height Adjustable Bases ..... 116-117
Coordinate™ Worksurfaces ..... 118-119
Coordinate™ Accessories ..... 120
Power & Cable Management ..... 120.1
Coordinate™ Desktop PET Screens ..... 121-122
**Coze™** ..... 123
Coze™ Table Desks ..... 124-125
**Mod** ..... 126
**Mod Ordering Information** ..... 127
**Mod Statement of Line** ..... 128
**Mod Laminate Grain Direction** ..... 129
Mod Typicals ..... 130-132
Mod Bundles Typicals ..... 133-135
Mod Laminate Modular Components ..... 136-137
Mod Laminate Modular Storage Components ..... 138-140
Mod Laminate and Metal Desk Modular Components ..... 141
Mod Laminate Modular Storage Components ..... 142
Mod Conference Table Modular Components ..... 143
Mod Reception Modular Components ..... 144
**Valido®** ..... 145
**Valido® Ordering Information** ..... 146-147
Valido® Typicals ..... 148-150
Valido® Laminate Modular Desks ..... 151
Valido® Modular Credenzas ..... 152
Valido® Modular Returns ..... 153
Valido® Laminate Modular Components ..... 154-155
Valido® Laminate Wood Desks — Full Pedestals ..... 156-157
Valido® Laminate Wood Desks — 3/4 Pedestals ..... 158-159
Valido® Shared Components & Accessories ..... 160-171
**Voi®** ..... 172
**Voi® Ordering Information** ..... 173
**Voi® Statement of Line** ..... 174-175
Voi® Laminate Typicals ..... 176-181
Voi® Bundles Typicals ..... 182-184
**Voi® Specifying/Design Guide** ..... 185-189
Voi® Laminate Worksurfaces — Rectangle ..... 190-192
Voi® Worksurface Supports ..... 193-195
Voi® Standing-Height Worksurface Supports ..... 196
Voi® Standing-Height Laminate Support ..... 197
Voi® — Coordinate™ Sit-to-Stand Worksurfaces ..... 198
Voi® Height Adjustable Bases ..... 199
Voi® Laminate Support/Support Pedestals ..... 200
Voi® Laminate Support/Support Storage ..... 201
Voi® Modesty Panels ..... 202
Voi® Laminate Overhead Storage ..... 203
Voi® Laminate Overhead and Stack-on Storage ..... 204
Voi® Laminate Shared Overhead Storage Components ..... 205
Voi® Overhead Storage Supports/Accessories ..... 206
Voi® Laminate Stack-on Storage — Built-up ..... 207
Voi® Laminate Low Credenzas ..... 208-209
Voi® Laminate Low Footed Credenzas ..... 210-211
Voi® Laminate Credenzas ..... 212
Voi® Laminate Mobile Storage ..... 213
Voi® Laminate Storage ..... 214
Voi® Laminate Storage Cubes ..... 215
Voi® Laminate Storage Cube Bundles ..... 216
Voi® Laminate Storage Towers ..... 217-219
Voi® Laminate Storage ..... 220
Voi® Laminate Bookcases ..... 221
**Workwall** ..... 223
**Workwall Ordering Information** ..... 224
**Workwall Statement of Line** ..... 225
**Workwall Specifying/Design Guide** ..... 226-230
Workwall Typicals ..... 231-233
Workwall Fabric Tiles ..... 234-235
Workwall Glass Markerboard Tiles ..... 236
Workwall Laminate Tiles ..... 237
Workwall Laminate Media Tiles ..... 238
Workwall Painted Metal Tiles ..... 239
Workwall Slotted Tool Tiles ..... 240
Workwall Accessories ..... 241-242
**10500 Series™** ..... 244
**10500 Series™ Ordering Information** ..... 245-247
**10500 Series™ Statement of Line** ..... 248-249
10500 Series™ Typicals ..... 250-252
10500 Series™ Bundles Typicals ..... 253-255
10500 Series™ Laminate Modular Components ..... 256-260
10500 Series™ Worksurfaces ..... 261
10500 Series™ Worksurface Supports ..... 262-266
10500 Series™ Components — Supports ..... 267
10500 Series™ Height Adjustable Bases ..... 268
10500 Series™ Shared Components ..... 269
10500 Series™ Laminate Modular Components ..... 270-272
10500 Series™ Laminate Wood Desks — Full Pedestals ..... 273-276
10500 Series™ Laminate Wood Desks — 3/4 Pedestals ..... 277-278
10500 Series™ Shared Components & Accessories ..... 279-289
10500 Series™ Storage ..... 290
10500 Series™ Shared Components & Accessories ..... 291-299
10500 Series™ Laminate Occasional Tables ..... 300
10500 Series™ Shared Components & Accessories ..... 301
**Metro Classic** ..... 302
**Metro Classic Ordering Information** ..... 303
Metro Classic Steel Desks ..... 304-305
**34000 Series** ..... 306
**34000 Series Ordering Information** ..... 307
34000 Series Steel Desks ..... 308


For information regarding HON registered and unregistered trademarks, please go to hon.com/protected-marks. Haworth®, Herman Miller®, Knoll®, and Steelcase® are registered trademarks of their respective owners and use of the marks do not imply affiliation or endorsement of The HON Company or its products.

# LIST PRICER
## Effective Date: February 2024

- **All illustrations and specifications in this publication are based on the latest product information available at the time of print. For the most recent version, please go to www.hon.com.**
- Software support packages furnished to the customer, either by The HON Company or by another source, which support the sale of HON products are superseded by printed price lists.
- All dimensions shown in this publication are nominal.
- Pricing is subject to change without notice.
- All orders are subject to prices in effect at the time of order.
- Ordering information appears at the beginning of a section complete with examples on how to specify. These specifying information pages are referenced at the bottom center of product pages.
- HON Full Lifetime Warranty applies unless otherwise noted.
- HON nationwide customer service: Phone: (800) 833-3964

# HON LIST PRICER
## Table of Contents


**38000 Series™** ..... 309
- **38000 Series™ Ordering Information** ..... 310
- 38000 Series™ Typicals — 3/4 Height Pedestals ..... 311
- 38000 Series™ Typicals — Modular ..... 312
- 38000 Series™ Bundles Typicals ..... 313-314
- 38000 Series™ Steel Desks — 3/4 Pedestals ..... 315
- 38000 Series™ Modular Desks ..... 316
- 38000 Series™ Components ..... 317
- 38000 Series™ Steel Stack-on Units ..... 318-319
- 38000 Series™ Accessories ..... 320

### WORKSTATIONS

**Abode™** ..... 321
- **Abode™ Ordering Information** ..... 322
- Abode™ ..... 323-324
- Abode™ Typicals ..... 325-329
- Abode™ Components ..... 330-333

**Abound®** ..... 334
- **Abound® Ordering Information** ..... 335
- **Abound® Fabric Patterns & Codes** ..... 336-337
- Abound® Typicals ..... 338-339
- Abound® Open Base Typicals ..... 340
- Abound® Frames Overview ..... 341-344
- Abound® Connector Overview ..... 345
- Abound® Tile Overview ..... 346
- **Abound® Specifying/Design Guide** ..... 347-348
- **Abound® Working with Tiles** ..... 349
- Abound® Systems Electrical and Data ..... 350
- Abound® Panel Frames ..... 351-352
- Abound® Open Base Panel Frames ..... 353
- Abound® Stacking Panel Frames ..... 354
- Abound® Stiffener Supports ..... 355
- Abound® Panel Door ..... 356
- Abound® Sliding Door ..... 357
- Abound® Connectors ..... 358-359
- Abound® Variable Height Finished End and Wall Starter Kits ..... 360
- Wall Hanger Bars and Off-Module Bracket ..... 361
- Abound® Tackable Acoustical Tiles ..... 362-363
- Abound® Power/Data Fabric Tiles ..... 364-365
- Abound® Hard-surface Tiles ..... 366
- Abound® Clear Glass Tiles ..... 367
- Abound® Frosted Glass Tiles ..... 368
- Abound® Frameless Glass ..... 369
- Abound® Pass-thru Tiles ..... 370
- Abound® Slotted Tool Tiles ..... 371
- Systems Paper Management Support Bar ..... 371
- Abound® Markerboard Tiles ..... 372
- Abound® Painted Metal Tiles ..... 373
- Abound® Custom Material Bracket Kit ..... 374

**Accelerate®** ..... 376
- **Accelerate® Ordering Information** ..... 377
- **Accelerate® Fabric Patterns & Codes** ..... 378-379
- Accelerate® Typicals ..... 380-381
- Accelerate® Panels Overview ..... 382-383
- Accelerate® Working with Panels ..... 384
- Accelerate® Connector Overview ..... 385
- Accelerate® Tackable Raceway Panels ..... 386
- Accelerate® Top-Tier Glass Panels ..... 387
- Accelerate® Panel Door ..... 388
- Accelerate® Top Caps ..... 389
- Accelerate® Stacking Panels ..... 390-391
- Accelerate® Frameless Glass ..... 392
- Accelerate® Strengthened Connection Posts ..... 393
- Accelerate® Strengthened Connections — Connector Straps ..... 394
- Accelerate® Variable Height Finished End and Wall Starter Kits ..... 395
- Accelerate® Bracket Kits and Stability Feet ..... 396

**Empower®** ..... 398
- **Empower® Finish Options** ..... 399
- **Empower® Fabric Screens — All Panel Models** ..... 400-401
- **Empower® Step-by-Step Guide** ..... 402
- Empower® Fixed Height Typicals ..... 403-405
- Empower® Bundles ..... 406
- Empower® Chicago Bundles ..... 407
- Empower® U-Legs for Linear Applications ..... 408
- Empower® Legs for 120° Applications ..... 409
- Empower® Metal & Laminate Infills for U-Legs ..... 410
- Empower® Angled Legs for Linear Applications ..... 411-412
- Empower® Return Components ..... 413
- Empower® Support Beams ..... 414
- Empower® Wire Troughs ..... 415
- Empower® Systems Worksurfaces ..... 416
- Systems Worksurfaces — 120° Corner ..... 417-418
- Empower® Touchdown and Collaborative Stations ..... 419
- Empower® Day 2 Add-On Kit ..... 420
- Empower® Shared Screens for Fixed Height Applications ..... 421-422
- Empower® Modesty Panels/End of Run Screens ..... 423
- Empower® Height Adjustable Step-by-Step Guide ..... 424
- Empower® Height Adjustable Typicals ..... 425-427
- Empower® Bundles ..... 428
- Empower® Chicago Bundles ..... 429
- Empower® Height Adjustable Bases ..... 429.1
- Empower® Height Adjustable Worksurfaces ..... 429.2
- Empower® Shared Screens for Height Adjustable Applications ..... 429.3-429.6
- Empower® Universal Screens Specification Guide ..... 429.7-429.10
- Empower® Electrical Specifying Information ..... 429.11-429.14
- Empower® Electrical and Data ..... 429.15-429.16
- Empower® Electrical Accessories ..... 429.17
- Power & Cable Management ..... 429.18
- Gallery Panels Work with Empower® ..... 429.19-429.21
- Empower® Gallery Panels Wing Panels ..... 429.22
- Empower® Gallery Panels Wing, Accepts Glass ..... 429.23
- Empower® Connector Kits ..... 429.24

**Gallery Panels** ..... 430
- **Gallery Panels Ordering Information** ..... 431
- **Gallery Panels Statement of Line** ..... 432
- Gallery Panels Overview ..... 433-434
- Gallery Panels Working with Abound® ..... 435
- Gallery Panels Working with Accelerate® ..... 436
- Gallery Panels Overview ..... 437-439
- Gallery Panels Working with Accessories ..... 440-442
- Gallery Panels Wing Panels ..... 443-444
- Gallery Panels Split Panels ..... 445
- Gallery Panels Wing, Accepts Glass ..... 446-447
- Gallery Panels Split Panels, Accepts Glass ..... 448
- Gallery Panels Gallery-to-Gallery Connections ..... 449-456
- Gallery Panels Abound® Frameless Glass ..... 457
- Gallery Panels Accelerate® Frameless Glass ..... 458
- Gallery Panels Abound® Connector Kits ..... 459
- Gallery Panels Accelerate® Connector Kits ..... 460
- Gallery Panels Height Adjustable Tie-In Brackets ..... 461
- Gallery Panels Accessories ..... 462
- Gallery Panels Tackboards and Markerboards ..... 463

**Gravitation™ Power Beam** ..... 464
- **Gravitation™ Power Beam Ordering Information** ..... 465-466
- Gravitation™ 48″W Bundles ..... 467
- Gravitation™ 60″W Bundles ..... 468
- Gravitation™ 72″W Bundles ..... 469
- Gravitation™ Power Beam ..... 470-472.1
- Gravitation™ Power Beam Electrical ..... 473
- Gravitation™ Power Beam Screens ..... 474-476

**Systems Shared Components** ..... 477
- **Systems Overhead and Shelves Specifying** ..... 478-479
- Abound® Electrical and Data ..... 480-482
- Accelerate® Electrical and Data ..... 483-484
- Systems Electrical and Data ..... 485
- **Systems Electrical Specifying Information** ..... 486-488
- Working with Cable Management ..... 489
- Systems Working with Worksurfaces and Supports ..... 490-492
- Systems Overhead and Shelves ..... 493
- Systems ETA Overheads and Shelves ..... 494
- Systems Overhead Storage ..... 495
- Systems Overhead Accessories ..... 496-497
- Systems Electrical Components ..... 498-503.1
- Systems Electrical and Data ..... 504-504.3
- Systems Worksurfaces — Primary ..... 505-506
- Systems Worksurfaces — Wedge ..... 507
- Systems Worksurfaces — Corner ..... 508-509
- Systems Worksurfaces — 120 Degree Corner ..... 510
- Systems Worksurfaces — Corner Cove ..... 511-512
- Systems Worksurfaces — Jetty / Peninsula ..... 513
- Systems Worksurfaces — Half-Round ..... 514
- Systems Countertops — Straight and Corner ..... 515-516
- Systems Shelves — Corner Shelves ..... 517
- Systems Worksurface Supports ..... 518-520
- Worksurface Brackets ..... 521
- Systems Worksurface Supports ..... 522
- Standing-Height Worksurface Supports ..... 523
- Systems Standard Height Support Pedestals ..... 524
- Systems Accessories — Paper Management / Markerboards ..... 525

**Versé®** ..... 526
- Versé® Panel System ..... 527-530

### STORAGE

- **Overview of Personal Storage and Pedestals** ..... 531
- HON Lateral Files at a Glance ..... 532
- HON Vertical Files at a Glance ..... 533
- **Storage and Files Ordering Information** ..... 534


For information regarding HON registered and unregistered trademarks, please go to hon.com/protected-marks. Haworth®, Herman Miller®, Knoll®, and Steelcase® are registered trademarks of their respective owners and use of the marks do not imply affiliation or endorsement of The HON Company or its products.

# LIST PRICER
## Effective Date: February 2024

- **All illustrations and specifications in this publication are based on the latest product information available at the time of print. For the most recent version, please go to www.hon.com.**
- Software support packages furnished to the customer, either by The HON Company or by another source, which support the sale of HON products are superseded by printed price lists.
- All dimensions shown in this publication are nominal.
- Pricing is subject to change without notice.
- All orders are subject to prices in effect at the time of order.
- Ordering information appears at the beginning of a section complete with examples on how to specify. These specifying information pages are referenced at the bottom center of product pages.
- HON Full Lifetime Warranty applies unless otherwise noted.
- HON nationwide customer service: Phone: (800) 833-3964

# HON LIST PRICER
## Table of Contents


**Brigade®** ..... 535
- **Brigade® Ordering Information** ..... 536
- Brigade® Standard Height Pedestals ..... 537
- Brigade® 800 Series Lateral Files w/Drawers ..... 538
- Brigade® 800 Series Lateral Files w/Storage ..... 539
- Brigade® 700 Series Lateral Files w/Drawers ..... 540
- Brigade® 700 Series Lateral Files w/Storage ..... 541
- Brigade® 600 Series Lateral Files w/Drawers ..... 542
- Brigade® Metal Dividers ..... 543
- Brigade® Steel Bookcases ..... 544
- Brigade® Storage Cabinets ..... 545

**Contain®** ..... 546
- **Contain® Ordering Information** ..... 547-548
- Contain® Towers ..... 549
- Contain® Lockers & Wardrobes ..... 550
- **Contain® Metal Storage** ..... 551
- Contain® Digital Lock Specifications ..... 552-553
- Contain® Metal Credenzas ..... 554
- Contain® Footed Metal Credenzas ..... 555
- Contain® Metal Credenzas with Laminate Fronts ..... 556
- Contain® Footed Metal Credenzas with Laminate Fronts ..... 557
- Contain® Metal Credenzas ..... 558
- Contain® Footed Metal Credenzas ..... 559-560
- Contain® Metal Credenzas ..... 561-562
- Contain® Footed Metal Credenzas with Laminate Fronts ..... 563
- Contain® Metal Credenzas ..... 564
- Contain® Footed Metal Credenzas with Laminate Fronts ..... 565
- Contain® Personal Files ..... 566
- Contain® Lateral Files ..... 567
- Contain® Lateral File Accessories ..... 568
- Contain® Metal Credenzas Accessories ..... 569-570
- Contain® Metal Personal Towers ..... 571
- Contain® Metal Side Access Towers ..... 572
- Contain® Metal Personal Towers with Laminate Fronts ..... 573
- Contain® Metal Side Access Towers with Laminate Fronts ..... 574
- Contain® Footed Metal Personal Towers ..... 575
- Contain® Footed Metal Side Access Towers ..... 576
- Contain® Footed Metal Personal Towers with Laminate Fronts ..... 577
- Contain® Footed Metal Side Access Towers with Laminate Fronts ..... 578
- Contain® 18″W Slim Metal Personal Towers ..... 579-580
- Contain® 18″W Slim Personal Towers with Laminate Fronts ..... 581-582
- Contain® Wardrobes ..... 583
- Contain® Wardrobes with eLock ..... 584
- Contain® Wardrobes ..... 585
- Contain® Wardrobes with eLock ..... 586
- Contain® Metal Lockers ..... 587
- Contain® Metal Lockers with Laminate Fronts ..... 588
- Contain® Metal Lockers with eLock ..... 589
- Contain® Metal Lockers with Laminate Fronts and eLock ..... 590
- Contain® eLock Accessories ..... 591
- Contain® Metal Pedestals ..... 592
- Contain® Footed Metal Pedestals ..... 593
- Contain® Pedestal Accessories ..... 594
- Contain® Metal Pedestals with Laminate Fronts ..... 595
- Contain® Footed Metal Pedestals with Laminate Fronts ..... 596
- Contain® Pedestal Accessories ..... 597

**Flagship®** ..... 598
- **Flagship® Ordering Information** ..... 599
- Flagship® Hanging and Standard Height Pedestals ..... 600
- Flagship® Mobile Pedestals ..... 601
- Flagship® 18″ Deep Lateral Files with Drawers ..... 602
- Flagship® Lateral File with Storage ..... 603
- Flagship® Modular Storage ..... 604
- Flagship® Bookcases ..... 605
- Flagship® Storage Cabinets ..... 606
- **Flamesafe™ Ordering Information** ..... 607
- FlameSafe™ Fire-Resistant Files ..... 608

**Fuse™** ..... 609
- **Fuse™ Ordering Information** ..... 610
- Fuse™ Pedestals ..... 611
- Fuse™ Digital Lock Specifications ..... 612
- Fuse™ Mobile Pedestals ..... 613
- Fuse™ Mobile Pedestals with eLock ..... 614
- Fuse™ Freestanding Pedestals ..... 615
- Fuse™ Freestanding Pedestals with eLock ..... 616
- Fuse™ Pedestal Cushion ..... 617
- Fuse™ Undermount Storage ..... 618
- Fuse™ Workplace Tools ..... 619

**Storage Islands** ..... 620
- **Storage Islands Ordering Information** ..... 621
- **Storage Islands Specifying Guide** ..... 622-624
- Storage Islands Planning Typicals ..... 625-626
- Storage Islands Top Only Applications ..... 627
- Storage Islands Tops for Use with 2 End Panels ..... 628
- Storage Islands Tops for Use with 2 End Panels and Back/Septum ..... 629
- Storage Islands — Island Tops for Use with 1 End Panel and Septum ..... 630
- Storage Islands — Islands Septum/Back and End Panels ..... 631
- Storage Islands Peninsula Supports ..... 632

**400 Series** ..... 633
- 400 Series Lateral Files ..... 634

**Vertical Files** ..... 635
- **Vertical Files Ordering Information** ..... 636
- 310 Series Vertical Files — 26½″D ..... 638
- 510 Series Vertical Files — 25″D ..... 639
- Lateral File Accessories ..... 640
- Vertical File Accessories ..... 641
- Pedestal Accessories ..... 642-643

**Laminate Bookcases** ..... 644
- **Bookcases Ordering Information** ..... 645
- 1870 Series Laminate Bookcases ..... 646

**UNIVERSAL SCREENS**

**Acoustic Solutions by unika vaev** ..... 647
- **Acoustic Solutions Ordering Information** ..... 648-649
- Acoustic Solutions Wall ..... 650
- Acoustic Solutions Ceiling Tiles and Screens ..... 651
- Acoustic Solutions Floor Screens ..... 652-653

**Universal Screens** ..... 655
- **Universal Screens Ordering Information** ..... 656-657
- **Universal Screens Statement of Line** ..... 658
- **Universal Screens Specification Guide** ..... 659-661
- Universal Screens Fabric Screens ..... 662-665
- Universal Screens Glass Screens ..... 666-667
- Universal Screens Acrylic Screens ..... 668-670
- Universal Screens Laminate Screens ..... 671
- Universal Screens Metal Screens ..... 672

**ACCESSORIES**
- Core Removable Lock Kits ..... 673
- Touch-up Paint ..... 674

**WORKPLACE TOOLS**

**Workplace Tools** ..... 675
- **Workplace Tools Ordering Information** ..... 676
- Monitor Arms ..... 677-678
- CPU Holders ..... 679
- Keyboard Trays ..... 680-681
- Corner Sleeves ..... 682
- Center Drawers ..... 683-684
- Chair Mats ..... 686
- Task Lights ..... 687-688
- Paper Management & Organizational Tools ..... 689-692
- Interlink IQ Electrical ..... 693-694
- 4-Trac Hardwire Electrical System ..... 695-696
- Power & Cable Management ..... 697
- Power ..... 503-700
- Power & Cable Management ..... 701-701.2

**INDEX**
- Cross Reference Index ..... 702-721
- Information on Ordering Parts ..... 736


For information regarding HON registered and unregistered trademarks, please go to hon.com/protected-marks. Haworth®, Herman Miller®, Knoll®, and Steelcase® are registered trademarks of their respective owners and use of the marks do not imply affiliation or endorsement of The HON Company or its products.

# ADDITIONS

## NEW ADDITIONS: PRODUCTS

| Workstations | Effective Date |
|---|---|
| Empower® | July 1, 2024 |
| Models: HSYSEMPHAWS2846, HSYSEMPHAWS2858, HSYSEMPHAWS2870, HSYSEMPEL4828, HSYSEMPEL6028, HSYSEMPSL4828, HSYSEMPSL6028, HSYSEMPEL2428, HSYSEMPEL3028, HSYSEMPSL2428, HSYSEMPSL3028, HSYSEMPRLEL2428, HSYSEMPRREL2428, HSYSEMP120EL4828, HSYSEMP120EL6028, HSYSEMP120POST, HSYSEMPTRO48, HSYSEMPTRO60, HSYSEMPTRO72, HSYSEMPSTRO48, HSYSEMPSTRO60, HSYSEMPSTRO72, HSYSEMP120TRO36, HSYSEMP120TRO42, HSYSEMP120TRO48, HSYSEMP120UB236, HSYSEMP120UB242, HSYSEMP120UB248, HSYSEMPUB148, HSYSEMPUB160, HSYSEMPUB172, HSYSEMPUB248, HSYSEMPUB260, HSYSEMPUB272, HSYSEMPHA2S2S, HSYSEMPHA3S2S, HSYSEMPHATRO48, HSYSEMPHATRO60, HSYSEMPHATRO72, HSYSEMP2472PK2, HSYSEMP2472PK4, HSYSEMP2472PK6, HSYSEMP2472PK8, HSYSEMP2460PK2, HSYSEMP2460PK4, HSYSEMP2460PK6, HSYSEMP2460PK8, HSYSEMP3072PK2, HSYSEMP3072PK4, HSYSEMP3072PK6, HSYSEMP3072PK8, HSYSEMP3060PK2, HSYSEMP3060PK4, HSYSEMP3060PK6, HSYSEMP3060PK8, HSYSEMPHA2270PK2, HSYSEMPHA2270PK4, HSYSEMPHA2270PK6, HSYSEMPHA2270PK8, HSYSEMPHA2258PK2, HSYSEMPHA2258PK4, HSYSEMPHA2258PK6, HSYSEMPHA2258PK8, HSYSEMPHA2870PK2, HSYSEMPHA2870PK4, HSYSEMPHA2870PK6, HSYSEMPHA2870PK8, HSYSEMPHA2858PK2, HSYSEMPHA2858PK4, HSYSEMPHA2858PK6, HSYSEMPHA2858PK8 | |

| Workplace Tools | Effective Date |
|---|---|
| Accessories | January 5, 2024 |
| Models: HJTRGH24, HJTRGH36 | |

| Fabrics and Finishes | Effective Date |
|---|---|
| Fabrics | |
| Emphasis | July 1, 2024 |
| Denim (EMP14) | |
| Evergreen (EMP09) | |
| Fog (EMP04) | |
| Garnet (EMP07) | |
| Gemstone (EMP15) | |
| Graphite (EMP02) | |
| Greenery (EMP10) | |
| Marsh (EMP11) | |
| Navy (EMP13) | |
| Obsidian (EMP01) | |
| Parchment (EMP16) | |
| Persimmon (EMP08) | |
| River (EMP12) | |
| Suit (EMP03) | |
| Tweed (EMP05) | |
| Twine (EMP06) | |
| Haute | July 1, 2024 |
| Caviar (HAU01) | |
| Char (HAU04) | |
| Foggy (HAU06) | |
| Kelp (HAU08) | |
| Night Light (HAU07) | |
| Sanderling (HAU05) | |
| Toadstool (HAU02) | |
| Weathered (HAU03) | |

# NOTES

# DISCONTINUATIONS

| Desks | Effective Date |
|---|---|
| Coordinate™ | December 31, 2023 |
| Models: HHABETAMEM, HHABETA2S2L, HHATW2246EA, HHATW2252EA, HHATW2258EA, HHATW2846EA, HHATW2852EA, HHATW2858EA, HHATW2448EA, HHATW2454EA, HHATW2460EA, HHATW3048EA, HHATW3054EA, HHATW3060EA, HPLREC2S2LTF, HPLREC2S2LCF, HPLREC3S2LTF, HPLREC3S2LCF | |
| 10500 Series™ | June 30, 2024 |
| Model: HWMCLIPLG | |
| 10700 Series™ | December 31, 2023 |
| Models: H10738, H107358 | |
| 94000 Series™ | December 31, 2023 |
| H94223, H94229, H94234, H94234K, H94235, H94236, H94237, H94237K, H94720, H94721R, H94722L, H94210, H94220, H94221, H94222, H94224, H94225, H94291, H94430, H94435, H94211R, H94212L, H94215R, H94216L, H94226, H94243, H94244, H94245R, H94246L, H94247R, H94248L, H94251, H94260, H94270, H94271, H94276, H94283R, H94284L, H94285R, H94286L, H94011 | |

| Storage | Effective Date |
|---|---|
| FlameSafe™ | June 30, 2024 |
| Models: H34, H54, H54C, H52, H32 | |
| 210 Series Vertical Files | June 30, 2024 |
| Models: H212, H212C, H214, H214C, H215, H215C | |

| Workstations | Effective Date |
|---|---|
| Empower® | April 1, 2024 |
| Models: HMPCFS2413, HMPCFS3013, HMPCFS3613, HMPCFS4213, HMPCFS4813, HMPCFS6013, HMPCFS2420, HMPCFS3020, HMPCFS3620, HMPCFS4220, HMPCFS4820, HMPDFS2413, HMPDFS2420, HMPDFS3013, HMPDFS3020, HMPDMS2413, HMPDMS3013, HMPFSS4220, HMPFSS5420, HMPFG2413, HMPFG3013, HMPFG3613, HMPFG4213, HMPFG4813, HMPFG6013, HMPFG7213, HMPFG2420, HMPFG3020, HMPFG3620, HMPFG4220, HMPFG4820, HMPFG6020, HMPFG7220, HMPFGS3613, HMPFGS4213, HMPFGS4813, HMPFGS5413, HMPFGS6013, HMPFGS7213, HMPFGS3620, HMPFGS4220, HMPFGS4820, HMPFGS5420, HMPFGS6020, HMPFGS7220, HMPLM3613, HMPLM4813, HMPLM6013, HMP2472PK2, HMP2472PK4, HMP2472PK6, HMP2472PK8, HMP2460PK2, HMP2460PK4, HMP2460PK6, HMP2460PK8, HMP3072PK2, HMP3072PK4, HMP3072PK6, HMP3072PK8, HMP3060PK2, HMP3060PK4, HMP3060PK6, HMP3060PK8, HMPHA2472PK2, HMPHA2472PK4, HMPHA2472PK6, HMPHA2472PK8, HMPHA2460PK2, HMPHA2460PK4, HMPHA2460PK6, HMPHA2460PK8, HMPHA3072PK2, HMPHA3072PK4, HMPHA3072PK6, HMPHA3072PK8, HMPHA3060PK2, HMPHA3060PK4, HMPHA3060PK6, HMPHA3060PK8, HMPEL4828, HMPEL6028, HMPSL4828, HMPSL6028, HMPEL2428, HMPEL3028, HMPSL2428, HMPSL3028, HMPRLEL2428, HMPRREL2428, HMP120EL4828, HMP120EL6028, HMP120POST, HMPUB148, HMPUB160, HMPUB172, HMPUB248, HMPUB260, HMPUB272, HMP120UB236, HMP120UB242, HMP120UB248, HMPTROUGH48, HMPTROUGH60, HMPTROUGH72, HMPSTROUGH48, HMPSTROUGH60, HMPSTROUGH72, HMP120TROUGH36, HMP120TROUGH42, HMP120TROUGH48, HMPRLEL2428, HMPRREL2428, HMPUB148, HMPUB160, HMPHA2S4C, HMPHATROUGH48, HMPHATROUGH60, HMPHATROUGH72, HMPHASLID48, HMPHASLID60, HMPHASLID72, HMPHASLID20, HMPLM2426, HMPLM2434, HMPLM3026, HMPLM3034 | |
| HON Systems | December 31, 2023 |
| Models: HHCMT24, HHCMT36 | |
| HON Systems | June 30, 2024 |
| Models: HCOMDOME2, HPWRMOD3WC, HPWRMOD3UWM, HPWRMOD2WC, HPWRMOD2UWM, HHEM620 | |

| Workplace Tools | Effective Date |
|---|---|
| Power | June 30, 2024 |
| Models: HPWRMOD3WC, HPWRMOD2WC, HPWRMOD4WC, HPWRMOD3UWM, HPWRMOD2WM, HCOMDOME2, HPWRMOD2, HSMPWR-1P-2U, HUMPWR-1P-2U | |
| Cable Management | June 30, 2024 |
| Models: HCTROUGH17, HCTROUGH1710, HCTROUGH36, HCTROUGH3610, HWMCLIPLG, HWMCLIPSM | |
| Desktop Riser | June 30, 2024 |
| Model: HBXRISER | |

| Fabrics and Finishes | Effective Date |
|---|---|
| Fabrics | |
| Analog | December 31, 2023 |
| Album (ANLG06), Cartridge (ANLG04), Cassette (ANLG09), Dial (ANLG02), Media (ANLG08), Reel (ANLG07), Signal (ANLG03), Stereo (ANLG01), Track (ANLG05) | |
| Dotty | December 31, 2024 |
| Candy (DOT63),Gelato (DOT34),Indigo (DOT31) ,Onyx (DOT35),Park (DOT83),Peat (DOT24),Peony (DOT32),Suit (DOT20),Sunflower (DOT33),Tailor (DOT21),Tide (DOT90),Velum (DOT29),Violet (DOT30) | |
| Factor | December 31, 2023 |
| Bark (FACT20),Barley (FACT15),Cascade (FACT25), Feather (FACT30) | |
| Inertia | December 31, 2024 |
| Amethyst (NR61),Calypso (NR98),Cherry (NR66) ,Cobalt (NR91),Coffee (NR49),Fog (NR19),Fuchsia (NR63),Gecko (NR76),Glow (NR27),Leaf (NR75),Lime (NR82),Loft (NR22),Mandarin (NR47),Meteor (NR30) ,Mustard (NR26),Nickel (NR23),Onyx (NR10),Regatta (NR90),Shadow (NR20),Surf (NR96),Tangelo (NR46) | |
| Mica (Panel) | December 31, 2024 |
| Anthracite (MCA11),Breeze (MCA18),Bronze (MCA13) ,Buff (MCA14),Cremini (MCA17),Crystal (MCAWIT) ,Dew (MCA20),Dove (MCA12),Fresh (MCA16),Mineral (MCA15),Nectar (MCA19),Shale (MCA10) | |
| Optic | June 30, 2024 |
| Aurora (OP72),Bark (OP24),Canopy (OP84),Char (OP49),Ruby (OP42),Sand (OP17),Sky (OP83),Slate (OP19),Sprout (OP74),Starry Night (OP11),Storm (OP56),Wildfire (OP66) | |
| Whisper Vinyl | December 31, 2023 |
| Brick Red (WP99), Carotene (WP97), Cucumber (WP88), Forest (WP82), Gravel (WP19), Merlot (WP27), Ochre (WP96), Putty (WP84), Sangre (WP28), Zest (WP87) | |
| Paint | December 31, 2023 |
| Amethyst (P091) | |
| Cobalt Mica (P090) | |

# HON FULL LIFETIME WARRANTY INFORMATION

## FULL LIFETIME WARRANTY

## YOUR HON FULL LIFETIME WARRANTY

Every time you purchase a HON product, you're making an investment in your future. We're proud to play a part in that future, and you can trust us to do our best for as long as you need us.

The HON Full Lifetime Warranty is our assurance to you that the HON desks, workstations, seating, tables, or storage you purchase will be free from defective material or workmanship for the life of the product.

In the unlikely event that any HON product or component covered by the HON Full Lifetime Warranty should fail under normal workplace use as a result of defective material or workmanship, HON shall repair or replace with comparable product (at HON's discretion), free of charge.

## WHAT'S COVERED BY THE HON FULL LIFETIME WARRANTY?

Your HON Full Lifetime Warranty applies to product manufactured after January 1, 2011. All HON product lines, materials, and components are covered by the HON Full Lifetime Warranty except for the items described below.

The specific product lines, materials, and components listed below are covered under HON's Full 12-Year, Full 10-Year, and Full 5-Year Warranties (from date of purchase).

## HON'S FULL 12-YEAR WARRANTY

- Electrical components (lamps and ballasts are not covered)
- 4-Way Stretch Mesh
- Seating controls
- Pneumatic Cylinders
- Wood Seating
- Accessories
- Laminate Surfaces

## HON'S FULL 10-YEAR WARRANTY

- Coordinate™ Height Adjustable Bases (HHATB)

## HON'S FULL 7-YEAR WARRANTY

- Coordinate™ Legacy Bases (HHAB and HREC)
- Workwall Markerboard Glass Tiles

## HON'S FULL 5-YEAR WARRANTY

- All LED task lights
- Panel and seating textiles
- Mesh not branded/marketed as '4-Way Stretch Mesh'
- Coze™
- Between™ Multi-Purpose Table
- Acoustic Solutions by Unika Vaev
- Mod

## HON'S FULL 1-YEAR WARRANTY

- Acrylic Screens

These warranties apply to HON products sold within the United States of America, U.S. Territories, and Canada, as well as U.S. Military and Federal Agency purchases (regardless of location).

## IS ANYTHING NOT COVERED?

There are a few exclusions to the HON Full Lifetime Warranty and to the 12-, 10-, and 5-year warranties. These exclusions are:

- All HON products that are covered under a separate 5-year warranty.
- Color-fastness or matching of colors, woodgrains, or textures occurring in wood, leather, or other materials that naturally exhibit inherent color variations.
- Customer's own materials (COM) selected by and used at the request of the user.
- Modifications or attachments to the product that are not approved by The HON Company and product failures resulting from such modifications or attachments.
- Product normal wear and tear, which are to be expected over the course of ownership.
- Products that were not installed, used, or maintained in accordance with product instructions and warnings.
- Products used for rental purposes.
- Damage caused by cleaning chemicals.
- Dye transfer caused by external contaminants (including clothing and accessory dyes such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible.
- Fabric pattern match seat to back or chair to chair. If pattern match is needed, please submit a Tailored Solutions request or contact HON Customer Support/Tailored Solutions with questions.
- Storage Digilocks come with a 2-year warranty.

## WARRANTY REQUESTS OR QUESTIONS?

Your HON Dealer is our mutual partner in supporting your warranty requests. To obtain service under this warranty, please contact your HON dealer. If you are not sure who your dealer is, please call HON Customer Support at 800.833.3964.

**THAT'S YOUR HON FULL LIFETIME WARRANTY AS AN OWNER OF HON PRODUCT, THE WARRANTY EXPLAINED HERE IS YOUR SOLE AND EXCLUSIVE REMEDY. THERE ARE SOME EXCEPTIONS IF YOU PURCHASED THE PRODUCT FOR HOME OR PERSONAL USE WHICH ARE EXPLAINED BELOW. TO THE EXTENT ALLOWED BY LAW, THE HON COMPANY MAKES NO OTHER WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE HON COMPANY WILL NOT BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES.**

## A WORD ABOUT PURCHASES FOR HOME OR PERSONAL USE

Please note, this section only applies if you purchased your HON product for your home or for your own personal or family use. HON's warranties give you specific legal rights and you may have other rights, which vary from state to state. As a consumer purchaser, the complete exclusion of implied warranties noted in the above paragraph does not apply to you, however, to the extent allowed by applicable state law, the implied warranties are limited to the applicable term of the warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you.

# HON LIMITED 5-YEAR WARRANTY INFORMATION

## LIMITED 5-YEAR WARRANTY

The HON Company promises to repair or replace HON products or components covered under this warranty that are found to be defective in material or workmanship within five (5) years from the date of original purchase so long as you, the original purchaser, still owns it. This is your sole and exclusive remedy. This warranty is subject to the provisions below. It applies to the products listed here manufactured after January 1, 2018.

## LIMITATIONS:

- Upholstery on chairs is warranted for two years from date of purchase.
- Damage caused by the carrier in-transit is handled under separate terms.

## EXCLUSIONS:

This warranty does not apply and no other warranty applies to:

- Normal wear and tear, which are to be expected over the course of ownership.
- Modifications or attachments to the product that are not approved by The HON Company.
- Products that were not installed, used or maintained in accordance with product instructions and warnings.
- Products used for rental purposes.

## SEATING USAGE

Normal commercial use for seating is identified as the equivalent of a single shift, forty-(40) hour workweek. To the extent that a seating product is used in a manner exceeding this, the applicable warranty period will be reduced in a pro-rata manner.

## A WORD ABOUT COLOR VARIATIONS, FABRICS AND FINISHES:

The HON Company does not warrant the color-fastness or matching of colors, grains or textures of covering materials.

## CUSTOMER'S OWN MATERIAL (COM)

Not available on HON products covered under the HON 5-year warranty.

**TO THE EXTENT ALLOWED BY LAW, THE HON COMPANY MAKES NO OTHER WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE HON COMPANY WILL NOT BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES.**

## NOTICE TO PURCHASERS FOR HOME OR PERSONAL USE:

Federal law does not permit the exclusion of certain implied warranties for consumer products. Therefore, if you are purchasing this product for home or personal use, the exclusion of implied warranties noted in the above paragraph does not apply to you. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

This warranty applies only to products sold within the United States of America and the Commonwealth of Canada.

## TO OBTAIN SERVICE UNDER THIS WARRANTY:

Your HON® Dealer is our mutual partner in supporting your warranty requests. By following the procedures outlined below, you can be assured of the best level of service. Please note: Consent of The HON Company must be obtained before any warranty work is performed. To obtain consent, please take the following steps:

1. Contact the Dealer from whom the product was purchased within 30 days of discovery of the defect. Be prepared to affirm that you are the original purchaser of the product and to provide the serial number(s) from the product in question.
2. Your Dealer will gather all pertinent information regarding the claim, inspect the product and contact a HON Company customer service representative. (Please allow a reasonable amount of time for inspection and review.)
3. If The HON Company affirms that the product in question is eligible under the conditions of the warranty as stated above, the customer service representative or another representative of the Company will determine whether to provide replacement parts, authorize repairs or replace the product.

# ORDERING INFORMATION

## ORDERING

Electronic ordering is the standard order process for HON. HON supports the following primary methods for the electronic transmission of orders and order related documents:

**Electronic Ordering**
Available in the HONReady portal at hon.com. There are multiple options available for processing orders electronically.

Integration with the standard Office Furniture business systems or other pre-approved proprietary software packages.

SIF file upload using fully optioned SIF files into the electronic ordering applications.

Manual entry of line items into the electronic ordering application.

**EDI-System to System Integration**
With standard Office Product systems or other pre-approved proprietary software systems.

Training, technical set-up and support is available through our Dealer Operations Team at HONDigitalSupport@honcompany.com.

## ORDER REQUIREMENTS

- Customer must provide complete and correct information, including complete model number, finishes, colors, options, and quantity.
- If a bid quotation or other special pricing applies, such information must be clearly stated on the order with applicable bid number or contract number.
- Order Management contact name and phone number.
- Delivery Appointment contact name and phone number at the dealership or installation company. HON does not accept orders with end user appointment contacts.
- Dealer Sales Representative, primary or multiple DSRs.
- "Best Date Available" for the entire order is standard service for HON. If eligible, other Date Requests may be requested and must be submitted with the order. Other Date Requests are subject to review by HON prior to acceptance:
  - "Ship After" requests are eligible on all order sizes
  - "Deliver On" requests are eligible for full truckload orders
- Additional services outside of HON's standard services may be available through HON's 'Enhanced Services' for a corresponding fee. Requested services from 'Enhanced Services' must be provided at time of order placement.
- Failure to provide complete and accurate information results in delayed order entry and acknowledgment. Incomplete orders will not be produced and will be returned to Dealer for correction.

## ACKNOWLEDGMENT SERVICE

- E-mailed acknowledgments are available by customer request.
- An acknowledgment will be emailed the morning of the next business day, unless order is placed on credit or other order hold.
- The order will not receive an acknowledged shipment date until all order holds are released.

## ORDER CHANGES OR CANCELLATIONS

For Order Changes or Cancellations, please contact Customer Support at 800-833-3964.

## TERMS AND CONDITIONS

See ***HON NOW*** on **hon.com** for more information about HON NOW delivery, services and ordering information.

# HON DESIGN SERVICES

## HON DESIGN STUDIO

Need design assistance? We can help! Our expert design staff will create a professional design package that is sure to put you one step ahead of the competition. And the best part is – it's free!

## AUDIT

We will check your drawing and parts list for accuracy. We verify quantity, specification accuracy, product compatibility and structural support.

## DESIGN

We will provide a professional design package including a 2D furniture plan, renderings, and complete parts list based on the rough sketch and project information you supply.

## CONSULTATION

A 1:1 meeting will be scheduled where we will provide guidance on product positioning, answer specification questions, and recommend value engineering opportunities.

## CONTACT HON DESIGN SERVICES

Questions? Please reach out to your region's dedicated designer. Not sure how to reach your designer? Send us a note at the email below.
E-Mail: integrateddesign@honcompany.com



**Solve® Chair shown with Coordinate™ Height Adjustable Table.**

## Project Space

**A place for all HON Project Services**

Project Space provides one platform to access the full portfolio of HON services including:

- Design
- Audit
- Product Modification
- Special Laminates
- Consultation
- Customer's Own Material
- Dual Fabric Applications
- Special Paints
- Project Bid Pricing

**Submit your request on the Community powered by HNI, Projects.**

Project lead time expectation is 3-5 business days, depending on scope of work.

# TAILORED SOLUTIONS ORDERING INFORMATION

## PRODUCT MODIFICATIONS

Modifications include structural and dimensional modifications to existing product and Dual Fabric Applications, when standard model is not available.

The HON Company, at its own discretion, may modify standard products to meet specific needs. Product specials can be requested on HON brand product only.

List prices contained in published list pricers are for standard catalog items only. Changes or alterations to catalog items other than those listed as catalog options are subject to additional charges. Pricing will only be furnished upon approval of the special request.

Requests to have the product produced in more than one fabric (e.g., fabric on the seat is different than the fabric on the back), are considered a Dual Fabric Applications request and follow the Product Modification request process within the Community.

## SPECIAL LAMINATES

Special laminates include requests for laminates not available as part of The HON Company's standard offering. Requests for special laminates are subject to manufacturing approval and minimum order quantities. The HON Company approved special laminates will be subject to a designated upcharge per unit.

Requests for special laminates should be submitted through the Community. Pricing will only be furnished upon approval of the special request.

## SPECIAL PAINTS

- The HON Company's paint matching equipment can match almost any color, excluding some metallic and whites.
- Special paint requests must be submitted on the Community.
- In order to request a paint sample, the customer must have a minimum order of 10 like product units. Any requests with less than that amount will not be processed.
  - For each new paint request, there will be a $250 net charge. A sample of the exact color desired is required for matching and approval. The HON Company will match the color and provide a production sample for the customer to review and approve.
- Once written approval is received by The HON Company, the request will be approved.
- Each unique color or finish combination incurs a designated upcharge per color per order (all standard discounts/competitive project pricing applies).

**Special note:** Some special colors could fall outside of this program due to production costs or not meeting The HON Company's quality standards. The HON Company may apply additional charges to some colors which are costly to apply, and refuse some orders on colors that cannot meet The HON Company's high-quality standards. The HON Company will notify the customer upon completion of The HON Company's evaluation if a change in price is required or rejection of the order.

## DISCONTINUED PRODUCT

Requests for discontinued product require engineering evaluation, safety review, and testing to current standards prior to approval. Many discontinued products are not available for order. Requests for discontinued products should be submitted through the Community.

## LEAD TIMES FOR SPECIALS PRODUCT

Lead times on orders containing specials are subject to production capacity and material availability. When possible, the customer should order special products separately to avoid extended lead times for standard products. Extended lead times will be noted on Compass.

## CHANGES TO SPECIALS PRODUCT

A special model will be provided for each approved special item to process orders. Once an order is placed, no changes or cancellations can be made to the order without approval from Tailored Solutions.

## CONTACT TAILORED SOLUTIONS

Phone: 800.833.3964 and listen for Tailored Solutions offering on the menu.

Email: HONSpecials@honcompany.com

# CUSTOMER'S OWN MATERIAL ORDERING INFORMATION

## CUSTOMER'S OWN MATERIAL (COM) PROGRAM

Customer's Own Material (COM) is a request to use fabrics not available as part of HON's standard fabric offering. Manufacture to Supply (MTS) and Dealer to Supply (DTS) are the two ordering methods. The HON Company has partnered with fabric manufacturers to provide competitive pricing and selection through the MTS program. MTS will be the standard offering unless The HON Company is unable to procure the fabric. If there is a DTS request submitted, The HON Company will advise at the time of the request if DTS is available.

## CUSTOMER WARRANTY EXCLUSION

The HON Company shall have no responsibility for the condition, quality, value, performance, physical properties, or any other aspects of the COM.

The HON Company shall have no liability for any damages, injuries, or losses to the customer or to any third party that shall be caused by any COM or product modification, and the customer shall hold The HON Company harmless for all liability.

The HON Company assumes no responsibility for the overall appearance, flammability, normal durability, colorfastness, or any other quality of the COM or product modification after its application on a HON product beyond normal quality standards. The HON Company reserves the right to reject a COM fabric if the quality of the COM is not satisfactory for the product. Should this occur, the customer will be notified with an explanation of the issue.

The HON Company is not responsible for fabric that has become obsolete at the COM supplier, that is of poor quality, or that is delivered late to The HON Company from the COM supplier. The HON Company is not responsible for excess yardage created by DTS orders or yardage not attached to an order and reserves the right to dispose of the excess fabric.

As a standard HON does not pattern match any standard, partnership or COM fabric, therefore pattern match is not applicable under warranty. If pattern match is needed please submit a Tailored Solutions request or contact HON Customer Support/Tailored Solutions once your COM has been approved.

## COM TESTING

As a result of recent legal requirements, The HON Company will need to obtain specific information from the fabric supplier about treatments and chemicals used in the fabric. To the extent the supplier is unwilling or unable to provide the necessary information, which could extend the testing lead time of the request.

To check if a COM has been tested previously, utilize the COM Search Tool on the Website > Design Resources > Textiles & Finishes section using the following information:

- COM Supplier's Name
- Fabric Pattern Name
- Color Name
- If the COM fabric has been tested and previously approved, the COM will not need to be re-tested unless testing standards have changed, fabric is to be used on a different series, or direction of the fabric has changed from what was previously approved. Please note that Panel product must be approved for each model and color.
- If the pattern has previously been tested and approved, but not in the specific requested color, the customer will need to request an order code for that color only. No further testing will be necessary since the pattern has already been approved.

If the fabric has not previously been tested, the customer must enter the COM request on the Website > Textiles & Finishes > COM Search Tool.

Complete the Supplier Name, Pattern, and Color drop-down fields. For quicker results in these fields, type the first letter of the (supplier, pattern, color) name and, when done, click Add and then Submit. (Multiple series can be added to the same request if they are the same supplier, pattern, and color.)

An email will be sent to the requestor stating the COM Request was successfully submitted. Up to four emails could be received: submitted, in testing, testing materials requested, and final approval/denial with price grade and fabric code. The testing process takes approximately 48 hours.

COM yardage in the pricer is shown as pattern cut only.

## COM TESTING — FLAMMABILITY TESTING INFORMATION

The customer is responsible for ensuring that the COM fabric is certified to meet all flame-retardant requirements. All COM seating fabric must, at minimum, meet CAL 117 requirements. If the customer requires the chair be tested to meet the fire safety standards of CAL 133, additional testing and information is required.

## MTS COM

As previously mentioned, MTS is the primary COM method.

If the COM fabric has not been tested, a COM request must be submitted on the Website.

For MTS orders, The HON Company will procure fabric needed for production. Should The HON Company not be able to obtain fabric yardage, the customer will be contacted.

# CUSTOMER'S OWN MATERIAL ORDERING INFORMATION

When testing has been completed, the customer will be notified by the COM team of the test results. If the COM is approved, The HON Company will provide a COM tracking order code for MTS. That tracking code is required on the order in place of the standard fabric code.

If approved, MTS product will be assigned an appropriate fabric grade for pricing. The pricing can be found on the Website > Design Resources > Textiles & Finishes. (All standard discounts/competitive project pricing applies).

Written COM price quotes are valid for 90 days after the issue date.

## DTS COM

DTS COM is only available if the COM fabric cannot be procured by The HON Company. If the fabric can be procured by The HON Company, the customer will be contacted to switch to MTS or cancel the request.

If your fabric is not listed as approved, and it is not a Partnership fabric you may request a "Dealer to Supply" code. Select the "Request COM Test" link on the COM Search website. Complete the Supplier Name, Pattern, and Color drop-down fields. For quicker results in these fields, type the first letter of the (supplier, pattern, color) name and, when done, click Add and then Submit. (Multiple series can be added to the same request if they are the same supplier, pattern, and color.)

An email will be sent to the requestor stating the COM Request was successfully submitted. Up to four emails could be received: submitted, in testing, testing materials requested, and final approval/denial with price grade and fabric code. It's rare actual test yardage is required. Testing is mainly done by reviewing the attributes of the fabric. The testing process takes approximately 48 hours.

If the COM has not been tested, a COM request must be submitted on the Website > Design Resources > Textiles & Finishes.

When testing has been completed, the customer will be notified by the COM team of the test results. If the COM is approved, The HON Company will provide a COM tracking order code. That tracking code is required on the order in the place of the standard fabric code.

DTS product is priced at the following grades (all standard discounts/competitive project pricing applies):

- Chairs are a Grade 4
- Panel product is a Grade D

Written COM price quotes are valid for 90 days after the issue date.

## COM LEAD TIME

Ship dates will be based on fabric receipt and The HON Company's standard lead time. All fabric must be properly tagged and shipped to the appropriate producing location (provided in the approval email).

- Specific to DTS orders, COM orders will not receive a ship (acknowledged) date until The HON Company has the fabric in its possession for production.
- Specific to DTS orders, the customer may send the required yardage for the order to the address listed on the approval email to arrive no sooner than 4 weeks in advance of the acknowledgment date.

HON will make every effort to locate mis-directed COM shipments on behalf of the customer. However, The HON Company will not be responsible for any COM received without a tracking number or incorrectly shipped by the fabric vendor to an incorrect producing facility.

## COM ORDERING INFORMATION

The following information must appear on or accompany the product purchase order:

- Approval tracking number and the customer's purchase order number
- COM supplier, pattern, and color name/number

The packing list for the COM must include the following information when The HON Company receives the shipment for production:

- Dealer or Wholesaler Name
- Purchase order number submitted to The HON Company
- Fabric name
- Yardage shipped
- Approval ordering code

Specific to DTS orders; the customer should send only the amount needed for the order. Excess yardage or yardage not tied to an order will be disposed of at The HON Company.

## CHANGES TO COM PRODUCT

Once a COM product is ordered, no changes or cancellations can be made to the COM product without approval from the HON COM team.

## CONTACT COM TEAM

Phone: 800.833.3964 and listen for COM TEAM offering on the menu.

COM Email: HONCOMTeam@honcompany.com

# PARTNERSHIP TEXTILE INFORMATION

Partnership Textiles is the result of The HON Company's partnership with textile industry leaders Camira, HBF Textiles, Maharam, Momentum, Stinson, and Ultrafabrics, LLC. The extensive collection of design-driven textiles create a superior offering at a great value. Partnership Textiles significantly updates HON's offering, expanding it with fresh and exciting options.

- Fabric Warranty: Partnership Textiles are covered by HON's Full Lifetime Warranty.
- Lead Times: Orders specified with Partnership Textiles will be acknowledged based on the supplier's availability and delivery schedule.
- Availability: The HON Company will regularly introduce new Partnership Textiles and reserves the right to change the offering at any time.
- Fabric Cards: A curated set of Partnership Textiles are carded jointly by HON and the supplier.

Camira

- Blazer

HBF Textiles*

- Cloverleaf
- Denim Wash
- Everyday Textiles II
- Everyday Textures

*HBF Textiles patterns are graded in to HON's offering.

Maharam

- Apt
- Bluff
- Collection 1
- Lariat
- Meld
- 6M

Mayer

- On Point
- Traverse

Momentum

- Chroma
- Jumpstart
- Nexus
- Smart Fusion

Stinson

- Elevate II

Ultrafabrics, LLC

- Brisa

Fabric Memo Samples: Please contact the supplier directly:
Camira: memos@camirafabrics.com
HBF Textiles: Phone: +1 (877) 494-5727, orders@hbftextiles.com
Maharam: (800) 645-3943
Mayer Fabrics: mayerfabrics.com (800) 428-4415
Momentum: customerservice@momtex.com (800) 366-6839
Stinson: (800) 841-6279
Ultrafabrics: (877) 309-6648

## HON BRANDED, PARTNERSHIP AND COM PATTERN MATCH

- Pattern matching provides alignment of patterns or stripes across individual chair surfaces. Additional yardage may be required depending on pattern repeat. If Pattern Match is needed, please contact HON Customer Support/Tailored Solutions.
- Chair to Chair Pattern Match provides identical pattern alignment from unit to unit and is available with an upcharge. Chair to Chair Pattern Match is reviewed on a case by case basis as several factors are reviewed to determine additional yardage required, including repeat and pattern direction. If Chair to Chair Pattern Match is needed, please contact HON Customer Support/Tailored Solutions.



# PAINT PROGRAM

The HON Company has established paint grades to allow customers flexibility and ease in doing business with HON. HON has three paint grades P1, P2, and P3.

## P1 PAINT COLORS

HON has established P1 paints which are available on a majority of core products.

## P2 PAINT COLORS

Please see individual pricer pages for eligible series and upcharges for P2 paints. P2 paints are listed in the pricer pages under the column P2. Upcharges vary by product (all standard discounts/competitive project pricing applies). No minimum quantity required.

## P3 PAINT COLORS

Please see individual pricer pages for eligible series and upcharges for P3 paints. P3 paints are listed in the pricer pages under the column P3. Upcharges vary by product (all standard discounts/competitive project pricing applies). No minimum quantity required.

## SPECIAL PAINT COLORS (P4-P6)

With The HON Company's state of the art color matching equipment just about any color can be matched, excluding some metallic and whites. A sample of the exact color desired is required for matching and approval.

- For each newly requested paint, a net fee of $250 will be charged to cover costs associated with the matching process.
- For existing, previously matched paints, there is no matching fee, however there is a $100 net fee for sample panels required for the approval process. Refer to MyProjects on the HON Portal for a list of approved special paints.

For all special paint requests, HON will send a production sample for the customer to review and approve. Once the signed paint sample is received at HON the order can be entered. Upcharges vary by product (all standard discounts/competitive project pricing applies). A quantity of 10 like-model minimum order is required for special paints. For complete program details, access Tailored Solutions on the Website at hon.com.

Some special colors could fall outside of this program due to production costs or not meeting HON quality standards. The HON Company may apply additional charges to some colors which are costly to apply, and deny some orders on colors that cannot meet our high-quality standards. We will notify the customer upon completion of our evaluation if a change in price is required or if the request is denied.

# HON
# OPEN LINE LAMINATE PROGRAM

The Open Line Laminate (OLL) program makes it even easier for a customer to tailor their HON product for a custom look. Select HON furniture products accommodate hundreds of graded-in high-pressure laminates (HPL) from the leading laminate manufacturers' open lines.

Laminates that are currently available in the program can be viewed in specification tools.

Requests to add laminates to the standard specials program can be submitted through the CET Specials Integration tool as well as Community.

Matching edge options are not available offered for laminates in the OLL program. When selecting a laminate please select an edge option from the HON standard offering. If a matching edge is required a modification request can be submitted through the CET Specials Integration tool as well as Community.

The OLL program is available with the following HON products and series:

- Abound® Hard-Surface Tiles
- Birk™ Tables
- Build™ Tables
- Coordinate™ Worksurfaces
- Gallery Panels
- Huddle Tables
- Preside® Tops
- Sculpt™/Occasional Tables
- SmartLink® Value Teacher Desk
- Systems Worksurfaces
- Tangram™
- Universal Screens

Due to manufacturing techniques, materials, quality issues of varying laminates, and minimum order quantities, some product exclusions will apply and some requests may be declined.

Extended lead times may apply on orders containing special laminates.

Contact the Tailored Products Group for questions or additional information regarding pre-approved laminates and pricing.

**HON**
Phone: 888-255-7833, Option 4.5
Email: HONSpecials@honcompany.com

For edgeband recommendations from the HON standard offering, please email the HNI Workplace Colors, Materials, and Finishes team at honfinishes@honcompany.com.

For laminate samples, please contact the manufacturer directly:

**Wilsonart**
https://www.wilsonart.com/
1-800-433-3222

**Formica**
https://www.formica.com/en-us/
1-800-FORMICA (367-6422)

**Nevamar and Pionite**
https://www.panolam.com
877-726-6526

# ENVIRONMENTAL STATEMENT

We continually reevaluate our purpose and processes, from fostering transparency and circularity in our supply chain to empowering our members to do and be better. We do it so the environments you create will be safer, more socially responsible, and more sustainable.

We've pursued product certifications to help communicate our commitment to developing sustainable products.

## Clearing the air.

In 2006, The HON Company became one of the first office furniture manufacturer to have products certified under the Indoor Advantage™ program. Virtually all manufactured products emit chemical compounds into the air. Indoor Advantage™ certification helps assure customers that certified products will help improve the air quality within their offices and workspaces.

Developed by SCS Global Services, Indoor Advantage™ evaluates products against indoor air quality standards, like ANSI/BIFMA Furniture Emissions Standard, M7.1/X7.1 and CDPH Standard Method v1.1. The ANSI/BIFMA X7.1 standard allows manufacturers to test individual components, as well as complete products for emissions from volatile organic compounds (VOCs). This allows us to identify problematic materials and phase them out of our products.

Indoor Advantage™ certified products meet the LEED and WELL criteria for low-emitting materials.

Indoor Advantage™ offers two levels of certification, including Indoor Advantage™ and Indoor Advantage™ Gold.

## On the LEVEL®.

LEVEL®, the certification program for the BIFMA e3 Sustainability Standard, was developed in response to increasing demand for proof that manufacturers were living up to their environmental claims. LEVEL® is a multi-attribute sustainability certification label for products that have met criteria in four categories of impact: Materials, Energy and Atmosphere, Human and Ecosystem Health, and Social Responsibility.

HON's products are certified to LEVEL 2 and LEVEL 3, the highest achievement. BIFMA LEVEL 2 and LEVEL 3 certified products can contribute to LEED and WELL projects.

## Evaluating Our Impacts.

HON has begun studying the impacts our products have on the environment through lifecycle assessments and creating Environmental Product Declarations (EPDs). EPDs provide an understandable report of a product's environmental impact throughout its life cycle; including raw material extraction and processing, product assembly, distribution and use, and end-of-life.

Products that meet these specifications are identified throughout this publication with the following icons:

Certified SCS Indoor Advantage™

LEVEL® certified to the BIFMA e3 Sustainability Standard

Environmental Product Declarations



# IMPORTANT INFORMATION

## HON NOW™

### SUPERIOR OFFICE SOLUTIONS AT THE SPEED YOU NEED

To keep your business at peak productivity, waiting is not always an option. The HON NOW™ Quickship program was designed for movers and shakers like you who want exceptional quality, durability, and versatility without compromising valuable time. Whether you're outfitting a brand new workspace or simply expanding the one you already have, we've got a variety of dependable and supportive office furniture solutions designed to fit your needs and your schedule — in a hurry, without the hassle.

To learn more, visit hon.com/hon-now.

## GSA/FEDERAL CONTRACT INFORMATION

Model numbers identified with the following verbiage "When purchased separately without a configurable TAA compliant end product, not on GSA contract" is to mean that these configurable parts or components:

- Have no functionality or capability without being integrated into an end product; and
- Are considered Open Market if purchased without a configurable TAA compliant end product.

## ITEMS ON GSA CONTRACT

Please note, in order to verify if an item is on GSA Contract or is "Open Market," please use Compass quoting which is updated in real time with all GSA contract changes. If you need additional assistance, please contact your local sales representative.

## HON CUSTOMER SUPPORT CONTACT INFORMATION

**Nationwide CS Phone –** (800) 833-3964

**Nationwide Order Entry –** HONOE@honcompany.com

**GSA Order Entry:** HONGSAOE@honcompany.com

**Integrated Design Solutions –** integrateddesign@honcompany.com

**Online Order and Tool Support –** HONDigitalSupport@honcompany.com

**DASH (transportation and delivery assistance) –** (800) 334-8057

**HON Literature Fulfillment Phone –** (800) 466-4808

**Government Support:**
GovernmentSupport@hniworkplacefurnishings.com

**Product, Parts, Non-Warranty Parts Orders:**
ProductSupport@hniworkplacefurnishings.com

**Quick Ship Orders:** QuickShip@hniworkplacefurnishings.com

**Order Status:** OrderStatus@hniworkplacefurnishings.com

**General Inquiries:** GeneralSupport@hniworkplacefurnishings.com



**Nationwide CS Phone**
**800-833-3964**

# LEGEND

## THE FOLLOWING ICONS MAY BE USED THROUGHOUT THIS PUBLICATION




Meets or exceeds ANSI/BIFMA and ISTA performance standards



Certified SCS Indoor Advantage™
See page 17 for more details.




Complies to the BIFMA e3 Sustainability Standard.
See page 17 for more details.



Caution




Easy to assemble




Shippable by small-package carrier



Wheel-chair compatible



Soft-tread caster option available




HON “One Key” Interchangeable core removable locks (see page 673)



Omit core removable lock option available. Allows keyed alike workstations (see page 673).



Base models available on the HON NOW Quickship Program with select options and finishes. View the entire NOW collection at hon.com.



Readily Available. For additional lead time information see page 21.



Available within a “standard” or “extended” lead time. For additional lead time information see page 21.



May have extended lead times. For additional lead time information see page 21.




Product shipped two to a carton




Product shipped four to a carton



Fire Code



Product scheduled for discontinuation. See page 6 for details.




**DE-EMPHASIZED:** Product or fabric/surface material is de-emphasized. Not carded.




Warranted for multiple shift use, 24 hours a day 7 days a week

# FABRIC PATTERNS & CODES



**FABRIC PATTERNS & CODES**

- For additional HON to Supply COM fabric grade pricing, go to **hon.com** and search on the HON to Supply COM link.
- All specifications in this publication are based on the latest product information available at the time of print.
- Certain dyes (including clothing and accessory dyes such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. The HON Company LLC does not assume responsibility for dye transfer caused by external contaminants.
- COM Ordering Information and pricing on page 13.
- See page 14 for Partnership Textile program information.
- All standard fabrics are carded. Cards are available through HON Literature Fulfillment.
- Fabrics and foam meet requirements for CAL-TB 117-2013.

! Different fabrics and finishes have different recommended cleaning and maintenance methods. For the correct product care for all finishes view the HON Product Care guide at **hon.com/customer-support/product-care**.

# LEAD TIMES

## THE FOLLOWING ICONS ARE USED TO DENOTE FABRIC OPTION LEAD TIMES

### FABRIC/FINISH LEAD TIME INDICATOR



Fabric is readily available. Products using these fabrics will receive the best available product lead time and are a good option for standards programs as they will be in the HON portfolio for several years. Go to **hon.com** and use **Compass** for product lead times by series.



Fabric is available within standard lead times. Products using these fabrics will receive a “standard” or “extended” lead time. The lead time will be determined by the combination of product and fabric. Go to **hon.com** and use **Compass** for product lead times by series.



Fabric may have extended lead times. Products using these fabrics will typically have a 4+ week lead time. Go to **hon.com** and use the **Compass** tool for product lead times by series.

### HON EXPRESS QUICK SHIP PROGRAM

For the full list of products delivered in 5 business days or less, visit **hon.com**.

### PRODUCT LEAD TIMES

Standard lead times for products are between 2-4 weeks. For current exceptions to our standard lead time, go to **hon.com** and use the **Compass** tool.

In order to establish accurate expectations for your project, please review this listing prior to submitting your purchase order.

Lead time calculation begins when order is free from any holds (i.e., bad lines, material, credit, etc.).

Please note, these production lead time estimates do NOT include delivery time. All published lead times are estimates, not guarantees of delivery.

For further information concerning lead times, please contact HON Customer Support via email **generalsupport@hniworkplacefurnishings.com** or by phone at **800-833-3964**.

# SEATING FABRIC PATTERNS & CODES

Scan here to check out our full Chair Fabrics solutions

## GRADE 1

| APEX | APX |
|---|---|
| Basalt | APX25 |
| Beet | APX12 |
| Blackberry | APX20 |
| Chive | APX05 |
| Iris | APX03 |
| Kiwi | APX06 |
| Lemonade | APX08 |
| Navy | APX13 |
| Papaya | APX09 |
| Pumice | APX23 |
| Rain | APX19 |
| Resort | APX15 |
| Royal | APX14 |
| Tiki | APX29 |
| Tomato | APX11 |

| BLACK FABRIC | ACCF |
|---|---|
| Black | ACCF10 |

| BLACK MESH | ACCM |
|---|---|
| Black | ACCM10 |

| CENTURION | CU |
|---|---|
| Apricot | CU47 |
| Bark | CU25 |
| Black | CU10 |
| Espresso | CU49 |
| Fog | CU03 |
| Frost | CU22 |
| Goldenrod | CU27 |
| Indigo | CU06 |
| Iris | CU50 |
| Iron Ore | CU19 |
| Jade | CU83 |
| Marsala | CU63 |
| Morel | CU24 |
| Navy | CU98 |
| Peacock | CU97 |
| Pear | CU84 |
| Ruby | CU67 |
| Sapphire | CU09 |

| COMPASS | COMP |
|---|---|
| Beach | COMP16 |
| Bittersweet | COMP46 |
| Chocolate | COMP49 |
| Ink | COMP10 |
| Meadow | COMP82 |
| Midnight | COMP90 |
| Putty | COMP22 |
| Ruby | COMP62 |
| Sterling | COMP19 |
| Taupe | COMP26 |
| Tide | COMP96 |

## GRADE 1 *continued*

| COMPASS FOAM* | COMF |
|---|---|
| Bittersweet | COMF46 |
| Ink | COMF10 |
| Meadow | COMF82 |
| Midnight | COMF90 |
| Putty | COMF22 |
| Sterling | COMF19 |

**This fabric available for Solve® Upholstered Back models only.*

| CONTOURETT | UR |
|---|---|
| Baltic | UR94 |
| Beach | UR23 |
| Black | UR10 |
| Bordeaux | UR63 |
| Buff | UR22 |
| Cloud | UR18 |
| Coffee Bean | UR49 |
| Crater | UR51 |
| Flame | UR62 |
| Graphite | UR19 |
| Iron | UR20 |
| Luggage | UR26 |
| Marine | UR92 |
| Navy | UR95 |
| Nimbus | UR93 |
| Ocean | UR96 |
| Pumpkin | UR42 |
| Quarry | UR24 |
| Red | UR64 |
| Safari | UR27 |
| Sage | UR82 |
| Steel | UR21 |
| Storm | UR17 |
| Taupe | UR28 |
| Trunk | UR50 |

| DAPPER | DAPR |
|---|---|
| Ash | DAPR20 |
| Breeze | DAPR06 |
| Canvas | DAPR25 |
| Charcoal | DAPR01 |
| Clover | DAPR22 |
| Currant | DAPR00 |
| Fawn | DAPR35 |
| Fern | DAPR85 |
| Gerbera | DAPR16 |
| Grape | DAPR33 |
| Jewel | DAPR08 |
| Marigold | DAPR65 |
| Onyx | DAPR10 |
| Orchid | DAPR90 |
| Parrot | DAPR59 |
| Poppy | DAPR19 |
| Sapphire | DAPR07 |
| Scarlet | DAPR45 |

## GRADE 1 *continued*

| DAPPER *continued* | DAPR |
|---|---|
| Sepia | DAPR30 |
| Sky | DAPR44 |
| Slate | DAPR15 |
| Sorbet | DAPR55 |
| Spring | DAPR80 |
| Terracotta | DAPR13 |
| Titanium | DAPR17 |
| Varsity | DAPR09 |
| Zest | DAPR70 |

| EMPHASIS | EMP |
|---|---|
| Denim | EMP14 |
| Evergreen | EMP09 |
| Fog | EMP04 |
| Garnet | EMP07 |
| Gemstone | EMP15 |
| Graphite | EMP02 |
| Greenery | EMP10 |
| Marsh | EMP11 |
| Navy | EMP13 |
| Obsidian | EMP01 |
| Parchment | EMP16 |
| Persimmon | EMP08 |
| River | EMP12 |
| Suit | EMP03 |
| Tweed | EMP05 |
| Twine | EMP06 |

| ENSEMBLE | ENSB |
|---|---|
| Aquamarine | ENSB30 |
| Ash | ENSB39 |
| Greige | ENSB36 |
| Harbor | ENSB34 |
| Navy | ENSB35 |
| Oat | ENSB37 |
| Pear | ENSB33 |
| Sand | ENSB38 |
| Scarlet | ENSB32 |
| Slate | ENSB31 |
| Stone | ENSB40 |

| HAMILTON | HAML |
|---|---|
| Agave | HAML28 |
| Azure | HAML10 |
| Biscotti | HAML11 |
| Cabernet | HAML08 |
| Caribbean | HAML29 |
| Carolina | HAML21 |
| Charcoal | HAML17 |
| Chocolate | HAML13 |
| Cloud | HAML18 |
| Dane | HAML16 |
| Deep | HAML27 |
| Dove Grey | HAML33 |
| Dusty Rose | HAML07 |
| Esmeralda | HAML06 |
| Fern | HAML04 |
| Fresh | HAML03 |

## GRADE 1 *continued*

| HAMILTON *continued* | HAML |
|---|---|
| Garnet | HAML22 |
| Granola | HAML19 |
| Hearth | HAML34 |
| Lilac | HAML14 |
| Lime | HAML05 |
| Lipstick | HAML09 |
| Mellow | HAML25 |
| Mossy Green | HAML26 |
| Oxford | HAML20 |
| Passion Fruit | HAML02 |
| Pepper | HAML15 |
| Powder | HAML12 |
| Royalty | HAML31 |
| Serene | HAML30 |
| Sunny Day | HAML24 |
| Sunrise | HAML01 |
| Terracotta | HAML23 |
| Winter Sky | HAML32 |

| INERTIA ✱ | NR |
|---|---|
| Amethyst | NR61 |
| Calypso | NR98 |
| Cherry | NR66 |
| Cobalt | NR91 |
| Coffee | NR49 |
| Fog | NR19 |
| Fuchsia | NR63 |
| Gecko | NR76 |
| Glow | NR27 |
| Leaf | NR75 |
| Lime | NR82 |
| Loft | NR22 |
| Mandarin | NR47 |
| Meteor | NR30 |
| Mustard | NR26 |
| Nickel | NR23 |
| Onyx | NR10 |
| Regatta | NR90 |
| Shadow | NR20 |
| Surf | NR96 |
| Tangelo | NR46 |

| NOBLE SEATING | SNBLE |
|---|---|
| Aegean | SNBLE18 |
| Amethyst | SNBLE19 |
| Aspen | SNBLE14 |
| Aster | SNBLE20 |
| Blossom | SNBLE21 |
| Bluebell | SNBLE22 |
| Bordeaux | SNBLE01 |
| Brick | SNBLE02 |
| Chambray | SNBLE10 |
| Chamomile | SNBLE23 |
| Clementine | SNBLE04 |
| Conifer | SNBLE24 |
| Cottage | SNBLE25 |
| Darkness | SNBLE26 |
| Dawn | SNBLE13 |
| Denim | SNBLE09 |
| Desert Sand | SNBLE27 |

✱ Fabric is de-emphasized.

Scan here to check out our full Chair Fabrics solutions

# SEATING FABRIC PATTERNS & CODES

## GRADE 1 *continued*

| NOBLE SEATING *continued* | SNBLE |
|---|---|
| Dewfall | SNBLE28 |
| Dusted Sage | SNBLE29 |
| Flax | SNBLE30 |
| Grass | SNBLE07 |
| Gunmetal | SNBLE15 |
| Harmony | SNBLE31 |
| Harvest | SNBLE12 |
| Ice Caves | SNBLE32 |
| Icicle | SNBLE33 |
| Inky | SNBLE34 |
| Iris | SNBLE35 |
| Jade | SNBLE06 |
| Knight | SNBLE17 |
| Mesa | SNBLE03 |
| Monarch | SNBLE36 |
| Pacific | SNBLE08 |
| Pitch | SNBLE37 |
| Queen Bee | SNBLE38 |
| Rainforest | SNBLE05 |
| Regal | SNBLE11 |
| Sandcastle | SNBLE39 |
| Sedona | SNBLE40 |
| Stormy | SNBLE16 |
| Sunbeam | SNBLE41 |
| Voyager | SNBLE42 |
| Windy Day | SNBLE43 |

| PEBBLE | PBLE |
|---|---|
| Amber | PBLE01 |
| Chalk | PBLE02 |
| Coal | PBLE03 |
| Gravel | PBLE04 |
| Magma | PBLE06 |
| Moss | PBLE05 |
| Sandstone | PBLE07 |
| Talc | PBLE08 |
| Topaz | PBLE09 |
| Zircon | PBLE10 |

| VIBE | VIBE |
|---|---|
| Bliss | VIBE03 |
| Calm | VIBE06 |
| Carefree | VIBE08 |
| Cheerful | VIBE17 |
| Compassion | VIBE01 |
| Connected | VIBE13 |
| Content | VIBE19 |
| Courage | VIBE12 |
| Dazed | VIBE21 |
| Delight | VIBE18 |
| Euphoria | VIBE15 |
| Gleeful | VIBE04 |
| Gloomy | VIBE22 |
| Hope | VIBE07 |
| Moody | VIBE05 |
| Nostalgia | VIBE09 |
| Perplexed | VIBE10 |
| Pride | VIBE02 |
| Relaxed | VIBE20 |

## GRADE 1 *continued*

| VIBE *continued* | VIBE |
|---|---|
| Secure | VIBE16 |
| Serenity | VIBE11 |
| Trust | VIBE14 |

## GRADE 2

| APPOINT SEATING | PNS |
|---|---|
| Artichoke | PNS014 |
| Blackberry | PNS012 |
| Bronze | PNS002 |
| Carbon | PNS008 |
| Chai | PNS013 |
| Cherry | PNS010 |
| Dark Pewter | PNS017 |
| Dune | PNS015 |
| Espresso | PNS003 |
| Framboise | PNS011 |
| Frost | PNS034 |
| Jet | PNS007 |
| Lawn | PNS005 |
| Mandarin | PNS009 |
| Morel | PNS001 |
| Nimbus | PNS016 |
| Platinum | PNS004 |
| Turquoise | PNS006 |

| BLUME | BLME |
|---|---|
| Chalk | BLME03 |
| Char | BLME00 |
| Coin | BLME02 |
| Driftwood | BLME05 |
| Emerald City | BLME07 |
| Fir | BLME09 |
| Harvest | BLME04 |
| Haze | BLME08 |
| Hyacinth | BLME14 |
| Jasper | BLME13 |
| Merlot | BLME10 |
| Moonstone | BLME01 |
| Opal | BLME06 |
| Scarlet | BLME11 |
| Slate | BLME12 |

| CLYDE | CLYD |
|---|---|
| Antique | CLYD04 |
| Artifact | CLYD01 |
| Blacksmith | CLYD10 |
| Claret | CLYD13 |
| Craftsman | CLYD08 |
| Crate | CLYD12 |
| Fossil | CLYD02 |
| Heirloom | CLYD05 |
| Iron | CLYD11 |
| Keepsake | CLYD15 |
| Linen | CLYD14 |
| Relic | CLYD06 |
| Seasoned | CLYD03 |
| Trestle | CLYD07 |

## GRADE 2 *continued*

| DOTTY ✱ | DOT |
|---|---|
| Candy | DOT63 |
| Gelato | DOT34 |
| Indigo | DOT31 |
| Onyx | DOT35 |
| Park | DOT83 |
| Peat | DOT24 |
| Peony | DOT32 |
| Suit | DOT20 |
| Sunflower | DOT33 |
| Tailor | DOT21 |
| Tide | DOT90 |
| Velum | DOT29 |
| Violet | DOT30 |

| HAUTE | HAU |
|---|---|
| Caviar | HAU01 |
| Char | HAU04 |
| Foggy | HAU06 |
| Kelp | HAU0 |
| Night Light | HAU07 |
| Sanderling | HAU05 |
| Toadstool | HAU02 |
| Weathered | HAU03 |

| KAI | KAI |
|---|---|
| Algae | KAI07 |
| Barnacle | KAI19 |
| Clownfish | KAI04 |
| Coastal | KAI13 |
| Conch | KAI02 |
| Coral Reef | KAI16 |
| Crab | KAI01 |
| Ebb | KAI12 |
| Flow | KAI11 |
| Inlet | KAI03 |
| Jellyfish | KAI18 |
| Kelp | KAI08 |
| Orca | KAI26 |
| Otter | KAI22 |
| Puffer | KAI06 |
| Salty | KAI23 |
| Seahorse | KAI05 |
| Seashell | KAI20 |
| Seaweed | KAI09 |
| Shark | KAI24 |
| Shoreline | KAI21 |
| Stingray | KAI25 |
| Tide | KAI14 |
| Turtle | KAI10 |
| Urchin | KAI17 |
| Wave | KAI15 |

## GRADE 2 *continued*

| RUSH | RUSH |
|---|---|
| Anchor | RUSH07 |
| Basil | RUSH16 |
| Blueberry | RUSH10 |
| Blue Sky | RUSH57 |
| Browned Butter | RUSH25 |
| Cherry Pie | RUSH40 |
| Cinnamon Sugar | RUSH35 |
| Dried Herb | RUSH62 |
| Flamingo | RUSH21 |
| Forest Green | RUSH67 |
| Greenery | RUSH15 |
| Greyhound | RUSH06 |
| Marina | RUSH13 |
| Merlot | RUSH19 |
| Midnight | RUSH11 |
| Mint | RUSH09 |
| Mulberry | RUSH18 |
| Obsidian | RUSH90 |
| Petals | RUSH77 |
| Pumice | RUSH01 |
| Punch | RUSH20 |
| Rain Drop | RUSH54 |
| Rush Smoke | RUSH84 |
| Sage | RUSH14 |
| Salsa | RUSH24 |
| Sand | RUSH05 |
| Seal | RUSH08 |
| Slate | RUSH89 |
| Soot | RUSH02 |
| Stout | RUSH03 |
| Sunshine | RUSH23 |
| Tapestry | RUSH04 |
| Tiger | RUSH22 |
| Vintage | RUSH17 |
| Wave | RUSH12 |

| SPIN SEATING | SPNN |
|---|---|
| Alabaster | SPNN02 |
| Cavern | SPNN03 |
| Cobblestone | SPNN04 |
| Ember | SPNN06 |
| Flame | SPNN07 |
| Heron | SPNN13 |
| Oat | SPNN01 |
| Ocean | SPNN12 |
| Plum | SPNN15 |
| Pool | SPNN11 |
| Raven | SPNN10 |
| Rhubarb | SPNN14 |
| Tropic | SPNN08 |
| Willow | SPNN05 |

✱ Fabric is de-emphasized.

# SEATING FABRIC PATTERNS & CODES

Scan here to check out our full Chair Fabrics solutions

## GRADE 2 *continued*

| WAVELENGTH | WVL |
|---|---|
| Base | WVL21 |
| Crest | WVL14 |
| Cycle | WVL20 |
| Energy | WVL03 |
| Frequency | WVL04 |
| Infrared | WVL01 |
| Motion | WVL13 |
| Movement | WVL05 |
| Peak | WVL11 |
| Pressure | WVL06 |
| Shallow | WVL02 |
| Still | WVL07 |
| Surface | WVL18 |
| Surge | WVL10 |
| Swell | WVL08 |
| Tide | WVL16 |
| Transition | WVL15 |
| Trough | WVL19 |
| Tsunami | WVL09 |
| Ultraviolet | WVL12 |
| White Caps | WVL17 |

| WHISPER VINYL | WP |
|---|---|
| Antelope | WP20 |
| Auburn | WP02 |
| Black | WP40 |
| Bone | WP17 |
| Bordeaux | WP26 |
| Breeze | WP76 |
| Camel | WP18 |
| Cappuccino | WP21 |
| Cashew | WP29 |
| Cerulean | WP36 |
| Charcoal | WP39 |
| Cinnamon | WP25 |
| Coastal | WP81 |
| Cognac | WP62 |
| Elephant | WP38 |
| Emerald | WP80 |
| Espresso | WP49 |
| Farro | WP73 |
| Fawn | WP91 |
| Fog | WP100 |
| Fossil | WP01 |

## GRADE 2 *continued*

| WHISPER VINYL *continued* | WP |
|---|---|
| Herbal | WP79 |
| Indigo | WP86 |
| Islet | WP77 |
| Luggage | WP23 |
| Mahogany | WP93 |
| Mallard | WP90 |
| Molten | WP98 |
| Navy | WP37 |
| Paradise | WP85 |
| Patina | WP34 |
| Pavestone | WP74 |
| Pearl | WP71 |
| Pewter | WP83 |
| Powder | WP70 |
| Saddle | WP03 |
| Salsa | WP42 |
| Sand | WP72 |
| Sassafras | WP89 |
| Silver Leaf | WP78 |
| Slate | WP04 |
| Storm | WP92 |
| Terracotta | WP75 |
| Truffle | WP95 |
| Wolf Grey | WP55 |

## GRADE 3

| BRADBURY | BDY |
|---|---|
| Acorn | BDY01 |
| Alabaster | BDY02 |
| Aspire | BDY03 |
| Blueberry | BDY04 |
| Carbon | BDY05 |
| Concord | BDY06 |
| Cozumel | BDY07 |
| Dolphin | BDY08 |
| Gala | BDY09 |
| Honey | BDY10 |
| Mushroom | BDY11 |
| Mystic | BDY12 |
| Oat | BDY13 |
| Rhino | BDY14 |
| Scallion | BDY15 |
| Sidewalk | BDY16 |
| Terrazzo | BDY17 |
| Vellum | BDY18 |
| Walnut | BDY19 |

## GRADE 3 *continued*

| GETAWAY | GTWY |
|---|---|
| Brig | GTWY15 |
| Canoe | GTWY03 |
| Catamaran | GTWY08 |
| Cruise Ship | GTWY10 |
| Cuddy | GTWY01 |
| Ferry | GTWY11 |
| Gondola | GTWY02 |
| Jet Ski | GTWY09 |
| Kayak | GTWY05 |
| Pontoon | GTWY13 |
| Runabout | GTWY14 |
| Sailboat | GTWY07 |
| Speedboat | GTWY12 |
| Wakeboard | GTWY06 |
| Yacht | GTWY04 |

| MOXIE | SX |
|---|---|
| Barnwood | SX09 |
| Basalt | SX23 |
| Bayou | SX02 |
| Bermuda | SX52 |
| Biscotti | SX08 |
| Blackberry | SX48 |
| Blarney | SX49 |
| Blueberry | SX05 |
| Bonsai | SX20 |
| Brigade | SX53 |
| Butterscotch | SX54 |
| Carob | SX24 |
| Chalk | SX50 |
| Chartreuse | SX34 |
| Cherry | SX38 |
| Cinnamon | SX13 |
| Cobalt | SX01 |
| Coconut | SX06 |
| Concrete | SX43 |
| Cozumel | SX55 |
| Cumin | SX32 |
| Dover | SX56 |
| Dragonfly | SX44 |
| Earl Grey | SX40 |
| Elysian | SX04 |
| Evergreen | SX21 |
| Fatigue | SX18 |
| Fawn | SX30 |
| Flint | SX39 |
| Forsythia | SX57 |
| Grenache | SX58 |
| Hazel | SX31 |
| Hemp | SX45 |
| Hickory | SX25 |
| Holly | SX51 |
| Jam | SX16 |
| Kelly | SX33 |
| Lemongrass | SX19 |

## GRADE 3 *continued*

| MOXIE *continued* | SX |
|---|---|
| Lime | SX41 |
| Macintosh | SX12 |
| Midnight | SX59 |
| Mulberry | SX15 |
| Muslin | SX60 |
| Pacifica | SX61 |
| Parchment | SX07 |
| Peacock | SX03 |
| Phantom | SX62 |
| Pineapple | SX42 |
| Plum | SX17 |
| Punch | SX46 |
| Riverstone | SX47 |
| Russet | SX14 |
| Smokestack | SX22 |
| Tangerine | SX37 |
| Terracotta | SX11 |
| Thicket | SX35 |
| Walnut | SX10 |
| Whirlwind | SX63 |

| NOTION | NTN |
|---|---|
| Agave | NTN01 |
| Bark | NTN02 |
| Beeswax | NTN03 |
| Carbon | NTN04 |
| Cassis | NTN05 |
| Cement | NTN06 |
| Char | NTN07 |
| Chroma | NTN08 |
| Dockside | NTN09 |
| Drifter | NTN10 |
| Fog | NTN11 |
| Fountain | NTN12 |
| Fox | NTN13 |
| Grassland | NTN14 |
| Henna | NTN15 |
| Horizon | NTN16 |
| Ivy | NTN17 |
| Linen | NTN18 |
| Mykonos | NTN19 |
| Peat | NTN20 |
| Poppy | NTN21 |
| Rockfall | NTN22 |
| Sandwash | NTN23 |
| Stoneware | NTN24 |
| Sumac | NTN25 |
| Twilight | NTN26 |

For a complete list of fabrics, including partnership fabrics, go to hon.com/fabricsandfinishes.

Scan here to check out our full Chair Fabrics solutions

# SEATING FABRIC PATTERNS & CODES

## GRADE 3 *continued*

| PARKER | PRKR |
|---|---|
| Aloe | PRKR01 |
| Cumulus | PRKR05 |
| Cyan | PRKR06 |
| Domino | PRKR07 |
| Fossil | PRKR10 |
| Graphite | PRKR11 |
| Grass | PRKR12 |
| Grenadine | PRKR13 |
| Griffin | PRKR14 |
| Kiln | PRKR16 |
| Magnesium | PRKR18 |
| Magnet | PRKR19 |
| Mica | PRKR20 |
| Mink | PRKR21 |
| Nightfall | PRKR22 |
| Paprika | PRKR24 |
| Pine | PRKR25 |
| Rapids | PRKR28 |
| Rioja | PRKR30 |

| PURL | PURL |
|---|---|
| Alpaca | PURL08 |
| Braid | PURL10 |
| Deep | PURL12 |
| Graze | PURL05 |
| Loom | PURL06 |
| Needle | PURL07 |
| Pasture | PURL02 |
| Ranch | PURL04 |
| Shuttle | PURL09 |
| Skein | PURL01 |
| Thistle | PURL11 |
| Yearling | PURL03 |

| QUILL | QUL |
|---|---|
| Aviary | QUL03 |
| Feather | QUL02 |
| Fountain | QUL06 |
| Ink | QUL05 |
| Metal | QUL04 |
| Reed | QUL08 |
| Scroll | QUL01 |
| Well | QUL07 |

## GRADE 3 *continued*

| SAXONY | SXNY |
|---|---|
| Arctic | SXNY14 |
| Azure | SXNY11 |
| Black | SXNY21 |
| Clover | SXNY06 |
| Cobalt | SXNY12 |
| Emerald | SXNY08 |
| Flare | SXNY02 |
| Fog | SXNY18 |
| Grass | SXNY05 |
| Iron | SXNY20 |
| Lagoon | SXNY07 |
| Lipstick | SXNY01 |
| Mandarin | SXNY03 |
| Navy | SXNY13 |
| Sand | SXNY16 |
| Sea | SXNY10 |
| Shell | SXNY15 |
| Sky | SXNY09 |
| Storm Cloud | SXNY19 |
| Taupe | SXNY17 |
| Zest | SXNY04 |

## GRADE 4

| CONSTANCE WITH SUPREEN™ | CNST |
|---|---|
| Airy | CNST01 |
| Aztec | CNST02 |
| Cassis | CNST03 |
| Copperplate | CNST04 |
| Cornerstone | CNST05 |
| Envy | CNST06 |
| Flagstone | CNST07 |
| Flax | CNST08 |
| Frost | CNST09 |
| Gateway | CNST10 |
| Grounds | CNST11 |
| Hayfield | CNST12 |
| Inkpad | CNST13 |
| Pewter | CNST14 |
| Pistachio | CNST15 |
| Pompeii | CNST16 |
| Poseidon | CNST17 |
| Reflection | CNST18 |
| Scuba | CNST19 |
| Stoic | CNST20 |
| Stonnington | CNST21 |
| Thunder | CNST22 |
| Waterfall | CNST23 |

## GRADE 4 *continued*

| LIVI WITH SUPREEN™ | LIVI |
|---|---|
| Asphalt | LIVI01 |
| Atlantis | LIVI02 |
| Bouquet | LIVI03 |
| Branch | LIVI04 |
| Coastal | LIVI05 |
| Cowboy | LIVI06 |
| Dawn | LIVI07 |
| Earth | LIVI09 |
| Evergreen | LIVI10 |
| Fennel | LIVI11 |
| Fog | LIVI12 |
| Honeycomb | LIVI13 |
| Jade | LIVI14 |
| Limestone | LIVI15 |
| Monochrome | LIVI16 |
| Night | LIVI17 |
| Overcast | LIVI18 |
| Pebble | LIVI19 |
| Pillow | LIVI08 |
| Plum | LIVI20 |
| Pumpkin | LIVI21 |
| Rhubarb | LIVI22 |
| Saxon | LIVI23 |
| Seaside | LIVI24 |
| Twine | LIVI25 |

| LUGANO WITH SUPREEN™ | LUG |
|---|---|
| Andromeda | LUG01 |
| Aquarelle | LUG02 |
| Bayou | LUG03 |
| Caviar | LUG04 |
| Cloud | LUG05 |
| Cobblestone | LUG06 |
| Dutch | LUG07 |
| Flirt | LUG08 |
| Florence | LUG09 |
| Frost | LUG10 |
| Ganache | LUG11 |
| Gravel | LUG12 |
| Juniper | LUG13 |
| Lapis | LUG14 |
| Moonstone | LUG15 |
| Mustard Seed | LUG16 |
| Sandstone | LUG17 |
| Sconce | LUG18 |
| Semolina | LUG19 |
| Spice Market | LUG20 |
| Sterling | LUG21 |

## GRADE 4 *continued*

| OXFORD WITH SUPREEN™ | OXFD |
|---|---|
| Armor | OXFD01 |
| Azurite | OXFD02 |
| Cadet | OXFD03 |
| Cider | OXFD04 |
| Clover | OXFD05 |
| Coal | OXFD16 |
| Coin | OXFD06 |
| Crema | OXFD07 |
| Currant | OXFD08 |
| Deluge | OXFD09 |
| Dewberry | OXFD10 |
| Falcon | OXFD11 |
| Gingerbread | OXFD12 |
| Laurel | OXFD13 |
| Odyssey | OXFD14 |
| Pavement | OXFD15 |
| Redvine | OXFD17 |
| Seadrift | OXFD18 |
| Shoji | OXFD19 |
| Tourmaline | OXFD20 |
| Vignette | OXFD21 |

## GRADE L1

| DENVER LEATHER | SS |
|---|---|
| Black | SS11 |

# PANEL FABRIC PATTERNS & CODES

Scan here to check out our full Chair Fabrics solutions

## PRICE CODE A

| APPOINT | APN |
|---|---|
| Artichoke | APN11 |
| Blackberry | APN32 |
| Bronze | APN22 |
| Carbon | APN28 |
| Chai | APN12 |
| Cherry | APN30 |
| Dark Pewter | APN17 |
| Dune | APN15 |
| Espresso | APN23 |
| Framboise | APN31 |
| Frost | APN34 |
| Jet | APN27 |
| Lawn | APN25 |
| Mandarin | APN29 |
| Morel | APN09 |
| Nimbus | APN16 |
| Platinum | APN24 |
| Turquoise | APN26 |

| CENTURION | CU |
|---|---|
| Apricot | CU47 |
| Bark | CU25 |
| Black | CU10 |
| Espresso | CU49 |
| Fog | CU03 |
| Frost | CU22 |
| Goldenrod | CU27 |
| Indigo | CU06 |
| Iris | CU50 |
| Iron Ore | CU19 |
| Jade | CU83 |
| Marsala | CU63 |
| Morel | CU24 |
| Navy | CU98 |
| Peacock | CU97 |
| Pear | CU84 |
| Ruby | CU67 |
| Sapphire | CU09 |

## PRICE CODE A *continued*

| ETCH* | ECH |
|---|---|
| Axis | ECH13 |
| Blend | ECH14 |
| Cast | ECH12 |
| Highlight | ECH10 |
| Midtone | ECH11 |
| Outline | ECH08 |
| Shade | ECH09 |
| Tonal | ECH16 |
| Vanish | ECH15 |

| LANDSCAPE* | LN |
|---|---|
| Azure | LN55 |
| Cornsilk | LN15 |
| Drift | LN05 |
| Khaki | LN20 |
| Sheen | LN10 |
| Slate | LN35 |
| Umber | LN25 |
| Urban | LN30 |

| LUCY* | LC |
|---|---|
| Aspen | LC32 |
| Cornsilk | LC30 |
| Dusk | LC22 |
| Fawn | LC33 |
| Graphite | LC34 |
| Mist | LC20 |
| Neutra | LC24 |
| Pewter | LC35 |
| Snowdrop | LC28 |

## PRICE CODE A *continued*

| NOBLE | NBLE |
|---|---|
| Aegean | NBLE18 |
| Amethyst | NBLE19 |
| Aspen | NBLE14 |
| Aster | NBLE20 |
| Blossom | NBLE21 |
| Bluebell | NBLE22 |
| Bordeaux | NBLE01 |
| Brick | NBLE02 |
| Chambray | NBLE10 |
| Chamomile | NBLE23 |
| Clementine | NBLE04 |
| Conifer | NBLE24 |
| Cottage | NBLE25 |
| Darkness | NBLE26 |
| Dawn | NBLE13 |
| Denim | NBLE09 |
| Desert Sand | NBLE27 |
| Dewfall | NBLE28 |
| Dusted Sage | NBLE29 |
| Flax | NBLE30 |
| Grass | NBLE07 |
| Gunmetal | NBLE15 |
| Harmony | NBLE31 |
| Harvest | NBLE12 |
| Ice Caves | NBLE32 |
| Icicle | NBLE33 |
| Inky | NBLE34 |
| Iris | NBLE35 |
| Jade | NBLE06 |
| Knight | NBLE17 |
| Mesa | NBLE03 |
| Monarch | NBLE36 |
| Pacific | NBLE08 |
| Pitch | NBLE37 |
| Queen Bee | NBLE38 |
| Rainforest | NBLE05 |
| Regal | NBLE11 |
| Sandcastle | NBLE39 |
| Sedona | NBLE40 |
| Stormy | NBLE16 |
| Sunbeam | NBLE41 |
| Voyager | NBLE42 |
| Windy Day | NBLE43 |

## PRICE CODE A *continued*

| REFLECTIONS* | REF |
|---|---|
| Galvanized | REF29 |
| Ice | REF20 |
| Loggia | REF21 |
| Mistral | REF28 |
| Moonstone | REF23 |
| Pewter | REF22 |
| Stainless | REF24 |
| Vanilla | REF25 |
| Winter | REF27 |

| REFUGE* | RFG |
|---|---|
| Artesian | RFG96 |
| Dune | RFG92 |
| Eclipse | RFG90 |
| Frost | RFG93 |
| Glacier | RFG91 |
| Mineral | RFG98 |
| Tidal | RFG94 |

| TEMPEST* | TP |
|---|---|
| Dragonfly | TP30 |
| Frost | TP15 |
| Full Stream | TP80 |
| Gold Rush | TP10 |
| Slate | TP45 |
| Tumbleweed | TP70 |
| Wind Chill | TP40 |
| Zebra | TP35 |

| VAST | VST |
|---|---|
| Atmosphere | VST06 |
| Bay | VST04 |
| Beach | VST11 |
| Country Side | VST13 |
| Desert | VST12 |
| Garden | VST02 |
| Grasslands | VST03 |
| Highway | VST09 |
| Mountain Range | VST08 |
| Ocean | VST07 |
| Open Air | VST05 |
| Tundra | VST10 |
| Vineyard | VST01 |

NOTES: Centurion fabrics not available on panels that exceed a width and height of 54″H.
Disperse is applied pattern cut and is not available on 72″W Accelerate® panels and not available on 66″W tackboards, Voi® screens, and Empower®.

◆◆◇ For lead time information see page 21.
* Directional fabrics

Scan here to check out our full Chair Fabrics solutions

# PANEL FABRIC PATTERNS & CODES

| PRICE CODE B | |
|---|---|
| **COAST*** *Not available on Accelerate®* | **COA** |
| ♦ Channel | COA14 |
| ◊ Dune | COA03 |
| ◊ Headlands | COA10 |
| ◊ Marsh | COA02 |
| ♦ Pebble | COA12 |
| ♦ Pier | COA13 |
| ◊ Shoal | COA01 |
| ◊ Silt | COA06 |
| ♦ Tide | COA08 |

| | |
|---|---|
| **DISPERSE*** | **DISP** |
| ◊ Autumn | DISP03 |
| ♦ Branch | DISP10 |
| ♦ Coffee Bean | DISP13 |
| ♦ Dusk | DISP09 |
| ◊ Emerald City | DISP08 |
| ◊ Gold Rush | DISP02 |
| ♦ Igloo | DISP11 |
| ◊ Ink | DISP06 |
| ♦ Mist | DISP12 |
| ♦ Oatmeal | DISP15 |
| ◊ Prince | DISP07 |
| ◊ Reservoir | DISP01 |
| ◊ Rose | DISP04 |
| ◊ Spring | DISP05 |
| ♦ Steel | DISP16 |
| ♦ Taupe | DISP14 |

| PRICE CODE B *continued* | |
|---|---|
| **MICA*** ❁ | **MCA** |
| ◊ Anthracite | MCA11 |
| ◊ Breeze | MCA18 |
| ◊ Bronze | MCA13 |
| ◊ Buff | MCA14 |
| ◊ Cremini | MCA17 |
| ♦ Crystal | MCAWIT |
| ◊ Dew | MCA20 |
| ◊ Dove | MCA12 |
| ◊ Fresh | MCA16 |
| ♦ Mineral | MCA15 |
| ◊ Nectar | MCA19 |
| ◊ Shale | MCA10 |

| | |
|---|---|
| **SPIN*** | **SPIN** |
| ♦ Alabaster | SPIN02 |
| ♦ Cavern | SPIN03 |
| ♦ Cobblestone | SPIN04 |
| ◊ Ember | SPIN06 |
| ◊ Flame | SPIN07 |
| ◊ Heron | SPIN13 |
| ♦ Oat | SPIN01 |
| ◊ Ocean | SPIN12 |
| ◊ Plum | SPIN15 |
| ◊ Pool | SPIN11 |
| ◊ Raven | SPIN10 |
| ◊ Rhubarb | SPIN14 |
| ◊ Tropic | SPIN08 |
| ♦ Willow | SPIN05 |

| PRICE CODE B *continued* | |
|---|---|
| **TERRAIN*** | **TRRN** |
| ◊ Bay | TRRN05 |
| ◊ Bayou | TRRN35 |
| ◊ Canyon | TRRN30 |
| ◊ Cliff | TRRN45 |
| ◊ Crest | TRRN25 |
| ◊ Delta | TRRN10 |
| ◊ Plateau | TRRN15 |
| ◊ Ridge | TRRN20 |
| ◊ Valley | TRRN40 |

NOTES: Disperse is applied pattern cut and is not available on 72″W Accelerate® panels and not available on 66″W tackboards, Voi® screens, and Empower®.

♦ ◊ For lead time information see page 21.
* Directional fabrics
❁ Fabric is de-emphasized.

# NOTES

# FEATURES OFFERED ON HON LAMINATE CASEGOODS



| | 10500 | 10700 | Valido | Concinnity | 94000 | Voi |
|---|---|---|---|---|---|---|
| **Worksurfaces** | | | | | | |
| • Scratch, stain and spill-resistant surface over durable 1⅛" solid core high performance particleboard | • | • | | • | | • |
| • Scratch, stain and spill-resistant surface over extra-thick 1½" solid core high performance particleboard | | | • | | | |
| • Scratch, stain and spill-resistant high gloss surface over durable 1⅛" solid core high performance particleboard | | | | | • | |
| • Contoured hardwood accent trim | | • | | | • | |
| • User-friendly waterfall-shaped edges and rounded corners improves worker comfort | | • | | | | |
| • Edge profile options | | | | • | | |
| **Chassis Construction** | | | | | | |
| • European-designed fastening system – Precision, metal-to-metal, fasteners eliminate need for external cleats or exposed screws; enables tops or end panels to be interchanged or replaced | • | • | • | • | • | • |
| • Inner frame constructed using mortise and tenon joinery for superior structural strength and precisely positioning/ securing the pedestal to the modesty panel; endures frequent moving/handling; ensures a longer product life cycle | • | • | • | | • | |
| • All fasteners and dowels are positioned by computer to maintain rigorous dimensional standards | • | • | • | • | • | • |
| • End panels on base units and stack-ons feature PVC bottom edgebanding for added strength and to seal out moisture | • | • | • | • | • | • |
| **Drawer Construction** | | | | | | |
| • Steel ball-bearing drawer suspensions for smooth, quiet, long-lasting operation | • | • | • | • | • | • |
| • 5-sided drawer construction for added strength and easy alignment or replacement of drawer fronts | • | • | • | • | • | • |
| • Full extension box and file drawers | • | • | • | • | • | • |
| • Hangrails provided in all file drawers for side-to-side letter, legal, A4 or EDP filing; and front-to-back for letter filing | • | • | • | • | • | • |
| **Amenities** | | | | | | |
| • Conference overhang (select models) provides visitor's kneespace on approach side of desk for meetings | • | • | • | • | • | • |
| • Formal, full height modesty panels | • | • | • | • | • | • |
| • Short modesty panel option for easy access to wall electrical outlets | • | • | • | • | | • |
| • Patented, side-mounted drawer handles provide good ergonomics and clean appearance | • | • | | | | |
| • Antique brass drawer handles | | | | | • | |
| • Decorative drawer/door handle design and finish options | | | • | • | | • |
| • Vertical grain direction on drawer fronts and modesty panels | | | | • | • | • |
| • Upscale mixed material door options (select models) on overhead storage | • | • | • | • | • | • |
| • Adjustable hex leveling glides to level furniture without lifting | • | • | • | • | • | • |
| • Pullout reference/writing shelf provides additional worksurface space | | | | | • | |
| • Interchangeable lock cores (allow multiple units to be keyed alike) | • | • | • | • | • | • |
| • Central locking on desks (one lock secures all drawers) | | | | | • | |
| • Cord management (standard) to route and hide wires and cables | • | • | • | • | • | |
| • Cord management options on modular components (worksurfaces, end and modesty panels, pedestals) | | | | • | | • |
| **Configuration Options** | | | | | | |
| • Components for efficient "U" and "L" shaped workstation layouts | • | • | • | • | • | • |
| • Peninsulas and corner units | • | • | • | • | | |
| • Worksurfaces or shells up to 96"W | • | | | • | | |
| • Standing, 42"H desking solutions | • | | | • | | • |
| • Overheads sized to span multiple base units | • | • | • | • | • | • |
| • Reception station/transaction counter | • | • | • | • | • | |
| • Light scale styling, including worksurface components with O-leg supports | • | | | • | | • |
| • Two-tone color options | • | | • | • | | • |
| **Storage Options** | | | | | | |
| • 3/4 pedestals provide increased budget flexibility | • | • | • | | | |
| • Full desktop-to-floor pedestals maximize storage space | • | • | • | • | • | • |
| • Modular components/storage with precise, custom cabinet-like fits | | | | • | | • |
| • Modular shells w/ a variety of storage-pedestal solutions | • | • | • | | | |
| • Back wall storage in conventional (65") and executive (78") heights | | | | • | | |
| • Overheads, storage cabinets, wardrobes, lateral files, and bookcases | • | • | • | • | • | • |
| **Companion Products** | | | | | | |
| • Matching conference tables | • | | | • | • | • |
| • Coordinating conference tables | | • | • | | | |
| **Endorsements** | | | | | | |
| • Meets or exceeds current ANSI/BIFMA and ISTA standards | • | • | • | • | • | • |
| • Meets SCS Indoor Advantage Certification (see page 17) | • | • | • | • | • | • |
| • level® certified in conformance with the BIFMA e3 furniture sustainability standard | • | • | • | • | • | • |

# CONCINNITY™

Want to see more? Scan here to check out hon.com.



Concinnity™ Desking shown with Ignition® 2.0 and Ruck™ Seating.

## CONCINNITY™

Clean styling. Rich woodgrains. Mixed materials. A coordinated suite of components. With Concinnity, you can create an upscale look for all types of office spaces — from open to collaborative to private. Choose from a variety of desk configurations and an extensive selection of storage options to create the ideal solution to fit your footprint and your needs.







### FEATURES

- Cohesive visual signature highlighted by clean lines, vertical grain, and components that fit together like custom cabinetry.
- Modular design delivers an unbeatable combination of versatility, style, and personalization to any workspace.
- Wide array of aesthetic options, including edge profiles, handles, mixed materials, and laminate finish combinations.
- Extensive assortment of storage solutions allow users to increase functionality, maximize space and keep everything conveniently within reach.
- Products to create flat, continuous horizontal planes or multi-level, overlapping, layered surfaces.
- Standing-height workstations to support today's healthy work styles; available with adjustable or fixed height bases.

# CONCINNITY™ ORDERING INFORMATION



## WORKSURFACES

**L1 LAMINATES ..... CODES**

**Woodgrain**

- Bourbon Cherry ..... **H**
- Cognac ..... **COGN**
- Field Elm ..... **LWFE**
- Florence Walnut ..... **LFW1**
- Harvest ..... **C**
- Kingswood Walnut ..... **LKI1**
- Mahogany ..... **N**
- Mocha ..... **MOCH**
- Natural Maple ..... **D**
- Pinnacle ..... **PINC**
- Shaker Cherry ..... **F**
- Sterling Ash ..... **LSA1**

**Solid**

- Black ..... **P**
- Charcoal ..... **S**
- Designer White ..... **LDW1**
- Loft ..... **LOFT**

**Patterned**

- Silver Mesh ..... **B9**

**L2 LAMINATES ..... CODES**

**Woodgrain**

- Beigewood ..... **LWBE**
- Fawn Cypress ..... **LFC1**
- Lowell Ash ..... **LLA1**
- Natural Recon ..... **LNR1**
- Phantom Ecru ..... **LPE1**
- Portico Teak ..... **LPT1**
- Skyline Walnut ..... **LSW1**

## DRAWER AND DOOR FRONTS

**L1 LAMINATES ..... CODES**

**Woodgrain**

- Bourbon Cherry ..... **H**
- Cognac ..... **COGN**
- Field Elm ..... **LWFE**
- Florence Walnut ..... **LFW1**
- Harvest ..... **C**
- Kingswood Walnut ..... **LKI1**
- Mahogany ..... **N**
- Mocha ..... **MOCH**
- Natural Maple ..... **D**
- Pinnacle ..... **PINC**
- Shaker Cherry ..... **F**
- Sterling Ash ..... **LSA1**

**Solid**

- Black ..... **P**
- Charcoal ..... **S**
- Designer White ..... **LDW1**
- Loft ..... **LOFT**

**L2 LAMINATES ..... CODES**

**Woodgrain**

- Beigewood ..... **LWBE**
- Fawn Cypress ..... **LFC1**
- Lowell Ash ..... **LLA1**
- Natural Recon ..... **LNR1**
- Phantom Ecru ..... **LPE1**
- Portico Teak ..... **LPT1**
- Skyline Walnut ..... **LSW1**

**HANDLE/LOCK FINISHES ..... CODES**

**P1**

- Black ..... **P**
- Satin ..... **SA**

## CHASSIS, END, MODESTY, AND BACK PANELS

**L1 LAMINATES ..... CODES**

**Woodgrain**

- Bourbon Cherry ..... **H**
- Cognac ..... **COGN**
- Field Elm ..... **LWFE**
- Florence Walnut ..... **LFW1**
- Harvest ..... **C**
- Kingswood Walnut ..... **LKI1**
- Mahogany ..... **N**
- Mocha ..... **MOCH**
- Natural Maple ..... **D**
- Pinnacle ..... **PINC**
- Shaker Cherry ..... **F**
- Sterling Ash ..... **LSA1**

**Solid**

- Black ..... **P**
- Charcoal ..... **S**
- Designer White ..... **LDW1**
- Loft ..... **LOFT**

**L2 LAMINATES ..... CODES**

**Woodgrain**

- Beigewood ..... **LWBE**
- Fawn Cypress ..... **LFC1**
- Lowell Ash ..... **LLA1**
- Natural Recon ..... **LNR1**
- Phantom Ecru ..... **LPE1**
- Portico Teak ..... **LPT1**
- Skyline Walnut ..... **LSW1**

## HMBPOST AND HMBTLEG24

**PAINTS ..... CODES**

**P1**

- Black ..... **P**
- Cove ..... **P096**
- Dune ..... **P094**
- Harbor ..... **P097**
- Sage ..... **P095**

**P2**

- Platinum Metallic ..... **T1**

**SILVER COLORWAY:** The following finish options are coordinating silver colorways — Satin, Satin Nickel, Matte Chrome, Platinum, and Platinum Metallic.

## EDGE PROFILES "B" AND "V"

**EDGEBAND COLORS ..... CODES**

**Woodgrain**

- Beigewood ..... **DE**
- Bourbon Cherry ..... **H**
- Cognac ..... **COGN**
- Fawn Cypress ..... **FC**
- Field Elm ..... **FE**
- Florence Walnut ..... **FW**
- Harvest ..... **C**
- Kingswood Walnut ..... **KI**
- Mahogany ..... **N**
- Mocha ..... **MOCH**
- Natural Maple ..... **D**
- Pinnacle ..... **PINC**
- Shaker Cherry ..... **F**
- Sterling Ash ..... **SA**

## EDGE PROFILE "G"

**EDGEBAND COLORS ..... CODES**

**Woodgrain**

- Beigewood ..... **DE**
- Bourbon Cherry ..... **H**
- Cognac ..... **COGN**
- Fawn Cypress ..... **FC**
- Field Elm ..... **FE**
- Florence Walnut ..... **FW**
- Harvest ..... **C**
- Kingswood Walnut ..... **KI**
- Lowell Ash ..... **DL**
- Mahogany ..... **N**
- Mocha ..... **MOCH**
- Natural Maple ..... **D**
- Natural Recon ..... **NR**
- Phantom Ecru ..... **PE**
- Pinnacle ..... **PINC**
- Portico Teak ..... **DP**
- Shaker Cherry ..... **F**
- Skyline Walnut ..... **SW**
- Sterling Ash ..... **SA**

**Solid**


- Black ..... **P**
- Brownstone ..... **EY**
- Charcoal ..... **S**
- Designer White ..... **DW**
- Fossil ..... **EH**
- Loft ..... **LOFT**


*Pattern laminates do not have a matching edgeband color; they are available with a woodgrain or solid color edge.*


◆ ◆ ◇ *For lead time information see page 21.*


# CONCINNITY™ Statement of Line


## DESKS



Double Pedestal, Bow Top, Recessed Modesty



Double Pedestal, Bow Top, Breakfront Modesty



Double Pedestal, Bow Top, Breakfront Frosted Modesty



Double Pedestal, Rectangle Top, Recessed Modesty



Double Pedestal, Rectangle Top, Flush Modesty



Double Pedestal, Rectangle Top, Breakfront Modesty



Single Pedestal, Bow Top, Recessed Modesty



Single Pedestal, Bow Top, Breakfront Modesty



Single Pedestal, Bow Top, Breakfront Frosted Modesty


Single Pedestal, Rectangle Top, Recessed Modesty


Single Pedestal, Rectangle Top, Flush Modesty



Single Pedestal, Rectangle Top, Breakfront Modesty



Single Pedestal, Rectangle Top, Breakfront Frosted Modesty



Bullet Peninsula with End Panel



Jetty Peninsula with End Panel



Corner Unit



Credenza with Storage


Credenza with Kneespace



Credenza, Single Pedestal



Credenza with Lateral File



Low Credenza, Bench-Height


Low Credenza, 2 Box/2 File



Low Credenza, Box/File



Return



Bridge



Reception Desk, Transaction Counter


Reception Return, Transaction Counter


Reception Station Counter for Desk



L-Reception Station, Transaction Counter for Desk


L-Reception Station, Transaction Counter for Desk and Return



Transaction Counter Organizer


2-Leg Height Adjustable Base


3-Leg Height Adjustable Base



HAT Low Credenza


## STORAGE



Lateral File



Mobile Pedestal, 15″W



Mobile Pedestal, 30″W



Storage Cabinet, Laminate Doors



Storage/File Cabinet



Storage Cabinet/Lateral File, Laminate Doors



Wardrobe/Storage Cabinet, 18″W



Wardrobe/Storage Cabinet, 36″W


Wardrobe/Bookcase, Laminate Door



Storage Tower with Laminate Doors, 24″W


Storage Tower with Laminate Doors, 50″H



Bookcase with Adjustable Shelves


Bookcase with Coat Hooks


Stack-On Storage, 35¼″H, Laminate Doors



Stack-On Storage, 48⅝″H, Laminate Doors


Stack-On Storage, 35¼″H, Frosted Doors



Stack-On Storage, 48⅝″H, Frosted Doors


Stack-On Storage, 35¼″H, Sliding Door


## STORAGE *continued*



Stack-On Storage, 48⅝"H, Sliding Door



Wall Mount Storage, 15"H, Laminate Doors



Wall Mount Hutch, 15"H, Laminate Doors



Wall Mount Storage, 28½"H, Laminate Doors



Wall Mount Storage, 15"H, Frosted Doors



Wall Mount Hutch, 15"H, Frosted Doors



Wall Mount Storage, 28½"H, Frosted Doors


Wall Mount Storage, 15"H, Sliding Door



Wall Mount Storage, 28½"H, Sliding Door


Bookcase Hutch, Open


Bookcase Hutch, Laminate Doors


Bookcase Hutch, Frosted Doors

## WORKSURFACES/SUPPORTS


Rectangle Worksurface, Horizontal Grain


Rectangle Worksurface, Vertical Grain



Bow Worksurface



Bullet Worksurface


Wedge Worksurface



Blade Worksurface



P-Shaped Worksurface



Extended Corner Worksurface


O-Leg


Double-Depth O-Leg


O-Leg Shared Support


Standing-Height O-Leg


Standing-Height O-Leg Shared Support


O-Leg Support for Low Credenzas


Support Column


Post Leg Base


Fixed Height T-Leg Base


Box/Box/File Support Pedestal



File/File Support Pedestal


Narrow Box/Box/File Support Pedestal


Narrow File/File Support Pedestal


Lateral File Support Pedestal


Box/Box/File/File Support Pedestal


Shelf/Box/Box/File Support Pedestal


Narrow Box/Box/File/File Support Pedestal


Shelf/Box/Box/Lateral File Support Pedestal



Storage Cabinet Support Pedestal


Bookcase Support Pedestal


Bookcase End Support


Laminate End Panel



Credenza Stanchion


Laminate End Panel for Worksurface


Laminate L-Shaped End Panel


Laminate T-Shaped End Panel


Kneespace Clearance End Panel


Support Brace



External Support Channel



Worksurface Wall Mount Bracket


Worksurface to Tower Bracket Kit


# CONCINNITY™ Statement of Line

## ACCESSORIES


Modesty/Back Panel, Full-Length


Modesty/Back Panel, Short



Full Width/Half-Height Laminate Modesty Panel



Full-to-Floor/Full-Length Laminate Modesty Panel


Modesty Panel for Desks with O-Legs


Laminate Floating Modesty Panel


Mixed Material Floating Modesty Panel


Shroud for Height Adjustable Base


Above/Below Privacy Screen


Above Privacy Screen


Above/Side Frosted Polymer Privacy Screen



Above/Side Frosted Glass Privacy Screen


Field Installable Modesty Panel, Laminate



Field Installable Modesty Panel, Frosted



Tackboards for Stack-On/Wall Mount Storage


Stack-On Space Saver End Panel


Mobile Pedestal Cushion


Credenza Cushion

# CONCINNITY™ LAMINATE DESIGN/MATERIALS INFORMATION



## STYLING AND CONSTRUCTION

- Conventional desking or light scale components.
- Clean, uninterrupted lines and precise fits; no gaps.
- All end, modesty, and back panels, as well as drawer and door fronts, that are specified in a woodgrain color, feature vertical grain; drawer fronts are vertically-aligned, continuous grain and are matched sets.
  - Modesty panels wider than 60″ have horizontal grain on L2 and non-standard finishes.
- All desk, credenza, and return models feature full-to-the-floor pedestals to maximize storage space.
- Factory-configured (i.e., built-up; assembled) 72″W desks can be specified with breakfront or recessed modesty panels.
- Formal, full height modesty panels on factory-configured (i.e., built-up; assembled) desks, credenzas, and returns; modular components available with full or 10″ modesty panels.
- Drawer and door fronts over end panels.
- Back panel-over-end panel on desks, credenzas, returns, mobile pedestals, 29½″H lateral files and storage cabinets, and full-length modesty panels for modular pedestals.
- Top-between-end panels on stack-on and wall mount storage, 66⅝″H & 79½″H storage and combination storage cabinets, wardrobes and towers.
- Option choices include:
  - Edge profile and edge color
  - Handle design
  - Handle/worksurface grommet/lock face finish
  - Worksurface color
  - Chassis color
  - Drawer front/door color
- IMPORTANT NOTE: Designed and sized to coordinate with 65″H Accelerate® Panels.
  - Desks, credenzas, returns, 2-drawer lateral files, and 29½″H storage cabinets, plus 35¼″H stack-on storage or bookcase hutch, are 64¾″H.
  - Additional solutions ≤65″H include the following: storage cabinet, storage/file cabinet, storage cabinet/lateral file, 18″ and 36″W wardrobe/storage cabinets, wardrobe/bookcase, storage tower, and 5-shelf bookcase.

## MATERIALS

- Easy-care, scratch-, spill- and stain-resistant thermal-fused laminate (TFL) over solid core, high performance particleboard;
  - Component model thickness: 1⅛″ worksurfaces and end panels; ¾″ modesty panel and drawer/door fronts.
- Durable, impact-resistant banding protects edges.
- Bottom of end panels on base units and stack-ons feature edgebanding for added strength and to seal out moisture.
- HPL worksurfaces are available via special request.

## DRAWER SPECIFICATIONS

- Operate on steel ball-bearing slides to ensure smooth, quiet, long-lasting operation.
- Full extension drawers allow complete access to contents.
- Drawers feature 5-sided construction for added strength and easy alignment or replacement of drawer fronts.
- File drawers include integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- One molded black pencil tray is included in each box/box/file pedestal.
- Drawer fronts are edgebanded on all four sides.

## CORE REMOVABLE LOCKS

- All drawers/doors lock on the following products:
  - All desk, credenza, and return pedestals (NOTE: The lock is on the face of the pedestal)
  - Stack-on and wall mount storage with laminate locking doors (“LL” models)
  - Wall mount storage with sliding door
  - Mobile pedestals
  - Lateral files
  - Storage cabinets
  - Storage/file cabinet
  - Storage cabinet/lateral file
  - Wardrobe/storage cabinets
  - Storage towers
  - Modular pedestals
- On products that are equipped with two locks, the locks are keyed alike:
  - Double pedestal desks
  - Credenza with storage
  - Credenzas with kneespace
  - Low credenzas with four drawers
  - Storage and combination storage/file cabinets
  - Storage towers
  - Stack-on and wall mount storage 60″ - 78″W
- Lock faces are available in black or satin.

# CONCINNITY™ LAMINATE DESIGN/MATERIALS INFORMATION

- Locks feature a removable cylinder (core) that can be interchanged as needed; allows all furniture pieces within an individual workstation to be accessed with one key for convenience, and allows locks to be differentiated between workstations and offices for security. Makes re-keying quick and easy.
  - Keyed alike cores must be ordered separately by specification of the key number. For all products, except stack-on and wall mounted storage, the removable lock core kits are HF23B for Black and HF23S for Satin (Silver).
  - EXCEPTION - IMPORTANT - NOTE: The removable lock core kit for stack-on and wall mounted storage is model HF27B (Black) or HF27S (Satin).

## CORD MANAGEMENT

- Cord management grommets and pass-through cutouts, for routing and hiding wires and cables, are standard in a pre-determined location on a number of factory-configured (i.e., built-up; assembled) products:
  - Two grommets are located in the tops of desks and credenzas; one grommet is located in the top of returns, bridges, jetty peninsulas, and corner units.
  - All desk, credenza, and return pedestals are designed with two cord pass-through grommets, one per side; end panels of single pedestal desks and single pedestal credenzas feature one cord pass-through grommet.
  - Pass-through in the sides of pedestals and end panels enable the routing of cords below the worksurface and connections between workstations.
  - A pass-through grommet, to facilitate reaching wall electrical outlets, is located in the back panels of credenza with storage, credenza with kneespace, single pedestal credenzas, credenzas with 36″ lateral file, returns and bridges.
- See chart on page 50 for cord management options. Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets.
- Grommets on worksurfaces are sized to accept optional grommet mount power hub (HGRMTAC) and USB (HGRMTUSB2) models.
- Grommet color/shape/size:
  - Worksurfaces, Black or Platinum, Round, 3″ diameter hole with a 3½″ plastic cap.
  - Back/modesty panels, Black, Round, 2½″ diameter hole with a 3″ plastic cap.
  - End panels and pedestal sides, Black, Half-round, 1¾″ diameter hole with a 2″ x 2½″ plastic cap.

## LEVELING GLIDES

- Adjustable hex glides to compensate for uneven floors; allow furniture to be easily leveled without lifting the unit.
  - Glides have a 1¼″ adjustable range.
  - The hex adjustment is on the foot of the glide for all products except for the 9½″, 15¾″, and 18″W modular pedestals, in which case it is on the top of the glide stem.

## IMPORTANT — OTHER


- Products ship fully assembled, unless otherwise noted (NOTE: EZ — easy-to-assemble — items are designated in the “DESCRIPTIONS”).
- All models must meet or exceed ANSI/BIFMA & ISTA performance standards.
- Products covered by HON Limited Lifetime Warranty.
- Indoor Advantage™ Gold. Indoor Air Quality Certified to SCS-EC10.3-2014 v3.0.
- BIFMA level® 2 certified. Conforms to ANSI/BIFMA e32014e Furniture Sustainability Standard.

# CONCINNITY™ LAMINATE DESIGN/MATERIALS INFORMATION



## WORKSURFACE/TOP EDGE DETAILS


- Three options; two contoured profiles and one smooth, flat edge.
- For beaded (B) and tri-oval (V) edge shapes, tops are profiled on the user and approach sides, and flat on the ends; the flat edges allow side-by-side placement of worksurfaces without gaps. The only exceptions are return, bridge, corner unit, extended corner worksurface, and rectangle worksurface with vertical grain models, tops on these items are profiled on the user's side and flat banded on the approach side and ends.
  - Bookcases have profiled edge on the front, user side only.
  - The reception station transaction counter and the L-reception station with transaction counter (for the desk) models, have profiled edgeband on the approach and user sides.
  - The L-reception station with the transaction counter models, on which the counter runs around the entire perimeter of the L-configuration, have a profiled edge on the front of the transaction counter on the desk approach side only.

| Edge Options: | Profiles | Designator |
|---|---|---|
| Beaded |  | B |
| Smooth, Flat |  | G |
| Tri-Oval |  | V |
| T-Mold |  | T |

## WORKSURFACE EDGE COLORS

- Woodgrain and solid color laminates can be specified with a matching, complementary, or contrasting edgeband color; options include:
  - Matching the worksurface edge to a common worksurface, chassis, and drawer front color.
  - Matching the worksurface edge to the worksurface laminate and selecting a different laminate color for the chassis.
  - Matching the worksurface edge to the chassis laminate and selecting a different laminate color for the worksurface.
- Beaded (B) and tri-oval (V) edges are available in L1 woodgrain colors only.
- The smooth, flat (G) edge is available in woodgrain and solid colors.
- Pattern laminates do not have a matching edgeband color; the patterns are available with a woodgrain or solid color edge.

## DRAWER/DOOR DECORATIVE HANDLES




- Four handle style options.
- Distinct, easy to grasp designs.
- Handles are metal.
- The hole spacing is 128mm.
- The handle style/finish has to be specified on drawer fronts (desk/credenza/return, mobile and modular pedestals), lateral file drawer fronts, the doors of the storage cabinet, storage/file cabinet, storage cabinet/lateral file, wardrobe/storage cabinet, wardrobe/bookcase, and storage tower.
  - NOTE: Decorative handles are not used on the doors of stack-on storage units or wall mounted storage cabinets.
  - Bookcase hutches with frosted doors are equipped with a push latch release.

| Handle Style | Handle Color | Lock Color | Code |
|---|---|---|---|
| Cylinder | Satin | Satin | A |
| Cylinder | Black | Black | B |
| Canopy | Satin | Satin | C |
| Canopy | Black | Black | D |
| Loop | Satin | Satin | E |
| Loop | Black | Black | F |
| Triangle Bar | Black | Black | G |
| Triangle Bar | Designer White | Satin | H |
| Triangle Bar | Champagne Metallic | Satin | I |
| Triangle Bar | Platinum Metallic | Satin | J |
| Triangle Bar | Silver | Satin | K |
| Triangle Bar | Solar Black | Black | L |
| Triangle Bar | Pyrite | Black | M |

- NOTE: The Linear and Arch field installable drawer/door handle kit models can be attached using 128mm hole spacing.

# CONCINNITY™
# LAMINATE ORDERING/SPECIFICATION INFORMATION

## CORD MANAGEMENT GROMMETS

- Grommets are standard on desk, credenza, return, bridge, jetty peninsula, and corner unit models. Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1). Grommets in modesty and end panels are Black only.
- Grommets are optional on modular component worksurfaces, full-length (27⅞"H) modesty panels, end panels (1⅛", L-shaped) and the sides of support storage pedestals. On worksurfaces, choose from Black (P), Platinum (T1), or no grommet(s) (X). On modesty, end, and side panels the options are grommet Black (P) or no grommet (X).
- See cord management chart on page 50 for details.

## LOCK FINISH

- Finish is determined by, and automatically aligned with, the handle finish specified. If there is no decorative handle on the product, such as on locking stack-on or wall mount storage models, the lock finish is specified separately in the option string.
  - When specification is required, the lock finish options are Black (P) or Satin (SA).
- Removable, interchangeable lock core kits must be ordered separately:
  - For all models, except stack-on and wall mount storage, specify model HF23B (Black) or HF23S (Satin), and the specific key number required.
  - For stack-on and wall mount storage, specify model HF27B (Black) or HF27S (Satin), and the specific key number required.

## SILVER COLORWAY

- The following finish options are coordinating Silver colorways: Satin, Satin Nickel, Matte Chrome, Platinum, and Platinum Metallic.

## LAMINATE COLORS

- Palette choices include nineteen (19) woodgrain, four (4) solid, and one (1) pattern colors.

| Woodgrain | | Solid Color | | Pattern | |
|---|---|---|---|---|---|
| Beigewood | LWBE | Black | P | Silver Mesh | B9 |
| Bourbon Cherry | H | Charcoal | S | | |
| Cognac | COGN | Designer White | LDW1 | | |
| Fawn Cypress | LFC1 | Loft | LOFT | | |
| Field Elm | LWFE | | | | |
| Florence Walnut | LFW1 | | | | |
| Harvest | C | | | | |
| Kingswood Walnut | LKI1 | | | | |
| Lowell Ash | LLA1 | | | | |
| Mahogany | N | | | | |
| Mocha | MOCH | | | | |
| Natural Maple | D | | | | |
| Natural Recon | LNR1 | | | | |
| Phantom Ecru | LPE1 | | | | |
| Pinnacle | PINC | | | | |
| Portico Teak | LPT1 | | | | |
| Shaker Cherry | F | | | | |
| Skyline Walnut | LSW1 | | | | |
| Sterling Ash | LSA1 | | | | |

- Worksurface, chassis and drawer/door fronts are specified separately to enable a single, color-matched visual, or a complementary or contrasting, multi-tone aesthetic.
- Worksurfaces/tops are available in woodgrain, solid, or pattern laminate colors.
- Chassis and drawer fronts are available in woodgrain or solid laminate colors.
- Pattern colors are available on worksurface tops only.

| Worksurface | | Chassis | | Drawer/Door | |
|---|---|---|---|---|---|
| Beigewood | LWBE | Beigewood | LWBE | Beigewood | LWBE |
| Bourbon Cherry | H | Bourbon Cherry | H | Bourbon Cherry | H |
| Cognac | COGN | Cognac | COGN | Cognac | COGN |
| Fawn Cypress | LFC1 | Fawn Cypress | LFC1 | Fawn Cypress | LFC1 |
| Field Elm | LWFE | Field Elm | LWFE | Field Elm | LWFE |
| Florence Walnut | LFW1 | Florence Walnut | LFW1 | Florence Walnut | LFW1 |
| Harvest | C | Harvest | C | Harvest | C |
| Kingswood Walnut | LKI1 | Kingswood Walnut | LKI1 | Kingswood Walnut | LKI1 |
| Lowell Ash | LLA1 | Lowell Ash | LLA1 | Lowell Ash | LLA1 |
| Mahogany | N | Mahogany | N | Mahogany | N |
| Mocha | MOCH | Mocha | MOCH | Mocha | MOCH |
| Natural Maple | D | Natural Maple | D | Natural Maple | D |
| Natural Recon | LNR1 | Natural Recon | LNR1 | Natural Recon | LNR1 |
| Phantom Ecru | LPE1 | Phantom Ecru | LPE1 | Phantom Ecru | LPE1 |
| Pinnacle | PINC | Pinnacle | PINC | Pinnacle | PINC |
| Portico Teak | LPT1 | Portico Teak | LPT1 | Portico Teak | LPT1 |
| Shaker Cherry | F | Shaker Cherry | F | Shaker Cherry | F |
| Skyline Walnut | LSW1 | Skyline Walnut | LSW1 | Skyline Walnut | LSW1 |
| Sterling Ash | LSA1 | Sterling Ash | LSA1 | Sterling Ash | LSA1 |
| Black | P | Black | P | Black | P |
| Charcoal | S | Charcoal | S | Charcoal | S |
| Designer White | LDW1 | Designer White | LDW1 | Designer White | LDW1 |
| Loft | LOFT | Loft | LOFT | Loft | LOFT |
| Silver Mesh | B9 | | | | |

- Two-tone color options allow specification of different, complementary laminate combinations:

| Color #1 | Color #2 |
|---|---|
| Top | Chassis and Drawer Fronts |
| Top and Drawer Fronts | Chassis |
| Top and Chassis | Drawer Fronts |

- Modesty panels and the backs of storage chassis that are specified in L2 laminates and wider than 60"W will ship as horizontal grain.

## STACK-ON STORAGE APPLICATIONS

**78″W**

- Spans full-width of 78″W modular credenza or return.
- Spans total depth dimension of “L” workstation configurations comprised of:
  - 48″W return or modular return attached to a 36″D single pedestal desk with a bow front (78″D).
    - NOTE: The 36″D single pedestal desk with bow front is 30″D along end panel.
  - 48″W return or modular return attached to a 30″D single pedestal desk, modular desk, or bullet peninsula (78″D).
  - 42″W return or modular return attached to a 36″D single pedestal desk with rectangle top, modular desk, or bullet peninsula (78″D).
  - 42″W return or modular return attached to a 36″ corner unit or 36″D extended corner unit (78″D).
  - 36″W modular return attached to a 42″D jetty peninsula (78″D).
  - 30″W modular return attached to a 48″D jetty peninsula (78″D).
  - 30″W modular return attached to a 48″D extended corner unit (78″D).

**72″W**

- Spans full-width of 72″W desks with rectangle top, credenzas, extended corner units, or modular desk, credenza, or return.
- Spans total depth dimension of “L” workstation configurations comprised of:
  - 48″W return or modular return attached to a 24″D single pedestal credenza or modular credenza (72″D).
  - 42″W return or modular return attached to a 36″D single pedestal desk with a bow front (72″D).
    - NOTE: The 36″D single pedestal desk with bow front is 30″D along end panel.
  - 42″W return or modular return attached to a 30″D single pedestal desk, modular desk, or bullet peninsula (72″D).
  - 36″W modular return attached to a 36″D single pedestal desk with rectangle top, modular desk, or bullet peninsula (72″D).
  - 36″W modular return attached to a 36″ corner unit or 36″D extended corner unit (72″D).
  - 30″W modular return attached to a 42″D jetty peninsula (72″D).

**66″W**

- Spans full-width of 66″W desk, credenza, or modular desk, credenza, or return.
- Spans total depth dimension of “L” workstation configurations comprised of:
  - 42″W return or modular return attached to a 24″D single pedestal credenza or modular credenza (66″D).
  - 36″W modular return attached to a 30″D single pedestal desk, bullet peninsula, or modular desk (66″D).
  - 36″W modular return attached to a 36″D single pedestal desk with a bow front (66″D).
    - NOTE: The 36″D single pedestal desk with bow front is 30″D along end panel.
  - 30″W modular return attached to a 36″D single pedestal desk with rectangle top or modular desk (66″D).
  - 30″W modular return attached to a 36″ corner unit (66″D).

**60″W**

- Spans full-width of 60″W desk, credenza, or modular desk, credenza, or return.
- Spans total depth dimension of “L” workstation configurations comprised of:
  - 36″W modular return attached to a 24″D single pedestal credenza or modular credenza (60″D).
  - 30″W modular return attached to a 30″D single pedestal desk or modular desk (60″D).

**48″W**

- Spans full-width of 48″W return, modular return, or modular desk or credenza.
- Spans full-depth of the 48″D jetty peninsula or extended corner unit.

**42″W**

- Spans full-width of 42″W return, modular return, or modular desk or credenza.
- Spans full-depth of 42″D jetty peninsula.

**36″W**

- Spans full-width of 36″W modular return, modular desk or credenza, two drawer lateral file, or 29½″H storage cabinet with doors.
- Spans full-depth of 36″D desks with rectangle top, bullet peninsula, extended corner unit, or 36″ corner unit.

## OPTIONS INCLUDE:

- Door/Storage Options:

| Door(s) | Standard-Height | Executive-Height |
|---|---|---|
| Laminate | • | • |
| Laminate Locking | • | • |
| Frosted/Silver | • | • |
| Sliding | • | • |

- Available in 35¼″ or 78⅛″H; when positioned on 29½″H base unit, heights respectively align with 64¾″ and 78⅛″H storage- and wardrobe-type cabinets.
- Paper organizers for stack-on and wall mounted storage cabinets (see application and compatibility information on page 49).

# CONCINNITY™ STACK-ON STORAGE APPLICATIONS

- Fabric-Covered Tackboards:
  - Sized ¾″ narrower than the stack-on storage back enclosure, allowing ⅜″ on each side to route task light cords.
  - Includes adhesive latch & hook tape for attachment to stack-on storage back panel and fasteners for wall mount applications.
  - For a list of standard fabrics, see pages 26-27. For a complete list of fabrics, please go to hon.com/fabricsandfinishes.
- Markerboards:
  - HLSL1530SOMB: 29½″W x 12½″H panel attaches to 60″ and 66″W stack-on and wall mounted storage with sliding door models with double-sided tape.
  - HLSL1536SOMB: 35½″W x 12½″H panel attaches to 72″ and 78″W stack-on and wall mounted storage with sliding door models with double-sided tape.
- Markerboards will not fit on stack-on storage laminate or laminate locking door models.
- Task Lights:
  - Attach to underside of stack-on and wall mount storage cabinets.
  - LED options.
  - Tackboard and LED task light solutions, by model, for each stack-on storage size:

| Stack-on Storage | Tackboard | LED Task Lights |
|---|---|---|
| 78″W | H90057 | HH870960, HH870960CH, HLED31A, HLED31AUO |
| 72″W | H90056 | HH870960, HH870960CH, HLED31A, HLED31AUO |
| 66″W | H90055 | HH870960, HH870960CH, HLED31A, HLED17AUO |
| 60″W | H90054 | HH870960, HH870960CH, HLED31A, HLED17AUO |
| 48″W | H90053 | HH870942, HH870942CH, HLED31AS |
| 42″W | H90052 | HH870942, HH870942CH, HLED31AS |
| 36″W | H90051 | HH870930, HH870930CH, HLED17AS |

# CONCINNITY™ WALL MOUNT STORAGE APPLICATIONS



- Installation (review carefully):
  - **Attachment requires individual cabinets be secured by a minimum of two (2) wall mounting locations/studs.**
  - **Designed for interior and perimeter walls that are constructed with wood or metal studs.**
  - **Attaches to wall with horizontally mounted, interlocking brackets.**
  - **The HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.**
- Laminate, laminate locking, and frosted/silver door units can be specified in eight widths (30″, 36″, 42″, 48″, 60″, 66″, 72″, and 78″W) and two heights, standard (15″H) or executive (29½″H).
- Sliding door units can be specified in five widths (48″, 60″, 66″, 72″, and 78″W) and two heights, standard (15″H) or executive (29½″H).
- Product placement can be aligned to match the height of 64¾″H or 78⅛″H storage- and wardrobe-type cabinets.
- Available with laminate doors, frosted/silver doors, or sliding door.
  - Door design overlaps end panels so that when multiple units are placed side-by-side they appear as one continuous unit.
  - Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
  - Laminate hinged door units are available with or without a lock.
  - Lock available in Black (P) or Satin (SA).
  - Lock is core removable; keyed alike cores must be ordered separately — for overhead storage with hinged doors specify model HF27B or HF27S and the key number.
  - Frosted/silver hinged door units do not have a lock option.
  - Sliding door units have one door per cabinet; standard with black lock, which is located on inside vertical support panel. Lock is core removable; keyed alike cores must be ordered separately — for overhead storage with a sliding door specify model HF23B (Black) and the key number.
  - Laminate and frosted/silver door cabinets in 30″, 36″, and 42″W have two doors; 48″W has three doors; 60″, 66″, 72″, and 78″W have four doors.
- Inside storage dimensions of 15″H cabinets:
  - 30″W = one compartment, sized 28⅜″W x 13⅜″D x 12¾″H
  - 36″W = one compartment, sized 34⅜″W x 13⅜″D x 12¾″H
  - 42″W = one compartment, sized 40⅜″W x 13⅜″D x 12¾″H
  - 48″W = two compartments, one sized 30⅝″W x 13⅜″D x 12¾″H; one sized 14⅝″W x 13⅜″D x 12¾″H
  - 60″W = two compartments, each 28⅝″W x 13⅛″D x 12¾″H
  - 66″W = two compartments, each 31⅝″W x 13⅛″D x 12¾″H
  - 72″W = two compartments, each 34⅝″W x 13⅛″D x 12¾″H
  - 78″W = two compartments, each 37⅝″W x 13⅛″D x 12¾″H
- 28½″H units have a fixed, intermittent shelf; storage space above and below the shelf is 12⅝″.
- Wall mounted storage cabinets are not designed for attachment to O-leg models HLSL65OS or HLSL50OS.
- Horizontal interlocking rails are included; due to varying types of walls, installers are responsible for selecting and supplying the appropriate fasteners.
- Ship fully assembled.

# CONCINNITY™ WALL MOUNT STORAGE APPLICATIONS

## OPTIONS INCLUDE:

- Door/Storage Options:

| Door(s) | Standard-Height | Executive-Height |
|---|---|---|
| Laminate | • | • |
| Laminate Locking | • | • |
| Frosted/Silver | • | • |
| Sliding | 48″-78″W only | 48″-78″W only |

- Paper organizers for stack-on and wall mounted storage cabinets (see compatibility information on page 49).
- Fabric-Covered Tackboards:
  - Tackboards mount directly to wall using the fasteners or hook-and-loop tape provided.
  - For a list of standard fabrics, see pages 26-27. For a complete list of fabrics, please go to hon.com/fabricsandfinishes.
  - See compatibility cross reference below.
  - NOTE: Tackboard widths differ slightly from the wall mounted storage cabinet widths. For applications where multiple wall mounted storage units are placed side-by-side, the preferred tackboard solution may be to utilize a larger tackboard size.
    For example, H90057 = 75″W; H90056 = 69″W; H90055 = 63″W; H90054 = 57″W.
- Markerboards:
  - HLSL1530SOMB: 29½″W x 12½″H panel attaches to 60″ and 66″W stack-on and wall mounted storage with sliding door models with double-sided tape.
  - HLSL1536SOMB: 35½″W x 12½″H panel attaches to 72″ and 78″W stack-on and wall mounted storage with sliding door models with double-sided tape.

# CONCINNITY™ COMPONENTS

## MODULAR COMPONENTS

- Smart, adaptable, reconfigurable assortment to maximize office layout flexibility and optimize floor space.
- Components for all popular office layouts.
- Selection allows user to choose their own workstation shape, size, and storage.
- Sizes for large and small spaces:
  - 36″D x 72″W or 84″W
  - 30″D — six sizes up to 84″W
  - 24″D — in 6″ increments, from 30″W to 96″W
- Worksurfaces supported by post legs with casters provide added layout flexibility.
- Mobile desks quickly convert an office into a small conference space; desks roll easily and can be repositioned in seconds.
- Grommet options provide cord management from the top, side, and back in appropriate models.
- Broad menu of under-surface storage to enable user to specify the solution that best meets their individual needs.
  - Non-handed units can be configured to meet individual tastes and reconfigured when preferences or floor space requirements change.
  - Applications include:
    - The ability to “build” contiguous customized/personalized storage behind the desk that looks like custom architectural millwork, but at a fraction of the price. Allows for multiple storage pedestals to be configured under a single top with clean lines and no gaps.
    - Choosing the storage solution to go under desks, credenzas, and returns.

## WORKSURFACES

- Available in a variety of shapes and sizes.
- Scratch-, stain-, and spill-resistant laminate over durable 1⅛″ solid core high performance particleboard; resists warping.
- An external support channel, for attachment under worksurfaces, is required for all unsupported spans — a distance in which there is not a vertical support (point of contact) between the underside of the worksurface and the floor — greater than 54″W.
- For tri-oval and beaded edge options on tops with horizontal grain, there is a shaped profile on the user and approach sides, and a flat edge on the ends.
- For tri-oval and beaded edge options on tops with vertical grain, there is a shaped profile on the user side and a flat edge on the approach side and the ends.
- Grommets are an option and require specification. If grommets are selected, grommets come in a pre-determined location.
- Must be specified with support components; for pedestal, end panel, column, and leg options, see “Components — Supports” listings.

## SUPPORTS

- For use with rectangle, bow, bullet, and extended corner worksurfaces.
- Available in 28½″ and 41″H.
- Adjustable hex glides allow floor-standing units to be easily leveled, without lifting, to compensate for uneven floors; glides have 1¼″ adjustable range on most components; 2″ on O-legs.
- Bottom of laminate end panels are edgebanded for added strength and to seal out moisture.

## FOR 29½″H WORKSURFACES

- Specify from a broad assortment of solutions, including —
  - Modular Pedestals
  - Laminate end panels (must be used in conjunction with a laminate modesty panel)
  - Laminate L-shaped end panels
  - Laminate T-shaped end panels
  - Metal O-legs — for use with worksurfaces up to 78″W (when using an 84″ or wider worksurface, cannot use two O-legs; must use at least one 15¾″ or wider pedestal for the other support).
  - 4½″ diameter metal column
  - 2″ square metal post leg

## FOR 42″H WORKSURFACES

- 42″, fixed standing-height workstations give users the option of changing postures from sitting to standing throughout the day to help achieve their wellness goals.
- Specify supports from —
  - Modular Pedestals
  - Laminate end panels (must be used in conjunction with a laminate modesty panel)
  - Laminate L-shaped end panels
  - Metal O-legs
- When combined with a stool-height task chair, provides users the benefit of alternating their work between a seated or standing position.
- An external support channel, for attachment under worksurfaces, is required for all unsupported spans greater than 54″W.

# CONCINNITY™ COMPONENTS

- Worksurface End Support (panel, leg, column, base, pedestal) requirements by product type are as follows —
  - Desk, peninsula, or credenza — qty. 2
  - Return — qty. 1
  - Island extension — qty. 1

## COORDINATE™ HEIGHT ADJUSTABLE BASE

- Height adjustable bases deliver a healthier style of working by allowing a seamless transition between sitting and standing throughout the day. For open, private, or training spaces.
- Available in 2- or 3-leg rectangle C- and T-shaped foot options to accommodate your layout preferences.

**2-Leg**

- 2-Stage frame rises from 25⅝″ to 45¼″.
- 3-Stage frame rises from 21⅝″ to 47¾″.

**3-Leg**

- 2-Stage frame rises from 21⅝″ to 47¾″.

- Accommodates a variety of worksurface shapes.
  - **2-Leg**
    - Rectangular worksurfaces between 23″D x 40″W and 30″D x 72″W.
  - **3-Leg**
    - Two rectangular, corner cove, 120-degree worksurfaces between 23″D x 40″W and 30″D x 72″W x 72″W.
- Select from a variety of control options; memory preset, basic up/down, hands-free foot pedal, or a paddle control.
- Shipped complete with a pre-assembled electric motor.
- Requires the use of an external stiffener (purchased separately) for worksurfaces 58″W or wider when not used with a Coordinate™ worksurface.

**Only 2-Stage Coordinate™ bases will work with HAT shrouds and HAT low credenzas. 3-Stage Coordinate™ bases should not be used due to their lower height range.**

| HNL Support Options — External Channel (model HLSLZ5SCxx) - Recommended Use | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Support Combination | | Worksurface Width | | | | | | | | | | | |
| | Support 1 | Support 2 | 30″ | 36″ | 42″ | 48″ | 54″ | 60″ | 66″ | 72″ | 78″ | 84″ | 90″ | 96″ |
| O-LEG ON ONE END | O-Leg | O-Leg | NR | NR | NR | NR | 60 | 66 | 72 | 78 | 84 | NA | NA | NA |
| | O-Leg | 9½″W Ped | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 | 84 | NA | NA |
| | O-Leg | End Bookcase | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 | 84 | NA |
| | O-Leg | L End Panel | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 | 84 | NA | NA |
| | O-Leg | 15¾″W Ped | NA | NR | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 | NA |
| | O-Leg | 18″W Ped | NA | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 | 84 |
| | O-Leg | 30″W Ped | NA | NA | NA | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 |
| | O-Leg | 36″W Ped | NA | NA | NA | NA | NA | NR | NR | NR | NR | NR | 60 | 66 |
| NARROW PED | 9½″W Ped | 9½″W Ped | NA | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 | 84 |
| | 9½″W Ped | End Bookcase | NA | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 | 84 |
| | 9½″W Ped | L End Panel | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 | 84 | NA |
| | 9½″W Ped | 15¾″W Ped | NA | NA | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 |
| | 9½″W Ped | 18″W Ped | NA | NA | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 |
| | 9½″W Ped | 30″W Ped | NA | NA | NA | NA | NA | NR | NR | NR | NR | NR | 60 | 66 |
| | 9½″W Ped | 36″W Ped | NA | NA | NA | NA | NA | NA | NR | NR | NR | NR | NR | 60 |
| END BOOKCASE PED | End Bookcase | End Bookcase | NA | NA | NR | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 |
| | End Bookcase | L End Panel | NA | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 | 84 |
| | End Bookcase | 15¾″W Ped | NA | NA | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 |
| | End Bookcase | 18″W Ped | NA | NA | NA | NR | NR | NR | NR | NR | NR | 60 | 66 | 72 |
| | End Bookcase | 30″W Ped | NA | NA | NA | NA | NA | NR | NR | NR | NR | NR | NR | 60 |
| | End Bookcase | 36″W Ped | NA | NA | NA | NA | NA | NA | NR | NR | NR | NR | NR | NR |
| L END PANEL | L End Panel | L End Panel | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 | 84 | NA |
| | L End Panel | 15¾″W Ped | NA | NA | NR | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 |
| | L End Panel | 18″W Ped | NA | NA | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 |
| | L End Panel | 30″W Ped | NA | NA | NA | NA | NA | NR | NR | NR | NR | NR | 60 | 66 |
| | L End Panel | 36″W Ped | NA | NA | NA | NA | NA | NA | NR | NR | NR | NR | NR | 60 |
| TWO PEDS | 15¾″W Ped | 15¾″W Ped | NA | NA | NA | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 |
| | 15¾″W Ped | 18″W Ped | NA | NA | NA | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 |
| | 15¾″W Ped | 30″W Ped | NA | NA | NA | NA | NA | NA | NR | NR | NR | NR | NR | 60 |
| | 15¾″W Ped | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NR | NR | NR | NR | NR |
| | 18″W Ped | 18″W Ped | NA | NR | NA | NA | NR | NR | NR | NR | NR | NR | 60 | 66 |
| | 18″W Ped | 30″W Ped | NA | NA | NA | NR | NA | NA | NR | NR | NR | NR | NR | NR |
| | 18″W Ped | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NR | NR | NR | NR | NR |
| | 30″W Ped | 30″W Ped | NA | NA | NA | NA | NA | NR | NA | NA | NR | NR | NR | NR |
| | 30″W Ped | 36″W Ped | NA | NA | NA | NA | NA | NA | NR | NA | NA | NR | NR | NR |
| | 36″W Ped | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NR | NA | NA | NR | NR |
| RETURN CONFIGURATION | None | O-Leg | NR | NR | NR | NR | 60 | 66 | 72 | 78 | 84 | NA | NA | NA |
| | None | 9½″W Ped | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 | 84 | NA | NA |
| | None | End Bookcase | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 | 84 | NA |
| | None | L End Panel | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 | 84 | NA | NA |
| | None | 15¾″W Ped | NA | NR | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 | NA |
| | None | 18″W Ped | NA | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 | 78 | 84 |
| | None | 30″W Ped | NA | NA | NA | NA | NR | NR | NR | NR | NR | 60 | 66 | 72 |
| | None | 36″W Ped | NA | NA | NA | NA | NA | NR | NR | NR | NR | NR | 60 | 66 |

NA = Stiffener not applicable due to invalid worksurface width and support combination
NR = Applicable worksurface width and support combination, but stiffener not required

! The chart reference is to be used to complete the model number. It is not the actual length dimension of the external support channel.

# CONCINNITY™ MODESTY/BACK PANELS

| HNL Floating Modesty Panel — HLSLxx14L/MM — Selection Guide | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Support Combination | | Worksurface Width | | | | | | | | | | | |
| | Support 1 | Support 2 | 30″ | 36″ | 42″ | 48″ | 54″ | 60″ | 66″ | 72″ | 78″ | 84″ | 90″ | 96″ |
| O-LEG ON ONE END | O-Leg | O-Leg | NA | NA | 36 | 42 | 48 | 54 | 60 | 60 | 60 | NA | NA | NA |
| | O-Leg | 9½″W Ped | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | NA | NA |
| | O-Leg | End Bookcase | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 | NA |
| | O-Leg | L End Panel | NA | NA | NA | 36 | 42 | 48 | 54 | 60 | 60 | 60 | NA | NA |
| | O-Leg | 15¾″W Ped | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | NA |
| | O-Leg | 18″W Ped | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 |
| | O-Leg | 30″W Ped | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 |
| | O-Leg | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 |
| NARROW PED | 9½″W Ped | 9½″W Ped | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 |
| | 9½″W Ped | End Bookcase | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 |
| | 9½″W Ped | L End Panel | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | NA |
| | 9½″W Ped | 15¾″W Ped | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 |
| | 9½″W Ped | 18″W Ped | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 |
| | 9½″W Ped | 30″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 48 | 48 |
| | 9½″W Ped | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 |
| END BOOKCASE PED | End Bookcase | End Bookcase | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 |
| | End Bookcase | L End Panel | NA | NA | NA | NA | 30 | 36 | 36 | 48 | 54 | 60 | 60 | 60 |
| | End Bookcase | 15¾″W Ped | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 |
| | End Bookcase | 18″W Ped | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 |
| | End Bookcase | 30″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 |
| | End Bookcase | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 |
| L END PANEL | L End Panel | L End Panel | NA | NA | NA | NA | 36 | 36 | 48 | 54 | 60 | 60 | 60 | NA |
| | L End Panel | 15¾″W Ped | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 |
| | L End Panel | 18″W Ped | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 |
| | L End Panel | 30″W Ped | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 |
| | L End Panel | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 |
| TWO PEDS | 15¾″W Ped | 15¾″W Ped | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 |
| | 15¾″W Ped | 18″W Ped | NA | NA | NA | NA | NA | NA | 30 | 36 | 36 | 48 | 54 | 60 |
| | 15¾″W Ped | 30″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 |
| | 15¾″W Ped | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 |
| | 18″W Ped | 18″W Ped | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 |
| | 18″W Ped | 30″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 |
| | 18″W Ped | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 |
| | 30″W Ped | 30″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 30 |
| | 30″W Ped | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 36″W Ped | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| HT ADJ BASE | Height Adjustable Electric Base (models HHATB3S2LT/C) | | NA | NA | NA | 42 | 48 | 54 | 60 | 60 | NA | NA | NA | NA |
| PENINSULA | Support Column | T End Panel | NA | NA | NA | 30 | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 |
| | Support Column | 9½″W Ped | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 |
| | Support Column | 15¾″W Ped | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 |
| | Support Column | 18″W Ped | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 |
| | Support Column | 30″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 |
| | Support Column | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 |
| RETURN CONFIGURATION | None | O-Leg | NA | NA | 36 | 42 | 48 | 54 | 60 | 60 | 60 | NA | NA | NA |
| | None | 9½″W Ped | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | NA | NA |
| | None | End Bookcase | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 | NA |
| | None | L End Panel | NA | NA | 36 | 36 | 42 | 48 | 54 | 60 | 60 | 60 | NA | NA |
| | None | 15¾″W Ped | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | NA |
| | None | 18″W Ped | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 |
| | None | 30″W Ped | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 |
| | None | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 60 |

NA = Floating Modesty Panel not applicable for use with worksurface width and support combination

# CONCINNITY™ PRIVACY SCREENS



| HNL Above-Below Privacy Screen — HLSL28xx — Selection Guide | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Support Combination | | Worksurface Width | | | | | | | | | | | |
| | Support 1 | Support 2 | 30″ | 36″ | 42″ | 48″ | 54″ | 60″ | 66″ | 72″ | 78″ | 84″ | 90″ | 96″ |
| O-LEG ON ONE END | O-Leg | O-Leg | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 | NA | NA | NA |
| | O-Leg | 9½″W Ped | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 | NA | NA |
| | O-Leg | End Bookcase | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 | NA |
| | O-Leg | L End Panel | NA | NA | NA | 36 | 42 | 48 | 54 | 60 | 60 | 60 | NA | NA |
| | O-Leg | 15¾″W Ped | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 | NA |
| | O-Leg | 18″W Ped | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 |
| | O-Leg | 30″W Ped | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 |
| | O-Leg | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 |
| NARROW PED | 9½″W Ped | 9½″W Ped | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 |
| | 9½″W Ped | End Bookcase | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 |
| | 9½″W Ped | L End Panel | NA | NA | NA | 30 | 36 | 42 | 48 | 48 | 60 | 60 | 60 | NA |
| | 9½″W Ped | 15¾″W Ped | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 |
| | 9½″W Ped | 18″W Ped | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 |
| | 9½″W Ped | 30″W Ped | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 |
| | 9½″W Ped | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 |
| END BOOKCASE PED | End Bookcase | End Bookcase | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 |
| | End Bookcase | L End Panel | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 |
| | End Bookcase | 15¾″W Ped | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 |
| | End Bookcase | 18″W Ped | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 |
| | End Bookcase | 30″W Ped | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 |
| | End Bookcase | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 |
| L END PANEL | L End Panel | L End Panel | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 | NA |
| | L End Panel | 15¾″W Ped | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 |
| | L End Panel | 18″W Ped | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 |
| | L End Panel | 30″W Ped | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 |
| | L End Panel | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 |
| TWO PEDS | 15¾″W Ped | 15¾″W Ped | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 |
| | 15¾″W Ped | 18″W Ped | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 |
| | 15¾″W Ped | 30″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 |
| | 15¾″W Ped | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 |
| | 18″W Ped | 18″W Ped | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 48 | 60 |
| | 18″W Ped | 30″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 |
| | 18″W Ped | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 |
| | 30″W Ped | 30″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 30 | 36 |
| | 30″W Ped | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 30 |
| | 36″W Ped | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| HT ADJ BASE | Height Adjustable Base (models HHATB3S2LT/C) | | NA | NA | NA | 42 | 48 | 54 | 60 | 60 | NA | NA | NA | NA |
| RETURN CONFIGURATION | None | O-Leg | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 | NA | NA | NA |
| | None | 9½″W Ped | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 | NA | NA |
| | None | End Bookcase | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 | NA |
| | None | L End Panel | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 | NA | NA |
| | None | 15¾″W Ped | NA | NA | NA | 30 | 36 | 36 | 48 | 54 | 60 | 60 | 60 | NA |
| | None | 18″W Ped | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 | 60 | 60 |
| | None | 30″W Ped | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 | 60 |
| | None | 36″W Ped | NA | NA | NA | NA | NA | NA | NA | 30 | 36 | 42 | 48 | 54 |

NA = Above-Below Screen not applicable for use with worksurface width and support combination

# CONCINNITY™ COMPONENTS — SUPPORTS

## SUPPORT STORAGE PEDESTALS — 28½″H

- Non-handed, interchangeable design reconfigures easily.
- For use with component top and modesty/back panels or pedestal top and back panels.
  - Pedestals are not fully enclosed and require a component top/worksurface and modesty/back panel or a pedestal back, both of which must be ordered separately.
  - Pedestal's front and side panels are finished.
- The pedestal depth dimension is less than the like-size depth of the component top, to accommodate addition of a modesty/back panel.
  - 29⅛″D pedestals can be used under 30″ or 36″D worksurfaces; 23⅛″D pedestals can be used under 24″ or 30″D worksurfaces.
  - When specifying a 29⅛″D pedestal with ¾″ modesty panel under a 36″D worksurface, or a 23⅛″D pedestal with a ¾″ modesty panel under a 30″D worksurface, there will be a 6″ approach side overhang.
- Bottom of side panels are edgebanded for added strength and to seal out moisture.
- Drawers:
  - Operate on steel ball-bearing suspensions to ensure smooth, quiet, long-lasting operation; full extension allows easy access to contents.
  - Fronts are edgebanded on all four sides.
  - Feature 5-sided construction for added strength and easy alignment or replacement of drawer fronts.
- Interchangeable core removable locks are located on front of all modular storage products, except the storage cabinet.
- Finish of lock is determined by, and aligned with, the handle finish specified.
- Locks feature a removable cylinder that can be interchanged as needed; allows users to access all furniture pieces in an office with a single key for convenience and security. Makes re-keying quick and easy. Keyed alike cores must be ordered separately by specification of the key number (removable lock core kit models available in Black [model HF23B] or Satin [model HF23S]).
- Ship fully assembled.
- Chassis and drawer front colors are specified separately; can be selected with common woodgrain or solid laminate color, or with different, complementary chassis and drawer/door colors.
- See chart on page 50 for cord management options. If the pedestal grommet option is chosen, two cutouts, one per end/side panel, each with a black plastic cap, are included.

## SUPPORT STORAGE PEDESTALS — 41″H STANDING-HEIGHT

- Same as above except — not to be used freestanding; top and back are not enclosed.
  - Rear of pedestal can be enclosed with a full, 40⅜″H back panel or with a 27⅞″H modesty panel combined with a lower, 13″H pedestal back component. Pedestal back and modesty panel must be ordered separately.

# CONCINNITY™ PAPER ORGANIZER COMPATIBILITY



## PAPER ORGANIZERS FOR STACK-ON AND WALL MOUNTED STORAGE CABINETS

- Laminate vertical paper manager (HLVPM1) is designed for desk, credenza, and return tops; fits under stack-on and wall mount storage units.
- Laminate desktop storage terrace (HLDST1) for use on worksurfaces, or inside overhead storage compartments >26½″W.
- Metal desktop paper shelf (HDPS1) for use on worksurfaces, can be stacked two high, or inside overhead storage compartments >28¾″W.
- Stacked paper management (HLVPM2) can be positioned inside overhead storage cabinets >32½″W.
- Metal hanging paper shelf (HHPS1) attaches quickly and easily to the underside of stack-on and wall mounted storage models.

• For applications using the organizers inside stack-on and wall mounted storage compartments, the fit compatibility is as follows:

| OUTSIDE WIDTH | INSIDE WIDTH | Stacked Paper Mgt. — 32½″W HLVPM2<br>Yes or No | Desktop Paper Shelf — 28¾″W HDPS1<br>Yes or No | Desktop Storage Terrace — 26½″W HLDST1<br>Yes or No | Hanging Paper Shelf — 28⅞″W HHPS1<br>*Qty — see NOTE |
|---|---|---|---|---|---|
| **STACK-ON STORAGE W/ LAM DOORS, LAM LOCKING DOORS, FROSTED DOORS** | | | | | |
| 36″W | 34.34 | Y | Y | Y | 1 |
| 42″W | 40.34 | Y | Y | Y | 1 |
| 48″W (large compartment) | 30.60 | N | Y | Y | 1 |
| 60″W | 28.60 | N | N | Y | 2 |
| 66″W | 31.60 | N | Y | Y | 2 |
| 72″W | 34.60 | Y | Y | Y | 2 |
| 78″W | 37.60 | Y | Y | Y | 2 |
| **STACK-ON STORAGE W/ SLIDING DOOR** | | | | | |
| 48″W | 22.60 | N | N | N | 1 |
| 60″W | 28.60 | N | N | Y | 2 |
| 66″W | 31.60 | N | Y | Y | 2 |
| 72″W | 34.60 | Y | Y | Y | 2 |
| 78″W | 37.60 | Y | Y | Y | 2 |
| **WALL MOUNT STORAGE W/ LAM DOORS, LAM LOCKING DOORS, FROSTED DOORS** | | | | | |
| 30″W | 28.35 | N | N | Y | N |
| 36″W | 33.67 | Y | Y | Y | 1 |
| 42″W | 39.67 | Y | Y | Y | 1 |
| 48″W (large compartment) | 30.22 | N | Y | Y | 1 |
| 60″W | 28.22 | N | N | Y | 2 |
| 66″W | 31.22 | N | Y | Y | 2 |
| 72″W | 34.22 | Y | Y | Y | 2 |
| 78″W | 37.22 | Y | Y | Y | 2 |
| **WALL MOUNT STORAGE W/ SLIDING DOOR** | | | | | |
| 48″W | 22.46 | N | N | N | 1 |
| 60″W | 28.46 | N | N | Y | 2 |
| 66″W | 31.46 | N | Y | Y | 2 |
| 72″W | 34.46 | Y | Y | Y | 2 |
| 78″W | 37.46 | Y | Y | Y | 2 |


*NOTE: For model HHPS1, quantity represents the number that can be mounted side-by-side under the cabinet.

# CONCINNITY™ CORD MANAGEMENT


| | GROMMET | # OF GROMMETS | LOCATION | CUTOUT SHAPE | MATERIAL | COLOR/FINISH |
|---|---|---|---|---|---|---|
| **BUILT-UP/FACTORY-CONFIGURED** | | | | | | |
| **DESK** | | | | | | |
| Top | Standard/Fixed Location | 2 | Back Left & Right | 3″ Round | Plastic | Black or Platinum |
| End Panel | Standard/Fixed Location | 2 (1 per EP) | Top Back Corner | 1¾″ Round | Plastic | Black |
| Modesty/Back | Not Available | 0 | N/A | N/A | N/A | N/A |
| **CREDENZA** | | | | | | |
| Top | Standard/Fixed Location | 2 | Back Left & Right | 3″ Round | Plastic | Black or Platinum |
| End Panel | Standard/Fixed Location | 2 (1 per EP) | Top Back Corner | 1¾″ Round | Plastic | Black |
| Modesty/Back | Standard/Fixed Location | 1 | Top Center | 2½″ Round | Plastic | Black |
| **RETURN** | | | | | | |
| Top | Standard/Fixed Location | 1 | Top Center | 3″ Round | Plastic | Black or Platinum |
| End Panel | Standard/Fixed Location | 1 | Top Back Corner | 1¾″ Round | Plastic | Black |
| Modesty/Back | Standard/Fixed Location | 1 | Top Center | 2½″ Round | Plastic | Black |
| **BRIDGE** | | | | | | |
| Top | Standard/Fixed Location | 1 | Back Center | 3″ Round | Plastic | Black or Platinum |
| Modesty/Back | Standard/Fixed Location | 1 | Top Center | 2½″ Round | Plastic | Black |
| **BULLET PENINSULA** | | | | | | |
| Top | Not Available | 0 | | | | |
| End Panel | Not Available; Pass-Thru in Brace Panel | 0 | | | | |
| **JETTY PENINSULA** | | | | | | |
| Top | Standard/Fixed Location | 1 | Back, Approach-Side Corner | 3″ Round | Plastic | Black or Platinum |
| End Panel | Not Available; Pass-Thru Standard in Brace Panel | 0 | | | | |
| **CORNER UNIT** | | | | | | |
| Top | Standard/Fixed Location | 1 | Back Corner | 3″ Round | Plastic | Black or Platinum |
| Modesty/Back | Not Available; Pass-Thru Standard in Brace Panels | 0 | | | | |
| Stack-on | Standard/Fixed Location | 1 | 1¼″ Side-to-Side Gap at Top or Bottom of Back Panel, Below Cabinet | | | |
| **MODULAR COMPONENTS — WORKSURFACES** | | | | | | |
| Rectangle – 60″ to 96″W | Optional – Specify: Black (P) or Platinum (T1) or None (X) | 2 | Back Left & Right | 3″ Round | Plastic | Black or Platinum |
| Rectangle – 30″ to 54″W | Optional – Specify: Black (P) or Platinum (T1) or None (X) | 1 | Back Center | 3″ Round | Plastic | Black or Platinum |
| Bullet Shape | Optional – Specify: Black (P) or Platinum (T1) or None (X) | 1 | Centered Along EP; Over Brace Leg Cutout | 3″ Round | Plastic | Black or Platinum |
| Ext. Corner | Optional – Specify: Black (P) or Platinum (T1) or None (X) | 1 | Back Corner of Top and Long End Panel | 3″ Round | Plastic | Black or Platinum |
| **MODULAR COMPONENTS — MODESTY PANELS** | | | | | | |
| Full-Length – ≥30″W | Optional – Specify: Black (P) or None (X) | 1 | Top Center | 2½″ Round | Plastic | Black |
| 10″ | No | 0 | | | | |
| **MODULAR COMPONENTS — END PANELS** | | | | | | |
| 1⅛″ Thick | Optional – Specify: Black (P) or None (X) | 1 | Top Back Corner | 1¾″ Round | Plastic | Black |
| T-Shaped | No | 0 | | | | |
| L-Shaped | Optional – Specify: Black (P) or None (X) | 1 | Top or Bottom Centered | 1¾″ Round | Plastic | Black |
| **MODULAR COMPONENTS — STORAGE PEDESTALS** | | | | | | |
| Pedestal | Optional – Specify: Black (P) or None (X) | 2 (1 per EP) | Top Back Corner | 1¾″ Round | Plastic | Black |

NOTE: If customer wants a desk, credenza, return, or bridge without grommets, they can specify modular components.


## Grommet Locations in Tops





Bow Top Desks and Worksurfaces





Desks and Rectangle Worksurfaces





Credenzas and Rectangle Worksurfaces





Rectangle Worksurfaces





Returns, Bridges, and Rectangle Worksurfaces





Rectangle Worksurfaces





Bullet Worksurfaces




Jetty Peninsula




Corner Unit





Extended Corner Worksurfaces

# CONCINNITY™ Typicals


Icon Legend on page 19

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Double Pedestal Desk, Bow Top, Breakfront Frosted Modesty Panel**<br>72″W x 36″D x 29½″H | HNL3672DPBBF | $3,923 | $3,923 |
| 1 | **Credenza with Kneespace**<br>72″W x 24″D x 29½″H | HNL2472DPK | $2,476 | $2,476 |
| 1 | **Wall Mount Storage, Frosted Doors with Silver Frame**<br>72″W x 15″D x 28½″H | HNL2972FD | $3,244 | $3,244 |
| 1 | **Storage/File Cabinet, Hinged Right**<br>18″W x 24″D x 64¾″H | HNL241865SFLR | $2,369 | $2,369 |
| 1 | **Storage/File Cabinet, Hinged Left**<br>18″W x 24″D x 64¾″H | HNL241865SFLL | $2,369 | $2,369 |
| | | | **TOTAL:** | **$14,381** |




**DESK — CREDENZA — STORAGE**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Left Pedestal Desk, Rectangle Top, Breakfront Modesty Panel**<br>72″W x 36″D x 29½″H | HNL3672LPRB | $2,602 | $2,602 |
| 1 | **Rectangle Worksurface with Vertical Grain**<br>42″W x 24″D | HNLRC2442V | $351 | $351 |
| 1 | **Narrow File/File Pedestal**<br>9½″W x 23⅛″D x 28½″H | HNL231028PFF | $942 | $942 |
| 1 | **Modesty/Back Panel — Full-Length**<br>42″W x 27⅞″H | HNLMP4228 | $281 | $281 |
| 1 | **Stack-on Storage, Sliding Door**<br>78″W x 15″D x 35¼″H | HNL3678SD | $1,727 | $1,727 |
| 1 | **Storage/File Cabinet, Open Shelves**<br>18″W x 24″D x 64¾″H | HNL241865SFX | $2,250 | $2,250 |
| | | | **TOTAL:** | **$8,153** |



**L-WORKSTATION**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangle Worksurface**<br>72″W x 30″D | HNLRC3072 | $587 | $587 |
| 1 | **Narrow Box/Box/File Pedestal**<br>9½″W x 29⅛″D x 28½″H | HNL291028PBBF | $1,052 | $1,052 |
| 1 | **Full Back Panel — For 9½″W Pedestal**<br>9½″W x 27⅞″H | HNLPB1028 | $175 | $175 |
| 1 | **Laminate Modesty Screen**<br>36″W x 13″H | HUSLMOD1336 | $619 | $619 |
| 1 | **Bookcase End Support**<br>12″W x 30″D x 28½″H | HNL123028BKE | $693 | $693 |
| 1 | **Rectangle Worksurface**<br>72″W x 24″D | HNLRC2472 | $502 | $502 |
| 1 | **Shelf/Box/Box/Lateral File Pedestal**<br>36″W x 23⅛″D x 28½″H | HNL233628PSL | $1,697 | $1,697 |
| 1 | **Storage Cabinet Pedestal**<br>36″W x 23⅛″D x 28½″H | HNL233628PSC | $1,105 | $1,105 |
| 1 | **Modesty/Back Panel — Full-Length**<br>72″W x 27⅞″H | HNLMP7228 | $393 | $393 |
| 1 | **Stack-on Storage, Sliding Door**<br>72″W x 15″D x 35¼″H | HNL3672SD | $1,675 | $1,675 |
| 1 | **Bookcase with Coat Hooks, 5-Shelf, Left**<br>24″W x 24″D x 64¾″H | HNL2424BK5CL | $1,305 | $1,305 |
| | | | **TOTAL:** | **$9,803** |




**DESK — CREDENZA — STORAGE**

# CONCINNITY™ Typicals




Icon Legend on page 19

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangle Worksurface**<br>60″W x 24″D | **HNLRC2460** | $448 | $448 |
| 1 | **Height Adjustable Base** | **HHATB3S2LT** | $1,203 | $1,203 |
| 1 | **External Stiffener**<br>48″W for 54″ Worksurface | **HLSLZ5SC60** | $138 | $138 |
| 1 | **Rectangle Worksurface**<br>84″W x 24″D | **HNLRC2484** | $673 | $673 |
| 1 | **End Panel, Left**<br>1⅛″W x 23⅛″D x 28½″H | **HNLEP2428L** | $281 | $281 |
| 1 | **Shelf/Box/Box/Lateral File Pedestal**<br>36″W x 23⅛″D x 28½″H | **HNL233628PSL** | $1,697 | $1,697 |
| 1 | **Modesty/Back Panel — Short**<br>84″W x 10″H | **HNLMP8410** | $476 | $476 |
| 1 | **Low Back Panel — For 28½″H Pedestal**<br>36″W x 18″H | **HNLLB3618** | $206 | $206 |
| 2 | **Stack-on Storage, Frosted Doors with Silver Frame**<br>42″W x 15″D x 35¼″H | **HNL3642FD** | $1,806 | $3,612 |
| 1 | **Space Saver End Panels for Stack-on Storage**<br>¾″W x 14¼″D x 35¼″H | **HNL3605SSEP** | $520 | $520 |
| 1 | **Wardrobe/Storage Cabinet, Hinged Right**<br>18″W x 24″D x 64¾″H | **HNL241865WLR** | $2,165 | $2,165 |
| | | | **TOTAL:** | **$11,419** |




**L-WORKSTATION WITH HEIGHT-ADJUSTABLE DESK — OPEN PLAN**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Bullet Worksurface**<br>84″W x 30″D | **HNLBU3084** | $823 | $823 |
| 1 | **T-Shaped End Panel — For Bullet Worksurface**<br>11⅝″W x 29⅞″D x 28½″H | **HNLTEP3028** | $482 | $482 |
| 1 | **Support Column — For Bullet Worksurface**<br>3″ Diameter | **HPC190X** | $224 | $224 |
| 1 | **Bridge**<br>48″W x 24″D x 29½″H | **HNL2448BF** | $613 | $613 |
| 1 | **Rectangle Worksurface**<br>84″W x 24″D | **HNLRC2484** | $673 | $673 |
| 1 | **End Panel, Left**<br>1⅛″W x 23⅛″D x 28½″H | **HNLEP2428L** | $281 | $281 |
| 1 | **Shelf/Box/Box/Lateral File Pedestal**<br>36″W x 23⅛″D x 28½″H | **HNL233628PSL** | $1,697 | $1,697 |
| 1 | **Modesty/Back Panel — Full-Length**<br>84″W x 27⅞″H | **HNLMP8428** | $476 | $476 |
| 2 | **Stack-on Storage, Laminate Doors**<br>42″W x 15″D x 48⅝″H | **HNL4942LD** | $1,645 | $3,290 |
| 1 | **Space Saver End Panels for Stack-on Storage**<br>¾″W x 14¼″D x 48⅝″H | **HNL4905SSEP** | $699 | $699 |
| | | | **TOTAL:** | **$9,258** |



**U-WORKSTATION WITH 84″W WORKSURFACE**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Left Pedestal Desk, Rectangle Top, Breakfront Frosted Modesty Panel**<br>72″W x 36″D x 29½″H | **HNL3672LPRBF** | $3,245 | $3,245 |
| 1 | **Rectangle Worksurface with Vertical Grain**<br>48″W x 24″D | **HNLRC2448V** | $377 | $377 |
| 1 | **Modesty/Back Panel — Short**<br>48″W x 10″H | **HNLMP4810** | $306 | $306 |
| 1 | **Right Credenza with Lateral File**<br>72″W x 24″D x 29½″H | **HNL2472RLC** | $2,157 | $2,157 |
| 1 | **Stack-on Storage, Frosted Doors with Silver Frame**<br>72″W x 15″D x 48⅝″H | **HNL4972FD** | $3,532 | $3,532 |
| 1 | **Vertical Paper Manager** | **HLVPM1** | $454 | $454 |
| 1 | **Wardrobe Left, Bookcase Right**<br>36″W x 24″D x 78⅛″H | **HNL243679WLBR** | $3,448 | $3,448 |
| | | | **TOTAL:** | **$13,519** |




**U-WORKSTATION**

# CONCINNITY™ Typicals


Icon Legend on page 19

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangle Worksurface**<br>72″W x 30″D | **HNLRC3072** | $587 | $587 |
| 1 | **Rectangle Worksurface with Vertical Grain**<br>42″W x 24″D | **HNLRC2442V** | $351 | $351 |
| 1 | **Height Adjustable Base, 3-Leg** | **HHATB3S3LT** | $1,983 | $1,983 |
| 1 | **External Stiffener**<br>60″W for 66″ Worksurface | **HLSLZ5SC72** | $156 | $156 |
| 1 | **Acrylic Modesty Screen**<br>60″W x 13″H | **HUSAMOD1360** | $1,008 | $1,008 |
| 1 | **Rectangle Worksurface**<br>72″W x 24″D | **HNLRC2472** | $502 | $502 |
| 1 | **End Panel, Right**<br>1⅛″W x 23⅛″D x 28½″H | **HNLEP2428R** | $281 | $281 |
| 1 | **Box/Box/File Pedestal**<br>15¾″W x 23⅛″D x 28½″H | **HNL231628PBBF** | $975 | $975 |
| 1 | **Low Back Panel — For 15¾″W Pedestal**<br>15¾″W x 18″H | **HNLLB1618** | $177 | $177 |
| 1 | **Modesty/Back Panel — Short**<br>72″W x 10″H | **HNLMP7210** | $393 | $393 |
| 1 | **Wall Mount Storage, Frosted Doors with Silver Frame**<br>72″W x 15″D x 15″H | **HNL1572FD** | $2,441 | $2,441 |
| 1 | **Storage/File Cabinet, Hinged Left**<br>18″W x 24″D x 64¾″H | **HNL241865SFLL** | $2,369 | $2,369 |
| | | | **TOTAL:** | **$11,223** |




**U-WORKSTATION WITH HEIGHT-ADJUSTABLE L-WORKSURFACE**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangle Worksurface**<br>72″W x 24″D | **HNLRC2472** | $502 | $502 |
| 2 | **O-Leg Support for 24″D Worksurface**<br>24″D x 28½″H | **HLSL2428O** | $446 | $892 |
| 1 | **External Support Channel for 72″W Worksurface** | **HLSLZ5SC78** | $156 | $156 |
| 1 | **Low Credenza, Drawers Left, Bookcase Right**<br>60″W x 20″D x 21½″H | **HNL206021LD2** | $1,724 | $1,724 |
| 1 | **Rectangle Worksurface**<br>54″W x 24″D | **HNLRC2454** | $410 | $410 |
| 1 | **Standing-Height O-Leg Support for 24″D Worksurface**<br>24″D x 41″H | **HLSL2441O** | $594 | $594 |
| 1 | **Narrow Box/Box/File/File Pedestal**<br>9½″W x 23⅛″D x 41″H | **HNL231041PBBFF** | $1,801 | $1,801 |
| 1 | **Full Back Panel — For 41″H Pedestal**<br>9½″W x 40⅜″H | **HNLPB1041** | $192 | $192 |
| 1 | **Storage Tower, Hinged Left**<br>18″W x 24″D x 50″H | **HNL241850TLL** | $1,697 | $1,697 |
| | | | **TOTAL:** | **$7,968** |




**U-WORKSTATION WITH SITTING AND STANDING-HEIGHT WORKSURFACES — OPEN PLAN**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangle Worksurface**<br>72″W x 30″D | **HNLRC3072** | $587 | $587 |
| 1 | **O-Leg Support for 30″D Worksurface**<br>30″D x 28½″H | **HLSL3028O** | $493 | $493 |
| 1 | **O-Leg Support over Low Credenza**<br>30″D x 7″H | **HLSL307O** | $381 | $381 |
| 1 | **External Support Channel for 72″W Worksurface** | **HLSLZ5SC78** | $156 | $156 |
| 1 | **Low Credenza, Drawers Right, Bookcase Left**<br>60″W x 20″D x 21½″H | **HNL206021RD2** | $1,724 | $1,724 |
| 1 | **Low Credenza, Drawers Left, Bookcase Right**<br>60″W x 20″D x 21½″H | **HNL206021LD2** | $1,724 | $1,724 |
| 2 | **Wall Mount Storage, Laminate Doors**<br>30″W x 15″D x 28½″H | **HNL2930LD** | $1,118 | $2,236 |
| 1 | **Wall Mount Storage, Frosted Doors with Silver Frame**<br>30″W x 15″D x 28½″H | **HNL2930FD** | $1,765 | $1,765 |
| 1 | **Wall Mount Tackboards**<br>30″W x 48⅝″H | **HNL4930TB** | $404 | $404 |
| | | | **TOTAL:** | **$9,470** |



**WORKSTATION WITH WORKWALL — OPEN PLAN**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 3 | **Rectangle Worksurface with Vertical Grain**<br>48″W x 24″D | **HNLRC2448V** | $377 | $1,131 |
| 3 | **O-Leg Support for 48″W x 24″D Worksurface**<br>24″D x 28½″H | **HLSL2428O** | $446 | $1,338 |
| 3 | **Acrylic Modesty Screen**<br>42″W x 13″H | **HUSAMOD1342** | $822 | $2,466 |
| 3 | **Rectangle Worksurface**<br>72″W x 24″D | **HNLRC2472** | $502 | $1,506 |
| 3 | **L-Shaped End Panel, Left**<br>15¾″W x 24″D x 28½″H | **HNLLEP2428L** | $454 | $1,362 |
| 3 | **Shelf/Box/Box/Lateral File Pedestal**<br>30″W x 23⅛″D x 28½″H | **HNL233028PSL** | $1,662 | $4,986 |
| 3 | **Modesty/Pedestal Back Panel**<br>30″W x 27⅞″H | **HNLMP3028** | $241 | $723 |
| 3 | **Wall Mount Storage, Frosted Doors with Silver Frame**<br>72″W x 15″D x 15″H | **HNL1572FD** | $2,441 | $7,323 |
| | | | **TOTAL:** | **$20,835** |




**L-WORKSTATIONS — OPEN PLAN**

# CONCINNITY™ Typicals


Icon Legend on page 19

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangle Worksurface with Vertical Grain**<br>48″W x 24″D | **HNLRC2448V** | $377 | $377 |
| 1 | **O-Leg Support for 48″W x 24″D Worksurface**<br>24″D x 28½″H | **HLSL2428O** | $446 | $446 |
| 1 | **Rectangle Worksurface**<br>96″W x 24″D | **HNLRC2496** | $727 | $727 |
| 1 | **Storage Cabinet Pedestal**<br>36″W x 23⅛″D x 28½″H | **HNL233628PSC** | $1,105 | $1,105 |
| 1 | **End Panel, Left**<br>1⅛″W x 23⅛″D x 28½″H | **HNLEP2428L** | $281 | $281 |
| 1 | **Modesty/Back Panel — Full-Length**<br>96″W x 27⅞″H | **HNLMP9628** | $588 | $588 |
| 1 | **Bookcase Hutch, Frosted Doors with Silver Frame**<br>36″W x 15″D x 48⅝″H | **HNL4936BHFD** | $2,308 | $2,308 |
| 1 | **Wall Mount Storage, Frosted Doors with Silver Frame**<br>60″W x 15″D x 28½″H | **HNL2960FD** | $3,048 | $3,048 |
| 1 | **Vertical Paper Manager** | **HLVPM1** | $454 | $454 |
| 1 | **Storage Tower, Wardrobe Right, Cabinet Left**<br>24″W x 24″D x 78⅛″H | **HNL242465TLR** | $3,042 | $3,042 |
| | | | **TOTAL:** | **$12,376** |





**WORKSTATION WITH WORKWALL — OPEN PLAN**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 4 | **Rectangle Worksurface**<br>60″W x 24″D | **HNLRC2460** | $448 | $1,792 |
| 4 | **Shelf/Box/Box/File Pedestal**<br>15¾″W x 23⅛″D x 41″H | **HNL231641PSBBF** | $2,048 | $8,192 |
| 4 | **Full Back Panel — For 15¾″W Pedestal**<br>15¾″W x 40⅜″H | **HNLPB1641** | $211 | $844 |
| 4 | **Narrow Box/Box/File/File Pedestal**<br>9½″W x 23⅛″D x 41″H | **HNL231041PBBFF** | $1,801 | $7,204 |
| 4 | **Full Back Panel — For 9½″W Pedestal**<br>9½″W x 40⅜″H | **HNLPB1041** | $192 | $768 |
| 2 | **5-Shelf Bookcase with Coat Hooks, Right**<br>24″W x 24″D x 64¾″H | **HNL2424BK5CR** | $1,305 | $2,610 |
| 2 | **5-Shelf Bookcase with Coat Hooks, Left**<br>24″W x 24″D x 64¾″H | **HNL2424BK5CL** | $1,305 | $2,610 |
| | | | **TOTAL:** | **$24,020** |



**STANDING-HEIGHT — TEAMING WORKSTATION — OPEN PLAN**












| DESCRIPTION | APPROACH SIDE OVERHANG | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES WORKSURFACES | CHASSIS | FRONTS |
|---|---|---|---|---|---|---|---|---|
| **Double Pedestal Desk — Bow Top** | | | | | | | | |
| 72″W x 36″D x 29½″H, Recessed Modesty Panel | 6″ | **HNL3672DPBR** | 298 | 51.8 | **$3142** | **$28** | **$44** | **$12** |
| 72″W x 36″D x 29½″H, Breakfront Modesty Panel | 6-12″ | **HNL3672DPBB** | 282 | 51.8 | **$3267** | **$28** | **$44** | **$12** |
| 72″W x 36″D x 29½″H, Breakfront Frosted Modesty Panel | 6-12″ | **HNL3672DPBBF** | 266 | 51.8 | **$3923** | **$28** | **$44** | **$12** |

NOTES: For laminate center drawer, see page 113. For pull-out collaborative shelf, for desks with breakfront modesty panel, see page 113.






| DESCRIPTION | APPROACH SIDE OVERHANG | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES WORKSURFACES | CHASSIS | FRONTS |
|---|---|---|---|---|---|---|---|---|
| **Double Pedestal Desk — Rectangle Top** | | | | | | | | |
| 72″W x 36″D x 29½″H, Rectangle Top, Recessed Modesty Panel | 6″ | **HNL3672DPRR** | 292 | 51.8 | **$2661** | **$28** | **$44** | **$12** |
| 66″W x 30″D x 29½″H, Rectangle Top, Flush Modesty Panel | | **HNL3066DPRF** | 267 | 40.2 | **$2504** | **$22** | **$39** | **$12** |
| 60″W x 30″D x 29½″H, Rectangle Top, Flush Modesty Panel | | **HNL3060DPRF** | 257 | 40.2 | **$2339** | **$22** | **$50** | **$22** |
| 72″W x 36″D x 29½″H, Rectangle Top, Breakfront Modesty Panel | 6-12″ | **HNL3672DPRB** | 287 | 51.8 | **$2961** | **$28** | **$44** | **$12** |
| 72″W x 36″D x 29½″H, Rectangle Top, Breakfront Frosted Modesty Panel | 6-12″ | **HNL3672DPRBF** | 270 | 51.8 | **$3618** | **$28** | **$44** | **$12** |

NOTES: For laminate center drawer, see page 113. For pull-out collaborative shelf, for desks with breakfront modesty panel, see page 113.

**NOTES:**

- Feature full-to-the-floor pedestals to maximize storage space.
- Double pedestal desks have 3/2 drawer configuration (box/box/file on left pedestal, file/file on right pedestal).
- Single pedestal desks have a box/box/file pedestal.
- One molded black pencil tray is included in each box/box/file pedestal.
- 72″W models are available with Rectangle- or bow-shaped tops.
- Bow top desk models measure 36″D at the crest and 30″D along the end panels.
- Breakfront desk features a floating modesty panel which can be specified in laminate or frosted material. Floating design provides space for optional pull-out collaborative shelf for visitors. See page 113.
- Recessed modesty panel design has a full-width conference overhang, providing worksurface and kneespace for guests.
- 66″W and 60″W desks have a flush modesty panel (i.e., no conference overhang).
- Two cord management grommets, for routing and hiding wires and cables, are located in desktops.
- Grommets can be replaced with optional Power (model HGRMTAC) or USB Hub (HGRMTUSB2).
- Pedestal sides and end panels are standard with pass-through grommets to enable the routing of cords below the worksurface, and connections between workstations.
- See “Modular Components” for cord management options. Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets.
- Finish of pedestal lock(s) is determined by, and aligned with, the handle finish specified.
- Adjustable hex leveling glides.
- Ship fully assembled.

! Side grommets on pedestal are black only.


## HOW TO SPECIFY

| Select Model Number | Select Edge Profile and Edge Color | Select Handle and Lock Color | Select Worksurface Grommet Finish | Select Worksurface Color | Select Chassis Color | Select Drawer Front Color |
|---|---|---|---|---|---|---|
| | See page 31 | See page 37 | **P** Black<br>**T1** Platinum | See page 31 | See page 31 | See page 31 |
| H N L 3 6 7 2 D P B R . | B H . | E . | T 1 . | H . | H . | H |

# CONCINNITY™ Desks

GSA SIN 33721

Icon Legend on page 19




| DESCRIPTION | APPROACH SIDE OVERHANG | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES WORKSURFACES | CHASSIS | FRONTS |
|---|---|---|---|---|---|---|---|---|
| **Single Pedestal Desk — Bow Top** | | | | | | | | |
| 72″W x 36″D x 29½″H, Right, Recessed Modesty Panel (shown) | 6″ | **HNL3672RPBR** | 238 | 51.8 | **$2525** | **$28** | **$44** | **$12** |
| 72″W x 36″D x 29½″H, Left, Recessed Modesty Panel | 6″ | **HNL3672LPBR** | 238 | 51.8 | **$2525** | **$28** | **$44** | **$12** |
| 72″W x 36″D x 29½″H, Right, Breakfront Modesty Panel | 6-12″ | **HNL3672RPBB** | 237 | 51.8 | **$2847** | **$28** | **$44** | **$12** |
| 72″W x 36″D x 29½″H, Left, Breakfront Modesty Panel | 6-12″ | **HNL3672LPBB** | 237 | 51.8 | **$2847** | **$28** | **$44** | **$12** |
| 72″W x 36″D x 29½″H, Right, Breakfront Frosted Modesty Panel | 6-12″ | **HNL3672RPBBF** | 221 | 51.8 | **$3491** | **$28** | **$44** | **$12** |
| 72″W x 36″D x 29½″H, Left, Breakfront Frosted Modesty Panel | 6-12″ | **HNL3672LPBBF** | 221 | 51.8 | **$3491** | **$28** | **$44** | **$12** |

NOTES: For laminate center drawer, see page 113. For pull-out collaborative shelf, for desks with breakfront modesty panel, see page 113.


**NOTES:**

- Feature full-to-the-floor pedestals to maximize storage space.
- Double pedestal desks have 3/2 drawer configuration (box/box/file on left pedestal, file/file on right pedestal).
- Single pedestal desks have a box/box/file pedestal.
- One molded black pencil tray is included in each box/box/file pedestal.
- 72″W models are available with Rectangle- or bow-shaped tops.
- Bow top desk models measure 36″D at the crest and 30″D along the end panels.
- Formal breakfront or recessed modesty panel.
- Breakfront desk features a floating modesty panel which can be specified in laminate or frosted material. Floating design provides space for optional pull-out collaborative shelf for visitors. See page 113.
- Recessed modesty panel design has a full-width conference overhang, providing worksurface and kneespace for guests.
- 66″W and 60″W desks have a flush modesty panel (i.e., no conference overhang).
- Two cord management grommets, for routing and hiding wires and cables, are located in desktops.
- Grommets can be replaced with optional Power (model HGRMTAC) or USB Hub (HGRMTUSB2).
- Pedestal sides and end panels are standard with pass-through grommets to enable the routing of cords below the worksurface, and connections between workstations.
- See “Modular Components” for cord management options. Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets.
- Finish of pedestal lock(s) is determined by, and aligned with, the handle finish specified.
- Adjustable hex leveling glides.
- Ship fully assembled.

! Side grommets on pedestal are black only.

## HOW TO SPECIFY

| Select Model Number | Select Edge Profile and Edge Color | Select Handle and Lock Color | Select Worksurface Grommet Finish | Select Worksurface Color | Select Chassis Color | Select Drawer Front Color |
|---|---|---|---|---|---|---|
| | See page 31 | See page 37 | **P** Black<br>**T1** Platinum | See page 31 | See page 31 | See page 31 |
| H N L 3 6 7 2 R P B R . | B H . | E . | T 1 . | H . | H . | H |




| DESCRIPTION | APPROACH SIDE OVERHANG | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES WORKSURFACES | CHASSIS | FRONTS |
|---|---|---|---|---|---|---|---|---|
| **Single Pedestal Desk — Rectangle Top** | | | | | | | | |
| 72″W x 36″D x 29½″H, Right, Recessed Modesty Panel (shown) | 6″ | **HNL3672RPRR** | 242 | 51.8 | **$2182** | **$28** | **$44** | **$12** |
| 72″W x 36″D x 29½″H, Left, Recessed Modesty Panel | 6″ | **HNL3672LPRR** | 242 | 51.8 | **$2182** | **$28** | **$44** | **$12** |
| 66″W x 30″D x 29½″H, Right, Flush Modesty Panel | | **HNL3066RPRF** | 217 | 40.2 | **$2130** | **$22** | **$39** | **$12** |
| 66″W x 30″D x 29½″H, Left, Flush Modesty Panel | | **HNL3066LPRF** | 217 | 40.2 | **$2130** | **$22** | **$39** | **$12** |
| 72″W x 36″D x 29½″H, Right, Breakfront Modesty Panel | 6-12″ | **HNL3672RPRB** | 242 | 51.8 | **$2602** | **$28** | **$44** | **$12** |
| 72″W x 36″D x 29½″H, Left, Breakfront Modesty Panel | 6-12″ | **HNL3672LPRB** | 242 | 51.8 | **$2602** | **$28** | **$44** | **$12** |
| 72″W x 36″D x 29½″H, Right, Breakfront Frosted Modesty Panel | 6-12″ | **HNL3672RPRBF** | 225 | 51.8 | **$3245** | **$28** | **$44** | **$12** |
| 72″W x 36″D x 29½″H, Left, Breakfront Frosted Modesty Panel | 6-12″ | **HNL3672LPRBF** | 225 | 51.8 | **$3245** | **$28** | **$44** | **$12** |

NOTES: For laminate center drawer, see page 113. For pull-out collaborative shelf, for desks with breakfront modesty panel, see page 113.

**NOTES:**

- Feature full-to-the-floor pedestals to maximize storage space.
- Double pedestal desks have 3/2 drawer configuration (box/box/file on left pedestal, file/file on right pedestal).
- Single pedestal desks have a box/box/file pedestal.
- One molded black pencil tray is included in each box/box/file pedestal.
- 72″W models are available with Rectangle- or bow-shaped tops.
- Bow top desk models measure 36″D at the crest and 30″D along the end panels.
- Formal breakfront or recessed modesty panel.
- Breakfront desk features a floating modesty panel which can be specified in laminate or frosted material. Floating design provides space for optional pull-out collaborative shelf for visitors. See page 113.
- Recessed modesty panel design has a full-width conference overhang, providing worksurface and kneespace for guests.
- 66″W and 60″W desks have a flush modesty panel (i.e., no conference overhang).
- Two cord management grommets, for routing and hiding wires and cables, are located in desktops.
- Grommets can be replaced with optional Power (model HGRMTAC) or USB Hub (HGRMTUSB2).
- Pedestal sides and end panels are standard with pass-through grommets to enable the routing of cords below the worksurface, and connections between workstations.
- See “Modular Components” for cord management options. Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets.
- Finish of pedestal lock(s) is determined by, and aligned with, the handle finish specified.
- Adjustable hex leveling glides.
- Ship fully assembled.

! Side grommets on pedestal are black only.


## HOW TO SPECIFY

| Select Model Number | Select Edge Profile and Edge Color | Select Handle and Lock Color | Select Worksurface Grommet Finish | Select Worksurface Color | Select Chassis Color | Select Drawer Front Color |
|---|---|---|---|---|---|---|
| | See page 31 | See page 37 | **P** Black<br>**T1** Platinum | See page 31 | See page 31 | See page 31 |
| H N L 3 6 7 2 R P R R . | B H . | E . | T 1 . | H . | H . | H |

# CONCINNITY™ Peninsulas

GSA SIN 33721

Icon Legend on page 19




*Support column sold separately*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES WORKSURFACE | L2 UPCHARGES CHASSIS |
|---|---|---|---|---|---|---|
| **Bullet Peninsula with End Panel** | | | | | | |
| 72″W x 36″D x 29½″H | **HNL3672BUEP** | 131 | 6.6 | **$1225** | **$28** | **$44** |
| 72″W x 30″D x 29½″H | **HNL3072BUEP** | 112 | 5.6 | **$1069** | **$22** | **$28** |
| 66″W x 30″D x 29½″H | **HNL3066BUEP** | 105 | 5.1 | **$956** | **$22** | **$39** |

NOTES: For use in “U” or “L” shaped furniture layouts; not to be used freestanding. Comprised of top and end/brace panels (Note: Must specify support column; sold separately). Cord routing notch in the brace panel. Adjustable hex leveling glides. For cord grommet options, see “Modular Components”. Options include center drawers and modesty panels. Modesty panel is available in laminate or frosted material. Ships EZ.

Not designed to be used freestanding.



*Right-hand model HNL4872JREP shown*

*Support column sold separately*

| | | | | | | |
|---|---|---|---|---|---|---|
| **Jetty Peninsula with End Panel** | | | | | | |
| 72″W x 30/48″D x 29½″H, Right | **HNL4872JREP** | 147 | 8.9 | **$1471** | **$33** | **$28** |
| 72″W x 30/48″D x 29½″H, Left | **HNL4872JLEP** | 147 | 8.9 | **$1471** | **$33** | **$28** |
| 72″W x 30/42″D x 29½″H, Right | **HNL4272JREP** | 134 | 17.0 | **$1369** | **$33** | **$28** |
| 72″W x 30/42″D x 29½″H, Left | **HNL4272JLEP** | 134 | 17.0 | **$1369** | **$33** | **$28** |

NOTES: Worksurface designed and sized to efficiently serve as both a computing and conferencing space. Two sizes, 42″D and 48″D. The 48″D unit is specifically intended to be used with the 48″D extended corner modular top/back components to form a two-piece U-shaped workstation with a 42″ cockpit area. For use in “U” or “L” shaped furniture layouts; not to be used freestanding. Comprised of top and end/brace panels (Note: Must specify support column; sold separately). One cord management grommet in the top; cord routing notch in the brace panel. Adjustable hex leveling glides. Field installable modesty panel is optional. Ships EZ.

Not designed to be used freestanding.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Support Column for Bullet and Jetty Peninsulas** 3″ Diameter. Specify: HPC190X.P. **Black only.** | **HPC190X** | 12 S | 1.0 | **$224** |
| **Support Column for Bullet and Jetty Peninsulas** 3″ Diameter. Specify: HPC191X.X. **Available in Silver only.** | **HPC191X** | 12 S | 1.0 | **$224** |

Support Column must be specified/ordered with Bullet and Jetty peninsulas.


**NOTES:**

- See pages 100-104 for shared components.

## HOW TO SPECIFY

| Select Model Number | Select Edge Profile and Edge Color | Select Worksurface Color | Select Chassis Color |
|---|---|---|---|
| | See page 31 | See page 31 | See page 31 |
| H N L 3 6 7 2 B U E P . | B H . | H . | H |

| Select Model Number | Select Edge Profile and Edge Color | Select Worksurface Grommet Finish | Select Worksurface Color | Select Chassis Color |
|---|---|---|---|---|
| | See page 31 | **P** Black<br>**T1** Platinum | See page 31 | See page 31 |
| H N L 4 8 7 2 J R E P . | B H . | P . | H . | H |

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Post Leg Base**<br>28½″H x 2″ square | **HLSL28P** | 15 | 1.0 | **$401** | **$407** | **$423** |
| | NOTES: Can only be used as the outbound support in a peninsula or island extension worksurface application. Glides have 2″ of adjustability. Ship 1/pack.<br>**SPECIFYING EXAMPLE: HLSL28P.T1** | | | | | | |

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Field Installable Modesty Panel for Bullet and Jetty Peninsulas, Laminate (Vertical Grain)**<br>50¼″W x ¾″Thick x 18″H | **HPC180W** | 28 | 3.6 | **$300** |
| | NOTES: Center drawer model H1522 can be used in conjunction with laminate modesty panel model HPC180W. Cord pass-through notch in top corner.<br>**SPECIFYING EXAMPLE: HPC180W.H** | | | | |
|  | **Field Installable Modesty Panel for Bullet and Jetty Peninsulas, Frosted with Silver Frame**<br>50¼″W x ¾″Thick x 18″H | **HPC180G** | 33 | 1.5 | **$960** |
| | ❗ Cord pass-through notch is not available on the Frosted/Silver model HPC180G. Notch is on laminate model HPC180W only.<br>❗ Center drawers not designed to be used with the frosted/silver modesty panel model HPC180G. | | | | |

**NOTES:**

- See pages 100-104 for shared components.

## HOW TO SPECIFY


**Select Model Number**

| H | L | S | L | 2 | 8 | P |
|---|---|---|---|---|---|---|

# CONCINNITY™ Corner Unit

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES WORKSURFACE | L2 UPCHARGES CHASSIS |
|---|---|---|---|---|---|---|
| **Corner Unit**<br>24″W x 36″D x 24″ x 29½″H | **HNL3636CU** | 109 | 26.4 | **$1288** | **$17** | **$22** |

NOTES: Designed for use with 24″D returns or bridges. Can be used freestanding. Can be used with two 36″W modular returns to achieve an efficient 6′ x 6′ layout. One cord management grommet in the top; cord routing notches in the leg panels. The worksurface grommet can be replaced with optional power (model HGRMTAC) or USB (model HGRMTUSB2) hub. Adjustable hex leveling glides. When connected to a 42″W return or modular return, the 78″W stack-on storage unit spans the total depth dimension (78″D). When connected to a 36″W modular return, the 72″W stack-on storage unit spans the total depth dimension (72″D). Edgebanding on the corner unit is profiled on the user's side and flat on the back (approach side) and ends. Ships fully assembled.

**NOTES:**

- **For Extended Corner Worksurface sizes, see "Modular Components" on page 43.**

## HOW TO SPECIFY





| Select Model Number | Select Edge Profile and Edge Color | Select Worksurface Grommet Finish | Select Worksurface Color | Select Chassis Color |
|---|---|---|---|---|
| | See page 31 | **P** Black<br>**T1** Platinum | See page 31 | See page 31 |
| H N L 3 6 3 6 C U . | B H . | P . | H . | H |

GSA SIN 33721

Icon Legend on page 19

# CONCINNITY™ Credenzas



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES WORKSURFACES | CHASSIS | FRONTS |
|---|---|---|---|---|---|---|---|---|
|  | **Credenza with Storage** | | | | | | | |
| | 72″W x 24″D x 29½″H | **HNL2472DPS** | 323 | 35.6 | **$3270** | **$22** | **$50** | **$44** |
| | NOTES: For use behind a desk or as a stand-alone storage piece. Four file drawers, 2-left, 2-right and one storage cabinet with hinged doors. One adjustable shelf, which adjusts in 2½″ increments, behind doors. Drawers lock. Finish of locks is determined by, and aligned with, the handle finish specified. Storage cabinet doors are non-locking. | | | | | | | |
|  | **Credenza with Kneespace** | | | | | | | |
| | 72″W x 24″D x 29½″H | **HNL2472DPK** | 247 | 35.6 | **$2476** | **$22** | **$44** | **$22** |
| | 66″W x 24″D x 29½″H | **HNL2466DPK** | 239 | 32.7 | **$2362** | **$22** | **$44** | **$22** |
| | 60″W x 24″D x 29½″H | **HNL2460DPK** | 230 | 29.9 | **$2325** | **$22** | **$39** | **$22** |
| | NOTES: For use behind a desk or as a stand-alone storage piece. Four locking file drawers, 2-left, 2-right. Finish of locks determined by, and aligned with, the handle finish specified. | | | | | | | |
|  | **Credenza, Single Pedestal** | | | | | | | |
| | 72″W x 24″D x 29½″H, Right | **HNL2472RP** | 199 | 35.6 | **$1974** | **$22** | **$39** | **$12** |
| | 72″W x 24″D x 29½″H, Left | **HNL2472LP** | 199 | 35.6 | **$1974** | **$22** | **$39** | **$12** |
| | NOTES: Primary use is as part of a connected U-shaped workstation with a bridge and single pedestal desk. Two locking file drawers. Finish of lock determined by, and aligned with, the handle finish specified. Can be used with modular or mobile pedestals. | | | | | | | |
|  | **Credenza with Lateral File** | | | | | | | |
| | 72″W x 24″D x 29½″H, Right | **HNL2472RLC** | 245 | 35.6 | **$2157** | **$22** | **$39** | **$22** |
| | 72″W x 24″D x 29½″H, Left | **HNL2472LLC** | 245 | 35.6 | **$2157** | **$22** | **$39** | **$22** |
| | NOTES: Storage file measures 30″W (36″W can be specified using modular components). Mechanical interlock inhibits the extension of more than one drawer at a time. Finish of lock is determined by, and aligned with, the handle finish specified. Can be used with modular or mobile pedestals. | | | | | | | |

**NOTES:**

- Optional 72″W, 66″W and 60″W stack-on sizes maximize storage space.
- Two cord management grommets, for routing and hiding wires and cables, are located in top.
- Modesty panel and pedestal grommets are black only.
- A cord pass-through grommet is located in the sides of the pedestal and top center of the back (modesty panel) to facilitate reaching wall electrical outlets.
- Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets. See “Modular Components” on page 50 for cord management options.
- For paper organizers, see pages 689-691.


## HOW TO SPECIFY

| Select Model Number | Select Edge Profile and Edge Color | Select Handle and Lock Color | Select Worksurface Grommet Finish | Select Worksurface Color | Select Chassis Color | Select Drawer Front Color |
|---|---|---|---|---|---|---|
| | See page 31 | See page 37 | **P** Black<br>**T1** Platinum | See page 31 | See page 31 | See page 31 |
| H N L 2 4 7 2 D P S . | B H . | E . | T 1 . | H . | H . | H |

# CONCINNITY™ Low Credenzas


GSA SIN 33721

Icon Legend on page 19




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES WORKSURFACES | CHASSIS | FRONTS |
|---|---|---|---|---|---|---|---|
| **Low Credenza (Bench-Height)** | | | | | | | |
| 72″W x 20″D x 21½″H, Drawers Right, Bookcase Left (shown) | **HNL207221RD2** | 219 | 21.6 | **$1918** | **$17** | **$28** | **$22** |
| 72″W x 20″D x 21½″H, Drawers Left, Bookcase Right | **HNL207221LD2** | 219 | 21.6 | **$1918** | **$17** | **$28** | **$22** |
| 60″W x 20″D x 21½″H, Drawers Right, Bookcase Left | **HNL206021RD2** | 187 | 18.1 | **$1724** | **$22** | **$17** | **$22** |
| 60″W x 20″D x 21½″H, Drawers Left, Bookcase Right | **HNL206021LD2** | 187 | 18.1 | **$1724** | **$22** | **$17** | **$22** |

NOTES: Combination storage design comprised of two locking drawers (1-box/supply and 1-file) plus a bookcase. File drawers include integrated hangrails for letter- or legal-sized folders. Bookcase has one adjustable shelf; adjusts in 2½″ increments.




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES WORKSURFACES | CHASSIS | FRONTS |
|---|---|---|---|---|---|---|---|
| **Low Credenza, 2 Box/2 File** | | | | | | | |
| 72″W x 20″D x 21½″H | **HNL207221D4** | 308 | 21.6 | **$2333** | **$17** | **$28** | **$44** |
| 60″W x 20″D x 21½″H | **HNL206021D4** | 260 | 18.1 | **$2066** | **$17** | **$22** | **$44** |

NOTES: Four locking drawers (2-box/supply and 2-file). File drawers include integrated hangrails for letter- or legal-sized folders.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES WORKSURFACES | CHASSIS | FRONTS |
|---|---|---|---|---|---|---|---|
| **Low Credenza, Box/File** | | | | | | | |
| 36″W x 20″D x 21½″H | **HNL203621D2** | 143 | 11.8 | **$1352** | **$12** | **$17** | **$22** |
| 30″W x 20″D x 21½″H | **HNL203021D2** | 121 | 10.0 | **$1270** | **$12** | **$17** | **$22** |

NOTES: Unit contains two drawers, one box and one lateral file.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|---|
| **Credenza Cushion** | | | | | | | | | |
| 36″W x 20″D x 1″H for 72″ and 36″W Low Credenzas | **HLSL2036CH2** | 11 | 2.2 | **$563** | **$605** | **$646** | **$688** | **$741** | **$794** |
| 30″W x 20″D x 1″H for 60″ and 30″W Low Credenzas | **HLSL2030CH2** | 9 | 1.9 | **$522** | **$562** | **$601** | **$639** | **$688** | **$740** |

NOTES: See pages 22-25 for available fabrics.
Seat cushions are optional; HLSL2036CH2 for 72″ and 36″W, HLSL2030CH2 for 60″ and 30″W.

! For model HLSL2030CH2 must order two cushions to cover entire 60″ Credenza surface.

**SPECIFYING EXAMPLE: HLSL2036CH2.APN23**

**NOTES:**

- Versatile, space-saving solutions double as a compact storage unit and convenient bench seat.
- When combined with 29½″H worksurfaces, the 21½″H credenzas can be positioned to create multi-level, overlapping surfaces that optimize floor space, organization and display needs.
- The distinct, clean horizontal planes provide a light scale, layered look.
- Low-heights help facilitate team collaboration.
- Overlapping surfaces can be supported by a 28½″H or 7″H O-leg or 7″H laminate end panel.

## HOW TO SPECIFY


| Select Model Number | Select Edge Profile and Edge Color | Select Handle and Lock Color | Select Top Color | Select Chassis Color | Select Drawer Front Color |
|---|---|---|---|---|---|
| | See page 31 | See page 37 | See page 31 | See page 31 | See page 31 |
| H N L 2 0 7 2 2 1 R D 2 . | B H . | E . | H . | H . | H |

GSA SIN 33721

Icon Legend on page 19

# CONCINNITY™ Returns





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES WORKSURFACES | CHASSIS | FRONTS |
|---|---|---|---|---|---|---|---|
| **Return** | | | | | | | |
| 48″W x 24″D x 29½″H, Right (shown) | **HNL2448RP** | 141 | 24.8 | **$1418** | **$17** | **$17** | **$12** |
| 48″W x 24″D x 29½″H, Left | **HNL2448LP** | 141 | 24.8 | **$1418** | **$17** | **$17** | **$12** |
| 42″W x 24″D x 29½″H, Right | **HNL2442RP** | 132 | 22.0 | **$1358** | **$17** | **$17** | **$12** |
| 42″W x 24″D x 29½″H, Left | **HNL2442LP** | 132 | 22.0 | **$1358** | **$17** | **$17** | **$12** |

NOTES: For L-shaped workstations. Connects to single pedestal desk, peninsula (bullet or jetty), or component worksurface with end panel. Drawers lock. Finish of lock is determined by, and aligned with, the handle finish specified. Formal, full-height modesty panel. One cord grommet in top for routing and hiding wires and cables. One cord pass-through grommet is located in the sides of the pedestal and top center of the back (modesty panel) to facilitate reaching wall electrical outlets. Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1). Modesty panel and pedestal grommets are black only. Edgebanding on 42″W and 48″W returns is profiled on the user's side and flat on the back (approach side) and ends. Woodgrain direction on worksurface runs vertical (i.e., front-to-back). Smaller and larger return sizes can be specified using modular worksurface and modesty panel components. Optional stack-on solutions maximize storage space. Ship fully assembled.

See chart on page 50 for cord management options. Worksurfaces/tops, end and modesty panels, and pedestals can be specified with or without grommets. For easy access to wall electrical outlets, options include a short (10″) modesty panel or no back panel.

For paper organizers, see pages 689-691.


## HOW TO SPECIFY

| Select Model Number | Select Edge Profile and Edge Color | Select Handle and Lock Color | Select Worksurface Grommet Finish | Select Worksurface Color | Select Chassis Color | Select Drawer Front Color |
|---|---|---|---|---|---|---|
| | See page 31 | See page 37 | **P** Black<br>**T1** Platinum | See page 31 | See page 31 | See page 31 |
| H N L 2 4 4 8 R P . | B H . | E . | T 1 . | H . | H . | H |

# CONCINNITY™ Bridges

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES WORKSURFACES | L2 UPCHARGES CHASSIS |
|---|---|---|---|---|---|---|
| **Bridge** | | | | | | |
| 48″W x 24″D x 29½″H | **HNL2448BF** | 71 | 3.0 | **$613** | **$17** | **$17** |
| 42″W x 24″D x 29½″H | **HNL2442BF** | 62 | 2.5 | **$586** | **$17** | **$17** |

NOTES: For U-shaped workstation layouts. Connects single pedestal desk, peninsula (bullet or jetty), or component worksurface to corner unit or to single pedestal credenza, credenza with lateral file, or rectangle worksurface. Formal, full-height modesty panel. One cord grommet in top for routing and hiding wires and cables. One cord pass-through grommet in top center of back (modesty panel). Specification logic includes the grommet finish for tops; choose from Black (P) or Platinum (T1). Clear inside depth 22⅞″D. Edgebanding on 42″W and 48″W bridges is profiled on the user's side and flat on the back (approach side) and ends. Woodgrain direction on worksurface runs vertical (i.e., front-to-back). Additional sizes, including 30″W and 36″W for use with corner or extended corner units, as well as jetty peninsulas, can be specified using modular worksurface and modesty panel components. Ship EZ — quick, simple assembly.

See chart on page 50 for cord management options. Worksurfaces/tops and modesty panels can be specified with or without grommets. For easy access to wall electrical outlets, options include a short (10″) modesty panel or no back panel.

## HOW TO SPECIFY




| Select Model Number | Select Edge Profile and Edge Color | Select Worksurface Grommet Finish | Select Worksurface Color | Select Chassis Color |
|---|---|---|---|---|
| | See page 31 | **P** Black<br>**T1** Platinum | See page 31 | See page 31 |
| H N L 2 4 4 8 B F . | B H . | P . | H . | H |

GSA SIN 33721

Icon Legend on page 19

# CONCINNITY™ Stack-on Storage



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
|  | **Stack-on Storage, Laminate Doors** | | | | | | |
| | 78″W x 15″D x 35¼″H — 4 doors, 2 compartments | **HNL3678LD** | 173 | 31.8 | **$1801** | **$50** | **$22** |
| | 72″W x 15″D x 35¼″H — 4 doors, 2 compartments | **HNL3672LD** | 162 | 29.0 | **$1727** | **$39** | **$22** |
| | 66″W x 15″D x 35¼″H — 4 doors, 2 compartments | **HNL3666LD** | 151 | 26.7 | **$1705** | **$39** | **$22** |
| | 60″W x 15″D x 35¼″H — 4 doors, 2 compartments | **HNL3660LD** | 139 | 24.3 | **$1554** | **$39** | **$22** |
| | 48″W x 15″D x 35¼″H — 3 doors, 2 compartments | **HNL3648LD** | 117 | 19.6 | **$1402** | **$33** | **$22** |
| | 42″W x 15″D x 35¼″H — 2 doors, 1 compartment | **HNL3642LD** | 100 | 18.1 | **$1369** | **$33** | **$12** |
| | 36″W x 15″D x 35¼″H — 2 doors, 1 compartment | **HNL3636LD** | 88 | 15.3 | **$1157** | **$33** | **$12** |
|  | **Stack-on Storage, Laminate Locking Doors** | | | | | | |
| | 78″W x 15″D x 35¼″H — 4 doors, 2 compartments | **HNL3678LL** | 173 | 31.8 | **$1918** | **$50** | **$22** |
| | 72″W x 15″D x 35¼″H — 4 doors, 2 compartments | **HNL3672LL** | 162 | 29.0 | **$1838** | **$39** | **$22** |
| | 66″W x 15″D x 35¼″H — 4 doors, 2 compartments | **HNL3666LL** | 151 | 26.7 | **$1815** | **$39** | **$22** |
| | 60″W x 15″D x 35¼″H — 4 doors, 2 compartments | **HNL3660LL** | 139 | 24.3 | **$1664** | **$39** | **$22** |
| | 48″W x 15″D x 35¼″H — 3 doors, 2 compartments | **HNL3648LL** | 117 | 19.6 | **$1486** | **$33** | **$22** |
| | 42″W x 15″D x 35¼″H — 2 doors, 1 compartment | **HNL3642LL** | 100 | 18.1 | **$1423** | **$33** | **$12** |
| | 36″W x 15″D x 35¼″H — 2 doors, 1 compartment | **HNL3636LL** | 88 | 15.3 | **$1214** | **$33** | **$12** |
| | Lock available in Black (P) or Satin (SA) finish. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with locking hinged doors, specify model HF27B (Black) or HF27S (Satin) and the key number, see page 673. Model HNL3648LL has one lock, which secures two of the three doors. | | | | | | |
|  | **Stack-on Storage, Frosted Doors with Silver Frame** | | | | | | |
| | 78″W x 15″D x 35¼″H — 4 doors, 2 compartments | **HNL3678FD** | 153 | 31.8 | **$2668** | **$50** | **N/A** |
| | 72″W x 15″D x 35¼″H — 4 doors, 2 compartments | **HNL3672FD** | 143 | 29.0 | **$2593** | **$39** | **N/A** |
| | 66″W x 15″D x 35¼″H — 4 doors, 2 compartments | **HNL3666FD** | 134 | 26.7 | **$2570** | **$39** | **N/A** |
| | 60″W x 15″D x 35¼″H — 4 doors, 2 compartments | **HNL3660FD** | 124 | 24.3 | **$2418** | **$39** | **N/A** |
| | 48″W x 15″D x 35¼″H — 3 doors, 2 compartments | **HNL3648FD** | 104 | 19.6 | **$2052** | **$33** | **N/A** |
| | 42″W x 15″D x 35¼″H — 2 doors, 1 compartment | **HNL3642FD** | 89 | 18.1 | **$1806** | **$33** | **N/A** |
| | 36″W x 15″D x 35¼″H — 2 doors, 1 compartment | **HNL3636FD** | 79 | 15.3 | **$1594** | **$33** | **N/A** |
| | Frosted/silver door units do not have a lock option. | | | | | | |

**NOTES:**

- 35¼″H stack-on storage models ship fully assembled.
- Fully enclosed back provides privacy; includes a 1¼″, full-width pass-through for 3-prong electrical plugs; facilitates routing cords and reaching wall electrical outlets.
- Lower back panel can be attached with cord pass-through at bottom next to the worksurface or at top for close proximity to task light cord.
- Lower back panel can be removed to facilitate collaboration in teaming configurations.
- Valance hides task light.
- Vertical clearance for computer monitor is 20″.
- Laminate vertical paper organizer (HLVPM1) sized to fit below storage compartments.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- Laminate hinged door units are available with or without a lock.
- For task lights and paper organizers, see pages 688-692.

## HOW TO SPECIFY

**Select Model Number**

H N L 3 6 7 2 L D .

**Select Chassis Color**

See page 31

H .

**Select Door Front Color**

See page 31

H

**Select Model Number**

H N L 3 6 7 2 L L .

**Select Lock Finish**

See page 31

P .

**Select Chassis Color**

See page 31

H .

**Select Door Front Color**

See page 31

H

**Select Model Number**

H N L 3 6 7 2 F D .

**Select Chassis Color**

See page 31


H

# CONCINNITY™ Stack-on Storage

GSA SIN 33721


Icon Legend on page 19

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **Stack-on Storage, Sliding Door** | | | | | | |
| 78″W x 15″D x 35¼″H | **HNL3678SD** | 161 | 31.8 | **$1727** | **$50** | **$22** |
| 72″W x 15″D x 35¼″H | **HNL3672SD** | 151 | 29.0 | **$1675** | **$39** | **$22** |
| 66″W x 15″D x 35¼″H | **HNL3666SD** | 141 | 26.7 | **$1544** | **$39** | **$22** |
| 60″W x 15″D x 35¼″H | **HNL3660SD** | 131 | 24.3 | **$1502** | **$39** | **$22** |
| 48″W x 15″D x 35¼″H | **HNL3648SD** | 110 | 19.6 | **$1420** | **$33** | **$22** |



NOTES: Sliding door units have one door per cabinet; standard with black lock, which is located on inside vertical support panel. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with sliding door, specify model HF23B (Black) and the key number, see page 673. Sliding door availability limited to select sizes.

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **Stack-on Space Saver End Panels** | | | | | | |
| ¾″W x 14¼″D x 35¼″H | **HNL3605SSEP** | 14 | 1.7 | **$520** | **$17** | **N/A** |



NOTES: Two field installable end panels (1-right; 1-left) for use in ganging two stack-on storage units. Combining stack-on allows users to span longer worksurfaces, including 84″ (2 - 42″W), 96″ (2 - 48″W), 120″ (2 - 60″W), and 144″ (2 - 72″W). Narrow, space-saving panel size replaces the full 15″D end panels to expand worksurface space. The 4¼″ right end panel is to replace the standard 15″D right end panel on one stack-on storage unit, the 4¼″ left end panel is to replace the standard 15″D left end panel on a separate, adjacent stack-on storage unit that is in linear alignment with the first unit. Kit includes: (2) narrow end panel supports; European-style fasteners; dowels; joint connector bolts with sleeve nuts (for ganging stack-on storage units). Can be used to connect up to two stack-on storage units in a line (requires 1 kit). Can be specified in a woodgrain or solid laminate color only.
**SPECIFYING EXAMPLE: HNL3605SSEP.H**

**NOTES:**
- 35¼″H stack-on storage models ship fully assembled.
- Fully enclosed back provides privacy; includes a 1¼″, full-width pass-through for 3-prong electrical plugs; facilitates routing cords and reaching wall electrical outlets.
- Lower back panel can be attached with cord pass-through at bottom next to the worksurface or at top for close proximity to task light cord.
- Lower back panel can be removed to facilitate collaboration in teaming configurations.
- Valance hides task light.
- Vertical clearance for computer monitor is 20″.
- Laminate vertical paper organizer (HLVPM1) sized to fit below storage compartments.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- Laminate hinged door units are available with or without a lock.
- For task lights and paper organizers, see pages 688-692.

## HOW TO SPECIFY


| Select Model Number | Select Chassis Color | Select Door Front Color |
|---|---|---|
| | See page 31 | See page 31 |
| H N L 3 6 7 2 S D . | H . | H |

GSA SIN 33721


Icon Legend on page 19

# CONCINNITY™ Stack-on Storage





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **Stack-on Storage, Laminate Doors** | | | | | | |
| 78″W x 15″D x 48⅝″H — 4 doors, 2 compartments | **HNL4978LD** | 264 | 31.3 | **$2430** | **$65** | **$22** |
| 72″W x 15″D x 48⅝″H — 4 doors, 2 compartments | **HNL4972LD** | 243 | 29.1 | **$2235** | **$55** | **$22** |
| 66″W x 15″D x 48⅝″H — 4 doors, 2 compartments | **HNL4966LD** | 229 | 26.8 | **$2114** | **$55** | **$22** |
| 60″W x 15″D x 48⅝″H — 4 doors, 2 compartments | **HNL4960LD** | 212 | 24.5 | **$1966** | **$55** | **$22** |
| 48″W x 15″D x 48⅝″H — 3 doors, 2 compartments | **HNL4948LD** | 175 | 26.4 | **$1876** | **$50** | **$22** |
| 42″W x 15″D x 48⅝″H — 2 doors, 1 compartment | **HNL4942LD** | 149 | 23.2 | **$1645** | **$50** | **$22** |
| 36″W x 15″D x 48⅝″H — 2 doors, 1 compartment | **HNL4936LD** | 145 | 20.3 | **$1591** | **$50** | **$22** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **Stack-on Storage, Laminate Locking Doors** | | | | | | |
| 78″W x 15″D x 48⅝″H — 4 doors, 2 compartments | **HNL4978LL** | 264 | 31.3 | **$2540** | **$65** | **$22** |
| 72″W x 15″D x 48⅝″H — 4 doors, 2 compartments | **HNL4972LL** | 243 | 29.1 | **$2347** | **$55** | **$22** |
| 66″W x 15″D x 48⅝″H — 4 doors, 2 compartments | **HNL4966LL** | 229 | 26.8 | **$2225** | **$55** | **$22** |
| 60″W x 15″D x 48⅝″H — 4 doors, 2 compartments | **HNL4960LL** | 212 | 24.5 | **$2076** | **$55** | **$22** |
| 48″W x 15″D x 48⅝″H — 3 doors, 2 compartments | **HNL4948LL** | 175 | 26.4 | **$1957** | **$50** | **$22** |
| 42″W x 15″D x 48⅝″H — 2 doors, 1 compartment | **HNL4942LL** | 149 | 23.2 | **$1700** | **$50** | **$22** |
| 36″W x 15″D x 48⅝″H — 2 doors, 1 compartment | **HNL4936LL** | 145 | 20.3 | **$1647** | **$50** | **$22** |

Lock available in Black (P) or Satin (SA) finish. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with locking hinged doors, specify model HF27B (Black) or HF27S (Satin) and the key number, see page 673. Model HNL4948LL has one lock, which secures two of the three doors.

**NOTES:**

- 48⅝″H units have a fixed, intermittent shelf; storage space above and below the shelf is 12⅝″.
- Product applications are detailed on pages 39-40.
- Fully enclosed back provides privacy; includes a 1¼″, full-width pass-through for 3-prong electrical plugs; facilitates routing cords and reaching wall electrical outlets.
- Lower back panel can be attached with cord pass-through at bottom next to the worksurface or at top for close proximity to task light cord.
- Lower back panel can be removed to facilitate collaboration in teaming configurations.
- Valance hides task light.
- Vertical clearance for computer monitor is 20″.
- Laminate vertical paper organizer (HLVPM1) sized to fit below storage compartments.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- Laminate hinged door units are available with or without a lock.
- For task lights and paper organizers, see pages 688-692.

## HOW TO SPECIFY


| Select Model Number | Select Chassis Color | Select Door Front Color |
|---|---|---|
| | See page 31 | See page 31 |
| H N L 4 9 7 8 L D . | H . | H |

| Select Model Number | Select Lock Finish | Select Chassis Color | Select Door Front Color |
|---|---|---|---|
| | See page 31 | See page 31 | See page 31 |
| H N L 4 9 7 8 L L . | P . | H . | H |

# CONCINNITY™ Stack-on Storage

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **Stack-on Storage, Frosted Doors with Silver Frame** | | | | | | |
| 78″W x 15″D x 48⅝″H — 4 doors, 2 compartments | **HNL4978FD** | 225 | 31.3 | **$3727** | **$65** | **N/A** |
| 72″W x 15″D x 48⅝″H — 4 doors, 2 compartments | **HNL4972FD** | 207 | 29.1 | **$3532** | **$55** | **N/A** |
| 66″W x 15″D x 48⅝″H — 4 doors, 2 compartments | **HNL4966FD** | 196 | 26.8 | **$3412** | **$55** | **N/A** |
| 60″W x 15″D x 48⅝″H — 4 doors, 2 compartments | **HNL4960FD** | 182 | 24.5 | **$3259** | **$55** | **N/A** |
| 48″W x 15″D x 48⅝″H — 3 doors, 2 compartments | **HNL4948FD** | 152 | 26.4 | **$2849** | **$50** | **N/A** |
| 42″W x 15″D x 48⅝″H — 2 doors, 1 compartment | **HNL4942FD** | 128 | 23.2 | **$2298** | **$50** | **N/A** |
| 36″W x 15″D x 48⅝″H — 2 doors, 1 compartment | **HNL4936FD** | 114 | 20.3 | **$2243** | **$50** | **N/A** |

Frosted/silver door units do not have a lock option.

**NOTES:**

- 48⅝″H units have a fixed, intermittent shelf; storage space above and below the shelf is 12⅝″.
- Product applications are detailed on pages 39-40.
- Fully enclosed back provides privacy; includes a 1¼″, full-width pass-through for 3-prong electrical plugs; facilitates routing cords and reaching wall electrical outlets.
- Lower back panel can be attached with cord pass-through at bottom next to the worksurface or at top for close proximity to task light cord.
- Lower back panel can be removed to facilitate collaboration in teaming configurations.
- Valance hides task light.
- Vertical clearance for computer monitor is 20″.
- Laminate vertical paper organizer (HLVPM1) sized to fit below storage compartments.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- Laminate hinged door units are available with or without a lock.
- For task lights and paper organizers, see pages 688-692.

## HOW TO SPECIFY

**Select Model Number**

H N L 4 9 7 8 F D .

**Select Chassis Color**

See page 31

H

GSA SIN 33721


Icon Legend on page 19


# CONCINNITY™ Stack-on Storage



| DESCRIPTION | MODEL | COM | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
| **Stack-on Storage, Sliding Door** | | | | | | | |
| 78″W x 15″D x 48⅝″H | **HNL4978SD** | | 236 | 31.3 | **$2466** | **$65** | **$22** |
| 72″W x 15″D x 48⅝″H | **HNL4972SD** | | 221 | 29.1 | **$2333** | **$55** | **$22** |
| 66″W x 15″D x 48⅝″H | **HNL4966SD** | | 207 | 26.8 | **$2279** | **$55** | **$22** |
| 60″W x 15″D x 48⅝″H | **HNL4960SD** | | 192 | 24.5 | **$2010** | **$55** | **$22** |
| 48″W x 15″D x 48⅝″H | **HNL4948SD** | | 162 | 26.4 | **$1914** | **$50** | **$22** |

NOTES: Sliding door units have one door per cabinet; standard with black lock, which is located on inside vertical support panel. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with sliding door, specify model HF23B (Black) and the key number, see page 673. Sliding door availability limited to select sizes.






**Stack-on Space Saver End Panels**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| ¾″W x 14¼″D x 48⅝″H | **HNL4905SSEP** | | 23 | 2.2 | **$699** | **$17** | **N/A** |

NOTES: Two field installable end panels (1-right; 1-left) for use in ganging two stack-on storage units. Combining stack-on allows users to span longer worksurfaces, including 84″ (2 - 42″W), 96″ (2 - 48″W), 120″ (2 - 60″W), and 144″ (2 - 72″W). Narrow, space-saving panel size replaces the full 15″D end panels to expand worksurface space. The 4¼″ right end panel is to replace the standard 15″D right end panel on one stack-on storage unit, the 4¼″ left end panel is to replace the standard 15″D left end panel on a separate, adjacent stack-on storage unit that is in linear alignment with the first unit. Kit includes: (2) narrow end panel supports; European-style fasteners; dowels; joint connector bolts with sleeve nuts (for ganging stack-on storage units). Can be used to connect up to two stack-on storage units in a line (requires 1 kit). Can be specified in a woodgrain or solid laminate color only.
**SPECIFYING EXAMPLE: HNL4905SSEP.H**




**Tackboards for use with Stack-on Storage**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 75″W - for 78″W | **H90057** | 3.0 | 13 | 3.2 | **$436** | **N/A** | **N/A** |
| 69″W - for 72″W | **H90056** | 2.0 | 12 | 2.7 | **$414** | **N/A** | **N/A** |
| 63″W - for 66″W | **H90055** | 2.0 | 11 | 2.5 | **$393** | **N/A** | **N/A** |
| 57″W - for 60″W | **H90054** | 2.0 | 10 | 2.2 | **$346** | **N/A** | **N/A** |
| 45″W - for 48″W | **H90053** | 2.0 | 8 | 1.8 | **$332** | **N/A** | **N/A** |
| 39″W - for 42″W | **H90052** | 2.0 | 7 | 1.6 | **$306** | **N/A** | **N/A** |
| 33″W - for 36″W | **H90051** | 1.0 | 6 | 1.4 | **$270** | **N/A** | **N/A** |
| 26¾″W | **H90050** | 1.0 | 5 | 1.2 | **$270** | **N/A** | **N/A** |

NOTES: Specify fabric, see pages 26-27. Upcharges may apply to premium fabric grades.

Disperse (DISP) fabric not available on sizes wider than 60″. Exchange (EXG) not available on sizes wider than 60″.
**SPECIFYING EXAMPLE: H90057.APN15**

**NOTES:**
- 48⅝″H units have a fixed, intermittent shelf; storage space above and below the shelf is 12⅝″.
- Fully enclosed back provides privacy; includes a 1¼″, full-width pass-through for 3-prong electrical plugs; facilitates routing cords and reaching wall electrical outlets.
- Lower back panel can be attached with cord pass-through at bottom next to the worksurface or at top for close proximity to task light cord.
- Lower back panel can be removed to facilitate collaboration in teaming configurations.
- Valance hides task light.
- Vertical clearance for computer monitor is 20″.
- Laminate vertical paper organizer (HLVPM1) sized to fit below storage compartments.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- Laminate hinged door units are available with or without a lock.
- For task lights and paper organizers, see pages 688-692.




## HOW TO SPECIFY

| Select Model Number | Select Chassis Color | Select Door Front Color |
|---|---|---|
| | See page 31 | See page 31 |
| H N L 4 9 7 8 S D . | H . | H |

# CONCINNITY™ Wall Mount Storage

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
|  | **Wall Mount Storage, Laminate Doors** | | | | | | |
| | 78″W x 15″D x 15″H — 4 doors, 2 compartments | **HNL1578LD** | 126 | 17.1 | **$1697** | **$39** | **$22** |
| | 72″W x 15″D x 15″H — 4 doors, 2 compartments | **HNL1572LD** | 118 | 15.9 | **$1576** | **$28** | **$22** |
| | 66″W x 15″D x 15″H — 4 doors, 2 compartments | **HNL1566LD** | 109 | 14.6 | **$1502** | **$28** | **$22** |
| | 60″W x 15″D x 15″H — 4 doors, 2 compartments | **HNL1560LD** | 100 | 13.3 | **$1348** | **$28** | **$22** |
| | 48″W x 15″D x 15″H — 3 doors, 2 compartments | **HNL1548LD** | 83 | 10.9 | **$1217** | **$22** | **$22** |
| | 42″W x 15″D x 15″H — 2 doors, 1 compartment | **HNL1542LD** | 68 | 9.7 | **$1150** | **$22** | **$12** |
| | 36″W x 15″D x 15″H — 2 doors, 1 compartment | **HNL1536LD** | 60 | 8.4 | **$1049** | **$22** | **$12** |
| | 30″W x 15″D x 15″H — 2 doors, 1 compartment | **HNL1530LD** | 51 | 7.2 | **$969** | **$22** | **$12** |
|  | **Wall Mount Storage, Laminate Locking Doors** | | | | | | |
| | 78″W x 15″D x 15″H — 4 doors, 2 compartments | **HNL1578LL** | 126 | 17.1 | **$1806** | **$39** | **$22** |
| | 72″W x 15″D x 15″H — 4 doors, 2 compartments | **HNL1572LL** | 118 | 15.9 | **$1685** | **$28** | **$22** |
| | 66″W x 15″D x 15″H — 4 doors, 2 compartments | **HNL1566LL** | 109 | 14.6 | **$1612** | **$28** | **$22** |
| | 60″W x 15″D x 15″H — 4 doors, 2 compartments | **HNL1560LL** | 100 | 13.3 | **$1460** | **$28** | **$22** |
| | 48″W x 15″D x 15″H — 3 doors, 2 compartments | **HNL1548LL** | 83 | 10.9 | **$1300** | **$22** | **$22** |
| | 42″W x 15″D x 15″H — 2 doors, 1 compartment | **HNL1542LL** | 68 | 9.7 | **$1204** | **$22** | **$12** |
| | 36″W x 15″D x 15″H — 2 doors, 1 compartment | **HNL1536LL** | 60 | 8.4 | **$1105** | **$22** | **$12** |
| | 30″W x 15″D x 15″H — 2 doors, 1 compartment | **HNL1530LL** | 51 | 7.2 | **$1025** | **$22** | **$12** |
|  | **Wall Mount Open Hutch, Laminate Doors** | | | | | | |
| | 78″W x 15″D x 15″H | **HNL1578LO** | 123 | 17.3 | **$1969** | **$39** | **$39** |
| | 72″W x 15″D x 15″H | **HNL1572LO** | 115 | 16.1 | **$1833** | **$39** | **$39** |
| | 66″W x 15″D x 15″H | **HNL1566LO** | 106 | 14.8 | **$1679** | **$33** | **$33** |
| | 60″W x 15″D x 15″H | **HNL1560LO** | 97 | 13.6 | **$1521** | **$33** | **$33** |
| | 48″W x 15″D x 15″H | **HNL1548LO** | 80 | 11.1 | **$1363** | **$33** | **$33** |

Lock available in Black (P) or Satin (SA) finish. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with locking hinged doors, specify model HF27B (Black) or HF27S (Satin) and the key number, see page 673. Model HNL1548LL has one lock, which secures two of the three doors.

**NOTES:**

- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- Laminate hinged door units are available with or without a lock.
- For task lights and paper organizers, see pages 688-692.
- **IMPORTANT: See installation guidelines at top of page 41.**

## HOW TO SPECIFY

| Select Model Number | Select Chassis Color | Select Door Front Color |
|---|---|---|
| H N L 1 5 7 8 L D . | H . | H |
| | See page 31 | See page 31 |




| Select Model Number | Select Lock Finish | Select Chassis Color | Select Door Front Color |
|---|---|---|---|
| H N L 1 5 7 8 L L . | P . | H . | H |
| | See page 31 | See page 31 | See page 31 |

GSA SIN 33721

Icon Legend on page 19

# CONCINNITY™ Wall Mount Storage



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
|  | **Wall Mount Storage, Frosted Doors with Silver Frame** | | | | | | |
| | 78″W x 15″D x 15″H — 4 doors, 2 compartments | **HNL1578FD** | 106 | 17.1 | **$2564** | **$39** | **N/A** |
| | 72″W x 15″D x 15″H — 4 doors, 2 compartments | **HNL1572FD** | 99 | 15.9 | **$2441** | **$28** | **N/A** |
| | 66″W x 15″D x 15″H — 4 doors, 2 compartments | **HNL1566FD** | 92 | 14.6 | **$2365** | **$28** | **N/A** |
| | 60″W x 15″D x 15″H — 4 doors, 2 compartments | **HNL1560FD** | 85 | 13.3 | **$2212** | **$28** | **N/A** |
| | 48″W x 15″D x 15″H — 3 doors, 2 compartments | **HNL1548FD** | 71 | 10.9 | **$1865** | **$22** | **N/A** |
| | 42″W x 15″D x 15″H — 2 doors, 1 compartment | **HNL1542FD** | 57 | 9.7 | **$1586** | **$22** | **N/A** |
| | 36″W x 15″D x 15″H — 2 doors, 1 compartment | **HNL1536FD** | 50 | 8.4 | **$1486** | **$22** | **N/A** |
| | 30″W x 15″D x 15″H — 2 doors, 1 compartment | **HNL1530FD** | 43 | 7.2 | **$1404** | **$22** | **N/A** |
|  | **Wall Mount Open Hutch, Frosted Doors with Silver Frame** | | | | | | |
| | 78″W x 15″D x 15″H | **HNL1578FO** | 103 | 17.3 | **$2623** | **$39** | **$39** |
| | 72″W x 15″D x 15″H | **HNL1572FO** | 96 | 16.1 | **$2486** | **$39** | **$39** |
| | 66″W x 15″D x 15″H | **HNL1566FO** | 89 | 14.8 | **$2332** | **$33** | **$33** |
| | 60″W x 15″D x 15″H | **HNL1560FO** | 82 | 13.6 | **$2176** | **$33** | **$33** |
| | 48″W x 15″D x 15″H | **HNL1548FO** | 68 | 11.1 | **$2017** | **$33** | **$33** |
| | ! Frosted door models do not have a lock option. | | | | | | |
|  | **Wall Mount Storage, Sliding Door** | | | | | | |
| | 78″W x 15″D x 15″H | **HNL1578SD** | 114 | 17.1 | **$1650** | **$39** | **$22** |
| | 72″W x 15″D x 15″H | **HNL1572SD** | 107 | 15.9 | **$1515** | **$28** | **$22** |
| | 66″W x 15″D x 15″H | **HNL1566SD** | 99 | 14.6 | **$1413** | **$28** | **$22** |
| | 60″W x 15″D x 15″H | **HNL1560SD** | 91 | 13.3 | **$1284** | **$28** | **$22** |
| | 48″W x 15″D x 15″H | **HNL1548SD** | 76 | 10.9 | **$1202** | **$22** | **$22** |
| | NOTES: One door per unit. Standard with black lock, which is located on the inside vertical support panel. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with sliding door, specify model HF23B (Black) and the key number, see page 673. | | | | | | |

**NOTES:**

- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- Laminate hinged door units are available with or without a lock.
- For task lights and paper organizers, see pages 688-692.
- **IMPORTANT: See installation guidelines at top of page 41.**

## HOW TO SPECIFY


| Select Model Number | Select Chassis Color |
|---|---|
| HNL1578FD. | See page 31<br>H |

| Select Model Number | Select Chassis Color | Select Door Front Color |
|---|---|---|
| HNL1578SD. | See page 31<br>H. | See page 31<br>H |


# CONCINNITY™ Wall Mount Storage

GSA SIN 33721

Icon Legend on page 19




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **Wall Mount Storage, Laminate Doors** | | | | | | |
| 78″W x 15″D x 28½″H — 4 doors, 2 compartments | **HNL2978LD** | 213 | 30.8 | **$2056** | **$55** | **$44** |
| 72″W x 15″D x 28½″H — 4 doors, 2 compartments | **HNL2972LD** | 199 | 28.6 | **$1949** | **$44** | **$44** |
| 66″W x 15″D x 28½″H — 4 doors, 2 compartments | **HNL2966LD** | 185 | 26.4 | **$1889** | **$44** | **$44** |
| 60″W x 15″D x 28½″H — 4 doors, 2 compartments | **HNL2960LD** | 170 | 24.1 | **$1754** | **$44** | **$44** |
| 48″W x 15″D x 28½″H — 3 doors, 2 compartments | **HNL2948LD** | 142 | 19.7 | **$1599** | **$39** | **$33** |
| 42″W x 15″D x 28½″H — 2 doors, 1 compartment | **HNL2942LD** | 116 | 17.4 | **$1313** | **$39** | **$22** |
| 36″W x 15″D x 28½″H — 2 doors, 1 compartment | **HNL2936LD** | 101 | 15.2 | **$1252** | **$39** | **$22** |
| 30″W x 15″D x 28½″H — 2 doors, 1 compartment | **HNL2930LD** | 87 | 12.9 | **$1118** | **$39** | **$22** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **Wall Mount Storage, Laminate Locking Doors** | | | | | | |
| 78″W x 15″D x 28½″H — 4 doors, 2 compartments | **HNL2978LL** | 213 | 30.8 | **$2166** | **$55** | **$44** |
| 72″W x 15″D x 28½″H — 4 doors, 2 compartments | **HNL2972LL** | 199 | 28.6 | **$2061** | **$44** | **$44** |
| 66″W x 15″D x 28½″H — 4 doors, 2 compartments | **HNL2966LL** | 185 | 26.4 | **$1999** | **$44** | **$44** |
| 60″W x 15″D x 28½″H — 4 doors, 2 compartments | **HNL2960LL** | 170 | 24.1 | **$1865** | **$44** | **$44** |
| 48″W x 15″D x 28½″H — 3 doors, 2 compartments | **HNL2948LL** | 142 | 19.7 | **$1682** | **$39** | **$33** |
| 42″W x 15″D x 28½″H — 2 doors, 1 compartment | **HNL2942LL** | 116 | 17.4 | **$1369** | **$39** | **$22** |
| 36″W x 15″D x 28½″H — 2 doors, 1 compartment | **HNL2936LL** | 101 | 15.2 | **$1308** | **$39** | **$22** |
| 30″W x 15″D x 28½″H — 2 doors, 1 compartment | **HNL2930LL** | 87 | 12.9 | **$1174** | **$39** | **$22** |

Lock available in Black (P) or Satin (SA) finish. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with locking hinged doors, specify model HF27B (Black) or HF27S (Satin) and the key number, see page 673. Model HNL2948LL has one lock, which secures two of the three doors.



| | | | | | | |
|---|---|---|---|---|---|---|
| **Wall Mount Storage, Frosted Doors with Silver Frame** | | | | | | |
| 78″W x 15″D x 28½″H — 4 doors, 2 compartments | **HNL2978FD** | 174 | 30.8 | **$3350** | **$55** | **N/A** |
| 72″W x 15″D x 28½″H — 4 doors, 2 compartments | **HNL2972FD** | 163 | 28.6 | **$3244** | **$44** | **N/A** |
| 66″W x 15″D x 28½″H — 4 doors, 2 compartments | **HNL2966FD** | 152 | 26.4 | **$3184** | **$44** | **N/A** |
| 60″W x 15″D x 28½″H — 4 doors, 2 compartments | **HNL2960FD** | 140 | 24.1 | **$3048** | **$44** | **N/A** |
| 48″W x 15″D x 28½″H — 3 doors, 2 compartments | **HNL2948FD** | 118 | 19.7 | **$2571** | **$39** | **N/A** |
| 42″W x 15″D x 28½″H — 2 doors, 1 compartment | **HNL2942FD** | 94 | 17.4 | **$1964** | **$39** | **N/A** |
| 36″W x 15″D x 28½″H — 2 doors, 1 compartment | **HNL2936FD** | 83 | 15.2 | **$1903** | **$39** | **N/A** |
| 30″W x 15″D x 28½″H — 2 doors, 1 compartment | **HNL2930FD** | 72 | 12.9 | **$1765** | **$39** | **N/A** |

Frosted door models do not have a lock option.

**NOTES:**

- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- Laminate hinged door units are available with or without a lock.
- 28½″H units have a fixed, intermittent shelf; storage space above and below the shelf is 12⅝″.
- For task lights and paper organizers, see pages 688-692.
- **IMPORTANT: See installation guidelines at top of page 41.**

## HOW TO SPECIFY

**Select Model Number**

H N L 2 9 7 8 L D .

**Select Chassis Color**

See page 31

H .

**Select Door Front Color**

See page 31

H

**Select Model Number**

H N L 2 9 7 8 L L .

**Select Lock Finish**

See page 31

P .

**Select Chassis Color**

See page 31

H .

**Select Door Front Color**

See page 31

H

**Select Model Number**

H N L 2 9 7 8 F D .

**Select Chassis Color**


See page 31

H

Icon Legend on page 19


# CONCINNITY™ Wall Mount Storage





| DESCRIPTION | MODEL | COM | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
| **Wall Mount Storage, Sliding Door** | | | | | | | |
| 78″W x 15″D x 28½″H | **HNL2978SD** | | 189 | 30.8 | **$2138** | **$55** | **$44** |
| 72″W x 15″D x 28½″H | **HNL2972SD** | | 177 | 28.6 | **$2039** | **$44** | **$44** |
| 66″W x 15″D x 28½″H | **HNL2966SD** | | 165 | 26.4 | **$1991** | **$44** | **$44** |
| 60″W x 15″D x 28½″H | **HNL2960SD** | | 153 | 24.1 | **$1864** | **$44** | **$44** |
| 48″W x 15″D x 28½″H | **HNL2948SD** | | 129 | 19.7 | **$1635** | **$39** | **$33** |

NOTES: One door per unit. Standard with black lock, which is located on the inside vertical support panel. Lock is core removable. Keyed alike cores must be ordered separately. For stack-on and wall mount storage with sliding door, specify model HF23B (Black) and the key number, see page 673.




| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Tackboards for use with Wall Mount Storage** | | | | | | | |
| 75″W - for 78″W | **H90057** | 3.0 | 13 | 3.2 | **$436** | **N/A** | **N/A** |
| 68¾″W - for 72″W | **H90056** | 2.0 | 12 | 2.7 | **$414** | **N/A** | **N/A** |
| 62¾″W - for 66″W | **H90055** | 2.0 | 11 | 2.5 | **$393** | **N/A** | **N/A** |
| 56¾″W - for 60″W | **H90054** | 2.0 | 10 | 2.2 | **$346** | **N/A** | **N/A** |
| 44¾″W - for 48″W | **H90053** | 2.0 | 8 | 1.8 | **$332** | **N/A** | **N/A** |
| 39″W - for 42″W | **H90052** | 2.0 | 7 | 1.6 | **$306** | **N/A** | **N/A** |
| 33″W - for 36″W | **H90051** | 1.0 | 6 | 1.4 | **$270** | **N/A** | **N/A** |
| 26¾″W | **H90050** | 1.0 | 5 | 1.2 | **$270** | **N/A** | **N/A** |

NOTES: Specify fabric, see pages 26-27. Upcharges may apply to premium fabric grades.
Tackboard widths differ slightly from the wall mounted storage cabinet widths. For applications where multiple wall mounted storage units are placed side-by-side, the preferred tackboard solution may be to utilize a larger tackboard size. For example, H90057 = 75″W; H90056 = 68¾″W; H90055 = 62¾″W; H90054 = 56¾″W.

Disperse (DISP) fabric not available on sizes wider than 60″. Exchange (EXG) not available on sizes wider than 60″.

**SPECIFYING EXAMPLE: H90057.APN15**

**NOTES:**

- Valance hides task light.
- Doors are sized to overlap the top, end panels and light valance, to provide a clean design.
- Laminate and frosted/silver door units are equipped with self-closing, adjustable hinges.
- Laminate hinged door units are available with or without a lock.
- 28½″H units have a fixed, intermittent shelf; storage space above and below the shelf is 12⅝″.
- For task lights and paper organizers, see pages 688-692.
- **IMPORTANT: See installation guidelines at top of page 41.**


## HOW TO SPECIFY

| Select Model Number | Select Chassis Color | Select Door Front Color |
|---|---|---|
| | See page 31 | See page 31 |
| H N L 2 9 7 8 S D . | H . | H |


# CONCINNITY™ Bookcase Hutches

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **Bookcase Hutch, No Doors/Open** | | | | | | |
| 36″W x 14¼″D x 35¼″H (shown) | **HNL3636BHXD** | 213 | 15.3 | **$797** | **$17** | **N/A** |
| 30″W x 14¼″D x 35¼″H | **HNL3630BHXD** | 199 | 12.5 | **$780** | **$17** | **N/A** |
| 36″W x 14¼″D x 48⅝″H | **HNL4936BHXD** | 213 | 125.0 | **$1006** | **$28** | **N/A** |
| 30″W x 14¼″D x 48⅝″H | **HNL4930BHXD** | 199 | 109.0 | **$941** | **$28** | **N/A** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **Bookcase Hutch, Laminate Doors** | | | | | | |
| 36″W x 15″D x 35¼″H (shown) | **HNL3636BHLD** | 213 | 15.3 | **$1030** | **$17** | **$22** |
| 30″W x 15″D x 35¼″H | **HNL3630BHLD** | 199 | 12.5 | **$966** | **$17** | **$22** |
| 36″W x 15″D x 48⅝″H | **HNL4936BHLD** | 213 | 165.0 | **$1235** | **$28** | **$33** |
| 30″W x 15″D x 48⅝″H | **HNL4930BHLD** | 199 | 142.0 | **$1157** | **$28** | **$33** |

**NOTES:**

- Designed for use on worksurfaces, or on 30″ or 36″W x 29½″H lateral file or storage cabinet with doors.
- Two widths, 30″ and 36″; two heights, 35¼″ and 48⅝″.
- The 35¼″H unit has three shelves, two are adjustable in 1¼″ increments with a total range of 17½″; bottom shelf is fixed.
- The 48⅝″H unit has four shelves, three are adjustable in 1¼″ increments with a total range of 25″; bottom shelf is fixed.
- Door units equipped with self-closing, adjustable hinges.
- Laminate doors have decorative handles.
- Frosted door units have push/touch latch release.
- Doors are non-locking.
- To align with the top of the 35¼″H bookcase hutch, use 64¾″H floor-standing storage models; to align with the top of the 48⅝″H bookcase hutch, use 78⅛″H models.
- Ship fully assembled.

## HOW TO SPECIFY

**Select Model Number**

H N L 3 6 3 6 B H X D .

**Select Laminate Color**

See page 31

H

**Select Model Number**

H N L 3 6 3 6 B H L D .

**Select Handle and Lock Color**

See page 37

E .

**Select Chassis Color**

See page 31

H .

**Select Door Front Color**

See page 31


H

GSA SIN 33721

Icon Legend on page 19

# CONCINNITY™ Bookcase Hutches





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **Bookcase Hutch, Frosted Doors with Silver Frame** | | | | | | |
| 36″W x 15″D x 35¼″H (shown) | **HNL3636BHFD** | 199 | 15.3 | **$1890** | **$17** | **N/A** |
| 36″W x 15″D x 48⅝″H | **HNL4936BHFD** | 213 | 134.0 | **$2308** | **$28** | **N/A** |

**NOTES:**

- Designed for use on worksurfaces, or on 30″ or 36″W x 29½″H lateral file or storage cabinet with doors.
- Two widths, 30″ and 36″; two heights, 35¼″ and 48⅝″.
- The 35¼″H unit has three shelves, two are adjustable in 1¼″ increments with a total range of 17½″; bottom shelf is fixed.
- The 48⅝″H unit has four shelves, three are adjustable in 1¼″ increments with a total range of 25″; bottom shelf is fixed.
- Door units equipped with self-closing, adjustable hinges.
- Laminate doors have decorative handles.
- Frosted door units have push/touch latch release.
- Doors are non-locking.
- To align with the top of the 35¼″H bookcase hutch, use 64¾″H floor-standing storage models; to align with the top of the 48⅝″H bookcase hutch, use 78⅛″H models.
- Ship fully assembled.

## HOW TO SPECIFY

**Select Model Number**

H N L 3 6 3 6 B H F D .

**Select Chassis Color**



See page 31

H

# CONCINNITY™ Reception Stations

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES WORKSURFACE | L2 UPCHARGES CHASSIS | L2 UPCHARGES ACCENT PANEL |
|---|---|---|---|---|---|---|---|---|
|  | **Reception Desk with Transaction Counter**<br>72″W x 36¾″D x 44″H | **HLAM3772RD** | 324 | 13.5 | **$1858** | **$39** | **$77** | **$28** |
| | NOTES: Non-handed. Counter measures 60″W x 15¼″D. Flat edge (G) matches 10500 Series™. For beaded (B) and tri-oval (V) edge shapes, the transaction counter is profiled on the approach and user sides, and the desk worksurface is profiled on the user's side. Beaded (B) and tri-oval (V) edges are available in L1 woodgrains colors only. Smooth and flat (G) edge available in all woodgrains and solid colors. Vertical grain on approach side and front accent panel for L1 laminates except Kingswood Walnut and Florence Walnut. Horizontal grain on L2 laminates and Kingswood and Florence Walnut. Vertical grain on end panels and horizontal grain on worksurface and transaction counter. Two worksurface cord management grommets for routing and hiding wires and cables; can be specified in Black (P) or Platinum (T1) finish. | | | | | | | |
|  | **Reception Return with 32″H Transaction Counter**<br>48¼″W x 32⅞″D x 32″H | **HLAM3348RR** | 145 | 3.7 | **$1046** | **$39** | **$39** | **N/A** |
| | NOTES: Non-handed. For use with HLAM3772RD and Reception Desk Shell (H105724). Counter facilitates accessibility; measures 48″W x 12″D x 32″H. Flat edge (G) matches 10500 Series™. For beaded (B) and tri-oval (V) edge shapes, the transaction counter is profiled on the approach side, and the return worksurface is profiled on the user's side. All other edges are flat banded. Beaded (B) and tri-oval (V) available in L1 woodgrain colors only. Flat edge (G) available in all woodgrains and solid colors. Pattern laminates do not have matching edge color; patterns can be specified with woodgrain or solid edge. Vertical grain on approach side, end panel, worksurface, and transaction counter. Assembly required. Cam covers used to allow for non-handed design.<br>Specify: Model.Edge Profile & EdgeColor.Worksurface & Counter Color.Chassis Color<br>**SPECIFYING EXAMPLE: HLAM3348RR.GN.N.N** | | | | | | | |

## HOW TO SPECIFY

**Select Model Number**

H L A M 3 7 7 2 R D .

**Select Edge Profile and Edge Color**

See page 31

G N .

**Select Grommet Color**

**P** Black
**T1** Platinum

Not specified for model HLAM3348RR

P .

**Select Worksurface Laminate**

See page 31

N .

**Select Chassis Laminate**

See page 31

N .

**Select Accent Panel Laminate**

See page 31

Not specified for model HLAM3348RR

L D W 1


GSA SIN 33721

Icon Legend on page 19

# CONCINNITY™ Reception Stations




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES COUNTER | L2 UPCHARGES CHASSIS |
|---|---|---|---|---|---|---|
| **Reception Station Counter for Desk** | | | | | | |
| 72″W x 17″D x 14⅝″H | **HNL1772RT** | 74 | 4.3 | **$754** | **$12** | **$17** |



! Compatible for use on 72″W x 30″ or 36″D desktops and worksurfaces. For cleanest approach-side aesthetic, use on desk built with modular components; desk comprised of either 72″W x 30″D rectangle worksurface and 72″W x 27⅞″H modesty/back panel, supported by 29⅛″D pedestal(s) and/or end panel(s), or 72″W x 36″D worksurface and 72″W x 27⅞″H modesty/back panel, supported by 35″D left and right end panels. The counter is 17″D with a 4″ approach-side overhang; end panels are 12⅜″D. Ships EZ. Transaction counter organizer (model HTCOL52) is available as an option; fits under transaction counter; organizer is available in black only.

**SPECIFYING EXAMPLE: HNL1772RT.BH.H.H**

| | | | | | | |
|---|---|---|---|---|---|---|
| **L-Reception Station with Transaction Counter for Desk (NON-HANDED)** | | | | | | |
| 72″W x 88″D x 14⅝″H | **HNL8472RT** | 103 | 4.5 | **$1202** | **$12** | **$28** |
| 72″W x 82″D x 14⅝″H | **HNL7872RT** | 101 | 4.5 | **$1173** | **$12** | **$28** |



*For Station with Right Return*

NOTES: Non-Handed can be configured left-hand or right-hand. Intended for use on desk built with modular components, for clean approach-side aesthetic, connected to a return or modular return. Layout for 78″ and 84″D footprints:

- 72″W x 78″D:
  - Desk = 72″W x 30″D worksurface, 72″W x 27⅞″H modesty/back panel, supported by 29⅛″D pedestal(s) and/or end panel(s).
  - Return = 48″W x 24″D return; or 48″W x 24″D worksurface with vertical grain, 48″W x 27⅞″H modesty/back panel, supported by a 23⅛″D pedestal and/or end panel.
- 72″W x 78″D:
  - Desk = 72″W x 36″D worksurface, 72″W x 27⅞″H modesty/back panel, supported by 1-left and 1-right 35″D panel.
  - Return = 42″W x 24″D return; or 42″W x 24″D worksurface with vertical grain, 42″W x 27⅞″H modesty/back panel, supported by a 23⅛″D pedestal and/or end panel.
- 72″W x 84″D:
  - Desk = 72″W x 36″D worksurface, 72″W x 27⅞″H modesty/back panel, supported by 1-left and 1-right 35″D end panel.
  - Return = 48″W x 24″D return; or 48″W x 24″D worksurface with vertical grain, 48″W x 27⅞″H modesty/back panel, supported by a 23⅛″D pedestal and/or end panel.

! Comprised of 17″D transaction counter, with 4″ approach-side overhang, for the desk and a vertical privacy panel extending the depth of the desk and width of the return. Ships EZ. Transaction counter organizer (model HTCOL52) is available as an option; fits under transaction counter; organizer is available in black only.

**SPECIFYING EXAMPLE: HNL8472RT.BH.H.H**

**NOTES:**

- Reception Station Counter for Desk, and L-Reception Station with Transaction Counter for Desk, have profiled edgeband on the approach and user sides.

! L-Reception Station with Transaction Counter for Desk and Return has profiled edgeband on front side of transaction counter on desk approach-side only.

! For L-reception station layouts where the return is not against a wall, specify return using modular components, as the modesty/back panel can be specified without a grommet. Assembled returns come standard with cord grommet in modesty/back panel.


## HOW TO SPECIFY

| Select Model Number | Select Edge Profile and Edge Color | Select Counter Color | Select Chassis Color |
|---|---|---|---|
| | See page 31 | See page 31 | See page 31 |
| H N L 1 7 7 2 R T . | B H . | H . | H |

# CONCINNITY™ Reception Stations

GSA SIN 33721

Icon Legend on page 19



*For Station with Right Return*


| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES COUNTER | L2 UPCHARGES CHASSIS |
|---|---|---|---|---|---|---|
| **L-Reception Station with Transaction Counter for Desk and Return (NON-HANDED)** | | | | | | |
| 76″W x 88″D x 14⅝″H | **HNL8472RLT** | 145 | 5.6 | **$1438** | **$12** | **$28** |
| 76″W x 82″D x 14⅝″H | **HNL7872RLT** | 139 | 5.6 | **$1388** | **$12** | **$28** |

NOTES: Non-Handed can be configured left-hand or right-hand. Intended for use on desk built with modular components, for clean approach-side aesthetic, connected to a return or modular return. Layout for 78″ and 84″D footprints:

- 72″W x 78″D:
  - Desk = 72″W x 30″D worksurface, 72″W x 27⅞″H modesty/back panel, supported by 29⅛″D pedestal(s) and/or end panel(s).
  - Return = 48″W x 24″D worksurface with vertical grain, 48″W x 27⅞″H modesty/back panel, supported by a 23⅛″D pedestal and/or end panel.
- 72″W x 78″D:
  - Desk = 72″W x 36″D worksurface, 72″W x 27⅞″H modesty/back panel, supported by 1-left and 1-right 35″D panel.
  - Return = 42″W x 24″D worksurface with vertical grain, 42″W x 27⅞″H modesty/back panel, supported by a 23⅛″D pedestal and/or end panel.
- 72″W x 84″D:
  - Desk = 72″W x 36″D worksurface, 72″W x 27⅞″H modesty/back panel, supported by 1-left and 1-right 35″D end panel.
  - Return = 48″W x 24″D worksurface with vertical grain, 48″W x 27⅞″H modesty/back panel, supported by a 23⅛″D pedestal and/or end panel.

The 17″D transaction counter, with 4″ overhang, extends around the perimeter of the station, across the width of the desk, as well as along the depth of the desk and width of the return. Ships EZ. Transaction counter organizer (model HTCOL52) is available as an option; fits under transaction counter; organizer is available in black only.

**SPECIFYING EXAMPLE: HNL8472RLT.BH.H.H**



| | | | | | | |
|---|---|---|---|---|---|---|
| **Transaction Counter Organizer** | | | | | | |
| 48¾″W x 11⅛″D x 13″H | **HTCOL52** | 24 | 1.1 | **$359** | **N/A** | **N/A** |

NOTES: Fits under reception station counters.

Black only.

**SPECIFYING EXAMPLE: HTCOL52.P**

**NOTES:**

- Reception Station Counter for Desk, and L-Reception Station with Transaction Counter for Desk, have profiled edgeband on the approach and user sides.

L-Reception Station with Transaction Counter for Desk and Return has profiled edgeband on front side of transaction counter on desk approach-side only.

For L-reception station layouts where the return is not against a wall, specify return using modular components, as the modesty/back panel can be specified without a grommet. Assembled returns come standard with cord grommet in modesty/back panel.

## HOW TO SPECIFY

| Select Model Number | Select Edge Profile and Edge Color | Select Counter Color | Select Chassis Color |
|---|---|---|---|
| | See page 31 | See page 31 | See page 31 |
| H N L 8 4 7 2 R L T . | B H . | H . | H |

GSA SIN 33721

Icon Legend on page 19

# CONCINNITY™ Mobile Pedestals






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES TOP | CHASSIS | FRONTS |
|---|---|---|---|---|---|---|---|
| **Mobile Pedestal — 15¾″W** | | | | | | | |
| 15¾″W x 20⅛″D x 28⅜″H, Box/Box/File | **HNL2116MBBF** | 69 | 7.4 | **$1225** | **N/A** | **$22** | **$12** |
| 15¾″W x 20⅛″D x 28⅜″H, File/File | **HNL2116MFF** | 70 | 7.4 | **$1225** | **N/A** | **$22** | **$12** |
| 15¾″W x 20⅛″D x 21½″H, Box/File | **HNL2116MBF** | 55 | 5.8 | **$1038** | **N/A** | **$22** | **$12** |

NOTES: Design positions the center of gravity towards the back of the cabinet to inhibit tipping. All drawers lock; interchangeable core removable lock makes re-keying quick and easy. Finish of lock is determined by, and aligned with, the handle finish specified. Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required. Pedestals, excluding cushion option, are sized to be positioned under 29½″H worksurfaces. Seat cushion model HLSL2016PH2 is optional. Cushion adds 1″ to the height of the pedestal. Box/File unit with cushion will fit below 29½″H worksurface. ¾″ thick top with flat edgeband; back inside end panel construction. Ships fully assembled.


**SPECIFYING EXAMPLE: HNL2116MBBF.E.H.H**



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES TOP | CHASSIS | FRONTS |
|---|---|---|---|---|---|---|---|
| **Mobile Pedestal — 30″W** | | | | | | | |
| 30″W x 20″D x 21½″H, Shelf/File/Cabinet | **HNL2030MSFC** | 105 | 10.7 | **$1538** | **$12** | **$28** | **$17** |

NOTES: Sized to align with 20″D x 20½″H low credenzas. Open shelf over file drawer left and cabinet with door right. Design positions the center of gravity towards the back of the cabinet to inhibit tipping. Seat cushion model HLSL2030CH2 is optional. Cushion adds 1″ to the height of the pedestal. 1⅛″ thick top matches low credenza design. Ships fully assembled.

**SPECIFYING EXAMPLE: HNL2030MSFC.BH.E.H.H.H**



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|---|
| **Mobile Pedestal Cushion** | | | | | | | | | |
| 30″W x 20″D x 1″H | **HLSL2030CH2** | 9 | 1.9 | **$522** | **$562** | **$601** | **$639** | **$688** | **$740** |
| 15⅞″W x 20″D x 1″H | **HLSL2016PH2** | 6 | 1.1 | **$433** | **$460** | **$486** | **$512** | **$545** | **$579** |

NOTES: See pages 22-25 for available fabrics.

**SPECIFYING EXAMPLE: HLSL2016PH2.APN23**

**NOTES:**

- Mobile pedestals roll easily on four casters.
- Drawers operate on steel ball-bearing suspension with full extension.

! 28⅜″H mobile pedestals are not designed for use with the 28½″H metal O-leg due to interference caused by (1) the O-leg worksurface attachment bracket, and (2) the external support channel on the underside of a 72″, 66″, and 60″W rectangle worksurface supported by O-leg(s).

## HOW TO SPECIFY


| Select Model Number | Select Handle and Lock Color | Select Chassis Color | Select Drawer Front Color |
|---|---|---|---|
| | See page 37 | See page 31 | See page 31 |
| H N L 2 1 1 6 M B B F . | E . | H . | H |

| Select Model Number | Select Edge Profile and Edge Color | Select Handle and Lock Color | Select Top Color | Select Chassis Color | Select Drawer/Door Front Color |
|---|---|---|---|---|---|
| | See page 31 | See page 37 | See page 31 | See page 31 | See page 31 |
| H N L 2 0 3 0 M S F C . | B H . | E . | H . | H . | H |

# CONCINNITY™ Lateral Files

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES TOP | CHASSIS | FRONTS |
|---|---|---|---|---|---|---|---|
| **Lateral File** | | | | | | | |
| 36″W x 24″D x 55½″H, 4-Drawer | **HNL2436LD4** | 276 | 34.3 | **$2893** | **$17** | **$33** | **$33** |
| 36″W x 24″D x 42½″H, 3-Drawer | **HNL2436LD3** | 222 | 26.0 | **$2401** | **$17** | **$28** | **$28** |
| 36″W x 24″D x 29½″H, 2-Drawer | **HNL2436LD2** | 178 | 18.4 | **$1591** | **$17** | **$22** | **$22** |

NOTES: Equipped with safety restraints; mechanical interlock inhibits the extension of more than one drawer at a time; counterweight positions the center of gravity towards the back of the cabinet to inhibit tipping. 24″ depth aligns evenly with credenzas, returns, storage cabinet, storage/file cabinet, storage cabinet/lateral file, wardrobe/storage cabinet, wardrobe/bookcase, storage towers, and 24″D modular components. 29½″H unit is sized to accommodate 36″W stack-on storage or bookcase hutch options. Drawers lock; interchangeable core removable lock makes re-keying quick and easy. Finish of lock is determined by, and aligned with, the handle finish specified. Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required. Ship fully assembled. 30″W two-drawer size can be specified and assembled using modular components. Drawers include hangrails to accept folders in letter or legal size.

**SPECIFYING EXAMPLE: HNL2436LD2.BH.E.H.H.H**

## HOW TO SPECIFY


| Select Model Number | Select Edge Profile and Edge Color | Select Handle and Lock Color | Select Top Color | Select Chassis Color | Select Drawer Front Color |
|---|---|---|---|---|---|
| | See page 31 | See page 37 | See page 31 | See page 31 | See page 31 |
| HNL2436LD4. | BH. | E. | H. | H. | H |

GSA SIN 33721

Icon Legend on page 19

# CONCINNITY™ Storage Cabinets






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES TOP | CHASSIS | FRONTS |
|---|---|---|---|---|---|---|---|
| **Storage Cabinet with Laminate Doors** | | | | | | | |
| 36″W x 24″D x 78⅛″H (shown) | **HNL243679SC** | 317 | 47.4 | **$3132** | **N/A** | **$65** | **$28** |
| 36″W x 24″D x 64¾″H | **HNL243665SC** | 252 | 40.8 | **$2945** | **N/A** | **$60** | **$22** |
| 36″W x 24″D x 29½″H | **HNL243629SC** | 158 | 18.4 | **$1418** | **$17** | **$22** | **$22** |

NOTES: 29½″H size has one adjustable interior shelf. Shelf adjusts in 2½″ increments over a total range of 10″H, 64¾″H and 78⅛″ have five shelves (four adjustable) and six shelves (five adjustable), respectively; shelves adjust in 2½″ increments. Locking doors. 24″ depth aligns evenly with credenzas, returns, lateral files, storage/file cabinet, storage cabinet/lateral file, wardrobe/storage cabinet, wardrobe/bookcase, storage tower, bookcase with coat hook, and 24″D modular components. 29½″H unit is sized to accommodate 36″W stack-on storage or bookcase hutch options. Ships fully assembled. 30″W x 24″D x 29½″H freestanding unit can be built using modular components.

**SPECIFYING EXAMPLE (29½″H): HNL243629SC.BH.E.H.H.H**
**SPECIFYING EXAMPLE (64¾-78⅛″H): HNL243665SC.E.H.H**



| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Storage/File Cabinet** | | | | | | | |
| 18″W x 24″D x 64¾″H, File/File, Laminate Door Hinged Right (shown) | **HNL241865SFLR** | 184 | 21.6 | **$2369** | **N/A** | **$28** | **$17** |
| 18″W x 24″D x 64¾″H, File/File, Laminate Door Hinged Left | **HNL241865SFLL** | 184 | 21.6 | **$2369** | **N/A** | **$28** | **$17** |
| 18″W x 24″D x 64¾″H, File/File, Open Shelves | **HNL241865SFX** | 169 | 21.6 | **$2250** | **N/A** | **$28** | **$17** |

NOTES: Versatile unit features a storage cabinet plus two file drawers. Storage cabinet includes three shelves, two are adjustable; shelves adjust in 2½″ increments. Can be specified with door hinged left, door hinged right, or no door/open shelves. File drawers operate on steel ball-bearing suspensions with full extension. File drawers include hangrails to accept folders in letter or legal size. Storage cabinet door and file drawers lock separately; the two locks are keyed alike. Unit height is designed to match desk, credenza, or return plus 35¼″H stack-on storage (= 64¾″). Ships fully assembled.

**SPECIFYING EXAMPLE (WITH DOOR): HNL241865SFLR.E.H.H**
**SPECIFYING EXAMPLE (WITHOUT DOOR): HNL241865SFX.E.H.H**

**NOTES:**
- Interchangeable core removable lock makes re-keying quick and easy.
- Finish of lock is determined by, and aligned with, the handle finish specified.
- Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required.

## HOW TO SPECIFY


| Select Model Number | Select Edge Profile and Edge Color | Select Handle and Lock Color | Select Top Color | Select Chassis Color | Select Drawer Front Color |
|---|---|---|---|---|---|
| | See page 31 | See page 37 | See page 31 | See page 31 | See page 31 |
| HNL2436292SC. | BH. | E. | H. | H. | H |

| Select Model Number | Select Handle and Lock Color | Select Chassis Color | Select Drawer Front Color |
|---|---|---|---|
| | See page 37 | See page 31 | See page 31 |
| HNL2436655SC. | E. | H. | H |
| HNL2418655SFX. | E. | H. | H |

# CONCINNITY™ Storage Cabinets

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES TOP | CHASSIS | FRONTS |
|---|---|---|---|---|---|---|---|
| **Storage Cabinet/Lateral File, Laminate Doors** | | | | | | | |
| 36″W x 24″D x 64¾″H | **HNL243665SLL** | 328 | 40.8 | **$3177** | **N/A** | **$60** | **$22** |

NOTES: Cabinet includes one fixed and two full-width adjustable shelves; adjustable shelves can be removed. Overall storage compartment measures 34″W x 22″D x 34½″H and will accommodate supplies, books and binders. Lateral file equipped with mechanical interlock to inhibit the extension of more than one drawer at a time. Lateral file drawers include hangrails to accept folders in letter or legal size. Storage cabinet and lateral file lock independently; upper lock secures cabinet; lower locks secure file drawers. Locks are keyed alike. Door hinges rotate to 94 degrees. Unit height is designed to match desk, credenza, or return plus 35¼″H stack-on storage (= 64¾″). Ships fully assembled.


**SPECIFYING EXAMPLE: HNL243665SLL.E.H.H**

**NOTES:**

- Interchangeable core removable lock makes re-keying quick and easy.
- Finish of lock is determined by, and aligned with, the handle finish specified.
- Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required.


## HOW TO SPECIFY

| Select Model Number | Select Handle and Lock Color | Select Chassis Color | Select Door/Drawer Front Color |
|---|---|---|---|
| | See page 37 | See page 31 | See page 31 |
| H N L 2 4 3 6 6 5 S L L . | E . | H . | H |




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **Wardrobe/Storage Cabinet, Laminate Doors — 36″W** | | | | | | |
| 36″W x 24″D x 78⅛″H | **HNL243679WL** | 303 | 40.8 | **$3596** | **$65** | **$28** |
| 36″W x 24″D x 64¾″H | **HNL243665WL** | 284 | 40.8 | **$3448** | **$60** | **$22** |

NOTES: Spacious design combines a cabinet with adjustable shelves and a generous personal wardrobe compartment with a coat rod and upper shelf. 64¾″H and 78⅛″H have five shelves (four adjustable) and six shelves (five adjustable), respectively; shelves adjust in 2½″ increments. One lock secures both doors. Ships fully assembled.
**SPECIFYING EXAMPLE: HNL243665WL.E.H.H**



| | | | | | | |
|---|---|---|---|---|---|---|
| **Wardrobe/Storage Cabinet, Laminate Door — 18″W** | | | | | | |
| 18″W x 24″D x 78⅛″H, Hinged Right (shown) | **HNL241879WLR** | 205 | 24.8 | **$2361** | **$33** | **$22** |
| 18″W x 24″D x 78⅛″H, Hinged Left | **HNL241879WLL** | 205 | 24.8 | **$2361** | **$33** | **$22** |
| 18″W x 24″D x 64¾″H, Hinged Right | **HNL241865WLR** | 157 | 21.6 | **$2165** | **$28** | **$17** |
| 18″W x 24″D x 64¾″H, Hinged Left | **HNL241865WLL** | 157 | 21.6 | **$2165** | **$28** | **$17** |

NOTES: Design includes coat rod and shelves. 64¾″H and 78⅛″H have five shelves (four adjustable) and six shelves (five adjustable), respectively; shelves adjust in 2½″ increments. Middle shelves can be removed to provide space for garments; coat rod can be removed for storage only applications. Lock to secure contents. Ships fully assembled.
**SPECIFYING EXAMPLE: HNL241865WLR.E.H.H**



| | | | | | | |
|---|---|---|---|---|---|---|
| **Wardrobe/Bookcase, Laminate Door** | | | | | | |
| 36″W x 24″D x 78⅛″H, Wardrobe Left, Bookcase Right | **HNL243679WLBR** | 302 | 47.4 | **$3448** | **$65** | **$28** |
| 36″W x 24″D x 78⅛″H, Wardrobe Right, Bookcase Left | **HNL243679WRBL** | 302 | 47.4 | **$3448** | **$65** | **$28** |
| 36″W x 24″D x 64¾″H, Wardrobe Left, Bookcase Right | **HNL243665WLBR** | 230 | 40.8 | **$3259** | **$60** | **$22** |
| 36″W x 24″D x 64¾″H, Wardrobe Right, Bookcase Left (shown) | **HNL243665WRBL** | 230 | 40.8 | **$3259** | **$60** | **$22** |

NOTES: Combination closed-door wardrobe closet and open shelf bookcase. 64¾″H and 78⅛″H bookcases have five and six fixed shelves, respectively. Locking wardrobe compartment includes a coat rod and one shelf; shelf is positioned above the coat rod. Bookcase can be accessed from front or side. Left (L) model is wardrobe on left, bookcase on right; Right (R) model is wardrobe on right, bookcase on left. Ships fully assembled.
**SPECIFYING EXAMPLE: HNL243665WRBL.E.H.H**

**NOTES:**
- Heights designed to match desk, credenza, or return plus 35¼″H stack-on storage (= 64¾″) or 48⅝″H stack-on storage (= 78⅛″H).
- Finish of locks is determined by, and aligned with, the handle finish specified.
- Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required.

## HOW TO SPECIFY


| Select Model Number | Select Handle and Lock Color | Select Chassis Color | Select Door Front Color |
|---|---|---|---|
| | See page 37 | See page 31 | See page 31 |
| H N L 2 4 3 6 6 5 W L . | E . | H . | H |


# CONCINNITY™ Storage Towers

GSA SIN 33721

Icon Legend on page 19

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **Storage Towers, Laminate Doors — 24″W** | | | | | | |
| 24″W x 24″D x 78⅛″H, Wardrobe Hinged Left, Cabinet Hinged Right | **HNL242479TLL** | 284 | 32.4 | **$3340** | **$77** | **$50** |
| 24″W x 24″D x 78⅛″H, Wardrobe Hinged Right, Cabinet Hinged Left | **HNL242479TLR** | 284 | 32.4 | **$3340** | **$77** | **$50** |
| 24″W x 24″D x 64¾″H, Wardrobe Hinged Left, Cabinet Hinged Right | **HNL242465TLL** | 241 | 27.6 | **$3042** | **$65** | **$39** |
| 24″W x 24″D x 64¾″H, Wardrobe Hinged Right, Cabinet Hinged Left (shown) | **HNL242465TLR** | 241 | 27.6 | **$3042** | **$65** | **$39** |







NOTES: Versatile design includes a wardrobe closet, storage cabinet, and two file drawers, in one compact unit. Wardrobe contains a coat rod and upper shelf. 64¾″H and 78⅛″H cabinets have three shelves (two adjustable) and four shelves (three adjustable), respectively; shelves adjust in 2½″ increments. File drawers operate on ball-bearing suspensions with full extension. File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing. Upper lock secures wardrobe closet and storage cabinet; lower lock secures file drawers; the two locks are keyed alike. Left (L) model is wardrobe hinged left, cabinet hinged right; Right (R) model is wardrobe hinged right, cabinet hinged left. Ships fully assembled.

**SPECIFYING EXAMPLE: HNL242465TLR.E.H.H**

| | | | | | | |
|---|---|---|---|---|---|---|
| **Storage Towers, Laminate Door — 50″H** | | | | | | |
| 18″W x 30″D x 50″H, Hinged Right | **HNL301850TLR** | 135 | 19.8 | **$1886** | **$55** | **$39** |
| 18″W x 30″D x 50″H, Hinged Left | **HNL301850TLL** | 135 | 19.8 | **$1886** | **$55** | **$39** |
| 18″W x 24″D x 50″H, Hinged Right | **HNL241850TLR** | 121 | 15.9 | **$1697** | **$55** | **$39** |
| 18″W x 24″D x 50″H, Hinged Left | **HNL241850TLL** | 121 | 15.9 | **$1697** | **$55** | **$39** |



*Hinged Right*
*HNL241850TLR shown*



*Hinged Right*
*HNL301850TLR shown*

NOTES: Can be used next to 29½″H to standing, 42″H worksurfaces. Cabinet includes coat hook on back of door, perfect for jackets, sweaters, and purses. Two adjustable interior shelves, plus bottom of unit; shelves adjust in 2½″ increments. 30″D size has a slim side access storage space at rear of unit with two fixed interior shelves; the lower shelf is positioned to align with a 29½″H worksurface, the upper shelf with a 42″H worksurface. Hardware bag includes an extra coat hook which can be positioned on the side of the unit, below the worksurface; ideal for back packs. Left (L) model is door hinged left; Right (R) model is door hinged right. Worksurface tower bracket kit (model HSTB2W1) can be used to attach a worksurface directly to the tower. Bracket (1) eliminates the need for one end panel or O-leg support; (2) is not designed to be used as a support when a stack-on storage unit is placed over bracket. Ships fully assembled.

**SPECIFYING EXAMPLE: HNL182450TLR.E.H.H**

**NOTES:**

- Equipped with interchangeable core removable locks.
- Finish of locks is determined by, and aligned with, the handle finish specified.
- Keyed alike cores must be ordered separately; specify model HF23B (Black) or HF23S (Satin) and specific key number required.

| CABINET/WARDROBE/TOWER SOLUTIONS BY SIZE | Low/50″H | Standard/64¾″H | Executive/78⅛″H |
|---|---|---|---|
| Storage Cabinet with Doors | | • | • |
| Storage/File Cabinet | | • | |
| Storage Cabinet/Lateral File | | • | |
| Wardrobe/Storage Cabinet | | • | • |
| Wardrobe/Bookcase | | • | • |
| Storage Tower | | • | • |
| Storage Tower with Side Access on 30″D | • | | |
| Bookcase with Coat Hook | | • | |

## HOW TO SPECIFY

**Select Model Number**

H N L 2 4 2 4 6 5 T L R .

**Select Handle and Lock Color**

See page 37

E .

**Select Chassis Color**

See page 31

H .

**Select Door Front Color**

See page 31


E

GSA SIN 33721

Icon Legend on page 19

# CONCINNITY™ Bookcases







| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES TOP | L2 UPCHARGES CHASSIS |
|---|---|---|---|---|---|---|
| **Bookcase with Adjustable Shelves** | | | | | | |
| 30″W x 14¼″D x 78⅛″H, 6-Shelf | **HNL1530BK6** | 170 | 25.7 | **$1292** | **$33** | **$39** |
| 30″W x 14¼″D x 65″H, 5-Shelf | **HNL1530BK5** | 143 | 21.1 | **$1147** | **$28** | **$33** |
| 30″W x 14¼″D x 52¾″H, 4-Shelf | **HNL1530BK4** | 118 | 17.4 | **$995** | **$22** | **$28** |
| 30″W x 14¼″D x 42″H, 3-Shelf | **HNL1530BK3** | 95 | 14.1 | **$874** | **$17** | **$22** |
| 30″W x 14¼″D x 29½″H, 2-Shelf | **HNL1530BK2** | 69 | 10.2 | **$768** | **$17** | **$17** |

NOTES: Profiled top edge; choose from edge detail options. Number of total and adjustable shelves:

| Height | Shelves | Adjustable Shelves |
|---|---|---|
| 29½″ | 2 | 1 |
| 42″ | 3 | 2 |
| 52¾″ | 4 | 3 |
| 65″ | 5 | 4 |
| 78⅛″ | 6 | 5 |

¾″ thick shelves adjust in 1¼″ increments. Inside shelf dimensions on all units are 28½″W x 13¼″D. Ships fully assembled.
**SPECIFYING EXAMPLE: HNL1530BK2.BH.H.H**





*Back View*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|
| **Bookcase with Coat Hooks** | | | | | |
| 24″W x 24″D x 64¾″H, 5-Shelf, with Coat Hooks, Right (shown) | **HNL2424BK5CR** | 133 | 27.6 | **$1305** | **$33** |
| 24″W x 24″D x 64¾″H, 5-Shelf, with Coat Hooks, Left | **HNL2424BK5CL** | 133 | 27.6 | **$1305** | **$33** |

NOTES: Inside shelf dimensions are 28½″W x 13¼″D. Two out of sight coat hooks for garments are secluded behind bookcase. One end panel measures 14¼″D, the other 24″D. “R” indicates coat hook access is on the right and the full 24″D end panel on the left; for use next to credenza or return with pedestal on right. “L” indicates coat hook access is on the left and the full 24″D end panel is on the right; for use next to credenza or return with pedestal on left. Unit height is designed to match desk, credenza, or return plus 35¼″H stack-on storage (= 64¾″). ¾″ thick, non-profiled top edge. Not available in two-tone laminate color combinations. Ships fully assembled.
**SPECIFYING EXAMPLE: HNL2424BK5CR.H**

## HOW TO SPECIFY

**Select Model Number**

H N L 1 5 3 0 B K 2 .

**Select Edge Profile and Edge Color**

See page 31

B H .

**Select Top Color**

See page 31

H .

**Select Chassis Color**

See page 31

H

**Select Model Number**

H N L 2 4 2 4 B K 5 C R .

**Select Laminate**


See page 31

H

# CONCINNITY™ Components — Worksurfaces

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|
| **Rectangle Worksurface with Horizontal Grain** | | | | | |
| 84″W x 36″D | **HNLRC3684** | 105 | 7.7 | **$874** | **$33** |
| 72″W x 36″D | **HNLRC3672** | 90 | 6.7 | **$732** | **$33** |
| 84″W x 30″D | **HNLRC3084** | 88 | 6.5 | **$707** | **$28** |
| 78″W x 30″D | **HNLRC3078** | 81 | 6.1 | **$641** | **$28** |
| 72″W x 30″D | **HNLRC3072** | 75 | 5.6 | **$587** | **$22** |
| 66″W x 30″D | **HNLRC3066** | 69 | 5.2 | **$541** | **$22** |
| 60″W x 30″D | **HNLRC3060** | 62 | 4.7 | **$504** | **$22** |
| 48″W x 30″D | **HNLRC3048** | 50 | 3.9 | **$413** | **$17** |
| 96″W x 24″D | **HNLRC2496** | 80 | 5.8 | **$727** | **$33** |
| 90″W x 24″D | **HNLRC2490** | 75 | 5.5 | **$714** | **$33** |
| 84″W x 24″D | **HNLRC2484** | 70 | 5.3 | **$673** | **$28** |
| 78″W x 24″D | **HNLRC2478** | 65 | 4.9 | **$602** | **$22** |
| 72″W x 24″D | **HNLRC2472** | 60 | 4.6 | **$502** | **$22** |
| 66″W x 24″D | **HNLRC2466** | 55 | 4.2 | **$483** | **$22** |
| 60″W x 24″D | **HNLRC2460** | 50 | 3.9 | **$448** | **$22** |
| 54″W x 24″D | **HNLRC2454** | 45 | 3.5 | **$410** | **$22** |
| 48″W x 24″D | **HNLRC2448** | 40 | 3.1 | **$377** | **$17** |
| 42″W x 24″D | **HNLRC2442** | 35 | 2.8 | **$351** | **$17** |
| 36″W x 24″D Rectangle Worksurface/Pedestal Top | **HNLRC2436** | 30 | 2.4 | **$318** | **$17** |
| 30″W x 24″D Rectangle Worksurface/Pedestal Top | **HNLRC2430** | 25 | 2.1 | **$318** | **$17** |

NOTES: See chart on page 50 for cord management options.

! When grommets are specified for 30″D and 36″D rectangle worksurfaces, pre-drilled holes will not be included for a 4½″ diameter support column.

**NOTES:**

- Grain direction on all rectangle worksurfaces runs horizontal (side-to-side) except as follows: 30″W - 36″W - 42″W - 48″W - 54″W - 60″W x 24″D tops can be specified with horizontal (side-to-side) or vertical (front-to-back) grain.
- 42″W and 48″W x 20″D tops are available with vertical (front-to-back) grain only.
- For standing-height requirements, use worksurface with 41″H O-leg, end panel, L-shaped end panel, or pedestal supports.
- For mobile desks and tables, use post leg with casters.

! If using worksurfaces with Coordinate™ Height Adjustable Bases, an External Stiffener must be used.

! Attachment of above privacy screen models requires a minimum 1″ clear space/overhang on the underside of worksurface.

! Worksurfaces used with Coordinate™ Height Adjustable Bases should have 1″ perimeter gap on each side to provide clearance between other furniture. Failure to do so risks injury or product damage (not covered by warranty).

! When using end panels or O-legs with 84″, 90″, or 96″W worksurfaces, interior weight-bearing support components are required to minimize worksurface deflection.

! Attachment of above/below privacy screen models requires a minimum 2″ clear space/overhang on the underside of the worksurface.

! Steel external support channel can be attached to the underside of worksurfaces that are subjected to heavier loads. Channel is recommended to provide extra support on unsupported spans of 54″W or greater or per user preference. Ordered separately from worksurface.


! If using a 54″W or 60″W floating modesty panel, it is not necessary to specify an external support channel.

! When using an external support channel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8″.

! See “External Channel (Recommended Use)” chart on page 45.

## HOW TO SPECIFY

| Select Model Number | Select Edge Profile and Edge Color | Select Worksurface Grommet Finish | Select Worksurface Color |
|---|---|---|---|
| | See page 31 | **P** Black<br>**T1** Platinum<br>**X** No Grommet | See page 31 |
| H N L R C 3 6 8 4 . | B H . | P . | H |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|
| **Rectangle Worksurface with Vertical Grain** | | | | | |
| 60″W x 24″D | **HNLRC2460V** | 50 | 3.9 | **$448** | **$22** |
| 54″W x 24″D | **HNLRC2454V** | 45 | 3.5 | **$410** | **$22** |
| 48″W x 24″D | **HNLRC2448V** | 40 | 3.1 | **$377** | **$17** |
| 42″W x 24″D | **HNLRC2442V** | 35 | 2.8 | **$351** | **$17** |
| 36″W x 24″D Rectangle Worksurface/Pedestal Top | **HNLRC2436V** | 30 | 2.4 | **$318** | **$17** |
| 30″W x 24″D Rectangle Worksurface/Pedestal Top | **HNLRC2430V** | 25 | 2.1 | **$318** | **$17** |
| 48″W x 20″D | **HNLRC2048V** | 33 | 2.7 | **$352** | **$12** |
| 42″W x 20″D | **HNLRC2042V** | 29 | 2.3 | **$325** | **$12** |

NOTES: Can be used in a host of applications, including as a desk, credenza, return, bridge, stationary or mobile table surface, in U- or L-shaped configurations, as part of a work wall layout with an island extension, or with the height adjustable electric base. The conference overhang dimension on the approach side of worksurfaces varies depending on the supports and modesty panels specified. Top can be positioned with a cantilevered conference overhang on one end when used with select worksurface supports, including an O-leg or 9½″W modular pedestal. For return applications in which there is an unsupported span wider than 54″, such as a 72″W x 24″D worksurface supported by a 15¾″W modular pedestal (= 56¼″) or a 60″W x 24″D worksurface supported by a 1⅛″ thick end panel (= 58⅞″), use internal support panel model HNL11SUPP. For bridges wider than 54″, use internal support panel HNL11SUPP. When using a 30″W, 36″W, 42″W, or 48″W rectangle worksurface as a bridge, no support legs are needed. When specifying a 84″W, 90″W, or 96″W worksurface, cannot use two O-legs for the supports. In these applications, the maximum number of supports that can be an O-leg is one; must choose from a 15¾″ or wider modular pedestal for use as the additional support component. For applications requiring connection to an adjoining worksurface, two flat brackets are included with 24″D and 20″D worksurfaces that are ≤48″W; one flat bracket is included with 24″D worksurfaces that are ≥54″W. Underside of worksurface includes pilot mounting holes for O-leg, 1⅛″ thick laminate end panel, pedestals, and flat brackets. See chart on page 50 for cord management options.

❗ When grommets are specified for 30″D and 36″D rectangle worksurfaces, pre-drilled holes will not be included for attachment of a 4½″ diameter support column.

**NOTES:**

- Grain direction on all rectangle worksurfaces runs horizontal (side-to-side) except as follows: 30″W - 36″W - 42″W - 48″W - 54″W - 60″W x 24″D tops can be specified with horizontal (side-to-side) or vertical (front-to-back) grain.
- 42″W and 48″W x 20″D tops are available with vertical (front-to-back) grain only.
- For standing-height requirements, use worksurface with 41″H O-leg, end panel, L-shaped end panel, or pedestal supports.
- For mobile desks and tables, use post leg with casters.

❗ If using worksurfaces with Coordinate™ Height Adjustable Bases, an External Stiffener must be used.

❗ Attachment of above privacy screen models requires a minimum 1″ clear space/overhang on the underside of worksurface.

❗ Worksurfaces used with Coordinate™ Height Adjustable Bases should have 1″ perimeter gap on each side to provide clearance between other furniture. Failure to do so risks injury or product damage (not covered by warranty).

❗ Attachment of above/below privacy screen models requires a minimum 2″ clear space/overhang on the underside of the worksurface.

❗ Steel external support channel can be attached to the underside of worksurfaces that are subjected to heavier loads. Channel is recommended to provide extra support on unsupported spans of 54″W or greater or per user preference. Ordered separately from worksurface.

❗ If using a 54″W or 60″W floating modesty panel, it is not necessary to specify an external support channel.

❗ When using an external support channel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8″.

❗ See “External Channel (Recommended Use)” chart on page 45.

## HOW TO SPECIFY

**Select Model Number**

H N L R C 2 4 6 0 V .

**Select Edge Profile and Edge Color**

See page 31

B H .

**Select Worksurface Grommet Finish**

**P** Black
**T1** Platinum
**X** No Grommet

P .

**Select Worksurface Color**




See page 31

H

# CONCINNITY™ Components — Worksurfaces

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|---|
|  | **Bow Worksurface** | | | | | |
| | 84″W x 36″D | **HNLBW3684** | 94 | 7.7 | **$932** | **$33** |
| | 72″W x 36″D | **HNLBW3672** | 80 | 6.7 | **$842** | **$33** |
| | NOTES: 84″W size is ideal for executive layouts or for user's who require additional worksurface space. 72″W top can be combined with different pedestal support options to allow users to personalize their storage needs. Underside of worksurface includes pilot mounting holes for 1⅛″ and L-shaped laminate end panels, and 29⅛″D pedestals. Grain direction runs horizontal (side-to-side). See chart on page 50 for cord management options. | | | | | |
|  | **Wedge Worksurface** | | | | | |
| | 84″W x 36″D | **HNL3684WT** | 166 | 20.3 | **$1014** | **$28** |
| | 78″W x 36″D | **HNL3678WT** | 157 | 19.4 | **$962** | **$22** |
| | 72″W x 36″D | **HNL3672WT** | 144 | 17.7 | **$845** | **$22** |
| | 66″W x 36″D | **HNL3666WT** | 137 | 17.7 | **$797** | **$22** |
| | 60″W x 36″D | **HNL3660WT** | 131 | 17.7 | **$735** | **$22** |
| | 84″W x 30″D | **HNL3084WT** | 150 | 20.3 | **$848** | **$28** |
| | 78″W x 30″D | **HNL3078WT** | 142 | 19.4 | **$806** | **$22** |
| | 72″W x 30″D | **HNL3072WT** | 126 | 13.4 | **$699** | **$22** |
| | 66″W x 30″D | **HNL3066WT** | 121 | 13.4 | **$669** | **$22** |
| | 60″W x 30″D | **HNL3060WT** | 116 | 13.4 | **$621** | **$22** |
| | 84″W x 24″D | **HNL2484WT** | 134 | 20.3 | **$817** | **$28** |
| | 78″W x 24″D | **HNL2478WT** | 127 | 19.4 | **$771** | **$22** |
| | 72″W x 24″D | **HNL2472WT** | 109 | 11.2 | **$622** | **$22** |
| | 66″W x 24″D | **HNL2466WT** | 101 | 10.6 | **$617** | **$22** |
| | 60″W x 24″D | **HNL2460WT** | 92 | 9.5 | **$569** | **$22** |
| | NOTES: Wedge tops have boring for support column, post legs, and stanchion. | | | | | |
|  | **Bullet Worksurface** | | | | | |
| | 84″W x 30″D | **HNLBU3084** | 84 | 6.3 | **$823** | **$28** |
| | 78″W x 30″D | **HNLBU3078** | 78 | 6.3 | **$783** | **$22** |
| | 72″W x 30″D | **HNLBU3072** | 72 | 5.5 | **$680** | **$22** |
| | 66″W x 30″D | **HNLBU3066** | 66 | 5.5 | **$649** | **$22** |
| | 60″W x 30″D | **HNLBU3060** | 60 | 4.7 | **$603** | **$22** |
| | 48″W x 30″D | **HNLBU3048** | 54 | 3.7 | **$529** | **$17** |
| | NOTES: Applications include U- or L-shaped peninsula configurations and island extensions. Underside of worksurface includes pilot mounting holes for O-leg, T-shaped end panel, 29⅛″D pedestals, 4½″ diameter support column, and 2″ square post leg. One flat bracket is packaged with each worksurface for applications requiring connection to an adjoining worksurface. Grain direction runs horizontal (side-to-side). Can be used in combination with a 15¾″W or 9½″W x 29⅛″D x 28¼″H modular pedestal to create a freestanding desk. See chart on page 50 for cord management options. | | | | | |

**NOTES:**

- When specifying an 84″W size, cannot use two O-legs; must use another type of support component such as a pedestal.
- Steel external support channel can be attached to the underside of worksurfaces that are subjected to heavier loads. Channel is recommended to provide extra support on unsupported spans of 54″W or greater or per user preference. Ordered separately from worksurface.
- If using a 54″W or 60″W floating modesty panel, it is not necessary to specify an external support channel.
- When using an external support channel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8″.
- See "External Channel (Recommended Use)" chart on page 45.

## HOW TO SPECIFY


| Select Model Number | Select Edge Profile and Edge Color | Select Worksurface Grommet Finish | Select Worksurface Color |
|---|---|---|---|
| | See page 31 | **P** Black<br>**T1** Platinum<br>**X** No Grommet | See page 31 |
| H N L B W 3 6 8 4 . | B H . | P . | H |

GSA SIN 33721

Icon Legend on page 19

# CONCINNITY™ Components — Worksurfaces



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|---|
|  | **Blade Worksurface, Left** | | | | | |
| | 84″W x 36″D | **HNL3684LBT** | 159 | 20.3 | **$1014** | **$28** |
| | 78″W x 36″D | **HNL3678LBT** | 150 | 19.4 | **$962** | **$22** |
| | 72″W x 36″D | **HNL3672LBT** | 138 | 17.7 | **$845** | **$22** |
| | 66″W x 36″D | **HNL3666LBT** | 131 | 17.7 | **$797** | **$22** |
| | 60″W x 36″D | **HNL3660LBT** | 125 | 17.7 | **$735** | **$22** |
| | 84″W x 30″D | **HNL3084LBT** | 144 | 20.3 | **$848** | **$28** |
| | 78″W x 30″D | **HNL3078LBT** | 136 | 19.4 | **$806** | **$22** |
| | 72″W x 30″D | **HNL3072LBT** | 121 | 13.4 | **$699** | **$22** |
| | 66″W x 30″D | **HNL3066LBT** | 115 | 13.4 | **$669** | **$22** |
| | 60″W x 30″D | **HNL3060LBT** | 110 | 13.4 | **$621** | **$22** |
| | 84″W x 24″D | **HNL2484LBT** | 129 | 20.3 | **$817** | **$28** |
| | 78″W x 24″D | **HNL2478LBT** | 122 | 19.4 | **$771** | **$22** |
| | 72″W x 24″D | **HNL2472LBT** | 104 | 11.2 | **$622** | **$22** |
| | 66″W x 24″D | **HNL2466LBT** | 97 | 10.6 | **$617** | **$22** |
| | 60″W x 24″D | **HNL2460LBT** | 88 | 9.5 | **$569** | **$22** |
|  | **Blade Worksurface, Right** | | | | | |
| | 84″W x 36″D | **HNL3684RBT** | 159 | 20.3 | **$1014** | **$28** |
| | 78″W x 36″D | **HNL3678RBT** | 150 | 19.4 | **$962** | **$22** |
| | 72″W x 36″D | **HNL3672RBT** | 138 | 17.7 | **$845** | **$22** |
| | 66″W x 36″D | **HNL3666RBT** | 131 | 17.7 | **$797** | **$22** |
| | 60″W x 36″D | **HNL3660RBT** | 125 | 17.7 | **$735** | **$22** |
| | 84″W x 30″D | **HNL3084RBT** | 144 | 20.3 | **$848** | **$28** |
| | 78″W x 30″D | **HNL3078RBT** | 136 | 19.4 | **$806** | **$22** |
| | 72″W x 30″D | **HNL3072RBT** | 121 | 13.4 | **$699** | **$22** |
| | 66″W x 30″D | **HNL3066RBT** | 115 | 13.4 | **$669** | **$22** |
| | 60″W x 30″D | **HNL3060RBT** | 110 | 13.4 | **$621** | **$22** |
| | 84″W x 24″D | **HNL2484RBT** | 129 | 20.3 | **$817** | **$28** |
| | 78″W x 24″D | **HNL2478RBT** | 122 | 19.4 | **$771** | **$22** |
| | 72″W x 24″D | **HNL2472RBT** | 104 | 11.2 | **$622** | **$22** |
| | 66″W x 24″D | **HNL2466RBT** | 97 | 10.6 | **$617** | **$22** |
| | 60″W x 24″D | **HNL2460RBT** | 88 | 9.5 | **$569** | **$22** |

**NOTES:**

- Blade tops have boring for support column, post legs, and stanchion.

! Support column cannot be used on stanchion applications for tops larger than 72″W.

## HOW TO SPECIFY

**Select Model Number**

H N L 3 0 7 8 L B T .

**Select Edge Profile and Edge Color**

See page 31

B H .

**Select Worksurface Grommet Finish**

**P** Black
**T1** Platinum
**X** No Grommet

P .

**Select Worksurface Color**



See page 31

H

# CONCINNITY™ Components — Worksurfaces

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|---|
|  *Left* | **Height Adjustable Corner Cove Worksurface, Left** | | | | | |
| | 72″W x 36″D x 60″R | **HNL723660LCH** | 179 | 23.2 | **$1176** | **$39** |
| | 72″W x 30″D x 60″R | **HNL723060LCH** | 171 | 23.2 | **$1120** | **$39** |
| | 72″W x 30″D x 54″R | **HNL723054LCH** | 166 | 23.2 | **$1062** | **$39** |
| | 66″W x 36″D x 60″R | **HNL663660LCH** | 172 | 20.3 | **$1065** | **$33** |
| | 66″W x 30″D x 60″R | **HNL663060LCH** | 164 | 20.3 | **$1007** | **$33** |
| | 66″W x 30″D x 54″R | **HNL663054LCH** | 160 | 20.3 | **$951** | **$33** |
| | 60″W x 36″D x 60″R | **HNL603660LCH** | 165 | 19.3 | **$977** | **$28** |
| | 60″W x 30″D x 60″R | **HNL603060LCH** | 159 | 19.3 | **$921** | **$28** |
| | 60″W x 30″D x 54″R | **HNL603054LCH** | 154 | 19.3 | **$864** | **$28** |
|  *Right* | **Height Adjustable Corner Cove Worksurface, Right** | | | | | |
| | 72″W x 36″D x 60″R | **HNL723660RCH** | 179 | 23.2 | **$1176** | **$39** |
| | 72″W x 30″D x 60″R | **HNL723060RCH** | 171 | 23.2 | **$1120** | **$39** |
| | 72″W x 30″D x 54″R | **HNL723054RCH** | 166 | 23.2 | **$1062** | **$39** |
| | 66″W x 36″D x 60″R | **HNL663660RCH** | 172 | 20.3 | **$1065** | **$33** |
| | 66″W x 30″D x 60″R | **HNL663060RCH** | 164 | 20.3 | **$1007** | **$33** |
| | 66″W x 30″D x 54″R | **HNL663054RCH** | 160 | 20.3 | **$951** | **$33** |
| | 60″W x 36″D x 60″R | **HNL603660RCH** | 165 | 19.3 | **$977** | **$28** |
| | 60″W x 30″D x 60″R | **HNL603060RCH** | 159 | 19.3 | **$921** | **$28** |
| | 60″W x 30″D x 54″R | **HNL603054RCH** | 154 | 19.3 | **$864** | **$28** |
|  | **P-Shaped Worksurface** | | | | | |
| | 72″W x 36″D, Left (shown) | **HNL3672LPT** | 132 | 15.0 | **$1137** | **$28** |
| | 72″W x 30″D, Left | **HNL3072LPT** | 115 | 13.1 | **$1080** | **$22** |
| | 72″W x 36″D, Right | **HNL3672RPT** | 132 | 15.0 | **$1137** | **$28** |
| | 72″W x 30″D, Right | **HNL3072RPT** | 115 | 13.1 | **$1080** | **$22** |

**NOTES:**
- Corner Cove worksurfaces have 1″ shorter top size on credenza side to accommodate for pinch points.
- P-Shaped worksurfaces have boring for support column, post legs, stanchion, O-leg, and laminate T-shaped end panel.

## HOW TO SPECIFY

**Select Model Number**

H N L 6 6 3 0 6 0 L C H .

**Select Edge Profile and Edge Color**

See page 31

B H .

**Select Worksurface Grommet Finish**


**P** Black
**T1** Platinum
**X** No Grommet

P .

**Select Worksurface Color**

See page 31

H



*Right-hand model*
*HNLEC367224R shown*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES WORKSURFACE | L2 UPCHARGES END PANEL |
|---|---|---|---|---|---|---|
| **Extended Corner Worksurface** | | | | | | |
| 72″W x 48″D, Right | **HNLEC487224R** | 130 | 8.9 | **$1418** | **$55** | **$55** |
| 72″W x 48″D, Left | **HNLEC487224L** | 130 | 8.9 | **$1418** | **$55** | **$55** |
| 72″W x 36″D, Right | **HNLEC367224R** | 106 | 6.6 | **$1173** | **$50** | **$50** |
| 72″W x 36″D, Left | **HNLEC367224L** | 106 | 6.6 | **$1173** | **$50** | **$50** |

NOTES: For use in U- or L-shaped layouts. Includes top and long (47″D or 35″D) end panel components. Installation also requires modesty panel and either a 1⅛″ thick end panel or 15¾″ x 23⅛″D pedestal support for opposite end; both ordered separately. 72″W x 24/48″D or 48/24″D top is intended for use with 30/48″D or 48/30″D jetty peninsula to create a 2-piece "U" station with a curved cockpit on user's side. 72″W x 24/36″D or 36/24″D size is intended for use with 24″D returns or bridges. Underside of worksurface has pilot mounting holes for 1⅛″ thick end panel and 15¾″ x 23⅛″D modular pedestal. Edgebanding on the extended corner worksurface is profiled on the user's side and flat on the back (approach side) and ends. Grain direction runs horizontal (side-to-side).

- One flat bracket is packaged with each 48″D worksurface for applications requiring connection to a 48″D jetty peninsula. For 36″D extended corner worksurface, the flat bracket is shipped with the adjoining return or bridge. See chart on page 50 for cord management options. If grommet option is chosen, the worksurface component will match the color specified; the long end panel grommet color will be black.

**NOTES:**

- When specifying an 84″W size, cannot use two O-legs; must use another type of support component such as a pedestal.
- Steel external support channel can be attached to the underside of worksurfaces that are subjected to heavier loads. Channel is recommended to provide extra support on unsupported spans of 54″W or greater or per user preference. Ordered separately from worksurface.
- If using a 54″W or 60″W floating modesty panel, it is not necessary to specify an external support channel.
- When using an external support channel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8″.
- See "External Channel (Recommended Use)" chart on page 45.

## HOW TO SPECIFY

| Select Model Number | Select Edge Profile and Edge Color | Select Worksurface Grommet Finish | Select Worksurface Color | Select End Panel Color |
|---|---|---|---|---|
| | See page 31 | **P** Black<br>**T1** Platinum<br>**X** No Grommet | See page 31 | See page 31 |
| H N L E C 4 8 7 2 2 4 R . | B H . | X . | H . | H |

# CONCINNITY™ Components — Supports

GSA SIN 33721 EXCEPT AS NOTED

Icon Legend on page 19




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **External Support Channel** | | | | |
| 72″W for a 78″ Worksurface | **HLSLZ5SC84** | 12 | 0.7 | **$156** |
| 66″W for a 72″ Worksurface | **HLSLZ5SC78** | 7 | 0.5 | **$156** |
| 60″W for a 66″ Worksurface | **HLSLZ5SC72** | 7 | 0.5 | **$156** |
| 54″W for a 60″ Worksurface | **HLSLZ5SC66** | 7 | 0.5 | **$144** |
| 48″W for a 54″ Worksurface | **HLSLZ5SC60** | 6 | 0.5 | **$138** |

! Available in Graphite paint only.

! Attaches to underside of worksurface; required for unsupported spans greater than 54″W.

! When specifying a 54″W or 60″W Floating Modesty Panel, it is not necessary to specify an external channel.



*HVPWLBK24 shown*

**OPEN MARKET**

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Worksurface Wall Mount Bracket** | | | | |
| For 30″ | **HVPWLBK30** | 2 | 0.3 | **$130** |
| For 24″ | **HVPWLBK24** | 2 | 0.3 | **$117** |

NOTES: Can be used in place of an end panel to support a worksurface. Cannot be used as a support when placing a stack-on storage unit on worksurface over bracket; must have two full-sized floor supports when using stack-on storage. Finish option not required.

**SPECIFYING EXAMPLE: HVPWLBK30**



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Worksurface to Tower Bracket Kit** 18½″ long bracket for attaching 24″D worksurface directly to storage tower, wardrobe/bookcase, wardrobe/storage cabinet, storage cabinet/lateral file, storage cabinet, or lateral file. | **HSTB2W1** | 4 | 0.6 | **$116** | **$131** | **$133** |


NOTES: Can be used in place of end panel or O-leg to support worksurfaces.

! Bracket not designed for use as a support if placing Stack-on Storage on worksurface over/above bracket. Two full-sized supports required when using Stack-on Storage.



| | | | | | | |
|---|---|---|---|---|---|---|
| **Post Leg, 2-Pack** 28″H | **HMBPOST2** | 12 | 3.0 | **$307** | **$313** | **$325** |

NOTES: Pricing shown is per carton. Ordering 2 of the model will result in 2 cartons being shipped, giving you 4 legs.



| | | | | | | |
|---|---|---|---|---|---|---|
| **Credenza Stanchion** | | | | | | |
| Stanchion for use on 30″D and 36″D tops | **HNL28XS** | 9 | 1.0 | **$400** | **$406** | **$418** |
| Stanchion for use on 18″D and 24″D tops | **HNL16XS** | 6 | 1.0 | **$293** | **$299** | **$311** |

NOTES: Includes pass-through grommet for easy cord management.

**NOTES:**

- Use the worksurface to tower bracket kit to attach worksurfaces to Storage Tower models.

! Depending on your support combination, an external channel may be required for extra support on unsupported spans greater than 54″W.

## HOW TO SPECIFY

**Select Model Number**

| H | L | S | L | Z | 5 | S | C | 8 | 4 |
|---|---|---|---|---|---|---|---|---|---|

**Select Model Number**

| H | N | L | 2 | 8 | X | S | . |
|---|---|---|---|---|---|---|---|

**Select Paint Color**

See page 31


| P |
|---|

GSA SIN 33721


Icon Legend on page 19

# CONCINNITY™ Components — Modesty/Back Panels





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|
| **Modesty/Back Panels — Full-Length** | | | | | |
| 96″W x 27⅞″H | **HNLMP9628** | 62 | 7.2 | **$588** | **$28** |
| 90″W x 27⅞″H | **HNLMP9028** | 58 | 6.7 | **$572** | **$28** |
| 84″W x 27⅞″H | **HNLMP8428** | 54 | 6.1 | **$476** | **$28** |
| 78″W x 27⅞″H | **HNLMP7828** | 50 | 5.5 | **$423** | **$22** |
| 72″W x 27⅞″H | **HNLMP7228** | 46 | 5.3 | **$393** | **$22** |
| 66″W x 27⅞″H | **HNLMP6628** | 42 | 4.8 | **$370** | **$22** |
| 60″W x 27⅞″H | **HNLMP6028** | 38 | 4.4 | **$334** | **$22** |
| 54″W x 27⅞″H | **HNLMP5428** | 34 | 4.0 | **$323** | **$22** |
| 48″W x 27⅞″H | **HNLMP4828** | 30 | 3.6 | **$306** | **$17** |
| 42″W x 27⅞″H | **HNLMP4228** | 26 | 3.2 | **$281** | **$17** |
| 36″W x 27⅞″H Modesty/Pedestal Back Panel | **HNLMP3628** | 22 | 2.8 | **$260** | **$14** |
| 30″W x 27⅞″H Modesty/Pedestal Back Panel | **HNLMP3028** | 18 | 2.4 | **$241** | **$14** |



*Back View*

| | | | | | |
|---|---|---|---|---|---|
| **Modesty/Back Panels — Short** | | | | | |
| 96″W x 10″H | **HNLMP9610** | 22 | 3.0 | **$588** | **$17** |
| 90″W x 10″H | **HNLMP9010** | 21 | 2.8 | **$572** | **$17** |
| 84″W x 10″H | **HNLMP8410** | 20 | 2.8 | **$476** | **$17** |
| 78″W x 10″H | **HNLMP7810** | 19 | 2.3 | **$423** | **$14** |
| 72″W x 10″H | **HNLMP7210** | 18 | 2.1 | **$393** | **$14** |
| 66″W x 10″H | **HNLMP6610** | 17 | 1.9 | **$370** | **$14** |
| 60″W x 10″H | **HNLMP6010** | 16 | 1.8 | **$334** | **$14** |
| 54″W x 10″H | **HNLMP5410** | 15 | 1.6 | **$323** | **$14** |
| 48″W x 10″H | **HNLMP4810** | 14 | 1.4 | **$306** | **$12** |
| 42″W x 10″H | **HNLMP4210** | 13 | 1.3 | **$281** | **$12** |
| 36″W x 10″H | **HNLMP3610** | 12 | 1.1 | **$260** | **$12** |
| 30″W x 10″H | **HNLMP3010** | 11 | 0.9 | **$241** | **$12** |

NOTES: For use with modular worksurface and support components. Component is ¾″ thick. Full-to-floor sizes can be specified with or without grommet; see chart on page 50 for cord management options. For standing-height applications, a worksurface supported by 1⅛″ thick x 41″H laminate end panel(s) and/or 41″H support pedestal(s), the recommended modesty panel length extends 27⅞″ below the underside of the top, leaving 13″ of wall access; 9½″ and 15¾″W x 13″H backs are available to enclose the balance of the pedestal back. Worksurfaces supported by a 1⅛″ thick x 41″H laminate end panel and 41″H support pedestal, or by two 41″H support pedestals, can be used with a 10″ modesty panel to increase the amount of wall access, however in this application the pedestal(s) should be positioned against a wall, as there is not a 30⅞″H panel to cover the back of the pedestal that is exposed below the modesty panel. The 10″H modesty panel is not recommended for use in a standing-height shell, where both supports are 41″H laminate end panels; for this solution use the 27⅛″H modesty panel. For standing-height applications with the worksurface supported by 41″H O-legs or L-shaped end panels, use the appropriate floating modesty panel size.

**NOTES:**

- Provide approach-side kneespace privacy for user seated at desks, credenzas, returns, and bridges.
- Full-width laminate panel can be specified in 6″ increments from 30″-96″W, and in full-length (27⅞″H) or short (10″H).
- Formal, full-length, 27⅞″H models extend from the underside of the worksurface to the floor.
- 10″H sizes allow quick and easy access to wall power outlets.
- 30″W and 36″W x 27⅞″H are sized to serve as a modesty panel, or pedestal back for respective 30″W and 36″W support storage pedestal models.

! The full-width panel designs are specifically for use when the worksurface supports are two 1⅛″ thick end panels, two support storage pedestals, or one 1⅛″ thick end panel and one support storage pedestal; not for use with O-legs or L-shaped end panels.

! Full-length modesty panels not for use with height adjustable desks/shrouds.

## HOW TO SPECIFY

**Select Model Number**

H N L M P 7 2 2 8 .

**Select Grommet**

**P** Black
**X** No Grommet

X .

**Select Laminate Color**

See page 31

H

**Select Model Number**

H N L M P 7 2 1 0 .

**Select Laminate Color**


See page 31

H

# CONCINNITY™ Components — Modesty/Back Panels

GSA SIN 33721

Icon Legend on page 19



*Not available in two-tone laminate*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|
| **Modesty Panels for Desks with O-Legs** | | | | | |
| 68⅜″W x ¾″D x 10″H — For 72″ x 30″ Desks | **HLAMMP7230** | 26 | 2.1 | **$366** | **$17** |
| 56⅜″W x ¾″D x 10″H — For 60″ x 30″ Desks | **HLAMMP6030** | 23 | 1.8 | **$335** | **$17** |

NOTES: For use with 60″W or 72″W worksurfaces supported by O-legs. Comprised of three panels: one approach side and one for each end. Length below bottom of worksurface is 10″. Steel external support channel (ordered separately) is recommended for unsupported spans greater than 54″W (i.e.: a distance in which there is not a vertical support between the underside of the worksurface and floor). Grain direction is vertical on approach and side panels for 56⅜″W (all laminate colors) and 68⅜″W (L1 laminate except Florence Walnut and Kingswood Walnut). Vertical on 27⅝″ end panels (all laminate colors). Horizontal on all panels for L2 laminates as well as Florence Walnut and Kingswood Walnut.
Specify: Model.Laminate
**SPECIFYING EXAMPLE: HLAMMP7230.N**

+$17 for L2 laminates. See pages 245-246 for laminate options.

**NOTES:**
- Floating panel options attach under worksurfaces and are available in laminate or mixed (frosted translucent) material. The modesty panel and attachment bracket are packaged separately.
- If using a 54″W or 60″W floating modesty panel, it is not necessary to specify an external support channel.
- When using a floating modesty panel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8″.
- The full width/half-height and full-to-floor/full-height panels are filler options designed only for use on 60″, 66″, and 72″W x 29½″H, double, 15¾″W, pedestal desks and credenzas that are specified/built with modular components.

## HOW TO SPECIFY




**Select Model Number**

H L A M M P 7 2 3 0 . **Select Laminate Color**

See page 31

N

# Components — Modesty/Back Panels

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|---|
|  | **Full Width/Half-Height Laminate Modesty Panel** | | | | | |
| | 40″W x 14″H, for use with 72″ desks | **HLSL4014LM** | 29 | 2.4 | **$281** | **$12** |
| | 34″W x 14″H, for use with 66″ desks | **HLSL3414LM** | 23 | 1.9 | **$270** | **$12** |
| | 28″W x 14″H, for use with 60″ desks | **HLSL2814LM** | 19 | 1.6 | **$260** | **$12** |
| | NOTES: Filler piece that can only be used between the following supports: two 15¾″W modular pedestals, two 15¾″W L-shaped end panels, or one 15¾″W modular pedestal and one 15¾″W L-shaped end panel. Attachment brackets included. | | | | | |
|  | **Full-to-Floor/Full-Length Laminate Modesty Panel** | | | | | |
| | 40″W x 28½″H, for use with 72″ desks | **HLSL4028LM** | 44 | 3.6 | **$428** | **$14** |
| | 34″W x 28½″H, for use with 66″ desks | **HLSL3428LM** | 38 | 3.2 | **$407** | **$14** |
| | 28″W x 28½″H, for use with 60″ desks | **HLSL2828LM** | 33 | 2.7 | **$347** | **$14** |
| | NOTES: Filler piece that can only be used between the following supports: two 15¾″W modular pedestals, two 15¾″W L-shaped end panels, or one 15¾″W modular pedestal and one 15¾″W L-shaped end panel. Attachment brackets included. | | | | | |
|  | **Half-Height Laminate Modesty Panel** | | | | | |
| | 40″W x 14″H, for use with 72″ HAT tops | **HNL4014LM** | 29 | 2.3 | **$383** | **$22** |
| | 34″W x 14″H, for use with 66″ HAT tops | **HNL3414LM** | 23 | 2.2 | **$360** | **$22** |
| | 28″W x 14″H, for use with 60″ HAT tops | **HNL2814LM** | 19 | 1.9 | **$337** | **$22** |
| | NOTES: For use with height adjustable base and top applications with low credenza. | | | | | |

**NOTES:**

- Floating panel options attach under worksurfaces and are available in laminate or mixed (frosted translucent) material. The modesty panel and attachment bracket are packaged separately.
- If using a 54″W or 60″W floating modesty panel, it is not necessary to specify an external support channel.
- When using a floating modesty panel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8″.
- The full width/half-height and full-to-floor/full-height panels are filler options designed only for use on 60″, 66″, and 72″W x 29½″H, double, 15¾″W, pedestal desks and credenzas that are specified/built with modular components.

Full-to-floor/full-length modesty panels not for use with height adjustable desks/shrouds.

## HOW TO SPECIFY

**Select Model Number**

H L S L 2 8 1 4 L M .

**Select Laminate Color**


See page 31

N


# CONCINNITY™ Components — Supports

GSA SIN 33721


Icon Legend on page 19




*HNLEP2428R shown*



*HNLEP2428L shown*





*HNLEP2441R shown*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|
| **1⅛″ Laminate End Panels — For 29½″H** | | | | | |
| 1⅛″W x 35″D x 28½″H for 36″D, Right | **HNLEP3628R** | 39 | 2.8 | **$358** | **$22** |
| 1⅛″W x 35″D x 28½″H for 36″D, Left | **HNLEP3628L** | 39 | 2.8 | **$358** | **$22** |
| 1⅛″W x 29⅛″D x 28½″H for 30″D, Right | **HNLEP3028R** | 32 | 2.3 | **$316** | **$17** |
| 1⅛″W x 29⅛″D x 28½″H for 30″D, Left | **HNLEP3028L** | 32 | 2.3 | **$316** | **$17** |
| 1⅛″W x 23⅛″D x 28½″H for 24″D, Right | **HNLEP2428R** | 22 | 1.9 | **$281** | **$12** |
| 1⅛″W x 23⅛″D x 28½″H for 24″D, Left | **HNLEP2428L** | 22 | 1.9 | **$281** | **$12** |
| **1⅛″ Laminate End Panels — For 42″H** | | | | | |
| 1⅛″W x 29⅛″D x 41″H for 30″D, Right | **HNLEP3041R** | 47 | 3.2 | **$354** | **$22** |
| 1⅛″W x 29⅛″D x 41″H for 30″D, Left | **HNLEP3041L** | 47 | 3.2 | **$354** | **$22** |
| 1⅛″W x 23⅛″D x 41″H for 24″D, Right | **HNLEP2441R** | 37 | 2.6 | **$334** | **$17** |
| 1⅛″W x 23⅛″D x 41″H for 24″D, Left | **HNLEP2441L** | 37 | 2.6 | **$334** | **$17** |

NOTES: Supports the end of a component worksurface where there is no modular pedestal. 1⅛″ Laminate End Panels must be used with a full-length (27⅞″H) or short (10″H) modesty/back panel; ordered separately, see page 95. The depth of an end panel is ¾″ less than the depth of the worksurface, to accommodate the modesty/back panel. Handed design (left and right models). Bottom of end panel is edgebanded for added strength and to seal out moisture. Applications include — For the non-pedestal end of single pedestal desks or credenzas utilizing modular storage components. For returns that do not have a modular storage pedestal to support the worksurface. For extended corner units that do not utilize a 15¾″W x 23⅛″D modular storage pedestal to support the 24″D worksurface dimension. For building desk or credenza shells comprised of a worksurface top and modesty/back panel components, and left and right end panel. Available in a woodgrain or solid laminate color only. Can be specified with or without grommet; see chart on page 50 for cord management options. If grommet option is chosen, the color is black only.

**NOTES:**

1⅛″ Laminate End Panels must be used with a full-length (27⅞″H) or short (10″H) modesty/back panel; ordered separately, see page 95.

## HOW TO SPECIFY


| Select Model Number | Select Grommet | Select Laminate Color |
|---|---|---|
| | **P** Black<br>**X** No Grommet | See page 31 |
| H N L E P 2 4 2 8 R . | X . | H |

GSA SIN 33721

Icon Legend on page 19

# CONCINNITY™ Kneespace Clearance End Panels





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|
| **Kneespace Clearance End Panels** | | | | | |
| 1⅛″W x 11¼″D x 41″H for 24″D, 2 pk | **HNLEP1141** | 25 | 2.8 | **$393** | **$12** |
| 1⅛″W x 11¼″D x 28½″H for 24″D, 2 pk | **HNLEP1128** | 25 | 2.0 | **$321** | **$12** |

NOTES: Creates additional kneespace for the user. Two 1⅛″W x 11¼″D laminate end panels, one left, one right; sized to support two adjoining, contiguous 24″D worksurfaces. Can be specified with worksurfaces at time of installation or ordered as replacement for two side-by-side 1⅛″W x 23″D end panels. Available in 28½″ and 41″H. Can be used to connect up to three credenzas in line (2 kits). Not designed for use with returns. Allows conversion of units currently in the field; European fasteners make installation quick and easy. Cord routing notch in top back of each panel. Includes two 1⅛″ thick panels; European fastening hardware; flat connector bracket; self-tapping wood screws for ganging credenza to adjacent worksurface; and adjustable leveling glides. Can be specified in a woodgrain or solid laminate color only; not in a two-tone combination.

**SPECIFYING EXAMPLE: HNLEP1128.H**

## HOW TO SPECIFY

**Select Model Number**

H N L E P 1 1 2 8 .

**Select Grommet**






**P** Black
**X** No Grommet

X

# CONCINNITY™
# Components — Supports

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|---|
|  *HNLEP307L shown* | **Laminate End Panel — 7″H Support for Worksurfaces** | | | | | |
| | 1⅛″W x 30″D x 7″H, Right | **HNLEP307R** | 7 | 0.7 | **$185** | **$12** |
| | 1⅛″W x 30″D x 7″H, Left | **HNLEP307L** | 7 | 0.7 | **$185** | **$12** |
| | 1⅛″W x 24″D x 7″H, Right | **HNLEP247R** | 6 | 0.7 | **$185** | **$12** |
| | 1⅛″W x 24″D x 7″H, Left | **HNLEP247L** | 6 | 0.7 | **$185** | **$12** |
| | NOTES: Specifically for layered surface applications; used to support a 29½″H component worksurface over a 21½″H low credenza unit. 1⅛″ thick. Handed design (left and right models). Includes cord routing notch. Bottom of end panel is edgebanded for added strength and to seal out moisture. Attaches to underside of worksurface via cam fasteners and L-bracket; attaches to top of low credenza with double-sided tape. Can be specified in a woodgrain or solid laminate color only. For 7″H metal O-leg support see page 102. **SPECIFYING EXAMPLE: HNLEP307R.H** | | | | | |
|  *HNLLEP3028R shown* | **Laminate L-Shaped End Panels — For 29½″H** | | | | | |
| | 15¾″W x 30″D x 28½″H, Right | **HNLLEP3028R** | 38 | 4.3 | **$504** | **$17** |
| | 15¾″W x 30″D x 28½″H, Left | **HNLLEP3028L** | 38 | 4.3 | **$504** | **$17** |
| | 15¾″W x 24″D x 28½″H, Right | **HNLLEP2428R** | 32 | 2.8 | **$454** | **$17** |
| | 15¾″W x 24″D x 28½″H, Left | **HNLLEP2428L** | 32 | 2.8 | **$454** | **$17** |
|  *HNLLEP3028R and HNLLEP3028L shown* EZ | | | | | | |
|   *HNLLEP3041R shown* EZ | **Laminate L-Shaped End Panels — For 42″H** | | | | | |
| | 15¾″W x 30″D x 41″H, Right | **HNLLEP3041R** | 55 | 4.3 | **$559** | **$22** |
| | 15¾″W x 30″D x 41″H, Left | **HNLLEP3041L** | 55 | 4.3 | **$559** | **$22** |
| | 15¾″W x 24″D x 41″H, Right | **HNLLEP2441R** | 47 | 2.8 | **$499** | **$22** |
| | 15¾″W x 24″D x 41″H, Left | **HNLLEP2441L** | 47 | 2.8 | **$499** | **$22** |
| | NOTES: Supports the end of a component worksurface where there is no modular pedestal. Provides easy, open access to wall electrical outlets. For configurations requiring a modesty panel, options include a laminate floating modesty panel or a mixed material floating modesty panel — see page 96. Tops and bottoms of panels are edgebanded. Two pieces; 1⅛″ end panel and ¾″ back panel. Ships EZ; simple assembly. Can be specified in a woodgrain or solid laminate color only; not available in a two-tone combination. See chart on page 50 for cord management options. If grommet option is chosen for the end panel, the color is black only. **SPECIFYING EXAMPLE: HNLLEP2428R.X.H** | | | | | |

## HOW TO SPECIFY

**Select Model Number**

H N L E P 3 0 7 R .

**Select Laminate Color**

See page 31

H

**Select Model Number**

H N L L E P 3 0 2 8 R .

**Select Grommet**

**P** Black
**X** No Grommet

X .

**Select Laminate Color**

See page 31



H

GSA SIN 33721

Icon Legend on page 19

# CONCINNITY™ Components — Supports



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|---|
|  | **Laminate T-Shaped End Panels — For 29½"H** | | | | | |
| | 11⅝"W x 35⅞"D x 28½"H | **HNLTEP3628** | 45 | 3.7 | **$516** | **$22** |
| | 11⅝"W x 29⅞"D x 28½"H | **HNLTEP3028** | 39 | 3.3 | **$482** | **$22** |
| | 11⅝"W x 23⅞"D x 28½"H | **HNLTEP2428** | 33 | 2.9 | **$454** | **$22** |
| | NOTES: Supports the end of a component worksurface where there is no modular pedestal. Available in 24", 30", and 36"D x 28½"H. Two 1⅛" thick pieces; one end and one brace panel. Cord routing notch in brace panel. Non-handed. Ships EZ; simple assembly. Can be specified in a woodgrain or solid laminate color only; not available in a two-tone combination. **SPECIFYING EXAMPLE: HNLTEP3628.H** | | | | | |
|  | **Support Brace — For 29½"H** | | | | | |
| | 1⅛"W x 10½"D x 28½"H | **HNL11SUPP** | 11 | 0.9 | **$206** | **$12** |
| | NOTES: Minimizes worksurface deflection by providing added internal support under 24"D tops with an unsupported span of 54" or wider (distance for which there is no panel, leg, or pedestal support component). Not for use as an end panel. 11"D size provides kneespace clearance. Attaches with brackets to both the underside of the worksurface top and either a conventional full-length or 10" laminate modesty panel; not for use with O-leg or L-shaped end panel supports. 1⅛" thick. Cord routing notch in brace panel. Can be specified in a woodgrain or solid laminate color only. **SPECIFYING EXAMPLE: HNL11SUPP.H** | | | | | |

## HOW TO SPECIFY

**Select Model Number**

H N L 1 1 S U P P .

**Select Laminate Color**








See page 31

H

# CONCINNITY™
# Components — Supports

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **O-Leg** | | | | | | |
| | 30″D x 28½″H | **HLSL30280** | 19 | 5.4 | **$493** | **$499** | **$515** |
| | 24″D x 28½″H | **HLSL24280** | 17 | 3.7 | **$446** | **$452** | **$468** |
| | NOTES: Ship fully assembled, 1/pack. Non-handed.<br>IMPORTANT: The O-leg attachment bracket interferes with placement of 28⅜″H mobile pedestals, preventing them from being positioned directly next to (flush with) the O-leg. Box/file mobile pedestal (model HNL2116MBF) can be positioned along side the O-leg.<br>**SPECIFYING EXAMPLE: HLSL2428O.T1** | | | | | | |
|  | **Double-Depth O-Leg Support for Worksurfaces** | | | | | | |
| | 60″D x 28½″H | **HLSL60280** | 19 | 8.7 | **$929** | **$939** | **$951** |
| | 48″D x 28½″H | **HLSL48280** | 18 | 7.0 | **$836** | **$846** | **$858** |
| | NOTES: Ship fully assembled, 1/pack. Non-handed. 48″D and 60″D sizes span back-to-back 24″D and 30″D worksurfaces, respectively. | | | | | | |
|  | **O-Leg Shared Support for Worksurfaces** | | | | | | |
| | 30″D x 28½″H | **HLSL3028SL** | 19 | 5.4 | **$613** | **$619** | **$635** |
| | 24″D x 28½″H | **HLSL2428SL** | 17 | 3.7 | **$553** | **$559** | **$575** |
| | NOTES: Ship fully assembled, 1/pack. Non-handed.<br>Specify paint only.<br>**SPECIFYING EXAMPLE: HLSL2028SL.T1** | | | | | | |
|  | **O-Leg Support for Low Credenzas** | | | | | | |
| | 30″D x 7″H | **HLSL3070** | 7 | 1.0 | **$381** | **$387** | **$403** |
| | 24″D x 7″H | **HLSL2470** | 6 | 1.0 | **$300** | **$306** | **$322** |
| | NOTES: Ship fully assembled, 1/pack. Non-handed. For 7″H laminate support see page 100.<br>Specify paint only.<br>**SPECIFYING EXAMPLE: HLSL2070.T1** | | | | | | |
|  | **O-Leg Chase** | **HLEGCHASE26** | 1 | 0.4 | **$120** | **$132** | **$138** |
| | • O-Leg Chase is 26″H.<br>• Available in standard metal paint finishes, specify desired finish.<br>• See page 173 for Voi® O-Leg finishes to match chase finish to O-Leg.<br>NOTES: Works with Voi® O-Legs, matches leg profile on models HLSL30280 and HLSL24280. Attaches to legs via magnets. Metal chase can fit qty. 12, 3/10″ diameter cords.<br>**SPECIFYING EXAMPLE: HLEGCHASE26.P7D** | | | | | | |
|  | **Standing-Height O-Leg Support for Worksurfaces** | | | | | | |
| | 30″D x 41″H | **HLSL30410** | 17 | 6.5 | **$665** | **$673** | **$687** |
| | 24″D x 41″H | **HLSL24410** | 16 | 5.3 | **$594** | **$602** | **$616** |
| | NOTES: Ship fully assembled, 1/pack. Non-handed. | | | | | | |
|  | **Standing-Height O-Leg Shared Support for Worksurfaces** | | | | | | |
| | 30″D x 41″H | **HLSL3041SL** | 17 | 6.5 | **$740** | **$748** | **$762** |
| | 24″D x 41″H | **HLSL2441SL** | 16 | 5.3 | **$670** | **$678** | **$692** |
| | NOTES: Ship fully assembled, 1/pack. Non-handed. For use with two 24″D or 30″D worksurfaces positioned side-by-side along the depth dimension. | | | | | | |

**NOTES:**

- Open frame, metal design.
- O-leg ships fully assembled with mounting hardware.
- O-leg glides have 2″ adjustability.
- Will have 6″ overhang when using 30″D O-legs with a 36″D worksurface.
- Shared O-legs create a cleaner aesthetic in all applications where two legs are used side-by-side.

- O-legs may only be attached to worksurfaces, not storage units.
- O-leg installation requires 6″ of clearance from the worksurface end.
- For use with worksurfaces up to 78″W. When using an 84″W or wider worksurface, cannot use two O-legs; must use one 15¾″ or wider pedestal for the other support.

## HOW TO SPECIFY

**Select Model Number**

H L S L 3 0 2 8 O .

**Select Paint Color**

See page 173


T 1

GSA SIN 33721

Icon Legend on page 19


# CONCINNITY™ Components — Supports





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Support Column**<br>3″ Diameter. Specify: HPC190X.P. **Black only.** | **HPC190X** | 12 S | 1.0 | **$224** |
| **Support Column**<br>3″ Diameter. Specify: HPC191X.X. **Available in Silver only.** | **HPC191X** | 12 S | 1.0 | **$224** |

NOTES: For peninsula or island extension worksurface application.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Post Leg Base**<br>28½″H x 2″ square | **HLSL28P** | 15 | 1.0 | **$401** | **$407** |

NOTES: Can only be used as the outbound support in a peninsula or island extension worksurface application. Glides have 2″ of adjustability. Ship 1/pack.
**SPECIFYING EXAMPLE: HLSL28P.T1**

**NOTES:**
- All bases allow tops to sit at 29½″ from the floor with glides half-way seated.
- Both glides and casters attach to the foot easily without tools for assembly.
- Bases specified with casters include two locking and two non-locking casters.
- Bases specified with glides have four adjustable glides, which adjust 1″.
- When post legs are used with 18″W tops, post leg to be specified with glides only.

Support column must be specified for worksurfaces used as peninsulas or as an island extension.

Post leg can only be used to support peninsula, not as primary supports for a top.

## HOW TO SPECIFY

**Select Model Number**

H P C 1 9 0 X .

**Select Paint Color**



See page 173

T 1

# CONCINNITY™ Components — Supports

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Post Leg Base (Includes 4 Post Legs)**<br>24″D and 30″D Worksurfaces up to 72″W | **HMBPOST** | 18 | 2.3 | **$526** |
| | NOTES: For 54″ and 60″ worksurfaces, use one external channel, centered between user and approach sides. For 66″ and 72″W worksurfaces, use two external channels; if no grommets, locate the channels 3″ from user and approach sides; if grommets are in the worksurface, locate channels 3″ from user and 6″ from approach sides.<br>1¾″ diameter Post Leg Base with glide (HMBPOST.G); qty. 4; for 30″ to 72″W x 24″D and 48″ to 72″W x 30″D tops<br>1¾″ diameter Post Leg Base with casters (HMBPOST.C); qty. 4; for 30″ to 72″W x 24″D and 48″ to 72″W x 30″D tops | | | | |
|  | **Fixed Height T-Leg Base (Includes 2 T-legs)**<br>For 24″D and 30″D Worksurfaces up to 72″W | **HMBTLEG24** | 14 | 3.6 | **$621** |
| | NOTES: Use external channel when space between the two legs is 54″W or greater. Center the channel between approach and user sides. See model listing on page 94.<br>Fixed Height T-Leg Base with glide (HMBTLEG24.G); qty. 2; for 24″ and 30″D tops up to 72″W; adjustable glides have 1″ range<br>Fixed Height T-Leg Base with casters (HMBTLEG24.C); qty. 2; for 24″ and 30″D tops up to 72″W; two locking and two non-locking casters | | | | |

**NOTES:**

- All bases allow tops to sit at 29½″ from the floor with glides half-way seated.
- Both glides and casters attach to the foot easily without tools for assembly.
- Bases specified with glides have four adjustable glides, which adjust 1″.
- When post legs are used with 18″W tops, post leg to be specified with glides only.

! Support column must be specified for worksurfaces used as peninsulas or as an island extension.

! Post leg can only be used to support peninsula, not as primary supports for a top.

## HOW TO SPECIFY

**Select Model Number**

H M B T L E G 2 4 .

**Select Glide/Caster Option**

**G** Glide
**C** Caster

18″D tops are not available in Concinnity™

G .

**Select Paint Color**

See page 31

(+ $22 per model, for Metallic paint)


T 1

GSA SIN 33721

Icon Legend on page 19

# CONCINNITY™ Height Adjustable Bases





*Base shown with worksurface attached.*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Coordinate™ Height Adjustable Base – 2-Stage**<br>2-Leg Rectangle T Foot | **HHATB2S2LT** | 66 | 2.4 | **$1090** |

NOTES:
- Dual motor two-leg design. Legs raise from 25⅝″ to 45¼″.
- 1¼″/second travel speed.
- <48 dB noise rating.
- Base accommodates any rectangular worksurface between 23″D x 40″W and 30″D x 72″W.
- Weight capacity of 250 lbs. (excluding the weight of the worksurface) distributed evenly.
- For use in combination applications where one end will be installed into a HAT shroud base or HAT low credenzas and the other end will have an exposed T Foot.
- Model includes quantity 2 feet. The unused foot will need to be discarded at time of install.

**Only 2-Stage Coordinate™ bases will work with HAT shrouds and HAT low credenzas. 3-Stage Coordinate™ bases should not be used due to their lower height range.**

**NOTES:**
**Height Adjustable Base**
- Control Box: 120V, 4A, 60Hz, 400W.
- 9′ grounded power cord.
- **HON 10-Year Warranty.**

**Requires the use of an external stiffener (purchased separately) for worksurfaces over 60″W when not used with a Coordinate™ worksurface.**

Full-to-floor/full-length modesty panels not for use with height adjustable desks/shrouds.

## HOW TO SPECIFY

**Select Model Number**

H H A T B 2 S 2 L T .

**Select Paint Color**

See page 115

P R 6 .

**Select Foot**

**X** Standard Foot
**S** Slide Glide

X .

**Select Keypad**


**UD** Basic Up/Down
**MEM** Memory Preset
**PDL** Paddle

M E M

# CONCINNITY™ Height Adjustable Bases

OPEN MARKET


Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **2-Leg Height Adjustable Base — 2-Stage** | **HNLAB2SIL** | 66 | 3.5 | **$1017** |

NOTES: Base's design is without feet, which allows the leg to be directly installed into a shroud or low credenza.


Base cannot be used as a stand-alone model. Base must be directly installed into a shroud or low credenza. Base ships without feet.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **3-Leg Height Adjustable Base — 2-Stage** | **HNLAB3SIL** | 91 | 5.7 | **$1696** |

NOTES: Base's design is without feet, which allows the leg to be directly installed into a shroud or low credenza.

Base cannot be used as a stand-alone model. Base must be directly installed into a shroud or low credenza. Base ships without feet.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|
| **Return Top for Height Adjustable Base** | | | | | |
| 46″W x 23″D | **HNLRR4623** | 38 | 3.8 | **$377** | **$17** |
| 40″W x 23″D | **HNLRR4023** | 33 | 3.4 | **$351** | **$17** |
| 34″W x 23″D | **HNLRR3423** | 28 | 3.0 | **$318** | **$17** |
| 28″W x 23″D | **HNLRR2823** | 23 | 2.6 | **$318** | **$17** |

NOTES: Tops are 1″ shorter to accommodate for pinch points.

**NOTES:**

- Base is a two motor 2-stage design. Legs raise from 25 9/10″H to 45 1/10″H.
- Base telescopes to accommodate corner cove and rectangle/return worksurfaces.
- Supports weight capacity of 325 lbs. for 3-leg bases and 275 lbs. for 2-leg bases (excluding worksurface weight).
- 1⅛″ per second travel speed.
- See page 92 for Corner Cove Tops for use with Height Adjustable Base.
- See pages 88-89 for Concinnity™ worksurfaces for Height Adjustable Bases and page 118 for Coordinate™ worksurfaces.
- See page 97 for HAT Half-Height Modesty Panels.
- **HON 7-Year Limited Warranty.**

**Only 2-Stage Coordinate™ bases will work with HAT shrouds and HAT low credenzas. 3-Stage Coordinate™ bases should not be used due to their lower height range.**

## HOW TO SPECIFY

**Select Model Number**

H N L A B 2 S I L .

**Select Paint Color**

See page 31

P .

**Select Control**

**UD** Basic Up/Down
**MEM** Memory Preset
**PDL** Paddle

M E M

**Select Model Number**

H N L R R 4 0 2 3 .

**Select Edge Color**

See page 31

H .

**Select Laminate Color**


See page 31

H

Icon Legend on page 19


# CONCINNITY™ Height Adjustable Bases





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|
| **Shroud for Height Adjustable Base** | | | | | |
| 36″D | **HNL36SHR** | 48 | 4.7 | **$1167** | **$33** |
| 30″D | **HNL30SHR** | 40 | 3.9 | **$1144** | **$28** |
| 24″D | **HNL24SHR** | 33 | 3.1 | **$1122** | **$28** |

NOTES: Depths designed to match worksurface depths. Right- or left-handed determines which side the grommet is on.



| | | | | | |
|---|---|---|---|---|---|
| **HAT Low Credenza** | | | | | |
| 72″W x 24″D x 21½″H, Left (shown) | **HNL247221LH** | 254 | 27.2 | **$2116** | **$22** |
| 60″W x 24″D x 21½″H, Left | **HNL246021LH** | 215 | 22.8 | **$1971** | **$22** |
| 72″W x 24″D x 21½″H, Right | **HNL247221RH** | 254 | 27.2 | **$2116** | **$22** |
| 60″W x 24″D x 21½″H, Right | **HNL246021RH** | 215 | 22.8 | **$1971** | **$22** |

NOTES: When specifying a grommet application, the grommet is near the front leg for cord management and has a grommet on the backside for cord management to wall power. See lock and grommet color matrix on page 37.

**SPEC TIPS:**

- HAT base is bolted directly into unit for a solid connection without the need for the HAT base freestanding on feet.
- In combination applications with one HAT leg integrated and one HAT leg with an exposed T Foot use footed Coordinate™ base model HHATB2S2LT on page 105 and discard the unused foot at time of install.
- In applications with both ends integrated into a shroud or credenza use the non-footed Coordinate™ bases HNLAB2SIL or HNLAB3SIL on page 106.
- For HAT shrouds the leg cut-out standard. Grommet optional.
- For HAT credenzas the leg cut-out and grommet are optional.

! Only 2-Stage Coordinate™ bases will work with HAT shrouds and HAT low credenzas. 3-Stage Coordinate™ bases should not be used due to their lower height range.

**! Only 2-Stage Coordinate™ bases will work with HAT shrouds and HAT low credenzas. 3-Stage Coordinate™ bases should not be used due to their lower height range.**

## HOW TO SPECIFY

**Select Model Number**

H N L 3 0 S H R .

**Select Grommet and Color (Leg Cut-Out Standard)**

See page 31

**X** No Grommet
**R** Right Hand
**L** Left Hand

R .

**Select Laminate Color**

See page 31

H

**Select Model Number**

H N L 2 4 6 0 2 1 L H .

**Select Edge Profile and Edge Color**

See page 31

G H .

**Select Handle**

See page 37

J .

**Select Grommet and Color**

See page 31

**X** No Grommet
**2L** 2-Leg
**3L** 3-Leg

2 L .

**Select Top Laminate**

See page 31

H .

**Select Chassis Laminate**

See page 31

H .

**Select Drawer Front Laminate**






See page 31

H

# CONCINNITY™ Components — Supports

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
|  | **Narrow Box/Box/File Pedestal** | | | | | | |
| | 9½″W x 29⅛″D x 28½″H | **HNL291028PBBF** | 64 | 10.6 | **$1052** | **$28** | **$12** |
| | 9½″W x 23⅛″D x 28½″H | **HNL231028PBBF** | 53 | 8.6 | **$942** | **$22** | **$12** |
| | NOTES: Efficient, space saving design for smaller footprints. Three locking drawers; two box (supply) drawers, one for files. File drawer has high sides to accept hanging folders. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 50 for cord management options. Ships fully assembled. **SPECIFYING EXAMPLE: HNL291028PBBF.E.X.H.H** | | | | | | |
|  | **Narrow File/File Pedestal** | | | | | | |
| | 9½″W x 29⅛″D x 28½″H | **HNL291028PFF** | 69 | 10.6 | **$1052** | **$28** | **$12** |
| | 9½″W x 23⅛″D x 28½″H | **HNL231028PFF** | 54 | 10.6 | **$942** | **$22** | **$12** |
| | NOTES: Efficient, space saving design for smaller footprints. Two locking file drawers. Drawers have high sides to accept hanging folders. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 50 for cord management options. Ships fully assembled. **SPECIFYING EXAMPLE: HNL291028PFF.E.X.H.H** | | | | | | |
|  | **Box/Box/File Pedestal** | | | | | | |
| | 15¾″W x 29⅛″D x 28½″H | **HNL291628PBBF** | 76 | 10.6 | **$1069** | **$28** | **$12** |
| | 18″W x 23⅛″D x 28½″H | **HNL231828PBBF** | 72 | 9.8 | **$1072** | **$22** | **$12** |
| | 15¾″W x 23⅛″D x 28½″H | **HNL231628PBBF** | 69 | 8.6 | **$975** | **$22** | **$12** |
| | NOTES: Three locking drawers; two box (supply) drawers, one for files. File drawer has high sides to accept hanging folders and front-to-back for letter filing. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 50 for cord management options. Ships fully assembled. **SPECIFYING EXAMPLE: HNL291628PBBF.E.X.H.H** | | | | | | |
|  | **File/File Pedestal** | | | | | | |
| | 15¾″W x 29⅛″D x 28½″H | **HNL291628PFF** | 78 | 10.6 | **$1069** | **$28** | **$12** |
| | 18″W x 23⅛″D x 28½″H | **HNL231828PFF** | 72 | 9.8 | **$1072** | **$22** | **$12** |
| | 15¾″W x 23⅛″D x 28½″H | **HNL231628PFF** | 70 | 8.6 | **$975** | **$22** | **$12** |
| | NOTES: Two locking file drawers. Drawers have high sides to accept hanging folders and front-to-back for letter filing. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 50 for cord management options. Ships fully assembled. **SPECIFYING EXAMPLE: HNL291628PFF.E.X.H.H** | | | | | | |
|  | **Lateral File Pedestal** | | | | | | |
| | 36″W x 23⅛″D x 28½″H | **HNL233628PLF** | 134 | 18.4 | **$1438** | **$44** | **$22** |
| | 30″W x 23⅛″D x 28½″H | **HNL233028PLF** | 115 | 15.0 | **$1313** | **$39** | **$22** |
| | NOTES: Two locking file drawers; drawers include hangrails to accept folders in letter or legal size. For use under 24″D rectangle worksurface. Widths can also span depth dimension of respective 30″ or 36″D rectangle worksurface. Anti-tip design includes mechanical interlock to inhibit the extension of more than one drawer at a time. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 50 for cord management options. Ships fully assembled. **SPECIFYING EXAMPLE: HNL233628PLF.E.X.H.H** | | | | | | |

**NOTES:**

- 29⅛″D pedestals can be used under 30″ or 36″D worksurfaces; 23⅛″D pedestals can be used under 24″D worksurfaces only (30″D top grommet locations are not designed to create overhang desks with 23⅛″D pedestals).
- Drawers operate on steel ball-bearing suspensions to ensure smooth, quiet, long-lasting operation; full extension allows easy access to contents.
- Interchangeable core removable locks allow users to access all furniture pieces in an office with a single key for convenience and security. Makes re-keying quick and easy.
- See chart on page 50 for cord management options. If the pedestal grommet option is chosen, two cutouts, one per end/side panel, each with a black plastic cap, are included.

❗ Pedestal tops and backs are open and require top and back panel components — ordered separately.

❗ 9½″W pedestals are not designed to be used independently in a stand-alone application.

## HOW TO SPECIFY





| Select Model Number | Select Handle | Select Grommet | Select Chassis Color | Select Drawer Front Color |
|---|---|---|---|---|
| | See page 37 | **P** Black<br>**X** No Grommet | See page 31 | See page 31 |
| H N L 2 9 1 0 2 8 P B B F . | E . | X . | H . | H |

GSA SIN 33721

Icon Legend on page 19

# CONCINNITY™ Components — Supports



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
|  | **Shelf/Box/Box/Lateral File Pedestal** | | | | | | |
| | 36″W x 23⅛″D x 28½″H | **HNL233628PSL** | 145 | 18.4 | **$1697** | **$44** | **$22** |
| | 30″W x 23⅛″D x 28½″H | **HNL233028PSL** | 126 | 15.0 | **$1662** | **$39** | **$22** |
| | NOTES: Versatile unit features an open shelf and three drawers; two for supplies and one for files. For use under 24″D rectangle worksurface. Widths can also span depth dimension of respective 30″ or 36″D rectangle worksurface. Box (supply) drawers are located on the right and open shelves on the left. All drawers lock. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 50 for cord management options. Ships fully assembled. **SPECIFYING EXAMPLE: HNL233628PSL.E.X.H.H** | | | | | | |
|  | **Storage Cabinet Pedestal** | | | | | | |
| | 36″W x 23⅛″D x 28½″H | **HNL233628PSC** | 104 | 18.4 | **$1105** | **$44** | **$22** |
| | 30″W x 23⅛″D x 28½″H | **HNL233028PSC** | 91 | 15.0 | **$1069** | **$39** | **$22** |
| | NOTES: One adjustable shelf, which adjusts in 2½″ increments. For use under 24″D rectangle worksurface. Widths can also span depth dimension of respective 30″ or 36″D rectangle worksurface. Doors are non-locking. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 50 for cord management options. Ships fully assembled. **SPECIFYING EXAMPLE: HNL233628PSC.E.X.H.H** | | | | | | |
|  | **Bookcase Pedestal** | | | | | | |
| | 36″W x 23⅛″D x 28½″H | **HNL233628PBK** | 82 | 18.4 | **$972** | **$44** | **N/A** |
| | 30″W x 23⅛″D x 28½″H | **HNL233028PBK** | 73 | 15.0 | **$950** | **$39** | **N/A** |
| | NOTES: Two shelves; bottom of unit plus one adjustable shelf, which adjusts in 2½″ increments. For use under 24″D rectangle worksurface. Widths can also span depth dimension of respective 30″ or 36″D rectangle worksurface. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 50 for cord management options. Ships fully assembled. **SPECIFYING EXAMPLE: HNL233628PBK.X.H** | | | | | | |
|  | **Bookcase End Support** | | | | | | |
| | 12″W x 36″D x 28½″H | **HNL123628BKE** | 48 | 11.0 | **$732** | **$28** | **N/A** |
| | 12″W x 30″D x 28½″H | **HNL123028BKE** | 48 | 10.2 | **$693** | **$22** | **N/A** |
| | 12″W x 24″D x 28½″H | **HNL122428BKE** | 41 | 7.4 | **$659** | **$22** | **N/A** |
| | NOTES: Two shelves; bottom of unit plus one adjustable shelf, which adjusts in 1¼″ increments. Designed to span the depth dimension of 24″, 30″, or 36″D rectangle worksurface; shelves can be oriented facing outwards, or inwards towards the user's kneespace. Includes fully finished back. Ships with two (2) extra L-brackets for applications requiring attachment of a laminate modesty panel; the panel brackets to the back of the bookcase end support. Modesty panel specified should be 12″ less than the worksurface width. Open top; for use under worksurface only — ordered separately. Ships fully assembled. **SPECIFYING EXAMPLE: HNL123628BKE.H** | | | | | | |

**NOTES:**

- 23⅛″D pedestals can be used under 24″D worksurfaces only (30″D top grommet locations are not designed to create overhang desks with 23⅛″D pedestals).
- Drawers operate on steel ball-bearing suspensions to ensure smooth, quiet, long-lasting operation; full extension allows easy access to contents.
- Interchangeable core removable locks allow users to access all furniture pieces in an office with a single key for convenience and security. Makes re-keying quick and easy.
- See chart on page 50 for cord management options. If the pedestal grommet option is chosen, two cutouts, one per end/side panel, each with a black plastic cap, are included.

Pedestal tops and backs are open and require top and back panel components — ordered separately.




## HOW TO SPECIFY

| Select Model Number | Select Handle | Select Grommet | Select Chassis Color | Select Drawer Front Color |
|---|---|---|---|---|
| | See page 37 | **P** Black<br>**X** No Grommet | See page 31 | See page 31 |
| H N L 2 3 3 6 2 8 P S L . | E . | X . | H . | H |

# CONCINNITY™ Components — Supports

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
|  | **Box/Box/File/File Pedestal** | | | | | | |
| | 15¾"W x 29⅛"D x 41"H | **HNL291641PBBFF** | 114 | 14.7 | **$2182** | **$50** | **$12** |
| | 15¾"W x 23⅛"D x 41"H | **HNL231641PBBFF** | 102 | 11.9 | **$2048** | **$44** | **$12** |
| | NOTES: Four drawers: two box (supply) and two file. File drawer has high sides to accept hanging folders; hangrails are included for side-to-side letter or legal filing; and front-to-back for letter filing. The two box drawers do not lock. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 50 for cord management options. Ships fully assembled. **SPECIFYING EXAMPLE: HNL291641PBBFF.E.X.H.H** | | | | | | |
|  | **Shelf/Box/Box/File Pedestal** | | | | | | |
| | 15¾"W x 29⅛"D x 41"H | **HNL291641PSBBF** | 99 | 14.7 | **$2182** | **$50** | **$12** |
| | 15¾"W x 23⅛"D x 41"H | **HNL231641PSBBF** | 89 | 11.9 | **$2048** | **$44** | **$12** |
| | NOTES: Open shelf over three drawers: two box (supply) and one file. Interior dimensions of the open storage area are: 14⅛"W x 28¼"D x 12¼"H for the 29⅛"D pedestal. 14⅛"W x 22¼"D x 12¼"H for the 23⅛"D pedestal. File drawer has high sides to accept hanging folders; hangrails are included for side-to-side letter or legal filing; and front-to-back for letter filing. All drawers lock. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 50 for cord management options. Ships fully assembled. **SPECIFYING EXAMPLE: HNL291641PSBBF.E.X.H.H** | | | | | | |
|  | **Narrow Box/Box/File/File Pedestal** | | | | | | |
| | 9½"W x 29⅛"D x 41"H | **HNL291041PBBFF** | 88 | 14.7 | **$1921** | **$50** | **$22** |
| | 9½"W x 23⅛"D x 41"H | **HNL231041PBBFF** | 79 | 11.9 | **$1801** | **$44** | **$22** |
| | NOTES: Efficient, space saving design for smaller footprints. Four drawers: two box (supply) and two file. File drawers have high sides to accept hanging folders; hangrails are included for side-to-side letter or legal filing. When used in a double pedestal configuration under a 60" and 48"W worksurface, provides 41" and 29" of kneespace width, respectively. The two box drawers do not lock. Pedestal's top and back are open and require top and back panel components — ordered separately. See chart on page 50 for cord management options. Ships fully assembled. **SPECIFYING EXAMPLE: HNL291041PBBFF.E.X.H.H** | | | | | | |

**NOTES:**

- Pedestals for standing-height workstations.
- 29⅛"D pedestals can be used under 30" or 36"D worksurfaces; 23⅛"D pedestals can be used under 24"D worksurfaces only (30"D top grommet locations are not designed to create overhang desks with 23⅛"D pedestals).
- Drawers operate on steel ball-bearing suspensions to ensure smooth, quiet, long-lasting operation; full extension allows easy access to contents.
- See chart on page 50 for cord management options. If the pedestal grommet option is chosen, two cutouts, one per end/side panel, each with a black plastic cap, are included.

❗ Pedestal tops and backs are open and require top and back panel components — ordered separately.

❗ 9½"W pedestals are not designed to be used independently in a stand-alone application.

## HOW TO SPECIFY


| Select Model Number | Select Handle | Select Grommet | Select Chassis Color | Select Drawer Front Color |
|---|---|---|---|---|
| | See page 37 | **P** Black<br>**X** No Grommet | See page 31 | See page 31 |
| H N L 2 9 1 6 4 1 P B B F F . | E . | X . | H . | H |

GSA SIN 33721

Icon Legend on page 19

# CONCINNITY™ Components — Pedestal Tops





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|
| **Pedestal Tops** | | | | | |
| 15¾″W x 30″D | **HNLPT3016** | 16 | 1.4 | **$319** | **$12** |
| 18″W x 24″D | **HNLPT2418** | 15 | 1.3 | **$298** | **$12** |
| 15¾″W x 24″D | **HNLPT2416** | 13 | 1.2 | **$298** | **$12** |

NOTES: Component is 1⅛″ thick. Underside of top includes pilot mounting holes for pedestals. Grain direction on 15¾″ and 18″W pedestal tops runs horizontal (side-to-side). Component tops for 30″ and 36″W pedestals are listed with rectangle worksurface sizes. Grain direction on 30″ and 36″W pedestal tops can be specified horizontal (side-to-side) or vertical (front-to-back). For tri-oval and beaded edge options, there is a shaped profile on the user and approach sides, and a flat edge on the ends.

! For modular pedestals used in freestanding applications; not compatible when pedestal is positioned under a worksurface.

! 9½″W pedestals are not designed to be used independently in a freestanding application, so 9½″W tops are not available to order.

## HOW TO SPECIFY

**Select Model Number**

H N L P T 3 0 1 6 .

**Select Edge Profile and Edge Color**

See page 31

B H .

**Select Top Color**

See page 31


H

# CONCINNITY™ Components — Pedestal Back Panels

GSA SIN 33721

Icon Legend on page 19


| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|
| **Full Back Panels — For 28½″H Pedestals** | | | | | |
| 18″W x 27⅞″H | **HNLPB1828** | 11 | 1.5 | **$206** | **$12** |
| 15¾″W x 27⅞″H | **HNLPB1628** | 10 | 1.3 | **$185** | **$12** |
| 9½″W x 27⅞″H | **HNLPB1028** | 6 | 0.9 | **$175** | **$12** |



NOTES: Encloses the rear of 28½″H modular support pedestals, which come standard with an open, unfinished back. For use when a support storage pedestal is positioned under a 29½″H worksurface and a conventional worksurface width x 27⅞″H modesty/back panel is not specified to cover the back of the pedestal. For 30″ and 36″W pedestals, use the respective modesty/pedestal back panel size, see page 95.

**SPECIFYING EXAMPLE (9½″, 15¾″, 18″W): HNLPB1028.H**

| | | | | | |
|---|---|---|---|---|---|
| **Full Back Panels — For 41″H Pedestals** | | | | | |
| 15¾″W x 40⅜″H | **HNLPB1641** | 15 | 1.8 | **$211** | **$17** |
| 9½″W x 40⅜″H | **HNLPB1041** | 9 | 1.2 | **$192** | **$17** |




*Back View*

NOTES: Encloses the rear of 41″H modular support pedestals, which come standard with an open, unfinished back. For use when a support storage pedestal is positioned under a 42″H worksurface and no full-width, 27⅞″H laminate modesty and low, 13″H pedestal back panel are specified.

**SPECIFYING EXAMPLE: HNLPB1641.H**

| | | | | | |
|---|---|---|---|---|---|
| **Low Back Panels — For 28½″H Pedestals** | | | | | |
| 36″W x 18″H | **HNLLB3618** | 15 | 1.9 | **$206** | **$17** |
| 30″W x 18″H | **HNLLB3018** | 12 | 1.6 | **$206** | **$17** |
| 18″W x 18″H | **HNLLB1818** | 7 | 1.0 | **$185** | **$17** |
| 15¾″W x 18″H | **HNLLB1618** | 6 | 0.9 | **$177** | **$12** |
| 9½″W x 18″H | **HNLLB1018** | 4 | 0.6 | **$166** | **$12** |




*Back View*

*Shown with HNLLB3018 and HNLLB1018*

NOTES: Encloses the rear of 28½″H modular support pedestals when positioned under a 29½″H worksurface with a full-width, 10″ laminate modesty panel. The modesty panel extends down from the underside of the worksurface to cover the upper back portion of the pedestal, the lower panel component encloses the remainder of the pedestal back. When used in combination, the 10″ modesty and pedestal low back panels fully conceal the rear of the pedestal. The pedestal low back panel is only for use when a modular pedestal is used in conjunction with a worksurface with a 10″ laminate modesty panel and the customer wants/needs to fully enclose the back section of the pedestal.

| | | | | | |
|---|---|---|---|---|---|
| **Low Back Panels — For 41″H Pedestals** | | | | | |
| 15¾″W x 13″H | **HNLLB1613** | 4 | 0.7 | **$177** | **$12** |
| 9½″W x 13″H | **HNLLB1013** | 3 | 0.5 | **$166** | **$12** |



*Back View*

NOTES: Encloses the rear of 41″H modular support pedestals when positioned under a 42″H worksurface with a full-width, 27⅞″ laminate modesty panel. The modesty panel extends down from the underside of the worksurface to cover the upper back portion of the pedestal, the lower panel component encloses the remainder of the pedestal back. When used in combination, the 27⅞″ modesty and pedestal low back panels fully conceal the rear of the pedestal. The pedestal low back panel is only for use when a modular pedestal is used in conjunction with a worksurface with a 27⅞″ laminate modesty panel and the customer wants/needs to fully enclose the back section of the pedestal.

## HOW TO SPECIFY

**Select Model Number**

H N L P B 1 8 2 8 .

**Select Laminate Color**

See page 31

H

**Select Model Number**

H N L L B 3 6 1 8 .

**Select Laminate Color**

See page 31

H




*Refer to page 113 for Center Drawer compatibility information*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|
| **Laminate Center Drawer** | | | | | |
| 22″ x 15⅜″ | **H1522** | 11 S | 1.1 | **$258** | **$17** |

- 12″ drawer extension (3/4).
- Inside drawer dimension for H1522: 18⅞″W x 15½″D x 1½″H.
- Minimum clearance for mounting H1522: 22¾″W x 18½″D compatible with 72″W x 36″D, 66″W x 30″D, 60″W x 30″D Double Pedestal Desks, 72″W x 36″D, 66″W x 30″D Single Pedestal Desks, Bullet and P-shaped Peninsulas, 72″W x 24″D, 66″W x 24″D, 60″W x 24″D Credenza w/Kneespace, 72″W x 24″D, 66″W x 24″D Single Pedestal Credenzas, 48″W x 24″D, 42″W x 24″D Returns

NOTES: Specify laminate for drawer. Model H1522 or H1022 can be used on peninsulas with modesty panel, model HPC180W. Laminate center drawers include pencil tray. For center drawer laminate colors, see page 31.




| | | | | | |
|---|---|---|---|---|---|
| **Collaborative Desk Shelf** | | | | | |
| 25″W x 23″D x 2½″H | **HNLCDSHELF** | 18 | 1.5 | **$479** | **$22** |

NOTES: Convenient slide-out shelf on approach-side of desk provides workspace for guests. For use with 72″W x 36″D breakfront desk designs — see listings on page 57 — or with 60″ or wider worksurface, supported by pedestals, and no modesty panel. Minimum clearance for mounting: 28″W x 19¾″D. Fully extended shelf dimensions: 24″W x 19″D. Shelf extends 12⅜″. ¾″ thick. Not compatible on desks with under-surface center drawer or keyboard platform attached. Can be specified in a woodgrain or solid laminate color only.

! Collaborative desk shelf for use with 72″W x 36″D breakfront, floating modesty panel desk designs or with 60″ or wider worksurface, supported by pedestals, and no modesty panel.


**SPECIFYING EXAMPLE: HNLCDSHELF.H**



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Wall Mount Tackboard** | | | | | |
| 36″W x 35¼″H | **HNL3636TB** | 20 | 2.9 | **$418** | **$460** |
| 30″W x 35¼″H | **HNL3630TB** | 16 | 2.9 | **$355** | **$389** |
| 36″W x 48⅝″H | **HNL4936TB** | 27 | 5.5 | **$487** | **$509** |
| 30″W x 48⅝″H | **HNL4930TB** | 22 | 3.7 | **$404** | **$449** |

NOTES: For a list of standard fabrics, see pages 26-27. For a complete list of fabrics, please go to hon.com/fabricsandfinishes. When positioned above 29½″H floor-standing storage, the sizes align with overhead storage height options. Can be positioned side-by-side with corresponding wall mount markerboard sizes. Easy to install; includes mounting hardware. Attaches to wall with horizontally mounted, interlocking Z-clip brackets. For the space directly below stack-on and wall mount storage cabinets, use the 18″H tackboard models listed on Pricer pages 71 and 75.

**SPECIFYING EXAMPLE: HNL3636TB.APN15**



| | | | | | |
|---|---|---|---|---|---|
| **Markerboard** | | | | | |
| 36″W x 15″D | **HLSL1536SOMB** | 8 | 1.0 | **$248** | **N/A** |
| 30″W x 15″D | **HLSL1530SOMB** | 6 | 1.0 | **$186** | **N/A** |

NOTES: Markerboard laminate material with black edges, no frame. Adheres to laminate doors. Includes double-sided tape. No specification necessary.

## HOW TO SPECIFY

**Select Model Number**

H N L C D S H E L F .

**Select Laminate Color**

See page 31

H

# COORDINATE™

Want to see more? Scan here to check out hon.com.



Coordinate™ Height Adjustable Base shown with Ignition® 2.0 Seating and 10500 Series™ Desking.

## COORDINATE™

The power to choose is now at your fingertips — sit tight or stretch out with a Coordinate height adjustable base! It doesn't matter if you're perfecting that project in a private office or collaborating with the crew from your cubicle, Coordinate easily adapts to your body and your day with streamlined style and effortless versatility.





### FEATURES

- Make quick and easy adjustments all day long with a variety of control options: standard memory preset, basic up/down, paddle control, or a Wireless option.
- Bases available in 2- or 3-leg rectangle C- and T-shaped foot options to accommodate your layout preferences.
- Newly designed base is lighter scale with a clean aesthetic and easy assembly.
- All bases are compatible with electrical accessories and select worksurfaces.

# COORDINATE™ ORDERING INFORMATION



## BASE PAINT

| PAINT | CODES |
|---|---|
| ◆ Black | P71 |
| ◆ Charcoal | S |
| ◆ Designer White | PJW |
| ◆ Loft | LOFT |
| ◆ Silver | PR6 |

## GROMMET

| GROMMET | CODES |
|---|---|
| ◆ Black | P |
| ◆ Charcoal | S |
| ◆ Designer White | DW |
| ◆ Greige | T5 |
| ◆ Light Gray | Q |
| ◆ Loft | LOFT |
| ◆ Muslin | T3 |
| ◆ Platinum | T1 |

## DESKTOP PET

| PET | CODES |
|---|---|
| ◆ Dark Blue | DDB1 |
| ◆ Dark Gray | DGY4 |
| ◆ Green | DGN1 |
| ◆ Medium Gray | DGY3 |

## LAMINATE

| L1 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| ◆ Bourbon Cherry | H |
| ◆ Cognac | COGN |
| ◆ Field Elm | LWFE |
| ◆ Florence Walnut | LFW1 |
| ◆ Harvest | C |
| ◆ Kingswood Walnut | LKI1 |
| ◆ Mahogany | N |
| ◆ Mocha | MOCH |
| ◆ Natural Maple | D |
| ◆ Pinnacle | PINC |
| ◆ Shaker Cherry | F |
| ◆ Sterling Ash | LSA1 |
| **Solid** | |
| ◆ Black | P |
| ◆ Charcoal | S |
| ◆ Designer White | LDW1 |
| ◆ Loft | LOFT |
| **Patterned** | |
| ◆ Handspun Chestnut | LAHC |
| ◆ Handspun Dove | LAHD |
| ◆ Handspun Pearl | LAHP |
| ◆ Handspun Slate | LAHS |
| ◆ Silver Mesh | B9 |
| ◆ Steel Mesh | A9 |
| ◆ Gray | G2 |
| ◇ White | G1 |

| L2 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| ◆ Beigewood | LWBE |
| ◆ Fawn Cypress | LFC1 |
| ◆ Lowell Ash | LLA1 |
| ◆ Natural Recon | LNR1 |
| ◆ Phantom Ecru | LPE1 |
| ◆ Portico Teak | LPT1 |
| ◆ Skyline Walnut | LSW1 |

## EDGE

| EDGE | CODES |
|---|---|
| **Woodgrain** | |
| ◆ Beigewood | DE |
| ◆ Bourbon Cherry | H |
| ◆ Cognac | COGN |
| ◆ Fawn Cypress | FC |
| ◆ Field Elm | FE |
| ◆ Florence Walnut | FW |
| ◆ Harvest | C |
| ◆ Kingswood Walnut | KI |
| ◆ Light Gray | Q |
| ◆ Lowell Ash | DL |
| ◆ Mahogany | N |
| ◆ Mocha | MOCH |
| ◆ Natural Maple | D |
| ◆ Natural Recon | NR |
| ◆ Phantom Ecru | PE |
| ◆ Pinnacle | PINC |
| ◆ Portico Teak | DP |
| ◆ Shaker Cherry | F |
| ◆ Skyline Walnut | SW |
| ◆ Sterling Ash | SA |
| **Solid** | |
| ◆ Black | P |
| ◆ Brownstone | EY |
| ◆ Charcoal | S |
| ◆ Designer White | DW |
| ◆ Fossil | EH |
| ◇ Greige | R |
| ◆ Loft | LOFT |
| ◆ Muslin | T |
| ◇ Platinum | K |

## TIE-IN BRACKETS

| PAINT | CODES |
|---|---|
| **P1** | |
| ◆ Black | P |
| ◆ Brownstone | P7D |
| ◆ Charcoal | S |
| ◆ Designer White | PJW |
| ◆ Fossil | P28 |
| ◆ Greige | T5 |
| ◆ Light Gray | Q |
| ◆ Loft | LOFT |
| ◆ Muslin | T3 |
| ◆ Putty | L |
| ◆ Titanium | P8T |
| **P2** | |
| ◆ Champagne Metallic | T4 |
| ◆ Platinum Metallic | T1 |
| ◆ Silver | PR6 |
| ◆ Solar Black | P8X |

## SCREEN PAINT

| PAINT | CODES |
|---|---|
| **P1** | |
| ◆ Black | P |
| ◆ Brownstone | P7D |
| ◆ Charcoal | S |
| ◆ Designer White | PJW |
| ◆ Fossil | P28 |
| ◆ Greige | T5 |
| ◆ Light Gray | Q |
| ◆ Loft | LOFT |
| ◆ Muslin | T3 |
| ◆ Putty | L |
| ◆ Titanium | P8T |
| **P2** | |
| ◆ Champagne Metallic | T4 |
| ◆ Gunmetal Metallic | PR3 |
| ◆ Platinum Metallic | T1 |
| ◆ Silver | PR6 |
| ◆ Solar Black | P8X |
| **P3** | |
| ◆ Atom | P8S |
| ◆ Blossom | P8K |
| ◆ Bullseye | PJF |
| ◆ Ember | P8P |
| ◆ Ion | P8N |
| ◆ Iris | P8J |
| ◆ Krypton | P8F |
| ◆ Ochre | P093 |
| ◆ Regatta | P8M |
| ◆ Sienna | P092 |
| ◆ Succulent | P8A |

## LEG OPTIONS



Rectangle Leg, T Foot



Rectangle Leg, C Foot

## CONTROL OPTIONS



Memory Control



Basic Up/Down



Paddle



Wireless Dongle*


** Wireless dongle can be used with the AiDesk App. Wireless dongle is backwards compatible with previously ordered bases. Not compatible with ETA Coordinate™ base.*


◆ ◆ ◇ *For lead time information see page 21.*

# COORDINATE™ Height Adjustable Bases

GSA SIN 33721

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Coordinate™ Height Adjustable Base – 2-Stage** | | | | |
| 2-Leg Rectangle T Foot | **HHATB2S2LT** | 66 S | 2.4 | **$1090** |
| 2-Leg Rectangle C Foot | **HHATB2S2LC** | 66 S | 2.4 | **$1090** |

NOTES:
- Dual motor two-leg design. Legs raise from 26½″ to 45¾″ (without worksurface).
- 1¼″/second travel speed.
- <48 dB noise rating.
- Base accommodates any rectangular worksurface between 23″D 24″W and 30″D x 72″W.
- Weight capacity of 250 lbs. (including the weight of the worksurface) distributed evenly.

| | | | | |
|---|---|---|---|---|
| **Coordinate™ Height Adjustable Base – 3-Stage** | | | | |
| 2-Leg Rectangle T Foot | **HHATB3S2LT** | 66 S | 2.4 | **$1203** |
| 2-Leg Rectangle C Foot | **HHATB3S2LC** | 66 S | 2.4 | **$1203** |

NOTES:
- Dual motor two-leg design. Legs raise from 21¾″ to 47½″ (without worksurface).
- 1¼″/second travel speed.
- <48 dB noise rating.
- Base accommodates any rectangular worksurface between 23″D x 24″W and 30″D x 72″W.
- Weight capacity of 250 lbs. (including the weight of the worksurface) distributed evenly.

| | | | | |
|---|---|---|---|---|
| **Coordinate™ Height Adjustable Base – Max 3-Stage** | | | | |
| 2-Leg Rectangle T Foot | **HHATM3S2LT** | 66 S | 2.4 | **$1347** |

NOTES:
- Dual motor two-leg design. Legs raise from 21¾″ to 47½″ (without worksurface).
- 1¼″/second travel speed.
- <50 dB noise rating.
- Base accommodates any rectangular worksurface between 23″D x 24″W and 30″D x 96″W.
- Weight capacity of 350 lbs. (including the weight of the worksurface) distributed evenly.

**NOTES:**
- Control Box: 120V, 4A, 60Hz, 400W.
- 9′ grounded power cord.
- 2-Leg Height Adjustable Bases can accommodate rectangular worksurfaces down to 24″W. 10500 Series™, Concinnity™, and Voi® all have rectangular worksurfaces shorter than 40″W.
- Collision detection featured on base.
- **HON 10-Year Warranty.**

**Requires the use of an external stiffener (purchased separately) for worksurfaces over 58″W or wider when not used with a Coordinate™ worksurface.**

## HOW TO SPECIFY

**Select Model Number**

H H A T B 3 S 2 L T .

**Select Paint Color**

See page 115

P R 6 .

**Select Foot**

**X** Standard Foot
**S** Slide Glide

X .

**Select Keypad**

**UD** Basic Up/Down
**MEM** Memory Preset
**PDL** Paddle

M E M


GSA SIN 33721

ABI EZ

Icon Legend on page 19

# COORDINATE™ Height Adjustable Bases






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Coordinate™ Height Adjustable Base – 2-Stage** | | | | |
| 3-Leg Rectangle T Foot | **HHATB2S3LT** | 72.5 | 2.3 | **$1874** |
| 3-Leg Rectangle C Foot | **HHATB2S3LC** | 72.5 | 2.3 | **$1874** |

NOTES:
- Tri-motor three-leg design. Legs raise from 26½″ to 45¾″.
- 1¼″/second travel speed.
- <48 dB noise rating.
- Base accommodates worksurfaces between 24″D x 48″W x 36″W and 30″D x 72″W x 48″W. Can be used with 48″ 120° worksurface models.
- Weight capacity of 375 lbs. (including the weight of the worksurface) distributed evenly.

! Not compatible with 2-piece top configurations (Max base required).

! Each worksurface 58″W or wider requires the use of an external stiffener; including secondary return worksurface in an "L" 3-leg base application if wider than 58″W. External stiffener purchased separately when not used with a Coordinate™ worksurface.

| | | | | |
|---|---|---|---|---|
| **Coordinate™ Height Adjustable Base – 3-Stage** | | | | |
| 3-Leg Rectangle T Foot | **HHATB3S3LT** | 91.0 | 3.6 | **$1983** |
| 3-Leg Rectangle C Foot | **HHATB3S3LC** | 91.0 | 3.6 | **$1983** |

NOTES:
- Tri-motor three-leg design. Legs raise from 21¾″ to 47½″.
- 1¼″/second travel speed.
- <48 dB noise rating.
- Base accommodates corner cove worksurfaces between 24″D x 48″W x 36″W and 30″D x 72″W x 48″W. Can be used with 48″ 120° worksurface models.
- Weight capacity of 375 lbs. (including the weight of the worksurface) distributed evenly.

! Not compatible with 2-piece top configurations (Max base required).

! Each worksurface 58″W or wider requires the use of an external stiffener; including secondary return worksurface in an "L" 3-leg base application if wider than 58″W. External stiffener purchased separately when not used with a Coordinate™ worksurface.

| | | | | |
|---|---|---|---|---|
| **Coordinate™ Height Adjustable Base – Max 3-Stage** | | | | |
| 3-Leg Rectangle T Foot | **HHATM3S3LT** | 78.0 | 2.3 | **$2530** |

NOTES:
- Tri-motor three-leg design. Legs raise from 21¾″ to 47½″.
- 50mm/second travel speed.
- <50 dB noise rating.
- Base accommodates worksurfaces between 24″D x 48″W x 36″W and 30″D x 72″W x 72″W. Can be used with 48″ 120° worksurface models.
- Weight capacity of 500 lbs. (including the weight of the worksurface) distributed evenly.

! When using two worksurfaces, a flat bracket is required. Bracket purchased separately — HHN831124, HHN831130 — see page 520.

! Each worksurface 58″W or wider requires the use of an external stiffener; including secondary return worksurface in an "L" 3-leg base application if wider than 58″W. External stiffener purchased separately when not used with a Coordinate™ worksurface.

! Certain 2-piece top configurations may require two stiffeners depending on the footprint of your station.

**NOTES:**
- Control Box: 120V, 4A, 60Hz, 400W.
- 9′ grounded power cord.
- 2-Leg Height Adjustable Bases can accommodate rectangular worksurfaces down to 24″W. 10500 Series™, Concinnity™, and Voi® all have rectangular worksurfaces shorter than 40″W.
- Collision detection featured on base.
- **HON 10-Year Warranty.**

! **Requires the use of an external stiffener (purchased separately) for worksurfaces over 58″W or wider when not used with a Coordinate™ worksurface.**

## HOW TO SPECIFY

**Select Model Number**

H H A T B 3 S 3 L T .

**Select Paint Color**

See page 115

P R 6 .

**Select Foot**

**X** Standard Foot

X .

**Select Keypad**


**UD** Basic Up/Down
**MEM** Memory Preset
**PDL** Paddle

M E M

# COORDINATE™ Worksurfaces

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Rectangle Worksurfaces for Standard C/T Bases, Flat Edge** | | | | | |
| 40″W x 22″D | **HHATW2240CT** | 40 | 2.8 | **$483** | **$500** |
| 46″W x 22″D | **HHATW2246CT** | 58 | 3.1 | **$512** | **$529** |
| 52″W x 22″D | **HHATW2252CT** | 64 | 3.9 | **$543** | **$565** |
| 58″W x 22″D | **HHATW2258CT** | 70 | 3.9 | **$621** | **$643** |
| 64″W x 22″D | **HHATW2264CT** | 86 | 4.3 | **$667** | **$689** |
| 70″W x 22″D | **HHATW2270CT** | 89 | 4.6 | **$686** | **$708** |
| 76″W x 22″D | **HHATW2276CT** | 91 | 5.0 | **$739** | **$767** |
| 82″W x 22″D | **HHATW2282CT** | 92 | 5.4 | **$825** | **$853** |
| 88″W x 22″D | **HHATW2288CT** | 94 | 5.7 | **$873** | **$906** |
| 94″W x 22″D | **HHATW2294CT** | 95 | 6.1 | **$891** | **$924** |
| 40″W x 28″D | **HHATW2840CT** | 55 | 3.4 | **$524** | **$541** |
| 46″W x 28″D | **HHATW2846CT** | 68 | 3.9 | **$554** | **$571** |
| 52″W x 28″D | **HHATW2852CT** | 80 | 4.8 | **$594** | **$616** |
| 58″W x 28″D | **HHATW2858CT** | 101 | 4.8 | **$676** | **$698** |
| 64″W x 28″D | **HHATW2864CT** | 105 | 5.3 | **$720** | **$742** |
| 70″W x 28″D | **HHATW2870CT** | 105 | 5.7 | **$767** | **$789** |
| 76″W x 28″D | **HHATW2876CT** | 107 | 6.1 | **$785** | **$813** |
| 82″W x 28″D | **HHATW2882CT** | 108 | 6.6 | **$865** | **$893** |
| 88″W x 28″D | **HHATW2888CT** | 110 | 7.0 | **$917** | **$950** |
| 94″W x 28″D | **HHATW2894CT** | 111 | 7.5 | **$935** | **$968** |

! Must be used as worksurfaces on Coordinate™ Height Adjustable Bases within Panel Systems. These are shorter in width and depth on each side to provide clearance between panels and other worksurfaces.

| | | | | | |
|---|---|---|---|---|---|
| 42″W x 24″D | **HHATW2442CT** | 52 | 2.8 | **$483** | **$500** |
| 48″W x 24″D | **HHATW2448CT** | 58 | 3.1 | **$512** | **$529** |
| 54″W x 24″D | **HHATW2454CT** | 64 | 3.9 | **$543** | **$565** |
| 60″W x 24″D | **HHATW2460CT** | 70 | 3.9 | **$605** | **$627** |
| 66″W x 24″D | **HHATW2466CT** | 86 | 4.3 | **$656** | **$678** |
| 72″W x 24″D | **HHATW2472CT** | 89 | 4.6 | **$673** | **$695** |
| 78″W x 24″D | **HHATW2478CT** | 96 | 5.0 | **$729** | **$757** |
| 84″W x 24″D | **HHATW2484CT** | 103 | 5.4 | **$825** | **$853** |
| 90″W x 24″D | **HHATW2490CT** | 113 | 5.7 | **$873** | **$906** |
| 96″W x 24″D | **HHATW2496CT** | 121 | 6.1 | **$891** | **$924** |
| 42″W x 30″D | **HHATW3042CT** | 48 | 3.4 | **$524** | **$541** |
| 48″W x 30″D | **HHATW3048CT** | 68 | 3.9 | **$554** | **$571** |
| 54″W x 30″D | **HHATW3054CT** | 80 | 4.8 | **$594** | **$616** |
| 60″W x 30″D | **HHATW3060CT** | 101 | 4.8 | **$658** | **$680** |
| 66″W x 30″D | **HHATW3066CT** | 105 | 5.3 | **$710** | **$732** |
| 72″W x 30″D | **HHATW3072CT** | 105 | 5.7 | **$752** | **$774** |
| 78″W x 30″D | **HHATW3078CT** | 123 | 6.1 | **$775** | **$803** |
| 84″W x 30″D | **HHATW3084CT** | 127 | 6.6 | **$865** | **$893** |
| 90″W x 30″D | **HHATW3090CT** | 145 | 7.0 | **$917** | **$950** |
| 96″W x 30″D | **HHATW3096CT** | 155 | 7.5 | **$935** | **$968** |

! For use with Coordinate™ Height Adjustable Bases only in Freestanding Applications where the tables/desks are not attached or adjacent to another worksurface or systems panel. If used in other than Freestanding Applications, worksurfaces will not provide proper clearance and may cause injury or worksurface damage (not covered by warranty).

## HOW TO SPECIFY

**Select Model Number**

H H A T W 2 4 4 8 C T .

**Select Laminate**

See page 115

L S A 1 .

**Select Edge Color**

See page 115

S A .

**Select Grommet and Color**

See page 115

- **X** No Grommet
- **G1** 1 Grommet, Centered
- **G2** 2 Grommets, Offset (not available on C-leg base)


G 2 P .

**Select Stiffener Paint**

*Specify for worksurfaces 58″W or greater*

- **P** Black


P




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE |
|---|---|---|---|---|---|
| **Corner Cove Worksurfaces, Left Hand** | | | | | |
| 58″A x 34″B x 22″C x 22″D | **HHATCC583422L** | 67 | 6.1 | **$788** | **$816** |
| 58″A x 46″B x 22″C x 22″D | **HHATCC584622L** | 85 | 7.4 | **$861** | **$894** |
| 58″A x 46″B x 28″C x 28″D | **HHATCC584628L** | 99 | 7.4 | **$924** | **$957** |
| 70″A x 34″B x 22″C x 22″D | **HHATCC703422L** | 75 | 6.8 | **$862** | **$895** |
| 70″A x 46″B x 22″C x 22″D | **HHATCC704622L** | 105 | 8.8 | **$1070** | **$1109** |
| 70″A x 46″B x 28″C x 28″D | **HHATCC704628L** | 112 | 8.8 | **$1135** | **$1174** |
| **Corner Cove Worksurfaces, Right Hand** | | | | | |
| 58″A x 34″B x 22″C x 22″D | **HHATCC583422R** | 67 | 6.1 | **$788** | **$816** |
| 58″A x 46″B x 22″C x 22″D | **HHATCC584622R** | 85 | 7.4 | **$861** | **$894** |
| 58″A x 46″B x 28″C x 28″D | **HHATCC584628R** | 99 | 7.4 | **$924** | **$957** |
| 70″A x 34″B x 22″C x 22″D | **HHATCC703422R** | 75 | 6.8 | **$862** | **$895** |
| 70″A x 46″B x 22″C x 22″D | **HHATCC704622R** | 105 | 8.8 | **$1070** | **$1109** |
| 70″A x 46″B x 28″C x 28″D | **HHATCC704628R** | 112 | 8.8 | **$1135** | **$1174** |

NOTES: Use the 3-Leg Coordinate™ Base when specifying Coordinate™ Corner Cove Worksurfaces.

! Must be used as worksurfaces on Coordinate™ Height Adjustable Bases within Panel Systems. These are shorter in width and depth on each side to provide clearance between panels and other worksurfaces.




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE |
|---|---|---|---|---|---|
| **Corner Cove Worksurfaces, Left Hand** | | | | | |
| 60″A x 36″B x 24″C x 24″D | **HHATCC603624L** | 67 | 6.1 | **$788** | **$816** |
| 60″A x 48″B x 24″C x 24″D | **HHATCC604824L** | 85 | 7.4 | **$861** | **$894** |
| 60″A x 48″B x 30″C x 30″D | **HHATCC604830L** | 99 | 7.4 | **$924** | **$957** |
| 72″A x 36″B x 24″C x 24″D | **HHATCC723624L** | 75 | 6.8 | **$862** | **$895** |
| 72″A x 48″B x 24″C x 24″D | **HHATCC724824L** | 105 | 8.8 | **$1070** | **$1109** |
| 72″A x 48″B x 30″C x 30″D | **HHATCC724830L** | 115 | 8.8 | **$1135** | **$1174** |
| **Corner Cove Worksurfaces, Right Hand** | | | | | |
| 60″A x 36″B x 24″C x 24″D | **HHATCC603624R** | 67 | 6.1 | **$788** | **$816** |
| 60″A x 48″B x 24″C x 24″D | **HHATCC604824R** | 85 | 7.4 | **$861** | **$894** |
| 60″A x 48″B x 30″C x 30″D | **HHATCC604830R** | 99 | 7.4 | **$924** | **$957** |
| 72″A x 36″B x 24″C x 24″D | **HHATCC723624R** | 75 | 6.8 | **$862** | **$895** |
| 72″A x 48″B x 24″C x 24″D | **HHATCC724824R** | 96 | 8.8 | **$1070** | **$1109** |
| 72″A x 48″B x 30″C x 30″D | **HHATCC724830R** | 112 | 8.8 | **$1135** | **$1174** |

NOTES: Use the 3-leg Coordinate™ Base when specifying Coordinate™ Corner Cove Worksurfaces.

! For use with Coordinate™ Height Adjustable Bases only in Freestanding Applications where the tables/desks are not attached or adjacent to another worksurface or systems panel. If used in other than Freestanding Applications, worksurfaces will not provide proper clearance and may cause injury or worksurface damage (not covered by warranty).

## HOW TO SPECIFY

**Select Model Number**

H H A T C C 5 8 4 6 2 2 L .

**Select Laminate**

See page 115

L S A 1 .

**Select Edge Color**

See page 115

S A .

**Select Grommet and Color**

See page 115

- **X** No Grommet
- **G1** 1 Grommet, Corner
- **G2** 2 Grommets, Offset (not available on C-leg base)

G 2 P .

**Select Stiffener Paint**

- **P** Black

P




# COORDINATE™ Accessories

OPEN MARKET

ABI

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Height Adjustable Base Wireless Module** | **HHABBT** | 1 | 0.1 | **$154** |
| | NOTES: Allows users to control their base by pairing via the AiDesk App (compatible with both iOS and Android phones). No specification needed. | | | | |
|  | **Caster 4-Pack** | **HHABCSTRPK** | 1 | 0.1 | **$93** |
| | Field installable. No specification needed. Use on 2-leg bases only. | | | | |
|  | **Slide Glide 4-Pack** | **HHABGLIDE** | 1 | 0.1 | **$76** |
| | Field installable. When placed under base, allows table to be pushed/pulled to move. No specification needed. Use on 2-leg bases only. | | | | |

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Rectangle Leg, T-Foot Brackets** | | | | | | |
| | HAT to Panel, Left Hand | **HHALRETL** | 4.0 | 0.2 | **$187** | **$204** | **$213** |
| | HAT to Panel, Right Hand | **HHALRETR** | 4.0 | 0.2 | **$187** | **$204** | **$213** |
| | HAT to Gallery Panel | **HHALRETG** | 3.5 | 0.2 | **$187** | **$204** | **$213** |
|  | **Rectangle Leg, C-Foot Brackets** | | | | | | |
| | HAT to Panel, Left Hand | **HHALRECL** | 4.0 | 0.2 | **$187** | **$204** | **$213** |
| | HAT to Panel, Right Hand | **HHALRECR** | 4.0 | 0.2 | **$187** | **$204** | **$213** |
| | HAT to Gallery Panel | **HHALRECG** | 3.5 | 0.2 | **$187** | **$204** | **$213** |
|  | **Cord Management Chain** | | | | | | |
| | Cord Management Chain is 36″ long | **HPWRSNK36** | 1.0 | 0.1 | **$306** | **N/A** | **N/A** |
| | NOTES: Conceals and routes cords on Height Adjustable Table. Pairs with Coordinate™. Includes two mounting brackets, mounting hardware and double-sided VHB tape. Top bracket connects under height adjustable worksurface, bottom bracket can connect underneath Gravitation™ power rail with double-sided VHB tape. Material is plastic. | | | | | | |
| | Available in White (DW), Silver (TI), and Black (BL), specify desired plastic finish. **SPECIFYING EXAMPLE: HPWRSNK36.DW** | | | | | | |

## HOW TO SPECIFY

**Select Model Number**

H H A L R E C L .

**Select Paint Color *(if applicable)***

See page 431

P R 6

**Select Model Number**

H P W R S N K 3 6 .

**Select Plastic Color *(if applicable)***

**DW** White
**TI** Silver
**BL** Black

D W


GSA SIN 33721 EXCEPT AS NOTED

ABI

Icon Legend on page 19

# POWER & CABLE MANAGEMENT






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **2-Stage Metal HAT Telescoping Wire Chase** | **HHATPWRMOD2S** | 5.6 S | 0.6 | **$1093** | **$1120** | **$1133** |
| **3-Stage Metal HAT Telescoping Wire Chase** | **HHATPWRMOD3S** | 5.6 S | 0.6 | **$1118** | **$1147** | **$1162** |

- Metal Telescoping Chase available in the same paint finishes as Coordinate™ HAT bases, specify desired paint finish.

NOTES: 2 and 3-stage Metal HAT Telescoping chases include an Above/Below Power Module and a metal telescoping chase to conceal coiled cord on the Above/Below Power Module unit. Four feet of straight cord length extends from the base of Telescoping Chase. Telescoping Chase solution provides power access above and below the worksurface on Coordinate™ Height Adjustable Tables while concealing cord slack. Telescoping chase matches profile of Coordinate™ HAT leg and rises up and down with the unit. To match Metal Telescoping Chase to HAT base, specify matching paint color to HAT base.

**SPECIFYING EXAMPLE: HHATPWRMOD2S.AC.DWT.PJW**



| | | | | | | |
|---|---|---|---|---|---|---|
| **Fabric Elastic HAT Wire Chase** | **HHATPWRMODF** | 3.6 S | 0.3 | **$1007** | **$1025** | **$1034** |


- Fabric Chase comes in Light (LGT), Medium (MDD), and Dark (DRK) fabrics, specify desired fabric.
- Fabric HAT mounting brackets available in the same paint finishes as Coordinate™ HAT bases, specify desired paint finish.

NOTES: Fabric Elastic Chase includes an Above/Below Power Module and a fabric chase to conceal coiled cord on the Above/Below Power Module unit. Four feet of straight cord length extends from the base of Fabric Chase. Fabric Chase solution provides power access above and below the worksurface on Coordinate™ Height Adjustable Tables while concealing cord slack. Works on either 2-stage or 3-stage HAT bases. Fabric chase wraps around coiled cord and stretches up and down with a Coordinate™ HAT leg. To match Fabric Chase's metal mounting brackets to HAT base, specify matching paint color to HAT base.


**SPECIFYING EXAMPLE: HHATPWRMODF.AC.DWT.LGT.PJW**

**NOTES:**


- Desktop power module comes with 2 receptacles, 1 USB-A, and 1 USB-C port only, specify "AC."
- Desktop power module available in White (DWT) or Gray (DGY) finishes, specify desired finish.
- Under worksurface power strip comes with 6 receptacles and is available in Black only, no specification needed.



*2-Stage Metal Telescoping HAT Wire Management*



*3-Stage Metal Telescoping HAT Wire Management*



*2 or 3-stage Fabric Elastic HAT Wire Management*

## HOW TO SPECIFY

**Select Model Number**

H H A T P W R M O D F .

**Select Ports**

*Specify for Above/Below Power Modules*

**AC** USB A+C

A C .

**Select Power Module Paint**

*Specify for Above/Below Power Modules*

**DWT** White
**DGY** Gray

D W T .

**Select Fabric Chase Finish**

*For Fabric Chase only*

**LGT** Light
**MDD** Medium
**DRK** Dark

L G T .

**Select Paint Color**

*Specify paint for Telescoping Chase or Fabric Chase Mounting Brackets*

See page 115 for finishes





P J W

OPEN MARKET

Icon Legend on page 19

# COORDINATE™ Desktop PET Screens



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Coordinate™ Side/Middle Desktop PET Screens** | | | | |
| | 23¼″W x 13″H | **HUVDSSM1324** | 3.0 | 1.5 | **$254** |
| | 29¼″W x 13″H | **HUVDSSM1330** | 3.3 | 1.8 | **$299** |
| | 23¼″W x 20″H | **HUVDSSM2024** | 3.6 | 2.3 | **$299** |
| | 29¼″W x 20″H | **HUVDSSM2030** | 4.1 | 2.7 | **$351** |
|  | **Coordinate™ Side/End Desktop PET Screens** | | | | |
| | 23¼″W x 13″H | **HUVDSSE1324** | 3.0 | 1.5 | **$284** |
| | 29¼″W x 13″H | **HUVDSSE1330** | 3.0 | 1.8 | **$330** |
| | 23¼″W x 20″H | **HUVDSSE2024** | 3.5 | 2.3 | **$330** |
| | 29¼″W x 20″H | **HUVDSSE2030** | 4.1 | 2.7 | **$374** |
| | NOTES: Screen attachment method involves screwing into the underside of the worksurface. | | | | |
|  | **Coordinate™ Pacman PET Screens** | | | | |
| | 23¼″W x 13″H, for 23″D Surfaces | **HUVDPS1324** | 5.7 | 1.8 | **$338** |
| | 29¼″W x 13″H, for 29″D Surfaces | **HUVDPS1330** | 6.2 | 2.1 | **$397** |
| | 23¼″W x 20″H, for 23″D Surfaces | **HUVDPS2024** | 6.3 | 2.7 | **$397** |
| | 29¼″W x 20″H, for 29″D Surfaces | **HUVDPS2030** | 7.0 | 3.2 | **$466** |
| | NOTES: Screen extends 6″ from front of surface and 9″ below surface. | | | | |
|  | **Coordinate™ Above Desktop PET Screens** | | | | |
| | 46″W x 13″H | **HUVDSAO1348** | 5.0 | 2.7 | **$475** |
| | 58″W x 13″H | **HUVDSAO1360** | 5.6 | 3.3 | **$526** |
| | 70″W x 13″H | **HUVDSAO1372** | 6.2 | 4.0 | **$585** |
| | 46″W x 20″H | **HUVDSAO2048** | 6.2 | 4.1 | **$593** |
| | 58″W x 20″H | **HUVDSAO2060** | 7.1 | 5.0 | **$658** |
| | 70″W x 20″H | **HUVDSAO2072** | 8.0 | 5.9 | **$730** |
| | NOTES: Screen attachment method involves screwing into the underside of the worksurface. Brackets can be positioned as needed to clear worksurface supports. | | | | |

**NOTES:**

- PET material is 12mm thick.
- Brackets painted in PR6 Silver.
- Brackets and screens ship in same box.
- PET material is tackable.

## HOW TO SPECIFY

**Select Model Number**

H U V D S S M 1 3 3 0 .

**Select PET Desktop**

See page 115

D G Y 3 .


**Select Paint Color**

**PR6** Silver

P R 6


# COORDINATE™ Desktop PET Screens

OPEN MARKET




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Coordinate™ Above/Below PET Screens** | | | | |
| 46″W x 32″H, 13″H Above | **HUVDSHAB4813** | 9.7 Ⓢ | 6.3 | **$905** |
| 58″W x 32″H, 13″H Above | **HUVDSHAB6013** | 11.0 | 7.7 | **$1005** |
| 70″W x 32″H, 13″H Above | **HUVDSHAB7213** | 12.8 | 9.1 | **$1117** |
| 46″W x 32″H, 20″H Above | **HUVDSHAB4820** | 9.7 Ⓢ | 6.3 | **$905** |
| 58″W x 32″H, 20″H Above | **HUVDSHAB6020** | 11.0 | 7.7 | **$1005** |
| 70″W x 32″H, 20″H Above | **HUVDSHAB7220** | 12.8 | 9.1 | **$1117** |

NOTES: Screen attachment method involves screwing into the underside of the worksurface.




| | | | | |
|---|---|---|---|---|
| **Coordinate™ Above/Below "L" PET Screens** | | | | |
| 23¼″D x 23″W x 32″H, 13″H Above, Right Hand | **HUVABLS2424R** | 9.2 | 6.3 | **$1040** |
| 23¼″D x 29″W x 32″H, 13″H Above, Right Hand | **HUVABLS3024R** | 9.9 | 7.0 | **$1098** |
| 23¼″D x 35″W x 32″H, 13″H Above, Right Hand | **HUVABLS3624R** | 9.9 | 7.7 | **$1155** |
| 29¼″D x 23″W x 32″H, 20″H Above, Right Hand | **HUVABLS2430R** | 10.6 | 6.3 | **$1262** |
| 29¼″D x 29″W x 32″H, 20″H Above, Right Hand | **HUVABLS3030R** | 10.6 | 7.0 | **$1328** |
| 29¼″D x 35″W x 32″H, 20″H Above, Right Hand | **HUVABLS3630R** | 10.6 | 7.7 | **$1450** |
| 23¼″D x 23″W x 32″H, 13″H Above, Left Hand | **HUVABLS2424L** | 9.2 | 6.3 | **$1040** |
| 23¼″D x 29″W x 32″H, 13″H Above, Left Hand | **HUVABLS3024L** | 9.9 | 7.0 | **$1098** |
| 23¼″D x 35″W x 32″H, 13″H Above, Left Hand | **HUVABLS3624L** | 9.9 | 7.7 | **$1155** |
| 29¼″D x 23″W x 32″H, 20″H Above, Left Hand | **HUVABLS2430L** | 10.6 | 6.3 | **$1262** |
| 29¼″D x 29″W x 32″H, 20″H Above, Left Hand | **HUVABLS3030L** | 10.6 | 7.0 | **$1328** |
| 29¼″D x 35″W x 32″H, 20″H Above, Left Hand | **HUVABLS3630L** | 10.6 | 7.7 | **$1450** |

NOTES: Screen attachment method includes screwing into the underside of the worksurface.




| | | | | |
|---|---|---|---|---|
| **Coordinate™ Above "U" PET Screens** | | | | |
| 23¼″D x 46″W x 13″H | **HUVAUS482413** | 12.0 | 4.0 | **$1168** |
| 23¼″D x 58″W x 13″H | **HUVAUS602413** | 12.6 | 4.6 | **$1227** |
| 23¼″D x 70″W x 13″H | **HUVAUS722413** | 13.2 | 5.2 | **$1294** |
| 23¼″D x 46″W x 20″H | **HUVAUS482420** | 14.5 | 5.9 | **$1459** |
| 23¼″D x 58″W x 20″H | **HUVAUS602420** | 15.4 | 6.8 | **$1534** |
| 23¼″D x 70″W x 20″H | **HUVAUS722420** | 16.3 | 7.7 | **$1618** |
| 29¼″D x 46″W x 13″H | **HUVAUS483013** | 12.6 | 4.0 | **$1278** |
| 29¼″D x 58″W x 13″H | **HUVAUS603013** | 13.2 | 4.6 | **$1338** |
| 29¼″D x 70″W x 13″H | **HUVAUS723013** | 13.7 | 5.2 | **$1405** |
| 29¼″D x 46″W x 20″H | **HUVAUS483020** | 15.4 | 5.9 | **$1595** |
| 29¼″D x 58″W x 20″H | **HUVAUS603020** | 16.3 | 6.8 | **$1670** |
| 29¼″D x 70″W x 20″H | **HUVAUS723020** | 17.1 | 7.7 | **$1755** |

NOTES: Screen attachment method involves screwing into the underside of the worksurface.

ⓘ Screens are for use with Coordinate™ and Empower® Height Adjustable.

**NOTES:**
- PET material is 12mm thick.
- Brackets painted in PR6 Silver.
- Brackets and screens ship in same box except for Gravitation™ Beam PET Screens.
- PET material is tackable.

## HOW TO SPECIFY

**Select Model Number**

H U V D S H A B 6 0 1 3 .

**Select PET Desktop**

See page 115

D G Y 3 .

**Select Paint Color**

**PR6** Silver

P R 6

# COZE™

Want to see more? Scan here to check out hon.com.





Coze™ Table Desk shown with Cliq™ Seating and Fuse™ Storage.

## COZE™

There's no place like home, especially when you're working. Stay as productive in your own digs as you are in the office with Coze table desks. Designed to keep things nice and easy, Coze features simple and quick assembly and optional fast shipping so you can get down to business in no time. Not too big and not too small, Coze comes in three sizes, so it's just right for whatever space you're working in. With optional built-in storage to help you stay organized and a clean, light-scale look in a variety of laminate and finish colors, Coze feels right at home no matter your personal style.









**FEATURES**

- Enjoy a higher quality desk at a lower price.
- Simple one-tool installation with video takes only minutes.
- Light scale design and small footprint fit any room in the house.
- Optional integrated storage lets you decide how to best stay organized.
- Available in a variety of laminate and paint colors so you can get exactly what you need in the look you want.
- Leveling glides adjust for uneven floors.
- Durable laminate surfaces resist scratches, spills, and stains.

# COZE™ Table Desks

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Table Desk with Post Legs** | | | | |
| | 54″W x 24″D | **HLCRPL5424WFH** | 71 | 5.7 | **$698** |
| | 48″W x 24″D | **HLCRPL4824WFH** | 66 | 5.4 | **$667** |
| | 42″W x 24″D | **HLCRPL4224WFH** | 61 | 5.2 | **$633** |
| | 54″W x 30″D | **HLCRPL5430WFH** | 81 | 6.3 | **$796** |
| | 48″W x 30″D | **HLCRPL4830WFH** | 76 | 5.9 | **$770** |
| | NOTES: Product ships with desk top and 4 legs in 2 cartons. | | | | |
|  | **Table Desk with Post Legs and U-Storage** | | | | |
| | 54″W x 24″D | **HLCRPL5424WFH-US** | 78 | 5.7 | **$772** |
| | 48″W x 24″D | **HLCRPL4824WFH-US** | 73 | 5.4 | **$741** |
| | 42″W x 24″D | **HLCRPL4224WFH-US** | 68 | 5.2 | **$707** |
| | 54″W x 30″D | **HLCRPL5430WFH-US** | 88 | 6.3 | **$870** |
| | 48″W x 30″D | **HLCRPL4830WFH-US** | 83 | 5.9 | **$844** |
| | NOTES: Product ships with desk top, 4 legs, and U-storage in 2 cartons. | | | | |
|  | **Table Desk with Post Legs and Pencil Storage** | | | | |
| | 54″W x 24″D | **HLCRPL5424WFH-PS** | 77 | 5.7 | **$772** |
| | 48″W x 24″D | **HLCRPL4824WFH-PS** | 72 | 5.4 | **$741** |
| | 42″W x 24″D | **HLCRPL4224WFH-PS** | 67 | 5.2 | **$707** |
| | 54″W x 30″D | **HLCRPL5430WFH-PS** | 87 | 6.3 | **$870** |
| | 48″W x 30″D | **HLCRPL4830WFH-PS** | 82 | 5.9 | **$844** |
| | NOTES: Product ships with desk top, 4 legs, and pencil storage in 2 cartons. | | | | |

**NOTES:**

- **HON 5-Year Limited Warranty.**

## HOW TO SPECIFY

**Select Model Number**

| H | L | C | R | P | L | 4 | 8 | 2 | 4 | W | F | H | - | U | S | . |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

**Select Laminate and Edge**

**PP** Black
**LDW1DW** Designer White
**LFW1FW** Florence Walnut
**LNR1NR** Natural Recon







| L | F | W | 1 | F | W | . |
|---|---|---|---|---|---|---|

**Select Paint Color**

**P71** Black
**PJW** Designer White
**PR6** Silver

| P | R | 6 |
|---|---|---|

# COZE™ Table Desks

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Coze™ Rectangle Worksurface** | | | | |
| | 42″W x 24″D | **HLCR2442WFH** | 35 | 2.1 | **$330** |
| | 48″W x 24″D | **HLCR2448WFH** | 40 | 2.4 | **$364** |
| | 54″W x 24″D | **HLCR2454WFH** | 45 | 2.7 | **$395** |
| | 48″W x 30″D | **HLCR3048WFH** | 50 | 2.9 | **$467** |
| | 54″W x 30″D | **HLCR3054WFH** | 55 | 3.3 | **$493** |
| | NOTES: Base telescopes to accommodate worksurfaces between 24″D x 48″W and 30″D x 60″W. Worksurfaces include pre-drilled pilot holes. Worksurfaces come with threaded inserts for ease of installation with Post Legs models HLCPL29WFH, HLCPL29WFH-US, and HLCPL29WFH-PS. | | | | |
|  | **Post Legs, Pack of 4** | **HLCPL29WFH** | 26 | 3.0 | **$303** |
|  | **Post Legs, Pack of 4 with U-Storage** | **HLCPL29WFH-US** | 33 | 3.0 | **$377** |
| | NOTES: Metal storage ships same color as legs. | | | | |
|  | **Post Legs, Pack of 4 with Pencil Storage** | **HLCPL29WFH-PS** | 32 | 3.0 | **$377** |
| | NOTES: Metal storage ships same color as legs. | | | | |
| | ! Hardware included is specific to the attachment of the following models: HLCR2442WFH, HLCR2448WFH, HLCR2454WFH. | | | | |
|  | **U-Storage** | **HLCWFH-US** | 9 | 1.2 | **$186** |
|  | **Pencil Storage** | **HLCWFH-PS** | 8 | 1.2 | **$186** |
| | ! Hardware included is specific to the attachment of the following models: HLCR2442WFH, HLCR2448WFH, HLCR2454WFH. | | | | |

**NOTES:**

- **HON 5-Year Limited Warranty.**

## HOW TO SPECIFY

**Select Model Number**

H L C R 2 4 4 8 W F H .

**Select Laminate and Edge**

**PP** Black
**LDW1DW** Designer White
**LFW1FW** Florence Walnut
**LNR1NR** Natural Recon

L F W 1 F W

**Select Model Number**

H L C P L 2 9 W F H - P S .

**Select Paint Color**

**P71** Black
**PJW** Designer White
**PR6** Silver

P R 6

# MOD

Want to see more? Scan here to check out hon.com.



Mod Desks shown with Coordinate™ Height Adjustable Desks and Solve® Seating.

## MOD

There is always beauty in simplicity, but with the Mod desk collection you'll also find variety and value. The contemporary design feels perfectly at home in either a private office or an open floor plan, giving it the versatility that allows you to unify your space. Choose from a selection of finishes that express your modern sense of style, or dress it up with a classic look. Whether setting up a single desk, shared workstations, or full private office suite with storage, this collection is totally adaptable. Totally productive. Totally Mod.









### FEATURES

- The Mod collection allows you to create a premium workspace at an affordable price.
- Straightforward styling blends with any office design with the option for metal A- and U-legs.
- Available in 5 laminate finishes.
- Storage options that let you create spaces that work the way you do.
- All components feature a scratch- and stain-resistant laminate for unbeatable beauty and durability.

# MOD ORDERING INFORMATION



## LAMINATES

**L1 LAMINATES ..... CODES**

**Woodgrain**

- ♦ Java Oak ..... **LJA1**
- ♦ Sepia Walnut ..... **LSE1**
- ♦ Slate Teak ..... **LSL1**
- ♦ Traditional Mahogany ..... **LTM1**

**Solid**

- ♦ Simply White ..... **LPW1**

## METAL A-LEGS, U-LEGS, AND SUPPORT LEGS

**PAINTS ..... CODES**

- ♦ Black ..... **BLKP**
- ♦ Silver ..... **SLVR**

## FABRIC CUSHIONS & TACKBOARDS


**FABRIC ..... CODES**


- ♦ Cool Neutral ..... **CN02**
- ♦ Warm Neutral ..... **WM01**


♦ ◊ ◊ *For lead time information see page 21.*


# MOD
# Statement of Line


## DESKS



Desk Shell, Bow and Rectangle Top


Rectangle Credenza Shell


Return Shell


Bridge Shell


Corner Shell


Peninsula with End Panel


Reception Desk Shell


Reception Return Shell


## STORAGE



Mobile Pedestal



Hanging Pedestal


Lateral



Wardrobe


Bookcase


Hutch


Wall Mounted Storage


## WORKSURFACES/SUPPORTS


Rectangular Worksurface



A-Leg Support


U-Leg Support


Credenza Leg Support


Support Pedestal, Box/Box/File and File/File


Support Cabinet



Low Credenza, 2 Drawers


Low Credenza, Open

## TABLES


Round Conference Table Top


Rectangle Conference Table Top


Round Conference Table Base


Rectangle Conference Table Base

## ACCESSORIES


Laminate Doors for Hutch and Wall Mounted Storage


Glass Doors for Hutch and Wall Mounted Storage



Tackboards


Markerboard


Pedestal Cushion


External Stiffener



Low Credenza Cabinet Top


Low Credenza Cushion



Transaction Top

# MOD
# LAMINATE GRAIN DIRECTION







Bow Top Desk Shell




Rectangle Desk Shell




Rectangle Credenza Shell




Peninsula




Corner Shell




Bridge




Return




Pedestals




Laterals




Low Credenzas




Low Credenza Top




Wardrobe




Storage Cabinet




Bookcase




Rectangle Worksurface




Overhead Hutch, Storage, and Laminate Doors




Conference Table Tops and Bases





Reception Desk and Transaction Top




Reception Return Shell

# MOD
## Typicals


**Components used are listed on pages 136-144. Order components individually. Other configurations are possible, including various sizes of some components.**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Desk Shell**<br>66″W x 30″D | **HLPLDS6630** | $417 | $417 |
| 1 | **Credenza Shell**<br>66″W x 24″D | **HLPLCS6624** | $388 | $388 |
| 1 | **Bridge**<br>42″W x 24″D | **HLPLB4224** | $240 | $240 |
| 1 | **Pedestal – B/B/F**<br>15″W x 20″D x 28″H | **HLPLPSBBF** | $481 | $481 |
| 1 | **Pedestal – F/F**<br>15″W x 20″D x 28″H | **HLPLPSFF** | $481 | $481 |
| 1 | **Hutch without Doors**<br>66″W x 14″D x 39¾″H | **HLPLDH66** | $467 | $467 |
| 2 | **Laminate Hutch Doors**<br>Pack of 2 Doors | **HLPLDR66LM** | $59 | $118 |
| | | | **TOTAL:** | **$2,592** |




**U-STATION (NON-HANDED)**
**66″W x 96″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Peninsula**<br>66″W x 30″D | **HLPLPEN6630E** | $415 | $415 |
| 1 | **Credenza Shell**<br>66″W x 24″D | **HLPLCS6624** | $388 | $388 |
| 1 | **Bridge**<br>42″W x 24″D | **HLPLB4224** | $240 | $240 |
| 1 | **Pedestal – B/B/F**<br>15″W x 20″D x 28″H | **HLPLPSBBF** | $481 | $481 |
| 1 | **Hutch without Doors**<br>66″W x 14″D x 39¾″H | **HLPLDH66** | $467 | $467 |
| 1 | **Laminate Hutch Doors**<br>Pack of 2 Doors | **HLPLDR66LM** | $59 | $59 |
| | | | **TOTAL:** | **$2,050** |



**U-STATION WITH PENINSULA (NON-HANDED)**
**66″W x 96″D**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Desk Shell**<br>66″W x 30″D | **HLPLDS6630** | $417 | $417 |
| 1 | **Return Shell**<br>42″W x 24″D | **HLPLRS4224** | $285 | $285 |
| 1 | **Pedestal – B/B/F**<br>15″W x 20″D x 28″H | **HLPLPSBBF** | $481 | $481 |
| 1 | **Pedestal – F/F**<br>15″W x 20″D x 28″H | **HLPLPSFF** | $481 | $481 |
| 1 | **Hutch without Doors**<br>66″W x 14″D x 39¾″H | **HLPLDH66** | $467 | $467 |
| 2 | **Glass Hutch Doors**<br>Pack of 2 Doors | **HLPLDR66GS** | $204 | $408 |
| | | | **TOTAL:** | **$2,539** |



**L-STATION (NON-HANDED)**
**66″W x 72″D**

**Components used are listed on pages 136-144. Order components individually. Other configurations are possible, including various sizes of some components.**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Bow Front Desk Shell**<br>72″W x 36″D | **HLPLDS7236B** | $526 | $526 |
| 1 | **Credenza Shell**<br>72″W x 24″D | **HLPLCS7224** | $402 | $402 |
| 1 | **Pedestal – B/B/F**<br>15″W x 20″D x 28″H | **HLPLPSBBF** | $481 | $481 |
| 1 | **Pedestal – F/F**<br>15″W x 20″D x 28″H | **HLPLPSFF** | $481 | $481 |
| 1 | **Hutch without Doors**<br>72″W x 14″D x 39¾″H | **HLPLDH72** | $490 | $490 |
| 2 | **Laminate Hutch Doors**<br>Pack of 2 Doors | **HLPLDR72LM** | $59 | $118 |
| | | | **TOTAL:** | **$2,498** |



**OFFICE SUITE**

**72″W x 96″D**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Reception Desk Shell**<br>72″W x 30″D | **HLPLRCPNDS7230** | $604 | $604 |
| 1 | **Reception Return Shell**<br>42″W x 25″D | **HLPLRCPNRS4225** | $366 | $366 |
| 1 | **Reception Laminate Transaction Top**<br>72″W x 12″D | **HLPLRCPNTPLM** | $132 | $132 |
| 1 | **Pedestal – B/B/F**<br>15″W x 20″D x 28″H | **HLPLPSBBF** | $481 | $481 |
| | | | **TOTAL:** | **$1,583** |



**RECEPTION STATION (NON-HANDED)**

**72″W x 72″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangle Conference Table Top**<br>48″W x 120″L, 2-Piece | **HLPLTBL48120RCT** | $977 | $977 |
| 1 | **Conference Table Base**<br>For 120″ Table Tops | **HLPLTBL120BASE** | $160 | $160 |
| 2 | **Wardrobe**<br>24″W x 24″D x 65″H | **HLPLW2424** | $1,226 | $2,452 |
| 2 | **Low Open Storage Credenza**<br>36″W x 20″D x 21″H | **HLPLCL3620S** | $375 | $750 |
| 1 | **Low Credenza Top**<br>72″W x 20″D | **HLPLCL7220TOP** | $191 | $191 |
| | | | **TOTAL:** | **$4,530** |




**CONFERENCE ROOM**

**144″W x 180″D**

# MOD
## Typicals


**Components used are listed on pages 136-144. Order components individually. Other configurations are possible, including various sizes of some components.**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangle Worksurface**<br>66″W x 30″D | **HLPLRW6630** | $268 | $268 |
| 1 | **Rectangle Worksurface**<br>48″W x 24″D | **HLPLRW4824** | $205 | $205 |
| 1 | **Flat Bracket**<br>24″D | **HLPLFB24** | $73 | $73 |
| 2 | **U-Leg Support**<br>30″W | **HLPLLEG30U** | $225 | $450 |
| 1 | **U-Leg Support**<br>24″W | **HLPLLEG24U** | $212 | $212 |
| 1 | **External Stiffener**<br>For 66″W Worksurfaces | **HLPLXS66** | $111 | $111 |
| 1 | **Mobile Pedestal – B/F**<br>15″W x 20″D x 20″H | **HLPLPMBF** | $419 | $419 |
| 1 | **Pedestal Cushion**<br>15″W x 20″D | **HLPLPSEAT1520** | $132 | $132 |
| | | | **TOTAL:** | **$1,870** |



**L-STATION (NON-HANDED)**
**66″W x 78″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangle Worksurface**<br>66″W x 30″D | **HLPLRW6630** | $268 | $268 |
| 1 | **U-Leg Support**<br>30″W | **HLPLLEG30U** | $225 | $225 |
| 1 | **External Stiffener**<br>For 66″W Worksurfaces | **HLPLXS66** | $111 | $111 |
| 1 | **Credenza Leg Support**<br>7″H x 30″D | **HLPLSL30** | $148 | $148 |
| 1 | **Low 2-Drawer Credenza**<br>30″W x 20″D x 21″H | **HLPLCL3020BF** | $780 | $780 |
| 1 | **Low Open Storage Credenza**<br>30″W x 20″D x 21″H | **HLPLCL3020S** | $362 | $362 |
| 1 | **Low Credenza Top**<br>60″W x 20″D | **HLPLCL6020TOP** | $178 | $178 |
| | | | **TOTAL:** | **$2,072** |



**L-STATION WITH CREDENZA (NON-HANDED)**
**66″W x 60″D**

# MOD
# Bundles Typicals


Traditional Mahogany
**HLPLDS72PSTM1**

Slate Teak
**HLPLDS72PSSL1**

Sepia Walnut
**HLPLDS72PSSE1**

Java Oak
**HLPLDS72PSJA1**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Rectangular Desk Shell | **HLPLDS7230** | $441 | $441 |
| 1 | B/B/F Support Pedestal | **HLPLPSBBF** | $481 | $481 |
| 1 | F/F Support Pedestal | **HLPLPSFF** | $481 | $481 |
| | | | **TOTAL:** | **$1,403** |



**LAMINATE DESK WITH 2 PEDESTALS**
**72″W**


Traditional Mahogany
**HLPLDS66PSTM1**

Slate Teak
**HLPLDS66PSSL1**

Sepia Walnut
**HLPLDS66PSSE1**

Java Oak
**HLPLDS66PSJA1**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Rectangular Desk Shell | **HLPLDS6630** | $417 | $417 |
| 1 | B/B/F Support Pedestal | **HLPLPSBBF** | $481 | $481 |
| 1 | F/F Support Pedestal | **HLPLPSFF** | $481 | $481 |
| | | | **TOTAL:** | **$1,379** |



**LAMINATE DESK WITH 2 PEDESTALS**
**66″W**


Traditional Mahogany
**HLPLDS60PSTM1**

Slate Teak
**HLPLDS60PSSL1**

Sepia Walnut
**HLPLDS60PSSE1**

Java Oak
**HLPLDS60PSJA1**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Rectangular Desk Shell | **HLPLDS6030** | $381 | $381 |
| 1 | B/B/F Support Pedestal | **HLPLPSBBF** | $481 | $481 |
| | | | **TOTAL:** | **$862** |



**LAMINATE DESK WITH 1 PEDESTAL**
**60″W**


Traditional Mahogany
**HLPLDS48HBFTM1**

Slate Teak
**HLPLDS48HBFSL1**

Sepia Walnut
**HLPLDS48HBFSE1**

Java Oak
**HLPLDS48HBFJA1**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Rectangular Desk Shell | **HLPLDS4830** | $366 | $366 |
| 1 | B/F Hanging Pedestal | **HLPLPHBF** | $352 | $352 |
| | | | **TOTAL:** | **$718** |



**SMALL OFFICE DESK WITH 3/4 PEDESTAL**
**48″W**

# MOD
# Bundles Typicals

Black/Traditional Mahogany
**HLPLW60LEG30UBLKPTM1**

Black/Java Oak
**HLPLW60LEG30UBLKPJA1**

Black/Sepia Walnut
**HLPLW60LEG30UBLKPSE1**

Black/Slate Teak
**HLPLW60LEG30UBLKPSL1**

Black/Simply White
**HLPLW60LEG30UBLKPPW1**

Silver/Traditional Mahogany
**HLPLW60LEG30USLVRTM1**

Silver/Java Oak
**HLPLW60LEG30USLVRJA1**

Silver/Sepia Walnut
**HLPLW60LEG30USLVRSE1**

Silver/Slate Teak
**HLPLW60LEG30USLVRSL1**

Silver/Simply White
**HLPLW60LEG30USLVRPW1**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Rectangular Worksurface | **HLPLRW6030** | $253 | $253 |
| 1 | External Stiffener | **HLPLXS60** | $103 | $103 |
| 2 | U-Leg Support 30″W | **HLPLLEG30U** | $225 | $450 |
| | | | **TOTAL:** | **$806** |




**TABLE DESK WITH U-LEG**
**60″W x 30″D**

Black/Traditional Mahogany
**HLPLW66LEG30UBLKPTM1**

Black/Java Oak
**HLPLW66LEG30UBLKPJA1**

Black/Sepia Walnut
**HLPLW66LEG30UBLKPSE1**

Black/Slate Teak
**HLPLW66LEG30UBLKPSL1**

Black/Simply White
**HLPLW66LEG30UBLKPPW1**

Silver/Traditional Mahogany
**HLPLW66LEG30USLVRTM1**

Silver/Java Oak
**HLPLW66LEG30USLVRJA1**

Silver/Sepia Walnut
**HLPLW66LEG30USLVRSE1**

Silver/Slate Teak
**HLPLW66LEG30USLVRSL1**

Silver/Simply White
**HLPLW66LEG30USLVRPW1**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Rectangular Worksurface | **HLPLRW6630** | $268 | $268 |
| 1 | External Stiffener | **HLPLXS66** | $111 | $111 |
| 2 | U-Leg Support 30″W | **HLPLLEG30U** | $225 | $450 |
| | | | **TOTAL:** | **$829** |




**TABLE DESK WITH U-LEG**
**66″W x 30″D**

Nickel/Traditional Mahogany
**HLPLRW6024CONHATTM1**


Nickel/Slate Teak
**HLPLRW6024CONHATSL1**

Nickel/Java Oak
**HLPLRW6024CONHATJA1**

Nickel/Simply White
**HLPLRW6024CONHATPW1**

Nickel/Sepia Walnut
**HLPLRW6024CONHATSE1**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Coordinate™ Height Adjustable Base — 2-Stage | **HHATB2S2LT** | $1,090 | $1,090 |
| 1 | Rectangular Worksurface | **HLPLRW6024** | $210 | $210 |
| | | | **TOTAL:** | **$1,300** |



**HEIGHT ADJUSTABLE TABLE**
**60″W x 24″D**

Nickel/Traditional Mahogany
**HLPLRW6030CONHATTM1**


Nickel/Slate Teak
**HLPLRW6030CONHATSL1**

Nickel/Java Oak
**HLPLRW6030CONHATJA1**

Nickel/Simply White
**HLPLRW6030CONHATPW1**

Nickel/Sepia Walnut
**HLPLRW6030CONHATSE1**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Coordinate™ Height Adjustable Base — 2-Stage | **HHATB2S2LT** | $1,090 | $1,090 |
| 1 | Rectangular Worksurface | **HLPLRW6030** | $253 | $253 |
| | | | **TOTAL:** | **$1,343** |



**HEIGHT ADJUSTABLE TABLE**
**60″W x 30″D**

Nickel/Traditional Mahogany
**HLPLRW4824CONHATTM1**


Nickel/Slate Teak
**HLPLRW4824CONHATSL1**

Nickel/Java Oak
**HLPLRW4824CONHATJA1**

Nickel/Simply White
**HLPLRW4824CONHATPW1**

Nickel/Sepia Walnut
**HLPLRW4824CONHATSE1**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Coordinate™ Height Adjustable Base — 2-Stage | **HHATB2S2LT** | $1,090 | $1,090 |
| 1 | Rectangular Worksurface | **HLPLRW4824** | $205 | $205 |
| | | | **TOTAL:** | **$1,295** |







**HEIGHT ADJUSTABLE TABLE**
**48″W x 24″D**

# MOD
# Laminate Modular Components

OPEN MARKET

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  *HLPLDS7236B shown* | **Desk Shell** | | | | |
| | 72″W x 36″/30″D x 29″H, Bow Top | **HLPLDS7236B** | 149 | 6.6 | **$526** |
| | 72″W x 36″D x 29″H, Rectangle Top | **HLPLDS7236** | 149 | 6.6 | **$448** |
| | 72″W x 30″D x 29″H, Rectangle Top | **HLPLDS7230** | 149 | 5.6 | **$441** |
| | 66″W x 30″D x 29″H, Rectangle Top | **HLPLDS6630** | 116 | 5.1 | **$417** |
| | 60″W x 30″D x 29″H, Rectangle Top | **HLPLDS6030** | 111 | 4.7 | **$381** |
| | 48″W x 30″D x 29″H, Rectangle Top | **HLPLDS4830** | 75 | 4.7 | **$366** |
|  | **Credenza Shell** | | | | |
| | 72″W x 24″D x 29″H | **HLPLCS7224** | 108 | 5.3 | **$402** |
| | 66″W x 24″D x 29″H | **HLPLCS6624** | 96 | 4.8 | **$388** |
| | 60″W x 24″D x 29″H | **HLPLCS6024** | 96 | 4.4 | **$359** |
| | 48″W x 24″D x 29″H | **HLPLCS4824** | 75 | 3.7 | **$352** |
|  | **Return Shell** | | | | |
| | 48″W x 24″D x 29″H | **HLPLRS4824** | 66 | 4.2 | **$298** |
| | 42″W x 24″D x 29″H | **HLPLRS4224** | 60 | 4.2 | **$285** |
| | 36″W x 24″D x 29″H | **HLPLRS3624** | 54 | 2.8 | **$236** |
|  | **Bridge** | | | | |
| | 48″W x 24″D x 29″H | **HLPLB4824** | 53 | 4.2 | **$242** |
| | 42″W x 24″D x 29″H | **HLPLB4224** | 46 | 4.2 | **$240** |
| | 36″W x 24″D x 29″H | **HLPLB3624** | 40 | 3.7 | **$201** |

**NOTES:**
- Scratch- and stain-resistant thermal-fused laminate surfaces.
- Durable 1″ thick tops and end panels.
- Full height modesty panels.
- Desk, Credenza, Return Shells, and Bridge assemble quickly and easily.
- Desks, Credenzas, Return Shells, and Bridges come standard with 3″ round Black grommets.
- Adjustable floor leveling glides provide ¾″ of adjustment.
- **HON 5-Year Limited Warranty.**

## HOW TO SPECIFY

**Select Model Number**



H L P L D S 6 0 3 0 .

**Select Laminate**

See page 127

L S L 1

# MOD
# Laminate Modular Components

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Corner Shell** | | | | |
| | 36″W x 36″D x 29″H | **HLPLCS36** | 114 | 5.3 | **$380** |
| | 30″W x 30″D x 29″H | **HLPLCS30** | 93 | 3.2 | **$341** |
|  | **Peninsula w/End Panel** | | | | |
| | 72″W x 36″D x 29½″H | **HLPLPEN7236E** | 124 | 7.1 | **$469** |
| | 66″W x 30″D x 29½″H | **HLPLPEN6630E** | 117 | 6.6 | **$415** |

❗ Peninsula must be ganged to another unit, return, or bridge.

❗ Support column available in Black (P) paint only. Matches BLKP paint option.

Specify: Model.Woodgrain Laminate.Paint

**SPECIFYING EXAMPLE: HLPLPEN6630E.LSL1.P**

**NOTES:**

- Scratch- and stain-resistant thermal-fused laminate surfaces.
- Durable 1″ thick tops and end panels.
- Full height modesty panels.
- Corner Shells and Peninsula assemble quickly and easily.
- Corner Shells come standard with 3″ round Black grommets.
- Adjustable floor leveling glides provide ¾″ of adjustment.
- **HON 5-Year Limited Warranty.**







## HOW TO SPECIFY

| Select Model Number | Select Laminate | Select Paint Color |
|---|---|---|
| | See page 127 | **P** Black |
| H L P L P E N 7 2 3 6 E . | L S L 1 . | P |

# MOD
# Laminate Modular Storage Components

OPEN MARKET

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Hutch without Doors** | | | | |
| | 72″W x 14½″D x 39¾″H | **HLPLDH72** | 106 | 7.1 | **$490** |
| | 66″W x 14½″D x 39¾″H | **HLPLDH66** | 99 | 7.2 | **$467** |
| | 60″W x 14½″D x 39¾″H | **HLPLDH60** | 92 | 5.3 | **$455** |
| | NOTES: Full back with gap at bottom for wire management.<br>Specify: Model.Woodgrain Laminate | | | | |
| | ! Hutch and Wall Mounted Storage units are sold without doors. 2 Doors or 4 Doors can be added to 72″W, 66″W, and 60″W units. 48″W Wall Mounted Storage Doors are sold in packages of 3 only.<br>**SPECIFYING EXAMPLE: HLPLDH66.LSL1** | | | | |
|  | **Wall Mounted Storage without Doors** | | | | |
| | 72″W x 14½″D x 13½″H | **HLPLWMH72** | 66 | 3.1 | **$582** |
| | 66″W x 14½″D x 13½″H | **HLPLWMH66** | 62 | 3.6 | **$557** |
| | 60″W x 14½″D x 13½″H | **HLPLWMH60** | 57 | 3.0 | **$546** |
| | 48″W x 14½″D x 13½″H | **HLPLWMH48** | 48 | 2.5 | **$523** |
| | ! Hutch and Wall Mounted Storage units are sold without doors. 2 Doors or 4 Doors can be added to 72″W, 66″W, and 60″W units. 48″W Wall Mounted Storage Doors are sold in packages of 3 only. | | | | |
|  | **Laminate Doors for Hutch and Wall Mounted Storage** | | | | |
| | 2 Pack, for HLPLDH72 and HLPLWMH72 | **HLPLDR72LM** | 12 | 0.8 | **$59** |
| | 2 Pack, for HLPLDH66 and HLPLWMH66 | **HLPLDR66LM** | 12 | 0.8 | **$59** |
| | 2 Pack, for HLPLDH60 and HLPLWMH60 | **HLPLDR60LM** | 12 | 0.8 | **$59** |
| | 3 Pack, for HLPLWMH48 | **HLPLDR48LM** | 17 | 0.8 | **$86** |
|  | **Glass Doors for Hutch and Wall Mounted Storage** | | | | |
| | 2 Pack, for HLPLDH72 and HLPLWMH72 | **HLPLDR72GS** | 9 | 0.8 | **$204** |
| | 2 Pack, for HLPLDH66 and HLPLWMH66 | **HLPLDR66GS** | 9 | 0.8 | **$204** |
| | 2 Pack, for HLPLDH60 and HLPLWMH60 | **HLPLDR60GS** | 9 | 0.8 | **$204** |
| | 3 Pack, for HLPLWMH48 | **HLPLDR48GS** | 13 | 0.8 | **$309** |
| | NOTES: No specification needed.<br>**SPECIFYING EXAMPLE: HLPLDR66GS** | | | | |
|  | **Tackboards** | | | | |
| | 72″W x 18″H | **HLPLTACK72** | 12 | 2.4 | **$176** |
| | 66″W x 18″H | **HLPLTACK66** | 12 | 2.2 | **$166** |
| | 60″W x 18″H | **HLPLTACK60** | 10 | 2.1 | **$160** |
| | 48″W x 18″H | **HLPLTACK48** | 8 | 1.7 | **$144** |
| | Specify: Model.Fabric<br>**SPECIFYING EXAMPLE: HLPLTACK66.CN02** | | | | |
|  | **Markerboard** | | | | |
| | 12″W x 12″H | **HLPLDR12MB** | 3 | 0.6 | **$103** |
| | NOTES: No specification needed. Markerboard is designed to fit over the top of the laminate doors for hutches to create a writable/movable surface.<br>**SPECIFYING EXAMPLE: HLPLDR12MB** | | | | |

**NOTES:**
- Scratch- and stain-resistant thermal-fused laminate surfaces.
- Durable ⅝″ thick tops and end panels.
- 72″W, 66″W, and 60″W hutches include fully enclosed back.
- Hutches and Wall Mounted Storage assemble quickly and easily.
- **HON 5-Year Limited Warranty.**

## HOW TO SPECIFY

**Select Model Number**





H L P L W M H 6 6 .

**Select Laminate**

See page 127

L S L 1

# Laminate Modular Storage Components

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Support Pedestal**<br>15½"W x 20"D x 28"H, Box/Box/File<br>15½"W x 20"D x 28"H, File/File<br>NOTES: Optional Pulls available, see below.<br>! Top and Back are unfinished. Not to be used freestanding. | **HLPLPSBBF**<br>**HLPLPSFF** | 81.0<br>79.0 | 7.4<br>7.4 | **$481**<br>**$481** |
|  | **Hanging Pedestal**<br>15½"W x 20"D x 20½"H, Box/File<br>NOTES: Optional Pulls available, see below.<br>! Top is unfinished. Not to be used freestanding.<br>! Hanging Pedestal is designed to attach to the underside of the worksurface and is non-handed (can be assembled on left or right side). | **HLPLPHBF** | 63.0 | 5.8 | **$352** |
|  <br>*HLPLPMBF shown* | **Mobile Pedestal**<br>15½"W x 20"D x 28"H, Box/Box/File<br>15½"W x 20"D x 28"H, File/File<br>15½"W x 20½"D x 21½"H, Box/File<br>NOTES: Optional Pulls available, see below. | **HLPLPMBBF**<br>**HLPLPMFF**<br>**HLPLPMBF** | 81.0<br>79.0<br>63.0 | 7.4<br>7.4<br>5.8 | **$593**<br>**$593**<br>**$419** |
|  | **Pedestal Cushion**<br>15½"W x 20"D<br>Specify: Model.Fabric<br>**SPECIFYING EXAMPLE: HLPLPSEAT1520.CN02** | **HLPLPSEAT1520** | 6.0 | 1.1 | **$132** |
|  | **Field Installed Contemporary Pull — 2-pack**<br>Silver<br>NOTES: For use on Lateral Files, Pedestals, Wardrobe, and 2-Drawer Low Credenza.<br>! Silver finish only, no specification needed. | **HBLPCONTEMP** | 0.4 Ⓢ | 0.1 | **$20** |
|  | **Field Installed Bridge Pull — 2-pack**<br>Silver<br>NOTES: For use on Lateral Files, Pedestals, Wardrobe, and 2-Drawer Low Credenza.<br>! Polished finish only, no specification needed. | **HBLPBRIDGE** | 0.4 Ⓢ | 0.1 | **$20** |
|  | **Field Installed Classic Pull — 2-pack**<br>Black<br>NOTES: For use on Lateral Files, Pedestals, Wardrobe, and 2-Drawer Low Credenza.<br>! Black finish only, no specification needed. | **HBLPCLASSIC** | 0.4 Ⓢ | 0.1 | **$20** |

**NOTES:**
- Pedestals ship assembled.
- Support Pedestals are designed to be used under a desk, credenza, or return shell and installed by leveling up the glides to a tight fit under tops (hardware not included).
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, and long-lasting operation.
- Pedestals come standard with Arch pull in Silver finish.
- **HON 5-Year Limited Warranty.**

## HOW TO SPECIFY

**Select Model Number**

H L P L P S B B F .

**Select Laminate**





See page 127

L S L 1

# MOD
# Laminate Modular Storage Components

OPEN MARKET

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  *HLPLBC3013B4 shown* | **Bookcase** | | | | |
| | 30½"W x 13"D x 65½"H, 5-Shelf, 3 Adjustable Shelves, 1 Fixed Shelf | **HLPLBC3013B5** | 137 | 6.1 | **$474** |
| | 30½"W x 13"D x 53"H, 4-Shelf, 2 Adjustable Shelves, 1 Fixed Shelf | **HLPLBC3013B4** | 112 | 5.2 | **$341** |
| | 30½"W x 13"D x 29"H, 2-Shelf, 1 Fixed Shelf | **HLPLBC3013B2** | 63 | 3.2 | **$234** |
|  | **Storage Cabinet** | | | | |
| | 36"W x 20"D x 29"H | **HLPLSC3620** | 76 | 15.7 | **$550** |
| | NOTES: Optional Pulls available, see page 139. | | | | |
| | ! Top is unfinished, not to be used freestanding. To convert to a freestanding cabinet, order model HLPLCL3620TOP, see page 142. | | | | |
|  | **Wardrobe** | | | | |
| | 24"W x 24"D x 65½"H | **HLPLW2424** | 99 | 4.2 | **$1226** |
| | 18"W x 24"D x 65½"H | **HLPLW1824** | 84 | 4.2 | **$803** |
| | NOTES: Optional Pulls available, see page 139. Non-handed door which can be installed in left- or right-hand configuration. Coat rod, fixed shelf, and lock included. | | | | |
|  *HLPLLF3620L2 shown* | **Lateral** | | | | |
| | 36½"W x 20"D x 53"H, 4-Drawer | **HLPLLF3620L4** | 193 | 27.4 | **$1366** |
| | 36½"W x 20"D x 40"H, 3-Drawer | **HLPLLF3620L3** | 166 | 21.1 | **$1208** |
| | 36½"W x 20"D x 29"H, 2-Drawer w/Removable Top | **HLPLLF3620L2** | 145 | 15.7 | **$778** |
| | NOTES: Optional Pulls available, see page 139. | | | | |
| | ! 2-Drawer Lateral, HLPLLF3620L2, available in all Laminate finishes including Simply White. | | | | |

**NOTES:**
- Lateral files ship assembled.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, and long-lasting operation.
- Hangrails are included in each file drawer for side-to-side legal filing, and for front-to-back letter and legal filing.
- Storage Cabinet, Wardrobe, and Lateral Files come standard with Arch pull in Silver finish.
- **HON 5-Year Limited Warranty.**

## HOW TO SPECIFY

**Select Model Number**





H L P L B C 3 0 1 3 B 5 .

**Select Laminate**

See page 127

L S L 1

# Laminate and Metal Desk Modular Components

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Rectangular Worksurface** | | | | |
| | 72″W x 30″D | **HLPLRW7230** | 110 | 6.0 | **$287** |
| | 72″W x 24″D | **HLPLRW7224** | 89 | 4.9 | **$236** |
| | 66″W x 30″D | **HLPLRW6630** | 101 | 5.5 | **$268** |
| | 66″W x 24″D | **HLPLRW6624** | 82 | 4.5 | **$221** |
| | 60″W x 30″D | **HLPLRW6030** | 92 | 5.0 | **$253** |
| | 60″W x 24″D | **HLPLRW6024** | 75 | 4.1 | **$210** |
| | 48″W x 30″D | **HLPLRW4830** | 75 | 4.1 | **$242** |
| | 48″W x 24″D | **HLPLRW4824** | 61 | 3.4 | **$205** |
| | Specify: Model.Laminate<br>**SPECIFYING EXAMPLE: HLPLRW6630.LSL1** | | | | |
|  | **External Stiffener** | | | | |
| | For 72″W Worksurfaces | **HLPLXS72** | 7 | 0.7 | **$118** |
| | For 66″W Worksurfaces | **HLPLXS66** | 7 | 0.6 | **$111** |
| | For 60″W Worksurfaces | **HLPLXS60** | 6 | 0.6 | **$103** |
| | ❗ Available in Graphite paint only.<br>**SPECIFYING EXAMPLE: HLPLXS66.BLKP** | | | | |
|  | **A-Leg Support** | | | | |
| | 30″W Angled Leg | **HLPLLEG30A** | 16 | 5.1 | **$225** |
| | 24″W Angled Leg | **HLPLLEG24A** | 14 | 3.7 | **$212** |
| | NOTES: A-Leg will have adjustable floor leveling glides which provide 2″ of adjustment. | | | | |
| | **U-Leg Support** | | | | |
| | 30″W U-Leg | **HLPLLEG30U** | 17 | 5.1 | **$225** |
| | 24″W U-Leg | **HLPLLEG24U** | 15 | 3.7 | **$212** |
| | NOTES: U-Leg will have adjustable floor leveling glides which provide 3″ of adjustment. | | | | |
|  | **Credenza Leg Support** | | | | |
| | 7″H x 30″D Support Leg | **HLPLSL30** | 6 | 1.0 | **$148** |
| | 7″H x 24″D Support Leg | **HLPLSL24** | 5 | 1.0 | **$136** |
| | **Overhead Support Leg** | | | | |
| | 23″H, Pack of 2 | **HLPLOS23** | 13 | 1.1 | **$212** |
| | 10½″H, Pack of 2 | **HLPLOS10** | 9 | 0.8 | **$166** |
|  | **Flat Bracket** | | | | |
| | 24″D Bracket | **HLPLFB24** | 3 | 0.6 | **$73** |
| | ❗ Available in Graphite paint only, no paint selection.<br>**SPECIFYING EXAMPLE: HLPLFB24** | | | | |

**NOTES:**

- Scratch- and stain-resistant thermal-fused laminate surfaces.
- Durable 1″ thick tops.
- Worksurfaces come standard with 3″ round Black grommets.
- **HON 5-Year Limited Warranty.**

## HOW TO SPECIFY

**Select Model Number**

H L P L L E G 3 0 A .

**Select Paint Color**





See page 127

B L K P

# MOD
# Laminate Modular Storage Components

OPEN MARKET

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Low Credenza, 2 Drawers, Personal Cabinet, No Top** | | | | |
| | 36½″W x 20″D x 21″H | **HLPLCL3620BF** | 113 | 11.8 | **$797** |
| | 30½″W x 20″D x 21″H | **HLPLCL3020BF** | 80 | 10.1 | **$780** |
| | NOTES: Optional Pulls available, see page 139. Unit ships fully assembled. Two low credenza units (2 drawer or Open Storage) can be combined using 1 top to create 60″, 66″, or 72″ low credenzas. | | | | |
| | ! Top is unfinished, not to be used freestanding. Use with low credenza tops below to create a finished credenza. | | | | |
|  | **Low Credenza, 2 Open Shelves, Open Storage Cabinet, No Top** | | | | |
| | 36½″W x 20″D x 21″H | **HLPLCL3620S** | 63 | 3.0 | **$375** |
| | 30½″W x 20″D x 21″H | **HLPLCL3020S** | 48 | 2.5 | **$362** |
| | NOTES: Unit ships flat packed; assembly required. Two low credenza units (2 drawer or Open Storage) can be combined using 1 top to create 60″, 66″, or 72″ low credenzas. | | | | |
| | ! Top is unfinished, cannot be used without a top. Use with low credenza tops below to create a finished credenza. | | | | |
|  | **Low Credenza Cabinet Top** | | | | |
| | 73″W x 20″D | **HLPLCL7220TOP** | 74 | 4.2 | **$191** |
| | 67″W x 20″D | **HLPLCL6620TOP** | 68 | 3.9 | **$189** |
| | 61″W x 20″D | **HLPLCL6020TOP** | 63 | 3.5 | **$178** |
| | 36½″W x 20″D | **HLPLCL3620TOP** | 37 | 2.2 | **$124** |
| | 30½″W x 20″D | **HLPLCL3020TOP** | 30 | 1.9 | **$114** |
|  | **Low Credenza Cushion** | | | | |
| | 36″W x 20″D | **HLPLCSEAT3620** | 11 | 2.2 | **$263** |
| | 30″W x 20″D | **HLPLCSEAT3020** | 9 | 1.9 | **$270** |
| | Specify: Model.Fabric<br>**SPECIFYING EXAMPLE: HLPLCSEAT3620.CN02** | | | | |

**NOTES:**

- Scratch- and stain-resistant thermal-fused laminate surfaces.
- Durable 1″ thick tops.
- Low credenzas ship assembled.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, and long-lasting operation.
- Hangrails are included in each file drawer for side-to-side legal filing, and for front-to-back letter and legal filing.
- Low Credenza, 2 Drawer comes standard with Arch pull in Silver finish.
- **HON 5-Year Limited Warranty.**

! Top must be specified with low credenza when using a cushion.

## HOW TO SPECIFY

**Select Model Number**





H L P L C L 3 6 2 0 B F .

**Select Laminate**

See page 127

L S L 1

# Conference Table Modular Components

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Round Conference Table Tops** | | | | |
| | 48″ Round Top | **HLPLTBL48RND** | 63 | 6.5 | **$303** |
| | 42″ Round Top | **HLPLTBL42RND** | 50 | 5.1 | **$294** |
| | 36″ Round Top | **HLPLTBL36RND** | 39 | 3.8 | **$242** |
|  | **Round Conference Table Bases** | | | | |
| | X-Base for 48″ Table Tops | **HLPLTBL48BASE** | 45 | 3.2 | **$128** |
| | X-Base for 42″ Table Tops | **HLPLTBL42BASE** | 42 | 3.2 | **$122** |
| | X-Base for 36″ Table Tops | **HLPLTBL36BASE** | 36 | 2.5 | **$119** |
|  | **Rectangle Conference Table Tops** | | | | |
| | 48″W x 120″L Rectangular Top, 2-Piece | **HLPLTBL48120RCT** | 293 | 7.8 | **$977** |
| | 42″W x 96″L Rectangular Top | **HLPLTBL4296RCT** | 205 | 10.7 | **$674** |
| | 36″W x 72″L Rectangular Top | **HLPLTBL3672RCT** | 132 | 7.1 | **$398** |
|  | **Rectangle Conference Table Bases** | | | | |
| | Slab Base for 120″ Table Tops | **HLPLTBL120BASE** | 86 | 4.2 | **$160** |
| | Slab Base for 96″ Table Tops | **HLPLTBL96BASE** | 64 | 5.1 | **$153** |
| | Slab Base for 72″ Table Tops | **HLPLTBL72BASE** | 48 | 3.0 | **$144** |

**NOTES:**
- Scratch- and stain-resistant thermal-fused laminate surfaces.
- Durable 1″ thick tops and support legs.
- **HON 5-Year Limited Warranty.**

## HOW TO SPECIFY

**Select Model Number**

H L P L T B L 4 2 R N D .

**Select Laminate**




See page 127

L S L 1

# MOD
# Reception Modular Components

OPEN MARKET

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Reception Desk Shell**<br>72″W x 30″D x 41″H | **HLPLRCPNDS7230** | 182 | 8.3 | **$604** |
|  | **Reception Return Shell**<br>42″W x 25″D x 41″H | **HLPLRCPNRS4225** | 110 | 5.1 | **$366** |
|  | **Transaction Tops**<br>73″W x 12″D Laminate<br>No selection for Glass Transaction Top, only one finish option. | **HLPLRCPNTPLM** | 45 | 3.5 | **$132** |

**NOTES:**
- Scratch- and stain-resistant thermal-fused laminate surfaces.
- Durable 1″ thick tops and end panels.
- Adjustable floor leveling glides provide ¾″ of adjustment.
- Reception stations assemble quickly and easily.
- 3″ round Black grommet(s) in tops of desks to route cords.
- **HON 5-Year Limited Warranty.**

## HOW TO SPECIFY

**Select Model Number**

| H | L | P | L | R | C | P | N | D | S | 7 | 2 | 3 | 0 | . |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

**Select Laminate**

See page 127

| L | S | L | 1 |
|---|---|---|---|

# VALIDO®

Want to see more? Scan here to check out hon.com.





Valido® shown with Flock® and Ignition® Seating.

## VALIDO®

Valido knows how to make them. Impeccable design. Quality craftsmanship. A tailored, signature style that lasts. With precision-machined edges and more than 100 different surface combinations, Valido lets you create a custom-built look with an executive edge. And thanks to a variety of flexible component options — plus high-quality laminate that resists scratches, stains, spills and wear — Valido is the very definition of form meeting function.









### FEATURES

- Formal 1½-thick worksurfaces are finished with an elegant, ribbon-edge detail.
- Multiple storage options let you create spaces that work the way you do.
- Valido components are designed to fit, form and grow into every area and any space.
- Metal-to-metal fastening system for precise fit and unsurpassed durability.
- Available in durable mix-and-match laminates, including woodgrain, solid, and pattern colors.
- Four decorative handle options to choose from.

# VALIDO® ORDERING INFORMATION

## LAMINATE FINISHES AVAILABILITY

**L1 LAMINATES ..... CODES**

**Woodgrain**
- ♦ Bourbon Cherry ..... **HH**
- ♦ Cognac ..... **COGNCOGN**
- ♦ Field Elm ..... **LWFELWFE**
- ♦ Florence Walnut ..... **LFW1LFW1**
- ♦ Harvest ..... **CC**
- ♦ Kingswood Walnut ..... **LKI1**
- ♦ Mahogany ..... **NN**
- ♦ Mocha ..... **MOCHMOCH**
- ♦ Natural Maple ..... **DD**
- ♦ Pinnacle ..... **PINCPINC**
- ♦ Shaker Cherry ..... **FF**
- ♦ Sterling Ash ..... **LSA1LSA1**

**Solid**
- ◊ Black ..... **PP**
- ♦ Charcoal ..... **SS**
- ♦ Designer White ..... **LDW1LDW1**
- ♦ Loft ..... **LOFT**

**Patterned Top**
- ♦ Handspun Chestnut ..... **LAHC**
- ◊ Handspun Dove ..... **LAHD**
- ♦ Handspun Pearl ..... **LAHP**
- ◊ Handspun Slate ..... **LAHS**
- ♦ Silver Mesh ..... **B9(*)**

**L2 LAMINATES ..... CODES**

**Two-Tone Top/Base**
- ♦ Beigewood ..... **LWBELWBE**
- ♦ Fawn Cypress ..... **LFC1LFC1**

*(*) Patterned top laminates are available with the following base/edgebanding laminate selection: C, COGN, D, F, H, MOCH, N, P, PINC, S, DW, FW, KI, or SA. Edgebanding will match base laminate selected.*

***SPECIFYING EXAMPLE: H11592.L6N***

*The following Valido products are not available as two-tone and require only one color code:*
- *Modular pedestals — box/file, box/box/file, file/file, lateral file, multi file, and cabinet.*

♦ ◊ *For lead time information see page 21.*

## TWO-TONE LAMINATE TOP / BASE

**L1 LAMINATES ..... CODES**

**Two-Tone Top/Base**
- ◊ Black/Charcoal ..... **PS**
- ◊ Black/Designer White ... **PLDW1**
- ◊ Bourbon Cherry/Black ..... **HP**
- ♦ Bourbon Cherry/Charcoal ... **HS**
- ♦ Bourbon Cherry/Designer White ..... **HLDW1**
- ◊ Charcoal/Black ..... **SP**
- ♦ Charcoal/Designer White ..... **SLDW1**
- ◊ Cognac/Black ..... **COGNP**
- ♦ Cognac/Charcoal ..... **COGNS**
- ♦ Cognac/Designer White ..... **COGNLDW1**
- ◊ Designer White/Black ... **LDW1P**
- ♦ Designer White/Bourbon Cherry ..... **LDW1H**
- ♦ Designer White/Charcoal ..... **LDW1S**
- ♦ Designer White/Cognac ..... **LDW1COGN**
- ♦ Designer White/Harvest ..... **LDW1C**
- ♦ Designer White/Mahogany ..... **LDW1N**
- ♦ Designer White/Mocha ..... **LDW1MOCH**
- ♦ Designer White/Natural Maple ..... **LDW1D**
- ♦ Designer White/Pinnacle ..... **LDW1PINC**
- ♦ Designer White/Shaker Cherry ..... **LDW1F**
- ♦ Field Elm/Black ..... **LWFEP**
- ♦ Field Elm/Charcoal ..... **LWFES**
- ♦ Field Elm/Designer White ..... **LWFELDW1**
- ♦ Field Elm/Loft ..... **LWFELOFT**
- ♦ Florence Walnut/Black . **LFW1P**
- ♦ Florence Walnut/Charcoal ..... **LFW1S**
- ♦ Florence Walnut/Designer White ..... **LFW1LDW1**
- ♦ Handspun Chestnut/Black ..... **LAHCP**
- ♦ Handspun Chestnut/Charcoal ..... **LAHCS**
- ♦ Handspun Chestnut/Designer White ..... **LAHCLDW1**
- ♦ Handspun Chestnut/Loft ..... **LAHCLOFT**
- ◊ Handspun Dove/Black .. **LAHDP**
- ◊ Handspun Dove/Charcoal ..... **LAHDS**
- ◊ Handspun Dove/Designer White ..... **LAHDLDW1**
- ◊ Handspun Dove/Loft ..... **LAHDLOFT**
- ♦ Handspun Pearl/Black .. **LAHPP**
- ♦ Handspun Pearl/Charcoal ..... **LAHPS**

♦ ◊ *For lead time information see page 21.*

## TWO-TONE LAMINATE TOP / BASE *continued*

**L1 LAMINATES ..... CODES**

**Two-Tone Top/Base**
- ♦ Handspun Pearl/Designer White ..... **LAHPLDW1**
- ♦ Handspun Pearl/Loft ..... **LAHPLOFT**
- ◊ Handspun Slate/Black ... **LAHSP**
- ◊ Handspun Slate/Charcoal ..... **LAHSS**
- ◊ Handspun Slate/Designer White ..... **LAHSLDW1**
- ◊ Handspun Slate/Loft ..... **LAHSLOFT**
- ◊ Harvest/Black ..... **CP**
- ♦ Harvest/Charcoal ..... **CS**
- ♦ Harvest/Designer White ..... **CLDW1**
- ♦ Kingswood Walnut/Black ..... **LKI1P**
- ♦ Kingswood Walnut/Charcoal ..... **LKI1S**
- ♦ Kingswood Walnut/Designer White ..... **LKI1LDW1**
- ◊ Mahogany/Black ..... **NP**
- ♦ Mahogany/Charcoal ..... **NS**
- ♦ Mahogany/Designer White ..... **NLDW1**
- ◊ Mocha/Black ..... **MOCHP**
- ♦ Mocha/Charcoal ..... **MOCHS**
- ♦ Mocha/Designer White ..... **MOCHLDW1**
- ◊ Natural Maple/Black ..... **DP**
- ♦ Natural Maple/Charcoal ..... **DS**
- ♦ Natural Maple/Designer White ..... **DLDW1**
- ◊ Pinnacle/Black ..... **PINCP**
- ♦ Pinnacle/Charcoal ..... **PINCS**
- ♦ Pinnacle/Designer White ..... **PINCLDW1**
- ◊ Shaker Cherry/Black ..... **FP**
- ♦ Shaker Cherry/Charcoal ..... **FS**
- ♦ Shaker Cherry/Designer White ..... **FLDW1**
- ♦ Sterling Ash/Black ..... **LSA1P**
- ♦ Sterling Ash/Charcoal .... **LSA1S**
- ♦ Sterling Ash/Designer White ..... **LSA1LDW1**


**L2 LAMINATES ..... CODES**

**Two-Tone Top/Base**
- ♦ Beigewood/Black ..... **LWBEP**
- ♦ Beigewood/Charcoal ... **LWBES**
- ♦ Beigewood/Designer White ..... **LWBELDW1**
- ♦ Beigewood/Loft .... **LWBELOFT**
- ♦ Fawn Cypress/Black ..... **LFC1P**
- ♦ Fawn Cypress/Charcoal . **LFC1S**
- ♦ Fawn Cypress/Designer White ..... **LFC1LDW1**
- ♦ Fawn Cypress/Loft .. **LFC1LOFT**

# VALIDO® ORDERING INFORMATION




**Patterned Top**



**Edgeband Around Top / Laminate Base**

- *Edgebanding on patterned laminates matches the laminate base selected.*
- *LAMINATE DESKS*
  *SPECIFY: Model Number.*
  *Laminate*
  *EXAMPLE: H11596.NN*
- *WORKSURFACES*
  *SPECIFY: Model Number.*
  *Top Laminate*
  *Edgeband*
- ***All specifications in this publication are based on the latest product information available at the time of print.***

*Tops with a patterned color are not available with a matching edgeband.*




**Laminate Base**

*Two-tone laminates: Top and edgebanding are the same, base is different laminate color.*

- *Edgebanding on two-tone laminates matches top, base is a different laminate color.A complete selection of Conference Room and Occasional Tables is shown in the Tables section in the 2024 Shared Spaces Pricer.*
- *LAMINATE DESKS*
  *SPECIFY: Model Number.*
  *Laminate*
  *EXAMPLE: H11596.HP*
- ***All specifications in this publication are based on the latest product information available at the time of print.***

**Edge Option:**



**Ribbon Edge "A"**

**Handle Options:**



4⅝"W

**Sweep Designator**


| | |
|---|---|
| Black | A |
| Satin Nickel | C |



5"W

**Crescent Designator**


| | |
|---|---|
| Black | D |
| Satin Nickel | F |



5¾"W

**Linear**

| | |
|---|---|
| Black | G |
| Matte Chrome | J |



5⅜"W

**Arch**


| | |
|---|---|
| Black | K |
| Matte Chrome | M |

# VALIDO® Typicals

Icon Legend on page 19


**Components used are listed on pages 151-171. Order components individually. Other configurations are possible, including various sizes of some components.**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Double Pedestal Desk - 2/2**<br>72″W x 36″D x 29½″H | **H11593** | $2,647 | $2,647 |
| 1 | **Credenza with Kneespace - 2/2**<br>72″W x 24″D x 29½″H | **H11543** | $2,452 | $2,452 |
| 1 | **Stack-on Storage**<br>72″W x 14⅝″D x 37½″H | **H11534** | $1,906 | $1,906 |
| 2 | **Vertical Paper Manager** | **HLVPM1** | $454 | $908 |
| | | | **TOTAL:** | **$7,913** |





**DESK/CREDENZA**
**72″W x 102″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Double Pedestal Bow Top Desk - 2/2**<br>72″W x 36″D x 29½″H | **H11595** | $2,889 | $2,889 |
| 1 | **Credenza with Kneespace - 2/2**<br>72″W x 24″D x 29½″H | **H115900** | $3,049 | $3,049 |
| 1 | **Stack-on Storage**<br>72″W x 14⅝″D x 37½″H | **H11534** | $1,906 | $1,906 |
| 1 | **Personal Wardrobe/Storage Cabinet, Left**<br>18″W x 24″D x 67″H | **H115296L** | $2,622 | $2,622 |
| 1 | **Storage/File Cabinet, Right**<br>18″W x 24″D x 67″H | **H115297R** | $3,032 | $3,032 |
| | | | **TOTAL:** | **$13,498** |





**DESK/CREDENZA**
**108″W x 102″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Single Pedestal Desk, Left - B/F**<br>72″W x 36″D x 29½″H | **H11586L** | $2,251 | $2,251 |
| 1 | **Return, Right-B/F**<br>48″W x 24″D x 29½″H | **H11515R** | $1,638 | $1,638 |
| 1 | **Stack-on Storage**<br>48″W x 14⅝″D x 37½″H | **H115323** | $1,550 | $1,550 |
| 1 | **Square End Cap Bookshelf**<br>24″W x 24″D x 29½″H | **H115525R** | $1,111 | $1,111 |
| | | | **TOTAL:** | **$6,550** |




**“L” WORKSTATION**
**72″W x 108″D**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Single Pedestal Desk, Left - B/F**<br>66″W x 30″D x 29½″H | **H11584L** | $2,103 | $2,103 |
| 1 | **Return, Right - B/F**<br>48″W x 24″D x 29½″H | **H11515R** | $1,638 | $1,638 |
| 1 | **Stack-on Storage**<br>78″W x 14⅝″D x 37½″H | **H115327** | $2,119 | $2,119 |
| 1 | **Vertical Paper Manager** | **HLVPM1** | $454 | $454 |
| 1 | **End Cap Bookshelf**<br>24″W x 24″D x 29½″H | **H115520** | $1,129 | $1,129 |
| 1 | **End Cap Bookshelf**<br>15″W x 15″D x 37½″H | **H115523** | $998 | $998 |
| | | | **TOTAL:** | **$8,441** |




**“L” WORKSTATION**
**66″W x 102″D**


**Components used are listed on pages 151-171. Order components individually. Other configurations are possible, including various sizes of some components.**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Single Pedestal Desk, Right - B/F**<br>72″W x 36″D x 29½″H | **H11585R** | $2,251 | $2,251 |
| 1 | **Bridge**<br>47″W x 24″D x 29½″H | **H11570** | $747 | $747 |
| 1 | **Credenza with 36″ Lateral, Left**<br>72″W x 24″D x 29½″H | **H11548L** | $2,630 | $2,630 |
| 1 | **Stack-on Storage**<br>72″W x 14⅝″D x 37½″H | **H11534** | $1,906 | $1,906 |
| 1 | **Storage Cabinet/Lateral File**<br>36″W x 24″D x 67″H | **H115293** | $3,929 | $3,929 |
| | | | **TOTAL:** | **$11,463** |





**“U” WORKSTATION**
**108″W x 107″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Single Full Pedestal Bow Front Desk**<br>72″W x 36″D x 29½″H | **H115893R** | $3,153 | $3,153 |
| 1 | **Bridge**<br>42″W x 24″D x 29½″H | **H11560** | $714 | $714 |
| 1 | **Left Single Full Pedestal Credenza**<br>72″W x 24″D x 29½″H | **H115904L** | $2,510 | $2,510 |
| 1 | **Stack-on Storage**<br>72″W x 14⅝″D x 37½″H | **H11534** | $1,906 | $1,906 |
| 1 | **Vertical Paper Manager** | **HLVPM1** | $454 | $454 |
| 1 | **Personal Wardrobe/Storage Cabinet**<br>36″W x 24″D x 67″H | **H11530** | $3,837 | $3,837 |
| | | | **TOTAL:** | **$12,574** |





**“U” WORKSTATION**
**108″W x 102″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Single Pedestal Bow Front Desk, Right - B/F**<br>72″W x 36″D x 29½″H | **H11587R** | $2,546 | $2,546 |
| 1 | **Bridge**<br>36″W x 24″D x 29½″H | **H115599** | $714 | $714 |
| 1 | **36″ Corner Unit** | **H115811** | $1,331 | $1,331 |
| 1 | **Return, Left**<br>42″W x 24″D x 29½″H | **H11512L** | $1,620 | $1,620 |
| 1 | **Stack-on Storage**<br>78″W x 14⅝″D x 37½″H | **H115327** | $2,119 | $2,119 |
| 1 | **Vertical Paper Manager** | **HLVPM1** | $454 | $454 |
| 1 | **Personal Storage Tower**<br>24″W x 24″D x 67″H | **H115301R** | $3,837 | $3,837 |
| | | | **TOTAL:** | **$12,621** |




**“U” WORKSTATION**
**102″W x 108″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Extended Corner Unit, Left**<br>24″D x 72″W x 36″D x 24″W x 29½″H | **H115816L** | $1,930 | $1,930 |
| 1 | **Box/Box/File Mobile Pedestal**<br>15⅝″W x 22¾″D x 28″H | **H115102** | $1,387 | $1,387 |
| 1 | **Stack-on Storage**<br>72″W x 14⅝″D x 37½″H | **H11534** | $1,906 | $1,906 |
| 1 | **Vertical Paper Manager** | **HLVPM1** | $454 | $454 |
| 1 | **Return Shell (with Full Modesty Panel)**<br>48″W x 24″D x 29½″H | **H11561** | $1,017 | $1,017 |
| 1 | **File/File Mobile Pedestal**<br>15⅝″W x 22¾″D x 28″H | **H115104** | $1,387 | $1,387 |
| | | | **TOTAL:** | **$8,081** |





**MODULAR “L” WORKSTATION**
**72″W x 84″D**

# VALIDO® Typicals

Icon Legend on page 19

**Components used are listed on pages 151-171. Order components individually. Other configurations are possible, including various sizes of some components.**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Jetty Peninsula, Left** 72″W x 42″/30″D x 29½″H | **H115202LE** | $2,047 | $2,047 |
| 1 | **File/File Mobile Pedestal** 15⅝″W x 22¾″D x 28″H | **H115104** | $1,387 | $1,387 |
| 1 | **Return Shell** 72″W x 24″D x 29½″H | **H115686** | $1,329 | $1,329 |
| 1 | **Multi File Pedestal** 36″W x 20″D x 28″H | **H11505** | $2,075 | $2,075 |
| 2 | **Wall Mounted Storage Cabinet** 42″W x 14⅝″D x 18⅞″H | **H115382** | $1,457 | $2,914 |
| 1 | **Wall Mounted Storage Cabinet** 30″W x 14⅝″D x 18⅞″H | **H115380** | $1,288 | $1,288 |
| 1 | **End Cap Bookshelf** 24″W x 24″D x 29½″H | **H115520** | $1,129 | $1,129 |
| | | | **TOTAL:** | **$12,169** |




**MODULAR "L" WORKSTATION**

**138″W x 72″D**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Storage/File Cabinet, Left** 18″W x 24″D x 67″H | **H115298L** | $3,032 | $3,032 |
| 1 | **Return Shell** 72″W x 24″D x 29½″H | **H115686** | $1,329 | $1,329 |
| 1 | **File/File Modular Pedestal** 15⅝″W x 22¾″D x 28″H | **H11504** | $1,134 | $1,134 |
| 1 | **Mobile Printer/Fax Cart** 20″W x 19⅞″D x 14⅛″H | **H105679** | $537 | $537 |
| 1 | **Stack-on Storage** 72″W x 14⅝″D x 37½″H | **H11534** | $1,906 | $1,906 |
| 1 | **Vertical Paper Manager** | **HLVPM1** | $454 | $454 |
| 1 | **36″ Corner Unit** | **H115811** | $1,331 | $1,331 |
| 1 | **Stack-on Storage** 36″W x 14⅝″D x 37½″H | **H115321** | $1,278 | $1,278 |
| 1 | **Return Shell** 60″W x 24″D x 29½″H | **H115684** | $1,243 | $1,243 |
| 1 | **Multi File Pedestal** 36″W x 20″D x 28″H | **H11505** | $2,075 | $2,075 |
| | | | **TOTAL:** | **$14,319** |




**MODULAR "L" CORNER WORKSTATION**

**126″W x 96″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Boomerang Peninsula, Left** 72″W x 42″/30″D x 29½″H | **H115204LE** | $2,047 | $2,047 |
| 1 | **Box/Box/File Mobile Pedestal** 15⅝″W x 22¾″D x 28″H | **H115102** | $1,387 | $1,387 |
| 1 | **Bridge** 30″W x 24″D x 29½″H | **H115598** | $714 | $714 |
| 1 | **Extended Corner Unit, Right** 24″W x 36″D x 72″W x 24″D x 29½″H | **H115815R** | $1,930 | $1,930 |
| 1 | **File/File Modular Pedestal** 15⅝″W x 22¾″D x 28″H | **H11504** | $1,134 | $1,134 |
| 1 | **Stack-on Storage** 72″W x 14⅝″D x 37½″H | **H11534** | $1,906 | $1,906 |
| 1 | **Storage/File Cabinet, Right** 18″W x 24″D x 67″H | **H115297R** | $3,032 | $3,032 |
| 1 | **End Cap Bookshelf** 24″W x 24″D x 67″H | **H115524** | $1,790 | $1,790 |
| | | | **TOTAL:** | **$13,940** |




**MODULAR "U" WORKSTATION**


**114″W x 108″D**

GSA SIN 33721

Icon Legend on page 19

# VALIDO® Laminate Modular Desks







*Model H11596 shown*

| DESCRIPTION | INSIDE DIMENSIONS | FULL WIDTH OVERHANG | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|---|
| **Desk Shell (with Full Modesty Panel)** | | | | | | | |
| 72″W x 36″D x 29½″H, Bow Top (end panels 30″D) | 69½″W x 24⅝″D | 10½″ | **H11596** | 218 | 5.8 | **$1576** | **$1631** |
| 72″W x 36″D x 29½″H, Rectangle Top | 69½″W x 24⅝″D | 10½″ | **H11594** | 239 | 5.8 | **$1509** | **$1564** |
| 72″W x 30″D x 29½″H, Rectangle Top | 69½″W x 24⅝″D | 4½″ | **H11592** | 206 | 6.6 | **$1408** | **$1452** |
| 66″W x 30″D x 29½″H, Rectangle Top | 63½″W x 24⅝″D | 4½″ | **H11579** | 194 | 4.5 | **$1329** | **$1373** |
| 60″W x 30″D x 29½″H, Rectangle Top | 57½″W x 24⅝″D | 4½″ | **H11578** | 182 | 4.1 | **$1273** | **$1317** |
| 48″W x 30″D x 29½″H, Rectangle Top (1 grommet) | 45½″W x 24⅝″D | 4½″ | **H11598** | 154 | 4.0 | **$1202** | **$1235** |

NOTES: See pages 683-684 for optional center drawers.

**NOTES:**

- Non-handed desk, credenza, and return shells, combined with a variety of under-the-worksurface storage solutions, maximize office layout flexibility. Shells and pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- Tops are abrasion- and stain-resistant laminate over extra-thick 1½″ solid core high-performance particleboard; resists warping.
- “Ribbon” edge profile; shape is on all four sides.
- Full height modesty panels.
- Cord management grommets, for routing and hiding wires and cables, are located in the tops of desk and return shells.
- 3″ round worksurface grommet can be replaced with optional Power Hub (model HGRMTAC) or Power/USB Hub (model HGRMTUSB2) to bring the ease of plug-and-play to the desktop. See page 697.
- Credenza shells have a cord pass-through grommet in the top center of the modesty panel.
- The narrow design of the kneespace clearance end panel kits replace full end panels to provide added kneespace.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have ¾″ adjustable range.
- For conference table options, see the Preside® table tops and bases in the Tables section in the 2024 Shared Spaces Pricer. Order edge option “K”.
- See pages 154-155 for modular storage components.




## HOW TO SPECIFY


| Select Model Number | Select Edge Profile | Select Laminate |
|---|---|---|
| | See page 146 | See page 146 |
| H 1 1 5 9 6 . | A . | N N |

# VALIDO® Modular Credenzas

GSA SIN 33721

Icon Legend on page 19


| DESCRIPTION | INSIDE DIMENSIONS | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
| **24″D Credenza Shell (with Full Modesty Panel)** | | | | | | |
| 72″W x 24″D x 29½″H | 69½″W x 22¾″D | **H11541** | 169 | 4.5 | **$1329** | **$1373** |
| 66″W x 24″D x 29½″H | 63½″W x 22¾″D | **H11542** | 159 | 4.2 | **$1292** | **$1336** |
| 60″W x 24″D x 29½″H | 57½″W x 22¾″D | **H11564** | 148 | 3.8 | **$1243** | **$1282** |
| 48″W x 24″D x 29½″H | 45½″W x 22¾″D | **H115692** | 135 | 2.8 | **$1167** | **$1200** |
| 42¼″W x 24″D x 29½″H | 39¾″W x 22¾″D | **H115691** | 118 | 3.4 | **$1111** | **$1144** |



*Model H11541 shown*


NOTES: Cord pass-through grommet in top center of modesty panel. See pages 163-164 for optional stack-on storage.

| | | | | | | |
|---|---|---|---|---|---|---|
| **20″D Credenza Shell (with Full Modesty Panel)** | | | | | | |
| 72″W x 20″D x 29½″H | 69½″W x 18¾″D | **H115581** | 154 | 5.3 | **$1258** | **$1297** |
| 66″W x 20″D x 29½″H | 63½″W x 18¾″D | **H115582** | 145 | 4.8 | **$1219** | **$1258** |
| 60″W x 20″D x 29½″H | 57½″W x 18¾″D | **H115583** | 135 | 4.4 | **$1176** | **$1209** |



NOTES: Cord pass-through grommet in top center of modesty panel. See pages 163-164 for optional stack-on storage.

| | | | | | | |
|---|---|---|---|---|---|---|
| **24″D Credenza Shell (with 10″ Modesty Panel)** | | | | | | |
| 72″W x 24″D x 29½″H | 69½″W x 22¾″D | **H11541X** | 162 | 5.0 | **$1329** | **$1373** |
| 66″W x 24″D x 29½″H | 63½″W x 22¾″D | **H11542X** | 124 | 4.0 | **$1292** | **$1336** |
| 60″W x 24″D x 29½″H | 57½″W x 22¾″D | **H11564X** | 120 | 4.0 | **$1243** | **$1282** |
| 48″W x 24″D x 29½″H | 45½″W x 22¾″D | **H115692X** | 107 | 4.0 | **$1167** | **$1200** |
| 42¼″W x 24″D x 29½″H | 39¾″W x 22¾″D | **H115691X** | 98 | 4.0 | **$1111** | **$1144** |
| **20″D Credenza Shell (with 10″ Modesty Panel)** | | | | | | |
| 72″W x 20″D x 29½″H | 69½″W x 18¾″D | **H115581X** | 124 | 4.6 | **$1258** | **$1297** |
| 66″W x 20″D x 29½″H | 63½″W x 18¾″D | **H115582X** | 117 | 4.2 | **$1219** | **$1258** |
| 60″W x 20″D x 29½″H | 57½″W x 18¾″D | **H115583X** | 110 | 3.8 | **$1176** | **$1209** |



NOTES: Makes reaching wall electrical outlets quick and easy. Provides more than 18″ of clearance. See pages 163-164 for optional stack-on storage.

**Kneespace Clearance End Panel Kits (field installable)**

| | | | | | |
|---|---|---|---|---|---|
| 1⅛″W x 11¼″D x 28⅛″H | **H105098** | 13 | 0.9 | **$267** | **$279** |

For use at either end of Valido, 10500 Series™ 24″D Credenza Shells (with full or 10″ modesty panel) or non-pedestal end of single pedestal credenzas or credenzas with lateral files.

| | | | | | |
|---|---|---|---|---|---|
| 1⅛″W x 17¼″D x 28⅛″H | **H105099** | 11 | 0.8 | **$280** | **$292** |

For use at either end of Valido, 10500 Series™ 30″D Desk Shells or non-pedestal end of 30″D single pedestal desks.



*Not available in two-tone laminate*

Kits include: (1) support panel; European fastening hardware; flat connector bracket; joint connector bolts with sleeve nuts (for ganging credenza to adjacent worksurface); and adjustable leveling glides. Allows conversion of units currently in the field.

NOTES: Can be used to connect up to three 24″D credenzas or 30″D desks in line (requires 4 kits).

Not designed to be used freestanding. Not designed to be used with returns, 36″D desks or desk shells.

**SPECIFYING EXAMPLE: H105098.N**

**NOTES:**

- Non-handed desk, credenza, and return shells, combined with a variety of under-the-worksurface storage solutions, maximize office layout flexibility. Shells and pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- Tops are abrasion- and stain-resistant laminate over extra-thick 1½″ solid core high-performance particleboard; resists warping.
- “Ribbon” edge profile; shape is on all four sides.
- Cord management grommets, for routing and hiding wires and cables, are located in the tops of desk and return shells.
- Credenza shells have a cord pass-through grommet in the top center of the modesty panel.
- The narrow design of the kneespace clearance end panel kits replace full end panels to provide added kneespace.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have ¾″ adjustable range.
- Credenza Shells available with Full or 10″ Modesty Panel options.
- For conference table options, see the Preside® table tops and bases in the Tables section in the 2024 Shared Spaces Pricer. Order edge option “K”.
- See pages 154-155 for modular storage components.

## HOW TO SPECIFY


| Select Model Number | Select Edge Profile | Select Laminate |
|---|---|---|
| | See page 146 | See page 146 |
| H 1 1 5 4 1 . | A . | N N |

GSA SIN 33721

Icon Legend on page 19


# VALIDO® Modular Returns





*Model H115686 shown*

| DESCRIPTION | INSIDE DIMENSIONS | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
| **24″D Return Shell (with Full Modesty Panel)** | | | | | | |
| 72″W x 24″D x 29½″H, (w/support; 2 grommets) | 67″W x 22¾″D | **H115686** | 161 | 5.4 | **$1329** | **$1373** |
| 60″W x 24″D x 29½″H, (w/support; 2 grommets) | 55″W x 22¾″D | **H115684** | 142 | 4.9 | **$1243** | **$1282** |
| 48″W x 24″D x 29½″H, (1 grommet) | 47″W x 22¾″D | **H11561** | 97 | 3.2 | **$1017** | **$1050** |
| 42″W x 24″D x 29½″H, (1 grommet) | 41″W x 22¾″D | **H115681** | 97 | 2.5 | **$996** | **$1029** |
| 36″W x 24″D x 29½″H, (1 grommet) | 34⅞″W x 22¾″D | **H115680** | 91 | 3.2 | **$996** | **$1024** |
| 30″W x 24″D x 29½″H, (1 grommet) | 28⅞″W x 22¾″D | **H11568** | 78 | 2.8 | **$926** | **$965** |




| | | | | | | |
|---|---|---|---|---|---|---|
| **24″D Return Shell (with 10″ Modesty Panel)** | | | | | | |
| 72″W x 24″D x 29½″H | 67″W x 22¾″D | **H115686X** | 124 | 5.0 | **$1329** | **$1373** |
| 60″W x 24″D x 29½″H | 55″W x 22¾″D | **H115684X** | 108 | 4.0 | **$1243** | **$1282** |
| 48″W x 24″D x 29½″H | 47″W x 22¾″D | **H11561X** | 90 | 3.0 | **$1017** | **$1050** |
| 42″W x 24″D x 29½″H | 41″W x 22¾″D | **H115681X** | 80 | 3.0 | **$996** | **$1029** |
| 36″W x 24″D x 29½″H | 34⅞″W x 22¾″D | **H115680X** | 76 | 3.0 | **$996** | **$1024** |
| 30″W x 24″D x 29½″H | 28⅞″W x 22¾″D | **H11568X** | 65 | 2.8 | **$926** | **$954** |

NOTES: Shells are non-handed. No pre-drilled grommet in modesty panel (field installable grommet included). Woodgrain direction on modesty/back panel runs vertical on 30″W-60″W sizes and horizontal on 72″W unit. 36″W return shell can be used to achieve an efficient 6′ x 6′ footprint when connected to either a 72″W x 36″D single pedestal desk, desk shell, or peninsula, or when two are connected to a 36″W corner unit model H115811. 30″W return shell can be used to accomplish a 5′ x 5′ footprint when connected to a 60″W x 30″D desk shell or peninsula. See pages 163-164 for optional stack-on storage.

**NOTES:**

- Non-handed desk, credenza, and return shells, combined with a variety of under-the-worksurface storage solutions, maximize office layout flexibility. Shells and pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- Tops are abrasion- and stain-resistant laminate over extra-thick 1½″ solid core high-performance particleboard; resists warping.
- “Ribbon” edge profile; shape is on all four sides.
- Cord management grommets, for routing and hiding wires and cables, are located in the tops of desk and return shells.
- Credenza shells have a cord pass-through grommet in the top center of the modesty panel.
- The narrow design of the kneespace clearance end panel kits replace full end panels to provide added kneespace.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have ¾″ adjustable range.
- Credenza Shells available with Full or 10″ Modesty Panel options.
- For conference table options, see the Preside® table tops and bases in the Tables section in the 2024 Shared Spaces Pricer. Order edge option “K”.
- For work-in-process paper management tools, see pages 689-691.
- See pages 154-155 for modular storage components.

## HOW TO SPECIFY

**Select Model Number**

H 1 1 5 6 8 6 .

**Select Edge Profile**

See page 146

A .

**Select Laminate**





See page 146

N N

# VALIDO® Laminate Modular Components

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  *Not available in two-tone laminate* | **Box/File Pedestal (with core removable lock)**<br>15⅝"W x 22¾"D x 17¾"H | **H11501** | 57 | 5.5 | **$877** | **$899** |
| | NOTES: For use under 24"D, 30"D and 36"D desk, credenza and return shells. Hangrails included. Lock can be positioned on either the right or left side. Attaches to underside of worksurface top. **Unfinished top and back.**<br>Not designed to be used freestanding. | | | | | |
|  *Not available in two-tone laminate* | **Narrow Box/Box/File Pedestal — floor-standing**<br>9½"W x 22¾"D x 28"H | **H115093** | 61 | 5.6 | **$1115** | **$1143** |
| | NOTES: For use under 24"D, 30"D and 36"D modular desk, credenza and return shells. Unfinished top and back.<br>Handle choices for this model are the Sweep, Crescent and Arch designs only. The linear handle (options "G" and "J") is not available on this product as the width of the component interferes with lock on the drawer face.<br>Not designed to be used freestanding. | | | | | |
|  *Not available in two-tone laminate* | **Box/Box/File Pedestal (with core removable lock) — floor-standing**<br>15⅝"W x 22¾"D x 28"H — for use under 24"D, 30"D and 36"D desk, credenza and return shells | **H11502** | 90 | 8.4 | **$1134** | **$1162** |
| | 15⅝"W x 18¾"D x 28"H — for use under 20"D, 24"D, 30"D and 36"D desk, credenza and return shells | **H115012** | 73 | 7.0 | **$1068** | **$1090** |
| | NOTES: Top box drawer does not lock. Hangrails included. **Unfinished top and back.**<br>Not designed to be used freestanding. | | | | | |
|  *Not available in two-tone laminate* | **File/File Pedestal (with core removable lock) — floor-standing**<br>15⅝"W x 22¾"D x 28"H — for use under 24"D, 30"D and 36"D desk, credenza and return shells | **H11504** | 85 | 8.4 | **$1134** | **$1162** |
| | 15⅝"W x 18¾"D x 28"H — for use under 20"D, 24"D, 30"D and 36"D desk, credenza and return shells | **H115014** | 72 | 7.0 | **$1068** | **$1090** |
| | NOTES: Hangrails included. **Unfinished top and back.**<br>Not designed to be used freestanding. | | | | | |

**NOTES:**

- Pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- File drawers accept hanging folders in letter or legal size.
- Narrow pedestal features a compact design that is ideal for use in U- and L-shaped layouts for smaller spaces, such as a 5′ x 8′ U-shaped workstation or a 5′ x 5′ L-shaped workstation.
- Pedestal drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- Handle options shown on page 147.
- Pedestal sides are notched to enable the routing of cords and cables.
- Mobile pedestals shown on page 167, work well in a variety of configurations.
- Pedestal models ship assembled unless designated EZ.
- Modular pedestals to be used with 24"D, 30"D and 36"D Modular Shells.
- Pedestal models not designed to be used freestanding.
- See pages 151-153 for desk, credenza and return shells.

## HOW TO SPECIFY

| Select Model Number | Select Handle Option | Select Laminate |
|---|---|---|
| | Linear handles "G" and "J" not available on model H115093<br>See page 146 | See page 146 |
| H 1 1 5 0 1 . | C . | N |


GSA SIN 33721

Icon Legend on page 19

# VALIDO® Laminate Modular Components



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Lateral File Pedestal (with core removable lock) — floor-standing**<br>36″W x 20″D x 28″H — for use under 24″D, 30″D and 36″D desk, credenza and return shells | **H11503** | 127 | 15.6 | **$1740** | **$1784** |




*Not available in two-tone laminate*

NOTES: Hangrails included. **Unfinished top and back.** Mechanical interlock inhibits extension of more than one drawer at a time.

Not designed to be used freestanding.

| | | | | | |
|---|---|---|---|---|---|
| **Multi File Pedestal (with core removable lock) — floor-standing**<br>36″W x 20″D x 28″H — for use under 24″D, 30″D and 36″D desk, credenza and return shells | **H11505** | 155 | 15.6 | **$2075** | **$2119** |




*Not available in two-tone laminate*

NOTES: Versatile four drawer unit features one lateral file drawer, one vertical file drawer, and two box drawers. Box drawers do not lock. Hangrails included. **Unfinished top and back.** Mechanical interlock in lateral drawer inhibits extension of more than one drawer at a time.

Not designed to be used freestanding.

| | | | | | |
|---|---|---|---|---|---|
| **Cabinet Pedestal — floor-standing**<br>26″W x 21¼″D x 28″H — for use under 24″D, 30″D and 36″D desk, credenza and return shells | **H11508** | 78 | 12.2 | **$1262** | **$1306** |




*Not available in two-tone laminate*

NOTES: One adjustable shelf at 2½″ increments. Doors are non-locking. **Unfinished top and back.**


Not designed to be used freestanding.

| | | | | | |
|---|---|---|---|---|---|
| **Mobile Printer/Fax Cart**<br>20″W x 19⅞″D x 14⅛″H | **H105679** | 52 | 2.9 | **$537** | **$559** |




NOTES: Holds laser printers, inkjet printers or fax machines. Ideal for limited space. Low profile cart stores conveniently and easily under desks and workstations. Interior compartment shelving is Black. Four casters. **1⅛″ thick top with flat, non-profiled edge.**

**SPECIFYING EXAMPLE: H105679.NN**




1 – H11579
1 – H11542
2 – H115102
2 – H115104




1 – H11578
1 – H11564
1 – H11502
1 – H11504
1 – H11508

**NOTES:**

- Pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- See page 147 for handle design/finish options.
- File drawers accept hanging folders in letter or legal size.
- Pedestal drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- Pedestal sides are notched to enable the routing of cords and cables.
- Mobile pedestals shown on page 167, work well in a variety of configurations.
- Pedestal models ship assembled unless designated .
- See pages 151-153 for desk, credenza and return shells.

## HOW TO SPECIFY

**Select Model Number**

H 1 1 5 0 3 .

**Select Handle Option**

See page 146

Not specified for model H105679

C .

**Select Laminate**



See page 146

N

# VALIDO®
## Laminate Wood Desks — Full Pedestals

GSA SIN 33721

Icon Legend on page 19

| DESCRIPTION | FULL WIDTH OVERHANG | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  **Double Pedestal Desk** | | | | | | |
| 72″W x 36″D x 29½″H, Bow Top | 10½″ | **H115899** | 362 | 52.2 | **$3594** | **$3681** |
| 72″W x 36″D x 29½″H, Rectangle Top | 10½″ | **H115890** | 370 | 52.2 | **$3420** | **$3502** |
| 66″W x 30″D x 29½″H, Rectangle Top | 4½″ | **H115891** | 312 | 40.9 | **$3289** | **$3360** |
| 60″W x 30″D x 29½″H, Rectangle Top | 4½″ | **H115892** | 303 | 37.3 | **$3124** | **$3189** |
| NOTES: All drawers lock. Two worksurface grommets to route/hide cords. See pages 683-684 for optional center drawers. Bow top model measures 36″D at the crest and 30″ along the end panels. | | | | | | |
|  **Single Pedestal Desk, Bow Top** | | | | | | |
| 72″W x 36″D x 29½″H, Right | 10½″ | **H115893R** | 308 | 52.2 | **$3153** | **$3230** |
| 72″W x 36″D x 29½″H, Left | 10½″ | **H115894L** | 308 | 52.2 | **$3153** | **$3230** |
| NOTES: Box/box/file drawer configuration. Drawers lock. Two worksurface grommets to route/hide cords. See pages 683-684 for optional center drawers. Bow top model measures 36″D at the crest and 30″ along the end panels. | | | | | | |
|  **Single Pedestal Desk, Rectangle Top** | | | | | | |
| 72″W x 36″D x 29½″H, Right | 10½″ | **H115895R** | 316 | 52.2 | **$2951** | **$3028** |
| 66″W x 30″D x 29½″H, Right | 4½″ | **H115897R** | 269 | 40.9 | **$2681** | **$2741** |
| 72″W x 36″D x 29½″H, Left | 10½″ | **H115896L** | 316 | 52.2 | **$2951** | **$3028** |
| 66″W x 30″D x 29½″H, Left | 4½″ | **H115898L** | 269 | 40.9 | **$2681** | **$2741** |
| NOTES: Box/box/file drawer configuration. Drawers lock. Two worksurface grommets to route/hide cords. See pages 683-684 for optional center drawers. | | | | | | |

**NOTES:**

- Full pedestal design provides a more formal styling aesthetic and maximizes storage space.
- Drawers in pedestal extend from underside of worksurface to the floor.
- Tops are abrasion- and stain-resistant laminate over extra-thick 1½″ solid core high-performance particleboard; resists warping.
- 3″ round worksurface grommet can be replaced with optional Power Hub (model HGRMTAC) or Power/USB Hub (model HGRMTUSB2) to bring the ease of plug-and-play to the desktop. See page 697.
- Recessed modesty panel design facilitates conferencing. See approach side illustration at left.
- Full height modesty panels.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- See page 147 for handle design/finish options.
- File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- Desk, credenza and return models ship assembled.
- For conference table options, see the Preside® table tops and bases in the Tables section in the 2024 Shared Spaces Pricer. Order edge option “K”.
- See pages 160-171 for shared components.

## HOW TO SPECIFY





| Select Model Number | Select Edge Profile | Select Handle Option | Select Laminate |
|---|---|---|---|
| | See page 146 | See page 146 | See page 146 |
| H 1 1 5 8 9 9 . | A . | C . | N N |

GSA SIN 33721

Icon Legend on page 19

# VALIDO®
# Laminate Wood Desks — Full Pedestals



| DESCRIPTION | FULL WIDTH OVERHANG | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  **Return, File/File** | | | | | | |
| 48″W x 24″D x 29½″H, Right | | **H115905R** | 168 | 24.9 | **$1960** | **$2004** |
| 42″W x 24″D x 29½″H, Right | | **H115907R** | 159 | 20.5 | **$1938** | **$1982** |
| 48″W x 24″D x 29½″H, Left | | **H115906L** | 168 | 24.9 | **$1960** | **$2004** |
| 42″W x 24″D x 29½″H, Left | | **H115908L** | 159 | 20.5 | **$1938** | **$1982** |
| NOTES: Return is for use with single pedestal desks, desk shells, peninsulas or corner units. Drawers lock. One worksurface grommet and one cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. See pages 163-164 for optional stack-on storage. | | | | | | |
|  **Credenza with Doors** | | | | | | |
| 72″W x 24″D x 29½″H | 3½″ | **H115909** | 340 | 36.0 | **$3578** | **$3649** |
| NOTES: All drawers lock. Doors are non-locking. One cord pass-through grommet in top center of modesty panel. Includes a fixed shelf located at the bottom of the center storage area. No intermittent shelf. See pages 163-164 for optional stack-on storage. | | | | | | |
|  **Credenza with Kneespace** | | | | | | |
| 72″W x 24″D x 29½″H | 3½″ | **H115900** | 296 | 36.0 | **$3049** | **$3114** |
| 66″W x 24″D x 29½″H | 3½″ | **H115901** | 286 | 31.6 | **$2900** | **$2965** |
| 60″W x 24″D x 29½″H | 3½″ | **H115902** | 257 | 28.8 | **$2808** | **$2868** |
| NOTES: All drawers lock. One cord pass-through grommet in top center of modesty panel. See pages 163-164 for optional stack-on storage. | | | | | | |
| ! Not designed to be used with Valido Series 22¾″D modular or mobile pedestals. Modesty/back panel is inset 3½″. | | | | | | |
|  **Single Pedestal Credenza, File/File** | | | | | | |
| 72″W x 24″D x 29½″H, Right (shown) | 3½″ | **H115903R** | 251 | 36.0 | **$2510** | **$2570** |
| 72″W x 24″D x 29½″H, Left | 3½″ | **H115904L** | 251 | 36.0 | **$2510** | **$2570** |
| NOTES: Drawers lock. One cord pass-through grommet in top center of modesty panel. See pages 163-164 for optional stack-on storage. | | | | | | |
| ! Not designed to be used with Valido Series 22¾″D modular or mobile pedestals. Modesty/back panel is inset 3½″. | | | | | | |

**NOTES:**

- Full pedestal design provides a more formal styling aesthetic and maximizes storage space.
- Drawers in pedestal extend from underside of worksurface to the floor.
- Tops are abrasion- and stain-resistant laminate over extra-thick 1½″ solid core high-performance particleboard; resists warping.
- Recessed modesty panel design facilitates conferencing. See approach side illustration at left.
- Full height modesty panels.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- See page 147 for handle design/finish options.
- File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- Valido® 18¾″D modular and mobile pedestals can be positioned under credenza with kneespace and single pedestal credenza models.
- Desk, credenza and return models ship assembled.
- For conference table options, see the Preside® table tops and bases in the Tables section in the 2024 Shared Spaces Pricer. Order edge option “K”.
- See pages 160-171 for shared components.






## HOW TO SPECIFY

| Select Model Number | Select Edge Profile | Select Handle Option | Select Laminate |
|---|---|---|---|
| | See page 146 | See page 146 | See page 146 |
| H 1 1 5 9 0 5 R . | A . | C . | N N |


# VALIDO®
## Laminate Wood Desks — 3/4 Pedestals

GSA SIN 33721


Icon Legend on page 19

| DESCRIPTION | FULL WIDTH OVERHANG | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  **Double Pedestal Desk** | | | | | | |
| 72″W x 36″D x 29½″H, Bow Top | 10½″ | **H11595** | 356 | 52.2 | **$2889** | **$2976** |
| 72″W x 36″D x 29½″H, Rectangle Top | 10½″ | **H11593** | 364 | 52.2 | **$2647** | **$2729** |
| 66″W x 30″D x 29½″H, Rectangle Top | 4½″ | **H11571** | 304 | 40.9 | **$2525** | **$2596** |
| 60″W x 30″D x 29½″H, Rectangle Top | 4½″ | **H11573** | 288 | 37.3 | **$2382** | **$2447** |
| NOTES: All drawers lock. Two worksurface grommets to route/hide cords. See pages 683-684 for optional center drawers. | | | | | | |
|  **Single Pedestal Desk, Bow Top** | | | | | | |
| 72″W x 36″D x 29½″H, Right | 10½″ | **H11587R** | 264 | 52.9 | **$2546** | **$2623** |
| 72″W x 36″D x 29½″H, Left | 10½″ | **H11588L** | 264 | 52.9 | **$2546** | **$2623** |
| NOTES: Drawers lock. Two worksurface grommets to route/hide cords. See pages 683-684 for optional center drawers. Bow top models measure 36″D at the crest and 30″D along the end panels. | | | | | | |
|  **Single Pedestal Desk, Rectangle Top** | | | | | | |
| 72″W x 36″D x 29½″H, Right | 10½″ | **H11585R** | 303 | 52.2 | **$2251** | **$2322** |
| 66″W x 30″D x 29½″H, Right | 4½″ | **H11583R** | 247 | 40.9 | **$2103** | **$2163** |
| 72″W x 36″D x 29½″H, Left | 10½″ | **H11586L** | 303 | 52.2 | **$2251** | **$2322** |
| 66″W x 30″D x 29½″H, Left | 4½″ | **H11584L** | 247 | 40.9 | **$2103** | **$2163** |
| NOTES: Drawers lock. Two worksurface grommets to route/hide cords. See pages 683-684 for optional center drawers. | | | | | | |
|  **Small Office Desk** | | | | | | |
| 48″W x 30″D x 29½″H | 4½″ | **H115885R** | 183 | 30.0 | **$1698** | **$1742** |
| NOTES: Small footprint makes this desk ideal for limited space. Drawers lock. One cord grommet in top for routing and hiding wires and cables. 3/4 length modesty panel facilitates reaching wall electrical outlets. Optional stack-on storage model H115323 maximizes storage space; see pages 163-164 for additional stack-on storage models. | | | | | | |
|  **Return, Box/File** | | | | | | |
| 48″W x 24″D x 29½″H, Right | | **H11515R** | 158 | 24.9 | **$1638** | **$1682** |
| 42″W x 24″D x 29½″H, Right | | **H11511R** | 146 | 20.5 | **$1620** | **$1664** |
| 48″W x 24″D x 29½″H, Left | | **H11516L** | 158 | 24.9 | **$1638** | **$1682** |
| 42″W x 24″D x 29½″H, Left | | **H11512L** | 146 | 20.5 | **$1620** | **$1664** |
| NOTES: Return is for use with single pedestal desks, desk shells, peninsulas or corner units. Drawers lock. One worksurface grommet and one cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. See pages 163-164 for optional stack-on storage. | | | | | | |

❗ Not designed to be used freestanding.




H11584L
H11515R
H115327
H115520
H115523
HLVPM1




H11587R
H115598
H115811
H11516L
H115301
H115524
H115327
HLVPM1

**NOTES:**


- For components that can be shared with Valido Series, see pages 160-171.
- Tops are abrasion- and stain-resistant laminate over extra-thick 1½″ solid core high-performance particleboard; resists warping.
- 3/4 pedestal design increases budget flexibility.
- Formal, full height modesty panels.
- 3″ round worksurface grommet can be replaced with optional Power Hub (model HGRMTAC) or Power/USB Hub (model HGRMTUSB2) to bring the ease of plug-and-play to the desktop. See page 697.
- All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- The small footprint of the Small Office Desk is ideal for limited space.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- See page 147 for handle design/finish options.
- Center drawers conveniently store writing instruments, paper and other miscellaneous items. Includes pencil tray. See pages 683-684.
- File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- Desk, credenza and return models ship assembled.
- See pages 163-164 for optional stack-on storage.
- For conference table options, see the Preside® table tops and bases in the Tables section in the 2024 Shared Spaces Pricer. Order edge option “K”.


## HOW TO SPECIFY


| Select Model Number | Select Edge Profile | Select Handle Option | Select Laminate |
|---|---|---|---|
| | See page 146 | See page 146 | See page 146 |
| H 1 1 5 9 5 . | A . | C . | N N |


# VALIDO®
# Laminate Wood Desks — 3/4 Pedestals

| DESCRIPTION | FULL WIDTH OVERHANG | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
| **Credenza with Doors** | | | | | | |
| 72″W x 24″D x 29½″H | 3½″ | **H11544** | 294 | 36.0 | **$2913** | **$2984** |
| NOTES: Includes one fixed shelf at the bottom of the center storage area. All drawers lock. Doors are non-locking. | | | | | | |
| **Credenza with Kneespace** | | | | | | |
| 72″W x 24″D x 29½″H | 3½″ | **H11543** | 259 | 36.0 | **$2452** | **$2517** |
| 66″W x 24″D x 29½″H | 3½″ | **H11566** | 249 | 31.6 | **$2382** | **$2447** |
| 60″W x 24″D x 29½″H | 3½″ | **H11565** | 239 | 28.8 | **$2295** | **$2355** |
| NOTES: One cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. All drawers lock. See pages 163-164 for optional stack-on storage. | | | | | | |
| ! Not designed to be used with Valido Series 22¾″D modular or mobile pedestals. Modesty/back panel is inset 3½″. | | | | | | |
| **Credenza, Single Pedestal, Box/File** | | | | | | |
| 72″W x 24″D x 29½″H, Right (shown) | 3½″ | **H11545R** | 228 | 36.0 | **$2058** | **$2118** |
| 72″W x 24″D x 29½″H, Left | 3½″ | **H11546L** | 228 | 36.0 | **$2058** | **$2118** |
| NOTES: One cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. Drawers lock. See pages 163-164 for optional stack-on storage. | | | | | | |
| ! Not designed to be used with Valido Series 22¾″D modular or mobile pedestals. Modesty/back panel is inset 3½″. | | | | | | |











H11593
H11544
H115295R
H115298L
H11534




H11587R
H11570
H11546L
H11534
H115293
HLVPM1

**NOTES:**
- For components that can be shared with Valido/10500 Series, see pages 160-171.
- Tops are abrasion- and stain-resistant laminate over extra-thick 1½″ solid core high-performance particleboard; resists warping.
- Formal, full height modesty panels.
- Cord management grommets, for routing and hiding wires and cables, are located in the tops of desks, returns, bridges and corner units.
- All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- See page 147 for handle design/finish options.
- File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- For conference table options, see the Preside® table tops and bases in the Tables section in the 2024 Shared Spaces Pricer. Order edge option “K”.

## HOW TO SPECIFY


| Select Model Number | Select Edge Profile | Select Handle Option | Select Laminate |
|---|---|---|---|
| H 1 1 5 4 4 . | See page 146<br>A . | See page 146<br>C . | See page 146<br>N N |

# VALIDO®
# Shared Components & Accessories

GSA SIN 33721

Icon Legend on page 19

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Peninsula w/End Panel** | | | | | |
| 72″W x 36″D x 29½″H | **H11521E** | 167 | 8.1 | **$1586** | **$1636** |
| 66″W x 30″D x 29½″H | **H11522E** | 138 | 6.6 | **$1446** | **$1496** |
| 60″W x 30″D x 29½″H | **H11523E** | 115 | 6.6 | **$1344** | **$1394** |
| **P-shaped Peninsula w/End Panel** | | | | | |
| 72″W x 30/36″D x 29½″H, Right | **H11525RE** | 159 | 8.1 | **$1765** | **$1815** |
| 72″W x 36/30″D x 29½″H, Left | **H11526LE** | 159 | 8.1 | **$1765** | **$1815** |





NOTES: Use for “U” or “L” configuration. 60″W ideal for smaller spaces. Cord routing notch in brace panel. Accept field installable modesty panel model H10528 (see page 161). See pages 683-684 for optional center drawers. Peninsulas ship complete with end panel and support column. Support column is black.

Not designed to be used freestanding.

---

**Jetty Peninsula w/End Panel**


| | | | | | |
|---|---|---|---|---|---|
| 72″W x 30/42″D x 29½″H, Right | **H115201RE** | 175 | 9.4 | **$2047** | **$2107** |
| 72″W x 42/30″D x 29½″H, Left | **H115202LE** | 175 | 9.4 | **$2047** | **$2107** |




*Right-hand model H115201RE shown*

NOTES: For use in “U” or “L” configuration. Designed and sized to efficiently serve as both a computing and conferencing space. One cord management grommet in the top; cord routing notch in brace panel. Jetty units manufactured on or after 10/24/2005 accept field installable modesty panel H10528 (see page 161). Peninsulas ship complete with end panel and support column. Support column is black.


Not designed to be used freestanding.




---

**Boomerang Peninsula w/End Panel**


| | | | | | |
|---|---|---|---|---|---|
| 72″W x 30/42″D x 29½″H, Right | **H115203RE** | 175 | 9.4 | **$2047** | **$2107** |
| 72″W x 42/30″D x 29½″H, Left | **H115204LE** | 175 | 9.4 | **$2047** | **$2107** |




*Right-hand model H115203RE shown*

NOTES: For use in “U” or “L” configuration. Designed and sized to efficiently serve as both a computing and conferencing space. One cord management grommet in the top; cord routing notch in brace panel. Accepts field installable modesty panel H10528 (see page 161). Peninsulas ship complete with end panel and support column. Support column is black.

Not designed to be used freestanding.




---

**NOTES:**

- Shared components shown on this page can be used with modular components shown on pages 151-155, full pedestal models shown on pages 156-157, and 3/4 pedestal models shown on pages 158-159.
- Mobile pedestals shown on page 167 work well in a variety of configurations.
- Peninsulas ship complete with end panel and black 3″ diameter support column. For a silver support column option, please see model HPC191X on page 263 (ordered separately).
- Jetty and Boomerang peninsulas are designed and sized to efficiently serve as both a computing and conferencing space.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have ¾″ adjustable range.
- For conference table options, see the Preside® table tops and bases in the Tables section in the 2024 Shared Spaces Pricer. Order edge option “K”.
- See pages 160-171 for shared components.

## HOW TO SPECIFY

| Select Model Number | Select Edge Profile | Select Laminate | Select Paint Color |
|---|---|---|---|
| H 1 1 5 2 1 E . | A . | N N . | P |
| | See page 146 | See page 146 | **P** Black |

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Field Installable Modesty Panel for Peninsulas**<br>50¼"W x ¾"Thick x 18"H | **H10528** | 25 | 1.3 | **$243** | **$255** |

NOTES: Center drawer model H1522 can be used in conjunction with modesty panel. Laminate Modesty Panel has a cord pass-through notch in top corner.

Not designed to be used on jetty peninsulas manufactured prior to 10/24/2005.

**SPECIFYING EXAMPLE: H10528.N**

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Field Installable Modesty Panel for Bullet, Jetty and Boomerang Peninsulas, Frosted with Silver Frame**<br>50¼"W x ¾"Thick x 18"H | **HPC180G** | 33 S | 1.5 | **$960** |

NOTES: For use on 72"W peninsulas. Frosted/silver modesty panel HPC180G can be used with Valido and 10500 Series™ peninsula models. Cord pass-through notch is not available on the Frosted/Silver model HPC180G. Notch is on laminate model H10528 only.

Center drawers not designed to be used with the frosted/silver modesty panel model HPC180G.

**NOTES:**

- Shared components shown on this page can be used with modular components shown on pages 151-155, full pedestal models shown on pages 156-157, and 3/4 pedestal models shown on pages 158-159.
- For conference table options, see the Preside® table tops and bases in the Tables section in the 2024 Shared Spaces Pricer. Order edge option "K".
- See pages 160-171 for shared components.




## HOW TO SPECIFY

| Select Model Number | Select Laminate |
|---|---|
| | See page 146 |
| H 1 0 5 2 8 . | N N |

# VALIDO®
# Shared Components & Accessories

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Bridge (Single Ped. Desk, Desk Shell or Peninsula, to Corner Unit, Single Ped. Credenza or Credenza Shell)** | | | | | |
| | 47″W x 24″D x 29½″H, (Clear inside depth = 21⅞″D) | **H11570** | 86 | 3.2 | **$747** | **$780** |
| | 42″W x 24″D x 29½″H, (Clear inside depth = 21⅞″D) | **H11560** | 81 | 2.9 | **$714** | **$747** |
| | 36″W x 24″D x 29½″H, (Clear inside depth = 21⅞″D) (see notes below) | **H115599** | 69 | 2.9 | **$714** | **$747** |
| | 30″W x 24″D x 29½″H, (Clear inside depth = 21⅞″D) (see notes below) | **H115598** | 57 | 2.2 | **$714** | **$747** |
| | 47″W x 20″D x 29½″H, (Clear inside depth = 17⅞″D) (see notes below) | **H115699** | 70 | 3.2 | **$714** | **$747** |
| | 42″W x 20″D x 29½″H, (Clear inside depth = 17⅞″D) (see notes below) | **H115698** | 62 | 2.9 | **$684** | **$717** |
| | NOTES: One worksurface grommet and one grommet in top and in top center of modesty panel. Grommet can be replaced with optional Power Hub or Power/USB Hub for easy plug-and-play (see page 697). Kneespace of desk limited to 24¾″W if bridge is used with 66″W single pedestal desk. H115599 is for use with corner or extended corner units or jetty or boomerang peninsulas. H115598 is for use with corner or extended corner units. H115699 and H115698 are for use with single pedestal desks, desk shells or peninsulas (excluding jetty and boomerang).<br>Specify: Model.Edge.Laminate<br>**SPECIFYING EXAMPLE: H11570.A.NN** | | | | | |
|  | **Credenza with 36″ Lateral (with core removable locks)** | | | | | |
| | 72″W x 24″D x 29½″H, Right (shown) | **H11547R** | 264 | 36.0 | **$2630** | **$2695** |
| | 72″W x 24″D x 29½″H, Left | **H11548L** | 264 | 36.0 | **$2630** | **$2695** |
| | NOTES: Includes hangrails. Mechanical interlock inhibits the extension of more than one drawer at a time. See pages 163-164 for optional stack-on storage.<br>❗ Not designed to be used with Valido Series 22¾″D modular or mobile pedestals. Modesty/back panel is inset 3½″. | | | | | |
|  | **Credenza with two Lateral Files (with core removable locks)** | | | | | |
| | 72″W x 24″D x 29½″H | **H115491** | 330 | 36.0 | **$3687** | **$3769** |
| | NOTES: 4 locking drawers. Each lock secures 2 drawers. Includes hangrails; mechanical interlock inhibits the extension of more than one drawer at a time. If side-by-side drawers are opened or closed simultaneously, one drawer may interfere with the other. See pages 163-164 for optional stack-on storage. | | | | | |
|  | **Credenza with Lateral File, left and Storage Cabinet, right (with core removable locks)** | | | | | |
| | 72″W x 24″D x 29½″H | **H115492** | 323 | 36.0 | **$3343** | **$3425** |
| | NOTES: Includes hangrails; mechanical interlock inhibits the extension of more than one drawer at a time. Storage cabinet locks and includes one adjustable interior shelf. Shelf adjusts in 1¼″ increments with a total range of 5″H. See pages 163-164 for optional stack-on storage. | | | | | |
|  | **Credenza w/Two Storage Cabinets** | | | | | |
| | 72″W x 24″D x 29½″H | **H115493** | 320 | 35.6 | **$2968** | **$3050** |
| | NOTES: Each storage cabinet has one interior shelf which adjusts in 1¼″ increments over a total range of 5″. Each cabinet locks independently. Locks are keyed alike. For optional stack-on storage, see pages 163-164 for additional stack-on storage models. | | | | | |


**NOTES:**

- Shared components shown on this page can be used with modular components shown on pages 151-155, full pedestal models shown on pages 156-157, and 3/4 pedestal models shown on pages 158-159.
- Mobile pedestals shown on page 167 work well in a variety of configurations.
- Locking units equipped with interchangeable core removable locks.
- File drawers accept hanging folders in letter or legal size.
- See page 147 for handle design/finish options.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have ¾″ adjustable range.
- See pages 160-171 for shared components.

❗ Keyed alike cores must be ordered separately — see page 673.


## HOW TO SPECIFY

| Select Model Number | Select Edge Profile | Select Handle Option | Select Laminate |
|---|---|---|---|
| | See page 146 | See page 146<br>Not specified on Bridge models | See page 146 |
| H 1 1 5 4 7 R . | A . | C . | N N |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Stack-on Storage for an "L" Workstation** | | | | | |
| 78"W x 14⅝"D x 37½"H | **H115327** | 209 | 17.6 | **$2119** | **$2190** |
| **Stack-on Storage for an "L" Workstation, Locking** | | | | | |
| 78"W x 14⅝"D x 37½"H | **H115327K** | 209 | 17.6 | **$2238** | **$2309** |

NOTES: Spans the total depth dimension of configurations comprised of: 48"W return or return shell attached to a 30"D single pedestal desk, desk shell or peninsula (78"D); 42"W return or return shell attached to a 36"D single pedestal desk, desk shell or peninsula (78"D). 42"W return or return shell attached to a 36" corner unit (78"D); or 42"W curved return attached to 36" curved corner unit (78"D). Use back enclosure model H105857 and tackboard model H90057 (see page 165). Use task light models HH870960, or HH870960CH (see page 688). For vertical paper manager model HLVPM1, see page 689.




| | | | | | |
|---|---|---|---|---|---|
| **Stack-on Storage (See page 165 for Back Enclosures and Fabric Tackboards)** | | | | | |
| 72"W x 14⅝"D x 37½"H, 4 doors (Use Task Light model HH870960, see page 688) | **H11534** | 195 | 16.9 | **$1906** | **$1966** |
| 66"W x 14⅝"D x 37½"H, 4 doors (Use Task Light model HH870960, see page 688) | **H11533** | 184 | 15.3 | **$1861** | **$1921** |
| 60"W x 14⅝"D x 37½"H, 4 doors (Use Task Light model HH870960, see page 688) | **H115324** | 172 | 14.0 | **$1781** | **$1841** |
| 48"W x 14⅝"D x 37½"H, 3 doors (Use Task Light model HH870942, see page 688) | **H115323** | 148 | 11.3 | **$1550** | **$1600** |
| 42"W x 14⅝"D x 37½"H, 2 doors (Use Task Light model HH870942, see page 688) | **H115322** | 141 | 4.0 | **$1334** | **$1384** |
| 36"W x 14⅝"D x 37½"H, 2 doors (Use Task Light model HH870930, see page 688) | **H115321** | 107 | 3.5 | **$1278** | **$1322** |
| **Stack-on Storage, Locking (See page 165 for Back Enclosures and Fabric Tackboards)** | | | | | |
| 72"W x 14⅝"D x 37½"H, 4 doors (Use Task Light model HH870960, see page 688) | **H11534K** | 195 | 16.9 | **$2028** | **$2088** |
| 66"W x 14⅝"D x 37½"H, 4 doors (Use Task Light model HH870960, see page 688) | **H11533K** | 184 | 15.3 | **$1981** | **$2041** |
| 60"W x 14⅝"D x 37½"H, 4 doors (Use Task Light model HH870960, see page 688) | **H115324K** | 172 | 14.0 | **$1903** | **$1963** |
| 48"W x 14⅝"D x 37½"H, 3 doors (Use Task Light model HH870942, see page 688) | **H115323K** | 148 | 11.3 | **$1641** | **$1691** |
| 42"W x 14⅝"D x 37½"H, 2 doors (Use Task Light model HH870942, see page 688) | **H115322K** | 141 | 4.0 | **$1394** | **$1444** |
| 36"W x 14⅝"D x 37½"H, 2 doors (Use Task Light model HH870930, see page 688) | **H115321K** | 107 | 3.5 | **$1339** | **$1383** |

NOTES: Models H11534 and H11534K can be used for "L" configuration comprised of 30"D desk, desk shell or peninsula and 42"W return or return shell. Model H115323K has one lock which secures two of the three doors. For vertical paper manager, see page 689.

**NOTES:**

- Shared components shown on this page can be used with modular components shown on pages 151-155, full pedestal models shown on pages 156-157, and 3/4 pedestal models shown on pages 158-159.
- Stack-on storage models are equipped with self-closing, adjustable hinged doors and valance to hide task light.
- For work-in-process paper management tools, see pages 689-691.
- See pages 160-171 for shared components.

! Removable lock core kit for stack-on and wall mount storage is model HF27B, see page 673.

! The HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.


## HOW TO SPECIFY

| Select Model Number | Select Edge Profile | Select Laminate |
|---|---|---|
| | See page 146 | See page 146 |
| H 1 1 5 3 4 . | A . | N N |


# VALIDO®
# Shared Components & Accessories

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Stack-on Storage for an "L" Workstation, Frosted Doors with Silver Frame** | | | | | |
| 78"W x 14⅝"D x 37½"H, 4 doors (Use Task Light model HH870960, see page 688) | **H115327G** | 210 | 18.4 | **$3134** | **$3189** |
| NOTES: Spans the total depth dimension of configurations comprised of: 48"W return or return shell attached to a 30"D single pedestal desk, desk shell or peninsula (78"D); 42"W return or return shell attached to a 36"D single pedestal desk or desk shell with a rectangle top, or to a peninsula (78"D). 42"W return or return shell attached to a 36" corner unit (78"D); 42"W curved return attached to 36" curved corner unit (78"D); or 36"W return shell attached to a jetty peninsula (78"D). Use back enclosure model H105857 and tackboard model H90057. Use task light models HH870960 or HH870960CH. For vertical paper manager model HLVPM1, see page 689. | | | | | |
| **Stack-on Storage, w/Frosted Doors with Silver Frame** | | | | | |
| 72"W x 14⅝"D x 37½"H, 4 doors (Use Task Light model HH870960, see page 688) | **H11534G** | 196 | 17.0 | **$2913** | **$2957** |
| 66"W x 14⅝"D x 37½"H, 4 doors (Use Task Light model HH870960, see page 688) | **H11533G** | 185 | 15.6 | **$2865** | **$2909** |
| 60"W x 14⅝"D x 37½"H, 4 doors (Use Task Light model HH870960, see page 688) | **H115324G** | 173 | 14.2 | **$2782** | **$2826** |
| 48"W x 14⅝"D x 37½"H, 3 doors (Use Task Light model HH870942, see page 688) | **H115323G** | 148 | 11.5 | **$2307** | **$2340** |
| 42"W x 14⅝"D x 37½"H, 2 doors (Use Task Light model HH870942, see page 688) | **H115322G** | 141 | 4.1 | **$1850** | **$1883** |
| 36"W x 14⅝"D x 37½"H, 2 doors (Use Task Light model HH870930, see page 688) | **H115321G** | 107 | 4.1 | **$1790** | **$1818** |
| NOTES: For respective desk, credenza or return widths. Model 11534 can be used for "L" configuration comprised of a 42"W return or return shell attached to a 30"D single pedestal desk, desk shell or peninsula (72"); 36"W return shell attached to a 36"D single pedestal desk, desk shell or peninsula (72"); or 30"W return shell attached to a jetty peninsula (72"). Back enclosures, tackboards for use with back enclosures and task lights are available as options. See vertical paper manager model HLVPM1 on page 689. Stack-on Storage models H115327G, H11534G, H11533G and H115324G use task light model HH870960. Models H115323G and H115322G use task light model HH870942 and model H115321G uses task light model HH870930. All task lights can be found on page 688. | | | | | |



| | | | | | |
|---|---|---|---|---|---|
| **Stack-on Storage Clearance End Panel Kit** | | | | | |
| 1⅛"W x 4⅝-14⅝"D x 36"H | **H105349** | 29 | 3.4 | **$455** | **$472** |
| Two field installable end panels (1-right; 1-left) for use in ganging two 10500 or Valido® Series stack-on storage units. See page 283. NOTES: Can be used to connect up to two stack-on storage units in a line (requires 1 kit). Not available in two-tone laminate. **SPECIFYING EXAMPLE: H105349.N** | | | | | |

**NOTES:**

- Shared components shown on this page can be used with modular components shown on pages 151-155, full pedestal models shown on pages 156-157, and 3/4 pedestal models shown on pages 158-159.
- Stack-on storage models are equipped with self-closing, adjustable hinged doors and valance to hide task light.
- For work-in-process paper management tools, see pages 689-691.
- See pages 160-171 for shared components.


Removable lock core kit for stack-on and wall mount storage is model HF27B, see page 673.

The HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.

## HOW TO SPECIFY


| Select Model Number | Select Edge Profile | Select Laminate |
|---|---|---|
| | See page 146 | See page 146 |
| H 1 1 5 3 2 7 G . | A . | N N |

# Shared Components & Accessories



| DESCRIPTION | MODEL | COM | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
| **Wall Mounted Storage Cabinet** | | | | | | |
| 30″W x 14⅝″D x 17⅞″H, 2 doors | **H115380** | | 77 | 8.7 | **$1288** | **$1327** |
| (Use Task Light model HH870930, see page 688) | | | | | | |
| 36″W x 14⅝″D x 17⅞″H, 2 doors | **H115381** | | 92 | 10.2 | **$1355** | **$1394** |
| (Use Task Light model HH870930, see page 688) | | | | | | |
| 42″W x 14⅝″D x 17⅞″H, 2 doors | **H115382** | | 103 | 11.7 | **$1457** | **$1496** |
| (Use Task Light model HH870942, see page 688) | | | | | | |
| 48″W x 14⅝″D x 17⅞″H, 3 doors | **H115383** | | 121 | 14.0 | **$1575** | **$1614** |
| (Use Task Light model HH870942, see page 688) | | | | | | |
| **Wall Mounted Storage Cabinet, Locking** Buyer | | | | | | |
| 30″W x 14⅝″D x 17⅞″H, 2 doors | **H115380K** | | 77 | 8.7 | **$1349** | **$1388** |
| (Use Task Light model HH870930, see page 688) | | | | | | |
| 36″W x 14⅝″D x 17⅞″H, 2 doors | **H115381K** | | 92 | 10.2 | **$1416** | **$1455** |
| (Use Task Light Model HH870930, see page 688) | | | | | | |
| 42″W x 14⅝″D x 17⅞″H, 2 doors | **H115382K** | | 103 | 11.7 | **$1519** | **$1558** |
| (Use Task Light Model HH870942, see page 688) | | | | | | |
| 48″W x 14⅝″D x 17⅞″H, 3 doors | **H115383K** | | 121 | 14.0 | **$1668** | **$1707** |
| (Use Task Light Model HH870942, see page 688) | | | | | | |

NOTES: Horizontal interlocking rails are included; due to varying types of walls, installers are responsible for selecting and supplying the appropriate fasteners. Tackboard widths differ slightly from wall mounted storage cabinet widths. For applications where multiple wall mounted storage cabinets are placed side-by-side, the preferred tackboard solution may be to utilize a larger tackboard size. For example, H90057 = 75″W; H90056 = 68¾″W; H90055 = 62¾″W; H90054 = 56¾″W. For paper organizer tools, see pages 689-691.




18⅝″H

*Not available in two-tone laminate*

| DESCRIPTION | MODEL | COM | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
| **Back Enclosure for Stack-on Storage** | | | | | | |
| 75¾″W - for 78″W model #H115327 | **H105857** | | 39 | 1.4 | **$328** | **$340** |
| 69¾″W - for 72″W model #H11534 | **H105856** | | 33 | 1.3 | **$301** | **$313** |
| 63¾″W - for 66″W model #H11533 | **H105855** | | 31 | 1.3 | **$281** | **$293** |
| 57¾″W - for 60″W model #H115324 | **H105854** | | 29 | 1.3 | **$268** | **$280** |
| 45¾″W - for 48″W model #H115323 | **H105853** | | 23 | 0.9 | **$268** | **$280** |
| 39¾″W - for 42″W model #H115322 | **H105852** | | 21 | 0.9 | **$255** | **$267** |
| 33¾″W - for 36″W model #H115321 | **H105851** | | 18 | 0.9 | **$242** | **$254** |

NOTES: Non-tackable. Specify laminate.
**SPECIFYING EXAMPLE: H105857.N**



18"H

| DESCRIPTION | MODEL | COM | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
| **Tackboards for use with Stack-on Back Enclosures** | | | | | |
| 75″W - for 78″W model #H115327 Hutch with #H105857 Enclosure | **H90057** | 3.0 | 13 | 3.2 | **$436** |
| 68¾″W - for 72″W model #H11534 Hutch with #H105856 Enclosure | **H90056** | 2.0 | 12 | 2.7 | **$414** |
| 62¾″W - for 66″W model #H11533 Hutch with #H105855 Enclosure | **H90055** | 2.0 | 11 | 2.5 | **$393** |
| 56¾″W - for 60″W model #H115324 Hutch with #H105854 Enclosure | **H90054** | 2.0 | 10 | 2.2 | **$346** |
| 44¾″W - for 48″W model #H115323 Hutch with #H105853 Enclosure | **H90053** | 2.0 | 8 | 1.8 | **$332** |
| 39″W - for 42″W model #H115322 Hutch with #H105852 Enclosure | **H90052** | 2.0 | 7 | 1.6 | **$306** |
| 33″W - for 36″W model #H115321 Hutch with #H105851 Enclosure | **H90051** | 1.0 | 6 | 1.4 | **$270** |

NOTES: Specify fabric, see pages 26-27. Upcharges may apply to premium fabric grades.

Disperse (DISP) fabric not available on sizes wider than 60″. Exchange (EXG) not available on sizes wider than 60″.

Back Enclosures must be ordered separately.
**SPECIFYING EXAMPLE: H90057.APN15**

**NOTES:**

- Shared components shown on this page can be used with modular components shown on pages 151-155, full pedestal models shown on pages 156-157, and 3/4 pedestal models shown on pages 158-159.
- Back enclosure features full-width 1⅛″ slot at the bottom to facilitate routing cords and reaching wall electrical outlets.
- Tackboard is sized ¾″ narrower than stack-on storage back enclosure, allowing ⅜″ on each side to route task light cord.
- Wall mounted storage cabinet attachment requires individual cabinets be secured by a minimum of two wall mounting locations/studs.
- Wall mounted storage cabinets are designed for interior and perimeter walls that are constructed with wood or metal studs.
- Wall attachment methodology: horizontally mounted, interlocking brackets.
- Wall mounted storage cabinet door design overlaps end panels so that when multiple units are placed side-by-side they appear as one continuous unit.
- See pages 160-171 for shared components.

Removable lock core kit for stack-on and wall mount storage is model HF27B, see page 673.

The HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.

## HOW TO SPECIFY

**Select Model Number**

H 1 1 5 3 8 0 .

**Select Edge Profile**
See page 146

A .

**Select Laminate**
See page 146


N N

# VALIDO®
# Shared Components & Accessories

GSA SIN 33721

Icon Legend on page 19

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Extended Corner Unit** | | | | | |
| 24″W x 36″D x 72″W x 24″D x 29½″H, Right (shown) | **H115815R** | 203 | 7.0 | **$1930** | **$1980** |
| 24″D x 72″W x 36″D x 24″W x 29½″H, Left | **H115816L** | 203 | 7.0 | **$1930** | **$1980** |





*Right-hand model H115815R shown*

NOTES: Can be used freestanding. One grommet in top and in modesty panel. Accept Valido Series modular or mobile pedestals. See pages 163-164 for optional stack-on storage.


Designed to be used with returns or bridges.

**SPECIFYING EXAMPLE: H115815R.A.NN**





H115298L
H115816L
H11534
H11515R




H115103
H115204L
H115598
H115815R
H115104
H11534
H115520




**Corner Unit**

| | | | | | |
|---|---|---|---|---|---|
| 24″ x 36″ x 36″ x 24″ x 29½″H | **H115811** | 141 | 3.1 | **$1331** | **$1370** |

NOTES: Can be used freestanding.

Designed to be used with 24″D x 29½″H returns or bridges.

**SPECIFYING EXAMPLE: H115811.A.NN**




**NOTES:**

- Shared components shown on this page can be used with modular components shown on pages 151-155, full pedestal models shown on pages 156-157, and 3/4 pedestal models shown on pages 158-159.
- Mobile pedestals, shown on page 167, work well in a variety of configurations.
- Extended corner units (H115815R and H115816L) can be used with 36″W return shell (H115680) to achieve a 6′ x 6′ layout.
- 36″ corner unit (H115811) can be used with two 36″W return shells (H115680) to achieve a 6′ x 6′ layout.
- For conference table options, see the Preside® table tops and bases in the Tables section in the 2024 Shared Spaces Pricer. Order edge option "K".
- For work-in-process paper management tools, see pages 689-691.
- See pages 160-171 for shared components.

## HOW TO SPECIFY

| Select Model Number | Select Edge Profile | Select Laminate |
|---|---|---|
| | See page 146 | See page 146 |
| H 1 1 5 8 1 7 R . | A . | N N |

# Shared Components & Accessories

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Mobile Pedestal (with core removable lock) — Box/Box/File**<br>15¾″W x 22¾″D x 28⅜″H — use freestanding or under 24″D, 30″D and 36″D modular shells | **H115102** | 121 | 8.4 | **$1387** | **$1431** |
| NOTES: Top box drawer does not lock. | | | | | |
| **Mobile Pedestal (with core removable lock) — File/File**<br>15¾″W x 22¾″D x 28⅜″H — use freestanding or under 24″D, 30″D and 36″D modular shells | **H115104** | 121 | 8.4 | **$1387** | **$1431** |
| **Mobile Pedestal (with core removable lock) — Box/File**<br>15¾″W x 18¾″D x 21⅞″H — use freestanding or under 20″D, 24″D, 30″D and 36″D modular shells | **H115106** | 68 | 5.8 | **$1162** | **$1195** |
| **Mobile Pedestal — Shelf/Box/File**<br>15¾″W x 18¾″D x 28⅜″H — use freestanding or under 20″D, 24″D, 30″D and 36″D modular shells | **H115109** | 76 | 7.3 | **$1274** | **$1318** |
| NOTES: **All mobile pedestals have a 1⅛″ thick top with flat, non-profiled edge.**<br>**SPECIFYING EXAMPLE: H115102.C.NN** | | | | | |
| **Lateral File (with core removable lock)** | | | | | |
| 36″W x 24″D x 29½″H — two drawer | **H115690** | 199 | 18.4 | **$1942** | **$2002** |
| 36″W x 20″D x 29½″H — two drawer | **H11563** | 177 | 15.6 | **$1850** | **$1905** |
| 36″W x 20″D x 45½″H — three drawer | **H11517** | 247 | 23.2 | **$2808** | **$2879** |
| 36″W x 20″D x 59⅛″H — four drawer | **H11516** | 312 | 31.0 | **$3911** | **$3988** |
| NOTES: Includes hangrails, mechanical interlock, and in H11563 and H115690, a counterweight. Stack-on storage (H115321) and bookcase hutch (H115292) can be used with H11563 and H115690. Interlock inhibits the extension of more than one drawer from opening at a time. 24″D two-drawer model aligns with the depth of 24″D credenzas and returns.<br>**SPECIFYING EXAMPLE: H11563.A.C.NN** | | | | | |
| **Storage Cabinet with Doors (with core removable lock)** | | | | | |
| 36″W x 24″D x 29½″H | **H115290** | 176 | 18.4 | **$1671** | **$1731** |
| 36″W x 20″D x 29½″H | **H115291** | 154 | 15.0 | **$1437** | **$1492** |
| NOTES: Includes one adjustable shelf. Shelf adjusts in 1¼″ increments with a total range of 5″H. Stack-on storage (H115321) and bookcase hutch (H115292) can be used with H115290 or H115291. 24″D model aligns with the depth of 24″D credenzas and returns.<br>**SPECIFYING EXAMPLE: H115291.A.C.NN** | | | | | |
| **Bookcase Hutch (for use with lateral file models H11563 or H115690 or storage cabinet with door models H115291 or H115290)** | | | | | |
| 36″W x 14⅝″D x 37½″H | **H115292** | 108 | 3.8 | **$1119** | **$1136** |
| NOTES: Cord pass-through gap behind shelves and a 1⅛″H full-width cord management slot at the bottom of the back panel to facilitate routing cords and reaching wall electrical outlets. When placed on top of 29½″H base unit the total height (67″H) matches the height of credenzas with stack-on storage and the height of the wardrobe/storage cabinets and storage cabinet/lateral file. Two shelves are adjustable in 1¼″ increments with a total range of 17½″H.<br>**SPECIFYING EXAMPLE: H115292.A.NN** | | | | | |

**NOTES:**

- For additional components that can be shared with Valido Series, see pages 160-171.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- Versatile mobile pedestals work well in a variety of configurations. Can be used freestanding or under modular shells. 1⅛″ thick top with a square, non-profiled edge.
- 24″D two drawer lateral file and 24″D storage cabinet with door models align with 24″D credenzas and returns, credenza and return shells as well as wardrobe/storage cabinets to provide linear layout continuity.
- Mobile printer/fax cart shown on page 155 is ideal for limited space.
- File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have ¾″ adjustable range.
- For conference table options, see the Preside® table tops and bases in the Tables section in the 2024 Shared Spaces Pricer. Order edge option “K”.

## HOW TO SPECIFY


| Select Model Number | Select Edge Profile | Select Handle Option | Select Laminate |
|---|---|---|---|
| | See page 146<br>Not specified for models H115102, H115103 and H115104 | See page 146<br>Not specified for models H115292, H115520, H115523 and H115524 | See page 146 |
| H 1 1 5 6 3 . | A . | C . | N N |

# VALIDO®
# Shared Components & Accessories

GSA SIN 33721

Icon Legend on page 19

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Storage/File Cabinet (with core removable locks)** | | | | | |
| 18″W x 24″D x 67″H, Hinged Right (shown) | **H115297R** | 262 | 22.7 | **$3032** | **$3114** |
| 18″W x 24″D x 67″H, Hinged Left | **H115298L** | 262 | 22.7 | **$3032** | **$3114** |



*Right-hand model H115297R shown*

NOTES: Versatile unit features a storage cabinet and two file drawers. Storage cabinet includes three shelves, two are adjustable in 2½″ increments. Door hinged left or right models available. File drawers operate on ball-bearing suspensions with full extension. File drawers have high sides to accept hanging folders in letter or legal size. Drawers standard with hangrails. Both the storage cabinet and the file drawers are equipped with an interchangeable core removable lock. Unit height is designed to match credenza or return plus stack-on storage height.

| | | | | | |
|---|---|---|---|---|---|
| **Storage Cabinet/Lateral File (with core removable lock)** | | | | | |
| 36″W x 24″D x 67″H | **H115293** | 373 | 41.0 | **$3929** | **$4038** |



*Doors open 110 degrees from closed position.*

NOTES: Storage cabinet is standard with one fixed and two full-width adjustable shelves in top compartment; adjustable shelves can be removed. Overall storage compartment measures 31¼″W x 22″D x 36⅛″H and will accommodate supplies, books and binders, as well as business machines and electronic equipment. Cord pass-through gap behind shelves and grommet in back of cabinet to facilitate routing cords and reaching wall electrical outlets. Two drawer lateral file on bottom. Lateral file comes with mechanical interlock and hangrails. Cabinet and lateral file lock independently. Unit height is designed to match credenza or return plus stack-on storage height.


| | | | | | |
|---|---|---|---|---|---|
| **Storage Cabinet w/Doors (with core removable lock)** | | | | | |
| 36″W x 24″D x 67″H | **H115299** | 349 | 41.0 | **$3511** | **$3620** |



*Doors open 110 degrees from closed position.*

NOTES: Large capacity storage area includes five, full-width (side-to-side) shelves; three are adjustable in 2½″ increments. Unit height matches credenza or return plus stack-on storage height.


| | | | | | |
|---|---|---|---|---|---|
| **Personal Wardrobe/Storage Cabinet (with core removable lock)** | | | | | |
| 18″W x 24″D x 67″H, Hinged Right (shown) | **H115295R** | 227 | 22.9 | **$2622** | **$2704** |
| 18″W x 24″D x 67″H, Hinged Left | **H115296L** | 227 | 22.9 | **$2622** | **$2704** |



*Right-hand model H115295R shown*

NOTES: Unit is standard with four adjustable shelves, coat rod, and core removable lock. Shelves adjust in 2½″ increments. Unit height is designed to match credenza or return plus stack-on storage height. Cabinet can be used as a wardrobe by removing four adjustable shelves. Coat rod can be removed from cabinet for storage only applications.


| | | | | | |
|---|---|---|---|---|---|
| **Personal Wardrobe/Storage Cabinet (with core removable lock)** | | | | | |
| 36″W x 24″D x 67″H | **H11530** | 349 | 41.0 | **$3837** | **$3946** |



*Doors open 110 degrees from closed position.*

NOTES: Spacious design is standard with four adjustable shelves (one shelf is fixed), coat rod and core removable lock which locks both doors. Shelves adjust in 2½″ increments. Unit height is designed to match credenza or return plus stack-on storage height.

| | | | | | |
|---|---|---|---|---|---|
| **Personal Storage Tower (with core removable locks)** | | | | | |
| 24″W x 24″D x 67″H, Wardrobe Hinged Right, Storage Cabinet Hinged Left (shown) | **H115301R** | 304 | 27.9 | **$3837** | **$3940** |
| 24″W x 24″D x 67″H, Wardrobe Hinged Left, Storage Cabinet Hinged Right | **H115302L** | 304 | 27.9 | **$3837** | **$3940** |



*Right-hand model H115301R shown*

NOTES: Spacious design includes a wardrobe closet, storage cabinet, and two file drawers in one compact unit. Wardrobe closet contains a coat rod. Storage cabinet includes three shelves, two are adjustable in 2½″ increments. Door hinged left or right models available. File drawers operate on ball-bearing suspensions with full extension. File drawers have high sides to accept hanging folders in letter or legal size. Drawers standard with hangrails. Equipped with interchangeable core removable locks. Upper lock secures storage cabinet and wardrobe closet doors; lower lock secures file drawers. Unit height is designed to match credenza or return plus stack-on storage height.

**NOTES:**

- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have ¾″ adjustable range.
- Locking units equipped with interchangeable core removable locks.
- For conference table options, see the Preside® table tops and bases in the Tables section in the 2024 Shared Spaces Pricer. Order edge option "K".
- See pages 160-171 for shared components.

Keyed alike cores must be ordered separately — see model HF23B on page 673.

## HOW TO SPECIFY

| Select Model Number | Select Edge Profile | Select Handle Option | Select Laminate |
|---|---|---|---|
| | See page 146 | See page 146 | See page 146 |
| H 1 1 5 2 9 7 R . | A . | C . | N N |

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Bookcase** | | | | | |
| 36″W x 13⅛″D x 29⅝″H, 2-Shelf | **H11552** | 94 | 10.2 | **$961** | **$978** |
| 36″W x 13⅛″D x 43⅜″H, 3-Shelf | **H11553** | 126 | 15.6 | **$1128** | **$1150** |
| 36″W x 13⅛″D x 57⅛″H, 4-Shelf | **H11554** | 160 | 20.3 | **$1340** | **$1368** |
| 36″W x 13⅛″D x 71″H, 5-Shelf | **H11555** | 191 | 25.3 | **$1509** | **$1542** |




*H11552 shown*

NOTES: Fixed shelves. Inside shelf dimensions on all units is 33¾″W x 12″D x 13″H. No assembly required.
**SPECIFYING EXAMPLE: H11552.A.NN**

---


**End Cap Bookshelf**
24″W x 24″D x 29½″H — **H115520** — 87 — 2.6 — **$1129** — **$1146**
(2 shelves, 1 fixed, 1 adjustable. Adjusts in 2½″ increments with a total range of 10″H)



NOTES: Unit is freestanding. Designed to be positioned at the end of 24″D credenzas and returns. Holds books and personal items.
**SPECIFYING EXAMPLE: H115520.A.NN**

---


**End Cap Bookshelf**
15″W x 15″D x 37½″H — **H115523** — 54 — 2.2 — **$998** — **$1015**
(3 shelves, 1 fixed, 2 adjustable. Adjusts in 2½″ increments with a total range of 25″H)



NOTES: Unit is designed to be positioned at the end of stack-on storage and on top of model H115520. Combined height of models H115520 and H115523 matches credenza plus stack-on storage height. Can be used freestanding.
**SPECIFYING EXAMPLE: H115523.A.NN**

---


**End Cap Bookshelf**
24″W x 24″D x 67″H — **H115524** — 167 — 4.8 — **$1790** — **$1818**



NOTES: Designed to be positioned at the end of 24″D credenzas with stack-on storage, 24″D returns with stack-on storage, 24″D storage/file cabinet, 24″D storage cabinet/lateral file, 24″D wardrobe/storage cabinets, or the 24″D personal storage tower. Unit has four shelves, three are adjustable in 2½″ increments, with a total range of 45″H; bottom shelf is fixed.
**SPECIFYING EXAMPLE: H115524.A.NN**

---

**Square End Cap Bookshelf — 2-Fixed Shelves**
24″W x 24″D x 29½″H, Right — **H115525R** — 98 — 3.7 — **$1111** — **$1128**
24″W x 24″D x 29½″H, Left — **H115526L** — 98 — 3.7 — **$1111** — **$1128**




*Model H115525R Model H115526L*

**SPECIFYING EXAMPLE: H115525R.A.NN**

---

**Square End Cap Bookshelf — 4-Fixed Shelves**
24″W x 24″D x 67″H, Right — **H115527R** — 178 — 11.4 — **$1713** — **$1741**
24″W x 24″D x 67″H, Left — **H115528L** — 178 — 11.4 — **$1713** — **$1741**



*Model H115527R Model H115528L*

**SPECIFYING EXAMPLE: H115527R.A.NN**

NOTES: Units are freestanding. Designed to be positioned next to 24″D models or as a corner bookcase.
End cap, left: grain direction on top aligns with grain direction on tops of left pedestal returns and left credenza models or when positioned to the left side of credenzas with doors or kneespace models.
End cap, right: grain direction on top aligns with grain direction on tops of right pedestal returns and right credenza models or when positioned to the right side of credenzas with doors or kneespace models.

---

**NOTES:**
- Choose from square or rounded versions of the end cap bookshelves.
- End Cap Bookcases are designed to be positioned at the end of 24″D credenzas and returns.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled; glides have ¾″ adjustable range.
- End cap bookshelf units are ideal for books, photos and mementos.
- For conference table options, see the Preside® table tops and bases in the Tables section in the 2024 Shared Spaces Pricer. Order edge option “K”.
- See pages 160-171 for shared components.





## HOW TO SPECIFY


| Select Model Number | Select Edge Profile | Select Laminate |
|---|---|---|
| | See page 146 | See page 146 |
| H 1 1 5 5 2 7 R . | A . | N N |

# VALIDO®
# Shared Components & Accessories

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Reception Station with Transaction Counter for 72″W x 36″D Desk, or Desk Shell, with rectangle top**<br>72″W x 36″D x 14⅝″H | **H115720** | 100 | 3.0 | **$1070** | **$1109** |
| | NOTES: For desk tops without grommets, see field installable grommet kit, model HFLDGRMT or HFLDGRMT3 on page 697. Transaction counter organizer (HTCOL52) fits under/inside of transaction counter (see below). | | | | | |
|  | **Reception Station for 42″W x 24″D Return or Return Shell**<br>42″W x 24″D x 13″H | **H105722** | 21 | 1.0 | **$321** | **$343** |
| | **Reception Station for 48″W x 24″D Return or Return Shell**<br>48″W x 24″D x 13″H | **H105721** | 25 | 3.6 | **$365** | **$387** |
| | NOTES: For return tops without grommets, see field installable grommet kit, model HFLDGRMT or HFLDGRMT3 on page 697.<br>Not available in two tone laminate. | | | | | |
|  | **Reception Desk Shell**<br>72″W x 39⅞″D x 44 13/16″H | **H115724** | 328 | 16.8 | **$2142** | **$2202** |
| | NOTES: Non-handed design. Integrated 18⅝″D transaction counter with a 4″ full-width overhang. Two cord management grommets in top for routing and hiding wires and cables. Transaction counter organizer (HTCOL52) fits under/inside of transaction counter. | | | | | |
|  | **Reception Return Shell**<br>42″W x 24″D x 43 5/16″H | **H115726** | 140 | 16.8 | **$1391** | **$1430** |
| | NOTES: Non-handed design. Attaches to reception desk shell to form an L-shaped workstation. One cord management grommet in top for routing and hiding wires and cables. Woodgrain on approach side is vertical to match grain direction on end panels of reception desk. | | | | | |


| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Transaction Counter Organizer**<br>48¾″W x 11⅛″D x 13″H | **HTCOL52** | 24 | 1.1 | **$359** |
| | NOTES: Fits under reception station with transaction counter model H115720 or reception desk shell H115724.<br>Black only. | | | | |


**NOTES:**
- Two welcoming reception station designs to choose from — stack-on enclosure or full-to-floor shell.
- See pages 160-171 for shared components.

## HOW TO SPECIFY

| Select Model Number | Select Edge Profile | Select Laminate |
|---|---|---|
| | See page 146 | See page 146 |
| H 1 1 5 7 2 4 . | A . | N N |

# Shared Components & Accessories





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Field Installable Drawer/Door Handle Kits (fit Valido® 96mm hole spacing)** | | | | |
| Linear, Black, 2-pack | **HLINEARA2** | 0.4 | 0.3 | **$81** |
| Linear, Matte Chrome, 2-pack | **HLINEARC2** | 0.4 | 0.3 | **$81** |
| Linear, Black, 3-pack | **HLINEARA3** | 0.5 | 0.3 | **$90** |
| Linear, Matte Chrome, 3-pack | **HLINEARC3** | 0.5 | 0.3 | **$90** |
| NOTES: The Linear and Arch handles attach using the same 96mm hole spacing as the Valido® Sweep and Crescent handles. The Linear handle is not recommended for use on the Valido® Narrow/Box/Box/File Modular Pedestal — model H115093. | | | | |
| Arch, Black, 2-pack | **HARCHA2** | 0.4 | 0.3 | **$81** |
| Arch, Matte Chrome, 2-pack | **HARCHC2** | 0.4 | 0.3 | **$81** |
| Arch, Black, 3-pack | **HARCHA3** | 0.5 | 0.3 | **$90** |
| Arch, Matte Chrome, 3-pack | **HARCHC3** | 0.5 | 0.3 | **$90** |

**Must be ordered with a configurable end product. If ordered separately, not on GSA contract.**

**NOTES:**

- Linear and Arch field installable handles attach using Valido® 96mm (approx. 3¾″) hole spacing. No drilling required.
- For conference table options, see the Preside® table tops and bases in the Tables section in the 2024 Shared Spaces Pricer. Order edge option “K”.

# VOI®

Want to see more? Scan here to check out hon.com.




Voi® Desking shown with Ignition® Seating.

## VOI®

Voi gets you. Your needs. Your style. Your environment. Voi packs a lot of functionality into a little space, so you can maximize yours. Plus, versatile Voi integrates easily with a variety of spaces, systems — even open plans. Solidly built and strikingly designed, Voi combines classic warmth and contemporary cool with an extensive variety of laminates, colors, components and configurations. So you can create a sophisticated, professional look that is uniquely yours.







**FEATURES**

- Big. Small. Functional. Adaptable. Voi has multiple options to meet your storage needs and available space.
- To create an office look that's uniquely yours, mix things up — with tasteful modesty panels, stylish storage cubes and mixed surface materials.
- Refined scale. Layered workspaces. Together they help streamline your office to create small-footprint spaces that work BIG.
- With so many configurations and combinations, Voi® makes it easy to create a stylish, unified look across your entire office.

# VOI® ORDERING INFORMATION



## WORKSURFACES

**L1 LAMINATES ..... CODES**

**Woodgrain**
- Bourbon Cherry ..... H
- Cognac ..... COGN
- Field Elm ..... LWFE
- Florence Walnut ..... LFW1
- Harvest ..... C
- Kingswood Walnut ..... LKI1
- Mahogany ..... N
- Mocha ..... MOCH
- Natural Maple ..... D
- Pinnacle ..... PINC
- Shaker Cherry ..... F
- Sterling Ash ..... LSA1

**Solid**
- Black ..... P
- Charcoal ..... S
- Designer White ..... LDW1
- Loft ..... LOFT

**Patterned**
- Handspun Chestnut ..... LAHC
- Handspun Dove ..... LAHD
- Handspun Pearl ..... LAHP
- Handspun Slate ..... LAHS
- Silver Mesh* ..... B9

**L2 LAMINATES** ..... CODES**

**Woodgrain**
- Beigewood ..... LWBE
- Fawn Cypress ..... LFC1
- Lowell Ash ..... LLA1
- Natural Recon ..... LNR1
- Phantom Ecru ..... LPE1
- Portico Teak ..... LPT1
- Skyline Walnut ..... LSW1

## WORKSURFACE EDGEBAND

**Woodgrain**
- Beigewood ..... DE
- Bourbon Cherry ..... H
- Cognac ..... COGN
- Fawn Cypress ..... FC
- Field Elm ..... FE
- Florence Walnut ..... FW
- Harvest ..... C
- Kingswood Walnut ..... KI
- Lowell Ash ..... DL
- Mahogany ..... N
- Mocha ..... MOCH
- Natural Maple ..... D
- Natural Recon ..... NR
- Phantom Ecru ..... PE
- Pinnacle ..... PINC
- Portico Teak ..... DP
- Shaker Cherry ..... F
- Skyline Walnut ..... SW
- Sterling Ash ..... SA

**Solid**
- Black ..... P
- Brownstone ..... EY
- Charcoal ..... S
- Designer White ..... DW
- Fossil ..... EH
- Greige ..... R
- Light Gray ..... Q
- Loft ..... LOFT
- Muslin ..... T
- Platinum ..... K

## CHASSIS/CABINET DRAWER/DOOR FRONTS, LAMINATE END PANELS, LAYERING SHELVES AND MODESTY PANELS

**L1 LAMINATES ..... CODES**

**Woodgrain**
- Bourbon Cherry ..... H
- Cognac ..... COGN
- Field Elm ..... LWFE
- Florence Walnut ..... LFW1
- Harvest ..... C
- Kingswood Walnut ..... LKI1
- Mahogany ..... N
- Mocha ..... MOCH
- Natural Maple ..... D
- Pinnacle ..... PINC
- Shaker Cherry ..... F
- Sterling Ash ..... LSA1

**Solid**
- Black ..... P
- Charcoal ..... S
- Designer White ..... LDW1
- Loft ..... LOFT

**L2 LAMINATES**** ..... CODES**

**Woodgrain**
- Beigewood ..... LWBE
- Fawn Cypress ..... LFC1
- Lowell Ash ..... LLA1
- Natural Recon ..... LNR1
- Phantom Ecru ..... LPE1
- Portico Teak ..... LPT1
- Skyline Walnut ..... LSW1

## WORKSURFACE GROMMETS

**PLASTIC ..... CODES**
- Black ..... P
- Brownstone ..... EY
- Charcoal ..... S
- Designer White ..... DW
- Fossil ..... EH
- Greige ..... R
- Loft ..... LOFT
- Muslin ..... T3
- Platinum ..... T1
- Titanium ..... TI

## PULLS & FEET

**PAINT ..... CODES**

**P1**
- Black ..... P
- Designer White ..... PJW

**P2**
- Champagne Metallic ..... T4
- Gunmetal Metallic ..... PR3
- Platinum Metallic ..... T1
- Silver ..... PR6
- Solar Black ..... P8X

## O-LEGS, STEEL LEGS, POST LEGS, SHELF BRACKETS, SHARED LEGS, STORAGE CUBES

**PAINTS ..... CODES**

**P1**
- Black ..... P
- Brownstone ..... P7D
- Charcoal ..... S
- Cove ..... P096
- Designer White ..... PJW
- Dune ..... P094
- Fossil ..... P28
- Greige ..... T5
- Harbor ..... P097
- Loft ..... LOFT
- Muslin ..... T3
- Sage ..... P095
- Titanium ..... P8T

**P2**
- Champagne Metallic ..... T4
- Gunmetal Metallic ..... PR3
- Platinum Metallic ..... T1
- Silver ..... PR6
- Solar Black ..... P8X

## O-LEGS, STEEL LEGS, POST LEGS, SHELF BRACKETS, SHARED LEGS, STORAGE CUBES *continued*

**PAINTS ..... CODES**

**P3**
- Atom ..... P8S
- Blossom*** ..... P8K
- Bullseye ..... PJF
- Ember ..... P8P
- Ion ..... P8N
- Iris ..... P8J
- Krypton ..... P8F
- Ochre ..... P093
- Regatta ..... P8M
- Sienna ..... P092
- Succulent*** ..... P8A

## ANGLED WOOD LEGS
- Clear Ash ..... LA400
- Medium Ash ..... LA484


| WORKSURFACE LAMINATES | CODES | EDGEBAND OPTIONS | | | | | |
|---|---|---|---|---|---|---|---|
| | | Matching Edge | Designer White (DW) | Loft (LOFT) | Muslin (T) | Black (P) | Charcoal Edge (S) |
| Beigewood | LWBE | • | • | • | • | • | • |
| Black | P | | | | | • | |
| Bourbon Cherry | H | • | • | | • | | |
| Charcoal | S | • | | | | | |
| Cognac | COGN | • | • | | • | | |
| Designer White | LDW1 | | • | | | | |
| Fawn Cypress | LFC1 | • | • | • | • | • | • |
| Field Elm | LWFE | • | • | • | • | • | • |
| Handspun Chestnut | LAHC | | • | • | • | • | • |
| Handspun Dove | LAHD | | • | • | • | • | • |
| Handspun Pearl | LAHP | | • | • | • | • | • |
| Handspun Slate | LAHS | | • | • | • | • | • |
| Harvest | C | • | • | | • | | |
| Loft | LOFT | | | • | | | |
| Lowell Ash | LLA1 | • | • | • | • | | |
| Mahogany | N | • | | • | | | |
| Mocha | MOCH | • | • | | • | | |
| Natural Maple | D | • | • | • | • | | |
| Natural Recon | LNR1 | • | • | • | • | | |
| Phantom Ecru | LPE1 | • | • | • | • | | |
| Pinnacle | PINC | • | • | | • | | |
| Portico Teak | LPT1 | • | • | • | • | | |
| Shaker Cherry | F | • | • | • | • | | |
| Silver Mesh | B9 | | | • | | | |
| Skyline Walnut | LSW1 | • | • | • | • | | • |
| Sterling Ash | LSA1 | • | • | • | | • | • |
| Kingswood Walnut | LKI1 | • | • | • | • | • | |
| Florence Walnut | LFW1 | • | • | • | • | • | • |

** Silver Mesh laminate will have Loft Edgeband. Silver Mesh NOT available on Chassis/Cabinet, Drawer/Door Fronts, Laminate End Panels, Layering Shelves and Modesty Panels.*
*** Storage chassis that are specified in L2 laminates and are longer than 60"W will ship with back panels that are horizontal grain.*
**** TREND COLORS: These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.*

◆◆◇ *For lead time information see page 21.*

# VOI® Statement of Line


## WORKSURFACES/SUPPORTS


Rectangle Top


Worksurface Support Angled | Wood*


Worksurface Support Angled | Steel


Worksurface Support on Footed Low Credenza | Angled


Worksurface Support O-Leg


Worksurface Support Double-Depth O-Leg



Worksurface Support Low Credenza O-Leg


Worksurface Support Post Leg


Support Storage Box/Box/File Pedestal



Support Storage File/File Pedestal



Support Storage Slim Profile Box/Box/File Pedestal



Bookcase Support


Support Storage 2-Drawer Lateral


Support Storage Multi-file Lateral File


Worksurface Support End Panel


Worksurface Support Standing-Height O-Leg


Standing-Height Support Pedestal


Height-Adjustable Base

*Wood legs are available in Clear Ash and Medium Ash. Finish may vary due to natural variance of the wood.


## STORAGE


Low Credenza 4 Storage Doors*


Low Credenza Open/Drawers*


Low Credenza Open*


Low Credenza Open Top*


Credenza Cabinet Lateral File*



Low Credenza 2 File/2 Box*



Mobile Credenza



Small Credenza Open Top/1 File*



Small Credenza 1 File/1 Box*


Small Credenza Open*


Wardrobe Storage Tower 50″*|65″


Personal Storage Tower 65″



Wardrobe Storage Tower 50″*|65″


Tower 42″*



Footed Pedestal



Mobile Pedestal



Storage Cabinet


Lateral Files



Bookcases



Bookcase Hutch


Storage w/Shelf



Overhead Cabinet with Sliding Door


Overhead Cabinet with Doors



Overhead Cabinet with Mixed Material Doors



O-Leg Support for Overhead Cabinet 50″ & 65″


Wall-Mount Tackboard for Overhead Cabinet


Shared Overhead


Stack-On Storage with Sliding Door


Stack-On Storage with Doors



Stack-On Storage with Mixed Material Doors


*Wood legs are available in Clear Ash and Medium Ash. Finish may vary due to natural variance of the wood.


## ACCESSORIES


Storage Cube
15″ w/Door



Storage Cube
15″ Open



Stacking Drawer


Open Stacker


Wall-Mounted Shelf



Metal Storage Cube 12″



Layering Shelf


Cushion for
Pedestal or Credenza


Markerboard


Laminate Modesty
Panel, Half-Height



Laminate Modesty
Panel, Full-Height


Fuse™ Accessories

# VOI® Laminate Typicals

Icon Legend on page 19


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **External Channel** 54″W | **HLSLZ5SC66** | $144 | $144 |
| 1 | **Rectangle Worksurface** 24″D x 66″W | **HLSLR2466** | $535 | $535 |
| 1 | **Low Credenza (Right hand drawers)** 60″W x 20″D x 21½″H | **HLSL2060LR2** | $1,758 | $1,758 |
| 1 | **Layering Shelf** 60″W x 14½″D x 5½″H | **HLSL1460LS** | $512 | $512 |
| 2 | **O-Leg Support for Worksurface (1 pack)** 24″D x 28½″H | **HLSL2428O** | $446 | $892 |
| 1 | **Overhead Cabinet with Wall Bracket with One Sliding Door** 60″W x 14¼″D x 14″H | **HLSL1460S** | $1,837 | $1,837 |
| | | | **TOTAL:** | **$5,678** |



**SMALL FOOTPRINT**

**66″ x 60″**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **External Channel** 54″W | **HLSLZ5SC66** | $144 | $144 |
| 1 | **Rectangle Worksurface** 24″D x 66″W | **HLSLR2466** | $535 | $535 |
| 1 | **Low Credenza (2 file/2 box)** 60″W x 20″D x 21½″H | **HLSL2060LD4** | $2,050 | $2,050 |
| 2 | **O-Leg Support for Worksurface (1 pack)** 24″D x 28½″H | **HLSL2428O** | $446 | $892 |
| 1 | **Overhead Cabinet with 4 Doors** 60″W x 14¼″D x 14″H | **HLSL1460D** | $1,621 | $1,621 |
| 1 | **O-Leg Support for Overhead Cabinet** 14⅛″D x 20½″H for 65″H Overhead Cabinet | **HLSL65OS** | $656 | $656 |
| | | | **TOTAL:** | **$5,898** |



**SMALL FOOTPRINT**

**66″ x 60″**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Low Credenza, Right Hand Drawers, Footed** 60″W x 20″D x 24½″H | **HLSL2060LR2F** | $1,829 | $1,829 |
| 1 | **Cube Bundle A** | **HLSL15-SOO** | $424 | $424 |
| 2 | **Drawer Cube** 15″W x 13″D x 4″H | **HLSL154LSD** | $315 | $630 |
| 1 | **Voi® Shelf** 30″W x 13″D | **HLSLR1330** | $263 | $263 |
| 1 | **Angled Steel Leg** 29″H | **HLSL28AM2** | $445 | $445 |
| 1 | **4″H Steel Stanchion** | **HLSL4AM2** | $210 | $210 |
| 1 | **Rectangle Worksurface** 72″W x 30″D | **HLSLR3072** | $659 | $659 |
| 1 | **Acrylic Modesty Screen** 42″W x 13″H | **HUSAMOD1342** | $822 | $822 |
| | | | **TOTAL:** | **$5,282** |



**SMALL FOOTPRINT**


**60″W x 72″D**

Icon Legend on page 19

# VOI® Laminate Typicals




| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Acrylic Modesty Screen** 42″W x 13″H | **HUSAMOD1342** | $822 | $822 |
| 1 | **Rectangular Worksurface** 48″W x 24″D | **HLSLR2448** | $422 | $422 |
| 2 | **Drawer Cube** 15″W x 13″D x 4″H | **HLSL154LSD** | $315 | $630 |
| 1 | **Cube Bundle A** | **HLSL15-SOO** | $424 | $424 |
| 2 | **Angled Steel Leg** 29″H | **HLSL28AM2** | $445 | $890 |
| 1 | **Rectangle Worksurface** 60″W x 30″D | **HLSLR3060** | $563 | $563 |
| 1 | **Voi® Shelf** 30″W x 13″D | **HLSLR1330** | $263 | $263 |
| 1 | **Support Pedestal** 24″W x 28″D | **HLSL2428B** | $1,066 | $1,066 |
| | | | **TOTAL:** | **$5,080** |



**SMALL FOOTPRINT**

**78″W x 60″D**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Box/File Pedestal, Footed** 16″W x 20″D x 28½″H | **HLSL2016FP2** | $1,183 | $1,183 |
| 2 | **Drawer Cube** 15″W x 13″D x 4″H | **HLSL154LSD** | $315 | $630 |
| 1 | **Cube Bundle A** | **HLSL15-SOO** | $424 | $424 |
| 1 | **Short Open Cube** 15″W x 13″D x 4″H | **HLSL154LSO** | $212 | $212 |
| 1 | **Voi® Shelf** 30″W x 13″D | **HLSLR1330** | $263 | $263 |
| 2 | **Voi® Shelf** 45″W x 13″D | **HLSLR1345** | $321 | $642 |
| 1 | **4″H Steel Stanchion** | **HLSL4AM2** | $210 | $210 |
| 1 | **Rectangle Worksurface** 72″W x 30″D | **HLSLR3072** | $659 | $659 |
| 1 | **Rectangular Worksurface** 48″W x 24″D | **HLSLR2448** | $422 | $422 |
| 1 | **Shelf Brackets** | **HLSLSB** | $135 | $135 |
| 1 | **Acrylic Modesty Screen** 54″W x 13″H | **HUSAMOD1354** | $986 | $986 |
| 2 | **Angled Wood Leg** 29″H | **HLSL28AW2** | $576 | $1,152 |
| | | | **TOTAL:** | **$6,918** |



**SMALL FOOTPRINT WITH SHELF**

**78″W x 72″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Low Credenza, 2 File/Open, Footed** 60″W x 20″D x 24½″H | **HLSL2060LD2F** | $1,992 | $1,992 |
| 1 | **Cabinet Cube, Left Handed** 15″W x 13″D x 12″H | **HLSL1512LSCL** | $315 | $315 |
| 1 | **Short Open Cube** 15″W x 13″D x 4″H | **HLSL154LSO** | $212 | $212 |
| 2 | **Drawer Cube** 15″W x 13″D x 4″H | **HLSL154LSD** | $315 | $630 |
| 1 | **Voi® Shelf** 45″W x 13″D | **HLSLR1345** | $321 | $321 |
| 2 | **Angled Steel Leg** 29″H | **HLSL28AM2** | $445 | $890 |
| 1 | **Rectangle Worksurface with Stiffener** 60″W x 30″D | **HLSLR3060W** | $664 | $664 |
| 1 | **Acrylic Modesty Screen** 42″W x 13″H | **HUSAMOD1342** | $822 | $822 |
| | | | **TOTAL:** | **$5,846** |




**SMALL FOOTPRINT**

**90″W x 60″D**

# VOI® Laminate Typicals

Icon Legend on page 19


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Cube Bundle A** | **HLSL15-SOO** | $424 | $424 |
| 2 | **Angled Steel Leg** 29″H | **HLSL28AM2** | $445 | $890 |
| 1 | **Rectangle Worksurface** 72″W x 30″D | **HLSLR3072** | $659 | $659 |
| 1 | **Acrylic Modesty Screen** 54″W x 13″H | **HUSAMOD1354** | $986 | $986 |
| 1 | **Low Credenza, 2 File/Open, Footed** 60″W x 20″D x 24½″H | **HLSL2060LD2F** | $1,992 | $1,992 |
| 4 | **Drawer Cube** 15″W x 13″D x 4″H | **HLSL154LSD** | $315 | $1,260 |
| 2 | **Voi® Shelf** 30″W x 13″D | **HLSLR1330** | $263 | $526 |
| | | | **TOTAL:** | **$6,737** |



**SMALL FOOTPRINT WITH SIX CUBES**

**90″W x 72″D**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Low Credenza, 2 File/Open, Footed** 60″W x 20″D x 24½″H | **HLSL2060LD2F** | $1,992 | $1,992 |
| 1 | **Low Credenza, Open, Footed** 30″W x 20″D x 24½″H | **HLSL2030LD0F** | $1,288 | $1,288 |
| 1 | **Cube Bundle C** | **HLSL15-SODLOC** | $1,094 | $1,094 |
| 2 | **Voi® Shelf** 45″W x 13″D | **HLSLR1345** | $321 | $642 |
| 1 | **Angled Steel Leg** 29″H | **HLSL28AM2** | $445 | $445 |
| 1 | **4″H Steel Stanchion** | **HLSL4AM2** | $210 | $210 |
| 1 | **Rectangle Worksurface** 72″W x 30″D | **HLSLR3072** | $659 | $659 |
| 1 | **Acrylic Modesty Screen** 42″W x 13″H | **HUSAMOD1342** | $822 | $822 |
| | | | **TOTAL:** | **$7,152** |



**MEDIUM FOOTPRINT WITH CUBE BUNDLE C**

**90″W x 72″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **External Channel** 48″W | **HLSLZ5SC60** | $138 | $138 |
| 1 | **Rectangle Worksurface** 30″D x 72″W | **HLSLR3072** | $659 | $659 |
| 1 | **Rectangle Worksurface** 20″D x 72″W | **HLSLR2072** | $548 | $548 |
| 1 | **Low Credenza (2 file drawers)** 60″W x 20″D x 21½″H | **HLSL2060LD2** | $1,921 | $1,921 |
| 1 | **Overhead Cabinet - Metal Frame, Glass Doors** 72″W x 14¼″D x 14″H | **HLSL1472M** | $3,002 | $3,002 |
| 1 | **O-Leg Stack-on Storage Support (2 pack)** 65″H | **HLSL65OS** | $656 | $656 |
| 1 | **O-Leg Support for Worksurface (1 pack)** 20″D x 28½″H | **HLSL2028O** | $410 | $410 |
| 2 | **O-Leg Support for Worksurface (1 pack)** 30″D x 28½″H | **HLSL3028O** | $493 | $986 |
| 1 | **Box/Box/File Pedestal Support** 20″D x 28½″H | **HLSL2028B** | $964 | $964 |
| 1 | **Acrylic Modesty Screen** 60″W x 13″H | **HUSAMOD1360** | $1,008 | $1,008 |
| 1 | **Storage Cube** 12″ x 12″ | **HLSL1212** | $408 | $408 |
| | | | **TOTAL:** | **$10,700** |



**PRIVATE OFFICE**


**92″ x 72″**

Icon Legend on page 19

# VOI® Laminate Typicals




| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Box/Box/File Pedestal Support**<br>30″D x 28″H | **HLSL3028B** | $1,199 | $1,199 |
| 1 | **Rectangle Worksurface**<br>36″D x 72″W | **HLSLR3672** | $852 | $852 |
| 1 | **End Panel Support**<br>24″D x 28½″H | **HLSL2428E** | $285 | $285 |
| 1 | **End Panel Support**<br>30″D x 28½″H | **HLSL3028E** | $305 | $305 |
| 1 | **Rectangle Worksurface**<br>20″D x 42″W | **HLSLR2042** | $370 | $370 |
| 1 | **Rectangle Worksurface**<br>24″D x 72″W | **HLSLR2472** | $553 | $553 |
| 1 | **Laminate Modesty Panel**<br>40″W x 14″H | **HLSL4014LM** | $281 | $281 |
| 1 | **Lateral File**<br>31⅜″W x 24″D x 28½″H | **HLSL2430L** | $1,650 | $1,650 |
| 1 | **Overhead Cabinet - Metal Frame, Glass Doors**<br>72″W x 14¼″D x 14″H | **HLSL1472M** | $3,164 | $3,164 |
| 1 | **Storage Cube**<br>12″ x 12″ | **HLSL1212** | $408 | $408 |
| | | | **TOTAL:** | **$9,067** |



**PRIVATE OFFICE**

**102″ x 72″**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Low Credenza, 2 File/Open, Footed**<br>60″W x 20″D x 24½″H | **HLSL2060LD2F** | $1,992 | $1,992 |
| 1 | **Low Credenza, 1 File/Open, Footed**<br>30″W x 20″D x 24½″H | **HLSL2030LD1F** | $1,422 | $1,422 |
| 1 | **Left Hand Door, Footed**<br>18″W x 20″D x 4″H | **HLSLW084LF** | $1,781 | $1,781 |
| 2 | **Drawer Cube**<br>15″W x 13″D x 4″H | **HLSL154LSD** | $315 | $630 |
| 2 | **Cube Bundle A** | **HLSL15-SOO** | $424 | $848 |
| 1 | **Cube Bundle D** | **HLSL15-SDDLCC** | $1,260 | $1,260 |
| 2 | **Voi® Shelf**<br>45″W x 13″D | **HLSLR1345** | $321 | $642 |
| 2 | **Voi® Shelf**<br>30″W x 13″D | **HLSLR1330** | $263 | $526 |
| 2 | **Angled Wood Leg** 29″H | **HLSL28AW2** | $576 | $1,152 |
| 1 | **Rectangle Top, Knife Edge**<br>72″W x 30″D | **HLSLR3072J** | $898 | $898 |
| 1 | **Acrylic Modesty Screen**<br>54″W x 13″H | **HUSAMOD1354** | $986 | $986 |
| | | | **TOTAL:** | **$12,137** |



**PRIVATE OFFICE WITH TABLE DESK**

**108″W x 50″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Tower (Right hand drawers/Left hand door)**<br>24″W x 20″D x 65″H, Left | **HLSLW046L** | $3,048 | $3,048 |
| 1 | **Layering Shelf**<br>60″W x 14½″D x 5½″H | **HLSL1460LS** | $512 | $512 |
| 1 | **Rectangle Worksurface**<br>30″D x 72″W | **HLSLR3072** | $659 | $659 |
| 1 | **Acrylic Modesty Screen**<br>42″W x 13″H | **HUSAMOD1342** | $822 | $822 |
| 2 | **O-Leg Support for Worksurface (1 pack)**<br>30″D x 28½″H | **HLSL3028O** | $493 | $986 |
| 1 | **Low Credenza (2 file/2 box)**<br>60″W x 20″D x 21½″H | **HLSL2060LD4** | $2,050 | $2,050 |
| 1 | **Low Credenza (Open/Right hand drawers)**<br>60″W x 20″D x 21½″H | **HLSL2060LR2** | $1,758 | $1,758 |
| 1 | **Credenza Cushion**<br>20″W x 30″D x 1″H | **HLSL2030CH2** | $522 | $522 |
| | | | **TOTAL:** | **$10,357** |




**PRIVATE OFFICE**

**144″ x 72″**

# VOI® Laminate Typicals

Icon Legend on page 19


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Personal Storage Tower (Left handed)** 24″W x 24″D x 65″H | **HLSLW446LP** | $3,633 | $3,633 |
| 2 | **Lateral File** 31⅜″W x 24″D x 28½″H | **HLSL2430L** | $1,650 | $3,300 |
| 1 | **Rectangle Worksurface** 24″D x 60″W | **HLSLR2460** | $492 | $492 |
| 1 | **Rectangle Worksurface** 30″D x 72″W | **HLSLR3072** | $659 | $659 |
| 1 | **Rectangle Worksurface** 24″D x 54″W | **HLSLR2454** | $453 | $453 |
| 2 | **O-Leg Support for Worksurface (1 pack)** 30″D x 28½″H | **HLSL3028O** | $493 | $986 |
| 2 | **Overhead Cabinet with Wall Bracket with One Sliding Door** 72″W x 14¼″D x 13″H | **HLSL1472S** | $2,166 | $4,332 |
| 2 | **Storage Cube** 12″ x 12″ | **HLSL1212** | $408 | $816 |
| 1 | **External Channel** 60″W | **HLSLZ5SC72** | $156 | $156 |
| | | | **TOTAL:** | **$14,827** |



**OPEN PLAN**

**168″ x 72″**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 4 | **External Channel** 48″W | **HLSLZ5SC60** | $138 | $552 |
| 2 | **Accelerate® Raceway Panels** 42⅕″H x 60″W | **HETP4260FP** | $575 | $1,150 |
| 2 | **Accelerate® Raceway Panels** 50″H x 60″W | **HETP5060FP** | $641 | $1,282 |
| 2 | **Electrical Power Harness, 3-1 & 2-2** 60″W | **HH871260** | $295 | $590 |
| 4 | **Duplex Receptacle Circuit 3, 3-1** | **HH871503** | $60 | $240 |
| 1 | **Power In-Feed** | **HH879072** | $313 | $313 |
| 2 | **Low Credenza (Right hand drawers)** 60″W x 20″D x 21½″H | **HLSL2060LR2** | $1,758 | $3,516 |
| 2 | **Low Credenza (Left hand drawers)** 60″W x 20″D x 21½″H | **HLSL2060LL2** | $1,758 | $3,516 |
| 4 | **Credenza Cushion** 20″W x 30″D x 1″H | **HLSL2030CH2** | $522 | $2,088 |
| 4 | **O-Leg Support for Worksurface (1 pack)** 30″D x 28½″H | **HLSL2428O** | $446 | $1,784 |
| 2 | **Left O-Leg to Panel Bracket** | **HLSLPBL** | $140 | $280 |
| 2 | **Right O-Leg to Panel Bracket** | **HLSLPBR** | $140 | $280 |
| 4 | **Accelerate® Top Cap** 60″W | **HETC60** | $116 | $464 |
| 2 | **Accelerate® Variable Height Finishing Kit** | **HECVH07P** | $74 | $148 |
| 2 | **Accelerate® Finished End Cover** 50″H | **HEFEC50P** | $82 | $164 |
| 2 | **Accelerate® Finished End Cover** 42½″H | **HEFEC42P** | $75 | $150 |
| 1 | **Accelerate® “X” Connector** 50″H | **HEC50PXN** | $163 | $163 |
| 4 | **O-Leg Support for Worksurface** 24″D x 7″H | **HLSL247O** | $300 | $1,200 |
| 4 | **Rectangle Worksurface** 24″D x 60″W | **HLSLR2460** | $492 | $1,968 |
| | | | **TOTAL:** | **$19,848** |



**OPEN PLAN**


**120″ x 120″**

Icon Legend on page 19

# VOI® Laminate Typicals




| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 4 | **External Channel** 60″W | **HLSLZ5SC72** | $156 | $624 |
| 4 | **Rectangle Worksurface** 24″D x 72″W | **HLSLR2472** | $553 | $2,212 |
| 2 | **O-Leg Shared Support for Low Credenzas** | **HLSL247SL** | $374 | $748 |
| 2 | **Double Depth O-Leg Support for Worksurface** 48″D x 28½″H | **HLSL4828O** | $836 | $1,672 |
| 2 | **Low Credenza (Right hand drawers)** 60″W x 20″D x 21½″H | **HLSL2060LR2** | $1,758 | $3,516 |
| 2 | **Low Credenza (Left hand drawers)** 60″W x 20″D x 21½″H | **HLSL2060LL2** | $1,758 | $3,516 |
| 2 | **Acrylic Fixed Above/Below Screen** 60″W x 27″H | **HUSAABF2760** | $1,923 | $3,846 |
| | | | **TOTAL:** | **$16,134** |



**OPEN PLAN**

**144″ x 120″**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Low Credenza, Right Hand Drawers, Footed** 60″W x 20″D x 24½″H | **HLSL2060LR2F** | $1,829 | $1,829 |
| 1 | **Low Credenza, Left Hand Drawers, Footed** 60″W x 20″D x 24½″H | **HLSL2060LL2F** | $1,829 | $1,829 |
| 1 | **Cube Bundle A** | **HLSL15-SOO** | $424 | $424 |
| 2 | **Drawer Cube** 15″W x 13″D x 4″H | **HLSL154LSD** | $315 | $630 |
| 1 | **Cabinet Cube, Right Handed** 15″W x 13″D x 12″H | **HLSL1512LSCR** | $315 | $315 |
| 1 | **Cabinet Cube, Left Handed** 15″W x 13″D x 12″H | **HLSL1512LSCL** | $315 | $315 |
| 3 | **Voi® Shelf** 30″W x 13″D | **HLSLR1330** | $263 | $789 |
| 4 | **Angled Steel Leg** 29″H | **HLSL28AM2** | $445 | $1,780 |
| 2 | **Rectangle Top, Knife Edge** 60″W x 30″D | **HLSLR3060J** | $768 | $1,536 |
| | | | **TOTAL:** | **$9,447** |



**LARGE FOOTPRINT TEAMING**

**180″W x 80″D**

# VOI® Bundles Typicals

Icon Legend on page 19

**VT6030MB**
Worksurface is Silver Mesh, Mobile Pedestal is Harvest, O-Leg Supports and grommets are Platinum Metallic.

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Rectangle Worksurface with External Support Channel | **HLSLR3060W*** | $664 | $664 |
| 2 | O-Leg Support for Worksurface | **HLSL3028O** | $499 | $998 |
| 1 | Mobile Pedestal | **HLSL2016MP2** | $1,113 | $1,113 |
| | | | **TOTAL:** | **$2,775** |






**TABLE DESK WITH MOBILE PEDESTAL (NON-HANDED)**

**VS6060L1B**
Worksurface is Silver Mesh, Low Credenza and Overhead Cabinet are Harvest, O-Leg Supports and grommets are Platinum Metallic.


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Rectangle Worksurface with External Support Channel | **HLSLR3060W*** | $664 | $664 |
| 2 | O-Leg Support for Worksurface | **HLSL3028O** | $499 | $998 |
| 1 | Low Credenza, 2 File/2 Box | **HLSL2060LD4** | $2,050 | $2,050 |
| 1 | Overhead Cabinet with 4 Doors | **HLSL1460D** | $1,621 | $1,621 |
| 1 | O-Leg Support for Overhead Cabinet (Pair) | **HLSL65OS** | $662 | $662 |
| | | | **TOTAL:** | **$5,995** |




**SMALL FOOTPRINT L-STATION (NON-HANDED)**

**VS6060L6B**
Worksurface is Silver Mesh, Low Credenza and Layering Shelf are Harvest, O-Leg Supports and grommets are Platinum Metallic.

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Rectangle Worksurface with External Support Channel | **HLSLR3060W*** | $664 | $664 |
| 2 | O-Leg Support for Worksurface | **HLSL3028O** | $499 | $998 |
| 1 | Low Credenza, Right-hand Drawers | **HLSL2060LR2** | $1,758 | $1,758 |
| 1 | Layering Shelf | **HLSL1460LS** | $512 | $512 |
| | | | **TOTAL:** | **$3,932** |




**SMALL FOOTPRINT L-STATION (RIGHT HANDED, LOW CREDENZA)**


*Worksurface model **HLSLR3060W** can only be ordered with bundles.

# VOI® Bundles Typicals

Icon Legend on page 19

**VS6060L4B**
Worksurface is Silver Mesh, Low Credenza and Layering Shelf are Harvest, O-Leg Supports and grommets are Platinum Metallic.


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Rectangle Worksurface with External Support Channel | **HLSLR3060W*** | $664 | $664 |
| 2 | O-Leg Support for Worksurface | **HLSL3028O** | $499 | $998 |
| 1 | Low Credenza, Left-hand Drawers | **HLSL2060LL2** | $1,758 | $1,758 |
| 1 | Layering Shelf | **HLSL1460LS** | $512 | $512 |
| | | | **TOTAL:** | **$3,932** |




**SMALL FOOTPRINT L-STATION (LEFT HANDED, LOW CREDENZA)**

**VS6060L5B**
Worksurface is Silver Mesh, Low Credenza and Overhead Cabinet are Harvest, O-Leg Supports and grommets are Platinum Metallic.


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Rectangle Worksurface with External Support Channel | **HLSLR3060W*** | $664 | $664 |
| 2 | O-Leg Support for Worksurface | **HLSL3028O** | $499 | $998 |
| 1 | Low Credenza, Right-hand Drawers | **HLSL2060LR2** | $1,758 | $1,758 |
| 1 | Overhead Cabinet with 4 Doors | **HLSL1460D** | $1,621 | $1,621 |
| 1 | O-Leg Support for Overhead Cabinet (Pair) | **HLSL65OS** | $662 | $662 |
| | | | **TOTAL:** | **$5,703** |




**SMALL FOOTPRINT L-STATION (RIGHT HANDED, LOW CREDENZA)**

**VS6060L3B**
Worksurface is Silver Mesh, Low Credenza and Overhead Cabinet are Harvest, O-Leg Supports and grommets are Platinum Metallic.

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Rectangle Worksurface with External Support Channel | **HLSLR3060W*** | $664 | $664 |
| 2 | O-Leg Support for Worksurface | **HLSL3028O** | $499 | $998 |
| 1 | Low Credenza, Left-hand Drawers | **HLSL2060LL2** | $1,758 | $1,758 |
| 1 | Overhead Cabinet with 4 Doors | **HLSL1460D** | $1,621 | $1,621 |
| 1 | O-Leg Support for Overhead Cabinet (Pair) | **HLSL65OS** | $662 | $662 |
| | | | **TOTAL:** | **$5,703** |




**SMALL FOOTPRINT L-STATION (LEFT HANDED, LOW CREDENZA)**


*Worksurface model **HLSLR3060W** can only be ordered with bundles.

# VOI® Bundles Typicals

Icon Legend on page 19

**VS6060L2B**
Worksurface is Silver Mesh, Low Credenza and Layering Shelf are Harvest, O-Leg Supports and grommets are Platinum Metallic.


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Rectangle Worksurface with External Support Channel | **HLSLR3060W*** | $664 | $664 |
| 2 | O-Leg Support for Worksurface | **HLSL3028O** | $499 | $998 |
| 1 | Low Credenza, 2 File/2 Box | **HLSL2060LD4** | $2,050 | $2,050 |
| 1 | Layering Shelf | **HLSL1460LS** | $512 | $512 |
| | | | **TOTAL:** | **$4,224** |




**SMALL FOOTPRINT L-STATION (LOW CREDENZA, LAYERING SHELF) (NON-HANDED)**

**VC7260L2B**
Worksurface is Silver Mesh, Low Credenza is Harvest, O-Leg Supports and grommets are Platinum Metallic.

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Rectangle Worksurface with External Support Channel | **HLSLR3072W*** | $769 | $769 |
| 2 | O-Leg Support for Worksurface | **HLSL3028O** | $499 | $998 |
| 1 | Low Credenza, 2 File/2 Box | **HLSL2060LD4** | $2,050 | $2,050 |
| | | | **TOTAL:** | **$3,817** |




**CONTEMPORARY L-STATION (NON-HANDED)**

*Worksurface models **HLSLR3060W** and **HLSLR3072W** can only be ordered with bundles.

# VOI® SPECIFYING/DESIGN GUIDE



This Specifying Guide is designed to walk you through the steps when choosing the Voi desks elements that will meet your particular workplace needs. From private office to open plan, there are endless combinations that will fit your style and need.


Regardless of the application, Voi presents an integrated, unified aesthetic for the entire workplace.

The step-by-step instructions make it easy to specify elements that personalize workspaces and achieve the right mix of functionality and style.

**Worksurface**
- A variety of sizes meet a range of footprint requirements, from private offices to open plan areas.

**Accessories**
- From layering shelves to storage cubes, markerboards and the box drawer organizer, Voi accessories allow personalization to meet individual needs.

**Above the Worksurface Storage**
- Voi has many above the worksurface storage options that can be used in many applications: wall mounted, panel mounted, and conventional stack-on storage options are available to make an efficient use of vertical space.
- Choose from sliding door units or overhead cabinets with four doors.
- The O-leg can be used in stack-on storage applications to create a more contemporary look.
- The storage cube accessory can be used in the storage applications listed above.



**Below the Worksurface Storage**
- A wide variety of conventional storage options are available: lateral files, bookcases, support bookcases, mobile pedestals, personal wardrobes, and storage towers.
- Many contemporary storage options are available: low credenzas and floor credenza work in conjunction with the worksurfaces to create layered surfaces that optimize space, different storage, staging, and display needs.
- Storage pieces can be specified in mixed materials and footed bases so you get exactly what you want.


**Support**
- A combination of many supports can be used with the worksurfaces: O-leg, angled leg, end panel, pedestal, slim pedestal, support bookcase, lateral/multi file.
- O-legs work in many of the Voi desks applications and provide a light-scale, contemporary look.
- O-legs can be used in a variety of heights so surfaces can be layered.
- End panels are also available and provide a more conventional look.
- A variety of modular storage options can be specified based on your storage needs: box/box/file pedestal, file/file pedestal, slim profile pedestal, lateral files and multifiles.
- Angled legs, available in wood or painted steel, can add personality and a residential feel.

**Modesty Panel/Privacy Screens**
- Full height, ½ height and floating modesty panel options are available to enhance privacy.
- Mixed material options are available in laminate and frosted translucent.
- Select the size that works with the supports.
- Above and Above/Below Privacy Screens are available to create an element of privacy in an open plan area.


# VOI® SPECIFYING/DESIGN GUIDE

## Steps for specification:

1. Select the right worksurface.
   Choose the worksurface shape and size that best fits your office layout.




**Rectangle Flat Edge Worksurface**
Depths: 20″, 24″, 30″, 36″
Widths: 36″, 42″, 48″, 54″, 60″, 66″, 72″, 84″




**Rectangle Knife Edge Worksurface**
Depths: 24″, 30″
Widths: 48″, 60″, 72 ″


2. Select the supports.
   Countless combinations of support options meet a variety of support and storage needs.




**O-Leg and Shared Support for Low Credenza**
20″D x 7″H, 24″D x 7″H, 30″D x 7″H
7″H only O-legs attach to worksurface and sit on top of credenzas.




**O-Leg and Shared Support for Worksurfaces**
20″D x 28½″H, 24″D x 28½″H, 30″D x 28½″H
28½″H, 24″D x 41″H, 30″D x 41″H, 48″D x 28½″H, 60″D x 28½″H O-legs provide support for the worksurface.




**O-Leg-to-Panel Attachment Bracket**
Left handed bracket (quantity 1)
Right handed bracket (quantity 1)




**Post Leg**
28½″H, 2″square




**Angled Legs**
12″W x 8″D x 32″H, Steel
12″W x 8″D x 32″H, Wood




**Steel Stanchions**
4″H
Stanchions attach to worksurface and sit on top of credenzas.




**End Panel Support**
16″W x 20″D x 28½″H,
16″W x 24″D x 28½″H,
16″W x 30″D x 28½″H




**Laminate End Panel Support With Panel Attachment Bracket**
24″D x 28½″H, 30″D x 28″H




**B/B/F Pedestals**
16″W x 20″D x 28½″H,
16″W x 24″D x 28½″H,
16″W x 30″D x 28½″H




**F/F Pedestals**
16″W x 20″D x 28½″H,
16″W x 24″D x 28½″H,
16″W x 30″D x 28½″H




**B/B/F Standard Slim Profile Pedestals**
9½″W x 24″D x 28½″H,
9½″W x 30″D x 28½″H




**Standing-Height Pedestals**
9½″W x 24″D x 41″H,
9½″W x 30″D x 41″H




**2 Drawer Lateral with Pulls**
30″W x 24″D x 28½″H



**Multi-Drawer Standard File Center**
30″W x 24″D x 28½″H



**Bookcase Support**
30″W x 12″D x 28½″H,
24″W x 12″D x 28½″H




**Standing-Height Towers**
12″W x 30″D x 50″H,
12″W x 24″D x 50″H


**Tips**

- When using an O-leg in open plan, panel supported, applications, you must specify an O-leg to panel attachment bracket separately (available in 28″H and 41″H).
- Bookcase Support can only be used exterior facing.
- Telescoping ball-bearing slides used on box and file drawers. Lateral drawers use a progressive ball-bearing slide.
- When specifying a 30″D support on a 36″D worksurface, there will be a 6″ overhang.
- All modular pedestals have an easy attach method to the worksurface for quick assembly.
- One double-depth O-leg can replace two regular O-legs in teaming applications.
- Shared O-legs create cleaner aesthetic where two legs are used side-by-side.
- 2″ adjustable glides on O-leg supports.
- Standing-Height Support Pedestals bottom two file drawers are locking.
- Standing-Height Bookcase Support contains easy-access, fixed storage shelves.


3. Select the modesty panel/privacy screen that works in conjunction with the supports you have specified.




**14″H Full Width/ Half-height Laminate Modesty Panel**
28″, 34″, 40″W
(Modesty Size)
**28″H Full-to-Floor/ Full-Length Laminate Modesty Panel**
28″, 34″, 40″W
(Modesty Size)




**Laminate Floating Modesty Panel**
30″W x 14″H, 36″W x 14″H, 42″W x 14″H, 48″W x 14″H, 54″W x 14″H, 60″W x 14″H




**Mixed Material Floating Modesty Panel**
30″W x 14″H, 36″W x 14″H, 42″W x 14″H, 48″W x 14″H, 54″W x 14″H, 60″W x 14″H
Available in Frosted Translucent only




**Above/Below Privacy Screen**
30″W x 28″H, 36″W x 28″H, 42″W x 28″H, 48″W x 28″H, 54″W x 28″H, 60″W x 28″H
Available in Frosted Translucent only




**Above Privacy Screen**
30″W x 13″H, 36″W x 13″H, 42″W x 13″H, 48″W x 13″H, 54″W x 13″H, 60″W x 13″H
Available in Frosted Glass only



**Above/Below Fabric Screen**
36″W x 35″H, 42″W x 35″H, 48″W x 35″H, 54″W x 35″H, 60″W x 35″H, 66″W x 35″H, 72″W x 35″H



**Above Fabric Screen**
20″W x 20″H, 20″W x 13″H, 24″W x 20″H, 24″W x 13″H, 30″W x 20″H, 30″W x 13″H, 36″W x 20″H, 36″W x 13″H




**Above Polymer or Glass (Side) Screen**
20″W x 13″H, 24″W x 13″H, 30″W x 13″H, 36″W x 13″H


**Tips**

- Mixed material and laminate floating modesty panels create a lighter scale look by attaching to the top of the worksurface.
- Choose from a variety of materials to create your desired look.
- Laminate modesty panels to create a more conventional look.
- 54″W and 60″W Floating Modesty panels eliminate the need for an external channel.
- Above Privacy Screens provide a division between two worksurfaces and create a division of space in an open plan area.
- Modesty panels cannot be used as a support.
- See modesty panel chart to choose proper modesty size depending on support options.


4. Select Above the Worksurface Storage (Stack-on Storage) or Overhead Cabinets
Select the above the worksurface storage that meets your storage criteria, choose from overhead cabinets, panel mounted storage, conventional or contemporary stack-on storage.




**14¼″D x 14″H Shared Overhead Cabinet with One Sliding Door**
60″, 72″




**14¼″ Overhead Cabinet with 4 Laminate Doors with or without Cubbie or 4 Frosted Metal Doors with or without Cubbie**
36″, 42″, 48″ and 60″ with 4 Laminate or Frosted Doors
60″, 66″ and 72″ with Laminate or Frosted Doors and Cubbie




**14¼″D x 35″H Stack-on Storage, Built-up, with Sliding Doors**
72″W only




**14¼″D x 35″H Stack-on Storage, Built-up, 4 Frosted Metal Doors with Cubbie**
72″W only with Laminate or Frosted Doors and Cubbie




**O-Leg Support for Overhead Cabinet**
50″-14⅛″D x 5½″H
65″-14⅛″D x 20½″H



**Post Legs for Shared Storage**
14″H and 22″H



**Tackboard for Overhead Cabinet Applications**
**Tackboard for Built-up Stack-on Storage**
72″W only




**Panel Mount Bracket for Shared Overhead**
Abound and Accelerate

**Tips**


- Select sliding or hinged doors.
- Specify O-leg separately for a contemporary look.
- Optional storage shelf works in conjunction with the O-leg design to provide additional storage space. Only works with 65″H O-legs.
- O-legs come in two sizes to make a 50″H or 65″H stack-on storage unit.
- Wall mount brackets carry a $162 upcharge and are specified the model ordering logic.
- Use shared overhead and attachments in small footprint applications.
- Shared overhead must be ordered as left or right to determine open storage location.
- Shared overhead panel mount brackets and overhead post legs allow overhead to span over all panels systems or run down the spine wall, centered on top of the panel.
- Use the 65″H for a more conventional design. 65″H and 50″H aligns with Abound and Accelerate.
- Stack-on Storage must be placed over two full-height supports. Cannot be placed over non-supported sections such as returns using a flat bracket or tower-to-worksurface bracket.
- If the end panel conventional look is preferred, order the built-up stack-on storage models.
- There are two types of tackboards for use on Overhead Cabinet and Stack-on Storage.

# VOI® SPECIFYING/DESIGN GUIDE


5. Select the right storage.
   Choose from a variety of below the worksurface, as well as traditional, storage options.



**Laterals and Storage Cabinet**
2-Drawer Lateral, 4-Drawer Lateral, Storage Cabinet
36″W x 24″D x 29½″H, 36″W x 20″D x 29½″H,
36″W x 24″D x 57″H, 36″W x 20″D x 57″H,
36″W x 24″D x 29½″H, 36″W x 20″D x 29½″H




**Storage Towers**
18″W x 20″D, 18″W x 24″D, 24″W x 20″D, 24″W x 24″D, 50″H and 65″H
**Storage Tower, One Door**
18″W x 20″D x 42″H
Available in Footed Option




**Bookshelves**
36″W x 13″D x 29½″H (2 Shelf)
36″W x 13″D x 50″H (3 Shelf)
36″W x 13″D x 65″H (4 Shelf)




**Bookcase Hutch without Doors**
36″W x 14″D x 35″H



**Credenzas**
Credenza: 24″D x 72″W x 29½″H
Low Credenzas: 20″D x 21½″H x 30″, 36″, 60″, 72″W
Low Credenzas with a variety of door/drawer options
Limited dimensions available in Footed Option



**Mobile Credenza**
30″W x 20″D x 21½″H




**Mobile Pedestal**
15¾″W x 20¹¹⁄₁₆″D x 21⁷⁄₁₆″H
Available in Footed Option


**Tips**

- Small credenza models can be used in small footprint applications.
- Can use pedestal or credenza seat cushions on smaller credenza models.
- Low credenzas work in conjunction with worksurface 7″ O-leg designed to create a unique layering design.
- Bookcase/laterals and other conventional storage components provide additional storage space.
- Must specify chassis and drawer front color separately.
- Low Credenzas, Laterals and Mobile Pedestals have seat cushions to create additional seating in the workspace.
- Storage and Personal Tower models offer conventional storage as well as wardrobes with a coat rod.
- A worksurface-to-tower bracket kit allows the attachment of worksurfaces to Storage and Personal Tower models.
- Telescoping ball-bearing slides used on box and file drawers. Lateral drawers use a progressive ball-bearing slide.


6. Select Accessories to add color, additional storage and organization to your workspace.



**Layering Shelf**
60″W x 14¼″D x 5½″H
72″W x 14¼″D x 5½″H




**Shelves and Shelf Brackets**
Shelf Depth: 13″
Shelf Widths: 30″, 36″, 45″
Bracket sold separately, set of three




**Seat Cushion for Credenzas and Mobile Credenza/Pedestal**
**Pedestal Cushion**
15⅞″W x 20″D x 2″H
**Credenza Cushion**
20″W x 30″D x 2″H, 20″W x 36″D x 2″H




**Metal Storage Cube**
12″ x 12″




**Laminate Storage Cubes**
15″W x 13″D x 4″H
15″W x 13″D x 12″H




**Drawer Organizer**
12″W x 14½″D x 1½″H




**Markerboard for Shared Overhead**
30″W x 15″D for use with 60″W Shared Overhead
36″W x 15″D for use with 72″W Shared Overhead




**Markerboard**
48″W x 31″H



**LED Task Light**



**Cable Management Trough**
17″W



**Cable Management Trough**
36″W

**Tips**

- Choose from many bright Storage Cube colors for a colorful design element while providing additional storage.
- Use the Drawer Organizer to keep small items in order. Also offered in the same bright Storage Cube colors.
- Layering shelves are great for filing and piling or in conjunction with the lower credenza.
- Optimize shared overhead capabilities by adding the Markerboard for Shared Overhead.

# VOI® AND SYSTEMS INTEGRATION

## Worksurface Applications

Either Voi or Systems worksurfaces can be used with Voi in an open plan application. There are several support options:

A. Completely panel supported.

B. Combination of panel supported and another worksurface support such as:
- Bookcase support
- Pedestal (Brigade®, Flagship®, Contain®, or Voi®)
- Systems open leg
- Voi O-leg
- End panel (Systems or Voi)
- Tower to worksurface bracket
- Support column
- Systems round post leg
- Voi post leg

C. Freestanding:
- Bookcase support
- Two pedestals (Brigade®, Flagship®, Contain®, or Voi®)
- Two Voi O-legs
- One Voi O-leg and one Voi O-leg support for lower credenzas
- Two end panels (metal or Voi)—requires metal or Voi modesty panel
- Four (Two 2-Pack) Voi angled legs, wood or steel
- Two Voi angled legs, steel and two Voi steel stanchion supports for low credenzas

## Additional application guidelines for worksurfaces:

- Systems worksurfaces are available with grommets or no grommets.
- When Voi lower credenzas are used along the spine wall and are placed adjacent to the wing wall, one electrical/data cutout on the wing wall will be blocked.
- When Voi credenzas are used along the wing wall and are placed adjacent to the spine wall, one electrical/data cutout on the spine wall will be blocked.
- When the Voi O-leg support for credenzas is used, it is recommended to also panel attach the worksurface with the worksurface anti-dislodgement bracket kit HWSA2.
- When the Voi O-leg support is used with panels, it is recommended to also panel attach the O-leg to the panel with the O-leg to panel bracket kit HLSPBL (left) and/or HLSPBR (right). This bracket will provide additional workstation rigidity.
- When the Voi end panel support is used with panels, it is recommended to use the end panel support with panel bracket model. This model will provide additional workstation rigidity.
- The worksurface to tower bracket kit, HSTB2W1, will work with Voi towers, Voi worksurfaces, and systems worksurfaces.
- Knife Edge surfaces are recommended to only use angled post legs as supports.
- Knife Edge worksurfaces are intended to be stand-alone. Surface gaps may occur if connecting to a panel or using return worksurfaces.

## Application Guidelines—Combination of Panel Supported and Another Worksurface Support

- For applications where 1) the worksurface is perpendicular to the spine wall; 2) the worksurface is panel supported off the spine wall; and 3) there are Voi credenzas placed under the worksurface along the spine: there is not enough clearance to use standard worksurface cantilevers to attach the worksurface to the spine. Use the worksurface anti-dislodgement bracket kit HWSA2 to panel attach the worksurface in lieu of cantilevers.

## Panel Mounted Stack-on Storage Applications


- The Voi stack-on storage cabinets can be used on Abound and Accelerate as panel mounted overheads.
- The sliding door stack-on storage units are available in 36″, 42″, 48″ widths in addition to 60″, 66″, and 72″ widths.
- The 4 door stack-on storage units are only available in 36″, 42″, 48″, 60″, 66″, and 72″ widths.
- The storage units require a storage to panel bracket kit, model HLSLPMB. This model includes one left hand, one right hand, and one center bracket. The brackets are available in all P1 and P2 paint colors.
- The storage cabinets do not have off modular capabilities.
- For proper installation and support, the storage units must follow the following specification rules:
  - There should be a storage unit of the same construction on each side of a given panel.
  - The storage units on opposite sides of a given panel should be in the same location vertically and horizontally.
  - Only one storage unit per panel, per side.
  - The wing panel adjacent to the spine wall needs to be the same height as the spine wall.

Contact HON's Integrated Design Services team with specification questions.

# VOI® Laminate Worksurfaces — Rectangle

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Rectangle Worksurfaces** | | | | | |
| 36″W x 20″D | **HLSLR2036** | 40 | 2.2 | **$332** | **$344** |
| 42″W x 20″D | **HLSLR2042** | 46 | 2.6 | **$370** | **$382** |
| 48″W x 20″D | **HLSLR2048** | 52 | 2.9 | **$398** | **$410** |
| 54″W x 20″D | **HLSLR2054** | 64 | 3.5 | **$446** | **$463** |
| 60″W x 20″D | **HLSLR2060** | 70 | 3.5 | **$490** | **$507** |
| 66″W x 20″D | **HLSLR2066** | 76 | 4.2 | **$533** | **$550** |
| 72″W x 20″D | **HLSLR2072** | 82 | 4.2 | **$548** | **$565** |
| 36″W x 24″D | **HLSLR2436** | 47 | 2.6 | **$347** | **$364** |
| 42″W x 24″D | **HLSLR2442** | 54 | 3.0 | **$389** | **$406** |
| 48″W x 24″D | **HLSLR2448** | 61 | 3.4 | **$422** | **$439** |
| 54″W x 24″D | **HLSLR2454** | 68 | 4.2 | **$453** | **$475** |
| 60″W x 24″D | **HLSLR2460** | 75 | 4.2 | **$492** | **$514** |
| 66″W x 24″D | **HLSLR2466** | 82 | 5.0 | **$535** | **$557** |
| 72″W x 24″D | **HLSLR2472** | 89 | 5.0 | **$553** | **$575** |
| 84″W x 24″D | **HLSLR2484** | 103 | 5.7 | **$811** | **$839** |

**NOTES:**

- Systems worksurfaces can be used with all Voi components.
- Worksurfaces are abrasion- and stain-resistant laminate over durable 1⅛″ solid core high performance particleboard: resists wrapping.
- There is one 3″ grommet in 36″W and 42″W worksurfaces and two in 48″W-84″W worksurfaces.
- One flat bracket ships with each worksurface.
- When attaching tops to panels, refer to Systems section of this pricer.
- Square edge detail.
- When using a floating modesty panel or an external channel under the worksurface, the depth clearance for keyboard trays and center drawers decreases by 8″. See accessory matrix in accessory section of the pricer.
- 3″ Power Hub model HGRMTAC can be interchanged with 3″ standard grommet.

- Voi® worksurfaces cannot be used with Abode™ Desks components.
- Grommets in worksurfaces must be specified. If grommets are specified, grommets come in predetermined location.
- Edgeband option only on all Voi worksurfaces. For edgeband options, see matrix on page 173.
- When specifying an 84″ Worksurface, cannot use two O-legs, must use at least one additional support such as a pedestal or lateral file.
- When using a worksurface as a bridge, no additional supports are needed. One support is required for returns, two supports are required for desks and credenzas.
- Lateral file or multi files must be used with surfaces 24″D and 60″W or greater.
- Depending on your support combination, an external channel may be required for extra support on unsupported spans greater than 54″W. Please see the matrix on page 193 for more details.
- If using a 54″W or 60″W floating modesty, it is not necessary to spec an external channel.
- When attaching worksurfaces to panels, one or more of the following are required: anti-dislodgement brackets, end panel, support leg and/or cantilevers. Cantilevers and anti-dislodgement brackets must be ordered separately when attaching worksurfaces to panels.
- A return worksurface is considered 48″W or shorter. Longer returns cannot be supported by a flat bracket only.

## HOW TO SPECIFY

**Select**
**Model Number**

H L S L R 2 0 3 6 .

**Select**
**Worksurface Laminate and Edge Color**

See page 173

N N .

**Select**
**Grommet Option and Color**

**X** No Grommet
**G** Grommet

If choosing the grommet option
Select Grommet Color
See page 173


G T 5

GSA SIN 33721

Icon Legend on page 19

# VOI® Laminate Worksurfaces — Rectangle





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Rectangle Worksurfaces** | | | | | |
| 36″W x 30″D | **HLSLR3036** | 58 | 3.2 | **$398** | **$415** |
| 42″W x 30″D | **HLSLR3042** | 67 | 3.7 | **$427** | **$444** |
| 48″W x 30″D | **HLSLR3048** | 75 | 4.2 | **$453** | **$470** |
| 54″W x 30″D | **HLSLR3054** | 84 | 5.1 | **$503** | **$525** |
| 60″W x 30″D | **HLSLR3060** | 92 | 5.1 | **$563** | **$585** |
| 66″W x 30″D | **HLSLR3066** | 101 | 6.1 | **$606** | **$628** |
| 72″W x 30″D | **HLSLR3072** | 110 | 6.1 | **$659** | **$681** |
| 84″W x 30″D | **HLSLR3084** | 127 | 7.0 | **$896** | **$924** |
| 60″W x 36″D | **HLSLR3660** | 110 | 6.1 | **$704** | **$732** |
| 66″W x 36″D | **HLSLR3666** | 120 | 7.2 | **$761** | **$789** |
| 72″W x 36″D | **HLSLR3672** | 130 | 7.2 | **$852** | **$880** |

**NOTES:**

- Systems worksurfaces can be used with all Voi components.
- Worksurfaces are abrasion- and stain-resistant laminate over durable 1⅛″ solid core high performance particleboard: resists wrapping.
- There is one 3″ grommet in 36″W and 42″W worksurfaces and two in 48″W-84″W worksurfaces.
- One flat bracket ships with each worksurface.
- When attaching tops to panels, refer to Systems section of this pricer.
- Square edge detail.
- When using a floating modesty panel or an external channel under the worksurface, the depth clearance for keyboard trays and center drawers decreases by 8″. See accessory matrix in accessory section of the pricer.
- 3″ Power Hub model HGRMTAC can be interchanged with 3″ standard grommet.

- Voi® worksurfaces cannot be used with Abode™ Desks components.
- Grommets in worksurfaces must be specified. If grommets are specified, grommets come in predetermined location.
- Edgeband option only on all Voi worksurfaces.
- When specifying an 84″ Worksurface, cannot use two O-legs, must use at least one additional support such as a pedestal or lateral file.
- When using a worksurface as a bridge, no additional supports are needed. One support is required for returns, two supports are required for desks and credenzas.
- Lateral file or multi files must be used with surfaces 24″D and 60″W or greater.
- Depending on your support combination, an external channel may be required for extra support on unsupported spans greater than 54″W. Please see page 193 for models and a matrix to aid in specifying.
- If using a 54″W or 60″W floating modesty, it is not necessary to spec an external channel.
- When attaching worksurfaces to panels, one or more of the following are required: anti-dislodgement brackets, end panel, support leg and/or cantilevers. Cantilevers and anti-dislodgement brackets must be ordered separately when attaching worksurfaces to panels.
- A return worksurface is considered 48″W or shorter. Longer returns cannot be supported by a flat bracket only.

## HOW TO SPECIFY

**Select**
**Model Number**

H L S L R 3 0 3 6 .

**Select**
**Worksurface Laminate and Edge Color**

See page 173

N N .

**Select**
**Grommet Option and Color**


**X** No Grommet
**G** Grommet

If choosing the grommet option
Select Grommet Color
See page 173

G T 5

# VOI®
# Laminate Worksurfaces — Rectangle

GSA SIN 33721



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Rectangle Worksurfaces Top with Knife Edge** | | | | | |
| 48″W x 24″D | **HLSLR2448J** | 54 | 3.4 | **$576** | **$593** |
| 60″W x 24″D | **HLSLR2460J** | 75 | 4.2 | **$671** | **$693** |
| 72″W x 24″D | **HLSLR2472J** | 89 | 5.0 | **$754** | **$776** |
| 48″W x 30″D | **HLSLR3048J** | 75 | 4.2 | **$619** | **$636** |
| 60″W x 30″D | **HLSLR3060J** | 92 | 5.1 | **$768** | **$790** |
| 72″W x 30″D | **HLSLR3072J** | 110 | 6.1 | **$898** | **$920** |

**NOTES:**
- Systems worksurfaces can be used with all Voi® components.
- Worksurfaces are abrasion- and stain-resistant laminate over durable 1⅛″ solid core high performance particleboard: resists wrapping.
- There are two 3″ grommets in Knife Edge worksurfaces, if specified.
- When using a floating modesty panel or an external channel under the worksurface, the depth clearance for keyboard trays and center drawers decreases by 8″. See accessory matrix in accessory section of the pricer.
- 3″ Power Hub model HGRMTAC can be interchanged with 3″ standard grommet.

Voi® worksurfaces cannot be used with Abode™ Desks components.

Grommets in worksurfaces must be specified. If grommets are specified, grommets come in predetermined location.

Depending on your support combination, an external channel may be required for extra support on unsupported spans greater than 54″W. Please see the matrix on page 193 for more details.

If using a 54″W or 60″W floating modesty, it is not necessary to spec an external channel.

Voi® Knife Edge surfaces are recommended to only use angled post legs as supports.

Knife Edge worksurfaces are intended to be stand-alone. Surface gaps may occur if connecting to a panel or using return worksurfaces.

## HOW TO SPECIFY

**Select**
**Model Number**

H L S L R 2 4 4 8 J .

**Select**
**Worksurface Laminate and Edge Color**

See page 173

N N .

**Select**
**Grommet Option and Color**

**X** No Grommet
**G** Grommet

If choosing the grommet option, select Grommet Color. See page 173.

G T 1

GSA SIN 33721

Icon Legend on page 19

# VOI® Worksurface Supports





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **External Support Channel** | | | | |
| 36″W for a 48″ Worksurface | **HLSLZ5SC48** | 5 | 0.5 | **$121** |
| 42″W for a 54″ Worksurface | **HLSLZ5SC54** | 5 | 0.5 | **$132** |
| 48″W for a 60″ Worksurface | **HLSLZ5SC60** | 6 | 0.5 | **$138** |
| 54″W for a 66″ Worksurface | **HLSLZ5SC66** | 7 | 0.5 | **$144** |
| 60″W for a 72″ Worksurface | **HLSLZ5SC72** | 7 | 0.5 | **$156** |
| 72″W for an 84″ Worksurface | **HLSLZ5SC84** | 12 | 0.7 | **$156** |

- Available in Graphite paint only.
- When specifying panel-hung worksurfaces, specify external channel as if supported by two O-legs via selection chart.
- When specifying a 54″W or 60″W Floating Modesty Panel, it is not necessary to specify an external channel.

| EXTERNAL CHANNEL SELECTION GUIDE | | | | | | |
|---|---|---|---|---|---|---|
| **Support Combination** | | **Worksurface Width for Rectangle, Wedge, and Saddle** | | | | |
| **Support 1** | **Support 2** | **84 in** | **72 in** | **66 in** | **60 in** | **54 in** |
| O-Leg | O-Leg | NA | HLSLZ5SC72 | HLSLZ5SC66 | HLSLZ5SC60 | HLSLZ5SC54 |
| O-Leg | Slim Profile Pedestal | HLSLZ5SC84 | HLSLZ5SC66 | HLSLZ5SC60 | HLSLZ5SC54 | NA |
| O-Leg | Bookcase | HLSLZ5SC72 | HLSLZ5SC66 | HLSLZ5SC60 | HLSLZ5SC54 | NA |
| O-Leg | Pedestal | HLSLZ5SC72 | HLSLZ5SC60 | HLSLZ5SC54 | NA | NA |
| O-Leg | End-Panel | HLSLZ5SC84 | HLSLZ5SC60 | HLSLZ5SC54 | NA | NA |
| Slim Profile Pedestal | Slim Profile Pedestal | HLSLZ5SC72 | HLSLZ5SC60 | HLSLZ5SC54 | NA | NA |
| Slim Profile Pedestal | Bookcase | HLSLZ5SC72 | HLSLZ5SC60 | HLSLZ5SC54 | NA | NA |
| Slim Profile Pedestal | Pedestal | HLSLZ5SC66 | HLSLZ5SC54 | NA | NA | NA |
| Slim Profile Pedestal | End-Panel | HLSLZ5SC66 | HLSLZ5SC54 | NA | NA | NA |
| Pedestal | Bookcase | HLSLZ5SC66 | HLSLZ5SC54 | NA | NA | NA |
| End-Panel | Bookcase | HLSLZ5SC66 | HLSLZ5SC54 | NA | NA | NA |
| Bookcase | Bookcase | HLSLZ5SC66 | HLSLZ5SC54 | NA | NA | NA |
| End-Panel | End-Panel | HLSLZ5SC60 | NA | NA | NA | NA |
| Pedestal | Pedestal | HLSLZ5SC60 | NA | NA | NA | NA |
| Pedestal | End-Panel | HLSLZ5SC60 | NA | NA | NA | NA |
| O-Leg | Lateral/Multifile | HLSLZ5SC54 | NA | NA | NA | NA |
| Bookcase | Lateral/Multifile | NA | NA | NA | NA | NA |
| Slim Profile Pedestal | Lateral/Multifile | NA | NA | NA | NA | NA |
| Pedestal | Lateral/Multifile | NA | NA | NA | NA | NA |
| End-Panel | Lateral/Multifile | NA | NA | NA | NA | NA |
| Height Adjustable Base | NA | HLSLZ5SC72 | HLSLZ5SC60 | HLSLZ5SC54 | HLSLZ5SC48 | NA |

*All Rudder worksurfaces use external channel model HLSLZ5SC60.

## HOW TO SPECIFY

**Select Model Number**

H L S L Z 5 S C 8 4 .

**Select Paint Color**







See page 173

P

# VOI® Worksurface Supports

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **O-Leg Support for Worksurfaces** | | | | | | |
| | 20″D x 28½″H | **HLSL2028O** | 15 | 3.7 | **$410** | **$416** | **$432** |
| | 24″D x 28½″H | **HLSL2428O** | 17 | 3.7 | **$446** | **$452** | **$468** |
| | 30″D x 28½″H | **HLSL3028O** | 19 | 5.4 | **$493** | **$499** | **$515** |
| | NOTES: Ship fully assembled, 1/pack. Non-handed. | | | | | | |
| | Specify paint only. | | | | | | |
| | **SPECIFYING EXAMPLE: HLSL2028O.T1** | | | | | | |
|  | **O-Leg Shared Support for Worksurfaces** | | | | | | |
| | 20″D x 28½″H | **HLSL2028SL** | 15 | 3.7 | **$490** | **$496** | **$512** |
| | 24″D x 28½″H | **HLSL2428SL** | 17 | 3.7 | **$553** | **$559** | **$575** |
| | 30″D x 28½″H | **HLSL3028SL** | 19 | 5.4 | **$613** | **$619** | **$635** |
| | NOTES: Ship fully assembled, 1/pack. Non-handed. | | | | | | |
| | Specify paint only. | | | | | | |
| | **SPECIFYING EXAMPLE: HLSL2028SL.T1** | | | | | | |
|  | **Double-Depth O-Leg Support for Worksurfaces** | | | | | | |
| | 48″D x 28½″H | **HLSL4828O** | 18 | 7.0 | **$836** | **$846** | **$858** |
| | 60″D x 28½″H | **HLSL6028O** | 19 | 8.7 | **$929** | **$939** | **$951** |
| | NOTES: Ship fully assembled, 1/package. Non-handed. | | | | | | |
|  | **O-Leg Support for Low Credenzas** | | | | | | |
| | 20″D x 7″H | **HLSL207O** | 5 | 1.0 | **$278** | **$284** | **$300** |
| | 24″D x 7″H | **HLSL247O** | 6 | 1.0 | **$300** | **$306** | **$322** |
| | 30″D x 7″H | **HLSL307O** | 7 | 1.0 | **$381** | **$387** | **$403** |
| | NOTES: Ship fully assembled, 1/pack. Non-handed. | | | | | | |
| | Specify paint only. | | | | | | |
| | **SPECIFYING EXAMPLE: HLSL207O.T1** | | | | | | |
|  | **O-Leg Shared Support for Low Credenzas** | | | | | | |
| | 20″D x 7″H | **HLSL207SL** | 5 | 1.0 | **$345** | **$351** | **$367** |
| | 24″D x 7″H | **HLSL247SL** | 6 | 1.0 | **$374** | **$380** | **$396** |
| | 30″D x 7″H | **HLSL307SL** | 7 | 1.0 | **$474** | **$480** | **$496** |
| | NOTES: Ship fully assembled, 1/pack. Non-handed. | | | | | | |
| | Specify paint only. | | | | | | |
| | **SPECIFYING EXAMPLE: HLSL207SL.T1** | | | | | | |
|  | **O-Leg Chase** | **HLEGCHASE26** | 1 | 0.4 | **$120** | **$132** | **$138** |
| | • O-Leg Chase is 26″H. | | | | | | |
| | • Available in standard metal paint finishes, specify desired finish. | | | | | | |
| | • See page 173 for Voi® O-Leg finishes to match chase finish to O-Leg. | | | | | | |
| | NOTES: Works with Voi® O-Legs, matches leg profile on models HLSL30280 and HLSL24280. Attaches to legs via magnets. Metal chase can fit qty. 12, 3/10″ diameter cords. | | | | | | |
| | **SPECIFYING EXAMPLE: HLEGCHASE26.P7D** | | | | | | |

**NOTES:**

- A variety of pedestals, end panels, and O-legs can be combined to create a conventional or contemporary desk.
- O-leg ships fully assembled with mounting hardware.
- Shared O-Legs create a cleaner aesthetic in all applications where two legs are used side-by-side.
- Shared O-Leg bracket will span both worksurfaces to provide the same support with the look of a single O-leg.
- Will have a 6″ overhang when using 30″ worksurface supports with a 36″D worksurface.
- Glides on O-Leg Support for Worksurfaces and Post Leg Base have 2″ of adjustability. No glides on 7″H O-leg. Glides on end panels have 1¼″ adjustability.

O-legs may only be attached to worksurfaces, not storage units.

## HOW TO SPECIFY

**Select Model Number**


H L S L 2 0 2 8 O .

**Select Paint Color**

See page 173

T 1

# Worksurface Supports




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Post Leg Base** | | | | | | |
| 28½"H x 2" square | **HLSL28P** | 15 | 1.0 | **$401** | **$407** | **$423** |

- Post leg cannot be used on primary worksurface with an O-leg as the other support.
- Post leg can only be used to support peninsula, not as primary supports for a top.




| | | | | | | |
|---|---|---|---|---|---|---|
| **28½"H O-Leg-to-Panel Attachment Bracket** | | | | | | |
| 28½"H Left handed bracket (quantity 1) | **HLSLPBL** | 3 | 0.4 | **$140** | **$146** | **N/A** |
| 28½"H Right handed bracket (quantity 1) | **HLSLPBR** | 3 | 0.4 | **$140** | **$146** | **N/A** |

NOTES: Used to connect Voi O-Leg to a systems panel for additional workstation rigidity. Bracket designed to work with edgeband worksurfaces only. Brackets are handed, come one per package and include self-tapping screws. Specify paint.



*HLSL28AM2*




*HLSL28AW2*

| | | | | | | |
|---|---|---|---|---|---|---|
| **Angled Legs** | | | | | | |
| 12"W x 8"D x 32"H Steel — 2-Pack | **HLSL28AM2** | 15 | 1.3 | **$445** | **$455** | **$467** |
| 12"W x 8"D x 32"H Wood — 2-Pack | **HLSL28AW2** | 14 | 1.5 | **$576** | | |


NOTES: Angled Steel Legs come equipped with a removable wire management channel in each leg.

- 4"H Stanchions to be used on floor storage with feet ONLY.
- O-Leg Support to be used on floor storage without feet ONLY.
- Wood legs use natural wood material. The color on each leg may contain natural variation.
- Pricing shown is per carton. Ordering 2 of either model will result in 2 cartons being shipped, giving you 4 legs.



| | | | | | | |
|---|---|---|---|---|---|---|
| **Steel Stanchions — 2-Pack** | | | | | | |
| 4"H | **HLSL4AM2** | 5 | 0.2 | **$210** | **$220** | **$232** |

- 4"H Stanchions to be used on floor storage with feet ONLY.
- O-Leg Support to be used on floor storage without feet ONLY.
- Wood legs use natural wood material. The color on each leg may contain natural variation.
- Pricing shown is per carton. Ordering 2 of either model will result in 2 cartons being shipped, giving you 4 legs.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **End Panel Support** | | | | | |
| 16"W x 20"D x 28½"H | **HLSL2028E** | 39 | 3.2 | **$266** | **$278** |
| 16"W x 24"D x 28½"H | **HLSL2428E** | 44 | 3.7 | **$285** | **$297** |
| 16"W x 30"D x 28½"H | **HLSL3028E** | 50 | 4.2 | **$305** | **$317** |

NOTES: Ship in two pieces.

**NOTES:**

- A variety of pedestals, end panels, and O-legs can be combined to create a conventional or contemporary desk.
- Voi® square support column is interchangeable with the Systems worksurface round support column: HCNLEG29.
- Glides on Post Leg Base have 2" of adjustability. Glides on end panels have 1¼" adjustability.

## HOW TO SPECIFY



| Select Model Number | Select Laminate/Paint |
|---|---|
| H L S L 2 0 2 8 E . | H |

See page 173

# VOI® Standing-Height Worksurface Supports

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Standing-Height O-Leg Support for Worksurfaces** | | | | | | |
| | 24″D x 41″H | **HLSL2441O** | 16 | 5.3 | **$594** | **$602** | **$616** |
| | 30″D x 41″H | **HLSL3041O** | 17 | 6.5 | **$665** | **$673** | **$687** |
| | NOTES: Ship fully assembled, 1/package. Non-handed. Coordinate™ Power Modules will work with standing-height applications for 10500™ and Voi® desks. Please see pages 697-698 for more information. | | | | | | |
|  | **Standing-Height O-Leg Shared Support for Worksurfaces** | | | | | | |
| | 24″D x 41″H | **HLSL2441SL** | 16 | 5.3 | **$670** | **$678** | **$692** |
| | 30″D x 41″H | **HLSL3041SL** | 17 | 6.5 | **$740** | **$748** | **$762** |
| | NOTES: Ship fully assembled, 1/package. Non-handed. Coordinate™ Power Modules will work with standing-height applications for 10500™ and Voi® desks. Please see pages 697-698 for more information. | | | | | | |
|  | **Standing-Height O-Leg to Panel Attachment Bracket** | | | | | | |
| | 41″H Left-hand Bracket | **HLSLSPBL** | 6 | 1.0 | **$176** | **$182** | **N/A** |
| | 41″H Right-hand Bracket | **HLSLSPBR** | 6 | 1.0 | **$176** | **$182** | **N/A** |
| | NOTES: 1/package. Brackets are handed as shown above. To be used with 41″H O-legs shown above (HLSL2441O and HLSL3041O). | | | | | | |

**NOTES:**

- O-leg glides have 2″ adjustability.
- O-Leg to Panel Attachment Brackets are used to connect Voi® O-Legs to a systems panel for additional worksurface rigidity.

! O-legs may only be attached to worksurfaces, not storage units.

## HOW TO SPECIFY

**Select Model Number**

H L S L 2 4 4 1 O .

**Select Paint Color**

See page 173


T 1

GSA SIN 33721

Icon Legend on page 19

# VOI® Standing-Height Laminate Support






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **Standing-Height Support Pedestals — Box/Box/File/File** | | | | | | |
| 9½"W x 24"D x 41"H | **HLSL2441S** | 94 | 11.9 | **$2063** | **$44** | **$22** |
| 9½"W x 30"D x 41"H | **HLSL3041S** | 113 | 14.7 | **$2143** | **$50** | **$22** |

NOTES: Top two drawers are non-locking.

❗ Cannot use grommet worksurfaces with Standing-Height Support Storage.



| | | | | | | |
|---|---|---|---|---|---|---|
| **Standing-Height Side Access Storage Tower** | | | | | | |
| 12"W x 24"D x 50"H – Left | **HLSLW1224L** | 100 | 11.0 | **$1881** | **$39** | **$22** |
| 12"W x 24"D x 50"H – Right | **HLSLW1224R** | 100 | 11.0 | **$1881** | **$39** | **$22** |
| 12"W x 30"D x 50"H – Left | **HLSLW1230L** | 121 | 13.6 | **$1962** | **$39** | **$22** |
| 12"W x 30"D x 50"H – Right | **HLSLW1230R** | 121 | 13.6 | **$1962** | **$39** | **$22** |

**NOTES:**

- Tower includes coat hook on back of door.
- Chassis and drawer front panels can be specified separately.
- Tower door is locking. Ships with one handle.
- Support Pedestals bottom file drawers will lock, top box drawers will not.
- Standing-Height Pedestals will have 6" overhang when using 30"D support storage with a 36"D worksurface.
- Use the worksurface to tower bracket kit model HSTB2W1 on page 217 to attach worksurfaces to the Storage Tower models.

❗ Pedestals ship fully assembled but must attach to a worksurface with a quick release bracket, provided. Pedestals are non-handed and are interchangeable.

❗ Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.



## HOW TO SPECIFY

| Select Model Number | Select Chassis Laminate | Select Drawer Front Laminate | Select Pull Color |
|---|---|---|---|
| | See page 173 | See page 173 | See page 173 |
| H L S L 2 4 4 1 S . | N . | N . | T 4 |

# VOI® Coordinate™ Sit-to-Stand Worksurfaces

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Rectangle Worksurfaces** | | | | | |
| | 48″W x 24″D | **HLSLR2448** | 61 | 3.4 | **$422** | **$439** |
| | 54″W x 24″D | **HLSLR2454** | 68 | 4.2 | **$453** | **$475** |
| | 60″W x 24″D | **HLSLR2460** | 75 | 4.2 | **$492** | **$514** |
| | 66″W x 24″D | **HLSLR2466** | 82 | 5.0 | **$535** | **$557** |
| | 72″W x 24″D | **HLSLR2472** | 89 | 5.0 | **$553** | **$575** |
|  | **Rectangle Worksurfaces** | | | | | |
| | 48″W x 30″D | **HLSLR3048** | 75 | 4.2 | **$453** | **$470** |
| | 54″W x 30″D | **HLSLR3054** | 84 | 5.1 | **$503** | **$525** |
| | 60″W x 30″D | **HLSLR3060** | 92 | 5.1 | **$563** | **$585** |
| | 66″W x 30″D | **HLSLR3066** | 101 | 6.1 | **$606** | **$628** |
| | 72″W x 30″D | **HLSLR3072** | 110 | 6.1 | **$659** | **$681** |

## HOW TO SPECIFY

**Select**
**Model Number**

H L S L R 2 4 4 8 .

**Select**
**Worksurface Laminate and Edge Color**

See page 173

N N .

**Select**
**Grommet Option and Color**

**X** No Grommet
**G** Grommet

If choosing the grommet option
Select Grommet Color
See page 173


G T 5


GSA SIN 33721

Icon Legend on page 19

# VOI® Height Adjustable Bases







| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Coordinate™ Height Adjustable Base – 2-Stage** | | | | |
| 2-Leg Rectangle T Foot | **HHATB2S2LT** | 66 S | 2.4 | **$1090** |
| 2-Leg Rectangle C Foot | **HHATB2S2LC** | 66 S | 2.4 | **$1090** |


NOTES:
- Dual motor two-leg design. Legs raise from 25⅝" to 45¼".
- 1¼"/second travel speed.
- <48 dB noise rating.
- Base accommodates any rectangular worksurface between 23"D x 40"W and 30"D x 72"W.
- Weight capacity of 250 lbs. (including the weight of the worksurface) distributed evenly.


| | | | | |
|---|---|---|---|---|
| **Coordinate™ Height Adjustable Base – 3-Stage** | | | | |
| 2-Leg Rectangle T Foot | **HHATB3S2LT** | 66 S | 2.4 | **$1203** |
| 2-Leg Rectangle C Foot | **HHATB3S2LC** | 66 S | 2.4 | **$1203** |

NOTES:
- Dual motor two-leg design. Legs raise from 21⅝" to 47¾".
- 1¼"/second travel speed.
- <48 dB noise rating.
- Base accommodates any rectangular worksurface between 23"D x 40"W and 30"D x 72"W.
- Weight capacity of 250 lbs. (including the weight of the worksurface) distributed evenly.

| | | | | |
|---|---|---|---|---|
| **Coordinate™ Height Adjustable Base – Max 3-Stage** | | | | |
| 2-Leg Rectangle T Foot | **HHATM3S2LT** | 66 S | 2.4 | **$1347** |

NOTES:
- Dual motor two-leg design. Legs raise from 21⅝" to 47¾".
- 1¼"/second travel speed.
- <50 dB noise rating.
- Base accommodates any rectangular worksurface between 23"D x 40"W and 30"D x 96"W.
- Weight capacity of 350 lbs. (including the weight of the worksurface) distributed evenly.




| | | | | |
|---|---|---|---|---|
| **Coordinate™ Height Adjustable Base – 3-Stage** | | | | |
| 3-Leg Rectangle T Foot | **HHATB3S3LT** | 91 | 3.6 | **$1983** |
| 3-Leg Rectangle C Foot | **HHATB3S3LC** | 91 | 3.6 | **$1983** |

NOTES:
- Tri-motor three-leg design. Legs raise from 21⅝" to 47¾".
- 1¼"/second travel speed.
- <48 dB noise rating.
- Base accommodates worksurfaces between 23"D x 40"W x 40"W and 30"D x 72"W x 72"W. Can be used with 48" 120° worksurface models.
- Weight capacity of 375 lbs. (including the weight of the worksurface) distributed evenly.

! When using two worksurfaces, a flat bracket is required. Bracket purchased separately — HHN831124, HHN831130 — see page 520.

! Each worksurface 58"W or wider requires the use of an external stiffener; including secondary return worksurface in an "L" 3-leg base application if wider than 58"W. External stiffener purchased separately when not used with a Coordinate™ worksurface.

**NOTES:**
- Control Box: 120V, 4A, 60Hz, 400W.
- 9' grounded power cord.
- **HON 10-Year Warranty.**

! **Requires the use of an external stiffener (purchased separately) for worksurfaces over 58"W or wider when not used with a Coordinate™ worksurface.**

## HOW TO SPECIFY

**Select Model Number**

H H A T B 3 S 2 L T .

**Select Paint Color**

See page 115

P 7 1 .

**Select Foot**

**X** Standard Foot
**S** Slide Glide

X .

**Select Keypad**




**UD** Basic Up/Down
**MEM** Memory Preset
**PDL** Paddle

M E M

# VOI® Laminate Support/Support Pedestals

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
|  | **Support Pedestals — Box/Box/File** | | | | | | |
| | 16″W x 20″D x 28½″H | **HLSL2028B** | 73 | 7.3 | **$964** | **$17** | **$12** |
| | 16″W x 24″D x 28½″H | **HLSL2428B** | 85 | 8.5 | **$1066** | **$22** | **$12** |
| | 16″W x 30″D x 28½″H | **HLSL3028B** | 105 | 10.5 | **$1199** | **$28** | **$12** |
| | NOTES: Top box drawer does not lock. | | | | | | |
|  | **Support Pedestals — File/File** | | | | | | |
| | 16″W x 20″D x 28½″H | **HLSL2028F** | 72 | 7.3 | **$964** | **$17** | **$12** |
| | 16″W x 24″D x 28½″H | **HLSL2428F** | 84 | 8.5 | **$1066** | **$22** | **$12** |
| | 16″W x 30″D x 28½″H | **HLSL3028F** | 104 | 10.5 | **$1199** | **$28** | **$12** |
| | NOTES: Unit is locking. | | | | | | |
|  | **Slim Profile Pedestals — Box/Box/File** | | | | | | |
| | 9½″W x 24″D x 28½″H | **HLSL2428S** | 69 | 6.9 | **$1056** | **$22** | **$12** |
| | 9½″W x 30″D x 28½″H | **HLSL3028S** | 56 | 5.6 | **$1159** | **$28** | **$12** |
| | NOTES: Top box drawer does not lock. | | | | | | |
| | ! Grommet will be located under Slim Pedestal when attached. | | | | | | |

**NOTES:**

- A variety of pedestals, end panels, and O-legs can be combined to create a conventional or contemporary desk.
- Chassis and drawer front woodgrain and solid laminates are specified separately (see SIF options below).
- Will have a 6″ overhang when using 30″ worksurface supports with a 36″D worksurface.
- File drawers accept hanging folders in letter or legal size.
- Multiple handle locations possible per customer preference.
- Ships with one handle per drawer.
- Drawer Organizer model HLSLDRWORG works with box drawers.
- Box and file drawers operate on ball-bearing suspension with full extension.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 1¼″ adjustable range.

! Pedestals ship fully assembled but must attach to a worksurface with a quick release bracket, provided. Pedestals are non-handed and are interchangeable.

! Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core must be ordered separately.

## HOW TO SPECIFY




| Select Model Number | Select Chassis Laminate | Select Drawer Front Laminate | Select Pull Color |
|---|---|---|---|
| | See page 173 | See page 173 | See page 173 |
| H L S L 2 0 2 8 B . | N . | N . | T 4 |

GSA SIN 33721

Icon Legend on page 19

# VOI® Laminate Support/Support Storage



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
|  | **Bookcase Support**<br>24″W x 12″D x 28½″H<br>30″W x 12″D x 28½″H<br>Specify: Model.Laminate<br>**SPECIFYING EXAMPLE: HLSL24OBC.N** | **HLSL24OBC**<br>**HLSL30OBC** | 60<br>75 | 3.0<br>3.0 | **$740**<br>**$774** | **$22**<br>**$28** | **N/A**<br>**N/A** |
|  | **Lateral File — 2 Drawer**<br>31⅜″W x 24″D x 28½″H<br>NOTES: Unit is locking. | **HLSL2430L** | 121 | 15.6 | **$1650** | **$39** | **$22** |
|  | **Multi File Lateral File**<br>31⅜″W x 24″D x 28½″H<br>NOTES: Box drawers do not lock. | **HLSL2430MF** | 163 | 15.6 | **$1960** | **$39** | **$22** |

**NOTES:**
- Ships with one handle per drawer on all units.
- A variety of pedestals, end panels, and O-legs can be combined to create conventional or contemporary desk.
- Bookcase can only mount exterior facing under a worksurface.
- Chassis and drawer front woodgrain and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- Multiple handle locations possible per customer preference.
- Storage accessory model HLSLDRWORG works with box doors.
- Standard box drawers operate on ball-bearing suspension with full extension. File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 2″ adjustable range.
- When using two lateral files, a 60″ worksurface cannot be used, a 66″ worksurface must be specified, which will show a gap.

! A single multi file or lateral file must be specified under a worksurface 60″W or wider.

! Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core must be ordered separately.



## HOW TO SPECIFY

| Select Model Number | Select Chassis Laminate | Select Laminate | Select Pull Color |
|---|---|---|---|
| | See page 173 | See page 173 | See page 173 |
| H L S L 2 4 3 0 L . | N . | N . | T 4 |

# VOI® Modesty Panels

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Full Width/Half-height Laminate Modesty Panel** | | | | | |
| | 28″W x 14″H, for use with 60″ desks | **HLSL2814LM** | 19 | 1.6 | **$260** | **$272** |
| | 34″W x 14″H, for use with 66″ desks | **HLSL3414LM** | 23 | 1.9 | **$270** | **$282** |
| | 40″W x 14″H, for use with 72″ desks | **HLSL4014LM** | 29 | 2.4 | **$281** | **$293** |
| | NOTES: Three sizes available for 60″, 66″ and 72″ desks. Can only be used when using end panels and pedestals for support. | | | | | |
|  | **Full-to-Floor/Full-Length Laminate Modesty Panel** | | | | | |
| | 28″W x 28½″H, for use with 60″ desks | **HLSL2828LM** | 33 | 2.7 | **$347** | **$361** |
| | 34″W x 28½″H, for use with 66″ desks | **HLSL3428LM** | 38 | 3.2 | **$407** | **$421** |
| | 40″W x 28½″H, for use with 72″ desks | **HLSL4028LM** | 44 | 3.6 | **$428** | **$442** |
| | NOTES: Three sizes available for 60″, 66″ and 72″ desks. Can only be used when using end panels and pedestals for support. | | | | | |

**NOTES:**
- Full width laminate modesty panel (14″H) and full width/full-length laminate modesty panels are designed to work with 60″, 66″, & 72″ desks.
- Laminate and frosted translucent laminate are available options on modesty panels.
- Full height and half height laminate modesty panels can only be used when specifying a pedestal and/or end panel.

## HOW TO SPECIFY

**Select Model Number**

H L S L 2 8 1 4 L M .

**Select Laminate**

See page 173


N

GSA SIN 33721

Icon Legend on page 19

# VOI® Laminate Overhead Storage





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CABINET | L2 UPCHARGES DOOR |
|---|---|---|---|---|---|---|
| **Overhead Cabinet with One Sliding Door** | | | | | | |
| 36″W x 14¼″D x 14″H | **HLSL1436S** | 39 | 9.7 | **$1395** | **$28** | **$22** |
| 42″W x 14¼″D x 14″H | **HLSL1442S** | 48 | 9.7 | **$1462** | **$28** | **$22** |
| 48″W x 14¼″D x 14″H | **HLSL1448S** | 57 | 12.1 | **$1504** | **$28** | **$22** |
| 60″W x 14¼″D x 14″H | **HLSL1460S** | 69 | 13.3 | **$1621** | **$33** | **$28** |
| 66″W x 14¼″D x 14″H | **HLSL1466S** | 83 | 14.6 | **$1787** | **$33** | **$28** |
| 72″W x 14¼″D x 14″H | **HLSL1472S** | 95 | 15.9 | **$1950** | **$39** | **$28** |

**NOTES:**
- Sliding door overhead does not ship with a pull — door overhangs chassis to slide.
- If locking unit is selected, HF23 is used for lock core.

## HOW TO SPECIFY

**Select Model Number**
For locking overhead models, add an **"L"** suffix (+ $52 per model)

H L S L 1 4 7 2 S .

**Select Cabinet Laminate**
See page 173

N .

**Select Door Laminate**
See page 173


N .


**Select Pull Option**
**X** No Pull

X .

**Specify Bracket Option**
**X** No Bracket
**W** Wall Bracket (+ $162)

W





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CABINET | L2 UPCHARGES DOOR |
|---|---|---|---|---|---|---|
| **Overhead Cabinet with Doors** | | | | | | |
| 36″W x 14¼″D x 14″H, 2 doors | **HLSL1436D** | 39 | 9.7 | **$1177** | **$28** | **$22** |
| 42″W x 14¼″D x 14″H, 2 doors | **HLSL1442D** | 48 | 9.7 | **$1309** | **$28** | **$22** |
| 48″W x 14¼″D x 14″H, 3 doors | **HLSL1448D** | 57 | 12.1 | **$1452** | **$28** | **$33** |
| 60″W x 14¼″D x 14″H, 4 doors | **HLSL1460D** | 115 | 13.3 | **$1621** | **$33** | **$33** |
| NOTES: Doors available in laminate. | | | | | | |
| **Overhead Cabinet with 4 Doors/Cubbies** | | | | | | |
| 66″W x 14¼″D x 14″H with 6″ Cubbie | **HLSL1466D** | 126 | 14.6 | **$1787** | **$33** | **$33** |
| 72″W x 14¼″D x 14″H with 12″ Cubbie | **HLSL1472D** | 139 | 15.9 | **$1950** | **$39** | **$39** |
| NOTES: Doors available in laminate. | | | | | | |

**NOTES:**
- All Overhead Cabinets shown above can be used as a wall mount, panel mount or stack-on storage with O-leg.
- Tackboards are available for wall mount storage applications and conventional stack-on. Use wall mount tackboards when using O-leg supports.
- 5½″H and 20½″H O-legs can be purchased to create stack-on storage. Heights line up with Abound® and Accelerate® panels.
- Overhead cabinets with four doors are available in laminate or mixed materials.
- Wall mount brackets specified with unit. Brackets attach to case horizontally.
- Storage cases accept binder height items.
- The Metal Storage Cube HLSL1212 fits inside stack-on storage or overhead cabinet units to provide paper management.
- For panel mounted applications, brackets and hardware are ordered separately, see page 205. Brackets attach to panel and case is screwed into brackets. Two brackets needed for 60″ unit.
- If locking unit is selected, HF27 is used for lock core.

! Stack-on Storage must be placed over two full-height supports. Cannot be placed over non-supported sections such as returns using a flat bracket or tower-to-worksurface bracket.

## HOW TO SPECIFY

**Select Model Number**
For locking overhead models, add an **"L"** suffix (+ $53 per model)

H L S L 1 4 6 0 D .

**Select Cabinet Laminate**
See page 173

N .

**Select Door Laminate**
See page 173

N .




**Select Bracket Option**
**X** No Bracket
**W** Wall Bracket (+ $162)


X

# VOI®
# Laminate Overhead and Stack-on Storage

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Overhead Cabinet with 4 Frosted, Metal Frame Doors** | | | | | |
| | 60″W x 14¼″D x 14″H | **HLSL1460M** | 115 | 11.4 | **$2665** | **$2698** |
| | ! Must specify an X or W for attachment bracket option below. | | | | | |
|  | **Overhead Cabinet with 4 Frosted, Metal Frame Doors** | | | | | |
| | 72″W x 14¼″D x 14″H with 12″ Cubbie | **HLSL1472M** | 139 | 13.6 | **$3002** | **$3041** |
| | 66″W x 14¼″D x 14″H with 6″ Cubbie | **HLSL1466M** | 126 | 12.5 | **$2832** | **$2865** |
| | ! Must specify an X or W for attachment bracket option below. | | | | | |
|  | **Stack-on Storage, Built-up with 4 Frosted Doors with Metal Frame with Cubbies** | | | | | |
| | 72″W x 14¼″D x 35″H with 12″ Cubbie | **HLSL1472MB** | 165 | 30.4 | **$3162** | **$3212** |
| | NOTES: Ships complete with Back Enclosure and laminate End Panels. Ships factory assembled. | | | | | |
| | ! Does not require bracket specification. | | | | | |

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE A | B |
|---|---|---|---|---|---|---|
|  18″H | **Tackboard for Wall Mount Overhead Cabinets** | | | | | |
| | For 78″W | **HLSL78TW** | 13 | 1.4 | **$537** | **$551** |
| | For 72″W | **HLSL72TW** | 12 | 1.4 | **$511** | **$525** |
| | For 66″W | **HLSL66TW** | 11 | 1.4 | **$489** | **$503** |
| | For 60″W | **HLSL60TW** | 10 | 1.1 | **$435** | **$449** |
| | For 48″W | **HLSL48TW** | 13 | 1.4 | **$380** | **$391** |
| | For 42″W | **HLSL42TW** | 12 | 1.4 | **$353** | **$364** |
| | For 36″W | **HLSL36TW** | 11 | 1.4 | **$333** | **$344** |
| | **SPECIFYING EXAMPLE: HLSL48TW.DB30** | | | | | |

**NOTES:**

- Use O-Leg Support models for Overhead Cabinets. See page 206.
- The Metal Storage Cube HLSL1212 fits inside stack-on storage or wall mount units to provide paper management. See page 206.

! Metal Frame Overhead and Stack-on Storage units are not available with a lock.

! Stack-on Storage must be placed over two full-height supports. Cannot be placed over non-supported sections such as returns using a flat bracket or tower-to-worksurface bracket.

! Specify fabric, see pages 26-27. Upcharges may apply to premium fabric grades. Disperse (DISP) and Exchange (EXG) not available on sizes wider than 72″.

## HOW TO SPECIFY

**Select Model Number**

H L S L 1 4 6 0 M .

**Select Cabinet Laminate**

See page 173

N .

**Select Door Material**

**T1G** Platinum Metal Doors with Frosted Glass (no upcharge)

T 1 G .

**Select Bracket Option**

**X** No Bracket
**W** Wall Bracket (+ $162)

Not specified for model HLSL1472MB



X


GSA SIN 33721

Icon Legend on page 19

# VOI® Laminate Shared Overhead Storage Components



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CABINET | L2 UPCHARGES DOOR |
|---|---|---|---|---|---|---|---|
|  | **Shared Overhead Storage — Left** | | | | | | |
| | 60″W x 17″D x 14″H | **HLSL1760SOL** | 115 | 14.8 | **$1779** | **$22** | **$44** |
| | 72″W x 17″D x 14″H | **HLSL1772SOL** | 139 | 17.0 | **$2144** | **$28** | **$44** |
|  | **Shared Overhead Storage — Right** | | | | | | |
| | 60″W x 17″D x 14″H | **HLSL1760SOR** | 115 | 14.8 | **$1779** | **$22** | **$44** |
| | 72″W x 17″D x 14″H | **HLSL1772SOR** | 139 | 17.0 | **$2144** | **$28** | **$44** |

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Panel Mount Bracket for Shared Overhead** | | | | | | |
| | Panel Mount Bracket for Overhead Storage — Accelerate® | **HLSLPMBSOA** | 4 S | 0.1 | **$189** | **$195** | **N/A** |
|  | Panel Mount Bracket for Overhead Storage — Abound® | **HLSLPMBSOB** | 4 S | 0.1 | **$189** | **$195** | **N/A** |
| | Panel Mount Bracket for Overhead Storage — Accelerate®/Abound® 42½″H panels only | **HLSLPMBSO42** | 4 S | 0.1 | **$176** | **$182** | **N/A** |
|  | NOTES: Specify paint.<br>**SPECIFYING EXAMPLE: HLSLPMBSOA.T4** | | | | | | |
|  | **Markerboard for Shared Storage** | | | | | | |
| | 30″W x 13″H for use with 60″W Shared Overhead | **HLSL1530SOMB** | 6 S | 1.0 | **$186** | | |
| | 36″W x 13″H for use with 72″W Shared Overhead | **HLSL1536SOMB** | 8 S | 1.0 | **$248** | | |
| | NOTES: No specification necessary. | | | | | | |

**NOTES:**
- Overall case depth is 19″D including the sliding door.
- Use Shared Overhead and attachments in small footprint applications.
- Sliding door is 15″H, providing a 1″ valance below the case which can be used as a finger pull if desired.
- Shared Overhead panel mount brackets allow overhead to span over all panels systems or run down the spine wall, centered on top of the panel.
- Markerboard insert is markerboard laminate with black edges, no frame.

Shared Overhead must be ordered as left or right to determine open storage location.

Shared Overhead Storage is not available with a lock.


## HOW TO SPECIFY

| Select Model Number | Select Chassis Laminate | Select Door Front Laminate |
|---|---|---|
| | See page 173 | See page 173 |
| H L S L 1 7 6 0 S O L . | N . | N |

# VOI®
# Overhead Storage Supports/Accessories

GSA SIN 33721

Icon Legend on page 19




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **O-Leg Support for Overhead Cabinet** | | | | | | |
| Ships 2/pack | | | | | | |
| 14⅛"D x 20½"H | **HLSL65OS** | 8 | 1.1 | **$656** | **$662** | **$678** |
| 14⅛"D x 5½"H | **HLSL50OS** | 6 | 1.0 | **$545** | **$551** | **$567** |

NOTES: 20½"H legs used to reach 65"H when overhead storage is stacked on top of a worksurface. 5½"H legs used to reach 50"H when overhead storage is stacked on top of a worksurface. O-leg ships fully assembled with mounting hardware. O-legs can be used with all overhead cabinet models. See pages 203 and 204.

Not for use on Shared Overhead Storage, use post leg models on page 205.

Stack-on Storage must be placed over two full-height supports. Cannot be placed over non-supported sections such as returns using a flat bracket or tower-to-worksurface bracket.





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE A | B |
|---|---|---|---|---|---|
| **Wall Mounted Tackboards** | | | | | |
| For 78"W | **HLSL78TW** | 13 | 1.4 | **$537** | **$551** |
| For 72"W | **HLSL72TW** | 12 | 1.4 | **$511** | **$525** |
| For 66"W | **HLSL66TW** | 11 | 1.4 | **$489** | **$503** |
| For 60"W | **HLSL60TW** | 10 | 1.1 | **$435** | **$449** |
| For 48"W | **HLSL48TW** | 13 | 1.4 | **$380** | **$391** |
| For 42"W | **HLSL42TW** | 12 | 1.4 | **$353** | **$364** |
| For 36"W | **HLSL36TW** | 11 | 1.4 | **$333** | **$344** |

NOTES: Specify fabric, see pages 26-27. Upcharges may apply to premium fabric grades. Disperse (DISP) and Exchange (EXG) not available on sizes wider than 72".
**SPECIFYING EXAMPLE: HLSL78TW.APN23**




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Storage Cube** | | | | |
| 12"W x 12"D | **HLSL1212** | 1 | 0.3 | **$408** |


**SPECIFYING EXAMPLE: HLSL1212.P8S**



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|
| **Shelves** | | | | | |
| 30"W x 13"D | **HLSLR1330** | 10 S | 1.3 | **$263** | **$12** |
| 36"W x 13"D | **HLSLR1336** | 12 S | 1.5 | **$296** | **$12** |
| 45"W x 13"D | **HLSLR1345** | 15 S | 1.9 | **$321** | **$12** |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Shelf Bracket (set of 3)** | **HLSLSB** | 3 S | 0.2 | **$135** | **$145** | **$157** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **Overhead Cabinet Panel Mounted Bracket** | | | | | | |
| Used to panel-mount stack-on storage units | **HLSLPMB** | 3 S | 1.0 | **$182** | **$194** | **$201** |
| Specify paint | | | | | | |

NOTES: Ships with one set of three brackets, which includes one right, one center and one left bracket. When using a 60"W overhead on a 60"W panel or a 72"W overhead on a 72"W panel, only two of the three brackets provided are required.

## HOW TO SPECIFY

**Select Model Number**


H L S L 6 5 O S .

**Select Laminate/Paint**

See page 173

T 1

# Laminate Stack-on Storage — Built-up




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CABINET | L2 UPCHARGES DOOR |
|---|---|---|---|---|---|---|
| **Stack-on Storage, Built-up, with Sliding Doors**<br>72″W x 14¼″D x 35″H | **HLSL1472SB** | 139 | 30.4 | **$2122** | **$50** | **$22** |

NOTES: Ships complete with Back Enclosure and laminate End Panels. Ships factory assembled.


## HOW TO SPECIFY

| Select Model Number | Select Cabinet Laminate | Select Door Laminate | Select Pull Option |
|---|---|---|---|
| H L S L 1 4 7 2 S B . | See page 173<br>L2 (+ $50)<br>N . | See page 173<br>L2 (+ $22)<br>N . | **X** No Pull<br>X |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CABINET | L2 UPCHARGES DOOR |
|---|---|---|---|---|---|---|
| **Stack-on Storage, Built-up, with 4 Doors/Cubbies**<br>72″W x 14¼″D x 35″H with 12″ Cubbie | **HLSL1472DB** | 144 | 30.4 | **$2122** | **$50** | **N/A** |

NOTES: Ships complete with Back Enclosure and laminate End Panels. Ships factory assembled.



18″H

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE A | LIST PRICE BY FABRIC GRADE B |
|---|---|---|---|---|---|
| **Tackboard for Built-up Stack-on Storage**<br>For 72″ | **HLSL7265TE** | 12 | 1.4 | **$511** | **$525** |

NOTES: For a list of standard fabrics, see pages 26-27. For a complete list of fabrics, please go to hon.com/fabricsandfinishes. Disperse (DISP) and Exchange (EXG) not available on sizes wider than 72″.
**SPECIFYING EXAMPLE: HLSL7265TE.APN23**

**NOTES:**

- The Metal Storage Cube HLSL1212 fits inside stack-on storage or wall mount units to provide paper management.
- Stack-on Storage is not available with a lock.
- Tackboards are available for Built-up models only. Tackboards cannot be added to O-leg supported units.
- Stack-on Storage must be placed over two full-height supports. Cannot be placed over non-supported sections such as returns using a flat bracket or tower-to-worksurface bracket.







## HOW TO SPECIFY

| Select Model Number | Select Cabinet Chassis Laminate | Select Door Material for 4-Door Models |
|---|---|---|
| H L S L 1 4 7 2 D B . | See page 173<br>L2 (+ $50)<br>N . | Upcharge for door selection: 4-Door (+ $340)<br>N |

# VOI® Laminate Low Credenzas

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
|  | **Low Credenza, 2 File/2 Box** | | | | | | |
| | 72″W x 20″D x 21½″H | **HLSL2072LD4** | 230 | 21.9 | **$2249** | **$44** | **$44** |
| | 60″W x 20″D x 21½″H | **HLSL2060LD4** | 190 | 18.9 | **$2050** | **$39** | **$44** |
| | NOTES: Unit is locking. | | | | | | |
|  | **Low Credenza, 2 File Drawers, Open Top** | | | | | | |
| | 72″W x 20″D x 21½″H | **HLSL2072LD2** | 200 | 21.9 | **$2101** | **$44** | **$33** |
| | 60″W x 20″D x 21½″H | **HLSL2060LD2** | 160 | 18.9 | **$1921** | **$39** | **$33** |
| | NOTES: Unit is non-locking. | | | | | | |
|  | **Low Credenza, Left Hand Drawers** | | | | | | |
| | 72″W x 20″D x 21½″H | **HLSL2072LL2** | 200 | 21.9 | **$2082** | **$44** | **$22** |
| | 60″W x 20″D x 21½″H | **HLSL2060LL2** | 160 | 18.9 | **$1758** | **$39** | **$22** |
| | NOTES: Unit is locking. | | | | | | |
|  | **Low Credenza, Right Hand Drawers** | | | | | | |
| | 72″W x 20″D x 21½″H | **HLSL2072LR2** | 200 | 21.9 | **$2082** | **$44** | **$22** |
| | 60″W x 20″D x 21½″H | **HLSL2060LR2** | 160 | 18.9 | **$1758** | **$39** | **$22** |
| | NOTES: Unit is locking. | | | | | | |
|  | **Low Credenza, Open** | | | | | | |
| | 72″W x 20″D x 21½″H | **HLSL2072LD0** | 170 | 21.9 | **$1770** | **$44** | **N/A** |
| | 60″W x 20″D x 21½″H | **HLSL2060LD0** | 130 | 18.9 | **$1470** | **$39** | **N/A** |
| | **SPECIFYING EXAMPLE: HLSL2072LD0.Z (model.chassis only)** | | | | | | |
|  | **Low Credenza, 4 Storage Doors** | | | | | | |
| | 72″W x 20″D x 21½″H | **HLSL2072S4** | 190 | 21.9 | **$2231** | **$44** | **$44** |
| | 60″W x 20″D x 21½″H | **HLSL2060S4** | 160 | 18.9 | **$1917** | **$39** | **$44** |
| | NOTES: Unit is locking. | | | | | | |

**NOTES:**

- Worksurfaces with 7″ O-legs, may be placed upon low credenzas to create layering.
- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter size.
- Multiple handle locations possible per customer preference.
- Seat cushions are available for low credenzas and mobile pedestals (specify separately).
- Storage accessory model HLSLDRWORG works with box doors.
- Layering shelf works with low credenzas to provide additional storage areas.
- File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 1¼″ adjustable range.
- Ships with one handle per drawer on all units.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core must be ordered separately.

## HOW TO SPECIFY

**Select Model Number**

H L S L 2 0 7 2 L D 4 .

**Select Chassis Laminate**

See page 173

N .

**Select Drawer Front Laminate**

See page 173

N .


**Select Pull Color**

See page 173

Not specified for Open Credenza models HLSL2072LD0, HLSL2060LD0

T 4


# Laminate Low Credenzas



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **7″ O-Leg Support for Worksurfaces** | | | | | | |
| 30″D x 7″H | **HLSL307O** | 7 | 1.0 | **$381** | **$387** | **$403** |
| 24″D x 7″H | **HLSL247O** | 6 | 1.0 | **$300** | **$306** | **$322** |
| 20″D x 7″H | **HLSL207O** | 5 | 1.0 | **$278** | **$284** | **$300** |

Specify: Model.Paint HLSL307O.T1.

NOTES: 7″ O-Leg Support to be placed upon Low Credenza models to support worksurfaces. Ship 1/pack.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|---|
| **Credenza Cushion** | | | | | | | | | |
| 20″W x 36″D x 1″H for 72″ Credenzas | **HLSL2036CH2** | 11 | 2.2 | **$563** | **$605** | **$646** | **$688** | **$741** | **$794** |
| 20″W x 30″D x 1″H for 60″ Credenzas | **HLSL2030CH2** | 9 | 1.9 | **$522** | **$562** | **$601** | **$639** | **$688** | **$740** |

NOTES: See pages 22-25 for available fabrics.

COM: .75

**SPECIFYING EXAMPLE: HLSL2036CH2.APN23**

**NOTES:**

- Worksurfaces with 7″ O-legs, may be placed upon low credenzas to create layering.
- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options on preceding page).
- Seat cushions are available for low credenzas and mobile pedestals (specify separately).
- Storage accessory model HLSLDRWORG works with box doors.
- Layering shelf works with low credenzas to provide additional storage areas.
- File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 1¼″ adjustable range.
- Ships with one handle per drawer on all units.

## HOW TO SPECIFY

**Select Model Number**

H L S L 3 0 7 O .






**Select Paint Color**

See page 173

T 1

# VOI® Laminate Low Footed Credenzas

GSA SIN 33721

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
|  | **Low Credenza, Open, Footed** | | | | | | |
| | 30″W x 20″D x 24½″H | **HLSL2030LD0F** | 67 | 9.8 | **$1288** | **$28** | **N/A** |
| | 36″W x 20″D x 24½″H | **HLSL2036LD0F** | 87 | 11.9 | **$1323** | **$33** | **N/A** |
| | 60″W x 20″D x 24½″H | **HLSL2060LD0F** | 132 | 19.9 | **$1541** | **$39** | **N/A** |
| | 72″W x 20″D x 24½″H | **HLSL2072LD0F** | 172 | 23.7 | **$1840** | **$44** | **N/A** |
|  | **Low Credenza, 1 File/Open, Footed** | | | | | | |
| | 30″W x 20″D x 24½″H | **HLSL2030LD1F** | 77 | 9.8 | **$1422** | **$28** | **$17** |
| | 36″W x 20″D x 24½″H | **HLSL2036LD1F** | 97 | 11.9 | **$1464** | **$33** | **$17** |
|  | **Low Credenza, 1 File/1 Box, Footed** | | | | | | |
| | 30″W x 20″D x 24½″H | **HLSL2030LD2F** | 82 | 9.8 | **$1573** | **$28** | **$22** |
| | 36″W x 20″D x 24½″H | **HLSL2036LD2F** | 102 | 11.9 | **$1616** | **$33** | **$22** |
|  | **Low Credenza, 2 File/Open, Footed** | | | | | | |
| | 60″W x 20″D x 24½″H | **HLSL2060LD2F** | 162 | 19.9 | **$1992** | **$39** | **$33** |
| | 72″W x 20″D x 24½″H | **HLSL2072LD2F** | 202 | 23.7 | **$2172** | **$44** | **$33** |
|  | **Low Credenza, 2 File/2 Box, Footed** | | | | | | |
| | 60″W x 20″D x 24½″H | **HLSL2060LD4F** | 192 | 19.9 | **$2121** | **$39** | **$44** |
| | 72″W x 20″D x 24½″H | **HLSL2072LD4F** | 232 | 23.7 | **$2319** | **$44** | **$44** |

**NOTES:**

- Worksurfaces with 4″ stanchions may be placed upon low credenzas to create layering.
- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter size.
- Multiple handle locations possible per customer preference.
- Seat cushions are available for low credenzas (specify separately).
- Storage accessory model HLSLDRWORG works with box drawers.
- Layering shelf works with low credenzas to provide additional storage areas.
- File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 1¼″ adjustable range.
- Ships with one handle per drawer on all units.

❗ Center stability foot is included on units 60″W or larger and is always black.

❗ Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core must be ordered separately.

❗ 7″ O-legs cannot be used as a support on footed credenzas.

## HOW TO SPECIFY


| Select Model Number | Select Chassis Laminate | Select Drawer Front Laminate | Select Pull Color | Select Foot Color |
|---|---|---|---|---|
| | See page 173 | See page 173 | See page 173<br>Not specified for Open Credenza models | See page 173 |
| H L S L 2 0 3 0 L D 0 F . | C . | C . | T 1 . | T 1 |

GSA SIN 33721


VOI®

# Laminate Low Footed Credenzas





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **Low Credenza, Box/File, Open, Footed** | | | | | | |
| 60″W x 20″D x 24½″H — Left Hand Drawers | **HLSL2060LL2F** | 162 | 19.9 | **$1829** | **$39** | **$22** |
| 72″W x 20″D x 24½″H — Left Hand Drawers | **HLSL2072LL2F** | 202 | 23.7 | **$2152** | **$44** | **$22** |
| 60″W x 20″D x 24½″H — Right Hand Drawers | **HLSL2060LR2F** | 162 | 19.9 | **$1829** | **$44** | **$22** |
| 72″W x 20″D x 24½″H — Right Hand Drawers | **HLSL2072LR2F** | 202 | 23.7 | **$2152** | **$44** | **$22** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **Low Credenza, 4 Storage Doors, Footed** | | | | | | |
| 60″W x 20″D x 24½″H | **HLSL2060S4F** | 162 | 19.9 | **$1988** | **$39** | **$44** |
| 72″W x 20″D x 24½″H | **HLSL2072S4F** | 192 | 23.7 | **$2302** | **$44** | **$44** |

**NOTES:**

- Worksurfaces with 4″ stanchions may be placed upon low credenzas to create layering.
- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter size.
- Multiple handle locations possible per customer preference.
- Seat cushions are available for low credenzas and mobile pedestals (specify separately).
- Storage accessory model HLSLDRWORG works with box doors.
- Layering shelf works with low credenzas to provide additional storage areas.
- File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 1¼″ adjustable range.
- Ships with one handle per drawer on all units.

❗ Center stability foot is included on units 60″W or larger and is always black.

❗ HLSL2060S4F and HLSL2072S4F require model HF27 lock cores.

❗ Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core must be ordered separately.

❗ 7″ O-legs cannot be used as a support on footed credenzas.




## HOW TO SPECIFY

| Select Model Number | Select Chassis Laminate | Select Drawer Front Laminate | Select Pull Color | Select Foot Color |
|---|---|---|---|---|
| | See page 173 | See page 173 | See page 173<br>Not specified for Open Credenza models | See page 173 |
| H L S L 2 0 6 0 L L 2 F . | C . | C . | T 1 . | T 1 |

# VOI® Laminate Credenzas

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
|  | **Low Credenza — Open** | | | | | | |
| | 30″W x 20″D x 21½″H | **HLSL2030LD0** | 65 | 9.8 | **$1217** | **$28** | **N/A** |
| | 36″W x 20″D x 21½″H | **HLSL2036LD0** | 85 | 12.0 | **$1253** | **$33** | **N/A** |
|  | **Low Credenza — Open Top, File Drawer** | | | | | | |
| | 30″W x 20″D x 21½″H | **HLSL2030LD1** | 75 | 9.8 | **$1351** | **$28** | **$17** |
| | 36″W x 20″D x 21½″H | **HLSL2036LD1** | 95 | 12.0 | **$1393** | **$33** | **$17** |
| | NOTES: Unit is non-locking. | | | | | | |
|  | **Low Credenza — 1 File Drawer, 1 Box Drawer** | | | | | | |
| | 30″W x 20″D x 21½″H | **HLSL2030LD2** | 80 | 9.8 | **$1502** | **$28** | **$22** |
| | 36″W x 20″D x 21½″H | **HLSL2036LD2** | 100 | 12.0 | **$1545** | **$33** | **$22** |
| | NOTES: Unit is locking. | | | | | | |

**NOTES:**

- Worksurfaces with 7″ O-legs, may be placed upon low credenzas to create layering.
- File drawers accept hanging folders in letter size.
- Multiple handle locations possible per customer preference.
- Post legs on Shared Overhead are compatible to attach to low credenzas.
- Storage accessory model HLSLDRWORG works with box doors.
- File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- Utilize in small footprint applications.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 1¼″ adjustable range.
- Ships with one handle per drawer on all units.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core must be ordered separately.

## HOW TO SPECIFY

**Select Model Number**

H L S L 2 0 3 0 L D 0 .

**Select Chassis Laminate**

See page 173

N .

**Select Drawer Front Laminate**

See page 173

Not specified for Open Credenza models HLSL2030LD0, HLSL2036LD0

N .

**Select Pull Color**

See page 173

Not specified for Open Credenza models HLSL2030LD0, HLSL2036LD0


T 4

GSA SIN 33721


Icon Legend on page 19

# VOI® Laminate Mobile Storage







| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **Mobile Credenza**<br>30″W x 20″D x 21½″H<br>NOTES: Unit is non-locking. | **HLSL2030MC0** | 80 | 9.8 | **$1949** | **$28** | **$12** |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|---|
| **Credenza Cushion**<br>20″W x 30″D x 1″H for 60″ Credenzas<br>NOTES: See pages 22-25 for available fabrics.<br>COM: .75<br>**SPECIFYING EXAMPLE: HLSL2030CH2.APN23** | **HLSL2030CH2** | 9 | 1.9 | **$522** | **$562** | **$601** | **$639** | **$688** | **$740** |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **Mobile Pedestal**<br>15¾″W x 20 11/16″D x 21 7/16″H<br>NOTES: Unit is locking. | **HLSL2016MP2** | 65 | 5.7 | **$1113** | **$22** | **$12** |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|---|
| **Mobile Pedestal Cushion**<br>15 7/8″W x 20″D x 1″H for Pedestals<br>NOTES: See pages 22-25 for available fabrics.<br>**SPECIFYING EXAMPLE: HLSL2016PH2.APN23** | **HLSL2016PH2** | 6 | 1.1 | **$433** | **$460** | **$486** | **$512** | **$545** | **$579** |

**NOTES:**

- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- Multiple handle locations possible per customer preference.
- Seat cushions are available for low credenzas, floor credenzas, and mobile pedestals (specify separately).
- Storage accessory model HLSLDRWORG works with box doors.
- Standard box drawers operate on ball-bearing suspension with 70% extension. File drawers operate on ball-bearing suspension with 70% extension.
- Ships with one handle per drawer on all units.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core must be ordered separately.






## HOW TO SPECIFY

| Select Model Number | Select Chassis Laminate | Select Drawer Front Laminate | Select Pull Color |
|---|---|---|---|
| H L S L 2 0 3 0 M C 0 . | See page 173<br>N . | See page 173<br>N . | See page 173<br>T 4 |

# VOI® Laminate Storage

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
|  | **2-Drawer Lateral Files** | | | | | | |
| | 36″W x 24″D x 29½″H | **HLSL2436L2** | 305 | 29.8 | **$1790** | **$39** | **$22** |
| | 36″W x 20″D x 29½″H | **HLSL2036L2** | 170 | 15.7 | **$1607** | **$33** | **$22** |
|  | **4-Drawer Lateral Files** | | | | | | |
| | 36″W x 24″D x 57″H | **HLSL2436L4** | 366 | 35.9 | **$2545** | **$50** | **$33** |
| | 36″W x 20″D x 57″H | **HLSL2036L4** | 204 | 18.3 | **$2390** | **$44** | **$33** |
|  | **Storage Cabinet** | | | | | | |
| | 36″W x 24″D x 29½″H | **HLSL2436SC** | 150 | 18.3 | **$1357** | **$39** | **$22** |
| | 36″W x 20″D x 29½″H | **HLSL2036SC** | 147 | 15.7 | **$1274** | **$33** | **$22** |
|  | **Lateral/Storage Cabinet Credenza** | | | | | | |
| | 72″W x 24″D x 29½″H | **HLSL2472LC** | 300 | 35.6 | **$3607** | **$50** | **$33** |
|  | **Bookcase Hutch (no doors)** | | | | | | |
| | 36″W x 14″D x 35″H | **HLSL1436BH** | 125 | 3.7 | **$980** | **$22** | **N/A** |

NOTES: Bookcase Hutch model works with Storage Cabinet and Lateral File models shown above.

! Specify: Chassis laminate only.

! Top two shelves have 12″ spacing to allow for binder storage and bottom shelf has 8¼″ spacing.

**NOTES:**

- Ships with one handle per drawer on all units.
- All models are locking.
- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- Multiple handle locations possible per customer preference.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 1¼″ adjustable range.

! Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core must be ordered separately.

## HOW TO SPECIFY





| Select Model Number | Select Chassis Laminate | Select Drawer Front Laminate | Select Pull Color |
|---|---|---|---|
| | See page 173 | See page 173<br>Not specified for model HLSL1436BH | See page 173<br>Not specified for Bookcase Hutch model HLSL1436BH |
| H L S L 2 0 3 6 L 2 . | N . | N . | T 4 |

GSA SIN 33721

Icon Legend on page 19

# VOI® Laminate Storage Cubes



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2/P2 UPCHARGES CHASSIS | DOOR FRONT | PAINT |
|---|---|---|---|---|---|---|---|---|
|  | **Short Open Cube**<br>15″W x 13″D x 4″H | **HLSL154LSO** | 9 | 1.4 | **$212** | **$12** | **N/A** | **$10** |
|  | **Tall Open Cube**<br>15″W x 13″D x 12″H | **HLSL1512LSO** | 16 | 2.9 | **$252** | **$12** | **N/A** | **$10** |
|  | **Drawer Cube**<br>15″W x 13″D x 4″H | **HLSL154LSD** | 19 | 1.4 | **$315** | **$12** | **$7** | **$10** |
|  | **Cabinet Cube**<br>15″W x 13″D x 12″H – Right Handed<br>15″W x 13″D x 12″H – Left Handed | **HLSL1512LSCR**<br>**HLSL1512LSCL** | 24<br>24 | 2.9<br>2.9 | **$315**<br>**$315** | **$12**<br>**$12** | **$7**<br>**$7** | **$10**<br>**$10** |

**NOTES:**
- 4″H and 12″H cubes attach to credenzas, worksurfaces, or wall mounted shelves.
- Configurable components are assembled using double-sided tape.
- Three 4″H cubes can be stacked to the height of one 12″H cube.

Do not leave a gap wider than 15″ between cubes while assembled with a shelf.

Do not stack cube and shelf configurations higher than 30″.

Do not span cubes across worksurface-to-credenza applications.

## HOW TO SPECIFY

**Select Model Number**

H L S L 1 5 4 L S D .

**Select Chassis Laminate**

See page 173

C .

**Select Front Laminate**

See page 173

Not specified on HLSL154LSO and HLSL1512LSO

C .

**Select Paint Color**

See page 173

P3 (+ $22)


T 1 .

**Select Pull Color**

See page 173

Not specified on HLSL154LSO and HLSL1512LSO

T 1

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|---|
|  | **Shelves**<br>30″W x 13″D<br>36″W x 13″D<br>45″W x 13″D | <br>**HLSLR1330**<br>**HLSLR1336**<br>**HLSLR1345** | <br>10<br>12<br>15 | <br>1.3<br>1.5<br>1.9 | <br>**$263**<br>**$296**<br>**$321** | <br>**$12**<br>**$12**<br>**$12** |

**NOTES:**
- Use shelves in between cubes to create another layering element, if desired.

## HOW TO SPECIFY

**Select Model Number**

H L S L R 1 3 3 0 .


**Select Laminate**

See page 173

C


# VOI® Laminate Storage Cube Bundles

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| | **Cube Bundle A** | | | |
| 2 | **Short Open Cube**<br>15″W x 13″D x 4″H | **HLSL154LSO** | $212 | $424 |
| | **HLSL15-SOO** | | **TOTAL:** | **$424** |




**HLSL15-SOO**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| | **Cube Bundle B** | | | |
| 3 | **Short Open Cube**<br>15″W x 13″D x 4″H | **HLSL154LSO** | $212 | $636 |
| 1 | **Tall Open Cube**<br>15″W x 13″D x 12″H | **HLSL1512LSO** | $252 | $252 |
| | **HLSL15-SOOOLO** | | **TOTAL:** | **$888** |




**HLSL15-SOOOLO**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| | **Cube Bundle C** | | | |
| 1 | **Short Open Cube**<br>15″W x 13″D x 4″H | **HLSL154LSO** | $212 | $212 |
| 1 | **Tall Open Cube**<br>15″W x 13″D x 12″H | **HLSL1512LSO** | $252 | $252 |
| 1 | **Drawer Cube**<br>15″W x 13″D x 4″H | **HLSL154LSD** | $315 | $315 |
| 1 | **Cabinet Cube, Right Handed**<br>15″W x 13″D x 12″H | **HLSL1512LSCR** | $315 | $315 |
| | **HLSL15-SODLOC** | | **TOTAL:** | **$1,094** |




**HLSL15-SODLOC**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| | **Cube Bundle D** | | | |
| 2 | **Drawer Cube**<br>15″W x 13″D x 4″H | **HLSL154LSD** | $315 | $630 |
| 2 | **Cabinet Cube, Right Handed**<br>15″W x 13″D x 12″H | **HLSL1512LSCR** | $315 | $630 |
| | **HLSL15-SDDLCC** | | **TOTAL:** | **$1,260** |



**HLSL15-SDDLCC**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| | **Cube Bundle E** | | | |
| 2 | **Drawer Cube**<br>15″W x 13″D x 4″H | **HLSL154LSD** | $315 | $630 |
| 2 | **Short Open Cube**<br>15″W x 13″D x 4″H | **HLSL154LSO** | $212 | $424 |
| 1 | **Tall Open Cube**<br>15″W x 13″D x 12″H | **HLSL1512LSO** | $252 | $252 |
| 1 | **Cabinet Cube, Right Handed**<br>15″W x 13″D x 12″H | **HLSL1512LSCR** | $315 | $315 |
| | **HLSL15-SOODDLOC** | | **TOTAL:** | **$1,621** |




**HLSL15-SOODDLOC**

GSA SIN 33721


Icon Legend on page 19

# VOI® Laminate Storage Towers






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **24″W x 20″D Storage Tower — Right Hand Drawers, Left Hand Door** | | | | | | |
| 24″W x 20″D x 50″H, Left | **HLSLW045L** | 167 | 17.4 | **$2688** | **$55** | **$39** |
| 24″W x 20″D x 65″H, Left | **HLSLW046L** | 200 | 22.5 | **$3048** | **$60** | **$39** |
| **24″W x 20″D Storage Tower — Left Hand Drawers, Right Hand Door** | | | | | | |
| 24″W x 20″D x 50″H, Right | **HLSLW045R** | 167 | 17.4 | **$2688** | **$55** | **$39** |
| 24″W x 20″D x 65″H, Right | **HLSLW046R** | 200 | 22.5 | **$3048** | **$60** | **$39** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **24″W x 24″D Storage Tower — Right Hand Drawers, Left Hand Door** | | | | | | |
| 24″W x 24″D x 50″H, Left | **HLSLW445L** | 200 | 20.7 | **$2911** | **$60** | **$39** |
| 24″W x 24″D x 65″H, Left | **HLSLW446L** | 240 | 27.8 | **$3208** | **$65** | **$39** |
| **24″W x 24″D Storage Tower — Left Hand Drawers, Right Hand Door** | | | | | | |
| 24″W x 24″D x 50″H, Right | **HLSLW445R** | 200 | 20.7 | **$2911** | **$60** | **$39** |
| 24″W x 24″D x 65″H, Right | **HLSLW446R** | 240 | 27.8 | **$3208** | **$65** | **$39** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **24″W x 24″D Personal Storage Tower** | | | | | | |
| 24″W x 24″D x 65″H, Left | **HLSLW446LP** | 250 | 27.8 | **$3633** | **$65** | **$39** |
| 24″W x 24″D x 65″H, Right | **HLSLW446RP** | 250 | 27.8 | **$3633** | **$65** | **$39** |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Worksurface to Tower Bracket Kit**<br>Bracket to attach storage towers or pedestal to worksurfaces. | **HSTB2W1** | 4 | 0.6 | **$116** | **$131** | **$133** |

NOTES: Can be used in place of end panel or O-leg to support worksurfaces.

! Bracket cannot be used as a support when placing Stack-on Storage on worksurface over bracket. Must use two full-sized supports when using Stack-on Storage.

**NOTES:**

- Use the worksurface to tower bracket kit to attach worksurfaces to Storage Towers models shown above.
- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- Wardrobe, middle box drawer and file drawer are locking.
- Standard box drawers operate on ball-bearing suspension with full extension. File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- Ships with one handle per drawer on all units.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 1¼″ adjustable range.
- Wardrobe/storage cabinet includes coat rod.
- Wardrobes contain easy access side storage shelves.

! Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core must be ordered separately.

## HOW TO SPECIFY

| Select Model Number | Select Chassis Laminate | Select Drawer Front Laminate | Select Pull Color |
|---|---|---|---|
| | See page 173 | See page 173 | See page 173 |
| H L S L W 0 4 5 L . | N . | N . | T 4 |


# VOI® Laminate Storage Towers

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **18″W x 20″D Storage Towers — Right Hand Drawers, Left Hand Door** | | | | | | |
| 18″W x 20″D x 50″H, Left | **HLSLW085L** | 139 | 13.4 | **$2418** | **$50** | **$39** |
| 18″W x 20″D x 65″H, Left | **HLSLW086L** | 167 | 17.3 | **$2747** | **$55** | **$39** |
| **18″W x 20″D Storage Towers — Left Hand Drawers, Right Hand Door** | | | | | | |
| 18″W x 20″D x 50″H, Right | **HLSLW085R** | 139 | 13.4 | **$2418** | **$50** | **$39** |
| 18″W x 20″D x 65″H, Right | **HLSLW086R** | 167 | 17.3 | **$2747** | **$55** | **$39** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **18″W x 24″D Storage Towers — Right Hand Drawers, Left Hand Door** | | | | | | |
| 18″W x 24″D x 50″H, Left | **HLSLW485L** | 167 | 15.8 | **$2753** | **$55** | **$39** |
| 18″W x 24″D x 65″H, Left | **HLSLW486L** | 200 | 21.5 | **$3051** | **$60** | **$39** |
| **18″W x 24″D Storage Towers — Left Hand Drawers, Right Hand Door** | | | | | | |
| 18″W x 24″D x 50″H, Right | **HLSLW485R** | 167 | 15.8 | **$2753** | **$55** | **$39** |
| 18″W x 24″D x 65″H, Right | **HLSLW486R** | 200 | 21.5 | **$3051** | **$60** | **$39** |

**NOTES:**

- Ships with one handle per drawer on all units.
- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- Standard box drawers operate on ball-bearing suspension with full extension. File and box drawers operate on ball-bearing suspension with full extension.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 1¼″ adjustable range.
- Wardrobe/storage cabinet includes coat rod.
- Wardrobes contain easy access side storage shelves.
- Wardrobe, middle box drawer and file drawer are locking.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core must be ordered separately.

Worksurface-to-tower bracket cannot be used as a support when placing Stack-on Storage on worksurface over bracket. Must use two full-sized supports when using Stack-on Storage.





## HOW TO SPECIFY

| Select Model Number | Select Chassis Laminate | Select Door/Drawer Front Laminate | Select Pull Color |
|---|---|---|---|
| | See page 173 | See page 173 | See page 173 |
| H L S L W 0 8 5 L . | N . | N . | T 4 |

GSA SIN 33721

# VOI® Laminate Storage Towers



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
|  | **Storage Towers, Right Hand Drawers, Left Hand Doors, Footed** | | | | | | |
| | 20″W x 18″D x 54″H | **HLSLW085LF** | 141 | 13.7 | **$2489** | **$50** | **$39** |
| | 24″W x 18″D x 54″H | **HLSLW485LF** | 169 | 16.2 | **$2824** | **$55** | **$39** |
| | 20″W x 24″D x 54″H | **HLSLW045LF** | 169 | 17.8 | **$2759** | **$55** | **$39** |
| | 24″W x 24″D x 54″H | **HLSLW445LF** | 202 | 21.1 | **$2982** | **$60** | **$39** |
|  | **Storage Towers, Left Hand Drawers, Right Hand Doors, Footed** | | | | | | |
| | 20″W x 18″D x 54″H | **HLSLW085RF** | 141 | 13.7 | **$2489** | **$50** | **$39** |
| | 24″W x 18″D x 54″H | **HLSLW485RF** | 169 | 16.2 | **$2824** | **$55** | **$39** |
| | 20″W x 24″D x 54″H | **HLSLW045RF** | 169 | 17.8 | **$2759** | **$55** | **$39** |
| | 24″W x 24″D x 54″H | **HLSLW445RF** | 202 | 21.1 | **$2982** | **$60** | **$39** |
|  | **Storage Towers, One Door, Footed** | | | | | | |
| | 18″W x 20″D x 46″H — Left Hand Door | **HLSLW084LF** | 105 | 11.3 | **$1781** | **$39** | **$28** |
| | 18″W x 20″D x 46″H — Right Hand Door | **HLSLW084RF** | 105 | 11.3 | **$1781** | **$39** | **$28** |
|  | **Storage Towers, One Door, Non-Footed** | | | | | | |
| | 18″W x 20″D x 42″H — Left Hand Door | **HLSLW084L** | 102 | 11.3 | **$1710** | **$39** | **$28** |
| | 18″W x 20″D x 42″H — Right Hand Door | **HLSLW084R** | 102 | 11.3 | **$1710** | **$39** | **$28** |

**NOTES:**

- Use the worksurface to tower bracket kit to attach worksurfaces to Storage Towers models shown above.
- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- Wardrobe, middle box drawer and file drawer are locking.
- Standard box drawers operate on ball-bearing suspension with full extension. File, lateral, and wide box drawers operate on ball-bearing suspension with full extension.
- Ships with one handle per drawer on all units.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 1¼″ adjustable range.
- Wardrobe/storage cabinet includes coat rod.
- Wardrobes contain easy access side storage shelves.


Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core must be ordered separately.

## HOW TO SPECIFY

| Select Model Number | Select Chassis Laminate | Select Drawer Front Laminate | Select Pull Color | Select Foot Color |
|---|---|---|---|---|
| | See page 173 | See page 173 | See page 173 | See page 173 |
| H L S L W 0 8 5 L F . | C . | C . | T 1 . | T 1 |

# VOI® Laminate Storage

GSA SIN 33721

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
|  | **Box/File Pedestal, Footed**<br>16″W x 20″D x 24½″H | **HLSL2016FP2** | 65 | 5.8 | **$1183** | **$22** | **$12** |

**NOTES:**
- Ships with one handle per drawer on all units.
- All models shown below are locking.
- Chassis and drawer fronts woodgrains and solid laminates are specified separately (see SIF options below).
- File drawers accept hanging folders in letter or legal size.
- Multiple handle locations possible per customer preference.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have 1¼″ adjustable range.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core must be ordered separately.

## HOW TO SPECIFY


| Select Model Number | Select Chassis Laminate | Select Drawer Front Laminate | Select Pull Color | Select Foot Color |
|---|---|---|---|---|
| | See page 173 | See page 173 | See page 173 | See page 173 |
| H L S L 2 0 1 6 F P 2 . | C . | C . | T 1 . | T 1 |

GSA SIN 33721

Icon Legend on page 19

# VOI® Laminate Bookcases





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Bookcase** | | | | | |
| 36″W x 13″D x 29½″H, 2-Shelf | **HLSL1336B2** | 90 | 10.7 | **$779** | **$796** |
| 36″W x 13″D x 50″H, 3-Shelf | **HLSL1336B3** | 122 | 17.3 | **$1004** | **$1026** |
| 36″W x 13″D x 65″H, 4-Shelf | **HLSL1336B4** | 156 | 22.2 | **$1181** | **$1209** |

NOTES: Bookcases available in 2, 3 and 4 shelf models. Adjustable glides allow bookcases to be easily leveled. Glides have 1¼″ of adjustability.

## HOW TO SPECIFY

**Select Model Number**

| H | L | S | L | 1 | 3 | 3 | 6 | B | 2 | . |
|---|---|---|---|---|---|---|---|---|---|---|

**Select Laminate**

See page 173

| N |
|---|

# NOTES

# WORKWALL

Want to see more? Scan here to check out hon.com.





Workwall featuring Voi® Storage and Desks and Ignition® 2.0 and Mav™ Seating.

## WORKWALL


You need a solution that does it all: Encourages creative collaboration, organizes everything from photos to files, delivers exceptional functionality, and celebrates what makes your brand and the members of your team so unique. Look no further than Workwall — a brilliant tile system that mixes and matches fabric, metal, glass, and laminate materials with accessories, making it a powerhouse performer and an exemplary partner to a variety of HON products in any private office, teaming station, or meeting area. Make your space work with Workwall.











### FEATURES

- High-quality materials add a remarkable aesthetic and dynamic functionality to the evolving workplace, making any private office, teaming station, or open collaboration area pop with personality and productivity.
- Tiles are offered in a variety of heights, widths, and materials, including laminate, laminate media, painted metal, slotted tool, fabric, and glass markerboard.
- Make your space an organizational oasis with Workwall's additional hanging additions — floating shelves, metal single tool rails, and a variety of painted metal accessories to keep you focused and efficient.
- Workwall can be universally paired with laminate casegoods — including HON's 10500 Series™, Concinnity™, and Voi® — or retrofitted to add on to existing workstations throughout the workspace.
- Mix-and-match tiles are designed with flexibility and adaptability in mind — create the space you want for the work environment you need.

# WORKWALL ORDERING INFORMATION

## LAMINATE TILES, LAMINATE MEDIA TILES, SHELVES

**L1 LAMINATES/EDGE ..... CODES**

**Woodgrain**

- ♦ Bourbon Cherry/ Bourbon Cherry ..... **HH**
- ♦ Cognac/Cognac ... **COGNCOGN**
- ♦ Field Elm/Field Elm .... **LWFEFE**
- ♦ Florence Walnut/ Florence Walnut ..... **LFW1FW**
- ♦ Harvest/Harvest ..... **CC**
- ♦ Kingswood Walnut/ Kingswood Walnut ..... **LKI1KI**
- ♦ Mahogany/Mahogany ..... **NN**
- ♦ Mocha/Mocha ..... **MOCHMOCH**
- ♦ Natural Maple/ Natural Maple ..... **DD**
- ♦ Pinnacle/Pinnacle .... **PINCPINC**
- ♦ Shaker Cherry/ Shaker Cherry ..... **FF**
- ♦ Sterling Ash/ Sterling Ash ..... **LSA1SA**

**Solid**

- ◊ Black/Black ..... **PP**
- ♦ Designer White/ Designer White ..... **LDW1DW**
- ♦ Loft/Loft ..... **LOFTLOFT**

**Patterned**

- ♦ Silver Mesh/Loft ..... **B9LOFT**

**L2 LAMINATES/EDGE ..... CODES**

**Woodgrain**

- ♦ Beigewood ..... **LWBEDE**
- ♦ Fawn Cypress ..... **LFC1FC**
- ♦ Lowell Ash/Lowell Ash . **LLA1DL**
- ♦ Natural Recon/ Natural Recon ..... **LNR1NR**
- ♦ Phantom Ecru/ Phantom Ecru ..... **LPE1PE**
- ♦ Portico Teak/ Portico Teak ..... **LPT1DP**
- ♦ Skyline Walnut/ Skyline Walnut ..... **LSW1SW**

## PAINTED METAL TILES, SLOTTED TOOL TILES, SINGLE TOOL RAILS, ACCESSORIES

**PAINTS ..... CODES**

**P1**

- ◊ Black ..... **P**
- ◊ Brownstone ..... **P7D**
- ◊ Charcoal ..... **S**
- ◊ Cove ..... **P096**
- ◊ Designer White ..... **PJW**
- ◊ Dune ..... **P094**
- ◊ Fossil ..... **P28**
- ◊ Greige ..... **T5**
- ◊ Harbor ..... **P097**
- ◊ Light Gray ..... **Q**
- ◊ Loft ..... **LOFT**
- ◊ Muslin ..... **T3**
- ◊ Putty ..... **L**
- ◊ Sage ..... **P095**
- ◊ Titanium ..... **P8T**

**P2**

- ◊ Champagne Metallic ..... **T4**
- ◊ Platinum Metallic ..... **T1**
- ◊ Silver ..... **PR6**
- ◊ Solar Black ..... **P8X**

**P3**

- ◊ Atom ..... **P8S**
- ◊ Blossom ..... **P8K**
- ◊ Bullseye ..... **PJF**
- ◊ Ember ..... **P8P**
- ◊ Ion ..... **P8N**
- ◊ Iris ..... **P8J**
- ◊ Krypton ..... **P8F**
- ◊ Ochre ..... **P093**
- ◊ Regatta ..... **P8M**
- ◊ Sienna ..... **P092**
- ◊ Succulent ..... **P8A**

## GLASS MARKERBOARD TILES

**GLASS ..... CODES**

- ◊ Beige ..... **GBG2**
- ◊ Charcoal ..... **GCH2**
- ◊ Cream ..... **GCR2**
- ◊ Ice White ..... **GWH2**
- ◊ Pebble ..... **GPB2**

## TILE MOUNTING HARDWARE PAINT

**PAINTS ..... CODES**


- ◊ Black ..... **P**
- ◊ Charcoal ..... **S**
- ◊ Designer White ..... **PJW**

*NOTE: For available fabrics see pages 26-27.*


♦ ◊ ◊ *For lead time information see page 21.*

# WORKWALL
## Statement of Line


### TILES




**FABRIC TILE**
Heights: 7½″, 15″, 22½″, 30″, 37½″, 45″
Widths: 18″, 24″, 30″, 36″, 42″, 48″, 54″, 60″




**GLASS MARKERBOARD TILE**
Heights: 15″, 22½″, 30″, 37½″, 45″
Widths: 30″, 36″, 42″, 48″, 54″, 60″




**LAMINATE TILE**
*Grain direction shown*
Heights: 7½″, 15″, 22½″, 30″, 37½″, 45″
Widths: 18″, 24″, 30″, 36″



**LAMINATE MEDIA TILE**
*Grain direction shown*
Heights: 30″, 37½″, 45″
Widths: 36″, 42″, 48″, 54″




**PAINTED METAL TILE**
Heights: 7½″, 15″, 22½″, 30″
Widths: 18″, 24″, 30″, 36″




**SLOTTED TOOL TILE**
Heights: 7½″, 15″
Widths: 24″, 30″, 36″, 42″, 48″, 54″, 60″


### ACCESSORIES




**FLOATING SHELF**
Widths: 18″, 24″, 30″, 36″




**SINGLE TOOL RAIL**
Widths: 18″, 24″, 30″, 36″, 42″, 48″, 54″, 60″




**SMALL SHELF**




**SMALL BIN**




**SMALL TRAY**




**HANGING FILE FOLDER**



**MAGNETIC PICTURE HOLDER**



**CUP**



**HOOK**


# WORKWALL SPECIFYING/DESIGN GUIDE

This Specification Guide is designed to walk you through the steps when choosing Workwall elements that will meet your particular workplace needs. The step-by-step instructions make it easy to specify elements that personalize workspaces and achieve the right mix of functionality and style.

**Desking With Tower Storage (Example Shown Below)**
Recommended to align Workwall tiles with tower height and work your way down the wall.


**Desking Without Tower Storage**
Recommended to mount Workwall tiles above worksurface and work your way up the wall.

**Without Desking or Storage**
Floating application can be utilized in open wall environments such as conference rooms or collaboration spaces. Any size of tiles can be used to fit your space.




**NOTES:**
- There is a 3⁄8" vertical reveal (Reveal 1) and a 3⁄16" horizontal reveal between tiles (Reveal 2). There is a 3⁄16" vertical reveal between towers and tiles (Reveal 3).
- Wall attachment method is Z-brackets (2 per tile).
  i. Thickness is 7⁄8" from wall to front of tile (includes tile and hardware).
  ii. Accessory Single Tool Rail + Accessories (7) + Floating Shelf add to depth dimension.
  iii. Vertical mounting brackets come pre-installed on tile and hang on Z-brackets. Z-brackets are in two parts. The second part of the Z-bracket is attached to the wall in the field.
  iv. Wall attachment not included due to different wall types and materials. Attachments must be provided by the installers.
- Wire management or television mounting brackets not included with tiles.

**Tile Back View**




# WORKWALL SPECIFYING/DESIGN GUIDE




Below are wall dimensions for Concinnity™ and 10500 Series™. These diagrams should be used to understand sizing between storage and usable wall space.

## CONCINNITY™ EXAMPLE




## 10500 SERIES™ EXAMPLE





**NOTES:**

Overheads can be mounted above or next to Workwall but do not mount to Workwall. Elevation shown above is typical overhead height and may vary in installation.

# WORKWALL SPECIFYING/DESIGN GUIDE

Below are wall dimensions for Voi®. This diagram should be used to understand sizing between storage and usable wall space.

**VOI® EXAMPLE**




**NOTES:**


Overheads can be mounted above or next to Workwall but do not mount to Workwall. Elevation shown above is typical overhead height and may vary in installation.

**TILE CROSS-SECTION**

*Side view*




*Z-Bracket*




# WORKWALL SPECIFYING/DESIGN GUIDE







Fabric Tile




Glass Markerboard Tile




Laminate Tile



Laminate Media Tile




Painted Metal Tile




Slotted Tool Tile

## Fabric Tiles





## Glass Markerboard Tiles




# WORKWALL SPECIFYING/DESIGN GUIDE


## Laminate Tiles





## Laminate Media Tiles




## Painted Metal Tiles





## Slotted Tool Tiles




# WORKWALL Typicals

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION | |
|---|---|---|---|---|---|
| 1 | **Lateral File Pedestal**<br>36″W x 20″D x 28″H | **H10503** | $1,312 | $1,312 | |
| 1 | **Credenza Shell**<br>72″W x 24″D x 29½″H | **H10541** | $877 | $877 | |
| 1 | **Square End Cap Bookshelf Left**<br>24″W x 24″D x 29″H | **H105526L** | $754 | $754 | |
| 1 | **Square End Cap Bookshelf Right**<br>24″W x 24″D x 66″H | **H105527R** | $1,208 | $1,208 | *Desk* |
| 1 | **H-Leg Support**<br>30″W x 28⅜″H | **H105HLEG3028** | $445 | $445 | |
| 1 | **Rectangular Worksurface**<br>66″W x 30″D | **H105R3066** | $473 | $473 | |
| 1 | **External Stiffener**<br>60″W | **HLSLZ5SC72** | $156 | $156 | |
| 1 | **Fabric Tile**<br>22½″H x 60″W | **HWWT2260F** | $653 | $653 | |
| 1 | **Slotted Tool Tile**<br>15″H x 60″W | **HWWT1560T** | $828 | $828 | *Workwall* |
| 1 | **Glass Markerboard Tile**<br>37½″H x 36″W | **HWWT3736M** | $1,424 | $1,424 | |
| | | | **TOTAL:** | **$8,130** | |



**10500 SERIES™**
**PRIVATE OFFICE**
**118″W x 66½″H x 90″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION | |
|---|---|---|---|---|---|
| 1 | **HAT Modular Credenza Top, Left**<br>72″W x 24″D | **H105CTHAT7224L** | $1,011 | $1,011 | |
| 1 | **HAT Modular Credenza Top, Right**<br>72″W x 24″D | **H105CTHAT7224R** | $1,011 | $1,011 | |
| 2 | **2-Drawer Credenza, No Top**<br>36″W x 24″D x 21½″H | **H105LC3624BF** | $662 | $1,324 | |
| 2 | **HAT Open Storage Cabinet Back**<br>36″W x 21½″H | **H105LCHAT3620B** | $280 | $560 | |
| 1 | **HAT Open Credenza, No Top**<br>36″W x 24″D x 21½″H | **H105LCHAT3624S** | $304 | $304 | |
| 1 | **Open Wardrobe Tower, B/F Left**<br>18″W x 24″D x 50″H | **H105LT182450BFL** | $2,390 | $2,390 | *Desk* |
| 1 | **Open Wardrobe Tower, B/F Right**<br>18″W x 24″D x 50″H | **H105LT182450BFR** | $2,390 | $2,390 | |
| 2 | **Rectangular Worksurface**<br>72″W x 30″D | **H105R3072** | $508 | $1,016 | |
| 2 | **Shroud for Height Adjustable Base**<br>6½″W x 26″D x 23⅝″H | **HNL30SHR** | $1,144 | $2,288 | |
| 2 | **Height Adjustable Base**<br>3-Stage, 2-Leg, Rectangle T Foot | **HHATB3S2LT** | $1,203 | $2,406 | |
| 2 | **External Stiffener**<br>66″W | **HLSLZ5SC78** | $156 | $312 | |
| 2 | **Fabric Tile**<br>45″H x 36″W | **HWWT4536F** | $634 | $1,268 | |
| 2 | **Laminate Tile**<br>37½″H x 35″W | **HWWT3736L** | $561 | $1,122 | |
| 1 | **Laminate Tile**<br>15″H x 36″W | **HWWT1536L** | $396 | $396 | *Workwall* |
| 2 | **Slotted Tool Tile**<br>7½″H x 36″W | **HWWT736T** | $527 | $1,054 | |
| 2 | **Floating Shelf**<br>36″W | **HWWASHELF36** | $335 | $670 | |
| | | | **TOTAL:** | **$19,522** | |




**10500 SERIES™**
**TEAMING STATION**
**180″W x 64″H x 73″D**

NOTES: To enhance Workwall, use accessories, single tool rail, or floating shelf. See pages 241-242.

# WORKWALL
## Typicals

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 3 | **Lateral File Pedestal**<br>36″W x 20″D x 28″H | **H10503** | $1,312 | $3,936 |
| 2 | **Storage Cabinet/Lateral File**<br>36″W x 20″D x 66⅝″H | **H105293** | $2,866 | $5,732 |
| 1 | **Rectangle Worksurface**<br>36″W x 24″D | **H105R2436** | $264 | $264 |
| 1 | **Rectangle Worksurface**<br>72″W x 24″D | **H105R2472** | $433 | $433 |
| 10 | **Field Installed Pull Kit**<br>Linear Matte Chrome, 2-Pack | **HLINEARC2** | $81 | $810 |
| 2 | **Fabric Tile**<br>7½″H x 36″W | **HWWT736F** | $408 | $816 |
| 2 | **Slotted Tool Tile**<br>15″H x 36″W | **HWWT1536T** | $584 | $1,168 |
| 2 | **Fabric Tile**<br>15″H x 36″W | **HWWT1536F** | $431 | $862 |
| 1 | **Glass Markerboard Tile**<br>37½″H x 36″W | **HWWT3736M** | $1,424 | $1,424 |
| | | | **TOTAL:** | **$15,445** |

*Storage*




**10500 SERIES™ STORAGE WALL**

**180″W x 66″H x 24″D**

*Workwall*

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **2-Drawer Lateral File**<br>36″W x 24″D | **HNL2436LD2** | $1,591 | $1,591 |
| 1 | **Pedestal Credenza, Right**<br>72″W x 24″D | **HNL2472RP** | $1,974 | $1,974 |
| 1 | **Bridge with Full Modesty**<br>48″W x 24″D | **HNL2448BF** | $613 | $613 |
| 1 | **Breakfront Rectangle Desk w/Frosted Modesty**<br>72″W x 36″D | **HNL3672LPRBF** | $3,245 | $3,245 |
| 1 | **Laminate Tile**<br>45″H x 36″W | **HWWT4536L** | $623 | $623 |
| 1 | **Glass Markerboard Tile**<br>45″H x 48″W | **HWWT4548M** | $1,800 | $1,800 |
| 1 | **Fabric Tile**<br>45″H x 24″W | **HWWT4524F** | $539 | $539 |
| 2 | **Floating Shelf**<br>36″W | **HWWASHELF36** | $335 | $670 |
| | | | **TOTAL:** | **$11,055** |

*Desk*




**CONCINNITY™ PRIVATE OFFICE**

**108″W x 74″H x 108″D**

*Workwall*

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **O-Leg Support**<br>30″D x 28″H | **HLSL3028O** | $493 | $493 |
| 1 | **Bookcase End Support**<br>12″W x 30″D x 28½″H | **HNL123028BKE** | $693 | $693 |
| 2 | **Low Credenza, 2 Box/2 File**<br>60″W x 20″D x 21½″H | **HNL206021D4** | $2,066 | $4,132 |
| 1 | **Storage Cabinet/Lateral File**<br>36″W x 24″D x 64¾″H | **HNL243665SLL** | $3,177 | $3,177 |
| 1 | **Rectangle Worksurface**<br>72″W x 30″D | **HNLRC3072** | $587 | $587 |
| 2 | **Fabric Tile**<br>37½″H x 60″W | **HWWT3760F** | $809 | $1,618 |
| 1 | **Laminate Tile**<br>37½″H x 30″W | **HWWT3730L** | $530 | $530 |
| 2 | **Floating Shelf**<br>30″W | **HWWASHELF30** | $319 | $638 |
| | | | **TOTAL:** | **$11,868** |

*Desk*



**CONCINNITY™ LARGE PRIVATE OFFICE**

**186″W x 64″H x 73″D**

*Workwall*

NOTES: To enhance Workwall, use accessories, single tool rail, or floating shelf. See pages 241-242.

# WORKWALL Typicals




| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Low Credenza, 2 File Drawers and Open Top**<br>72″W x 20″D x 21½″H | **HLSL2072LD2** | $2,101 | $2,101 |
| 2 | **Support Pedestal**<br>41″H | **HLSL2441S** | $2,063 | $4,126 |
| 2 | **Angled Steel Leg**<br>2-Pack | **HLSL28AM2** | $445 | $890 |
| 1 | **Rectangle Worksurface**<br>72″W x 24″D | **HLSLR2472** | $553 | $553 |
| 1 | **Rectangle Worksurface**<br>72″W x 30″D | **HLSLR3072** | $659 | $659 |
| 1 | **External Stiffener**<br>60″W | **HLSLZ5SC72** | $156 | $156 |
| 1 | **Low Credenza, 4 Storage Doors**<br>72″W x 20″D x 21½″H | **HLSL2072S4** | $2,231 | $2,231 |
| 2 | **Laminate Tile**<br>45″H x 36″W | **HWWT4536L** | $623 | $1,246 |
| 2 | **Painted Metal Tile**<br>22½″H x 36″W | **HWWT2236P** | $360 | $720 |
| 1 | **Fabric Tile**<br>45″H x 36″W | **HWWT4536F** | $634 | $634 |
| 1 | **Glass Markerboard Tile**<br>45″H x 36″W | **HWWT4536M** | $1,558 | $1,558 |
| | | | **TOTAL:** | **$14,874** |

*Depth is dependent on how far the table desk is away from Workwall.

*Desk*

*Workwall*




**VOI®**
**PRIVATE OFFICE**
**216″W x 64″H x 107″D***

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Seated Height Mobile Collaborative Table**<br>72″W x 42″D | **HTMC304272** | $2,463 | $2,463 |
| 1 | **Fabric Tile**<br>45″H x 24″W | **HWWT4524F** | $539 | $539 |
| 1 | **Laminate Tile**<br>45″H x 24″W | **HWWT4524L** | $549 | $549 |
| 1 | **Glass Markerboard Tile**<br>45″H x 60″W | **HWWT4560M** | $2,229 | $2,229 |
| 1 | **Floating Shelf**<br>24″W | **HWWASHELF24** | $303 | $303 |
| | | | **TOTAL:** | **$6,083** |

*Table*

*Workwall*




**OPEN COLLABORATIVE WALL SPACE**
**108″W x 45″H**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 4 | **Lateral File Pedestal**<br>30″W x 23⅛″D x 28½″H | **HNL233028PLF** | $1,313 | $5,252 |
| 2 | **Modesty Back Panel, Full Length**<br>60″W x 27⅞″H | **HNLMP6028** | $334 | $668 |
| 2 | **Rectangle Worksurface**<br>60″W x 24″D | **HNLRC2460** | $448 | $896 |
| 1 | **Rectangle Table Top**<br>96″W x 48″D | **HTLC4896** | $1,096 | $1,096 |
| 1 | **Angled Metal Legs for 96″W Tops**<br>29½″H | **HT29AL96** | $1,934 | $1,934 |
| 2 | **Laminate Tile**<br>37½″H x 36″W | **HWWT3736L** | $561 | $1,122 |
| 1 | **Laminate Media Tile**<br>37½″H x 48″W | **HWWT3748V** | $697 | $697 |
| 1 | **Floating Shelf**<br>36″W | **HWWASHELF36** | $335 | $335 |
| 1 | **Single Tool Rail**<br>36″W | **HWWARAIL36** | $269 | $269 |
| | | | **TOTAL:** | **$12,269** |

*Storage*

*Table*

*Workwall*






**STORAGE WALL IN OPEN COLLABORATIVE SPACE**
**120″W x 66″H x 30″D**

NOTES: To enhance Workwall, use accessories, single tool rail, or floating shelf. See pages 241-242.

# WORKWALL
## Fabric Tiles

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE AA | A | B | C | D | E | F | G |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
|  | **7½″H Fabric Tiles** | | | | | | | | | | | |
| | 7½″H x 18″W | **HWWT718F** | 4 | 0.7 | **$351** | **$357** | **$360** | **$362** | **$368** | **$373** | **$379** | **$382** |
| | 7½″H x 24″W | **HWWT724F** | 4 | 0.8 | **$370** | **$376** | **$379** | **$381** | **$387** | **$392** | **$398** | **$401** |
| | 7½″H x 30″W | **HWWT730F** | 4 | 1.0 | **$392** | **$398** | **$401** | **$405** | **$411** | **$419** | **$422** | **$425** |
| | 7½″H x 36″W | **HWWT736F** | 4 | 1.3 | **$408** | **$414** | **$417** | **$421** | **$427** | **$435** | **$438** | **$441** |
| | 7½″H x 42″W | **HWWT742F** | 4 | 1.5 | **$513** | **$520** | **$524** | **$528** | **$539** | **$542** | **$546** | **$551** |
| | 7½″H x 48″W | **HWWT748F** | 4 | 1.5 | **$543** | **$550** | **$554** | **$558** | **$569** | **$572** | **$576** | **$581** |
| | 7½″H x 54″W | **HWWT754F** | 5 | 1.7 | **$551** | **$573** | **$578** | **$583** | **$596** | **$601** | **$604** | **$607** |
| | 7½″H x 60″W | **HWWT760F** | 5 | 1.8 | **$568** | **$590** | **$595** | **$600** | **$613** | **$618** | **$621** | **$624** |
|  | **15″H Fabric Tiles** | | | | | | | | | | | |
| | 15″H x 18″W | **HWWT1518F** | 4 | 1.0 | **$368** | **$379** | **$387** | **$396** | **$413** | **$432** | **$450** | **$458** |
| | 15″H x 24″W | **HWWT1524F** | 4 | 1.0 | **$391** | **$402** | **$410** | **$419** | **$436** | **$455** | **$473** | **$481** |
| | 15″H x 30″W | **HWWT1530F** | 4 | 1.2 | **$412** | **$425** | **$435** | **$446** | **$470** | **$493** | **$504** | **$515** |
| | 15″H x 36″W | **HWWT1536F** | 4 | 1.4 | **$431** | **$444** | **$454** | **$465** | **$489** | **$512** | **$523** | **$534** |
| | 15″H x 42″W | **HWWT1542F** | 4 | 1.6 | **$539** | **$554** | **$567** | **$583** | **$619** | **$630** | **$641** | **$653** |
| | 15″H x 48″W | **HWWT1548F** | 4 | 1.7 | **$566** | **$581** | **$594** | **$610** | **$646** | **$657** | **$668** | **$680** |
| | 15″H x 54″W | **HWWT1554F** | 5 | 2.1 | **$584** | **$599** | **$612** | **$628** | **$664** | **$675** | **$686** | **$698** |
| | 15″H x 60″W | **HWWT1560F** | 5 | 2.1 | **$600** | **$615** | **$628** | **$644** | **$680** | **$691** | **$702** | **$714** |
|  | **22½″H Fabric Tiles** | | | | | | | | | | | |
| | 22½″H x 18″W | **HWWT2218F** | 5 | 1.0 | **$390** | **$402** | **$411** | **$422** | **$443** | **$467** | **$481** | **$491** |
| | 22½″H x 24″W | **HWWT2224F** | 5 | 1.3 | **$414** | **$426** | **$435** | **$446** | **$467** | **$491** | **$505** | **$515** |
| | 22½″H x 30″W | **HWWT2230F** | 5 | 1.3 | **$436** | **$450** | **$462** | **$476** | **$500** | **$530** | **$560** | **$570** |
| | 22½″H x 36″W | **HWWT2236F** | 5 | 1.7 | **$465** | **$482** | **$496** | **$508** | **$548** | **$580** | **$592** | **$602** |
| | 22½″H x 42″W | **HWWT2242F** | 5 | 1.7 | **$579** | **$596** | **$610** | **$625** | **$671** | **$697** | **$709** | **$721** |
| | 22½″H x 48″W | **HWWT2248F** | 5 | 2.1 | **$604** | **$621** | **$635** | **$650** | **$696** | **$722** | **$734** | **$746** |
| | 22½″H x 54″W | **HWWT2254F** | 6 | 2.1 | **$639** | **$656** | **$670** | **$685** | **$731** | **$757** | **$769** | **$781** |
| | 22½″H x 60″W | **HWWT2260F** | 6 | 2.3 | **$653** | **$670** | **$684** | **$699** | **$745** | **$771** | **$783** | **$795** |

**NOTES:**
- Accepts single tool rail, accessories, and floating shelf on select sizes (see pages 241-242 for accessory sizes).
- Fabric tiles are tackable.

Tiles with accessories or shelves could conflict with the movement of height adjustable table.

## HOW TO SPECIFY

**Select**
**Model Number**

H W W T 2 2 3 6 F .

**Select**
**Fabric Color**




See pages 26-27

A P N 1 5 .

**Select**
**Mounting Hardware Paint**

**P** Black
**PJW** Designer White
**S** Charcoal

P

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE AA | A | B | C | D | E | F | G |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
|  | **30″H Fabric Tiles** | | | | | | | | | | | |
| | 30″H x 18″W | **HWWT3018F** | 5 | 1.2 | **$410** | **$423** | **$433** | **$446** | **$469** | **$498** | **$510** | **$521** |
| | 30″H x 24″W | **HWWT3024F** | 5 | 1.7 | **$439** | **$452** | **$462** | **$475** | **$498** | **$527** | **$539** | **$550** |
| | 30″H x 30″W | **HWWT3030F** | 5 | 2.1 | **$473** | **$488** | **$501** | **$517** | **$544** | **$581** | **$628** | **$638** |
| | 30″H x 36″W | **HWWT3036F** | 5 | 2.5 | **$502** | **$522** | **$540** | **$553** | **$610** | **$651** | **$662** | **$673** |
| | 30″H x 42″W | **HWWT3042F** | 6 | 2.9 | **$632** | **$650** | **$666** | **$679** | **$738** | **$778** | **$790** | **$801** |
| | 30″H x 48″W | **HWWT3048F** | 6 | 3.3 | **$654** | **$672** | **$688** | **$701** | **$760** | **$800** | **$812** | **$823** |
| | 30″H x 54″W | **HWWT3054F** | 7 | 4.1 | **$684** | **$702** | **$718** | **$731** | **$790** | **$830** | **$842** | **$853** |
| | 30″H x 60″W | **HWWT3060F** | 7 | 4.1 | **$710** | **$728** | **$744** | **$757** | **$816** | **$856** | **$868** | **$879** |
|  | **37½″H Fabric Tiles** | | | | | | | | | | | |
| | 37½″H x 18″W | **HWWT3718F** | 6 | 1.6 | **$442** | **$460** | **$476** | **$496** | **$553** | **$588** | **$600** | **$611** |
| | 37½″H x 24″W | **HWWT3724F** | 6 | 2.1 | **$489** | **$507** | **$523** | **$543** | **$600** | **$635** | **$647** | **$658** |
| | 37½″H x 30″W | **HWWT3730F** | 7 | 2.6 | **$524** | **$542** | **$558** | **$578** | **$635** | **$670** | **$682** | **$693** |
| | 37½″H x 36″W | **HWWT3736F** | 8 | 2.5 | **$556** | **$577** | **$598** | **$620** | **$689** | **$740** | **$752** | **$764** |
| | 37½″H x 42″W | **HWWT3742F** | 8 | 3.6 | **$699** | **$722** | **$744** | **$770** | **$857** | **$909** | **$920** | **$931** |
| | 37½″H x 48″W | **HWWT3748F** | 9 | 4.1 | **$737** | **$760** | **$784** | **$809** | **$898** | **$951** | **$964** | **$975** |
| | 37½″H x 54″W | **HWWT3754F** | 10 | 3.2 | **$767** | **$796** | **$824** | **$857** | **$946** | **$1011** | **$1022** | **$1035** |
| | 37½″H x 60″W | **HWWT3760F** | 11 | 5.2 | **$809** | **$838** | **$866** | **$899** | **$988** | **$1053** | **$1064** | **$1077** |
|  | **45″H Fabric Tiles** | | | | | | | | | | | |
| | 45″H x 18″W | **HWWT4518F** | 6 | 1.8 | **$491** | **$512** | **$534** | **$556** | **$627** | **$679** | **$691** | **$704** |
| | 45″H x 24″W | **HWWT4524F** | 6 | 2.5 | **$539** | **$560** | **$582** | **$604** | **$675** | **$727** | **$739** | **$752** |
| | 45″H x 30″W | **HWWT4530F** | 7 | 3.1 | **$589** | **$612** | **$634** | **$661** | **$750** | **$802** | **$815** | **$827** |
| | 45″H x 36″W | **HWWT4536F** | 8 | 3.7 | **$634** | **$657** | **$681** | **$706** | **$795** | **$848** | **$861** | **$872** |
| | 45″H x 42″W | **HWWT4542F** | 8 | 4.3 | **$788** | **$811** | **$833** | **$860** | **$948** | **$1001** | **$1014** | **$1026** |
| | 45″H x 48″W | **HWWT4548F** | 9 | 5.0 | **$838** | **$861** | **$892** | **$910** | **$999** | **$1052** | **$1065** | **$1076** |
| | 45″H x 54″W | **HWWT4554F** | 10 | 6.2 | **$886** | **$915** | **$944** | **$977** | **$1065** | **$1130** | **$1142** | **$1155** |
| | 45″H x 60″W | **HWWT4560F** | 11 | 6.2 | **$947** | **$976** | **$1005** | **$1038** | **$1126** | **$1191** | **$1203** | **$1216** |

**NOTES:**

- Accepts single tool rail, accessories, and floating shelf on select sizes (see pages 241-242 for accessory sizes).
- Fabric tiles are tackable.

! Tiles with accessories or shelves could conflict with the movement of height adjustable table.

## HOW TO SPECIFY

**Select Model Number**

H W W T 3 0 3 6 F .

**Select Fabric Color**

See pages 26-27

A P N 1 5 .

**Select Mounting Hardware Paint**






**P** Black
**PJW** Designer White
**S** Charcoal

P

# WORKWALL
## Glass Markerboard Tiles

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **15″H Glass Markerboard Tiles** | | | | |
| | 15″H x 30″W | **HWWT1530M** | 16 | 2.2 | **$727** |
| | 15″H x 36″W | **HWWT1536M** | 18 | 2.6 | **$807** |
|  | **22½″H Glass Markerboard Tiles** | | | | |
| | 22½″H x 30″W | **HWWT2230M** | 21 | 3.1 | **$968** |
| | 22½″H x 36″W | **HWWT2236M** | 24 | 3.6 | **$1076** |
|  | **30″H Glass Markerboard Tiles** | | | | |
| | 30″H x 30″W | **HWWT3030M** | 25 | 4.0 | **$1182** |
| | 30″H x 36″W | **HWWT3036M** | 29 | 4.7 | **$1263** |
|  | **37½″H Glass Markerboard Tiles** | | | | |
| | 37½″H x 30″W | **HWWT3730M** | 30 | 4.8 | **$1344** |
| | 37½″H x 36″W | **HWWT3736M** | 35 | 5.7 | **$1424** |
| | 37½″H x 42″W | **HWWT3742M** | 40 | 6.5 | **$1505** |
| | 37½″H x 48″W | **HWWT3748M** | 44 | 7.4 | **$1640** |
| | 37½″H x 54″W | **HWWT3754M** | 48 | 8.3 | **$1772** |
| | 37½″H x 60″W | **HWWT3760M** | 53 | 9.1 | **$1854** |
|  | **45″H Glass Markerboard Tiles** | | | | |
| | 45″H x 30″W | **HWWT4530M** | 35 | 5.8 | **$1451** |
| | 45″H x 36″W | **HWWT4536M** | 41 | 6.8 | **$1558** |
| | 45″H x 42″W | **HWWT4542M** | 46 | 7.8 | **$1666** |
| | 45″H x 48″W | **HWWT4548M** | 52 | 8.8 | **$1800** |
| | 45″H x 54″W | **HWWT4554M** | 58 | 9.9 | **$2068** |
| | 45″H x 60″W | **HWWT4560M** | 63 | 10.9 | **$2229** |

**NOTES:**
- Markerboard is magnetic. Recommend using rare earth magnets for best results.
- Material is back-painted glass with square edges, low iron clear (glossy) completely opaque finish and is tempered glass.

## HOW TO SPECIFY

**Select**
**Model Number**

H W W T 3 0 3 6 M .

**Select**
**Glass**

**GBG2** Beige
**GCH2** Charcoal
**GCR2** Cream
**GWH2** Ice White
**GPB2** Pebble

G C H 2 .







**Select**
**Mounting Hardware Paint**

**P** Black
**PJW** Designer White
**S** Charcoal

P

# WORKWALL Laminate Tiles



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
| Grain Direction  | **7½″H Laminate Tiles** | | | | | |
| | 7½″H x 18″W | **HWWT718L** | 5 | 0.7 | **$342** | **$349** |
| | 7½″H x 24″W | **HWWT724L** | 5 | 0.8 | **$350** | **$362** |
| | 7½″H x 30″W | **HWWT730L** | 6 | 1.0 | **$357** | **$369** |
| | 7½″H x 36″W | **HWWT736L** | 6 | 1.2 | **$364** | **$376** |
| Grain Direction  | **15″H Laminate Tiles** | | | | | |
| | 15″H x 18″W | **HWWT1518L** | 6 | 1.0 | **$365** | **$372** |
| | 15″H x 24″W | **HWWT1524L** | 7 | 1.0 | **$374** | **$386** |
| | 15″H x 30″W | **HWWT1530L** | 8 | 1.2 | **$386** | **$398** |
| | 15″H x 36″W | **HWWT1536L** | 9 | 1.4 | **$396** | **$408** |
| Grain Direction  | **22½″H Laminate Tiles** | | | | | |
| | 22½″H x 18″W | **HWWT2218L** | 10 | 1.0 | **$391** | **$403** |
| | 22½″H x 24″W | **HWWT2224L** | 11 | 2.6 | **$407** | **$424** |
| | 22½″H x 30″W | **HWWT2230L** | 13 | 2.6 | **$424** | **$441** |
| | 22½″H x 36″W | **HWWT2236L** | 14 | 4.2 | **$441** | **$458** |
| Grain Direction  | **30″H Laminate Tiles** | | | | | |
| | 30″H x 18″W | **HWWT3018L** | 11 | 1.2 | **$415** | **$427** |
| | 30″H x 24″W | **HWWT3024L** | 13 | 1.5 | **$439** | **$456** |
| | 30″H x 30″W | **HWWT3030L** | 15 | 1.8 | **$461** | **$478** |
| | 30″H x 36″W | **HWWT3036L** | 17 | 2.1 | **$481** | **$498** |
| Grain Direction  | **37½″H Laminate Tiles** | | | | | |
| | 37½″H x 18″W | **HWWT3718L** | 15 | 1.5 | **$463** | **$480** |
| | 37½″H x 24″W | **HWWT3724L** | 17 | 1.8 | **$495** | **$517** |
| | 37½″H x 30″W | **HWWT3730L** | 19 | 2.2 | **$530** | **$552** |
| | 37½″H x 36″W | **HWWT3736L** | 22 | 2.5 | **$561** | **$583** |
| Grain Direction  | **45″H Laminate Tiles** | | | | | |
| | 45″H x 18″W | **HWWT4518L** | 16 | 1.7 | **$512** | **$529** |
| | 45″H x 24″W | **HWWT4524L** | 19 | 2.1 | **$549** | **$571** |
| | 45″H x 30″W | **HWWT4530L** | 22 | 2.5 | **$585** | **$607** |
| | 45″H x 36″W | **HWWT4536L** | 25 | 3.0 | **$623** | **$645** |

**NOTES:**

- Accepts single tool rail, accessories, and floating shelf on select sizes (see pages 241-242 for accessory sizes).

! Tiles with accessories or shelves could conflict with the movement of height adjustable table.

## HOW TO SPECIFY

**Select Model Number**

H W W T 3 0 3 6 L .

**Select Laminate and Edge**

See page 224

L S A 1 S A .

**Select Mounting Hardware Paint**




**P** Black
**PJW** Designer White
**S** Charcoal

P

# WORKWALL
# Laminate Media Tiles

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
| Grain Direction  | **30″H Laminate Media Tiles** | | | | | |
| | 30″H x 36″W | **HWWT3036V** | 9 | 2.1 | **$540** | **$557** |
| | 30″H x 42″W | **HWWT3042V** | 11 | 2.4 | **$578** | **$595** |
| | 30″H x 48″W | **HWWT3048V** | 14 | 2.7 | **$614** | **$636** |
| Grain Direction  | **37½″H Laminate Media Tiles** | | | | | |
| | 37½″H x 36″W | **HWWT3736V** | 14 | 2.5 | **$624** | **$646** |
| | 37½″H x 42″W | **HWWT3742V** | 16 | 2.9 | **$659** | **$681** |
| | 37½″H x 48″W | **HWWT3748V** | 19 | 3.2 | **$697** | **$725** |
| | 37½″H x 54″W | **HWWT3754V** | 21 | 3.6 | **$732** | **$760** |
| Grain Direction  | **45″H Laminate Media Tiles** | | | | | |
| | 45″H x 36″W | **HWWT4536V** | 17 | 3.0 | **$683** | **$705** |
| | 45″H x 42″W | **HWWT4542V** | 20 | 3.4 | **$719** | **$747** |
| | 45″H x 48″W | **HWWT4548V** | 23 | 3.8 | **$755** | **$783** |
| | 45″H x 54″W | **HWWT4554V** | 26 | 4.2 | **$792** | **$825** |

**NOTES:**

- Media tile does not include wire management. Intended for power to be behind TV. Cords do not route behind tile.
- Tiles with accessories or shelves could conflict with the movement of height adjustable table.
- Wire management or television mounting brackets not included with tiles.

| TV SCREEN DIMENSIONS | | | Workwall Tile | APPROXIMATE DIMENSIONS AROUND TV | |
|---|---|---|---|---|---|
| TV Size | Screen Height | Screen Width | | Top & Bottom Border | Left & Right Border |
| 32 | 15.7 | 27.9 | HWWT3036M | 7″ | 4″ |
| | | | HWWT3736M | 10.5″ | |
| | | | HWWT4536M | 14.5″ | |
| 40 | 19.6 | 34.9 | HWWT3042M | 5″ | 3.5″ |
| | | | HWWT3742M | 8.5″ | |
| | | | HWWT4542V | 12.5″ | |
| 43 | 21.1 | 37.5 | HWWT3048V | 4″ | 5″ |
| | | | HWWT3748V | 8″ | |
| | | | HWWT4548V | 11.5″ | |
| 50 | 24.5 | 43.6 | HWWT3748V | 6″ | 2″ |
| | | | HWWT4548V | 10″ | |
| | | | HWWT3754V | 6″ | 5″ |
| | | | HWWT4554V | 10″ | |

**NOTES:**

- TV true size height and width are for screen only, it does not take TV/monitor bevel into account. Please note chart is directional for TV sizes and actual dimensions should be confirmed with TV manufacturer.
- Borders show dimensions of visual laminate tile around the outside of the TV.
- TV Mount Opening is 12″H x 27″W and is centered on all Media Tiles.

## HOW TO SPECIFY

**Select**
**Model Number**

H W W T 3 0 3 6 V .

**Select**
**Laminate and Edge**

See page 224

L S A 1 S A .





**Select**
**Mounting Hardware Paint**

**P** Black
**PJW** Designer White
**S** Charcoal

P

# WORKWALL
## Painted Metal Tiles



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **7½″H Painted Metal Tiles** | | | | | | |
| | 7½″H x 18″W | **HWWT718P** | 4 | 0.7 | **$263** | **$280** | **$287** |
| | 7½″H x 24″W | **HWWT724P** | 4 | 0.8 | **$287** | **$304** | **$313** |
| | 7½″H x 30″W | **HWWT730P** | 6 | 1.0 | **$312** | **$329** | **$339** |
| | 7½″H x 36″W | **HWWT736P** | 6 | 1.2 | **$335** | **$352** | **$364** |
|  | **15″H Painted Metal Tiles** | | | | | | |
| | 15″H x 18″W | **HWWT1518P** | 6 | 1.0 | **$275** | **$298** | **$307** |
| | 15″H x 24″W | **HWWT1524P** | 6 | 1.0 | **$299** | **$322** | **$332** |
| | 15″H x 30″W | **HWWT1530P** | 7 | 1.2 | **$322** | **$345** | **$356** |
| | 15″H x 36″W | **HWWT1536P** | 7 | 1.4 | **$346** | **$369** | **$383** |
|  | **22½″H Painted Metal Tiles** | | | | | | |
| | 22½″H x 18″W | **HWWT2218P** | 8 | 1.0 | **$287** | **$317** | **$326** |
| | 22½″H x 24″W | **HWWT2224P** | 8 | 1.3 | **$312** | **$342** | **$352** |
| | 22½″H x 30″W | **HWWT2230P** | 9 | 1.3 | **$335** | **$365** | **$376** |
| | 22½″H x 36″W | **HWWT2236P** | 9 | 1.7 | **$360** | **$390** | **$403** |
|  | **30″H Painted Metal Tiles** | | | | | | |
| | 30″H x 18″W | **HWWT3018P** | 9 | 1.2 | **$299** | **$336** | **$345** |
| | 30″H x 24″W | **HWWT3024P** | 9 | 1.7 | **$322** | **$359** | **$370** |
| | 30″H x 30″W | **HWWT3030P** | 10 | 2.1 | **$346** | **$383** | **$398** |
| | 30″H x 36″W | **HWWT3036P** | 11 | 2.5 | **$371** | **$408** | **$427** |

**NOTES:**
- Accepts single tool rail, accessories, and floating shelf on select sizes (see pages 241-242 for accessory sizes).
- Metal tiles are magnetic.

! Tiles with accessories or shelves could conflict with the movement of height adjustable table.

## HOW TO SPECIFY

**Select**
**Model Number**

H W W T 3 0 3 6 P .

**Select**
**Tile Paint Color**

See page 224

P J W .

**Select**
**Mounting Hardware Paint**



**P** Black
**PJW** Designer White
**S** Charcoal

P

# WORKWALL
## Slotted Tool Tiles

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **7½"H Slotted Tool Tiles** | | | | | | |
| | 7½"H x 24"W | **HWWT724T** | 6 | 0.8 | **$420** | **$437** | **$462** |
| | 7½"H x 30"W | **HWWT730T** | 7 | 1.0 | **$476** | **$493** | **$522** |
| | 7½"H x 36"W | **HWWT736T** | 8 | 1.2 | **$527** | **$544** | **$578** |
| | 7½"H x 42"W | **HWWT742T** | 9 | 1.3 | **$582** | **$599** | **$637** |
| | 7½"H x 48"W | **HWWT748T** | 11 | 1.5 | **$636** | **$653** | **$694** |
| | 7½"H x 54"W | **HWWT754T** | 12 | 1.7 | **$703** | **$720** | **$763** |
| | 7½"H x 60"W | **HWWT760T** | 13 | 1.8 | **$771** | **$788** | **$833** |
|  | **15"H Slotted Tool Tiles** | | | | | | |
| | 15"H x 24"W | **HWWT1524T** | 11 | 1.0 | **$479** | **$511** | **$536** |
| | 15"H x 30"W | **HWWT1530T** | 13 | 1.2 | **$532** | **$564** | **$593** |
| | 15"H x 36"W | **HWWT1536T** | 15 | 1.4 | **$584** | **$616** | **$649** |
| | 15"H x 42"W | **HWWT1542T** | 17 | 1.6 | **$638** | **$670** | **$708** |
| | 15"H x 48"W | **HWWT1548T** | 20 | 1.7 | **$693** | **$725** | **$767** |
| | 15"H x 54"W | **HWWT1554T** | 22 | 2.1 | **$761** | **$793** | **$837** |
| | 15"H x 60"W | **HWWT1560T** | 24 | 2.1 | **$828** | **$860** | **$906** |

**NOTES:**

- Slotted Tool Tile tested to 80 lbs. per tile (including accessories and what is stored in them) and must not exceed.
- Tiles with accessories or shelves could conflict with the movement of height adjustable table.

## HOW TO SPECIFY

**Select**
**Model Number**

H W W T 1 5 3 6 T .

**Select**
**Tile Paint Color**


See page 224

P J W .

**Select**
**Mounting Hardware Paint**

**P** Black
**PJW** Designer White
**S** Charcoal

P



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE | UPCHARGE BY LAMINATE/PAINT GRADE L2 | P2 | P3 |
|---|---|---|---|---|---|---|---|
| **Floating Shelves** | | | | | | | |
| 18″W | **HWWASHELF18** | 9 | 0.4 | **$288** | **$7** | **$8** | **$13** |
| 24″W | **HWWASHELF24** | 10 | 0.5 | **$303** | **$12** | **$8** | **$13** |
| 30″W | **HWWASHELF30** | 11 | 0.6 | **$319** | **$12** | **$8** | **$13** |
| 36″W | **HWWASHELF36** | 12 | 0.7 | **$335** | **$12** | **$8** | **$13** |

**NOTES:**
- Shelves can be mounted on laminate, fabric, and metal tiles.
- Can be mounted up to 2 on a single tile.
- Shelves tested to 50 lbs. per floating shelf.
- Shelves can be mounted at predetermined locations, pilot holes included.

❗ Tiles with accessories or shelves could conflict with the movement of height adjustable table.

## HOW TO SPECIFY

**Select**
**Model Number**

H W W A S H E L F 3 6 .

**Select**
**Laminate and Edge**


See page 224

L S A 1 S A .

**Select**
**Floating Shelf Bracket Paint**

See page 224

P



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Single Tool Rail Accessory** | | | | | | |
| 18″W | **HWWARAIL18** | 2 | 0.4 | **$236** | **$244** | **$249** |
| 24″W | **HWWARAIL24** | 2 | 0.4 | **$244** | **$252** | **$257** |
| 30″W | **HWWARAIL30** | 2 | 0.5 | **$261** | **$269** | **$274** |
| 36″W | **HWWARAIL36** | 3 | 0.6 | **$269** | **$277** | **$282** |
| 42″W | **HWWARAIL42** | 3 | 0.6 | **$283** | **$291** | **$296** |
| 48″W | **HWWARAIL48** | 4 | 0.7 | **$294** | **$302** | **$307** |
| 54″W | **HWWARAIL54** | 4 | 0.7 | **$318** | **$326** | **$331** |
| 60″W | **HWWARAIL60** | 4 | 0.8 | **$335** | **$343** | **$348** |

**NOTES:**
- Accessory rails can be mounted on laminate, laminate media, fabric, and metal tiles.
- Can be mounted up to 2 on a single tile.
- Accessory rails can be mounted at predetermined locations, pilot holes included.
- Brackets match paint selected for single tool rail.

❗ 18-36″W Single Tool Rails are tested to a distributed 20 lbs. per single tool rail (including accessories and what is stored in them) and must not exceed.

❗ 42-60″W Single Tool Rails are tested to a distributed 10 lbs. per single tool rail (including accessories and what is stored in them) and must not exceed.

❗ Abound® accessories cannot be used on single rail but can be used on Slotted Tool Tiles.

❗ Tiles with accessories or shelves could conflict with the movement of height adjustable table.

## HOW TO SPECIFY

**Select**
**Model Number**

H W W A R A I L 3 6 .

**Select**
**Single Tool Rail and Bracket Paint**








See page 224

P

# WORKWALL Accessories

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Small Shelf**<br>1″H x 10″W x 3¾″D | **HWWATS** | 2 | 0.1 | **$145** | **$153** | **$158** |
|  | **Small Bin**<br>4″H x 6″W x 2¼″D | **HWWASB** | 3 | 0.1 | **$145** | **$153** | **$158** |
|  | **Small Tray**<br>2″H x 9″W x 7¼″D | **HWWAST** | 2 | 0.1 | **$162** | **$170** | **$175** |
|  | **Hanging File Folder**<br>2″H x 12¼″W x 3½″D | **HWWAP** | 1 | 0.1 | **$162** | **$170** | **$175** |
|  | **Magnetic Picture Holder**<br>5¼″H x 6″W x ¾″D | **HWWAPH** | 2 | 0.5 | **$133** | **$141** | **$146** |
|  | **Cup**<br>2″H x 4¼″W x 4½″D | **HWWAC** | 1 | 0.1 | **$133** | **$141** | **$146** |
|  | **Hook**<br>2¾″H x 3″W x ¾″D | **HWWAH** | 1 | 0.1 | **$133** | **$141** | **$146** |

**NOTES:**
- Accessories work on single tool rail and Slotted Tool Tiles.

## HOW TO SPECIFY

**Select Model Number**

H W W A S T .

**Select Paint Color**

See page 224

P

# NOTES

# 10500 SERIES™

Want to see more? Scan here to check out hon.com.



10500 Series™ Desking shown with Ignition® Seating.

## 10500 SERIES™

A high quality product offering should go beyond great looks and convenient functionality—it should provide lasting value. With a wide array of smart options, the versatile 10500 Series™ was designed to maximize any office space with a variety of flexible layout possibilities. And with an impressive choice of durable materials and stylish finishes, your aesthetic latitude is virtually unlimited. The bottom line? The 10500 Series™ simply gives you more for less.







**FEATURES**

- Support personal well-being with stand-to-sit capabilities.
- Optimize any space—large, small, or in between—with a variety of accommodating components.
- Customize the look and feel of your environment with 23 durable mix-and-match laminates, including new textured styles.
- Lighten up with airy H- or O-legs and frosted modesty panels.
- Organize even the smallest office footprint with a wide array of convenient and compact storage options.

# 10500 SERIES™ ORDERING INFORMATION



## LAMINATE TOP, CHASSIS, AND WORKSURFACES

**L1 LAMINATES ..... CODES**

**Woodgrain**

- Bourbon Cherry ..... H
- Cognac ..... COGN
- Field Elm ..... LWFE
- Florence Walnut ..... LFW1
- Harvest ..... C
- Kingswood Walnut ..... LKI1
- Mahogany ..... N
- Mocha ..... MOCH
- Natural Maple ..... D
- Pinnacle ..... PINC
- Shaker Cherry ..... F
- Sterling Ash ..... LSA1

**Solid**

- Black ..... P
- Charcoal ..... S
- Designer White ..... LDW1
- Loft ..... LOFT

**Patterned Top**

- Handspun Chestnut ..... LAHC
- Handspun Dove ..... LAHD
- Handspun Pearl ..... LAHP
- Handspun Slate ..... LAHS
- Silver Mesh ..... B9(*)

**L2 LAMINATES ..... CODES**

**Woodgrain**

- Beigewood ..... LWBE
- Fawn Cypress ..... LFC1
- Lowell Ash ..... LLA1
- Natural Recon ..... LNR1
- Phantom Ecru ..... LPE1
- Portico Teak ..... LPT1
- Skyline Walnut ..... LSW1

## EDGEBAND

**EDGEBAND COLORS ..... CODES**

**Woodgrain**

- Beigewood ..... DE
- Bourbon Cherry ..... H
- Cognac ..... COGN
- Fawn Cypress ..... FC
- Field Elm ..... FE
- Florence Walnut ..... FW
- Harvest ..... C
- Kingswood Walnut ..... KI
- Lowell Ash ..... DL
- Mahogany ..... N
- Mocha ..... MOCH
- Natural Maple ..... D
- Natural Recon ..... NR
- Phantom Ecru ..... PE
- Pinnacle ..... PINC
- Portico Teak ..... DP
- Shaker Cherry ..... F
- Skyline Walnut ..... SW
- Sterling Ash ..... SA

**Solid**

- Black ..... P
- Brownstone ..... EY
- Charcoal ..... S
- Designer White ..... DW
- Fossil ..... EH
- Loft ..... LOFT

## 10500 SERIES™ MOBILE TABLES

**PAINTS ..... CODES**

**P1**

- Black ..... P
- Brownstone ..... P7D
- Charcoal ..... S
- Designer White ..... PJW
- Fossil ..... P28
- Greige ..... T5
- Loft ..... LOFT
- Muslin ..... T3
- Titanium ..... P8T

**P2**

- Champagne Metallic ..... T4
- Gunmetal Metallic ..... PR3
- Platinum Metallic ..... T1
- Silver ..... PR6

## H-LEGS, O-LEGS, POST LEGS, STORAGE CUBE

**PAINTS ..... CODES**

**P1**

- Black ..... P
- Brownstone ..... P7D
- Charcoal ..... S
- Cove ..... P096
- Designer White ..... PJW
- Dune ..... P094
- Fossil ..... P28
- Greige ..... T5
- Harbor ..... P097
- Loft ..... LOFT
- Muslin ..... T3
- Sage ..... P095
- Titanium ..... P8T

**P2**


- Champagne Metallic ..... T4
- Gunmetal Metallic ..... PR3
- Platinum Metallic ..... T1
- Silver ..... PR6
- Solar Black ..... P8X

**P3**

- Atom ..... P8S
- Blossom ..... P8K
- Bullseye ..... PJF
- Ember ..... P8P
- Ion ..... P8N
- Iris ..... P8J
- Krypton ..... P8F
- Ochre ..... P093
- Regatta ..... P8M
- Sienna ..... P092
- Succulent ..... P8A

◆◆◇ *For lead time information see page 21.*

**Patterned Top**



**Edgeband Around Top / Laminate Chassis**

- *Edgebanding on patterned laminates matches the laminate chassis selected.*
- *Patterned top laminates are available with the following edgeband laminate selection: C, COGN, D, F, FW, H, KI, DW, MOCH, N, P, PINC, SA, and S.*
- *For 10500 Series™ worksurface models, the finish specification options include matching the top and edgeband colors or choosing a two-tone combination.*
- *LAMINATE DESKS*
  *SPECIFY: Model Number. Laminate*
  *EXAMPLE: H105413.NN*
- *WORKSURFACES*
  *SPECIFY: Model Number. Top Laminate Edgeband*
- ***All specifications in this publication are based on the latest product information available at the time of print.***

*Tops with a patterned color are not available with a matching edgeband.*

# 10500 SERIES™ ORDERING INFORMATION

## TWO-TONE LAMINATE TOP / CHASSIS

**L1 LAMINATES ..... CODES**

**Two-Tone Top/Chassis**

- ◊ Black/Charcoal ..... **PS**
- ◊ Black/Designer White ... **PLDW1**
- ◊ Black/Loft ..... **PLOFT**
- ♦ Bourbon Cherry/Black ..... **HP**
- ♦ Bourbon Cherry/Charcoal ... **HS**
- ♦ Bourbon Cherry/Designer White ..... **HLDW1**
- ♦ Bourbon Cherry/Loft .... **HLOFT**
- ◊ Charcoal/Black ..... **SP**
- ♦ Charcoal/Designer White ..... **SLDW1**
- ♦ Charcoal/Loft ..... **SLOFT**
- ◊ Cognac/Black ..... **COGNP**
- ♦ Cognac/Charcoal ..... **COGNS**
- ♦ Cognac/Designer White ..... **COGNLDW1**
- ♦ Cognac/Loft ..... **COGNLOFT**
- ◊ Designer White/Black ... **LDW1P**
- ♦ Designer White/Bourbon Cherry ..... **LDW1H**
- ♦ Designer White/Charcoal ..... **LDW1S**
- ♦ Designer White/Cognac ..... **LDW1COGN**
- ♦ Designer White/Florence Walnut ..... **LDW1LFW1**
- ♦ Designer White/Harvest ..... **LDW1C**
- ♦ Designer White/Kingswood Walnut ..... **LDW1LKI1**
- ♦ Designer White/Loft ..... **LDW1LOFT**
- ♦ Designer White/Mahogany ..... **LDW1N**
- ♦ Designer White/Mocha ..... **LDW1MOCH**
- ♦ Designer White/Natural Maple ..... **LDW1D**
- ♦ Designer White/Pinnacle ..... **LDW1PINC**
- ♦ Designer White/Shaker Cherry ..... **LDW1F**
- ♦ Designer White/Sterling Ash ..... **LDW1LSA1**
- ♦ Field Elm/Black ..... **LWFEP**
- ♦ Field Elm/Charcoal ..... **LWFES**
- ♦ Field Elm/Designer White ..... **LWFELDW1**
- ♦ Field Elm/Loft ..... **LWFELOFT**
- ♦ Florence Walnut/Black ..... **LFW1P**
- ♦ Florence Walnut/Charcoal ..... **LFW1S**
- ♦ Florence Walnut/Designer White ..... **LFW1LDW1**
- ♦ Florence Walnut/Loft ..... **LFW1LOFT**

## TWO-TONE LAMINATE TOP / CHASSIS *continued*

**L1 LAMINATES ..... CODES**

**Two-Tone Top/Chassis**

- ♦ Handspun Chestnut/Black ..... **LAHCP**
- ♦ Handspun Chestnut/Charcoal ..... **LAHCS**
- ♦ Handspun Chestnut/Designer White ..... **LAHCLDW1**
- ♦ Handspun Chestnut/Loft ..... **LAHCLOFT**
- ◊ Handspun Dove/Black .. **LAHDP**
- ◊ Handspun Dove/Charcoal ..... **LAHDS**
- ◊ Handspun Dove/Designer White ..... **LAHDLDW1**
- ◊ Handspun Dove/Loft ..... **LAHDLOFT**
- ♦ Handspun Pearl/Black .. **LAHPP**
- ♦ Handspun Pearl/Charcoal ..... **LAHPS**
- ♦ Handspun Pearl/Designer White ..... **LAHPLDW1**
- ♦ Handspun Pearl/Loft ..... **LAHPLOFT**
- ◊ Handspun Slate/Black ... **LAHSP**
- ◊ Handspun Slate/Charcoal ..... **LAHSS**
- ◊ Handspun Slate/Designer White ..... **LAHSLDW1**
- ◊ Handspun Slate/Loft ..... **LAHSLOFT**
- ◊ Harvest/Black ..... **CP**
- ♦ Harvest/Charcoal ..... **CS**
- ♦ Harvest/Designer White ..... **CLDW1**
- ♦ Harvest/Loft ..... **CLOFT**
- ♦ Kingswood Walnut/Black ..... **LKI1P**
- ♦ Kingswood Walnut/Charcoal ..... **LKI1S**
- ♦ Kingswood Walnut/Designer White ..... **LKI1LDW1**
- ♦ Kingswood Walnut/Loft ..... **LKI1LOFT**
- ◊ Loft/Black ..... **LOFTP**
- ♦ Loft/Charcoal ..... **LOFTS**
- ♦ Loft/Designer White ..... **LOFTLDW1**
- ◊ Mahogany/Black ..... **NP**
- ♦ Mahogany/Charcoal ..... **NS**
- ♦ Mahogany/Designer White ..... **NLDW1**
- ♦ Mahogany/Loft ..... **NLOFT**

## TWO-TONE LAMINATE TOP / CHASSIS *continued*

**L1 LAMINATES ..... CODES**

**Two-Tone Top/Chassis**

- ◊ Mocha/Black ..... **MOCHP**
- ♦ Mocha/Charcoal ..... **MOCHS**
- ♦ Mocha/Designer White ..... **MOCHLDW1**
- ♦ Mocha/Loft ..... **MOCHLOFT**
- ◊ Natural Maple/Black ..... **DP**
- ♦ Natural Maple/Charcoal ..... **DS**
- ♦ Natural Maple/Designer White ..... **DLDW1**
- ♦ Natural Maple/Loft ..... **DLOFT**
- ◊ Pinnacle/Black ..... **PINCP**
- ♦ Pinnacle/Charcoal ..... **PINCS**
- ♦ Pinnacle/Designer White ..... **PINCLDW1**
- ♦ Pinnacle/Loft ..... **PINCLOFT**
- ◊ Shaker Cherry/Black ..... **FP**
- ♦ Shaker Cherry/Charcoal ..... **FS**
- ♦ Shaker Cherry/Designer White ..... **FLDW1**
- ♦ Shaker Cherry/Loft ..... **FLOFT**
- ♦ Sterling Ash/Black ..... **LSA1P**
- ♦ Sterling Ash/Charcoal .... **LSA1S**
- ♦ Sterling Ash/Designer White ..... **LSA1LDW1**
- ♦ Sterling Ash/Loft ..... **LSA1LOFT**

**L2 LAMINATES ..... CODES**

**Two-Tone Top/Chassis**

- ♦ Beigewood/Black ..... **LWBEP**
- ♦ Beigewood/Charcoal ... **LWBES**
- ♦ Beigewood/Designer White ..... **LWBELDW1**
- ♦ Beigewood/Loft .... **LWBELOFT**
- ♦ Designer White/Lowell Ash ..... **LDW1LLA1**
- ♦ Designer White/Natural Recon ..... **LDW1LNR1**
- ♦ Designer White/Phantom Ecru ..... **LDW1LPE1**
- ♦ Designer White/Portico Teak ..... **LDW1LPT1**
- ♦ Designer White/Skyline Walnut ..... **LDW1LSW1**
- ♦ Fawn Cypress/Black ..... **LFC1P**
- ♦ Fawn Cypress/Charcoal ..... **LFC1S**
- ♦ Fawn Cypress/Designer White ..... **LFC1LDW1**
- ♦ Fawn Cypress/Loft .. **LFC1LOFT**
- ◊ Lowell Ash/Black ..... **LLA1P**
- ♦ Lowell Ash/Charcoal ..... **LLA1S**
- ♦ Lowell Ash/Designer White ..... **LLA1LDW1**
- ♦ Lowell Ash/Loft ..... **LLA1LOFT**

## TWO-TONE LAMINATE TOP / CHASSIS *continued*

**L2 LAMINATES ..... CODES**

**Two-Tone Top/Chassis**

- ◊ Natural Recon/Black ..... **LNR1P**
- ♦ Natural Recon/Charcoal . **LNR1S**
- ♦ Natural Recon/Designer White ..... **LNR1LDW1**
- ♦ Natural Recon/Loft . **LNR1LOFT**
- ◊ Phantom Ecru/Black ..... **LPE1P**
- ♦ Phantom Ecru/Charcoal . **LPE1S**
- ♦ Phantom Ecru/Designer White ..... **LPE1LDW1**
- ♦ Phantom Ecru/Loft .. **LPE1LOFT**
- ◊ Portico Teak/Black ..... **LPT1P**
- ♦ Portico Teak/Charcoal .... **LPT1S**
- ♦ Portico Teak/Designer White ..... **LPT1LDW1**
- ♦ Portico Teak/Loft ..... **LPT1LOFT**
- ◊ Skyline Walnut/Black .... **LSW1P**
- ♦ Skyline Walnut/Charcoal ..... **LSW1S**
- ♦ Skyline Walnut/Designer White ..... **LSW1LDW1**
- ♦ Skyline Walnut/Loft ..... **LSW1LOFT**

## HLAM3772RD, HLAM3348RR

**EDGEBAND COLORS ..... CODES**

**Woodgrain**

- ♦ Beigewood ..... **DE**
- ♦ Bourbon Cherry ..... **H**
- ♦ Cognac ..... **COGN**
- ♦ Fawn Cypress ..... **FC**
- ♦ Field Elm ..... **FE**
- ♦ Florence Walnut ..... **FW**
- ♦ Harvest ..... **C**
- ♦ Kingswood Walnut ..... **KI**
- ♦ Lowell Ash ..... **DL**
- ♦ Mahogany ..... **N**
- ♦ Mocha ..... **MOCH**
- ♦ Natural Maple ..... **D**
- ♦ Natural Recon ..... **NR**
- ♦ Phantom Ecru ..... **PE**
- ♦ Pinnacle ..... **PINC**
- ♦ Portico Teak ..... **DP**
- ♦ Shaker Cherry ..... **F**
- ♦ Skyline Walnut ..... **SW**
- ♦ Sterling Ash ..... **SA**


**Solid**

- ◊ Black ..... **P**
- ♦ Charcoal ..... **S**
- ♦ Designer White ..... **DW**
- ♦ Loft ..... **LOFT**

♦◊ *For lead time information see page 21.*

# 10500 SERIES™ ORDERING INFORMATION





**Laminate Chassis**

*Two-tone laminates: Top and edgebanding are the same, chassis is different laminate color.*

*The following 10500 Series™ products are not available as two-tone. They are one color and require only one color code:*

- *Modular pedestals — box/file, box/box/file, file/file, lateral file, multi file, and cabinet (also applies to Valido/11500 Series).*
- *Access strip and end panel kits*
- *Back enclosures*
- *Wall mounted open shelf*
- *Reception stations for return*
- *T-shaped end panels*
- *L-shaped end panels*

*Storage chassis that are specified in L2 laminates and are longer than 60"W will ship with back panels that are horizontal grain.*


- *Edgebanding on two-tone laminates matches top, chassis is a different laminate color.*
- *A complete selection of Conference Room and Occasional Tables is shown in the Tables section of the 2024 Shared Spaces Pricer.*
- *LAMINATE DESKS*

  *SPECIFY: Model Number.*
  *Laminate*


  *EXAMPLE: H10596.HP*
- ***All specifications in this publication are based on the latest product information available at the time of print.***


# 10500 Series™ Statement of Line


## DESKS



Double Full Pedestal Desk, Bow Top



Double ¾ Pedestal Desk, Bow Top


Single Full Pedestal Desk, Bow Top



Single ¾ Pedestal Desk, Bow Top


Desk Shell, Bow Top



Double Full Pedestal Desk, Rectangle Top



Double ¾ Pedestal Desk, Rectangle Top


Single Full Pedestal Desk, Rectangle Top



Single ¾ Pedestal Desk, Rectangle Top


Small Office Desk


Desk Shell, Rectangle Top


Desk Shell, Standing Height


Peninsula w/End Panel




P-Shaped Peninsula w/End Panel




Jetty Peninsula w/End Panel





Boomerang Peninsula w/End Panel





Rudder Peninsula w/End Panel



Credenza w/Doors, Full Pedestals



Credenza w/Doors, ¾ Pedestals



Credenza w/Kneespace, Full Pedestals


Credenza w/Kneespace, ¾ Pedestals


Credenza w/ Lateral File


Single Full Pedestal Credenza


Single ¾ Pedestal Credenza


Credenza Shell w/Full or 60″ Modesty Panel



Return w/Full Pedestal


Return w/ ¾ Pedestal



Return Shell w/Full or 60″ Modesty Panel



Return Shell Standing Height



Bridge



Extended Corner Unit



Corner Unit


Curved Corner and Return Unit


Reception Desk and Return Shell


Reception Station for Desk and Return


Reception Desk



Reception Return with Transaction Counter


## MODULAR AND MOBILE PEDESTALS



Box/Box/File Pedestal



File/File Pedestal


Box/Shelf/File Standing Height Pedestal


Narrow Box/Box/File Pedestal


Box/File Pedestal


Lateral File Pedestal


Multi-File Pedestal


Cabinet Pedestal


Mobile Printer/Fax Cart


Mobile Pedestal, Box/Box/File


Mobile Pedestal, File/File


Mobile Pedestal, Shelf/Box/File



Mobile Pedestal, Box/File


# 10500 Series™ Statement of Line




## STORAGE


Stack-on Storage w/Frosted Doors



Stack-on Storage w/Laminate Doors




Back Enclosure for Stack-on Storage





Tackboard for Back Enclosure


Stack-on Cabinets w/Open Shelves



Stack-On PC Organizer



Multi-Use Stack On



Work Organizer Shell



Wall Mounted Storage w/Laminate Doors



Wall Mounted Storage w/Frosted Doors



Wall Mounted Cubby Hutch



Wall Mounted Open Hutch


Wall Mounted Open Shelf



Credenza w/Two Lateral Files



Credenza w/Two Storage Cabinets


Credenza w/Lateral File/Storage Cabinet


Low Credenza w/Open Shelves


Modular Credenza Top Height Adjustable Base


Open End Shared Storage



Lateral File, 4-Drawer



Lateral File, 3-Drawer



Lateral File, 2-Drawer



Storage Cabinet w/Doors


Bookcase



Bookcase Hutch



5-Shelf Bookcase



4-Shelf Bookcase


3-Shelf Bookcase



2-Shelf Bookcase



Square End Cap Bookshelves


Slide Out Tower



Storage Cabinet w/Full Width Shelves


Storage File Cabinets



Personal Wardrobe/ Storage Cabinets



Personal Storage Tower


## ADDITIONAL COMPONENTS



Rectangle Worksurface


Bullet Worksurface



End Panel and T-Support Base



Support Legs and Column



Height Adjustable Base


Shroud for Height Adjustable Base


O-Leg Modesty Panel


Occasional Table


Transaction Counter



Field Installables Linear, Arch, Sweep, Crescent

# 10500 SERIES™ Typicals

Icon Legend on page 19

**Components used are listed on pages 256-301. Order components individually. Other configurations are possible, including various sizes of some components.**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangle Worksurface**<br>78″W x 30″D | **H105R3078** | $541 | $541 |
| 1 | **O-Leg**<br>30″D x 28½″H | **HLSL3028O** | $493 | $493 |
| 1 | **Low Credenza**<br>72″W x 20″D x 21½″H, Drawers Right, Bookcase Left | **H105975R** | $1,668 | $1,668 |
| 1 | **O-Leg Support over Low Credenza**<br>30″D x 7″H | **HLSL307O** | $381 | $381 |
| 1 | **Multi-Use Stack-On Storage**<br>36″W x 18″D x 45⅝″H | **H105310** | $1,334 | $1,334 |
| | | | **TOTAL:** | **$4,417** |




**DESK L-WORKSTATION**

**72″W x 78″D**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Single Pedestal Desk, Left – B/F**<br>66″W x 30″D x 29½″H | **H10584L** | $1,309 | $1,309 |
| 1 | **Return, Right – B/F**<br>42″W x 24″D x 29½″H | **H10511R** | $1,033 | $1,033 |
| 1 | **Stack-on Storage**<br>72″W x 14⅝″D x 37⅛″H | **H10534** | $1,273 | $1,273 |
| | | | **TOTAL:** | **$3,615** |




**DESK "L" WORKSTATION – RIGHT**

**66″W x 72″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Double Full Pedestal Desk – 3/2**<br>72″W x 36″D x 29½″H | **H105890** | $2,144 | $2,144 |
| 1 | **Credenza with Kneespace – 2/0/2**<br>72″W x 24″D x 29½″H | **H105900** | $1,879 | $1,879 |
| 1 | **Stack-on Storage, Frosted Doors with Silver Frame**<br>72″W x 14⅝″D x 37⅛″H | **H10534G** | $2,089 | $2,089 |
| | | | **TOTAL:** | **$6,112** |




**DESK/CREDENZA/STACK-ON STORAGE WITH FROSTED DOORS**


**72″W x 108″D**

# 10500 SERIES™ Typicals

Icon Legend on page 19

**Components used are listed on pages 256-301. Order components individually. Other configurations are possible, including various sizes of some components.**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Storage/File Cabinet**<br>18″W x 24″D x 66⅝″H, Hinged Right | **H105297R** | $2,129 | $2,129 |
| 1 | **Open Credenza**<br>30″W x 24″D x 21½″H | **H105LCHAT3024S** | $280 | $280 |
| 1 | **Open/Lateral Credenza**<br>30″W x 24″D x 21½″H | **H105LC3024SF** | $619 | $619 |
| 1 | **Modular Credenza Top**<br>60″W x 24″D | **H105CTHAT6024L** | $861 | $861 |
| 1 | **Wall Mounted Open Hutch, Cubby w/Glass Doors**<br>60″W x 14⅝″D x 20″H | **H105WMH60PCG** | $2,091 | $2,091 |
| 1 | **Height Adjustable Base** | **HHATB2S2LT** | $1,090 | $1,090 |
| 1 | **External Stiffener**<br>60″W for 72″ Worksurface | **HLSLZ5SC66** | $144 | $144 |
| 1 | **Shroud for Height Adjustable Base**<br>6½″W x 26″D x 23⅝″H | **HNL30SHR** | $1,144 | $1,144 |
| 1 | **Rectangle Worksurface**<br>66″W x 30″D | **H105R3066** | $473 | $473 |
| 1 | **Acrylic Modesty Screen**<br>36″W x 13″H | **HUSAMOD1336** | $652 | $652 |
| | | | **TOTAL:** | **$9,483** |



**HEIGHT ADJUSTABLE "L" WORKSTATION**

**66″W x 78″D**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **H-Leg Support**<br>30″W x 28⅜″H | **H105HLEG3028** | $445 | $445 |
| 1 | **Rectangle Worksurface**<br>66″W x 30″D | **H105R3066** | $473 | $473 |
| 1 | **External Channel**<br>54″W | **HLSLZ5SC66** | $144 | $144 |
| 1 | **Flat Bracket**<br>24″D | **HHN831124** | $88 | $88 |
| 1 | **Return Shell w/Full Modesty Panel**<br>72″W x 24″D x 29½″H | **H105686** | $877 | $877 |
| 1 | **Multi File Pedestal, Floor-Standing**<br>36″W x 20″D x 28″H | **H10505** | $1,573 | $1,573 |
| 1 | **Personal Storage Tower, Hinged Right**<br>24″W x 24″D x 66⅝″H | **H105301R** | $2,692 | $2,692 |
| 1 | **Wall Mounted Open Hutch**<br>72″W x 14⅝″D x 15″H | **H105WMH72P** | $1,763 | $1,763 |
| 1 | **Laminate Modesty Screen**<br>54″W x 13″H | **HUSLMOD1354** | $753 | $753 |
| | | | **TOTAL:** | **$8,808** |



**EXTENDED STORAGE "L" WORKSTATION**

**66″W x 96″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Single Full Pedestal Desk, Right – B/B/F**<br>72″W x 36″D x 29½″H | **H105895R** | $1,714 | $1,714 |
| 1 | **Bridge**<br>47″W x 24″D x 29½″H | **H10570** | $461 | $461 |
| 1 | **Single Full Pedestal Credenza, Left – F/F**<br>72″W x 24″D x 29½″H | **H105904L** | $1,524 | $1,524 |
| 1 | **Stack-on Storage**<br>72″W x 14⅝″D x 37⅛″H | **H10534** | $1,273 | $1,273 |
| | | | **TOTAL:** | **$4,972** |




**"U" WORKSTATION WITH FULL PEDESTALS**


**72″W x 107″D**

# 10500 SERIES™ Typicals

Icon Legend on page 19

**Components used are listed on pages 256-301. Order components individually. Other configurations are possible, including various sizes of some components.**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rudder Peninsula with End Panel, Right**<br>72″W x 30/38″D x 29½″H | **H105205RE** | $1,421 | $1,421 |
| 1 | **Return, Left – F/F**<br>42″W x 24″D x 29½″H | **H105908L** | $1,185 | $1,185 |
| 1 | **Stack-on Storage**<br>72″W x 14⅝″D x 37⅛″H | **H10534** | $1,273 | $1,273 |
| | | | **TOTAL:** | **$3,879** |




**PENINSULA “L” WORKSTATION**

**72″W x 72″D**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Peninsula with End Panel**<br>72″W x 36″D x 29½″H | **H10521E** | $1,124 | $1,124 |
| 1 | **Bridge**<br>42″W x 24″D x 29½″H | **H10560** | $442 | $442 |
| 1 | **Extended Corner Unit, Left**<br>72″W x 24″-36″D x 29½″H | **H105816L** | $1,354 | $1,354 |
| 1 | **Mobile Pedestal – B/B/F**<br>15¾″W x 22¾″D x 28″H | **H105102** | $1,077 | $1,077 |
| 1 | **Stack-on Storage**<br>72″W x 14⅝″D x 37⅛″H | **H10534** | $1,273 | $1,273 |
| 1 | **Storage Cabinet/Lateral File**<br>36″W x 24″D x 66⅝″H | **H105293** | $2,866 | $2,866 |
| | | | **TOTAL:** | **$8,136** |




**PENINSULA “U” WORKSTATION – LEFT**

**108″W x 114″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Slide Out Tower, Left Hinged**<br>12″W x 24″D x 50″H | **H105ST122450L** | $3,404 | $3,404 |
| 1 | **Open Credenza**<br>30″W x 24″D x 21½″H | **H105LCHAT3024S** | $280 | $280 |
| 1 | **Open/Lateral Credenza**<br>30″W x 24″D x 21½″H | **H105LC3024SF** | $619 | $619 |
| 1 | **Modular Credenza Top**<br>60″W x 24″D | **H105CTHAT6024R** | $861 | $861 |
| 1 | **Height Adjustable Base** | **HHATB2S2LT** | $1,090 | $1,090 |
| 1 | **External Stiffener**<br>60″W for 72″ Worksurface | **HLSLZ5SC66** | $144 | $144 |
| 1 | **Shroud for Height Adjustable Base**<br>6½″W x 26″D x 23⅝″H | **HNL30SHR** | $1,144 | $1,144 |
| 1 | **Rectangle Worksurface**<br>66″W x 30″D | **H105R3066** | $473 | $473 |
| 1 | **Laminate Modesty Screen**<br>30″W x 13″H | **HUSLMOD1330** | $606 | $606 |
| 1 | **2-Drawer Credenza**<br>30″W x 24″D x 21½″H | **H105LC3024BF** | $702 | $702 |
| 1 | **Modular Credenza Top**<br>30″W x 24″D | **H105CT3024** | $500 | $500 |
| 1 | **Fabric Credenza Top**<br>30″W x 24″D | **HLAMSEAT3024** | $512 | $512 |
| | | | **TOTAL:** | **$10,335** |



**HEIGHT ADJUSTABLE “L” WORKSTATION WITH SLIDE OUT STORAGE**

**66″W x 102″D**

Icon Legend on page 19


# 10500 SERIES™ Bundles Typicals



Mahogany
**H105LL7284N**

Harvest
**H105LL7284C**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Left Pedestal Desk | **H10586L** | $1,489 | $1,489 |
| 1 | Right Return | **H10515R** | $1,055 | $1,055 |
| | | | **TOTAL:** | **$2,544** |





**L-STATION (LEFT DESK/RIGHT RETURN)**

Mahogany
**H105LR7284N**

Harvest
**H105LR7284C**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Right Pedestal Desk | **H10585R** | $1,489 | $1,489 |
| 1 | Left Return | **H10516L** | $1,055 | $1,055 |
| | | | **TOTAL:** | **$2,544** |





**L-STATION (RIGHT DESK/LEFT RETURN)**

Mahogany
**H105LLH7284N**

Harvest
**H105LLH7284C**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Left Pedestal Desk | **H10586L** | $1,489 | $1,489 |
| 1 | Right Return | **H10515R** | $1,055 | $1,055 |
| 1 | Stack-on Storage | **H105323** | $1,071 | $1,071 |
| | | | **TOTAL:** | **$3,615** |




**L-STATION WITH STACK-ON STORAGE (LEFT DESK/RIGHT RETURN)**


# 10500 SERIES™
# Bundles Typicals

Icon Legend on page 19

Mahogany
**H105LRH7284N**

Harvest
**H105LRH7284C**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Right Pedestal Desk | **H10585R** | $1,489 | $1,489 |
| 1 | Left Return | **H10516L** | $1,055 | $1,055 |
| 1 | Stack-on Storage | **H105323** | $1,071 | $1,071 |
| | | | **TOTAL:** | **$3,615** |





**L-STATION WITH STACK-ON STORAGE (RIGHT DESK/LEFT RETURN)**

Mahogany
**H105ULH72108N**

Harvest
**H105ULH72108C**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Left Pedestal Desk | **H10586L** | $1,489 | $1,489 |
| 1 | Right Pedestal Credenza | **H10545R** | $1,290 | $1,290 |
| 1 | Bridge | **H10570** | $461 | $461 |
| 1 | Stack-on Storage | **H10534** | $1,273 | $1,273 |
| | | | **TOTAL:** | **$4,513** |





**U-STATION WITH STACK-ON STORAGE (LEFT DESK/RIGHT CREDENZA)**

Mahogany
**H105URH72108N**

Harvest
**H105URH72108C**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Right Pedestal Desk | **H10585R** | $1,489 | $1,489 |
| 1 | Left Pedestal Credenza | **H10546L** | $1,290 | $1,290 |
| 1 | Bridge | **H10570** | $461 | $461 |
| 1 | Stack-on Storage | **H10534** | $1,273 | $1,273 |
| | | | **TOTAL:** | **$4,513** |




**U-STATION WITH STACK-ON STORAGE (RIGHT DESK/LEFT CREDENZA)**


# 10500 SERIES™ Bundles Typicals

Icon Legend on page 19

Mahogany
**H105DLH7298N**

Harvest
**H105DLH7298C**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Double Pedestal Desk | **H10593** | $1,751 | $1,751 |
| 2 | Bookcase Hutch | **H105292** | $721 | $1,442 |
| 1 | 2-Drawer Lateral File | **H10563** | $1,227 | $1,227 |
| 1 | Storage Cabinet with Doors | **H105291** | $984 | $984 |
| | | | **TOTAL:** | **$5,404** |





**STORAGE WORKSTATION**

Mahogany
**H105DCH6098N**

Harvest
**H105DCH6098C**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Double Pedestal Desk | **H10573** | $1,476 | $1,476 |
| 1 | Double Pedestal Credenza | **H10565** | $1,476 | $1,476 |
| 1 | Stack-on Storage | **H105324** | $1,188 | $1,188 |
| | | | **TOTAL:** | **$4,140** |





**DESK CREDENZA STACK-ON #1**

Mahogany
**H105DCH7298N**

Harvest
**H105DCH7298C**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Double Pedestal Desk | **H10593** | $1,751 | $1,751 |
| 1 | Double Pedestal Credenza | **H10543** | $1,562 | $1,562 |
| 1 | Stack-on Storage | **H10534** | $1,273 | $1,273 |
| | | | **TOTAL:** | **$4,586** |





**DESK CREDENZA STACK-ON #2**

# 10500 SERIES™ Laminate Modular Components

GSA SIN 33721

Icon Legend on page 19




*Model H10596 shown*

| DESCRIPTION | INSIDE DIMENSIONS | FULL WIDTH OVERHANG | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|---|
| **Desk Shell (with full modesty panel and 2 grommets)** | | | | | | | |
| 72″W x 36″D x 29½″H, Bow Top (end panels 30″D) | 69½″W x 24⅝″D | 10½″ | **H10596** | 192 | 6.9 | **$1127** | **$1182** |
| 72″W x 36″D x 29½″H, Rectangle Top | 69½″W x 24⅝″D | 10½″ | **H10594** | 209 | 6.9 | **$1017** | **$1072** |
| 72″W x 30″D x 29½″H, Rectangle Top | 69½″W x 24⅝″D | 4½″ | **H10592** | 182 | 5.8 | **$963** | **$1007** |
| 66″W x 30″D x 29½″H, Rectangle Top | 63½″W x 24⅝″D | 4½″ | **H10579** | 172 | 5.4 | **$913** | **$957** |
| 60″W x 30″D x 29½″H, Rectangle Top | 57½″W x 24⅝″D | 4½″ | **H10578** | 161 | 5.0 | **$850** | **$894** |
| 48″W x 30″D x 29½″H, Rectangle Top (1 grommet) | 45½″W x 24⅝″D | 4½″ | **H10598** | 141 | 5.0 | **$790** | **$823** |
| NOTES: See pages 683-684 for optional center drawers. | | | | | | | |
| **Desk Shell (with 10″H modesty panel and 2 grommets)** | | | | | | | |
| 72″W x 36″D x 29½″H, Bow Top (end panels 30″D) | 69½″W x 24⅝″D | 10½″ | **H10596X** | 155 | 6.1 | **$1127** | **$1182** |
| 72″W x 36″D x 29½″H, Rectangle Top | 69½″W x 24⅝″D | 10½″ | **H10594X** | 153 | 6.1 | **$1017** | **$1072** |
| 72″W x 30″D x 29½″H, Rectangle Top | 69½″W x 24⅝″D | 4½″ | **H10592X** | 143 | 5.1 | **$963** | **$1007** |
| 66″W x 30″D x 29½″H, Rectangle Top | 63½″W x 24⅝″D | 4½″ | **H10579X** | 134 | 4.7 | **$913** | **$957** |
| 60″W x 30″D x 29½″H, Rectangle Top | 57½″W x 24⅝″D | 4½″ | **H10578X** | 125 | 4.4 | **$850** | **$894** |
| 48″W x 30″D x 29½″H, Rectangle Top (1 grommet) | 45½″W x 24⅝″D | 4½″ | **H10598X** | 115 | 4.4 | **$790** | **$823** |
| NOTES: Makes reaching wall electrical outlets quick and easy. Provides more than 18″ of clearance. See pages 283-284 for optional stack-on storage and pages 683-684 for optional center drawers. | | | | | | | |

**NOTES:**

- Non-handed desk, credenza, and return shells, combined with a variety of under-the-worksurface storage solutions, maximize office layout flexibility. Products can be reconfigured quickly and easily when user preferences or space needs change.
- For under-surface storage options, see pages 270-272.
- For additional components see pages 279-301.
- Tops and end panels are abrasion- and stain-resistant laminate over durable 1⅛″ solid core high-performance particleboard; resists warping.
- Cord management grommets, for routing and hiding wires and cables, are located in the tops of desks and return shells.
- 3″ round worksurface grommet can be replaced with optional Power Hub (model HGRMTAC) or Power/USB Hub (model HGRMTUSB2) to bring the ease of plug-and-play to the desktop. See page 697.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have ¾″ adjustable range.
- For standing, 42″H shells, see page 259.




## HOW TO SPECIFY


**Select Model Number**

H 1 0 5 9 6 .

**Select Laminate Top and Chassis Color**


See pages 245-246

N N



| DESCRIPTION | INSIDE DIMENSIONS | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
| **Credenza Shell (with full modesty panel)** | | | | | | |
| 72″W x 24″D x 29½″H | 69½″W x 22¾″D | **H10541** | 153 | 5.6 | **$877** | **$921** |
| 66″W x 24″D x 29½″H | 63½″W x 22¾″D | **H10542** | 144 | 5.1 | **$858** | **$902** |
| 60″W x 24″D x 29½″H | 57½″W x 22¾″D | **H10564** | 135 | 4.7 | **$803** | **$842** |
| 48″W x 24″D x 29½″H | 45½″W x 22¾″D | **H105692** | 124 | 3.9 | **$771** | **$804** |
| 42¼″W x 24″D x 29½″H | 39¾″W x 22¾″D | **H105691** | 110 | 3.8 | **$745** | **$778** |
| 72″W x 20″D x 29½″H | 69½″W x 18¾″D | **H105581** | 138 | 5.6 | **$829** | **$868** |
| 66″W x 20″D x 29½″H | 63½″W x 18¾″D | **H105582** | 130 | 5.1 | **$809** | **$848** |
| 60″W x 20″D x 29½″H | 57½″W x 18¾″D | **H105583** | 122 | 4.7 | **$767** | **$800** |

NOTES: Cord pass-through in top center of modesty panel. See pages 283-284 for optional stack-on storage.




| | | | | | | |
|---|---|---|---|---|---|---|
| **Credenza Shell (with 10″H modesty panel)** | | | | | | |
| 72″W x 24″D x 29½″H | 69½″W x 22¾″D | **H10541X** | 114 | 4.8 | **$877** | **$921** |
| 66″W x 24″D x 29½″H | 63½″W x 22¾″D | **H10542X** | 107 | 4.4 | **$858** | **$902** |
| 60″W x 24″D x 29½″H | 57½″W x 22¾″D | **H10564X** | 105 | 4.0 | **$803** | **$842** |
| 48″W x 24″D x 29½″H | 45½″W x 22¾″D | **H105692X** | 95 | 3.8 | **$771** | **$804** |
| 42¼″W x 24″D x 29½″H | 39¾″W x 22¾″D | **H105691X** | 87 | 3.8 | **$745** | **$778** |
| 72″W x 20″D x 29½″H | 69½″W x 18¾″D | **H105581X** | 107 | 4.8 | **$829** | **$868** |
| 66″W x 20″D x 29½″H | 63½″W x 18¾″D | **H105582X** | 101 | 4.4 | **$809** | **$848** |
| 60″W x 20″D x 29½″H | 57½″W x 18¾″D | **H105583X** | 96 | 4.0 | **$767** | **$800** |

NOTES: Makes reaching wall electrical outlets quick and easy. Provides more than 18″ of clearance. See pages 283-284 for optional stack-on storage.



*Not available in two-tone laminate*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE |
|---|---|---|---|---|---|
| **Kneespace Clearance End Panel Kits (field installable)** | | | | | |
| 1⅛″W x 11¼″D x 28⅛″H | **H105098** | 13 | 0.9 | **$267** | **$279** |

For use at either end of 10500, 10700 or Valido Series® 24″D Credenza Shells (with full or 10″ modesty panel) or non-pedestal end of single pedestal credenzas or credenzas with lateral files.

| | | | | | |
|---|---|---|---|---|---|
| 1⅛″W x 17¼″D x 28⅛″H | **H105099** | 11 | 0.8 | **$280** | **$292** |

For use at either end of 10500 or Valido Series® 30″D Desk Shells or non-pedestal end of 30″D single pedestal desks.

Kits include: (1) support panel; European fastening hardware; flat connector bracket; joint connector bolts with sleeve nuts (for ganging credenza to adjacent worksurface); and adjustable leveling glides. Allows conversion of units currently in the field.

NOTES: Can be used to connect up to three 24″D credenzas or 30″D desks in line (requires 4 kits).

Not designed to be used freestanding. Not designed to be used with returns, 36″D desks or desk shells.

**SPECIFYING EXAMPLE: H105098.N**

**NOTES:**

- Non-handed desk, credenza, and return shells, combined with a variety of under-the-worksurface storage solutions, maximize office layout flexibility. Products can be reconfigured quickly and easily when user preferences or space needs change.
- For 78″, 84″, 90″, and 96″W credenza shells, see page 258.
- For under-surface storage options, see pages 270-272.
- Tops and end panels are abrasion- and stain-resistant laminate over durable 1⅛″ solid core high-performance particleboard; resists warping.
- For additional components see pages 279-301.
- For work-in-process paper management tools, see pages 689-691.
- Cord management grommets, for routing and hiding wires and cables, are located in the tops of desks and return shells.
- Credenza shells have a cord pass-through grommet in the top center of the modesty panel.
- Kneespace Clearance End Panel Kit model H105098, can be used to create “L” configurations with leg clearance, by connecting credenzas to single pedestal desks or credenzas, desk or credenza shells, corners, extended corners or peninsulas.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have ¾″ adjustable range.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 4 1 .

**Select Laminate Top and Chassis Color**


See pages 245-246

N N

# 10500 SERIES™
# Laminate Modular Components


GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | INSIDE DIMENSIONS | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
| **Credenza Shell (with full modesty panel)** | | | | | | |
| 96″W x 24″D x 29½″H | 93½″W x 22¾″D | **H105413** | 215 | 7.0 | **$1249** | **$1309** |
| 90″W x 24″D x 29½″H | 87½″W x 22¾″D | **H105412** | 202 | 6.6 | **$1215** | **$1270** |
| 84″W x 24″D x 29½″H | 81½″W x 22¾″D | **H105411** | 189 | 6.2 | **$1078** | **$1133** |
| 78″W x 24″D x 29½″H | 75½″W x 22¾″D | **H105410** | 176 | 5.8 | **$1049** | **$1099** |

NOTES: Larger sizes can be used in conjunction with a 10500 Series rectangle- or bullet-shaped worksurface, supported by an end panel, column or leg, to achieve a space efficient work wall configuration. Shells wider than 72″ include an internal, 10½″D vertical support leg. The internal leg can be removed if it is replaced with a 10500 Series 28″H modular pedestal that is adjusted to support the credenza shell top. Cord pass-through in top center of modesty panel. See pages 283-284 for optional stack-on storage and the stack-on storage end panel kit (model H105349).



| | | | | | | |
|---|---|---|---|---|---|---|
| **Credenza Shell (with 10″H modesty panel)** | | | | | | |
| 96″W x 24″D x 29½″H | 93½″W x 22¾″D | **H105413X** | 163 | 6.1 | **$1249** | **$1309** |
| 90″W x 24″D x 29½″H | 87½″W x 22¾″D | **H105412X** | 152 | 5.7 | **$1215** | **$1270** |
| 84″W x 24″D x 29½″H | 81½″W x 22¾″D | **H105411X** | 141 | 5.4 | **$1078** | **$1133** |
| 78″W x 24″D x 29½″H | 75½″W x 22¾″D | **H105410X** | 130 | 5.0 | **$1049** | **$1099** |

NOTES: Makes reaching wall electrical outlets quick and easy. Provides more than 18″ of clearance. Larger sizes can be used in conjunction with a 10500 Series rectangle- or bullet-shaped worksurface, supported by an end panel, column or leg, to achieve a space efficient work wall configuration. Shells wider than 72″ include an internal, 10½″D vertical support leg. The internal leg can be removed if it is replaced with a 10500 Series 28″H modular pedestal that is adjusted to support the credenza shell top. See pages 283-284 for optional stack-on storage and the stack-on storage end panel kit (model H105349).

**NOTES:**

- Non-handed desk, credenza, and return shells, combined with a variety of under-the-worksurface storage solutions, maximize office layout flexibility. Products can be reconfigured quickly and easily when user preferences or space needs change.
- For under-surface storage options, see pages 270-272.
- For additional components see pages 279-301.
- Tops and end panels are abrasion- and stain-resistant laminate over durable 1⅛″ solid core high-performance particleboard; resists warping.
- Credenza shells have a cord pass-through grommet in the top center of the modesty panel.
- Kneespace Clearance End Panel Kit model H105098, can be used to create “L” configurations with leg clearance, by connecting credenzas to single pedestal desks or credenzas, desk or credenza shells, corners, extended corners or peninsulas.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have ¾″ adjustable range.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 4 1 3 .

**Select Laminate Top and Chassis Color**

See pages 245-246



N N

GSA SIN 33721

Icon Legend on page 19

# 10500 SERIES™ Laminate Modular Components



| | DESCRIPTION | INSIDE DIMENSIONS | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|---|
|  | **Standing-Height Desk Shell** | | | | | | |
| | 60″W x 30″D x 42″H | 57½″W x 24½″D x 41⅝″H | **H105397** | 185 | 6.2 | **$1055** | **$1099** |
| | 60″W x 24″D x 42″H | 57½″W x 22¾″D x 41⅝″H | **H105393** | 154 | 5.1 | **$975** | **$1019** |
| | 48″W x 24″D x 42″H | 45⅞″W x 22¾″D x 41⅝″H | **H105392** | 143 | 4.2 | **$910** | **$949** |
| | NOTES: Fixed height surface is 42″H. When combined with a stool-height task chair, provides users the benefit of alternating their work between a seated or standing position without the additional cost of an adjustable-height mechanism. Short, 22⅝″ modesty panel provides over 18″ of wall access; makes reaching wall electrical outlets quick and easy. Box/File Pedestal (H10501) attaches to the underside of the worksurface top to position supplies and files within easy reach. | | | | | | |
|  | **Standing-Height Return Shell** | | | | | | |
| | 48″W x 24″D x 42″H | 47″W x 22¾″D x 41⅝″H | **H105663** | 96 | 3.1 | **$764** | **$803** |
| | NOTES: Non-handed design. Attaches to sit/stand desk shells to form an L-shaped workstation. Short, 22⅝″ modesty panel makes reaching wall electrical outlets quick and easy. One cord management grommet in top for routing and hiding wires and cables. Grommet can be replaced with optional Power Hub (model HGRMTAC). Box/File Pedestal (H10501) attaches to the underside of the worksurface top to position supplies and files within easy reach. | | | | | | |

**NOTES:**

- 42″H shells help support a healthy work style by allowing users to switch between sitting and standing.
- Non-handed desk and return shells maximize office layout flexibility. Products can be reconfigured quickly and easily when user preferences or space needs change.
- Tops and end panels are abrasion- and stain-resistant laminate over durable 1⅛″ solid core high-performance particleboard; resists warping.
- For additional components see pages 279-301.
- Mobile pedestals, shown on page 292, work well in a variety of applications and configurations.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have ¾″ adjustable range.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 3 9 7 .

**Select Laminate Top and Chassis Color**

See pages 245-246

N N


# 10500 SERIES™ Laminate Modular Components

GSA SIN 33721

Icon Legend on page 19

| DESCRIPTION | INSIDE DIMENSIONS | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
| **Return Shell (with full modesty panel)** | | | | | | |
| 72″W x 24″D x 29½″H, (w/support; 2 grommets) | 67″W x 22¾″D | **H105686** | 145 | 5.4 | **$877** | **$921** |
| 60″W x 24″D x 29½″H, (w/support; 2 grommets) | 55″W x 22¾″D | **H105684** | 129 | 4.4 | **$803** | **$842** |
| 48″W x 24″D x 29½″H, (1 grommet) | 47″W x 22¾″D | **H10561** | 86 | 3.7 | **$661** | **$694** |
| 42″W x 24″D x 29½″H, (1 grommet) | 41″W x 22¾″D | **H105681** | 89 | 2.5 | **$622** | **$655** |
| 36″W x 24″D x 29½″H, (1 grommet) | 34⅞″W x 22¾″D | **H105680** | 83 | 3.2 | **$622** | **$650** |
| 30″W x 24″D x 29½″H, (1 grommet) | 28⅞″W x 22¾″D | **H10568** | 69 | 2.6 | **$594** | **$622** |

*Model H105686 shown*




*Model H105686 shown*

NOTES: Shells are non-handed. No pre-drilled grommet in modesty panel (field installable grommet included). Woodgrain direction on modesty/back panel runs vertical on 30″W-60″W sizes and horizontal on 72″W unit. 36″W return shell can be used to achieve a 6′ x 6′ L-shaped footprint when connected to either a 72″W x 36″D single pedestal desk, desk shell, or peninsula, or when two are connected to 36″W corner unit model H105811. 30″W return shell can be used to accomplish a 5′ x 5′ L-shaped footprint when connected to a 60″W x 30″D desk shell or peninsula. See pages 283-284 for optional stack-on storage.

Not designed to attach to corner units manufactured prior to 5/24/99.

| | | | | | | |
|---|---|---|---|---|---|---|
| **Return Shell (with 10″H modesty panel)** | | | | | | |
| 72″W x 24″D x 29½″H, (w/support; 2 grommets) | 67″W x 22¾″D | **H105686X** | 106 | 4.6 | **$877** | **$921** |
| 60″W x 24″D x 29½″H, (w/support; 2 grommets) | 55″W x 22¾″D | **H105684X** | 93 | 3.9 | **$803** | **$842** |
| 48″W x 24″D x 29½″H, (1 grommet) | 47″W x 22¾″D | **H10561X** | 78 | 3.1 | **$661** | **$694** |
| 42″W x 24″D x 29½″H, (1 grommet) | 41″W x 22¾″D | **H105681X** | 69 | 3.8 | **$622** | **$655** |
| 36″W x 24″D x 29½″H, (1 grommet) | 34⅞″W x 22¾″D | **H105680X** | 67 | 3.8 | **$622** | **$650** |
| 30″W x 24″D x 29½″H, (1 grommet) | 28⅞″W x 22¾″D | **H10568X** | 56 | 2.6 | **$594** | **$622** |




NOTES: Makes reaching wall electrical outlets quick and easy. Provides more than 18″ of clearance. See pages 283-284 for optional stack-on storage.

**NOTES:**

- Non-handed desk, credenza, and return shells, combined with a variety of under-the-worksurface storage solutions, maximize office layout flexibility. Products can be reconfigured quickly and easily when user preferences or space needs change.
- For additional components see pages 279-301.
- Tops and end panels are abrasion- and stain-resistant laminate over durable 1⅛″ solid core high-performance particleboard; resists warping.
- Cord management grommets, for routing and hiding wires and cables, are located in the tops of desks and return shells.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have ¾″ adjustable range.
- 36″W and 30″W return shells enable L-shaped layouts for smaller spaces.
- One cord management grommet in tops of Return Shell models, H10568 and H10568X, is used for routing and hiding wires and cables. The 3″ round grommet can be replaced with optional Power Hub or Power/USB Hub — see page 697.

## HOW TO SPECIFY


**Select Model Number**

H 1 0 5 6 8 6 .

**Select Laminate Top and Chassis Color**

See pages 245-246

N N



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Rectangle Worksurface** | | | | | |
| 84″W x 30″D | **H105R3084** | 88 | 6.5 | **$600** | **$628** |
| 78″W x 30″D | **H105R3078** | 81 | 6.1 | **$541** | **$569** |
| 72″W x 30″D | **H105R3072** | 83 | 6.1 | **$508** | **$530** |
| 66″W x 30″D | **H105R3066** | 76 | 6.1 | **$473** | **$495** |
| 60″W x 30″D | **H105R3060** | 69 | 5.2 | **$441** | **$463** |
| 48″W x 30″D | **H105R3048** | 55 | 4.1 | **$363** | **$380** |
| 84″W x 24″D | **H105R2484** | 70 | 5.3 | **$553** | **$581** |
| 78″W x 24″D | **H105R2478** | 65 | 4.9 | **$491** | **$513** |
| 72″W x 24″D | **H105R2472** | 66 | 4.9 | **$433** | **$455** |
| 66″W x 24″D | **H105R2466** | 61 | 4.9 | **$418** | **$440** |
| 60″W x 24″D | **H105R2460** | 55 | 4.2 | **$393** | **$415** |
| 48″W x 24″D | **H105R2448** | 44 | 3.4 | **$335** | **$352** |
| 42″W x 24″D | **H105R2442** | 39 | 3.0 | **$303** | **$320** |
| 36″W x 24″D | **H105R2436** | 30 | 2.4 | **$264** | **$281** |
| 30″W x 24″D | **H105R2430** | 25 | 2.0 | **$264** | **$281** |

NOTES: Underside of rectangle worksurfaces includes pilot mounting holes for end panels, support columns, post legs, H-legs, and O-legs. Applications for 24″D worksurfaces include desks, credenzas, returns, and bridges.



| | | | | | |
|---|---|---|---|---|---|
| **Bullet Worksurface** | | | | | |
| 72″W x 30″D | **H105B3072** | 79 | 6.1 | **$528** | **$550** |
| 66″W x 30″D | **H105B3066** | 73 | 6.1 | **$499** | **$521** |
| 60″W x 30″D | **H105B3060** | 66 | 5.2 | **$476** | **$498** |
| 60″W x 24″D | **H105B2460** | 45 | 4.2 | **$408** | **$425** |

NOTES: Applications include use as a peninsula in a U- or L-shaped workstation or as an island extension. One flat bracket (mounting plate) ships with each worksurface for applications requiring connection to an adjoining worksurface. Underside includes pilot mounting holes for T- and L-shaped end panels, H-leg, O-leg, support column, post leg, or flat bracket. Grain direction runs horizontal.

❗ When specifying 60″W Floating Modesty Panel, it is not necessary to specify an external channel.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **External Support Channel** | | | | |
| 42″W for a 54″ Worksurface | **HLSLZ5SC54** | 5 | 0.5 | **$132** |
| 48″W for a 60″ Worksurface | **HLSLZ5SC60** | 6 | 0.5 | **$138** |
| 54″W for a 66″ Worksurface | **HLSLZ5SC66** | 7 | 0.5 | **$144** |
| 60″W for a 72″ Worksurface | **HLSLZ5SC72** | 7 | 0.5 | **$156** |
| 72″W for an 84″ Worksurface | **HLSLZ5SC84** | 12 | 0.7 | **$156** |

❗ Available in Graphite paint only.

❗ When specifying panel-hung worksurfaces, specify external channel as if supported by two H-legs or O-legs via selection chart.

❗ When specifying a 54″W or 60″W Floating Modesty Panel, it is not necessary to specify an external channel.

**NOTES:**

- Easy-care, scratch-, spill- and stain-resistant laminate over 1⅛″ solid core high-performance particleboard.
- Grain direction on all worksurfaces runs horizontal.
- One flat bracket (mounting plate) ships with each worksurface for applications requiring connection to an adjoining worksurface.
- For standing-height requirements, use worksurface with 41″H laminate L-shaped end panel or metal O-leg.
- For 30″, 36″, 42″ and 48″W x 24″D mobile desks and tables, use post leg with casters model HMBPOST.C.
- For end panels, legs, columns and bases, see the Worksurface Supports listing on pages 262-263.
- When using a floating modesty panel or an external channel under the worksurface, the depth clearance for keyboard trays and center drawers decreases by 8″. See accessory matrix in accessory section of the pricer.

**EXTERNAL SUPPORT CHANNEL (Model HLSLZ5SCxx) — RECOMMENDED USE**

| | Support Combination | | Rectangle Worksurface Width | | | | |
|---|---|---|---|---|---|---|---|
| | Support 1 | Support 2 | 60″ | 66″ | 72″ | 78″ | 84″ |
| O-Leg | O-Leg | O-Leg | 66 | 72 | 78 | 84 | NA |
| | O-Leg | 4½″ Dia. Support Column | NR | 60 | 66 | 72 | 78 |
| | O-Leg | 2″ Square Post Leg | NR | 60 | 66 | 72 | 78 |
| L-Shaped End Panel | L End Panel | L End Panel | NR | 60 | 66 | 72 | 78 |
| | L End Panel | O-Leg | 60 | 66 | 72 | 78 | 84 |
| | L End Panel | 4½″ Dia. Support Column | NR | 60 | 66 | 72 | 78 |
| | L End Panel | 2″ Square Post Leg | NR | 60 | 66 | 72 | 78 |
| T-Shaped End Panel | T End Panel | O-Leg | 60 | 66 | 72 | 78 | 84 |
| | T End Panel | 4½″ Dia. Support Column | NR | 60 | 66 | 72 | 78 |
| | T End Panel | 2″ Square Post Leg | NR | 60 | 66 | 72 | 78 |
| Return Config | None | O-Leg | 66 | 72 | 78 | 84 | NA |
| | None | L End Panel | 60 | 66 | 72 | 78 | 84 |

❗ 84″W worksurfaces are for 29½″H applications only (not 42″H) and require a T-support brace or other weight-bearing floor support to be positioned between the O-legs or L-shaped end panels.

❗ Worksurfaces are subject to slight bowing. The magnitude of the deflection is dependent upon the weight, placement, and duration of the load.

❗ When using a worksurface as a bridge, no additional supports are needed. One support is required for returns, two supports are required for desks and credenzas.

❗ External channel support is recommended for extended unsupported spans or heavily loaded worksurfaces. See above for details.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 R 3 0 7 2 . N N

**Select Worksurface Laminate and Edge Color**


See pages 245-246

# 10500 SERIES™ Worksurface Supports

GSA SIN 33721

Icon Legend on page 19

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **L-shaped End Panel** | | | | | |
| 15¾″W x 29⅞″D x 28½″H | **H10530LEP** | 49 | 4.1 | **$365** | **$379** |
| 15¾″W x 23⅞″D x 28½″H | **H10524LEP** | 43 | 3.7 | **$342** | **$356** |
| 15¾″W x 29⅞″D x 41″H | **H1053041LEP** | 68 | 4.2 | **$461** | **$483** |
| 15¾″W x 23⅞″D x 41″H | **H1052441LEP** | 60 | 3.4 | **$416** | **$438** |




*Not available in two-tone laminate*

NOTES: Non-handed. 29⅞″D for use with 48″-78″W x 30″D worksurfaces; 23⅞″D for use with 30″-78″W x 24″D worksurfaces. Not for use with 84″W unless additional floor supports are placed between the end panels. Design facilitates easy, open access to wall electrical outlets. Adjustable hex glides allow floor-standing units to be easily leveled without lifting to compensate for uneven floors. Glides have ¾″ adjustable range. Two pieces; 1⅛″ end panel and ¾″ back panel. 10500 Series™ modular and mobile pedestals fit flush to the end panel. Simple assembly.

Not designed to be used freestanding.


| | | | | | |
|---|---|---|---|---|---|
| **Laminate End Panel — 7″H Support for Worksurfaces** | | | | | |
| 1⅛″W x 30″D x 7″H, Right | **HNLEP307R** | 7 | 0.7 | **$185** | **$12** |
| 1⅛″W x 30″D x 7″H, Left | **HNLEP307L** | 7 | 0.7 | **$185** | **$12** |
| 1⅛″W x 24″D x 7″H, Right | **HNLEP247R** | 6 | 0.7 | **$185** | **$12** |
| 1⅛″W x 24″D x 7″H, Left | **HNLEP247L** | 6 | 0.7 | **$185** | **$12** |



*HNLEP307L shown*

NOTES: Specifically for layered surface applications; used to support a 29½″H component worksurface over a 21½″H low credenza unit. 1⅛″ thick. Handed design (left and right models). Includes cord routing notch. Bottom of end panel is edgebanded for added strength and to seal out moisture. Attaches to underside of worksurface via cam fasteners and L-bracket; attaches to top of low credenza with double-sided tape. Can be specified in a woodgrain or solid laminate color only. For 7″H metal O-leg support see page 102.
**SPECIFYING EXAMPLE: HNLEP307R.H**

| | | | | | |
|---|---|---|---|---|---|
| **T-shaped End Panel** | | | | | |
| 11⅝″W x 29⅞″D x 28½″H | **H10530TEP** | 45 | 3.7 | **$336** | **$350** |
| 11⅝″W x 23⅞″D x 28½″H | **H10524TEP** | 38 | 3.2 | **$315** | **$329** |




*Not available in two-tone laminate*

NOTES: Non-handed. For use with 30″D and 24″D 10500 Series worksurfaces. Two 1⅛″ thick pieces; one end and one brace panel. Cord routing notch in brace panel. Simple assembly.

Not designed to be used freestanding.

| | | | | | |
|---|---|---|---|---|---|
| **T-Support Brace** | | | | | |
| 8″W x 8″D x 28½″H | **H10524TSUPP** | 14 | 0.8 | **$284** | **$301** |



*Not available in two-tone laminate*

NOTES: Intermediate support option for 29½″H workstations. Designed for 24″D and 30″D worksurfaces without a modesty or back panel, with an unsupported span greater than 48″W. Can be used to support the junction of two 24″D adjoining linear worksurfaces. Adjustable hex glides allow floor-standing units to be easily leveled without lifting to compensate for uneven floors; glides have ¾″ adjustable range. Simple assembly.

**NOTES:**

- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have ¾″ adjustable range.

Laminate L- and T-shaped end panels can be specified as one color only; not available in two-tone laminate combination or in a pattern laminate.

## HOW TO SPECIFY

**Select Model Number**


H 1 0 5 3 0 T E P .

**Select Laminate**

See pages 245-246

N


# 10500 SERIES™ Worksurface Supports



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Support Column for 10500 Series Rectangle and Bullet Worksurfaces** | | | | |
| 3″ Diameter | **HPC190X** | 12 S | 1.0 | **$224** |
| For **Black**, specify HPC190X.P. | **HPC191X** | 12 S | 1.0 | **$224** |
| For **Silver**, specify HPC191X.X. | | | | |

NOTES: Can only be used as the outbound support in a peninsula or island extension worksurface application. Glides have ¾″ adjustable range.

Support column must be specified for worksurfaces used as peninsulas or as an island extension.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Post Leg Base** | | | | | | |
| 28½″H x 2″ square | **HLSL28P** | 15 | 1.0 | **$401** | **$407** | **$423** |

NOTES: Can only be used as the outbound support in a peninsula or island extension worksurface application. Glides have 2″ of adjustability. Ship 1/pack.

Post leg can only be used to support peninsula, not as primary supports for a top.

**SPECIFYING EXAMPLE: HLSL28P.T1**

| 24″D Rectangle Worksurface Support Options | | | | |
|---|---|---|---|---|
| | Support Combination | | Support Model Numbers for 72″W, 66″W, or 60″W Worksurfaces | Support Model Numbers for 48″W or 42″W Worksurfaces |
| **Product Application** | **Support 1** | **Support 2** | | |
| Desk or Credenza | O-Leg | O-Leg | HLSL2428O (2) | HLSL2428O (2) |
| | O-Leg | L-Shaped End Panel | HLSL2428O / H10524LEP | HLSL2428O / H10524LEP |
| | L-Shaped End Panel | L-Shaped End Panel | H10524LEP (2) | H10524LEP (2) |
| | T-Shaped End Panel | O-Leg | H10524TEP / HLSL2428O | H10524TEP / HLSL2428O |
| | T-Shaped End Panel | L-Shaped End Panel | H10524TEP / H10524LEP | H10524TEP / H10524LEP |
| Peninsula for U- or L-Configuration; Not Freestanding | O-Leg | 3″ Diameter Support Column | HLSL2428O / HPC190X-191X | NA |
| | O-Leg | 2″ Square Post Leg | HLSL2428O / HLSL28P | NA |
| | L-Shaped End Panel | 3″ Diameter Support Column | H10524LEP / HPC190X-191X | NA |
| | L-Shaped End Panel | 2″ Square Post Leg | H10524LEP / HLSL28P | NA |
| | T-Shaped End Panel | 3″ Diameter Support Column | H10524TEP / HPC190X-191X | NA |
| | T-Shaped End Panel | 2″ Square Post Leg | H10524TEP / HLSL28P | NA |
| Desk, Credenza, or Freestanding Return or Bridge | Adjustable Height Base – Electric | | HHATB3S2LT/C | HHATB3S2LT/C (48″W min.) |
| Return (requires one support) | O-Leg | — | HLSL2428O | HLSL2428O |
| | L-Shaped End Panel | — | H10524LEP | H10524LEP |
| | T-Shaped End Panel | — | H10524TEP | H10524TEP |
| | 3″ Diameter Support Column | — | HPC190X or HPC191X | HPC190X or HPC191X |
| | 2″ Square Post Leg | — | HLSL28P | HLSL28P |
| Island Extension (requires one support) | O-Leg | — | HLSL2428O | HLSL2428O |
| | 3″ Diameter Support Column | — | HPC190X or HPC191X | HPC190X or HPC191X |
| | 2″ Square Post Leg | — | HLSL28P | HLSL28P |

| 72″W, 66″W, or 60″W x 30″D Bullet Worksurface Support Options | | | |
|---|---|---|---|
| | Support Combination | | |
| **Product Application** | **Support 1** | **Support 2** | **Support Model Numbers** |
| Peninsula for U- or L-Configuration; Not Freestanding | O-Leg | 3″ Diameter Support Column | HLSL3028O / HPC190X or HPC191X |
| | O-Leg | 2″ Square Post Leg | HLSL3028O / HLSL28P |
| | L-Shaped End Panel | 3″ Diameter Support Column | H10530LEP / HPC190X or HPC191X |
| | L-Shaped End Panel | 2″ Square Post Leg | H10530LEP / HLSL28P |
| | T-Shaped End Panel | 3″ Diameter Support Column | H10530TEP / HPC190X or HPC191X |
| | T-Shaped End Panel | 2″ Square Post Leg | H10530TEP / HLSL28P |
| Island Extension | 3″ Diameter Support Column | — | HPC190X or HPC191X |
| | 2″ Square Post Leg | — | HLSL28P |

## HOW TO SPECIFY

**Select Model Number**

H P C 1 9 0 X .

**Select Paint Color**


See page 173

T 1

# 10500 SERIES™ Worksurface Supports

OPEN MARKET

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **H-Leg Support for Worksurfaces** | | | | | | |
| 30″W x 28⅜″H | **H105HLEG3028** | 13.6 | 5.1 | **$445** | **$451** | **$467** |
| 24″W x 28⅜″H | **H105HLEG2428** | 12.5 | 3.7 | **$399** | **$405** | **$421** |
| **Standing-Height H-Leg Support for Worksurfaces** | | | | | | |
| 30″W x 41″H | **H105HLEG3041** | 16.5 | 6.5 | **$599** | **$609** | **$621** |
| 24″W x 41″H | **H105HLEG2441** | 15.4 | 5.3 | **$536** | **$546** | **$558** |

**NOTES:**

- Legs ship fully assembled with mounting hardware, 1 per pack. Non-handed. H-leg glides have 2″ adjustability. Will have 6″ overhang when using 30″D H-legs with a 36″D worksurface.

! The H-leg attachment bracket interferes with placement of 10500 Series™ modular pedestals and 28⅜″H mobile pedestals, preventing them from being positioned directly next to (flush with) the H-leg. Box/File mobile pedestal model H105106 and mobile printer/fax cart model H105679 can be positioned along side the H-leg.

! O- and H-legs may only be attached to worksurfaces, not storage units.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 H L E G 2 4 4 1 .

**Select Paint Color**

See page 173

T 1


GSA SIN 33721 EXCEPT AS NOTED

ABI

Icon Legend on page 19


# 10500 SERIES™ Worksurface Supports



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **O-Leg** | | | | | | |
| | 30″D x 28½″H | **HLSL3028O** | 19.0 | 5.4 | **$493** | **$499** | **$515** |
| | 24″D x 28½″H | **HLSL2428O** | 17.0 | 3.7 | **$446** | **$452** | **$468** |


NOTES: Ship fully assembled with mounting hardware, 1/pack. Non-handed. O-leg glides have 2″ adjustability. Shared O-legs create a cleaner aesthetic in all applications where two legs are used side-by-side. Will have 6″ overhang when using 30″D O-legs with a 36″D worksurface.
IMPORTANT: The O-leg attachment bracket interferes with placement of 10500 Series modular pedestals and 28⅜″H mobile pedestals, preventing them from being positioned directly next to (flush with) the O-leg. Box/file mobile pedestal (model H105106) and mobile printer/fax cart model (H105679) can be positioned along side the O-leg.

! O-legs may only be attached to worksurfaces, not storage units.
**SPECIFYING EXAMPLE: HLSL2428O.T1**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
|  | **Double-Depth O-Leg Support for Worksurfaces** | | | | | | |
| | 60″D x 28½″H | **HLSL6028O** | 19.0 | 8.7 | **$929** | **$939** | **$951** |
| | 48″D x 28½″H | **HLSL4828O** | 18.0 | 7.0 | **$836** | **$846** | **$858** |


NOTES: Ship fully assembled with mounting hardware, 1/package. Non-handed. 48″D and 60″D sizes span back-to-back 24″D and 30″D worksurfaces, respectively. O-leg glides have 2″ adjustability. Shared O-legs create a cleaner aesthetic in all applications where two legs are used side-by-side. Will have 6″ overhang when using 30″D O-legs with a 36″D worksurface.

! O-legs may only be attached to worksurfaces, not storage units.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
|  | **Standing-Height O-Leg Support for Worksurfaces** | | | | | | |
| | 30″D x 41″H | **HLSL3041O** | 17.0 | 6.5 | **$665** | **$673** | **$687** |
| | 24″D x 41″H | **HLSL2441O** | 16.0 | 5.3 | **$594** | **$602** | **$616** |

NOTES: Ship fully assembled with mounting hardware, 1/package. Non-handed. O-leg glides have 2″ adjustability. O-leg installation requires 6″ of clearance from the worksurface end. Shared O-legs create a cleaner aesthetic in all applications where two legs are used side-by-side. Will have 6″ overhang when using 30″D O-legs with a 36″D worksurface.
Coordinate™ Power Modules will work with standing-height applications for 10500™ and Voi® desks.

! O-legs may only be attached to worksurfaces, not storage units.

| | | | | | | | |
|---|---|---|---|---|---|---|---|
|  | **Standing-Height O-Leg Shared Support for Worksurfaces** | | | | | | |
| | 30″D x 41″H | **HLSL3041SL** | 17.0 | 6.5 | **$740** | **$748** | **$762** |
| | 24″D x 41″H | **HLSL2441SL** | 16.0 | 5.3 | **$670** | **$678** | **$692** |

NOTES: Ship fully assembled with mounting hardware, 1/package. Non-handed. For use with two 24″D or 30″D worksurfaces positioned side-by-side along the depth dimension. O-leg glides have 2″ adjustability. O-leg installation requires 6″ of clearance from the worksurface end. Shared O-legs create a cleaner aesthetic in all applications where two legs are used side-by-side. Will have 6″ overhang when using 30″D O-legs with a 36″D worksurface.
Coordinate™ Power Modules will work with standing-height applications for 10500™ and Voi® desks. Please see Coordinate™ Accessories Stand-Alone Pricer pages for more information.

! O-legs may only be attached to worksurfaces, not storage units.

**NOTES:**

! For shared components such as modesty panels, see page 202.

## HOW TO SPECIFY

**Select Model Number**

H L S L 3 0 2 8 O .

**Select Paint Color**


See page 173

T 1

# 10500 SERIES™ Worksurface Supports

GSA SIN 33721 EXCEPT AS NOTED

Icon Legend on page 19




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **O-Leg Shared Support for Worksurfaces** | | | | | | |
| 30″D x 28½″H | **HLSL3028SL** | 19 | 5.4 | **$613** | **$619** | **$635** |
| 24″D x 28½″H | **HLSL2428SL** | 17 | 3.7 | **$553** | **$559** | **$575** |

NOTES: Ship fully assembled, 1/pack. Non-handed.

Specify paint only.

**SPECIFYING EXAMPLE: HLSL2028SL.T1**




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **O-Leg Support for Low Credenzas** | | | | | | |
| 30″D x 7″H | **HLSL3070** | 7 | 1.0 | **$381** | **$387** | **$403** |
| 24″D x 7″H | **HLSL2470** | 6 | 1.0 | **$300** | **$306** | **$322** |

NOTES: Ship fully assembled, 1/pack. Non-handed. For 7″H laminate support see page 100.

Specify paint only.

**SPECIFYING EXAMPLE: HLSL2070.T1**



*HVPWLBK24 shown*

**OPEN MARKET**

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Worksurface Wall Mount Bracket** | | | | |
| For 30″ | **HVPWLBK30** | 2 | 0.3 | **$130** |
| For 24″ | **HVPWLBK24** | 2 | 0.3 | **$117** |

NOTES: Can be used in place of an end panel or O-leg to support a worksurface. Cannot be used as a support when placing a stack-on storage unit on worksurface over bracket; must have two full-sized floor supports when using stack-on storage. Finish option not required.

**SPECIFYING EXAMPLE: HVPWLBK30**



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Worksurface to Tower Bracket Kit** 18½″ long bracket for attaching 24″D worksurface directly to storage tower, wardrobe/bookcase, wardrobe/storage cabinet, storage cabinet/lateral file, storage cabinet, or lateral file. | **HSTB2W1** | 4 | 0.6 | **$116** | **$131** | **$133** |

NOTES: Can be used in place of end panel or O-leg to support worksurfaces.

Bracket not designed for use as a support if placing Stack-on Storage on worksurface over/above bracket. Two full-sized supports required when using Stack-on Storage.

**NOTES:**

- O-leg glides have 2″ adjustability.
- For shared components such as modesty panels, see page 202.
- O-leg ships fully assembled with mounting hardware.
- For standing-height O-leg sizes, see page 265.
- Shared O-legs create a cleaner aesthetic in all applications where two legs are used side-by-side.
- Will have 6″ overhang when using 30″D O-legs with a 36″D worksurface.

O-legs may only be attached to worksurfaces, not storage units.

O-leg installation requires 6″ of clearance from the worksurface end.

## HOW TO SPECIFY

**Select Model Number**

H V P W L B K 3 0 .

**Select Paint Color**

See page 173

T 1



GSA SIN 33721

ABI

Icon Legend on page 19

# 10500 SERIES™ Components — Supports



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Rectangle Worksurface** | | | | | |
| | 72″W x 30″D | **H105R3072** | 83 | 6.1 | **$508** | **$530** |
| | 66″W x 30″D | **H105R3066** | 76 | 6.1 | **$473** | **$495** |
| | 60″W x 30″D | **H105R3060** | 69 | 5.2 | **$441** | **$463** |
| | 48″W x 30″D | **H105R3048** | 55 | 4.1 | **$363** | **$380** |
|  | 72″W x 24″D | **H105R2472** | 66 | 4.9 | **$433** | **$455** |
| | 66″W x 24″D | **H105R2466** | 61 | 4.9 | **$418** | **$440** |
| | 60″W x 24″D | **H105R2460** | 55 | 4.2 | **$393** | **$415** |
| | 48″W x 24″D | **H105R2448** | 44 | 3.4 | **$335** | **$352** |
| | 42″W x 24″D | **H105R2442** | 39 | 3.0 | **$303** | **$320** |
| | NOTES: Underside of rectangle worksurfaces includes pilot mounting holes for end panels, support columns, post and O-legs. Applications for 24″D worksurfaces include desks, credenzas, returns, and bridges. The 42″W x 24″D size is not compatible with Height Adjustable Base model HHATB3S2LT/C; it can however, be used in combination with the 72″W x 30″D worksurface on 3-Leg Height Adjustable Base model HHATB3S3LT. | | | | | |

**NOTES:**

- If using worksurfaces with Coordinate™ Height Adjustable Bases, an External Stiffener must be specified separately.
- Worksurfaces used with Coordinate™ Height Adjustable Bases should have 1″ perimeter gap on each side to provide clearance between other furniture. Failure to do so risks injury or product damage (not covered by warranty).

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 R 3 0 7 2 .

**Select Laminate**


See pages 245-246

N N

# 10500 SERIES™ Height Adjustable Bases

GSA SIN 33721

Icon Legend on page 19




*Base shown with worksurface attached.*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Coordinate™ Height Adjustable Base – 2-Stage**<br>2-Leg Rectangle T Foot | **HHATB2S2LT** | 66 | 2.4 | **$1090** |

NOTES:
- For use in combination applications where one end will be installed into a HAT shroud base and the other end will have an exposed T Foot.
- Model includes quantity 2 feet. The unused foot will need to be discarded at time of install.
- Dual motor two-leg design. Legs raise from 25⅝″ to 45¼″.
- 1¼″/second travel speed.
- <48 dB noise rating.
- Base accommodates any rectangular worksurface between 23″D x 40″W and 30″D x 72″W.
- Weight capacity of 250 lbs. (including the weight of the worksurface) distributed evenly.
- Control Box: 120V, 4A, 60Hz, 400W.
- 9′ grounded power cord.
- **HON 10-Year Warranty.**

**Only 2-Stage Coordinate™ bases will work with HAT shrouds and HAT low credenzas. 3-Stage Coordinate™ bases should not be used due to their lower height range.**


**Requires the use of an external stiffener (purchased separately) for worksurfaces over 58″W or wider when not used with a Coordinate™ worksurface.**



| | | | | |
|---|---|---|---|---|
| **2-Leg Height Adjustable Base — 2-Stage** | **HNLAB2SIL** | 66 | 3.5 | **$1017** |

NOTES: Base's design is without feet, which allows the leg to be directly installed into a shroud.

Base cannot be used as a stand-alone model. Base must be directly installed into a shroud. Base ships without feet.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 UPCHARGE |
|---|---|---|---|---|---|
| **Shroud for Height Adjustable Base** | | | | | |
| 36″D | **HNL36SHR** | 48 | 4.7 | **$1167** | **$33** |
| 30″D | **HNL30SHR** | 40 | 3.9 | **$1144** | **$28** |
| 24″D | **HNL24SHR** | 33 | 3.1 | **$1122** | **$28** |

NOTES: Depths designed to match worksurface depths. Right- or left-handed determines which side the grommet is on.

**NOTES:**
- HAT base is bolted directly into unit for a solid connection without the need for the HAT base freestanding on feet.
- In combination applications with one HAT leg integrated and one HAT leg with an exposed T Foot use footed Coordinate™ base model HHATB2S2LT and discard the unused foot at time of install.
- In applications with both ends integrated into a shroud use the non-footed Coordinate™ base HNLAB2SIL.
- When specifying a grommet application, the grommet is near the front leg for cord management and has a grommet on the backside for cord management to wall power.

**Only 2-Stage Coordinate™ bases will work with HAT shrouds. 3-Stage Coordinate™ bases should not be used due to their lower height range.**

## HOW TO SPECIFY

**Select Model Number**

H H A T B 2 S 2 L T .

**Select Paint Color**

See page 115

P R 6 .

**Select Foot**

**X** Standard Foot
**S** Slide Glide

X .

**Select Keypad**

**UD** Basic Up/Down
**MEM** Memory Preset
**PDL** Paddle

M E M

**Select Model Number**

H N L 3 0 S H R .

**Select Grommet and Color (Leg Cut-Out Standard)**

See page 31

**X** No Grommet
**R** Right Hand
**L** Left Hand

R .

**Select Laminate Color**

See page 31


H

GSA SIN 33721

Icon Legend on page 19

# 10500 SERIES™ Shared Components





*Not available in two-tone laminate*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Modesty Panels for Desks with O-Legs** | | | | |
| 68⅜"W x ¾"D x 10"H — For 72" x 30" Desks | **HLAMMP7230** | 26 | 2.1 | **$366** |
| 56⅜"W x ¾"D x 10"H — For 60" x 30" Desks | **HLAMMP6030** | 23 | 1.8 | **$335** |

NOTES: For use with 60"W or 72"W worksurfaces supported by O-legs. Comprised of three panels: one approach side and one for each end. Length below bottom of worksurface is 10". Steel external support channel (ordered separately) is recommended for unsupported spans greater than 54"W (i.e.: a distance in which there is not a vertical support between the underside of the worksurface and floor). Grain direction is vertical on approach and side panels for 56⅜"W (all laminate colors) and 68⅜"W (L1 laminate except Florence Walnut and Kingswood Walnut). Vertical on 27⅝" end panels (all laminate colors). Horizontal on all panels for L2 laminates as well as Florence Walnut and Kingswood Walnut.

Specify: Model.Laminate

**SPECIFYING EXAMPLE: HLAMMP7230.N**

+ $17 for L2 laminates. See pages 245-246 for laminate options.

## HOW TO SPECIFY

**Select Model Number**

H L A M M P 7 2 3 0 .

**Select Laminate Chassis Color**





See pages 245-246

N

# 10500 SERIES™ Laminate Modular Components

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  *Not available in two-tone laminate* | **Box/File Pedestal (with core removable lock)**<br>15⅝"W x 22¾"D x 17¾"H — for use under 24"D, 30"D and 36"D desk, credenza and return shells | **H10501** | 57 | 5.5 | **$660** | **$682** |
| | NOTES: Attaches to underside of worksurface top. Both top box and file drawer lock. Top edges of file drawer include integrated rails for letter- or legal-sized filing. Not for use under 20"D shells. | | | | | |
| | ! Not designed to be used freestanding. Unfinished top and back. | | | | | |
|  *Not available in two-tone laminate* | **Narrow Box/Box/File Pedestal (with core removable lock) — floor-standing**<br>9½"W x 22¾"D x 28"H — for use under 24"D, 30"D and 36"D desk, credenza and return shells | **H105093** | 61 | 5.6 | **$852** | **$880** |
| | NOTES: Space-saving design supports smaller footprints. Middle box drawer and file drawer lock; top box drawer does not lock. Top edges of file drawer include integrated rails for letter- or legal-sized filing. Not for use under 20"D shells. | | | | | |
| | ! Not designed to be used freestanding. Unfinished top and back. | | | | | |
|  *Not available in two-tone laminate* | **Box/Box/File Pedestal — floor-standing**<br>15⅝"W x 28¾"D x 28"H — for use under 10500 Series 30"D worksurfaces supported by 29⅞"D L-shaped end panel model H10530LEP | **H105062** | 105 | 10.5 | **$937** | **$970** |
| | NOTES: Top box drawer does not lock. Top edges of file drawer include integrated rails for letter- or legal-sized filing. Not for use under shells, per "Inside Dimensions" listings. | | | | | |
| | ! Not designed to be used freestanding. Unfinished top and back. | | | | | |
|  *Not available in two-tone laminate* | **Box/Box/File Pedestal (with core removable lock) — floor-standing**<br>15⅝"W x 22¾"D x 28"H — for use under 24"D, 30"D and 36"D desk, credenza and return shells or worksurface supported by 23⅞"D L-shaped end panel(s) | **H10502** | 90 | 8.4 | **$865** | **$893** |
| | NOTES: Top box drawer does not lock. Top edges of file drawer include integrated rails for letter- or legal-sized filing. Not for use under 20"D shells. | | | | | |
| | ! Not designed to be used freestanding. Unfinished top and back. | | | | | |
|  *Not available in two-tone laminate* | **Box/Box/File Pedestal (with core removable lock) — floor-standing**<br>15⅝"W x 18¾"D x 28"H — for use under 20"D, 24"D, 30"D and 36"D desk, credenza and return shells | **H105012** | 73 | 7.3 | **$815** | **$837** |
| | NOTES: Top box drawer does not lock. Top edges of file drawer include integrated rails for letter- or legal-sized filing. | | | | | |
| | ! Not designed to be used freestanding. Unfinished top and back. | | | | | |

**NOTES:**

- Pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- Locking units equipped with interchangeable core removable locks.
- Pedestal models ship assembled unless designated SP2.
- Mobile pedestals shown on page 292, work well in a variety of configurations.
- Narrow Pedestal features a compact design that is ideal for use in U- and L-shaped layouts for smaller spaces such as a 5′ x 8′ U-shaped workstation or a 5′ x 5′ L-shaped workstation.
- 10500 Series™ modular pedestals are for use with desk, credenza and return shells (see pages 256-260), as well as L-shaped end panels (page 262).

! Keyed alike cores must be ordered separately — see model HF23B on page 673 — makes re-keying quick and easy.

! Access strip (filler) required when box/box file, file/file, and or narrow box/box/file pedestals are configured side-by-side to allow access for opening the drawers.

! Modular pedestals can be specified as one color only; not available in two-tone laminate combination or in a pattern laminate.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 0 9 3 .

**Select Laminate Chassis Color**

See pages 245-246




N

GSA SIN 33721

Icon Legend on page 19

# 10500 SERIES™ Laminate Modular Components



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  *Not available in two-tone laminate* | **File/File Pedestal — floor-standing**<br>15⅝″W x 28¾″D x 28″H — for use under 10500 Series 30″D worksurfaces supported by 29⅞″D L-shaped end panel model H10530LEP<br>NOTES: Top edges of file drawer include integrated rails for letter- or legal-sized filing. Not for use under shells, per "Inside Dimensions" listings.<br>! Not designed to be used freestanding. Unfinished top and back. | **H105064** | 104 | 10.5 | **$937** | **$970** |
|  *Not available in two-tone laminate* | **File/File Pedestal (with core removable lock) — floor-standing**<br>15⅝″W x 22¾″D x 28″H — for use under 24″D, 30″D and 36″D desk, credenza and return shells or worksurface supported by 23⅞″D L-shaped end panel(s)<br>NOTES: Top edges of file drawer include integrated rails for letter- or legal-sized filing. Not for use under 20″D shells.<br>! Not designed to be used freestanding. Unfinished top and back. | **H10504** | 85 | 8.2 | **$865** | **$893** |
|  *Not available in two-tone laminate* | **File/File Pedestal (with core removable lock) — floor-standing**<br>15⅝″W x 18¾″D x 28″H — for use under 20″D, 24″D, 30″D and 36″D desk, credenza and return shells<br>NOTES: Top edges of file drawer include integrated rails for letter- or legal-sized filing.<br>! Not designed to be used freestanding. Unfinished top and back. | **H105014** | 72 | 7.3 | **$815** | **$837** |
|  *Not available in two-tone laminate* | **Access Strip (Filler)**<br>1⅛″W x 20½″D x 28″H<br>NOTES: For use under 24″D, 30″D and 36″D desk, credenza or return shells when B/B/F, F/F, and or narrow B/B/F pedestals are configured side-by-side. Not required when pedestals are used in conjunction with lateral file pedestals, multi file pedestals or cabinet pedestal. Not sized for use with 20″D modular shells.<br>NOTE: See pages 256-260 for desk, credenza and return shells. | **H10524** | 21 | 0.9 | **$224** | **$236** |

**NOTES:**

- Pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- Locking units equipped with interchangeable core removable locks.
- Pedestal models ship assembled unless designated .
- Mobile pedestals shown on page 292, work well in a variety of configurations.
- Narrow Pedestal features a compact design that is ideal for use in U- and L-shaped layouts for smaller spaces such as a 5′ x 8′ U-shaped workstation or a 5′ x 5′ L-shaped workstation.
- 10500 Series™ modular pedestals are for use with desk, credenza and return shells (see pages 256-260), as well as L-shaped end panels (page 262).

! Keyed alike cores must be ordered separately — see model HF23B on page 673 — makes re-keying quick and easy.

! Access strip (filler) required when box/box file, file/file, and or narrow box/box/file pedestals are configured side-by-side to allow access for opening the drawers. If optional locks are installed, spacer is not needed.

! Modular pedestals can be specified as one color only; not available in two-tone laminate combination or in a pattern laminate.






## HOW TO SPECIFY

| Select Model Number | Select Laminate Chassis Color |
|---|---|
| | See pages 245-246 |
| H 1 0 5 0 4 . | N |

# 10500 SERIES™ Laminate Modular Components

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  *Not available in two-tone laminate* | **Lateral File Pedestal (with core removable lock) — Floor-standing**<br>36″W x 20″D x 28″H — For use under 24″D, 30″D and 36″D desk, credenza and return shells | **H10503** | 127 | 15.6 | **$1312** | **$1356** |
| | NOTES: Top edges of file drawer include integrated rails for letter- or legal-sized filing. Mechanical interlock inhibits extension of more than one drawer at a time. Not for use under 20″D shells.<br>❗ Not designed to be used freestanding. Unfinished top and back. | | | | | |
|  *Not available in two-tone laminate* | **Multi File Pedestal (with core removable lock) — Floor-standing**<br>36″W x 20″D x 28″H — For use under 24″D, 30″D and 36″D desk, credenza and return shells | **H10505** | 155 | 15.6 | **$1573** | **$1617** |
| | NOTES: Versatile four drawer unit features a lateral file, vertical file, and two box drawers. Box drawers do not lock. Top edges of file drawer include integrated rails for letter- or legal-sized filing. Mechanical interlock in lateral drawer inhibits extension of more than one drawer at a time. Not for use under 20″D shells.<br>❗ Not designed to be used freestanding. Unfinished top and back. | | | | | |
|  *Not available in two-tone laminate* | **Cabinet Pedestal — Floor-standing**<br>26″W x 21¼″D x 28″H — For use under 24″D, 30″D and 36″D desk, credenza and return shells | **H10508** | 78 | 12.2 | **$980** | **$1024** |
| | NOTES: One adjustable shelf at 2½″ increments. Doors are non-locking. Not for use under 20″D shells.<br>❗ Not designed to be used freestanding. Unfinished top and back. | | | | | |
|  | **Mobile Printer/Fax Cart**<br>20″W x 19⅞″D x 14⅛″H — For use under 24″D, 30″D and 36″D desk, credenza and return shells | **H105679** | 52 | 2.9 | **$537** | **$559** |
| | NOTES: Holds laser printers, inkjet printers or fax machines. Ideal for limited space. Low profile cart stores conveniently and easily under desks and workstations. Interior compartment shelving is Black. Four casters. Specify laminate top and chassis color. Not for use under 20″D shells.<br>**SPECIFYING EXAMPLE: H105679.NN** | | | | | |
|  *Not available in two-tone laminate* | **Box/Shelf/File Pedestal**<br>15⅝″W x 28¾″D x 41″H — For 30″D worksurfaces<br>15⅝″W x 22¾″D x 41″H — For 24″D or 30″D worksurfaces | **H105077**<br>**H105076** | 104<br>89 | 14.7<br>11.9 | **$1806**<br>**$1744** | **$1866**<br>**$1799** |
| | NOTES: For 42″H standing-height desks. Designed to be used under a component worksurface supported on the pedestal end(s) by 41″H L-shaped end panel(s). For single pedestal workstations, the non-pedestal end can be supported by a 41″H L-shaped end panel, H-leg, or O-leg. Adjustable hex glides allow floor-standing units to be easily leveled without lifting to compensate for uneven floors; glides have ¾″ adjustable range. Cabinet includes one box (supply) drawer and two shelves (one fixed, one adjustable); shelf adjusts in 1¼″ increments with a range of 5″. Not to be used freestanding, top and back are not enclosed. Pedestal depth is less than the depth of the respective component top to accommodate L-shaped end panel. Top edges of file drawer include integrated rails for letter- or legal-sized filing. Standard with linear handles in black finish. | | | | | |

**NOTES:**

- Pedestals can be reconfigured quickly and easily when user preferences or space needs change.
- File drawers accept hanging folders in letter or legal size.
- Mobile pedestals shown on page 292, work well in a variety of configurations.
- Locking units equipped with interchangeable core removable locks.
- Pedestal models ship assembled unless designated EZ.
- See pages 256-260 for desk, credenza and return shells.

❗ Keyed alike cores must be ordered separately — see model HF23B on page 673 — makes re-keying quick and easy.

❗ Access strip (filler) required when box/box file, file/file, and or narrow box/box/file pedestals are configured side-by-side to allow access for opening the drawers.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 0 3 .

**Select Laminate Chassis Color**

See pages 245-246



N

GSA SIN 33721

Icon Legend on page 19

# 10500 SERIES™
## Laminate Wood Desks — Full Pedestals



| | DESCRIPTION | FULL WIDTH OVERHANG | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|---|
|  | **Double Pedestal Desk** | | | | | | |
| | 72″W x 36″D x 29½″H, Bow Top, 3/2 | 10½″ | **H105899** | 315 | 50.9 | **$2351** | **$2438** |
| | 72″W x 36″D x 29½″H, Rectangle Top, 3/2 | 10½″ | **H105890** | 340 | 50.9 | **$2144** | **$2226** |
| | 66″W x 30″D x 29½″H, Rectangle Top, 3/2 | 4½″ | **H105891** | 290 | 39.4 | **$1998** | **$2069** |
| | 60″W x 30″D x 29½″H, Rectangle Top, 3/2 | 4½″ | **H105892** | 278 | 35.9 | **$1877** | **$1942** |
| | NOTES: All drawers lock. Two cord grommets in top for routing and hiding wires and cables. Bow top models measure 36″D at crest and 30″D along the end panels. See pages 683-684 for optional center drawers. | | | | | | |
|  | **Single Pedestal Desk** | | | | | | |
| | 72″W x 36″D x 29½″H, Bow Top, Right | 10½″ | **H105893R** | 292 | 50.9 | **$1926** | **$2003** |
| | 72″W x 36″D x 29½″H, Rectangle Top, Right | 10½″ | **H105895R** | 278 | 50.9 | **$1714** | **$1791** |
| | 66″W x 30″D x 29½″H, Rectangle Top, Right | 4½″ | **H105897R** | 226 | 39.4 | **$1548** | **$1608** |
| | 72″W x 36″D x 29½″H, Bow Top, Left | 10½″ | **H105894L** | 292 | 50.9 | **$1926** | **$2003** |
| | 72″W x 36″D x 29½″H, Rectangle Top, Left | 10½″ | **H105896L** | 278 | 50.9 | **$1714** | **$1791** |
| | 66″W x 30″D x 29½″H, Rectangle Top, Left | 4½″ | **H105898L** | 226 | 39.4 | **$1548** | **$1608** |
| | NOTES: Box/box/file drawers. Drawers lock. Two cord grommets in top for routing and hiding wires and cables. Bow top models measure 36″D at crest and 30″D along the end panels. See pages 683-684 for optional center drawers. | | | | | | |

**NOTES:**

- Factory-configured desks, credenzas and returns ship fully assembled for ease and speed of installation.
- Full-to-floor pedestals maximize storage space.
- Smooth, flat edges provide a clean look.
- Tops are easy-care, scratch-, spill- and stain-resistant laminate over 1⅛″ solid core high-performance particleboard.
- 3″ round cord management grommets, for routing and hiding wires and cables, are located in the tops of desks, returns, bridges, and corner units. Grommet cutout accepts optional Power Hub (model HGRMTAC) or Power/USB Hub (model HGRMTUSB2) — see page 697.
- For work-in-process paper management tools, see pages 689-691.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- For field installable decorative handle options, see page 301.
- All drawers are five-sided construction for added strength and easy alignment or replacement of drawer fronts.
- Center drawers conveniently store writing instruments, paper and other miscellaneous items. Includes pencil tray. See page 684.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 8 9 9 .

**Select Laminate Top and Chassis Color**







See pages 245-246

N N

# 10500 SERIES™
# Laminate Wood Desks — Full Pedestals

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | FULL WIDTH OVERHANG | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|---|
|  | **Return, file/file** | | | | | | |
| | 48″W x 24″D x 29½″H, Right | | **H105905R** | 167 | 24.2 | **$1212** | **$1256** |
| | 42″W x 24″D x 29½″H, Right | | **H105907R** | 147 | 21.4 | **$1185** | **$1229** |
| | 48″W x 24″D x 29½″H, Left | | **H105906L** | 167 | 24.2 | **$1212** | **$1256** |
| | 42″W x 24″D x 29½″H, Left | | **H105908L** | 147 | 21.4 | **$1185** | **$1229** |
| | NOTES: Return is for use with single pedestal desks, desk shells, peninsulas or corner units. One worksurface grommet and one cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. Drawers lock. Not to be used freestanding. Will not attach to Corner Units manufactured prior to 5/24/99. See pages 283-284 for optional Stack-on Storage. | | | | | | |
|  | **Credenza with Doors** | | | | | | |
| | 72″W x 24″D x 29½″H | 3½″ | **H105909** | 323 | 34.8 | **$2218** | **$2289** |
| | NOTES: All drawers lock. Doors are non-locking. Includes a fixed shelf located at the bottom of the center storage area. No intermittent shelf. See pages 283-284 for optional Stack-on Storage. | | | | | | |
|  | **Credenza with Kneespace, file/file** | | | | | | |
| | 72″W x 24″D x 29½″H | 3½″ | **H105900** | 274 | 34.8 | **$1879** | **$1944** |
| | 66″W x 24″D x 29½″H | 3½″ | **H105901** | 262 | 32.0 | **$1861** | **$1926** |
| | 60″W x 24″D x 29½″H | 3½″ | **H105902** | 248 | 29.2 | **$1793** | **$1853** |
| | NOTES: All drawers lock. One cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. Not designed for use with 22¾″D modular or mobile pedestals. Modesty/back panel is inset 3½″. See pages 283-284 for optional Stack-on Storage. | | | | | | |
|  | **Single Pedestal Credenza, file/file** | | | | | | |
| | 72″W x 24″D x 29½″H, Right (shown) | 3½″ | **H105903R** | 226 | 34.8 | **$1524** | **$1584** |
| | 72″W x 24″D x 29½″H, Left | 3½″ | **H105904L** | 226 | 34.8 | **$1524** | **$1584** |
| | NOTES: Drawers lock. One cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. Not designed for use with 22¾″D modular or mobile pedestals. Modesty/back panel is inset 3½″. See pages 283-284 for optional Stack-on Storage. | | | | | | |
|   | **Low Credenza** | | | | | | |
| | 72″W x 20″D x 21½″H, Drawers Right, Bookcase Left | | **H105975R** | 219 | 23.5 | **$1668** | **$1733** |
| | 72″W x 20″D x 21½″H, Drawers Left, Bookcase Right | | **H105976L** | 219 | 23.5 | **$1668** | **$1733** |
| | 60″W x 20″D x 21½″H, Drawers Right, Bookcase Left | | **H105973R** | 187 | 19.7 | **$1537** | **$1597** |
| | 60″W x 20″D x 21½″H, Drawers Left, Bookcase Right | | **H105974L** | 187 | 19.7 | **$1537** | **$1597** |
| | NOTES: Combines with overlapping, 29½″H worksurfaces to create a multi-level workstation for a modern aesthetic. For use in open plan spaces or private offices. Two locking drawers (1 box and 1 file) and open shelving. File drawers include integrated hangrails for letter- or legal-sized folders. Bookcase has one adjustable shelf; adjusts in 1¼″ increments with a range of 6″. Overlapping surfaces can be supported by a 28½″H H-leg or O-leg, or 7″H O-leg, or by 7″H laminate end panel. On 60″W models, grain on back panel runs vertical for all woodgrain laminates. On 72″, grain on back panel runs vertical for L1 woodgrains except for Florence and Kingswood Walnuts and horizontal on L2 laminates and Florence and Kingswood Walnuts. Optional seat cushions HLSL2036CH2 for 72″W and HLSL2030CH2 for 60″W. | | | | | | |

**NOTES:**

- Factory-configured desks, credenzas and returns ship fully assembled for ease and speed of installation.
- Formal, full-length modesty panels.
- Tops are easy-care, scratch-, spill- and stain-resistant laminate over 1⅛″ solid core high-performance particleboard.
- 3″ round cord management grommets, for routing and hiding wires and cables, are located in the tops of desks, returns, bridges, and corner units. Grommet cutout accepts optional Power Hub (model HGRMTAC) or Power/USB Hub (model HGRMTUSB2) — see page 697.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- All drawers are five-sided construction for added strength and easy alignment or replacement of drawer fronts.
- Top edges of file drawer include integrated rails for letter- or legal-sized filing.
- For field installable decorative handle options, see page 301.
- 10500 Series™ 18¾″D modular and mobile pedestals can be positioned under credenza with kneespace and single pedestal credenza models.

Keyed alike cores must be ordered separately — see model HF23B on page 673 — makes re-keying quick and easy.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 9 0 5 R .

**Select Laminate Top and Chassis Color**

See pages 245-246

Kickplates will match chassis color


N N

GSA SIN 33721

Icon Legend on page 19

# 10500 SERIES™ Laminate Wood Desks — Full Pedestals






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **2-Drawer Credenza, No Top** | | | | | | |
| 36″W x 24″D x 19⅞″H | **H105LC3624BF** | 105.5 | 13.9 | **$662** | **$39** | **$22** |
| 36″W x 20″D x 19⅞″H | **H105LC3620BF** | 97.9 | 11.7 | **$662** | **$33** | **$22** |
| 30″W x 24″D x 19⅞″H | **H105LC3024BF** | 92.3 | 11.7 | **$702** | **$33** | **$17** |
| 30″W x 20″D x 19⅞″H | **H105LC3020BF** | 85.4 | 9.9 | **$637** | **$28** | **$17** |


NOTES: Use in conjunction with Modular Credenza tops on page 276.

Keyed alike cores must be ordered separately — see model HF23B on page 673 — makes re-keying quick and easy.




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **Open/Lateral Credenza, No Top** | | | | | | |
| 36″W x 24″D x 19⅞″H | **H105LC3624SF** | 117.2 | 13.9 | **$637** | **$39** | **$22** |
| 36″W x 20″D x 19⅞″H | **H105LC3620SF** | 106.1 | 11.7 | **$637** | **$33** | **$22** |
| 30″W x 24″D x 19⅞″H | **H105LC3024SF** | 101.7 | 11.7 | **$619** | **$33** | **$17** |
| 30″W x 20″D x 19⅞″H | **H105LC3020SF** | 91.8 | 9.9 | **$619** | **$28** | **$17** |

NOTES: Use in conjunction with Modular Credenza tops on page 276. Drawer is non-locking.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | LIST PRICE BY LAMINATE GRADE L2 |
|---|---|---|---|---|---|
| **Open HAT Credenza, No Top** | | | | | |
| 36″W x 24″D x 21½″H | **H105LCHAT3624S** | 82.3 | 13.9 | **$304** | **$343** |
| 36″W x 20″D x 21½″H | **H105LCHAT3620S** | 71.2 | 11.7 | **$304** | **$337** |
| 30″W x 24″D x 21½″H | **H105LCHAT3024S** | 72.2 | 11.7 | **$280** | **$313** |
| 30″W x 20″D x 21½″H | **H105LCHAT3020S** | 62.3 | 9.9 | **$280** | **$308** |

NOTES: False back allows HAT base leg to be concealed. Use in conjunction with Modular Credenza tops with HAT cutout on page 276.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | LIST PRICE BY LAMINATE GRADE L2 |
|---|---|---|---|---|---|
| **Back for Open Storage Cabinet** | | | | | |
| 36″W x 19⅞″H | **H105LCHAT3620B** | 25.0 | 2.1 | **$280** | **$297** |
| 30″W x 19⅞″H | **H105LCHAT3020B** | 25.0 | 1.8 | **$253** | **$270** |

NOTES: Optional model to conceal HAT base leg when used in open office settings. Use with Open HAT Credenzas, No Top when the back of the unit will be visible in an open plan office.

**NOTES:**

- Units can be combined to create 60″W, 66″W, and 72″W low credenzas utilizing Modular Credenzas.
- Units have unfinished tops.
- File drawers include integrated hangrails for letter- or legal-sized folders.
- Open Credenzas have one adjustable shelf; adjusts 1¼″ increments with a range of 6″.
- Overlapping surfaces can be supported by a 28½″H or 7″H O-leg or by 7″H laminate end panel.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 L C 3 6 2 0 B F .

**Select Chassis Laminate**

See page 245

Kickplates will match chassis color

L F W 1 .

**Select Door Front Laminate**

See page 245

L F W 1 .

**Select Pull and Color**

**L** Linear
**P** Black

L P .

**Select Lock Option**

Only available on 2-Drawer Credenzas

**L** Lock

L

**Select Model Number**

H 1 0 5 L C H A T 3 6 2 0 B .

**Select Chassis Laminate**

See page 245





Kickplates will match chassis color

L F W 1


# 10500 SERIES™
# Laminate Wood Desks — Full Pedestals

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Modular Credenza Tops, Height Adjustable Base** | | | | | |
| | 30″W x 24″D, Non-handed | **H105CTHAT3024** | 23.5 | 2.3 | **$500** | **$517** |
| | 30″W x 20″D, Non-handed | **H105CTHAT3020** | 19.6 | 1.9 | **$500** | **$517** |
|  | 72″W x 24″D, Right | **H105CTHAT7224R** | 72.3 | 5.0 | **$1011** | **$1033** |
| | 72″W x 20″D, Right | **H105CTHAT7220R** | 72.3 | 4.2 | **$1011** | **$1033** |
| | 66″W x 24″D, Right | **H105CTHAT6624R** | 66.3 | 4.6 | **$938** | **$960** |
| | 66″W x 20″D, Right | **H105CTHAT6620R** | 60.3 | 3.9 | **$938** | **$960** |
| | 60″W x 24″D, Right | **H105CTHAT6024R** | 60.3 | 4.2 | **$861** | **$883** |
| | 60″W x 20″D, Right | **H105CTHAT6020R** | 66.3 | 3.6 | **$861** | **$883** |
| | 36″W x 24″D, Right | **H105CTHAT3624R** | 36.1 | 2.6 | **$626** | **$643** |
| | 36″W x 20″D, Right | **H105CTHAT3620R** | 36.1 | 2.3 | **$626** | **$643** |
|  | 72″W x 24″D, Left | **H105CTHAT7224L** | 72.3 | 5.0 | **$1011** | **$1033** |
| | 72″W x 20″D, Left | **H105CTHAT7220L** | 72.3 | 4.2 | **$1011** | **$1033** |
| | 66″W x 24″D, Left | **H105CTHAT6624L** | 66.3 | 4.6 | **$938** | **$960** |
| | 66″W x 20″D, Left | **H105CTHAT6620L** | 66.3 | 3.9 | **$938** | **$960** |
| | 60″W x 24″D, Left | **H105CTHAT6024L** | 60.3 | 4.2 | **$861** | **$883** |
| | 60″W x 20″D, Left | **H105CTHAT6020L** | 60.3 | 3.6 | **$861** | **$883** |
| | 36″W x 24″D, Left | **H105CTHAT3624L** | 36.1 | 2.6 | **$626** | **$643** |
| | 36″W x 20″D, Left | **H105CTHAT3620L** | 36.1 | 2.3 | **$626** | **$643** |
|  | **Modular Credenza Tops** | | | | | |
| | 30″W x 20″D | **H105CT3020** | 19.6 | 1.9 | **$500** | **$517** |
| | 36″W x 20″D | **H105CT3620** | 36.1 | 2.3 | **$626** | **$643** |
| | 30″W x 24″D | **H105CT3024** | 23.5 | 2.3 | **$500** | **$517** |
| | 36″W x 24″D | **H105CT3624** | 36.1 | 2.6 | **$626** | **$643** |

**NOTES:**
- Easy care, scratch-, spill- and stain-resistant laminate over 1⅛″ solid core high-performance particleboard.
- Grain direction on all worksurfaces runs horizontal.
- Tops are intended to be used with modular low credenzas on page 275.
- Tops come with hardware to attach to low credenzas.
- Tops have a right or left notch to accommodate HON's Height Adjustable Base legs.

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|---|---|---|---|
|  | **Fabric Credenza Tops** | | | | | | | | | |
| | 36″W x 24″D x 1″H for 36″W Credenzas | **HLAMSEAT3624** | 12 | 2.6 | **$551** | **$593** | **$634** | **$675** | **$715** | **$756** |
| | 30″W x 24″D x 1″H for 36″W Credenzas | **HLAMSEAT3024** | 10 | 2.3 | **$512** | **$552** | **$591** | **$629** | **$668** | **$707** |
| | 36″W x 20″D x 1″H for 72″W Credenzas | **HLSL2036CH2** | 11 | 2.2 | **$563** | **$605** | **$646** | **$688** | **$741** | **$794** |
| | 36″W x 20″D x 1″H for 60″W Credenzas | **HLSL2030CH2** | 9 | 1.9 | **$522** | **$562** | **$601** | **$639** | **$688** | **$740** |

NOTES: See pages 22-25 for available fabrics.

COM: .75

**SPECIFYING EXAMPLE: HLAMSEAT3624.APN23**

## HOW TO SPECIFY

**Select**
**Model Number**

H 1 0 5 C T H A T 3 6 2 0 .

**Select**
**Laminate and Edge Color**

See page 245





L F W 1 F W

GSA SIN 33721

Icon Legend on page 19

# 10500 SERIES™
## Laminate Wood Desks — 3/4 Pedestals



| DESCRIPTION | FULL WIDTH OVERHANG | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  **Double Pedestal Desk** | | | | | | |
| 72″W x 36″D x 29½″H, Bow Top, 2-2 | 10½″ | **H10595** | 300 | 52.9 | **$1964** | **$2051** |
| 72″W x 36″D x 29½″H, Rectangle Top, 2-2 | 10½″ | **H10593** | 320 | 52.9 | **$1751** | **$1833** |
| 66″W x 30″D x 29½″H, Rectangle Top, 2-2 | 4½″ | **H10571** | 286 | 40.9 | **$1603** | **$1674** |
| 60″W x 30″D x 29½″H, Rectangle Top, 2-2 | 4½″ | **H10573** | 271 | 37.4 | **$1476** | **$1541** |
| NOTES: All drawers lock. Two cord grommets in top for routing and hiding wires and cables. Bow top models measure 36″D at crest and 30″D along the end panels. See pages 683-684 for optional center drawers. | | | | | | |
|  **Single Pedestal Desk** | | | | | | |
| 72″W x 36″D x 29½″H, Bow Top, Right | 10½″ | **H10587R** | 238 | 52.9 | **$1696** | **$1773** |
| 72″W x 36″D x 29½″H, Rectangle Top, Right | 10½″ | **H10585R** | 279 | 52.9 | **$1489** | **$1560** |
| 66″W x 30″D x 29½″H, Rectangle Top, Right | 4½″ | **H10583R** | 229 | 41.0 | **$1309** | **$1369** |
| 72″W x 36″D x 29½″H, Bow Top, Left | 10½″ | **H10588L** | 238 | 52.9 | **$1696** | **$1773** |
| 72″W x 36″D x 29½″H, Rectangle Top, Left | 10½″ | **H10586L** | 279 | 52.9 | **$1489** | **$1560** |
| 66″W x 30″D x 29½″H, Rectangle Top, Left | 4½″ | **H10584L** | 229 | 41.0 | **$1309** | **$1369** |
| NOTES: Box/file drawers. Drawers lock. Two cord grommets in top for routing and hiding wires and cables. Bow top models measure 36″D at crest and 30″D along the end panels. See pages 683-684 for optional center drawers. | | | | | | |
|  **Small Office Desk** | | | | | | |
| 48″W x 30″D x 29½″H, 3/4 Pedestal, Right box/file | 4½″ | **H105885R** | 168 | 30.5 | **$1163** | **$1207** |
| NOTES: Small footprint makes this desk ideal for limited space. Drawers lock. One cord grommet in top for routing and hiding wires and cables. 3/4 height modesty panel facilitates reaching wall electrical outlets. Optional stack-on storage model H105323 maximizes storage space; see page 283. | | | | | | |
|  **Return, box/file** | | | | | | |
| 48″W x 24″D x 29½″H, Right | | **H10515R** | 147 | 25.6 | **$1055** | **$1099** |
| 42″W x 24″D x 29½″H, Right | | **H10511R** | 138 | 20.5 | **$1033** | **$1077** |
| 48″W x 24″D x 29½″H, Left | | **H10516L** | 147 | 25.6 | **$1055** | **$1099** |
| 42″W x 24″D x 29½″H, Left | | **H10512L** | 138 | 20.5 | **$1033** | **$1077** |
| NOTES: Return is for use with single pedestal desks, desk shells, peninsulas or corner units. One worksurface grommet and one cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. Drawers lock. See pages 283-284 for optional stack-on storage. | | | | | | |
| ! Not designed to be used freestanding. Will not attach to Corner Units manufactured prior to 5/24/99. | | | | | | |

**NOTES:**

- For components that can be shared with 10500 Series™, see pages 279-301.
- Tops and end panels are abrasion- and stain-resistant laminate over durable 1⅛″ solid core high-performance particleboard; resists warping.
- Formal, full height modesty panels.
- 3/4 pedestal design increases budget flexibility.
- 3″ round cord management grommets, for routing and hiding wires and cables, are located in the tops of desks, returns, bridges, and corner units. Grommet cutout accepts optional Power Hub (model HGRMTAC) or Power/USB Hub (model HGRMTUSB2) — see page 697.
- All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- For field installable decorative handle options, see page 301.
- Desk, credenza, and return models ship assembled.
- See stack-on storage and stack-on PC organizer options on pages 282-284.
- Use with Above Worksurface Privacy Screens. See page 269.




## HOW TO SPECIFY

| Select Model Number | Select Laminate Top and Chassis Color |
|---|---|
| H 1 0 5 9 5 . | See pages 245-246<br>N N |

# 10500 SERIES™
## Laminate Wood Desks — 3/4 Pedestals

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | FULL WIDTH OVERHANG | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|---|
|  | **Credenza with Doors** | | | | | | |
| | 72″W x 24″D x 29½″H | 3½″ | **H10544** | 278 | 36.0 | **$1904** | **$1975** |
| | NOTES: All drawers lock. Doors are non-locking. Includes a fixed shelf located at the bottom of the center storage area. No intermittent shelf. See pages 283-284 for optional stack-on storage. | | | | | | |
|  | **Credenza with Kneespace — box/file** | | | | | | |
| | 72″W x 24″D x 29½″H | 3½″ | **H10543** | 243 | 36.3 | **$1562** | **$1627** |
| | 66″W x 24″D x 29½″H | 3½″ | **H10566** | 234 | 33.4 | **$1547** | **$1612** |
| | 60″W x 24″D x 29½″H | 3½″ | **H10565** | 229 | 28.8 | **$1476** | **$1536** |
| | NOTES: All drawers lock. One cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. | | | | | | |
| | ! Not designed to be used with 22¾″D modular or mobile pedestals. Modesty/back panel is inset 3½″. | | | | | | |
|  | **Single Pedestal Credenza — box/file** | | | | | | |
| | 72″W x 24″D x 29½″H, Right (shown) | 3½″ | **H10545R** | 212 | 36.0 | **$1290** | **$1350** |
| | 72″W x 24″D x 29½″H, Left | 3½″ | **H10546L** | 212 | 36.0 | **$1290** | **$1350** |
| | NOTES: Drawers lock. One cord pass-through grommet in top center of modesty panel to reach wall electrical outlets. See page 283 for optional stack-on storage. | | | | | | |
| | ! Not designed to be used with 22¾″D modular or mobile pedestals. Modesty/back panel is inset 3½″. | | | | | | |

**NOTES:**

- For components that can be shared with 10500 Series™, see pages 279-301.
- Tops and end panels are abrasion- and stain-resistant laminate over durable 1⅛″ solid core high-performance particleboard; resists warping.
- Formal, full height modesty panels.
- 3/4 pedestal design increases budget flexibility.
- 3″ round cord management grommets, for routing and hiding wires and cables, are located in the tops of desks, returns, bridges, and corner units. Accepts optional Power Hub Grommet model HGRMTAC — page 697.
- All drawers are 5-sided construction, which allows easy drawer alignment or replacement of drawer fronts.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- For field installable decorative handle options, see page 301.
- Desk, credenza, and return models ship assembled.
- See stack-on storage and stack-on PC organizer options on pages 282-284.
- Use with Above Worksurface Privacy Screens. See page 269.


## HOW TO SPECIFY

| Select Model Number | Select Laminate Top and Chassis Color |
|---|---|
| | See pages 245-246 |
| H 1 0 5 4 4 . | N N |

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Peninsula w/End Panel** | | | | | |
| 72″W x 36″D x 29½″H | **H10521E** | 146 | 8.1 | **$1124** | **$1174** |
| 72″W x 30″D x 29½″H | **H105209E** | 126 | 7.0 | **$1052** | **$1102** |
| 66″W x 30″D x 29½″H | **H10522E** | 121 | 6.6 | **$1037** | **$1087** |
| 60″W x 30″D x 29½″H | **H10523E** | 96 | 6.6 | **$973** | **$1023** |

NOTES: Use for "U" or "L" configuration. 60″W size ideal for smaller spaces. Cord routing notch in brace panel. Accepts field installable modesty panel model H10528. Accepts center drawer model H1522. Model H1522 can be used in conjunction with the laminate modesty panel model H10528. Round support column is black.


Not designed to be used freestanding.




| | | | | | |
|---|---|---|---|---|---|
| 72″W x 30/36″D x 29½″H, P-shaped Right | **H10525RE** | 138 | 8.1 | **$1311** | **$1361** |
| 72″W x 36/30″D x 29½″H, P-shaped Left | **H10526LE** | 138 | 8.1 | **$1311** | **$1361** |

NOTES: Use for "U" or "L" configuration. Cord routing notch in brace panel. Accept field installable modesty panel model H10528 (see page 280). See pages 683-684 for optional center drawers. Round support column is black.

Not designed to be used freestanding.





*Right-hand model H105201RE shown*


**Jetty Peninsula w/End Panel**

| | | | | | |
|---|---|---|---|---|---|
| 72″W x 30/42″D x 29½″H, Right | **H105201RE** | 152 | 9.4 | **$1453** | **$1513** |
| 72″W x 42/30″D x 29½″H, Left | **H105202LE** | 152 | 9.4 | **$1453** | **$1513** |

NOTES: For use in "U" or "L" configuration. Designed and sized to efficiently serve as both a computing and conferencing space. One cord management grommet in the top; cord routing notch in brace panel. Round support column is black.

Not designed to be used freestanding. Jetty units manufactured on or after 10/24/2005 accept field installable modesty panel H10528 (see page 280).





*Right-hand model H105203RE shown*

**Boomerang Peninsula w/End Panel**

| | | | | | |
|---|---|---|---|---|---|
| 72″W x 30/42″D x 29½″H, Right | **H105203RE** | 150 | 7.0 | **$1453** | **$1513** |
| 72″W x 42/30″D x 29½″H, Left | **H105204LE** | 150 | 7.0 | **$1453** | **$1513** |

NOTES: For use in "U" or "L" configuration. Designed and sized to efficiently serve as both a computing and conferencing space. One cord management grommet in the top; cord routing notch in brace panel. Round support column is black.

Not designed to be used freestanding. Accept field installable modesty panel H10528 (see page 280).




**NOTES:**

- Shared components shown on this page can be used with modular components shown on pages 256-272, full pedestal models shown on pages 273-274 and 3/4 pedestal models shown on pages 277-278.
- Jetty, boomerang, and rudder peninsulas are designed and sized to efficiently serve as both a computing and conferencing space.
- Peninsulas ship complete with end panel and black 3″ diameter support column. For a silver support column option, please see model HPC191X on page 263 (ordered separately).
- Mobile pedestals shown on page 292 work well in a variety of configurations.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have ¾″ adjustable range.
- See pages 279-301 for shared components.

## HOW TO SPECIFY


| Select Model Number | Select Laminate Top and Chassis Color | Select Paint Color |
|---|---|---|
| | See pages 245-246 | **P** Black |
| H 1 0 5 2 1 E . | N N . | P |

# 10500 SERIES™
# Shared Components & Accessories

GSA SIN 33721

Icon Legend on page 19

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Rudder Peninsula with End Panel** | | | | | |
| 72″W x 30/38″D x 29½″H, Right | **H105205RE** | 140 | 8.1 | **$1421** | **$1471** |
| 72″W x 30/38″D x 29½″H, Left | **H105206LE** | 140 | 8.1 | **$1421** | **$1471** |




*Model H105205RE shown*

NOTES: Use for "U" or "L" configuration. One cord management grommet in top; cord routing notch in brace panel. 30″D along end panel. Round support column is black.

Not designed to be used freestanding.



**Field Installable Laminate Modesty Panel for Peninsulas**

50¼″W x ¾″Thick x 18″H — **H10528** — 25 — 1.3 — **$243** — **$255**

NOTES: Center drawer model H1522 can be used in conjunction with the laminate modesty panel. Laminate modesty panel has a cord pass-through notch in top corner.

Not compatible with Peninsula models H10525R, H10526L, H10621 manufactured prior to 12/1/2001 or jetty models H105201R and H105202L manufactured prior to 10/24/2005.

**SPECIFYING EXAMPLE: H10528.N**

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Field Installable Modesty Panel, Frosted with Silver Frame** | | | | |
| 50¼″W x ¾″Thick x 18″H — for use on 72″W peninsulas | **HPC180G** | 33 S | 1.5 | **$960** |



Center drawers not designed to be used with the frosted/silver modesty panel. Cord pass-through notch is not available on the Frosted/Silver model HPC180G. Notch is on laminate model H10528 only.

**NOTES:**

**Panels**

- Shared components shown on this page can be used with modular components shown on pages 256-272, full pedestal models shown on pages 273-274 and 3/4 pedestal models shown on pages 277-278.
- Jetty, boomerang and rudder peninsulas are designed and sized to efficiently serve as both a computing and conferencing space.
- Peninsulas ship complete with end panel and black 3″ diameter support column. For a silver support column option, please see model HPC191X on page 263 (ordered separately).
- Mobile pedestals shown on page 292 work well in a variety of configurations.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have ¾″ adjustable range.
- See pages 279-301 for shared components.

## HOW TO SPECIFY

| Select Model Number | Select Laminate Top and Chassis Color | Select Paint Color |
|---|---|---|
| | See pages 245-246 | **P** Black |
| H 1 0 5 2 0 5 R E . | N N . | P |

GSA SIN 33721

Icon Legend on page 19

# 10500 SERIES™ Shared Components & Accessories



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Bridge (Single Ped. Desk, Desk Shell, or Peninsula, to Corner Unit, Single Ped. Credenza or Credenza Shell)** | | | | | |
| 47″W x 24″D x 29½″H (Clear inside depth = 21⅞″D) | **H10570** | 76 | 2.8 | **$461** | **$494** |
| 42″W x 24″D x 29½″H (Clear inside depth = 21⅞″D) | **H10560** | 72 | 2.6 | **$442** | **$475** |
| **Bridge (for use with Corner or Extended Corner Units or Jetty or Boomerang Peninsulas)** | | | | | |
| 36″W x 24″D x 29½″H (Clear inside depth = 21⅞″D) | **H105599** | 61 | 2.6 | **$442** | **$475** |
| **Bridge (for use with Corner or Extended Corner Units)** | | | | | |
| 30″W x 24″D x 29½″H (Clear inside depth = 21⅞″D) | **H105598** | 50 | 1.9 | **$442** | **$475** |


NOTES: One cord grommet in top; one pass-through grommet in top center of modesty panel. Grommet can be replaced with optional Power Hub or Power/USB Hub for easy plug-and-play (see page 697). Kneespace of desk limited to 24¾″W if bridge is used with 66″W single pedestal desk.

Not designed to attach to corner units manufactured prior to 5/24/99.

| | | | | | |
|---|---|---|---|---|---|
| **Bridge (Single Ped. Desk, Desk Shell, or Peninsula to Single Ped. Credenza or Credenza Shell)** | | | | | |
| 47″W x 20″D x 29½″H (Clear inside depth = 17⅞″D) | **H105699** | 61 | 2.8 | **$442** | **$475** |
| 42″W x 20″D x 29½″H (Clear inside depth = 17⅞″D) | **H105698** | 54 | 2.6 | **$412** | **$445** |

NOTES: One cord grommet in top; one pass-through grommet in top center of modesty panel.


Models H105699 and H105698 cannot be connected to corner or extended corner units or to the jetty or boomerang peninsulas, due to the 20″D "hook-up".



| | | | | | |
|---|---|---|---|---|---|
| **Credenza with 36″ Lateral (with core removable lock)** | | | | | |
| 72″W x 24″D x 29½″H, Right (shown) | **H10547R** | 248 | 35.6 | **$1763** | **$1828** |
| 72″W x 24″D x 29½″H, Left | **H10548L** | 248 | 35.6 | **$1763** | **$1828** |


NOTES: One cord pass-through grommet in top center of modesty panel. Includes hangrails. Mechanical interlock inhibits the extension of more than one drawer at a time. Accepts optional stack-on storage model H10534 (page 283) or PC Organizer model H105388 (page 282).

Not designed to be used with 10500 Series™ 22¾″D modular or mobile pedestals. Modesty/back panel is inset 3½″.




| | | | | | |
|---|---|---|---|---|---|
| **Credenza with two Lateral Files (4 locking drawers. Each core removable lock secures 2 drawers)** | | | | | |
| 72″W x 24″D x 29½″H | **H105491** | 314 | 34.7 | **$2544** | **$2626** |

NOTES: Includes hangrails; mechanical interlock inhibits the extension of more than one drawer at a time. If side-by-side drawers are opened or closed simultaneously, one drawer may interfere with the other. Two locks (keyed alike). Accepts optional stack-on storage model H10534 (page 283) or PC Organizer model H105388 (page 282).



| | | | | | |
|---|---|---|---|---|---|
| **Credenza with Lateral File, left and Storage Cabinet, right (with core removable locks)** | | | | | |
| 72″W x 24″D x 29½″H | **H105492** | 307 | 34.7 | **$2225** | **$2307** |

NOTES: Includes hangrails; mechanical interlock inhibits the extension of more than one drawer at a time. Storage cabinet locks and includes one adjustable interior shelf. Shelf adjusts in 1¼″ increments with a total range of 5″H. Two locks (keyed alike). Accepts optional stack-on storage model H10534 (page 283) or PC Organizer model H105388 (page 282).



| | | | | | |
|---|---|---|---|---|---|
| **Credenza with Two Storage Cabinets (with core removable locks)** | | | | | |
| 72″W x 24″D x 29½″H | **H105493** | 302 | 34.8 | **$2074** | **$2156** |

NOTES: Each storage cabinet has one interior shelf which adjusts in 1¼″ increments over a total range of 5″. Each cabinet locks independently; locks are keyed alike. Accepts optional stack-on storage model H10534 (page 283) or PC Organizer model H105388 (page 282).

**NOTES:**

- Shared components shown on this page can be used with modular components shown on pages 256-272, full pedestal models shown on pages 273-274, and 3/4 pedestal models shown on pages 277-278.
- Locking units equipped with interchangeable core removable locks.
- File drawers accept hanging folders in letter or legal size.
- Mobile pedestals shown on page 292 work well in a variety of configurations.
- Work Organizer models accept 3-ring binders and organizer model HTCOL52. See page 298.
- See stack-on storage and organizer options for desks, credenzas and returns, pages 282-284.
- See pages 279-301 for shared components.

Keyed alike cores must be ordered separately — see model HF23B on page 673.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 7 0 .

**Select Laminate Top and Chassis Color**




See pages 245-246

N N

# 10500 SERIES™
## Shared Components & Accessories

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Stack-on PC Organizer** | | | | | |
| | 72″W x 14⅝″D x 22″H (for 72″W desks, credenzas and shells) | **H105388** | 124 | 5.0 | **$1027** | **$1066** |
| | NOTES: Features two adjustable paper management shelves both left and right; shelves are adjustable in 1¼″ increments. Shelves keep papers, files, and books within easy reach from a seated position. One cord management grommet located in the bottom center of the back panel. Design allows 20¾″ of vertical clearance for computer equipment. | | | | | |
|  | **Work Organizer (shell only)** | | | | | |
| | 72″W x 14⅝″D x 14⅛″H (for 72″W unit) | **H10537** | 73 | 2.9 | **$533** | **$566** |
| | 66″W x 14⅝″D x 14⅛″H (for 66″W unit) | **H10536** | 68 | 2.7 | **$505** | **$538** |
| | NOTES: Space below counter accepts 3-ring binders and organizer model HTCOL52. See page 298. | | | | | |
|  | **Open Shared Storage** | | | | | |
| | 60″W x 14⅝″D x 16⅞″H | **H105368** | 81 | 14.2 | **$971** | **$1004** |
| | 48″W x 14⅝″D x 16⅞″H | **H105367** | 68 | 11.5 | **$944** | **$972** |
| | NOTES: Attaches to laminate end panels with horizontally mounted interlocking brackets. Mounting applications include: 60″W — two 30″D desks/desk shells, 60″W — two 48″W (minimum) x 30″D rectangle worksurfaces supported by 28½″H L-shaped end panels, 48″W — two 24″D credenzas/credenza shells, 48″W — two 24″D returns/return shells, 48″W — two 60″W (minimum) x 24″D rectangle worksurfaces supported by 28½″H L-shaped end panels. Can also be positioned on the worksurface; double-sided tape included. Grain direction is vertical on top, back, end panels, and shelf. Ships fully assembled. Not designed for attachment to a worksurface supported by H-legs or O-legs. Inside dimensions for 60″W: each compartment 28¾″W x 13½″D x 15½″H. Inside dimensions for 48″W: each compartment 22¾″W x 13½″D x 15½″H. | | | | | |

**NOTES:**

- Shared components shown on this page can be used with modular components shown on pages 256-272, full pedestal models shown on pages 273-274, and 3/4 pedestal models shown on pages 277-278.
- Mobile pedestals shown on page 292 work well in a variety of configurations.
- See stack-on storage and organizer options for desks, credenzas and returns, pages 282-284.
- See pages 279-301 for shared components.
- Locking units equipped with interchangeable core removable locks.

Keyed alike cores must be ordered separately — see model HF23B on page 673.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 3 8 8 .

**Select Laminate Top and Chassis Color**

See pages 245-246


N N

GSA SIN 33721

Icon Legend on page 19


# 10500 SERIES™ Shared Components & Accessories





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Stack-on Storage for an "L" Workstation** | | | | | |
| 78"W x 14⅝"D x 37⅛"H | **H105327** | 198 | 17.6 | **$1441** | **$1512** |
| **Stack-on Storage for an "L" Workstation, Locking** | | | | | |
| 78"W x 14⅝"D x 37⅛"H | **H105327K** | 198 | 17.6 | **$1547** | **$1618** |

NOTES: Spans the total depth dimension of configurations comprised of: 48"W return or return shell attached to a 30"D single pedestal desk, desk shell or peninsula (78"D); 42"W return or return shell attached to a 36"D single pedestal desk or desk shell with a rectangle top, or to a peninsula (78"D). 42"W return or return shell attached to a 36" corner unit (78"D); or 42"W curved return attached to 36" curved corner unit (78"D). Use back enclosure model H105857 and tackboard model H90057. Use task light models HH870960 or HH870960CH (see page 688). For vertical paper manager model HLVPM1, see page 689.



| | | | | | |
|---|---|---|---|---|---|
| **Stack-on Storage** | | | | | |
| 72"W x 14⅝"D x 37⅛"H, 4 doors | **H10534** | 185 | 17.1 | **$1273** | **$1317** |
| (Use Task Light HH870960, see page 290) | | | | | |
| 66"W x 14⅝"D x 37⅛"H, 4 doors | **H10533** | 175 | 15.3 | **$1238** | **$1298** |
| (Use Task Light HH870960, see page 290) | | | | | |
| 60"W x 14⅝"D x 37⅛"H, 4 doors | **H105324** | 164 | 14.0 | **$1188** | **$1248** |
| (Use Task Light HH870960, see page 290) | | | | | |
| 48"W x 14⅝"D x 37⅛"H, 3 doors | **H105323** | 141 | 11.3 | **$1071** | **$1121** |
| (Use Task Light HH870942, see page 290) | | | | | |
| 42"W x 14⅝"D x 37⅛"H, 2 doors | **H105322** | 135 | 4.0 | **$877** | **$927** |
| (Use Task Light HH870942, see page 290) | | | | | |
| 36"W x 14⅝"D x 37⅛"H, 2 doors | **H105321** | 102 | 3.5 | **$829** | **$862** |
| (Use Task Light HH870930, see page 290) | | | | | |
| **Stack-on Storage, Locking** | | | | | |
| 72"W x 14⅝"D x 37⅛"H, 4 doors | **H10534K** | 185 | 17.1 | **$1380** | **$1440** |
| (Use Task Light HH870960, see page 290) | | | | | |
| 66"W x 14⅝"D x 37⅛"H, 4 doors | **H10533K** | 175 | 15.3 | **$1345** | **$1405** |
| (Use Task Light HH870960, see page 290) | | | | | |
| 60"W x 14⅝"D x 37⅛"H, 4 doors | **H105324K** | 164 | 14.0 | **$1294** | **$1354** |
| (Use Task Light HH870960, see page 290) | | | | | |
| 48"W x 14⅝"D x 37⅛"H, 3 doors | **H105323K** | 141 | 11.3 | **$1150** | **$1200** |
| (Use Task Light HH870942, see page 290) | | | | | |
| 42"W x 14⅝"D x 37⅛"H, 2 doors | **H105322K** | 135 | 4.0 | **$931** | **$981** |
| (Use Task Light HH870942, see page 290) | | | | | |
| 36"W x 14⅝"D x 37⅛"H, 2 doors | **H105321K** | 102 | 3.5 | **$882** | **$926** |
| (Use Task Light HH870930, see page 290) | | | | | |

NOTES: For use on respective desk, credenza or return widths. Model H10534 can be used for "L" configuration comprised of 30"D desk, desk shell or peninsula and 42"W return or return shell; or a 36"D desk, desk shell, peninsula, or corner unit and 36"W return shell. Model H105323K has one lock which secures two of the three doors. See vertical paper manager model HLVPM1 on page 689.

**NOTES:**

- Shared components shown on this page can be used with modular components shown on pages 256-272, full pedestal models shown on pages 273-274, and 3/4 pedestal models shown on pages 277-278.
- Rich woodgrain laminate and frosted doors with silver frames adds a contemporary mixed materials option to the 10500 Series™.
- Stack-on storage models are equipped with self-closing, adjustable hinged doors and valance to hide task light.
- See page 286 for stack-on storage back enclosures and tackboards, and page 290 for task lights.
- For work-in-process paper management tools, see pages 689-691.
- See pages 279-301 for shared components.
- **Removable lock core kit for locking stack-on storage is model HF27B. See page 673.**

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 3 2 7 .

**Select Laminate Top and Chassis Color**




See pages 245-246

N N

# 10500 SERIES™
# Shared Components & Accessories

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Stack-on Storage for an "L" Workstation, Frosted Doors with Silver Frame** | | | | | |
| | 78"W x 14⅝"D x 37⅛"H | **H105327G** | 198 | 17.3 | **$2261** | **$2316** |
| | NOTES: Spans the total depth dimension of configurations comprised of: 48"W return or return shell attached to a 30"D single pedestal desk, desk shell or peninsula (78"D); 42"W return or return shell attached to a 36"D single pedestal desk or desk shell with a rectangle top, or to a peninsula (78"D). 42"W return or return shell attached to a 36" corner unit (78"D); 42"W curved return attached to 36" curved corner unit (78"D); or 36"W return shell attached to a jetty peninsula (78"D). Use back enclosure model H105857 and tackboard model H90057. Use task light models HH870960 or HH870960CH. For vertical paper manager model HLVPM1, see page 689. | | | | | |
|  | **Stack-on Storage, Frosted Doors with Silver Frame** | | | | | |
| | 72"W x 14⅝"D x 37⅛"H, 4 doors | **H10534G** | 185 | 15.9 | **$2089** | **$2133** |
| | (Use Task Light HH870960, see page 290) | | | | | |
| | 66"W x 14⅝"D x 37⅛"H, 4 doors | **H10533G** | 175 | 14.6 | **$2052** | **$2096** |
| | (Use Task Light HH870960, see page 290) | | | | | |
| | 60"W x 14⅝"D x 37⅛"H, 4 doors | **H105324G** | 164 | 13.3 | **$2001** | **$2045** |
| | (Use Task Light HH870960, see page 290) | | | | | |
| | 48"W x 14⅝"D x 37⅛"H, 3 doors | **H105323G** | 141 | 10.8 | **$1687** | **$1720** |
| | (Use Task Light HH870942, see page 290) | | | | | |
| | 42"W x 14⅝"D x 37⅛"H, 2 doors | **H105322G** | 135 | 3.6 | **$1293** | **$1326** |
| | (Use Task Light HH870942, see page 290) | | | | | |
| | 36"W x 14⅝"D x 37⅛"H, 2 doors | **H105321G** | 102 | 3.1 | **$1242** | **$1270** |
| | (Use Task Light HH870930, see page 290) | | | | | |
| | NOTES: For respective desk, credenza or return widths. Model 10534 can be used for "L" configuration comprised of a 42"W return or return shell attached to a 30"D single pedestal desk, desk shell or peninsula (72"); 36"W return shell attached to a 36"D single pedestal desk, desk shell or peninsula (72"); or 30"W return shell attached to a jetty peninsula (72"). Back enclosures, tackboards for use with back enclosures and task lights are available as options. See vertical paper manager model HLVPM1 on page 689. | | | | | |
|  | **Stack-on Storage Clearance End Panel Kit** | | | | | |
| | 1⅛"W x 4⅝-14⅝"D x 36"H | **H105349** | 29 | 3.4 | **$455** | **$472** |
| | Two field installable end panels (1-right; 1-left) for use in ganging two 10500 or Valido® Series stack-on storage units. Narrow design replaces the full 14⅝"D end panels to expand worksurface space. The narrow right end panel replaces the standard 14⅝"D right end panel on one stack-on storage unit, the narrow left end panel replaces the standard 14⅝"D left end panel on a separate, adjacent stack-on storage unit that is in linear alignment with the first unit. Kit includes: (2) narrow end panel supports; European-style fasteners; dowels; joint connector bolts with sleeve nuts (for ganging stack-on storage units). | | | | | |
| | NOTES: Can be used to connect up to two stack-on storage units in a line (requires 1 kit). Not available in two-tone laminate. **SPECIFYING EXAMPLE: H105349.N** | | | | | |

**NOTES:**

- Shared components shown on this page can be used with modular components shown on pages 256-272, full pedestal models shown on pages 273-274, and 3/4 pedestal models shown on pages 277-278.
- Rich woodgrain laminate and frosted doors with silver frames adds a contemporary mixed materials option to the 10500 Series™.
- Stack-on storage models are equipped with self-closing, adjustable hinged doors and valance to hide task light.
- See page 286 for stack-on storage back enclosures and tackboards, and page 290 for task lights.
- For work-in-process paper management tools, see pages 689-691.
- See pages 279-301 for shared components.
- **Removable lock core kit for locking stack-on storage is model HF27B. See page 673.**

## HOW TO SPECIFY


**Select Model Number**

H 1 0 5 3 2 7 G .

**Select Laminate Top and Chassis Color**

See pages 245-246

N N



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES SHELF |
|---|---|---|---|---|---|---|
| **Stack-on Cabinets with Open Shelves, Center**<br>Overall measures: 72″W x 20″D x 37⅛″H<br>Cabinet measures: 13½″W x 19⅞″D x 37⅛″H | **H105319** | 218 | 20.3 | **$2221** | **$65** | **$22** |

NOTES: Contemporary, light scale design blends open and closed storage. Features two locking cabinets bridged by two open shelves. The clearance between the worksurface and underside of the lower shelf is 18⅝″. Top shelf is 45″W x 11″D, bottom shelf is 45″W x 14″D; space between the shelves is 12¼″. Some assembly required; cabinets are fully assembled; simple shelf attachment. For two-tone color combinations, the first color designator defines the top of the storage cabinet(s), the second designator defines the color of the cabinet vertical panels and the open (exterior) shelves.

**NOTES:**

- Stack-on Cabinets with Open Shelves, Center is sized to fit on 72″ desk, credenza, return, or desk with return worksurfaces.
- Easy-care, scratch-, spill- and stain-resistant laminate over 1⅛″ solid core high-performance particleboard.
- Cabinets have three shelves, two are adjustable.
- Removable lock core kit for the cabinet models above is HF23B. See page 673.
- Back of cabinet door has a convenient double coat hook; the lower peg is for jackets and lighter items, the upper peg for heavier coats and bags.
- Open shelves display books, photos, and mementos, shelves are fixed height; top shelf is ¾″ thick, lower shelf is 1⅛″.
- Task light can be attached to underside of the bottom shelf.


## HOW TO SPECIFY

| Select Model Number | Select Cabinet Top and Chassis Color | Select Open Shelf Laminate |
|---|---|---|
| H 1 0 5 3 1 9 . | See pages 245-246<br>H H . | See pages 245-246<br>H |

# 10500 SERIES™
# Shared Components & Accessories

GSA SIN 33721

Icon Legend on page 19




18⅝″H

*Not available in two-tone laminate*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Back Enclosure for Stack-on Storage** | | | | | |
| 75¾″W - for 78″W model #H105327/H105327K/H105327G | **H105857** | 39 | 1.4 | **$328** | **$340** |
| 69¾″W - for 72″W model #H10534/H10534K/H10534G | **H105856** | 33 | 1.3 | **$301** | **$313** |
| 63¾″W - for 66″W model #H10533/H10533K/H10533G | **H105855** | 31 | 1.3 | **$281** | **$293** |
| 57¾″W - for 60″W model #H105324/H105324K/H105324G | **H105854** | 29 | 1.3 | **$268** | **$280** |
| 45¾″W - for 48″W model #H105323/H105323K/H105323G | **H105853** | 23 | 0.9 | **$268** | **$280** |
| 39¾″W - for 42″W model #H105322/H105322K/H105322G | **H105852** | 21 | 0.9 | **$255** | **$267** |
| 33¾″W - for 36″W model #H105321/H105321K/H105321G | **H105851** | 18 | 0.9 | **$242** | **$254** |

NOTES: Non-tackable.



18″H

| DESCRIPTION | MODEL | COM | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
| **Tackboards for use with Stack-on Back Enclosures (Back Enclosures must be ordered separately.)** | | | | | |
| 75″W - for 78″W model #H105327 Hutch with #H105857 Enclosure | **H90057** | 3.0 | 13 | 3.2 | **$436** |
| 68¾″W - for 72″W model #H10534 Hutch with #H105856 Enclosure | **H90056** | 2.0 | 12 | 2.7 | **$414** |
| 62¾″W - for 66″W model #H10533 Hutch with #H105855 Enclosure | **H90055** | 2.0 | 11 | 2.5 | **$393** |
| 56¾″W - for 60″W model #H105324 Hutch with #H105854 Enclosure | **H90054** | 2.0 | 10 | 2.2 | **$346** |
| 44¾″W - for 48″W model #H105323 Hutch with #H105853 Enclosure | **H90053** | 2.0 | 8 | 1.8 | **$332** |
| 39″W - for 42″W model #H105322 Hutch with #H105852 Enclosure | **H90052** | 2.0 | 7 | 1.6 | **$306** |
| 33″W - for 36″W model #H105321 Hutch with #H105851 Enclosure | **H90051** | 1.0 | 6 | 1.4 | **$270** |
| 26¾″W | **H90050** | 1.0 | 5 | 1.2 | **$270** |

NOTES: Specify fabric, see pages 26-27. Upcharges may apply to premium fabric grades.

Disperse (DISP) fabric not available on sizes wider than 60″. Exchange (EXG) not available on sizes wider than 60″.


**SPECIFYING EXAMPLE: H90057.APN15**

**NOTES:**

- When connected to the stack-on storage unit, back enclosure features full-width 1⅛″ slot at the bottom to facilitate routing cords and reaching wall electrical outlets.
- Tackboard is sized ¾″ narrower than stack-on storage back enclosure, allowing ⅜″ on each side to route task light cord.
- Tackboard includes adhesive tape to secure to back enclosure and hardware for wall attachment.
- See pages 279-301 for shared components.

## HOW TO SPECIFY

| Select Model Number | Select Laminate |
|---|---|
| | See pages 245-246 |
| H 1 0 5 8 5 7 . | N |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Wall Mounted Storage Cabinet** | | | | | |
| 48″W x 14⅝″D x 17½″H, 3 doors<br>(Use task light model HH870942, see page 290) | **H105383** | 114 | 13.2 | **$1106** | **$1145** |
| 42″W x 14⅝″D x 17½″H, 2 doors<br>(Use task light model HH870942, see page 290) | **H105382** | 97 | 11.7 | **$1035** | **$1074** |
| 36″W x 14⅝″D x 17½″H, 2 doors<br>(Use task light model HH870930, see page 290) | **H105381** | 87 | 10.2 | **$943** | **$982** |
| 30″W x 14⅝″D x 17½″H, 2 doors<br>(Use task light model HH870930, see page 290) | **H105380** | 73 | 8.7 | **$880** | **$919** |
| **Wall Mounted Storage Cabinet, Locking** | | | | | |
| 48″W x 14⅝″D x 17½″H, 3 doors<br>(Use task light model HH870942, see page 290) | **H105383K** | 114 | 13.2 | **$1185** | **$1224** |
| 42″W x 14⅝″D x 17½″H, 2 doors<br>(Use task light model HH870942, see page 290) | **H105382K** | 97 | 11.7 | **$1087** | **$1126** |
| 36″W x 14⅝″D x 17½″H, 2 doors<br>(Use task light model HH870930, see page 290) | **H105381K** | 87 | 10.2 | **$997** | **$1036** |
| 30″W x 14⅝″D x 17½″H, 2 doors<br>(Use task light model HH870930, see page 290) | **H105380K** | 73 | 8.7 | **$932** | **$971** |

NOTES: Horizontal interlocking rails are included; due to varying types of walls, installers are responsible for selecting and supplying the appropriate fasteners. Tackboard widths differ slightly from wall mounted storage cabinet widths. For applications where multiple wall mounted storage cabinets are placed side-by-side, the preferred tackboard solution may be to utilize a larger tackboard size. For wall mounted storage cabinets with frosted doors, see page 290.

**SPECIFYING EXAMPLE: H105380.NN**

**If Specifying with Lock Option: H105380K.NN**

**NOTES:**

- Tackboard is sized ¾″ narrower than stack-on storage back enclosure, allowing ⅜″ on each side to route task light cord.
- Wall attachment methodology: horizontally mounted, interlocking brackets.
- Wall mounted storage cabinet door design overlaps end panels so that when multiple units are placed side-by-side they appear as one continuous unit.
- Wall mounted storage cabinets available with laminate doors, locking laminate doors or frosted doors.
- Removable lock core kit for locking stack-on and wall mounted storage is model HF27B. See page 673.
- See pages 279-301 for shared components.

Wall mounted storage cabinet attachment requires individual cabinets be secured by a minimum of two wall mounting locations/studs.

Wall mounted storage cabinets are designed for interior and perimeter walls that are constructed with wood or metal studs.

The HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 3 8 0 K .

**Select Laminate Top and Chassis Color**





See pages 245-246

N N

# 10500 SERIES™
# Shared Components & Accessories

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|---|
|  | **Wall Mounted Hutch** | | | | | | |
| | 66″W x 14⅝″D x 15″H, 4 doors | **H105WMH66** | 120 | 16.1 | **$1615** | **$33** | **$33** |
| | 48″W x 14⅝″D x 15″H, 3 doors | **H105WMH48** | 97 | 12.6 | **$1157** | **$28** | **$33** |
| | 42″W x 14⅝″D x 15″H, 2 doors | **H105WMH42** | 77 | 10.7 | **$1085** | **$28** | **$22** |
| | 36″W x 14⅝″D x 15″H, 2 doors | **H105WMH36** | 67 | 9.8 | **$994** | **$28** | **$22** |
| | 30″W x 14⅝″D x 15″H, 2 doors | **H105WMH30** | 57 | 8.3 | **$930** | **$28** | **$22** |
|  | **Wall Mounted Cubby Hutch** | | | | | | |
| | 66″W x 14⅝″D x 20″H, 4 doors | **H105WMH66C** | 155 | 19.6 | **$1615** | **$33** | **$33** |
| | 48″W x 14⅝″D x 20″H, 3 doors | **H105WMH48C** | 128 | 15.2 | **$1157** | **$28** | **$33** |
| | 42″W x 14⅝″D x 20″H, 2 doors | **H105WMH42C** | 114 | 13.0 | **$1085** | **$28** | **$22** |
| | 36″W x 14⅝″D x 20″H, 2 doors | **H105WMH36C** | 89 | 11.8 | **$994** | **$28** | **$22** |
| | 30″W x 14⅝″D x 20″H, 2 doors | **H105WMH30C** | 76 | 10.0 | **$930** | **$28** | **$22** |
|  | **Wall Mounted Open Hutch** | | | | | | |
| | 72″W x 14⅝″D x 15″H, 2 Doors | **H105WMH72P** | 119 | 17.5 | **$1763** | **$39** | **$39** |
| | 66″W x 14⅝″D x 15″H, 2 Doors | **H105WMH66P** | 111 | 16.1 | **$1615** | **$33** | **$33** |
| | 60″W x 14⅝″D x 15″H, 2 Doors | **H105WMH60P** | 104 | 14.7 | **$1463** | **$33** | **$33** |
| | 48″W x 14⅝″D x 15″H, 2 Doors | **H105WMH48P** | 89 | 12.6 | **$1310** | **$28** | **$33** |
|  | **Wall Mounted Open Hutch with Cubby** | | | | | | |
| | 72″W x 14⅝″D x 20″H, 2 Doors | **H105WMH72PC** | 162 | 21.3 | **$1763** | **$39** | **$39** |
| | 66″W x 14⅝″D x 20″H, 2 Doors | **H105WMH66PC** | 151 | 19.6 | **$1615** | **$33** | **$33** |
| | 60″W x 14⅝″D x 20″H, 2 Doors | **H105WMH60PC** | 140 | 14.7 | **$1463** | **$33** | **$33** |
| | 48″W x 14⅝″D x 20″H, 2 Doors | **H105WMH48PC** | 117 | 12.6 | **$1310** | **$28** | **$33** |

**NOTES:**

- Wall attachment methodology: horizontally mounted, interlocking brackets.
- Wall mounted storage cabinet door design overlaps end panels so that when multiple units are placed side-by-side they appear as one continuous unit.
- Laminate doors are non-locking.
- Horizontal interlocking rails are included; due to varying types of walls, installers are responsible for selecting and supplying the appropriate fasteners. Tackboard widths differ slightly from wall mounted storage cabinet widths. For applications where multiple wall mounted storage cabinets are placed side-by-side, the preferred tackboard solution may be to utilize a larger tackboard size.

Wall mounted storage cabinet attachment requires individual cabinets be secured by a minimum of two wall mounting locations/studs.

Wall mounted storage cabinets are designed for interior and perimeter walls that are constructed with wood or metal studs.

The HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.

## HOW TO SPECIFY

**Select**
**Model Number**

H 1 0 5 W M H 4 8 .

**Select**
**Laminate Top and Chassis Color**

See page 245

N N .

**Select**
**Door Front Laminate**

See page 245



N

GSA SIN 33721

Icon Legend on page 19

# 10500 SERIES™ Shared Components & Accessories



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Wall Mounted Open Hutch, Glass Doors** | | | | | |
| | 72″W x 14⅝″D x 15″H, 2 Doors | **H105WMH72PG** | 162 | 17.5 | **$2390** | **$2429** |
| | 66″W x 14⅝″D x 15″H, 2 Doors | **H105WMH66PG** | 115 | 16.1 | **$2242** | **$2275** |
| | 60″W x 14⅝″D x 15″H, 2 Doors | **H105WMH60PG** | 108 | 14.7 | **$2091** | **$2124** |
| | 48″W x 14⅝″D x 15″H, 2 Doors | **H105WMH48PG** | 93 | 12.6 | **$1940** | **$1973** |
|  | **Wall Mounted Open Hutch with Cubby, Glass Doors** | | | | | |
| | 72″W x 14⅝″D x 20″H, 2 Doors | **H105WMH72PCG** | 166 | 21.3 | **$2390** | **$2429** |
| | 66″W x 14⅝″D x 20″H, 2 Doors | **H105WMH66PCG** | 155 | 19.6 | **$2242** | **$2275** |
| | 60″W x 14⅝″D x 20″H, 2 Doors | **H105WMH60PCG** | 144 | 17.9 | **$2091** | **$2124** |
| | 48″W x 14⅝″D x 20″H, 2 Doors | **H105WMH48PCG** | 121 | 15.2 | **$1940** | **$1973** |

**NOTES:**

- Wall attachment methodology: horizontally mounted, interlocking brackets.
- Wall mounted storage cabinet door design overlaps end panels so that when multiple units are placed side-by-side they appear as one continuous unit.
- Rich woodgrain laminate and frosted doors with silver frames adds a contemporary mixed materials option to the 10500 Series™.
- Horizontal interlocking rails are included; due to varying types of walls, installers are responsible for selecting and supplying the appropriate fasteners. Tackboard widths differ slightly from wall mounted storage cabinet widths. For applications where multiple wall mounted storage cabinets are placed side-by-side, the preferred tackboard solution may be to utilize a larger tackboard size.

! Wall mounted storage cabinet attachment requires individual cabinets be secured by a minimum of two wall mounting locations/studs.

! Wall mounted storage cabinets are designed for interior and perimeter walls that are constructed with wood or metal studs.

! The HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.

## HOW TO SPECIFY

**Select**
**Model Number**

| H | 1 | 0 | 5 | W | M | H | 6 | 6 | P | G | . |
|---|---|---|---|---|---|---|---|---|---|---|---|

**Select**
**Laminate Top and Chassis Color**


See page 245

| N | N |
|---|---|

# 10500 SERIES™ Storage


GSA SIN 33721 EXCEPT AS NOTED

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Wall Mounted Storage Cabinet, Frosted Doors with Silver Frame** | | | | | |
| 48″W x 14⅝″D x 17½″H | **H105383G** | 114.0 | 13.9 | **$1723** | **$1751** |
| 42″W x 14⅝″D x 17½″H | **H105382G** | 97.0 | 12.3 | **$1454** | **$1482** |
| 36″W x 14⅝″D x 17½″H | **H105381G** | 87.0 | 10.7 | **$1359** | **$1387** |
| 30″W x 14⅝″D x 17½″H | **H105380G** | 73.0 | 9.1 | **$1294** | **$1322** |

NOTES: Door design overlaps end panels so that when multiple units are placed side-by-side they appear as one continuous unit. Product placement can be aligned to match the height of storage cabinets, wardrobes and towers. Equipped with self-closing, adjustable side-hinged doors. The 30″, 36″, and 42″W units have two doors; the 48″W has three doors. Frosted door units do not have a lock option. Wall attachment methodology: horizontally mounted, interlocking brackets.
Tackboard widths differ slightly from wall mounted storage cabinet widths. For applications where multiple wall mounted storage cabinets are placed side-by-side, the preferred tackboard width may be to utilize a larger tackboard size.



*Not available in two-tone laminate*

| | | | | | |
|---|---|---|---|---|---|
| **Wall Mounted Open Shelf** | | | | | |
| 48″W x 9⅞″D x 4¾″H | **H105363** | 18.0 | 1.2 | **$391** | **$413** |
| 42″W x 9⅞″D x 4¾″H | **H105362** | 16.0 | 0.8 | **$354** | **$376** |
| 36″W x 9⅞″D x 4¾″H | **H105361** | 14.0 | 0.8 | **$322** | **$339** |
| 30″W x 9⅞″D x 4¾″H | **H105360** | 12.0 | 0.8 | **$305** | **$322** |


NOTES: Ideal for books, photographs, and mementos up to 9″D. Two attachment orientation options, open ended shelf or shelf with book ends. Available in woodgrain or solid color laminates only. No patterns. No two-tone combinations. Simple assembly.
**SPECIFYING EXAMPLE: H105363.N**

**NOTES:**
- Easy-care, scratch-, spill- and stain-resistant laminate over solid core high-performance particleboard.
- Stacked paper management (model HLVPM2), which is 32½″W, is compatible with the 30″W and 36″W wall mounted storage cabinets.

! Wall mounted storage cabinet attachment requires individual cabinets be secured by a minimum of two wall mounting locations/studs.

! Wall mounted storage cabinets are designed for interior and perimeter walls that are constructed with wood or metal studs.


! The HON Company is not responsible for any liabilities resulting from wall mounted storage cabinets that are not properly installed.



**OPEN MARKET**

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **LED Task Lights** | | | | |
| 31″ LED Light with Power Supply (Single) | **HLED31AS** | 1.5 S | 0.09 | **$745** |
| 17″ LED Light with Power Supply (Single) | **HLED17AS** | 1.2 S | 0.05 | **$557** |
| 31″ LED Light with Power Supply for Daisy-chain (Starter) | **HLED31A** | 1.4 S | 0.09 | **$817** |
| 17″ LED Light with Power Supply for Daisy-chain (Starter) | **HLED17A** | 1.0 S | 0.05 | **$609** |
| 31″ LED Light with 8″ Jumper Cord for Daisy-chain (Follower) | **HLED31AUO** | 1.0 S | 0.05 | **$666** |
| 17″ LED Light with 8″ Jumper Cord for Daisy-chain (Follower) | **HLED17AUO** | 1.0 S | 0.03 | **$499** |
| **Undercabinet Occupancy Sensor with 1″ End to End Connector** | **HLEDOSA** | 0.2 S | 0.01 | **$122** |

NOTES: To use the daisy chain application, must start with model HLED17A or HLED31A. No finish specification required. Attaches magnetically to underside of overhead storage, or attaches with provided screws or double-sided tape. Occupancy sensor attaches to a single or starter LED light and will automatically turn the light off after no motion is detected for 30 minutes. Just like all the LED light models, the occupancy sensor features a soft-touch on/off switch. LED task lights have a lifetime of 50,000 hours and have a dimmer feature that allows the user to adjust the amount of light output.



**OPEN MARKET**

| | | | | |
|---|---|---|---|---|
| **Recessed Task Light**, 46½″W x 3¹¹⁄₁₆″D, for Models H105327, H10534, H10533 and H105324 | **HH870960** | 12.0 S | 1.1 | **$359** |
| **Recessed Task Light**, 34⅝″W x 3¹¹⁄₁₆″D, for Models H105323, H105322, H105382 and H105383 | **HH870942** | 10.0 S | 0.9 | **$331** |
| **Recessed Task Light**, 22⅞″W x 3¹¹⁄₁₆″D, for Models H105321, H105380 and H105381 | **HH870930** | 7.0 S | 0.6 | **$306** |

NOTES: For additional information see page 688.

## HOW TO SPECIFY

**Select Model Number**


H 1 0 5 3 8 3 G .

**Select Laminate Top and Chassis Color**

See pages 245-246


H H


| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Extended Corner Unit** | | | | | |
| 24″W x 36″D x 72″W x 24″D x 29½″H, Right (shown) | **H105815R** | 184 | 7.0 | **$1354** | **$1404** |
| 24″D x 72″W x 36″D x 24″W x 29½″H, Left | **H105816L** | 184 | 7.0 | **$1354** | **$1404** |




*Right-hand model H105815R shown*

NOTES: Intended for use with returns or bridges. Can be used freestanding. The 17″ user side dimension is designed to accommodate 10500 Series™ modular or mobile pedestals up to 15¾″W. One grommet in top and one cord pass-through grommet in modesty panel. See pages 282-286 for optional stack-ons and tackboards. Extended corner units (H105815R and H105816L) can be used with 36″W return shell (H105680) to achieve a 6′ x 6′ layout.








H105204L
H105102
H105598
H105815R
H105104
H10534
H105520




H105298L
H105816L
H10504
H10534
H10515R

---




**Corner Unit**


24″ x 36″ x 36″ x 24″ x 29½″H — **H105811** — 130 — 3.1 — **$976** — **$1015**

NOTES: Intended for use with 24″D x 29½″H returns or bridges. Can be used freestanding. 36″ corner unit (H105811) can be used with two 36″W return shells (H105680) to achieve a 6′ x 6′ layout.

! Not designed to attach to returns or bridges manufactured prior to 5/24/99.




---




**Curved Corner Unit**

18″ x 36″ x 36″ x 18″ x 29½″H — **H105810** — 128 — 5.4 — **$976** — **$1015**

NOTES: Can be used freestanding.

! Designed to be used with curved returns only.

---



**Curved Return — box/file**


42″W x 18-24″D x 29½″H, Right — **H105817R** — 134 — 20.5 — **$1055** — **$1099**

42″W x 24-18″D x 29½″H, Left — **H105818L** — 134 — 20.5 — **$1055** — **$1099**


NOTES: Pedestal locks. One cord grommet in top; one pass-through grommet in top center of modesty panel. H105327 stack-on storage (78″W) can be used to span corner unit and return. H105322 stack-on storage (42″W) can be used on return. See page 283.

! Designed to be used with curved corner unit only.

! Not designed to be used freestanding.




H105818L
H105810
H105327
H105817R




H105818
H105810
H105817R
H105520

---

**NOTES:**

- Shared components shown on this page can be used with modular components shown on pages 256-272, full pedestal models shown on pages 273-274, and 3/4 pedestal models shown on pages 277-278.
- Mobile pedestals, shown on page 292, work well in a variety of configurations.
- End cap bookshelf units are ideal for books and personal items — see page 297.
- For work-in-process paper management tools, see pages 689-691.
- For 10500 Series™ matching occasional tables, use the H80191, H80192, and H80193 on page 300.
- For conference table options, see the Preside® table tops and bases in the Tables section in the 2024 Shared Spaces Pricer.
- See pages 279-301 for shared components.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 8 1 5 R .

**Select Laminate Top and Chassis Color**



See pages 245-246

N N

# 10500 SERIES™
## Shared Components & Accessories

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Box/Box/File Mobile Pedestal (with core removable lock)**<br>15¾″W x 22¾″D x 28⅜″H — use freestanding or under 24″D, 30″D and 36″D modular shells | **H105102** | 121 | 8.5 | **$1077** | **$1121** |
| | NOTES: Top box drawer does not lock. File drawer includes hangrails. | | | | | |
| | **File/File Mobile Pedestal (with core removable lock)**<br>15¾″W x 22¾″D x 28⅜″H — use freestanding or under 24″D, 30″D and 36″D modular shells | **H105104** | 121 | 8.4 | **$1077** | **$1121** |
| | NOTES: File drawers include hangrails. | | | | | |
|  | **Box/File Mobile Pedestal (with core removable lock)**<br>15¾″W x 18⅞″D x 21⅞″H — use freestanding or under 20″D, 24″D, 30″D and 36″D modular shells | **H105106** | 65 | 5.8 | **$900** | **$933** |
|  | **Shelf/Box/File Mobile Pedestal (with core removable lock)**<br>15¾″W x 18⅞″D x 28⅜″H — use freestanding or under 20″D, 24″D, 30″D and 36″D modular shells | **H105109** | 73 | 7.3 | **$992** | **$1036** |
| | NOTES: Interior dimensions of the open storage area of the Shelf/Box/File model are 14⅛″W x 16¾″D x 6⅝″H. | | | | | |
|  | **Lateral File (with core removable lock)** | | | | | |
| | 36″W x 20″D x 59⅛″H — four drawer | **H10516** | 305 | 31.0 | **$2650** | **$2727** |
| | 36″W x 20″D x 45½″H — three drawer | **H10517** | 240 | 23.2 | **$2012** | **$2083** |
| | 36″W x 24″D x 29½″H — two drawer | **H105690** | 191 | 17.6 | **$1290** | **$1350** |
| | 36″W x 20″D x 29½″H — two drawer | **H10563** | 170 | 15.6 | **$1227** | **$1282** |
| | NOTES: Includes hangrails, mechanical interlock and in H10563 and H105690, a counterweight. Stack-on storage (H105321) and bookcase hutch (H105292) can be used with H10563 and H105690. Interlock inhibits the extension of more than one drawer from opening at a time. Model H105690 aligns with 24″D credenzas and returns. | | | | | |

**NOTES:**

- For additional components that can be shared with 10500 Series™, see pages 279-301.
- Mobile pedestals feature clean styling with hidden casters. Versatile designs roll easily and work well in a variety of configurations. Can be used freestanding, under modular shells, or with 10500 Series™ component worksurfaces and supports.
- 24″D lateral file, storage cabinet, and bookcase models align evenly with credenzas and returns to provide linear layout continuity.
- At 45½″H, the three-drawer lateral file can be used as a standing-height worksurface or to support office equipment.
- Drawers operate on full extension, ball-bearing suspensions to ensure smooth, quiet, long-lasting operation.
- File drawer design includes integrated hangrails for side-to-side letter or legal filing; and front-to-back for letter filing.
- Mobile printer/fax cart shown on page 272 is ideal for limited space.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 1 0 2 .

**Select Laminate Top and Chassis Color**

See pages 245-246




N N


GSA SIN 33721

Icon Legend on page 19

# 10500 SERIES™ Shared Components & Accessories



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Storage Cabinet with Doors (with core removable lock)** | | | | | |
| | 36″W x 24″D x 29½″H | **H105290** | 168 | 17.6 | **$1168** | **$1228** |
| | 36″W x 20″D x 29½″H | **H105291** | 147 | 15.0 | **$984** | **$1039** |
| | NOTES: Includes one adjustable shelf. Shelf adjusts in 1¼″ increments with a total range of 5″H. Stack-on storage (H105321), and bookcase hutch (H105292) can be used with H105291 or H105290. Model H105290 aligns with 24″D credenzas and returns. | | | | | |
|  | **Bookcase** | | | | | |
| | 36″W x 24″D x 29½″H, 2-Shelf, 1-Adjustable | **H105531** | 102 | 18.4 | **$955** | **$972** |
| | NOTES: Adjustable shelf is 22″D and adjusts in 1¼″ increments, with a total range of 5″. 24″ depth aligns evenly with 24″D credenzas, credenza shells, returns, return shells, and wardrobe/storage cabinets to provide linear layout continuity. Adjustable leveling glides. Accommodates the 36″W stack-on storage or bookcase hutch. Ships fully assembled. | | | | | |
|  | **Bookcase Hutch (for use with lateral file models H10563/H105690, storage cabinet models H105291/H105290, and bookcase model H105531)** | | | | | |
| | 36″W x 14⅝″D x 37⅛″H | **H105292** | 103 | 3.6 | **$721** | **$738** |
| | NOTES: Cord pass-through gap behind shelves and a 1⅛″H full-width cord management slot at the bottom of the back panel. Two shelves are adjustable in 1¼″ increments with a total range of 17½″H. | | | | | |
|  | **Multi-Use Stack-On Storage** | | | | | |
| | 36″W x 18″D x 45⅝″H | **H105310** | 142 | 21.9 | **$1334** | **$1373** |
| | NOTES: Non-handed. Design features user's side bookcase and end access mixed storage compartment. Three fixed bookcase compartments, each 12″W x 13¾″H. Versatile mixed storage area includes two coat hooks and two shelves; one adjustable in 1¼″H increments with a total range of 5″ (shelf count includes bottom of the unit). For use on worksurfaces 36″ or wider and 18″ or deeper. Total height, in combination with low credenza, is 66⅝″. Accepts markerboard models HLSL1536SOMB or HLSL1530SOMB (sold separately). Ships fully assembled. | | | | | |

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | FRONTS |
|---|---|---|---|---|---|---|---|
|  | **Slide Out Tower** | | | | | | |
| | 12″W x 30″D x 50″H, Right | **H105ST123050R** | 215 | 13.8 | **$3774** | **$65** | **$22** |
| | 12″W x 30″D x 50″H, Left | **H105ST123050L** | 215 | 13.8 | **$3774** | **$65** | **$22** |
| | 12″W x 24″D x 50″H, Right | **H105ST122450R** | 182 | 11.4 | **$3404** | **$55** | **$22** |
| | 12″W x 24″D x 50″H, Left | **H105ST122450L** | 182 | 11.4 | **$3404** | **$55** | **$22** |
| | NOTES: Wardrobe space contains one coat hook. Storage space includes three shelves; two are adjustable in 2½″ increments. Door access left or right models available. Equipped with HON "One Key" interchangeable core removable locks. Standard with Black linear pull. | | | | | | |

**NOTES:**

- For additional components that can be shared with 10500 Series™, see pages 279-301.
- Versatile mobile pedestals roll easily and work well in a variety of configurations. Can be used freestanding, under modular shells, or with 10500 Series™ component worksurfaces and supports.
- 24″D lateral file, storage cabinet, and bookcase models align evenly with credenzas and returns to provide linear layout continuity.
- Mobile printer/fax cart shown on page 272 is ideal for limited space.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 2 9 1 .

**Select Laminate Top and Chassis Color**

See pages 245-246

N N

**Select Model Number**

H 1 0 5 S T 1 2 3 0 5 0 R .

**Select Laminate Top and Chassis Color**

See page 245

N N .

**Select Door Front Laminate**

See page 245

N .

**Select Pull and Color**

**L** Linear
**P** Black

L P .

**Select Lock Option**

Not available on Open Credenzas

**L** Lock

L


# 10500 SERIES™
# Shared Components & Accessories

GSA SIN 33721

Icon Legend on page 19


| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **Storage Wardrobe** | | | | | | |
| 24″W x 24″D x 50″H, Right | **H105LT242450CBFR** | 202 | 21.3 | **$2580** | **$65** | **$39** |
| 24″W x 24″D x 50″H, Left | **H105LT242450CBFL** | 202 | 21.3 | **$2580** | **$65** | **$39** |
| 24″W x 20″D x 50″H, Right | **H105LT242050CBFR** | 178 | 17.9 | **$2517** | **$55** | **$39** |
| 24″W x 20″D x 50″H, Left | **H105LT242050CBFL** | 178 | 17.9 | **$2517** | **$55** | **$39** |
| 18″W x 24″D x 50″H, Right | **H105LT182450CBFR** | 168 | 16.2 | **$2455** | **$55** | **$33** |
| 18″W x 24″D x 50″H, Left | **H105LT182450CBFL** | 168 | 16.2 | **$2455** | **$55** | **$33** |
| 18″W x 20″D x 50″H, Right | **H105LT182050CBFR** | 147 | 13.7 | **$2175** | **$50** | **$33** |
| 18″W x 20″D x 50″H, Left | **H105LT182050CBFL** | 147 | 13.7 | **$2175** | **$50** | **$33** |

NOTES: Spacious design includes a wardrobe closet, storage cabinet, one box drawer, and one file drawer in one compact unit. Wardrobe closet contains a coat hook. Storage cabinet includes two shelves, one is adjustable in 2½″ increments. Door hinged left or right models available. Box and file drawers operate on ball-bearing suspensions with full extension. File drawers have high sides to accept hanging folders in letter or legal size. Drawers standard with hangrails. Equipped with HON "One Key" interchangeable core removable locks. Upper lock secures storage cabinet and wardrobe closet doors; lower lock secures file drawers.



| | | | | | | |
|---|---|---|---|---|---|---|
| **Open Wardrobe** | | | | | | |
| 24″W x 24″D x 50″H, Right | **H105LT242450BFR** | 190 | 21.3 | **$2517** | **$65** | **$39** |
| 24″W x 24″D x 50″H, Left | **H105LT242450BFL** | 190 | 21.3 | **$2517** | **$65** | **$39** |
| 24″W x 20″D x 50″H, Right | **H105LT242050BFR** | 167 | 17.9 | **$2266** | **$55** | **$39** |
| 24″W x 20″D x 50″H, Left | **H105LT242050BFL** | 167 | 17.9 | **$2266** | **$55** | **$39** |
| 18″W x 24″D x 50″H, Right | **H105LT182450BFR** | 161 | 16.2 | **$2390** | **$55** | **$33** |
| 18″W x 24″D x 50″H, Left | **H105LT182450BFL** | 161 | 16.2 | **$2390** | **$55** | **$33** |
| 18″W x 20″D x 50″H, Right | **H105LT182050BFR** | 141 | 13.7 | **$2113** | **$50** | **$33** |
| 18″W x 20″D x 50″H, Left | **H105LT182050BFL** | 141 | 13.7 | **$2113** | **$50** | **$33** |

NOTES: Spacious design includes a wardrobe closet, open storage, one box drawer, and one file drawer in one compact unit. Wardrobe closet contains a coat hook. Storage cabinet includes two shelves, one is adjustable in 2½″ increments. Door hinged left or right models available. Box and file drawers operate on ball-bearing suspensions with full extension. File drawers have high sides to accept hanging folders in letter or legal size. Drawers standard with hangrails. Equipped with HON "One Key" interchangeable core removable locks. Lock secures box and file drawers; wardrobe is non-locking.



| | | | | | | |
|---|---|---|---|---|---|---|
| **Side Access Wardrobe** | | | | | | |
| 24″W x 24″D x 50″H, Right | **H105LT242450SBFR** | 187 | 21.3 | **$2616** | **$65** | **$39** |
| 24″W x 24″D x 50″H, Left | **H105LT242450SBFL** | 187 | 21.3 | **$2616** | **$65** | **$39** |
| 24″W x 20″D x 50″H, Right | **H105LT242050SBFR** | 166 | 17.9 | **$2390** | **$55** | **$39** |
| 24″W x 20″D x 50″H, Left | **H105LT242050SBFL** | 166 | 17.9 | **$2390** | **$55** | **$39** |
| 18″W x 24″D x 50″H, Right | **H105LT182450SBFR** | 153 | 16.2 | **$2474** | **$55** | **$33** |
| 18″W x 24″D x 50″H, Left | **H105LT182450SBFL** | 153 | 16.2 | **$2474** | **$55** | **$33** |
| 18″W x 20″D x 50″H, Right | **H105LT182050SBFR** | 135 | 13.7 | **$2175** | **$50** | **$33** |
| 18″W x 20″D x 50″H, Left | **H105LT182050SBFL** | 135 | 13.7 | **$2175** | **$50** | **$33** |

NOTES: Spacious design includes a wardrobe closet, open side access storage, one box drawer, and one file drawer in one compact unit. Wardrobe closet contains a coat hook. Storage cabinet includes two shelves, one is adjustable in 2½″ increments. Door hinged left or right models available. Box and file drawers operate on ball-bearing suspensions with full extension. File drawers have high sides to accept hanging folders in letter or legal size. Drawers standard with hangrails. Equipped with HON "One Key" interchangeable core removable locks. Lock secures box and file drawers; wardrobe is non-locking.

**NOTES:**
- Broad family of storage components beyond the confines of a desk drawer.
- Locking units equipped with interchangeable core removable locks.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have ¾″ adjustable range.

## HOW TO SPECIFY

| Select Model Number | Select Laminate Top and Chassis Color | Select Door Front Laminate | Select Pull and Color | Select Lock Option |
|---|---|---|---|---|
| | See page 245<br>Kickplates will match chassis color | See page 245 | **L** Linear<br>**P** Black | **L** Lock |
| H 1 0 5 L T 1 8 2 4 5 0 B F R . | N N . | N . | L P . | L |

GSA SIN 33721

Icon Legend on page 19

# 10500 SERIES™ Shared Components & Accessories





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES CHASSIS | L2 UPCHARGES FRONTS |
|---|---|---|---|---|---|---|
| **Storage Cabinet** | | | | | | |
| 18″W x 24″D x 50″H, Right | **H105LT182450SCBFR** | 158 | 16.2 | **$1983** | **$55** | **$33** |
| 18″W x 24″D x 50″H, Left | **H105LT182450SCBFL** | 158 | 16.2 | **$1983** | **$55** | **$33** |

**NOTES:**

- Versatile unit features a storage cabinet, one box drawer, and one file drawer.
- Storage cabinet includes two shelves, one is adjustable in 2½″ increments.
- Door hinged left or right models available.
- File drawers operate on ball-bearing suspensions with full extension.
- File drawers have high sides to accept hanging folders in letter or legal size.
- Drawers standard with hangrails.
- Both the storage cabinet and the file drawers are equipped with a HON “One Key” interchangeable core removable lock.
- Upper lock secures storage cabinet; lower lock secures box and file drawers.
- Broad family of storage components beyond the confines of a desk drawer.
- Locking units equipped with interchangeable core removable locks.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have ¾″ adjustable range.






## HOW TO SPECIFY

| Select Model Number | Select Laminate Top and Chassis Color | Select Door Front Laminate | Select Pull and Color | Select Lock Option |
|---|---|---|---|---|
| | See page 245<br>Kickplates will match chassis color | See page 245 | **L** Linear<br>**P** Black | **L** Lock |
| H 1 0 5 L T 1 8 2 4 5 0 S C B F R . | N N . | N . | L P . | L |

# 10500 SERIES™
## Shared Components & Accessories

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  *Right-hand model H105297R shown* | **Storage/File Cabinet (with core removable locks)** | | | | | |
| | 18″W x 24″D x 66⅝″H, Hinged Right (shown) | **H105297R** | 258 | 22.7 | **$2129** | **$2211** |
| | 18″W x 24″D x 66⅝″H, Hinged Left | **H105298L** | 258 | 22.7 | **$2129** | **$2211** |
| | NOTES: Versatile unit features a storage cabinet and two file drawers. Storage cabinet includes three shelves, two are adjustable in 2½″ increments. Door hinged left or right models available. File drawers operate on ball-bearing suspensions with full extension. File drawers have high sides to accept hanging folders in letter or legal size. Drawers standard with hangrails. Both the storage cabinet and the file drawers are equipped with a HON "One Key" interchangeable core removable lock. Unit height is designed to match credenza or return plus stack-on storage height. | | | | | |
|  *Doors open 110 degrees from closed position.* | **Storage Cabinet/Lateral File (with core removable lock)** | | | | | |
| | 36″W x 24″D x 66⅝″H | **H105293** | 365 | 41.0 | **$2866** | **$2975** |
| | NOTES: Storage cabinet is standard with one fixed and two full-width adjustable shelves in top compartment; adjustable shelves can be removed. Overall storage compartment measures 31¼″W x 22″D x 36⅛″H and will accommodate supplies, books and binders, as well as business machines and electronic equipment. Cord pass-through gap behind shelves and grommet in back of the cabinet to facilitate routing cords and reaching wall electrical outlets. Two drawer lateral file on bottom. Lateral file comes with mechanical interlock and hangrails. Cabinet and lateral file lock independently. Unit height is designed to match credenza or return plus stack-on storage height. | | | | | |
|  *Doors open 110 degrees from closed position.* | **Storage Cabinet with Full-width Shelves (with core removable lock)** | | | | | |
| | 36″W x 24″D x 66⅝″H | **H105299** | 341 | 39.6 | **$2676** | **$2785** |
| | NOTES: Large storage area includes five, full-width (side-to-side) shelves; three are adjustable in 2½″ increments. Unit height matches credenza or return plus stack-on storage height. | | | | | |
|  *Right-hand model H105295R shown* | **Personal Wardrobe/Storage Cabinet (with core removable lock)** | | | | | |
| | 18″W x 24″D x 66⅝″H, Hinged Right (shown) | **H105295R** | 223 | 22.9 | **$1929** | **$2011** |
| | 18″W x 24″D x 66⅝″H, Hinged Left | **H105296L** | 223 | 22.9 | **$1929** | **$2011** |
| | NOTES: Unit is standard with four adjustable shelves, coat rod, and core removable lock. Shelves adjust in 2½″ increments. Cabinet can be used as a wardrobe by removing four adjustable shelves. Coat rod can be removed from cabinet for storage only applications. Unit height is designed to match credenza or return plus stack-on storage height. | | | | | |
|  *Doors open 110 degrees from closed position.* | **Personal Wardrobe/Storage Cabinet (with core removable lock)** | | | | | |
| | 36″W x 24″D x 66⅝″H | **H10530** | 341 | 41.0 | **$2866** | **$2880** |
| | NOTES: Spacious design is standard with four adjustable shelves (one shelf is fixed), coat rod and core removable lock which locks both doors. Shelves adjust in 2½″ increments. Unit height is designed to match credenza or return plus stack-on storage height. | | | | | |
|  *Right-hand model H105301R shown* | **Personal Storage Tower (with core removable locks)** | | | | | |
| | 24″W x 24″D x 66⅝″H, wardrobe Hinged Right, storage cabinet Hinged Left (shown) | **H105301R** | 299 | 27.9 | **$2692** | **$2795** |
| | 24″W x 24″D x 66⅝″H, wardrobe Hinged Left, storage cabinet Hinged Right | **H105302L** | 299 | 27.9 | **$2692** | **$2795** |
| | NOTES: Spacious design includes a wardrobe closet, storage cabinet, and two file drawers in one compact unit. Wardrobe closet contains a coat rod. Storage cabinet includes three shelves, two are adjustable in 2½″ increments. Door hinged left or right models available. File drawers operate on ball-bearing suspensions with full extension. File drawers have high sides to accept hanging folders in letter or legal size. Drawers standard with hangrails. Equipped with HON "One Key" interchangeable core removable locks. Upper lock secures storage cabinet and wardrobe closet doors; lower lock secures file drawers. Unit height is designed to match credenza or return plus stack-on storage height. | | | | | |

**NOTES:**

- Broad family of storage components takes organization way beyond the confines of a desk drawer.
- Locking units equipped with interchangeable core removable locks.
- Adjustable hex leveling glides allow floor-standing furniture to be easily leveled without lifting the unit; glides have ¾″ adjustable range.
- See pages 279-301 for shared components.

Keyed alike cores must be ordered separately — see model HF23B on page 673 — makes re-keying quick and easy.

## HOW TO SPECIFY

| Select Model Number | Select Laminate Top and Chassis Color |
|---|---|
| H 1 0 5 2 9 7 R . | See pages 245-246 N N |


| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Bookcase** | | | | | |
| 5 Shelf, 36″W x 13⅛″D x 71″H | **H105535** | 187 | 25.1 | **$1039** | **$1072** |
| 4 Shelf, 36″W x 13⅛″D x 57⅛″H | **H105534** | 156 | 20.2 | **$895** | **$923** |
| 3 Shelf, 36″W x 13⅛″D x 43⅜″H | **H105533** | 122 | 15.6 | **$760** | **$782** |
| 2 Shelf, 36″W x 13⅛″D x 29⅝″H | **H105532** | 90 | 11.0 | **$599** | **$616** |



*H105532 shown*


NOTES: Fixed shelves. Inside shelf dimensions on all units is 33¾″W x 12″D x 13″H. No assembly required.

**End Cap Bookshelf (2 shelves, 1 fixed, 1 adjustable)**
24″W x 24″D x 29½″H — **H105520** — 84 — 2.6 — **$761** — **$778**




NOTES: Unit is freestanding. Designed to be positioned at the end of 24″D credenzas and returns. Ideal for books, photos, plants and mementos. Adjusts in 2½″ increments with a total range of 10″H.

**End Cap Bookshelf**
24″W x 24″D x 66⅝″H — **H105524** — 164 — 4.8 — **$1267** — **$1295**




NOTES: Designed to be positioned at the end of 24″D credenzas with stack-on storage, 24″D returns with stack-on storage, 24″D storage/file cabinet, 24″D storage cabinet/lateral file, 24″D wardrobe/storage cabinets, or the 24″D personal storage tower. Unit has four shelves, three are adjustable in 2½″ increments, with a total range of 45″H; bottom shelf is fixed.

**Square End Cap Bookshelf — 2-Fixed Shelves**
24″W x 24″D x 29½″H, Right — **H105525R** — 92 — 3.6 — **$754** — **$771**
24″W x 24″D x 29½″H, Left — **H105526L** — 92 — 3.6 — **$754** — **$771**




*Model H105525R*




*Model H105526L*

**Square End Cap Bookshelf — 4-Fixed Shelves**
24″W x 24″D x 66⅝″H, Right — **H105527R** — 172 — 5.9 — **$1208** — **$1236**
24″W x 24″D x 66⅝″H, Left — **H105528L** — 172 — 5.9 — **$1208** — **$1236**



*Model H105527R*



*Model H105528L*

NOTES: Units are freestanding. Designed to be positioned next to 24″D models or as a corner bookcase.
End cap, left: grain direction on top aligns with grain direction on tops of left pedestal returns and left credenza models or when positioned to the left side of credenzas with doors or kneespace models.
End cap, right: grain direction on top aligns with grain direction on tops of right pedestal returns and right credenza models or when positioned to the right side of credenzas with doors or kneespace models.

**NOTES:**
- For 36″W x 24″D x 29½″H two-shelf bookcase, to align evenly with credenzas and returns, see page 293.

## HOW TO SPECIFY

**Select Model Number**

H 1 0 5 5 3 2 .

**Select Laminate Top and Chassis Color**


See pages 245-246

N N

# 10500 SERIES™
## Shared Components & Accessories


GSA SIN 33721

Icon Legend on page 19




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Reception Station with Transaction Counter, for 72″W x 36″D Desk, or Desk Shell, with rectangle top** | | | | | |
| 72″W x 36″D x 14¼″H | **H105720** | 92 | 3.0 | **$636** | **$675** |

NOTES: For desk tops without grommets, see field installable grommet kit, model HFLDGRMT on page 697. Transaction counter organizer (HTCOL52) fits under/inside of transaction counter (see below).



| | | | | | |
|---|---|---|---|---|---|
| **Reception Station for 42″W x 24″D Return or Return Shell** | | | | | |
| 42″W x 24″D x 13″H | **H105722** | 2 | 1.0 | **$321** | **$343** |
| **Reception Station for 48″W x 24″D Return or Return Shell** | | | | | |
| 48″W x 24″D x 13″H | **H105721** | 25 | 3.6 | **$365** | **$387** |


NOTES: For return tops without grommets, see field installable grommet kit, model HFLDGRMT on page 697. Not available in two-tone laminate. Designed specifically for use with Reception Station with Transaction Counter, model H105720.
**SPECIFYING EXAMPLE: H105722.N**



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Transaction Counter Organizer** | | | | |
| 48¾″W x 11⅛″D x 13″H | **HTCOL52** | 24 | 1.1 | **$359** |

NOTES: Fits under reception station with transaction counter model H105720 reception desk shell (H105724), and work organizer models H10537 and H10536.


Black only.
**SPECIFYING EXAMPLE: HTCOL52.P**



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Reception Desk Shell, with rectangle top** | | | | | |
| 72″W x 39⅞″D x 44⁷⁄₁₆″H | **H105724** | 294 | 17.0 | **$1357** | **$1417** |


NOTES: Non-handed design. Integrated 18⅝″D transaction counter with a 4″ full-width overhang. Two cord management grommets in top for routing and hiding wires and cables. Transaction counter organizer model TCOL52 fits under/inside transaction counter. When a two-tone color combination is specified, the first designator defines the transaction countertop and the desk worksurface.

An external support channel must be specified separately, see page 261 for details.



| | | | | | |
|---|---|---|---|---|---|
| **Reception Station Return Shell** | | | | | |
| 42″W x 24⅜″D x 42¹⁵⁄₁₆″H | **H105726** | 131 | 17.0 | **$945** | **$984** |

NOTES: Non-handed design for use with reception desk shell. One cord management grommet in top for routing and hiding wires and cables. Woodgrain on approach side is vertical to match grain direction on end panels of reception station desk. Designed specifically for use with Reception Desk Shell, model H105724.



| | | | | | |
|---|---|---|---|---|---|
| **Transaction Counter for Reception Desk** | | | | | |
| 66″W x 14⅝″D x 14¼″H | **H105729** | 100 | 4.2 | **$790** | **$818** |

NOTES: Off-the-worksurface solution designed for use with 72″W or 66″W desks or desk shells with a 1⅛″ thick rectangle top and a full-width conference (approach-side) overhang of 4½″D minimum. Choose from two height options at time of installation; 13⅛″H (upper position) or 5½″H (lower position) above the desktop. Attaches easily and securely without any drilling or double-sided tape on the worksurface. Grain direction: side-to-side on countertop; horizontal on approach and users side vertical panel.

**NOTES:**
- Three welcoming reception station designs to choose from — stack-on enclosure, full-to-floor shell, or front-suspended counter.
- For 10500 Series™ matching reception area furniture, see Occasional Tables on page 300.
- See pages 279-301 for shared components.

## HOW TO SPECIFY


| Select Model Number | Select Laminate Top and Chassis Color |
|---|---|
| H 1 0 5 7 2 0 . | See pages 245-246 N N |

GSA SIN 33721

Icon Legend on page 19


# 10500 SERIES™ Shared Components & Accessories



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES WORKSURFACE | CHASSIS | ACCENT PANEL |
|---|---|---|---|---|---|---|---|---|
|  | **Reception Desk with Transaction Counter**<br>72″W x 36¾″D x 44″H | **HLAM3772RD** | 324 | 13.5 | **$1858** | **$39** | **$77** | **$28** |

NOTES: Non-handed. Counter measures 60″W x 15¼″D. Flat edge (G) matches 10500 Series™. For beaded (B) and tri-oval (V) edge shapes, the transaction counter is profiled on the approach and user sides, and the desk worksurface is profiled on the user's side. Beaded (B) and tri-oval (V) edges are available in L1 woodgrains colors only. Smooth and flat (G) edge available in all woodgrains and solid colors. Vertical grain on approach side and front accent panel for L1 laminates except Kingswood Walnut and Florence Walnut. Horizontal grain on L2 laminates and Kingswood and Florence Walnut. Vertical grain on end panels and horizontal grain on worksurface and transaction counter. Two worksurface cord management grommets for routing and hiding wires and cables; can be specified in Black (P) or Platinum (T1) finish.

An external support channel must be specified separately, see page 261 for details.

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST | L2 UPCHARGES WORKSURFACE | CHASSIS | ACCENT PANEL |
|---|---|---|---|---|---|---|---|---|
|  | **Reception Return with 32″H Transaction Counter**<br>48¼″W x 32⅞″D x 32″H | **HLAM3348RR** | 145 | 3.7 | **$1046** | **$39** | **$39** | **N/A** |

NOTES: Non-handed. For use with HLAM3772RD and Reception Desk Shell (H105724). Counter facilitates accessibility; measures 48″W x 12″D x 32″H. Flat edge (G) matches 10500 Series™. For beaded (B) and tri-oval (V) edge shapes, the transaction counter is profiled on the approach side, and the return worksurface is profiled on the user's side. All other edges are flat banded. Beaded (B) and tri-oval (V) available in L1 woodgrain colors only. Flat edge (G) available in all woodgrains and solid colors. Pattern laminates do not have matching edge color; patterns can be specified with woodgrain or solid edge. Vertical grain on approach side, end panel, worksurface, and transaction counter. Assembly required. Cam covers used to allow for non-handed design.
Specify: Model.Edge Profile & EdgeColor.Worksurface & Counter Color.Chassis Color
**SPECIFYING EXAMPLE: HLAM3348RR.GN.N.N**




## HOW TO SPECIFY

| Select Model Number | Select Edge Profile and Edge Color | Select Grommet Color | Select Worksurface Laminate | Select Chassis Laminate | Select Accent Panel Laminate |
|---|---|---|---|---|---|
| | See page 246 | **P** Black<br>**T1** Platinum<br>Not specified for model HLAM3348RR | See page 245 | See page 245 | See page 245<br>Not specified for model HLAM3348RR |
| H L A M 3 7 7 2 R D . | G N . | P . | N . | N . | L D W 1 |

# 10500 Series™ Laminate Occasional Tables

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Coffee Table**<br>48″W x 20″D x 16″H | **H80191** | 48 | 3.4 | **$705** |
|  | **Corner Table**<br>24″W x 24″D x 20″H | **H80192** | 35 | 2.1 | **$608** |
|  | **End Table**<br>24″W x 20″D x 20″H | **H80193** | 29 | 1.8 | **$580** |

**Laminate Occasional Tables (H80191, H80192 and H80193)**

| Woodgrain | Solid | Patterned | Two-Tone | |
|---|---|---|---|---|
| Bourbon Cherry (HH)<br>Cognac (COGNCOGN)<br>Florence Walnut (LFW1LFW1)<br>Harvest (CC)<br>Kingswood Walnut (LKI1LKI1)<br>Mahogany (NN)<br>Mocha (MOCHMOCH)<br>Natural Maple (DD)<br>Pinnacle (PINCPINC)<br>Shaker Cherry (FF)<br>Sterling Ash (LSA1LSA1) | Black (PP)<br>Charcoal (SS)<br>Designer White (LDW1LDW1)<br>Loft (LOFTLOFT) | Silver Mesh (B9)<br>*Select edge/apron/leg color<br>Black (P)<br>Bourbon Cherry (H)<br>Charcoal (S)<br>Cognac (COGN)<br>Designer White (LDW1)<br>Florence Walnut (LFW1)<br>Harvest (C)<br>Kingswood Walnut (LKI1)<br>Mahogany (N)<br>Mocha (MOCH)<br>Natural Maple (D)<br>Pinnacle (PINC)<br>Shaker Cherry (F)<br>Sterling Ash (LSA1) | Black/Charcoal (PS)<br>Black/Designer White (PLDW1)<br>Bourbon Cherry/Black (HP)<br>Bourbon Cherry/Charcoal (HS)<br>Bourbon Cherry/Designer White (HLDW1)<br>Charcoal/Black (SP)<br>Charcoal/Designer White (SLDW1)<br>Cognac/Black (COGNP)<br>Cognac/Charcoal (COGNS)<br>Cognac/Designer White (COGNLDW1)<br>Designer White/Black (LDW1P)<br>Designer White/Bourbon Cherry (LDW1H)<br>Designer White/Charcoal (LDW1S)<br>Designer White/Cognac (LDW1COGN)<br>Designer White/Florence Walnut (LDW1LFW1)<br>Designer White/Harvest (LDW1C)<br>Designer White/Kingswood Walnut (LDW1LKI1)<br>Designer White/Mahogany (LDW1N)<br>Designer White/Mocha (LDW1MOCH)<br>Designer White/Natural Maple (LDW1D)<br>Designer White/Pinnacle (LDW1PINC)<br>Designer White/Sterling Ash (LDW1LSA1) | Designer White/Shaker Cherry (LDW1F)<br>Florence Walnut/Black (LFW1P)<br>Florence Walnut/Charcoal (LFW1S)<br>Florence Walnut/Designer White (LFW1LDW1)<br>Florence Walnut/Loft (LFW1LOFT)<br>Harvest/Black (CP)<br>Harvest/Charcoal (CS)<br>Harvest/Designer White (CLDW1)<br>Kingswood Walnut/Black (LKI1P)<br>Kingswood Walnut/Charcoal (LKI1S)<br>Kingswood Walnut/Designer White (LKI1LDW1)<br>Kingswood Walnut/Loft (LKI1LOFT)<br>Mahogany/Black (NP)<br>Mahogany/Charcoal (NS)<br>Mahogany/Designer White (NLDW1)<br>Mocha/Black (MOCHP)<br>Mocha/Charcoal (MOCHS)<br>Mocha/Designer White (MOCHLDW1)<br>Natural Maple/Black (DP)<br>Natural Maple/Charcoal (DS)<br>Natural Maple/Designer White (DLDW1)<br>Pinnacle/Black (PINCP)<br>Pinnacle/Charcoal (PINCS)<br>Pinnacle/Designer White (PINCLDW1)<br>Shaker Cherry/Black (FP)<br>Shaker Cherry/Charcoal (FS)<br>Shaker Cherry/Designer White (FLDW1)<br>Sterling Ash/Black (LSA1P)<br>Sterling Ash/Charcoal (LSA1S)<br>Sterling Ash/Designer White (LSA1LDW1) |


**NOTES:**

- Durable material and construction make laminate occasional tables ideal for high traffic areas such as lobbies, reception rooms and lounges. Versatile design is also well suited to private offices.
- Tables accommodate lamps, magazines, telephones, plants, laptops and more.
- Coffee, Corner and End Tables feature top-over-apron styling with square corner detail, which complements many interiors and furniture designs.
- Tops are abrasion- and stain-resistant laminate over 1⅛″ thick solid core high-performance particleboard.
- See pages 279-301 for shared components.

## HOW TO SPECIFY

| Select Model Number | Select Laminate |
|---|---|
| | See above |
| H 8 0 1 9 1 . | N N |
| H 8 0 1 9 1 . | L 6 N |

# 10500 Series™ Shared Components & Accessories




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Field Installable Drawer/Door Handle Kits** | | | | |
| Sweep Black, 2-pack | **HSWEEPA2** | 0.4 | 0.3 | **$63** |
| Sweep Satin Nickel, 2-pack | **HSWEEPC2** | 0.4 | 0.3 | **$63** |
| Sweep Black, 3-pack | **HSWEEPA3** | 0.5 | 0.3 | **$81** |
| Sweep Satin Nickel, 3-pack | **HSWEEPC3** | 0.5 | 0.3 | **$81** |
| Crescent Black, 2-pack | **HCRESCENTA2** | 0.4 | 0.3 | **$63** |
| Crescent Satin Nickel, 2-pack | **HCRESCENTC2** | 0.4 | 0.3 | **$63** |
| Crescent Black, 3-pack | **HCRESCENTA3** | 0.5 | 0.3 | **$81** |
| Crescent Satin Nickel, 3-pack | **HCRESCENTC3** | 0.5 | 0.3 | **$81** |


NOTES: Handles are for purchase and field installation on 10500 Series™ desks, credenzas, returns, and lateral files, as well as for the modular pedestals used with 10500.

Applications include:

- box/file and file/file pedestals = one 2-pack per pedestal
- box/box/file and pencil/media/file pedestals = one 3-pack per pedestal
- two drawer lateral file = two 2-packs per unit
- four drawer lateral file = four 2-packs per unit




**Sweep Handle**



**Crescent Handle**


The hole spacing for the Sweep and Crescent handles is 96mm (approx. 3¾″). Important note: effective January 1, 2007, the holes used for the black drawer/door handle that comes standard on several HON 10500 Series™ products, including mobile pedestals, storage cabinet with doors, storage/file cabinet, storage cabinet/lateral file, personal wardrobe/storage cabinets, and personal storage towers, will accept the Sweep and Crescent handles. Units manufactured prior to January 1, 2007, have 64mm (approx. 2½″) hole spacing and will not accept the Sweep and Crescent handles. Instructions include mounting hardware and paper template.

**Must be ordered with a configurable end product. If ordered separately, not on GSA contract.**



| | | | | |
|---|---|---|---|---|
| **Field Installable Drawer/Door Handle Kits** | | | | |
| Linear, Black, 2-pack | **HLINEARA2** | 0.4 | 0.3 | **$81** |
| Linear, Matte Chrome, 2-pack | **HLINEARC2** | 0.4 | 0.3 | **$81** |
| Linear, Black, 3-pack | **HLINEARA3** | 0.5 | 0.3 | **$90** |
| Linear, Matte Chrome, 3-pack | **HLINEARC3** | 0.5 | 0.3 | **$90** |

Specify Linear handles in black to coordinate with 10500 Series™ models that ship standard with a decorative handle, such as mobile pedestals, storage cabinets and wardrobes.




| | | | | |
|---|---|---|---|---|
| Arch, Black, 2-pack | **HARCHA2** | 0.4 | 0.3 | **$81** |
| Arch, Matte Chrome, 2-pack | **HARCHC2** | 0.4 | 0.3 | **$81** |
| Arch, Black, 3-pack | **HARCHA3** | 0.5 | 0.3 | **$90** |
| Arch, Matte Chrome, 3-pack | **HARCHC3** | 0.5 | 0.3 | **$90** |


NOTES: Handles are for purchase and field installation on 10500 Series™ desks, credenzas, returns, lateral files and modular pedestals. Instructions include mounting hardware and paper template for drilling holes.

Applications include:

- box/file and file/file pedestals = one 2-pack per pedestal
- box/box/file and pencil/media/file pedestals = one 3-pack per pedestal
- two drawer lateral file = two 2-packs per unit
- four drawer lateral file = four 2-packs per unit



**Linear Handle**



**Arch Handle**

The Linear and Arch handles can be attached using 96mm (approx. 3¾″) or 128mm (approx. 5″) hole spacing. Important note: effective January 1, 2007, the holes used for the black drawer/door handle that comes standard on several HON 10500 Series™ products, including mobile pedestals, storage cabinet with doors, storage/file cabinet, storage cabinet/lateral file, personal wardrobe/storage cabinets, and personal storage towers, will accept the Linear and Arch handles. Units manufactured prior to January 1, 2007, have 64mm (approx. 2½″) hole spacing and will not accept the Linear and Arch handles.

**Must be ordered with a configurable end product. If ordered separately, not on GSA contract.**

**NOTES:**

- Field Installable Drawer/Door Handle Kits for use on 10500 Series™ desks, credenzas, returns and lateral files.
- A metal template is available to facilitate field installation of the Linear, Arch, Sweep and Crescent decorative handles on 10500 Series™ drawer fronts; order model SPLH-SYST-DRKNB.M263164. ($50).
- See pages 279-301 for shared components.

## HOW TO SPECIFY

**Select**
**Model Number**

| H | S | W | E | E | P | A | 2 |
|---|---|---|---|---|---|---|---|

# METRO CLASSIC

Want to see more? Scan here to check out hon.com.



Metro Classic Desk shown with Ignition® Seating.

## METRO CLASSIC

The Metro Classic is a forward-thinking flashback that marries '60s styling with today's technology. This handsomely built collection offers excellent performance for the price — with best-in-class construction, easy-care laminate tops, built-in wire management and more. If you're looking for iconic style that lasts, you'll find it in Metro Classic.







**FEATURES**

- Retro-styled, but with up-to-date amenities, this classic reflects the enduring Modernist office designs of the 1960s.
- With tubular steel legs painted to match the desk body, Metro Classic gives you a clean look from top to bottom.
- Pedestals feature Tru-Fit mitered drawer fronts for precision alignment when closed.
- Contract-grade, multi-ply laminate stands up to scratches, spills, stains and boiling liquids.
- Recessed plastic drawer handles are color-matched to HON core paint colors.
- All drawers lock by securing the center drawer; lock core can be changed as security needs require.

# METRO CLASSIC ORDERING INFORMATION



## FINISHES AVAILABILITY

**L1 LAMINATES/EDGEBAND**

| COLOR | CODES |
|---|---|
| **Woodgrain** | |
| ♦ Bourbon Cherry/ Bourbon Cherry | **H** |
| ♦ Cognac/Cognac | **COGN** |
| ♦ Field Elm/Field Elm | **LWFE** |
| ♦ Florence Walnut/ Florence Walnut | **LFW1** |
| ♦ Harvest/Harvest | **C** |
| ♦ Kingswood Walnut/ Kingswood Walnut | **LKI1** |
| ♦ Mahogany/Mahogany | **N** |
| ♦ Mocha/Mocha | **MOCH** |
| ♦ Natural Maple/ Natural Maple | **D** |
| ♦ Pinnacle/Pinnacle | **PINC** |
| ♦ Shaker Cherry/ Shaker Cherry | **F** |
| ♦ Sterling Ash/ Sterling Ash | **LSA1** |
| **Solid** | |
| ◆ Black/Black | **P** |
| ♦ Charcoal/Charcoal | **S** |
| ♦ Designer White/ Designer White | **LDW1** |
| ♦ Loft/Loft | **LOFT** |
| **Patterned** | |
| ♦ Handspun Chestnut | **LAHC** |
| ◆ Handspun Dove | **LAHD** |
| ♦ Handspun Pearl | **LAHP** |
| ◆ Handspun Slate | **LAHS** |
| ♦ Silver Mesh/Loft | **B9** |
| ◆ Steel Mesh/Charcoal | **A9** |
| ◆ Gray/Matches Paint Color | **G2** |
| ◇ White/Matches Paint Color | **G1** |

| PAINTS | CODES |
|---|---|
| **P1** | |
| ◆ Black | **P** |
| ◆ Brownstone | **P7D** |
| ◆ Charcoal | **S** |
| ◆ Fossil | **P28** |
| ◆ Greige | **T5** |
| ◆ Light Gray | **Q** |
| ◆ Loft | **LOFT** |
| ◆ Muslin | **T3** |
| ◆ Putty | **L** |
| ◆ Titanium | **P8T** |


- *STEEL DESKS*
  *SPECIFY: Model Number. Top Laminate. Paint Color*
  *EXAMPLE: HP3276.N.S*

♦ ◆ ◇ *For lead time information see page 21.*

# METRO CLASSIC
## Steel Desks

GSA SIN 33721

Icon Legend on page 19


*HP3276*


*HP3262*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Double Pedestal — 2/2 (locking)** | | | | |
| 72″W x 36″D x 29½″H (6″ overhang on 3 sides) | **HP3276** | 218 | 37.7 | **$2480** |
| NOTES: HP3276 requires Model H386560N 60″W Stack-on as top of desk extends over end panels. | | | | |
| 60″W x 30″D x 29½″H (Non-Locking, 24″D chassis) (6″ overhang on approach side only) | **HP3261** | 165 | 26.7 | **$1739** |
| 60″W x 30″D x 29½″H (locking) | **HP3262** | 186 | 26.7 | **$2028** |



| | | | | |
|---|---|---|---|---|
| **Single Pedestal (locking)** | | | | |
| 66″W x 30″D x 29½″H — 2R | **HP3265R** | 167 | 29.2 | **$1873** |
| 66″W x 30″D x 29½″H — 2L | **HP3266L** | 167 | 29.2 | **$1873** |
| 48″W x 30″D x 29½″H — 2R | **HP3251R** | 142 | 21.6 | **$1668** |



| | | | | |
|---|---|---|---|---|
| **Return, Right — box/file (non-locking)** | | | | |
| 42″W x 24″D x 29½″H | **HP3235R** | 95 | 15.5 | **$1311** |



| | | | | |
|---|---|---|---|---|
| **Return, Left — box/file (non-locking)** | | | | |
| 42″W x 24″D x 29½″H | **HP3236L** | 95 | 15.5 | **$1311** |

**NOTES:**
- Two wire grommets in desk, credenza, and return tops.
- 3/4 height modesty panels.
- Legs shipped unattached.
- Color of pulls and grommets match paint selection for core colors.
- “Tru-fit” mitered drawer fronts for better visual alignment.
- Color of legs match paint selection.
- Central locking center drawer standard, with HON “One Key” interchangeable lock cores.
- High-sided file drawers accept hanging files without hangrails.
- Full extension steel ball-bearing suspensions on file drawers for easy access to all contents.
- Box drawers equipped with 3/4 extension steel ball-bearing suspensions.
- Reinforced, double “O” frame inner structure keeps desk solid and sturdy for years of use.
- All interior drawer bodies are gray pre-painted steel.
- 38000 Series™ stack-on units can be used on Metro desks and credenzas.

Keyed alike cores ordered separately — see page 673.

## HOW TO SPECIFY




| Select Model Number | Select Laminate | Select Paint Color |
|---|---|---|
| | See page 303 | See page 303 |
| H P 3 2 7 6 . | N . | S |

GSA SIN 33721

Icon Legend on page 19

# METRO CLASSIC Steel Desks



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Credenza w/Kneespace — 2/2 (non-locking)**<br>60″W x 24″D x 29½″H<br>Accommodates optional HD2 or HD8 center drawer.<br>NOTES: Non-locking. | **HP3231** | 165.0 | 21.8 | **$2028** |
|  | **Stack-on Full Clearance without Doors** | | | | |
| | 66″W x 13½″D x 34¾″H | **H386566N** | 68.0 | 6.3 | **$1278** |
| | 60″W x 13½″D x 34¾″H | **H386560N** | 64.0 | 5.7 | **$1182** |
| | 48″W x 13½″D x 34¾″H | **H386548N** | 53.0 | 4.7 | **$1080** |
| | NOTES: Interior is 12¾″H. Specify: Paint color. For additional 38000 Series™ Stack-on accessory items, see pages 318-320. HP3276 requires Model H386560N 60″W Stack-on as top of desk extends over end panels. | | | | |
|  | **Chrome Leg Packs — Field Installable**<br>4 pk-29½″H | **HC14** | 7.2 | 0.2 | **$196** |
|  | **Double-Rail Hanging File Racks — 2 Pack (for side-to-side)**<br>Gray only | **H519495** | 0.5 | 0.5 | **$50** |

**NOTES:**

- Two wire grommets in desk, credenza, and return tops.
- 3/4 height modesty panels.
- Legs shipped unattached.
- Color of pulls and grommets match paint selection for core colors.
- “Tru-fit” mitered drawer fronts for better visual alignment.
- Color of legs match paint selection.
- Central locking center drawer standard, with HON “One Key” interchangeable lock cores.
- High-sided file drawers accept hanging files without hangrails.
- Full extension steel ball-bearing suspensions on file drawers for easy access to all contents.
- Box drawers equipped with 3/4 extension steel ball-bearing suspensions.
- Reinforced, double “O” frame inner structure keeps desk solid and sturdy for years of use.
- All interior drawer bodies are gray pre-painted steel.
- 38000 Series™ stack-on units can be used on Metro desks and credenzas.

Keyed alike cores ordered separately — see page 673.

## HOW TO SPECIFY

| Select Model Number | Select Laminate | Select Paint Color |
|---|---|---|
| | See page 303<br>Not specified for models H386566N, H386560N and H386548N | See page 303 |
| H P 3 2 3 1 . | N . | S |

# 34000 SERIES

Want to see more? Scan here to check out hon.com.



34000 Series shown with 500 Series Lateral and Volt® Seating.

## 34000 SERIES

The 34000 Series gets high marks in the classroom — or any environment requiring a heavy-duty metal desk that knows how to look good. The square Chrome legs and brushed Aluminum handles look clean and uncomplicated. The Tru-Fit mitered drawer fronts line up perfectly every time. Desk models offer central locking, so all the drawers can be secured with the turn of a single key. And with HON's best-in-class construction, 34000 Series will stand up to years of use.







**FEATURES**

- Legs are Chrome for a contemporary accent.
- Pedestals feature Tru-Fit mitered drawer fronts that align precisely when closed.
- All drawers lock by securing the center drawer; lock core can be changed as security needs require.
- Contract-grade, multi-ply laminate worksurface stands up to scratches, spills, stains and boiling liquids.
- Brushed Aluminum drawer handles match HON vertical file handles.

# 34000 SERIES ORDERING INFORMATION



## FINISHES AVAILABILITY

**L1 LAMINATES/EDGEBAND**

**COLOR ..... CODES**

**Woodgrain**

- ♦ Bourbon Cherry/ Bourbon Cherry ..... **H**
- ♦ Cognac/Cognac ..... **COGN**
- ♦ Field Elm/Field Elm ..... **LWFE**
- ♦ Florence Walnut/ Florence Walnut ..... **LFW1**
- ♦ Harvest/Harvest ..... **C**
- ♦ Kingswood Walnut/ Kingswood Walnut ..... **LKI1**
- ♦ Mahogany/Mahogany ..... **N**
- ♦ Mocha/Mocha ..... **MOCH**
- ♦ Natural Maple/ Natural Maple ..... **D**
- ♦ Shaker Cherry/ Shaker Cherry ..... **F**
- ♦ Sterling Ash/ Sterling Ash ..... **LSA1**

**Solid**

- ◊ Black/Black ..... **P**
- ♦ Charcoal/Charcoal ..... **S**
- ♦ Designer White/ Designer White ..... **LDW1**
- ♦ Loft/Loft ..... **LOFT**

**Patterned**

- ♦ Handspun Chestnut ..... **LAHC**
- ◊ Handspun Dove ..... **LAHD**
- ♦ Handspun Pearl ..... **LAHP**
- ◊ Handspun Slate ..... **LAHS**
- ♦ Silver Mesh/Loft ..... **B9**
- ◊ Steel Mesh/Charcoal ..... **A9**
- ◊ Gray/Matches Paint Color .... **G2**
- ◊ White/Matches Paint Color ..... **G1**

**PAINTS ..... CODES**

**P1**

- ◊ Black ..... **P**
- ◊ Brownstone ..... **P7D**
- ◊ Charcoal ..... **S**
- ◊ Fossil ..... **P28**
- ◊ Greige ..... **T5**
- ◊ Light Gray ..... **Q**
- ◊ Loft ..... **LOFT**
- ◊ Muslin ..... **T3**
- ◊ Putty ..... **L**
- ◊ Titanium ..... **P8T**





- *STEEL DESKS*
  *SPECIFY: Model Number.*
  *Top Laminate.*
  *Paint Color*
  *EXAMPLE: H34962.N.S*

♦ ◊ *For lead time information see page 21.*

# 34000 SERIES
## Steel Desks

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Double Pedestal — 2/2 (locking)** | | | | |
| | 60″W x 30″D x 29½″H | **H34962** | 162.0 | 26.7 | **$1934** |
|  | **Single Pedestal, box/file (locking)** | | | | |
| | 66″W x 30″D x 29½″H, Right | **H34973R** | 161.0 | 29.2 | **$1670** |
| | 66″W x 30″D x 29½″H, Left | **H34974L** | 161.0 | 29.2 | **$1670** |
| | 48″W x 30″D x 29½″H, Right | **H34251** | 115.0 | 21.6 | **$1474** |
| | 45¼″W x 24″D x 29½″H, Right | **H34002R** | 83.0 | 16.6 | **$1261** |
|  | **Return, Box/File (non-locking)** | | | | |
| | 42″W x 24″D x 29½″H, Right | **H34834R** | 89.0 | 15.5 | **$1112** |
| | 42″W x 24″D x 29½″H, Left | **H34835L** | 89.0 | 15.5 | **$1112** |
| | NOTES: Returns are for use with 66″W Single Pedestal Desks. | | | | |
|  | **Credenza with Kneespace — 2/2 (non-locking)** | | | | |
| | 60″W x 24″D x 29½″H | **H34480** | 160.0 | 21.8 | **$1943** |
| | ! Accommodates optional HD2 or HD8 center drawer. | | | | |
|  | **Chrome Leg Packs — Field Installable** | | | | |
| | 4 pk-29½″H | **HC14** | 7.2 S | 0.2 | **$196** |
|  | **Double-Rail Hanging File Racks — 2 Pack (for side-to-side)** | **H519495** | 0.5 | 0.5 | **$50** |
| | ! Gray only | | | | |

**NOTES:**

- "Tru-fit" mitered drawer fronts for better visual alignment.
- 3/4 height modesty panels.
- Chrome legs shipped unattached.
- Laminate tops.
- Central locking center drawer standard, with HON "One Key" interchangeable lock cores.
- Full extension steel ball-bearing suspensions on file drawers for easy access to all contents.
- High-sided file drawers accept hanging files without hangrails.
- Box drawers equipped with 3/4 extension steel ball-bearing suspensions.
- Reinforced, double "O" frame inner structure keeps desk solid and sturdy for years of use.
- All interior drawer bodies are gray, pre-painted steel.

! Keyed alike cores ordered separately — see page 673.

## HOW TO SPECIFY

| Select Model Number | Select Laminate | Select Paint Color |
|---|---|---|
| | See page 307 | See page 307 |
| H 3 4 9 6 2 . | N . | S |

# 38000 SERIES™

Want to see more? Scan here to check out hon.com.





38000 Series™ shown with Prominent™ Seating.

## 38000 SERIES™

The 38000 Series is America's best-selling steel desk — and with good reason. Rugged good looks. Precision engineering. Best-in-class construction. This modular collection blends designer touches like stylish, high-pressure laminate with useful details like cord-management. Which makes the 38000 Series the ideal desk solution for any organization seeking premium performance for a moderate price.









### FEATURES

- Our steel construction is best in class — so it stands up to heavy use and frequent relocation.
- Integrated wire management and optional power hub accommodate today's electronic office.
- Pedestals feature Tru-Fit mitered drawer fronts for precision alignment when closed.
- Premium, multi-ply laminate worksurface stands up to scratches, spills and stains, and holds up under heavy use.
- Steel ball-bearing drawer suspensions operate easily and quietly.
- Cord management provides access to wall outlets, and allows cords to run through the or between components.

# 38000 SERIES™ ORDERING INFORMATION

## FINISHES AVAILABILITY

**L1 LAMINATES/EDGEBAND**

| COLOR | CODES |
|---|---|
| **Woodgrain** | |
| ◆ Bourbon Cherry/ Bourbon Cherry | **H** |
| ◆ Cognac/Cognac | **COGN** |
| ◆ Field Elm/Field Elm | **LWFE** |
| ◆ Florence Walnut/ Florence Walnut | **LFW1** |
| ◆ Harvest/Harvest | **C** |
| ◆ Kingswood Walnut/ Kingswood Walnut | **LKI1** |
| ◆ Mahogany/Mahogany | **N** |
| ◆ Mocha/Mocha | **MOCH** |
| ◆ Natural Maple/ Natural Maple | **D** |
| ◆ Pinnacle/Pinnacle | **PINC** |
| ◆ Shaker Cherry/ Shaker Cherry | **F** |
| ◆ Sterling Ash/ Sterling Ash | **LSA1** |
| **Solid** | |
| ◆◇ Black/Black | **P** |
| ◆ Charcoal/Charcoal | **S** |
| ◆ Designer White/ Designer White | **LDW1** |
| ◆ Loft/Loft | **LOFT** |
| **Patterned** | |
| ◆ Handspun Chestnut/Loft | **LAHC** |
| ◆◇ Handspun Dove/Loft | **LAHD** |
| ◆ Handspun Pearl/Loft | **LAHP** |
| ◆◇ Handspun Slate/ Charcoal | **LAHS** |
| ◆ Silver Mesh/Loft | **B9** |
| ◆◇ Steel Mesh/Charcoal | **A9** |
| ◆◇ Gray/Matches Paint Color | **G2** |
| ◇ White/Matches Paint Color | **G1** |

## FINISHES AVAILABILITY *continued*

| PAINTS | CODES |
|---|---|
| **P1** | |
| ◆◇ Black | **P** |
| ◆◇ Brownstone | **P7D** |
| ◆◇ Charcoal | **S** |
| ◆◇ Designer White | **PJW** |
| ◆◇ Fossil | **P28** |
| ◆◇ Greige | **T5** |
| ◆◇ Light Gray | **Q** |
| ◆◇ Loft | **LOFT** |
| ◆◇ Muslin | **T3** |
| ◆◇ Putty | **L** |
| ◆◇ Titanium | **P8T** |
| **P2** | |
| ◆◇ Champagne Metallic | **T4** |
| ◆◇ Gunmetal Metallic | **PR3** |
| ◆◇ Platinum Metallic | **T1** |

*NOTE: Where 38000 edgeband does not match laminate color, alternative color is on flat edges only (sides, sides and back edge on returns and bridges, flat sides of corner unit, and flat end of peninsulas).*


- *STEEL DESKS*
  *SPECIFY: Model Number.*
  *Top Laminate.*
  *Paint Color*
  *EXAMPLE: H38934.N.S*
- *38000 TACKBOARDS*
  *(Fabric listed on pages 26-27)*
  *SPECIFY: Model Number*
  *Fabric Style.*
  *Color Code*
  *Paint Color*
  *EXAMPLE: HT72.CE18.P*

◆◇◇ *For lead time information see page 21.*

# 38000 SERIES™ Typicals — 3/4 Height Pedestals




| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Double Pedestal Desk**<br>72″W x 36″D x 29½″H | **H38180** | $2,856 | $2,856 |
| 1 | **Credenza with Kneespace**<br>72″W x 24″D x 29½″H | **H38854** | $2,479 | $2,479 |
| | | | **TOTAL:** | **$5,335** |




**DESK WORKSTATION WITH CREDENZA**

**72″W x 102″D**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Single Pedestal Desk**<br>72″W x 36″D x 29½″H | **H38293R** | $2,546 | $2,546 |
| 1 | **Stack-on Storage w/o Doors**<br>72⅝″W x 13½″D x 34¾″H | **H386572N** | $1,346 | $1,346 |
| 1 | **Bridge**<br>48″W x 24″D x 37⅛″H | **H38210** | $861 | $861 |
| 1 | **Flipper Doors**<br>2@36″W x 15″H | **H387215** | $837 | $837 |
| 1 | **Single Pedestal Credenza**<br>72″W x 24″D x 29½″H | **H38855L** | $2,113 | $2,113 |
| | | | **TOTAL:** | **$7,703** |




**DESK "U" WORKSTATION**

**72″W x 108″D**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Single Pedestal Desk**<br>72″W x 36″D x 29½″H | **H38293R** | $2,546 | $2,546 |
| 1 | **Stack-on Storage w/o Doors**<br>72⅝″W x 13½″D x 34¾″H | **H386572N** | $1,346 | $1,346 |
| 1 | **Left, Return, box/file**<br>60″W x 24″D x 29½″H | **H38218L** | $1,692 | $1,692 |
| 1 | **Flipper Doors**<br>2@36″W x 15″H | **H387215** | $837 | $837 |
| | | | **TOTAL:** | **$6,421** |




**DESK "L" WORKSTATION**

**72″W x 96″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Peninsula with Full End Panel**<br>70″W x 36″D x 29½″H | **H38941E** | $1,989 | $1,989 |
| 1 | **Stack-on Storage w/o Doors**<br>72⅝″W x 13½″D x 34¾″H | **H386572N** | $1,346 | $1,346 |
| 1 | **Bridge**<br>42″W x 24″D x 29½″H | **H38220** | $818 | $818 |
| 1 | **Flipper Doors**<br>2@36″W x 15″H | **H387215** | $837 | $837 |
| 1 | **Single Pedestal Credenza, Left**<br>72″W x 24″D x 29½″H | **H38855L** | $2,113 | $2,113 |
| | | | **TOTAL:** | **$7,103** |





**PENINSULA "U" WORKSTATION**

**72″W x 102″D**

# 38000 SERIES™
## Typicals — Modular

Icon Legend on page 19


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Shell Desk**<br>72″W x 36″D x 29½″H | **H38934** | $1,733 | $1,733 |
| 1 | **Flagship Mobile Pedestal – file/file**<br>15″W x 22⅞″D x 28″H | **H18823R** | $1,021 | $1,021 |
| 1 | **Return Shell, Left**<br>48″W x 24″D x 29½″H | **H38944L** | $1,208 | $1,208 |
| 1 | **Standard Height Mobile Pedestal – box/box/file**<br>15″W x 16⅞″D x 28″H | **H18717R** | $948 | $948 |
| | | | **TOTAL:** | **$4,910** |




**MODULAR DESK WORKSTATION**

**84″W x 72″D**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Shell Desk**<br>72″W x 36″D x 29½″H | **H38934** | $1,733 | $1,733 |
| 1 | **Flagship Mobile Pedestal – file/file**<br>15″W x 22⅞″D x 28″H | **H18823R** | $1,021 | $1,021 |
| 1 | **Bridge**<br>48″W x 24″D x 29½″H | **H38210** | $861 | $861 |
| 1 | **Shell Desk**<br>72″W x 24″D x 29½″H | **H38925** | $1,674 | $1,674 |
| 1 | **Flagship® Mobile Pedestal – box/box/file**<br>15″W x 16⅞″D x 28″H | **H18717R** | $948 | $948 |
| 1 | **Stack-on Storage w/o Doors**<br>72⅝″W x 13½″D x 34¾″H | **H386572N** | $1,346 | $1,346 |
| | | | **TOTAL:** | **$7,583** |




**MODULAR DESK “U” WORKSTATION**

**72″W x 108″D**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Corner Unit** | **H38928** | $1,945 | $1,945 |
| 1 | **Peninsula with End Panel**<br>70″W x 36″D x 29½″H | **H38941E** | $1,989 | $1,989 |
| 1 | **Bridge**<br>42″W x 24″D x 29½″H | **H38220** | $818 | $818 |
| 1 | **Shell Return, Right**<br>72″W x 24″D x 29½″H | **H38947R** | $1,608 | $1,608 |
| 1 | **Flagship Lateral File**<br>30″W x 18″D x 28″H | **H9170R** | $1,338 | $1,338 |
| 1 | **Stack-on Storage w/o Doors**<br>72⅝″W x 13½″D x 34¾″H | **H386572N** | $1,346 | $1,346 |
| 1 | **Flipper Doors**<br>2@36″W x 15″H | **H387215** | $837 | $837 |
| | | | **TOTAL:** | **$9,881** |




**PENINSULA “U” WORKSTATION**

**108″W x 114″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Corner Unit** | **H38928** | $1,945 | $1,945 |
| 1 | **Shell Return, Left**<br>72″W x 24″D x 29½″H | **H38948L** | $1,608 | $1,608 |
| 1 | **Standard Height Mobile Pedestal – box/box/file**<br>15″W x 16⅞″D x 28″H | **H18717R** | $948 | $948 |
| 1 | **Stack-on Storage w/o Doors**<br>72⅝″W x 13½″D x 34¾″H | **H386572N** | $1,346 | $1,346 |
| 1 | **Flipper Doors**<br>2@36″W x 15″H | **H387215** | $837 | $837 |
| 1 | **Shell Return – Right**<br>72″W x 24″D x 29½″H | **H38947R** | $1,608 | $1,608 |
| 1 | **Flagship® Mobile Pedestal – file/file**<br>15″W x 16⅞″D x 28″H | **H18817R** | $948 | $948 |
| | | | **TOTAL:** | **$9,240** |




**CORNER UNIT WITH RETURNS WORKSTATION**

**108″W x 108″D**

Icon Legend on page 19


# 38000 SERIES™ Bundles Typicals



Mahogany/Charcoal
**H38LL7284NS**

Harvest/Putty
**H38LL7284CL**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Left Pedestal Desk | **H38294L** | $2,546 | $2,546 |
| 1 | Right Return | **H38215R** | $1,542 | $1,542 |
| | | | **TOTAL:** | **$4,088** |





**L-STATION (LEFT DESK/RIGHT RETURN)**

Mahogany/Charcoal
**H38LR7284NS**

Harvest/Putty
**H38LR7284CL**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Right Pedestal Desk | **H38293R** | $2,546 | $2,546 |
| 1 | Left Return | **H38216L** | $1,542 | $1,542 |
| | | | **TOTAL:** | **$4,088** |





**L-STATION (RIGHT DESK/LEFT RETURN)**

Mahogany/Charcoal
**H38URH72108NS2**

Harvest/Putty
**H38URH72108CL2**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Single Pedestal Desk, Right | **H38293R** | $2,546 | $2,546 |
| 1 | Single Pedestal Credenza, Left | **H38855L** | $2,113 | $2,113 |
| 1 | Hutch without Doors | **H386572N** | $1,346 | $1,346 |
| 1 | Flipper Doors, Pair | **H387215** | $837 | $837 |
| 1 | Bridge | **H38210** | $861 | $861 |
| | | | **TOTAL:** | **$7,703** |




**U-STATION WITH HUTCH (RIGHT DESK/LEFT CREDENZA)**


# 38000 SERIES™
# Bundles Typicals

Icon Legend on page 19

Mahogany/Charcoal
**H38ULH72108NS2**

Harvest/Putty
**H38ULH72108CL2**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Single Pedestal Desk, Left | **H38294L** | $2,546 | $2,546 |
| 1 | Single Pedestal Credenza, Right | **H38856R** | $2,113 | $2,113 |
| 1 | Hutch without Doors | **H386572N** | $1,346 | $1,346 |
| 1 | Flipper Doors, Pair | **H387215** | $837 | $837 |
| 1 | Bridge | **H38210** | $861 | $861 |
| | | | **TOTAL:** | **$7,703** |





**U-STATION WITH HUTCH**
**(LEFT DESK/RIGHT CREDENZA)**

Mahogany/Charcoal
**H38DCH6096NS2**

Harvest/Putty
**H38DCH6096CL2**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | Double Pedestal Desk | **H38155** | $2,443 | $2,443 |
| 1 | Double Pedestal Credenza | **H38852** | $2,384 | $2,384 |
| 1 | Hutch without Doors | **H386560N** | $1,182 | $1,182 |
| 1 | Flipper Doors, Pair | **H386015** | $787 | $787 |
| | | | **TOTAL:** | **$6,796** |










**WORKSTATION**

GSA SIN 33721

Icon Legend on page 19

# 38000 SERIES™ Steel Desks — 3/4 Pedestals



| | DESCRIPTION | FULL WIDTH OVERHANG | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|---|
|  | **Double Pedestal — 2/2 w/Locks** | | | | | | |
| | 72″W x 36″D x 29½″H | 6″ | **H38180** | 256 | 51.7 | **$2856** | **$2937** |
| | 66″W x 30″D x 29½″H | | **H38170** | 224 | 40.1 | **$2733** | **$2814** |
| | 60″W x 30″D x 29½″H | | **H38155** | 217 | 36.6 | **$2443** | **$2524** |
|  | **Single Pedestal w/Lock** | | | | | | |
| | 72″W x 36″D x 29½″H — 2R | 6″ | **H38293R** | 214 | 51.7 | **$2546** | **$2627** |
| | 66″W x 30″D x 29½″H — 2R | | **H38291R** | 181 | 40.1 | **$2346** | **$2427** |
| | 48″W x 30″D x 29½″H — 2R | | **H38251** | 155 | 29.6 | **$2077** | **$2158** |
| | 72″W x 36″D x 29½″H — 2L | 6″ | **H38294L** | 214 | 51.7 | **$2546** | **$2627** |
| | 66″W x 30″D x 29½″H — 2L | | **H38292L** | 181 | 40.1 | **$2346** | **$2427** |
| | 48″W x 30″D x 29½″H — 2L | | **H38252L** | 155 | 29.6 | **$2077** | **$2158** |
|  | **Flush Return — box/file w/Lock** | | | | | | |
| | 60″W x 24″D x 29½″H — 2R | | **H38217R** | 138 | 30.1 | **$1692** | **$1742** |
| | 48″W x 24″D x 29½″H — 2R | | **H38215R** | 124 | 24.1 | **$1542** | **$1592** |
| | 60″W x 24″D x 29½″H — 2L | | **H38218L** | 138 | 30.1 | **$1692** | **$1742** |
| | 48″W x 24″D x 29½″H — 2L | | **H38216L** | 124 | 24.1 | **$1542** | **$1592** |
| | NOTES: Returns have 2 grommets each in worksurface top and full height modesty panel. | | | | | | |
|  | **Credenza w/Doors w/Locks** | | | | | | |
| | 72″W x 24″D x 29½″H | | **H38853** | 230 | 35.6 | **$2694** | **$2775** |
| | NOTES: Pedestals lock. | | | | | | |
|  | **Credenza w/Kneespace w/Locks** | | | | | | |
| | 72″W x 24″D x 29½″H<br>Kneespace: 39¾″W | | **H38854** | 172 | 35.6 | **$2479** | **$2560** |
| | 66″W x 24″D x 29½″H<br>Kneespace: 33¾″W | | **H38851** | 166 | 32.7 | **$2427** | **$2508** |
| | 60″W x 24″D x 29½″H<br>Kneespace: 27¾″W | | **H38852** | 154 | 29.8 | **$2384** | **$2465** |
| | NOTES: Pedestals lock. | | | | | | |
|  | **Single Pedestal Credenza — 2R w/Lock** | | | | | | |
| | 72″W x 24″D x 29½″H | | **H38856R** | 159 | 35.6 | **$2113** | **$2194** |
| | 66″W x 24″D x 29½″H | | **H38858R** | 153 | 32.7 | **$1960** | **$2041** |
| | NOTES: Pedestal locks. | | | | | | |
|  | **Single Pedestal Credenza — 2L w/Lock** | | | | | | |
| | 72″W x 24″D x 29½″H | | **H38855L** | 159 | 35.6 | **$2113** | **$2194** |
| | 66″W x 24″D x 29½″H | | **H38857L** | 153 | 32.7 | **$1960** | **$2041** |
| | NOTES: Pedestal locks. | | | | | | |

**NOTES:**

- 3/4 height modesty panels unless noted.
- Color of pulls and grommets match paint selection for core colors.
- One pencil tray standard per unit except returns.
- Wire grommets standard in all tops.
- Wire grommets in end panels allow cable connections between desks.
- "Tru-fit" mitered drawer fronts for better visual alignment.
- Optional center drawer features steel ball-bearing suspension.
- High-sided file drawers accept hanging files without hangrails.
- Three-part full extension steel ball-bearing suspension on all file drawers for full access to interior contents.
- Box drawers feature two-part, ¾″ extension steel ball-bearing suspension.
- Baked enamel finish over rust-inhibiting phosphate pre-treatment.
- Optional follower block accessory available to organize drawer storage.

## HOW TO SPECIFY

**Select Model Number**

H 3 8 1 8 0 .

**Select Laminate**

See page 310

N .

**Select Paint Color**


See page 310

S


# 38000 SERIES™ Modular Desks


GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | INSIDE SHELL DIMENSIONS | FULL WIDTH OVERHANG | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|---|
| **Desk Shell** | | | | | | | |
| 72″W x 36″D x 29½″H | 69½″W x 29½″D | 6″ | **H38934** | 134 | 7.1 | **$1733** | **$1814** |
| 72″W x 30″D x 29½″H | 69½″W x 29½″D | | **H38935** | 118 | 6.0 | **$1688** | **$1769** |
| 66″W x 30″D x 29½″H | 63½″W x 29½″D | | **H38933** | 108 | 6.0 | **$1663** | **$1744** |
| 60″W x 30″D x 29½″H | 57½″W x 29½″D | | **H38932** | 103 | 5.1 | **$1582** | **$1663** |
| 48″W x 30″D x 29½″H | 45½″W x 29½″D | | **H38931** | 89 | 5.1 | **$1462** | **$1543** |
| 72″W x 24″D x 29½″H | 69½″W x 23½″D | | **H38925** | 99 | 5.0 | **$1674** | **$1755** |
| 66″W x 24″D x 29½″H | 63½″W x 23½″D | | **H38923** | 95 | 5.0 | **$1606** | **$1687** |
| 60″W x 24″D x 29½″H | 57½″W x 23½″D | | **H38922** | 89 | 4.2 | **$1527** | **$1608** |
| 48″W x 24″D x 29½″H | 45½″W x 23½″D | | **H38921** | 83 | 4.2 | **$1430** | **$1511** |





| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **Return Shell** | | | | | | | |
| 72″W x 24″D x 29½″H, Right | 69⅝″W x 23½″D (2 grommets) | | **H38947R** | 87 | 6.0 | **$1608** | **$1658** |
| 60″W x 24″D x 29½″H, Right | 57⅝″W x 23½″D (2 grommets) | | **H38945R** | 80 | 5.1 | **$1441** | **$1491** |
| 48″W x 24″D x 29½″H, Right | 45⅝″W x 23½″D (2 grommets) | | **H38943R** | 71 | 4.2 | **$1208** | **$1258** |
| 42″W x 24″D x 29½″H, Right | 39⅝″W x 23½″D (2 grommets) | | **H38949R** | 65 | 4.2 | **$1126** | **$1176** |
| 72″W x 24″D x 29½″H, Left | 69⅝″W x 23½″D (2 grommets) | | **H38948L** | 87 | 6.0 | **$1608** | **$1658** |
| 60″W x 24″D x 29½″H, Left | 57⅝″W x 23½″D (2 grommets) | | **H38946L** | 80 | 5.1 | **$1441** | **$1491** |
| 48″W x 24″D x 29½″H, Left | 45⅝″W x 23½″D (2 grommets) | | **H38944L** | 71 | 4.2 | **$1208** | **$1258** |
| 42″W x 24″D x 29½″H, Left | 39⅝″W x 23½″D (2 grommets) | | **H38950L** | 65 | 4.2 | **$1126** | **$1176** |

NOTES: Modular returns feature full height modesty panels.

Not designed to be used freestanding.

**NOTES:**

- Color of pulls and grommets match paint selection for core colors. If Titanium paint is selected then Loft is provided.
- Wire grommets standard in all tops, except peninsulas.
- Wire grommets in end panels allow cable connections between desks.
- Optional center drawer features steel ball-bearing suspension.
- 3/4 height modesty panels unless noted.
- Ability to use all HON laterals and pedestals.

## Recommended Pedestal Options:


| 38000 Series™ | 36″ Deep Desk | | | 30″ Deep Desk | | | 24″ Deep Desk | | |
|---|---|---|---|---|---|---|---|---|---|
| Contain®, Flagship® or Brigade® Pedestals | Ability to Attach | Ability to Use Wire Port | Ability to Attach Hutch | Ability to Attach | Ability to Use Wire Port | Ability to Attach Hutch | Ability to Attach | Ability to Use Wire Port | Ability to Attach Hutch |
| 16¾″D Hanging Pedestal | • | • | • | • | • | • | • | | • |
| 22⅞″D Hanging Pedestal | • | • | • | • | • | • | | | • |
| 16¾″D Freestanding or Mobile | • | • | • | • | • | • | • | | • |
| 22⅞″D Freestanding or Mobile | • | • | • | • | • | • | • | | • |
| 28⅞″D Freestanding or Mobile | • | | • | • | | • | | | |


Use of a pedestal spacer or 28″H standard height pedestals will block wire access from the grommet to the kneespace area.

NOTES: Stack-on units can be attached regardless of pedestal configuration.

**Personalize Your Storage Needs With These Possible Solutions:**

*Use coordinating HON components such as Flagship® pedestals (shown on page 600) and Lateral Files (shown on pages 602-603).*





## HOW TO SPECIFY




| Select Model Number | Select Laminate | Select Paint Color |
|---|---|---|
| H 3 8 9 3 4 . | See page 310<br>N . | See page 310<br>S |


GSA SIN 33721

Icon Legend on page 19

# 38000 SERIES™ Components



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
|  | **Peninsula with Support Column and End Panel** | | | | | |
| | 70″W x 36″D x 29½″H | **H38941E** | 132 | 8.1 | **$1989** | **$2039** |
| | 70″W x 30″D x 29½″H | **H38942E** | 126 | 7.0 | **$1889** | **$1939** |
| | 66″W x 30″D x 29½″H | **H38966E** | 113 | 8.1 | **$1837** | **$1887** |
| | NOTES: Use to create “L” configuration with a Return or “U” configuration with a Bridge and Credenza, Desk or Corner Unit. | | | | | |
| | ! Not designed to be used freestanding. | | | | | |
|  | **Corner Unit** | | | | | |
| | 24″ x 36″ x 36″ x 24″ x 29½″H<br>Leading edge is 17″W;<br>leading edge to rear edge is 36″D. | **H38928** | 85 | 7.4 | **$1945** | **$2026** |
| | ! Designed to be used with Returns or Bridges. | | | | | |
|  | **Bridge** | | | | | |
| | 48″W x 24″D x 29½″H | **H38210** | 54 S | 4.2 | **$861** | **$881** |
| | 42″W x 24″D x 29½″H | **H38220** | 50 S | 4.2 | **$818** | **$838** |
| | NOTES: Full height modesty panel. | | | | | |




**NOTES:**
- 3/4 height modesty panels unless noted.
- All worksurfaces shown are particleboard.
- Color of grommets match paint selection for core colors.


## HOW TO SPECIFY

| Select Model Number | Select Laminate | Select Paint Color | Select Support Column Paint |
|---|---|---|---|
| | See page 310 | See page 310 | *Specify for peninsula models only*<br>**P** Black |
| H 3 8 9 4 1 E . | N . | S . | P |

# 38000 SERIES™ Steel Stack-on Units

GSA SIN 33721

Icon Legend on page 19




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Stack-on Full Clearance without Doors** | | | | | |
| 72"W x 13½"D x 34¾"H | **H386572N** | 72 | 6.8 | **$1346** | **$1402** |
| 66"W x 13½"D x 34¾"H | **H386566N** | 68 | 6.3 | **$1278** | **$1334** |
| 60"W x 13½"D x 34¾"H | **H386560N** | 64 | 5.7 | **$1182** | **$1238** |
| 48"W x 13½"D x 34¾"H | **H386548N** | 53 | 4.7 | **$1080** | **$1136** |

NOTES: Interior is 12¾"H.
Specify: Paint color.

## HOW TO SPECIFY


**Select Model Number**

H 3 8 6 5 7 2 N .

**Select Paint Color**

See page 310

P



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Front Flipper Doors** | | | | | |
| 2 @ 36"W x 15"H, Flipper Doors for 72"W Stack-on | **H387215** | 19 | 0.9 | **$837** | **$857** |
| 2 @ 33"W x 15"H, Flipper Doors for 66"W Stack-on | **H386615** | 17 | 0.9 | **$819** | **$839** |
| 2 @ 30"W x 15"H, Flipper Doors for 60"W Stack-on | **H386015** | 16 | 0.9 | **$787** | **$807** |
| 1 @ 48"W x 15"H, Flipper Door for 48"W Stack-on | **H384815** | 12 | 0.5 | **$482** | **$502** |

**NOTES:**

- Flipper doors are standard with a core removable lock located on the underside of stack-on shelf.
- Equipped with HON "One Key" interchangeable core removable locks.
- Stack-on units attach to worksurface with double stick tape or with screws provided.
- Stack-ons also compatible with Abode™ and Metro Classic.
- Cabinet/door combination kits available for field installation.
- Two dividers standard with every stack-on.
- Color of grommets match paint selection for core colors.

Keyed alike cores must be ordered separately — see page 673.

Stack-on Units not designed to be used on Corner Units.

## HOW TO SPECIFY

**Select Model Number**

H 3 8 7 2 1 5 .

**Select Lock Option**

**L** Lock
**X** Omit Lock (- $20)

See page 673 for omit lock ordering instructions

L .

**Select Paint Color**

See page 310

P

GSA SIN 33721

Icon Legend on page 19

# 38000 SERIES™
## Steel Stack-on Units



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Shelf Dividers — package of 6** | **H38SHFDV** | 3 | 0.2 | **$219** | **$232** |



Specify: Paint color. Shelf dividers can only be used on stack-ons manufactured after 7/3/2000.

## HOW TO SPECIFY

**Select Model Number**

H 3 8 S H F D V .

**Select Paint Color**


See page 310

P

# 38000 SERIES™ Accessories

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Tackboard for Stack-on** — 20″H | | | | |
| 72″W | **HT72ND** | 26.0 | 2.3 | **$752** |
| 66″W | **HT66ND** | 24.0 | 2.1 | **$724** |
| 60″W | **HT60ND** | 22.0 | 1.9 | **$700** |
| 48″W | **HT48ND** | 18.0 | 1.5 | **$626** |

Specify: Model.Fabric.Paint. Upcharges may apply to premium fabric grades.

Disperse (DISP) fabric not available on sizes wider than 60″.

**NOTES:**

- Tackboards feature painted steel backs and can be installed in the field.

## HOW TO SPECIFY

| Select Model Number | Select Fabric Color | Select Paint Color |
|---|---|---|
| | See pages 26-27 | See page 310 |
| H T 7 2 N D . | A P N 1 5 . | P |

# ABODE™

Want to see more? Scan here to check out hon.com.





Abode™ shown with Contain® Storage and Endorse® Seating.

## ABODE™

The Abode systems desk gives you a consistent look throughout your space and can help you respond easily to future layout changes. It integrates seamlessly with Abound® and Accelerate®, and can be configured to create freestanding or height adjustable workstations. For greater flexibility and durability in the workspace, look no further than Abode.







### FEATURES

- Create a freestanding metal desk that accommodates storage above and below the worksurface.
- Full compatibility with Abound and Accelerate workstations elevates the functionality of Abode.
- Incorporating Coordinate™ makes it easy for workers to adjust their desk height throughout the day, keeping them active, healthy and focused.

# ABODE™ ORDERING INFORMATION



## COMPONENTS

**PAINT ..... CODES**

**P1**

- Black ..... **P**
- Brownstone ..... **P7D**
- Charcoal ..... **S**
- Cove ..... **P096**
- Designer White ..... **PJW**
- Dune ..... **P094**
- Fossil ..... **P28**
- Greige ..... **T5**
- Harbor ..... **P097**
- Light Gray ..... **Q**
- Loft ..... **LOFT**
- Muslin ..... **T3**
- Putty ..... **L**
- Sage ..... **P095**
- Titanium ..... **P8T**


**P2**

- Champagne Metallic ..... **T4**
- Platinum Metallic ..... **T1**
- Silver ..... **PR6**

◆◆◇ *For lead time information see page 21.*

## WORKING WITH ABODE™ COMPONENTS

### Configurations



### End Panels and Support Legs

Each are available in two options: freestanding or panel mount. The only difference between the two options are the panel-mount models come with a left- or right-handed bracket to attach the support to a panel in a systems application.


The 11"D end panel is used to support peninsulas.

### Corner Desk Legs

Corner desk legs have a 90-degree bend and welded construction. The strong construction allows gussets or half-height modesty panels to be used with corner legs.

### Bridge Kits

Bridge kits include: two flat brackets, two modesty panel-to-end panel attachment brackets, and two tie straps. This kit is used when attaching a bridge unit between two rectangular worksurfaces.





There are some bridge instances where only half of a bridge kit is needed (e.g., using a bridge between a rectangular worksurface and a corner or peninsula). A return kit may be ordered for these instances.

### Support Column

Support columns are used to support one end of curvilinear worksurfaces. Includes column, worksurface bracket kit HWSA2, attaching hardware, and adjustable glides.

### Return Kits


Return kits include: one flat bracket, one modesty panel-to-end panel attachment bracket, and one tie strap. These are used when attaching a return to a primary desk. Return kits can also be used in some bridge applications — one example is shown below when using a peninsula.




### Desk-to-Panel Attachment Kits

Desk-to-panel attachment kits are used to connect a worksurface and modesty panel perpendicular to a panel of corresponding width. Opposing end of worksurface must be attached with an end panel, support leg, or corner leg mounted directly under this worksurface.

When using a corner or corner cove worksurface with the rear corner attached to a panel, and opposing end of worksurface is attached to a freestanding desk, use corner w/desk attachment kit. Hand of unit is determined from the user's side of the desk (right-hand unit attaches to right side of modesty).




# ABODE™



### Corner w/Desk Panel Attachment Kit

Corner w/desk panel attachment kit connects the rear corner of a corner or corner cove worksurface and modesty panel to a panel when the opposing end of the worksurface shares a support leg with an adjacent freestanding desk and the support leg is mounted under the freestanding desk. Hand of unit is determined from the user's side of the desk (left-hand unit attaches to left side of modesty).





### Corner Worksurfaces

Corner worksurfaces accommodate 90-degree corner desk legs.

### In-Line Connections of Desks

Shared leg can be used at in-line connections to support adjacent rectangular desks.




### Pedestals and Storage

Pedestals must be ordered smaller than the depth of the worksurface. For example, 18″D peds should be used with 24″D worksurfaces. 18″D or 23″D pedestals can be used with 30″D worksurfaces. Using 18″D laterals or personal files provide additional storage options under 24″D worksurfaces.


### Modesty Panels

The following are some general guidelines for Abode™ modesty panels:

- **Desk:** Modesty panel width is the same width as the worksurface
- **Return:** Modesty panel width is 6″ greater than the width of the worksurface
- **Bridge connecting two rectangular worksurfaces:** Modesty panel width is 12″ greater than the width of the bridge worksurface
- **Bridge connecting a rectangular worksurface and corner or peninsula:** Modesty panel width is 6″ greater than the width of the worksurface
- **Corner connecting to an adjacent worksurface:** Modesty panel width is the same width as the worksurface.


### Stand-Alone Corner Modesty Panels

Stand-alone corner modesty panels are used only when one or both sides of a corner or corner cove worksurface are freestanding and NOT attached to another worksurface. Specify the width the same as the width of the worksurface.




### Gussets "G"

Gussets can be used in place of a modesty panel with desks 36″W to 60″W. Gussets can also be used with corner desk legs.




Icon Legend on page 19

# ABODE™ Typicals




| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangle Worksurface** 24″D x 36″W | **HWR2436P** | $460 | $460 |
| 2 | **Freestanding End Panel Support** 24″D x 29½″H | **HSDEP2429F** | $266 | $532 |
| 1 | **Full-Height Modesty Panel** 36″W x 29½″H | **HSDMP369** | $271 | $271 |
| | | | **TOTAL:** | **$1,263** |




**FREESTANDING DESK**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangle Worksurface** 24″D x 36″W | **HWR2436P** | $460 | $460 |
| 1 | **Freestanding End Panel Support** 24″D x 29½″H | **HSDEP2429F** | $266 | $266 |
| 1 | **Full-Height Modesty Panel** 36″W x 29½″H | **HSDMP369** | $271 | $271 |
| 1 | **Desk-to-Panel Attachment Kit – Right-Handed** 29½″H | **HSDDPA29R** | $136 | $136 |
| | | | **TOTAL:** | **$1,133** |



**PANEL-ATTACHED DESK**


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangle Worksurface** 24″D x 36″W | **HWR2436P** | $460 | $460 |
| 1 | **Rectangle Worksurface** 24″D x 60″W | **HWR2460P** | $633 | $633 |
| 1 | **Full-Height Modesty Panel** 42″W x 29½″H | **HSDMP429** | $278 | $278 |
| 3 | **Freestanding End Panel Support** 24″D x 29½″H | **HSDEP2429F** | $266 | $798 |
| 1 | **Return Kit** 29½″H | **HSDRK29** | $140 | $140 |
| 1 | **Full-Height Modesty Panel** 60″W x 29½″H | **HSDMP609** | $294 | $294 |
| | | | **TOTAL:** | **$2,603** |



**RETURN DESK**

Attached to a primary or return desk

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangle Worksurface** 24″D x 48″W | **HWR2448P** | $536 | $536 |
| 1 | **Full-Height Modesty Panel** 54″W x 29½″H | **HSDMP549** | $292 | $292 |
| 1 | **Freestanding End Panel Support** 24″D x 29½″H | **HSDEP2429F** | $266 | $266 |
| 1 | **Return Kit** 29½″H | **HSDRK29** | $140 | $140 |
| 1 | **End Panel Support – Right** 24″D x 29½″H | **HRVEP2429R** | $296 | $296 |
| 1 | **End Panel Support – Left** 24″D x 29½″H | **HRVEP2429L** | $296 | $296 |
| 1 | **Rectangle Worksurface** 24″D x 60″W | **HWR2460P** | $633 | $633 |
| | | | **TOTAL:** | **$2,459** |



**RETURN DESK**


Attached to a panel-hung worksurface

# ABODE™ Typicals

Icon Legend on page 19




| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangle Worksurface** 24″D x 42″W | **HWR2442P** | $505 | $505 |
| 2 | **Rectangle Worksurface** 24″D x 72″W | **HWR2472P** | $700 | $1,400 |
| 1 | **Full-Height Modesty Panel** 54″W x 29½″H | **HSDMP549** | $292 | $292 |
| 1 | **Bridge Kit** | **HSDBK29** | $265 | $265 |
| 2 | **Full-Height Modesty Panel** 72″W x 29½″H | **HSDMP729** | $306 | $612 |
| 4 | **Freestanding End Panel Support** 24″D x 29½″H | **HSDEP2429F** | $266 | $1,064 |
| | | | **TOTAL:** | **$4,138** |



**BRIDGE DESK**

Attached between two primary desks


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangle Worksurface** 24″D x 36″W | **HWR2436P** | $460 | $460 |
| 1 | **Rectangle Worksurface** 24″D x 60″W | **HWR2460P** | $633 | $633 |
| 1 | **Peninsula Worksurface** 30″D x 60″W | **HWP3060P** | $833 | $833 |
| 1 | **Full-Height Modesty Panel** 42″W x 29½″H | **HSDMP429** | $278 | $278 |
| 1 | **Full-Height Modesty Panel** 30″W x 29½″H | **HSDMP309** | $268 | $268 |
| 2 | **Freestanding End Panel Support** 24″D x 29½″H | **HSDEP2429F** | $266 | $532 |
| 1 | **Full-Height Modesty Panel** 60″W x 29½″H | **HSDMP609** | $294 | $294 |
| 1 | **Freestanding End Panel Support** 11″D x 29½″H | **HSDEP1129F** | $250 | $250 |
| 1 | **Freestanding Support Leg** 24″D x 29½″H | **HSDSL2429F** | $280 | $280 |
| 1 | **Support Column for Peninsula** | **HCNLEG29** | $290 | $290 |
| 1 | **Return Kit** 29½″H | **HSDRK29** | $140 | $140 |
| | | | **TOTAL:** | **$4,258** |



**BRIDGE DESK AND PENINSULA**

Attached to a primary desk


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Corner Worksurface** 24″D x 36″W | **HWCS3624P** | $627 | $627 |
| 2 | **Stand-Alone Corner Modesty Panel** 36″W x 29½″H | **HSDCMP3629** | $271 | $542 |
| 2 | **Freestanding End Panel Support** 24″D x 29½″H | **HSDEP2429F** | $266 | $532 |
| 1 | **Corner Desk Leg** 29½″H | **HSDDL29** | $226 | $226 |
| | | | **TOTAL:** | **$1,927** |



**CORNER DESK**

Stand-alone

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Corner Worksurface** 24″D x 36″W | **HWCS3624P** | $627 | $627 |
| 1 | **Rectangle Worksurface** 24″D x 36″W | **HWR2436P** | $460 | $460 |
| 1 | **Stand-Alone Corner Modesty Panel** 36″W x 29½″H | **HSDCMP3629** | $271 | $271 |
| 2 | **Full-Height Modesty Panel** 36″W x 29½″H | **HSDMP369** | $271 | $542 |
| 2 | **Freestanding End Panel Support** 24″D x 29½″H | **HSDEP2429F** | $266 | $532 |
| 1 | **Freestanding Support Leg** 24″D x 29½″H | **HSDSL2429F** | $280 | $280 |
| 1 | **Corner Desk Leg** 29½″H | **HSDDL29** | $226 | $226 |
| | | | **TOTAL:** | **$2,938** |



**CORNER DESK**


With adjacent desk attached at one side

Icon Legend on page 19

# ABODE™ Typicals




| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 2 | **Rectangle Worksurface** 24″D x 36″W | **HWR2436P** | $460 | $920 |
| 1 | **Rectangle Worksurface** 24″D x 72″W | **HWR2472P** | $700 | $700 |
| 1 | **Corner Worksurface** 24″D x 36″W | **HWCS3624P** | $627 | $627 |
| 1 | **Full-Height Modesty Panel** 42″W x 29½″H | **HSDMP429** | $278 | $278 |
| 1 | **Return Kit** 29½″H | **HSDRK29** | $140 | $140 |
| 2 | **Freestanding Support Leg** 24″D x 29½″H | **HSDSL2429F** | $280 | $560 |
| 3 | **Freestanding End Panel Support** 24″D x 29½″H | **HSDEP2429F** | $266 | $798 |
| 1 | **Full-Height Modesty Panel** 72″W x 29½″H | **HSDMP729** | $306 | $306 |
| 3 | **Full-Height Modesty Panel** 36″W x 29½″H | **HSDMP369** | $271 | $813 |
| 1 | **Corner Desk Leg** 29½″H | **HSDDL29** | $226 | $226 |
| | | | **TOTAL:** | **$5,368** |



**BRIDGE DESK**


Attached between corner and primary desk

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Jetty – Right-Handed** 48″D x 72″W x 24″ x 30″ | **HWJ59ABRP** | $1,115 | $1,115 |
| 1 | **Corner Cove – Right-Handed** 72″ x 48″ x 24″ x 24″ | **HWV95AARP** | $1,039 | $1,039 |
| 2 | **Full-Height Modesty Panel** 48″W x 29½″H | **HSDMP489** | $289 | $578 |
| 1 | **Stand-Alone Corner Modesty Panel** 72″W x 29½″H | **HSDCMP7229** | $306 | $306 |
| 1 | **Freestanding End Panel Support** 11″D x 29½″H | **HSDEP1129F** | $250 | $250 |
| 1 | **Freestanding Support Leg** 24″D x 29½″H | **HSDSL2429F** | $280 | $280 |
| 1 | **Freestanding End Panel Support** 24″D x 29½″H | **HSDEP2429F** | $266 | $266 |
| 1 | **Corner Desk Leg** 29½″H | **HSDDL29** | $226 | $226 |
| 1 | **Support Column** | **HCNLEG29** | $290 | $290 |
| | | | **TOTAL:** | **$4,350** |



**“U” WITH JETTY AND CORNER COVE**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 4 | **Rectangular Worksurface** 24″D x 72″W | **HWR2472P** | $700 | $2,800 |
| 2 | **Abound® Panel Frame** 35″H x 24″W | **HRVF3524P** | $320 | $640 |
| 2 | **Abound® Panel Frame** 35″H x 48″W | **HRVF3548P** | $369 | $738 |
| 4 | **Abound® Fabric Tile** 30″H x 24″W | **HRVT3024T** | $137 | $548 |
| 4 | **Abound® Fabric Tile** 30″H x 48″W | **HRVT3048T** | $184 | $736 |
| 2 | **Abound® Frameless Glass** 7½″H x 72″W | **HRVT0772F** | $1,146 | $2,292 |
| 2 | **Abound® Finished End Trim** 30″H | **HRVC30PF** | $109 | $218 |
| 2 | **Abode™ Desk-to-Panel Attachment Kits – Left** 29½″H | **HSDDPA29L** | $136 | $272 |
| 2 | **Abode™ Desk-to-Panel Attachment Kits – Right** 29½″H | **HSDDPA29R** | $136 | $272 |
| 4 | **Abode™ Full-Height Modesty Panel** 72″W | **HSDMP729** | $306 | $1,224 |
| 4 | **Abode™ Freestanding End Panel** 24″D | **HSDEP2429F** | $266 | $1,064 |
| 2 | **Contain® Low Credenza, Box/Lateral – Right** 48″W | **HSCP224818LBFOM** | $2,210 | $4,420 |
| 2 | **Contain® Low Credenza, Box/Lateral – Left** 48″W | **HSCP224818RBFOM** | $2,210 | $4,420 |
| 4 | **Flagship® Freestanding Support Ped B/B/F** | **H19717A** | $936 | $3,744 |
| 4 | **Glass Side Mount Screen** 60″W x 13″H | **HUSGFSM1360** | $1,121 | $4,484 |
| 4 | **Credenza Storage-to-Panel Bracket** | **HSCAPB** | $272 | $1,088 |
| | | | **TOTAL:** | **$28,960** |




**ABODE™ WITH ABOUND®**

# ABODE™ Typicals

Icon Legend on page 19




| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 2 | **Rectangular Worksurface** 24″D x 36″W | **HWR2436P** | $460 | $920 |
| 1 | **Corner Worksurface** 24″D x 36″W | **HWCS3624P** | $627 | $627 |
| 2 | **Abode™ Freestanding End Panel** 24″D | **HSDEP2429F** | $266 | $532 |
| 2 | **Abode™ Freestanding Support Leg** 24″D | **HSDSL2429F** | $280 | $560 |
| 1 | **Abode™ Corner Desk Leg** 29½″H | **HSDDL29** | $226 | $226 |
| 4 | **Abode™ Full-Height Modesty Panel** 36″W | **HSDMP369** | $271 | $1,084 |
| 2 | **Flagship® Freestanding Support Ped B/B/F** | **H19717A** | $936 | $1,872 |
| | | | **TOTAL:** | **$5,821** |




**CORNER WITH RETURN**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 8 | **Accelerate® Tackable Panel** 65″H x 24″W | **HETP6524FP** | $496 | $3,968 |
| 2 | **Accelerate® Tackable Panel** 65″H x 48″W | **HETP6548FP** | $636 | $1,272 |
| 6 | **Accelerate® Top Cap** 24″W | **HETC24** | $54 | $324 |
| 2 | **Accelerate® Top Cap** 72″W | **HETC72** | $140 | $280 |
| 4 | **Rectangular Worksurface** 24″D x 72″W | **HWR2472P** | $700 | $2,800 |
| 4 | **Rectangular Worksurface** 24″D x 48″W | **HWR2448P** | $536 | $2,144 |
| 2 | **Accelerate® “T” Connector** 65″H | **HEC65PTN** | $190 | $380 |
| 1 | **Accelerate® “X” Connector** 65″H | **HEC65PXN** | $182 | $182 |
| 6 | **Accelerate® Panel Finished End Covers** 65″H | **HEFEC65P** | $90 | $540 |
| 8 | **Accelerate® Worksurface Bracket Kit** | **HWSB2** | $64 | $512 |
| 4 | **Flat Bracket** 24″D | **HHN831124** | $88 | $352 |
| 4 | **Flagship® Freestanding Support Ped B/B/F** | **H19717A** | $936 | $3,744 |
| 2 | **Abode™ Desk-to-Panel Attachment Kits – Left** 29½″H | **HSDDPA29L** | $136 | $272 |
| 2 | **Abode™ Desk-to-Panel Attachment Kits – Right** 29½″H | **HSDDPA29R** | $136 | $272 |
| 4 | **Abode™ Freestanding End Panel** 24″D | **HSDEP2429F** | $266 | $1,064 |
| 4 | **Abode™ Full-Height Modesty Panel** 72″W | **HSDMP729** | $306 | $1,224 |
| 4 | **Systems Overhead Storage Flipper Door** 48″W | **HRVOH48FM** | $861 | $3,444 |
| 4 | **Systems Overhead Storage Shelf** 24″W | **HRVSH24** | $319 | $1,276 |
| 4 | **Glass Side Mount Screen** 42″W x 13″H | **HUSGFSM1342** | $1,006 | $4,024 |
| 2 | **“T” Connector** | **HECST** | $32 | $64 |
| 1 | **“X” Connector** | **HECSX** | $37 | $37 |
| | | | **TOTAL:** | **$28,175** |



**ABODE™ WITH ACCELERATE®**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Rectangular Worksurface** 24″D x 72″W | **HWR2472P** | $700 | $700 |
| 1 | **Rectangular Worksurface** 24″D x 48″W | **HWR2448P** | $536 | $536 |
| 1 | **Peninsula Worksurface** 30″D x 72″W | **HWP3072P** | $1,005 | $1,005 |
| 1 | **Stack-on Full Clearance w/o Doors** 13″D x 72″W x 34¾″H | **H386572N** | $1,346 | $1,346 |
| 1 | **Flipper Doors w/ Lock** 36″W x 16″H | **H387215** | $837 | $837 |
| 1 | **Tackboard for 72″W Hutch** 72″ | **HT72ND** | $752 | $752 |
| 1 | **Support Column for Peninsula** 29″H | **HCNLEG29** | $290 | $290 |
| 2 | **Abode™ Freestanding End Panel** 24″D | **HSDEP2429F** | $266 | $532 |
| 1 | **Abode™ Freestanding End Panel** 11″D | **HSDEP1129F** | $250 | $250 |
| 1 | **Abode™ Freestanding Support Leg** 24″D | **HSDSL2429F** | $280 | $280 |
| 1 | **Abode™ Return Kit** | **HSDRK29** | $140 | $140 |
| 1 | **Abode™ Full-Height Modesty Panel** 72″W | **HSDMP729** | $306 | $306 |
| 1 | **Abode™ Full-Height Modesty Panel** 54″W | **HSDMP549** | $292 | $292 |
| 1 | **Abode™ Full-Height Modesty Panel** 30″W | **HSDMP309** | $268 | $268 |
| 1 | **Flagship® 2 Drawer “A” Pull Lateral** 30″W | **H9170A** | $1,338 | $1,338 |
| | | | **TOTAL:** | **$8,872** |




**PENINSULA U**

Icon Legend on page 19

# ABODE™ Typicals



| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 2 | **Rectangular Worksurface** 24″D x 72″W | **HWR2472P** | $700 | $1,400 |
| 1 | **Height Adjustable Worksurface** 24″D x 48″W | **HHATW2448CT** | $512 | $512 |
| 1 | **Stack-on Full Clearance w/o Doors** 13″D x 72″W x 34¾″H | **H386572N** | $1,346 | $1,346 |
| 1 | **Flipper Doors w/ Lock** 36″W x 16″H | **H387215** | $837 | $837 |
| 1 | **Tackboard for 72″W Hutch** 72″ | **HT72ND** | $752 | $752 |
| 2 | **Abode™ Full-Height Modesty Panel** 72″W | **HSDMP729** | $306 | $612 |
| 4 | **Abode™ Freestanding End Panel** 24″D | **HSDEP2429F** | $266 | $1,064 |
| 1 | **Coordinate™ Height Adjustable Base,** Rectangle T-Foot | **HHATB3S2LT** | $1,203 | $1,203 |
| 2 | **Flagship® 2 Drawer “A” Pull Lateral** 30″W | **H9170A** | $1,338 | $2,676 |
| | | | **TOTAL:** | **$10,402** |




**WORKSTATION U**

# ABODE™ Components


GSA SIN 33721

Icon Legend on page 19






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Freestanding End Panel Supports** | | | | | |
| 11″D | **HSDEP1129F** | 15 | 1.1 | **$250** | **$280** |
| 24″D | **HSDEP2429F** | 25 | 1.1 | **$266** | **$296** |
| 30″D | **HSDEP3029F** | 30 | 1.1 | **$294** | **$324** |




| | | | | | |
|---|---|---|---|---|---|
| **Panel Mounted Full End Panel Supports*** | | | | | |
| 29½″H x 11″D — Right – Panel Mount | **HRVEP1129R** | 16 | 1.4 | **$274** | **$306** |
| 29½″H x 11″D — Left – Panel Mount | **HRVEP1129L** | 16 | 1.4 | **$274** | **$306** |
| 29½″H x 24″D — Right – Panel Mount | **HRVEP2429R** | 21 | 1.4 | **$296** | **$328** |
| 29½″H x 24″D — Left – Panel Mount | **HRVEP2429L** | 21 | 1.4 | **$296** | **$328** |
| 29½″H x 30″D — Right – Panel Mount | **HRVEP3029R** | 23 | 1.4 | **$323** | **$355** |
| 29½″H x 30″D — Left – Panel Mount | **HRVEP3029L** | 23 | 1.4 | **$323** | **$355** |

*Must be connected into panel slots. When an installation of worksurfaces is 8 feet or greater, a full end panel or universal support leg must be used at 90 degree panel junctions or in a shared position to support adjoining worksurfaces.



| | | | | | |
|---|---|---|---|---|---|
| **Freestanding Support Leg** | | | | | |
| 24″D | **HSDSL2429F** | 25 | 1.1 | **$280** | **$310** |
| 30″D | **HSDSL3029F** | 25 | 1.1 | **$313** | **$343** |

NOTES: To be used when connecting a non-rectangular worksurface to a rectangular worksurface.



| | | | | | |
|---|---|---|---|---|---|
| **Panel Mounted Support Leg*** | | | | | |
| 29½″H to support 24″D | **HRVCLG24** | 16 | 1.4 | **$263** | **$295** |
| 29½″H to support 30″D | **HRVCLG30** | 17 | 1.4 | **$287** | **$319** |

*Must be connected into panel slots. When an installation of worksurfaces is 8 feet or greater, a full end panel or universal support leg must be used at 90 degree panel junctions or in a shared position to support adjoining worksurfaces.

**NOTES:**

All Abode™ Components are compatible with Abound® and Accelerate® panel systems and Systems Worksurfaces.

## HOW TO SPECIFY

**Select Model Number**

H S D E P 1 1 2 9 F .

**Select Paint Color**

See page 322


T 1

GSA SIN 33721

Icon Legend on page 19

# ABODE™ Components



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
|  | **Abode™ Shared Leg**<br>NOTES: To be used when joining two rectangular surfaces. Can be used as a stand-alone support in panel systems. 1½″ radius opening for cord management. | **HSDSL29** | 18 | 1.5 | **$506** | **$536** |
|  | **Corner Desk Leg**<br>29½″H<br>NOTES: Corner desk legs have 90° bend and welded construction. | **HSDDL29** | 7 | 0.4 | **$226** | **$256** |
|  | **Gussets (1 pair)**<br>NOTES: Gussets may be used instead of a modesty panel to create freestanding desks 36″W to 60″W. | **HSDG** | 7 | 0.5 | **$157** | **$176** |
|  | **Flat Bracket**<br>24″D<br>30″D<br>Charcoal only. | **HHN831124**<br>**HHN831130** | 3<br>3 | 0.3<br>0.4 | **$88**<br>**$88** | **N/A**<br>**N/A** |

**NOTES:**

All Abode™ Components are compatible with Abound® and Accelerate® panel systems and Systems Worksurfaces.

## HOW TO SPECIFY

**Select Model Number**

H S D S L 2 9 .

**Select Paint Color**

See page 322



T 1

# ABODE™ Components

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
|  | **Bridge Kit** | | | | | |
| | 29½"H | **HSDBK29** | 10 | 0.4 | **$265** | **$295** |
| | NOTES: Add 12" to your modesty width when using a Bridge Kit. Bridge Kits include two flat brackets, two modesty panel-to-end panel attachment brackets, and two tie straps. | | | | | |
|  | **Return Kit** | | | | | |
| | 29½"H | **HSDRK29** | 6 | 0.4 | **$140** | **$170** |
| | NOTES: Add 6" to your modesty width when using a Return Kit. Return Kits include one flat bracket, one modesty panel-to-end panel attachment bracket, and one tie strap. | | | | | |
|  | **Desk-to-Panel Attachment Kit** | | | | | |
| | 29½"H | **HSDDPA29L** | 5 | 0.3 | **$136** | **$148** |
| | 29½"H | **HSDDPA29R** | 5 | 0.3 | **$136** | **$148** |
|  | **Corner with Desk-to-Panel Attachment Kit** | | | | | |
| | 29½"H | **HSDCDPA29L** | 5 | 0.3 | **$136** | **$148** |
| | 29½"H | **HSDCDPA29R** | 5 | 0.3 | **$136** | **$148** |
| | NOTES: This Attachment Kit utilizes the same modesty panel specification rules as the Freestanding Corner Leg. | | | | | |

## HOW TO SPECIFY

**Select Model Number**

H S D B K 2 9 .

**Select Paint Color**

See page 322





T 1

GSA SIN 33721

Icon Legend on page 19

# ABODE™ Components



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
|  | **Full-Height Modesty Panel** | | | | | |
| | 29½"H x 24"W | **HSDMP249** | 5.0 S | 0.6 | **$260** | **$279** |
| | 29½"H x 30"W | **HSDMP309** | 7.0 S | 0.6 | **$268** | **$287** |
| | 29½"H x 36"W | **HSDMP369** | 8.0 | 0.8 | **$271** | **$290** |
| | 29½"H x 42"W | **HSDMP429** | 9.0 | 0.9 | **$278** | **$297** |
| | 29½"H x 48"W | **HSDMP489** | 11.0 | 1.0 | **$289** | **$308** |
| | 29½"H x 54"W | **HSDMP549** | 12.0 | 2.2 | **$292** | **$311** |
| | 29½"H x 60"W | **HSDMP609** | 13.0 | 2.2 | **$294** | **$313** |
| | 29½"H x 66"W | **HSDMP669** | 15.0 | 2.6 | **$302** | **$321** |
| | 29½"H x 72"W | **HSDMP729** | 16.0 | 3.0 | **$306** | **$325** |
| | ! To be used in all applications except when connecting a Corner Leg to an End Panel or a Corner Leg to a Shared Leg. | | | | | |
|  | **Full-Height Stand-Alone Corner Modesty Panel** | | | | | |
| | 29½"H x 36"W | **HSDCMP3629** | 7.0 | 1.9 | **$271** | **$290** |
| | 29½"H x 42"W | **HSDCMP4229** | 9.0 | 1.9 | **$278** | **$297** |
| | 29½"H x 48"W | **HSDCMP4829** | 10.0 | 2.3 | **$289** | **$308** |
| | 29½"H x 60"W | **HSDCMP6029** | 14.0 | 4.7 | **$294** | **$313** |
| | 29½"H x 72"W | **HSDCMP7229** | 16.0 | 5.4 | **$306** | **$325** |
| | NOTES: To be used when connecting a Corner Leg to an End Panel or Shared Leg. | | | | | |
|  | **Half-Height Modesty Panel** | | | | | |
| | 14"H x 24"W | **HSDMP244** | 5.1 S | 0.4 | **$244** | **$263** |
| | 14"H x 30"W | **HSDMP304** | 6.6 S | 0.4 | **$249** | **$268** |
| | 14"H x 36"W | **HSDMP364** | 8.1 S | 0.5 | **$253** | **$272** |
| | 14"H x 42"W | **HSDMP424** | 9.6 S | 0.6 | **$267** | **$286** |
| | 14"H x 48"W | **HSDMP484** | 11.0 S | 0.6 | **$271** | **$290** |
| | 14"H x 54"W | **HSDMP544** | 13.0 S | 0.8 | **$274** | **$293** |
| | 14"H x 60"W | **HSDMP604** | 14.0 S | 0.8 | **$281** | **$300** |
| | 14"H x 66"W | **HSDMP664** | 16.0 S | 1.0 | **$289** | **$308** |
| | 14"H x 72"W | **HSDMP724** | 17.0 S | 1.0 | **$292** | **$311** |
|  | **Half-Height Stand-Alone Corner Modesty Panel** | | | | | |
| | 14"H x 36"W | **HSDCMP3614** | 4.0 S | 0.5 | **$253** | **$272** |
| | 14"H x 42"W | **HSDCMP4214** | 4.0 S | 0.6 | **$267** | **$286** |
| | 14"H x 48"W | **HSDCMP4814** | 5.0 S | 0.6 | **$271** | **$290** |
| | 14"H x 60"W | **HSDCMP6014** | 6.0 S | 0.8 | **$281** | **$300** |
| | 14"H x 72"W | **HSDCMP7214** | 7.0 S | 1.0 | **$292** | **$311** |

**NOTES:**

- Desk: Modesty panel width is the same width as the worksurface.
- Return: Modesty panel width is 6" greater than the width of the return worksurface.
- Bridge connecting two rectangular worksurfaces: Modesty panel width is 12" greater than the width of the bridge worksurface.
- Bridge connecting a rectangular worksurface and corner or peninsula: Modesty panel width is 6" greater than the width of the worksurface.
- Corner connecting to an adjacent worksurface: Modesty panel width is the same width as the worksurface.

## HOW TO SPECIFY

**Select Model Number**

H S D M P 2 4 9 .

**Select Paint Color**

See page 322

T 1

# ABOUND®

Want to see more? Scan here to check out hon.com.



Abound® shown with Mav™ and Ignition® Seating and Preside® Tables.

## ABOUND®

Why settle for a one-dimensional, uninspired cubicle when you can choose a workstation with dynamic flexibility, powerful performance, and stunning architectural aesthetics? Abound raises the bar on cohesive solutions that keep us connected, engaged, and productive. With numerous tile styles to choose from — fabric, glass, gallery panels, and more. You can customize Abound to suit any space, from collaborative meeting spaces to private offices and everything in between.







### FEATURES

- With multiple tile options, materials and fabrics, Abound supports a variety of work styles and office budgets.
- Top channel lay-in or beltline capabilities expand your cabling capacity.
- Straight lines, crisp edges and rectilinear worksurfaces fit precisely together to create a tailored, architectural presence.
- With a variety of layout options and compatibility with HON storage, height adjustable bases and freestanding desks, the options with Abound are endless.

# ABOUND® ORDERING INFORMATION



### WORKSURFACES, COUNTERTOPS, CORNER SHELVES W/EDGEBAND, HARD-SURFACE TILES, OVERHEAD STORAGE DOORS*

**L1 LAMINATES ..... CODES**

**Woodgrain**

- Bourbon Cherry ..... **H**
- Cognac ..... **COGN**
- Field Elm ..... **LWFE**
- Florence Walnut ..... **LFW1**
- Harvest ..... **C**
- Kingswood Walnut ..... **LKI1**
- Mahogany ..... **N**
- Mocha ..... **MOCH**
- Natural Maple ..... **D**
- Pinnacle ..... **PINC**
- Shaker Cherry ..... **F**
- Sterling Ash ..... **LSA1**

**Solid**

- Black ..... **P**
- Charcoal ..... **S**
- Designer White ..... **LDW1**
- Loft ..... **LOFT**

**Patterned**

- Handspun Chestnut ..... **LAHC**
- Handspun Dove ..... **LAHD**
- Handspun Pearl ..... **LAHP**
- Handspun Slate ..... **LAHS**
- Silver Mesh ..... **B9**
- Steel Mesh ..... **A9**
- Gray ..... **G2**
- White ..... **G1**

### WORKSURFACES, COUNTERTOPS, CORNER SHELVES W/EDGEBAND, HARD-SURFACE TILES, OVERHEAD STORAGE DOORS* *continued*

**L2 LAMINATES ..... CODES**

**Woodgrain**

- Beigewood ..... **LWBE**
- Fawn Cypress ..... **LFC1**
- Lowell Ash ..... **LLA1**
- Natural Recon ..... **LNR1**
- Phantom Ecru ..... **LPE1**
- Portico Teak ..... **LPT1**
- Skyline Walnut ..... **LSW1**

*(Door panels not available in L2)*

### WORKSURFACE EDGEBAND

- Beigewood ..... **DE**
- Black ..... **P**
- Bourbon Cherry ..... **H**
- Brownstone ..... **EY**
- Charcoal ..... **S**
- Cognac ..... **COGN**
- Designer White ..... **DW**
- Fawn Cypress ..... **FC**
- Field Elm ..... **FE**
- Florence Walnut ..... **FW**
- Fossil ..... **EH**
- Greige ..... **R**
- Harvest ..... **C**
- Kingswood Walnut ..... **KI**
- Light Gray ..... **Q**
- Loft ..... **LOFT**
- Lowell Ash ..... **DL**
- Mahogany ..... **N**
- Mocha ..... **MOCH**
- Muslin ..... **T**
- Natural Maple ..... **D**
- Natural Recon ..... **NR**
- Phantom Ecru ..... **PE**
- Pinnacle ..... **PINC**
- Platinum ..... **K**
- Portico Teak ..... **DP**
- Shaker Cherry ..... **F**
- Skyline Walnut ..... **SW**
- Sterling Ash ..... **SA**

### WORKSURFACE GROMMET

**PLASTIC ..... CODES**

- Black ..... **P**
- Brownstone ..... **EY**
- Charcoal ..... **S**
- Fossil ..... **EH**
- Greige ..... **T5**
- Light Gray ..... **Q**
- Loft ..... **LOFT**
- Muslin ..... **T3**
- Titanium ..... **TI**
- Designer White ..... **DW**
- Champagne Metallic ..... **T4**
- Platinum Metallic ..... **T1**

### FRAMES, TRIM, METAL TILES, CUSTOM BRACKET KIT, WORKSURFACE SUPPORTS

**PAINT ..... CODES**

**P1**

- Black ..... **P**
- Brownstone ..... **P7D**
- Charcoal ..... **S**
- Cove ..... **P096**
- Designer White ..... **PJW**
- Dune ..... **P094**
- Fossil ..... **P28**
- Greige ..... **T5**
- Harbor ..... **P097**
- Light Gray ..... **Q**
- Loft ..... **LOFT**
- Muslin ..... **T3**
- Putty ..... **L**
- Sage ..... **P095**
- Titanium ..... **P8T**

**P2**

- Champagne Metallic ..... **T4**
- Gunmetal Metallic ..... **PR3**
- Platinum Metallic ..... **T1**
- Silver ..... **PR6**
- Solar Black ..... **P8X**

### DUPLEX/PORTED TILE

**PLASTIC ..... CODES**

- Black ..... **P**
- Charcoal ..... **S**
- Designer White ..... **DW**
- Loft ..... **LOFT**
- Muslin ..... **T3**
- Titanium ..... **TI**

**Recommendations**

| Paint | Duplex-Data Code |
|---|---|
| Black **P** | Black **P** |
| Brownstone **P7D** | Brownstone **EY** |
| Charcoal **S** | Charcoal **S** |
| Designer White **PJW** | Designer White **DW** |
| Fossil **P28** | Charcoal **S** |
| Greige **T5** | Muslin **T3** |
| Light Gray **Q** | Loft **LOFT** |
| Loft **LOFT** | Loft **LOFT** |
| Muslin **T3** | Muslin **T3** |
| Putty **L** | Black **P** |
| Silver **PR6** | Titanium **TI** |
| Titanium **P8T** | Titanium **TI** |
| Champagne Metallic **T4** | Muslin **T3** |
| Platinum Metallic **T1** | Titanium **TI** |

➤ *LAMINATE TOPS*

*SPECIFY: Model Number. Laminate Edge Color Grommet Color*

*EXAMPLE: HWR2424P.K8.R.T5*

➤ *PANEL FRAMES*

*SPECIFY: Model Number. Paint*

*EXAMPLE: HRVF3524P.T3*

### Suffix "A"



Satin Chrome Arch Pull

### Edge Treatments



"P" Edgeband

**(Color must be selected.)**

➤ *HOW TO ORDER*

*1) Select desired model numbers.*

*2) Order worksurfaces to correspond to width of panel behind them.*

*3) Add appropriate prefix and suffix if Tee-Span worksurfaces are needed.*

** Laminate Front Overheads only available in L1 Woodgrain Laminates.*

◆ ◆ ◇ *For lead time information see page 21.*

# ABOUND® FABRIC PATTERNS & CODES



| PRICE CODE A | |
|---|---|
| **APPOINT** | **APN** |
| Artichoke | APN11 |
| Blackberry | APN32 |
| Bronze | APN22 |
| Carbon | APN28 |
| Chai | APN12 |
| Cherry | APN30 |
| Dark Pewter | APN17 |
| Dune | APN15 |
| Espresso | APN23 |
| Framboise | APN31 |
| Frost | APN34 |
| Jet | APN27 |
| Lawn | APN25 |
| Mandarin | APN29 |
| Morel | APN09 |
| Nimbus | APN16 |
| Platinum | APN24 |
| Turquoise | APN26 |
| **CENTURION** | **CU** |
| *Not available on heights over 54"H* | |
| Apricot | CU47 |
| Bark | CU25 |
| Black | CU10 |
| Espresso | CU49 |
| Fog | CU03 |
| Frost | CU22 |
| Goldenrod | CU27 |
| Indigo | CU06 |
| Iris | CU50 |
| Iron Ore | CU19 |
| Jade | CU83 |
| Marsala | CU63 |
| Morel | CU24 |
| Navy | CU98 |
| Peacock | CU97 |
| Pear | CU84 |
| Ruby | CU67 |
| Sapphire | CU09 |

| PRICE CODE A *continued* | |
|---|---|
| **ETCH*** | **ECH** |
| Axis | ECH13 |
| Blend | ECH14 |
| Cast | ECH12 |
| Highlight | ECH10 |
| Midtone | ECH11 |
| Outline | ECH08 |
| Shade | ECH09 |
| Tonal | ECH16 |
| Vanish | ECH15 |
| **LANDSCAPE*** | **LN** |
| Azure | LN55 |
| Cornsilk | LN15 |
| Drift | LN05 |
| Khaki | LN20 |
| Sheen | LN10 |
| Slate | LN35 |
| Umber | LN25 |
| Urban | LN30 |
| **LUCY*** | **LC** |
| Aspen | LC32 |
| Cornsilk | LC30 |
| Dusk | LC22 |
| Fawn | LC33 |
| Graphite | LC34 |
| Mist | LC20 |
| Neutra | LC24 |
| Pewter | LC35 |
| Snowdrop | LC28 |

| PRICE CODE A *continued* | |
|---|---|
| **NOBLE** | **NBLE** |
| Aegean | NBLE18 |
| Amethyst | NBLE19 |
| Aspen | NBLE14 |
| Aster | NBLE20 |
| Blossom | NBLE21 |
| Bluebell | NBLE22 |
| Bordeaux | NBLE01 |
| Brick | NBLE02 |
| Chambray | NBLE10 |
| Chamomile | NBLE23 |
| Clementine | NBLE04 |
| Conifer | NBLE24 |
| Cottage | NBLE25 |
| Darkness | NBLE26 |
| Dawn | NBLE13 |
| Denim | NBLE09 |
| Desert Sand | NBLE27 |
| Dewfall | NBLE28 |
| Dusted Sage | NBLE29 |
| Flax | NBLE30 |
| Grass | NBLE07 |
| Gunmetal | NBLE15 |
| Harmony | NBLE31 |
| Harvest | NBLE12 |
| Ice Caves | NBLE32 |
| Icicle | NBLE33 |
| Inky | NBLE34 |
| Iris | NBLE35 |
| Jade | NBLE06 |
| Knight | NBLE17 |
| Mesa | NBLE03 |
| Monarch | NBLE36 |
| Pacific | NBLE08 |
| Pitch | NBLE37 |
| Queen Bee | NBLE38 |
| Rainforest | NBLE05 |
| Regal | NBLE11 |
| Sandcastle | NBLE39 |
| Sedona | NBLE40 |
| Stormy | NBLE16 |
| Sunbeam | NBLE41 |
| Voyager | NBLE42 |
| Windy Day | NBLE43 |

| PRICE CODE A *continued* | |
|---|---|
| **REFLECTIONS*** | **REF** |
| Galvanized | REF29 |
| Ice | REF20 |
| Loggia | REF21 |
| Mistral | REF28 |
| Moonstone | REF23 |
| Pewter | REF22 |
| Stainless | REF24 |
| Vanilla | REF25 |
| Winter | REF27 |
| **REFUGE*** | **RFG** |
| Artesian | RFG96 |
| Dune | RFG92 |
| Eclipse | RFG90 |
| Frost | RFG93 |
| Glacier | RFG91 |
| Mineral | RFG98 |
| Tidal | RFG94 |
| **TEMPEST*** | **TP** |
| Dragonfly | TP30 |
| Frost | TP15 |
| Full Stream | TP80 |
| Gold Rush | TP10 |
| Slate | TP45 |
| Tumbleweed | TP70 |
| Wind Chill | TP40 |
| Zebra | TP35 |
| **VAST** | **VST** |
| Atmosphere | VST06 |
| Bay | VST04 |
| Beach | VST11 |
| Country Side | VST13 |
| Desert | VST12 |
| Garden | VST02 |
| Grasslands | VST03 |
| Highway | VST09 |
| Mountain Range | VST08 |
| Ocean | VST07 |
| Open Air | VST05 |
| Tundra | VST10 |
| Vineyard | VST01 |

NOTES: Disperse panel fabrics will be applied pattern cut. Disperse will not be available on 72"W panels.

♦◊ For lead time information see page 21.
* Directional fabrics

# ABOUND® FABRIC PATTERNS & CODES



| PRICE CODE B | |
|---|---|
| **COAST*** | **COA** |
| ♦ Channel | COA14 |
| ◊ Dune | COA03 |
| ◊ Headlands | COA10 |
| ◊ Marsh | COA02 |
| ♦ Pebble | COA12 |
| ♦ Pier | COA13 |
| ◊ Shoal | COA01 |
| ◊ Silt | COA06 |
| ♦ Tide | COA08 |

| | |
|---|---|
| **DISPERSE*** | **DISP** |
| ◊ Autumn | DISP03 |
| ♦ Branch | DISP10 |
| ♦ Coffee Bean | DISP13 |
| ♦ Dusk | DISP09 |
| ◊ Emerald City | DISP08 |
| ◊ Gold Rush | DISP02 |
| ♦ Igloo | DISP11 |
| ◊ Ink | DISP06 |
| ♦ Mist | DISP12 |
| ♦ Oatmeal | DISP15 |
| ◊ Prince | DISP07 |
| ◊ Reservoir | DISP01 |
| ◊ Rose | DISP04 |
| ◊ Spring | DISP05 |
| ♦ Steel | DISP16 |
| ♦ Taupe | DISP14 |

| PRICE CODE B *continued* | |
|---|---|
| **MICA*** ❁ | **MCA** |
| ◊ Anthracite | MCA11 |
| ◊ Breeze | MCA18 |
| ◊ Bronze | MCA13 |
| ◊ Buff | MCA14 |
| ◊ Cremini | MCA17 |
| ♦ Crystal | MCAWIT |
| ◊ Dew | MCA20 |
| ◊ Dove | MCA12 |
| ◊ Fresh | MCA16 |
| ♦ Mineral | MCA15 |
| ◊ Nectar | MCA19 |
| ◊ Shale | MCA10 |

| | |
|---|---|
| **SPIN*** | **SPIN** |
| ♦ Alabaster | SPIN02 |
| ♦ Cavern | SPIN03 |
| ♦ Cobblestone | SPIN04 |
| ◊ Ember | SPIN06 |
| ◊ Flame | SPIN07 |
| ◊ Heron | SPIN13 |
| ♦ Oat | SPIN01 |
| ◊ Ocean | SPIN12 |
| ◊ Plum | SPIN15 |
| ◊ Pool | SPIN11 |
| ◊ Raven | SPIN10 |
| ◊ Rhubarb | SPIN14 |
| ◊ Tropic | SPIN08 |
| ♦ Willow | SPIN05 |

| PRICE CODE B *continued* | |
|---|---|
| **TERRAIN*** | **TRRN** |
| ◊ Bay | TRRN05 |
| ◊ Bayou | TRRN35 |
| ◊ Canyon | TRRN30 |
| ◊ Cliff | TRRN45 |
| ◊ Crest | TRRN25 |
| ◊ Delta | TRRN10 |
| ◊ Plateau | TRRN15 |
| ◊ Ridge | TRRN20 |
| ◊ Valley | TRRN40 |

NOTES: Disperse panel fabric is applied pattern cut and is not available on 72"W Accelerate® panels or on 66"W tackboards, Voi® screens, and Empower®.


♦ ◊ ◊ For lead time information see page 21.
* Directional fabrics.
❁ Fabric is de-emphasized.

# ABOUND® Typicals

Icon Legend on page 19




| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Flagship Series Pedestal "R" Pull Freestanding B/B/F** | **H19723R** | $1,005 | $1,005 |
| 1 | **Flagship 30"W 2-Drw "R" Pull Lateral** 30"W x 28"H x 18"D | **H9170R** | $1,338 | $1,338 |
| 2 | **Electrical Power Harness 3-1 & 2-2 Systems** 36"W | **HH871236** | $280 | $560 |
| 1 | **Circuit 1** | **HH873501** | $60 | $60 |
| 1 | **Circuit 4** | **HH873504** | $60 | $60 |
| 1 | **Base In-Feed Cable Base 3-1 & 2-2 Systems** | **HH879072** | $313 | $313 |
| 2 | **Abound Finished End Painted** 65" | **HRVC65PF** | $137 | $274 |
| 3 | **Abound L Connector Painted** 65" | **HRVC65PL** | $224 | $672 |
| 6 | **Abound Panel Frame** 65"H x 36"W | **HRVF6536P** | $394 | $2,364 |
| 6 | **Abound Top Cap Trim** 36"W | **HRVTC36** | $83 | $498 |
| 1 | **Cantilever One Pair** 24"D | **HCTL242** | $114 | $114 |
| 24 | **Abound Segment Bar** 36"W | **HRVFSB36** | $33 | $792 |
| 1 | **Abound Overhead Metal Flipper Door** 36" | **HRVOH36FM** | $784 | $784 |
| 24 | **Abound Fabric Tile** 15"H x 36"W | **HRVT1536T** | $102 | $2,448 |
| 12 | **Abound Fabric Tile** 30"H x 36"W | **HRVT3036T** | $139 | $1,668 |
| 1 | **Systems Rectangular Worksurface Edgeband** 24"D x 36"W | **HWR2436P** | $460 | $460 |
| 1 | **Systems Left Corner Cove Worksurface Edgeband** 72" x 36" x 24" x 24" | **HWV93AALP** | $819 | $819 |
| | | | **TOTAL:** | **$14,229** |




**L-SHAPE WORKSTATION**

**72"W x 72"D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Electrical Power Harness 3-1 & 2-2 Systems** 48"W | **HH871248** | $295 | $295 |
| 1 | **Circuit 1** | **HH873501** | $60 | $60 |
| 1 | **Circuit 4** | **HH873504** | $60 | $60 |
| 1 | **Base In-Feed Cable Base 3-1 & 2-2 Systems** | **HH879072** | $313 | $313 |
| 1 | **Overhead Cabinet w/Sliding Door** 48"W x 14¼"D x 14"H | **HLSL1448S** | $1,504 | $1,504 |
| 1 | **Mobile Ped** 20" x 15⅘" x 21½" | **HLSL2016MP2** | $1,113 | $1,113 |
| 1 | **Ped Cushion (Fabric Grade 2)** 20" x 15⅘" x 1" | **HLSL2016PH2** | $460 | $460 |
| 1 | **Stack-on Storage Panel Mounted Bracket** | **HLSLPMB** | $182 | $182 |
| 2 | **Rectangle Worksurface** 24"D x 48" W | **HLSLR2448** | $422 | $844 |
| 1 | **Personal Storage Tower (RH)** 24"D x 24"W x 65"H | **HLSLW446RP** | $3,633 | $3,633 |
| 1 | **Abound Variable Height Finished End Painted** 15" | **HRVC15PFV** | $90 | $90 |
| 1 | **Abound Finished End Painted** 50" | **HRVC50PF** | $130 | $130 |
| 1 | **Abound L Connector Painted** 50" | **HRVC50PL** | $211 | $211 |
| 1 | **Abound Finished End Painted** 65" | **HRVC65PF** | $137 | $137 |
| 2 | **Abound L Connector Painted** 65" | **HRVC65PL** | $224 | $448 |
| 1 | **Abound Panel Frame** 50"H x 24"W | **HRVF5024P** | $351 | $351 |
| 1 | **Abound Panel Frame** 50"H x 48"W | **HRVF5048P** | $400 | $400 |
| 3 | **Abound Panel Frame** 65"H x 24"W | **HRVF6524P** | $381 | $1,143 |
| 1 | **Abound Panel Frame** 65"H x 48"W | **HRVF6548P** | $435 | $435 |
| 4 | **Abound Top Cap Trim** 24"W | **HRVTC24** | $51 | $204 |
| 2 | **Abound Top Cap Trim** 48"W | **HRVTC48** | $94 | $188 |
| 1 | **Flat Bracket** 24"D | **HHN831124** | $88 | $88 |
| 2 | **Abound Segment Bar** 24"W | **HRVFSB24** | $32 | $64 |
| 2 | **Abound Segment Bar** 48"W | **HRVFSB48** | $36 | $72 |
| 1 | **Abound 15" High Clear Glass Tile** 15"H x 24"W | **HRVT1524G** | $636 | $636 |
| 1 | **Abound 15" High Clear Glass Tile** 15"H x 48"W | **HRVT1548G** | $816 | $816 |
| 2 | **Abound Fabric Tile** 30"H x 24"W | **HRVT3024T** | $124 | $248 |
| 2 | **Abound Fabric Tile** 30"H x 48"W | **HRVT3048T** | $166 | $332 |
| 6 | **Abound Fabric Tile** 60"H x 24"W | **HRVT6024T** | $183 | $1,098 |
| 2 | **Abound Fabric Tile** 60"H x 48"W | **HRVT6048T** | $294 | $588 |
| 1 | **Bracket to Attach Towers to Worksurfaces** | **HSTB2W1** | $116 | $116 |
| 2 | **Worksurface Bracket Kit** | **HWSB2** | $64 | $128 |
| | | | **TOTAL:** | **$16,387** |




**L-SHAPE WORKSTATION WITH STORAGE TOWER**


**72"W x 72"D**

Icon Legend on page 19

# ABOUND® Typicals




| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 2 | **Electrical Pass-Thru Cable 3-1 & 2-2 Systems** 60″W | **HH871160** | $187 | $374 |
| 1 | **Electrical Power Harness 3-1 & 2-2 Systems** 24″W | **HH871224** | $280 | $280 |
| 1 | **Circuit 1** | **HH873501** | $60 | $60 |
| 1 | **Circuit 2** | **HH873502** | $60 | $60 |
| 1 | **Circuit 3** | **HH873503** | $60 | $60 |
| 1 | **Circuit 4** | **HH873504** | $60 | $60 |
| 1 | **Base In-Feed Cable Base 3-1 & 2-2 Systems** | **HH879072** | $313 | $313 |
| 6 | **Abound Finished End Painted** 50″ | **HRVC50PF** | $130 | $780 |
| 2 | **Abound T Connector Painted** 50″ | **HRVC50PT** | $211 | $422 |
| 1 | **Abound X Connector Painted** 50″ | **HRVC50PX** | $204 | $204 |
| 6 | **Abound Panel Frame** 50″H x 24″W | **HRVF5024P** | $351 | $2,106 |
| 2 | **Abound Panel Frame** 50″H x 60″W | **HRVF5060P** | $440 | $880 |
| 6 | **Abound Top Cap Trim** 24″W | **HRVTC24** | $51 | $306 |
| 2 | **Abound Top Cap Trim** 60″W | **HRVTC60** | $115 | $230 |
| 8 | **Worksurface Bracket Kit** | **HWSB2** | $64 | $512 |
| 12 | **Abound Segment Bar** 24″W | **HRVFSB24** | $32 | $384 |
| 4 | **Abound Segment Bar** 60″W | **HRVFSB60** | $37 | $148 |
| 4 | **Abound Open Shelf** 60″ | **HRVSH60** | $488 | $1,952 |
| 12 | **Abound Fabric Tile** 15″H x 24″W | **HRVT1524T** | $91 | $1,092 |
| 4 | **Abound Fabric Tile** 15″H x 60″W | **HRVT1560T** | $130 | $520 |
| 12 | **Abound Fabric Tile** 30″H x 24″W | **HRVT3024T** | $124 | $1,488 |
| 4 | **Abound Fabric Tile** 30″H x 60″W | **HRVT3060T** | $188 | $752 |
| 4 | **Systems Rectangular Worksurface Edgeband** 24″D x 60″W | **HWR2460P** | $633 | $2,532 |
| | | | **TOTAL:** | **$15,515** |




**TOUCH-DOWN STATION**

**120″W x 48″D**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 2 | **External Stiffener** 72″W | **HLSLZ5SC72** | $156 | $312 |
| 2 | **Abound Panel Frame** 35″H x 30″W | **HRVF3530P** | $329 | $658 |
| 4 | **Abound Fabric Tile** 30″H x 30″W | **HRVT3030T** | $129 | $516 |
| 4 | **Abound Panel Frame** 35″H x 36″W | **HRVF3536P** | $335 | $1,340 |
| 8 | **Abound Fabric Tile** 30″H x 36″W | **HRVT3036T** | $139 | $1,112 |
| 2 | **Abound Panel Frame** 35″H x 42″W | **HRVF3542P** | $348 | $696 |
| 4 | **Abound Fabric Tile** 30″H x 42″W | **HRVT3042T** | $157 | $628 |
| 2 | **Abound Finished End Painted** 35″ | **HRVC35PF** | $109 | $218 |
| 2 | **Abound L Connector Painted** 35″ | **HRVC35PL** | $188 | $376 |
| 4 | **Frameless Frosted Glass** 15″H x 72″W | **HRVT1572F** | $1,284 | $5,136 |
| 2 | **Contain® 35 LB Credenza Counterweight Kit** | **HSCACW35** | $273 | $546 |
| 2 | **Contain® Credenza Cushion (Fabric Grade 2)** 36″W x 18″D | **HSCAUC1836** | $430 | $860 |
| 2 | **Worksurface O-Leg** 6½″H x 30″W | **HSCAWS6530** | $316 | $632 |
| 1 | **Contain® Footed Metal Credenza with Laminate Front, Left** 22″ x 72″ x 18″ | **HSCF227218RBFOL** | $3,161 | $3,161 |
| 1 | **Contain® Footed Metal Credenza with Laminate Front, Right** 22″ x 72″ x 18″ | **HSCF227218LBFOL** | $3,161 | $3,161 |
| 2 | **Systems Rectangular Worksurface Edgeband** 30″D x 72″W | **HWR3072P** | $784 | $1,568 |
| 2 | **Worksurface Bracket Kit** | **HWSB2** | $64 | $128 |
| | | | **TOTAL:** | **$21,048** |



**U-SHAPE TEAMING STATION**


**144″W x 72″D**

# ABOUND®
# Open Base Typicals

Icon Legend on page 19



| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Abound Panel Frame** 50″H x 24″W | **HRVF5024P** | $351 | $351 |
| 2 | **Abound Fabric Tile** 30″H x 24″W | **HRVT3024T** | $124 | $248 |
| 1 | **Abound 15″ High Clear Glass Tile** 12″H x 24″W | **HRVT1524G** | $636 | $636 |
| 2 | **Abound 24″W Segment Bar** | **HRVFSB24** | $32 | $64 |
| 1 | **Abound Panel Frame** 50″H x 48″W | **HRVF5048P** | $400 | $400 |
| 2 | **Abound Fabric Tile** 30″H x 48″W | **HRVT3048T** | $166 | $332 |
| 1 | **Abound 15″ High Clear Glass Tile** 15″H x 48″W | **HRVT1548G** | $816 | $816 |
| 2 | **Abound 48″W Segment Bar** | **HRVFSB48** | $36 | $72 |
| 3 | **Abound Panel Frame** 65″H x 24″W | **HRVF6524P** | $381 | $1,143 |
| 6 | **Abound Fabric Tile** 60″H x 24″W | **HRVT6024T** | $183 | $1,098 |
| 1 | **Abound Panel Frame** 65″H x 48″W | **HRVF6548P** | $435 | $435 |
| 2 | **Abound Fabric Tile** 60″H x 48″W | **HRVT6048T** | $294 | $588 |
| 1 | **Overhead Cabinet with Sliding Door** 48″W x 14¼″D x 14″H | **HLSL1448S** | $1,504 | $1,504 |
| 1 | **Mobile Ped** 20″ x 15⅘″ x 21½″ | **HLSL2016MP2** | $1,113 | $1,113 |
| 1 | **Ped Cushion** 20″ x 15⅘″ x 1″ | **HLSL2016PH2** | $460 | $460 |
| 1 | **Stack-on Storage Panel Mounted Bracket** | **HLSLPMB** | $182 | $182 |
| 1 | **Personal Storage Tower (RH)** 24″D x 24″W x 65″H | **HLSLW446RP** | $3,633 | $3,633 |
| 1 | **Abound Variable Height Finished End Painted** 15″ | **HRVC15PFV** | $90 | $90 |
| 1 | **Abound Finished End Painted** 50″ | **HRVC50PF** | $130 | $130 |
| 1 | **Abound L Connector Painted** 50″ | **HRVC50PL** | $211 | $211 |
| 1 | **Abound Finished End Painted** 65″ | **HRVC65PF** | $137 | $137 |
| 2 | **Abound L Connector Painted** 65″ | **HRVC65PL** | $224 | $448 |
| 1 | **Bracket to Attach Towers to Worksurfaces** | **HSTB2W1** | $116 | $116 |
| 2 | **Systems Rectangular Worksurface Edgeband** 24″D x 48″W | **HWR2448P** | $536 | $1,072 |
| 2 | **Worksurface Bracket Kit** | **HWSB2** | $64 | $128 |
| 1 | **Abound Top Cap Trim** 24″W | **HRVTC24** | $51 | $51 |
| 1 | **Abound Top Cap Trim** 48″W | **HRVTC48** | $94 | $94 |
| 1 | **Abound Top Cap Trim** 72″W | **HRVTC72** | $141 | $141 |
| 1 | **Flat Bracket** 24″D | **HHN831124** | $88 | $88 |
| | | | **TOTAL:** | **$15,781** |




**L-SHAPE WORKSTATION WITH STORAGE TOWER**

**72″W x 72″D**

# ABOUND® FRAMES OVERVIEW




## PANEL FRAME




35″H Frame | 42½″H Frame | 50″H Frame | 57½″H Frame | 65″H Frame


## OPEN BASE PANEL FRAME




35″H Frame | 42½″H Frame | 50″H Frame | 57½″H Frame | 65″H Frame




## STACKING FRAMES





15″H Stacking | 30″H Stacking




Reminder: Panel frame top caps must be ordered separately. Please refer to page 351. Do not specify top caps when putting frameless glass on top of the panel frame or when using a countertop worksurface.

# ABOUND® FRAMES OVERVIEW







**Stacking connection** provides a solid metal-to-metal connection, allowing the stacking frame to accept hang-on components, per configuration guidelines.

**Construction and Features**

Specifications—formed, steel vertical members, with tubular steel horizontal members are welded into a sturdy, structural panel frame. Panel frames are shipped with base pathway covers installed.

Tiles, Panel Top Caps, and Segment Bars are ordered separately.



**Tiles and Top Caps are ordered separately**

**Additional design and specification information available at hon.com.**

# ABOUND® FRAMES OVERVIEW



## FRAME DIMENSIONS (ACTUAL)

**Depth:** 2⅝″ (use 2¾″ to calculate intersections in length of panel run)


**Widths:** 24″, 30″, 36″, 42″, 48″, 60″

**Heights*:** Painted trim: 34½″, 42″, 49½″, 57″H, 64½″

**Stacking Frames:** 15″H, 30″H

*with levelers fully retracted


**Stacking frames** can be added to the top of any 35″H, 50″H or 65″H frame. Adding stacking frames to 42½″H and 57½″H frames is not recommended due to inconsistencies in segmentation. 15″H and 30″H stacking frames can be used to add up to 45″ of additional height to a standard frame. Do not combine differing frame widths in a single stack.





**NOTE: When stacking on 42½″H or 57½″H frames, panel slots will be off by ½″ compared to any other height panel. When stacking on 42½″H and 57½″H frames, hanging accessories will be ½″ off in height compared to accessories hanging on panels at any height other than 42½″H and 57½″H.**

## BUILDING HORIZONTALLY WITH ABOUND FRAMES

**Important planning guidelines:** For adequate stability, one of two methods of stabilization must be adhered to:




**Method 1—Opposing returns:** A parent run must be a minimum of 48″ and a maximum of 144″ between return panels. The parent run must have a minimum of two return panels running in opposing directions on each end of run.




**Return Panels must have combined length 60% of parent run**


**Method 2—Single-sided**

| Spine Length: | 90 degree connector | 120 degree connector |
|---|---|---|
| 48″-108″ | 72″ total | 84″ total |
| 110″-132″ | 84″ total | 96″ total |
| 134″-144″ | 96″ total | 108″ total |

# ABOUND® FRAMES OVERVIEW




## INTERSECTING CONNECTIONS





**"L", "T", "X", "Y2" and "Y3" connector kits** are used when connecting frames at intersecting runs. For "L", "T" and "X" connector kits, add 2¾" to the total length of the panel run for each intersection, whether located in the middle or at the end of the run.

**Wall starter kits** provide a means to affix a panel run to a permanent building wall. Kit adds 1⁵⁄₃₂" to length of panel run.


**Segment bars** — horizontal cross members required between tile segments. Must be specified on each side of frame. One Segment Bar is needed for each reveal between tiles.







**Extended straight connector kit "S"** can be used to keep continuous runs dimensionally consistent with opposing panel runs which incorporate "T" or "X" intersections. (Add 2¾" to the length of the run for every extended straight connector used.)

## IN-LINE CONNECTIONS



**Direct connections** between same height frames in a continuous run are accomplished with provided hardware. There is no incremental increase in dimension along the run.


**END OF RUN**
Finished end trim must be specified for the unconnected sides of panel frames. The Abound end trim adds ⅜" to the length of the panel run. When adding a stacking frame, order finished end trim in the height that matches the stacking frame height. Move the end cap from the standard frame end trim to the stacking frame end trim.



**IN-LINE VARIABLE HEIGHT TRIM**
In-line connections between different height panels require trim to cover the exposed frame of the taller panel. The bottom of the trim is contoured to match the profile of the frame top cap.


**Multiple-height connections** are accomplished by combining standard height panel connectors (35"H, 42½"H, 50"H, 57½"H, and 65"H) with shorter connectors (7"H, 15"H, 22"H, and 30"H). Start from the bottom-up — select the standard connector that corresponds to the height and connection type of the tallest panel, then use the shorter connectors for variable height and connector top cap trim. (See examples.)

**Example 1**
1 ea. 50"H T-Connector
1 ea. 15"H S-Connector





In variable height "T" connections — as shown above — you would use the connectors as indicated.

**Example 2**
Connectors required:
1-35"H "X"
1-7"H "T"
1-7"H "L"
1-15"H "FT"





**Example 3**
Connectors required:
1–50"H "L"
1–15"H Variable Height Trim over Connector




Example above represents Abound variable height "L" for 65" to 50" connection over connector.

**VARIABLE HEIGHT CONNECTION TRIM**
L, X and T connections between different height panels require trim to cover the exposed frame of the taller panel. The bottom of the trim is flat to match the profile of the Universal Connector top cap. Models are designated as "Variable Height Finished End over Connector Trim". For variable height connections in a Y configuration, contact the HON Product Solutions group.



**OPTIONAL STIFFENER SUPPORT**
Stiffener supports can be used to provide additional rigidity to a panel when fabric tiles are on both sides of the frame. May also be used for routing power/data at non-standard heights.

# ABOUND® CONNECTOR OVERVIEW



## CONNECTOR KITS — ABOUND

**"L"** 90° Connector Kit

**"T"** 3-way Connector Kit

**"X"** 4-way Connector Kit

**"S"** "S" Extended Straight Connector Kit

**"Y2"** 2-way 120° Connector Kit


**"Y3"** 3-way 120° Connector Kit

**"W"** Wall Starter Kit

**"F"** End Trim Kit

**"V"** Variable Height Finished End

**"FT"** Variable Height Finished End over Connector




**"L"** **"T"** **"X"** **"S"** **"Y2"** **"Y3"** **"W"** **"F"** **"V"** **"FT"**


- Abound Connector Kits include universal connector block(s), bracket clips and painted metal trim.
- The universal connector block can be used for an L, T, X, or Extended Straight connections, simplifying staging and installation at the project site as well as future reconfigurations.
- Bracket clips are attached to the connector blocks as needed based upon connection type.
- While the connectors themselves are universal, Abound connector kits must be specified by connection type (X, L, T, S, 120 degree) in order to receive the correct type of trim.

## CHAMFERED TRIM*

*Top Cap Profile*




*End Trim Profile*




## FLAT TRIM

*Top Cap Profile*



*End Trim Profile*




*Used on all products produced prior to July 2021.

# ABOUND® TILE OVERVIEW




Abound tiles come in a variety of styles.




*Aesthetics of opposing tile surface and/or frame interior should be considered when selecting light-colored sheer materials.


## Tile Heights





Monolithic tiles are 5" shorter than frame heights to account for top trim and base raceway.

### Typical Tile Height Configurations


Segment bars are required between any two tiles — order separately based on tile configuration on each side of frame. Note: Most CAD specification programs will calculate quantity of segment bars required.




Glass will not work with 42"H frames. Please see note on page 343 about hanging on 42½"H panels.





Please see note on page 343 about hanging on 57½"H panel heights.





*Additional tile combinations to those shown above are possible; heights above 65" require stacking frames - maximum height is 110".

To calculate the total height of tiles(s) required, deduct 5" (height of base/top trim) from the total nominal panel height.
**EXAMPLE:** 65"H Frame takes 2 30"H tiles. 65–5 = 2 x 30 or 45 + 15




**Tiles and Top Caps are ordered separately**

Tiles can be ordered in the size that matches the frame height plus the stacker height.
**EXAMPLE:** If you are using a 35"H frame plus a 30"H stacker, you can order 2 – 30"H tiles or 1 – 60"H tile.



Door panels include frame, 42"W door, hinges and attaching hardware. Two 7½"H fabric tiles for the top of the door frame are required and ordered separately (HRVD0742T).


Sliding doors are available in 50", 65", and 80"H models and can mount to 30", 36", 42", and 48"W panels. The doors provide a 36"W opening and are 42"W, nominally. The doors ship non-handed. A Mounting Bracket Kit must be ordered for each door corresponding to the mounting panel's width (30", 36", 42", or 48"W).





Hard-surface Tiles include tile and Custom Bracket Kit.


# ABOUND® SPECIFYING/DESIGN GUIDE






Fabric Tackable Acoustical Tile



Slotted Tool Tile



Glass Tile


Pass-thru Tile



Fabric Tackable Acoustical Ported Tile


Markerboard Tile
*Markerboard tray ordered separately



Hard-surface Tiles


Painted Metal Tile


## Tiles — Tackable Acoustical, Tackable Acoustical/Ported





## Glass Tile Kits, Markerboard, Painted Metal Tiles





## Pass-thru Tiles




## Slotted Tool Tile





## Hard-surface Tiles



# ABOUND® Working with Tiles



## TILES




### Tackable Acoustical Fabric Tiles

- Tiles do not include segment bars — order separately.


### Port Tiles

- Receptacle openings with blank covers (1 in 24″W tiles; 2 in wider tiles). Located 30″ above bottom of base raceway and 10½″ from the edge of the frame.
- Tiles do not include segment bars — order separately.
- 30″H ported tiles on 35″H frame will need additional stiffener support.
- Ported tiles should only be used to accommodate beltline height. If a port is needed at an alternate height, please submit a special request.
- Tiles cannot be flipped to move data ports.
- Duplex brackets must be specified for ported tiles.




### Painted Metal

- Tiles do not include segment bars — order separately.
- Painted steel construction.
- 15″H and 30″H tiles are non-dedicated and can be used in any tile position.
- Tiles can accept magnets.




### Tool Tiles

- Tiles do not include segment bars — order separately.
- Sturdy aluminum extrusion with steel support construction.
- Powder coated for durable finish.
- Work tools available.
- Use in place of standard 15″H tiles.
- Cannot be used in the bottom location of a panel frame or on wall track.
- Each tool tile has a suggested weight capacity of 80 lbs. of paper management accessories.




### Pass-Thru Tiles

- Pass-thru opening is 22½″H.
- Used as 30″H tile.
- Must order quantity of one 7½″H tile if finishing one side and quantity of two 7½″H tiles if finishing both sides.
- Built into trim pieces.
- Half segment bar (wall hanger segment bar) is needed for bottom of tile, and full segment bar is needed above the pass-thru tile below the 7½″H tile.




### Hard Surface

- High Pressure Laminate — available in standard laminate colors.
- Tiles do not ship with segment bars — order separately.
- Tiles come completely assembled and attach with custom tile bracket kit. Specify paint color.
- 15″H, 30″H, and 37″H tiles are non-dedicated and can be used in any tile position.
- Vertical grain on all tile sizes.




### Glass Tiles

- Clear and frosted glass.
- Clear glass is writable with dry erase marker — frosted glass is not.
- Tempered safety glass encased within a frame.
- Single-pane construction, glass is flush on one side.
- Glass opening is 4″ less than nominal heights and widths.
- Cannot be used in top tile position of a 42½″H panel frame or any frame with integrated power pole.
- Cannot be used at the bottom or beltline location of panel frame.
- 30″H glass tiles can only be placed in top position of 65″H frames or only in 30″H stacking frame. Segment bar needs to be ordered.




### Marker Board Tiles

- White marker board tile; painted steel surface.
- Accepts magnetic accessories.
- 15″W magnetically attachable tray is natural aluminum color — order separately.
- 15″H and 30″H tiles are non-dedicated and can be used in any tile position.



### Gallery Panels

- 1⅛″ thick laminate panels used as wing or end of run panels only.
- Available in 35″H, 42½″H, and 50″H options.
- Options available to include frameless glass.
- Gallery Panel connectors purchased separately.



### Custom Material Bracket Kit

- Do not ship with segment bars — order separately.
- Used with Customer's Own Material — thickness is ¼″.
- Contact HON for insert dimensions.

# ABOUND® SYSTEMS
# Electrical and Data




## Abound String-in Capacity


**Openings in frame sides** permit electrical data and communication cables to be run between frames in Abound. Using tackable acoustical tiles, the beltline pathway accommodates up to 62 cables (.25″ dia) or 46 cables with electrical components installed.

DO NOT run electrical equipment or extension cords through cable openings in frame sides. Use beltline or base-mounted electrical system for all electrical supply.

**Horizontal Capacity of Abound Frames***




*46 cables with electrical installed at beltline. 62 cables without electrical installed at beltline.




**Cables can enter/exit panel** through underside of base pathway at juncture between frames. Openings are sized as follows (in sq. in.):

| | |
|---|---|
| Straight connection | 6.0 |
| “S” Extended Straight Connection | 10.0 |
| “L” 90° Connection | 8.9 |
| “T” Connection | 15.9 |
| “X” Connection | 17.9 |
| “Y” Connection | — |

When leveling glides are fully retracted, panel-to-floor clearance is 7/16″. This may affect the volume of cabling that can be fed into the frame from the bottom of the pathway.

## Vertical Capacity

**Vertical Capacity Through Panel Frames**




| | Panel Width | Qty of .25″ Cables at 45% Fill Ratio | Qty of .25″ Cables at 60% Fill Ratio | Total Space (sq. in.) |
|---|---|---|---|---|
| Abound | 24″ – 60″W | 48 | 64 | 5.26 |






- A 60% fill ratio is achievable; however, when electrical components are installed in the beltline area, cabling capacity through the beltline area will be limited to approximately 45% fill ratio.

GSA SIN 33721

Icon Legend on page 19

# ABOUND® Panel Frames



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
|  | **35″H Panel Frame** | | | | | |
| | 35″H x 24″W | **HRVF3524P** | 8 | 1.7 | **$320** | **$360** |
| | 35″H x 30″W | **HRVF3530P** | 11 | 2.1 | **$329** | **$369** |
| | 35″H x 36″W | **HRVF3536P** | 13 | 2.4 | **$335** | **$375** |
| | 35″H x 42″W | **HRVF3542P** | 16 | 2.8 | **$348** | **$388** |
| | 35″H x 48″W | **HRVF3548P** | 18 | 3.2 | **$369** | **$409** |
| | 35″H x 60″W | **HRVF3560P** | 23 | 4.0 | **$409** | **$449** |
|  | **42″H Panel Frame** | | | | | |
| | 42″H x 24″W | **HRVF4224P** | 11 | 2.0 | **$329** | **$369** |
| | 42″H x 30″W | **HRVF4230P** | 14 | 2.4 | **$342** | **$382** |
| | 42″H x 36″W | **HRVF4236P** | 17 | 2.9 | **$348** | **$388** |
| | 42″H x 42″W | **HRVF4242P** | 19 | 3.4 | **$370** | **$410** |
| | 42″H x 48″W | **HRVF4248P** | 22 | 3.8 | **$388** | **$428** |
| | 42″H x 60″W | **HRVF4260P** | 28 | 4.7 | **$433** | **$473** |
|  | **50″H Panel Frame** | | | | | |
| | 50″H x 24″W | **HRVF5024P** | 14 | 2.3 | **$351** | **$391** |
| | 50″H x 30″W | **HRVF5030P** | 17 | 2.9 | **$369** | **$409** |
| | 50″H x 36″W | **HRVF5036P** | 20 | 3.4 | **$369** | **$409** |
| | 50″H x 42″W | **HRVF5042P** | 24 | 4.0 | **$392** | **$432** |
| | 50″H x 48″W | **HRVF5048P** | 27 | 4.5 | **$400** | **$440** |
| | 50″H x 60″W | **HRVF5060P** | 34 | 5.6 | **$440** | **$480** |
|  | **57½″H Panel Frame** | | | | | |
| | 57½″H x 24″W | **HRVF5724P** | 17 | 2.7 | **$367** | **$407** |
| | 57½″H x 30″W | **HRVF5730P** | 22 | 3.3 | **$380** | **$420** |
| | 57½″H x 36″W | **HRVF5736P** | 25 | 4.0 | **$383** | **$423** |
| | 57½″H x 42″W | **HRVF5742P** | 30 | 4.6 | **$403** | **$443** |
| | 57½″H x 48″W | **HRVF5748P** | 35 | 5.2 | **$420** | **$460** |
| | 57½″H x 60″W | **HRVF5760P** | 43 | 6.5 | **$455** | **$495** |
|  | **65″H Panel Frame** | | | | | |
| | 65″H x 24″W | **HRVF6524P** | 17 | 3.0 | **$381** | **$421** |
| | 65″H x 30″W | **HRVF6530P** | 22 | 3.7 | **$388** | **$428** |
| | 65″H x 36″W | **HRVF6536P** | 25 | 4.4 | **$394** | **$434** |
| | 65″H x 42″W | **HRVF6542P** | 30 | 5.1 | **$410** | **$450** |
| | 65″H x 48″W | **HRVF6548P** | 35 | 5.8 | **$435** | **$475** |
| | 65″H x 60″W | **HRVF6560P** | 43 | 7.2 | **$472** | **$512** |

! When stacking on 42½″H frames, panel slots will be off by ½″ compared to any other height panel.

! When stacking on 42½″H frames, hanging accessories will be ½″ off in height compared to accessories hanging on panels at any height other than 42½″H.

**NOTES:**

- Includes frame, baserail covers, and attaching hardware.
- Frames, top caps and tiles are ordered and shipped separately.
- Frames are 2⅝″ thick with a 5″H baserail.
- Frames are standard with two adjustable leveling glides which can be adjusted from the bottom of the glide or from the interior of frame.
- Two wire and data management openings standard per raceway, 24″ panel has one opening.
- Lay-in wire management available in base. Horizontal cable routing available at beltline.
- Lay-in top pathway provides additional data cabling capacity.
- For worksurfaces that can be used with both Abound® and Accelerate® systems, see pages 505-517.

! Panels should not be used in unsupported applications or take the place of permanent walls. Panels are intended to be supported with floor supports and/or storage or tied in with worksurfaces. Refer to Specifying and Design Guide pages.

## HOW TO SPECIFY

**Select Model Number**

| H | R | V | F | 3 | 5 | 2 | 4 | P | . |
|---|---|---|---|---|---|---|---|---|---|

**Select Trim Color**

See page 335

| T | 4 |
|---|---|

# ABOUND® Panel Frames

GSA SIN 33721

Icon Legend on page 19





| DESCRIPTION | FLAT MODEL | CHAMFERED MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
| **Panel Top Cap** | | | | | | |
| 24″W | **HRVTC24F** | **HRVTC24** | 1.6 | 0.3 | **$51** | **$73** |
| 30″W | **HRVTC30F** | **HRVTC30** | 1.8 | 0.3 | **$63** | **$85** |
| 36″W | **HRVTC36F** | **HRVTC36** | 2.0 | 0.3 | **$83** | **$105** |
| 42″W | **HRVTC42F** | **HRVTC42** | 2.2 | 0.3 | **$86** | **$108** |
| 48″W | **HRVTC48F** | **HRVTC48** | 3.4 | 0.4 | **$94** | **$116** |
| 54″W | **HRVTC54F** | **HRVTC54** | 3.7 | 0.5 | **$115** | **$137** |
| 60″W | **HRVTC60F** | **HRVTC60** | 3.9 | 0.6 | **$115** | **$137** |
| 66″W | **HRVTC66F** | **HRVTC66** | 4.0 | 0.6 | **$136** | **$158** |
| 72″W | **HRVTC72F** | **HRVTC72** | 5.3 | 0.8 | **$141** | **$163** |
| 78″W | **HRVTC78F** | **HRVTC78** | 6.5 | 0.8 | **$148** | **$170** |
| 84″W | **HRVTC84F** | **HRVTC84** | 6.7 | 0.9 | **$160** | **$182** |
| 90″W | **HRVTC90F** | **HRVTC90** | 7.0 | 0.9 | **$166** | **$188** |
| 96″W | **HRVTC96F** | **HRVTC96** | 7.2 | 0.9 | **$175** | **$197** |

NOTES: Top caps can span more than one panel in an in-line connection.

Top cap models are to be used on Abound® frames only.

**NOTES:**

- Includes frame, baserail covers, attaching hardware and bottom segment bar.
- Frames, top caps and tiles are ordered and shipped separately.
- Frames are 2⅝″ thick with a 5″H baserail.
- Frames are standard with two adjustable leveling glides which can be adjusted from the bottom of the glide or from the interior of frame.
- Two wire and data management openings standard per raceway, 24″ panel has one opening.
- Lay-in wire management available in base. Horizontal cable routing available at beltline.
- Lay-in top pathway provides additional data cabling capacity.
- For worksurfaces that can be used with both Abound® and Accelerate® systems, see pages 505-517.

Panels should not be used in unsupported applications or take the place of permanent walls. Panels are intended to be supported with floor supports and/or storage or tied in with worksurfaces. Refer to Specifying and Design Guide pages.

## HOW TO SPECIFY

**Select Model Number**

H R V T C 2 4 .

**Select Trim Color**

See page 335


T 4

GSA SIN 33721

Icon Legend on page 19

# ABOUND® Open Base Panel Frames



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
|  | Raceway to Open Base Conversion Kit | HRVFFOOT | 4 | 0.1 | $231 | $253 |

## HOW TO SPECIFY

**Select Model Number**


| H | R | V | F | F | O | O | T |
|---|---|---|---|---|---|---|---|

# ABOUND® Stacking Panel Frames

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **15″H Stacking Panel Frame** | | | | |
| | 15″H x 24″W | **HRVF1524** | 8 | 0.8 | **$298** |
| | 15″H x 30″W | **HRVF1530** | 10 | 0.9 | **$313** |
| | 15″H x 36″W | **HRVF1536** | 12 | 1.1 | **$320** |
| | 15″H x 42″W | **HRVF1542** | 14 | 1.3 | **$333** |
| | 15″H x 48″W | **HRVF1548** | 16 | 1.5 | **$335** |
| | 15″H x 60″W | **HRVF1560** | 20 | 1.8 | **$346** |
|  | **30″H Stacking Panel Frame** | | | | |
| | 30″H x 24″W | **HRVF3024** | 10 | 1.4 | **$316** |
| | 30″H x 30″W | **HRVF3030** | 12 | 1.8 | **$333** |
| | 30″H x 36″W | **HRVF3036** | 14 | 2.1 | **$343** |
| | 30″H x 42″W | **HRVF3042** | 16 | 2.4 | **$357** |
| | 30″H x 48″W | **HRVF3048** | 18 | 2.8 | **$363** |
| | 30″H x 60″W | **HRVF3060** | 22 | 3.4 | **$386** |
|  | **Full Segment Bars** | | | | |
| | 24″W | **HRVFSB24** | 2 | 0.4 | **$32** |
| | 30″W | **HRVFSB30** | 2 | 0.4 | **$32** |
| | 36″W | **HRVFSB36** | 3 | 0.5 | **$33** |
| | 42″W | **HRVFSB42** | 3 | 0.5 | **$34** |
| | 48″W | **HRVFSB48** | 3 | 0.6 | **$36** |
| | 60″W | **HRVFSB60** | 4 | 0.7 | **$37** |
| | ! Must order one segment bar per panel reveal, per panel side. | | | | |

**NOTES:**

- Frames, top caps and tiles are ordered and shipped separately.
- Includes attachment hardware.
- Stacking frames can be added to the top of any 35″H, 50″ or 65″H frame.
- No paint selection necessary on stacking frames.
- Overhead storage units can be suspended from stacking frames. See pages 478-479.
- Segment Bars do not need to be specified for monolithic tiles, when only a single tile is attached to the frame.

! When stacking on 42½″H frames, panel slots will be off by ½″ compared to any other height panel.

! When stacking on 42½″H frames, hanging accessories will be ½″ off in height compared to accessories hanging on panels at any height other than 42½″H.

! Not designed to combine differing frame widths in a single stack.

! Stacking frames not designed to be used as a base frame.

! Segment bars available in Black only.

! Segment Bars are formed, steel cross members and are required between tiles and on each side of the frame.

## HOW TO SPECIFY

**Select**
**Model Number**

| H | R | V | F | 1 | 5 | 2 | 4 |
|---|---|---|---|---|---|---|---|

GSA SIN 33721

ABI

Icon Legend on page 19

# ABOUND® Stiffener Supports






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Stiffener Support** | | | | |
| 24″W | **HRVSS24** | 1 | 0.4 | **$80** |
| 30″W | **HRVSS30** | 1 | 0.4 | **$83** |
| 36″W | **HRVSS36** | 4 | 0.5 | **$87** |
| 42″W | **HRVSS42** | 4 | 0.5 | **$108** |
| 48′W | **HRVSS48** | 4 | 0.5 | **$120** |
| 60″W | **HRVSS60** | 4 | 0.7 | **$130** |

! Black only. No need to specify paint.


**NOTES:**

- Tile stiffener supports can be used to increase the stiffness of a panel and can also be used to mount power/data anywhere vertically on an Abound frame. Can only be used when there are fabric tiles on both sides of the frame.
- Self-drilling screws included.

! Black only. No need to specify paint.



*HRVBPLATE336*



*HRVBPLATE360*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Abound® Base Pathway Cover w/Additional Knockout** | | | | | |
| 36″W | **HRVBPLATE336** | 7 S | 0.4 | **$102** | **$114** |
| 42″W | **HRVBPLATE342** | 8 S | 0.4 | **$105** | **$117** |
| 48″W | **HRVBPLATE348** | 9 S | 0.4 | **$109** | **$121** |
| 60″W | **HRVBPLATE360** | 11 S | 0.5 | **$124** | **$136** |

NOTES: Specify paint, see page 335.
**SPECIFYING EXAMPLE: HRVBPLATE336.T4**

**NOTES:**

! Specify Pathways to match trim color.

! Standard raceways with two knockouts are standard on panels. If additional three knockout kickplate is ordered, the two port version can be saved or discarded.

## HOW TO SPECIFY

**Select Model Number**

H R V B P L A T E 3 3 6 .

**Select Paint Color**

See page 335

T 4

# ABOUND® Panel Door

GSA SIN 33721

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Door Panel — Laminate**<br>42″W x 95″H | **HRVD9542P** | 155 | 5.4 | **$3054** | **$3094** |

NOTES: Includes frame, 42″W door, hinges and attaching hardware. Lockset or Knob ordered separately. Best placement of a door is at an L, T, X connector or wall starter connector for rigidity. Use of spanning top caps at an in-line will also help add additional rigidity.

- Two HRVD0742T tiles for above the door must be ordered per each door ordered. See below.
- Top Cap must be ordered separately. See page 352 for top cap specification.

## HOW TO SPECIFY

**Select Model Number**

H R V D 9 5 4 2 P .

**Select Trim Color**

See page 335


T 4 .

**Select Door Laminate**

L1 Woodgrain only

See page 335

K 2



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE A | B | C | D | E | F | G |
|---|---|---|---|---|---|---|---|---|---|---|
| **Fabric Tiles for Door Panel**<br>7½″H x 42″W | **HRVD0742T** | 3 | 1.2 | **$118** | **$122** | **$126** | **$137** | **$140** | **$144** | **$149** |

- Must be ordered with the Door Panel model above.
- Required for door installation.
- Two tiles must be ordered for installation. Tiles ship 1/pkg.

## HOW TO SPECIFY

**Select Model Number**

H R V D 0 7 4 2 T .

**Select Fabric Color**

See pages 336-337

A P N 1 5



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Lockset (Door Knob)**<br>Polished Brass, keyed on one side | **HN899900** | 2.0 S | 0.1 | **$157** |
|  | **Door Lever**<br>Brushed Aluminum, keyed on one side | **HN899910** | 2.0 S | 0.1 | **$429** |
|  | **Carpet Grippers**<br>NOTES: Used with Glide Towers<br>Shipped 12 per package<br>No need to specify finish | **HICG12** | 0.5 S | 0.1 | **$32** |

GSA SIN 33721

Icon Legend on page 19

# ABOUND® Sliding Door



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
|  | **Abound Sliding Door** | | | | | |
| | 50″H x 42″W | **HH15042SD** | 28 | 5.5 | **$2793** | **$2833** |
| | 65″H x 42″W | **HH16542SD** | 38 | 7.1 | **$3184** | **$3224** |
| | 80″H x 42″W | **HH18042SD** | 46 | 8.6 | **$3894** | **$3934** |
| | ! Door is only available in Frosted Translucent Acrylic. Specify paint for frame. | | | | | |
| | ! Can only install Sliding Door at the end of a run, not at a corner. | | | | | |
|  | **Mounting Kit for Abound Sliding Door** | | | | | |
| | For 30″W Panel | **HHKDMK30** | 4 | 0.4 | **$244** | **$258** |
| | For 36″W Panel | **HHKDMK36** | 5 | 0.5 | **$255** | **$269** |
| | For 42″W Panel | **HHKDMK42** | 6 | 0.5 | **$262** | **$276** |
| | For 48″W Panel | **HHKDMK48** | 7 | 0.5 | **$276** | **$290** |
| | NOTES: Specify paint. | | | | | |

**NOTES:**

- The Sliding Doors are available in 50″, 65″, and 80″H models and can mount to 30″, 36″, 42″, and 48″W panels.
- All doors are 42″ wide, provide a 36″W opening, and are non-handed.

! A Mounting Bracket Kit must be ordered for each door corresponding to the mounting panels width (30″, 36″, 42″, or 48″W).

## HOW TO SPECIFY

**Select Model Number**

| H | H | 1 | 5 | 0 | 4 | 2 | S | D | . |
|---|---|---|---|---|---|---|---|---|---|

**Select Paint Color**

See page 335





| T | 1 |
|---|---|

# ABOUND® Connectors

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | FLAT MODEL | CHAMFERED MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|---|
|  | **"L" 90° Painted Connector** | | | | | | |
| | 7"H Frame | **HRVC7PLF** Ⓢ | **HRVC7PL** Ⓢ | 1 | 0.1 | **$131** | **$150** |
| | 15"H Frame | **HRVC15PLF** Ⓢ | **HRVC15PL** Ⓢ | 2 | 0.1 | **$148** | **$167** |
| | 22"H Frame | **HRVC22PLF** Ⓢ | **HRVC22PL** Ⓢ | 2 | 0.2 | **$164** | **$183** |
| | 30"H Frame | **HRVC30PLF** Ⓢ | **HRVC30PL** Ⓢ | 3 | 0.3 | **$188** | **$207** |
| | 35"H Frame | **HRVC35PLF** | **HRVC35PL** Ⓢ | 3 | 0.3 | **$188** | **$207** |
| | 42"H Frame | **HRVC42PLF** | **HRVC42PL** Ⓢ | 4 | 0.4 | **$204** | **$223** |
| | 50"H Frame | **HRVC50PLF** | **HRVC50PL** Ⓢ | 5 | 0.5 | **$211** | **$230** |
| | 57½"H Frame | **HRVC57PLF** | **HRVC57PL** | 5 | 0.5 | **$218** | **$237** |
| | 65"H Frame | **HRVC65PLF** | **HRVC65PL** Ⓢ | 6 | 0.6 | **$224** | **$243** |
| | 80"H Frame | **HRVC80PLF** | **HRVC80PL** Ⓢ | 6 | 0.8 | **$231** | **$250** |
|  | **"T" 3-Way Painted Connector** | | | | | | |
| | 7"H Frame | **HRVC7PTF** Ⓢ | **HRVC7PT** Ⓢ | 1 | 0.1 | **$131** | **$150** |
| | 15"H Frame | **HRVC15PTF** Ⓢ | **HRVC15PT** Ⓢ | 2 | 0.1 | **$148** | **$167** |
| | 22"H Frame | **HRVC22PTF** Ⓢ | **HRVC22PT** Ⓢ | 2 | 0.2 | **$164** | **$183** |
| | 30"H Frame | **HRVC30PTF** Ⓢ | **HRVC30PT** Ⓢ | 3 | 0.3 | **$188** | **$207** |
| | 35"H Frame | **HRVC35PTF** | **HRVC35PT** Ⓢ | 3 | 0.3 | **$188** | **$207** |
| | 42"H Frame | **HRVC42PTF** | **HRVC42PT** Ⓢ | 4 | 0.4 | **$204** | **$223** |
| | 50"H Frame | **HRVC50PTF** | **HRVC50PT** Ⓢ | 5 | 0.5 | **$211** | **$230** |
| | 57½"H Frame | **HRVC57PTF** | **HRVC57PT** | 5 | 0.5 | **$218** | **$237** |
| | 65"H Frame | **HRVC65PTF** | **HRVC65PT** Ⓢ | 6 | 0.6 | **$224** | **$243** |
| | 80"H Frame | **HRVC80PTF** | **HRVC80PT** Ⓢ | 6 | 0.8 | **$231** | **$250** |
|  | **"X" 4-Way Painted Connector** | | | | | | |
| | 7"H Frame | **HRVC7PXF** | **HRVC7PX** Ⓢ | 1 | 0.1 | **$106** | **$118** |
| | 15"H Frame | **HRVC15PXF** Ⓢ | **HRVC15PX** Ⓢ | 2 | 0.1 | **$122** | **$134** |
| | 22"H Frame | **HRVC22PXF** Ⓢ | **HRVC22PX** Ⓢ | 2 | 0.2 | **$133** | **$145** |
| | 30"H Frame | **HRVC30PXF** Ⓢ | **HRVC30PX** Ⓢ | 3 | 0.3 | **$148** | **$160** |
| | 35"H Frame | **HRVC35PXF** | **HRVC35PX** Ⓢ | 3 | 0.3 | **$148** | **$160** |
| | 42"H Frame | **HRVC42PXF** | **HRVC42PX** Ⓢ | 4 | 0.4 | **$197** | **$209** |
| | 50"H Frame | **HRVC50PXF** | **HRVC50PX** Ⓢ | 6 | 0.5 | **$204** | **$216** |
| | 57½"H Frame | **HRVC57PXF** | **HRVC57PX** | 5 | 0.5 | **$206** | **$218** |
| | 65"H Frame | **HRVC65PXF** | **HRVC65PX** Ⓢ | 7 | 0.6 | **$211** | **$223** |
| | 80"H Frame | **HRVC80PXF** | **HRVC80PX** Ⓢ | 6 | 0.8 | **$224** | **$236** |
|  | **"S" Extended Straight Painted Connector** | | | | | | |
| | 7"H Frame | **HRVC7PSF** Ⓢ | **HRVC7PS** Ⓢ | 1 | 0.1 | **$161** | **$180** |
| | 15"H Frame | **HRVC15PSF** Ⓢ | **HRVC15PS** Ⓢ | 2 | 0.1 | **$175** | **$194** |
| | 22"H Frame | **HRVC22PSF** Ⓢ | **HRVC22PS** Ⓢ | 2 | 0.2 | **$189** | **$208** |
| | 30"H Frame | **HRVC30PSF** Ⓢ | **HRVC30PS** Ⓢ | 3 | 0.3 | **$204** | **$223** |
| | 35"H Frame | **HRVC35PSF** | **HRVC35PS** Ⓢ | 3 | 0.3 | **$204** | **$223** |
| | 42"H Frame | **HRVC42PSF** | **HRVC42PS** Ⓢ | 4 | 0.4 | **$233** | **$252** |
| | 50"H Frame | **HRVC50PSF** | **HRVC50PS** Ⓢ | 6 | 0.5 | **$245** | **$264** |
| | 57½"H Frame | **HRVC57PSF** | **HRVC57PS** | 6 | 0.5 | **$251** | **$270** |
| | 65"H Frame | **HRVC65PSF** | **HRVC65PS** | 7 | 0.6 | **$259** | **$278** |
| | 80"H Frame | **HRVC80PSF** | **HRVC80PS** Ⓢ | 7 | 0.8 | **$279** | **$298** |

**NOTES:**

- All connectors include a light-gap strip.
- Abound connectors utilize a universal connector block designed to make one connection to the panel.
- Bracket clips come standard.
- 7"H connectors include one connector block; 15"H, 22"H, 30"H include two connector blocks; 50"H includes three connector blocks and 65"H includes four connector blocks.
- Connectors ship complete with trim.
- Outer trim snaps easily into place.
- Extended Straight Connectors are used to keep a frame run dimensionally consistent with opposing frame runs. Add 2¾" to the length of the run with each Extended Straight Connector used.

❗ Trim with Abound connectors can only be attached to connectors, not on panels.

## HOW TO SPECIFY

**Select Model Number**

H R V C 3 5 P L .

**Select Paint Color**

See page 335



T 4

GSA SIN 33721

Icon Legend on page 19

# ABOUND® Connectors



| | DESCRIPTION | FLAT MODEL | CHAMFERED MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|---|
|  | **"Y" 120° Degree, Two-Sided, Painted Connector** | | | | | | |
| | 35"H Frame | **HRVC35PY2F** | **HRVC35PY2** | 3 | 0.3 | **$188** | **$207** |
| | 42"H Frame | **HRVC42PY2F** | **HRVC42PY2** | 4 | 0.4 | **$204** | **$223** |
| | 50"H Frame | **HRVC50PY2F** | **HRVC50PY2** | 5 | 0.5 | **$224** | **$243** |
| | 57½"H Frame | **HRVC57PY2F** | **HRVC57PY2** | 5 | 0.5 | **$234** | **$253** |
| | 65"H Frame | **HRVC65PY2F** | **HRVC65PY2** | 6 | 0.6 | **$245** | **$264** |
|  | **"Y" 120° Degree, Three-Sided, Painted Connector** | | | | | | |
| | 35"H Frame | **HRVC35PY3F** | **HRVC35PY3** | 3 | 0.3 | **$164** | **$183** |
| | 42"H Frame | **HRVC42PY3F** | **HRVC42PY3** | 4 | 0.4 | **$188** | **$207** |
| | 50"H Frame | **HRVC50PY3F** | **HRVC50PY3** | 5 | 0.5 | **$204** | **$223** |
| | 57½"H Frame | **HRVC57PY3F** | **HRVC57PY3** | 5 | 0.5 | **$213** | **$232** |
| | 65"H Frame | **HRVC65PY3F** | **HRVC65PY3** | 6 | 0.6 | **$224** | **$243** |

**NOTES:**
- 35"H-42"H connectors include two universal connector blocks, 50"H includes three brackets and 65"H includes four brackets.
- Use Y Connectors for 120° applications.
- Abound connectors utilize a universal connector block designed to make one connection to the panel.
- Connectors ship complete with trim.
- Bracket clips come standard.
- Outer trim snaps easily into place.

## HOW TO SPECIFY

**Select Model Number**

H R V C 3 5 P Y 2 .

**Select Paint Color**

See page 335

T 3

# ABOUND®
## Variable Height Finished End and Wall Starter Kits

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | FLAT MODEL | CHAMFERED MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
| **Finished End** | | | | | | |
| 15″H Finished End | **HRVC15PFF** | **HRVC15PF** | 1 S | 0.1 | **$90** | **$109** |
| 30″H Finished End | **HRVC30PFF** | **HRVC30PF** | 2 S | 0.3 | **$109** | **$128** |
| 35″H Finished End | **HRVC35PFF** | **HRVC35PF** | 2 S | 0.3 | **$109** | **$128** |
| 42″H Finished End | **HRVC42PFF** | **HRVC42PF** | 2 S | 0.4 | **$122** | **$141** |
| 50″H Finished End | **HRVC50PFF** | **HRVC50PF** | 3 S | 0.5 | **$130** | **$149** |
| 57½″H Finished End | **HRVC57PFF** | **HRVC57PF** | 3 S | 0.5 | **$133** | **$152** |
| 65″H Finished End | **HRVC65PFF** | **HRVC65PF** | 4 S | 0.6 | **$137** | **$156** |
| 80″H Finished End | **HRVC80PFF** | **HRVC80PF** | 4 S | 0.8 | **$146** | **$165** |
| **Variable Height Painted Finished End** | | | | | | |
| 7″ Variable Height Finished End | **HRVC7PFVF** | **HRVC7PFV** | 1 S | 0.1 | **$90** | **$102** |
| 15″ Variable Height Finished End | **HRVC15PFVF** | **HRVC15PFV** | 1 S | 0.1 | **$90** | **$102** |
| 22″ Variable Height Finished End | **HRVC22PFVF** | **HRVC22PFV** | 2 S | 0.2 | **$109** | **$121** |
| 30″ Variable Height Finished End | **HRVC30PFVF** | **HRVC30PFV** | 2 S | 0.3 | **$109** | **$121** |
| **Variable Height Painted Finished End Over Connector** | | | | | | |
| 7″ Variable Height Finished End Over Connector | | **HRVC7PFT** | 1 S | 0.1 | **$90** | **$102** |
| 15″ Variable Height Finished End Over Connector | | **HRVC15PFT** | 1 S | 0.1 | **$90** | **$102** |
| 22″ Variable Height Finished End Over Connector | | **HRVC22PFT** | 2 S | 0.2 | **$109** | **$121** |
| 30″ Variable Height Finished End Over Connector | | **HRVC30PFT** | 2 S | 0.3 | **$109** | **$121** |

NOTES: Flat Variable Height Finished End can be used for Variable Height Painted Finished End Over Connectors.

| | | | | | | |
|---|---|---|---|---|---|---|
| **Frameless Glass Variable Height Trim** | | | | | | |
| 7½″H | **HRVC7FFVF** | **HRVC7FFV** | 1 | 0.1 | **$83** | **$94** |
| 15″H | **HRVC15FFVF** | **HRVC15FFV** | 1 | 0.1 | **$119** | **$130** |

Specify paint only.

! Model only used with Frameless Glass on page 369.

**SPECIFYING EXAMPLE: HRVC7FFV.T1**

| | | | | | | |
|---|---|---|---|---|---|---|
| **Wall Starter Kit** | | | | | | |
| 65″H | **HRVC65PWF** | **HRVC65PW** | 5 S | 0.6 | **$245** | **$264** |

| | | | | | | |
|---|---|---|---|---|---|---|
| **Permanent Wall Hanger Kit** | | | | | | |
| 66″H LH/RH End Pair (2 Pieces) | | **HRVC35PCE** | 6 S | 0.7 | **$302** | **$324** |
| 66″H Shared Mid | | **HRVC35PCM** | 3 S | 0.7 | **$160** | **$172** |

NOTES: Permanent Wall Hanger Kit can be used with both Flat and Chamfered models.

! Anchor devices are not supplied with this model. Refer to Abound® Installation instructions for appropriate hardware. Attachment to masonry walls is not recommended.

*Specify paint*

**NOTES:**

- Snaps easily onto end of frame.
- 35″H end trim includes top cap and vertical trim.
- 15″H and 30″H Finished End Trims do not include a top cap. These are only used for stacking frames which utilize the top trim and cap from the base frame to which they are attached.
- 42″, 50″ and 65″H finished end trim includes painted top transition piece, vertical trim and carpet grippers for extra stability.
- End trim is full-length to floor; no baserail cap is necessary.
- Finished Ends include top cap trim. Adds 1$^{5}/_{32}$″ to panel run.
- Wall Starter Kit allows panel to start from a wall. Specify trim color.
- Wall Starter adds 1$^{5}/_{32}$″ to length of panel run.
- Anchor devices are not supplied with the wall starter kits.

! Variable height trim and finished ends can only be attached to panels, not attached to connectors.

## HOW TO SPECIFY

**Select Model Number**

H R V C 7 P F T .

**Select Paint Color**

See page 335


T 3

GSA SIN 33721


Icon Legend on page 19

# WALL HANGER BARS AND OFF-MODULE BRACKET



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
|  | **Wall Hanger Segment Bars** | | | | | |
| | 24″W | **HRVFSBW24** | 2 | 0.4 | **$47** | **N/A** |
| | 30″W | **HRVFSBW30** | 2 | 0.4 | **$47** | **N/A** |
| | 36″W | **HRVFSBW36** | 3 | 0.5 | **$50** | **N/A** |
| | 42″W | **HRVFSBW42** | 3 | 0.5 | **$56** | **N/A** |
| | 48″W | **HRVFSBW48** | 3 | 0.6 | **$60** | **N/A** |
| | 60″W | **HRVFSBW60** | 4 | 0.7 | **$64** | **N/A** |

Includes two tile bars. Top bar may only be used in the top uppermost position on Wall Track. Bottom bar can be used in the bottom position at any point on the wall hangers. When segmenting tiles on Wall Hangers, standard Segment Bars (page 354) must be ordered for placement between each tile reveal or at the top position of a single tile that is not in the uppermost position.



**Off-Module Bracket Kit** — **HRVOMOD** — 2 — 0.1 — **$122** — **$134**

- Includes top and bottom attachment brackets and top trim finished end.
- Installation requires defacing of the top tile.

Cannot be mounted in locations where the bottom bracket covers electrical cutouts in the base pathway on parent run panels.

## HOW TO SPECIFY

**Select Model Number**

| H | R | V | F | S | B | W | 2 | 4 |
|---|---|---|---|---|---|---|---|---|

# ABOUND® Tackable Acoustical Tiles

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE AA | A | B | C | D | E | F | G |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **7½″H Tackable Acoustical Fabric Tiles** | | | | | | | | | | | |
| 7½″H x 24″W | **HRVT0724T** | 2 Ⓢ | 0.4 | **$88** | **$94** | **$97** | **$99** | **$105** | **$110** | **$116** | **$119** |
| 7½″H x 30″W | **HRVT0730T** | 2 Ⓢ | 0.5 | **$103** | **$109** | **$112** | **$116** | **$122** | **$130** | **$133** | **$136** |
| 7½″H x 36″W | **HRVT0736T** | 2 Ⓢ | 0.6 | **$111** | **$117** | **$120** | **$124** | **$130** | **$138** | **$141** | **$144** |
| 7½″H x 42″W | **HRVT0742T** | 2 Ⓢ | 0.7 | **$122** | **$129** | **$133** | **$137** | **$148** | **$151** | **$155** | **$160** |
| 7½″H x 48″W | **HRVT0748T** | 2 Ⓢ | 0.8 | **$129** | **$136** | **$140** | **$144** | **$155** | **$158** | **$162** | **$167** |
| 7½″H x 60″W | **HRVT0760T** | 3 Ⓢ | 1.0 | **$154** | **$176** | **$181** | **$186** | **$199** | **$204** | **$207** | **$210** |
| **15″H Tackable Acoustical Fabric Tiles** | | | | | | | | | | | |
| 15″H x 24″W | **HRVT1524T** | 2 Ⓢ | 0.8 | **$91** | **$102** | **$110** | **$119** | **$136** | **$155** | **$173** | **$181** |
| 15″H x 30″W | **HRVT1530T** | 2 Ⓢ | 0.9 | **$93** | **$106** | **$116** | **$127** | **$151** | **$174** | **$185** | **$196** |
| 15″H x 36″W | **HRVT1536T** | 2 Ⓢ | 1.1 | **$102** | **$115** | **$125** | **$136** | **$160** | **$183** | **$194** | **$205** |
| 15″H x 42″W | **HRVT1542T** | 2 Ⓢ | 1.3 | **$105** | **$120** | **$133** | **$149** | **$185** | **$196** | **$207** | **$219** |
| 15″H x 48″W | **HRVT1548T** | 2 Ⓢ | 1.5 | **$114** | **$129** | **$142** | **$158** | **$194** | **$205** | **$216** | **$228** |
| 15″H x 60″W | **HRVT1560T** | 3 Ⓢ | 1.8 | **$130** | **$145** | **$158** | **$174** | **$210** | **$221** | **$232** | **$244** |
| **22½″H Tackable Acoustical Tiles** | | | | | | | | | | | |
| 22½″H x 24″W | **HRVT2224T** | 2 | 1.1 | **$105** | **$117** | **$126** | **$137** | **$158** | **$182** | **$196** | **$206** |
| 22½″H x 30″W | **HRVT2230T** | 2 | 1.4 | **$109** | **$123** | **$135** | **$149** | **$173** | **$203** | **$233** | **$243** |
| 22½″H x 36″W | **HRVT2236T** | 2 | 1.6 | **$119** | **$136** | **$150** | **$162** | **$202** | **$234** | **$246** | **$256** |
| 22½″H x 42″W | **HRVT2242T** | 2 | 1.9 | **$128** | **$145** | **$159** | **$174** | **$220** | **$246** | **$258** | **$270** |
| 22½″H x 48″W | **HRVT2248T** | 2 | 2.2 | **$136** | **$153** | **$167** | **$182** | **$228** | **$254** | **$266** | **$278** |
| 22½″H x 60″W | **HRVT2260T** | 3 | 2.6 | **$157** | **$174** | **$188** | **$203** | **$249** | **$275** | **$287** | **$299** |
| **30″H Tackable Acoustical Tiles** | | | | | | | | | | | |
| 30″H x 24″W | **HRVT3024T** | 2 Ⓢ | 1.4 | **$124** | **$137** | **$147** | **$160** | **$183** | **$212** | **$224** | **$235** |
| 30″H x 30″W | **HRVT3030T** | 2 Ⓢ | 1.8 | **$129** | **$144** | **$157** | **$173** | **$200** | **$237** | **$284** | **$294** |
| 30″H x 36″W | **HRVT3036T** | 2 Ⓢ | 2.1 | **$139** | **$159** | **$177** | **$190** | **$247** | **$288** | **$299** | **$310** |
| 30″H x 42″W | **HRVT3042T** | 3 Ⓢ | 2.4 | **$157** | **$175** | **$191** | **$204** | **$263** | **$303** | **$315** | **$326** |
| 30″H x 48″W | **HRVT3048T** | 3 Ⓢ | 2.8 | **$166** | **$184** | **$200** | **$213** | **$272** | **$312** | **$324** | **$335** |
| 30″H x 60″W | **HRVT3060T** | 4 | 3.4 | **$188** | **$206** | **$222** | **$235** | **$294** | **$334** | **$346** | **$357** |
| **37″H Tackable Acoustical Tiles** | | | | | | | | | | | |
| 37″H x 24″W | **HRVT3724T** | 2 Ⓢ | 2.0 | **$141** | **$159** | **$175** | **$195** | **$252** | **$287** | **$299** | **$310** |
| 37″H x 30″W | **HRVT3730T** | 3 Ⓢ | 2.4 | **$161** | **$179** | **$195** | **$215** | **$272** | **$307** | **$319** | **$330** |
| 37″H x 36″W | **HRVT3736T** | 4 Ⓢ | 2.9 | **$183** | **$204** | **$225** | **$247** | **$316** | **$367** | **$379** | **$391** |
| 37″H x 42″W | **HRVT3742T** | 4 | 3.4 | **$204** | **$227** | **$249** | **$275** | **$362** | **$414** | **$425** | **$436** |
| 37″H x 48″W | **HRVT3748T** | 5 | 3.8 | **$214** | **$237** | **$261** | **$286** | **$375** | **$428** | **$441** | **$452** |
| 37″H x 60″W | **HRVT3760T** | 6 | 4.6 | **$245** | **$274** | **$302** | **$335** | **$424** | **$489** | **$500** | **$513** |

Ⓘ Segment bars ordered separately. See page 354.

**NOTES:**

- Tiles attach directly onto the panels. No additional hardware is needed.
- Tiles are non-dedicated.
- For monolithic applications, subtract 5″ from the frame height to determine monolithic tile height.

Ⓐ Fabric tiles have a Class A fire rating.

Ⓘ Tiles do not include segment bars, must be ordered separately. See page 354. Not needed on monolithic tiles.

Ⓘ One segment bar required per panel reveal, per panel side.

## HOW TO SPECIFY

**Select Model Number**

H R V T 1 5 2 4 T .

**Select Fabric Color**

See pages 336-337


A P N 1 1

GSA SIN 33721

Icon Legend on page 19

# ABOUND® Tackable Acoustical Tiles



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE AA | A | B | C | D | E | F | G |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
|  | **45″H Tackable Acoustical Tiles** | | | | | | | | | | | |
| | 45″H x 24″W | **HRVT4524T** | 2 Ⓢ | 2.3 | $156 | $177 | $199 | $221 | $292 | $344 | $356 | $369 |
| | 45″H x 30″W | **HRVT4530T** | 3 Ⓢ | 2.9 | $176 | $199 | $221 | $248 | $337 | $389 | $402 | $414 |
| | 45″H x 36″W | **HRVT4536T** | 5 | 3.4 | $209 | $232 | $256 | $281 | $370 | $423 | $436 | $447 |
| | 45″H x 42″W | **HRVT4542T** | 5 | 4.0 | $245 | $268 | $290 | $317 | $405 | $458 | $471 | $483 |
| | 45″H x 48″W | **HRVT4548T** | 6 | 4.5 | $276 | $299 | $330 | $348 | $437 | $490 | $503 | $514 |
| | 45″H x 60″W | **HRVT4560T** | 7 | 5.6 | $299 | $328 | $357 | $390 | $478 | $543 | $555 | $568 |
|  | **52½″H Tackable Acoustical Tiles** | | | | | | | | | | | |
| | 52½″H x 24″W | **HRVT5224T** | 2 | 2.6 | $173 | $204 | $236 | $270 | $358 | $416 | $428 | $465 |
| | 52½″H x 30″W | **HRVT5230T** | 3 | 3.2 | $195 | $231 | $267 | $304 | $400 | $465 | $479 | $534 |
| | 52½″H x 36″W | **HRVT5236T** | 4 | 3.8 | $230 | $266 | $302 | $337 | $434 | $500 | $514 | $569 |
| | 52½″H x 42″W | **HRVT5242T** | 5 | 4.4 | $255 | $295 | $336 | $371 | $482 | $548 | $560 | $638 |
| | 52½″H x 48″W | **HRVT5248T** | 6 | 4.9 | $286 | $326 | $369 | $402 | $513 | $614 | $628 | $705 |
| | 52½″H x 60″W | **HRVT5260T** | 7 | 6.1 | $308 | $354 | $400 | $437 | $579 | $661 | $674 | $750 |
| | ❗ Segment bars ordered separately. See page 354. | | | | | | | | | | | |
|  | **60″H Tackable Acoustical Tiles** | | | | | | | | | | | |
| | 60″H x 24″W | **HRVT6024T** | 3 Ⓢ | 3.0 | $183 | $217 | $253 | $290 | $384 | $442 | $456 | $501 |
| | 60″H x 30″W | **HRVT6030T** | 4 | 3.7 | $206 | $246 | $287 | $326 | $426 | $496 | $509 | $578 |
| | 60″H x 36″W | **HRVT6036T** | 6 | 4.4 | $239 | $279 | $320 | $357 | $458 | $528 | $542 | $611 |
| | 60″H x 42″W | **HRVT6042T** | 6 | 5.1 | $259 | $304 | $351 | $390 | $508 | $578 | $591 | $689 |
| | 60″H x 48″W | **HRVT6048T** | 7 | 5.8 | $294 | $339 | $386 | $425 | $543 | $660 | $675 | $771 |
| | 60″H x 60″W | **HRVT6060T** | 9 | 7.2 | $313 | $365 | $416 | $455 | $614 | $703 | $715 | $813 |
| | ❗ Segment bars ordered separately. See page 354. | | | | | | | | | | | |

**NOTES:**

- Tiles are non-dedicated.
- Tiles attach directly onto the panels. No additional hardware is needed.
- For monolithic applications, subtract 5″ from the frame height to determine monolithic tile height.

Ⓐ Fabric tiles have a Class A fire rating.

❗ Tiles do not include segment bars, must be ordered separately. See page 354. Not needed on monolithic tiles.

❗ One segment bar required per panel reveal, per panel side.

## HOW TO SPECIFY

**Select Model Number**

H R V T 4 5 2 4 T .

**Select Fabric Color**

See pages 336-337




A P N 1 1

# ABOUND® Power/Data Fabric Tiles

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE AA | A | B | C | D | E | F | G |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
|  | **15″H Power/Data Fabric Tiles** | | | | | | | | | | | |
| | 15″H x 24″W | **HRVT1524E** | 2 S | 0.8 | **$180** | **$191** | **$199** | **$208** | **$225** | **$244** | **$262** | **$270** |
| | 15″H x 30″W | **HRVT1530E** | 2 S | 0.9 | **$181** | **$194** | **$204** | **$215** | **$239** | **$262** | **$273** | **$284** |
| | 15″H x 36″W | **HRVT1536E** | 2 S | 1.1 | **$190** | **$203** | **$213** | **$224** | **$248** | **$271** | **$282** | **$293** |
| | 15″H x 42″W | **HRVT1542E** | 2 S | 1.3 | **$193** | **$208** | **$221** | **$237** | **$273** | **$284** | **$295** | **$307** |
| | 15″H x 48″W | **HRVT1548E** | 2 S | 1.5 | **$202** | **$217** | **$230** | **$246** | **$282** | **$293** | **$304** | **$316** |
| | 15″H x 60″W | **HRVT1560E** | 3 S | 1.8 | **$218** | **$233** | **$246** | **$262** | **$298** | **$309** | **$320** | **$332** |
|  | **30″H Power/Data Fabric Tiles** | | | | | | | | | | | |
| | 30″H x 24″W | **HRVT3024E** | 2 S | 1.4 | **$209** | **$222** | **$232** | **$245** | **$268** | **$297** | **$309** | **$320** |
| | 30″H x 30″W | **HRVT3030E** | 2 S | 1.8 | **$215** | **$230** | **$243** | **$259** | **$286** | **$323** | **$370** | **$380** |
| | 30″H x 36″W | **HRVT3036E** | 2 S | 2.1 | **$229** | **$249** | **$267** | **$280** | **$337** | **$378** | **$389** | **$400** |
| | 30″H x 42″W | **HRVT3042E** | 3 S | 2.4 | **$250** | **$268** | **$284** | **$297** | **$356** | **$396** | **$408** | **$419** |
| | 30″H x 48″W | **HRVT3048E** | 3 S | 2.8 | **$257** | **$275** | **$291** | **$304** | **$363** | **$403** | **$415** | **$426** |
| | 30″H x 60″W | **HRVT3060E** | 4 | 3.4 | **$276** | **$294** | **$310** | **$323** | **$382** | **$422** | **$434** | **$445** |
|  | **37″H Power/Data Fabric Tiles** | | | | | | | | | | | |
| | 37″H x 24″W | **HRVT3724E** | 2 S | 2.0 | **$231** | **$249** | **$265** | **$285** | **$342** | **$377** | **$389** | **$400** |
| | 37″H x 30″W | **HRVT3730E** | 3 S | 2.4 | **$253** | **$271** | **$287** | **$307** | **$364** | **$399** | **$411** | **$422** |
| | 37″H x 36″W | **HRVT3736E** | 4 S | 2.9 | **$267** | **$288** | **$309** | **$331** | **$400** | **$451** | **$463** | **$475** |
| | 37″H x 42″W | **HRVT3742E** | 4 | 3.4 | **$284** | **$307** | **$329** | **$355** | **$442** | **$494** | **$505** | **$516** |
| | 37″H x 48″W | **HRVT3748E** | 5 | 3.8 | **$305** | **$328** | **$352** | **$377** | **$466** | **$519** | **$532** | **$543** |
| | 37″H x 60″W | **HRVT3760E** | 6 | 4.7 | **$335** | **$364** | **$392** | **$425** | **$514** | **$579** | **$590** | **$603** |

! Segment bars ordered separately. See page 354.

**NOTES:**

- Power/Data tiles are tackable and acoustical.
- Tiles attach directly onto the panels. No additional hardware is needed.
- Tiles are non-dedicated.
- 24″W tiles have one port. Other widths have two.
- Power/Data grommet opening is 2 11/16″W x 1 3/8″H. With glides retracted grommets are 30″ from the floor and 10½″ from the edge of the frame.
- Power/Data ports are factory installed.

Fabric tiles have a Class A fire rating.

! Ports on all tile sizes are located above the worksurface. Tiles cannot be flipped to change port location.

! Tiles do not include segment bars, must be ordered separately. See page 354. Can be used in any combination.

! One segment bar required per panel reveal, per panel side.

! Electrical mounting brackets must be ordered separately. See page 504.

## HOW TO SPECIFY

**Select Model Number**

H R V T 1 5 2 4 E .

**Select Fabric Color**

See pages 336-337

A P N 1 1 .

**Select Electrical Power/Data Grommet Color**

See page 335

T 5

GSA SIN 33721

Icon Legend on page 19

# ABOUND® Power/Data Fabric Tiles



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE AA | A | B | C | D | E | F | G |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **45″H Power/Data Fabric Tiles** | | | | | | | | | | | |
| 45″H x 24″W | **HRVT4524E** | 2 Ⓢ | 2.3 | **$248** | **$269** | **$291** | **$313** | **$384** | **$436** | **$448** | **$461** |
| 45″H x 30″W | **HRVT4530E** | 3 Ⓢ | 2.9 | **$267** | **$290** | **$312** | **$339** | **$428** | **$480** | **$493** | **$505** |
| 45″H x 36″W | **HRVT4536E** | 5 | 3.4 | **$303** | **$326** | **$350** | **$375** | **$464** | **$517** | **$530** | **$541** |
| 45″H x 42″W | **HRVT4542E** | 5 | 4.0 | **$335** | **$358** | **$380** | **$407** | **$495** | **$548** | **$561** | **$573** |
| 45″H x 48″W | **HRVT4548E** | 6 | 4.5 | **$369** | **$392** | **$423** | **$441** | **$530** | **$583** | **$596** | **$607** |
| 45″H x 60″W | **HRVT4560E** | 7 | 5.6 | **$394** | **$423** | **$452** | **$485** | **$573** | **$638** | **$650** | **$663** |
| **52½″H Power/Data Fabric Tiles** | | | | | | | | | | | |
| 52½″H x 24″W | **HRVT5224E** | 2 | 2.8 | **$263** | **$296** | **$328** | **$361** | **$450** | **$500** | **$520** | **$557** |
| 52½″H x 30″W | **HRVT5230E** | 3 | 3.4 | **$289** | **$328** | **$365** | **$401** | **$497** | **$560** | **$576** | **$631** |
| 52½″H x 36″W | **HRVT5236E** | 4 | 4.0 | **$321** | **$359** | **$396** | **$430** | **$527** | **$593** | **$607** | **$662** |
| 52½″H x 42″W | **HRVT5242E** | 5 | 4.6 | **$346** | **$388** | **$429** | **$464** | **$574** | **$640** | **$653** | **$731** |
| 52½″H x 48″W | **HRVT5248E** | 6 | 5.1 | **$381** | **$423** | **$466** | **$499** | **$610** | **$711** | **$726** | **$801** |
| 52½″H x 60″W | **HRVT5260E** | 7 | 6.3 | **$402** | **$449** | **$495** | **$532** | **$674** | **$756** | **$769** | **$845** |
| **60″H Power/Data Fabric Tiles** | | | | | | | | | | | |
| 60″H x 24″W | **HRVT6024E** | 3 | 3.0 | **$271** | **$305** | **$341** | **$378** | **$472** | **$530** | **$544** | **$589** |
| 60″H x 30″W | **HRVT6030E** | 4 | 3.7 | **$299** | **$339** | **$380** | **$419** | **$519** | **$589** | **$602** | **$671** |
| 60″H x 36″W | **HRVT6036E** | 6 | 4.4 | **$332** | **$372** | **$413** | **$450** | **$551** | **$621** | **$635** | **$704** |
| 60″H x 42″W | **HRVT6042E** | 6 | 5.1 | **$354** | **$399** | **$446** | **$485** | **$603** | **$673** | **$686** | **$784** |
| 60″H x 48″W | **HRVT6048E** | 7 | 5.8 | **$387** | **$432** | **$479** | **$518** | **$636** | **$753** | **$768** | **$864** |
| 60″H x 60″W | **HRVT6060E** | 9 | 7.2 | **$406** | **$458** | **$509** | **$548** | **$707** | **$796** | **$808** | **$906** |

❗ Segment bars ordered separately. See page 354.

**NOTES:**

- Tiles are non-dedicated.
- Tiles attach directly onto the panels. No additional hardware is needed.
- 24″W tiles have one port. Other widths have two.
- Power/Data grommet opening is 2 11/16″W x 1 3/8″H. With glides retracted grommet are 30″ from the floor and 10½″ from the edge of the frame.
- Power/Data ports are factory installed.

Ⓐ Fabric tiles have a Class A fire rating.

❗ Ports on all tile sizes are located above the worksurface. Tiles cannot be flipped to change port location.

❗ Tiles do not include segment bars, must be ordered separately. See page 354. Can be used in any combination.

❗ One segment bar required per panel reveal, per panel side.

❗ Electrical mounting brackets must be ordered separately. See page 504.

## HOW TO SPECIFY

**Select Model Number**

H R V T 4 5 2 4 E .

**Select Fabric Color**

See pages 336-337

A P N 1 1 .

**Select Electrical Power/Data Grommet Color**

See page 335




T 5

# ABOUND® Hard-surface Tiles

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **15″ Hard-surface Tile and Mounting Kit** | | | | | |
| | 15″H x 24″W | **HRVT1524HS3** | 5 | 2.1 | **$296** | **$312** |
| | 15″H x 30″W | **HRVT1530HS3** | 6 | 2.6 | **$311** | **$327** |
| | 15″H x 36″W | **HRVT1536HS3** | 7 | 3.0 | **$333** | **$350** |
| | 15″H x 42″W | **HRVT1542HS3** | 9 | 3.5 | **$354** | **$372** |
| | 15″H x 48″W | **HRVT1548HS3** | 10 | 4.0 | **$369** | **$388** |
| | 15″H x 60″W | **HRVT1560HS3** | 12 | 5.0 | **$419** | **$440** |
|  | **30″ Hard-surface Tile and Mounting Kit** | | | | | |
| | 30″H x 24″W | **HRVT3024HS3** | 10 | 3.9 | **$362** | **$381** |
| | 30″H x 30″W | **HRVT3030HS3** | 12 | 4.8 | **$389** | **$409** |
| | 30″H x 36″W | **HRVT3036HS3** | 15 | 5.7 | **$433** | **$455** |
| | 30″H x 42″W | **HRVT3042HS3** | 18 | 6.6 | **$471** | **$495** |
| | 30″H x 48″W | **HRVT3048HS3** | 20 | 7.5 | **$497** | **$523** |
| | 30″H x 60″W | **HRVT3060HS3** | 25 | 9.3 | **$544** | **$572** |
|  | **37″ Hard-surface Tile and Mounting Kit** | | | | | |
| | 37″H x 24″W | **HRVT3724HS3** | 12 | 4.8 | **$440** | **$462** |
| | 37″H x 30″W | **HRVT3730HS3** | 16 | 5.9 | **$486** | **$512** |
| | 37″H x 36″W | **HRVT3736HS3** | 19 | 8.1 | **$532** | **$560** |
| | 37″H x 42″W | **HRVT3742HS3** | 22 | 8.8 | **$585** | **$615** |
| | 37″H x 48″W | **HRVT3748HS3** | 25 | 10.0 | **$632** | **$664** |
| | 37″H x 60″W | **HRVT3760HS3** | 31 | 12.4 | **$713** | **$750** |

**NOTES:**

- Tiles are made from high-pressure laminate.
- Available in all standard HON laminates.
- On woodgrain laminates, grain direction is vertical.
- Specify paint color.
- 15″H and 30″H tiles are non-dedicated and can be used in any tile position (except on 42″H frames.)

All tiles ship with Custom Bracket Kit installed on the tile.

One segment bar is required per panel reveal, per panel side.

Tiles do not ship with segment bars — must be ordered separately. See page 354. Segment bars are not needed for 42″H monolithic tiles.

## HOW TO SPECIFY



| Select Model Number | Select Laminate Color | Select Edge |
|---|---|---|
| | See page 335 | See page 335 |
| H R V T 1 5 2 4 H S 3 . | H . | P |

GSA SIN 33721

Icon Legend on page 19

# ABOUND® Clear Glass Tiles



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
|  | **15″H Clear Glass Tiles** | | | | | |
| | 15″H x 24″W | **HRVT1524G** | 12 | 0.8 | **$636** | **$657** |
| | 15″H x 30″W | **HRVT1530G** | 15 | 0.9 | **$673** | **$694** |
| | 15″H x 36″W | **HRVT1536G** | 17 | 1.1 | **$711** | **$732** |
| | 15″H x 42″W | **HRVT1542G** | 19 | 1.3 | **$760** | **$782** |
| | 15″H x 48″W | **HRVT1548G** | 20 | 1.5 | **$816** | **$838** |
| | 15″H x 60″W | **HRVT1560G** | 26 | 1.8 | **$975** | **$997** |
|  | **30″H Clear Glass Tiles** | | | | | |
| | 30″H x 24″W | **HRVT3024G** | 15 | 1.4 | **$844** | **$866** |
| | 30″H x 30″W | **HRVT3030G** | 21 | 1.8 | **$901** | **$923** |
| | 30″H x 36″W | **HRVT3036G** | 22 | 2.1 | **$959** | **$981** |
| | 30″H x 42″W | **HRVT3042G** | 25 | 2.4 | **$1037** | **$1059** |
| | 30″H x 48″W | **HRVT3048G** | 28 | 2.9 | **$1115** | **$1137** |
| | 30″H x 60″W | **HRVT3060G** | 33 | 3.4 | **$1307** | **$1329** |

Segment bars ordered separately. See page 354.

**NOTES:**

- Glass is off-set and may be placed on either side of the frame.
- Tile is a single-pane, tempered glass.
- For worksurfaces that can be used with both Abound® and Accelerate® systems, see pages 505-517.

Glass tiles have a Class A fire rating.

Tiles do not include segment bars, must be ordered separately. See page 354. Can be used in any combination.

Glass tiles cannot be placed in the second tier (20″-35″ range) due to interference with the horizontal support. Glass tiles cannot be placed in the bottom tier of a frame.

Glass tiles will not work with 42″H frames — use stackers with glass on 42½″H panels.

When stacking on 42½″H frames, panel slots will be off by ½″ compared to any other height panel.

## HOW TO SPECIFY

**Select Model Number**

H R V T 1 5 2 4 G .

**Select Interior Shroud Paint Color**

See page 335. Available in all P1/P2 paint colors.



T 1

# ABOUND® Frosted Glass Tiles

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
|  | **15″H Frosted Glass Tiles** | | | | | |
| | 15″H x 24″W | **HRVT1524R** | 12 | 0.8 | **$782** | **$803** |
| | 15″H x 30″W | **HRVT1530R** | 15 | 0.9 | **$840** | **$861** |
| | 15″H x 36″W | **HRVT1536R** | 17 | 1.1 | **$896** | **$917** |
| | 15″H x 42″W | **HRVT1542R** | 19 | 1.3 | **$959** | **$981** |
| | 15″H x 48″W | **HRVT1548R** | 20 | 1.5 | **$1035** | **$1057** |
| | 15″H x 60″W | **HRVT1560R** | 26 | 1.8 | **$1210** | **$1232** |
|  | **30″H Frosted Glass Tiles** | | | | | |
| | 30″H x 24″W | **HRVT3024R** | 15 | 1.4 | **$1104** | **$1126** |
| | 30″H x 30″W | **HRVT3030R** | 21 | 1.8 | **$1178** | **$1200** |
| | 30″H x 36″W | **HRVT3036R** | 22 | 2.1 | **$1256** | **$1278** |
| | 30″H x 42″W | **HRVT3042R** | 25 | 2.4 | **$1351** | **$1373** |
| | 30″H x 48″W | **HRVT3048R** | 28 | 2.9 | **$1446** | **$1468** |
| | 30″H x 60″W | **HRVT3060R** | 33 | 3.4 | **$1659** | **$1681** |
| | ! Segment bars ordered separately. See page 354. | | | | | |

**NOTES:**

- Glass is off-set and may be placed on either side of the frame.
- Tile is a single-pane, tempered glass.
- For worksurfaces that can be used with both Abound® and Accelerate® systems, see pages 505-517.

Glass tiles have a Class A fire rating.

! Tiles do not include segment bars, must be ordered separately. See page 354. Can be used in any combination.

! Glass tiles cannot be placed in the second tier (20″-35″ range) due to interference with the horizontal support. Glass tiles cannot be placed in the bottom tier of a frame.

! Glass tiles will not work with 42″H frames — use stackers with glass on 42½″H panels.

! When stacking on 42½″H frames, panel slots will be off by ½″ compared to any other height panel.

## HOW TO SPECIFY

**Select Model Number**

H R V T 1 5 2 4 R .

**Select Interior Shroud Paint Color**

See page 335. Available in all P1/P2 paint colors.


T 1

GSA SIN 33721


Icon Legend on page 19

# ABOUND® Frameless Glass





| DESCRIPTION | FLAT MODEL | CHAMFERED MODEL | SHIP WEIGHT | CUBE | CLEAR GLASS | FROSTED GLASS |
|---|---|---|---|---|---|---|
| **7½″H Frameless Glass** | | | | | | |
| 7½″H x 24″W | **HRVT0724FF** | **HRVT0724F** | 18 | 0.5 | **$565** | **$604** |
| 7½″H x 30″W | **HRVT0730FF** | **HRVT0730F** | 18 | 0.5 | **$605** | **$646** |
| 7½″H x 36″W | **HRVT0736FF** | **HRVT0736F** | 21 | 0.6 | **$701** | **$748** |
| 7½″H x 42″W | **HRVT0742FF** | **HRVT0742F** | 25 | 0.7 | **$738** | **$789** |
| 7½″H x 48″W | **HRVT0748FF** | **HRVT0748F** | 28 | 0.8 | **$789** | **$844** |
| 7½″H x 54″W (24″ + 30″) | **HRVT0754FF** | **HRVT0754F** | 28 | 0.8 | **$878** | **$937** |
| 7½″H x 60″W | **HRVT0760FF** | **HRVT0760F** | 35 | 1.0 | **$965** | **$1031** |
| 7½″H x 66″W (30″ + 36″) | **HRVT0766FF** | **HRVT0766F** | 35 | 1.0 | **$1057** | **$1129** |
| 7½″H x 72″W (36″ + 36″) | **HRVT0772FF** | **HRVT0772F** | 42 | 1.9 | **$1146** | **$1225** |
| 7½″H x 78″W (48″ + 30″) | **HRVT0778FF** | **HRVT0778F** | 42 | 1.9 | **$1231** | **$1315** |
| 7½″H x 84″W (36″ + 48″ or 42″ + 42″) | **HRVT0784FF** | **HRVT0784F** | 50 | 2.1 | **$1314** | **$1404** |
| 7½″H x 90″W (42″ + 48″) | **HRVT0790FF** | **HRVT0790F** | 50 | 2.1 | **$1405** | **$1499** |
| 7½″H x 96″W (48″ + 48″ or 36″ + 60″) | **HRVT0796FF** | **HRVT0796F** | 57 | 2.4 | **$1487** | **$1587** |
| NOTES: For models 54″W–96″W, glass can span multiple panel widths. See examples of panel sizes by glass width above. | | | | | | |



| | | | | | | |
|---|---|---|---|---|---|---|
| **15″H Frameless Glass** | | | | | | |
| 15″H x 24″W | **HRVT1524FF** | **HRVT1524F** | 28 | 1.5 | **$635** | **$676** |
| 15″H x 30″W | **HRVT1530FF** | **HRVT1530F** | 28 | 1.5 | **$674** | **$719** |
| 15″H x 36″W | **HRVT1536FF** | **HRVT1536F** | 34 | 1.8 | **$782** | **$834** |
| 15″H x 42″W | **HRVT1542FF** | **HRVT1542F** | 39 | 2.0 | **$833** | **$888** |
| 15″H x 48″W | **HRVT1548FF** | **HRVT1548F** | 45 | 2.3 | **$889** | **$948** |
| 15″H x 54″W (24″ + 30″) | **HRVT1554FF** | **HRVT1554F** | 51 | 2.6 | **$985** | **$1051** |
| 15″H x 60″W | **HRVT1560FF** | **HRVT1560F** | 57 | 2.8 | **$1083** | **$1155** |
| 15″H x 66″W (30″ + 36″) | **HRVT1566FF** | **HRVT1566F** | 62 | 3.2 | **$1185** | **$1264** |
| 15″H x 72″W (36″ + 36″) | **HRVT1572FF** | **HRVT1572F** | 67 | 3.5 | **$1284** | **$1369** |
| 15″H x 78″W (48″ + 30″) | **HRVT1578FF** | **HRVT1578F** | 63 | 3.7 | **$1462** | **$1557** |
| 15″H x 84″W (36″ + 48″ or 42″ + 42″) | **HRVT1584FF** | **HRVT1584F** | 78 | 3.9 | **$1632** | **$1740** |
| 15″H x 90″W (42″ + 48″) | **HRVT1590FF** | **HRVT1590F** | 74 | 4.2 | **$1681** | **$1792** |
| 15″H x 96″W (48″ + 48″ or 36″ + 60″) | **HRVT1596FF** | **HRVT1596F** | 89 | 4.4 | **$1729** | **$1844** |
| NOTES: For models 54″W–96″W, glass can span multiple panel widths. See suggested panel sizes by glass width above. | | | | | | |

**NOTES:**
- Tile is a single-pane, ⅜″ laminated safety glass.
- Available in clear or frosted glass.
- New top cap ships with Frameless Glass which fits around the glass insert.
- Frameless Glass can span multiple panels with one piece of glass.
- Lamination is in the center of the glass, making both clear and frosted glass a writable surface with dry-erase markers.

Glass tiles have a Class A fire rating.

Frameless Glass can only be used on the top of panels. Glass integrates into top cap trim.

Power and data cords cannot lay in the top of panel frames when using frameless glass.

Variable height trim for Frameless Glass must be ordered when using panel heights one step up; see page 360.

Cannot hang or stack on top of Frameless Glass.

Abound® power pole cannot be used with Frameless Glass. Freestanding power pole HH870070 can be used at the end of run or one panel needs to be specified without Frameless Glass for ceiling in-feed to enter the panel.

## HOW TO SPECIFY

**Select Model Number**

H R V T 0 7 2 4 F .

**Select Glass Option**

**G** Clear
**R** Frosted

G .

**Select Paint Color**

See page 335

P1 Paint (no upcharge)
P2 Paint (+ $19)


T 1

# ABOUND® Pass-thru Tiles

GSA SIN 33721

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **30″H Pass-Thru Tile Kit** | | | | | |
| 22½″H x 24″W | **HRVT3024P** | 8 | 1.2 | **$179** | **$201** |
| 22½″H x 30″W | **HRVT3030P** | 8 | 1.5 | **$203** | **$225** |
| 22½″H x 36″W | **HRVT3036P** | 9 | 1.8 | **$224** | **$246** |
| 22½″H x 42″W | **HRVT3042P** | 10 | 2.1 | **$232** | **$254** |
| 22½″H x 48″W | **HRVT3048P** | 11 | 2.3 | **$257** | **$279** |
| 22½″H x 60″W | **HRVT3060P** | 12 | 2.9 | **$267** | **$289** |

NOTES: Pass-thru opening is 22½″H. To be used with 30″H tiles. Order one 7½″H fabric tiles per pass-thru tile, if finishing only one side of panel.

Must order a quantity of two (2) 7½″H fabric tiles per pass-thru tile, if finishing both sides of panel.

Half segment bar (wall hanger segment bar) is needed for bottom of tile, and full segment bar is needed above the pass-thru tile below the 7½″H tile.

## HOW TO SPECIFY

**Select Model Number**

H R V T 3 0 2 4 P .

**Select Paint Color**

See page 335

T 1



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE AA | A | B | C | D | E | F | G |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **7½″H Fabric Tackable Tile** | | | | | | | | | | | |
| 7½″H x 24″W | **HRVT0724T** | 2 S | 1.4 | **$88** | **$94** | **$97** | **$99** | **$105** | **$110** | **$116** | **$119** |
| 7½″H x 30″W | **HRVT0730T** | 2 S | 1.8 | **$103** | **$109** | **$112** | **$116** | **$122** | **$130** | **$133** | **$136** |
| 7½″H x 36″W | **HRVT0736T** | 2 S | 2.1 | **$111** | **$117** | **$120** | **$124** | **$130** | **$138** | **$141** | **$144** |
| 7½″H x 42″W | **HRVT0742T** | 2 S | 2.4 | **$122** | **$129** | **$133** | **$137** | **$148** | **$151** | **$155** | **$160** |
| 7½″H x 48″W | **HRVT0748T** | 2 S | 2.8 | **$129** | **$136** | **$140** | **$144** | **$155** | **$158** | **$162** | **$167** |
| 7½″H x 60″W | **HRVT0760T** | 3 S | 3.4 | **$154** | **$176** | **$181** | **$186** | **$199** | **$204** | **$207** | **$210** |

**NOTES:**

- Order one 7½″H fabric tiles per pass-thru tile, if finishing only one side of panel.

Must order a quantity of two (2) 7½″H fabric tiles per pass-thru tile, if finishing both sides of panel.

## HOW TO SPECIFY

**Select Model Number**

H R V T 0 7 2 4 T .

**Select Fabric Color**

See pages 336-337


A P N 1 5

GSA SIN 33721

Icon Legend on page 19

# ABOUND® Slotted Tool Tiles





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **15″H Slotted Tool Tiles** | | | | | | |
| 15″H x 24″W | **HRVT1524W** | 11 | 0.8 | **$358** | **$390** | **$415** |
| 15″H x 30″W | **HRVT1530W** | 13 | 0.9 | **$386** | **$418** | **$447** |
| 15″H x 36″W | **HRVT1536W** | 15 | 1.1 | **$411** | **$443** | **$476** |
| 15″H x 42″W | **HRVT1542W** | 17 | 1.3 | **$439** | **$471** | **$509** |
| 15″H x 48″W | **HRVT1548W** | 20 | 1.5 | **$464** | **$496** | **$538** |
| 15″H x 60″W | **HRVT1560W** | 24 | 1.8 | **$492** | **$524** | **$570** |

Segment bars ordered separately. See page 354.

**NOTES:**

- Tiles made from sturdy aluminum extrusion and steel supports with a powder coat finish.

Tiles do not include segment bars, must be ordered separately. See page 354. Can be used in any combination.

Weight capacity of hang-on accessories should not exceed 80 pounds.

## HOW TO SPECIFY

**Select Model Number**

H R V T 1 5 2 4 W .

**Select Paint Color**

See page 335


P1 and P2 Paint Option

P 8 S

GSA SIN 33721

Icon Legend on page 19

# SYSTEMS PAPER MANAGEMENT SUPPORT BAR



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Systems Paper Management Support Bars** | | | | | | |
| 24″W x 5″H | **HNPMBSW24** | 1.3 | 0.4 | **$260** | **$274** | **$284** |
| 30″W x 5″H | **HNPMBSW30** | 1.5 | 0.5 | **$279** | **$293** | **$303** |
| 36″W x 5″H | **HNPMBSW36** | 2.0 | 0.6 | **$289** | **$303** | **$313** |
| 42″W x 5″H | **HNPMBSW42** | 5.0 | 0.7 | **$303** | **$317** | **$327** |
| 48″W x 5″H | **HNPMBSW48** | 7.0 | 0.8 | **$316** | **$330** | **$340** |
| 60″W x 5″H | **HNPMBSW60** | 9.0 | 0.9 | **$358** | **$372** | **$382** |

Recommended weight capacity not to exceed 80 pounds.

**NOTES:**

- Paper management bar attaches to Systems Panels to accommodate work flow accessories.

## HOW TO SPECIFY

**Select Model Number**

H N P M B S W 2 4 .

**Select Paint Color**

See page 335

P1 and P2 Paint Option



P 8 S

# ABOUND® Markerboard Tiles

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **15″H Markerboard Tiles** | | | | |
| | 15″H x 24″W | **HRVT1524M** | 4 S | 1.2 | **$325** |
| | 15″H x 30″W | **HRVT1530M** | 4 S | 1.8 | **$348** |
| | 15″H x 36″W | **HRVT1536M** | 5 S | 2.5 | **$366** |
| | 15″H x 42″W | **HRVT1542M** | 5 | 3.4 | **$388** |
| | 15″H x 48″W | **HRVT1548M** | 6 | 4.3 | **$398** |
| | 15″H x 60″W | **HRVT1560M** | 7 | 6.7 | **$414** |
|  | **30″H Markerboard Tiles** | | | | |
| | 30″H x 24″W | **HRVT3024M** | 6 S | 1.2 | **$357** |
| | 30″H x 30″W | **HRVT3030M** | 7 S | 1.8 | **$383** |
| | 30″H x 36″W | **HRVT3036M** | 8 S | 2.5 | **$421** |
| | 30″H x 42″W | **HRVT3042M** | 10 | 3.4 | **$448** |
| | 30″H x 48″W | **HRVT3048M** | 11 | 4.3 | **$492** |
| | 30″H x 60″W | **HRVT3060M** | 13 | 6.7 | **$543** |
|  | **Magnetic Markerboard Tray** | | | | |
| | 15″ Natural Aluminum | **HRVTRAYM** | 4 S | 0.4 | **$85** |
| | ! Natural Aluminum only, no need to specify paint. | | | | |

**NOTES:**

- Markerboard tile has a painted, steel surface.
- Accepts magnetic accessories.
- Markerboard tray attaches to the tile magnetically. Order separately.

! Tiles do not include segment bars, must be ordered separately. See page 354. Can be used in any combination.

! Markerboard cleaning instructions: For everyday cleaning, use Chlorox® wipes. Use citrus cleaner if a permanent marker is used by accident. A citrus cleaner is not recommended for everyday use as it leaves residue.

## HOW TO SPECIFY


| Select Model Number | Select Option |
|---|---|
| H R V T 1 5 2 4 M . | X |

GSA SIN 33721


Icon Legend on page 19

# ABOUND® Painted Metal Tiles





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **15″H Painted Metal Tile** | | | | | |
| 15″H x 24″W | **HRVT1524PM** | 4 | 1.2 | **$209** | **$232** |
| 15″H x 30″W | **HRVT1530PM** | 4 | 1.8 | **$224** | **$247** |
| 15″H x 36″W | **HRVT1536PM** | 5 | 2.5 | **$239** | **$262** |
| 15″H x 42″W | **HRVT1542PM** | 5 | 3.4 | **$259** | **$282** |
| 15″H x 48″W | **HRVT1548PM** | 6 | 4.3 | **$284** | **$307** |
| 15″H x 60″W | **HRVT1560PM** | 7 | 6.7 | **$315** | **$338** |



| | | | | | |
|---|---|---|---|---|---|
| **30″H Painted Metal Tile** | | | | | |
| 30″H x 24″W | **HRVT3024PM** | 6 | 1.2 | **$304** | **$341** |
| 30″H x 30″W | **HRVT3030PM** | 7 | 1.8 | **$331** | **$368** |
| 30″H x 36″W | **HRVT3036PM** | 8 | 2.5 | **$371** | **$408** |
| 30″H x 42″W | **HRVT3042PM** | 10 | 3.4 | **$398** | **$435** |
| 30″H x 48″W | **HRVT3048PM** | 11 | 4.3 | **$444** | **$481** |
| 30″H x 60″W | **HRVT3060PM** | 13 | 6.7 | **$497** | **$534** |

**NOTES:**

- Painted steel construction.

! Tiles do not include segment bars, must be ordered separately. See page 354. Can be used in any combination.

## HOW TO SPECIFY

**Select Model Number**

| H | R | V | T | 1 | 5 | 2 | 4 | P | M | . |
|---|---|---|---|---|---|---|---|---|---|---|

**Select Paint Color**

See page 335


| T | 3 |
|---|---|


# ABOUND® Custom Material Bracket Kit

GSA SIN 33721

Icon Legend on page 19







| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Custom Material Mounting Bracket Kit** | | | | |
| 15″H x 24″W | **HRVT1524CK** | 1 | 0.8 | **$94** |
| 15″H x 30″W | **HRVT1530CK** | 1 | 0.9 | **$98** |
| 15″H x 36″W | **HRVT1536CK** | 1 | 1.1 | **$106** |
| 15″H x 42″W | **HRVT1542CK** | 1 | 1.3 | **$109** |
| 15″H x 48″W | **HRVT1548CK** | 2 | 1.5 | **$115** |
| 15″H x 60″W | **HRVT1560CK** | 2 | 1.8 | **$126** |
| 30″H x 24″W | **HRVT3024CK** | 3 | 1.4 | **$94** |
| 30″H x 30″W | **HRVT3030CK** | 3 | 1.8 | **$98** |
| 30″H x 36″W | **HRVT3036CK** | 3 | 2.1 | **$106** |
| 30″H x 42″W | **HRVT3042CK** | 4 | 2.4 | **$109** |
| 30″H x 48″W | **HRVT3048CK** | 5 | 2.8 | **$115** |
| 30″H x 60″W | **HRVT3060CK** | 5 | 3.4 | **$126** |

NOTES: Custom Material Bracket Kits can be ordered to use with Customer's Own Material. Please contact HON Customer Support for exact dimensions if further information is needed.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Coat Hooks** | | | | |
| Package of six | **HHPMC6** | 1 | 0.2 | **$117** |


NOTES: Compatible with Accelerate® and Abound® panels. Coat hooks hang directly into slotted Abound panel frame.

Available in Black (P) only.

**SPECIFYING EXAMPLE: HHPMC6.P**

## HOW TO SPECIFY

| Select Model Number | Select Paint Color |
|---|---|
| H R V T 1 5 2 4 C K . | See page 335<br>T 1 |




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Abound® Anchor Bracket** | | | | |
| Package of ten | **HRABAB** | 5 | 0.08 | **$116** |

NOTES: For use when panels need to be anchored to the floor such as high traffic areas or community spaces.

Only available in Black (P).

Only for use at the end of a wing panel.

**SPECIFYING EXAMPLE: HRABAB.P**



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | LIST PRICE BY PAINT GRADE P2 |
|---|---|---|---|---|---|
| **Abound® Stability Foot** | **HRFTAB** | 3 | 0.1 | **$496** | **$508** |

NOTES: Stabilizes bottom of panel from movement. Will not prohibit movement at top of panel.

Only for use at the end of a wing panel.

**NOTES:**

The Anchor Bracket and Stability Foot are not intended to create a freestanding panel. Please follow Abound® stability standards.

Attachment hardware for floor anchor not included.


## HOW TO SPECIFY

| Select Model Number | Select Paint Color |
|---|---|
| H R F T A B . | See page 335<br>T 1 |

# NOTES

# ACCELERATE®

Want to see more? Scan here to check out hon.com.




Accelerate® shown with Ignition® Seating.

## ACCELERATE®

Today's office moves at the speed of light. And that means you need a sensible, streamlined workflow that can adapt to any employee, project, or space. Accelerate workstations are designed with meaningful connection, peak productivity, and seamless adaptability in mind. Whether it's operating as a stand-alone or in a large, open space, Accelerate optimizes any environment with easy-to-configure layout options, exceptional storage capabilities, and stunning customization choices.







**FEATURES**

- Customize your spaces! Add fabric stackers for height and privacy, or glass stackers to let the light in.
- Accelerate's crisp details have been designed to meet today's contemporary aesthetic. Clean. Minimal. Beautiful.
- Accelerate panels are compatible with other HON products, like Abode™ desks, Contain® storage and more.
- The interchangeable components allow you to customize your space with a clean, contemporary look — and change your mind without changing your furniture.

# ACCELERATE® ORDERING INFORMATION



## WORKSURFACES, COUNTERTOPS, CORNER SHELVES W/EDGEBAND

**L1 LAMINATES ..... CODES**

**Woodgrain**
- Bourbon Cherry ..... **H**
- Cognac ..... **COGN**
- Field Elm ..... **LWFE**
- Florence Walnut ..... **LFW1**
- Harvest ..... **C**
- Kingswood Walnut ..... **LKI1**
- Mahogany ..... **N**
- Mocha ..... **MOCH**
- Natural Maple ..... **D**
- Pinnacle ..... **PINC**
- Shaker Cherry ..... **F**
- Sterling Ash ..... **LSA1**

**Solid**
- Black ..... **P**
- Charcoal ..... **S**
- Designer White ..... **LDW1**
- Loft ..... **LOFT**

**Patterned**
- Handspun Chestnut ..... **LAHC**
- Handspun Dove ..... **LAHD**
- Handspun Pearl ..... **LAHP**
- Handspun Slate ..... **LAHS**
- Silver Mesh ..... **B9**
- Steel Mesh ..... **A9**
- Gray ..... **G2**
- White ..... **G1**

**L2 LAMINATES ..... CODES**

**Woodgrain**
- Beigewood ..... **LWBE**
- Fawn Cypress ..... **LFC1**
- Lowell Ash ..... **LLA1**
- Natural Recon ..... **LNR1**
- Phantom Ecru ..... **LPE1**
- Portico Teak ..... **LPT1**
- Skyline Walnut ..... **LSW1**

## WORKSURFACE EDGEBAND

- Beigewood ..... **DE**
- Black ..... **P**
- Bourbon Cherry ..... **H**
- Brownstone ..... **EY**
- Charcoal ..... **S**
- Cognac ..... **COGN**
- Designer White ..... **DW**
- Fawn Cypress ..... **FC**
- Field Elm ..... **FE**
- Florence Walnut ..... **FW**
- Fossil ..... **EH**
- Greige ..... **R**
- Harvest ..... **C**
- Kingswood Walnut ..... **KI**
- Light Gray ..... **Q**
- Loft ..... **LOFT**
- Lowell Ash ..... **DL**
- Mahogany ..... **N**
- Mocha ..... **MOCH**
- Muslin ..... **T**
- Natural Maple ..... **D**
- Natural Recon ..... **NR**
- Phantom Ecru ..... **PE**
- Pinnacle ..... **PINC**
- Platinum ..... **K**
- Portico Teak ..... **DP**
- Shaker Cherry ..... **F**
- Skyline Walnut ..... **SW**
- Sterling Ash ..... **SA**

## WORKSURFACE GROMMET

**PLASTIC ..... CODES**
- Black ..... **P**
- Brownstone ..... **EY**
- Charcoal ..... **S**
- Fossil ..... **EH**
- Greige ..... **T5**
- Light Gray ..... **Q**
- Loft ..... **LOFT**
- Muslin ..... **T3**
- Titanium ..... **TI**
- Designer White ..... **DW**
- Platinum Metallic ..... **T1**

## FRAMES, TRIM, METAL TILES, CUSTOM BRACKET KIT, WORKSURFACE SUPPORTS

**PAINT ..... CODES**

**P1**
- Black ..... **P**
- Brownstone ..... **P7D**
- Charcoal ..... **S**
- Cove ..... **P096**
- Designer White ..... **PJW**
- Dune ..... **P094**
- Fossil ..... **P28**
- Greige ..... **T5**
- Harbor ..... **P097**
- Light Gray ..... **Q**
- Loft ..... **LOFT**
- Muslin ..... **T3**
- Putty ..... **L**
- Sage ..... **P095**
- Titanium ..... **P8T**

**P2**
- Champagne Metallic ..... **T4**
- Gunmetal Metallic ..... **PR3**
- Platinum Metallic ..... **T1**
- Silver ..... **PR6**
- Solar Black ..... **P8X**

## OVERHEADS AND SHELVES

**PAINT ..... CODES**

**P1**
- Black ..... **P**
- Brownstone ..... **P7D**
- Charcoal ..... **S**
- Designer White ..... **PJW**
- Fossil ..... **P28**
- Greige ..... **T5**
- Light Gray ..... **Q**
- Loft ..... **LOFT**
- Muslin ..... **T3**
- Putty ..... **L**
- Titanium ..... **P8T**

**P2**
- Champagne Metallic ..... **T4**
- Gunmetal Metallic ..... **PR3**
- Platinum Metallic ..... **T1**

## DUPLEX/PORTED TILE

**PLASTIC ..... CODES**
- Black ..... **P**
- Brownstone ..... **P7D**
- Charcoal ..... **S**
- Designer White ..... **DW**
- Loft ..... **LOFT**
- Muslin ..... **T3**
- Titanium ..... **TI**

**Recommendations**

| Paint | Duplex-Data Code |
|---|---|
| Black **P** | Black **P** |
| Brownstone **P7D** | Brownstone **EY** |
| Charcoal **S** | Charcoal **S** |
| Designer White **PJW** | Designer White **DW** |
| Fossil **P28** | Charcoal **S** |
| Greige **T5** | Muslin **T3** |
| Light Gray **Q** | Loft **LOFT** |
| Loft **LOFT** | Loft **LOFT** |
| Muslin **T3** | Muslin **T3** |
| Putty **L** | Black **P** |
| Silver **PR6** | Titanium **TI** |
| Titanium **P8T** | Titanium **TI** |
| Champagne Metallic **T4** | Muslin **T3** |
| Platinum Metallic **T1** | Titanium **TI** |

➤ *LAMINATE TOPS*
*SPECIFY: Model Number.*
*Laminate.*
*Edge Color.*
*Grommet Color*
*EXAMPLE: HWR2424P.K8.R.T5*

➤ *PANELS*
*SPECIFY: Model Number.*
*Fabric.*
*Paint*
*EXAMPLE: HETP3520FP.APN11.S*

➤ *CONNECTORS*
*SPECIFY: Model Number.*
*Paint*
*EXAMPLE: HEC35PSN.T3*

*Replacement Duplex Receptacle Covers are made from a polymer material and are available in the following colors only:*
*Black P*
*Muslin T3*

◆ ◆ ◇ *For lead time information see page 21.*

# ACCELERATE® FABRIC PATTERNS & CODES



| PRICE CODE A | |
|---|---|
| **APPOINT** | **APN** |
| Artichoke | APN11 |
| Blackberry | APN32 |
| Bronze | APN22 |
| Carbon | APN28 |
| Chai | APN12 |
| Cherry | APN30 |
| Dark Pewter | APN17 |
| Dune | APN15 |
| Espresso | APN23 |
| Framboise | APN31 |
| Frost | APN34 |
| Jet | APN27 |
| Lawn | APN25 |
| Mandarin | APN29 |
| Morel | APN09 |
| Nimbus | APN16 |
| Platinum | APN24 |
| Turquoise | APN26 |

| **CENTURION** | **CU** |
|---|---|
| Apricot | CU47 |
| Bark | CU25 |
| Black | CU10 |
| Espresso | CU49 |
| Fog | CU03 |
| Frost | CU22 |
| Goldenrod | CU27 |
| Indigo | CU06 |
| Iris | CU50 |
| Iron Ore | CU19 |
| Jade | CU83 |
| Marsala | CU63 |
| Morel | CU24 |
| Navy | CU98 |
| Peacock | CU97 |
| Pear | CU84 |
| Ruby | CU67 |
| Sapphire | CU09 |

| PRICE CODE A *continued* | |
|---|---|
| **ETCH*** | **ECH** |
| Axis | ECH13 |
| Blend | ECH14 |
| Cast | ECH12 |
| Highlight | ECH10 |
| Midtone | ECH11 |
| Outline | ECH08 |
| Shade | ECH09 |
| Tonal | ECH16 |
| Vanish | ECH15 |

| **LANDSCAPE*** | **LN** |
|---|---|
| Azure | LN55 |
| Cornsilk | LN15 |
| Drift | LN05 |
| Khaki | LN20 |
| Sheen | LN10 |
| Slate | LN35 |
| Umber | LN25 |
| Urban | LN30 |

| **LUCY*** | **LC** |
|---|---|
| Aspen | LC32 |
| Cornsilk | LC30 |
| Dusk | LC22 |
| Fawn | LC33 |
| Graphite | LC34 |
| Mist | LC20 |
| Neutra | LC24 |
| Pewter | LC35 |
| Snowdrop | LC28 |

| PRICE CODE A *continued* | |
|---|---|
| **NOBLE** | **NBLE** |
| Aegean | NBLE18 |
| Amethyst | NBLE19 |
| Aspen | NBLE14 |
| Aster | NBLE20 |
| Blossom | NBLE21 |
| Bluebell | NBLE22 |
| Bordeaux | NBLE01 |
| Brick | NBLE02 |
| Chambray | NBLE10 |
| Chamomile | NBLE23 |
| Clementine | NBLE04 |
| Conifer | NBLE24 |
| Cottage | NBLE25 |
| Darkness | NBLE26 |
| Dawn | NBLE13 |
| Denim | NBLE09 |
| Desert Sand | NBLE27 |
| Dewfall | NBLE28 |
| Dusted Sage | NBLE29 |
| Flax | NBLE30 |
| Grass | NBLE07 |
| Gunmetal | NBLE15 |
| Harmony | NBLE31 |
| Harvest | NBLE12 |
| Ice Caves | NBLE32 |
| Icicle | NBLE33 |
| Inky | NBLE34 |
| Iris | NBLE35 |
| Jade | NBLE06 |
| Knight | NBLE17 |
| Mesa | NBLE03 |
| Monarch | NBLE36 |
| Pacific | NBLE08 |
| Pitch | NBLE37 |
| Queen Bee | NBLE38 |
| Rainforest | NBLE05 |
| Regal | NBLE11 |
| Sandcastle | NBLE39 |
| Sedona | NBLE40 |
| Stormy | NBLE16 |
| Sunbeam | NBLE41 |
| Voyager | NBLE42 |
| Windy Day | NBLE43 |

| PRICE CODE A *continued* | |
|---|---|
| **REFLECTIONS*** | **REF** |
| Galvanized | REF29 |
| Ice | REF20 |
| Loggia | REF21 |
| Mistral | REF28 |
| Moonstone | REF23 |
| Pewter | REF22 |
| Stainless | REF24 |
| Vanilla | REF25 |
| Winter | REF27 |

| **REFUGE*** | **RFG** |
|---|---|
| Artesian | RFG96 |
| Dune | RFG92 |
| Eclipse | RFG90 |
| Frost | RFG93 |
| Glacier | RFG91 |
| Mineral | RFG98 |
| Tidal | RFG94 |

| **TEMPEST*** | **TP** |
|---|---|
| Dragonfly | TP30 |
| Frost | TP15 |
| Full Stream | TP80 |
| Gold Rush | TP10 |
| Slate | TP45 |
| Tumbleweed | TP70 |
| Wind Chill | TP40 |
| Zebra | TP35 |

| **VAST** | **VST** |
|---|---|
| Atmosphere | VST06 |
| Bay | VST04 |
| Beach | VST11 |
| Country Side | VST13 |
| Desert | VST12 |
| Garden | VST02 |
| Grasslands | VST03 |
| Highway | VST09 |
| Mountain Range | VST08 |
| Ocean | VST07 |
| Open Air | VST05 |
| Tundra | VST10 |
| Vineyard | VST01 |

NOTES: Centurion fabric not available on panels that exceed a width and height of 54".
Disperse and Etch panel fabric will be applied pattern cut. These fabrics will not be available on 72"W panels.

♦◊ For lead time information see page 21.
* Directional fabrics

# ACCELERATE® FABRIC PATTERNS & CODES



| PRICE CODE B | |
|---|---|
| **DISPERSE*** | **DISP** |
| ◊ Autumn | DISP03 |
| ♦ Branch | DISP10 |
| ♦ Coffee Bean | DISP13 |
| ♦ Dusk | DISP09 |
| ◊ Emerald City | DISP08 |
| ◊ Gold Rush | DISP02 |
| ♦ Igloo | DISP11 |
| ◊ Ink | DISP06 |
| ♦ Mist | DISP12 |
| ♦ Oatmeal | DISP15 |
| ◊ Prince | DISP07 |
| ◊ Reservoir | DISP01 |
| ◊ Rose | DISP04 |
| ◊ Spring | DISP05 |
| ♦ Steel | DISP16 |
| ♦ Taupe | DISP14 |

| MICA* ❁ | MCA |
|---|---|
| ◊ Anthracite | MCA11 |
| ◊ Breeze | MCA18 |
| ◊ Bronze | MCA13 |
| ◊ Buff | MCA14 |
| ◊ Cremini | MCA17 |
| ♦ Crystal | MCAWIT |
| ◊ Dew | MCA20 |
| ◊ Dove | MCA12 |
| ◊ Fresh | MCA16 |
| ♦ Mineral | MCA15 |
| ◊ Nectar | MCA19 |
| ◊ Shale | MCA10 |

| PRICE CODE B *continued* | |
|---|---|
| **SPIN*** | **SPIN** |
| ♦ Alabaster | SPIN02 |
| ♦ Cavern | SPIN03 |
| ♦ Cobblestone | SPIN04 |
| ◊ Ember | SPIN06 |
| ◊ Flame | SPIN07 |
| ◊ Heron | SPIN13 |
| ♦ Oat | SPIN01 |
| ◊ Ocean | SPIN12 |
| ◊ Plum | SPIN15 |
| ◊ Pool | SPIN11 |
| ◊ Raven | SPIN10 |
| ◊ Rhubarb | SPIN14 |
| ◊ Tropic | SPIN08 |
| ♦ Willow | SPIN05 |

| PRICE CODE B *continued* | |
|---|---|
| **TERRAIN*** | **TRRN** |
| ◊ Bay | TRRN05 |
| ◊ Bayou | TRRN35 |
| ◊ Canyon | TRRN30 |
| ◊ Cliff | TRRN45 |
| ◊ Crest | TRRN25 |
| ◊ Delta | TRRN10 |
| ◊ Plateau | TRRN15 |
| ◊ Ridge | TRRN20 |
| ◊ Valley | TRRN40 |

NOTES: Disperse and Etch panel fabric will be applied pattern cut. These fabrics will not be available on 72"W panels.

♦ ◊ ◊ For lead time information see page 21.
* Directional fabrics.
❁ Fabric is de-emphasized.

# ACCELERATE®
# Typicals


Icon Legend on page 19



| QTY | DESCRIPTION | MODEL | FABRIC GRADE | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|---|
| 2 | **Accelerate® Top Cap** 72″W | **HETC72** | | $140 | $280 |
| 2 | **Tackable Panel** 50″H x 72″W | **HETP5072FP** | | $779 | $1,558 |
| 1 | **“L” Connector** 50″H | **HEC50PLN** | | $176 | $176 |
| 1 | **“L” Connector Strap** | **HECSL** | | $22 | $22 |
| 2 | **Panel Finished End Covers** 50″H | **HEFEC50P** | | $82 | $164 |
| 2 | **Electrical Power Harness Panels w/Duplex Capacity** | **HH871272** | | $295 | $590 |
| 1 | **Duplex Receptacle Circuit 1 3-1 & 2-2** | **HH871501** | | $60 | $60 |
| 1 | **Duplex Receptacle Circuit 4 3-1 & 2-2** | **HH871504** | | $60 | $60 |
| 1 | **Base In-Feed Cable Base 3-1 & 2-2** | **HH879072** | | $313 | $313 |
| 1 | **Rectangular Worksurface** 24″D x 48″W | **HWR2448P** | | $536 | $536 |
| 1 | **Rectangular Worksurface** 24″D x 72″W | **HWR2472P** | | $700 | $700 |
| 1 | **24″D Cantilever – One Pair** | **HCTL242** | | $114 | $114 |
| 1 | **Flat Bracket** 24″D | **HHN831124** | | $88 | $88 |
| 1 | **External Stiffener** 48″W | **HLSLZ5SC60** | | $138 | $138 |
| 1 | **Flagship® Series Freestanding Pedestal “A” Pull B/B** 15″W x 22⅞″D x 28″H | **H19723A** | | $1,005 | $1,005 |
| 1 | **Flagship® Series Freestanding Pedestal “A” Pull F/F** 15″W x 22⅞″D x 28″H | **H19823A** | | $1,005 | $1,005 |
| 1 | **Pedestal-to-Panel Bracket, Left** | **HPD2PNBRK2L** | | $153 | $153 |
| 1 | **Pedestal-to-Panel Bracket, Right** | **HPD2PNBRK2R** | | $153 | $153 |
| 1 | **Ignition® 2.0 Mid-Back Task Chair** | **HIWMM** | 1 | $724 | $724 |
| | | | | **TOTAL:** | **$7,839** |



| QTY | DESCRIPTION | MODEL | FABRIC GRADE | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|---|
| 2 | **Tackable Top-Tier Glass Panel** 50″H x 20″W | **HETP5020DP** | | $681 | $1,362 |
| 2 | **Tackable Top-Tier Glass Panel** 50″H x 42″W | **HETP5042DP** | | $806 | $1,612 |
| 5 | **Tackable Panel** 65″H x 24″W | **HETP6524FP** | | $479 | $2,395 |
| 2 | **Tackable Panel** 65″H x 48″W | **HETP6548FP** | | $614 | $1,228 |
| 2 | **Accelerate® Top Cap** 72″W | **HETC72** | | $140 | $280 |
| 3 | **Accelerate® Top Cap** 24″W | **HETC24** | | $54 | $162 |
| 2 | **Accelerate® Top Cap** 20″W | **HETC20** | | $54 | $108 |
| 2 | **Accelerate® Top Cap** 42″W | **HETC42** | | $85 | $170 |
| 4 | **Worksurface Bracket Kits** | **HWSB2** | | $64 | $256 |
| 2 | **Flat Bracket** 24″D | **HHN831124** | | $88 | $176 |
| 2 | **Straight Connector Kits** | **HSCKTPS** | | $30 | $60 |
| 2 | **“L” Connector** 50″H | **HEC50PLN** | | $176 | $352 |
| 2 | **“L” Connector** 65″H | **HEC65PLN** | | $197 | $394 |
| 1 | **“T” Connector** 65″H | **HEC65PTN** | | $190 | $190 |
| 4 | **“L” Connector Strap** | **HECSL** | | $22 | $88 |
| 1 | **“T” Connector Strap** | **HECST** | | $32 | $32 |
| 2 | **Panel Finished End Covers** 50″H | **HEFEC50P** | | $82 | $164 |
| 1 | **Panel Finished End Covers** 65″H | **HEFEC65P** | | $90 | $90 |
| 2 | **In-line Variable Height Finishing Kit** 15″H | **HEVHF15P** | | $81 | $162 |
| 2 | **Electrical Power Harness 3-1 & 2-2** 48″W | **HH871248** | | $295 | $590 |
| 1 | **Electrical Pass-Thru w/o Power Block 3-1 & 2-2** 48″W | **HH871048** | | $169 | $169 |
| 1 | **Base In-Feed Cable Base 3-1 & 2-2** | **HH879072** | | $313 | $313 |
| 1 | **Duplex Receptacle Circuit 1 3-1 & 2-2** | **HH871501** | | $60 | $60 |
| 1 | **Duplex Receptacle Circuit 2 3-1 & 2-2** | **HH871502** | | $60 | $60 |
| 1 | **Duplex Receptacle Circuit 4 3-1 & 2-2** | **HH871504** | | $60 | $60 |
| 1 | **Duplex Receptacle Circuit 1 3-1 & 2-2** | **HH871506** | | $60 | $60 |
| 2 | **Rectangular Worksurface** 18″D x 42″W | **HWR1842P** | | $440 | $880 |
| 2 | **Rectangular Worksurface** 24″D x 48″W | **HWR2448P** | | $536 | $1,072 |
| 2 | **Worksurface to Tower Bracket Kits** | **HSTB2W1** | | $116 | $232 |
| 2 | **Stack-on Storage w/Sliding Doors** 14¼″D x 48″W x 13″H | **HLSL1448S** | | $1,504 | $3,008 |
| 2 | **Voi® for Systems Stack-on Storage Panel Mounted Bracket** | **HLSLPMB** | | $182 | $364 |
| 2 | **Voi® Mobile Pedestal** 15¾″W x 2¹¹⁄₁₆″D x 21⁷⁄₁₆″H | **HLSL2016MP2** | 1 | $1,113 | $2,226 |
| 2 | **Voi® Pedestal Cushion** | **HLSL2016PH2** | 2 | $460 | $920 |
| 1 | **Voi® Personal Storage Tower (LH)** 24″D x 24″W x 65″H | **HLSLW446LP** | | $3,633 | $3,633 |
| 1 | **Voi® Personal Storage Tower (RH)** 24″D x 24″W x 65″H | **HLSLW446RP** | | $3,633 | $3,633 |
| 2 | **Nucleus® 4-Way Stretch Back Task Chair** | **HNR1** | 1 | $843 | $1,686 |
| | | | | **TOTAL:** | **$28,247** |



# ACCELERATE® Typicals

Icon Legend on page 19




| QTY | DESCRIPTION | MODEL | FABRIC GRADE | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|---|
| 1 | **In-Line Connector** | **HSCKTPS** | | $30 | $30 |
| 2 | **Tackable Panel** 42½"H x 24"W | **HETP4224FP** | | $397 | $794 |
| 2 | **Tackable Panel** 42½"H x 60"W | **HETP4260FP** | | $554 | $1,108 |
| 2 | **Accelerate® Top Cap** 60"W | **HETC60** | | $116 | $232 |
| 2 | **Accelerate® Top Cap** 24"W | **HETC24** | | $54 | $108 |
| 4 | **Accelerate® Countertop Kit** | **HECB42** | | $74 | $296 |
| 2 | **Worksurface Bracket Kit** | **HWSB2** | | $64 | $128 |
| 1 | **Universal Support Leg** 24"D | **HRVCLG24** | | $263 | $263 |
| 2 | **"L" Connector** 42½"H | **HEC42PLN** | | $154 | $308 |
| 2 | **"L" Connector Strap** | **HECSL** | | $22 | $44 |
| 1 | **"T" Connector Strap** | **HECST** | | $32 | $32 |
| 2 | **Panel Finished End Covers** 42½"H | **HEFEC42P** | | $75 | $150 |
| 1 | **Base In-Feed Cable Base 3-1 & 2-2** | **HH879072** | | $313 | $313 |
| 1 | **Electrical Pass-Thru Cable w/Duplex** For 24"W Panel | **HH871124** | | $178 | $178 |
| 2 | **Electrical Power Harness 3-1 & 2-2** 60"W | **HH871260** | | $295 | $590 |
| 2 | **Duplex Receptacle Circuit 4 3-1 & 2-2** | **HH871504** | | $60 | $120 |
| 2 | **Rectangular Worksurface** 24"D x 60"W | **HWR2460P** | | $633 | $1,266 |
| 2 | **Straight Countertop** 60"W x 15"D | **HBCSR1560P** | | $502 | $1,004 |
| 2 | **Flagship® Mobile Series Pedestal "A" Pull B/B/F** 15"W x 22⅞"D x 28"H | **H18723A** | | $1,021 | $2,042 |
| 2 | **Ignition® Mid-Back Work Chair** | **HIWM3** | 1 | $1,079 | $2,158 |
| | | | | **TOTAL:** | **$11,164** |



# ACCELERATE® PANELS OVERVIEW




## INTERSECTING CONNECTIONS




**"L", "T" and "X" connector kits** are used when connecting frames at intersecting runs. For "L", "T" and "X" connector kits, add 2¼" to the total length of the panel run for each intersection, whether located in the middle or at the end of the run.

**Wall starter kits** provide a means to affix a panel run to a permanent building wall. Kit adds ⅞" to length of panel run.

## STACKING PANELS



Stackers add 15" to the height of the base panel and can be ordered separately or as part of the panel model, see pages 387 and 390.


When adding stackers to an existing panel, a new connector must be ordered, to the tallest panel height.

Please note that Stacking Panels are not to be used freestanding and must match the panel width of the panel it is stacking on.

Cannot use a stacking panel on a Top Tier Glass Panel model.


Stackers ship with pins to connect stacker to post connector for added rigidity.

Stackers can be stacked up to 80"H on a base panel. Overheads can be placed on the first stacker only, up to 65"H. Voi overheads are not to be placed on stackers.





**Extended straight connector kit "S"** can be used to keep continuous runs dimensionally consistent with opposing panel runs which incorporate "T" or "X" intersections. (Add 2¼" to the length of the run for every extended straight connector used.)

## IN-LINE CONNECTIONS



There is no incremental increase in dimension along the panel run when using an in-line connector kit.


**END OF RUN**
Finished end trim must be specified for the unconnected sides of panel. When adding a stacking panel, order finished end trim in the height that matches the total stacked height. Move the end cap from the standard frame end trim to the stacking frame end trim.



Accelerate® frameless glass is single pane, ⅜" thick laminate safety glass, available in clear or frosted glass.

Frameless glass is not allowed on top of glass stackers or glass header panels and hanging or stacking on frameless glass is not permitted.

Frameless glass can span multiple panels with one piece of glass, creating a clean, seamless look.



**IN-LINE VARIABLE HEIGHT TRIM**
In-line connections between different height panels require trim to cover the exposed frame of the taller panel.


**VARIABLE HEIGHT CONNECTOR TRIM**
L, X and T connections between different height panels require trim to cover the exposed connector. The bottom of the trim is flat to match the profile of the top cap. Models are designated as "Variable Height Connector Trim". For variable height connections in a Y configuration, contact the Accelerate Specials Department.

**Multiple-height connections** are accomplished by combining standard height panel connectors (35"H, 42"H, 50"H and 65"H) with shorter trim kits (7"H, 15"H, 22"H and 30"H). Start from the top-down — select the standard connector that corresponds to the height and connection type of the tallest panel. (See examples.)

# ACCELERATE® PANELS OVERVIEW




**Example 1**
Connectors required:
1-50"H "T" Connector
2-15"H Connector VH Kit
2-35"H End Trim
1-65"H End Trim





In variable height "T" connections — as shown above — you would use the connectors as indicated.

**Example 2**
Connectors required:
1-50"H "X" Connector
2-7½"H Connector VH Kit
2-50"H End Trim
2-42"H End Trim




**Example 3**
Connectors required:
1-65"H "T" Connector
1-15"H Connector VH Kit
1-22½"H Connector VH Kit
1-65"H End Trim
1-50"H End Trim
1-42"H End Trim




Example above represents Accelerate variable height "L" for 65″ to 50″.

**TOP CAPS**
Top caps must be specified as a separate model from the panel. Top caps can span more than one panel when panels are connected in an in-line.

# ACCELERATE® WORKING WITH PANELS



## PANELS

- Accelerate® Panels are 2⅛″ thick and available in 4 heights / 8 widths.

**NOTE:** Actual panel height varies depending on position of levelers.

| NOMINAL PANEL HEIGHT | PANEL WIDTHS | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 35″ | 20″ | 24″ | 30″ | 36″ | 42″ | 48″ | 60″ | 72″ |
| 42½″ | 20″ | 24″ | 30″ | 36″ | 42″ | 48″ | 60″ | 72″ |
| 50″ | 20″ | 24″ | 30″ | 36″ | 42″ | 48″ | 60″ | 72″ |
| 65″ | 20″ | 24″ | 30″ | 36″ | 42″ | 48″ | 60″ | 72″ |

**Maximum Receptacle Capacity in Panel Base Pathways**

| Widths | 20 | 24 | 30 | 36 | 42 | 48 | 60 | 72 |
|---|---|---|---|---|---|---|---|---|
| Maximum of 1 duplex per panel side | N/A | X | | | | | | |
| Maximum of 2 duplexes per panel side | N/A | | X | X | X | X | X | X |

The center of the duplex is always 12″ from the end of the panel on all Accelerate® panels.

**Design:**

- Slots allow hanging worksurfaces and hang-on units, in 1″ increments.
- Panels standard with two adjustable leveling glides.
- No panel creep.
- Meets or exceeds ANSI/BIFMA Standards.


**Top Tier and Stacking Panels**

- Available in tackable fabric as well as clear and frosted glass.
- Select from a full height panel/top tier panels or stackers.
- Stackers can be stacked up to 80″H on a base panel.
- Overheads can be placed on the first stacker only, up to 65″H. Voi overheads are not to be placed on stackers.

## PANEL SPECIFICATION AND INSTALLATION NOTES

**Definitions:**
**Parent Panel Run** – Panels (or a single panel) configured in a straight line intended to divide space. It is usually longer than the panels used to stabilize it.
**Return Panels** – Panels attached to a parent run for the purpose of stabilizing it. Return panels may also have the effect of dividing space.
**Note:** Return panels must be no more than 30″ lower than the maximum height of the parent panel run. When stacking, the maximum height allowed is 80″. This includes frameless glass. If attaching overhead storage, return panels must be the same height as parent run.


**Method 1: Opposing Returns**




A parent panel run must be a minimum of 4 feet and a maximum of 12 feet, and must have a minimum of two return panels extended in opposing directions on each side of the parent run.

| Panel Run Length | Minimum Return Panels | Minimum Return Panels with Stack-ons |
|---|---|---|
| 48″ | 20″ | 20″ |
| 54″ | 20″ | 20″ |
| 60″ | 20″ | 20″ |
| 66″ | 20″ | 20″ |
| 72″ | 20″ | 20″ |
| 78″ | 20″ | 20″ |
| 84″ | 20″ | 20″ |
| 90″ | 20″ | 20″ |
| 96″ | 20″ | 20″ |
| 102″ | 20″ | 20″ |
| 108″ | 24″ | 24″ |
| 114″ | 24″ | 24″ |
| 120″ | 24″ | 24″ |
| 144″ | 24″ | 24″ |

**Method 2: Single-Sided**




A parent panel run must be a minimum of 4 feet and a maximum of 12 feet, and must have a minimum of two return panels (X+Y) extended in one direction (one at the beginning and at the end of the parent run) as defined below.

| Panel Run Length | Minimum Return Panels Total (X+Y) | Minimum Return Panels Total (X+Y) with Stack-ons |
|---|---|---|
| 48″ | 84″ | 84″ |
| 54″ | 84″ | 84″ |
| 60″ | 84″ | 84″ |
| 66″ | 84″ | 84″ |
| 72″ | 84″ | 84″ |
| 78″ | 84″ | 84″ |
| 84″ | 84″ | 84″ |
| 90″ | 84″ | 84″ |
| 96″ | 84″ | 84″ |
| 102″ | 84″ | 84″ |
| 108″ | 84″ | 96″ |
| 114″ | 84″ | 96″ |
| 120″ | 84″ | 96″ |
| 144″ | 84″ | 96″ |

# ACCELERATE® CONNECTOR OVERVIEW





## CONNECTOR KITS — ACCELERATE®

**TPS** In-line Connector
**PSN** Extended Straight Connector
**PLN** "L" Connector
**PTN** "T" Connector
**PXN** "X" Connector
**P2N** 120° 2-way Connector
**P3N** 120° 3-way Connector
**CV** Connector Variable Height Finishing Kit
**VH** In-line Variable Height Finishing Kit

## ADDITIONAL MODELS FOR USE WITH CONNECTOR KITS

**FE** Finished End Covers
**WS** Wall Starter Kit
**WT** Wall Track




**Panel-to-Panel Connector**
- Attaches same height, panel-to-panel in a straight run with screws.
- Ensures alignment on panels in a straight run.


**Wall Starter Kit (see page 395)**
- Anchor devices are not supplied with the wall starter kit. Refer to Accelerate® Installation Instructions for appropriate hardware.
- Adds 7/8" to length of run.

# ACCELERATE®
# Tackable Raceway Panels


GSA SIN 33721

Icon Legend on page 19







| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | CORE LIST PRICE BY CODE AA | A | B |
|---|---|---|---|---|---|---|
| **35″H Tackable Acoustical Panels** | | | | | | |
| 35″H x 20″W | **HETP3520FP** | 13 S | 1.0 | **$360** | **$373** | **$393** |
| 35″H x 24″W | **HETP3524FP** | 14 S | 1.2 | **$375** | **$388** | **$433** |
| 35″H x 30″W | **HETP3530FP** | 16 S | 1.5 | **$392** | **$407** | **$455** |
| 35″H x 36″W | **HETP3536FP** | 18 S | 1.8 | **$420** | **$436** | **$486** |
| 35″H x 42″W | **HETP3542FP** | 20 S | 2.1 | **$425** | **$442** | **$500** |
| 35″H x 48″W | **HETP3548FP** | 23 S | 2.4 | **$447** | **$465** | **$525** |
| 35″H x 60″W | **HETP3560FP** | 27 | 3.0 | **$486** | **$506** | **$576** |
| 35″H x 72″W* | **HETP3572FP** | 33 | 3.6 | **$680** | **$701** | **$780** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **42½″H Tackable Acoustical Panels** | | | | | | |
| 42½″H x 20″W | **HETP4220FP** | 14 S | 1.2 | **$379** | **$394** | **$429** |
| 42½″H x 24″W | **HETP4224FP** | 16 S | 1.5 | **$397** | **$412** | **$447** |
| 42½″H x 30″W | **HETP4230FP** | 18 S | 1.8 | **$420** | **$434** | **$476** |
| 42½″H x 36″W | **HETP4236FP** | 20 S | 2.2 | **$441** | **$457** | **$502** |
| 42½″H x 42″W | **HETP4242FP** | 23 S | 2.6 | **$479** | **$497** | **$550** |
| 42½″H x 48″W | **HETP4248FP** | 25 S | 3.0 | **$498** | **$518** | **$582** |
| 42½″H x 60″W | **HETP4260FP** | 30 | 3.7 | **$554** | **$575** | **$649** |
| 42½″H x 72″W* | **HETP4272FP** | 36 | 4.4 | **$715** | **$739** | **$825** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **50″H Tackable Acoustical Panels** | | | | | | |
| 50″H x 20″W | **HETP5020FP** | 16 S | 1.4 | **$435** | **$452** | **$520** |
| 50″H x 24″W | **HETP5024FP** | 17 S | 1.7 | **$451** | **$468** | **$536** |
| 50″H x 30″W | **HETP5030FP** | 20 S | 2.2 | **$464** | **$482** | **$529** |
| 50″H x 36″W | **HETP5036FP** | 22 S | 2.6 | **$478** | **$496** | **$550** |
| 50″H x 42″W | **HETP5042FP** | 25 S | 3.0 | **$536** | **$556** | **$619** |
| 50″H x 48″W | **HETP5048FP** | 28 S | 3.5 | **$567** | **$589** | **$659** |
| 50″H x 60″W | **HETP5060FP** | 32 | 4.3 | **$618** | **$641** | **$721** |
| 50″H x 72″W* | **HETP5072FP** | 38 | 5.2 | **$779** | **$805** | **$897** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **65″H Tackable Acoustical Panels** | | | | | | |
| 65″H x 20″W | **HETP6520FP** | 19 S | 1.9 | **$463** | **$480** | **$531** |
| 65″H x 24″W | **HETP6524FP** | 20 S | 2.3 | **$479** | **$496** | **$547** |
| 65″H x 30″W | **HETP6530FP** | 23 S | 2.8 | **$505** | **$523** | **$579** |
| 65″H x 36″W | **HETP6536FP** | 26 S | 3.4 | **$541** | **$561** | **$624** |
| 65″H x 42″W | **HETP6542FP** | 29 S | 3.9 | **$589** | **$610** | **$680** |
| 65″H x 48″W | **HETP6548FP** | 32 S | 4.5 | **$614** | **$636** | **$715** |
| 65″H x 60″W | **HETP6560FP** | 37 | 5.6 | **$656** | **$678** | **$767** |
| 65″H x 72″W* | **HETP6572FP** | 43 | 6.8 | **$887** | **$913** | **$1012** |

**NOTES:**

- Panels are 2⅛″ thick.
- Baserails ship standard with panels.
- Top caps ordered separately; see page 389.
- Packaging: stretch wrapped with edge protection.
- Base rail matches trim color.
- For worksurfaces that can be used with Abound® and Accelerate® systems, see pages 505-517.
- Panel end trim ordered separately; see page 395.
- Panels may be connected end to end, with wall starter kit, or with panel connectors; see pages 393-395.
- Order Accelerate® connectors separately; see page 393.
- Panels have a class A fire rating.
- Bulk packing is available in quantities of 3 or 9.
- Fabrics and finishes available on pages 377-379.

- Raceway panels option only.
- Do not remove electrical knockouts unless duplex is needed. For replacement covers, see page 501.
- Accepts electrical power kits, except for 20″W. See page 499 for electrical.
- Stack on panels add 15″ of height and can be added to any monolithic panel. See stackers on pages 390-391.
- Disperse and Etch fabrics are not available on 72″W panels.
- If adding to existing panels produced prior to 04/13/16, please contact Customer Support for compatibility.
- If a third cutout for data is desired, order the separate kickplate model HEBPLATE.
- Panels should not be used in unsupported applications or take the place of permanent walls. Panels are intended to be supported with floor supports and/or storage or tied in with worksurfaces. Refer to Specifying and Design Guide pages.

## HOW TO SPECIFY

**Select Model Number**

H E T P 3 5 2 0 F P .

**Select Fabric**

See pages 378-379

A P N 1 1 .

**Select Trim Color**

See page 377

P1 Paint (no upcharge)
P2 Paint (+ $33)


S


GSA SIN 33721

Icon Legend on page 19

# ACCELERATE® Top-Tier Glass Panels







| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | CORE LIST PRICE BY CODE AA | A | B |
|---|---|---|---|---|---|---|
| **50″H Tackable Panels — Top-Tier Glass** | | | | | | |
| 50″H x 20″W | **HETP5020DP** | 21 S | 1.4 | **$681** | **$703** | **$771** |
| 50″H x 24″W | **HETP5024DP** | 23 S | 1.7 | **$711** | **$733** | **$801** |
| 50″H x 30″W | **HETP5030DP** | 27 S | 2.2 | **$722** | **$746** | **$794** |
| 50″H x 36″W | **HETP5036DP** | 31 S | 2.6 | **$738** | **$762** | **$817** |
| 50″H x 42″W | **HETP5042DP** | 34 S | 3.0 | **$806** | **$833** | **$895** |
| 50″H x 48″W | **HETP5048DP** | 39 S | 3.5 | **$842** | **$872** | **$942** |
| 50″H x 60″W | **HETP5060DP** | 46 | 4.3 | **$906** | **$939** | **$1020** |
| 50″H x 72″W* | **HETP5072DP** | 55 | 5.2 | **$1207** | **$1244** | **$1335** |
| **65″H Tackable Panels — Top-Tier Glass** | | | | | | |
| 65″H x 20″W | **HETP6520DP** | 24 S | 1.9 | **$714** | **$737** | **$790** |
| 65″H x 24″W | **HETP6524DP** | 27 S | 2.3 | **$735** | **$758** | **$811** |
| 65″H x 30″W | **HETP6530DP** | 30 S | 2.8 | **$760** | **$784** | **$840** |
| 65″H x 36″W | **HETP6536DP** | 34 S | 3.4 | **$801** | **$828** | **$890** |
| 65″H x 42″W | **HETP6542DP** | 39 S | 3.9 | **$861** | **$890** | **$960** |
| 65″H x 48″W | **HETP6548DP** | 43 S | 4.5 | **$889** | **$919** | **$998** |
| 65″H x 60″W | **HETP6560DP** | 51 | 5.6 | **$927** | **$960** | **$1051** |
| 65″H x 72″W* | **HETP6572DP** | 60 | 6.8 | **$1318** | **$1355** | **$1453** |

**NOTES:**

- On top-tier panel models, the glass tier is 15″H.
- Glass is clear or frosted, tempered safety glass.
- Panels are 2⅛″ thick.
- Panels have steel baserails.
- Packaging: stretch wrapped with edge protection.
- Base rail matches trim color.
- Top caps ordered separately; see page 389.
- For worksurfaces that can be used with Abound® and Accelerate® systems, see pages 505-517.
- Panel end trim ordered separately; see page 395.
- Panels may be connected end to end, with wall starter kit, or with panel connectors; see pages 393-395.
- Order Accelerate® connectors separately; see page 393.
- Panels have a class A fire rating.
- Bulk packing is available in quantities of 3 or 9.
- Fabrics and finishes available on pages 377-379.

! Raceway panels option only.

! Do not remove electrical knockouts unless duplex is needed. For replacement covers, see page 501.

! Accepts electrical power kits, except for 20″W. See page 499 for electrical.

! Cannot stack stacker on top-tier glass panels.

! Disperse and Etch fabrics are not available on 72″W panels.

! If adding to existing panels produced prior to 04/13/16, please contact Customer Support for compatibility.

! If a third cutout for data is desired, order the separate kickplate model HEBPLATE.

! Panels should not be used in unsupported applications or take the place of permanent walls. Panels are intended to be supported with floor supports and/or storage or tied in with worksurfaces. Refer to Specifying and Design Guide pages.

## HOW TO SPECIFY


| Select Model Number | Select Fabric | Select Trim Color | Select Glass |
|---|---|---|---|
| | See pages 378-379 | See page 377<br>P1 Paint (no upcharge)<br>P2 Paint (+ $33) | **Q** Clear Glass<br>**R** Frosted Glass (+ $33) |
| H E T P 5 0 2 0 D P . | A P N 1 1 . | S . | Q |


# ACCELERATE® Panel Door

GSA SIN 33721

Icon Legend on page 19









| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Door Panel — Laminate** | | | | | |
| 42″W x 80″H | **HEPDMK42P** | 155.0 | 7.3 | **$2569** | **$2606** |

NOTES: Ships with door, frame, hinges and hardware. Best placement of a door is at an L, T, X connector or wall starter connector for rigidity. Use of spanning top caps at an in-line will also help add additional rigidity.


Must be used with a base panel and stacker equaling 80″H.


*HN899900*


*HN899910*

| | | | | | |
|---|---|---|---|---|---|
| **Standard Lock Set** | | | | | |
| Door knob (polished brass) | **HN899900** | 2.0 S | 0.1 | **$157** | |
| Door lever (brushed aluminum) | **HN899910** | 2.0 S | 0.1 | **$429** | |

NOTES: Door knob and lever are both keyed on one side.




| | | | | | |
|---|---|---|---|---|---|
| **Abound® and Accelerate® Sliding Door** | | | | | |
| 50″H x 42″W | **HH15042SD** | 28.0 | 5.5 | **$2793** | **$2833** |
| 65″H x 42″W | **HH16542SD** | 38.0 | 7.1 | **$3184** | **$3224** |
| 80″H x 42″W | **HH18042SD** | 46.0 | 8.6 | **$3894** | **$3934** |

Door is only available in Frosted Translucent Acrylic. Specify paint for frame.

Can only install Sliding Door at the end of a run, not at a corner.

A Mounting Bracket Kit must be ordered for each sliding door corresponding to the mounting panels width (30″, 36″, 42″, or 48″W).



| | | | | | |
|---|---|---|---|---|---|
| **Accelerate® Mounting Kit for Sliding Door** | | | | | |
| For 30″W Panel | **HESDMK30** | 4.0 | 0.4 | **$231** | **$245** |
| For 36″W Panel | **HESDMK36** | 5.0 | 0.5 | **$242** | **$256** |
| For 42″W Panel | **HESDMK42** | 6.0 | 0.5 | **$252** | **$266** |
| For 48″W Panel | **HESDMK48** | 7.0 | 0.5 | **$265** | **$279** |

NOTES: Specify paint.



| | | | | | |
|---|---|---|---|---|---|
| **Carpet Grippers** | **HICG12** | 0.5 S | 0.1 | **$32** | |

NOTES: Used with Glide Towers
Shipped 12 per package
No need to specify paint



| | | | | | |
|---|---|---|---|---|---|
| **Coat Hooks** | | | | | |
| Package of six | **HHPMC6** | 1.0 S | 0.2 | **$117** | |

NOTES: Compatible with Accelerate® and Abound® panels.

Black only.

**NOTES:**

- Order handle separately. See handle model options above.
- Specify top caps separately when ordering the laminate panel door; see page 389.
- Order Accelerate® connectors separately; see page 393.
- Fabrics and finishes available on pages 377-379.
- The Sliding Doors are available in 50″, 65″, and 80″H models and can mount to 30″, 36″, 42″, and 48″W panels.
- All doors are 42″ wide, provide a 36″W opening, and are non-handed.

## HOW TO SPECIFY

**Select Model Number**

H E P D M K 4 2 P .

**Select Trim Color**

See page 377

T 4 .

**Select Door Laminate**

L2 Laminate (+ $65)

See page 377

H


GSA SIN 33721

ABI

Icon Legend on page 19

# ACCELERATE® Top Caps





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Panel Top Cap** | | | | | |
| 20″W | **HETC20** | 1.5 | 0.3 | **$54** | **$76** |
| 24″W | **HETC24** | 1.6 | 0.3 | **$54** | **$76** |
| 30″W | **HETC30** | 1.8 | 0.3 | **$64** | **$86** |
| 36″W | **HETC36** | 2.0 | 0.3 | **$82** | **$104** |
| 42″W | **HETC42** | 2.2 | 0.3 | **$85** | **$107** |
| 48″W | **HETC48** | 3.4 | 0.4 | **$93** | **$115** |
| 60″W | **HETC60** | 3.9 | 0.6 | **$116** | **$138** |
| 66″W | **HETC66** | 4.0 | 0.6 | **$136** | **$158** |
| 72″W | **HETC72** | 5.3 | 0.8 | **$140** | **$162** |
| 78″W | **HETC78** | 6.5 | 0.8 | **$145** | **$167** |
| 84″W | **HETC84** | 6.7 | 0.9 | **$160** | **$182** |
| 90″W | **HETC90** | 7.0 | 0.9 | **$166** | **$188** |
| 96″W | **HETC96** | 7.2 | 0.9 | **$175** | **$197** |

**NOTES:**
- Models above are specified for panel models on pages 386-387.
- Top caps ship separately from panels.
- Top caps are able to span multiple panels for a clean aesthetic.
- Top caps are bulk packed for ease at installation sites.

If adding to existing panels produced prior to 04/13/16, please contact Customer Support for compatibility.

## HOW TO SPECIFY


**Select Model Number**

H E T C 2 0 .


**Select Paint Color**

See page 377

T 3



*HEBPLATE336*



*HEBPLATE360*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Accelerate® Base Pathway Cover w/Additional Knockout** | | | | | |
| 36″W | **HEBPLATE336** | 7 S | 0.4 | **$101** | **$113** |
| 42″W | **HEBPLATE342** | 8 S | 0.4 | **$104** | **$116** |
| 48″W | **HEBPLATE348** | 9 S | 0.4 | **$109** | **$121** |
| 60″W | **HEBPLATE360** | 11 S | 0.5 | **$123** | **$135** |
| 72″W | **HEBPLATE372** | 14 S | 0.6 | **$137** | **$149** |

NOTES: Specify paint, see page 377.
**SPECIFYING EXAMPLE: HEBPLATE336.T4**

**NOTES:**

Specify Pathways to match trim color.

Standard raceways with two knockouts are standard on panels. If additional three knockout kickplate is ordered, the two port version can be saved or discarded.

## HOW TO SPECIFY

**Select Model Number**

H E B P L A T E 3 3 6 .

**Select Paint Color**

See page 377


T 4

# ACCELERATE® Stacking Panels

GSA SIN 33721

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | CORE LIST PRICE BY CODE AA | A | B |
|---|---|---|---|---|---|---|
| **15″H Stacking Panels — Fabric** | | | | | | |
| 15″H x 20″W | **HES1520F** | 6 S | 0.5 | **$248** | **$271** | **$324** |
| 15″H x 24″W | **HES1524F** | 7 S | 0.6 | **$273** | **$296** | **$349** |
| 15″H x 30″W | **HES1530F** | 8 S | 0.8 | **$295** | **$319** | **$375** |
| 15″H x 36″W | **HES1536F** | 9 S | 0.9 | **$316** | **$343** | **$405** |
| 15″H x 42″W | **HES1542F** | 11 S | 1.1 | **$342** | **$371** | **$441** |
| 15″H x 48″W | **HES1548F** | 12 S | 1.2 | **$362** | **$392** | **$471** |
| 15″H x 60″W | **HES1560F** | 14 S | 1.5 | **$409** | **$442** | **$533** |
| 15″H x 72″W | **HES1572F** | 17 | 1.8 | **$775** | **$812** | **$910** |

**NOTES:**

- Stacking panels ship without top caps.
- Stackers add 15″ or 30″ to the height of the base panel.
- Stacker ships with pins to connect stacker to post connector for added rigidity.
- Select complete panels with top-tier glass, or add glass/fabric stackers separately to existing panels. See page 387 for complete panels information.

Not to be used freestanding.

Stackers can be stacked up to 80″H on a base panel or 30″ of stacker height total, whichever comes first.

The first stacker on a base panel is weight bearing and can accommodate overhead storage up to 65″H.

Stacking model must match the width of the panel it is stacking on.

Total panel height cannot exceed 80″ high. Glass stacker must be the top tier. A stacking panel cannot be placed above a glass panel or glass stacker. Frameless Glass can be installed on a fabric stacker.

Voi overheads not to be placed on stackers.

If adding to existing panels produced prior to 04/13/16, please contact Customer Support for compatibility.

## HOW TO SPECIFY

**Select Model Number**

H E S 1 5 2 0 F .

**Select Fabric Color**

See pages 378-379


A P N 1 1

GSA SIN 33721


Icon Legend on page 19

# ACCELERATE® Stacking Panels





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | CLEAR GLASS | FROSTED GLASS |
|---|---|---|---|---|---|
| **30″H Stacking Panels — Glass** | | | | | |
| 30″H x 20″W | **HES3020G** | 14 S | 1.0 | **$801** | **$834** |
| 30″H x 24″W | **HES3024G** | 17 S | 1.2 | **$843** | **$876** |
| 30″H x 30″W | **HES3030G** | 20 S | 1.5 | **$955** | **$988** |
| 30″H x 36″W | **HES3036G** | 23 S | 1.8 | **$987** | **$1020** |
| 30″H x 42″W | **HES3042G** | 26 S | 2.1 | **$1092** | **$1125** |
| 30″H x 48″W | **HES3048G** | 29 S | 2.4 | **$1176** | **$1209** |
| 30″H x 60″W | **HES3060G** | 36 | 3.0 | **$1347** | **$1380** |
| NOTES: 30″H stacker ships with pins to connect stacker to post connector for added rigidity. | | | | | |



| | | | | | |
|---|---|---|---|---|---|
| **15″H Stacking Panels — Glass** | | | | | |
| 15″H x 20″W | **HES1520G** | 8 S | 0.5 | **$536** | **$569** |
| 15″H x 24″W | **HES1524G** | 9 S | 0.6 | **$567** | **$600** |
| 15″H x 30″W | **HES1530G** | 11 S | 0.8 | **$639** | **$672** |
| 15″H x 36″W | **HES1536G** | 12 S | 0.9 | **$662** | **$695** |
| 15″H x 42″W | **HES1542G** | 14 S | 1.1 | **$731** | **$764** |
| 15″H x 48″W | **HES1548G** | 16 S | 1.2 | **$787** | **$820** |
| 15″H x 60″W | **HES1560G** | 19 S | 1.5 | **$899** | **$932** |
| 15″H x 72″W | **HES1572G** | 22 | 1.8 | **$1095** | **$1128** |

**NOTES:**

- Stacking panels ship without top caps.
- Stackers add 15″ or 30″ to the height of the base panel.
- Stacker ships with pins to connect stacker to post connector for added rigidity.
- Select complete panels with top-tier glass, or add glass/fabric stackers separately to existing panels. See page 387 for complete panels information.

! Not to be used freestanding.

! Stackers can be stacked up to 80″H on a base panel or 30″ of stacker height total, whichever comes first.

! The first stacker on a base panel is weight bearing and can accommodate overhead storage up to 65″H.

! Stacking model must match the width of the panel it is stacking on.

! Total panel height cannot exceed 80″ high. Glass stacker must be the top tier. A stacking panel cannot be placed above a glass panel or glass stacker. Frameless Glass can be installed on a fabric stacker.

! If adding to existing panels produced prior to 04/13/16, please contact Customer Support for compatibility.

## HOW TO SPECIFY

**Select Model Number**

H E S 3 0 2 0 G .

**Select Paint Color**

See page 377

P1 Paint (no upcharge)
P2 Paint (+ $33)

T 1 .

**Select Glass**

**Q** Clear Glass
**R** Frosted Glass


Q

# ACCELERATE® Frameless Glass


GSA SIN 33721

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | CLEAR GLASS | FROSTED GLASS |
|---|---|---|---|---|---|
| **Frameless Glass Stacker** | | | | | |
| 7½"H x 20"W | **HEFGS0720** | 17 | 0.7 | **$422** | **$455** |
| 7½"H x 24"W | **HEFGS0724** | 18 | 0.8 | **$498** | **$539** |
| 7½"H x 30"W | **HEFGS0730** | 18 | 1.0 | **$536** | **$581** |
| 7½"H x 36"W | **HEFGS0736** | 21 | 1.2 | **$615** | **$667** |
| 7½"H x 42"W | **HEFGS0742** | 25 | 1.5 | **$657** | **$712** |
| 7½"H x 48"W | **HEFGS0748** | 28 | 1.5 | **$706** | **$765** |
| 7½"H x 54"W | **HEFGS0754** | 28 | 1.7 | **$795** | **$861** |
| 7½"H x 60"W | **HEFGS0760** | 35 | 1.8 | **$864** | **$936** |
| 7½"H x 66"W | **HEFGS0766** | 35 | 2.0 | **$961** | **$1040** |
| 7½"H x 72"W | **HEFGS0772** | 42 | 2.2 | **$1021** | **$1106** |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | CLEAR GLASS | FROSTED GLASS |
|---|---|---|---|---|---|
| **Frameless Glass Stacker** | | | | | |
| 15"H x 20"W | **HEFGS1520** | 27 | 1.2 | **$522** | **$555** |
| 15"H x 24"W | **HEFGS1524** | 28 | 1.4 | **$566** | **$607** |
| 15"H x 30"W | **HEFGS1530** | 28 | 1.7 | **$604** | **$649** |
| 15"H x 36"W | **HEFGS1536** | 34 | 2.0 | **$693** | **$745** |
| 15"H x 42"W | **HEFGS1542** | 39 | 2.3 | **$743** | **$798** |
| 15"H x 48"W | **HEFGS1548** | 45 | 2.6 | **$801** | **$860** |
| 15"H x 54"W | **HEFGS1554** | 51 | 2.7 | **$876** | **$942** |
| 15"H x 60"W | **HEFGS1560** | 57 | 3.0 | **$977** | **$1049** |
| 15"H x 66"W | **HEFGS1566** | 62 | 3.3 | **$1068** | **$1147** |
| 15"H x 72"W | **HEFGS1572** | 67 | 3.6 | **$1151** | **$1236** |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Frameless Glass Finishing Kit** | | | | | |
| 7½"H | **HEVHG07P** | 2 | 0.2 | **$74** | **$85** |
| 15"H | **HEVHG15P** | 2 | 0.4 | **$81** | **$92** |
| 22½"H | **HEVHG22P** | 3 | 0.4 | **$87** | **$98** |
| 30"H | **HEVHG30P** | 3 | 0.4 | **$103** | **$114** |

NOTES: Specify paint, see page 377.
**SPECIFYING EXAMPLE: HEVHG15P.PJW**

**NOTES:**

- Glass is a single-pane, ⅜" laminated safety glass.
- Available in clear or frosted glass.
- Frameless Glass can span multiple panels with one piece of glass.
- Lamination is in the center of the glass, making both clear and frosted glass a writable surface with dry-erase markers.

Glass tiles have a Class A fire rating.

Frameless Glass cannot be used on top of glass stackers or headers.

Frameless Glass can only be used on the top of panels. Glass integrates into top cap trim. Do not order a separate top cap model for your frame when using Frameless Glass.

Cannot hang or stack on top of Frameless Glass.

If adding to existing panels produced prior to July 2021, please contact Customer Support for compatibility.

## HOW TO SPECIFY

**Select Model Number**

H E F G S 1 5 2 0 .

**Select Paint Color**

See page 377

P1 Paint (no upcharge)
P2 Paint (+ $19)

T 1 .

**Select Glass Option**

**Q** Clear Glass
**R** Frosted Glass

Q

GSA SIN 33721

Icon Legend on page 19

# ACCELERATE® Strengthened Connection Posts



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **120° 2-Way Connector Posts** | | | | | | |
| | For 35"H Panels | **HEC35P2N** | 6 | 0.5 | **$121** | **$132** | **$150** |
| | For 42½"H Panels | **HEC42P2N** | 6 | 0.5 | **$145** | **$156** | **$174** |
| | For 50"H Panels | **HEC50P2N** | 7 | 0.6 | **$168** | **$179** | **$197** |
| | For 57½"H Panels | **HEC57P2N** | 8 | 0.8 | **$181** | **$192** | **$210** |
| | For 65"H Panels | **HEC65P2N** | 8 | 0.8 | **$190** | **$201** | **$219** |
| | For 72½"H Panels | **HEC72P2N** | 9 | 0.9 | **$200** | **$211** | **$229** |
| | For 80"H Panels | **HEC80P2N** | 9 | 0.9 | **$210** | **$221** | **$239** |
|  | **120° 3-Way Connector Posts** | | | | | | |
| | For 35"H Panels | **HEC35P3N** | 6 | 0.5 | **$116** | **$127** | **$145** |
| | For 42½"H Panels | **HEC42P3N** | 6 | 0.5 | **$138** | **$149** | **$167** |
| | For 50"H Panels | **HEC50P3N** | 7 | 0.6 | **$163** | **$174** | **$192** |
| | For 57½"H Panels | **HEC57P3N** | 8 | 0.8 | **$173** | **$184** | **$202** |
| | For 65"H Panels | **HEC65P3N** | 8 | 0.8 | **$182** | **$193** | **$211** |
| | For 72½"H Panels | **HEC72P3N** | 9 | 0.9 | **$193** | **$204** | **$222** |
| | For 80"H Panels | **HEC80P3N** | 9 | 0.9 | **$202** | **$213** | **$231** |
|  | **Extended Straight Connector Posts** | | | | | | |
| | For 35"H Panels | **HEC35PSN** | 6 | 0.5 | **$121** | **$132** | **$150** |
| | For 42½"H Panels | **HEC42PSN** | 6 | 0.5 | **$145** | **$156** | **$174** |
| | For 50"H Panels | **HEC50PSN** | 7 | 0.6 | **$168** | **$179** | **$197** |
| | For 57½"H Panels | **HEC57PSN** | 8 | 0.8 | **$181** | **$192** | **$210** |
| | For 65"H Panels | **HEC65PSN** | 8 | 0.8 | **$190** | **$201** | **$219** |
| | For 72½"H Panels | **HEC72PSN** | 9 | 0.9 | **$202** | **$213** | **$231** |
| | For 80"H Panels | **HEC80PSN** | 9 | 0.9 | **$210** | **$221** | **$239** |
|  | **"L" Connector Posts** | | | | | | |
| | For 35"H Panels | **HEC35PLN** | 6 | 0.5 | **$127** | **$138** | **$156** |
| | For 42½"H Panels | **HEC42PLN** | 6 | 0.5 | **$154** | **$165** | **$183** |
| | For 50"H Panels | **HEC50PLN** | 7 | 0.6 | **$176** | **$187** | **$205** |
| | For 57½"H Panels | **HEC57PLN** | 8 | 0.8 | **$189** | **$200** | **$218** |
| | For 65"H Panels | **HEC65PLN** | 8 | 0.8 | **$197** | **$208** | **$226** |
| | For 72½"H Panels | **HEC72PLN** | 9 | 0.9 | **$206** | **$217** | **$235** |
| | For 80"H Panels | **HEC80PLN** | 9 | 0.9 | **$217** | **$228** | **$246** |
|  | **"T" Connector Posts** | | | | | | |
| | For 35"H Panels | **HEC35PTN** | 6 | 0.5 | **$121** | **$132** | **$150** |
| | For 42½"H Panels | **HEC42PTN** | 6 | 0.5 | **$145** | **$156** | **$174** |
| | For 50"H Panels | **HEC50PTN** | 7 | 0.6 | **$168** | **$179** | **$197** |
| | For 57½"H Panels | **HEC57PTN** | 8 | 0.8 | **$181** | **$192** | **$210** |
| | For 65"H Panels | **HEC65PTN** | 8 | 0.8 | **$190** | **$201** | **$219** |
| | For 72½"H Panels | **HEC72PTN** | 9 | 0.9 | **$200** | **$211** | **$229** |
| | For 80"H Panels | **HEC80PTN** | 9 | 0.9 | **$210** | **$221** | **$239** |
|  | **"X" Connector Posts** | | | | | | |
| | For 35"H Panels | **HEC35PXN** | 6 | 0.5 | **$116** | **$127** | **$145** |
| | For 42½"H Panels | **HEC42PXN** | 6 | 0.5 | **$138** | **$149** | **$167** |
| | For 50"H Panels | **HEC50PXN** | 7 | 0.6 | **$163** | **$174** | **$192** |
| | For 57½"H Panels | **HEC57PXN** | 8 | 0.8 | **$173** | **$184** | **$202** |
| | For 65"H Panels | **HEC65PXN** | 8 | 0.8 | **$182** | **$193** | **$211** |
| | For 72½"H Panels | **HEC72PXN** | 9 | 0.9 | **$193** | **$204** | **$222** |
| | For 80"H Panels | **HEC80PXN** | 9 | 0.9 | **$202** | **$213** | **$231** |

**NOTES:**

- Specify connectors based on number and placement of panels.
- Connector posts are specified separately from connector straps — specify post to tallest panel and straps based on connection (see variable height example on straps page).
- Specify connector to fit height of tallest panel.
- Connectors are made of extruded aluminum.
- Straight Connector model HSCKTPS ships standard in bulk pack.
- Connector posts where power pole will enter need to be specified with single connector straps, model HECS1.

In-line connector must be specified for all in-line connections.

If adding to existing panels produced prior to 04/13/2016, please contact Customer Support for compatibility.

## HOW TO SPECIFY

**Select Model Number**

H E C 3 5 P 2 N .

**Select Paint Color**

See page 377






T 3

# ACCELERATE®
## Strengthened Connections — Connector Straps

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | 120° 2-Way Connector Strap | HECSV | 1.4 S | 0.2 | $32 |
|  | 120° 3-Way Connector Strap | HECSY | 2.2 S | 0.2 | $37 |
|  | Extended Straight Connector Strap | HECSS | 1.6 S | 0.2 | $32 |
|  | "L" Connector Strap | HECSL | 1.5 S | 0.2 | $22 |
|  | "T" Connector Strap | HECST | 2.3 S | 0.2 | $32 |
|  | "X" Connector Strap | HECSX | 3.0 S | 0.2 | $37 |
|  | Single Connector Strap<br>NOTES: Use this connector bracket when installing a power pole to a connector. | HECS1 | 1.9 S | 0.2 | $22 |
|  | In-line Connector<br>NOTES: No need to specify finish.<br>**SPECIFYING EXAMPLE: HSCKTPS.X** | HSCKTPS | 0.5 | 0.1 | $30 |


**NOTES:**
- Strengthened Connection Straps provide more rigidity to panel connections, especially when not tied into a station with a worksurface or storage, i.e., when Coordinate™ Height Adjustable bases are used or when using panels strictly to divide space without tying in other components.
- Connector strap type should be specified based on the tallest panel connection type. Connector straps and posts are specified separately.
- Lower height panels will connect with variable height trim.
- See examples below.
- Connector straps can be retrofitted on any existing Accelerate® stations that were produced from April 2016 to present.
- Will fit on existing connector posts — only straps would need to be specified.
- Single Straps (HECS1) are used when power poles enter at the connector post and in variable height applications where the tallest panel is a single and one or more panels is lower.

**Connector Post**




+

**New Connector Straps**




**"T" 2 High, "L" 1 Low**



**1 — "T" Connector Post**
**1 — VH Post Trim**
**3 — Top Caps**
**3 — End Caps**
**1 — "L" Connector Strap**

**"T" 1 High, "L" 2 Low**



**1 — "T" Connector Post**
**2 — VH Post Trim**
**3 — Top Caps**
**3 — End Caps**
**1 — Single Connector Strap**

## HOW TO SPECIFY

**Select**
**Model Number**

| H | E | C | S | V |
|---|---|---|---|---|

GSA SIN 33721

Icon Legend on page 19

# ACCELERATE®


## Variable Height Finished End and Wall Starter Kits




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Finished End Covers** | | | | | |
| 35″H | **HEFEC35P** | 3 | 0.4 | **$70** | **$81** |
| 42½″H | **HEFEC42P** | 3 | 0.5 | **$75** | **$86** |
| 50″H | **HEFEC50P** | 4 | 0.6 | **$82** | **$93** |
| 57½″H | **HEFEC57P** | 5 | 0.6 | **$85** | **$96** |
| 65″H | **HEFEC65P** | 5 | 0.7 | **$90** | **$101** |
| 72½″H | **HEFEC72P** | 6 | 0.8 | **$96** | **$107** |
| 80″H | **HEFEC80P** | 6 | 0.9 | **$100** | **$111** |
| NOTES: Finished End Covers include top bracket, end trim clips and end trim. | | | | | |
| **In-line Variable Height Finishing Kit** | | | | | |
| 7½″H | **HEVHF07P** | 2 | 0.2 | **$74** | **$85** |
| 15″H | **HEVHF15P** | 2 | 0.4 | **$81** | **$92** |
| 22½″H | **HEVHF22P** | 3 | 0.4 | **$92** | **$103** |
| 30″H | **HEVHF30P** | 3 | 0.4 | **$109** | **$120** |
| NOTES: In-line Variable Height Finishing Kits include top and bottom bracket, end trim clips and end trim. In-line Variable Height Finishing Kit is used to connect a finished in-line panel connection. | | | | | |
| **Connector Variable Height Finishing Kit** | | | | | |
| 7½″H | **HECVH07P** | 2 | 0.2 | **$74** | **$85** |
| 15″H | **HECVH15P** | 2 | 0.4 | **$81** | **$92** |
| 22½″H | **HECVH22P** | 3 | 0.4 | **$92** | **$103** |
| 30″H | **HECVH30P** | 3 | 0.4 | **$109** | **$120** |
| NOTES: Connector Variable Height Finishing Kits include top and bottom bracket, end trim and end trim connection piece. | | | | | |
| **Wall Starter Kit** | | | | | |
| 35″H | **HEWS35P** | 4 | 0.4 | **$118** | **$129** |
| 42½″H | **HEWS42P** | 4 | 0.5 | **$124** | **$135** |
| 50″H | **HEWS50P** | 5 | 0.6 | **$129** | **$140** |
| 57½″H | **HEWS57P** | 6 | 0.6 | **$137** | **$148** |
| 65″H | **HEWS65P** | 6 | 0.7 | **$145** | **$156** |
| 72½″H | **HEWS72P** | 7 | 0.8 | **$156** | **$167** |
| 80″H | **HEWS80P** | 7 | 0.9 | **$163** | **$174** |
| **Permanent Wall Hanger Kit** | | | | | |
| 66″H LH/RH End Pair (2 Pieces) | **HRVC35PCE** | 6 | 0.7 | **$302** | **$324** |
| 66″H Shared Mid | **HRVC35PCM** | 3 | 0.7 | **$160** | **$172** |

*Specify paint*


! Anchor devices are not supplied with this model. Refer to Abound® Installation instructions for appropriate hardware. Attachment to masonry walls is not recommended.




**T-Connection**
**Connector, Variable Height Finishing Kit**




**X-Connection**
**Connector, Variable Height Finishing Kit**



**In-line Variable Height Trim Kit**

**NOTES:**

- In-line Variable Height Finishing Kit is used to connect a finished in-line panel connection.
- Connector variable height finishing kit is used at a drop in height at an L, T, X, or S connection.
- All kits come with all hardware needed to install the kit.

! Variable height kit needs to be specified any time a change of panel height occurs.

! Finished end covers must be specified at all end of panel runs.

! If adding to existing panels produced prior to 04/13/16, please contact Customer Support for compatibility.

## HOW TO SPECIFY

**Select Model Number**

H E F E C 3 5 P .

**Select Paint Color**

See page 377

T 3

# ACCELERATE®
# Bracket Kits and Stability Feet

GSA SIN 33721

Icon Legend on page 19






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Accelerate® Anchor Bracket**<br>Package of ten | **HEABAC** | 5 | 0.08 | **$116** |

NOTES: For use when panels need to be anchored to the floor such as high traffic areas or community spaces.

Only available in Black (P).

**SPECIFYING EXAMPLE: HEABAC.P**



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Accelerate® Stability Foot** | **HEFTAC** | 3 | 0.1 | **$496** | **$508** |

NOTES: Stabilizes bottom of panel from movement. Will not prohibit movement at top of panel.

**NOTES:**

The Anchor Bracket and Stability Foot are not intended to create a freestanding panel. Please follow Accelerate® stability standards.

Attachment hardware for floor anchor not included.

## HOW TO SPECIFY

| Select Model Number | Select Paint Color |
|---|---|
| | See page 377 |
| H E F T A C . | T 1 |

# NOTES

# EMPOWER®

Want to see more? Scan here to check out hon.com.



Empower® shown with Ignition® and Cliq® Seating.

## EMPOWER®

An office solution that any business would be proud to claim as their own. The label, "cubicle," is offensive to Empower®. With greater depth and dimension, this solution is much more than a cubicle, or benching system, or standard workspace. Through the integration of sleek and minimalist gallery panels, essential height-adjustable desking, and collaborative worksurfaces with designer angled legs, Empower® is an elegant balance of style and pragmatism. An invitation to well-being and comfort, Empower® is an artistic display of texture and color selections and offers a considerable array of product options that assist a myriad work functions. Empower's® versatility allows it to be configured as a private place for intensive concentration or as an open and transparent collaborative hub in your team's domain where the sharing of ideas flourishes. Empower® caters to the human element. Empower® is your productive work solution.









### FEATURES

- Angled leg or straight leg
- Specify Empower's® Gallery Panel Kits to add Gallery Panels to your workstation.
- End of run collaborative and touchdown stations.
- A full breadth of height adjustable options support the work style of any user.
- Frosted glass. Colorful fabrics. Magnetic metal. Empower® Universal Screens add style, privacy, and functionality.
- Choose from multiple paint finishes to blend in or stand out.
- With numerous laminate selections to choose from, it's easy to get the exact look you want.
- As the main electrical artery, power and data cables are laid into the trough.
- Plug power modules into the duplex in the trough and attach them to the worksurface for easy access to electrical and USB ports.
- Power entry can be accommodated through the ceiling, floor, or wall.
- Support any work style by adding HON pedestals, credenzas, and storage towers to Empower® benching.

# EMPOWER® FINISH OPTIONS



## STATIC LEGS AND TROUGHS

PAINTS ..... CODES

**P1**
- Black ..... P
- Brownstone ..... P7D
- Charcoal ..... S
- Cove ..... P096
- Designer White ..... PJW
- Dune ..... P094
- Fossil ..... P28
- Greige ..... T5
- Harbor ..... P097
- Light Gray ..... Q
- Loft ..... LOFT
- Muslin ..... T3
- Putty ..... L
- Sage ..... P095
- Titanium ..... P8T

**P2**
- Champagne Metallic ..... T4
- Gunmetal Metallic ..... PR3
- Platinum Metallic ..... T1
- Silver ..... PR6
- Solar Black ..... P8X

**P3**
- Atom ..... P8S
- Bullseye ..... PJF
- Ember ..... P8P
- Ion ..... P8N
- Iris ..... P8J
- Krypton ..... P8F
- Regatta ..... P8M

## HEIGHT ADJUSTABLE LEGS

PAINTS ..... CODES

**P1**
- Black ..... P71
- Charcoal ..... S
- Designer White ..... PJW
- Loft ..... LOFT
- Silver ..... PR6

## WORKSURFACES

L1 LAMINATES ..... CODES

**Woodgrain**
- Bourbon Cherry ..... H
- Cognac ..... COGN
- Field Elm ..... LWFE
- Florence Walnut ..... LFW1
- Harvest ..... C
- Kingswood Walnut ..... LKI1
- Mahogany ..... N
- Mocha ..... MOCH
- Natural Maple ..... D
- Pinnacle ..... PINC
- Shaker Cherry ..... F
- Sterling Ash ..... LSA1

**Solid**
- Black ..... P
- Charcoal ..... S
- Designer White ..... LDW1
- Loft ..... LOFT

**Patterned**
- Handspun Chestnut ..... LAHC
- Handspun Dove ..... LAHD
- Handspun Pearl ..... LAHP
- Handspun Slate ..... LAHS
- Silver Mesh ..... B9
- Steel Mesh ..... A9
- Gray ..... G2
- White ..... G1

*For lead time information see page 21.*

## WORKSURFACES *continued*

L2 LAMINATES ..... CODES

**Woodgrain**
- Beigewood ..... LWBE
- Fawn Cypress ..... LFC1
- Lowell Ash ..... LLA1
- Natural Recon ..... LNR1
- Phantom Ecru ..... LPE1
- Portico Teak ..... LPT1
- Skyline Walnut ..... LSW1

## WORKSURFACE EDGEBAND

**Woodgrain**
- Beigewood ..... DE
- Bourbon Cherry ..... H
- Cognac ..... COGN
- Fawn Cypress ..... FC
- Field Elm ..... FE
- Florence Walnut ..... FW
- Harvest ..... C
- Kingswood Walnut ..... KI
- Lowell Ash ..... DL
- Mahogany ..... N
- Mocha ..... MOCH
- Natural Maple ..... D
- Natural Recon ..... NR
- Phantom Ecru ..... PE
- Pinnacle ..... PINC
- Portico Teak ..... DP
- Shaker Cherry ..... F
- Skyline Walnut ..... SW
- Sterling Ash ..... SA

**Solid**
- Black ..... P
- Brownstone ..... EY
- Charcoal ..... S
- Designer White ..... DW
- Fossil ..... EH
- Greige ..... R
- Loft ..... LOFT
- Muslin ..... T
- Platinum ..... K

## END OF RUN SCREENS

L1 LAMINATES ..... CODES

**Woodgrain**
- Bourbon Cherry ..... H
- Cognac ..... COGN
- Field Elm ..... LWFE
- Florence Walnut ..... LFW1
- Harvest ..... C
- Kingswood Walnut ..... LKI1
- Mahogany ..... N
- Mocha ..... MOCH
- Natural Maple ..... D
- Pinnacle ..... PINC
- Shaker Cherry ..... F
- Sterling Ash ..... LSA1

**Solid**
- Black ..... P
- Charcoal ..... S
- Designer White ..... LDW1
- Loft ..... LOFT

**Patterned**
- Silver Mesh ..... B9

L2 LAMINATES ..... CODES

**Woodgrain**
- Beigewood ..... LWBE
- Fawn Cypress ..... LFC1
- Lowell Ash ..... LLA1
- Natural Recon ..... LNR1
- Phantom Ecru ..... LPE1
- Portico Teak ..... LPT1
- Skyline Walnut ..... LSW1

## POWER POLE

PAINTS ..... CODES

**P1**
- Black ..... P
- Charcoal ..... S
- Cove ..... P096
- Designer White ..... PJW
- Dune ..... P094
- Greige ..... T5
- Harbor ..... P097
- Light Gray ..... Q
- Loft ..... LOFT
- Muslin ..... T3
- Sage ..... P095

## PAINTED METAL SCREENS AND SCREEN BRACKETS

PAINTS ..... CODES

**P1**
- Black ..... P
- Brownstone ..... P7D
- Charcoal ..... S
- Cove ..... P096
- Designer White ..... PJW
- Dune ..... P094
- Fossil ..... P28
- Greige ..... T5
- Harbor ..... P097
- Light Gray ..... Q
- Loft ..... LOFT
- Muslin ..... T3
- Putty ..... L
- Sage ..... P095
- Titanium ..... P8T

**P2**
- Champagne Metallic ..... T4
- Gunmetal Metallic ..... PR3
- Platinum Metallic ..... T1
- Silver ..... PR6
- Solar Black ..... P8X
- White Markerboard ..... MKB

**P3**
- Atom ..... P8S
- Bullseye ..... PJF
- Ember ..... P8P
- Ion ..... P8N
- Iris ..... P8J
- Krypton ..... P8F
- Regatta ..... P8M

**Recommended Color to use with Duplex and Data Electric Kits**

| Paint | Duplex-Data Code |
|---|---|
| Black P | Black P |
| Brownstone P7D | Brownstone EY |
| Charcoal S | Charcoal S |
| Designer White PJW | Designer White DW |
| Fossil P28 | Charcoal S |
| Greige T5 | Muslin T3 |
| Light Gray Q | Loft LOFT |
| Loft LOFT | Loft LOFT |
| Muslin T3 | Muslin T3 |
| Putty L | Black P |
| Silver PR6 | Titanium TI |
| Titanium P8T | Titanium TI |
| Champagne Metallic T4 | Muslin T3 |
| Platinum Metallic T1 | Titanium TI |

| WORKSURFACE LAMINATES | CODES | EDGEBAND OPTIONS | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Matching Edge | Designer White (DW) | Loft (LOFT) | Muslin (T) | Black (P) | Brownstone (EY) | Charcoal (S) | Fossil (EH) | Greige (R) | Light Gray (Q) | Platinum (K) |
| Beigewood | LWBE | • | • | | • | | • | | • | | | |
| Black | P | | | | | • | | | | | | |
| Bourbon Cherry | H | • | • | | • | | | | | | | |
| Charcoal | S | | | | | | | • | | | | |
| Cognac | COGN | • | • | | • | | | | | | | |
| Designer White | LDW1 | | • | | | | | | | | | |
| Fawn Cypress | LFC1 | • | • | | • | | • | | • | | | |
| Field Elm | LWFE | • | • | | • | | • | | • | | | |
| Handspun Chestnut | LAHC | | • | • | • | • | • | • | • | • | • | • |
| Handspun Dove | LAHD | | • | • | • | • | • | • | • | • | • | • |
| Handspun Pearl | LAHP | | • | • | • | • | • | • | • | • | • | • |
| Handspun Slate | LAHS | | • | • | • | • | • | • | • | • | • | • |
| Harvest | C | • | • | | • | | | | | | | |
| Loft | LOFT | | | • | | | | | | | | |
| Lowell Ash | LLA1 | • | • | • | • | | | | | | | |
| Mahogany | N | • | | • | | | | | | | | |
| Mocha | MOCH | • | • | | • | | | | | | | |
| Natural Maple | D | • | • | • | • | | | | | | | |
| Natural Recon | LNR1 | • | • | • | • | | | | | | | |
| Phantom Ecru | LPE1 | • | • | • | • | | | | | | | |
| Pinnacle | PINC | • | • | | • | | | | | | | |
| Portico Teak | LPT1 | • | • | • | • | | | | | | | |
| Shaker Cherry | F | • | • | • | • | | | | | | | |
| Silver Mesh | B9 | | | • | | | | | | | | |
| Skyline Walnut | LSW1 | • | • | • | • | | | | | | | |
| Sterling Ash | LSA1 | • | • | • | | • | | | | | | |

# EMPOWER®
# FABRIC SCREENS — ALL PANEL MODELS



**PRICE CODE A**

| APPOINT | APN |
|---|---|
| Artichoke | APN11 |
| Blackberry | APN32 |
| Bronze | APN22 |
| Carbon | APN28 |
| Chai | APN12 |
| Cherry | APN30 |
| Dark Pewter | APN17 |
| Dune | APN15 |
| Espresso | APN23 |
| Framboise | APN31 |
| Frost | APN34 |
| Jet | APN27 |
| Lawn | APN25 |
| Mandarin | APN29 |
| Morel | APN09 |
| Nimbus | APN16 |
| Platinum | APN24 |
| Turquoise | APN26 |

| CENTURION | CU |
|---|---|
| Apricot | CU47 |
| Bark | CU25 |
| Black | CU10 |
| Espresso | CU49 |
| Fog | CU03 |
| Frost | CU22 |
| Goldenrod | CU27 |
| Indigo | CU06 |
| Iris | CU50 |
| Iron Ore | CU19 |
| Jade | CU83 |
| Marsala | CU63 |
| Morel | CU24 |
| Navy | CU98 |
| Peacock | CU97 |
| Pear | CU84 |
| Ruby | CU67 |
| Sapphire | CU09 |

| ETCH* | ECH |
|---|---|
| Axis | ECH13 |
| Blend | ECH14 |
| Cast | ECH12 |
| Highlight | ECH10 |
| Midtone | ECH11 |
| Outline | ECH08 |
| Shade | ECH09 |
| Tonal | ECH16 |
| Vanish | ECH15 |

**PRICE CODE A** *continued*

| LANDSCAPE* | LN |
|---|---|
| Azure | LN55 |
| Cornsilk | LN15 |
| Drift | LN05 |
| Khaki | LN20 |
| Sheen | LN10 |
| Slate | LN35 |
| Umber | LN25 |
| Urban | LN30 |

| LUCY* | LC |
|---|---|
| Aspen | LC32 |
| Cornsilk | LC30 |
| Dusk | LC22 |
| Fawn | LC33 |
| Graphite | LC34 |
| Mist | LC20 |
| Neutra | LC24 |
| Pewter | LC35 |
| Snowdrop | LC28 |

**PRICE CODE A** *continued*

| NOBLE | NBLE |
|---|---|
| Aegean | NBLE18 |
| Amethyst | NBLE19 |
| Aspen | NBLE14 |
| Aster | NBLE20 |
| Blossom | NBLE21 |
| Bluebell | NBLE22 |
| Bordeaux | NBLE01 |
| Brick | NBLE02 |
| Chambray | NBLE10 |
| Chamomile | NBLE23 |
| Clementine | NBLE04 |
| Conifer | NBLE24 |
| Cottage | NBLE25 |
| Darkness | NBLE26 |
| Dawn | NBLE13 |
| Denim | NBLE09 |
| Desert Sand | NBLE27 |
| Dewfall | NBLE28 |
| Dusted Sage | NBLE29 |
| Flax | NBLE30 |
| Grass | NBLE07 |
| Gunmetal | NBLE15 |
| Harmony | NBLE31 |
| Harvest | NBLE12 |
| Ice Caves | NBLE32 |
| Icicle | NBLE33 |
| Inky | NBLE34 |
| Iris | NBLE35 |
| Jade | NBLE06 |
| Knight | NBLE17 |
| Mesa | NBLE03 |
| Monarch | NBLE36 |
| Pacific | NBLE08 |
| Pitch | NBLE37 |
| Queen Bee | NBLE38 |
| Rainforest | NBLE05 |
| Regal | NBLE11 |
| Sandcastle | NBLE39 |
| Sedona | NBLE40 |
| Stormy | NBLE16 |
| Sunbeam | NBLE41 |
| Voyager | NBLE42 |
| Windy Day | NBLE43 |

**PRICE CODE A** *continued*

| REFLECTIONS* | REF |
|---|---|
| Galvanized | REF29 |
| Ice | REF20 |
| Loggia | REF21 |
| Mistral | REF28 |
| Moonstone | REF23 |
| Pewter | REF22 |
| Stainless | REF24 |
| Vanilla | REF25 |
| Winter | REF27 |

| REFUGE* | RFG |
|---|---|
| Artesian | RFG96 |
| Dune | RFG92 |
| Eclipse | RFG90 |
| Frost | RFG93 |
| Glacier | RFG91 |
| Mineral | RFG98 |
| Tidal | RFG94 |

| TEMPEST* | TP |
|---|---|
| Dragonfly | TP30 |
| Frost | TP15 |
| Full Stream | TP80 |
| Gold Rush | TP10 |
| Slate | TP45 |
| Tumbleweed | TP70 |
| Wind Chill | TP40 |
| Zebra | TP35 |

| VAST | VST |
|---|---|
| Atmosphere | VST06 |
| Bay | VST04 |
| Beach | VST11 |
| Country Side | VST13 |
| Desert | VST12 |
| Garden | VST02 |
| Grasslands | VST03 |
| Highway | VST09 |
| Mountain Range | VST08 |
| Ocean | VST07 |
| Open Air | VST05 |
| Tundra | VST10 |
| Vineyard | VST01 |

NOTES: Disperse panel fabrics will be applied pattern cut. Disperse will not be available on 72"W panels.

♦◐◇ For lead time information see page 21.
* Directional fabrics

# EMPOWER®
# FABRIC SCREENS — ALL PANEL MODELS



| PRICE CODE B | |
|---|---|
| **COAST*** | **COA** |
| ♦ Channel | COA14 |
| ◊ Dune | COA03 |
| ◊ Headlands | COA10 |
| ◊ Marsh | COA02 |
| ♦ Pebble | COA12 |
| ♦ Pier | COA13 |
| ◊ Shoal | COA01 |
| ◊ Silt | COA06 |
| ♦ Tide | COA08 |

| | |
|---|---|
| **DISPERSE*** | **DISP** |
| ◊ Autumn | DISP03 |
| ♦ Branch | DISP10 |
| ♦ Coffee Bean | DISP13 |
| ♦ Dusk | DISP09 |
| ◊ Emerald City | DISP08 |
| ◊ Gold Rush | DISP02 |
| ♦ Igloo | DISP11 |
| ◊ Ink | DISP06 |
| ♦ Mist | DISP12 |
| ♦ Oatmeal | DISP15 |
| ◊ Prince | DISP07 |
| ◊ Reservoir | DISP01 |
| ◊ Rose | DISP04 |
| ◊ Spring | DISP05 |
| ♦ Steel | DISP16 |
| ♦ Taupe | DISP14 |

| PRICE CODE B *continued* | |
|---|---|
| **MICA*** ❁ | **MCA** |
| ◊ Anthracite | MCA11 |
| ◊ Breeze | MCA18 |
| ◊ Bronze | MCA13 |
| ◊ Buff | MCA14 |
| ◊ Cremini | MCA17 |
| ♦ Crystal | MCAWIT |
| ◊ Dew | MCA20 |
| ◊ Dove | MCA12 |
| ◊ Fresh | MCA16 |
| ♦ Mineral | MCA15 |
| ◊ Nectar | MCA19 |
| ◊ Shale | MCA10 |

| | |
|---|---|
| **SPIN*** | **SPIN** |
| ♦ Alabaster | SPIN02 |
| ♦ Cavern | SPIN03 |
| ♦ Cobblestone | SPIN04 |
| ◊ Ember | SPIN06 |
| ◊ Flame | SPIN07 |
| ◊ Heron | SPIN13 |
| ♦ Oat | SPIN01 |
| ◊ Ocean | SPIN12 |
| ◊ Plum | SPIN15 |
| ◊ Pool | SPIN11 |
| ◊ Raven | SPIN10 |
| ◊ Rhubarb | SPIN14 |
| ◊ Tropic | SPIN08 |
| ♦ Willow | SPIN05 |


| PRICE CODE B *continued* | |
|---|---|
| **TERRAIN*** | **TRRN** |
| ◊ Bay | TRRN05 |
| ◊ Bayou | TRRN35 |
| ◊ Canyon | TRRN30 |
| ◊ Cliff | TRRN45 |
| ◊ Crest | TRRN25 |
| ◊ Delta | TRRN10 |
| ◊ Plateau | TRRN15 |
| ◊ Ridge | TRRN20 |
| ◊ Valley | TRRN40 |

NOTES: Disperse panel fabrics will be applied pattern cut. Disperse will not be available on 72"W panels.

♦ ◊ ◊ For lead time information see page 21.
* Directional fabrics
❁ Fabric is de-emphasized.

# EMPOWER®
# Step-by-Step Guide






## STEP 1: LEGS


U-leg or angled leg available for dual-sided, single-sided, and 120° applications. NOTE: Gallery Panels act as supports for fixed height Empower® and will replace the leg.

**Gallery Panels:** Specify your Empower®-specific Gallery Panel Kit along with your desired gallery panel from the "Gallery Panels" section. See pages 430-463.




## STEP 2: SUPPORT BEAMS

Support Beam(s) required for all worksurfaces. See page 414 for details.




## STEP 3: TROUGHS


Used to route electrical and data to the workstations. Must be installed in between all supports and match the width of the support beams.



## STEP 4: ELECTRICAL


Electrical components mount to the trough and mounting hardware is included with the trough model.



## STEP 5: WORKSURFACES

Select worksurfaces as appropriate for your application. Worksurface width should match beam size. Worksurface depth should match end leg size. See page 416 for details.



## STEP 6: OPTIONAL ACCESSORIES

**Screens:** Specify an Empower®-specific shared screen or select from several Universal Screens options (fixed above/below, up mount, side mount, front-to-back, sit-on-surface, top mount, modesty, and lateral organizer) to add privacy to your station. Above/below and modesty screens can be used on single-sided applications only.


**Collaborative Table:** Specify an Empower® Collaborative table at the end of a dual-sided Empower® Workstation.

Icon Legend on page 19

# EMPOWER®
# Fixed Height Typicals




## Fixed Height 6-Pack with Laminate In-fills



| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 6 | **Worksurface with Edgeband, No Grommets** 24″ x 60″ | **HSYSEMPWS2460** | $614 | $3,684 |
| 1 | **Double Depth U-Leg (Box of 2)** | **HSYSEMPEL4828** | $1,170 | $1,170 |
| 2 | **Double Depth Shared U-Leg for 24″ Worksurface (Singles)** | **HSYSEMPSL4828** | $380 | $760 |
| 3 | **Support Beams (Box of 2)** 60″W | **HSYSEMPUB260** | $231 | $693 |
| 3 | **Double-Sided Trough** 60″W | **HSYSEMPTRO60** | $350 | $1,050 |
| 1 | **Infeed Cover** | **HSYSEMPINFCOV** | $177 | $177 |
| 1 | **Infeed** | **HMP144** | $438 | $438 |
| 2 | **Power Harness** 60″W | **HH871260** | $286 | $572 |
| 1 | **End of Run Electrical Kit** 60″W | **HMPEEK60** | $298 | $298 |
| 3 | **Duplex 1** | **HH871501** | $58 | $174 |
| 3 | **Duplex 2** | **HH871502** | $58 | $174 |
| 3 | **Duplex 3** | **HH871503** | $58 | $174 |
| 3 | **Duplex 4** | **HH871504** | $58 | $174 |
| 2 | **Laminate Infill for 24″D Worksurface, Dual-sided** | **HSYSEMPLINF224** | $425 | $850 |
| | | | **TOTAL:** | **$10,388** |

## Fixed Height 6-Pack with Returns




| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 6 | **Worksurface with Edgeband, No Grommets** 24″ x 60″ | **HSYSEMPWS2460** | $614 | $3,684 |
| 6 | **Worksurface with Edgeband** 24″ x 36″ | **HSYSEMPWS2436** | $446 | $2,676 |
| 1 | **Double Depth U-Leg (Box of 2)** | **HSYSEMPEL4828** | $1,170 | $1,170 |
| 2 | **Double Depth Shared U-Leg for 24″ Worksurface (Singles)** | **HSYSEMPSL4828** | $380 | $760 |
| 3 | **Single Depth U-Leg Return, Left** | **HSYSEMPRLEL2428** | $412 | $1,236 |
| 3 | **Single Depth U-Leg Return, Right** | **HSYSEMPRREL2428** | $412 | $1,236 |
| 3 | **Support Beams (Box of 2)** 60″W | **HSYSEMPUB260** | $231 | $693 |
| 3 | **Double-Sided Trough** 60″W | **HSYSEMPTRO60** | $350 | $1,050 |
| 1 | **Infeed Cover** | **HSYSEMPINFCOV** | $177 | $177 |
| 1 | **Infeed** | **HMP144** | $438 | $438 |
| 2 | **Power Harness** 60″W | **HH871260** | $286 | $572 |
| 1 | **End of Run Electrical Kit** 60″W | **HMPEEK60** | $298 | $298 |
| 3 | **Duplex 1** | **HH871501** | $58 | $174 |
| 3 | **Duplex 2** | **HH871502** | $58 | $174 |
| 3 | **Duplex 3** | **HH871503** | $58 | $174 |
| 3 | **Duplex 4** | **HH871504** | $58 | $174 |
| | | | **TOTAL:** | **$14,686** |

# EMPOWER®
# Fixed Height Typicals

Icon Legend on page 19




## Fixed Height 6-Pack with Contain® and Universal Screens



| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 6 | **Worksurface with Edgeband, No Grommets** 24″ x 60″ | **HSYSEMPWS2460** | $614 | $3,684 |
| 1 | **Double Depth U-Leg (Box of 2)** | **HSYSEMPEL4828** | $1,170 | $1,170 |
| 2 | **Double Depth Shared U-Leg for 24″ Worksurface (Singles)** | **HSYSEMPSL4828** | $380 | $760 |
| 3 | **Support Beams (Box of 2)** 60″W | **HSYSEMPUB260** | $231 | $693 |
| 3 | **Double-Sided Trough** 60″W | **HSYSEMPTRO60** | $350 | $1,050 |
| 1 | **Infeed Cover** | **HSYSEMPINFCOV** | $177 | $177 |
| 1 | **Infeed** | **HMP144** | $438 | $438 |
| 2 | **Power Harness** 60″W | **HH871260** | $286 | $572 |
| 1 | **End of Run Electrical Kit** 60″W | **HMPEEK60** | $298 | $298 |
| 3 | **Duplex 1** | **HH871501** | $58 | $174 |
| 3 | **Duplex 2** | **HH871502** | $58 | $174 |
| 3 | **Duplex 3** | **HH871503** | $58 | $174 |
| 3 | **Duplex 4** | **HH871504** | $58 | $174 |
| 3 | **Contain® Footed Laminate Front Combo Unit Credenzas with Open Shelf, Left** | **HSCF223618LBFOL** | $1,881 | $5,643 |
| 3 | **Contain® Footed Laminate Front Combo Unit Credenzas with Open Shelf, Right** | **HSCF223618RBFOL** | $1,881 | $5,643 |
| 6 | **Contain® 25 lbs. Credenza Counterweight Kit** | **HSCACW25** | $237 | $1,422 |
| 4 | **Fabric Sit-on-Surface Universal Screen** 20″H x 22″W | **HUSFSOS2022** | $848 | $3,392 |
| 3 | **Fabric Empower® Shared Screen for Fixed Height Applications** 20″H x 60″W | **HUSFEMP2060** | $1,176 | $3,528 |
| | | | **TOTAL:** | **$29,166** |

## Fixed Height 6-Pack with Gallery Panels, Universal Screens, and Collaborative Tables




| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 6 | **Worksurface with Edgeband, No Grommets** 24″ x 60″ | **HSYSEMPWS2460** | $614 | $3,684 |
| 3 | **Support Beams (Box of 2)** 60″W | **HSYSEMPUB260** | $231 | $693 |
| 3 | **Double-Sided Trough** 60″W | **HSYSEMPTRO60** | $350 | $1,050 |
| 1 | **Infeed Cover** | **HSYSEMPINFCOV** | $177 | $177 |
| 1 | **Infeed** | **HMP144** | $438 | $438 |
| 2 | **Power Harness** 60″W | **HH871260** | $286 | $572 |
| 1 | **End of Run Electrical Kit** 60″W | **HMPEEK60** | $298 | $298 |
| 3 | **Duplex 1** | **HH871501** | $58 | $174 |
| 3 | **Duplex 2** | **HH871502** | $58 | $174 |
| 3 | **Duplex 3** | **HH871503** | $58 | $174 |
| 3 | **Duplex 4** | **HH871504** | $58 | $174 |
| 3 | **End Gallery Panel Kit, Fixed Dual-Sided** | **HSYSEMPGPKIT2** | $250 | $750 |
| 2 | **Gallery Panel** 50″H x 60″W | **HRVG5060L** | $1,011 | $2,022 |
| 2 | **Mid Gallery Panel Kit, Fixed Dual-Sided** | **HSYSEMPMGPKIT2** | $394 | $788 |
| 4 | **Gallery Panel** 50″H x 24″W | **HRVG5024L** | $562 | $2,248 |
| 1 | **Gallery Panel Installation Template** | **HSYSEMPGPIT** | $56 | $56 |
| 1 | **Collaborative Station for 24″D Worksurface** 51″ x 51″ | **HSYSEMPCLWS51** | $631 | $631 |
| 1 | **Voi® Angled Legs, Steel 2-Pack** | **HLSL28AM2** | $427 | $427 |
| 3 | **Fabric Empower® Shared Screen for Fixed Height Applications** 20″H x 60″W | **HUSFEMP2060** | $1,176 | $3,528 |
| | | | **TOTAL:** | **$18,058** |

Icon Legend on page 19

# EMPOWER®
# Fixed Height Typicals




## Fixed Height 3-Pack with Universal Screens



| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 3 | **Worksurface with Edgeband, No Grommets** 24″ x 60″ | **HSYSEMPWS2460** | $614 | $1,842 |
| 1 | **Single Depth End U-Leg for 24″ Worksurface (RH and LH)** | **HSYSEMPEL2428** | $675 | $675 |
| 2 | **Single Depth Shared U-Leg for 24″ Worksurface (Singles)** | **HSYSEMPSL2428** | $432 | $864 |
| 3 | **Support Beams (Box of 1)** 60″W | **HSYSEMPUB160** | $121 | $363 |
| 3 | **Single-Sided Trough** 60″W | **HSYSEMPSTRO60** | $188 | $564 |
| 1 | **Infeed Cover** | **HSYSEMPINFCOV** | $177 | $177 |
| 1 | **Infeed** | **HMP144** | $438 | $438 |
| 2 | **Power Harness** 60″W | **HH871260** | $286 | $572 |
| 1 | **End of Run Electrical Kit** 60″W | **HMPEEK60** | $298 | $298 |
| 3 | **Duplex 1** | **HH871501** | $58 | $174 |
| 3 | **Duplex 2** | **HH871502** | $58 | $174 |
| 3 | **Duplex 3** | **HH871503** | $58 | $174 |
| 3 | **Duplex 4** | **HH871504** | $58 | $174 |
| 3 | **Fabric Fixed Above/Below Universal Screen** 34″H x 60″W | **HUSFABF3460** | $1,520 | $4,560 |
| | | | **TOTAL:** | **$11,049** |

## Dog Bone







| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 6 | **120° Corner Worksurface with Edgeband, No Grommets** 48″ x 30″ | **HSYSEMP120WS4830** | $1,431 | $8,586 |
| 2 | **Worksurface with Edgeband, No Grommets** 30″ x 48″ | **HSYSEMPWS3048** | $562 | $1,124 |
| 4 | **Double Depth U-Leg for 30″D Worksurface (used for 120°)** | **HSYSEMP120EL6028** | $651 | $2,604 |
| 6 | **Post Leg for 120°** | **HSYSEMP120POST** | $307 | $1,842 |
| 2 | **Double Depth Shared U-Leg for 30″D Worksurface** | **HSYSEMPSL6028** | $400 | $800 |
| 6 | **120° Support Beam (Box of 2)** 48″W | **HSYSEMP120UB248** | $217 | $1,302 |
| 1 | **Support Beam (Box of 2)** 48″W | **HSYSEMPUB248** | $217 | $217 |
| 6 | **120° Trough** 48″W | **HSYSEMP120TRO48** | $318 | $1,908 |
| 1 | **Double-Sided Trough** 48″W | **HSYSEMPTRO48** | $316 | $316 |
| 1 | **Infeed** | **HMP144** | $438 | $438 |
| 2 | **Electrical Pass-Thru Cables with Duplex Capacity** 24″W | **HH871124** | $172 | $344 |
| 4 | **Electrical Pass-Thru Cables with Duplex Capacity** 72″W | **HH871172** | $181 | $724 |
| 1 | **Electrical Power Harness with Duplex Capacity** 48″W | **HH871248** | $286 | $286 |
| 4 | **Duplex 1** | **HH871501** | $58 | $232 |
| 4 | **Duplex 2** | **HH871502** | $58 | $232 |
| 4 | **Duplex 3** | **HH871503** | $58 | $232 |
| 4 | **Duplex 4** | **HH871504** | $58 | $232 |
| 4 | **Gallery Panel** 42″H x 63″W | **HRVG4236L** | $952 | $3,808 |
| 4 | **Gallery Panel Kit Fixed End, Double-Sided** | **HSYSEMPGPKIT2** | $186 | $744 |
| 1 | **Gallery Panel Installation Template** | **HSYSEMPGPIT** | $56 | $56 |
| | | | **TOTAL:** | **$26,027** |

# EMPOWER® Bundles

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Bundles — 72″W with 24″D Worksurfaces** | | | | | |
| | 2-Pack | **HSYSEMP2472PK2** | 204.9 | 17.1 | **$3726** | **$3766** |
| | 4-Pack | **HSYSEMP2472PK4** | 393.4 | 32.4 | **$6650** | **$6730** |
| | 6-Pack | **HSYSEMP2472PK6** | 582.0 | 47.7 | **$9574** | **$9694** |
| | 8-Pack | **HSYSEMP2472PK8** | 770.5 | 63.0 | **$12499** | **$12659** |
|  | **Bundles — 60″W with 24″D Worksurfaces** | | | | | |
| | 2-Pack | **HSYSEMP2460PK2** | 180.5 | 15.9 | **$3526** | **$3566** |
| | 4-Pack | **HSYSEMP2460PK4** | 344.5 | 29.8 | **$6250** | **$6330** |
| | 6-Pack | **HSYSEMP2460PK6** | 508.6 | 44.0 | **$8974** | **$9094** |
| | 8-Pack | **HSYSEMP2460PK8** | 672.6 | 57.8 | **$11698** | **$11858** |
|  | **Bundles — 72″W with 30″D Worksurfaces** | | | | | |
| | 2-Pack | **HSYSEMP3072PK2** | 234.9 | 12.9 | **$4020** | **$4060** |
| | 4-Pack | **HSYSEMP3072PK4** | 452.7 | 25.0 | **$7128** | **$7208** |
| | 6-Pack | **HSYSEMP3072PK6** | 670.5 | 37.2 | **$10236** | **$10356** |
| | 8-Pack | **HSYSEMP3072PK8** | 888.4 | 49.3 | **$13345** | **$13505** |
|  | **Bundles — 60″W with 30″D Worksurfaces** | | | | | |
| | 2-Pack | **HSYSEMP3060PK2** | 205.8 | 11.5 | **$3764** | **$3804** |
| | 4-Pack | **HSYSEMP3060PK4** | 394.6 | 22.2 | **$6616** | **$6696** |
| | 6-Pack | **HSYSEMP3060PK6** | 583.3 | 32.9 | **$9468** | **$9588** |
| | 8-Pack | **HSYSEMP3060PK8** | 772.1 | 43.7 | **$12320** | **$12480** |

**SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor (S only)**

**NOTES:**

- Bundles include worksurfaces, end legs, shared legs, support beams, troughs, power harnesses, and duplexes.
- Please specify infeed, screens, storage, and seating separately.

❗ Stack-on storage cannot be used on Empower® benching.

## HOW TO SPECIFY





| Select Model Number | Select Laminate Color | Select Edgeband Color | Select Paint Color | Select Duplex Color |
|---|---|---|---|---|
| | See page 399 | See page 399 | See page 399 | See page 399 |
| H S Y S E M P 2 4 7 2 P K 2 . | L D W 1 . | L D W 1 . | T 1 . | S |

GSA SIN 33721

Icon Legend on page 19

# EMPOWER® Chicago Bundles



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Bundles — 72″W with 24″D Worksurfaces** | | | | | |
| | 2-Pack | **HSYSEMP2472PK2CH** | 195.9 | 17.1 | **$3179** | **$3219** |
| | 4-Pack | **HSYSEMP2472PK4CH** | 375.4 | 32.4 | **$5568** | **$5648** |
| | 6-Pack | **HSYSEMP2472PK6CH** | 555.0 | 47.7 | **$7957** | **$8077** |
| | 8-Pack | **HSYSEMP2472PK8CH** | 734.5 | 63.0 | **$10347** | **$10507** |
|  | **Bundles — 60″W with 24″D Worksurfaces** | | | | | |
| | 2-Pack | **HSYSEMP2460PK2CH** | 173.5 | 15.8 | **$2979** | **$3019** |
| | 4-Pack | **HSYSEMP2460PK4CH** | 330.5 | 29.8 | **$5168** | **$5248** |
| | 6-Pack | **HSYSEMP2460PK6CH** | 487.6 | 43.8 | **$7357** | **$7477** |
| | 8-Pack | **HSYSEMP2460PK8CH** | 644.6 | 57.8 | **$9546** | **$9706** |
|  | **Bundles — 72″W with 30″D Worksurfaces** | | | | | |
| | 2-Pack | **HSYSEMP3072PK2CH** | 225.9 | 12.9 | **$3473** | **$3513** |
| | 4-Pack | **HSYSEMP3072PK4CH** | 434.7 | 25.0 | **$6046** | **$6126** |
| | 6-Pack | **HSYSEMP3072PK6CH** | 643.5 | 37.2 | **$8619** | **$8739** |
| | 8-Pack | **HSYSEMP3072PK8CH** | 852.4 | 49.3 | **$11193** | **$11353** |
|  | **Bundles — 60″W with 30″D Worksurfaces** | | | | | |
| | 2-Pack | **HSYSEMP3060PK2CH** | 196.5 | 16.8 | **$3087** | **$3127** |
| | 4-Pack | **HSYSEMP3060PK4CH** | 376.6 | 31.7 | **$5384** | **$5464** |
| | 6-Pack | **HSYSEMP3060PK6CH** | 556.7 | 46.6 | **$7681** | **$7801** |
| | 8-Pack | **HSYSEMP3060PK8CH** | 736.8 | 61.6 | **$9978** | **$10138** |

**SPECIFYING EXAMPLE: Model.Laminate.Edgeband.Paint2.DuplexColor (S only)**

**NOTES:**

- Bundles include worksurfaces, end legs, shared legs, support beams, and electrical troughs.
- Electrical is not included in Chicago bundles. Please specify necessary electrical components, infeed, screens, storage, and seating separately.

! Stack-on storage cannot be used on Empower® benching.

## HOW TO SPECIFY





| Select Model Number | Select Laminate Color | Select Edgeband Color | Select Paint Color |
|---|---|---|---|
| | See page 399 | See page 399 | See page 399 |
| H S Y S E M P 2 4 7 2 P K 2 C H . | L D W 1 . | L D W 1 . | T 1 |

# EMPOWER®
# U-Legs for Linear Applications

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Double Depth U-Leg (Box of 2)** | | | | | | |
| | 50½"D for use with 24"D Worksurfaces | **HSYSEMPEL4828** | 38.8 | 8.9 | **$1170** | **$1287** | **$1346** |
| | 62½"D for use with 30"D Worksurfaces | **HSYSEMPEL6028** | 41.1 | 9.2 | **$1300** | **$1430** | **$1495** |
| | NOTES: Ships as a box of 2 legs. | | | | | | |
|  | **Double Depth Shared U-Leg (Singles)** | | | | | | |
| | 30"D for use with 24"D Worksurfaces | **HSYSEMPSL4828** | 22.4 | 7.1 | **$380** | **$418** | **$437** |
| | 42"D for use with 30"D Worksurfaces | **HSYSEMPSL6028** | 24.1 | 8.2 | **$400** | **$440** | **$460** |
|  | **Single Depth U-Leg (Box of 2)** | | | | | | |
| | 24"D for use with 24"D Worksurfaces | **HSYSEMPEL2428** | 30.0 | 4.5 | **$675** | **$743** | **$776** |
| | 30"D for use with 30"D Worksurfaces | **HSYSEMPEL3028** | 31.2 | 5.4 | **$750** | **$825** | **$863** |
| | NOTES: Ships as a box of 2 legs. | | | | | | |
|  | **Single Depth Shared U-Leg (Singles)** | | | | | | |
| | 18"D for use with 24"D Worksurfaces | **HSYSEMPSL2428** | 17.7 | 4.5 | **$432** | **$475** | **$497** |
| | 24"D for use with 30"D Worksurfaces | **HSYSEMPSL3028** | 18.5 | 5.7 | **$480** | **$528** | **$552** |

## HOW TO SPECIFY

**Select Model Number**

H S Y S E M P E L 4 8 2 8 .

**Select Paint Color**

See page 399


T 1

GSA SIN 33721

Icon Legend on page 19

# EMPOWER®
# Legs for 120° Applications






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Double Depth U-Leg (Single Leg for 120° Applications)** | | | | | | |
| 50½″D for use with 24″D Worksurfaces | **HSYSEMP120EL4828** | 38.8 | 8.9 | **$587** | **$646** | **$675** |
| 60½″D for use with 30″D Worksurfaces | **HSYSEMP120EL6028** | 41.1 | 8.9 | **$651** | **$716** | **$749** |

NOTES: Ships as single leg for 120° applications.

❗ 120° surfaces must be used in back-to-back applications — cannot be used freestanding.



**Post Leg for 120° Applications (Singles)**


| | | | | | | |
|---|---|---|---|---|---|---|
| 28½″H | **HSYSEMP120POST** | 12.6 | 7.8 | **$307** | **$338** | **$353** |


NOTES: One post leg needed per 120° worksurface. Post leg ships with attachment brackets needed to connect support beams and worksurfaces.

❗ 120° surfaces must be used in back-to-back applications — cannot be used freestanding.

**NOTES:**

- Dual-sided 120° leg only compatible with back-to-back Empower® tops. If 120° tops terminate in a single-sided application, specify single depth U-Legs. See diagram below for examples.




## HOW TO SPECIFY

**Select Model Number**

| H | S | Y | S | E | M | P | 1 | 2 | 0 | E | L | 4 | 8 | 2 | 8 | . |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

**Select Paint Color**

See page 399


| T | 1 |
|---|---|

# EMPOWER®
# Metal & Laminate Infills for U-Legs


GSA SIN 33721

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| Metal Infill for 24″D Worksurface, Dual-Sided | **HSYSEMPMINF224** | 19.97 | 3.1 | **$319** | **$351** | **$367** |
| Metal Infill for 30″D Worksurface, Dual-Sided | **HSYSEMPMINF230** | 23.7 | 3.8 | **$355** | **$391** | **$408** |
| Metal Infill for 24″D Worksurface, Single-Sided | **HSYSEMPMINF124** | 11.5 | 1.4 | **$244** | **$268** | **$322** |
| Metal Infill for 30″D Worksurface, Single-Sided | **HSYSEMPMINF130** | 13.4 | 1.8 | **$280** | **$308** | **$322** |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| Laminate Infill for 24″D Worksurface, Dual-Sided | **HSYSEMPLINF224** | 30.5 | 2.5 | **$425** | **$438** |
| Laminate Infill for 30″D Worksurface, Dual-Sided | **HSYSEMPLINF230** | 36.6 | 2.9 | **$473** | **$489** |
| Laminate Infill for 24″D Worksurface, Single-Sided | **HSYSEMPLINF124** | 16.8 | 1.7 | **$358** | **$368** |
| Laminate Infill for 30″D Worksurface, Single-Sided | **HSYSEMPLINF130** | 19.8 | 1.8 | **$388** | **$400** |

**NOTES:**
- The metal and laminate infills are only for use with end U-legs. Not compatible with mid legs.
- Available for both dual- and single-sided applications.
- The metal infill is designed with bent edges to attach to U-legs.
- The laminate infill package consists of 2 secondary brackets that are fastened to the U-legs, and the laminate infill is fastened to the brackets.

## HOW TO SPECIFY

**Select Model Number**

H S Y S E M P L I N F 2 2 4 .

**Select Laminate Color *(if applicable)***

See page 399

L D W 1 .

**Select Edgeband Color (if applicable)**

See page 399

D W .

**Select Paint Color**

See page 399





T 1

GSA SIN 33721

Icon Legend on page 19

# EMPOWER®
# Angled Legs for Linear Applications



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Double Depth Angled Leg (Box of 2)** | | | | | | |
| | 50½″D for use with 24″D Worksurfaces | **HSYSEMPAL4828** | 37.2 | 8.9 | **$1229** | **$1352** | **$1413** |
| | 62½″D for use with 30″D Worksurfaces | **HSYSEMPAL6028** | 40.0 | 10.8 | **$1365** | **$1502** | **$1570** |
| | NOTES: Ships as a box of 2 legs. | | | | | | |
|  | **Double Depth Shared Angled Leg (Singles)** | | | | | | |
| | 30″D for use with 24″D Worksurfaces | **HSYSEMPSAL4828** | 8.5 | 23.2 | **$399** | **$439** | **$459** |
| | 42″D for use with 30″D Worksurfaces | **HSYSEMPSAL6028** | 9.6 | 23.9 | **$420** | **$462** | **$483** |
|  | **Single Depth Angled Leg (Box of 2)** | | | | | | |
| | 24″D for use with 24″D Worksurfaces | **HSYSEMPAL2428** | 30.2 | 4.5 | **$709** | **$780** | **$815** |
| | 30″D for use with 30″D Worksurfaces | **HSYSEMPAL3028** | 31.4 | 5.4 | **$788** | **$867** | **$906** |
|  | **Single Depth Shared Angled Leg (Singles)** | | | | | | |
| | 18″D for use with 24″D Worksurfaces | **HSYSEMPSAL2428** | 17.8 | 4.9 | **$454** | **$499** | **$522** |
| | 24″D for use with 30″D Worksurfaces | **HSYSEMPSAL3028** | 18.8 | 5.7 | **$504** | **$554** | **$580** |

## HOW TO SPECIFY

**Select Model Number**

H S Y S E M P A L 4 8 2 8 .

**Select Paint Color**

See page 399


T 1

# EMPOWER®
# Angled Legs for 120° Applications

GSA SIN 33721

Icon Legend on page 19






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Double Depth Angled Leg (Single Leg for 120° Applications)** | | | | | | |
| 50½"D for use with 24"D Worksurfaces | **HSYSEMP120AL4828** | 35.9 | 8.9 | **$616** | **$678** | **$708** |
| 60½"D for use with 30"D Worksurfaces | **HSYSEMP120AL6028** | 38.8 | 10.8 | **$684** | **$752** | **$787** |

NOTES: Ships as single leg for 120° applications.

❗ 120° surfaces must be used in back-to-back applications — cannot be used freestanding.




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Post Leg for 120° Applications (Singles)** | | | | | | |
| 28½"H | **HSYSEMP120POST** | 12.6 | 7.8 | **$307** | **$338** | **$353** |


NOTES: One post leg needed per 120° worksurface. Post leg ships with attachment brackets needed to connect support beams and worksurfaces.

❗ 120° surfaces must be used in back-to-back applications — cannot be used freestanding.

**NOTES:**

- Dual-sided 120° leg only compatible with back-to-back Empower® tops. If 120° tops terminate in a single-sided application, specify single depth U-Legs. See diagram below for examples.




## HOW TO SPECIFY

**Select Model Number**

H S Y S E M P 1 2 0 A L 4 8 2 8 . T 1

**Select Paint Color**



See page 399

GSA SIN 33721

Icon Legend on page 19

# EMPOWER® Return Components



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Single Depth Return U-Leg (Singles)** | | | | | | |
| | Left | **HSYSEMPRLEL2428** | 17.5 | 4.5 | **$415** | **$448** | **$464** |
| | Right | **HSYSEMPRREL2428** | 17.5 | 4.5 | **$415** | **$448** | **$464** |
| | NOTES: Return legs ship with one flat bracket. | | | | | | |
|  | **Single Depth Return Angled Leg (Singles)** | | | | | | |
| | Left | **HSYSEMPRLAL2428** | 18.0 | 9.2 | **$436** | **$471** | **$489** |
| | Right | **HSYSEMPRRAL2428** | 18.0 | 9.2 | **$436** | **$471** | **$489** |
| | NOTES: Return legs ship with one flat bracket. | | | | | | |

**NOTES:**

- Return legs ship with one flat bracket.
- ! Stack on storage cannot be used on Empower® benching.
- ! For use with linear, fixed height applications only.

## HOW TO SPECIFY

**Select Model Number**

| H | S | Y | S | E | M | P | R | L | E | L | 2 | 4 | 2 | 8 | . |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

**Select Paint Color**

See page 399




| T | 1 |
|---|---|

# EMPOWER®
# Support Beams

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Support Beams (Box of 1)** | | | | |
| | 48″W | **HSYSEMPUB148** | 8.2 | 0.6 | **$108** |
| | 60″W | **HSYSEMPUB160** | 9.4 | 0.7 | **$121** |
| | 72″W | **HSYSEMPUB172** | 10.5 | 0.8 | **$134** |
| | NOTES: For use on single-sided stations and returns. One support beam per worksurface is needed. | | | | |
| | ! Available in graphite finish only. No specification needed. | | | | |
|  | **Support Beams (Box of 2)** | | | | |
| | 48″W | **HSYSEMPUB248** | 12.4 | 0.6 | **$217** |
| | 60″W | **HSYSEMPUB260** | 14.7 | 0.7 | **$231** |
| | 72″W | **HSYSEMPUB272** | 17.0 | 0.8 | **$267** |
| | NOTES: For use with double-sided stations. One support beam per worksurface is needed. | | | | |
| | ! Available in graphite finish only. No specification needed. | | | | |
|  | **Support Beams for 120° Applications (Box of 2)** | | | | |
| | 36″W | **HSYSEMP120UB236** | 9.1 | 0.4 | **$172** |
| | 42″W | **HSYSEMP120UB242** | 10.3 | 0.4 | **$194** |
| | 48″W | **HSYSEMP120UB248** | 11.5 | 0.5 | **$217** |
| | NOTES: Two support beams per 120° worksurface are needed. | | | | |
| | ! Available in graphite finish only. No specification needed. | | | | |

## HOW TO SPECIFY

**Select**
**Model Number**




| H | S | Y | S | E | M | P | U | B | 1 | 4 | 8 |
|---|---|---|---|---|---|---|---|---|---|---|---|

GSA SIN 33721

Icon Legend on page 19

# EMPOWER® Wire Troughs



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Trough — Double-Sided** | | | | |
| | 48″W | **HSYSEMPTRO48** | 19.8 | 1.8 | **$316** |
| | 60″W | **HSYSEMPTRO60** | 21.8 | 2.1 | **$350** |
| | 72″W | **HSYSEMPTRO72** | 23.5 | 2.5 | **$384** |
| | ! Available in graphite finish only. No specification needed. | | | | |
|  | **Trough — Single-Sided** | | | | |
| | 48″W | **HSYSEMPSTRO48** | 9.5 | 1.5 | **$141** |
| | 60″W | **HSYSEMPSTRO60** | 10.8 | 1.5 | **$188** |
| | 72″W | **HSYSEMPSTRO72** | 12.2 | 1.8 | **$237** |
| | ! Available in graphite finish only. No specification needed. | | | | |
|  | **Trough — Double-Sided for 120° Applications** | | | | |
| | 36″W | **HSYSEMP120TRO36** | 11.9 | 0.6 | **$259** |
| | 42″W | **HSYSEMP120TRO42** | 13.1 | 0.8 | **$287** |
| | 48″W | **HSYSEMP120TRO48** | 14.3 | 0.8 | **$318** |
| | ! Available in graphite finish only. No specification needed. | | | | |

**NOTES:**
- Slots available in trough to zip tie data cables for wire management.
- Electrical components are not included with the trough. Must be ordered separately.
- Single-sided trough is used for single-sided applications only. Specify one per worksurface.
- Double-sided trough is shared between two back-to-back worksurfaces.
- Troughs are compatible with support legs and gallery panels.

! For use with fixed height Empower® only.

## HOW TO SPECIFY

**Select Model Number**



| H | S | Y | S | E | M | P | T | R | O | 4 | 8 |
|---|---|---|---|---|---|---|---|---|---|---|---|

# EMPOWER® Systems Worksurfaces

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **24″D Worksurface with Edgeband** | | | | | |
| | 36″W x 24″D | **HSYSEMPWS2436** | 30.6 | 1.3 | **$446** | **$461** |
| | NOTES: For use as a return surface only. | | | | | |
| | 48″W x 24″D | **HSYSEMPWS2448** | 39.9 | 1.7 | **$520** | **$535** |
| | NOTES: Can be used as a primary surface or a return surface. | | | | | |
| | 60″W x 24″D | **HSYSEMPWS2460** | 49.1 | 2.1 | **$614** | **$634** |
| | 72″W x 24″D | **HSYSEMPWS2472** | 58.3 | 2.5 | **$679** | **$699** |
| | NOTES: For use as a primary surface. | | | | | |
|  | **30″D Worksurface with Edgeband** | | | | | |
| | 48″W x 30″D | **HSYSEMPWS3048** | 49.1 | 2.1 | **$562** | **$577** |
| | 60″W x 30″D | **HSYSEMPWS3060** | 60.6 | 2.5 | **$668** | **$688** |
| | 72″W x 30″D | **HSYSEMPWS3072** | 72.1 | 3.0 | **$761** | **$781** |

**NOTES:**

- Worksurfaces are constructed of laminate on 1⅛″ solid core high-performance particleboard.

All worksurfaces load tested to BIFMA standards.

Stack-on storage cannot be used on Empower® benching.

## HOW TO SPECIFY

**Select Model Number**

H S Y S E M P W S 2 4 3 6 .

**Select Laminate Color**

See page 399

L D W 1 .

**Select Edgeband Color**

See page 399


L D W 1

GSA SIN 33721


Icon Legend on page 19

# SYSTEMS WORKSURFACES
## 120° Corner








**HSYSEMP120WS3624N**





**HSYSEMP120WS3624**





**HSYSEMP120WS4224N**





**HSYSEMP120WS4224**





**HSYSEMP120WS4230N**





**HSYSEMP120WS4230**





**HSYSEMP120WS4824N**




**HSYSEMP120WS4824**




**HSYSEMP120WS4830N**




**HSYSEMP120WS4830**


# SYSTEMS WORKSURFACES
## 120° Corner

GSA SIN 33721

Icon Legend on page 19



Grain Direction



*W=panel width*
*D=worksurface depth*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE |
|---|---|---|---|---|---|
| **120° Corner Worksurfaces with Curved User Edge** | | | | | |
| 36″W x 24″D | **HSYSEMP120WS3624** | 52.8 | 7.8 | **$935** | **$950** |
| 42″W x 24″D | **HSYSEMP120WS4224** | 63.5 | 9.2 | **$1005** | **$1020** |
| 48″W x 24″D | **HSYSEMP120WS4824** | 74.5 | 9.2 | **$1176** | **$1191** |
| 42″W x 30″D | **HSYSEMP120WS4230** | 72.7 | 11.7 | **$1341** | **$1356** |
| 48″W x 30″D | **HSYSEMP120WS4830** | 85.8 | 11.7 | **$1431** | **$1446** |

- HSYSEMP120WS3624 will not accept the H4022, HE4022, H4028, or H4029 keyboard platforms.
- Worksurfaces are available with or without grommets.
- 120° dual-sided stations can be used with gallery panels. Refer to gallery panel section on page 429.1 for appropriate sizing to the worksurface depth.

**NOTES:**
- Worksurfaces are constructed of laminate on 1⅛″ solid core high-performance particleboard.
- Add suffix **“N”** to Model Number for worksurfaces with no grommets. No upcharge.

Recommend mounting monitor arms on back of worksurface with 120° configurations. Mounting through the grommet may lead to interference with 120° post leg and limit usable grommet space for cord passage.

## HOW TO SPECIFY

**Select Model Number**

No Grommet option: Add **“N”** suffix (no upcharge)

H S Y S E M P 1 2 0 W S 3 6 2 4 .

H S Y S E M P 1 2 0 W S 3 6 2 4 N .

**Select Laminate**

See page 377

A 5 .

A 5 .

**Select Edge Color**

See page 377

K .

K

**Select Grommet Color**

See page 377


T 1

GSA SIN 33721

Icon Legend on page 19

# EMPOWER®
# Touchdown and Collaborative Stations






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Touchdown Workstation** | | | | | |
| 51″W x 24″D (for 24″D workstations) | **HSYSEMPTDWS24UL** | 50.3 | 2.5 | **$570** | **$590** |
| 63″W x 24″D (for 30″D workstations) | **HSYSEMPTDWS30UL** | 59.51 | 2.6 | **$650** | **$670** |

NOTES: Installed at the end of a dual-sided Empower® run. Mounts to a fixed end U-Leg only.


- Does not require post leg support.
- HLSLZ5SC42 should be ordered separately with the 63″ x 24″ Touchdown top.




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Collaborative Station** | | | | | |
| 51″W x 51″D (for 24″D workstations) | **HSYSEMPCLWS51** | 98.5 | 5.3 | **$634** | **$669** |
| 63″W x 54″D (for 30″D workstations) | **HSYSEMPCLWS63** | 124.8 | 6.4 | **$660** | **$695** |

NOTES: Installed at the end of a dual-sided Empower® run. Can be mounted to a fixed end U-Leg, or to an end gallery panel. Compatible with linear and 120° applications.

- Requires post leg support (ordered separately). Compatible with Voi® post leg, and Voi® wood or metal desking legs.
- Requires cantilever bracket kit HSYSEMPULEORB for standard applications or HSYSEMPGPKIT2 for gallery panel applications (ordered separately).
- Stiffeners are included to prevent bowing in the worksurface.



| | | | | | | |
|---|---|---|---|---|---|---|
| **Cantilever Brackets** | **HSYSEMPULEORB** | 8.14 | 0.4 | **$160** | | **N/A** |
| **Gallery Panel Brackets** | **HSYSEMPGPKIT2** | 15.05 | 1.0 | **$186** | | **$205** |



*HLSL28AM2* *HLSL28AW2*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Angled Legs** | | | | | | |
| 12″W x 8″D x 32″H Steel — 2-Pack | **HLSL28AM2** | 15 | 1.3 | **$445** | **$455** | **$467** |
| 12″W x 8″D x 32″H Wood — 2-Pack | **HLSL28AW2** | 14 | 1.5 | **$576** | **N/A** | **N/A** |

NOTES: Angled Steel Legs come equipped with a removable wire management channel in each leg. Angled legs have 2″ of leveling.

- Wood legs use natural wood material. The color on each leg may contain natural variation.
- Pricing shown is per carton. Ordering 2 of either model will result in 2 cartons being shipped, giving you 4 legs.

## HOW TO SPECIFY

**Select Model Number**

H S Y S E M P T D W S 2 4 U L .

**Select Laminate Color *(if applicable)***

See page 399

L D W 1 .

**Select Edgeband Color *(if applicable)***

See page 399


D W

# EMPOWER®
# Day 2 Add-On Kit

GSA SIN 33721


Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Day 2 Add-On Kit** | **HSYSEMPD2KIT** | 4.5 | 0.3 | **$146** |

**NOTES:**
- Used to extend an Existing Empower® station (ordered prior to July 2024).
- Bracket will mount to an existing Empower® shared leg.
- Must replace existing trough, end leg, and support beams with new models. Worksurfaces can be re-used.




## HOW TO SPECIFY

**Select Model Number**

H S Y S E M P D 2 K I T .

**Select Laminate Color *(if applicable)***

See page 399

L D W 1 .

**Select Edgeband Color *(if applicable)***

See page 399


D W

OPEN MARKET

Icon Legend on page 19

# EMPOWER® Shared Screens for Fixed Height Applications





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE AA | A | B |
|---|---|---|---|---|---|---|
| **Fabric Empower® Shared Screens for Fixed Height Applications** | | | | | | |
| 13″H x 42″W | **HUSFEMP1342** | 8.5 | 1.4 | **$911** | **$911** | **$954** |
| 13″H x 48″W | **HUSFEMP1348** | 9.0 | 1.6 | **$973** | **$973** | **$1020** |
| 13″H x 54″W | **HUSFEMP1354** | 9.5 | 1.8 | **$1043** | **$1043** | **$1095** |
| 13″H x 60″W | **HUSFEMP1360** | 10.0 | 2.0 | **$1102** | **$1102** | **$1158** |
| 13″H x 66″W | **HUSFEMP1366** | 10.5 | 2.2 | **$1168** | **$1168** | **$1228** |
| 13″H x 72″W | **HUSFEMP1372** | 11.0 | 2.4 | **$1238** | **$1238** | **$1303** |
| 20″H x 42″W | **HUSFEMP2042** | 10.6 | 2.2 | **$1054** | **$1054** | **$1107** |
| 20″H x 48″W | **HUSFEMP2048** | 11.4 | 2.5 | **$1131** | **$1131** | **$1189** |
| 20″H x 54″W | **HUSFEMP2054** | 12.2 | 2.8 | **$1216** | **$1216** | **$1279** |
| 20″H x 60″W | **HUSFEMP2060** | 13.0 | 3.0 | **$1236** | **$1236** | **$1300** |
| 20″H x 66″W | **HUSFEMP2066** | 13.8 | 3.3 | **$1331** | **$1331** | **$1403** |
| 20″H x 72″W | **HUSFEMP2072** | 14.6 | 3.6 | **$1436** | **$1436** | **$1515** |

## HOW TO SPECIFY

**Select Model Number**

H U S F E M P 1 3 4 2 .

**Select Fabric**


See pages 400-401

N B L E 1 8 .

**Select Bracket Paint**

See page 399

P R 6



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | CLEAR GLASS | FROSTED GLASS |
|---|---|---|---|---|---|
| **Glass Empower® Shared Screens for Fixed Height Applications** | | | | | |
| 13″H x 42″W | **HUSGEMP1342** | 22.1 | 2.0 | **$992** | **$1066** |
| 13″H x 48″W | **HUSGEMP1348** | 24.6 | 2.2 | **$1028** | **$1105** |
| 13″H x 54″W | **HUSGEMP1354** | 27.0 | 2.5 | **$1067** | **$1148** |
| 13″H x 60″W | **HUSGEMP1360** | 29.5 | 2.7 | **$1107** | **$1192** |
| 13″H x 66″W | **HUSGEMP1366** | 31.9 | 3.0 | **$1154** | **$1243** |
| 13″H x 72″W | **HUSGEMP1372** | 34.4 | 3.2 | **$1193** | **$1286** |
| 20″H x 42″W | **HUSGEMP2042** | 32.1 | 2.8 | **$1145** | **$1234** |
| 20″H x 48″W | **HUSGEMP2048** | 36.0 | 3.2 | **$1181** | **$1273** |
| 20″H x 54″W | **HUSGEMP2054** | 39.9 | 3.6 | **$1238** | **$1336** |
| 20″H x 60″W | **HUSGEMP2060** | 43.8 | 3.9 | **$1285** | **$1388** |
| 20″H x 66″W | **HUSGEMP2066** | 47.6 | 4.3 | **$1355** | **$1466** |
| 20″H x 72″W | **HUSGEMP2072** | 51.5 | 4.7 | **$1412** | **$1528** |

**NOTES:**

- Horizon planning considerations: a 13″H screen is 42″H from the floor and a 20″H screen is 50″H from the floor.

Models listed here can ONLY BE USED ON FIXED HEIGHT APPLICATIONS. See height adjustable section on page 429.4 for shared height adjustable screen models.

Shared Screens cannot be used on single-sided applications.

## HOW TO SPECIFY

**Select Model Number**

H U S G E M P 1 3 4 2 .

**Select Glass**

**Q** Clear Glass
**R** Frosted Glass

Q .

**Select Bracket Paint**

See page 399


P R 6

# EMPOWER®
# Shared Screens for Fixed Height Applications

OPEN MARKET

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Acrylic Empower® Shared Screens for Fixed Height Applications** | | | | | | |
| 13″H x 42″W | **HUSAEMP1342** | 12.6 | 3.3 | **$979** | **$996** | **$1027** |
| 13″H x 48″W | **HUSAEMP1348** | 13.6 | 3.8 | **$1001** | **$1018** | **$1049** |
| 13″H x 54″W | **HUSAEMP1354** | 14.7 | 4.2 | **$1143** | **$1160** | **$1191** |
| 13″H x 60″W | **HUSAEMP1360** | 15.8 | 4.6 | **$1155** | **$1172** | **$1203** |
| 13″H x 66″W | **HUSAEMP1366** | 16.9 | 5.1 | **$1296** | **$1313** | **$1344** |
| 13″H x 72″W | **HUSAEMP1372** | 18.0 | 5.5 | **$1307** | **$1324** | **$1355** |
| 20″H x 42″W | **HUSAEMP2042** | 17.0 | 4.9 | **$1481** | **$1498** | **$1529** |
| 20″H x 48″W | **HUSAEMP2048** | 18.7 | 5.5 | **$1493** | **$1510** | **$1541** |
| 20″H x 54″W | **HUSAEMP2054** | 20.4 | 6.2 | **$1768** | **$1785** | **$1816** |
| 20″H x 60″W | **HUSAEMP2060** | 22.1 | 6.8 | **$1790** | **$1807** | **$1838** |
| 20″H x 66″W | **HUSAEMP2066** | 23.8 | 7.5 | **$2055** | **$2072** | **$2103** |
| 20″H x 72″W | **HUSAEMP2072** | 25.5 | 8.1 | **$2065** | **$2082** | **$2113** |

## HOW TO SPECIFY


**Select Model Number**

H U S A E M P 1 3 4 2 .

**Select Bracket Paint**

See page 399

P R 6



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **PET Empower® Shared Screens for Fixed Height Applications** | | | | |
| 13″H x 42″W | **HUSPEMP1342** | 18.5 | 1.9 | **$595** |
| 13″H x 48″W | **HUSPEMP1348** | 18.5 | 2.0 | **$621** |
| 13″H x 54″W | **HUSPEMP1354** | 21.8 | 2.2 | **$736** |
| 13″H x 60″W | **HUSPEMP1360** | 21.8 | 2.4 | **$821** |
| 13″H x 66″W | **HUSPEMP1366** | 25.0 | 2.6 | **$882** |
| 13″H x 72″W | **HUSPEMP1372** | 25.0 | 2.8 | **$930** |
| 20″H x 42″W | **HUSPEMP2042** | 26.5 | 1.9 | **$940** |
| 20″H x 48″W | **HUSPEMP2048** | 26.5 | 2.8 | **$950** |
| 20″H x 54″W | **HUSPEMP2054** | 32.0 | 3.0 | **$979** |
| 20″H x 60″W | **HUSPEMP2060** | 32.0 | 3.3 | **$1058** |
| 20″H x 66″W | **HUSPEMP2066** | 37.3 | 3.6 | **$1135** |
| 20″H x 72″W | **HUSPEMP2072** | 37.3 | 2.5 | **$1166** |

**NOTES:**

- Horizon planning considerations: a 13″H screen is 42″H from the floor and a 20″H screen is 50″H from the floor.

Models listed here can ONLY BE USED ON FIXED HEIGHT APPLICATIONS. See height adjustable section on page 429.4 for shared height adjustable screen models.

Shared Screens cannot be used on single-sided applications.

## HOW TO SPECIFY

**Select Model Number**

H U S P E M P 1 3 4 2 .

**Select PET Color**

**DDB1** Dark Blue
**DGN1** Green
**DGY4** Dark Gray
**DGY3** Medium Gray

D G Y 3 .

**Select Bracket Paint**

See page 399


P R 6

GSA SIN 33721

Icon Legend on page 19

# EMPOWER®
# Modesty Panels/End of Run Screens





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Dual-Side Laminate End of Run Screens** | | | | | |
| 48″W x 26″H | **HMPLM4826** | 30.9 | 4.1 | **$376** | **$388** |
| 48″W x 34″H | **HMPLM4834** | 38.9 | 5.2 | **$410** | **$422** |
| 60″W x 26″H | **HMPLM6026** | 38.1 | 5.1 | **$508** | **$520** |
| 60″W x 34″H | **HMPLM6034** | 48.3 | 6.4 | **$551** | **$563** |

**NOTES:**

- 48″W screens for use with 24″D worksurfaces, and 60″W screens for use with 30″D worksurfaces.

❗ Not compatible with angled legs.

❗ For fixed height applications only.

❗ Cannot be used in single-sided applications.

## HOW TO SPECIFY

**Select Model Number**

H M P L M 4 8 2 6 .

**Select Laminate Color**

See page 399

P I N C P I N C .

**Select Paint Color**


Bracket paint must be specified

T 1

# EMPOWER® HEIGHT ADJUSTABLE
## Step-by-Step Guide


GSA SIN 33721






### STEP 1: LEGS

Select 2-stage (26 49⁄50″-46 13⁄50″) insert height range) or 3-stage (20 43⁄50″-47 3⁄25″) insert height range) HAT legs depending on your range adjustment needs.




### STEP 2: TROUGHS

NOTE: For single-sided applications, a single-sided installation template is REQUIRED for proper installation of the rail.




### STEP 3: ELECTRICAL

Electrical components mount to the trough and mounting hardware is included with the trough model. End cap or power pole for single-sided applications is REQUIRED.




### STEP 4: WORKSURFACES

All hardware to attach worksurface is included with height adjustable legs.



### STEP 5: SCREENS

Specify 2-stage or 3-stage center mount screens or select from a number of Universal Screens options (Elevated HAT screen, Above/Below HAT screen, Front-to-Back HAT screen, Top Mount HAT screen, Side Mount HAT screen, or Sit-on-Surface screen) to add privacy to your station. Above/Below screens can be used on single-sided applications only.

### STEP 6: GALLERY PANEL KITS

Specify your Empower®-specific Gallery Panel Kit along with your desired gallery panel from the “Gallery Panels” section (see pages 459-460).


Icon Legend on page 19

# EMPOWER®
# Height Adjustable Typicals



## Height Adjustable 6-Pack


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 6 | **Height Adjustable Worksurface with Edgeband, No Grommets** 28″D x 58″W | **HSYSEMPHAWS2858** | $639 | $3,834 |
| 6 | **External Support Channel** | **HLSLZ5SC48** | $118 | $708 |
| 6 | **2-Stage Dual-Sided Height Adjustable Base** | **HSYSEMPHA2S2S** | $1,300 | $7,800 |
| 3 | **Height Adjustable Shared Trough** 60″W | **HSYSEMPHATRO60** | $900 | $2,700 |
| 1 | **Infeed** | **HMP144** | $438 | $438 |
| 2 | **Power Harness** 60″W | **HH871260** | $286 | $572 |
| 1 | **End of Run Electrical Kit** 60″W | **HMPEEK60** | $298 | $298 |
| 1 | **Infeed Vertebrae** | **HMPVWM28** | $294 | $294 |
| 3 | **Duplex 1** | **HH871501** | $58 | $174 |
| 3 | **Duplex 2** | **HH871502** | $58 | $174 |
| 3 | **Duplex 3** | **HH871503** | $58 | $174 |
| 3 | **Duplex 4** | **HH871504** | $58 | $174 |
| | | | **TOTAL:** | **$17,340** |



Note: Monitor Arms and power modules will interfere with the trough.

## Height Adjustable 6-Pack with Contain®

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 6 | **Height Adjustable Worksurface with Edgeband, No Grommets** 28″D x 58″W | **HSYSEMPHAWS2858** | $639 | $3,834 |
| 6 | **External Support Channel** | **HLSLZ5SC48** | $118 | $708 |
| 6 | **2-Stage Dual-Sided Height Adjustable Base** | **HSYSEMPHA2S2S** | $1,300 | $7,800 |
| 3 | **Height Adjustable Shared Trough** 60″W | **HSYSEMPHATRO60** | $900 | $2,700 |
| 1 | **Infeed** | **HMP144** | $438 | $438 |
| 2 | **Power Harness** 60″W | **HH871260** | $286 | $572 |
| 1 | **End of Run Electrical Kit** 60″W | **HMPEEK60** | $298 | $298 |
| 1 | **Infeed Vertebrae** | **HMPVWM28** | $294 | $294 |
| 3 | **Duplex 1** | **HH871501** | $58 | $174 |
| 3 | **Duplex 2** | **HH871502** | $58 | $174 |
| 3 | **Duplex 3** | **HH871503** | $58 | $174 |
| 3 | **Duplex 4** | **HH871504** | $58 | $174 |
| 3 | **Footed Low Credenza, Laminate Front, Box/Lateral Left, Open Shelf Right** | **HSCF226018RBFOL** | $2,814 | $8,442 |
| 3 | **Footed Low Credenza, Laminate Front, Box/Lateral Right, Open Shelf Left** | **HSCF226018LBFOL** | $2,814 | $8,442 |
| 6 | **Credenza Counterweight Kit** | **HSCACW35** | $265 | $1,590 |
| 6 | **Credenza Cushion** | **HSCAUC1830** | $351 | $2,106 |
| | | | **TOTAL:** | **$37,920** |




# EMPOWER®
# Height Adjustable Typicals

Icon Legend on page 19




## Height Adjustable 6-Pack with Gallery Panels and Shared Screens



| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 6 | **Height Adjustable Worksurface with Edgeband, No Grommets**<br>28″D x 58″W | **HSYSEMPHAWS2858** | $639 | $3,834 |
| 6 | **External Support Channel** | **HLSLZ5SC48** | $118 | $708 |
| 6 | **2-Stage Dual-Sided Height Adjustable Base** | **HSYSEMPHA2S2S** | $1,300 | $7,800 |
| 3 | **Height Adjustable Shared Trough**<br>60″W | **HSYSEMPHATRO60** | $900 | $2,700 |
| 1 | **Infeed** | **HMP144** | $438 | $438 |
| 2 | **Power Harness**<br>60″W | **HH871260** | $286 | $572 |
| 1 | **End of Run Electrical Kit**<br>60″W | **HMPEEK60** | $298 | $298 |
| 1 | **Infeed Vertebrae** | **HMPVWM28** | $294 | $294 |
| 3 | **Duplex 1** | **HH871501** | $58 | $174 |
| 3 | **Duplex 2** | **HH871502** | $58 | $174 |
| 3 | **Duplex 3** | **HH871503** | $58 | $174 |
| 3 | **Duplex 4** | **HH871504** | $58 | $174 |
| 2 | **Height Adjustable End Gallery Panel Kit, Dual-Sided** | **HSYSEMPHAGPKIT2** | $295 | $590 |
| 2 | **Height Adjustable Mid Gallery Panel Kit, Dual-Sided** | **HSYSEMPMHAGPKIT2** | $270 | $540 |
| 2 | **Gallery Panel**<br>50″H x 60″W | **HRVG5060L** | $1,011 | $2,022 |
| 4 | **Gallery Panel**<br>50″H x 30″W | **HRVG5030L** | $660 | $2,640 |
| 1 | **Gallery Panel Installation Template** | **HSYSEMPGPIT** | $56 | $56 |
| 3 | **Empower® Height Adjustable Shared Fabric Screen**<br>20″H x 54″W | **HSYSEMP2SHABFS2054** | $2,044 | $6,132 |
| | | | **TOTAL:** | **$29,320** |

## Height Adjustable 6-Pack with Fuse™ and Universal Screens



| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 6 | **Height Adjustable Worksurface with Edgeband, No Grommets**<br>28″D x 58″W | **HSYSEMPHAWS2858** | $639 | $3,834 |
| 6 | **External Support Channel** | **HLSLZ5SC48** | $118 | $708 |
| 6 | **2-Stage Dual-Sided Height Adjustable Base** | **HSYSEMPHA2S2S** | $1,300 | $7,800 |
| 3 | **Height Adjustable Shared Trough**<br>60″W | **HSYSEMPHATRO60** | $900 | $2,700 |
| 1 | **Infeed** | **HMP144** | $438 | $438 |
| 2 | **Power Harness**<br>60″W | **HH871260** | $286 | $572 |
| 1 | **End of Run Electrical Kit**<br>60″W | **HMPEEK60** | $298 | $298 |
| 1 | **Infeed Vertebrae** | **HMPVWM28** | $294 | $294 |
| 3 | **Duplex 1** | **HH871501** | $58 | $174 |
| 3 | **Duplex 2** | **HH871502** | $58 | $174 |
| 3 | **Duplex 3** | **HH871503** | $58 | $174 |
| 3 | **Duplex 4** | **HH871504** | $58 | $174 |
| 6 | **Undermount Storage Cubby with Locking Door, eLock** | **HAUFHR15NE** | $872 | $5,232 |
| 6 | **Fabric Up Mount Universal Screen**<br>20″H x 58″W | **HUSFUPM2058** | $1,140 | $6,840 |
| | | | **TOTAL:** | **$29,412** |


Icon Legend on page 19

# EMPOWER®
# Height Adjustable Typicals



## Height Adjustable 3-Pack with Universal Screens


| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 3 | **Height Adjustable Worksurface with Edgeband, No Grommets**<br>28″D x 58″W | **HSYSEMPHAWS2858** | $639 | $1,917 |
| 3 | **External Support Channel** | **HLSLZ5SC48** | $118 | $354 |
| 3 | **2-Stage Height Adjustable Single-Sided Base** | **HSYSEMPHA2S1S** | $1,200 | $3,600 |
| 3 | **Height Adjustable Single-Sided Trough**<br>60″W | **HSYSEMPHATSTRO60** | $972 | $2,916 |
| 1 | **Power Beam End Cap** | **HBENDCP** | $89 | $89 |
| 1 | **Infeed** | **HMP144** | $438 | $438 |
| 2 | **Power Harness**<br>60″W | **HH871260** | $286 | $572 |
| 1 | **End of Run Electrical Kit**<br>60″W | **HMPEEK60** | $298 | $298 |
| 1 | **Vertebrae Wire Manager** | **HBVWM** | $294 | $294 |
| 2 | **Duplex 1** | **HH871501** | $58 | $116 |
| 2 | **Duplex 2** | **HH871502** | $58 | $116 |
| 2 | **Duplex 3** | **HH871503** | $58 | $116 |
| 3 | **Fabric Fixed Above/Below Universal Screen**<br>34″ x 60″W | **HUSFABF3460** | $1,520 | $4,560 |
| | | | **TOTAL:** | **$15,386** |



Note: Height Adjustable Single-Sided Trough will ship with 4 port covers for the non-user side.

## Height Adjustable 3-Pack with Gallery Panels

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 3 | **Height Adjustable Worksurface with Edgeband, No Grommets**<br>28″D x 58″W | **HSYSEMPHAWS2858** | $639 | $1,917 |
| 3 | **External Support Channel** | **HLSLZ5SC48** | $118 | $354 |
| 3 | **2-Stage Height Adjustable Single-Sided Base** | **HSYSEMPHA2S1S** | $1,200 | $3,600 |
| 3 | **Height Adjustable Single-Sided Trough**<br>60″W | **HSYSEMPHATSTRO60** | $972 | $2,916 |
| 1 | **Infeed** | **HMP144** | $438 | $438 |
| 2 | **Power Harness**<br>60″W | **HH871260** | $286 | $572 |
| 1 | **End of Run Electrical Kit**<br>60″W | **HMPEEK60** | $298 | $298 |
| 1 | **Trough to Floor Wire Manager** | **HMPHATFWML** | $309 | $309 |
| 2 | **Duplex 1** | **HH871501** | $58 | $116 |
| 2 | **Duplex 2** | **HH871502** | $58 | $116 |
| 2 | **Duplex 3** | **HH871503** | $58 | $116 |
| 2 | **Height Adjustable End Gallery Panel Kit for Single-Sided** | **HSYSEMPHAGPKIT1** | $270 | $540 |
| 2 | **Height Adjustable Mid Gallery Panel Kit for Single-Sided** | **HSYSEMPMHAGPKIT1** | $310 | $620 |
| 4 | **Gallery Panel**<br>50″H x 30″W | **HRVG5030L** | $660 | $2,640 |
| | | | **TOTAL:** | **$14,552** |



Note: Height Adjustable Single-Sided Trough will ship with 4 port covers for the non-user side.





Note: Base in-feed must route through end gallery panel and will deface the panel at the entry location. Cannot route in-feed through a mid-gallery panel.

# EMPOWER® Bundles

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Bundles — 70″W with 22″D Worksurfaces** | | | | | |
| | 2-Pack | **HSYSEMPHA2270PK2** | 312.9 | 19.0 | **$5433** | **$5473** |
| | 4-Pack | **HSYSEMPHA2270PK4** | 626.0 | 37.9 | **$10854** | **$10934** |
| | 6-Pack | **HSYSEMPHA2270PK6** | 938.9 | 56.9 | **$16275** | **$16395** |
| | 8-Pack | **HSYSEMPHA2270PK8** | 1251.9 | 75.9 | **$21696** | **$21865** |
|  | **Bundles — 58″W with 22″D Worksurfaces** | | | | | |
| | 2-Pack | **HSYSEMPHA2258PK2** | 285.2 | 17.7 | **$5221** | **$5261** |
| | 4-Pack | **HSYSEMPHA2258PK4** | 570.3 | 35.5 | **$10430** | **$10510** |
| | 6-Pack | **HSYSEMPHA2258PK6** | 855.5 | 53.2 | **$15639** | **$15759** |
| | 8-Pack | **HSYSEMPHA2258PK8** | 1140.7 | 71.0 | **$20848** | **$21008** |
|  | **Bundles — 70″W with 28″D Worksurfaces** | | | | | |
| | 2-Pack | **HSYSEMPHA2870PK2** | 339.9 | 20.0 | **$5591** | **$5631** |
| | 4-Pack | **HSYSEMPHA2870PK4** | 684.7 | 40.0 | **$11170** | **$11250** |
| | 6-Pack | **HSYSEMPHA2870PK6** | 1019.6 | 60.0 | **$16749** | **$16869** |
| | 8-Pack | **HSYSEMPHA2870PK8** | 1359.5 | 80.0 | **$22328** | **$22488** |
|  | **Bundles — 58″W with 28″D Worksurfaces** | | | | | |
| | 2-Pack | **HSYSEMPHA2858PK2** | 307.4 | 18.6 | **$5325** | **$5365** |
| | 4-Pack | **HSYSEMPHA2858PK4** | 614.9 | 37.2 | **$10638** | **$10718** |
| | 6-Pack | **HSYSEMPHA2858PK6** | 922.3 | 55.8 | **$15951** | **$16071** |
| | 8-Pack | **HSYSEMPHA2858PK8** | 1229.7 | 74.4 | **$21264** | **$21424** |

**SPECIFYING EXAMPLE: Model.Laminate.Edgeband.BasePaint.TroughPaint.DuplexColor**

**NOTES:**

- Bundles include worksurfaces, wire management troughs, power harnesses, duplexes, bases, and height adjustable control.
- Please specify in-feed, screens, storage, and seating separately.
- Specify worksurface support channels separately. Use model HLSLZ5SC48 for 58″W surfaces, and HLSLZ5SC60 for 70″W surfaces

❗ Stack-on storage cannot be used on Empower® benching.

❗ HBSMAUSB and HBDMAUSB cannot be used in Empower® height adjustable applications.

## HOW TO SPECIFY





| Select Model Number | Select Laminate Color | Select Edgeband Color | Select Base Paint Color | Select Trough Paint Color | Select Control | Select Duplex Color |
|---|---|---|---|---|---|---|
| | See page 399 | See page 399 | See page 399 | See page 399 | **UD** Basic Up/Down<br>**MEM** Memory | See page 399 |
| H S Y S E M P H A 2 2 7 0 P K 2 . | L D W 1 . | L D W 1 . | P R 6 . | S . | U D . | S |

GSA SIN 33721

Icon Legend on page 19

# EMPOWER® Chicago Bundles



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Bundles — 70″W with 22″D Worksurfaces** | | | | | |
| | 2-Pack | **HSYSEMPHA2270PK2CH** | 304.0 | 19.0 | **$4886** | **$4926** |
| | 4-Pack | **HSYSEMPHA2270PK4CH** | 608.0 | 37.9 | **$9772** | **$9852** |
| | 6-Pack | **HSYSEMPHA2270PK6CH** | 912.0 | 56.9 | **$14658** | **$14778** |
| | 8-Pack | **HSYSEMPHA2270PK8CH** | 1215.9 | 75.9 | **$19544** | **$19704** |
|  | **Bundles — 58″W with 22″D Worksurfaces** | | | | | |
| | 2-Pack | **HSYSEMPHA2258PK2CH** | 278.2 | 17.7 | **$4674** | **$4714** |
| | 4-Pack | **HSYSEMPHA2258PK4CH** | 556.3 | 35.5 | **$9348** | **$9428** |
| | 6-Pack | **HSYSEMPHA2258PK6CH** | 834.5 | 53.2 | **$14022** | **$14142** |
| | 8-Pack | **HSYSEMPHA2258PK8CH** | 1112.7 | 71.0 | **$18696** | **$18856** |
|  | **Bundles — 70″W with 28″D Worksurfaces** | | | | | |
| | 2-Pack | **HSYSEMPHA2870PK2CH** | 328.9 | 20.0 | **$5044** | **$5084** |
| | 4-Pack | **HSYSEMPHA2870PK4CH** | 657.7 | 40.0 | **$10088** | **$10168** |
| | 6-Pack | **HSYSEMPHA2870PK6CH** | 986.6 | 60.0 | **$15132** | **$15252** |
| | 8-Pack | **HSYSEMPHA2870PK8CH** | 1315.5 | 80.0 | **$20176** | **$20336** |
|  | **Bundles — 58″W with 28″D Worksurfaces** | | | | | |
| | 2-Pack | **HSYSEMPHA2858PK2CH** | 300.4 | 18.6 | **$4778** | **$4818** |
| | 4-Pack | **HSYSEMPHA2858PK4CH** | 600.9 | 37.2 | **$9556** | **$9636** |
| | 6-Pack | **HSYSEMPHA2858PK6CH** | 901.3 | 55.8 | **$14334** | **$14454** |
| | 8-Pack | **HSYSEMPHA2858PK8CH** | 1201.7 | 74.4 | **$19112** | **$19272** |

**SPECIFYING EXAMPLE: Model.Laminate.Edgeband.BasePaint.TroughPaint.DuplexColor**

**NOTES:**

- Bundles include worksurfaces, wire management troughs, bases, and height adjustable control.
- Please specify in-feed, electrical components, screens, storage, and seating separately.
- Specify worksurface support channels separately. Use model HLSLZ5SC48 for 58″W surfaces, and HLSLZ5SC60 for 70″W surfaces.

Stack-on storage cannot be used on Empower® benching.

Monitor Arm models HBSMAUSB and HBDMAUSB cannot be used in Empower® height adjustable applications.

## HOW TO SPECIFY


| Select Model Number | Select Laminate Color | Select Edgeband Color | Select Base Paint Color | Select Trough Paint Color | Select Control |
|---|---|---|---|---|---|
| | See page 399 | See page 399 | See page 399 | See page 399 | **UD** Basic Up/Down<br>**MEM** Memory |
| H S Y S E M P H A 2 2 7 0 P K 2 C H . | L D W 1 . | L D W 1 . | P R 6 . | S . | U D |

# EMPOWER®
# Height Adjustable Bases

GSA SIN 33721 EXCEPT AS NOTED


Icon Legend on page 19





**OPEN MARKET**

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Dual-Sided Height Adjustable Base** | | | | |
| 2-Stage (26 49/50"-46 13/50" height range) | **HSYSEMPHA2S2S** | 67 | 5.3 | **$1300** |
| 3-Stage (20 43/50-47 3/25 height range) | **HSYSEMPHA3S2S** | 69 | 5.3 | **$1430** |



| | | | | |
|---|---|---|---|---|
| **Single-Sided Height Adjustable Base** | | | | |
| 2-Stage (26 49/50"-46 13/50" height range) | **HSYSEMPHA2S1S** | 76 | 2.7 | **$1200** |
| 3-Stage (20 43/50-47 3/25 height range) | **HSYSEMPHA3S1S** | 78 | 2.7 | **$1260** |

NOTES: A minimum of 2 single-sided height adjustable bases must be ordered. Model cannot be used as a standalone height adjustable table base.


**NOTES:**

- Memory control option features four memory presets, a programmable upper and lower limit, and keypad lock to prevent unintentional movement. 250 lbs. load capacity per surface.
- For dual-sided, order the quantity of workstations you plan to have (EX: 6-pack = (6) x HSYSEMPHA2S2S).

Single-sided height adjustable model CANNOT be used as a standalone height adjustable table base.


Single-Sided height adjustable CANNOT be connected to a freestanding gravitation rail.

Monitor Arm models HBSMAUSB and HBDMAUSB cannot be used on Empower® height adjustable applications.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Trough for Dual-Sided Height Adjustable Base** | | | | |
| 48"W | **HSYSEMPHATRO48** | 39.7 | 2.9 | **$796** |
| 60"W | **HSYSEMPHATRO60** | 46.5 | 3.4 | **$900** |
| 72"W | **HSYSEMPHATRO72** | 53.4 | 3.9 | **$988** |

NOTES: Includes trough and trough lid.



| | | | | |
|---|---|---|---|---|
| **Trough for Single-Sided Height Adjustable Base** | | | | |
| 48"W | **HSYSEMPHATSTRO48** | 20.3 | 1.3 | **$988** |
| 60"W | **HSYSEMPHATSTRO60** | 23.0 | 1.4 | **$1063** |
| 72"W | **HSYSEMPHATSTRO72** | 33.4 | 1.8 | **$1216** |

**NOTES:**

- Trough models are the same for 2-stage and 3-stage bases.
- Slots available in trough to zip tie data cables to the trough.
- Trough attaches to height adjustable leg assembly.
- Single-sided troughs include installation template.
- Single-sided troughs ship with 4 port covers for the non-user side.

HBENDCP end caps (ordered separately) are required to finish the end of the run on a single-sided height adjustable trough when no gallery panels are used.

## HOW TO SPECIFY

**Select Model Number**

H S Y S E M P H A 2 S 2 S .

**Select Paint Color**

See page 399

P 8 L .

**Select Control**

**UD** Basic Up/Down
**MEM** Memory

U D

**Select Model Number**

H S Y S E M P H A T R O 4 8 .

**Select Paint Color**

See page 399


P 8 S

GSA SIN 33721


Icon Legend on page 19

# EMPOWER® Height Adjustable Worksurfaces





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **22″D Height Adjustable Worksurface with Edgeband** | | | | | |
| 46″W x 22″D | **HSYSEMPHAWS2246** | 35.4 | 1.5 | **$497** | **$512** |
| 58″W x 22″D | **HSYSEMPHAWS2258** | 43.8 | 1.9 | **$587** | **$607** |
| 70″W x 22″D | **HSYSEMPHAWS2270** | 52.3 | 2.2 | **$649** | **$669** |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **28″D Height Adjustable Worksurface with Edgeband** | | | | | |
| 46″W x 28″D | **HSYSEMPHAWS2846** | 44.2 | 1.9 | **$537** | **$552** |
| 58″W x 28″D | **HSYSEMPHAWS2858** | 55.0 | 2.3 | **$639** | **$659** |
| 70″W x 28″D | **HSYSEMPHAWS2870** | 65.7 | 2.7 | **$728** | **$748** |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **External Support Channel** | | | | |
| 48″W for a 58″ Worksurface | **HLSLZ5SC48** | 5 | 0.5 | **$121** |
| 60″W for a 70″ Worksurface | **HLSLZ5SC60** | 5 | 0.5 | **$138** |

**NOTES:**

- Worksurfaces are constructed of laminate on 1⅛″ solid core high-performance particleboard.
- HLSLZ5SC48 stiffener should be used with 58″W worksurfaces. HLSLZ5SC60 stiffener should be used with 70″W worksurface.
- All worksurfaces load tested to BIFMA standards.
- Stack-on storage cannot be used on Empower® benching.

## HOW TO SPECIFY

**Select Model Number**

H S Y S E M P H A W S 2 2 4 6 .

**Select Laminate Color**

See page 399

W H I T .

**Select Edgeband Color**

See page 399


W H I T

# EMPOWER®
## Shared Screens for Height Adjustable Applications


OPEN MARKET

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE AA | A | B |
|---|---|---|---|---|---|---|
| **Fabric Empower® Shared Screens for 2-Stage Height Adjustable Applications** | | | | | | |
| 13″H x 42″W (Horizon Planning 42″H) | **HSYSEMP2SHABFS1342** | 18.3 | 1.9 | **$1692** | **$1738** | **$1784** |
| 13″H x 48″W (Horizon Planning 42″H) | **HSYSEMP2SHABFS1348** | 18.9 | 2.1 | **$1724** | **$1773** | **$1820** |
| 13″H x 54″W (Horizon Planning 42″H) | **HSYSEMP2SHABFS1354** | 21.8 | 2.4 | **$1826** | **$1878** | **$1931** |
| 13″H x 60″W (Horizon Planning 42″H) | **HSYSEMP2SHABFS1360** | 22.4 | 2.6 | **$1853** | **$1907** | **$1961** |
| 13″H x 66″W (Horizon Planning 42″H) | **HSYSEMP2SHABFS1366** | 25.3 | 2.9 | **$1923** | **$1979** | **$2036** |
| 13″H x 72″W (Horizon Planning 42″H) | **HSYSEMP2SHABFS1372** | 25.9 | 3.1 | **$1974** | **$2033** | **$2094** |
| 20″H x 42″W (Horizon Planning 50″H) | **HSYSEMP2SHABFS2042** | 20.4 | 2.6 | **$1833** | **$1888** | **$1944** |
| 20″H x 48″W (Horizon Planning 50″H) | **HSYSEMP2SHABFS2048** | 21.2 | 2.9 | **$1916** | **$1976** | **$2038** |
| 20″H x 54″W (Horizon Planning 50″H) | **HSYSEMP2SHABFS2054** | 24.5 | 3.3 | **$2044** | **$2111** | **$2179** |
| 20″H x 60″W (Horizon Planning 50″H) | **HSYSEMP2SHABFS2060** | 25.3 | 3.6 | **$2064** | **$2132** | **$2201** |
| 20″H x 66″W (Horizon Planning 50″H) | **HSYSEMP2SHABFS2066** | 28.5 | 4.1 | **$2204** | **$2279** | **$2355** |
| 20″H x 72″W (Horizon Planning 50″H) | **HSYSEMP2SHABFS2072** | 29.4 | 4.3 | **$2316** | **$2398** | **$2482** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **Fabric Empower® Shared Screens for 3-Stage Height Adjustable Applications** | | | | | | |
| 20″H x 42″W (Horizon Planning 42″H) | **HSYSEMP3SHABFS2042** | 22.4 | 3.4 | **$1945** | **$2008** | **$2071** |
| 20″H x 48″W (Horizon Planning 42″H) | **HSYSEMP3SHABFS2048** | 23.6 | 3.8 | **$1994** | **$2060** | **$2126** |
| 20″H x 54″W (Horizon Planning 42″H) | **HSYSEMP3SHABFS2054** | 27.1 | 4.3 | **$2083** | **$2152** | **$2221** |
| 20″H x 60″W (Horizon Planning 42″H) | **HSYSEMP3SHABFS2060** | 28.2 | 4.7 | **$2137** | **$2211** | **$2283** |
| 20″H x 66″W (Horizon Planning 42″H) | **HSYSEMP3SHABFS2066** | 31.8 | 5.2 | **$2344** | **$2428** | **$2513** |
| 20″H x 72″W (Horizon Planning 42″H) | **HSYSEMP3SHABFS2072** | 32.9 | 5.6 | **$2541** | **$2639** | **$2736** |
| 27″H x 42″W (Horizon Planning 50″H) | **HSYSEMP3SHABFS2742** | 20.1 | 2.6 | **$1758** | **$1809** | **$1859** |
| 27″H x 48″W (Horizon Planning 50″H) | **HSYSEMP3SHABFS2748** | 20.9 | 2.9 | **$1835** | **$1891** | **$1946** |
| 27″H x 54″W (Horizon Planning 50″H) | **HSYSEMP3SHABFS2754** | 24.0 | 3.3 | **$1958** | **$2019** | **$2080** |
| 27″H x 60″W (Horizon Planning 50″H) | **HSYSEMP3SHABFS2760** | 24.9 | 3.6 | **$1978** | **$2040** | **$2103** |
| 27″H x 66″W (Horizon Planning 50″H) | **HSYSEMP3SHABFS2766** | 28.1 | 4.1 | **$2111** | **$2180** | **$2248** |
| 27″H x 72″W (Horizon Planning 50″H) | **HSYSEMP3SHABFS2772** | 28.9 | 4.3 | **$2216** | **$2292** | **$2368** |

**NOTES**

- Screens are attached to the cross beam of the height adjustable support and must match the width of the workstation.
- Consider horizon planning when specifying screens. 42″H and 50″H will align with storage and Gallery panel heights.

Models listed here can ONLY BE USED ON HEIGHT ADJUSTABLE APPLICATIONS. See fixed height section on page 421 for shared fixed height screen models.

Screens are fixed and do not adjust with the height adjustable surface.

Screens cannot be used on single-sided applications or fixed applications.

## HOW TO SPECIFY

**Select Model Number**

H S Y S E M P 2 S H A B F S 1 3 4 2 .

**Select Fabric**

See pages 400-401

N B L E 1 8 .

**Select Bracket Paint**

See page 399


P R 6


OPEN MARKET

Icon Legend on page 19

# EMPOWER® Shared Screens for Height Adjustable Applications





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | CLEAR GLASS | FROSTED GLASS |
|---|---|---|---|---|---|
| **Glass Empower® Shared Screens for 2-Stage Height Adjustable Applications** | | | | | |
| 13″H x 42″W (Horizon Planning 42″H) | **HSYSEMP2SHABGS1342** | 33.1 | 2.5 | **$1731** | **$1802** |
| 13″H x 48″W (Horizon Planning 42″H) | **HSYSEMP2SHABGS1348** | 35.7 | 2.7 | **$1769** | **$1843** |
| 13″H x 54″W (Horizon Planning 42″H) | **HSYSEMP2SHABGS1354** | 40.8 | 3.1 | **$1846** | **$1925** |
| 13″H x 60″W (Horizon Planning 42″H) | **HSYSEMP2SHABGS1360** | 43.4 | 3.3 | **$1886** | **$1969** |
| 13″H x 66″W (Horizon Planning 42″H) | **HSYSEMP2SHABGS1366** | 48.5 | 3.7 | **$1972** | **$2059** |
| 13″H x 72″W (Horizon Planning 42″H) | **HSYSEMP2SHABGS1372** | 51.1 | 3.9 | **$2012** | **$2104** |
| 20″H x 42″W (Horizon Planning 50″H) | **HSYSEMP2SHABGS2042** | 43.1 | 3.3 | **$1981** | **$2078** |
| 20″H x 48″W (Horizon Planning 50″H) | **HSYSEMP2SHABGS2048** | 47.1 | 3.7 | **$2014** | **$2114** |
| 20″H x 54″W (Horizon Planning 50″H) | **HSYSEMP2SHABGS2054** | 53.6 | 4.2 | **$2126** | **$2232** |
| 20″H x 60″W (Horizon Planning 50″H) | **HSYSEMP2SHABGS2060** | 57.7 | 4.5 | **$2176** | **$2288** |
| 20″H x 66″W (Horizon Planning 50″H) | **HSYSEMP2SHABGS2066** | 64.2 | 5.0 | **$2308** | **$2430** |
| 20″H x 72″W (Horizon Planning 50″H) | **HSYSEMP2SHABGS2072** | 68.3 | 5.4 | **$2385** | **$2514** |
|  | | | | | |
| **Glass Empower® Shared Screens for 3-Stage Height Adjustable Applications** | | | | | |
| 20″H x 42″W (Horizon Planning 42″H) | **HSYSEMP3SHABGS2042** | 41.6 | 3.1 | **$1878** | **$1964** |
| 20″H x 48″W (Horizon Planning 42″H) | **HSYSEMP3SHABGS2048** | 44.2 | 3.4 | **$1914** | **$2003** |
| 20″H x 54″W (Horizon Planning 42″H) | **HSYSEMP3SHABGS2054** | 51.8 | 3.9 | **$2009** | **$2104** |
| 20″H x 60″W (Horizon Planning 42″H) | **HSYSEMP3SHABGS2060** | 55.7 | 4.2 | **$2056** | **$2156** |
| 20″H x 66″W (Horizon Planning 42″H) | **HSYSEMP3SHABGS2066** | 61.9 | 4.7 | **$2164** | **$2271** |
| 20″H x 72″W (Horizon Planning 42″H) | **HSYSEMP3SHABGS2072** | 65.8 | 5.0 | **$2221** | **$2333** |

**NOTES**

- Screens are attached to the cross beam of the height adjustable support and must match the width of the workstation.
- Consider horizon planning when specifying screens. 42″H and 50″H will align with storage and Gallery panel heights.

Models listed here can ONLY BE USED ON HEIGHT ADJUSTABLE APPLICATIONS. See fixed height section on page 421 for shared fixed height screen models.

Screens are fixed and do not adjust with the height adjustable surface.

Screens cannot be used on single-sided applications or fixed applications.

## HOW TO SPECIFY

**Select Model Number**

H S Y S E M P 2 S H A B G S 1 3 4 2 .

**Select Glass**

**Q** Clear Glass
**R** Frosted Glass

Q .

**Select Bracket Paint**

See page 399


P R 6

# EMPOWER®
## Shared Screens for Height Adjustable Applications


OPEN MARKET

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Acrylic Empower® Shared Screens for 2-Stage Height Adjustable Applications** | | | | | | |
| 13″H x 42″W (Horizon Planning 42″H) | **HSYSEMP2SHABAS1342** | 22.7 | 3.8 | **$1690** | **$1777** | **$1829** |
| 13″H x 48″W (Horizon Planning 42″H) | **HSYSEMP2SHABAS1348** | 23.9 | 4.2 | **$1712** | **$1799** | **$1851** |
| 13″H x 54″W (Horizon Planning 42″H) | **HSYSEMP2SHABAS1354** | 27.0 | 4.8 | **$1892** | **$1983** | **$2036** |
| 13″H x 60″W (Horizon Planning 42″H) | **HSYSEMP2SHABAS1360** | 28.6 | 5.2 | **$1914** | **$2005** | **$2058** |
| 13″H x 66″W (Horizon Planning 42″H) | **HSYSEMP2SHABAS1366** | 32.2 | 5.8 | **$2083** | **$2177** | **$2233** |
| 13″H x 72″W (Horizon Planning 42″H) | **HSYSEMP2SHABAS1372** | 33.0 | 6.2 | **$2105** | **$2199** | **$2255** |
| 20″H x 42″W (Horizon Planning 50″H) | **HSYSEMP2SHABAS2042** | 27.1 | 5.4 | **$2426** | **$2513** | **$2565** |
| 20″H x 48″W (Horizon Planning 50″H) | **HSYSEMP2SHABAS2048** | 28.9 | 6.0 | **$2440** | **$2527** | **$2579** |
| 20″H x 54″W (Horizon Planning 50″H) | **HSYSEMP2SHABAS2054** | 33.1 | 6.8 | **$2805** | **$2895** | **$2949** |
| 20″H x 60″W (Horizon Planning 50″H) | **HSYSEMP2SHABAS2060** | 34.9 | 7.4 | **$3154** | **$3244** | **$3298** |
| 20″H x 66″W (Horizon Planning 50″H) | **HSYSEMP2SHABAS2066** | 39.1 | 8.2 | **$3569** | **$3663** | **$3719** |
| 20″H x 72″W (Horizon Planning 50″H) | **HSYSEMP2SHABAS2072** | 40.9 | 8.8 | **$3816** | **$3910** | **$3966** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **Acrylic Empower® Shared Screens for 3-Stage Height Adjustable Applications** | | | | | | |
| 20″H x 42″W (Horizon Planning 42″H) | **HSYSEMP3SHABAS2042** | 26.5 | 5.4 | **$2192** | **$2279** | **$2331** |
| 20″H x 48″W (Horizon Planning 42″H) | **HSYSEMP3SHABAS2048** | 28.2 | 6.0 | **$2204** | **$2291** | **$2343** |
| 20″H x 54″W (Horizon Planning 42″H) | **HSYSEMP3SHABAS2054** | 32.3 | 6.8 | **$2517** | **$2608** | **$2661** |
| 20″H x 60″W (Horizon Planning 42″H) | **HSYSEMP3SHABAS2060** | 34.0 | 7.4 | **$2539** | **$2630** | **$2683** |
| 20″H x 66″W (Horizon Planning 42″H) | **HSYSEMP3SHABAS2066** | 38.1 | 8.2 | **$2842** | **$2936** | **$2992** |
| 20″H x 72″W (Horizon Planning 42″H) | **HSYSEMP3SHABAS2072** | 39.8 | 8.8 | **$2852** | **$2946** | **$3002** |

**NOTES**

- Screens are attached to the cross beam of the height adjustable support and must match the width of the workstation.
- Consider horizon planning when specifying screens. 42″H and 50″H will align with storage and Gallery panel heights.

Models listed here can ONLY BE USED ON HEIGHT ADJUSTABLE APPLICATIONS. See fixed height section on page 421 for shared fixed height screen models.

Screens are fixed and do not adjust with the height adjustable surface.

Screens cannot be used on single-sided applications or fixed applications.

## HOW TO SPECIFY

**Select Model Number**

| H | S | Y | S | E | M | P | 2 | S | H | A | B | A | S | 1 | 3 | 4 | 2 | . |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

**Select Bracket Paint**

See page 399


| P | R | 6 |
|---|---|---|

OPEN MARKET


Icon Legend on page 19

# EMPOWER® Shared Screens for Height Adjustable Applications





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **PET Empower® Shared Screens for 2-Stage Height Adjustable Applications** | | | | | | |
| 13″H x 42″W (Horizon Planning 42″H) | **HSYSEMP2SHABPS1342** | 28.0 | 2.3 | **$1306** | **$1393** | **$1445** |
| 13″H x 48″W (Horizon Planning 42″H) | **HSYSEMP2SHABPS1348** | 28.0 | 2.5 | **$1332** | **$1419** | **$1471** |
| 13″H x 54″W (Horizon Planning 42″H) | **HSYSEMP2SHABPS1354** | 33.7 | 2.8 | **$1485** | **$1576** | **$1629** |
| 13″H x 60″W (Horizon Planning 42″H) | **HSYSEMP2SHABPS1360** | 33.7 | 3.0 | **$1570** | **$1661** | **$1714** |
| 13″H x 66″W (Horizon Planning 42″H) | **HSYSEMP2SHABPS1366** | 39.0 | 3.3 | **$1669** | **$1763** | **$1819** |
| 13″H x 72″W (Horizon Planning 42″H) | **HSYSEMP2SHABPS1372** | 39.3 | 3.5 | **$1717** | **$1811** | **$1867** |
| 20″H x 42″W (Horizon Planning 50″H) | **HSYSEMP2SHABPS2042** | 36.0 | 3.0 | **$1651** | **$1738** | **$1790** |
| 20″H x 48″W (Horizon Planning 50″H) | **HSYSEMP2SHABPS2048** | 36.0 | 3.2 | **$1661** | **$1748** | **$1800** |
| 20″H x 54″W (Horizon Planning 50″H) | **HSYSEMP2SHABPS2054** | 43.9 | 3.6 | **$1728** | **$1819** | **$1872** |
| 20″H x 60″W (Horizon Planning 50″H) | **HSYSEMP2SHABPS2060** | 43.9 | 3.9 | **$1807** | **$1898** | **$1951** |
| 20″H x 66″W (Horizon Planning 50″H) | **HSYSEMP2SHABPS2066** | 51.6 | 4.3 | **$1922** | **$2016** | **$2072** |
| 20″H x 72″W (Horizon Planning 50″H) | **HSYSEMP2SHABPS2072** | 51.6 | 4.5 | **$1953** | **$2047** | **$2103** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **PET Empower® Shared Screens for 3-Stage Height Adjustable Applications** | | | | | | |
| 20″H x 42″W (Horizon Planning 42″H) | **HSYSEMP3SHABPS2042** | 36.0 | 3.0 | **$1651** | **$1738** | **$1790** |
| 20″H x 48″W (Horizon Planning 42″H) | **HSYSEMP3SHABPS2048** | 36.0 | 3.2 | **$1661** | **$1748** | **$1800** |
| 20″H x 54″W (Horizon Planning 42″H) | **HSYSEMP3SHABPS2054** | 43.9 | 3.6 | **$1728** | **$1819** | **$1872** |
| 20″H x 60″W (Horizon Planning 42″H) | **HSYSEMP3SHABPS2060** | 43.9 | 3.9 | **$1807** | **$1898** | **$1951** |
| 20″H x 66″W (Horizon Planning 42″H) | **HSYSEMP3SHABPS2066** | 51.6 | 4.3 | **$1922** | **$2016** | **$2072** |
| 20″H x 72″W (Horizon Planning 42″H) | **HSYSEMP3SHABPS2072** | 51.6 | 4.5 | **$1953** | **$2047** | **$2103** |

**NOTES**

- Screens are attached to the cross beam of the height adjustable support and must match the width of the workstation.
- Consider horizon planning when specifying screens. 42″H and 50″H will align with storage and Gallery panel heights.

Models listed here can ONLY BE USED ON HEIGHT ADJUSTABLE APPLICATIONS. See fixed height section on page 421 for shared fixed height screen models.

Screens are fixed and do not adjust with the height adjustable surface.

Screens cannot be used on single-sided applications or fixed applications.

## HOW TO SPECIFY

**Select Model Number**

H S Y S E M P 2 S H A B P S 1 3 4 2 .

**Select PET**

**DDB1** Dark Blue
**DGN1** Green
**DGY4** Dark Grey
**DGY3** Medium Grey

D D B 1 .

**Select Bracket Paint**

See page 399


P R 6

# EMPOWER® UNIVERSAL SCREENS SPECIFICATION GUIDE



## EMPOWER® COMPATIBILITY MATRIX

| | Universal Screen Style | Dual-Sided Fixed Height Empower® | Single-Sided Fixed Height Empower® | Dual-Sided Height Adjustable Empower® | Single-Sided Height Adjustable Empower® |
|---|---|---|---|---|---|
| 1 | Fixed Above/Below | X | ✓ | X | ✓ |
| 2 | Movable Above/Below | X | X | X | X |
| 3 | Up Mount | ✓ | ✓ | ✓ | ✓ |
| 4 | Side Mount | ✓ | ✓ | ✓ | ✓ |
| 5 | Front-to-Back | ✓ (Inset 4" along the width of the surface to clear legs below) | ✓ (Inset 4" along the width of the surface to clear legs below) | ✓ | ✓ |
| 6 | Sit-On-Surface | ✓ | ✓ | ✓ | ✓ |
| 7 | Top Mount | ✓ | ✓ | ✓ | ✓ |
| 8 | Modesty | X | ✓ (NOTE: must be 6" shorter than worksurface when using angled & straight legs) | X | ✓ |
| 9 | Lateral Organizer | ✓ (Inset 4" along the width of the surface to clear legs below | ✓ (Inset 4" along the width of the surface to clear legs below | ✓ | ✓ |




# EMPOWER® UNIVERSAL SCREENS SPECIFICATION GUIDE



## EMPOWER® COMPATIBILITY MATRIX

| | Universal Screen Style | Dual-Sided Fixed Height Empower® | Single-Sided Fixed Height Empower® | Dual-Sided Height Adjustable Empower® | Single-Sided Height Adjustable Empower® |
|---|---|---|---|---|---|
| 1 | Laminate Fixed Above/Below | X | ✓ | X | ✓ |
| 2 | Laminate Modesty | X | ✓ NOTE: must be 6″ shorter than worksurface when using angled & straight legs | X | ✓ NOTE: must be 4″ shorter than worksurface |
| 3 | Acrylic Fixed Above/Below | X | ✓ NOTE: must be 6″ shorter than worksurface when using angled & straight legs | X | ✓ NOTE: must be 6″ shorter than worksurface. Will only allow ½″ clearance between edge of worksurface and screen. |
| 4 | Acrylic Modesty | X | ✓ NOTE: must be 6″ shorter than worksurface when using angled & straight legs | X | ✓ NOTE: must be 4″ shorter than worksurface |




# EMPOWER® UNIVERSAL SCREENS SPECIFICATION GUIDE



## SCREEN MOUNTING TECH AND SPEC INFORMATION


See Universal Screens section pages 647-672 for pricing.

### Sit-on-Surface Screen




- Available in fabric or acrylic.
- Screen is slightly offset from the top of the worksurface.
- Brackets come with anti-slip neoprene foam pads.
- Brackets are designed to be rotated 90 degrees when needed.
- Screen is secured to the brackets by tightening two set screws in bracket against screen material.
- Brackets ship uninstalled.

### Fixed Above/Below




- Available in fabric, acrylic, or laminate.
- Screen is offset from the edge of the worksurface by 1" for cord management and to allow the use of worksurface mounted accessories.
- Mounting brackets attach to the underside of the worksurface.
- Fabric screens are secured to the brackets via metal fasteners to threaded inserts embedded in screen. Brackets are inset 10" (30-40"W) or 12" (42"W+) from edge of screen depending on size. Brackets ship installed.
- Acrylic screens are secured to the brackets via a metal fastener. Brackets are located on edge of screen. Brackets ship uninstalled.
- Laminate screens are secured to the brackets via wood screws. Brackets are inset 10" (30-42"W) or 12" (48"W+). Brackets ship uninstalled.

### Top Mount Screen




- Available in fabric or acrylic.
- Screen is slightly offset from the top of the worksurface.
- Mounting brackets attach to the top of the worksurface with either double sided tape or wood screws.
- Screen is secured to the brackets by tightening two set screws in bracket against screen material.
- Bracket location is flexible and can be adjusted as needed.
- Recommended inset location is ~6-12" from edge of screen.
- Brackets ship uninstalled.

### Modesty Panel



- Available in fabric, acrylic, or laminate.
- Mounting brackets attach to the underside of the worksurface.
- Fabric modesty is secured to brackets via metal fasteners to threaded inserts embedded in screen. Brackets are inset 10" (30-40"W) or 12" (42"W+) from edge of screen depending on size. Brackets ship installed.
- Acrylic modesty is secured to brackets via metal fasteners through predrilled holes in the modesty panel. Brackets are inset 10" (36"W) or 12" (42"W+) from edge of screen depending on size. Brackets ship uninstalled.
- Laminate modesty is secured to brackets via wood screws. Brackets are inset 10" (30-42"W) or 12" (48"W+). Brackets ship uninstalled.

### Side Mount Screen



- Available in fabric or acrylic.
- Screen is slightly offset from the top of the worksurface.
- Mounting brackets wrap around the edge of the worksurface.
- Screen is secured to the brackets by tightening two set screws in bracket against screen material.
- Bracket location is flexible and can be adjusted as needed.
- Recommended inset location is ~6-12" from edge of screen.
- Can only be used with flat edged worksurfaces/tables.
- Brackets ship uninstalled.

# EMPOWER® UNIVERSAL SCREENS SPECIFICATION GUIDE



## SCREEN MOUNTING TECH AND SPEC INFORMATION

See Universal Screens section pages 647-672 for pricing.

### Up Mount Screen

- Available in fabric, acrylic, or glass.
- Screen is offset from top of worksurface by 1″ for cord management and to allow the use of worksurface mounted accessories.
- Mounting brackets attach to the underside of the worksurface.
- Screen is secured to the brackets by tightening two set screws in bracket against screen material.
- Bracket location is flexible and can be adjusted as needed. Recommended inset location is ~6-12″ from edge of screen.
- Can only be used with flat edged worksurfaces/tables.
- Brackets ship uninstalled.

### Empower® Fixed Height Shared Screens

- Available in fabric, glass, acrylic, or PET.
- Mounting brackets clamp in gap between fixed height worksurfaces.
- Screens will provide 1″+ of access between screen and rear edge of worksurface for the power trough.
- Screen is secured to the brackets by tightening two set screws in bracket against screen material.
- Bracket location is flexible and can be adjusted as needed. Recommended inset location is ~6-12″ from edge of screen.
- For single-sided applications, select a desktop mounted screen or Above/Below screen
- Brackets ship uninstalled.

### Empower® Height Adjustable Shared Screens

- Available in fabric, glass, acrylic, or PET.
- Options available for fixed shared screen or Universal screens can be mounted directly to the worksurface.
- Screens will provide ~1¾″ of access between screen and rear of worksurface for the power trough. Dual-sided height adjustable screen is designed to align with Gallery panel and storage heights of 42″H or 50″H.

### Lateral Desktop Organizer

- Available in metal only.
- Screens sit flush on top of worksurface.
- Screen wraps around the front or rear edge of the worksurface.
- Can only be used with flat edged worksurfaces/tables.
- Mounting bracket is integral to screen.

# EMPOWER®
# ELECTRICAL SPECIFYING INFORMATION



**To Order:**

1. Determine which electrical system you will use after consulting your electrician and computer support personnel:
   - **The Four-circuit system (4-Hot/2-Neutral/2-Ground)**
     - **3 + 1 option**
     - **2 + 2 option**
   - **The Three-circuit system (3-Hot/3-Neutral/2-Ground)**
2. Determine location, quantity and circuit of duplexes.
3. Determine the appropriate choice and use of Isolated, Isolated/Dedicated and Separate Neutral circuits.
4. Specify appropriate Power Harnesses* and Pass-Thru Cables.*
5. Determine the location, quantity and type of Power In-feed needed.

* Select Power Harness models (HH8712XX) and Pass-Thru Cables (HH8711XX) with the last two digits being the same as the associated worksurface width.


## Electrical System Options

The four-circuit, eight-wire electrical system is widely specified and trusted by hundreds of thousands of end-users. This proven system delivers four circuits for every power in-feed in either a 3 + 1 or 2 + 2 configuration. The isolated/dedicated circuits are ideal for sensitive computing equipment, while the common circuits are suitable for faxes, copiers, task lights and other peripherals.


Both the 3 + 1 and 2 + 2 systems use the same pre-wired components, making it easy to adjust as electrical needs change.

You can also choose a three-circuit, eight-wire system that has a dedicated neutral for every hot circuit. The three-circuit components have model numbers with an "A" suffix and appear in a gray box in this pricer.


### Four-circuit, 3 + 1 Receptacle Option





The 3 + 1 option is the electrical standard used by The HON Company for many years in most of their systems products. This wiring option provides three utility circuits plus an isolated/dedicated circuit for more sensitive equipment.




### Four-circuit, 2 + 2 Receptacle Option





The 2 + 2 option is a wiring option that provides two utility circuits and two isolated circuits for more extensive computer usage applications.




# EMPOWER®
# ELECTRICAL SPECIFYING INFORMATION



## Three-circuit, separate neutrals




The Three-circuit, separate neutrals configuration is a wiring option that provides separate neutrals for each of the three circuits. Two circuits share a common ground, and one circuit is isolated/dedicated. The three-circuit components have model numbers with an "A" suffix and appear in a gray box in this pricer.




| Two 8-wire, 20 AMP (15 AMP Canadian) electrical systems are offered | | | | | |
|---|---|---|---|---|---|
| Electrical System | Circuitry | Receptacle Capacity | | | |
| **Four-circuit 4-Hot/2-Neutral/2-Ground** | **3 + 1** | Common Circuit-1 **HH873501** | Common Circuit-2 (1) **HH873502** | Common Circuit-3 **HH873503** | Iso/Dedicated Circuit-4 **HH873504** |
| (10 gauge neutral wires) | **2 + 2** | Common Circuit-1 **HH873501** | Common Circuit-2 **HH873502** | Isolated Circuit-3 **HH873506** | Isolated Circuit-4 **HH873504** |
| **Three-circuit 3-Hot/3-Neutral/2-Ground** (12 gauge neutral wires) | **w/separate neutrals** | Common Circuit-1 **HH873501A** | Common Circuit-2 **HH873502A** | Iso/Dedicated Circuit-3 **HH873503A** | N/A |

(1) Circuit-2 (one of the 3 common circuits sharing a neutral wire) cannot be used with a single-phase building electrical supply.

Notes:
- Four-circuit components and three-circuit components (with suffix "A") cannot be used together.
- Components of the two systems are keyed differently to prevent components of one system from being connected to components of another system.
- HON Cat. Nos. are printed on the UL labels, and components are color-coded to provide visual identification of the different components.
- Four-circuit components have black plastic parts.
- Three-circuit components have rust-colored terminal ends and receptacle backs are rust colored.

**Typical power usage by the most commonly specified office equipment.**


*Source: Industry Analysis, Inc., Rochester, NY*

| EQUIPMENT | AMPS | EQUIPMENT | AMPS | EQUIPMENT | AMPS |
|---|---|---|---|---|---|
| **Computers** | | **Copiers** | | **FAX Machines** | |
| Personal Computer | 3 | Desktop Copier | 15 | InkJet FAX | less than 1 |
| Notebook Computer | 3 | Console Copier | 20 | Thermal FAX | less than 1 |
| | | Copier/Duplicator | 30 | Plain paper FAX | 8 |
| **Monitors** | | | | | |
| 13" Color Monitor | 2 | **Printers** | | **Task Lights** | |
| 17" Color Monitor | 3 | Dot Matrix | less than 1 | 36" T8 Fluorescent | 0.2/bulb |
| 21" Color Monitor | 4 | InkJet | less than 1 | 48" T8 Fluorescent | 0.3/bulb |
| | | Personal Laser or LED | 8 | | |
| | | Workgroup Laser or LED | 15 | | |

### Duplex Receptacles



15 AMP Receptacle



20 AMP Receptacle
(Required by some large copiers.)

# EMPOWER®
# ELECTRICAL SPECIFYING INFORMATION




- Electrical components are UL Listed and CSA Certified.
- It is the customer's responsibility to ensure that use of the pre-wired electrical system, the number of receptacles used on a given circuit, and connection to a building power source, be in compliance with all local and national electrical codes.
- Contact Customer Service for additional information.
- Four-circuit components and Three-circuit components (with suffix "A") cannot be used together. See pages 429.11-429.12.

! A licensed electrician must make connections to a building electrical supply.

**Definition of components:**


## Electrical Power Harness



*Electrical Power Harness*
*Model HH871248*
*for 48"W Workstations*

- Used to distribute power in workstations.
- Power distribution in either direction.
- Specify Power Harness to match workstation width.
- Double-sided: receptacles can be inserted into both sides of Power Blocks.

## Electrical Pass-Thru Cables




*Pass-Thru Cable*

Pass-Thru Cable With Duplex Capacity:
- Use in workstations where multiple receptacles are not required.
- Added feature: has capacity for one receptacle on each side of a workstation. Feature offers future expansion and is an alternative to Power Harnesses.

## Duplex Receptacles

- 15 amp outlet configuration.
- Models HH871601 and HH871601A have a 20 amp outlet configuration.
- Fit back-to-back into the Power Block(s) of Power and Pass-Thru Harnesses.
- Labeled with the provided circuit. Circuits connected to the Isolated Ground are identified with an orange triangle; circuits that do not share a neutral or ground have an orange circuit number.




## Power In-Feed Model (Floor or Ceiling) HMP144

- Used to connect the workstation electrical system to the building electrical supply.

! A licensed electrician must make connections to a building electrical supply.

! Conduit is UL listed Black Liquid-tight conduit (outside diameter is ⅞").



*HMP144*


Note: In-feed cables listed above may be field-cut to desired length.

## End of Run Electrical Kits

- End of run electrical kits (HMPEEK-) are always specified with an in-feed model in dual- and single-sided applications.
- Reference chart below for 120° applications.

### 3-Pack 120 Degree Electric Specification Guide

| | A | B |
|---|---|---|
| 36" 120 surface | HH871124 | HH871148 |
| 42" 120 surface | HH871124 | HH871160 |
| 48" 120 surface | HH871124 | HH871172 |




# EMPOWER®
# ELECTRICAL SPECIFYING INFORMATION




- Electrical components are UL Listed and CSA Certified.
- It is the customer's responsibility to ensure that use of the pre-wired electrical system, the number of receptacles used on a given circuit, and connection to a building power source, be in compliance with all local and national electrical codes.
- Additional data cables can be zip tied to the trough.

! A licensed electrician must make connections to a building electrical supply.


**Vertebrae:**
**17 Cables, 0.250 Diameter (CAT-6)**




**Single-Depth Cable Trough Cover Capacity:**
**12 Cables, 0.250 Diameter (CAT-6)**





**Data Cable Packing in Power Pole:**
**33 Cables, 0.250 Diameter (CAT-6)**



**Data Cable Packing in Wire Trough Cover:**
**12 Cables, 0.250 Diameter (CAT-6)**



**Single-Depth Cable Trough Cover Capacity:**
**12 Cables, 0.250 Diameter (CAT-6)**









# EMPOWER®
# Electrical and Data

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MAX. RECEPT. CAP. PER PANEL SIDE | MODEL FOUR-CIRCUIT 3 + 1 2 + 2 | MODEL THREE-CIRCUIT, SEPARATE NEUTRALS | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|---|
|  **Electrical Power Harnesses, Frames — w/duplex capacity** | | | | | | |
| For 48″W | 2 | **HH871248** | **HH871248A** | 3.0 | 0.5 | **$295** |
| For 60″W | 2 | **HH871260** | **HH871260A** | 3.0 | 0.5 | **$295** |
| For 72″W | 2 | **HH871272** | **HH871272A** | 5.0 | 0.5 | **$295** |
| NOTES: When 48″W or 60″W are purchased separately without a configurable TAA compliant end product, not on GSA contract. | | | | | | |
|  **Electrical Pass-Thru Cables, Frames — w/duplex capacity** | | | | | | |
| For 48″W | 1 | **HH871148** | **HH871148A** | 2.5 | 0.5 | **$187** |
| For 60″W | 1 | **HH871160** | **HH871160A** | 3.0 | 0.5 | **$187** |
| For 72″W | 1 | **HH871172** | **HH871172A** | 5.0 | 0.5 | **$187** |
| NOTES: When 48″W or 60″W are purchased separately without a configurable TAA compliant end product, not on GSA contract. | | | | | | |
|  **Electrical Pass-Thru Harness without Power Block** | | | | | | |
| For 24″W Frames | 0 | **HH871024** | **HH871024A** | 2.0 | 0.5 | **$164** |
| For 48″W Frames | 0 | **HH871048** | **HH871048A** | 3.0 | 0.5 | **$169** |
| For 60″W Frames | 0 | **HH871060** | **HH871060A** | 3.0 | 0.5 | **$169** |
| For 72″W Frame Runs | 0 | **HH871072** | | 4.0 | 0.5 | **$234** |
| 24″ Pass-Thru Harness without Power Block is only used when specifying Power In-Feed with Sealtight as a floor in-feed. Harness is not needed for the standard in-feed. | | | | | | |
|  **Power In-Feed — Sealtight** | | | | | | |
| 144″ long conduit, Sealtight Cable — 7/8″ diameter | | **HMP144** | **HMP144A** | 7.0 | 1.2 | **$452** |
| NOTES: For use as ceiling, floor, and wall in-feed. | | | | | | |
|  **Metal Flexible Conduit** | | | | | | |
| 144″ long conduit, Flex Cable — 7/8″ dia. | | **HH871912** | **HH871912A** | 4.0 | 0.5 | **$325** |
| NOTES: Metal Flexible Conduit. Best option for use with power pole due to bend radius flexibility. | | | | | | |
|  **End of Run Electrical Kit** | | | | | | |
| 48″W | | **HMPEEK48** | | 3.0 | 0.5 | **$307** |
| 60″W | | **HMPEEK60** | | 3.0 | 0.5 | **$307** |
| 72″W | | **HMPEEK72** | | 5.0 | 0.5 | **$307** |
|  **Infeed Cover** | | **HSYSEMPINFCOV** | | 7.8 | 0.4 | **$177** |

**NOTES:**
- For 3-circuit electrical, specify a standard pass-through harness instead of an end of run kit.

## HOW TO SPECIFY

**Select Model Number**

| H | H | 8 | 7 | 1 | 2 | 4 | 8 |
|---|---|---|---|---|---|---|---|


GSA SIN 33721

ABI S

Icon Legend on page 19

# EMPOWER® Electrical and Data





*Use when local codes require*

| DESCRIPTION | MODEL: FOUR-CIRCUIT 3 + 1 2 + 2 | MODEL: THREE-CIRCUIT, SEPARATE NEUTRALS | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
| **Hardwire Applications** | | | | | |
| Hardwire Power In-feed | **HH871400** | **HH871400A** | 4.0 | 0.3 | **$305** |
| ! Customer to furnish all cabling and wiring from power entry to power source (approved for use by city of New York). | | | | | |
| Hardwire Junction Box (6-pack) | **HH871500** | | 4.5 | 0.1 | **$629** |

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| Chicago Code Electrical Mounting Bracket (Pack of 2) | **HSYSEMPEMBPK2** | 0.1 | 0.35 | **$15** |

! Hardwire Junction Boxes cannot be installed back-to-back in panel applications.

! Contact Tailored Solutions for back-to-back Junction Box standard special number.

! HSYSEMPEMBPK2: Junction Box Mounting Bracket, specify 1 per trough.


! Specify 2 hardwire junction boxes HH871500 per trough.



*Each marked with Circuit Number*

| DESCRIPTION | MODEL: FOUR-CIRCUIT 3 + 1 2 + 2 | MODEL: THREE-CIRCUIT, SEPARATE NEUTRALS | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
| **Duplex Receptacles** | | | | | |
| Circuit 1 | **HH871501** | **HH871501A** | 1.0 | 0.5 | **$60** |
| Circuit 2 | **HH871502** | **HH871502A** | 1.0 | 0.5 | **$60** |
| Circuit 3 (except 2 + 2 — see below) | **HH871503** | **HH871503A** | 1.0 | 0.5 | **$60** |
| Circuit 4 — isolated, dedicated circuit | **HH871504** | | 1.0 | 0.5 | **$60** |
| Circuit 1 (20 amp outlet configuration) | **HH871601** | | 1.0 | 0.5 | **$60** |
| Circuit 3 (2 + 2) | **HH871506** | | 1.0 | 0.5 | **$60** |

Specify Paint. Charcoal (S) matches Empower® trough.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Knockout Port Covers, Metal** | **HBPRTCV** | 0.5 | 0.1 | **$37** | **$40** | **$41** |

NOTES: Used on single-sided, height adjustable applications. Single-sided troughs ship with 4 port covers for the non-user side.

! Customer must furnish conduit, wiring and designer type receptacles. (Approved for use by city of Chicago.)

! Junction boxes cannot be used back-to-back.



*HHTADF3*



*HHTADF4*



*HHTADJ5 Black only*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **AMP Data Faceplates** | | | | |
| Three-port flex-mode faceplate | **HHTADF3** | 1 S | 0.2 | **$36** |
| Four-port flex-mode faceplate | **HHTADF4** | 1 S | 0.2 | **$36** |
| ! Data faceplates available in Black (E4) only. | | | | |
| AMP RJ45 CAT 5E Jack — Black (P) | **HHTADJ5** | 1 S | 0.1 | **$55** |
| AMP RJ45 CAT 6 Jack — Black (P) | **HHTADJ6** | 1 S | 0.1 | **$75** |

Models HHTADJ5 and HHTADJ6 snap into faceplate.

NOTES: AMP Data Faceplates attach to bottom of panel or at worksurface height in front of baserail covers for easy cable routing. Faceplates cannot be installed back-to-back in a panel application.

**NOTES:**

- If receptacles are used on the non-user side of a single-sided, height adjustable application, there may be interference between cords and any table mounted modesty screens.

## HOW TO SPECIFY

| Select Model Number | Select Paint Color |
|---|---|
| | See page 399 |
| H H 8 7 1 4 0 0 . | P |


# EMPOWER® Electrical Accessories

GSA SIN 33721

ABI

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE P1 |
|---|---|---|---|---|
| **Power Pole**<br>10′5″ | **HMPPP125** | 14 | 0.7 | **$633** |

NOTES: Power Pole ships with bracket to attach under stationary Empower® worksurfaces and feed directly into the Wire Management Trough. Power Pole will run to the floor on height adjustable Empower®.


❗ A center screen will block the power pole mounting location.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Vertebrae** | **HMPVWM28** | 3.0 | 0.3 | **$303** |

NOTES: 30″H x 3 1/16″W x 1½″D. Ships unassembled. For additional information see page 701. For use with stationary Empower®.

❗ Clear finish. Specify "X" for finish option.
**SPECIFYING EXAMPLE: HMPVWM28.X**




*HMPHAWTWML*



*HMPHATFWML*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Wire Managers for Height Adjustable** | | | | |
| Workstation to Trough | **HMPHAWTWML** | 3.0 | 0.1 | **$365** |
| Trough to Floor | **HMPHATFWML** | 2.0 | 0.3 | **$319** |




*Model HRNDPWRMOD.AC.S shown*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Round Power Modules with Worksurface Clamp** | **HRNDPWRMOD** | 2.25 S | 0.3 | **$511** |
| **HAT Desktop/Undermount Combo Power Mod** | **HHATPWRMOD** | 2.6 | 0.2 | **$645** |

- 2 receptacles, 1 USB-A, and 1 USB-C (AC) or 2 receptacles, 1 USB-A, 1 USB-C, and wireless charging (QA).
- 9′ Straight cord only (S).
- Available in Snow (SNW) and Storm (STRM).
- Worksurface clamp can be used on any surface with a 2½″ overhang.
- UL Listed.

**SPECIFYING EXAMPLE: HRNDPWRMOD.AC.S.SNW**



*Model HURNDPWRMOD.AC.S shown*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Round Power Modules with Under-Worksurface Mounting Bracket** | **HURNDPWRMOD** | 2.25 S | 0.3 | **$511** |

- 2 receptacles, 1 USB-A, and 1 USB-C (AC).
- 9′ Straight cord only (S).
- Available in Snow (SNW), Storm (STRM), and Black (BLK).
- Under surface mounting can be used on any surface with a 5″ clearance.
- UL Listed.

**SPECIFYING EXAMPLE: HURNDPWRMOD.AC.S.BLK**



*Black only*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Black Field Installable Grommet with One Access Hole** | **HFLDGRMT** | 0.1 S | 0.01 | **$46** |

- Intended for use in tops and end panels to route/hide cords and facilitate reaching wall electrical outlets.
- Requires a 2½″ diameter hole saw and drill for installation (not included).
- Grommet cap measures 3″ diameter and includes a ¾″ diameter cord access hole.
- Grommet sleeve measures 2½″ O.D. x ¾″ thick.
- Includes instructions to locate grommet position for desks, credenzas, returns and bridges.

❗ The grommet is not designed to be used with the following HON Series: 94000, 38000, Metro Classic or 34000.

## HOW TO SPECIFY

**Select Model Number**

H R N D P W R M O D .

**Select Ports *(if applicable)***

*Specify for Round Power Modules*

**AC** USB A+C
**QA** Wireless charging with USB-A port (+ $125)

A C .

**Select Cord *(if applicable)***

*Specify for Round Power Modules*

**S** Straight Cord

S .

**Select Paint Color *(if applicable)***

*Specify applicable paint color for Round Power modules*

**SNW** Snow
**STRM** Storm
**BLK** Black

S T R M


GSA SIN 33721 EXCEPT AS NOTED

ABI

Icon Legend on page 19

# POWER & CABLE MANAGEMENT






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **2-Stage Metal HAT Telescoping Wire Chase** | **HHATPWRMOD2S** | 5.6 S | 0.6 | **$1093** | **$1120** | **$1133** |
| **3-Stage Metal HAT Telescoping Wire Chase** | **HHATPWRMOD3S** | 5.6 S | 0.6 | **$1118** | **$1147** | **$1162** |

- Metal Telescoping Chase available in the same paint finishes as Coordinate™ HAT bases, specify desired paint finish.

NOTES: 2 and 3-stage Metal HAT Telescoping chases include an Above/Below Power Module and a metal telescoping chase to conceal coiled cord on the Above/Below Power Module unit. Four feet of straight cord length extends from the base of Telescoping Chase. Telescoping Chase solution provides power access above and below the worksurface on Coordinate™ Height Adjustable Tables while concealing cord slack. Telescoping chase matches profile of Coordinate™ HAT leg and rises up and down with the unit. To match Metal Telescoping Chase to HAT base, specify matching paint color to HAT base.

**SPECIFYING EXAMPLE: HHATPWRMOD2S.AC.DWT.PJW**



| | | | | | | |
|---|---|---|---|---|---|---|
| **Fabric Elastic HAT Wire Chase** | **HHATPWRMODF** | 3.6 S | 0.3 | **$1007** | **$1025** | **$1034** |


- Fabric Chase comes in Light (LGT), Medium (MDD), and Dark (DRK) fabrics, specify desired fabric.
- Fabric HAT mounting brackets available in the same paint finishes as Coordinate™ HAT bases, specify desired paint finish.

NOTES: Fabric Elastic Chase includes an Above/Below Power Module and a fabric chase to conceal coiled cord on the Above/Below Power Module unit. Four feet of straight cord length extends from the base of Fabric Chase. Fabric Chase solution provides power access above and below the worksurface on Coordinate™ Height Adjustable Tables while concealing cord slack. Works on either 2-stage or 3-stage HAT bases. Fabric chase wraps around coiled cord and stretches up and down with a Coordinate™ HAT leg. To match Fabric Chase's metal mounting brackets to HAT base, specify matching paint color to HAT base.


**SPECIFYING EXAMPLE: HHATPWRMODF.AC.DWT.LGT.PJW**

**NOTES:**


- Desktop power module comes with 2 receptacles, 1 USB-A, and 1 USB-C port only, specify "AC."
- Desktop power module available in White (DWT) or Gray (DGY) finishes, specify desired finish.
- Under worksurface power strip comes with 6 receptacles and is available in Black only, no specification needed.



*2-Stage Metal Telescoping HAT Wire Management*



*3-Stage Metal Telescoping HAT Wire Management*



*2 or 3-stage Fabric Elastic HAT Wire Management*

## HOW TO SPECIFY

**Select Model Number**

H H A T P W R M O D F .

**Select Ports**

*Specify for Above/Below Power Modules*

**AC** USB A+C

A C .

**Select Power Module Paint**

*Specify for Above/Below Power Modules*

**DWT** White
**DGY** Gray

D W T .

**Select Fabric Chase Finish**

*For Fabric Chase only*

**LGT** Light
**MDD** Medium
**DRK** Dark

L G T .

**Select Paint Color**

*Specify paint for Telescoping Chase or Fabric Chase Mounting Brackets*

See page 115 for finishes

P J W


# GALLERY PANELS
## Working with Empower®



### Gallery Panel Kit — Fixed Height


**Dual-Sided Applications**

- Provides privacy to the Empower® system in a dual-sided application.
- Use HSYSEMPGPKIT2 for end conditions and HSYSEMPMGPKIT2 for mid conditions. One kit per Gallery panel required.
- Can be used with Gallery panels with or without glass.
- Specify two Gallery panels in mid conditions, account for 3″ gap for electrical passage.
- In locations where Gallery panels are used, mid or end legs are not required.
- Order Gallery panel installation template (HSYSEMPGPIT) separately. One template required for every 30 Gallery panels.
- For mid conditions, Gallery panels must be specified on both sides of the bench. Gallery panel widths do not have to match on both sides.
- Min 35″H and Max 50″H
- For End Connection:
  - Min 51″W and Max 75″W for (24″ Worksurface)
  - Min 63″W and Max 75″W for (30″ Worksurface)
- For Mid Connection:
  - Min 24″W and Max 75″W for (24″ Worksurface)
  - Min 30″W and Max 75″W for (30″ Worksurface)



**Single-Sided Applications**

- Provides privacy to the Empower® system in a single-sided application.
- Use HSYSEMPGPKIT1L and HSYSEMPGPKIT1R for end conditions.
- Use HSYSEMPMGPKIT1 for mid conditions. One kit per Gallery panel required.
- Can be used with Gallery panels with or without glass.
- Order Gallery panel installation template (HSYSEMPGPIT) separately. One template required for every 30 Gallery panels.
- In locations where Gallery panels are used, mid or end legs are not required.
- Must use a hole saw to cut a 2½″ opening to route the power and data through the Gallery panel into the system. Recommend using grommet (HLFDGRMT) for a finished aesthetic.
- Min 35″H and Max 50″H
- Min 24″W and Max 75″W for (24″ Worksurface)
- Min 30″W and Max 75″W for (30″ Worksurface)




# GALLERY PANELS
Working with Empower®



## Gallery Panel Kit — Height Adjustable


### Dual-Sided Applications

- Provides privacy to the Empower® system in a dual-sided HAT application.
- Use HSYSEMPHAGPKIT2 for end conditions and HSYSEMPMHAGPKIT2 for mid conditions. One kit per Gallery panel required.
- Can be used with Gallery panels with or without glass.
- Specify two Gallery panels in mid conditions, account for 3″ gap for electrical passage.
- Order Gallery panel installation template (HSYSEMPGPIT) separately. One template required for every 30 Gallery panels.
- For mid conditions, Gallery panels must be specified on both sides of the bench. Gallery panel widths do not have to match on both sides.
- Min 35″H and Max 50″H
- For End Connection:
  - Min 48″W and Max 75″W for (22″ Worksurface)
  - Min 60″W and Max 75″W for (28″ Worksurface)
- For Mid Connection:
  - Min 23″W and Max 75″W for (22″ Worksurface)
  - Min 29″W and Max 75″W for (28″ Worksurface)



### Single-Sided Applications

- Provides privacy to the Empower® system in a single-sided application.
- Use HSYSEMPHAGPKIT1 for end conditions.
- Use HSYSEMPMHAGPKIT1 for mid conditions. One kit per Gallery panel required.
- Can be used with Gallery panels with or without glass.
- Installation template is not required for single-sided height adjustable applications.
- When using Gallery panels with single-sided applications, Gallery panels must be used at all end and mid locations.
- For added stability on single-sided applications, consider connecting storage to the end or mid Gallery panels.
- Must use a hole saw to cut a 2½″ opening to route the power and data through the Gallery panel into the system. Recommend using grommet (HLFDGRMT) for a finished aesthetic.
- Min 35″H and Max 50″H
- Min 22″W and Max 42″W for (22″ Worksurface)
- Min 28″W and Max 42″W for (28″ Worksurface)




# GALLERY PANELS
## Working with Empower®



### Gallery Panel Kit — Day 2 Kit

- Provides privacy to one or both ends of the system in a fixed, dual-sided existing Empower® application.
- Use HSYSEMPGPKITD2 connector kit to attach Gallery panels to an existing Empower® fixed leg.
- Can be used in linear and 120° applications.
  - Min 35″W and Max 50″H
  - Min 51″W and Max 75″W for (24″ Worksurface)
  - Min 63″W and Max 75″W for (30″ Worksurface)





OPEN MARKET

Icon Legend on page 19

# EMPOWER® GALLERY PANELS
## Wing Panels







| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Gallery Panels** | | | | | |
| 35″H x 24″W | **HRVG3524L** | 26.8 | 2.4 | **$465** | **$483** |
| 35″H x 27″W | **HRVG3527L** | 30.1 | 2.5 | **$490** | **$509** |
| 35″H x 30″W | **HRVG3530L** | 33.5 | 2.9 | **$566** | **$588** |
| 35″H x 33″W | **HRVG3533L** | 36.8 | 3.0 | **$595** | **$618** |
| 35″H x 36″W | **HRVG3536L** | 40.2 | 3.3 | **$630** | **$654** |
| 35″H x 39″W | **HRVG3539L** | 43.6 | 3.6 | **$673** | **$700** |
| 35″H x 42″W | **HRVG3542L** | 46.9 | 3.8 | **$704** | **$732** |
| 35″H x 45″W | **HRVG3545L** | 50.3 | 4.1 | **$746** | **$776** |
| 35″H x 48″W | **HRVG3548L** | 53.6 | 4.4 | **$777** | **$808** |
| 35″H x 51″W | **HRVG3551L** | 57.0 | 4.6 | **$805** | **$837** |
| 35″H x 60″W | **HRVG3560L** | 67.0 | 5.4 | **$896** | **$932** |
| 35″H x 63″W | **HRVG3563L** | 70.4 | 5.7 | **$915** | **$952** |
| 35″H x 75″W | **HRVG3575L** | 83.8 | 6.7 | **$1111** | **$1155** |
| 42″H x 24″W | **HRVG4224L** | 38.5 | 2.6 | **$502** | **$522** |
| 42″H x 27″W | **HRVG4227L** | 42.5 | 2.9 | **$531** | **$552** |
| 42″H x 30″W | **HRVG4230L** | 46.0 | 3.3 | **$612** | **$636** |
| 42″H x 33″W | **HRVG4233L** | 50.0 | 3.6 | **$643** | **$669** |
| 42″H x 36″W | **HRVG4236L** | 54.0 | 3.9 | **$683** | **$711** |
| 42″H x 39″W | **HRVG4239L** | 58.0 | 4.2 | **$732** | **$761** |
| 42″H x 42″W | **HRVG4242L** | 62.0 | 4.5 | **$762** | **$792** |
| 42″H x 45″W | **HRVG4245L** | 65.0 | 4.8 | **$789** | **$820** |
| 42″H x 48″W | **HRVG4248L** | 69.5 | 5.1 | **$821** | **$854** |
| 42″H x 51″W | **HRVG4251L** | 73.5 | 5.4 | **$874** | **$908** |
| 42″H x 60″W | **HRVG4260L** | 85.0 | 6.3 | **$956** | **$994** |
| 42″H x 63″W | **HRVG4263L** | 89.0 | 6.7 | **$981** | **$1020** |
| 42″H x 75″W | **HRVG4275L** | 104.5 | 7.9 | **$1132** | **$1177** |
| **Gallery Panels** | | | | | |
| 50″H x 24″W | **HRVG5024L** | 44.5 | 3.1 | **$579** | **$602** |
| 50″H x 27″W | **HRVG5027L** | 49.0 | 3.5 | **$610** | **$634** |
| 50″H x 30″W | **HRVG5030L** | 53.0 | 3.8 | **$680** | **$707** |
| 50″H x 33″W | **HRVG5033L** | 58.0 | 4.2 | **$713** | **$742** |
| 50″H x 36″W | **HRVG5036L** | 63.0 | 4.6 | **$750** | **$780** |
| 50″H x 39″W | **HRVG5039L** | 67.5 | 4.9 | **$796** | **$828** |
| 50″H x 42″W | **HRVG5042L** | 72.0 | 5.3 | **$839** | **$872** |
| 50″H x 45″W | **HRVG5045L** | 77.0 | 5.6 | **$900** | **$936** |
| 50″H x 48″W | **HRVG5048L** | 81.5 | 6.0 | **$923** | **$960** |
| 50″H x 51″W | **HRVG5051L** | 86.0 | 6.4 | **$946** | **$984** |
| 50″H x 60″W | **HRVG5060L** | 100.0 | 7.5 | **$1042** | **$1084** |
| 50″H x 63″W | **HRVG5063L** | 104.5 | 7.8 | **$1062** | **$1104** |
| 50″H x 75″W | **HRVG5075L** | 123.0 | 9.3 | **$1231** | **$1279** |

**NOTES:**

- Gallery Panels come standard with two adjustable leveling glides.
- Gallery Panels up to 60″W can specify vertical or horizontal woodgrain direction. Panels larger than 60″W will have horizontal woodgrain.

Gallery Panels longer than 60″W require a floor or storage support.

75″W Gallery Panels require use of Gallery Panel Stiffener model HRVGS7578.

## HOW TO SPECIFY

**Select Model Number**

H R V G 3 5 2 7 L .

**Select Laminate**

See page 431

C .

**Select Edge**

See page 431

C .

**Select Grain Direction**

**VST** Vertical Grain (not available on 63″W or wider)
**VLG** Horizontal Grain and Solid Laminate only

V S T .

**Select Glide**

**G** Glide


G

# EMPOWER® GALLERY PANELS
## Wing, Accepts Glass


OPEN MARKET

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Gallery Panels, Accepts Glass** | | | | | |
| 35″H x 24″W | **HRVG3524LG** | 26.8 | 2.4 | **$638** | **$664** |
| 35″H x 27″W | **HRVG3527LG** | 30.1 | 2.5 | **$664** | **$691** |
| 35″H x 30″W | **HRVG3530LG** | 33.5 | 2.9 | **$740** | **$769** |
| 35″H x 33″W | **HRVG3533LG** | 36.8 | 3.0 | **$770** | **$800** |
| 35″H x 36″W | **HRVG3536LG** | 40.2 | 3.3 | **$806** | **$838** |
| 35″H x 39″W | **HRVG3539LG** | 43.6 | 3.6 | **$849** | **$882** |
| 35″H x 42″W | **HRVG3542LG** | 46.9 | 3.8 | **$879** | **$913** |
| 35″H x 45″W | **HRVG3545LG** | 50.3 | 4.1 | **$921** | **$958** |
| 35″H x 48″W | **HRVG3548LG** | 53.6 | 4.4 | **$951** | **$989** |
| 35″H x 51″W | **HRVG3551LG** | 57.0 | 4.6 | **$976** | **$1015** |
| 35″H x 60″W | **HRVG3560LG** | 67.0 | 5.4 | **$1072** | **$1114** |
| 35″H x 63″W | **HRVG3563LG** | 70.4 | 5.7 | **$1091** | **$1134** |
| 35″H x 75″W | **HRVG3575LG** | 83.8 | 6.7 | **$1281** | **$1332** |
| 42″H x 24″W | **HRVG4224LG** | 38.5 | 2.6 | **$677** | **$704** |
| 42″H x 27″W | **HRVG4227LG** | 42.5 | 2.9 | **$705** | **$733** |
| 42″H x 30″W | **HRVG4230LG** | 46.0 | 3.3 | **$786** | **$817** |
| 42″H x 33″W | **HRVG4233LG** | 50.0 | 3.6 | **$818** | **$850** |
| 42″H x 36″W | **HRVG4236LG** | 54.0 | 3.9 | **$856** | **$890** |
| 42″H x 39″W | **HRVG4239LG** | 58.0 | 4.2 | **$904** | **$941** |
| 42″H x 42″W | **HRVG4242LG** | 62.0 | 4.5 | **$937** | **$975** |
| 42″H x 45″W | **HRVG4245LG** | 66.0 | 4.8 | **$964** | **$1003** |
| 42″H x 48″W | **HRVG4248LG** | 69.5 | 5.1 | **$994** | **$1034** |
| 42″H x 51″W | **HRVG4251LG** | 73.5 | 5.4 | **$1046** | **$1088** |
| 42″H x 60″W | **HRVG4260LG** | 85.0 | 6.3 | **$1129** | **$1174** |
| 42″H x 63″W | **HRVG4263LG** | 89.0 | 6.7 | **$1155** | **$1201** |
| 42″H x 75″W | **HRVG4275LG** | 104.5 | 7.9 | **$1303** | **$1355** |



| | | | | | |
|---|---|---|---|---|---|
| **Gallery Panels** | | | | | |
| 50″H x 24″W | **HRVG5024LG** | 44.5 | 3.1 | **$751** | **$781** |
| 50″H x 27″W | **HRVG5027LG** | 49.0 | 3.5 | **$783** | **$814** |
| 50″H x 30″W | **HRVG5030LG** | 54.0 | 3.8 | **$853** | **$887** |
| 50″H x 33″W | **HRVG5033LG** | 58.0 | 4.2 | **$888** | **$924** |
| 50″H x 36″W | **HRVG5036LG** | 63.0 | 4.6 | **$924** | **$961** |
| 50″H x 39″W | **HRVG5039LG** | 67.5 | 4.9 | **$969** | **$1008** |
| 50″H x 42″W | **HRVG5042LG** | 72.0 | 5.3 | **$1013** | **$1054** |
| 50″H x 45″W | **HRVG5045LG** | 77.0 | 5.6 | **$1073** | **$1116** |
| 50″H x 48″W | **HRVG5048LG** | 81.5 | 6.0 | **$1073** | **$1117** |
| 50″H x 51″W | **HRVG5051LG** | 86.0 | 6.4 | **$1119** | **$1163** |
| 50″H x 60″W | **HRVG5060LG** | 100.0 | 7.5 | **$1215** | **$1263** |
| 50″H x 63″W | **HRVG5063LG** | 104.5 | 7.8 | **$1236** | **$1286** |
| 50″H x 75″W | **HRVG5075LG** | 123.0 | 9.3 | **$1405** | **$1461** |

**NOTES:**
- Gallery Panels come standard with two adjustable leveling glides.
- Gallery Panels up to 60″W can specify vertical or horizontal woodgrain direction. Panels larger than 60″W will have horizontal woodgrain.

! Gallery Panels longer than 60″W require a floor or storage support.

! 75″W Gallery Panels require use of Gallery Panel Stiffener model HRVGS7578.

## HOW TO SPECIFY


| Select Model Number | Select Laminate | Select Edge | Select Grain Direction | Select Glide |
|---|---|---|---|---|
| | See page 431 | See page 431 | **VST** Vertical Grain (not available on 63″W or wider)<br>**VLG** Horizontal Grain and Solid Laminate only | **G** Glide |
| H R V G 3 5 2 7 L G . | C . | C . | V S T . | G |

OPEN MARKET EXCEPT AS NOTED


Icon Legend on page 19

# GALLERY PANELS
## Empower® Connector Kits







| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Fixed Height** | | | | | | |
| Gallery Panel Kit Fixed End, Single-Sided Left | **HSYSEMPGPKIT1L** | 11.98 | 0.8 | **$171** | **$188** | **$197** |
| Gallery Panel Kit Fixed End, Single-Sided Right | **HSYSEMPGPKIT1R** | 11.97 | 0.8 | **$171** | **$188** | **$197** |
| Gallery Panel Kit Fixed End, Double-Sided | **HSYSEMPGPKIT2** | 15.05 | 1.0 | **$186** | **$205** | **$214** |
| Gallery Panel Kit Mid, Single-Sided | **HSYSEMPMGPKIT1** | 23.95 | 1.8 | **$342** | **$376** | **$393** |
| Gallery Panel Kit Mid, Double-Sided | **HSYSEMPMGPKIT2** | 23.73 | 2.6 | **$394** | **$431** | **$450** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **Height Adjustable** | | | | | | |
| Gallery Panel Kit Height Adjustable End, Single-Sided | **HSYSEMPHAGPKIT1** | 7.57 | 0.2 | **$270** | **$297** | **$311** |
| Gallery Panel Kit Height Adjustable End, Double-Sided | **HSYSEMPHAGPKIT2** | 8.86 | 0.6 | **$295** | **$325** | **$339** |
| Gallery Panel Kit Mid Height Adjustable, Single-Sided | **HSYSEMPMHAGPKIT1** | 6.89 | 0.2 | **$310** | **$341** | **$357** |
| Gallery Panel Kit Mid Height Adjustable, Double-Sided | **HSYSEMPMHAGPKIT2** | 15.65 | 0.6 | **$270** | **$297** | **$311** |



| | | | | | | |
|---|---|---|---|---|---|---|
| Gallery Panel Installation Templates | **HSYSEMPGPIT** | 4.99 | 0.3 | **$56** | **N/A** | **N/A** |
| Gallery Panel Day 2 Kit | **HSYSEMPGPKITD2** | 9.08 | 0.6 | **$146** | **$161** | **$168** |



**NOTES:**
- Gallery panel installation template (HSYSEMPGPIT) required for every 30 panels.
- Installation template is required for all dual-sided applications and single-sided fixed applications. Single-sided, height adjustable applications do not require a template.



*Black only*

**SIN 33721**

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Black Field Installable Grommet with One Access Hole** | **HFLDGRMT** | 0.1 | 0.01 | **$46** |

- Intended for use in tops and end panels to route/hide cords and facilitate reaching wall electrical outlets.
- Requires a 2½" diameter hole saw and drill for installation (not included).
- Grommet cap measures 3" diameter and includes a ¾" diameter cord access hole.
- Grommet sleeve measures 2½" O.D. x ¾" thick.
- Includes instructions to locate grommet position for desks, credenzas, returns and bridges.

The grommet is not designed to be used with the following HON Series: 94000, 38000, Metro Classic or 34000.

# GALLERY PANELS

Want to see more? Scan here to check out hon.com.



Gallery Panels shown with Abound® Systems, Preside® Team Touchdown Table, and Flock® Seating.

## GALLERY PANELS

Sometimes, simplicity is stellar. Gallery Panels offers streamlined cohesion for Abound® and Accelerate® products — their straightforward design allows you to customize and engineer your space to best support your productivity and privacy. And with a variety of sleek finishes to choose from, you'll keep things stylish too.







**FEATURES**

- Complete a cohesive workstation with Abound® and Accelerate® solutions.
- Get the right fit with true-to-size panel width.
- Customize your look with a variety of woodgrain and solid laminate finishes.
- Choose from matching or contrasting edge colors for a unique aesthetic.
- Accessories add extra organization and functionality to Gallery Panels.

# GALLERY PANELS ORDERING INFORMATION



## GALLERY PANELS

**L1 LAMINATES ..... CODES**

**Woodgrain**

- Bourbon Cherry ..... **H**
- Cognac ..... **COGN**
- Field Elm ..... **LWFE**
- Florence Walnut ..... **LFW1**
- Harvest ..... **C**
- Kingswood Walnut ..... **LKI1**
- Mahogany ..... **N**
- Mocha ..... **MOCH**
- Natural Maple ..... **D**
- Pinnacle ..... **PINC**
- Shaker Cherry ..... **F**
- Sterling Ash ..... **LSA1**

**Solid**

- Black ..... **P**
- Charcoal ..... **S**
- Designer White ..... **LDW1**
- Loft ..... **LOFT**

**Patterned**

- Handspun Chestnut ..... **LAHC**
- Handspun Dove ..... **LAHD**
- Handspun Pearl ..... **LAHP**
- Handspun Slate ..... **LAHS**
- Silver Mesh ..... **B9**

**L2 LAMINATES ..... CODES**

**Woodgrain**

- Beigewood ..... **LWBE**
- Fawn Cypress ..... **LFC1**
- Lowell Ash ..... **LLA1**
- Natural Recon ..... **LNR1**
- Phantom Ecru ..... **LPE1**
- Portico Teak ..... **LPT1**
- Skyline Walnut ..... **LSW1**

## CONNECTORS, ACCESSORIES, HAT TIE-IN BRACKETS

**PAINT ..... CODES**

**P1**

- Black ..... **P**
- Brownstone ..... **P7D**
- Charcoal ..... **S**
- Cove ..... **P096**
- Designer White ..... **PJW**
- Dune ..... **P094**
- Fossil ..... **P28**
- Greige ..... **T5**
- Harbor ..... **P097**
- Light Gray ..... **Q**
- Loft ..... **LOFT**
- Muslin ..... **T3**
- Putty ..... **L**
- Sage ..... **P095**
- Titanium ..... **P8T**

**P2**

- Champagne Metallic ..... **T4**
- Gunmetal Metallic ..... **PR3**
- Platinum Metallic ..... **T1**
- Silver ..... **PR6**
- Solar Black ..... **P8X**

## GALLERY PANEL FEET

**PAINT ..... CODES**

**P1**

- Textured Brownstone ..... **P7J**
- Textured Charcoal ..... **P7A**
- Textured Designer White .. **PJW**
- Textured Loft ..... **P7L**
- Textured Muslin ..... **P7M**

**P2**


- Textured Silver ..... **PR8**


◆◆◇ *For lead time information see page 21.*


# GALLERY PANELS
## Statement of Line





### GALLERY PANELS



Wing; End of Run, Middle, Spanning End of Run



Wing Accepts Glass; End of Run, Middle, Spanning End of Run



7½"H Gallery Glass


Gallery-to-Gallery, L-Connection



Gallery-to-Gallery, T-Connection


Gallery-to-Gallery, Non-Symmetrical Connection


Split Gallery Panel — Abound®


Split Gallery Panel, Accepts Glass — Abound®

### CONNECTORS


Gallery Panel Connectors — Abound®


Split Gallery Panel Connector — Abound®


Gallery Connector ("Block and Trim" Kit) — Abound®



Gallery Panel Mid Connector, Single-Sided — Accelerate®


Gallery Panel Mid Connector, Double-Sided — Accelerate®


Gallery Panel End Connector — Accelerate®



Spanning End of Run Connector with Glass — Accelerate®



Gallery to Metal/Laminate Kits


Height Adjustable Tie-In Brackets


### ACCESSORIES



Accessory Rail



Hanging Markerboard



Rail Mounted Coat/Bag Hook


Face Mounted Coat/Bag Hook


Rail Mounted Paper Shelf



Rail Mounted Angle File


Rail Mounted Binder Shelf


Rail Mounted Wide Personal Shelf


Gallery Countertop Kit


Gallery Panel Foot


Markerboard

# GALLERY PANELS
Overview



## GALLERY PANELS

Gallery Panels are an affordable, sleek way to incorporate laminate wing and end of run panels where power is not needed. The simplistic design provides a great new way to add woodgrains or solid laminate finishes to your workstation allowing for greater customization and value engineering.

## BASIC CHARACTERISTICS


- Available in L-, T-, and Mid-configurations.
- Made of 1⅛″ board with high-pressure laminate.
- Use 1⅛″ thickness for space planning.
- Can be specified with matching or contrasting edge colors.
- Available in woodgrain and solid laminates.
- Woodgrain laminates can be specified with vertical grain on panels from 24″ to 60″W.
- Horizontal grain available on all panel sizes.
- Gallery Panels offer 2½″ leveling capacity.
- Overall heights line up with adjacent panel.
- Available with and without integrated glass options (specified separately).
- Gallery Panels for use with glass have separate model numbers.
- All configurations are non-handed and secured using hidden fasteners.
- Standard Gallery Panels cannot connect to each other, you must use Gallery-to-Gallery Panels for connections.
- Additional support is required after every 60″ in Gallery Panel width (i.e., storage or workstation tie-in).
- Gallery Panel widths are true to size.
- Please adhere to all standard systems specification guides.

# GALLERY PANELS
Overview




## GALLERY PANELS DIMENSIONS

### Gallery Panel Widths





### Gallery Panel Heights




** Available on Abound® applications only.*

## WORKING WITH INTEGRATED GLASS

- Gallery Panels for use with glass offer a routed top edge.
- Glass mounts directly into the Gallery Panel route via a gasket.
- The routing is inset 1½″ from each end of the panel on standard Gallery Panels.
- Total glass width will be 3″ narrower than the Gallery Panel.
- Glass height is available in 7½″H.
- Glass is available on all Gallery Panel widths.
- Specify glass models separate from Gallery Panel models.
- Routing is inset ½″ on L and T Gallery Panels.




## GALLERY PANEL STIFFENER


- Required for single-piece panels 75″ used in wing or single-sided end condition and do not have horizontally-mounted credenza.
- Attaches directly to one side of the Gallery Panel with a painted metal cover.
- Placement on panel face must be at least 18″ above the floor.
- Stiffener is 1½″ x 1½″.
- Available in HON standard paint options.


# GALLERY PANELS
## Working with Abound®



### T-CONFIGURATION


- Provides privacy to one or both ends of the Abound® system in a dual-sided application.
- Single piece T-configurations connect using HRVCE connector kit. Split T-configurations connect using HRVCES connector kit.
- All T-configurations connect using HRVCE connector kit.
- When the system panel is higher than the Gallery Panel, a variable height system's trim must be specified to finish off the exposed frame.
- T-configuration can be used for off-modular planning. The HRVCE connector kit location must be field measured.
- Accommodate for 2⅝″ frame thickness when planning with Abound® panel system.






### L-CONFIGURATION


- Provides privacy to one or both ends of the system in a single-sided application.
- L-configuration caps over the system panel.
- Due to the thickness of the Abound® panel L-configuration overhangs by approximately 3⁄16″ on both sides.
- Accommodate for 2⅝″ frame thickness planning with Abound® panel system.
- All L-configuration Gallery Panels require the connector kit HRVCE to attach to the parent run.
- When the system panel is higher than the Gallery Panel, the variable height system's trim must be specified to finish off exposed frame.






### MID-CONFIGURATION (SINGLE-SIDED OR DUAL-SIDED)

- Mid-configuration panel does not overlap parent system panel.
- When specifying mid-configuration panels, one Gallery Panel "block and trim" kit (HRVCXXGP) is required to space the system panels out 1⅛″. Kits include: Connector blocks, vertical trim, and a top cap.
- "Block and trim" models must match the height of the parent run.
- Specify one mid-connector kit (HRVCM) per Gallery Panel to attach to parent run. Gallery Panel and mid-connector kit attach over "block and trim" kit. Dual-sided application requires two connector kit models.
- When using a mid-configuration Gallery Panel, both panel frames in the spine must be of equal height.
- Mid-configuration Gallery Panel may exceed the height of the parent run by a maximum of 15″.
- Trims can be painted to match the system panel trims.



**Dual-Sided Configuration**




**Single-Sided Configuration**


# GALLERY PANELS
## Working with Accelerate®



### T-CONFIGURATION


- Provides privacy to one or both ends of the Accelerate® system in a dual-sided application.
- Use HEGPE connector kit for T-configurations without glass; HEGSFGA for configurations with glass.
- End Gallery Panels cannot be shorter than the spine panel.
- T-configuration can be used for off-modular planning. The HRVCE connector kit location must be field measured.
- Accommodate for 2⅛″ frame thickness when planning with Accelerate® panel system.






### L-CONFIGURATION


- Provides privacy to one or both ends of the system in a single-sided application.
- L-configuration caps over the system panel.
- Due to the thickness of the Accelerate® panel L-configuration overhangs by approximately ⅞″ on both sides.
- Accommodate for 2⅛″ frame thickness planning with Accelerate® panel system.
- End Gallery Panels cannot be shorter than the spine panel.
- L-configurations both with and without glass connect with HEGPE connector kit.
- When using stackers on spine, fixed worksurfaces with cantilevers must be tied into Gallery Panels.
- End Gallery Panels cannot be shorter than the spine panel.







### MID-CONFIGURATION (SINGLE-SIDED OR DUAL-SIDED)

- Mid-configuration panel does not overlap parent system panel.
- When specifying mid-configuration panels, one Gallery Panel Mid Connector HEGMCXXX is required to space the system panels out 1⅛″.
- Mid connector models must match the height of the parent run.
- Mid Connectors are available for single- and double-sided applications.
- When using a mid-configuration Gallery Panel, both panel frames in the spine must be of equal height.
- Mid-configuration Gallery Panel may vary in height from the parent run by a maximum of 15″.
- Trims can be painted to match the system panel trims.



Dual-Sided Configuration




Single-Sided Configuration


# GALLERY PANELS
Overview




## STORAGE AND WORKSURFACE CONNECTORS

- Use HRVGLSK to connect to laminate storage or HRVGMSK for metal storage.
- To connect to worksurfaces use HSTB2W1 bracket when used in perpendicular to parent run or use standard systems cantilever brackets when used in parallel to parent run in panel systems.


HRVCE



HRVCM


HRVCXXGP



HRVGLSK


HRVGMSK


## PANEL SYSTEMS




**Perpendicular panel system with L-bracket (HSTB2W1) and post leg.**



**Perpendicular panel system with storage support.**



**Panel system with cantilever support.**




# GALLERY PANELS
Overview




## GALLERY-TO-GALLERY PANELS


- Gallery-to-Gallery Panels connect to other Gallery Panels and are available in L-, T-, and Non-symmetrical T-configurations.
- When specifying Gallery-to-Gallery Panels, the installation template HRVGTGG is required. The recommendation is one template for every 30 panels.
- Gallery-to-Gallery Panels must be of equal or lower height than the Standard Gallery Panel attached. The Gallery-to-Gallery Panel cannot be taller than the adjacent panel. If this is needed, please reach out to Tailored Solutions for a custom solution.
- Made of 1⅛″ board with HPL laminate.
- Can be specified with matching or contrasting edge.
- Edgeband is 2mm ABS.
- Available in woodgrain and solid laminates.
- Woodgrain laminates can be specified with vertical grain up to 48″W.
- Gallery-to-Gallery Panel widths are available in 18″, 24″, 30″, 36″, 42″, 48″, 60″W, and 72″ (T).
- Gallery Panels offer 2½″ leveling capability.
- Overall heights line up with adjacent panel.
- Gallery-to-Gallery Panels cap over Standard Gallery Panels and are oversized by 1⅛″ to maintain true interior dimensions.
- Available with or without the integrated glass option.
- Glass is specified separately. Use mid-connection glass.
- Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery Panels are secured with an inset flat bracket under a painted metal cover. Paint color is specifiable to blend in with laminate choice.
- L-panels are handed.
- Non-symmetrical T-panels vary in size on either side of the adjacent panel.
- Please adhere to all standard systems specification guidelines.
- Additional support is required after every 60″ in Gallery Panel width (i.e., a storage or worksurface tie-in).



**Left Hand**



**T-configuration**



**Non-symmetrical**

# GALLERY PANELS
Overview




## GALLERY-TO-GALLERY FREESTANDING SCREENS

Freestanding screens can be created using Standard Gallery Panels and Gallery-to-Gallery Panels. All Gallery Panel heights are allowed. Increase minimum return length by 3″ (or next largest width) of panel for every 7½″ variation in panel height.

### Freestanding L-Screens

| Parent | Minimum Return* |
|---|---|
| 30″-36″ | 30″ |
| >42″-60″ | 36″ |
| 60″-75″ | 42″ |


* 18″-24″ not valid




### Freestanding U-Screens

| Parent | Minimum Return* |
|---|---|
| 24″-48″ | 24″ |
| 60″-75″ | 30″ |


* 18″-24″ not valid




### Freestanding T-Screens


| Parent | Minimum Return* |
|---|---|
| 30″-75″ | 30″ |
| 36″-75″ | 36″ |
| 42″-72″ | 42″ |

* 18″-24″ not valid




### Freestanding H-Screens


| Freestanding T (Dual-Sided) | |
|---|---|
| Parent | Minimum Return |
| 30″-60″ | 18″ |




NOTES: Increase minimum return length by 3″ or next largest width of panel for every 7½″ variation in panel height.


# GALLERY PANELS
## Working with Accessories






### TACKBOARDS

- Provides tackable surface.
- Comes with steel-painted trim.
- Available in the following heights: 15″, 22½″.
- Available in the following widths: 24″, 30″, 36″, 48″, 60″.
  ** Nominal widths, true width is undersized by ½″.*
- Depth of ½″.
- Mounts directly to Gallery Panel. Mounting hardware included. Installing will deface the panel.



### MAGNETIC SURFACE OR MARKERBOARDS

- Provides writable and magnetic surface when painted in markerboard paint. Provides magnetic, non-writable surface when painted in other HON paint colors.
- Available in the following sizes: 15″H x 24″W and 30″H, 22½″H x 36″W, 48″W, and 60″W.
  ** Nominal widths, true width is undersized by ½″.*
- Depth of ½″.
- Mounts directly to Gallery Panel. Mounting hardware included. Installing will deface the panel.




### HANGING MAGNETIC SURFACE OR MARKERBOARD

- Hangs over Gallery Panel or sits on top of worksurface.
- Provides writable and magnetic surface when painted in markerboard paint. Provides magnetic, non-writable surface when painted in other HON paint colors.
- Cannot be installed back-to-back when hanging in the same location.
- Available in 30″W and in two heights: 20″H and 26″H.


# GALLERY PANELS
## Working with Accessories






### GALLERY PANEL FOOT

- Single foot provides rigidity to large wing panel.
- Using two feet on a single Gallery Panel allows for a freestanding application on panels greater than 24″W.
- Available in standard HON paints.
- Foot extends 9″ from either side of the panel.







Standard foot placement is over the leveling glide and limits leveling capabilities.
Feet may be installed anywhere from outer panel edge to 6″ inset (to outside of foot) to avoid interference.


---



### WALL START

- Wall Starts are 1⅛″ by 1⅛″ rectangular mounting posts that are meant to affix a Gallery Panel to a permanent building wall.
- Wall Starts add 1⅛″ to a panel run.
- Attachment hardware not included.
- Must be specified at the same height as the connecting panel.

---




### COUNTERTOP BRACKETS

- Includes attachment hardware.
- Countertops are flush with the top of the panel and can be flush with the ends of the panel or shorter than the panel width.
- For straight countertops, two countertop brackets must be ordered.
- For corner countertops, three countertop brackets must be ordered.
- Will deface the Gallery Panel.
- May be used in conjunction with Stride, Terrace, or Optimize panels. When transitioning from a Panel spine to a Gallery Panel wing with a corner countertop, use countertop model of the panel system.

---


# GALLERY PANELS
## Working with Accessories






### ACCESSORY RAIL AND PAPER MANAGEMENT

- Accessory Rail provides mounting for paper management accessories listed below.
- Rail is 2⅜″H and is available in the following widths: 12″, 18″, 24″, 30″, and 36″.
- Rails can be installed at any location on the Gallery Panel, as long as the rail does not extend beyond the top of the panel. Rails can be placed in-line to span panel length.
- Rails and accessories can be painted in any standard HON color.
- Mounts directly to the Gallery Panel, attachment hardware included. Installing will deface the panel.
- Fuse accessories are NOT compatible with the Accessory Rail.
- These accessories are compatible with panel system tool tiles.
- Includes a rail cover to hide hardware and provide magnetic surface.




**Coat Hook**

- Rail-based, a mounted version also available to attach directly to the panel.
- Weight limit is 25 lbs.




**Angle File (Single, Dual, and Triple)**

- Depth of 2″
- Heights:
  Single = 9¼″
  Dual = 12¼″
  Triple = 15¼″




**Paper Tray (Single, Dual, and Triple)**

- Depth of 10″
- Heights:
  Single = 3¼″
  Dual = 6¼″
  Triple = 9¼″



**Personal Shelf**

- 9¼″H x 24″W x 6½″D
- Weight limit is 25 lbs.



**Binder Shelf**

- 12¼″H x 12″W x 11¼″D
- Weight limit is 25 lbs.


NOTE: When accessory tools are attached to freestanding Gallery Panel screens, excess weight may affect overall panel stability.

OPEN MARKET

Icon Legend on page 19

# GALLERY PANELS
## Wing Panels





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Gallery Panels** | | | | | |
| 35″H x 24″W | **HRVG3524L** | 26.8 | 2.4 | **$465** | **$483** |
| 35″H x 27″W | **HRVG3527L** | 30.1 | 2.5 | **$490** | **$509** |
| 35″H x 30″W | **HRVG3530L** | 33.5 | 2.9 | **$566** | **$588** |
| 35″H x 33″W | **HRVG3533L** | 36.8 | 3.0 | **$595** | **$618** |
| 35″H x 36″W | **HRVG3536L** | 40.2 | 3.3 | **$630** | **$654** |
| 35″H x 39″W | **HRVG3539L** | 43.6 | 3.6 | **$673** | **$700** |
| 35″H x 42″W | **HRVG3542L** | 46.9 | 3.8 | **$704** | **$732** |
| 35″H x 45″W | **HRVG3545L** | 50.3 | 4.1 | **$746** | **$776** |
| 35″H x 48″W | **HRVG3548L** | 53.6 | 4.4 | **$777** | **$808** |
| 35″H x 51″W | **HRVG3551L** | 57.0 | 4.6 | **$805** | **$837** |
| 35″H x 60″W | **HRVG3560L** | 67.0 | 5.4 | **$896** | **$932** |
| 35″H x 63″W | **HRVG3563L** | 70.4 | 5.7 | **$915** | **$952** |
| 35″H x 75″W | **HRVG3575L** | 83.8 | 6.7 | **$1111** | **$1155** |
| 42″H x 24″W | **HRVG4224L** | 38.5 | 2.6 | **$502** | **$522** |
| 42″H x 27″W | **HRVG4227L** | 42.5 | 2.9 | **$531** | **$552** |
| 42″H x 30″W | **HRVG4230L** | 46.0 | 3.3 | **$612** | **$636** |
| 42″H x 33″W | **HRVG4233L** | 50.0 | 3.6 | **$643** | **$669** |
| 42″H x 36″W | **HRVG4236L** | 54.0 | 3.9 | **$683** | **$711** |
| 42″H x 39″W | **HRVG4239L** | 58.0 | 4.2 | **$732** | **$761** |
| 42″H x 42″W | **HRVG4242L** | 62.0 | 4.5 | **$762** | **$792** |
| 42″H x 45″W | **HRVG4245L** | 65.0 | 4.8 | **$789** | **$820** |
| 42″H x 48″W | **HRVG4248L** | 69.5 | 5.1 | **$821** | **$854** |
| 42″H x 51″W | **HRVG4251L** | 73.5 | 5.4 | **$874** | **$908** |
| 42″H x 60″W | **HRVG4260L** | 85.0 | 6.3 | **$956** | **$994** |
| 42″H x 63″W | **HRVG4263L** | 89.0 | 6.7 | **$981** | **$1020** |
| 42″H x 75″W | **HRVG4275L** | 104.5 | 7.9 | **$1132** | **$1177** |

**NOTES:**

- When specifying Wing End of Run panels, the Gallery Panels are 3″ wider to allow for the panel to cover the width of the spine.
- Mid-configuration creates 1⅛″ space between the system panels. This gap matches the thickness of the Gallery Panel.
- Wing End of Run widths of 51″, 63″, and 75″W can be used as spanning end of run configurations.
- Gallery Panels come standard with two adjustable leveling glides.
- Gallery Panels require connectors to attach to the spine of the panel. See connectors on pages 459-460.
- Gallery Panels up to 60″W can specify vertical or horizontal woodgrain direction. Panels larger than 60″W will have horizontal woodgrain.

- Minimum panel length must be 50% of the Gallery Panel for stability.
- When system panel is higher than the Gallery Panel, system's variable height trim kit must be specified to finish off the exposed frame (Abound® only).
- Standard Gallery Panels can only connect to standard panel frames. Use Gallery-to-Gallery Panels to connect Standard Gallery Panels to other Gallery Panels.
- Gallery Panels longer than 60″W require a floor or storage support.
- 75″W Gallery Panels require use of Gallery Panel Stiffener model HRVGS7578.
- When pairing gallery panels with Accelerate, End Gallery Panels in a T- or L-Configuration cannot be shorter than the spine panel.

## HOW TO SPECIFY

**Select Model Number**

H R V G 3 5 2 7 L .

**Select Laminate**

See page 431

C .

**Select Edge**

See page 431

C .

**Select Grain Direction**

**VST** Vertical Grain (not available on 63″W or wider)
**VLG** Horizontal Grain and Solid Laminate only

V S T .

**Select Glide**

**G** Glide


G

# GALLERY PANELS
## Wing Panels

OPEN MARKET

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Gallery Panels** | | | | | |
| 50″H x 24″W | **HRVG5024L** | 44.5 | 3.1 | **$579** | **$602** |
| 50″H x 27″W | **HRVG5027L** | 49.0 | 3.5 | **$610** | **$634** |
| 50″H x 30″W | **HRVG5030L** | 53.0 | 3.8 | **$680** | **$707** |
| 50″H x 33″W | **HRVG5033L** | 58.0 | 4.2 | **$713** | **$742** |
| 50″H x 36″W | **HRVG5036L** | 63.0 | 4.6 | **$750** | **$780** |
| 50″H x 39″W | **HRVG5039L** | 67.5 | 4.9 | **$796** | **$828** |
| 50″H x 42″W | **HRVG5042L** | 72.0 | 5.3 | **$839** | **$872** |
| 50″H x 45″W | **HRVG5045L** | 77.0 | 5.6 | **$900** | **$936** |
| 50″H x 48″W | **HRVG5048L** | 81.5 | 6.0 | **$923** | **$960** |
| 50″H x 51″W | **HRVG5051L** | 86.0 | 6.4 | **$946** | **$984** |
| 50″H x 60″W | **HRVG5060L** | 100.0 | 7.5 | **$1042** | **$1084** |
| 50″H x 63″W | **HRVG5063L** | 104.5 | 7.8 | **$1062** | **$1104** |
| 50″H x 75″W | **HRVG5075L** | 123.0 | 9.3 | **$1231** | **$1279** |
| 57½″H x 24″W | **HRVG5724L** | 49.6 | 3.5 | **$640** | **$668** |
| 57½″H x 27″W | **HRVG5727L** | 54.9 | 3.9 | **$676** | **$705** |
| 57½″H x 30″W | **HRVG5730L** | 60.1 | 4.4 | **$752** | **$782** |
| 57½″H x 33″W | **HRVG5733L** | 65.4 | 4.8 | **$792** | **$824** |
| 57½″H x 36″W | **HRVG5736L** | 70.7 | 5.2 | **$795** | **$828** |
| 57½″H x 39″W | **HRVG5739L** | 75.9 | 5.6 | **$842** | **$878** |
| 57½″H x 42″W | **HRVG5742L** | 81.2 | 6.0 | **$889** | **$926** |
| 57½″H x 45″W | **HRVG5745L** | 86.5 | 6.4 | **$953** | **$992** |
| 57½″H x 48″W | **HRVG5748L** | 91.7 | 6.8 | **$969** | **$1010** |
| 57½″H x 51″W | **HRVG5751L** | 97.0 | 7.2 | **$993** | **$1035** |
| 57½″H x 60″W | **HRVG5760L** | 112.8 | 8.5 | **$1083** | **$1128** |
| 57½″H x 63″W | **HRVG5763L** | 118.1 | 8.9 | **$1107** | **$1153** |
| 57½″H x 75″W | **HRVG5775L** | 139.1 | 10.6 | **$1280** | **$1333** |

**NOTES:**

- When specifying Wing End of Run panels, the Gallery Panels are 3″ wider to allow for the panel to cover the width of the spine.
- Mid-configuration creates 1⅛″ space between the system panels. This gap matches the thickness of the Gallery Panel.
- Wing End of Run widths of 51″, 63″, and 75″W can be used as spanning end of run configurations.
- Gallery Panels come standard with two adjustable leveling glides.
- Gallery Panels require connectors to attach to the spine of the panel. See connectors on pages 459-460.
- Gallery Panels up to 60″W can specify vertical or horizontal woodgrain direction. Panels larger than 60″W will have horizontal woodgrain.

- Minimum panel length must be 50% of the Gallery Panel for stability.
- When system panel is higher than the Gallery Panel, system's variable height trim kit must be specified to finish off the exposed frame (Abound® only).
- Standard Gallery Panels can only connect to standard panel frames. Use Gallery-to-Gallery Panels to connect Standard Gallery Panels to other Gallery Panels.
- Gallery Panels longer than 60″W require a floor or storage support.
- 75″W Gallery Panels require use of Gallery Panel Stiffener model HRVGS7578.
- When pairing gallery panels with Accelerate, End Gallery Panels in a T- or L-Configuration cannot be shorter than the spine panel.

## HOW TO SPECIFY


| Select Model Number | Select Laminate | Select Edge | Select Grain Direction | Select Glide |
|---|---|---|---|---|
| | See page 431 | See page 431 | **VST** Vertical Grain (not available on 63″W or wider)<br>**VLG** Horizontal Grain and Solid Laminate only | **G** Glide |
| H R V G 5 0 2 4 L . | C . | C . | V S T . | G |

OPEN MARKET

Icon Legend on page 19

# GALLERY PANELS
## Split Panels






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Split Gallery Panels, for Abound®** | | | | | |
| 35″H x 87″W | **HRVG3587L** | 97.0 | 2.1 | **$1166** | **$1214** |
| 35″H x 99″W | **HRVG3599L** | 110.6 | 14.0 | **$1286** | **$1339** |
| 35″H x 111″W | **HRVG35111L** | 124.1 | 17.1 | **$1411** | **$1468** |
| 35″H x 123″W | **HRVG35123L** | 137.5 | 17.1 | **$1552** | **$1613** |
| 42½″H x 87″W | **HRVG4287L** | 120.0 | 13.7 | **$1202** | **$1252** |
| 42½″H x 99″W | **HRVG4299L** | 135.6 | 13.7 | **$1321** | **$1375** |
| 42½″H x 111″W | **HRVG42111L** | 151.1 | 13.7 | **$1451** | **$1509** |
| 42½″H x 123″W | **HRVG42123L** | 166.6 | 13.7 | **$1597** | **$1659** |
| 50″H x 87″W | **HRVG5087L** | 141.5 | 13.7 | **$1295** | **$1348** |
| 50″H x 99″W | **HRVG5099L** | 160.0 | 13.7 | **$1399** | **$1456** |
| 50″H x 111″W | **HRVG50111L** | 178.4 | 13.7 | **$1510** | **$1571** |
| 50″H x 123″W | **HRVG50123L** | 196.9 | 13.7 | **$1629** | **$1694** |
| 57½″H x 87″W | **HRVG5787L** | 160.2 | 15.8 | **$1397** | **$1451** |
| 57½″H x 99″W | **HRVG5799L** | 181.3 | 15.8 | **$1479** | **$1537** |
| 57½″H x 111″W | **HRVG57111L** | 202.4 | 15.8 | **$1569** | **$1631** |
| 57½″H x 123″W | **HRVG57123L** | 223.4 | 19.0 | **$1665** | **$1731** |

**NOTES:**
- Gallery Panels come standard with two adjustable leveling glides.
- Gallery Panels require connectors to attach to the spine of the panel. See connectors on pages 459-460.
- Gallery Panels up to 60″W can specify vertical or horizontal woodgrain direction. Panels larger than 60″W will have horizontal woodgrain.

! Minimum panel length must be 50% of the Gallery Panel for stability.

! When system panel is higher than the Gallery Panel, system's variable height trim kit must be specified to finish off the exposed frame (Abound® only).

! Gallery Panels can only connect to standard panel frames; Gallery Panels cannot connect to each other.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Split Gallery Panel Connector**<br>For Abound® applications | **HRVCES** | 2 | 0.1 | **$102** | **$111** | **$123** |

NOTES: Specify paint, see page 431.
**SPECIFYING EXAMPLE: HRVCES.P**

## HOW TO SPECIFY


| Select Model Number | Select Laminate | Select Edge | Select Grain Direction | Select Glide |
|---|---|---|---|---|
| | See page 431 | See page 431 | **VST** Vertical Grain (not available on 63″W or wider)<br>**VLG** Horizontal Grain and Solid Laminate only | **G** Glide |
| H R V G 3 5 9 9 L . | C . | C . | V S T . | G |

# GALLERY PANELS
## Wing, Accepts Glass

OPEN MARKET

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Gallery Panels, Accepts Glass** | | | | | |
| 35″H x 24″W | **HRVG3524LG** | 26.8 | 2.4 | **$638** | **$664** |
| 35″H x 27″W | **HRVG3527LG** | 30.1 | 2.5 | **$664** | **$691** |
| 35″H x 30″W | **HRVG3530LG** | 33.5 | 2.9 | **$740** | **$769** |
| 35″H x 33″W | **HRVG3533LG** | 36.8 | 3.0 | **$770** | **$800** |
| 35″H x 36″W | **HRVG3536LG** | 40.2 | 3.3 | **$806** | **$838** |
| 35″H x 39″W | **HRVG3539LG** | 43.6 | 3.6 | **$849** | **$882** |
| 35″H x 42″W | **HRVG3542LG** | 46.9 | 3.8 | **$879** | **$913** |
| 35″H x 45″W | **HRVG3545LG** | 50.3 | 4.1 | **$921** | **$958** |
| 35″H x 48″W | **HRVG3548LG** | 53.6 | 4.4 | **$951** | **$989** |
| 35″H x 51″W | **HRVG3551LG** | 57.0 | 4.6 | **$976** | **$1015** |
| 35″H x 60″W | **HRVG3560LG** | 67.0 | 5.4 | **$1072** | **$1114** |
| 35″H x 63″W | **HRVG3563LG** | 70.4 | 5.7 | **$1091** | **$1134** |
| 35″H x 75″W | **HRVG3575LG** | 83.8 | 6.7 | **$1281** | **$1332** |
| 42″H x 24″W | **HRVG4224LG** | 38.5 | 2.6 | **$677** | **$704** |
| 42″H x 27″W | **HRVG4227LG** | 42.5 | 2.9 | **$705** | **$733** |
| 42″H x 30″W | **HRVG4230LG** | 46.0 | 3.3 | **$786** | **$817** |
| 42″H x 33″W | **HRVG4233LG** | 50.0 | 3.6 | **$818** | **$850** |
| 42″H x 36″W | **HRVG4236LG** | 54.0 | 3.9 | **$856** | **$890** |
| 42″H x 39″W | **HRVG4239LG** | 58.0 | 4.2 | **$904** | **$941** |
| 42″H x 42″W | **HRVG4242LG** | 62.0 | 4.5 | **$937** | **$975** |
| 42″H x 45″W | **HRVG4245LG** | 66.0 | 4.8 | **$964** | **$1003** |
| 42″H x 48″W | **HRVG4248LG** | 69.5 | 5.1 | **$994** | **$1034** |
| 42″H x 51″W | **HRVG4251LG** | 73.5 | 5.4 | **$1046** | **$1088** |
| 42″H x 60″W | **HRVG4260LG** | 85.0 | 6.3 | **$1129** | **$1174** |
| 42″H x 63″W | **HRVG4263LG** | 89.0 | 6.7 | **$1155** | **$1201** |
| 42″H x 75″W | **HRVG4275LG** | 104.5 | 7.9 | **$1303** | **$1355** |

**NOTES:**

- When specifying Wing End of Run panels, the Gallery Panels are 3″ wider to allow for the panel to cover the width of the spine.
- Mid-configuration creates 1⅛″ space between the system panels. This gap matches the thickness of the Gallery Panel.
- Wing End of Run widths of 51″, 63″, and 75″W can be used as spanning end of run configurations.
- Gallery Panels come standard with two adjustable leveling glides.
- Gallery Panels require connectors to attach to the spine of the panel. See connectors on pages 459-460.
- Gallery Panels up to 60″W can specify vertical or horizontal woodgrain direction. Panels larger than 60″W will have horizontal woodgrain.

- Minimum panel length must be 50% of the Gallery Panel for stability.
- When system panel is higher than the Gallery Panel, system's variable height trim kit must be specified to finish off the exposed frame (Abound® only).
- Standard Gallery Panels can only connect to standard panel frames. Use Gallery-to-Gallery Panels to connect Standard Gallery Panels to other Gallery Panels.
- Gallery Panels longer than 60″W require a floor or storage support.
- 75″W Gallery Panels require use of Gallery Panel Stiffener model HRVGS7578.

## HOW TO SPECIFY


| Select Model Number | Select Laminate | Select Edge | Select Grain Direction | Select Glide |
|---|---|---|---|---|
| | See page 431 | See page 431 | **VST** Vertical Grain (not available on 63″W or wider)<br>**VLG** Horizontal Grain and Solid Laminate only | **G** Glide |
| H R V G 3 5 2 7 L G . | C . | C . | V S T . | G |

OPEN MARKET

Icon Legend on page 19

# GALLERY PANELS
## Wing, Accepts Glass





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Gallery Panels** | | | | | |
| 50″H x 24″W | **HRVG5024LG** | 44.5 | 3.1 | **$751** | **$781** |
| 50″H x 27″W | **HRVG5027LG** | 49.0 | 3.5 | **$783** | **$814** |
| 50″H x 30″W | **HRVG5030LG** | 54.0 | 3.8 | **$853** | **$887** |
| 50″H x 33″W | **HRVG5033LG** | 58.0 | 4.2 | **$888** | **$924** |
| 50″H x 36″W | **HRVG5036LG** | 63.0 | 4.6 | **$924** | **$961** |
| 50″H x 39″W | **HRVG5039LG** | 67.5 | 4.9 | **$969** | **$1008** |
| 50″H x 42″W | **HRVG5042LG** | 72.0 | 5.3 | **$1013** | **$1054** |
| 50″H x 45″W | **HRVG5045LG** | 77.0 | 5.6 | **$1073** | **$1116** |
| 50″H x 48″W | **HRVG5048LG** | 81.5 | 6.0 | **$1073** | **$1117** |
| 50″H x 51″W | **HRVG5051LG** | 86.0 | 6.4 | **$1119** | **$1163** |
| 50″H x 60″W | **HRVG5060LG** | 100.0 | 7.5 | **$1215** | **$1263** |
| 50″H x 63″W | **HRVG5063LG** | 104.5 | 7.8 | **$1236** | **$1286** |
| 50″H x 75″W | **HRVG5075LG** | 123.0 | 9.3 | **$1405** | **$1461** |
| 57½″H x 24″W | **HRVG5724LG** | 49.6 | 3.5 | **$782** | **$815** |
| 57½″H x 27″W | **HRVG5727LG** | 54.9 | 3.9 | **$813** | **$847** |
| 57½″H x 30″W | **HRVG5730LG** | 60.1 | 4.4 | **$891** | **$929** |
| 57½″H x 33″W | **HRVG5733LG** | 65.4 | 4.8 | **$926** | **$965** |
| 57½″H x 36″W | **HRVG5736LG** | 70.7 | 5.2 | **$961** | **$1001** |
| 57½″H x 39″W | **HRVG5739LG** | 75.9 | 5.6 | **$1007** | **$1049** |
| 57½″H x 42″W | **HRVG5742LG** | 81.2 | 6.0 | **$1057** | **$1101** |
| 57½″H x 45″W | **HRVG5745LG** | 86.5 | 6.4 | **$1107** | **$1153** |
| 57½″H x 48″W | **HRVG5748LG** | 91.7 | 6.8 | **$1116** | **$1163** |
| 57½″H x 51″W | **HRVG5751LG** | 97.0 | 7.2 | **$1163** | **$1211** |
| 57½″H x 60″W | **HRVG5760LG** | 112.8 | 8.5 | **$1259** | **$1311** |
| 57½″H x 63″W | **HRVG5763LG** | 118.1 | 8.9 | **$1281** | **$1334** |
| 57½″H x 75″W | **HRVG5775LG** | 139.1 | 10.6 | **$1457** | **$1516** |

**NOTES:**

- When specifying Wing End of Run panels, the Gallery Panels are 3″ wider to allow for the panel to cover the width of the spine.
- Mid-configuration creates 1⅛″ space between the system panels. This gap matches the thickness of the Gallery Panel.
- Wing End of Run widths of 51″, 63″, and 75″W can be used as spanning end of run configurations.
- Gallery Panels come standard with two adjustable leveling glides.
- Gallery Panels require connectors to attach to the spine of the panel. See connectors on pages 459-460.
- Gallery Panels up to 60″W can specify vertical or horizontal woodgrain direction. Panels larger than 60″W will have horizontal woodgrain.

- Minimum panel length must be 50% of the Gallery Panel for stability.
- When system panel is higher than the Gallery Panel, system's variable height trim kit must be specified to finish off the exposed frame (Abound® only).
- Standard Gallery Panels can only connect to standard panel frames. Use Gallery-to-Gallery Panels to connect Standard Gallery Panels to other Gallery Panels.
- Gallery Panels longer than 60″W require a floor or storage support.
- 75″W Gallery Panels require use of Gallery Panel Stiffener model HRVGS7578.

## HOW TO SPECIFY

**Select Model Number**

H R V G 5 0 2 4 L G .

**Select Laminate**

See page 431

C .

**Select Edge**

See page 431

C .

**Select Grain Direction**

**VST** Vertical Grain (not available on 63″W or wider)
**VLG** Horizontal Grain and Solid Laminate only

V S T .

**Select Glide**

**G** Glide


G

# GALLERY PANELS
## Split Panels, Accepts Glass

OPEN MARKET

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Split Gallery Panels, Accepts Glass, for Abound®** | | | | | |
| 35″H x 87″W | **HRVG3587LG** | 97.2 | 2.1 | **$1333** | **$1390** |
| 35″H x 99″W | **HRVG3599LG** | 110.6 | 14.0 | **$1451** | **$1514** |
| 35″H x 111″W | **HRVG35111LG** | 124.1 | 17.1 | **$1582** | **$1652** |
| 35″H x 123″W | **HRVG35123LG** | 137.5 | 17.1 | **$1724** | **$1801** |
| 42½″H x 87″W | **HRVG4287LG** | 120.0 | 13.7 | **$1359** | **$1417** |
| 42½″H x 99″W | **HRVG4299LG** | 135.6 | 13.7 | **$1467** | **$1531** |
| 42½″H x 111″W | **HRVG42111LG** | 151.1 | 13.7 | **$1614** | **$1685** |
| 42½″H x 123″W | **HRVG42123LG** | 166.6 | 13.7 | **$1774** | **$1852** |
| 50″H x 87″W | **HRVG5087LG** | 141.5 | 13.7 | **$1450** | **$1512** |
| 50″H x 99″W | **HRVG5099LG** | 160.0 | 13.7 | **$1552** | **$1620** |
| 50″H x 111″W | **HRVG50111LG** | 178.4 | 13.7 | **$1659** | **$1735** |
| 50″H x 123″W | **HRVG50123LG** | 196.9 | 13.7 | **$1808** | **$1890** |
| 57½″H x 87″W | **HRVG5787LG** | 160.2 | 15.8 | **$1547** | **$1610** |
| 57½″H x 99″W | **HRVG5799LG** | 181.3 | 15.8 | **$1642** | **$1712** |
| 57½″H x 111″W | **HRVG57111LG** | 202.4 | 15.8 | **$1707** | **$1784** |
| 57½″H x 123″W | **HRVG57123LG** | 223.4 | 19.0 | **$1845** | **$1928** |


**NOTES:**
- When specifying Wing End of Run panels, the Gallery Panels are 3″ wider to allow for the panel to cover the width of the spine.
- Mid-configuration creates 1⅛″ space between the system panels. This gap matches the thickness of the Gallery Panel.
- Wing End of Run widths of 51″, 63″, and 75″W can be used as spanning end of run configurations.
- Gallery Panels come standard with two adjustable leveling glides.
- Gallery Panels require connectors to attach to the spine of the panel. See connectors on pages 459-460.
- Gallery Panels up to 60″W can specify vertical or horizontal woodgrain direction. Panels larger than 60″W will have horizontal woodgrain.

Minimum panel length must be 50% of the Gallery Panel for stability.

When system panel is higher than the Gallery Panel, system's variable height trim kit must be specified to finish off the exposed frame (Abound® only).

Standard Gallery Panels can only connect to standard panel frames. Use Gallery-to-Gallery Panels to connect Standard Gallery Panels to other Gallery Panels.

Gallery Panels longer than 60″W require a floor or storage support.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Split Gallery Panel Connector**<br>For Abound® applications<br>NOTES: Specify paint, see page 431.<br>**SPECIFYING EXAMPLE: HRVCES.P** | **HRVCES** | 2 | 0.1 | **$102** | **$111** | **$123** |

## HOW TO SPECIFY


| Select Model Number | Select Laminate | Select Edge | Select Grain Direction | Select Glide |
|---|---|---|---|---|
| | See page 431 | See page 431 | **VST** Vertical Grain (not available on 63″W or wider)<br>**VLG** Horizontal Grain and Solid Laminate only | **G** Glide |
| H R V G 3 5 8 7 L G . | C . | C . | V S T . | G |

OPEN MARKET

Icon Legend on page 19

# GALLERY PANELS
## Gallery-to-Gallery Connections





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **L-Connections, Right Hand** | | | | | |
| 35″H x 18″W | **HRVG3518GGR** | 23.6 | 2.0 | **$773** | **$801** |
| 35″H x 24″W | **HRVG3524GGR** | 30.5 | 2.6 | **$832** | **$862** |
| 35″H x 30″W | **HRVG3530GGR** | 37.4 | 3.1 | **$898** | **$930** |
| 35″H x 36″W | **HRVG3536GGR** | 44.3 | 3.6 | **$963** | **$997** |
| 35″H x 42″W | **HRVG3542GGR** | 51.1 | 4.1 | **$1033** | **$1071** |
| 35″H x 48″W | **HRVG3548GGR** | 58.0 | 4.7 | **$1109** | **$1150** |
| 35″H x 60″W | **HRVG3560GGR** | 71.8 | 5.7 | **$1191** | **$1235** |
| 42″H x 18″W | **HRVG4218GGR** | 28.5 | 2.4 | **$802** | **$831** |
| 42″H x 24″W | **HRVG4224GGR** | 36.9 | 3.0 | **$865** | **$896** |
| 42″H x 30″W | **HRVG4230GGR** | 45.3 | 3.7 | **$932** | **$965** |
| 42″H x 36″W | **HRVG4236GGR** | 53.7 | 4.3 | **$1005** | **$1042** |
| 42″H x 42″W | **HRVG4242GGR** | 62.1 | 4.9 | **$1088** | **$1128** |
| 42″H x 48″W | **HRVG4248GGR** | 70.5 | 5.6 | **$1173** | **$1216** |
| 42″H x 60″W | **HRVG4260GGR** | 87.3 | 6.8 | **$1261** | **$1307** |
| 50″H x 18″W | **HRVG5018GGR** | 33.4 | 2.8 | **$865** | **$896** |
| 50″H x 24″W | **HRVG5024GGR** | 43.3 | 3.5 | **$932** | **$965** |
| 50″H x 30″W | **HRVG5030GGR** | 53.2 | 4.3 | **$1005** | **$1042** |
| 50″H x 36″W | **HRVG5036GGR** | 63.1 | 5.0 | **$1081** | **$1121** |
| 50″H x 42″W | **HRVG5042GGR** | 73.1 | 5.7 | **$1158** | **$1200** |
| 50″H x 48″W | **HRVG5048GGR** | 83.0 | 6.5 | **$1244** | **$1290** |
| 50″H x 60″W | **HRVG5060GGR** | 102.8 | 7.9 | **$1337** | **$1387** |
| 57½″H x 18″W | **HRVG5718GGR** | 38.0 | 3.3 | **$932** | **$966** |
| 57½″H x 24″W | **HRVG5724GGR** | 49.7 | 4.1 | **$1005** | **$1042** |
| 57½″H x 30″W | **HRVG5730GGR** | 61.1 | 5.0 | **$1085** | **$1125** |
| 57½″H x 36″W | **HRVG5736GGR** | 72.6 | 5.8 | **$1160** | **$1204** |
| 57½″H x 42″W | **HRVG5742GGR** | 84.0 | 6.6 | **$1235** | **$1281** |
| 57½″H x 48″W | **HRVG5748GGR** | 95.5 | 7.4 | **$1320** | **$1371** |
| 57½″H x 60″W | **HRVG5760GGR** | 118.4 | 9.1 | **$1418** | **$1472** |

**NOTES:**

- Gallery-to-Gallery Panels connect to other Gallery Panels and are available in L-, T-, and Non-symmetrical T-configurations.
- When specifying Gallery-to-Gallery Panels, the installation template (HRVGTGG) is required. The recommendation is one template for every 30 panels. Templates are reusable.
- Gallery-to-Gallery Panels must be of equal or lower height than the Standard Gallery Panel attached. The Gallery-to-Gallery Panel cannot be taller than the adjacent panel. If this is needed, please reach out to Tailored Solutions for a custom solution.
- Made of 1⅛″ board with HPL laminate.
- Woodgrain laminates can be specified with vertical grain up to 48″W. Horizontal grain is available on all sizes.
- Gallery Panels offer 2½″ leveling capability.
- Overall heights line up with adjacent panel.
- Gallery-to-Gallery Panels cap over Standard Gallery Panels and are oversized by 1⅛″ to maintain true interior dimensions.
- Available with or without the integrated glass option.
- Glass specified separately, see 7½″H Gallery Glass on pages 457-458.
- Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery Panels are secured with an inset flat bracket under a painted metal cover.
- L-panels are handed.

## HOW TO SPECIFY

**Select Model Number**

H R V G 4 2 3 6 G G R .

**Select Laminate**

See page 431

H .

**Select Edge**

See page 431

H .

**Select Grain Direction**

**VLG** Horizontal Grain and Solid Laminate only
**VST** Vertical Grain

V L G .

**Select Paint Color**

See page 431

P 8 T .

**Select Glide**

**G** Glide

G

# GALLERY PANELS
## Gallery-to-Gallery Connections

OPEN MARKET

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **L-Connections, Right Hand, Accepts Glass** | | | | | |
| 35″H x 18″W | **HRVG3518GGRG** | 23.6 | 2.0 | **$891** | **$923** |
| 35″H x 24″W | **HRVG3524GGRG** | 30.5 | 2.6 | **$962** | **$996** |
| 35″H x 30″W | **HRVG3530GGRG** | 37.4 | 3.1 | **$1037** | **$1075** |
| 35″H x 36″W | **HRVG3536GGRG** | 44.3 | 3.6 | **$1116** | **$1157** |
| 35″H x 42″W | **HRVG3542GGRG** | 51.1 | 4.1 | **$1197** | **$1241** |
| 35″H x 48″W | **HRVG3548GGRG** | 58.0 | 4.7 | **$1287** | **$1334** |
| 35″H x 60″W | **HRVG3560GGRG** | 71.8 | 5.7 | **$1381** | **$1432** |
| 42″H x 18″W | **HRVG4218GGRG** | 28.4 | 2.4 | **$912** | **$945** |
| 42″H x 24″W | **HRVG4224GGRG** | 36.9 | 3.0 | **$985** | **$1021** |
| 42″H x 30″W | **HRVG4230GGRG** | 45.3 | 3.7 | **$1065** | **$1104** |
| 42″H x 36″W | **HRVG4236GGRG** | 53.7 | 4.3 | **$1148** | **$1190** |
| 42″H x 42″W | **HRVG4242GGRG** | 62.1 | 4.9 | **$1240** | **$1285** |
| 42″H x 48″W | **HRVG4248GGRG** | 70.5 | 5.6 | **$1340** | **$1390** |
| 42″H x 60″W | **HRVG4260GGRG** | 87.3 | 6.8 | **$1441** | **$1495** |
| 50″H x 18″W | **HRVG5018GGRG** | 33.4 | 2.8 | **$962** | **$996** |
| 50″H x 24″W | **HRVG5024GGRG** | 43.3 | 3.5 | **$1037** | **$1075** |
| 50″H x 30″W | **HRVG5030GGRG** | 53.2 | 4.3 | **$1121** | **$1162** |
| 50″H x 36″W | **HRVG5036GGRG** | 63.1 | 5.0 | **$1203** | **$1247** |
| 50″H x 42″W | **HRVG5042GGRG** | 73.1 | 5.7 | **$1293** | **$1340** |
| 50″H x 48″W | **HRVG5048GGRG** | 83.0 | 6.5 | **$1390** | **$1442** |
| 50″H x 60″W | **HRVG5060GGRG** | 102.8 | 7.9 | **$1493** | **$1548** |
| 57½″H x 18″W | **HRVG5718GGRG** | 38.0 | 3.3 | **$1016** | **$1053** |
| 57½″H x 24″W | **HRVG5724GGRG** | 49.7 | 4.1 | **$1094** | **$1135** |
| 57½″H x 30″W | **HRVG5730GGRG** | 61.1 | 5.0 | **$1181** | **$1225** |
| 57½″H x 36″W | **HRVG5736GGRG** | 72.6 | 5.8 | **$1261** | **$1308** |
| 57½″H x 42″W | **HRVG5742GGRG** | 84.0 | 6.6 | **$1344** | **$1395** |
| 57½″H x 48″W | **HRVG5748GGRG** | 95.5 | 7.4 | **$1440** | **$1495** |
| 57½″H x 60″W | **HRVG5760GGRG** | 118.4 | 9.1 | **$1546** | **$1604** |

**NOTES:**
- Gallery-to-Gallery Panels connect to other Gallery Panels and are available in L-, T-, and Non-symmetrical T-configurations.
- When specifying Gallery-to-Gallery Panels, the installation template (HRVGTGG) is required. The recommendation is one template for every 30 panels. Templates are reusable.
- Gallery-to-Gallery Panels must be of equal or lower height than the Standard Gallery Panel attached. The Gallery-to-Gallery Panel cannot be taller than the adjacent panel. If this is needed, please reach out to Tailored Solutions for a custom solution.
- Made of 1⅛″ board with HPL laminate.
- Woodgrain laminates can be specified with vertical grain up to 48″W. Horizontal grain is available on all sizes.
- Gallery Panels offer 2½″ leveling capability.
- Overall heights line up with adjacent panel.
- Gallery-to-Gallery Panels cap over Standard Gallery Panels and are oversized by 1⅛″ to maintain true interior dimensions.
- Available with or without the integrated glass option.
- Glass specified separately, see 7½″H Gallery Glass on pages 457-458.
- Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery Panels are secured with an inset flat bracket under a painted metal cover.
- L-panels are handed.

## HOW TO SPECIFY


| Select Model Number | Select Laminate | Select Edge | Select Grain Direction | Select Paint Color | Select Glide |
|---|---|---|---|---|---|
| | See page 431 | See page 431 | **VLG** Horizontal Grain and Solid Laminate only<br>**VST** Vertical Grain | See page 431 | **G** Glide |
| H R V G 3 5 1 8 G G R G . | H . | H . | V L G . | P 8 T . | G |

OPEN MARKET

Icon Legend on page 19

# GALLERY PANELS
## Gallery-to-Gallery Connections





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **L-Connections, Left Hand** | | | | | |
| 35″H x 18″W | **HRVG3518GGL** | 23.6 | 2.0 | **$773** | **$801** |
| 35″H x 24″W | **HRVG3524GGL** | 30.5 | 2.6 | **$832** | **$862** |
| 35″H x 30″W | **HRVG3530GGL** | 37.4 | 3.1 | **$898** | **$930** |
| 35″H x 36″W | **HRVG3536GGL** | 44.3 | 3.6 | **$963** | **$997** |
| 35″H x 42″W | **HRVG3542GGL** | 51.1 | 4.1 | **$1033** | **$1071** |
| 35″H x 48″W | **HRVG3548GGL** | 58.0 | 4.7 | **$1109** | **$1150** |
| 35″H x 60″W | **HRVG3560GGL** | 71.8 | 5.7 | **$1191** | **$1235** |
| 42″H x 18″W | **HRVG4218GGL** | 28.5 | 2.4 | **$802** | **$831** |
| 42″H x 24″W | **HRVG4224GGL** | 36.9 | 3.0 | **$865** | **$896** |
| 42″H x 30″W | **HRVG4230GGL** | 45.3 | 3.7 | **$932** | **$965** |
| 42″H x 36″W | **HRVG4236GGL** | 53.7 | 4.3 | **$1005** | **$1042** |
| 42″H x 42″W | **HRVG4242GGL** | 62.1 | 4.9 | **$1088** | **$1128** |
| 42″H x 48″W | **HRVG4248GGL** | 70.5 | 5.6 | **$1173** | **$1216** |
| 42″H x 60″W | **HRVG4260GGL** | 87.3 | 6.8 | **$1261** | **$1307** |
| 50″H x 18″W | **HRVG5018GGL** | 33.4 | 2.8 | **$865** | **$896** |
| 50″H x 24″W | **HRVG5024GGL** | 43.3 | 3.5 | **$932** | **$965** |
| 50″H x 30″W | **HRVG5030GGL** | 53.2 | 4.3 | **$1005** | **$1042** |
| 50″H x 36″W | **HRVG5036GGL** | 63.1 | 5.0 | **$1081** | **$1121** |
| 50″H x 42″W | **HRVG5042GGL** | 73.1 | 5.7 | **$1158** | **$1200** |
| 50″H x 48″W | **HRVG5048GGL** | 83.0 | 6.5 | **$1244** | **$1290** |
| 50″H x 60″W | **HRVG5060GGL** | 102.8 | 7.9 | **$1337** | **$1387** |
| 57½″H x 18″W | **HRVG5718GGL** | 38.0 | 3.3 | **$932** | **$966** |
| 57½″H x 24″W | **HRVG5724GGL** | 49.7 | 4.1 | **$1005** | **$1042** |
| 57½″H x 30″W | **HRVG5730GGL** | 61.1 | 5.0 | **$1085** | **$1125** |
| 57½″H x 36″W | **HRVG5736GGL** | 72.6 | 5.8 | **$1160** | **$1204** |
| 57½″H x 42″W | **HRVG5742GGL** | 84.0 | 6.6 | **$1235** | **$1281** |
| 57½″H x 48″W | **HRVG5748GGL** | 95.5 | 7.4 | **$1320** | **$1371** |
| 57½″H x 60″W | **HRVG5760GGL** | 118.4 | 9.1 | **$1418** | **$1472** |

**NOTES:**
- Gallery-to-Gallery Panels connect to other Gallery Panels and are available in L-, T-, and Non-symmetrical T-configurations.
- When specifying Gallery-to-Gallery Panels, the installation template (HRVGTGG) is required. The recommendation is one template for every 30 panels. Templates are reusable.
- Gallery-to-Gallery Panels must be of equal or lower height than the Standard Gallery Panel attached. The Gallery-to-Gallery Panel cannot be taller than the adjacent panel. If this is needed, please reach out to Tailored Solutions for a custom solution.
- Made of 1⅛″ board with HPL laminate.
- Woodgrain laminates can be specified with vertical grain up to 48″W. Horizontal grain is available on all sizes.
- Gallery Panels offer 2½″ leveling capability.
- Overall heights line up with adjacent panel.
- Gallery-to-Gallery Panels cap over Standard Gallery Panels and are oversized by 1⅛″ to maintain true interior dimensions.
- Available with or without the integrated glass option.
- Glass specified separately, see 7½″H Gallery Glass on pages 457-458.
- Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery Panels are secured with an inset flat bracket under a painted metal cover.
- L-panels are handed.

## HOW TO SPECIFY


| Select Model Number | Select Laminate | Select Edge | Select Grain Direction | Select Paint Color | Select Glide |
|---|---|---|---|---|---|
| | See page 431 | See page 431 | **VLG** Horizontal Grain and Solid Laminate only<br>**VST** Vertical Grain | See page 431 | **G** Glide |
| H R V G 3 5 1 8 G G L . | H . | H . | V L G . | P 8 T . | G |

# GALLERY PANELS
## Gallery-to-Gallery Connections

OPEN MARKET

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **L-Connections, Left Hand, Accepts Glass** | | | | | |
| 35″H x 18″W | **HRVG3518GGLG** | 23.6 | 2.0 | **$891** | **$923** |
| 35″H x 24″W | **HRVG3524GGLG** | 30.5 | 2.6 | **$962** | **$996** |
| 35″H x 30″W | **HRVG3530GGLG** | 37.4 | 3.1 | **$1037** | **$1075** |
| 35″H x 36″W | **HRVG3536GGLG** | 44.3 | 3.6 | **$1116** | **$1157** |
| 35″H x 42″W | **HRVG3542GGLG** | 51.1 | 4.1 | **$1197** | **$1241** |
| 35″H x 48″W | **HRVG3548GGLG** | 58.0 | 4.7 | **$1287** | **$1334** |
| 35″H x 60″W | **HRVG3560GGLG** | 71.8 | 5.7 | **$1381** | **$1432** |
| 42″H x 18″W | **HRVG4218GGLG** | 28.4 | 2.4 | **$912** | **$945** |
| 42″H x 24″W | **HRVG4224GGLG** | 36.9 | 3.0 | **$985** | **$1021** |
| 42″H x 30″W | **HRVG4230GGLG** | 45.3 | 3.7 | **$1065** | **$1104** |
| 42″H x 36″W | **HRVG4236GGLG** | 53.7 | 4.3 | **$1148** | **$1190** |
| 42″H x 42″W | **HRVG4242GGLG** | 62.1 | 4.9 | **$1240** | **$1285** |
| 42″H x 48″W | **HRVG4248GGLG** | 70.5 | 5.6 | **$1340** | **$1390** |
| 42″H x 60″W | **HRVG4260GGLG** | 87.3 | 6.8 | **$1441** | **$1495** |
| 50″H x 18″W | **HRVG5018GGLG** | 33.4 | 2.8 | **$962** | **$996** |
| 50″H x 24″W | **HRVG5024GGLG** | 43.3 | 3.5 | **$1037** | **$1075** |
| 50″H x 30″W | **HRVG5030GGLG** | 53.2 | 4.3 | **$1121** | **$1162** |
| 50″H x 36″W | **HRVG5036GGLG** | 63.1 | 5.0 | **$1203** | **$1247** |
| 50″H x 42″W | **HRVG5042GGLG** | 73.1 | 5.7 | **$1293** | **$1340** |
| 50″H x 48″W | **HRVG5048GGLG** | 83.0 | 6.5 | **$1390** | **$1442** |
| 50″H x 60″W | **HRVG5060GGLG** | 102.8 | 7.9 | **$1493** | **$1548** |
| 57½″H x 18″W | **HRVG5718GGLG** | 38.0 | 3.3 | **$1016** | **$1053** |
| 57½″H x 24″W | **HRVG5724GGLG** | 49.7 | 4.1 | **$1094** | **$1135** |
| 57½″H x 30″W | **HRVG5730GGLG** | 61.1 | 5.0 | **$1181** | **$1225** |
| 57½″H x 36″W | **HRVG5736GGLG** | 72.6 | 5.8 | **$1261** | **$1308** |
| 57½″H x 42″W | **HRVG5742GGLG** | 84.0 | 6.6 | **$1344** | **$1395** |
| 57½″H x 48″W | **HRVG5748GGLG** | 95.5 | 7.4 | **$1440** | **$1495** |
| 57½″H x 60″W | **HRVG5760GGLG** | 118.4 | 9.1 | **$1546** | **$1604** |

**NOTES:**
- Gallery-to-Gallery Panels connect to other Gallery Panels and are available in L-, T-, and Non-symmetrical T-configurations.
- When specifying Gallery-to-Gallery Panels, the installation template (HRVGTGG) is required. The recommendation is one template for every 30 panels. Templates are reusable.
- Gallery-to-Gallery Panels must be of equal or lower height than the Standard Gallery Panel attached. The Gallery-to-Gallery Panel cannot be taller than the adjacent panel. If this is needed, please reach out to Tailored Solutions for a custom solution.
- Made of 1⅛″ board with HPL laminate.
- Woodgrain laminates can be specified with vertical grain up to 48″W. Horizontal grain is available on all sizes.
- Gallery Panels offer 2½″ leveling capability.
- Overall heights line up with adjacent panel.
- Gallery-to-Gallery Panels cap over Standard Gallery Panels and are oversized by 1⅛″ to maintain true interior dimensions.
- Available with or without the integrated glass option.
- Glass specified separately, see 7½″H Gallery Glass on pages 457-458.
- Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery Panels are secured with an inset flat bracket under a painted metal cover.
- L-panels are handed.

## HOW TO SPECIFY

**Select Model Number**

H R V G 3 5 1 8 G G L G .

**Select Laminate**

See page 431

H .

**Select Edge**

See page 431

H .

**Select Grain Direction**

**VLG** Horizontal Grain and Solid Laminate only
**VST** Vertical Grain

V L G .

**Select Paint Color**

See page 431

P 8 T .

**Select Glide**

**G** Glide


G

OPEN MARKET

Icon Legend on page 19

# GALLERY PANELS
## Gallery-to-Gallery Connections





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **T-Connections** | | | | | |
| 35″H x 18″W | **HRVG3518GGT** | 23.6 | 2.0 | **$889** | **$918** |
| 35″H x 36″W | **HRVG3536GGT** | 44.3 | 3.6 | **$1088** | **$1125** |
| 35″H x 42″W | **HRVG3542GGT** | 51.1 | 4.1 | **$1163** | **$1203** |
| 35″H x 48″W | **HRVG3548GGT** | 58.0 | 4.7 | **$1241** | **$1284** |
| 35″H x 60″W | **HRVG3560GGT** | 71.8 | 5.7 | **$1326** | **$1372** |
| 35″H x 72″W | **HRVG3572GGT** | 85.5 | 6.8 | **$1434** | **$1484** |
| 42″H x 18″W | **HRVG4218GGT** | 28.5 | 2.4 | **$920** | **$950** |
| 42″H x 36″W | **HRVG4236GGT** | 53.7 | 4.3 | **$1132** | **$1171** |
| 42″H x 42″W | **HRVG4242GGT** | 62.1 | 4.9 | **$1216** | **$1258** |
| 42″H x 48″W | **HRVG4248GGT** | 70.5 | 5.6 | **$1309** | **$1354** |
| 42″H x 60″W | **HRVG4260GGT** | 87.3 | 6.8 | **$1400** | **$1448** |
| 42″H x 72″W | **HRVG4272GGT** | 104.1 | 8.1 | **$1530** | **$1584** |
| 50″H x 18″W | **HRVG5018GGT** | 33.4 | 2.8 | **$984** | **$1016** |
| 50″H x 36″W | **HRVG5036GGT** | 63.1 | 5.0 | **$1213** | **$1255** |
| 50″H x 42″W | **HRVG5042GGT** | 73.1 | 5.7 | **$1305** | **$1350** |
| 50″H x 48″W | **HRVG5048GGT** | 83.0 | 6.5 | **$1403** | **$1451** |
| 50″H x 60″W | **HRVG5060GGT** | 102.8 | 7.9 | **$1512** | **$1565** |
| 50″H x 72″W | **HRVG5072GGT** | 122.7 | 9.4 | **$1628** | **$1685** |
| 57½″H x 18″W | **HRVG5718GGT** | 38.3 | 3.3 | **$1057** | **$1093** |
| 57½″H x 36″W | **HRVG5736GGT** | 72.6 | 5.8 | **$1302** | **$1348** |
| 57½″H x 42″W | **HRVG5742GGT** | 84.0 | 6.6 | **$1401** | **$1451** |
| 57½″H x 48″W | **HRVG5748GGT** | 95.5 | 7.4 | **$1506** | **$1559** |
| 57½″H x 60″W | **HRVG5760GGT** | 118.4 | 9.1 | **$1633** | **$1691** |
| 57½″H x 72″W | **HRVG5772GGT** | 38.0 | 10.8 | **$1733** | **$1794** |

**NOTES:**
- Gallery-to-Gallery Panels connect to other Gallery Panels and are available in L-, T-, and Non-symmetrical T-configurations.
- When specifying Gallery-to-Gallery Panels, the installation template (HRVGTGG) is required. The recommendation is one template for every 30 panels. Templates are reusable.
- Gallery-to-Gallery Panels must be of equal or lower height than the Standard Gallery Panel attached. The Gallery-to-Gallery Panel cannot be taller than the adjacent panel. If this is needed, please reach out to Tailored Solutions for a custom solution.
- Made of 1⅛″ board with HPL laminate.
- Edgeband is 2mm ABS.
- Available in woodgrain and solid laminates.
- Non-symmetric T-panels vary in size on either side of the adjacent panel.
- Woodgrain laminates can be specified with vertical grain up to 48″W. Horizontal grain is available on all sizes.
- Gallery Panels offer 2½″ leveling capability.
- Overall heights line up with adjacent panel.
- Gallery-to-Gallery Panels cap over Standard Gallery Panels and are oversized by 1⅛″ to maintain true interior dimensions.
- Available with or without the integrated glass option.
- Glass specified separately, see 7½″H Gallery Glass on pages 457-458.
- Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery Panels are secured with an inset flat bracket under a painted metal cover.

## HOW TO SPECIFY


| Select Model Number | Select Laminate | Select Edge | Select Grain Direction | Select Paint Color | Select Glide |
|---|---|---|---|---|---|
| | See page 431 | See page 431 | **VLG** Horizontal Grain and Solid Laminate only<br>**VST** Vertical Grain | See page 431 | **G** Glide |
| H R V G 4 2 4 2 G G T . | H . | H . | V L G . | P 8 T . | G |

# GALLERY PANELS
## Gallery-to-Gallery Connections

OPEN MARKET

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **T-Connections, Accepts Glass** | | | | | |
| 35″H x 18″W | **HRVG3518GGTG** | 23.6 | 2.0 | **$1013** | **$1046** |
| 35″H x 36″W | **HRVG3536GGTG** | 44.3 | 3.6 | **$1246** | **$1289** |
| 35″H x 42″W | **HRVG3542GGTG** | 51.1 | 4.1 | **$1333** | **$1379** |
| 35″H x 48″W | **HRVG3548GGTG** | 58.0 | 4.7 | **$1425** | **$1475** |
| 35″H x 60″W | **HRVG3560GGTG** | 71.8 | 5.7 | **$1528** | **$1582** |
| 35″H x 72″W | **HRVG3572GGTG** | 85.5 | 6.8 | **$1636** | **$1694** |
| 42″H x 18″W | **HRVG4218GGTG** | 28.5 | 2.4 | **$1036** | **$1070** |
| 42″H x 36″W | **HRVG4236GGTG** | 53.7 | 4.3 | **$1281** | **$1325** |
| 42″H x 42″W | **HRVG4242GGTG** | 62.1 | 4.9 | **$1378** | **$1425** |
| 42″H x 48″W | **HRVG4248GGTG** | 70.5 | 5.6 | **$1486** | **$1538** |
| 42″H x 60″W | **HRVG4260GGTG** | 87.3 | 6.8 | **$1592** | **$1648** |
| 42″H x 72″W | **HRVG4272GGTG** | 104.1 | 8.1 | **$1722** | **$1783** |
| 50″H x 18″W | **HRVG5018GGTG** | 33.4 | 2.8 | **$1085** | **$1122** |
| 50″H x 36″W | **HRVG5036GGTG** | 63.1 | 5.0 | **$1349** | **$1395** |
| 50″H x 42″W | **HRVG5042GGTG** | 73.1 | 5.7 | **$1453** | **$1504** |
| 50″H x 48″W | **HRVG5048GGTG** | 83.0 | 6.5 | **$1564** | **$1619** |
| 50″H x 60″W | **HRVG5060GGTG** | 102.8 | 7.9 | **$1684** | **$1743** |
| 50″H x 72″W | **HRVG5072GGTG** | 122.7 | 9.4 | **$1819** | **$1883** |
| 57½″H x 18″W | **HRVG5718GGTG** | 49.7 | 3.3 | **$1138** | **$1178** |
| 57½″H x 36″W | **HRVG5736GGTG** | 61.1 | 5.8 | **$1421** | **$1471** |
| 57½″H x 42″W | **HRVG5742GGTG** | 72.6 | 6.6 | **$1531** | **$1586** |
| 57½″H x 48″W | **HRVG5748GGTG** | 84.0 | 7.4 | **$1649** | **$1708** |
| 57½″H x 60″W | **HRVG5760GGTG** | 95.5 | 9.1 | **$1782** | **$1845** |
| 57½″H x 72″W | **HRVG5772GGTG** | 118.4 | 10.8 | **$1921** | **$1989** |

**NOTES:**

- Gallery-to-Gallery Panels connect to other Gallery Panels and are available in L-, T-, and Non-symmetrical T-configurations.
- When specifying Gallery-to-Gallery Panels, the installation template (HRVGTGG) is required. The recommendation is one template for every 30 panels. Templates are reusable.
- Gallery-to-Gallery Panels must be of equal or lower height than the Standard Gallery Panel attached. The Gallery-to-Gallery Panel cannot be taller than the adjacent panel. If this is needed, please reach out to Tailored Solutions for a custom solution.
- Made of 1⅛″ board with HPL laminate.
- Non-symmetric T-panels vary in size on either side of the adjacent panel.
- Woodgrain laminates can be specified with vertical grain up to 48″W. Horizontal grain is available on all sizes.
- Gallery Panels offer 2½″ leveling capability.
- Overall heights line up with adjacent panel.
- Gallery-to-Gallery Panels cap over Standard Gallery Panels and are oversized by 1⅛″ to maintain true interior dimensions.
- Available with or without the integrated glass option.
- Glass specified separately, see 7½″H Gallery Glass on pages 457-458.
- Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery Panels are secured with an inset flat bracket under a painted metal cover.

## HOW TO SPECIFY


| Select Model Number | Select Laminate | Select Edge | Select Grain Direction | Select Paint Color | Select Glide |
|---|---|---|---|---|---|
| H R V G 3 5 1 8 G G T G . | H . | H . | V L G . | P 8 T . | G |
| | See page 431 | See page 431 | **VLG** Horizontal Grain and Solid Laminate only<br>**VST** Vertical Grain | See page 431 | **G** Glide |

OPEN MARKET

Icon Legend on page 19

# GALLERY PANELS
## Gallery-to-Gallery Connections





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Non-Symmetrical Connections** | | | | | |
| 35″H x 18″W/24″W | **HRVG351824GGNS** | 51.1 | 4.1 | **$1163** | **$1203** |
| 35″H x 24″W/18″W | **HRVG352418GGNS** | 51.1 | 4.1 | **$1163** | **$1203** |
| 35″H x 18″W/30″W | **HRVG351830GGNS** | 58.0 | 4.7 | **$1241** | **$1284** |
| 35″H x 30″W/18″W | **HRVG353018GGNS** | 58.0 | 4.7 | **$1241** | **$1284** |
| 35″H x 24″W/30″W | **HRVG352430GGNS** | 64.9 | 5.2 | **$1285** | **$1329** |
| 35″H x 30″W/24″W | **HRVG353024GGNS** | 64.9 | 5.2 | **$1285** | **$1329** |
| 42″H x 18″W/24″W | **HRVG421824GGNS** | 62.1 | 4.9 | **$1216** | **$1258** |
| 42″H x 24″W/18″W | **HRVG422418GGNS** | 62.1 | 4.9 | **$1216** | **$1258** |
| 42″H x 18″W/30″W | **HRVG421830GGNS** | 70.5 | 5.6 | **$1309** | **$1354** |
| 42″H x 30″W/18″W | **HRVG423018GGNS** | 70.5 | 5.6 | **$1309** | **$1354** |
| 42″H x 24″W/30″W | **HRVG422430GGNS** | 78.9 | 6.2 | **$1353** | **$1400** |
| 42″H x 30″W/24″W | **HRVG423024GGNS** | 78.9 | 6.2 | **$1353** | **$1400** |
| 50″H x 18″W/24″W | **HRVG501824GGNS** | 73.1 | 5.7 | **$1305** | **$1350** |
| 50″H x 24″W/18″W | **HRVG502418GGNS** | 73.1 | 5.7 | **$1305** | **$1350** |
| 50″H x 18″W/30″W | **HRVG501830GGNS** | 83.0 | 6.5 | **$1403** | **$1451** |
| 50″H x 30″W/18″W | **HRVG503018GGNS** | 83.0 | 6.5 | **$1403** | **$1451** |
| 50″H x 24″W/30″W | **HRVG502430GGNS** | 92.9 | 7.2 | **$1458** | **$1509** |
| 50″H x 30″W/24″W | **HRVG503024GGNS** | 92.9 | 7.2 | **$1458** | **$1509** |
| 57½″H x 18″W/24″W | **HRVG571824GGNS** | 84.0 | 6.6 | **$1401** | **$1451** |
| 57½″H x 24″W/18″W | **HRVG572418GGNS** | 84.0 | 6.6 | **$1401** | **$1454** |
| 57½″H x 18″W/30″W | **HRVG571830GGNS** | 95.5 | 7.4 | **$1506** | **$1556** |
| 57½″H x 30″W/18″W | **HRVG573018GGNS** | 95.5 | 7.4 | **$1506** | **$1561** |
| 57½″H x 24″W/30″W | **HRVG572430GGNS** | 107.0 | 8.3 | **$1569** | **$1622** |
| 57½″H x 30″W/24″W | **HRVG573024GGNS** | 107.0 | 8.3 | **$1569** | **$1624** |

**NOTES:**
- Gallery-to-Gallery Panels connect to other Gallery Panels and are available in L-, T-, and Non-symmetrical T-configurations.
- When specifying Gallery-to-Gallery Panels, the installation template (HRVGTGG) is required. The recommendation is one template for every 30 panels. Templates are reusable.
- Gallery-to-Gallery Panels must be of equal or lower height than the Standard Gallery Panel attached. The Gallery-to-Gallery Panel cannot be taller than the adjacent panel. If this is needed, please reach out to Tailored Solutions for a custom solution.
- Made of 1⅛″ board with HPL laminate.
- Non-symmetric T-panels vary in size on either side of the adjacent panel.
- Woodgrain laminates can be specified with vertical grain up to 48″W. Horizontal grain is available on all sizes.
- Gallery Panels offer 2½″ leveling capability.
- Overall heights line up with adjacent panel.
- Gallery-to-Gallery Panels cap over Standard Gallery Panels and are oversized by 1⅛″ to maintain true interior dimensions.
- Available with or without the integrated glass option.
- Glass specified separately, see 7½″H Gallery Glass on pages 457-458.
- Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery Panels are secured with an inset flat bracket under a painted metal cover.

## HOW TO SPECIFY

**Select Model Number**

H R V G 4 2 1 8 3 0 G G N S .

**Select Laminate**

See page 431

H .

**Select Edge**

See page 431

H .

**Select Grain Direction**

**VLG** Horizontal Grain and Solid Laminate only
**VST** Vertical Grain

V L G .

**Select Paint Color**

See page 431

P 8 T .

**Select Glide**

**G** Glide


G

# GALLERY PANELS
## Gallery-to-Gallery Connections

OPEN MARKET

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Non-Symmetrical Connections, Accepts Glass** | | | | | |
| 35″H x 18″W/24″W | **HRVG351824GGNSG** | 51.1 | 4.1 | **$1333** | **$1379** |
| 35″H x 24″W/18″W | **HRVG352418GGNSG** | 51.1 | 4.1 | **$1333** | **$1379** |
| 35″H x 18″W/30″W | **HRVG351830GGNSG** | 58.0 | 4.7 | **$1425** | **$1475** |
| 35″H x 30″W/18″W | **HRVG353018GGNSG** | 58.0 | 4.7 | **$1425** | **$1475** |
| 35″H x 24″W/30″W | **HRVG352430GGNSG** | 64.9 | 5.2 | **$1480** | **$1532** |
| 35″H x 30″W/24″W | **HRVG353024GGNSG** | 64.9 | 5.2 | **$1480** | **$1532** |
| 42″H x 18″W/24″W | **HRVG421824GGNSG** | 62.1 | 4.9 | **$1378** | **$1425** |
| 42″H x 24″W/18″W | **HRVG422418GGNSG** | 62.1 | 4.9 | **$1378** | **$1425** |
| 42″H x 18″W/30″W | **HRVG421830GGNSG** | 70.5 | 5.6 | **$1486** | **$1538** |
| 42″H x 30″W/18″W | **HRVG423018GGNSG** | 70.5 | 5.6 | **$1486** | **$1538** |
| 42″H x 24″W/30″W | **HRVG422430GGNSG** | 78.9 | 6.2 | **$1537** | **$1591** |
| 42″H x 30″W/24″W | **HRVG423024GGNSG** | 78.9 | 6.2 | **$1537** | **$1591** |
| 50″H x 18″W/24″W | **HRVG501824GGNSG** | 73.1 | 5.7 | **$1453** | **$1504** |
| 50″H x 24″W/18″W | **HRVG502418GGNSG** | 73.1 | 5.7 | **$1453** | **$1504** |
| 50″H x 18″W/30″W | **HRVG501830GGNSG** | 83.0 | 6.5 | **$1564** | **$1619** |
| 50″H x 30″W/18″W | **HRVG503018GGNSG** | 83.0 | 6.5 | **$1564** | **$1619** |
| 50″H x 24″W/30″W | **HRVG502430GGNSG** | 92.9 | 7.2 | **$1626** | **$1683** |
| 50″H x 30″W/24″W | **HRVG503024GGNSG** | 92.9 | 7.2 | **$1626** | **$1683** |
| 57½″H x 18″W/24″W | **HRVG571824GGNSG** | 84.0 | 6.6 | **$1531** | **$1581** |
| 57½″H x 24″W/18″W | **HRVG572418GGNSG** | 84.0 | 6.6 | **$1531** | **$1584** |
| 57½″H x 18″W/30″W | **HRVG571830GGNSG** | 95.5 | 7.4 | **$1649** | **$1699** |
| 57½″H x 30″W/18″W | **HRVG573018GGNSG** | 95.5 | 7.4 | **$1649** | **$1704** |
| 57½″H x 24″W/30″W | **HRVG572430GGNSG** | 107.0 | 8.3 | **$1722** | **$1775** |
| 57½″H x 30″W/24″W | **HRVG573024GGNSG** | 107.0 | 8.3 | **$1722** | **$1777** |

**NOTES:**

- Gallery-to-Gallery Panels connect to other Gallery Panels and are available in L-, T-, and Non-symmetrical T-configurations.
- When specifying Gallery-to-Gallery Panels, the installation template (HRVGTGG) is required. The recommendation is one template for every 30 panels. Templates are reusable.
- Gallery-to-Gallery Panels must be of equal or lower height than the Standard Gallery Panel attached. The Gallery-to-Gallery Panel cannot be taller than the adjacent panel. If this is needed, please reach out to Tailored Solutions for a custom solution.
- Made of 1⅛″ board with HPL laminate.
- Non-symmetric T-panels vary in size on either side of the adjacent panel.
- Woodgrain laminates can be specified with vertical grain up to 48″W. Horizontal grain is available on all sizes.
- Gallery Panels offer 2½″ leveling capability.
- Overall heights line up with adjacent panel.
- Gallery-to-Gallery Panels cap over Standard Gallery Panels and are oversized by 1⅛″ to maintain true interior dimensions.
- Available with or without the integrated glass option.
- Glass specified separately, see 7½″H Gallery Glass on pages 457-458.
- Gallery Panels for use with glass have separate model numbers.
- Gallery-to-Gallery Panels are secured with an inset flat bracket under a painted metal cover.

## HOW TO SPECIFY

**Select Model Number**

H R V G 3 5 1 8 2 4 G G N S G .

**Select Laminate**

See page 431

H .

**Select Edge**

See page 431

H .

**Select Grain Direction**

**VLG** Horizontal Grain and Solid Laminate only
**VST** Vertical Grain

V L G .

**Select Paint Color**

See page 431

P 8 T .

**Select Glide**

**G** Glide


G

OPEN MARKET

Icon Legend on page 19

# GALLERY PANELS
## Abound® Frameless Glass





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | CLEAR GLASS | FROSTED GLASS |
|---|---|---|---|---|---|
| **7½″H Gallery Glass, for Abound®** | | | | | |
| 18″W | **SPLH-ABND-GALGLSS.M540464** | 7.0 | 0.6 | **$421** | **$459** |
| 21″W | **SPLH-ABND-GALGLSS.M482171** | 8.0 | 0.7 | **$444** | **$482** |
| 24″W | **SPLH-ABND-GALGLSS.M482172** | 9.0 | 0.7 | **$455** | **$494** |
| 27″W | **SPLH-ABND-GALGLSS.M482173** | 10.0 | 0.8 | **$469** | **$507** |
| 30″W | **SPLH-ABND-GALGLSS.M482174** | 10.5 | 0.9 | **$481** | **$520** |
| 33″W | **SPLH-ABND-GALGLSS.M482175** | 11.0 | 1.0 | **$493** | **$531** |
| 36″W | **SPLH-ABND-GALGLSS.M482176** | 12.0 | 1.1 | **$551** | **$590** |
| 39″W | **SPLH-ABND-GALGLSS.M482177** | 12.5 | 1.2 | **$565** | **$603** |
| 42″W | **SPLH-ABND-GALGLSS.M482178** | 13.0 | 1.3 | **$583** | **$621** |
| 45″W | **SPLH-ABND-GALGLSS.M482179** | 14.0 | 1.4 | **$619** | **$658** |
| 48″W | **SPLH-ABND-GALGLSS.M482180** | 14.5 | 1.5 | **$643** | **$682** |
| 51″W | **SPLH-ABND-GALGLSS.M540465** | 15.0 | 1.6 | **$643** | **$682** |
| 54″W | **SPLH-ABND-GALGLSS.M541046** | 15.7 | 1.7 | **$660** | **$699** |
| 57″W | **SPLH-ABND-GALGLSS.M482181** | 16.0 | 1.7 | **$743** | **$782** |
| 60″W | **SPLH-ABND-GALGLSS.M482182** | 17.0 | 1.8 | **$756** | **$795** |
| 72″W | **SPLH-ABND-GALGLSS.M482183** | 19.5 | 2.2 | **$894** | **$933** |

**NOTES:**
- Gallery Panels are 3″ wider than corresponding glass to allow for proper fit and function.
- Glass is inset 1½″ from end of Standard Gallery Panels. Gallery-to-Gallery Panels have ½″ glass inset.

Cannot hang or stack on top of Frameless Glass.

Frameless Glass can only be used on the top of Gallery Panels. Glass integrates into notch cutout in the top of the panel.

| STANDARD GALLERY PANELS | |
|---|---|
| **Gallery Panel Width** | **Gallery Glass Width** |
| 21″W Gallery Panel | 18″W Glass |
| 24″W Gallery Panel | 21″W Glass |
| 27″W Gallery Panel | 24″W Glass |
| 30″W Gallery Panel | 27″W Glass |
| 33″W Gallery Panel | 30″W Glass |
| 36″W Gallery Panel | 33″W Glass |
| 39″W Gallery Panel | 36″W Glass |
| 42″W Gallery Panel | 39″W Glass |
| 45″W Gallery Panel | 42″W Glass |
| 48″W Gallery Panel | 45″W Glass |
| 51″W Gallery Panel | 48″W Glass |
| 60″W Gallery Panel | 57″W Glass |
| 63″W Gallery Panel | 60″W Glass |
| 75″W Gallery Panel | 72″W Glass |

| SPLIT GALLERY PANELS | |
|---|---|
| **Gallery Panel Width** | **Gallery Glass Width** |
| 87″W Split Panel | (2) 39″W Glass |
| 99″W Split Panel | (2) 45″W Glass |
| 111″W Split Panel | (2) 51″W Glass |
| 123″W Split Panel | (2) 57″W Glass |

| GALLERY-TO-GALLERY PANELS | |
|---|---|
| **Gallery Panel Width** | **Gallery Glass Width** |
| 18″W G2G Panel | 18″W Glass |
| 24″W G2G Panel | 24″W Glass |
| 30″W G2G Panel | 30″W Glass |
| 36″W G2G Panel | 36″W Glass |
| 42″W G2G Panel | 42″W Glass |
| 48″W G2G Panel | 48″W Glass |
| 54″W G2G Panel | 54″W Glass |
| 60″W G2G Panel | 60″W Glass |
| 72″W G2G Panel | 72″W Glass |

## HOW TO SPECIFY

**Select Model Number**

S P L H - A B N D - G A L G L S S . M 4 8 2 1 7 1 .

**Select Glass**

**Q** Clear Glass
**R** Frosted Glass


Q

# GALLERY PANELS
## Accelerate® Frameless Glass

OPEN MARKET

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | CLEAR GLASS | FROSTED GLASS |
|---|---|---|---|---|---|
| **7½″H Gallery Glass, Wing, End of Run, for Accelerate®** | | | | | |
| 18″W | **HEGFG0718** | 7.9 | 0.6 | **$462** | **$872** |
| 21″W | **HEGFG0721** | 8.3 | 0.7 | **$474** | **$894** |
| 24″W | **HEGFG0724** | 9.2 | 0.7 | **$488** | **$919** |
| 27″W | **HEGFG0727** | 9.9 | 0.8 | **$500** | **$941** |
| 30″W | **HEGFG0730** | 10.5 | 0.9 | **$515** | **$968** |
| 33″W | **HEGFG0733** | 11.2 | 1.0 | **$530** | **$995** |
| 36″W | **HEGFG0736** | 11.8 | 1.1 | **$541** | **$1015** |
| 39″W | **HEGFG0739** | 12.5 | 1.2 | **$606** | **$1132** |
| 42″W | **HEGFG0742** | 13.1 | 1.3 | **$621** | **$1160** |
| 45″W | **HEGFG0745** | 13.8 | 1.4 | **$639** | **$1194** |
| 48″W | **HEGFG0748** | 14.4 | 1.5 | **$680** | **$1267** |
| 54″W | **HEGFG0754** | 15.8 | 1.6 | **$726** | **$1391** |
| 57″W | **HEGFG0757** | 16.4 | 1.7 | **$753** | **$1399** |
| 60″W | **HEGFG0760** | 17.0 | 1.8 | **$817** | **$1515** |
| 72″W | **HEGFG0772** | 19.6 | 2.2 | **$876** | **$1621** |

**NOTES:**

- Gallery Panels are 3″ wider than corresponding glass to allow for proper fit and function.
- Glass is inset 1½″ from end of Standard Gallery Panels. Gallery-to-Gallery Panels have ½″ glass inset.

❗ Cannot hang or stack on top of Frameless Glass.

❗ Frameless Glass can only be used on the top of Gallery Panels. Glass integrates into notch cutout in the top of the panel.

| STANDARD GALLERY PANELS | |
|---|---|
| **Gallery Panel Width** | **Gallery Glass Width** |
| 21″W Gallery Panel | 18″W Glass |
| 24″W Gallery Panel | 21″W Glass |
| 27″W Gallery Panel | 24″W Glass |
| 30″W Gallery Panel | 27″W Glass |
| 33″W Gallery Panel | 30″W Glass |
| 36″W Gallery Panel | 33″W Glass |
| 39″W Gallery Panel | 36″W Glass |
| 42″W Gallery Panel | 39″W Glass |
| 45″W Gallery Panel | 42″W Glass |
| 48″W Gallery Panel | 45″W Glass |
| 51″W Gallery Panel | 48″W Glass |
| 60″W Gallery Panel | 57″W Glass |
| 63″W Gallery Panel | 60″W Glass |
| 75″W Gallery Panel | 72″W Glass |

| GALLERY-TO-GALLERY PANELS | |
|---|---|
| **Gallery Panel Width** | **Gallery Glass Width** |
| 18″W G2G Panel | 18″W Glass |
| 24″W G2G Panel | 24″W Glass |
| 30″W G2G Panel | 30″W Glass |
| 36″W G2G Panel | 36″W Glass |
| 42″W G2G Panel | 42″W Glass |
| 48″W G2G Panel | 48″W Glass |
| 54″W G2G Panel | 54″W Glass |
| 60″W G2G Panel | 60″W Glass |
| 72″W G2G Panel | 72″W Glass |

## HOW TO SPECIFY

**Select Model Number**

H E G F G 0 7 3 6 .

**Select Glass**

**Q** Clear Glass
**R** Frosted Glass


Q

OPEN MARKET

Icon Legend on page 19

# GALLERY PANELS
## Abound® Connector Kits







| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Gallery Panel Connectors** | | | | | |
| Spanning End of Run and L Connector | **HRVCE** | 0.83 | 0.1 | **$106** | **$115** |
| Wing Middle Attachment Brackets | **HRVCM** | 0.62 | 0.1 | **$123** | **$134** |
| **Split Gallery Panel Connector** | **HRVCES** | 2.00 | 0.1 | **$102** | **$111** |




| | | | | | |
|---|---|---|---|---|---|
| **Gallery Connector Kits** | | | | | |
| 35″ | **HRVC35GP** | 1.0 | 0.3 | **$254** | **$269** |
| 42″ | **HRVC42GP** | 1.5 | 0.4 | **$282** | **$299** |
| 50″ | **HRVC50GP** | 1.5 | 0.5 | **$294** | **$311** |
| 57½″ | **HRVC57GP** | 1.8 | 0.5 | **$290** | **$309** |
| 65″ | **HRVC65GP** | 2.0 | 0.6 | **$342** | **$361** |
| **Gallery Connector Kits, Flat** | | | | | |
| 35″ | **HRVC35GPF** | 1.16 | 0.5 | **$240** | **$266** |
| 42″ | **HRVC42GPF** | 1.49 | 0.7 | **$268** | **$296** |
| 50″ | **HRVC50GPF** | 1.64 | 0.7 | **$280** | **$308** |
| 57″ | **HRVC57GPF** | 1.80 | 0.7 | **$276** | **$306** |
| 65″ | **HRVC65GPF** | 2.13 | 1.0 | **$328** | **$358** |



| | | | | | |
|---|---|---|---|---|---|
| **Gallery Panel Stiffener** | | | | | |
| For 75″W Panels | **HRVGS7578** | 5.6 | 0.9 | **$139** | **$150** |



| | | | | | |
|---|---|---|---|---|---|
| **Gallery Panel Wall Starter** | | | | | |
| 35″H | **HRVGWS35** | 4.1 | 0.4 | **$123** | **$134** |
| 42½″H | **HRVGWS42** | 4.9 | 0.5 | **$129** | **$140** |
| 50″H | **HRVGWS50** | 5.7 | 0.6 | **$134** | **$145** |
| 57½″H | **HRVGWS57** | 6.5 | 0.6 | **$142** | **$153** |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Gallery Panel-to-Storage Kits** | | | | |
| Laminate Storage Ganging Kit | **HRVGLSK** | 0.1 | 0.1 | **$60** |
| Metal Storage Ganging Kit | **HRVGMSK** | 0.1 | 0.1 | **$15** |

**NOTES:**
- HRVCE is used in L and spanning (T) end of run applications.
- Wing Middle Connector Kits accommodate both single-sided and dual-sided applications.
- For more rigidity, the Gallery Panel can be tied to a storage or a non-adjustable surface. Use HRVGLSK for laminate or HRVGMSK for metal storage.
- HAT bases can be tied to Gallery Panels using HAT-to-Gallery brackets on page 461.

Wing Middle Connector Kits must be used in any Wing Middle application in conjunction with model HRVCM.

Wing Middle Connector Kits are required for Wing Middle applications and are used only with Wing Middle Gallery Panels.

Gallery Panels can only connect to standard panel frames; Gallery Panels cannot connect to each other.

## HOW TO SPECIFY

**Select Model Number**

H R V C 4 2 G P .

**Select Paint Color**

See page 431


T 1

# GALLERY PANELS
## Accelerate® Connector Kits

OPEN MARKET

Icon Legend on page 19







| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Gallery Panel End Connector** | **HEGPEC** | 1.4 | 0.1 | **$151** | **$162** |
| **Spanning End of Run Connector w/Glass** | **HEGSFGA** | 6.3 | 0.8 | **$233** | **$244** |

! Spanning End Connector w/Glass must be used in T-configurations when using a Spanning Gallery Panel with Glass.


! All L-configurations, with or without glass, use HEGPEC.



| | | | | | |
|---|---|---|---|---|---|
| **Gallery Panel Mid Connector, Single-Sided** | | | | | |
| 35″H | **HEGMC351** | 4.0 | 0.5 | **$235** | **$246** |
| 42″½H | **HEGMC421** | 4.6 | 0.5 | **$235** | **$246** |
| 50″H | **HEGMC501** | 5.2 | 0.6 | **$268** | **$279** |
| 57½″H | **HEGMC571** | 5.7 | 0.8 | **$296** | **$307** |
| 65″H | **HEGMC651** | 6.3 | 0.8 | **$322** | **$333** |
| 72″H | **HEGMC721** | 6.9 | 0.9 | **$363** | **$374** |




| | | | | | |
|---|---|---|---|---|---|
| **Gallery Panel Mid Connector, Double-Sided** | | | | | |
| 35″H | **HEGMC352** | 4.0 | 0.5 | **$235** | **$246** |
| 42½″H | **HEGMC422** | 4.6 | 0.5 | **$235** | **$246** |
| 50″H | **HEGMC502** | 5.2 | 0.6 | **$268** | **$279** |
| 57½″H | **HEGMC572** | 5.7 | 0.8 | **$296** | **$307** |
| 65″H | **HEGMC652** | 6.3 | 0.8 | **$322** | **$333** |
| 72″H | **HEGMC722** | 6.9 | 0.9 | **$363** | **$374** |



| | | | | | |
|---|---|---|---|---|---|
| **Gallery Panel Stiffener** | | | | | |
| For 75″W Panels | **HRVGS7578** | 5.6 | 0.9 | **$139** | **$150** |



| | | | | | |
|---|---|---|---|---|---|
| **Gallery Panel Wall Starter** | | | | | |
| 35″H | **HRVGWS35** | 4.1 | 0.4 | **$123** | **$134** |
| 42½″H | **HRVGWS42** | 4.9 | 0.5 | **$129** | **$140** |
| 50″H | **HRVGWS50** | 5.7 | 0.6 | **$134** | **$145** |
| 57½″H | **HRVGWS57** | 6.5 | 0.6 | **$142** | **$153** |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Gallery Panel-to-Storage Kits** | | | | |
| Laminate Storage Ganging Kit | **HRVGLSK** | 0.1 | 0.1 | **$60** |
| Metal Storage Ganging Kit | **HRVGMSK** | 0.1 | 0.1 | **$15** |

**NOTES:**

- For more rigidity, the Gallery Panel can be tied to a storage or a non-adjustable surface. Use HRVGLSK for laminate or HRVGMSK for metal storage.
- HAT bases can be tied to Gallery Panels using HAT-to-Gallery brackets on page 461.

! Gallery Panels can only connect to standard panel frames; Gallery Panels cannot connect to each other.

! See Gallery Panel and Connector illustration on page 437 for placement and application.

## HOW TO SPECIFY

**Select Model Number**

H E G M C 5 0 1 .

**Select Paint Color**

See page 431







T 1

OPEN MARKET

Icon Legend on page 19

# GALLERY PANELS
## Height Adjustable Tie-In Brackets




| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Rectangle Leg, T-Foot Brackets** HAT to Panel, Left Hand | **HHALRETL** | 4.0 | 0.2 | **$187** | **$204** | **$213** |
|  | HAT to Panel, Right Hand | **HHALRETR** | 4.0 | 0.2 | **$187** | **$204** | **$213** |
|  | HAT to Gallery Panel | **HHALRETG** | 3.5 | 0.2 | **$187** | **$204** | **$213** |
|  | **Rectangle Leg, C-Foot Brackets** HAT to Panel, Left Hand | **HHALRECL** | 4.0 | 0.2 | **$187** | **$204** | **$213** |
|  | HAT to Panel, Right Hand | **HHALRECR** | 4.0 | 0.2 | **$187** | **$204** | **$213** |
|  | HAT to Gallery Panel | **HHALRECG** | 3.5 | 0.2 | **$187** | **$204** | **$213** |

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Gallery-to-Gallery Template** | **HRVGTGG** | 1.1 | 0.5 | **$81** |
| **HAT-to-Gallery Template** | **HHALGPT** | 1.1 | 0.1 | **$58** |

**NOTES:**
- Tie-in brackets are used to tie a height adjustable table to either a Standard Panel or Gallery Panel for added rigidity.
- Bracket ties into the approach side of the height adjustable worksurface — this removes the need for a wing panel.
- Can be used as a value engineering option to replace wing panels.
- Available in all paint colors to match panel trim or coordinating colors to the height adjustable base.
- Brackets telescope to account for 24″ and 30″ deep worksurfaces and screen attachments.

! Brackets must be used on a return panel, not a spine wall, except if stations are back-to-back on a spine wall and a tie-in bracket is used at a minimum every 96″.

! C-legs with a 30″D worksurface and a screen must be specified with T-leg brackets.




**SINGLE BRACKET**
**Systems Application**
- Max Height (with Glass): 65″H
- Max Width: 96″; tops greater than 72″W **will not align**.

**Gallery Panel Application**
- Max Height (with Glass): 65″H
- Max Width: 75″; no top size restrictions.

**DUAL-SIDED PANEL BENCH**
**Systems Application**
- Max Height (with Glass): 65″H
- Bracket needed every 96″ on both sides; tops greater than 72″W **will not align**.

**Gallery Panel Application**
- Max Height (with Glass): 65″H
- Bracket Needed: Single Panel (75″) with brackets on each leg (same height).



! Overhead storage cannot be used without return panels.

## HOW TO SPECIFY

**Select Model Number**

H H A L R E C L .

**Select Paint Color**

See page 431








P R 6

# GALLERY PANELS
## Accessories

OPEN MARKET

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Gallery Panel Accessory Rail** | | | | | | |
| | 12″W | **HRVGR12** | 2.0 | 0.2 | **$176** | **$190** | **$202** |
| | 18″W | **HRVGR18** | 2.5 | 0.4 | **$191** | **$205** | **$217** |
| | 24″W | **HRVGR24** | 3.3 | 0.4 | **$208** | **$222** | **$234** |
| | 30″W | **HRVGR30** | 3.5 | 0.4 | **$224** | **$238** | **$250** |
| | 36″W | **HRVGR36** | 4.4 | 0.5 | **$239** | **$253** | **$265** |
|  *HRVGRCH* *HRVGFCH* | **Accessory Rail Mounted Coat/Bag Hook** | **HRVGRCH** | 1.5 | 0.1 | **$77** | **$91** | **$103** |
| | **Accessory Face Mounted Coat/Bag Hook** | **HRVGFCH** | 1.7 | 0.1 | **$77** | **$91** | **$103** |
|  | **Accessory Rail Mounted Paper Tray** | | | | | | |
| | Single | **HRVGRPT1** | 4.1 | 0.6 | **$102** | **$116** | **$128** |
| | Double | **HRVGRPT2** | 7.1 | 0.6 | **$128** | **$142** | **$154** |
| | Triple | **HRVGRPT3** | 10.1 | 1.1 | **$153** | **$167** | **$179** |
|  | **Accessory Rail Mounted Angle File** | | | | | | |
| | Single | **HRVGRAF1** | 4.6 | 0.6 | **$102** | **$116** | **$128** |
| | Double | **HRVGRAF2** | 6.6 | 0.6 | **$128** | **$142** | **$154** |
| | Triple | **HRVGRAF3** | 8.5 | 1.1 | **$153** | **$167** | **$179** |
|  | **Accessory Rail Mounted Binder Shelf** | **HRVGRBS** | 7.6 | 1.6 | **$128** | **$142** | **$154** |
| | **Accessory Rail Mounted Wide Personal Shelf** | **HRVGRPS** | 8.0 | 1.0 | **$128** | **$142** | **$154** |
|  | **Gallery Countertop Kit** | **HRVGCKS** | 1.9 | 0.1 | **$233** | **$244** | **$253** |
| | ! Bracket kit includes one right and one left hand bracket. Order two sets of brackets for the straight countertop models and three sets for the corner countertop models. | | | | | | |
|  | **Gallery Panel Foot** | | | | | | |
| | 1 Pack | **HRVGPF1** | 10.4 | 1.3 | **$277** | **$291** | **$303** |
| | 2 Pack | **HRVGPF2** | 19.7 | 1.3 | **$551** | **$578** | **$602** |
| | ! Gallery Panel Foot should be installed 6″ from the outside edge of Gallery Panel. | | | | | | |
| | ! Cannot be used with Gallery Panels 24″W or narrower. | | | | | | |

## HOW TO SPECIFY

**Select Model Number**

H R V G R 1 8 .

**Select Paint Color**

See page 431


T 1

OPEN MARKET

Icon Legend on page 19

# GALLERY PANELS
## Tackboards and Markerboards






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE AA | A | B | C | D | E | F | G |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Gallery Panel Tackboards** | | | | | | | | | | | |
| 36″W x 11″H | **HRVTB11** | 7.0 | 1.1 | **$354** | **$361** | **$364** | **$367** | **$370** | **$375** | **$381** | **$386** |
| 36″W x 18½″H | **HRVTB18** | 10.0 | 1.8 | **$415** | **$422** | **$425** | **$428** | **$431** | **$436** | **$442** | **$447** |
| 15″H x 24″W | **HRVTB1524** | 4.5 | 2.3 | **$305** | **$312** | **$315** | **$318** | **$321** | **$326** | **$332** | **$337** |
| 15″H x 30″W | **HRVTB1530** | 5.5 | 2.8 | **$332** | **$339** | **$342** | **$345** | **$348** | **$353** | **$359** | **$364** |
| 15″H x 36″W | **HRVTB1536** | 6.6 | 3.3 | **$364** | **$371** | **$374** | **$377** | **$380** | **$385** | **$391** | **$396** |
| 15″H x 48″W | **HRVTB1548** | 9.7 | 4.3 | **$388** | **$395** | **$398** | **$401** | **$404** | **$409** | **$415** | **$420** |
| 15″H x 60″W | **HRVTB1560** | 11.8 | 5.4 | **$409** | **$416** | **$419** | **$422** | **$425** | **$430** | **$436** | **$441** |
| 22″H x 24″W | **HRVTB2224** | 6.3 | 3.2 | **$320** | **$327** | **$330** | **$333** | **$336** | **$341** | **$347** | **$352** |
| 22″H x 30″W | **HRVTB2230** | 7.7 | 3.9 | **$347** | **$354** | **$357** | **$360** | **$363** | **$368** | **$374** | **$379** |
| 22″H x 36″W | **HRVTB2236** | 9.2 | 4.6 | **$382** | **$389** | **$392** | **$395** | **$398** | **$403** | **$409** | **$414** |
| 22″H x 48″W | **HRVTB2248** | 13.1 | 6.1 | **$409** | **$416** | **$419** | **$422** | **$425** | **$430** | **$436** | **$441** |
| 22″H x 60″W | **HRVTB2260** | 16.0 | 7.5 | **$421** | **$428** | **$431** | **$434** | **$437** | **$442** | **$448** | **$453** |

**NOTES:**
- Tackboard attaches to Gallery Panel by screwing painted metal frame onto Gallery Panel surface. Fabric insert attaches to painted metal frame with hook and loop.
- Attachment hardware for Tackboard is provided.


! No template is provided for placement and leveling of Tackboard.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Markerboards** | | | | | |
| 15″H x 24″W | **HRVM1524** | 7.6 | 2.3 | **$369** | **$383** |
| 15″H x 30″W | **HRVM1530** | 8.8 | 2.8 | **$395** | **$409** |
| 22½″H x 36″W | **HRVM2236** | 15.5 | 3.3 | **$426** | **$440** |
| 22½″H x 48″W | **HRVM2248** | 20.0 | 6.1 | **$478** | **$492** |
| 22½″H x 60″W | **HRVM2260** | 23.4 | 7.5 | **$493** | **$507** |

NOTES: Markerboard attaches to Gallery Panel by screwing markerboard rail onto Gallery Panel surface. Attachment hardware for markerboard is provided. Markerboards can be used back-to-back.

! No template is provided for placement and leveling of markerboard.



| | | | | | |
|---|---|---|---|---|---|
| **Hanging Markerboards** | | | | | |
| 20″H x 30″W | **HRVHM2030** | 8.7 | 3.6 | **$347** | **$361** |
| 26″H x 30″W | **HRVHM2630** | 11.0 | 4.6 | **$478** | **$492** |

NOTES: Hanging Markerboards hang on the top edge of a Gallery Panel. Hanging Markerboards can also be slipped onto any 1⅛″ thick worksurface.

**NOTES:**
- Provides writable surface when painted in markerboard paint; non-writable when specified in other paint colors.

## HOW TO SPECIFY

**Select Model Number**

H R V T B 1 1 .

**Select Fabric**

See pages 336-337

A P N 1 1

**Select Model Number**

H R V T B 1 5 4 8 .

**Select Fabric**

A P N 1 1 .

**Select Paint Color**

P 8 T

**Select Model Number**

H R V T B 1 5 4 8 .

**Select Paint Color**

P 8 T

# GRAVITATION™ POWER BEAM

Want to see more? Scan here to check out hon.com.



Gravitation™ Power Beam shown with Coordinate™ Height Adjustable Desks, Fuse™ Storage, Astir™, Mav, and Solve® Seating.

## GRAVITATION™ BEAM

Bringing power and privacy to individual workspaces and team areas, Gravitation™ Beam offers a sleek look and multiple aesthetic options to complement any environment. Designed for movement and flexibility, it adapts to changing needs with ease.













### FEATURES

- Pairs perfectly with height adjustable tables or alongside soft seating.
- Offered in a variety of paint options.
- Available in 3 widths: 48″, 60″, and 72″.
- Create L, X, and T configurations using universal connectors.
- Painted metal screens available to provide privacy and space division.

# GRAVITATION™ POWER BEAM ORDERING INFORMATION



## PAINT

**PAINTS ..... CODES**

**P1**
- Black ..... **P71**
- Brownstone ..... **P7D**
- Charcoal ..... **P02**
- Cove ..... **P096**
- Designer White ..... **PJW**
- Dune ..... **P094**
- Fossil ..... **P28**
- Greige ..... **T5**
- Harbor ..... **P097**
- Loft ..... **LOFT**
- Muslin ..... **T3**
- Sage ..... **P095**
- Titanium ..... **P8T**

**P2**
- Champagne Metallic ..... **T4**
- Gunmetal Metallic ..... **PR3**
- Silver ..... **PR6**
- Solar Black ..... **P8X**

**P3**
- Atom ..... **P8S**
- Bullseye ..... **PJF**
- Ember ..... **P8P**
- Ion ..... **P8N**
- Iris ..... **P8J**
- Krypton ..... **P8F**
- Regatta ..... **P8M**

**P6**
- Markerboard ..... **MKB**

## FABRIC SCREENS — GRADE A

**NOBLE ..... CODES**
- Aegean ..... **NBLE18**
- Amethyst ..... **NBLE19**
- Aspen ..... **NBLE14**
- Aster ..... **NBLE20**
- Blossom ..... **NBLE21**
- Bluebell ..... **NBLE22**
- Bordeaux ..... **NBLE01**
- Brick ..... **NBLE02**
- Chambray ..... **NBLE10**
- Chamomile ..... **NBLE23**
- Clementine ..... **NBLE04**
- Conifer ..... **NBLE24**
- Cottage ..... **NBLE25**
- Darkness ..... **NBLE26**
- Dawn ..... **NBLE13**
- Denim ..... **NBLE09**
- Desert Sand ..... **NBLE27**
- Dewfall ..... **NBLE28**
- Dusted Sage ..... **NBLE29**
- Flax ..... **NBLE30**
- Grass ..... **NBLE07**
- Gunmetal ..... **NBLE15**
- Harmony ..... **NBLE31**
- Harvest ..... **NBLE12**
- Ice Caves ..... **NBLE32**
- Icicle ..... **NBLE33**
- Inky ..... **NBLE34**
- Iris ..... **NBLE35**
- Jade ..... **NBLE06**
- Knight ..... **NBLE17**
- Mesa ..... **NBLE03**
- Monarch ..... **NBLE36**
- Pacific ..... **NBLE08**
- Pitch ..... **NBLE37**
- Queen Bee ..... **NBLE38**
- Rainforest ..... **NBLE05**
- Regal ..... **NBLE11**
- Sandcastle ..... **NBLE39**
- Sedona ..... **NBLE40**
- Stormy ..... **NBLE16**
- Sunbeam ..... **NBLE41**
- Voyager ..... **NBLE42**
- Windy Day ..... **NBLE43**

## LAMINATE

**L1 LAMINATES ..... CODES**

**Woodgrain**
- Bourbon Cherry ..... **H**
- Cognac ..... **COGN**
- Field Elm ..... **LWFE**
- Florence Walnut ..... **LFW1**
- Harvest ..... **C**
- Kingswood Walnut ..... **LKI1**
- Mahogany ..... **N**
- Mocha ..... **MOCH**
- Natural Maple ..... **D**
- Pinnacle ..... **PINC**
- Shaker Cherry ..... **F**
- Sterling Ash ..... **LSA1**

**Solid**
- Black ..... **P**
- Charcoal ..... **S**
- Designer White ..... **LDW1**
- Loft ..... **LOFT**

**Patterned**
- Handspun Chestnut ..... **LAHC**
- Handspun Dove ..... **LAHD**
- Handspun Pearl ..... **LAHP**
- Handspun Slate ..... **LAHS**
- Silver Mesh ..... **B9**

**L2 LAMINATES ..... CODES**

**Woodgrain**
- Beigewood ..... **LWBE**
- Fawn Cypress ..... **LFC1**
- Lowell Ash ..... **LLA1**
- Natural Recon ..... **LNR1**
- Phantom Ecru ..... **LPE1**
- Portico Teak ..... **LPT1**
- Skyline Walnut ..... **LSW1**

**Duplex Color Recommended to Coordinate with Paint Color**

| Paint Color | Paint Code | Duplex Color | Duplex Code |
|---|---|---|---|
| Black | **P** | Black | **P** |
| Brownstone | **P7D** | Brownstone | **EY** |
| Charcoal | **S** | Charcoal | **S** |
| Designer White | **PJW** | Designer White | **DW** |
| Fossil | **P28** | Charcoal | **S** |
| Greige | **T5** | Muslin | **T3** |
| Light Gray | **Q** | Loft | **LOFT** |
| Loft | **LOFT** | Loft | **LOFT** |
| Muslin | **T3** | Muslin | **T3** |
| Putty | **L** | Black | **P** |
| Shadow | **SHDW** | Muslin | **T3** |
| Silver | **PR6** | Titanium | **TI** |
| Titanium | **P8T** | Titanium | **TI** |
| Champagne Metallic | **T4** | Muslin | **T3** |
| Platinum Metallic | **T1** | Titanium | **TI** |

◆◆◇ *For lead time information see page 21.*


# GRAVITATION™ POWER BEAM ORDERING INFORMATION



## Gravitation™ Ordering Checklist

When specifying Gravitation™ Power Beams for your workspace, follow the ordering checklist below to ensure full functionality.

- Beams (HBEAM48, 60, or 72).
- Legs to go with beams based on how the beams will be connected (HBLEG23).
- Electrical Harnesses, Receptacles, and In-feeds.
- Specify connectors, power hubs, and/or power poles (HBEORH23, HBEORT23, HBILNH23, HBCONU, etc.).
- Port Covers (for any power/data ports left unused).
- Metal, fabric, and PET screens and acrylic, fabric, and laminate modesties available.





**General Rules:**

- Generally, a rail should be supported by two feet.
- If a rail connects DIRECTLY to another rail, it can share a foot.
  - 2 rails connected would have 3 feet instead of 4.
- When using the universal connector to change directions, feet are not shared between rails in the same "plane".
  - However, rails going perpendicular to the main line will skip the foot next to the universal connector.

When two rails share a leg, the leg is centered between the legs in the "outer slot". When the leg is positioned **at the end of a run of rails** (i.e., the rail doesn't connect to another rail), the leg will be inset 1⅞" from the end of the rail, not the end cap, in the "inner slot".

## Cable Capacity



- The Power Rail housing allows continuous voice and data lines to run without interruption.
- Lay-in is provided for environments where systems furniture or cabling are subject to frequent change.
- Lower cavity allows for 6 voice/data cables (¼" diameter).
- Upper cavity lay-in allows 6 voice/data cables (¼" diameter).

Icon Legend on page 19

# GRAVITATION™ 48″W Bundles



| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Gravitation™ Power Beam** 48″W | **HBEAM48** | $524 | $524 |
| 2 | **Gravitation™ Legs** 23″H | **HBLEG23** | $184 | $368 |
| 1 | **End of Run Power Harness** | **HMPEEK48** | $307 | $307 |
| 4 | **Duplexes** | **HH873501** | $60 | $240 |
| 2 | **Gravitation™ Power Beam End Cap** | **HBENDCP** | $92 | $184 |
| | | | **TOTAL:** | **$1,623** |




**1-PACK — 48″W**

| | | | LIST PRICE BY PAINT GRADE | | |
|---|---|---|---|---|---|
| QTY | DESCRIPTION | BUNDLE SKU | P1 | P2 | P3 |
| 1 | **1-PACK BUNDLE** | **HBBDL148** | $1,623 | $1,701 | $1,738 |

**SPECIFYING EXAMPLE: Model.Paint**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 2 | **Gravitation™ Power Beam** 48″W | **HBEAM48** | $524 | $1,048 |
| 3 | **Gravitation™ Legs** 23″H | **HBLEG23** | $184 | $552 |
| 1 | **End of Run Power Harness** | **HMPEEK48** | $307 | $307 |
| 1 | **Power Harness** | **HH871248** | $295 | $295 |
| 4 | **Duplexes** | **HH873501** | $60 | $240 |
| 4 | **Duplexes** | **HH873502** | $60 | $240 |
| 2 | **Gravitation™ Power Beam End Cap** | **HBENDCP** | $92 | $184 |
| | | | **TOTAL:** | **$2,866** |




**2-PACK — 48″W**

| | | | LIST PRICE BY PAINT GRADE | | |
|---|---|---|---|---|---|
| QTY | DESCRIPTION | BUNDLE SKU | P1 | P2 | P3 |
| 1 | **2-PACK BUNDLE** | **HBBDL248** | $2,866 | $2,994 | $3,056 |

**SPECIFYING EXAMPLE: Model.Paint**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 3 | **Gravitation™ Power Beam** 48″W | **HBEAM48** | $524 | $1,572 |
| 4 | **Gravitation™ Legs** 23″H | **HBLEG23** | $184 | $736 |
| 1 | **End of Run Power Harness** | **HMPEEK48** | $307 | $307 |
| 2 | **Power Harness** | **HH871248** | $295 | $590 |
| 4 | **Duplexes** | **HH873501** | $60 | $240 |
| 4 | **Duplexes** | **HH873502** | $60 | $240 |
| 4 | **Duplexes** | **HH873503** | $60 | $240 |
| 2 | **Gravitation™ Power Beam End Cap** | **HBENDCP** | $92 | $184 |
| | | | **TOTAL:** | **$4,109** |




**3-PACK — 48″W**

| | | | LIST PRICE BY PAINT GRADE | | |
|---|---|---|---|---|---|
| QTY | DESCRIPTION | BUNDLE SKU | P1 | P2 | P3 |
| 1 | **3-PACK BUNDLE** | **HBBDL348** | $4,109 | $4,288 | $4,375 |

**SPECIFYING EXAMPLE: Model.Paint**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 4 | **Gravitation™ Power Beam** 48″W | **HBEAM48** | $524 | $2,096 |
| 5 | **Gravitation™ Legs** 23″H | **HBLEG23** | $184 | $920 |
| 1 | **End of Run Power Harness** | **HMPEEK48** | $307 | $307 |
| 3 | **Power Harness** | **HH871248** | $295 | $885 |
| 4 | **Duplexes** | **HH873502** | $60 | $240 |
| 4 | **Duplexes** | **HH873503** | $60 | $240 |
| 4 | **Duplexes** | **HH873504** | $60 | $240 |
| 2 | **Gravitation™ Power Beam End Cap** | **HBENDCP** | $92 | $184 |
| | | | **TOTAL:** | **$5,112** |



**4-PACK — 48″W**

| | | | LIST PRICE BY PAINT GRADE | | |
|---|---|---|---|---|---|
| QTY | DESCRIPTION | BUNDLE SKU | P1 | P2 | P3 |
| 1 | **4-PACK BUNDLE** | **HBBDL448** | $5,352 | $5,581 | $5,693 |

**SPECIFYING EXAMPLE: Model.Paint**

Power in-feeds and port covers are not included in Bundles and must be specified separately.

# GRAVITATION™ 60″W Bundles

Icon Legend on page 19



| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Gravitation™ Power Beam** 60″W | **HBEAM60** | $574 | $574 |
| 2 | **Gravitation™ Legs** 23″H | **HBLEG23** | $184 | $368 |
| 1 | **End of Run Power Harness** | **HMPEEK60** | $307 | $307 |
| 4 | **Duplexes** | **HH873501** | $60 | $240 |
| 2 | **Gravitation™ Power Beam End Cap** | **HBENDCP** | $92 | $184 |
| | | | **TOTAL:** | **$1,673** |




**1-PACK — 60″W**

| | | | LIST PRICE BY PAINT GRADE | | |
|---|---|---|---|---|---|
| QTY | DESCRIPTION | BUNDLE SKU | P1 | P2 | P3 |
| 1 | **1-PACK BUNDLE** | **HBBDL160** | $1,673 | $1,754 | $1,793 |

**SPECIFYING EXAMPLE: Model.Paint**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 2 | **Gravitation™ Power Beam** 60″W | **HBEAM60** | $574 | $1,148 |
| 3 | **Gravitation™ Legs** 23″H | **HBLEG23** | $184 | $552 |
| 1 | **End of Run Power Harness** | **HMPEEK60** | $307 | $307 |
| 1 | **Power Harness** | **HH871260** | $295 | $295 |
| 4 | **Duplexes** | **HH873501** | $60 | $240 |
| 4 | **Duplexes** | **HH873502** | $60 | $240 |
| 2 | **Gravitation™ Power Beam End Cap** | **HBENDCP** | $92 | $184 |
| | | | **TOTAL:** | **$2,966** |




**2-PACK — 60″W**

| | | | LIST PRICE BY PAINT GRADE | | |
|---|---|---|---|---|---|
| QTY | DESCRIPTION | BUNDLE SKU | P1 | P2 | P3 |
| 1 | **2-PACK BUNDLE** | **HBBDL260** | $2,966 | $3,100 | $3,167 |

**SPECIFYING EXAMPLE: Model.Paint**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 3 | **Gravitation™ Power Beam** 60″W | **HBEAM60** | $574 | $1,722 |
| 4 | **Gravitation™ Legs** 23″H | **HBLEG23** | $184 | $736 |
| 1 | **End of Run Power Harness** | **HMPEEK60** | $307 | $307 |
| 2 | **Power Harness** | **HH871260** | $295 | $590 |
| 4 | **Duplexes** | **HH873501** | $60 | $240 |
| 4 | **Duplexes** | **HH873502** | $60 | $240 |
| 4 | **Duplexes** | **HH873503** | $60 | $240 |
| 2 | **Gravitation™ Power Beam End Cap** | **HBENDCP** | $92 | $184 |
| | | | **TOTAL:** | **$4,259** |




**3-PACK — 60″W**

| | | | LIST PRICE BY PAINT GRADE | | |
|---|---|---|---|---|---|
| QTY | DESCRIPTION | BUNDLE SKU | P1 | P2 | P3 |
| 1 | **3-PACK BUNDLE** | **HBBDL360** | $4,259 | $4,447 | $4,541 |

**SPECIFYING EXAMPLE: Model.Paint**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 4 | **Gravitation™ Power Beam** 60″W | **HBEAM60** | $574 | $2,296 |
| 5 | **Gravitation™ Legs** 23″H | **HBLEG23** | $184 | $920 |
| 1 | **End of Run Power Harness** | **HMPEEK60** | $307 | $307 |
| 3 | **Power Harness** | **HH871260** | $295 | $885 |
| 4 | **Duplexes** | **HH873501** | $60 | $240 |
| 4 | **Duplexes** | **HH873502** | $60 | $240 |
| 4 | **Duplexes** | **HH873503** | $60 | $240 |
| 4 | **Duplexes** | **HH873504** | $60 | $240 |
| 2 | **Gravitation™ Power Beam End Cap** | **HBENDCP** | $92 | $184 |
| | | | **TOTAL:** | **$5,552** |



**4-PACK — 60″W**

| | | | LIST PRICE BY PAINT GRADE | | |
|---|---|---|---|---|---|
| QTY | DESCRIPTION | BUNDLE SKU | P1 | P2 | P3 |
| 1 | **4-PACK BUNDLE** | **HBBDL460** | $5,552 | $5,795 | $5,915 |

**SPECIFYING EXAMPLE: Model.Paint**


Power in-feeds and port covers are not included in Bundles and must be specified separately.

# GRAVITATION™ 72″W Bundles

Icon Legend on page 19



| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Gravitation™ Power Beam** 72″W | **HBEAM72** | $672 | $672 |
| 2 | **Gravitation™ Legs** 23″H | **HBLEG23** | $184 | $368 |
| 1 | **End of Run Power Harness** | **HMPEEK72** | $307 | $307 |
| 4 | **Duplexes** | **HH873501** | $60 | $240 |
| 2 | **Gravitation™ Power Beam End Cap** | **HBENDCP** | $92 | $184 |
| | | | **TOTAL:** | **$1,771** |




**1-PACK — 72″W**

| | | | LIST PRICE BY PAINT GRADE | | |
|---|---|---|---|---|---|
| QTY | DESCRIPTION | BUNDLE SKU | P1 | P2 | P3 |
| 1 | **1-PACK BUNDLE** | **HBBDL172** | $1,771 | $1,859 | $1,902 |

**SPECIFYING EXAMPLE: Model.Paint**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 2 | **Gravitation™ Power Beam** 72″W | **HBEAM72** | $672 | $1,344 |
| 3 | **Gravitation™ Legs** 23″H | **HBLEG23** | $184 | $552 |
| 1 | **End of Run Power Harness** | **HMPEEK72** | $307 | $307 |
| 1 | **Power Harness** | **HH871272** | $295 | $295 |
| 4 | **Duplexes** | **HH873501** | $60 | $240 |
| 4 | **Duplexes** | **HH873502** | $60 | $240 |
| 2 | **Gravitation™ Power Beam End Cap** | **HBENDCP** | $92 | $184 |
| | | | **TOTAL:** | **$3,162** |




**2-PACK — 72″W**

| | | | LIST PRICE BY PAINT GRADE | | |
|---|---|---|---|---|---|
| QTY | DESCRIPTION | BUNDLE SKU | P1 | P2 | P3 |
| 1 | **2-PACK BUNDLE** | **HBBDL272** | $3,162 | $3,312 | $3,385 |

**SPECIFYING EXAMPLE: Model.Paint**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 3 | **Gravitation™ Power Beam** 72″W | **HBEAM72** | $672 | $2,016 |
| 4 | **Gravitation™ Legs** 23″H | **HBLEG23** | $184 | $736 |
| 1 | **End of Run Power Harness** | **HMPEEK72** | $307 | $307 |
| 2 | **Power Harness** | **HH871272** | $295 | $590 |
| 4 | **Duplexes** | **HH873501** | $60 | $240 |
| 4 | **Duplexes** | **HH873502** | $60 | $240 |
| 4 | **Duplexes** | **HH873503** | $60 | $240 |
| 2 | **Gravitation™ Power Beam End Cap** | **HBENDCP** | $92 | $184 |
| | | | **TOTAL:** | **$4,553** |




**3-PACK — 72″W**

| | | | LIST PRICE BY PAINT GRADE | | |
|---|---|---|---|---|---|
| QTY | DESCRIPTION | BUNDLE SKU | P1 | P2 | P3 |
| 1 | **3-PACK BUNDLE** | **HBBDL372** | $4,553 | $4,764 | $4,868 |

**SPECIFYING EXAMPLE: Model.Paint**

| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 4 | **Gravitation™ Power Beam** 72″W | **HBEAM72** | $672 | $2,688 |
| 5 | **Gravitation™ Legs** 23″H | **HBLEG23** | $184 | $920 |
| 1 | **End of Run Power Harness** | **HMPEEK72** | $307 | $307 |
| 3 | **Power Harness** | **HH871272** | $295 | $885 |
| 4 | **Duplexes** | **HH873502** | $60 | $240 |
| 4 | **Duplexes** | **HH873503** | $60 | $240 |
| 4 | **Duplexes** | **HH873504** | $60 | $240 |
| 2 | **Gravitation™ Power Beam End Cap** | **HBENDCP** | $92 | $184 |
| | | | **TOTAL:** | **$5,704** |



**4-PACK — 72″W**

| | | | LIST PRICE BY PAINT GRADE | | |
|---|---|---|---|---|---|
| QTY | DESCRIPTION | BUNDLE SKU | P1 | P2 | P3 |
| 1 | **4-PACK BUNDLE** | **HBBDL472** | $5,944 | $6,216 | $6,349 |

**SPECIFYING EXAMPLE: Model.Paint**



Power in-feeds and port covers are not included in Bundles and must be specified separately.

# GRAVITATION™ POWER BEAM

OPEN MARKET

S

Icon Legend on page 19


| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Power Beam** | | | | | | |
| | 48″W | **HBEAM48** | 7 | 0.6 | **$524** | **$563** | **$581** |
| | 60″W | **HBEAM60** | 9 | 0.7 | **$574** | **$616** | **$636** |
| | 72″W | **HBEAM72** | 11 | 0.9 | **$672** | **$722** | **$746** |
|  | **Beam Legs** | | | | | | |
| | 23″H | **HBLEG23** | 5 | 0.6 | **$184** | **$195** | **$200** |

**NOTES:**
- Beams and legs specified separately.
- Order power harness separately to corresponding beam length.
- Beams ship with mounting brackets for 8-Trac electrical to be installed in the field.
- Beams ship with internal guides to retain power/data wires during installation (internal wire management).
- 2 ports for electrical and 2 ports for data are provided on each side of the rail, total of 8 ports.
- Electrical in-feed can also be accomplished through an electrical knockout (not data) in the face of the rail using a base in-feed.
- Beam height when installed is 23″H. This height aligns with the Empower® height adjustable trough. Gravitation™ and Coordinate™ can be used as single-sided height adjustable benching.
- 2-Pack metal port covers specified separately to cover unused power/data ports.
- Electrical harnesses, duplexes, and power feeds ordered separately.
- Leveling capability of 1¼″ internal to rail for clean aesthetic.

! With in-line connections between beams, one leg can be shared. Requires one more leg than the number of beams.

! Specify paint; not available in Putty (L), Platinum Metallic (T1), and Champagne Metallic (T4).

! When two rails share a leg, the leg is centered between the legs in the "outer slot". When the leg is positioned **at the end of a run of rails** (i.e., the rail doesn't connect to another rail), the leg will be inset 1⅞″ from the end of the rail, not the end cap, in the "inner slot".

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Power Beam End Cap** | **HBENDCP** | 1 | 0.1 | **$92** | **$100** | **$103** |

**NOTES:**
- Power can enter into the beam from the floor, wall, or ceiling.
- When using the power pole, please note attachment to beam is up to the installer, as well as field-cutting the power pole to access power and data wires.
- End caps have integral knockout ports with plastic grommets to allow for power/data in-feed (without sharp edges).
- End caps add 1″ to the length of the run.

## HOW TO SPECIFY

**Select Model Number**

H B E A M 6 0 .

**Select Paint Color**

See page 465

P R 6


OPEN MARKET EXCEPT AS NOTED

S


Icon Legend on page 19

# GRAVITATION™ POWER BEAM





HBPRTCV




HBCONU

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Knockout Port Covers, Metal** | **HBPRTCV** | 0.5 | 0.1 | **$39** | **$43** | **$44** |
| **Universal Connector** | **HBCONU** | 2.0 | 0.1 | **$273** | **$289** | **$296** |

! Used to change direction of beam (L, T, X). Cannot bring in-feed into Universal Connector; use Power Hubs in these instances (HBXXX23).

**NOTES:**
- Universal Connector is used to change beam direction when power is not coming in at that location. Power Hub will be used to bring in power at a change of connection.
- Port Covers used to cover open power or data ports if not in use, as desired.
- Able to connect rails in T-, X-, or L-configurations.



**SIN 33721**

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Power Hub, 23″H** | | | | | | |
| End of Run Power Hub | **HBEORH23** | 10 | 4.0 | **$358** | **$385** | **$397** |
| End of Run Power Hub, T | **HBEORT23** | 14 | 4.0 | **$395** | **$424** | **$438** |
| End of Run Power Hub, L | **HBEORL23** | 13 | 4.0 | **$350** | **$376** | **$389** |
| In-Line Power Hub | **HBILNH23** | 13 | 4.0 | **$376** | **$404** | **$417** |
| In-Line Power Hub, X | **HBILNX23** | 15 | 4.0 | **$398** | **$427** | **$441** |
| In-Line Power Hub, T | **HBILNT23** | 14 | 4.0 | **$380** | **$408** | **$422** |

! Power Hub is used when electrical needs to enter at a connection. For change of direction only (not bringing in power) use Universal Connector.

**NOTES:**
- Hub connectors allow power to enter the beam by bringing it through the bottom of the hub or knocking out the mouse hole in the hub.
- Specify correct hub based on desired location of power entering the beam.

! Power Hub is used when electrical needs to enter at a connection. For change of direction only (not bringing in power) use Universal Connector (HBCONU).

! Hubs are dual use — change of direction "connector" (when choosing L, T, or X hubs) and to bring power to the beam; choose Universal Connector if change of direction is needed **without** bringing power to the beam (HBCONU).

! Power can enter the beam in six different ways.
1. Bring in-feed from floor or wall into end of beam with no cover (see local electrical codes to ensure the use of this solution) — metal flexible (HH871912) or Sealtight (HMP144) conduit available based on code compliance.
2. HH870070 freestanding Power Pole at end of run.
3. Vertebrae Wire Manager (HBVWM) from end of beam.
4. 96″ Power Pole (HB96PP) with beam Power Pole Connectors (HBPP*K).
5. Power Hubs (HBXXX23, see above).
6. Power Hubs (HBXXX23, see above) with 96″ Power Pole (HB96PP) with Hub Connectors (HBPPCK).

## HOW TO SPECIFY

**Select Model Number**

H B C O N U .

**Select Paint Color**

See page 465

P R 6

GSA SIN 33721

# GRAVITATION™ POWER BEAM



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Power Pole — w/o Receptacles**<br>10′5″ | **HH870070** | 14 | 0.5 | **$588** |

NOTES: For ceiling in-feed, utilize a freestanding Power Pole placed adjacent to the Power Beam. Power Pole runs to the floor. Specify paint.


Must be field cut.

Does not ship with attachment hardware, it is up to the installer to attach Power Pole to the beam.




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Power Pole**<br>96″H | **HB96PP** | 5.0 | 0.9 | **$952** | **$1024** | **$1060** |

NOTES: Power Pole connects to hub or with Mid or End Cap connectors. Power Pole terminates at beam or hub height (does not run to the floor).




| | | | | | | |
|---|---|---|---|---|---|---|
| **Power Pole Splice Kit** | **HBPPSK** | 0.25 S | 0.1 | **$75** | **N/A** | **N/A** |

NOTES: Use Splice Kit to join two Power Poles when one pole does not meet the required ceiling height.




| | | | | | | |
|---|---|---|---|---|---|---|
| **Power Pole Power Hub Connector** | **HBPPCK** | 1.0 S | 0.1 | **$75** | **$82** | **$85** |

NOTES: Specify when bringing Power Pole into Power Hub.



| | | | | | | |
|---|---|---|---|---|---|---|
| **Power Pole End Cap Connector** | **HBPPEK** | 1.5 S | 0.1 | **$75** | **$82** | **$85** |

NOTES: Specify when bringing Power Pole into the end of a beam.



| | | | | | | |
|---|---|---|---|---|---|---|
| **Power Pole Mid Connector** | **HBPPMK** | 1.5 S | 0.1 | **$75** | **$82** | **$85** |

NOTES: Specify when bringing Power Pole into junction of two beams.

## HOW TO SPECIFY

**Select Model Number**

H B 9 6 P P .

**Select Paint Color**


See page 465

P R 6

GSA SIN 33721

# GRAVITATION™ POWER BEAM



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Vertebrae Wire Manager** | **HBVWM** | 1.8 S | 0.2 | **$382** | **$412** | **$427** |
| | NOTES: Connects to end of beam — Vertebrae conceals cords entering the beam.<br>! Plastic chain available in Clear (X) finish only, specify Clear.<br>! Metal bracket available in Gravitation™ metal paint options, see page 465 for paint options.<br>**SPECIFYING EXAMPLE: HBVWM.X.PJW** | | | | | | |
|  | **Floor Anchor Bracket** | **HBFAB** | 0.2 S | 0.1 | **$33** | **$37** | **$38** |
| | NOTES: Used to connect beam to the floor in situations where the beam needs to be tethered to the ground so users cannot move it. | | | | | | |
|  | **Cord Management Chain**<br>Cord Management Chain is 36″ long | **HPWRSNK36** | 2.0 S | 0.3 | **$306** | **N/A** | **N/A** |
| | NOTES: Conceals and routes cords on Height Adjustable Table. Pairs with Coordinate™. Includes two mounting brackets, mounting hardware and double-sided VHB tape. Top bracket connects under height adjustable worksurface, bottom bracket can connect underneath Gravitation™ power rail with double-sided VHB tape. Material is plastic.<br>! Available in White (DW), Silver (TI), and Black (BL), specify desired plastic finish.<br>**SPECIFYING EXAMPLE: HPWRSNK36.DW** | | | | | | |

## HOW TO SPECIFY

**Select Model Number**

H B V W M .

**Select Plastic Color *(if applicable)***

**X** Clear

X .

**Select Paint Color *(if applicable)***

See page 465

P J W

**Select Model Number**

H P W R S N K 3 6 .

**Select Plastic Color *(if applicable)***

**DW** White
**TI** Silver
**BL** Black

D W



GSA SIN 33721




ABI

Icon Legend on page 19

# GRAVITATION™ POWER BEAM Electrical



| DESCRIPTION | MAX. RECEPT. CAP. PER PANEL SIDE | MODEL FOUR-CIRCUIT 3 + 1 2 + 2 | MODEL THREE-CIRCUIT, SEPARATE NEUTRALS | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|---|
|  **Electrical Power Harnesses, Frames — w/duplex capacity** | | | | | | |
| For 48″W | 2 | **HH871248** | **HH871248A** | 3.0 | 0.5 | **$295** |
| For 60″W | 2 | **HH871260** | **HH871260A** | 3.0 | 0.5 | **$295** |
| For 72″W | 2 | **HH871272** | **HH871272A** | 5.0 | 0.5 | **$295** |
| NOTES: When 48″W or 60″W are purchased separately without a configurable TAA compliant end product, not on GSA contract. | | | | | | |
|  *Each marked with Circuit Number* **Abound® Duplex Receptacles** | | | | | | |
| Circuit 1 | | **HH873501** | **HH873501A** | 0.5 | 0.1 | **$60** |
| Circuit 2 | | **HH873502** | **HH873502A** | 0.5 | 0.1 | **$60** |
| Circuit 3 | | **HH873503** | **HH873503A** | 0.5 | 0.1 | **$60** |
| Circuit 4 | | **HH873504** | | 0.5 | 0.1 | **$60** |
| Circuit 1 — 20 amp outlet | | **HH871601** | **HH871601A** | 1.0 | 0.1 | **$60** |
| Circuit 3 (2 + 2) | | **HH873506** | | 0.5 | 0.1 | **$60** |
| Specify color. | | | | | | |
|  **Ceiling In-Feed** | | | | | | |
| 144″ long conduit, Flex Cable — ⅞″ dia. | | **HH871912** | **HH871912A** | 4.0 | 0.5 | **$325** |
| 216″ long conduit, Flex Cable — ⅞″ dia. | | **HH871918** | **HH871918A** | 4.0 | 0.5 | **$422** |
| ! Must be used with Power Pole. Power in-feed models HH871912 and HH871918 plug into the end of any power block. No portion of the cable can be exposed after installation. | | | | | | |

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
|  **Power In-Feed — Sealtight** | | | | |
| 144″ long conduit, Sealtight Cable — ⅞″ diameter | **HMP144** | 7 | 1.2 | **$452** |
| NOTES: For use as ceiling, floor and wall in-feed. If three-circuit, separate neutral in-feed is required, please contact Tailored Solutions. | | | | |
| ! Bend radius of Sealtight in-feed is limited — use in straight entrance applications. | | | | |
|  *HHTADF3* **AMP Data Faceplates** | | | | |
| Three-port flex-mode faceplate | **HHTADF3** | 1 | 0.2 | **$36** |
| Four-port flex-mode faceplate | **HHTADF4** | 1 | 0.2 | **$36** |
|  *HHTADF4* | | | | |
| ! Data faceplates available in Black (E4) only. | | | | |
|  *HHTADJ5 Black only* | | | | |
| AMP RJ45 CAT 5E Jack — Black (P) | **HHTADJ5** | 1 | 0.1 | **$55** |
| AMP RJ45 CAT 6 Jack — Black (P) | **HHTADJ6** | 1 | 0.1 | **$75** |
| Models HHTADJ5 and HHTADJ6 snap into faceplate. | | | | |
| NOTES: AMP Data Faceplates attach to bottom of panel or at worksurface height in front of baserail covers for easy cable routing. Faceplates cannot be installed back-to-back in a panel application. | | | | |
|  **End of Run Electrical Kit** | | | | |
| 48″W | **HMPEEK48** | 3 | 0.5 | **$307** |
| 60″W | **HMPEEK60** | 3 | 0.5 | **$307** |
| 72″W | **HMPEEK72** | 5 | 0.5 | **$307** |
|  **Soft Wire Power Harness w / In-Feed** | **HHSWFTWR** | 5 | 0.7 | **$1252** |
| ! This model is UL listed. It is not covered by the UL registration for the Gravitation™ series. | | | | |
| ! Daisy-chain applications are not available with soft wire model. | | | | |

## HOW TO SPECIFY


**Select Model Number**

| H | H | 8 | 7 | 1 | 2 | 4 | 8 |
|---|---|---|---|---|---|---|---|

# GRAVITATION™ POWER BEAM
## Screens

OPEN MARKET





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Gravitation™ Metal Screen** | | | | | | |
| 48″W x 20″H | **HUSMGRV2048** | 10.0 | 3.5 | **$477** | **$515** | **$533** |
| 60″W x 20″H | **HUSMGRV2060** | 12.0 | 2.3 | **$575** | **$620** | **$642** |
| 72″W x 20″H | **HUSMGRV2072** | 14.0 | 4.9 | **$617** | **$665** | **$689** |

**NOTES:**
- A screen can be mounted above the beam to add privacy.
- Screens ship with mounting hardware.
- Screens are wipeable.
- Screens are magnetic.
- Also available in Markerboard paint.

## HOW TO SPECIFY


**Select Model Number**

H U S M G R V 2 0 4 8 .

**Select Paint Color**

See page 465

P 7 1



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Gravitation™ PET Screen** | | | | | | |
| 48″W x 20″H | **HUSPGRV2048** | 26.5 | 2.9 | **$679** | **$689** | **$696** |
| 60″W x 20″H | **HUSPGRV2060** | 32.0 | 3.4 | **$751** | **$761** | **$768** |
| 72″W x 20″H | **HUSPGRV2072** | 37.3 | 3.9 | **$828** | **$838** | **$845** |

## HOW TO SPECIFY

**Select Model Number**

H U S P G R V 2 0 4 8 .

**Select PET Color**

**DDB1** Dark Blue
**DGN1** Green
**DGY4** Dark Gray
**DGY3** Medium Gray

D G N 1 .

**Select Paint Color**

See page 465


P R 6

OPEN MARKET


Icon Legend on page 19

# GRAVITATION™ POWER BEAM Screens





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY FABRIC GRADE AA | A | B |
|---|---|---|---|---|---|---|
| **Fabric Above Screens** | | | | | | |
| 48″W x 20″H | **HUSFGRV2048** | 11.4 | 2.5 | **$1093** | **$1093** | **$1151** |
| 60″W x 20″H | **HUSFGRV2060** | 13.0 | 3.0 | **$1198** | **$1198** | **$1262** |
| 72″W x 20″H | **HUSFGRV2072** | 14.6 | 3.6 | **$1398** | **$1398** | **$1477** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **Gravitation™ Fabric Modesty Panels** | | | | | | |
| 48″W x 13″H | **HUSFGRV1348** | 9.0 | 1.6 | **$859** | **$859** | **$905** |
| 60″W x 13″H | **HUSFGRV1360** | 10.0 | 2.0 | **$911** | **$911** | **$962** |
| 72″W x 13″H | **HUSFGRV1372** | 11.0 | 2.4 | **$1002** | **$1002** | **$1058** |

## HOW TO SPECIFY

**Select Model Number**

H U S F G R V 2 0 4 8 .

**Select Fabric**


See page 465

N B L E 1 8 .

**Select Bracket Paint**

See page 465

P R 6



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Acrylic Gravitation™ Modesty Panels** | | | | |
| 48″W x 13″H | **HUSAGRV1348** | 11.2 | 3.8 | **$886** |
| 60″W x 13″H | **HUSAGRV1360** | 12.8 | 4.7 | **$1050** |
| 72″W x 13″H | **HUSAGRV1372** | 14.4 | 5.5 | **$1203** |

## HOW TO SPECIFY

**Select Model Number**

H U S A G R V 1 3 4 8 .

**Select Bracket Paint**


See page 465

P R 6

# GRAVITATION™ POWER BEAM
## Screens

OPEN MARKET





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Gravitation™ Laminate Modesty Panels** | | | | | |
| 48″W x 13″H | **HUSLGRV1348** | 13.1 | 3.7 | **$546** | **$566** |
| 60″W x 13″H | **HUSLGRV1360** | 15.1 | 4.6 | **$667** | **$695** |
| 72″W x 13″H | **HUSLGRV1372** | 17.2 | 5.4 | **$798** | **$834** |

## HOW TO SPECIFY

**Select Model Number**

H U S L G R V 1 3 4 8 .

**Select Laminate Color**

See page 465

L F W E .

**Select Bracket Paint**

See page 465

P R 6

# SYSTEMS SHARED COMPONENTS

Want to see more? Scan here to check out hon.com.





Systems Worksurfaces, Accelerate® Panels, Systems Overhead Storage, Ignition® Seating.

## SYSTEMS SHARED COMPONENTS

Panel-based workstations make efficient use of space, giving your people a place of their own that's still part of the action. Modular components are easy to specify and install, so you can configure them just about any which way — and reconfigure fast when your needs change. Systems models integrate seamlessly with Abode, Abound, Accelerate, Empower and Voi models and can be configured to create freestanding or height adjustable workstations.






**FEATURES**

- Systems worksurfaces and supports can be used with Abode, Abound, Accelerate, Coordinate, Empower and Voi products.
- Systems electrical and data components can be used with Abode, Abound, Accelerate and Empower products.
- Systems storage can be used with Abound and Accelerate products.

# SYSTEMS
# OVERHEAD AND SHELVES SPECIFYING






## PRODUCT DIMENSIONS

**Overhead Storage Cabinet**

**Width** 24″, 30″, 36″, 42″, 48″, 60″

**Inside width** Flipper and Receding door — 3/8″ less than width
Hinged door — 1 3/4″ less than width

**Depth** 14 7/8″

**Inside depth** 12 7/8″

**Height** 15″


**Inside height** 12 3/4″

**Open Shelf**


**Width** 24″, 30″, 36″, 42″, 48″, 60″

**Depth** 14 3/8″

**Height** 5 5/8″



**Task lights** can be mounted beneath storage shelves and overhead storage cabinets.




**Cord retainer clips** fasten into panel slots to anchor power cords. Available in black only. Clips are provided with undershelf mounted task lights.

# SYSTEMS
# OVERHEAD AND SHELVES SPECIFYING




## SPECIFICATION GUIDELINES




In a panel run, only two overhead storage cabinets or open storage shelves are recommended per panel side. When suspending overhead storage off-module only one storage unit per panel side is allowed.

**When overhead storage units are suspended from stacking frames,** the following guidelines should be adhered to:


A maximum of two overhead storage units can be suspended from each side of stacking frames on any given panel.





**Overhead Storage cabinets** and the **Open Shelf** can also be mounted to a maximum height of 65″H on all systems. Voi overheads not to be mounted on Accelerate stackers.



No limitation to the number of units on structural frames when units are spaced 12″ apart and when the run is supported with return panels of equal height to the spine wall on each side of storage shelves or overhead storage cabinets.



**Storage shelf and overhead width** must correspond with width of panel(s). It is possible to span two panels when combined panel width equals cabinet or shelf width.




**Overhead Cabinets** can be mounted on a panel equal to or up to 18″ narrower than cabinet.

Not applicable for ETA overheads, Voi overheads, and shelves.

# ABOUND®
# Electrical and Data



Abound® features capabilities for cable management, including electrical, voice, and data. The 8-wire electrical system can be integrated at base pathway and beltline. The open structure of the frame allows voice and data cables to be routed both vertically and horizontally.



# ABOUND® Electrical and Data



## THE ABOUND ELECTRICAL SYSTEMS

Abound offers a choice of three electrical systems:

- Four-circuit, 3 + 1
- Four-circuit, 2 + 2
- Three-circuit, separate neutrals

All three systems utilize an 8-wire electrical system, rated at 20 amps per circuit (15 amps Canadian). See pages 486-487 for a detailed explanation of each electrical system.

Abound frames and electrical components are UL Listed. Electrical components are also CSA certified.


Installation and use of the electrical system, the number of receptacles used on a given circuit and connections to the building power supply should be in compliance with all local and national electrical codes.

**Caution: Electrical equipment cords or extension cords MUST NOT BE ROUTED through cable openings in frame sides.**


Abound's electrical harnesses are UL listed and are considered raceways themselves as defined by the National Electrical Code. This means there is no separation requirement between the electrical harnesses and communications cables per Sec. 800-52 of the National Electrical Code. Communication cables may be placed next to Abound's electrical components without a metal septum and will still meet the guidelines of the Telecommunications Industry Association for separation of power and data.

## IN-FEEDS


**Power in-feed cables** deliver power from building to system. In-feed cables are housed in conduit to separate electrical system from communications and data lines.




**Integrated power and communications poles** provide capacity for routing power supply directly through the top of any structural or stacking frame using same width trim/connector kit in place of top cap. Avoid glass or translucent tiles in upper position of frames with integrated power poles. Power pole has a cavity on each side of a center septum. When using a ceiling power in-feed, consider that the in-feed must connect into an electrical harness located in an adjacent panel. (See pages 488-489 for cable capacity.)




**Ceiling power in-feed** connects to a prewired electrical harness in the beltline or base pathway, traverses through an adjacent panel and terminates in the junction box at the top of the integrated power pole. For use with integrated power pole models HEP65 and HEP35. No portion of the flex cable can be exposed after installation.




**Sealtight base pathway power in-feed** attaches to a receptacle opening at the base pathway. A heavy rubber sheathing shields conduit, allowing in-feed to be exposed.



**Hardwire (New York Code) power in-feed** (model H871400) is used when local electrical codes require hardwire entry. When used in 24″W, 30″W and 36″W panels, power can be routed only in one direction. When used in 42″, 48″W and 60″W panels, an electrical pass-thru cable or harness for that panel width can be used to route power back in the opposite direction. Unit must connect to a power or pass-thru harness positioned in the base pathway area of an adjacent panel. Customer to furnish all cabling and wiring from power entry to power source. Junction box can be positioned at any duplex receptacle location.



**HARDWIRE (CHICAGO CODE) JUNCTION BOX**
Wiring harnesses and snap connectors are not allowed in Chicago — base pathways must be comprised of all metallic components. Concealed mounting is the only option at beltline. For the base pathway, junction box (model HH873500) clips directly into receptacle locations. Customer must furnish conduit, wiring, standard duplex receptacles with metal covers for the beltline and designer-type receptacles for the base pathway. Power entry can be routed from the ceiling, via an Abound power pole, or from the floor into a junction box (model HH873500).




# ABOUND®
# Electrical and Data




## POWER

**Power blocks** on electrical power harness and pass-thru harness accept duplex receptacles.



**Electrical power harnesses** are used to distribute power in panels. Abound electrical can be located at base pathway or beltline only. Connectors at both ends of power harnesses allow power distribution in either direction.




**Electrical pass-thru harnesses** have capacity to handle one duplex receptacle on each side of the panel when exposed.

A 60″ pass-thru harness can be used to jump up to a single duplex receptacle per side at beltline and connecting to a power harness at base pathway.

Electrical power harnesses and pass-thru cables cannot be routed at 90° at beltline once frames are connected to connector blocks.

**Electrical pass-thru cables** distribute power through any panel where receptacles are not required. Cable length cannot be stretched.




**Electrical jumper cables** connect power from base pathway or beltline to a harness located on any horizontal member as needed. Jumper cable plugs into power block end of electrical power harness or electrical pass-thru harness.


Model HH871366 is 66″ to jump up to 30 inches vertically – base pathway to beltline or beltline to base pathway.

Jumper can also be used from beltline to adjacent beltline at 90° juncture.


## POWER BLOCKS



**Base pathway mounting:** Power blocks snap directly onto brackets in base pathway area.




**Beltline electrical mounting:** For ported receptacles at beltline mount power blocks onto Electrical Mounting Brackets which screw into the panel frame. Electrical Mounting Brackets must be ordered separately. Data/Electrical Port Tiles must be used where exposed receptacles will be located.





**All electrical power harnesses and pass-thru harnesses** will stretch 3½″, allowing them to span “T” and “X” intersections and “S” extended straight connections.

## RECEPTACLES

**Duplex receptacles** snap into power blocks of power harnesses or pass-through harnesses. Duplexes are available in multiple colors. Each receptacle is labeled to indicate which circuit it will be connected to.






**OPTIONAL STIFFENER SUPPORT**
Stiffener supports can be used to provide additional rigidity to a panel when fabric tiles are on both sides of the frame. May also be used for routing power/data at non-standard heights.

# ACCELERATE® Electrical and Data



Accelerate® features capabilities for cable management, including electrical, voice, and data. The 8-wire electrical system can be integrated at base pathway. See Systems electrical pages 499-504 for electrical models to be used with Accelerate® Systems products. See page 350 for Abound® frame horizontal and vertical wire capacity and page 489 for base pathway capacity.



# ACCELERATE®
# Electrical and Data



## THE ACCELERATE ELECTRICAL SYSTEMS

Accelerate offers a choice of three electrical systems:

- Four-circuit, 3 + 1
- Four-circuit, 2 + 2
- Three-circuit, separate neutrals

All three systems utilize an 8-wire electrical system, rated at 20 amps per circuit (15 amps Canadian). See pages 486-487 for a detailed explanation of each electrical system.

Accelerate panels and electrical components are UL Listed. Electrical components are also CSA certified.


Installation and use of the electrical system, the number of receptacles used on a given circuit and connections to the building power supply should be in compliance with all local and national electrical codes.

**Caution: Electrical equipment cords or extension cords MUST NOT BE ROUTED through cable openings in frame sides.**


Accelerate's electrical harnesses are UL listed and are considered raceways themselves as defined by the National Electrical Code. This means there is no separation requirement between the electrical harnesses and communications cables per Sec. 800-52 of the National Electrical Code. Communication cables may be placed next to Accelerate's electrical components without a metal septum and will still meet the guidelines of the Telecommunications Industry Association for separation of power and data.

## IN-FEEDS


**Power in-feed cables** deliver power from building to system. In-feed cables are housed in conduit to separate electrical system from communications and data lines.





**Integrated power and communications poles** provide capacity for routing power supply directly through the top of any connector. When using a ceiling power in-feed, consider that the in-feed must connect into an electrical harness located in an adjacent panel. (See pages 488-489 for cable capacity.)



**Ceiling power in-feed** connects to a prewired electrical harness in the beltline or base pathway, traverses through an adjacent panel and terminates in the junction box at the top of the integrated power pole. For use with integrated power pole models HECPP. No portion of the flex cable can be exposed after installation.



**Sealtight base pathway power in-feed** attaches to a receptacle opening at the base pathway. A heavy rubber sheathing shields conduit, allowing in-feed to be exposed.



**Hardwire (New York Code) power in-feed** (model H871400) is used when local electrical codes require hardwire entry. When used in 24″W, 30″W and 36″W panels, power can be routed only in one direction. When used in 42″, 48″W and 60″W panels, an electrical pass-thru cable or harness for that panel width can be used to route power back in the opposite direction. Unit must connect to a power or pass-thru harness positioned in the base pathway area of an adjacent panel. Customer to furnish all cabling and wiring from power entry to power source. Junction box can be positioned at any duplex receptacle location.

**HARDWIRE (CHICAGO CODE) JUNCTION BOX**

Wiring harnesses and snap connectors are not allowed in Chicago — base pathways must be comprised of all metallic components. Concealed mounting is the only option at beltline. For the base pathway, junction box (model HH871500) clips directly into receptacle locations. Customer must furnish conduit, wiring, standard duplex receptacles with metal covers for the beltline and designer-type receptacles for the base pathway. Power entry can be routed from the ceiling, via an Accelerate power pole, or from the floor into a junction box (model HH871500). See Systems electrical pages 499-504 for electrical models to be used with Accelerate® Systems products.


## DUPLEX RECEPTACLES

For Duplex Receptacle models that can be used on Accelerate® panel systems, please see page 502.

All Systems electrical components can be found on pages 499-504.

# SYSTEMS
## Electrical and Data






### LIGHTING

**Task lights** can be recessed under storage cabinets or storage shelves.

Task lights in four sizes are available to correspond to cabinet or shelf width. They have 9′ power cords in black, connected in the right rear corner. All models feature LED light strip for improved light quality. Task lights with a fused plug to meet Chicago electrical code are also available.

**Recommendation:** Provide a separate circuit for task lights for proper long-term operation without RF interference to computers that may be in use.



### LED TASK LIGHTS

No finish specification required. Attaches magnetically to underside of overhead storage, or attaches with provided screws.

Occupancy sensor attaches to a single or starter LED light and will automatically turn the light off after no motion is detected for 30 minutes.


Just like all the LED light models, the occupancy sensor features a soft-touch on/off switch. LED task lights have a lifetime of 50,000 hours and have a dimmer feature that allows the user to adjust the amount of light output.

Daisy chain options are available. To use the daisy chain application, must start with model HLED17A or HLED31A.

### VOICE/DATA RECEPTACLES

Abound not only provides space for large volumes of voice and data cables, it also offers several means of mounting commercially available voice and data components.

Commercially available modular data faceplates can be mounted in vacant base receptacle openings or can be mounted in data/electrical port tiles above or below the worksurface.



**Cable management troughs** attach to worksurfaces with provided screws. The graphite metal troughs are designed with cord access cut outs. These cut outs give users access to inside the trough without having to detach it from the worksurface.

# SYSTEMS
# ELECTRICAL SPECIFYING INFORMATION



**To Order:**

1. Determine which electrical system you will use after consulting your electrician and computer support personnel:
   - **The Four-circuit system (4-Hot/2-Neutral/2-Ground)**
     - **3 + 1 option**
     - **2 + 2 option**
   - **The Three-circuit system (3-Hot/3-Neutral/2-Ground)**
2. Determine location, quantity and circuit of duplexes.
3. Determine the appropriate choice and use of Isolated, Isolated/Dedicated and Separate Neutral circuits.
4. Specify appropriate Power Harnesses* and Pass-Thru Cables.*
5. Determine the location, quantity and type of Power In-feed needed.

* Select Power Harness models (HH8712XX) and Pass-Thru Cables (HH8711XX) with the last two digits being 1" (or 2") smaller than the associate panel width.


## Electrical System Options

The four-circuit, eight-wire electrical system is widely specified and trusted by hundreds of thousands of end-users. This proven system delivers four circuits for every power in-feed in either a 3 + 1 or 2 + 2 configuration. The isolated/dedicated circuits are ideal for sensitive computing equipment, while the common circuits are suitable for faxes, copiers, task lights and other peripherals.


Both the 3 + 1 and 2 + 2 systems use the same pre-wired components, making it easy to adjust as electrical needs change.

You can also choose a three-circuit, eight-wire system that has a dedicated neutral for every hot circuit. The three-circuit components have model numbers with an "A" suffix and appear in a gray box in this pricer.


### Four-circuit, 3 + 1 Receptacle Option





The 3 + 1 option is the electrical standard used by The HON Company for many years in most of their systems products. This wiring option provides three utility circuits plus an isolated/dedicated circuit for more sensitive equipment.




### Four-circuit, 2 + 2 Receptacle Option





The 2 + 2 option is a wiring option that provides two utility circuits and two isolated circuits for more extensive computer usage applications.




# SYSTEMS
# ELECTRICAL SPECIFYING INFORMATION



## Three-circuit, separate neutrals




The Three-circuit, separate neutrals configuration is a wiring option that provides separate neutrals for each of the three circuits. Two circuits share a common ground, and one circuit is isolated/dedicated. The three-circuit components have model numbers with an "A" suffix and appear in a gray box in this pricer.




| Two 8-wire, 20 AMP (15 AMP Canadian) electrical systems are offered | | | | | |
|---|---|---|---|---|---|
| Electrical System | Circuitry | Receptacle Capacity | | | |
| **Four-circuit 4-Hot/2-Neutral/2-Ground** | **3 + 1** | Common Circuit-1 **HH873501** | Common Circuit-2 (1) **HH873502** | Common Circuit-3 **HH873503** | Iso/Dedicated Circuit-4 **HH873504** |
| (10 gauge neutral wires) | **2 + 2** | Common Circuit-1 **HH873501** | Common Circuit-2 **HH873502** | Isolated Circuit-3 **HH873506** | Isolated Circuit-4 **HH873504** |
| **Three-circuit 3-Hot/3-Neutral/2-Ground** (12 gauge neutral wires) | **w/separate neutrals** | Common Circuit-1 **HH873501A** | Common Circuit-2 **HH873502A** | Iso/Dedicated Circuit-3 **HH873503A** | N/A |

(1) Circuit-2 (one of the 3 common circuits sharing a neutral wire) cannot be used with a single-phase building electrical supply.

Notes:
- Four-circuit components and three-circuit components (with suffix "A") cannot be used together.
- Components of the two systems are keyed differently to prevent components of one system from being connected to components of another system.
- HON Cat. Nos. are printed on the UL labels, and components are color-coded to provide visual identification of the different components.
- Four-circuit components have black plastic parts.
- Three-circuit components have rust-colored terminal ends and receptacle backs are rust colored.

**Typical power usage by the most commonly specified office equipment.**


*Source: Industry Analysis, Inc., Rochester, NY*

| EQUIPMENT | AMPS | EQUIPMENT | AMPS | EQUIPMENT | AMPS |
|---|---|---|---|---|---|
| **Computers** | | **Copiers** | | **FAX Machines** | |
| Personal Computer | 3 | Desktop Copier | 15 | InkJet FAX | less than 1 |
| Notebook Computer | 3 | Console Copier | 20 | Thermal FAX | less than 1 |
| | | Copier/Duplicator | 30 | Plain paper FAX | 8 |
| **Monitors** | | | | | |
| 13" Color Monitor | 2 | **Printers** | | **Task Lights** | |
| 17" Color Monitor | 3 | Dot Matrix | less than 1 | 36" T8 Fluorescent | 0.2/bulb |
| 21" Color Monitor | 4 | InkJet | less than 1 | 48" T8 Fluorescent | 0.3/bulb |
| | | Personal Laser or LED | 8 | | |
| | | Workgroup Laser or LED | 15 | | |

### Duplex Receptacles



15 AMP Receptacle



20 AMP Receptacle
(Required by some large copiers.)

# SYSTEMS
# ELECTRICAL SPECIFYING INFORMATION



- Abound and Accelerate panels are UL listed.
- Electrical components are UL Listed and CSA Certified.
- It is the customer's responsibility to ensure that use of the pre-wired electrical system, the number of receptacles used on a given circuit, and connection to a building power source, be in compliance with all local and national electrical codes.
- Contact Customer Service for additional information.
- Pedestals and Lateral Files, positioned under worksurfaces, may render some receptacles inaccessible, and may prohibit use of grommets.
- Four-circuit components and Three-circuit components (with suffix "A") cannot be used together. See pages 486-487.


! A licensed electrician must make connections to a building electrical supply.

! Three-way panel connections require at least one power harness.

! 4-way panel connections require at least two power harnesses.

**Definition of components:**

## Electrical Power Harness




*Electrical Power Harness*
*Model HH871242*
*for 42"W Panels*

- Used to distribute power in panels.
- Power distribution in either direction.
- Specify Power Harness to match panel width.
- Double-sided: receptacles can be inserted into both sides of Power Blocks.

! Three-way panel connections require at least one power harness.

! 4-way panel connections require at least two power harnesses.

## Electrical Pass-Thru Cables



*Pass-Thru Cable*
*Model HH871142*
*for 42"W Panels*


Pass-Thru Cable With Duplex Capacity:

- Use in panels where multiple receptacles are not required.
- Added feature: has capacity for one receptacle on each side of a panel. Feature offers future expansion and is an alternative to Power Harnesses.


## Various Electrical Layouts



**Straight Line**




**90 Degree Corner**



**"T" Connection**

*When ending power in two return panels, wiring pigtails must be returned to original panel run.*





**"X" or Cross Connection**

*To power a 4-way panel connection from one direction, specify at least two double block harnesses.*

## Duplex Receptacles

- 15 amp outlet configuration.
- Models HH871601 and HH871601A have a 20 amp outlet configuration.
- Fit back-to-back into the Power Block(s) of Power and Pass-Thru Harnesses.
- Labeled with the provided circuit. Circuits connected to the Isolated Ground are identified with an orange triangle; circuits that do not share a neutral or ground have an orange circuit number.




## Power In-Feed (Base) Models HH879072 (72") and HH879168 (168")

- Used to connect the panel electrical system to the building electrical supply at a power block.
- Plugs into any receptacle position; can be rotated Left or Right.
- Conduit is UL listed Black Liquid-tight conduit (outside diameter is 7/8").

! A licensed electrician must make connections to a building electrical supply.

! Must be positioned through a receptacle opening in the baserail cover, prior to an electrician connecting to the power source.




## Power In-Feed Model (Ceiling) HH871912 and HH871918

- Used to connect the panel electrical system to the building electrical supply.

! A licensed electrician must make connections to a building electrical supply.

! Model uses UL recognized flex-cable conduit — no portion can be left exposed (i.e., must be in a power pole).

! Power Pole must be ordered separately.




*HH871972*

Note: In-feed cables listed above may be field-cut to desired length.

## Electrical Jumper Cables

! When used to connect power between the base pathway and the beltline area, the jumper must be connected to a power block at one end of a run, routed into an adjacent panel that does not contain a power harness, then routed back into the panel containing a power harness or pass-thru cable and connected to a power harness in the other pathway.




*HH871366*

## Abound Electrical Mounting Brackets

- Use to mount ported receptacles at beltline.
- Screw into the panel frame.


! One mounting bracket required at beltline for each 24"W pass-thru or power harness. Two required for 30"-60"W power harness.



*HH8988EBN*

# WORKING WITH CABLE MANAGEMENT






## Circuit Usage

**Strategy 1**
*Circuits to Equipment*
Assign specific uses for each of the circuits:


- For example, in a four-circuit system:
  *Circuit 1* — Calculators, fans, etc.
  *Circuit 2* — Task lights (could be wired to wall switch)
  *Circuit 3* — Computer monitors
  *Circuit 4* — CPUs

**Strategy 2**
*Circuits to Workstations*
Assign specific workstations to each of the three available circuits. Use circuit 4 for power-sensitive electronic equipment.

**Placement of pedestals and lateral files** may render some duplex locations inaccessible. Pedestal placement may also affect compatibility with pull-up receptacles.


## Abound® Lay-in Cable Capacity

**The top and base pathway** allow continuous voice and data lines to run through and between panels without interruption. Lay-in is provided for environments where systems furniture or cabling are subject to frequent change. All capacities are for Cat 6 cable with a 0.25″ diameter.





**Top pathway** accepts up to 8 voice/data cables (.25″ dia.).

## Abound® Lay-In Cable Capacity





**Variable height junctions** accept up to 3 voice/data cables (.25″ dia.).


## Abound® Cable Capacity




Abound® **base pathway** accepts up to 56 voice/data cables (.25″ dia.) (6.03 sq. in.) at 60% fill.





**When electrical system shares base pathway,** the cable capacity in Abound is reduced to 16 cables (2.25 sq. in.). Cable quantities listed are at 60% fill ratio.





**Cable capacity of the power pole,** in addition to electrical in-feed is 2.79 sq. in. on one side and 2.91 sq. in. on the other for a total capacity of 66 cables with power of .25″ diameter.


## Accelerate® Cable Capacity




Accelerate® **base pathway** accepts up to 56 voice/data cables (.25″ dia.) (6.27 sq. in.) at 60% fill.




**When the electrical system shares the base pathway,** the cable capacity in Accelerate® is reduced to 12 cables (.25″ dia.) (2.03 sq. in.) at 60% fill ratio.





**Integrated Power Pole:** 2″ x 2″ overall, 3.3″$^2$ interior accommodates a total of 25 cables with power of .25″ diameter. Available in two heights: 6′6″ or 13′, the power pole connects via the universal connector and the overall height is the sum of the connector and the power pole. Constructed of aluminum with a powder coat paint finish in the specified color. Power pole requires a Ceiling In-Feed.

**Ceiling In-Feeds:** UL listed as raceways. This means the electrical components are completely shielded and meet any requirements for separation of electrical components and communications cables per Section 800-52 of the National Electrical Code.

# SYSTEMS
# Working with Worksurfaces and Supports



Worksurfaces are 1⅛" thick with particle-board core and with top surfaces finished in high-pressure laminate. Bottom surfaces are covered with a backer sheet.




**Primary worksurfaces** are available in 18", 24" and 30" depths. Nominal worksurface width is equal to nominal panel width. Other support hardware is ordered separately.

**Corner worksurfaces** with woodgrain laminate have grain direction diagonal to adjacent worksurfaces. All other support hardware is ordered separately.

**Wire management grommets** are standard in most worksurfaces. Worksurfaces less than 48"W have one grommet centered on edge of worksurface. Rectangular worksurfaces over 42"W have two grommets. Peninsulas have one grommet. Corner Worksurfaces have one grommet (one on each back edge). D-Shaped worksurfaces and countertops do not have grommets.

**Edgeband** is available on laminate tops in standard colors (customer specified) to match or complement solid, patterned, or woodgrain laminates.





Edgeband Profile

# SYSTEMS
# Working with Worksurfaces and Supports



**Optional width worksurfaces** are available for use with panel runs having a TEE or Extended Straight connection.





**Worksurfaces** can be configured at 29½" with end-panel supports and support legs, or at various heights on 1" increments using specific product configurations.

**Worksurface support options include:**
Open leg models
Support column
Flat brackets
Worksurface bracket kit
Cantilever bracket
Universal support leg
End-panel support
Freestanding pedestal


**Other worksurface supports include:**
Support columns
External channel supports
Support pedestals
Pedestals with panel-to-pedestal bracket
Desking freestanding shared leg

**Support Guidelines:**


- Unsupported panel runs greater than 72"W need floor support for improved stability.
- Worksurface bracket kit should be used to tie panels to worksurfaces for added stability.
- A panel run without a return needs a floor support.
- Unsupported worksurface spans of 60"W-84"W require an external worksurface support channel. It is recommended for 48"W-60"W.
- Cantilevers only to be used on worksurface runs 48"W or less.



**Worksurface bracket kit** allows one end of a worksurface to be supported by a return panel. Return panel width must be the same as the depth of the worksurface.




**Flat brackets** can be used to connect one worksurface perpendicular to another worksurface.




**Cantilever brackets** are left or right handed. They can be inserted into panel reveals in 1" vertical increments. One size is used for both 24" and 30"D worksurfaces. 18" Cantilever brackets are used for 18"D worksurfaces. Both left and right brackets are required in shared applications.

**Important:** Do not use cantilever brackets at the end of a worksurface where no 90° return panel is positioned.

- Do not use to support worksurfaces from which a hanging pedestal is suspended, or which a peninsula worksurface is attached.
- Do not use to support worksurfaces supported with permanent wall hanger kit.




**Universal support legs** are used to support worksurfaces *only* in a shared position.




**End-panel supports** are used in place of return panels at the end of worksurface runs. Straight worksurfaces adjacent to 120° connections must be supported by full end panels. End-panel supports are ordered for right- or left-handed application. Leveling glides provide 1½" of adjustment.

# SYSTEMS
## Working with Worksurfaces and Supports






**Open Leg** models are used to support various worksurface configurations and include attaching hardware and leveling glides.




**D-Shaped, Peninsula and Jetty worksurfaces** require support columns (ordered separately).

**Countertops** are available in straight or corner configurations.



**Corner shelves** are available in Edgeband. Attachment brackets are included.



- Unsupported worksurface spans of 60″W-84″W require an external worksurface support channel. It is recommended for 48″W-60″W.

| EXTERNAL CHANNEL SELECTION GUIDE | | | | | |
|---|---|---|---|---|---|
| | | Rectangle Worksurface Width | | | |
| Support Combination | | Recommended | | Required | |
| **Worksurface End Support 1** | **Worksurface End Support 2** | **54** | **60** | **66** | **72** |
| End Panel | End Panel | 42″ | 48″ | 54″ | 60″ |
| End Panel | Pedestal | NA | NA | NA | 42″ |
| End Panel | Worksurface Brackets | 42″ | 48″ | 54″ | 60″ |
| End Panel | Cantilever | 42″ | 48″ | 54″ | 60″ |
| End Panel | Open Leg | 42″ | 48″ | 54″ | 60″ |
| Pedestal | Pedestal | NA | NA | NA | NA |
| Pedestal | Worksurface Brackets | NA | NA | NA | 42″ |
| Pedestal | Cantilever | NA | NA | NA | 42″ |
| Pedestal | Open Leg | NA | NA | NA | 42″ |
| Worksurface Brackets | Worksurface Brackets | 42″ | 48″ | 54″ | 60″ |
| Worksurface Brackets | Cantilever | 42″ | 48″ | 54″ | 60″ |
| Worksurface Brackets | Open Leg | 42″ | 48″ | 54″ | 60″ |
| Height Adjustable Base | NA | 42″ | 48″ | 54″ | 60″ |




See page 193 for External Channel models.
Supports above are recommended for worksurfaces 54″W or 60″W. For 66″-72″ worksurfaces, the supports are required.

GSA SIN 33721

Icon Legend on page 19

# SYSTEMS
## Overhead and Shelves



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
|  | **Metal Flipper Door Overheads** | | | | | |
| | 24″W x 14⅜″D x 15″H | **HRVOH24FM** | 35 | 3.6 | **$737** | **$791** |
| | 30″W x 14⅜″D x 15″H | **HRVOH30FM** | 38 | 4.4 | **$749** | **$803** |
| | 36″W x 14⅜″D x 15″H | **HRVOH36FM** | 41 | 5.3 | **$784** | **$838** |
| | 42″W x 14⅜″D x 15″H | **HRVOH42FM** | 46 | 6.1 | **$822** | **$876** |
| | 48″W x 14⅜″D x 15″H | **HRVOH48FM** | 52 | 6.9 | **$861** | **$915** |
| | 60″W x 14⅜″D x 15″H | **HRVOH60FM** | 62 | 8.6 | **$1132** | **$1186** |
| | 72″W x 14⅜″D x 15″H | **HRVOH72FM** | 82 | 10.6 | **$1297** | **$1351** |
|  | **Open Shelf** | | | | | |
| | 24″W x 14⅜″D x 5⅝″H | **HRVSH24** | 13 | 1.2 | **$319** | **$338** |
| | 30″W x 14⅜″D x 5⅝″H | **HRVSH30** | 15 | 1.5 | **$346** | **$365** |
| | 36″W x 14⅜″D x 5⅝″H | **HRVSH36** | 16 | 1.8 | **$368** | **$387** |
| | 42″W x 14⅜″D x 5⅝″H | **HRVSH42** | 17 | 1.9 | **$382** | **$401** |
| | 48″W x 14⅜″D x 5⅝″H | **HRVSH48** | 18 | 2.3 | **$398** | **$417** |
| | 60″W x 14⅜″D x 5⅝″H | **HRVSH60** | 20 | 2.9 | **$488** | **$507** |
| | 72″W x 14⅜″D x 5⅝″H | **HRVSH72** | 32 | 3.6 | **$635** | **$654** |
|  | **Receding Door Overhead** | | | | | |
| | 30″W x 13⅜″D x 15″H | **HRVOH1530RM** | 38 | 5.7 | **$950** | **$1008** |
| | 36″W x 13⅜″D x 15″H | **HRVOH1536RM** | 41 | 6.8 | **$1003** | **$1061** |
| | 42″W x 13⅜″D x 15″H | **HRVOH1542RM** | 46 | 7.8 | **$1064** | **$1122** |
| | 48″W x 13⅜″D x 15″H | **HRVOH1548RM** | 52 | 8.9 | **$1154** | **$1212** |
| | 60″W x 13⅜″D x 15″H | **HRVOH1560RM** | 62 | 11.2 | **$1746** | **$1804** |

**NOTES:**
- Overhead Storage Cabinets with doors are standard with a factory installed core removable lock located on the underside of the cabinet.
- All units feature an anti-dislodgement device.
- 60″ and 72″W units are one piece cabinet with two doors. These are equipped with two locks, shorter widths are equipped with one lock.
- Upmount kits can be used with all metal overheads.
- Units install directly onto panel frame verticals or to wall hanger kits.

Keyed alike cores must be ordered separately — see page 673.

## HOW TO SPECIFY

**Select Model Number**

H R V O H 2 4 F M .

**Select Paint Color**

See page 377

T 4 .

**Select Lock Option**

**L** Lock
**X** Omit Lock (- $20) (where applicable)

See page 673



L

# SYSTEMS
# ETA Overheads and Shelves

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
|  | **Flipper Door Overheads** | | | | | |
| | 24″W x 13″D x 15″H | **HEOHRTA1524FD** | 21 | 1.6 | **$582** | **$636** |
| | 30″W x 13″D x 15″H | **HEOHRTA1530FD** | 24 | 1.6 | **$590** | **$644** |
| | 36″W x 13″D x 15″H | **HEOHRTA1536FD** | 27 | 1.6 | **$619** | **$673** |
| | 42″W x 13″D x 15″H | **HEOHRTA1542FD** | 30 | 1.8 | **$649** | **$703** |
| | 48″W x 13″D x 15″H | **HEOHRTA1548FD** | 33 | 2.1 | **$675** | **$729** |
| | 60″W x 13″D x 15″H | **HEOHRTA1560FD** | 42 | 2.5 | **$891** | **$945** |
| | 72″W x 13″D x 15″H | **HEOHRTA1572FD** | 49 | 3.0 | **$1106** | **$1160** |
|  | **Open Shelves** | | | | | |
| | 24″W x 13″D x 5⅝″H | **HESHRTA24** | 10 | 1.9 | **$273** | **$292** |
| | 30″W x 13″D x 5⅝″H | **HESHRTA30** | 11 | 1.9 | **$295** | **$314** |
| | 36″W x 13″D x 5⅝″H | **HESHRTA36** | 12 | 1.9 | **$312** | **$331** |
| | 42″W x 13″D x 5⅝″H | **HESHRTA42** | 13 | 2.1 | **$323** | **$342** |
| | 48″W x 13″D x 5⅝″H | **HESHRTA48** | 14 | 2.4 | **$342** | **$361** |
| | 60″W x 13″D x 5⅝″H | **HESHRTA60** | 16 | 3.0 | **$415** | **$434** |
| | 72″W x 13″D x 5⅝″H | **HESHRTA72** | 18 | 3.5 | **$489** | **$508** |

**NOTES:**

- Storage Cabinets with doors are standard with a factory installed core removable lock located on the underside of the cabinet.
- All units feature an anti-dislodgement device.
- Accepts under cabinet lighting.
- ETA overheads and shelves ship flat packed.
- Only one installer is needed to assemble an ETA overhead on a panel (all sizes).
- Attachment brackets are attached to the back of the unit (included).
- ETA overheads and shelves are slightly less deep than built-up models. Please note when using next to built-up models.
- Order overhead and shelf to match the width of panel being used.
- Units install directly onto panel frame verticals or to wall hanger kits.

Keyed alike cores must be ordered separately — see page 673.

Cannot be used in off-modular applications because attachment bracket is attached to the back of the case and cannot be moved.

ETA overheads and shelves do not work with horizontal track. Must be used with vertical track if not hung directly on panels due to the teeth attachment bracket.

## HOW TO SPECIFY

**Select Model Number**

H E O H R T A 1 5 2 4 F D .

**Select Paint Color**

See page 377


T 1

GSA SIN 33721

Icon Legend on page 19

# SYSTEMS
## Overhead Storage



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
|  | **Abound®/Accelerate® Horizontal Wall Track for Overhead Storage** | | | | | |
| | 60″W | **HTWTH** | 5 | 0.8 | **$117** | **N/A** |
| | NOTES: Use when mounting overhead storage and when a permanent wall hanger kit is not desired. For 72″W overheads, use two wall tracks cut to 36″. | | | | | |
| | Cannot be used with ETA storage or Voi®. Can only be used with systems flipper door, receding door and hinged door overheads. | | | | | |

## HOW TO SPECIFY

**Select Model Number**


| H | T | W | T | H |
|---|---|---|---|---|

# SYSTEMS
# Overhead Accessories

GSA SIN 33721

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Upmount Kits for Overheads** | | | | | |
| 24″W | **HRVUP24** | 7.0 | 0.3 | **$213** | **$233** |
| 30″W | **HRVUP30** | 8.0 | 0.3 | **$224** | **$244** |
| 36″W | **HRVUP36** | 10.0 | 0.4 | **$230** | **$250** |
| 42″W | **HRVUP42** | 11.0 | 0.4 | **$242** | **$262** |
| 48″W | **HRVUP48** | 12.0 | 0.5 | **$251** | **$271** |
| 60″W | **HRVUP60** | 16.0 | 0.6 | **$269** | **$289** |

- Includes two upmount brackets, full back panel and installation hardware.
- Brackets require a clearance of 6½″ below bottom of overhead cabinet.
- Full back panel adds ½″ to depth of overhead case.

Kit width must correspond to the width of the overhead case.



*Specify paint*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Overhead Shelf Dividers** | | | | | |
| Shelf Dividers — package of 6 | **H38SHFDV** | 3.0 S | 0.2 | **$219** | **$232** |

**NOTES:**
- Upmount Bracket allows mounting of Overhead Cabinet up to 15″ above height of panel.
- Upmount Kits for overheads can be used with flipper or receding door overheads. See page 493.

Upmount Kits not for use on Accelerate stackers.

## HOW TO SPECIFY

| Select Model Number | Select Paint Color |
|---|---|
| H 3 8 S H F D V . | See page 377<br>T 1 |



*Specify paint*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Cord Cover** | | | | | |
| • Allows routing of task light cords. | | | | | |
| • Vertical height 10″. | **HECC10** | 0.7 S | 0.2 | **$55** | **$64** |
| • Vertical height 15″. | **HECC15** | 1.0 S | 0.3 | **$55** | **$64** |
| • Cord cover can be positioned into panel slots and used under task lights and under worksurfaces. | | | | | |

## HOW TO SPECIFY


| Select Model Number | Select Paint Color |
|---|---|
| H E C C 1 0 . | See page 377<br>T 1 |

GSA SIN 33721

Icon Legend on page 19

# SYSTEMS
## Overhead Accessories






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Tackboard** | | | | |
| 20″W x 18″H | **HETB2018** | 2 | 0.5 | **$144** |
| 24″W x 18″H | **HETB2418** | 3 | 0.6 | **$176** |
| 30″W x 18″H | **HETB3018** | 3 | 0.7 | **$205** |
| 36″W x 18″H | **HETB3618** | 8 | 0.9 | **$233** |
| 42″W x 18″H | **HETB4218** | 10 | 1.0 | **$260** |
| 48″W x 18″H | **HETB4818** | 12 | 1.2 | **$286** |
| 60″W x 18″H | **HETB6018** | 13 | 1.5 | **$316** |
| 72″W x 18″H | **HETB7218** | 15 | 1.8 | **$347** |
| **SPECIFYING EXAMPLE: HETB2018.APN15** | | | | |

**NOTES:**
- Works with both Abound® and Accelerate® panel systems.
- Specify fabric, see pages 336-337 for fabric options.

## HOW TO SPECIFY





| Select Model Number | Select Fabric Color |
|---|---|
| H E T B 2 0 1 8 . | A P N 1 5 |

# SYSTEMS
## Electrical Components

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
|  *HEBPLATE336* | **Accelerate® Base Pathway Cover w/Additional Knockout** | | | | | |
| | 36″W | **HEBPLATE336** | 7 | 0.4 | **$101** | **$113** |
| | 42″W | **HEBPLATE342** | 8 | 0.4 | **$104** | **$116** |
| | 48″W | **HEBPLATE348** | 9 | 0.4 | **$109** | **$121** |
| | 60″W | **HEBPLATE360** | 11 | 0.5 | **$123** | **$135** |
| | 72″W | **HEBPLATE372** | 14 | 0.6 | **$137** | **$149** |
|  *HEBPLATE360* | NOTES: Specify paint, see page 377. **SPECIFYING EXAMPLE: HEBPLATE336.T4** | | | | | |
|  *HRVBPLATE336* | **Abound® Base Pathway Cover w/Additional Knockout** | | | | | |
| | 36″W | **HRVBPLATE336** | 7 | 0.4 | **$102** | **$114** |
| | 42″W | **HRVBPLATE342** | 8 | 0.4 | **$105** | **$117** |
| | 48″W | **HRVBPLATE348** | 9 | 0.4 | **$109** | **$121** |
| | 60″W | **HRVBPLATE360** | 11 | 0.5 | **$124** | **$136** |
|  *HRVBPLATE360* | NOTES: Specify paint, see page 335. **SPECIFYING EXAMPLE: HRVBPLATE336.T4** | | | | | |

**NOTES:**

- Specify Pathways to match trim color.
- Standard raceways with two knockouts are standard on panels. If additional three knockout kickplate is ordered, the two port version can be saved or discarded.

## HOW TO SPECIFY




**Select Model Number**

H E B P L A T E 3 3 6 .

**Select Paint Color**

See page 377

T 4

| | DESCRIPTION | MAX. RECEPT. CAP. PER PANEL SIDE | MODEL FOUR-CIRCUIT 3 + 1 2 + 2 | MODEL THREE-CIRCUIT, SEPARATE NEUTRALS | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|---|---|
|  | **Electrical Power Harnesses, Frames — w/duplex capacity** | | | | | | |
| | For 24″W | 1 | **HH871224** | **HH871224A** | 2.0 | 0.5 | **$280** |
| | For 30″W | 2 | **HH871230** | **HH871230A** | 2.0 | 0.5 | **$280** |
| | For 36″W | 2 | **HH871236** | **HH871236A** | 2.5 | 0.5 | **$280** |
| | For 42″W | 2 | **HH871242** | **HH871242A** | 3.0 | 0.5 | **$295** |
| | For 48″W | 2 | **HH871248** | **HH871248A** | 3.0 | 0.5 | **$295** |
| | For 60″W | 2 | **HH871260** | **HH871260A** | 3.0 | 0.5 | **$295** |
| | For 72″W (for use with Accelerate® 72″W panels only) | 2 | **HH871272** | **HH871272A** | 5.0 | 0.5 | **$295** |
| | NOTES: When 36″W, 42″W, 48″W, or 60″W are purchased separately without a configurable TAA compliant end product, not on GSA contract. | | | | | | |
|  | **Electrical Pass-Thru Cables, Frames — w/duplex capacity** | | | | | | |
| | For 24″W | 1 | **HH871124** | **HH871124A** | 2.0 | 0.5 | **$178** |
| | For 30″W | 1 | **HH871130** | **HH871130A** | 2.0 | 0.5 | **$178** |
| | For 36″W | 1 | **HH871136** | **HH871136A** | 2.0 | 0.5 | **$178** |
| | For 42″W | 1 | **HH871142** | **HH871142A** | 2.5 | 0.5 | **$187** |
| | For 48″W | 1 | **HH871148** | **HH871148A** | 2.5 | 0.5 | **$187** |
| | For 60″W | 1 | **HH871160** | **HH871160A** | 3.0 | 0.5 | **$187** |
| | For 72″W (for use with Accelerate® 72″W panels only) | 1 | **HH871172** | **HH871172A** | 5.0 | 0.5 | **$187** |
| | NOTES: For use when data will be terminated in one cutout in the panel. When 24″W-60″W are purchased separately without a configurable TAA compliant end product, not on GSA contract. | | | | | | |
|  | **Electrical Pass-Thru Harness without Power Block** | | | | | | |
| | For 24″W Frames | 0 | **HH871024** | **HH871024A** | 2.0 | 0.5 | **$164** |
| | For 30″W Frames | 0 | **HH871030** | **HH871030A** | 2.0 | 0.5 | **$164** |
| | For 36″W Frames | 0 | **HH871036** | **HH871036A** | 2.0 | 0.5 | **$164** |
| | For 42″W Frames | 0 | **HH871042** | **HH871042A** | 3.0 | 0.5 | **$169** |
| | For 48″W Frames | 0 | **HH871048** | **HH871048A** | 3.0 | 0.5 | **$169** |
| | For 60″W Frames | 0 | **HH871060** | **HH871060A** | 3.0 | 0.5 | **$169** |
| | For 72″W Frame Runs | 0 | **HH871072** | | 4.0 | 0.5 | **$234** |

**NOTES:**

- Duplex receptacles on page 502.
- Electric harnesses are intended for use with HON Systems furniture and are approved under GSA SIN 33721. When purchased separately and used without HON Systems furniture, the models are considered Open Market.

Four-circuit components and three-circuit components (with "A" suffix) not designed to be used together. See pages 486-487.

## HOW TO SPECIFY




| Select Model Number | Select Color |
|---|---|
| | See page 377 |
| H H 8 7 1 0 4 8 . | P |

# SYSTEMS
# Electrical Components

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL: FOUR-CIRCUIT 3 + 1 2 + 2 | MODEL: THREE-CIRCUIT, SEPARATE NEUTRALS | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|---|
|  | **Electrical Jumper Cables** | | | | | |
| | Jumper for up to 36″ vertical jump, 66″ long | **HH871366** | **HH871366A** | 3.0 | 0.5 | **$192** |
| | NOTES: When purchased separately without a configurable TAA compliant end product, not on GSA contract. | | | | | |
|  | **Power In-Feed Cables — Base In-Feed** | | | | | |
| | 72″ long conduit, Sealtight Cable — 7/8″ diameter | **HH879072** | **HH879072A** | 4.5 | 0.3 | **$313** |
| | 168″ long conduit, Sealtight Cable — 7/8″ diameter | **HH879168** | **HH879168A** | 9.0 | 0.4 | **$725** |
|  | **Ceiling In-Feed** | | | | | |
| | 144″ long conduit, Flex Cable — 7/8″ dia. | **HH871912** | **HH871912A** | 4.0 | 0.5 | **$325** |
| | 216″ long conduit, Flex Cable — 7/8″ dia. | **HH871918** | **HH871918A** | 4.0 | 0.5 | **$422** |
| | ! Must be used with Power Pole. Power in-feed models HH871912 and HH871918 plug into the end of any power block. No portion of the cable can be exposed after installation. | | | | | |
|  | Hardwire Applications | | | | | |
| | **Hardwire Power In-feed** | **HH871400** | **HH871400A** | 4.0 | 0.3 | **$305** |
| | ! Customer to furnish all cabling and wiring from power entry to power source (approved for use by city of New York). | | | | | |
| *Use when local codes require* | **Hardwire Junction Box (6-pack)** | **HH873500** | | 4.5 | 0.2 | **$604** |
| | ! For use with Abound® Raceway panels only. | | | | | |
| | NOTES: Junction Box can be positioned at any Duplex Receptacle location in 30″W or wider panels. | | | | | |
| | ! Contact Tailored Solutions for back-to-back Junction Box standard special number. | | | | | |

**NOTES:**

- Duplex receptacles on page 502.

! Four-circuit components and three-circuit components (with "A" suffix) not designed to be used together. See pages 486-487.

! To connect power between the base pathway and the beltline area on Abound, four-circuit jumper cables (H8713xx) must be connected to a power block at one end of a run, routed into an adjacent panel that contains no power harness, then routed back into the panel that contains a power harness (or pass-thru cable), and connected to a power harness in the other pathway.


## HOW TO SPECIFY

| Select Model Number | Select Color |
|---|---|
| H H 8 7 1 3 6 6 . | See page 377<br>P |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 |
|---|---|---|---|---|
| **Abound® Integrated Power Pole** | | | | |
| For 35″H-50″H Frames. Poles are 78″H. | **HEP35** | 9 S | 0.6 | **$520** |
| For 65″H-95″H Frames. Poles are 52″H. | **HEP65** | 6 S | 0.4 | **$368** |

NOTES: Power Pole includes ceiling trim piece.



| DESCRIPTION | FLAT MODEL | CHAMFERED MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 |
|---|---|---|---|---|---|
| **Power Pole Trim Kit (Abound® only)** | | | | | |
| 24″W | **HRVP24PF** | **HRVP24P** | 2 S | 0.3 | **$186** |
| 30″W | **HRVP30PF** | **HRVP30P** | 3 S | 0.4 | **$195** |
| 36″W | **HRVP36PF** | **HRVP36P** | 4 S | 0.5 | **$205** |
| 42″W | **HRVP42PF** | **HRVP42P** | 5 S | 0.5 | **$209** |
| 48″W | **HRVP48PF** | **HRVP48P** | 6 S | 0.6 | **$215** |
| 60″W | **HRVP60PF** | **HRVP60P** | 7 S | 0.7 | **$229** |




*Specify paint color for HH870070, not available in Putty*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Power Pole — w/o Receptacles (Voi® only)** | | | | |
| 10′5″ | **HH870070** | 14 | 0.5 | **$588** |

- Used for routing In-Feed Cable from ceiling to panel baserail. Double cavity, plus conduit of In-Feed Cable serves as the division of electrical and communications cabling.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Accelerate® Integrated Power Pole** | | | | | | |
| 78″H x 2″W x 2″D | **HECPP** | 14 S | 0.5 | **$375** | **$397** | **$399** |
| 156″H x 2″W x 2″D | **HECPP156** | 28 | 1.0 | **$905** | **$927** | **$929** |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Receptacle Cover Replacements** | **HERECPCVR** | 1 S | 0.1 | **$101** |
| Quantity 25 | | | | |

- For use with Accelerate® panels only.
- Specify Color — Available in Black (P) and Muslin (T3) only.

## HOW TO SPECIFY

| Select Model Number | Select Paint Color |
|---|---|
| | See page 377 |
| H R V P 2 4 P . | T 4 |

# SYSTEMS
# Electrical Components

GSA SIN 33721

Icon Legend on page 19





*Each marked with Circuit Number*

| DESCRIPTION | MODEL FOUR-CIRCUIT 3 + 1 2 + 2 | MODEL THREE-CIRCUIT, SEPARATE NEUTRALS | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
| **Abound® Duplex Receptacles** | | | | | |
| Circuit 1 | **HH873501** | **HH873501A** | 0.5 | 0.1 | **$60** |
| Circuit 2 | **HH873502** | **HH873502A** | 0.5 | 0.1 | **$60** |
| Circuit 3 | **HH873503** | **HH873503A** | 0.5 | 0.1 | **$60** |
| Circuit 4 — isolated, dedicated circuit | **HH873504** | | 0.5 | 0.1 | **$60** |
| Circuit 1 — 20 amp outlet | **HH871601** | **HH871601A** | 1.0 | 0.1 | **$60** |
| Circuit 3 (2 + 2) | **HH873506** | | 0.5 | 0.1 | **$60** |

Specify color.

Duplex receptacle models above are for use with Abound® models only.



*Each marked with Circuit Number*

| DESCRIPTION | MODEL FOUR-CIRCUIT 3 + 1 2 + 2 | MODEL THREE-CIRCUIT, SEPARATE NEUTRALS | SHIP WEIGHT | CUBE | CORE LIST PRICE |
|---|---|---|---|---|---|
| **Accelerate® Duplex Receptacles** | | | | | |
| Circuit 1 | **HH871501** | **HH871501A** | 1.0 | 0.5 | **$60** |
| Circuit 2 | **HH871502** | **HH871502A** | 1.0 | 0.5 | **$60** |
| Circuit 3 (except 2 + 2 — see below) | **HH871503** | **HH871503A** | 1.0 | 0.5 | **$60** |
| Circuit 4 — isolated, dedicated circuit | **HH871504** | | 1.0 | 0.5 | **$60** |
| Circuit 1 (20 amp outlet configuration) | **HH871601** | | 1.0 | 0.5 | **$60** |
| Circuit 3 (2 + 2) | **HH871506** | | 1.0 | 0.5 | **$60** |

Specify Paint.

NOTES: Use with Accelerate® models.
**SPECIFYING EXAMPLE: HH871501.S**
See page 377 for color options.



| DESCRIPTION | MODEL FOUR-CIRCUIT 3 + 1 2 + 2 | MODEL THREE-CIRCUIT, SEPARATE NEUTRALS | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
| **Data/Electrical Port Kit** | | | | | |
| Specify color | **HHT2DP** | | 1.0 | 0.1 | **$37** |

**NOTES:**
- Data/Electrical Port Kit used for field installations of additional data accessories.

Four-circuit components and three-circuit components (with "A" suffix) not designed to be used together. See pages 486-487.

**Maximum Receptacle Capacity in Abound Panel Base Raceways**

| Widths | 24 | 30 | 36 | 42 | 48 | 60 |
|---|---|---|---|---|---|---|
| Maximum of 1 duplex per panel side | X | | | | | |
| Maximum of 2 duplexes per panel side | | X | X | X | X | X |

| Duplex Color Recommended to Coordinate with Paint Color | | | |
|---|---|---|---|
| **Paint Color** | **Paint Code** | **Duplex Color** | **Duplex Code** |
| Black | **P** | Black | **P** |
| Brownstone | **P7D** | Brownstone | **EY** |
| Charcoal | **S** | Charcoal | **S** |
| Designer White | **PJW** | Designer White | **DW** |
| Fossil | **P28** | Charcoal | **S** |
| Greige | **T5** | Muslin | **T3** |
| Light Gray | **Q** | Loft | **LOFT** |
| Loft | **LOFT** | Loft | **LOFT** |
| Muslin | **T3** | Muslin | **T3** |
| Putty | **L** | Black | **P** |
| Silver | **PR6** | Titanium | **TI** |
| Titanium | **P8T** | Titanium | **TI** |
| Champagne Metallic | **T4** | Muslin | **T3** |
| Platinum Metallic | **T1** | Titanium | **TI** |

| Data / Electrical Port Kit Color Recommended to Coordinate with Paint Color | | | |
|---|---|---|---|
| **Paint Color** | **Paint Code** | **Data / Port Kit Color** | **Data / Port Kit Code** |
| Black | **P** | Black | **P** |
| Brownstone | **P7D** | Brownstone | **EY** |
| Charcoal | **S** | Charcoal | **S** |
| Designer White | **PJW** | Designer White | **DW** |
| Fossil | **P28** | Charcoal | **S** |
| Greige | **T5** | Muslin | **T3** |
| Light Gray | **Q** | Loft | **LOFT** |
| Loft | **LOFT** | Loft | **LOFT** |
| Muslin | **T3** | Muslin | **T3** |
| Putty | **L** | Black | **P** |
| Silver | **PR6** | Titanium | **TI** |
| Titanium | **P8T** | Titanium | **TI** |
| Champagne Metallic | **T4** | Muslin | **T3** |
| Platinum Metallic | **T1** | Titanium | **TI** |

## HOW TO SPECIFY

| Select Model Number | Select Color |
|---|---|
| | See page 377 |
| H H 8 7 3 5 0 1 . | P |




GSA SIN 33721 EXCEPT AS NOTED

ABI

Icon Legend on page 19

# SYSTEMS
## Electrical Components



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Power & Data Center**<br>• 2 Receptacles 2 Data Accessory.<br>• Standard with two receptacles and openings for two data ports.<br>• 10′ power cord with standard three-prong plug.<br>• Fits on any worksurface with a 4″ overhang.<br>• UL Listed.<br>Color finish coordinates with HON's Loft. *Specify LOFT when ordering.*<br>**SPECIFYING EXAMPLE: HCPWRMOD.LOFT** | **HCPWRMOD** | 2.5 S | 0.2 | **$403** |
|  <br>*Model HPWRMOD.AC.S shown* | **Dean Power Modules with Worksurface Clamp**<br>• 2 receptacles, 1 USB-A, and 1 USB-C (AC) or 2 receptacles, 1 USB-A, and wireless charging (QA).<br>• 10′ straight cord only with standard three-prong plug (S). UL Listed.<br>• Available in Snow (SNW) and Storm (STRM).<br>• Worksurface clamp models work on any top with a 4″ overhang.<br>**SPECIFYING EXAMPLE: HPWRMOD.AC.S.SNW** | **HPWRMOD** | 2.75 S | 0.3 | **$524** |
|  <br>*HMPHAWTWML*<br>  <br>*HMPHATFWML* | **Wire Managers for Height Adjustable**<br>Workstation to Trough<br>Trough to Floor<br>Wire Manager Workstation to Trough only available in black.<br>HMPHATFWML Trough to Floor cable manager is 3″ x 1½″.<br>**OPEN MARKET** | **HMPHAWTWML**<br>**HMPHATFWML** | 3.0<br>2.0 | 0.1<br>0.3 | **$365**<br>**$319** |

## HOW TO SPECIFY

| Select Model Number | Select Color |
|---|---|
| H C P W R M O D . | L O F T |

See page 377


# SYSTEMS
## Electrical Components

GSA SIN 33721 EXCEPT AS NOTED

ABI

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Under Worksurface Power Module — 4 Outlets, 10′ Cord**<br>• Includes 10′ cord with three-prong plug.<br>• Fits in cable management troughs. See page 701.<br>• 4 outlets on side create easy access. | **HPWR4TAP** | 1.5 S | 0.1 | **$550** |

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks.



**OPEN MARKET**

| | | | | |
|---|---|---|---|---|
| **Vesta Mobile Power Station**<br>• Includes 10′ retractable cord with three-prong plug.<br>• 3 AC, 1 Dual USB-A, 1 USB-C at top.<br>• 2 AC at base.<br>• Specify Paint and Plastic.<br>**SPECIFYING EXAMPLE: HPWRMOB1.BLK.STRM** | **HPWRMOB1** | 14.0 S | 3.3 | **$1357** |

## HOW TO SPECIFY

**Select**
**Model Number**

H P W R M O B 1 .

**Select**
**Exterior Paint Color**

*Specify for model HPWRMOB1 only*

**FOG** Fog
**STRM** Storm
**BLK** Black
**SNW** Snow

B L K .

**Select**
**Paint Color**

*Specify for model HPWRMOB1 only*

**FOG** Fog
**STRM** Storm
**BLK** Black
**SNW** Snow

S T R M


# SYSTEMS
# Electrical and Data

GSA SIN 33721 EXCEPT AS NOTED

ABI


Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Abound Electrical Mounting Brackets (pack of 12)** | **HH8988EBN** | 3.0 S | 0.1 | **$88** |

- 1 bracket required at beltline for each pass-thru harness and 24″W power harness and 2 for 30″-60″W power harness.
- Bracket for use at beltline only. Dimension of raceway mounting bracket is different and not interchangeable. Bracket height for beltline changed Q1 2019.
- If adding onto product produced prior to Q1 2019, please contact HON Customer Support.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Cable Management Troughs** | | | | | | |
| 17″W — Single | **HPWRTRGH17** | 2.7 S | 0.5 | **$96** | **N/A** | **N/A** |
| 36″W — Single | **HPWRTRGH36** | 4.9 S | 0.9 | **$159** | **N/A** | **N/A** |

- Metal cable management troughs ship flat packed.
- The troughs attach to underneath the worksurface with screws.
- Cutouts in trough allow access to power without the need to detach from surface. 17″W = 1 cutout; 36″W = 2 cutouts.
- TAA Compliant.

**Graphite only, no specification needed.**

**SPECIFYING EXAMPLE: HPWRTRGH17**



*HHTADF3*



*HHTADF4*



*HHTADJ5 Black only*


| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **AMP Data Faceplates** | | | | |
| Three-port flex-mode faceplate | **HHTADF3** | 1.0 S | 0.2 | **$36** |
| Four-port flex-mode faceplate | **HHTADF4** | 1.0 S | 0.2 | **$36** |

- Data faceplates available in Black (E4) only.

| | | | | |
|---|---|---|---|---|
| AMP RJ45 CAT 5E Jack — Black (P) | **HHTADJ5** | 1.0 S | 0.1 | **$55** |
| AMP RJ45 CAT 6 Jack — Black (P) | **HHTADJ6** | 1.0 S | 0.1 | **$75** |

Models HHTADJ5 and HHTADJ6 snap into faceplate.

NOTES: AMP Data Faceplates attach to bottom of panel or at worksurface height in front of baserail covers for easy cable routing. Faceplates cannot be installed back-to-back in a panel application.



**SIN 33721T**

| | | | | |
|---|---|---|---|---|
| **Power Hub, 3″ Grommet Mount, 6′ Cord** | **HGRMTAC** | 1.3 | 0.2 | **$173** |

- Fits in 3″ round grommet holes on the following product lines: Coordinate, Huddle, Motivate, all laminate and veneer casegoods series, and Systems Worksurfaces.
- Two grounded AC power outlets.
- Includes 6′ cord with three-prong plug.
- Field installed with Plug-and-play ease.

Available in black only *(no color designation so use .X – Specify: HGRMTAC.X).*





**SIN 33721T**

| | | | | |
|---|---|---|---|---|
| **Power/USB Hub, 3″ Grommet Mount** | **HGRMTUSB2** | 1.3 S | 0.2 | **$309** |

- One grounded AC power outlet with 1 USB-A, 1 USB-C ports.
- UL Listed.

NOTES: For additional information see page 697.

Available in black only *(no color designation so use .X – Specify: HGRMTUSB2.X).*

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Flip-Down Wire Management Troughs** | | | | | | |
| | 20″W | **HFDTRGH20** | 4.5 S | 0.8 | **$261** | **N/A** | **N/A** |
| | 32″W | **HFDTRGH32** | 5.5 S | 1.1 | **$300** | **N/A** | **N/A** |
| | NOTES: Mounts beneath a worksurface. Flips open towards user and shuts close. Used to conceal extra cord length and power strips. May be used in conjunction with quad tap unit HPWR4TAP to reduce the number of cords routed from a worksurface to a beam. For any worksurface less than 58″W, a 20″W Flip-Down Trough is recommended. For worksurfaces 58″W and wider, a 20″W or 32″W Flip-Down Trough may be used. Only HKTSHORT keyboard tray is recommended for use in conjunction with the Flip-Down Trough. | | | | | | |
| | ! Available in Black only, specify “P” for finish option. **SPECIFYING EXAMPLE: HFDTRGH20.P** | | | | | | |
|  *Black only* | **Cable Management Tray** | | | | | | |
| | 24″ | **HJTRGH24** | 2.0 S | 0.5 | **$99** | **N/A** | **N/A** |
| | 36″ | **HJTRGH36** | 3.0 S | 1.3 | **$121** | **N/A** | **N/A** |
| | ! Available in Black only. **SPECIFYING EXAMPLE: HJTRGH24.P** | | | | | | |
|  | **Vertical Wire Management Vertebrae** | **HMPVWM28** | 3.0 | 0.3 | **$303** | **N/A** | **N/A** |
| | NOTES: 30″H x 3 1/16″W x 1 1/2″D. Ships unassembled. | | | | | | |
| | ! Clear finish. Specify “X” for finish option. **SPECIFYING EXAMPLE: HMPVWM28.X** | | | | | | |





# SYSTEMS
## Electrical and Data

GSA SIN 33721 EXCEPT AS NOTED

ABI

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Cord Management Chain**<br>Cord Management Chain is 36″ long | **HPWRSNK36** | 2.0 S | 0.3 | **$306** | **N/A** | **N/A** |
| | NOTES: Conceals and routes cords on Height Adjustable Table. Pairs with Coordinate™. Includes two mounting brackets, mounting hardware and double-sided VHB tape. Top bracket connects under height adjustable worksurface, bottom bracket can connect underneath Gravitation™ power rail with double-sided VHB tape. Material is plastic.<br>! Available in White (DW), Silver (TI), and Black (BL), specify desired plastic finish.<br>**SPECIFYING EXAMPLE: HPWRSNK36.DW** | | | | | | |
|  | **Panel Mounted Wire Chase**<br>• Panel Chase is 17″H.<br>• Available in standard metal paint finishes, specify desired finish.<br>• See page 676 for finish options. | **HMPCHASE** | 1.0 S | 0.1 | **$99** | **$109** | **$114** |
| | NOTES: Provides additional cord management below the worksurface in a cubicle. Hooks between panels on Accelerate® and Abound® into slotted standards.<br>**SPECIFYING EXAMPLE: HMPCHASE.PJW** | | | | | | |
|  | **O-Leg Chase**<br>• O-Leg Chase is 26″H.<br>• Available in standard metal paint finishes, specify desired finish.<br>• See page 173 for Voi®. O-Leg finishes to match chase finish to O-Leg. | **HLEGCHASE26** | 1.0 S | 0.4 | **$120** | **$132** | **$138** |
| | NOTES: Works with Voi® O-Legs, matches leg profile on models HLSL30280 and HLSL24280. Attaches to legs via magnets. Metal chase can fit qty. 12, 3/10″ diameter cords.<br>**SPECIFYING EXAMPLE: HLEGCHASE26.P7D** | | | | | | |
|  | **Wire Cleat**<br>• Available in standard metal paint finish, specify desired finish.<br>• See page 676 for finish options. | **HWIRECLT** | 0.5 S | 0.2 | **$89** | **$98** | **$101** |
| | NOTES: Wraps up extra cord length. Comes with screws and VHB tape to attach to various surfaces. Do not screw Wire Cleat into the side of a Height Adjustable Table leg; attach with VHB tape instead.<br>**SPECIFYING EXAMPLE: HWIRECLT.PJW** | | | | | | |
|  | **Wire Management Strips** | **HBTMS** | 3.0 S | 0.25 | **$165** | **N/A** | **N/A** |
| | NOTES: Four plastic wire management strips with two profiles. Self-adhesive backing. May be trimmed to desired size. Available in Black only, specify "P" for Black.<br>**SPECIFYING EXAMPLE: HBTMS.P** | | | | | | |

## HOW TO SPECIFY

**Select Model Number**

H P W R S N K 3 6 .

**Select Plastic Color *(if applicable)***

**DW** White
**TI** Silver
**BL** Black

D W


**Select Model Number**

H M P C H A S E .

**Select Paint Color**

See page 377

P J W




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **2-Stage Metal HAT Telescoping Wire Chase** | **HHATPWRMOD2S** | 5.6 S | 0.6 | **$1093** | **$1120** | **$1133** |
| **3-Stage Metal HAT Telescoping Wire Chase** | **HHATPWRMOD3S** | 5.6 S | 0.6 | **$1118** | **$1147** | **$1162** |

- Metal Telescoping Chase available in the same paint finishes as Coordinate™ HAT bases, specify desired paint finish.

NOTES: 2 and 3-stage Metal HAT Telescoping chases include an Above/Below Power Module and a metal telescoping chase to conceal coiled cord on the Above/Below Power Module unit. Four feet of straight cord length extends from the base of Telescoping Chase. Telescoping Chase solution provides power access above and below the worksurface on Coordinate™ Height Adjustable Tables while concealing cord slack. Telescoping chase matches profile of Coordinate™ HAT leg and rises up and down with the unit. To match Metal Telescoping Chase to HAT base, specify matching paint color to HAT base.

**SPECIFYING EXAMPLE: HHATPWRMOD2S.AC.DWT.PJW**



| | | | | | | |
|---|---|---|---|---|---|---|
| **Fabric Elastic HAT Wire Chase** | **HHATPWRMODF** | 3.6 S | 0.3 | **$1007** | **$1025** | **$1034** |


- Fabric Chase comes in Light (LGT), Medium (MDD), and Dark (DRK) fabrics, specify desired fabric.
- Fabric HAT mounting brackets available in the same paint finishes as Coordinate™ HAT bases, specify desired paint finish.

NOTES: Fabric Elastic Chase includes an Above/Below Power Module and a fabric chase to conceal coiled cord on the Above/Below Power Module unit. Four feet of straight cord length extends from the base of Fabric Chase. Fabric Chase solution provides power access above and below the worksurface on Coordinate™ Height Adjustable Tables while concealing cord slack. Works on either 2-stage or 3-stage HAT bases. Fabric chase wraps around coiled cord and stretches up and down with a Coordinate™ HAT leg. To match Fabric Chase's metal mounting brackets to HAT base, specify matching paint color to HAT base.


**SPECIFYING EXAMPLE: HHATPWRMODF.AC.DWT.LGT.PJW**

**NOTES:**


- Desktop power module comes with 2 receptacles, 1 USB-A, and 1 USB-C port only, specify "AC."
- Desktop power module available in White (DWT) or Gray (DGY) finishes, specify desired finish.
- Under worksurface power strip comes with 6 receptacles and is available in Black only, no specification needed.



*2-Stage Metal Telescoping HAT Wire Management*



*3-Stage Metal Telescoping HAT Wire Management*



*2 or 3-stage Fabric Elastic HAT Wire Management*

## HOW TO SPECIFY

| Select Model Number | Select Ports | Select Power Module Paint | Select Fabric Chase Finish | Select Paint Color |
|---|---|---|---|---|
| | *Specify for Above/Below Power Modules* | *Specify for Above/Below Power Modules* | *For Fabric Chase only* | *Specify paint for Telescoping Chase or Fabric Chase Mounting Brackets* |
| | **AC** USB A+C | **DWT** White<br>**DGY** Gray | **LGT** Light<br>**MDD** Medium<br>**DRK** Dark | See page 115 for finishes |
| H H A T P W R M O D F . | A C . | D W T . | L G T . | P J W |


GSA SIN 33721

Icon Legend on page 19

# SYSTEMS WORKSURFACES Primary



Grain Direction



*W=panel width*
*D=worksurface depth*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE | UPCHARGE BY PREFIX/SUFFIX "B/T" | UPCHARGE BY PREFIX/SUFFIX "C/T" |
|---|---|---|---|---|---|---|---|
| **Primary and/or Return Worksurfaces** | | | | | | | |
| 24″W x 18″D | **HWR1824P** | 23 | 2.1 | **$397** | **$409** | **N/A** | **N/A** |
| 30″W x 18″D | **HWR1830P** | 28 | 2.1 | **$412** | **$424** | **N/A** | **N/A** |
| 36″W x 18″D | **HWR1836P** | 35 | 2.5 | **$428** | **$440** | **N/A** | **N/A** |
| 42″W x 18″D | **HWR1842P** | 39 | 2.8 | **$440** | **$452** | **N/A** | **N/A** |
| 48″W x 18″D | **HWR1848P** | 44 | 3.2 | **$488** | **$500** | **N/A** | **N/A** |
| 54″W x 18″D | **HWR1854P** | 48 | 4.0 | **$542** | **$559** | **N/A** | **N/A** |
| 60″W x 18″D | **HWR1860P** | 53 | 4.0 | **$558** | **$575** | **N/A** | **N/A** |
| 66″W x 18″D | **HWR1866P** | 65 | 4.7 | **$597** | **$614** | **N/A** | **N/A** |
| 72″W x 18″D | **HWR1872P** | 67 | 4.7 | **$612** | **$629** | **N/A** | **N/A** |
| 24″W x 24″D | **HWR2424P** | 31 | 2.2 | **$406** | **$418** | **$40** | **$40** |
| 30″W x 24″D | **HWR2430P** | 37 | 2.2 | **$424** | **$436** | **$42** | **$42** |
| 36″W x 24″D | **HWR2436P** | 46 | 2.5 | **$460** | **$477** | **$40** | **$40** |
| 42″W x 24″D | **HWR2442P** | 52 | 2.5 | **$505** | **$522** | **$39** | **$39** |
| 48″W x 24″D | **HWR2448P** | 58 | 3.3 | **$536** | **$553** | **$43** | **$43** |
| 54″W x 24″D | **HWR2454P** | 64 | 4.0 | **$568** | **$590** | **$41** | **$41** |
| 60″W x 24″D | **HWR2460P** | 70 | 4.0 | **$633** | **$655** | **$41** | **$41** |
| 66″W x 24″D | **HWR2466P** | 86 | 4.8 | **$679** | **$701** | **$40** | **$40** |
| 72″W x 24″D | **HWR2472P** | 89 | 4.8 | **$700** | **$722** | **$41** | **$41** |
| 84″W x 24″D | **HWR2484P** | 103 | 5.1 | **$991** | **$1019** | **$33** | **$33** |

**NOTES:**

- Worksurfaces are constructed of laminate on 1⅛″ solid core high-performance particleboard.
- Models up to 42″W are standard with one centered grommet. Models 48″W and wider are standard with two grommets.
- Accelerate® adds a **“C”** prefix and **“T”** suffix and Abound® adds a **“B”** prefix and **“T”** suffix to the Model Number for primary worksurfaces to span a TEE or EXTENDED STRAIGHT connection (adds 2¼″ to width). Add corresponding upcharge per model.
- Add suffix **“N”** to Model Number for worksurfaces with no grommets. No upcharge.

- 18″D models are not available in Tee-Span but can be accommodated through Tailored Solutions.
- EXTENDED STRAIGHT worksurfaces are available with grommets only.
- 60″W, 66″W and 72″W worksurfaces require one or more of the following: worksurface support brackets, end panel, external channel universal support leg or pedestal support in conjunction with cantilever brackets.
- When a run of worksurfaces equals or exceeds 6 feet, a floor support is required for worksurface structural assurance.
- All worksurfaces load tested to BIFMA standards.
- All worksurfaces with an unsupported span of 54″ or larger require the use of an external channel. See table on page 506 for required length by application.

## HOW TO SPECIFY

| Select Model Number | Select Laminate | Select Edge Color | Select Grommet Color |
|---|---|---|---|
| For Tee-Span or Extended straight connection: Accelerate® adds a **“C”** prefix and **“T”** suffix (add upcharge per model)<br>Abound® adds a **“B”** prefix and **“T”** suffix (add upcharge per model)<br>No Grommet option: Add **“N”** suffix (no upcharge) | See page 377 | See page 377 | See page 377 |
| HWR2424P. | A5. | K. | T1 |
| HCWR2424PT. | A5. | K. | T1 |
| HBWR2424PT. | A5. | K. | T1 |
| HWR2424PN. | A5. | K | |


# SYSTEMS WORKSURFACES
## Primary

GSA SIN 33721

Icon Legend on page 19



Grain Direction



*W=panel width*
*D=worksurface depth*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE | UPCHARGE BY PREFIX/SUFFIX "B/T" | UPCHARGE BY PREFIX/SUFFIX "C/T" |
|---|---|---|---|---|---|---|---|
| **Primary and/or Return Worksurfaces** | | | | | | | |
| 24″W x 30″D | **HWR3024P** | 47 | 2.2 | **$424** | **$438** | **$42** | **$42** |
| 30″W x 30″D | **HWR3030P** | 56 | 2.6 | **$488** | **$502** | **$42** | **$42** |
| 36″W x 30″D | **HWR3036P** | 62 | 3.1 | **$515** | **$532** | **$44** | **$44** |
| 42″W x 30″D | **HWR3042P** | 64 | 3.6 | **$547** | **$564** | **$42** | **$42** |
| 48″W x 30″D | **HWR3048P** | 68 | 4.0 | **$579** | **$596** | **$39** | **$39** |
| 54″W x 30″D | **HWR3054P** | 80 | 5.0 | **$621** | **$643** | **$41** | **$41** |
| 60″W x 30″D | **HWR3060P** | 101 | 5.0 | **$689** | **$711** | **$41** | **$41** |
| 66″W x 30″D | **HWR3066P** | 105 | 6.0 | **$735** | **$757** | **$40** | **$40** |
| 72″W x 30″D | **HWR3072P** | 105 | 6.0 | **$784** | **$806** | **$42** | **$42** |
| 84″W x 30″D | **HWR3084P** | 127 | 6.2 | **$1058** | **$1086** | **$47** | **$47** |

**NOTES:**

- Worksurfaces are constructed of laminate on 1⅛″ solid core high-performance particleboard.
- Models up to 42″W are standard with one centered grommet. Models 48″W and wider are standard with two grommets.
- Accelerate® adds a **“C”** prefix and **“T”** suffix and Abound® adds a **“B”** prefix and **“T”** suffix to the Model Number for primary worksurfaces to span a TEE or EXTENDED STRAIGHT connection (adds 2¼″ to width). Add corresponding upcharge per model.
- Add suffix **“N”** to Model Number for worksurfaces with no grommets. No upcharge.

- EXTENDED STRAIGHT worksurfaces are available with grommets only.
- 60″W, 66″W, 72″W, and 84″W worksurfaces require one or more of the following: worksurface support brackets, end panel, external channel universal support leg or pedestal support in conjunction with cantilever brackets.
- When a run of worksurfaces equals or exceeds 6 feet, a floor support is required for worksurface structural assurance.
- All worksurfaces load tested to BIFMA standards.
- All worksurfaces with an unsupported span of 54″ or larger require the use of an external channel.

| EXTERNAL CHANNEL SELECTION GUIDE | | | | | | |
|---|---|---|---|---|---|---|
| **Support Combination** | | **Rectangle Worksurface Width** | | | | |
| **Worksurface End Support 1** | **Worksurface End Support 2** | **54** | **60** | **66** | **72** | **84** |
| End Panel | End Panel | 42″ | 48″ | 54″ | 60″ | 72″ |
| End Panel | Pedestal | NA | NA | NA | 42″ | 48″ |
| End Panel | Worksurface Brackets | 42″ | 48″ | 54″ | 60″ | 72″ |
| End Panel | Cantilever | 42″ | 48″ | 54″ | 60″ | 72″ |
| End Panel | Open Leg | 42″ | 48″ | 54″ | 60″ | 72″ |
| Pedestal | Pedestal | NA | NA | NA | NA | NA |
| Pedestal | Worksurface Brackets | NA | NA | NA | 42″ | 48″ |
| Pedestal | Cantilever | NA | NA | NA | 42″ | 48″ |
| Pedestal | Open Leg | NA | NA | NA | 42″ | 48″ |
| Worksurface Brackets | Worksurface Brackets | 42″ | 48″ | 54″ | 60″ | 72″ |
| Worksurface Brackets | Cantilever | 42″ | 48″ | 54″ | 60″ | 72″ |
| Worksurface Brackets | Open Leg | 42″ | 48″ | 54″ | 60″ | 72″ |
| Height Adjustable Base | NA | 42″ | 48″ | 54″ | 60″ | 72″ |

See page 193 for External Channel models.

## HOW TO SPECIFY

**Select Model Number**

For Tee-Span or Extended straight connection: Accelerate® adds a **“C”** prefix and **“T”** suffix (add upcharge per model)

Abound® adds a **“B”** prefix and **“T”** suffix (add upcharge per model)

No Grommet option: Add **“N”** suffix (no upcharge)

H W R 3 0 2 4 P .

H C W R 3 0 2 4 P T .

H B W R 3 0 2 4 P T .

H W R 3 0 2 4 P N .

**Select Laminate**

See page 377

A 5 .

A 5 .

A 5 .

A 5 .

**Select Edge Color**

See page 377

K .

K .

K .

K

**Select Grommet Color**

See page 377

T 1

T 1



T 1


GSA SIN 33721


Icon Legend on page 19

# SYSTEMS WORKSURFACES
## Wedge



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE |
|---|---|---|---|---|---|---|
| Grain Direction  | **Wedge Worksurfaces** | | | | | |
| | 48″A x 24″B x 30″C | **HWD244830P** | 64 | 4.8 | **$735** | **$752** |
| | 54″A x 24″B x 30″C | **HWD245430P** | 80 | 4.8 | **$788** | **$810** |
| | 60″A x 24″B x 30″C | **HWD246030P** | 101 | 4.8 | **$844** | **$866** |
| | 66″A x 24″B x 30″C | **HWD246630P** | 105 | 5.7 | **$898** | **$920** |
| | 72″A x 24″B x 30″C | **HWD247230P** | 109 | 5.7 | **$958** | **$980** |
|  | **Wedge Worksurfaces** | | | | | |
| | 48″A x 30″B x 24″C | **HWD304824P** | 64 | 4.8 | **$735** | **$752** |
| | 54″A x 30″B x 24″C | **HWD305424P** | 80 | 4.8 | **$788** | **$810** |
| | 60″A x 30″B x 24″C | **HWD306024P** | 101 | 4.8 | **$844** | **$866** |
| | 66″A x 30″B x 24″C | **HWD306624P** | 105 | 5.7 | **$898** | **$920** |
| | 72″A x 30″B x 24″C | **HWD307224P** | 109 | 5.7 | **$958** | **$980** |




**See matrix on page 506.**

**NOTES:**
- Worksurfaces may be used with Accelerate®, Abound® and Voi® products.
- Worksurfaces are constructed of laminate on 1⅛″ solid core particleboard.
- Refer to Worksurface Supports, pages 518-522.
- Universal support leg can be used to share support when worksurfaces are placed side-by-side.
- Add suffix **"N"** to Model Number for worksurfaces with no grommets. No upcharge.
- Woodgrain runs horizontally across surface.

! 60″W, 66″W and 72″W worksurfaces require one or more of the following: worksurface support brackets, end panel, external channel universal support leg or pedestal support in conjunction with cantilever brackets. A full end panel can also be used for support in place of cantilever brackets.

! When a run of worksurfaces equals or exceeds 6 feet, a floor support is required for worksurface structural assurance.

! All worksurfaces with an unsupported span of 54″ or larger require the use of an external channel. See table on page 506 for required length by application.

## HOW TO SPECIFY

| Select Model Number | Select Laminate | Select Edge Color | Select Grommet Color |
|---|---|---|---|
| No Grommet option: Add **"N"** suffix (no upcharge) | See page 377 | See page 377 | See page 377 |
| H W D 2 4 4 8 3 0 P . | A 5 . | K . | T 1 |
| H W D 2 4 4 8 3 0 P N . | A 5 . | K | |


# SYSTEMS WORKSURFACES
## Corner

GSA SIN 33721

Icon Legend on page 19



Grain Direction




*W=panel width*
*D=worksurface depth*


| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE |
|---|---|---|---|---|---|
| **Corner Worksurfaces with Curved User Edge** | | | | | |
| 36″W x 24″D | **HWC3624P** | 53 | 3.7 | **$652** | **$669** |
| 42″W x 24″D | **HWC4224P** | 65 | 4.9 | **$695** | **$712** |
| 48″W x 24″D | **HWC4824P** | 76 | 6.3 | **$789** | **$806** |
| 42″W x 30″D | **HWC4230P** | 72 | 6.3 | **$827** | **$844** |
| 48″W x 30″D | **HWC4830P** | 77 | 6.3 | **$897** | **$914** |

- HWC3624P will not accept the H4022, H4028, or H4029 keyboard platforms.


! Corner worksurfaces must match exactly the panel behind them, i.e.: a 36″ panel must be used on the back two sides of model HWC3624P.





**HWC3624P**





**HWC4224P**




**HWC4230P**




**HWC4824P**




**HWC4830P**

**NOTES:**
- Worksurfaces may be used with Accelerate®, Abound® and Voi® products.
- Add suffix **"N"** to Model Number for worksurfaces with no grommets. No upcharge.
- Worksurfaces are constructed of laminate on 1⅛″ solid core high-performance particleboard.
- Refer to Worksurface Supports, pages 518-522.

## HOW TO SPECIFY

| Select Model Number | Select Laminate | Select Edge Color | Select Grommet Color |
|---|---|---|---|
| No Grommet option: Add **"N"** suffix (no upcharge) | See page 377 | See page 377 | See page 377 |
| HWC3624P. | A5. | K. | T1 |
| HWC3624PN. | A5. | K | |


GSA SIN 33721

Icon Legend on page 19

# SYSTEMS WORKSURFACES
## Corner



Grain Direction




*W=panel width*
*D=worksurface depth*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE |
|---|---|---|---|---|---|
| **Corner Worksurfaces with Straight User Edge** | | | | | |
| 36″W x 24″D | **HWCS3624P** | 53 | 3.7 | **$627** | **$644** |
| 42″W x 24″D | **HWCS4224P** | 65 | 4.9 | **$660** | **$677** |
| 48″W x 24″D | **HWCS4824P** | 76 | 6.3 | **$734** | **$751** |
| 42″W x 30″D | **HWCS4230P** | 72 | 6.3 | **$804** | **$821** |
| 48″W x 30″D | **HWCS4830P** | 77 | 6.3 | **$819** | **$836** |

- HWCS3624P will not accept the H4022, H4028, or H4029 keyboard platforms.

Corner worksurfaces must match exactly the panel behind them, i.e.: a 36″ panel must be used on the back two sides of model HWCS3624P.




**HWCS3624P** **HWCS4224P** **HWCS4230P** **HWCS4824P** **HWCS4830P**

**NOTES:**
- Worksurfaces may be used with Accelerate®, Abound® and Voi® products.
- Add suffix **"N"** to Model Number for worksurfaces with no grommets. No upcharge.
- Worksurfaces are constructed of laminate on 1⅛″ solid core high-performance particleboard.
- Refer to Worksurface Supports, pages 518-522.

## HOW TO SPECIFY

**Select Model Number**

No Grommet option: Add **"N"** suffix (no upcharge)

H W C S 3 6 2 4 P .

H W C S 3 6 2 4 P N .

**Select Laminate**

See page 377

A 5 .

A 5 .

**Select Edge Color**

See page 377

K .

K

**Select Grommet Color**

See page 377

T 1


# SYSTEMS WORKSURFACES
## 120 Degree Corner

GSA SIN 33721

Icon Legend on page 19



Grain Direction




*W=panel width*
*D=worksurface depth*


| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE |
|---|---|---|---|---|---|
| **Abound® and Accelerate® 120 Degree Corner Worksurfaces with Curved User Edge** | | | | | |
| 36″W x 24″D | **HBWCT3624P** | 75 | 7.7 | **$964** | **$981** |
| 42″W x 24″D | **HBWCT4224P** | 96 | 9.2 | **$1100** | **$1117** |
| 48″W x 24″D | **HBWCT4824P** | 107 | 9.2 | **$1212** | **$1229** |
| 42″W x 30″D | **HBWCT4230P** | 102 | 11.4 | **$1382** | **$1399** |
| 48″W x 30″D | **HBWCT4830P** | 112 | 11.4 | **$1474** | **$1491** |

- HBWCT3624P will not accept the H4022, HE4022, H4028, or H4029 keyboard platforms.


Corner worksurfaces must match exactly the panel behind them, i.e.: a 36″ panel must be used on the back two sides of model HBWCT3624P.





**HBWCT3624P**





**HBWCT4230P**




**HBWCT4830P**




**HBWCT4224P**




**HBWCT4824P**

**NOTES:**
- Worksurfaces are constructed of laminate on 1⅛″ solid core high-performance particleboard.
- Add suffix **"N"** to Model Number for worksurfaces with no grommets. No upcharge.
- Refer to Worksurface Supports, pages 518-522.
- If used at an end of run, full end panel needs to be ordered — see page 518.

## HOW TO SPECIFY

| Select Model Number | Select Laminate | Select Edge Color | Select Grommet Color |
|---|---|---|---|
| No Grommet option: Add **"N"** suffix (no upcharge) | See page 377 | See page 377 | See page 377 |
| H B W C T 3 6 2 4 P . | A 5 . | K . | T 1 |
| H B W C T 3 6 2 4 P N . | A 5 . | K | |


GSA SIN 33721

Icon Legend on page 19


# SYSTEMS WORKSURFACES
## Corner Cove



Grain Direction



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE |
|---|---|---|---|---|---|
| **Corner Cove Worksurfaces, Left Hand** | | | | | |
| 60″A x 36″B x 24″C x 24″D | **HWV73AALP** | 67 | 5.9 | **$744** | **$772** |
| 60″A x 36″B x 30″C x 24″D | **HWV73BALP** | 76 | 5.9 | **$771** | **$799** |
| 60″A x 48″B x 24″C x 24″D | **HWV75AALP** | 85 | 7.7 | **$819** | **$852** |
| 60″A x 48″B x 24″C x 30″D | **HWV75ABLP** | 94 | 7.7 | **$851** | **$884** |
| 60″A x 48″B x 30″C x 24″D | **HWV75BALP** | 92 | 7.7 | **$851** | **$884** |
| 60″A x 48″B x 30″C x 30″D | **HWV75BBLP** | 99 | 7.7 | **$884** | **$917** |
| 72″A x 36″B x 24″C x 24″D | **HWV93AALP** | 75 | 7.0 | **$819** | **$852** |
| 72″A x 36″B x 30″C x 24″D | **HWV93BALP** | 83 | 7.0 | **$851** | **$884** |
| 72″A x 48″B x 24″C x 24″D | **HWV95AALP** | 96 | 9.2 | **$1039** | **$1078** |
| 72″A x 48″B x 24″C x 30″D | **HWV95ABLP** | 107 | 9.2 | **$1070** | **$1109** |
| 72″A x 48″B x 30″C x 24″D | **HWV95BALP** | 102 | 9.2 | **$1070** | **$1109** |
| 72″A x 48″B x 30″C x 30″D | **HWV95BBLP** | 112 | 9.2 | **$1105** | **$1144** |




**NOTES:**
- Worksurfaces may be used with Accelerate®, Abound® and Voi® products.
- Worksurfaces are constructed of laminate on 1⅛″ solid core high-performance particleboard.
- Add suffix **“N”** to Model Number for worksurfaces with no grommets. No upcharge.
- Refer to Worksurface Supports, pages 518-522.

Does NOT include a rear support bracket. If rear support bracket is needed, order HWSB2.

Panel-hung application requires two panels of corresponding width joined at 90°.

When a run of worksurfaces equals or exceeds 6 feet, a floor support is required for worksurface structural assurance.

60″W, 66″W and 72″W worksurfaces require one or more of the following: worksurface support brackets, end panel, external channel universal support leg or pedestal support in conjunction with cantilever brackets.

All worksurfaces with an unsupported span of 54″ or larger require the use of an external channel. See table on page 506 for required length by application.

## HOW TO SPECIFY

**Select Model Number**

No Grommet option: Add **“N”** suffix (no upcharge)

H W V 7 3 A A L P .

H W V 7 3 A A L P N .

**Select Laminate**

See page 377

A 5 .

A 5 .

**Select Edge Color**

See page 377

K .

K

**Select Grommet Color**

See page 377

T 1


# SYSTEMS WORKSURFACES
## Corner Cove

GSA SIN 33721


Icon Legend on page 19



Grain Direction



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE |
|---|---|---|---|---|---|
| **Corner Cove Worksurfaces, Right Hand** | | | | | |
| 60″A x 36″B x 24″C x 24″D | **HWV73AARP** | 67 | 5.9 | **$744** | **$772** |
| 60″A x 36″B x 30″C x 24″D | **HWV73BARP** | 76 | 5.9 | **$771** | **$799** |
| 60″A x 48″B x 24″C x 24″D | **HWV75AARP** | 85 | 7.7 | **$819** | **$852** |
| 60″A x 48″B x 24″C x 30″D | **HWV75ABRP** | 94 | 7.7 | **$851** | **$884** |
| 60″A x 48″B x 30″C x 24″D | **HWV75BARP** | 92 | 7.7 | **$851** | **$884** |
| 60″A x 48″B x 30″C x 30″D | **HWV75BBRP** | 99 | 7.7 | **$884** | **$917** |
| 72″A x 36″B x 24″C x 24″D | **HWV93AARP** | 75 | 7.0 | **$819** | **$852** |
| 72″A x 36″B x 30″C x 24″D | **HWV93BARP** | 83 | 7.0 | **$851** | **$884** |
| 72″A x 48″B x 24″C x 24″D | **HWV95AARP** | 96 | 9.2 | **$1039** | **$1078** |
| 72″A x 48″B x 24″C x 30″D | **HWV95ABRP** | 107 | 9.2 | **$1070** | **$1109** |
| 72″A x 48″B x 30″C x 24″D | **HWV95BARP** | 102 | 9.2 | **$1070** | **$1109** |
| 72″A x 48″B x 30″C x 30″D | **HWV95BBRP** | 112 | 9.2 | **$1105** | **$1144** |




**NOTES:**
- Worksurfaces may be used with Accelerate®, Abound® and Voi® products.
- Worksurfaces are constructed of laminate on 1⅛″ solid core high-performance particleboard.
- Add suffix **"N"** to Model Number for worksurfaces with no grommets. No upcharge.
- Refer to Worksurface Supports, pages 518-522.

- Does NOT include a rear support bracket. If rear support bracket is needed, order HWSB2.
- Panel-hung application requires two panels of corresponding width joined at 90°.
- When a run of worksurfaces equals or exceeds 6 feet, a floor support is required for worksurface structural assurance.
- 60″W, 66″W and 72″W worksurfaces require one or more of the following: worksurface support brackets, end panel, external channel universal support leg or pedestal support in conjunction with cantilever brackets.
- All worksurfaces with an unsupported span of 54″ or larger require the use of an external channel. See table on page 506 for required length by application.

## HOW TO SPECIFY

**Select Model Number**

No Grommet option: Add **"N"** suffix (no upcharge)

H W V 7 3 A A R P .

H W V 7 3 A A R P N .

**Select Laminate**

See page 377

A 5 .

A 5 .

**Select Edge Color**

See page 377

K .

K

**Select Grommet Color**

See page 377






T 1

GSA SIN 33721

Icon Legend on page 19

# SYSTEMS WORKSURFACES
## Jetty / Peninsula



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE |
|---|---|---|---|---|---|---|
| Grain Direction  | **Jetty Worksurfaces, Left Hand** | | | | | |
| | 48″A x 66″B x 24″C x 30″D | **HWJ58ABLP** | 84 | 9.2 | **$1108** | **$1141** |
| | 48″A x 72″B x 24″C x 30″D | **HWJ59ABLP** | 88 | 9.2 | **$1115** | **$1148** |
| | ! Requires support column — see page 520. Order support column separately. | | | | | |
| |   | | | | | |
| Grain Direction  | **Jetty Worksurfaces, Right Hand** | | | | | |
| | 48″A x 66″B x 24″C x 30″D | **HWJ58ABRP** | 84 | 9.2 | **$1108** | **$1141** |
| | 48″A x 72″B x 24″C x 30″D | **HWJ59ABRP** | 88 | 9.2 | **$1115** | **$1148** |
| | ! Requires support column — see page 520. Order support column separately. | | | | | |
| |   | | | | | |
| Grain Direction  | **Peninsula Worksurfaces** | | | | | |
| | 60″W x 24″D | **HWP2460P** | 65 | 4.9 | **$521** | **$543** |
| | 66″W x 24″D | **HWP2466P** | 72 | 4.6 | **$635** | **$657** |
| | 72″W x 24″D | **HWP2472P** | 95 | 5.5 | **$713** | **$735** |
| | 60″W x 30″D | **HWP3060P** | 68 | 5.0 | **$833** | **$855** |
| | 66″W x 30″D | **HWP3066P** | 75 | 6.0 | **$914** | **$936** |
| | 72″W x 30″D | **HWP3072P** | 98 | 6.0 | **$1005** | **$1027** |
| | ! Peninsula worksurface width must correspond to the width of its support panel. Requires support column — see page 520. Order support column separately. | | | | | |

**NOTES:**

- Worksurfaces may be used with Accelerate®, Abound® and Voi® products.
- Worksurfaces are constructed of laminate on 1⅛″ solid core high-performance particleboard.
- Order support column separately — see page 520.
- Can also be attached perpendicular to a primary worksurface using Flat Brackets. Do not attach to a worksurface supported with Cantilever Brackets.
- Add suffix **"N"** to Model Number for worksurfaces with no grommets. No upcharge.
- Refer to Worksurface Supports, pages 518-522.

! Not designed to be used freestanding.

! All worksurfaces with an unsupported span of 54″ or larger require the use of an external channel. See table on page 506 for required length by application.

## HOW TO SPECIFY

| Select Model Number | Select Laminate | Select Edge Color | Select Grommet Color |
|---|---|---|---|
| No Grommet option: Add **"N"** suffix (no upcharge) | See page 377 | See page 377 | See page 377 |
| H W J 5 8 A B L P . | A 5 . | K . | T 1 |
| H W J 5 8 A B L P N . | A 5 . | K | |


# SYSTEMS WORKSURFACES
## Half-Round

GSA SIN 33721

Icon Legend on page 19




Grain Direction



*Requires Support Column — see page 520.*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE |
|---|---|---|---|---|---|
| **Abound® Half-Round Worksurfaces** | | | | | |
| 50″W x 30″D Connects to two 24″D Worksurfaces | **HBWD2450P** | 52 | 5.0 | **$821** | **$838** |
| 62″W x 36″D Connects to two 30″D Worksurfaces | **HBWD3062P** | 58 | 6.1 | **$958** | **$980** |
| **Accelerate® Half-Round Worksurfaces** | | | | | |
| 50″W x 30″D Connects to two 24″D Worksurfaces | **HCWD2450P** | 52 | 5.0 | **$821** | **$838** |
| 62″W x 36″D Connects to two 30″D Worksurfaces | **HCWD3062P** | 58 | 6.1 | **$958** | **$980** |

NOTES: Order one Support Column and two Universal Support Legs or Full End Panel — see pages 518-520.




**NOTES:**
- Worksurfaces are constructed of laminate on 1⅛″ solid core high-performance particleboard.

**Half-Round Worksurfaces**
- Order Support Column and End Panels separately.

## HOW TO SPECIFY



| Select Model Number | Select Laminate | Select Edge Color |
|---|---|---|
| | See page 377 | See page 377 |
| H B W D 2 4 5 0 P . | A 5 . | K |
| H C W D 2 4 5 0 P . | A 5 . | K |

GSA SIN 33721

Icon Legend on page 19

# SYSTEMS COUNTERTOPS
## Straight and Corner



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE |
|---|---|---|---|---|---|---|
| Grain Direction  | **Abound® and Accelerate® 15″D Straight Countertops** | | | | | |
| | 24″W x 15″D | **HBCSR1524P** | 19 | 1.4 | **$295** | **$307** |
| | 30″W x 15″D | **HBCSR1530P** | 25 | 1.4 | **$327** | **$339** |
| | 36″W x 15″D | **HBCSR1536P** | 27 | 1.6 | **$365** | **$377** |
| | 42″W x 15″D | **HBCSR1542P** | 32 | 1.8 | **$374** | **$386** |
| | 48″W x 15″D | **HBCSR1548P** | 38 | 2.1 | **$396** | **$408** |
| | 60″W x 15″D | **HBCSR1560P** | 48 | 2.6 | **$502** | **$519** |
| | 66″W x 15″D | **HBCSR1566P** | 53 | 2.7 | **$519** | **$536** |
| | 72″W x 15″D | **HBCSR1572P** | 59 | 3.1 | **$539** | **$556** |
| Grain Direction  | **Abound® and Accelerate® 15″D Corner Countertops** | | | | | |
| | 24″W x 24″D | **HBCSR2424P** | 44 | 1.4 | **$563** | **$580** |
| | 30″W x 30″D | **HBCSR3030P** | 51 | 1.4 | **$654** | **$671** |
| | 36″W x 36″D | **HBCSR3636P** | 58 | 1.6 | **$728** | **$750** |

**NOTES:**
- Countertops constructed with high-pressure laminate.
- Specify laminate and Edgeband options color.

## HOW TO SPECIFY


| Select Model Number | Select Laminate | Select Edge Color |
|---|---|---|
| | See page 377 | See page 377 |
| H B C S R 1 5 2 4 P . | A 5 . | K |

# SYSTEMS COUNTERTOPS
## Straight and Corner

GSA SIN 33721


Icon Legend on page 19






| DESCRIPTION | FLAT MODEL | CHAMFERED MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
| **Abound® Raised Straight Countertop Kits** | | | | | | |
| 24″W | **HRVBR1524F** | **HRVBR1524** | 5 | 1.0 | **$185** | **$204** |
| 30″W | **HRVBR1530F** | **HRVBR1530** | 5 | 1.0 | **$193** | **$212** |
| 36″W | **HRVBR1536F** | **HRVBR1536** | 6 | 2.0 | **$204** | **$223** |
| 42″W | **HRVBR1542F** | **HRVBR1542** | 6 | 2.0 | **$211** | **$230** |
| 48″W | **HRVBR1548F** | **HRVBR1548** | 7 | 2.0 | **$219** | **$238** |
| 60″W | **HRVBR1560F** | **HRVBR1560** | 8 | 2.0 | **$259** | **$278** |
| 66″W | **HRVBR1566F** | **HRVBR1566** | 8 | 3.0 | **$278** | **$297** |
| 72″W | **HRVBR1572F** | **HRVBR1572** | 9 | 3.0 | **$297** | **$316** |

! Do not order top caps for the panels the Countertop Kits will be installed on. Countertop Kits come with the necessary top caps and hardware.



| | | | | | | |
|---|---|---|---|---|---|---|
| **Abound® Raised Corner Countertop Kits** | | | | | | |
| 24″W | **HRVBR1524PF** | **HRVBR1524P** | 5 | 1.0 | **$229** | **$248** |
| 30″W | **HRVBR1530PF** | **HRVBR1530P** | 6 | 1.0 | **$239** | **$258** |
| 36″W | **HRVBR1536PF** | **HRVBR1536P** | 6 | 2.0 | **$251** | **$270** |

! Do not order top caps for the panels the Countertop Kits will be installed on. Countertop Kits come with the necessary top caps and hardware.




| | | | | | | |
|---|---|---|---|---|---|---|
| **Abound® Straight Countertop Kits** | | | | | | |
| 24″W | **HBCKIT24F** | **HBCKIT24** | 5 | 0.7 | **$72** | **$79** |
| 30″W | **HBCKIT30F** | **HBCKIT30** | 5 | 0.9 | **$76** | **$84** |
| 36″W | **HBCKIT36F** | **HBCKIT36** | 6 | 0.9 | **$79** | **$87** |
| 42″W | **HBCKIT42F** | **HBCKIT42** | 6 | 1.2 | **$82** | **$90** |
| 48″W | **HBCKIT48F** | **HBCKIT48** | 7 | 1.4 | **$84** | **$92** |
| 60″W | **HBCKIT60F** | **HBCKIT60** | 8 | 1.8 | **$87** | **$96** |
| 66″W | **HBCKIT66F** | **HBCKIT66** | 8 | 1.8 | **$90** | **$99** |
| 72″W | **HBCKIT72F** | **HBCKIT72** | 9 | 1.9 | **$93** | **$102** |

! Straight Countertop Kits must match the width of the corresponding panel onto which they are installed.

! 66″W kit must be used with 30″ and 36″W frames.


! 72″W kit must be used with two 36″W frames.

! Do not order top caps for the panels onto which the Countertop Kits are installed. Countertop Kits come with the necessary top caps and hardware.



| | | | | | | |
|---|---|---|---|---|---|---|
| **Abound® Corner Countertop Kits** | | | | | | |
| 24″W | **HBCCKIT24F** | **HBCCKIT24** | 5 | 0.7 | **$86** | **$94** |
| 30″W | **HBCCKIT30F** | **HBCCKIT30** | 6 | 1.0 | **$95** | **$104** |
| 36″W | **HBCCKIT36F** | **HBCCKIT36** | 6 | 1.0 | **$98** | **$107** |

! Do not order top caps for the panels the Countertop Kits will be installed on. Countertop Kits come with the necessary top caps and hardware.



| | | | | | | |
|---|---|---|---|---|---|---|
| **Accelerate® Countertop Bracket Kit** | | **HECB01** | 1 | 0.1 | **$74** | **$79** |

! For use with all panel heights, except 42½″.

! Top caps required and specified separately from Accelerate® Countertop Bracket Kits.

| | | | | | | |
|---|---|---|---|---|---|---|
| **Accelerate® Countertop Bracket Kit for 42½″H Panels** | | **HECB42** | 1 | 0.1 | **$74** | **$79** |

! For use with 42½″H Panels only.

! Top caps required and specified separately from Accelerate® Countertop Bracket Kits.

! Bracket kits include one right and one left hand bracket. Order two sets of brackets for the straight countertop models and three sets for the corner countertop models. To be used on Accelerate® panels only.

**SPECIFYING EXAMPLE: HECB01.LOFT**

## HOW TO SPECIFY

**Select Model Number**

H R V B R 1 5 2 4 .

**Select Paint Color**

See page 377

A 5


GSA SIN 33721

Icon Legend on page 19

# SYSTEMS SHELVES
## Corner Shelves




Grain Direction



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE |
|---|---|---|---|---|---|
| **Corner Shelves** | | | | | |
| 36″ x 36″ x 12″D | **HCS3636P** | 33 | 3.6 | **$535** | **$557** |
| 42″ x 42″ x 12″D | **HCS4242P** | 33 | 3.6 | **$561** | **$589** |

**NOTES:**




- Corner Shelves may be used with both Abound® and Accelerate® systems products.
- Diagonal leading edge = 10½″
- Diagonal depth = 22½″
- Includes panel attachment brackets.

## HOW TO SPECIFY


| Select Model Number | Select Laminate | Select Edge Color | Select Paint Color |
|---|---|---|---|
| | See page 377 | See page 377 | See page 377 |
| H C S 3 6 3 6 P . | A 5 . | K . | T 1 |

# SYSTEMS
# Worksurface Supports

GSA SIN 33721

Icon Legend on page 19






*Specify paint*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Abound® and Accelerate® Full End Panel*** | | | | | |
| 29½"H x 11"D — Right – Panel Mount | **HRVEP1129R** | 16 | 1.4 | **$274** | **$306** |
| 29½"H x 11"D — Left – Panel Mount | **HRVEP1129L** | 16 | 1.4 | **$274** | **$306** |
| 29½"H x 24"D — Right – Panel Mount | **HRVEP2429R** | 21 | 1.4 | **$296** | **$328** |
| 29½"H x 24"D — Left – Panel Mount | **HRVEP2429L** | 21 | 1.4 | **$296** | **$328** |
| 29½"H x 30"D — Right – Panel Mount | **HRVEP3029R** | 23 | 1.4 | **$323** | **$355** |
| 29½"H x 30"D — Left – Panel Mount | **HRVEP3029L** | 23 | 1.4 | **$323** | **$355** |

NOTES: The use of an end panel at the end of a worksurface will increase the rigidity of the workstation. If the panel is a greater dimension than the worksurface, an end panel is required if the run of the worksurfaces is 8 feet or greater. Levelers provide 1½" vertical adjustment.

! *Must be connected into panel slots. When an installation of worksurfaces is 8 feet or greater, a full end panel or universal support leg must be used at 90 degree panel junctions or in a shared position to support adjoining worksurfaces.

! End panel support with bracket will attach to both Accelerate® and Abound® panels.




*Non-handed unit*
*Specify paint*

| | | | | | |
|---|---|---|---|---|---|
| **Abound® and Accelerate® Universal Support Leg*** | | | | | |
| 29½"H to support 24"D | **HRVCLG24** | 16 | 1.4 | **$263** | **$295** |
| 29½"H to support 30"D | **HRVCLG30** | 17 | 1.4 | **$287** | **$319** |

NOTES: Use at 90° panel junctions or in a shared position to support adjoining worksurfaces. Provided with flat bracket. Levelers provide 1½" vertical adjustment.


! *Must be connected into panel slots. When an installation of worksurfaces is 8 feet or greater, a full end panel or universal support leg must be used at 90 degree panel junctions or in a shared position to support adjoining worksurfaces.



| | | | | | |
|---|---|---|---|---|---|
| **Open Leg Models*** | | | | | |
| 29½"H x 12"D | **HOLEG12** | 7 | 0.5 | **$197** | **$229** |
| 29½"H x 18"D | **HOLEG18** | 9 | 1.4 | **$228** | **$260** |
| 29½"H x 24"D | **HOLEG24** | 11 | 1.2 | **$274** | **$306** |
| 29½"H x 30"D | **HOLEG30** | 15 | 1.8 | **$300** | **$332** |


NOTES: Open leg includes attaching hardware and leveling glides. Leveling glides provide 2¼" of adjustment. Open leg is universal shared with a left- and right-hand attachment bracket.

! *Must be connected into frame slots. Specify paint.



| | | | | | |
|---|---|---|---|---|---|
| **O-Leg Support for Worksurfaces** | | | | | |
| 20"D x 28½"H | **HLSL20280** | 15 | 3.7 | **$410** | **$416** |
| 24"D x 28½"H | **HLSL24280** | 17 | 3.7 | **$446** | **$452** |
| 30"D x 28½"H | **HLSL30280** | 19 | 5.4 | **$493** | **$499** |

NOTES: Ship fully assembled, 1/pack. Non-handed. Use the anti-dislodgement bracket when using a worksurface in a peninsula application with a post or O-leg.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **O-Leg Chase** | **HLEGCHASE26** | 1 S | 0.4 | **$120** | **$132** | **$138** |

- O-Leg Chase is 26"H.
- Available in standard metal paint finishes, specify desired finish.
- See page 173 for Voi® O-Leg finishes to match chase finish to O-Leg.

NOTES: Works with Voi® O-Legs, matches leg profile on models HLSL30280 and HLSL24280. Attaches to legs via magnets. Metal chase can fit qty. 12, 3/10" diameter cords.
**SPECIFYING EXAMPLE: HLEGCHASE26.P7D**



| | | | | | | |
|---|---|---|---|---|---|---|
| **Voi® for Systems O-Leg-to-Panel Attachment Bracket** | | | | | | |
| Left handed bracket (quantity 1) | **HLSLPBL** | 3 | 0.4 | **$140** | **$146** | **N/A** |
| Right handed bracket (quantity 1) | **HLSLPBR** | 3 | 0.4 | **$140** | **$146** | **N/A** |

NOTES: Used to connect Voi O-Leg to a systems panel for additional workstation rigidity. Bracket designed to work with edgeband worksurfaces only. Brackets are handed, come one per package and include self-tapping screws. Specify paint.

**NOTES:**
- The supports included on this page can be used with Systems and Worksurfaces.

## HOW TO SPECIFY

**Select Model Number**

H R V E P 1 1 2 9 R .

**Select Paint Color**

See page 173


T 1

GSA SIN 33721

Icon Legend on page 19

# SYSTEMS
## Worksurface Supports





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Laminate End Panel Support with Panel Bracket** | | | | | |
| 29½"H x 24"D, Left handed | **HLSL2428EBL** | 3 | 2.2 | **$362** | **$368** |
| 29½"H x 24"D, Right handed | **HLSL2428EBR** | 3 | 2.2 | **$362** | **$368** |
| 29½"H x 30"D, Left handed | **HLSL3028EBL** | 3 | 3.2 | **$385** | **$391** |
| 29½"H x 30"D, Right handed | **HLSL3028EBR** | 3 | 3.2 | **$385** | **$391** |

NOTES: Includes laminate end panel and brackets to attach end panel support to a panel. Order to correspond to worksurface depth. Specify laminate and paint. Can be used with Abound® and Accelerate® Systems products.

**NOTES:**
- The supports included on this page and on previous page can be used with Systems and Worksurfaces.

## HOW TO SPECIFY






| Select Model Number | Select Laminate | Select Paint Color |
|---|---|---|
| | L2 Laminate (+ $12)<br>See page 377 | See page 377 |
| H L S L 2 4 2 8 E B L . | H . | T 1 |

# SYSTEMS
# Worksurface Supports

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
|  *Non-handed unit* *Specify paint* | | | | | |
| **Support Column*** | | | | | |
| For 29½" Height. 3" diameter. | **HCNLEG29** | 13 | 1.1 | **$290** | **$320** |
| NOTES: Used to support one end of a peninsula, round or half-round worksurface. (Includes panel support brackets.) Levelers provide 1½" vertical adjustment. | | | | | |
| ! *Brackets must be connected into panel slots. | | | | | |
|  | | | | | |
| **Post Leg Base** | | | | | |
| • Single Post Leg with Hardware Pack | **HMBPOST1** | 18 | 2.3 | **$392** | **$406** |
| • Requires hardware bracket model HWSA2. Please see below for HWSA2 bracket ordering information. | | | | | |
|  | | | | | |
| **Post Leg Base** | | | | | |
| 28½"H x 2" square | **HLSL28P** | 15 | 1.0 | **$401** | **$407** |
| NOTES: Requires hardware bracket model HWSA2 when used to support a peninsula. | | | | | |
|  *Specify paint* | | | | | |
| **Accessory Cantilever*** | | | | | |
| 18"D Pair | **HCTL182** | 4 | 0.3 | **$90** | **$102** |
| 24"D Pair | **HCTL242** | 5 | 0.3 | **$114** | **$126** |
| 18"D Right-Hand Cantilever | **HCTL181R** | 3.2 | 0.2 | **$50** | **$62** |
| 18"D Left-Hand Cantilever | **HCTL181L** | 3.2 | 0.2 | **$50** | **$62** |
| 24"D Right-Hand Cantilever | **HCTL241R** | 3.7 | 0.6 | **$62** | **$74** |
| 24"D Left-Hand Cantilever | **HCTL241L** | 3.7 | 0.6 | **$62** | **$74** |
| ! *Must be connected into panel slots. | | | | | |
| ! Accelerate® only: Cantilevers only to be used on worksurface runs 72"W or less. | | | | | |
| ! Use with runs 72" or less – avoid installation on only one side of a straight connection except to support corner worksurfaces. Floor support is required for runs longer than 72". | | | | | |
| ! DO NOT position at the end of a panel run where no 90 degree return panel is positioned. | | | | | |
| ! DO NOT use to support worksurfaces from which a hanging pedestal is suspended, or to which a peninsula worksurface is attached. | | | | | |
| ! DO NOT use cantilever brackets to support worksurfaces supported with permanent wall hanger kit. | | | | | |
|  | | | | | |
| **Flat Bracket** | | | | | |
| 18"D | **HHN831118** | 3 | 0.2 | **$86** | **N/A** |
| 24"D | **HHN831124** | 3 | 0.3 | **$88** | **N/A** |
| 30"D | **HHN831130** | 3 | 0.4 | **$88** | **N/A** |
| NOTES: Flat Brackets can be used to connect one worksurface perpendicular to another worksurface. | | | | | |
| ! Charcoal only. | | | | | |
|  *Specify paint* | | | | | |
| **Worksurface Bracket Kit*** | | | | | |
| One Pair | **HWSB2** | 1 | 0.1 | **$64** | **$69** |
| NOTES: Used to connect the end of a worksurface to a panel of the same width. | | | | | |
| ! Always use when the depth side of a worksurface is against a panel (return/wing panel) of the same dimension. This will increase the sturdiness of the workstation. | | | | | |
| ! *Must be connected into panel slots. | | | | | |
|  | | | | | |
| **Anti-Dislodgement Bracket Kit** | **HWSA2** | 1 | 0.1 | **$62** | **$67** |
| NOTES: To be used with models HMBPOST1 and HLSL28P Post Leg Base. | | | | | |

**NOTES:**
- The supports included on this page can be used with Systems Worksurfaces.

## HOW TO SPECIFY

**Select Model Number**

H C T L 2 4 2 .

**Select Paint Color**

See page 377


T 1

GSA SIN 33721

Icon Legend on page 19

# WORKSURFACE BRACKETS



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
|  **Flagship® Pedestal to Panel Bracket Kit, Left** | **HPD2PNBRK2L** | 3.0 S | 0.3 | **$153** | **$163** | **$165** |
| **Flagship® Pedestal to Panel Bracket Kit, Right** | **HPD2PNBRK2R** | 3.0 S | 0.3 | **$153** | **$163** | **$165** |

NOTES: Bracket to attach 22⅞"D pedestals to 24"D worksurface or 28⅞"D pedestals to 30"D worksurface.




**Worksurface to Tower Bracket Kit**

Bracket to attach storage towers to worksurfaces. **HSTB2W1** 4.0 S 0.6 **$116** **$131** **$133**

NOTES: Replaces the need for a panel attached end panel. Standard with hardware to attach bracket to panel and worksurface.

! Bracket cannot be used as a support when placing Stack-on Storage on worksurface over bracket. Must use two full-sized supports when using Stack-on Storage.

! Not for use with systems support pedestals.



**Worksurface-to-Wing Panel Bracket**

| | | | | | | |
|---|---|---|---|---|---|---|
| 24"W | **HWSR24** | 2.5 | 0.4 | **$81** | **N/A** | **N/A** |
| 30"W | **HWSR30** | 3.0 | 0.4 | **$81** | **N/A** | **N/A** |
| 36"W | **HWSR36** | 3.5 | 0.5 | **$81** | **N/A** | **N/A** |
| 42"W | **HWSR42** | 4.0 | 0.5 | **$81** | **N/A** | **N/A** |
| 48"W | **HWSR48** | 4.5 | 0.6 | **$81** | **N/A** | **N/A** |

NOTES:

- To be used when the adjacent wing panel is wider than the worksurface depth.
- Specify support to the same width as your adjacent wing panel, not the depth of your worksurface.
- Support spans the entire width of the wing panel.
- Supports are non-handed.

## HOW TO SPECIFY

**Select Model Number**

H P D 2 P N B R K 2 L .

**Select Paint Color**

See page 377


T 1

# SYSTEMS
## Worksurface Supports

GSA SIN 33721

Icon Legend on page 19





*Specify paint*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|
| **Abound® and Accelerate® Permanent-Wall Hanger Kit**<br>Wall Hanger Kit (2 pieces)<br>66″H LH/RH End Pair | **HRVC35PCE** | 6 | 0.7 | **$302** | **$324** |
| Shared Wall Hanger Kit<br>66″H | **HRVC35PCM** | 3 | 0.7 | **$160** | **$172** |

NOTES: Anchor devices are not supplied with these models. Refer to Abound® or Accelerate® Installation instructions for appropriate hardware. Used to hang storage cabinets and bookshelves from permanent wall, and/or to attach worksurfaces to permanent wall.

Attachment to masonry walls is not recommended.

Worksurfaces should not be supported with Cantilever brackets when using Permanent-Wall Hanger Kit.

**NOTES:**

- Wall track has ⅛″ x ½″ slots on 1″ centers.
- Customer to furnish connecting hardware. (Refer to Installation Instructions for appropriate hardware.)
- Includes a cover for top of channel.

## HOW TO SPECIFY

**Select Model Number**

H R V C 3 5 P C E .

**Select Paint Color**

See page 377



T 1

GSA SIN 33721

Icon Legend on page 19

# STANDING-HEIGHT WORKSURFACE SUPPORTS



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
|  | **Standing-Height O-Leg Support for Worksurfaces** | | | | | |
| | 24″D x 41″H | **HLSL2441O** | 16 | 5.3 | **$594** | **$602** |
| | 30″D x 41″H | **HLSL3041O** | 17 | 6.5 | **$665** | **$673** |
| | NOTES: Ship fully assembled, 1/package. Non-handed. | | | | | |
|  | **Standing-Height O-Leg Shared Support for Worksurfaces** | | | | | |
| | 24″D x 41″H | **HLSL2441SL** | 16 | 5.3 | **$670** | **$678** |
| | 30″D x 41″H | **HLSL3041SL** | 17 | 6.5 | **$740** | **$748** |
| | NOTES: Ship fully assembled, 1/package. Non-handed. | | | | | |

**NOTES:**

- O-leg glides have 2″ adjustability.
- Shared O-legs create a cleaner aesthetic in all applications where two legs are used side-by-side.
- O-Leg to Panel Attachment Brackets are used to connect Voi® O-Legs to a systems panel for additional worksurface rigidity.

! O-legs may only be attached to worksurfaces, not storage units.

## HOW TO SPECIFY

**Select Model Number**

H L S L 2 4 4 1 O .

**Select Paint Color**

See page 173




T 1

# SYSTEMS
# Standard Height Support Pedestals

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Standard Height Freestanding Support Pedestals — Box/Box/File** | | | | | | |
| | 15″W x 19⅞″D x 28″H | **HVFB20R** | 89.0 | 7.0 | **$737** | **$768** | **$785** |
| | 15″W x 22⅞″D x 28″H | **HVFB23R** | 95.0 | 8.0 | **$759** | **$790** | **$809** |
|  | **Standard Height Freestanding Support Pedestals — File/File** | | | | | | |
| | 15″W x 19⅞″D x 28″H | **HVFF20R** | 88.0 | 7.0 | **$731** | **$762** | **$779** |
| | 15″W x 22⅞″D x 28″H | **HVFF23R** | 94.0 | 8.0 | **$752** | **$783** | **$802** |
|  | **Optional Pencil Tray** | **HV-UT1** | 0.5 | 0.1 | **$97** | **N/A** | **N/A** |
| | For use with mobile and freestanding pedestal models. | | | | | | |
| | No specification required. | | | | | | |

**NOTES:**
- 28″H fits under all HON worksurfaces and desk shells.
- Ball-bearing suspension on file drawer (90% extension), and box drawer (90% extension on both drawers).
- File drawers have high sides for filing front-to-back.
- Available in “R” pull only.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.

Freestanding models must be used under a worksurface only.

## HOW TO SPECIFY

**Select Model Number**

H V F B 2 0 R .

**Select Lock Option**

**L** Lock (no upcharge)

L .

**Select Paint Color**

See page 377

P


GSA SIN 33721 EXCEPT AS NOTED

Icon Legend on page 19

# SYSTEMS


## Accessories — Paper Management / Markerboards





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Paper Management Support Bars** | | | | | | |
| 24″W x 5″H | **HNPMBSW24** | 1.3 | 0.4 | **$260** | **$274** | **$284** |
| 30″W x 5″H | **HNPMBSW30** | 1.5 | 0.5 | **$279** | **$293** | **$303** |
| 36″W x 5″H | **HNPMBSW36** | 2.0 | 0.6 | **$289** | **$303** | **$313** |
| 42″W x 5″H | **HNPMBSW42** | 5.0 | 0.7 | **$303** | **$317** | **$327** |
| 48″W x 5″H | **HNPMBSW48** | 7.0 | 0.8 | **$316** | **$330** | **$340** |
| 60″W x 5″H | **HNPMBSW60** | 9.0 | 0.9 | **$358** | **$372** | **$382** |


! Recommended weight capacity not to exceed 80 pounds. Paper management bar attaches to Systems panels/frames to accommodate work flow accessories.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Markerboards** | | | | |
| 36″W x 24″H | **HHMRK36** | 15.0 | 3.2 | **$674** |
| 42″W x 24″H | **HHMRK42** | 17.0 | 4.0 | **$731** |
| 48″W x 24″H | **HHMRK48** | 19.0 | 4.6 | **$786** |

! No color specification required.

! Can be used as a writing surface/magnetic bulletin board.



**OPEN MARKET**

**Back Pack Hook (10 per carton)**

2¼″W x 2$^{3}/_{100}$″D x 1¾″H **HCLA65** 10.0 0.1 **$123**

NOTES: Assembly: attaches to bottom of desk with (2) screws, included.

! Available in Titanium finish only, no specification needed.

## HOW TO SPECIFY

**Select Model Number**

H N P M B S W 2 4 .

**Select Paint Color**

See page 377

P 8 S

# VERSÉ®

Want to see more? Scan here to check out hon.com.



Versé® Panels shown with SmartLink® Value Mobile Storage, Between™ Multi-Purpose Table, and Motivate® Stacking Chair.

## VERSÉ®

Create more personal space in open areas with the Versé panel system. Easily connected and endlessly reconfigurable, Versé panels can maintain sightlines or maximize privacy, and keep frequently used items conveniently within reach. It's the smart long-term investment to support short-term work environments that are constantly changing.






**FEATURES**


- A variety of Versé panel widths and heights easily connect to one another to form workstations or offer privacy as space dividers. Available in sizes ranging from 24″-72″W and 42″-72″H.
- Steel hanging shelf hangs off the top of a Versé panel.
- Choose from three paint options to customize your office space.

# VERSÉ® Panel System








**"L" Configuration**




**"T" Configuration**






## FEATURES

### Panels

- Use Versé as a privacy panel (stand-alone) to create space division.

### QuickConnect

(See page 530 for more details on this hardware.)

- Our QuickConnect connectors allow for easy installation. Simply snap on the connectors at the top and bottom of the panel and slide the panels together. There are only two connectors to specify for almost all configurations.

### Storage

- Shelving capabilities. Each shelf width must match width of panel.

## PANEL DIMENSIONS AND GROWTH ALLOWANCES

- All panel runs must be supported at each end of the panel run and supported at least every 8′ within the panel run (maximum of 8′ between supports).
- Support can be in the form of an adjustable wall bracket or return panel at 90˚ to the run.
- When using an "L" configuration, the return panel must measure at least 60% (minimum 36") of the unsupported run.
- When using a "T" configuration, each return panel must measure at least 20% of the unsupported run.
- Return panels can be no more than 24" lower than the panel height in the unsupported run.
- When used in conjunction with hanging shelves, panel width must match width of shelf.

## VERSÉ PANELS

### Includes

- Adjustable glides with all panels.

### What Do I Need?

- QuickConnect Connectors.


### Special Notes

- Versé panels feature a soft, padded look.
- Panels packed two per carton when possible.


# VERSÉ® Panel System




| Connection Type | Connectors Needed |
|---|---|
| Straight | 1 pair – 180˚ |
| 2-way (L) | 1 pair – 90˚ |
| 3-way (T) | 2 pair – 90˚ |
| 4-way (X) | 3 pair – 90˚ |











## CONNECTING HARDWARE

### Versé QuickConnect User Instructions

- Versé QuickConnect is easy to install. Simply snap on the connectors at the top and bottom of the panel and slide the panels together. There are only two connectors to specify for almost all configurations, including multi-height connections.
- 180˚ Straight Connector – use when connecting two panels together for a straight connection or for multi-height straight connections.
- 90˚ Corner Connector – use for 2-way, 3-way and 4-way corner connections. Only one pair is needed per corner connection or for multi-height corner connections.

## HARDWARE

### Special Notes

- Connectors add to the overall dimensions of the panel installation.
- These connector dimensions are important when space planning and sizing your panel layout.
- All hardware items may ship by a parcel service.
- Use HBV-PBS bracket with freestanding furniture for optimal workstation rigidity.

## SHELVES

- Steel shelves are 14½" high.
- End brackets included.
- Must match panel width.
- Easy assembly; no tools required.

## PAINT & PANEL FABRIC ORDERING CODES

| PAINTS | |
|---|---|
| Black | P |
| Light Gray | Q |
| Putty | L |

| FABRIC PANELS | |
|---|---|
| SEAWAY | 2310 |
| ◇ Grey | 2310GRE |

| FABRIC PANELS *continued* | |
|---|---|
| CENTURION* | CU |
| ♦ Apricot | CU47 |
| ♦ Bark | CU25 |
| ♦ Black | CU10 |
| ♦ Espresso | CU49 |
| ♦ Fog | CU03 |
| ♦ Frost | CU22 |
| ♦ Goldenrod | CU27 |
| ♦ Indigo | CU06 |
| ♦ Iris | CU50 |
| ♦ Iron Ore | CU19 |
| ♦ Jade | CU83 |
| ♦ Marsala | CU63 |
| ♦ Morel | CU24 |
| ♦ Navy | CU98 |
| ♦ Peacock | CU97 |
| ♦ Pear | CU84 |
| ♦ Ruby | CU67 |
| ♦ Sapphire | CU09 |

| FABRIC PANELS *continued* | |
|---|---|
| CONTOURETT POLYURETHANE* | VUR |
| ♦ Baltic | VUR94 |
| ◊ Beach | VUR23 |
| ♦ Black | VUR10 |
| ◊ Bordeaux | VUR63 |
| ◊ Buff | VUR22 |
| ♦ Cloud | VUR18 |
| ◊ Coffee Bean | VUR49 |
| ◊ Crater | VUR51 |
| ◊ Flame | VUR62 |
| ♦ Graphite | VUR19 |
| ♦ Iron | VUR20 |
| ◊ Luggage | VUR26 |
| ◊ Marine | VUR92 |
| ♦ Navy | VUR95 |
| ♦ Nimbus | VUR93 |
| ♦ Ocean | VUR96 |
| ◊ Pumpkin | VUR42 |

| FABRIC PANELS *continued* | |
|---|---|
| CONTOURETT POLYURETHANE* *continued* | VUR |
| ◊ Quarry | VUR24 |
| ◊ Red | VUR64 |
| ◊ Safari | VUR27 |
| ◊ Sage | VUR82 |
| ♦ Steel | VUR21 |
| ♦ Storm | VUR17 |
| ◊ Taupe | VUR28 |
| ◊ Trunk | VUR50 |


* Centurion and Contourett fabrics are only able to exceed 54" **in one direction** (vertically or horizontally), not both directions.

To clean Versé Panels with Contourett use a 1:5 diluted bleach and water mixture or Virex II 256. Leave cleaning solution on for at least 30 seconds but no longer than two minutes. Thoroughly remove the solution from the surface with a clean cloth and warm water. May cause discoloration if left on the surface longer than the suggested time or not removed after sanitizing.


♦ ◊ ◊ For lead time information see page 21.

# VERSÉ® Panel System






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **42″H Panel** | | | | |
| 42″H x 24″W | **HBV-P4224** | 18 | 1.8 | **$442** |
| 42″H x 30″W | **HBV-P4230** | 22 | 2.2 | **$459** |
| 42″H x 36″W | **HBV-P4236** | 24 | 2.7 | **$465** |
| 42″H x 42″W | **HBV-P4242** | 33 | 3.1 | **$467** |
| 42″H x 48″W | **HBV-P4248** | 34 | 3.6 | **$488** |
| 42″H x 60″W | **HBV-P4260** | 36 | 4.4 | **$524** |
| 42″H x 72″W | **HBV-P4272** | 48 | 5.3 | **$603** |



| | | | | |
|---|---|---|---|---|
| **60″H Panel** | | | | |
| 60″H x 24″W | **HBV-P6024** | 30 | 2.5 | **$491** |
| 60″H x 30″W | **HBV-P6030** | 33 | 3.2 | **$509** |
| 60″H x 36″W | **HBV-P6036** | 35 | 3.8 | **$510** |
| 60″H x 42″W | **HBV-P6042** | 37 | 4.4 | **$535** |
| 60″H x 48″W | **HBV-P6048** | 42 | 5.0 | **$542** |
| 60″H x 60″W | **HBV-P6060** | 54 | 6.4 | **$566** |
| 60″H x 72″W | **HBV-P6072** | 60 | 7.5 | **$662** |



| | | | | |
|---|---|---|---|---|
| **72″H Panel** | | | | |
| 72″H x 24″W | **HBV-P7224** | 39 | 3.0 | **$553** |
| 72″H x 30″W | **HBV-P7230** | 40 | 3.8 | **$563** |
| 72″H x 36″W | **HBV-P7236** | 44 | 4.5 | **$591** |
| 72″H x 42″W | **HBV-P7242** | 46 | 5.2 | **$617** |
| 72″H x 48″W | **HBV-P7248** | 50 | 6.0 | **$633** |
| 72″H x 60″W | **HBV-P7260** | 62 | 7.5 | **$700** |

**NOTES:**

- **HON 5-Year Limited Warranty.**
- Panels feature 1″ powder coat painted steel frame construction with interior reinforcement, ¼″ foam padding and ⅛″ M.D.F.
- All panels include adjustable glides.
- To free-stand a single Versé panel or to stabilize the end of a panel run, order T-base stabilizing foot shown on page 530.

## HOW TO SPECIFY

**Select Model Number**

H B V - P 4 2 2 4 .

**Select Upholstery**

See page 528

2 3 1 0 G R E .

**Select Trim Color**

See page 528

P




# VERSÉ® Panel System

OPEN MARKET

S

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **180° QuickConnect Straight Panel Connector**<br>**Pair** | **HBV-QC180** | 0.1 | 0.3 | **$38** |
| | NOTES: 180° connector to be used to connect two panels in a straight connection or for multi-height straight connections. | | | | |
|  | **90° QuickConnect Panel Connector**<br>**Pair** | **HBV-QC90** | 0.1 | 0.3 | **$38** |
| | NOTES: 90° connector to be used for 2-way, 3-way or 4-way corner connections, or for multi-height connections. | | | | |
|  | **Wall Bracket** | **HBV-PWB1** | 0.2 | 0.3 | **$78** |
|  | **Panel-to-Worksurface Bracket**<br>**Pair** | **HBV-PBS** | 0.3 | 0.3 | **$65** |
|  | **T-Base Stabilizing Foot**<br>1¼"H x 18¾"L | **HBV-TBASE** | 6.0 | 0.3 | **$71** |
|  | **Hanging Shelves** | | | | |
| | 24"W x 12¾"D | **HBV-VSH24** | 9.0 | 1.2 | **$283** |
| | 30"W x 12¾"D | **HBV-VSH30** | 10.0 | 1.5 | **$315** |
| | 36"W x 12¾"D | **HBV-VSH36** | 12.0 | 1.8 | **$342** |
| | 42"W x 12¾"D | **HBV-VSH42** | 13.0 | 2.0 | **$368** |
| | 48"W x 12¾"D | **HBV-VSH48** | 14.0 | 2.3 | **$422** |
| | 60"W x 12¾"D | **HBV-VSH60** | 19.0 | 2.9 | **$478** |
| | NOTES: Shelves hang over the top of panels. Supporting panel must match the width of the shelf. | | | | |

**NOTES:**

- **HON 5-Year Limited Warranty.**
- T-base stabilizing foot optional.
- Extruded aluminum connectors are sold in pairs and are used at top and bottom of panels.
- Shelves feature steel construction with powder coat paint finish.
- Shelves ship easy to assemble – no tools required.

## HOW TO SPECIFY

**Select Model Number**

H B V - Q C 1 8 0 .

**Select Trim Color**

See page 528

P

# OVERVIEW OF PERSONAL STORAGE AND PEDESTALS



**LATERAL FILES**
*Advantages:*
a) The most efficient means of conventional filing; b) Ideal for active filing in workstations, where higher volume capacity is necessary and retrieval is frequent

*Considerations:*
2-drawer steel lateral files fit under standard-height worksurfaces when using panel systems.

**VERTICAL FILES**
*Advantages:*
a) Economical; b) The most widely used filing method; c) requires minimal floor space

*Considerations:*
Vertical files are best suited for long-term storage, where retrieval is less frequent. For larger banks of files, lateral files are more space-efficient than vertical files.

**BOOKCASES**
*Advantages:*
a) These units are ideal for binders, reference books or other items;
b) Available with your choice of fixed or movable shelves

*Considerations:*
If working with panel systems, it is more attractive to specify units that are lower than the panel height.

## FILING TECHNIQUES

| Type | Standing Files | Hanging Files |
|---|---|---|
| Advantages | Inexpensive.<br>Uses existing file folders. | Easier organization and identification of the file folders. Files viewed from top. Remaining files hold their place when folders are removed. Easier to re-stock. |
| Requirements | Follower block or Dividers | Hangrails or high-drawer sides |
| Can be used in | • Vertical files (front-to-back only)<br>• Lateral files (side-to-side only in drawers)<br>• Shelf files (side-to-side only) | • Vertical files (front-to-back only)<br>• Lateral files (front-to-back or side-to-side in drawers) |

**Contain®/Flagship®/Brigade® Series Pedestals Utilization with 38000 Series.**

| Pedestal Depths | Abound® and Accelerate® Panel-Hung Worksurfaces | | | 38000 Series Modular Desks | | |
|---|---|---|---|---|---|---|
| | 18″ Deep | 24″ Deep | 30″ Deep | 24″ Deep | 30″ Deep | 36″ Deep |
| 16¾″ Deep | • | • | • | • | • | • |
| 22⅞″ Deep | | • | • | •* | • | • |
| 28⅞″ Deep | | | • | | • | • |

* Cannot attach 22⅞″D Hanging Pedestal.

## WORKING WITH STORAGE PEDESTALS


Storage Pedestals are available in 5 styles:
- Box/File Mobile.....(Model Nos. beginning with HSPM)
- Freestanding .....(Model Nos. beginning with HSPF)
- Hanging .....(Model Nos. beginning with HSPH)
- Worksurface Supporting**.....(Model Nos. beginning with HSPS)
- Under Worksurface Mobile.....(Model Nos. beginning with HSPM)

Worksurface height supporting pedestals have a taller base plate, resulting in a taller overall cabinet height. Consideration must be made to ensure that units align visually with each other. The accompanying chart will help you select the correct pedestal for your application.


| Pedestal Models (Nos. begin with) | Style | Overall Height | Base Height | Spacer Required Below Worksurface |
|---|---|---|---|---|
| **HSPM or H15** | Box/File mobile | 22⅝″ | N/A | N/A |
| **HSPF** | Freestanding | 28″ | 3½″ | NO |
| **HSPH or H14** | Hanging | 19½″ | N/A | N/A |
| **HSPS or H19 or H36** | Worksurface supporting** | 28″ | 3⅛″ | NO |
| **HSPM or H18 or H33** | Under Worksurface mobile | 28″ | 3⅛″ | NO |

** Units will support conventional 29½″H worksurfaces, WITHOUT SPACERS.


## LATERAL FILING OPTIONS




**Front-to-back filing:**
**30″ wide files*:** 30½″ of filing with letter/letter rows.
**36″ wide files*:** 30½″ of filing with letter/letter, legal/legal, or letter/legal rows.



**42″ wide files:** 45¾″ of filing with 3 rows letter or 30½″ of 2 rows legal, or 2 standard printout rows.




**Side-to-side filing:**
**30″ wide files:** 27″ of filing with letter or legal.
**36″ wide files:** 33″ of filing with letter or legal.
**42″ wide files:** 39″ of filing with letter or legal.




**Combination filing:**
(front-to-back with side-to-side in one drawer)
**30″ wide files:** not recommended.
**36″ wide files:** 15¼″ of front-to-back filing and 20¼″ of side-to-side legal filing.
**42″ wide files:** 15¼″ of front-to-back filing and 26¼″ of side-to-side legal filing.

* Requires H919491 optional hangrails.


# HON LATERAL FILES AT A GLANCE




**Flagship®**




**Brigade® Model H872L**



**Brigade® Model H772L**



**Brigade® Model H672L**




**400 Series**

Flagship Series lateral files are 18″D.
Brigade® 800 and 700 Series lateral files are all 18″D.


| Series | Widths Available | Heights Available | Suspension Style | Usage | Pull | Safety Interlock | Lock | Features |
|---|---|---|---|---|---|---|---|---|
| **Flagship, Brigade® 800, 700, 600** | 30″<br>36″<br>42″ | 2 dwr<br>3 dwr<br>4 dwr<br>5 dwr | Heavy-Duty ball-bearing (telescoping) | Intensive | **Flagship Series**<br>3 Pulls available.<br>See page 534.<br>**Brigade® 800 Series**<br>Full-width radius designer style<br>**Brigade® 700 Series**<br>Full-width designer style<br>**Brigade® 600 Series**<br>Anodized Aluminum | Positive Mechanical | Core removable | • 4 leveling glides<br>• 2 hangrails per drawer<br>• Rack resistant case reinforcement<br>• Flagship® and Brigade® can be used with Storage Islands |
| **400** | 30″<br>36″ | 2 dwr<br>4 dwr | Ball-bearing | Moderate | Color-matched polymer Monochromatic drawer pulls | Positive Mechanical | Core removable | • 2 leveling glides |

All products meet or exceed ANSI/BIFMA and ISTA performance standards.

# HON VERTICAL FILES AT A GLANCE



Model H312



Model H512

Vertical files listed below meet or exceed ANSI/BIFMA and ISTA performance standards.
They are available in 15″W letter and 18¼″W legal widths.

| Series | Depth | Heights Available | Suspension Style | Lock | Accepts Hanging Files | Features |
|---|---|---|---|---|---|---|
| **310** Series | 26½″ | 2 dwr<br>4 dwr<br>5 dwr | Three-part telescoping, ball-bearing steel suspension | **INCLUDED** core removable | **YES** (Hangrails not required) | **Follower Block standard** |
| **510** Series | 25″ | 2 dwr<br>4 dwr | Three-part telescoping, ball-bearing steel suspension | **INCLUDED** core removable | **YES** (Hangrails not required) | **Adjustable wire follower** |

# STORAGE AND FILES ORDERING INFORMATION



## CONTAIN® PRODUCT

| L1 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| ♦ Bourbon Cherry | H |
| ♦ Cognac | COGN |
| ♦ Field Elm | LWFE |
| ♦ Florence Walnut | LFW1 |
| ♦ Harvest | C |
| ♦ Kingswood Walnut | LKI1 |
| ♦ Mahogany | N |
| ♦ Mocha | MOCH |
| ♦ Natural Maple | D |
| ♦ Pinnacle | PINC |
| ♦ Shaker Cherry | F |
| ♦ Sterling Ash | LSA1 |

| L2 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| ♦ Beigewood | LWBE |
| ♦ Fawn Cypress | LFC1 |
| ♦ Lowell Ash | LLA1 |
| ♦ Natural Recon | LNR1 |
| ♦ Phantom Ecru | LPE1 |
| ♦ Portico Teak | LPT1 |
| ♦ Skyline Walnut | LSW1 |

## OPTIONAL LAMINATE TOPS FOR LATERAL FILES AND CONTAIN® CREDENZAS

| L1 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| ♦ Bourbon Cherry | H |
| ♦ Cognac | COGN |
| ♦ Field Elm | LWFE |
| ♦ Florence Walnut | LFW1 |
| ♦ Harvest | C |
| ♦ Kingswood Walnut | LKI1 |
| ♦ Mahogany | N |
| ♦ Mocha | MOCH |
| ♦ Natural Maple | D |
| ♦ Pinnacle | PINC |
| ♦ Shaker Cherry | F |
| ♦ Sterling Ash | LSA1 |
| **Solid** | |
| ♦ Charcoal | S |
| ♦ Designer White | LDW1 |
| ♦ Loft | LOFT |
| **Patterned** | |
| ♦ Handspun Chestnut | LAHC |
| ◊ Handspun Dove | LAHD |
| ♦ Handspun Pearl | LAHP |
| ◊ Handspun Slate | LAHS |
| ♦ Silver Mesh* | B9 |
| ◊ Gray* | G2 |
| ◇ White* | G1 |

| L2 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| ♦ Beigewood | LWBE |
| ♦ Fawn Cypress | LFC1 |
| ♦ Lowell Ash | LLA1 |
| ♦ Natural Recon | LNR1 |
| ♦ Phantom Ecru | LPE1 |
| ♦ Portico Teak | LPT1 |
| ♦ Skyline Walnut | LSW1 |

## OPTIONAL LAMINATE TOPS FOR STEEL BOOKCASES

| L1 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| ♦ Bourbon Cherry | H |
| ♦ Field Elm | LWFE |
| ♦ Florence Walnut | LFW1 |
| ♦ Harvest | C |
| ♦ Kingswood Walnut | LKI1 |
| ♦ Mahogany | N |
| ♦ Natural Maple | D |
| ♦ Shaker Cherry | F |
| ♦ Sterling Ash | LSA1 |
| **Solid** | |
| ♦ Charcoal | S |
| ♦ Designer White | LDW1 |
| **Patterned** | |
| ♦ Handspun Chestnut | LAHC |
| ◊ Handspun Dove | LAHD |
| ♦ Handspun Pearl | LAHP |
| ◊ Handspun Slate | LAHS |
| ♦ Silver Mesh* | B9 |
| ◊ Steel Mesh* | A9 |
| ◊ Gray* | G2 |
| ◇ White* | G1 |

## 1870 SERIES BOOKCASES

| L1 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| ♦ Cognac | COGN |
| ♦ Harvest | C |
| ♦ Mahogany | N |

## FLAGSHIP®, CONTAIN® PRODUCT, BRIGADE PEDESTALS, BRIGADE 800, 700, 600 LATERAL FILES, 210, 310, AND 510 SERIES VERTICAL FILES, BRIGADE STORAGE CABINETS, BRIGADE STEEL BOOKCASES

| PAINTS | CODES |
|---|---|
| **P1** | |
| ◊ Black | P |
| ◊ Brownstone | P7D |
| ◊ Charcoal | S |
| ◊ Designer White | PJW |
| ◊ Fossil | P28 |
| ◊ Greige | T5 |
| ◊ Light Gray | Q |
| ◊ Loft | LOFT |
| ◊ Muslin | T3 |
| ◊ Putty | L |
| ◊ Titanium | P8T |
| **P2** | |
| ◊ Champagne Metallic | T4 |
| ◊ Gunmetal Metallic | PR3 |
| ◊ Platinum Metallic | T1 |
| ◊ Silver** | PR6 |
| ◊ Solar Black** | P8X |

## 400 SERIES LATERAL

| PAINTS | CODES |
|---|---|
| **P1** | |
| ◊ Black | P |
| ◊ Light Gray | Q |
| ◊ Loft | LOFT |
| ◊ Putty | L |

## FLAMESAFE™

| PAINTS | CODES |
|---|---|
| **P1** | |
| ◊ Black | P |
| ◊ Light Gray | Q |
| ◊ Putty | L |

## PULL OPTIONS FOR CONTAIN® AND FLAGSHIP® STORAGE

**Suffix "A"**



Satin Chrome Arch Pull

**Suffix "N"**



Full Face Integral Drawer Pull

**Suffix "R"**



Full Radius Drawer Pull

*NOTES: Arch pulls available in Satin Chrome only.*

** Laminate colors will have the following pre-set edgeband colors:*
*** Only available on Flagship® Pedestals and Contain®.*

| *Laminate* | *Edge* |
|---|---|
| *Handspun Chestnut* | *Loft* |
| *Handspun Dove* | *Loft* |
| *Handspun Pearl* | *Loft* |
| *Handspun Slate* | *Charcoal* |
| *Silver Mesh* | *Loft* |
| *Steel Mesh* | *Charcoal* |
| *Gray* | *Charcoal* |
| *White* | *Charcoal* |

*Edgeband matches top except as noted.*

*For Champagne Metallic Paint, Muslin is the suggested edgeband color. When Champagne Metallic Paint is selected, pulls are standard in Muslin.*

- *The HON Company has elected to discontinue the HON Choice paint program, as of 12/31/2018, and roll it into our standard specials process.*
- *A special request will need to be submitted to receive pricing and order information.*

♦ ◊ ◇ *For lead time information see page 21.*

# BRIGADE®

Want to see more? Scan here to check out hon.com.



Brigade® Storage.



## BRIGADE®

You don't need an army to bring order to your office. Just a brigade. Sturdily built to rigorous specifications, our Brigade storage is ready to serve any organization needing top-quality storage. With welded construction and features like heavy-duty steel ball-bearing suspensions, it outlasts and outperforms most build-it-yourself options. Brigade was built to soldier on.







### FEATURES

- Clean, straightforward design complements and blends in with any workspace.
- Optional Storage Islands laminate tops provide extra surface area for technology tools, collating or stand-up work.
- With a combination of reasonable pricing and high quality, Brigade is a value that's hard to beat.
- Heavy-duty Steel ball-bearing drawer suspensions operate easily and quietly.
- Mechanical interlock prevents more than one drawer from being opened at a time, for stability.

# BRIGADE® ORDERING INFORMATION



## BRIGADE PRODUCTS

**PAINTS ..... CODES**

**P1**

- ◊ Black ..... **P**
- ◊ Brownstone ..... **P7D**
- ◊ Charcoal ..... **S**
- ◊ Designer White ..... **PJW**
- ◊ Fossil ..... **P28**
- ◊ Greige ..... **T5**
- ◊ Light Gray ..... **Q**
- ◊ Loft ..... **LOFT**
- ◊ Muslin ..... **T3**
- ◊ Putty ..... **L**
- ◊ Titanium ..... **P8T**

**P2**

- ◊ Champagne Metallic ..... **T4**
- ◊ Gunmetal Metallic ..... **PR3**
- ◊ Platinum Metallic ..... **T1**

## OPTIONAL LAMINATE TOPS FOR LATERAL FILES AND CONTAIN® CREDENZAS

**L1 LAMINATES ..... CODES**

**Woodgrain**

- ◆ Bourbon Cherry ..... **H**
- ◆ Cognac ..... **COGN**
- ◆ Field Elm ..... **LWFE**
- ◆ Florence Walnut ..... **LFW1**
- ◆ Harvest ..... **C**
- ◆ Kingswood Walnut ..... **LKI1**
- ◆ Mahogany ..... **N**
- ◆ Mocha ..... **MOCH**
- ◆ Natural Maple ..... **D**
- ◆ Pinnacle ..... **PINC**
- ◆ Shaker Cherry ..... **F**
- ◆ Sterling Ash ..... **LSA1**

**Solid**

- ◆ Charcoal ..... **S**
- ◆ Designer White ..... **LDW1**
- ◆ Loft ..... **LOFT**

**Patterned**

- ◆ Handspun Chestnut ..... **LAHC**
- ◊ Handspun Dove ..... **LAHD**
- ◆ Handspun Pearl ..... **LAHP**
- ◊ Handspun Slate ..... **LAHS**
- ◆ Silver Mesh* ..... **B9**
- ◊ Steel Mesh* ..... **A9**
- ◊ Gray* ..... **G2**
- ◇ White* ..... **G1**

**L2 LAMINATES ..... CODES**

**Woodgrain**

- ◆ Beigewood ..... **LWBE**
- ◆ Fawn Cypress ..... **LFC1**
- ◆ Lowell Ash ..... **LLA1**
- ◆ Natural Recon ..... **LNR1**
- ◆ Phantom Ecru ..... **LPE1**
- ◆ Portico Teak ..... **LPT1**
- ◆ Skyline Walnut ..... **LSW1**

*For Champagne Metallic Paint, Muslin is the suggested edgeband color.*

- *The HON Company has elected to discontinue the HON Choice paint program, as of 12/31/2018, and roll it into our standard specials process.*
- *A special request will need to be submitted to receive pricing and order information.*

** Laminate colors will have the following pre-set edgeband colors:*

| *Laminate* | *Edge* |
|---|---|
| *Handspun Chestnut* | *Loft* |
| *Handspun Dove* | *Loft* |
| *Handspun Pearl* | *Loft* |
| *Handspun Slate* | *Charcoal* |
| *Silver Mesh* | *Loft* |
| *Steel Mesh* | *Charcoal* |
| *Gray* | *Charcoal* |
| *White* | *Charcoal* |

*Edgeband matches top except as noted.*





◆ ◊ ◇ *For lead time information see page 21.*

GSA SIN 33721

Icon Legend on page 19

# BRIGADE® Standard Height Pedestals



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Standard Height Mobile Pedestals — Box/Box/File** | | | | | | |
| | 15″W x 19⅞″D x 28″H | **H33720(?)** | 73 | 6.6 | **$835** | **$866** | **$896** |
| | 15″W x 22⅞″D x 28″H | **H33723(?)** | 77 | 7.5 | **$860** | **$891** | **$921** |
|  | **Standard Height Mobile Pedestals — File/File** | | | | | | |
| | 15″W x 19⅞″D x 28″H | **H33820(?)** | 73 | 6.6 | **$835** | **$866** | **$896** |
| | 15″W x 22⅞″D x 28″H | **H33823(?)** | 77 | 7.5 | **$860** | **$891** | **$921** |
|  | **Standard Height Freestanding Support Pedestals — Box/Box/File** | | | | | | |
| | 15″W x 19⅞″D x 28″H | **H36720(?)** | 61 | 6.6 | **$818** | **$849** | **$879** |
| | 15″W x 22⅞″D x 28″H | **H36723(?)** | 83 | 7.5 | **$848** | **$879** | **$909** |
|  | **Standard Height Freestanding Support Pedestals — File/File** | | | | | | |
| | 15″W x 19⅞″D x 28″H | **H36820(?)** | 61 | 6.6 | **$818** | **$849** | **$879** |
| | 15″W x 22⅞″D x 28″H | **H36823(?)** | 83 | 7.5 | **$848** | **$879** | **$909** |

**NOTES:**

- 28″H fits under all HON worksurfaces and desk shells.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- Ball-bearing suspension on file and box drawers with 90% extension.
- File drawers have high sides for filing front-to-back.
- See pages 642-643 for accessories and pedestal utilization information.
- Equipped with HON “One Key” interchangeable core removable locks.
- Front casters are fixed, rear casters swivel on mobile pedestals.
- “N” Pull matches Brigade 700 Series lateral file pull.
- “R” pull matches Brigade 800 Series Lateral Pull.
- See pages 642-643 for Pedestal Accessories. Additional Flagship pedestal models on pages 600-601.

Freestanding support pedestals that are not positioned and attached under a worksurface, require a counterweight kit found on page 642.

## HOW TO SPECIFY

**Select Model Number**

**Select the Pull**

**N** Full Face Integral
**R** Full Radius

H 3 3 7 2 0 R .

**Select Lock Option**

**L** Lock

L .

**Select Paint Color**

See page 536



P

# BRIGADE® 800 SERIES
## Lateral Files w/Drawers

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Lateral File — 2 Drawer** | | | | | | |
| | 30″W x 18″D x 28″H | **H872** | 121 | 12.2 | **$1161** | **$1198** | **$1235** |
| | 36″W x 18″D x 28″H | **H882** | 131 | 14.3 | **$1296** | **$1333** | **$1370** |
| | 42″W x 18″D x 28″H | **H892** | 141 | 16.7 | **$1498** | **$1535** | **$1572** |
|  | **Lateral File — 3 Drawer** | | | | | | |
| | 30″W x 18″D x 39⅛″H | **H873** | 158 | 16.4 | **$1647** | **$1684** | **$1721** |
| | 36″W x 18″D x 39⅛″H | **H883** | 175 | 19.1 | **$1836** | **$1873** | **$1910** |
| | 42″W x 18″D x 39⅛″H | **H893** | 190 | 22.4 | **$2128** | **$2165** | **$2202** |
|  | **Lateral File — 4 Drawer** | | | | | | |
| | 30″W x 18″D x 52½″H | **H874** | 197 | 21.4 | **$1995** | **$2069** | **$2139** |
| | 36″W x 18″D x 52½″H | **H884** | 217 | 25.1 | **$2262** | **$2336** | **$2406** |
| | 42″W x 18″D x 52½″H | **H894** | 232 | 29.4 | **$2597** | **$2671** | **$2741** |
|  | **Lateral File — 5 Drawer** | | | | | | |
| | 30″W x 18″D x 64¼″H | **H875** | 199 | 25.8 | **$2649** | **$2723** | **$2793** |
| | 36″W x 18″D x 64¼″H | **H885** | 215 | 30.1 | **$2982** | **$3056** | **$3126** |
| | 42″W x 18″D x 64¼″H | **H895** | 244 | 35.3 | **$3443** | **$3517** | **$3587** |

**NOTES:**
- 30″, 36″ & 42″ case widths with drawers, 18″ case depth.
- Flush top and sides.
- Reinforced case construction.
- Four adjustable leveling glides.
- Full-width radius designer style pull.
- Features drawer extension restraint; mechanical interlock inhibits the extension of more than one drawer at a time.
- Three-part, telescoping, steel ball-bearing suspension.
- Two adjustable hangrails per drawer for side-to-side filing.
- Counterweight included where applicable to meet ANSI/BIFMA stability requirements.
- Lock mechanism secures both sides of drawer.
- Baked enamel finish over rust-inhibiting phosphate pre-treatment.
- Equipped with HON "One Key" interchangeable core removable locks.
- Optional laminate tops and accessories — see page 640.
- See page 640 for Lateral File Accessories.

Keyed alike cores must be ordered separately — see page 673.


## HOW TO SPECIFY

| Select Model Number | Select Lock Option | Select Paint Color |
|---|---|---|
| H 8 7 2 . | **L** Lock<br>L . | See page 536<br>T 1 |

GSA SIN 33721

Icon Legend on page 19

# BRIGADE® 800 SERIES
## Lateral Files w/Storage



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Lateral File w/Storage — 2 Drawer** | | | | | | |
| 30″W x 18″D x 64¼″H | **H875LS** | 174 | 27.5 | **$2127** | **$2201** | **$2271** |
| 36″W x 18″D x 64¼″H | **H885LS** | 210 | 32.9 | **$2343** | **$2417** | **$2487** |
| 42″W x 18″D x 64¼″H | **H895LS** | 228 | 38.0 | **$2678** | **$2752** | **$2822** |

**NOTES:**
- 30″, 36″ & 42″ case widths, 18″ case depth.
- 46¼″H case – matches height of 800 Series 5 Drawer laterals.
- Bottom two openings are lateral drawers, remainder of case is storage shelves.
- Lateral file drawer features are same as 800 Series Laterals shown on previous page.
- Inside dimension of storage case is 36¼″H. Includes 2 adjustable shelves, adjustable in 2″ increments. Bottom shelves accept two rows of 3-ring binders; top opening measures: 10¼″.
- Storage case is standard with 2 hinged doors. Door pulls match lateral file drawer pulls.
- Equipped with HON "One Key" interchangeable core removable locks. Locks on storage case and lateral file are keyed alike. Lateral file drawers lock independently from storage case.
- Four adjustable leveling glides.
- See page 640 for Lateral File Accessories and page 543 for Wire Dividers.



## HOW TO SPECIFY

**Select Model Number**

H 8 7 5 L S .

**Select Lock Option**

**L** Lock

L .

**Select Paint Color**

See page 536





T 1

# BRIGADE® 700 SERIES
## Lateral Files w/Drawers

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Lateral File — 2 Drawer (locking)** | | | | | | |
| | 30″W x 18″D x 28″H | **H772** | 121 | 12.2 | **$1161** | **$1198** | **$1235** |
| | 36″W x 18″D x 28″H | **H782** | 131 | 14.3 | **$1296** | **$1333** | **$1370** |
| | 42″W x 18″D x 28″H | **H792** | 141 | 16.7 | **$1498** | **$1535** | **$1572** |
|  | **Lateral File — 3 Drawer (locking)** | | | | | | |
| | 30″W x 18″D x 39⅛″H | **H773** | 158 | 16.4 | **$1647** | **$1684** | **$1721** |
| | 36″W x 18″D x 39⅛″H | **H783** | 175 | 19.1 | **$1836** | **$1910** | **$1980** |
| | 42″W x 18″D x 39⅛″H | **H793** | 190 | 22.4 | **$2128** | **$2165** | **$2202** |
|  | **Lateral File — 4 Drawer (locking)** | | | | | | |
| | 30″W x 18″D x 52½″H | **H774** | 197 | 21.4 | **$1995** | **$2069** | **$2139** |
| | 36″W x 18″D x 52½″H | **H784** | 217 | 25.1 | **$2262** | **$2336** | **$2406** |
| | 42″W x 18″D x 52½″H | **H794** | 232 | 29.4 | **$2597** | **$2671** | **$2741** |
|  | **Lateral File — 5 Drawer (locking)** | | | | | | |
| | 30″W x 18″D x 64¼″H | **H775** | 199 | 25.8 | **$2649** | **$2723** | **$2793** |
| | 36″W x 18″D x 64¼″H | **H785** | 215 | 30.1 | **$2982** | **$3056** | **$3126** |
| | 42″W x 18″D x 64¼″H | **H795** | 244 | 35.3 | **$3443** | **$3517** | **$3587** |
| | NOTES: Top drawer is a roll-out shelf. | | | | | | |

**NOTES:**
- 30″, 36″ & 42″ case widths with drawers, 18″ case depth.
- Flush top and sides.
- Reinforced case construction.
- Four adjustable leveling glides.
- Full-face integral drawer pulls.
- Features drawer extension restraint; mechanical interlock inhibits the extension of more than one drawer at a time.
- Three-part, telescoping, steel ball-bearing suspension.
- Two adjustable hangrails per drawer/rollout shelf for side-to-side filing.
- Counterweight included where applicable to meet ANSI/BIFMA stability requirements.
- Lock mechanism secures both sides of drawer.
- Baked enamel finish over rust-inhibiting phosphate pre-treatment.
- Optional laminate tops and accessories — see page 640.
- Equipped with HON “One Key” interchangeable core removable locks.
- See page 640 for Lateral File Accessories.

Keyed alike cores must be ordered separately — see page 673.

## HOW TO SPECIFY


| Select Model Number | Select Lock Option | Select Paint Color |
|---|---|---|
| H 7 7 2 . | L . | See page 536<br>T 1 |

| | Lock |
|---|---|
| **L** | Lock |

GSA SIN 33721

Icon Legend on page 19

# BRIGADE® 700 SERIES
## Lateral Files w/Storage



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Lateral File w/Storage — 2 Drawer** | | | | | | |
| 30″W x 18″D x 64¼″H | **H775LS** | 175 | 27.5 | **$2127** | **$2201** | **$2271** |
| 36″W x 18″D x 64¼″H | **H785LS** | 211 | 32.9 | **$2343** | **$2417** | **$2487** |
| 42″W x 18″D x 64¼″H | **H795LS** | 230 | 38.0 | **$2678** | **$2752** | **$2822** |

**NOTES:**
- 30″, 36″ & 42″ case widths, 18″ case depth.
- 64¼″H case – matches height of 700 Series 5 Drawer laterals.
- Bottom two openings are lateral drawers, remainder of case is storage shelves.
- Lateral file drawer features are same as 700 Series Laterals shown on previous page.
- Inside dimension of storage case is 36¼″H. Includes 2 adjustable shelves, adjustable in 2″ increments. Bottom shelves accept two rows of 3-ring binders; top opening measures: 10¼″.
- Storage case is standard with 2 hinged doors. Door pulls match lateral file drawer pulls.
- Equipped with HON "One Key" interchangeable core removable locks. Locks on storage case and lateral file are keyed alike. Lateral file drawers lock independently from storage case.
- Four adjustable leveling glides.
- See page 640 for Lateral File Accessories and page 543 for Wire Dividers.



## HOW TO SPECIFY


| Select Model Number | Select Lock Option | Select Paint Color |
|---|---|---|
| H 7 7 5 L S . | **L** Lock | See page 536 |
| | L . | T 1 |

# BRIGADE® 600 SERIES
## Lateral Files w/Drawers

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Lateral File — 2 Drawer** | | | | | | |
| | 30″W x 18″D x 28″H | **H672** | 121 | 12.2 | **$1071** | **$1145** | **$1215** |
| | 36″W x 18″D x 28″H | **H682** | 131 | 14.3 | **$1153** | **$1190** | **$1227** |
| | 42″W x 18″D x 28″H | **H692** | 141 | 16.7 | **$1358** | **$1395** | **$1432** |
|  | **Lateral File — 3 Drawer** | | | | | | |
| | 30″W x 18″D x 39⅛″H | **H673** | 158 | 16.4 | **$1468** | **$1542** | **$1612** |
| | 36″W x 18″D x 39⅛″H | **H683** | 175 | 19.1 | **$1607** | **$1644** | **$1681** |
| | 42″W x 18″D x 39⅛″H | **H693** | 190 | 22.4 | **$1886** | **$1923** | **$1960** |
|  | **Lateral File — 4 Drawer** | | | | | | |
| | 30″W x 18″D x 52½″H | **H674** | 197 | 21.4 | **$1825** | **$1899** | **$1969** |
| | 36″W x 18″D x 52½″H | **H684** | 217 | 25.1 | **$1994** | **$2068** | **$2138** |
| | 42″W x 18″D x 52½″H | **H694** | 232 | 29.4 | **$2363** | **$2437** | **$2507** |
|  | **Lateral File — 5 Drawer** | | | | | | |
| | 30″W x 18″D x 64¼″H | **H675** | 199 | 25.8 | **$2423** | **$2497** | **$2567** |
| | 36″W x 18″D x 64¼″H | **H685** | 215 | 30.1 | **$2589** | **$2663** | **$2733** |
| | 42″W x 18″D x 64¼″H | **H695** | 244 | 35.3 | **$3122** | **$3196** | **$3266** |

**NOTES:**
- 30″, 36″ & 42″ case widths with drawers, 18″ case depth.
- Flush top and sides.
- Reinforced case construction.
- Four adjustable leveling glides.
- Features drawer extension restraint; mechanical interlock inhibits the extension of more than one drawer at a time.
- Three-part, telescoping, steel ball-bearing suspension.
- Two adjustable hangrails per drawer/roll-out shelf for side-to-side filing.
- Counterweight included where applicable to meet ANSI/BIFMA stability requirements.
- Lock mechanism secures both sides of drawer.
- Baked enamel finish over rust-inhibiting phosphate pre-treatment.
- Bright anodized aluminum recessed drawer pull.
- Equipped with HON "One Key" interchangeable core removable locks.
- Optional laminate tops and accessories — see page 640.
- See page 640 for Lateral File Accessories.

Keyed alike cores must be ordered separately — see page 673.

## HOW TO SPECIFY



| Select Model Number | Select Lock Option | Select Paint Color |
|---|---|---|
| H 6 7 2 . | **L** Lock<br>L . | See page 536<br>T 1 |

GSA SIN 33721

Icon Legend on page 19

# BRIGADE® Metal Dividers



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE P1 |
|---|---|---|---|---|---|
|  | **Metal Box Divider** | | | | |
| | 10 pack | **HSCABD10** | 7 | 0.7 | **$234** |
| | 2 pack | **HSCABD02** | 2 | 0.7 | **$61** |
| | Metal dividers available in Black only. No need to specify. | | | | |
|  | **Metal File Divider** | | | | |
| | 10 pack | **HSCAFD10** | 12 | 0.7 | **$279** |
| | 2 pack | **HSCAFD02** | 3 | 0.7 | **$76** |
| | Metal dividers available in Black only. No need to specify. | | | | |

## HOW TO SPECIFY

**Select Model Number**

| H | S | C | A | B | D | 1 | 0 |
|---|---|---|---|---|---|---|---|


# BRIGADE® Steel Bookcases

GSA SIN 33721

Icon Legend on page 19




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Steel Bookcase** | | | | | | |
| 34½"W x 12⅝"D x 29"H, 2-Shelf | **HS30ABC** | 44 | 9.6 | **$379** | **$416** | **$453** |
| 34½"W x 12⅝"D x 41"H, 3-Shelf | **HS42ABC** | 57 | 13.3 | **$453** | **$490** | **$527** |
| 34½"W x 12⅝"D x 59"H, 4-Shelf | **HS60ABC** | 77 | 18.9 | **$675** | **$749** | **$819** |
| 34½"W x 12⅝"D x 71"H, 5-Shelf | **HS72ABC** | 87 | 22.6 | **$769** | **$843** | **$913** |
| 34½"W x 12⅝"D x 81⅛"H, 6-Shelf | **HS82ABC** | 97 | 27.5 | **$1111** | **$1185** | **$1255** |




*Shaded shelves are adjustable.*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Extra Shelf for all Models**<br>NOTES: Edge is ¾" thick. Specify: Paint | **HB9** | 7 S | 0.3 | **$130** | **$145** | **$156** |



**NOTES:**



- Available in 2, 3, 4, 5, and 6 shelf models.
- Inside shelf depth is 12⅛".
- Bookcase shelves easily adjust in ½" increments (shaded shelves are adjustable).
- Optional laminate tops available.
- Baked enamel finish over rust-inhibiting phosphate pre-treatment.

## HOW TO SPECIFY

**Select Model Number**


H S 3 0 A B C .

**Select Paint Color**

See page 536

P

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Laminate Top for all Models**<br>NOTES: Specify: Laminate | **H511596** | 16 S | 0.7 | **$383** |



## HOW TO SPECIFY

**Select Model Number**

H 5 1 1 5 9 6 .

**Select Laminate**

See page 536





N

GSA SIN 33721

Icon Legend on page 19

# BRIGADE® Storage Cabinets



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  *71¾" High* | **Storage Cabinets**<br>36"W x 18⅛"D x 72"H<br>36"W x 24⅛"D x 72"H<br>NOTES: Includes 5 adjustable shelves. | **HSC1872**<br>**HSC2472** | 131<br>149 | 36.5<br>46.7 | **$1483**<br>**$1859** | **$1557**<br>**$1933** | **$1627**<br>**$2003** |
|  *41¼" High* | **Storage Cabinet**<br>36"W x 18⅛"D x 41¼"H<br>NOTES: Includes 2 adjustable shelves. | **HSC1842** | 82 | 21.8 | **$1254** | **$1304** | **$1351** |
|  | **Additional Shelves**<br>36"W x 18"D<br>36"W x 24"D | **HAS18**<br>**HAS24** | 6 S<br>8 S | 0.6<br>0.7 | **$180**<br>**$222** | **$195**<br>**$237** | **$206**<br>**$248** |
|  | **Conversion Kit**<br>Hanging Bar and brackets to convert a Storage Cabinet into a Wardrobe Cabinet.<br>NOTES: Necessary hardware included to screw into shelf.<br>! For use on 72"H HSC Model Storage Cabinets shown above, only.<br>! Aluminum finish only. No need to specify paint color.<br>**SPECIFY: HWC72** | **HWC72** | 5 S | 0.4 | **$165** | | |

**NOTES:**
- Product shipped fully assembled.
- All shelves are adjustable in 2" increments.
- Stretch-wrap cartoning.
- Flush top.
- Two adjustable leveling glides standard.
- Reinforced base.
- One locking handle, one fixed handle.
- Adjustable shelves.
- Doors have vertical stiffener standard.
- Positive door stops.
- Equipped with HON "One Key" interchangeable core removable locks.

! Keyed alike cores must be ordered separately — see page 673.

## HOW TO SPECIFY

| Select Model Number | Select Lock Option | Select Paint Color |
|---|---|---|
| H S C 2 4 7 2 . | **L** Lock<br>L . | See page 536<br>P |

# CONTAIN®

Want to see more? Scan here to check out hon.com.





Contain Storage.


## CONTAIN

Harder-working storage. That's what you need. So we re-examined it from the inside out and developed our new Contain storage solutions. With a variety of shapes and sizes, functions and configurations, Contain can help you expand your capabilities for storage, efficiency, and collaboration — and elevate your aesthetic too.









**FEATURES**

- Contain provides the storage solutions you need, where you need them. Personal workstations, private offices, shared spaces, Contain has you covered.
- Combine metal and laminate to create a unique and unified look for your office.
- Add a pop of color with HON standard or Colorway™ options — available in single or dual paint.
- Maximize your footprint with integrated height adjustable credenzas.
- Choose between a footed base to create a stand-alone furniture aesthetic, a recessed kickplate that matches both the drawer fronts, or an optional flush kickplate.
- Pair mobile credenzas and pedestals with seat cushions to turn any space into a collaborative hub.
- Leave the key in the past with our three digital locking options.
- Incorporate lockers and wardrobes into Storage Islands to create simple touchdown spaces throughout the office.
- Choose between 5 different pull options to enhance your office design aesthetic.

# CONTAIN® ORDERING INFORMATION



## CONTAIN® PRODUCTS CASE AND FRONT PAINT AND ACCESSORIES

| PAINTS | CODES |
|---|---|
| **P1** | |
| Black | P |
| Brownstone | P7D |
| Charcoal | S |
| Cove | P096 |
| Designer White | PJW |
| Dune | P094 |
| Fossil | P28 |
| Greige | T5 |
| Harbor | P097 |
| Light Gray | Q |
| Loft | LOFT |
| Muslin | T3 |
| Putty | L |
| Sage | P095 |
| Textured Charcoal | P7A |
| Textured Designer White | PK7 |
| Titanium | P8T |
| **P2** | |
| Champagne Metallic | T4 |
| Gunmetal Metallic | PR3 |
| Platinum Metallic | T1 |
| Silver | PR6 |
| Solar Black | P8X |
| **P3** | |
| Atom | P8S |
| Bullseye | PJF |
| Ember | P8P |
| Ion | P8N |
| Iris | P8J |
| Krypton | P8F |
| Regatta | P8M |

## CONTAIN® PRODUCTS FRONT LAMINATE AND ACCESSORIES

| L1 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| Bourbon Cherry | H |
| Cognac | COGN |
| Field Elm | LWFE |
| Florence Walnut | LFW1 |
| Harvest | C |
| Kingswood Walnut | LKI1 |
| Mahogany | N |
| Mocha | MOCH |
| Natural Maple | D |
| Pinnacle | PINC |
| Shaker Cherry | F |
| Sterling Ash | LSA1 |

| L2 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| Beigewood | LWBE |
| Fawn Cypress | LFC1 |
| Lowell Ash | LLA1 |
| Natural Recon | LNR1 |
| Phantom Ecru | LPE1 |
| Portico Teak | LPT1 |
| Skyline Walnut | LSW1 |

## CONTAIN® LATERAL AND CREDENZA LAMINATE TOPS

| L1 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| Bourbon Cherry | H |
| Cognac | COGN |
| Field Elm | LWFE |
| Florence Walnut | LFW1 |
| Harvest | C |
| Kingswood Walnut | LKI1 |
| Mahogany | N |
| Mocha | MOCH |
| Natural Maple | D |
| Pinnacle | PINC |
| Shaker Cherry | F |
| Sterling Ash | LSA1 |
| **Solid** | |
| Charcoal | S |
| Designer White | LDW1 |
| Loft | LOFT |
| **Patterned** | |
| Handspun Chestnut | LAHC |
| Handspun Dove | LAHD |
| Handspun Pearl | LAHP |
| Handspun Slate | LAHS |
| Silver Mesh* | B9 |
| Steel Mesh* | A9 |
| Gray* | G2 |
| White* | G1 |

| L2 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| Beigewood | LWBE |
| Fawn Cypress | LFC1 |
| Lowell Ash | LLA1 |
| Natural Recon | LNR1 |
| Phantom Ecru | LPE1 |
| Portico Teak | LPT1 |
| Skyline Walnut | LSW1 |

## CONTAIN® FABRIC WIRE MANAGER — GRADE 1

| DAPPER | DAPR |
|---|---|
| Ash | DAPR20 |
| Breeze | DAPR06 |
| Canvas | DAPR25 |
| Charcoal | DAPR01 |
| Clover | DAPR22 |
| Currant | DAPR00 |
| Fawn | DAPR35 |
| Fern | DAPR85 |
| Gerbera | DAPR16 |
| Grape | DAPR33 |
| Jewel | DAPR08 |
| Marigold | DAPR65 |
| Onyx | DAPR10 |
| Orchid | DAPR90 |
| Parrot | DAPR59 |
| Poppy | DAPR19 |
| Sapphire | DAPR07 |
| Scarlet | DAPR45 |
| Sepia | DAPR30 |
| Sky | DAPR44 |
| Slate | DAPR15 |
| Sorbet | DAPR55 |
| Spring | DAPR80 |
| Terracotta | DAPR13 |
| Titanium | DAPR17 |
| Varsity | DAPR09 |
| Zest | DAPR70 |

| HAMILTON | HAML |
|---|---|
| Biscotti | HAML11 |
| Cabernet | HAML08 |
| Carolina | HAML21 |
| Charcoal | HAML17 |
| Chocolate | HAML13 |
| Cloud | HAML18 |
| Dane | HAML16 |
| Dusty Rose | HAML07 |
| Esmeralda | HAML06 |
| Fern | HAML04 |
| Fresh | HAML03 |
| Granola | HAML19 |
| Lilac | HAML14 |
| Lime | HAML05 |
| Lipstick | HAML09 |
| Oxford | HAML20 |
| Passion Fruit | HAML02 |
| Pepper | HAML15 |
| Powder | HAML12 |
| Sunrise | HAML01 |

## CONTAIN® FABRIC WIRE MANAGER — GRADE 3

| MOXIE | SX |
|---|---|
| Barnwood | SX09 |
| Basalt | SX23 |
| Bayou | SX02 |
| Bermuda | SX52 |
| Biscotti | SX08 |
| Blackberry | SX48 |
| Blarney | SX49 |
| Blueberry | SX05 |
| Bonsai | SX20 |
| Brigade | SX53 |
| Butterscotch | SX54 |
| Carob | SX24 |
| Chalk | SX50 |
| Chartreuse | SX34 |
| Cherry | SX38 |
| Cinnamon | SX13 |
| Cobalt | SX01 |
| Coconut | SX06 |
| Concrete | SX43 |
| Cozumel | SX55 |
| Cumin | SX32 |
| Dover | SX56 |
| Dragonfly | SX44 |
| Earl Grey | SX40 |
| Elysian | SX04 |
| Evergreen | SX21 |
| Fatigue | SX18 |
| Fawn | SX30 |
| Flint | SX39 |
| Forsythia | SX57 |
| Grenache | SX58 |
| Hazel | SX31 |
| Hemp | SX45 |
| Hickory | SX25 |
| Holly | SX51 |
| Jam | SX16 |
| Kelly | SX33 |
| Lemongrass | SX19 |
| Lime | SX41 |
| Macintosh | SX12 |
| Midnight | SX59 |
| Mulberry | SX15 |
| Muslin | SX60 |
| Pacifica | SX61 |
| Parchment | SX07 |
| Peacock | SX03 |
| Phantom | SX62 |
| Pineapple | SX42 |
| Plum | SX17 |
| Punch | SX46 |
| Riverstone | SX47 |
| Russet | SX14 |
| Smokestack | SX22 |
| Tangerine | SX37 |
| Terracotta | SX11 |
| Thicket | SX35 |
| Walnut | SX10 |

# CONTAIN® ORDERING INFORMATION



**CONTAIN® FABRIC WIRE MANAGER — GRADE 3**

| PURL | PURL |
|---|---|
| ◊ Alpaca | PURL08 |
| ◊ Braid | PURL10 |
| ◊ Deep | PURL12 |
| ♦ Graze | PURL05 |
| ♦ Loom | PURL06 |
| ◊ Needle | PURL07 |
| ◊ Pasture | PURL02 |
| ◊ Ranch | PURL04 |
| ◊ Shuttle | PURL09 |
| ♦ Skein | PURL01 |
| ◊ Thistle | PURL11 |
| ♦ Yearling | PURL03 |

| QUILL | QUL |
|---|---|
| ◊ Aviary | QUL03 |
| ◊ Feather | QUL02 |
| ◊ Fountain | QUL06 |
| ◊ Ink | QUL05 |
| ◊ Metal | QUL04 |
| ◊ Reed | QUL08 |
| ◊ Scroll | QUL01 |

## PULL OPTIONS FOR CONTAIN® STORAGE

| "A" | "N" | "R" | "S" |
|---|---|---|---|
|  |  |  |  |
| Arch Drawer Pull | Full Face Integral Drawer Pull | Full Radius Drawer Pull | Square Drawer Pull |

*NOTES: Arch Pulls available in Satin Chrome only.*

** Laminate colors will have the following pre-set edgeband colors:*

| *Laminate* | *Edge* |
|---|---|
| *Handspun Chestnut* | *Loft* |
| *Handspun Dove* | *Fossil* |
| *Handspun Pearl* | *Fossil* |
| *Handspun Slate* | *Charcoal* |
| *Silver Mesh* | *Loft* |
| *Steel Mesh* | *Charcoal* |
| *Gray* | *Charcoal* |
| *White* | *Charcoal* |


*Edgeband matches top except as noted.*

*For Champagne Metallic Paint, Muslin is the suggested edgeband color. When Champagne Metallic Paint is selected, pulls are standard in Muslin.*


♦ ◊ ◊ *For lead time information see page 21.*

# CONTAIN® Towers







**Metal Personal Towers with Plinth Base**
65″, 50″, 42″H
24″, 18″W
24″D




**Metal Side-Access Personal Towers with Plinth Base**
65″, 50″, 42″H
24″, 18″W
24″D




**Metal Personal Towers with Footed Base**
65″, 50″, 42″H
24″, 18″W
24″D




**Metal Side-Access Personal Towers with Footed Base**
65″, 50″, 42″H
24″, 18″W
24″D




**Metal Personal Towers with Laminate Fronts, Plinth Base**
65″, 50″, 42″H
24″, 18″W
24″D



**Metal Side-Access Personal Towers with Laminate Fronts, Plinth Base**
65″, 50″, 42″H
24″, 18″W
24″D



**Metal Personal Towers with Laminate Fronts, Footed Base**
65″, 50″, 42″H
24″, 18″W
24″D



**Metal Side-Access Towers with Laminate Fronts, Footed Base**
65″, 50″, 42″H
24″, 18″W
24″D


---

**NOTES:**

- 18″W Tower models available in File/File configuration only.
- 24″W Tower models available in both Box/Box/File and File/File configurations.

# CONTAIN®
# Lockers & Wardrobes






**Wardrobe Tower with Metal Front**

65″, 50″, 42″H

12″W

24″, 18″D




**Wardrobe Tower with Laminate Front**

65″, 50″, 42″H

12″W

24″, 18″D


**NOTES:**
- Available with Plinth Base or Footed.
- Doors available hinged left or right.



**Double Locker, Metal or Laminate Fronts**

65″H x 12″W x 18″D, Two Doors


45″H x 12″W x 18″D, Two Doors



**Quad Locker, Metal or Laminate Fronts**

65″H x 24″W x 18″D, Four Doors

45″H x 24″W x 18″D, Four Doors



**Cubby Locker, Metal or Laminate Fronts**

65″H x 12″W x 18″D, Four Doors

50″H x 12″W x 18″D, Three Doors

65″H x 24″W x 18″D, Eight Doors

50″H x 24″W x 18″D, Six Doors

**NOTES:**
- Available with Flush or Recessed Plinth, or Footed.
- Doors available hinged left or right.
- Electronic Keypad or RFID Lock Pulls available to be specified on all sizes (upcharges apply).

# CONTAIN® Metal Storage




## METAL CREDENZAS WITH PANEL FRAMES

**Guidelines for using Contain® Credenzas in place of standard panel systems configurations**

### Side-mounted Credenzas

**Use 1 storage-to-panel bracket set.**


The minimum credenza size is 22″H x 36″W x 18″D.
With a mid-run floor support, the maximum panel run is 144″.
Without a mid-run panel attached floor support, the maximum panel run is 96″.
Overheads and shelves cannot be used with 22″H side mounted credenzas.
Worksurfaces (if specified) must be mounted on the same side of the parent run as the credenzas.
Panel frame maximum height is 68″.
Counterweight is required, if using unit with drawers.




### Back-mounted Credenzas — Modular

**Use 2 storage-to-panel bracket sets per Credenza — 2 LH and 2 RH.**


The minimum credenza size is 22″H x 36″W x 18″D.
The maximum panel run between back-mounted credenzas is 60″.
Overheads and shelves cannot be used with 22″H back mounted credenzas.
Worksurfaces (if specified) must be mounted on the same side of the parent run as the credenzas.
Panel frame maximum height is 68″.
Counterweights are required in a single side run configuration as shown.




### Side-mounted Credenzas — with Return Panel

**Use 1 storage-to-panel bracket on Credenza LH or RH of set.**

The minimum credenza size is 22″H x 36″W x 18″D.
The minimum size for panel return is 35″H x 36″W.
With a mid-run panel attached floor support, the maximum panel run is 144″.
Without a mid-run floor support, the maximum panel run is 96″.
Overheads and shelves cannot be used with 22″H side mounted credenzas.
Worksurfaces (if specified) must be mounted on the same side of the parent run as the credenzas.
Panel frame maximum height is 68″.
Counterweight is required, if using unit with drawers.
Mid-run floor support options include:
Back-to-Back Credenzas
Panel Attached O-legs
Panel Attached Support Legs




## COUNTERWEIGHT REQUIREMENTS FOR CONTAIN® CREDENZAS


| Series | 24″W Box/File Unit | 30″W Box/File Unit | 36″W Box/File Unit | 42″W Combo Unit | 48″W Combo Unit | 60″W Combo Unit | 72″W Combo Unit |
|---|---|---|---|---|---|---|---|
| 18″D | **HSCACW35** 35 lbs. (two 12½ lb. and two 5 lb. counterweights) | **HSCACW50** 50 lbs. (four 12½ lb. counterweights) | **HSCACW50** 50 lbs. (four 12½ lb. counterweights) | **HSCACW25** 25 lbs. (two 12½ lb. counterweights) | **HSCACW25** 25 lbs. (two 12½ lb. counterweights) | **HSCACW35** 35 lbs. (two 12½ lb. and two 5 lb. counterweights) | **HSCACW35** 35 lbs. (two 12½ lb. and two 5 lb. counterweights) |

Counterweight is not required if credenzas are used within a standard Systems set up and attached with the Credenza Storage-to-Panel Brackets.


# CONTAIN®
# DIGITAL LOCK SPECIFICATIONS



## Digital Keypad Lock Specification Information for Contain® Pedestals, Credenzas, Personal Files, Lateral Files, and Towers




**Right-Hand Keypad Lock**




**Left-Hand Keypad Lock**

The digital keypad lock option helps modernize the workspace by eliminating the need to carry physical keys. The digital lock feature provides an alternative to standard lock and key, allowing users to simply input a code to unlock their Contain® storage unit. The digital keypad also supports shared applications where workstations or storage units support multiple users. These locks ship in "shared mode" by default; shared mode indicates that the lock will "forget" the paired 4-digit code after the lock is opened, allowing the unit to be used by multiple users.

Order at least one Programming Key and Manager Key per install.

### Digital Keypad Locks:

- Offered on all Contain® pedestal and undermount models.
- Ship factory installed.
- Offered in a brushed nickel finish.
- Digital keypad lock requires input of a user-selected 4-digit code.
- Digital keypad locks are powered using 2 premium lithium CR2032 batteries.
- Battery life is dependent on the frequency of operation but can last up to 5-7 years.
- **Every digital keypad installation site will require *one* Programming Key and *at least one* Manager Key, sold separately.**

### Programming Key

- A Programming Key is a device used to initialize locks out of factory default mode and register Manager Keys to the locks.
- Only one Programming Key should be specified per installation site because multiple Programming Keys are not compatible with each other.
- Add-on digital lock orders should be programmed with the original Programming Key.
- Programming Key is the same key as Contain® Digilocks and can work across both Contain® and Fuse™.

### Manager Key


- A Manager Key is used to bypass a locked unit; this operates as the "master key" and it is recommended that building facilitators have at least one Manager Key.
- Up to 6 Manager Keys may be registered to each lock.
- Manager Keys provide external power to locks in case of battery failure.

| Digital Lock Keys and Accessories | | |
|---|---|---|
| **Description** | **Model** | **List Price** |
| Programming Key | HSLDIGPRG | $225 |
| Manager Key | HSLDIGMGR | $176 |


# CONTAIN® DIGITAL LOCK SPECIFICATIONS



## Digital Keypad & RFID Lock Specification Information for Contain® Lockers



*Keypad Lock Pull*



*RFID Lock Pull*

The digital keypad and RFID lock options support applications where workstations or storage areas are shared by multiple users. This is an alternative to a standard lock and key. This feature facilitates the use of storage by multiple users through eliminating the need to keep and hand-off physical keys. These locks ship in "shared mode" by default; shared mode indicates that the lock will "forget" the paired 4-digit code or RFID badge after the lock is opened, allowing the unit to be used by multiple users.

! Order at least one Programming Key and Manager Key per install.


### Digital Keypad & RFID Locks:

- Offered on Contain® lockers.
- Ship factory installed.
- Integral Pull/Lock design replaces a specified pull on eLock models.
- Offered in a polished silver finish.
- Digital keypad lock requires input of a user-selected 4-digit code.
- RFID lock requires a compatible RFID card or sticker.
- Digital keypad locks and RFID locks are powered using 4 premium AA batteries.
- Battery life is dependent on the frequency of operation but can last up to 5-7 years.


RFID locks require user to present a compatible RFID card or sticker to the lock in order to gain access. This is the same technology as "badge" systems that allows employers to grant employees with cards that can be scanned to gain access to entrances and buildings. HON locks *may or may not be* compatible with these existing badge systems.

- For existing RFID badge system compatibility, badges must operate on a 13.56 MHz frequency with both iClass (ISO 15693) and Mifare (ISO 14443).
- IF existing badge system is not compatible with 13.56 MHz frequency, compatible RFID badges or RFID stickers are sold separately as an accessory model.

RFID lockers are available in Shared Use and can not be assigned a specific RFID card to permanently access the lock. Instead, the lock is assigned to the last RFID card that was used to lock it. Once a card is used to lock the unit, only that card can then be used to unlock it. After it is unlocked, the lock will then be unassigned until the next RFID card is used to lock it. Similar to how normal gym lockers would work.



*RFID Lock Pull*



*RFID Cards*

### Digital Lock Accessory Models (page 591)

- RFID-compatible cards and stickers are sold as accessory models in increments of 5, 25, or 100.
- RFID cards are plain white and have a lanyard cut.
- RFID stickers are plain white, approximately 1" in diameter and may be added to the back of an existing badge or employee identification card.
- **Every digital keypad or RFID installation site will require *one* Programming Key and *at least one* Manager Key, sold separately.**

### Programming Key

- A Programming Key is a device used to initialize locks out of factory default mode and register Manager Keys to the locks.
- Only one Programming Key should be specified per installation site because multiple Programming Keys are not compatible with each other.
- Add-on digital lock orders should be programmed with the original Programming Key.
- Programming Key is the same key as Fuse™ Digilocks and can work across both Contain® and Fuse™.

### Manager Key

- A Manager Key is used to bypass a locked unit; this operates as the "master key" and it is recommended that building facilitators have at least one Manager Key.
- Up to 6 Manager Keys may be registered to each lock.
- Manager Keys provide external power to locks in case of battery failure.





| Digital Lock Keys and Accessories | | |
|---|---|---|
| **Description** | **Model** | **List Price** |
| Programming Key | HSLDIGPRG | $225 |
| Manager Key | HSLDIGMGR | $176 |
| 5 pk RFID Cards | HSLRFID5C | $149 |
| 25 pk RFID Cards | HSLRFID25C | $694 |
| 100 pk RFID Cards | HSLRFID100C | $2625 |
| 5 pk RFID Stickers | HSLRFID5S | $80 |
| 25 pk RFID Stickers | HSLRFID25S | $349 |
| 100 pk RFID Stickers | HSLRFID100S | $1315 |

# CONTAIN® Metal Credenzas

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Low Credenza, Box/Lateral Left, Open Shelf Right** | | | | | | |
| | 72″W x 18″D x 22″H | **HSCP227218RBFOM** | 150 | 20.7 | **$2655** | **$2729** | **$2802** |
| | 60″W x 18″D x 22″H | **HSCP226018RBFOM** | 130 | 17.3 | **$2395** | **$2469** | **$2542** |
| | 48″W x 18″D x 22″H | **HSCP224818RBFOM** | 111 | 14.0 | **$2210** | **$2284** | **$2357** |
|  | **Low Credenza, Box/Lateral Right, Open Shelf Left** | | | | | | |
| | 72″W x 18″D x 22″H | **HSCP227218LBFOM** | 150 | 20.7 | **$2655** | **$2729** | **$2802** |
| | 60″W x 18″D x 22″H | **HSCP226018LBFOM** | 130 | 17.3 | **$2395** | **$2469** | **$2542** |
| | 48″W x 18″D x 22″H | **HSCP224818LBFOM** | 111 | 14.0 | **$2210** | **$2284** | **$2357** |
|  | **Low Credenza, Box/Lateral** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCP223618BFM** | 87 | 10.6 | **$1625** | **$1662** | **$1700** |
| | 30″W x 18″D x 22″H | **HSCP223018BFM** | 76 | 9.0 | **$1558** | **$1595** | **$1633** |
|  | **Open Shelf** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCP223618O** | 66 | 10.6 | **$1159** | **$1196** | **$1234** |
| | 30″W x 18″D x 22″H | **HSCP223018O** | 60 | 9.0 | **$1068** | **$1105** | **$1143** |

**NOTES:**

- Metal chassis and drawer fronts.
- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Ships complete with standard kickplate.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- Steel frame provides durability.
- Use with laminate tops and credenza seat cushions. Order separately — see pages 569-570.

Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

**Select Model Number**

H S C P 2 2 3 6 1 8 O .

**Select Base**

**BK** Flush Plinth
**BX** Recessed Plinth

B X .

**Select Case Paint**

See page 547

P J W .

**Select Shelf Paint**

See page 547
P2 (+ $17)
P3 (+ $39)

P J W

**Select Model Number**

H S C P 2 2 7 2 1 8 R B F O M .

**Select Base**

**BK** Flush Plinth
**BX** Recessed Plinth

B X .

**Select Pull**

**A** Arch
**PR0** Silver
**R** Radius
**N** Integral
**S** Square
**PR6** Silver

A P R 0 .

**Select Case Paint**

See page 547

P J W .

**Select Front Paint**

See page 547

**NA** Matches Case (+ $0)

P1 (+ $162)
P2 (+ $184)
P3 (+ $205)

N A .

**Select Shelf Paint**

See page 547

Not specified for models HSCP223018BFM and HSCP223618BFM

P2 (+ $17)
P3 (+ $39)

P J W .

**Select Lock**



**L** Standard Lock
**X** Omit Lock (- $20)
**EBNL** eLock (+ $351)

L

GSA SIN 33721

Icon Legend on page 19

# CONTAIN® Footed Metal Credenzas

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Footed Low Credenza, Box/Lateral Left, Open Shelf Right** | | | | | | |
| | 72″W x 18″D x 22″H | **HSCF227218RBFOM** | 150 | 17.7 | **$2868** | **$2942** | **$3015** |
| | 60″W x 18″D x 22″H | **HSCF226018RBFOM** | 130 | 14.9 | **$2612** | **$2686** | **$2759** |
| | 48″W x 18″D x 22″H | **HSCF224818RBFOM** | 111 | 12.0 | **$2382** | **$2456** | **$2529** |
|  | **Footed Low Credenza, Box/Lateral Right, Open Shelf Left** | | | | | | |
| | 72″W x 18″D x 22″H | **HSCF227218LBFOM** | 150 | 17.7 | **$2868** | **$2942** | **$3015** |
| | 60″W x 18″D x 22″H | **HSCF226018LBFOM** | 130 | 14.9 | **$2612** | **$2686** | **$2759** |
| | 48″W x 18″D x 22″H | **HSCF224818LBFOM** | 111 | 12.0 | **$2382** | **$2456** | **$2529** |
|  | **Footed Low Credenza, Box/Lateral** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCF223618BFM** | 87 | 9.1 | **$1797** | **$1834** | **$1872** |
| | 30″W x 18″D x 22″H | **HSCF223018BFM** | 76 | 7.7 | **$1729** | **$1766** | **$1804** |
|  | **Footed Open Shelf** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCF223618O** | 66 | 9.1 | **$1331** | **$1368** | **$1406** |
| | 30″W x 18″D x 22″H | **HSCF223018O** | 60 | 7.7 | **$1239** | **$1276** | **$1314** |

**NOTES:**
- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Ships complete with standard footed base.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- Steel frame provides durability.
- Feet are shipped with the credenza unit and are easily assembled.
- Use with laminate tops and credenza seat cushions. Order separately — see pages 569-570.

Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

**Select Model Number**

H S C F 2 2 3 6 1 8 O .

**Select Foot**

**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

S F T 1 .

**Select Case Paint**

See page 547

P J W .

**Select Shelf Paint**

See page 547
P2 (+ $17)
P3 (+ $39)

P J W

**Select Model Number**

H S C F 2 2 7 2 1 8 R B F O M .

**Select Foot**

**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

S F T 1 .

**Select Pull**

**A** Arch
**PR0** Silver
**R** Radius
**N** Integral
**S** Square
**PR6** Silver

A P R 0 .

**Select Case Paint**

See page 547

P J W .

**Select Front Paint**

See page 547
**NA** Matches Case (+ $0)
P1 (+ $162)
P2 (+ $184)
P3 (+ $205)

N A .

**Select Shelf Paint**

See page 547
Not specified for models HSCF223618BFM and HSCF223018BFM
P2 (+ $17)
P3 (+ $39)

P J W .

**Select Lock**

**L** Standard Lock
**X** Omit Lock (- $20)
**EBNL** eLock (+ $351)

L




STORAGE

# CONTAIN®
# Metal Credenzas with Laminate Fronts

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Metal Low Credenza, Laminate Front, Box/Lateral Left, Open Shelf Right** | | | | | | |
| | 72″W x 18″D x 22″H | **HSCP227218RBFOL** | 152 | 20.7 | **$2944** | **$3018** | **$3091** |
| | 60″W x 18″D x 22″H | **HSCP226018RBFOL** | 132 | 17.3 | **$2687** | **$2761** | **$2834** |
| | 48″W x 18″D x 22″H | **HSCP224818RBFOL** | 113 | 14.0 | **$2498** | **$2572** | **$2645** |
|  | **Metal Low Credenza, Laminate Front, Box/Lateral Right, Open Shelf Left** | | | | | | |
| | 72″W x 18″D x 22″H | **HSCP227218LBFOL** | 152 | 20.7 | **$2944** | **$3018** | **$3091** |
| | 60″W x 18″D x 22″H | **HSCP226018LBFOL** | 132 | 17.3 | **$2687** | **$2761** | **$2834** |
| | 48″W x 18″D x 22″H | **HSCP224818LBFOL** | 113 | 14.0 | **$2498** | **$2572** | **$2645** |
|  | **Metal Low Credenza, Laminate Front Box/Lateral** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCP223618BFL** | 89 | 10.6 | **$1915** | **$1952** | **$1990** |
| | 30″W x 18″D x 22″H | **HSCP223018BFL** | 76 | 9.0 | **$1846** | **$1883** | **$1921** |

**NOTES:**
- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Ships complete with standard kickplate.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- Steel frame provides durability.
- Use with laminate tops and credenza seat cushions. Order separately — see pages 569-570.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

| Select Model Number | Select Base | Select Pull | Select Case Paint | Select Front Laminate | Select Shelf Paint | Select Lock |
|---|---|---|---|---|---|---|
| | **BX** Recessed Plinth | **A** Arch<br>**PR0** Silver<br>**S** Square<br>**PR6** Silver | See page 547 | See page 547<br>L2 (+ $39) | See page 547<br>Not specified for models HSCP223618BFL and HSCP223018BFL<br>P2 (+ $17)<br>P3 (+ $39) | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S C P 2 2 7 2 1 8 R B F O L . | B X . | A P R 0 . | P J W . | L S A 1 . | P J W . | L |




GSA SIN 33721

Icon Legend on page 19

# CONTAIN®

## Footed Metal Credenzas with Laminate Fronts



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Footed Low Credenza, Laminate Front, Box/Lateral Left, Open Shelf Right** | | | | | | |
| | 72″W x 18″D x 22″H | **HSCF227218RBFOL** | 152 | 17.7 | **$3161** | **$3235** | **$3308** |
| | 60″W x 18″D x 22″H | **HSCF226018RBFOL** | 132 | 14.9 | **$2899** | **$2973** | **$3046** |
| | 48″W x 18″D x 22″H | **HSCF224818RBFOL** | 113 | 12.0 | **$2670** | **$2744** | **$2817** |
|  | **Footed Low Credenza, Laminate Front, Box/Lateral Right, Open Shelf Left** | | | | | | |
| | 72″W x 18″D x 22″H | **HSCF227218LBFOL** | 152 | 17.7 | **$3161** | **$3235** | **$3308** |
| | 60″W x 18″D x 22″H | **HSCF226018LBFOL** | 132 | 14.9 | **$2899** | **$2973** | **$3046** |
| | 48″W x 18″D x 22″H | **HSCF224818LBFOL** | 113 | 12.0 | **$2670** | **$2744** | **$2817** |
|  | **Footed Low Credenza, Laminate Front Box/Lateral** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCF223618BFL** | 89 | 9.1 | **$2086** | **$2123** | **$2161** |
| | 30″W x 18″D x 22″H | **HSCF223018BFL** | 78 | 7.7 | **$2019** | **$2056** | **$2094** |

**NOTES:**

- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Ships complete with standard footed base.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- Steel frame provides durability.
- Feet are shipped with the credenza unit and are easily assembled.
- Use with laminate tops and credenza seat cushions. Order separately — see pages 569-570.

Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY





| Select Model Number | Select Foot | Select Pull | Select Case Paint | Select Front Laminate | Select Shelf Paint | Select Lock |
|---|---|---|---|---|---|---|
| | **SF** Contain Foot<br>**T1** Platinum Metallic<br>**PR6** Silver | **A** Arch<br>**PR0** Silver<br>**S** Square<br>**PR6** Silver | See page 547 | See page 547<br>L2 (+ $39) | See page 547<br>Not specified for models HSCF223618BFL and HSCF223018BFL<br>P2 (+ $17)<br>P3 (+ $39) | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S C F 2 2 7 2 1 8 R B F O L . | S F T 1 . | A P R 0 . | P J W . | L S A 1 . | P J W . | L |

# CONTAIN® Metal Credenzas

OPEN MARKET

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Plinth, Metal Front Integrated HAT Combo Unit Credenzas** | | | | | | |
| | 72″W x 18″D x 22″H | **HSCP227218RBFOMHAT** | 152 | 20.7 | **$2921** | **$2994** | **$3067** |
| | 60″W x 18″D x 22″H | **HSCP226018RBFOMHAT** | 132 | 17.3 | **$2633** | **$2706** | **$2779** |
| | 48″W x 18″D x 22″H | **HSCP224818RBFOMHAT** | 113 | 14.0 | **$2430** | **$2503** | **$2576** |
|  | **Plinth, Metal Front Integrated HAT Combo Unit Credenzas** | | | | | | |
| | 72″W x 18″D x 22″H | **HSCP227218LBFOMHAT** | 152 | 20.7 | **$2921** | **$2994** | **$3067** |
| | 60″W x 18″D x 22″H | **HSCP226018LBFOMHAT** | 132 | 17.3 | **$2633** | **$2706** | **$2779** |
| | 48″W x 18″D x 22″H | **HSCP224818LBFOMHAT** | 113 | 14.0 | **$2430** | **$2503** | **$2576** |
|  | **Plinth, Integrated HAT Open Shelf Credenzas** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCP223618ROHAT** | 89 | 10.6 | **$1584** | **$1620** | **$1658** |
| | 30″W x 18″D x 22″H | **HSCP223018ROHAT** | 78 | 9.0 | **$1460** | **$1496** | **$1534** |
|  | **Plinth, Integrated HAT Open Shelf Credenzas** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCP223618LOHAT** | 89 | 10.6 | **$1584** | **$1620** | **$1658** |
| | 30″W x 18″D x 22″H | **HSCP223018LOHAT** | 78 | 9.0 | **$1460** | **$1496** | **$1534** |

**NOTES:**

- Metal chassis and drawer fronts.
- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Ships complete with standard kickplate.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- Steel frame provides durability.
- Use with laminate tops and credenza seat cushions. Order separately — see pages 569-570.
- For use with Coordinate™ 2 Stage C and T bases, 24″D or 30″D.

! Install Tip: Will not accommodate pre-drilled Coordinate™ top locations in captured panel systems setups due to offset position in credenza and will require field location from credenza leg to bottom of top.

! Recommended to use vertical fabric wire manager model HFBRZPWM to manage cords from worksurface to inside credenza through grommet opening. See page 570.

! Counterweights are not required in HAT credenza applications.

! Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

**Select Model Number**

H S C P 2 2 3 6 1 8 R O H A T .

**Select Base**

**BK** Flush Plinth
**BX** Recessed Plinth

B X .

**Select Case Paint**

See page 547

P J W .

**Select Shelf Paint**

See page 547
P2 (+ $17)
P3 (+ $39)

P J W

**Select Model Number**

H S C P 2 2 7 2 1 8 R B F O M H A T .

**Select Base**

**BK** Flush Plinth
**BX** Recessed Plinth

B X .

**Select Pull**

**A** Arch
**PRO** Silver
**R** Radius
**N** Integral
**S** Square
**PR6** Silver

A P R O .

**Select Case Paint**

See page 547

P J W .

**Select Front Paint**

See page 547

**NA** Matches Case (+ $0)
P1 (+ $162)
P2 (+ $184)
P3 (+ $205)

N A .

**Select Shelf Paint**

See page 547

P2 (+ $17)
P3 (+ $39)

P J W .

**Select Lock**



**L** Standard Lock
**X** Omit Lock (- $20)
**EBNL** eLock (+ $351)

L

OPEN MARKET

Icon Legend on page 19

# CONTAIN® Footed Metal Credenzas

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Footed, Metal Front Integrated HAT Combo Unit Credenzas** | | | | | | |
| | 72″W x 18″D x 22″H | **HSCF227218RBFOMHAT** | 152 | 20.7 | **$3154** | **$3227** | **$3300** |
| | 60″W x 18″D x 22″H | **HSCF226018RBFOMHAT** | 132 | 17.3 | **$2872** | **$2945** | **$3018** |
| | 48″W x 18″D x 22″H | **HSCF224818RBFOMHAT** | 113 | 14.0 | **$2619** | **$2692** | **$2765** |
|  | **Footed, Metal Front Integrated HAT Combo Unit Credenzas** | | | | | | |
| | 72″W x 18″D x 22″H | **HSCF227218LBFOMHAT** | 152 | 20.7 | **$3154** | **$3227** | **$3300** |
| | 60″W x 18″D x 22″H | **HSCF226018LBFOMHAT** | 132 | 17.3 | **$2872** | **$2945** | **$3018** |
| | 48″W x 18″D x 22″H | **HSCF224818LBFOMHAT** | 113 | 14.0 | **$2619** | **$2692** | **$2765** |
|  | **Footed, Integrated HAT Open Shelf Credenzas** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCF223618ROHAT** | 89 | 10.6 | **$1609** | **$1645** | **$1683** |
| | 30″W x 18″D x 22″H | **HSCF223018ROHAT** | 78 | 9.0 | **$1499** | **$1535** | **$1573** |
|  | **Footed, Integrated HAT Open Shelf Credenzas** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCF223618LOHAT** | 89 | 10.6 | **$1609** | **$1645** | **$1683** |
| | 30″W x 18″D x 22″H | **HSCF223018LOHAT** | 78 | 9.0 | **$1499** | **$1535** | **$1573** |

STORAGE

**NOTES:**

- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Ships complete with standard footed base.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- Steel frame provides durability.
- Feet are shipped with the credenza unit and are easily assembled.
- Use with laminate tops and credenza seat cushions. Order separately — see pages 569-570.
- For use with Coordinate™ 2 Stage C and T bases, 24″D or 30″D.

Install Tip: Will not accommodate pre-drilled Coordinate™ top locations in captured panel systems setups due to offset position in credenza and will require field location from credenza leg to bottom of top.

Recommended to use vertical fabric wire manager model HFBRZPWM to manage cords from worksurface to inside credenza through grommet opening. See page 570.

Counterweights are not required in HAT credenza applications.

Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

**Select Model Number**

H S C F 2 2 3 0 1 8 R O H A T .

**Select Foot**

**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

S F T 1 .

**Select Case Paint**

See page 547

P J W .

**Select Shelf Paint**

See page 547
P2 (+ $17)
P3 (+ $39)

P J W

**Select Model Number**

H S C F 2 2 7 2 1 8 R B F O M H A T .

**Select Foot**

**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

S F T 1 .

**Select Pull**

**A** Arch
**PR0** Silver
**R** Radius
**N** Integral
**S** Square
**PR6** Silver

A P R 0 .

**Select Case Paint**

See page 547

P J W .

**Select Front Paint**

See page 547

**NA** Matches Case (+ $0)

P1 (+ $162)
P2 (+ $184)
P3 (+ $205)

N A .

**Select Shelf Paint**

See page 547
P2 (+ $17)
P3 (+ $39)

P J W .

**Select Lock**

**L** Standard Lock
**X** Omit Lock (- $20)
**EBNL** eLock (+ $351)


L

# CONTAIN®
# Footed Metal Credenzas

OPEN MARKET

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Footed, Metal Front Low Credenza Box / Open Bottom** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCF223618BOM** | 89 | 10.6 | **$1680** | **$1716** | **$1754** |
| | 30″W x 18″D x 22″H | **HSCF223018BOM** | 78 | 9.0 | **$1617** | **$1653** | **$1691** |
|  | **Footed, Metal Front Low Credenza Open / File Drawer Bottom** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCF223618OFM** | 89 | 10.6 | **$1777** | **$1813** | **$1851** |
| | 30″W x 18″D x 22″H | **HSCF223018OFM** | 78 | 9.0 | **$1711** | **$1747** | **$1785** |
|  | **Footed, Metal Front Combo Unit Credenzas w/ Open Shelf** | | | | | | |
| | 36″W x 18″D x 22″H, RH Open | **HSCF223618RBFOM** | 89 | 10.6 | **$1729** | **$1802** | **$1875** |
| | 36″W x 18″D x 22″H, LH Open | **HSCF223618LBFOM** | 89 | 10.6 | **$1729** | **$1802** | **$1875** |
|  | **Footed, Metal Front, Open Shelf, File Drawer Bottom Personal File** | | | | | | |
| | 30″W x 18″D x 28″H | **HSFCF283018OFM** | 98 | 11.2 | **$1741** | **$1777** | **$1815** |

**NOTES:**
- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Ships complete with standard footed base.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- Steel frame provides durability.
- Feet are shipped with the credenza unit and are easily assembled.
- Use with laminate tops and credenza seat cushions. Order separately — see pages 569-570.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

**Select Model Number**

H S C F 2 2 3 6 1 8 R B F O M .

**Select Foot**

**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

S F T 1 .

**Select Pull**

**A** Arch
**PR0** Silver
**R** Radius
**N** Integral
**S** Square
**PR6** Silver

A P R 0 .

**Select Case Paint**

See page 547

P J W .

**Select Front Paint**

See page 547

**NA** Matches Case (+ $0)

P1 (+ $162)
P2 (+ $184)
P3 (+ $205)

N A .

**Select Shelf Paint**

See page 547

Only specified on models HSCF223618RBFOM and HSCF223618LBFOM

P2 (+ $17)
P3 (+ $39)

P J W .

**Select Lock**

**L** Standard Lock
**X** Omit Lock (- $20)
**EBNL** eLock (+ $351)





L

OPEN MARKET

Icon Legend on page 19

# CONTAIN® Metal Credenzas



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Plinth, Metal Front Combo Unit Credenzas w/ Open Shelf** | | | | | | |
| | 36″W x 18″D x 22″H, RH Open | **HSCP223618RBFOM** | 89 | 10.6 | **$1604** | **$1677** | **$1750** |
| | 36″W x 18″D x 22″H, LH Open | **HSCP223618LBFOM** | 89 | 10.6 | **$1604** | **$1677** | **$1750** |
|  | **Plinth, Metal Front Low Credenza Box / Open Bottom** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCP223618BOM** | 89 | 10.6 | **$1521** | **$1557** | **$1595** |
| | 30″W x 18″D x 22″H | **HSCP223018BOM** | 78 | 9.0 | **$1457** | **$1493** | **$1531** |
|  | **Plinth, Metal Front Low Credenza Open / File Drawer Bottom** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCP223618OFM** | 89 | 10.6 | **$1608** | **$1644** | **$1682** |
| | 30″W x 18″D x 22″H | **HSCP223018OFM** | 78 | 9.0 | **$1541** | **$1577** | **$1615** |
|  | **Plinth, Metal Front, Open Shelf, File Drawer Bottom Personal File** | | | | | | |
| | 30″W x 18″D x 28″H | **HSFCP283018OFM** | 98 | 11.2 | **$1583** | **$1619** | **$1657** |

**NOTES:**

- Metal chassis and drawer fronts.
- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Ships complete with standard kickplate.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- Steel frame provides durability.
- Use with laminate tops and credenza seat cushions. Order separately — see pages 569-570.

Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

**Select Model Number**

H S C P 2 2 3 6 1 8 R B F O M .

**Select Base**

**BK** Flush Plinth
**BX** Recessed Plinth

B X .

**Select Pull**

**A** Arch
**PRO** Silver
**R** Radius
**N** Integral
**S** Square
**PR6** Silver

A P R O .

**Select Case Paint**

See page 547

P J W .

**Select Front Paint**

See page 547

**NA** Matches Case (+ $0)

P1 (+ $162)
P2 (+ $184)
P3 (+ $205)

N A .

**Select Shelf Paint**

See page 547

Only specified on models HSCP223618RBFOM and HSCP223618LBFOM

P2 (+ $17)
P3 (+ $39)

P J W .

**Select Lock**

**L** Standard Lock
**X** Omit Lock (- $20)
**EBNL** eLock (+ $351)







L

# CONTAIN® Metal Credenzas

OPEN MARKET

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Plinth, Laminate Front Integrated HAT Combo Unit Credenzas** | | | | | | |
| | 72"W x 18"D x 22"H | **HSCP227218RBFOLHAT** | 152 | 20.7 | **$3237** | **$3310** | **$3383** |
| | 60"W x 18"D x 22"H | **HSCP226018RBFOLHAT** | 132 | 17.3 | **$2956** | **$3029** | **$3102** |
| | 48"W x 18"D x 22"H | **HSCP224818RBFOLHAT** | 113 | 14.0 | **$2748** | **$2821** | **$2894** |
|  | **Plinth, Laminate Front Integrated HAT Combo Unit Credenzas** | | | | | | |
| | 72"W x 18"D x 22"H | **HSCP227218LBFOLHAT** | 152 | 20.7 | **$3237** | **$3310** | **$3383** |
| | 60"W x 18"D x 22"H | **HSCP226018LBFOLHAT** | 132 | 17.3 | **$2956** | **$3029** | **$3102** |
| | 48"W x 18"D x 22"H | **HSCP224818LBFOLHAT** | 113 | 14.0 | **$2748** | **$2821** | **$2894** |
|  | **Plinth, Laminate Front Low Credenza Box / Open Bottom** | | | | | | |
| | 36"W x 18"D x 22"H | **HSCP223618BOL** | 89 | 10.6 | **$1792** | **$1828** | **$1866** |
| | 30"W x 18"D x 22"H | **HSCP223018BOL** | 78 | 9.0 | **$1727** | **$1763** | **$1801** |
|  | **Plinth, Laminate Front Low Credenza Open / File Drawer Bottom** | | | | | | |
| | 36"W x 18"D x 22"H | **HSCP223618OFL** | 89 | 10.6 | **$1895** | **$1931** | **$1969** |
| | 30"W x 18"D x 22"H | **HSCP223018OFL** | 78 | 9.0 | **$1827** | **$1863** | **$1901** |
|  | **Plinth, Laminate Front, Open Shelf, File Drawer Bottom Personal File** | | | | | | |
| | 30"W x 18"D x 28"H | **HSFCP283018OFL** | 98 | 11.2 | **$1819** | **$1855** | **$1893** |
|  | **Plinth, Laminate Front Combo Unit Credenzas w/ Open Shelf** | | | | | | |
| | 36"W x 18"D x 22"H, RH Open | **HSCP223618RBFOL** | 89 | 10.6 | **$1813** | **$1886** | **$1959** |
| | 36"W x 18"D x 22"H, LH Open | **HSCP223618LBFOL** | 89 | 10.6 | **$1813** | **$1886** | **$1959** |

**NOTES:**

- Metal chassis and drawer fronts.
- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Ships complete with standard kickplate.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- Steel frame provides durability.
- Use with laminate tops and credenza seat cushions. Order separately — see pages 569-570.
- For use with Coordinate™ 2 Stage C and T bases, 24"D or 30"D.

Install Tip: Will not accommodate pre-drilled Coordinate™ top locations in captured panel systems setups due to offset position in credenza and will require field location from credenza leg to bottom of top.

Recommended to use vertical fabric wire manager model HFBRZPWM to manage cords from worksurface to inside credenza through grommet opening. See page 570.

Counterweights are not required in HAT credenza applications.

Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

**Select Model Number**

H S C P 2 2 3 6 1 8 R B F O L .

**Select Base**

**BX** Recessed Plinth

B X .

**Select Pull**

**A** Arch
**PR0** Silver
**S** Square
**PR6** Silver

A P R 0 .

**Select Case Paint**

See page 547

P J W .

**Select Front Laminate**

See page 547

L2 (+ $39)

L S A 1 .

**Select Shelf Paint**

See page 547

Only specified on models ending in -FOL and -FOLHAT

P2 (+ $17)
P3 (+ $39)

P J W .

**Select Lock**

**L** Standard Lock
**X** Omit Lock (- $20)
**EBNL** eLock (+ $351)

L





OPEN MARKET

Icon Legend on page 19

# CONTAIN®

## Footed Metal Credenzas with Laminate Fronts



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Footed, Laminate Front Integrated HAT Combo Unit Credenzas** | | | | | | |
| | 72″W x 18″D x 22″H | **HSCF227218RBFOLHAT** | 152 | 20.7 | **$3476** | **$3549** | **$3622** |
| | 60″W x 18″D x 22″H | **HSCF226018RBFOLHAT** | 132 | 17.3 | **$3187** | **$3260** | **$3333** |
| | 48″W x 18″D x 22″H | **HSCF224818RBFOLHAT** | 113 | 14.0 | **$2937** | **$3010** | **$3083** |
|  | **Footed, Laminate Front Integrated HAT Combo Unit Credenzas** | | | | | | |
| | 72″W x 18″D x 22″H | **HSCF227218LBFOLHAT** | 152 | 20.7 | **$3476** | **$3549** | **$3622** |
| | 60″W x 18″D x 22″H | **HSCF226018LBFOLHAT** | 132 | 17.3 | **$3187** | **$3260** | **$3333** |
| | 48″W x 18″D x 22″H | **HSCF224818LBFOLHAT** | 113 | 14.0 | **$2937** | **$3010** | **$3083** |
|  | **Footed, Laminate Front Low Credenza Box / Open Bottom** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCF223618BOL** | 89 | 10.6 | **$1951** | **$1987** | **$2025** |
| | 30″W x 18″D x 22″H | **HSCF223018BOL** | 78 | 9.0 | **$1890** | **$1926** | **$1964** |
|  | **Footed, Laminate Front Low Credenza Open / File Drawer Bottom** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCF223618OFL** | 78 | 9.0 | **$2065** | **$2101** | **$2139** |
| | 30″W x 18″D x 22″H | **HSCF223018OFL** | 78 | 9.0 | **$1999** | **$2035** | **$2073** |
|  | **Footed, Laminate Front Combo Unit Credenzas w/ Open Shelf** | | | | | | |
| | 36″W x 18″D x 22″H, RH Open | **HSCF223618RBFOL** | 89 | 10.6 | **$1938** | **$2011** | **$2084** |
| | 36″W x 18″D x 22″H, LH Open | **HSCF223618LBFOL** | 89 | 10.6 | **$1938** | **$2011** | **$2084** |
|  | **Footed, Laminate Front, Open Shelf, File Drawer Bottom Personal File** | | | | | | |
| | 30″W x 18″D x 28″H | **HSFCF283018OFL** | 98 | 11.2 | **$1978** | **$2014** | **$2052** |

**NOTES:**

- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Ships complete with standard footed base.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- Steel frame provides durability.
- Feet are shipped with the credenza unit and are easily assembled.
- Use with laminate tops and credenza seat cushions. Order separately — see pages 569-570.
- For use with Coordinate™ 2 Stage C and T bases, 24″D or 30″D.

Install Tip: Will not accommodate pre-drilled Coordinate™ top locations in captured panel systems setups due to offset position in credenza and will require field location from credenza leg to bottom of top.

Recommended to use vertical fabric wire manager model HFBRZPWM to manage cords from worksurface to inside credenza through grommet opening. See page 570.

Counterweights are not required in HAT credenza applications.

Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY





| Select Model Number | Select Foot | Select Pull | Select Case Paint | Select Front Laminate | Select Shelf Paint | Select Lock |
|---|---|---|---|---|---|---|
| | **SF** Contain Foot<br>**T1** Platinum Metallic<br>**PR6** Silver | **A** Arch<br>**PR0** Silver<br>**S** Square<br>**PR6** Silver | See page 547 | See page 547<br>L2 (+ $39) | See page 547<br>Only specified on models ending in -FOL and -FOLHAT<br>P2 (+ $17)<br>P3 (+ $39) | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S C F 2 2 3 6 1 8 R B F O L . | S F T 1 . | A P R 0 . | P J W . | L S A 1 . | P J W . | L |

# CONTAIN® Metal Credenzas

OPEN MARKET

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Mobile, Metal Front Low Credenza Box / Open Bottom** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCM223618BOM** | 89 | 10.6 | **$1919** | **$1955** | **$1993** |
| | 30″W x 18″D x 22″H | **HSCM223018BOM** | 78 | 9.0 | **$1854** | **$1890** | **$1928** |
|  | **Mobile, Metal Front Low Credenza Open / File Drawer Bottom** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCM223618OFM** | 89 | 10.6 | **$2200** | **$2236** | **$2274** |
| | 30″W x 18″D x 22″H | **HSCM223018OFM** | 78 | 9.0 | **$2125** | **$2161** | **$2199** |
|  | **Mobile, Metal Front Low Credenza Box / File Drawer** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCM223618BFM** | 89 | 10.6 | **$2450** | **$2486** | **$2524** |
| | 30″W x 18″D x 22″H | **HSCM223018BFM** | 78 | 9.0 | **$2377** | **$2413** | **$2451** |
|  | **Mobile, Metal Front Combo Unit Credenzas w/ Open Shelf** | | | | | | |
| | 36″W x 18″D x 22″H, RH Open | **HSCM223618RBFOM** | 89 | 10.6 | **$2016** | **$2089** | **$2162** |
| | 36″W x 18″D x 22″H, LH Open | **HSCM223618LBFOM** | 78 | 9.0 | **$2016** | **$2089** | **$2162** |
|  | **Mobile, Metal Front Low Credenza Open / File Drawer Bottom** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCM223618O** | 89 | 10.6 | **$1938** | **$1974** | **$2012** |
| | 30″W x 18″D x 22″H | **HSCM223018O** | 78 | 9.0 | **$1836** | **$1872** | **$1910** |

**NOTES:**

- Metal chassis and drawer fronts.
- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Ships complete with standard kickplate.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- Steel frame provides durability.
- Use with laminate tops and credenza seat cushions. Order separately — see pages 569-570.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

**Select Model Number**

H S C M 2 2 3 6 1 8 R B F O M .

**Select Caster**

**H** Hard Caster

H .

**Select Pull**

**A** Arch
**PRO** Silver
**R** Radius
**N** Integral
**S** Square
**PR6** Silver

A P R O .

**Select Case Paint**

See page 547

P J W .

**Select Front Paint**

See page 547

**NA** Matches Case (+ $0)

P1 (+ $162)
P2 (+ $184)
P3 (+ $205)

N A .

**Select Shelf Paint**

See page 547

Only specified on models HSCM223618RBFOM and HSCM223618LBFOM

P2 (+ $17)
P3 (+ $39)

P J W .

**Select Lock**

**L** Standard Lock
**X** Omit Lock (- $20)
**EBNL** eLock (+ $351)



L

OPEN MARKET

Icon Legend on page 19

# CONTAIN®

## Footed Metal Credenzas with Laminate Fronts

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Mobile Laminate Front Low Credenza Box / Open Bottom** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCM223618BOL** | 89 | 10.6 | **$2189** | **$2225** | **$2263** |
| | 30″W x 18″D x 22″H | **HSCM223018BOL** | 78 | 9.0 | **$2128** | **$2164** | **$2202** |
|  | **Mobile, Laminate Front Low Credenza Open / File Drawer Bottom** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCM223618OFL** | 89 | 10.6 | **$2304** | **$2340** | **$2378** |
| | 30″W x 18″D x 22″H | **HSCM223018OFL** | 78 | 9.0 | **$2237** | **$2273** | **$2311** |
|  | **Mobile, Laminate Front Low Credenza Box / File Drawer** | | | | | | |
| | 36″W x 18″D x 22″H | **HSCM223618BFL** | 89 | 10.6 | **$2769** | **$2805** | **$2843** |
| | 30″W x 18″D x 22″H | **HSCM223018BFL** | 78 | 9.0 | **$2696** | **$2732** | **$2770** |
|  | **Mobile, Laminate Front Combo Unit Credenzas w/ Open Shelf** | | | | | | |
| | 36″W x 18″D x 22″H, RH Open | **HSCM223618RBFOL** | 89 | 10.6 | **$2057** | **$2130** | **$2203** |
| | 36″W x 18″D x 22″H, LH Open | **HSCM223618LBFOL** | 89 | 10.6 | **$2057** | **$2130** | **$2203** |

**NOTES:**

- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Ships complete with standard footed base.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- Steel frame provides durability.
- Feet are shipped with the credenza unit and are easily assembled.
- Use with laminate tops and credenza seat cushions. Order separately — see pages 569-570.

Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

STORAGE

## HOW TO SPECIFY



| Select Model Number | Select Caster | Select Pull | Select Case Paint | Select Front Laminate | Select Shelf Paint | Select Lock |
|---|---|---|---|---|---|---|
| | **H** Hard Caster | **A** Arch<br>**PRO** Silver<br>**S** Square<br>**PR6** Silver | See page 547 | See page 547<br>L2 (+ $39) | See page 547<br>Only specified on models HSCM223618RBFOM and HSCM223618LBFOM<br>P2 (+ $17)<br>P3 (+ $39) | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S C M 2 2 3 6 1 8 R B F O L . | H . | A P R O . | P J W . | L S A 1 . | P J W . | L |

# CONTAIN® Personal Files

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Box/Box/File**<br>30″W x 18″D x 28″H | **HSFCP283018BBFM** | 90 | 11.3 | **$1799** | **$1836** | **$1874** |
|  | **Footed, Box/Box/File**<br>30″W x 18″D x 28″H | **HSFCF283018BBFM** | 90 | 11.3 | **$1978** | **$2015** | **$2053** |
|  | **Box/Box/File, Laminate Front Base**<br>30″W x 18″D x 28″H | **HSFCP283018BBFL** | 90 | 11.3 | **$2068** | **$2105** | **$2143** |
|  | **Footed, Box/Box/File, Laminate Front**<br>30″W x 18″D x 28″H | **HSFCF283018BBFL** | 90 | 11.3 | **$2248** | **$2285** | **$2323** |

**NOTES:**

- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- Steel frame provides durability.

Locking units equipped with HON "One Key" interchangeable core removable locks.

## HOW TO SPECIFY

| Select Model Number | Select Base/Foot | Select Pull | Select Case Paint | Select Front Paint | Select Lock |
|---|---|---|---|---|---|
| H S F C P 2 8 3 0 1 8 B B F M . | B X . | A P R 0 . | P J W . | N A . | L |

**Select Base/Foot**
- **BK** Flush Plinth
- **BX** Recessed Plinth
- **SF** Contain Foot
- **T1** Platinum Metallic
- **PR6** Silver

**Select Pull**
- **A** Arch
- **PR0** Silver
- **R** Radius
- **N** Integral
- **S** Square
- **PR6** Silver

**Select Case Paint**
See page 547

**Select Front Paint**
See page 547
- **NA** Matches Case (+ $0)
- P1 (+ $162)
- P2 (+ $184)
- P3 (+ $205)

**Select Lock**
- **L** Standard Lock
- **X** Omit Lock (- $20)
- **EBNL** eLock (+ $351)

| Select Model Number | Select Base/Foot | Select Pull | Select Case Paint | Select Front Laminate | Select Lock |
|---|---|---|---|---|---|
| H S F C F 2 8 3 0 1 8 B B F L . | S F T 1 . | A P R 0 . | P J W . | L S A 1 . | L |

**Select Base/Foot**
- **BX** Recessed Plinth
- **SF** Contain Foot
- **T1** Platinum Metallic
- **PR6** Silver

**Select Pull**
- **A** Arch
- **PR0** Silver
- **S** Square
- **PR6** Silver

**Select Case Paint**
See page 547

**Select Front Laminate**
See page 547
- L2 (+ $39)




**Select Lock**
- **L** Standard Lock
- **X** Omit Lock (- $20)
- **EBNL** eLock (+ $351)

GSA SIN 33721

Icon Legend on page 19

# CONTAIN® Lateral Files



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **2 Drawer Lateral** | | | | | | |
| | 30″W x 18″D x 28″H | **HSLP283018FFM** | 90 | 11.3 | **$1400** | **$1437** | **$1475** |
| | 36″W x 18″D x 28″H | **HSLP283618FFM** | 101 | 13.4 | **$1645** | **$1682** | **$1720** |
|  | **Footed 2 Drawer Lateral** | | | | | | |
| | 30″W x 18″D x 28″H | **HSLF283018FFM** | 90 | 11.3 | **$1639** | **$1676** | **$1714** |
| | 36″W x 18″D x 28″H | **HSLF283618FFM** | 101 | 13.4 | **$1810** | **$1847** | **$1885** |
|  | **2 Drawer Lateral, Laminate Front** | | | | | | |
| | 30″W x 18″D x 28″H | **HSLP283018FFL** | 98 | 11.3 | **$1733** | **$1770** | **$1808** |
| | 36″W x 18″D x 28″H | **HSLP283618FFL** | 109 | 13.4 | **$1890** | **$1927** | **$1965** |
|  | **Footed 2 Drawer Lateral, Laminate Front** | | | | | | |
| | 30″W x 18″D x 28″H | **HSLF283018FFL** | 98 | 11.3 | **$1890** | **$1927** | **$1965** |
| | 36″W x 18″D x 28″H | **HSLF283618FFL** | 109 | 13.4 | **$2080** | **$2117** | **$2155** |

**NOTES:**

- Lateral and wide box drawers operate on ball-bearing suspension with full extension.
- Steel ball-bearing drawer suspensions.
- Field installable counterweight sold separately.
- File drawers accept hanging folders in letter or legal size.
- Steel frame provides durability.
- Contain® Laterals can be used with Storage Islands.

Locking units equipped with HON "One Key" interchangeable core removable locks.

## HOW TO SPECIFY

**Select Model Number**

H S L P 2 8 3 0 1 8 F F M .

**Select Base/Foot**

**BK** Flush Plinth
**BX** Recessed Plinth
**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

B X .

**Select Pull**

**A** Arch
**PR0** Silver
**R** Radius
**N** Integral
**S** Square
**PR6** Silver

A P R 0 .

**Select Case Paint**

See page 547

P J W .

**Select Front Paint**

See page 547

**NA** Matches Case (+ $0)

P1 (+ $162)
P2 (+ $184)
P3 (+ $205)

N A .

**Select Lock**

**L** Standard Lock
**X** Omit Lock (- $20)
**EBNL** eLock (+ $351)

L

**Select Model Number**

H S L F 2 8 3 0 1 8 F F L .

**Select Base/Foot**

**BX** Recessed Plinth
**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

S F T 1 .

**Select Pull**

**A** Arch
**PR0** Silver
**S** Square
**PR6** Silver

A P R 0 .

**Select Case Paint**

See page 547

P J W .

**Select Front Laminate**

See page 547

L2 (+ $39)

L S A 1 .

**Select Lock**

**L** Standard Lock
**X** Omit Lock (- $20)
**EBNL** eLock (+ $351)


L

# CONTAIN®
# Lateral File Accessories

GSA SIN AS NOTED

Icon Legend on page 19





SIN 33721

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Square Edge Laminate Top** | | | | | |
| 72″W x 18″D x 1⅛″ Thick | **H919472** | 48 | 3.5 | **$1190** | **$1207** |
| 60″W x 18″D x 1⅛″ Thick | **H919460** | 32 | 3.0 | **$1015** | **$1032** |
| 48″W x 18″D x 1⅛″ Thick | **H919448** | 31 | 2.6 | **$891** | **$903** |
| 36″W x 18″D x 1⅛″ Thick | **H919436** | 25 Ⓢ | 1.8 | **$736** | **$748** |
| 30″W x 18″D x 1⅛″ Thick | **H919430** | 20 Ⓢ | 1.6 | **$588** | **$600** |

NOTES: Square-edge laminate tops provide a finished look to laterals. See Storage Islands on page 622 for full laminate solution.

❗ Specify laminate only.

**SPECIFYING EXAMPLE: H919448.C**



**OPEN MARKET**

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Front-to-Back Hangrail Kits** | | | | |
| 15″D for 24″D Credenza or 18″D Lateral | **HSCAHR15** | 0.1 | 0.2 | **$30** |


❗ No specification needed.



**OPEN MARKET**

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Counterweight for Contain 28″H Laterals** | | | | |
| 50 lbs for 30″ Lateral | **HSLACW50** | 2.0 | 55.0 | **$284** |
| 57½ lbs for 36″ Lateral | **HSLACW57** | 2.0 | 63.0 | **$297** |

❗ No specification needed.



*Linear*

*Square*

**OPEN MARKET**

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Field Installable Drawer/Door Handle Kits** | | | | |
| Field Installable Pull, 2 Pack | **HPULL2** | 0.4 | 0.3 | **$76** |
| Field Installable Pull, 3 Pack | **HPULL3** | 0.5 | 0.3 | **$86** |

NOTES: Square and Linear pull packs provide the option to coordinate with Fuse™ Storage. Pull packs are field installable on all Contain® Storage Products, excluding electronic locking units.

## HOW TO SPECIFY

**Select Model Number**

H 9 1 9 4 7 2 .

**Select Laminate**

See page 547

C

**Select Model Number**

H P U L L 2 .

**Select Pull**

**LP** Linear Black
**LPR6** Linear Silver
**SPR6** Square Silver


L P R 6

GSA SIN 33721

Icon Legend on page 19

# CONTAIN® Metal Credenzas Accessories






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Square Edge Laminate Top** | | | | | |
| 72″W x 18″D x 1⅛″ Thick | **H919472** | 48.0 | 3.5 | **$1190** | **$1207** |
| 60″W x 18″D x 1⅛″ Thick | **H919460** | 32.0 | 3.0 | **$1015** | **$1032** |
| 48″W x 18″D x 1⅛″ Thick | **H919448** | 31.0 | 2.6 | **$891** | **$903** |
| 36″W x 18″D x 1⅛″ Thick | **H919436** | 25.0 S | 1.8 | **$736** | **$748** |
| 30″W x 18″D x 1⅛″ Thick | **H919430** | 20.0 S | 1.6 | **$588** | **$600** |

NOTES: Square-edge laminate tops provide a finished look to credenzas.


Specify laminate only.
**SPECIFYING EXAMPLE: H919448.C**



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Worksurface O-Leg** | | | | | | |
| 30″W x 6½″H | **HSCAWS6530** | 7.0 | 1.0 | **$316** | **$328** | **$333** |
| 24″W x 6½″H | **HSCAWS6524** | 6.0 | 1.0 | **$263** | **$275** | **$280** |
| 20″W x 6½″H | **HSCAWS6520** | 5.0 | 1.0 | **$229** | **$241** | **$246** |


NOTES: Worksurfaces with O-Legs may be placed upon Low Credenzas to create layering.

Specify paint only.
**SPECIFYING EXAMPLE: HSCAWS6530.S**




| | | | | | | |
|---|---|---|---|---|---|---|
| **Credenza Kickplates** | | | | | | |
| For 36″ Box/File Model | **HSCK36BF** | 3.0 | 0.5 | **$182** | **$194** | **$210** |
| For 30″ Box/File Model | **HSCK30BF** | 2.0 | 0.4 | **$167** | **$179** | **$195** |
| For 24″ Box/File Model | **HSCK24BF** | 2.0 | 0.4 | **$150** | **$162** | **$178** |
| For 36″ Open File Model | **HSCK36O** | 3.0 | 0.5 | **$182** | **$194** | **$210** |
| For 30″ Open File Model | **HSCK30O** | 2.0 | 0.4 | **$167** | **$179** | **$195** |

Specify paint only.
**SPECIFYING EXAMPLE: HSCK36BF.S**



| | | | | | | |
|---|---|---|---|---|---|---|
| **Credenza Hangrail Kits** | | | | | | |
| 12″ for front-to-back filing | **HSCAHR12** | 1.0 S | 0.4 | **$26** | **N/A** | **N/A** |

NOTES: For legal filing, hangrail kit hooks on the front hangrail and the side-to-side hangrail. No specification needed.




| | | | | | | |
|---|---|---|---|---|---|---|
| **Credenza Storage-to-Panel Bracket** | **HSCAPB** | 0.2 S | 0.4 | **$272** | **$286** | **$294** |

Specify paint only.
**SPECIFYING EXAMPLE: HSCAPB.S**

| | | | | | | |
|---|---|---|---|---|---|---|
| **Credenza Counterweight Kit** | **HSCACW50** | 55.0 S | 2.0 | **$303** | **N/A** | **N/A** |
| | **HSCACW35** | 40.0 S | 2.0 | **$273** | **N/A** | **N/A** |
| | **HSCACW25** | 30.0 S | 2.0 | **$245** | **N/A** | **N/A** |

NOTES: Field installable counterweight sold separately. No specification needed.



| | | | | | | |
|---|---|---|---|---|---|---|
| **Removable Lock Core Kit—Satin** | **HF23S** | 0.2 S | 0.1 | **$63** | **N/A** | **N/A** |

- **Use when specifying omit lock application.**
- Specify quantity of each key number from 101E-225E.
- Includes: 1-core, 2-keys, 1-core removal tool and instructions.
- Removable lock core kits with specific key number must be ordered to facilitate keying alike in the field.
- For specific models, look for the Omit Lock Core icon throughout this publication.

NOTES: If key number isn't specified, number will be at random. Core matches manufactured lock on Contain® product but can be used with Contain® metal casegoods and laminate product. When purchased separately without a configurable TAA compliant end product, not on GSA contract.

## HOW TO SPECIFY

**Select Model Number**

H 9 1 9 4 4 8 .

**Select Laminate**

See page 547

C

**Select Model Number**

H S C A W S 6 5 3 0 .

**Select Paint**

See page 547


S

# CONTAIN®
# Metal Credenzas Accessories

GSA SIN 33721 EXCEPT AS NOTED

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Credenza Cushion** | | | | | | | | | | | | | | | |
| 36″W x 18″D for 36″, 60″, and 72″ Credenzas | **HSCAUC1836** | 16.3 | 1.6 | $388 | $430 | $471 | $513 | $566 | $619 | $673 | $726 | $780 | $832 | $886 | $941 |
| 30″W x 18″D for 30″, 48″, and 60″ Credenzas | **HSCAUC1830** | 16.3 | 1.6 | $362 | $404 | $445 | $487 | $540 | $593 | $647 | $700 | $754 | $806 | $860 | $915 |
| 24″W x 18″D for 48″ Credenzas | **HSCAUC1824** | 16.3 | 1.9 | $338 | $380 | $421 | $463 | $516 | $569 | $623 | $676 | $730 | $782 | $836 | $891 |

NOTES: See pages 22-25 for available fabrics.
**SPECIFYING EXAMPLE: HSCAUC1836.APN23**

**NOTES:**
- For matching Pedestal Seats, see page 594.
- Credenza Cushions are available in 24″, 30″ and 36″ size options.
- Choose from multiple upholstery options, see pages 22-25.

## HOW TO SPECIFY

| Select Model Number | Select Fabric |
|---|---|
| | See pages 22-25 |
| H S C A U C 1 8 3 6 . | C U 1 0 |




**OPEN MARKET**

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Fabric Wire Manager (Pack of 2)** | **HFBRZPWM** | 2 | 0.6 | **$361** |


## HOW TO SPECIFY

| Select Model Number | Select Fabric |
|---|---|
| | See page 547 |
| H F B R Z P W M . | P |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE P1 |
|---|---|---|---|---|
| **Metal Box Divider** | | | | |
| 10 pack | **HSCABD10** | 7 | 0.7 | **$234** |
| 2 pack | **HSCABD02** | 2 | 0.7 | **$61** |

Metal dividers available in Black only. No need to specify.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE P1 |
|---|---|---|---|---|
| **Metal File Divider** | | | | |
| 10 pack | **HSCAFD10** | 12 | 0.7 | **$279** |
| 2 pack | **HSCAFD02** | 3 | 0.7 | **$76** |



Metal dividers available in Black only. No need to specify.

GSA SIN 33721

Icon Legend on page 19

# CONTAIN® Metal Personal Towers



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Personal Tower with Metal Fronts, Door/Box/Box/File** | | | | | | |
| | 65″H x 24″W x 24″D, Wardrobe Left | **HSTP652424LBBFM** | 178 | 27.2 | **$2793** | **$2877** | **$2950** |
| | 65″H x 24″W x 24″D, Wardrobe Right | **HSTP652424RBBFM** | 178 | 27.2 | **$2793** | **$2877** | **$2950** |
| | 50″H x 24″W x 24″D, Wardrobe Left | **HSTP502424LBBFM** | 146 | 21.2 | **$2614** | **$2698** | **$2771** |
| | 50″H x 24″W x 24″D, Wardrobe Right | **HSTP502424RBBFM** | 146 | 21.2 | **$2614** | **$2698** | **$2771** |
| | 42″H x 24″W x 24″D, Wardrobe Left | **HSTP422424LBBFM** | 132 | 16.8 | **$2246** | **$2301** | **$2381** |
| | 42″H x 24″W x 24″D, Wardrobe Right | **HSTP422424RBBFM** | 132 | 16.8 | **$2246** | **$2301** | **$2381** |
|  | **Personal Tower with Metal Fronts, Door/File/File** | | | | | | |
| | 65″H x 24″W x 24″D, Wardrobe Left | **HSTP652424LFFM** | 178 | 27.2 | **$2721** | **$2805** | **$2878** |
| | 65″H x 24″W x 24″D, Wardrobe Right | **HSTP652424RFFM** | 178 | 27.2 | **$2721** | **$2805** | **$2878** |
| | 50″H x 24″W x 24″D, Wardrobe Left | **HSTP502424LFFM** | 146 | 21.1 | **$2546** | **$2630** | **$2703** |
| | 50″H x 24″W x 24″D, Wardrobe Right | **HSTP502424RFFM** | 146 | 21.1 | **$2546** | **$2630** | **$2703** |
| | 42″H x 24″W x 24″D, Wardrobe Left | **HSTP422424LFFM** | 132 | 16.8 | **$2175** | **$2230** | **$2310** |
| | 42″H x 24″W x 24″D, Wardrobe Right | **HSTP422424RFFM** | 132 | 16.8 | **$2175** | **$2230** | **$2310** |

**NOTES:**

- Metal chassis and drawer fronts.
- Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Baked, epoxy/polyester, powder coating finish.
- One lock secures doors and drawers.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- Shelves are only in the cabinet side above the drawer units.
- 42″H units do not include an adjustable shelf in the upper cabinet section.
- 50″H units include one adjustable shelf.
- 65″H units include two adjustable shelves.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY



| Select Model Number | Select Base | Select Pull | Select Case Paint | Select Front Paint | Select Lock |
|---|---|---|---|---|---|
| | **BK** Flush Plinth<br>**BX** Recessed Plinth | **A** Arch<br>**PRO** Silver<br>**R** Radius<br>**N** Integral<br>**S** Square<br>**PR6** Silver | See page 547 | See page 547<br>**NA** Matches Case (+ $0)<br>P1 (+ $162)<br>P2 (+ $184)<br>P3 (+ $205) | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S T P 6 5 2 4 2 4 L F F M . | B X . | A P R O . | P J W . | N A . | L |

# CONTAIN®
# Metal Side Access Towers

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Side Access Tower with Metal Fronts, Shelves/Box/Box/File** | | | | | | |
| | 65″H x 24″W x 24″D, Wardrobe Left | **HSTSP652424LBBFM** | 178 | 27.2 | **$2957** | **$3041** | **$3114** |
| | 65″H x 24″W x 24″D, Wardrobe Right | **HSTSP652424RBBFM** | 178 | 27.2 | **$2957** | **$3041** | **$3114** |
| | 50″H x 24″W x 24″D, Wardrobe Left | **HSTSP502424LBBFM** | 146 | 21.2 | **$2769** | **$2853** | **$2926** |
| | 50″H x 24″W x 24″D, Wardrobe Right | **HSTSP502424RBBFM** | 146 | 21.2 | **$2769** | **$2853** | **$2926** |
| | 42″H x 24″W x 24″D, Wardrobe Left | **HSTSP422424LBBFM** | 132 | 16.8 | **$2498** | **$2553** | **$2633** |
| | 42″H x 24″W x 24″D, Wardrobe Right | **HSTSP422424RBBFM** | 132 | 16.8 | **$2498** | **$2553** | **$2633** |
|  | **Side Access Tower with Metal Fronts, Shelves/File/File** | | | | | | |
| | 65″H x 24″W x 24″D, Wardrobe Left | **HSTSP652424LFFM** | 178 | 27.2 | **$2889** | **$2973** | **$3046** |
| | 65″H x 24″W x 24″D, Wardrobe Right | **HSTSP652424RFFM** | 178 | 27.2 | **$2889** | **$2973** | **$3046** |
| | 50″H x 24″W x 24″D, Wardrobe Left | **HSTSP502424LFFM** | 146 | 21.2 | **$2699** | **$2783** | **$2856** |
| | 50″H x 24″W x 24″D, Wardrobe Right | **HSTSP502424RFFM** | 146 | 21.2 | **$2699** | **$2783** | **$2856** |
| | 42″H x 24″W x 24″D, Wardrobe Left | **HSTSP422424LFFM** | 132 | 16.8 | **$2430** | **$2485** | **$2565** |
| | 42″H x 24″W x 24″D, Wardrobe Right | **HSTSP422424RFFM** | 132 | 16.8 | **$2430** | **$2485** | **$2565** |

**NOTES:**

- Towers can be used to support a worksurface. In order to do so, order bracket model HSTB2W1.
- Metal chassis and drawer fronts.
- Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Baked, epoxy/polyester, powder coating finish.
- One lock secures doors and drawers.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY



| Select Model Number | Select Base | Select Pull | Select Case Paint | Select Front Paint | Select Panel Paint | Select Lock |
|---|---|---|---|---|---|---|
| | **BK** Flush Plinth<br>**BX** Recessed Plinth | **A** Arch<br>**PRO** Silver<br>**R** Radius<br>**N** Integral<br>**S** Square<br>**PR6** Silver | See page 547 | See page 547<br>**NA** Matches Case (+ $0)<br>P1 (+ $162)<br>P2 (+ $184)<br>P3 (+ $205) | **NA** Matches Case | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S T S P 6 5 2 4 2 4 L F F M . | B X . | A P R 0 . | P J W . | N A . | N A . | L |

GSA SIN 33721

Icon Legend on page 19

# CONTAIN®
## Metal Personal Towers with Laminate Fronts



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Personal Tower with Laminate Fronts, Door/Box/Box/File** | | | | | | |
| | 65″H x 24″W x 24″D, Wardrobe Left | **HSTP652424LBBFL** | 178 | 27.2 | **$3198** | **$3282** | **$3355** |
| | 65″H x 24″W x 24″D, Wardrobe Right | **HSTP652424RBBFL** | 178 | 27.2 | **$3198** | **$3282** | **$3355** |
| | 50″H x 24″W x 24″D, Wardrobe Left | **HSTP502424LBBFL** | 146 | 21.2 | **$2995** | **$3079** | **$3152** |
| | 50″H x 24″W x 24″D, Wardrobe Right | **HSTP502424RBBFL** | 146 | 21.2 | **$2995** | **$3079** | **$3152** |
| | 42″H x 24″W x 24″D, Wardrobe Left | **HSTP422424LBBFL** | 132 | 16.8 | **$2571** | **$2626** | **$2706** |
| | 42″H x 24″W x 24″D, Wardrobe Right | **HSTP422424RBBFL** | 132 | 16.8 | **$2571** | **$2626** | **$2706** |
|  | **Personal Tower with Laminate Fronts, Door/File/File** | | | | | | |
| | 65″H x 24″W x 24″D, Wardrobe Left | **HSTP652424LFFL** | 178 | 27.2 | **$3130** | **$3214** | **$3287** |
| | 65″H x 24″W x 24″D, Wardrobe Right | **HSTP652424RFFL** | 178 | 27.2 | **$3130** | **$3214** | **$3287** |
| | 50″H x 24″W x 24″D, Wardrobe Left | **HSTP502424LFFL** | 146 | 21.2 | **$2926** | **$3010** | **$3083** |
| | 50″H x 24″W x 24″D, Wardrobe Right | **HSTP502424RFFL** | 146 | 21.2 | **$2926** | **$3010** | **$3083** |
| | 42″H x 24″W x 24″D, Wardrobe Left | **HSTP422424LFFL** | 132 | 16.8 | **$2500** | **$2555** | **$2635** |
| | 42″H x 24″W x 24″D, Wardrobe Right | **HSTP422424RFFL** | 132 | 16.8 | **$2500** | **$2555** | **$2635** |

**NOTES:**
- Metal chassis with laminate drawer/door fronts.
- Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Baked, epoxy/polyester, powder coating finish.
- One lock secures doors and drawers.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- Shelves are only in the cabinet side above the drawer units.
- 42″H units do not include an adjustable shelf in the upper cabinet section.
- 50″H units include one adjustable shelf.
- 65″H units include two adjustable shelves.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

**Select Model Number**

H S T P 6 5 2 4 2 4 L F F L .

**Select Base**

**BX** Recessed Plinth

B X .

**Select Pull**

**A** Arch
**PR0** Silver
**S** Square
**PR6** Silver

A P R 0 .

**Select Case Paint**

See page 547

P J W .

**Select Front Laminate**

See page 547

L2 (+ $39)

L S A 1 .

**Select Lock**

**L** Standard Lock
**X** Omit Lock (- $20)
**EBNL** eLock (+ $351)



L

# CONTAIN®
## Metal Side Access Towers with Laminate Fronts

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Side Access Tower with Laminate Fronts, Shelves/Box/Box/File** | | | | | | |
| | 65″H x 24″W x 24″D, Wardrobe Left | **HSTSP652424LBBFL** | 178 | 27.2 | **$3389** | **$3473** | **$3546** |
| | 65″H x 24″W x 24″D, Wardrobe Right | **HSTSP652424RBBFL** | 178 | 27.2 | **$3389** | **$3473** | **$3546** |
| | 50″H x 24″W x 24″D, Wardrobe Left | **HSTSP502424LBBFL** | 146 | 21.2 | **$3172** | **$3256** | **$3329** |
| | 50″H x 24″W x 24″D, Wardrobe Right | **HSTSP502424RBBFL** | 146 | 21.2 | **$3172** | **$3256** | **$3329** |
| | 42″H x 24″W x 24″D, Wardrobe Left | **HSTSP422424LBBFL** | 132 | 16.8 | **$2862** | **$2917** | **$2997** |
| | 42″H x 24″W x 24″D, Wardrobe Right | **HSTSP422424RBBFL** | 132 | 16.8 | **$2862** | **$2917** | **$2997** |
|  | **Side Access Tower with Laminate Fronts, Shelves/File/File** | | | | | | |
| | 65″H x 24″W x 24″D, Wardrobe Left | **HSTSP652424LFFL** | 178 | 27.2 | **$3321** | **$3405** | **$3478** |
| | 65″H x 24″W x 24″D, Wardrobe Right | **HSTSP652424RFFL** | 178 | 27.2 | **$3321** | **$3405** | **$3478** |
| | 50″H x 24″W x 24″D, Wardrobe Left | **HSTSP502424LFFL** | 146 | 21.2 | **$3105** | **$3189** | **$3262** |
| | 50″H x 24″W x 24″D, Wardrobe Right | **HSTSP502424RFFL** | 146 | 21.2 | **$3105** | **$3189** | **$3262** |
| | 42″H x 24″W x 24″D, Wardrobe Left | **HSTSP422424LFFL** | 132 | 16.8 | **$2794** | **$2849** | **$2929** |
| | 42″H x 24″W x 24″D, Wardrobe Right | **HSTSP422424RFFL** | 132 | 16.8 | **$2794** | **$2849** | **$2929** |

**NOTES:**
- Towers can be used to support a worksurface. In order to do so, order bracket model HSTB2W1.
- Metal chassis with laminate drawer/door fronts.
- Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Baked, epoxy/polyester, powder coating finish.
- One lock secures doors and drawers.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY



| Select Model Number | Select Base | Select Pull | Select Case Paint | Select Front Laminate | Select Lock |
|---|---|---|---|---|---|
| | **BX** Recessed Plinth | **A** Arch<br>**PR0** Silver<br>**S** Square<br>**PR6** Silver | See page 547 | See page 547<br>L2 (+ $39) | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S T S P 6 5 2 4 2 4 L F F L . | B X . | A P R 0 . | P J W . | L S A 1 . | L |

GSA SIN 33721

Icon Legend on page 19

# CONTAIN®
# Footed Metal Personal Towers



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Footed Personal Tower with Metal Fronts, Door/Box/Box/File** | | | | | | |
| | 65″H x 24″W x 24″D, Wardrobe Left | **HSTF652424LBBFM** | 178 | 25.8 | **$2957** | **$3041** | **$3114** |
| | 65″H x 24″W x 24″D, Wardrobe Right | **HSTF652424RBBFM** | 178 | 25.8 | **$2957** | **$3041** | **$3114** |
| | 50″H x 24″W x 24″D, Wardrobe Left | **HSTF502424LBBFM** | 146 | 19.8 | **$2780** | **$2864** | **$2937** |
| | 50″H x 24″W x 24″D, Wardrobe Right | **HSTF502424RBBFM** | 146 | 19.8 | **$2780** | **$2864** | **$2937** |
| | 42″H x 24″W x 24″D, Wardrobe Left | **HSTF422424LBBFM** | 132 | 18.2 | **$2410** | **$2465** | **$2545** |
| | 42″H x 24″W x 24″D, Wardrobe Right | **HSTF422424RBBFM** | 132 | 18.2 | **$2410** | **$2465** | **$2545** |
|  | **Footed Personal Tower with Metal Fronts, Door/File/File** | | | | | | |
| | 65″H x 24″W x 24″D, Wardrobe Left | **HSTF652424LFFM** | 178 | 25.8 | **$2889** | **$2973** | **$3046** |
| | 65″H x 24″W x 24″D, Wardrobe Right | **HSTF652424RFFM** | 178 | 25.8 | **$2889** | **$2973** | **$3046** |
| | 50″H x 24″W x 24″D, Wardrobe Left | **HSTF502424LFFM** | 146 | 19.8 | **$2710** | **$2794** | **$2867** |
| | 50″H x 24″W x 24″D, Wardrobe Right | **HSTF502424RFFM** | 146 | 19.8 | **$2710** | **$2794** | **$2867** |
| | 42″H x 24″W x 24″D, Wardrobe Left | **HSTF422424LFFM** | 132 | 18.2 | **$2342** | **$2397** | **$2477** |
| | 42″H x 24″W x 24″D, Wardrobe Right | **HSTF422424RFFM** | 132 | 18.2 | **$2342** | **$2397** | **$2477** |

**NOTES:**
- Metal chassis and drawer fronts.
- Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Baked, epoxy/polyester, powder coating finish.
- One lock secures doors and drawers.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- Shelves are only in the cabinet side above the drawer units.
- 42″H units do not include an adjustable shelf in the upper cabinet section.
- 50″H units include one adjustable shelf.
- 65″H units include two adjustable shelves.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

**Select Model Number**

H S T F 4 2 2 4 2 4 L B B F M .

**Select Foot**

**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

S F T 1 .

**Select Pull**

**A** Arch
**PR0** Silver
**R** Radius
**N** Integral
**S** Square
**PR6** Silver

A P R 0 .

**Select Case Paint**

See page 547

P J W .

**Select Front Paint**

See page 547

**NA** Matches Case (+ $0)
P1 (+ $162)
P2 (+ $184)
P3 (+ $205)

N A .

**Select Lock**

**L** Standard Lock
**X** Omit Lock (- $20)
**EBNL** eLock (+ $351)



L

# CONTAIN®
# Footed Metal Side Access Towers

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
|  **Footed Side Access Tower with Metal Fronts, Shelves/Box/Box/File** | | | | | | |
| 65″H x 24″W x 24″D, Wardrobe Left | **HSTSF652424LBBFM** | 178 | 25.8 | **$3122** | **$3206** | **$3279** |
| 65″H x 24″W x 24″D, Wardrobe Right | **HSTSF652424RBBFM** | 178 | 25.8 | **$3122** | **$3206** | **$3279** |
| 50″H x 24″W x 24″D, Wardrobe Left | **HSTSF502424LBBFM** | 146 | 19.8 | **$2934** | **$3018** | **$3091** |
| 50″H x 24″W x 24″D, Wardrobe Right | **HSTSF502424RBBFM** | 146 | 19.8 | **$2934** | **$3018** | **$3091** |
| 42″H x 24″W x 24″D, Wardrobe Left | **HSTSF422424LBBFM** | 132 | 18.2 | **$2665** | **$2720** | **$2800** |
| 42″H x 24″W x 24″D, Wardrobe Right | **HSTSF422424RBBFM** | 132 | 18.2 | **$2665** | **$2720** | **$2800** |
|  **Footed Side Access Tower with Metal Fronts, Shelves/File/File** | | | | | | |
| 65″H x 24″W x 24″D, Wardrobe Left | **HSTSF652424LFFM** | 178 | 25.8 | **$3054** | **$3138** | **$3211** |
| 65″H x 24″W x 24″D, Wardrobe Right | **HSTSF652424RFFM** | 178 | 25.8 | **$3054** | **$3138** | **$3211** |
| 50″H x 24″W x 24″D, Wardrobe Left | **HSTSF502424LFFM** | 146 | 19.8 | **$2864** | **$2948** | **$3021** |
| 50″H x 24″W x 24″D, Wardrobe Right | **HSTSF502424RFFM** | 146 | 19.8 | **$2864** | **$2948** | **$3021** |
| 42″H x 24″W x 24″D, Wardrobe Left | **HSTSF422424LFFM** | 132 | 18.2 | **$2596** | **$2651** | **$2731** |
| 42″H x 24″W x 24″D, Wardrobe Right | **HSTSF422424RFFM** | 132 | 18.2 | **$2596** | **$2651** | **$2731** |

**NOTES:**

- Towers can be used to support a worksurface. In order to do so, order bracket model HSTB2W1.
- Metal chassis and drawer fronts.
- Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Baked, epoxy/polyester, powder coating finish.
- One lock secures doors and drawers.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.

Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

**Select Model Number**

H S T S F 4 2 2 4 2 4 R B B F M .

**Select Foot**

**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

S F T 1 .

**Select Pull**

**A** Arch
**PR0** Silver
**R** Radius
**N** Integral
**S** Square
**PR6** Silver

A P R 0 .

**Select Case Paint**

See page 547

P J W .

**Select Front Paint**

See page 547

**NA** Matches Case (+ $0)
P1 (+ $162)
P2 (+ $184)
P3 (+ $205)

N A .

**Select Panel Paint**

**NA** Matches Case

N A .

**Select Lock**

**L** Standard Lock
**X** Omit Lock (- $20)
**EBNL** eLock (+ $351)

L



GSA SIN 33721

Icon Legend on page 19

# CONTAIN®

## Footed Metal Personal Towers with Laminate Fronts



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Footed Personal Tower with Laminate Fronts, Door/Box/Box/File** | | | | | | |
| | 65″H x 24″W x 24″D, Wardrobe Left | **HSTF652424LBBFL** | 178 | 25.8 | **$3364** | **$3448** | **$3521** |
| | 65″H x 24″W x 24″D, Wardrobe Right | **HSTF652424RBBFL** | 178 | 25.8 | **$3364** | **$3448** | **$3521** |
| | 50″H x 24″W x 24″D, Wardrobe Left | **HSTF502424LBBFL** | 146 | 19.8 | **$3161** | **$3245** | **$3318** |
| | 50″H x 24″W x 24″D, Wardrobe Right | **HSTF502424RBBFL** | 146 | 19.8 | **$3161** | **$3245** | **$3318** |
| | 42″H x 24″W x 24″D, Wardrobe Left | **HSTF422424LBBFL** | 132 | 18.2 | **$2736** | **$2791** | **$2871** |
| | 42″H x 24″W x 24″D, Wardrobe Right | **HSTF422424RBBFL** | 132 | 18.2 | **$2736** | **$2791** | **$2871** |
|  | **Footed Personal Tower with Laminate Fronts, Door/File/File** | | | | | | |
| | 65″H x 24″W x 24″D, Wardrobe Left | **HSTF652424LFFL** | 178 | 25.8 | **$3295** | **$3379** | **$3452** |
| | 65″H x 24″W x 24″D, Wardrobe Right | **HSTF652424RFFL** | 178 | 25.8 | **$3295** | **$3379** | **$3452** |
| | 50″H x 24″W x 24″D, Wardrobe Left | **HSTF502424LFFL** | 146 | 19.8 | **$3090** | **$3174** | **$3247** |
| | 50″H x 24″W x 24″D, Wardrobe Right | **HSTF502424RFFL** | 146 | 19.8 | **$3090** | **$3174** | **$3247** |
| | 42″H x 24″W x 24″D, Wardrobe Left | **HSTF422424LFFL** | 132 | 18.2 | **$2668** | **$2723** | **$2803** |
| | 42″H x 24″W x 24″D, Wardrobe Right | **HSTF422424RFFL** | 132 | 18.2 | **$2668** | **$2723** | **$2803** |

**NOTES:**

- Metal chassis with laminate drawer/door fronts.
- Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Baked, epoxy/polyester, powder coating finish.
- One lock secures doors and drawers.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- Shelves are only in the cabinet side above the drawer units.
- 42″H units do not include an adjustable shelf in the upper cabinet section.
- 50″H units include one adjustable shelf.
- 65″H units include two adjustable shelves.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

| Select Model Number | Select Foot | Select Pull | Select Case Paint | Select Front Laminate | Select Lock |
|---|---|---|---|---|---|
| | **SF** Contain Foot<br>**T1** Platinum Metallic<br>**PR6** Silver | **A** Arch<br>**PR0** Silver<br>**S** Square<br>**PR6** Silver | See page 547 | See page 547<br>L2 (+ $39) | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S T F 6 5 2 4 2 4 L B B F L . | S F T 1 . | A P R 0 . | P J W . | L S A 1 . | L |




# CONTAIN®

## Footed Metal Side Access Towers with Laminate Fronts

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Footed Side Access Tower with Laminate Fronts, Shelves/Box/Box/File** | | | | | | |
| | 65″H x 24″W x 24″D, Wardrobe Left | **HSTSF652424LBBFL** | 178 | 25.8 | **$3556** | **$3640** | **$3713** |
| | 65″H x 24″W x 24″D, Wardrobe Right | **HSTSF652424RBBFL** | 178 | 25.8 | **$3556** | **$3640** | **$3713** |
| | 50″H x 24″W x 24″D, Wardrobe Left | **HSTSF502424LBBFL** | 146 | 19.8 | **$3339** | **$3423** | **$3496** |
| | 50″H x 24″W x 24″D, Wardrobe Right | **HSTSF502424RBBFL** | 146 | 19.8 | **$3339** | **$3423** | **$3496** |
| | 42″H x 24″W x 24″D, Wardrobe Left | **HSTSF422424LBBFL** | 132 | 18.2 | **$3029** | **$3084** | **$3164** |
| | 42″H x 24″W x 24″D, Wardrobe Right | **HSTSF422424RBBFL** | 132 | 18.2 | **$3029** | **$3084** | **$3164** |
|  | **Footed Side Access Tower with Laminate Fronts, Shelves/File/File** | | | | | | |
| | 65″H x 24″W x 24″D, Wardrobe Left | **HSTSF652424LFFL** | 178 | 25.8 | **$3486** | **$3570** | **$3643** |
| | 65″H x 24″W x 24″D, Wardrobe Right | **HSTSF652424RFFL** | 178 | 25.8 | **$3486** | **$3570** | **$3643** |
| | 50″H x 24″W x 24″D, Wardrobe Left | **HSTSF502424LFFL** | 146 | 19.8 | **$3270** | **$3354** | **$3427** |
| | 50″H x 24″W x 24″D, Wardrobe Right | **HSTSF502424RFFL** | 146 | 19.8 | **$3270** | **$3354** | **$3427** |
| | 42″H x 24″W x 24″D, Wardrobe Left | **HSTSF422424LFFL** | 132 | 18.2 | **$2958** | **$3013** | **$3093** |
| | 42″H x 24″W x 24″D, Wardrobe Right | **HSTSF422424RFFL** | 132 | 18.2 | **$2958** | **$3013** | **$3093** |
|  | **Tower Kickplates (Field Installable)** | | | | | | |
| | For 24″ Tower, Left | **HSTAKL** | 2 | 0.3 | **$223** | **$233** | **$238** |
| | For 24″ Tower, Right | **HSTAKR** | 2 | 0.3 | **$223** | **$233** | **$238** |
| | Specify: Model.Paint<br>**SPECIFYING EXAMPLE: HSATKL.P** | | | | | | |

**NOTES:**

- Towers can be used to support a worksurface. In order to do so, order bracket model HSTB2W1.
- Metal chassis with laminate drawer/door fronts.
- Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Baked, epoxy/polyester, powder coating finish.
- One lock secures doors and drawers.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- Shelves are only in the cabinet side above the drawer units.
- 42″H units do not include an adjustable shelf in the upper cabinet section.
- 50″H units include one adjustable shelf.
- 65″H units include two adjustable shelves.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY


| Select Model Number | Select Foot | Select Pull | Select Case Paint | Select Front Laminate | Select Lock |
|---|---|---|---|---|---|
| | **SF** Contain Foot<br>**T1** Platinum Metallic<br>**PR6** Silver | **A** Arch<br>**PR0** Silver<br>**S** Square<br>**PR6** Silver | See page 547 | See page 547<br>L2 (+ $39) | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S T S F 6 5 2 4 2 4 L B B F L . | S F T 1 . | A P R 0 . | P J W . | L S A 1 . | L |

GSA SIN 33721

Icon Legend on page 19

# CONTAIN®
# 18″W Slim Metal Personal Towers





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **18″W Slim Personal Tower, Plinth w/Metal Fronts** | | | | | | |
| 65″H x 18″W x 24″D, Left Hand | **HSTP651824LFFM** | 148 | 19.4 | **$2397** | **$2481** | **$2554** |
| 65″H x 18″W x 24″D, Right Hand | **HSTP651824RFFM** | 148 | 19.4 | **$2397** | **$2481** | **$2554** |
| 50″H x 18″W x 24″D, Left Hand | **HSTP501824LFFM** | 121 | 16.0 | **$2240** | **$2324** | **$2397** |
| 50″H x 18″W x 24″D, Right Hand | **HSTP501824RFFM** | 121 | 16.0 | **$2240** | **$2324** | **$2397** |
| 42″H x 18″W x 24″D, Left Hand | **HSTP421824LFFM** | 109 | 13.7 | **$1915** | **$1970** | **$2050** |
| 42″H x 18″W x 24″D, Right Hand | **HSTP421824RFFM** | 109 | 13.7 | **$1915** | **$1970** | **$2050** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **18″W Slim Side Access Tower, Plinth, Metal Fronts** | | | | | | |
| 65″H x 18″W x 24″D, Left Hand | **HSTSP651824LFFM** | 148 | 19.4 | **$2540** | **$2624** | **$2697** |
| 65″H x 18″W x 24″D, Right Hand | **HSTSP651824RFFM** | 148 | 19.4 | **$2540** | **$2624** | **$2697** |
| 50″H x 18″W x 24″D, Left Hand | **HSTSP501824LFFM** | 121 | 16.0 | **$2378** | **$2462** | **$2535** |
| 50″H x 18″W x 24″D, Right Hand | **HSTSP501824RFFM** | 121 | 16.0 | **$2378** | **$2462** | **$2535** |
| 42″H x 18″W x 24″D, Left Hand | **HSTSP421824LFFM** | 109 | 13.7 | **$2139** | **$2194** | **$2274** |
| 42″H x 18″W x 24″D, Right Hand | **HSTSP421824RFFM** | 109 | 13.7 | **$2139** | **$2194** | **$2274** |

**NOTES:**

- Towers can be used to support a worksurface. In order to do so, order bracket model HSTB2W1.
- Metal chassis and drawer fronts.
- Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Baked, epoxy/polyester, powder coating finish.
- One lock secures doors and drawers.
- One crossrail standard in each file drawer.
- Shelves are only in the cabinet side above the drawer units.
- 42″H units do not include an adjustable shelf in the upper cabinet section.
- 50″H units include one adjustable shelf.
- 65″H units include two adjustable shelves.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

| Select Model Number | Select Base | Select Pull | Select Case Paint | Select Front Paint | Select Lock |
|---|---|---|---|---|---|
| | **BK** Flush Plinth<br>**BX** Recessed Plinth | **A** Arch<br>**PRO** Silver<br>**S** Square<br>**PR6** Silver | See page 547 | See page 547<br>**NA** Matches Case (+ $0)<br>P1 (+ $162)<br>P2 (+ $184)<br>P3 (+ $205) | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S T P 6 5 1 8 2 4 L F F M . | B X . | A P R O . | P J W . | N A . | L |


| Select Model Number | Select Base | Select Pull | Select Case Paint | Select Front Paint | Select Panel Paint | Select Lock |
|---|---|---|---|---|---|---|
| | **BK** Flush Plinth<br>**BX** Recessed Plinth | **A** Arch<br>**PRO** Silver<br>**S** Square<br>**PR6** Silver | See page 547 | See page 547<br>**NA** Matches Case (+ $0)<br>P1 (+ $162)<br>P2 (+ $184)<br>P3 (+ $205) | **NA** Matches Case | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S T S P 6 5 1 8 2 4 L F F M . | B X . | A P R O . | P J W . | N A . | N A . | L |


# CONTAIN®
# 18″W Slim Metal Personal Towers

GSA SIN 33721

Icon Legend on page 19







| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **18″W Slim Personal Tower, Footed w/Metal Fronts** | | | | | | |
| 65″H x 18″W x 24″D, Left Hand | **HSTF651824LFFM** | 148 | 19.4 | **$2563** | **$2647** | **$2720** |
| 65″H x 18″W x 24″D, Right Hand | **HSTF651824RFFM** | 148 | 19.4 | **$2563** | **$2647** | **$2720** |
| 50″H x 18″W x 24″D, Left Hand | **HSTF501824LFFM** | 121 | 14.9 | **$2406** | **$2490** | **$2563** |
| 50″H x 18″W x 24″D, Right Hand | **HSTF501824RFFM** | 121 | 14.9 | **$2406** | **$2490** | **$2563** |
| 42″H x 18″W x 24″D, Left Hand | **HSTF421824LFFM** | 109 | 12.6 | **$2081** | **$2136** | **$2216** |
| 42″H x 18″W x 24″D, Right Hand | **HSTF421824RFFM** | 109 | 12.6 | **$2081** | **$2136** | **$2216** |
| **18″W Slim Side Access Tower, Footed w/Metal Fronts** | | | | | | |
| 65″H x 18″W x 24″D, Left Hand | **HSTSF651824LFFM** | 148 | 19.4 | **$2708** | **$2792** | **$2865** |
| 65″H x 18″W x 24″D, Right Hand | **HSTSF651824RFFM** | 148 | 19.4 | **$2708** | **$2792** | **$2865** |
| 50″H x 18″W x 24″D, Left Hand | **HSTSF501824LFFM** | 121 | 14.9 | **$2540** | **$2624** | **$2697** |
| 50″H x 18″W x 24″D, Right Hand | **HSTSF501824RFFM** | 121 | 14.9 | **$2540** | **$2624** | **$2697** |
| 42″H x 18″W x 24″D, Left Hand | **HSTSF421824LFFM** | 109 | 12.6 | **$2305** | **$2360** | **$2440** |
| 42″H x 18″W x 24″D, Right Hand | **HSTSF421824RFFM** | 109 | 12.6 | **$2305** | **$2360** | **$2440** |

**NOTES:**

- Towers can be used to support a worksurface. In order to do so, order bracket model HSTB2W1.
- Metal chassis and drawer fronts.
- Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Baked, epoxy/polyester, powder coating finish.
- One lock secures doors and drawers.
- One crossrail standard in each file drawer.
- Shelves are only in the cabinet side above the drawer units.
- 42″H units do not include an adjustable shelf in the upper cabinet section.
- 50″H units include one adjustable shelf.
- 65″H units include two adjustable shelves.

Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

| Select Model Number | Select Foot | Select Pull | Select Case Paint | Select Front Paint | Select Lock |
|---|---|---|---|---|---|
| | **SF** Contain Foot<br>**T1** Platinum Metallic<br>**PR6** Silver | **A** Arch<br>**PR0** Silver<br>**S** Square<br>**PR6** Silver | See page 547 | See page 547<br>**NA** Matches Case (+ $0)<br>P1 (+ $162)<br>P2 (+ $184)<br>P3 (+ $205) | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S T F 6 5 1 8 2 4 L F F M . | S F T 1 . | A P R 0 . | P J W . | N A . | L |

| Select Model Number | Select Foot | Select Pull | Select Case Paint | Select Front Paint | Select Panel Paint | Select Lock |
|---|---|---|---|---|---|---|
| | **SF** Contain Foot<br>**T1** Platinum Metallic<br>**PR6** Silver | **A** Arch<br>**PR0** Silver<br>**S** Square<br>**PR6** Silver | See page 547 | See page 547<br>**NA** Matches Case (+ $0)<br>P1 (+ $162)<br>P2 (+ $184)<br>P3 (+ $205) | **NA** Matches Case | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S T S F 6 5 1 8 2 4 L F F M . | S F T 1 . | A P R 0 . | P J W . | N A . | N A . | L |



GSA SIN 33721

Icon Legend on page 19

# CONTAIN®

## 18″W Slim Personal Towers with Laminate Fronts



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **18″W Slim Personal Tower, Plinth w/Laminate Fronts** | | | | | | |
| | 65″H x 18″W x 24″D, Left Hand | **HSTP651824LFFL** | 148 | 19.4 | **$2756** | **$2840** | **$2913** |
| | 65″H x 18″W x 24″D, Right Hand | **HSTP651824RFFL** | 148 | 19.4 | **$2756** | **$2840** | **$2913** |
| | 50″H x 18″W x 24″D, Left Hand | **HSTP501824LFFL** | 121 | 16.0 | **$2577** | **$2661** | **$2734** |
| | 50″H x 18″W x 24″D, Right Hand | **HSTP501824RFFL** | 121 | 16.0 | **$2577** | **$2661** | **$2734** |
| | 42″H x 18″W x 24″D, Left Hand | **HSTP421824LFFL** | 109 | 13.7 | **$2203** | **$2258** | **$2338** |
| | 42″H x 18″W x 24″D, Right Hand | **HSTP421824RFFL** | 109 | 13.7 | **$2203** | **$2258** | **$2338** |
|  | **18″W Slim Side Access Tower, Plinth, Laminate Fronts** | | | | | | |
| | 65″H x 18″W x 24″D, Left Hand | **HSTSP651824LFFL** | 148 | 19.4 | **$2924** | **$3008** | **$3081** |
| | 65″H x 18″W x 24″D, Right Hand | **HSTSP651824RFFL** | 148 | 19.4 | **$2924** | **$3008** | **$3081** |
| | 50″H x 18″W x 24″D, Left Hand | **HSTSP501824LFFL** | 121 | 16.0 | **$2732** | **$2816** | **$2889** |
| | 50″H x 18″W x 24″D, Right Hand | **HSTSP501824RFFL** | 121 | 16.0 | **$2732** | **$2816** | **$2889** |
| | 42″H x 18″W x 24″D, Left Hand | **HSTSP421824LFFL** | 109 | 13.7 | **$2459** | **$2514** | **$2594** |
| | 42″H x 18″W x 24″D, Right Hand | **HSTSP421824RFFL** | 109 | 13.7 | **$2459** | **$2514** | **$2594** |

**NOTES:**

- Towers can be used to support a worksurface. In order to do so, order bracket model HSTB2W1.
- Metal chassis with laminate drawer/door fronts.
- Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Baked, epoxy/polyester, powder coating finish.
- One lock secures doors and drawers.
- One crossrail standard in each file drawer.
- Shelves are only in the cabinet side above the drawer units.
- 42″H units do not include an adjustable shelf in the upper cabinet section.
- 50″H units include one adjustable shelf.
- 65″H units include two adjustable shelves.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

| Select Model Number | Select Base | Select Pull | Select Case Paint | Select Front Laminate | Select Lock |
|---|---|---|---|---|---|
| | **BX** Recessed Plinth | **A** Arch<br>**PRO** Silver<br>**S** Square<br>**PR6** Silver | See page 547 | See page 547<br>L2 (+ $39) | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S T S P 6 5 1 8 2 4 L F F L . | B X . | A P R O . | P J W . | L S A 1 . | L |


# CONTAIN®

## 18″W Slim Personal Towers with Laminate Fronts


GSA SIN 33721

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **18″W Slim Personal Tower, Footed w/Laminate Fronts** | | | | | | |
| 65″H x 18″W x 24″D, Left Hand | **HSTF651824LFFL** | 148 | 19.4 | **$2923** | **$3007** | **$3080** |
| 65″H x 18″W x 24″D, Right Hand | **HSTF651824RFFL** | 148 | 19.4 | **$2923** | **$3007** | **$3080** |
| 50″H x 18″W x 24″D, Left Hand | **HSTF501824LFFL** | 121 | 16.0 | **$2740** | **$2824** | **$2897** |
| 50″H x 18″W x 24″D, Right Hand | **HSTF501824RFFL** | 121 | 16.0 | **$2740** | **$2824** | **$2897** |
| 42″H x 18″W x 24″D, Left Hand | **HSTF421824LFFL** | 109 | 13.7 | **$2367** | **$2422** | **$2502** |
| 42″H x 18″W x 24″D, Right Hand | **HSTF421824RFFL** | 109 | 13.7 | **$2367** | **$2422** | **$2502** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **18″W Slim Side Access Tower, Footed, Laminate Fronts** | | | | | | |
| 65″H x 18″W x 24″D, Left Hand | **HSTSF651824LFFL** | 148 | 19.4 | **$3087** | **$3171** | **$3244** |
| 65″H x 18″W x 24″D, Right Hand | **HSTSF651824RFFL** | 148 | 19.4 | **$3087** | **$3171** | **$3244** |
| 50″H x 18″W x 24″D, Left Hand | **HSTSF501824LFFL** | 121 | 14.9 | **$2898** | **$2982** | **$3055** |
| 50″H x 18″W x 24″D, Right Hand | **HSTSF501824RFFL** | 121 | 14.9 | **$2898** | **$2982** | **$3055** |
| 42″H x 18″W x 24″D, Left Hand | **HSTSF421824LFFL** | 109 | 12.6 | **$2624** | **$2679** | **$2759** |
| 42″H x 18″W x 24″D, Right Hand | **HSTSF421824RFFL** | 109 | 12.6 | **$2624** | **$2679** | **$2759** |

**NOTES:**

- Towers can be used to support a worksurface. In order to do so, order bracket model HSTB2W1.
- Metal chassis with laminate drawer/door fronts.
- Steel frame provides durability.
- Leveling glides can be adjusted from outside or inside the case.
- Heavy-duty, telescoping ball-bearing slides.
- Baked, epoxy/polyester, powder coating finish.
- One lock secures doors and drawers.
- One crossrail standard in each file drawer.
- Shelves are only in the cabinet side above the drawer units.
- 42″H units do not include an adjustable shelf in the upper cabinet section.
- 50″H units include one adjustable shelf.
- 65″H units include two adjustable shelves.

Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY


| Select Model Number | Select Foot | Select Pull | Select Case Paint | Select Front Laminate | Select Lock |
|---|---|---|---|---|---|
| | **SF** Contain Foot<br>**T1** Platinum Metallic<br>**PR6** Silver | **A** Arch<br>**PR0** Silver<br>**S** Square<br>**PR6** Silver | See page 547 | See page 547<br>L2 (+ $39) | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S T S F 6 5 1 8 2 4 L F F L . | S F T 1 . | A P R 0 . | P J W . | L S A 1 . | L |

GSA SIN 33721


Icon Legend on page 19

# CONTAIN® Wardrobes





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Wardrobe Tower, Plinth w/Metal Fronts** | | | | | | |
| 65″H x 12″W x 24″D, Right Hand | **HSWP651224RM** | 108 | 14.8 | **$1539** | **$1623** | **$1696** |
| 65″H x 12″W x 24″D, Left Hand | **HSWP651224LM** | 108 | 14.8 | **$1539** | **$1623** | **$1696** |
| 50″H x 12″W x 24″D, Right Hand | **HSWP501224RM** | 87 | 11.5 | **$1424** | **$1508** | **$1581** |
| 50″H x 12″W x 24″D, Left Hand | **HSWP501224LM** | 87 | 11.5 | **$1424** | **$1508** | **$1581** |
| 42″H x 12″W x 24″D, Right Hand | **HSWP421224RM** | 77 | 9.9 | **$1189** | **$1244** | **$1324** |
| 42″H x 12″W x 24″D, Left Hand | **HSWP421224LM** | 77 | 9.9 | **$1189** | **$1244** | **$1324** |
| 65″H x 12″W x 18″D, Right Hand | **HSWP651218RM** | 108 | 14.8 | **$1412** | **$1496** | **$1569** |
| 65″H x 12″W x 18″D, Left Hand | **HSWP651218LM** | 108 | 14.8 | **$1412** | **$1496** | **$1569** |
| 50″H x 12″W x 18″D, Right Hand | **HSWP501218RM** | 87 | 11.5 | **$1308** | **$1392** | **$1465** |
| 50″H x 12″W x 18″D, Left Hand | **HSWP501218LM** | 87 | 11.5 | **$1308** | **$1392** | **$1465** |
| 42″H x 12″W x 18″D, Right Hand | **HSWP421218RM** | 77 | 9.9 | **$1092** | **$1147** | **$1227** |
| 42″H x 12″W x 18″D, Left Hand | **HSWP421218LM** | 77 | 9.9 | **$1092** | **$1147** | **$1227** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **Wardrobe Tower, Footed w/Metal Fronts** | | | | | | |
| 65″H x 12″W x 24″D, Right Hand | **HSWF651224RM** | 108 | 14.1 | **$1706** | **$1790** | **$1863** |
| 65″H x 12″W x 24″D, Left Hand | **HSWF651224LM** | 108 | 14.1 | **$1706** | **$1790** | **$1863** |
| 50″H x 12″W x 24″D, Right Hand | **HSWF501224RM** | 87 | 10.8 | **$1592** | **$1676** | **$1749** |
| 50″H x 12″W x 24″D, Left Hand | **HSWF501224LM** | 87 | 10.8 | **$1592** | **$1676** | **$1749** |
| 42″H x 12″W x 24″D, Right Hand | **HSWF421224RM** | 77 | 9.1 | **$1356** | **$1411** | **$1491** |
| 42″H x 12″W x 24″D, Left Hand | **HSWF421224LM** | 77 | 9.1 | **$1356** | **$1411** | **$1491** |
| 65″H x 12″W x 18″D, Right Hand | **HSWF651218RM** | 108 | 11.0 | **$1578** | **$1662** | **$1735** |
| 65″H x 12″W x 18″D, Left Hand | **HSWF651218LM** | 108 | 11.0 | **$1578** | **$1662** | **$1735** |
| 50″H x 12″W x 18″D, Right Hand | **HSWF501218RM** | 87 | 8.4 | **$1473** | **$1557** | **$1630** |
| 50″H x 12″W x 18″D, Left Hand | **HSWF501218LM** | 87 | 8.4 | **$1473** | **$1557** | **$1630** |
| 42″H x 12″W x 18″D, Right Hand | **HSWF421218RM** | 77 | 7.1 | **$1257** | **$1312** | **$1392** |
| 42″H x 12″W x 18″D, Left Hand | **HSWF421218LM** | 77 | 7.1 | **$1257** | **$1312** | **$1392** |

NOTES: Wardrobes come installed with a rod accessory to accept clothing hangars or a Fuse™ work tool coat hook can be added (sold separately). Wardrobes have slots cut into the inner liner that allow the user to hang Fuse™ work tool accessories inside the unit. 42″H wardrobes have 2 slots; 50″H and 65″H wardrobes have 4 slots. Wardrobes ship with one adjustable shelf. 42″H and 50″H wardrobes have 3 shelf locations; 65″H wardrobes have 6 shelf locations.

**NOTES:**

- 18″D Wardrobes: 42″H and 50″H plinth wardrobes can be freestanding. 18″D footed units must be attached to a panel, worksurface, or ganged to another unit.
- 24″D Wardrobes: 42″H and 50″H plinth and footed wardrobes can be freestanding.
- 65″H Wardrobes: 18″D and 24″D must be attached to a panel, worksurface, or ganged to another unit.

## HOW TO SPECIFY

**Select Model Number**

H S W F 6 5 1 2 2 4 R M .

**Select Base/Foot**

**BK** Flush Plinth
**BX** Recessed Plinth
**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

S F T 1 .

**Select Pull**

**A** Arch
**PR0** Silver
**N** Integral
**S** Square
**PR6** Silver

A P R 0 .

**Select Case Paint**

See page 547

P J W .

**Select Front Paint**

See page 547

**NA** Matches Case (+ $0)

P1 (+ $162)
P2 (+ $184)
P3 (+ $205)

N A .

**Select Lock**

**L** Standard Lock
**X** Omit Lock (- $20)



L

# CONTAIN®
# Wardrobes with eLock

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
|  **Wardrobe Tower, Plinth w/Metal Fronts** | | | | | | |
| 65″H x 12″W x 24″D, Right Hand | **HSWP651224RME** | 108 | 14.8 | **$1905** | **$1989** | **$2062** |
| 65″H x 12″W x 24″D, Left Hand | **HSWP651224LME** | 108 | 14.8 | **$1905** | **$1989** | **$2062** |
| 50″H x 12″W x 24″D, Right Hand | **HSWP501224RME** | 87 | 11.5 | **$1790** | **$1874** | **$1947** |
| 50″H x 12″W x 24″D, Left Hand | **HSWP501224LME** | 87 | 11.5 | **$1790** | **$1874** | **$1947** |
| 42″H x 12″W x 24″D, Right Hand | **HSWP421224RME** | 77 | 9.9 | **$1555** | **$1610** | **$1690** |
| 42″H x 12″W x 24″D, Left Hand | **HSWP421224LME** | 77 | 9.9 | **$1555** | **$1610** | **$1690** |
| 65″H x 12″W x 18″D, Right Hand | **HSWP651218RME** | 108 | 14.8 | **$1778** | **$1862** | **$1935** |
| 65″H x 12″W x 18″D, Left Hand | **HSWP651218LME** | 108 | 14.8 | **$1778** | **$1862** | **$1935** |
| 50″H x 12″W x 18″D, Right Hand | **HSWP501218RME** | 87 | 11.5 | **$1673** | **$1757** | **$1830** |
| 50″H x 12″W x 18″D, Left Hand | **HSWP501218LME** | 87 | 11.5 | **$1673** | **$1757** | **$1830** |
| 42″H x 12″W x 18″D, Right Hand | **HSWP421218RME** | 77 | 9.9 | **$1458** | **$1513** | **$1593** |
| 42″H x 12″W x 18″D, Left Hand | **HSWP421218LME** | 77 | 9.9 | **$1458** | **$1513** | **$1593** |
|  **Wardrobe Tower, Footed w/Metal Fronts** | | | | | | |
| 65″H x 12″W x 24″D, Right Hand | **HSWF651224RME** | 108 | 14.1 | **$2072** | **$2156** | **$2229** |
| 65″H x 12″W x 24″D, Left Hand | **HSWF651224LME** | 108 | 14.1 | **$2072** | **$2156** | **$2229** |
| 50″H x 12″W x 24″D, Right Hand | **HSWF501224RME** | 87 | 10.8 | **$1957** | **$2041** | **$2114** |
| 50″H x 12″W x 24″D, Left Hand | **HSWF501224LME** | 87 | 10.8 | **$1957** | **$2041** | **$2114** |
| 42″H x 12″W x 24″D, Right Hand | **HSWF421224RME** | 77 | 9.1 | **$1722** | **$1777** | **$1857** |
| 42″H x 12″W x 24″D, Left Hand | **HSWF421224LME** | 77 | 9.1 | **$1722** | **$1777** | **$1857** |
| 65″H x 12″W x 18″D, Right Hand | **HSWF651218RME** | 108 | 11.0 | **$1945** | **$2029** | **$2102** |
| 65″H x 12″W x 18″D, Left Hand | **HSWF651218LME** | 108 | 11.0 | **$1945** | **$2029** | **$2102** |
| 50″H x 12″W x 18″D, Right Hand | **HSWF501218RME** | 87 | 8.4 | **$1839** | **$1923** | **$1996** |
| 50″H x 12″W x 18″D, Left Hand | **HSWF501218LME** | 87 | 8.4 | **$1839** | **$1923** | **$1996** |
| 42″H x 12″W x 18″D, Right Hand | **HSWF421218RME** | 77 | 7.1 | **$1623** | **$1678** | **$1758** |
| 42″H x 12″W x 18″D, Left Hand | **HSWF421218LME** | 77 | 7.1 | **$1623** | **$1678** | **$1758** |

NOTES: Wardrobes come installed with a rod accessory to accept clothing hangars or a Fuse™ work tool coat hook can be added (sold separately). Wardrobes have slots cut into the inner liner that allow the user to hang Fuse™ work tool accessories inside the unit. 42″H wardrobes have 2 slots; 50″H and 65″H wardrobes have 4 slots. Wardrobes ship with one adjustable shelf. 42″H and 50″H wardrobes have 3 shelf locations; 65″H wardrobes have 6 shelf locations.

**NOTES:**

- 18″D Wardrobes: 42″H and 50″H plinth wardrobes can be freestanding. 18″D footed units must be attached to a panel, worksurface, or ganged to another unit.
- 24″D Wardrobes: 42″H and 50″H plinth and footed wardrobes can be freestanding.
- 65″H Wardrobes: 18″D and 24″D must be attached to a panel, worksurface, or ganged to another unit.

## HOW TO SPECIFY

**Select Model Number**

H S W F 6 5 1 2 2 4 R M E .

**Select Base/Foot**

**BK** Flush Plinth
**BX** Recessed Plinth
**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

S F T 1 .

**Select Pull**

**E** Keypad Electronic
**D** RFID Electronic Lock Pull

D .

**Select Case Paint**

See page 547

P J W .

**Select Front Paint**

See page 547

**NA** Matches Case (+ $0)
P1 (+ $162)
P2 (+ $184)
P3 (+ $205)



N A

GSA SIN 33721

Icon Legend on page 19

# CONTAIN® Wardrobes



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
|  **Wardrobe Tower, Plinth w/Laminate Fronts** | | | | | | |
| 65″H x 12″W x 24″D, Right Hand | **HSWP651224RL** | 108 | 14.8 | **$1770** | **$1854** | **$1927** |
| 65″H x 12″W x 24″D, Left Hand | **HSWP651224LL** | 108 | 14.8 | **$1770** | **$1854** | **$1927** |
| 50″H x 12″W x 24″D, Right Hand | **HSWP501224RL** | 87 | 11.5 | **$1639** | **$1723** | **$1796** |
| 50″H x 12″W x 24″D, Left Hand | **HSWP501224LL** | 87 | 11.5 | **$1639** | **$1723** | **$1796** |
| 42″H x 12″W x 24″D, Right Hand | **HSWP421224RL** | 77 | 9.9 | **$1368** | **$1423** | **$1503** |
| 42″H x 12″W x 24″D, Left Hand | **HSWP421224LL** | 77 | 9.9 | **$1368** | **$1423** | **$1503** |
| 65″H x 12″W x 18″D, Right Hand | **HSWP651218RL** | 108 | 11.6 | **$1624** | **$1708** | **$1781** |
| 65″H x 12″W x 18″D, Left Hand | **HSWP651218LL** | 108 | 11.6 | **$1624** | **$1708** | **$1781** |
| 50″H x 12″W x 18″D, Right Hand | **HSWP501218RL** | 87 | 9.0 | **$1503** | **$1587** | **$1660** |
| 50″H x 12″W x 18″D, Left Hand | **HSWP501218LL** | 87 | 9.0 | **$1503** | **$1587** | **$1660** |
| 42″H x 12″W x 18″D, Right Hand | **HSWP421218RL** | 77 | 7.7 | **$1255** | **$1310** | **$1390** |
| 42″H x 12″W x 18″D, Left Hand | **HSWP421218LL** | 77 | 7.7 | **$1255** | **$1310** | **$1390** |
|  **Wardrobe Tower, Footed w/Laminate Fronts** | | | | | | |
| 65″H x 12″W x 24″D, Right Hand | **HSWF651224RL** | 108 | 14.1 | **$1936** | **$2020** | **$2093** |
| 65″H x 12″W x 24″D, Left Hand | **HSWF651224LL** | 108 | 14.1 | **$1936** | **$2020** | **$2093** |
| 50″H x 12″W x 24″D, Right Hand | **HSWF501224RL** | 87 | 10.8 | **$1806** | **$1890** | **$1963** |
| 50″H x 12″W x 24″D, Left Hand | **HSWF501224LL** | 87 | 10.8 | **$1806** | **$1890** | **$1963** |
| 42″H x 12″W x 24″D, Right Hand | **HSWF421224RL** | 77 | 9.1 | **$1534** | **$1589** | **$1669** |
| 42″H x 12″W x 24″D, Left Hand | **HSWF421224LL** | 77 | 9.1 | **$1534** | **$1589** | **$1669** |
| 65″H x 12″W x 18″D, Right Hand | **HSWF651218RL** | 108 | 11.0 | **$1790** | **$1874** | **$1947** |
| 65″H x 12″W x 18″D, Left Hand | **HSWF651218LL** | 108 | 11.0 | **$1790** | **$1874** | **$1947** |
| 50″H x 12″W x 18″D, Right Hand | **HSWF501218RL** | 87 | 8.4 | **$1669** | **$1753** | **$1826** |
| 50″H x 12″W x 18″D, Left Hand | **HSWF501218LL** | 87 | 8.4 | **$1669** | **$1753** | **$1826** |
| 42″H x 12″W x 18″D, Right Hand | **HSWF421218RL** | 77 | 7.1 | **$1420** | **$1475** | **$1555** |
| 42″H x 12″W x 18″D, Left Hand | **HSWF421218LL** | 77 | 7.1 | **$1420** | **$1475** | **$1555** |

NOTES: Wardrobes come installed with a rod accessory to accept clothing hangars or a Fuse™ work tool coat hook can be added (sold separately). Wardrobes have slots cut into the inner liner that allow the user to hang Fuse™ work tool accessories inside the unit. 42″H wardrobes have 2 slots; 50″H and 65″H wardrobes have 4 slots. Wardrobes ship with one adjustable shelf. 42″H and 50″H wardrobes have 3 shelf locations; 65″H wardrobes have 6 shelf locations.

**NOTES:**

- 18″D Wardrobes: 42″H and 50″H plinth wardrobes can be freestanding. 18″D footed units must be attached to a panel, worksurface, or ganged to another unit.
- 24″D Wardrobes: 42″H and 50″H plinth and footed wardrobes can be freestanding.
- 65″H Wardrobes: 18″D and 24″D must be attached to a panel, worksurface, or ganged to another unit.

## HOW TO SPECIFY

**Select Model Number**

H S W F 6 5 1 2 2 4 R L .

**Select Base/Foot**

**BX** Recessed Plinth
**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

S F T 1 .

**Select Pull**

**A** Arch
**PR0** Silver
**S** Square
**PR6** Silver

A P R 0 .

**Select Case Paint**

See page 547

P J W .

**Select Front Laminate**

See page 547
L2 (+ $39)

L S A 1 .

**Select Lock**

**L** Standard Lock
**X** Omit Lock (- $20)


L

# CONTAIN®
# Wardrobes with eLock


GSA SIN 33721

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Wardrobe Tower, Plinth w/Laminate Fronts** | | | | | | |
| 65″H x 12″W x 24″D, Right Hand | **HSWP651224RLE** | 108 | 14.8 | **$2137** | **$2221** | **$2294** |
| 65″H x 12″W x 24″D, Left Hand | **HSWP651224LLE** | 108 | 14.8 | **$2137** | **$2221** | **$2294** |
| 50″H x 12″W x 24″D, Right Hand | **HSWP501224RLE** | 87 | 11.5 | **$2005** | **$2089** | **$2162** |
| 50″H x 12″W x 24″D, Left Hand | **HSWP501224LLE** | 87 | 11.5 | **$2005** | **$2089** | **$2162** |
| 42″H x 12″W x 24″D, Right Hand | **HSWP421224RLE** | 77 | 9.9 | **$1734** | **$1789** | **$1869** |
| 42″H x 12″W x 24″D, Left Hand | **HSWP421224LLE** | 77 | 9.9 | **$1734** | **$1789** | **$1869** |
| 65″H x 12″W x 18″D, Right Hand | **HSWP651218RLE** | 108 | 11.6 | **$1990** | **$2074** | **$2147** |
| 65″H x 12″W x 18″D, Left Hand | **HSWP651218LLE** | 108 | 11.6 | **$1990** | **$2074** | **$2147** |
| 50″H x 12″W x 18″D, Right Hand | **HSWP501218RLE** | 87 | 9.0 | **$1870** | **$1954** | **$2027** |
| 50″H x 12″W x 18″D, Left Hand | **HSWP501218LLE** | 87 | 9.0 | **$1870** | **$1954** | **$2027** |
| 42″H x 12″W x 18″D, Right Hand | **HSWP421218RLE** | 77 | 7.7 | **$1621** | **$1676** | **$1756** |
| 42″H x 12″W x 18″D, Left Hand | **HSWP421218LLE** | 77 | 7.7 | **$1621** | **$1676** | **$1756** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **Wardrobe Tower, Footed w/Laminate Fronts** | | | | | | |
| 65″H x 12″W x 24″D, Right Hand | **HSWF651224RLE** | 108 | 14.1 | **$2303** | **$2387** | **$2460** |
| 65″H x 12″W x 24″D, Left Hand | **HSWF651224LLE** | 108 | 14.1 | **$2303** | **$2387** | **$2460** |
| 50″H x 12″W x 24″D, Right Hand | **HSWF501224RLE** | 87 | 10.8 | **$2172** | **$2256** | **$2329** |
| 50″H x 12″W x 24″D, Left Hand | **HSWF501224LLE** | 87 | 10.8 | **$2172** | **$2256** | **$2329** |
| 42″H x 12″W x 24″D, Right Hand | **HSWF421224RLE** | 77 | 9.1 | **$1900** | **$1955** | **$2035** |
| 42″H x 12″W x 24″D, Left Hand | **HSWF421224LLE** | 77 | 9.1 | **$1900** | **$1955** | **$2035** |
| 65″H x 12″W x 18″D, Right Hand | **HSWF651218RLE** | 108 | 11.0 | **$2156** | **$2240** | **$2313** |
| 65″H x 12″W x 18″D, Left Hand | **HSWF651218LLE** | 108 | 11.0 | **$2156** | **$2240** | **$2313** |
| 50″H x 12″W x 18″D, Right Hand | **HSWF501218RLE** | 87 | 8.4 | **$2036** | **$2120** | **$2193** |
| 50″H x 12″W x 18″D, Left Hand | **HSWF501218LLE** | 87 | 8.4 | **$2036** | **$2120** | **$2193** |
| 42″H x 12″W x 18″D, Right Hand | **HSWF421218RLE** | 77 | 7.1 | **$1785** | **$1840** | **$1920** |
| 42″H x 12″W x 18″D, Left Hand | **HSWF421218LLE** | 77 | 7.1 | **$1785** | **$1840** | **$1920** |

NOTES: Wardrobes come installed with a rod accessory to accept clothing hangars or a Fuse™ work tool coat hook can be added (sold separately). Wardrobes have slots cut into the inner liner that allow the user to hang Fuse™ work tool accessories inside the unit. 42″H wardrobes have 2 slots; 50″H and 65″H wardrobes have 4 slots. Wardrobes ship with one adjustable shelf. 42″H and 50″H wardrobes have 3 shelf locations; 65″H wardrobes have 6 shelf locations.

**NOTES:**

- 18″D Wardrobes: 42″H and 50″H plinth wardrobes can be freestanding. 18″D footed units must be attached to a panel, worksurface, or ganged to another unit.
- 24″D Wardrobes: 42″H and 50″H plinth and footed wardrobes can be freestanding.
- 65″H Wardrobes: 18″D and 24″D must be attached to a panel, worksurface, or ganged to another unit.

## HOW TO SPECIFY

**Select Model Number**

H S W F 6 5 1 2 2 4 R L E .

**Select Base/Foot**

**BX** Recessed Plinth
**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

S F T 1 .

**Select Pull**

**E** Keypad Electronic
**D** RFID Electronic Lock Pull

D .

**Select Case Paint**

See page 547

P J W .

**Select Front Laminate**

See page 547

L2 (+ $39)


L S A 1

GSA SIN 33721


Icon Legend on page 19

# CONTAIN® Metal Lockers





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Double Lockers, Plinth w/Metal Front** | | | | | | |
| 65″H x 12″W x 18″D, Right Hand, 2 Door | **HSDLP651218RM** | 108 | 11.6 | **$1697** | **$1781** | **$1854** |
| 65″H x 12″W x 18″D, Left Hand, 2 Door | **HSDLP651218LM** | 108 | 11.6 | **$1697** | **$1781** | **$1854** |
| 42″H x 12″W x 18″D, Right Hand, 2 Door | **HSDLP421218RM** | 77 | 7.7 | **$1542** | **$1597** | **$1677** |
| 42″H x 12″W x 18″D, Left Hand, 2 Door | **HSDLP421218LM** | 77 | 7.7 | **$1542** | **$1597** | **$1677** |
| **Quad Lockers, Plinth w/Metal Front** | | | | | | |
| 65″H x 24″W x 18″D, Right Hand, 4 Door | **HSQLP652418RM** | 148 | 20.5 | **$2542** | **$2626** | **$2699** |
| 65″H x 24″W x 18″D, Left Hand, 4 Door | **HSQLP652418LM** | 148 | 20.5 | **$2542** | **$2626** | **$2699** |
| 42″H x 24″W x 18″D, Right Hand, 4 Door | **HSQLP422418RM** | 109 | 13.7 | **$2036** | **$2091** | **$2171** |
| 42″H x 24″W x 18″D, Left Hand, 4 Door | **HSQLP422418LM** | 109 | 13.7 | **$2036** | **$2091** | **$2171** |
| **Cubby Lockers, Plinth w/Metal Front** | | | | | | |
| 65″H x 12″W x 18″D, Right Hand, 4 Door | **HSCLP651218RM** | 92 | 11.6 | **$1726** | **$1810** | **$1883** |
| 65″H x 12″W x 18″D, Left Hand, 4 Door | **HSCLP651218LM** | 92 | 11.6 | **$1726** | **$1810** | **$1883** |
| 50″H x 12″W x 18″D, Right Hand, 3 Door | **HSCLP501218RM** | 81 | 9.0 | **$1465** | **$1520** | **$1600** |
| 50″H x 12″W x 18″D, Left Hand, 3 Door | **HSCLP501218LM** | 81 | 9.0 | **$1465** | **$1520** | **$1600** |
| 65″H x 24″W x 18″D, Right Hand, 8 Door | **HSCLP652418RM** | 148 | 20.5 | **$2694** | **$2778** | **$2851** |
| 65″H x 24″W x 18″D, Left Hand, 8 Door | **HSCLP652418LM** | 148 | 20.5 | **$2694** | **$2778** | **$2851** |
| 50″H x 24″W x 18″D, Right Hand, 6 Door | **HSCLP502418RM** | 121 | 16.0 | **$2144** | **$2199** | **$2279** |
| 50″H x 24″W x 18″D, Left Hand, 6 Door | **HSCLP502418LM** | 121 | 16.0 | **$2144** | **$2199** | **$2279** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **Double Lockers, Footed w/Metal Front** | | | | | | |
| 65″H x 12″W x 18″D, Right Hand, 2 Door | **HSDLF651218RM** | 92 | 11.0 | **$1864** | **$1948** | **$2021** |
| 65″H x 12″W x 18″D, Left Hand, 2 Door | **HSDLF651218LM** | 92 | 11.0 | **$1864** | **$1948** | **$2021** |
| 42″H x 12″W x 18″D, Right Hand, 2 Door | **HSDLF421218RM** | 74 | 7.1 | **$1710** | **$1765** | **$1845** |
| 42″H x 12″W x 18″D, Left Hand, 2 Door | **HSDLF421218LM** | 74 | 7.1 | **$1710** | **$1765** | **$1845** |
| **Quad Lockers, Footed w/Metal Front** | | | | | | |
| 65″H x 24″W x 18″D, Right Hand, 4 Door | **HSQLF652418RM** | 148 | 19.4 | **$2709** | **$2793** | **$2866** |
| 65″H x 24″W x 18″D, Left Hand, 4 Door | **HSQLF652418LM** | 148 | 19.4 | **$2709** | **$2793** | **$2866** |
| 42″H x 24″W x 18″D, Right Hand, 4 Door | **HSQLF422418RM** | 109 | 12.6 | **$2199** | **$2254** | **$2334** |
| 42″H x 24″W x 18″D, Left Hand, 4 Door | **HSQLF422418LM** | 109 | 12.6 | **$2199** | **$2254** | **$2334** |
| **Cubby Lockers, Footed w/Metal Front** | | | | | | |
| 65″H x 12″W x 18″D, Right Hand, 4 Door | **HSCLF651218RM** | 92 | 11.0 | **$1892** | **$1976** | **$2049** |
| 65″H x 12″W x 18″D, Left Hand, 4 Door | **HSCLF651218LM** | 92 | 11.0 | **$1892** | **$1976** | **$2049** |
| 50″H x 12″W x 18″D, Right Hand, 3 Door | **HSCLF501218RM** | 81 | 8.4 | **$1630** | **$1685** | **$1765** |
| 50″H x 12″W x 18″D, Left Hand, 3 Door | **HSCLF501218LM** | 81 | 8.4 | **$1630** | **$1685** | **$1765** |
| 65″H x 24″W x 18″D, Right Hand, 8 Door | **HSCLF652418RM** | 148 | 19.4 | **$3237** | **$3321** | **$3394** |
| 65″H x 24″W x 18″D, Left Hand, 8 Door | **HSCLF652418LM** | 148 | 19.4 | **$3237** | **$3321** | **$3394** |
| 50″H x 24″W x 18″D, Right Hand, 6 Door | **HSCLF502418RM** | 121 | 14.9 | **$2769** | **$2824** | **$2904** |
| 50″H x 24″W x 18″D, Left Hand, 6 Door | **HSCLF502418LM** | 121 | 14.9 | **$2769** | **$2824** | **$2904** |

**NOTES:**

- Lockers can be ganged either side-to-side or back-to-back.
- "Double" and "Quad" lockers include two double coat hooks in each compartment.
- Contain® Lockers can be used with Storage Islands, see page 624.

! Lockers: 42″H x 12″W and 50″H x 12″W plinth lockers can be freestanding. 65″H x 12″W plinth lockers and all heights of 12″W footed lockers must be attached to a panel, worksurface, or ganged to another unit.

## HOW TO SPECIFY

**Select Model Number**

H S Q L P 6 5 2 4 1 8 R M .

**Select Base/Foot**

**BK** Flush Plinth
**BX** Recessed Plinth
**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

B X .

**Select Pull**

**A** Arch
**PR0** Silver
**N** Integral
**S** Square
**PR6** Silver

A P R 0 .

**Select Case Paint**

See page 547

P J W .

**Select Front Paint**

See page 547

**NA** Matches Case (+ $0)
P1 (+ $162)
P2 (+ $184)
P3 (+ $205)

N A .

**Select Lock**

**L** Standard Lock
**X** Omit Lock
(- $40, 2 Doors)
(- $60, 3 Doors)
(- $80, 4 Doors)
(- $120, 6 Doors)
(- $160, 8 Doors)


L

# CONTAIN®
# Metal Lockers with Laminate Fronts

GSA SIN 33721

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Double Lockers, Plinth w/Laminate Front** | | | | | | |
| 65"H x 12"W x 18"D, Right Hand, 2 Door | **HSDLP651218RL** | 108 | 11.6 | **$1952** | **$2036** | **$2109** |
| 65"H x 12"W x 18"D, Left Hand, 2 Door | **HSDLP651218LL** | 108 | 11.6 | **$1952** | **$2036** | **$2109** |
| 42"H x 12"W x 18"D, Right Hand, 2 Door | **HSDLP421218RL** | 77 | 7.7 | **$1775** | **$1830** | **$1910** |
| 42"H x 12"W x 18"D, Left Hand, 2 Door | **HSDLP421218LL** | 77 | 7.7 | **$1775** | **$1830** | **$1910** |
| **Quad Lockers, Plinth w/Laminate Front** | | | | | | |
| 65"H x 24"W x 18"D, Right Hand, 4 Door | **HSQLP652418RL** | 148 | 20.5 | **$2925** | **$3009** | **$3082** |
| 65"H x 24"W x 18"D, Left Hand, 4 Door | **HSQLP652418LL** | 148 | 20.5 | **$2925** | **$3009** | **$3082** |
| 42"H x 24"W x 18"D, Right Hand, 4 Door | **HSQLP422418RL** | 109 | 13.7 | **$2341** | **$2396** | **$2476** |
| 42"H x 24"W x 18"D, Left Hand, 4 Door | **HSQLP422418LL** | 109 | 13.7 | **$2341** | **$2396** | **$2476** |
| **Cubby Lockers, Plinth w/Laminate Front** | | | | | | |
| 65"H x 12"W x 18"D, Right Hand, 4 Door | **HSCLP651218RL** | 92 | 11.6 | **$1984** | **$2068** | **$2141** |
| 65"H x 12"W x 18"D, Left Hand, 4 Door | **HSCLP651218LL** | 92 | 11.6 | **$1984** | **$2068** | **$2141** |
| 50"H x 12"W x 18"D, Right Hand, 3 Door | **HSCLP501218RL** | 81 | 9.0 | **$1685** | **$1740** | **$1820** |
| 50"H x 12"W x 18"D, Left Hand, 3 Door | **HSCLP501218LL** | 81 | 9.0 | **$1685** | **$1740** | **$1820** |
| 65"H x 24"W x 18"D, Right Hand, 8 Door | **HSCLP652418RL** | 148 | 20.5 | **$3531** | **$3615** | **$3688** |
| 65"H x 24"W x 18"D, Left Hand, 8 Door | **HSCLP652418LL** | 148 | 20.5 | **$3531** | **$3615** | **$3688** |
| 50"H x 24"W x 18"D, Right Hand, 6 Door | **HSCLP502418RL** | 121 | 16.0 | **$2994** | **$3049** | **$3129** |
| 50"H x 24"W x 18"D, Left Hand, 6 Door | **HSCLP502418LL** | 121 | 16.0 | **$2994** | **$3049** | **$3129** |
| **Double Lockers, Footed w/Laminate Front** | | | | | | |
| 65"H x 12"W x 18"D, Right Hand, 2 Door | **HSDLF651218RL** | 92 | 11.0 | **$2119** | **$2203** | **$2276** |
| 65"H x 12"W x 18"D, Left Hand, 2 Door | **HSDLF651218LL** | 92 | 11.0 | **$2119** | **$2203** | **$2276** |
| 42"H x 12"W x 18"D, Right Hand, 2 Door | **HSDLF421218RL** | 74 | 7.1 | **$1941** | **$1996** | **$2076** |
| 42"H x 12"W x 18"D, Left Hand, 2 Door | **HSDLF421218LL** | 74 | 7.1 | **$1941** | **$1996** | **$2076** |
| **Quad Lockers, Footed w/Laminate Front** | | | | | | |
| 65"H x 24"W x 18"D, Right Hand, 4 Door | **HSQLF652418RL** | 148 | 19.4 | **$3089** | **$3173** | **$3246** |
| 65"H x 24"W x 18"D, Left Hand, 4 Door | **HSQLF652418LL** | 148 | 19.4 | **$3089** | **$3173** | **$3246** |
| 42"H x 24"W x 18"D, Right Hand, 4 Door | **HSQLF422418RL** | 109 | 12.6 | **$2506** | **$2561** | **$2641** |
| 42"H x 24"W x 18"D, Left Hand, 4 Door | **HSQLF422418LL** | 109 | 12.6 | **$2506** | **$2561** | **$2641** |
| **Cubby Lockers, Footed w/Laminate Front** | | | | | | |
| 65"H x 12"W x 18"D, Right Hand, 4 Door | **HSCLF651218RL** | 92 | 11.0 | **$2150** | **$2234** | **$2307** |
| 65"H x 12"W x 18"D, Left Hand, 4 Door | **HSCLF651218LL** | 92 | 11.0 | **$2150** | **$2234** | **$2307** |
| 50"H x 12"W x 18"D, Right Hand, 3 Door | **HSCLF501218RL** | 81 | 8.4 | **$1848** | **$1903** | **$1983** |
| 50"H x 12"W x 18"D, Left Hand, 3 Door | **HSCLF501218LL** | 81 | 8.4 | **$1848** | **$1903** | **$1983** |
| 65"H x 24"W x 18"D, Right Hand, 8 Door | **HSCLF652418RL** | 148 | 19.4 | **$3696** | **$3780** | **$3853** |
| 65"H x 24"W x 18"D, Left Hand, 8 Door | **HSCLF652418LL** | 148 | 19.4 | **$3696** | **$3780** | **$3853** |
| 50"H x 24"W x 18"D, Right Hand, 6 Door | **HSCLF502418RL** | 121 | 14.9 | **$3160** | **$3215** | **$3295** |
| 50"H x 24"W x 18"D, Left Hand, 6 Door | **HSCLF502418LL** | 121 | 14.9 | **$3160** | **$3215** | **$3295** |

**NOTES:**

- Lockers can be ganged either side-to-side or back-to-back.
- "Double" and "Quad" lockers include two double coat hooks in each compartment.
- Contain® Lockers can be used with Storage Islands, see page 624.

Lockers: 42"H x 12"W and 50"H x 12"W plinth lockers can be freestanding. 65"H x 12"W plinth lockers and all heights of 12"W footed lockers must be attached to a panel, worksurface, or ganged to another unit.

## HOW TO SPECIFY

**Select Model Number**

H S Q L P 6 5 2 4 1 8 R L .

**Select Base/Foot**

**BX** Recessed Plinth
**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

B X .

**Select Pull**

**A** Arch
**PR0** Silver
**S** Square
**PR6** Silver

A P R 0 .

**Select Case Paint**

See page 547

P J W .

**Select Front Laminate**

See page 547
L2 (+ $39)

L S A 1 .

**Select Lock**


**L** Standard Lock
**X** Omit Lock
(- $40, 2 Doors)
(- $60, 3 Doors)
(- $80, 4 Doors)
(- $120, 6 Doors)
(- $160, 8 Doors)

L


GSA SIN 33721

Icon Legend on page 19

# CONTAIN® Metal Lockers with eLock



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Double Lockers, Plinth w/Metal Front, eLock** | | | | | | |
| 65"H x 12"W x 18"D, Right Hand, 2 Door | **HSDLP651218RME** | 92 | 11.6 | **$2429** | **$2513** | **$2586** |
| 65"H x 12"W x 18"D, Left Hand, 2 Door | **HSDLP651218LME** | 92 | 11.6 | **$2429** | **$2513** | **$2586** |
| 42"H x 12"W x 18"D, Right Hand, 2 Door | **HSDLP421218RME** | 74 | 7.7 | **$2273** | **$2328** | **$2408** |
| 42"H x 12"W x 18"D, Left Hand, 2 Door | **HSDLP421218LME** | 74 | 7.7 | **$2273** | **$2328** | **$2408** |
| **Quad Lockers, Plinth w/Metal Front, eLock** | | | | | | |
| 65"H x 24"W x 18"D, Right Hand, 4 Door | **HSQLP652418RME** | 148 | 20.5 | **$4004** | **$4088** | **$4161** |
| 65"H x 24"W x 18"D, Left Hand, 4 Door | **HSQLP652418LME** | 148 | 20.5 | **$4004** | **$4088** | **$4161** |
| 42"H x 24"W x 18"D, Right Hand, 4 Door | **HSQLP422418RME** | 109 | 13.7 | **$3497** | **$3552** | **$3632** |
| 42"H x 24"W x 18"D, Left Hand, 4 Door | **HSQLP422418LME** | 109 | 13.7 | **$3497** | **$3552** | **$3632** |
| **Cubby Lockers, Plinth w/Metal Front, eLock** | | | | | | |
| 65"H x 12"W x 18"D, Right Hand, 4 Door | **HSCLP651218RME** | 92 | 11.6 | **$3188** | **$3272** | **$3345** |
| 65"H x 12"W x 18"D, Left Hand, 4 Door | **HSCLP651218LME** | 92 | 11.6 | **$3188** | **$3272** | **$3345** |
| 50"H x 12"W x 18"D, Right Hand, 3 Door | **HSCLP501218RME** | 81 | 9.0 | **$2562** | **$2617** | **$2697** |
| 50"H x 12"W x 18"D, Left Hand, 3 Door | **HSCLP501218LME** | 81 | 9.0 | **$2562** | **$2617** | **$2697** |
| 65"H x 24"W x 18"D, Right Hand, 8 Door | **HSCLP652418RME** | 148 | 20.5 | **$5618** | **$5702** | **$5775** |
| 65"H x 24"W x 18"D, Left Hand, 8 Door | **HSCLP652418LME** | 148 | 20.5 | **$5618** | **$5702** | **$5775** |
| 50"H x 24"W x 18"D, Right Hand, 6 Door | **HSCLP502418RME** | 121 | 16.0 | **$4338** | **$4393** | **$4473** |
| 50"H x 24"W x 18"D, Left Hand, 6 Door | **HSCLP502418LME** | 121 | 16.0 | **$4338** | **$4393** | **$4473** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **Double Lockers, Footed w/Metal Front, eLock** | | | | | | |
| 65"H x 12"W x 18"D, Right Hand, 2 Door | **HSDLF651218RME** | 92 | 11.0 | **$2595** | **$2679** | **$2752** |
| 65"H x 12"W x 18"D, Left Hand, 2 Door | **HSDLF651218LME** | 92 | 11.0 | **$2595** | **$2679** | **$2752** |
| 42"H x 12"W x 18"D, Right Hand, 2 Door | **HSDLF421218RME** | 74 | 7.1 | **$2442** | **$2497** | **$2577** |
| 42"H x 12"W x 18"D, Left Hand, 2 Door | **HSDLF421218LME** | 74 | 7.1 | **$2442** | **$2497** | **$2577** |
| **Quad Lockers, Footed w/Metal Front, eLock** | | | | | | |
| 65"H x 24"W x 18"D, Right Hand, 4 Door | **HSQLF652418RME** | 148 | 19.4 | **$4171** | **$4255** | **$4328** |
| 65"H x 24"W x 18"D, Left Hand, 4 Door | **HSQLF652418LME** | 148 | 19.4 | **$4171** | **$4255** | **$4328** |
| 42"H x 24"W x 18"D, Right Hand, 4 Door | **HSQLF422418RME** | 109 | 12.6 | **$3662** | **$3717** | **$3797** |
| 42"H x 24"W x 18"D, Left Hand, 4 Door | **HSQLF422418LME** | 109 | 12.6 | **$3662** | **$3717** | **$3797** |
| **Cubby Lockers, Footed w/Metal Front, eLock** | | | | | | |
| 65"H x 12"W x 18"D, Right Hand, 4 Door | **HSCLF651218RME** | 92 | 11.0 | **$3354** | **$3438** | **$3511** |
| 65"H x 12"W x 18"D, Left Hand, 4 Door | **HSCLF651218LME** | 92 | 11.0 | **$3354** | **$3438** | **$3511** |
| 50"H x 12"W x 18"D, Right Hand, 3 Door | **HSCLF501218RME** | 81 | 8.4 | **$2725** | **$2780** | **$2860** |
| 50"H x 12"W x 18"D, Left Hand, 3 Door | **HSCLF501218LME** | 81 | 8.4 | **$2725** | **$2780** | **$2860** |
| 65"H x 24"W x 18"D, Right Hand, 8 Door | **HSCLF652418RME** | 148 | 20.5 | **$6161** | **$6245** | **$6318** |
| 65"H x 24"W x 18"D, Left Hand, 8 Door | **HSCLF652418LME** | 148 | 20.5 | **$6161** | **$6245** | **$6318** |
| 50"H x 24"W x 18"D, Right Hand, 6 Door | **HSCLF502418RME** | 121 | 16.0 | **$4963** | **$5018** | **$5098** |
| 50"H x 24"W x 18"D, Left Hand, 6 Door | **HSCLF502418LME** | 121 | 16.0 | **$4963** | **$5018** | **$5098** |

**NOTES:**

- Lockers can be ganged either side-to-side or back-to-back.
- "Double" and "Quad" lockers include two double coat hooks in each compartment.
- Contain® Lockers can be used with Storage Islands, see page 624.

! Lockers: 42"H x 12"W and 50"H x 12"W plinth lockers can be freestanding. 65"H x 12"W plinth lockers and all heights of 12"W footed lockers must be attached to a panel, worksurface, or ganged to another unit.

! Every digital keypad or RFID installation site will require one Programming Key and at least one Manager Key, sold separately.

## HOW TO SPECIFY

**Select Model Number**

H S Q L P 6 5 2 4 1 8 R M E .

**Select Base/Foot**

**BK** Flush Plinth
**BX** Recessed Plinth
**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

B X .

**Select Pull**

**E** Keypad Electronic Lock
**D** RFID Electronic Lock Pull
(+ $216, 2 Doors)
(+ $324, 3 Doors)
(+ $431, 4 Doors)
(+ $646, 6 Doors)
(+ $862, 8 Doors)

D .

**Select Case Paint**

See page 547

P J W .

**Select Front Paint**

See page 547

**NA** Matches Case (+ $0)
P1 (+ $162)
P2 (+ $184)
P3 (+ $205)


N A

# CONTAIN®
## Metal Lockers with Laminate Fronts and eLock


GSA SIN 33721

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Double Lockers, Plinth w/Laminate Front, eLock** | | | | | | |
| 65"H x 12"W x 18"D, Right Hand, 2 Door | **HSDLP651218RLE** | 92 | 11.6 | **$2684** | **$2768** | **$2841** |
| 65"H x 12"W x 18"D, Left Hand, 2 Door | **HSDLP651218LLE** | 92 | 11.6 | **$2684** | **$2768** | **$2841** |
| 42"H x 12"W x 18"D, Right Hand, 2 Door | **HSDLP421218RLE** | 74 | 7.7 | **$2506** | **$2561** | **$2641** |
| 42"H x 12"W x 18"D, Left Hand, 2 Door | **HSDLP421218LLE** | 74 | 7.7 | **$2506** | **$2561** | **$2641** |
| **Quad Lockers, Plinth w/Laminate Front, eLock** | | | | | | |
| 65"H x 24"W x 18"D, Right Hand, 4 Door | **HSQLP652418RLE** | 148 | 20.5 | **$4387** | **$4471** | **$4544** |
| 65"H x 24"W x 18"D, Left Hand, 4 Door | **HSQLP652418LLE** | 148 | 20.5 | **$4387** | **$4471** | **$4544** |
| 42"H x 24"W x 18"D, Right Hand, 4 Door | **HSQLP422418RLE** | 109 | 13.7 | **$3803** | **$3858** | **$3938** |
| 42"H x 24"W x 18"D, Left Hand, 4 Door | **HSQLP422418LLE** | 109 | 13.7 | **$3803** | **$3858** | **$3938** |
| **Cubby Lockers, Plinth w/Laminate Front, eLock** | | | | | | |
| 65"H x 12"W x 18"D, Right Hand, 4 Door | **HSCLP651218RLE** | 92 | 11.6 | **$3447** | **$3531** | **$3604** |
| 65"H x 12"W x 18"D, Left Hand, 4 Door | **HSCLP651218LLE** | 92 | 11.6 | **$3447** | **$3531** | **$3604** |
| 50"H x 12"W x 18"D, Right Hand, 3 Door | **HSCLP501218RLE** | 81 | 9.0 | **$2781** | **$2836** | **$2916** |
| 50"H x 12"W x 18"D, Left Hand, 3 Door | **HSCLP501218LLE** | 81 | 9.0 | **$2781** | **$2836** | **$2916** |
| 65"H x 24"W x 18"D, Right Hand, 8 Door | **HSCLP652418RLE** | 148 | 20.5 | **$6456** | **$6540** | **$6613** |
| 65"H x 24"W x 18"D, Left Hand, 8 Door | **HSCLP652418LLE** | 148 | 20.5 | **$6456** | **$6540** | **$6613** |
| 50"H x 24"W x 18"D, Right Hand, 6 Door | **HSCLP502418RLE** | 121 | 16.0 | **$5187** | **$5242** | **$5322** |
| 50"H x 24"W x 18"D, Left Hand, 6 Door | **HSCLP502418LLE** | 121 | 16.0 | **$5187** | **$5242** | **$5322** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **Double Lockers, Footed w/Laminate Front, eLock** | | | | | | |
| 65"H x 12"W x 18"D, Right Hand, 2 Door | **HSDLF651218RLE** | 92 | 11.0 | **$2851** | **$2935** | **$3008** |
| 65"H x 12"W x 18"D, Left Hand, 2 Door | **HSDLF651218LLE** | 92 | 11.0 | **$2851** | **$2935** | **$3008** |
| 42"H x 12"W x 18"D, Right Hand, 2 Door | **HSDLF421218RLE** | 74 | 7.1 | **$2671** | **$2726** | **$2806** |
| 42"H x 12"W x 18"D, Left Hand, 2 Door | **HSDLF421218LLE** | 74 | 7.1 | **$2671** | **$2726** | **$2806** |
| **Quad Lockers, Footed w/Laminate Front, eLock** | | | | | | |
| 65"H x 24"W x 18"D, Right Hand, 4 Door | **HSQLF652418RLE** | 148 | 19.4 | **$4552** | **$4636** | **$4709** |
| 65"H x 24"W x 18"D, Left Hand, 4 Door | **HSQLF652418LLE** | 148 | 19.4 | **$4552** | **$4636** | **$4709** |
| 42"H x 24"W x 18"D, Right Hand, 4 Door | **HSQLF422418RLE** | 109 | 12.6 | **$3968** | **$4023** | **$4103** |
| 42"H x 24"W x 18"D, Left Hand, 4 Door | **HSQLF422418LLE** | 109 | 12.6 | **$3968** | **$4023** | **$4103** |
| **Cubby Lockers, Footed w/Laminate Front, eLock** | | | | | | |
| 65"H x 12"W x 18"D, Right Hand, 4 Door | **HSCLF651218RLE** | 92 | 11.0 | **$3614** | **$3698** | **$3771** |
| 65"H x 12"W x 18"D, Left Hand, 4 Door | **HSCLF651218LLE** | 92 | 11.0 | **$3614** | **$3698** | **$3771** |
| 50"H x 12"W x 18"D, Right Hand, 3 Door | **HSCLF501218RLE** | 81 | 8.4 | **$2945** | **$3000** | **$3080** |
| 50"H x 12"W x 18"D, Left Hand, 3 Door | **HSCLF501218LLE** | 81 | 8.4 | **$2945** | **$3000** | **$3080** |
| 65"H x 24"W x 18"D, Right Hand, 8 Door | **HSCLF652418RLE** | 148 | 19.4 | **$6620** | **$6704** | **$6777** |
| 65"H x 24"W x 18"D, Left Hand, 8 Door | **HSCLF652418LLE** | 148 | 19.4 | **$6620** | **$6704** | **$6777** |
| 50"H x 24"W x 18"D, Right Hand, 6 Door | **HSCLF502418RLE** | 121 | 14.9 | **$5352** | **$5407** | **$5487** |
| 50"H x 24"W x 18"D, Left Hand, 6 Door | **HSCLF502418LLE** | 121 | 14.9 | **$5352** | **$5407** | **$5487** |

**NOTES:**
- Lockers can be ganged either side-to-side or back-to-back.
- "Double" and "Quad" lockers include two double coat hooks in each compartment.
- Contain® Lockers can be used with Storage Islands, see page 624.

! Lockers: 42"H x 12"W and 50"H x 12"W plinth lockers can be freestanding. 65"H x 12"W plinth lockers and all heights of 12"W footed lockers must be attached to a panel, worksurface, or ganged to another unit.

! Every digital keypad or RFID installation site will require one Programming Key and at least one Manager Key, sold separately.

## HOW TO SPECIFY

**Select Model Number**

H S Q L P 6 5 2 4 1 8 R L E .

**Select Base/Foot**

**BX** Recessed Plinth
**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

B X .

**Select Pull**

**E** Keypad Electronic Lock
**D** RFID Electronic Lock Pull
(+ $216, 2 Doors)
(+ $324, 3 Doors)
(+ $431, 4 Doors)
(+ $646, 6 Doors)
(+ $862, 8 Doors)

D .

**Select Case Paint**

See page 547

P J W .

**Select Front Laminate**

See page 547
L2 (+ $39)


L S A 1

GSA SIN 33721

Icon Legend on page 19

# CONTAIN® eLock Accessories






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Digital Keys** | | | | |
| Digilock Programming Key | **HSLDIGPRG** | 0.8 | 0.0 | **$225** |
| Digilock Manager Key | **HSLDIGMGR** | 0.8 | 0.0 | **$176** |

NOTES: A Programming Key is used to initialize locks out of factory default mode and register Manager Keys to the locks. Manager Keys are used to bypass a locked unit, operating as the "master key" and it is recommended that building facilitators have at least one Manager Key. Up to 6 Manager Keys may be registered to each lock. Manager Keys provide external power to locks in case of battery failure. Programming Key is the same key as Fuse™ Digilocks and can work across both Contain® and Fuse™.


Only one Programming Key should be specified per installation and multiple Programming Keys are not compatible with each other.

Add-on digital lock orders should be programmed with the original Programming Key.



| | | | | |
|---|---|---|---|---|
| **RFID Cards** | | | | |
| Digilock RFID Cards, Pack of 5 | **HSLRFID5C** | 0.3 | 0.0 | **$149** |
| Digilock RFID Cards, Pack of 25 | **HSLRFID25C** | 0.5 | 0.0 | **$694** |
| Digilock RFID Cards, Pack of 100 | **HSLRFID100C** | 1.9 | 0.0 | **$2625** |

NOTES: RFID cards are plain white and have a lanyard cutout.



| | | | | |
|---|---|---|---|---|
| **RFID Stickers** | | | | |
| Digilock RFID Stickers, Pack of 5 | **HSLRFID5S** | 0.3 | 0.0 | **$80** |
| Digilock RFID Stickers, Pack of 25 | **HSLRFID25S** | 0.5 | 0.0 | **$349** |
| Digilock RFID Stickers, Pack of 100 | **HSLRFID100S** | 1.9 | 0.0 | **$1315** |

NOTES: RFID stickers are plain white, approximately 1" in diameter and may be added to the back of an existing employee badge or identification card.

## HOW TO SPECIFY

**Select Model Number**







| H | S | L | R | F | I | D | 2 | 5 | C |
|---|---|---|---|---|---|---|---|---|---|

# CONTAIN® Metal Pedestals

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Hanging Pedestal with Metal Fronts, Box/File** | | | | | | |
| | 18″H x 15″W x 18″D | **HSPH181518BFM** | 35.0 | 4.4 | **$774** | **$805** | **$835** |
| | 18″H x 15″W x 24″D | **HSPH181524BFM** | 41.3 | 5.2 | **$831** | **$862** | **$892** |
| | 18″H x 15″W x 30″D | **HSPH181530BFM** | 50.4 | 6.5 | **$872** | **$903** | **$933** |
|  | **Mobile Pedestal with Metal Fronts, Box/File** | | | | | | |
| | 21″H x 15″W x 18″D | **HSPM211518BFM** | 50.3 | 4.5 | **$774** | **$805** | **$835** |
| | 21″H x 15″W x 24″D | **HSPM211524BFM** | 43.1 | 5.6 | **$831** | **$862** | **$892** |
|  | **Mobile Pedestal with Metal Fronts, Box/Box/File** | | | | | | |
| | 27″H x 15″W x 18″D | **HSPM271518BBFM** | 78.1 | 6.9 | **$1003** | **$1034** | **$1064** |
| | 27″H x 15″W x 24″D | **HSPM271524BBFM** | 54.9 | 7.1 | **$1058** | **$1089** | **$1119** |
| | 27″H x 15″W x 30″D | **HSPM271530BBFM** | 72.4 | 8.8 | **$1112** | **$1143** | **$1173** |
|  | **Mobile Pedestal with Metal Fronts, File/File** | | | | | | |
| | 27″H x 15″W x 18″D | **HSPM271518FFM** | 50.2 | 5.7 | **$1003** | **$1034** | **$1064** |
| | 27″H x 15″W x 24″D | **HSPM271524FFM** | 54.9 | 7.1 | **$1058** | **$1089** | **$1119** |
| | 27″H x 15″W x 30″D | **HSPM271530FFM** | 64.4 | 8.8 | **$1112** | **$1143** | **$1173** |
|  | **Plinth Support Pedestal with Metal Fronts, Box/Box/File** | | | | | | |
| | 28″H x 15″W x 18″D | **HSPSP281518BBFM** | 49.0 | 6.3 | **$969** | **$1000** | **$1030** |
| | 28″H x 15″W x 24″D | **HSPSP281524BBFM** | 57.1 | 7.9 | **$1021** | **$1052** | **$1082** |
| | 28″H x 15″W x 30″D | **HSPSP281530BBFM** | 57.7 | 9.7 | **$1077** | **$1108** | **$1138** |
|  | **Plinth Support Pedestal with Metal Fronts, File/File** | | | | | | |
| | 28″H x 15″W x 18″D | **HSPSP281518FFM** | 45.1 | 6.3 | **$969** | **$1000** | **$1030** |
| | 28″H x 15″W x 24″D | **HSPSP281524FFM** | 51.3 | 7.9 | **$1021** | **$1052** | **$1082** |
| | 28″H x 15″W x 30″D | **HSPSP281530FFM** | 60.4 | 9.7 | **$1077** | **$1108** | **$1138** |

**NOTES:**

- Ball-bearing suspension on box and file drawer. (100%)
- Drawers color to be interior gray steel.
- See page 594 for Pedestal Seat.
- File drawer has high sides and back for filing front to back and side to side.
- Counterweight standard on all mobile peds.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- 24″D and 30″D pedestals accommodate legal files side to side.

! A-Pull available in Satin Chrome only.

! Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

**Select Model Number**

H S P H 1 8 1 5 3 0 B F M .

**Select Base**

*Specify for Plinth models only*

**BK** Flush Plinth
**BX** Recessed Plinth

B X .

**Select Pull**

**A** Arch
**PRO** Silver
**R** Radius
**N** Integral

A P R O .

**Select Case Paint**

See page 547

P J W .

**Select Front Paint**

See page 547

**NA** Matches Case (+ $0)

P1 (+ $28)
P2 (+ $50)
P3 (+ $71)

N A .

**Select Lock**

**L** Standard Lock
**X** Omit Lock (- $20)
**EBNL** eLock (+ $351)



L

GSA SIN 33721

Icon Legend on page 19

# CONTAIN® Footed Metal Pedestals



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY CASE PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Footed Freestanding Pedestal with Metal Fronts, Box/File** | | | | | | |
| | 22″H x 15″W x 18″D | **HSPFF221518BFM** | 52.5 | 4.5 | **$911** | **$942** | **$972** |
| | 22″H x 15″W x 24″D | **HSPFF221524BFM** | 58.8 | 5.6 | **$963** | **$994** | **$1024** |
|  | **Footed Support Pedestal with Metal Fronts, Box/Box/File** | | | | | | |
| | 28″H x 15″W x 18″D | **HSPSF281518BBFM** | 49.2 | 5.7 | **$1138** | **$1169** | **$1199** |
| | 28″H x 15″W x 24″D | **HSPSF281524BBFM** | 56.9 | 7.1 | **$1188** | **$1219** | **$1249** |
| | 28″H x 15″W x 30″D | **HSPSF281530BBFM** | 67.8 | 8.8 | **$1246** | **$1277** | **$1307** |
|  | **Footed Support Pedestal with Metal Fronts, File/File** | | | | | | |
| | 28″H x 15″W x 18″D | **HSPSF281518FFM** | 49.2 | 5.7 | **$1138** | **$1169** | **$1199** |
| | 28″H x 15″W x 24″D | **HSPSF281524FFM** | 56.9 | 7.1 | **$1188** | **$1219** | **$1249** |
| | 28″H x 15″W x 30″D | **HSPSF281530FFM** | 67.8 | 8.8 | **$1246** | **$1277** | **$1307** |
|  | **Flush Pedestal Kickplates (Field Installable)** | **HSPAK15** | 2.0 | 0.2 | **$153** | **$163** | **$168** |
| | Specify: Model.Paint<br>**SPECIFYING EXAMPLE: HSPAK.P** | | | | | | |

**NOTES:**

- Ball-bearing suspension on box and file drawer. (100%)
- Drawers color to be interior gray steel.
- File drawer has high sides and back for filing front-to-back and side-to-side.
- Counterweight standard on all mobile peds.
- See page 594 for Pedestal Seat.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- 24″D and 30″D pedestals accommodate legal files side-to-side.

A-Pull available in Satin Chrome only.

Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY

**Select Model Number**

H S P F F 2 2 1 5 2 4 B F M .

**Select Foot**

**SF** Contain Foot
**T1** Platinum Metallic
**PR6** Silver

S F T 1 .

**Select Pull**

**A** Arch
**PRO** Silver
**R** Radius
**N** Integral

A P R 0 .

**Select Case Paint**

See page 547

P J W .

**Select Front Paint**

See page 547
**NA** Matches Case (+ $0)
P1 (+ $28)
P2 (+ $50)
P3 (+ $71)

N A .

**Select Lock**

**L** Standard Lock
**X** Omit Lock (- $20)
**EBNL** eLock (+ $351)

L



# CONTAIN®
# Pedestal Accessories

GSA SIN 33721

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Counterweight — Freestanding Support Pedestals or Systems Support and Mobile Pedestals**<br>No specification needed. | **HPCW1** | 18 | 0.1 | **$278** |

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | FABRIC PRICE CODES |
|---|---|---|---|---|---|
|  | **Pedestal Seat**<br>15″W x 18″D x 2″H<br>NOTES: Works with Contain® and Flagship® Pedestals and Mobile Pedestals. | **HPSEAT18ND** | 16.3 S | 0.9 | **1** $234 **2** $261 **3** $287 **4** $313 **5** $346 **6** $380 **7** $413 **8** $446 **9** $480 **10** $513 **11** $547 **12** $580 **L** — |
|  | **Pedestal Seat**<br>15″W x 22⅞″D x 2″H<br>**SPECIFYING EXAMPLE: HPSEAT24ND.CU10** | **HPSEAT24ND** | 10.0 S | 1.2 | **1** $276 **2** $303 **3** $329 **4** $355 **5** $388 **6** $422 **7** $455 **8** $488 **9** $522 **10** $555 **11** $589 **12** $622 **L** — |

## HOW TO SPECIFY

**Select Model Number**

H P S E A T 2 4 N D .

**Select Fabric**

See pages 22-25 for seating fabric options







C U 1 0

GSA SIN 33721

Icon Legend on page 19

# CONTAIN®
# Metal Pedestals with Laminate Fronts



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Hanging Pedestal with Laminate Fronts, Box/File** | | | | | | |
| | 18″H x 15″W x 18″D, Arch Pull | **HSPH181518BFL** | 37.6 | 4.5 | **$990** | **$1021** | **$1051** |
| | 18″H x 15″W x 24″D, Arch Pull | **HSPH181524BFL** | 43.8 | 5.6 | **$1045** | **$1076** | **$1106** |
| | 18″H x 15″W x 30″D, Arch Pull | **HSPH181530BFL** | 53.0 | 6.3 | **$1086** | **$1117** | **$1147** |
|  | **Mobile Pedestal with Laminate Fronts, Box/File** | | | | | | |
| | 21″H x 15″W x 18″D, Arch Pull | **HSPM211518BFL** | 57.9 | 4.5 | **$990** | **$1021** | **$1051** |
| | 21″H x 15″W x 24″D, Arch Pull | **HSPM211524BFL** | 50.7 | 5.6 | **$1045** | **$1076** | **$1106** |
|  | **Mobile Pedestal with Laminate Fronts, Box/Box/File** | | | | | | |
| | 27″H x 15″W x 18″D, Arch Pull | **HSPM271518BBFL** | 80.3 | 6.9 | **$1284** | **$1315** | **$1345** |
| | 27″H x 15″W x 24″D, Arch Pull | **HSPM271524BBFL** | 63.4 | 7.1 | **$1338** | **$1369** | **$1399** |
| | 27″H x 15″W x 30″D, Arch Pull | **HSPM271530BBFL** | 75.2 | 8.8 | **$1394** | **$1425** | **$1455** |
|  | **Mobile Pedestal with Laminate Fronts, File/File** | | | | | | |
| | 27″H x 15″W x 18″D, Arch Pull | **HSPM271518FFL** | 53.3 | 5.7 | **$1284** | **$1315** | **$1345** |
| | 27″H x 15″W x 24″D, Arch Pull | **HSPM271524FFL** | 58.1 | 7.1 | **$1338** | **$1369** | **$1399** |
| | 27″H x 15″W x 30″D, Arch Pull | **HSPM271530FFL** | 67.6 | 8.8 | **$1394** | **$1425** | **$1455** |
|  | **Plinth Support Pedestal with Laminate Fronts, Box/Box/File** | | | | | | |
| | 28″H x 15″W x 18″D, Arch Pull | **HSPSP281518BBFL** | 51.7 | 6.3 | **$1253** | **$1284** | **$1314** |
| | 28″H x 15″W x 24″D, Arch Pull | **HSPSP281524BBFL** | 59.9 | 7.9 | **$1303** | **$1334** | **$1364** |
| | 28″H x 15″W x 30″D, Arch Pull | **HSPSP281530BBFL** | 71.1 | 9.7 | **$1360** | **$1391** | **$1421** |
|  | **Plinth Support Pedestal with Laminate Fronts, File/File** | | | | | | |
| | 28″H x 15″W x 18″D, Arch Pull | **HSPSP281518FFL** | 47.6 | 6.3 | **$1253** | **$1284** | **$1314** |
| | 28″H x 15″W x 24″D, Arch Pull | **HSPSP281524FFL** | 54.5 | 7.9 | **$1303** | **$1334** | **$1364** |
| | 28″H x 15″W x 30″D, Arch Pull | **HSPSP281530FFL** | 63.6 | 9.7 | **$1360** | **$1391** | **$1421** |

**NOTES:**

- Ball-bearing suspension on box and file drawer. (100%)
- Drawers color to be interior gray steel.
- File drawer has high sides and back for filing front-to-back and side-to-side.
- Counterweight standard on all mobile peds.
- See page 594 for Pedestal Seat.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- 24″D and 30″D pedestals accommodate legal files side-to-side.

Drawer Fronts available with Satin Chrome Arch only.

Locking units equipped with HON "One Key" interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.

## HOW TO SPECIFY




| Select Model Number | Select Base | Select Pull | Select Case Paint | Select Front Laminate | Select Lock |
|---|---|---|---|---|---|
| | *Specify for Plinth models only*<br>**BX** Recessed Plinth | **A** Arch<br>**PRO** Silver | See page 547 | See page 547<br>L2 (+ $12) | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S P S P 2 8 1 5 2 4 B B F L . | B X . | A P R 0 . | P J W . | L S A 1 . | L |

# CONTAIN®
## Footed Metal Pedestals with Laminate Fronts

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Footed Freestanding Pedestal with Laminate Fronts, Box/File** | | | | | | |
| | 22″H x 15″W x 18″D, Arch Pull | **HSPFF221518BFL** | 54.7 | 4.5 | **$1124** | **$1155** | **$1185** |
| | 22″H x 15″W x 24″D, Arch Pull | **HSPFF221524BFL** | 60.9 | 5.6 | **$1176** | **$1207** | **$1237** |
|  | **Footed Support Pedestal with Laminate Fronts, Box/Box/File** | | | | | | |
| | 28″H x 15″W x 18″D, Arch Pull | **HSPSF281518BBFL** | 59.0 | 5.7 | **$1417** | **$1448** | **$1478** |
| | 28″H x 15″W x 24″D, Arch Pull | **HSPSF281524BBFL** | 59.0 | 7.1 | **$1471** | **$1502** | **$1532** |
| | 28″H x 15″W x 30″D, Arch Pull | **HSPSF281530BBFL** | 69.9 | 8.8 | **$1524** | **$1555** | **$1585** |
|  | **Footed Support Pedestal with Laminate Fronts, File/File** | | | | | | |
| | 28″H x 15″W x 18″D, Arch Pull | **HSPSF281518FFL** | 51.4 | 5.7 | **$1417** | **$1448** | **$1478** |
| | 28″H x 15″W x 24″D, Arch Pull | **HSPSF281524FFL** | 59.0 | 7.1 | **$1471** | **$1502** | **$1532** |
| | 28″H x 15″W x 30″D, Arch Pull | **HSPSF281530FFL** | 69.9 | 8.8 | **$1524** | **$1555** | **$1585** |

**NOTES:**
- Ball-bearing suspension on box and file drawer. (100%)
- Drawers color to be interior gray steel.
- File drawer has high sides and back for filing front-to-back and side-to-side.
- Counterweight standard on all mobile peds.
- See page 594 for Pedestal Seat.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- 24″D and 30″D pedestals accommodate legal files side-to-side.

! Drawer Fronts available with Satin Chrome Arch only.

! Locking units equipped with HON “One Key” interchangeable core removable locks. Keyed alike core model HF23S, in Satin, must be ordered separately. See page 569.


## HOW TO SPECIFY

| Select Model Number | Select Foot | Select Pull | Select Case Paint | Select Front Laminate | Select Lock |
|---|---|---|---|---|---|
| | **SF** Contain Foot<br>**T1** Platinum Metallic<br>**PR6** Silver | **A** Arch<br>**PR0** Silver | See page 547 | See page 547<br>L2 (+ $12) | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** eLock (+ $351) |
| H S P S F 2 8 1 5 2 4 B B F L . | S F T 1 . | A P R 0 . | P J W . | L S A 1 . | L |

GSA SIN 33721

Icon Legend on page 19

# CONTAIN® Pedestal Accessories



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | FABRIC PRICE CODES |
|---|---|---|---|---|
| **Pedestal Seat**<br>15"W x 22⅞"D x 2"H<br>NOTES: For seating fabrics, see pages 22-25.<br>**SPECIFYING EXAMPLE: HPSEAT24ND.APN23** | **HPSEAT24ND** | 10 S | 1.2 | **1 $276 8 $488**<br>**2 $303 9 $522**<br>**3 $329 10 $555**<br>**4 $355 11 $589**<br>**5 $388 12 $622**<br>**6 $422 L —**<br>**7 $455** |

**NOTES:**
- See Brigade® pedestals on page 537 for additional pedestal options. See pages 642-643 for Pedestal Accessories.

STORAGE

## HOW TO SPECIFY

| Select Model Number | Select Fabric |
|---|---|
| | See pages 22-25 for seating fabric options |
| H P S E A T 2 4 . | A P N 2 3 |

# FLAGSHIP®

Want to see more? Scan here to check out hon.com.





Flagship® Modular Storage.

## FLAGSHIP®

Pedestals in more than 40 styles. Lateral files in 15 sizes. These are just some of the reasons why Flagship is one of HON's top metal storage collections, and why HON is America's filing and storage leader. Today's offices run on information, and Flagship helps them sort, store and share every bit of it — plus all of the personal items and daily supplies employees depend on. It's the best-built storage available from any manufacturer at any price.







### FEATURES

- Rugged, high-quality construction makes HON America's leader in filing and storage.
- ColorCorrect® lets you match your Flagship storage to many office furniture manufacturers.
- Add seat cushions to mobile pedestals for short-term, stow-away guest seating.
- Modular Storage with bins for easy access and customization.
- Lateral files with storage cabinets not only corral all your info, they double as collaborative hubs.
- Squeeze more storage capacity into a smaller workstation footprint by using pedestals as worksurface supports.
- Archival filing doesn't have to be stuffy. Outfit any open space with a wall full of storage, available at a moment's notice.

# FLAGSHIP® ORDERING INFORMATION



## FLAGSHIP® PRODUCTS

**PAINTS ..... CODES**

**P1**

- ◆◊ Black ..... **P**
- ◆◊ Brownstone ..... **P7D**
- ◆◊ Cove ..... **P096**
- ◆◊ Charcoal ..... **S**
- ◆◊ Designer White ..... **PJW**
- ◆◊ Dune ..... **P094**
- ◆◊ Fossil ..... **P28**
- ◆◊ Greige ..... **T5**
- ◆◊ Harbor ..... **P097**
- ◆◊ Light Gray ..... **Q**
- ◆◊ Loft ..... **LOFT**
- ◆◊ Muslin ..... **T3**
- ◆◊ Putty ..... **L**
- ◆◊ Sage ..... **P095**
- ◆◊ Titanium ..... **P8T**

**P2**

- ◆◊ Champagne Metallic ..... **T4**
- ◆◊ Gunmetal Metallic ..... **PR3**
- ◆◊ Platinum Metallic ..... **T1**

## OPTIONAL LAMINATE TOPS FOR LATERAL FILES

**L1 LAMINATES ..... CODES**

**Woodgrain**

- ◆ Bourbon Cherry ..... **H**
- ◆ Cognac ..... **COGN**
- ◆ Field Elm ..... **LWFE**
- ◆ Florence Walnut ..... **LFW1**
- ◆ Harvest ..... **C**
- ◆ Kingswood Walnut ..... **LKI1**
- ◆ Mahogany ..... **N**
- ◆ Mocha ..... **MOCH**
- ◆ Natural Maple ..... **D**
- ◆ Pinnacle ..... **PINC**
- ◆ Shaker Cherry ..... **F**
- ◆ Sterling Ash ..... **LSA1**

**Solid**

- ◆ Charcoal ..... **S**
- ◆ Designer White ..... **LDW1**
- ◆ Loft ..... **LOFT**

**Patterned**

- ◆ Handspun Chestnut ..... **LAHC**
- ◆◊ Handspun Dove ..... **LAHD**
- ◆ Handspun Pearl ..... **LAHP**
- ◆◊ Handspun Slate ..... **LAHS**
- ◆ Silver Mesh* ..... **B9**
- ◆◊ Steel Mesh* ..... **A9**
- ◆◊ Gray* ..... **G2**
- ◊ White* ..... **G1**

**L2 LAMINATES ..... CODES**

**Woodgrain**

- ◆ Beigewood ..... **LWBE**
- ◆ Fawn Cypress ..... **LFC1**
- ◆ Lowell Ash ..... **LLA1**
- ◆ Natural Recon ..... **LNR1**
- ◆ Phantom Ecru ..... **LPE1**
- ◆ Portico Teak ..... **LPT1**
- ◆ Skyline Walnut ..... **LSW1**

## PULL OPTIONS FOR FLAGSHIP® STORAGE

**Suffix "A"**



Arch Drawer Pull

**Suffix "N"**



Full Face Integral Drawer Pull

**Suffix "R"**



Full Radius Drawer Pull

*NOTES: Arch pulls available in Satin Chrome only.*

** Laminate colors will have the following pre-set edgeband colors:*

| *Laminate* | *Edge* |
|---|---|
| *Handspun Chestnut* | *Loft* |
| *Handspun Dove* | *Loft* |
| *Handspun Pearl* | *Loft* |
| *Handspun Slate* | *Charcoal* |
| *Silver Mesh* | *Loft* |
| *Steel Mesh* | *Charcoal* |
| *Gray* | *Charcoal* |
| *White* | *Charcoal* |

*Edgeband matches top except as noted.*

*For Champagne Metallic Paint, Muslin is the suggested edgeband color. When Champagne Metallic Paint is selected, pulls are standard in Muslin.*






◆◊ *For lead time information see page 21.*

# FLAGSHIP®
## Hanging and Standard Height Pedestals

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Hanging Pedestals — Box/File** | | | | | | |
| | 15″W x 16⅞″D x 19½″H | **H14917(?)** | 41 | 4.4 | **$741** | **$772** | **$802** |
| | 15″W x 22⅞″D x 19½″H | **H14923(?)** | 48 | 6.0 | **$788** | **$819** | **$849** |
|  | **Standard Height Mobile Pedestals — Box/Box/File** | | | | | | |
| | 15″W x 16⅞″D x 28″H | **H18717(?)** | 76 | 5.9 | **$948** | **$979** | **$1009** |
| | 15″W x 22⅞″D x 28″H | **H18723(?)** | 88 | 8.0 | **$1021** | **$1052** | **$1082** |
| | 15″W x 28⅞″D x 28″H | **H18730(?)** | 102 | 9.8 | **$1095** | **$1126** | **$1156** |
|  | **Standard Height Mobile Pedestals — File/File** | | | | | | |
| | 15″W x 16⅞″D x 28″H | **H18817(?)** | 72 | 5.9 | **$948** | **$979** | **$1009** |
| | 15″W x 22⅞″D x 28″H | **H18823(?)** | 85 | 8.0 | **$1021** | **$1052** | **$1082** |
| | 15″W x 28⅞″D x 28″H | **H18830(?)** | 98 | 9.8 | **$1095** | **$1126** | **$1156** |
|  | **Standard Height Freestanding Support Pedestals — Box/Box/File** | | | | | | |
| | 15″W x 16⅞″D x 28″H | **H19717(?)** | 59 | 5.9 | **$936** | **$967** | **$997** |
| | 15″W x 22⅞″D x 28″H | **H19723(?)** | 73 | 8.0 | **$1005** | **$1036** | **$1066** |
| | 15″W x 28⅞″D x 28″H | **H19730(?)** | 87 | 9.8 | **$1081** | **$1112** | **$1142** |
|  | **Standard Height Freestanding Support Pedestals — File/File** | | | | | | |
| | 15″W x 16⅞″D x 28″H | **H19817(?)** | 55 | 5.9 | **$936** | **$967** | **$997** |
| | 15″W x 22⅞″D x 28″H | **H19823(?)** | 70 | 8.0 | **$1005** | **$1036** | **$1066** |
| | 15″W x 28⅞″D x 28″H | **H19830(?)** | 83 | 9.8 | **$1081** | **$1112** | **$1142** |

**NOTES:**
- 28″H fits under all HON worksurfaces and desk shells.
- 22⅞″D and 28⅞″D pedestals accommodate legal files side-to-side.
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- Steel ball-bearing suspension on file and box drawers.
- Full extension on all drawers.
- File drawers have high sides for filing front-to-back.
- See pages 642-643 for accessories and pedestal utilization information.
- Equipped with HON "One Key" interchangeable core removable locks.
- Hanging units are mounted using keyhole slots in top of pedestals; all hardware provided.
- Counterweight standard in mobile pedestals.
- Omit lock-option available. See page 673 for ordering instructions.
- See Brigade® pedestals on page 537 for additional pedestal options. See pages 642-643 for Pedestal Accessories.

Freestanding support pedestals that are not positioned and attached under a worksurface require a counterweight kit found on page 642.

## HOW TO SPECIFY

**Select Model Number**

**A** Satin Chrome Arch
**N** Full Face Integral
**R** Full Radius

H 1 4 9 1 7 A .

**Select Lock Option**

**L** Lock (no upcharge)
**X** Omit Lock (- $20)

L .

**Select Paint Color**

See page 599

P

GSA SIN 33721

Icon Legend on page 19

# FLAGSHIP® Mobile Pedestals



*H15923N*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Mobile Pedestals — Box/File**<br>15″W x 22⅞″D x 22″H | **H15923(?)** | 92 | 6.0 | **$797** | **$828** | **$858** |

**NOTES:**
- Pencil tray standard in top box drawer.
- One box divider standard in each box drawer.
- One crossrail standard in each file drawer.
- File drawers have high sides for filing front-to-back.
- Steel ball-bearing suspension on file drawer, and box drawer.
- See pages 642-643 for accessories and pedestal utilization information.
- Equipped with HON "One Key" interchangeable core removable locks.
- Counterweight standard.
- Omit lock-option available. See page 673 for ordering instructions.

## HOW TO SPECIFY

**Select Model Number**

**A** Satin Chrome Arch
**N** Full Face Integral
**R** Full Radius

H 1 5 9 2 3 A .

**Select Lock Option**


**L** Lock (no upcharge)
**X** Omit Lock (- $20)

L .

**Select Paint Color**

See page 599

T 1



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | FABRIC PRICE CODES | | | |
|---|---|---|---|---|---|---|---|
| **Pedestal Seat**<br>15″W x 22⅞″D x 2″H | **HPSEAT24ND** | 10 | 1.2 | **1** | **$276** | **8** | **$488** |
| | | | | **2** | **$303** | **9** | **$522** |
| | | | | **3** | **$329** | **10** | **$555** |
| | | | | **4** | **$355** | **11** | **$589** |
| | | | | **5** | **$388** | **12** | **$622** |
| | | | | **6** | **$422** | **L** | **—** |
| | | | | **7** | **$455** | | |

**NOTES:**
- See Brigade® pedestals on page 537 for additional pedestal options. See pages 642-643 for Pedestal Accessories.

## HOW TO SPECIFY

**Select Model Number**

H P S E A T 2 4 N D .

**Select Fabric**

See pages 22-25 for seating fabric options




C U 1 0

# FLAGSHIP®
## 18″ Deep Lateral Files with Drawers

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  *Standard Height* | **Standard Height Lateral File — 2 Drawer** | | | | | | |
| | 30″W x 18″D x 28″H | **H9170(?)** | 138 | 12.3 | **$1338** | **$1375** | **$1412** |
| | 36″W x 18″D x 28″H | **H9180(?)** | 156 | 14.5 | **$1480** | **$1517** | **$1554** |
| | 42″W x 18″D x 28″H | **H9190(?)** | 177 | 16.8 | **$1710** | **$1747** | **$1784** |
|  | **Lateral File — 3 Drawer** | | | | | | |
| | 30″W x 18″D x 39⅛″H | **H9173(?)** | 150 | 16.9 | **$1753** | **$1790** | **$1827** |
| | 36″W x 18″D x 39⅛″H | **H9183(?)** | 174 | 20.0 | **$1967** | **$2004** | **$2041** |
| | 42″W x 18″D x 39⅛″H | **H9193(?)** | 197 | 23.2 | **$2276** | **$2313** | **$2350** |
|  | **Lateral File w/o Posting Shelf — 4 Drawer** | | | | | | |
| | 30″W x 18″D x 52½″H | **H9174(?)** | 176 | 22.1 | **$2208** | **$2282** | **$2352** |
| | 36″W x 18″D x 52½″H | **H9184(?)** | 198 | 26.2 | **$2505** | **$2579** | **$2649** |
| | 42″W x 18″D x 52½″H | **H9194(?)** | 213 | 30.3 | **$2873** | **$2947** | **$3017** |
|  | **Lateral File w/o Posting Shelf — 5 Drawer** | | | | | | |
| | 30″W x 18″D x 64¼″H | **H9175(?)** | 203 | 26.8 | **$2818** | **$2892** | **$2962** |
| | 36″W x 18″D x 64¼″H | **H9185(?)** | 238 | 31.8 | **$3173** | **$3247** | **$3317** |
| | 42″W x 18″D x 64¼″H | **H9195(?)** | 264 | 36.8 | **$3678** | **$3752** | **$3822** |
| | NOTES: Top drawer is a roll-out shelf. | | | | | | |

**NOTES:**
- 28″H lateral fit under standard 38000 Series and worksurfaces.
- Flush top and sides.
- Reinforced case construction.
- Lock mechanism serves both sides of drawer.
- Equipped with HON “One Key” interchangeable core removable locks.
- Counterweight included where applicable to meet ANSI/BIFMA stability requirements.
- Three-part, telescoping, steel ball-bearing suspension.
- Features drawer extension restraint; mechanical interlock inhibits the extension of more than one drawer at a time.
- Optional laminate tops and accessories — see page 640.
- Matching Pedestals — see page 600.
- Omit lock-option available. See page 673 for ordering instructions.
- See page 640 for Lateral File Accessories.
- Flagship® laterals can be used with Storage Islands, see page 624.

## HOW TO SPECIFY

**Select Model Number**

**Select the Pull**

**A** Satin Chrome Arch
**N** Full Face Integral
**R** Full Radius

H 9 1 7 0 A .

**Select Lock Option**

**L** Lock (no upcharge)
**X** Omit Lock (- $20)

L .

**Select Paint Color**

See page 599



P

GSA SIN 33721

Icon Legend on page 19

# FLAGSHIP® Lateral File with Storage



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  *Model H9185LSN shown* | **Lateral Files with Storage and Hinged Doors**<br>36″W x 18″D x 64¼″H<br>NOTES: Lateral File drawers lock independently from storage case. | **H9185LS(?)** | 203 | 31.8 | **$3041** | **$3115** | **$3185** |
|  *Model H9185LSNN shown* | **Lateral Files with Open Shelves, No Doors**<br>36″W x 18″D x 64¼″H | **H9185LSN(?)** | 184 | 31.8 | **$2773** | **$2847** | **$2917** |

**NOTES:**
- 64¼″H models complement Flagship lateral file heights.
- Equipped with HON "One Key" interchangeable core removable locks. Locks on storage cabinet doors and lateral file are keyed alike.
- Three-part, telescoping, steel ball-bearing suspension.
- Includes two adjustable shelves, adjustable in 2″ increments.
- Lock mechanism serves both sides of drawer.
- Features drawer extension restraint; mechanical interlock inhibits the extension of more than one drawer at a time.
- Wire management grommet in back of unit.
- Omit lock-option available. See page 673 for ordering instructions.
- Flush top and sides.

## HOW TO SPECIFY

**Select Model Number**

**Select the Pull**

**A** Satin Chrome Arch
**N** Full Face Integral
**R** Full Radius

H 9 1 8 5 L S A .

**Select Lock Option**

**L** Lock (no upcharge)
**X** Omit Lock
(- $40 for model H9185LS)
(- $20 for model H9185LSN)

L .

**Select Paint Color**

See page 599


P


# FLAGSHIP® Modular Storage


GSA SIN 33721


Icon Legend on page 19




HFMSC186430RWB


HFMSC185230RWB


HFMSC183930RWB


HFMSC182830RWB

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Modular Storage Cabinet** | | | | | | |
| 18″D x 28″H x 30″W | **HFMSC182830RWB** | 119 | 12.0 | **$1415** | **$1452** | **$1489** |
| 18″D x 39⅛″H x 30″W | **HFMSC183930RWB** | 138 | 16.2 | **$1713** | **$1750** | **$1787** |
| 18″D x 52½″H x 30″W | **HFMSC185230RWB** | 176 | 22.4 | **$2069** | **$2143** | **$2213** |
| 18″D x 64¼″H x 30″W | **HFMSC186430RWB** | 184 | 28.2 | **$2411** | **$2485** | **$2555** |

**NOTES:**

- Shipped fully assembled.
- Pre-configured trays and rails are included, see chart below.
- Additional Tray Kits may be purchased separately.
- Full radius handle on both doors.
- Four adjustable leveling glides standard.
- Reinforced top and base.
- Equipped with HON “One Key” interchangeable core removable locks standard.
- Doors have vertical stiffener standard.
- Positive door stops.
- Meets or exceeds ANSI/BIFMA and ISTA standards.
- Certified SCS Indoor Advantage Gold.

Pre-Configured Cabinets/Tray Kits

**64” High Cabinet**

| | |
|---|---|
| 1 | 2 |
| 3 | 4 |
| 5 | 6 |
| 7 | 8 |
| 1 | 2 |
| 3 | 4 |
| 5 | 6 |
| 7 | 8 |
| 1 | 2 |

**52” High Cabinet**


| | |
|---|---|
| 1 | 2 |
| 3 | 4 |
| 5 | 6 |
| 1 | 2 |
| 3 | 4 |
| 5 | 6 |
| 1 | 2 |

**39” High Cabinet**

| | |
|---|---|
| 1 | 2 |
| 3 | 4 |
| 1 | 2 |
| 3 | 4 |
| 1 | 2 |

**28” High Cabinet**

| | |
|---|---|
| 1 | 2 |
| 3 | 4 |
| 1 | 2 |
| 3 | 4 |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Accessories — Tray Kit** | | | | |
| 3″H, 2 bins and 4 rails | **HFMBIN3** | 7 S | 4.0 | **$80** |
| 6″H, 2 bins and 4 rails | **HFMBIN6** | 10 S | 4.5 | **$95** |
| 12″H, 2 bins and 4 rails | **HFMBIN12** | 12 S | 5.0 | **$112** |

NOTES: Modular Storage Cabinets come with rails and bins. Additional bins and rails may be ordered in sets of 2. Availability and usage are outlined below.

**NOTES:**

- Tray height options include: 3″, 6″, 12″.
- Trays may only be used in 12″ width single column/section only.
- All trays are suspended off a pair of storage rails, trays slide easily in and out and are removable.
- Trays and storage rails are field installed and may be easily reconfigured.
- Front and rear handles are integrated for easy handling/transport.
- Translucent material provides visibility to contents.

## HOW TO SPECIFY

**Select Model Number**

H F M S C 1 8 6 4 3 0 R W B .

**Select Lock Option**

**L** Lock (no upcharge)
**X** Omit Lock (- $20)

See page 673 for omit lock ordering instructions

L .

**Select Glide**

**G** Glide

G .

**Select Paint Color**

See page 599



L D W 1

GSA SIN 33721

Icon Legend on page 19

# FLAGSHIP® Bookcases



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **3 Shelf**<br>36″W x 18″D x 39⅛″H | **HFSC183640W** | 100 | 20.0 | **$1171** | **$1245** | **$1315** |
|  | **5 Shelf**<br>36″W x 18″D x 64¼″H<br>NOTES: 64¼″H models complement Flagship lateral file heights. | **HFSC183664W** | 148 | 31.8 | **$1733** | **$1807** | **$1877** |

**NOTES:**
- Flush top and sides.
- Reinforced case construction.
- Shelves adjust in 2″ increments.
- Wire management grommet in back of unit.

## HOW TO SPECIFY

**Select Model Number**

H F S C 1 8 3 6 4 0 W .

**Select Paint Color**

See page 599



P

# FLAGSHIP® Storage Cabinets

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  *Model HFSC183640N shown* | **Storage Cabinets**<br>36″W x 18″D x 39⅛″H (with lock)<br>2 adjustable shelves | **HFSC183640(?)** | 119 | 20.0 | **$1450** | **$1524** | **$1594** |
|  *Model HFSC183664N shown* | 36″W x 18″D x 64¼″H (with lock)<br>4 adjustable shelves<br>NOTES: 64¼″H models complement Flagship lateral file heights. | **HFSC183664(?)** | 184 | 31.8 | **$2112** | **$2186** | **$2256** |

**NOTES:**
- Flush top and sides.
- Reinforced case construction.
- Includes adjustable shelves, adjustable in 2″ increments.
- Four adjustable leveling glides are standard.
- Equipped with HON “One Key” interchangeable core removable locks.
- Wire management grommet in back of unit.
- Omit lock-option available. See page 673 for ordering instructions.

## HOW TO SPECIFY

**Select Model Number**

**Select the Pull**

**A** Satin Chrome Arch
**N** Full Face Integral
**R** Full Radius

H F S C 1 8 3 6 4 0 A .

**Select Lock Option**

**L** Lock (no upcharge)
**X** Omit Lock (- $20)

L .

**Select Paint Color**

See page 599

P

# FLAMESAFE™ ORDERING INFORMATION



## FLAMESAFE™ PRODUCTS

| PAINTS | CODES |
|---|---|
| **P1** | |
| ◆◊ Black | **P** |
| ◆◊ Light Gray | **Q** |
| ◆◊ Putty | **L** |

◆◊ ◇ *For lead time information see page 21.*

# FLAMESAFE™ Fire-Resistant Files

OPEN MARKET

ABI

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Vertical File — 2-Drawer, Legal**<br>20¾"W x 25"D x 27¾"H | **H52C** | 330 | 13.0 | **$5855** |

**NOTES:**

- Full suspension.
- Non-asbestos.
- Follower block comes standard.
- Chrome drawer pulls, thumb latch and label holder.
- Rated: Filing Device Class 350, 1700° for one hour with drop test.
- UL listed.
- High drawer sides.
- Insulated in drawer face and between drawers.
- **Full Lifetime Warranty.**

Lock is NOT core removable.



## HOW TO SPECIFY

| Select Model Number | Select Lock Option | Select Paint Color |
|---|---|---|
| H 5 2 C . | **P** Lock<br>P . | See page 607<br>P |

# FUSE™

Want to see more? Scan here to check out hon.com.



Fuse™ Storage shown with Solve® Seating and Coordinate™ Desk.



## FUSE™

Who says storage has to be boring? With a completely modern take on form and function, not to mention an ultra-cool color palette, Fuse storage adds personality to any home office or corporate workspace. With personal storage space for just about everything, Fuse keeps you organized even in small spaces.









### FEATURES

- Designed to make the most of the compressed footprint of desking, benching and height-adjustable workstations.
- Extra thick, low profile case provides increased strength and durability while providing a modern 360-degree aesthetic for your storage needs.
- Extended height drawers give you the extra capacity to neatly store what matters most to you.
- Add a pop of color with an optional two-tone design to give new meaning to personal space.
- Alcove for stowing backpack, purse, bag, or other personal items.
- Rear casters swivel and front casters are fixed for easier mobility.
- Casters are designed to clear the top of Coordinate™ feet.
- File drawer has high sides to allow front-to-back filing for 15″ wide models.
- Side-to-side filing uses file bars for support for 10″ wide models.
- Standard core removable locks make rekeying a breeze.
- Electronic keypad lock option allows for ease of locking and unlocking personal items with your Fuse™ unit.

# FUSE™ ORDERING INFORMATION



## FUSE™ PRODUCTS

| PAINTS | CODES |
|---|---|
| **P1** | |
| ◆◆◇ Black | **P** |
| ◆◆◇ Brownstone | **P7D** |
| ◆◆◇ Charcoal | **P02** |
| ◆◆◇ Cove | **P096** |
| ◆◆◇ Designer White | **PJW** |
| ◆◆◇ Dune | **P094** |
| ◆◆◇ Fossil*** | **P28** |
| ◆◆◇ Greige | **T5** |
| ◆◆◇ Harbor | **P097** |
| ◆◆◇ Loft | **LOFT** |
| ◆◆◇ Muslin | **T3** |
| ◆◆◇ Sage | **P095** |
| ◆◆◇ Textured Charcoal | **P7A** |
| ◆◆◇ Textured Designer White | **PK7** |
| ◆◆◇ Titanium | **P8T** |
| **P2*** | |
| ◆◆◇ Champagne Metallic | **T4** |
| ◆◆◇ Gunmetal Metallic | **PR3** |
| ◆◆◇ Silver | **PR6** |
| ◆◆◇ Solar Black | **P8X** |
| **P3**** | |
| ◆◆◇ Atom | **P8S** |
| ◆◆◇ Blossom*** | **P8K** |
| ◆◆◇ Bullseye | **PJF** |
| ◆◆◇ Ember | **P8P** |
| ◆◆◇ Ion | **P8N** |
| ◆◆◇ Iris | **P8J** |
| ◆◆◇ Krypton | **P8F** |
| ◆◆◇ Ochre | **P093** |
| ◆◆◇ Regatta | **P8M** |
| ◆◆◇ Sienna | **P092** |
| ◆◆◇ Succulent*** | **P8A** |

## PULLS

| | |
|---|---|
| ◆◆◇ Linear Black | **LP** |
| ◆◆◇ Linear Silver | **LPR6** |
| ◆◆◇ Square Silver | **SPR6** |

## WORKPLACE TOOLS

| | |
|---|---|
| ◆◆◇ Designer White | **DW** |

## PULL OPTIONS FOR FUSE™ STORAGE



Square



Linear

**P2 upcharges $20 for each dot option selected.*
***P3 upcharges $44 for each dot option selected.*
****TREND COLORS: These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.*


- *The HON Company has elected to discontinue the HON Choice paint program, as of 12/31/2018, and roll it into our standard specials process.*
- *A special request will need to be submitted to receive pricing and order information.*

◆◆◇ *For lead time information see page 21.*

# FUSE™ Pedestals



## Fuse Pedestal Functionality with Workplace Tools




**Large & Slim Trays**
- Ships in 9" and/or 15" bin drawers where applicable
- Organizes notepads, rulers, pens, pencils, paper clips, sticky notes, etc
- Radiused compartments allow for easy pick up of those small items
- Versatile tray can be utilized on top of your pedestal, drawers, or on the worksurface

**Side Saddle**
- Stores small personal items such as your phone, tablet, and other organizational items
- Hangs on the drawer side, sits on the drawer bottom, undermount side slot and case top
- Division in the bottom creates two storage areas
- Also hangs on the paper management support bars on page 371

**Hook**
- Used to hang backpacks, coats, headphones, umbrellas, and other personal items
- Can be used only in the undermount side slot or case top lip
- Thoughtfully designed to stay in place
- Supports up to 20 pounds

**Hot File**
- Take multiple project folders with you to your next meeting
- Ridges in the bottom keep files upright
- Hangs on the drawer side, undermount or sit in the drawer bottom to subdivide space
- Makes files accessible without having to even open a drawer
- Also hangs on the paper management support bars on page 371

### Configuration Options – Fuse




**Legend**

6N = 6" Box No Tray
9T = 9" Box Bin with Tray
SN = Alcove
FN = 12" File No Tray
PN = 15" File No Tray
PT = 15" Bin with Tray


= Tray

= Space for optional Tray

# FUSE™ DIGITAL LOCK SPECIFICATIONS



## Digital Keypad Lock Specification Information for Fuse™ Pedestals



**Front** **Back**

*Keypad Lock*

The digital keypad lock option helps modernize the workspace by eliminating the need to carry physical keys. The digital lock feature provides an alternative to standard lock and key, allowing users to simply input a code to unlock their Fuse™ storage unit. The digital keypad also supports shared applications where workstations or storage units support multiple users. These locks ship in "shared mode" by default; shared mode indicates that the lock will "forget" the paired 4-digit code after the lock is opened, allowing the unit to be used by multiple users.

Order at least one Programming Key and Manager Key per install.

## Digital Keypad Locks:

- Offered on all Fuse™ pedestal and undermount models.
- Ship factory installed.
- Offered in a brushed nickel finish.
- Digital keypad lock requires input of a user-selected 4-digit code.
- Digital keypad locks are powered using 2 premium lithium CR2032 batteries.
- Battery life is dependent on the frequency of operation but can last up to 5-7 years.
- **Every digital keypad installation site will require *one* Programming Key and *at least one* Manager Key, sold separately.**

## Programming Key

- A Programming Key is a device used to initialize locks out of factory default mode and register Manager Keys to the locks.
- Only one Programming Key should be specified per installation site because multiple Programming Keys are not compatible with each other.
- Add-on digital lock orders should be programmed with the original Programming Key.
- Programming Key is the same key as Contain® Digilocks and can work across both Contain® and Fuse™.

## Manager Key

- A Manager Key is used to bypass a locked unit; this operates as the "master key" and it is recommended that building facilitators have at least one Manager Key.
- Up to 6 Manager Keys may be registered to each lock.
- Manager Keys provide external power to locks in case of battery failure.




| Digital Lock Keys and Accessories | | |
|---|---|---|
| **Description** | **Model** | **List Price** |
| Programming Key | HSLDIGPRG | $225 |
| Manager Key | HSLDIGMGR | $176 |

GSA SIN 33721

Icon Legend on page 19

# FUSE™ Mobile Pedestals



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Mobile Pedestal, 6″ Box/12″ File** | | | | |
| | 15″W x 19″D x 20⅜″H | **HAPMAP196NFN** | 48 | 5.0 | **$824** |
| | 15″W x 23″D x 20⅜″H | **HAPMAP236NFN** | 54 | 5.9 | **$885** |
| | NOTES: No tray, Specification of tray color not required. | | | | |
|  | **Mobile Pedestal, 9″ Bin with Tray/12″ File** | | | | |
| | 15″W x 19″D x 23⅜″H | **HAPMBP199TFN** | 53 | 5.7 | **$930** |
| | 15″W x 23″D x 23⅜″H | **HAPMBP239TFN** | 58 | 6.7 | **$994** |
|  | **Mobile Pedestal, 6″ Box/15″ Bin with Tray** | | | | |
| | 15″W x 19″D x 23⅜″H | **HAPMBP196NPT** | 53 | 5.7 | **$930** |
| | 15″W x 23″D x 23⅜″H | **HAPMBP236NPT** | 58 | 6.7 | **$994** |
|  | **Mobile Pedestal, 9″ Bin with Tray/15″ Bin** | | | | |
| | 15″W x 19″D x 26⅜″H | **HAPMCP199TPN** | 58 | 6.4 | **$1002** |
| | 15″W x 23″D x 26⅜″H | **HAPMCP239TPN** | 62 | 7.5 | **$1063** |
|  | **Mobile Pedestal, Alcove/15″ File with Tray** | | | | |
| | 15″W x 19″D x 21½″H | **HAPMBP19SNPT** | 58 | 5.7 | **$866** |
| | NOTES: Top matches drawer color. | | | | |
|  | **Slim Mobile Pedestal, 9″ Bin with Tray/12″ File** | | | | |
| | 10″W x 23″D x 23⅜″H | **HAPMBS239TFN** | 47 | 4.9 | **$946** |
|  | **Slim Mobile Pedestal, 9″ Bin with Tray/15″ Bin** | | | | |
| | 10″W x 23″D x 26⅜″H | **HAPMCS239TPN** | 52 | 5.4 | **$1018** |
|  | **Slim Mobile Pedestal, Alcove/15″ Bin with Tray** | | | | |
| | 10″W x 23″D x 21½″H | **HAPMBS23SNPT** | 43 | 4.9 | **$881** |
| | NOTES: Top matches drawer color. | | | | |

## HOW TO SPECIFY






| Select Model Number | Select Pull Option | Select Case Color | Select Drawer Color | Select Tray Color | Select Lock Option |
|---|---|---|---|---|---|
| | **SPR6** Square Silver<br>**LPR6** Linear Silver<br>**LP** Linear Black | See page 610<br>P2 (+ $20)<br>P3 (+ $44) | See page 610<br>P2 (+ $20)<br>P3 (+ $44) | **DW** Designer White | **L** Standard Lock<br>**X** Omit Lock (- $20) |
| H A P M A P 1 9 6 N F N . | S P R 6 . | P . | P . | D W . | L |

# FUSE™ Mobile Pedestals with eLock

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Mobile Pedestal, 6″ Box/12″ File, eLock**<br>15″W x 19″D x 20⅜″H<br>15″W x 23″D x 20⅜″H<br>NOTES: No tray, Specification of tray color not required. | **HAPMAP196NFNE**<br>**HAPMAP236NFNE** | 48<br>54 | 5.0<br>5.9 | **$1135**<br>**$1194** |
|  | **Mobile Pedestal, 9″ Box/12″ File, eLock**<br>15″W x 19″D x 23⅜″H<br>15″W x 23″D x 23⅜″H | **HAPMBP199TFNE**<br>**HAPMBP239TFNE** | 53<br>58 | 5.7<br>6.7 | **$1239**<br>**$1304** |
|  | **Mobile Pedestal, 6″ Box/15″ File, eLock**<br>15″W x 19″D x 23⅜″H<br>15″W x 23″D x 23⅜″H | **HAPMBP196NPTE**<br>**HAPMBP236NPTE** | 53<br>58 | 5.7<br>6.7 | **$1239**<br>**$1304** |
|  | **Mobile Pedestal, 9″ Box/15″ File, eLock**<br>15″W x 19″D x 26⅜″H<br>15″W x 23″D x 26⅜″H | **HAPMCP199TPNE**<br>**HAPMCP239TPNE** | 58<br>62 | 6.4<br>7.5 | **$1311**<br>**$1372** |
|  | **Mobile Pedestal, Alcove/15″ File, eLock**<br>15″W x 19″D x 21½″H<br>NOTES: Top matches drawer color. | **HAPMBP19SNPTE** | 45 | 5.7 | **$1175** |
|  | **Slim Mobile Pedestal, 9″ Box/12″ File, eLock**<br>10″W x 23″D x 23⅜″H | **HAPMBS239TFNE** | 47 | 4.9 | **$1256** |
|  | **Slim Mobile Pedestal, 9″ Box/15″ File, eLock**<br>10″W x 23″D x 26⅜″H | **HAPMCS239TPNE** | 52 | 5.4 | **$1328** |
|  | **Slim Mobile Pedestal, Alcove/15″ File, eLock**<br>10″W x 23″D x 21½″H<br>NOTES: Top matches drawer color. | **HAPMBS23SNPTE** | 43 | 4.9 | **$1190** |

**NOTES:**

Every installation will require one Programming Key and at least one Manager Key.

## HOW TO SPECIFY








| Select Model Number | Select Pull Option | Select Case Color | Select Drawer Color | Select Tray Color | Select Lock Option |
|---|---|---|---|---|---|
| | **SPR6** Square Silver<br>**LPR6** Linear Silver<br>**LP** Linear Black | See page 610<br>P2 (+ $20)<br>P3 (+ $44) | See page 610<br>P2 (+ $20)<br>P3 (+ $44) | **DW** Designer White | **EBNL** eLock Brushed Nickel |
| H A P M A P 1 9 6 N F N E . | S P R 6 . | P . | P . | D W . | E B N L |

GSA SIN 33721

Icon Legend on page 19

# FUSE™ Freestanding Pedestals



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Freestanding Pedestal, 9″ Bin with Tray/12″ File**<br>15″W x 19″D x 21″H<br>15″W x 23″D x 21″H | <br>**HAPGBP199TFN**<br>**HAPGBP239TFN** | <br>53<br>58 | <br>5.7<br>5.7 | <br>**$904**<br>**$966** |
|  | **Freestanding Pedestal, 6″ Box/15″ Bin with Tray**<br>15″W x 19″D x 21″H<br>15″W x 23″D x 21″H | <br>**HAPGBP196NPT**<br>**HAPGBP236NPT** | <br>53<br>58 | <br>5.7<br>5.7 | <br>**$904**<br>**$966** |
|  | **Freestanding Pedestal, 9″ Bin with Tray/15″ Bin**<br>15″W x 19″D x 24″H<br>15″W x 23″D x 24″H | <br>**HAPGCP199TPN**<br>**HAPGCP239TPN** | <br>58<br>62 | <br>5.7<br>5.7 | <br>**$971**<br>**$1035** |
|  | **Freestanding Pedestal, Alcove/15″ Bin with Tray**<br>15″W x 19″D x 21″H<br>NOTES: Top matches drawer color. | **HAPGBP19SNPT** | 45 | 5.7 | **$841** |
|  | **Slim Freestanding Pedestal, 9″ Bin with Tray/12″ File**<br>10″W x 23″D x 21″H | **HAPGBS239TFN** | 47 | 5.7 | **$919** |
|  | **Slim Freestanding Pedestal, 9″ Bin with Tray/15″ Bin**<br>10″W x 23″D x 24″H | **HAPGCS239TPN** | 52 | 5.4 | **$987** |
|  | **Slim Freestanding Pedestal, Alcove/15″ Bin with Tray**<br>10″W x 23″D x 21″H<br>NOTES: Top matches drawer color. | **HAPGBS23SNPT** | 43 | 4.9 | **$856** |

## HOW TO SPECIFY








| Select Model Number | Select Pull Option | Select Case Color | Select Drawer Color | Select Tray Color | Select Lock Option |
|---|---|---|---|---|---|
| | **SPR6** Square Silver<br>**LPR6** Linear Silver<br>**LP** Linear Black | See page 610<br>P2 (+ $20)<br>P3 (+ $44) | See page 610<br>P2 (+ $20)<br>P3 (+ $44) | **DW** Designer White | **L** Standard Lock<br>**X** Omit Lock (- $20) |
| H A P G B P 1 9 9 T F N . | S P R 6 . | P . | P . | D W . | L |

# FUSE™ Freestanding Pedestals with eLock

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Freestanding Pedestal, 9″ Box/12″ File, eLock**<br>15″W x 19″D x 21″H<br>15″W x 23″D x 21″H | <br>**HAPGBP199TFNE**<br>**HAPGBP239TFNE** | <br>53<br>58 | <br>5.7<br>6.7 | <br>**$1213**<br>**$1275** |
|  | **Freestanding Pedestal, 6″ Box/15″ File, eLock**<br>15″W x 19″D x 21″H<br>15″W x 23″D x 21″H | <br>**HAPGBP196NPTE**<br>**HAPGBP236NPTE** | <br>53<br>58 | <br>5.7<br>6.7 | <br>**$1213**<br>**$1275** |
|  | **Freestanding Pedestal, 9″ Box/15″ File, eLock**<br>15″W x 19″D x 24″H<br>15″W x 23″D x 24″H | <br>**HAPGCP199TPNE**<br>**HAPGCP239TPNE** | <br>58<br>62 | <br>6.4<br>7.5 | <br>**$1281**<br>**$1344** |
|  | **Freestanding Pedestal, Alcove/15″ File, eLock**<br>15″W x 19″D x 21″H<br>NOTES: Top matches drawer color. | **HAPGBP19SNPTE** | 45 | 5.7 | **$1150** |
|  | **Slim Freestanding Pedestal, 9″ Box/12″ File, eLock**<br>10″W x 23″D x 24″H | **HAPGBS239TFNE** | 47 | 4.9 | **$1229** |
|  | **Slim Freestanding Pedestal, 9″ Box/15″ File, eLock**<br>10″W x 23″D x 24″H | **HAPGCS239TPNE** | 52 | 5.4 | **$1296** |
|  | **Slim Freestanding Pedestal, Alcove/15″ File**<br>10″W x 23″D x 24″H<br>NOTES: Top matches drawer color. | **HAPGBS23SNPTE** | 43 | 4.9 | **$1165** |

**NOTES:**

Every installation will require one Programming Key and at least one Manager Key.



## HOW TO SPECIFY

| Select Model Number | Select Pull Option | Select Case Color | Select Drawer Color | Select Tray Color | Select Lock Option |
|---|---|---|---|---|---|
| | **SPR6** Square Silver<br>**LPR6** Linear Silver<br>**LP** Linear Black | See page 610<br>P2 (+ $20)<br>P3 (+ $44) | See page 610<br>P2 (+ $20)<br>P3 (+ $44) | **DW** Designer White | **EBNL** eLock Brushed Nickel |
| H A P G B P 1 9 9 T F N E . | S P R 6 . | P . | P . | D W . | E B N L |

GSA SIN 33721

Icon Legend on page 19

# FUSE™ Pedestal Cushion

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | FABRIC PRICE CODES |
|---|---|---|---|---|---|
|  | **Seat Cushion**<br>For 19″D Pedestal | **HAESC19** | 6 | 1.0 | **1 $258 8 $408**<br>**2 $285 9 $427**<br>**3 $311 10 $446**<br>**4 $330 11 $466**<br>**5 $349 12 $485**<br>**6 $369 L —**<br>**7 $388** |
|  | **Seat Cushion**<br>For 23″D Pedestal | **HPSEAT24ND** | 10 Ⓢ | 1.2 | **1 $276 8 $488**<br>**2 $303 9 $522**<br>**3 $329 10 $555**<br>**4 $355 11 $589**<br>**5 $388 12 $622**<br>**6 $422 L —**<br>**7 $455** |

STORAGE

## HOW TO SPECIFY

**Select Model Number**

H A E S C 1 9 .

**Select Fabric**

See pages 22-25 for seating fabric options




C U 1 0

# FUSE™ Undermount Storage

GSA SIN 33721

Icon Legend on page 19




| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Undermount Storage Cubby**<br>10″W x 14⅜″D x 19¾″H<br>NOTES: No need to specify door color or lock option. | **HAUFO15N** | 19 | 3.3 | **$498** |
|  | **Undermount Storage Cubby with Locking Door**<br>Right-Hinged<br>Left-Hinged<br>10″W x 14⅜″D x 19¾″H<br>NOTES: Right-Hinged shown. | **HAUFHR15N**<br>**HAUFHL15N** | 24<br>24 | 3.3<br>3.3 | **$590**<br>**$590** |
|  | **Undermount Storage Cubby with Locking Door, eLock**<br>Right-Hinged<br>Left-Hinged<br>10″W x 14⅜″D x 19¾″H<br>Every installation will require one Programming Key and at least one Manager Key. | **HAUFHR15NE**<br>**HAUFHL15NE** | 24<br>24 | 3.3<br>3.3 | **$899**<br>**$899** |


**NOTES:**


- Compatible with all HON benching, desking, and height adjustable tables, except where required space is unavailable.
- Ensure weight limit of height adjustable table system is considered before adding undermount storage.
- Open and hinged door units contain a side slot on each side which can be used to hang Workplace Tools.
- Can accommodate two Hot Files, HAEHF, side-by-side.
- 42 lb. storage capacity based on BIFMA loading standards.

Workplace Tools trays will not fit in cubby.




**HAUFO15N**
**Undermount Open Cubby**



**HAUFHR15N**
**Undermount Storage Cubby with Locking Door**




## HOW TO SPECIFY

| Select Model Number | Select Case Color | Select Door Color | Select Lock Option |
|---|---|---|---|
| H A U F O 1 5 N . | See page 610<br>P2 (+ $20)<br>P3 (+ $44)<br>P . | See page 610<br>P2 (+ $20)<br>P3 (+ $44)<br>P . | **L** Standard Lock<br>**X** Omit Lock (- $20)<br>**EBNL** Digital Lock Brushed Nickel *(Specify for eLock models only)*<br>L |





GSA SIN 33721

Ⓢ


Icon Legend on page 19

# FUSE™ Workplace Tools



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Side Saddle**<br>12¼"W x 2⅛"D x 4"H | **HAESS** | 0.6 | 0.1 | **$54** |
|  | **Hook**<br>1⅝"W x 2¼"D x 3¼"H | **HAECBH** | 0.1 | 0.1 | **$37** |
|  | **Hot File**<br>12¼"W x 3⅞"D x 9½"H | **HAEHF** | 0.7 | 1.5 | **$79** |
|  | **Slim Tray**<br>8½"W x 14⅞"D x 1½"H | **HAEST** | 1.0 | 0.2 | **$70** |
|  | **Large Tray**<br>13½"W x 14⅞"D x 1½"H | **HAELT** | 1.5 | 0.2 | **$79** |

**NOTES:**
- Side Saddle and Hot File work on Paper Management Support Bars on page 371.
- Hook weight limit 20 lbs.

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Digital Keys** | | | | |
| | Digilock Programming Key | **HSLDIGPRG** | 0.8 Ⓢ | 0.0 | **$225** |
| | Digilock Manager Key | **HSLDIGMGR** | 0.8 Ⓢ | 0.0 | **$176** |

NOTES: A Programming Key is used to initialize locks out of factory default mode and register Manager Keys to the locks. Manager Keys are used to bypass a locked unit, operating as the "master key" and it is recommended that building facilitators have at least one Manager Key. Up to 6 Manager Keys may be registered to each lock. Manager Keys provide external power to locks in case of battery failure. Programming Key is the same key as Contain® Digilocks and can work across both Contain® and Fuse™.

❗ Only one Programming Key should be specified per installation and multiple Programming Keys are not compatible with each other.

❗ Add-on digital lock orders should be programmed with the original Programming Key.

❗ Digital lock user guides and manager programming instructions included.


## HOW TO SPECIFY

| Select Model Number | Select Color |
|---|---|
| H A E S S . | **DW** Designer White<br>D W |

# STORAGE ISLANDS

Want to see more? Scan here to check out hon.com.





Storage Islands shown with Ignition® Café-Height Stools, Flagship®, and Contain® Storage.

## STORAGE ISLANDS

Time to pack your bags and take flight for an organizational oasis. Storage Islands don't just offer intuitive design and unsurpassed efficiency, they create flexible work suites that will make any project feel like a vacation. Whether you're a creative collaborator or intensely focused on a singular project, these dynamic units are easily customizable with a variety of vibrant color options and offer seamless adaptability to meet the demands of any work day.





**FEATURES**

- Storage Islands promotes dual-purpose spaces, where functional storage and impromptu collaboration occur simultaneously.
- Clean, straightforward design complements and blends in with any workspace.
- Combine metal, laminate, and color to create a unique and unified look for your office.
- Storage Islands works best with Contain® lockers, wardrobes, and Flagship® and Brigade® laterals.
- Will work with 3-high Flagship® and Brigade® laterals, bookcases, and storage cabinets along with Contain® 42½" lockers and wardrobes.
- Add Storage Islands to existing HON Storage banks or specify in new office configurations.
- Pair storage options to consolidate storage away from the workspace, allowing more room for people to interact, work, and move freely.

# STORAGE ISLANDS ORDERING INFORMATION



## WORKSURFACES

**L1 LAMINATES ..... CODES**

**Woodgrain**

- ♦ Bourbon Cherry ..... **H**
- ♦ Cognac ..... **COGN**
- ♦ Field Elm ..... **LWFE**
- ♦ Florence Walnut ..... **LFW1**
- ♦ Harvest ..... **C**
- ♦ Kingswood Walnut ..... **LKI1**
- ♦ Mahogany ..... **N**
- ♦ Mocha ..... **MOCH**
- ♦ Natural Maple ..... **D**
- ♦ Pinnacle ..... **PINC**
- ♦ Shaker Cherry ..... **F**
- ♦ Sterling Ash ..... **LSA1**

**Solid**

- ◊ Black ..... **P**
- ♦ Charcoal ..... **S**
- ♦ Designer White ..... **LDW1**
- ♦ Loft ..... **LOFT**

**L2 LAMINATES ..... CODES**

**Woodgrain**

- ♦ Beigewood ..... **LWBE**
- ♦ Fawn Cypress ..... **LFC1**
- ♦ Lowell Ash ..... **LLA1**
- ♦ Natural Recon ..... **LNR1**
- ♦ Phantom Ecru ..... **LPE1**
- ♦ Portico Teak ..... **LPT1**
- ♦ Skyline Walnut ..... **LSW1**

## WORKSURFACE EDGEBAND

**Woodgrain**

- ♦ Beigewood ..... **DE**
- ♦ Bourbon Cherry ..... **H**
- ♦ Cognac ..... **COGN**
- ♦ Fawn Cypress ..... **FC**
- ♦ Field Elm ..... **FE**
- ♦ Florence Walnut ..... **FW**
- ♦ Harvest ..... **C**
- ♦ Kingswood Walnut ..... **KI**
- ♦ Lowell Ash ..... **DL**
- ♦ Mahogany ..... **N**
- ♦ Mocha ..... **MOCH**
- ♦ Natural Maple ..... **D**
- ♦ Natural Recon ..... **NR**
- ♦ Phantom Ecru ..... **PE**
- ♦ Pinnacle ..... **PINC**
- ♦ Portico Teak ..... **DP**
- ♦ Shaker Cherry ..... **F**
- ♦ Skyline Walnut ..... **SW**
- ♦ Sterling Ash ..... **SA**

**Solid**

- ◊ Black ..... **P**
- ◊ Brownstone ..... **EY**
- ♦ Charcoal ..... **S**
- ♦ Designer White ..... **DW**
- ◊ Fossil ..... **EH**
- ♦ Loft ..... **LOFT**

## O-LEGS

**PAINTS ..... CODES**

**P1**

- ◊ Black ..... **P**
- ◊ Brownstone ..... **P7D**
- ◊ Charcoal ..... **S**
- ◊ Cove ..... **P096**
- ◊ Designer White ..... **PJW**
- ◊ Dune ..... **P094**
- ◊ Fossil ..... **P28**
- ◊ Greige ..... **T5**
- ◊ Harbor ..... **P097**
- ◊ Loft ..... **LOFT**
- ◊ Muslin ..... **T3**
- ◊ Sage ..... **P095**
- ◊ Titanium ..... **P8T**

**P2**

- ◊ Champagne Metallic ..... **T4**
- ◊ Gunmetal Metallic ..... **PR3**
- ◊ Platinum Metallic ..... **T1**
- ◊ Silver ..... **PR6**
- ◊ Solar Black ..... **P8X**

**P3**

- ◊ Atom ..... **P8S**
- ◊ Blossom* ..... **P8K**
- ◊ Bullseye ..... **PJF**
- ◊ Ember ..... **P8P**
- ◊ Ion ..... **P8N**
- ◊ Iris ..... **P8J**
- ◊ Krypton ..... **P8F**
- ◊ Ochre ..... **P093**
- ◊ Regatta ..... **P8M**
- ◊ Sienna ..... **P092**
- ◊ Succulent* ..... **P8A**

** TREND COLORS: These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.*

♦ ◊ *For lead time information see page 21.*


# STORAGE ISLANDS SPECIFYING GUIDE



### Top

Available in single depth (18″) or double depth (36″) surface.

- Select dimensionality based on configuration and the number of undersurface units being spanned.



### End Panel


Specified in both 18″D and 36″D applications to conceal the sides of storage units.

### Septum

Specified only in double depth (36″) applications. Laminate septum designed to cover the back of storage units and create a clean countertop application. Septum must be connected to end panels or an adjacent septum.

### Back

Specified only in 18″D configurations to conceal the back of storage units.



## Specifying Islands Top

1. Select top depth.
   - Single (18″) or double (36″)
2. Select desired Islands configuration.
   - Top only
   - Top + End Panels
   - Top + End Panels + Back or Septum
3. Determine top width.
   - Identify the number of side-to-side storage units the top will cover. This number represents the number of **spans**.

* Note: Front-to-back units do not factor into number of spans. Although top or end panels accept a septum, it is not required to add septum based on application.


## Specifying End Panels, Back, or Septum

4. Identify storage units Islands will wrap. This determines correct height.
   - Contain® Height = 40⅘″
   - Flagship®/Brigade® Height = 38⅘″
5. Specify additional components to complete your Islands configuration.
   - End panels, back, or septum
   - The width and number of units spanned on the septum must match the width and number of units spanned on the top.


## Peninsula Applications

Specify an O-Leg or laminate return panel to create an open span collaboration space.

* Note: Under-surface storage must support at least one side of the open span.



**O-Leg**




**Return Panel**


## O-Leg & Return Panel

Specified to support open span top in Islands peninsula configuration.

# STORAGE ISLANDS SPECIFYING GUIDE



18″D – Single Depth




36″D – Double Depth

## Light Configuration

Top Only

See page 627 to specify top only.




18″D – Single Depth

## Medium Configuration

Top + 2 End Panels

See page 628 to specify top designed for end panel configuration.




36″D – Double Depth

## Heavy Configuration

Top + 2 End Panels + Back (18″D)

Top + 2 End Panels + Septum (36″D)

See page 629 to specify top designed for end panel and back/septum configuration.



## Joined Configuration

Top + 1 End Panel + Septum (36″D)

See page 630 to specify top designed for single end panel and septum configuration.

❗ This application is designed to join worksurfaces to create a run greater than 84″.

NOTES: End panels, backs, septums, and support legs specified separately from tops. See pages 631-632 for specification options.

# STORAGE ISLANDS SPECIFYING GUIDE




## WORKING WITH STORAGE ISLANDS WITH CONTAIN® OR FLAGSHIP®/BRIGADE® PRODUCT LINES

Storage Islands come in 2″ height variances designed to be used with Contain® or Flagship®/Brigade® product lines. Worksurfaces and end supports are made of 1¼″ particleboard with 2mm edgeband and laminate on both sides of all surfaces. Center septums are made of ¾″ particleboard with 0.5mm edgeband and laminate on both sides.





| | Depths |
|---|---|
| 18″D No Back, No End Panels | 18.19 |
| 18″D No Back, With End Panels | 18.44 |
| 18″D Back and End Panels | 19.455 |
| 36″D No Back, No End Panels | 36.69 |
| 36″D End Panels | |

| End Panel Sizes | | |
|---|---|---|
| | Depths | Height |
| 18″D No Back, Contain® | 18.19 | 40.8 |
| 18″D No Back, Flagship® | | 38.8 |
| 18″D With Back, Contain® | 19.20 | 40.8 |
| 18″D With Back, Flagship® | | 38.8 |
| 36″D End Panels, Contain® | 36.44 | 40.8 |
| 36″D End Panels, Flagship® | | 38.8 |



### Countertop Application

- When specifying a countertop application, the end of a septum cannot be left open. The septum must connect to an end panel or adjacent septum.



### Peninsula Application

- Peninsula applications can only be completed with 36″D worksurfaces and end panels.
- Back-to-back storage specified without an end panel will result in an ~⅜″ gap between storage units.
- In a peninsula application, one end of the worksurface must be supported by undersurface storage. The opposing end can be supported with an O-leg or laminate end panel.



- Unsupported surface runs greater than 54″W require the installation of an external stiffener.
- External stiffener extends 1½″ below the worksurface.
- For 36″W surfaces, 2 external stiffeners are needed on the underneath side of the worksurface.



| | Width Sizes | | | | | | |
|---|---|---|---|---|---|---|---|
| | S1 | S2 | S3 | S4 | S5 | S6 | S7 |
| No End Panels | 84.00″ | S1 + 0.125 | S1 + 0.25 | S1 + 0.375 | S1 + 0.5 | S1 + 0.625 | S1 + 0.75 |
| 1 End Panel | 85.372″ | | | | | | |
| 2 End Panels | 86.744″ | | | | | | |

*S1 spans a single storage unit, which is noted at the end of the model number. Start with the S1 number displayed in the table above. Depending on your Islands configuration, the top width increases accordingly based on the 2 factors below.

1). The number of end panels you attach to the worksurface.
2). The number of side-to-side storage units the surface spans.


**NOTES:**

- Use the width of the worksurface you select. Models correspond to the correct surface width.
- Span represents the total number of side-to-side units. Front-to-back units do not factor into number of units spanned.


# STORAGE ISLANDS
## Planning Typicals




| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Islands Top, Double Depth, Span 2**<br>36″D x 60″W | **HSISLAUTNPNB6036S2** | $772 | $772 |
| 4 | **Brigade® Lateral File, 3 Drawer**<br>30″W x 18″D x 39⅛″H | **H873** | $1,647 | $6,588 |
| | | | **TOTAL:** | **$7,360** |



| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Islands Top for Use w/2 End Panels and Back, Span 3**<br>18″D x 72″W | **HSISLAUT2PYB7218S3** | $596 | $596 |
| 1 | **Islands End Panels, Contain® Height, Back, Left**<br>42″H x 18″W | **HSISLACEYB1842L** | $289 | $289 |
| 1 | **Islands End Panels, Contain® Height, Back, Right**<br>42″H x 18″W | **HSISLACEYB1842R** | $289 | $289 |
| 1 | **Islands Back, Contain® Height, 2 End Panels, Span 3**<br>42″H x 72″W | **HSISLACB2P7242S3** | $618 | $618 |
| 3 | **Contain® Quad Locker, Plinth Base**<br>42″H x 24″W x 18″D | **HSQLP422418RM** | $2,036 | $6,108 |
| | | | **TOTAL:** | **$7,900** |




| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Islands Top for Use w/2 End Panels & Septum, Span 2**<br>36″D x 60″W | **HSISLAUT2PYB6036S2** | $925 | $925 |
| 2 | **Islands End Panel, Flagship® Height, Septum**<br>42″H x 36″W | **HSISLAFEYB3642** | $502 | $1,004 |
| 1 | **Islands Septum, Flagship® Height, 2 End Panels, Span 2**<br>42″H x 60″W | **HSISLAFB2P6042S2** | $529 | $529 |
| 2 | **Flagship® Modular Storage Cabinet**<br>39⅛″H x 30″W x 18″D | **HFMSC183930RWB** | $1,713 | $3,426 |
| | | | **TOTAL:** | **$5,884** |




# STORAGE ISLANDS
## Planning Typicals




| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Islands Top for Use w/2 End Panels and Septum, Span 2**<br>36″D x 84″W | **HSISLAUT2PYB8436S2** | $1,077 | $1,077 |
| 1 | **Islands End Panel, Flagship® Height, Back**<br>42″H x 36″W | **HSISLAFESP3642** | $502 | $502 |
| 1 | **Flagship® Height, Return Panel**<br>42″H x 36″W | **HSISLAFESP3642** | $502 | $502 |
| 2 | **Flagship® Bookcase, 3-Shelves**<br>39⅛″H x 30″W x 18″D | **HFSC183640W** | $1,171 | $2,342 |
| | | | **TOTAL:** | **$4,423** |



| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 2 | **Islands Top for Use w/1 End Panel & Septum, Span 2**<br>36″D x 60″W | **HSISLAUT1PYB6036S2** | $887 | $1,774 |
| 2 | **Islands Septum, Flagship® Height, 2 End Panels, Span 2**<br>42″H x 60″W | **HSISLAFB2P6042S2** | $529 | $1,058 |
| 2 | **Islands End Panel, Flagship® Height, Septum**<br>42″H x 36″W | **HSISLAFEYB3642** | $502 | $1,004 |
| 4 | **Flagship® Lateral File, 3 Drawer**<br>39⅛″H x 30″W x 18″D | **H9173(?)** | $1,753 | $7,012 |
| 1 | **Flat Bracket**<br>18″D | **HHN831118** | $86 | $86 |
| | | | **TOTAL:** | **$10,934** |



| QTY | DESCRIPTION | MODEL | LIST PRICE | PRICE EXTENSION |
|---|---|---|---|---|
| 1 | **Islands Top, 1 End Panel and Septum, Span 5**<br>36″D x 60″W | **HSISLAUT1PYB6036S5** | $887 | $887 |
| 2 | **Islands End Panel, Contain® Height, Back, No Septum**<br>42″H x 36″W | **HSISLACEYB3642** | $502 | $1,004 |
| 1 | **Islands Top, 1 End Panel and Septum, Span 2**<br>36″D x 84″W | **HSISLAUT1PYB8436S2** | $1,032 | $1,032 |
| 1 | **Islands O-Leg, Contain® Height**<br>42″H x 36″W | **HSISLACO3642** | $724 | $724 |
| 2 | **External Stiffener Channel**<br>48″W, for 60″ Worksurface | **HLSLZ5SC60** | $138 | $276 |
| 14 | **Contain® Wardrobe, Plinth Base**<br>42″H x 12″W x 18″D | **HSWP421224RM** | $1,189 | $16,646 |
| | | | **TOTAL:** | **$20,569** |





On joined application, top seam only allowed when supported by storage underneath seam.

GSA SIN 33721

Icon Legend on page 19

# STORAGE ISLANDS
## Top Only Applications



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
|  **Islands Tops, Single Depth** | | | | | |
| 18″D x 24″W, Spans 1 | **HSISLAUTNPNB2418S1** | 15 | 2.0 | **$284** | **$296** |
| 18″D x 30″W, Spans 1 | **HSISLAUTNPNB3018S1** | 18 | 2.5 | **$319** | **$332** |
| 18″D x 36″W, Spans 1 | **HSISLAUTNPNB3618S1** | 22 | 2.9 | **$349** | **$363** |
| 18″D x 36″W, Spans 3 | **HSISLAUTNPNB3618S3** | 22 | 2.9 | **$371** | **$386** |
| 18″D x 42″W, Spans 1 | **HSISLAUTNPNB4218S1** | 25 | 3.3 | **$392** | **$408** |
| 18″D x 48″W, Spans 1 | **HSISLAUTNPNB4818S1** | 28 | 3.8 | **$422** | **$439** |
| 18″D x 48″W, Spans 2 | **HSISLAUTNPNB4818S2** | 28 | 3.8 | **$422** | **$439** |
| 18″D x 48″W, Spans 4 | **HSISLAUTNPNB4818S4** | 28 | 3.8 | **$422** | **$439** |
| 18″D x 60″W, Spans 1 | **HSISLAUTNPNB6018S1** | 35 | 4.7 | **$442** | **$459** |
| 18″D x 60″W, Spans 2 | **HSISLAUTNPNB6018S2** | 35 | 4.7 | **$442** | **$459** |
| 18″D x 60″W, Spans 5 | **HSISLAUTNPNB6018S5** | 35 | 4.7 | **$442** | **$459** |
| 18″D x 72″W, Spans 1 | **HSISLAUTNPNB7218S1** | 42 | 5.6 | **$477** | **$496** |
| 18″D x 72″W, Spans 2 | **HSISLAUTNPNB7218S2** | 42 | 5.6 | **$477** | **$496** |
| 18″D x 72″W, Spans 3 | **HSISLAUTNPNB7218S3** | 42 | 5.6 | **$477** | **$496** |
| 18″D x 72″W, Spans 6 | **HSISLAUTNPNB7218S6** | 42 | 5.6 | **$477** | **$496** |
| 18″D x 84″W, Spans 1 | **HSISLAUTNPNB8418S1** | 48 | 6.4 | **$514** | **$534** |
| 18″D x 84″W, Spans 2 | **HSISLAUTNPNB8418S2** | 48 | 6.4 | **$514** | **$534** |
| 18″D x 84″W, Spans 7 | **HSISLAUTNPNB8418S7** | 49 | 6.5 | **$514** | **$534** |
|  **Islands Tops, Double Depth** | | | | | |
| 36″D x 24″W, Spans 1 | **HSISLAUTNPNB2436S1** | 29 | 3.8 | **$494** | **$513** |
| 36″D x 30″W, Spans 1 | **HSISLAUTNPNB3036S1** | 35 | 4.6 | **$559** | **$580** |
| 36″D x 36″W, Spans 1 | **HSISLAUTNPNB3636S1** | 42 | 5.3 | **$608** | **$631** |
| 36″D x 36″W, Spans 3 | **HSISLAUTNPNB3636S3** | 42 | 5.4 | **$645** | **$669** |
| 36″D x 42″W, Spans 1 | **HSISLAUTNPNB4236S1** | 49 | 6.2 | **$684** | **$711** |
| 36″D x 48″W, Spans 1 | **HSISLAUTNPNB4836S1** | 56 | 7.0 | **$734** | **$762** |
| 36″D x 48″W, Spans 2 | **HSISLAUTNPNB4836S2** | 56 | 7.0 | **$734** | **$762** |
| 36″D x 48″W, Spans 4 | **HSISLAUTNPNB4836S4** | 56 | 7.0 | **$734** | **$762** |
| 36″D x 60″W, Spans 1 | **HSISLAUTNPNB6036S1** | 69 | 8.6 | **$772** | **$802** |
| 36″D x 60″W, Spans 2 | **HSISLAUTNPNB6036S2** | 69 | 8.6 | **$772** | **$802** |
| 36″D x 60″W, Spans 5 | **HSISLAUTNPNB6036S5** | 70 | 8.7 | **$772** | **$802** |
| 36″D x 72″W, Spans 1 | **HSISLAUTNPNB7236S1** | 83 | 10.3 | **$836** | **$868** |
| 36″D x 72″W, Spans 2 | **HSISLAUTNPNB7236S2** | 83 | 10.3 | **$836** | **$868** |
| 36″D x 72″W, Spans 3 | **HSISLAUTNPNB7236S3** | 83 | 10.3 | **$836** | **$868** |
| 36″D x 72″W, Spans 6 | **HSISLAUTNPNB7236S6** | 83 | 10.3 | **$836** | **$868** |
| 36″D x 84″W, Spans 1 | **HSISLAUTNPNB8436S1** | 96 | 11.9 | **$896** | **$930** |
| 36″D x 84″W, Spans 2 | **HSISLAUTNPNB8436S2** | 96 | 11.9 | **$896** | **$930** |
| 36″D x 84″W, Spans 7 | **HSISLAUTNPNB8436S7** | 97 | 12.0 | **$896** | **$930** |

**NOTES:**
- Top specified to create “light” configuration . See page 623.
- Worksurfaces are made of 1⅛″ high-performance particleboard with 2mm edgeband and laminate on both sides of all surfaces.
- Grain direction on all worksurfaces runs horizontal.

## HOW TO SPECIFY

**Select Model Number**

H S I S L A U T N P N B 6 0 3 6 S 5 .

**Select Laminate**

See page 621

L K I 1 .

**Select Edge**

See page 621


K I

# STORAGE ISLANDS
## Tops for Use with 2 End Panels

GSA SIN 33721

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Islands Tops for use with End Panels** | | | | | |
| 18″D x 24″W, 2 End Panels, Spans 1 | **HSISLAUT2PNB2418S1** | 17 | 2.2 | **$340** | **$354** |
| 18″D x 30″W, 2 End Panels, Spans 1 | **HSISLAUT2PNB3018S1** | 20 | 2.6 | **$383** | **$398** |
| 18″D x 36″W, 2 End Panels, Spans 1 | **HSISLAUT2PNB3618S1** | 23 | 3.1 | **$418** | **$434** |
| 18″D x 36″W, 2 End Panels, Spans 3 | **HSISLAUT2PNB3618S3** | 23 | 3.1 | **$425** | **$442** |
| 18″D x 42″W, 2 End Panels, Spans 1 | **HSISLAUT2PNB4218S1** | 27 | 3.5 | **$469** | **$487** |
| 18″D x 48″W, 2 End Panels, Spans 2 | **HSISLAUT2PNB4818S2** | 30 | 4.0 | **$504** | **$523** |
| 18″D x 48″W, 2 End Panels, Spans 4 | **HSISLAUT2PNB4818S4** | 30 | 4.0 | **$504** | **$523** |
| 18″D x 60″W, 2 End Panels, Spans 2 | **HSISLAUT2PNB6018S2** | 37 | 4.9 | **$530** | **$550** |
| 18″D x 60″W, 2 End Panels, Spans 5 | **HSISLAUT2PNB6018S5** | 37 | 4.9 | **$530** | **$550** |
| 18″D x 72″W, 2 End Panels, Spans 2 | **HSISLAUT2PNB7218S2** | 44 | 5.8 | **$572** | **$594** |
| 18″D x 72″W, 2 End Panels, Spans 3 | **HSISLAUT2PNB7218S3** | 44 | 5.8 | **$572** | **$594** |
| 18″D x 72″W, 2 End Panels, Spans 6 | **HSISLAUT2PNB7218S6** | 44 | 5.8 | **$525** | **$545** |
| 18″D x 84″W, 2 End Panels, Spans 2 | **HSISLAUT2PNB8418S2** | 51 | 6.6 | **$616** | **$639** |
| 18″D x 84″W, 2 End Panels, Spans 7 | **HSISLAUT2PNB8418S7** | 51 | 6.7 | **$616** | **$639** |

**NOTES:**
- Top specified to create “medium” configuration . See page 623.
- Worksurfaces are made of 1⅛″ high-performance particleboard with 2mm edgeband and laminate on both sides of all surfaces.
- Grain direction on all worksurfaces runs horizontal.

## HOW TO SPECIFY

**Select Model Number**

H S I S L A U T 2 P N B 3 6 1 8 S 3 .

**Select Laminate**

See page 621

L K I 1 .

**Select Edge**

See page 621


K I


GSA SIN 33721

Icon Legend on page 19

# STORAGE ISLANDS

## Tops for Use with 2 End Panels and Back/Septum





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Islands Tops for Use with 2 End Panels and Back/Septum** | | | | | |
| 18″D x 48″W, 2 End Panels and Back, Spans 2 | **HSISLAUT2PYB4818S2** | 32 | 4.4 | **$525** | **$545** |
| 18″D x 48″W, 2 End Panels and Back, Spans 4 | **HSISLAUT2PYB4818S4** | 32 | 4.4 | **$525** | **$545** |
| 18″D x 60″W, 2 End Panels and Back, Spans 2 | **HSISLAUT2PYB6018S2** | 39 | 5.4 | **$553** | **$574** |
| 18″D x 60″W, 2 End Panels and Back, Spans 5 | **HSISLAUT2PYB6018S5** | 39 | 5.4 | **$553** | **$574** |
| 18″D x 72″W, 2 End Panels and Back, Spans 2 | **HSISLAUT2PYB7218S2** | 46 | 6.3 | **$596** | **$619** |
| 18″D x 72″W, 2 End Panels and Back, Spans 3 | **HSISLAUT2PYB7218S3** | 46 | 6.3 | **$596** | **$619** |
| 18″D x 72″W, 2 End Panels and Back, Spans 6 | **HSISLAUT2PYB7218S6** | 46 | 6.3 | **$596** | **$619** |
| 18″D x 84″W, 2 End Panels and Back, Spans 2 | **HSISLAUT2PYB8418S2** | 53 | 7.3 | **$641** | **$665** |
| 18″D x 84″W, 2 End Panels and Back, Spans 7 | **HSISLAUT2PYB8418S7** | 54 | 7.3 | **$641** | **$665** |
| 36″D x 48″W, 2 End Panels and Septum, Spans 2 | **HSISLAUT2PYB4836S2** | 59 | 7.4 | **$880** | **$913** |
| 36″D x 48″W, 2 End Panels and Septum, Spans 4 | **HSISLAUT2PYB4836S4** | 59 | 7.4 | **$880** | **$913** |
| 36″D x 60″W, 2 End Panels and Septum, Spans 2 | **HSISLAUT2PYB6036S2** | 72 | 9.0 | **$925** | **$961** |
| 36″D x 60″W, 2 End Panels and Septum, Spans 5 | **HSISLAUT2PYB6036S5** | 73 | 9.0 | **$925** | **$961** |
| 36″D x 72″W, 2 End Panels and Septum, Spans 2 | **HSISLAUT2PYB7236S2** | 86 | 10.6 | **$1002** | **$1041** |
| 36″D x 72″W, 2 End Panels and Septum, Spans 3 | **HSISLAUT2PYB7236S3** | 86 | 10.6 | **$1002** | **$1041** |
| 36″D x 72″W, 2 End Panels and Septum, Spans 6 | **HSISLAUT2PYB7236S6** | 86 | 10.7 | **$1002** | **$1041** |
| 36″D x 84″W, 2 End Panels and Septum, Spans 2 | **HSISLAUT2PYB8436S2** | 99 | 12.3 | **$1077** | **$1118** |
| 36″D x 84″W, 2 End Panels and Septum, Spans 7 | **HSISLAUT2PYB8436S7** | 100 | 12.4 | **$1077** | **$1118** |

**NOTES:**

- Top specified to create “heavy” configuration . See page 623.
- Worksurfaces are made of 1⅛″ high-performance particleboard with 2mm edgeband and laminate on both sides of all surfaces.
- Grain direction on all worksurfaces runs horizontal.

## HOW TO SPECIFY

**Select Model Number**

H S I S L A U T 2 P Y B 6 0 3 6 S 2 .

**Select Laminate**

See page 621

L K I 1 .

**Select Edge**

See page 621

K I


# STORAGE ISLANDS

## Islands Tops for Use with 1 End Panel and Septum

GSA SIN 33721

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Islands Tops for Use with One End Panel & Septum** | | | | | |
| 36″D x 48″W, 1 End Panel and Septum, Spans 2 | **HSISLAUT1PYB4836S2** | 57 | 7.2 | **$844** | **$876** |
| 36″D x 48″W, 1 End Panel and Septum, Spans 4 | **HSISLAUT1PYB4836S4** | 57 | 7.2 | **$844** | **$876** |
| 36″D x 60″W, 1 End Panel and Septum, Spans 2 | **HSISLAUT1PYB6036S2** | 71 | 8.8 | **$887** | **$921** |
| 36″D x 60″W, 1 End Panel and Septum, Spans 5 | **HSISLAUT1PYB6036S5** | 71 | 8.9 | **$887** | **$921** |
| 36″D x 72″W, 1 End Panel and Septum, Spans 2 | **HSISLAUT1PYB7236S2** | 84 | 10.5 | **$959** | **$996** |
| 36″D x 72″W, 1 End Panel and Septum, Spans 3 | **HSISLAUT1PYB7236S3** | 84 | 10.5 | **$959** | **$996** |
| 36″D x 72″W, 1 End Panel and Septum, Spans 6 | **HSISLAUT1PYB7236S6** | 85 | 10.5 | **$959** | **$996** |
| 36″D x 84″W, 1 End Panel and Septum, Spans 2 | **HSISLAUT1PYB8436S2** | 98 | 12.1 | **$1032** | **$1072** |
| 36″D x 84″W, 1 End Panel and Septum, Spans 7 | **HSISLAUT1PYB8436S7** | 98 | 12.2 | **$1032** | **$1072** |

**NOTES:**

- Worksurfaces are made of 1⅛″ high-performance particleboard with 2mm edgeband and laminate on both sides of all surfaces.
- Grain direction on all worksurfaces runs horizontal.
- Single end panel application designed to join worksurfaces to create run greater than 84″.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Flat Bracket**<br>18″D | **HHN831118** | 3 | 0.2 | **$86** |

NOTES: Use the flat bracket in countertop applications where 2 worksurfaces come together and there is not a storage unit or end panel connecting them.

Available in Charcoal only.

**NOTES:**

- Top specified to create “joint” configuration. See page 623.

36″W with back-to-back storage without an end panel will result in approximately ⅜″ exposed gap between storage units.

## HOW TO SPECIFY

**Select Model Number**

H S I S L A U T 1 P Y B 6 0 3 6 S 5 .

**Select Laminate**

See page 621

L K I 1 .

**Select Edge**


See page 621

K I

GSA SIN 33721

Icon Legend on page 19


# STORAGE ISLANDS
## Islands Septum/Back and End Panels



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Islands End Panels, Contain® Height** | | | | | |
| 42″H x 18″W, Contain® Height, No Back | **HSISLACENB1842** | 24 | 3.3 | **$289** | **$301** |
| 42″H x 18″W, Contain® Height, Back, Left-Hand | **HSISLACEYB1842L** | 26 | 3.3 | **$289** | **$301** |
| 42″H x 18″W, Contain® Height, Back, Right-Hand | **HSISLACEYB1842R** | 26 | 3.3 | **$289** | **$301** |
| 42″H x 36″W, Contain® Height, No Septum | **HSISLACEYB3642** | 45 | 6.0 | **$502** | **$521** |
| 42″H x 36″W, Contain® Height, Septum | **HSISLACESP3642** | 45 | 6.0 | **$502** | **$521** |
| **Islands End Panels, Flagship® Height** | | | | | |
| 42″H x 18″W, Flagship® Height, No Back | **HSISLAFENB1842** | 24 | 3.1 | **$289** | **$301** |
| 42″H x 18″W, Flagship® Height, Back, Left-Hand | **HSISLAFEYB1842L** | 24 | 3.1 | **$289** | **$301** |
| 42″H x 18″W, Flagship® Height, Back, Right-Hand | **HSISLAFEYB1842R** | 24 | 3.1 | **$289** | **$301** |
| 42″H x 36″W, Flagship® Height, No Septum | **HSISLAFEYB3642** | 47 | 5.7 | **$502** | **$521** |
| 42″H x 36″W, Flagship® Height, Septum | **HSISLAFESP3642** | 47 | 5.7 | **$502** | **$521** |

NOTES: Panels are made of 1⅛″ high-performance particleboard with 2mm edgeband and laminate on both sides of all surfaces. Grain direction on all End Panels runs vertical. 18″W end panels require selection of right or left model numbers for installation purposes.

Models HSISLACESP3642 and HSISLAFESP3642 come with short end panel which can be discarded when used as an end panel.



| | | | | | |
|---|---|---|---|---|---|
| **Islands Septum/Back, Contain® Height** | | | | | |
| 42″H x 48″W, 2 End Panels, Spans 2 | **HSISLACB2P4842S2** | 42 | 8.1 | **$482** | **$501** |
| 42″H x 72″W, 2 End Panels, Spans 3 | **HSISLACB2P7242S3** | 63 | 11.9 | **$618** | **$641** |
| 42″H x 48″W, 2 End Panels, Spans 4 | **HSISLACB2P4842S4** | 42 | 8.1 | **$482** | **$501** |
| 42″H x 60″W, 2 End Panels, Spans 5 | **HSISLACB2P6042S5** | 53 | 10.0 | **$529** | **$549** |
| 42″H x 72″W, 2 End Panels, Spans 6 | **HSISLACB2P7242S6** | 63 | 11.9 | **$618** | **$641** |
| 42″H x 84″W, 2 End Panels, Spans 7 | **HSISLACB2P8442S7** | 73 | 13.8 | **$752** | **$781** |
| **Islands Septum/Back, Flagship® Height** | | | | | |
| 42″H x 60″W, 2 End Panels, Spans 2 | **HSISLAFB2P6042S2** | 50 | 10.0 | **$529** | **$549** |
| 42″H x 72″W, 2 End Panels, Spans 2 | **HSISLAFB2P7242S2** | 59 | 11.9 | **$618** | **$641** |
| 42″H x 84″W, 2 End Panels, Spans 2 | **HSISLAFB2P8442S2** | 69 | 13.7 | **$752** | **$781** |

NOTES: Septums/Backs are made of ¾″ high-performance particleboard with 0.5mm edgeband and laminate on both sides of all surfaces. Grain direction on all Septums/Backs runs horizontal.

**NOTES:**
- End panels and septum are shipped with mounting hardware included, 1/pack.

## HOW TO SPECIFY

**Select Model Number**

| H | S | I | S | L | A | C | B | 2 | P | 6 | 0 | 4 | 2 | S | 5 | . |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

**Select Laminate**

See page 621

| L | K | I | 1 |
|---|---|---|---|

# STORAGE ISLANDS
## Peninsula Supports

GSA SIN 33721

Icon Legend on page 19






| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Islands O-Leg** | | | | | | |
| 42″H x 36″W, Contain® Height | **HSISLACO3642** | 21 | 6.8 | **$724** | **$734** | **$746** |
| 42″H x 36″W, Flagship® Height | **HSISLAFO3642** | 21 | 6.8 | **$724** | **$734** | **$746** |



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **External Support Channel** | | | | |
| 42″W for a 54″ Open Worksurface Run | **HLSLZ5SC54** | 5 | 0.5 | **$132** |
| 48″W for a 60″ Open Worksurface Run | **HLSLZ5SC60** | 6 | 0.5 | **$138** |
| 54″W for a 66″ Open Worksurface Run | **HLSLZ5SC66** | 7 | 0.5 | **$144** |
| 60″W for a 72″ Open Worksurface Run | **HLSLZ5SC72** | 7 | 0.5 | **$156** |
| 72″W for an 84″ Open Worksurface Run | **HLSLZ5SC84** | 12 | 0.7 | **$156** |

NOTES: 36″W surfaces will need 2 external stiffeners on either side of the worksurface.

Available in Graphite paint only.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|
| **Islands Return Panels** | | | | | |
| 42″H x 36″W, Contain® Height, Return Panel | **HSISLACESP3642** | 56 | 4.6 | **$502** | **$521** |
| 42″H x 36″W, Flagship® Height, Return Panel | **HSISLAFESP3642** | 58 | 4.6 | **$502** | **$521** |

**NOTES:**

- Voi® O-legs installed in peninsula application are centered front-to-back on the worksurface. The O-leg will be ½″ inset from the edge of the worksurface.

When specifying a peninsula application, at least one side of the open worksurface span must be supported with undersurface storage. Islands tops cannot be specified with only O-leg or Laminate Return Panel supports.

## HOW TO SPECIFY

**Select Model Number**

| H | S | I | S | L | A | C | O | 3 | 6 | 4 | 2 | . |
|---|---|---|---|---|---|---|---|---|---|---|---|---|

**Select Paint/Laminate**

See page 621

| T | 1 |
|---|---|

# 400 SERIES

Want to see more? Scan here to check out hon.com.



400 Series Lateral Files.



## 400 SERIES

Economical 400 Series lateral files from HON offer features not often found on competitors' files, such as a tamper-resistant enclosed base and factory-installed counterweights on two- and four-drawer cabinets to stabilize the center of gravity when a drawer is opened. Even the removable lock core system stands out among higher-priced rivals.






**FEATURES**

- Lateral files have counterweights for stability and a two-sided lock mechanism that resists tampering.
- Removable lock core can be changed as security needs require.
- Leveling glides compensate for uneven floors.
- Heavy-duty Steel ball-bearing drawer suspensions operate easily and quietly.
- Four vertical reinforcements keep the cabinet sturdy and the drawers gliding smoothly.
- Drawer handle design coordinates with HON Metro Classic Steel desks.

# 400 SERIES
# Lateral Files

OPEN MARKET



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Steel Lateral Files** | | | | |
| 30″W x 18″D x 28″H — 2 Drawer | **H432** | 109 | 12.4 | **$1123** |
| 30″W x 18″D x 53½″H — 4 Drawer | **H434** | 169 | 22.1 | **$1658** |
| 36″W x 18″D x 28″H — 2 Drawer | **H482** | 124 | 12.4 | **$1175** |
| 36″W x 18″D x 53½″H — 4 Drawer | **H484** | 185 | 22.1 | **$1892** |

NOTES: Drawers lock. Features ball-bearing slide suspensions.



**NOTES:**
- Reinforced case construction.
- Two adjustable leveling glides in front corners.
- Baked enamel finish.
- Monochromatic drawer pulls.
- **HON 5-Year Limited Warranty.**

## HOW TO SPECIFY

**Select Model Number**

H 4 3 2 .

**Select Lock Option**

**L** Lock

L .

**Select Paint Color**

**P** Black
**Q** Light Gray
**LOFT** Loft
**L** Putty

P

# VERTICAL FILES

Want to see more? Scan here to check out hon.com.



310 Series Verticals with Perpetual® Seating.



## VERTICAL FILES

Have lots to store but not a lot to spend? HON has a lot of filing solutions to fit your budget. Perfect for small businesses, home and professional offices, schools and more, HON's vertical files are value priced and available in multiple styles and sizes.







**FEATURES**

- Our vertical filing cabinets offer both legal and letter drawer sizes to accommodate all your filing needs.
- HON One Key core removable locks can be changed or interchanged as security demands change.
- Double-walled front kickplate stands up to impact.
- High drawer sides support hanging file folders, eliminating the need for extra-cost hangrails.

# VERTICAL FILES ORDERING INFORMATION



## 210, 310, & 510 VERTICAL FILES

| PAINTS | CODES |
|---|---|
| **P1** | |
| ◆ Black | **P** |
| ◆ Brownstone | **P7D** |
| ◆ Charcoal | **S** |
| ◆ Designer White | **PJW** |
| ◆ Fossil | **P28** |
| ◆ Greige | **T5** |
| ◆ Light Gray | **Q** |
| ◆ Loft | **LOFT** |
| ◆ Muslin | **T3** |
| ◆ Putty | **L** |
| ◆ Titanium | **P8T** |
| **P2** | |
| ◆ Champagne Metallic | **T4** |
| ◆ Gunmetal Metallic | **PR3** |
| ◆ Platinum Metallic | **T1** |

◆◆◇ *For lead time information see page 21.*



# NOTES

# 310 SERIES
# Vertical Files

GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Vertical File — 2 Drawer** | | | | | | |
| | 15″W x 26½″D x 29″H, Letter | **H312** | 60 | 9.2 | **$782** | **$813** | **$843** |
| | 18¼″W x 26½″D x 29″H, Legal | **H312C** | 66 | 13.2 | **$998** | **$1029** | **$1059** |
|  | **Vertical File — 4 Drawer** | | | | | | |
| | 15″W x 26½″D x 52″H, Letter | **H314** | 107 | 16.03 | **$1063** | **$1113** | **$1160** |
| | 18¼″W x 26½″D x 52″H, Legal | **H314C** | 116 | 21.76 | **$1306** | **$1356** | **$1403** |
|  | **Vertical File — 5 Drawer** | | | | | | |
| | 15″W x 26½″D x 60″H, Letter | **H315** | 128 | 20.94 | **$1558** | **$1608** | **$1655** |
| | 18¼″W x 26½″D x 60″H, Legal | **H315C** | 137 | 24.72 | **$1861** | **$1911** | **$1958** |

**NOTES:**
- 26½″ Case depth with 25 front-to-back filing inches per drawer.
- Letter or legal sizes available.
- Three-part, telescoping, steel ball-bearing suspension.
- Bright aluminum drawer pulls, label holders and thumb latch.
- Standard interchangeable core removable locks. Equipped with HON “One Key” system.
- Accepts hanging files. High drawer sides hold hanging file folders without use of hangrails.
- Follower block comes standard.
- Baked enamel finish over rust-inhibiting phosphate pre-treatment.
- See page 641 for Vertical File Accessories.

Keyed alike cores must be ordered separately — see page 673.

## HOW TO SPECIFY

**Select Model Number**

H 3 1 2 .

**Select Lock Option**

**P** Lock

P .

**Select Paint Color**


See page 636

T 1

GSA SIN 33721

Icon Legend on page 19

# 510 SERIES Vertical Files

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Vertical File — 2 Drawer** | | | | | | |
| | 15″W x 25″D x 29″H, Letter | **H512** | 58 | 8.12 | **$686** | **$717** | **$747** |
| | 18¼″W x 25″D x 29″H, Legal | **H512C** | 63 | 9.71 | **$876** | **$907** | **$937** |
|  | **Vertical File — 4 Drawer** | | | | | | |
| | 15″W x 25″D x 52″H, Letter | **H514** | 102 | 17.42 | **$923** | **$973** | **$1020** |
| | 18¼″W x 25″D x 52″H, Legal | **H514C** | 112 | 20.65 | **$1133** | **$1183** | **$1230** |

**NOTES:**
- 25″ Case depth with 23½″ front-to-back filing inches per drawer.
- Letter and legal sizes are available.
- Three-part telescoping, ball-bearing steel suspension.
- Bright aluminum drawer pulls, label holders and thumb latch.
- Standard interchangeable core removable locks. Equipped with HON “One Key” system.
- Accepts hanging files. High drawer sides hold hanging file folders without use of hangrails.
- Adjustable wire follower.
- Baked enamel finish over rust-inhibiting phosphate pre-treatment.

Keyed alike cores must be ordered separately — see page 673.

STORAGE

## HOW TO SPECIFY


| Select Model Number | Select Lock Option | Select Paint Color |
|---|---|---|
| H 5 1 2 . | **P** Lock<br>P . | See page 636<br>T 1 |

# LATERAL FILE ACCESSORIES

GSA SIN 33721


Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Square Edge Laminate Top** | | | | |
| 30″W x 18″D x 1⅛″ Thick | **H919430** | 20.0 S | 1.6 | **$588** |
| 36″W x 18″D x 1⅛″ Thick | **H919436** | 25.0 S | 1.8 | **$736** |
| 42″W x 18″D x 1⅛″ Thick | **H919442** | 30.0 S | 2.1 | **$804** |
| 60″W x 18″D x 1⅛″ Thick | **H919460** | 32.0 | 3.0 | **$1015** |
| 66″W x 18″D x 1⅛″ Thick | **H919466** | 40.0 | 3.2 | **$1161** |
| 72″W x 18″D x 1⅛″ Thick | **H919472** | 48.0 | 3.5 | **$1190** |


**NOTES: Compatible with Flagship® and Brigade® 18″D Lateral Files only. Laminate tops are abrasion- and stain-resistant laminate. See Storage Islands pages for broad offering of laminate top options compatible with Contain®, Flagship®, and Brigade®.**



| | | | | |
|---|---|---|---|---|
| **Single Rail Hanging File Racks (4/pack)** | **H919491** | 1.0 S | 0.4 | **$99** |

NOTES: For front-to-back filing — 30″W, 36″W and 42″W files. Order one package per drawer for 42″W files. One package will do two 30″W or 36″W file drawers. Racks span between 15¼″W rails. Hanging file racks and dividers available in Gray only.

! Gray only.




| | | | | |
|---|---|---|---|---|
| **Magnetic Label Holder**<br>5 pack | **H919493** | 1.6 S | 0.1 | **$31** |

**NOTES:**
- Compatible with Flagship®, Brigade® 800, 700, and 600 Series Lateral Files.
- See Contain® Accessories for hanging file racks compatible with Contain® Storage Products.

## HOW TO SPECIFY

| Select Model Number | Select Laminate |
|---|---|
| H 9 1 9 4 3 0 . | See page 534<br>N |





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE P1 |
|---|---|---|---|---|
| **Metal File Divider** | | | | |
| 10 pack | **HSCAFD10** | 12 | 0.7 | **$279** |
| 2 pack | **HSCAFD02** | 3 | 0.7 | **$76** |

! Metal dividers available in Black only. No need to specify.

GSA SIN AS NOTED

Icon Legend on page 19


# VERTICAL FILE ACCESSORIES

*HF50* *HF60*

**SIN 33721**

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Follower Block (4/pack)** | | | | |
| Legal | **HF60** | 8.0 | 0.6 | **$155** |
| Letter | **HF50** | 7.0 | 0.5 | **$147** |



*Lock info page 673.*

**OPEN MARKET**

| | | | | |
|---|---|---|---|---|
| **Chrome Core Removable Lock Kit (Field installable)**<br>Specify key number from 101E-225E. Lock info page 673. | **HF24** | 0.2 | 0.2 | **$89** |
| **Bulk Package — 6 HF24 Lock Kits (Individually shrink wrapped)** | **HF246** | 1.2 | 0.2 | **$405** |

NOTES: When HF24 is purchased separately without a configurable TAA compliant end product, not on GSA contract.



## HOW TO SPECIFY

**Select**
**Model Number**

| H | F | 6 | 0 |
|---|---|---|---|



# PEDESTAL ACCESSORIES

GSA SIN 33721

ABI

Icon Legend on page 19





| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
| | **Counterweight — Freestanding Support Pedestals or Systems Support and Mobile Pedestals**<br>! No specification needed. | **HPCW1** | 18.0 | 0.1 | **$278** |
|  | **Follower Block — 1-Pack. Gray only.**<br>**Double-Rail Hanging File Racks — 2-Pack. Gray only (for side-to-side).**<br>**Adjustable Glides — 4-Pack Field installable, used to convert mobile pedestals to freestanding support pedestals.**<br>NOTES: Hardware included. Compatible with Contain®. | **HF80**<br>**H519495**<br>**H20040AG** | 1.0<br>0.5<br>1.0 | 0.3<br>0.5<br>0.6 | **$70**<br>**$50**<br>**$90** |
|  | **Caster Package — Field Installable**<br>Four Casters (2 swivel, 2 fixed)<br>NOTES: Used to convert Freestanding Support Pedestals to Mobile Pedestals. Does not work on Contain® or Flagship® B/F mobile pedestals.<br>! Not designed to be used on pedestals without a counterweight. | **H1050CST** | 1.0 S | 0.6 | **$64** |
|  | **Lock Core Replacement Kit — Chrome**<br>(Specify quantity of each key number from 101E-225E.) Contains one core, two keys, one core removable tool and instructions. Refer to page 673.<br>NOTES: When purchased separately without a configurable TAA compliant end product, not on GSA contract.<br>**SIN 33721**<br>**Master Key (one key) —** Available to authorized dealers only.<br>**OPEN MARKET** | **HF23C**<br><br><br><br>**HF22** | 0.1 S<br><br><br><br>0.1 S | 0.1<br><br><br><br>0.1 | **$65**<br><br><br><br>**$41** |

**NOTES:**
- Compatible with Flagship®, Brigade® and Systems Support Pedestals.

## HOW TO SPECIFY

**Select Model Number**

H F 2 3 C

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | FABRIC PRICE CODES |
|---|---|---|---|---|---|
|  | **Pedestal Seat**<br>15″W x 18″D x 2″H<br>NOTES: Works with Contain® and Flagship® Pedestals. | **HPSEAT18ND** | 16.3 S | 0.9 | **1 $234 8 $446**<br>**2 $261 9 $480**<br>**3 $287 10 $513**<br>**4 $313 11 $547**<br>**5 $346 12 $580**<br>**6 $380 L —**<br>**7 $413** |
|  | **Pedestal Seat**<br>15″W x 22⅞″D x 2″H<br>NOTES: Works with Contain®, Flagship®, and Fuse™ Pedestals. | **HPSEAT24ND** | 10.0 S | 1.2 | **1 $276 8 $488**<br>**2 $303 9 $522**<br>**3 $329 10 $555**<br>**4 $355 11 $589**<br>**5 $388 12 $622**<br>**6 $422 L —**<br>**7 $455** |

## HOW TO SPECIFY

**Select Model Number**

H P S E A T 2 4 N D .

**Select Fabric**

See pages 22-25 for seating fabric options

C U 1 0


GSA SIN 33721

ABI


Icon Legend on page 19

# PEDESTAL ACCESSORIES




| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Flush Front Kick Plate**<br>For 28"H Flagship® Pedestals | **HKP2800** | 3 | 0.2 | **$162** | **$172** | **$177** |

**NOTES:**



- Mounts to base of pedestal to provide a flush appearance to coordinate with laterals, file centers and storage towers.
- Kick plate is field installable.

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Optional Pencil Tray**<br>For use with mobile and freestanding pedestal models.<br>No specification required. | **HV-UT1** | 0.5 | 0.1 | **$97** |

## HOW TO SPECIFY

| Select Model Number | Select Paint Color |
|---|---|
| | See page 534 |
| H K P 2 8 0 0 . | P |

# LAMINATE BOOKCASES

Want to see more? Scan here to check out hon.com.





1870 Series Bookcases.

## LAMINATE BOOKCASES

These sturdy laminate bookcases coordinate with most HON laminate desks. The scratch-, spill- and stain-resistant laminate will ensure that they keep their good looks.





### 1870 SERIES FEATURES

- Shelves adjust on 1¼" increments.
- Leveling glides keep them nicely aligned, even if the floor isn't.
- Easy to assemble, using high-precision cam-locks and wood dowels, with no glue needed.

# BOOKCASES ORDERING INFORMATION



## 1870 SERIES BOOKCASES

**L1 LAMINATES ..... CODES**

**Woodgrain**

- ♦ Cognac ..... **COGN**
- ♦ Harvest ..... **C**
- ♦ Mahogany ..... **N**



♦ ◊ *For lead time information see page 21.*

# 1870 SERIES
## Laminate Bookcases


GSA SIN 33721

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Laminate Bookcase** | | | | |
| | 36″W x 11½″D x 29⅞″H, 2-Shelf (1 adjustable) | **H1871** | 48 | 1.5 | **$346** |
| | 36″W x 11½″D x 36⅛″H, 3-Shelf (2 adjustable) | **H1872** | 60 | 1.7 | **$385** |
| | 36″W x 11½″D x 48¾″H, 4-Shelf (3 adjustable) | **H1874** | 77 | 2.6 | **$464** |
| | 36″W x 11½″D x 60⅛″H, 5-Shelf (3 adjustable) | **H1875** | 92 | 2.8 | **$543** |
| | 36″W x 11½″D x 72⅝″H, 6-Shelf (4 adjustable) | **H1876** | 109 | 3.4 | **$624** |
| | 36″W x 11½″D x 84″H, 6-Shelf (4 adjustable) | **H1877** | 124 | 4.5 | **$708** |
|  | **Set of doors with hinges used to conceal lower shelf contents** | | | | |
| | 36″W x 25¾″H | **H1801** | 23 Ⓢ | 1.0 | **$288** |

**NOTES:**
- Square edge profile complements many different furniture designs.
- Abrasion- and stain-resistant laminate, over durable solid core, high-performance particleboard.
- ¾″ thick shelves adjust in 1¼″ increments to suit a variety of storage needs (two shelves are fixed in 5- and 6-shelf units).
- Cam-lock fasteners and wood dowels ensure pieces go together easily and precisely.
- Equipped with four adjustable leveling glides.
- Shelves will deflect under large amounts of weight.
- ⅛″ hardboard back panel.
- Optional doors available to conceal lower shelf contents.
- Easy-to-assemble instructions included.




## HOW TO SPECIFY

**Select Model Number**

H 1 8 7 1 .

**Select Laminate**

| | |
|---|---|
| **COGN** | Cognac |
| **C** | Harvest |
| **N** | Mahogany |

N

# ACOUSTIC SOLUTIONS
## by unika vaev

Want to see more? Scan here to check out hon.com.




Acoustic Solutions by Unika Vaev Wall Tiles shown with Contain® Lateral Storage.



### UNIKA VAEV

The workplace as we know it is evolving. With the increasing popularity of open concept layouts, the need for creative ways to divide space and absorb sound is greater than ever. Introducing HON acoustics by Unika Vaev. We've partnered with one of the most trusted brands in the acoustic industry to bring you several of their most popular models from their standard collection. This partnership will fulfill the growing need for sound absorption in the workplace by providing proven acoustic solutions sold by HON.





**FEATURES**

- Choose from wall, ceiling, and freestanding acoustic products.
- Unique shapes and designs allow for a functional and customized space.
- Freestanding and select hanging models allow for a creative way to divide your space.
- Blend in or stand out with multiple finish options.
- Products ship directly from Unika Vaev.
- Follows HON standard freight terms.
- Please see HON.com for care and installation guide.
- **HON 5-Year Limited Warranty.**

# ACOUSTIC SOLUTIONS ORDERING INFORMATION

| | ecoustic® Felt | Solid Core | Salsa | Dox | Fraster Felt |
|---|---|---|---|---|---|
| **Wall Mounted Tiles** | | | | | |
| e3 Collection | | • | | | |
| ecoustic® Foliar | • | | | | |
| ecoustic® Linear | • | | | | |
| ecoustic® Matrix | • | | | | |
| ecoustic® Torque | • | | | | |
| **Ceiling-Mounted Tiles** | | | | | |
| ecoustic® Arbor Alto | | • | | | |
| ecoustic® Ceiling Flats | | • | | | |
| ecoustic® Matrix | • | | | | |
| ecoustic® Torque | • | | | | |
| ecoustic® Measure Baffles | | • | | | |
| **Hanging Screens** | | | | | |
| ScreenTrak® Bass Collection | • | | | | |
| ScreenTrak® Alto | | • | | | |
| **Free-standing Screens** | | | | | |
| MixMax | | | | | • |
| Softline | | | • | • | |

(02/2020)

ScreenTrak and ecoustic are registered trademarks of Unika Vaev.

# ACOUSTIC SOLUTIONS ORDERING INFORMATION



### ECOUSTIC®

| | |
|---|---|
| Lemon* | EF15 |
| Baltic* | EF36 |
| Nautical** | EF41 |
| Paprika* | EF53 |
| Berry* | EF55 |
| Aqua* | EF62 |
| Field* | EF68 |
| Aubergine* | EF76 |
| Fossil* | EF78 |
| Dove** | EF87 |
| Oyster** | EF88 |
| Quartz* | EF92 |
| Spray** | EF63 |
| Cameo** | EF19 |
| Caper* | EF64 |
| Charcoal* | EF79 |
| Cobalt* | EF35 |
| Cream** | EF94 |
| Fresco** | EF65 |
| Green* | EF67 |
| Indigo* | EF40 |
| Jet* | EF80 |
| Light Grey* | EF81 |
| Lime* | EF66 |
| Natural** | EF95 |
| Oatmeal** | EF89 |
| Opal** | EF93 |
| Orange* | EF52 |
| Pewter* | EF91 |
| Red* | EF54 |
| Yellow* | EF10 |
| White** | EF96 |
| Taupe* | EF90 |
| Sky** | EF39 |

### SOLID CORE

| | |
|---|---|
| Almond | DAL1 |
| Arizona | DAZ1 |
| Cool | DCL1 |
| Galaxy | DGX1 |
| Oxide | DXD1 |
| Snowdrop | DSW1 |
| Tungsten | DTG1 |
| Denim | DDM1 |
| Fawn | DFN1 |
| Horizon | DHN1 |
| Olive | DLV1 |

### SALSA

| | |
|---|---|
| Dark Mid Grey | DL32 |
| Mid Grey | SL36 |

### DOX

| | |
|---|---|
| Black | DOX50 |
| Dark Grey | DOX51 |
| Middle Grey | DOX52 |
| Light Grey | DOX53 |

### FRASTER FELT

| | |
|---|---|
| Red | FF102 |
| Orange | FF105 |
| Ochre | FF130 |
| Wine | FF136 |
| Off White | FF150 |
| Beige | FF160 |
| Silver | FF170 |
| Charcoal | FF175 |
| Beaver | FF190 |
| Deer | FF220 |
| Truffle | FF250 |
| Mint | FF262 |
| Curry | FF274 |
| Azur | FF312 |
| Citrus | FF398 |
| Banana | FF399 |
| Dust Green | FF415 |
| Black | FF426 |
| Aubergine | FF437 |
| Moss | FF448 |
| Sepia | FF463 |
| Tomato | FF484 |
| Flamingo | FF534 |
| Midnight | FF539 |
| Ocean | FF540 |
| Sky | FF541 |

To view these options in the HON Surface Materials Guide visit **hon.com/fabrics-and-finishes**.

* Applied over Black solid core on ScreenTrak® Bass Hanging Screens.
** Applied over White solid core on ScreenTrak® Bass Hanging Screens.

# ACOUSTIC SOLUTIONS
## Wall



OPEN MARKET



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **e3 Solid Core Parallelogram**<br>8¾″ x 7½″ x ½″, Box of 15 | **HUVPAWT** | 5.0 | 0.2 | **$1175** |
|  | **e3 Solid Core Triangle**<br>8¾″ Equilateral Sides, Box of 30 | **HUVTRWT** | 5.2 | 0.6 | **$1175** |
|  | **e3 Solid Core Rectangle**<br>8¾″ x 17½″, Box of 7 | **HUVREWT** | 5.4 | 1.0 | **$1175** |
|  | **e3 Solid Core Large Square**<br>8¾″ x 8¾″, Box of 15 | **HUVLSWT** | 5.2 | 0.6 | **$1118** |
| | **e3 Solid Core Small Square**<br>2¼″ x 2¼″, Box of 60 | **HUVSSWT** | 5.2 | 0.6 | **$1118** |
|  | **e3 Solid Core Wave**<br>17½″ x 8½″, Box of 8 | **HUVWVWT** | 5.2 | 0.6 | **$1175** |
|  | **e3 Solid Core Hexagon**<br>17½″ x 15¼″, Box of 5 | **HUVHEWT** | 5.2 | 0.6 | **$1175** |

**NOTES:**
- Tiles sold in sets of individual shapes. Tiles can be arranged and combined to form larger and more intricate shapes. Attaches to wall by adhesive backing that ships already applied to the tiles.

Content: 100% PET (>50% Recycled PET)
Application: Wall
NRC: 0.40

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Drift ecoustic® Wall Tiles**<br>19 11/16″W x 19 11/16″H x 1¼″D, 8 per box<br>NOTES: Attaches via wall clips.<br>Content: 100% PET (>50% Recycled PET)<br>Application: Wall<br>NRC: 0.85 | **HUVDRWT** | 13.2 | 4.3 | **$3790** |
|  | **Matrix ecoustic® Wall Tiles**<br>19 11/16″W x 19 11/16″H x 1⅝″D, 8 per box<br>NOTES: Attaches via wall clips.<br>Content: 100% PET (>50% Recycled PET)<br>Application: Wall<br>NRC: 0.90 | **HUVMAWT** | 13.2 | 4.3 | **$3790** |
|  | **Torque ecoustic® Wall Tiles**<br>22⅖″W x 22⅖″H x 1⅝″D, 8 per box<br>NOTES: Attaches via wall clips.<br>Content: 100% PET (>50% Recycled PET)<br>Application: Wall<br>NRC: 0.80 | **HUVTOWT** | 15.4 | 5.3 | **$3790** |
|  | **Foliar ecoustic® Wall Tiles**<br>17½″W x 19¾″H x 23⅛″D, 5 per box<br>NOTES: Attachment plastic frame screws to the wall.<br>Content: 100% PET (>50% Recycled PET)<br>Application: Wall<br>NRC: 0.80 | **HUVFOWT** | 9.0 | 3.0 | **$3064** |

## HOW TO SPECIFY

**Select Model Number**

H U V D R W T .

**Select Material**

See page 649

*Specify ecoustic® Felt for Wall Tiles and PET Solid Core for e3 Tiles*

E F 5 2

# ACOUSTIC SOLUTIONS
## Ceiling Tiles and Screens



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Matrix ecoustic® Ceiling Tiles** | | | | |
| 23 7/16″W x 23 7/16″H x 2 9/16″D, Pack of 8 tiles | **HUVMAWT24** | 15.4 | 5.3 | **$3868** |
| 47 1/16″W x 23 7/16″H x 2 9/16″D, Pack of 8 tiles | **HUVMAWT48** | 30.9 | 10.7 | **$5820** |
| **Torque ecoustic® Ceiling Tiles** | | | | |
| 23 3/8″W x 23 3/8″H x 1 7/8″D, Pack of 8 tiles | **HUVTOWT24** | 15.4 | 5.3 | **$3868** |
| 47 1/16″W x 23 3/8″H x 1 7/8″D, Pack of 8 tiles | **HUVTOWT48** | 30.9 | 10.7 | **$5820** |

NOTES: Matrix and Torque tile packs contain groups of eight solid colors. Fits directly into 2′ x 2′ or 2′ x 4′ drop ceiling grid. Tiles replace ceiling tiles already in the grid. Tiles slide into grid at an angle and are held in by the edge of the tile. No hardware is needed.
Content: 100% PET (>50% Recycled PET)
Application: Ceiling
NRC: 0.80 (Torque), 0.75 (Matrix)

| | | | | |
|---|---|---|---|---|
| **Measure Baffles** | | | | |
| 47″W x 10 3/4″H | **HUVMBHS48** | 15.0 | 0.8 | **$1486** |
| 96″W x 10 3/4″H | **HUVMBHS96** | 30.0 | 1.6 | **$1865** |

NOTES: Ships 4 per box with 4′ hanging cords. Attaches via ceiling brackets (not included). Attachment hardware to ceiling should be procured by installers.
Content: 100% PET
Application: Ceiling
NRC: 0.80

*Diamond Plate* *Pinwheel X* *Trellis*

| | | | | |
|---|---|---|---|---|
| **ScreenTrak® Bass Hanging Screen — Felt** | | | | |
| 95″H x 46″W x ½″D, Diamond Plate | **HUVSTBHSD** | 17.4 | 2.7 | **$3054** |
| 95″H x 46″W x ½″D, Pinwheel X | **HUVSTBHSP** | 17.4 | 2.7 | **$3054** |
| 95″H x 46″W x ½″D, Trellis | **HUVSTBHST** | 17.4 | 2.7 | **$3054** |

NOTES: Solid core with felt on top — black or white solid core is automatically assigned to each color. See page 648 for color/felt applications.

| | | | | |
|---|---|---|---|---|
| **ScreenTrak® Alto Hanging Screen — Solid Color Core** | | | | |
| 95″H x 46″W x ½″D, Diamond Plate | **HUVSTAHSD** | 17.4 | 2.7 | **$2720** |
| 95″H x 46″W x ½″D, Pinwheel X | **HUVSTAHSP** | 17.4 | 2.7 | **$2720** |
| 95″H x 46″W x ½″D, Trellis | **HUVSTAHST** | 17.4 | 2.7 | **$2720** |

NOTES: Ships with 10′ hanging cords.

Ceiling attachment is not included due to many ceiling types and materials. Attachment hardware to ceiling should be procured by installers.
Content: 100% PET (>50% Recycled PET)
Application: Vertical Surfaces/Screens
NRC: 0.20

| | | | | |
|---|---|---|---|---|
| **Arbor Alto ecoustic® Hanging Screen — Solid Color Core** | | | | |
| 48″H x 48″W x 4 1/4″-7 1/4″D | **HUVAAHS** | 15.0 | 0.8 | **$1587** |

NOTES: Kit format contains 8 fins and 4′ hanging cords.

Ceiling attachment is not included due to many ceiling types and materials. Attachment hardware to ceiling should be procured by installers.
Content: 100% PET
Application: Ceiling
NRC: 0.80

| | | | | |
|---|---|---|---|---|
| **ecoustic® Ceiling Flats** | | | | |
| 24″ x 24″, Box of 16 | **HUVCFCT24** | 15.4 | 5.3 | **$2780** |
| 24″ x 48″, Box of 8 | **HUVCFCT48** | 30.9 | 10.7 | **$2954** |

NOTES: Fits directly into 2′ x 2′ or 2′ x 4′ dropped ceiling grid. Flats replace ceiling tiles already in the grid. Tiles slide into grid at an angle and are held in by the edge of the tile. No hardware is needed.
Content: 100% PET (>50% Recycled PET)
Application: Ceiling
NRC: 0.85
Tiles are .47″ thick.

## HOW TO SPECIFY

**Select Model Number**

H U V S T A H S P .


**Select Felt/Solid Core**

See pages 648-649

D L F 1

# ACOUSTIC SOLUTIONS
## Floor Screens

OPEN MARKET



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **MixMax** | | | | |
| 55"W x 59"H | **HUVMMFS55** | 19.8 | 24.4 | **$4573** |
| 63"W x 59"H | **HUVMMFS63** | 22.7 | 24.4 | **$5054** |

**NOTES:**
- Available in one solid color. For multicolor options contact HON Tailored Solutions.
- Content: 100% 3mm Wool Felt exterior. 100% Foamed PVC Plate interior.
- Application: Floor Screen
- NRC: 0.80



## HOW TO SPECIFY

**Select**
**Model Number**


H U V M M F S 5 5 .

**Select**
**Fraster Felt**

See pages 648-649

F F 1 3 0

# ACOUSTIC SOLUTIONS
## Floor Screens



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Softline Floor Screen with Leg Set** | | | | |
| 32″W x 54″H | **HUVSLFS3254L** | 25 | 12.5 | **$1643** |
| 32″W x 59″H | **HUVSLFS3259L** | 30 | 12.5 | **$1923** |
| 32″W x 67″H | **HUVSLFS3267L** | 35 | 12.5 | **$2123** |
| 40″W x 54″H | **HUVSLFS4054L** | 27 | 10.4 | **$1831** |
| 40″W x 59″H | **HUVSLFS4059L** | 33 | 10.4 | **$2064** |
| 40″W x 67″H | **HUVSLFS4067L** | 38 | 10.4 | **$2276** |
| 47″W x 54″H | **HUVSLFS4754L** | 30 | 7.8 | **$1985** |
| 47″W x 59″H | **HUVSLFS4759L** | 36 | 7.8 | **$2208** |
| 47″W x 67″H | **HUVSLFS4767L** | 43 | 7.8 | **$2387** |
| NOTES: Legs allow for screens to be freestanding. | | | | |
| **Softline Floor Screen with Leg Set and Casters** | | | | |
| 32″W x 54″H | **HUVSLFS3254LC** | 26 | 12.5 | **$1720** |
| 32″W x 59″H | **HUVSLFS3259LC** | 31 | 12.5 | **$1998** |
| 32″W x 67″H | **HUVSLFS3267LC** | 36 | 12.5 | **$2200** |
| 40″W x 54″H | **HUVSLFS4054LC** | 28 | 10.4 | **$1908** |
| 40″W x 59″H | **HUVSLFS4059LC** | 34 | 10.4 | **$2140** |
| 40″W x 67″H | **HUVSLFS4067LC** | 39 | 10.4 | **$2352** |
| 47″W x 54″H | **HUVSLFS4754LC** | 31 | 7.8 | **$2060** |
| 47″W x 59″H | **HUVSLFS4759LC** | 37 | 7.8 | **$2285** |
| 47″W x 67″H | **HUVSLFS4767LC** | 44 | 7.8 | **$2464** |
| NOTES: Casters allow screens to be mobile. | | | | |

**NOTES:**
- Softline is manufactured on the basis of technical, environmental, and production ethical requirements. There are no emissions to air, water, or land during the production of Softline. The sound-absorbent core of Softline contains recycled materials. Materials in Softline screens are recyclable, either as material recycling or energy recovery.
- Softline screens are 2″ thick.
- Core Content: 100% Mineral Wool
- Frame Content: 100% Pine
- Base Content: 100% Steel lacquered in Black, Gray, or White
- Application: Floor Screen
- NRC: 0.75
- Each screen ships with one in-line connector.
- Screen legs prohibit screens from sitting directly at an L-, T-, or X-connection. Space must be provided to prevent legs from overlapping.



## HOW TO SPECIFY

**Select Model Number**

H U V S L F S 4 0 5 4 L .

**Select Fabric**

See page 649

S L 4 0 .

**Select Paint Color**

*Specify on screens with legs and legs with casters only*

**SVR** Silver
**WHTT** White Texture
**BLKT** Black Texture

W H T T

# NOTES

# UNIVERSAL SCREENS

Want to see more? Scan here to check out hon.com.



Universal Screens shown with Ignition® 2.0 Seating and Contain® Storage.



## UNIVERSAL SCREENS

HON's Universal Screens platform was designed with a user's privacy in mind. From stand-alone offices to training rooms to workstations, this solution optimizes shared open spaces by encouraging optional discretion. With visual barriers available in a wide variety of material options and personal tool accessories to encourage personalized comfort and control, HON Universal Screens help define boundaries without discouraging connection.







### FEATURES

- A variety of different mounting styles to accommodate a wide range of applications throughout the office.
- The screens offer a cohesive design aesthetic to help define and personalize any space.
- Screens were designed to be paired with the entire HON portfolio.
- Universal Screens offer a broad range of material options: fabric, metal, glass, laminate, acrylic, and PET.
- Universal Screens provide consistent sizes between various applications to create a consistent appearance across all applications.

# UNIVERSAL SCREENS ORDERING INFORMATION



## FABRIC — GRADE 1

| DAPPER | DAPR |
|---|---|
| ♦ Ash | DAPR20 |
| ◊ Breeze | DAPR06 |
| ◊ Canvas | DAPR25 |
| ♦ Charcoal | DAPR01 |
| ◊ Clover | DAPR22 |
| ♦ Currant | DAPR00 |
| ◊ Fawn | DAPR35 |
| ♦ Fern | DAPR85 |
| ◊ Gerbera | DAPR16 |
| ◊ Grape | DAPR33 |
| ◊ Jewel | DAPR08 |
| ♦ Marigold | DAPR65 |
| ♦ Onyx | DAPR10 |
| ◊ Orchid | DAPR90 |
| ◊ Parrot | DAPR59 |
| ◊ Poppy | DAPR19 |
| ◊ Sapphire | DAPR07 |
| ◊ Scarlet | DAPR45 |
| ◊ Sepia | DAPR30 |
| ◊ Sky | DAPR44 |
| ♦ Slate | DAPR15 |
| ◊ Sorbet | DAPR55 |
| ◊ Spring | DAPR80 |
| ◊ Terracotta | DAPR13 |
| ♦ Titanium | DAPR17 |
| ♦ Varsity | DAPR09 |
| ◊ Zest | DAPR70 |

## FABRIC — GRADE A

| APPOINT | APN |
|---|---|
| ♦ Artichoke | APN11 |
| ♦ Blackberry | APN32 |
| ♦ Bronze | APN22 |
| ♦ Carbon | APN28 |
| ♦ Chai | APN12 |
| ♦ Cherry | APN30 |
| ♦ Dark Pewter | APN17 |
| ♦ Dune | APN15 |
| ♦ Espresso | APN23 |
| ♦ Framboise | APN31 |
| ♦ Frost | APN34 |
| ♦ Jet | APN27 |
| ♦ Lawn | APN25 |
| ♦ Mandarin | APN29 |
| ♦ Morel | APN09 |
| ♦ Nimbus | APN16 |
| ♦ Platinum | APN24 |
| ♦ Turquoise | APN26 |

## FABRIC — GRADE A *continued*

| CENTURION<br>*Not available on heights over 54"H* | CU |
|---|---|
| ♦ Apricot | CU47 |
| ♦ Bark | CU25 |
| ♦ Black | CU10 |
| ♦ Espresso | CU49 |
| ♦ Fog | CU03 |
| ♦ Frost | CU22 |
| ♦ Goldenrod | CU27 |
| ♦ Indigo | CU06 |
| ♦ Iris | CU50 |
| ♦ Iron Ore | CU19 |
| ♦ Jade | CU83 |
| ♦ Marsala | CU63 |
| ♦ Morel | CU24 |
| ♦ Navy | CU98 |
| ♦ Peacock | CU97 |
| ♦ Pear | CU84 |
| ♦ Ruby | CU67 |
| ♦ Sapphire | CU09 |

| ETCH* | ECH |
|---|---|
| ◊ Axis | ECH13 |
| ◊ Blend | ECH14 |
| ♦ Cast | ECH12 |
| ◊ Highlight | ECH10 |
| ♦ Midtone | ECH11 |
| ♦ Outline | ECH08 |
| ♦ Shade | ECH09 |
| ◊ Tonal | ECH16 |
| ◊ Vanish | ECH15 |

| LANDSCAPE* | LN |
|---|---|
| ◊ Azure | LN55 |
| ◊ Cornsilk | LN15 |
| ♦ Drift | LN05 |
| ◊ Khaki | LN20 |
| ♦ Sheen | LN10 |
| ◊ Slate | LN35 |
| ◊ Umber | LN25 |
| ♦ Urban | LN30 |

## FABRIC — GRADE A *continued*

| NOBLE | NBLE |
|---|---|
| ♦ Aegean | NBLE18 |
| ♦ Amethyst | NBLE19 |
| ♦ Aspen | NBLE14 |
| ♦ Aster | NBLE20 |
| ♦ Blossom | NBLE21 |
| ♦ Bluebell | NBLE22 |
| ♦ Bordeaux | NBLE01 |
| ♦ Brick | NBLE02 |
| ♦ Chambray | NBLE10 |
| ♦ Chamomile | NBLE23 |
| ♦ Clementine | NBLE04 |
| ♦ Conifer | NBLE24 |
| ♦ Cottage | NBLE25 |
| ♦ Darkness | NBLE26 |
| ♦ Dawn | NBLE13 |
| ♦ Denim | NBLE09 |
| ♦ Desert Sand | NBLE27 |
| ♦ Dewfall | NBLE28 |
| ♦ Dusted Sage | NBLE29 |
| ♦ Flax | NBLE30 |
| ♦ Grass | NBLE07 |
| ♦ Gunmetal | NBLE15 |
| ♦ Harmony | NBLE31 |
| ♦ Harvest | NBLE12 |
| ♦ Ice Caves | NBLE32 |
| ♦ Icicle | NBLE33 |
| ♦ Inky | NBLE34 |
| ♦ Iris | NBLE35 |
| ♦ Jade | NBLE06 |
| ♦ Knight | NBLE17 |
| ♦ Mesa | NBLE03 |
| ♦ Monarch | NBLE36 |
| ♦ Pacific | NBLE08 |
| ♦ Pitch | NBLE37 |
| ♦ Queen Bee | NBLE38 |
| ♦ Rainforest | NBLE05 |
| ♦ Regal | NBLE11 |
| ♦ Sandcastle | NBLE39 |
| ♦ Sedona | NBLE40 |
| ♦ Stormy | NBLE16 |
| ♦ Sunbeam | NBLE41 |
| ♦ Voyager | NBLE42 |
| ♦ Windy Day | NBLE43 |

| REFLECTIONS* | REF |
|---|---|
| ♦ Galvanized | REF29 |
| ♦ Ice | REF20 |
| ◊ Loggia | REF21 |
| ♦ Mistral | REF28 |
| ◊ Moonstone | REF23 |
| ♦ Pewter | REF22 |
| ♦ Stainless | REF24 |
| ◊ Vanilla | REF25 |
| ◊ Winter | REF27 |

| REFUGE* | RFG |
|---|---|
| ♦ Artesian | RFG96 |
| ♦ Dune | RFG92 |
| ♦ Eclipse | RFG90 |
| ♦ Frost | RFG93 |
| ♦ Glacier | RFG91 |
| ♦ Mineral | RFG98 |
| ♦ Tidal | RFG94 |

## FABRIC — GRADE A *continued*

| TEMPEST* | TP |
|---|---|
| ◊ Dragonfly | TP30 |
| ◊ Frost | TP15 |
| ♦ Full Stream | TP80 |
| ◊ Gold Rush | TP10 |
| ♦ Slate | TP45 |
| ♦ Tumbleweed | TP70 |
| ♦ Wind Chill | TP40 |
| ♦ Zebra | TP35 |

| VAST | VST |
|---|---|
| ◊ Atmosphere | VST06 |
| ◊ Bay | VST04 |
| ◊ Beach | VST11 |
| ◊ Country Side | VST13 |
| ◊ Desert | VST12 |
| ◊ Garden | VST02 |
| ◊ Grasslands | VST03 |
| ◊ Highway | VST09 |
| ◊ Mountain Range | VST08 |
| ◊ Ocean | VST07 |
| ◊ Open Air | VST05 |
| ◊ Tundra | VST10 |
| ◊ Vineyard | VST01 |

♦ ◊ ◊ For lead time information see page 21.

* Directional fabrics

# UNIVERSAL SCREENS ORDERING INFORMATION

## FABRIC — GRADE B

| COAST* | COA |
|---|---|
| *Not available on Accelerate®* | |
| ◆ Channel | COA14 |
| ◆◇ Dune | COA03 |
| ◆◇ Headlands | COA10 |
| ◆◇ Marsh | COA02 |
| ◆ Pebble | COA12 |
| ◆ Pier | COA13 |
| ◆◇ Shoal | COA01 |
| ◆◇ Silt | COA06 |
| ◆ Tide | COA08 |

| SPIN* | SPIN |
|---|---|
| ◆ Alabaster | SPIN02 |
| ◆ Cavern | SPIN03 |
| ◆ Cobblestone | SPIN04 |
| ◆◇ Ember | SPIN06 |
| ◆◇ Flame | SPIN07 |
| ◆◇ Heron | SPIN13 |
| ◆ Oat | SPIN01 |
| ◆◇ Ocean | SPIN12 |
| ◆◇ Plum | SPIN15 |
| ◆◇ Pool | SPIN11 |
| ◆◇ Raven | SPIN10 |
| ◆◇ Rhubarb | SPIN14 |
| ◆◇ Tropic | SPIN08 |
| ◆ Willow | SPIN05 |

| TERRAIN* | TRRN |
|---|---|
| ◆◇ Bay | TRRN05 |
| ◆◇ Bayou | TRRN35 |
| ◆◇ Canyon | TRRN30 |
| ◆◇ Cliff | TRRN45 |
| ◆◇ Crest | TRRN25 |
| ◆◇ Delta | TRRN10 |
| ◆◇ Plateau | TRRN15 |
| ◆◇ Ridge | TRRN20 |
| ◆◇ Valley | TRRN40 |

## METAL SCREENS

| PAINTS | CODES |
|---|---|
| **P1** | |
| ◆◇ Black | P71 |
| ◆◇ Brownstone | P7D |
| ◆◇ Cove | P096 |
| ◆◇ Designer White | PJW |
| ◆◇ Dune | P094 |
| ◆◇ Flint | P02 |
| ◆◇ Fossil | P28 |
| ◆◇ Greige | T5 |
| ◆◇ Harbor | P097 |
| ◆◇ Light Grey | Q |
| ◆◇ Loft | LOFT |
| ◆◇ Muslin | T3 |
| ◆◇ Putty | L |
| ◆◇ Sage | P095 |
| ◆◇ Titanium | P8T |
| **P2** | |
| ◆◇ Champagne Metallic | T4 |
| ◆◇ Gunmetal Metallic | PR3 |
| ◆◇ Platinum Metallic | T1 |
| ◆◇ Silver | PR6 |
| ◆◇ Solar Black | P8X |
| **P3** | |
| ◆◇ Atom | P8S |
| ◆◇ Blossom | P8K |
| ◆◇ Bullseye | PJF |
| ◆◇ Ember | P8P |
| ◆◇ Ion | P8N |
| ◆◇ Iris | P8J |
| ◆◇ Krypton | P8F |
| ◆◇ Ochre | P093 |
| ◆◇ Regatta | P8M |
| ◆◇ Sienna | P092 |
| ◆◇ Succulent | P8A |
| **P6** | |
| ◆◇ Markerboard | MKB |

## LAMINATE

| L1 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| ◆ Bourbon Cherry | H |
| ◆ Cognac | COGN |
| ◆ Field Elm | LWFE |
| ◆ Florence Walnut | LFW1 |
| ◆ Harvest | C |
| ◆ Kingswood Walnut | LKI1 |
| ◆ Mahogany | N |
| ◆ Mocha | MOCH |
| ◆ Natural Maple | D |
| ◆ Pinnacle | PINC |
| ◆ Shaker Cherry | F |
| ◆ Sterling Ash | LSA1 |
| **Solid** | |
| ◆◇ Black | P |
| ◆ Charcoal | S |
| ◆ Designer White | LDW1 |
| ◆ Loft | LOFT |
| **Patterned** | |
| ◆ Handspun Chestnut | LAHC |
| ◆◇ Handspun Dove | LAHD |
| ◆ Handspun Pearl | LAHP |
| ◆◇ Handspun Slate | LAHS |
| ◆ Silver Mesh | B9 |

| L2 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| ◆ Beigewood | LWBE |
| ◆ Fawn Cypress | LFC1 |
| ◆ Lowell Ash | LLA1 |
| ◆ Natural Recon | LNR1 |
| ◆ Phantom Ecru | LPE1 |
| ◆ Portico Teak | LPT1 |
| ◆ Skyline Walnut | LSW1 |

## EDGE

| EDGE | CODES |
|---|---|
| ◆ Black | P |
| ◆ Beigewood | DE |
| ◆ Bourbon Cherry | H |
| ◆ Brownstone | EY |
| ◆ Charcoal | S |
| ◆ Cognac | COGN |
| ◆ Designer White | DW |
| ◆ Fawn Cypress | FC |
| ◆ Field Elm | FE |
| ◆ Fossil | EH |
| ◆ Florence Walnut | FW |
| ◆ Harvest | C |
| ◆ Kingswood Walnut | KI |
| ◆ Lowell Ash | DL |
| ◆ Loft | LOFT |
| ◆ Mahogany | N |
| ◆ Mocha | MOCH |
| ◆ Muslin | T |
| ◆ Natural Maple | D |
| ◆ Natural Recon | NR |
| ◆ Phantom Ecru | PE |
| ◆ Pinnacle | PINC |
| ◆ Portico Teak | DP |
| ◆ Shaker Cherry | F |
| ◆ Sterling Ash | SA |
| ◆ Skyline Walnut | SW |
| ◆ Plyband | PL |




◆◆◇ For lead time information see page 21.
* Directional fabrics


# UNIVERSAL SCREENS
## Statement of Line





### FABRIC SCREENS



Modesty Screen



Fixed Above/Below Screen



Movable Above/Below Screen


Up Mount Screen



Side Mount Screen



Front-to-Back Screen



Sit-on-Surface Screen


Top Mount Screen

### GLASS SCREENS



Up Mount Screen



Side Mount Screen



Front-to-Back Screen


### ACRYLIC SCREENS



Modesty Screen



Fixed Above/Below Screen


Up Mount Screen



Side Mount Screen



Front-to-Back Screen


Sit-on-Surface Screen



Top Mount Screen

### LAMINATE SCREENS


Fixed Above/Below Screen


Modesty Screen

### METAL SCREENS


Lateral Organizer Screens

# UNIVERSAL SCREENS SPECIFICATION GUIDE

## AVAILABLE SCREEN MATERIALS, MOUNTING METHODS, AND SIZES

### Desktop Mounted Screens

| | | Up Mount | Top Mount | Side Mount | F-2-B | S.O.S. | Lat Org | Modesty |
|---|---|---|---|---|---|---|---|---|
| Acrylic | H | 13, 20 | 13, 20 | 13, 20 | 13, 20 | 13, 20 | | 13 |
| | W | 36, 42, 48, 52, 54, 58, 60, 64, 66, 70, 72 | 20, 22, 24, 28, 30, 36 | 20, 22, 24, 28, 30, 36, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72 | 20, 22, 24, 28, 30, 36 | 22, 28, 34 | | 30, 36, 42, 48, 54, 60, 66, 72 |
| Fabric | H | 13, 20 | 13, 20 | 13, 20 | 13, 20 | 13, 20 | | 13 |
| | W | 36, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72 | 20, 22, 24, 28, 30, 36 | 20, 22, 24, 28, 30, 36, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72 | 20, 22, 24, 28, 30, 36 | 22, 28, 34 | | 30, 36, 42, 48, 54, 60, 66, 72 |
| Laminate | H | | | | | | | 13 |
| | W | | | | | | | 30, 36, 42, 48, 54, 60, 66, 72 |
| Glass | H | 13, 20 | | 13, 20 | 13, 20 | | | |
| | W | 36, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72 | | 20, 22, 24, 28, 30, 36, 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72 | 20, 22, 24, 28, 30, 36 | | | |
| Metal | H | | | | | | 13, 20 | |
| | W | | | | | | 21, 27 | |

### Above/Below Screens

| | | Movable A/B | Fixed A/B |
|---|---|---|---|
| Acrylic | H | | 27 |
| | W | | 46, 48, 52, 54, 58, 60, 64 66, 70, 72 |
| Fabric | H | 27, 34 | 27, 34 |
| | W | 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72 | 42, 46, 48, 52, 54, 58, 60, 64, 66, 70, 72 |
| Laminate | H | | 27 |
| | W | | 46, 48, 52, 54, 58, 60, 64, 66, 70, 72 |

### Series Specific Screens

| | | Empower® | Gravitation™ | Gravitation™ Modesty |
|---|---|---|---|---|
| Acrylic | H | 13, 20 | | 13 |
| | W | 42, 48, 54, 60, 66, 72 | | 48, 60, 72 |
| Fabric | H | 13, 20 | 20 | 13 |
| | W | 42, 48, 54, 60, 66, 72 | 48, 60, 72 | 48, 60, 72 |
| Laminate | H | | | 13 |
| | W | | | 48, 60, 72 |
| Glass | H | 13, 20 | | |
| | W | 42, 48, 54, 60, 66, 72 | | |
| PET | H | 13, 20 | 20 | |
| | W | 42, 48, 54, 60, 66, 72 | 48, 60, 72 | |
| Metal | H | | 20 | |
| | W | | 48, 60, 72 | |

# UNIVERSAL SCREENS SPECIFICATION GUIDE




## SUPPORT CLEARANCE RULES

| | Above/ Below Movable | Above/Below Fixed | Up Mount | Top Mount | Side Mount | Front-to-Back | Sit-on-Surface | Modesty |
|---|---|---|---|---|---|---|---|---|
| | Recommended Inset from Edge of Worksurface | | | | | | | |
| **Voi® O-Leg** | >9″ | No Inset | No Inset | No Inset | Not Compatible | 2″ | No Inset | 6″ |
| **Voi® Angled Leg** | >9″ | No Inset | No Inset | No Inset | Not Compatible | Not Compatible | No Inset | 6″ |
| **End Panel Leg** | 18″ | 6″ | 12″ | No Inset | Not Compatible | Not Compatible | No Inset | 6″ |
| **Huddle Post Leg** | 9″ | No Inset | No Inset | No Inset | No Inset | No Inset | No Inset | 6″ |
| **Coordinate™ Base** | No Inset | No Inset | No Inset | No Inset | No Inset | No Inset | No Inset | No Inset |
| **Coordinate™ Shroud** | 12″ for 1 shroud 18″ for 2 shrouds | No Inset | No Inset | No Inset | No Inset | No Inset | No Inset | 12″ for 1 shroud 18″ for 2 shrouds |
| **Pedestal** | >Ped Width | Ped Width - 12″ | Ped Width - 6″ | No Inset | Not Compatible | Not Compatible | No Inset | Ped Width |


## SCREEN MOUNTING TECH AND SPEC INFORMATION

### Movable Above/Below




- Available in fabric only.
- Screen is offset from edge of worksurface by 1″ for cord management and to allow the use of worksurface mounted accessories.
- Mounting brackets attach to the underside of the worksurface.
- Screen is secured to the brackets with thumb screws. Allowing user to adjust height up/down.
- Minimum height above or below worksurface is 6″.
- Brackets are secured on the outside edge of the screen.
- Brackets ship uninstalled.

### Sit-on-Surface Screen




- Available in fabric or acrylic.
- Screen is slightly offset from the top of the worksurface.
- Brackets come with anti-slip neoprene foam pads.
- Brackets are designed to be rotated 90 degrees when needed.
- Screen is secured to the brackets by tightening two set screws in bracket against screen material.
- Brackets ship uninstalled.

### Fixed Above/Below




- Available in fabric, acrylic, or laminate.
- Screen is offset from the edge of the worksurface by 1″ for cord management and to allow the use of worksurface mounted accessories.
- Mounting brackets attach to the underside of the worksurface.
- Fabric screens are secured to the brackets via metal fasteners to threaded inserts embedded in screen. Brackets are inset 10″ (30-40″W) or 12″ (42″W+) from edge of screen depending on size. Brackets ship installed.
- Acrylic screens are secured to the brackets via a metal fastener. Brackets are located on edge of screen. Brackets ship uninstalled.
- Laminate screens are secured to the brackets via wood screws. Brackets are inset 10″ (30-42″W) or 12″ (48″W+). Brackets ship uninstalled.

### Top Mount Screen



- Available in fabric or acrylic.
- Screen is slightly offset from the top of the worksurface.
- Mounting brackets attach to the top of the worksurface with either double sided tape or wood screws.
- Screen is secured to the brackets by tightening two set screws in bracket against screen material.
- Bracket location is flexible and can be adjusted as needed.
- Recommended inset location is ~6-12″ from edge of screen.
- Brackets ship uninstalled.

### Side Mount Screen




- Available in fabric or acrylic.
- Screen is slightly offset from the top of the worksurface.
- Mounting brackets wrap around the edge of the worksurface.
- Screen is secured to the brackets by tightening two set screws in bracket against screen material.
- Bracket location is flexible and can be adjusted as needed.
- Recommended inset location is ~6-12″ from edge of screen.
- Can only be used with flat edged worksurfaces/tables.
- Brackets ship uninstalled.

# UNIVERSAL SCREENS SPECIFICATION GUIDE

## SCREEN MOUNTING TECH AND SPEC INFORMATION

### Modesty Panel




- Available in fabric, acrylic, or laminate.
- Mounting brackets attach to the underside of the worksurface.
- Fabric modesty is secured to brackets via metal fasteners to threaded inserts embedded in screen. Brackets are inset 10″ (30-40″W) or 12″ (42″W+) from edge of screen depending on size. Brackets ship installed.
- Acrylic modesty is secured to brackets via metal fasteners through predrilled holes in the modesty panel. Brackets are inset 10″ (36″W) or 12″ (42″W+) from edge of screen depending on size. Brackets ship uninstalled.
- Laminate modesty is secured to brackets via wood screws. Brackets are inset 10″ (30-42″W) or 12″ (48″W+). Brackets ship uninstalled.

### Up Mount Screen

- Available in fabric, acrylic, or glass.
- Screen is offset from top of worksurface by 1″ for cord management and to allow the use of worksurface mounted accessories.
- Mounting brackets attach to the underside of the worksurface.
- Screen is secured to the brackets by tightening two set screws in bracket against screen material.
- Bracket location is flexible and can be adjusted as needed. Recommended inset location is ~6-12″ from edge of screen.
- Can only be used with flat edged worksurfaces/tables.
- Brackets ship uninstalled.

### Front-to-Back Screen



- Available in fabric, acrylic, or glass.
- Screen is slightly offset from the top of the worksurface.
- Mounting brackets wrap around the front and rear edge of the worksurface.
- Screen is secured to the brackets by tightening two set screws in bracket against screen material.
- Bracket location is fixed on either side of the screen.
- Can only be used with flat edged worksurfaces/tables.
- Brackets ship uninstalled.

### Empower® Shared Screens

- Available in fabric, glass, acrylic, or PET.
- Mounting brackets clamp in gap between fixed height worksurfaces.
- Screens will provide 1″+ of access between screen and rear edge of worksurface for the power trough.
- Screen is secured to the brackets by tightening two set screws in bracket against screen material.
- Bracket location is flexible and can be adjusted as needed. Recommended inset location is ~6-12″ from edge of screen.
- Screen only mounts to dual sided fixed height applications. For height adjustable or single sided applications, select a desktop mounted screen.
- Brackets ship uninstalled.

### Gravitation™ Modesty

- Available in fabric, acrylic, or laminate.
- Gravitation™ modesty **MUST** match the beam size.
- Mounting brackets attach to the underside of the Gravitation™ power beam.
- Fabric modesty is secured to the brackets via magnetic connection. Bracket location is flexible and can be adjusted as needed. Recommended inset location is ~6-12″ from edge of screen.
- Acrylic and laminate modesties are secured to the mounting brackets via metal fasteners through predrilled holes in the screen material. Bracket location is fixed ~3″ from edge of modesty.
- Brackets come uninstalled.
- Can be used with, or without, a Gravitation™ Mounted Screen.

### Gravitation™ Mounted Screens

- Available in fabric, PET, or metal.
- Gravitation™ screen **MUST** match the beam size.
- Mounting brackets wrap around and secure to the underside of the Gravitation™ power beam.
- Screens are slightly offset from the top of the power beam.
- Fabric screens are secured to the brackets by tightening two set screws in bracket against screen material. Brackets are in a fixed location ~8.5″ from edge of screen.
- PET screens are secured to the brackets via metal fasteners through predrilled holes in the screen material. Brackets are in a fixed location ~8.5″ from edge of screen.
- Metal screens are secured to the brackets via metal fasteners through predrilled holes in the screen material. Brackets are in a fixed location ~8.5″ from edge of screen.
- Brackets come uninstalled.
- Can be used with, or without, a Gravitation™ Modesty Panel.

### Lateral Desktop Organizer


- Available in metal only.
- Screens sit flush on top of worksurface.
- Screen wraps around the front or rear edge of the worksurface.
- Can only be used with flat edged worksurfaces/tables.
- Mounting bracket is integral to screen.

# UNIVERSAL SCREENS
## Fabric Screens

OPEN MARKET

ABI

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE | UPCHARGE BY FABRIC GRADE B | C | D | E | F | G |
|---|---|---|---|---|---|---|---|---|---|---|
| **Fabric Side Mount Screens — Undersized** | | | | | | | | | | |
| 13″H x 22″W | **HUSFFSM1322** | 6.8 | 0.8 | **$781** | **$34** | **$67** | **$101** | **$147** | **$190** | **$235** |
| 13″H x 28″W | **HUSFFSM1328** | 7.4 | 1.0 | **$806** | **$37** | **$71** | **$107** | **$154** | **$200** | **$248** |
| 13″H x 46″W | **HUSFFSM1346** | 8.5 | 1.4 | **$932** | **$45** | **$88** | **$132** | **$191** | **$250** | **$308** |
| 13″H x 52″W | **HUSFFSM1352** | 9.0 | 1.6 | **$997** | **$50** | **$98** | **$147** | **$211** | **$274** | **$340** |
| 13″H x 58″W | **HUSFFSM1358** | 9.5 | 1.8 | **$1062** | **$54** | **$107** | **$159** | **$230** | **$300** | **$371** |
| 13″H x 64″W | **HUSFFSM1364** | 10.0 | 2.0 | **$1124** | **$58** | **$115** | **$173** | **$249** | **$324** | **$401** |
| 13″H x 70″W | **HUSFFSM1370** | 10.5 | 2.2 | **$1192** | **$62** | **$125** | **$186** | **$269** | **$351** | **$434** |
| 20″H x 22″W | **HUSFFSM2022** | 7.9 | 1.2 | **$881** | **$41** | **$82** | **$122** | **$177** | **$230** | **$284** |
| 20″H x 28″W | **HUSFFSM2028** | 8.7 | 1.5 | **$912** | **$43** | **$86** | **$128** | **$185** | **$243** | **$299** |
| 20″H x 46″W | **HUSFFSM2046** | 10.6 | 2.2 | **$1082** | **$55** | **$110** | **$163** | **$236** | **$307** | **$381** |
| 20″H x 52″W | **HUSFFSM2052** | 11.4 | 2.5 | **$1163** | **$60** | **$120** | **$180** | **$260** | **$340** | **$420** |
| 20″H x 58″W | **HUSFFSM2058** | 12.2 | 2.8 | **$1224** | **$64** | **$129** | **$193** | **$279** | **$364** | **$449** |
| 20″H x 64″W | **HUSFFSM2064** | 13.0 | 3.0 | **$1272** | **$67** | **$135** | **$202** | **$293** | **$382** | **$472** |
| 20″H x 70″W | **HUSFFSM2070** | 13.8 | 3.3 | **$1373** | **$76** | **$150** | **$224** | **$323** | **$422** | **$521** |
| **Fabric Side Mount Screens — True to Size** | | | | | | | | | | |
| 13″H x 20″W | **HUSFFSM1320** | 6.7 | 0.8 | **$768** | **$33** | **$65** | **$99** | **$142** | **$186** | **$229** |
| 13″H x 24″W | **HUSFFSM1324** | 7.0 | 0.8 | **$793** | **$36** | **$70** | **$105** | **$150** | **$196** | **$243** |
| 13″H x 30″W | **HUSFFSM1330** | 7.5 | 1.0 | **$818** | **$37** | **$74** | **$109** | **$157** | **$205** | **$254** |
| 13″H x 36″W | **HUSFFSM1336** | 7.9 | 1.0 | **$873** | **$41** | **$81** | **$120** | **$175** | **$227** | **$280** |
| 13″H x 42″W | **HUSFFSM1342** | 8.0 | 1.2 | **$901** | **$43** | **$84** | **$126** | **$182** | **$237** | **$294** |
| 13″H x 48″W | **HUSFFSM1348** | 8.9 | 1.6 | **$963** | **$47** | **$92** | **$139** | **$201** | **$261** | **$324** |
| 13″H x 54″W | **HUSFFSM1354** | 9.4 | 1.8 | **$1033** | **$52** | **$102** | **$153** | **$222** | **$289** | **$357** |
| 13″H x 60″W | **HUSFFSM1360** | 9.9 | 2.0 | **$1092** | **$56** | **$111** | **$165** | **$238** | **$313** | **$387** |
| 13″H x 66″W | **HUSFFSM1366** | 10.4 | 2.2 | **$1158** | **$60** | **$119** | **$179** | **$259** | **$338** | **$418** |
| 13″H x 72″W | **HUSFFSM1372** | 10.9 | 2.4 | **$1228** | **$65** | **$129** | **$194** | **$280** | **$365** | **$451** |
| 20″H x 20″W | **HUSFFSM2020** | 7.7 | 2.4 | **$867** | **$41** | **$80** | **$119** | **$173** | **$224** | **$277** |
| 20″H x 24″W | **HUSFFSM2024** | 8.2 | 1.3 | **$896** | **$42** | **$84** | **$125** | **$181** | **$235** | **$292** |
| 20″H x 30″W | **HUSFFSM2030** | 9.0 | 1.6 | **$942** | **$45** | **$90** | **$134** | **$195** | **$254** | **$314** |
| 20″H x 36″W | **HUSFFSM2036** | 9.5 | 1.9 | **$1008** | **$51** | **$99** | **$149** | **$214** | **$280** | **$346** |
| 20″H x 42″W | **HUSFFSM2042** | 9.8 | 1.9 | **$1044** | **$53** | **$105** | **$156** | **$225** | **$294** | **$363** |
| 20″H x 48″W | **HUSFFSM2048** | 11.1 | 2.5 | **$1121** | **$58** | **$115** | **$171** | **$248** | **$323** | **$399** |
| 20″H x 54″W | **HUSFFSM2054** | 11.9 | 2.8 | **$1206** | **$63** | **$126** | **$189** | **$273** | **$356** | **$440** |
| 20″H x 60″W | **HUSFFSM2060** | 12.7 | 3.0 | **$1226** | **$64** | **$129** | **$193** | **$279** | **$364** | **$450** |
| 20″H x 66″W | **HUSFFSM2066** | 13.5 | 3.3 | **$1321** | **$72** | **$142** | **$213** | **$307** | **$401** | **$496** |
| 20″H x 72″W | **HUSFFSM2072** | 14.3 | 3.6 | **$1426** | **$79** | **$157** | **$234** | **$339** | **$442** | **$546** |



## HOW TO SPECIFY

**Select Model Number**

H U S F F S M 1 3 2 0 .

**Select Fabric**

See pages 656-657

N B L E 1 8 .

**Select Bracket Paint**


See page 657


P 7 1

OPEN MARKET

Icon Legend on page 19

# UNIVERSAL SCREENS
## Fabric Screens





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE | UPCHARGE BY FABRIC GRADE B | C | D | E | F | G |
|---|---|---|---|---|---|---|---|---|---|---|
| **Fabric Front-to-Back Screens** | | | | | | | | | | |
| 13″H x 20″W | **HUSFLAT1320** | 6.7 | 3.6 | **$764** | **$33** | **$65** | **$99** | **$142** | **$186** | **$229** |
| 13″H x 22″W | **HUSFLAT1322** | 6.8 | 0.8 | **$777** | **$34** | **$67** | **$101** | **$147** | **$190** | **$235** |
| 13″H x 24″W | **HUSFLAT1324** | 7.0 | 0.8 | **$789** | **$36** | **$70** | **$105** | **$150** | **$196** | **$243** |
| 13″H x 28″W | **HUSFLAT1328** | 7.4 | 1.0 | **$802** | **$37** | **$71** | **$107** | **$154** | **$200** | **$248** |
| 13″H x 30″W | **HUSFLAT1330** | 7.5 | 1.0 | **$814** | **$37** | **$74** | **$109** | **$157** | **$205** | **$254** |
| 13″H x 36″W | **HUSFLAT1336** | 7.9 | 1.2 | **$869** | **$41** | **$81** | **$120** | **$175** | **$227** | **$280** |
| 20″H x 20″W | **HUSFLAT2020** | 7.7 | 1.2 | **$863** | **$41** | **$80** | **$119** | **$173** | **$224** | **$277** |
| 20″H x 22″W | **HUSFLAT2022** | 7.9 | 1.2 | **$877** | **$41** | **$82** | **$122** | **$177** | **$230** | **$284** |
| 20″H x 24″W | **HUSFLAT2024** | 8.2 | 1.3 | **$892** | **$42** | **$84** | **$125** | **$181** | **$235** | **$292** |
| 20″H x 28″W | **HUSFLAT2028** | 8.7 | 1.5 | **$908** | **$43** | **$86** | **$128** | **$185** | **$243** | **$299** |
| 20″H x 30″W | **HUSFLAT2030** | 9.0 | 1.6 | **$938** | **$45** | **$90** | **$134** | **$195** | **$254** | **$314** |
| 20″H x 36″W | **HUSFLAT2036** | 9.5 | 1.9 | **$1004** | **$51** | **$99** | **$149** | **$214** | **$280** | **$346** |
| **Fabric Up Mount Screens** | | | | | | | | | | |
| 13″H x 36″W | **HUSFUPM1336** | 7.8 | 1.2 | **$825** | **$39** | **$77** | **$114** | **$164** | **$215** | **$266** |
| 13″H x 42″W | **HUSFUPM1342** | 8.2 | 1.4 | **$852** | **$41** | **$81** | **$119** | **$174** | **$226** | **$279** |
| 13″H x 46″W | **HUSFUPM1346** | 8.5 | 1.6 | **$881** | **$43** | **$84** | **$126** | **$182** | **$236** | **$294** |
| 13″H x 48″W | **HUSFUPM1348** | 8.5 | 1.6 | **$912** | **$45** | **$88** | **$132** | **$191** | **$249** | **$307** |
| 13″H x 52″W | **HUSFUPM1352** | 9.0 | 1.8 | **$943** | **$47** | **$92** | **$139** | **$200** | **$261** | **$323** |
| 13″H x 54″W | **HUSFUPM1354** | 9.2 | 1.8 | **$977** | **$50** | **$98** | **$146** | **$211** | **$274** | **$339** |
| 13″H x 58″W | **HUSFUPM1358** | 9.5 | 2.0 | **$1004** | **$52** | **$101** | **$152** | **$219** | **$285** | **$353** |
| 13″H x 60″W | **HUSFUPM1360** | 9.6 | 2.0 | **$1034** | **$53** | **$106** | **$157** | **$227** | **$297** | **$367** |
| 13″H x 64″W | **HUSFUPM1364** | 9.9 | 2.2 | **$1064** | **$55** | **$110** | **$163** | **$236** | **$308** | **$381** |
| 13″H x 66″W | **HUSFUPM1366** | 10.1 | 2.2 | **$1096** | **$57** | **$114** | **$170** | **$247** | **$321** | **$397** |
| 13″H x 70″W | **HUSFUPM1370** | 10.4 | 2.4 | **$1128** | **$59** | **$118** | **$177** | **$256** | **$333** | **$412** |
| 13″H x 72″W | **HUSFUPM1372** | 10.5 | 2.4 | **$1162** | **$62** | **$123** | **$184** | **$266** | **$347** | **$428** |
| 20″H x 36″W | **HUSFUPM2036** | 9.5 | 1.9 | **$1000** | **$51** | **$101** | **$151** | **$218** | **$283** | **$351** |
| 20″H x 42″W | **HUSFUPM2042** | 10.3 | 2.2 | **$1019** | **$52** | **$103** | **$154** | **$223** | **$291** | **$359** |
| 20″H x 46″W | **HUSFUPM2046** | 10.8 | 2.5 | **$1038** | **$54** | **$106** | **$158** | **$229** | **$298** | **$369** |
| 20″H x 48″W | **HUSFUPM2048** | 11.0 | 2.0 | **$1058** | **$55** | **$109** | **$162** | **$234** | **$305** | **$379** |
| 20″H x 52″W | **HUSFUPM2052** | 11.6 | 2.8 | **$1092** | **$57** | **$113** | **$169** | **$246** | **$320** | **$395** |
| 20″H x 54″W | **HUSFUPM2054** | 11.8 | 2.8 | **$1127** | **$59** | **$118** | **$177** | **$255** | **$332** | **$412** |
| 20″H x 58″W | **HUSFUPM2058** | 12.3 | 3.0 | **$1146** | **$61** | **$120** | **$181** | **$261** | **$340** | **$421** |
| 20″H x 60″W | **HUSFUPM2060** | 12.6 | 3.0 | **$1166** | **$62** | **$124** | **$185** | **$267** | **$348** | **$430** |
| 20″H x 64″W | **HUSFUPM2064** | 13.1 | 3.3 | **$1185** | **$63** | **$126** | **$188** | **$272** | **$355** | **$440** |
| 20″H x 66″W | **HUSFUPM2066** | 13.3 | 3.3 | **$1205** | **$64** | **$129** | **$193** | **$279** | **$364** | **$449** |
| 20″H x 70″W | **HUSFUPM2070** | 13.8 | 3.6 | **$1226** | **$66** | **$131** | **$197** | **$285** | **$371** | **$460** |
| 20″H x 72″W | **HUSFUPM2072** | 14.1 | 3.6 | **$1265** | **$68** | **$136** | **$204** | **$296** | **$387** | **$477** |



## HOW TO SPECIFY

**Select Model Number**

H U S F L A T 1 3 2 0 .

**Select Fabric**

See pages 656-657

N B L E 1 8 .

**Select Bracket Paint**

See page 657

P 7 1


# UNIVERSAL SCREENS
## Fabric Screens

OPEN MARKET


ABI

Icon Legend on page 19





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE | UPCHARGE BY FABRIC GRADE B | C | D | E | F | G |
|---|---|---|---|---|---|---|---|---|---|---|
| **Fabric Fixed Above/Below Screens** | | | | | | | | | | |
| 27"H x 42"W | **HUSFABF2742** | 9.1 | 2.8 | **$1232** | **$65** | **$130** | **$194** | **$281** | **$366** | **$453** |
| 27"H x 46"W | **HUSFABF2746** | 9.9 | 3.2 | **$1256** | **$66** | **$133** | **$199** | **$289** | **$375** | **$465** |
| 27"H x 48"W | **HUSFABF2748** | 10.4 | 3.2 | **$1281** | **$68** | **$136** | **$204** | **$296** | **$386** | **$476** |
| 27"H x 52"W | **HUSFABF2752** | 11.2 | 3.6 | **$1307** | **$71** | **$140** | **$210** | **$303** | **$395** | **$489** |
| 27"H x 54"W | **HUSFABF2754** | 11.7 | 3.6 | **$1332** | **$72** | **$143** | **$214** | **$311** | **$404** | **$500** |
| 27"H x 58"W | **HUSFABF2758** | 12.5 | 4.0 | **$1359** | **$75** | **$148** | **$221** | **$319** | **$416** | **$514** |
| 27"H x 60"W | **HUSFABF2760** | 13.0 | 4.0 | **$1386** | **$77** | **$151** | **$226** | **$327** | **$426** | **$528** |
| 27"H x 64"W | **HUSFABF2764** | 13.8 | 4.4 | **$1467** | **$82** | **$162** | **$243** | **$351** | **$458** | **$566** |
| 27"H x 66"W | **HUSFABF2766** | 14.3 | 4.4 | **$1556** | **$87** | **$175** | **$260** | **$377** | **$492** | **$609** |
| 27"H x 70"W | **HUSFABF2770** | 15.1 | 4.8 | **$1650** | **$93** | **$187** | **$280** | **$405** | **$530** | **$655** |
| 27"H x 72"W | **HUSFABF2772** | 15.6 | 4.8 | **$1752** | **$101** | **$201** | **$301** | **$436** | **$568** | **$704** |
| 34"H x 42"W | **HUSFABF3442** | 11.4 | 3.5 | **$1092** | **$56** | **$111** | **$165** | **$238** | **$313** | **$386** |
| 34"H x 46"W | **HUSFABF3446** | 12.5 | 3.9 | **$1112** | **$57** | **$113** | **$169** | **$246** | **$320** | **$395** |
| 34"H x 48"W | **HUSFABF3448** | 13.1 | 3.9 | **$1133** | **$58** | **$116** | **$174** | **$252** | **$327** | **$405** |
| 34"H x 52"W | **HUSFABF3452** | 14.1 | 4.4 | **$1259** | **$67** | **$133** | **$200** | **$289** | **$376** | **$466** |
| 34"H x 54"W | **HUSFABF3454** | 14.7 | 4.4 | **$1404** | **$78** | **$154** | **$229** | **$332** | **$434** | **$536** |
| 34"H x 58"W | **HUSFABF3458** | 15.8 | 4.9 | **$1462** | **$81** | **$161** | **$242** | **$350** | **$457** | **$564** |
| 34"H x 60"W | **HUSFABF3460** | 16.3 | 4.9 | **$1520** | **$85** | **$169** | **$253** | **$367** | **$477** | **$592** |
| 34"H x 64"W | **HUSFABF3464** | 17.4 | 5.4 | **$1568** | **$88** | **$176** | **$263** | **$381** | **$497** | **$614** |
| 34"H x 66"W | **HUSFABF3466** | 18.0 | 5.4 | **$1632** | **$92** | **$185** | **$277** | **$400** | **$522** | **$645** |
| 34"H x 70"W | **HUSFABF3470** | 19.0 | 5.9 | **$1643** | **$93** | **$186** | **$279** | **$403** | **$526** | **$651** |
| 34"H x 72"W | **HUSFABF3472** | 19.6 | 5.9 | **$1743** | **$100** | **$200** | **$299** | **$434** | **$565** | **$700** |



| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| **Fabric Movable Above/Below Screens** | | | | | | | | | | |
| 27"H x 42"W | **HUSFABM2742** | 12.9 | 2.9 | **$1195** | **$65** | **$130** | **$194** | **$281** | **$366** | **$453** |
| 27"H x 46"W | **HUSFABM2746** | 13.7 | 3.3 | **$1219** | **$66** | **$133** | **$199** | **$289** | **$375** | **$465** |
| 27"H x 48"W | **HUSFABM2748** | 14.1 | 3.3 | **$1244** | **$68** | **$136** | **$204** | **$296** | **$386** | **$476** |
| 27"H x 52"W | **HUSFABM2752** | 14.8 | 3.7 | **$1270** | **$71** | **$140** | **$210** | **$303** | **$395** | **$489** |
| 27"H x 54"W | **HUSFABM2754** | 15.2 | 3.7 | **$1295** | **$72** | **$143** | **$214** | **$311** | **$404** | **$500** |
| 27"H x 58"W | **HUSFABM2758** | 16.0 | 4.1 | **$1322** | **$75** | **$148** | **$221** | **$319** | **$416** | **$514** |
| 27"H x 60"W | **HUSFABM2760** | 16.3 | 4.1 | **$1349** | **$77** | **$151** | **$226** | **$327** | **$426** | **$528** |
| 27"H x 64"W | **HUSFABM2764** | 17.1 | 4.5 | **$1430** | **$82** | **$162** | **$243** | **$351** | **$458** | **$566** |
| 27"H x 66"W | **HUSFABM2766** | 17.5 | 4.5 | **$1518** | **$87** | **$175** | **$260** | **$377** | **$492** | **$609** |
| 27"H x 70"W | **HUSFABM2770** | 18.2 | 4.9 | **$1613** | **$93** | **$187** | **$280** | **$405** | **$530** | **$655** |
| 27"H x 72"W | **HUSFABM2772** | 18.6 | 4.9 | **$1715** | **$101** | **$201** | **$301** | **$436** | **$568** | **$704** |
| 34"H x 42"W | **HUSFABM3442** | 15.0 | 3.5 | **$1055** | **$56** | **$111** | **$165** | **$238** | **$313** | **$386** |
| 34"H x 46"W | **HUSFABM3446** | 15.9 | 4.0 | **$1075** | **$57** | **$113** | **$169** | **$246** | **$320** | **$395** |
| 34"H x 48"W | **HUSFABM3448** | 16.4 | 4.0 | **$1096** | **$58** | **$116** | **$174** | **$252** | **$327** | **$405** |
| 34"H x 52"W | **HUSFABM3452** | 17.4 | 4.5 | **$1222** | **$67** | **$133** | **$200** | **$289** | **$376** | **$466** |
| 34"H x 54"W | **HUSFABM3454** | 17.9 | 4.5 | **$1367** | **$78** | **$154** | **$229** | **$332** | **$434** | **$536** |
| 34"H x 58"W | **HUSFABM3458** | 18.8 | 5.0 | **$1425** | **$81** | **$161** | **$242** | **$350** | **$457** | **$564** |
| 34"H x 60"W | **HUSFABM3460** | 19.3 | 5.0 | **$1483** | **$85** | **$169** | **$253** | **$367** | **$477** | **$592** |
| 34"H x 64"W | **HUSFABM3464** | 20.2 | 5.5 | **$1531** | **$88** | **$176** | **$263** | **$381** | **$497** | **$614** |
| 34"H x 66"W | **HUSFABM3466** | 20.7 | 5.5 | **$1595** | **$92** | **$185** | **$277** | **$400** | **$522** | **$645** |
| 34"H x 70"W | **HUSFABM3470** | 21.7 | 6.0 | **$1606** | **$93** | **$186** | **$279** | **$403** | **$526** | **$651** |
| 34"H x 72"W | **HUSFABM3472** | 22.1 | 6.0 | **$1706** | **$100** | **$200** | **$299** | **$434** | **$565** | **$700** |

## HOW TO SPECIFY

**Select Model Number**

H U S F A B F 2 7 4 2 .

**Select Fabric**

See pages 656-657

N B L E 1 8 .

**Select Bracket Paint**


See page 657


P 7 1


OPEN MARKET

Icon Legend on page 19

# UNIVERSAL SCREENS
## Fabric Screens







| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE | UPCHARGE BY FABRIC GRADE B | C | D | E | F | G |
|---|---|---|---|---|---|---|---|---|---|---|
| **Fabric Sit-on-Surface Screens — Undersized** | | | | | | | | | | |
| 13″H x 22″W | **HUSFSOS1322** | 6.8 | 0.8 | **$751** | **$34** | **$67** | **$101** | **$147** | **$190** | **$235** |
| 13″H x 28″W | **HUSFSOS1328** | 7.4 | 1.0 | **$776** | **$37** | **$71** | **$107** | **$154** | **$200** | **$248** |
| 13″H x 34″W | **HUSFSOS1334** | 7.9 | 1.2 | **$815** | **$39** | **$77** | **$114** | **$165** | **$215** | **$267** |
| 20″H x 22″W | **HUSFSOS2022** | 7.9 | 1.2 | **$851** | **$41** | **$82** | **$122** | **$177** | **$230** | **$284** |
| 20″H x 28″W | **HUSFSOS2028** | 8.7 | 1.5 | **$882** | **$43** | **$86** | **$128** | **$185** | **$243** | **$299** |
| 20″H x 34″W | **HUSFSOS2034** | 9.5 | 1.9 | **$945** | **$47** | **$94** | **$141** | **$204** | **$266** | **$329** |
| **Fabric Modesty Screens — True to Size** | | | | | | | | | | |
| 13″H x 30″W | **HUSFMOD1330** | 3.1 | 0.9 | **$926** | **$44** | **$87** | **$131** | **$189** | **$247** | **$304** |
| 13″H x 36″W | **HUSFMOD1336** | 3.7 | 1.1 | **$959** | **$46** | **$92** | **$137** | **$199** | **$259** | **$321** |
| 13″H x 42″W | **HUSFMOD1342** | 4.4 | 1.3 | **$976** | **$47** | **$94** | **$141** | **$204** | **$266** | **$329** |
| 13″H x 48″W | **HUSFMOD1348** | 5.0 | 1.5 | **$1011** | **$51** | **$99** | **$149** | **$214** | **$280** | **$346** |
| 13″H x 54″W | **HUSFMOD1354** | 5.6 | 1.7 | **$1056** | **$54** | **$106** | **$158** | **$228** | **$297** | **$368** |
| 13″H x 60″W | **HUSFMOD1360** | 6.2 | 1.9 | **$1102** | **$56** | **$112** | **$166** | **$243** | **$316** | **$390** |
| 13″H x 66″W | **HUSFMOD1366** | 6.9 | 2.1 | **$1185** | **$62** | **$124** | **$184** | **$267** | **$348** | **$430** |
| 13″H x 72″W | **HUSFMOD1372** | 7.5 | 2.3 | **$1275** | **$68** | **$135** | **$203** | **$294** | **$383** | **$473** |
| **Fabric Top Mount Screens** | | | | | | | | | | |
| 13″H x 20″W | **HUSFTPM1320** | 6.7 | 0.8 | **$764** | **$33** | **$65** | **$99** | **$142** | **$186** | **$229** |
| 13″H x 22″W | **HUSFTPM1322** | 6.8 | 0.8 | **$777** | **$34** | **$67** | **$101** | **$147** | **$190** | **$235** |
| 13″H x 24″W | **HUSFTPM1324** | 7.0 | 0.8 | **$789** | **$36** | **$70** | **$105** | **$150** | **$196** | **$243** |
| 13″H x 28″W | **HUSFTPM1328** | 7.4 | 1.0 | **$802** | **$37** | **$71** | **$107** | **$154** | **$200** | **$248** |
| 13″H x 30″W | **HUSFTPM1330** | 7.5 | 1.0 | **$814** | **$37** | **$74** | **$109** | **$157** | **$205** | **$254** |
| 13″H x 36″W | **HUSFTPM1336** | 7.9 | 1.0 | **$869** | **$41** | **$81** | **$120** | **$175** | **$227** | **$280** |
| 20″H x 20″W | **HUSFTPM2020** | 7.7 | 2.4 | **$863** | **$41** | **$80** | **$119** | **$173** | **$224** | **$277** |
| 20″H x 22″W | **HUSFTPM2022** | 7.9 | 1.2 | **$877** | **$41** | **$82** | **$122** | **$177** | **$230** | **$284** |
| 20″H x 24″W | **HUSFTPM2024** | 8.2 | 1.3 | **$892** | **$42** | **$84** | **$125** | **$181** | **$235** | **$292** |
| 20″H x 28″W | **HUSFTPM2028** | 8.7 | 1.5 | **$908** | **$43** | **$86** | **$128** | **$185** | **$243** | **$299** |
| 20″H x 30″W | **HUSFTPM2030** | 9.0 | 1.6 | **$938** | **$45** | **$90** | **$134** | **$195** | **$254** | **$314** |
| 20″H x 36″W | **HUSFTPM2036** | 9.5 | 1.9 | **$1004** | **$51** | **$99** | **$149** | **$214** | **$280** | **$346** |



## HOW TO SPECIFY

**Select Model Number**

H U S F S O S 1 3 2 2 .

**Select Fabric**

See pages 656-657

N B L E 1 8 .

**Select Bracket Paint**


See page 657

P 7 1

# UNIVERSAL SCREENS
## Glass Screens

OPEN MARKET

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | CLEAR GLASS | FROSTED GLASS |
|---|---|---|---|---|---|
| **Glass Side Mount Screens** | | | | | |
| 13″H x 20″W | **HUSGFSM1320** | 13.2 | 1.2 | **$838** | **$894** |
| 13″H x 22″W | **HUSGFSM1322** | 14.0 | 1.2 | **$868** | **$927** |
| 13″H x 24″W | **HUSGFSM1324** | 14.8 | 1.2 | **$882** | **$942** |
| 13″H x 28″W | **HUSGFSM1328** | 16.4 | 1.4 | **$898** | **$960** |
| 13″H x 30″W | **HUSGFSM1330** | 17.2 | 1.5 | **$915** | **$978** |
| 13″H x 36″W | **HUSGFSM1336** | 19.7 | 1.7 | **$984** | **$1055** |
| 13″H x 42″W | **HUSGFSM1342** | 22.1 | 2.0 | **$1006** | **$1080** |
| 13″H x 46″W | **HUSGFSM1346** | 23.8 | 2.2 | **$1032** | **$1109** |
| 13″H x 48″W | **HUSGFSM1348** | 24.6 | 2.2 | **$1042** | **$1119** |
| 13″H x 52″W | **HUSGFSM1352** | 26.2 | 2.5 | **$1071** | **$1151** |
| 13″H x 54″W | **HUSGFSM1354** | 27.0 | 2.5 | **$1081** | **$1162** |
| 13″H x 58″W | **HUSGFSM1358** | 28.7 | 2.7 | **$1111** | **$1195** |
| 13″H x 60″W | **HUSGFSM1360** | 29.5 | 2.7 | **$1121** | **$1206** |
| 13″H x 64″W | **HUSGFSM1364** | 31.1 | 3.0 | **$1158** | **$1247** |
| 13″H x 66″W | **HUSGFSM1366** | 31.9 | 3.0 | **$1168** | **$1257** |
| 13″H x 70″W | **HUSGFSM1370** | 33.6 | 3.2 | **$1196** | **$1288** |
| 13″H x 72″W | **HUSGFSM1372** | 34.4 | 3.2 | **$1207** | **$1300** |
| 20″H x 20″W | **HUSGFSM2020** | 17.9 | 1.6 | **$894** | **$955** |
| 20″H x 22″W | **HUSGFSM2022** | 19.2 | 1.6 | **$924** | **$988** |
| 20″H x 24″W | **HUSGFSM2024** | 20.5 | 1.8 | **$940** | **$1006** |
| 20″H x 28″W | **HUSGFSM2028** | 23.1 | 2.0 | **$958** | **$1025** |
| 20″H x 30″W | **HUSGFSM2030** | 24.4 | 2.1 | **$976** | **$1046** |
| 20″H x 36″W | **HUSGFSM2036** | 28.3 | 2.5 | **$1096** | **$1179** |
| 20″H x 42″W | **HUSGFSM2042** | 32.1 | 2.8 | **$1159** | **$1248** |
| 20″H x 46″W | **HUSGFSM2046** | 34.7 | 3.2 | **$1186** | **$1277** |
| 20″H x 48″W | **HUSGFSM2048** | 36.0 | 3.2 | **$1195** | **$1287** |
| 20″H x 52″W | **HUSGFSM2052** | 38.6 | 3.6 | **$1242** | **$1340** |
| 20″H x 54″W | **HUSGFSM2054** | 39.9 | 3.6 | **$1252** | **$1350** |
| 20″H x 58″W | **HUSGFSM2058** | 42.5 | 3.9 | **$1289** | **$1391** |
| 20″H x 60″W | **HUSGFSM2060** | 43.8 | 3.9 | **$1299** | **$1402** |
| 20″H x 64″W | **HUSGFSM2064** | 46.3 | 4.3 | **$1360** | **$1470** |
| 20″H x 66″W | **HUSGFSM2066** | 47.6 | 4.3 | **$1369** | **$1480** |
| 20″H x 70″W | **HUSGFSM2070** | 50.2 | 4.7 | **$1415** | **$1530** |
| 20″H x 72″W | **HUSGFSM2072** | 51.5 | 4.7 | **$1426** | **$1542** |

**NOTES:**

! Glass screens cannot be used with height adjustable tables.

## HOW TO SPECIFY

**Select Model Number**

H U S G F S M 1 3 2 0 .

**Select Glass**

**Q** Clear Glass
**R** Frosted Glass

Q .

**Select Bracket Paint**


See page 657


P 7 1

OPEN MARKET

Icon Legend on page 19

# UNIVERSAL SCREENS
## Glass Screens





| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | CLEAR GLASS | FROSTED GLASS |
|---|---|---|---|---|---|
| **Glass Front-to-Back Screens** | | | | | |
| 13″H x 20″W | **HUSGLAT1320** | 13.2 | 1.2 | **$839** | **$895** |
| 13″H x 22″W | **HUSGLAT1322** | 14.0 | 1.2 | **$869** | **$928** |
| 13″H x 24″W | **HUSGLAT1324** | 14.8 | 1.2 | **$883** | **$943** |
| 13″H x 28″W | **HUSGLAT1328** | 16.4 | 1.4 | **$899** | **$961** |
| 13″H x 30″W | **HUSGLAT1330** | 17.2 | 1.5 | **$916** | **$979** |
| 13″H x 36″W | **HUSGLAT1336** | 19.7 | 1.7 | **$985** | **$1056** |
| 20″H x 20″W | **HUSGLAT2020** | 17.9 | 1.6 | **$895** | **$956** |
| 20″H x 22″W | **HUSGLAT2022** | 19.2 | 1.6 | **$925** | **$989** |
| 20″H x 24″W | **HUSGLAT2024** | 20.5 | 1.8 | **$941** | **$1007** |
| 20″H x 28″W | **HUSGLAT2028** | 23.1 | 2.0 | **$959** | **$1026** |
| 20″H x 30″W | **HUSGLAT2030** | 24.4 | 2.5 | **$977** | **$1047** |
| 20″H x 36″W | **HUSGLAT2036** | 28.3 | 2.5 | **$1097** | **$1180** |
| **Glass Up Mount Screens** | | | | | |
| 13″H x 36″W | **HUSGUPM1336** | 18.5 | 1.7 | **$963** | **$1033** |
| 13″H x 42″W | **HUSGUPM1342** | 20.7 | 2.0 | **$986** | **$1058** |
| 13″H x 46″W | **HUSGUPM1346** | 22.2 | 2.2 | **$1011** | **$1087** |
| 13″H x 48″W | **HUSGUPM1348** | 23.0 | 2.2 | **$1020** | **$1097** |
| 13″H x 52″W | **HUSGUPM1352** | 24.4 | 2.5 | **$1049** | **$1128** |
| 13″H x 54″W | **HUSGUPM1354** | 25.2 | 2.5 | **$1059** | **$1139** |
| 13″H x 58″W | **HUSGUPM1358** | 26.7 | 2.7 | **$1089** | **$1172** |
| 13″H x 60″W | **HUSGUPM1360** | 27.4 | 2.7 | **$1099** | **$1183** |
| 13″H x 64″W | **HUSGUPM1364** | 28.9 | 3.0 | **$1135** | **$1223** |
| 13″H x 66″W | **HUSGUPM1366** | 29.7 | 3.0 | **$1145** | **$1234** |
| 13″H x 70″W | **HUSGUPM1370** | 31.2 | 3.2 | **$1174** | **$1265** |
| 13″H x 72″W | **HUSGUPM1372** | 31.9 | 3.2 | **$1183** | **$1275** |
| 20″H x 36″W | **HUSGUPM2036** | 27.0 | 2.5 | **$1028** | **$1105** |
| 20″H x 42″W | **HUSGUPM2042** | 30.7 | 2.8 | **$1053** | **$1133** |
| 20″H x 46″W | **HUSGUPM2046** | 33.2 | 3.2 | **$1081** | **$1164** |
| 20″H x 48″W | **HUSGUPM2048** | 34.4 | 3.2 | **$1092** | **$1176** |
| 20″H x 52″W | **HUSGUPM2052** | 36.8 | 3.6 | **$1122** | **$1208** |
| 20″H x 54″W | **HUSGUPM2054** | 38.0 | 3.6 | **$1134** | **$1222** |
| 20″H x 58″W | **HUSGUPM2058** | 40.5 | 3.9 | **$1166** | **$1257** |
| 20″H x 60″W | **HUSGUPM2060** | 41.7 | 3.9 | **$1178** | **$1270** |
| 20″H x 64″W | **HUSGUPM2064** | 44.2 | 4.3 | **$1218** | **$1315** |
| 20″H x 66″W | **HUSGUPM2066** | 45.4 | 4.3 | **$1228** | **$1326** |
| 20″H x 70″W | **HUSGUPM2070** | 47.8 | 4.7 | **$1259** | **$1359** |
| 20″H x 72″W | **HUSGUPM2072** | 49.1 | 4.7 | **$1269** | **$1370** |

**NOTES:**

! Glass screens cannot be used with height adjustable tables.



## HOW TO SPECIFY

**Select Model Number**

H U S G U P M 1 3 3 6 .

**Select Glass**

**Q** Clear Glass
**R** Frosted Glass

Q .

**Select Bracket Paint**


See page 657

P 7 1

# UNIVERSAL SCREENS
## Acrylic Screens

OPEN MARKET

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Acrylic Side Mount Screens** | | | | | | |
| 13″H x 20″W | **HUSAFSM1320** | 8.6 | 1.9 | **$627** | **$643** | **$659** |
| 13″H x 22″W | **HUSAFSM1322** | 9.0 | 1.9 | **$678** | **$694** | **$710** |
| 13″H x 24″W | **HUSAFSM1324** | 9.3 | 2.0 | **$689** | **$705** | **$721** |
| 13″H x 28″W | **HUSAFSM1328** | 10.0 | 2.2 | **$731** | **$747** | **$763** |
| 13″H x 30″W | **HUSAFSM1330** | 10.4 | 2.5 | **$789** | **$805** | **$821** |
| 13″H x 36″W | **HUSAFSM1336** | 11.5 | 2.9 | **$801** | **$817** | **$833** |
| 13″H x 42″W | **HUSAFSM1342** | 12.6 | 3.3 | **$971** | **$987** | **$1003** |
| 13″H x 46″W | **HUSAFSM1346** | 13.3 | 3.8 | **$983** | **$999** | **$1015** |
| 13″H x 48″W | **HUSAFSM1348** | 13.6 | 3.8 | **$993** | **$1009** | **$1025** |
| 13″H x 52″W | **HUSAFSM1352** | 14.4 | 4.2 | **$1113** | **$1129** | **$1145** |
| 13″H x 54″W | **HUSAFSM1354** | 14.7 | 4.2 | **$1135** | **$1151** | **$1167** |
| 13″H x 58″W | **HUSAFSM1358** | 15.4 | 4.6 | **$1141** | **$1157** | **$1173** |
| 13″H x 60″W | **HUSAFSM1360** | 15.8 | 4.6 | **$1147** | **$1163** | **$1179** |
| 13″H x 64″W | **HUSAFSM1364** | 16.5 | 5.1 | **$1277** | **$1293** | **$1309** |
| 13″H x 66″W | **HUSAFSM1366** | 16.9 | 5.1 | **$1288** | **$1304** | **$1320** |
| 13″H x 70″W | **HUSAFSM1370** | 17.6 | 5.5 | **$1294** | **$1310** | **$1326** |
| 13″H x 72″W | **HUSAFSM1372** | 18.0 | 5.5 | **$1299** | **$1315** | **$1331** |
| 20″H x 20″W | **HUSAFSM2020** | 10.7 | 2.7 | **$747** | **$763** | **$779** |
| 20″H x 22″W | **HUSAFSM2022** | 11.3 | 2.7 | **$811** | **$827** | **$843** |
| 20″H x 24″W | **HUSAFSM2024** | 11.8 | 2.9 | **$888** | **$904** | **$920** |
| 20″H x 28″W | **HUSAFSM2028** | 13.0 | 3.3 | **$962** | **$978** | **$994** |
| 20″H x 30″W | **HUSAFSM2030** | 13.6 | 3.6 | **$972** | **$988** | **$1004** |
| 20″H x 36″W | **HUSAFSM2036** | 15.3 | 4.2 | **$1175** | **$1191** | **$1207** |
| 20″H x 42″W | **HUSAFSM2042** | 17.0 | 4.9 | **$1473** | **$1489** | **$1505** |
| 20″H x 46″W | **HUSAFSM2046** | 18.1 | 5.5 | **$1478** | **$1494** | **$1510** |
| 20″H x 48″W | **HUSAFSM2048** | 18.7 | 5.5 | **$1485** | **$1501** | **$1517** |
| 20″H x 52″W | **HUSAFSM2052** | 19.8 | 6.2 | **$1490** | **$1506** | **$1522** |
| 20″H x 54″W | **HUSAFSM2054** | 20.4 | 6.2 | **$1760** | **$1776** | **$1792** |
| 20″H x 58″W | **HUSAFSM2058** | 21.5 | 6.8 | **$1770** | **$1786** | **$1802** |
| 20″H x 60″W | **HUSAFSM2060** | 22.1 | 6.8 | **$1782** | **$1798** | **$1814** |
| 20″H x 64″W | **HUSAFSM2064** | 23.2 | 7.5 | **$2041** | **$2057** | **$2073** |
| 20″H x 66″W | **HUSAFSM2066** | 23.8 | 7.5 | **$2047** | **$2063** | **$2079** |
| 20″H x 70″W | **HUSAFSM2070** | 25.0 | 8.1 | **$2052** | **$2068** | **$2084** |
| 20″H x 72″W | **HUSAFSM2072** | 25.5 | 8.1 | **$2057** | **$2073** | **$2089** |



## HOW TO SPECIFY

**Select Model Number**

H U S A F S M 1 3 2 0 .

**Select Bracket Paint**


See page 657

P 7 1


OPEN MARKET

Icon Legend on page 19

# UNIVERSAL SCREENS
## Acrylic Screens



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Acrylic Front-to-Back Screens** | | | | | | |
| 13″H x 20″W | **HUSALAT1320** | 8.6 | 1.9 | **$628** | **$644** | **$660** |
| 13″H x 22″W | **HUSALAT1322** | 9.0 | 1.9 | **$679** | **$695** | **$711** |
| 13″H x 24″W | **HUSALAT1324** | 9.3 | 2.0 | **$690** | **$706** | **$722** |
| 13″H x 28″W | **HUSALAT1328** | 10.0 | 2.2 | **$732** | **$748** | **$764** |
| 13″H x 30″W | **HUSALAT1330** | 10.4 | 2.5 | **$790** | **$806** | **$822** |
| 13″H x 36″W | **HUSALAT1336** | 11.5 | 2.9 | **$802** | **$818** | **$834** |
| 20″H x 20″W | **HUSALAT2020** | 10.7 | 2.7 | **$748** | **$764** | **$780** |
| 20″H x 22″W | **HUSALAT2022** | 11.3 | 2.7 | **$812** | **$828** | **$844** |
| 20″H x 24″W | **HUSALAT2024** | 11.8 | 2.9 | **$889** | **$905** | **$921** |
| 20″H x 28″W | **HUSALAT2028** | 13.0 | 3.3 | **$963** | **$979** | **$995** |
| 20″H x 30″W | **HUSALAT2030** | 13.6 | 3.6 | **$973** | **$989** | **$1005** |
| 20″H x 36″W | **HUSALAT2036** | 15.3 | 4.2 | **$1176** | **$1192** | **$1208** |



| | | | | | | |
|---|---|---|---|---|---|---|
| **Acrylic Up Mount Screens** | | | | | | |
| 13″H x 36″W | **HUSAUPM1336** | 10.9 | 2.9 | **$736** | **$752** | **$766** |
| 13″H x 42″W | **HUSAUPM1342** | 11.9 | 3.3 | **$874** | **$890** | **$904** |
| 13″H x 46″W | **HUSAUPM1346** | 12.6 | 3.8 | **$885** | **$901** | **$915** |
| 13″H x 48″W | **HUSAUPM1348** | 12.9 | 3.8 | **$896** | **$912** | **$926** |
| 13″H x 52″W | **HUSAUPM1352** | 13.6 | 4.2 | **$1017** | **$1033** | **$1047** |
| 13″H x 54″W | **HUSAUPM1354** | 13.9 | 4.2 | **$1029** | **$1045** | **$1059** |
| 13″H x 58″W | **HUSAUPM1358** | 14.6 | 4.6 | **$1039** | **$1055** | **$1069** |
| 13″H x 60″W | **HUSAUPM1360** | 14.9 | 4.6 | **$1051** | **$1067** | **$1081** |
| 13″H x 64″W | **HUSAUPM1364** | 15.6 | 5.1 | **$1161** | **$1177** | **$1191** |
| 13″H x 66″W | **HUSAUPM1366** | 15.9 | 5.1 | **$1172** | **$1188** | **$1202** |
| 13″H x 70″W | **HUSAUPM1370** | 16.6 | 5.5 | **$1183** | **$1199** | **$1213** |
| 13″H x 72″W | **HUSAUPM1372** | 16.9 | 5.5 | **$1194** | **$1210** | **$1224** |
| 20″H x 36″W | **HUSAUPM2036** | 14.7 | 4.2 | **$997** | **$1013** | **$1027** |
| 20″H x 42″W | **HUSAUPM2042** | 16.3 | 4.9 | **$1225** | **$1241** | **$1255** |
| 20″H x 46″W | **HUSAUPM2046** | 17.4 | 5.5 | **$1237** | **$1253** | **$1267** |
| 20″H x 48″W | **HUSAUPM2048** | 18.0 | 5.5 | **$1247** | **$1263** | **$1277** |
| 20″H x 52″W | **HUSAUPM2052** | 19.0 | 6.2 | **$1454** | **$1470** | **$1484** |
| 20″H x 54″W | **HUSAUPM2054** | 19.6 | 6.2 | **$1466** | **$1482** | **$1496** |
| 20″H x 58″W | **HUSAUPM2058** | 20.7 | 6.8 | **$1477** | **$1493** | **$1507** |
| 20″H x 60″W | **HUSAUPM2060** | 21.2 | 6.8 | **$1488** | **$1504** | **$1518** |
| 20″H x 64″W | **HUSAUPM2064** | 22.3 | 7.5 | **$1684** | **$1700** | **$1714** |
| 20″H x 66″W | **HUSAUPM2066** | 22.8 | 7.5 | **$1694** | **$1710** | **$1724** |
| 20″H x 70″W | **HUSAUPM2070** | 23.9 | 8.1 | **$1716** | **$1732** | **$1746** |
| 20″H x 72″W | **HUSAUPM2072** | 24.4 | 8.1 | **$1728** | **$1744** | **$1758** |



## HOW TO SPECIFY

**Select Model Number**

H U S A L A T 1 3 2 0 .

**Select Bracket Paint**

See page 657





P 7 1

# UNIVERSAL SCREENS
## Acrylic Screens

OPEN MARKET

Icon Legend on page 19



| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Acrylic Fixed Above/Below Screens** | | | | | | |
| | 27″H x 46″W | **HUSAABF2746** | 19.9 | 7.2 | **$1543** | **$1559** | **$1589** |
| | 27″H x 48″W | **HUSAABF2748** | 20.7 | 7.2 | **$1595** | **$1611** | **$1641** |
| | 27″H x 52″W | **HUSAABF2752** | 22.5 | 8.0 | **$1846** | **$1862** | **$1892** |
| | 27″H x 54″W | **HUSAABF2754** | 23.3 | 8.0 | **$1770** | **$1786** | **$1816** |
| | 27″H x 58″W | **HUSAABF2758** | 25.1 | 8.9 | **$1871** | **$1887** | **$1917** |
| | 27″H x 60″W | **HUSAABF2760** | 25.9 | 8.9 | **$1923** | **$1939** | **$1969** |
| | 27″H x 64″W | **HUSAABF2764** | 27.6 | 9.8 | **$2161** | **$2177** | **$2207** |
| | 27″H x 66″W | **HUSAABF2766** | 28.5 | 9.8 | **$2061** | **$2077** | **$2107** |
| | 27″H x 70″W | **HUSAABF2770** | 30.2 | 10.6 | **$2173** | **$2189** | **$2219** |
| | 27″H x 72″W | **HUSAABF2772** | 31.1 | 10.6 | **$2225** | **$2241** | **$2271** |
|  | **Acrylic Sit-on-Surface Screens** | | | | | | |
| | 13″H x 22″W | **HUSASOS1322** | 7.6 | 1.9 | **$653** | **$668** | **$682** |
| | 13″H x 28″W | **HUSASOS1328** | 8.4 | 2.5 | **$706** | **$721** | **$735** |
| | 13″H x 34″W | **HUSASOS1334** | 9.1 | 2.9 | **$766** | **$781** | **$795** |
| | 20″H x 22″W | **HUSASOS2022** | 9.2 | 2.7 | **$786** | **$801** | **$815** |
| | 20″H x 28″W | **HUSASOS2028** | 10.3 | 3.3 | **$937** | **$952** | **$966** |
| | 20″H x 34″W | **HUSASOS2034** | 11.5 | 4.2 | **$1140** | **$1155** | **$1169** |
|  | **Acrylic Modesty Screens** | | | | | | |
| | 13″H x 30″W | **HUSAMOD1330** | 10.9 | 2.5 | **$570** | **$579** | **$587** |
| | 13″H x 36″W | **HUSAMOD1336** | 12.0 | 2.9 | **$652** | **$661** | **$669** |
| | 13″H x 42″W | **HUSAMOD1342** | 13.2 | 3.3 | **$822** | **$831** | **$839** |
| | 13″H x 48″W | **HUSAMOD1348** | 14.4 | 3.8 | **$844** | **$853** | **$861** |
| | 13″H x 54″W | **HUSAMOD1354** | 15.5 | 4.2 | **$986** | **$995** | **$1003** |
| | 13″H x 60″W | **HUSAMOD1360** | 16.7 | 4.6 | **$1008** | **$1017** | **$1025** |
| | 13″H x 66″W | **HUSAMOD1366** | 17.9 | 5.1 | **$1139** | **$1148** | **$1156** |
| | 13″H x 72″W | **HUSAMOD1372** | 19.0 | 5.5 | **$1161** | **$1170** | **$1178** |
|  | **Acrylic Top Mount Screens** | | | | | | |
| | 13″H x 20″W | **HUSATPM1320** | 8.6 | 1.9 | **$628** | **$644** | **$660** |
| | 13″H x 22″W | **HUSATPM1322** | 9.0 | 1.9 | **$679** | **$695** | **$711** |
| | 13″H x 24″W | **HUSATPM1324** | 9.3 | 2.0 | **$690** | **$706** | **$722** |
| | 13″H x 28″W | **HUSATPM1328** | 10.0 | 2.2 | **$732** | **$748** | **$764** |
| | 13″H x 30″W | **HUSATPM1330** | 10.4 | 2.5 | **$790** | **$806** | **$822** |
| | 13″H x 36″W | **HUSATPM1336** | 11.5 | 2.9 | **$802** | **$818** | **$834** |
| | 20″H x 20″W | **HUSATPM2020** | 10.7 | 2.7 | **$748** | **$764** | **$780** |
| | 20″H x 22″W | **HUSATPM2022** | 11.3 | 2.7 | **$812** | **$828** | **$844** |
| | 20″H x 24″W | **HUSATPM2024** | 11.8 | 2.9 | **$889** | **$905** | **$921** |
| | 20″H x 28″W | **HUSATPM2028** | 13.0 | 3.3 | **$963** | **$979** | **$995** |
| | 20″H x 30″W | **HUSATPM2030** | 13.6 | 3.6 | **$973** | **$989** | **$1005** |
| | 20″H x 36″W | **HUSATPM2036** | 15.3 | 4.2 | **$1176** | **$1192** | **$1208** |

## HOW TO SPECIFY

**Select Model Number**

H U S A A B F 2 7 4 8 .

**Select Bracket Paint**



See page 657

P 7 1

OPEN MARKET

Icon Legend on page 19

# UNIVERSAL SCREENS
## Laminate Screens

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Laminate Fixed Above/Below Screens** | | | | | |
| | 27"H x 46"W | **HUSLABF2746** | 27.3 | 3.7 | **$951** | **$989** |
| | 27"H x 48"W | **HUSLABF2748** | 28.5 | 3.8 | **$983** | **$1023** |
| | 27"H x 52"W | **HUSLABF2752** | 30.9 | 4.1 | **$1018** | **$1060** |
| | 27"H x 54"W | **HUSLABF2754** | 32.1 | 4.2 | **$1153** | **$1203** |
| | 27"H x 58"W | **HUSLABF2758** | 34.5 | 4.5 | **$1196** | **$1248** |
| | 27"H x 60"W | **HUSLABF2760** | 35.6 | 4.7 | **$1242** | **$1297** |
| | 27"H x 64"W | **HUSLABF2764** | 38.0 | 5.0 | **$1289** | **$1346** |
| | 27"H x 66"W | **HUSLABF2766** | 39.2 | 5.1 | **$1338** | **$1398** |
| | 27"H x 70"W | **HUSLABF2770** | 41.6 | 5.4 | **$1391** | **$1453** |
| | 27"H x 72"W | **HUSLABF2772** | 42.8 | 5.6 | **$1445** | **$1510** |
|  | **Laminate Modesty Screens** | | | | | |
| | 13"H x 30"W | **HUSLMOD1330** | 8.6 | 1.4 | **$606** | **$624** |
| | 13"H x 36"W | **HUSLMOD1336** | 10.3 | 1.6 | **$619** | **$638** |
| | 13"H x 42"W | **HUSLMOD1342** | 12.0 | 1.9 | **$633** | **$653** |
| | 13"H x 48"W | **HUSLMOD1348** | 13.7 | 2.1 | **$646** | **$666** |
| | 13"H x 54"W | **HUSLMOD1354** | 15.4 | 2.3 | **$753** | **$780** |
| | 13"H x 60"W | **HUSLMOD1360** | 17.2 | 2.6 | **$767** | **$795** |
| | 13"H x 66"W | **HUSLMOD1366** | 18.9 | 2.8 | **$886** | **$920** |
| | 13"H x 72"W | **HUSLMOD1372** | 20.6 | 3.1 | **$898** | **$934** |

**NOTES:**

! Laminate Fixed Above/Below Screens cannot be used with height adjustable tables unless paired with Fuse™ undermount pedestal.



## HOW TO SPECIFY

**Select Model Number**

H U S L A B F 2 7 4 6 .

**Select Laminate**

See page 657

L W F E .

**Select Bracket Paint**

See page 657

P 7 1 .


**Select Edge Color**

See page 657

# UNIVERSAL SCREENS
## Metal Screens

OPEN MARKET

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Metal Lateral Organizer Screens** | | | | | | |
| 13″H x 20″W, Left Handed | **HUSMSOS1320L** | 7 | 1.2 | **$521** | **$537** | **$552** |
| 13″H x 20″W, Right Handed | **HUSMSOS1320R** | 7 | 1.2 | **$521** | **$537** | **$552** |
| 13″H x 26″W, Left Handed | **HUSMSOS1326L** | 10 | 1.5 | **$567** | **$583** | **$598** |
| 13″H x 26″W, Right Handed | **HUSMSOS1326R** | 10 | 1.5 | **$567** | **$583** | **$598** |
| 20″H x 20″W, Left Handed | **HUSMSOS2020L** | 10 | 1.0 | **$573** | **$589** | **$604** |
| 20″H x 20″W, Right Handed | **HUSMSOS2020R** | 10 | 1.0 | **$573** | **$589** | **$604** |
| 20″H x 26″W, Left Handed | **HUSMSOS2026L** | 13 | 1.2 | **$624** | **$640** | **$655** |
| 20″H x 26″W, Right Handed | **HUSMSOS2026R** | 13 | 1.2 | **$624** | **$640** | **$655** |

**NOTES:**
- Clamps to back edge of worksurface at 13″H and 20″H.
- Screen is designed to sit back from front edge of worksurface.
- Space for folders is 1½″ and holds approximately 340 sheets of paper.
- Folder storage is one-sided — LH and RH options available.



## HOW TO SPECIFY

**Select Model Number**

H U S M S O S 1 3 2 0 L .

**Select Paint Color**





See page 657

P 7 1

GSA SIN AS NOTED

Icon Legend on page 19

# CORE REMOVABLE LOCK KITS

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  SIN 33721 | **Chrome Removable Lock Core Kit (for metal casegoods)**<br>• **Use when specifying omit lock application.**<br>• Specify quantity of each key number from 101E-225E.<br>• Includes: 1-core, 2-keys, 1-core removal tool and instructions.<br>• Removable lock core kits with specific key number must be ordered to facilitate keying alike in the field.<br>• For specific models, look for the Omit Lock Core icon throughout this publication.<br>NOTES: If key number isn't specified, number will be at random. Core matches manufactured lock on metal casegoods product but can be used with Contain® and laminate product. When purchased separately without a configurable TAA compliant end product, not on GSA contract. | **HF23C** | 0.1 S | 0.1 | **$65** |
|  SIN 33721 | **Satin Removable Lock Core Kit (for metal and laminate casegoods)**<br>• **Use when specifying omit lock application.**<br>• Specify quantity of each key number from 101E-225E.<br>• Includes: 1-core, 2-keys, 1-core removal tool and instructions.<br>• Removable lock core kits with specific key number must be ordered to facilitate keying alike in the field.<br>• For specific models, look for the Omit Lock Core icon throughout this publication.<br>NOTES: If key number isn't specified, number will be at random. Core matches manufactured lock on metal casegoods product but can be used with metal casegoods and laminate product. For laminate stack-on and wall mounted storage models with locks, use HF27S. When purchased separately without a configurable TAA compliant end product, not on GSA contract. | **HF23S** | 0.1 S | 0.1 | **$63** |
|  SIN 33721 | **Black Removable Lock Core Kit (for laminate products)**<br>Specify quantity of each key number from 101E-225E.<br>Includes: 1-core, 2-keys, 1-core removal tool, and instructions.<br>NOTES: If key number isn't specified, number will be at random. Core matches manufactured lock on laminate product but can be used with metal casegoods product. For laminate stack-on and wall mounted storage models with locks, use HF27B. When purchased separately without a configurable TAA compliant end product, not on GSA contract. | **HF23B** | 0.1 S | 0.1 | **$46** |
|  SIN 33721 | **Removable Lock Core Kit**<br>Black<br>Satin<br>• For stack-on and wall mounted storage laminate models (with locks) in 10500, 10700, Valido, Voi, Concinnity, and 94000 Series.<br>• Specify quantity of each key number from 101E to 225E.<br>• Includes: 1-core, 2-keys, 1-core removal tool, and instructions.<br>NOTES: If key number isn't specified, number will be at random. When purchased separately without a configurable TAA compliant end product, not on GSA contract. | **HF27B**<br>**HF27S** | 0.2<br>0.2 | 0.02<br>0.02 | **$46**<br>**$46** |
|  OPEN MARKET | **Master Key (one key)**<br>Will open all HON product with HON "One Key" interchangeable core removable locks. Available to authorized dealers only. Will open HF23B, HF23C, HF23S, HF24, HF27B, and HF27S locks numbered 101E-225E. Will open old HON style MB series locks. | **HF22** | 0.1 S | 0.1 | **$41** |
|   OPEN MARKET | **Chrome Core Removable Lock Kit for Vertical Files**<br>Field Installable. Specify key number from 101E-225E. Includes: 1-lock with core, 2-keys and attaching linkage.<br>NOTES: If key number isn't specified, number will be at random.<br>**Bulk Package**<br>6 HF24 Lock Kits (Individually shrink wrapped)<br>NOTES: Bulk Package key numbers are at random and cannot be specified. When purchased separately without a configurable TAA compliant end product, not on GSA contract. | **HF24**<br>**HF246** | 0.2 S<br>1.2 S | 0.2<br>0.2 | **$89**<br>**$405** |

ACCESSORIES

**NOTES:**

- HON "One Key" interchangeable core removable locks are standard on most HON products. Look for the HON "One Key" icon.
- Keyed alike cores are listed above.
- If key number is not specified, number will be at random.
- For keyed alike locks:
  - Order standard product which will be shipped with factory installed locks and random numbered cores or omit lock option where offered.
  - Order the appropriate quantity of like numbered cores required for each workstation or keyed area.
  - Simply replace the factory installed cores with the replacement cores after product has been installed.
- To install new core:
  - Lock must be in the unlocked position.
  - Insert core removal key and pull core straight out.
  - Insert new core with core removable key, hold core into lock and withdraw core removal key.
  - Retain original core for future use.
- To provide normal lead times, key numbers cannot be specified on HON products at time of order. This also eliminates need for tagging and tracking each product's lock number during installation.
- Black removable lock core kit used on laminate casegoods.
- Chrome removable lock core kit used on metal casegoods.

ONE KEY

## HOW TO ORDER CORE REMOVABLE LOCK KITS:

Specify: Model Number.X
Key Number
Examples: HF23C.X121E
HF23C.X (Key number not specified)

NOTES: Key orders without numbers specified will be keyed at random.
Numbers 101E-225E are available.

**SAMPLE ORDER:**


| Quantity | Model | Key Code |
|---|---|---|
| 6 | HF23C. | X121E |
| 4 | HF23B. | X121E |
| 5 | HF24. | X121E |
| 1 | HF22. | X |
| 2 | HF24. | X |

# TOUCH-UP PAINT

OPEN MARKET

ABI S

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **1 Touch-up Paint (.6 oz.)** | **HPMARKER1** | 0.1 | 0.1 | **$55** | **$64** | **$75** |
| | NOTES: Touch-up Paint available in P1, P2, and P3 colors. | | | | | | |
|  | **Spray Paint (12 oz.)** | **HSPRAY** | 0.5 | 0.1 | **$55** | **$64** | **$75** |
| | NOTES: Touch-up Paint available in P1, P2, and P3 colors. | | | | | | |
| | ! Designer White Texture (PK7) for use with Solve base only. | | | | | | |

**NOTES:**
- Allows minor repairs in the field.
- Shippable by small package carrier, ground only.
- Must specify color when ordering.



## HOW TO SPECIFY

| Select Model Number | Select Color |
|---|---|
| | See page 676 |
| H P M A R K E R 1 . | P |

# WORKPLACE TOOLS



Flock® Modular Seating with Dean Power Module Under-Surface Mount.

## WORKPLACE TOOLS

Workplace tools provide the finishing touch on any high-performance workspace. From storage options to technological tools and lighting solutions, HON's Workplace Tools deliver organization and efficiency to the office. Workplace Tools put everything you need to be productive within arm's reach, provide easy access to the connectivity you need to be successful and help you keep your workspace neat.













**PRODUCT CATEGORIES**

- Monitor Arms
- Keyboard Trays and Center Drawers
- Paper Management and Organizational Tools
- Task Lights
- Electrical and Power Management Accessories
- Ergonomic and Healthy Workplace Solutions

# WORKPLACE TOOLS ORDERING INFORMATION

## LAMINATE CENTER DRAWERS, LAMINATE PAPER MANAGEMENT MODELS HLVPM1/HLDST1/ HLSL1472LS/HLSL1460LS

| L1 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| ◆ Bourbon Cherry | H |
| ◆ Cognac | COGN |
| ◆ Florence Walnut | LFW1 |
| ◆ Harvest | C |
| ◆ Kingswood Walnut | LKI1 |
| ◆ Mahogany | N |
| ◆ Mocha | MOCH |
| ◆ Natural Maple | D |
| ◆ Pinnacle | PINC |
| ◆ Shaker Cherry | F |
| ◆ Sterling Ash | LSA1 |
| **Solid** | |
| ◆ Black | P |
| ◆ Charcoal | S |
| ◆ Designer White | LDW1 |
| ◆ Loft | LOFT |

| L2 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| ◆ Lowell Ash | LLA1 |
| ◆ Natural Recon | LNR1 |
| ◆ Phantom Ecru | LPE1 |
| ◆ Portico Teak | LPT1 |
| ◆ Skyline Walnut | LSW1 |

## LAMINATE KEYBOARD PLATFORM MODELS H4022/HE4022

| L1 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| ◆ Bourbon Cherry | H |
| ◆ Cognac | COGN |
| ◆ Field Elm | LWFE |
| ◆ Florence Walnut | LFW1 |
| ◆ Harvest | C |
| ◆ Kingswood Walnut | LKI1 |
| ◆ Mahogany | N |
| ◆ Mocha | MOCH |
| ◆ Natural Maple | D |
| ◆ Pinnacle | PINC |
| ◆ Shaker Cherry | F |
| ◆ Sterling Ash | LSA1 |
| **Solid** | |
| ◆ Black | P |
| ◆ Charcoal | S |
| ◆ Designer White | LDW1 |
| **Patterned** | |
| ◆ Handspun Chestnut | LAHC |
| ◆ Handspun Dove | LAHD |
| ◆ Handspun Pearl | LAHP |
| ◆ Handspun Slate | LAHS |
| ◆ Silver Mesh | B9 |
| ◆ Steel Mesh | A9 |
| ◆ Gray | G2 |
| ◇ White | G1 |

| L2 LAMINATES | CODES |
|---|---|
| **Woodgrain** | |
| ◆ Beigewood | LWBE |
| ◆ Fawn Cypress | LFC1 |
| ◆ Lowell Ash | LLA1 |
| ◆ Natural Recon | LNR1 |
| ◆ Phantom Ecru | LPE1 |
| ◆ Portico Teak | LPT1 |
| ◆ Skyline Walnut | LSW1 |

## METAL PAPER MANAGEMENT MODELS HHPS1 AND HDPS1

| PAINT | CODES |
|---|---|
| **P1** | |
| ◆ Black | P |
| ◆ Brownstone | P7D |
| ◆ Charcoal | S |
| ◆ Designer White | PJW |
| ◆ Fossil | P28 |
| ◆ Greige | T5 |
| ◆ Light Gray | Q |
| ◆ Loft | LOFT |
| ◆ Muslin | T3 |
| ◆ Putty | L |
| ◆ Titanium | P8T |
| **P2** | |
| ◆ Champagne Metallic | T4 |
| ◆ Gunmetal Metallic | PR3 |
| ◆ Platinum Metallic | T1 |
| ◆ Silver | PR6 |
| **P3** | |
| ◆ Atom | P8S |
| ◆ Blossom | P8K |
| ◆ Bullseye | PJF |
| ◆ Ember | P8P |
| ◆ Ion | P8N |
| ◆ Iris | P8J |
| ◆ Krypton | P8F |
| ◆ Ochre | P093 |
| ◆ Regatta | P8M |
| ◆ Sienna | P092 |
| ◆ Succulent | P8A |

## METAL CENTER DRAWERS*, CORNER SLEEVES, METAL KEYBOARD PLATFORM, STORAGE CUBES, DRAWER ORGANIZER, HAND SANITIZER STATION

| PAINT | CODES |
|---|---|
| **P1** | |
| ◆ Black | P |
| ◆ Brownstone | P7D |
| ◆ Charcoal | S |
| ◆ Designer White | PJW |
| ◆ Fossil | P28 |
| ◆ Greige | T5 |
| ◆ Light Gray | Q |
| ◆ Loft | LOFT |
| ◆ Muslin | T3 |
| ◆ Putty | L |
| ◆ Titanium | P8T |
| **P2** | |
| ◆ Champagne Metallic | T4 |
| ◆ Gunmetal Metallic | PR3 |
| ◆ Platinum Metallic | T1 |
| ◆ Silver | PR6 |
| ◆ Solar Black | P8X |
| **P3** | |
| ◆ Atom | P8S |
| ◆ Blossom | P8K |
| ◆ Bullseye | PJF |
| ◆ Ember | P8P |
| ◆ Ion | P8N |
| ◆ Iris | P8J |
| ◆ Krypton | P8F |
| ◆ Ochre | P093 |
| ◆ Regatta | P8M |
| ◆ Sienna | P092 |
| ◆ Succulent | P8A |



** Metal center drawer models HD2 and HD8 limited to P1 Paints, Champagne Metallic, and Platinum Metallic.*







◆ ◆ ◇ *For lead time information see page 21.*

OPEN MARKET EXCEPT AS NOTED

ABI

Icon Legend on page 19

# MONITOR ARMS

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Single Monitor Arm with 2 USB Ports**<br>NOTES: Easy adjustment. Height adjusts to 17″ tall. Monitor tilt and swivel capability. Enclosed cable management. Grommet or desktop mounting. Clean appearance. **HON 5-Year Limited Warranty.**<br>Available in Silver only, no specification needed.<br>Cannot be used in Empower® height adjustable applications.<br>Arm holds monitors up to 19 lbs. | **HBSMAUSB** | 38.6 | 2.4 | **$340** |
|  | **Dual Monitor Arm with 2 USB Ports**<br>NOTES: Easy adjustment. Height adjusts to 17″ tall. Monitor tilt and swivel capability. Enclosed cable management. Grommet or desktop mounting. Clean appearance. In some applications the Monitor Arms may extend 12 or more inches into the worksurface. **HON 5-Year Limited Warranty.**<br>Available in Silver only, no specification needed.<br>Cannot be used in Empower® height adjustable applications.<br>Each arm holds monitors up to 19 lbs. | **HBDMAUSB** | 41.9 | 2.6 | **$507** |
|  | **Single Dynamic Monitor Arm**<br>• 180° of rotation at base with optional 360° rotation.<br>• Arms extend 22″ and retract up to 3″.<br>• Monitor mount rotates 180° and tilts +/-30°.<br>• Monitor can be rotated from landscape to portrait position.<br>Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs.<br>Back side of monitor arm base features opening for wire management through grommet when utilizing clamp mount. | **HMASTS** | 11.5 S | 0.8 | **$618** |
|  | **Dual Dynamic Monitor Arm**<br>• Arms have 65° rotation at base with optional 130° and 360° rotations.<br>• Arms extend 22″ and retract up to 3″.<br>• Monitor mount rotates 180° and tilts +/-30°.<br>• Monitor can be rotated from landscape to portrait position.<br>Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs.<br>Back side of monitor arm base features opening for wire management through grommet when utilizing clamp mount. | **HMASD** | 17.0 S | 1.1 | **$1187** |
|  | **Sliding Mount for Monitor Arm**<br>• Supports monitors up to 18 lbs.<br>• Compatible with VESA 75mm and 100mm mounts.<br>• Compatible with models HMASTS, HMASD, HPASD, HPADD, and HPATF.<br>• Available in two paint finishes, Silver (SVR) and Black (BLK). Plastic components ship in like color with specified paint finish. | **HPACSM** | 3.0 S | 0.3 | **$256** |
|  | **Monitor Arm Counterweight**<br>• Optional counterweight for monitors as low as 5 lbs.<br>• Minimum weight for monitors without counterweight is 6.2 lbs.<br>Available in Black only, no specification needed.<br>Compatible with models HMASTS, HPASD, HMASD, HPADD, and HPATF. | **HPACW** | 3.0 S | 0.1 | **$39** |

**SIN 33721**

## HOW TO SPECIFY

**Select Model Number**

H M A S T S .

**Select Finish**

**SVR** Silver
**BLK** Black




S V R

# MONITOR ARMS

OPEN MARKET

ABI S

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Post Mount with Single Dynamic Arm**<br>• Arm has 360° rotation at base.<br>• Monitor mount rotates 180° and tilts +/-30°.<br>• Monitor can be rotated from landscape to portrait position.<br>• Arm extends up to 20″.<br>• Arm has 17¾″ of vertical adjustment.<br>Available in Silver (SVR) finish only.<br>Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 677). | **HPASD** | 15.5 | 1.3 | **$865** |
|  | **Post Mount with Dual Dynamic Arms**<br>• Arms have 360° rotation at base.<br>• Monitor mount rotates 180° and tilts +/-30°.<br>• Monitor can be rotated from landscape to portrait position.<br>• Arms extend up to 20″.<br>• Arms have 17¾″ of vertical adjustment.<br>Available in Silver (SVR) finish only.<br>Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 677). | **HPADD** | 19.5 | 1.3 | **$1256** |
|  | **Post Mount with Triple Fixed Arms**<br>• Features two fixed extended arms and one fixed center mount.<br>• Arms have 360° rotation at base.<br>• Monitor mount rotates 180° and tilts +/-30°.<br>• Monitor can be rotated from landscape to portrait position.<br>• Arms extend up to 20″.<br>• Arms have 27½″ of vertical adjustment.<br>Available in Silver (SVR) finish only.<br>Arms hold monitors from 6.2-18 lbs. Optional counterweight HPACW available to support monitors as low as 5 lbs. (see page 677). | **HPATF** | 22.0 | 1.9 | **$1437** |



## HOW TO SPECIFY

**Select Model Number**

H P A S D .

**Select Finish**

**SVR** Silver


S V R

OPEN MARKET

ABI S

Icon Legend on page 19

# CPU HOLDERS



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **360° Swivel CPU Holder with Adjustable Straps**<br>• Supports CPUs 3¾″ wide up to 64″ perimeter and holds up to 75 lbs.<br>• 360° rotation.<br>• Ships complete and includes necessary mounting hardware and instruction sheet.<br>! Available in Black only, no specification needed. | **HCPU1** | 7 | 0.2 | **$322** |

## HOW TO SPECIFY

**Select Model Number**





| H | C | P | U | 1 |
|---|---|---|---|---|

# KEYBOARD TRAYS

OPEN MARKET EXCEPT AS NOTED

ABI S

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Short Track and Keyboard Platform**<br>• Height adjustable total of 5¾" (1¾" above and 4" below).<br>• +10°, -20° of tilt adjustment.<br>• 360° rotation. | **HKTSHORT** | 10 S | 0.8 | **$744** |
|  | **Mid Track with Keyboard and Mouse Platform**<br>• Height adjustable total of 8" (3" above and 5" below).<br>• +10°, -20° of tilt adjustment.<br>• 360° rotation. | **HKTMID** | 17 | 1.2 | **$684** |
|  | **Sit to Stand Long Track with Keyboard and Mouse**<br>• Height adjustable total of 12½" (7½" above and 5" below).<br>• +10°, -20° of tilt adjustment.<br>• 360° rotation. | **HKTLONG** | 17 | 0.8 | **$799** |
|  <br>**SIN 33721** | **Keyboard Spacer**<br>• Used when attaching HKTMID or HKTLONG to Coordinate™ and Voi® or Systems Worksurface with an external channel.<br>• The kit includes ten cylinder spacers and ten screws.<br>• Spacers are ¾"W x 2⅛"H.<br>• Specify one kit per keyboard tray. | **HKBS** | 1 | 0.8 | **$132** |

**NOTES:**

Available in Black only, no specification needed.

WORKPLACE TOOLS

## HOW TO SPECIFY

**Select**
**Model Number**



| H | K | T | M | I | D |
|---|---|---|---|---|---|

GSA SIN 33721 EXCEPT AS NOTED

ABI S



Icon Legend on page 19

# KEYBOARD TRAYS

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  | **Laminate Keyboard Platform**<br>• Laminate Tray dimensions: 21½"W x 10"D x 1⅛" Thick.<br>• Minimum clearance for mounting: 22⅞"W x 17"D.<br>• Surface can be positioned 2", 2½", 3" or 3½" below bottom of worksurface.<br>• Will not fit on a 37" x 24" Corner worksurface. | **H4022** | 10 | 0.6 | **$283** | **$300** |
|  | **Laminate Keyboard Platform with Extended Tray**<br>• Laminate Tray dimensions: 30"W x 10"D x 1⅛" Thick.<br>• Minimum clearance for mounting: 32½"W x 17"D.<br>• Surface can be positioned 2", 2½", 3" or 3½" below bottom of worksurface.<br>• Will not fit on a 37" x 24" Corner worksurface.<br>• Ball-bearing slide; slide and brackets are Black. | **HE4022** | 12 | 0.7 | **$399** | **$416** |

## HOW TO SPECIFY

| Select Model Number | Select Laminate |
|---|---|
| | See page 676 |
| H 4 0 2 2 . | H |

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
| | **Metal Keyboard Platforms** | | | | | | |
|  <br>**OPEN MARKET** | **30"W Metal Keyboard and Mouse Tray**<br>• Designed to hold keyboards and allow room for mouse pads.<br>• Tray dimensions: 30"W x 10"D.<br>• Minimum clearance for mounting: 32½"W x 15"D. | **H4028** | 11 | 1.5 | **$204** | **$216** | **$224** |
|  <br>**OPEN MARKET** | **24"W Metal Keyboard Tray**<br>• Designed to hold ONLY keyboards.<br>• Tray dimensions: 24"W x 10"D.<br>• Minimum clearance for mounting: 26½"W x 15"D. | **H4029** | 11 | 1.5 | **$185** | **$197** | **$205** |

**NOTES:**
- Surface is positioned 3" below bottom of worksurface.
- Non-articulating, only movement is front-to-back. Does not tilt or swivel.

## HOW TO SPECIFY



| Select Model Number | Select Paint Color |
|---|---|
| | See page 676 |
| H 4 0 2 8 . | P |

# CORNER SLEEVES

GSA SIN 33721

ABI S

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
| | **Metal Corner Sleeves** | | | | | | |
|  | **22½″W Leading Edge x 9″D**<br>• Fits 1⅛″ thick square edge detail. | **H51204** | 10 | 1.5 | **$224** | **$233** | **$240** |
|  | **22½″W Leading Edge x 18″D**<br>• Fits 1⅛″ thick square edge detail. | **H51206** | 10 | 1.5 | **$224** | **$236** | **$243** |

**NOTES:**
• Corner sleeve connects intersecting worksurfaces to create “corner desk” work areas.

*Edge Detail*



## HOW TO SPECIFY

| Select Model Number | Select Paint Color |
|---|---|
| | See page 676 |
| H 5 1 2 0 4 . | P |

GSA SIN 33721

ABI S

Icon Legend on page 19

# CENTER DRAWERS



*Angled front*

| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | L1 LIST PRICE | L2 LIST PRICE |
|---|---|---|---|---|---|
| **Laminate Center Drawer**<br>22″W x 15⅜″D x 2½″H | **H1522** | 11 | 1.1 | **$258** | **$275** |

- Ball-bearing slide suspension.
- 12″ drawer extension (3/4).
- Inside drawer dimension for H1522: 18⅞″W x 15½″D x 1½″H.
- Minimum clearance for mounting H1522: 22¾″W x 18½″D compatible with 72″W x 36″D, 66″W x 30″D, 60″W x 30″D Double Pedestal Desks, 72″W x 36″D, 66″W x 30″D Single Pedestal Desks, Bullet and P-Shaped Peninsulas, 72″W x 24″D, 66″W x 24″D, 60″W x 24″D Credenza w/Kneespace, 72″W x 24″D, 66″W x 24″D Single Pedestal Credenzas, 48″W x 24″D, 42″W x 24″D Returns.
- Designed for use with Concinnity™, Voi®, Valido® and 10500 Series™.
- Includes pencil tray.

NOTES: For 60″W x 30″D Modular Desk Shells with two 15⅝″W Storage Pedestals or 60″W x 24″D Modular Credenza Shells with two 15⅝″W Storage Pedestals, use center drawer H1522.

## HOW TO SPECIFY



| Select Model Number | Select Laminate |
|---|---|
| H 1 5 2 2 . | See page 676<br>H |


# CENTER DRAWERS

GSA SIN 33721 EXCEPT AS NOTED

ABI

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 |
|---|---|---|---|---|---|---|
|  *Angled front* | **Metal Center Drawer w/Lock**<br>19″W x 14¾″D x 3″H<br>• Ball-bearing slide suspension.<br>• 12″ drawer extension (3/4).<br>• Inside drawer dimension: 19″W x 13″D x 2⅜″H.<br>• Minimum clearance for mounting: 21¾″W x 19¼″D.<br>• Core removable lock. | **HD2** | 9 S | 1.0 | **$389** | **$401** |
|  *Angled front* | 24¾″W x 14¾″D x 3″H<br>• Ball-bearing slide suspension.<br>• 12″ drawer extension (3/4).<br>• Inside drawer dimension: 24½″W x 13″D x 2⅜″H.<br>• Minimum clearance for mounting: 27⅜″W x 19¼″D.<br>• Core removable lock. | **HD8** | 12 S | 1.2 | **$389** | **$401** |

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  **OPEN MARKET** | **Polymer Center Drawer**<br>• Material: ABS.<br>• Minimum clearance for mounting: 23″W x 16¼″D x 2″H.<br>• Retracts on 16″ ball-bearing slides.<br>• Can be used on worksurfaces with Coordinate™ Height Adjustable Bases as long as it is attached with spacer model HKBS.<br>• Can store up to 25 lbs.<br>! Black finish only, no specification needed. | **HCD1** | 7 | 0.5 | **$165** |

**NOTES:**
- All metal center drawers feature pencil trays with three compartments for storage.
- All metal center drawers feature core removable locks for greater personal and departmental security.





## HOW TO SPECIFY

| Select Model Number | Select Paint Color |
|---|---|
| H D 2 . | See page 676<br>P |

# NOTES

OPEN MARKET

# CHAIR MATS

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Lipped Chair Mat with Studs**<br>48″W x 36″D | **HCM3648LS** | 8.8 | 0.6 | **$127** |
|  | **Lipped Chair Mat without Studs**<br>60″W x 46″D<br>48″W x 36″D | **HCM4660LN**<br>**HCM3648LN** | 13.2<br>8.3 | 0.5<br>0.3 | **$212**<br>**$127** |

**NOTES:**
- Available with studs for carpet and without studs for hard-surface floors.
- Ships rolled.
- **HON 5-Year Limited Warranty.**

Available in Clear finish only, no specification needed.

WORKPLACE TOOLS

## HOW TO SPECIFY

**Select**
**Model Number**

| H | C | M | 3 | 6 | 4 | 8 | L | S |
|---|---|---|---|---|---|---|---|---|

GSA SIN 33721

ABI S

Icon Legend on page 19

# TASK LIGHTS

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Articulating Desk Lamp** | **HLED1** | 1.2 | 6.5 | **$532** |
| | **Articulating Desk Lamp w/ Occupancy Sensor** | **HLED1OC** | 1.2 | 6.5 | **$646** |
| | • Full-range dimming from 10% to 100%.<br>• Designed for 50,000 hours of life.<br>• Occupancy sensor is built into the head of the lamp and will automatically shut the lamp off after 6 minutes of undetected movement.<br>• Base swivel is 180 degrees.<br>• Uses only 5 watts of energy.<br>• Light comes with a silver 9′ 4″ power cord.<br>• Base diameter is 7.5″.<br>• 3500K Color Temperature.<br>• 80 Color Rendering Index.<br>• TAA Compliant.<br>Available in Matte Silver finish only, no specification needed. | | | | |
|  | **Task Desk Lamp** | **HLED2** | 0.7 | 3.0 | **$462** |
| | • Full-range dimming from 10% to 100%.<br>• Designed for 50,000 hours of life.<br>• Lamp is 15.83″ tall.<br>• Desk lamp does not articulate at base. The pivoting head provides custom positioning, as it can be twisted 360 degrees.<br>• Uses only 5 watts of energy.<br>• Light comes with a silver 9′ 4″ power cord.<br>• Base diameter is 6.7″.<br>• 3500K Color Temperature.<br>• 80 Color Rendering Index.<br>• TAA Compliant.<br>Available in Brushed Nickel finish only, no specification needed. | | | | |

## HOW TO SPECIFY

**Select Model Number**


| H | L | E | D | 1 |
|---|---|---|---|---|

# TASK LIGHTS

OPEN MARKET


ABI S

Icon Legend on page 19



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **LED Task Lights** | | | | |
| 17″ LED Light with Power Supply (Single) | **HLED17AS** | 1.2 | 0.05 | **$557** |
| 31″ LED Light with Power Supply (Single) | **HLED31AS** | 1.5 | 0.09 | **$745** |
| 17″ LED Light with Power Supply for Daisy-chain (Starter) | **HLED17A** | 1.0 | 0.05 | **$609** |
| 31″ LED Light with Power Supply for Daisy-chain (Starter) | **HLED31A** | 1.4 | 0.09 | **$817** |
| 17″ LED Light with 8″ Jumper Cord for Daisy-chain (Follower) | **HLED17AUO** | 1.0 | 0.03 | **$499** |
| 31″ LED Light with 8″ Jumper Cord for Daisy-chain (Follower) | **HLED31AUO** | 1.0 | 0.05 | **$666** |
| **Undercabinet Occupancy Sensor with 1″ End to End Connector** | **HLEDOSA** | 0.2 | 0.01 | **$122** |

NOTES: To use the daisy chain application, must start with model HLED17A or HLED31A. No finish specification required. Attaches magnetically to underside of overhead storage, or attaches with provided screws or double-sided tape. Occupancy sensor attaches to a single or starter LED light and will automatically turn the light off after no motion is detected for 30 minutes. Just like all the LED light models, the occupancy sensor features a soft-touch on/off switch. LED task lights have a lifetime of 50,000 hours and have a dimmer feature that allows the user to adjust the amount of light output.



**Recessed Task Lights**

- Color: Black.
- Slim profile design.
- Mount to stack-on storage and wall mounted storage cabinets.
- 9-foot black cord and switch off right rear corner.
- Features LED strip.
- Lights ordered after October 4, 2021 will feature new LED light strip.

| | | | | |
|---|---|---|---|---|
| 18⅜″W x 3¹¹⁄₁₆″D x 1⅛″H | **HH870924** | 5.0 | 0.40 | **$302** |
| Chicago code version (with fused plug) | **HH870924CH** | 5.0 | 0.40 | **$382** |
| 22⅞″W x 3¹¹⁄₁₆″D x 1⅛″H | **HH870930** | 7.0 | 0.60 | **$306** |
| Chicago code version (with fused plug) | **HH870930CH** | 7.0 | 0.60 | **$398** |
| 34⅝″W x 3¹¹⁄₁₆″D x 1⅛″H | **HH870942** | 10.0 | 0.90 | **$331** |
| Chicago code version (with fused plug) | **HH870942CH** | 10.0 | 0.90 | **$420** |
| 46½″W x 3¹¹⁄₁₆″D x 1⅛″H | **HH870960** | 12.0 | 1.10 | **$359** |
| Chicago code version (with fused plug) | **HH870960CH** | 12.0 | 1.10 | **$446** |



## HOW TO SPECIFY




**Select**
**Model Number**

| H | H | 8 | 7 | 0 | 9 | 2 | 4 |
|---|---|---|---|---|---|---|---|

GSA SIN 33721

Icon Legend on page 19

# PAPER MANAGEMENT & ORGANIZATIONAL TOOLS

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY LAMINATE GRADE L1 | L2 |
|---|---|---|---|---|---|---|
|  *Not available in two-tone laminate* | **Vertical Paper Manager**<br>14⅞″W x 10⅞″D x 19¹¹⁄₁₆″H | **HLVPM1** | 27 | 2.8 | **$454** | **$466** |
| | NOTES: Keeps papers, files, and books neatly organized and within easy reach from a seated position. Designed for desk, credenza, and return tops. Fits under stack-on storage models. Two pullout drawers and three fixed shelves. Not available in pattern laminate colors. Ships fully assembled.<br>❗ Requires 19¾″H minimum of clear space between underside of overhead storage unit and worksurface.<br>**SPECIFYING EXAMPLE: HLVPM1.N** | | | | | |
|  *Not available in two-tone laminate* | **Desktop Storage Terrace**<br>26½″W x 12½″D x 10½″H | **HLDST1** | 24 | 1.1 | **$425** | **$437** |
| | NOTES: For use on the tops of 29½″H desks, credenzas, and returns. Features six storage sections plus top display shelf. Keeps work-in-process, priority files, loose pages, and mail neatly organized and in view. Mixed material design comprised of sturdy laminate shelves with metal back and support panels. Not available in two-tone laminate combination or pattern laminate colors. Choose from Platinum Metallic (T1), Black (P), and Charcoal (S) for the metal components. Sized to fit in stack-on and wall mount storage cabinets in 10500, Valido, Concinnity, 94000, and 38000 Series. Fits in Concinnity and Voi sliding door models, except for 48″W or smaller models.<br>Specify: Model.Laminate.Paint<br>**SPECIFYING EXAMPLE: HLDST1.N.T1** | | | | | |
|  | **Layering Shelf**<br>72″W x 14½″D x 5½″H<br>60″W x 14½″D x 5½″H | **HLSL1472LS**<br>**HLSL1460LS** | 50<br>39 | 4.6<br>1.3 | **$610**<br>**$512** | **$622**<br>**$524** |
| | NOTES: Layering shelf works with lower credenzas to provide additional storage areas.<br>❗ Layering Shelves cannot be stacked.<br>❗ Cannot add a hutch on top of a layering shelf. | | | | | |


## HOW TO SPECIFY

| Select Model Number | Select Laminate |
|---|---|
| H L V P M 1 . | See page 676<br>N |

# PAPER MANAGEMENT & ORGANIZATIONAL TOOLS

GSA SIN 33721

Icon Legend on page 19




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|
| **Stacked Paper Management**<br>32½″W x 12⅝″D x 4¼″H | **HLVPM2** | 22 | 1.25 | **$228** |

NOTES: Segments and organizes stack-on and wall mount storage compartments, as well as bookcase shelves. Unit can be used in Models H105327, H10534, H105322, H105321, H105382 and H105381.


Available in Black finish only, no specification needed.

In some cases, installation of Stacked Paper Management may require removing the stack-on or wall mount storage doors.



| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **Hanging Paper Shelf**<br>28¹⁄₁₆″W x 11⁷⁄₁₆″D x 4⁵⁄₁₆″H | **HHPS1** | 7 | 2.9 | **$278** | **$288** | **$300** |

NOTES: Attaches quickly and easily (screws included). Maximizes worksurface space; de-clutters desktop while placing priority communications and active project folders within easy reach. Angled design allows contents to be distinguished at a glance. Mixed material styling features strong painted metal frame with a frosted shelf.
Attaches quickly and easily to laminate stack-on and wall mount storage models (except the 36″W Voi® overhead hutch with O-legs or panel mount brackets). Not for use with 38000 Series™ and Systems.
Specify: Model.Paint
**SPECIFYING EXAMPLE: HHPS1.T1**



| | | | | | | |
|---|---|---|---|---|---|---|
| **Desktop Paper Shelf**<br>28¹⁄₁₆″W x 11⅝″D x 5″H | **HDPS1** | 7 | 2.9 | **$278** | **$288** | **$300** |

NOTES: Desktop Paper Shelf and Storage Terrace include protective, non-slip pads on the base. Paper Shelf can stack two-high. Organizer shelf provides a place and space for work-in-process and piling to keep worksurfaces neat and tidy. Convenient, scalable design with interlocking side supports allow two units to be stacked and integrated. Durable painted metal frame with a frosted shelf; mixed material styling matches hanging paper shelf.
Can also be used inside select overhead storage, including the following stack-on with clearance and hinged door models: 10500 and Valido 36″, 42″, 66″, 72″, 78″W.
Specify: Model.Paint
**SPECIFYING EXAMPLE: HDPS1.T1**



## HOW TO SPECIFY

**Select Model Number**

H H P S 1 .

**Select Paint Color**


See page 676



P

GSA SIN 33721 EXCEPT AS NOTED

Icon Legend on page 19

# PAPER MANAGEMENT & ORGANIZATIONAL TOOLS

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Storage Cube**<br>12″W x 12″D<br>**SPECIFYING EXAMPLE: HLSL1212.P8S** | **HLSL1212** | 1 | 0.3 | **$408** | **$408** | **$408** |
|  | **Drawer Organizer**<br>12″W x 14½″D x 1½″H<br>**SPECIFYING EXAMPLE: HLSLDRWORG.P8F** | **HLSLDRWORG** | 1 | 0.5 | **$223** | **$223** | **$223** |

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Optional Pencil Tray**<br>For use with mobile and freestanding pedestal models.<br>No specification required. | **HV-UT1** | 0.5 | 0.1 | **$97** |
|  **OPEN MARKET** | **Back Pack Hook (10 per carton)**<br>2¼″W x 2$^{3}/_{100}$″D x 1¾″H<br>NOTES: Assembly: attaches to bottom of desk with (2) screws, included.<br>Available in Platinum Metallic finish only, no specification needed. | **HCLA65** | 10.0 S | 0.1 | **$123** |

## HOW TO SPECIFY

**Select Model Number**

H L S L 1 2 1 2 .

**Select Paint Color**

See page 676

*Only specify for models HLSL1212 and HLSLDRWORG*



P 8 S

# PAPER MANAGEMENT & ORGANIZATIONAL TOOLS

GSA SIN 33721 EXCEPT AS NOTED

ABI

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Wall Mount Tackboard** | | | | |
| | 36″W x 35¼″H | **HNL3636TB** | 20 | 2.9 | **$418** |
| | 30″W x 35¼″H | **HNL3630TB** | 16 | 2.9 | **$355** |
| | 36″W x 48⅝″H | **HNL4936TB** | 27 | 5.5 | **$487** |
| | 30″W x 48⅝″H | **HNL4930TB** | 22 | 3.7 | **$404** |
| | NOTES: When positioned above 29½″H floor-standing storage, the sizes align with overhead storage height options. Can be positioned side-by-side with corresponding wall mount markerboard sizes. Easy to install; includes mounting hardware. Attaches to wall with horizontally mounted, interlocking Z-clip brackets. For the space directly below stack-on and wall mount storage cabinets, use the 18″H tackboard models listed in the Desks section in the 2024 Workspaces Pricer. **SPECIFYING EXAMPLE: HNL3636TB.APN15** | | | | |
|  | **Markerboard** | | | | |
| | 48″W x 31″H | **HLSL4831MB** | 44 | 3.4 | **$920** |
| | NOTES: Wall mounted. ! No specification required. | | | | |

**OPEN MARKET**

## HOW TO SPECIFY

**Select Model Number**

H N L 3 6 3 6 T B .

**Select Fabric Color**

See pages 26-27

A P N 1 1

# INTERLINK IQ ELECTRICAL

## Specification guide for IQ Electrical on Training tables

Determine table width, the type of power access being used (3″ grommet or 4x8 pop-up) and the desired number per table (Columns 1, 2 or 3). The table will then identify the type and quantity of components needed per table along with the maximum table run. Note that this is in addition to the Power base in-feed which is needed for each run. For example, a 48″W table with two 3″ power grommets per table will require (1) HQH5-3 harness and (1) HQH1-3 harness per table with a maximum run of four tables.

| Top Width | **POWER ONE (1) PER TABLE** 3″ ROUND POWER GROMMET | | **POWER TWO (2) PER TABLE** 3″ ROUND POWER GROMMETS | | **POWER ONE (1) PER TABLE** 4x8 POP-UP PORT | |
|---|---|---|---|---|---|---|
| 36″ | (1) HQH5-3 | **8** Table Run Maximum | N/A | N/A | (1) HQH5-P | **8** Max Table Run |
| 42″ | (1) HQH5-3 | **8** Table Run Maximum | N/A | N/A | (1) HQH5-P | **8** Max Table Run |
| 48″ | (1) HQH5-3 | **8** Table Run Maximum | (1) HQH5-3<br>(1) HQH1-3 | **4** Max Table Run | (1) HQH5-P | **8** Max Table Run |
| 54″ | (1) HQH5-3 | **8** Table Run Maximum | (1) HQH5-3<br>(1) HQH1-3 | **4** Max Table Run | (1) HQH5-P | **8** Max Table Run |
| 60″ | (1) HQH5-3 | **8** Table Run Maximum | (1) HQH5-3<br>(1) HQH1-3 | **4** Max Table Run | (1) HQH5-P | **8** Max Table Run |
| 66″ | (1) HQH5-3<br>(1) HQJ3 | **4** Table Run Maximum | (1) HQH5-3<br>(1) HQH1-3 | **4** Max Table Run | (1) HQH5-P<br>(1) HQJ3 | **4** Max Table Run |
| 72″ | (1) HQH5-3<br>(1) HQJ3 | **4** Table Run Maximum | (1) HQH5-3<br>(1) HQH1-3 | **4** Max Table Run | (1) HQH5-P<br>(1) HQJ3 | **4** Max Table Run |
| 84″ | (1) HQH5-3<br>(1) HQJ3 | **4** Table Run Maximum | (2) HQH5-3 | **4** Max Table Run | (1) HQH5-P<br>(1) HQJ3 | **4** Max Table Run |
| 96″ | (1) HQH5-3<br>(1) HQJ3 | **4** Table Run Maximum | (2) HQH5-3 | **4** Max Table Run | (1) HQH5-P<br>(1) HQJ3 | **4** Max Table Run |
| Half-Round (all sizes) | (1) HQH1-3 | **2** Tables Maximum | N/A | N/A | (1) HQH5-P | **2** Max Table Run |
| Trapezoid (all sizes) | (1) HQH5-3 | **8** Table Run Maximum | N/A | N/A | (1) HQH5-P | **8** Max Table Run |

**NOTES:**








- Interlink IQ Electrical is a pluggable, single circuit electrical system.
- All electrical models include wire management clips and hardware.
- Interlink IQ Electrical is non-sequential/non-directional.
- Interlink IQ Electrical is UL Recognized as a Powered Table System and meets the requirements of UL 962 when paired with Motivate® or Huddle tables.

! 40′ maximum run, or no more than 8 units, whichever comes first. Interlink IQ system will automatically shut off if maximum requirements are exceeded. Maximum run is based upon electrical harness width, not table width.

# INTERLINK IQ ELECTRICAL

GSA SIN 33721

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Power Base In-Feed**<br>• 12 amp circuit breaker is built in to the Power Base In-Feed.<br>• Available in Black finish, no specification needed. | **HQB** | 2.0 | 0.2 | **$697** |
|  | **Power Harness – 1′ Power Hub, 3″ Round Grommet Mount**<br>• Available in Black finish, no specification needed. | **HQH1-3** | 2.0 | 0.2 | **$230** |
| | **Power Harness – 5′ Power Hub, 3″ Round Grommet Mount**<br>• Available in Black finish, no specification needed. | **HQH5-3** | 2.0 | 0.2 | **$257** |
|  | **Power Harness – 5′ with 4″ x 8″ Pop-Up Port (3 Power, 1 Blank)**<br>• For use with tables G1 grommet. Specify paint. | **HQH5-P-3P1B** | 3.0 | 0.3 | **$502** |
| | **Power Harness – 5′ with 5″ x 11″ Flip-Top Port (3 Power, 3 Blank)**<br>• For use with Preside® G2 grommet. Specify paint. | **HQH5-E-3P3B** | 5.0 | 0.2 | **$528** |
|  | **Power Harness – 5′ with 5″ x 11″ Flip-Top Port (3 Power, 1 Extron Double Space)**<br>• For use with Preside® G2 grommet. Specify paint. | **HQH5-E-3P1E** | 5.0 | 0.2 | **$557** |
| | **Power Harness – 5′ with 5″ x 11″ Flip-Top Port (3 Power, 2 USB A+C, 2 Blank)**<br>• For use with Preside® G2 grommet. Specify paint. | **HQH5-E-3P1U2B** | 5.0 | 0.2 | **$581** |
|  | **Power Jumper – 3′**<br>• Available in Black finish, no specification needed. | **HQJ3** | 2.0 | 0.2 | **$146** |
|  | **Ganging Hardware**<br>• Includes two ganging links and two screws.<br>• No color designator when specifying. *Example: HMAGANG.* | **HMAGANG** | 1.0 | 0.1 | **$140** |
|  | **Cable Management Troughs**<br>17″W — Single<br>**Graphite only, no specification needed.**<br>NOTES: For additional information see page 701. | **HPWRTRGH17** | 2.7 | 0.5 | **$96** |
|  | **IQ 1.0 Backward Compatible Jumper**<br>36″<br>• Available in Black finish, no specification needed.<br>• Use when connecting Interlink IQ 1.0 power harness (rectangle end) to Interlink IQ 2.0 (oval end) power harness.<br>**If using Interlink IQ 2.0 in-feed with Interlink IQ 1.0 power harness please contact Customer Support.** | **HQBCJ36** | 2.0 | 0.2 | **$111** |

**NOTES:**

- Use HQH5-P models with G1 table top cutouts and HQH5-E models with G2 table top cutouts.
- Interlink IQ Electrical is a pluggable, single circuit electrical system.
- All electrical models include wire management clips and hardware.
- Interlink IQ Electrical is non-sequential/non-directional.
- Interlink IQ Electrical is UL Recognized as a Powered Table System and meets the requirements of UL 962 when paired with Motivate® or Huddle tables.

40′ maximum run, or no more than 8 units, whichever comes first. Interlink IQ system will automatically shut off if maximum requirements are exceeded. Maximum run is based upon electrical harness width, not table width.

## HOW TO SPECIFY

**Select Model Number**

| H | Q | H | 5 | - | E | - | 3 | P | 3 | B | . |
|---|---|---|---|---|---|---|---|---|---|---|---|

**Select Paint Color**

**FOG** Fog
**SVR** Silver
**BLK** Black


| S | V | R |
|---|---|---|

# 4-TRAC HARDWIRE ELECTRICAL SYSTEM

## 4-Trac Electrical System


The 4-Trac Electrical System is a UL-recognized Manufactured Wiring System that seamlessly passes power from one worksurface to another. This low-profile non-sequential electrical system allows tables to be "daisy-chained" together in any desired order and allows users to reconfigure quickly due to simple connectable/disconnectable links.


- Meets requirements of UL 183 and National Electric Code Article 604
- 4-Wires, 2-circuits, 20 Amps each (Circuit 1 and Circuit 2 only)
- 13 Duplex Receptacles per circuit, 26, 15 Amp Duplex receptacle per power in-feed
- Electrical system attaches directly to underside of worksurface with included brackets
- Up to twelve tables can be linked together




## Steps for Electrical Specifications:

- Determine how many rows of tables are needed and order the following:
  - One HMAPLATE per row (or power in-feed)
  - One HMACABLE per row (or power in-feed)
- Order one power harness per table in each row
  - For 1-6 tables in a row (see illustration 1)
    - Order Circuit 1 Power Harnesses (ex. If powering six 24x60 tables order six sets of HMAPOWER60)
  - For 7-12 tables in a row (see illustration 1)
    - Order Circuit 1 Power Harness for first six tables and Circuit 2 Power Harness for remaining tables (ex. If powering eight 24x60 tables, order six sets of HMAPOWER60 and two sets of HMAPOWER602)
- Order one set of ganging hardware per table (ex. HMAGANG)
- Determine which accessories are needed:
  - Power Hub model HGRMTAC — to access power at worksurface.
  - Data Grommet model HGRMTDATA — to access data at worksurface.
  - Wire Management strips model HBTMS — for vertical and horizontal wire management.









GSA SIN 33721

# 4-TRAC HARDWIRE ELECTRICAL SYSTEM

ABI

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Power Entry Plate** | **HMAPLATE** | 1.0 | 0.2 | **$140** |
|  | **Power Entry Cable**<br>• 6′ power entry cable with male/female adapter.<br>• Connects table to power entry plate. | **HMACABLE** | 1.8 | 0.2 | **$217** |
|  | **Power Jumper Cable**<br>To connect tables front to front | **HMAJUMP** | 0.5 | 0.3 | **$75** |
|  | **Circuit 1 Power Kit for 36″W Table** | **HMAPOWER36** | 1.5 | 0.3 | **$392** |
| | **Circuit 1 Power Kit for 42″W Table** | **HMAPOWER42** | 1.8 | 0.3 | **$398** |
| | **Circuit 1 Power Kit for 48″W Table** | **HMAPOWER48** | 1.8 | 0.3 | **$400** |
| | **Circuit 1 Power Kit for 54″W Table** | **HMAPOWER54** | 2.0 | 0.3 | **$406** |
| | **Circuit 1 Power Kit for 60″W Table** | **HMAPOWER60** | 2.0 | 0.3 | **$409** |
| | **Circuit 1 Power Kit for 66″W Table** | **HMAPOWER66** | 2.2 | 0.3 | **$417** |
| | **Circuit 1 Power Kit for 72″W Table** | **HMAPOWER72** | 2.2 | 0.3 | **$420** |
| | **Circuit 1 Power Kit for 84″W Table** | **HMAPOWER84** | 2.4 | 0.3 | **$435** |
| | **Circuit 1 Power Kit for 96″W Table** | **HMAPOWER96** | 2.6 | 0.3 | **$450** |
| | **Circuit 2 Power Kit for 36″W Table** | **HMAPOWER362** | 1.5 | 0.3 | **$392** |
| | **Circuit 2 Power Kit for 42″W Table** | **HMAPOWER422** | 1.8 | 0.3 | **$398** |
| | **Circuit 2 Power Kit for 48″W Table** | **HMAPOWER482** | 1.8 | 0.3 | **$400** |
| | **Circuit 2 Power Kit for 54″W Table** | **HMAPOWER542** | 2.0 | 0.3 | **$406** |
| | **Circuit 2 Power Kit for 60″W Table** | **HMAPOWER602** | 2.0 | 0.3 | **$409** |
| | **Circuit 2 Power Kit for 66″W Table** | **HMAPOWER662** | 2.2 | 0.3 | **$417** |
| | **Circuit 2 Power Kit for 72″W Table** | **HMAPOWER722** | 2.2 | 0.3 | **$420** |
| | **Circuit 2 Power Kit for 84″W Table** | **HMAPOWER842** | 2.4 | 0.3 | **$435** |
| | **Circuit 2 Power Kit for 96″W Table** | **HMAPOWER962** | 2.6 | 0.3 | **$450** |
|  | **Electrical Connectors**<br>4-Way Splitter<br>Available in Black (P) only.<br>**SPECIFYING EXAMPLE: HMASPLIT.P** | **HMASPLIT** | 0.9 | 0.1 | **$70** |

**NOTES:**
- Each power kit includes two duplex receptacles and attaches to the underside of the worksurface with included brackets.
- Power Kits are compatible with various base types including nesting bases.
- Available in Black finish, no specification needed.



## HOW TO SPECIFY

**Select**
**Model Number**



| H | M | A | P | L | A | T | E |
|---|---|---|---|---|---|---|---|

GSA SIN AS NOTED

ABI

Icon Legend on page 19

# POWER & CABLE MANAGEMENT

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  *Black only* **SIN 33721** | **Black Field Installable Grommet with One Access Hole**<br>• Intended for use in tops and end panels to route/hide cords and facilitate reaching wall electrical outlets.<br>• Requires a 2½″ diameter hole saw and drill for installation (not included).<br>• Grommet cap measures 3″ diameter and includes a ¾″ diameter cord access hole.<br>• Grommet sleeve measures 2½″ O.D. x ¾″ thick.<br>• Includes instructions to locate grommet position for desks, credenzas, returns and bridges.<br>The grommet is not designed to be used with the following HON Series: 94000, 38000, Metro Classic or 34000. | **HFLDGRMT** | 0.1 | 0.01 | **$46** |
|  **SIN 33721** | **Black Field Installable Grommet with Two Access Holes**<br>• Requires a 3″ diameter hole saw and drill for installation (not included).<br>• Grommet outside dimensions measures 3½″ diameter.<br>• Grommet sleeve measures 3″ O.D. x 1″ thick.<br>• Includes instructions to locate grommet position for desks, credenzas, returns and bridges. | **HFLDGRMT3** | 0.1 | 0.3 | **$46** |
|  **OPEN MARKET** | **Platinum Field Installable Grommet with Two Access Holes**<br>• Requires a 3″ diameter hole saw and drill for installation (not included).<br>• Outside dimension measures 3½″ diameter.<br>• Sleeve hole in worksurface measures 3″ O.D. x 1″ thick.<br>• Includes instructions to locate grommet position for desks, credenzas, returns, and bridges. | **HFLDGRMT4** | 0.1 | 0.01 | **$46** |
|  **SIN 33721T** | **Power Hub, 3″ Grommet Mount, 6′ Cord**<br>• Fits in 3″ round grommet holes.<br>• Two grounded AC power outlets.<br>• Includes 6′ cord with three-prong plug.<br>• Field installed with Plug-and-play ease.<br>Available in black only *(no color designation so use .X – Specify: HGRMTAC.X).* | **HGRMTAC** | 1.3 | 0.2 | **$173** |
|  **SIN 33721T** EZ | **3″ Round Power Grommet – 2 Outlets, 10′ Cord**<br>• Includes 10′ cord with three-prong plug.<br>• Fits in 3″ round grommet holes.<br>• Two grounded AC power outlets.<br>• Field installed with Plug-and-play ease.<br>NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. Optional Memory Control allows preset worksurface heights for consistency. Ships separately. Dynamic load capacity when worksurface is moving is 300 lbs.<br>Available in black finish only, no specification needed. | **HGRMTAC2** | 1.5 | 0.2 | **$204** |
|  **SIN 33721T** | **Power/USB Hub, 3″ Grommet Mount**<br>• One grounded AC power outlet with 1 USB-A, 1 USB-C ports.<br>• UL Listed.<br>Available in black only *(no color designation so use .X – Specify: HGRMTUSB2.X).*<br>Not compatible with Arrange® tables. | **HGRMTUSB2** | 1.3 | 0.2 | **$309** |
|  **SIN 33721** | **Data Grommet**<br>Blank grommet kit that includes adapters for a variety of manufacturers jacks and couplers.<br>• Fits in existing 3″ round grommet housing.<br>Available in black only. *Specify P when ordering. Example: HGRMTDATA.P.* | **HGRMTDATA** | 0.2 | 0.2 | **$33** |



## HOW TO SPECIFY

**Select Model Number**





| H | F | L | D | G | R | M | T |
|---|---|---|---|---|---|---|---|

# POWER

GSA SIN 33721 EXCEPT AS NOTED

ABI

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  *Model HPWRMOD.AC.S shown* | **Dean Power Modules with Worksurface Clamp**<br>• 2 receptacles, 1 USB-A, and 1 USB-C (AC) or 2 receptacles, 1 USB-A, and wireless charging (QA).<br>• 10′ Straight cord only with standard three-prong plug (S). UL Listed.<br>• Available in Snow (SNW) and Storm (STRM).<br>• Worksurface clamp models work on any top with 4″ overhang.<br>**SPECIFYING EXAMPLE: HPWRMOD.AC.S.SNW** | **HPWRMOD** | 2.75 S | 0.3 | **$524** |
|  *Model HUPWRMOD.AC.S shown* | **Dean Power Modules with Under-Worksurface Mounting Bracket**<br>• 2 receptacles, 1 USB-A, and 1 USB-C (AC).<br>• Power cord choices include a 10′ Straight (S), 5′ Interlink (I), 10′ Hardwire (H), and 10′ Chevron Fog and Storm Braided (B) cord.<br>• Available in Snow (SNW), Storm (STRM), and Black (BLK).<br>• Under-worksurface mounting bracket models work with any top that has a 5″ x 5″ square clearance.<br>• UL Listed.<br>**SPECIFYING EXAMPLE: HUPWRMOD.AC.S.BLK** | **HUPWRMOD** | 4.5 S | 0.2 | **$524** |
|  | **Power & Data Center**<br>• 2 Receptacles 2 Data Accessory.<br>• Standard with two receptacles and openings for two data ports.<br>• 10′ power cord with standard three-prong plug.<br>• Fits on any worksurface with a 4″ overhang.<br>• UL Listed.<br>! Color finish coordinates with HON's Loft. *Specify LOFT when ordering.*<br>**SPECIFYING EXAMPLE: HCPWRMOD.LOFT.** | **HCPWRMOD** | 2.5 S | 0.2 | **$403** |
|  | **Under Worksurface Power Module — 4 Outlets, 10′ Cord**<br>• Includes 10′ cord with three-prong plug.<br>• Fits in cable management troughs. See page 701.<br>• 4 outlets on side create easy access.<br>NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. | **HPWR4TAP** | 1.5 S | 0.1 | **$550** |
|  **OPEN MARKET** | **Vesta Mobile Power Station**<br>• Includes 10′ retractable cord with three-prong plug.<br>• 3 AC, 1 Dual USB-A, 1 USB-C at top.<br>• 2 AC at base.<br>• Specify Paint and Plastic.<br>**SPECIFYING EXAMPLE: HPWRMOB1.BLK.STRM** | **HPWRMOB1** | 14.0 S | 3.3 | **$1357** |

## HOW TO SPECIFY

**Select Model Number**

H P W R M O D .

**Select Ports**

*Specify for Dean models*

**AC** USB A+C
**QA** Wireless charging with USB-A port (+ $125)

A C .

**Select Cord**

*Specify for Dean models*

**S** Straight Cord
**B** Braided Chevron Fog and Storm Cord (+ $63)
**I** Interlink Cord (+ $38)
**H** Hardwire Cord (+ $73)

S .

**Select Paint Color**

*Specify applicable paint color for Dean and Power/Data Center models*

**SNW** Snow
**STRM** Storm
**BLK** Black
**LOFT** Loft

S T R M

**Select Model Number**

H P W R M O B 1 .

**Select Exterior Paint Color**

*Specify for model HPWRMOB1 only*

**FOG** Fog
**STRM** Storm
**BLK** Black
**SNW** Snow

B L K .

**Select Paint Color**

*Specify for model HPWRMOB1 only*

**FOG** Fog
**STRM** Storm
**BLK** Black
**SNW** Snow





S T R M

GSA SIN 33721 EXCEPT AS NOTED

ABI

Icon Legend on page 19

# POWER

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  *Model HRNDPWRMOD.QA.S shown* | **Round Power Modules with Worksurface Clamp**<br>• 2 receptacles, 1 USB-A, and 1 USB-C (AC) or 2 receptacles, 1 USB-A, 1 USB-C, and wireless charging (QA).<br>• 9′ Straight cord only (S).<br>• Available in Snow (SNW) and Storm (STRM).<br>• Worksurface clamp can be used on any surface with a 2½″ overhang.<br>• UL Listed.<br>**SPECIFYING EXAMPLE: HRNDPWRMOD.AC.S.SNW** | **HRNDPWRMOD** | 2.25 S | 0.3 | **$511** |
|  *Model HURNDPWRMOD.AC.S shown* | **Round Power Modules with Under-Worksurface Mounting Bracket**<br>• 2 receptacles, 1 USB-A, and 1 USB-C (AC).<br>• 9′ Straight cord only (S).<br>• Available in Snow (SNW), Storm (STRM), and Black (BLK).<br>• Under surface mounting can be used on any surface with a 5″ clearance.<br>• UL Listed.<br>**SPECIFYING EXAMPLE: HURNDPWRMOD.AC.S.BLK** | **HURNDPWRMOD** | 2.25 S | 0.3 | **$511** |
|  *Model HABPWRMOD.AC.Q shown* | **Above/Below Worksurface Power Modules**<br>• Desktop unit includes 2 receptacles, 1 USB-A, & 1 USB- C (AC).<br>• Under worksurface unit includes 6 receptacles and comes in Black only, no specification needed.<br>• Power cord choices include a 6′ straight cord (S) or 6′ coiled cord (Q).<br>• Desktop unit available in White (DWT) or Gray (DGY).<br>**SPECIFYING EXAMPLE: HABPWRMOD.AC.S.DWT** | **HABPWRMOD** | 2.6 S | 0.2 | **$843** |
|  *Model HABPWRMOD.AC.S shown* | | | | | |

## HOW TO SPECIFY

**Select Model Number**

H R N D P W R M O D .

**Select Ports**

*Specify for Round Power Modules*

**AC** USB A+C
**QA** Wireless charging with USB-A port (+ $125)

A C .

**Select Cord**

*Specify for Round Power Modules*

**S** Straight Cord

S .

**Select Paint Color**

*Specify applicable paint color for Round Power modules*

**SNW** Snow
**STRM** Storm
**BLK** Black

S T R M

**Select Model Number**

H A B P W R M O D .

**Select Ports**

*Specify for Above/Below Power Modules*

**AC** USB A+C

A C .

**Select Cord**

*Specify for Above/Below Power Modules*

**S** Straight Cord
**Q** Coiled cord

Q .

**Select Paint Color**

*Specify desktop unit paint color for Above/Below Power Modules*

**DWT** White
**DGY** Gray




D W T

OPEN MARKET

ABI

Icon Legend on page 19

# POWER

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **MhoB 4″ x 8″ Pop-up Port**<br>• Specify G1 cutout in table top.<br>• Pop-up Port provides three power ports and one blank data receptacle.<br>• Sits flush with worksurface when closed.<br>• Includes 6′ cord with three-prong plug. | **HTG1PWR-3P-1B** | 5 | 0.3 | **$523** |
|  | **ElloraB 5″ x 11″ Flip-top Port**<br>• Specify G2 cutout in table top.<br>• Flip-top Port provides four power ports and two blank data receptacles.<br>• Conceals wires and allows power cords to be plugged in while in use.<br>• Includes 10′ cord with three-prong circuit breaker plug.<br>NOTES: Two circuit breaker plugs do not fit into one duplex. | **HTG2PWR-4P-2B** | 5 | 0.3 | **$770** |
| | **ElloraB 5″ x 11″ Flip-top Port**<br>• Specify G2 cutout in table top.<br>• Flip-top Port provides one blank for Extron plate (HTPLATEVHAU) and three power ports.<br>• Extron AAP plates can be integrated into grommet to support changing technology.<br>• Conceals wires and allows power cords to be plugged in while in use.<br>• Includes 10′ cord with three-prong plug. | **HTG2PWR-3P-1E** | 5 | 0.3 | **$942** |
| | **ElloraB 5″ x 11″ Flip-top Port**<br>• Specify G2 cutout in table top.<br>• Flip-top Port provides 3 Power, 1 USB-A, 1 USB-C, and 2 Blank Data Ports.<br>• Conceals wires and allows power cords to be plugged in while in use.<br>• Includes 10′ cord with three-prong plug. | **HTG2PWR-3P-2B-2U** | 5 | 0.3 | **$1117** |
| | **ElloraB 5″ x 11″ Flip-top Port**<br>• Specify G2 cutout in table top.<br>• Flip-top Port provides 3 Power, 1 USB-A, 1 USB-C, and Qi wireless charging lid.<br>• Conceals wires and allows power cords to be plugged in while in use.<br>• Includes 10′ cord with three-prong plug. | **HTG2PWR-3P-1U-W** | 5 | 0.3 | **$1143** |
|  | Blank G1 Cutout Insert<br>Blank G2 Cutout Insert<br>Grommets available in BLK, FOG, and SVR only. | **HGROM1BLANK**<br>**HGROM2BLANK** | 2<br>2 | 0.2<br>0.2 | **$201**<br>**$307** |

## HOW TO SPECIFY

**Select Model Number**

H T G 2 P W R - 4 P - 2 B .

**Select Paint Color**


**SVR** Silver
**BLK** Black
**FOG** Fog

B L K

# POWER

OPEN MARKET

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE |
|---|---|---|---|---|---|
|  | **Extron Plate (Double Space) — VGA, HDMI, HDMI, Audio** | **HTPLATEVHAU** | 1 | 0.1 | **$527** |

**NOTES:**

- 1 Double Space Plate can be used with HTG2PWR-3P-1E or HTPWRGROM4 Flip-top Port.

Available in Black finish only, no specification needed.



## HOW TO SPECIFY

**Select Model Number**





| H | T | P | L | A | T | E | V | H | A | U |
|---|---|---|---|---|---|---|---|---|---|---|

GSA SIN 33721 EXCEPT AS NOTED

ABI

Icon Legend on page 19

# POWER & CABLE MANAGEMENT

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Cable Management Troughs** | | | | | | |
| | 17″W — Single | **HPWRTRGH17** | 2.7 S | 0.5 | **$96** | **N/A** | **N/A** |
| | 36″W — Single | **HPWRTRGH36** | 4.9 S | 0.9 | **$159** | **N/A** | **N/A** |
| | • Metal cable management troughs ship flat packed.<br>• The troughs attach to underneath the worksurface with screws.<br>• Cutouts in trough allow access to power without the need to detach from surface. 17″W = 1 cutout; 36″W = 2 cutouts.<br>• TAA Compliant.<br>**Graphite only, no specification needed.**<br>**SPECIFYING EXAMPLE: HPWRTRGH17** | | | | | | |
|  | **Flip-Down Wire Management Troughs** | | | | | | |
| | 20″W | **HFDTRGH20** | 4.5 S | 0.8 | **$261** | **N/A** | **N/A** |
| | 32″W | **HFDTRGH32** | 5.5 S | 1.1 | **$300** | **N/A** | **N/A** |
| | NOTES: Mounts beneath a worksurface. Flips open towards user and shuts close. Used to conceal extra cord length and power strips. May be used in conjunction with quad tap unit HPWR4TAP to reduce the number of cords routed from a worksurface to a beam. For any worksurface less than 58″W, a 20″W Flip-Down Trough is recommended. For worksurfaces 58″W and wider, a 20″W or 32″W Flip-Down Trough may be used. Only HKTSHORT keyboard tray is recommended for use in conjunction with the Flip-Down Trough.<br>Available in Black only, specify "P" for finish option.<br>**SPECIFYING EXAMPLE: HFDTRGH20.P** | | | | | | |
|  <br>*Black only* | **Cable Management Tray** | | | | | | |
| | 24″ | **HJTRGH24** | 2.0 S | 0.5 | **$99** | **N/A** | **N/A** |
| | 36″ | **HJTRGH36** | 3.0 S | 1.3 | **$121** | **N/A** | **N/A** |
| | Available in Black only.<br>**SPECIFYING EXAMPLE: HJTRGH24.P** | | | | | | |
|  | **Vertical Wire Management Vertebrae** | **HMPVWM28** | 3.0 | 0.3 | **$303** | **N/A** | **N/A** |
| | NOTES: 30″H x 3⅛″W x 1½″D. Ships unassembled.<br>Clear finish. Specify "X" for finish option.<br>**SPECIFYING EXAMPLE: HMPVWM28.X** | | | | | | |
|  | **Cord Management Chain** | | | | | | |
| | Cord Management Chain is 36″ long | **HPWRSNK36** | 2.0 S | 0.3 | **$306** | **N/A** | **N/A** |
| | NOTES: Conceals and routes cords on Height Adjustable Table. Pairs with Coordinate™. Includes two mounting brackets, mounting hardware and double-sided VHB tape. Top bracket connects under height adjustable worksurface, bottom bracket can connect underneath Gravitation™ power rail with double-sided VHB tape. Material is plastic.<br>Available in White (DW), Silver (TI), and Black (BL), specify desired plastic finish.<br>**SPECIFYING EXAMPLE: HPWRSNK36.DW** | | | | | | |

## HOW TO SPECIFY

**Select Model Number**

H J T R G H 2 4 .

**Select Paint Color *(if applicable)***

**P** Black

P

**Select Model Number**

H M P V W M 2 8 .

**Select Plastic Color *(if applicable)***

**X** Clear
**DW** White
**TI** Silver
**BL** Black




X

GSA SIN 33721 EXCEPT AS NOTED

# POWER & CABLE MANAGEMENT

ABI

Icon Legend on page 19

| | DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|---|
|  | **Panel Mounted Wire Chase**<br>• Panel Chase is 17″H.<br>• Available in standard metal paint finishes, specify desired finish.<br>• See page 676 for finish options.<br>NOTES: Provides additional cord management below the worksurface in a cubicle. Hooks between panels on Accelerate® and Abound® into slotted standards.<br>**SPECIFYING EXAMPLE: HMPCHASE.PJW** | **HMPCHASE** | 1.0 S | 0.1 | **$99** | **$109** | **$114** |
|  | **O-Leg Chase**<br>• O-Leg Chase is 26″H.<br>• Available in standard metal paint finishes, specify desired finish.<br>• See page 173 for Voi® O-Leg finishes to match chase finish to O-Leg.<br>NOTES: Works with Voi® O-Legs, matches leg profile on models HLSL30280 and HLSL24280. Attaches to legs via magnets. Metal chase can fit qty. 12, 3/10″ diameter cords.<br>**SPECIFYING EXAMPLE: HLEGCHASE26.P7D** | **HLEGCHASE26** | 1.0 S | 0.4 | **$120** | **$132** | **$138** |
|  | **Wire Cleat**<br>• Available in standard metal paint finish, specify desired finish.<br>• See page 676 for finish options.<br>NOTES: Wraps up extra cord length. Comes with screws and VHB tape to attach to various surfaces. Do not screw Wire Cleat into the side of a Height Adjustable Table leg; attach with VHB tape instead.<br>**SPECIFYING EXAMPLE: HWIRECLT.PJW** | **HWIRECLT** | 0.5 S | 0.2 | **$89** | **$98** | **$101** |
|  | **Wire Management Strips**<br>NOTES: Four plastic wire management strips with two profiles. Self-adhesive backing. May be trimmed to desired size. Available in Black only, no specification needed. | **HBTMS** | 3.0 S | 0.25 | **$165** | **N/A** | **N/A** |



## HOW TO SPECIFY

**Select Model Number**

H M P C H A S E .

**Select Paint Color**

See page 676


P J W

GSA SIN 33721 EXCEPT AS NOTED

ABI

Icon Legend on page 19

# POWER & CABLE MANAGEMENT




| DESCRIPTION | MODEL | SHIP WEIGHT | CUBE | LIST PRICE BY PAINT GRADE P1 | P2 | P3 |
|---|---|---|---|---|---|---|
| **2-Stage Metal HAT Telescoping Wire Chase** | **HHATPWRMOD2S** | 5.6 S | 0.6 | **$1093** | **$1120** | **$1133** |
| **3-Stage Metal HAT Telescoping Wire Chase** | **HHATPWRMOD3S** | 5.6 S | 0.6 | **$1118** | **$1147** | **$1162** |

- Metal Telescoping Chase available in the same paint finishes as Coordinate™ HAT bases, specify desired paint finish.

NOTES: 2 and 3-stage Metal HAT Telescoping chases include an Above/Below Power Module and a metal telescoping chase to conceal coiled cord on the Above/Below Power Module unit. Four feet of straight cord length extends from the base of Telescoping Chase. Telescoping Chase solution provides power access above and below the worksurface on Coordinate™ Height Adjustable Tables while concealing cord slack. Telescoping chase matches profile of Coordinate™ HAT leg and rises up and down with the unit. To match Metal Telescoping Chase to HAT base, specify matching paint color to HAT base.

**SPECIFYING EXAMPLE: HHATPWRMOD2S.AC.DWT.PJW**



| | | | | | | |
|---|---|---|---|---|---|---|
| **Fabric Elastic HAT Wire Chase** | **HHATPWRMODF** | 3.6 S | 0.3 | **$1007** | **$1025** | **$1034** |


- Fabric Chase comes in Light (LGT), Medium (MDD), and Dark (DRK) fabrics, specify desired fabric.
- Fabric HAT mounting brackets available in the same paint finishes as Coordinate™ HAT bases, specify desired paint finish.

NOTES: Fabric Elastic Chase includes an Above/Below Power Module and a fabric chase to conceal coiled cord on the Above/Below Power Module unit. Four feet of straight cord length extends from the base of Fabric Chase. Fabric Chase solution provides power access above and below the worksurface on Coordinate™ Height Adjustable Tables while concealing cord slack. Works on either 2-stage or 3-stage HAT bases. Fabric chase wraps around coiled cord and stretches up and down with a Coordinate™ HAT leg. To match Fabric Chase's metal mounting brackets to HAT base, specify matching paint color to HAT base.


**SPECIFYING EXAMPLE: HHATPWRMODF.AC.DWT.LGT.PJW**

**NOTES:**


- Desktop power module comes with 2 receptacles, 1 USB-A, and 1 USB-C port only, specify "AC."
- Desktop power module available in White (DWT) or Gray (DGY) finishes, specify desired finish.
- Under worksurface power strip comes with 6 receptacles and is available in Black only, no specification needed.



*2-Stage Metal Telescoping HAT Wire Management*



*3-Stage Metal Telescoping HAT Wire Management*



*2 or 3-stage Fabric Elastic HAT Wire Management*

## HOW TO SPECIFY

| Select Model Number | Select Ports | Select Power Module Paint | Select Fabric Chase Finish | Select Paint Color |
|---|---|---|---|---|
| | *Specify for Above/Below Power Modules* | *Specify for Above/Below Power Modules* | *For Fabric Chase only* | *Specify paint for Telescoping Chase or Fabric Chase Mounting Brackets* |
| | **AC** USB A+C | **DWT** White<br>**DGY** Gray | **LGT** Light<br>**MDD** Medium<br>**DRK** Dark | See page 115 for finishes |
| H H A T P W R M O D F . | A C . | D W T . | L G T . | P J W |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| H10501 | 270 | H105321K | 283 | H105492 | 281 | H105815R | 291 |
| H105012 | 270 | H105322 | 283 | H105493 | 281 | H105816L | 291 |
| H105014 | 271 | H105322G | 284 | H105520 | 297 | H105817R | 291 |
| H10502 | 270 | H105322K | 283 | H105524 | 297 | H105818L | 291 |
| H10503 | 272 | H105323 | 283 | H105525R | 297 | H10583R | 277 |
| H10504 | 271 | H105323G | 284 | H105526L | 297 | H10584L | 277 |
| H10505 | 272 | H105323K | 283 | H105527R | 297 | H105851 | 165, 286 |
| H105062 | 270 | H105324 | 283 | H105528L | 297 | H105852 | 165, 286 |
| H105064 | 271 | H105324G | 284 | H105531 | 293 | H105853 | 165, 286 |
| H105076 | 272 | H105324K | 283 | H105532 | 297 | H105854 | 165, 286 |
| H105077 | 272 | H105327 | 283 | H105533 | 297 | H105855 | 165, 286 |
| H10508 | 272 | H105327G | 284 | H105534 | 297 | H105856 | 165, 286 |
| H105093 | 270 | H105327K | 283 | H105535 | 297 | H105857 | 165, 286 |
| H105098 | 152, 257 | H10533 | 283 | H105581 | 257 | H10585R | 277 |
| H105099 | 152, 257 | H10533G | 284 | H105581X | 257 | H10586L | 277 |
| H1050CST | 642 | H10533K | 283 | H105582 | 257 | H10587R | 277 |
| H105102 | 292 | H10534 | 283 | H105582X | 257 | H105885R | 277 |
| H105104 | 292 | H105349 | 164, 284 | H105583 | 257 | H10588L | 277 |
| H105106 | 292 | H10534G | 284 | H105583X | 257 | H105890 | 273 |
| H105109 | 292 | H10534K | 283 | H105598 | 281 | H105891 | 273 |
| H10511R | 277 | H10536 | 282 | H105599 | 281 | H105892 | 273 |
| H10512L | 277 | H105360 | 290 | H10560 | 281 | H105893R | 273 |
| H10515R | 277 | H105361 | 290 | H10561 | 260 | H105894L | 273 |
| H10516 | 292 | H105362 | 290 | H10561X | 260 | H105895R | 273 |
| H10516L | 277 | H105363 | 290 | H10563 | 292 | H105896L | 273 |
| H10517 | 292 | H105367 | 282 | H10564 | 257 | H105897R | 273 |
| H105201RE | 279 | H105368 | 282 | H10564X | 257 | H105898L | 273 |
| H105202LE | 279 | H10537 | 282 | H10565 | 278 | H105899 | 273 |
| H105203RE | 279 | H105380 | 287 | H10566 | 278 | H105900 | 274 |
| H105204LE | 279 | H105380G | 290 | H105663 | 259 | H105901 | 274 |
| H105205RE | 280 | H105380K | 287 | H105679 | 155, 272 | H105902 | 274 |
| H105206LE | 280 | H105381 | 287 | H10568 | 260 | H105903R | 274 |
| H105209E | 279 | H105381G | 290 | H10568X | 260 | H105904L | 274 |
| H10521E | 279 | H105381K | 287 | H105680 | 260 | H105905R | 274 |
| H10522E | 279 | H105382 | 287 | H105680X | 260 | H105906L | 274 |
| H10523E | 279 | H105382G | 290 | H105681 | 260 | H105907R | 274 |
| H10524 | 271 | H105382K | 287 | H105681X | 260 | H105908L | 274 |
| H1052441LEP | 262 | H105383 | 287 | H105684 | 260 | H105909 | 274 |
| H10524LEP | 262 | H105383G | 290 | H105684X | 260 | H10592 | 256 |
| H10524TEP | 262 | H105383K | 287 | H105686 | 260 | H10592X | 256 |
| H10524TSUPP | 262 | H105388 | 282 | H105686X | 260 | H10593 | 277 |
| H10525RE | 279 | H105392 | 259 | H105690 | 292 | H10594 | 256 |
| H10526LE | 279 | H105393 | 259 | H105691 | 257 | H10594X | 256 |
| H10528 | 161, 280 | H105397 | 259 | H105691X | 257 | H10595 | 277 |
| H105290 | 293 | H10541 | 257 | H105692 | 257 | H10596 | 256 |
| H105291 | 293 | H105410 | 258 | H105692X | 257 | H10596X | 256 |
| H105292 | 293 | H105410X | 258 | H105698 | 281 | H105973R | 274 |
| H105293 | 296 | H105411 | 258 | H105699 | 281 | H105974L | 274 |
| H105295R | 296 | H105411X | 258 | H10570 | 281 | H105975R | 274 |
| H105296L | 296 | H105412 | 258 | H10571 | 277 | H105976L | 274 |
| H105297R | 296 | H105412X | 258 | H105720 | 298 | H10598 | 256 |
| H105298L | 296 | H105413 | 258 | H105721 | 170, 298 | H10598X | 256 |
| H105299 | 296 | H105413X | 258 | H105722 | 170, 298 | H105B2460 | 261 |
| H10530 | 296 | H10541X | 257 | H105724 | 298 | H105B3060 | 261 |
| H105301R | 296 | H10542 | 257 | H105726 | 298 | H105B3066 | 261 |
| H105302L | 296 | H10542X | 257 | H105729 | 298 | H105B3072 | 261 |
| H1053041LEP | 262 | H10543 | 278 | H10573 | 277 | H105CT3020 | 276 |
| H10530LEP | 262 | H10544 | 278 | H10578 | 256 | H105CT3024 | 276 |
| H10530TEP | 262 | H10545R | 278 | H10578X | 256 | H105CT3620 | 276 |
| H105310 | 293 | H10546L | 278 | H10579 | 256 | H105CT3624 | 276 |
| H105319 | 285 | H10547R | 281 | H10579X | 256 | H105CTHAT3020 | 276 |
| H105321 | 283 | H10548L | 281 | H105810 | 291 | H105CTHAT3024 | 276 |
| H105321G | 284 | H105491 | 281 | H105811 | 291 | H105CTHAT3620L | 276 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| H105CTHAT3620R | 276 | H105R2460 | 261, 267 | H115204LE | 160 | H115524 | 169 |
| H105CTHAT3624L | 276 | H105R2466 | 261, 267 | H11521E | 160 | H115525R | 169 |
| H105CTHAT3624R | 276 | H105R2472 | 261, 267 | H11522E | 160 | H115526L | 169 |
| H105CTHAT6020L | 276 | H105R2478 | 261 | H11523E | 160 | H115527R | 169 |
| H105CTHAT6020R | 276 | H105R2484 | 261 | H11525RE | 160 | H115528L | 169 |
| H105CTHAT6024L | 276 | H105R3048 | 261, 267 | H11526LE | 160 | H11553 | 169 |
| H105CTHAT6024R | 276 | H105R3060 | 261, 267 | H115290 | 167 | H11554 | 169 |
| H105CTHAT6620L | 276 | H105R3066 | 261, 267 | H115291 | 167 | H11555 | 169 |
| H105CTHAT6620R | 276 | H105R3072 | 261, 267 | H115292 | 167 | H115581 | 152 |
| H105CTHAT6624L | 276 | H105R3078 | 261 | H115293 | 168 | H115581X | 152 |
| H105CTHAT6624R | 276 | H105R3084 | 261 | H115295R | 168 | H115582 | 152 |
| H105CTHAT7220L | 276 | H105ST122450L | 293 | H115296L | 168 | H115582X | 152 |
| H105CTHAT7220R | 276 | H105ST122450R | 293 | H115297R | 168 | H115583 | 152 |
| H105CTHAT7224L | 276 | H105ST123050L | 293 | H115298L | 168 | H115583X | 152 |
| H105CTHAT7224R | 276 | H105ST123050R | 293 | H115299 | 168 | H115598 | 162 |
| H105HLEG2428 | 264 | H105WMH30 | 288 | H11530 | 168 | H115599 | 162 |
| H105HLEG2441 | 264 | H105WMH30C | 288 | H115301R | 168 | H11560 | 162 |
| H105HLEG3028 | 264 | H105WMH36 | 288 | H115302L | 168 | H11561 | 153 |
| H105HLEG3041 | 264 | H105WMH36C | 288 | H115321 | 163 | H11561X | 153 |
| H105LC3020BF | 275 | H105WMH42 | 288 | H115321G | 164 | H11563 | 167 |
| H105LC3020SF | 275 | H105WMH42C | 288 | H115321K | 163 | H11564 | 152 |
| H105LC3024BF | 275 | H105WMH48 | 288 | H115322 | 163 | H11564X | 152 |
| H105LC3024SF | 275 | H105WMH48C | 288 | H115322G | 164 | H11565 | 159 |
| H105LC3620BF | 275 | H105WMH48P | 288 | H115322K | 163 | H11566 | 159 |
| H105LC3620SF | 275 | H105WMH48PC | 288 | H115323 | 163 | H11568 | 153 |
| H105LC3624BF | 275 | H105WMH48PCG | 289 | H115323G | 164 | H115680 | 153 |
| H105LC3624SF | 275 | H105WMH48PG | 289 | H115323K | 163 | H115680X | 153 |
| H105LCHAT3020B | 275 | H105WMH60P | 288 | H115324 | 163 | H115681 | 153 |
| H105LCHAT3020S | 275 | H105WMH60PC | 288 | H115324G | 164 | H115681X | 153 |
| H105LCHAT3024S | 275 | H105WMH60PCG | 289 | H115324K | 163 | H115684 | 153 |
| H105LCHAT3620B | 275 | H105WMH60PG | 289 | H115327 | 163 | H115684X | 153 |
| H105LCHAT3620S | 275 | H105WMH66 | 288 | H115327G | 164 | H115686 | 153 |
| H105LCHAT3624S | 275 | H105WMH66C | 288 | H115327K | 163 | H115686X | 153 |
| H105LT182050BFL | 294 | H105WMH66P | 288 | H11533 | 163 | H11568X | 153 |
| H105LT182050BFR | 294 | H105WMH66PC | 288 | H11533G | 164 | H115690 | 167 |
| H105LT182050CBFL | 294 | H105WMH66PCG | 289 | H11533K | 163 | H115691 | 152 |
| H105LT182050CBFR | 294 | H105WMH66PG | 289 | H11534 | 163 | H115691X | 152 |
| H105LT182050SBFL | 294 | H105WMH72P | 288 | H11534G | 164 | H115692 | 152 |
| H105LT182050SBFR | 294 | H105WMH72PC | 288 | H11534K | 163 | H115692X | 152 |
| H105LT182450BFL | 294 | H105WMH72PCG | 289 | H115380 | 165 | H115698 | 162 |
| H105LT182450BFR | 294 | H105WMH72PG | 289 | H115380K | 165 | H115699 | 162 |
| H105LT182450CBFL | 294 | H11501 | 154 | H115381 | 165 | H11570 | 162 |
| H105LT182450CBFR | 294 | H115012 | 154 | H115381K | 165 | H11571 | 158 |
| H105LT182450SBFL | 294 | H115014 | 154 | H115382 | 165 | H115720 | 170 |
| H105LT182450SBFR | 294 | H11502 | 154 | H115382K | 165 | H115724 | 170 |
| H105LT182450SCBFL | 295 | H11503 | 155 | H115383 | 165 | H115726 | 170 |
| H105LT182450SCBFR | 295 | H11504 | 154 | H115383K | 165 | H11573 | 158 |
| H105LT242050BFL | 294 | H11505 | 155 | H11541 | 152 | H11578 | 151 |
| H105LT242050BFR | 294 | H11508 | 155 | H11541X | 152 | H11579 | 151 |
| H105LT242050CBFL | 294 | H115093 | 154 | H11542 | 152 | H115811 | 166 |
| H105LT242050CBFR | 294 | H115102 | 167 | H11542X | 152 | H115815R | 166 |
| H105LT242050SBFL | 294 | H115104 | 167 | H11543 | 159 | H115816L | 166 |
| H105LT242050SBFR | 294 | H115106 | 167 | H11544 | 159 | H11583R | 158 |
| H105LT242450BFL | 294 | H115109 | 167 | H11545R | 159 | H11584L | 158 |
| H105LT242450BFR | 294 | H11511R | 158 | H11546L | 159 | H11585R | 158 |
| H105LT242450CBFL | 294 | H11512L | 158 | H11547R | 162 | H11586L | 158 |
| H105LT242450CBFR | 294 | H11515R | 158 | H11548L | 162 | H11587R | 158 |
| H105LT242450SBFL | 294 | H11516 | 167 | H115491 | 162 | H115885R | 158 |
| H105LT242450SBFR | 294 | H11516L | 158 | H115492 | 162 | H11588L | 158 |
| H105R2430 | 261 | H11517 | 167 | H115493 | 162 | H115890 | 156 |
| H105R2436 | 261 | H115201RE | 160 | H11552 | 169 | H115891 | 156 |
| H105R2442 | 261, 267 | H115202LE | 160 | H115520 | 169 | H115892 | 156 |
| H105R2448 | 261, 267 | H115203RE | 160 | H115523 | 169 | H115893R | 156 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| H115894L | 156 | H34974L | 308 | H482 | 634 | H90057 | 71, 75, 165, 286 |
| H115895R | 156 | H36720(?) | 537 | H484 | 634 | H9170(?) | 602 |
| H115896L | 156 | H36723(?) | 537 | H511596 | 544 | H9173(?) | 602 |
| H115897R | 156 | H36820(?) | 537 | H512 | 639 | H9174(?) | 602 |
| H115898L | 156 | H36823(?) | 537 | H51204 | 682 | H9175(?) | 602 |
| H115899 | 156 | H38155 | 315 | H51206 | 682 | H9180(?) | 602 |
| H115900 | 157 | H38170 | 315 | H512C | 639 | H9183(?) | 602 |
| H115901 | 157 | H38180 | 315 | H514 | 639 | H9184(?) | 602 |
| H115902 | 157 | H38210 | 317 | H514C | 639 | H9185(?) | 602 |
| H115903R | 157 | H38215R | 315 | H519495 | 305, 308, 642 | H9185LS(?) | 603 |
| H115904L | 157 | H38216L | 315 | H52C | 608 | H9185LSN(?) | 603 |
| H115905R | 157 | H38217R | 315 | H672 | 542 | H9190(?) | 602 |
| H115906L | 157 | H38218L | 315 | H673 | 542 | H9193(?) | 602 |
| H115907R | 157 | H38220 | 317 | H674 | 542 | H9194(?) | 602 |
| H115908L | 157 | H38251 | 315 | H675 | 542 | H919430 | 568, 569, 640 |
| H115909 | 157 | H38252L | 315 | H682 | 542 | H919436 | 568, 569, 640 |
| H11592 | 151 | H38291R | 315 | H683 | 542 | H919442 | 640 |
| H11593 | 158 | H38292L | 315 | H684 | 542 | H919448 | 568, 569 |
| H11594 | 151 | H38293R | 315 | H685 | 542 | H919460 | 568, 569, 640 |
| H11595 | 158 | H38294L | 315 | H692 | 542 | H919466 | 640 |
| H11596 | 151 | H384815 | 318 | H693 | 542 | H919472 | 568, 569, 640 |
| H11598 | 151 | H386015 | 318 | H694 | 542 | H919491 | 640 |
| H14917(?) | 600 | H386548N | 305, 318 | H695 | 542 | H919493 | 640 |
| H14923(?) | 600 | H386560N | 305, 318 | H772 | 540 | H9195(?) | 602 |
| H1522 | 113, 683 | H386566N | 305, 318 | H773 | 540 | HABPWRMOD | 698.1 |
| H15923(?) | 601 | H386572N | 318 | H774 | 540 | HAECBH | 619 |
| H1801 | 646 | H386615 | 318 | H775 | 540 | HAEHF | 619 |
| H1871 | 646 | H387215 | 318 | H775LS | 541 | HAELT | 619 |
| H18717(?) | 600 | H38851 | 315 | H782 | 540 | HAESC19 | 617 |
| H1872 | 646 | H38852 | 315 | H783 | 540 | HAESS | 619 |
| H18723(?) | 600 | H38853 | 315 | H784 | 540 | HAEST | 619 |
| H18730(?) | 600 | H38854 | 315 | H785 | 540 | HAPGBP196NPT | 615 |
| H1874 | 646 | H38855L | 315 | H785LS | 541 | HAPGBP196NPTE | 616 |
| H1875 | 646 | H38856R | 315 | H792 | 540 | HAPGBP199TFN | 615 |
| H1876 | 646 | H38857L | 315 | H793 | 540 | HAPGBP199TFNE | 616 |
| H1877 | 646 | H38858R | 315 | H794 | 540 | HAPGBP19SNPT | 615 |
| H18817(?) | 600 | H38921 | 316 | H795 | 540 | HAPGBP19SNPTE | 616 |
| H18823(?) | 600 | H38922 | 316 | H795LS | 541 | HAPGBP236NPT | 615 |
| H18830(?) | 600 | H38923 | 316 | H80191 | 300 | HAPGBP236NPTE | 616 |
| H19717(?) | 600 | H38925 | 316 | H80192 | 300 | HAPGBP239TFN | 615 |
| H19723(?) | 600 | H38928 | 317 | H80193 | 300 | HAPGBP239TFNE | 616 |
| H19730(?) | 600 | H38931 | 316 | H872 | 538 | HAPGBS239TFN | 615 |
| H19817(?) | 600 | H38932 | 316 | H873 | 538 | HAPGBS239TFNE | 616 |
| H19823(?) | 600 | H38933 | 316 | H874 | 538 | HAPGBS23SNPT | 615 |
| H19830(?) | 600 | H38934 | 316 | H875 | 538 | HAPGBS23SNPTE | 616 |
| H20040AG | 642 | H38935 | 316 | H875LS | 539 | HAPGCP199TPN | 615 |
| H312 | 638 | H38941E | 317 | H882 | 538 | HAPGCP199TPNE | 616 |
| H312C | 638 | H38942E | 317 | H883 | 538 | HAPGCP239TPN | 615 |
| H314 | 638 | H38943R | 316 | H884 | 538 | HAPGCP239TPNE | 616 |
| H314C | 638 | H38944L | 316 | H885 | 538 | HAPGCS239TPN | 615 |
| H315 | 638 | H38945R | 316 | H885LS | 539 | HAPGCS239TPNE | 616 |
| H315C | 638 | H38946L | 316 | H892 | 538 | HAPMAP196NFN | 613 |
| H33720(?) | 537 | H38947R | 316 | H893 | 538 | HAPMAP196NFNE | 614 |
| H33723(?) | 537 | H38948L | 316 | H894 | 538 | HAPMAP236NFN | 613 |
| H33820(?) | 537 | H38949R | 316 | H895 | 538 | HAPMAP236NFNE | 614 |
| H33823(?) | 537 | H38950L | 316 | H895LS | 539 | HAPMBP196NPT | 613 |
| H34002R | 308 | H38966E | 317 | H90050 | 71, 75, 286 | HAPMBP196NPTE | 614 |
| H34251 | 308 | H38SHFDV | 319, 496 | H90051 | 71, 75, 165, 286 | HAPMBP199TFN | 613 |
| H34480 | 308 | H4022 | 681 | H90052 | 71, 75, 165, 286 | HAPMBP199TFNE | 614 |
| H34834R | 308 | H4028 | 681 | H90053 | 71, 75, 165, 286 | HAPMBP19SNPT | 613 |
| H34835L | 308 | H4029 | 681 | H90054 | 71, 75, 165, 286 | HAPMBP19SNPTE | 614 |
| H34962 | 308 | H432 | 634 | H90055 | 71, 75, 165, 286 | HAPMBP236NPT | 613 |
| H34973R | 308 | H434 | 634 | H90056 | 71, 75, 165, 286 | HAPMBP236NPTE | 614 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| HAPMBP239TFN | 613 | HBENDCP | 470 | HCM4660LN | 686 | HEC72PXN | 393 |
| HAPMBP239TFNE | 614 | HBEORH23 | 471 | HCNLEG29 | 520 | HEC80P2N | 393 |
| HAPMBS239TFN | 613 | HBEORL23 | 471 | HCPU1 | 679 | HEC80P3N | 393 |
| HAPMBS239TFNE | 614 | HBEORT23 | 471 | HCPWRMOD | 503, 698 | HEC80PLN | 393 |
| HAPMBS23SNPT | 613 | HBFAB | 472.1 | HCRESCENTA2 | 301 | HEC80PSN | 393 |
| HAPMBS23SNPTE | 614 | HBILNH23 | 471 | HCRESCENTA3 | 301 | HEC80PTN | 393 |
| HAPMCP199TPN | 613 | HBILNT23 | 471 | HCRESCENTC2 | 301 | HEC80PXN | 393 |
| HAPMCP199TPNE | 614 | HBILNX23 | 471 | HCRESCENTC3 | 301 | HECB01 | 516 |
| HAPMCP239TPN | 613 | HBLEG23 | 470 | HCS3636P | 517 | HECB42 | 516 |
| HAPMCP239TPNE | 614 | HBLPBRIDGE | 139 | HCS4242P | 517 | HECC10 | 496 |
| HAPMCS239TPN | 613 | HBLPCLASSIC | 139 | HCTL181L | 520 | HECC15 | 496 |
| HAPMCS239TPNE | 614 | HBLPCONTEMP | 139 | HCTL181R | 520 | HECPP | 501 |
| HARCHA2 | 171, 301 | HBPPCK | 472 | HCTL182 | 520 | HECPP156 | 501 |
| HARCHA3 | 171, 301 | HBPPEK | 472 | HCTL241L | 520 | HECS1 | 394 |
| HARCHC2 | 171, 301 | HBPPMK | 472 | HCTL241R | 520 | HECSL | 394 |
| HARCHC3 | 171, 301 | HBPPSK | 472 | HCTL242 | 520 | HECSS | 394 |
| HAS18 | 545 | HBPRTCV | 429.16, 471 | HCWD2450P | 514 | HECST | 394 |
| HAS24 | 545 | HBSMAUSB | 677 | HCWD3062P | 514 | HECSV | 394 |
| HAUFHL15N | 618 | HBTMS | 504.2, 701.1 | HD2 | 684 | HECSX | 394 |
| HAUFHL15NE | 618 | HBV-P4224 | 529 | HD8 | 684 | HECSY | 394 |
| HAUFHR15N | 618 | HBV-P4230 | 529 | HDPS1 | 690 | HECVH07P | 395 |
| HAUFHR15NE | 618 | HBV-P4236 | 529 | HE4022 | 681 | HECVH15P | 395 |
| HAUFO15N | 618 | HBV-P4242 | 529 | HEABAC | 396 | HECVH22P | 395 |
| HB9 | 544 | HBV-P4248 | 529 | HEBPLATE336 | 389, 498 | HECVH30P | 395 |
| HB96PP | 472 | HBV-P4260 | 529 | HEBPLATE342 | 389, 498 | HEFEC35P | 395 |
| HBCCKIT24 | 516 | HBV-P4272 | 529 | HEBPLATE348 | 389, 498 | HEFEC42P | 395 |
| HBCCKIT24F | 516 | HBV-P6024 | 529 | HEBPLATE360 | 389, 498 | HEFEC50P | 395 |
| HBCCKIT30 | 516 | HBV-P6030 | 529 | HEBPLATE372 | 389, 498 | HEFEC57P | 395 |
| HBCCKIT30F | 516 | HBV-P6036 | 529 | HEC35P2N | 393 | HEFEC65P | 395 |
| HBCCKIT36 | 516 | HBV-P6042 | 529 | HEC35P3N | 393 | HEFEC72P | 395 |
| HBCCKIT36F | 516 | HBV-P6048 | 529 | HEC35PLN | 393 | HEFEC80P | 395 |
| HBCKIT24 | 516 | HBV-P6060 | 529 | HEC35PSN | 393 | HEFGS0720 | 392 |
| HBCKIT24F | 516 | HBV-P6072 | 529 | HEC35PTN | 393 | HEFGS0724 | 392 |
| HBCKIT30 | 516 | HBV-P7224 | 529 | HEC35PXN | 393 | HEFGS0730 | 392 |
| HBCKIT30F | 516 | HBV-P7230 | 529 | HEC42P2N | 393 | HEFGS0736 | 392 |
| HBCKIT36 | 516 | HBV-P7236 | 529 | HEC42P3N | 393 | HEFGS0742 | 392 |
| HBCKIT36F | 516 | HBV-P7242 | 529 | HEC42PLN | 393 | HEFGS0748 | 392 |
| HBCKIT42 | 516 | HBV-P7248 | 529 | HEC42PSN | 393 | HEFGS0754 | 392 |
| HBCKIT42F | 516 | HBV-P7260 | 529 | HEC42PTN | 393 | HEFGS0760 | 392 |
| HBCKIT48 | 516 | HBV-PBS | 530 | HEC42PXN | 393 | HEFGS0766 | 392 |
| HBCKIT48F | 516 | HBV-PWB1 | 530 | HEC50P2N | 393 | HEFGS0772 | 392 |
| HBCKIT60 | 516 | HBV-QC180 | 530 | HEC50P3N | 393 | HEFGS1520 | 392 |
| HBCKIT60F | 516 | HBV-QC90 | 530 | HEC50PLN | 393 | HEFGS1524 | 392 |
| HBCKIT66 | 516 | HBV-TBASE | 530 | HEC50PSN | 393 | HEFGS1530 | 392 |
| HBCKIT66F | 516 | HBV-VSH24 | 530 | HEC50PTN | 393 | HEFGS1536 | 392 |
| HBCKIT72 | 516 | HBV-VSH30 | 530 | HEC50PXN | 393 | HEFGS1542 | 392 |
| HBCKIT72F | 516 | HBV-VSH36 | 530 | HEC57P2N | 393 | HEFGS1548 | 392 |
| HBCONU | 471 | HBV-VSH42 | 530 | HEC57P3N | 393 | HEFGS1554 | 392 |
| HBCSR1524P | 515 | HBV-VSH48 | 530 | HEC57PLN | 393 | HEFGS1560 | 392 |
| HBCSR1530P | 515 | HBV-VSH60 | 530 | HEC57PSN | 393 | HEFGS1566 | 392 |
| HBCSR1536P | 515 | HBVWM | 472.1 | HEC57PTN | 393 | HEFGS1572 | 392 |
| HBCSR1542P | 515 | HBWCT3624P | 510 | HEC57PXN | 393 | HEFTAC | 396 |
| HBCSR1548P | 515 | HBWCT4224P | 510 | HEC65P2N | 393 | HEGFG0718 | 458 |
| HBCSR1560P | 515 | HBWCT4230P | 510 | HEC65P3N | 393 | HEGFG0721 | 458 |
| HBCSR1566P | 515 | HBWCT4824P | 510 | HEC65PLN | 393 | HEGFG0724 | 458 |
| HBCSR1572P | 515 | HBWCT4830P | 510 | HEC65PSN | 393 | HEGFG0727 | 458 |
| HBCSR2424P | 515 | HBWD2450P | 514 | HEC65PTN | 393 | HEGFG0730 | 458 |
| HBCSR3030P | 515 | HBWD3062P | 514 | HEC65PXN | 393 | HEGFG0733 | 458 |
| HBCSR3636P | 515 | HC14 | 305, 308 | HEC72P2N | 393 | HEGFG0736 | 458 |
| HBDMAUSB | 677 | HCD1 | 684 | HEC72P3N | 393 | HEGFG0739 | 458 |
| HBEAM48 | 470 | HCLA65 | 525, 691 | HEC72PLN | 393 | HEGFG0742 | 458 |
| HBEAM60 | 470 | HCM3648LN | 686 | HEC72PSN | 393 | HEGFG0745 | 458 |
| HBEAM72 | 470 | HCM3648LS | 686 | HEC72PTN | 393 | HEGFG0748 | 458 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| HEGFG0754 | 458 | HETB2018 | 497 | HETP6548DP | 387 | HH870942 | 290, 688 |
| HEGFG0757 | 458 | HETB2418 | 497 | HETP6548FP | 386 | HH870942CH | 688 |
| HEGFG0760 | 458 | HETB3018 | 497 | HETP6560DP | 387 | HH870960 | 290, 688 |
| HEGFG0772 | 458 | HETB3618 | 497 | HETP6560FP | 386 | HH870960CH | 688 |
| HEGMC351 | 460 | HETB4218 | 497 | HETP6572DP | 387 | HH871024 | 429.15, 499 |
| HEGMC352 | 460 | HETB4818 | 497 | HETP6572FP | 386 | HH871024A | 429.15, 499 |
| HEGMC421 | 460 | HETB6018 | 497 | HEVHF07P | 395 | HH871030 | 499 |
| HEGMC422 | 460 | HETB7218 | 497 | HEVHF15P | 395 | HH871030A | 499 |
| HEGMC501 | 460 | HETC20 | 389 | HEVHF22P | 395 | HH871036 | 499 |
| HEGMC502 | 460 | HETC24 | 389 | HEVHF30P | 395 | HH871036A | 499 |
| HEGMC571 | 460 | HETC30 | 389 | HEVHG07P | 392 | HH871042 | 499 |
| HEGMC572 | 460 | HETC36 | 389 | HEVHG15P | 392 | HH871042A | 499 |
| HEGMC651 | 460 | HETC42 | 389 | HEVHG22P | 392 | HH871048 | 429.15, 499 |
| HEGMC652 | 460 | HETC48 | 389 | HEVHG30P | 392 | HH871048A | 429.15, 499 |
| HEGMC721 | 460 | HETC60 | 389 | HEWS35P | 395 | HH871060 | 429.15, 499 |
| HEGMC722 | 460 | HETC66 | 389 | HEWS42P | 395 | HH871060A | 429.15, 499 |
| HEGPEC | 460 | HETC72 | 389 | HEWS50P | 395 | HH871072 | 429.15, 499 |
| HEGSFGA | 460 | HETC78 | 389 | HEWS57P | 395 | HH871124 | 499 |
| HEOHRTA1524FD | 494 | HETC84 | 389 | HEWS65P | 395 | HH871124A | 499 |
| HEOHRTA1530FD | 494 | HETC90 | 389 | HEWS72P | 395 | HH871130 | 499 |
| HEOHRTA1536FD | 494 | HETC96 | 389 | HEWS80P | 395 | HH871130A | 499 |
| HEOHRTA1542FD | 494 | HETP3520FP | 386 | HF22 | 642, 673 | HH871136 | 499 |
| HEOHRTA1548FD | 494 | HETP3524FP | 386 | HF23B | 673 | HH871136A | 499 |
| HEOHRTA1560FD | 494 | HETP3530FP | 386 | HF23C | 642, 673 | HH871142 | 499 |
| HEOHRTA1572FD | 494 | HETP3536FP | 386 | HF23S | 569, 673 | HH871142A | 499 |
| HEP35 | 501 | HETP3542FP | 386 | HF24 | 641, 673 | HH871148 | 429.15, 499 |
| HEP65 | 501 | HETP3548FP | 386 | HF246 | 641, 673 | HH871148A | 429.15, 499 |
| HEPDMK42P | 388 | HETP3560FP | 386 | HF27B | 673 | HH871160 | 429.15, 499 |
| HERECPCVR | 501 | HETP3572FP | 386 | HF27S | 673 | HH871160A | 429.15, 499 |
| HES1520F | 390 | HETP4220FP | 386 | HF50 | 641 | HH871172 | 429.15, 499 |
| HES1520G | 391 | HETP4224FP | 386 | HF60 | 641 | HH871172A | 429.15, 499 |
| HES1524F | 390 | HETP4230FP | 386 | HF80 | 642 | HH871224 | 499 |
| HES1524G | 391 | HETP4236FP | 386 | HFBRZPWM | 570 | HH871224A | 499 |
| HES1530F | 390 | HETP4242FP | 386 | HFDTRGH20 | 504.1, 701 | HH871230 | 499 |
| HES1530G | 391 | HETP4248FP | 386 | HFDTRGH32 | 504.1, 701 | HH871230A | 499 |
| HES1536F | 390 | HETP4260FP | 386 | HFLDGRMT | 429.17, 429.24, 697 | HH871236 | 499 |
| HES1536G | 391 | HETP4272FP | 386 | HFLDGRMT3 | 697 | HH871236A | 499 |
| HES1542F | 390 | HETP5020DP | 387 | HFLDGRMT4 | 697 | HH871242 | 499 |
| HES1542G | 391 | HETP5020FP | 386 | HFMBIN12 | 604 | HH871242A | 499 |
| HES1548F | 390 | HETP5024DP | 387 | HFMBIN3 | 604 | HH871248 | 429.15, 473, 499 |
| HES1548G | 391 | HETP5024FP | 386 | HFMBIN6 | 604 | HH871248A | 429.15, 473, 499 |
| HES1560F | 390 | HETP5030DP | 387 | HFMSC182830RWB | 604 | HH871260 | 429.15, 473, 499 |
| HES1560G | 391 | HETP5030FP | 386 | HFMSC183930RWB | 604 | HH871260A | 429.15, 473, 499 |
| HES1572F | 390 | HETP5036DP | 387 | HFMSC185230RWB | 604 | HH871272 | 429.15, 473, 499 |
| HES1572G | 391 | HETP5036FP | 386 | HFMSC186430RWB | 604 | HH871272A | 429.15, 473, 499 |
| HES3020G | 391 | HETP5042DP | 387 | HFSC183640(?) | 606 | HH871366 | 500 |
| HES3024G | 391 | HETP5042FP | 386 | HFSC183640W | 605 | HH871366A | 500 |
| HES3030G | 391 | HETP5048DP | 387 | HFSC183664(?) | 606 | HH871400 | 429.16, 500 |
| HES3036G | 391 | HETP5048FP | 386 | HFSC183664W | 605 | HH871400A | 429.16, 500 |
| HES3042G | 391 | HETP5060DP | 387 | HGRMTAC | 504, 697 | HH871500 | 429.16 |
| HES3048G | 391 | HETP5060FP | 386 | HGRMTAC2 | 697 | HH871501 | 429.16, 502 |
| HES3060G | 391 | HETP5072DP | 387 | HGRMTDATA | 697 | HH871501A | 429.16, 502 |
| HESDMK30 | 388 | HETP5072FP | 386 | HGRMTUSB2 | 504, 697 | HH871502 | 429.16, 502 |
| HESDMK36 | 388 | HETP6520DP | 387 | HGROM1BLANK | 699 | HH871502A | 429.16, 502 |
| HESDMK42 | 388 | HETP6520FP | 386 | HGROM2BLANK | 699 | HH871503 | 429.16, 502 |
| HESDMK48 | 388 | HETP6524DP | 387 | HH15042SD | 357, 388 | HH871503A | 429.16, 502 |
| HESHRTA24 | 494 | HETP6524FP | 386 | HH16542SD | 357, 388 | HH871504 | 429.16, 502 |
| HESHRTA30 | 494 | HETP6530DP | 387 | HH18042SD | 357, 388 | HH871506 | 429.16, 502 |
| HESHRTA36 | 494 | HETP6530FP | 386 | HH870070 | 472, 501 | HH871601 | 429.16, 473, 502 |
| HESHRTA42 | 494 | HETP6536DP | 387 | HH870924 | 688 | HH871601A | 473, 502 |
| HESHRTA48 | 494 | HETP6536FP | 386 | HH870924CH | 688 | HH871912 | 429.15, 473, 500 |
| HESHRTA60 | 494 | HETP6542DP | 387 | HH870930 | 290, 688 | HH871912A | 429.15, 473, 500 |
| HESHRTA72 | 494 | HETP6542FP | 386 | HH870930CH | 688 | HH871918 | 473, 500 |

# CROSS REFERENCE INDEX


| MODEL | PAGE |
|---|---|
| HH871918A | 473, 500 |
| HH873500 | 500 |
| HH873501 | 473, 502 |
| HH873501A | 473, 502 |
| HH873502 | 473, 502 |
| HH873502A | 473, 502 |
| HH873503 | 473, 502 |
| HH873503A | 473, 502 |
| HH873504 | 473, 502 |
| HH873506 | 473, 502 |
| HH879072 | 500 |
| HH879072A | 500 |
| HH879168 | 500 |
| HH879168A | 500 |
| HH8988EBN | 504 |
| HHABBT | 120 |
| HHABCSTRPK | 120 |
| HHABGLIDE | 120 |
| HHALGPT | 461 |
| HHALRECG | 120, 461 |
| HHALRECL | 120, 461 |
| HHALRECR | 120, 461 |
| HHALRETG | 120, 461 |
| HHALRETL | 120, 461 |
| HHALRETR | 120, 461 |
| HHATB2S2LC | 116, 199 |
| HHATB2S2LT | 105, 116, 199, 268 |
| HHATB2S3LC | 117 |
| HHATB2S3LT | 117 |
| HHATB3S2LC | 116, 199 |
| HHATB3S2LT | 116, 199 |
| HHATB3S3LC | 117, 199 |
| HHATB3S3LT | 117, 199 |
| HHATCC583422L | 119 |
| HHATCC583422R | 119 |
| HHATCC584622L | 119 |
| HHATCC584622R | 119 |
| HHATCC584628L | 119 |
| HHATCC584628R | 119 |
| HHATCC603624L | 119 |
| HHATCC603624R | 119 |
| HHATCC604824L | 119 |
| HHATCC604824R | 119 |
| HHATCC604830L | 119 |
| HHATCC604830R | 119 |
| HHATCC703422L | 119 |
| HHATCC703422R | 119 |
| HHATCC704622L | 119 |
| HHATCC704622R | 119 |
| HHATCC704628L | 119 |
| HHATCC704628R | 119 |
| HHATCC723624L | 119 |
| HHATCC723624R | 119 |
| HHATCC724824L | 119 |
| HHATCC724824R | 119 |
| HHATCC724830L | 119 |
| HHATCC724830R | 119 |
| HHATM3S2LT | 116, 199 |
| HHATM3S3LT | 117 |
| HHATPWRMOD | 429.17 |
| HHATPWRMOD2S | 120.1, 429.18, 504.3, 701.2 |
| HHATPWRMOD3S | 120.1, 429.18, 504.3, 701.2 |
| HHATPWRMODF | 120.1, 429.18, 504.3, 701.2 |
| HHATW2240CT | 118 |
| HHATW2246CT | 118 |
| HHATW2252CT | 118 |
| HHATW2258CT | 118 |
| HHATW2264CT | 118 |
| HHATW2270CT | 118 |
| HHATW2276CT | 118 |
| HHATW2282CT | 118 |
| HHATW2288CT | 118 |
| HHATW2294CT | 118 |
| HHATW2442CT | 118 |
| HHATW2448CT | 118 |
| HHATW2454CT | 118 |
| HHATW2460CT | 118 |
| HHATW2466CT | 118 |
| HHATW2472CT | 118 |
| HHATW2478CT | 118 |
| HHATW2484CT | 118 |
| HHATW2490CT | 118 |
| HHATW2496CT | 118 |
| HHATW2840CT | 118 |
| HHATW2846CT | 118 |
| HHATW2852CT | 118 |
| HHATW2858CT | 118 |
| HHATW2864CT | 118 |
| HHATW2870CT | 118 |
| HHATW2876CT | 118 |
| HHATW2882CT | 118 |
| HHATW2888CT | 118 |
| HHATW2894CT | 118 |
| HHATW3042CT | 118 |
| HHATW3048CT | 118 |
| HHATW3054CT | 118 |
| HHATW3060CT | 118 |
| HHATW3066CT | 118 |
| HHATW3072CT | 118 |
| HHATW3078CT | 118 |
| HHATW3084CT | 118 |
| HHATW3090CT | 118 |
| HHATW3096CT | 118 |
| HHKDMK30 | 357 |
| HHKDMK36 | 357 |
| HHKDMK42 | 357 |
| HHKDMK48 | 357 |
| HHMRK36 | 525 |
| HHMRK42 | 525 |
| HHMRK48 | 525 |
| HHN831118 | 520, 630 |
| HHN831124 | 331, 520 |
| HHN831130 | 331, 520 |
| HHPMC6 | 374, 388 |
| HHPS1 | 690 |
| HHSWFTWR | 473 |
| HHT2DP | 502 |
| HHTADF3 | 429.16, 473, 504 |
| HHTADF4 | 429.16, 473, 504 |
| HHTADJ5 | 429.16, 473, 504 |
| HHTADJ6 | 429.16, 473, 504 |
| HICG12 | 356, 388 |
| HJTRGH24 | 504.1, 701 |
| HJTRGH36 | 504.1, 701 |
| HKBS | 680 |
| HKP2800 | 643 |
| HKTLONG | 680 |
| HKTMID | 680 |
| HKTSHORT | 680 |
| HLAM3348RR | 78, 299 |
| HLAM3772RD | 78, 299 |
| HLAMMP6030 | 96, 269 |
| HLAMMP7230 | 96, 269 |
| HLAMSEAT3024 | 276 |
| HLAMSEAT3624 | 276 |
| HLCPL29WFH-PS | 125 |
| HLCPL29WFH-US | 125 |
| HLCPL29WFH | 125 |
| HLCR2442WFH | 125 |
| HLCR2448WFH | 125 |
| HLCR2454WFH | 125 |
| HLCR3048WFH | 125 |
| HLCR3054WFH | 125 |
| HLCRPL4224WFH-PS | 124 |
| HLCRPL4224WFH-US | 124 |
| HLCRPL4224WFH | 124 |
| HLCRPL4824WFH-PS | 124 |
| HLCRPL4824WFH-US | 124 |
| HLCRPL4824WFH | 124 |
| HLCRPL4830WFH-PS | 124 |
| HLCRPL4830WFH-US | 124 |
| HLCRPL4830WFH | 124 |
| HLCRPL5424WFH-PS | 124 |
| HLCRPL5424WFH-US | 124 |
| HLCRPL5424WFH | 124 |
| HLCRPL5430WFH-PS | 124 |
| HLCRPL5430WFH-US | 124 |
| HLCRPL5430WFH | 124 |
| HLCWFH-PS | 125 |
| HLCWFH-US | 125 |
| HLDST1 | 689 |
| HLED1 | 687 |
| HLED17A | 290, 688 |
| HLED17AS | 290, 688 |
| HLED17AUO | 290, 688 |
| HLED1OC | 687 |
| HLED2 | 687 |
| HLED31A | 290, 688 |
| HLED31AS | 290, 688 |
| HLED31AUO | 290, 688 |
| HLEDOSA | 290, 688 |
| HLEGCHASE26 | 102, 194, 504.2, 518, 701.1 |
| HLINEARA2 | 171, 301 |
| HLINEARA3 | 171, 301 |
| HLINEARC2 | 171, 301 |
| HLINEARC3 | 171, 301 |
| HLPLB3624 | 136 |
| HLPLB4224 | 136 |
| HLPLB4824 | 136 |
| HLPLBC3013B2 | 140 |
| HLPLBC3013B4 | 140 |
| HLPLBC3013B5 | 140 |
| HLPLCL3020BF | 142 |
| HLPLCL3020S | 142 |
| HLPLCL3020TOP | 142 |
| HLPLCL3620BF | 142 |
| HLPLCL3620S | 142 |
| HLPLCL3620TOP | 142 |
| HLPLCL6020TOP | 142 |
| HLPLCL6620TOP | 142 |
| HLPLCL7220TOP | 142 |
| HLPLCS30 | 137 |
| HLPLCS36 | 137 |
| HLPLCS4824 | 136 |
| HLPLCS6024 | 136 |
| HLPLCS6624 | 136 |
| HLPLCS7224 | 136 |
| HLPLCSEAT3020 | 142 |
| HLPLCSEAT3620 | 142 |
| HLPLDH60 | 138 |
| HLPLDH66 | 138 |
| HLPLDH72 | 138 |
| HLPLDR12MB | 138 |
| HLPLDR48GS | 138 |
| HLPLDR48LM | 138 |
| HLPLDR60GS | 138 |
| HLPLDR60LM | 138 |
| HLPLDR66GS | 138 |
| HLPLDR66LM | 138 |
| HLPLDR72GS | 138 |
| HLPLDR72LM | 138 |
| HLPLDS4830 | 136 |
| HLPLDS6030 | 136 |
| HLPLDS6630 | 136 |
| HLPLDS7230 | 136 |
| HLPLDS7236 | 136 |
| HLPLDS7236B | 136 |
| HLPLFB24 | 141 |
| HLPLLEG24A | 141 |
| HLPLLEG24U | 141 |
| HLPLLEG30A | 141 |
| HLPLLEG30U | 141 |
| HLPLLF3620L2 | 140 |
| HLPLLF3620L3 | 140 |
| HLPLLF3620L4 | 140 |
| HLPLOS10 | 141 |
| HLPLOS23 | 141 |
| HLPLPEN6630E | 137 |
| HLPLPEN7236E | 137 |
| HLPLPHBF | 139 |
| HLPLPMBBF | 139 |
| HLPLPMBF | 139 |
| HLPLPMFF | 139 |
| HLPLPSBBF | 139 |
| HLPLPSEAT1520 | 139 |
| HLPLPSFF | 139 |
| HLPLRCPNDS7230 | 144 |
| HLPLRCPNRS4225 | 144 |
| HLPLRCPNTPLM | 144 |
| HLPLRS3624 | 136 |
| HLPLRS4224 | 136 |
| HLPLRS4824 | 136 |
| HLPLRW4824 | 141 |
| HLPLRW4830 | 141 |
| HLPLRW6024 | 141 |
| HLPLRW6030 | 141 |
| HLPLRW6624 | 141 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| HLPLRW6630 | 141 | HLSL1760SOL | 205 | HLSL2428SL | 102, 194, 266 | HLSLR2054 | 190 |
| HLPLRW7224 | 141 | HLSL1760SOR | 205 | HLSL2430L | 201 | HLSLR2060 | 190 |
| HLPLRW7230 | 141 | HLSL1772SOL | 205 | HLSL2430MF | 201 | HLSLR2066 | 190 |
| HLPLSC3620 | 140 | HLSL1772SOR | 205 | HLSL2436L2 | 214 | HLSLR2072 | 190 |
| HLPLSL24 | 141 | HLSL2016FP2 | 220 | HLSL2436L4 | 214 | HLSLR2436 | 190 |
| HLPLSL30 | 141 | HLSL2016MP2 | 213 | HLSL2436SC | 214 | HLSLR2442 | 190 |
| HLPLTACK48 | 138 | HLSL2016PH2 | 81, 213 | HLSL2441O | 102, 196, 265, 523 | HLSLR2448 | 190, 198 |
| HLPLTACK60 | 138 | HLSL2028B | 200 | HLSL2441S | 197 | HLSLR2448J | 192 |
| HLPLTACK66 | 138 | HLSL2028E | 195 | HLSL2441SL | 102, 196, 265, 523 | HLSLR2454 | 190, 198 |
| HLPLTACK72 | 138 | HLSL2028F | 200 | HLSL2472LC | 214 | HLSLR2460 | 190, 198 |
| HLPLTBL120BASE | 143 | HLSL2028O | 194, 518 | HLSL247O | 102, 194, 209, 266 | HLSLR2460J | 192 |
| HLPLTBL3672RCT | 143 | HLSL2028SL | 194 | HLSL247SL | 194 | HLSLR2466 | 190, 198 |
| HLPLTBL36BASE | 143 | HLSL2030CH2 | 64, 81, 209, 213, 276 | HLSL24OBC | 201 | HLSLR2472 | 190, 198 |
| HLPLTBL36RND | 143 | HLSL2030LD0 | 212 | HLSL2814LM | 97, 202 | HLSLR2472J | 192 |
| HLPLTBL4296RCT | 143 | HLSL2030LD0F | 210 | HLSL2828LM | 97, 202 | HLSLR2484 | 190 |
| HLPLTBL42BASE | 143 | HLSL2030LD1 | 212 | HLSL28AM2 | 195, 419 | HLSLR3036 | 191 |
| HLPLTBL42RND | 143 | HLSL2030LD1F | 210 | HLSL28AW2 | 195, 419 | HLSLR3042 | 191 |
| HLPLTBL48120RCT | 143 | HLSL2030LD2 | 212 | HLSL28P | 61, 103, 195, 263, 520 | HLSLR3048 | 191, 198 |
| HLPLTBL48BASE | 143 | HLSL2030LD2F | 210 | HLSL3028B | 200 | HLSLR3048J | 192 |
| HLPLTBL48RND | 143 | HLSL2030MC0 | 213 | HLSL3028E | 195 | HLSLR3054 | 191, 198 |
| HLPLTBL72BASE | 143 | HLSL2036CH2 | 64, 209, 276 | HLSL3028EBL | 519 | HLSLR3060 | 191, 198 |
| HLPLTBL96BASE | 143 | HLSL2036L2 | 214 | HLSL3028EBR | 519 | HLSLR3060J | 192 |
| HLPLW1824 | 140 | HLSL2036L4 | 214 | HLSL3028F | 200 | HLSLR3066 | 191, 198 |
| HLPLW2424 | 140 | HLSL2036LD0 | 212 | HLSL3028O | 102, 194, 265, 518 | HLSLR3072 | 191, 198 |
| HLPLWMH48 | 138 | HLSL2036LD0F | 210 | HLSL3028S | 200 | HLSLR3072J | 192 |
| HLPLWMH60 | 138 | HLSL2036LD1 | 212 | HLSL3028SL | 102, 194, 266 | HLSLR3084 | 191 |
| HLPLWMH66 | 138 | HLSL2036LD1F | 210 | HLSL3041O | 102, 196, 265, 523 | HLSLR3660 | 191 |
| HLPLWMH72 | 138 | HLSL2036LD2 | 212 | HLSL3041S | 197 | HLSLR3666 | 191 |
| HLPLXS60 | 141 | HLSL2036LD2F | 210 | HLSL3041SL | 102, 196, 265, 523 | HLSLR3672 | 191 |
| HLPLXS66 | 141 | HLSL2036SC | 214 | HLSL307O | 102, 194, 209, 266 | HLSLSB | 206 |
| HLPLXS72 | 141 | HLSL2060LD0 | 208 | HLSL307SL | 194 | HLSLSPBL | 196 |
| HLSL1212 | 206, 691 | HLSL2060LD0F | 210 | HLSL30OBC | 201 | HLSLSPBR | 196 |
| HLSL1336B2 | 221 | HLSL2060LD2 | 208 | HLSL3414LM | 97, 202 | HLSLW045L | 217 |
| HLSL1336B3 | 221 | HLSL2060LD2F | 210 | HLSL3428LM | 97, 202 | HLSLW045LF | 219 |
| HLSL1336B4 | 221 | HLSL2060LD4 | 208 | HLSL36TW | 204, 206 | HLSLW045R | 217 |
| HLSL1436BH | 214 | HLSL2060LD4F | 210 | HLSL4014LM | 97, 202 | HLSLW045RF | 219 |
| HLSL1436D | 203 | HLSL2060LL2 | 208 | HLSL4028LM | 97, 202 | HLSLW046L | 217 |
| HLSL1436S | 203 | HLSL2060LL2F | 211 | HLSL42TW | 204, 206 | HLSLW046R | 217 |
| HLSL1442D | 203 | HLSL2060LR2 | 208 | HLSL4828O | 102, 194, 265 | HLSLW084L | 219 |
| HLSL1442S | 203 | HLSL2060LR2F | 211 | HLSL4831MB | 692 | HLSLW084LF | 219 |
| HLSL1448D | 203 | HLSL2060S4 | 208 | HLSL48TW | 204, 206 | HLSLW084R | 219 |
| HLSL1448S | 203 | HLSL2060S4F | 211 | HLSL4AM2 | 195 | HLSLW084RF | 219 |
| HLSL1460D | 203 | HLSL2072LD0 | 208 | HLSL50OS | 206 | HLSLW085L | 218 |
| HLSL1460LS | 689 | HLSL2072LD0F | 210 | HLSL6028O | 102, 194, 265 | HLSLW085LF | 219 |
| HLSL1460M | 204 | HLSL2072LD2 | 208 | HLSL60TW | 204, 206 | HLSLW085R | 218 |
| HLSL1460S | 203 | HLSL2072LD2F | 210 | HLSL65OS | 206 | HLSLW085RF | 219 |
| HLSL1466D | 203 | HLSL2072LD4 | 208 | HLSL66TW | 204, 206 | HLSLW086L | 218 |
| HLSL1466M | 204 | HLSL2072LD4F | 210 | HLSL7265TE | 207 | HLSLW086R | 218 |
| HLSL1466S | 203 | HLSL2072LL2 | 208 | HLSL72TW | 204, 206 | HLSLW1224L | 197 |
| HLSL1472D | 203 | HLSL2072LL2F | 211 | HLSL78TW | 204, 206 | HLSLW1224R | 197 |
| HLSL1472DB | 207 | HLSL2072LR2 | 208 | HLSLDRWORG | 691 | HLSLW1230L | 197 |
| HLSL1472LS | 689 | HLSL2072LR2F | 211 | HLSLPBL | 195, 518 | HLSLW1230R | 197 |
| HLSL1472M | 204 | HLSL2072S4 | 208 | HLSLPBR | 195, 518 | HLSLW445L | 217 |
| HLSL1472MB | 204 | HLSL2072S4F | 211 | HLSLPMB | 206 | HLSLW445LF | 219 |
| HLSL1472S | 203 | HLSL207O | 194, 209 | HLSLPMBSO42 | 205 | HLSLW445R | 217 |
| HLSL1472SB | 207 | HLSL207SL | 194 | HLSLPMBSOA | 205 | HLSLW445RF | 219 |
| HLSL1512LSCL | 215 | HLSL2428B | 200 | HLSLPMBSOB | 205 | HLSLW446L | 217 |
| HLSL1512LSCR | 215 | HLSL2428E | 195 | HLSLR1330 | 206, 215 | HLSLW446LP | 217 |
| HLSL1512LSO | 215 | HLSL2428EBL | 519 | HLSLR1336 | 206, 215 | HLSLW446R | 217 |
| HLSL1530SOMB | 113, 205 | HLSL2428EBR | 519 | HLSLR1345 | 206, 215 | HLSLW446RP | 217 |
| HLSL1536SOMB | 113, 205 | HLSL2428F | 200 | HLSLR2036 | 190 | HLSLW485L | 218 |
| HLSL154LSD | 215 | HLSL2428O | 102, 194, 265, 518 | HLSLR2042 | 190 | HLSLW485LF | 219 |
| HLSL154LSO | 215 | HLSL2428S | 200 | HLSLR2048 | 190 | HLSLW485R | 218 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| HLSLW485RF | 219 | HNL1530BK4 | 87 | HNL231828PBBF | 108 | HNL2472RP | 63 |
| HLSLW486L | 218 | HNL1530BK5 | 87 | HNL231828PFF | 108 | HNL2472WT | 90 |
| HLSLW486R | 218 | HNL1530BK6 | 87 | HNL233028PBK | 109 | HNL2478LBT | 91 |
| HLSLZ5SC48 | 193, 429.2 | HNL1530FD | 73 | HNL233028PLF | 108 | HNL2478RBT | 91 |
| HLSLZ5SC54 | 193, 261, 632 | HNL1530LD | 72 | HNL233028PSC | 109 | HNL2478WT | 90 |
| HLSLZ5SC60 | 94, 193, 261, 429.2, 632 | HNL1530LL | 72 | HNL233028PSL | 109 | HNL2484LBT | 91 |
| HLSLZ5SC66 | 94, 193, 261, 632 | HNL1536FD | 73 | HNL233628PBK | 109 | HNL2484RBT | 91 |
| HLSLZ5SC72 | 94, 193, 261, 632 | HNL1536LD | 72 | HNL233628PLF | 108 | HNL2484WT | 90 |
| HLSLZ5SC78 | 94 | HNL1536LL | 72 | HNL233628PSC | 109 | HNL24SHR | 107, 268 |
| HLSLZ5SC84 | 94, 193, 261, 632 | HNL1542FD | 73 | HNL233628PSL | 109 | HNL2814LM | 97 |
| HLVPM1 | 689 | HNL1542LD | 72 | HNL241850TLL | 86 | HNL28XS | 94 |
| HLVPM2 | 690 | HNL1542LL | 72 | HNL241850TLR | 86 | HNL291028PBBF | 108 |
| HMACABLE | 696 | HNL1548FD | 73 | HNL241865SFLL | 83 | HNL291028PFF | 108 |
| HMAGANG | 694 | HNL1548FO | 73 | HNL241865SFLR | 83 | HNL291041PBBFF | 110 |
| HMAJUMP | 696 | HNL1548LD | 72 | HNL241865SFX | 83 | HNL291628PBBF | 108 |
| HMAPLATE | 696 | HNL1548LL | 72 | HNL241865WLL | 85 | HNL291628PFF | 108 |
| HMAPOWER36 | 696 | HNL1548LO | 72 | HNL241865WLR | 85 | HNL291641PBBFF | 110 |
| HMAPOWER362 | 696 | HNL1548SD | 73 | HNL241879WLL | 85 | HNL291641PSBBF | 110 |
| HMAPOWER42 | 696 | HNL1560FD | 73 | HNL241879WLR | 85 | HNL2930FD | 74 |
| HMAPOWER422 | 696 | HNL1560FO | 73 | HNL242465TLL | 86 | HNL2930LD | 74 |
| HMAPOWER48 | 696 | HNL1560LD | 72 | HNL242465TLR | 86 | HNL2930LL | 74 |
| HMAPOWER482 | 696 | HNL1560LL | 72 | HNL242479TLL | 86 | HNL2936FD | 74 |
| HMAPOWER54 | 696 | HNL1560LO | 72 | HNL242479TLR | 86 | HNL2936LD | 74 |
| HMAPOWER542 | 696 | HNL1560SD | 73 | HNL2424BK5CL | 87 | HNL2936LL | 74 |
| HMAPOWER60 | 696 | HNL1566FD | 73 | HNL2424BK5CR | 87 | HNL2942FD | 74 |
| HMAPOWER602 | 696 | HNL1566FO | 73 | HNL243629SC | 83 | HNL2942LD | 74 |
| HMAPOWER66 | 696 | HNL1566LD | 72 | HNL243665SC | 83 | HNL2942LL | 74 |
| HMAPOWER662 | 696 | HNL1566LL | 72 | HNL243665SLL | 84 | HNL2948FD | 74 |
| HMAPOWER72 | 696 | HNL1566LO | 72 | HNL243665WL | 85 | HNL2948LD | 74 |
| HMAPOWER722 | 696 | HNL1566SD | 73 | HNL243665WLBR | 85 | HNL2948LL | 74 |
| HMAPOWER84 | 696 | HNL1572FD | 73 | HNL243665WRBL | 85 | HNL2948SD | 75 |
| HMAPOWER842 | 696 | HNL1572FO | 73 | HNL243679SC | 83 | HNL2960FD | 74 |
| HMAPOWER96 | 696 | HNL1572LD | 72 | HNL243679WL | 85 | HNL2960LD | 74 |
| HMAPOWER962 | 696 | HNL1572LL | 72 | HNL243679WLBR | 85 | HNL2960LL | 74 |
| HMASD | 677 | HNL1572LO | 72 | HNL243679WRBL | 85 | HNL2960SD | 75 |
| HMASPLIT | 696 | HNL1572SD | 73 | HNL2436LD2 | 82 | HNL2966FD | 74 |
| HMASTS | 677 | HNL1578FD | 73 | HNL2436LD3 | 82 | HNL2966LD | 74 |
| HMBPOST | 104 | HNL1578FO | 73 | HNL2436LD4 | 82 | HNL2966LL | 74 |
| HMBPOST1 | 520 | HNL1578LD | 72 | HNL2442BF | 66 | HNL2966SD | 75 |
| HMBPOST2 | 94 | HNL1578LL | 72 | HNL2442LP | 65 | HNL2972FD | 74 |
| HMBTLEG24 | 104 | HNL1578LO | 72 | HNL2442RP | 65 | HNL2972LD | 74 |
| HMP144 | 429.15, 473 | HNL1578SD | 73 | HNL2448BF | 66 | HNL2972LL | 74 |
| HMP144A | 429.15 | HNL16XS | 94 | HNL2448LP | 65 | HNL2972SD | 75 |
| HMPCHASE | 504.2, 701.1 | HNL1772RT | 79 | HNL2448RP | 65 | HNL2978FD | 74 |
| HMPEEK48 | 429.15, 473 | HNL203021D2 | 64 | HNL246021LH | 107 | HNL2978LD | 74 |
| HMPEEK60 | 429.15, 473 | HNL2030MSFC | 81 | HNL246021RH | 107 | HNL2978LL | 74 |
| HMPEEK72 | 429.15, 473 | HNL203621D2 | 64 | HNL2460DPK | 63 | HNL2978SD | 75 |
| HMPHATFWML | 429.17, 503 | HNL206021D4 | 64 | HNL2460LBT | 91 | HNL301850TLL | 86 |
| HMPHAWTWML | 429.17, 503 | HNL206021LD2 | 64 | HNL2460RBT | 91 | HNL301850TLR | 86 |
| HMPLM4826 | 423 | HNL206021RD2 | 64 | HNL2460WT | 90 | HNL3060DPRF | 57 |
| HMPLM4834 | 423 | HNL207221D4 | 64 | HNL2466DPK | 63 | HNL3060LBT | 91 |
| HMPLM6026 | 423 | HNL207221LD2 | 64 | HNL2466LBT | 91 | HNL3060RBT | 91 |
| HMPLM6034 | 423 | HNL207221RD2 | 64 | HNL2466RBT | 91 | HNL3060WT | 90 |
| HMPPP125 | 429.17 | HNL2116MBBF | 81 | HNL2466WT | 90 | HNL3066BUEP | 60 |
| HMPVWM28 | 429.17, 504.1, 701 | HNL2116MBF | 81 | HNL247221LH | 107 | HNL3066DPRF | 57 |
| HN899900 | 356, 388 | HNL2116MFF | 81 | HNL247221RH | 107 | HNL3066LBT | 91 |
| HN899910 | 356, 388 | HNL231028PBBF | 108 | HNL2472DPK | 63 | HNL3066LPRF | 59 |
| HNL11SUPP | 101 | HNL231028PFF | 108 | HNL2472DPS | 63 | HNL3066RBT | 91 |
| HNL122428BKE | 109 | HNL231041PBBFF | 110 | HNL2472LBT | 91 | HNL3066RPRF | 59 |
| HNL123028BKE | 109 | HNL231628PBBF | 108 | HNL2472LLC | 63 | HNL3066WT | 90 |
| HNL123628BKE | 109 | HNL231628PFF | 108 | HNL2472LP | 63 | HNL3072BUEP | 60 |
| HNL1530BK2 | 87 | HNL231641PBBFF | 110 | HNL2472RBT | 91 | HNL3072LBT | 91 |
| HNL1530BK3 | 87 | HNL231641PSBBF | 110 | HNL2472RLC | 63 | HNL3072LPT | 92 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| HNL3072RBT | 91 | HNL3672RPBB | 58 | HNL603660LCH | 92 | HNLLEP3041R | 100 |
| HNL3072RPT | 92 | HNL3672RPBBF | 58 | HNL603660RCH | 92 | HNLMP3010 | 95 |
| HNL3072WT | 90 | HNL3672RPBR | 58 | HNL663054LCH | 92 | HNLMP3028 | 95 |
| HNL3078LBT | 91 | HNL3672RPRB | 59 | HNL663054RCH | 92 | HNLMP3610 | 95 |
| HNL3078RBT | 91 | HNL3672RPRBF | 59 | HNL663060LCH | 92 | HNLMP3628 | 95 |
| HNL3078WT | 90 | HNL3672RPRR | 59 | HNL663060RCH | 92 | HNLMP4210 | 95 |
| HNL3084LBT | 91 | HNL3672RPT | 92 | HNL663660LCH | 92 | HNLMP4228 | 95 |
| HNL3084RBT | 91 | HNL3672SD | 68 | HNL663660RCH | 92 | HNLMP4810 | 95 |
| HNL3084WT | 90 | HNL3672WT | 90 | HNL723054LCH | 92 | HNLMP4828 | 95 |
| HNL30SHR | 107, 268 | HNL3678FD | 67 | HNL723054RCH | 92 | HNLMP5410 | 95 |
| HNL3414LM | 97 | HNL3678LBT | 91 | HNL723060LCH | 92 | HNLMP5428 | 95 |
| HNL3605SSEP | 68 | HNL3678LD | 67 | HNL723060RCH | 92 | HNLMP6010 | 95 |
| HNL3630BHLD | 76 | HNL3678LL | 67 | HNL723660LCH | 92 | HNLMP6028 | 95 |
| HNL3630BHXD | 76 | HNL3678RBT | 91 | HNL723660RCH | 92 | HNLMP6610 | 95 |
| HNL3630TB | 113, 692 | HNL3678SD | 68 | HNL7872RLT | 80 | HNLMP6628 | 95 |
| HNL3636BHFD | 77 | HNL3678WT | 90 | HNL7872RT | 79 | HNLMP7210 | 95 |
| HNL3636BHLD | 76 | HNL3684LBT | 91 | HNL8472RLT | 80 | HNLMP7228 | 95 |
| HNL3636BHXD | 76 | HNL3684RBT | 91 | HNL8472RT | 79 | HNLMP7810 | 95 |
| HNL3636CU | 62 | HNL3684WT | 90 | HNLAB2SIL | 106, 268 | HNLMP7828 | 95 |
| HNL3636FD | 67 | HNL36SHR | 107, 268 | HNLAB3SIL | 106 | HNLMP8410 | 95 |
| HNL3636LD | 67 | HNL4014LM | 97 | HNLBU3048 | 90 | HNLMP8428 | 95 |
| HNL3636LL | 67 | HNL4272JLEP | 60 | HNLBU3060 | 90 | HNLMP9010 | 95 |
| HNL3636TB | 113, 692 | HNL4272JREP | 60 | HNLBU3066 | 90 | HNLMP9028 | 95 |
| HNL3642FD | 67 | HNL4872JLEP | 60 | HNLBU3072 | 90 | HNLMP9610 | 95 |
| HNL3642LD | 67 | HNL4872JREP | 60 | HNLBU3078 | 90 | HNLMP9628 | 95 |
| HNL3642LL | 67 | HNL4905SSEP | 71 | HNLBU3084 | 90 | HNLPB1028 | 112 |
| HNL3648FD | 67 | HNL4930BHLD | 76 | HNLBW3672 | 90 | HNLPB1041 | 112 |
| HNL3648LD | 67 | HNL4930BHXD | 76 | HNLBW3684 | 90 | HNLPB1628 | 112 |
| HNL3648LL | 67 | HNL4930TB | 113, 692 | HNLCDSHELF | 113 | HNLPB1641 | 112 |
| HNL3648SD | 68 | HNL4936BHFD | 77 | HNLEC367224L | 93 | HNLPB1828 | 112 |
| HNL3660FD | 67 | HNL4936BHLD | 76 | HNLEC367224R | 93 | HNLPT2416 | 111 |
| HNL3660LBT | 91 | HNL4936BHXD | 76 | HNLEC487224L | 93 | HNLPT2418 | 111 |
| HNL3660LD | 67 | HNL4936FD | 70 | HNLEC487224R | 93 | HNLPT3016 | 111 |
| HNL3660LL | 67 | HNL4936LD | 69 | HNLEP1128 | 99 | HNLRC2042V | 89 |
| HNL3660RBT | 91 | HNL4936LL | 69 | HNLEP1141 | 99 | HNLRC2048V | 89 |
| HNL3660SD | 68 | HNL4936TB | 113, 692 | HNLEP2428L | 98 | HNLRC2430 | 88 |
| HNL3660WT | 90 | HNL4942FD | 70 | HNLEP2428R | 98 | HNLRC2430V | 89 |
| HNL3666FD | 67 | HNL4942LD | 69 | HNLEP2441L | 98 | HNLRC2436 | 88 |
| HNL3666LBT | 91 | HNL4942LL | 69 | HNLEP2441R | 98 | HNLRC2436V | 89 |
| HNL3666LD | 67 | HNL4948FD | 70 | HNLEP247L | 100, 262 | HNLRC2442 | 88 |
| HNL3666LL | 67 | HNL4948LD | 69 | HNLEP247R | 100, 262 | HNLRC2442V | 89 |
| HNL3666RBT | 91 | HNL4948LL | 69 | HNLEP3028L | 98 | HNLRC2448 | 88 |
| HNL3666SD | 68 | HNL4948SD | 71 | HNLEP3028R | 98 | HNLRC2448V | 89 |
| HNL3666WT | 90 | HNL4960FD | 70 | HNLEP3041L | 98 | HNLRC2454 | 88 |
| HNL3672BUEP | 60 | HNL4960LD | 69 | HNLEP3041R | 98 | HNLRC2454V | 89 |
| HNL3672DPBB | 57 | HNL4960LL | 69 | HNLEP307L | 100, 262 | HNLRC2460 | 88 |
| HNL3672DPBBF | 57 | HNL4960SD | 71 | HNLEP307R | 100, 262 | HNLRC2460V | 89 |
| HNL3672DPBR | 57 | HNL4966FD | 70 | HNLEP3628L | 98 | HNLRC2466 | 88 |
| HNL3672DPRB | 57 | HNL4966LD | 69 | HNLEP3628R | 98 | HNLRC2472 | 88 |
| HNL3672DPRBF | 57 | HNL4966LL | 69 | HNLLB1013 | 112 | HNLRC2478 | 88 |
| HNL3672DPRR | 57 | HNL4966SD | 71 | HNLLB1018 | 112 | HNLRC2484 | 88 |
| HNL3672FD | 67 | HNL4972FD | 70 | HNLLB1613 | 112 | HNLRC2490 | 88 |
| HNL3672LBT | 91 | HNL4972LD | 69 | HNLLB1618 | 112 | HNLRC2496 | 88 |
| HNL3672LD | 67 | HNL4972LL | 69 | HNLLB1818 | 112 | HNLRC3048 | 88 |
| HNL3672LL | 67 | HNL4972SD | 71 | HNLLB3018 | 112 | HNLRC3060 | 88 |
| HNL3672LPBB | 58 | HNL4978FD | 70 | HNLLB3618 | 112 | HNLRC3066 | 88 |
| HNL3672LPBBF | 58 | HNL4978LD | 69 | HNLLEP2428L | 100 | HNLRC3072 | 88 |
| HNL3672LPBR | 58 | HNL4978LL | 69 | HNLLEP2428R | 100 | HNLRC3078 | 88 |
| HNL3672LPRB | 59 | HNL4978SD | 71 | HNLLEP2441L | 100 | HNLRC3084 | 88 |
| HNL3672LPRBF | 59 | HNL603054LCH | 92 | HNLLEP2441R | 100 | HNLRC3672 | 88 |
| HNL3672LPRR | 59 | HNL603054RCH | 92 | HNLLEP3028L | 100 | HNLRC3684 | 88 |
| HNL3672LPT | 92 | HNL603060LCH | 92 | HNLLEP3028R | 100 | HNLRR2823 | 106 |
| HNL3672RBT | 91 | HNL603060RCH | 92 | HNLLEP3041L | 100 | HNLRR3423 | 106 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| HNLRR4023 | 106 | HRVBR1524 | 516 | HRVC35PCE | 360, 395, 522 | HRVC57PY3F | 359 |
| HNLRR4623 | 106 | HRVBR1524F | 516 | HRVC35PCM | 360, 395, 522 | HRVC65GP | 459 |
| HNLTEP2428 | 101 | HRVBR1524P | 516 | HRVC35PF | 360 | HRVC65GPF | 459 |
| HNLTEP3028 | 101 | HRVBR1524PF | 516 | HRVC35PFF | 360 | HRVC65PF | 360 |
| HNLTEP3628 | 101 | HRVBR1530 | 516 | HRVC35PL | 358 | HRVC65PFF | 360 |
| HNPMBSW24 | 371, 525 | HRVBR1530F | 516 | HRVC35PLF | 358 | HRVC65PL | 358 |
| HNPMBSW30 | 371, 525 | HRVBR1530P | 516 | HRVC35PS | 358 | HRVC65PLF | 358 |
| HNPMBSW36 | 371, 525 | HRVBR1530PF | 516 | HRVC35PSF | 358 | HRVC65PS | 358 |
| HNPMBSW42 | 371, 525 | HRVBR1536 | 516 | HRVC35PT | 358 | HRVC65PSF | 358 |
| HNPMBSW48 | 371, 525 | HRVBR1536F | 516 | HRVC35PTF | 358 | HRVC65PT | 358 |
| HNPMBSW60 | 371, 525 | HRVBR1536P | 516 | HRVC35PX | 358 | HRVC65PTF | 358 |
| HOLEG12 | 518 | HRVBR1536PF | 516 | HRVC35PXF | 358 | HRVC65PW | 360 |
| HOLEG18 | 518 | HRVBR1542 | 516 | HRVC35PY2 | 359 | HRVC65PWF | 360 |
| HOLEG24 | 518 | HRVBR1542F | 516 | HRVC35PY2F | 359 | HRVC65PX | 358 |
| HOLEG30 | 518 | HRVBR1548 | 516 | HRVC35PY3 | 359 | HRVC65PXF | 358 |
| HP3231 | 305 | HRVBR1548F | 516 | HRVC35PY3F | 359 | HRVC65PY2 | 359 |
| HP3235R | 304 | HRVBR1560 | 516 | HRVC42GP | 459 | HRVC65PY2F | 359 |
| HP3236L | 304 | HRVBR1560F | 516 | HRVC42GPF | 459 | HRVC65PY3 | 359 |
| HP3251R | 304 | HRVBR1566 | 516 | HRVC42PF | 360 | HRVC65PY3F | 359 |
| HP3261 | 304 | HRVBR1566F | 516 | HRVC42PFF | 360 | HRVC7FFV | 360 |
| HP3262 | 304 | HRVBR1572 | 516 | HRVC42PL | 358 | HRVC7FFVF | 360 |
| HP3265R | 304 | HRVBR1572F | 516 | HRVC42PLF | 358 | HRVC7PFT | 360 |
| HP3266L | 304 | HRVC15FFV | 360 | HRVC42PS | 358 | HRVC7PFV | 360 |
| HP3276 | 304 | HRVC15FFVF | 360 | HRVC42PSF | 358 | HRVC7PFVF | 360 |
| HPACSM | 677 | HRVC15PF | 360 | HRVC42PT | 358 | HRVC7PL | 358 |
| HPACW | 677 | HRVC15PFF | 360 | HRVC42PTF | 358 | HRVC7PLF | 358 |
| HPADD | 678 | HRVC15PFT | 360 | HRVC42PX | 358 | HRVC7PS | 358 |
| HPASD | 678 | HRVC15PFV | 360 | HRVC42PXF | 358 | HRVC7PSF | 358 |
| HPATF | 678 | HRVC15PFVF | 360 | HRVC42PY2 | 359 | HRVC7PT | 358 |
| HPC180G | 61, 161, 280 | HRVC15PL | 358 | HRVC42PY2F | 359 | HRVC7PTF | 358 |
| HPC180W | 61 | HRVC15PLF | 358 | HRVC42PY3 | 359 | HRVC7PX | 358 |
| HPC190X | 60, 103, 263 | HRVC15PS | 358 | HRVC42PY3F | 359 | HRVC7PXF | 358 |
| HPC191X | 60, 103, 263 | HRVC15PSF | 358 | HRVC50GP | 459 | HRVC80PF | 360 |
| HPCW1 | 594, 642 | HRVC15PT | 358 | HRVC50GPF | 459 | HRVC80PFF | 360 |
| HPD2PNBRK2L | 521 | HRVC15PTF | 358 | HRVC50PF | 360 | HRVC80PL | 358 |
| HPD2PNBRK2R | 521 | HRVC15PX | 358 | HRVC50PFF | 360 | HRVC80PLF | 358 |
| HPMARKER1 | 674 | HRVC15PXF | 358 | HRVC50PL | 358 | HRVC80PS | 358 |
| HPSEAT18ND | 594, 642 | HRVC22PFT | 360 | HRVC50PLF | 358 | HRVC80PSF | 358 |
| HPSEAT24ND | 594, 597, 601, 617, 642 | HRVC22PFV | 360 | HRVC50PS | 358 | HRVC80PT | 358 |
| HPULL2 | 568 | HRVC22PFVF | 360 | HRVC50PSF | 358 | HRVC80PTF | 358 |
| HPULL3 | 568 | HRVC22PL | 358 | HRVC50PT | 358 | HRVC80PX | 358 |
| HPWR4TAP | 503.1, 698 | HRVC22PLF | 358 | HRVC50PTF | 358 | HRVC80PXF | 358 |
| HPWRMOB1 | 503.1, 698 | HRVC22PS | 358 | HRVC50PX | 358 | HRVCE | 459 |
| HPWRMOD | 503, 698 | HRVC22PSF | 358 | HRVC50PXF | 358 | HRVCES | 445, 448, 459 |
| HPWRSNK36 | 120, 472.1, 504.2, 701 | HRVC22PT | 358 | HRVC50PY2 | 359 | HRVCLG24 | 330, 518 |
| HPWRTRGH17 | 504, 694, 701 | HRVC22PTF | 358 | HRVC50PY2F | 359 | HRVCLG30 | 330, 518 |
| HPWRTRGH36 | 504, 701 | HRVC22PX | 358 | HRVC50PY3 | 359 | HRVCM | 459 |
| HQB | 694 | HRVC22PXF | 358 | HRVC50PY3F | 359 | HRVD0742T | 356 |
| HQBCJ36 | 694 | HRVC30PF | 360 | HRVC57GP | 459 | HRVD9542P | 356 |
| HQH1-3 | 694 | HRVC30PFF | 360 | HRVC57GPF | 459 | HRVEP1129L | 330, 518 |
| HQH5-3 | 694 | HRVC30PFT | 360 | HRVC57PF | 360 | HRVEP1129R | 330, 518 |
| HQH5-E-3P1E | 694 | HRVC30PFV | 360 | HRVC57PFF | 360 | HRVEP2429L | 330, 518 |
| HQH5-E-3P1U2B | 694 | HRVC30PFVF | 360 | HRVC57PL | 358 | HRVEP2429R | 330, 518 |
| HQH5-E-3P3B | 694 | HRVC30PL | 358 | HRVC57PLF | 358 | HRVEP3029L | 330, 518 |
| HQH5-P-3P1B | 694 | HRVC30PLF | 358 | HRVC57PS | 358 | HRVEP3029R | 330, 518 |
| HQJ3 | 694 | HRVC30PS | 358 | HRVC57PSF | 358 | HRVF1524 | 354 |
| HRABAB | 374 | HRVC30PSF | 358 | HRVC57PT | 358 | HRVF1530 | 354 |
| HRFTAB | 374 | HRVC30PT | 358 | HRVC57PTF | 358 | HRVF1536 | 354 |
| HRNDPWRMOD | 429.17, 698.1 | HRVC30PTF | 358 | HRVC57PX | 358 | HRVF1542 | 354 |
| HRVBPLATE336 | 355, 498 | HRVC30PX | 358 | HRVC57PXF | 358 | HRVF1548 | 354 |
| HRVBPLATE342 | 355, 498 | HRVC30PXF | 358 | HRVC57PY2 | 359 | HRVF1560 | 354 |
| HRVBPLATE348 | 355, 498 | HRVC35GP | 459 | HRVC57PY2F | 359 | HRVF3024 | 354 |
| HRVBPLATE360 | 355, 498 | HRVC35GPF | 459 | HRVC57PY3 | 359 | HRVF3030 | 354 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| HRVF3036 | 354 | HRVG352430GGNS | 455 | HRVG3572GGTG | 454 | HRVG4245L | 429.22, 443 |
| HRVF3042 | 354 | HRVG352430GGNSG | 456 | HRVG3575L | 429.22, 443 | HRVG4245LG | 429.23, 446 |
| HRVF3048 | 354 | HRVG3524GGL | 451 | HRVG3575LG | 429.23, 446 | HRVG4248GGL | 451 |
| HRVF3060 | 354 | HRVG3524GGLG | 452 | HRVG3587L | 445 | HRVG4248GGLG | 452 |
| HRVF3524P | 351 | HRVG3524GGR | 449 | HRVG3587LG | 448 | HRVG4248GGR | 449 |
| HRVF3530P | 351 | HRVG3524GGRG | 450 | HRVG3599L | 445 | HRVG4248GGRG | 450 |
| HRVF3536P | 351 | HRVG3524L | 429.22, 443 | HRVG3599LG | 448 | HRVG4248GGT | 453 |
| HRVF3542P | 351 | HRVG3524LG | 429.23, 446 | HRVG42111L | 445 | HRVG4248GGTG | 454 |
| HRVF3548P | 351 | HRVG3527L | 429.22, 443 | HRVG42111LG | 448 | HRVG4248L | 429.22, 443 |
| HRVF3560P | 351 | HRVG3527LG | 429.23, 446 | HRVG42123L | 445 | HRVG4248LG | 429.23, 446 |
| HRVF4224P | 351 | HRVG353018GGNS | 455 | HRVG42123LG | 448 | HRVG4251L | 429.22, 443 |
| HRVF4230P | 351 | HRVG353018GGNSG | 456 | HRVG421824GGNS | 455 | HRVG4251LG | 429.23, 446 |
| HRVF4236P | 351 | HRVG353024GGNS | 455 | HRVG421824GGNSG | 456 | HRVG4260GGL | 451 |
| HRVF4242P | 351 | HRVG353024GGNSG | 456 | HRVG421830GGNS | 455 | HRVG4260GGLG | 452 |
| HRVF4248P | 351 | HRVG3530GGL | 451 | HRVG421830GGNSG | 456 | HRVG4260GGR | 449 |
| HRVF4260P | 351 | HRVG3530GGLG | 452 | HRVG4218GGL | 451 | HRVG4260GGRG | 450 |
| HRVF5024P | 351 | HRVG3530GGR | 449 | HRVG4218GGLG | 452 | HRVG4260GGT | 453 |
| HRVF5030P | 351 | HRVG3530GGRG | 450 | HRVG4218GGR | 449 | HRVG4260GGTG | 454 |
| HRVF5036P | 351 | HRVG3530L | 429.22, 443 | HRVG4218GGRG | 450 | HRVG4260L | 429.22, 443 |
| HRVF5042P | 351 | HRVG3530LG | 429.23, 446 | HRVG4218GGT | 453 | HRVG4260LG | 429.23, 446 |
| HRVF5048P | 351 | HRVG3533L | 429.22, 443 | HRVG4218GGTG | 454 | HRVG4263L | 429.22, 443 |
| HRVF5060P | 351 | HRVG3533LG | 429.23, 446 | HRVG422418GGNS | 455 | HRVG4263LG | 429.23, 446 |
| HRVF5724P | 351 | HRVG3536GGL | 451 | HRVG422418GGNSG | 456 | HRVG4272GGT | 453 |
| HRVF5730P | 351 | HRVG3536GGLG | 452 | HRVG422430GGNS | 455 | HRVG4272GGTG | 454 |
| HRVF5736P | 351 | HRVG3536GGR | 449 | HRVG422430GGNSG | 456 | HRVG4275L | 429.22, 443 |
| HRVF5742P | 351 | HRVG3536GGRG | 450 | HRVG4224GGL | 451 | HRVG4275LG | 429.23, 446 |
| HRVF5748P | 351 | HRVG3536GGT | 453 | HRVG4224GGLG | 452 | HRVG4287L | 445 |
| HRVF5760P | 351 | HRVG3536GGTG | 454 | HRVG4224GGR | 449 | HRVG4287LG | 448 |
| HRVF6524P | 351 | HRVG3536L | 429.22, 443 | HRVG4224GGRG | 450 | HRVG4299L | 445 |
| HRVF6530P | 351 | HRVG3536LG | 429.23, 446 | HRVG4224L | 429.22, 443 | HRVG4299LG | 448 |
| HRVF6536P | 351 | HRVG3539L | 429.22, 443 | HRVG4224LG | 429.23, 446 | HRVG50111L | 445 |
| HRVF6542P | 351 | HRVG3539LG | 429.23, 446 | HRVG4227L | 429.22, 443 | HRVG50111LG | 448 |
| HRVF6548P | 351 | HRVG3542GGL | 451 | HRVG4227LG | 429.23, 446 | HRVG50123L | 445 |
| HRVF6560P | 351 | HRVG3542GGLG | 452 | HRVG423018GGNS | 455 | HRVG50123LG | 448 |
| HRVFFOOT | 353 | HRVG3542GGR | 449 | HRVG423018GGNSG | 456 | HRVG501824GGNS | 455 |
| HRVFSB24 | 354 | HRVG3542GGRG | 450 | HRVG423024GGNS | 455 | HRVG501824GGNSG | 456 |
| HRVFSB30 | 354 | HRVG3542GGT | 453 | HRVG423024GGNSG | 456 | HRVG501830GGNS | 455 |
| HRVFSB36 | 354 | HRVG3542GGTG | 454 | HRVG4230GGL | 451 | HRVG501830GGNSG | 456 |
| HRVFSB42 | 354 | HRVG3542L | 429.22, 443 | HRVG4230GGLG | 452 | HRVG5018GGL | 451 |
| HRVFSB48 | 354 | HRVG3542LG | 429.23, 446 | HRVG4230GGR | 449 | HRVG5018GGLG | 452 |
| HRVFSB60 | 354 | HRVG3545L | 429.22, 443 | HRVG4230GGRG | 450 | HRVG5018GGR | 449 |
| HRVFSBW24 | 361 | HRVG3545LG | 429.23, 446 | HRVG4230L | 429.22, 443 | HRVG5018GGRG | 450 |
| HRVFSBW30 | 361 | HRVG3548GGL | 451 | HRVG4230LG | 429.23, 446 | HRVG5018GGT | 453 |
| HRVFSBW36 | 361 | HRVG3548GGLG | 452 | HRVG4233L | 429.22, 443 | HRVG5018GGTG | 454 |
| HRVFSBW42 | 361 | HRVG3548GGR | 449 | HRVG4233LG | 429.23, 446 | HRVG502418GGNS | 455 |
| HRVFSBW48 | 361 | HRVG3548GGRG | 450 | HRVG4236GGL | 451 | HRVG502418GGNSG | 456 |
| HRVFSBW60 | 361 | HRVG3548GGT | 453 | HRVG4236GGLG | 452 | HRVG502430GGNS | 455 |
| HRVG35111L | 445 | HRVG3548GGTG | 454 | HRVG4236GGR | 449 | HRVG502430GGNSG | 456 |
| HRVG35111LG | 448 | HRVG3548L | 429.22, 443 | HRVG4236GGRG | 450 | HRVG5024GGL | 451 |
| HRVG35123L | 445 | HRVG3548LG | 429.23, 446 | HRVG4236GGT | 453 | HRVG5024GGLG | 452 |
| HRVG35123LG | 448 | HRVG3551L | 429.22, 443 | HRVG4236GGTG | 454 | HRVG5024GGR | 449 |
| HRVG351824GGNS | 455 | HRVG3551LG | 429.23, 446 | HRVG4236L | 429.22, 443 | HRVG5024GGRG | 450 |
| HRVG351824GGNSG | 456 | HRVG3560GGL | 451 | HRVG4236LG | 429.23, 446 | HRVG5024L | 429.22, 444 |
| HRVG351830GGNS | 455 | HRVG3560GGLG | 452 | HRVG4239L | 429.22, 443 | HRVG5024LG | 429.23, 447 |
| HRVG351830GGNSG | 456 | HRVG3560GGR | 449 | HRVG4239LG | 429.23, 446 | HRVG5027L | 429.22, 444 |
| HRVG3518GGL | 451 | HRVG3560GGRG | 450 | HRVG4242GGL | 451 | HRVG5027LG | 429.23, 447 |
| HRVG3518GGLG | 452 | HRVG3560GGT | 453 | HRVG4242GGLG | 452 | HRVG503018GGNS | 455 |
| HRVG3518GGR | 449 | HRVG3560GGTG | 454 | HRVG4242GGR | 449 | HRVG503018GGNSG | 456 |
| HRVG3518GGRG | 450 | HRVG3560L | 429.22, 443 | HRVG4242GGRG | 450 | HRVG503024GGNS | 455 |
| HRVG3518GGT | 453 | HRVG3560LG | 429.23, 446 | HRVG4242GGT | 453 | HRVG503024GGNSG | 456 |
| HRVG3518GGTG | 454 | HRVG3563L | 429.22, 443 | HRVG4242GGTG | 454 | HRVG5030GGL | 451 |
| HRVG352418GGNS | 455 | HRVG3563LG | 429.23, 446 | HRVG4242L | 429.22, 443 | HRVG5030GGLG | 452 |
| HRVG352418GGNSG | 456 | HRVG3572GGT | 453 | HRVG4242LG | 429.23, 446 | HRVG5030GGR | 449 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| HRVG5030GGRG | 450 | HRVG5718GGR | 449 | HRVG5760GGTG | 454 | HRVP36P | 501 |
| HRVG5030L | 429.22, 444 | HRVG5718GGRG | 450 | HRVG5760L | 444 | HRVP36PF | 501 |
| HRVG5030LG | 429.23, 447 | HRVG5718GGT | 453 | HRVG5760LG | 447 | HRVP42P | 501 |
| HRVG5033L | 429.22, 444 | HRVG5718GGTG | 454 | HRVG5763L | 444 | HRVP42PF | 501 |
| HRVG5033LG | 429.23, 447 | HRVG572418GGNS | 455 | HRVG5763LG | 447 | HRVP48P | 501 |
| HRVG5036GGL | 451 | HRVG572418GGNSG | 456 | HRVG5772GGT | 453 | HRVP48PF | 501 |
| HRVG5036GGLG | 452 | HRVG572430GGNS | 455 | HRVG5772GGTG | 454 | HRVP60P | 501 |
| HRVG5036GGR | 449 | HRVG572430GGNSG | 456 | HRVG5775L | 444 | HRVP60PF | 501 |
| HRVG5036GGRG | 450 | HRVG5724GGL | 451 | HRVG5775LG | 447 | HRVSH24 | 493 |
| HRVG5036GGT | 453 | HRVG5724GGLG | 452 | HRVG5787L | 445 | HRVSH30 | 493 |
| HRVG5036GGTG | 454 | HRVG5724GGR | 449 | HRVG5787LG | 448 | HRVSH36 | 493 |
| HRVG5036L | 429.22, 444 | HRVG5724GGRG | 450 | HRVG5799L | 445 | HRVSH42 | 493 |
| HRVG5036LG | 429.23, 447 | HRVG5724L | 444 | HRVG5799LG | 448 | HRVSH48 | 493 |
| HRVG5039L | 429.22, 444 | HRVG5724LG | 447 | HRVGCKS | 462 | HRVSH60 | 493 |
| HRVG5039LG | 429.23, 447 | HRVG5727L | 444 | HRVGFCH | 462 | HRVSH72 | 493 |
| HRVG5042GGL | 451 | HRVG5727LG | 447 | HRVGLSK | 459, 460 | HRVSS24 | 355 |
| HRVG5042GGLG | 452 | HRVG573018GGNS | 455 | HRVGMSK | 459, 460 | HRVSS30 | 355 |
| HRVG5042GGR | 449 | HRVG573018GGNSG | 456 | HRVGPF1 | 462 | HRVSS36 | 355 |
| HRVG5042GGRG | 450 | HRVG573024GGNS | 455 | HRVGPF2 | 462 | HRVSS42 | 355 |
| HRVG5042GGT | 453 | HRVG573024GGNSG | 456 | HRVGR12 | 462 | HRVSS48 | 355 |
| HRVG5042GGTG | 454 | HRVG5730GGL | 451 | HRVGR18 | 462 | HRVSS60 | 355 |
| HRVG5042L | 429.22, 444 | HRVG5730GGLG | 452 | HRVGR24 | 462 | HRVT0724F | 369 |
| HRVG5042LG | 429.23, 447 | HRVG5730GGR | 449 | HRVGR30 | 462 | HRVT0724FF | 369 |
| HRVG5045L | 429.22, 444 | HRVG5730GGRG | 450 | HRVGR36 | 462 | HRVT0724T | 362, 370 |
| HRVG5045LG | 429.23, 447 | HRVG5730L | 444 | HRVGRAF1 | 462 | HRVT0730F | 369 |
| HRVG5048GGL | 451 | HRVG5730LG | 447 | HRVGRAF2 | 462 | HRVT0730FF | 369 |
| HRVG5048GGLG | 452 | HRVG5733L | 444 | HRVGRAF3 | 462 | HRVT0730T | 362, 370 |
| HRVG5048GGR | 449 | HRVG5733LG | 447 | HRVGRBS | 462 | HRVT0736F | 369 |
| HRVG5048GGRG | 450 | HRVG5736GGL | 451 | HRVGRCH | 462 | HRVT0736FF | 369 |
| HRVG5048GGT | 453 | HRVG5736GGLG | 452 | HRVGRPS | 462 | HRVT0736T | 362, 370 |
| HRVG5048GGTG | 454 | HRVG5736GGR | 449 | HRVGRPT1 | 462 | HRVT0742F | 369 |
| HRVG5048L | 429.22, 444 | HRVG5736GGRG | 450 | HRVGRPT2 | 462 | HRVT0742FF | 369 |
| HRVG5048LG | 429.23, 447 | HRVG5736GGT | 453 | HRVGRPT3 | 462 | HRVT0742T | 362, 370 |
| HRVG5051L | 429.22, 444 | HRVG5736GGTG | 454 | HRVGS7578 | 459, 460 | HRVT0748F | 369 |
| HRVG5051LG | 429.23, 447 | HRVG5736L | 444 | HRVGTGG | 461 | HRVT0748FF | 369 |
| HRVG5060GGL | 451 | HRVG5736LG | 447 | HRVGWS35 | 459, 460 | HRVT0748T | 362, 370 |
| HRVG5060GGLG | 452 | HRVG5739L | 444 | HRVGWS42 | 459, 460 | HRVT0754F | 369 |
| HRVG5060GGR | 449 | HRVG5739LG | 447 | HRVGWS50 | 459, 460 | HRVT0754FF | 369 |
| HRVG5060GGRG | 450 | HRVG5742GGL | 451 | HRVGWS57 | 459, 460 | HRVT0760F | 369 |
| HRVG5060GGT | 453 | HRVG5742GGLG | 452 | HRVHM2030 | 463 | HRVT0760FF | 369 |
| HRVG5060GGTG | 454 | HRVG5742GGR | 449 | HRVHM2630 | 463 | HRVT0760T | 362, 370 |
| HRVG5060L | 429.22, 444 | HRVG5742GGRG | 450 | HRVM1524 | 463 | HRVT0766F | 369 |
| HRVG5060LG | 429.23, 447 | HRVG5742GGT | 453 | HRVM1530 | 463 | HRVT0766FF | 369 |
| HRVG5063L | 429.22, 444 | HRVG5742GGTG | 454 | HRVM2236 | 463 | HRVT0772F | 369 |
| HRVG5063LG | 429.23, 447 | HRVG5742L | 444 | HRVM2248 | 463 | HRVT0772FF | 369 |
| HRVG5072GGT | 453 | HRVG5742LG | 447 | HRVM2260 | 463 | HRVT0778F | 369 |
| HRVG5072GGTG | 454 | HRVG5745L | 444 | HRVOH1530RM | 493 | HRVT0778FF | 369 |
| HRVG5075L | 429.22, 444 | HRVG5745LG | 447 | HRVOH1536RM | 493 | HRVT0784F | 369 |
| HRVG5075LG | 429.23, 447 | HRVG5748GGL | 451 | HRVOH1542RM | 493 | HRVT0784FF | 369 |
| HRVG5087L | 445 | HRVG5748GGLG | 452 | HRVOH1548RM | 493 | HRVT0790F | 369 |
| HRVG5087LG | 448 | HRVG5748GGR | 449 | HRVOH1560RM | 493 | HRVT0790FF | 369 |
| HRVG5099L | 445 | HRVG5748GGRG | 450 | HRVOH24FM | 493 | HRVT0796F | 369 |
| HRVG5099LG | 448 | HRVG5748GGT | 453 | HRVOH30FM | 493 | HRVT0796FF | 369 |
| HRVG57111L | 445 | HRVG5748GGTG | 454 | HRVOH36FM | 493 | HRVT1524CK | 374 |
| HRVG57111LG | 448 | HRVG5748L | 444 | HRVOH42FM | 493 | HRVT1524E | 364 |
| HRVG57123L | 445 | HRVG5748LG | 447 | HRVOH48FM | 493 | HRVT1524F | 369 |
| HRVG57123LG | 448 | HRVG5751L | 444 | HRVOH60FM | 493 | HRVT1524FF | 369 |
| HRVG571824GGNS | 455 | HRVG5751LG | 447 | HRVOH72FM | 493 | HRVT1524G | 367 |
| HRVG571824GGNSG | 456 | HRVG5760GGL | 451 | HRVOMOD | 361 | HRVT1524HS3 | 366 |
| HRVG571830GGNS | 455 | HRVG5760GGLG | 452 | HRVP24P | 501 | HRVT1524M | 372 |
| HRVG571830GGNSG | 456 | HRVG5760GGR | 449 | HRVP24PF | 501 | HRVT1524PM | 373 |
| HRVG5718GGL | 451 | HRVG5760GGRG | 450 | HRVP30P | 501 | HRVT1524R | 368 |
| HRVG5718GGLG | 452 | HRVG5760GGT | 453 | HRVP30PF | 501 | HRVT1524T | 362 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| HRVT1524W | 371 | HRVT1578FF | 369 | HRVT3060P | 370 | HRVTB1560 | 463 |
| HRVT1530CK | 374 | HRVT1584F | 369 | HRVT3060PM | 373 | HRVTB18 | 463 |
| HRVT1530E | 364 | HRVT1584FF | 369 | HRVT3060R | 368 | HRVTB2224 | 463 |
| HRVT1530F | 369 | HRVT1590F | 369 | HRVT3060T | 362 | HRVTB2230 | 463 |
| HRVT1530FF | 369 | HRVT1590FF | 369 | HRVT3724E | 364 | HRVTB2236 | 463 |
| HRVT1530G | 367 | HRVT1596F | 369 | HRVT3724HS3 | 366 | HRVTB2248 | 463 |
| HRVT1530HS3 | 366 | HRVT1596FF | 369 | HRVT3724T | 362 | HRVTB2260 | 463 |
| HRVT1530M | 372 | HRVT2224T | 362 | HRVT3730E | 364 | HRVTC24 | 352 |
| HRVT1530PM | 373 | HRVT2230T | 362 | HRVT3730HS3 | 366 | HRVTC24F | 352 |
| HRVT1530R | 368 | HRVT2236T | 362 | HRVT3730T | 362 | HRVTC30 | 352 |
| HRVT1530T | 362 | HRVT2242T | 362 | HRVT3736E | 364 | HRVTC30F | 352 |
| HRVT1530W | 371 | HRVT2248T | 362 | HRVT3736HS3 | 366 | HRVTC36 | 352 |
| HRVT1536CK | 374 | HRVT2260T | 362 | HRVT3736T | 362 | HRVTC36F | 352 |
| HRVT1536E | 364 | HRVT3024CK | 374 | HRVT3742E | 364 | HRVTC42 | 352 |
| HRVT1536F | 369 | HRVT3024E | 364 | HRVT3742HS3 | 366 | HRVTC42F | 352 |
| HRVT1536FF | 369 | HRVT3024G | 367 | HRVT3742T | 362 | HRVTC48 | 352 |
| HRVT1536G | 367 | HRVT3024HS3 | 366 | HRVT3748E | 364 | HRVTC48F | 352 |
| HRVT1536HS3 | 366 | HRVT3024M | 372 | HRVT3748HS3 | 366 | HRVTC54 | 352 |
| HRVT1536M | 372 | HRVT3024P | 370 | HRVT3748T | 362 | HRVTC54F | 352 |
| HRVT1536PM | 373 | HRVT3024PM | 373 | HRVT3760E | 364 | HRVTC60 | 352 |
| HRVT1536R | 368 | HRVT3024R | 368 | HRVT3760HS3 | 366 | HRVTC60F | 352 |
| HRVT1536T | 362 | HRVT3024T | 362 | HRVT3760T | 362 | HRVTC66 | 352 |
| HRVT1536W | 371 | HRVT3030CK | 374 | HRVT4524E | 365 | HRVTC66F | 352 |
| HRVT1542CK | 374 | HRVT3030E | 364 | HRVT4524T | 363 | HRVTC72 | 352 |
| HRVT1542E | 364 | HRVT3030G | 367 | HRVT4530E | 365 | HRVTC72F | 352 |
| HRVT1542F | 369 | HRVT3030HS3 | 366 | HRVT4530T | 363 | HRVTC78 | 352 |
| HRVT1542FF | 369 | HRVT3030M | 372 | HRVT4536E | 365 | HRVTC78F | 352 |
| HRVT1542G | 367 | HRVT3030P | 370 | HRVT4536T | 363 | HRVTC84 | 352 |
| HRVT1542HS3 | 366 | HRVT3030PM | 373 | HRVT4542E | 365 | HRVTC84F | 352 |
| HRVT1542M | 372 | HRVT3030R | 368 | HRVT4542T | 363 | HRVTC90 | 352 |
| HRVT1542PM | 373 | HRVT3030T | 362 | HRVT4548E | 365 | HRVTC90F | 352 |
| HRVT1542R | 368 | HRVT3036CK | 374 | HRVT4548T | 363 | HRVTC96 | 352 |
| HRVT1542T | 362 | HRVT3036E | 364 | HRVT4560E | 365 | HRVTC96F | 352 |
| HRVT1542W | 371 | HRVT3036G | 367 | HRVT4560T | 363 | HRVTRAYM | 372 |
| HRVT1548CK | 374 | HRVT3036HS3 | 366 | HRVT5224E | 365 | HRVUP24 | 496 |
| HRVT1548E | 364 | HRVT3036M | 372 | HRVT5224T | 363 | HRVUP30 | 496 |
| HRVT1548F | 369 | HRVT3036P | 370 | HRVT5230E | 365 | HRVUP36 | 496 |
| HRVT1548FF | 369 | HRVT3036PM | 373 | HRVT5230T | 363 | HRVUP42 | 496 |
| HRVT1548G | 367 | HRVT3036R | 368 | HRVT5236E | 365 | HRVUP48 | 496 |
| HRVT1548HS3 | 366 | HRVT3036T | 362 | HRVT5236T | 363 | HRVUP60 | 496 |
| HRVT1548M | 372 | HRVT3042CK | 374 | HRVT5242E | 365 | HS30ABC | 544 |
| HRVT1548PM | 373 | HRVT3042E | 364 | HRVT5242T | 363 | HS42ABC | 544 |
| HRVT1548R | 368 | HRVT3042G | 367 | HRVT5248E | 365 | HS60ABC | 544 |
| HRVT1548T | 362 | HRVT3042HS3 | 366 | HRVT5248T | 363 | HS72ABC | 544 |
| HRVT1548W | 371 | HRVT3042M | 372 | HRVT5260E | 365 | HS82ABC | 544 |
| HRVT1554F | 369 | HRVT3042P | 370 | HRVT5260T | 363 | HSC1842 | 545 |
| HRVT1554FF | 369 | HRVT3042PM | 373 | HRVT6024E | 365 | HSC1872 | 545 |
| HRVT1560CK | 374 | HRVT3042R | 368 | HRVT6024T | 363 | HSC2472 | 545 |
| HRVT1560E | 364 | HRVT3042T | 362 | HRVT6030E | 365 | HSCABD02 | 543, 570 |
| HRVT1560F | 369 | HRVT3048CK | 374 | HRVT6030T | 363 | HSCABD10 | 543, 570 |
| HRVT1560FF | 369 | HRVT3048E | 364 | HRVT6036E | 365 | HSCACW25 | 569 |
| HRVT1560G | 367 | HRVT3048G | 367 | HRVT6036T | 363 | HSCACW35 | 569 |
| HRVT1560HS3 | 366 | HRVT3048HS3 | 366 | HRVT6042E | 365 | HSCACW50 | 569 |
| HRVT1560M | 372 | HRVT3048M | 372 | HRVT6042T | 363 | HSCAFD02 | 543, 570, 640 |
| HRVT1560PM | 373 | HRVT3048P | 370 | HRVT6048E | 365 | HSCAFD10 | 543, 570, 640 |
| HRVT1560R | 368 | HRVT3048PM | 373 | HRVT6048T | 363 | HSCAHR12 | 569 |
| HRVT1560T | 362 | HRVT3048R | 368 | HRVT6060E | 365 | HSCAHR15 | 568 |
| HRVT1560W | 371 | HRVT3048T | 362 | HRVT6060T | 363 | HSCAPB | 569 |
| HRVT1566F | 369 | HRVT3060CK | 374 | HRVTB11 | 463 | HSCAUC1824 | 570 |
| HRVT1566FF | 369 | HRVT3060E | 364 | HRVTB1524 | 463 | HSCAUC1830 | 570 |
| HRVT1572F | 369 | HRVT3060G | 367 | HRVTB1530 | 463 | HSCAUC1836 | 570 |
| HRVT1572FF | 369 | HRVT3060HS3 | 366 | HRVTB1536 | 463 | HSCAWS6520 | 569 |
| HRVT1578F | 369 | HRVT3060M | 372 | HRVTB1548 | 463 | HSCAWS6524 | 569 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| HSCAWS6530 | 569 | HSCLF502418LM | 587 | HSCM223618BOL | 565 | HSDCMP4829 | 333 |
| HSCF223018BFL | 557 | HSCLF502418LME | 589 | HSCM223618BOM | 564 | HSDCMP6014 | 333 |
| HSCF223018BFM | 555 | HSCLF502418RL | 588 | HSCM223618LBFOL | 565 | HSDCMP6029 | 333 |
| HSCF223018BOL | 563 | HSCLF502418RLE | 590 | HSCM223618LBFOM | 564 | HSDCMP7214 | 333 |
| HSCF223018BOM | 560 | HSCLF502418RM | 587 | HSCM223618O | 564 | HSDCMP7229 | 333 |
| HSCF223018LOHAT | 559 | HSCLF502418RME | 589 | HSCM223618OFL | 565 | HSDDL29 | 331 |
| HSCF223018O | 555 | HSCLF651218LL | 588 | HSCM223618OFM | 564 | HSDDPA29L | 332 |
| HSCF223018OFL | 563 | HSCLF651218LLE | 590 | HSCM223618RBFOL | 565 | HSDDPA29R | 332 |
| HSCF223018OFM | 560 | HSCLF651218LM | 587 | HSCM223618RBFOM | 564 | HSDEP1129F | 330 |
| HSCF223018ROHAT | 559 | HSCLF651218LME | 589 | HSCP223018BFL | 556 | HSDEP2429F | 330 |
| HSCF223618BFL | 557 | HSCLF651218RL | 588 | HSCP223018BFM | 554 | HSDEP3029F | 330 |
| HSCF223618BFM | 555 | HSCLF651218RLE | 590 | HSCP223018BOL | 562 | HSDG | 331 |
| HSCF223618BOL | 563 | HSCLF651218RM | 587 | HSCP223018BOM | 561 | HSDLF421218LL | 588 |
| HSCF223618BOM | 560 | HSCLF651218RME | 589 | HSCP223018LOHAT | 558 | HSDLF421218LLE | 590 |
| HSCF223618LBFOL | 563 | HSCLF652418LL | 588 | HSCP223018O | 554 | HSDLF421218LM | 587 |
| HSCF223618LBFOM | 560 | HSCLF652418LLE | 590 | HSCP223018OFL | 562 | HSDLF421218LME | 589 |
| HSCF223618LOHAT | 559 | HSCLF652418LM | 587 | HSCP223018OFM | 561 | HSDLF421218RL | 588 |
| HSCF223618O | 555 | HSCLF652418LME | 589 | HSCP223018ROHAT | 558 | HSDLF421218RLE | 590 |
| HSCF223618OFL | 563 | HSCLF652418RL | 588 | HSCP223618BFL | 556 | HSDLF421218RM | 587 |
| HSCF223618OFM | 560 | HSCLF652418RLE | 590 | HSCP223618BFM | 554 | HSDLF421218RME | 589 |
| HSCF223618RBFOL | 563 | HSCLF652418RM | 587 | HSCP223618BOL | 562 | HSDLF651218LL | 588 |
| HSCF223618RBFOM | 560 | HSCLF652418RME | 589 | HSCP223618BOM | 561 | HSDLF651218LLE | 590 |
| HSCF223618ROHAT | 559 | HSCLP501218LL | 588 | HSCP223618LBFOL | 562 | HSDLF651218LM | 587 |
| HSCF224818LBFOL | 557 | HSCLP501218LLE | 590 | HSCP223618LBFOM | 561 | HSDLF651218LME | 589 |
| HSCF224818LBFOLHAT | 563 | HSCLP501218LM | 587 | HSCP223618LOHAT | 558 | HSDLF651218RL | 588 |
| HSCF224818LBFOM | 555 | HSCLP501218LME | 589 | HSCP223618O | 554 | HSDLF651218RLE | 590 |
| HSCF224818LBFOMHAT | 559 | HSCLP501218RL | 588 | HSCP223618OFL | 562 | HSDLF651218RM | 587 |
| HSCF224818RBFOL | 557 | HSCLP501218RLE | 590 | HSCP223618OFM | 561 | HSDLF651218RME | 589 |
| HSCF224818RBFOLHAT | 563 | HSCLP501218RM | 587 | HSCP223618RBFOL | 562 | HSDLP421218LL | 588 |
| HSCF224818RBFOM | 555 | HSCLP501218RME | 589 | HSCP223618RBFOM | 561 | HSDLP421218LLE | 590 |
| HSCF224818RBFOMHAT | 559 | HSCLP502418LL | 588 | HSCP223618ROHAT | 558 | HSDLP421218LM | 587 |
| HSCF226018LBFOL | 557 | HSCLP502418LLE | 590 | HSCP224818LBFOL | 556 | HSDLP421218LME | 589 |
| HSCF226018LBFOLHAT | 563 | HSCLP502418LM | 587 | HSCP224818LBFOLHAT | 562 | HSDLP421218RL | 588 |
| HSCF226018LBFOM | 555 | HSCLP502418LME | 589 | HSCP224818LBFOM | 554 | HSDLP421218RLE | 590 |
| HSCF226018LBFOMHAT | 559 | HSCLP502418RL | 588 | HSCP224818LBFOMHAT | 558 | HSDLP421218RM | 587 |
| HSCF226018RBFOL | 557 | HSCLP502418RLE | 590 | HSCP224818RBFOL | 556 | HSDLP421218RME | 589 |
| HSCF226018RBFOLHAT | 563 | HSCLP502418RM | 587 | HSCP224818RBFOLHAT | 562 | HSDLP651218LL | 588 |
| HSCF226018RBFOM | 555 | HSCLP502418RME | 589 | HSCP224818RBFOM | 554 | HSDLP651218LLE | 590 |
| HSCF226018RBFOMHAT | 559 | HSCLP651218LL | 588 | HSCP224818RBFOMHAT | 558 | HSDLP651218LM | 587 |
| HSCF227218LBFOL | 557 | HSCLP651218LLE | 590 | HSCP226018LBFOL | 556 | HSDLP651218LME | 589 |
| HSCF227218LBFOLHAT | 563 | HSCLP651218LM | 587 | HSCP226018LBFOLHAT | 562 | HSDLP651218RL | 588 |
| HSCF227218LBFOM | 555 | HSCLP651218LME | 589 | HSCP226018LBFOM | 554 | HSDLP651218RLE | 590 |
| HSCF227218LBFOMHAT | 559 | HSCLP651218RL | 588 | HSCP226018LBFOMHAT | 558 | HSDLP651218RM | 587 |
| HSCF227218RBFOL | 557 | HSCLP651218RLE | 590 | HSCP226018RBFOL | 556 | HSDLP651218RME | 589 |
| HSCF227218RBFOLHAT | 563 | HSCLP651218RM | 587 | HSCP226018RBFOLHAT | 562 | HSDMP244 | 333 |
| HSCF227218RBFOM | 555 | HSCLP651218RME | 589 | HSCP226018RBFOM | 554 | HSDMP249 | 333 |
| HSCF227218RBFOMHAT | 559 | HSCLP652418LL | 588 | HSCP226018RBFOMHAT | 558 | HSDMP304 | 333 |
| HSCK24BF | 569 | HSCLP652418LLE | 590 | HSCP227218LBFOL | 556 | HSDMP309 | 333 |
| HSCK30BF | 569 | HSCLP652418LM | 587 | HSCP227218LBFOLHAT | 562 | HSDMP364 | 333 |
| HSCK30O | 569 | HSCLP652418LME | 589 | HSCP227218LBFOM | 554 | HSDMP369 | 333 |
| HSCK36BF | 569 | HSCLP652418RL | 588 | HSCP227218LBFOMHAT | 558 | HSDMP424 | 333 |
| HSCK36O | 569 | HSCLP652418RLE | 590 | HSCP227218RBFOL | 556 | HSDMP429 | 333 |
| HSCKTPS | 394 | HSCLP652418RM | 587 | HSCP227218RBFOLHAT | 562 | HSDMP484 | 333 |
| HSCLF501218LL | 588 | HSCLP652418RME | 589 | HSCP227218RBFOM | 554 | HSDMP489 | 333 |
| HSCLF501218LLE | 590 | HSCM223018BFL | 565 | HSCP227218RBFOMHAT | 558 | HSDMP544 | 333 |
| HSCLF501218LM | 587 | HSCM223018BFM | 564 | HSDBK29 | 332 | HSDMP549 | 333 |
| HSCLF501218LME | 589 | HSCM223018BOL | 565 | HSDCDPA29L | 332 | HSDMP604 | 333 |
| HSCLF501218RL | 588 | HSCM223018BOM | 564 | HSDCDPA29R | 332 | HSDMP609 | 333 |
| HSCLF501218RLE | 590 | HSCM223018O | 564 | HSDCMP3614 | 333 | HSDMP664 | 333 |
| HSCLF501218RM | 587 | HSCM223018OFL | 565 | HSDCMP3629 | 333 | HSDMP669 | 333 |
| HSCLF501218RME | 589 | HSCM223018OFM | 564 | HSDCMP4214 | 333 | HSDMP724 | 333 |
| HSCLF502418LL | 588 | HSCM223618BFL | 565 | HSDCMP4229 | 333 | HSDMP729 | 333 |
| HSCLF502418LLE | 590 | HSCM223618BFM | 564 | HSDCMP4814 | 333 | HSDRK29 | 332 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| HSDSL2429F | 330 | HSISLAUT2PYB7218S2 | 629 | HSLRFID5S | 591 | HSQLF652418LM | 587 |
| HSDSL29 | 331 | HSISLAUT2PYB7218S3 | 629 | HSPAK15 | 593 | HSQLF652418LME | 589 |
| HSDSL3029F | 330 | HSISLAUT2PYB7218S6 | 629 | HSPFF221518BFL | 596 | HSQLF652418RL | 588 |
| HSFCF283018BBFL | 566 | HSISLAUT2PYB7236S2 | 629 | HSPFF221518BFM | 593 | HSQLF652418RLE | 590 |
| HSFCF283018BBFM | 566 | HSISLAUT2PYB7236S3 | 629 | HSPFF221524BFL | 596 | HSQLF652418RM | 587 |
| HSFCF283018OFL | 563 | HSISLAUT2PYB7236S6 | 629 | HSPFF221524BFM | 593 | HSQLF652418RME | 589 |
| HSFCF283018OFM | 560 | HSISLAUT2PYB8418S2 | 629 | HSPH181518BFL | 595 | HSQLP422418LL | 588 |
| HSFCP283018BBFL | 566 | HSISLAUT2PYB8418S7 | 629 | HSPH181518BFM | 592 | HSQLP422418LLE | 590 |
| HSFCP283018BBFM | 566 | HSISLAUT2PYB8436S2 | 629 | HSPH181524BFL | 595 | HSQLP422418LM | 587 |
| HSFCP283018OFL | 562 | HSISLAUT2PYB8436S7 | 629 | HSPH181524BFM | 592 | HSQLP422418LME | 589 |
| HSFCP283018OFM | 561 | HSISLAUTNPNB2418S1 | 627 | HSPH181530BFL | 595 | HSQLP422418RL | 588 |
| HSISLACB2P4842S2 | 631 | HSISLAUTNPNB2436S1 | 627 | HSPH181530BFM | 592 | HSQLP422418RLE | 590 |
| HSISLACB2P4842S4 | 631 | HSISLAUTNPNB3018S1 | 627 | HSPM211518BFL | 595 | HSQLP422418RM | 587 |
| HSISLACB2P6042S5 | 631 | HSISLAUTNPNB3036S1 | 627 | HSPM211518BFM | 592 | HSQLP422418RME | 589 |
| HSISLACB2P7242S3 | 631 | HSISLAUTNPNB3618S1 | 627 | HSPM211524BFL | 595 | HSQLP652418LL | 588 |
| HSISLACB2P7242S6 | 631 | HSISLAUTNPNB3618S3 | 627 | HSPM211524BFM | 592 | HSQLP652418LLE | 590 |
| HSISLACB2P8442S7 | 631 | HSISLAUTNPNB3636S1 | 627 | HSPM271518BBFL | 595 | HSQLP652418LM | 587 |
| HSISLACENB1842 | 631 | HSISLAUTNPNB3636S3 | 627 | HSPM271518BBFM | 592 | HSQLP652418LME | 589 |
| HSISLACESP3642 | 631, 632 | HSISLAUTNPNB4218S1 | 627 | HSPM271518FFL | 595 | HSQLP652418RL | 588 |
| HSISLACEYB1842L | 631 | HSISLAUTNPNB4236S1 | 627 | HSPM271518FFM | 592 | HSQLP652418RLE | 590 |
| HSISLACEYB1842R | 631 | HSISLAUTNPNB4818S1 | 627 | HSPM271524BBFL | 595 | HSQLP652418RM | 587 |
| HSISLACEYB3642 | 631 | HSISLAUTNPNB4818S2 | 627 | HSPM271524BBFM | 592 | HSQLP652418RME | 589 |
| HSISLACO3642 | 632 | HSISLAUTNPNB4818S4 | 627 | HSPM271524FFL | 595 | HSTAKL | 578 |
| HSISLAFB2P6042S2 | 631 | HSISLAUTNPNB4836S1 | 627 | HSPM271524FFM | 592 | HSTAKR | 578 |
| HSISLAFB2P7242S2 | 631 | HSISLAUTNPNB4836S2 | 627 | HSPM271530BBFL | 595 | HSTB2W1 | 94, 217, 266, 521 |
| HSISLAFB2P8442S2 | 631 | HSISLAUTNPNB4836S4 | 627 | HSPM271530BBFM | 592 | HSTF421824LFFL | 582 |
| HSISLAFENB1842 | 631 | HSISLAUTNPNB6018S1 | 627 | HSPM271530FFL | 595 | HSTF421824LFFM | 580 |
| HSISLAFESP3642 | 631, 632 | HSISLAUTNPNB6018S2 | 627 | HSPM271530FFM | 592 | HSTF421824RFFL | 582 |
| HSISLAFEYB1842L | 631 | HSISLAUTNPNB6018S5 | 627 | HSPRAY | 674 | HSTF421824RFFM | 580 |
| HSISLAFEYB1842R | 631 | HSISLAUTNPNB6036S1 | 627 | HSPSF281518BBFL | 596 | HSTF422424LBBFL | 577 |
| HSISLAFEYB3642 | 631 | HSISLAUTNPNB6036S2 | 627 | HSPSF281518BBFM | 593 | HSTF422424LBBFM | 575 |
| HSISLAFO3642 | 632 | HSISLAUTNPNB6036S5 | 627 | HSPSF281518FFL | 596 | HSTF422424LFFL | 577 |
| HSISLAUT1PYB4836S2 | 630 | HSISLAUTNPNB7218S1 | 627 | HSPSF281518FFM | 593 | HSTF422424LFFM | 575 |
| HSISLAUT1PYB4836S4 | 630 | HSISLAUTNPNB7218S2 | 627 | HSPSF281524BBFL | 596 | HSTF422424RBBFL | 577 |
| HSISLAUT1PYB6036S2 | 630 | HSISLAUTNPNB7218S3 | 627 | HSPSF281524BBFM | 593 | HSTF422424RBBFM | 575 |
| HSISLAUT1PYB6036S5 | 630 | HSISLAUTNPNB7218S6 | 627 | HSPSF281524FFL | 596 | HSTF422424RFFL | 577 |
| HSISLAUT1PYB7236S2 | 630 | HSISLAUTNPNB7236S1 | 627 | HSPSF281524FFM | 593 | HSTF422424RFFM | 575 |
| HSISLAUT1PYB7236S3 | 630 | HSISLAUTNPNB7236S2 | 627 | HSPSF281530BBFL | 596 | HSTF501824LFFL | 582 |
| HSISLAUT1PYB7236S6 | 630 | HSISLAUTNPNB7236S3 | 627 | HSPSF281530BBFM | 593 | HSTF501824LFFM | 580 |
| HSISLAUT1PYB8436S2 | 630 | HSISLAUTNPNB7236S6 | 627 | HSPSF281530FFL | 596 | HSTF501824RFFL | 582 |
| HSISLAUT1PYB8436S7 | 630 | HSISLAUTNPNB8418S1 | 627 | HSPSF281530FFM | 593 | HSTF501824RFFM | 580 |
| HSISLAUT2PNB2418S1 | 628 | HSISLAUTNPNB8418S2 | 627 | HSPSP281518BBFL | 595 | HSTF502424LBBFL | 577 |
| HSISLAUT2PNB3018S1 | 628 | HSISLAUTNPNB8418S7 | 627 | HSPSP281518BBFM | 592 | HSTF502424LBBFM | 575 |
| HSISLAUT2PNB3618S1 | 628 | HSISLAUTNPNB8436S1 | 627 | HSPSP281518FFL | 595 | HSTF502424LFFL | 577 |
| HSISLAUT2PNB3618S3 | 628 | HSISLAUTNPNB8436S2 | 627 | HSPSP281518FFM | 592 | HSTF502424LFFM | 575 |
| HSISLAUT2PNB4218S1 | 628 | HSISLAUTNPNB8436S7 | 627 | HSPSP281524BBFL | 595 | HSTF502424RBBFL | 577 |
| HSISLAUT2PNB4818S2 | 628 | HSLACW50 | 568 | HSPSP281524BBFM | 592 | HSTF502424RBBFM | 575 |
| HSISLAUT2PNB4818S4 | 628 | HSLACW57 | 568 | HSPSP281524FFL | 595 | HSTF502424RFFL | 577 |
| HSISLAUT2PNB6018S2 | 628 | HSLDIGMGR | 591, 619 | HSPSP281524FFM | 592 | HSTF502424RFFM | 575 |
| HSISLAUT2PNB6018S5 | 628 | HSLDIGPRG | 591, 619 | HSPSP281530BBFL | 595 | HSTF651824LFFL | 582 |
| HSISLAUT2PNB7218S2 | 628 | HSLF283018FFL | 567 | HSPSP281530BBFM | 592 | HSTF651824LFFM | 580 |
| HSISLAUT2PNB7218S3 | 628 | HSLF283018FFM | 567 | HSPSP281530FFL | 595 | HSTF651824RFFL | 582 |
| HSISLAUT2PNB7218S6 | 628 | HSLF283618FFL | 567 | HSPSP281530FFM | 592 | HSTF651824RFFM | 580 |
| HSISLAUT2PNB8418S2 | 628 | HSLF283618FFM | 567 | HSQLF422418LL | 588 | HSTF652424LBBFL | 577 |
| HSISLAUT2PNB8418S7 | 628 | HSLP283018FFL | 567 | HSQLF422418LLE | 590 | HSTF652424LBBFM | 575 |
| HSISLAUT2PYB4818S2 | 629 | HSLP283018FFM | 567 | HSQLF422418LM | 587 | HSTF652424LFFL | 577 |
| HSISLAUT2PYB4818S4 | 629 | HSLP283618FFL | 567 | HSQLF422418LME | 589 | HSTF652424LFFM | 575 |
| HSISLAUT2PYB4836S2 | 629 | HSLP283618FFM | 567 | HSQLF422418RL | 588 | HSTF652424RBBFL | 577 |
| HSISLAUT2PYB4836S4 | 629 | HSLRFID100C | 591 | HSQLF422418RLE | 590 | HSTF652424RBBFM | 575 |
| HSISLAUT2PYB6018S2 | 629 | HSLRFID100S | 591 | HSQLF422418RM | 587 | HSTF652424RFFL | 577 |
| HSISLAUT2PYB6018S5 | 629 | HSLRFID25C | 591 | HSQLF422418RME | 589 | HSTF652424RFFM | 575 |
| HSISLAUT2PYB6036S2 | 629 | HSLRFID25S | 591 | HSQLF652418LL | 588 | HSTP421824LFFL | 581 |
| HSISLAUT2PYB6036S5 | 629 | HSLRFID5C | 591 | HSQLF652418LLE | 590 | HSTP421824LFFM | 579 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| HSTP421824RFFL | 581 | HSTSF652424LBBFM | 576 | HSWF501218LL | 585 | HSWP501224RME | 584 |
| HSTP421824RFFM | 579 | HSTSF652424LFFL | 578 | HSWF501218LLE | 586 | HSWP651218LL | 585 |
| HSTP422424LBBFL | 573 | HSTSF652424LFFM | 576 | HSWF501218LM | 583 | HSWP651218LLE | 586 |
| HSTP422424LBBFM | 571 | HSTSF652424RBBFL | 578 | HSWF501218LME | 584 | HSWP651218LM | 583 |
| HSTP422424LFFL | 573 | HSTSF652424RBBFM | 576 | HSWF501218RL | 585 | HSWP651218LME | 584 |
| HSTP422424LFFM | 571 | HSTSF652424RFFL | 578 | HSWF501218RLE | 586 | HSWP651218RL | 585 |
| HSTP422424RBBFL | 573 | HSTSF652424RFFM | 576 | HSWF501218RM | 583 | HSWP651218RLE | 586 |
| HSTP422424RBBFM | 571 | HSTSP421824LFFL | 581 | HSWF501218RME | 584 | HSWP651218RM | 583 |
| HSTP422424RFFL | 573 | HSTSP421824LFFM | 579 | HSWF501224LL | 585 | HSWP651218RME | 584 |
| HSTP422424RFFM | 571 | HSTSP421824RFFL | 581 | HSWF501224LLE | 586 | HSWP651224LL | 585 |
| HSTP501824LFFL | 581 | HSTSP421824RFFM | 579 | HSWF501224LM | 583 | HSWP651224LLE | 586 |
| HSTP501824LFFM | 579 | HSTSP422424LBBFL | 574 | HSWF501224LME | 584 | HSWP651224LM | 583 |
| HSTP501824RFFL | 581 | HSTSP422424LBBFM | 572 | HSWF501224RL | 585 | HSWP651224LME | 584 |
| HSTP501824RFFM | 579 | HSTSP422424LFFL | 574 | HSWF501224RLE | 586 | HSWP651224RL | 585 |
| HSTP502424LBBFL | 573 | HSTSP422424LFFM | 572 | HSWF501224RM | 583 | HSWP651224RLE | 586 |
| HSTP502424LBBFM | 571 | HSTSP422424RBBFL | 574 | HSWF501224RME | 584 | HSWP651224RM | 583 |
| HSTP502424LFFL | 573 | HSTSP422424RBBFM | 572 | HSWF651218LL | 585 | HSWP651224RME | 584 |
| HSTP502424LFFM | 571 | HSTSP422424RFFL | 574 | HSWF651218LLE | 586 | HSYSEMP120AL4828 | 412 |
| HSTP502424RBBFL | 573 | HSTSP422424RFFM | 572 | HSWF651218LM | 583 | HSYSEMP120AL6028 | 412 |
| HSTP502424RBBFM | 571 | HSTSP501824LFFL | 581 | HSWF651218LME | 584 | HSYSEMP120EL4828 | 409 |
| HSTP502424RFFL | 573 | HSTSP501824LFFM | 579 | HSWF651218RL | 585 | HSYSEMP120EL6028 | 409 |
| HSTP502424RFFM | 571 | HSTSP501824RFFL | 581 | HSWF651218RLE | 586 | HSYSEMP120POST | 409, 412 |
| HSTP651824LFFL | 581 | HSTSP501824RFFM | 579 | HSWF651218RM | 583 | HSYSEMP120TRO36 | 415 |
| HSTP651824LFFM | 579 | HSTSP502424LBBFL | 574 | HSWF651218RME | 584 | HSYSEMP120TRO42 | 415 |
| HSTP651824RFFL | 581 | HSTSP502424LBBFM | 572 | HSWF651224LL | 585 | HSYSEMP120TRO48 | 415 |
| HSTP651824RFFM | 579 | HSTSP502424LFFL | 574 | HSWF651224LLE | 586 | HSYSEMP120UB236 | 414 |
| HSTP652424LBBFL | 573 | HSTSP502424LFFM | 572 | HSWF651224LM | 583 | HSYSEMP120UB242 | 414 |
| HSTP652424LBBFM | 571 | HSTSP502424RBBFL | 574 | HSWF651224LME | 584 | HSYSEMP120UB248 | 414 |
| HSTP652424LFFL | 573 | HSTSP502424RBBFM | 572 | HSWF651224RL | 585 | HSYSEMP120WS3624 | 418 |
| HSTP652424LFFM | 571 | HSTSP502424RFFL | 574 | HSWF651224RLE | 586 | HSYSEMP120WS4224 | 418 |
| HSTP652424RBBFL | 573 | HSTSP502424RFFM | 572 | HSWF651224RM | 583 | HSYSEMP120WS4230 | 418 |
| HSTP652424RBBFM | 571 | HSTSP651824LFFL | 581 | HSWF651224RME | 584 | HSYSEMP120WS4824 | 418 |
| HSTP652424RFFL | 573 | HSTSP651824LFFM | 579 | HSWP421218LL | 585 | HSYSEMP120WS4830 | 418 |
| HSTP652424RFFM | 571 | HSTSP651824RFFL | 581 | HSWP421218LLE | 586 | HSYSEMP2460PK2 | 406 |
| HSTSF421824LFFL | 582 | HSTSP651824RFFM | 579 | HSWP421218LM | 583 | HSYSEMP2460PK2CH | 407 |
| HSTSF421824LFFM | 580 | HSTSP652424LBBFL | 574 | HSWP421218LME | 584 | HSYSEMP2460PK4 | 406 |
| HSTSF421824RFFL | 582 | HSTSP652424LBBFM | 572 | HSWP421218RL | 585 | HSYSEMP2460PK4CH | 407 |
| HSTSF421824RFFM | 580 | HSTSP652424LFFL | 574 | HSWP421218RLE | 586 | HSYSEMP2460PK6 | 406 |
| HSTSF422424LBBFL | 578 | HSTSP652424LFFM | 572 | HSWP421218RM | 583 | HSYSEMP2460PK6CH | 407 |
| HSTSF422424LBBFM | 576 | HSTSP652424RBBFL | 574 | HSWP421218RME | 584 | HSYSEMP2460PK8 | 406 |
| HSTSF422424LFFL | 578 | HSTSP652424RBBFM | 572 | HSWP421224LL | 585 | HSYSEMP2460PK8CH | 407 |
| HSTSF422424LFFM | 576 | HSTSP652424RFFL | 574 | HSWP421224LLE | 586 | HSYSEMP2472PK2 | 406 |
| HSTSF422424RBBFL | 578 | HSTSP652424RFFM | 572 | HSWP421224LM | 583 | HSYSEMP2472PK2CH | 407 |
| HSTSF422424RBBFM | 576 | HSWEEPA2 | 301 | HSWP421224LME | 584 | HSYSEMP2472PK4 | 406 |
| HSTSF422424RFFL | 578 | HSWEEPA3 | 301 | HSWP421224RL | 585 | HSYSEMP2472PK4CH | 407 |
| HSTSF422424RFFM | 576 | HSWEEPC2 | 301 | HSWP421224RLE | 586 | HSYSEMP2472PK6 | 406 |
| HSTSF501824LFFL | 582 | HSWEEPC3 | 301 | HSWP421224RM | 583 | HSYSEMP2472PK6CH | 407 |
| HSTSF501824LFFM | 580 | HSWF421218LL | 585 | HSWP421224RME | 584 | HSYSEMP2472PK8 | 406 |
| HSTSF501824RFFL | 582 | HSWF421218LLE | 586 | HSWP501218LL | 585 | HSYSEMP2472PK8CH | 407 |
| HSTSF501824RFFM | 580 | HSWF421218LM | 583 | HSWP501218LLE | 586 | HSYSEMP2SHABAS1342 | 429.5 |
| HSTSF502424LBBFL | 578 | HSWF421218LME | 584 | HSWP501218LM | 583 | HSYSEMP2SHABAS1348 | 429.5 |
| HSTSF502424LBBFM | 576 | HSWF421218RL | 585 | HSWP501218LME | 584 | HSYSEMP2SHABAS1354 | 429.5 |
| HSTSF502424LFFL | 578 | HSWF421218RLE | 586 | HSWP501218RL | 585 | HSYSEMP2SHABAS1360 | 429.5 |
| HSTSF502424LFFM | 576 | HSWF421218RM | 583 | HSWP501218RLE | 586 | HSYSEMP2SHABAS1366 | 429.5 |
| HSTSF502424RBBFL | 578 | HSWF421218RME | 584 | HSWP501218RM | 583 | HSYSEMP2SHABAS1372 | 429.5 |
| HSTSF502424RBBFM | 576 | HSWF421224LL | 585 | HSWP501218RME | 584 | HSYSEMP2SHABAS2042 | 429.5 |
| HSTSF502424RFFL | 578 | HSWF421224LLE | 586 | HSWP501224LL | 585 | HSYSEMP2SHABAS2048 | 429.5 |
| HSTSF502424RFFM | 576 | HSWF421224LM | 583 | HSWP501224LLE | 586 | HSYSEMP2SHABAS2054 | 429.5 |
| HSTSF651824LFFL | 582 | HSWF421224LME | 584 | HSWP501224LM | 583 | HSYSEMP2SHABAS2060 | 429.5 |
| HSTSF651824LFFM | 580 | HSWF421224RL | 585 | HSWP501224LME | 584 | HSYSEMP2SHABAS2066 | 429.5 |
| HSTSF651824RFFL | 582 | HSWF421224RLE | 586 | HSWP501224RL | 585 | HSYSEMP2SHABAS2072 | 429.5 |
| HSTSF651824RFFM | 580 | HSWF421224RM | 583 | HSWP501224RLE | 586 | HSYSEMP2SHABFS1342 | 429.3 |
| HSTSF652424LBBFL | 578 | HSWF421224RME | 584 | HSWP501224RM | 583 | HSYSEMP2SHABFS1348 | 429.3 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| HSYSEMP2SHABFS1354 | 429.3 | HSYSEMP3SHABFS2748 | 429.3 | HSYSEMPHA2870PK6CH | 429 | HSYSEMPWS2460 | 416 |
| HSYSEMP2SHABFS1360 | 429.3 | HSYSEMP3SHABFS2754 | 429.3 | HSYSEMPHA2870PK8 | 428 | HSYSEMPWS2472 | 416 |
| HSYSEMP2SHABFS1366 | 429.3 | HSYSEMP3SHABFS2760 | 429.3 | HSYSEMPHA2870PK8CH | 429 | HSYSEMPWS3048 | 416 |
| HSYSEMP2SHABFS1372 | 429.3 | HSYSEMP3SHABFS2766 | 429.3 | HSYSEMPHA2S1S | 429.1 | HSYSEMPWS3060 | 416 |
| HSYSEMP2SHABFS2042 | 429.3 | HSYSEMP3SHABFS2772 | 429.3 | HSYSEMPHA2S2S | 429.1 | HSYSEMPWS3072 | 416 |
| HSYSEMP2SHABFS2048 | 429.3 | HSYSEMP3SHABGS2042 | 429.4 | HSYSEMPHA3S1S | 429.1 | HT48ND | 320 |
| HSYSEMP2SHABFS2054 | 429.3 | HSYSEMP3SHABGS2048 | 429.4 | HSYSEMPHA3S2S | 429.1 | HT60ND | 320 |
| HSYSEMP2SHABFS2060 | 429.3 | HSYSEMP3SHABGS2054 | 429.4 | HSYSEMPHAGPKIT1 | 429.24 | HT66ND | 320 |
| HSYSEMP2SHABFS2066 | 429.3 | HSYSEMP3SHABGS2060 | 429.4 | HSYSEMPHAGPKIT2 | 429.24 | HT72ND | 320 |
| HSYSEMP2SHABFS2072 | 429.3 | HSYSEMP3SHABGS2066 | 429.4 | HSYSEMPHATRO48 | 429.1 | HTCOL52 | 80, 170, 298 |
| HSYSEMP2SHABGS1342 | 429.4 | HSYSEMP3SHABGS2072 | 429.4 | HSYSEMPHATRO60 | 429.1 | HTG1PWR-3P-1B | 699 |
| HSYSEMP2SHABGS1348 | 429.4 | HSYSEMP3SHABPS2042 | 429.6 | HSYSEMPHATRO72 | 429.1 | HTG2PWR-3P-1E | 699 |
| HSYSEMP2SHABGS1354 | 429.4 | HSYSEMP3SHABPS2048 | 429.6 | HSYSEMPHATSTRO48 | 429.1 | HTG2PWR-3P-1U-W | 699 |
| HSYSEMP2SHABGS1360 | 429.4 | HSYSEMP3SHABPS2054 | 429.6 | HSYSEMPHATSTRO60 | 429.1 | HTG2PWR-3P-2B-2U | 699 |
| HSYSEMP2SHABGS1366 | 429.4 | HSYSEMP3SHABPS2060 | 429.6 | HSYSEMPHATSTRO72 | 429.1 | HTG2PWR-4P-2B | 699 |
| HSYSEMP2SHABGS1372 | 429.4 | HSYSEMP3SHABPS2066 | 429.6 | HSYSEMPHAWS2246 | 429.2 | HTPLATEVHAU | 700 |
| HSYSEMP2SHABGS2042 | 429.4 | HSYSEMP3SHABPS2072 | 429.6 | HSYSEMPHAWS2258 | 429.2 | HTWTH | 495 |
| HSYSEMP2SHABGS2048 | 429.4 | HSYSEMPAL2428 | 411 | HSYSEMPHAWS2270 | 429.2 | HUPWRMOD | 698 |
| HSYSEMP2SHABGS2054 | 429.4 | HSYSEMPAL3028 | 411 | HSYSEMPHAWS2846 | 429.2 | HURNDPWRMOD | 429.17, 698.1 |
| HSYSEMP2SHABGS2060 | 429.4 | HSYSEMPAL4828 | 411 | HSYSEMPHAWS2858 | 429.2 | HUSAABF2746 | 670 |
| HSYSEMP2SHABGS2066 | 429.4 | HSYSEMPAL6028 | 411 | HSYSEMPHAWS2870 | 429.2 | HUSAABF2748 | 670 |
| HSYSEMP2SHABGS2072 | 429.4 | HSYSEMPCLWS51 | 419 | HSYSEMPINFCOV | 429.15 | HUSAABF2752 | 670 |
| HSYSEMP2SHABPS1342 | 429.6 | HSYSEMPCLWS63 | 419 | HSYSEMPLINF124 | 410 | HUSAABF2754 | 670 |
| HSYSEMP2SHABPS1348 | 429.6 | HSYSEMPD2KIT | 420 | HSYSEMPLINF130 | 410 | HUSAABF2758 | 670 |
| HSYSEMP2SHABPS1354 | 429.6 | HSYSEMPEL2428 | 408 | HSYSEMPLINF224 | 410 | HUSAABF2760 | 670 |
| HSYSEMP2SHABPS1360 | 429.6 | HSYSEMPEL3028 | 408 | HSYSEMPLINF230 | 410 | HUSAABF2764 | 670 |
| HSYSEMP2SHABPS1366 | 429.6 | HSYSEMPEL4828 | 408 | HSYSEMPMGPKIT1 | 429.24 | HUSAABF2766 | 670 |
| HSYSEMP2SHABPS1372 | 429.6 | HSYSEMPEL6028 | 408 | HSYSEMPMGPKIT2 | 429.24 | HUSAABF2770 | 670 |
| HSYSEMP2SHABPS2042 | 429.6 | HSYSEMPEMBPK2 | 429.16 | HSYSEMPMHAGPKIT1 | 429.24 | HUSAABF2772 | 670 |
| HSYSEMP2SHABPS2048 | 429.6 | HSYSEMPGPIT | 429.24 | HSYSEMPMHAGPKIT2 | 429.24 | HUSAEMP1342 | 422 |
| HSYSEMP2SHABPS2054 | 429.6 | HSYSEMPGPKIT1L | 429.24 | HSYSEMPMINF124 | 410 | HUSAEMP1348 | 422 |
| HSYSEMP2SHABPS2060 | 429.6 | HSYSEMPGPKIT1R | 429.24 | HSYSEMPMINF130 | 410 | HUSAEMP1354 | 422 |
| HSYSEMP2SHABPS2066 | 429.6 | HSYSEMPGPKIT2 | 419, 429.24 | HSYSEMPMINF224 | 410 | HUSAEMP1360 | 422 |
| HSYSEMP2SHABPS2072 | 429.6 | HSYSEMPGPKITD2 | 429.24 | HSYSEMPMINF230 | 410 | HUSAEMP1366 | 422 |
| HSYSEMP3060PK2 | 406 | HSYSEMPHA2258PK2 | 428 | HSYSEMPRLAL2428 | 413 | HUSAEMP1372 | 422 |
| HSYSEMP3060PK2CH | 407 | HSYSEMPHA2258PK2CH | 429 | HSYSEMPRLEL2428 | 413 | HUSAEMP2042 | 422 |
| HSYSEMP3060PK4 | 406 | HSYSEMPHA2258PK4 | 428 | HSYSEMPRRAL2428 | 413 | HUSAEMP2048 | 422 |
| HSYSEMP3060PK4CH | 407 | HSYSEMPHA2258PK4CH | 429 | HSYSEMPRREL2428 | 413 | HUSAEMP2054 | 422 |
| HSYSEMP3060PK6 | 406 | HSYSEMPHA2258PK6 | 428 | HSYSEMPSAL2428 | 411 | HUSAEMP2060 | 422 |
| HSYSEMP3060PK6CH | 407 | HSYSEMPHA2258PK6CH | 429 | HSYSEMPSAL3028 | 411 | HUSAEMP2066 | 422 |
| HSYSEMP3060PK8 | 406 | HSYSEMPHA2258PK8 | 428 | HSYSEMPSAL4828 | 411 | HUSAEMP2072 | 422 |
| HSYSEMP3060PK8CH | 407 | HSYSEMPHA2258PK8CH | 429 | HSYSEMPSAL6028 | 411 | HUSAFSM1320 | 668 |
| HSYSEMP3072PK2 | 406 | HSYSEMPHA2270PK2 | 428 | HSYSEMPSL2428 | 408 | HUSAFSM1322 | 668 |
| HSYSEMP3072PK2CH | 407 | HSYSEMPHA2270PK2CH | 429 | HSYSEMPSL3028 | 408 | HUSAFSM1324 | 668 |
| HSYSEMP3072PK4 | 406 | HSYSEMPHA2270PK4 | 428 | HSYSEMPSL4828 | 408 | HUSAFSM1328 | 668 |
| HSYSEMP3072PK4CH | 407 | HSYSEMPHA2270PK4CH | 429 | HSYSEMPSL6028 | 408 | HUSAFSM1330 | 668 |
| HSYSEMP3072PK6 | 406 | HSYSEMPHA2270PK6 | 428 | HSYSEMPSTRO48 | 415 | HUSAFSM1336 | 668 |
| HSYSEMP3072PK6CH | 407 | HSYSEMPHA2270PK6CH | 429 | HSYSEMPSTRO60 | 415 | HUSAFSM1342 | 668 |
| HSYSEMP3072PK8 | 406 | HSYSEMPHA2270PK8 | 428 | HSYSEMPSTRO72 | 415 | HUSAFSM1346 | 668 |
| HSYSEMP3072PK8CH | 407 | HSYSEMPHA2270PK8CH | 429 | HSYSEMPTDWS24UL | 419 | HUSAFSM1348 | 668 |
| HSYSEMP3SHABAS2042 | 429.5 | HSYSEMPHA2858PK2 | 428 | HSYSEMPTDWS30UL | 419 | HUSAFSM1352 | 668 |
| HSYSEMP3SHABAS2048 | 429.5 | HSYSEMPHA2858PK2CH | 429 | HSYSEMPTRO48 | 415 | HUSAFSM1354 | 668 |
| HSYSEMP3SHABAS2054 | 429.5 | HSYSEMPHA2858PK4 | 428 | HSYSEMPTRO60 | 415 | HUSAFSM1358 | 668 |
| HSYSEMP3SHABAS2060 | 429.5 | HSYSEMPHA2858PK4CH | 429 | HSYSEMPTRO72 | 415 | HUSAFSM1360 | 668 |
| HSYSEMP3SHABAS2066 | 429.5 | HSYSEMPHA2858PK6 | 428 | HSYSEMPUB148 | 414 | HUSAFSM1364 | 668 |
| HSYSEMP3SHABAS2072 | 429.5 | HSYSEMPHA2858PK6CH | 429 | HSYSEMPUB160 | 414 | HUSAFSM1366 | 668 |
| HSYSEMP3SHABFS2042 | 429.3 | HSYSEMPHA2858PK8 | 428 | HSYSEMPUB172 | 414 | HUSAFSM1370 | 668 |
| HSYSEMP3SHABFS2048 | 429.3 | HSYSEMPHA2858PK8CH | 429 | HSYSEMPUB248 | 414 | HUSAFSM1372 | 668 |
| HSYSEMP3SHABFS2054 | 429.3 | HSYSEMPHA2870PK2 | 428 | HSYSEMPUB260 | 414 | HUSAFSM2020 | 668 |
| HSYSEMP3SHABFS2060 | 429.3 | HSYSEMPHA2870PK2CH | 429 | HSYSEMPUB272 | 414 | HUSAFSM2022 | 668 |
| HSYSEMP3SHABFS2066 | 429.3 | HSYSEMPHA2870PK4 | 428 | HSYSEMPULEORB | 419 | HUSAFSM2024 | 668 |
| HSYSEMP3SHABFS2072 | 429.3 | HSYSEMPHA2870PK4CH | 429 | HSYSEMPWS2436 | 416 | HUSAFSM2028 | 668 |
| HSYSEMP3SHABFS2742 | 429.3 | HSYSEMPHA2870PK6 | 428 | HSYSEMPWS2448 | 416 | HUSAFSM2030 | 668 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| HUSAFSM2036 | 668 | HUSAUPM1370 | 669 | HUSFEMP1372 | 421 | HUSFMOD1354 | 665 |
| HUSAFSM2042 | 668 | HUSAUPM1372 | 669 | HUSFEMP2042 | 421 | HUSFMOD1360 | 665 |
| HUSAFSM2046 | 668 | HUSAUPM2036 | 669 | HUSFEMP2048 | 421 | HUSFMOD1366 | 665 |
| HUSAFSM2048 | 668 | HUSAUPM2042 | 669 | HUSFEMP2054 | 421 | HUSFMOD1372 | 665 |
| HUSAFSM2052 | 668 | HUSAUPM2046 | 669 | HUSFEMP2060 | 421 | HUSFSOS1322 | 665 |
| HUSAFSM2054 | 668 | HUSAUPM2048 | 669 | HUSFEMP2066 | 421 | HUSFSOS1328 | 665 |
| HUSAFSM2058 | 668 | HUSAUPM2052 | 669 | HUSFEMP2072 | 421 | HUSFSOS1334 | 665 |
| HUSAFSM2060 | 668 | HUSAUPM2054 | 669 | HUSFFSM1320 | 662 | HUSFSOS2022 | 665 |
| HUSAFSM2064 | 668 | HUSAUPM2058 | 669 | HUSFFSM1322 | 662 | HUSFSOS2028 | 665 |
| HUSAFSM2066 | 668 | HUSAUPM2060 | 669 | HUSFFSM1324 | 662 | HUSFSOS2034 | 665 |
| HUSAFSM2070 | 668 | HUSAUPM2064 | 669 | HUSFFSM1328 | 662 | HUSFTPM1320 | 665 |
| HUSAFSM2072 | 668 | HUSAUPM2066 | 669 | HUSFFSM1330 | 662 | HUSFTPM1322 | 665 |
| HUSAGRV1348 | 475 | HUSAUPM2070 | 669 | HUSFFSM1336 | 662 | HUSFTPM1324 | 665 |
| HUSAGRV1360 | 475 | HUSAUPM2072 | 669 | HUSFFSM1342 | 662 | HUSFTPM1328 | 665 |
| HUSAGRV1372 | 475 | HUSFABF2742 | 664 | HUSFFSM1346 | 662 | HUSFTPM1330 | 665 |
| HUSALAT1320 | 669 | HUSFABF2746 | 664 | HUSFFSM1348 | 662 | HUSFTPM1336 | 665 |
| HUSALAT1322 | 669 | HUSFABF2748 | 664 | HUSFFSM1352 | 662 | HUSFTPM2020 | 665 |
| HUSALAT1324 | 669 | HUSFABF2752 | 664 | HUSFFSM1354 | 662 | HUSFTPM2022 | 665 |
| HUSALAT1328 | 669 | HUSFABF2754 | 664 | HUSFFSM1358 | 662 | HUSFTPM2024 | 665 |
| HUSALAT1330 | 669 | HUSFABF2758 | 664 | HUSFFSM1360 | 662 | HUSFTPM2028 | 665 |
| HUSALAT1336 | 669 | HUSFABF2760 | 664 | HUSFFSM1364 | 662 | HUSFTPM2030 | 665 |
| HUSALAT2020 | 669 | HUSFABF2764 | 664 | HUSFFSM1366 | 662 | HUSFTPM2036 | 665 |
| HUSALAT2022 | 669 | HUSFABF2766 | 664 | HUSFFSM1370 | 662 | HUSFUPM1336 | 663 |
| HUSALAT2024 | 669 | HUSFABF2770 | 664 | HUSFFSM1372 | 662 | HUSFUPM1342 | 663 |
| HUSALAT2028 | 669 | HUSFABF2772 | 664 | HUSFFSM2020 | 662 | HUSFUPM1346 | 663 |
| HUSALAT2030 | 669 | HUSFABF3442 | 664 | HUSFFSM2022 | 662 | HUSFUPM1348 | 663 |
| HUSALAT2036 | 669 | HUSFABF3446 | 664 | HUSFFSM2024 | 662 | HUSFUPM1352 | 663 |
| HUSAMOD1330 | 670 | HUSFABF3448 | 664 | HUSFFSM2028 | 662 | HUSFUPM1354 | 663 |
| HUSAMOD1336 | 670 | HUSFABF3452 | 664 | HUSFFSM2030 | 662 | HUSFUPM1358 | 663 |
| HUSAMOD1342 | 670 | HUSFABF3454 | 664 | HUSFFSM2036 | 662 | HUSFUPM1360 | 663 |
| HUSAMOD1348 | 670 | HUSFABF3458 | 664 | HUSFFSM2042 | 662 | HUSFUPM1364 | 663 |
| HUSAMOD1354 | 670 | HUSFABF3460 | 664 | HUSFFSM2046 | 662 | HUSFUPM1366 | 663 |
| HUSAMOD1360 | 670 | HUSFABF3464 | 664 | HUSFFSM2048 | 662 | HUSFUPM1370 | 663 |
| HUSAMOD1366 | 670 | HUSFABF3466 | 664 | HUSFFSM2052 | 662 | HUSFUPM1372 | 663 |
| HUSAMOD1372 | 670 | HUSFABF3470 | 664 | HUSFFSM2054 | 662 | HUSFUPM2036 | 663 |
| HUSASOS1322 | 670 | HUSFABF3472 | 664 | HUSFFSM2058 | 662 | HUSFUPM2042 | 663 |
| HUSASOS1328 | 670 | HUSFABM2742 | 664 | HUSFFSM2060 | 662 | HUSFUPM2046 | 663 |
| HUSASOS1334 | 670 | HUSFABM2746 | 664 | HUSFFSM2064 | 662 | HUSFUPM2048 | 663 |
| HUSASOS2022 | 670 | HUSFABM2748 | 664 | HUSFFSM2066 | 662 | HUSFUPM2052 | 663 |
| HUSASOS2028 | 670 | HUSFABM2752 | 664 | HUSFFSM2070 | 662 | HUSFUPM2054 | 663 |
| HUSASOS2034 | 670 | HUSFABM2754 | 664 | HUSFFSM2072 | 662 | HUSFUPM2058 | 663 |
| HUSATPM1320 | 670 | HUSFABM2758 | 664 | HUSFGRV1348 | 475 | HUSFUPM2060 | 663 |
| HUSATPM1322 | 670 | HUSFABM2760 | 664 | HUSFGRV1360 | 475 | HUSFUPM2064 | 663 |
| HUSATPM1324 | 670 | HUSFABM2764 | 664 | HUSFGRV1372 | 475 | HUSFUPM2066 | 663 |
| HUSATPM1328 | 670 | HUSFABM2766 | 664 | HUSFGRV2048 | 475 | HUSFUPM2070 | 663 |
| HUSATPM1330 | 670 | HUSFABM2770 | 664 | HUSFGRV2060 | 475 | HUSFUPM2072 | 663 |
| HUSATPM1336 | 670 | HUSFABM2772 | 664 | HUSFGRV2072 | 475 | HUSGEMP1342 | 421 |
| HUSATPM2020 | 670 | HUSFABM3442 | 664 | HUSFLAT1320 | 663 | HUSGEMP1348 | 421 |
| HUSATPM2022 | 670 | HUSFABM3446 | 664 | HUSFLAT1322 | 663 | HUSGEMP1354 | 421 |
| HUSATPM2024 | 670 | HUSFABM3448 | 664 | HUSFLAT1324 | 663 | HUSGEMP1360 | 421 |
| HUSATPM2028 | 670 | HUSFABM3452 | 664 | HUSFLAT1328 | 663 | HUSGEMP1366 | 421 |
| HUSATPM2030 | 670 | HUSFABM3454 | 664 | HUSFLAT1330 | 663 | HUSGEMP1372 | 421 |
| HUSATPM2036 | 670 | HUSFABM3458 | 664 | HUSFLAT1336 | 663 | HUSGEMP2042 | 421 |
| HUSAUPM1336 | 669 | HUSFABM3460 | 664 | HUSFLAT2020 | 663 | HUSGEMP2048 | 421 |
| HUSAUPM1342 | 669 | HUSFABM3464 | 664 | HUSFLAT2022 | 663 | HUSGEMP2054 | 421 |
| HUSAUPM1346 | 669 | HUSFABM3466 | 664 | HUSFLAT2024 | 663 | HUSGEMP2060 | 421 |
| HUSAUPM1348 | 669 | HUSFABM3470 | 664 | HUSFLAT2028 | 663 | HUSGEMP2066 | 421 |
| HUSAUPM1352 | 669 | HUSFABM3472 | 664 | HUSFLAT2030 | 663 | HUSGEMP2072 | 421 |
| HUSAUPM1354 | 669 | HUSFEMP1342 | 421 | HUSFLAT2036 | 663 | HUSGFSM1320 | 666 |
| HUSAUPM1358 | 669 | HUSFEMP1348 | 421 | HUSFMOD1330 | 665 | HUSGFSM1322 | 666 |
| HUSAUPM1360 | 669 | HUSFEMP1354 | 421 | HUSFMOD1336 | 665 | HUSGFSM1324 | 666 |
| HUSAUPM1364 | 669 | HUSFEMP1360 | 421 | HUSFMOD1342 | 665 | HUSGFSM1328 | 666 |
| HUSAUPM1366 | 669 | HUSFEMP1366 | 421 | HUSFMOD1348 | 665 | HUSGFSM1330 | 666 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| HUSGFSM1336 | 666 | HUSGUPM2070 | 667 | HUVAUS482420 | 122 | HUVSLFS4754LC | 653 |
| HUSGFSM1342 | 666 | HUSGUPM2072 | 667 | HUVAUS483013 | 122 | HUVSLFS4759L | 653 |
| HUSGFSM1346 | 666 | HUSLABF2746 | 671 | HUVAUS483020 | 122 | HUVSLFS4759LC | 653 |
| HUSGFSM1348 | 666 | HUSLABF2748 | 671 | HUVAUS602413 | 122 | HUVSLFS4767L | 653 |
| HUSGFSM1352 | 666 | HUSLABF2752 | 671 | HUVAUS602420 | 122 | HUVSLFS4767LC | 653 |
| HUSGFSM1354 | 666 | HUSLABF2754 | 671 | HUVAUS603013 | 122 | HUVSSWT | 650 |
| HUSGFSM1358 | 666 | HUSLABF2758 | 671 | HUVAUS603020 | 122 | HUVSTAHSD | 651 |
| HUSGFSM1360 | 666 | HUSLABF2760 | 671 | HUVAUS722413 | 122 | HUVSTAHSP | 651 |
| HUSGFSM1364 | 666 | HUSLABF2764 | 671 | HUVAUS722420 | 122 | HUVSTAHST | 651 |
| HUSGFSM1366 | 666 | HUSLABF2766 | 671 | HUVAUS723013 | 122 | HUVSTBHSD | 651 |
| HUSGFSM1370 | 666 | HUSLABF2770 | 671 | HUVAUS723020 | 122 | HUVSTBHSP | 651 |
| HUSGFSM1372 | 666 | HUSLABF2772 | 671 | HUVCFCT24 | 651 | HUVSTBHST | 651 |
| HUSGFSM2020 | 666 | HUSLGRV1348 | 476 | HUVCFCT48 | 651 | HUVTOWT | 650 |
| HUSGFSM2022 | 666 | HUSLGRV1360 | 476 | HUVDPS1324 | 121 | HUVTOWT24 | 651 |
| HUSGFSM2024 | 666 | HUSLGRV1372 | 476 | HUVDPS1330 | 121 | HUVTOWT48 | 651 |
| HUSGFSM2028 | 666 | HUSLMOD1330 | 671 | HUVDPS2024 | 121 | HUVTRWT | 650 |
| HUSGFSM2030 | 666 | HUSLMOD1336 | 671 | HUVDPS2030 | 121 | HUVWVWT | 650 |
| HUSGFSM2036 | 666 | HUSLMOD1342 | 671 | HUVDRWT | 650 | HV-UT1 | 524, 643, 691 |
| HUSGFSM2042 | 666 | HUSLMOD1348 | 671 | HUVDSAO1348 | 121 | HVFB20R | 524 |
| HUSGFSM2046 | 666 | HUSLMOD1354 | 671 | HUVDSAO1360 | 121 | HVFB23R | 524 |
| HUSGFSM2048 | 666 | HUSLMOD1360 | 671 | HUVDSAO1372 | 121 | HVFF20R | 524 |
| HUSGFSM2052 | 666 | HUSLMOD1366 | 671 | HUVDSAO2048 | 121 | HVFF23R | 524 |
| HUSGFSM2054 | 666 | HUSLMOD1372 | 671 | HUVDSAO2060 | 121 | HVPWLBK24 | 94, 266 |
| HUSGFSM2058 | 666 | HUSMGRV2048 | 474 | HUVDSAO2072 | 121 | HVPWLBK30 | 94, 266 |
| HUSGFSM2060 | 666 | HUSMGRV2060 | 474 | HUVDSHAB4813 | 122 | HWC3624P | 508 |
| HUSGFSM2064 | 666 | HUSMGRV2072 | 474 | HUVDSHAB4820 | 122 | HWC4224P | 508 |
| HUSGFSM2066 | 666 | HUSMSOS1320L | 672 | HUVDSHAB6013 | 122 | HWC4230P | 508 |
| HUSGFSM2070 | 666 | HUSMSOS1320R | 672 | HUVDSHAB6020 | 122 | HWC4824P | 508 |
| HUSGFSM2072 | 666 | HUSMSOS1326L | 672 | HUVDSHAB7213 | 122 | HWC4830P | 508 |
| HUSGLAT1320 | 667 | HUSMSOS1326R | 672 | HUVDSHAB7220 | 122 | HWC72 | 545 |
| HUSGLAT1322 | 667 | HUSMSOS2020L | 672 | HUVDSSE1324 | 121 | HWCS3624P | 509 |
| HUSGLAT1324 | 667 | HUSMSOS2020R | 672 | HUVDSSE1330 | 121 | HWCS4224P | 509 |
| HUSGLAT1328 | 667 | HUSMSOS2026L | 672 | HUVDSSE2024 | 121 | HWCS4230P | 509 |
| HUSGLAT1330 | 667 | HUSMSOS2026R | 672 | HUVDSSE2030 | 121 | HWCS4824P | 509 |
| HUSGLAT1336 | 667 | HUSPEMP1342 | 422 | HUVDSSM1324 | 121 | HWCS4830P | 509 |
| HUSGLAT2020 | 667 | HUSPEMP1348 | 422 | HUVDSSM1330 | 121 | HWD244830P | 507 |
| HUSGLAT2022 | 667 | HUSPEMP1354 | 422 | HUVDSSM2024 | 121 | HWD245430P | 507 |
| HUSGLAT2024 | 667 | HUSPEMP1360 | 422 | HUVDSSM2030 | 121 | HWD246030P | 507 |
| HUSGLAT2028 | 667 | HUSPEMP1366 | 422 | HUVFOWT | 650 | HWD246630P | 507 |
| HUSGLAT2030 | 667 | HUSPEMP1372 | 422 | HUVHEWT | 650 | HWD247230P | 507 |
| HUSGLAT2036 | 667 | HUSPEMP2042 | 422 | HUVLSWT | 650 | HWD304824P | 507 |
| HUSGUPM1336 | 667 | HUSPEMP2048 | 422 | HUVMAWT | 650 | HWD305424P | 507 |
| HUSGUPM1342 | 667 | HUSPEMP2054 | 422 | HUVMAWT24 | 651 | HWD306024P | 507 |
| HUSGUPM1346 | 667 | HUSPEMP2060 | 422 | HUVMAWT48 | 651 | HWD306624P | 507 |
| HUSGUPM1348 | 667 | HUSPEMP2066 | 422 | HUVMBHS48 | 651 | HWD307224P | 507 |
| HUSGUPM1352 | 667 | HUSPEMP2072 | 422 | HUVMBHS96 | 651 | HWIRECLT | 504.2, 701.1 |
| HUSGUPM1354 | 667 | HUSPGRV2048 | 474 | HUVMMFS55 | 652 | HWJ58ABLP | 513 |
| HUSGUPM1358 | 667 | HUSPGRV2060 | 474 | HUVMMFS63 | 652 | HWJ58ABRP | 513 |
| HUSGUPM1360 | 667 | HUSPGRV2072 | 474 | HUVPAWT | 650 | HWJ59ABLP | 513 |
| HUSGUPM1364 | 667 | HUVAAHS | 651 | HUVREWT | 650 | HWJ59ABRP | 513 |
| HUSGUPM1366 | 667 | HUVABLS2424L | 122 | HUVSLFS3254L | 653 | HWP2460P | 513 |
| HUSGUPM1370 | 667 | HUVABLS2424R | 122 | HUVSLFS3254LC | 653 | HWP2466P | 513 |
| HUSGUPM1372 | 667 | HUVABLS2430L | 122 | HUVSLFS3259L | 653 | HWP2472P | 513 |
| HUSGUPM2036 | 667 | HUVABLS2430R | 122 | HUVSLFS3259LC | 653 | HWP3060P | 513 |
| HUSGUPM2042 | 667 | HUVABLS3024L | 122 | HUVSLFS3267L | 653 | HWP3066P | 513 |
| HUSGUPM2046 | 667 | HUVABLS3024R | 122 | HUVSLFS3267LC | 653 | HWP3072P | 513 |
| HUSGUPM2048 | 667 | HUVABLS3030L | 122 | HUVSLFS4054L | 653 | HWR1824P | 505 |
| HUSGUPM2052 | 667 | HUVABLS3030R | 122 | HUVSLFS4054LC | 653 | HWR1830P | 505 |
| HUSGUPM2054 | 667 | HUVABLS3624L | 122 | HUVSLFS4059L | 653 | HWR1836P | 505 |
| HUSGUPM2058 | 667 | HUVABLS3624R | 122 | HUVSLFS4059LC | 653 | HWR1842P | 505 |
| HUSGUPM2060 | 667 | HUVABLS3630L | 122 | HUVSLFS4067L | 653 | HWR1848P | 505 |
| HUSGUPM2064 | 667 | HUVABLS3630R | 122 | HUVSLFS4067LC | 653 | HWR1854P | 505 |
| HUSGUPM2066 | 667 | HUVAUS482413 | 122 | HUVSLFS4754L | 653 | HWR1860P | 505 |

# CROSS REFERENCE INDEX


| MODEL | PAGE | MODEL | PAGE | MODEL | PAGE | MODEL | PAGE |
|---|---|---|---|---|---|---|---|
| HWR1866P | 505 | HWWAP | 242 | HWWT2236P | 239 | HWWT4536F | 235 |
| HWR1872P | 505 | HWWAPH | 242 | HWWT2242F | 234 | HWWT4536L | 237 |
| HWR2424P | 505 | HWWARAIL18 | 241 | HWWT2248F | 234 | HWWT4536M | 236 |
| HWR2430P | 505 | HWWARAIL24 | 241 | HWWT2254F | 234 | HWWT4536V | 238 |
| HWR2436P | 505 | HWWARAIL30 | 241 | HWWT2260F | 234 | HWWT4542F | 235 |
| HWR2442P | 505 | HWWARAIL36 | 241 | HWWT3018F | 235 | HWWT4542M | 236 |
| HWR2448P | 505 | HWWARAIL42 | 241 | HWWT3018L | 237 | HWWT4542V | 238 |
| HWR2454P | 505 | HWWARAIL48 | 241 | HWWT3018P | 239 | HWWT4548F | 235 |
| HWR2460P | 505 | HWWARAIL54 | 241 | HWWT3024F | 235 | HWWT4548M | 236 |
| HWR2466P | 505 | HWWARAIL60 | 241 | HWWT3024L | 237 | HWWT4548V | 238 |
| HWR2472P | 505 | HWWASB | 242 | HWWT3024P | 239 | HWWT4554F | 235 |
| HWR2484P | 505 | HWWASHELF18 | 241 | HWWT3030F | 235 | HWWT4554M | 236 |
| HWR3024P | 506 | HWWASHELF24 | 241 | HWWT3030L | 237 | HWWT4554V | 238 |
| HWR3030P | 506 | HWWASHELF30 | 241 | HWWT3030M | 236 | HWWT4560F | 235 |
| HWR3036P | 506 | HWWASHELF36 | 241 | HWWT3030P | 239 | HWWT4560M | 236 |
| HWR3042P | 506 | HWWAST | 242 | HWWT3036F | 235 | HWWT718F | 234 |
| HWR3048P | 506 | HWWATS | 242 | HWWT3036L | 237 | HWWT718L | 237 |
| HWR3054P | 506 | HWWT1518F | 234 | HWWT3036M | 236 | HWWT718P | 239 |
| HWR3060P | 506 | HWWT1518L | 237 | HWWT3036P | 239 | HWWT724F | 234 |
| HWR3066P | 506 | HWWT1518P | 239 | HWWT3036V | 238 | HWWT724L | 237 |
| HWR3072P | 506 | HWWT1524F | 234 | HWWT3042F | 235 | HWWT724P | 239 |
| HWR3084P | 506 | HWWT1524L | 237 | HWWT3042V | 238 | HWWT724T | 240 |
| HWSA2 | 520 | HWWT1524P | 239 | HWWT3048F | 235 | HWWT730F | 234 |
| HWSB2 | 520 | HWWT1524T | 240 | HWWT3048V | 238 | HWWT730L | 237 |
| HWSR24 | 521 | HWWT1530F | 234 | HWWT3054F | 235 | HWWT730P | 239 |
| HWSR30 | 521 | HWWT1530L | 237 | HWWT3060F | 235 | HWWT730T | 240 |
| HWSR36 | 521 | HWWT1530M | 236 | HWWT3718F | 235 | HWWT736F | 234 |
| HWSR42 | 521 | HWWT1530P | 239 | HWWT3718L | 237 | HWWT736L | 237 |
| HWSR48 | 521 | HWWT1530T | 240 | HWWT3724F | 235 | HWWT736P | 239 |
| HWV73AALP | 511 | HWWT1536F | 234 | HWWT3724L | 237 | HWWT736T | 240 |
| HWV73AARP | 512 | HWWT1536L | 237 | HWWT3730F | 235 | HWWT742F | 234 |
| HWV73BALP | 511 | HWWT1536M | 236 | HWWT3730L | 237 | HWWT742T | 240 |
| HWV73BARP | 512 | HWWT1536P | 239 | HWWT3730M | 236 | HWWT748F | 234 |
| HWV75AALP | 511 | HWWT1536T | 240 | HWWT3736F | 235 | HWWT748T | 240 |
| HWV75AARP | 512 | HWWT1542F | 234 | HWWT3736L | 237 | HWWT754F | 234 |
| HWV75ABLP | 511 | HWWT1542T | 240 | HWWT3736M | 236 | HWWT754T | 240 |
| HWV75ABRP | 512 | HWWT1548F | 234 | HWWT3736V | 238 | HWWT760F | 234 |
| HWV75BALP | 511 | HWWT1548T | 240 | HWWT3742F | 235 | HWWT760T | 240 |
| HWV75BARP | 512 | HWWT1554F | 234 | HWWT3742M | 236 | SPLH-ABND-GALGLSS.M482171 | 457 |
| HWV75BBLP | 511 | HWWT1554T | 240 | HWWT3742V | 238 | SPLH-ABND-GALGLSS.M482172 | 457 |
| HWV75BBRP | 512 | HWWT1560F | 234 | HWWT3748F | 235 | SPLH-ABND-GALGLSS.M482173 | 457 |
| HWV93AALP | 511 | HWWT1560T | 240 | HWWT3748M | 236 | SPLH-ABND-GALGLSS.M482174 | 457 |
| HWV93AARP | 512 | HWWT2218F | 234 | HWWT3748V | 238 | SPLH-ABND-GALGLSS.M482175 | 457 |
| HWV93BALP | 511 | HWWT2218L | 237 | HWWT3754F | 235 | SPLH-ABND-GALGLSS.M482176 | 457 |
| HWV93BARP | 512 | HWWT2218P | 239 | HWWT3754M | 236 | SPLH-ABND-GALGLSS.M482177 | 457 |
| HWV95AALP | 511 | HWWT2224F | 234 | HWWT3754V | 238 | SPLH-ABND-GALGLSS.M482178 | 457 |
| HWV95AARP | 512 | HWWT2224L | 237 | HWWT3760F | 235 | SPLH-ABND-GALGLSS.M482179 | 457 |
| HWV95ABLP | 511 | HWWT2224P | 239 | HWWT3760M | 236 | SPLH-ABND-GALGLSS.M482180 | 457 |
| HWV95ABRP | 512 | HWWT2230F | 234 | HWWT4518F | 235 | SPLH-ABND-GALGLSS.M482181 | 457 |
| HWV95BALP | 511 | HWWT2230L | 237 | HWWT4518L | 237 | SPLH-ABND-GALGLSS.M482182 | 457 |
| HWV95BARP | 512 | HWWT2230M | 236 | HWWT4524F | 235 | SPLH-ABND-GALGLSS.M482183 | 457 |
| HWV95BBLP | 511 | HWWT2230P | 239 | HWWT4524L | 237 | SPLH-ABND-GALGLSS.M540464 | 457 |
| HWV95BBRP | 512 | HWWT2236F | 234 | HWWT4530F | 235 | SPLH-ABND-GALGLSS.M540465 | 457 |
| HWWAC | 242 | HWWT2236L | 237 | HWWT4530L | 237 | SPLH-ABND-GALGLSS.M541046 | 457 |
| HWWAH | 242 | HWWT2236M | 236 | HWWT4530M | 236 | | |

# NOTES

# NOTES

# NOTES

# NOTES

# NOTES

# NOTES

# NOTES

# NOTES

# NOTES

# NOTES

# NOTES

# NOTES

# NOTES

# NOTES

# INFORMATION ON ORDERING PARTS

When parts are needed to repair HON products, the following guidelines should be followed to expedite the process.

1. Warranty orders are submitted on the Website at hon.com via the Quick Claim tool.
2. There are no discounts applied to parts. Pricing quoted is the net value. Parts pricing is subject to change without notice.
3. For a part not covered by warranty applicable shipping charges will apply.
4. All keys are $6.00 each plus a shipping and handling fee of $3.00 per shipping location.
5. Parts may be paid for with an approved credit card. Approved Cards: MasterCard, VISA and American Express.
6. Payment terms for invoiced parts are Net 30 days.
7. Due to short leadtimes on parts, no changes will be accepted after the order has been placed.
8. When placing a **warranty** parts order:

   **If the product is under warranty, the product serial number must be provided.** Most finished goods products have a serial number placed on them at the factory. The label containing the serial number is located:

   **Vertical Files —** right side of the uppermost drawer

   **Lateral Files —** left side of the uppermost drawer or shelf

   **Desk Towers —** outside of top drawer

   **Desks, Credenzas, & Returns —** on the outside, kneespace side of the top drawer. Fully extend the drawer to find it.

   **Desks, Credenzas, Corner Units, Bridges, Peninsulas & Returns without drawers —** underside of top

   **Tables and Stands —** underside of the top

   **Table Trucks —** underside of side rail

   **Cabinets & Bookcases —** left inner side of the case

   **Modular Component Top and Backs —** underside of top

   **Modular End Panels —** top inside surface

   **Reception Stations —** top inside surface of back panel

   **Organizers —** top inside surface of left end panel near back panel

   **Vertical Paper Manager —** back panel inside surface near top

   **Pedestals —** bottom drawer right side exterior

   **Seating —** underside of the seat

   **Panels —** underside of the top cap

   **Hutches, Storage Units, Overhead Storage —** underside of the shelf

   **Hanging Bookshelves —** underside of shelf

NOTE: Removal of the serial number tag from the product voids the warranty.

**An important note regarding Product Serial Numbers:**
HON desks, tables, chairs, files and systems components are tagged with a serial number. This number helps us identify *when and where your product was made,* and to identify and correct the root causes for the problem. NEITHER THE DEALER NOR THE CONSUMER SHOULD REMOVE THIS TAG UNDER ANY CIRCUMSTANCES. To do so immediately voids your Warranty coverage for that particular item *and prevents us from further identifying it.* Instead, please transcribe the number and call your Dealer.

The HON Company
Muscatine, IA 52761
800.833.3964
**hon.com**

©2024 The HON Company. Form No. H6055 (1/24). HON is a registered trademark of HNI Technologies, under license to The HON Company.

**Supersedes HON List Pricer**
Dated January 2024



*Empower® workstations shown with Flexion™ seating*