

PEAK (H50 - Ø70)



GENERAL INFORMATION:

Coffee table

Versions: standard, lighting, lacquered

Material: Polyethylene, tempered glass

Dimensions: Ø 70 h 50 cm

Weight: 10 Kg

Packaging: 51 x 36 x 43/85 x 85 x 1 cm

Packaging volume: 0,086 m³

Notes: two boxes.

Code LP PEA050 lighting

(IP 20, only for indoor use)

Wiring with plastic base and LED CANDY LIGHT. IP44 protection. Diameter 10 cm

SD PEA050 standard

(IP 55 for indoor and outdoor use)


SL PEA050 lacquered

Standard lamp base for E26-27mm light bulb

Insulation class 2

Device proper to direct assembly onto normally inflammable surfaces


DIMENSIONS IN CM:



LIGHTING:



Wiring with plastic screw base. I3 - IP20 protection. E3 - IP55 protection. Diameter 10 cm.



Energy saving bulb recommended (not included).

FINISHES:

STANDARD

- MILKY WHITE (code FT)
- JET BLACK (code FH)
- ELEPHANT GREY (code FG)
- CHOCOLATE BROWN (code FE)
- ARGIL GREY (code FJ)
- DOVE GREY (code FP)
- POWDER BLUE (code FL)
- MALVA GREEN (code FV)
- LIME GREEN (code FR)
- SAFFRON YELLOW (code FB)
- PUMPKIN ORANGE (code FC)
- FLAME RED (code FD)
- SWEET FUCHSIA (code FU)

LIGHTING

- LIGHT WHITE (code LA)

LACQUERED (code GLOSSY/MATT)

- ABSOLUTE WHITE (code QA/MF)
- GLAMOUR BLACK (code QH/MI)
- VANITY GREY (code QG/MK)
- CHARMING IVORY (code Q2/M3)
- SUPREME RED (code QD/MN)
- METALLIC GOLD (code QO/MZ)
- METALLIC SILVER (code QM/MY)
- METALLIC COPPER (code Q4/M5)

PEAK (H50 - Ø80)



GENERAL INFORMATION:

Coffee table

Versions: standard, lighting, lacquered

Material: Polyethylene, tempered glass

Dimensions: Ø 80 h 50 cm

Weight: 13 Kg

Packaging: 51 x 36 x 43/85 x 85 x 1 cm

Packaging volume: 0,341 m³

Notes: two boxes.

Code LP PEA051 lighting

(IP 20, only for indoor use)

Wiring with plastic base and LED CANDY LIGHT. IP44 protection. Diameter 10 cm

SD PEA051 standard

(IP 55 for indoor and outdoor use)


SL PEA051 lacquered

Standard lamp base for E26-27mm light bulb

Insulation class 2

Device proper to direct assembly onto normally inflammable surfaces

DIMENSIONS IN CM:




LIGHTING:

1x



Wiring with plastic screw base. I3 - IP20 protection. E3 - IP55 protection. Diameter 10 cm.

1x



Energy saving bulb recommended (not included).

FINISHES:

STANDARD

- MILKY WHITE (code FT)
- JET BLACK (code FH)
- ELEPHANT GREY (code FG)
- CHOCOLATE BROWN (code FE)
- ARGIL GREY (code FJ)
- DOVE GREY (code FP)
- POWDER BLUE (code FL)
- MALVA GREEN (code FV)
- LIME GREEN (code FR)
- SAFFRON YELLOW (code FB)
- PUMPKIN ORANGE (code FC)
- FLAME RED (code FD)
- SWEET FUCHSIA (code FU)

LIGHTING

- LIGHT WHITE (code LA)

LACQUERED (code GLOSSY/MATT)

- ABSOLUTE WHITE (code QA/MF)
- GLAMOUR BLACK (code QH/MI)
- VANITY GREY (code QG/MK)
- CHARMING IVORY (code Q2/M3)
- SUPREME RED (code QD/MN)
- METALLIC GOLD (code QO/MZ)
- METALLIC SILVER (code QM/MY)
- METALLIC COPPER (code Q4/M5)



PEAK (H80 - Ø70)



GENERAL INFORMATION:

Table

Versions:	standard, lighting, lacquered
Material:	Polyethylene, tempered glass
Dimensions:	Ø 70 h 80 cm
Weight:	12 Kg
Packaging:	50 x 50 x 84 cm/85 x 85 x 1 cm
Packaging volume:	0,217 ³ m
Notes:	two boxes.

Code LP PEA080 lighting
(IP 20, only for indoor use)

Wiring with plastic base and LED CANDY LIGHT.IP44 protection.Diameter 10 cm

SD PEA080 standard
(IP 55 for indoor and outdoor use)


SL PEA080 lacquered

Standard lamp base for E26-27mm light bulb

Insulation class 2

Device proper to direct assembly onto normally inflammable surfaces

DIMENSIONS IN CM:




LIGHTING:

1x



Wiring with plastic screw base.I3 - IP20 protection. E3 - IP55 protection.Diameter 10 cm.

1x



Energy saving bulbrecommended (not included).

FINISHES:

STANDARD

- MILKY WHITE (code FT)
- JET BLACK (code FH)
- ELEPHANT GREY (code FG)
- CHOCOLATE BROWN (code FE)
- ARGIL GREY (code FJ)
- DOVE GREY (code FP)
- POWDER BLUE (code FL)
- MALVA GREEN (code FV)
- LIME GREEN (code FR)
- SAFFRON YELLOW (code FB)
- PUMPKIN ORANGE (code FC)
- FLAME RED (code FD)
- SWEET FUCHSIA (code FU)

LIGHTING

- LIGHT WHITE (code LA)

LACQUERED (code GLOSSY/MATT)

- ABSOLUTE WHITE (code QA/MF)
- GLAMOUR BLACK (code QH/MI)
- VANITY GREY (code QG/MK)
- CHARMING IVORY (code Q2/M3)
- SUPREME RED (code QD/MN)
- METALLIC GOLD (code QO/MZ)
- METALLIC SILVER (code QM/MY)
- METALLIC COPPER (code Q4/M5)



PEAK (H80 - Ø80)



GENERAL INFORMATION:

Table

Versions:	standard, lighting, lacquered
Material:	Polyethylene, tempered glass
Dimensions:	Ø 80 h 80 cm
Weight:	15 Kg
Packaging:	50 x 50 x 84 cm/85 x 85 x 1 cm
Packaging volume:	0,177 ³ m
Notes:	two boxes.

Code

LP PEA081 lighting

(IP 20, only for indoor use)

Wiring with plastic base and LED CANDY LIGHT.IP44 protection.Diameter 10 cm

SD PEA081 standard

(IP 55 for indoor and outdoor use)


SL PEA081 lacquered

Standard lamp base for E26-27mm light bulb

Insulation class 2

Device proper to direct assembly onto normally inflammable surfaces

DIMENSIONS IN CM:




LIGHTING:

1x



Wiring with plastic screw base.I3 - IP20 protection. E3 - IP55 protection.Diameter 10 cm.

1x



Energy saving bulbrecommended (not included).

FINISHES:

STANDARD

- MILKY WHITE (code FT)
- JET BLACK (code FH)
- ELEPHANT GREY (code FG)
- CHOCOLATE BROWN (code FE)
- ARGIL GREY (code FJ)
- DOVE GREY (code FP)
- POWDER BLUE (code FL)
- MALVA GREEN (code FV)
- LIME GREEN (code FR)
- SAFFRON YELLOW (code FB)
- PUMPKIN ORANGE (code FC)
- FLAME RED (code FD)
- SWEET FUCHSIA (code FU)

LIGHTING

- LIGHT WHITE (code LA)

LACQUERED (code GLOSSY/MATT)

- ABSOLUTE WHITE (code QA/MF)
- GLAMOUR BLACK (code QH/MI)
- VANITY GREY (code QG/MK)
- CHARMING IVORY (code Q2/M3)
- SUPREME RED (code QD/MN)
- METALLIC GOLD (code QO/MZ)
- METALLIC SILVER (code QM/MY)
- METALLIC COPPER (code Q4/M5)



PEAK (H120 - Ø70)



GENERAL INFORMATION:

High Table

Versions: standard, lighting, lacquered

Material: Polyethylene, tempered glass

Dimensions: Ø 70 h 120 cm

Weight: 15 Kg

Packaging: 55 x 55 x 122 cm/85 x 85 x 1
cm

Packaging volume: 0,376 m³

Notes: two boxes.

Code LP PEA120 lighting
(IP 20, only for indoor use)

Wiring with plastic base and LED CANDY LIGHT.IP44 protection.Diameter 10 cm

SD PEA120 standard

(IP 55 for indoor and outdoor use)


SL PEA120 lacquered

Standard lamp base for E26-27mm light bulb

Insulation class 2

Device proper to direct assembly onto normally inflammable surfaces

DIMENSIONS IN CM:




LIGHTING:

1x



Wiring with plastic screw base.I3 - IP20 protection. E3 - IP55 protection.Diameter 10 cm.

1x



25W

Energy saving bulbrecommended (not included).

FINISHES:**STANDARD**

- MILKY WHITE (code FT)
- JET BLACK (code FH)
- ELEPHANT GREY (code FG)
- CHOCOLATE BROWN (code FE)
- ARGIL GREY (code FJ)
- DOVE GREY (code FP)
- POWDER BLUE (code FL)
- MALVA GREEN (code FV)
- LIME GREEN (code FR)
- SAFFRON YELLOW (code FB)
- PUMPKIN ORANGE (code FC)
- FLAME RED (code FD)
- SWEET FUCHSIA (code FU)

LIGHTING

- LIGHT WHITE (code LA)

LACQUERED (code GLOSSY/MATT)

- ABSOLUTE WHITE (code QA/MF)
- GLAMOUR BLACK (code QH/MI)
- VANITY GREY (code QG/MK)
- CHARMING IVORY (code Q2/M3)
- SUPREME RED (code QD/MN)
- METALLIC GOLD (code QO/MZ)
- METALLIC SILVER (code QM/MY)
- METALLIC COPPER (code Q4/M5)



PEAK (H120 - Ø80)



GENERAL INFORMATION:

High Table

Versions: standard, lighting, lacquered

Material: Polyethylene, tempered glass

Dimensions: Ø 80 h 120 cm

Weight: 18 Kg

Packaging: 55 x 55 x 122 cm/85 x 85 x 1
cm

Packaging volume: 0,376 m³

Notes: two boxes.

Code LP PEA121 lighting
(IP 20, only for indoor use)

Wiring with plastic base and LED CANDY LIGHT. IP44 protection. Diameter 10 cm

SD PEA121 standard

(IP 55 for indoor and outdoor use)

SL PEA121 lacquered


(IP 55 for indoor and outdoor use)

Standard lamp base for E26-27mm light bulb

Insulation class 2

Device proper to direct assembly onto normally inflammable surfaces

DIMENSIONS IN CM:




LIGHTING:

1x



Wiring with plastic screw base. I3 - IP20 protection. E3 - IP55 protection. Diameter 10 cm.

1x



25W

Energy saving bulb recommended (not included).

FINISHES:

STANDARD

- MILKY WHITE (code FT)
- JET BLACK (code FH)
- ELEPHANT GREY (code FG)
- CHOCOLATE BROWN (code FE)
- ARGIL GREY (code FJ)
- DOVE GREY (code FP)
- POWDER BLUE (code FL)
- MALVA GREEN (code FV)
- LIME GREEN (code FR)
- SAFFRON YELLOW (code FB)
- PUMPKIN ORANGE (code FC)
- FLAME RED (code FD)
- SWEET FUCHSIA (code FU)

LIGHTING

- LIGHT WHITE (code LA)

LACQUERED (code GLOSSY/MATT)

- ABSOLUTE WHITE (code QA/MF)
- GLAMOUR BLACK (code QH/MI)
- VANITY GREY (code QG/MK)
- CHARMING IVORY (code Q2/M3)
- SUPREME RED (code QD/MN)
- METALLIC GOLD (code QO/MZ)
- METALLIC SILVER (code QM/MY)
- METALLIC COPPER (code Q4/M5)

PEAK (H50 - SQUARE GLASS 80)



GENERAL INFORMATION:

Coffee table

Versions:

standard, lighting, lacquered

Material:

Polyethylene, tempered glass

Dimensions:

80 x 80 h 50 cm

Weight:

21 Kg

Packaging:

51 x 36 x 43 cm/85 x 85 x 1 cm

Packaging volume:

0,086 m³

Notes: two boxes.

Code

LP PEA052 lighting

(IP 20, only for indoor use)

Wiring with plastic base and LED CANDY LIGHT. IP44 protection. Diameter 10 cm

SD PEA052 standard

(IP 55 for indoor and outdoor use)

SL PEA052 lacquered


(IP 55 for indoor and outdoor use)

Standard lamp base for E26-27mm light bulb

Insulation class 2

Device proper to direct assembly onto normally inflammable surfaces

DIMENSIONS IN CM:




LIGHTING:

1x



Wiring with plastic screw base. I3 - IP20 protection. E3 - IP55 protection. Diameter 10 cm.

1x



Energy saving bulb recommended (not included).

FINISHES:

STANDARD

- MILKY WHITE (code FT)
- JET BLACK (code FH)
- ELEPHANT GREY (code FG)
- CHOCOLATE BROWN (code FE)
- ARGIL GREY (code FJ)
- DOVE GREY (code FP)
- POWDER BLUE (code FL)
- MALVA GREEN (code FV)
- LIME GREEN (code FR)
- SAFFRON YELLOW (code FB)
- PUMPKIN ORANGE (code FC)
- FLAME RED (code FD)
- SWEET FUCHSIA (code FU)

LIGHTING

- LIGHT WHITE (code LA)

LACQUERED (code GLOSSY/MATT)

- ABSOLUTE WHITE (code QA/MF)
- GLAMOUR BLACK (code QH/MI)
- VANITY GREY (code QG/MK)
- CHARMING IVORY (code Q2/M3)
- SUPREME RED (code QD/MN)
- METALLIC GOLD (code QO/MZ)
- METALLIC SILVER (code QM/MY)
- METALLIC COPPER (code Q4/M5)



PEAK (H80 - SQUARE GLASS 80)



GENERAL INFORMATION:

Table

Versions:	standard, lighting, lacquered
Material:	Polyethylene, tempered glass
Dimensions:	80 x 80 h 80 cm
Weight:	24 Kg
Packaging:	50 x 50 x 84 cm/85 x 85 x 1 cm
Packaging volume:	0,217 ³ m
Notes:	two boxes.


Code	LP PEA082 lighting (IP 20, only for indoor use)
Wiring with plastic base and LED CANDY LIGHT.IP44 protection.Diameter 10 cm	SD PEA082 standard (IP 55 for indoor and outdoor use)
	SL PEA082 lacquered (IP 55 for indoor and outdoor use)

Standard lamp base for E26-27mm light bulb

Insulation class 2

Device proper to direct assembly onto normally inflammable surfaces

DIMENSIONS IN CM:



LIGHTING:

1x



Wiring with plastic screw base.I3 - IP20 protection. E3 - IP55 protection.Diameter 10 cm.

1x



25W

Energy saving bulbrecommended (not included).

FINISHES:

STANDARD

- MILKY WHITE (code FT)
- JET BLACK (code FH)
- ELEPHANT GREY (code FG)
- CHOCOLATE BROWN (code FE)
- ARGIL GREY (code FJ)
- DOVE GREY (code FP)
- POWDER BLUE (code FL)
- MALVA GREEN (code FV)
- LIME GREEN (code FR)
- SAFFRON YELLOW (code FB)
- PUMPKIN ORANGE (code FC)
- FLAME RED (code FD)
- SWEET FUCHSIA (code FU)

LIGHTING

- LIGHT WHITE (code LA)

LACQUERED (code GLOSSY/MATT)

- ABSOLUTE WHITE (code QA/MF)
- GLAMOUR BLACK (code QH/MI)
- VANITY GREY (code QG/MK)
- CHARMING IVORY (code Q2/M3)
- SUPREME RED (code QD/MN)
- METALLIC GOLD (code QO/MZ)
- METALLIC SILVER (code QM/MY)
- METALLIC COPPER (code Q4/M5)


PEAK (H120 - SQUARE GLASS 80)



GENERAL INFORMATION:

High table	
Versions:	standard, lighting, lacquered
Material:	Polyethylene, tempered glass
Dimensions:	80 x 80 h 120 cm
Weight:	27 Kg
Packaging:	55 x 55 x 122 cm/85 x 85 x 1
cm	
Packaging volume:	0,376 m ³
Notes: two boxes.	
Code	LP PEA122 lighting (IP 20, only for indoor use)
Wiring with plastic base and LED CANDY LIGHT.IP44 protection.Diameter 10 cm	
	SD PEA122 standard (IP 55 for indoor and outdoor use)
	SL PEA122 lacquered (IP 55 for indoor and outdoor use)
Standard lamp base for E26-27mm light bulb	
Insulation class 2	
Device proper to direct assembly onto normally inflammable surfaces	


DIMENSIONS IN CM:



LIGHTING:



Wiring with plastic screw base.I3 - IP20 protection. E3 - IP55 protection.Diameter 10 cm.



Energy saving bulbrecommended (not included).

FINISHES:

STANDARD

- MILKY WHITE (code FT)
- JET BLACK (code FH)
- ELEPHANT GREY (code FG)
- CHOCOLATE BROWN (code FE)
- ARGIL GREY (code FJ)
- DOVE GREY (code FP)
- POWDER BLUE (code FL)
- MALVA GREEN (code FV)
- LIME GREEN (code FR)
- SAFFRON YELLOW (code FB)
- PUMPKIN ORANGE (code FC)
- FLAME RED (code FD)
- SWEET FUCHSIA (code FU)

LIGHTING

- LIGHT WHITE (code LA)

LACQUERED (code GLOSSY/MATT)

- ABSOLUTE WHITE (code QA/MF)
- GLAMOUR BLACK (code QH/MI)
- VANITY GREY (code QG/MK)
- CHARMING IVORY (code Q2/M3)
- SUPREME RED (code QD/MN)
- METALLIC GOLD (code QO/MZ)
- METALLIC SILVER (code QM/MY)
- METALLIC COPPER (code Q4/M5)



PEAK (H80 - DOUBLE)



GENERAL INFORMATION:

Table

Versions: standard, lighting, lacquered

Material: Polyethylene, tempered glass

Dimensions: 180 x 80 h 80 cm

Weight: 52 Kg

Packaging: 50 x 50 x 84 cm (x2)/

181 x 81 x 1 cm

Packaging volume: 0,450³m

Notes: three boxes.

Code LP PEA220 lighting
(IP 20, only for indoor use)

Wiring with plastic base and LED CANDY LIGHT.IP44 protection.Diameter 10 cm

SD PEA220 standard

(IP 55 for indoor and outdoor use)

SL PEA220 lacquered


(IP 55 for indoor and outdoor use)

Standard lamp base for E26-27mm light bulb

Insulation class 2

Device proper to direct assembly onto normally inflammable surfaces

DIMENSIONS IN CM:



LIGHTING:

2x



Wiring with plastic screw base.I3 - IP20 protection. E3 - IP55 protection.Diameter 10 cm.

2x



25W

Energy saving bulbrecommended (not included).

FINISHES:

STANDARD

- MILKY WHITE (code FT)
- JET BLACK (code FH)
- ELEPHANT GREY (code FG)
- CHOCOLATE BROWN (code FE)
- ARGIL GREY (code FJ)
- DOVE GREY (code FP)
- POWDER BLUE (code FL)
- MALVA GREEN (code FV)
- LIME GREEN (code FR)
- SAFFRON YELLOW (code FB)
- PUMPKIN ORANGE (code FC)
- FLAME RED (code FD)
- SWEET FUCHSIA (code FU)

LIGHTING

- LIGHT WHITE (code LA)

LACQUERED (code GLOSSY/MATT)

- ABSOLUTE WHITE (code QA/MF)
- GLAMOUR BLACK (code QH/MI)
- VANITY GREY (code QG/MK)
- CHARMING IVORY (code Q2/M3)
- SUPREME RED (code QD/MN)
- METALLIC GOLD (code QO/MZ)
- METALLIC SILVER (code QM/MY)
- METALLIC COPPER (code Q4/M5)

PEAK (H120 - DOUBLE)



GENERAL INFORMATION:

High table

Versions: standard, lighting, lacquered

Material: Polyethylene, tempered glass

Dimensions: 180 x 80 h 120 cm

Weight: 58 Kg

Packaging: 55 x 55 x 122 cm (x2)/

181 x 85 x 1 cm

Packaging volume: 0,753 m³

Notes: three boxes.

Code LP PEA221 lighting
(IP 20, only for indoor use)

Wiring with plastic base and LED CANDY LIGHT.IP44 protection.Diameter 10 cm

SD PEA221 standard

(IP 55 for indoor and outdoor use)

SL PEA221 lacquered



(IP 55 for indoor and outdoor use)

Standard lamp base for E26-27mm light bulb

Insulation class 2

Device proper to direct assembly onto normally inflammable surfaces

DIMENSIONS IN CM:




LIGHTING:

2x



Wiring with plastic screw base.I3 - IP20 protection. E3 - IP55 protection.Diameter 10 cm.

2x



Energy saving bulbrecommended (not included).

FINISHES:

STANDARD

- MILKY WHITE (code FT)
- JET BLACK (code FH)
- ELEPHANT GREY (code FG)
- CHOCOLATE BROWN (code FE)
- ARGIL GREY (code FJ)
- DOVE GREY (code FP)
- POWDER BLUE (code FL)
- MALVA GREEN (code FV)
- LIME GREEN (code FR)
- SAFFRON YELLOW (code FB)
- PUMPKIN ORANGE (code FC)
- FLAME RED (code FD)
- SWEET FUCHSIA (code FU)

LIGHTING

- LIGHT WHITE (code LA)

LACQUERED (code GLOSSY/MATT)


- ABSOLUTE WHITE (code QA/MF)
- GLAMOUR BLACK (code QH/MI)
- VANITY GREY (code QG/MK)
- CHARMING IVORY (code Q2/M3)
- SUPREME RED (code QD/MN)
- METALLIC GOLD (code QO/MZ)
- METALLIC SILVER (code QM/MY)
- METALLIC COPPER (code Q4/M5)

PEAK ACCESSORIES:





ICE BUCKET:

Material: PVC.
Dimensions: Ø 23 h 23 cm
CODE: SD PEA001
COLOURS: SMOKED GREY



ASHTRAY:

Material: metal.
Dimensions: Ø 16 h 3,5 cm
CODE: SD PEA002
COLOURS: SIGNAL WHITE



PEAK ACCESSORIES:

BAG HOOK:

Material: metal.
Dimensions: 26 x 26 h 6 cm
CODE: SD PEA003
COLOURS: SIGNAL WHITE

