



Pot

Versions: matt, lighting, lacquered.

Material: Polyethylene.

Dimensions: Ø 56 h 33 cm (Ø22,04" h 12,99")


Weight: 3,5 Kg

Capacity: 16 L

Packaging: 58 x 58 x 35 cm

Packaging volume: 0,118 m3



DIMENSIONS (cm)			
CODE	SD XPT035 standard  SL XPT035 lacquered  LP XPT035 lighting OUT      		
	1x 	1x 	Energy saving bulb recommended (not included).
COLOURS	STANDARD - MILKY WHITE (code FT) - JET BLACK (code FH) - ELEPHANT GREY (code FG) - CHOCOLATE BROWN (code FE) - ARGIL GREY (code FJ) - DOVE GREY (code FP) - POWDER BLUE (code FL) - MALVA GREEN (code FV) - LIME GREEN (code FR) - SAFFRON YELLOW (code FC) - FLAME RED (code FD) - SWEET FUCHSIA (code FU) LIGHTING - LIGHT WHITE (code LA) LACQUERED (code GLOSSY/MATT) - ABSOLUTE WHITE (code QA/MF) - GLAMOUR BLACK (code QH/MI) - VANITY GREY (code QG/MK) - CHARMING IVORY (code Q2/M3) - SUPREME RED (code QD/MN) - METALLIC GOLD (code QO/MZ) - METALLIC SILVER (code QM/MY) - METALLIC COPPER (code Q4/M5)		

WE WELCOME ALL CUSTOM ORDERS!

IES files upon Request

g@gordonbullard.com
www.bullardbollards.com

269-569-6700



991 South Gull Lake Dr
Richland, MI 49083, USA

1 877-964-4646



Pot

Versions: matt, lighting, lacquered.

Material: Polyethylene.

Dimensions: Ø 80 h 50 cm (Ø31,49" h 19,68")


Weight: 7,5 Kg

Capacity: 64 L

Packaging: 81 x 81 x 52 cm

Packaging volume: 0,341 m3



DIMENSIONS (cm)			
CODE	SD XPT050 standard SL XPT050 lacquered	LP XPT050 lighting OUT	
	1x 	 15W	Energy saving bulb recommended (not included).
COLOURS	STANDARD - MILKY WHITE (code FT) - JET BLACK (code FH) - ELEPHANT GREY (code FG) - CHOCOLATE BROWN (code FE) - ARGIL GREY (code FJ) - DOVE GREY (code FP) - POWDER BLUE (code FL) - MALVA GREEN (code FV) - LIME GREEN (code FR) - SAFFRON YELLOW (code FC) - FLAME RED (code FD) - SWEET FUCHSIA (code FU) LIGHTING - LIGHT WHITE (code LA) LACQUERED (code GLOSSY/MATT) - ABSOLUTE WHITE (code QA/MF) - GLAMOUR BLACK (code QH/MI) - VANITY GREY (code QG/MK) - CHARMING IVORY (code Q2/M3) - SUPREME RED (code QD/MN) - METALLIC GOLD (code QO/MZ) - METALLIC SILVER (code QM/MY) - METALLIC COPPER (code Q4/M5)		

WE WELCOME ALL CUSTOM ORDERS!

IES files upon Request

g@gordonbullard.com
www.bullardbollards.com

269-569-6700



991 South Gull Lake Dr
Richland, MI 49083, USA

1 877-964-4646



**BULLARD
BOLLARDS**

X-POT / X-POT LIGHT (H83)



Pot

Versions: matt, lighting, lacquered.

Material: Polyethylene.

Dimensions: Ø 49 h 83 cm (Ø 19,29" h 32,67")



Weight: 7,5 Kg

Capacity: 40 L

Packaging: 50 x 50 x 84 cm

Packaging volume: 0,21 m3



DIMENSIONS (cm)	  X-POT COLLECTION		
CODE	SD XPT085 standard SL XPT085 lacquered LP XPT085 lighting OUT       		
	1x 	 1x 25W	Energy saving bulb recommended (not included).
COLOURS	STANDARD - MILKY WHITE (code FT) - JET BLACK (code FH) - ELEPHANT GREY (code FG) - CHOCOLATE BROWN (code FE) - ARGIL GREY (code FJ) - DOVE GREY (code FP) - POWDER BLUE (code FL) - MALVA GREEN (code FV) - LIME GREEN (code FR) - SAFFRON YELLOW (code FC) - FLAME RED (code FD) - SWEET FUCHSIA (code FU) LIGHTING - LIGHT WHITE (code LA) LACQUERED (code GLOSSY/MATT) - ABSOLUTE WHITE (code QA/MF) - GLAMOUR BLACK (code QH/MI) - VANITY GREY (code QG/MK) - CHARMING IVORY (code Q2/M3) - SUPREME RED (code QD/MN) - METALLIC GOLD (code QO/MZ) - METALLIC SILVER (code QM/MY) - METALLIC COPPER (code Q4/M5)		

WE WELCOME ALL CUSTOM ORDERS!

IES files upon Request

g@gordonbullard.com
www.bullardbollards.com

269-569-6700



991 South Gull Lake Dr
Richland, MI 49083, USA

1 877-964-4646



Pot

Versions: matt, lighting, lacquered.

Material: Polyethylene.

Dimensions: Ø 62 h 98 cm (Ø24,40" h 38,58")


Weight: 13,5 Kg

Capacity: 73 L

Packaging: 64 x 64 x 121 cm

Packaging volume: 0,496 m3



DIMENSIONS (cm)			
CODE	SD XPT100 standard SL XPT100 lacquered LP XPT100 lighting OUT       		
	1x 		Energy saving bulb recommended (not included).
COLOURS	STANDARD - MILKY WHITE (code FT) - JET BLACK (code FH) - ELEPHANT GREY (code FG) - CHOCOLATE BROWN (code FE) - ARGIL GREY (code FJ) - DOVE GREY (code FP) - POWDER BLUE (code FL) - MALVA GREEN (code FV) - LIME GREEN (code FR) - SAFFRON YELLOW (code FC) - FLAME RED (code FD) - SWEET FUCHSIA (code FU) LIGHTING - LIGHT WHITE (code LA) LACQUERED (code GLOSSY/MATT) - ABSOLUTE WHITE (code QA/MF) - GLAMOUR BLACK (code QH/MI) - VANITY GREY (code QG/MK) - CHARMING IVORY (code Q2/M3) - SUPREME RED (code QD/MN) - METALLIC GOLD (code QO/MZ) - METALLIC SILVER (code QM/MY) - METALLIC COPPER (code Q4/M5)		

WE WELCOME ALL CUSTOM ORDERS!

IES files upon Request

g@gordonbullard.com
www.bullardbollards.com

269-569-6700



991 South Gull Lake Dr
Richland, MI 49083, USA

1 877-964-4646



BULLARD
BOLLARDS

X-POT / X-POT LIGHT (H107)



Pot

Versions: matt, lighting, lacquered.

Material: Polyethylene.

Dimensions: Ø 72 h 107 cm (Ø28,34" h 42,12")


Weight: 17 Kg

Capacity: 104 L

Packaging: 73 x 73 x 109 cm

Packaging volume: 0,58 m3



DIMENSIONS (cm)			
CODE	SD XPT110 standard SL XPT110 lacquered LP XPT110 lighting OUT       		
	1x 		Energy saving bulb recommended (not included).
COLOURS	STANDARD - MILKY WHITE (code FT) - JET BLACK (code FH) - ELEPHANT GREY (code FG) - CHOCOLATE BROWN (code FE) - ARGIL GREY (code FJ) - DOVE GREY (code FP) - POWDER BLUE (code FL) - MALVA GREEN (code FV) - LIME GREEN (code FR) - SAFFRON YELLOW (code FC) - FLAME RED (code FD) - SWEET FUCHSIA (code FU) LIGHTING - LIGHT WHITE (code LA) LACQUERED (code GLOSSY/MATT) - ABSOLUTE WHITE (code QA/MF) - GLAMOUR BLACK (code QH/MI) - VANITY GREY (code QG/MK) - CHARMING IVORY (code Q2/M3) - SUPREME RED (code QD/MN) - METALLIC GOLD (code QO/MZ) - METALLIC SILVER (code QM/MY) - METALLIC COPPER (code Q4/M5)		

WE WELCOME ALL CUSTOM ORDERS!

IES files upon Request

g@gordonbullard.com
www.bullardbollards.com

269-569-6700



991 South Gull Lake Dr
Richland, MI 49083, USA

1 877-964-4646



Pot

Versions: matt, lighting, lacquered.

Material: Polyethylene.

Dimensions: Ø 85 h 120 cm (Ø33,46" h 47,24")



Weight: 25 Kg

Capacity: 138 L

Packaging: 97 x 97 x 136 cm

Packaging volume: 1,28 m³



DIMENSIONS (cm)	 		
CODE	SD XPT125 standard SL XPT125 lacquered LP XPT125 lighting OUT      		
	1x 	1x 	Energy saving bulb recommended (not included).
COLOURS	STANDARD - MILKY WHITE (code FT) - JET BLACK (code FH) - ELEPHANT GREY (code FG) - CHOCOLATE BROWN (code FE) - ARGIL GREY (code FJ) - DOVE GREY (code FP) - POWDER BLUE (code FL) - MALVA GREEN (code FV) - LIME GREEN (code FR) - SAFFRON YELLOW (code FC) - FLAME RED (code FD) - SWEET FUCHSIA (code FU) LIGHTING - LIGHT WHITE (code LA) LACQUERED (code GLOSSY/MATT) - ABSOLUTE WHITE (code QA/MF) - GLAMOUR BLACK (code QH/MI) - VANITY GREY (code QG/MK) - CHARMING IVORY (code Q2/M3) - SUPREME RED (code QD/MN) - METALLIC GOLD (code QO/MZ) - METALLIC SILVER (code QM/MY) - METALLIC COPPER (code Q4/M5)		

WE WELCOME ALL CUSTOM ORDERS!

IES files upon Request



BULLARD
BOLLARDS

X-POT / X-POT LIGHT (H135)



Pot

Versions: matt, lighting, lacquered.

Material: Polyethylene.

Dimensions: Ø 98 h 135 cm (Ø38,58" h 53,14")

Weight: 32 Kg

Capacity: 161 L

Packaging: 98 x 98 x 136 cm

Packaging volume: 1,306 m3



DIMENSIONS (cm)			
CODE	SD XPT140 standard SL XPT140 lacquered LP XPT140 lighting OUT 		
	1x	1x	Energy saving bulb recommended (not included).
COLOURS	STANDARD - MILKY WHITE (code FT) - JET BLACK (code FH) - ELEPHANT GREY (code FG) - CHOCOLATE BROWN (code FE) - ARGIL GREY (code FJ) - DOVE GREY (code FP) - POWDER BLUE (code FL) - MALVA GREEN (code FV) - LIME GREEN (code FR) - SAFFRON YELLOW (code FC) - FLAME RED (code FD) - SWEET FUCHSIA (code FU) LIGHTING - LIGHT WHITE (code LA) LACQUERED (code GLOSSY/MATT) - ABSOLUTE WHITE (code QA/MF) - GLAMOUR BLACK (code QH/MI) - VANITY GREY (code QG/MK) - CHARMING IVORY (code Q2/M3) - SUPREME RED (code QD/MN) - METALLIC GOLD (code QO/MZ) - METALLIC SILVER (code QM/MY) - METALLIC COPPER (code Q4/M5)		

WE WELCOME ALL CUSTOM ORDERS!

IES files upon Request

g@gordonbullard.com
www.bullardbollards.com

269-569-6700



991 South Gull Lake Dr
Richland, MI 49083, USA

1 877-964-4646

SYMBOLS



For indoor use.



Stackable item.



For indoor and outdoor use.



100% recyclable polyethylene.



Recycling and disposal of electronic waste (WEEE).



Outdoor version on request (IP55).

LIGHTING SYMBOLS



Protected against the intrusion of solid objects $\varnothing > 12$ mm, not against water.



Protected against the intrusion of solid objects $\varnothing > 1$ mm and splashing water.



Protected against the intrusion of dust and water jets.



Fully protected against the intrusion of dust and immersion in water.



Small lamp base for E14 - 14 mm light bulb.



Medium lamp base for E26 - 26 mm light bulb.



Lamp base for G4 halogen bulb.



Lamp base for GU10 spotlight.



Lamp base for G13 neon tube. Neon



tube lighting system.



LED technology lighting system.



RGB lighting system.



Item compatible with Candy Light.



Insulation class 1.



Insulation class 2.



Insulation class 3.




Device proper to direct assembly onto normally inflammable surfaces.




Lighting through energy saving bulb.
The upper figure shows the number of allowed bulbs.
The lower figure shows the MAXIMUM recommended power.



Lighting through energy saving fluorescent spotlight.
The upper figure shows the number of allowed spotlights.
The lower figure shows the MAXIMUM recommended power.



Lighting through neon tube.
The upper figure shows the number of allowed neon tubes.
The lower figure shows the MAXIMUM recommended power.



Lighting through energy saving globe bulb.
The upper figure shows the number of allowed bulbs.
The lower figure shows the MAXIMUM recommended power.



Lighting through flexible LED tube.
The lower figure shows the MAXIMUM recommended power.



Lighting through circular T9 neon tube.
The upper figure shows the number of allowed neon tubes.
The lower figure shows the MAXIMUM recommended power.

WIRING SYMBOLS



Wiring with metal clamp.
IP20 protection.
Diameter 11 cm.



Wiring with special base for KIT LED 3 WATT.
IP55 protection.
Diameter 11,6 cm.



Wiring with metal base.
IP55 protection.
Diameter 10 cm. Fastening by hex screw key.




Wiring with plastic screw base.
I3 - IP20 protection. E3 - IP55 protection.
Diameter 6 cm.



Wiring with metal base.
IP55 protection.
Diameter 20 cm. Fastening by hex screw key.



Wiring with plastic screw base.
I3 - IP20 protection. E3 - IP55 protection.
Diameter 10 cm.



Wiring with plastic base and metal inserts.
I2 - IP20 protection. E2 - IP55 protection.
Diameter 10 cm. Fastening by slot screwdriver.



Wiring with plastic screw base.
I3 - IP20 protection. E3 - IP55 protection.
Diameter 15 cm.



Wiring with plastic base and LED CANDY LIGHT.
IP44 protection.
Diameter 10 cm.




Special metal base.
IP20 protection.
Several sizes.

POTTING INSTRUCTIONS

Fill the pot with 1/3 in height of expanded clay, in order to not overload the pot structure and allow the drainage of water. Complete filling with soil suitable for the plant to pot. For better drainage is recommended to place a draining cloth between expanded clay and soil.


Note: always consult the technical data sheet to know the maximum capacity of each pot.



DRAINAGE SYSTEM

All pots are equipped with a water drainage system.

Illuminated pots are equipped with an interior drainage tube that protects the lighting system from the contact with liquids. Note: always remove the dust cap from side to drain the water.



USE AS CACHEPOT

Our pots can be used like cachepot, in both standard version and lighting version. We suggest the use of an injection plastic pot with relative saucer (optional).

