

HAWORTH

UniGroup Too, UniGroup & PLACES

North America Price List / Specification Guide – May 2024

This price list is based upon Haworth's February 2024 commercial pricing.



Electronic Update Page – UniGroup Too Price List

- The table below lists all of the updates and addendums added to this price list since the original version was created.
- All **Update** pages will replace the existing pages within the document.
- All **New** pages will be placed at the back of the document.

Link	Date	Pages	Description
Click Here	July 2024	All Pages	Update – The 4-Circuit power option for UniGroup Too, UniGroup and PLACES was discontinued due to declining volumes and manufacturing restraints. All of the affected pages were updated or removed, and the following pages were renumbered.
Click Here	August 2024	201, 202, 205	Update – The Standard Snap-n-Fit Cantilever Bracket for Rectangular Worksurfaces, Standard Snap-n-Fit Mini Cantilever Bracket for Rectangular Worksurfaces, Standard Snap-n-Fit Cantilever Bracket for Corner Worksurface, Standard Snap-n-Fit Mini Cantilever Bracket for Corner Worksurface, Adaptable Worksurface Support – Wood have been obsoleted.



This Haworth North American price book contains US list prices.
Canadian customers can convert the US list price into their Canadian equivalent by going to www.Haworth.com/Canada to find the current Canadian multipliers. These multiplier factors allow you to convert the US list price into a Canadian list price.

Price Book Overview

The following overview explains how information is organized within the UniGroup® Too, UniGroup® and PLACES® price book.

1 Front Cover

- Includes the price book title and pricing effectivity date.

2 Canadian Conversion / Update Page

- Pricing conversion information for converting US pricing into the equivalent Canadian pricing is located on the footer of this page.
- All Price Book updates will be listed on this page including the date, page number and description of the update.

3 Price List Table of Contents

- Price List table of contents with page numbers.

4 Statement of Line

- Provides a pictorial outline of the entire product offering.

5 Price List

Each price list page contains the following:

- Product Illustration
- Catalog Number
- To Order Specify – sequencing for ordering product options and finishes
- List Prices
- Product Specification Dimensions
- Features
- Specification Tips
- Class, Discount Group Number (used for discounting) and GSA information

6 Specification Guide

- Table of Contents – specification guide content with page numbers
- Statement of Line – provides a pictorial outline of the product offering
- Product Overview – brief introduction of the product and application intent
- Easy Planning Steps – basic steps of planning with the product line
- Product Details – product attributes, dimensions, surface materials and functionality
- Product Application – vertical and horizontal planning guidelines including support and load, power, and storage
- Technical Specifications – provides performance ratings, material composition and manufacturing process information

7 Finishes, Fabrics and COM

- Lists information for material finishes and availability.
- Provides COM information and requirements (if applicable).

8 Index

- Products are listed alphabetically by alpha-numeric catalog numbers with price list page number.

9 Product Non-Obsolescence, Warranty Policy and Terms of Sale

- Provides information about the Haworth policy for non-obsolescence, warranty and Terms of Sale.

Additional Information and Resources

Prices are subject to change without notice or approval. Haworth dealers should always submit proposals through Lynx before presenting to customers. See North American Terms of Sale for more information.

Online Resources

haworth.com

- Haworth's corporate website provides access to price books and a variety of other resources and publications.

surfaces.haworth.com

- Website provides access to the most current fabrics and finishes offered across Haworth's various product lines.




Table of Contents

Statement of Line 9-20

UniGroup Too Panels

Basic Monolithic Panel — No Power 21
Basic Monolithic Panel — Powered 25
Fabric Monolithic Panel — No Power 29
Fabric Monolithic Panel — Powered 33
Monolithic Panel with Full-Height Inserts — No Power 37
Monolithic Panel with Full-Height Inserts — Powered 41
Monolithic Panel with Segmented Inserts — No Power 45
Monolithic Panel with Segmented Inserts — Powered 49
Monolithic Panel Core without Insert(s) — No Power 52
Monolithic Panel Core without Insert(s) — Powered 54
Glazed Monolithic Panel — No Power 56
Glazed Monolithic Panel — Powered 58
Base Insert 60
Upper Inserts 61
Fabric Add-On Panel 62
Glazed Add-On Panel 63

Panel Accessories

Sliding Door 64
Filler Post — Sliding Door 64

Swing Door

Single Door — Laminate 65

Panel Accessories

90° Full-Height Finish Post — Square Painted Top Cap 66
90° Variable-Height Finish Post — Square Painted Top Cap 66
90° Power Connector Cover — Square Profile 66
120° Full-Height Finish Post — Square Painted Top Cap 67
120° Variable-Height Finish Post — Square Painted Top Cap 67
120° Power Connector Cover 67
180° Full-Height Finish Post — Square Painted Top Cap 68
180° Variable-Height Finish Post — Square Painted Top Cap 68
180° Power Connector Cover 69
180° Vertical Cover only, (no top cap or base raceway cover) 69
90° Square Painted Top Cap for 2-Way, 3-Way, 4-Way 70
120° Square Painted Top Cap for 2-Way or 3-Way 70
UniGroup Too Top Cap Aligner 71
UniGroup Too Top Cap End Plug 71
Base Raceway End Cap 71
Full Height Side Trim Rail — for use with Add-On Panels 72
Side Trim Rail 72
Hinges 73
Wall Track 73
Wall Mount Kit 73
T-Mount Kits 74
All-Purpose Hook 74
Seismic Anchoring Bracket 74
Friction Pad 74

UniGroup Panels

Monolithic Panel with Steel Top Cap — No Power 76
Monolithic Panel with Steel Top Cap — Powered 78
Basic Monolithic Panel with Steel Top Cap — No Power 80
Basic Monolithic Panel with Steel Top Cap — Powered 82
Open Frame Panel with Steel Top Cap — No Power 84
Open Frame Panel with Steel Top Cap — Powered 86
Glazed Monolithic Panel with Steel Top Cap — No Power 88
Glazed Monolithic Panel with Steel Top Cap — Powered 90
Fabric Add-On Panel 92
Glazed Add-On Panel 94

Swing Doors with Steel Top Cap

Single Door — Laminate 96

Panel Accessories

90° Finish Post — for Steel Top Cap — Painted Surface 97
90° Power Connector Cover 97
180° Power Connector Cover — Radius Profile 97
180° Finish Post — for Steel Top Cap — Painted Surface 97
Steel Top Cap for 3-Way and 4-Way 97
Full-Height Side Trim Rails — for use with Add-On Panels 98
Side Trim Rail 98
Hinges 98
Wall Track 99
Wall Mount Kit 99
T-Mount Kit — Center and End Conditions 99
All-Purpose Hook 100
Seismic Anchoring Bracket 100
Friction Pad 100

PLACES Panels

Monolithic Fabric Panel with Steel Top Cap — No Power 102
Monolithic Fabric Panel with Steel Top Cap — Powered 104
Basic Monolithic Fabric Panel with Steel Top Cap — No Power 106
Basic Monolithic Fabric Panel with Steel Top Cap — Powered 108
Glazed Monolithic Panels with Steel Top Cap — No Power 110
Glazed Monolithic Panels with Steel Top Cap — Powered 112
Fabric Add-On Panel 114
Glazed Add-On Panel 116

Swing Doors with Steel Top Cap

Single Door — Laminate 118

Panel Accessories

90° Finish Post — for Steel Top Cap — Painted Surface 119
90° Power Connector Cover — Radius Profile 119
180° Finish Post — for Steel Top Cap — Painted Surface 119
180° Power Connector Cover 120
Steel Top Cap for 3-Way and 4-Way 120
Side Trim Rail With Notch 120
Panel Bridge 120
Full Height Side Trim Rail — for use with Add-On Panels 121
Hinges 121
Wall Track 122
Wall Mount Kit 122
All-Purpose Hook 123
Seismic Anchoring Bracket 123
Friction Pad 123

Table of Contents

Panel Accessories – Retrofit Kits

Square Painted Top Caps	124
Trim Strip for UniGroup Fabric and Glazed Add-On Panels	124
90° Full-Height Finish Post — Square Painted Top Cap	125
90° Variable-Height Finish Post — Square Painted Top Cap	125
120° Full-Height Finish Post — Square Painted Top Cap	126
120° Variable-Height Finish Post — Square Painted Top Cap	126
180° Full-Height Finish Post — Square Painted Top Cap	127
180° Variable-Height Finish Post — Square Painted Top Cap	127
Square Painted Top Caps	128
90° Full-Height Finish Post — Square Painted Top Cap	128
90° Variable-Height Finish Post — Square Painted Top Cap	128
180° Full-Height Finish Post — Square Painted Top Cap	129
180° Variable-Height Finish Post — Square Painted Top Cap	129

Clerestory Kits

Straight Track Kit	132
2-Way Connector Kit	132
3-Way Connector Kit	132
4-Way Connector Kit	132
End Kit	132

Electrical Components

Base Feed Module – Hardwire Connection	133
Single Circuit Base Feed Module – Receptacle Connection with Power Cord	133
Base Feed Module — Concealed Hardwire Connection	135
Raised Floor Base Feed Module	135
Internal Power Base AI Feed	136
Wall Feed Field Wired 1 Port	136
Infeed Harness	137
Top Feed Module — UniGroup Too Only	138
Top Feed Module — UniGroup Only	139
Top Feed Module — PLACES Only	140
Plastic Liner — PLACES Only	140
Flexible Power Connector — Panel-to-Panel	141
Flexible Power Connector — Straight Span	142
Connector Assembly – 12” Pass-Through	142
Duplex Receptacle – 15 Amp	143
Raceway Retrofit Kit	144
Duplex Receptacle – 20 Amp	145
Raceway Cover – 20 Amp	145
Ported Raceway Covers	146

Electrical and Cable Management Accessories

Base Raceway End Cap	147
Cable Management Pole — One Channel – UniGroup Too and UniGroup Only	148
Cable Management Pole — Two Channels – UniGroup Too and UniGroup Only	148
Cable Management Pole – Panel Height – PLACES Only	149
Cable Management Pole – for 10’(3048mm)-High Ceiling – PLACES Only	149
Cable Management Pole – for 12’(3658mm)-High Ceiling – PLACES Only	150
Cable Management Post – Variable Height – PLACES Only	151
Cable Management Post – Variable Height – Two-Way 90° – PLACES Only	151
Cable Management Post – Variable Height — In-Line – PLACES Only	151
Cable Management Post – Variable Height – Three-Way 90° – PLACES Only	152
Power Breaker Marker	152
Expanded Top Cap Raceway – UniGroup Only	153
Expanded Top Finish Cap – UniGroup Only	153

Electrical Components — Hardwire

Base Feed Kit	155
Dual Power Access Raceway Kit — 4”-High Base Raceway	155
Blank Cover Plate	155
Raceway Covers	155

Electrical Components — Hardwire / International

Top Feed Module – Hardwire / International – UniGroup Too Only	156
Top Feed Module – Hardwire / International – UniGroup Only ..	156
Top Feed Module – Hardwire / International – PLACES Only	157
Plastic Liner	157
International Power Components	158

Table of Contents

Adaptable Worksurfaces

Rectangular	159
Rectangular Worksurface	162
Rectangular Adjustable Split Top	162
Rectangular Key	163
Rectangular Swell	164
Rectangular Inverse Swell	165
Rectangular Transition	166
Wedge	167
Sharp Wedge	169
Rectangular Radius End	170
Corner, 90° Straight Front	171
Corner, 90° Wrap-Around	172
Corner, 90° Notched	173
Corner, 90° Angled	174
Corner 90° Worksurface	175
Corner 90° Adjustable Split Top	175
Corner, 90° Wrap-Around Transitional	176
Corner, 90° Notched Transitional	177
Corner, 90° Angled – Transitional	178
Corner, 90° Wrap-Around Extended	180
Corner, 90° Notched Extended	182
Corner, 90° Wrap-Around Transitional Extended	185
90° Merger	188
Corner, 120° Wrap-Around	189
D-Shaped Convergent	190
Rectangular Convergent	191
D-Shaped Convergent, Wrap-Around	192
D-Shaped Ender	194
Bent	195
Countertop	196
Conference End	197
Key Conference End	198
120° Link	199

Worksurface Supports

Standard Cantilever Bracket	200
Standard Mini Cantilever Bracket	200
Standard Link Cantilever Bracket	200
Standard Snap-n-Fit Cantilever Bracket for Rectangular Worksurfaces	201
Standard Snap-n-Fit Mini Cantilever Bracket for Rectangular Worksurfaces	201
Standard Snap-n-Fit Cantilever Bracket for Corner Worksurface	202
Standard Snap-n-Fit Mini Cantilever Bracket for Corner Worksurface	202
Anti Dislodgement Bracket for use with Worksurface Support Panels	202
Side Bracket	203
Convergent Mount Bracket	203
Flush Mount Plate	203
Rear-Corner Bracket	203
Counter Top Brackets	203

Adaptable Worksurface Supports

Pedestal-to-Panel Bracket	204
Worksurface Support Panels	205

Worksurface Supports

Straight Leg Basic	206
Support Column	206
Double Support Leg	207
Single Support Leg	207
Support Post	207

Worksurface Accessories

Make-A-Corner	208
---------------	-----

Adaptable Upper Storage

Straight Mini Shelf, Standard Mount	209
Corner Mini Shelf, Standard Mount	209

Mini Shelves with Loop Bracket

Straight Mini-Shelf, with Loop Bracket	210
Corner Mini-Shelf, with Loop Bracket	210

Adaptable Upper Storage

Open Shelf, Standard Mount	211
Overhead Storage Unit / Shelf Gang Clip	211
Overhead Storage Unit, Standard Mount – Painted Door	212
Overhead Storage Unit, Standard Mount – Translucent Door	213
Overhead Storage Unit, Standard Mount – Wood Door	214
Overhead Storage Unit, Standard Mount – Laminate Door	215
Overhead Storage Unit, Up Mount – Painted Door	216
Overhead Storage Unit, Up Mount – Translucent Door	217
Overhead Storage Unit, Up Mount – Wood Door	218
Overhead Storage Unit, Up Mount – Laminate Door	219

Wall Mount Components

Overhead Storage Unit, Wall Mount – Painted Door	220
Overhead Storage Unit, Wall Mount – Translucent Door	221
Overhead Storage Unit, Wall Mount – Wood Door	222
Overhead Storage Unit, Wall Mount – Laminate Door	223

Shelf Accessories

Adaptable Shelf Dividers	224
Wall Track	224

Wall Mount Components

Back for Wall Mounted Overhead Storage Unit	225
Worksurface Wall Bracket	225
Tackboard, Wall Mount	226
Markerboard, Wall Mount	226
Slat, Wall Mount	226

Tack Strips/Tackboards

Tack Strip	227
Tackboard	227

Table of Contents

Markerboards/Wall Accessory Slat Pad

Markerboard — Non-Magnetic Surface	228
Wall Accessory Slat Pad	228

Markerboard Accessories

Markerboard Accessories	229
-------------------------------	-----

Belong Work Tools Mounting Rails

Tool Rail — Worksurface Mount C-Clamp or Thru-Mount	230
Tool Rail — Single Post — C-Clamp or Thru-mount	231

Lighting — Task

Reed Premier™ Stand-Alone LED Task Light	232
Reed Premier™ Starter LED Task Light	232
Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	233
Reed Premier™ Add-On Occupancy Sensor	233

Lighting — Haworth

Adaptable LED Task Light - Stand-Alone	234
Adaptable LED Task Light - Starter Kit	234
Adaptable LED Task Light - Add-On Kit	235

Finishes and Fabrics

Finish/Color Legend	236
Fabrics/Color Legend	237

COM Yardage Requirements

238-249

Index

250-255

Lifetime Product Warranty

Inside Back Cover

This page intentionally blank

Statement of Line

UniGroup Too Panels — pages 21-64



E2MN-B
Basic Monolithic
Panel — No Power —
Fabric




E2MP-B
Basic Monolithic
Panel — Powered —
Fabric




E2FN-B
Monolithic Panel —
No Power — Fabric




E2FP-B
Monolithic Panel —
Powered — Fabric




E2LN-B
Monolithic Panel with
Full-Height Inserts —
No Power — Fabric
Inserts



E2LP-B
Monolithic Panel with
Full-Height Inserts —
Powered — Fabric
Inserts



E2SN-B
Monolithic Panel with
Segmented Inserts —
No Power — Fabric
Inserts




E2SP-B
Monolithic Panel with
Segmented Inserts —
Powered — Fabric
Inserts




E2BN-B
Monolithic Panel Core
without Insert(s) —
No Power — Panel
Core





E2BP-B
Monolithic Panel Core
without Insert(s) —
Powered — Panel
Core



E2GN-B
Glazed Monolithic
Panel — No Power —
Glazed



E2GP-B
Glazed Monolithic
Panel — Powered —
Glazed




E2JF
Base Insert — Fabric



E2TF
E2TM
Upper Insert —
Fabric or Markerboard




E2AM
Fabric Add-On Panel
— Fabric



E2AG
Glazed Add-On Panel
— Glazed



VUZF
Sliding Door



VEZP
Filler Post - Sliding
Door















UniGroup Too Swing Door — page 65



E2DS
Single Door —
Laminate

Statement of Line

UniGroup Too Panel Accessories — pages 66-74

					
E2PC 90° Full-Height Finish Post — Square Painted Top Cap	E2PC-V 90° Variable-Height Finish Post — Square Painted Top Cap	E2PC-90-B 90° Power Connector Cover — Square Profile	E2PA 120° Full-Height Finish Post — Square Painted Top Cap	E2PA-V 120° Variable-Height Finish Post — Square Painted Top Cap	E2PC-120-B 120° Power Connector Cover
					
E2PS 180° Full-Height Finish Post — Square Painted Top Cap	E2PS-V 180° Variable-Height Finish Post — Square Painted Top Cap	PPC-180-B 180° Power Connector Cover	E2PS-N 180° Vertical Cover only, (no top cap or base raceway cover)	E2CC-90 90° Square Painted Top Cap for 2-Way, 3-Way, 4-Way	E2CA-120 120° Square Painted Top Cap for 2-Way or 3-Way
					
E2AL-1 UniGroup Too Top Cap Aligner	E2EC-1 UniGroup Too Top Cap End Plug	EC-10-B Base Raceway End Cap	SREH Full Height Side Trim Rail — for use with Add-On Panels	SRE Side Trim Rail	HE Hinges
					
WT Wall Track	WMK Wall Mount Kit	E2TK T-Mount Kits	E2CH-8 All-Purpose Hook	HAB Seismic Anchoring Bracket	7031-0501 Friction Pad

Statement of Line

UniGroup Panels — pages 76-95



EFN-B
Monolithic Panel
with Steel Top Cap —
No Power — Fabric



EFP-B
Monolithic Panel with
Steel Top Cap —
Powered — Fabric




EMN-B
Basic Monolithic Panel
with Steel Top Cap —
No Power — Fabric




EMP-B
Basic Monolithic Panel
with Steel Top Cap —
Powered — Fabric



EON-B
Open Frame Panel
with Steel Top Cap —
No Power — Open-Frame



EOP-B
Open Frame Panel
with Steel Top Cap —
Powered — Open-Frame



EGN-B
Monolithic Panel with
Steel Top Cap —
No Power — Glazed



EGP-B
Monolithic Panel with
Steel Top Cap —
Powered — Glazed




EAF
Add-On Panel — Fabric




EAG
Add-On Panel — Glazed

UniGroup Swing Doors with Steel Top Cap — page 96



EDS-BKL
EDS-BHL
Single Door — Laminate


UniGroup Panel Accessories — pages 97-100




FPFC-B
90° Finish Post — for Steel
Top Cap — Painted Surface



PCC-90-B
90° Power Connector
Cover




PCC-180-B
180° Power Connector
Cover — Radius Profile



FPFS-B
180° Finish Post — for
Steel Top Cap — Painted
Surface



FPC-2
Steel Top Cap for 3-Way
and 4-Way




SREH
Full-Height Side Trim
Rails — for use with
Add-On Panels



SRE
Side Trim Rail



HE
Hinges




WT
Wall Track



WMK
Wall Mount Kit

Statement of Line

UniGroup Panel Accessories (cont'd) — pages 97-100



TMKT-B
T-Mount Kit — Center and
End Conditions



CH-8
All-Purpose Hook



HAB
Seismic Anchoring Bracket



7031-0501
Friction Pad

PLACES Panels — pages 102-112



HFN
Monolithic Fabric Panel
with Steel Top Cap —
No Power — Fabric



HFP
Monolithic Fabric Panel
with Steel Top Cap —
Powered — Fabric



HMN
Basic Monolithic Fabric
Panel with Steel Top Cap —
No Power — Fabric



HMP
Basic Monolithic Fabric
Panel with Steel Top Cap —
Powered — Fabric



HGN
Monolithic Panels with
Steel Top Cap —
No Power — Glazed



HGP
Monolithic Panels with
Steel Top Cap —
Power — Glazed

PLACES Add-On Panels — pages 114-117



HAF
Fabric




HAG
Glazed



HDS-L
Single Door —
Laminate

PLACES Swing Doors with Steel Top Cap — page 118


PLACES Panel Accessories — pages 119-123



HDPC
90° Finish Post —
for Steel Top Cap —
Painted Surface




PCC-90-B
90° Power Connector
Cover — Radius Profile



HDPS
180° Finish Post —
for Steel Top Cap —
Painted Surface




PCC-180-B
180° Power
Connector Cover



HTF-0004
Steel Top Cap for
3-Way and 4-Way



HRE
Side Trim Rail With
Notch



2371-6401
Panel Bridge



HREH
Full Height Side Trim Rail – for
use with Add-On Panels



HHE
Hinges




WT
Wall Track




WMK
Wall Mount Kit

Statement of Line

PLACES Panel Accessories (cont'd) — pages 119-123



HCH-0008
All-Purpose Hook



HAB
Seismic Anchoring Bracket



7031-0501
Friction Pad


Panel Accessories — Retrofit Kits — pages 124-129



E2TS-U
Square Painted Top
Caps — for use with
UniGroup Too and
UniGroup Panels




E2TS-T
Square Painted Top
Caps — for use with
UniGroup Too and
UniGroup Panels




E2UR-A
Trim Strip for
UniGroup Fabric and
Glazed Add-On Panels
— for use with
UniGroup Too and
UniGroup Panels




U2PC
90° Full-Height Finish
Post — Square Painted
Top Cap — for use with
UniGroup Panels



U2PC-V
90° Variable-Height
Finish Post — Square
Painted Top Cap — for
use with UniGroup
Panels



U2PA
120° Full-Height Finish
Post — Square Painted
Top Cap — for use with
UniGroup Panels



U2PA-V
120° Variable-Height
Finish
Post — Square Painted
Top Cap — for use with
UniGroup Panels




U2PS
180° Full-Height Finish
Post — Square Painted
Top Cap — for use with
UniGroup Panels




U2PS-V
180° Variable-Height
Finish
Post — Square Painted
Top Cap — for use with
UniGroup Panels




E2TS-P
Square Painted Top
Caps — for use with
PLACES Panels



H2PC
90° Full-Height Finish
Post — Square Painted
Top Cap — for use with
PLACES Panels



H2PC-V
90° Variable-Height
Finish Post — Square
Painted Top Cap — for
use with PLACES
Panels




H2PS
180° Full-Height Finish
Post — Square Painted
Top Cap — for use with
PLACES Panels




H2PS-V
180° Variable-Height
Finish
Post — Square Painted
Top Cap — for use with
PLACES Panels


Clerestory Kits — for use with UniGroup Too, UniGroup, PLACES — page 132




SPCL-1616
Straight Track Kit




SPCL-1613
2-Way Connector Kit



SPCL-1614
3-Way Connector Kit

















SPCL-1615
4-Way Connector Kit



SPCL-1622
End Kit


Statement of Line

Electrical Components — pages 133-147


					
BFM-1-B Base Feed Module – Hardwire Connection — UniGroup Too, UniGroup, PLACES	BFM-2-B Single Circuit Base Feed Module – Receptacle Connection with Power Cord — UniGroup Too, UniGroup, PLACES	BFM-2-A Single Circuit Base Feed Module – Receptacle Connection with Power Cord — UniGroup Too, UniGroup, PLACES	BFM-6-B Base Feed Module — Concealed Hardwire Connection — UniGroup Too, UniGroup, PLACES	EBEJ-0072-3WF Raised Floor Base Feed Module — UniGroup Too, UniGroup, PLACES	EUEJ-3WF Internal Power Base Al Feed — UniGroup Too, UniGroup, PLACES
					
FBEW Wall Feed Field Wired 1 Port — UniGroup Too, UniGroup, PLACES	VEEH-3 Infeed Harness — UniGroup Too, UniGroup, PLACES	E2FM E2FM-X Top Feed Module — UniGroup Too Only —	TFM-B TFM-X Top Feed Module — UniGroup Only	HTFM HTFM-X Top Feed Module — PLACES Only	HCT-0000 Plastic Liner — PLACES Only
					
PCF-3-B Flexible Power Connector — Panel-to- Panel — UniGroup Too, UniGroup, PLACES	PCSS-3-B Flexible Power Connector — Straight Span — UniGroup Too, UniGroup, PLACES	PCOF-1-B Connector Assembly – 12” Pass-Through — UniGroup Too, UniGroup, PLACES	PRD-3-B PRDI-5-B Duplex Receptacle – 15 Amp — UniGroup Too, UniGroup, PLACES	RKN-B Raceway Retrofit Kit — UniGroup Too, UniGroup, PLACES	PRD-2000-M13 Duplex Receptacle – 20 Amp — UniGroup Too, UniGroup, PLACES

Statement of Line

Electrical Components (cont'd) — pages 133-147



RKP-3-LS
RKP-3-LB
**Raceway Cover –
20 Amp — UniGroup Too,
UniGroup, PLACES**




PRCN-B
PRCP-B
PRCN-B
PRCP-B
PRCN-B
PRCP-B
**Ported Raceway Covers —
UniGroup Too, UniGroup,
PLACES**




EC-10-B
**Base Raceway End Cap —
UniGroup Too, UniGroup,
PLACES**


Electrical and Cable Management Accessories — pages 148-153




CMPF-1-BR
**Cable Management Pole —
One Channel — UniGroup
Too and UniGroup Only**




CMPT-1-B
**Cable Management Pole —
Two Channels — UniGroup
Too and UniGroup Only**




HCPA
HCPS
**Cable Management Pole –
Panel Height – PLACES
Only**



HCPA
HCPS
HCPE
**Cable Management Pole –
for 10’(3048mm)-High
Ceiling — PLACES Only**




HCPA
HCPS
HCPE
**Cable Management Pole –
for 12’(3658mm)-High
Ceiling – PLACES Only**




HSCP-V1
**Cable Management Post –
Variable Height – PLACES
Only**

Statement of Line


Electrical and Cable Management Accessories (cont'd) — pages 148-153




HSCP-V2
Cable Management Post –
Variable Height – Two-Way
90° – PLACES Only




HSCP-V3
Cable Management Post –
Variable Height —
In-Line – PLACES Only




HCCP-V4
Cable Management Post –
Variable Height – Three-
Way 90° – PLACES Only



NEP-1
Power Breaker Marker —
UniGroup Too, UniGroup,
PLACES




ETCR
Expanded Top Cap
Raceway – UniGroup Only




FC-1
FC-2
FC-3
FC-4
FC-90
Expanded Top Finish Cap –
UniGroup Only

Electrical Components — Hardwire — UniGroup Too, UniGroup, PLACES— page 155




BFM-1-C
Base Feed Kit



RKP-00-C
Dual Power Access
Raceway Kit — 4"-High
Base Raceway



BPM-1-C
Blank Cover Plate



PRCP
Raceway Covers

Electrical Components — International — pages 156-158




E2FM-NT
Top Feed Module –
Hardwire /
International –
UniGroup Too Only



TFM-NT
Top Feed Module –
Hardwire /
International –
UniGroup Only



HTFM
Top Feed Module –
Hardwire /
International –
PLACES Only




HCT-0000
Plastic Liner —
PLACES Only



Power Entry Cord



Cord




Receptacle




Splitter

Statement of Line

Adaptable Worksurfaces — pages 159-199




Worksurface Supports — for use with UniGroup Too, UniGroup & PLACES — pages 200-204



Statement of Line


Worksurface Supports — pages 205-207




ZEFS
Worksurface
Support Panels




WUCL-0001
Straight Leg Basic




WUCC-0004
Support Column



ZZFK
Double Support Leg




ZUFJ-0101-PNFG
Single Support Leg



ZZFJ
Support Post

Worksurface Accessories — page 208




MAC-0001
Make-A-Corner

Adaptable Upper Storage — page 209



UESY-PM
Straight Mini Shelf,
Standard Mount —
for use with
UniGroup Too,
UniGroup, PLACES



UESZ-PM
Corner Mini Shelf,
Standard Mount —
for use with
UniGroup Too,
UniGroup, PLACES

Mini Shelves with Loop Bracket — page 210




HMSS
Straight Mini-Shelf,
with Loop Bracket —
for use with
UniGroup Too,
UniGroup, PLACES



HMSC
Corner Mini-Shelf,
with Loop Bracket —
for use with
UniGroup Too,
UniGroup, PLACES


Adaptable Upper Storage — for use with UniGroup Too, UniGroup, PLACES — pages 211-219




UESN-PM
Open Shelf,
Standard Mount




NUB-1
Overhead Storage
Unit / Shelf Gang Clip




UEFS-PM
UEKS-PM
UEHS-PM
Overhead Storage Unit,
Standard Mount —
Painted Door




UEFF-QM
UEKF-QM
UEHF-QM
Overhead Storage Unit,
Standard Mount —
Translucent Door




UEFS-WM
UEKS-WM
UEHS-WM
Overhead Storage Unit,
Standard Mount —
Wood Door




UEFS-LM
UEKS-LM
UEHS-LM
Overhead Storage Unit,
Standard Mount —
Laminate Door




UEGS-PM
UELS-PM
UEJS-PM
Overhead Storage
Unit, Up Mount —
Painted Door



UEGF-QM
UELF-QM
UEJF-QM
Overhead Storage
Unit, Up Mount —
Translucent Door




UEGS-WM
UELS-WM
UEJS-WM
Overhead Storage
Unit, Up Mount —
Wood Door



UEGS-LM
UELS-LM
UEJS-LM
Overhead Storage
Unit, Up Mount —
Laminate Door


Statement of Line

Wall Mount Components — for use with UniGroup Too, UniGroup, PLACES — pages 220-223




UUPS-PW
UUKS-PW
UUHS-PW

**Overhead Storage Unit,
Wall Mount – Painted Door**




UUFF-QW
UUKF-QW
UUHF-QW

**Overhead Storage Unit,
Wall Mount – Translucent
Door**



UUPS-WW
UUKS-WW
UUHS-WW


**Overhead Storage Unit,
Wall Mount – Wood Door**




UUPS-LW
UUKS-LW
UUHS-LW

**Overhead Storage Unit,
Wall Mount – Laminate
Door**

Shelf Accessories — page 224



NADR-8
Adaptable Shelf Dividers




WT
Wall Track

Wall Mount Components — pages 225-226



UUPB-P
**Back for Wall Mounted
Overhead Storage Unit**




ZUBW-PN
**Worksurface
Wall Bracket**



KUAF
**Tackboard,
Wall Mount**



KUAM
**Markerboard,
Wall Mount**



KUPY
**Slat,
Wall Mount**

Tack Strips/Tackboards — page 227




HTB
Tack Strip



HTB
Tackboard

Markerboards/Wall Accessory Slat Pad — for use with UniGroup Too, UniGroup, PLACES — page 228



MEAM
HNAM
**Markerboard —
Non-Magnetic Surface**



HGRY
Wall Accessory Slat Pad

Statement of Line

Markerboards Accessories — page 229



7062-8001




7031-7002




7031-7001

Belong Work Tools Mounting Rails — for use with Adaptable Worksurfaces — pages 230-231



KUR1-1224-CSN
Tool Rail — Worksurface Mount
C-Clamp or Thru- Mount




KUP1-0000-CSN
Tool Rail — Single Post —
C-Clamp or Thru-mount


Lighting — Task — pages 232-233




LUTS-0017-19ULD5
Reed Premier™
Stand-Alone LED Task Light



LUTS-0017-12ULD6
Reed Premier™
Starter LED Task Light




LUTD-0017-1NULDN
Reed Premier™
Add-On LED Task Light —
For Use with Reed Premier
Starter LED Task Lights




LUTS-0000
Reed Premier™
Add-On Occupancy Sensor


Lighting — Haworth — pages 234-235



LUTN
Adaptable LED Task
Light - Stand-Alone



LUTT
Adaptable LED Task
Light - Starter Kit




LUTA
Adaptable LED Task
Light - Add-On Kit

Basic Monolithic Panel — No Power

UniGroup Too

Fabric



E2MN-B (Non-Powered)

NOTE:

This panel has fabric/colorway restrictions, see systems fabrics/ color legend.

Features

- Includes non-powered panel assembly, square top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper. .6 top cap end plugs and base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical panel surfaces over 0.125" (3mm) thick fiber board.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2" (51mm).
- Base raceway is 4" (102mm) high.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept add-on panels up to a combined height of 80" (2032mm). For aesthetic consistency, specify UniGroup Too add-on panels.
- Raceway cover must be separately specified for option -BE (no raceway cover).
- If 90° top cap for four-way and 120° top cap for three-way are not specified, additional top cap end plugs will need to be ordered.
- Additional top cap end plugs and base raceway end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

- 1) Product number, including:

① Options:

B With Raceway Cover

BE Without Raceway Cover, deduct **\$122.58** list

- 2) Fabric/colorway for panel side one.
- 3) Fabric/colorway for panel side two.
- 4) Trim color raceway cover, glide housings and end caps.
- 5) Trim color for top cap and side trim rails.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- Non-powered panels ship without receptacle ports in the base raceway cover.
- Some building codes may restrict the use of panel heights greater than 69" (1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Basic Monolithic Panel — No Power

UniGroup Too

	Actual Height	Width	Number ①	Trim A		C	E	F	G
				Fabric A	Grade B				
Fabric	32"(813mm)	24"(610mm)	E2MN-230-  	\$ 886.33	\$1002.49	\$1130.33	\$1409.19	\$1595.07	\$1711.17
		30"(762mm)	E2MN-3030-  	944.11	1063.87	1198.91	1499.37	1699.65	1819.35
		36"(914mm)	E2MN-330-  	1001.89	1125.25	1267.49	1589.55	1804.23	1927.53
		42"(1067mm)	E2MN-4230-  	1059.67	1186.63	1336.07	1679.73	1908.81	2035.71
		48"(1219mm)	E2MN-430-  	1117.45	1248.01	1404.65	1769.91	2013.39	2143.89
		60"(1524mm)	E2MN-530-  	1233.01	1370.77	1541.81	1950.27	2222.55	2360.25
	40"(1016mm)	24"(610mm)	E2MN-238-  	\$ 959.61	\$1079.61	\$1215.13	\$1517.03	\$1718.27	\$1838.21
		30"(762mm)	E2MN-3038-  	1030.83	1155.39	1300.03	1629.29	1848.77	1973.27
		36"(914mm)	E2MN-338-  	1102.05	1231.17	1384.93	1741.55	1979.27	2108.33
		42"(1067mm)	E2MN-4238-  	1173.27	1306.95	1469.83	1853.81	2109.77	2243.39
		48"(1219mm)	E2MN-438-  	1244.49	1382.73	1554.73	1966.07	2240.27	2378.45
		60"(1524mm)	E2MN-538-  	1386.93	1534.29	1724.53	2190.59	2501.27	2648.57
	48"(1219mm)	24"(610mm)	E2MN-246-  	\$1032.89	\$1156.73	\$1299.93	\$1624.87	\$1841.47	\$1965.25
		30"(762mm)	E2MN-3046-  	1117.55	1246.91	1401.15	1759.21	1997.89	2127.19
		36"(914mm)	E2MN-346-  	1202.21	1337.09	1502.37	1893.55	2154.31	2289.13
		42"(1067mm)	E2MN-4246-  	1286.87	1427.27	1603.59	2027.89	2310.73	2451.07
		48"(1219mm)	E2MN-446-  	1371.53	1517.45	1704.81	2162.23	2467.15	2613.01
		60"(1524mm)	E2MN-546-  	1540.85	1697.81	1907.25	2430.91	2779.99	2936.89
	56"(1422mm)	24"(610mm)	E2MN-254-  	\$1106.17	\$1233.85	\$1384.73	\$1732.71	\$1964.67	\$2092.29
		30"(762mm)	E2MN-3054-  	1204.27	1338.43	1502.27	1889.13	2147.01	2281.11
		36"(914mm)	E2MN-354-  	1302.37	1443.01	1619.81	2045.55	2329.35	2469.93
		42"(1067mm)	E2MN-4254-  	1400.47	1547.59	1737.35	2201.97	2511.69	2658.75
		48"(1219mm)	E2MN-454-  	1498.57	1652.17	1854.89	2358.39	2694.03	2847.57
		60"(1524mm)	E2MN-554-  	1694.77	1861.33	2089.97	2671.23	3058.71	3225.21
	64"(1626mm)	24"(610mm)	E2MN-262-  	\$1179.45	\$1310.97	\$1469.53	\$1840.55	\$2087.87	\$2219.33
		30"(762mm)	E2MN-3062-  	1290.99	1429.95	1603.39	2019.05	2296.13	2435.03
		36"(914mm)	E2MN-362-  	1402.53	1548.93	1737.25	2197.55	2504.39	2650.73
		42"(1067mm)	E2MN-4262-  	1514.07	1667.91	1871.11	2376.05	2712.65	2866.43
		48"(1219mm)	E2MN-462-  	1625.61	1786.89	2004.97	2554.55	2920.91	3082.13
		60"(1524mm)	E2MN-562-  	1848.69	2024.85	2272.69	2911.55	3337.43	3513.53
	72"(1829mm)	24"(610mm)	E2MN-270-  	\$1252.73	\$1388.09	\$1554.33	\$1948.39	\$2211.07	\$2346.37
		30"(762mm)	E2MN-3070-  	1377.71	1521.47	1704.51	2148.97	2445.25	2588.95
		36"(914mm)	E2MN-370-  	1502.69	1654.85	1854.69	2349.55	2679.43	2831.53
		42"(1067mm)	E2MN-4270-  	1627.67	1788.23	2004.87	2550.13	2913.61	3074.11
		48"(1219mm)	E2MN-470-  	1752.65	1921.61	2155.05	2750.71	3147.79	3316.69
		60"(1524mm)	E2MN-570-  	2002.61	2188.37	2455.41	3151.87	3616.15	3801.85
	80"(2032mm)	24"(610mm)	E2MN-278-  	\$1326.01	\$1465.21	\$1639.13	\$2056.23	\$2334.27	\$2473.41
		30"(762mm)	E2MN-3078-  	1464.43	1612.99	1805.63	2278.89	2594.37	2742.87
		36"(914mm)	E2MN-378-  	1602.85	1760.77	1972.13	2501.55	2854.47	3012.33
		42"(1067mm)	E2MN-4278-  	1741.27	1908.55	2138.63	2724.21	3114.57	3281.79
		48"(1219mm)	E2MN-478-  	1879.69	2056.33	2305.13	2946.87	3374.67	3551.25
		60"(1524mm)	E2MN-578-  	2156.53	2351.89	2638.13	3392.19	3894.87	4090.17

Basic Monolithic Panel — No Power

UniGroup Too


	Actual Height	Width	Number ①	Trim B Fabric Grade		C	E	F	G
				A	B				
Fabric	32"(813mm)	24"(610mm)	E2MN-230-  	\$ 919.19	\$1035.35	\$1163.19	\$1442.05	\$1627.93	\$1744.03
		30"(762mm)	E2MN-3030-  	978.05	1097.81	1232.85	1533.31	1733.59	1853.29
		36"(914mm)	E2MN-330-  	1036.91	1160.27	1302.51	1624.57	1839.25	1962.55
		42"(1067mm)	E2MN-4230-  	1095.77	1222.73	1372.17	1715.83	1944.91	2071.81
		48"(1219mm)	E2MN-430-  	1154.63	1285.19	1441.83	1807.09	2050.57	2181.07
		60"(1524mm)	E2MN-530-  	1272.35	1410.11	1581.15	1989.61	2261.89	2399.59
	40"(1016mm)	24"(610mm)	E2MN-238-  	\$ 993.59	\$1113.59	\$1249.11	\$1551.01	\$1752.25	\$1872.19
		30"(762mm)	E2MN-3038-  	1065.89	1190.45	1335.09	1664.35	1883.83	2008.33
		36"(914mm)	E2MN-338-  	1138.19	1267.31	1421.07	1777.69	2015.41	2144.47
		42"(1067mm)	E2MN-4238-  	1210.49	1344.17	1507.05	1891.03	2146.99	2280.61
		48"(1219mm)	E2MN-438-  	1282.79	1421.03	1593.03	2004.37	2278.57	2416.75
		60"(1524mm)	E2MN-538-  	1427.39	1574.75	1764.99	2231.05	2541.73	2689.03
	48"(1219mm)	24"(610mm)	E2MN-246-  	\$1067.99	\$1191.83	\$1335.03	\$1659.97	\$1876.57	\$2000.35
		30"(762mm)	E2MN-3046-  	1153.73	1283.09	1437.33	1795.39	2034.07	2163.37
		36"(914mm)	E2MN-346-  	1239.47	1374.35	1539.63	1930.81	2191.57	2326.39
		42"(1067mm)	E2MN-4246-  	1325.21	1465.61	1641.93	2066.23	2349.07	2489.41
		48"(1219mm)	E2MN-446-  	1410.95	1556.87	1744.23	2201.65	2506.57	2652.43
		60"(1524mm)	E2MN-546-  	1582.43	1739.39	1948.83	2472.49	2821.57	2978.47
	56"(1422mm)	24"(610mm)	E2MN-254-  	\$1142.39	\$1270.07	\$1420.95	\$1768.93	\$2000.89	\$2128.51
		30"(762mm)	E2MN-3054-  	1241.57	1375.73	1539.57	1926.43	2184.31	2318.41
		36"(914mm)	E2MN-354-  	1340.75	1481.39	1658.19	2083.93	2367.73	2508.31
		42"(1067mm)	E2MN-4254-  	1439.93	1587.05	1776.81	2241.43	2551.15	2698.21
		48"(1219mm)	E2MN-454-  	1539.11	1692.71	1895.43	2398.93	2734.57	2888.11
		60"(1524mm)	E2MN-554-  	1737.47	1904.03	2132.67	2713.93	3101.41	3267.91
	64"(1626mm)	24"(610mm)	E2MN-262-  	\$1216.79	\$1348.31	\$1506.87	\$1877.89	\$2125.21	\$2256.67
		30"(762mm)	E2MN-3062-  	1329.41	1468.37	1641.81	2057.47	2334.55	2473.45
		36"(914mm)	E2MN-362-  	1442.03	1588.43	1776.75	2237.05	2543.89	2690.23
		42"(1067mm)	E2MN-4262-  	1554.65	1708.49	1911.69	2416.63	2753.23	2907.01
		48"(1219mm)	E2MN-462-  	1667.27	1828.55	2046.63	2596.21	2962.57	3123.79
		60"(1524mm)	E2MN-562-  	1892.51	2068.67	2316.51	2955.37	3381.25	3557.35
	72"(1829mm)	24"(610mm)	E2MN-270-  	\$1291.19	\$1426.55	\$1592.79	\$1986.85	\$2249.53	\$2384.83
		30"(762mm)	E2MN-3070-  	1417.25	1561.01	1744.05	2188.51	2484.79	2628.49
		36"(914mm)	E2MN-370-  	1543.31	1695.47	1895.31	2390.17	2720.05	2872.15
		42"(1067mm)	E2MN-4270-  	1669.37	1829.93	2046.57	2591.83	2955.31	3115.81
		48"(1219mm)	E2MN-470-  	1795.43	1964.39	2197.83	2793.49	3190.57	3359.47
		60"(1524mm)	E2MN-570-  	2047.55	2233.31	2500.35	3196.81	3661.09	3846.79
	80"(2032mm)	24"(610mm)	E2MN-278-  	\$1365.59	\$1504.79	\$1678.71	\$2095.81	\$2373.85	\$2512.99
		30"(762mm)	E2MN-3078-  	1505.09	1653.65	1846.29	2319.55	2635.03	2783.53
		36"(914mm)	E2MN-378-  	1644.59	1802.51	2013.87	2543.29	2896.21	3054.07
		42"(1067mm)	E2MN-4278-  	1784.09	1951.37	2181.45	2767.03	3157.39	3324.61
		48"(1219mm)	E2MN-478-  	1923.59	2100.23	2349.03	2990.77	3418.57	3595.15
		60"(1524mm)	E2MN-578-  	2202.59	2397.95	2684.19	3438.25	3940.93	4136.23

This page intentionally blank

Basic Monolithic Panel — Powered

UniGroup Too

Fabric



E2MP-B (3-circuit)



NOTE:

This panel has fabric/colorway restrictions, see systems fabrics/ color legend.

Features

- Includes powered panel assembly, square top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s). .6 top cap end plugs and base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical fabric surface over 0.125"(3mm) thick fiber board.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2"(51mm).
- Base raceway is 4"(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept add-on panels up to a combined height of 80"(2032mm). For aesthetic consistency, specify UniGroup Too add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -BE or BYE (no raceway cover).
- If 90° top cap for four-way and 120° top cap for three-way are not specified, additional top cap end plugs will need to be ordered.
- Additional top cap end plugs and base raceway end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

- Product number, including:

① 3-Circuit

- B** With Raceway Cover
- BE** Without Raceway Cover, deduct **\$138.36** list
- BY** NYC with Raceway Cover
- BYE** NYC without Raceway Cover, deduct **\$138.36** list

- Fabric/colorway for panel side one.
- Fabric/colorway for panel side two.
- Trim color raceway cover, glide housings and end caps.
- Trim color for top cap and side trim rails.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35"(60mm) top-to-bottom and 2.88"(73mm) side-to-side.
- Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.
- New York City (NYC) electrical applications require field installation of PDA.
- New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.
- Some building codes may restrict the use of panel heights greater than 69"(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Basic Monolithic Panel — Powered

UniGroup Too

	Actual Height	Width	Number ①	Trim A		C	E	F	G
				Fabric A	Grade B				
Fabric	32"(813mm)	24"(610mm)	E2MP-230-  	\$1337.37	\$1453.53	\$1581.37	\$1860.23	\$2046.11	\$2162.21
		30"(762mm)	E2MP-3030-  	1395.15	1514.91	1649.95	1950.41	2150.69	2270.39
		36"(914mm)	E2MP-330-  	1452.93	1576.29	1718.53	2040.59	2255.27	2378.57
		42"(1067mm)	E2MP-4230-  	1510.71	1637.67	1787.11	2130.77	2359.85	2486.75
		48"(1219mm)	E2MP-430-  	1568.49	1699.05	1855.69	2220.95	2464.43	2594.93
		60"(1524mm)	E2MP-530-  	1684.05	1821.81	1992.85	2401.31	2673.59	2811.29
	40"(1016mm)	24"(610mm)	E2MP-238-  	\$1410.65	\$1530.65	\$1666.17	\$1968.07	\$2169.31	\$2289.25
		30"(762mm)	E2MP-3038-  	1481.87	1606.43	1751.07	2080.33	2299.81	2424.31
		36"(914mm)	E2MP-338-  	1553.09	1682.21	1835.97	2192.59	2430.31	2559.37
		42"(1067mm)	E2MP-4238-  	1624.31	1757.99	1920.87	2304.85	2560.81	2694.43
		48"(1219mm)	E2MP-438-  	1695.53	1833.77	2005.77	2417.11	2691.31	2829.49
		60"(1524mm)	E2MP-538-  	1837.97	1985.33	2175.57	2641.63	2952.31	3099.61
	48"(1219mm)	24"(610mm)	E2MP-246-  	\$1483.93	\$1607.77	\$1750.97	\$2075.91	\$2292.51	\$2416.29
		30"(762mm)	E2MP-3046-  	1568.59	1697.95	1852.19	2210.25	2448.93	2578.23
		36"(914mm)	E2MP-346-  	1653.25	1788.13	1953.41	2344.59	2605.35	2740.17
		42"(1067mm)	E2MP-4246-  	1737.91	1878.31	2054.63	2478.93	2761.77	2902.11
		48"(1219mm)	E2MP-446-  	1822.57	1968.49	2155.85	2613.27	2918.19	3064.05
		60"(1524mm)	E2MP-546-  	1991.89	2148.85	2358.29	2881.95	3231.03	3387.93
	56"(1422mm)	24"(610mm)	E2MP-254-  	\$1557.21	\$1684.89	\$1835.77	\$2183.75	\$2415.71	\$2543.33
		30"(762mm)	E2MP-3054-  	1655.31	1789.47	1953.31	2340.17	2598.05	2732.15
		36"(914mm)	E2MP-354-  	1753.41	1894.05	2070.85	2496.59	2780.39	2920.97
		42"(1067mm)	E2MP-4254-  	1851.51	1998.63	2188.39	2653.01	2962.73	3109.79
		48"(1219mm)	E2MP-454-  	1949.61	2103.21	2305.93	2809.43	3145.07	3298.61
		60"(1524mm)	E2MP-554-  	2145.81	2312.37	2541.01	3122.27	3509.75	3676.25
	64"(1626mm)	24"(610mm)	E2MP-262-  	\$1630.49	\$1762.01	\$1920.57	\$2291.59	\$2538.91	\$2670.37
		30"(762mm)	E2MP-3062-  	1742.03	1880.99	2054.43	2470.09	2747.17	2886.07
		36"(914mm)	E2MP-362-  	1853.57	1999.97	2188.29	2648.59	2955.43	3101.77
		42"(1067mm)	E2MP-4262-  	1965.11	2118.95	2322.15	2827.09	3163.69	3317.47
		48"(1219mm)	E2MP-462-  	2076.65	2237.93	2456.01	3005.59	3371.95	3533.17
		60"(1524mm)	E2MP-562-  	2299.73	2475.89	2723.73	3362.59	3788.47	3964.57
	72"(1829mm)	24"(610mm)	E2MP-270-  	\$1703.77	\$1839.13	\$2005.37	\$2399.43	\$2662.11	\$2797.41
		30"(762mm)	E2MP-3070-  	1828.75	1972.51	2155.55	2600.01	2896.29	3039.99
		36"(914mm)	E2MP-370-  	1953.73	2105.89	2305.73	2800.59	3130.47	3282.57
		42"(1067mm)	E2MP-4270-  	2078.71	2239.27	2455.91	3001.17	3364.65	3525.15
		48"(1219mm)	E2MP-470-  	2203.69	2372.65	2606.09	3201.75	3598.83	3767.73
		60"(1524mm)	E2MP-570-  	2453.65	2639.41	2906.45	3602.91	4067.19	4252.89
	80"(2032mm)	24"(610mm)	E2MP-278-  	\$1777.05	\$1916.25	\$2090.17	\$2507.27	\$2785.31	\$2924.45
		30"(762mm)	E2MP-3078-  	1915.47	2064.03	2256.67	2729.93	3045.41	3193.91
		36"(914mm)	E2MP-378-  	2053.89	2211.81	2423.17	2952.59	3305.51	3463.37
		42"(1067mm)	E2MP-4278-  	2192.31	2359.59	2589.67	3175.25	3565.61	3732.83
		48"(1219mm)	E2MP-478-  	2330.73	2507.37	2756.17	3397.91	3825.71	4002.29
		60"(1524mm)	E2MP-578-  	2607.57	2802.93	3089.17	3843.23	4345.91	4541.21

Basic Monolithic Panel — Powered

UniGroup Too


	Actual Height	Width	Number ^①	Trim B Fabric Grade		C	E	F	G
				A	B				
Fabric	32"(813mm)	24"(610mm)	E2MP-230-	\$1508.59	\$1624.75	\$1752.59	\$2031.45	\$2217.33	\$2333.43
		30"(762mm)	E2MP-3030-	1567.45	1687.21	1822.25	2122.71	2322.99	2442.69
		36"(914mm)	E2MP-330-	1626.31	1749.67	1891.91	2213.97	2428.65	2551.95
		42"(1067mm)	E2MP-4230-	1685.17	1812.13	1961.57	2305.23	2534.31	2661.21
		48"(1219mm)	E2MP-430-	1744.03	1874.59	2031.23	2396.49	2639.97	2770.47
		60"(1524mm)	E2MP-530-	1861.75	1999.51	2170.55	2579.01	2851.29	2988.99
	40"(1016mm)	24"(610mm)	E2MP-238-	\$1582.99	\$1702.99	\$1838.51	\$2140.41	\$2341.65	\$2461.59
		30"(762mm)	E2MP-3038-	1655.29	1779.85	1924.49	2253.75	2473.23	2597.73
		36"(914mm)	E2MP-338-	1727.59	1856.71	2010.47	2367.09	2604.81	2733.87
		42"(1067mm)	E2MP-4238-	1799.89	1933.57	2096.45	2480.43	2736.39	2870.01
		48"(1219mm)	E2MP-438-	1872.19	2010.43	2182.43	2593.77	2867.97	3006.15
		60"(1524mm)	E2MP-538-	2016.79	2164.15	2354.39	2820.45	3131.13	3278.43
	48"(1219mm)	24"(610mm)	E2MP-246-	\$1657.39	\$1781.23	\$1924.43	\$2249.37	\$2465.97	\$2589.75
		30"(762mm)	E2MP-3046-	1743.13	1872.49	2026.73	2384.79	2623.47	2752.77
		36"(914mm)	E2MP-346-	1828.87	1963.75	2129.03	2520.21	2780.97	2915.79
		42"(1067mm)	E2MP-4246-	1914.61	2055.01	2231.33	2655.63	2938.47	3078.81
		48"(1219mm)	E2MP-446-	2000.35	2146.27	2333.63	2791.05	3095.97	3241.83
		60"(1524mm)	E2MP-546-	2171.83	2328.79	2538.23	3061.89	3410.97	3567.87
	56"(1422mm)	24"(610mm)	E2MP-254-	\$1731.79	\$1859.47	\$2010.35	\$2358.33	\$2590.29	\$2717.91
		30"(762mm)	E2MP-3054-	1830.97	1965.13	2128.97	2515.83	2773.71	2907.81
		36"(914mm)	E2MP-354-	1930.15	2070.79	2247.59	2673.33	2957.13	3097.71
		42"(1067mm)	E2MP-4254-	2029.33	2176.45	2366.21	2830.83	3140.55	3287.61
		48"(1219mm)	E2MP-454-	2128.51	2282.11	2484.83	2988.33	3323.97	3477.51
		60"(1524mm)	E2MP-554-	2326.87	2493.43	2722.07	3303.33	3690.81	3857.31
	64"(1626mm)	24"(610mm)	E2MP-262-	\$1806.19	\$1937.71	\$2096.27	\$2467.29	\$2714.61	\$2846.07
		30"(762mm)	E2MP-3062-	1918.81	2057.77	2231.21	2646.87	2923.95	3062.85
		36"(914mm)	E2MP-362-	2031.43	2177.83	2366.15	2826.45	3133.29	3279.63
		42"(1067mm)	E2MP-4262-	2144.05	2297.89	2501.09	3006.03	3342.63	3496.41
		48"(1219mm)	E2MP-462-	2256.67	2417.95	2636.03	3185.61	3551.97	3713.19
		60"(1524mm)	E2MP-562-	2481.91	2658.07	2905.91	3544.77	3970.65	4146.75
	72"(1829mm)	24"(610mm)	E2MP-270-	\$1880.59	\$2015.95	\$2182.19	\$2576.25	\$2838.93	\$2974.23
		30"(762mm)	E2MP-3070-	2006.65	2150.41	2333.45	2777.91	3074.19	3217.89
		36"(914mm)	E2MP-370-	2132.71	2284.87	2484.71	2979.57	3309.45	3461.55
		42"(1067mm)	E2MP-4270-	2258.77	2419.33	2635.97	3181.23	3544.71	3705.21
		48"(1219mm)	E2MP-470-	2384.83	2553.79	2787.23	3382.89	3779.97	3948.87
		60"(1524mm)	E2MP-570-	2636.95	2822.71	3089.75	3786.21	4250.49	4436.19
	80"(2032mm)	24"(610mm)	E2MP-278-	\$1954.99	\$2094.19	\$2268.11	\$2685.21	\$2963.25	\$3102.39
		30"(762mm)	E2MP-3078-	2094.49	2243.05	2435.69	2908.95	3224.43	3372.93
		36"(914mm)	E2MP-378-	2233.99	2391.91	2603.27	3132.69	3485.61	3643.47
		42"(1067mm)	E2MP-4278-	2373.49	2540.77	2770.85	3356.43	3746.79	3914.01
		48"(1219mm)	E2MP-478-	2512.99	2689.63	2938.43	3580.17	4007.97	4184.55
		60"(1524mm)	E2MP-578-	2791.99	2987.35	3273.59	4027.65	4530.33	4725.63

This page intentionally blank

Fabric Monolithic Panel — No Power

UniGroup Too

Fabric



E2FN-B (Non-Powered)

NOTE:
This panel has fabric/colorway restrictions,
see systems fabrics/ color legend.

Features

- Includes non-powered panel assembly, square top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper. .6 top cap end plugs and base raceway end caps are shipped with each panel. Order additional as necessary.
- High acoustical panel surfaces over 0.5”(13mm) thick fiber board.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2”(51mm).
- Base raceway is 4”(102mm) high.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept add-on panels up to a combined height of 80”(2032mm). For aesthetic consistency, specify UniGroup Too add-on panels.
- Raceway cover must be separately specified for option -BE (no raceway cover).
- If 90° top cap for four-way and 120° top cap for three-way are not specified, additional top cap end plugs will need to be ordered.
- Additional top cap end plugs and base raceway end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

- 1) Product number, including:

① Options:

B With Raceway Cover

BE Without Raceway Cover,
deduct **\$122.58** list

- 2) Fabric/colorway for panel side one.
3) Fabric/colorway for panel side two.
4) Trim color raceway cover, glide housings and end caps.
5) Trim color for top cap and side trim rails.

Note: Upcharge for mixed surface grades,
refer to the electronic design and
specification tools for pricing.

NOTES:

- Non-powered panels ship without receptacle ports in the base raceway cover.
- Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Fabric Monolithic Panel — No Power

UniGroup Too

	Actual Height	Width	Number ^①	Trim A		C	E	F	G
				Fabric Grade A	B				
Fabric	32"(813mm)	24"(610mm)	E2FN-230-  	\$1083.45	\$1199.61	\$1327.45	\$1606.31	\$1792.19	\$1908.29
		30"(762mm)	E2FN-3030-  	1145.91	1265.67	1400.71	1701.17	1901.45	2021.15
		36"(914mm)	E2FN-330-  	1206.03	1329.39	1471.63	1793.69	2008.37	2131.67
		42"(1067mm)	E2FN-4230-  	1266.15	1393.11	1542.55	1886.21	2115.29	2242.19
		48"(1219mm)	E2FN-430-  	1326.27	1456.83	1613.47	1978.73	2222.21	2352.71
		60"(1524mm)	E2FN-530-  	1448.85	1586.61	1757.65	2166.11	2438.39	2576.09
	40"(1016mm)	24"(610mm)	E2FN-238-  	\$1161.41	\$1281.41	\$1416.93	\$1718.83	\$1920.07	\$2040.01
		30"(762mm)	E2FN-3038-  	1234.97	1359.53	1504.17	1833.43	2052.91	2177.41
		36"(914mm)	E2FN-338-  	1310.87	1439.99	1593.75	1950.37	2188.09	2317.15
		42"(1067mm)	E2FN-4238-  	1386.77	1520.45	1683.33	2067.31	2323.27	2456.89
		48"(1219mm)	E2FN-438-  	1460.33	1598.57	1770.57	2181.91	2456.11	2594.29
		60"(1524mm)	E2FN-538-  	1609.79	1757.15	1947.39	2413.45	2724.13	2871.43
	48"(1219mm)	24"(610mm)	E2FN-246-  	\$1237.03	\$1360.87	\$1504.07	\$1829.01	\$2045.61	\$2169.39
		30"(762mm)	E2FN-3046-  	1326.37	1455.73	1609.97	1968.03	2206.71	2336.01
		36"(914mm)	E2FN-346-  	1415.71	1550.59	1715.87	2107.05	2367.81	2502.63
		42"(1067mm)	E2FN-4246-  	1505.05	1645.45	1821.77	2246.07	2528.91	2669.25
		48"(1219mm)	E2FN-446-  	1594.39	1740.31	1927.67	2385.09	2690.01	2835.87
		60"(1524mm)	E2FN-546-  	1773.07	1930.03	2139.47	2663.13	3012.21	3169.11
	56"(1422mm)	24"(610mm)	E2FN-254-  	\$1312.65	\$1440.33	\$1591.21	\$1939.19	\$2171.15	\$2298.77
		30"(762mm)	E2FN-3054-  	1417.77	1551.93	1715.77	2102.63	2360.51	2494.61
		36"(914mm)	E2FN-354-  	1520.55	1661.19	1837.99	2263.73	2547.53	2688.11
		42"(1067mm)	E2FN-4254-  	1623.33	1770.45	1960.21	2424.83	2734.55	2881.61
		48"(1219mm)	E2FN-454-  	1726.11	1879.71	2082.43	2585.93	2921.57	3075.11
		60"(1524mm)	E2FN-554-  	1934.01	2100.57	2329.21	2910.47	3297.95	3464.45
	64"(1626mm)	24"(610mm)	E2FN-262-  	\$1390.61	\$1522.13	\$1680.69	\$2051.71	\$2299.03	\$2430.49
		30"(762mm)	E2FN-3062-  	1506.83	1645.79	1819.23	2234.89	2511.97	2650.87
		36"(914mm)	E2FN-362-  	1625.39	1771.79	1960.11	2420.41	2727.25	2873.59
		42"(1067mm)	E2FN-4262-  	1743.95	1897.79	2100.99	2605.93	2942.53	3096.31
		48"(1219mm)	E2FN-462-  	1860.17	2021.45	2239.53	2789.11	3155.47	3316.69
		60"(1524mm)	E2FN-562-  	2094.95	2271.11	2518.95	3157.81	3583.69	3759.79
	72"(1829mm)	24"(610mm)	E2FN-270-  	\$1466.23	\$1601.59	\$1767.83	\$2161.89	\$2424.57	\$2559.87
		30"(762mm)	E2FN-3070-  	1598.23	1741.99	1925.03	2369.49	2665.77	2809.47
		36"(914mm)	E2FN-370-  	1730.23	1882.39	2082.23	2577.09	2906.97	3059.07
		42"(1067mm)	E2FN-4270-  	1862.23	2022.79	2239.43	2784.69	3148.17	3308.67
		48"(1219mm)	E2FN-470-  	1994.23	2163.19	2396.63	2992.29	3389.37	3558.27
		60"(1524mm)	E2FN-570-  	2258.23	2443.99	2711.03	3407.49	3871.77	4057.47
	80"(2032mm)	24"(610mm)	E2FN-278-  	\$1541.85	\$1681.05	\$1854.97	\$2272.07	\$2550.11	\$2689.25
		30"(762mm)	E2FN-3078-  	1689.63	1838.19	2030.83	2504.09	2819.57	2968.07
		36"(914mm)	E2FN-378-  	1835.07	1992.99	2204.35	2733.77	3086.69	3244.55
		42"(1067mm)	E2FN-4278-  	1980.51	2147.79	2377.87	2963.45	3353.81	3521.03
		48"(1219mm)	E2FN-478-  	2125.95	2302.59	2551.39	3193.13	3620.93	3797.51
		60"(1524mm)	E2FN-578-  	2419.17	2614.53	2900.77	3654.83	4157.51	4352.81

Fabric Monolithic Panel — No Power

UniGroup Too


	Actual Height	Width	Number ^①	Trim B Fabric Grade		C	E	F	G
				A	B				
Fabric	32"(813mm)	24"(610mm)	E2FN-230- 	\$1116.31	\$1232.47	\$1360.31	\$1639.17	\$1825.05	\$1941.15
		30"(762mm)	E2FN-3030- 	1179.85	1299.61	1434.65	1735.11	1935.39	2055.09
		36"(914mm)	E2FN-330- 	1241.05	1364.41	1506.65	1828.71	2043.39	2166.69
		42"(1067mm)	E2FN-4230- 	1302.25	1429.21	1578.65	1922.31	2151.39	2278.29
		48"(1219mm)	E2FN-430- 	1363.45	1494.01	1650.65	2015.91	2259.39	2389.89
		60"(1524mm)	E2FN-530- 	1488.19	1625.95	1796.99	2205.45	2477.73	2615.43
	40"(1016mm)	24"(610mm)	E2FN-238- 	\$1195.39	\$1315.39	\$1450.91	\$1752.81	\$1954.05	\$2073.99
		30"(762mm)	E2FN-3038- 	1270.03	1394.59	1539.23	1868.49	2087.97	2212.47
		36"(914mm)	E2FN-338- 	1347.01	1476.13	1629.89	1986.51	2224.23	2353.29
		42"(1067mm)	E2FN-4238- 	1423.99	1557.67	1720.55	2104.53	2360.49	2494.11
		48"(1219mm)	E2FN-438- 	1498.63	1636.87	1808.87	2220.21	2494.41	2632.59
		60"(1524mm)	E2FN-538- 	1650.25	1797.61	1987.85	2453.91	2764.59	2911.89
	48"(1219mm)	24"(610mm)	E2FN-246- 	\$1272.13	\$1395.97	\$1539.17	\$1864.11	\$2080.71	\$2204.49
		30"(762mm)	E2FN-3046- 	1362.55	1491.91	1646.15	2004.21	2242.89	2372.19
		36"(914mm)	E2FN-346- 	1452.97	1587.85	1753.13	2144.31	2405.07	2539.89
		42"(1067mm)	E2FN-4246- 	1543.39	1683.79	1860.11	2284.41	2567.25	2707.59
		48"(1219mm)	E2FN-446- 	1633.81	1779.73	1967.09	2424.51	2729.43	2875.29
		60"(1524mm)	E2FN-546- 	1814.65	1971.61	2181.05	2704.71	3053.79	3210.69
	56"(1422mm)	24"(610mm)	E2FN-254- 	\$1348.87	\$1476.55	\$1627.43	\$1975.41	\$2207.37	\$2334.99
		30"(762mm)	E2FN-3054- 	1455.07	1589.23	1753.07	2139.93	2397.81	2531.91
		36"(914mm)	E2FN-354- 	1558.93	1699.57	1876.37	2302.11	2585.91	2726.49
		42"(1067mm)	E2FN-4254- 	1662.79	1809.91	1999.67	2464.29	2774.01	2921.07
		48"(1219mm)	E2FN-454- 	1766.65	1920.25	2122.97	2626.47	2962.11	3115.65
		60"(1524mm)	E2FN-554- 	1976.71	2143.27	2371.91	2953.17	3340.65	3507.15
	64"(1626mm)	24"(610mm)	E2FN-262- 	\$1427.95	\$1559.47	\$1718.03	\$2089.05	\$2336.37	\$2467.83
		30"(762mm)	E2FN-3062- 	1545.25	1684.21	1857.65	2273.31	2550.39	2689.29
		36"(914mm)	E2FN-362- 	1664.89	1811.29	1999.61	2459.91	2766.75	2913.09
		42"(1067mm)	E2FN-4262- 	1784.53	1938.37	2141.57	2646.51	2983.11	3136.89
		48"(1219mm)	E2FN-462- 	1901.83	2063.11	2281.19	2830.77	3197.13	3358.35
		60"(1524mm)	E2FN-562- 	2138.77	2314.93	2562.77	3201.63	3627.51	3803.61
	72"(1829mm)	24"(610mm)	E2FN-270- 	\$1504.69	\$1640.05	\$1806.29	\$2200.35	\$2463.03	\$2598.33
		30"(762mm)	E2FN-3070- 	1637.77	1781.53	1964.57	2409.03	2705.31	2849.01
		36"(914mm)	E2FN-370- 	1770.85	1923.01	2122.85	2617.71	2947.59	3099.69
		42"(1067mm)	E2FN-4270- 	1903.93	2064.49	2281.13	2826.39	3189.87	3350.37
		48"(1219mm)	E2FN-470- 	2037.01	2205.97	2439.41	3035.07	3432.15	3601.05
		60"(1524mm)	E2FN-570- 	2303.17	2488.93	2755.97	3452.43	3916.71	4102.41
	80"(2032mm)	24"(610mm)	E2FN-278- 	\$1581.43	\$1720.63	\$1894.55	\$2311.65	\$2589.69	\$2728.83
		30"(762mm)	E2FN-3078- 	1730.29	1878.85	2071.49	2544.75	2860.23	3008.73
		36"(914mm)	E2FN-378- 	1876.81	2034.73	2246.09	2775.51	3128.43	3286.29
		42"(1067mm)	E2FN-4278- 	2023.33	2190.61	2420.69	3006.27	3396.63	3563.85
		48"(1219mm)	E2FN-478- 	2169.85	2346.49	2595.29	3237.03	3664.83	3841.41
		60"(1524mm)	E2FN-578- 	2465.23	2660.59	2946.83	3700.89	4203.57	4398.87

This page intentionally blank

Fabric Monolithic Panel — Powered

UniGroup Too

Fabric



E2FP-B (3-circuit)



NOTE:

This panel has fabric/colorway restrictions, see systems fabrics/ color legend.

Features

- Includes powered panel assembly, square top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s). .6 top cap end plugs and base raceway end caps are shipped with each panel. Order additional as necessary.
- High acoustical panel surfaces over 0.5" (13mm) thick fiber board.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2" (51mm).
- Base raceway is 4" (102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept add-on panels up to a combined height of 80" (2032mm). For aesthetic consistency, specify UniGroup Too add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -BE or BYE (no raceway cover).
- If 90° top cap for four-way and 120° top cap for three-way are not specified, additional top cap end plugs will need to be ordered.
- Additional top cap end plugs and base raceway end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

- Product number, including:

① 3-Circuit

- B** With Raceway Cover
- BE** Without Raceway Cover, deduct **\$138.36** list
- BY** NYC with Raceway Cover
- BYE** NYC without Raceway Cover, deduct **\$138.36** list

- Fabric/colorway for panel side one.
- Fabric side two.
- Trim color raceway cover, glide housings and end caps.
- Trim color for top cap and side trim rails.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35" (60mm) top-to-bottom and 2.88" (73mm) side-to-side.
- Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.
- New York City (NYC) electrical applications require field installation of PDA.
- New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.
- Some building codes may restrict the use of panel heights greater than 69" (1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Fabric Monolithic Panel — Powered

UniGroup Too

	Actual Height	Width	Number ^①	Trim A		C	E	F	G
				Fabric Grade A	B				
Fabric	32"(813mm)	24"(610mm)	E2FP-230-  	\$1534.49	\$1650.65	\$1778.49	\$2057.35	\$2243.23	\$2359.33
		30"(762mm)	E2FP-3030-  	1596.95	1716.71	1851.75	2152.21	2352.49	2472.19
		36"(914mm)	E2FP-330-  	1657.07	1780.43	1922.67	2244.73	2459.41	2582.71
		42"(1067mm)	E2FP-4230-  	1717.19	1844.15	1993.59	2337.25	2566.33	2693.23
		48"(1219mm)	E2FP-430-  	1777.31	1907.87	2064.51	2429.77	2673.25	2803.75
		60"(1524mm)	E2FP-530-  	1899.89	2037.65	2208.69	2617.15	2889.43	3027.13
	40"(1016mm)	24"(610mm)	E2FP-238-  	\$1612.45	\$1732.45	\$1867.97	\$2169.87	\$2371.11	\$2491.05
		30"(762mm)	E2FP-3038-  	1686.01	1810.57	1955.21	2284.47	2503.95	2628.45
		36"(914mm)	E2FP-338-  	1761.91	1891.03	2044.79	2401.41	2639.13	2768.19
		42"(1067mm)	E2FP-4238-  	1837.81	1971.49	2134.37	2518.35	2774.31	2907.93
		48"(1219mm)	E2FP-438-  	1911.37	2049.61	2221.61	2632.95	2907.15	3045.33
		60"(1524mm)	E2FP-538-  	2060.83	2208.19	2398.43	2864.49	3175.17	3322.47
	48"(1219mm)	24"(610mm)	E2FP-246-  	\$1688.07	\$1811.91	\$1955.11	\$2280.05	\$2496.65	\$2620.43
		30"(762mm)	E2FP-3046-  	1777.41	1906.77	2061.01	2419.07	2657.75	2787.05
		36"(914mm)	E2FP-346-  	1866.75	2001.63	2166.91	2558.09	2818.85	2953.67
		42"(1067mm)	E2FP-4246-  	1956.09	2096.49	2272.81	2697.11	2979.95	3120.29
		48"(1219mm)	E2FP-446-  	2045.43	2191.35	2378.71	2836.13	3141.05	3286.91
		60"(1524mm)	E2FP-546-  	2224.11	2381.07	2590.51	3114.17	3463.25	3620.15
	56"(1422mm)	24"(610mm)	E2FP-254-  	\$1763.69	\$1891.37	\$2042.25	\$2390.23	\$2622.19	\$2749.81
		30"(762mm)	E2FP-3054-  	1868.81	2002.97	2166.81	2553.67	2811.55	2945.65
		36"(914mm)	E2FP-354-  	1971.59	2112.23	2289.03	2714.77	2998.57	3139.15
		42"(1067mm)	E2FP-4254-  	2074.37	2221.49	2411.25	2875.87	3185.59	3332.65
		48"(1219mm)	E2FP-454-  	2177.15	2330.75	2533.47	3036.97	3372.61	3526.15
		60"(1524mm)	E2FP-554-  	2385.05	2551.61	2780.25	3361.51	3748.99	3915.49
	64"(1626mm)	24"(610mm)	E2FP-262-  	\$1841.65	\$1973.17	\$2131.73	\$2502.75	\$2750.07	\$2881.53
		30"(762mm)	E2FP-3062-  	1957.87	2096.83	2270.27	2685.93	2963.01	3101.91
		36"(914mm)	E2FP-362-  	2076.43	2222.83	2411.15	2871.45	3178.29	3324.63
		42"(1067mm)	E2FP-4262-  	2194.99	2348.83	2552.03	3056.97	3393.57	3547.35
		48"(1219mm)	E2FP-462-  	2311.21	2472.49	2690.57	3240.15	3606.51	3767.73
		60"(1524mm)	E2FP-562-  	2545.99	2722.15	2969.99	3608.85	4034.73	4210.83
	72"(1829mm)	24"(610mm)	E2FP-270-  	\$1917.27	\$2052.63	\$2218.87	\$2612.93	\$2875.61	\$3010.91
		30"(762mm)	E2FP-3070-  	2049.27	2193.03	2376.07	2820.53	3116.81	3260.51
		36"(914mm)	E2FP-370-  	2181.27	2333.43	2533.27	3028.13	3358.01	3510.11
		42"(1067mm)	E2FP-4270-  	2313.27	2473.83	2690.47	3235.73	3599.21	3759.71
		48"(1219mm)	E2FP-470-  	2445.27	2614.23	2847.67	3443.33	3840.41	4009.31
		60"(1524mm)	E2FP-570-  	2709.27	2895.03	3162.07	3858.53	4322.81	4508.51
	80"(2032mm)	24"(610mm)	E2FP-278-  	\$1992.89	\$2132.09	\$2306.01	\$2723.11	\$3001.15	\$3140.29
		30"(762mm)	E2FP-3078-  	2140.67	2289.23	2481.87	2955.13	3270.61	3419.11
		36"(914mm)	E2FP-378-  	2286.11	2444.03	2655.39	3184.81	3537.73	3695.59
		42"(1067mm)	E2FP-4278-  	2431.55	2598.83	2828.91	3414.49	3804.85	3972.07
		48"(1219mm)	E2FP-478-  	2576.99	2753.63	3002.43	3644.17	4071.97	4248.55
		60"(1524mm)	E2FP-578-  	2870.21	3065.57	3351.81	4105.87	4608.55	4803.85

Fabric Monolithic Panel — Powered

UniGroup Too


	Actual Height	Width	Number ^①	Trim B Fabric Grade		C	E	F	G
				A	B				
Fabric	32"(813mm)	24"(610mm)	E2FP-230-	\$1705.71	\$1821.87	\$1949.71	\$2228.57	\$2414.45	\$2530.55
		30"(762mm)	E2FP-3030-	1769.25	1889.01	2024.05	2324.51	2524.79	2644.49
		36"(914mm)	E2FP-330-	1830.45	1953.81	2096.05	2418.11	2632.79	2756.09
		42"(1067mm)	E2FP-4230-	1891.65	2018.61	2168.05	2511.71	2740.79	2867.69
		48"(1219mm)	E2FP-430-	1952.85	2083.41	2240.05	2605.31	2848.79	2979.29
		60"(1524mm)	E2FP-530-	2077.59	2215.35	2386.39	2794.85	3067.13	3204.83
	40"(1016mm)	24"(610mm)	E2FP-238-	\$1784.79	\$1904.79	\$2040.31	\$2342.21	\$2543.45	\$2663.39
		30"(762mm)	E2FP-3038-	1859.43	1983.99	2128.63	2457.89	2677.37	2801.87
		36"(914mm)	E2FP-338-	1936.41	2065.53	2219.29	2575.91	2813.63	2942.69
		42"(1067mm)	E2FP-4238-	2013.39	2147.07	2309.95	2693.93	2949.89	3083.51
		48"(1219mm)	E2FP-438-	2088.03	2226.27	2398.27	2809.61	3083.81	3221.99
		60"(1524mm)	E2FP-538-	2239.65	2387.01	2577.25	3043.31	3353.99	3501.29
	48"(1219mm)	24"(610mm)	E2FP-246-	\$1861.53	\$1985.37	\$2128.57	\$2453.51	\$2670.11	\$2793.89
		30"(762mm)	E2FP-3046-	1951.95	2081.31	2235.55	2593.61	2832.29	2961.59
		36"(914mm)	E2FP-346-	2042.37	2177.25	2342.53	2733.71	2994.47	3129.29
		42"(1067mm)	E2FP-4246-	2132.79	2273.19	2449.51	2873.81	3156.65	3296.99
		48"(1219mm)	E2FP-446-	2223.21	2369.13	2556.49	3013.91	3318.83	3464.69
		60"(1524mm)	E2FP-546-	2404.05	2561.01	2770.45	3294.11	3643.19	3800.09
	56"(1422mm)	24"(610mm)	E2FP-254-	\$1938.27	\$2065.95	\$2216.83	\$2564.81	\$2796.77	\$2924.39
		30"(762mm)	E2FP-3054-	2044.47	2178.63	2342.47	2729.33	2987.21	3121.31
		36"(914mm)	E2FP-354-	2148.33	2288.97	2465.77	2891.51	3175.31	3315.89
		42"(1067mm)	E2FP-4254-	2252.19	2399.31	2589.07	3053.69	3363.41	3510.47
		48"(1219mm)	E2FP-454-	2356.05	2509.65	2712.37	3215.87	3551.51	3705.05
		60"(1524mm)	E2FP-554-	2566.11	2732.67	2961.31	3542.57	3930.05	4096.55
	64"(1626mm)	24"(610mm)	E2FP-262-	\$2017.35	\$2148.87	\$2307.43	\$2678.45	\$2925.77	\$3057.23
		30"(762mm)	E2FP-3062-	2134.65	2273.61	2447.05	2862.71	3139.79	3278.69
		36"(914mm)	E2FP-362-	2254.29	2400.69	2589.01	3049.31	3356.15	3502.49
		42"(1067mm)	E2FP-4262-	2373.93	2527.77	2730.97	3235.91	3572.51	3726.29
		48"(1219mm)	E2FP-462-	2491.23	2652.51	2870.59	3420.17	3786.53	3947.75
		60"(1524mm)	E2FP-562-	2728.17	2904.33	3152.17	3791.03	4216.91	4393.01
	72"(1829mm)	24"(610mm)	E2FP-270-	\$2094.09	\$2229.45	\$2395.69	\$2789.75	\$3052.43	\$3187.73
		30"(762mm)	E2FP-3070-	2227.17	2370.93	2553.97	2998.43	3294.71	3438.41
		36"(914mm)	E2FP-370-	2360.25	2512.41	2712.25	3207.11	3536.99	3689.09
		42"(1067mm)	E2FP-4270-	2493.33	2653.89	2870.53	3415.79	3779.27	3939.77
		48"(1219mm)	E2FP-470-	2626.41	2795.37	3028.81	3624.47	4021.55	4190.45
		60"(1524mm)	E2FP-570-	2892.57	3078.33	3345.37	4041.83	4506.11	4691.81
	80"(2032mm)	24"(610mm)	E2FP-278-	\$2170.83	\$2310.03	\$2483.95	\$2901.05	\$3179.09	\$3318.23
		30"(762mm)	E2FP-3078-	2319.69	2468.25	2660.89	3134.15	3449.63	3598.13
		36"(914mm)	E2FP-378-	2466.21	2624.13	2835.49	3364.91	3717.83	3875.69
		42"(1067mm)	E2FP-4278-	2612.73	2780.01	3010.09	3595.67	3986.03	4153.25
		48"(1219mm)	E2FP-478-	2759.25	2935.89	3184.69	3826.43	4254.23	4430.81
		60"(1524mm)	E2FP-578-	3054.63	3249.99	3536.23	4290.29	4792.97	4988.27

This page intentionally blank

Monolithic Panel with Full-Height Inserts — No Power

UniGroup Too

Fabric Inserts



E2LN-B (Non-Powered)

Features

- Includes non-powered full-height panel core assembly, monolithic panel inserts square top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper. .6 top cap end plugs and base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical panel surfaces bonded to compressed fiberboard for moderate tackable properties.
- Each insert may have the same fabric or a different fabric.
- Panel thickness is 2"(51mm).
- Base raceway is 4"(102mm) high.
- Shipped with unassembled inserts, top cap, base raceway cover and side trim rails.
- Inserts may easily be changed on installed monolithic panels without components.
- Can be field-modified from full-height monolithic panel insert to segmented panel inserts.

Specification Tips

- Panels will accept add-on panels up to a combined height of 80"(2032mm). For aesthetic consistency, specify UniGroup Too add-on panels.
- Raceway cover must be separately specified for option -BE (no raceway cover).
- If 90° top cap for four-way and 120° top cap for three-way are not specified, additional top cap end plugs will need to be ordered.
- Additional top cap end plugs and base raceway end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

- 1) Product number, including:

① Options:

B With Raceway Cover

BE Without Raceway Cover, deduct **\$98.65** list

- 2) Fabric/colorway for panel insert side one.
- 3) Fabric/colorway for panel insert side two.
- 4) Trim color raceway cover, glide housings and end caps.
- 5) Trim color for top cap and side trim rails.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- Non-powered panels ship without receptacle ports in the base raceway cover.
- Some building codes may restrict the use of panel heights greater than 69"(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Monolithic Panel with Full-Height Inserts — No Power

UniGroup Too

	Actual Height	Width	Number ①	Trim A		C	E	F	G
				Fabric Grade A	B				
Fabric Inserts	32"(813mm)	24"(610mm)	E2LN-230-   FF	\$ 982.35	\$1037.53	\$1100.01	\$1232.41	\$1324.33	\$1379.43
		30"(762mm)	E2LN-3030-   FF	1063.10	1122.26	1189.34	1331.42	1430.06	1489.20
		36"(914mm)	E2LN-330-   FF	1143.85	1206.99	1278.67	1430.43	1535.79	1598.97
		42"(1067mm)	E2LN-4230-   FF	1224.60	1291.72	1368.00	1529.44	1641.52	1708.74
		48"(1219mm)	E2LN-430-   FF	1305.35	1376.45	1457.33	1628.45	1747.25	1818.51
		60"(1524mm)	E2LN-530-   FF	1466.85	1545.91	1635.99	1826.47	1958.71	2038.05
	40"(1016mm)	24"(610mm)	E2LN-238-   FF	\$1072.04	\$1135.82	\$1200.50	\$1343.16	\$1439.14	\$1497.82
		30"(762mm)	E2LN-3038-   FF	1174.31	1242.07	1311.35	1463.69	1566.39	1629.11
		36"(914mm)	E2LN-338-   FF	1255.06	1326.80	1400.68	1562.70	1672.12	1738.88
		42"(1067mm)	E2LN-4238-   FF	1335.81	1411.53	1490.01	1661.71	1777.85	1848.65
		48"(1219mm)	E2LN-438-   FF	1416.56	1496.26	1579.34	1760.72	1883.58	1958.42
		60"(1524mm)	E2LN-538-   FF	1578.06	1665.72	1758.00	1958.74	2095.04	2177.96
	48"(1219mm)	24"(610mm)	E2LN-246-   FF	\$1161.73	\$1234.11	\$1300.99	\$1453.91	\$1553.95	\$1616.21
		30"(762mm)	E2LN-3046-   FF	1264.00	1340.36	1411.84	1574.44	1681.20	1747.50
		36"(914mm)	E2LN-346-   FF	1344.75	1425.09	1501.17	1673.45	1786.93	1857.27
		42"(1067mm)	E2LN-4246-   FF	1425.50	1509.82	1590.50	1772.46	1892.66	1967.04
		48"(1219mm)	E2LN-446-   FF	1506.25	1594.55	1679.83	1871.47	1998.39	2076.81
		60"(1524mm)	E2LN-546-   FF	1667.75	1764.01	1858.49	2069.49	2209.85	2296.35
	56"(1422mm)	24"(610mm)	E2LN-254-   FF	\$1251.42	\$1332.40	\$1401.48	\$1564.66	\$1668.76	\$1734.60
		30"(762mm)	E2LN-3054-   FF	1353.69	1438.65	1512.33	1685.19	1796.01	1865.89
		36"(914mm)	E2LN-354-   FF	1434.44	1523.38	1601.66	1784.20	1901.74	1975.66
		42"(1067mm)	E2LN-4254-   FF	1612.00	1704.92	1787.80	1980.02	2104.28	2182.24
		48"(1219mm)	E2LN-454-   FF	1725.02	1821.92	1909.40	2111.30	2242.28	2324.28
		60"(1524mm)	E2LN-554-   FF	1951.06	2055.92	2152.60	2373.86	2518.28	2608.36
	64"(1626mm)	24"(610mm)	E2LN-262-   FF	\$1341.11	\$1430.69	\$1501.97	\$1675.41	\$1783.57	\$1852.99
		30"(762mm)	E2LN-3062-   FF	1443.38	1536.94	1612.82	1795.94	1910.82	1984.28
		36"(914mm)	E2LN-362-   FF	1595.87	1693.41	1773.89	1966.69	2088.29	2165.79
		42"(1067mm)	E2LN-4262-   FF	1712.49	1814.01	1899.09	2101.57	2229.89	2311.43
		48"(1219mm)	E2LN-462-   FF	1829.11	1934.61	2024.29	2236.45	2371.49	2457.07
		60"(1524mm)	E2LN-562-   FF	2062.35	2175.81	2274.69	2506.21	2654.69	2748.35
	72"(1829mm)	24"(610mm)	E2LN-270-   FF	\$1430.80	\$1528.98	\$1602.46	\$1786.16	\$1898.38	\$1971.38
		30"(762mm)	E2LN-3070-   FF	1577.91	1680.07	1758.15	1951.53	2070.47	2147.51
		36"(914mm)	E2LN-370-   FF	1703.50	1809.64	1892.32	2095.38	2221.04	2302.12
		42"(1067mm)	E2LN-4270-   FF	1829.09	1939.21	2026.49	2239.23	2371.61	2456.73
		48"(1219mm)	E2LN-470-   FF	1954.68	2068.78	2160.66	2383.08	2522.18	2611.34
		60"(1524mm)	E2LN-570-   FF	2205.86	2327.92	2429.00	2670.78	2823.32	2920.56
	80"(2032mm)	24"(610mm)	E2LN-278-   FF	\$1681.93	\$1788.71	\$1864.39	\$2058.35	\$2174.63	\$2251.21
		30"(762mm)	E2LN-3078-   FF	1882.85	1993.61	2073.89	2277.53	2400.53	2481.15
		36"(914mm)	E2LN-378-   FF	2062.25	2176.99	2261.87	2475.19	2604.91	2689.57
		42"(1067mm)	E2LN-4278-   FF	2241.65	2360.37	2449.85	2672.85	2809.29	2897.99
		48"(1219mm)	E2LN-478-   FF	2421.05	2543.75	2637.83	2870.51	3013.67	3106.41
		60"(1524mm)	E2LN-578-   FF	2779.85	2910.51	3013.79	3265.83	3422.43	3523.25

Monolithic Panel with Full-Height Inserts — No Power

UniGroup Too


	Actual Height	Width	Number ①	Trim B Fabric Grade		C	E	F	G
				A	B				
Fabric Inserts	32"(813mm)	24"(610mm)	E2LN-230- 	\$1003.11	\$1058.29	\$1120.77	\$1253.17	\$1345.09	\$1400.19
		30"(762mm)	E2LN-3030- 	1084.21	1143.37	1210.45	1352.53	1451.17	1510.31
		36"(914mm)	E2LN-330- 	1165.31	1228.45	1300.13	1451.89	1557.25	1620.43
		42"(1067mm)	E2LN-4230- 	1246.41	1313.53	1389.81	1551.25	1663.33	1730.55
		48"(1219mm)	E2LN-430- 	1327.51	1398.61	1479.49	1650.61	1769.41	1840.67
		60"(1524mm)	E2LN-530- 	1489.71	1568.77	1658.85	1849.33	1981.57	2060.91
	40"(1016mm)	24"(610mm)	E2LN-238- 	\$1093.70	\$1157.48	\$1222.16	\$1364.82	\$1460.80	\$1519.48
		30"(762mm)	E2LN-3038- 	1196.32	1264.08	1333.36	1485.70	1588.40	1651.12
		36"(914mm)	E2LN-338- 	1277.42	1349.16	1423.04	1585.06	1694.48	1761.24
		42"(1067mm)	E2LN-4238- 	1358.52	1434.24	1512.72	1684.42	1800.56	1871.36
		48"(1219mm)	E2LN-438- 	1439.62	1519.32	1602.40	1783.78	1906.64	1981.48
		60"(1524mm)	E2LN-538- 	1601.82	1689.48	1781.76	1982.50	2118.80	2201.72
	48"(1219mm)	24"(610mm)	E2LN-246- 	\$1184.29	\$1256.67	\$1323.55	\$1476.47	\$1576.51	\$1638.77
		30"(762mm)	E2LN-3046- 	1286.91	1363.27	1434.75	1597.35	1704.11	1770.41
		36"(914mm)	E2LN-346- 	1368.01	1448.35	1524.43	1696.71	1810.19	1880.53
		42"(1067mm)	E2LN-4246- 	1449.11	1533.43	1614.11	1796.07	1916.27	1990.65
		48"(1219mm)	E2LN-446- 	1530.21	1618.51	1703.79	1895.43	2022.35	2100.77
		60"(1524mm)	E2LN-546- 	1692.41	1788.67	1883.15	2094.15	2234.51	2321.01
	56"(1422mm)	24"(610mm)	E2LN-254- 	\$1274.88	\$1355.86	\$1424.94	\$1588.12	\$1692.22	\$1758.06
		30"(762mm)	E2LN-3054- 	1377.50	1462.46	1536.14	1709.00	1819.82	1889.70
		36"(914mm)	E2LN-354- 	1458.60	1547.54	1625.82	1808.36	1925.90	1999.82
		42"(1067mm)	E2LN-4254- 	1636.51	1729.43	1812.31	2004.53	2128.79	2206.75
		48"(1219mm)	E2LN-454- 	1749.88	1846.78	1934.26	2136.16	2267.14	2349.14
		60"(1524mm)	E2LN-554- 	1976.62	2081.48	2178.16	2399.42	2543.84	2633.92
	64"(1626mm)	24"(610mm)	E2LN-262- 	\$1365.47	\$1455.05	\$1526.33	\$1699.77	\$1807.93	\$1877.35
		30"(762mm)	E2LN-3062- 	1468.09	1561.65	1637.53	1820.65	1935.53	2008.99
		36"(914mm)	E2LN-362- 	1620.93	1718.47	1798.95	1991.75	2113.35	2190.85
		42"(1067mm)	E2LN-4262- 	1737.90	1839.42	1924.50	2126.98	2255.30	2336.84
		48"(1219mm)	E2LN-462- 	1854.87	1960.37	2050.05	2262.21	2397.25	2482.83
		60"(1524mm)	E2LN-562- 	2088.81	2202.27	2301.15	2532.67	2681.15	2774.81
	72"(1829mm)	24"(610mm)	E2LN-270- 	\$1456.06	\$1554.24	\$1627.72	\$1811.42	\$1923.64	\$1996.64
		30"(762mm)	E2LN-3070- 	1603.52	1705.68	1783.76	1977.14	2096.08	2173.12
		36"(914mm)	E2LN-370- 	1729.46	1835.60	1918.28	2121.34	2247.00	2328.08
		42"(1067mm)	E2LN-4270- 	1855.40	1965.52	2052.80	2265.54	2397.92	2483.04
		48"(1219mm)	E2LN-470- 	1981.34	2095.44	2187.32	2409.74	2548.84	2638.00
		60"(1524mm)	E2LN-570- 	2233.22	2355.28	2456.36	2698.14	2850.68	2947.92
	80"(2032mm)	24"(610mm)	E2LN-278- 	\$1708.09	\$1814.87	\$1890.55	\$2084.51	\$2200.79	\$2277.37
		30"(762mm)	E2LN-3078- 	1909.36	2020.12	2100.40	2304.04	2427.04	2507.66
		36"(914mm)	E2LN-378- 	2089.11	2203.85	2288.73	2502.05	2631.77	2716.43
		42"(1067mm)	E2LN-4278- 	2268.86	2387.58	2477.06	2700.06	2836.50	2925.20
		48"(1219mm)	E2LN-478- 	2448.61	2571.31	2665.39	2898.07	3041.23	3133.97
		60"(1524mm)	E2LN-578- 	2808.11	2938.77	3042.05	3294.09	3450.69	3551.51

This page intentionally blank

Monolithic Panel with Full-Height Inserts — Powered

UniGroup Too

Fabric Inserts



E2LP-B (3-circuit)



Features

- Includes powered full-height panel core assembly, monolithic panel inserts square top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s). .6 top cap end plugs and base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical panel surfaces bonded to compressed fiber board moderate tackable properties.
- Each insert may have the same fabric or a different fabric.
- Panel thickness is 2"(51mm).
- Base raceway is 4"(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled inserts, top cap, base raceway cover and side trim rails.
- Inserts may easily be changed on installed monolithic panels without components.
- Can be field-modified from full-height monolithic panel insert to segmented panel inserts.

Specification Tips

- Panels will accept add-on panels up to a combined height of 80"(2032mm). For aesthetic consistency, specify UniGroup Too add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -BE or BYE (no raceway cover).
- If 90° top cap for four-way and 120° top cap for three-way are not specified, additional top cap end plugs will need to be ordered.
- Additional top cap end plugs and base raceway end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

- Product number, including:

① 3-Circuit

- B** With Raceway Cover
- BE** Without Raceway Cover, deduct **\$127.34** list
- BY** NYC with Raceway Cover
- BYE** NYC without Raceway Cover, deduct **\$127.34** list

- Fabric/colorway for panel insert side one.
- Fabric/colorway for panel insert side two.
- Trim color raceway cover, glide housings and end caps.
- Trim color for top cap and side trim rails.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35"(60mm) top-to-bottom and 2.88"(73mm) side-to-side.
- Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.
- New York City (NYC) electrical applications require field installation of PDA.
- New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.
- Some building codes may restrict the use of panel heights greater than 69"(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Monolithic Panel with Full-Height Inserts — Powered

UniGroup Too

	Actual Height	Width	Number ^①	Trim A		C	E	F	G
				Fabric Grade A	B				
Fabric Inserts	32"(813mm)	24"(610mm)	E2LP-230-   FF	\$1417.83	\$1473.01	\$1535.49	\$1667.89	\$1759.81	\$1814.91
		30"(762mm)	E2LP-3030-   FF	1498.58	1557.74	1624.82	1766.90	1865.54	1924.68
		36"(914mm)	E2LP-330-   FF	1579.33	1642.47	1714.15	1865.91	1971.27	2034.45
		42"(1067mm)	E2LP-4230-   FF	1660.08	1727.20	1803.48	1964.92	2077.00	2144.22
		48"(1219mm)	E2LP-430-   FF	1740.83	1811.93	1892.81	2063.93	2182.73	2253.99
		60"(1524mm)	E2LP-530-   FF	1902.33	1981.39	2071.47	2261.95	2394.19	2473.53
	40"(1016mm)	24"(610mm)	E2LP-238-   FF	\$1507.52	\$1571.30	\$1635.98	\$1778.64	\$1874.62	\$1933.30
		30"(762mm)	E2LP-3038-   FF	1609.79	1677.55	1746.83	1899.17	2001.87	2064.59
		36"(914mm)	E2LP-338-   FF	1690.54	1762.28	1836.16	1998.18	2107.60	2174.36
		42"(1067mm)	E2LP-4238-   FF	1771.29	1847.01	1925.49	2097.19	2213.33	2284.13
		48"(1219mm)	E2LP-438-   FF	1852.04	1931.74	2014.82	2196.20	2319.06	2393.90
		60"(1524mm)	E2LP-538-   FF	2013.54	2101.20	2193.48	2394.22	2530.52	2613.44
	48"(1219mm)	24"(610mm)	E2LP-246-   FF	\$1597.21	\$1669.59	\$1736.47	\$1889.39	\$1989.43	\$2051.69
		30"(762mm)	E2LP-3046-   FF	1699.48	1775.84	1847.32	2009.92	2116.68	2182.98
		36"(914mm)	E2LP-346-   FF	1780.23	1860.57	1936.65	2108.93	2222.41	2292.75
		42"(1067mm)	E2LP-4246-   FF	1860.98	1945.30	2025.98	2207.94	2328.14	2402.52
		48"(1219mm)	E2LP-446-   FF	1941.73	2030.03	2115.31	2306.95	2433.87	2512.29
		60"(1524mm)	E2LP-546-   FF	2103.23	2199.49	2293.97	2504.97	2645.33	2731.83
	56"(1422mm)	24"(610mm)	E2LP-254-   FF	\$1686.90	\$1767.88	\$1836.96	\$2000.14	\$2104.24	\$2170.08
		30"(762mm)	E2LP-3054-   FF	1789.17	1874.13	1947.81	2120.67	2231.49	2301.37
		36"(914mm)	E2LP-354-   FF	1869.92	1958.86	2037.14	2219.68	2337.22	2411.14
		42"(1067mm)	E2LP-4254-   FF	2047.48	2140.40	2223.28	2415.50	2539.76	2617.72
		48"(1219mm)	E2LP-454-   FF	2160.50	2257.40	2344.88	2546.78	2677.76	2759.76
		60"(1524mm)	E2LP-554-   FF	2386.54	2491.40	2588.08	2809.34	2953.76	3043.84
	64"(1626mm)	24"(610mm)	E2LP-262-   FF	\$1776.59	\$1866.17	\$1937.45	\$2110.89	\$2219.05	\$2288.47
		30"(762mm)	E2LP-3062-   FF	1878.86	1972.42	2048.30	2231.42	2346.30	2419.76
		36"(914mm)	E2LP-362-   FF	2031.35	2128.89	2209.37	2402.17	2523.77	2601.27
		42"(1067mm)	E2LP-4262-   FF	2147.97	2249.49	2334.57	2537.05	2665.37	2746.91
		48"(1219mm)	E2LP-462-   FF	2264.59	2370.09	2459.77	2671.93	2806.97	2892.55
		60"(1524mm)	E2LP-562-   FF	2497.83	2611.29	2710.17	2941.69	3090.17	3183.83
	72"(1829mm)	24"(610mm)	E2LP-270-   FF	\$1866.28	\$1964.46	\$2037.94	\$2221.64	\$2333.86	\$2406.86
		30"(762mm)	E2LP-3070-   FF	2013.39	2115.55	2193.63	2387.01	2505.95	2582.99
		36"(914mm)	E2LP-370-   FF	2138.98	2245.12	2327.80	2530.86	2656.52	2737.60
		42"(1067mm)	E2LP-4270-   FF	2264.57	2374.69	2461.97	2674.71	2807.09	2892.21
		48"(1219mm)	E2LP-470-   FF	2390.16	2504.26	2596.14	2818.56	2957.66	3046.82
		60"(1524mm)	E2LP-570-   FF	2641.34	2763.40	2864.48	3106.26	3258.80	3356.04
	80"(2032mm)	24"(610mm)	E2LP-278-   FF	\$2117.41	\$2224.19	\$2299.87	\$2493.83	\$2610.11	\$2686.69
		30"(762mm)	E2LP-3078-   FF	2318.33	2429.09	2509.37	2713.01	2836.01	2916.63
		36"(914mm)	E2LP-378-   FF	2497.73	2612.47	2697.35	2910.67	3040.39	3125.05
		42"(1067mm)	E2LP-4278-   FF	2677.13	2795.85	2885.33	3108.33	3244.77	3333.47
		48"(1219mm)	E2LP-478-   FF	2856.53	2979.23	3073.31	3305.99	3449.15	3541.89
		60"(1524mm)	E2LP-578-   FF	3215.33	3345.99	3449.27	3701.31	3857.91	3958.73

Monolithic Panel with Full-Height Inserts — Powered

UniGroup Too


	Actual Height	Width	Number ^①	Trim B Fabric Grade		C	E	F	G
				A	B				
Fabric Inserts	32"(813mm)	24"(610mm)	E2LP-230-  FF	\$1438.59	\$1493.77	\$1556.25	\$1688.65	\$1780.57	\$1835.67
		30"(762mm)	E2LP-3030-  FF	1519.69	1578.85	1645.93	1788.01	1886.65	1945.79
		36"(914mm)	E2LP-330-  FF	1600.79	1663.93	1735.61	1887.37	1992.73	2055.91
		42"(1067mm)	E2LP-4230-  FF	1681.89	1749.01	1825.29	1986.73	2098.81	2166.03
		48"(1219mm)	E2LP-430-  FF	1762.99	1834.09	1914.97	2086.09	2204.89	2276.15
		60"(1524mm)	E2LP-530-  FF	1925.19	2004.25	2094.33	2284.81	2417.05	2496.39
	40"(1016mm)	24"(610mm)	E2LP-238-  FF	\$1529.18	\$1592.96	\$1657.64	\$1800.30	\$1896.28	\$1954.96
		30"(762mm)	E2LP-3038-  FF	1631.80	1699.56	1768.84	1921.18	2023.88	2086.60
		36"(914mm)	E2LP-338-  FF	1712.90	1784.64	1858.52	2020.54	2129.96	2196.72
		42"(1067mm)	E2LP-4238-  FF	1794.00	1869.72	1948.20	2119.90	2236.04	2306.84
		48"(1219mm)	E2LP-438-  FF	1875.10	1954.80	2037.88	2219.26	2342.12	2416.96
		60"(1524mm)	E2LP-538-  FF	2037.30	2124.96	2217.24	2417.98	2554.28	2637.20
	48"(1219mm)	24"(610mm)	E2LP-246-  FF	\$1619.77	\$1692.15	\$1759.03	\$1911.95	\$2011.99	\$2074.25
		30"(762mm)	E2LP-3046-  FF	1722.39	1798.75	1870.23	2032.83	2139.59	2205.89
		36"(914mm)	E2LP-346-  FF	1803.49	1883.83	1959.91	2132.19	2245.67	2316.01
		42"(1067mm)	E2LP-4246-  FF	1884.59	1968.91	2049.59	2231.55	2351.75	2426.13
		48"(1219mm)	E2LP-446-  FF	1965.69	2053.99	2139.27	2330.91	2457.83	2536.25
		60"(1524mm)	E2LP-546-  FF	2127.89	2224.15	2318.63	2529.63	2669.99	2756.49
	56"(1422mm)	24"(610mm)	E2LP-254-  FF	\$1710.36	\$1791.34	\$1860.42	\$2023.60	\$2127.70	\$2193.54
		30"(762mm)	E2LP-3054-  FF	1812.98	1897.94	1971.62	2144.48	2255.30	2325.18
		36"(914mm)	E2LP-354-  FF	1894.08	1983.02	2061.30	2243.84	2361.38	2435.30
		42"(1067mm)	E2LP-4254-  FF	2071.99	2164.91	2247.79	2440.01	2564.27	2642.23
		48"(1219mm)	E2LP-454-  FF	2185.36	2282.26	2369.74	2571.64	2702.62	2784.62
		60"(1524mm)	E2LP-554-  FF	2412.10	2516.96	2613.64	2834.90	2979.32	3069.40
	64"(1626mm)	24"(610mm)	E2LP-262-  FF	\$1800.95	\$1890.53	\$1961.81	\$2135.25	\$2243.41	\$2312.83
		30"(762mm)	E2LP-3062-  FF	1903.57	1997.13	2073.01	2256.13	2371.01	2444.47
		36"(914mm)	E2LP-362-  FF	2056.41	2153.95	2234.43	2427.23	2548.83	2626.33
		42"(1067mm)	E2LP-4262-  FF	2173.38	2274.90	2359.98	2562.46	2690.78	2772.32
		48"(1219mm)	E2LP-462-  FF	2290.35	2395.85	2485.53	2697.69	2832.73	2918.31
		60"(1524mm)	E2LP-562-  FF	2524.29	2637.75	2736.63	2968.15	3116.63	3210.29
	72"(1829mm)	24"(610mm)	E2LP-270-  FF	\$1891.54	\$1989.72	\$2063.20	\$2246.90	\$2359.12	\$2432.12
		30"(762mm)	E2LP-3070-  FF	2039.00	2141.16	2219.24	2412.62	2531.56	2608.60
		36"(914mm)	E2LP-370-  FF	2164.94	2271.08	2353.76	2556.82	2682.48	2763.56
		42"(1067mm)	E2LP-4270-  FF	2290.88	2401.00	2488.28	2701.02	2833.40	2918.52
		48"(1219mm)	E2LP-470-  FF	2416.82	2530.92	2622.80	2845.22	2984.32	3073.48
		60"(1524mm)	E2LP-570-  FF	2668.70	2790.76	2891.84	3133.62	3286.16	3383.40
	80"(2032mm)	24"(610mm)	E2LP-278-  FF	\$2143.57	\$2250.35	\$2326.03	\$2519.99	\$2636.27	\$2712.85
		30"(762mm)	E2LP-3078-  FF	2344.84	2455.60	2535.88	2739.52	2862.52	2943.14
		36"(914mm)	E2LP-378-  FF	2524.59	2639.33	2724.21	2937.53	3067.25	3151.91
		42"(1067mm)	E2LP-4278-  FF	2704.34	2823.06	2912.54	3135.54	3271.98	3360.68
		48"(1219mm)	E2LP-478-  FF	2884.09	3006.79	3100.87	3333.55	3476.71	3569.45
		60"(1524mm)	E2LP-578-  FF	3243.59	3374.25	3477.53	3729.57	3886.17	3986.99

This page intentionally blank

Monolithic Panel with Segmented Inserts — No Power

UniGroup Too

Fabric Inserts



E25N-B (Non-Powered)

Features

- Includes non-powered full-height panel core assembly, segmented panel inserts and trim strips, square top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper. .6 top cap end plugs and base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical panel surfaces bonded to compressed fiber board for moderate tackable properties.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2"(51mm).
- Base raceway is 4"(102mm) high.
- Shipped with unassembled inserts, top cap, base raceway cover side trim rails.
- Inserts may easily be changed on installed monolithic panels without components.
- Refer to the Panel Configuration Options chart in Specification Guide for panel and insert heights (nominal vs. actual) and insert configurations.

Specification Tips

- Panels will accept add-on panels up to a combined height of 80"(2032mm). For aesthetic consistency, specify UniGroup Too add-on panels.
- Raceway cover must be separately specified for option -BE (no raceway cover).
- If 90° top cap for four-way and 120° top cap for three-way are not specified, additional top cap end plugs will need to be ordered.
- Additional top cap end plugs and base raceway end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

- 1) Product number, including:

① Options:

B With Raceway Cover

BE Without Raceway Cover, deduct **\$98.65** list

- 2) Fabric/colorway for panel insert side one.
- 3) Fabric/colorway for panel insert side two.
- 4) Trim color raceway cover, glide housings and end caps.
- 5) Trim color for top cap, side trim rails and trim strip(s) for panel insert.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- Non-powered panels ship without receptacle ports in the base raceway cover.
- Some building codes may restrict the use of panel heights greater than 69"(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.

Monolithic Panel with Segmented Inserts — No Power

UniGroup Too

	Actual Height	Width	Number ^①	Trim A Fabric Grade					
				A	B	C	E	F	G
Fabric Inserts	40"(1016mm)	24"(610mm)	E2SN-238-  FF	\$1116.90	\$1187.36	\$1259.64	\$1418.54	\$1525.66	\$1591.10
		30"(762mm)	E2SN-3038-  FF	1263.99	1345.17	1429.65	1614.41	1739.45	1815.69
		36"(914mm)	E2SN-338-  FF	1389.56	1481.46	1578.14	1788.76	1931.72	2018.76
		42"(1067mm)	E2SN-4238-  FF	1515.13	1617.75	1726.63	1963.11	2123.99	2221.83
		48"(1219mm)	E2SN-438-  FF	1640.70	1754.04	1875.12	2137.46	2316.26	2424.90
		60"(1524mm)	E2SN-538-  FF	1891.84	2026.62	2172.10	2486.16	2700.80	2831.04
	48"(1219mm)	24"(610mm)	E2SN-246-  FF	\$1215.55	\$1295.93	\$1371.93	\$1544.35	\$1657.77	\$1728.13
		30"(762mm)	E2SN-3046-  FF	1362.64	1453.74	1541.94	1740.22	1871.56	1952.72
		36"(914mm)	E2SN-346-  FF	1488.21	1590.03	1690.43	1914.57	2063.83	2155.79
		42"(1067mm)	E2SN-4246-  FF	1613.78	1726.32	1838.92	2088.92	2256.10	2358.86
		48"(1219mm)	E2SN-446-  FF	1739.35	1862.61	1987.41	2263.27	2448.37	2561.93
		60"(1524mm)	E2SN-546-  FF	1990.49	2135.19	2284.39	2611.97	2832.91	2968.07
	56"(1422mm)	24"(610mm)	E2SN-254-  FF	\$1475.64	\$1565.94	\$1645.66	\$1831.60	\$1951.32	\$2026.60
		30"(762mm)	E2SN-3054-  FF	1622.73	1723.75	1815.67	2027.47	2165.11	2251.19
		36"(914mm)	E2SN-354-  FF	1748.30	1860.04	1964.16	2201.82	2357.38	2454.26
		42"(1067mm)	E2SN-4254-  FF	1970.68	2093.14	2209.46	2472.98	2646.46	2754.14
		48"(1219mm)	E2SN-454-  FF	2128.52	2261.70	2390.22	2679.60	2871.00	2989.48
		60"(1524mm)	E2SN-554-  FF	2444.20	2598.82	2751.74	3092.84	3320.08	3460.16
	64"(1626mm)	24"(610mm)	E2SN-262-  FF	\$1574.29	\$1674.51	\$1757.95	\$1957.41	\$2083.43	\$2163.63
		30"(762mm)	E2SN-3062-  FF	1721.38	1832.32	1927.96	2153.28	2297.22	2388.22
		36"(914mm)	E2SN-362-  FF	2076.00	2197.66	2305.50	2556.68	2718.54	2820.34
		42"(1067mm)	E2SN-4262-  FF	2080.13	2212.51	2332.55	2609.59	2789.37	2901.97
		48"(1219mm)	E2SN-462-  FF	2241.57	2384.67	2516.91	2819.81	3017.51	3140.91
		60"(1524mm)	E2SN-562-  FF	2564.45	2728.99	2885.63	3240.25	3473.79	3618.79
	72"(1829mm)	24"(610mm)	E2SN-270-  FF	\$1672.94	\$1783.08	\$1870.24	\$2083.22	\$2215.54	\$2300.66
		30"(762mm)	E2SN-3070-  FF	1864.87	1985.73	2085.09	2323.93	2474.17	2570.09
		36"(914mm)	E2SN-370-  FF	2035.28	2166.86	2278.42	2543.12	2711.28	2818.00
		42"(1067mm)	E2SN-4270-  FF	2205.69	2347.99	2471.75	2762.31	2948.39	3065.91
		48"(1219mm)	E2SN-470-  FF	2376.10	2529.12	2665.08	2981.50	3185.50	3313.82
		60"(1524mm)	E2SN-570-  FF	2716.92	2891.38	3051.74	3419.88	3659.72	3809.64
	80"(2032mm)	24"(610mm)	E2SN-278-  FF	\$1933.03	\$2053.09	\$2143.97	\$2370.47	\$2509.09	\$2599.13
		30"(762mm)	E2SN-3078-  FF	2178.77	2309.55	2412.63	2664.99	2821.53	2922.37
		36"(914mm)	E2SN-378-  FF	2402.99	2544.49	2659.77	2937.99	3112.45	3224.09
		42"(1067mm)	E2SN-4278-  FF	2627.21	2779.43	2906.91	3210.99	3403.37	3525.81
		48"(1219mm)	E2SN-478-  FF	2851.43	3014.37	3154.05	3483.99	3694.29	3827.53
		60"(1524mm)	E2SN-578-  FF	3299.87	3484.25	3648.33	4029.99	4276.13	4430.97

Monolithic Panel with Segmented Inserts — No Power

UniGroup Too


	Actual Height	Width	Number ①	Trim B Fabric Grade		C	E	F	G		
				A	B						
Fabric Inserts	40″(1016mm)	24″(610mm)	E2SN-238-		FF	\$1138.56	\$1209.02	\$1281.30	\$1440.20	\$1547.32	\$1612.76
		30″(762mm)	E2SN-3038-		FF	1286.00	1367.18	1451.66	1636.42	1761.46	1837.70
		36″(914mm)	E2SN-338-		FF	1411.92	1503.82	1600.50	1811.12	1954.08	2041.12
		42″(1067mm)	E2SN-4238-		FF	1537.84	1640.46	1749.34	1985.82	2146.70	2244.54
		48″(1219mm)	E2SN-438-		FF	1663.76	1777.10	1898.18	2160.52	2339.32	2447.96
		60″(1524mm)	E2SN-538-		FF	1915.60	2050.38	2195.86	2509.92	2724.56	2854.80
	48″(1219mm)	24″(610mm)	E2SN-246-		FF	\$1238.11	\$1318.49	\$1394.49	\$1566.91	\$1680.33	\$1750.69
		30″(762mm)	E2SN-3046-		FF	1385.55	1476.65	1564.85	1763.13	1894.47	1975.63
		36″(914mm)	E2SN-346-		FF	1511.47	1613.29	1713.69	1937.83	2087.09	2179.05
		42″(1067mm)	E2SN-4246-		FF	1637.39	1749.93	1862.53	2112.53	2279.71	2382.47
		48″(1219mm)	E2SN-446-		FF	1763.31	1886.57	2011.37	2287.23	2472.33	2585.89
		60″(1524mm)	E2SN-546-		FF	2015.15	2159.85	2309.05	2636.63	2857.57	2992.73
	56″(1422mm)	24″(610mm)	E2SN-254-		FF	\$1499.10	\$1589.40	\$1669.12	\$1855.06	\$1974.78	\$2050.06
		30″(762mm)	E2SN-3054-		FF	1646.54	1747.56	1839.48	2051.28	2188.92	2275.00
		36″(914mm)	E2SN-354-		FF	1772.46	1884.20	1988.32	2225.98	2381.54	2478.42
		42″(1067mm)	E2SN-4254-		FF	1995.19	2117.65	2233.97	2497.49	2670.97	2778.65
		48″(1219mm)	E2SN-454-		FF	2153.38	2286.56	2415.08	2704.46	2895.86	3014.34
		60″(1524mm)	E2SN-554-		FF	2469.76	2624.38	2777.30	3118.40	3345.64	3485.72
	64″(1626mm)	24″(610mm)	E2SN-262-		FF	\$1598.65	\$1698.87	\$1782.31	\$1981.77	\$2107.79	\$2187.99
		30″(762mm)	E2SN-3062-		FF	1746.09	1857.03	1952.67	2177.99	2321.93	2412.93
		36″(914mm)	E2SN-362-		FF	2101.06	2222.72	2330.56	2581.74	2743.60	2845.40
		42″(1067mm)	E2SN-4262-		FF	2105.54	2237.92	2357.96	2635.00	2814.78	2927.38
		48″(1219mm)	E2SN-462-		FF	2267.33	2410.43	2542.67	2845.57	3043.27	3166.67
		60″(1524mm)	E2SN-562-		FF	2590.91	2755.45	2912.09	3266.71	3500.25	3645.25
	72″(1829mm)	24″(610mm)	E2SN-270-		FF	\$1698.20	\$1808.34	\$1895.50	\$2108.48	\$2240.80	\$2325.92
		30″(762mm)	E2SN-3070-		FF	1890.48	2011.34	2110.70	2349.54	2499.78	2595.70
		36″(914mm)	E2SN-370-		FF	2061.24	2192.82	2304.38	2569.08	2737.24	2843.96
		42″(1067mm)	E2SN-4270-		FF	2232.00	2374.30	2498.06	2788.62	2974.70	3092.22
		48″(1219mm)	E2SN-470-		FF	2402.76	2555.78	2691.74	3008.16	3212.16	3340.48
		60″(1524mm)	E2SN-570-		FF	2744.28	2918.74	3079.10	3447.24	3687.08	3837.00
	80″(2032mm)	24″(610mm)	E2SN-278-		FF	\$1959.19	\$2079.25	\$2170.13	\$2396.63	\$2535.25	\$2625.29
		30″(762mm)	E2SN-3078-		FF	2205.28	2336.06	2439.14	2691.50	2848.04	2948.88
		36″(914mm)	E2SN-378-		FF	2429.85	2571.35	2686.63	2964.85	3139.31	3250.95
		42″(1067mm)	E2SN-4278-		FF	2654.42	2806.64	2934.12	3238.20	3430.58	3553.02
		48″(1219mm)	E2SN-478-		FF	2878.99	3041.93	3181.61	3511.55	3721.85	3855.09
		60″(1524mm)	E2SN-578-		FF	3328.13	3512.51	3676.59	4058.25	4304.39	4459.23

This page intentionally blank

Monolithic Panel with Segmented Inserts — Powered

UniGroup Too

Fabric Inserts



E2SP-B (3-circuit)



Features

- Includes powered full-height panel core assembly, segmented panel inserts and trim strips, square top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s). .6 top cap end plugs and base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical panel surfaces bonded to compressed fiber board for moderate tackable properties.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2"(51mm).
- Base raceway is 4"(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled inserts, top cap, base raceway cover side trim rails.
- Inserts may easily be changed on installed monolithic panels without components.
- Refer to the Panel Configuration Options chart in Specification Guide for panel and insert heights (nominal vs. actual) and insert configurations.

Specification Tips

- Panels will accept add-on panels up to a combined height of 80"(2032mm). For aesthetic consistency, specify UniGroup Too add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -BE or BYE (no raceway cover).
- If 90° top cap for four-way and 120° top cap for three-way are not specified, additional top cap end plugs will need to be ordered.
- Additional top cap end plugs and base raceway end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

1) Product number, including:

① 3-Circuit

B With Raceway Cover**BE** Without Raceway Cover, deduct **\$127.34** list**BY** NYC with Raceway Cover**BYE** NYC without Raceway Cover, deduct **\$127.34** list

- Fabric/colorway for panel insert side one.
- Fabric/colorway for panel insert side two.
- Trim color raceway cover, glide housings and end caps.
- Trim color for top cap, side trim rails and trim strip(s) for panel insert.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35"(60mm) top-to-bottom and 2.88"(73mm) side-to-side.
- Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.
- New York City (NYC) electrical applications require field installation of PDA.
- New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.
- Some building codes may restrict the use of panel heights greater than 69"(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Monolithic Panel with Segmented Inserts — Powered

UniGroup Too

	Actual Height	Width	Number ^①	Trim A Fabric Grade					
				A	B	C	E	F	G
Fabric Inserts	40"(1016mm)	24"(610mm)	E2SP-238-  FF	\$1552.38	\$1622.84	\$1695.12	\$1854.02	\$1961.14	\$2026.58
		30"(762mm)	E2SP-3038-  FF	1699.47	1780.65	1865.13	2049.89	2174.93	2251.17
		36"(914mm)	E2SP-338-  FF	1825.04	1916.94	2013.62	2224.24	2367.20	2454.24
		42"(1067mm)	E2SP-4238-  FF	1950.61	2053.23	2162.11	2398.59	2559.47	2657.31
		48"(1219mm)	E2SP-438-  FF	2076.18	2189.52	2310.60	2572.94	2751.74	2860.38
		60"(1524mm)	E2SP-538-  FF	2327.32	2462.10	2607.58	2921.64	3136.28	3266.52
	48"(1219mm)	24"(610mm)	E2SP-246-  FF	\$1651.03	\$1731.41	\$1807.41	\$1979.83	\$2093.25	\$2163.61
		30"(762mm)	E2SP-3046-  FF	1798.12	1889.22	1977.42	2175.70	2307.04	2388.20
		36"(914mm)	E2SP-346-  FF	1923.69	2025.51	2125.91	2350.05	2499.31	2591.27
		42"(1067mm)	E2SP-4246-  FF	2049.26	2161.80	2274.40	2524.40	2691.58	2794.34
		48"(1219mm)	E2SP-446-  FF	2174.83	2298.09	2422.89	2698.75	2883.85	2997.41
		60"(1524mm)	E2SP-546-  FF	2425.97	2570.67	2719.87	3047.45	3268.39	3403.55
	56"(1422mm)	24"(610mm)	E2SP-254-  FF	\$1911.12	\$2001.42	\$2081.14	\$2267.08	\$2386.80	\$2462.08
		30"(762mm)	E2SP-3054-  FF	2058.21	2159.23	2251.15	2462.95	2600.59	2686.67
		36"(914mm)	E2SP-354-  FF	2183.78	2295.52	2399.64	2637.30	2792.86	2889.74
		42"(1067mm)	E2SP-4254-  FF	2406.16	2528.62	2644.94	2908.46	3081.94	3189.62
		48"(1219mm)	E2SP-454-  FF	2564.00	2697.18	2825.70	3115.08	3306.48	3424.96
		60"(1524mm)	E2SP-554-  FF	2879.68	3034.30	3187.22	3528.32	3755.56	3895.64
	64"(1626mm)	24"(610mm)	E2SP-262-  FF	\$2009.77	\$2109.99	\$2193.43	\$2392.89	\$2518.91	\$2599.11
		30"(762mm)	E2SP-3062-  FF	2156.86	2267.80	2363.44	2588.76	2732.70	2823.70
		36"(914mm)	E2SP-362-  FF	2511.48	2633.14	2740.98	2992.16	3154.02	3255.82
		42"(1067mm)	E2SP-4262-  FF	2515.61	2647.99	2768.03	3045.07	3224.85	3337.45
		48"(1219mm)	E2SP-462-  FF	2677.05	2820.15	2952.39	3255.29	3452.99	3576.39
		60"(1524mm)	E2SP-562-  FF	2999.93	3164.47	3321.11	3675.73	3909.27	4054.27
	72"(1829mm)	24"(610mm)	E2SP-270-  FF	\$2108.42	\$2218.56	\$2305.72	\$2518.70	\$2651.02	\$2736.14
		30"(762mm)	E2SP-3070-  FF	2300.35	2421.21	2520.57	2759.41	2909.65	3005.57
		36"(914mm)	E2SP-370-  FF	2470.76	2602.34	2713.90	2978.60	3146.76	3253.48
		42"(1067mm)	E2SP-4270-  FF	2641.17	2783.47	2907.23	3197.79	3383.87	3501.39
		48"(1219mm)	E2SP-470-  FF	2811.58	2964.60	3100.56	3416.98	3620.98	3749.30
		60"(1524mm)	E2SP-570-  FF	3152.40	3326.86	3487.22	3855.36	4095.20	4245.12
	80"(2032mm)	24"(610mm)	E2SP-278-  FF	\$2368.51	\$2488.57	\$2579.45	\$2805.95	\$2944.57	\$3034.61
		30"(762mm)	E2SP-3078-  FF	2614.25	2745.03	2848.11	3100.47	3257.01	3357.85
		36"(914mm)	E2SP-378-  FF	2838.47	2979.97	3095.25	3373.47	3547.93	3659.57
		42"(1067mm)	E2SP-4278-  FF	3062.69	3214.91	3342.39	3646.47	3838.85	3961.29
		48"(1219mm)	E2SP-478-  FF	3286.91	3449.85	3589.53	3919.47	4129.77	4263.01
		60"(1524mm)	E2SP-578-  FF	3735.35	3919.73	4083.81	4465.47	4711.61	4866.45

Monolithic Panel with Segmented Inserts — Powered


UniGroup Too

	Actual Height	Width	Number ①	Trim B Fabric Grade					
				A	B	C	E	F	G
Fabric Inserts	40"(1016mm)	24"(610mm)	E2SP-238-  FF	\$1574.04	\$1644.50	\$1716.78	\$1875.68	\$1982.80	\$2048.24
		30"(762mm)	E2SP-3038-  FF	1721.48	1802.66	1887.14	2071.90	2196.94	2273.18
		36"(914mm)	E2SP-338-  FF	1847.40	1939.30	2035.98	2246.60	2389.56	2476.60
		42"(1067mm)	E2SP-4238-  FF	1973.32	2075.94	2184.82	2421.30	2582.18	2680.02
		48"(1219mm)	E2SP-438-  FF	2099.24	2212.58	2333.66	2596.00	2774.80	2883.44
		60"(1524mm)	E2SP-538-  FF	2351.08	2485.86	2631.34	2945.40	3160.04	3290.28
	48"(1219mm)	24"(610mm)	E2SP-246-  FF	\$1673.59	\$1753.97	\$1829.97	\$2002.39	\$2115.81	\$2186.17
		30"(762mm)	E2SP-3046-  FF	1821.03	1912.13	2000.33	2198.61	2329.95	2411.11
		36"(914mm)	E2SP-346-  FF	1946.95	2048.77	2149.17	2373.31	2522.57	2614.53
		42"(1067mm)	E2SP-4246-  FF	2072.87	2185.41	2298.01	2548.01	2715.19	2817.95
		48"(1219mm)	E2SP-446-  FF	2198.79	2322.05	2446.85	2722.71	2907.81	3021.37
		60"(1524mm)	E2SP-546-  FF	2450.63	2595.33	2744.53	3072.11	3293.05	3428.21
	56"(1422mm)	24"(610mm)	E2SP-254-  FF	\$1934.58	\$2024.88	\$2104.60	\$2290.54	\$2410.26	\$2485.54
		30"(762mm)	E2SP-3054-  FF	2082.02	2183.04	2274.96	2486.76	2624.40	2710.48
		36"(914mm)	E2SP-354-  FF	2207.94	2319.68	2423.80	2661.46	2817.02	2913.90
		42"(1067mm)	E2SP-4254-  FF	2430.67	2553.13	2669.45	2932.97	3106.45	3214.13
		48"(1219mm)	E2SP-454-  FF	2588.86	2722.04	2850.56	3139.94	3331.34	3449.82
		60"(1524mm)	E2SP-554-  FF	2905.24	3059.86	3212.78	3553.88	3781.12	3921.20
	64"(1626mm)	24"(610mm)	E2SP-262-  FF	\$2034.13	\$2134.35	\$2217.79	\$2417.25	\$2543.27	\$2623.47
		30"(762mm)	E2SP-3062-  FF	2181.57	2292.51	2388.15	2613.47	2757.41	2848.41
		36"(914mm)	E2SP-362-  FF	2536.54	2658.20	2766.04	3017.22	3179.08	3280.88
		42"(1067mm)	E2SP-4262-  FF	2541.02	2673.40	2793.44	3070.48	3250.26	3362.86
		48"(1219mm)	E2SP-462-  FF	2702.81	2845.91	2978.15	3281.05	3478.75	3602.15
		60"(1524mm)	E2SP-562-  FF	3026.39	3190.93	3347.57	3702.19	3935.73	4080.73
	72"(1829mm)	24"(610mm)	E2SP-270-  FF	\$2133.68	\$2243.82	\$2330.98	\$2543.96	\$2676.28	\$2761.40
		30"(762mm)	E2SP-3070-  FF	2325.96	2446.82	2546.18	2785.02	2935.26	3031.18
		36"(914mm)	E2SP-370-  FF	2496.72	2628.30	2739.86	3004.56	3172.72	3279.44
		42"(1067mm)	E2SP-4270-  FF	2667.48	2809.78	2933.54	3224.10	3410.18	3527.70
		48"(1219mm)	E2SP-470-  FF	2838.24	2991.26	3127.22	3443.64	3647.64	3775.96
		60"(1524mm)	E2SP-570-  FF	3179.76	3354.22	3514.58	3882.72	4122.56	4272.48
	80"(2032mm)	24"(610mm)	E2SP-278-  FF	\$2394.67	\$2514.73	\$2605.61	\$2832.11	\$2970.73	\$3060.77
		30"(762mm)	E2SP-3078-  FF	2640.76	2771.54	2874.62	3126.98	3283.52	3384.36
		36"(914mm)	E2SP-378-  FF	2865.33	3006.83	3122.11	3400.33	3574.79	3686.43
		42"(1067mm)	E2SP-4278-  FF	3089.90	3242.12	3369.60	3673.68	3866.06	3988.50
		48"(1219mm)	E2SP-478-  FF	3314.47	3477.41	3617.09	3947.03	4157.33	4290.57
		60"(1524mm)	E2SP-578-  FF	3763.61	3947.99	4112.07	4493.73	4739.87	4894.71

Monolithic Panel Core without Insert(s) — No Power

UniGroup Too

Panel Core



E2BN-B (Non-Powered)

Features

- Includes non-powered panel core assembly, square top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper. .6 top cap end plugs and base raceway end caps are shipped with each panel. Order additional as necessary.
- **For use with separately specified inserts.**
- Panel thickness is 2”(51mm).
- Base raceway is 4”(102mm) high.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept add-on panels up to a combined height of 80”(2032mm). For aesthetic consistency, specify UniGroup Too add-on panels.
- Raceway cover must be separately specified for option -BE (no raceway cover).
- If 90° top cap for four-way and 120° top cap for three-way are not specified, additional top cap end plugs will need to be ordered.
- Additional top cap end plugs and base raceway end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

- 1) Product number, including:

1 Options:

- B** With Raceway Cover
 - BE** Without Raceway Cover, deduct **\$98.65** list
- 2) Trim color raceway cover, glide housings and end caps.
- 3) Trim color for top cap and side trim rails.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- Non-powered panels ship without receptacle ports in the base raceway cover.
- Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Monolithic Panel Core without Insert(s) — No Power


UniGroup Too

	Actual Height	Width	Number ^①	Trim A	B
Panel Core	32"(813mm)	24"(610mm)	E2BN-230-  	\$ 614.67	\$ 635.43
		30"(762mm)	E2BN-3030-  	668.48	689.59
		36"(914mm)	E2BN-330-  	722.29	743.75
		42"(1067mm)	E2BN-4230-  	776.10	797.91
		48"(1219mm)	E2BN-430-  	829.91	852.07
		60"(1524mm)	E2BN-530-  	937.53	960.39
	40"(1016mm)	24"(610mm)	E2BN-238-  	\$ 646.94	\$ 668.60
		30"(762mm)	E2BN-3038-  	722.27	744.28
		36"(914mm)	E2BN-338-  	776.08	798.44
		42"(1067mm)	E2BN-4238-  	829.89	852.60
		48"(1219mm)	E2BN-438-  	883.70	906.76
		60"(1524mm)	E2BN-538-  	991.32	1015.08
	48"(1219mm)	24"(610mm)	E2BN-246-  	\$ 679.21	\$ 701.77
		30"(762mm)	E2BN-3046-  	754.54	777.45
		36"(914mm)	E2BN-346-  	808.35	831.61
		42"(1067mm)	E2BN-4246-  	862.16	885.77
		48"(1219mm)	E2BN-446-  	915.97	939.93
		60"(1524mm)	E2BN-546-  	1023.59	1048.25
	56"(1422mm)	24"(610mm)	E2BN-254-  	\$ 711.48	\$ 734.94
		30"(762mm)	E2BN-3054-  	786.81	810.62
		36"(914mm)	E2BN-354-  	840.62	864.78
		42"(1067mm)	E2BN-4254-  	894.43	918.94
		48"(1219mm)	E2BN-454-  	948.24	973.10
		60"(1524mm)	E2BN-554-  	1055.86	1081.42
	64"(1626mm)	24"(610mm)	E2BN-262-  	\$ 743.75	\$ 768.11
		30"(762mm)	E2BN-3062-  	819.08	843.79
		36"(914mm)	E2BN-362-  	872.89	897.95
		42"(1067mm)	E2BN-4262-  	926.70	952.11
		48"(1219mm)	E2BN-462-  	980.51	1006.27
		60"(1524mm)	E2BN-562-  	1088.13	1114.59
	72"(1829mm)	24"(610mm)	E2BN-270-  	\$ 776.02	\$ 801.28
		30"(762mm)	E2BN-3070-  	851.35	876.96
		36"(914mm)	E2BN-370-  	905.16	931.12
		42"(1067mm)	E2BN-4270-  	958.97	985.28
		48"(1219mm)	E2BN-470-  	1012.78	1039.44
		60"(1524mm)	E2BN-570-  	1120.40	1147.76
	80"(2032mm)	24"(610mm)	E2BN-278-  	\$ 969.73	\$ 995.89
		30"(762mm)	E2BN-3078-  	1073.76	1100.27
		36"(914mm)	E2BN-378-  	1156.27	1183.13
		42"(1067mm)	E2BN-4278-  	1238.78	1265.99
		48"(1219mm)	E2BN-478-  	1321.29	1348.85
		60"(1524mm)	E2BN-578-  	1486.31	1514.57

Monolithic Panel Core without Insert(s) — Powered

UniGroup Too

Panel Core



E2BP-B (3-circuit)



Features

- Includes powered panel core assembly, square top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s). .6 top cap end plugs and base raceway end caps are shipped with each panel. Order additional as necessary.
- **For use with separately specified inserts.**
- Panel thickness is 2”(51mm).
- Base raceway is 4”(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept add-on panels up to a combined height of 80”(2032mm). For aesthetic consistency, specify UniGroup Too add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -BE or BYE (no raceway cover).
- If 90° top cap for four-way and 120° top cap for three-way are not specified, additional top cap end plugs will need to be ordered.
- Additional top cap end plugs and base raceway end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

1) Product number, including:

1 3-Circuit

- B** With Raceway Cover
- BE** Without Raceway Cover, deduct **\$127.34** list
- BY** NYC with Raceway Cover
- BYE** NYC without Raceway Cover, deduct **\$127.34** list

2) Trim color raceway cover, glide housings and end caps.

3) Trim color for top cap and side trim rails.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- *Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35”(60mm) top-to-bottom and 2.88”(73mm) side-to-side.*
- *Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.*
- *New York City (NYC) electrical applications require field installation of PDA.*
- *New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.*
- *Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.*
- *For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.*
- *For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.*

Monolithic Panel Core without Insert(s) — Powered


UniGroup Too

	Actual Height	Width	Number ^①	Trim A	B
Panel Core	32"(813mm)	24"(610mm)	E2BP-230-  	\$1050.15	\$1070.91
		30"(762mm)	E2BP-3030-  	1103.96	1125.07
		36"(914mm)	E2BP-330-  	1157.77	1179.23
		42"(1067mm)	E2BP-4230-  	1211.58	1233.39
		48"(1219mm)	E2BP-430-  	1265.39	1287.55
		60"(1524mm)	E2BP-530-  	1373.01	1395.87
	40"(1016mm)	24"(610mm)	E2BP-238-  	\$1082.42	\$1104.08
		30"(762mm)	E2BP-3038-  	1157.75	1179.76
		36"(914mm)	E2BP-338-  	1211.56	1233.92
		42"(1067mm)	E2BP-4238-  	1265.37	1288.08
		48"(1219mm)	E2BP-438-  	1319.18	1342.24
		60"(1524mm)	E2BP-538-  	1426.80	1450.56
	48"(1219mm)	24"(610mm)	E2BP-246-  	\$1114.69	\$1137.25
		30"(762mm)	E2BP-3046-  	1190.02	1212.93
		36"(914mm)	E2BP-346-  	1243.83	1267.09
		42"(1067mm)	E2BP-4246-  	1297.64	1321.25
		48"(1219mm)	E2BP-446-  	1351.45	1375.41
		60"(1524mm)	E2BP-546-  	1459.07	1483.73
	56"(1422mm)	24"(610mm)	E2BP-254-  	\$1146.96	\$1170.42
		30"(762mm)	E2BP-3054-  	1222.29	1246.10
		36"(914mm)	E2BP-354-  	1276.10	1300.26
		42"(1067mm)	E2BP-4254-  	1329.91	1354.42
		48"(1219mm)	E2BP-454-  	1383.72	1408.58
		60"(1524mm)	E2BP-554-  	1491.34	1516.90
	64"(1626mm)	24"(610mm)	E2BP-262-  	\$1179.23	\$1203.59
		30"(762mm)	E2BP-3062-  	1254.56	1279.27
		36"(914mm)	E2BP-362-  	1308.37	1333.43
		42"(1067mm)	E2BP-4262-  	1362.18	1387.59
		48"(1219mm)	E2BP-462-  	1415.99	1441.75
		60"(1524mm)	E2BP-562-  	1523.61	1550.07
	72"(1829mm)	24"(610mm)	E2BP-270-  	\$1211.50	\$1236.76
		30"(762mm)	E2BP-3070-  	1286.83	1312.44
		36"(914mm)	E2BP-370-  	1340.64	1366.60
		42"(1067mm)	E2BP-4270-  	1394.45	1420.76
		48"(1219mm)	E2BP-470-  	1448.26	1474.92
		60"(1524mm)	E2BP-570-  	1555.88	1583.24
	80"(2032mm)	24"(610mm)	E2BP-278-  	\$1405.21	\$1431.37
		30"(762mm)	E2BP-3078-  	1509.24	1535.75
		36"(914mm)	E2BP-378-  	1591.75	1618.61
		42"(1067mm)	E2BP-4278-  	1674.26	1701.47
		48"(1219mm)	E2BP-478-  	1756.77	1784.33
		60"(1524mm)	E2BP-578-  	1921.79	1950.05

Glazed Monolithic Panel — No Power

UniGroup Too

Glazed



E2GN-B (Non-Powered)

Features

- Includes non-powered panel assembly, square top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper. .6 top cap end plugs and base raceway end caps are shipped with each panel. Order additional as necessary.
- Includes 0.25”(6mm) thick clear tempered safety glass or frosted acrylic.
- Panel thickness is 2”(51mm).
- Base raceway is 4”(102mm) high.
- Does not accept top feed modules.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept glazed add-on panels up to a combined height of 80”(2032mm). For aesthetic consistency, specify UniGroup Too add-on panels.
- Raceway cover must be separately specified for option -BE (no raceway cover).
- If 90° top cap for four-way and 120° top cap for three-way are not specified, additional top cap end plugs will need to be ordered.
- Additional top cap end plugs and base raceway end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

- 1) Product number, including:

1 Options:

- B** With Raceway Cover
- BE** Without Raceway Cover, deduct **\$72.25** list

- 2) Glazing finish color.
- 3) Trim color raceway cover.
- 4) Trim color for frame, top cap and side trim rails.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- Non-powered panels ship without receptacle ports in the base raceway cover.
- Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Glazed Monolithic Panel — No Power


UniGroup Too

	Actual Height	Width	Number ^①	Clear Trim A	Trim B	Frosted Trim A	Trim B
Glazed	64"(1626mm)	24"(610mm)	E2GN-262-  	\$2083.77	\$2165.15	\$2464.06	\$2545.44
		30"(762mm)	E2GN-3062-  	2311.77	2395.01	2692.06	2775.30
		36"(914mm)	E2GN-362-  	2520.77	2605.87	3107.30	3192.40
		42"(1067mm)	E2GN-4262-  	2729.77	2816.73	3316.30	3403.26
		48"(1219mm)	E2GN-462-  	2957.77	3046.59	3544.30	3633.12
		60"(1524mm)	E2GN-562-  	3375.77	3468.31	3962.30	4054.84
	72"(1829mm)	24"(610mm)	E2GN-270-  	\$2389.80	\$2478.65	\$2770.09	\$2858.94
		30"(762mm)	E2GN-3070-  	2617.80	2708.51	2998.09	3088.80
		36"(914mm)	E2GN-370-  	2864.80	2957.37	3451.33	3543.90
		42"(1067mm)	E2GN-4270-  	3111.80	3206.23	3698.33	3792.76
		48"(1219mm)	E2GN-470-  	3339.80	3436.09	3926.33	4022.62
		60"(1524mm)	E2GN-570-  	3833.80	3933.81	4420.33	4520.34
	80"(2032mm)	24"(610mm)	E2GN-278-  	\$2676.83	\$2780.62	\$3057.12	\$3160.91
		30"(762mm)	E2GN-3078-  	2942.83	3048.48	3323.12	3428.77
		36"(914mm)	E2GN-378-  	3208.83	3316.34	3795.36	3902.87
		42"(1067mm)	E2GN-4278-  	3474.83	3584.20	4061.36	4170.73
		48"(1219mm)	E2GN-478-  	3740.83	3852.06	4327.36	4438.59
		60"(1524mm)	E2GN-578-  	4272.83	4387.78	4859.36	4974.31

Glazed Monolithic Panel — Powered

UniGroup Too

Glazed



E2GP-B (3-circuit)



Features

- Includes powered panel assembly, square top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s).
- .6 top cap end plugs and base raceway end caps are shipped with each panel. Order additional as necessary.
- Includes 0.25”(6mm) thick clear tempered safety glass or frosted acrylic.
- Panel thickness is 2”(51mm).
- Base raceway is 4”(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Does not accept top feed modules.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept glazed add-on panels up to a combined height of 80”(2032mm). For aesthetic consistency, specify UniGroup Too add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -BE or BYE (no raceway cover).
- If 90° top cap for four-way and 120° top cap for three-way are not specified, additional top cap end plugs will need to be ordered.
- Additional top cap end plugs and base raceway end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

1) Product number, including:

1 3-Circuit

- B** With Raceway Cover
- BE** Without Raceway Cover, deduct **\$138.36** list
- BY** NYC with Raceway Cover
- BYE** NYC without Raceway Cover, deduct **\$138.36** list

- 2) Glazing finish color.
- 3) Trim color raceway cover.
- 4) Trim color for frame, top cap and side trim rails.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35”(60mm) top-to-bottom and 2.88”(73mm) side-to-side.
- Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.
- New York City (NYC) electrical applications require field installation of PDA.
- New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.
- Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.



Glazed Monolithic Panel — Powered
UniGroup Too

	Actual Height	Width	Number ①	Clear Trim A	Trim B	Frosted Trim A	Trim B
Glazed	64"(1626mm)	24"(610mm)	E2GP-262-  	\$2585.14	\$2666.52	\$2965.43	\$3046.81
		30"(762mm)	E2GP-3062-  	2813.14	2896.38	3193.43	3276.67
		36"(914mm)	E2GP-362-  	3022.14	3107.24	3608.67	3693.77
		42"(1067mm)	E2GP-4262-  	3231.14	3318.10	3817.67	3904.63
		48"(1219mm)	E2GP-462-  	3459.14	3547.96	4045.67	4134.49
		60"(1524mm)	E2GP-562-  	3877.14	3969.68	4463.67	4556.21
	72"(1829mm)	24"(610mm)	E2GP-270-  	\$2891.17	\$2980.02	\$3271.46	\$3360.31
		30"(762mm)	E2GP-3070-  	3119.17	3209.88	3499.46	3590.17
		36"(914mm)	E2GP-370-  	3366.17	3458.74	3952.70	4045.27
		42"(1067mm)	E2GP-4270-  	3613.17	3707.60	4199.70	4294.13
		48"(1219mm)	E2GP-470-  	3841.17	3937.46	4427.70	4523.99
		60"(1524mm)	E2GP-570-  	4335.17	4435.18	4921.70	5021.71
	80"(2032mm)	24"(610mm)	E2GP-278-  	\$3178.20	\$3281.99	\$3558.49	\$3662.28
		30"(762mm)	E2GP-3078-  	3444.20	3549.85	3824.49	3930.14
		36"(914mm)	E2GP-378-  	3710.20	3817.71	4296.73	4404.24
		42"(1067mm)	E2GP-4278-  	3976.20	4085.57	4562.73	4672.10
		48"(1219mm)	E2GP-478-  	4242.20	4353.43	4828.73	4939.96
		60"(1524mm)	E2GP-578-  	4774.20	4889.15	5360.73	5475.68

Base Insert

UniGroup Too

Base Insert — Fabric



E2JF

Feature

- Includes one base insert.

Specification Tips

- Only for use at base with monolithic core panel, separately specified.
- May be used with upper inserts and appropriate height panel core.
- Base and/or upper insert combinations may vary per panel side.
- Only one base insert per side is allowed.

To Order, Specify:


- Product number.
- Fabric/colorway.

Installed Height	Insert Height	Width	Number	Fabric Grade					
				A	B	C	E	F	G
16"(406mm)	12"(305mm)	24"(610mm)	E2JF-214	\$ 99.60	\$115.58	\$131.66	\$ 168.36	\$ 193.28	\$ 208.58
		30"(762mm)	E2JF-3014	111.44	129.42	147.34	188.44	216.40	233.54
		36"(914mm)	E2JF-314	124.76	144.99	164.98	211.03	242.41	261.62
		42"(1067mm)	E2JF-4214	136.60	158.83	180.66	231.11	265.53	286.58
		48"(1219mm)	E2JF-414	149.92	174.40	198.30	253.70	291.54	314.66
		60"(1524mm)	E2JF-514	173.60	202.08	229.66	293.86	337.78	364.58
32"(813mm)	28"(711mm)	24"(610mm)	E2JF-230	\$155.84	\$181.32	\$206.14	\$ 263.74	\$ 303.10	\$ 327.14
		30"(762mm)	E2JF-3030	182.48	212.46	241.42	308.92	355.12	383.30
		36"(914mm)	E2JF-330	209.12	243.60	276.70	354.10	407.14	439.46
		42"(1067mm)	E2JF-4230	235.76	274.74	311.98	399.28	459.16	495.62
		48"(1219mm)	E2JF-430	262.40	305.88	347.26	444.46	511.18	551.78
		60"(1524mm)	E2JF-530	315.68	368.16	417.82	534.82	615.22	664.10
40"(1016mm)	36"(914mm)	24"(610mm)	E2JF-238	\$185.44	\$215.92	\$245.34	\$ 313.94	\$ 360.90	\$ 389.54
		30"(762mm)	E2JF-3038	218.00	253.98	288.46	369.16	424.48	458.18
		36"(914mm)	E2JF-338	252.04	293.77	333.54	426.89	490.95	529.94
		42"(1067mm)	E2JF-4238	286.08	333.56	378.62	484.62	557.42	601.70
		48"(1219mm)	E2JF-438	320.12	373.35	423.70	542.35	623.89	673.46
		60"(1524mm)	E2JF-538	386.72	451.20	511.90	655.30	753.94	813.86
48"(1219mm)	44"(1118mm)	24"(610mm)	E2JF-246	\$213.56	\$248.79	\$282.58	\$ 361.63	\$ 415.81	\$ 448.82
		30"(762mm)	E2JF-3046	253.52	295.50	335.50	429.40	493.84	533.06
		36"(914mm)	E2JF-346	294.96	343.94	390.38	499.68	574.76	620.42
		42"(1067mm)	E2JF-4246	336.40	392.38	445.26	569.96	655.68	707.78
		48"(1219mm)	E2JF-446	376.36	439.09	498.18	637.73	733.71	792.02
		60"(1524mm)	E2JF-546	457.76	534.24	605.98	775.78	892.66	963.62
56"(1422mm)	52"(1321mm)	24"(610mm)	E2JF-254	\$241.68	\$281.66	\$319.82	\$ 409.32	\$ 470.72	\$ 508.10
		30"(762mm)	E2JF-3054	289.04	337.02	382.54	489.64	563.20	607.94
		36"(914mm)	E2JF-354	337.88	394.11	447.22	572.47	658.57	710.90
		42"(1067mm)	E2JF-4254	385.24	449.47	509.94	652.79	751.05	810.74
		48"(1219mm)	E2JF-454	434.08	506.56	574.62	735.62	846.42	913.70
		60"(1524mm)	E2JF-554	528.80	617.28	700.06	896.26	1031.38	1113.38
64"(1626mm)	60"(1524mm)	24"(610mm)	E2JF-262	\$269.80	\$314.53	\$357.06	\$ 457.01	\$ 525.63	\$ 567.38
		30"(762mm)	E2JF-3062	324.56	378.54	429.58	549.88	632.56	682.82
		36"(914mm)	E2JF-362	380.80	444.28	504.06	645.26	742.38	801.38
		42"(1067mm)	E2JF-4262	435.56	508.29	576.58	738.13	849.31	916.82
		48"(1219mm)	E2JF-462	490.32	572.30	649.10	831.00	956.24	1032.26
		60"(1524mm)	E2JF-562	599.84	700.32	794.14	1016.74	1170.10	1263.14
72"(1829mm)	68"(1727mm)	24"(610mm)	E2JF-270	\$297.92	\$347.40	\$394.30	\$ 504.70	\$ 580.54	\$ 626.66
		30"(762mm)	E2JF-3070	360.08	420.06	476.62	610.12	701.92	757.70
		36"(914mm)	E2JF-370	422.24	492.72	558.94	715.54	823.30	888.74
		42"(1067mm)	E2JF-4270	484.40	565.38	641.26	820.96	944.68	1019.78
		48"(1219mm)	E2JF-470	546.56	638.04	723.58	926.38	1066.06	1150.82
		60"(1524mm)	E2JF-570	670.88	783.36	888.22	1137.22	1308.82	1412.90
80"(2032mm)	76"(1930mm)	24"(610mm)	E2JF-278	\$327.52	\$382.00	\$433.50	\$ 554.90	\$ 638.34	\$ 689.06
		30"(762mm)	E2JF-3078	395.60	461.58	523.66	670.36	771.28	832.58
		36"(914mm)	E2JF-378	465.16	542.89	615.78	788.33	907.11	979.22
		42"(1067mm)	E2JF-4278	534.72	624.20	707.90	906.30	1042.94	1125.86
		48"(1219mm)	E2JF-478	604.28	705.51	800.02	1024.27	1178.77	1272.50
		60"(1524mm)	E2JF-578	741.92	866.40	982.30	1257.70	1447.54	1562.66


Upper Inserts

UniGroup Too

Upper Insert — Fabric or Markerboard



E2TF



E2TM

Feature

- Includes one insert and segment trim strip or markerboard tray.

Specification Tips

- For markerboard installation allow clearance above panel equal to height of insert.
- Must be used with monolithic core panel and base insert, separately specified.
- Maximum of 4 upper inserts is allowed per panel side.
- Base and/or upper insert combinations may vary per panel side.
- Markerboard cleaner & conditioner, order service part #7031-7001.
- Order markerboard with tray in lower application to protect lower fabric insert.

Product marked with this symbol available as GSA open market.

To Order, Specify:

- Product number, including:

1 Markerboard Option:

Markerboard with segment trim strip

Markerboard with tray

- Fabric/colorway (for fabric insert).

- Trim color for segment trim strip or markerboard tray.

Insert Height	Width	Number	Trim A Fabric Grade		C	E	F	G
			A	B				
8"(203mm)	24"(610mm)	E2TF-208	\$115.75	\$143.53	\$152.28	\$191.08	\$219.86	\$237.23
	30"(762mm)	E2TF-3008	128.74	158.47	169.39	212.96	244.88	264.22
	36"(914mm)	E2TF-308	141.73	173.41	186.50	234.84	269.90	291.21
	42"(1067mm)	E2TF-4208	154.72	188.35	203.61	256.72	294.92	318.20
	48"(1219mm)	E2TF-408	167.71	203.29	220.72	278.60	319.94	345.19
	60"(1524mm)	E2TF-508	193.69	233.17	254.94	322.36	369.98	399.17
16"(406mm)	24"(610mm)	E2TF-216	\$158.72	\$193.04	\$208.97	\$263.46	\$302.69	\$326.60
	30"(762mm)	E2TF-3016	171.71	207.98	226.08	285.34	327.71	353.59
	36"(914mm)	E2TF-316	184.70	222.92	243.19	307.22	352.73	380.58
	42"(1067mm)	E2TF-4216	197.69	237.86	260.30	329.10	377.75	407.57
	48"(1219mm)	E2TF-416	210.68	252.80	277.41	350.98	402.77	434.56
	60"(1524mm)	E2TF-516	236.66	282.68	311.63	394.74	452.81	488.54


Insert Height	Width	Number	Trim B Fabric Grade		C	E	F	G
			A	B				
8"(203mm)	24"(610mm)	E2TF-208	\$161.37	\$189.15	\$197.90	\$236.70	\$265.48	\$282.85
	30"(762mm)	E2TF-3008	174.36	204.09	215.01	258.58	290.50	309.84
	36"(914mm)	E2TF-308	187.35	219.03	232.12	280.46	315.52	336.83
	42"(1067mm)	E2TF-4208	200.34	233.97	249.23	302.34	340.54	363.82
	48"(1219mm)	E2TF-408	213.33	248.91	266.34	324.22	365.56	390.81
	60"(1524mm)	E2TF-508	239.31	278.79	300.56	367.98	415.60	444.79
16"(406mm)	24"(610mm)	E2TF-216	\$204.34	\$238.66	\$254.59	\$309.08	\$348.31	\$372.22
	30"(762mm)	E2TF-3016	217.33	253.60	271.70	330.96	373.33	399.21
	36"(914mm)	E2TF-316	230.32	268.54	288.81	352.84	398.35	426.20
	42"(1067mm)	E2TF-4216	243.31	283.48	305.92	374.72	423.37	453.19
	48"(1219mm)	E2TF-416	256.30	298.42	323.03	396.60	448.39	480.18
	60"(1524mm)	E2TF-516	282.28	328.30	357.25	440.36	498.43	534.16

			Trim A		Trim B		
			N	M	N	M	
16"(406mm)	24"(610mm)	E2TM-216-	\$469.64	\$502.57	\$ 513.55	\$ 546.48	
	30"(762mm)	E2TM-3016-	502.03	534.96	556.92	589.85	
	36"(914mm)	E2TM-316-	534.42	567.35	600.29	633.22	
	42"(1067mm)	E2TM-4216-	566.81	599.74	643.66	676.59	
	48"(1219mm)	E2TM-416-	599.20	632.13	687.03	719.96	
	60"(1524mm)	E2TM-516-	663.98	696.91	773.77	806.70	
32"(813mm)	24"(610mm)	E2TM-232-	\$713.55	\$746.48	\$ 801.34	\$ 834.27	
	30"(762mm)	E2TM-3032-	745.94	778.87	844.71	877.64	
	36"(914mm)	E2TM-332-	778.33	811.26	888.08	921.01	
	42"(1067mm)	E2TM-4232-	810.72	843.65	931.45	964.38	
	48"(1219mm)	E2TM-432-	843.11	876.04	974.82	1007.75	
	60"(1524mm)	E2TM-532-	907.89	940.82	1061.56	1094.49	

Fabric Add-On Panel

UniGroup Too

Fabric



E2AM

NOTE:
This panel has fabric/
colorway restrictions,
see systems fabrics/
color legend.

Features

- Includes panel, vertical connector (bayonet), light block, side trim rails, two full hinge sets and top cap clips.
- Fabric add-on panels may be installed above straight fabric and laminate base or fabric add-on panels.
- Both sides in same fabric; one color or different color each side.
- Each base panel will accept two add-on panels.
- Lower Level add-on panel will accept overhead components (load bearing). Second add-on panel (top) is non-load bearing.
- Utilizes top cap from base panel.
- Same construction as UniGroup Too Basic Monolithic fabric panel.

Specification Tips

- Add-on panels may be stacked a maximum of two high above a UniGroup Too base panel.
- Add-on panel must match panel width.
- Combination of panel and add-on panel cannot exceed 80”(2032mm) in height.
- Cannot be used above doors or glazed panels.
- Base and add-on panel combinations should match existing base panel heights so that end-of-runs and finish posts can be used without field modification.
- Finish posts may be used, separately specified.
- Full-height side trim rails required for end-of-run conditions with a base panel and one add-on panel, separately specified.
- For two high add-on panel applications specify separately full-height side trim rail for base panel and one high add-on, for two high panel add-on location use side trim rail that ships with add-on panel. See Specification Guide for application guidelines.
- Clerestory can be added above fabric add-on panel. See Specification Guide for application guidelines.

To Order, Specify:

- 1) Product number.
- 2) Fabric/colorway for add-on panel side one.
- 3) Fabric/colorway for add-on panel side two.
- 4) Trim color for side trim rails and trim strip.


Note: For mixed grade fabric surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Actual Height	Width	Number	Trim A Fabric Grade		C	E	F	G
			A	B				
16”(406mm)	24”(610mm)	E2AM-216	\$ 818.65	\$ 918.23	\$1027.75	\$1266.63	\$1425.91	\$1525.51
	30”(762mm)	E2AM-3016	859.09	964.55	1081.03	1334.79	1503.91	1609.51
	36”(914mm)	E2AM-316	899.53	1010.87	1134.31	1402.95	1581.91	1693.51
	42”(1067mm)	E2AM-4216	939.97	1057.19	1187.59	1471.11	1659.91	1777.51
	48”(1219mm)	E2AM-416	987.15	1111.23	1249.75	1550.63	1750.91	1875.51
	60”(1524mm)	E2AM-516	1061.29	1196.15	1347.43	1675.59	1893.91	2029.51
Actual Height	Width	Number	Trim B Fabric Grade		C	E	F	G
			A	B				
16”(406mm)	24”(610mm)	E2AM-216	\$ 822.75	\$ 922.33	\$1031.85	\$1270.73	\$1430.01	\$1529.61
	30”(762mm)	E2AM-3016	863.19	968.65	1085.13	1338.89	1508.01	1613.61
	36”(914mm)	E2AM-316	903.63	1014.97	1138.41	1407.05	1586.01	1697.61
	42”(1067mm)	E2AM-4216	944.07	1061.29	1191.69	1475.21	1664.01	1781.61
	48”(1219mm)	E2AM-416	991.25	1115.33	1253.85	1554.73	1755.01	1879.61
	60”(1524mm)	E2AM-516	1065.39	1200.25	1351.53	1679.69	1898.01	2033.61

Glazed Add-On Panel

UniGroup Too

Glazed



E2AG

Features

- Includes panel, vertical connector (bayonet), light block, side trim rails, two full hinge sets and top cap clips.
- Utilizes top cap from monolithic panel.
- Glazed add-on panels may be installed above glazed, fabric, laminate, fabric add-on or glazed add-on panels.
- Glazed add-on panels will not accept any load bearing components.
- Textured glazing material is textured on one side only. Recommend installing the textured side to face the interior of the workstation.

Specification Tips

- Add-on panels may be stacked a maximum of two high above a monolithic panel.
- Add-on panel width must match base panel width.
- Combination of base panel and add-on panel cannot exceed 80"(2032mm).
- Cannot be used above doors.
- Does not accept top feed modules.
- Add-on panels may be retrofitted in the field for use on glazed or fabric monolithic panels.
- To convert a glazed add-on above a fabric/laminate monolithic base panel to a glazed add-on above a glazed base panel or (vice versa), a vertical connector (bayonet) retrofit kit is available. Order separately through Haworth e-Parts.
- Finish posts may be used, separately specified.
- Full-height side trim rails required for end-of-run conditions with a base panel and one add-on panel, separately specified.
- For two high add-on panel applications specify separately full-height side trim rail for base panel and one high add-on, for two high panel add on location use side trim rail that ships with add-on panel.
- Clerestory can be added above glazed add-on panel. See Specification Guide for application guidelines.

To Order, Specify:

- 1) Product number, including:

① Application Designation:

F Glazed add-on panel **above fabric/laminate base panel or fabric add-on panel**

G Glazed add-on panel **above glazed or glazed add-on panel**, add \$48.82 list

- 2) Glazing color or glass pattern.
- 3) Trim color for frame, side trim rails and trim strip.


Actual Height	Width	Number ①	Trim A Glass Grade		
			A	C	D
16"(406mm)	24"(610mm)	E2AG-216-	\$1162.89	\$1311.37	\$1534.08
	30"(762mm)	E2AG-3016-	1213.05	1413.25	1657.98
	36"(914mm)	E2AG-316-	1263.21	1515.13	1781.88
	42"(1067mm)	E2AG-4216-	1313.37	1617.01	1905.78
	48"(1219mm)	E2AG-416-	1363.53	1718.89	2029.68
	60"(1524mm)	E2AG-516-	1463.85	1922.65	2277.48

Actual Height	Width	Number ①	Trim B Glass Grade		
			A	C	D
16"(406mm)	24"(610mm)	E2AG-216-	\$1172.41	\$1320.89	\$1543.60
	30"(762mm)	E2AG-3016-	1224.48	1424.68	1669.41
	36"(914mm)	E2AG-316-	1276.55	1528.47	1795.22
	42"(1067mm)	E2AG-4216-	1328.62	1632.26	1921.03
	48"(1219mm)	E2AG-416-	1380.69	1736.05	2046.84
	60"(1524mm)	E2AG-516-	1484.83	1943.63	2298.46

Panel Accessories

UniGroup Too

Sliding Door



VUZF
(Left-hand door)

Features

- Includes sliding door with threshold track and optional lock.
- Available with clear glass or frosted acrylic door insert.
- Full height vertical recessed door handle.
- Sliding Door adjustable wheels allow 1.25”(32mm) height adjustment.
- Optional door lock is available; locks with key outside and lever inside. Not field retrofittable.
- Lock plugs come standard in black.
- For lock options, refer to Lock Program Price List.
- Locking mechanism locks the door into the track.
- Right-handed door slides open to right.
- Left-handed door slides open to left.

Specification Tips

- Handedness cannot be changed in the field.
- Sliding Door mounts outside of the workspace.
- Threshold track is included and must be used with the Sliding Door.
- Sliding Door can be attached to panel of same height or taller. Cannot be attached to panel lower than sliding door.
- Sliding Door Filler Post is required in certain applications and ordered separately. Refer to Specification Guide.
- Sliding Door extends 34”(864mm) for the 36”(914mm)-wide sliding door and 40”(1016mm) for the 42”(1067mm)-wide sliding door.

To Order, Specify:

1) Product number, including:

1 Insert Option:

- G** Clear (SG-1C)
- X** Frosted (SK-1E)

2 Handedness Option:

- R** Right
- L** Left


3 Locking Option:

- N** Non-Locking
- L** Locking, add **\$637.93** list

2) Trim color.

Nominal Height	Nominal Width	Number 1 2 3	Clear Trim A	Trim B	Frosted Trim A	Trim B
64”(1626mm)	36”(914mm)	VUZF-6436-■ ■ ■ E	\$4671.99	\$4696.11	\$5224.73	\$5248.85
	42”(1067mm)	VUZF-6442-■ ■ ■ E	4952.02	4977.86	5737.40	5763.24
72”(1829mm)	36”(914mm)	VUZF-7236-■ ■ ■ E	\$4784.31	\$4835.95	\$5420.41	\$5472.05
	42”(1067mm)	VUZF-7242-■ ■ ■ E	5064.34	5117.70	5933.08	5986.44
80”(2032mm)	36”(914mm)	VUZF-8036-■ ■ ■ E	\$4896.63	\$4975.79	\$5616.09	\$5695.25
	42”(1067mm)	VUZF-8042-■ ■ ■ E	5176.66	5257.54	6128.76	6209.64

Filler Post — Sliding Door



VEZP

Feature

- Includes painted filler post with square painted top cap and attachment hardware.

Specification Tips

- Filler post is required for certain Sliding Door applications. Refer to Specification Guide.
- Specify filler post to match panel height in all applications.
- Filler post is only available with UniGroup Too square profile trim.


To Order, Specify:

- 1) Product number.
- 2) Trim color for filler post.
- 3) Trim color for top cap.


Nominal Height	Number	Trim A	B
64”(1626mm)	VEZP-6400-P	\$818.32	\$855.41
72”(1829mm)	VEZP-7200-P	865.42	902.51
80”(2032mm)	VEZP-8000-P	928.22	965.31

Swing Door
UniGroup Too

	Actual Height	Width	Number ①	Laminate A		Laminate B	
				Trim A	Trim B	Trim A	Trim B
Single Door — Laminate	80"(2032mm)	36"(914mm)	E2DS-3678-B L	\$4472.95	\$4580.59	\$4598.51	\$4706.15
		42"(1067mm)	E2DS-4278-B L	4732.99	4840.63	4858.55	4966.19



E2DS



(Left-hand swing)

Features

- Includes complete panel assembly [hinge sets, carpet gripper, door jamb, side trim rails, leveling glides and trim, hollow core door (1.625"(41mm) thick), door hinges, hardware, brushed chrome knobs or ADA lever with lockset and keys, and threshold].
- Door shipped with left-hand swing and can be field-changed for right-hand swing.
- Both sides of door covered in same laminate surface color.
- No power/communications in base raceway.

Specification Tips

- Door may be placed a maximum of 24"(610mm) from supporting panels at 90°.
- Will not accept add-on panel.

Door Opening Clearance

Door Size	Height	Width
3678	78"(1981mm)	28.75"(730mm)
4278	78"(1981mm)	34.75"(883mm)

To Order, Specify:

- 1) Product number, including:

① Handle Designation:

- K** Knob
- H** ADA Lever, add \$343.02 list

- 2) Laminate surface color.
3) Trim color for raceway covers and glide housings.
4) Trim color for door jamb, top cap and side trim rails.


NOTES:


Some building codes may restrict the use of panel heights greater than 69 "(1753mm). Consult your local code authority to assure that the furniture layout is compliant prior to installation.


Most building codes for new buildings require a minimum clear door width of 32 "(813mm). To meet this requirement, the 42 "(1067mm) door must be ordered.

Panel Accessories

UniGroup Too


	Actual Height	Number	Trim A	B
90° Full-Height Finish Post — Square Painted Top Cap 	32"(813mm)	E2PC-30	\$134.88	\$151.40
	40"(1016mm)	E2PC-38	148.80	168.36
	48"(1219mm)	E2PC-46	162.72	185.32
	56"(1422mm)	E2PC-54	176.64	202.28
	64"(1626mm)	E2PC-62	190.56	219.24
	72"(1829mm)	E2PC-70	204.48	236.20
	80"(2032mm)	E2PC-78	218.40	253.16
Feature Includes 90° vertical cover, square painted top cap and base raceway cover.				
Specification Tips - For use with equal height panels in a 90°, 2-Way condition. - For use with UniGroup Too square painted top cap panels. - Required by UL for covering base raceway flexible and Straight power connectors when power connector covers are not used.				
To Order, Specify: - Product number. - Paint color for finish post. - Trim color for raceway cover. - Trim color for top cap.			Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.	

	Actual Height	Number	Trim A	B
90° Variable-Height Finish Post — Square Painted Top Cap 	32"(813mm)	E2PC-30-V	\$160.53	\$177.05
	40"(1016mm)	E2PC-38-V	174.45	194.01
	48"(1219mm)	E2PC-46-V	188.37	210.97
	56"(1422mm)	E2PC-54-V	202.29	227.93
	64"(1626mm)	E2PC-62-V	216.21	244.89
	72"(1829mm)	E2PC-70-V	230.13	261.85
Feature Includes 90° vertical cover, square painted top cap and base raceway cover.				
Specification Tips - For use with multiple height panels in a 90°, 2-Way condition; specify height to match lowest panel height. - For use with UniGroup Too square painted top cap panels. - Required by UL for covering base raceway power connectors when power connector covers are not used.				
To Order, Specify: - Product number. - Paint color for finish post. - Trim color for raceway cover. - Trim color for top cap.				

	Height	Number	Trim A	B
90° Power Connector Cover — Square Profile 	4"(102mm)	E2PC-90-B	\$105.54	\$132.39
Features - Includes six covers. - For use with UniGroup Too square painted top cap panels. - Required by UL for covering power connector 90° panel condition when finish post is not used.				
To Order, Specify: - Product number. - Trim color.				

Panel Accessories

UniGroup Too

	Actual Height	Number	Trim A	B
120° Full-Height Finish Post — Square Painted Top Cap 	32"(813mm)	E2PA-30	\$150.92	\$163.91
	40"(1016mm)	E2PA-38	162.20	178.31
	48"(1219mm)	E2PA-46	173.48	192.71
	56"(1422mm)	E2PA-54	184.76	207.11
	64"(1626mm)	E2PA-62	196.04	221.51
	72"(1829mm)	E2PA-70	207.32	235.91
	80"(2032mm)	E2PA-78	218.60	250.31

Feature

- Includes 120° vertical cover, square painted top cap and base raceway cover.

Specification Tips


- For use with equal height panels in a 120°, 2-Way condition.
- For use with UniGroup Too square top cap panels.
- Required by UL for covering base raceway power connectors when power connector covers are not used.

To Order, Specify:

- Product number.
- Paint color for finish post.
- Trim color for raceway cover.
- Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

E2PA

120° Variable-Height Finish Post — Square Painted Top Cap

E2PA-V

	Actual Height	Number	Trim A	B
120° Variable-Height Finish Post — Square Painted Top Cap	32"(813mm)	E2PA-30-V	\$176.37	\$189.36
	40"(1016mm)	E2PA-38-V	187.65	203.76
	48"(1219mm)	E2PA-46-V	198.93	218.16
	56"(1422mm)	E2PA-54-V	210.21	232.56
	64"(1626mm)	E2PA-62-V	221.49	246.96
	72"(1829mm)	E2PA-70-V	232.77	261.36

Feature

- Includes 120° vertical cover, square painted top cap and base raceway cover.


Specification Tips

- For use with multiple height panels in a 120°, 2-Way condition; specify height to match lowest panel height.
- For use with UniGroup Too square painted top cap panels.
- Required by UL for covering base raceway power connectors when power connector covers are not used.

To Order, Specify:

- Product number.
- Paint color for finish post.
- Trim color for raceway cover.
- Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

120° Power Connector Cover

E2PC-120-B

Height	Number	Trim A	B
4"(102mm)	E2PC-120-B	\$105.54	\$132.39

Features

- Includes six covers.
- For use with UniGroup Too square painted top cap panels.
- Required by UL for covering power connector 120° panel condition when finish post is not used.

To Order, Specify:

- Product number.
- Trim color.



Specification Tip

- Can also be used with UniGroup and PLACES.

Panel Accessories


UniGroup Too

	Actual Height	Number	Trim A	B
180° Full-Height Finish Post — Square Painted Top Cap 	32"(813mm)	E2PS-30	\$108.27	\$124.87
	40"(1016mm)	E2PS-38	121.07	140.87
	48"(1219mm)	E2PS-46	133.87	156.87
	56"(1422mm)	E2PS-54	146.67	172.87
	64"(1626mm)	E2PS-62	159.47	188.87
	72"(1829mm)	E2PS-70	172.27	204.87
	80"(2032mm)	E2PS-78	185.07	220.87
Feature Includes 180° vertical cover, square painted top cap and base raceway cover.				
Specification Tips - For use with equal height panels in a 180°, 3-Way condition. - For use with panels with UniGroup Too square painted top cap. - Required by UL for covering base raceway power connectors when power connector covers are not used.				
			To Order, Specify: - Product number: - Paint color for finish post. - Trim color for raceway cover. - Trim color for top cap. Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.	


	Actual Height	Number	Trim A	B
180° Variable-Height Finish Post — Square Painted Top Cap    	32"(813mm)	E2PS-30-V1	\$133.72	\$150.32
		E2PS-30-V2I	133.72	150.32
		E2PS-30-V2L	133.72	150.32
	40"(1016mm)	E2PS-38-V1	\$146.52	\$166.32
		E2PS-38-V2I	146.52	166.32
		E2PS-38-V2L	146.52	166.32
	48"(1219mm)	E2PS-46-V1	\$159.32	\$182.32
		E2PS-46-V2I	159.32	182.32
		E2PS-46-V2L	159.32	182.32
	56"(1422mm)	E2PS-54-V1	\$172.12	\$198.32
		E2PS-54-V2I	172.12	198.32
		E2PS-54-V2L	172.12	198.32
	64"(1626mm)	E2PS-62-V1	\$184.92	\$214.32
		E2PS-62-V2I	184.92	214.32
		E2PS-62-V2L	184.92	214.32
	72"(1829mm)	E2PS-70-V1	\$197.72	\$230.32
		E2PS-70-V2I	197.72	230.32
		E2PS-70-V2L	197.72	230.32
	80"(2032mm)	E2PS-78-V2I	\$210.52	\$246.32
Features - Includes 180° vertical cover, square painted top cap and base raceway cover. - Includes top cap with one or two alignment tabs; specify accordingly.				
Specification Tips - For use with multiple height panels in a 180°, 3-Way condition; specify height to match lowest panel height. - Product specification must reflect number of top cap alignment tabs for lowest like panel heights in an "I" or "L" condition; see Product Application Guidelines for details. - Top cap alignment tabs are for dedicated applications and are not field removable; -V1, -V2I, -V2L. - For use with panels with UniGroup Too square painted top cap. - Required by UL for covering base raceway power connectors when power connector covers are not used.				
			To Order, Specify: - Product number: - Paint color for finish post. - Trim color for raceway cover. - Trim color for top cap. Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.	

Panel Accessories

UniGroup Too

	Height	Number	Price
180° Power Connector Cover	4"(102mm)	PCC-180-B	\$118.35
	Features - Includes six covers. - For use with UniGroup Too square painted top cap panels. - Required by UL for covering power connector 180° panel condition when finish post is not used.		
	To Order, Specify: - Product number. - Trim color.		
	Specification Tip Can also be used with UniGroup and PLACES.		

PPC-180-B
Class AA


180° Vertical Cover only, (no top cap or base raceway cover)	Actual Height	Number	Trim A	B
	8"(203mm)	E2PS-08-N	\$ 42.48	\$ 68.36
	16"(406mm)	E2PS-16-N	55.60	81.48
	24"(610mm)	E2PS-24-N	68.72	94.60
	32"(813mm)	E2PS-32-N	81.84	107.72
	40"(1016mm)	E2PS-40-N	94.96	120.84
	48"(1219mm)	E2PS-48-N	108.08	133.96
Feature Includes 180° vertical cover only.				
To Order, Specify: - Product number. - Paint color for finish post.				
Specification Tips - For use with separately specified 180° finish post or 90° top cap. - See Specification Guide for details.				

E2PS-N
Class AC

Panel Accessories

UniGroup Too

	Number	Trim A	B
90° Square Painted Top Cap for 2-Way, 3-Way, 4-Way	E2CC-90-1	\$80.61	\$109.40
	E2CC-90-2I	80.61	109.40
	E2CC-90-2L	80.61	109.40
	E2CC-90-3	80.61	109.40
	E2CC-90-4	80.61	109.40




E2CC-90


- Features**
- Includes square painted top cap for 90° or 180° panel intersection.
 - Includes one, two, three, or four alignment tabs; specify accordingly.

- To Order, Specify:**
- 1) Product number.
 - 2) Trim color.

- Specification Tips**
- Typically used with separately specified 180° Vertical Cover unless used in a 4-way condition with equal height panels.
 - Product specification must reflect number of top cap alignment tabs for like panel heights in an “I”, “L”, “T”, or “X” condition.
 - See Product Specification Guide for details.
 - Top cap alignment tabs are for dedicated applications and are not field removable.



120° Square Painted Top Cap for 2-Way or 3-Way	E2CA-120-1	\$102.38	\$132.74
	E2CA-120-2	102.38	132.74
	E2CA-120-3	102.38	132.74




E2CA-120

- Features**
- Includes square painted top cap for 120° panel intersection.
 - Includes one, two or three alignment tabs; specify accordingly.



- To Order, Specify:**
- 1) Product number.
 - 2) Trim color.

- Specification Tips**
- Product specification must reflect number of top cap alignment tabs for like panel heights in 120° 2-Way or 3-Way condition.
 - For use in 120° 3-Way condition with equal height panels; specify (-3) option.
 - For use in 120° 3-way condition with one high and two equal height lower panels; specify (-2) option.
 - See Product Specification Guide for details.
 - Top cap alignment tabs are for dedicated applications and are not field removable.
 - Not for use with the 180° Vertical Cover.



Panel Accessories


UniGroup Too

	Number	Trim A	B
UniGroup Too Top Cap Aligner	E2AL-1	\$44.13	\$70.98
 E2AL-1 Class AC	Features - Includes one top cap aligner. - For use with UniGroup Too square painted top cap in an in-line panel condition. - Top cap alignment tabs are for dedicated applications and not field removable. Note: One top cap aligner is included with each panel.	To Order, Specify: - Product number. - Trim color.	
UniGroup Too Top Cap End Plug	E2EC-1	\$33.30	\$46.99
 E2EC-1 Class AC	Features - Includes one top cap end plug. - For use with UniGroup Too square top cap panels. - Additional top cap end plugs may be needed if finish posts are not specified. Note: .6 top cap end plugs are included with each panel. Order additional as necessary.	To Order, Specify: - Product number. - Trim color.	
Base Raceway End Cap	4"(102mm) EC-10-B	\$64.14	\$72.97
 EC-10-B Class AA	Features - Includes ten end caps. - For use at base raceway for end-of-run panel condition. Note: .6 end caps included with every panel. Order additional as necessary.	To Order, Specify: - Product number. - Trim color.	

Panel Accessories

UniGroup Too

	Height	Base Panel Height/ Add-On Panel	Number	Trim A	B
Full Height Side Trim Rail — for use with Add-On Panels	48"(1219mm)	32"(813mm)/16"(406mm)	SREH-3016	\$158.93	\$201.43
	56"(1422mm)	40"(1016mm)/16"(406mm)	SREH-3816	167.33	225.27
	64"(1626mm)	48"(1219mm)/16"(406mm)	SREH-4616	175.73	249.11
	72"(1829mm)	56"(1422mm)/16"(406mm)	SREH-5416	184.13	272.95
	80"(2032mm)	64"(1626mm)/16"(406mm)	SREH-6216	192.53	296.79
Feature Includes one full height side trim rail.			To Order, Specify: 1) Product number. 2) Trim color.		
Specification Tips - For use with base panel and one add-on panel. - For two high add-on panel applications specify separately full-height side trim rail for base panel and one high add-on, for two high panel location use side trim rail that ships with add-on panel. See Specification Guide for application guidelines.					



SREH

	Panel Height	Number	Trim A	B
Side Trim Rail	32"(813mm)	SRE-30	\$119.04	\$130.66
	40"(1016mm)	SRE-38	127.44	154.50
	48"(1219mm)	SRE-46	135.84	178.34
	56"(1422mm)	SRE-54	144.24	202.18
	64"(1626mm)	SRE-62	152.64	226.02
	72"(1829mm)	SRE-70	161.04	249.86
	80"(2032mm)	SRE-78	169.44	273.70
Feature Includes one side trim rail.		To Order, Specify: 1) Product number. 2) Trim color.		
Specification Tips - Specify two side trim rails for each condition. - Two side trim rails are included with each panel. Order as replacement only. - For use with UniGroup Too panels only.				




SRE

Panel Accessories

UniGroup Too

	Panel Height	Number	Price
Hinges	32"(813mm)	HE-30	\$20.99
	40"(1016mm)	HE-38	21.48
	48"(1219mm)	HE-46	21.97
	56"(1422mm)	HE-54	22.95
	64"(1626mm)	HE-62	23.44
	72"(1829mm)	HE-70	23.93
	80"(2032mm)	HE-78	24.91



HE

Features


- Includes one hinge set for one side of trim rail.
- One hinge set connects every two panels for angular connections.
- Two hinge sets are used for straight-line conditions.
- For replacement only. Hinges are included with panels.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tip

- For use with UniGroup Too panels only.

Wall Track

WT

Height	Depth	Width	Number	Trim A	B
60"(1524mm)	0.75"(19mm)	0.625"(16mm)	WT-60	\$233.74	\$245.38
72"(1829mm)			WT-72	274.42	286.06
84"(2134mm)			WT-84	315.10	326.74

Features

- Includes two wall tracks and attachment screws (#10 2.5"(51mm) long).
- For attachment of components to structural walls.
- See installation instructions for proper mounting.

To Order, Specify:

- 1) Product number.
- 2) Trim color for track.

Specification Tip

- Not for use with up-mount overhead storage unit.

Wall Mount Kit

WMK

Height	Number	Trim A	B
32"(813mm)	WMK-32	\$118.81	\$122.72
40"(1016mm)	WMK-38	146.18	150.09
48"(1219mm)	WMK-46	177.46	181.37
56"(1422mm)	WMK-54	204.83	208.74
64"(1626mm)	WMK-62	236.11	240.02
72"(1829mm)	WMK-70	267.39	271.30
80"(2032mm)	WMK-78	302.58	306.49

Features

- Includes wall-mount channel, hinges and screws.
- For mounting panels, with or without add-on panel, to a structural wall.
- Adds 0.25"(6mm) to the panel width.

To Order, Specify:


- 1) Product number.
- 2) Trim color.

Specification Tip

- Must be properly anchored to a structural wall.

Panel Accessories

UniGroup Too

	Height	Number	Trim A	B
T-Mount Kits 	32"(813mm)	E2TK-30	\$157.07	\$159.01
	40"(1016mm)	E2TK-38	174.91	178.37
	48"(1219mm)	E2TK-46	192.75	197.73
	56"(1422mm)	E2TK-54	210.59	217.09
	64"(1626mm)	E2TK-62	228.43	236.45
	72"(1829mm)	E2TK-70	246.27	255.81
	80"(2032mm)	E2TK-78	264.11	275.17

E2TK
Class AC

Features

- Includes pre-drilled side rail, center-mount brackets, end-mount brackets, light block extrusions, glide housing, and screws.
- Brackets included for both center- and end-mount T-conditions.
- Connects two panels in a T-condition. T-mount can attach to a base panel and one fabric add-on panel. Configuration coming off of a T-mount cannot contain add-on panels.


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tips

- Both panels in a T-mount condition must be of equal height.
- Cannot mount on glazed panels, glazed add-on panels or doors.
- Must be used with UniGroup Too panels only.

All-Purpose Hook



E2CH-8
Class AC

	Number	Trim A	B
	E2CH-8	\$166.40	\$195.74


Features

- Includes eight hooks.
- For use with UniGroup Too square painted top cap panels.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Seismic Anchoring Bracket



HAB
Class AC

	Number	Price
	HAB-0001	\$333.05

Features

- Includes package of six formed steel brackets.
- For seismic anchoring of UniGroup Too, UniGroup and PLACES panels.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Friction Pad



7031-0501
Class BA

	7031-0501	\$18.94
--	-----------	---------

Feature

- Includes one pad.

Specification Tip

- Attaches to bottom of glide to prevent movement of panels on hard surface flooring.

To Order, Specify:


- 1) Product number.
(No finish specification required.)

This page intentionally blank

Monolithic Panel with Steel Top Cap — No Power

UniGroup

Fabric



EFN-B (Non-Powered)

NOTE:
This panel has fabric/colorway restrictions,
see Systems Fabric/ Color Legend.

- NOTES:**
- Non-powered panels ship without receptacle ports in the base raceway cover.
 - Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
 - For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.

- Features**
- Includes non-powered panel assembly, radius steel top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper. .6 base raceway end caps are shipped with each panel. Order additional as necessary.
 - Acoustical panel surfaces; fabric surface over 0.5”(13mm) thick fiber board.
 - Panel surfaces may have the same fabric on both sides or a different fabric on each side.
 - Panel thickness is 2”(51mm).
 - Base raceway is 4”(102mm) high.
 - Shipped with unassembled top cap, base raceway cover and side trim rails.

- Specification Tips**
- Panels will accept add-on panels up to a combined height of 82”(2083mm). For aesthetic consistency, specify UniGroup add-on panels.
 - Raceway cover must be separately specified for option -BE (no raceway cover).
 - Additional base raceway cover end caps will need to be specified if finish posts are not ordered.

- To Order, Specify:**
- 1) Product number, including:
- ① Options:**
- B** With Raceway Cover
 - BE** Without Raceway Cover, deduct **\$119.67** list
- 2) Fabric/colorway for panel side one.
- 3) Fabric/colorway for panel side two.
- 4) Trim color for raceway cover, glide housings and end caps.
- 5) Trim color for top cap and side trim rails.
- Note:** Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

Monolithic Panel with Steel Top Cap — No Power


UniGroup

Fabric	Actual Height	Width	Number ^①	Fabric Grade					
				A	B	C	E	F	G
30"(762mm)	12"(305mm)		EFN-128-	\$1034.62	\$1083.40	\$1137.08	\$1254.12	\$1332.14	\$1380.94
	18"(457mm)		EFN-1828-	1171.96	1237.06	1308.98	1465.26	1569.68	1635.16
	24"(610mm)		EFN-228-	1309.30	1390.72	1480.88	1676.40	1807.22	1889.38
	30"(762mm)		EFN-3028-	1446.64	1544.38	1652.78	1887.54	2044.76	2143.60
	36"(914mm)		EFN-328-	1583.98	1698.04	1824.68	2098.68	2282.30	2397.82
	42"(1067mm)		EFN-4228-	1721.32	1851.70	1996.58	2309.82	2519.84	2652.04
	48"(1219mm)		EFN-428-	1858.66	2005.36	2168.48	2520.96	2757.38	2906.26
	54"(1372mm)		EFN-5428-	1996.00	2159.02	2340.38	2732.10	2994.92	3160.48
	60"(1524mm)		EFN-528-	2133.34	2312.68	2512.28	2943.24	3232.46	3414.70
	37"(940mm)	12"(305mm)	EFN-135-	\$1108.68	\$1168.10	\$1233.26	\$1375.36	\$1470.18	\$1529.20
37"(940mm)	18"(457mm)		EFN-1835-	1246.02	1321.76	1405.16	1586.50	1707.72	1783.42
	24"(610mm)		EFN-235-	1383.36	1475.42	1577.06	1797.64	1945.26	2037.64
	30"(762mm)		EFN-3035-	1520.70	1629.08	1748.96	2008.78	2182.80	2291.86
	36"(914mm)		EFN-335-	1658.04	1782.74	1920.86	2219.92	2420.34	2546.08
	42"(1067mm)		EFN-4235-	1795.38	1936.40	2092.76	2431.06	2657.88	2800.30
	48"(1219mm)		EFN-435-	1932.72	2090.06	2264.66	2642.20	2895.42	3054.52
	54"(1372mm)		EFN-5435-	2070.06	2243.72	2436.56	2853.34	3132.96	3308.74
	60"(1524mm)		EFN-535-	2207.40	2397.38	2608.46	3064.48	3370.50	3562.96
	44"(1118mm)	12"(305mm)	EFN-142-	\$1182.74	\$1252.80	\$1329.44	\$1496.60	\$1608.22	\$1677.46
	18"(457mm)		EFN-1842-	1320.08	1406.46	1501.34	1707.74	1845.76	1931.68
44"(1118mm)	24"(610mm)		EFN-242-	1457.42	1560.12	1673.24	1918.88	2083.30	2185.90
	30"(762mm)		EFN-3042-	1594.76	1713.78	1845.14	2130.02	2320.84	2440.12
	36"(914mm)		EFN-342-	1732.10	1867.44	2017.04	2341.16	2558.38	2694.34
	42"(1067mm)		EFN-4242-	1869.44	2021.10	2188.94	2552.30	2795.92	2948.56
	48"(1219mm)		EFN-442-	2006.78	2174.76	2360.84	2763.44	3033.46	3202.78
	54"(1372mm)		EFN-5442-	2144.12	2328.42	2532.74	2974.58	3271.00	3457.00
	60"(1524mm)		EFN-542-	2281.46	2482.08	2704.64	3185.72	3508.54	3711.22
	50"(1270mm)	12"(305mm)	EFN-148-	\$1246.22	\$1325.40	\$1411.88	\$1600.52	\$1726.54	\$1804.54
	18"(457mm)		EFN-1848-	1383.56	1479.06	1583.78	1811.66	1964.08	2058.76
	24"(610mm)		EFN-248-	1520.90	1632.72	1755.68	2022.80	2201.62	2312.98
50"(1270mm)	30"(762mm)		EFN-3048-	1658.24	1786.38	1927.58	2233.94	2439.16	2567.20
	36"(914mm)		EFN-348-	1795.58	1940.04	2099.48	2445.08	2676.70	2821.42
	42"(1067mm)		EFN-4248-	1932.92	2093.70	2271.38	2656.22	2914.24	3075.64
	48"(1219mm)		EFN-448-	2070.26	2247.36	2443.28	2867.36	3151.78	3329.86
	54"(1372mm)		EFN-5448-	2207.60	2401.02	2615.18	3078.50	3389.32	3584.08
	60"(1524mm)		EFN-548-	2344.94	2554.68	2787.08	3289.64	3626.86	3838.30
	56"(1422mm)	12"(305mm)	EFN-154-	\$1309.70	\$1398.00	\$1494.32	\$1704.44	\$1844.86	\$1931.62
	18"(457mm)		EFN-1854-	1447.04	1551.66	1666.22	1915.58	2082.40	2185.84
	24"(610mm)		EFN-254-	1584.38	1705.32	1838.12	2126.72	2319.94	2440.06
	30"(762mm)		EFN-3054-	1721.72	1858.98	2010.02	2337.86	2557.48	2694.28
56"(1422mm)	36"(914mm)		EFN-354-	1859.06	2012.64	2181.92	2549.00	2795.02	2948.50
	42"(1067mm)		EFN-4254-	1996.40	2166.30	2353.82	2760.14	3032.56	3202.72
	48"(1219mm)		EFN-454-	2133.74	2319.96	2525.72	2971.28	3270.10	3456.94
	54"(1372mm)		EFN-5454-	2271.08	2473.62	2697.62	3182.42	3507.64	3711.16
	60"(1524mm)		EFN-554-	2408.42	2627.28	2869.52	3393.56	3745.18	3965.38
	64"(1626mm)	12"(305mm)	EFN-162-	\$1394.34	\$1494.80	\$1604.24	\$1843.00	\$2002.62	\$2101.06
	18"(457mm)		EFN-1862-	1531.68	1648.46	1776.14	2054.14	2240.16	2355.28
	24"(610mm)		EFN-262-	1669.02	1802.12	1948.04	2265.28	2477.70	2609.50
	30"(762mm)		EFN-3062-	1806.36	1955.78	2119.94	2476.42	2715.24	2863.72
	36"(914mm)		EFN-362-	1943.70	2109.44	2291.84	2687.56	2952.78	3117.94
64"(1626mm)	42"(1067mm)		EFN-4262-	2081.04	2263.10	2463.74	2898.70	3190.32	3372.16
	48"(1219mm)		EFN-462-	2218.38	2416.76	2635.64	3109.84	3427.86	3626.38
	54"(1372mm)		EFN-5462-	2355.72	2570.42	2807.54	3320.98	3665.40	3880.60
	60"(1524mm)		EFN-562-	2493.06	2724.08	2979.44	3532.12	3902.94	4134.82
	68"(1727mm)	12"(305mm)	EFN-166-	\$1436.66	\$1543.20	\$1659.20	\$1912.28	\$2081.50	\$2185.78
	18"(457mm)		EFN-1866-	1574.00	1696.86	1831.10	2123.42	2319.04	2440.00
	24"(610mm)		EFN-266-	1711.34	1850.52	2003.00	2334.56	2556.58	2694.22
	30"(762mm)		EFN-3066-	1848.68	2004.18	2174.90	2545.70	2794.12	2948.44
	36"(914mm)		EFN-366-	1986.02	2157.84	2346.80	2756.84	3031.66	3202.66
	42"(1067mm)		EFN-4266-	2123.36	2311.50	2518.70	2967.98	3269.20	3456.88
68"(1727mm)	48"(1219mm)		EFN-466-	2260.70	2465.16	2690.60	3179.12	3506.74	3711.10
	54"(1372mm)		EFN-5466-	2398.04	2618.82	2862.50	3390.26	3744.28	3965.32
	60"(1524mm)		EFN-566-	2535.38	2772.48	3034.40	3601.40	3981.82	4219.54
	82"(2083mm)	12"(305mm)	EFN-180-	\$1608.84	\$1736.66	\$1875.62	\$2178.82	\$2381.64	\$2506.36
	18"(457mm)		EFN-1880-	1827.90	1972.04	2129.24	2471.68	2700.90	2842.30
	24"(610mm)		EFN-280-	2046.96	2207.42	2382.86	2764.54	3020.16	3178.24
	30"(762mm)		EFN-3080-	2266.02	2442.80	2636.48	3057.40	3339.42	3514.18
	36"(914mm)		EFN-380-	2485.08	2678.18	2890.10	3350.26	3658.68	3850.12
	42"(1067mm)		EFN-4280-	2704.14	2913.56	3143.72	3643.12	3977.94	4186.06
	48"(1219mm)		EFN-480-	2923.20	3148.94	3397.34	3935.98	4297.20	4522.00
82"(2083mm)	54"(1372mm)		EFN-5480-	3142.26	3384.32	3650.96	4228.84	4616.46	4857.94
	60"(1524mm)		EFN-580-	3361.32	3619.70	3904.58	4521.70	4935.72	5193.88

Monolithic Panel with Steel Top Cap — Powered

UniGroup

Fabric



EFP-B (3-circuit)



NOTE:
This panel has fabric/colorway restrictions,
see Systems Fabric/ Color Legend.

Features

- Includes powered panel assembly, radius steel top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s). .6 base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical panel surfaces; fabric surface over 0.5”(13mm) thick fiber board.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2”(51mm).
- Base raceway is 4”(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept add-on panels up to a combined height of 82”(2083mm). For aesthetic consistency, specify UniGroup add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -BE or BYE (no raceway cover).
- Additional base raceway cover end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

- 1) Product number, including:

1 3-Circuit

- B** With Raceway Cover
- BE** Without Raceway Cover, deduct **\$119.67** list
- BY** NYC with Raceway Cover, add **\$80.16** list
- BYE** NYC without Raceway Cover, deduct **\$39.51** list

- 2) Fabric/colorway for panel side one.
3) Fabric/colorway for panel side two.
4) Trim color for raceway cover, glide housings and end caps.
5) Trim color for top cap and side trim rails.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35”(60mm) top-to-bottom and 2.88”(73mm) side-to-side.
- Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.
- New York City (NYC) electrical applications require field installation of PDA.
- New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth eParts.
- Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Monolithic Panel with Steel Top Cap — Powered


UniGroup

Fabric	Actual Height	Width	Number ^①	Fabric Grade					
				A	B	C	E	F	G
30"(762mm)	12"(305mm)		EFF-128-	\$1389.13	\$1437.91	\$1491.59	\$1608.63	\$1686.65	\$1735.45
	18"(457mm)		EFF-1828-	1541.86	1606.96	1678.88	1835.16	1939.58	2005.06
	24"(610mm)		EFF-228-	1679.20	1760.62	1850.78	2046.30	2177.12	2259.28
	30"(762mm)		EFF-3028-	1816.54	1914.28	2022.68	2257.44	2414.66	2513.50
	36"(914mm)		EFF-328-	1953.88	2067.94	2194.58	2468.58	2652.20	2767.72
	42"(1067mm)		EFF-4228-	2091.22	2221.60	2366.48	2679.72	2889.74	3021.94
	48"(1219mm)		EFF-428-	2228.56	2375.26	2538.38	2890.86	3127.28	3276.16
	54"(1372mm)		EFF-5428-	2365.90	2528.92	2710.28	3102.00	3364.82	3530.38
	60"(1524mm)		EFF-528-	2503.24	2682.58	2882.18	3313.14	3602.36	3784.60
	37"(940mm)	12"(305mm)	EFF-135-	\$1463.19	\$1522.61	\$1587.77	\$1729.87	\$1824.69	\$1883.71
37"(940mm)	18"(457mm)		EFF-1835-	1615.92	1691.66	1775.06	1956.40	2077.62	2153.32
	24"(610mm)		EFF-235-	1753.26	1845.32	1946.96	2167.54	2315.16	2407.54
	30"(762mm)		EFF-3035-	1890.60	1998.98	2118.86	2378.68	2552.70	2661.76
	36"(914mm)		EFF-335-	2027.94	2152.64	2290.76	2589.82	2790.24	2915.98
	42"(1067mm)		EFF-4235-	2165.28	2306.30	2462.66	2800.96	3027.78	3170.20
	48"(1219mm)		EFF-435-	2302.62	2459.96	2634.56	3012.10	3265.32	3424.42
	54"(1372mm)		EFF-5435-	2439.96	2613.62	2806.46	3223.24	3502.86	3678.64
	60"(1524mm)		EFF-535-	2577.30	2767.28	2978.36	3434.38	3740.40	3932.86
	44"(1118mm)	12"(305mm)	EFF-142-	\$1537.25	\$1607.31	\$1683.95	\$1851.11	\$1962.73	\$2031.97
	18"(457mm)		EFF-1842-	1689.98	1776.36	1871.24	2077.64	2215.66	2301.58
44"(1118mm)	24"(610mm)		EFF-242-	1827.32	1930.02	2043.14	2288.78	2453.20	2555.80
	30"(762mm)		EFF-3042-	1964.66	2083.68	2215.04	2499.92	2690.74	2810.02
	36"(914mm)		EFF-342-	2102.00	2237.34	2386.94	2711.06	2928.28	3064.24
	42"(1067mm)		EFF-4242-	2239.34	2391.00	2558.84	2922.20	3165.82	3318.46
	48"(1219mm)		EFF-442-	2376.68	2544.66	2730.74	3133.34	3403.36	3572.68
	54"(1372mm)		EFF-5442-	2514.02	2698.32	2902.64	3344.48	3640.90	3826.90
	60"(1524mm)		EFF-542-	2651.36	2851.98	3074.54	3555.62	3878.44	4081.12
	50"(1270mm)	12"(305mm)	EFF-148-	\$1600.73	\$1679.91	\$1766.39	\$1955.03	\$2081.05	\$2159.05
	18"(457mm)		EFF-1848-	1753.46	1848.96	1953.68	2181.56	2333.98	2428.66
	24"(610mm)		EFF-248-	1890.80	2002.62	2125.58	2392.70	2571.52	2682.88
50"(1270mm)	30"(762mm)		EFF-3048-	2028.14	2156.28	2297.48	2603.84	2809.06	2937.10
	36"(914mm)		EFF-348-	2165.48	2309.94	2469.38	2814.98	3046.60	3191.32
	42"(1067mm)		EFF-4248-	2302.82	2463.60	2641.28	3026.12	3284.14	3445.54
	48"(1219mm)		EFF-448-	2440.16	2617.26	2813.18	3237.26	3521.68	3699.76
	54"(1372mm)		EFF-5448-	2577.50	2770.92	2985.08	3448.40	3759.22	3953.98
	60"(1524mm)		EFF-548-	2714.84	2924.58	3156.98	3659.54	3996.76	4208.20
	56"(1422mm)	12"(305mm)	EFF-154-	\$1664.21	\$1752.51	\$1848.83	\$2058.95	\$2199.37	\$2286.13
	18"(457mm)		EFF-1854-	1816.94	1921.56	2036.12	2285.48	2452.30	2555.74
	24"(610mm)		EFF-254-	1954.28	2075.22	2208.02	2496.62	2689.84	2809.96
	30"(762mm)		EFF-3054-	2091.62	2228.88	2379.92	2707.76	2927.38	3064.18
56"(1422mm)	36"(914mm)		EFF-354-	2228.96	2382.54	2551.82	2918.90	3164.92	3318.40
	42"(1067mm)		EFF-4254-	2366.30	2536.20	2723.72	3130.04	3402.46	3572.62
	48"(1219mm)		EFF-454-	2503.64	2689.86	2895.62	3341.18	3640.00	3826.84
	54"(1372mm)		EFF-5454-	2640.98	2843.52	3067.52	3552.32	3877.54	4081.06
	60"(1524mm)		EFF-554-	2778.32	2997.18	3239.42	3763.46	4115.08	4335.28
	64"(1626mm)	12"(305mm)	EFF-162-	\$1748.85	\$1849.31	\$1958.75	\$2197.51	\$2357.13	\$2455.57
	18"(457mm)		EFF-1862-	1901.58	2018.36	2146.04	2424.04	2610.06	2725.18
	24"(610mm)		EFF-262-	2038.92	2172.02	2317.94	2635.18	2847.60	2979.40
	30"(762mm)		EFF-3062-	2176.26	2325.68	2489.84	2846.32	3085.14	3233.62
	36"(914mm)		EFF-362-	2313.60	2479.34	2661.74	3057.46	3322.68	3487.84
64"(1626mm)	42"(1067mm)		EFF-4262-	2450.94	2633.00	2833.64	3268.60	3560.22	3742.06
	48"(1219mm)		EFF-462-	2588.28	2786.66	3005.54	3479.74	3797.76	3996.28
	54"(1372mm)		EFF-5462-	2725.62	2940.32	3177.44	3690.88	4035.30	4250.50
	60"(1524mm)		EFF-562-	2862.96	3093.98	3349.34	3902.02	4272.84	4504.72
	68"(1727mm)	12"(305mm)	EFF-166-	\$1791.17	\$1897.71	\$2013.71	\$2266.79	\$2436.01	\$2540.29
	18"(457mm)		EFF-1866-	1943.90	2066.76	2201.00	2493.32	2688.94	2809.90
	24"(610mm)		EFF-266-	2081.24	2220.42	2372.90	2704.46	2926.48	3064.12
	30"(762mm)		EFF-3066-	2218.58	2374.08	2544.80	2915.60	3164.02	3318.34
	36"(914mm)		EFF-366-	2355.92	2527.74	2716.70	3126.74	3401.56	3572.56
	42"(1067mm)		EFF-4266-	2493.26	2681.40	2888.60	3337.88	3639.10	3826.78
68"(1727mm)	48"(1219mm)		EFF-466-	2630.60	2835.06	3060.50	3549.02	3876.64	4081.00
	54"(1372mm)		EFF-5466-	2767.94	2988.72	3232.40	3760.16	4114.18	4335.22
	60"(1524mm)		EFF-566-	2905.28	3142.38	3404.30	3971.30	4351.72	4589.44
	82"(2083mm)	12"(305mm)	EFF-180-	\$1963.35	\$2091.17	\$2230.13	\$2533.33	\$2736.15	\$2860.87
	18"(457mm)		EFF-1880-	2197.80	2341.94	2499.14	2841.58	3070.80	3212.20
	24"(610mm)		EFF-280-	2416.86	2577.32	2752.76	3134.44	3390.06	3548.14
	30"(762mm)		EFF-3080-	2635.92	2812.70	3006.38	3427.30	3709.32	3884.08
	36"(914mm)		EFF-380-	2854.98	3048.08	3260.00	3720.16	4028.58	4220.02
	42"(1067mm)		EFF-4280-	3074.04	3283.46	3513.62	4013.02	4347.84	4555.96
	48"(1219mm)		EFF-480-	3293.10	3518.84	3767.24	4305.88	4667.10	4891.90
82"(2083mm)	54"(1372mm)		EFF-5480-	3512.16	3754.22	4020.86	4598.74	4986.36	5227.84
	60"(1524mm)		EFF-580-	3731.22	3989.60	4274.48	4891.60	5305.62	5563.78

Basic Monolithic Panel with Steel Top Cap — No Power

UniGroup

Fabric



EMN-B (Non-Powered)

NOTE:
This panel has fabric/colorway restrictions,
see Systems Fabric/ Color Legend.

- NOTES:
- Non-powered panels ship without receptacle ports in the base raceway cover.
 - Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
 - For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
 - For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

- Features
- Includes non-powered panel assembly, radius steel top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper. .6 base raceway end caps are shipped with each panel. Order additional as necessary.
 - Acoustical panel surfaces; fabric surface over 0.25”(6mm) thick fiber board.
 - Panel surfaces may have the same fabric on both sides or a different fabric on each side.
 - Panel thickness is 2”(51mm).
 - Shipped with unassembled top cap, base raceway cover and side trim rails.

- Specification Tips
- Panels will accept add-on panels up to a combined height of 82”(2083mm). For aesthetic consistency, specify UniGroup add-on panels.
 - Raceway cover must be separately specified for option -BE (no raceway cover).
 - Additional base raceway cover end caps will need to be specified if finish posts are not ordered.

- To Order, Specify:
- 1) Product number, including:
- ❶ Options:
- B** With Raceway Cover
 - BE** Without Raceway Cover, deduct \$119.67 list
- 2) Fabric/colorway for panel side one.
- 3) Fabric/colorway for panel side two.
- 4) Trim color for raceway cover, glide housings and end caps.
- 5) Trim color for top cap and side trim rails.
- Note:** Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

Basic Monolithic Panel with Steel Top Cap — No Power


UniGroup

Fabric	Actual Height	Width	Number ①	Fabric Grade					
				A	B	C	E	F	G
30"(762mm)	12"(305mm)	EMN-128-		\$ 850.25	\$ 899.03	\$ 952.71	\$1069.75	\$1147.77	\$1196.57
	18"(457mm)	EMN-1828-		958.73	1023.83	1095.75	1252.03	1356.45	1421.93
	24"(610mm)	EMN-228-		1067.21	1148.63	1238.79	1434.31	1565.13	1647.29
	30"(762mm)	EMN-3028-		1175.69	1273.43	1381.83	1616.59	1773.81	1872.65
	36"(914mm)	EMN-328-		1284.17	1398.23	1524.87	1798.87	1982.49	2098.01
	42"(1067mm)	EMN-4228-		1392.65	1523.03	1667.91	1981.15	2191.17	2323.37
	48"(1219mm)	EMN-428-		1501.13	1647.83	1810.95	2163.43	2399.85	2548.73
	54"(1372mm)	EMN-5428-		1609.61	1772.63	1953.99	2345.71	2608.53	2774.09
	60"(1524mm)	EMN-528-		1718.09	1897.43	2097.03	2527.99	2817.21	2999.45
	37"(940mm)	12"(305mm)	EMN-135-	\$ 918.71	\$ 978.13	\$1043.29	\$1185.39	\$1280.21	\$1339.23
37"(940mm)	18"(457mm)	EMN-1835-		1027.19	1102.93	1186.33	1367.67	1488.89	1564.59
	24"(610mm)	EMN-235-		1135.67	1227.73	1329.37	1549.95	1697.57	1789.95
	30"(762mm)	EMN-3035-		1244.15	1352.53	1472.41	1732.23	1906.25	2015.31
	36"(914mm)	EMN-335-		1352.63	1477.33	1615.45	1914.51	2114.93	2240.67
	42"(1067mm)	EMN-4235-		1461.11	1602.13	1758.49	2096.79	2323.61	2466.03
	48"(1219mm)	EMN-435-		1569.59	1726.93	1901.53	2279.07	2532.29	2691.39
	54"(1372mm)	EMN-5435-		1678.07	1851.73	2044.57	2461.35	2740.97	2916.75
	60"(1524mm)	EMN-535-		1786.55	1976.53	2187.61	2643.63	2949.65	3142.11
	44"(1118mm)	12"(305mm)	EMN-142-	\$ 987.17	\$1057.23	\$1133.87	\$1301.03	\$1412.65	\$1481.89
	18"(457mm)	EMN-1842-		1095.65	1182.03	1276.91	1483.31	1621.33	1707.25
44"(1118mm)	24"(610mm)	EMN-242-		1204.13	1306.83	1419.95	1665.59	1830.01	1932.61
	30"(762mm)	EMN-3042-		1312.61	1431.63	1562.99	1847.87	2038.69	2157.97
	36"(914mm)	EMN-342-		1421.09	1556.43	1706.03	2030.15	2247.37	2383.33
	42"(1067mm)	EMN-4242-		1529.57	1681.23	1849.07	2212.43	2456.05	2608.69
	48"(1219mm)	EMN-442-		1638.05	1806.03	1992.11	2394.71	2664.73	2834.05
	54"(1372mm)	EMN-5442-		1746.53	1930.83	2135.15	2576.99	2873.41	3059.41
	60"(1524mm)	EMN-542-		1855.01	2055.63	2278.19	2759.27	3082.09	3284.77
	50"(1270mm)	12"(305mm)	EMN-148-	\$1045.85	\$1125.03	\$1211.51	\$1400.15	\$1526.17	\$1604.17
	18"(457mm)	EMN-1848-		1154.33	1249.83	1354.55	1582.43	1734.85	1829.53
	24"(610mm)	EMN-248-		1262.81	1374.63	1497.59	1764.71	1943.53	2054.89
50"(1270mm)	30"(762mm)	EMN-3048-		1371.29	1499.43	1640.63	1946.99	2152.21	2280.25
	36"(914mm)	EMN-348-		1479.77	1624.23	1783.67	2129.27	2360.89	2505.61
	42"(1067mm)	EMN-4248-		1588.25	1749.03	1926.71	2311.55	2569.57	2730.97
	48"(1219mm)	EMN-448-		1696.73	1873.83	2069.75	2493.83	2778.25	2956.33
	54"(1372mm)	EMN-5448-		1805.21	1998.63	2212.79	2676.11	2986.93	3181.69
	60"(1524mm)	EMN-548-		1913.69	2123.43	2355.83	2858.39	3195.61	3407.05
	56"(1422mm)	12"(305mm)	EMN-154-	\$1104.53	\$1192.83	\$1289.15	\$1499.27	\$1639.69	\$1726.45
	18"(457mm)	EMN-1854-		1213.01	1317.63	1432.19	1681.55	1848.37	1951.81
	24"(610mm)	EMN-254-		1321.49	1442.43	1575.23	1863.83	2057.05	2177.17
	30"(762mm)	EMN-3054-		1429.97	1567.23	1718.27	2046.11	2265.73	2402.53
56"(1422mm)	36"(914mm)	EMN-354-		1538.45	1692.03	1861.31	2228.39	2474.41	2627.89
	42"(1067mm)	EMN-4254-		1646.93	1816.83	2004.35	2410.67	2683.09	2853.25
	48"(1219mm)	EMN-454-		1755.41	1941.63	2147.39	2592.95	2891.77	3078.61
	54"(1372mm)	EMN-5454-		1863.89	2066.43	2290.43	2775.23	3100.45	3303.97
	60"(1524mm)	EMN-554-		1972.37	2191.23	2433.47	2957.51	3309.13	3529.33
	64"(1626mm)	12"(305mm)	EMN-162-	\$1182.77	\$1283.23	\$1392.67	\$1631.43	\$1791.05	\$1889.49
	18"(457mm)	EMN-1862-		1291.25	1408.03	1535.71	1813.71	1999.73	2114.85
	24"(610mm)	EMN-262-		1399.73	1532.83	1678.75	1995.99	2208.41	2340.21
	30"(762mm)	EMN-3062-		1508.21	1657.63	1821.79	2178.27	2417.09	2565.57
	36"(914mm)	EMN-362-		1616.69	1782.43	1964.83	2360.55	2625.77	2790.93
64"(1626mm)	42"(1067mm)	EMN-4262-		1725.17	1907.23	2107.87	2542.83	2834.45	3016.29
	48"(1219mm)	EMN-462-		1833.65	2032.03	2250.91	2725.11	3043.13	3241.65
	54"(1372mm)	EMN-5462-		1942.13	2156.83	2393.95	2907.39	3251.81	3467.01
	60"(1524mm)	EMN-562-		2050.61	2281.63	2536.99	3089.67	3460.49	3692.37
	68"(1727mm)	12"(305mm)	EMN-166-	\$1221.89	\$1328.43	\$1444.43	\$1697.51	\$1866.73	\$1971.01
	18"(457mm)	EMN-1866-		1330.37	1453.23	1587.47	1879.79	2075.41	2196.37
	24"(610mm)	EMN-266-		1438.85	1578.03	1730.51	2062.07	2284.09	2421.73
	30"(762mm)	EMN-3066-		1547.33	1702.83	1873.55	2244.35	2492.77	2647.09
	36"(914mm)	EMN-366-		1655.81	1827.63	2016.59	2426.63	2701.45	2872.45
	42"(1067mm)	EMN-4266-		1764.29	1952.43	2159.63	2608.91	2910.13	3097.81
68"(1727mm)	48"(1219mm)	EMN-466-		1872.77	2077.23	2302.67	2791.19	3118.81	3323.17
	54"(1372mm)	EMN-5466-		1981.25	2202.03	2445.71	2973.47	3327.49	3548.53
	60"(1524mm)	EMN-566-		2089.73	2326.83	2588.75	3155.75	3536.17	3773.89
	82"(2083mm)	12"(305mm)	EMN-180-	\$1382.87	\$1510.69	\$1649.65	\$1952.85	\$2155.67	\$2280.39
	18"(457mm)	EMN-1880-		1573.07	1717.21	1874.41	2216.85	2446.07	2587.47
	24"(610mm)	EMN-280-		1763.27	1923.73	2099.17	2480.85	2736.47	2894.55
	30"(762mm)	EMN-3080-		1953.47	2130.25	2323.93	2744.85	3026.87	3201.63
	36"(914mm)	EMN-380-		2143.67	2336.77	2548.69	3008.85	3317.27	3508.71
	42"(1067mm)	EMN-4280-		2333.87	2543.29	2773.45	3272.85	3607.67	3815.79
	48"(1219mm)	EMN-480-		2524.07	2749.81	2998.21	3536.85	3898.07	4122.87
82"(2083mm)	54"(1372mm)	EMN-5480-		2714.27	2956.33	3222.97	3800.85	4188.47	4429.95
	60"(1524mm)	EMN-580-		2904.47	3162.85	3447.73	4064.85	4478.87	4737.03

Basic Monolithic Panel with Steel Top Cap — Powered

UniGroup

Fabric



EMP-B (3-circuit)



NOTE:
This panel has fabric/colorway restrictions,
see Systems Fabric/ Color Legend.

Features

- Includes powered panel assembly, radius steel top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s). .6 base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical panel surfaces; fabric surface over 0.25”(6mm) thick fiber board.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2”(51mm).
- Base raceway is 4”(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept add-on panels up to a combined height of 82”(2083mm). For aesthetic consistency, specify UniGroup add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -BE or BYE (no raceway cover).
- Additional base raceway cover end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

1) Product number, including:

1 3-Circuit

- B** With Raceway Cover
- BE** Without Raceway Cover, deduct \$119.67 list
- BY** NYC with Raceway Cover, add \$80.16 list
- BYE** NYC without Raceway Cover, deduct \$39.51 list

- 2) Fabric/colorway for panel side one.
- 3) Fabric/colorway for panel side two.
- 4) Trim color for raceway cover, glide housings and end caps.
- 5) Trim color for top cap and side trim rails.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35”(60mm) top-to-bottom and 2.88”(73mm) side-to-side.
- Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.
- New York City (NYC) electrical applications require field installation of PDA.
- New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth eParts.
- Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Basic Monolithic Panel with Steel Top Cap — Powered


UniGroup

Fabric	Actual Height	Width	Number ^①	Fabric Grade					
				A	B	C	E	F	G
30"(762mm)	12"(305mm)	EMP-128-		\$1204.76	\$1253.54	\$1307.22	\$1424.26	\$1502.28	\$1551.08
	18"(457mm)	EMP-1828-		1328.63	1393.73	1465.65	1621.93	1726.35	1791.83
	24"(610mm)	EMP-228-		1437.11	1518.53	1608.69	1804.21	1935.03	2017.19
	30"(762mm)	EMP-3028-		1545.59	1643.33	1751.73	1986.49	2143.71	2242.55
	36"(914mm)	EMP-328-		1654.07	1768.13	1894.77	2168.77	2352.39	2467.91
	42"(1067mm)	EMP-4228-		1762.55	1892.93	2037.81	2351.05	2561.07	2693.27
	48"(1219mm)	EMP-428-		1871.03	2017.73	2180.85	2533.33	2769.75	2918.63
	54"(1372mm)	EMP-5428-		1979.51	2142.53	2323.89	2715.61	2978.43	3143.99
	60"(1524mm)	EMP-528-		2087.99	2267.33	2466.93	2897.89	3187.11	3369.35
	37"(940mm)	EMP-135-		\$1273.22	\$1332.64	\$1397.80	\$1539.90	\$1634.72	\$1693.74
37"(940mm)	12"(305mm)	EMP-1835-		1397.09	1472.83	1556.23	1737.57	1858.79	1934.49
	18"(457mm)	EMP-235-		1505.57	1597.63	1699.27	1919.85	2067.47	2159.85
	24"(610mm)	EMP-3035-		1614.05	1722.43	1842.31	2102.13	2276.15	2385.21
	30"(762mm)	EMP-335-		1722.53	1847.23	1985.35	2284.41	2484.83	2610.57
	36"(914mm)	EMP-4235-		1831.01	1972.03	2128.39	2466.69	2693.51	2835.93
	42"(1067mm)	EMP-435-		1939.49	2096.83	2271.43	2648.97	2902.19	3061.29
	48"(1219mm)	EMP-5435-		2047.97	2221.63	2414.47	2831.25	3110.87	3286.65
	54"(1372mm)	EMP-535-		2156.45	2346.43	2557.51	3013.53	3319.55	3512.01
	60"(1524mm)	EMP-142-		\$1341.68	\$1411.74	\$1488.38	\$1655.54	\$1767.16	\$1836.40
	18"(457mm)	EMP-1842-		1465.55	1551.93	1646.81	1853.21	1991.23	2077.15
44"(1118mm)	24"(610mm)	EMP-242-		1574.03	1676.73	1789.85	2035.49	2199.91	2302.51
	30"(762mm)	EMP-3042-		1682.51	1801.53	1932.89	2217.77	2408.59	2527.87
	36"(914mm)	EMP-342-		1790.99	1926.33	2075.93	2400.05	2617.27	2753.23
	42"(1067mm)	EMP-4242-		1899.47	2051.13	2218.97	2582.33	2825.95	2978.59
	48"(1219mm)	EMP-442-		2007.95	2175.93	2362.01	2764.61	3034.63	3203.95
	54"(1372mm)	EMP-5442-		2116.43	2300.73	2505.05	2946.89	3243.31	3429.31
	60"(1524mm)	EMP-542-		2224.91	2425.53	2648.09	3129.17	3451.99	3654.67
	50"(1270mm)	EMP-148-		\$1400.36	\$1479.54	\$1566.02	\$1754.66	\$1880.68	\$1958.68
	18"(457mm)	EMP-1848-		1524.23	1619.73	1724.45	1952.33	2104.75	2199.43
	24"(610mm)	EMP-248-		1632.71	1744.53	1867.49	2134.61	2313.43	2424.79
56"(1422mm)	30"(762mm)	EMP-3048-		1741.19	1869.33	2010.53	2316.89	2522.11	2650.15
	36"(914mm)	EMP-348-		1849.67	1994.13	2153.57	2499.17	2730.79	2875.51
	42"(1067mm)	EMP-4248-		1958.15	2118.93	2296.61	2681.45	2939.47	3100.87
	48"(1219mm)	EMP-448-		2066.63	2243.73	2439.65	2863.73	3148.15	3326.23
	54"(1372mm)	EMP-5448-		2175.11	2368.53	2582.69	3046.01	3356.83	3551.59
	60"(1524mm)	EMP-548-		2283.59	2493.33	2725.73	3228.29	3565.51	3776.95
	56"(1422mm)	EMP-154-		\$1459.04	\$1547.34	\$1643.66	\$1853.78	\$1994.20	\$2080.96
	18"(457mm)	EMP-1854-		1582.91	1687.53	1802.09	2051.45	2218.27	2321.71
	24"(610mm)	EMP-254-		1691.39	1812.33	1945.13	2233.73	2426.95	2547.07
	30"(762mm)	EMP-3054-		1799.87	1937.13	2088.17	2416.01	2635.63	2772.43
64"(1626mm)	36"(914mm)	EMP-354-		1908.35	2061.93	2231.21	2598.29	2844.31	2997.79
	42"(1067mm)	EMP-4254-		2016.83	2186.73	2374.25	2780.57	3052.99	3223.15
	48"(1219mm)	EMP-454-		2125.31	2311.53	2517.29	2962.85	3261.67	3448.51
	54"(1372mm)	EMP-5454-		2233.79	2436.33	2660.33	3145.13	3470.35	3673.87
	60"(1524mm)	EMP-554-		2342.27	2561.13	2803.37	3327.41	3679.03	3899.23
	64"(1626mm)	EMP-162-		\$1537.28	\$1637.74	\$1747.18	\$1985.94	\$2145.56	\$2244.00
	18"(457mm)	EMP-1862-		1661.15	1777.93	1905.61	2183.61	2369.63	2484.75
	24"(610mm)	EMP-262-		1769.63	1902.73	2048.65	2365.89	2578.31	2710.11
	30"(762mm)	EMP-3062-		1878.11	2027.53	2191.69	2548.17	2786.99	2935.47
	36"(914mm)	EMP-362-		1986.59	2152.33	2334.73	2730.45	2995.67	3160.83
68"(1727mm)	42"(1067mm)	EMP-4262-		2095.07	2277.13	2477.77	2912.73	3204.35	3386.19
	48"(1219mm)	EMP-462-		2203.55	2401.93	2620.81	3095.01	3413.03	3611.55
	54"(1372mm)	EMP-5462-		2312.03	2526.73	2763.85	3277.29	3621.71	3836.91
	60"(1524mm)	EMP-562-		2420.51	2651.53	2906.89	3459.57	3830.39	4062.27
	68"(1727mm)	EMP-166-		\$1576.40	\$1682.94	\$1798.94	\$2052.02	\$2221.24	\$2325.52
	18"(457mm)	EMP-1866-		1700.27	1823.13	1957.37	2249.69	2445.31	2566.27
	24"(610mm)	EMP-266-		1808.75	1947.93	2100.41	2431.97	2653.99	2791.63
	30"(762mm)	EMP-3066-		1917.23	2072.73	2243.45	2614.25	2862.67	3016.99
	36"(914mm)	EMP-366-		2025.71	2197.53	2386.49	2796.53	3071.35	3242.35
	42"(1067mm)	EMP-4266-		2134.19	2322.33	2529.53	2978.81	3280.03	3467.71
82"(2083mm)	48"(1219mm)	EMP-466-		2242.67	2447.13	2672.57	3161.09	3488.71	3693.07
	54"(1372mm)	EMP-5466-		2351.15	2571.93	2815.61	3343.37	3697.39	3918.43
	60"(1524mm)	EMP-566-		2459.63	2696.73	2958.65	3525.65	3906.07	4143.79
	82"(2083mm)	EMP-180-		\$1737.38	\$1865.20	\$2004.16	\$2307.36	\$2510.18	\$2634.90
	18"(457mm)	EMP-1880-		1942.97	2087.11	2244.31	2586.75	2815.97	2957.37
	24"(610mm)	EMP-280-		2133.17	2293.63	2469.07	2850.75	3106.37	3264.45
	30"(762mm)	EMP-3080-		2323.37	2500.15	2693.83	3114.75	3396.77	3571.53
	36"(914mm)	EMP-380-		2513.57	2706.67	2918.59	3378.75	3687.17	3878.61
	42"(1067mm)	EMP-4280-		2703.77	2913.19	3143.35	3642.75	3977.57	4185.69
	48"(1219mm)	EMP-480-		2893.97	3119.71	3368.11	3906.75	4267.97	4492.77
54"(1372mm)	EMP-5480-			3084.17	3326.23	3592.87	4170.75	4558.37	4799.85
	60"(1524mm)	EMP-580-		3274.37	3532.75	3817.63	4434.75	4848.77	5106.93

Open Frame Panel with Steel Top Cap — No Power

UniGroup

Open-Frame



EON-B (Non-Powered)

Features

- Includes non-powered panel assembly, radius steel top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper. .6 base raceway end caps are shipped with each panel. Order additional as necessary.
- Panel thickness is 2”(51mm).
- Base raceway is 4”(102mm) high.
- Does not accept top feed modules.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept glazed add-on panels up to a combined height of 82”(2083mm). For aesthetic consistency, specify UniGroup add-on panels.
- Raceway cover must be separately specified for option -BE (no raceway cover).
- Additional base raceway cover end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

- 1) Product number, including:

① Options:

- B** With Raceway Cover
- BE** Without Raceway Cover, deduct **\$152.49** list

- 2) Trim color for raceway cover, glide housings and end caps.
- 3) Trim color for frame, top cap and side trim rails.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- *Non-powered panels ship without receptacle ports in the base raceway cover.*
- *Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.*
- *For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.*
- *For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.*

Open Frame Panel with Steel Top Cap — No Power


UniGroup

	Actual Height	Width	Number ^①	Price
Open Frame	37"(940mm)	12"(305mm)	EON-135-  	\$ 856.00
		18"(457mm)	EON-1835-  	919.62
		24"(610mm)	EON-235-  	983.24
		36"(914mm)	EON-335-  	1110.48
		42"(1067mm)	EON-4235-  	1174.10
		48"(1219mm)	EON-435-  	1237.72
		60"(1524mm)	EON-535-  	1364.96
	44"(1118mm)	12"(305mm)	EON-142-  	\$ 946.90
		18"(457mm)	EON-1842-  	1028.73
		24"(610mm)	EON-242-  	1110.56
		36"(914mm)	EON-342-  	1274.22
		42"(1067mm)	EON-4242-  	1356.05
		48"(1219mm)	EON-442-  	1437.88
		60"(1524mm)	EON-542-  	1601.54
	64"(1626mm)	12"(305mm)	EON-162-  	\$1315.95
		18"(457mm)	EON-1862-  	1455.93
		24"(610mm)	EON-262-  	1595.91
		36"(914mm)	EON-362-  	1875.87
		42"(1067mm)	EON-4262-  	2015.85
		48"(1219mm)	EON-462-  	2155.83
		60"(1524mm)	EON-562-  	2435.79
	68"(1727mm)	12"(305mm)	EON-166-  	\$1386.82
		18"(457mm)	EON-1866-  	1544.98
		24"(610mm)	EON-266-  	1703.14
		36"(914mm)	EON-366-  	2019.46
		42"(1067mm)	EON-4266-  	2177.62
		48"(1219mm)	EON-466-  	2335.78
		60"(1524mm)	EON-566-  	2652.10
	82"(2083mm)	12"(305mm)	EON-180-  	\$1552.27
		18"(457mm)	EON-1880-  	1728.62
		24"(610mm)	EON-280-  	1904.97
		36"(914mm)	EON-380-  	2257.67
		42"(1067mm)	EON-4280-  	2434.02
		48"(1219mm)	EON-480-  	2610.37
		60"(1524mm)	EON-580-  	2963.07

Open Frame Panel with Steel Top Cap — Powered

UniGroup

Open-Frame



EOP-B (3-circuit)



Features

- Includes powered panel assembly, radius steel top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s). .6 base raceway end caps are shipped with each panel. Order additional as necessary.
- Panel thickness is 2”(51mm).
- Base raceway is 4”(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Does not accept top feed modules.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept glazed add-on panels up to a combined height of 82”(2083mm). For aesthetic consistency, specify UniGroup add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -BE or BYE (no raceway cover).
- Additional base raceway cover end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

1) Product number, including:

1 3-Circuit

- B** With Raceway Cover
- BE** Without Raceway Cover, deduct **\$167.90** list
- BY** NYC with Raceway Cover
- BYE** NYC without Raceway Cover, deduct **\$167.90** list

2) Trim color for raceway cover, glide housings and end caps.

3) Trim color for frame, top cap and side trim rails.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35”(60mm) top-to-bottom and 2.88”(73mm) side-to-side.
- Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.
- New York City (NYC) electrical applications require field installation of PDA.
- New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth eParts.
- Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Open Frame Panel with Steel Top Cap — Powered


UniGroup

	Actual Height	Width	Number ^①	Price
Open Frame	37"(940mm)	12"(305mm)	EOP-135-  	\$1273.94
		18"(457mm)	EOP-1835-  	1352.97
		24"(610mm)	EOP-235-  	1416.59
		36"(914mm)	EOP-335-  	1543.83
		42"(1067mm)	EOP-4235-  	1607.45
		48"(1219mm)	EOP-435-  	1671.07
	44"(1118mm)	60"(1524mm)	EOP-535-  	1798.31
		12"(305mm)	EOP-142-  	\$1364.84
		18"(457mm)	EOP-1842-  	1462.08
		24"(610mm)	EOP-242-  	1543.91
		36"(914mm)	EOP-342-  	1707.57
		42"(1067mm)	EOP-4242-  	1789.40
	64"(1626mm)	48"(1219mm)	EOP-442-  	1871.23
		60"(1524mm)	EOP-542-  	2034.89
		12"(305mm)	EOP-162-  	\$1733.89
		18"(457mm)	EOP-1862-  	1889.28
		24"(610mm)	EOP-262-  	2029.26
		36"(914mm)	EOP-362-  	2309.22
	68"(1727mm)	42"(1067mm)	EOP-4262-  	2449.20
		48"(1219mm)	EOP-462-  	2589.18
		60"(1524mm)	EOP-562-  	2869.14
		12"(305mm)	EOP-166-  	\$1804.76
		18"(457mm)	EOP-1866-  	1978.33
		24"(610mm)	EOP-266-  	2136.49
	82"(2083mm)	36"(914mm)	EOP-366-  	2452.81
		42"(1067mm)	EOP-4266-  	2610.97
		48"(1219mm)	EOP-466-  	2769.13
		60"(1524mm)	EOP-566-  	3085.45
		12"(305mm)	EOP-180-  	\$1970.21
		18"(457mm)	EOP-1880-  	2161.97
		24"(610mm)	EOP-280-  	2338.32
		36"(914mm)	EOP-380-  	2691.02
		42"(1067mm)	EOP-4280-  	2867.37
		48"(1219mm)	EOP-480-  	3043.72
		60"(1524mm)	EOP-580-  	3396.42

Glazed Monolithic Panel with Steel Top Cap — No Power

UniGroup

Glazed



EGN-B (Non-Powered)

Features

- Includes non-powered panel assembly, radius steel top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper. .6 base raceway end caps are shipped with each panel. Order additional as necessary.
- Panel thickness is 2”(51mm).
- Base raceway is 4”(102mm) high.
- Does not accept top feed modules.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept glazed add-on panels up to a combined height of 82”(2083mm). For aesthetic consistency, specify UniGroup add-on panels.
- Raceway cover must be separately specified for option -BE (no raceway cover).
- Additional base raceway cover end caps will need to be specified if finish post are not ordered.

To Order, Specify:

- 1) Product number, including:

1 Options:

- B** With Raceway Cover
- BE** Without Raceway Cover, deduct **\$152.49** list

- 2) Glazing finish color.
- 3) Trim color for raceway cover, glide housings and end caps.
- 4) Trim color for frame, top cap and side trim rails.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- *Non-powered panels ship without receptacle ports in the base raceway cover.*
- *Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.*
- *For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.*
- *For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.*

Glazed Monolithic Panel with Steel Top Cap — No Power


UniGroup

	Actual Height	Width	Number ①	Clear	Frosted
Glazed	44"(1118mm)	12"(305mm)	EGN-142-  	\$2010.49	\$2865.54
		18"(457mm)	EGN-1842-  	2256.99	3280.20
		24"(610mm)	EGN-242-  	2503.49	3694.86
		30"(762mm)	EGN-3042-  	2749.99	4109.52
		36"(914mm)	EGN-342-  	2996.49	4524.18
		42"(1067mm)	EGN-4242-  	3242.99	4938.84
		48"(1219mm)	EGN-442-  	3489.49	5353.50
		60"(1524mm)	EGN-542-  	3982.49	6182.82
	56"(1422mm)	12"(305mm)	EGN-154-  	\$2034.13	\$2866.33
		18"(457mm)	EGN-1854-  	2321.72	3336.24
		24"(610mm)	EGN-254-  	2609.31	3806.15
		30"(762mm)	EGN-3054-  	2896.90	4276.06
		36"(914mm)	EGN-354-  	3184.49	4745.97
		42"(1067mm)	EGN-4254-  	3472.08	5215.88
		48"(1219mm)	EGN-454-  	3759.67	5685.79
		60"(1524mm)	EGN-554-  	4334.85	6625.61
	64"(1626mm)	12"(305mm)	EGN-162-  	\$2057.74	\$3053.50
		18"(457mm)	EGN-1862-  	2345.33	3523.41
		24"(610mm)	EGN-262-  	2345.33	3523.41
		30"(762mm)	EGN-3062-  	2345.33	3523.41
		36"(914mm)	EGN-362-  	2345.33	3523.41
		42"(1067mm)	EGN-4262-  	2345.33	3523.41
		48"(1219mm)	EGN-462-  	2345.33	3523.41
		60"(1524mm)	EGN-562-  	2345.33	3523.41
	68"(1727mm)	12"(305mm)	EGN-166-  	\$2180.99	\$3219.38
		18"(457mm)	EGN-1866-  	2468.58	3689.29
		24"(610mm)	EGN-266-  	2756.17	4159.20
		30"(762mm)	EGN-3066-  	3043.76	4629.11
		36"(914mm)	EGN-366-  	3331.35	5099.02
		42"(1067mm)	EGN-4266-  	3618.94	5568.93
		48"(1219mm)	EGN-466-  	3906.53	6038.84
		60"(1524mm)	EGN-566-  	4481.71	6978.66
	82"(2083mm)	12"(305mm)	EGN-180-  	\$2493.25	\$3639.53
		18"(457mm)	EGN-1880-  	2900.00	4186.82
		24"(610mm)	EGN-280-  	3306.75	4734.11
		30"(762mm)	EGN-3080-  	3713.50	5281.40
		36"(914mm)	EGN-380-  	4120.25	5828.69
		42"(1067mm)	EGN-4280-  	4527.00	6375.98
		48"(1219mm)	EGN-480-  	4933.75	6923.27
		60"(1524mm)	EGN-580-  	5747.25	8017.85

Glazed Monolithic Panel with Steel Top Cap — Powered

UniGroup

Glazed



EGP-B (3-circuit)



Features

- Includes powered panel assembly, radius steel top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s). .6 base raceway end caps are shipped with each panel. Order additional as necessary.
- Panel thickness is 2”(51mm).
- Base raceway is 4”(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Does not accept top feed modules.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept glazed add-on panels up to a combined height of 82”(2083mm). For aesthetic consistency, specify UniGroup add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -BE or BYE (no raceway cover).
- Additional base raceway cover end caps will need to be specified if finish post are not ordered.

To Order, Specify:

1) Product number, including:

1 3-Circuit

- B** With Raceway Cover
- BE** Without Raceway Cover, deduct **\$167.90** list
- BY** NYC with Raceway Cover
- BYE** NYC without Raceway Cover, deduct **\$167.90** list

2) Glazing finish color.

3) Trim color for raceway cover, glide housings and end caps.

4) Trim color for frame, top cap and side trim rails.

Note: Upcharge for mixed surface grades, refer to the electronic design and specification tools for pricing.

NOTES:

- Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35”(60mm) top-to-bottom and 2.88”(73mm) side-to-side.
- Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.
- New York City (NYC) electrical applications require field installation of PDA.
- New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth eParts.
- Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Glazed Monolithic Panel with Steel Top Cap — Powered


UniGroup

	Actual Height	Width	Number ①	Clear	Frosted
Glazed	44"(1118mm)	12"(305mm)	EGP-142-  	\$2428.43	\$3283.48
		18"(457mm)	EGP-1842-  	2690.34	3713.55
		24"(610mm)	EGP-242-  	2936.84	4128.21
		30"(762mm)	EGP-3042-  	3183.34	4542.87
		36"(914mm)	EGP-342-  	3429.84	4957.53
		42"(1067mm)	EGP-4242-  	3676.34	5372.19
		48"(1219mm)	EGP-442-  	3922.84	5786.85
		60"(1524mm)	EGP-542-  	4415.84	6616.17
	56"(1422mm)	12"(305mm)	EGP-154-  	\$2452.07	\$3284.27
		18"(457mm)	EGP-1854-  	2755.07	3769.59
		24"(610mm)	EGP-254-  	3042.66	4239.50
		30"(762mm)	EGP-3054-  	3330.25	4709.41
		36"(914mm)	EGP-354-  	3617.84	5179.32
		42"(1067mm)	EGP-4254-  	3905.43	5649.23
		48"(1219mm)	EGP-454-  	4193.02	6119.14
		60"(1524mm)	EGP-554-  	4768.20	7058.96
	64"(1626mm)	12"(305mm)	EGP-162-  	\$2475.68	\$3471.44
		18"(457mm)	EGP-1862-  	2778.68	3956.76
		24"(610mm)	EGP-262-  	2778.68	3956.76
		30"(762mm)	EGP-3062-  	2778.68	3956.76
		36"(914mm)	EGP-362-  	2778.68	3956.76
		42"(1067mm)	EGP-4262-  	2778.68	3956.76
		48"(1219mm)	EGP-462-  	2778.68	3956.76
		60"(1524mm)	EGP-562-  	2778.68	3956.76
	68"(1727mm)	12"(305mm)	EGP-166-  	\$2598.93	\$3637.32
		18"(457mm)	EGP-1866-  	2901.93	4122.64
		24"(610mm)	EGP-266-  	3189.52	4592.55
		30"(762mm)	EGP-3066-  	3477.11	5062.46
		36"(914mm)	EGP-366-  	3764.70	5532.37
		42"(1067mm)	EGP-4266-  	4052.29	6002.28
		48"(1219mm)	EGP-466-  	4339.88	6472.19
		60"(1524mm)	EGP-566-  	4915.06	7412.01
	82"(2083mm)	12"(305mm)	EGP-180-  	\$2911.19	\$4057.47
		18"(457mm)	EGP-1880-  	3333.35	4620.17
		24"(610mm)	EGP-280-  	3740.10	5167.46
		30"(762mm)	EGP-3080-  	4146.85	5714.75
		36"(914mm)	EGP-380-  	4553.60	6262.04
		42"(1067mm)	EGP-4280-  	4960.35	6809.33
		48"(1219mm)	EGP-480-  	5367.10	7356.62
		60"(1524mm)	EGP-580-  	6180.60	8451.20

Fabric Add-On Panel

UniGroup

Fabric



EAF

NOTE:
This panel has fabric/
colorway restrictions, see *Fabrics/Color
Legend*.

Features

- Includes panel, vertical connector (bayonet), light block, side trim rails, two full hinge sets, one side trim rail cover and top cap clips.
- Fabric add-on panels may be installed above any straight fabric and laminate base or fabric add-on panels.
- Both sides in same fabric; one color or different color each side.
- Each base panel will accept two add-on panels.
- Lower Level add-on panel will accept overhead components (load bearing). Second add-on panel (top) is non-load bearing.
- Utilizes top cap from base panel.
- Standard finish posts can be used.
- Same construction as UniGroup Monolithic fabric panel.

Specification Tips

- For mixed fabric surfaces, specify fabric/color for each fabric surface and price at higher grade.
- Add-on panels may be stacked a maximum of two high in any order of height above a base panel.
- Add-on panel must match panel width.
- Combination of panel and add-on panel cannot exceed 82"(2083mm) in height.
- Cannot be used above any door, glazed, legacy videne, open-frame or glazed add-on panels.
- Base and add-on panel combinations should match existing base panel heights so that end-of-runs and finish posts can be used without field modification.
- Full-height side trim rails required for end-of-run conditions with a base panel and one add-on panel, separately specified.
- For two high add-on panel applications specify separately full-height side trim rail for base panel and one high add on, for two high panel add on location use side trim rail that ships with add-on panel.
- Clerestory can be added above fabric add-on panels. See Specification Guide for application guidelines.

To Order, Specify:

- 1) Product number.
- 2) Fabric/colorway for add-on panel side one.
- 3) Fabric/colorway for add-on panel side two.
- 4) Trim color for side trim rails, and trim strip.

Fabric Add-On Panel


UniGroup

	Actual Height	Width	Number	Fabric Grade					
				A	B	C	E	F	G
Fabric	12"(305mm)	12"(305mm)	EAF-112	\$1026.07	\$1066.95	\$1074.31	\$1089.19	\$1096.61	\$1104.03
		18"(457mm)	EAF-1812	1078.05	1126.79	1142.83	1176.69	1196.75	1212.09
		24"(610mm)	EAF-212	1130.03	1186.63	1211.35	1264.19	1296.89	1320.15
		30"(762mm)	EAF-3012	1182.01	1246.47	1279.87	1351.69	1397.03	1428.21
		36"(914mm)	EAF-312	1233.99	1306.31	1348.39	1439.19	1497.17	1536.27
		42"(1067mm)	EAF-4212	1285.97	1366.15	1416.91	1526.69	1597.31	1644.33
		48"(1219mm)	EAF-412	1337.95	1425.99	1485.43	1614.19	1697.45	1752.39
		54"(1372mm)	EAF-5412	1389.93	1485.83	1553.95	1701.69	1797.59	1860.45
		60"(1524mm)	EAF-512	1441.91	1545.67	1622.47	1789.19	1897.73	1968.51
	14"(356mm)	12"(305mm)	EAF-114	\$1076.21	\$1124.69	\$1140.41	\$1173.63	\$1193.21	\$1208.27
		18"(457mm)	EAF-1814	1128.19	1184.53	1208.93	1261.13	1293.35	1316.33
		24"(610mm)	EAF-214	1180.17	1244.37	1277.45	1348.63	1393.49	1424.39
		30"(762mm)	EAF-3014	1232.15	1304.21	1345.97	1436.13	1493.63	1532.45
		36"(914mm)	EAF-314	1284.13	1364.05	1414.49	1523.63	1593.77	1640.51
		42"(1067mm)	EAF-4214	1336.11	1423.89	1483.01	1611.13	1693.91	1748.57
		48"(1219mm)	EAF-414	1388.09	1483.73	1551.53	1698.63	1794.05	1856.63
		54"(1372mm)	EAF-5414	1440.07	1543.57	1620.05	1786.13	1894.19	1964.69
		60"(1524mm)	EAF-514	1492.05	1603.41	1688.57	1873.63	1994.33	2072.75
	18"(437mm)	12"(305mm)	EAF-118	\$1176.49	\$1240.17	\$1272.61	\$1342.51	\$1386.41	\$1416.75
		18"(457mm)	EAF-1818	1228.47	1300.01	1341.13	1430.01	1486.55	1524.81
		24"(610mm)	EAF-218	1280.45	1359.85	1409.65	1517.51	1586.69	1632.87
		30"(762mm)	EAF-3018	1332.43	1419.69	1478.17	1605.01	1686.83	1740.93
		36"(914mm)	EAF-318	1384.41	1479.53	1546.69	1692.51	1786.97	1848.99
		42"(1067mm)	EAF-4218	1436.39	1539.37	1615.21	1780.01	1887.11	1957.05
		48"(1219mm)	EAF-418	1488.37	1599.21	1683.73	1867.51	1987.25	2065.11
		54"(1372mm)	EAF-5418	1540.35	1659.05	1752.25	1955.01	2087.39	2173.17
		60"(1524mm)	EAF-518	1592.33	1718.89	1820.77	2042.51	2187.53	2281.23
	20"(437mm)	12"(305mm)	EAF-120	\$1226.63	\$1297.91	\$1338.71	\$1426.95	\$1483.01	\$1520.99
		18"(457mm)	EAF-1820	1278.61	1357.75	1407.23	1514.45	1583.15	1629.05
		24"(610mm)	EAF-220	1330.59	1417.59	1475.75	1601.95	1683.29	1737.11
		30"(762mm)	EAF-3020	1382.57	1477.43	1544.27	1689.45	1783.43	1845.17
		36"(914mm)	EAF-320	1434.55	1537.27	1612.79	1776.95	1883.57	1953.23
		42"(1067mm)	EAF-4220	1486.53	1597.11	1681.31	1864.45	1983.71	2061.29
		48"(1219mm)	EAF-420	1538.51	1656.95	1749.83	1951.95	2083.85	2169.35
		54"(1372mm)	EAF-5420	1590.49	1716.79	1818.35	2039.45	2183.99	2277.41
		60"(1524mm)	EAF-520	1642.47	1776.63	1886.87	2126.95	2284.13	2385.47
	24"(610mm)	12"(305mm)	EAF-124	\$1326.91	\$1413.39	\$1470.91	\$1595.83	\$1676.21	\$1729.47
		18"(457mm)	EAF-1824	1378.89	1473.23	1539.43	1683.33	1776.35	1837.53
		24"(610mm)	EAF-224	1430.87	1533.07	1607.95	1770.83	1876.49	1945.59
		30"(762mm)	EAF-3024	1482.85	1592.91	1676.47	1858.33	1976.63	2053.65
		36"(914mm)	EAF-324	1534.83	1652.75	1744.99	1945.83	2076.77	2161.71
		42"(1067mm)	EAF-4224	1586.81	1712.59	1813.51	2033.33	2176.91	2269.77
		48"(1219mm)	EAF-424	1638.79	1772.43	1882.03	2120.83	2277.05	2377.83
		54"(1372mm)	EAF-5424	1690.77	1832.27	1950.55	2208.33	2377.19	2485.89
		60"(1524mm)	EAF-524	1742.75	1892.11	2019.07	2295.83	2477.33	2593.95

Glazed Add-On Panel

UniGroup

Glazed



EAG

NOTE:
*Add-on panel cannot be used with add-on panels ordered with the SP** prefix.

Features

- Includes panel, vertical connector (bayonet), light block, side trim rails, two full hinge sets, one side trim rail cover, and top cap clips.
- Utilizes top cap from base panel.
- Glazed add-on panels may be installed above any straight fabric, glazed, laminate, or open-frame base or add-on panels.*
- Each base panel will accept two add-on panels.
- Glazed add-on panels will not accept any load bearing components.
- Top rail of add-on panel will provide top wire management.
- Textured glazing material is textured on one side only. Recommend installing the textured side to face the interior of the workstation.
- Standard finish post and end-of-run posts can be used.

Specification Tips

- Specify glazed add-on panel based upon the type of panel, fabric (F)/laminate (L) or glazed/open-frame (G), that will be directly below the add-on panel.
- Add-on panels may be stacked a maximum of two high in any order of height above a base panel.
- Add-on panel must match base panel width.
- Combination of base panel and add-on panel cannot exceed 82”(2083mm) in height.
- Base and add-on panel combinations should match existing base panel heights so that end-of-runs and finish posts can be used without field modification.
- Cannot be used above doors, or legacy videne panels.
- Does not accept top feed modules.
- To convert a glazed add-on above a fabric/laminate monolithic base panel to a glazed add-on above a glazed base panel or (vice versa), a vertical connector (bayonet) retrofit kit is available. Order separately through Haworth eParts.
- Full-height side trim rails required for end-of-run conditions with a base panel and one add-on panel, separately specified.
- For two high add-on panel applications specify separately full-height side trim rail for base panel and one high add on, for two high panel add on location use side trim rail that ships with add-on panel.
- Clerestory can be added above glazed add-on panels. See Specification Guide for application guidelines.
- **Patterned Glass (SQ-CM Checks Mix, SQ-ER English Reeded and SQ-VM Vertical Moire) available on 12”(305mm) and 18”(457mm) high add-on panels only.**

To Order, Specify:

- 1) Product number, including:

1 Application Designation

- F** Glazed add-on panel directly above fabric/laminate base panel or fabric add-on panel.
- G** Glazed add-on panel directly above glazed and open frame base panel or glazed add-on panel, add **\$56.34** list.

- 2) Glazing color or glass pattern.
3) Trim color for frame, side trim rails and trim strip.

Glazed Add-On Panel

UniGroup


	Actual Height	Width	Number ①	Glass Grade A	C*	D*
Glazed	12"(305mm)	12"(305mm)	EAG-112- 	\$1064.39	\$1296.31	\$1356.95
		18"(457mm)	EAG-1812- 	1150.16	1414.60	1475.24
		24"(610mm)	EAG-212- 	1235.93	1532.89	1593.53
		30"(762mm)	EAG-3012- 	1321.70	1651.18	1711.82
		36"(914mm)	EAG-312- 	1407.47	1769.47	1830.11
		42"(1067mm)	EAG-4212- 	1493.24	1887.76	1948.40
		48"(1219mm)	EAG-412- 	1579.01	2006.05	2066.69
		54"(1372mm)	EAG-5412- 	1664.78	2124.34	2184.98
		60"(1524mm)	EAG-512- 	1750.55	2242.63	2303.27
	14"(356mm)	12"(305mm)	EAG-114- 	\$1116.19	N/A	\$1483.14
		18"(457mm)	EAG-1814- 	1201.96	N/A	1601.43
		24"(610mm)	EAG-214- 	1287.73	N/A	1719.72
		30"(762mm)	EAG-3014- 	1373.50	N/A	1838.01
		36"(914mm)	EAG-314- 	1459.27	N/A	1956.30
		42"(1067mm)	EAG-4214- 	1545.04	N/A	2074.59
		48"(1219mm)	EAG-414- 	1630.81	N/A	2192.88
		54"(1372mm)	EAG-5414- 	1716.58	N/A	2311.17
		60"(1524mm)	EAG-514- 	1802.35	N/A	2429.46
	18"(457mm)	12"(305mm)	EAG-118- 	\$1219.79	\$1497.28	\$1735.52
		18"(457mm)	EAG-1818- 	1305.56	1615.57	1853.81
		24"(610mm)	EAG-218- 	1391.33	1733.86	1972.10
		30"(762mm)	EAG-3018- 	1477.10	1852.15	2090.39
		36"(914mm)	EAG-318- 	1562.87	1970.44	2208.68
		42"(1067mm)	EAG-4218- 	1648.64	2088.73	2326.97
		48"(1219mm)	EAG-418- 	1734.41	2207.02	2445.26
		54"(1372mm)	EAG-5418- 	1820.18	2325.31	2563.55
		60"(1524mm)	EAG-518- 	1905.95	2443.60	2681.84
	20"(508mm)	12"(305mm)	EAG-120- 	\$1271.59	N/A	\$1861.71
		18"(457mm)	EAG-1820- 	1357.36	N/A	1980.00
		24"(610mm)	EAG-220- 	1443.13	N/A	2098.29
		30"(762mm)	EAG-3020- 	1528.90	N/A	2216.58
		36"(914mm)	EAG-320- 	1614.67	N/A	2334.87
		42"(1067mm)	EAG-4220- 	1700.44	N/A	2453.16
		48"(1219mm)	EAG-420- 	1786.21	N/A	2571.45
		54"(1372mm)	EAG-5420- 	1871.98	N/A	2689.74
		60"(1524mm)	EAG-520- 	1957.75	N/A	2808.03
	24"(610mm)	12"(305mm)	EAG-124- 	\$1375.19	N/A	\$2114.09
		18"(457mm)	EAG-1824- 	1460.96	N/A	2232.38
		24"(610mm)	EAG-224- 	1546.73	N/A	2350.67
		30"(762mm)	EAG-3024- 	1632.50	N/A	2468.96
		36"(914mm)	EAG-324- 	1718.27	N/A	2587.25
		42"(1067mm)	EAG-4224- 	1804.04	N/A	2705.54
		48"(1219mm)	EAG-424- 	1889.81	N/A	2823.83
		54"(1372mm)	EAG-5424- 	1975.58	N/A	2942.12
		60"(1524mm)	EAG-524- 	2061.35	N/A	3060.41

*Patterned Glass (SQ-CM Checks Mix, SQ-ER English Reeded and SQ-VM Vertical Moire) available on 12"(305mm) and 18"(457mm) high add-on panels only.

Swing Doors with Steel Top Cap

UniGroup

	Actual Height	Width	Door Swing	Number	Laminate A	B
Single Door — Laminate	82"(2083mm)	36"(914mm)	Left	EDS-380-BHL	\$4990.66	\$5309.62
		42"(1067mm)	Left	EDS-4280-BHL	5242.41	5581.52



EDS-BHL



(Left-hand swing)

- Features**
- Includes complete panel assembly [hinge sets, carpet gripper, door jamb, side trim rails, leveling glides and trim, hollow core door (1.625"(41mm) thick), door hinges, hardware, ADA lever with lockset and keys, and threshold].
 - Both sides of door covered in same laminate surface color.
 - Doors are shipped left-hand swing. Field-adjustable for right-hand swing.
 - No power or communications in base raceway.

- Specification Tips**
- Door may be placed a maximum of 24"(610mm) from supporting panels at 90°.
 - Will not accept add-on panel.

Door Opening Clearance

Door Size	Height	Width
380	78"(1981mm)	28.75"(730mm)
4280	78"(1981mm)	34.75"(883mm)

- To Order, Specify:**
- 1) Product number, including:
 - 2) Laminate surface color.
 - 3) Trim color for raceway covers and glide housings.
 - 4) Trim color for door jamb, top cap and side trim rails.

NOTES:


Some building codes may restrict the use of panel heights greater than 69 "(1753mm). Consult your local code authority to assure that the furniture layout is compliant prior to installation.

Most building codes for new buildings require a minimum clear door width of 32 "(813mm). To meet this requirement, the 42 "(1067mm) door must be ordered.

Panel Accessories

UniGroup

	Actual Height	Width	Number	Price
90° Finish Post — for Steel Top Cap — Painted Surface	30"(762mm)	2"(51mm)	FPPC-28-B	\$157.07
	37"(940mm)		FPPC-35-B	166.17
	44"(1118mm)		FPPC-42-B	175.27
	50"(1270mm)		FPPC-48-B	183.07
	56"(1422mm)		FPPC-54-B	190.87
	64"(1626mm)		FPPC-62-B	201.27
	68"(1727mm)		FPPC-66-B	206.47
	82"(2083mm)		FPPC-80-B	224.67



FPPC-B

Features

- Includes 90° painted vertical cover, radius plastic top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.


To Order, Specify:

- 1) Product number.
- 2) Paint surface color.
- 3) Trim color for raceway cover.
- 4) Trim color for top cap.

90° Power Connector Cover

4"(102mm)

PCC-90-B

\$118.35

PCC-90-B

Features

- Includes six power connector covers.
- Required by UL for covering flexible power connector in 90° panel configurations when a finish post is not used.

To Order, Specify:

- 1) Product number.
- 2) Trim color.


Specification Tip

- For use with UniGroup and PLACES panels.

180° Power Connector Cover — Radius Profile

4"(102mm)

PCC-180-B

\$118.35

PCC-180-B

Features

- Includes six power connector covers.
- Required by UL for covering straight-span or flexible power connectors in 180°, three-way panel configurations when a finish post is not used.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tip

- For use with UniGroup Too, UniGroup and PLACES panels.

180° Finish Post — for Steel Top Cap — Painted Surface

30"(762mm)

2"(51mm)

FPPS-28-B

\$134.32

37"(940mm)

FPPS-35-B

143.28

44"(1118mm)

FPPS-42-B

152.24

50"(1270mm)

FPPS-48-B

159.92

56"(1422mm)

FPPS-54-B

167.60

64"(1626mm)

FPPS-62-B

177.84


68"(1727mm)

FPPS-66-B

182.96

82"(2083mm)

FPPS-80-B

200.88

FPPS-B

Features

- Includes 180° painted vertical cover, radius plastic top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.

To Order, Specify:

- 1) Product number.
- 2) Paint surface color.
- 3) Trim color for raceway cover.
- 4) Trim color for top cap.

Steel Top Cap for 3-Way and 4-Way**Height****Depth****Width****Number****Price**

0.75"(19mm)

2"(51mm)

2"(51mm)

FPC-2

\$46.33

FPC-2

Features


- Includes one plastic top cap.
- Fills gap at intersection of four UniGroup radius steel top cap panels.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Panel Accessories

UniGroup

	Height	Base Panel Height/ Add-On Panel	Number	Trim A	B
Full-Height Side Trim Rails — for use with Add-On Panels 	44"(1118mm)	30"(762mm)/14"(356mm)	SREH-2814	\$154.73	\$189.51
	50"(1270mm)	30"(762mm)/20"(508mm)	SREH-2820	161.03	207.39
	56"(1422mm)	44"(1118mm)/12"(305mm)	SREH-4212	167.33	225.27
	64"(1626mm)	44"(1118mm)/20"(508mm)	SREH-4220	175.73	249.11
	68"(1727mm)	44"(1118mm)/24"(610mm)	SREH-4224	179.93	261.03
	64"(1626mm)	50"(1270mm)/14"(356mm)	SREH-4814	175.73	249.11
	68"(1727mm)	50"(1270mm)/18"(457mm)	SREH-4818	179.93	261.03
	68"(1727mm)	56"(1422mm)/12"(305mm)	SREH-5412	179.93	261.03
	82"(2083mm)	64"(1626mm)/18"(457mm)	SREH-6218	194.63	302.75
	82"(2083mm)	68"(1727mm)/14"(356mm)	SREH-6614	194.63	302.75
	Feature Includes one full height side trim rail.				
	Specification Tips - For use with base panel and one add-on panel. - For two high add-on panel applications specify separately full-height side trim rail for base panel and one high add-on, for two high panel location use side trim rail that ships with add-on panel. See Specification Guide for application guidelines.				

To Order, Specify:


- 1) Product number.
- 2) Trim color.

	Panel Height	Number	Trim A	B
Side Trim Rail 	30"(762mm)	SRE-28	\$116.94	\$124.70
	37"(940mm)	SRE-35	124.29	145.56
	44"(1118mm)	SRE-42	131.64	166.42
	50"(1270mm)	SRE-48	137.94	184.30
	56"(1422mm)	SRE-54	144.24	202.18
	64"(1626mm)	SRE-62	152.64	226.02
	68"(1727mm)	SRE-66	156.84	237.94
	82"(2083mm)	SRE-80	171.54	279.66
Features - Includes one side trim rail. - Specify two side trim rails for each condition. - Two side trim rails are included with each panel. - Order as replacement only. - For UniGroup panels only.	To Order, Specify: 1) Product number. 2) Trim color.			

	Panel Height	Hinge Width	Number	Price
Hinges 	30"(762mm)	1.125"(29mm)	HE-28	\$20.50
	37"(940mm)		HE-35	21.48
	44"(1118mm)		HE-42	21.97
	50"(1270mm)		HE-48	22.46
	56"(1422mm)		HE-54	22.95
	64"(1626mm)		HE-62	23.44
	68"(1727mm)		HE-66	23.93
	82"(2083mm)		HE-80	24.91
Features - Includes one hinge set for one side of trim rail. - For replacement only (hinges are included with panels). - One hinge set connects every two panels for angular connections. - Two hinges set are used for straight-line conditions.	To Order, Specify: 1) Product number. 2) Trim color.			

Panel Accessories

UniGroup


	Actual Height	Depth	Width	Number	Price
All-Purpose Hook  CH-8 Class AA	1”(25mm)	3”(76mm)	0.625”(16mm)	CH-8	\$181.26
Features - Includes eight hooks. - Attaches to panel steel top cap. - For use with UniGroup panels only.			To Order, Specify: 1) Product number. 2) Trim color.		
				HAB-0001	\$333.05
Seismic Anchoring Bracket  HAB Class BA	Features - Includes package of six formed steel brackets. - For seismic anchoring of UniGroup Too, UniGroup and PLACES panels.			To Order, Specify: 1) Product number. (No finish specification required.)	
				7031-0501	\$18.94
Friction Pad  7031-0501 Class BA	Feature - Includes one pad. Specification Tip - Attaches to bottom of glide to prevent movement of panels on hard surface flooring.			To Order, Specify: 1) Product number. (No finish specification required.)	

This page intentionally blank

Monolithic Fabric Panel with Steel Top Cap — No Power

PLACES

Fabric



HFN (Non-Powered)

Features

- Includes non-powered or powered panel assembly, low profile top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. .6 base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical panel surfaces.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2”(51mm).
- Base raceway is 4”(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept add-on panels up to a combined height of 82”(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E (no raceway cover).
- Additional base raceway end caps will need to be specified if finish post are not ordered.

To Order, Specify:

- 1) Product number, including:

① Option:

E Without Raceway Cover, deduct **\$175.26** list (No option required for Raceway Cover)

- 2) Fabric/colorway for panel side one.
3) Fabric/colorway for panel side two.
4) Trim color for raceway cover, glide housings and end caps.
5) Trim color for top cap and side trim rails.

Note: For mixed grade surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

NOTES:

- Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35”(60mm) top-to-bottom and 2.88”(73mm) side-to-side.
- Non-powered panels ship without receptacle ports in the base raceway cover.
- Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.
- New York City (NYC) electrical applications require field installation of PDA.
- New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.
- Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Monolithic Fabric Panel with Steel Top Cap — No Power


PLACES

	Actual Height	Width	Number ①	Fabric Grade					
				A	B	C	E	F	G
Fabric	30"(762mm)	12"(305mm)	HFN-1230-	\$1428.58	\$1458.56	\$1464.90	\$1475.64	\$1480.98	\$1491.08
		18"(457mm)	HFN-1830-	1587.58	1607.14	1629.94	1678.54	1712.14	1731.58
		24"(610mm)	HFN-2430-	1746.58	1785.70	1831.30	1928.50	1995.70	2034.58
		30"(762mm)	HFN-3030-	1905.58	1964.26	2032.66	2178.46	2279.26	2337.58
		36"(914mm)	HFN-3630-	2064.58	2142.82	2234.02	2428.42	2562.82	2640.58
		42"(1067mm)	HFN-4230-	2223.58	2321.38	2435.38	2678.38	2846.38	2943.58
		48"(1219mm)	HFN-4830-	2382.58	2499.94	2636.74	2928.34	3129.94	3246.58
		54"(1372mm)	HFN-5430-	2541.58	2678.50	2838.10	3178.30	3413.50	3549.58
		60"(1524mm)	HFN-6030-	2700.58	2857.06	3039.46	3428.26	3697.06	3852.58
	37"(940mm)	12"(305mm)	HFN-1237-	\$1491.80	\$1501.42	\$1510.20	\$1534.82	\$1550.76	\$1560.12
		18"(457mm)	HFN-1837-	1664.48	1695.22	1728.24	1803.02	1855.68	1884.72
		24"(610mm)	HFN-2437-	1837.16	1889.02	1946.28	2071.22	2160.60	2209.32
		30"(762mm)	HFN-3037-	2009.84	2082.82	2164.32	2339.42	2465.52	2533.92
		36"(914mm)	HFN-3637-	2182.52	2276.62	2382.36	2607.62	2770.44	2858.52
		42"(1067mm)	HFN-4237-	2355.20	2470.42	2600.40	2875.82	3075.36	3183.12
		48"(1219mm)	HFN-4837-	2527.88	2664.22	2818.44	3144.02	3380.28	3507.72
		54"(1372mm)	HFN-5437-	2700.56	2858.02	3036.48	3412.22	3685.20	3832.32
		60"(1524mm)	HFN-6037-	2873.24	3051.82	3254.52	3680.42	3990.12	4156.92
	44"(1118mm)	12"(305mm)	HFN-1244-	\$1552.52	\$1571.04	\$1592.26	\$1636.78	\$1667.84	\$1686.56
		18"(457mm)	HFN-1844-	1725.38	1760.70	1806.28	1899.28	1963.82	2002.10
		24"(610mm)	HFN-2444-	1898.24	1950.36	2020.30	2161.78	2259.80	2317.64
		30"(762mm)	HFN-3044-	2071.10	2140.02	2234.32	2424.28	2555.78	2633.18
		36"(914mm)	HFN-3644-	2243.96	2329.68	2448.34	2686.78	2851.76	2948.72
		42"(1067mm)	HFN-4244-	2416.82	2519.34	2662.36	2949.28	3147.74	3264.26
		48"(1219mm)	HFN-4844-	2589.68	2709.00	2876.38	3211.78	3443.72	3579.80
		54"(1372mm)	HFN-5444-	2762.54	2898.66	3090.40	3474.28	3739.70	3895.34
		60"(1524mm)	HFN-6044-	2935.40	3088.32	3304.42	3736.78	4035.68	4210.88
	50"(1270mm)	12"(305mm)	HFN-1250-	\$1598.06	\$1623.40	\$1652.32	\$1714.42	\$1754.86	\$1780.14
		18"(457mm)	HFN-1850-	1776.20	1824.46	1878.58	1994.20	2072.80	2120.76
		24"(610mm)	HFN-2450-	1954.34	2025.52	2104.84	2273.98	2390.74	2461.38
		30"(762mm)	HFN-3050-	2132.48	2226.58	2331.10	2553.76	2708.68	2802.00
		36"(914mm)	HFN-3650-	2310.62	2427.64	2557.36	2833.54	3026.62	3142.62
		42"(1067mm)	HFN-4250-	2488.76	2628.70	2783.62	3113.32	3344.56	3483.24
		48"(1219mm)	HFN-4850-	2666.90	2829.76	3009.88	3393.10	3662.50	3823.86
		54"(1372mm)	HFN-5450-	2845.04	3030.82	3236.14	3672.88	3980.44	4164.48
		60"(1524mm)	HFN-6050-	3023.18	3231.88	3462.40	3952.66	4298.38	4505.10
	56"(1422mm)	12"(305mm)	HFN-1256-	\$1643.64	\$1676.58	\$1712.38	\$1790.32	\$1843.46	\$1876.30
		18"(457mm)	HFN-1856-	1831.92	1887.78	1950.94	2085.16	2177.42	2233.18
		24"(610mm)	HFN-2456-	2020.20	2098.98	2189.50	2380.00	2511.38	2590.06
		30"(762mm)	HFN-3056-	2208.48	2310.18	2428.06	2674.84	2845.34	2946.94
		36"(914mm)	HFN-3656-	2396.76	2521.38	2666.62	2969.68	3179.30	3303.82
		42"(1067mm)	HFN-4256-	2585.04	2732.58	2905.18	3264.52	3513.26	3660.70
		48"(1219mm)	HFN-4856-	2773.32	2943.78	3143.74	3559.36	3847.22	4017.58
		54"(1372mm)	HFN-5456-	2961.60	3154.98	3382.30	3854.20	4181.18	4374.46
		60"(1524mm)	HFN-6056-	3149.88	3366.18	3620.86	4149.04	4515.14	4731.34
	64"(1626mm)	12"(305mm)	HFN-1264-	\$1686.56	\$1724.54	\$1769.28	\$1861.18	\$1926.86	\$1964.78
		18"(457mm)	HFN-1864-	1884.08	1947.86	2019.84	2172.58	2279.06	2342.66
		24"(610mm)	HFN-2464-	2081.60	2171.18	2270.40	2483.98	2631.26	2720.54
		30"(762mm)	HFN-3064-	2279.12	2394.50	2520.96	2795.38	2983.46	3098.42
		36"(914mm)	HFN-3664-	2476.64	2617.82	2771.52	3106.78	3335.66	3476.30
		42"(1067mm)	HFN-4264-	2674.16	2841.14	3022.08	3418.18	3687.86	3854.18
		48"(1219mm)	HFN-4864-	2871.68	3064.46	3272.64	3729.58	4040.06	4232.06
		54"(1372mm)	HFN-5464-	3069.20	3287.78	3523.20	4040.98	4392.26	4609.94
		60"(1524mm)	HFN-6064-	3266.72	3511.10	3773.76	4352.38	4744.46	4987.82
	68"(1727mm)	12"(305mm)	HFN-1268-	\$1724.54	\$1851.06	\$1913.48	\$2045.86	\$2136.84	\$2192.54
		18"(457mm)	HFN-1868-	1942.58	2096.58	2187.80	2385.34	2520.00	2601.74
		24"(610mm)	HFN-2468-	2160.62	2342.10	2462.12	2724.82	2903.16	3010.94
		30"(762mm)	HFN-3068-	2378.66	2587.62	2736.44	3064.30	3286.32	3420.14
		36"(914mm)	HFN-3668-	2596.70	2833.14	3010.76	3403.78	3669.48	3829.34
		42"(1067mm)	HFN-4268-	2814.74	3078.66	3285.08	3743.26	4052.64	4238.54
		48"(1219mm)	HFN-4868-	3032.78	3324.18	3559.40	4082.74	4435.80	4647.74
		54"(1372mm)	HFN-5468-	3250.82	3569.70	3833.72	4422.22	4818.96	5056.94
		60"(1524mm)	HFN-6068-	3468.86	3815.22	4108.04	4761.70	5202.12	5466.14
	82"(2083mm)	12"(305mm)	HFN-1282-	\$2020.56	\$2111.60	\$2212.80	\$2422.74	\$2571.98	\$2660.52
		18"(457mm)	HFN-1882-	2329.14	2455.22	2597.46	2890.68	3099.32	3222.66
		24"(610mm)	HFN-2482-	2637.72	2798.84	2982.12	3358.62	3626.66	3784.80
		30"(762mm)	HFN-3082-	2946.30	3142.46	3366.78	3826.56	4154.00	4346.94
		36"(914mm)	HFN-3682-	3254.88	3486.08	3751.44	4294.50	4681.34	4909.08
		42"(1067mm)	HFN-4282-	3563.46	3829.70	4136.10	4762.44	5208.68	5471.22
		48"(1219mm)	HFN-4882-	3872.04	4173.32	4520.76	5230.38	5736.02	6033.36
		54"(1372mm)	HFN-5482-	4180.62	4516.94	4905.42	5698.32	6263.36	6595.50
		60"(1524mm)	HFN-6082-	4489.20	4860.56	5290.08	6166.26	6790.70	7157.64

Monolithic Fabric Panel with Steel Top Cap — Powered

PLACES

Fabric



HFP (3-circuit)



Features

- Includes non-powered or powered panel assembly, low profile top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. .6 base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical panel surfaces.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2”(51mm).
- Base raceway is 4”(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept add-on panels up to a combined height of 82”(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E or YE (no raceway cover).
- Additional base raceway end caps will need to be specified if finish post are not ordered.

To Order, Specify:

1) Product number, including:

1 3-Circuit

- E** Without Raceway Cover, deduct **\$192.98** list
- Y** NYC with Raceway Cover
- YE** NYC without Raceway Cover, deduct **\$192.98** list (No option required with Raceway Cover)

- 2) Fabric/colorway for panel side one.
- 3) Fabric/colorway for panel side two.
- 4) Trim color for raceway cover, glide housings and end caps.
- 5) Trim color for top cap and side trim rails.

Note: For mixed grade surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

NOTES:

- Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35”(60mm) top-to-bottom and 2.88”(73mm) side-to-side.
- Non-powered panels ship without receptacle ports in the base raceway cover.
- Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.
- New York City (NYC) electrical applications require field installation of PDA.
- New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.
- Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Monolithic Fabric Panel with Steel Top Cap — Powered


PLACES

	Actual Height	Width	Number ①	Fabric Grade						
				A	B	C	E	F	G	
Fabric	30"(762mm)	12"(305mm)	HFP-1230-							
		18"(457mm)	HFP-1830-							
		24"(610mm)	HFP-2430-							
		30"(762mm)	HFP-3030-							
		36"(914mm)	HFP-3630-							
		42"(1067mm)	HFP-4230-							
		48"(1219mm)	HFP-4830-							
		54"(1372mm)	HFP-5430-							
		60"(1524mm)	HFP-6030-							
	37"(940mm)	12"(305mm)	HFP-1237-							
		18"(457mm)	HFP-1837-							
		24"(610mm)	HFP-2437-							
		30"(762mm)	HFP-3037-							
		36"(914mm)	HFP-3637-							
		42"(1067mm)	HFP-4237-							
		48"(1219mm)	HFP-4837-							
		54"(1372mm)	HFP-5437-							
		60"(1524mm)	HFP-6037-							
	44"(1118mm)	12"(305mm)	HFP-1244-							
		18"(457mm)	HFP-1844-							
		24"(610mm)	HFP-2444-							
		30"(762mm)	HFP-3044-							
		36"(914mm)	HFP-3644-							
		42"(1067mm)	HFP-4244-							
		48"(1219mm)	HFP-4844-							
		54"(1372mm)	HFP-5444-							
		60"(1524mm)	HFP-6044-							
	50"(1270mm)	12"(305mm)	HFP-1250-							
		18"(457mm)	HFP-1850-							
		24"(610mm)	HFP-2450-							
		30"(762mm)	HFP-3050-							
		36"(914mm)	HFP-3650-							
		42"(1067mm)	HFP-4250-							
		48"(1219mm)	HFP-4850-							
		54"(1372mm)	HFP-5450-							
		60"(1524mm)	HFP-6050-							
	56"(1422mm)	12"(305mm)	HFP-1256-							
		18"(457mm)	HFP-1856-							
		24"(610mm)	HFP-2456-							
		30"(762mm)	HFP-3056-							
		36"(914mm)	HFP-3656-							
		42"(1067mm)	HFP-4256-							
		48"(1219mm)	HFP-4856-							
		54"(1372mm)	HFP-5456-							
		60"(1524mm)	HFP-6056-							
	64"(1626mm)	12"(305mm)	HFP-1264-							
		18"(457mm)	HFP-1864-							
		24"(610mm)	HFP-2464-							
		30"(762mm)	HFP-3064-							
		36"(914mm)	HFP-3664-							
		42"(1067mm)	HFP-4264-							
		48"(1219mm)	HFP-4864-							
		54"(1372mm)	HFP-5464-							
		60"(1524mm)	HFP-6064-							
	68"(1727mm)	12"(305mm)	HFP-1268-							
		18"(457mm)	HFP-1868-							
		24"(610mm)	HFP-2468-							
		30"(762mm)	HFP-3068-							
		36"(914mm)	HFP-3668-							
		42"(1067mm)	HFP-4268-							
		48"(1219mm)	HFP-4868-							
		54"(1372mm)	HFP-5468-							
		60"(1524mm)	HFP-6068-							
	82"(2083mm)	12"(305mm)	HFP-1282-							
		18"(457mm)	HFP-1882-							
		24"(610mm)	HFP-2482-							
		30"(762mm)	HFP-3082-							
		36"(914mm)	HFP-3682-							
		42"(1067mm)	HFP-4282-							
		48"(1219mm)	HFP-4882-							
		54"(1372mm)	HFP-5482-							
		60"(1524mm)	HFP-6082-							

Basic Monolithic Fabric Panel with Steel Top Cap — No Power

PLACES

Fabric



HMN (Non-Powered)

Features

- Includes non-powered or powered panel assembly, low profile top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. .6 base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical panel surfaces.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2”(51mm).
- Base raceway is 4”(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept add-on panels up to a combined height of 82”(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E (no raceway cover).
- Additional base raceway end caps will need to be specified if finish post are not ordered.

To Order, Specify:

- 1) Product number, including:

① Option:

- E** Without Raceway Cover, deduct **\$175.26** list (No option required for Raceway Cover)

- 2) Fabric/colorway for panel side one.
3) Fabric/colorway for panel side two.
4) Trim color for raceway cover, glide housings and end caps.
5) Trim color for top cap and side trim rails.

Note: For mixed grade surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

NOTES:

- Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35”(60mm) top-to-bottom and 2.88”(73mm) side-to-side.
- Non-powered panels ship without receptacle ports in the base raceway cover.
- Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.
- New York City (NYC) electrical applications require field installation of PDA.
- New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.
- Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Basic Monolithic Fabric Panel with Steel Top Cap — No Power


PLACES

	Actual Height	Width	Number ①	Fabric Grade					
				A	B	C	E	F	G
Fabric Surface — Low Profile Steel Top Cap	30"(762mm)	12"(305mm)	HMN-1230-	\$1180.69	\$1210.67	\$1217.01	\$1227.75	\$1233.09	\$1243.19
		18"(457mm)	HMN-1830-	1314.25	1333.81	1356.61	1405.21	1438.81	1458.25
		24"(610mm)	HMN-2430-	1447.81	1486.93	1532.53	1629.73	1696.93	1735.81
		30"(762mm)	HMN-3030-	1581.37	1640.05	1708.45	1854.25	1955.05	2013.37
		36"(914mm)	HMN-3630-	1714.93	1793.17	1884.37	2078.77	2213.17	2290.93
		42"(1067mm)	HMN-4230-	1848.49	1946.29	2060.29	2303.29	2471.29	2568.49
		48"(1219mm)	HMN-4830-	1982.05	2099.41	2236.21	2527.81	2729.41	2846.05
		54"(1372mm)	HMN-5430-	2115.61	2252.53	2412.13	2752.33	2987.53	3123.61
		60"(1524mm)	HMN-6030-	2249.17	2405.65	2588.05	2976.85	3245.65	3401.17
	37"(940mm)	12"(305mm)	HMN-1237-	\$1243.91	\$1253.53	\$1262.31	\$1286.93	\$1302.87	\$1312.23
		18"(457mm)	HMN-1837-	1383.59	1414.33	1447.35	1522.13	1574.79	1603.83
		24"(610mm)	HMN-2437-	1523.27	1575.13	1632.39	1757.33	1846.71	1895.43
		30"(762mm)	HMN-3037-	1662.95	1735.93	1817.43	1992.53	2118.63	2187.03
		36"(914mm)	HMN-3637-	1802.63	1896.73	2002.47	2227.73	2390.55	2478.63
		42"(1067mm)	HMN-4237-	1942.31	2057.53	2187.51	2462.93	2662.47	2770.23
		48"(1219mm)	HMN-4837-	2081.99	2218.33	2372.55	2698.13	2934.39	3061.83
		54"(1372mm)	HMN-5437-	2221.67	2379.13	2557.59	2933.33	3206.31	3353.43
		60"(1524mm)	HMN-6037-	2361.35	2539.93	2742.63	3168.53	3478.23	3645.03
	44"(1118mm)	12"(305mm)	HMN-1244-	\$1304.63	\$1323.15	\$1344.37	\$1388.89	\$1419.95	\$1438.67
		18"(457mm)	HMN-1844-	1449.59	1484.91	1530.49	1623.49	1688.03	1726.31
		24"(610mm)	HMN-2444-	1594.55	1646.67	1716.61	1858.09	1956.11	2013.95
		30"(762mm)	HMN-3044-	1739.51	1808.43	1902.73	2092.69	2224.19	2301.59
		36"(914mm)	HMN-3644-	1884.47	1970.19	2088.85	2237.29	2492.27	2589.23
		42"(1067mm)	HMN-4244-	2029.43	2131.95	2274.97	2561.89	2760.35	2876.87
		48"(1219mm)	HMN-4844-	2174.39	2293.71	2461.09	2796.49	3028.43	3164.51
		54"(1372mm)	HMN-5444-	2319.35	2455.47	2647.21	3031.09	3296.51	3452.15
		60"(1524mm)	HMN-6044-	2464.31	2617.23	2833.33	3265.69	3564.59	3739.79
	50"(1270mm)	12"(305mm)	HMN-1250-	\$1350.17	\$1375.51	\$1404.43	\$1466.53	\$1506.97	\$1532.25
		18"(457mm)	HMN-1850-	1500.41	1548.67	1602.79	1718.41	1797.01	1844.97
		24"(610mm)	HMN-2450-	1650.65	1721.83	1801.15	1970.29	2087.05	2157.69
		30"(762mm)	HMN-3050-	1800.89	1894.99	1999.51	2222.17	2377.09	2470.41
		36"(914mm)	HMN-3650-	1951.13	2068.15	2197.87	2474.05	2667.13	2783.13
		42"(1067mm)	HMN-4250-	2101.37	2241.31	2396.23	2725.93	2957.17	3095.85
		48"(1219mm)	HMN-4850-	2251.61	2414.47	2594.59	2977.81	3247.21	3408.57
		54"(1372mm)	HMN-5450-	2401.85	2587.63	2792.95	3229.69	3537.25	3721.29
		60"(1524mm)	HMN-6050-	2552.09	2760.79	2991.31	3481.57	3827.29	4034.01
	56"(1422mm)	12"(305mm)	HMN-1256-	\$1395.75	\$1428.69	\$1464.49	\$1542.43	\$1595.57	\$1628.41
		18"(457mm)	HMN-1856-	1553.55	1609.41	1672.57	1806.79	1899.05	1954.81
		24"(610mm)	HMN-2456-	1711.35	1790.13	1880.65	2071.15	2202.53	2281.21
		30"(762mm)	HMN-3056-	1869.15	1970.85	2088.73	2335.51	2506.01	2607.61
		36"(914mm)	HMN-3656-	2026.95	2151.57	2296.81	2599.87	2809.49	2934.01
		42"(1067mm)	HMN-4256-	2184.75	2332.29	2504.89	2864.23	3112.97	3260.41
		48"(1219mm)	HMN-4856-	2342.55	2513.01	2712.97	3128.59	3416.45	3586.81
		54"(1372mm)	HMN-5456-	2500.35	2693.73	2921.05	3392.95	3719.93	3913.21
		60"(1524mm)	HMN-6056-	2658.15	2874.45	3129.13	3657.31	4023.41	4239.61
	64"(1626mm)	12"(305mm)	HMN-1264-	\$1438.67	\$1476.65	\$1521.39	\$1613.29	\$1678.97	\$1716.89
		18"(457mm)	HMN-1864-	1605.71	1669.49	1741.47	1894.21	2000.69	2064.29
		24"(610mm)	HMN-2464-	1772.75	1862.33	1961.55	2175.13	2322.41	2411.69
		30"(762mm)	HMN-3064-	1939.79	2055.17	2181.63	2456.05	2644.13	2759.09
		36"(914mm)	HMN-3664-	2106.83	2248.01	2401.71	2736.97	2965.85	3106.49
		42"(1067mm)	HMN-4264-	2273.87	2440.85	2621.79	3017.89	3287.57	3453.89
		48"(1219mm)	HMN-4864-	2440.91	2633.69	2841.87	3298.81	3609.29	3801.29
		54"(1372mm)	HMN-5464-	2607.95	2826.53	3061.95	3579.73	3931.01	4148.69
		60"(1524mm)	HMN-6064-	2774.99	3019.37	3282.03	3860.65	4252.73	4496.09
	68"(1727mm)	12"(305mm)	HMN-1268-	\$1476.65	\$1603.17	\$1665.59	\$1797.97	\$1888.95	\$1944.65
		18"(457mm)	HMN-1868-	1654.25	1808.25	1899.47	2097.01	2231.67	2313.41
		24"(610mm)	HMN-2468-	1831.85	2013.33	2133.35	2396.05	2574.39	2682.17
		30"(762mm)	HMN-3068-	2009.45	2218.41	2367.23	2695.09	2917.11	3050.93
		36"(914mm)	HMN-3668-	2187.05	2423.49	2601.11	2994.13	3259.83	3419.69
		42"(1067mm)	HMN-4268-	2364.65	2628.57	2834.99	3293.17	3602.55	3788.45
		48"(1219mm)	HMN-4868-	2542.25	2833.65	3068.87	3592.21	3945.27	4157.21
		54"(1372mm)	HMN-5468-	2719.85	3038.73	3302.75	3891.25	4287.99	4525.97
		60"(1524mm)	HMN-6068-	2897.45	3243.81	3536.63	4190.29	4630.71	4894.73
	82"(2083mm)	12"(305mm)	HMN-1282-	\$1772.67	\$1863.71	\$1964.91	\$2174.85	\$2324.09	\$2412.63
		18"(457mm)	HMN-1882-	2007.87	2133.95	2276.19	2569.41	2778.05	2901.39
		24"(610mm)	HMN-2482-	2243.07	2404.19	2587.47	2963.97	3232.01	3390.15
		30"(762mm)	HMN-3082-	2478.27	2674.43	2898.75	3358.53	3685.97	3878.91
		36"(914mm)	HMN-3682-	2713.47	2944.67	3210.03	3753.09	4139.93	4367.67
		42"(1067mm)	HMN-4282-	2948.67	3214.91	3521.31	4147.65	4593.89	4856.43
		48"(1219mm)	HMN-4882-	3183.87	3485.15	3832.59	4542.21	5047.85	5345.19
		54"(1372mm)	HMN-5482-	3419.07	3755.39	4143.87	4936.77	5501.81	5833.95
		60"(1524mm)	HMN-6082-	3654.27	4025.63	4455.15	5331.33	5955.77	6322.71

Basic Monolithic Fabric Panel with Steel Top Cap — Powered

PLACES

Fabric



HMP (3-circuit)



Features

- Includes non-powered or powered panel assembly, low profile top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. .6 base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical panel surfaces.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2”(51mm).
- Base raceway is 4”(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept add-on panels up to a combined height of 82”(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E or YE (no raceway cover).
- Additional base raceway end caps will need to be specified if finish post are not ordered.

To Order, Specify:

1) Product number, including:

1 3-Circuit

- E** Without Raceway Cover, deduct **\$192.98** list
- Y** NYC with Raceway Cover
- YE** NYC without Raceway Cover, deduct **\$192.98** list (No option required with Raceway Cover)

- 2) Fabric/colorway for panel side one.
- 3) Fabric/colorway for panel side two.
- 4) Trim color for raceway cover, glide housings and end caps.
- 5) Trim color for top cap and side trim rails.

Note: For mixed grade surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

NOTES:

- Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35”(60mm) top-to-bottom and 2.88”(73mm) side-to-side.
- Non-powered panels ship without receptacle ports in the base raceway cover.
- Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.
- New York City (NYC) electrical applications require field installation of PDA.
- New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.
- Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Basic Monolithic Fabric Panel with Steel Top Cap — Powered


PLACES

	Actual Height	Width	Number ①	Fabric Grade												
				A	B	C	E	F	G							
Fabric Surface — Low Profile Steel Top Cap	30″(762mm)	12″(305mm)	HMP-1230-								\$1661.09	\$1691.07	\$1697.41	\$1708.15	\$1713.49	\$1723.59
		18″(457mm)	HMP-1830-								1812.37	1831.93	1854.73	1903.33	1936.93	1956.37
		24″(610mm)	HMP-2430-								1945.93	1985.05	2030.65	2127.85	2195.05	2233.93
		30″(762mm)	HMP-3030-								2079.49	2138.17	2206.57	2352.37	2453.17	2511.49
		36″(914mm)	HMP-3630-								2213.05	2291.29	2382.49	2576.89	2711.29	2789.05
		42″(1067mm)	HMP-4230-								2346.61	2444.41	2558.41	2801.41	2969.41	3066.61
		48″(1219mm)	HMP-4830-								2480.17	2597.53	2734.33	3025.93	3227.53	3344.17
		54″(1372mm)	HMP-5430-								2613.73	2750.65	2910.25	3250.45	3485.65	3621.73
		60″(1524mm)	HMP-6030-								2747.29	2903.77	3086.17	3474.97	3743.77	3899.29
	37″(940mm)	12″(305mm)	HMP-1237-								\$1724.31	\$1733.93	\$1742.71	\$1767.33	\$1783.27	\$1792.63
		18″(457mm)	HMP-1837-								1881.71	1912.45	1945.47	2020.25	2072.91	2101.95
		24″(610mm)	HMP-2437-								2021.39	2073.25	2130.51	2255.45	2344.83	2393.55
		30″(762mm)	HMP-3037-								2161.07	2234.05	2315.55	2490.65	2616.75	2685.15
		36″(914mm)	HMP-3637-								2300.75	2394.85	2500.59	2725.85	2888.67	2976.75
		42″(1067mm)	HMP-4237-								2440.43	2555.65	2685.63	2961.05	3160.59	3268.35
		48″(1219mm)	HMP-4837-								2580.11	2716.45	2870.67	3196.25	3432.51	3559.95
		54″(1372mm)	HMP-5437-								2719.79	2877.25	3055.71	3431.45	3704.43	3851.55
		60″(1524mm)	HMP-6037-								2859.47	3038.05	3240.75	3666.65	3976.35	4143.15
	44″(1118mm)	12″(305mm)	HMP-1244-								\$1785.03	\$1803.55	\$1824.77	\$1869.29	\$1900.35	\$1919.07
		18″(457mm)	HMP-1844-								1947.71	1983.03	2028.61	2121.61	2186.15	2224.43
		24″(610mm)	HMP-2444-								2092.67	2144.79	2214.73	2356.21	2454.23	2512.07
		30″(762mm)	HMP-3044-								2237.63	2306.55	2400.85	2590.81	2722.31	2799.71
		36″(914mm)	HMP-3644-								2382.59	2468.31	2586.97	2825.41	2990.39	3087.35
		42″(1067mm)	HMP-4244-								2527.55	2630.07	2773.09	3060.01	3258.47	3374.99
		48″(1219mm)	HMP-4844-								2672.51	2791.83	2959.21	3294.61	3526.55	3662.63
		54″(1372mm)	HMP-5444-								2817.47	2953.59	3145.33	3529.21	3794.63	3950.27
		60″(1524mm)	HMP-6044-								2962.43	3115.35	3331.45	3763.81	4062.71	4237.91
	50″(1270mm)	12″(305mm)	HMP-1250-								\$1830.57	\$1855.91	\$1884.83	\$1946.93	\$1987.37	\$2012.65
		18″(457mm)	HMP-1850-								1998.53	2046.79	2100.91	2216.53	2295.13	2343.09
		24″(610mm)	HMP-2450-								2148.77	2219.95	2299.27	2468.41	2585.17	2655.81
		30″(762mm)	HMP-3050-								2299.01	2393.11	2497.63	2720.29	2875.21	2968.53
		36″(914mm)	HMP-3650-								2449.25	2566.27	2695.99	2972.17	3165.25	3281.25
		42″(1067mm)	HMP-4250-								2599.49	2739.43	2894.35	3224.05	3455.29	3593.97
		48″(1219mm)	HMP-4850-								2749.73	2912.59	3092.71	3475.93	3745.33	3906.69
		54″(1372mm)	HMP-5450-								2899.97	3085.75	3291.07	3727.81	4035.37	4219.41
		60″(1524mm)	HMP-6050-								3050.21	3258.91	3489.43	3979.69	4325.41	4532.13
	56″(1422mm)	12″(305mm)	HMP-1256-								\$1876.15	\$1909.09	\$1944.89	\$2022.83	\$2075.97	\$2108.81
		18″(457mm)	HMP-1856-								2051.67	2107.53	2170.69	2304.91	2397.17	2452.93
		24″(610mm)	HMP-2456-								2209.47	2288.25	2378.77	2569.27	2700.65	2779.33
		30″(762mm)	HMP-3056-								2367.27	2468.97	2586.85	2833.63	3004.13	3105.73
		36″(914mm)	HMP-3656-								2525.07	2649.69	2794.93	3097.99	3307.61	3432.13
		42″(1067mm)	HMP-4256-								2682.87	2830.41	3003.01	3362.35	3611.09	3758.53
		48″(1219mm)	HMP-4856-								2840.67	3011.13	3211.09	3626.71	3914.57	4084.93
		54″(1372mm)	HMP-5456-								2998.47	3191.85	3419.17	3891.07	4218.05	4411.33
		60″(1524mm)	HMP-6056-								3156.27	3372.57	3627.25	4155.43	4521.53	4737.73
	64″(1626mm)	12″(305mm)	HMP-1264-								\$1919.07	\$1957.05	\$2001.79	\$2093.69	\$2159.37	\$2197.29
		18″(457mm)	HMP-1864-								2103.83	2167.61	2239.59	2392.33	2498.81	2562.41
		24″(610mm)	HMP-2464-								2270.87	2360.45	2459.67	2673.25	2820.53	2909.81
		30″(762mm)	HMP-3064-								2437.91	2553.29	2679.75	2954.17	3142.25	3257.21
		36″(914mm)	HMP-3664-								2604.95	2746.13	2899.83	3235.09	3463.97	3604.61
		42″(1067mm)	HMP-4264-								2771.99	2938.97	3119.91	3516.01	3785.69	3952.01
		48″(1219mm)	HMP-4864-								2939.03	3131.81	3339.99	3796.93	4107.41	4299.41
		54″(1372mm)	HMP-5464-								3106.07	3324.65	3560.07	4077.85	4429.13	4646.81
		60″(1524mm)	HMP-6064-								3273.11	3517.49	3780.15	4358.77	4750.85	4994.21
	68″(1727mm)	12″(305mm)	HMP-1268-								\$1957.05	\$2083.57	\$2145.99	\$2278.37	\$2369.35	\$2425.05
		18″(457mm)	HMP-1868-								2152.37	2306.37	2397.59	2595.13	2729.79	2811.53
		24″(610mm)	HMP-2468-								2329.97	2511.45	2631.47	2894.17	3072.51	3180.29
		30″(762mm)	HMP-3068-								2507.57	2716.53	2865.35	3193.21	3415.23	3549.05
		36″(914mm)	HMP-3668-								2685.17	2921.61	3099.23	3492.25	3757.95	3917.81
		42″(1067mm)	HMP-4268-								2862.77	3126.69	3333.11	3791.29	4100.67	4286.57
		48″(1219mm)	HMP-4868-								3040.37	3331.77	3566.99	4090.33	4443.39	4655.33
		54″(1372mm)	HMP-5468-								3217.97	3536.85	3800.87	4389.37	4786.11	5024.09
		60″(1524mm)	HMP-6068-								3395.57	3741.93	4034.75	4688.41	5128.83	5392.85
	82″(2083mm)	12″(305mm)	HMP-1282-								\$2253.07	\$2344.11	\$2445.31	\$2655.25	\$2804.49	\$2893.03
		18″(457mm)	HMP-1882-								2505.99	2632.07	2774.31	3067.53	3276.17	3399.51
		24″(610mm)	HMP-2482-								2741.19	2902.31	3085.59	3462.09	3730.13	3888.27
		30″(762mm)	HMP-3082-								2976.39	3172.55	3396.87	3856.65	4184.09	4377.03
		36″(914mm)	HMP-3682-								3211.59	3442.79	3708.15	4251.21	4638.05	4865.79
		42″(1067mm)	HMP-4282-								3446.79	3713.03	4019.43	4645.77	5092.01	5354.55
		48″(1219mm)	HMP-4882-								3681.99	3983.27	4330.71	5040.33	5545.97	5843.31
		54″(1372mm)	HMP-5482-								3917.19	4253.51	4641.99	5434.89	5999.93	6332.07
		60″(1524mm)	HMP-6082-								4152.39	4523.75	4953.27	5829.45	6453.89	6820.83

Glazed Monolithic Panels with Steel Top Cap — No Power

PLACES

Glazed



HGN (Non-Powered)

Features

- Includes non-powered or powered panel assembly, low profile top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. **.6** base raceway end caps are shipped with each panel. Order additional as necessary.
- Base raceway is 4”(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.
- Does not accept top feed modules.

Specification Tips

- Panels will accept glazed add-on panels up to a combined height of 82”(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Glazed panels accept muntin kits and wainscot kits.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E (no raceway cover).
- Additional base raceway end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

- 1) Product number, including:
1 Option:
E Without Raceway Cover, deduct **\$175.26** list (No option required for Raceway Cover)
- 2) Glazing finish color.
- 3) Trim color for raceway cover, glide housings and end caps.
- 4) Trim color for frame, top cap and side trim rails.

NOTES:

- *Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35”(60mm) top-to-bottom and 2.88”(73mm) side-to-side.*
- *Non-powered panels ship without receptacle ports in the base raceway cover.*
- *Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.*
- *New York City (NYC) electrical applications require field installation of PDA.*
- *New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.*
- *Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.*
- *For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.*
- *For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.*

Glazed Monolithic Panels with Steel Top Cap — No Power


PLACES

	Actual Height	Width	Number ①	Clear	Frosted
Glazed	44"(1118mm)	12"(305mm)	HGN-1244- 	\$1755.43	\$ 2547.47
		18"(457mm)	HGN-1844- 	2066.98	3432.34
		24"(610mm)	HGN-2444- 	2376.50	4311.43
		30"(762mm)	HGN-3044- 	2688.05	5196.30
		36"(914mm)	HGN-3644- 	2997.56	6075.38
		42"(1067mm)	HGN-4244- 	3307.08	6954.47
		48"(1219mm)	HGN-4844- 	3618.63	7839.34
		54"(1372mm)	HGN-5444- 	3928.15	8718.43
		60"(1524mm)	HGN-6044- 	4239.70	9603.30
	50"(1270mm)	12"(305mm)	HGN-1250- 	\$1868.13	\$ 2868.11
		18"(457mm)	HGN-1850- 	2179.68	3752.98
		24"(610mm)	HGN-2450- 	2489.20	4632.07
		30"(762mm)	HGN-3050- 	2800.75	5516.94
		36"(914mm)	HGN-3650- 	3110.26	6396.02
		42"(1067mm)	HGN-4250- 	3419.78	7275.11
		48"(1219mm)	HGN-4850- 	3731.33	8159.98
		54"(1372mm)	HGN-5450- 	4040.85	9039.07
		60"(1524mm)	HGN-6050- 	4352.40	9923.94
	64"(1626mm)	12"(305mm)	HGN-1264- 	\$2129.63	\$ 3612.07
		18"(457mm)	HGN-1864- 	2441.18	4496.94
		24"(610mm)	HGN-2464- 	2750.70	5376.03
		30"(762mm)	HGN-3064- 	3062.25	6260.90
		36"(914mm)	HGN-3664- 	3371.76	7139.98
		42"(1067mm)	HGN-4264- 	3681.28	8019.07
		48"(1219mm)	HGN-4864- 	3992.83	8903.94
		54"(1372mm)	HGN-5464- 	4302.35	9783.03
		60"(1524mm)	HGN-6064- 	4613.90	10667.90
	68"(1727mm)	12"(305mm)	HGN-1268- 	\$2204.76	\$ 3825.83
		18"(457mm)	HGN-1868- 	2516.31	4710.70
		24"(610mm)	HGN-2468- 	2825.83	5589.79
		30"(762mm)	HGN-3068- 	3137.38	6474.66
		36"(914mm)	HGN-3668- 	3446.89	7353.74
		42"(1067mm)	HGN-4268- 	3756.41	8232.83
		48"(1219mm)	HGN-4868- 	4067.96	9117.70
		54"(1372mm)	HGN-5468- 	4377.48	9996.79
		60"(1524mm)	HGN-6068- 	4689.03	10881.66
	82"(2083mm)	12"(305mm)	HGN-1282- 	\$2467.00	\$ 4571.89
		18"(457mm)	HGN-1882- 	2778.55	5456.76
		24"(610mm)	HGN-2482- 	3088.07	6335.85
		30"(762mm)	HGN-3082- 	3399.62	7220.72
		36"(914mm)	HGN-3682- 	3709.13	8099.80
		42"(1067mm)	HGN-4282- 	4018.65	8978.89
		48"(1219mm)	HGN-4882- 	4330.20	9863.76
		54"(1372mm)	HGN-5482- 	4639.72	10742.85
		60"(1524mm)	HGN-6082- 	4951.27	11627.72

Glazed Monolithic Panels with Steel Top Cap — Powered

PLACES

Glazed



HGP (3-circuit)



Features

- Includes non-powered or powered panel assembly, low profile top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. .6 base raceway end caps are shipped with each panel. Order additional as necessary.
- Base raceway is 4”(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.
- Does not accept top feed modules.

Specification Tips

- Panels will accept glazed add-on panels up to a combined height of 82”(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Glazed panels accept muntin kits and wainscot kits.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E or YE (no raceway cover).
- Additional base raceway end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

1) Product number, including:

1 3-Circuit

- E** Without Raceway Cover, deduct **\$192.98** list
- Y** NYC with Raceway Cover, deduct **\$70.88** list
- YE** NYC without Raceway Cover, deduct **\$263.86** list (No option required with Raceway Cover)

- 2) Glazing finish color.
- 3) Trim color for raceway cover, glide housings and end caps.
- 4) Trim color for frame, top cap and side trim rails.

NOTES:

- Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35”(60mm) top-to-bottom and 2.88”(73mm) side-to-side.
- Non-powered panels ship without receptacle ports in the base raceway cover.
- Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.
- New York City (NYC) electrical applications require field installation of PDA.
- New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.
- Some building codes may restrict the use of panel heights greater than 69”(1753mm). Consult your local code authority to assure that the furniture layout is compliant.
- For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.
- For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.

Glazed Monolithic Panels with Steel Top Cap — Powered


PLACES

	Actual Height	Width	Number ①	Clear	Frosted
Glazed	44"(1118mm)	12"(305mm)	HGP-1244-   	\$2306.71	\$ 3098.75
		18"(457mm)	HGP-1844-   	2635.98	4001.34
		24"(610mm)	HGP-2444-   	2945.50	4880.43
		30"(762mm)	HGP-3044-   	3257.05	5765.30
		36"(914mm)	HGP-3644-   	3566.56	6644.38
		42"(1067mm)	HGP-4244-   	3876.08	7523.47
		48"(1219mm)	HGP-4844-   	4187.63	8408.34
		54"(1372mm)	HGP-5444-   	4497.15	9287.43
		60"(1524mm)	HGP-6044-   	4808.70	10172.30
	50"(1270mm)	12"(305mm)	HGP-1250-   	\$2419.41	\$ 3419.39
		18"(457mm)	HGP-1850-   	2748.68	4321.98
		24"(610mm)	HGP-2450-   	3058.20	5201.07
		30"(762mm)	HGP-3050-   	3369.75	6085.94
		36"(914mm)	HGP-3650-   	3679.26	6965.02
		42"(1067mm)	HGP-4250-   	3988.78	7844.11
		48"(1219mm)	HGP-4850-   	4300.33	8728.98
		54"(1372mm)	HGP-5450-   	4609.85	9608.07
		60"(1524mm)	HGP-6050-   	4921.40	10492.94
	64"(1626mm)	12"(305mm)	HGP-1264-   	\$2680.91	\$ 4163.35
		18"(457mm)	HGP-1864-   	3010.18	5065.94
		24"(610mm)	HGP-2464-   	3319.70	5945.03
		30"(762mm)	HGP-3064-   	3631.25	6829.90
		36"(914mm)	HGP-3664-   	3940.76	7708.98
		42"(1067mm)	HGP-4264-   	4250.28	8588.07
		48"(1219mm)	HGP-4864-   	4561.83	9472.94
		54"(1372mm)	HGP-5464-   	4871.35	10352.03
		60"(1524mm)	HGP-6064-   	5182.90	11236.90
	68"(1727mm)	12"(305mm)	HGP-1268-   	\$2756.04	\$ 4377.11
		18"(457mm)	HGP-1868-   	3085.31	5279.70
		24"(610mm)	HGP-2468-   	3394.83	6158.79
		30"(762mm)	HGP-3068-   	3706.38	7043.66
		36"(914mm)	HGP-3668-   	4015.89	7922.74
		42"(1067mm)	HGP-4268-   	4325.41	8801.83
		48"(1219mm)	HGP-4868-   	4636.96	9686.70
		54"(1372mm)	HGP-5468-   	4946.48	10565.79
		60"(1524mm)	HGP-6068-   	5258.03	11450.66
	82"(2083mm)	12"(305mm)	HGP-1282-   	\$3018.28	\$ 5123.17
		18"(457mm)	HGP-1882-   	3347.55	6025.76
		24"(610mm)	HGP-2482-   	3657.07	6904.85
		30"(762mm)	HGP-3082-   	3968.62	7789.72
		36"(914mm)	HGP-3682-   	4278.13	8668.80
		42"(1067mm)	HGP-4282-   	4587.65	9547.89
		48"(1219mm)	HGP-4882-   	4899.20	10432.76
		54"(1372mm)	HGP-5482-   	5208.72	11311.85
		60"(1524mm)	HGP-6082-   	5520.27	12196.72

Fabric Add-On Panel

PLACES

Fabric



HAF

NOTE:

Add-on panels cannot be used with add-on panels ordered with the SP prefix.*

Features

- Includes panel, vertical connector (bayonet), light block, side trim rails, two full hinge sets, one side trim rail cover and top cap clips.
- Fabric add-on panels may be installed above any straight fabric base or fabric add-on panels.*
- Both sides in same fabric; one color or different color each side.
- Each base panel will accept two add-on panels.
- Lower Level add-on panel will accept overhead components (load bearing). Second add-on panel (top) is non-load bearing.
- Top rail of add-on panel will provide top wire management.
- Utilizes top cap from base panel.
- Standard finish posts can be used.
- Same construction as PLACES Monolithic fabric panel.

Specification Tips

- Add-on panels may be stacked a maximum of two high in any order of height above a base panel.
- Add-on panel must match panel width.
- Combination of panel and add-on panel cannot exceed 82"(2083mm) in height.
- Cannot be used above any door, glazed, open-frame, or glazed add-on panels.
- Base and add-on panel combinations should match existing base panel heights so that end-of-runs and finish posts can be used without field modification.
- Full-height trim rails required for end-of-run conditions with a base panel and one add-on panel, separately specified.
- For two high add-on panel applications specify separately full-height side trim rail for base panel and one high add on, for two high panel add on location use side trim rail that ships with add-on panel.
- Clerestory can be added above fabric add-on panels.

To Order, Specify:

- 1) Product number.
- 2) Fabric/colorway for add-on panel side one.
- 3) Fabric/colorway for add-on panel side two.
- 4) Trim color for side trim rails and trim strip.

Note: For mixed grade surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Fabric Add-On Panel


PLACES

	Actual Height	Width	Number	Fabric Grade					
				A	B	C	E	F	G
Fabric	12"(305mm)	12"(305mm)	HAF-1212	\$1258.85	\$1366.65	\$1485.23	\$1743.99	\$1916.51	\$2024.32
		18"(457mm)	HAF-1812	1318.68	1435.59	1564.16	1844.75	2031.85	2148.76
		24"(610mm)	HAF-2412	1378.51	1504.53	1643.09	1945.51	2147.19	2273.20
		30"(762mm)	HAF-3012	1438.34	1573.47	1722.02	2046.27	2262.53	2397.64
		36"(914mm)	HAF-3612	1498.17	1642.41	1800.95	2147.03	2377.87	2522.08
		42"(1067mm)	HAF-4212	1558.00	1711.35	1879.88	2247.79	2493.21	2646.52
		48"(1219mm)	HAF-4812	1617.83	1780.29	1958.81	2348.55	2608.55	2770.96
		54"(1372mm)	HAF-5412	1677.66	1849.23	2037.74	2449.31	2723.89	2895.40
		60"(1524mm)	HAF-6012	1737.49	1918.17	2116.67	2550.07	2839.23	3019.84
	14"(356mm)	12"(305mm)	HAF-1214	\$1318.68	\$1435.59	\$1564.16	\$1844.75	\$2031.85	\$2148.76
		18"(457mm)	HAF-1814	1378.51	1504.53	1643.09	1945.51	2147.19	2273.20
		24"(610mm)	HAF-2414	1438.34	1573.47	1722.02	2046.27	2262.53	2397.64
		30"(762mm)	HAF-3014	1498.17	1642.41	1800.95	2147.03	2377.87	2522.08
		36"(914mm)	HAF-3614	1558.00	1711.35	1879.88	2247.79	2493.21	2646.52
		42"(1067mm)	HAF-4214	1617.83	1780.29	1958.81	2348.55	2608.55	2770.96
		48"(1219mm)	HAF-4814	1677.66	1849.23	2037.74	2449.31	2723.89	2895.40
		54"(1372mm)	HAF-5414	1737.49	1918.17	2116.67	2550.07	2839.23	3019.84
		60"(1524mm)	HAF-6014	1797.32	1987.11	2195.60	2650.83	2954.57	3144.28
	18"(437mm)	12"(305mm)	HAF-1218	\$1438.34	\$1573.47	\$1722.02	\$2046.27	\$2262.53	\$2397.64
		18"(457mm)	HAF-1818	1498.17	1642.41	1800.95	2147.03	2377.87	2522.08
		24"(610mm)	HAF-2418	1558.00	1711.35	1879.88	2247.79	2493.21	2646.52
		30"(762mm)	HAF-3018	1617.83	1780.29	1958.81	2348.55	2608.55	2770.96
		36"(914mm)	HAF-3618	1677.66	1849.23	2037.74	2449.31	2723.89	2895.40
		42"(1067mm)	HAF-4218	1737.49	1918.17	2116.67	2550.07	2839.23	3019.84
		48"(1219mm)	HAF-4818	1797.32	1987.11	2195.60	2650.83	2954.57	3144.28
		54"(1372mm)	HAF-5418	1857.15	2056.05	2274.53	2751.59	3069.91	3268.72
		60"(1524mm)	HAF-6018	1916.98	2124.99	2353.46	2852.35	3185.25	3393.16
20"(508mm)	12"(305mm)	HAF-1220	\$1498.17	\$1642.41	\$1800.95	\$2147.03	\$2377.87	\$2522.08	
		18"(457mm)	HAF-1820	1558.00	1711.35	1879.88	2247.79	2493.21	2646.52
		24"(610mm)	HAF-2420	1617.83	1780.29	1958.81	2348.55	2608.55	2770.96
		30"(762mm)	HAF-3020	1677.66	1849.23	2037.74	2449.31	2723.89	2895.40
		36"(914mm)	HAF-3620	1737.49	1918.17	2116.67	2550.07	2839.23	3019.84
		42"(1067mm)	HAF-4220	1797.32	1987.11	2195.60	2650.83	2954.57	3144.28
		48"(1219mm)	HAF-4820	1857.15	2056.05	2274.53	2751.59	3069.91	3268.72
		54"(1372mm)	HAF-5420	1916.98	2124.99	2353.46	2852.35	3185.25	3393.16
		60"(1524mm)	HAF-6020	1976.81	2193.93	2432.39	2953.11	3300.59	3517.60
	24"(610mm)	12"(305mm)	HAF-1224	\$1617.83	\$1780.29	\$1958.81	\$2348.55	\$2608.55	\$2770.96
		18"(457mm)	HAF-1824	1677.66	1849.23	2037.74	2449.31	2723.89	2895.40
		24"(610mm)	HAF-2424	1737.49	1918.17	2116.67	2550.07	2839.23	3019.84
		30"(762mm)	HAF-3024	1797.32	1987.11	2195.60	2650.83	2954.57	3144.28
		36"(914mm)	HAF-3624	1857.15	2056.05	2274.53	2751.59	3069.91	3268.72
		42"(1067mm)	HAF-4224	1916.98	2124.99	2353.46	2852.35	3185.25	3393.16
		48"(1219mm)	HAF-4824	1976.81	2193.93	2432.39	2953.11	3300.59	3517.60
		54"(1372mm)	HAF-5424	2036.64	2262.87	2511.32	3053.87	3415.93	3642.04
		60"(1524mm)	HAF-6024	2096.47	2331.81	2590.25	3154.63	3531.27	3766.48

Glazed Add-On Panel

PLACES

Glazed



HAG

NOTE:
Add-on panels cannot be used with add-on panels ordered with the SP prefix.*

Features

- Includes panel, vertical connector (bayonet), light block, side trim rails, two full hinge sets, one side trim rail cover, and top cap clips.
- Utilizes top cap from base panel.
- Glazed add-on panels may be installed above any straight fabric, glazed, or open-frame base or add-on panels.*
- Each base panel will accept two add-on panels.
- Glazed add-on panels will not accept any load bearing components.
- Top rail of add-on panel will provide top wire management.
- Textured glazing material is textured on one side only. Recommend installing the textured side to face the interior of the workstation.
- Standard finish post and end-of-run posts can be used.

Specification Tips

- Specify glazed add-on panel based upon the type of panel, fabric (F) or glazed/open-frame (G), that will be directly below the add-on panel.
- Add-on panels may be stacked a maximum of two high in any order of height above a base panel.
- Add-on panel must match base panel width.
- Combination of base panel and add-on panel cannot exceed 82”(2083mm) in height.
- Base and add-on panel combinations should match existing base panel heights so that end-of-runs and finish posts can be used without field modification.
- Cannot be used above doors.
- Does not accept top feed modules.
- To convert a glazed add-on above a fabric monolithic base panel to a glazed add-on above a glazed base panel or (vice versa), a vertical connector (bayonet) retrofit kit is available. Order separately through Haworth e-Parts.
- Full-height trim rails required for end-of-run conditions with a base panel and one add-on panel, separately specified.
- For two high add-on panel applications specify separately full-height side trim rail for base panel and one high add on, for two high panel add on location use side trim rail that ships with add-on panel.
- Clerestory can be added above glazed add-on panels.
- **Patterned Glass (SQ-CM Checks Mix, SQ-ER English Reeded and SQ-VM Vertical Moire) available on 12”(305mm) and 18”(457mm) high add-on panels only.**

To Order, Specify:

- 1) Product number, including:
 - 1 **Application Designation:**
 - F** Glazed add-on panel directly above fabric base panel or fabric add-on panel.
 - G** Glazed add-on panel directly above glazed and open frame base panel or glazed add-on panel, add **\$68.18** list.
- 2) Glazing color or glass pattern.
- 3) Trim color for frame, side trim rails and trim strip.

Glazed Add-On Panel

PLACES


	Actual Height	Width	Number ①	Glass Grade A	C*	D*
Glazed	12"(305mm)	12"(305mm)	HAG-1212- 	\$1290.36	\$1683.74	\$1814.87
		18"(457mm)	HAG-1812- 	1376.63	1835.55	1992.92
		24"(610mm)	HAG-2412- 	1462.90	1987.36	2170.97
		30"(762mm)	HAG-3012- 	1549.17	2139.17	2349.02
		36"(914mm)	HAG-3612- 	1635.44	2290.98	2527.07
		42"(1067mm)	HAG-4212- 	1721.71	2442.79	2705.12
		48"(1219mm)	HAG-4812- 	1807.98	2594.60	2883.17
		54"(1372mm)	HAG-5412- 	1894.25	2746.41	3061.22
		60"(1524mm)	HAG-6012- 	1980.52	2898.22	3239.27
	14"(356mm)	12"(305mm)	HAG-1214- 	\$1353.02	N/A	\$1969.31
		18"(457mm)	HAG-1814- 	1439.29	N/A	2147.36
		24"(610mm)	HAG-2414- 	1525.56	N/A	2325.41
		30"(762mm)	HAG-3014- 	1611.83	N/A	2503.46
		36"(914mm)	HAG-3614- 	1698.10	N/A	2681.51
		42"(1067mm)	HAG-4214- 	1784.37	N/A	2859.56
		48"(1219mm)	HAG-4814- 	1870.64	N/A	3037.61
		54"(1372mm)	HAG-5414- 	1956.91	N/A	3215.66
		60"(1524mm)	HAG-6014- 	2043.18	N/A	3393.71
	18"(457mm)	12"(305mm)	HAG-1218- 	\$1478.34	\$2068.34	\$2278.19
		18"(457mm)	HAG-1818- 	1564.61	2220.15	2456.24
		24"(610mm)	HAG-2418- 	1650.88	2371.96	2634.29
		30"(762mm)	HAG-3018- 	1737.15	2523.77	2812.34
		36"(914mm)	HAG-3618- 	1823.42	2675.58	2990.39
		42"(1067mm)	HAG-4218- 	1909.69	2827.39	3168.44
		48"(1219mm)	HAG-4818- 	1995.96	2979.20	3346.49
		54"(1372mm)	HAG-5418- 	2082.23	3131.01	3524.54
		60"(1524mm)	HAG-6018- 	2168.50	3282.82	3702.59
	20"(508mm)	12"(305mm)	HAG-1220- 	\$1541.00	N/A	\$2432.63
		18"(457mm)	HAG-1820- 	1627.27	N/A	2610.68
		24"(610mm)	HAG-2420- 	1713.54	N/A	2788.73
		30"(762mm)	HAG-3020- 	1799.81	N/A	2966.78
		36"(914mm)	HAG-3620- 	1886.08	N/A	3144.83
		42"(1067mm)	HAG-4220- 	1972.35	N/A	3322.88
		48"(1219mm)	HAG-4820- 	2058.62	N/A	3500.93
		54"(1372mm)	HAG-5420- 	2144.89	N/A	3678.98
		60"(1524mm)	HAG-6020- 	2231.16	N/A	3857.03
	24"(610mm)	12"(305mm)	HAG-1224- 	\$1666.32	N/A	\$2741.51
		18"(457mm)	HAG-1824- 	1752.59	N/A	2919.56
		24"(610mm)	HAG-2424- 	1838.86	N/A	3097.61
		30"(762mm)	HAG-3024- 	1925.13	N/A	3275.66
		36"(914mm)	HAG-3624- 	2011.40	N/A	3453.71
		42"(1067mm)	HAG-4224- 	2097.67	N/A	3631.76
		48"(1219mm)	HAG-4824- 	2183.94	N/A	3809.81
		54"(1372mm)	HAG-5424- 	2270.21	N/A	3987.86
		60"(1524mm)	HAG-6024- 	2356.48	N/A	4165.91

*Patterned Glass (SQ-CM Checks Mix, SQ-ER English Reeded and SQ-VM Vertical Moire) available on 12"(305mm) and 18"(457mm) high add-on panels only.


Swing Doors with Steel Top Cap

PLACES

	Actual Height	Width	Door Swing	Number	Laminate A	B
Single Door — Laminate	82"(2083mm)	36"(914mm)	Left	HDS-3682-HL	\$5899.06	\$6249.77
		42"(1067mm)	Left	HDS-4282-HL	\$6505.06	\$6903.99



HDS-L



- Features**
- Includes complete panel assembly [hinge sets, carpet gripper, door jamb, side trim rails, leveling glides and trim, hollow core door (1.625" (41 mm) thick), door hinges, hardware, ADA lever with lockset and keys, and threshold].
 - Both sides of door covered in same laminate surface color.
 - Door shipped with left-hand swing and can be field-changed for right-hand swing.
 - 1"(25mm) deep top communications raceway.
 - No power and communications in base raceway.

- Specification Tips**
- Door may be placed a maximum of 24"(610mm) from supporting panels at 90°.
 - Will not accept add-on panel.

Door Opening Clearance		
Door Size	Height	Width
3682	78"(1981mm)	28.75"(730mm)
4282	78"(1981mm)	34.75"(883mm)

- To Order, Specify:**
- 1) Product number.
 - 2) Laminate surface color.
 - 3) Trim color for raceway covers and glide housings.
 - 4) Trim color for door jamb, top cap and side trim rails.

NOTES:


Some building codes may restrict the use of panel heights greater than 69" (1753mm). Consult your local code authority to assure that the furniture layout is compliant prior to installation.

Most building codes for new buildings require a minimum clear door width of 32" (813mm). To meet this requirement, the 42" (1067mm) door must be ordered.

Panel Accessories

PLACES

90° Finish Post — for Steel Top Cap — Painted Surface

HDPC
Class BA

Actual Height	Width	Number	Price
30"(762mm)	2"(51mm)	HDPC-0030	\$191.09
37"(940mm)		HDPC-0037	216.64
44"(1118mm)		HDPC-0044	242.19
50"(1270mm)		HDPC-0050	264.09
56"(1422mm)		HDPC-0056	285.99
64"(1626mm)		HDPC-0064	315.19
68"(1727mm)		HDPC-0068	329.79
82"(2083mm)		HDPC-0082	380.89


Features

- Includes 90° painted vertical cover, plastic top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.

To Order, Specify:

- 1) Product number.
- 2) Painted surface color.
- 3) Trim color for raceway cover.
- 4) Trim color for top cap.

90° Power Connector Cover — Radius Profile

PCC-90-B
Class AA

4"(102mm)	PCC-90-B	\$118.35
-----------	----------	----------

Features

- Includes six (6) covers.
- Required by UL for covering flexible power connector in 90° panel configurations when finish post is not used.


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tip

- For use with UniGroup and PLACES.

180° Finish Post — for Steel Top Cap — Painted Surface

HDPS
Class BA

Actual Height	Width	Number	Price
30"(762mm)	2"(51mm)	HDPS-0030	\$213.63
37"(940mm)		HDPS-0037	226.23
44"(1118mm)		HDPS-0044	238.83
50"(1270mm)		HDPS-0050	249.63
56"(1422mm)		HDPS-0056	260.43
64"(1626mm)		HDPS-0064	274.83
68"(1727mm)		HDPS-0068	282.03
82"(2083mm)		HDPS-0082	307.23

Features


- Includes 180° painted vertical cover, plastic top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.

To Order, Specify:

- 1) Product number.
- 2) Painted surface trim color.
- 3) Trim color for raceway cover.
- 4) Trim color for top cap.

Panel Accessories

PLACES

	Height	Base Panel Height/Add-On	Number	Price
Full Height Side Trim Rail – for use with Add-On Panels 	44"(1118mm)	30"(762mm)/14"(356mm)	HREH-3014	\$193.48
	50"(1270mm)	30"(762mm)/20"(508mm)	HREH-3020	208.72
	56"(1422mm)	44"(1118mm)/12"(305mm)	HREH-4412	223.96
	64"(1626mm)	44"(1118mm)/20"(508mm)	HREH-4420	244.28
	68"(1727mm)	44"(1118mm)/24"(610mm)	HREH-4424	254.44
	64"(1626mm)	50"(1270mm)/14"(356mm)	HREH-5014	244.28
	68"(1727mm)	50"(1270mm)/18"(457mm)	HREH-5018	254.44
	68"(1727mm)	56"(1422mm)/12"(305mm)	HREH-5612	254.44
	82"(2083mm)	64"(1626mm)/18"(457mm)	HREH-6418	290.00
	82"(2083mm)	68"(1727mm)/14"(356mm)	HREH-6814	290.00

Feature

- Includes one full height side trim rail.

Specification Tips

- For use with base panel and one add-on panel.
- For two high add-on panel applications specify separately full-height side trim rail for base panel and one high add-on, for two high add-on panel location use side trim rail that ships with add-on panel. See Specification Guide for application guidelines.

To Order, Specify:

- Product number.
- Trim color.

Hinges

HHE

Panel Height	Width	Number	Price
30"(762mm)	1.125"(29mm)	HHE-0030	\$26.06
37"(940mm)		HHE-0037	26.06
44"(1118mm)		HHE-0044	28.43
50"(1270mm)		HHE-0050	30.80
56"(1422mm)		HHE-0056	30.80
64"(1626mm)		HHE-0064	33.17
68"(1727mm)		HHE-0068	35.54
82"(2083mm)		HHE-0082	45.02



Features

- Includes one hinge set for one side of trim rail.
- For replacement only (hinges are included with panels).
- One hinge set connects every two panels for angular connections.
- Two hinge sets are used for straight-line conditions.

To Order, Specify:

- Product number.
- Trim color.

Panel Accessories
for use with PLACES Panels

	Actual Height	Depth	Width	Number	Price
All-Purpose Hook	1"(25mm)	3"(76mm)	0.5"(13mm)	HCH-0008	\$231.98
 HCH-0008	Features - Includes eight hooks. - Attaches to PLACES steel top cap panels only.		To Order, Specify: - Product number. - Trim color.		
Seismic Anchoring Bracket				HAB-0001	\$333.05
 HAB	Features - Includes package of six formed steel brackets. - For seismic anchoring of UniGroup Too, UniGroup and PLACES panels.		To Order, Specify: Product number. (No finish specification required.)		
Friction Pad				7031-0501	\$18.94
 7031-0501	Feature - Includes one pad. Specification Tip - Attaches to bottom of glide to prevent movement of panels on hard surface flooring.		To Order, Specify: Product number. (No finish specification required.)		

Panel Accessories – Retrofit Kits

for use with UniGroup Too and UniGroup Panels

	Width	Number	Trim A	B
Square Painted Top Caps For UniGroup Too and UniGroup Fabric and Laminate Panels, UniGroup Too Fabric Add-On Panels and Legacy UniGroup Videne Panels	12"(305mm)	E2TS-12-U	\$ 84.86	\$ 86.76
	18"(457mm)	E2TS-18-U	95.54	98.38
	24"(610mm)	E2TS-24-U	108.00	111.78
	30"(762mm)	E2TS-30-U	116.90	121.62
	36"(914mm)	E2TS-36-U	127.58	133.24
	42"(1067mm)	E2TS-42-U	138.26	144.86
	48"(1219mm)	E2TS-48-U	150.72	158.26
	54"(1372mm)	E2TS-54-U	159.62	168.10
	60"(1524mm)	E2TS-60-U	172.08	181.50



E2TS-U

Feature

- Includes square painted top cap, clips, aligner, and .6 end caps.

Specification Tips

- To be used with straight top cap panels only.
- Not to be used with UniGroup expanded top cap raceway.

To Order, Specify:

- Product number.
- Trim color.

Square Painted Top Caps For UniGroup Too and UniGroup Doors and Glazed Panels, UniGroup Open-Frame Panels, UniGroup Too Glazed Add-On Panels, and UniGroup Glazed and Fabric Add-On Panels	12"(305mm)	E2TS-12-T	\$ 84.86	\$ 86.76
	18"(457mm)	E2TS-18-T	95.54	98.38
	24"(610mm)	E2TS-24-T	108.00	111.78
	30"(762mm)	E2TS-30-T	116.90	121.62
	36"(914mm)	E2TS-36-T	127.58	133.24
	42"(1067mm)	E2TS-42-T	138.26	144.86
	48"(1219mm)	E2TS-48-T	150.72	158.26
	54"(1372mm)	E2TS-54-T	159.62	168.10
	60"(1524mm)	E2TS-60-T	172.08	181.50



E2TS-T

Feature

- Includes square painted top cap, clips, aligner, and .6 end caps.


Specification Tips

- To be used with straight top cap panels only.
- Not to be used with UniGroup expanded top cap raceway.
- Field modification of glazed panels and doors manufactured prior to September 2007 as required.

To Order, Specify:

- Product number.
- Trim color.

Trim Strip for UniGroup Fabric and Glazed Add-On Panels	12"(305mm)	E2UR-12-A	\$39.48	\$41.38
	18"(457mm)	E2UR-18-A	44.42	47.26
	24"(610mm)	E2UR-24-A	49.36	53.14
	30"(762mm)	E2UR-30-A	54.30	59.02
	36"(914mm)	E2UR-36-A	59.24	64.90
	42"(1067mm)	E2UR-42-A	64.18	70.78
	48"(1219mm)	E2UR-48-A	69.12	76.66
	54"(1372mm)	E2UR-54-A	74.06	82.54
	60"(1524mm)	E2UR-60-A	79.00	88.42



E2UR-A

Feature

- Includes trim strip.

Specification Tip


- Used to retrofit existing fabric and glazed add-on panels to match aesthetic appearance of UniGroup Too.


To Order, Specify:

- Product number.
- Trim color.

Panel Accessories – Retrofit Kits


for use with UniGroup Panels


	Actual Height	Number	Trim A	B
90° Full-Height Finish Post — Square Painted Top Cap 	30"(762mm)	U2PC-28	\$160.68	\$176.44
	37"(940mm)	U2PC-35	172.86	191.28
	44"(1118mm)	U2PC-42	185.04	206.12
	50"(1270mm)	U2PC-48	195.48	218.84
	56"(1422mm)	U2PC-54	205.92	231.56
	64"(1626mm)	U2PC-62	219.84	248.52
	68"(1727mm)	U2PC-66	226.80	257.00
	82"(2083mm)	U2PC-80	251.16	286.68
Feature • Includes 90° vertical cover, square painted top cap and base raceway cover.				
Specification Tips • For use with equal height UniGroup panels in a 90°, 2-Way condition with UniGroup Too square painted top cap. • To be used with straight top cap panels only. • Required by UL for covering base raceway power connectors when power connector covers are not used.				
			To Order, Specify: 1) Product number: 2) Paint color for finish post. 3) Trim color for raceway cover. 4) Trim color for top cap.	
			Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.	

	Actual Height	Number	Trim A	B
90° Variable-Height Finish Post — Square Painted Top Cap 	30"(762mm)	U2PC-28-V	\$186.33	\$202.09
	37"(940mm)	U2PC-35-V	198.51	216.93
	44"(1118mm)	U2PC-42-V	210.69	231.77
	50"(1270mm)	U2PC-48-V	221.13	244.49
	56"(1422mm)	U2PC-54-V	231.57	257.21
	64"(1626mm)	U2PC-62-V	245.49	274.17
	68"(1727mm)	U2PC-66-V	252.45	282.65
Feature • Includes 90° vertical cover, square painted top cap and base raceway cover.				
Specification Tips • For use with multiple height UniGroup panels in a 90°, 2-Way condition; specify height to match lowest panel height with UniGroup Too square painted top cap. • To be used with straight top cap panels only. • Required by UL for covering base raceway power connectors when power connector covers are not used.				
			To Order, Specify: 1) Product number: 2) Paint color for finish post. 3) Trim color for raceway cover. 4) Trim color for top cap.	
			Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.	

Panel Accessories – Retrofit Kits

for use with UniGroup Panels


	Actual Height	Number	Trim A	B
120° Full-Height Finish Post — Square Painted Top Cap 	30"(762mm)	U2PA-28	\$200.61	\$212.82
	37"(940mm)	U2PA-35	210.48	225.42
	44"(1118mm)	U2PA-42	220.35	238.02
	50"(1270mm)	U2PA-48	228.81	248.82
	56"(1422mm)	U2PA-54	237.27	259.62
	64"(1626mm)	U2PA-62	248.55	274.02
	68"(1727mm)	U2PA-66	254.19	281.22
	82"(2083mm)	U2PA-80	273.93	306.42
Feature Includes 120° vertical cover, square painted top cap and base raceway cover.				
Specification Tips - For use with equal height UniGroup panels in a 120°, 2-Way condition with UniGroup Too square painted top cap. - To be used with straight top cap panels only. - Required by UL for covering base raceway power connectors when power connector covers are not used.				
To Order, Specify: - Product number: - Paint color for finish post. - Trim color for raceway cover. - Trim color for top cap. Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.				


	Actual Height	Number	Trim A	B
120° Variable-Height Finish Post — Square Painted Top Cap 	30"(762mm)	U2PA-28-V	\$226.06	\$238.27
	37"(940mm)	U2PA-35-V	235.93	250.87
	44"(1118mm)	U2PA-42-V	245.80	263.47
	50"(1270mm)	U2PA-48-V	254.26	274.27
	56"(1422mm)	U2PA-54-V	262.72	285.07
	64"(1626mm)	U2PA-62-V	274.00	299.47
	68"(1727mm)	U2PA-66-V	279.64	306.67
Feature Includes 120° vertical cover, square painted top cap and base raceway cover.				
Specification Tips - For use with multiple height UniGroup panels in a 120°, 2-Way condition; specify height to match lowest panel height with UniGroup Too square painted top cap. - To be used with straight top cap panels only. - Required by UL for covering base raceway power connectors when power connector covers are not used.				
To Order, Specify: - Product number: - Paint color for finish post. - Trim color for raceway cover. - Trim color for top cap. Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.				

Panel Accessories – Retrofit Kits

for use with UniGroup Panels

	Actual Height	Number	Trim A	B
180° Full-Height Finish Post — Square Painted Top Cap 	30"(762mm)	U2PS-28	\$157.58	\$173.38
	37"(940mm)	U2PS-35	170.38	189.38
	44"(1118mm)	U2PS-42	179.98	201.38
	50"(1270mm)	U2PS-48	189.58	213.38
	56"(1422mm)	U2PS-54	199.18	225.38
	64"(1626mm)	U2PS-62	211.98	241.38
	68"(1727mm)	U2PS-66	218.38	249.38
	82"(2083mm)	U2PS-80	240.78	277.38
Feature Includes 180° vertical cover, square painted top cap and base raceway cover.				
Specification Tips - For use with equal height UniGroup panels in a 180°, 3-Way condition with UniGroup Too square painted top cap. - To be used with straight top cap panels only. - Required by UL for covering base raceway power connectors when power connector covers are not used.				
			To Order, Specify: - Product number: - Paint color for finish post. - Trim color for raceway cover. - Trim color for top cap.	
			Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.	

	Actual Height	Number	Trim A	B
180° Variable-Height Finish Post — Square Painted Top Cap 	30"(762mm)	U2PS-28-V1	\$183.03	\$198.83
		U2PS-28-V2I	183.03	198.83
		U2PS-28-V2L	183.03	198.83
	37"(940mm)	U2PS-35-V1	\$195.83	\$214.83
		U2PS-35-V2I	195.83	214.83
		U2PS-35-V2L	195.83	214.83
	44"(1118mm)	U2PS-42-V1	\$205.43	\$226.83
		U2PS-42-V2I	205.43	226.83
		U2PS-42-V2L	205.43	226.83
	50"(1270mm)	U2PS-48-V1	\$215.03	\$238.83
		U2PS-48-V2I	215.03	238.83
		U2PS-48-V2L	215.03	238.83
	56"(1422mm)	U2PS-54-V1	\$224.63	\$250.83
		U2PS-54-V2I	224.63	250.83
		U2PS-54-V2L	224.63	250.83
	64"(1626mm)	U2PS-62-V1	\$237.43	\$266.83
		U2PS-62-V2I	237.43	266.83
		U2PS-62-V2L	237.43	266.83
	68"(1727mm)	U2PS-66-V1	\$243.83	\$274.83
		U2PS-66-V2I	243.83	274.83
		U2PS-66-V2L	243.83	274.83
	82"(2083mm)	U2PS-80-V2I	\$266.23	\$302.83



Features

- Includes 180° vertical cover, square painted top cap and base raceway cover.
- Includes top cap with one or two alignment tabs; specify accordingly.

Specification Tips

- For use with multiple height UniGroup panels in a 180°, 3-Way condition with UniGroup Too square painted top cap; specify height to match lowest panel height except in V2I condition.
- To be used with straight top cap panels only.
- Product specification must reflect number of top cap alignment tabs for lowest like panel heights in an "I" or "L" condition; refer to UniGroup Too Application Guidelines.
- Top cap alignment tabs are for dedicated applications and are not field removable; -V1, -V2I, -V2L.
- Required by UL for covering base raceway power connectors when power connector covers are not used.

To Order, Specify:

- Product number:
- Paint color for finish post.
- Trim color for raceway cover.
- Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Panel Accessories – Retrofit Kits

for use with PLACES Panels

	Width	Number	Trim A	B
Square Painted Top Caps For all PLACES doors and panel types except Legacy Gabled, Oblique and Expanded 	12"(305mm)	E2TS-12-P	\$ 84.86	\$ 86.76
	18"(457mm)	E2TS-18-P	95.54	98.38
	24"(610mm)	E2TS-24-P	108.00	111.78
	30"(762mm)	E2TS-30-P	116.90	121.62
	36"(914mm)	E2TS-36-P	127.58	133.24
	42"(1067mm)	E2TS-42-P	138.26	144.86
	48"(1219mm)	E2TS-48-P	150.72	158.26
	54"(1372mm)	E2TS-54-P	159.62	168.10
	60"(1524mm)	E2TS-60-P	172.08	181.50

E2TS-P

Feature

- Includes square square painted top cap, clips, aligner, and .6 end caps.


Specification Tips

- To be used with straight top cap panels only.
- Field modification of glazed panels and doors manufactured prior to September 2007 as required.

To Order, Specify:

- Product number.
- Trim color.

90° Full-Height Finish Post — Square Painted Top Cap



H2PC

Actual Height	Number	Trim A	B
30"(762mm)	H2PC-30	\$186.15	\$202.67
37"(940mm)	H2PC-37	198.33	217.51
44"(1118mm)	H2PC-44	210.51	232.35
50"(1270mm)	H2PC-50	220.95	245.07
56"(1422mm)	H2PC-56	231.39	257.79
64"(1626mm)	H2PC-64	245.31	274.75
68"(1727mm)	H2PC-68	252.27	283.23
82"(2083mm)	H2PC-82	276.63	312.91

Feature

- Includes 90° vertical cover, square painted top cap and base raceway cover.

Specification Tips


- For use with equal height PLACES panels in a 90°, 2-Way condition with UniGroup Too square painted top cap.
- Not for use with legacy expanded panels.
- To be used with straight top cap panels only.
- Required by UL for covering base raceway flexible and Straight power connectors when power connector covers are not used.

To Order, Specify:

- Product number:
- Paint color for finish post.
- Trim color for raceway cover.
- Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

90° Variable-Height Finish Post — Square Painted Top Cap



H2PC-V

Actual Height	Number	Trim A	B
30"(762mm)	H2PC-30-V	\$211.80	\$228.32
37"(940mm)	H2PC-37-V	223.98	243.16
44"(1118mm)	H2PC-44-V	236.16	258.00
50"(1270mm)	H2PC-50-V	246.60	270.72
56"(1422mm)	H2PC-56-V	257.04	283.44
64"(1626mm)	H2PC-64-V	270.96	300.40
68"(1727mm)	H2PC-68-V	277.92	308.88

Feature

- Includes 90° vertical cover, square painted top cap and base raceway cover.

Specification Tips

- For use with multiple height PLACES panels in a 90°, 2-Way condition; specify height to match lowest panel height with UniGroup Too square painted top cap.
- Not for use with legacy expanded panels.
- To be used with straight top cap panels only.
- Required by UL for covering base raceway power connectors when power connector covers are not used.

To Order, Specify:


- Product number:
- Paint color for finish post.
- Trim color for raceway cover.
- Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Panel Accessories – Retrofit Kits

for use with PLACES Panels

	Actual Height	Number	Trim A	B
180° Full-Height Finish Post — Square Painted Top Cap 	30"(762mm)	H2PS-30	\$173.57	\$190.17
	37"(940mm)	H2PS-37	186.37	206.17
	44"(1118mm)	H2PS-44	195.97	218.17
	50"(1270mm)	H2PS-50	205.57	230.17
	56"(1422mm)	H2PS-56	215.17	242.17
	64"(1626mm)	H2PS-64	227.97	258.17
	68"(1727mm)	H2PS-68	234.37	266.17
	82"(2083mm)	H2PS-82	256.77	294.17
Feature • Includes 180° vertical cover, top cap and base raceway cover.				
Specification Tips • For use with equal height PLACES panels in a 180°, 3-Way condition with UniGroup Too square painted top cap. • Not for use with legacy expanded panels. • To be used with straight top cap panels only. • Required by UL for covering base raceway power connectors when power connector covers are not used.				
			To Order, Specify: 1) Product number: 2) Paint color for finish post. 3) Trim color for raceway cover. 4) Trim color for top cap. Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.	


	Actual Height	Number	Trim A	B
180° Variable-Height Finish Post — Square Painted Top Cap 	30"(762mm)	H2PS-30-V1	\$199.02	\$215.62
		H2PS-30-V2I	199.02	215.62
		H2PS-30-V2L	199.02	215.62
	37"(940mm)	H2PS-37-V1	\$211.82	\$231.62
		H2PS-37-V2I	211.82	231.62
		H2PS-37-V2L	211.82	231.62
	44"(1118mm)	H2PS-44-V1	\$221.42	\$243.62
		H2PS-44-V2I	221.42	243.62
		H2PS-44-V2L	221.42	243.62
	50"(1270mm)	H2PS-50-V1	\$231.02	\$255.62
		H2PS-50-V2I	231.02	255.62
		H2PS-50-V2L	231.02	255.62
	56"(1422mm)	H2PS-56-V1	\$240.62	\$267.62
		H2PS-56-V2I	240.62	267.62
		H2PS-56-V2L	240.62	267.62
	64"(1626mm)	H2PS-64-V1	\$253.42	\$283.62
		H2PS-64-V2I	253.42	283.62
		H2PS-64-V2L	253.42	283.62
	68"(1727mm)	H2PS-68-V1	\$259.82	\$291.62
		H2PS-68-V2I	259.82	291.62
		H2PS-68-V2L	259.82	291.62
	82"(2083mm)	H2PS-82-V2I	\$282.22	\$319.62
Features • Includes 180° vertical cover, square painted top cap and base raceway cover. • Includes top cap with one or two alignment tabs; specify accordingly.				
Specification Tips • For use with multiple height PLACES panels in a 180°, 3-Way condition with UniGroup Too square painted top cap; specify height to match lowest panel height except in V2I condition. • Not for use with legacy expanded panels. • To be used with straight top cap panels only. • Product specification must reflect number of top cap alignment tabs for lowest like panel heights in an "I" or "L" condition; refer to UniGroup Too Application Guidelines. • Top cap alignment tabs are for dedicated applications and are not field removable; -V1, -V2I, -V2L. • Required by UL for covering base raceway power connectors when power connector covers are not used.				
			To Order, Specify: 1) Product number: 2) Paint color for finish post. 3) Trim color for raceway cover. 4) Trim color for top cap. Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.	

This page intentionally blank

Clerestory Kits

for use with UniGroup Too, UniGroup, PLACES

Clerestory Illustration



Planning and Specification

1. To determine how many lineal feet of straight track are needed, divide the total lineal feet of panels that require Clerestory by ten and round-off to the next highest whole number. Order that quantity of Straight Track SPCL-1616.
2. Examine your floor plan to determine the type and quantities of corner kits you will require. Note that only 90° angles are possible; other angles cannot be accommodated.
3. If mounting Clerestory on straight panel runs that include swing doors or glazed panels, a maximum combination of four lineal feet of glazed panels or glazed panels with a door is permitted per 12'(3658mm) panel run.
4. Follow normal support and load values for UniGroup Too, UniGroup and PLACES panels as defined in Haworth Installation Procedures.
5. Be sure that sprinkler, HVAC and lighting locations are taken into consideration when planning for Clerestory; it does form a floor-to-ceiling barrier.
6. Consult Installation Instructions #7021-6201 for specific installation information.

NOTES:

- Installation instructions available in the Library. Please refer to prior to ordering field supplied glass.
- Not to be used with top feed modules.
- Not to be used with sliding doors.
- Ceiling bracket designed to fit 1"(25mm) grid.
- **For UniGroup Too applications, 90° finish posts must be replaced with UniGroup 90° finish posts so radius aesthetic matches 2-way corner pieces. Field cut to size.**
- Installation of clerestory kits on PLACES panels will reduce the cabling capacity of the upper panel raceway and restrict access.


Code Compliance

Where Clerestory is used with UniGroup Too, UniGroup and PLACES panels that feature The Power Base electrical system, electrical components do not comply with UL 183 requirements for floor-to-ceiling partitions; the electrical components do comply with UL 1286 requirements for panel systems. Verify acceptance of this exception and check local codes.

Electrical Components

UniGroup Too, UniGroup, PLACES

	Description	Feed Length	Number	Price
Base Feed Module – Hardwire Connection	3-Circuit Hardwire 20 Amp	48”(1219mm)	BFM-1-B	\$ 431.54
		72”(1829mm)	BFM-0006-B	580.25
		120”(3048mm)	BFM-0010-B	752.47
		180”(4572mm)	BFM-0015-B	988.19
		300”(7620mm)	BFM-0025-B	1417.91



BFM-1-B



Features

- Includes one base feed with 4’(1219mm) long, with black 0.5”(13mm) flexible metal conduit.
- Conduit for 3-Circuit includes eight 12-gauge wires for up to three 20 amp circuits of power.
- For floor, column, or wall hardwire connections.
- For use with panels equipped with power components.
- Base feed module can be field modified to accommodate left or right conditions.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel.
- Standard in charcoal trim color only.


To Order, Specify:

- 1) Product number.
(No finish specification required.)


Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- Not for use with power sources other than 120 volt 60 hertz.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Single Circuit Base Feed Module – Receptacle Connection with Power Cord	3-Circuit Cord Feed 20 Amp (USA Only)	2’(610mm)	BFM-2-B	\$407.34
--	---------------------------------------	-----------	---------	----------



BFM-2-B



Features

- Includes one base feed, 2’(610mm) cord and 20 amp plug (NEMA 5-20P).
- For use with panels equipped with power components.
- Requires a 20 amp, 125 volt power receptacle (NEMA 5-20R) for plug-in (not included).
- Provides power to circuit #1 only.
- Attaches at any of the four receptacle sites in a powered base raceway of a panel.
- Standard in charcoal trim color only.

To Order, Specify:



- 1) Product number.
(No finish specification required.)

Specification Tips


- For use with UniGroup Too, UniGroup and PLACES.
- **Not for use in Canada due to electrical code restrictions.**
- **Not for use with isolated ground receptacles.**
- Not for use with power sources other than 120 volt 60 hertz.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


Electrical Components

UniGroup Too, UniGroup, PLACES

	Description	Feed Length	Number	Price
Single Circuit Base Feed Module – Receptacle Connection with Power Cord  BFM-2-A  	3-Circuit Cord Feed 15 Amp (Canada Only)	6'(1829mm)	BFM-2-A	\$390.62
	Features - Includes one base feed, 6'(1829mm) cord, and 15 amp plug (NEMA 5-15P). - For use with panels equipped with power components. - Requires a 15 amp, 125 volt power receptacle (NEMA 5-15R) for plug-in (not included). - Attaches at any one of four receptacle sites in a powered raceway of a panel. - Provides power to circuit #1 only. - Standard in charcoal trim color only. To Order, Specify: 1) Product number. (No finish specification required.) Specification Tips - For use with UniGroup Too, UniGroup and PLACES. Not for use in USA due to electrical code restrictions. Not for use with isolated ground receptacles. - Not for use with power sources other than 120 volt 60 hertz. - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.			


Electrical Components
UniGroup Too, UniGroup, PLACES

	Description	Number	Price
Base Feed Module — Concealed Hardwire Connection  BFM-6-B 	3-Circuit Concealed	BFM-6-B	\$438.76
	Features - Includes one junction box with modular connector and three 0.5”(13mm) knockouts. - For use with panels equipped with power components. - For floor, column, or wall hardwire connections. - For 3-Circuit includes eight 12-gauge wires for up to three 20 amp circuits of power. - Attaches into receptacle site on left side of panel. - Conforms to New York City electrical code. - Junction box has three 0.5”(13mm) knockouts.	To Order, Specify: 1) Product number. (No finish specification required.)	
	Specification Tips - For use with UniGroup Too, UniGroup and PLACES. - For installation on panels no less than 30”(762mm) wide. - Conduit and fittings for connection between building and junction box are supplied by local electricians. - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.		

	Description	Feed Length	Number	Price
Raised Floor Base Feed Module  EBEJ-0072-3WF 	3-Circuit Infeed Connector	69”(1753mm)	EBEJ-0072-3WF	\$544.86
	Features - Includes connector assembly which consists of one Power Base connector head, 0.5”(13mm) black flexible metal conduit and one Power Base AI connector and a two port splitter. - Eight 12-gauge wires provided up to three 20-amp circuits for 3-circuit. - For use with power components. - Attaches at any one of the four receptacle sites in a powered base raceway of a panel and to a Power Base AI underfloor power system or a Power Base AI Wall feed. - Base feed module can be field modified to accommodate left or right conditions. - Connector has integral latching system. - UL listed manufactured wiring system rated for 20-amp 120V/208Y or 120V/240V 60 Hz and for use in “other air handling spaces” per the NEC article 604. - Standard in charcoal trim color only.	To Order, Specify: 1) Product number. (No finish specification required.)		
	Specification Tips - For use with UniGroup Too, UniGroup and PLACES. - Male Power Base AI connector can plug directly into a zone distribution box, circuit distributor, flush floor box connectors or wall feed. - Male Power Base AI connector cannot connect directly to infeed or jumper. - Not for power sources other than 120 volt 60 hertz. - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.			


Electrical Components

UniGroup Too, UniGroup, PLACES

	Description	Length	Number	Price
Internal Power Base AI Feed  EVEJ-3WF 	3-Circuit	64"(1626mm)	EUEJ-0064-3WF	\$276.75
		102"(2591mm)	EUEJ-0102-3WF	319.86
		144"(3658mm)	EUEJ-0144-3WF	384.57
		300"(7620mm)	EUEJ-0300-3WF	918.29
Features - Includes connector assembly which consists of one power base connector head, 0.5"(13mm) (unpainted) flexible metal conduit and one Power Base AI connector for up to three circuits of power and a two port splitter. - Attaches at any one of the four receptacle sites in a powered base raceway of a panel and to a Power Base AI underfloor power system.				
To Order, Specify: 1) Product number. (No finish specification required.)				
Specification Tips Not for use with power sources other than 120 volt 60 hertz. - Male Power Base AI connector can plug directly into a zone distribution box, circuit distributor, flush floor box connectors or wall feed. - Male Power Base AI connector cannot connect directly to infeed or jumper. - Excess length can be coiled under the floor. - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.				

Wall Feed

Field Wired 1 Port



FBEW



Description	Height	Length	Number	Price
3-Circuit	1.5″(38mm)	4.69″(119mm)	FBEW-0004-31	\$113.32

Features

- Includes 4.69″(119mm) junction box cover with one female modular power connector.
- For use with field supplied 4.69″(119mm) square junction box.
- For use with Raised Floor Base Feed Module and Internal Power Base AI feed.
- Connector has integral latching system.
- UL listed manufactured wiring system rated for 20 AMP 120V/20BY or 120/240V 60 Hz and for use in other air.

To Order, Specify:

1) Product number.


(No finish specification required.)

Specification Tips


- Provides transition from building power to modular power distribution system. May be used with junction box in wall or column.

Electrical Components
UniGroup Too, UniGroup and PLACES

	Description	Length	Number	Price
Infeed Harness	3-Circuit	15'(4572mm)	VEEH-0000-3	\$ 950.71
		30'(9144mm)	VEEH-0030-3	1457.09



VEEH-3



Features

- Includes electrical harness in metal conduit.
- For connection to the electrical source located in space above a drop ceiling or from floor.
- For use with panels equipped with power components.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- Conduit for 3-Circuit includes eight 12-gauge wires for up to three 20-amp circuits of power.
- Routes power to base raceway.
- Attaches to receptacle site on right hand side of panel in a powered raceway.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- Not for use with power sources other than 120 volt 60 hertz.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Electrical Components

UniGroup Too

Top Feed Module —
UniGroup Too Only



E2FM
E2FM-X



Description	Panel Height	Pole Length	Number	Trim A	B
10' Ceiling Height					
3-Circuit	32"(813mm) - 56"(1422mm)	124"(3150mm)	E2FM-3200-3	\$1963.09	\$2023.33
	64"(1626mm) - 80"(2032mm)	70"(1778mm)	E2FM-6400-3	1915.74	1943.04
12' Ceiling Height					
3-Circuit	40"(1016mm) - 80"(2032mm)	124"(3150mm)	E2FM-X	\$1963.09	\$2023.33

Features

- Includes one electrical harness in metal conduit, electrical box, ceiling bezel plate, single channel pole, hardware and square painted top cap cover.
- For connection to the electrical source located in space above a drop ceiling.
- For use with panels equipped with power components.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- Conduit for 3-Circuit includes eight 12-gauge wires for up to three 20-amp circuits of power.
- For routing and cabling capacities, see Specification Guide.
- Removable cover on pole provides access to pathway.
- Provides eight 12-gauge wires for up to three 20-amp circuits of power.
- Routes power to base raceway.
- Attaches at receptacle site on right hand side of panel in a powered base raceway.

To Order, Specify:

- 1) Product number.
- 2) Trim color for pole.
- 3) Trim color top cap piece.

Specification Tips

- For installation on panels no less than 18"(457mm) wide.
- Not for use with glazed add-on panels, glazed panels or single doors.
- For use with UniGroup Too square painted top cap panels only, field cutting of top cap is required.
- Not for use with power sources other than 120 volt 60 hertz.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

NOTE: Wire harness length is 180"(4572mm) regardless of pole length.

Electrical Components

UniGroup

Top Feed Module — UniGroup Only

TFM-B
TFM-X

Description	Panel Height	Pole Length	Number	Price
10' Ceiling Height				
3-Circuit	30"(762mm) - 56"(1422mm)	124"(3150mm)	TFM-3000-B	\$2257.01
	64"(1626mm) - 82"(2083mm)	70"(1778mm)	TFM-6400-B	2236.59
12' Ceiling Height				
3-Circuit	37"(940mm) - 82"(2083mm)	124"(3150mm)	TFM-X-B	\$2257.01

Features

- Includes one electrical harness in metal conduit, electrical box, ceiling bezel plate, single channel pole, hardware and radius top cap cover.
- For connection to the electrical source located in space above a drop ceiling.
- For use with panels equipped with power components.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- For routing and cabling capacities, see Specification Guide.
- Removable cover on poles provides access to pathway.
- Conduit for 3-Circuit includes eight 12-gauge wires for up to three 20-amp circuits of power.
- Routes power to base raceway.
- Attaches to receptacle site on right hand side of panel in a powered raceway.

To Order, Specify:

- 1) Product number.
- 2) Trim color for pole.
- 3) Trim color for top cap piece.


Specification Tips


- For installation on panels no less than 18"(457mm) wide.
- For use with UniGroup panels only.
- Not for use with glazed add-on panels, glazed and open frame panels or single doors.
- For use with UniGroup radius steel top cap, field cutting of top cap is required. When used with UniGroup radius wood top cap, access hole must be cut into top cap.
- Not for use with power sources other than 120 volt 60 hertz.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

NOTE: Wire harness length is 180"(4572mm) regardless of pole length.

PLACES — Electrical Components


PLACES

	Description	Panel Height	Pole Length	Number	Price
 HTFM HTFM-X 	Top Feed Module — PLACES Only				
	10' Ceiling Height				
	3-Circuit	30"(762mm) - 56"(1422mm)	124"(3150mm)	HTFM-3000-3	\$2966.09
		64"(1626mm) - 82"(2083mm)	70"(1778mm)	HTFM-6400-3	2925.74
	12' Ceiling Height				
	3-Circuit	37"(940mm) - 82"(2083mm)	124"(3150mm)	HTFM-X	\$2966.09
Features		To Order, Specify:			
- Includes electrical harness in metal conduit, electrical box, ceiling bezel plate, single channel pole, hardware and low profile top cap cover. - For connection to the electrical source located in space above a drop ceiling. - For use with panels equipped with power components. - Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole. - For routing and cabling capacities, see Specification Guide. - Removable cover on poles provides access to pathway. - Conduit for 3-Circuit includes eight 12-gauge wires for up to three 20-amp circuits of power. wires for up to four 20-amp circuits of power. - Routes power to base raceway. - Attaches to receptacle site on right hand side of panel in a powered raceway.		1) Product number.			
		2) Trim color for pole.			
		3) Trim color for top cap piece.			
Specification Tips					
		• For installation on panels no less than 18"(457mm) wide.			
		• For use with PLACES panels only.			
		• Not for use with glazed add-on panels, glazed and open frame panels or single doors.			
		• For use with PLACES low profile steel top cap, field cutting of top cap is required. When used with PLACES low profile wood top cap, access hole must be cut into top cap.			
		• Not for use with power sources other than 120 volt 60 hertz.			
		• Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.			

		Number	Price
 HCT-0000	Plastic Liner — PLACES Only		
		HCT-0000	\$85.21
Features		To Order, Specify:	
- Includes a package of 10 plastic liners (enough for 5 panels). - Used when routing communication cables in the top trough of PLACES.		1) Product number.	
		(No finish specification required.)	
Specification Tip			
		• Two liners per panel regardless of panel width.	

Electrical Components
UniGroup Too, UniGroup, PLACES

	Description	Length	Number	Price
Flexible Power Connector — Panel-to-Panel	3-Circuit	8"(203mm)	PCF-3-B	\$239.10



Features

- Includes one flexible power connector with safety latches for securing connector to power block.
- Continues electrical circuit between adjacent powered panels in straight or angled conditions.
- Finish post or power connector cover is required by UL for covering flexible power connector.
- For use with panels equipped with power components.
- .95 Flexible Connectors shipped per powered panel specified.
- Standard in charcoal finish color only.

To Order, Specify:



- 1) Product number.
(No finish specification required.)

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- Not for use with power sources other than 120 volt 60 hertz.



Base straight condition








Panel outside 90° condition
PCF-3-B



Electrical Components

UniGroup Too, UniGroup, PLACES



	Description	Length	Number	Price
Flexible Power Connector — Straight Span   Panel three-way or four-way condition   Panel outside 90° condition PCSS-3-B 	3-Circuit Features - Includes one straight-span flexible power connector with safety latches for securing connector to power block. - Continues electrical circuit across the 2" space between powered panels in a 3-way, 4-way or outside 90° condition in the base raceway. - Retaining clips attached. - For use with panels equipped with power components. - Finish post or power connector cover is required by UL for covering straight-span power connector. - Standard in charcoal finish color only. Specification Tips - For use with UniGroup Too, UniGroup and PLACES. - Straight span flexible power connector must be separately specified and is not included with panel. - Not for use with power sources other than 120 volt 60 hertz.	10.125"(257mm)	PCSS-3-B To Order, Specify: 1) Product number. (No finish specification required.)	\$201.39

Connector Assembly – 12" Pass-Through  PCOF-1-B 	Description 3-Circuit Features - Includes one flexible power connector with safety latches for securing connector to power block. - Used to pass power through a 12"(305mm) wide panel and a 3-way or 4-way condition. - Connector is provided with 12"(305mm) powered panel. - For use with panels equipped with power components. Specification Tips - For use with UniGroup Too, UniGroup and PLACES. - Designed for in line use only. - Not for use with power sources other than 120 volt 60 hertz.	Length 20"(508mm)	Number PCOF-1-B To Order, Specify: 1) Product number. (No finish specification required.)	Price \$217.50
--	---	-----------------------------	---	--------------------------

Electrical Components

UniGroup Too, UniGroup, PLACES

	Description	Circuit Access	Receptacle Indicator	Ground Type	Receptacle without Controlled Symbol	UniGroup Too, UniGroup, PLACES		
						Price	Receptacle with Controlled Symbol	Price
 Duplex Receptacle – 15 Amp	3-Circuit	Circuit 1-3	N/A	Common	PRD-3-B	\$254.29	PRD-3-BC	\$260.64
		Circuit 1-3	N/A	Isolated	PRDI-5-B	276.56	PRDI-5-BC	283.47



PRD-3-B
PRDI-5-B

Circuit Symbol	Circuit 1	Circuit 2	Circuit 3	Circuit 4
3 Circuit	0	00	000	NA

Features

- Includes box of six receptacles, each receptacle has two 15 Amp outlets (NEMA 5-15R configuration).
- For use with panels equipped with power components.
- Receptacles are ground type specific.

Specification Tips



- Duplex for 3-Circuit are field programmable.
- For power access at any location within the panels with appropriate base raceway covers.
- Not for use with power sources other than 120 volt 60 hertz.
- Isolated ground receptacle not for use with single circuit base feed module.
- Controlled receptacles are marked with a permanent symbol and the word CONTROLLED to comply with various energy code requirements including ASHRAE 90.1 and California Building Code Title 24 part 6.
- Circuit assignment and receptacle placement should be coordinated with a local electrician. Local electrician is responsible for circuit loading and code compliance.
- Consult with local authority having jurisdiction (AHJ) for requirements regarding controlled receptacles before placing orders and installation.

To Order, Specify:

- Product number.
 - Trim color.
- | | |
|-------|------------------------------|
| TR-R | Beige |
| TR-TY | Cement |
| TR-AK | Chalk |
| TR-K | Charcoal |
| TR-J | Graphite |
| TR-G | Gray Tone |
| TR-NG | Orange* Isolated ground only |
| TR-TW | Plaster |
| TR-AA | Putty |
| TR-E | Smoke |

Electrical Components

UniGroup Too, UniGroup, PLACES

	Actual Height	Panel Width	Number	Trim A	B
Raceway Retrofit Kit  RKN-B (Non-Powered)  RKP-B 	Non-Powered				
	4"(102mm)	18"(457mm)	RKN-18-B	\$220.89	\$230.51
		24"(610mm)	RKN-2-B	224.74	238.21
		30"(762mm)	RKN-30-B	228.59	245.91
		36"(914mm)	RKN-3-B	232.44	253.61
		42"(1067mm)	RKN-42-B	236.29	261.31
		48"(1219mm)	RKN-4-B	240.14	269.01
		54"(1372mm)	RKN-54-B	243.99	276.71
		60"(1524mm)	RKN-5-B	247.84	284.41
	3-Circuit				
	4"(102mm)	18"(457mm)	RKP-18-B	\$532.03	\$541.65
		24"(610mm)	RKP-2-B	535.88	549.35
		30"(762mm)	RKP-30-B	539.73	557.05
		36"(914mm)	RKP-3-B	543.58	564.75
		42"(1067mm)	RKP-42-B	547.43	572.45
		48"(1219mm)	RKP-4-B	551.28	580.15
		54"(1372mm)	RKP-54-B	555.13	587.85
		60"(1524mm)	RKP-5-B	558.98	595.55


- Features
- Powered retrofit kit includes one power distribution assembly, powered raceway cover, and flexible power connector.
 - Convert powered panels to non-powered panels or non-powered panels to powered panels.
 - Non-powered retrofit includes raceway cover retainer and non-powered raceway cover (no openings).

- To Order, Specify:
- 1) Product number.
 - 2) Trim color.

- Specification Tips
- For use with UniGroup Too, UniGroup and PLACES.

Electrical Components
UniGroup Too, UniGroup and PLACES

	Description	Circuit Access	Ground Type	Number	Price
Duplex Receptacle – 20 Amp	3-Circuit – 20 Amp Duplex	Circuit 1	Common	PRD-2000-M13	\$1048.01



PRD-2000-M13



Features

- Includes one duplex receptacle assembly (outlets are NEMA 5-20R configuration) with mounting hardware.
- For use with panels 36”(914mm) wide and greater powered by power distribution assembly.
- Plugs into the receptacle location on the left side of the power distribution assembly.
- Receptacle and cover plate are black.


To Order, Specify:

- 1) Product number.
(No finish specification required.)


Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- Receptacle is not circuit access programmable.
- Receptacle requires new raceway covers that must be ordered separately. Field modification of non-powered raceway covers are an alternate option.
- Standard powered raceway cover receptacle outlet locations are not compatible with this product.
- Panels powered by 3-circuit power distribution assemblies manufactured prior to January 2010 must order new power distribution assemblies based on panel size through e-parts.
- **Not for use in Canada.**

Raceway Cover – 20 Amp



RKP-3-LS



RKP-3-LB

	Panel Width	Number	Trim A	B
One Outlet/One Side				
	36”(914mm)	RKP-3-LS	\$562.80	\$583.97
	42”(1067mm)	RKP-42-LS	566.65	591.67
	48”(1219mm)	RKP-4-LS	570.50	599.37
	54”(1372mm)	RKP-54-LS	574.35	607.07
	60”(1524mm)	RKP-5-LS	578.20	614.77
One Outlet/Two Sides				
	36”(914mm)	RKP-3-LB	\$562.80	\$583.97
	42”(1067mm)	RKP-42-LB	566.65	591.67
	48”(1219mm)	RKP-4-LB	570.50	599.37
	54”(1372mm)	RKP-54-LB	574.35	607.07
	60”(1524mm)	RKP-5-LB	578.20	614.77

Features

- Includes raceway cover with receptacle openings available on one or two sides.
- For use with panels 36”(914mm) wide and greater powered by 3-Circuit power distribution assemblies manufactured after January 2010.

To Order, Specify:







- 1) Product number.
- 2) Trim color.

Specification Tips

- For use with 20 Amp UniGroup Too, UniGroup and PLACES duplex receptacles only.
- Blank plates are not available for unused receptacle openings.
- Power Distribution Assembly (PDA) ordered separately.

Electrical Components

UniGroup Too, UniGroup, PLACES

	Description	Panel Width	Non-Powered Number	Trim A	B	Powered Number	Trim A	B
 PRCN-B (Non-Powered Condition)	One Modular Furniture Telecommunications Opening, One Side							
	18″(457mm)	PRCN-1118-B		\$144.33	\$152.37	PRCP-1118-B	\$144.33	\$152.37
	24″(610mm)	PRCN-1124-B		154.37	166.41	PRCP-1124-B	154.37	166.41
	30″(762mm)	PRCN-1130-B		164.41	180.45	PRCP-1130-B	164.41	180.45
	36″(914mm)	PRCN-1136-B		174.45	194.49	PRCP-1136-B	174.45	194.49
	42″(1067mm)	PRCN-1142-B		184.49	208.53	PRCP-1142-B	184.49	208.53
	48″(1219mm)	PRCN-1148-B		194.53	222.57	PRCP-1148-B	194.53	222.57
	54″(1372mm)	PRCN-1154-B		204.57	236.61	PRCP-1154-B	204.57	236.61
 PRCP-B (Powered Condition)	60″(1524mm)	PRCN-1160-B		214.61	250.65	PRCP-1160-B	214.61	250.65
	One Modular Furniture Telecommunications Opening, Each Side							
	18″(457mm)	PRCN-1218-B		\$164.39	\$172.43	PRCP-1218-B	\$164.39	\$172.43
	24″(610mm)	PRCN-1224-B		174.43	186.47	PRCP-1224-B	174.43	186.47
	30″(762mm)	PRCN-1230-B		184.47	200.51	PRCP-1230-B	184.47	200.51
	36″(914mm)	PRCN-1236-B		194.51	214.55	PRCP-1236-B	194.51	214.55
	42″(1067mm)	PRCN-1242-B		204.55	228.59	PRCP-1242-B	204.55	228.59
	48″(1219mm)	PRCN-1248-B		214.59	242.63	PRCP-1248-B	214.59	242.63
 PRCN-B (Non-Powered Condition)	54″(1372mm)	PRCN-1254-B		224.63	256.67	PRCP-1254-B	224.63	256.67
	60″(1524mm)	PRCN-1260-B		234.67	270.71	PRCP-1260-B	234.67	270.71
	Two Modular Furniture Telecommunications Openings, One Side							
	30″(762mm)	PRCN-2130-B		\$184.47	\$200.51	PRCP-2130-B	\$184.47	\$200.51
	36″(914mm)	PRCN-2136-B		194.51	214.55	PRCP-2136-B	194.51	214.55
	42″(1067mm)	PRCN-2142-B		204.55	228.59	PRCP-2142-B	204.55	228.59
	48″(1219mm)	PRCN-2148-B		214.59	242.63	PRCP-2148-B	214.59	242.63
	54″(1372mm)	PRCN-2154-B		224.63	256.67	PRCP-2154-B	224.63	256.67
 PRCP-B (Powered Condition)	60″(1524mm)	PRCN-2160-B		234.67	270.71	PRCP-2160-B	234.67	270.71
	Two Modular Furniture Telecommunications Openings, Each Side							
	30″(762mm)	PRCN-2230-B		\$204.52	\$220.56	PRCP-2230-B	\$204.52	\$220.56
	36″(914mm)	PRCN-2236-B		214.56	234.60	PRCP-2236-B	214.56	234.60
	42″(1067mm)	PRCN-2242-B		224.60	248.64	PRCP-2242-B	224.60	248.64
	48″(1219mm)	PRCN-2248-B		234.64	262.68	PRCP-2248-B	234.64	262.68
	54″(1372mm)	PRCN-2254-B		244.68	276.72	PRCP-2254-B	244.68	276.72
	60″(1524mm)	PRCN-2260-B		254.72	290.76	PRCP-2260-B	254.72	290.76
 PRCN-B (Non-Powered Condition)	One Standard Wall Outlet Opening, One Side							
	42″(1067mm)	PRCN-0142-B		\$184.49	\$208.53	PRCP-0142-B	\$184.49	\$208.53
	48″(1219mm)	PRCN-0148-B		194.53	222.57	PRCP-0148-B	194.53	222.57
	60″(1524mm)	PRCN-0160-B		214.61	250.65	PRCP-0160-B	214.61	250.65
 PRCP-B (Powered Condition)	One Standard Wall Outlet Opening, Each Side							
	42″(1067mm)	PRCN-0242-B		\$204.55	\$228.59	PRCP-0242-B	\$204.55	\$228.59
	48″(1219mm)	PRCN-0248-B		214.59	242.63	PRCP-0248-B	214.59	242.63
	60″(1524mm)	PRCN-0260-B		234.67	270.71	PRCP-0260-B	234.67	270.71

Features

- Retrofit to UniGroup Too, UniGroup and PLACES panel.
- Ported raceway covers enable communications equipment cabling to be routed to connector modules located on the faces of the base raceway covers. Six variations are available to accommodate the following connector modules: one modular furniture telecommunications opening centered on one side of the raceway cover; one modular furniture telecommunications opening centered on each side of the raceway cover; two modular furniture telecommunications openings on one side; two modular furniture telecommunications openings on each side; one standard wall outlet opening centered on one side; and one standard wall outlet opening centered on each side.
- Modular furniture telecommunications opening measures 1.38"(35mm) high x 2.7"(69mm) wide.
- Standard wall outlet opening measures 2.25"(57mm) high x 3.75"(95mm) wide.
- Openings for modular furniture telecommunications and standard wall outlets do not include covers.

Specification Tips

- Specify when no raceway cover is ordered (option -E).
- For use with UniGroup Too, UniGroup and PLACES.
- For use with 3-Circuit applications.

To Order, Specify:

- 1) Product number.
- 2) Trim color.


Electrical and Cable Management Accessories


End Cap / Communication Junction Box for use with UniGroup Too, UniGroup, PLACES

	Height	Number	Trim A	B
Base Raceway End Cap	4"(102mm)	EC-10-B	\$64.14	\$72.97
	Features - Includes ten end caps. - For use at base raceway for end-of-run panel condition. Note: .6 end caps included with every panel. Order additional as necessary.	To Order, Specify: - Product number. - Trim color.		
EC-10-B				

Electrical and Cable Management Accessories

UniGroup Too and UniGroup



	Number	Trim A	B
Cable Management Pole — One Channel – UniGroup Too and UniGroup Only	CMPF-1-BR	\$920.12	\$992.25
	Features • Includes communications pole with cover, base raceway cover and ceiling bezel plate. • Interface with the base raceway cover. • Provides a means of vertically routing and accessing communications cabling within the panel's base raceway. • May also be used to route Top Feed Harness. • May be used in 2-way (in-line), 3-way or 4-way panel conditions. • Attaches to panel side trim rails. • For use up to 10'(3048mm) ceiling height. • Refer to Specification Guide for cable management. Specification Tips • Cannot be used in conjunction with finish posts. • For use with UniGroup Too and UniGroup. • For use with 3-Circuit applications.	To Order, Specify: 1) Product number. 2) Trim color for raceway cover. 3) Trim color for pole.	

Cable Management Pole — Two Channels – UniGroup Too and UniGroup Only	CMPT-1-B	\$1133.89	\$1206.02
	Features • Includes communications pole with covers, base raceway covers and ceiling bezel plate. • Provides cabling capacity with two integral channels. • May also be used to route Top Feed Harness. • May be used as a 2-way in-line panel filler. • Interior of 2"(51mm)-wide pole is separated by a metal divider, which separates communication cables in each compartment. • Attaches to panel side trim rails. • For use up to 10'(3048mm) ceiling height. Specification Tips • Use straight span connector to bypass electrical distribution. • Cannot be used in conjunction with finish posts. • For use with UniGroup Too and UniGroup. • For use with 3-Circuit applications.	To Order, Specify: 1) Product number. 2) Trim color for raceway cover. 3) Trim color for pole.	

Electrical and Cable Management Accessories

PLACES

	Height	Width	Description	Number	Price
Cable Management Pole – Panel Height – PLACES Only	44"(1118mm)	2"(51mm)	For 2-way 90° panel condition	HCPA-0044	\$952.57
	50"(1270mm)			HCPA-0050	939.57
	56"(1422mm)			HCPA-0056	926.66
	64"(1626mm)			HCPA-0064	909.41
	68"(1727mm)			HCPA-0068	900.74
	82"(2083mm)			HCPA-0082	870.57
	44"(1118mm)	2"(51mm)	For 3-way panel condition	HCPS-0044	\$952.57
	50"(1270mm)			HCPS-0050	939.57
	56"(1422mm)			HCPS-0056	926.66
	64"(1626mm)			HCPS-0064	909.41
	68"(1727mm)			HCPS-0068	900.74
	82"(2083mm)			HCPS-0082	870.57

HCPA
(2-Way)HCPS
(3-Way)

Features

- Includes communications pole with cover, base raceway cover and top cap.
- Vertically routes communications cabling.
- Use in 2-way or 3-way panel conditions.
- In a 4-way condition, use cover as the fourth cable exit location.
- 10'(3048mm) ceiling height limit.
- Poles feature openings to match the panel's top raceway for continuous cable routing.
- Attaches to panel side trim rails.
- Refer to Specification Guide for cable management.

To Order, Specify:




- 1) Product number.
- 2) Trim color.
- 3) Trim color for raceway cover.

Specification Tips

- Cannot be used in conjunction with finish posts.
- For use with PLACES.
- For use with 3-Circuit applications.

Cable Management Pole – for 10'(3048mm)-High Ceiling – PLACES Only

	44"(1118mm)	2"(51mm)	For 2-way 90° panel condition	HCPA-1044	\$979.17
	50"(1270mm)			HCPA-1050	966.17
	56"(1422mm)			HCPA-1056	953.26
	64"(1626mm)			HCPA-1064	936.01
	68"(1727mm)			HCPA-1068	927.34
	82"(2083mm)			HCPA-1082	897.17
	44"(1118mm)	2"(51mm)	For 3-way panel condition	HCPS-1044	\$979.17
	50"(1270mm)			HCPS-1050	966.17
	56"(1422mm)			HCPS-1056	953.26
	64"(1626mm)			HCPS-1064	936.01
	68"(1727mm)			HCPS-1068	927.34
	82"(2083mm)			HCPS-1082	897.17
	44"(1118mm)	2"(51mm)	For end-of-run panel condition	HCPE-1044	\$952.58
	50"(1270mm)			HCPE-1050	939.58
	56"(1422mm)			HCPE-1056	926.67
	64"(1626mm)			HCPE-1064	909.42
	68"(1727mm)			HCPE-1068	900.75
	82"(2083mm)			HCPE-1082	870.58

HCPA
(2-Way)HCPS
(3-Way)HCPE
(End-of-run)

Features

- Includes communications pole with covers, base raceway covers and ceiling bezel plate.
- Vertically routes communications cabling.
- May also be used to route Top Feed Harness.
- Use in 2-way, 3-way, or end-of-run panel conditions (floor to ceiling only).
- In a 4-way condition, use cover as the fourth cable exit location.
- 10'(3048mm) ceiling height limit.
- Poles feature openings to match the panel's top raceway for continuous cable routing.
- Attaches to panel side trim rails.
- Refer to Specification Guide for cable management.

To Order, Specify:




- 1) Product number.
- 2) Trim color.
- 3) Trim color for raceway cover.

Specification Tips

- Cannot be used in conjunction with finish posts.
- For use with PLACES.
- For use with 3-Circuit applications.

Electrical and Cable Management Accessories

PLACES

	Height	Width	Description	Number	Price
Cable Management Pole – for 12’(3658mm)-High Ceiling – PLACES Only  HCPA (2-Way)  HCPS (3-Way)  HCPE (End-of-run)	44”(1118mm)	2”(51mm)	For 2-way 90° panel condition	HCPA-1244	\$1080.52
	50”(1270mm)			HCPA-1250	1067.52
	56”(1422mm)			HCPA-1256	1054.61
	64”(1626mm)			HCPA-1264	1037.36
	68”(1727mm)			HCPA-1268	1028.69
	82”(2083mm)			HCPA-1282	998.52
	44”(1118mm)	2”(51mm)	For 3-way panel condition	HCPS-1244	\$1080.52
	50”(1270mm)			HCPS-1250	1067.52
	56”(1422mm)			HCPS-1256	1054.61
	64”(1626mm)			HCPS-1264	1037.36
	68”(1727mm)			HCPS-1268	1028.69
	82”(2083mm)			HCPS-1282	998.52
	44”(1118mm)	2”(51mm)	For end-of-run panel condition	HCPE-1244	\$1053.93
	50”(1270mm)			HCPE-1250	1040.93
	56”(1422mm)			HCPE-1256	1028.02
	64”(1626mm)			HCPE-1264	1010.77
	68”(1727mm)			HCPE-1268	1002.10
	82”(2083mm)			HCPE-1282	971.93

Features

- Includes communications pole with covers, base raceway covers and ceiling bezel plate.
- Vertically routes communications cabling.
- May also be used to route Top Feed Harness.
- Use in 2-way, 3-way, or end-of-run panel conditions (floor to ceiling only).
- In a 4-way condition, use cover as the fourth cable exit location.
- 12’(3658mm) ceiling height limit.
- Poles feature openings to match the panel’s top raceway for continuous cable routing.
- Attaches to panel side trim rails.
- Refer to Specification Guide for cable management.

To Order, Specify:

- 1) Product number.
- 2) Trim color.
- 3) Trim color for raceway cover.


Specification Tips

- Cannot be used in conjunction with finish posts.
- For use with PLACES.
- For use with 3-Circuit applications.

Electrical and Cable Management Accessories

PLACES

	Height	Width	Number	Price
Cable Management Post – Variable Height – PLACES Only	24"(610mm)	2"(51mm)	HSCP-0024-V1	\$369.95
	52"(1321mm)		HSCP-0052-V1	534.88



HSCP-V1

Features

- Includes post, low profile top cap and replacement low profile top cap for finish post.
- Available with fabric or painted surface.
- For three-way, 180° panel configurations.
- Use when taller panel meets lower panels in a straight-run condition and panel-top cable storage is required to continue along panel runs.
- Field cut to appropriate length.


To Order, Specify:

- 1) Product number.
- 2) Painted surface color.
- 3) Trim color.

Specification Tips

- For use with PLACES.
- For use with 3-Circuit applications.

Cable Management Post – Variable Height – Two-Way 90° – PLACES Only	24"(610mm)	2"(51mm)	HSCP-0024-V2	\$369.95
	52"(1321mm)		HSCP-0052-V2	534.88



HSCP-V2

Features

- Includes post, low profile top cap and replacement low profile top cap for finish post.
- Available with fabric or painted surface.
- For 90° panel configuration applications only.
- Use when panels of two different heights meet and cable storage is required to continue along top of panel run.
- Field cut to appropriate length.


To Order, Specify:

- 1) Product number.
- 2) Painted surface color.
- 3) Trim color.

Specification Tips

- For use with PLACES.
- For use with 3-Circuit applications.

Cable Management Post – Variable Height — In-Line – PLACES Only	24"(610mm)	2"(51mm)	HSCP-0024-V3	\$369.95
	52"(1321mm)		HSCP-0052-V3	534.88



HSCP-V3

Features

- Includes post, low profile cap and lower panel end cap.
- Available with fabric or painted surface.
- For straight-line panel configurations.
- Use when panels of two different heights meet and panel-top cable storage is required to continue along panel run.
- Requires field modification of lower straight panel top cap.
- Field cut to appropriate length.

To Order, Specify:

- 1) Product number.
- 2) Painted surface color.
- 3) Trim color.

Specification Tips


- For use with PLACES.
- For use with 3-Circuit applications.

Electrical and Cable Management Accessories

PLACES

Height	Width	Number	Price
24"(610mm)	2"(51mm)	HCCP-0024-V4	\$447.74
52"(1321mm)		HCCP-0052-V4	612.67

Cable Management Post –
Variable Height – Three-Way
90° – PLACES Only



HCCP-V4
Class BA

Features

- Includes post, low profile top cap and replacement for low profile top cap finish post.
- Available with fabric or painted surface.
- For 90° panel configuration applications only.
- Use when equal-height panels at 90° meet lower-height panel and cable storage is required to continue along top of panel run.
- Field cut to appropriate length.


Specification Tips

- For use with PLACES.
- For use with 3-Circuit applications.

To Order, Specify:

- 1) Product number.
- 2) Fabric or painted surface color.
- 3) Trim color.

Power Breaker Marker



NEP-1
Class BC – SIN 33721;
Discount Group XI

Quantity	Number	Price
Fifty(50)	NEP-1	\$254.19

Features

- Use in pairs at adjoining power distribution assemblies in the flex connector sites to prevent improper electrical connections.
- Available in standard finish color only.

Specification Tip


- For use with UniGroup Too, UniGroup and PLACES.

To Order, Specify:




- 1) Product number.
(No finish specification required.)

Electrical and Cable Management Accessories

UniGroup

	Width	Number	Price
Expanded Top Cap Raceway – UniGroup Only 	12″(305mm)	ETCR-12	\$184.12
	18″(457mm)	ETCR-18	198.30
	24″(610mm)	ETCR-24	212.48
	30″(762mm)	ETCR-30	226.66
	36″(914mm)	ETCR-36	240.84
	42″(1067mm)	ETCR-42	255.02
	48″(1219mm)	ETCR-48	269.20
	60″(1524mm)	ETCR-60	297.56
	Features - Includes channel and top cap. - Refer to specification guide for cable management. - Replaces the panel's top cap and adds 2″(51mm) to the panel's height. - For use with 3-Circuit applications.		
Specification Tip For use with UniGroup.			To Order, Specify: - Product number. - Trim color.


	Description	Number	Price
Expanded Top Finish Cap – UniGroup Only  	End-of-Run Cap	FC-1	\$ 70.23
	Two-Way	FC-2	54.75
	Three-Way	FC-3	81.86
	Four-Way	FC-4	105.10
	90° Corner	FC-90	68.31
	Features - Includes cover. - Used to join expanded top caps in a panel run. - Two-way cap is for straight connection over a straight finish post. - Three-way cap is for connections of three panels. - Four-way cap is for connections of four panels. 90° corner cap is for use in conjunction with a 90° finish post. - End-of-run cap is used at an end-of-panel-run condition. - For use with 3-Circuit applications.		
Specification Tip For use with UniGroup.			To Order, Specify: - Product number. - Trim color.

UniGroup Too, UniGroup and PLACES Power Distribution for Hardwire Applications





Infeeds	Applications
1 Base Feed	48"(1219mm) or as required
2 Top Feed	Ceiling Height (H) + 18"(457mm)

Panel Applications	Panel Applications
3 Between two junction boxes on one panel	Panel Width (W) - 17"(432mm)
4 Between junction boxes if one per panel	Panel Width (W) - 8"(203mm)
5 Across panel-panel connection	9"(229mm)
6 Across 3- or 4-Way connection	11"(279mm)



Electrical Components — Hardware


UniGroup Too, UniGroup, PLACES

		Number	Price	
Base Feed Kit		BFM-1-C	\$242.97	
	Features		To Order, Specify:	
	- Includes one electrical box with 0.5”(13mm) knockouts, one base feed cover plate and panel mounting hardware. - For panel hardwire infeed connections to floor, column or wall.		- Product number. - Trim color (standard only).	
	Specification Tips - For use with UniGroup Too, UniGroup and PLACES. Conduit, fittings, and receptacle are field supplied.			
BFM-1-C				
				
		Number	Price	
Dual Power Access Raceway Kit — 4”-High Base Raceway		RKP-00-C	\$456.92	
	Height		To Order, Specify:	
	4”(102mm)		- Product number. - Trim color (standard only).	
	Features - Includes one electrical box with 0.5”(13mm) knockouts, one base feed cover plate, receptacle cover plate and panel mounting hardware. - For hardwire receptacle access in panels.			
Specification Tips - Powered raceway cover ordered separately. - Raceway cover requires field modification. - For use with UniGroup Too, UniGroup and PLACES. Conduit, fittings, and receptacle are field supplied.				
RKP-00-C				
				
		Number	Price	
Blank Cover Plate		BPM-1-C	\$70.47	
	Features		To Order, Specify:	
	- Includes one blank plate and hardware. - For hardwire electrical box applications where no power access is required.		- Product number. - Trim color (standard only).	
BPM-1-C				
		Number	Trim A	B
Raceway Covers				
	Width			
	18”(457mm)	PRCP-0018-B	\$151.03	\$155.04
	24”(610mm)	PRCP-0024-B	165.13	171.11
PRCP	30”(762mm)	PRCP-0030-B	179.23	187.18
	36”(914mm)	PRCP-0036-B	193.33	203.25
	42”(1067mm)	PRCP-0042-B	207.43	219.32
	48”(1219mm)	PRCP-0048-B	221.53	235.39
	54”(1372mm)	PRCP-0054-B	235.63	251.46
	60”(1524mm)	PRCP-0060-B	249.73	267.53
	Features	To Order, Specify:		
	- Includes one raceway cover with openings for power. - Retrofit to UniGroup Too, UniGroup and PLACES panel.	- Product number. - Trim color.		
	Specification Tips - Specify when no raceway cover is ordered (option -E). - For use with UniGroup Too, UniGroup and PLACES. - Opening of raceway cover needs to be field modified for hardwire applications. See installation instructions.			

Electrical Components — Hardwire / International

UniGroup Too and UniGroup

	Panel Height	Pole Length	Number	Trim A	B
Top Feed Module – Hardwire / International – UniGroup Too Only	32"(813mm) - 56"(1422mm)	124"(3150mm)	E2FM-3200-NT	\$622.80	\$683.04
	64"(1626mm) - 80"(2032mm)	70"(1778mm)	E2FM-6400-NT	575.45	602.75



E2FM-NT
Class AC


- Features**

 - Includes electrical box, ceiling bezel plate, single channel pole, hardware and square painted top cover.
 - For connection to the electrical source located in space above a drop ceiling.
 - For use with Chicago/Hardwire applications and with 4 meter Power Logic cord, ordered separately from Power Logic.
 - For routing and cabling capacities, see Specification Guide.
 - Removable cover on pole provides access to pathway.
 - Routes power to base raceway.
- To Order, Specify:**

 - 1) Product number.
 - 2) Trim color for pole.
 - 3) Trim color for top cap piece.
- Specification Tips**

 - For installation on panels no less the 18"(457mm) wide.
 - Not for use with glazed add-on panels, glazed panels or single doors.
 - For use with UniGroup Too square painted top cap panels only, field cutting of top cap is required.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Top Feed Module – Hardwire / International – UniGroup Only	32"(813mm) - 56"(1422mm)	124"(3150mm)	TFM-3000-NT	\$608.73
	64"(1626mm) - 82"(2083mm)	70"(1778mm)	TFM-6400-NT	588.31



TFM-NT
Class AA

- Features**


 - Includes electrical box, ceiling bezel plate, single channel pole, hardware and square painted top cover.
 - For connection to the electrical source located in space above a drop ceiling.
 - For use with Chicago/Hardwire applications and with 4 meter Power Logic cord, ordered separately from Power Logic.
 - For routing and cabling capacities, see Specification Guide.
 - Removable cover on pole provides access to pathway.
 - Routes power to base raceway.
- To Order, Specify:**


 - 1) Product number.
 - 2) Trim color for pole.
 - 3) Trim color for top cap piece.
- Specification Tips**

 - For installation on panels no less the 18"(457mm) wide.
 - Not for use with glazed add-on panels, glazed panels or single doors.
 - For use with UniGroup radius steel top cap, field cutting of top cap is required. When used with UniGroup radius wood top cap, access hole must be cut into top cap.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

Electrical Components — Hardwire / International

PLACES

	Panel Height	Pole Length	Number	Price
Top Feed Module – Hardwire / International – PLACES Only	10' Ceiling Height			
	30"(762mm) - 56"(1422mm)	124"(3150mm)	HTFM-3000-NT	\$758.16
	64"(1626mm) - 82"(2083mm)	70"(1778mm)	HTFM-6400-NT	717.81
	Features		To Order, Specify:	
	- Includes electrical box, ceiling bezel plate, single channel pole, hardware and low profile top cap cover. - For connection to the electrical source located in space above a drop ceiling. - For use with Chicago/Hardwire applications and with 4 meter Power Logic cord, ordered separately from Power Logic. - For routing and cabling capacities, see Specification Guide. - Removable cover on poles provides access to pathway. - Routes power to base raceway.		- Product number. - Trim color for pole. - Trim color for top cap piece.	
	Specification Tips			
	- For installation on panels no less than 18"(457mm) wide. - For use with PLACES panels only. - Not for use with glazed add-on panels, glazed and open frame panels or single doors. - For use with PLACES low profile steel top cap, field cutting of top cap is required. When used with PLACES low profile wood top cap, access hole must be cut into top cap. - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.			

	Number	Price
Plastic Liner	HCT-0000	\$85.21
	Features	
	- Includes a package of 10 plastic liners (enough for 5 panels). - Used when routing communication cables in the top trough of PLACES. - Two liners per panel regardless of panel width.	
	To Order, Specify:	
	- Product number. (No finish specification required.)	

Electrical Components — International

UniGroup Too, UniGroup, PLACES

International Power Components


For power applications outside North America we recommend the use of **Power Logic** soft wiring components. Power Logic offers a system of single circuit power cords and receptacle modules that fit into our non-powered base raceway. Receptacle modules are offered with two sockets (3 and 4 socket versions also available). Each receptacle module has sockets, switches and fuses that are appropriate for each country around the world. Contact the Power Logic regional sales office in your area to help with planning details to assure local electrical code compliance. Contact Power Logic via the Haworth/Power Logic website, (www.haworth.com/powerlogic), or through their corporate offices in Cape Town, South Africa at 27-21-704-1450. Power Logic also offers power solutions for desktop, conference table or freestanding power applications.



Power Entry Cord



Cord




Receptacle



Splitter

Adaptable Worksurfaces

Rectangular



WURA

Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- 24" (607mm)- to 60" (1524mm)-wide worksurfaces have one wireway.
- Worksurfaces wider than 60" (1524mm) have two wireways.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.
- Worksurfaces 36" (914mm) wide and above are drilled for pedestals.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Standard cantilever brackets
 - Side/corner brackets
 - Worksurface support panel
 - Support post or support column
 - Attached lower storage
 - P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18" (457mm) deep worksurfaces with knife edge only.
- Intermediate support is required for unsupported worksurface span greater than 60" (1524mm).

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50" (1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Wireway Options:

A Notched

C Without

2) Laminate surface color or Wood finish color.

3) Edge trim color (laminate only).

Adaptable Worksurfaces

Rectangular

Depth	Width	Number	① ② ③			Laminate A		Laminate B		Laminate E		Wood Group A		Wood Group B	
			1	2	3	J	F	J	F	J	F	K	U	K	U
18"(457mm)	24"(610mm)	WURA-1824-			S	\$ 297.40	\$ 493.45	\$ 320.74	\$ 516.79	\$ 389.03	\$ 585.08	\$ 684.21	\$ 948.64	\$ 725.84	\$ 990.27
	27"(686mm)	WURA-1827-			S	320.38	521.71	345.49	546.82	419.36	620.69	731.67	1005.48	775.82	1049.63
	30"(762mm)	WURA-1830-			S	344.20	553.45	371.08	580.33	450.53	659.78	779.13	1067.01	825.80	1113.68
	33"(838mm)	WURA-1833-			S	368.02	585.19	396.67	613.84	481.70	698.87	826.59	1128.54	875.78	1177.73
	36"(914mm)	WURA-1836-			S	391.84	616.93	422.26	647.35	512.87	737.96	874.05	1190.07	925.76	1241.78
	39"(991mm)	WURA-1839-			S	415.66	648.67	447.85	680.86	544.04	777.05	921.51	1251.60	975.74	1305.83
	42"(1067mm)	WURA-1842-			S	439.48	680.41	473.44	714.37	575.21	816.14	968.97	1313.13	1025.72	1369.88
	45"(1143mm)	WURA-1845-			S	463.30	712.15	499.03	747.88	606.38	855.23	1016.43	1374.66	1075.70	1433.93
	48"(1219mm)	WURA-1848-			S	540.42	797.19	577.92	834.69	690.85	947.62	1172.19	1544.49	1233.98	1606.28
	51"(1295mm)	WURA-1851-			S	564.24	828.93	603.51	868.20	722.02	986.71	1219.65	1606.02	1283.96	1670.33
	54"(1372mm)	WURA-1854-			S	588.06	860.67	629.10	901.71	753.19	1025.80	1267.11	1667.55	1333.94	1734.38
	57"(1448mm)	WURA-1857-			S	611.88	892.41	654.69	935.22	784.36	1064.89	1314.57	1729.08	1383.92	1798.43
	60"(1524mm)	WURA-1860-			S	635.70	924.15	680.28	968.73	815.53	1103.98	1362.03	1790.61	1433.90	1862.48
	63"(1600mm)	WURA-1863-			S	659.52	955.89	705.87	1002.24	846.70	1143.07	1409.49	1852.14	1483.88	1926.53
	66"(1676mm)	WURA-1866-			S	683.34	987.63	731.46	1035.75	877.87	1182.16	1456.95	1913.67	1533.86	1990.58
	69"(1753mm)	WURA-1869-			S	707.16	1019.37	757.05	1069.26	909.04	1221.25	1504.41	1975.20	1583.84	2054.63
	72"(1829mm)	WURA-1872-			S	730.98	1051.11	782.64	1102.77	940.21	1260.34	1551.87	2036.73	1633.82	2118.68
	75"(1905mm)	WURA-1875-			S	754.80	1082.85	808.23	1136.28	971.38	1299.43	1599.33	2098.26	1683.80	2182.73
	78"(1981mm)	WURA-1878-			S	778.62	1114.59	833.82	1169.79	1002.55	1338.52	1646.79	2159.79	1733.78	2246.78
	81"(2057mm)	WURA-1881-			S	802.44	1146.33	859.41	1203.30	1033.72	1377.61	1694.25	2221.32	1783.76	2310.83
	84"(2134mm)	WURA-1884-			S	826.26	1178.07	885.00	1236.81	1064.89	1416.70	1741.71	2282.85	1833.74	2374.88
	87"(2210mm)	WURA-1887-			S	850.08	1209.81	910.59	1270.32	1096.06	1455.79	1789.17	2344.38	1883.72	2438.93
	90"(2286mm)	WURA-1890-			S	873.90	1241.55	936.18	1303.83	1127.23	1494.88	1836.63	2405.91	1933.70	2502.98
	93"(2362mm)	WURA-1893-			S	897.72	1273.29	961.77	1337.34	1158.40	1533.97	1884.09	2467.44	1983.68	2567.03
	96"(2438mm)	WURA-1896-			S	921.54	1305.03	987.36	1370.85	1189.57	1573.06	1931.55	2528.97	2033.66	2631.08
	99"(2515mm)	WURA-1899-			S	945.36	1336.77	1012.95	1404.36	1220.74	1612.15	1979.01	2590.50	2083.64	2695.13
	102"(2591mm)	WURA-18A2-			S	969.18	1368.51	1038.54	1437.87	1251.91	1651.24	2026.47	2652.03	2133.62	2759.18
	105"(2667mm)	WURA-18A5-			S	993.00	1400.25	1064.13	1471.38	1283.08	1690.33	2073.93	2713.56	2183.60	2823.23
	108"(2743mm)	WURA-18A8-			S	1016.82	1431.99	1089.72	1504.89	1314.25	1729.42	2121.39	2775.09	2233.58	2887.28
	111"(2819mm)	WURA-18B1-			S	1040.64	1463.73	1115.31	1538.40	1345.42	1768.51	2168.85	2836.62	2283.56	2951.33
	114"(2890mm)	WURA-18B4-			S	1064.46	1495.47	1140.90	1571.91	1376.59	1807.60	2216.31	2898.15	2333.54	3015.38
	117"(2972mm)	WURA-18B7-			S	1088.28	1527.21	1166.49	1605.42	1407.76	1846.69	2263.77	2959.68	2383.52	3079.43
	120"(3048mm)	WURA-18C0-			S	1112.10	1558.95	1192.08	1638.93	1438.93	1885.78	2311.23	3021.21	2433.50	3143.48
24"(610mm)	24"(610mm)	WURA-2424-			S	\$ 339.03	\$ 543.27	\$ 362.37	\$ 566.61	\$ 430.66	\$ 634.90	\$ 750.83	\$1040.01	\$ 792.46	\$1081.64
	27"(686mm)	WURA-2427-			S	364.41	573.93	389.52	599.04	463.39	672.91	803.24	1101.80	847.39	1145.95
	30"(762mm)	WURA-2430-			S	390.63	608.07	417.51	634.95	496.96	714.40	855.65	1168.28	902.32	1214.95
	33"(838mm)	WURA-2433-			S	416.85	642.21	445.50	670.86	530.53	755.89	908.06	1234.76	957.25	1283.95
	36"(914mm)	WURA-2436-			S	443.07	676.35	473.49	706.77	564.10	797.38	960.47	1301.24	1012.18	1352.95
	39"(991mm)	WURA-2439-			S	469.29	710.49	501.48	742.68	597.67	838.87	1012.88	1367.72	1067.11	1421.95
	42"(1067mm)	WURA-2442-			S	495.51	744.63	529.47	778.59	631.24	880.36	1065.29	1434.20	1122.04	1490.95
	45"(1143mm)	WURA-2445-			S	521.73	778.77	557.46	814.50	664.81	921.85	1117.70	1500.68	1176.97	1559.95
	48"(1219mm)	WURA-2448-			S	601.25	866.21	638.75	903.71	751.68	1016.64	1278.41	1675.46	1340.20	1737.25
	51"(1295mm)	WURA-2451-			S	627.47	900.35	666.74	939.62	785.25	1058.13	1330.82	1741.94	1395.13	1806.25
	54"(1372mm)	WURA-2454-			S	653.69	934.49	694.73	975.53	818.82	1099.62	1383.23	1808.42	1450.06	1875.25
	57"(1448mm)	WURA-2457-			S	679.91	968.63	722.72	1011.44	852.39	1141.11	1435.64	1874.90	1504.99	1944.25
	60"(1524mm)	WURA-2460-			S	706.13	1002.77	750.71	1047.35	885.96	1182.60	1488.05	1941.38	1559.92	2013.25
	63"(1600mm)	WURA-2463-			S	732.35	1036.91	778.70	1083.26	919.53	1224.09	1540.46	2007.86	1614.85	2082.25
	66"(1676mm)	WURA-2466-			S	758.57	1071.05	806.69	1119.17	953.10	1265.58	1592.87	2074.34	1669.78	2151.25
	69"(1753mm)	WURA-2469-			S	784.79	1105.19	834.68	1155.08	986.67	1307.07	1645.28	2140.82	1724.71	2220.25
	72"(1829mm)	WURA-2472-			S	811.01	1139.33	862.67	1190.99	1020.24	1348.56	1697.69	2207.30	1779.64	2289.25
	75"(1905mm)	WURA-2475-			S	837.23	1173.47	890.66	1226.90	1053.81	1390.05	1750.10	2273.78	1834.57	2358.25
	78"(1981mm)	WURA-2478-			S	863.45	1207.61	918.65	1262.81	1087.38	1431.54	1802.51	2340.26	1889.50	2427.25
	81"(2057mm)	WURA-2481-			S	889.67	1241.75	946.64	1298.72	1120.95	1473.03	1854.92	2406.74	1944.43	2496.25
	84"(2134mm)	WURA-2484-			S	915.89	1275.89	974.63	1334.63	1154.52	1514.52	1907.33	2473.22	1999.36	2565.25
	87"(2210mm)	WURA-2487-			S	942.11	1310.03	1002.62	1370.54	1188.09	1556.01	1959.74	2539.70	2054.29	2634.25
	90"(2286mm)	WURA-2490-			S	968.33	1344.17	1030.61	1406.45	1221.66	1597.50	2012.15	2606.18	2109.22	2703.25
	93"(2362mm)	WURA-2493-			S	994.55	1378.31	1058.60	1442.36	1255.23	1638.99	2064.56	2672.66	2164.15	2772.25
	96"(2438mm)	WURA-2496-			S	1020.77	1412.45	1086.59	1478.27	1288.80	1680.48	2116.97	2739.14	2219.08	2841.25
	99"(2515mm)	WURA-2499-			S	1046.99	1446.59	1114.58	1514.18	1322.37	1721.97	2169.38	2805.62	2274.01	2910.25
	102"(2591mm)	WURA-24A2-			S	1073.21	1480.73	1142.57	1550.09	1355.94	1763.46	2221.79	2872.10	2328.94	2979.25
	105"(2667mm)	WURA-24A5-			S	1099.43	1514.87	1170.56	1586.00	1389.51	1804.95	2274.20	2938.58	2383.87	3048.25
	108"(2743mm)	WURA-24A8-			S	1125.65	1549.01	1198.55	1621.91	1423.08	1846.44	2326.61	3005.06	2438.80	3117.25
	111"(2819mm)	WURA-24B1-			S	1151.87	1583.15	1226.54	1657.82	1456.65	1887.93	2379.02	3071.54	2493.73	3186.25
	114"(2890mm)	WURA-24B4-			S	1178.09	1617.29	1254.53	1693.73	1490.22	1929.42	2431.43	3138.02	2548.66	3255.25
	117"(2972mm)	WURA-24B7-			S	1204.31	1651.43	1282.52	1729.64	1523.79	1970.91	2483.84	3204.50	2603.59	3324.25
	120"(3048mm)	WURA-24C0-			S	1230.53	1685.57	1310.51	1765.55	1557.36	2012.40	2536.25	3270.98	2658.52	3393.25

Adaptable Worksurfaces


Rectangular

Depth	Width	Number	①	②	③	Laminate A		Laminate B		Laminate E		Wood Group A		Wood Group B	
						J	F	J	F	J	F	K	U	K	U
30"(762mm)	24"(610mm)	WURA-3024-	■	■	S ■	\$ 430.67	\$ 692.54	\$ 454.01	\$ 715.88	\$ 522.30	\$ 784.17	\$1099.91	\$1479.79	\$1141.54	\$1521.42
	27"(686mm)	WURA-3027-	■	■	S ■	458.57	725.72	483.68	750.83	557.55	824.70	1157.42	1546.68	1201.57	1590.83
	30"(762mm)	WURA-3030-	■	■	S ■	487.31	762.38	514.19	789.26	593.64	868.71	1214.93	1618.26	1261.60	1664.93
	33"(838mm)	WURA-3033-	■	■	S ■	516.05	799.04	544.70	827.69	629.73	912.72	1272.44	1689.84	1321.63	1739.03
	36"(914mm)	WURA-3036-	■	■	S ■	544.79	835.70	575.21	866.12	665.82	956.73	1329.95	1761.42	1381.66	1813.13
	39"(991mm)	WURA-3039-	■	■	S ■	573.53	872.36	605.72	904.55	701.91	1000.74	1387.46	1833.00	1441.69	1887.23
	42"(1067mm)	WURA-3042-	■	■	S ■	602.27	909.02	636.23	942.98	738.00	1044.75	1444.97	1904.58	1501.72	1961.33
	45"(1143mm)	WURA-3045-	■	■	S ■	631.01	945.68	666.74	981.41	774.09	1088.76	1502.48	1976.16	1561.75	2035.43
	48"(1219mm)	WURA-3048-	■	■	S ■	713.05	1035.64	750.55	1073.14	863.48	1186.07	1668.29	2156.04	1730.08	2217.83
	51"(1295mm)	WURA-3051-	■	■	S ■	741.79	1072.30	781.06	1111.57	899.57	1230.08	1725.80	2227.62	1790.11	2291.93
	54"(1372mm)	WURA-3054-	■	■	S ■	770.53	1108.96	811.57	1150.00	935.66	1274.09	1783.31	2299.20	1850.14	2366.03
	57"(1448mm)	WURA-3057-	■	■	S ■	799.27	1145.62	842.08	1188.43	971.75	1318.10	1840.82	2370.78	1910.17	2440.13
	60"(1524mm)	WURA-3060-	■	■	S ■	828.01	1182.28	872.59	1226.86	1007.84	1362.11	1898.33	2442.36	1970.20	2514.23
	63"(1600mm)	WURA-3063-	■	■	S ■	856.75	1218.94	903.10	1265.29	1043.93	1406.12	1955.84	2513.94	2030.23	2588.33
	66"(1676mm)	WURA-3066-	■	■	S ■	885.49	1255.60	933.61	1303.72	1080.02	1450.13	2013.35	2585.52	2090.26	2662.43
	69"(1753mm)	WURA-3069-	■	■	S ■	914.23	1292.26	964.12	1342.15	1116.11	1494.14	2070.86	2657.10	2150.29	2736.53
	72"(1829mm)	WURA-3072-	■	■	S ■	942.97	1328.92	994.63	1380.58	1152.20	1538.15	2128.37	2728.68	2210.32	2810.63
	75"(1905mm)	WURA-3075-	■	■	S ■	971.71	1365.58	1025.14	1419.01	1188.29	1582.16	2185.88	2800.26	2270.35	2884.73
	78"(1981mm)	WURA-3078-	■	■	S ■	1000.45	1402.24	1055.65	1457.44	1224.38	1626.17	2243.39	2871.84	2330.38	2958.83
	81"(2057mm)	WURA-3081-	■	■	S ■	1029.19	1438.90	1086.16	1495.87	1260.47	1670.18	2300.90	2943.42	2390.41	3032.93
	84"(2134mm)	WURA-3084-	■	■	S ■	1057.93	1475.56	1116.67	1534.30	1296.56	1714.19	2358.41	3015.00	2450.44	3107.03
	87"(2210mm)	WURA-3087-	■	■	S ■	1086.67	1512.22	1147.18	1572.73	1332.65	1758.20	2415.92	3086.58	2510.47	3181.13
	90"(2286mm)	WURA-3090-	■	■	S ■	1115.41	1548.88	1177.69	1611.16	1368.74	1802.21	2473.43	3158.16	2570.50	3255.23
	93"(2362mm)	WURA-3093-	■	■	S ■	1144.15	1585.54	1208.20	1649.59	1404.83	1846.22	2530.94	3229.74	2630.53	3329.33
	96"(2438mm)	WURA-3096-	■	■	S ■	1172.89	1622.20	1238.71	1688.02	1440.92	1890.23	2588.45	3301.32	2690.56	3403.43
	99"(2515mm)	WURA-3099-	■	■	S ■	1201.63	1658.86	1269.22	1726.45	1477.01	1934.24	2645.96	3372.90	2750.59	3477.53
	102"(2591mm)	WURA-30A2-	■	■	S ■	1230.37	1695.52	1299.73	1764.88	1513.10	1978.25	2703.47	3444.48	2810.62	3551.63
	105"(2667mm)	WURA-30A5-	■	■	S ■	1259.11	1732.18	1330.24	1803.31	1549.19	2022.26	2760.98	3516.06	2870.65	3625.73
	108"(2743mm)	WURA-30A8-	■	■	S ■	1287.85	1768.84	1360.75	1841.74	1585.28	2066.27	2818.49	3587.64	2930.68	3699.83
	111"(2819mm)	WURA-30B1-	■	■	S ■	1316.59	1805.50	1391.26	1880.17	1621.37	2110.28	2876.00	3659.22	2990.71	3773.93
	114"(2890mm)	WURA-30B4-	■	■	S ■	1345.33	1842.16	1421.77	1918.60	1657.46	2154.29	2933.51	3730.80	3050.74	3848.03
	117"(2972mm)	WURA-30B7-	■	■	S ■	1374.07	1878.82	1452.28	1957.03	1693.55	2198.30	2991.02	3802.38	3110.77	3922.13
	120"(3048mm)	WURA-30C0-	■	■	S ■	1402.81	1915.48	1482.79	1995.46	1729.64	2242.31	3048.53	3873.96	3170.80	3996.23

Adaptable Worksurfaces

Rectangular Worksurface and Rectangular Adjustable Split Top

To Create Rectangular Worksurface with Split Top



WURA

Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. Refer to Specification Guide for wireway details.
- Worksurfaces have one wireway.
- Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.


Specification Tips

- To create a split top application, an 18" D WURA must be used in conjunction with a WUKR split top. Overall worksurface depth with Split Top is 30" D.**
- Suspended accessories cannot be attached to WURA worksurface with a WUKR split top.**
- Do not attach pedestals.**
- Separately specify worksurface supports for the product line and worksurface. Refer to the Specification Guide for support and load guidelines.**

To Order, Specify:

- Product number.
- Laminate surface color.
- Edge trim color.

Depth	Width	Number	Laminate A J	Laminate B J
Notched				
18"(457mm)	36"(914mm)	WURA-1836-LJSA	\$391.84	\$422.26
	42"(1067mm)	WURA-1842-LJSA	439.48	473.44
	48"(1219mm)	WURA-1848-LJSA	540.42	577.92
Without Notch				
18"(457mm)	36"(914mm)	WURA-1836-LJSC	\$391.84	\$422.26
	42"(1067mm)	WURA-1842-LJSC	439.48	473.44
	48"(1219mm)	WURA-1848-LJSC	540.42	577.92



WUKR

Features

- Includes one split rectangular worksurface with a spring assist mechanism that must be used in conjunction with a rectangular worksurface for a split top application.
- Laminate with 3mm edgeband (J) on front and rear front edge, and 1mm on back and side edge of front worksurface.
- Spring assist mechanism:
 - Available in charcoal finish color only.
 - Spring assisted adjustment (with manual lock) of 6"(152mm) above worksurface and 6"(152mm) below.
- Depths and widths shown in nominal and actual dimensions.

Specification Tips

- To create a split top application, an 18" D WURA must be used in conjunction with a WUKR split top.**
- Rectangular worksurface split top applications are designed to align with adjacent 30"(762mm)-depth worksurfaces; split top is designed to allow pinch point clearance to accommodate cables.
- Not designed for use on worksurfaces with knife edge.
- Refer to the Specification Guide for application guidelines.


To Order, Specify:

- Product number.
- Laminate surface color.
- Edge trim color.

Depth	Actual Width	Nominal Width	Number	Laminate A J	Laminate B J
12"(305mm)	34"(864mm)	36"(914mm)	WUKR-1236-LJSC	\$2227.29	\$2591.67
	40"(1016mm)	42"(1067mm)	WUKR-1242-LJSC	2374.79	2763.33
	46"(1168mm)	48"(1219mm)	WUKR-1248-LJSC	2522.29	2934.99

Adaptable Worksurfaces

Rectangular Key



Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer surface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- **Worksurface width dimension attaches directly to panel and matches panel width.**
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- 72"(1829mm) wide worksurfaces have two wireways when 'A' option ordered.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
–Flush mount plate
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- **Support post or height adjustment disc base is required.**

To Order, Specify:

1) Product number, including:

① Surface Options:

- L** Laminate
W Wood

② Edge Options:

Laminate:

J Edgeband**F** Knife

Wood:

K Edgeband**U** Knife

③ Wireway Options:

A Notched**C** Without


2) Laminate surface color or Wood finish color.

3) Edge trim color (laminate only).

Depth	Width	Number	①	②	③	Laminate A		Laminate B		Laminate E		Wood Group A		Wood Group B	
						J	F	J	F	J	F	K	U	K	U
30"(762mm)	36"(914mm)	WURY-3036-	■	■	S	\$ 982.83	\$1393.07	\$1054.92	\$1465.16	\$1272.93	\$1683.17	\$2681.21	\$3571.09	\$2841.21	\$3731.09
	48"(1219mm)	WURY-3048-	■	■	S	1044.70	1476.75	1121.02	1553.07	1365.47	1797.52	2824.49	3756.04	3010.01	3941.56
36"(914mm)	48"(1219mm)	WURY-3648-	■	■	S	\$1108.70	\$1560.96	\$1189.58	\$1641.84	\$1462.83	\$1915.09	\$2990.64	\$3968.77	\$3205.71	\$4183.84
	60"(1524mm)	WURY-3660-	■	■	S	1170.57	1644.64	1255.68	1729.75	1555.37	2029.44	3133.92	4153.72	3374.51	4394.31
	72"(1829mm)	WURY-3672-	■	■	S	1232.44	1728.32	1321.78	1817.66	1647.91	2143.79	3277.20	4338.67	3543.31	4604.78
42"(1067mm)	60"(1524mm)	WURY-4260-	■	■	S	\$1234.57	\$1728.85	\$1324.24	\$1818.52	\$1652.73	\$2147.01	\$3300.07	\$4366.45	\$3570.21	\$4636.59
	72"(1829mm)	WURY-4272-	■	■	S	1296.44	1812.53	1390.34	1906.43	1745.27	2261.36	3443.35	4551.40	3739.01	4847.06
48"(1219mm)	60"(1524mm)	WURY-4860-	■	■	S	\$1298.57	\$1813.06	\$1392.80	\$1907.29	\$1750.09	\$2264.58	\$3466.22	\$4579.18	\$3765.91	\$4878.87
	72"(1829mm)	WURY-4872-	■	■	S	1360.44	1896.74	1458.90	1995.20	1842.63	2378.93	3609.50	4764.13	3934.71	5089.34

Adaptable Worksurfaces

Rectangular Swell



Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Standard cantilever brackets
 - Side brackets
 - Worksurface support panel
 - Support post or support column
 - P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18”(457mm) deep worksurfaces with knife edge only.
- Suggested pedestal style is mobile.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50”(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns or legs.

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

- Laminate:
- J** Edgeband
 - F** Knife
- Wood:
- K** Edgeband
 - U** Knife

3 Wireway Options:


- A** Notched
- C** Without

- 2) Laminate surface color or Wood finish color.
- 3) Edge trim color (laminate only).

Depth	Swell Depth	Width	Number	1 2 3			Laminate A		Laminate B		Laminate E		Wood Group A		Wood Group B	
							J	F	J	F	J	F	K	U	K	U
18”(457mm)	21”(533mm)	24”(610mm)	WURS-1824-			S	\$442.18	\$ 686.35	\$473.21	\$ 717.38	\$ 571.48	\$ 815.65	\$ 904.93	\$1247.20	\$ 956.63	\$1298.90
		30”(762mm)	WURS-1830-			S	487.86	745.73	522.13	780.00	630.66	888.53	996.01	1362.38	1052.99	1419.36
		36”(914mm)	WURS-1836-			S	534.42	808.73	571.93	846.24	690.72	965.03	1087.09	1482.38	1149.35	1544.64
		42”(1067mm)	WURS-1842-			S	580.98	871.73	621.73	912.48	750.78	1041.53	1178.17	1602.38	1245.71	1669.92
		48”(1219mm)	WURS-1848-			S	627.54	934.73	671.53	978.72	810.84	1118.03	1269.25	1722.38	1342.07	1795.20
		54”(1372mm)	WURS-1854-			S	674.10	997.73	721.33	1044.96	870.90	1194.53	1360.33	1842.38	1438.43	1920.48
24”(610mm)	27”(686mm)	60”(1524mm)	WURS-1860-			S	720.66	1060.73	771.13	1111.20	930.96	1271.03	1451.41	1962.38	1534.79	2045.76
		24”(610mm)	WURS-2424-			S	\$457.68	\$ 708.67	\$488.71	\$ 739.70	\$ 586.98	\$ 837.97	\$ 935.99	\$1286.81	\$ 987.69	\$1338.51
		30”(762mm)	WURS-2430-			S	503.36	768.05	537.63	802.32	646.16	910.85	1032.29	1407.21	1089.27	1464.19
		36”(914mm)	WURS-2436-			S	549.92	831.05	587.43	868.56	706.22	987.35	1128.59	1532.43	1190.85	1594.69
		42”(1067mm)	WURS-2442-			S	596.48	894.05	637.23	934.80	766.28	1063.85	1224.89	1657.65	1292.43	1725.19
		48”(1219mm)	WURS-2448-			S	643.04	957.05	687.03	1001.04	826.34	1140.35	1321.19	1782.87	1394.01	1855.69
30”(762mm)	33”(838mm)	54”(1372mm)	WURS-2454-			S	689.60	1020.05	736.83	1067.28	886.40	1216.85	1417.49	1908.09	1495.59	1986.19
		60”(1524mm)	WURS-2460-			S	736.16	1083.05	786.63	1133.52	946.46	1293.35	1513.79	2033.31	1597.17	2116.69
		24”(610mm)	WURS-3024-			S	\$599.02	\$ 894.24	\$630.05	\$ 925.27	\$ 728.32	\$1023.54	\$1228.99	\$1656.61	\$1280.69	\$1708.31
		30”(762mm)	WURS-3030-			S	644.70	953.62	678.97	987.89	787.50	1096.42	1330.27	1781.99	1387.25	1838.97
		36”(914mm)	WURS-3036-			S	691.26	1016.62	728.77	1054.13	847.56	1172.92	1431.55	1912.19	1493.81	1974.45
		42”(1067mm)	WURS-3042-			S	737.82	1079.62	778.57	1120.37	907.62	1249.42	1532.83	2042.39	1600.37	2109.93
48”(1219mm)	54”(1372mm)	48”(1219mm)	WURS-3048-			S	784.38	1142.62	828.37	1186.61	967.68	1325.92	1634.11	2172.59	1706.93	2245.41
		54”(1372mm)	WURS-3054-			S	830.94	1205.62	878.17	1252.85	1027.74	1402.42	1735.39	2302.79	1813.49	2380.89
		60”(1524mm)	WURS-3060-			S	877.50	1268.62	927.97	1319.09	1087.80	1478.92	1836.67	2432.99	1920.05	2516.37

Adaptable Worksurfaces

Rectangular Inverse Swell



Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer worksurface with 3mm edgeband (K) of knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Standard cantilever brackets
 - Side/corner brackets
 - Worksurface support panel
 - Worksurface support post or support column
 - P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18”(457mm) deep worksurfaces with knife edge only.
- Suggested pedestal style is mobile.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50”(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns or legs.

To Order, Specify:

1) Product number, including:

① Surface Options:

- L** Laminate
W Wood

② Edge Options:

Laminate:

- J** Edgeband
F Knife

Wood:

- K** Edgeband
U Knife

③ Wireway Options:

- A** Notched
C Without


2) Laminate surface color or Wood finish color.

3) Edge trim color (laminate only).

Depth	Swell Depth	Width	Number	① ② ③			Laminate A		Laminate B		Laminate E		Wood Group A		Wood Group B	
				J	F	S	J	F	J	F	J	F	K	U	K	U
18”(457mm)	15”(381mm)	24”(610mm)	WURW-1824-			S	\$423.10	\$ 656.78	\$452.78	\$ 686.46	\$ 546.84	\$ 780.52	\$ 947.68	\$1275.22	\$ 997.15	\$1324.69
		30”(762mm)	WURW-1830-			S	466.68	713.56	499.30	746.18	603.26	850.14	1034.80	1385.39	1089.19	1439.78
		36”(914mm)	WURW-1836-			S	511.08	773.80	546.64	809.36	660.50	923.22	1121.92	1500.17	1181.23	1559.48
		42”(1067mm)	WURW-1842-			S	555.48	834.04	593.98	872.54	717.74	996.30	1209.04	1614.95	1273.27	1679.18
		48”(1219mm)	WURW-1848-			S	599.88	894.28	641.32	935.72	774.98	1069.38	1296.16	1729.73	1365.31	1798.88
		54”(1372mm)	WURW-1854-			S	644.28	954.52	688.66	998.90	832.22	1142.46	1383.28	1844.51	1457.35	1918.58
24”(610mm)	21”(533mm)	60”(1524mm)	WURW-1860-			S	688.68	1014.76	736.00	1062.08	889.46	1215.54	1470.40	1959.29	1549.39	2038.28
		24”(610mm)	WURW-2424-			S	\$437.94	\$ 678.13	\$467.62	\$ 707.81	\$ 561.68	\$ 801.87	\$ 977.39	\$1313.08	\$1026.86	\$1362.55
		30”(762mm)	WURW-2430-			S	481.52	734.91	514.14	767.53	618.10	871.49	1069.49	1428.23	1123.88	1482.62
		36”(914mm)	WURW-2436-			S	525.92	795.15	561.48	830.71	675.34	944.57	1161.59	1547.99	1220.90	1607.30
		42”(1067mm)	WURW-2442-			S	570.32	855.39	608.82	893.89	732.58	1017.65	1253.69	1667.75	1317.92	1731.98
		48”(1219mm)	WURW-2448-			S	614.72	915.63	656.16	957.07	789.82	1090.73	1345.79	1787.51	1414.94	1856.66
30”(762mm)	27”(686mm)	54”(1372mm)	WURW-2454-			S	659.12	975.87	703.50	1020.25	847.06	1163.81	1437.89	1907.27	1511.96	1981.34
		60”(1524mm)	WURW-2460-			S	703.52	1036.11	750.84	1083.43	904.30	1236.89	1529.99	2027.03	1608.98	2106.02
		24”(610mm)	WURW-3024-			S	\$573.19	\$ 855.73	\$602.87	\$ 885.41	\$ 696.93	\$ 979.47	\$1257.78	\$1666.97	\$1307.25	\$1716.44
		30”(762mm)	WURW-3030-			S	616.77	912.51	649.39	945.13	753.35	1049.09	1354.80	1787.04	1409.19	1841.43
		36”(914mm)	WURW-3036-			S	661.17	972.75	696.73	1008.31	810.59	1122.17	1451.82	1911.72	1511.13	1971.03
		42”(1067mm)	WURW-3042-			S	705.57	1032.99	744.07	1071.49	867.83	1195.25	1548.84	2036.40	1613.07	2100.63
48”(1219mm)	54”(1372mm)	48”(1219mm)	WURW-3048-			S	749.97	1093.23	791.41	1134.67	925.07	1268.33	1645.86	2161.08	1715.01	2230.23
		54”(1372mm)	WURW-3054-			S	794.37	1153.47	838.75	1197.85	982.31	1341.41	1742.88	2285.76	1816.95	2359.83
		60”(1524mm)	WURW-3060-			S	838.77	1213.71	886.09	1261.03	1039.55	1414.49	1839.90	2410.44	1918.89	2489.43

Adaptable Worksurfaces

Rectangular Transition



- Features**
- Includes worksurface and tie plate.
 - Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
 - Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
 - Worksurfaces predrilled to accept most support options.
 - Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
 - Installed worksurfaces without wireway will not allow clearance for power plug.**
 - Depths and widths shown in nominal dimensions.

- Specification Tips**
- Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Standard cantilever brackets
 - Side/corner brackets
 - Worksurface support panel
 - Worksurface support post or support column
 - P-Leg
 - Attached lower storage
 - Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
 - Mini cantilever brackets are for use with 18”(457mm) deep worksurfaces with knife edge only.
 - For worksurfaces less than 42”(1067mm)-wide, suggested pedestal style is mobile.
 - For worksurfaces greater than 42”(1067mm)-wide, attached pedestal may be installed on deepest side.



Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50”(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

- To Order, Specify:**
- Product number, including:
 - Surface Options:**
 - L** Laminate
 - W** Wood
 - Edge Options:**
 - Laminate:
 - J** Edgeband
 - F** Knife
 - Wood:
 - K** Edgeband
 - U** Knife
 - Wireway Options:**
 - A** Notched
 - C** Without
 - Laminate surface color or Wood finish color.
 - Edge trim color (laminate only).


Left/Right Depth	Width	Number	①	②	③	Laminate A		Laminate B		Laminate E		Wood Group A		Wood Group B	
						J	F	J	F	J	F	K	U	K	U
18”(457mm)/24”(610mm)	24”(610mm)	WURT-2424-			S N34	\$457.11	\$ 707.41	\$490.57	\$ 740.87	\$ 595.23	\$ 845.53	\$1032.69	\$1386.31	\$1082.94	\$1436.56
	30”(762mm)	WURT-2430-			S N34	515.55	783.97	553.03	821.45	671.37	939.79	1153.35	1539.19	1209.72	1595.56
	36”(914mm)	WURT-2436-			S N34	573.99	860.53	615.49	902.03	747.51	1034.05	1274.01	1692.07	1336.50	1754.56
	42”(1067mm)	WURT-2442-			S N34	632.43	937.09	677.95	982.61	823.65	1128.31	1394.67	1844.95	1463.28	1913.56
	48”(1219mm)	WURT-2448-			S N34	690.87	1013.65	740.41	1063.19	899.79	1222.57	1515.33	1997.83	1590.06	2072.56
	54”(1372mm)	WURT-2454-			S N34	749.31	1090.21	802.87	1143.77	975.93	1316.83	1635.99	2150.71	1716.84	2231.56
24”(610mm)/18”(457mm)	60”(1524mm)	WURT-2460-			S N34	807.75	1166.77	865.33	1224.35	1052.07	1411.09	1756.65	2303.59	1843.62	2390.56
	24”(610mm)	WURT-2424-			S N43	\$457.11	\$ 707.41	\$490.57	\$ 740.87	\$ 595.23	\$ 845.53	\$1032.69	\$1386.31	\$1082.94	\$1436.56
	30”(762mm)	WURT-2430-			S N43	515.55	783.97	553.03	821.45	671.37	939.79	1153.35	1539.19	1209.72	1595.56
	36”(914mm)	WURT-2436-			S N43	573.99	860.53	615.49	902.03	747.51	1034.05	1274.01	1692.07	1336.50	1754.56
	42”(1067mm)	WURT-2442-			S N43	632.43	937.09	677.95	982.61	823.65	1128.31	1394.67	1844.95	1463.28	1913.56
	48”(1219mm)	WURT-2448-			S N43	690.87	1013.65	740.41	1063.19	899.79	1222.57	1515.33	1997.83	1590.06	2072.56
24”(610mm)/30”(762mm)	54”(1372mm)	WURT-2454-			S N43	749.31	1090.21	802.87	1143.77	975.93	1316.83	1635.99	2150.71	1716.84	2231.56
	60”(1524mm)	WURT-2460-			S N43	807.75	1166.77	865.33	1224.35	1052.07	1411.09	1756.65	2303.59	1843.62	2390.56
	24”(610mm)	WURT-3024-			S N45	\$490.57	\$ 740.87	\$524.03	\$ 774.33	\$ 628.69	\$ 878.99	\$1066.15	\$1419.77	\$1116.40	\$1470.02
	30”(762mm)	WURT-3030-			S N45	549.01	817.43	586.49	854.91	704.83	973.25	1186.81	1572.65	1243.18	1629.02
	36”(914mm)	WURT-3036-			S N45	607.45	893.99	648.95	935.49	780.97	1067.51	1307.47	1725.53	1369.96	1788.02
	42”(1067mm)	WURT-3042-			S N45	665.89	970.55	711.41	1016.07	857.11	1161.77	1428.13	1878.41	1496.74	1947.02
30”(762mm)/24”(610mm)	48”(1219mm)	WURT-3048-			S N45	724.33	1047.11	773.87	1096.65	933.25	1256.03	1548.79	2031.29	1623.52	2106.02
	54”(1372mm)	WURT-3054-			S N45	782.77	1123.67	836.33	1177.23	1009.39	1350.29	1669.45	2184.17	1750.30	2265.02
	60”(1524mm)	WURT-3060-			S N45	841.21	1200.23	898.79	1257.81	1085.53	1444.55	1790.11	2337.05	1877.08	2424.02
	24”(610mm)	WURT-3024-			S N54	\$490.57	\$ 740.87	\$524.03	\$ 774.33	\$ 628.69	\$ 878.99	\$1066.15	\$1419.77	\$1116.40	\$1470.02
	30”(762mm)	WURT-3030-			S N54	549.01	817.43	586.49	854.91	704.83	973.25	1186.81	1572.65	1243.18	1629.02
	36”(914mm)	WURT-3036-			S N54	607.45	893.99	648.95	935.49	780.97	1067.51	1307.47	1725.53	1369.96	1788.02
30”(762mm)/30”(762mm)	42”(1067mm)	WURT-3042-			S N54	665.89	970.55	711.41	1016.07	857.11	1161.77	1428.13	1878.41	1496.74	1947.02
	48”(1219mm)	WURT-3048-			S N54	724.33	1047.11	773.87	1096.65	933.25	1256.03	1548.79	2031.29	1623.52	2106.02
	54”(1372mm)	WURT-3054-			S N54	782.77	1123.67	836.33	1177.23	1009.39	1350.29	1669.45	2184.17	1750.30	2265.02
	60”(1524mm)	WURT-3060-			S N54	841.21	1200.23	898.79	1257.81	1085.53	1444.55	1790.11	2337.05	1877.08	2424.02
	24”(610mm)	WURT-3024-			S N54	\$490.57	\$ 740.87	\$524.03	\$ 774.33	\$ 628.69	\$ 878.99	\$1066.15	\$1419.77	\$1116.40	\$1470.02
	30”(762mm)	WURT-3030-			S N54	549.01	817.43	586.49	854.91	704.83	973.25	1186.81	1572.65	1243.18	1629.02

Adaptable Worksurfaces

Wedge



WURE-N34



WURE-N43

Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer surface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Standard cantilever brackets
 - Side/corner brackets
 - Worksurface support post or support column
 - P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18"(457mm) deep worksurfaces with knife edge only.
- Suggested pedestal style is mobile.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50"(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

1) Product number, including:

① Surface Options:

L Laminate

W Wood

② Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

③ Wireway Options:

A Notched

C Without

2) Laminate surface color or Wood finish color.

3) Edge trim color (laminate only).


Adaptable Worksurfaces

Wedge

Left/Right Depth	Width	Number	① ② ③			Laminate A		Laminate B		Laminate E		Wood Group A		Wood Group B		
			J	F		J	F	J	F	K	U	K	U			
24"(610mm)/18"(457mm)	24"(610mm)	WURE-2424-			S	N43	\$ 528.82	\$ 779.80	\$ 563.82	\$ 814.80	\$ 668.37	\$ 919.35	\$1086.42	\$1420.37	\$1113.08	\$1447.03
	30"(762mm)	WURE-2430-			S	N43	584.86	857.86	623.82	896.82	740.43	1013.43	1206.30	1576.37	1247.90	1617.97
	36"(914mm)	WURE-2436-			S	N43	640.90	935.92	683.82	978.84	812.49	1107.51	1326.18	1732.37	1382.72	1788.91
	42"(1067mm)	WURE-2442-			S	N43	696.94	1013.98	743.82	1060.86	884.55	1201.59	1446.06	1888.37	1517.54	1959.85
	48"(1219mm)	WURE-2448-			S	N43	752.98	1092.04	803.82	1142.88	956.61	1295.67	1565.94	2044.37	1652.36	2130.79
	54"(1372mm)	WURE-2454-			S	N43	809.02	1170.10	863.82	1224.90	1028.67	1389.75	1685.82	2200.37	1787.18	2301.73
	60"(1524mm)	WURE-2460-			S	N43	865.06	1248.16	923.82	1306.92	1100.73	1483.83	1805.70	2356.37	1922.00	2472.67
	66"(1676mm)	WURE-2466-			S	N43	921.10	1326.22	983.82	1388.94	1172.79	1577.91	1925.58	2512.37	2056.82	2643.61
	72"(1829mm)	WURE-2472-			S	N43	977.14	1404.28	1043.82	1470.96	1244.85	1671.99	2045.46	2668.37	2191.64	2814.55
	78"(1981mm)	WURE-2478-			S	N43	1033.18	1482.34	1103.82	1552.98	1316.91	1766.07	2165.34	2824.37	2326.46	2985.49
	84"(2134mm)	WURE-2484-			S	N43	1089.22	1560.40	1163.82	1635.00	1388.97	1860.15	2285.22	2980.37	2461.28	3156.43
	90"(2286mm)	WURE-2490-			S	N43	1145.26	1638.46	1223.82	1717.02	1461.03	1954.23	2405.10	3136.37	2596.10	3327.37
	96"(2438mm)	WURE-2496-			S	N43	1201.30	1716.52	1283.82	1799.04	1533.09	2048.31	2524.98	3292.37	2730.92	3498.31
	102"(2591mm)	WURE-24A2-			S	N43	1257.34	1794.58	1343.82	1881.06	1605.15	2142.39	2644.86	3448.37	2865.74	3669.25
	108"(2743mm)	WURE-24A8-			S	N43	1313.38	1872.64	1403.82	1963.08	1677.21	2236.47	2764.74	3604.37	3000.56	3840.19
	114"(2896mm)	WURE-24B4-			S	N43	1350.74	1924.68	1443.82	2017.76	1725.25	2299.19	2844.66	3708.37	3090.44	3954.15
120"(3048mm)	WURE-24C0-			S	N43	1425.46	2028.76	1523.82	2127.12	1821.33	2424.63	3004.50	3916.37	3270.20	4182.07	
18"(457mm)/24"(610mm)	24"(610mm)	WURE-2424-			S	N34	\$ 528.82	\$ 779.80	\$ 563.82	\$ 814.80	\$ 668.37	\$ 919.35	\$1086.42	\$1420.37	\$1113.08	\$1447.03
	30"(762mm)	WURE-2430-			S	N34	584.86	857.86	623.82	896.82	740.43	1013.43	1206.30	1576.37	1247.90	1617.97
	36"(914mm)	WURE-2436-			S	N34	640.90	935.92	683.82	978.84	812.49	1107.51	1326.18	1732.37	1382.72	1788.91
	42"(1067mm)	WURE-2442-			S	N34	696.94	1013.98	743.82	1060.86	884.55	1201.59	1446.06	1888.37	1517.54	1959.85
	48"(1219mm)	WURE-2448-			S	N34	752.98	1092.04	803.82	1142.88	956.61	1295.67	1565.94	2044.37	1652.36	2130.79
	54"(1372mm)	WURE-2454-			S	N34	809.02	1170.10	863.82	1224.90	1028.67	1389.75	1685.82	2200.37	1787.18	2301.73
	60"(1524mm)	WURE-2460-			S	N34	865.06	1248.16	923.82	1306.92	1100.73	1483.83	1805.70	2356.37	1922.00	2472.67
	66"(1676mm)	WURE-2466-			S	N34	921.10	1326.22	983.82	1388.94	1172.79	1577.91	1925.58	2512.37	2056.82	2643.61
	72"(1829mm)	WURE-2472-			S	N34	977.14	1404.28	1043.82	1470.96	1244.85	1671.99	2045.46	2668.37	2191.64	2814.55
	78"(1981mm)	WURE-2478-			S	N34	1033.18	1482.34	1103.82	1552.98	1316.91	1766.07	2165.34	2824.37	2326.46	2985.49
	84"(2134mm)	WURE-2484-			S	N34	1089.22	1560.40	1163.82	1635.00	1388.97	1860.15	2285.22	2980.37	2461.28	3156.43
	90"(2286mm)	WURE-2490-			S	N34	1145.26	1638.46	1223.82	1717.02	1461.03	1954.23	2405.10	3136.37	2596.10	3327.37
	96"(2438mm)	WURE-2496-			S	N34	1201.30	1716.52	1283.82	1799.04	1533.09	2048.31	2524.98	3292.37	2730.92	3498.31
	102"(2591mm)	WURE-24A2-			S	N34	1257.34	1794.58	1343.82	1881.06	1605.15	2142.39	2644.86	3448.37	2865.74	3669.25
	108"(2743mm)	WURE-24A8-			S	N34	1313.38	1872.64	1403.82	1963.08	1677.21	2236.47	2764.74	3604.37	3000.56	3840.19
	114"(2896mm)	WURE-24B4-			S	N34	1350.74	1924.68	1443.82	2017.76	1725.25	2299.19	2844.66	3708.37	3090.44	3954.15
120"(3048mm)	WURE-24C0-			S	N34	1425.46	2028.76	1523.82	2127.12	1821.33	2424.63	3004.50	3916.37	3270.20	4182.07	
30"(762mm)/24"(610mm)	24"(610mm)	WURE-3024-			S	N54	\$ 545.46	\$ 796.44	\$ 580.46	\$ 831.44	\$ 685.01	\$ 935.99	\$1103.06	\$1437.01	\$1129.72	\$1463.67
	30"(762mm)	WURE-3030-			S	N54	601.50	874.50	640.46	913.46	757.07	1030.07	1222.94	1593.01	1264.54	1634.61
	36"(914mm)	WURE-3036-			S	N54	657.54	952.56	700.46	995.48	829.13	1124.15	1342.82	1749.01	1399.36	1805.55
	42"(1067mm)	WURE-3042-			S	N54	713.58	1030.62	760.46	1077.50	901.19	1218.23	1462.70	1905.01	1534.18	1976.49
	48"(1219mm)	WURE-3048-			S	N54	769.62	1108.68	820.46	1159.52	973.25	1312.31	1582.58	2061.01	1669.00	2147.43
	54"(1372mm)	WURE-3054-			S	N54	825.66	1186.74	880.46	1241.54	1045.31	1406.39	1702.46	2217.01	1803.82	2318.37
	60"(1524mm)	WURE-3060-			S	N54	881.70	1264.80	940.46	1323.56	1117.37	1500.47	1822.34	2373.01	1938.64	2489.31
	66"(1676mm)	WURE-3066-			S	N54	937.74	1342.86	1000.46	1405.58	1189.43	1594.55	1942.22	2529.01	2073.46	2660.25
	72"(1829mm)	WURE-3072-			S	N54	993.78	1420.92	1060.46	1487.60	1261.49	1688.63	2062.10	2685.01	2208.28	2831.19
	78"(1981mm)	WURE-3078-			S	N54	1049.82	1498.98	1120.46	1569.62	1333.55	1782.71	2181.98	2841.01	2343.10	3002.13
	84"(2134mm)	WURE-3084-			S	N54	1105.86	1577.04	1180.46	1651.64	1405.61	1876.79	2301.86	2997.01	2477.92	3173.07
	90"(2286mm)	WURE-3090-			S	N54	1161.90	1655.10	1240.46	1733.66	1477.67	1970.87	2421.74	3153.01	2612.74	3344.01
	96"(2438mm)	WURE-3096-			S											

Adaptable Worksurfaces

Sharp Wedge



WURG-N43

Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer surface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- Worksurface support specific to product line and worksurface edge guidelines; must be separately specified.**
 - Standard cantilever brackets
 - Side/corner brackets
 - Worksurface support post or support column
 - P-Leg not recommended**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18”(457mm) deep worksurfaces with knife edge only.
- Suggested pedestal style is mobile.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50”(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

- Product number, including:

① Surface Options:

L Laminate

W Wood

② Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

③ Wireway Options:

A Notched

C Without

- Laminate surface color or Wood finish color.

- Edge trim color (laminate only).

Left/Right Depth	Width	Number	① ② ③			Laminate A		Laminate B		Laminate E		Wood Group A		Wood Group B			
			J	F		J	F	J	F	K	U	K	U				
24"(610mm)/18"(457mm)	24"(610mm)	WURG-2424-			S	N43	\$561.58	\$ 815.25	\$598.40	\$ 852.07	\$ 708.06	\$ 961.73	\$1148.24	\$1495.23	\$1253.70	\$1600.69	
	30"(762mm)	WURG-2430-			S	N43	624.22	898.97	661.15	935.90	785.20	1059.95	1276.83	1662.16	1405.15	1790.48	
	36"(914mm)	WURG-2436-			S	N43	686.86	982.69	723.90	1019.73	862.34	1158.17	1405.42	1829.09	1556.60	1980.27	
	42"(1067mm)	WURG-2442-			S	N43	749.50	1066.41	786.65	1103.56	939.48	1256.39	1534.01	1996.02	1708.05	2170.06	
	48"(1219mm)	WURG-2448-			S	N43	812.14	1150.13	849.40	1187.39	1016.62	1354.61	1662.60	2162.95	1859.50	2359.85	
	54"(1372mm)	WURG-2454-			S	N43	874.78	1233.85	912.15	1271.22	1093.76	1452.83	1791.19	2329.88	2010.95	2549.64	
60"(1524mm)	WURG-2460-			S	N43	937.42	1317.57	974.90	1355.05	1170.90	1551.05	1919.78	2496.81	2162.40	2739.43		
	18"(457mm)/24"(610mm)	24"(610mm)	WURG-2424-			S	N34	\$561.58	\$ 815.25	\$598.40	\$ 852.07	\$ 708.06	\$ 961.73	\$1148.24	\$1495.23	\$1253.70	\$1600.69
		30"(762mm)	WURG-2430-			S	N34	624.22	898.97	661.15	935.90	785.20	1059.95	1276.83	1662.16	1405.15	1790.48
		36"(914mm)	WURG-2436-			S	N34	686.86	982.69	723.90	1019.73	862.34	1158.17	1405.42	1829.09	1556.60	1980.27
		42"(1067mm)	WURG-2442-			S	N34	749.50	1066.41	786.65	1103.56	939.48	1256.39	1534.01	1996.02	1708.05	2170.06
		48"(1219mm)	WURG-2448-			S	N34	812.14	1150.13	849.40	1187.39	1016.62	1354.61	1662.60	2162.95	1859.50	2359.85
54"(1372mm)		WURG-2454-			S	N34	874.78	1233.85	912.15	1271.22	1093.76	1452.83	1791.19	2329.88	2010.95	2549.64	
60"(1524mm)	WURG-2460-			S	N34	937.42	1317.57	974.90	1355.05	1170.90	1551.05	1919.78	2496.81	2162.40	2739.43		
30"(762mm)/24"(610mm)	24"(610mm)	WURG-3024-			S	N54	\$570.78	\$ 832.49	\$608.07	\$ 869.78	\$ 720.72	\$ 982.43	\$1172.84	\$1519.83	\$1282.68	\$1629.67	
	30"(762mm)	WURG-3030-			S	N54	633.42	916.21	670.82	953.61	797.86	1080.65	1301.43	1686.76	1434.13	1819.46	
	36"(914mm)	WURG-3036-			S	N54	696.06	999.93	733.57	1037.44	875.00	1178.87	1430.02	1853.69	1585.58	2009.25	
	42"(1067mm)	WURG-3042-			S	N54	758.70	1083.65	796.32	1121.27	952.14	1277.09	1558.61	2020.62	1737.03	2199.04	
	48"(1219mm)	WURG-3048-			S	N54	821.34	1167.37	859.07	1205.10	1029.28	1375.31	1687.20	2187.55	1888.48	2388.83	
	54"(1372mm)	WURG-3054-			S	N54	883.98	1251.09	921.82	1288.93	1106.42	1473.53	1815.79	2354.48	2039.93	2578.62	
60"(1524mm)	WURG-3060-			S	N54	946.62	1334.81	984.57	1372.76	1183.56	1571.75	1944.38	2521.41	2191.38	2768.41		
24"(610mm)/30"(762mm)	24"(610mm)	WURG-3024-			S	N45	\$570.78	\$ 832.49	\$608.07	\$ 869.78	\$ 720.72	\$ 982.43	\$1172.84	\$1519.83	\$1282.68	\$1629.67	
	30"(762mm)	WURG-3030-			S	N45	633.42	916.21	670.82	953.61	797.86	1080.65	1301.43	1686.76	1434.13	1819.46	
	36"(914mm)	WURG-3036-			S	N45	696.06	999.93	733.57	1037.44	875.00	1178.87	1430.02	1853.69	1585.58	2009.25	
	42"(1067mm)	WURG-3042-			S	N45	758.70	1083.65	796.32	1121.27	952.14	1277.09	1558.61	2020.62	1737.03	2199.04	
	48"(1219mm)	WURG-3048-			S	N45	821.34	1167.37	859.07	1205.10	1029.28	1375.31	1687.20	2187.55	1888.48	2388.83	
	54"(1372mm)	WURG-3054-			S	N45	883.98	1251.09	921.82	1288.93	1106.42	1473.53	1815.79	2354.48	2039.93	2578.62	
60"(1524mm)	WURG-3060-			S	N45	946.62	1334.81	984.57	1372.76	1183.56	1571.75	1944.38	2521.41	2191.38	2768.41		

Adaptable Worksurfaces

Rectangular Radius End



(Right-hand orientation)



(Left-hand orientation)

WURR

Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on side and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- Separately specified floor support required on radius end:
 - Side/corner bracket with worksurface support leg or column
- Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Standard cantilever brackets
 - Side/corner brackets
 - Worksurface support post or leg - REQUIRED
 - Worksurface support panel
 - Attached pedestal (for worksurfaces greater than 36"(914mm)-wide)
 - Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18"(457mm) deep worksurfaces with knife edge only.
- For worksurfaces less than 42"(1067mm) wide, suggested pedestal style is mobile.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50"(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, posts or attached lower storage.

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L Laminate
- W Wood

2 Edge Options:

Laminate:

- J Edgeband
- F Knife

Wood:

- K Edgeband
- U Knife

3 Wireway Options:

- A Notched
- C Without

4 Orientation (as seated):



- R Right-hand
- L Left-hand

- 2) Laminate surface color or Wood finish color.
- 3) Edge trim color (laminate only).

Depth	Width	Number	1	2	3	4	Laminate A		Laminate B		Laminate E		Wood Group A		Wood Group B	
							J	F	J	F	J	F	K	U	K	U
18"(457mm)	24"(610mm)	WURR-1824-			S		\$ 494.03	\$ 724.44	\$ 523.71	\$ 754.12	\$ 613.61	\$ 844.02	\$1005.40	\$1330.56	\$1049.94	\$1375.10
	30"(762mm)	WURR-1830-			S		551.53	795.14	585.05	828.66	686.29	929.90	1123.36	1500.52	1172.82	1549.98
	36"(914mm)	WURR-1836-			S		609.85	869.30	647.21	906.66	759.79	1019.24	1241.32	1680.88	1295.70	1735.26
	42"(1067mm)	WURR-1842-			S		668.17	943.46	709.37	984.66	833.29	1108.58	1359.28	1861.24	1418.58	1920.54
	48"(1219mm)	WURR-1848-			S		726.49	1017.62	771.53	1062.66	906.79	1197.92	1477.24	2041.60	1541.46	2105.82
	54"(1372mm)	WURR-1854-			S		784.81	1091.78	833.69	1140.66	980.29	1287.26	1595.20	2221.96	1664.34	2291.10
24"(610mm)	60"(1524mm)	WURR-1860-			S		843.13	1165.94	895.85	1218.66	1053.79	1376.60	1713.16	2402.32	1787.22	2476.38
	24"(610mm)	WURR-2424-			S		\$ 505.60	\$ 739.28	\$ 535.28	\$ 768.96	\$ 625.18	\$ 858.86	\$1018.61	\$1351.94	\$1063.15	\$1396.48
	30"(762mm)	WURR-2430-			S		563.10	809.98	596.62	843.50	697.86	944.74	1139.39	1524.72	1188.85	1574.18
	36"(914mm)	WURR-2436-			S		621.42	884.14	658.78	921.50	771.36	1034.08	1260.17	1707.90	1314.55	1762.28
	42"(1067mm)	WURR-2442-			S		679.74	958.30	720.94	999.50	844.86	1123.42	1380.95	1891.08	1440.25	1950.38
	48"(1219mm)	WURR-2448-			S		738.06	1032.46	783.10	1077.50	918.36	1212.76	1501.73	2074.26	1565.95	2138.48
30"(762mm)	54"(1372mm)	WURR-2454-			S		796.38	1106.62	845.26	1155.50	991.86	1302.10	1622.51	2257.44	1691.65	2326.58
	60"(1524mm)	WURR-2460-			S		854.70	1180.78	907.42	1233.50	1065.36	1391.44	1743.29	2440.62	1817.35	2514.68
	24"(610mm)	WURR-3024-			S		\$ 660.61	\$ 954.53	\$ 690.29	\$ 984.21	\$ 780.19	\$1074.11	\$1233.06	\$1667.64	\$1277.60	\$1712.18
	30"(762mm)	WURR-3030-			S		718.11	1025.23	751.63	1058.75	852.87	1159.99	1356.84	1843.42	1406.30	1892.88
	36"(914mm)	WURR-3036-			S		776.43	1099.39	813.79	1136.75	926.37	1249.33	1480.62	2029.60	1535.00	2083.98
	42"(1067mm)	WURR-3042-			S		834.75	1173.55	875.95	1214.75	999.87	1338.67	1604.40	2215.78	1663.70	2275.08
36"(914mm)	48"(1219mm)	WURR-3048-			S		893.07	1247.71	938.11	1292.75	1073.37	1428.01	1728.18	2401.96	1792.40	2466.18
	54"(1372mm)	WURR-3054-			S		951.39	1321.87	1000.27	1370.75	1146.87	1517.35	1851.96	2588.14	1921.10	2657.28
	60"(1524mm)	WURR-3060-			S		1009.71	1396.03	1062.43	1448.75	1220.37	1606.69	1975.74	2774.32	2049.80	2848.38

Adaptable Worksurfaces

Corner, 90° Straight Front



WUCA

Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Cantilever brackets
 - Corner bracket - REQUIRED
 - Worksurface support panel
 - P-leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18”(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023- ■ N or KU3A-0023- ■ ■ keyboard pad for 36”(914mm)-wide corners.

To Order, Specify:

1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Wireway Options:

A Notched

C Without



2) Laminate surface color or Wood finish color.

3) Edge trim color (laminate only).

Depth	Width	Number	1	2	3	Laminate A		Laminate B		Wood Group A		Wood Group B	
						J	F	J	F	K	U	K	U
18”(457mm)	36”(914mm)	WUCA-3636- ■ ■ S N33				\$ 869.11	\$1196.59	\$ 918.36	\$1245.84	\$1274.39	\$1661.07	\$1330.19	\$1716.87
	42”(1067mm)	WUCA-4242- ■ ■ S N33				928.87	1288.19	985.69	1345.01	1389.31	1821.16	1473.02	1904.87
	48”(1219mm)	WUCA-4848- ■ ■ S N33				1080.55	1471.71	1144.94	1536.10	1596.15	2073.17	1707.77	2184.79
	54”(1372mm)	WUCA-5454- ■ ■ S N33				1133.73	1556.73	1205.69	1628.69	N/A	N/A	N/A	N/A
24”(610mm)	36”(914mm)	WUCA-3636- ■ ■ S N44				\$ 898.65	\$1226.13	\$ 947.90	\$1275.38	\$1303.93	\$1690.61	\$1359.73	\$1746.41
	42”(1067mm)	WUCA-4242- ■ ■ S N44				958.41	1317.73	1015.23	1374.55	1418.85	1850.70	1502.56	1934.41
	48”(1219mm)	WUCA-4848- ■ ■ S N44				1110.09	1501.25	1174.48	1565.64	1625.69	2102.71	1737.31	2214.33
	54”(1372mm)	WUCA-5454- ■ ■ S N44				1163.27	1586.27	1235.23	1658.23	N/A	N/A	N/A	N/A
30”(762mm)	36”(914mm)	WUCA-3636- ■ ■ S N55				\$1023.41	\$1350.89	\$1072.66	\$1400.14	\$1428.69	\$1815.37	\$1484.49	\$1871.17
	42”(1067mm)	WUCA-4242- ■ ■ S N55				1083.17	1442.49	1139.99	1499.31	1543.61	1975.46	1627.32	2059.17
	48”(1219mm)	WUCA-4848- ■ ■ S N55				1234.85	1626.01	1299.24	1690.40	N/A	N/A	N/A	N/A
	54”(1372mm)	WUCA-5454- ■ ■ S N55				1288.03	1711.03	1359.99	1782.99	N/A	N/A	N/A	N/A

Adaptable Worksurfaces

Corner, 90° Wrap-Around



WUCR

Features

- Includes worksurface.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Cantilever brackets
 - Corner bracket - REQUIRED
 - Worksurface support panel
 - P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18”(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023- N or KU3A-0023- keyboard pad for 36”(914mm)-wide corners.

To Order, Specify:

1) Product number, including:

1 Surface Options:

- Laminate
- Wood

2 Edge Options:

- Laminate:
- Edgeband
 - Knife
- Wood:
- Edgeband
 - Knife

3 Wireway Options:


- Notched
- Without

- 2) Laminate surface color or Wood finish color.
- 3) Edge trim color (laminate only).

Depth	Width	Number	1 2 3			Laminate A		Laminate B		Wood Group A		Wood Group B	
						J	F	J	F	K	U	K	U
18”(457mm)	36”(914mm)	WUCR-3636-			S N33	\$ 732.21	\$1052.72	\$ 779.41	\$1099.92	\$1129.17	\$1507.29	\$1176.81	\$1554.93
	42”(1067mm)	WUCR-4242-			S N33	858.69	1198.82	913.99	1254.12	1299.21	1721.85	1377.51	1800.15
	48”(1219mm)	WUCR-4848-			S N33	985.17	1344.92	1048.57	1408.32	1469.25	1936.41	1578.21	2045.37
	54”(1372mm)	WUCR-5454-			S N33	1111.65	1491.02	1183.15	1562.52	N/A	N/A	N/A	N/A
24”(610mm)	36”(914mm)	WUCR-3636-			S N44	\$ 828.73	\$1156.98	\$ 883.59	\$1211.84	\$1230.53	\$1608.65	\$1293.79	\$1671.91
	42”(1067mm)	WUCR-4242-			S N44	955.21	1303.08	1018.17	1366.04	1400.57	1823.21	1494.49	1917.13
	48”(1219mm)	WUCR-4848-			S N44	1081.69	1449.18	1152.75	1520.24	1570.61	2037.77	1695.19	2162.35
	54”(1372mm)	WUCR-5454-			S N44	1208.17	1595.28	1287.33	1674.44	N/A	N/A	N/A	N/A
30”(762mm)	36”(914mm)	WUCR-3636-			S N55	\$ 925.25	\$1261.24	\$ 987.77	\$1323.76	\$1331.89	\$1710.01	\$1410.77	\$1788.89
	42”(1067mm)	WUCR-4242-			S N55	1051.73	1407.34	1122.35	1477.96	1501.93	1924.57	1611.47	2034.11
	48”(1219mm)	WUCR-4848-			S N55	1178.21	1553.44	1256.93	1632.16	N/A	N/A	N/A	N/A
	54”(1372mm)	WUCR-5454-			S N55	1304.69	1699.54	1391.51	1786.36	N/A	N/A	N/A	N/A

Adaptable Worksurfaces

Corner, 90° Notched



WUCN

Features

- Includes worksurface.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer surface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept an adjustable keyboard and most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Cantilever brackets
 - Corner bracket - REQUIRED
 - Worksurface support panel
 - P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18"(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ ■ N or KU3A-0023-■ ■ keyboard pad for 36"(914mm)-wide corners.

To Order, Specify:

1) Product number, including:

① Surface Options:

L Laminate

W Wood

② Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

③ Wireway Options:

A Notched

C Without


2) Laminate surface color or Wood finish color.

3) Edge trim color (laminate only).


Depth	Width	Number ① ② ③	Laminate A		Laminate B		Wood Group A		Wood Group B	
			J	F	J	F	K	U	K	U
18"(457mm)	36"(914mm)	WUCN-3636-■ ■ S N33	\$ 795.49	\$1117.92	\$ 843.78	\$1166.21	\$1212.88	\$1591.37	\$1249.91	\$1628.40
	42"(1067mm)	WUCN-4242-■ ■ S N33	909.80	1266.48	967.75	1324.43	1386.70	1805.34	1428.53	1847.17
	48"(1219mm)	WUCN-4848-■ ■ S N33	1025.72	1423.50	1093.33	1491.11	1560.52	2027.34	1607.15	2073.97
	54"(1372mm)	WUCN-5454-■ ■ S N33	1180.28	1619.16	1257.55	1696.43	N/A	N/A	N/A	N/A
24"(610mm)	36"(914mm)	WUCN-3636-■ ■ S N44	\$ 821.24	\$1143.67	\$ 869.53	\$1191.96	\$1238.63	\$1617.12	\$1275.66	\$1654.15
	42"(1067mm)	WUCN-4242-■ ■ S N44	935.55	1292.23	993.50	1350.18	1412.45	1831.09	1454.28	1872.92
	48"(1219mm)	WUCN-4848-■ ■ S N44	1051.47	1449.25	1119.08	1516.86	1586.27	2053.09	1632.90	2099.72
	54"(1372mm)	WUCN-5454-■ ■ S N44	1206.03	1644.91	1283.30	1722.18	N/A	N/A	N/A	N/A
30"(762mm)	36"(914mm)	WUCN-3636-■ ■ S N55	\$ 846.99	\$1169.42	\$ 895.28	\$1217.71	\$1264.38	\$1642.87	\$1301.41	\$1679.90
	42"(1067mm)	WUCN-4242-■ ■ S N55	961.30	1317.98	1019.25	1375.93	1438.20	1856.84	1480.03	1898.67
	48"(1219mm)	WUCN-4848-■ ■ S N55	1077.22	1475.00	1144.83	1542.61	N/A	N/A	N/A	N/A
	54"(1372mm)	WUCN-5454-■ ■ S N55	1231.78	1670.66	1309.05	1747.93	N/A	N/A	N/A	N/A

Adaptable Worksurfaces

Corner, 90° Angled



(Left-hand orientation)



(Right-hand orientation)
WUCU

Features

- Includes worksurface.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back.
- Wood veneer surface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Cantilever brackets
 - Corner bracket - REQUIRED
 - Worksurface support panel
 - P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18”(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ keyboard pad for 36”(914mm)-wide corners.

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Wireway Options:

- A** Notched
- C** Without

4 Orientation (as seated):

- R** Right-hand
- L** Left-hand

2) Laminate surface color or Wood finish color.


3) Edge trim color (laminate only).

Depth	Width	Number	1 2 3 4				Laminate A		Laminate B		Wood Group A		Wood Group B		
			J	F	J	F	K	U	K	U					
18”(457mm)	36”(914mm)	WUCU-3636-	■	■	S	■	33	\$ 832.68	\$1096.30	\$ 878.20	\$1141.82	\$1174.28	\$1507.73	\$1239.29	\$1572.74
	42”(1067mm)	WUCU-4242-	■	■	S	■	33	897.91	1218.23	954.17	1274.49	1317.96	1724.67	1423.08	1829.79
	48”(1219mm)	WUCU-4848-	■	■	S	■	33	1044.43	1421.45	1111.43	1488.45	1542.93	2022.90	1688.16	2168.13
	54”(1372mm)	WUCU-5454-	■	■	S	■	33	1190.95	1624.67	1268.69	1702.41	N/A	N/A	N/A	N/A
24”(610mm)	36”(914mm)	WUCU-3636-	■	■	S	■	44	\$ 866.86	\$1140.98	\$ 915.10	\$1189.22	\$1223.28	\$1544.69	\$1294.89	\$1616.30
	42”(1067mm)	WUCU-4242-	■	■	S	■	44	932.09	1262.91	991.07	1321.89	1366.96	1761.63	1478.68	1873.35
	48”(1219mm)	WUCU-4848-	■	■	S	■	44	1078.61	1466.13	1148.33	1535.85	1591.93	2059.86	1743.76	2211.69
	54”(1372mm)	WUCU-5454-	■	■	S	■	44	1225.13	1669.35	1305.59	1749.81	N/A	N/A	N/A	N/A
30”(762mm)	36”(914mm)	WUCU-3636-	■	■	S	■	55	\$ 901.04	\$1185.66	\$ 952.00	\$1236.62	\$1272.28	\$1581.65	\$1350.49	\$1659.86
	42”(1067mm)	WUCU-4242-	■	■	S	■	55	966.27	1307.59	1027.97	1369.29	1415.96	1798.59	1534.28	1916.91
	48”(1219mm)	WUCU-4848-	■	■	S	■	55	1112.79	1510.81	1185.23	1583.25	N/A	N/A	N/A	N/A
	54”(1372mm)	WUCU-5454-	■	■	S	■	55	1259.31	1714.03	1342.49	1797.21	N/A	N/A	N/A	N/A

Adaptable Worksurfaces

Corner 90° Worksurface and Corner 90° Adjustable Split Top
To Create Corner 90° Worksurface Split Top

Corner 90° Worksurface



WUCN

Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. Refer to Specification Guide for wireway details.
- Worksurfaces have two wireways.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips


- **To create a split top application, an 18" D x 48" W WUCN must be used in conjunction with a WUKC split top. Overall worksurface depth with Split Top is 30" D.**
- **Corner bracket is required and must be separately specified.**
- **Separately specify worksurface supports for the product line and worksurface. Refer to the Specification Guide for support and load guidelines.**

To Order, Specify:

- 1) Product number.
- 2) Laminate surface color.
- 3) Edge trim color.

Left/Right Depth	Width	Number	Laminate A J	Laminate B J
Notched				
48"(1219mm)	48"(1219mm)	WUCN-4848-LJSAN33	\$1025.72	\$1093.33
Without Notch				
48"(1219mm)	48"(1219mm)	WUCN-4848-LJSCN33	\$1025.72	\$1093.33

Corner 90° Adjustable Split Top



WUKC

Features

- Includes one split corner worksurface with spring mechanism that must be used in conjunction with a corner worksurface for a split top application.
- Laminate with 3mm edgeband (J) on front and rear front edge, and 1mm on back and side edge of front worksurface.
- Spring assist mechanism:
 - Available in charcoal finish color only.
 - Spring assisted adjustment (with manual lock) of 6"(152mm) above worksurface and 6"(152mm) below.
- Depths and widths shown in nominal dimensions.

Specification Tips

- **To create a split top application, an 18" D x 48" W WUCN must be used in conjunction with a WUKC split top. Overall worksurface depth with Split Top is 30" D.**
- Corner worksurface split top applications are designed to align with adjacent 18"(457mm)-depth worksurfaces; split top is designed to allow pinch point clearance to accommodate cables.
- Not designed for use with adjacent worksurfaces of 24"(610mm) or 30"(762mm) depth.
- Not designed for use on worksurfaces with knife edge.
- Refer to the Specification Guide for application guidelines.




To Order, Specify:

- 1) Product number.
- 2) Laminate surface color.
- 3) Edge trim color.

Left/Right Depth	Width	Number	Laminate A J	Laminate B J
12"(305mm)	48"(1219mm)	WUKC-1248-LJSC	\$2374.79	\$2763.33

Adaptable Worksurfaces

Corner, 90° Wrap-Around Transitional



Features

- Includes worksurface.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Cantilever brackets
 - Corner bracket - REQUIRED
 - Worksurface support panel
 - P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18”(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023- N or KU3A-0023- keyboard pad for 36”(914mm)-wide corners.

To Order, Specify:

1) Product number, including:

1 Surface Options:

- Laminate
- Wood

2 Edge Options:

Laminate:

- Edgeband
- Knife

Wood:

- Edgeband
- Knife

3 Wireway Options:

- Notched
- Without


2) Laminate surface color or Wood finish color.

3) Edge trim color (laminate only).


Left/Right Depth	Width	Number	①	②	③	Laminate A		Laminate B		Wood Group A		Wood Group B		
						J	F	J	F	K	U	K	U	
18”(457mm)/24”(610mm)	36”(914mm)	WUCT-3636-			S	N34	\$ 780.47	\$1104.85	\$ 831.50	\$1155.88	\$1179.85	\$1557.97	\$1235.30	\$1613.42
	42”(1067mm)	WUCT-4242-			S	N34	906.95	1250.95	966.08	1310.08	1349.89	1772.53	1436.00	1858.64
	48”(1219mm)	WUCT-4848-			S	N34	1033.43	1397.05	1100.66	1464.28	1519.93	1987.09	1636.70	2103.86
	54”(1372mm)	WUCT-5454-			S	N34	1159.91	1543.15	1235.24	1618.48	N/A	N/A	N/A	N/A
24”(610mm)/18”(457mm)	36”(914mm)	WUCT-3636-			S	N43	\$ 780.47	\$1104.85	\$ 831.50	\$1155.88	\$1179.85	\$1557.97	\$1235.30	\$1613.42
	42”(1067mm)	WUCT-4242-			S	N43	906.95	1250.95	966.08	1310.08	1349.89	1772.53	1436.00	1858.64
	48”(1219mm)	WUCT-4848-			S	N43	1033.43	1397.05	1100.66	1464.28	1519.93	1987.09	1636.70	2103.86
	54”(1372mm)	WUCT-5454-			S	N43	1159.91	1543.15	1235.24	1618.48	N/A	N/A	N/A	N/A
24”(610mm)/30”(762mm)	36”(914mm)	WUCT-3636-			S	N45	\$ 876.99	\$1209.11	\$ 935.68	\$1267.80	\$1281.21	\$1659.33	\$1352.28	\$1730.40
	42”(1067mm)	WUCT-4242-			S	N45	1003.47	1355.21	1070.26	1422.00	1451.25	1873.89	1552.98	1975.62
	48”(1219mm)	WUCT-4848-			S	N45	1129.95	1501.31	1204.84	1576.20	N/A	N/A	N/A	N/A
	54”(1372mm)	WUCT-5454-			S	N45	1256.43	1647.41	1339.42	1730.40	N/A	N/A	N/A	N/A
30”(762mm)/24”(610mm)	36”(914mm)	WUCT-3636-			S	N54	\$ 876.99	\$1209.11	\$ 935.68	\$1267.80	\$1281.21	\$1659.33	\$1352.28	\$1730.40
	42”(1067mm)	WUCT-4242-			S	N54	1003.47	1355.21	1070.26	1422.00	1451.25	1873.89	1552.98	1975.62
	48”(1219mm)	WUCT-4848-			S	N54	1129.95	1501.31	1204.84	1576.20	N/A	N/A	N/A	N/A
	54”(1372mm)	WUCT-5454-			S	N54	1256.43	1647.41	1339.42	1730.40	N/A	N/A	N/A	N/A

Adaptable Worksurfaces

Corner, 90° Notched Transitional



WUCH-N34



WUCH-N43

Features

- Includes worksurface.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back.
- Wood veneer surface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept an adjustable keyboard and most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Cantilever brackets
 - Corner bracket - REQUIRED
 - Worksurface support panel
 - P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18"(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ keyboard pad for 36"(914mm)-wide corners.

To Order, Specify:

1) Product number, including:

1 Surface Options:

L Laminate

W Wood

2 Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Wireway Options:

A Notched

C Without


2) Laminate surface color or Wood finish color.

3) Edge trim color (laminate only).


Left/Right Depth	Width	Number	1	2	3	Laminate A J F	Laminate B J F	Wood Group A K U	Wood Group B K U
18"(457mm)/24"(610mm)	36"(914mm)	WUCH-3636-	■	■	S ■ N34	\$ 779.41 \$1101.84	\$ 827.70 \$1150.13	\$1196.80 \$1575.29	\$1233.83 \$1612.32
	42"(1067mm)	WUCH-4242-	■	■	S ■ N34	893.72 1250.40	951.67 1308.35	1370.62 1789.26	1412.45 1831.09
	48"(1219mm)	WUCH-4848-	■	■	S ■ N34	1009.64 1407.42	1077.25 1475.03	1544.44 2011.26	1591.07 2057.89
	54"(1372mm)	WUCH-5454-	■	■	S ■ N34	1164.20 1603.08	1241.47 1680.35	N/A N/A	N/A N/A
24"(610mm)/18"(457mm)	36"(914mm)	WUCH-3636-	■	■	S ■ N43	\$ 779.41 \$1101.84	\$ 827.70 \$1150.13	\$1196.80 \$1575.29	\$1233.83 \$1612.32
	42"(1067mm)	WUCH-4242-	■	■	S ■ N43	893.72 1250.40	951.67 1308.35	1370.62 1789.26	1412.45 1831.09
	48"(1219mm)	WUCH-4848-	■	■	S ■ N43	1009.64 1407.42	1077.25 1475.03	1544.44 2011.26	1591.07 2057.89
	54"(1372mm)	WUCH-5454-	■	■	S ■ N43	1164.20 1603.08	1241.47 1680.35	N/A N/A	N/A N/A
24"(610mm)/30"(762mm)	36"(914mm)	WUCH-3636-	■	■	S ■ N45	\$ 830.91 \$1153.34	\$ 879.20 \$1201.63	\$1248.30 \$1626.79	\$1285.33 \$1663.82
	42"(1067mm)	WUCH-4242-	■	■	S ■ N45	945.22 1301.90	1003.17 1359.85	1422.12 1840.76	1463.95 1882.59
	48"(1219mm)	WUCH-4848-	■	■	S ■ N45	1061.14 1458.92	1128.75 1526.53	N/A N/A	N/A N/A
	54"(1372mm)	WUCH-5454-	■	■	S ■ N45	1215.70 1654.58	1292.97 1731.85	N/A N/A	N/A N/A
30"(762mm)/24"(610mm)	36"(914mm)	WUCH-3636-	■	■	S ■ N54	\$ 830.91 \$1153.34	\$ 879.20 \$1201.63	\$1248.30 \$1626.79	\$1285.33 \$1663.82
	42"(1067mm)	WUCH-4242-	■	■	S ■ N54	945.22 1301.90	1003.17 1359.85	1422.12 1840.76	1463.95 1882.59
	48"(1219mm)	WUCH-4848-	■	■	S ■ N54	1061.14 1458.92	1128.75 1526.53	N/A N/A	N/A N/A
	54"(1372mm)	WUCH-5454-	■	■	S ■ N54	1215.70 1654.58	1292.97 1731.85	N/A N/A	N/A N/A

Adaptable Worksurfaces

Corner, 90° Angled – Transitional



(Left-hand orientation)
WUCF-L45



(Right-hand orientation)
WUCF-L54

Features

- Includes worksurface.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer surface with 3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Cantilever brackets
 - Corner brackets - REQUIRED
 - Worksurface support panel
 - P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18”(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023- N or KU3A-0023- keyboard pad for 36”(914mm)-wide corners.

To Order, Specify:

- 1) Product number, including:
- 1 Surface Options:**
 - Laminate
 - Wood
 - 2 Edge Options:**

Laminate:

 - Edgeband
 - Knife

Wood:



 - Edgeband
 - Knife
 - 3 Wireway Options:**
 - Notched
 - Without
 - 4 Orientation (as seated):**
 - Right-hand
 - Left-hand
- 2) Laminate surface color or Wood finish color.
- 3) Edge trim color (laminate only).

Left/Right Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B		
							J	F	J	F	K	U	K	U	
18”(457mm)/24”(610mm)	36”(914mm)	WUCF-3636-			S		34	\$ 768.48	\$1037.35	\$ 815.36	\$1084.23	\$1117.49	\$1444.92	\$1185.80	\$1513.23
	42”(1067mm)	WUCF-4242-			S		34	915.00	1240.57	972.62	1298.19	1342.46	1743.15	1450.88	1851.57
	48”(1219mm)	WUCF-4848-			S		34	1061.52	1443.79	1129.88	1512.15	1567.43	2041.38	1715.96	2189.91
	54”(1372mm)	WUCF-5454-			S		34	1208.04	1647.01	1287.14	1726.11	N/A	N/A	N/A	N/A
24”(610mm)/18”(457mm)	36”(914mm)	WUCF-3636-			S		43	\$ 768.48	\$1037.35	\$ 815.36	\$1084.23	\$1117.49	\$1444.92	\$1185.80	\$1513.23
	42”(1067mm)	WUCF-4242-			S		43	915.00	1240.57	972.62	1298.19	1342.46	1743.15	1450.88	1851.57
	48”(1219mm)	WUCF-4848-			S		43	1061.52	1443.79	1129.88	1512.15	1567.43	2041.38	1715.96	2189.91
	54”(1372mm)	WUCF-5454-			S		43	1208.04	1647.01	1287.14	1726.11	N/A	N/A	N/A	N/A
24”(610mm)/30”(762mm)	36”(914mm)	WUCF-3636-			S		45	\$ 802.66	\$1082.03	\$ 852.26	\$1131.63	\$1166.49	\$1481.88	\$1241.40	\$1556.79
	42”(1067mm)	WUCF-4242-			S		45	949.18	1285.25	1009.52	1345.59	1391.46	1780.11	1506.48	1895.13
	48”(1219mm)	WUCF-4848-			S		45	1095.70	1488.47	1166.78	1559.55	N/A	N/A	N/A	N/A
	54”(1372mm)	WUCF-5454-			S		45	1242.22	1691.69	1324.04	1773.51	N/A	N/A	N/A	N/A
30”(762mm)/24”(610mm)	36”(914mm)	WUCF-3636-			S		54	\$ 802.66	\$1082.03	\$ 852.26	\$1131.63	\$1166.49	\$1481.88	\$1241.40	\$1556.79
	42”(1067mm)	WUCF-4242-			S		54	949.18	1285.25	1009.52	1345.59	1391.46	1780.11	1506.48	1895.13
	48”(1219mm)	WUCF-4848-			S		54	1095.70	1488.47	1166.78	1559.55	N/A	N/A	N/A	N/A
	54”(1372mm)	WUCF-5454-			S		54	1242.22	1691.69	1324.04	1773.51	N/A	N/A	N/A	N/A


This page intentionally blank

Adaptable Worksurfaces

Corner, 90° Wrap-Around Extended



(Right-hand orientation)
WUCE-R44



(Left-hand orientation)
WUCE-L44

Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Cantilever brackets
 - Corner bracket - REQUIRED
 - Worksurface support panel
 - Worksurface support column or leg
 - P-Leg
 - Side brackets
 - Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18”(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36”(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50”(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Wireway Options:

- A** Notched
- C** Without

4 Orientation (as seated):

- R** Right-hand
- L** Left-hand

- 2) Laminate surface color or Wood finish color.
- 3) Edge trim color (laminate only).




Adaptable Worksurfaces

Corner, 90° Wrap-Around Extended

Left/Right Depth	Width	Length	Number	① ② ③ ④				Laminate A		Laminate B		Wood Group A		Wood Group B	
				①	②	③	④	J	F	J	F	K	U	K	U
18"(457mm)	36"(914mm)	42"(1067mm)	WUCE-3642-		S		33	\$1201.28	\$1653.60	\$1273.61	\$1725.93	\$1952.93	\$2504.63	\$2087.53	\$2639.23
		48"(1219mm)	WUCE-3648-		S		33	1217.05	1685.51	1290.26	1758.72	1969.37	2540.57	2106.95	2678.15
		54"(1372mm)	WUCE-3654-		S		33	1232.82	1717.42	1306.91	1791.51	1985.81	2576.51	2126.37	2717.07
		60"(1524mm)	WUCE-3660-		S		33	1248.59	1749.33	1323.56	1824.30	2002.25	2612.45	2145.79	2755.99
		66"(1676mm)	WUCE-3666-		S		33	1380.56	1897.44	1456.41	1973.29	2207.15	2836.85	2353.67	2983.37
		72"(1829mm)	WUCE-3672-		S		33	1492.67	2025.69	1569.40	2102.42	2417.05	3066.25	2566.55	3215.75
24"(610mm)	36"(914mm)	42"(1067mm)	WUCE-3642-		S		44	\$1245.90	\$1698.22	\$1321.81	\$1774.13	\$1994.19	\$2545.89	\$2136.29	\$2687.99
		48"(1219mm)	WUCE-3648-		S		44	1261.67	1730.13	1338.46	1806.92	2010.63	2581.83	2155.71	2726.91
		54"(1372mm)	WUCE-3654-		S		44	1277.44	1762.04	1355.11	1839.71	2027.07	2617.77	2175.13	2765.83
		60"(1524mm)	WUCE-3660-		S		44	1293.21	1793.95	1371.76	1872.50	2043.51	2653.71	2194.55	2804.75
		66"(1676mm)	WUCE-3666-		S		44	1425.18	1942.06	1504.61	2021.49	2248.41	2878.11	2402.43	3032.13
		72"(1829mm)	WUCE-3672-		S		44	1537.29	2070.31	1617.60	2150.62	2458.31	3107.51	2615.31	3264.51
30"(762mm)	36"(914mm)	42"(1067mm)	WUCE-3642-		S		55	\$1478.94	\$1931.26	\$1558.43	\$2010.75	\$2223.87	\$2775.57	\$2373.47	\$2925.17
		48"(1219mm)	WUCE-3648-		S		55	1494.71	1963.17	1575.08	2043.54	2240.31	2811.51	2392.89	2964.09
		54"(1372mm)	WUCE-3654-		S		55	1510.48	1995.08	1591.73	2076.33	2256.75	2847.45	2412.31	3003.01
		60"(1524mm)	WUCE-3660-		S		55	1526.25	2026.99	1608.38	2109.12	2273.19	2883.39	2431.73	3041.93
		66"(1676mm)	WUCE-3666-		S		55	1658.22	2175.10	1741.23	2258.11	2478.09	3107.79	2639.61	3269.31
		72"(1829mm)	WUCE-3672-		S		55	1770.33	2303.35	1854.22	2387.24	2687.99	3337.19	2852.49	3501.69
18"(457mm)	42"(1067mm)	48"(1219mm)	WUCE-4248-		S		33	\$1232.82	\$1717.42	\$1306.91	\$1791.51	\$1985.81	\$2576.51	\$2126.37	\$2717.07
		54"(1372mm)	WUCE-4254-		S		33	1248.59	1749.33	1323.56	1824.30	2002.25	2612.45	2145.79	2755.99
		60"(1524mm)	WUCE-4260-		S		33	1264.36	1781.24	1340.21	1857.09	2018.69	2648.39	2165.21	2794.91
		66"(1676mm)	WUCE-4266-		S		33	1425.38	1958.40	1502.11	2035.13	2223.59	2872.79	2373.09	3022.29
		72"(1829mm)	WUCE-4272-		S		33	1537.49	2086.65	1615.10	2164.26	2433.49	3102.19	2585.97	3254.67
		48"(1219mm)	WUCE-4248-		S		44	\$1277.44	\$1762.04	\$1355.11	\$1839.71	\$2027.07	\$2617.77	\$2175.13	\$2765.83
24"(610mm)	42"(1067mm)	54"(1372mm)	WUCE-4254-		S		44	1293.21	1793.95	1371.76	1872.50	2043.51	2653.71	2194.55	2804.75
		60"(1524mm)	WUCE-4260-		S		44	1308.98	1825.86	1388.41	1905.29	2059.95	2689.65	2213.97	2843.67
		66"(1676mm)	WUCE-4266-		S		44	1470.00	2003.02	1550.31	2083.33	2264.85	2914.05	2421.85	3071.05
		72"(1829mm)	WUCE-4272-		S		44	1582.11	2131.27	1663.30	2212.46	2474.75	3143.45	2634.73	3303.43
		48"(1067mm)	WUCE-4248-		S		55	\$1510.48	\$1995.08	\$1591.73	\$2076.33	\$2256.75	\$2847.45	\$2412.31	\$3003.01
		54"(1372mm)	WUCE-4254-		S		55	1526.25	2026.99	1608.38	2109.12	2273.19	2883.39	2431.73	3041.93
30"(762mm)	42"(1067mm)	60"(1524mm)	WUCE-4260-		S		55	1542.02	2058.90	1625.03	2141.91	2289.63	2919.33	2451.15	3080.85
		66"(1676mm)	WUCE-4266-		S		55	1703.04	2236.06	1786.93	2319.95	2494.53	3143.73	2659.03	3308.23
		72"(1829mm)	WUCE-4272-		S		55	1815.15	2364.31	1899.92	2449.08	2704.43	3373.13	2871.91	3540.61
		48"(1219mm)	WUCE-4854-		S		33	\$1264.36	\$1781.24	\$1340.21	\$1857.09	\$2018.69	\$2648.39	\$2165.21	\$2794.91
		60"(1524mm)	WUCE-4860-		S		33	1280.13	1813.15	1356.86	1889.88	2035.13	2684.33	2184.63	2833.83
		66"(1676mm)	WUCE-4866-		S		33	1470.20	2019.36	1547.81	2096.97	2240.03	2908.73	2392.51	3061.21
24"(610mm)	48"(1219mm)	72"(1829mm)	WUCE-4872-		S		33	1582.31	2147.61	1660.80	2226.10	2449.93	3138.13	2605.39	3293.59
		54"(1372mm)	WUCE-4854-		S		44	\$1308.98	\$1825.86	\$1388.41	\$1905.29	\$2059.95	\$2689.65	\$2213.97	\$2843.67
		60"(1524mm)	WUCE-4860-		S		44	1324.75	1857.77	1405.06	1938.08	2076.39	2725.59	2233.39	2882.59
		66"(1676mm)	WUCE-4866-		S		44	1514.82	2063.98	1596.01	2145.17	2281.29	2949.99	2441.27	3109.97
		72"(1829mm)	WUCE-4872-		S		44	1626.93	2192.23	1709.00	2274.30	2491.19	3179.39	2654.15	3342.35
		48"(1219mm)	WUCE-4854-		S		55	\$1542.02	\$2058.90	\$1625.03	\$2141.91	\$2289.63	\$2919.33	\$2451.15	\$3080.85
30"(762mm)	48"(1219mm)	60"(1524mm)	WUCE-4860-		S		55	1557.79	2090.81	1641.68	2174.70	2306.07	2955.27	2470.57	3119.77
		66"(1676mm)	WUCE-4866-		S		55	1747.86	2297.02	1832.63	2381.79	2510.97	3179.67	2678.45	3347.15
		72"(1829mm)	WUCE-4872-		S		55	1859.97	2425.27	1945.62	2510.92	2720.87	3409.07	2891.33	3579.53
		54"(1372mm)	WUCE-5460-		S		33	\$1295.90	\$1845.06	\$1373.51	\$1922.67	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCE-5466-		S		33	1515.02	2080.32	1593.51	2158.81	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCE-5472-		S		33	1627.13	2208.57	1706.50	2287.94	N/A	N/A	N/A	N/A
24"(610mm)	54"(1372mm)	60"(1524mm)	WUCE-5460-		S		44	\$1340.52	\$1889.68	\$1421.71	\$1970.87	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCE-5466-		S		44	1559.64	2124.94	1641.71	2207.01	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCE-5472-		S		44	1671.75	2253.19	1754.70	2336.14	N/A	N/A	N/A	N/A
		60"(1524mm)	WUCE-5460-		S		55	\$1573.56	\$2122.72	\$1658.33	\$2207.49	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCE-5466-		S		55	1792.68	2357.98	1878.33	2443.63	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCE-5472-		S		55	1904.79	2486.23	1991.32	2572.76	N/A	N/A	N/A	N/A
18"(457mm)	60"(1524mm)	66"(1676mm)	WUCE-6066-		S		33	\$1559.84	\$2141.28	\$1639.21	\$2220.65	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCE-6072-		S		33	1671.95	2269.53	1752.20	2349.78	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCE-6066-		S		44	\$1604.46	\$2185.90	\$1687.41	\$2268.85	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCE-6072-		S		44	1716.57	2314.15	1800.40	2397.98	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCE-6066-		S		55	\$1837.50	\$2418.94	\$1924.03	\$2505.47	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCE-6072-		S		55	1949.61	2547.19	2037.02	2634.60	N/A	N/A	N/A	N/A

Adaptable Worksurfaces

Corner, 90° Notched Extended



Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Cantilever brackets
 - Corner bracket - REQUIRED
 - Worksurface support panel
 - Support post or support column
 - Disc base
 - Double support leg
 - P-Leg
 - Side brackets
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18”(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-  N or KU3A-0023-  keyboard pad for 36”(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50”(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, legs or attached storage.

To Order, Specify:

1) Product number, including:

1 Surface Options:

-  Laminate
-  Wood

2 Edge Options:

Laminate:

-  Edgeband

Knife

Wood:

-  Edgeband

Knife

3 Wireway Options:

-  Notched
-  Without

4 Orientation (as seated):

-  Right-hand
-  Left-hand

- 2) Laminate surface color or Wood finish color.
- 3) Edge trim color (laminate only).

Adaptable Worksurfaces


Corner, 90° Notched Extended

Left/Right Depth	Width	Length	Number	① ② ③ ④				Laminate A		Laminate B		Wood Group A		Wood Group B	
								J	F	J	F	K	U	K	U
18"(457mm)	36"(914mm)	42"(1067mm)	WUCP-3642-		S		33	\$1296.73	\$1747.33	\$1380.46	\$1831.06	\$1894.24	\$2441.82	\$2020.64	\$2568.22
		48"(1219mm)	WUCP-3648-		S		33	1329.56	1796.40	1415.51	1882.35	1952.53	2525.11	2089.28	2661.86
		54"(1372mm)	WUCP-3654-		S		33	1362.39	1845.47	1450.56	1933.64	2010.82	2608.40	2157.92	2755.50
		60"(1524mm)	WUCP-3660-		S		33	1395.22	1894.54	1485.61	1984.93	2069.11	2691.69	2226.56	2849.14
		66"(1676mm)	WUCP-3666-		S		33	1428.05	1943.61	1520.66	2036.22	2127.40	2774.98	2295.20	2942.78
		72"(1829mm)	WUCP-3672-		S		33	1639.81	2171.61	1734.64	2266.44	2364.62	3037.20	2542.77	3215.35
24"(610mm)	36"(914mm)	42"(1067mm)	WUCP-3642-		S		44	\$1333.82	\$1784.42	\$1420.53	\$1871.13	\$1923.70	\$2471.28	\$2055.33	\$2602.91
		48"(1219mm)	WUCP-3648-		S		44	1366.65	1833.49	1455.58	1922.42	1981.99	2554.57	2123.97	2696.55
		54"(1372mm)	WUCP-3654-		S		44	1399.48	1882.56	1490.63	1973.71	2040.28	2637.86	2192.61	2790.19
		60"(1524mm)	WUCP-3660-		S		44	1432.31	1931.63	1525.68	2025.00	2098.57	2721.15	2261.25	2883.83
		66"(1676mm)	WUCP-3666-		S		44	1465.14	1980.70	1560.73	2076.29	2156.86	2804.44	2329.89	2977.47
		72"(1829mm)	WUCP-3672-		S		44	1676.90	2208.70	1774.71	2306.51	2394.08	3066.66	2577.46	3250.04
30"(762mm)	36"(914mm)	42"(1067mm)	WUCP-3642-		S		55	\$1370.91	\$1821.51	\$1460.60	\$1911.20	\$1953.16	\$2500.74	\$2090.02	\$2637.60
		48"(1219mm)	WUCP-3648-		S		55	1403.74	1870.58	1495.65	1962.49	2011.45	2584.03	2158.66	2731.24
		54"(1372mm)	WUCP-3654-		S		55	1436.57	1919.65	1530.70	2013.78	2069.74	2667.32	2227.30	2824.88
		60"(1524mm)	WUCP-3660-		S		55	1469.40	1968.72	1565.75	2065.07	2128.03	2750.61	2295.94	2918.52
		66"(1676mm)	WUCP-3666-		S		55	1502.23	2017.79	1600.80	2116.36	2186.32	2833.90	2364.58	3012.16
		72"(1829mm)	WUCP-3672-		S		55	1713.99	2245.79	1814.78	2346.58	2423.54	3096.12	2612.15	3284.73
18"(457mm)	42"(1067mm)	48"(1219mm)	WUCP-4248-		S		33	\$1362.39	\$1845.47	\$1450.56	\$1933.64	\$2010.82	\$2608.40	\$2157.92	\$2755.50
		54"(1372mm)	WUCP-4254-		S		33	1395.22	1894.54	1485.61	1984.93	2069.11	2691.69	2226.56	2849.14
		60"(1524mm)	WUCP-4260-		S		33	1428.05	1943.61	1520.66	2036.22	2127.40	2774.98	2295.20	2942.78
		66"(1676mm)	WUCP-4266-		S		33	1460.88	1992.68	1555.71	2087.51	2185.69	2858.27	2363.84	3036.42
		72"(1829mm)	WUCP-4272-		S		33	1672.64	2220.68	1769.69	2317.73	2422.91	3120.49	2611.41	3308.99
		48"(1219mm)	WUCP-4248-		S		44	\$1399.48	\$1882.56	\$1490.63	\$1973.71	\$2040.28	\$2637.86	\$2192.61	\$2790.19
24"(610mm)	42"(1067mm)	54"(1372mm)	WUCP-4254-		S		44	1432.31	1931.63	1525.68	2025.00	2098.57	2721.15	2261.25	2883.83
		60"(1524mm)	WUCP-4260-		S		44	1465.14	1980.70	1560.73	2076.29	2156.86	2804.44	2329.89	2977.47
		66"(1676mm)	WUCP-4266-		S		44	1497.97	2029.77	1595.78	2127.58	2215.15	2887.73	2398.53	3071.11
		72"(1829mm)	WUCP-4272-		S		44	1709.73	2257.77	1809.76	2357.80	2452.37	3149.95	2646.10	3343.68
		48"(1219mm)	WUCP-4248-		S		55	\$1436.57	\$1919.65	\$1530.70	\$2013.78	\$2069.74	\$2667.32	\$2227.30	\$2824.88
		54"(1372mm)	WUCP-4254-		S		55	1469.40	1968.72	1565.75	2065.07	2128.03	2750.61	2295.94	2918.52
30"(762mm)	42"(1067mm)	60"(1524mm)	WUCP-4260-		S		55	1502.23	2017.79	1600.80	2116.36	2186.32	2833.90	2364.58	3012.16
		66"(1676mm)	WUCP-4266-		S		55	1535.06	2066.86	1635.85	2167.65	2244.61	2917.19	2433.22	3105.80
		72"(1829mm)	WUCP-4272-		S		55	1746.82	2294.86	1849.83	2397.87	2481.83	3179.41	2680.79	3378.37
		48"(1219mm)	WUCP-4248-		S		33	\$1428.05	\$1943.61	\$1520.66	\$2036.22	\$2127.40	\$2774.98	\$2295.20	\$2942.78
		60"(1524mm)	WUCP-4860-		S		33	1460.88	1992.68	1555.71	2087.51	2185.69	2858.27	2363.84	3036.42
		66"(1676mm)	WUCP-4866-		S		33	1493.71	2041.75	1590.76	2138.80	2243.98	2941.56	2432.48	3130.06
18"(457mm)	48"(1219mm)	72"(1829mm)	WUCP-4872-		S		33	1705.47	2269.75	1804.74	2369.02	2481.20	3203.78	2680.05	3402.63
		54"(1372mm)	WUCP-4854-		S		44	\$1465.14	\$1980.70	\$1560.73	\$2076.29	\$2156.86	\$2804.44	\$2329.89	\$2977.47
		60"(1524mm)	WUCP-4860-		S		44	1497.97	2029.77	1595.78	2127.58	2215.15	2887.73	2398.53	3071.11
		66"(1676mm)	WUCP-4866-		S		44	1530.80	2078.84	1630.83	2178.87	2273.44	2971.02	2467.17	3164.75
		72"(1829mm)	WUCP-4872-		S		44	1742.56	2306.84	1844.81	2409.09	2510.66	3233.24	2714.74	3437.32
		54"(1372mm)	WUCP-4854-		S		55	\$1502.23	\$2017.79	\$1600.80	\$2116.36	\$2186.32	\$2833.90	\$2364.58	\$3012.16
24"(610mm)	48"(1219mm)	60"(1524mm)	WUCP-4860-		S		55	1535.06	2066.86	1635.85	2167.65	2244.61	2917.19	2433.22	3105.80
		66"(1676mm)	WUCP-4866-		S		55	1567.89	2115.93	1670.90	2218.94	2302.90	3000.48	2501.86	3199.44
		72"(1829mm)	WUCP-4872-		S		55	1779.65	2343.93	1884.88	2449.16	2540.12	3262.70	2749.43	3472.01
		54"(1372mm)	WUCP-4854-		S		33	\$1493.71	\$2041.75	\$1590.76	\$2138.80	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCP-5466-		S		33	1526.54	2090.82	1625.81	2190.09	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCP-5472-		S		33	1738.30	2318.82	1839.79	2420.31	N/A	N/A	N/A	N/A
30"(762mm)	54"(1372mm)	60"(1524mm)	WUCP-5460-		S		44	\$1530.80	\$2078.84	\$1630.83	\$2178.87	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCP-5466-		S		44	1563.63	2127.91	1665.88	2230.16	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCP-5472-		S		44	1775.39	2355.91	1879.86	2460.38	N/A	N/A	N/A	N/A
		60"(1524mm)	WUCP-5460-		S		55	\$1567.89	\$2115.93	\$1670.90	\$2218.94	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCP-5466-		S		55	1600.72	2165.00	1705.95	2270.23	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCP-5472-		S		55	1812.48	2393.00	1919.93	2500.45	N/A	N/A	N/A	N/A
18"(457mm)	60"(1524mm)	66"(1676mm)	WUCP-6066-		S		33	\$1559.37	\$2139.89	\$1660.86	\$2241.38	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCP-6072-		S		33	1771.13	2367.89	1874.84	2471.60	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCP-6066-		S		44	\$1596.46	\$2176.98	\$1700.93	\$2281.45	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCP-6072-		S		44	1808.22	2404.98	1914.91	2511.67	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCP-6066-		S		55	\$1633.55	\$2214.07	\$1741.00	\$2321.52	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCP-6072-		S		55	1845.31	2442.07	1954.98	2551.74	N/A	N/A	N/A	N/A

This page intentionally blank


Adaptable Worksurfaces

Corner, 90° Wrap-Around Transitional Extended



(Right-hand orientation)

WUCX-R34



(Left-hand orientation)

WUCX-L43

Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer worksurface with 3mm edgeband (K) of knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Cantilever brackets
 - Corner bracket - REQUIRED
 - Worksurface support panel
 - Support post or support column
 - P-Leg
 - Side brackets
 - Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18"(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ keyboard pad for 36"(914mm)-wide corners.
- Intermediate support is required for unsupported worksurface span greater than 60"(1524mm).

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50"(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

- 1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Wireway Options:

- A** Notched
- C** Without

4 Orientation (as seated):

- R** Right-hand
- L** Left-hand

- 2) Laminate surface color or Wood finish color.
- 3) Edge trim color (laminate only).

Adaptable Worksurfaces

Corner, 90° Wrap-Around Transitional Extended

Left/Right Depth	Width	Length	Number	①②③④				Laminate A		Laminate B		Wood Group A		Wood Group B		
				J	F	J	F	K	U	K	U					
18"(457mm)/24"(66mm)	36"(914mm)	42"(1067mm)	WUCX-3642-			S		34	\$1354.82	\$1807.14	\$1428.94	\$1881.26	\$2192.26	\$2743.96	\$2330.61	\$2882.31
		48"(1219mm)	WUCX-3648-			S		34	1370.59	1839.05	1445.59	1914.05	2208.70	2779.90	2350.03	2921.23
		54"(1372mm)	WUCX-3654-			S		34	1386.36	1870.96	1462.24	1946.84	2225.14	2815.84	2369.45	2960.15
		60"(1524mm)	WUCX-3660-			S		34	1402.13	1902.87	1478.89	1979.63	2241.58	2851.78	2388.87	2999.07
		66"(1676mm)	WUCX-3666-			S		34	1534.10	2050.98	1611.74	2128.62	2446.48	3076.18	2596.75	3226.45
		72"(1829mm)	WUCX-3672-			S		34	1646.21	2179.23	1724.73	2257.75	2656.38	3305.58	2809.63	3458.83
24"(610mm)/18"(457mm)	36"(914mm)	42"(1067mm)	WUCX-3642-			S		43	\$1354.82	\$1807.14	\$1428.94	\$1881.26	\$2192.26	\$2743.96	\$2330.61	\$2882.31
		48"(1219mm)	WUCX-3648-			S		43	1370.59	1839.05	1445.59	1914.05	2208.70	2779.90	2350.03	2921.23
		54"(1372mm)	WUCX-3654-			S		43	1386.36	1870.96	1462.24	1946.84	2225.14	2815.84	2369.45	2960.15
		60"(1524mm)	WUCX-3660-			S		43	1402.13	1902.87	1478.89	1979.63	2241.58	2851.78	2388.87	2999.07
		66"(6764mm)	WUCX-3666-			S		43	1534.10	2050.98	1611.74	2128.62	2446.48	3076.18	2596.75	3226.45
		72"(1829mm)	WUCX-3672-			S		43	1646.21	2179.23	1724.73	2257.75	2656.38	3305.58	2809.63	3458.83
24"(610mm)/30"(762mm)	36"(914mm)	42"(1067mm)	WUCX-3642-			S		45	\$1399.44	\$1851.76	\$1477.14	\$1929.46	\$2233.52	\$2785.22	\$2379.37	\$2931.07
		48"(1219mm)	WUCX-3648-			S		45	1415.21	1883.67	1493.79	1962.25	2249.96	2821.16	2398.79	2969.99
		54"(1372mm)	WUCX-3654-			S		45	1430.98	1915.58	1510.44	1995.04	2266.40	2857.10	2418.21	3008.91
		60"(1524mm)	WUCX-3660-			S		45	1446.75	1947.49	1527.09	2027.83	2282.84	2893.04	2437.63	3047.83
		66"(6764mm)	WUCX-3666-			S		45	1578.72	2095.60	1659.94	2176.82	2487.74	3117.44	2645.51	3275.21
		72"(1829mm)	WUCX-3672-			S		45	1690.83	2223.85	1772.93	2305.95	2697.64	3346.84	2858.39	3507.59
30"(762mm)/24"(610mm)	36"(914mm)	42"(1067mm)	WUCX-3642-			S		54	\$1399.44	\$1851.76	\$1477.14	\$1929.46	\$2233.52	\$2785.22	\$2379.37	\$2931.07
		48"(1219mm)	WUCX-3648-			S		54	1415.21	1883.67	1493.79	1962.25	2249.96	2821.16	2398.79	2969.99
		54"(1372mm)	WUCX-3654-			S		54	1430.98	1915.58	1510.44	1995.04	2266.40	2857.10	2418.21	3008.91
		60"(1524mm)	WUCX-3660-			S		54	1446.75	1947.49	1527.09	2027.83	2282.84	2893.04	2437.63	3047.83
		66"(1676mm)	WUCX-3666-			S		54	1578.72	2095.60	1659.94	2176.82	2487.74	3117.44	2645.51	3275.21
		72"(1829mm)	WUCX-3672-			S		54	1690.83	2223.85	1772.93	2305.95	2697.64	3346.84	2858.39	3507.59
18"(457mm)/24"(610mm)	42"(1067mm)	48"(1219mm)	WUCX-4248-			S		34	\$1386.36	\$1870.96	\$1462.24	\$1946.84	\$2225.14	\$2815.84	\$2369.45	\$2960.15
		54"(1372mm)	WUCX-4254-			S		34	1402.13	1902.87	1478.89	1979.63	2241.58	2851.78	2388.87	2999.07
		60"(1524mm)	WUCX-4260-			S		34	1417.90	1934.78	1495.54	2012.42	2258.02	2887.72	2408.29	3037.99
		66"(1676mm)	WUCX-4266-			S		34	1578.92	2111.94	1657.44	2190.46	2462.92	3112.12	2616.17	3265.37
		72"(1829mm)	WUCX-4272-			S		34	1691.03	2240.19	1770.43	2319.59	2672.82	3341.52	2829.05	3497.75
		48"(1219mm)	WUCX-4248-			S		43	\$1386.36	\$1870.96	\$1462.24	\$1946.84	\$2225.14	\$2815.84	\$2369.45	\$2960.15
24"(610mm)/18"(457mm)	42"(1067mm)	54"(1372mm)	WUCX-4254-			S		43	1402.13	1902.87	1478.89	1979.63	2241.58	2851.78	2388.87	2999.07
		60"(1524mm)	WUCX-4260-			S		43	1417.90	1934.78	1495.54	2012.42	2258.02	2887.72	2408.29	3037.99
		66"(1676mm)	WUCX-4266-			S		43	1578.92	2111.94	1657.44	2190.46	2462.92	3112.12	2616.17	3265.37
		72"(1829mm)	WUCX-4272-			S		43	1691.03	2240.19	1770.43	2319.59	2672.82	3341.52	2829.05	3497.75
		48"(1219mm)	WUCX-4248-			S		45	\$1430.98	\$1915.58	\$1510.44	\$1995.04	\$2266.40	\$2857.10	\$2418.21	\$3008.91
		54"(1372mm)	WUCX-4254-			S		45	1446.75	1947.49	1527.09	2027.83	2282.84	2893.04	2437.63	3047.83
24"(610mm)/30"(762mm)	42"(1067mm)	60"(1524mm)	WUCX-4260-			S		45	1462.52	1979.40	1543.74	2060.62	2299.28	2928.98	2457.05	3086.75
		66"(1676mm)	WUCX-4266-			S		45	1623.54	2156.56	1705.64	2238.66	2504.18	3153.38	2664.93	3314.13
		72"(1829mm)	WUCX-4272-			S		45	1735.65	2284.81	1818.63	2367.79	2714.08	3382.78	2877.81	3546.51
		48"(1067mm)	WUCX-4248-			S		54	\$1430.98	\$1915.58	\$1510.44	\$1995.04	\$2266.40	\$2857.10	\$2418.21	\$3008.91
		54"(1372mm)	WUCX-4254-			S		54	1446.75	1947.49	1527.09	2027.83	2282.84	2893.04	2437.63	3047.83
		60"(1524mm)	WUCX-4260-			S		54	1462.52	1979.40	1543.74	2060.62	2299.28	2928.98	2457.05	3086.75
18"(457mm)/24"(610mm)	48"(1219mm)	66"(1676mm)	WUCX-4266-			S		54	1623.54	2156.56	1705.64	2238.66	2504.18	3153.38	2664.93	3314.13
		72"(1829mm)	WUCX-4272-			S		54	1735.65	2284.81	1818.63	2367.79	2714.08	3382.78	2877.81	3546.51
		54"(1372mm)	WUCX-4854-			S		34	\$1417.90	\$1934.78	\$1495.54	\$2012.42	\$2258.02	\$2887.72	\$2408.29	\$3037.99
		60"(1524mm)	WUCX-4860-			S		34	1433.67	1966.69	1512.19	2045.21	2274.46	2923.66	2427.71	3076.91
		66"(1676mm)	WUCX-4866-			S		34	1623.74	2172.90	1703.14	2252.30	2479.36	3148.06	2635.59	3304.29
		72"(1829mm)	WUCX-4872-			S		34	1735.85	2301.15	1816.13	2381.43	2689.26	3377.46	2848.47	3536.67
24"(610mm)/18"(457mm)	48"(1219mm)	54"(1372mm)	WUCX-4854-			S		43	\$1417.90	\$1934.78	\$1495.54	\$2012.42	\$2258.02	\$2887.72	\$2408.29	\$3037.99
		60"(1524mm)	WUCX-4860-			S		43	1433.67	1966.69	1512.19	2045.21	2274.46	2923.66	2427.71	3076.91
		66"(1676mm)	WUCX-4866-			S		43	1623.74	2172.90	1703.14	2252.30	2479.36	3148.06	2635.59	3304.29
		72"(1829mm)	WUCX-4872-			S		43	1735.85	2301.15	1816.13	2381.43	2689.26	3377.46	2848.47	3536.67
24"(610mm)/30"(762mm)	48"(1219mm)	54"(1372mm)	WUCX-4854-			S		45	\$1462.52	\$1979.40	\$1543.74	\$2060.62	\$2299.28	\$2928.98	\$2457.05	\$3086.75
		60"(1524mm)	WUCX-4860-			S		45	1478.29	2011.31	1560.39	2093.41	2315.72	2964.92	2476.47	3125.67
		66"(1676mm)	WUCX-4866-			S		45	1668.36	2217.52	1751.34	2300.50	2520.62	3189.32	2684.35	3353.05
		72"(1829mm)	WUCX-4872-			S		45	1780.47	2345.77	1864.33	2429.63	2730.52	3418.72	2897.23	3585.43
30"(762mm)/24"(610mm)	48"(1219mm)	54"(1372mm)	WUCX-4854-			S		54	\$1462.52	\$1979.40	\$1543.74	\$2060.62	\$2299.28	\$2928.98	\$2457.05	\$3086.75
		60"(1524mm)	WUCX-4860-			S		54	1478.29	2011.31	1560.39	2093.41	2315.72	2964.92	2476.47	3125.67
		66"(1676mm)	WUCX-4866-			S		54	1668.36	2217.52	1751.34	2300.50	2520.62	3189.32	2684.35	3353.05
		72"(1829mm)	WUCX-4872-			S		54	1780.47	2345.77	1864.33	2429.63	2730.52	3418.72	2897.23	3585.43



Adaptable Worksurfaces

Corner, 90° Wrap-Around Transitional Extended

Left/Right Depth	Width	Length	Number	① ② ③ ④				Laminate A		Laminate B		Wood Group A		Wood Group B	
								J	F	J	F	K	U	K	U
18"(457mm)/24"(610mm)	54"(1372mm)	60"(1524mm)	WUCX-5460-		S		34	\$1449.44	\$1998.60	\$1528.84	\$2078.00	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCX-5466-		S		34	1668.56	2233.86	1748.84	2314.14	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCX-5472-		S		34	1780.67	2362.11	1861.83	2443.27	N/A	N/A	N/A	N/A
24"(610mm)/18"(457mm)	54"(1372mm)	60"(1524mm)	WUCX-5460-		S		43	\$1449.44	\$1998.60	\$1528.84	\$2078.00	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCX-5466-		S		43	1668.56	2233.86	1748.84	2314.14	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCX-5472-		S		43	1780.67	2362.11	1861.83	2443.27	N/A	N/A	N/A	N/A
24"(610mm)/30"(762mm)	54"(1372mm)	60"(1524mm)	WUCX-5460-		S		45	\$1494.06	\$2043.22	\$1577.04	\$2126.20	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCX-5466-		S		45	1713.18	2278.48	1797.04	2362.34	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCX-5472-		S		45	1825.29	2406.73	1910.03	2491.47	N/A	N/A	N/A	N/A
30"(762mm)/24"(610mm)	54"(1372mm)	60"(1524mm)	WUCX-5460-		S		54	\$1494.06	\$2043.22	\$1577.04	\$2126.20	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCX-5466-		S		54	1713.18	2278.48	1797.04	2362.34	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCX-5472-		S		54	1825.29	2406.73	1910.03	2491.47	N/A	N/A	N/A	N/A
18"(457mm)/24"(610mm)	60"(1524mm)	66"(1676mm)	WUCX-6066-		S		34	\$1713.38	\$2294.82	\$1794.54	\$2375.98	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCX-6072-		S		34	1825.49	2423.07	1907.53	2505.11	N/A	N/A	N/A	N/A
24"(610mm)/18"(457mm)	60"(1524mm)	66"(1676mm)	WUCX-6066-		S		43	\$1713.38	\$2294.82	\$1794.54	\$2375.98	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCX-6072-		S		43	1825.49	2423.07	1907.53	2505.11	N/A	N/A	N/A	N/A
24"(610mm)/30"(762mm)	60"(1524mm)	66"(1676mm)	WUCX-6066-		S		45	\$1758.00	\$2339.44	\$1842.74	\$2424.18	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCX-6072-		S		45	1870.11	2467.69	1955.73	2553.31	N/A	N/A	N/A	N/A
30"(762mm)/24"(610mm)	60"(1524mm)	66"(1676mm)	WUCX-6066-		S		54	\$1758.00	\$2339.44	\$1842.74	\$2424.18	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCX-6072-		S		54	1870.11	2467.69	1955.73	2553.31	N/A	N/A	N/A	N/A

Adaptable Worksurfaces

90° Merger



WUCQ-N44

Features

- Includes worksurface.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer surface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- 90° Merger is suggested alternative to using two perpendicular rectangular worksurfaces.
- Corner bracket is required and must be separately specified.**
- Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Cantilever brackets
 - Corner bracket - REQUIRED
 - Worksurface support panel
 - Side brackets
 - P-Leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18”(457mm) deep worksurfaces with knife edge only.
- Not designed for use with an adjustable keyboard pad.**

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L Laminate
- W Wood

2 Edge Options:

Laminate:

- J Edgeband
- F Knife

Wood:

- K Edgeband
- U Knife

3 Wireway Options:

- A Notched
- C Without


2) Laminate surface color or Wood finish color.

3) Edge trim color (laminate only).

Left/Right Depth	Width	Number	1 2 3			Laminate A		Laminate B		Wood Group A		Wood Group B		
			J	F		J	F		K	U	K	U		
18”(457mm)	36”(914mm)	WUCQ-3636-			S	N33	\$ 810.76	\$1141.53	\$ 859.50	\$1190.27	\$1255.58	\$1639.16	\$1294.48	\$1678.06
	42”(1067mm)	WUCQ-4242-			S	N33	886.87	1298.10	935.61	1346.84	1389.17	1715.27	1428.07	1754.17
	48”(1219mm)	WUCQ-4848-			S	N33	1054.23	1507.12	1102.97	1555.86	1598.82	2125.26	1637.72	2164.16
	54”(1372mm)	WUCQ-5454-			S	N33	1223.30	1729.55	1272.04	1778.29	N/A	N/A	N/A	N/A
24”(610mm)	36”(914mm)	WUCQ-3636-			S	N44	\$ 841.21	\$1171.98	\$ 889.95	\$1220.72	\$1286.03	\$1669.61	\$1324.93	\$1708.51
	42”(1067mm)	WUCQ-4242-			S	N44	917.32	1328.55	966.06	1377.29	1419.62	1745.72	1458.52	1784.62
	48”(1219mm)	WUCQ-4848-			S	N44	1084.68	1537.57	1133.42	1586.31	1629.27	2155.71	1668.17	2194.61
	54”(1372mm)	WUCQ-5454-			S	N44	1253.75	1760.00	1302.49	1808.74	N/A	N/A	N/A	N/A
30”(762mm)	36”(914mm)	WUCQ-3636-			S	N55	\$ 969.69	\$1300.46	\$1018.43	\$1349.20	\$1414.51	\$1798.09	\$1453.41	\$1836.99
	42”(1067mm)	WUCQ-4242-			S	N55	1045.80	1457.03	1094.54	1505.77	1548.10	1874.20	1587.00	1913.10
	48”(1219mm)	WUCQ-4848-			S	N55	1213.16	1666.05	1261.90	1714.79	N/A	N/A	N/A	N/A
	54”(1372mm)	WUCQ-5454-			S	N55	1382.23	1888.48	1430.97	1937.22	N/A	N/A	N/A	N/A

Adaptable Worksurfaces

Corner, 120° Wrap-Around



Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Cantilever brackets
 - Corner bracket - REQUIRED
 - Worksurface support panel
 - Side brackets
 - P-leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18"(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ keyboard pad for 36"(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50"(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number, including:

① Surface Options:

- L** Laminate
W Wood

② Edge Options:

Laminate:

- J** Edgeband
F Knife

Wood:

- K** Edgeband
U Knife

③ Wireway Options:

- A** Notched
C Without


2) Laminate surface color or Wood finish color.

3) Edge trim color (laminate only).

Left/Right Depth	Width	Number	①	②	③	Laminate A		Laminate B		Wood Group A		Wood Group B		
						J	F	J	F	K	U	K	U	
18"(457mm)	36"(914mm)	WUCZ-3636-			S	N33	\$1035.64	\$1441.99	\$1102.76	\$1509.11	\$1694.26	\$2198.72	\$1828.88	\$2333.34
	42"(1067mm)	WUCZ-4242-			S	N33	1177.18	1627.18	1254.41	1704.41	1910.71	2470.49	2083.88	2643.66
	48"(1219mm)	WUCZ-4848-			S	N33	1318.72	1812.37	1406.06	1899.71	2127.16	2742.26	2338.88	2953.98
	54"(1372mm)	WUCZ-5454-			S	N33	1460.26	1997.56	1557.71	2095.01	2343.61	3014.03	2593.88	3264.30
	60"(1524mm)	WUCZ-6060-			S	N33	1601.80	2182.75	1709.36	2290.31	N/A	N/A	N/A	N/A
24"(610mm)	36"(914mm)	WUCZ-3636-			S	N44	\$1169.11	\$1575.46	\$1246.86	\$1653.21	\$1828.54	\$2333.00	\$1987.10	\$2491.56
	42"(1067mm)	WUCZ-4242-			S	N44	1310.65	1760.65	1398.51	1848.51	2044.99	2604.77	2242.10	2801.88
	48"(1219mm)	WUCZ-4848-			S	N44	1452.19	1945.84	1550.16	2043.81	2261.44	2876.54	2497.10	3112.20
	54"(1372mm)	WUCZ-5454-			S	N44	1593.73	2131.03	1701.81	2239.11	2477.89	3148.31	2752.10	3422.52
	60"(1524mm)	WUCZ-6060-			S	N44	1735.27	2316.22	1853.46	2434.41	N/A	N/A	N/A	N/A
30"(762mm)	36"(914mm)	WUCZ-3636-			S	N55	\$1302.58	\$1708.93	\$1390.96	\$1797.31	\$1962.82	\$2467.28	\$2145.32	\$2649.78
	42"(1067mm)	WUCZ-4242-			S	N55	1444.12	1894.12	1542.61	1992.61	2179.27	2739.05	2400.32	2960.10
	48"(1219mm)	WUCZ-4848-			S	N55	1585.66	2079.31	1694.26	2187.91	2395.72	3010.82	2655.32	3270.42
	54"(1372mm)	WUCZ-5454-			S	N55	1727.20	2264.50	1845.91	2383.21	N/A	N/A	N/A	N/A
	60"(1524mm)	WUCZ-6060-			S	N55	1868.74	2449.69	1997.56	2578.51	N/A	N/A	N/A	N/A

Adaptable Worksurfaces

D-Shaped Convergent



- Features**
- Includes worksurface and tie plate.
 - Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back (width).
 - Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on back (width).
 - Worksurfaces predrilled to accept most support options.
 - Optional wireway is centered on back edge and is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
 - **Installed worksurfaces without wireway will not allow clearance for power plug.**
 - **Must be attached to a panel or face of a straight worksurface.**
 - Depths and widths shown in nominal dimensions.

- Specification Tips**
- Worksurface support must be separately specified. Select one of the following required floor support options:
 - Worksurface support post or column
 - Attached lower storage
 - **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
 - In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
 - Cantilever bracket
 - Side bracket
 - Worksurface support panel
 - Flush mount plates
 - P-Leg
 - For aesthetic reasons, when using edgeband edge option, consider specifying D-Shaped Convergent Wrap-Around.


Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50”(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

- To Order, Specify:**
- 1) Product number, including:
- ① Surface Options:**
- L** Laminate
W Wood
- ② Edge Options:**
- Laminate:
J Edgeband
F Knife
Wood:
K Edgeband
U Knife
- ③ Wireway Options:**
- A** Notched
C Without
- 2) Laminate surface color or Wood finish color.
- 3) Edge trim color (laminate only).

Width	Length	Number	① ② ③			Laminate A		Laminate B		Wood Group A		Wood Group B	
			J	F	S	J	F	J	F	K	U	K	U
24"(610mm)	36"(914mm)	WURD-2436-			S	\$ 471.24	\$ 712.55	\$ 502.59	\$ 743.90	\$1248.72	\$1643.73	\$1303.13	\$1698.14
	42"(1067mm)	WURD-2442-			S	540.47	800.58	576.74	836.85	1434.30	1871.26	1498.55	1935.51
	48"(1219mm)	WURD-2448-			S	612.00	898.43	654.01	940.44	1619.88	2115.57	1695.61	2191.30
	54"(1372mm)	WURD-2454-			S	681.23	986.46	727.34	1032.57	1805.46	2343.10	1889.39	2427.03
	60"(1524mm)	WURD-2460-			S	752.76	1084.31	804.61	1136.16	1991.04	2587.41	2086.45	2682.82
	66"(1676mm)	WURD-2466-			S	823.14	1177.25	879.91	1234.02	2176.62	2823.33	2281.87	2928.58
	72"(1829mm)	WURD-2472-			S	892.37	1265.28	953.24	1326.15	2362.20	3050.86	2475.65	3164.31
30"(762mm)	36"(914mm)	WURD-3036-			S	\$ 636.18	\$ 929.62	\$ 667.53	\$ 960.97	\$1409.52	\$1853.52	\$1463.93	\$1907.93
	42"(1067mm)	WURD-3042-			S	702.35	1014.59	738.62	1050.86	1597.62	2083.57	1661.87	2147.82
	48"(1219mm)	WURD-3048-			S	770.82	1109.38	812.83	1151.39	1785.72	2330.40	1861.45	2406.13
	54"(1372mm)	WURD-3054-			S	836.99	1194.35	883.10	1240.46	1973.82	2560.45	2057.75	2644.38
	60"(1524mm)	WURD-3060-			S	905.46	1289.14	957.31	1340.99	2161.92	2807.28	2257.33	2902.69
	66"(1676mm)	WURD-3066-			S	972.78	1379.02	1029.55	1435.79	2350.02	3045.72	2455.27	3150.97
	72"(1829mm)	WURD-3072-			S	1038.95	1463.99	1099.82	1524.86	2538.12	3275.77	2651.57	3389.22
36"(914mm)	36"(914mm)	WURD-3636-			S	\$ 651.04	\$ 949.34	\$ 682.39	\$ 980.69	\$1473.03	\$1926.83	\$1527.44	\$1981.24
	42"(1067mm)	WURD-3642-			S	720.27	1037.37	756.54	1073.64	1663.65	2159.40	1727.90	2223.65
	48"(1219mm)	WURD-3648-			S	791.80	1135.22	833.81	1177.23	1854.27	2408.75	1930.00	2484.48
	54"(1372mm)	WURD-3654-			S	861.03	1223.25	907.14	1269.36	2044.89	2641.32	2128.82	2725.25
	60"(1524mm)	WURD-3660-			S	932.56	1321.10	984.41	1372.95	2235.51	2890.67	2330.92	2986.08
	66"(1676mm)	WURD-3666-			S	1002.94	1414.04	1059.71	1470.81	2426.13	3131.63	2531.38	3236.88
	72"(1829mm)	WURD-3672-			S	1072.17	1502.07	1133.04	1562.94	2616.75	3364.20	2730.20	3477.65

Adaptable Worksurfaces

Rectangular Convergent



Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edges and 1mm edgeband on front and back (width).
- Wood veneer worksurface 3mm edgeband (K) or knife (U) on user edges and 1mm edgeband on front and back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- Installed worksurfaces without wireway will not allow clearance for power plug.**
- Must be attached to a panel or face of a straight worksurface.
- Depths and widths shown in nominal dimensions.

Specification Tips

- Worksurface support must be separately specified. Select one of the following required floor support options:
 - Worksurface support post or column
 - Attached lower storage
- Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
 - Cantilever bracket
 - Worksurface support panel
 - Side bracket
 - Standard link cantilever bracket
 - Flush mount plates
 - P-Leg
- For aesthetic reasons, when using edgeband edge option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50"(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

- Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Wireway Options:



- A** Notched
- C** Without

- Laminate surface color or Wood finish color.
- Edge trim color (laminate only).


Width	Length	Number	1 2 3			Laminate A		Laminate B		Laminate E		Wood Group A		Wood Group B	
			J	F	S	J	F	J	F	J	F	K	U	K	U
24"(610mm)	36"(914mm)	WURV-2436-			S	\$ 450.66	\$ 683.73	\$ 480.95	\$ 714.02	\$ 574.17	\$ 807.24	\$1198.74	\$1578.02	\$1251.31	\$1630.59
	42"(1067mm)	WURV-2442-			S	517.47	768.19	552.50	803.22	660.78	911.50	1298.10	1706.08	1357.33	1765.31
	48"(1219mm)	WURV-2448-			S	586.50	861.93	627.06	902.49	752.91	1028.34	1397.46	1845.62	1464.46	1912.62
	54"(1372mm)	WURV-2454-			S	653.31	946.39	697.82	990.90	836.22	1129.30	1496.82	1973.68	1569.37	2046.23
	60"(1524mm)	WURV-2460-			S	722.34	1040.13	772.38	1090.17	928.35	1246.14	1596.18	2113.22	1676.50	2193.54
	66"(1676mm)	WURV-2466-			S	790.26	1129.23	845.04	1184.01	1016.07	1355.04	1695.54	2247.02	1782.52	2334.00
	72"(1829mm)	WURV-2472-			S	857.07	1213.69	915.80	1272.42	1099.38	1456.00	1794.90	2375.08	1887.43	2467.61
30"(762mm)	36"(914mm)	WURV-3036-			S	\$ 594.13	\$ 877.53	\$ 624.42	\$ 907.82	\$ 717.64	\$1001.04	\$1316.66	\$1743.28	\$1369.23	\$1795.85
	42"(1067mm)	WURV-3042-			S	658.00	959.05	693.03	994.08	801.31	1102.36	1431.38	1886.70	1490.61	1945.93
	48"(1219mm)	WURV-3048-			S	724.09	1049.85	764.65	1090.41	890.50	1216.26	1546.10	2041.60	1613.10	2108.60
	54"(1372mm)	WURV-3054-			S	787.96	1131.37	832.47	1175.88	970.87	1314.28	1660.82	2185.02	1733.37	2257.57
	60"(1524mm)	WURV-3060-			S	854.05	1222.17	904.09	1272.21	1060.06	1428.18	1775.54	2339.92	1855.86	2420.24
	66"(1676mm)	WURV-3066-			S	919.03	1308.33	973.81	1363.11	1144.84	1534.14	1890.26	2489.08	1977.24	2576.06
	72"(1829mm)	WURV-3072-			S	982.90	1389.85	1041.63	1448.58	1225.21	1632.16	2004.98	2632.50	2097.51	2725.03
36"(914mm)	36"(914mm)	WURV-3636-			S	\$ 608.44	\$ 896.57	\$ 638.73	\$ 926.86	\$ 731.95	\$1020.08	\$1401.14	\$1837.22	\$1453.71	\$1889.79
	42"(1067mm)	WURV-3642-			S	675.25	981.03	710.28	1016.06	818.56	1124.34	1567.46	2032.24	1626.69	2091.47
	48"(1219mm)	WURV-3648-			S	744.28	1074.77	784.84	1115.33	910.69	1241.18	1733.78	2238.74	1800.78	2305.74
	54"(1372mm)	WURV-3654-			S	811.09	1159.23	855.60	1203.74	994.00	1342.14	1900.10	2433.76	1972.65	2506.31
	60"(1524mm)	WURV-3660-			S	880.12	1252.97	930.16	1303.01	1086.13	1458.98	2066.42	2640.26	2146.74	2720.58
	66"(1676mm)	WURV-3666-			S	948.04	1342.07	1002.82	1396.85	1173.85	1567.88	2232.74	2841.02	2319.72	2928.00
	72"(1829mm)	WURV-3672-			S	1014.85	1426.53	1073.58	1485.26	1257.16	1668.84	2399.06	3036.04	2491.59	3128.57

Adaptable Worksurfaces

D-Shaped Convergent, Wrap-Around



(Right-hand orientation)



(Left-hand orientation)

WUCD-L

Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on side and back.
- Wood veneer worksurface 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on side and back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway is centered on back edge and is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- 36"(914mm)-wide surfaces have a 24"(610mm) diameter D-shaped radius.
- 42"(1067mm)- to 60"(1524mm)-wide surfaces have a 30"(762mm) diameter D-shaped radius.
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line; must be separately specified.**
 - Worksurface support post or column
 - 21"(533mm) adjustable height disc base
 - Attached lower storage
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18"(457mm) deep worksurfaces with knife edge only.
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
 - Cantilever bracket
 - Side bracket
 - Worksurface support panel
 - P-Leg
- Recommend the KU4A-0023- ■ N or KU3A-0023- ■ ■ keyboard pad for 36"(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50"(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number, including:

① Surface Options:

- L** Laminate
- W** Wood

② Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

③ Wireway Options:

- A** Notched
- C** Without

④ Orientation (as seated):

- R** Right-hand
- L** Left-hand

- 2) Laminate surface color or Wood finish color.
- 3) Edge trim color (laminate only).



Adaptable Worksurfaces

D-Shaped Convergent, Wrap-Around

Depth	Width	Length	Number	① ② ③ ④				Laminate A		Laminate B		Wood Group A		Wood Group B	
								J	F	J	F	K	U	K	U
18"(457mm)	36"(914mm)	60"(1524mm)	WUCD-3660-		S		3	\$1387.88	\$1755.89	\$1487.81	\$1855.82	\$2328.86	\$2810.02	\$2499.28	\$2980.44
		66"(1676mm)	WUCD-3666-		S		3	1432.82	1819.01	1535.99	1922.18	2412.56	2918.20	2597.68	3103.32
		72"(1829mm)	WUCD-3672-		S		3	1562.72	1967.09	1669.13	2073.50	2581.22	3111.34	2781.04	3311.16
24"(610mm)	36"(914mm)	60"(1524mm)	WUCD-3660-		S		4	\$1426.79	\$1788.67	\$1529.23	\$1891.11	\$2353.64	\$2833.45	\$2528.25	\$3008.06
		66"(1676mm)	WUCD-3666-		S		4	1471.73	1851.79	1577.41	1957.47	2437.34	2941.63	2626.65	3130.94
		72"(1829mm)	WUCD-3672-		S		4	1601.63	1999.87	1710.55	2108.79	2606.00	3134.77	2810.01	3338.78
30"(762mm)	36"(914mm)	60"(1524mm)	WUCD-3660-		S		5	\$1465.70	\$1821.45	\$1570.65	\$1926.40	\$2378.42	\$2856.88	\$2557.22	\$3035.68
		66"(1676mm)	WUCD-3666-		S		5	1510.64	1884.57	1618.83	1992.76	2462.12	2965.06	2655.62	3158.56
		72"(1829mm)	WUCD-3672-		S		5	1640.54	2032.65	1751.97	2144.08	2630.78	3158.20	2838.98	3366.40
18"(457mm)	42"(1067mm)	60"(1524mm)	WUCD-4260-		S		3	\$1471.73	\$1851.79	\$1577.41	\$1957.47	\$2437.34	\$2941.63	\$2626.65	\$3130.94
		66"(1676mm)	WUCD-4266-		S		3	1516.67	1914.91	1625.59	2023.83	2521.04	3049.81	2725.05	3253.82
		72"(1829mm)	WUCD-4272-		S		3	1561.61	1978.03	1673.77	2090.19	2604.74	3157.99	2823.45	3376.70
24"(610mm)	42"(1067mm)	60"(1524mm)	WUCD-4260-		S		4	\$1510.64	\$1884.57	\$1618.83	\$1992.76	\$2462.12	\$2965.06	\$2655.62	\$3158.56
		66"(1676mm)	WUCD-4266-		S		4	1555.58	1947.69	1667.01	2059.12	2545.82	3073.24	2754.02	3281.44
		72"(1829mm)	WUCD-4272-		S		4	1600.52	2010.81	1715.19	2125.48	2629.52	3181.42	2852.42	3404.32
30"(762mm)	42"(1067mm)	60"(1524mm)	WUCD-4260-		S		5	\$1549.55	\$1917.35	\$1660.25	\$2028.05	\$2486.90	\$2988.49	\$2684.59	\$3186.18
		66"(1676mm)	WUCD-4266-		S		5	1594.49	1980.47	1708.43	2094.41	2570.60	3096.67	2782.99	3309.06
		72"(1829mm)	WUCD-4272-		S		5	1639.43	2043.59	1756.61	2160.77	2654.30	3204.85	2881.39	3431.94
18"(457mm)	48"(1219mm)	60"(1524mm)	WUCD-4860-		S		3	\$1516.67	\$1914.91	\$1625.59	\$2023.83	\$2521.04	\$3049.81	\$2725.05	\$3253.82
		66"(1676mm)	WUCD-4866-		S		3	1561.61	1978.03	1673.77	2090.19	2604.74	3157.99	2823.45	3376.70
		72"(1829mm)	WUCD-4872-		S		3	1606.55	2041.15	1721.95	2156.55	2688.44	3266.17	2921.85	3499.58
24"(610mm)	48"(1219mm)	60"(1524mm)	WUCD-4860-		S		4	\$1555.58	\$1947.69	\$1667.01	\$2059.12	\$2545.82	\$3073.24	\$2754.02	\$3281.44
		66"(1676mm)	WUCD-4866-		S		4	1600.52	2010.81	1715.19	2125.48	2629.52	3181.42	2852.42	3404.32
		72"(1829mm)	WUCD-4872-		S		4	1645.46	2073.93	1763.37	2191.84	2713.22	3289.60	2950.82	3527.20
30"(762mm)	48"(1219mm)	60"(1524mm)	WUCD-4860-		S		5	\$1594.49	\$1980.47	\$1708.43	\$2094.41	\$2570.60	\$3096.67	\$2782.99	\$3309.06
		66"(1676mm)	WUCD-4866-		S		5	1639.43	2043.59	1756.61	2160.77	2654.30	3204.85	2881.39	3431.94
		72"(1829mm)	WUCD-4872-		S		5	1684.37	2106.71	1804.79	2227.13	2738.00	3313.03	2979.79	3554.82
18"(457mm)	54"(1372mm)	60"(1524mm)	WUCD-5460-		S		3	\$1561.61	\$1978.03	\$1673.77	\$2090.19	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCD-5466-		S		3	1606.55	2041.15	1721.95	2156.55	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCD-5472-		S		3	1651.49	2104.27	1770.13	2222.91	N/A	N/A	N/A	N/A
24"(610mm)	54"(1372mm)	60"(1524mm)	WUCD-5460-		S		4	\$1600.52	\$2010.81	\$1715.19	\$2125.48	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCD-5466-		S		4	1645.46	2073.93	1763.37	2191.84	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCD-5472-		S		4	1690.40	2137.05	1811.55	2258.20	N/A	N/A	N/A	N/A
30"(762mm)	54"(1372mm)	60"(1524mm)	WUCD-5460-		S		5	\$1639.43	\$2043.59	\$1756.61	\$2160.77	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCD-5466-		S		5	1684.37	2106.71	1804.79	2227.13	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCD-5472-		S		5	1729.31	2169.83	1852.97	2293.49	N/A	N/A	N/A	N/A
18"(457mm)	60"(1524mm)	60"(1524mm)	WUCD-6060-		S		3	\$1606.55	\$2041.15	\$1721.95	\$2156.55	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCD-6066-		S		3	1651.49	2104.27	1770.13	2222.91	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCD-6072-		S		3	1696.43	2167.39	1818.31	2289.27	N/A	N/A	N/A	N/A
24"(610mm)	60"(1524mm)	60"(1524mm)	WUCD-6060-		S		4	\$1645.46	\$2073.93	\$1763.37	\$2191.84	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCD-6066-		S		4	1690.40	2137.05	1811.55	2258.20	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCD-6072-		S		4	1735.34	2200.17	1859.73	2324.56	N/A	N/A	N/A	N/A
30"(762mm)	60"(1524mm)	60"(1524mm)	WUCD-6060-		S		5	\$1684.37	\$2106.71	\$1804.79	\$2227.13	N/A	N/A	N/A	N/A
		66"(1676mm)	WUCD-6066-		S		5	1729.31	2169.83	1852.97	2293.49	N/A	N/A	N/A	N/A
		72"(1829mm)	WUCD-6072-		S		5	1774.25	2232.95	1901.15	2359.85	N/A	N/A	N/A	N/A

Adaptable Worksurfaces

D-Shaped Ender



- Features**
- Includes worksurface and tie plate.
 - Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back (width).
 - Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on back (width).
 - Worksurfaces predrilled to accept most support options.
 - **Must be attached to the depth of adjoining worksurface.**
 - Depths and widths shown in nominal dimensions.

- Specification Tips**
- **Worksurface support specific to product line; must be separately specified.**
 - Worksurface support post or column
 - 21”(533mm) adjustable height disc base
 - Attached lower storage
 - **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
 - Worksurface support panel
 - Flush mount plate
 - Standard link cantilever bracket


Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50”(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

- To Order, Specify:**
- 1) Product number, including:
- ① Surface Options:**
- L** Laminate
- W** Wood
- ② Edge Options:**
- Laminate:
- J** Edgeband
- F** Knife
- Wood:
- K** Edgeband
- U** Knife
- 2) Laminate surface color or Wood finish color.
- 3) Edge trim color (laminate only).

Depth	Length	Number ①②	Laminate A		Laminate B		Wood Group A		Wood Group B	
			J	F	J	F	K	U	K	U
18”(457mm)	36”(914mm)	WUDD-1836-SC	\$388.44	\$ 610.74	\$ 416.92	\$ 639.22	\$1145.08	\$1516.93	\$1200.31	\$1572.16
	42”(1067mm)	WUDD-1842-SC	444.60	687.00	477.76	720.16	1315.96	1737.97	1381.15	1803.16
	48”(1219mm)	WUDD-1848-SC	500.76	763.26	538.60	801.10	1486.84	1959.01	1561.99	2034.16
	54”(1372mm)	WUDD-1854-SC	556.92	839.52	599.44	882.04	1657.72	2180.05	1742.83	2265.16
	60”(1524mm)	WUDD-1860-SC	613.08	915.78	660.28	962.98	1828.60	2401.09	1923.67	2496.16
	66”(1676mm)	WUDD-1866-SC	669.24	992.04	721.12	1043.92	1999.48	2622.13	2104.51	2727.16
	72”(1829mm)	WUDD-1872-SC	725.40	1068.30	781.96	1124.86	2170.36	2843.17	2285.35	2958.16
24”(610mm)	36”(914mm)	WUDD-2436-SC	\$443.70	\$ 684.15	\$ 472.18	\$ 712.63	\$1203.69	\$1595.47	\$1258.92	\$1650.70
	42”(1067mm)	WUDD-2442-SC	514.92	775.47	548.08	808.63	1394.55	1836.49	1459.74	1901.68
	48”(1219mm)	WUDD-2448-SC	586.14	866.79	623.98	904.63	1585.41	2077.51	1660.56	2152.66
	54”(1372mm)	WUDD-2454-SC	657.36	958.11	699.88	1000.63	1776.27	2318.53	1861.38	2403.64
	60”(1524mm)	WUDD-2460-SC	728.58	1049.43	775.78	1096.63	1967.13	2559.55	2062.20	2654.62
	66”(1676mm)	WUDD-2466-SC	799.80	1140.75	851.68	1192.63	2157.99	2800.57	2263.02	2905.60
	72”(1829mm)	WUDD-2472-SC	871.02	1232.07	927.58	1288.63	2348.85	3041.59	2463.84	3156.58
30”(762mm)	36”(914mm)	WUDD-3036-SC	\$587.69	\$ 881.02	\$ 616.17	\$ 909.50	\$1359.38	\$1800.86	\$1414.61	\$1856.09
	42”(1067mm)	WUDD-3042-SC	655.91	969.34	689.07	1002.50	1550.24	2041.88	1615.43	2107.07
	48”(1219mm)	WUDD-3048-SC	724.13	1057.66	761.97	1095.50	1741.10	2282.90	1816.25	2358.05
	54”(1372mm)	WUDD-3054-SC	792.35	1145.98	834.87	1188.50	1931.96	2523.92	2017.07	2609.03
	60”(1524mm)	WUDD-3060-SC	860.57	1234.30	907.77	1281.50	2122.82	2764.94	2217.89	2860.01
	66”(1676mm)	WUDD-3066-SC	928.79	1322.62	980.67	1374.50	2313.68	3005.96	2418.71	3110.99
	72”(1829mm)	WUDD-3072-SC	997.01	1410.94	1053.57	1467.50	2504.54	3246.98	2619.53	3361.97


Adaptable Worksurfaces

Bent



(Right-hand orientation)

WUCB-R45



(Left-hand orientation)

WUCB-L54

Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back (width).
- Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - Corner bracket - REQUIRED
 - Cantilever bracket
 - Support post, column, double support leg, or 21”(533mm) adjustable height disc base
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50”(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, legs or attached storage.

To Order, Specify:

- 1) Product number, including:

① Surface Options:

- L** Laminate
W Wood

② Edge Options:

Laminate:

- J** Edgeband
F Knife

Wood:

- K** Edgeband
U Knife

③ Wireway Options:


- A** Notched
C Without

- 2) Laminate surface color or Wood finish color.
- 3) Edge trim color (laminate only).

Left/Right Depth	Width	Length	Number	①	②	③	Laminate A		Laminate B		Wood Group A		Wood Group B			
							J	F	J	F	K	U	K	U		
24"(610mm)/30"(762mm)	24"(610mm)	36"(914mm)	WUCB-2436-			S		R45	\$1084.80	\$1536.91	\$1162.54	\$1614.65	\$1657.25	\$2192.66	\$1779.15	\$2314.56
		42"(1067mm)	WUCB-2442-			S		R45	1223.04	1720.03	1310.68	1807.67	1805.21	2391.19	1953.45	2539.43
		48"(1219mm)	WUCB-2448-			S		R45	1449.61	1991.48	1547.15	2089.02	2218.16	2854.71	2392.74	3029.29
		60"(1524mm)	WUCB-2460-			S		R45	1637.76	2269.39	1755.10	2386.73	2602.41	3340.10	2829.67	3567.36
24"(610mm)/30"(762mm)	30"(762mm)	36"(914mm)	WUCB-3036-			S		R45	\$1223.04	\$1720.03	\$1310.68	\$1807.67	\$1805.21	\$2391.19	\$1953.45	\$2539.43
		42"(1067mm)	WUCB-3042-			S		R45	1361.28	1903.15	1458.82	2000.69	1953.17	2589.72	2127.75	2764.30
		48"(1219mm)	WUCB-3048-			S		R45	1587.85	2174.60	1695.29	2282.04	2366.12	3053.24	2567.04	3254.16
		60"(1524mm)	WUCB-3060-			S		R45	1776.00	2452.51	1903.24	2579.75	2750.37	3538.63	3003.97	3792.23
30"(762mm)/24"(610mm)	24"(610mm)	36"(914mm)	WUCB-2436-			S		L54	\$1084.80	\$1536.91	\$1162.54	\$1614.65	\$1657.25	\$2192.66	\$1779.15	\$2314.56
		42"(1067mm)	WUCB-2442-			S		L54	1223.04	1720.03	1310.68	1807.67	1805.21	2391.19	1953.45	2539.43
		48"(1219mm)	WUCB-2448-			S		L54	1449.61	1991.48	1547.15	2089.02	2218.16	2854.71	2392.74	3029.29
		60"(1524mm)	WUCB-2460-			S		L54	1637.76	2269.39	1755.10	2386.73	2602.41	3340.10	2829.67	3567.36
30"(762mm)/24"(610mm)	30"(762mm)	36"(914mm)	WUCB-3036-			S		L54	\$1223.04	\$1720.03	\$1310.68	\$1807.67	\$1805.21	\$2391.19	\$1953.45	\$2539.43
		42"(1067mm)	WUCB-3042-			S		L54	1361.28	1903.15	1458.82	2000.69	1953.17	2589.72	2127.75	2764.30
		48"(1219mm)	WUCB-3048-			S		L54	1587.85	2174.60	1695.29	2282.04	2366.12	3053.24	2567.04	3254.16
		60"(1524mm)	WUCB-3060-			S		L54	1776.00	2452.51	1903.24	2579.75	2750.37	3538.63	3003.97	3792.23

Adaptable Worksurfaces

Countertop



WUTS

Features

- Includes countertop and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on ends.
- Wood veneer surface with 3mm edgeband (K) or knife (U) on user edges and 1mm edgeband on ends.
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Requires separately specified mounting hardware.**
- For installation on panels 42”(1067mm)-high or higher.
- For use in applications that match panel width or multiple panel widths.
- **Countertop support specific to product line; must be separately specified.**

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife



2) Laminate surface color or Wood finish color.

3) Edge trim color (laminate only).

Depth	Width	Number 1 2	Laminate A		Laminate B		Wood Group A		Wood Group B	
			J	F	J	F	K	U	K	U
12”(305mm)	23”(584mm)	WUTS-1223- SC	\$498.28	\$ 742.10	\$534.83	\$ 778.65	\$ 872.05	\$1179.46	\$ 905.00	\$1212.41
	24”(610mm)	WUTS-1224- SC	502.64	747.99	539.50	784.85	879.24	1188.60	913.45	1222.81
	29”(737mm)	WUTS-1229- SC	524.44	777.44	562.85	815.85	915.19	1234.30	955.70	1274.81
	30”(762mm)	WUTS-1230- SC	528.80	783.33	567.52	822.05	922.38	1243.44	964.15	1285.21
	35”(889mm)	WUTS-1235- SC	550.60	812.78	590.87	853.05	958.33	1289.14	1006.40	1337.21
	36”(914mm)	WUTS-1236- SC	554.96	818.67	595.54	859.25	965.52	1298.28	1014.85	1347.61
	41”(1041mm)	WUTS-1241- SC	576.76	848.12	618.89	890.25	1001.47	1343.98	1057.10	1399.61
	42”(1067mm)	WUTS-1242- SC	581.12	854.01	623.56	896.45	1008.66	1353.12	1065.55	1410.01
	47”(1194mm)	WUTS-1247- SC	602.92	883.46	646.91	927.45	1044.61	1398.82	1107.80	1462.01
	48”(1219mm)	WUTS-1248- SC	607.28	889.35	651.58	933.65	1051.80	1407.96	1116.25	1472.41
	53”(1346mm)	WUTS-1253- SC	629.08	918.80	674.93	964.65	1087.75	1453.66	1158.50	1524.41
	54”(1372mm)	WUTS-1254- SC	633.44	924.69	679.60	970.85	1094.94	1462.80	1166.95	1534.81
	59”(1499mm)	WUTS-1259- SC	655.24	954.14	702.95	1001.85	1130.89	1508.50	1209.20	1586.81
	60”(1524mm)	WUTS-1260- SC	659.60	960.03	707.62	1008.05	1138.08	1517.64	1217.65	1597.21
	65”(1651mm)	WUTS-1265- SC	681.40	989.48	730.97	1039.05	1174.03	1563.34	1259.90	1649.21
	66”(1676mm)	WUTS-1266- SC	685.76	995.37	735.64	1045.25	1181.22	1572.48	1268.35	1659.61
	71”(1803mm)	WUTS-1271- SC	707.56	1024.82	758.99	1076.25	1217.17	1618.18	1310.60	1711.61
	72”(1829mm)	WUTS-1272- SC	711.92	1030.71	763.66	1082.45	1224.36	1627.32	1319.05	1722.01
	77”(1956mm)	WUTS-1277- SC	733.72	1060.16	787.01	1113.45	1260.31	1673.02	1361.30	1774.01
	78”(1981mm)	WUTS-1278- SC	738.08	1066.05	791.68	1119.65	1267.50	1682.16	1369.75	1784.41
	83”(2108mm)	WUTS-1283- SC	759.88	1095.50	815.03	1150.65	1303.45	1727.86	1412.00	1836.41
	84”(2134mm)	WUTS-1284- SC	764.24	1101.39	819.70	1156.85	1310.64	1737.00	1420.45	1846.81
	89”(2261mm)	WUTS-1289- SC	786.04	1130.84	843.05	1187.85	1346.59	1782.70	1462.70	1898.81
	90”(2286mm)	WUTS-1290- SC	790.40	1136.73	847.72	1194.05	1353.78	1791.84	1471.15	1909.21
	95”(2413mm)	WUTS-1295- SC	812.20	1166.18	871.07	1225.05	1389.73	1837.54	1513.40	1961.21
	96”(2438mm)	WUTS-1296- SC	816.56	1172.07	875.74	1231.25	1396.92	1846.68	1521.85	1971.61
	101”(2565mm)	WUTS-12A1- SC	838.36	1201.52	899.09	1262.25	1432.87	1892.38	1564.10	2023.61
	102”(2591mm)	WUTS-12A2- SC	842.72	1207.41	903.76	1268.45	1440.06	1901.52	1572.55	2034.01
	107”(2718mm)	WUTS-12A7- SC	864.52	1236.86	927.11	1299.45	1476.01	1947.22	1614.80	2086.01
	108”(2743mm)	WUTS-12A8- SC	868.88	1242.75	931.78	1305.65	1483.20	1956.36	1623.25	2096.41
	113”(2870mm)	WUTS-12B3- SC	890.68	1272.20	955.13	1336.65	1519.15	2002.06	1665.50	2148.41
	114”(2896mm)	WUTS-12B4- SC	895.04	1278.09	959.80	1342.85	1526.34	2011.20	1673.95	2158.81
	119”(3023mm)	WUTS-12B9- SC	916.84	1307.54	983.15	1373.85	1562.29	2056.90	1716.20	2210.81
	120”(3048mm)	WUTS-12C0- SC	921.20	1313.43	987.82	1380.05	1569.48	2066.04	1724.65	2221.21

Adaptable Worksurfaces

Conference End

**Features**

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back.
- Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Wireway required to accommodate end-of-run trim.
- Wireway is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Conference ends with single support posts or columns are generally not considered to be panel supports. See load guidelines in Specification Guide to insure that the panels are properly supported.
- The back edge of the conference end must be supported by either
 - Two FMK brackets (50\"(1270mm)/62\"(1575mm) depths)
 - A standard link cantilever (pair)
 - Worksurface support panel
 - A combination of the previous three
- The front of the conference end must be supported by one of the following:
 - Support post, column, or 21\"(533mm) adjustable height disc base - REQUIRED

Note: Grain direction will run across 62\"(1575mm)-wide conference end worksurface.

To Order, Specify:

1) Product number, including:

① Surface Options:

L Laminate

W Wood

② Edge Options:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife



2) Laminate surface color or Wood finish color.

3) Edge trim color (laminate only).


Depth	Width	Number ① ②	Laminate A		Laminate B		Wood Group A		Wood Group B	
			J	F	J	F	K	U	K	U
38\"(965mm)	30\"(762mm)	WUDC-3830- SA	\$ 914.67	\$1301.75	\$ 977.24	\$1364.32	\$2700.03	\$3446.74	\$2830.23	\$3576.94
50\"(1270mm)		WUDC-5030- SA	961.35	1364.63	1028.00	1431.28	2841.99	3627.94	2998.71	3784.66
62\"(1575mm)		WUDC-6230- SA	1008.03	1427.51	1078.76	1498.24	2983.95	3809.14	3167.19	3992.38

Adaptable Worksurfaces


Key Conference End



WURY-3830



WURY-5030
WURY-5036



WURY-6236
WURY-6242
WURY-6248

Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on back.
- Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Wireway along back edge is color-matched to solid side/back edge trim. When wood veneer or wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- Depths and widths shown in nominal dimensions.
- Wireway required to accommodate end-of-run trim.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
 - Mini cantilever brackets are for use with 18”(457mm) deep worksurfaces with knife edge only.
- Key ends with single support posts or columns are generally not considered to be panel supports. See load guidelines in Specification Guide to insure that the panels are properly supported.
- The back edge of the key end must be supported by either
 - Two FMK brackets (50”(1270mm)/62”(1575mm) depths)
 - A standard link bracket (pair)
 - Another component with shared worksurface support (Worksurface support panel, P-leg)
 - A combination of the previous three
- The front of the key end must be supported by one of the following:
 - Support post, column, or 21”(533mm) adjustable height disc base - REQUIRED
- To be used in conference end application.

Note: Grain direction for laminate Key End over 62”(1575mm)-deep will be reversed.

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife



2) Laminate surface color or Wood finish color.

3) Edge trim color (laminate only).

Depth	Width	Number 1 2	Laminate A		Laminate B		Wood Group A		Wood Group B	
			J	F	J	F	K	U	K	U
38”(965mm)	30”(762mm)	WURY-3830- SA	\$1208.49	\$1698.92	\$1295.06	\$1785.49	\$3275.63	\$4258.86	\$3507.08	\$4490.31
50”(1270mm)	30”(762mm)	WURY-5030- SA	\$1215.09	\$1707.83	\$1302.11	\$1794.85	\$3281.66	\$4264.89	\$3514.15	\$4497.38
	36”(914mm)	WURY-5036- SA	1241.19	1740.90	1330.17	1829.88	3358.68	4364.34	3604.98	4610.64
62”(1575mm)	36”(914mm)	WURY-6236- SA	\$1247.79	\$1749.81	\$1337.22	\$1839.24	\$3364.71	\$4370.37	\$3612.05	\$4617.71
	42”(1067mm)	WURY-6242- SA	1273.89	1782.88	1365.28	1874.27	3441.73	4469.82	3702.88	4730.97
	48”(1219mm)	WURY-6248- SA	1299.99	1815.95	1393.34	1909.30	3518.75	4569.27	3793.71	4844.23

Adaptable Worksurfaces

120° Link



WUDZ

Features

- Includes worksurface and tie plate.
- Laminate with 3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Wood veneer worksurface with 3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Depths and widths shown in nominal dimensions.

Specification Tips

- Support column, leg or worksurface support panel may be used dependent upon application.
- Use with Corner, 120° Wrap-Around worksurfaces.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
 - P-Leg
 - Support post
 - Support column
 - Worksurface support panel
 - Tie plate with 18”(457mm) depth
 - Flush mount plates with 24”(610mm) and 30”(762mm) depths
 - Standard link cantilevers
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18”(457mm) deep worksurfaces with knife edge only.

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

2) Laminate surface color or Wood finish color.


3) Edge trim color (laminate only).

Depth	Number 1 2	Laminate A		Laminate B		Wood Group A		Wood Group B	
		J	F	J	F	K	U	K	U
18”(457mm)	WUDZ-1820- SC	\$462.92	\$ 712.65	\$496.50	\$ 746.23	\$1243.83	\$1670.75	\$1348.09	\$1775.01
24”(610mm)	WUDZ-2426- SC	507.76	757.49	541.34	791.07	1382.35	1809.27	1451.22	1878.14
30”(762mm)	WUDZ-3032- SC	717.36	1047.51	770.37	1100.52	1929.36	2539.96	2058.34	2668.94

Worksurface Supports

for use with UniGroup Too, UniGroup & PLACES

	Height	Depth	Width	Description	Number ¹	Price P	Price A C	Price B C
Standard Cantilever Bracket	9"(229mm)	16.5"(419mm)	1.625"(41mm)	Pair	ZEBD-1600- P	\$163.14	\$240.24	\$251.67
				Left-hand	ZEBD-1600- L	99.33	127.37	131.19
				Right-hand	ZEBD-1600- R	99.33	127.37	131.19



ZEBD-1600
(Right-hand shown)

Features

- Includes one right- and/or one left-handed bracket and mounting screws.
- Provides cantilever support for the left and/or right side of worksurface.
- Installs in panel side trim rail.
- Cantilever bracket can be used on either a 18"(457mm)-, 24"(610mm)- or 30"(762mm)-deep worksurface.
- Mounts worksurface in one inch vertical increments from a minimum of 15"(381mm) high.
- Provides clear access leg swing when supporting 24"(610mm)- and 30"(762mm)-deep worksurfaces at standard 29"(737mm) height.
- (P) finish option standard in black.

To Order, Specify:

1) Product number.

1 Color Option:

- P Standard
- C Trim color (A, B).

2) Trim color if applicable.

Standard Mini Cantilever Bracket	9"(229mm)	10.5"(267mm)	1.625"(41mm)	Pair	ZEBD-1000- P	\$184.08	\$261.18	\$272.61
				Left-hand	ZEBD-1000- L	111.31	139.35	143.17
				Right-hand	ZEBD-1000- R	111.31	139.35	143.17



ZEBD-1000
(Right-hand shown)

Features

- Includes one right- and/or one left-handed bracket and mounting screws.
- Provides cantilever support for the left or right side of worksurface.
- Installs in panel side trim rail.
- Cantilever bracket to be used on 18"(457mm)- deep rectangular radius end worksurface with edgeband.
- Mounts worksurface in one inch vertical increments from a minimum of 15"(381mm) high.
- (P) finish option standard in black.

To Order, Specify:


1) Product number.

1 Color Option:


- P Standard
- C Trim color (A, B).

2) Trim color if applicable.


Standard Link Cantilever Bracket	9"(229mm)	16.5"(419mm)	3.75"(95mm)	Pair	ZEBL-1600- P	\$191.18	\$268.28	\$279.71
				Left-hand	ZEBL-1600- L	115.34	143.38	147.20
				Right-hand	ZEBL-1600- R	115.34	143.38	147.20



ZEBL-1600



Left



Right

Features

- Includes one right- and/or one left-handed bracket, with attached angle bracket and mounting screws.
- Provides cantilever support for the left or right side of conference end, key conference end and 120° link and the adjoining worksurface.
- Installs in panel side trim rail.
- Cantilever bracket can be used on either a 18"(457mm)-, 24"(610mm)- or 30"(762mm)-deep worksurface.
- Mounts worksurface in one inch vertical increments from a minimum of 15"(381mm) high.
- Provides clear access leg swing when supporting 24"(610mm)- and 30"(762mm)-deep worksurfaces at standard 29"(737mm) height.
- (P) finish option standard in black.

To Order, Specify:

1) Product number.

1 Color Option:

- P Standard
- C Trim color (A, B).

2) Trim color if applicable.


Specification Tip

- To be used with conference end, key conference end, D-shape ender and 120° link only.

Worksurface Supports

for use with UniGroup Too, UniGroup & PLACES

	Height	Depth	Description	Number	Price
Standard Snap-n-Fit Cantilever Bracket for Rectangular Worksurfaces	10.5"(267mm)	19"(483mm)	Pair	ZEB-1900-PP	\$470.04
			Left-hand	ZEB-1900-PL	258.69
			Right-hand	ZEB-1900-PR	258.69



ZEB-1900

Features

- Includes one right- and/or one left-handed bracket, U-channel and mounting screws.
- Provides cantilever support for the left and/or right side of worksurface.
- Installs in panel side trim rail.
- Mounts worksurface in one inch vertical increments from a minimum of 15"(381mm) high.
- Provides clear access leg swing when supporting 24"(610mm)- and 30"(762mm)-deep worksurfaces at standard 29"(737mm) height.

To Order, Specify:


- 1) Product number.
- 2) Non-metallic trim color.

Specification Tips

- Worksurfaces are predrilled for snap-n-fit cantilevers.
- Cantilever bracket can be used on either a 24"(610mm)- or 30"(762mm)-deep worksurface.
- Cannot be used on 18"(457mm)-deep worksurfaces.

Standard Snap-n-Fit Mini Cantilever Bracket for Rectangular Worksurfaces

10.5"(267mm)	12"(305mm)	Pair	ZEB-1200-PP	\$357.48
		Left-hand	ZEB-1200-PL	194.35
		Right-hand	ZEB-1200-PR	194.35



ZEB-1200

Features

- Includes one right- and/or one left-handed bracket, U-channel and mounting screws.
- Provides cantilever support for the left or right side of worksurface.
- Installs in panel side trim rail.
- Mounts worksurface in one inch vertical increments from a minimum of 15"(381mm) high.

To Order, Specify:



- 1) Product number.
- 2) Non-metallic trim color.

Specification Tips

- Worksurfaces are predrilled for snap-n-fit cantilevers.
- Cantilever bracket can be used on 18"(457mm)-deep rectangular worksurfaces, 18"(457mm) to 24"(610mm)-deep rectangular radius end, 24"(610mm) to 30"(762mm)-deep corner 90° split top and rectangular split top worksurfaces.

Worksurface Supports


for use with UniGroup Too, UniGroup & PLACES

	Height	Depth	Description	Number	Price
Standard Snap-n-Fit Cantilever Bracket for Corner Worksurface  ZBEC-1900	10.5"(267mm)	19"(483mm)	Pair	ZBEC-1900-PP	\$179.92
Feature Includes one right and one left-hand cantilever, two U-channels (1 corner, 1 rectangular) and mounting screws.					
Specification Tips - Worksurfaces are predrilled for snap-n-fit cantilevers. To be used with 24"(610mm)-deep or 30"(762mm)-deep 90° and 120° corner and extended worksurfaces. Exception: Not to be used with 24"(610mm)-deep, 90° split top corner worksurface or 24"(610mm)-deep rectangular split top worksurface.					
To Order, Specify: - Product number. - Non-metallic trim color.					
Standard Snap-n-Fit Mini Cantilever Bracket for Corner Worksurface  ZBEC-1200	10.5"(267mm)	12"(305mm)	Pair	ZBEC-1200-PP	\$403.97
Feature Includes one right and one left-hand cantilever, two U-channels (1 corner, 1 rectangular) and mounting screws.					
Specification Tips - Worksurfaces are predrilled for snap-n-fit cantilevers. To be used with 18"(457mm)-deep 90° and 120° corner and extended worksurfaces. To be used with 24"(610mm)-deep 90° split top corner worksurfaces.					
To Order, Specify: - Product number. - Non-metallic trim color.					
Anti Dislodgement Bracket for use with Worksurface Support Panels  ZEBF-0000-P				Number ① ZEBF-0000-P	Price \$150.92
Features - Includes one left or right-hand shared or non-shared anti-dislodgement bracket and mounting screws. - Standard in black finish only.					
Specification Tips Anti-Dislodgement Bracket only for use with worksurface support panels used in conjunction with a worksurface. - Worksurface support panel with anti-dislodgement bracket can be used in place of a return panel in some applications. - See Load and Support guidelines for details.					
To Order, Specify: Product number, including: (No finish specification required.)					
① Handedness: R Right L Left					

Adaptable Worksurface Supports

for use with UniGroup Too, UniGroup & PLACES

	Height	Depth	Description	Number	Price	
					A	B
Pedestal-to-Panel Bracket	2"(51mm)	27.25"(692mm)	Left-hand	ZEBN-0000-PLJ	\$266.35	\$287.23
			Right-hand	ZEBN-0000-PRJ	266.35	287.23



ZEBN-0000

Features

- Includes one handed bracket and mounting screws.
- Installs in side trim rail slots and attaches to the back side of an attached pedestal.
- Bracket is predrilled for attachment to pedestal.

To Order, Specify:

- 1) Product number.
- 2) Trim color.


Specification Tips

- Worksurface and pedestal have to be same depth (nominal).
- Not for use with lateral files.
- For use with edgeband worksurfaces.

Adaptable Worksurface Supports

Worksurface Support Panels

Laminate Height	Thickness	Depth	Number ①	Laminate A	Laminate B
27.875"(708mm)	1.5"(38mm)	12"(305mm)	ZEFS-1200-LNE	\$445.62	\$482.93
		18"(457mm)	ZEFS-1800-LNE	482.94	517.49
		24"(610mm)	ZEFS-2400-LNE	520.26	552.05
		30"(762mm)	ZEFS-3000-LNE	557.58	586.61




ZEFS

Edgeband



Knife



Features

- Includes support panel with glides and mounting hardware.
- Installs in panel frame component slots and attaches under the end of a worksurface.
- Provides full support for one end of equal depth worksurfaces.
- Recommended in heavy loading conditions.
- Non-handed design may be installed in left-hand, right-hand or shared configuration.
- Laminate or wood surfaces with plastic edge trim, 3mm radiused user edge provides soft access to knee space.
- Adjustable glides provide a maximum of 2.5"(64mm) of height adjustment.

Specification Tips

- Specify worksurface support panel to match worksurface edge option.
- Separately specify Anti-Dislodgement Bracket for additional support. Please refer to Anti-Dislodgement Bracket price list page for specification tips.

To Order, Specify:

- Product number, including:

① Edge Options:


J Edgeband

F Knife

- Laminate color.


- Edge trim color.

Wood Height	Thickness	Depth	Number ①	Wood Group A	Group B
27.875"(708mm)	1.5"(38mm)	12"(305mm)	ZEFS-1200-WNE	\$791.87	\$868.17
		18"(457mm)	ZEFS-1800-WNE	839.11	922.59
		24"(610mm)	ZEFS-2400-WNE	887.71	977.01
		30"(762mm)	ZEFS-3000-WNE	935.55	1031.43



ZEFS

Edgeband



Knife



Features

- Includes support panel with glides and mounting hardware.
- Installs in panel frame component slots and attaches under the end of a worksurface.
- Provides full support for one end of equal depth worksurfaces.
- Recommended in heavy loading conditions.
- Non-handed design may be installed in left-hand, right-hand or shared configuration.
- Laminate or wood surfaces with plastic edge trim, 3mm radiused user edge provides soft access to knee space.
- Adjustable glides provide a maximum of 2.5"(64mm) of height adjustment.

Specification Tips

- Specify worksurface support panel to match worksurface edge option.
- Separately specify Anti-Dislodgement Bracket for additional support. Please refer to Anti-Dislodgement Bracket price list page for specification tips.

To Order, Specify:

- Product number, including:

① Edge Options:


K Edgeband

U Knife Edge

- Wood finish color.


Worksurface Supports

		Number	Price
Straight Leg Basic		WUCL-0001	\$193.52
 WUCL-0001 Class CA	Features • Includes one leg and mounting screws. • 4"(102mm) glide adjustment range allows worksurface heights from 27"(686mm) to 31"(787mm). • 2.25"(57mm) diameter column includes 6"(152mm)-diameter top plate. • Standard in Charcoal finish only. • Shipped assembled.	To Order, Specify: 1) Product number. (No finish specification required.)	
	Specification Tip • Predrilled for convergent worksurfaces and end-of-run worksurface application.		

 WUCC-0004 Class CA	Number		Price A	B
	WUCC-0004		\$434.98	\$456.27
	Features • Includes one column and mounting screws. • Column adjusts vertically for worksurface heights from 26”(660mm) to 30”(762mm). • 3”(76mm)-diameter column includes 6”(152mm)- square top plate.		To Order, Specify: 1) Product number. 2) Trim color.	

Worksurface Supports

	Height (Adjustable)	Depth	Number	Price A B	
Double Support Leg	27"(686mm)	18"(457mm)	ZZFK-1800-PNFG	\$740.27	\$763.22
		24"(610mm)	ZZFK-2400-PNFG	784.47	807.42
		30"(762mm)	ZZFK-3000-PNFG	828.67	851.62



ZZFK Class CA

Features

- Includes one double leg and mounting hardware.
- Leg may be installed in left-hand or right-hand configuration.
- 6" adjustment range allows worksurface heights from 26"(660mm) to 32"(813mm).
- Provides full support for one end of equal depth worksurface.


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tips

- One end of worksurface must be panel attached, not to be used as freestanding.
- Double leg with glide can be used to replace support post or support column.

Single Support Leg



ZUFJ-0101-PNFG Class CA

Height	Depth	Width	Description	Number	Price A B	
28"(711mm)	3.25"(83mm)	1.125"(29mm)	Single Post with Glide	ZUFJ-0101-PNFG	\$280.53	\$304.50

Features

- Includes one single post and mounting hardware.
- Glide provides 0.5"(13mm) of height adjustment.


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tip

- May be used for worksurface applications.
- One end of worksurface must be panel attached, not to be used as freestanding.

Support Post



ZZFJ Class CA

Height (Adjustable)	Description	Number	Price A B	
26"(660mm)/30"(762mm)	Single post with glide, adjustable	ZZFJ-0101-PNFG	\$397.69	\$420.78

Features

- Includes one single post and mounting hardware.
- 6"(152mm) height adjustment (26"(660mm)-32"(813mm)).


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tip

- May be used for worksurface and freestanding table applications.


Worksurface Accessories

	Height	Width	Number	Price
Make-A-Corner	21.125"(537mm)	26.125"(664mm)	MAC-0001	\$283.56
 MAC-0001 Features • Creates an angled edge between two (2) perpendicular regular worksurfaces. • Slides over the top of 1.82"(46mm) thick worksurfaces. • Accommodates an adjustable keyboard or mouse pad track (screws included). To Order, Specify: 1) Product number. 2) Non-metallic trim color.				

Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES

	Height	Depth	Width	Number	Laminate A		Laminate B	
					Trim A	Trim B	Trim A	Trim B
Straight Mini Shelf, Standard Mount	4.25"(108mm)	6.25"(159mm)	18"(457mm)	UESY-0418-PM	\$372.73	\$376.50	\$397.36	\$401.13
			24"(610mm)	UESY-0424-PM	390.97	394.74	419.40	423.17
			30"(762mm)	UESY-0430-PM	409.09	412.86	437.52	441.29
			36"(914mm)	UESY-0436-PM	427.34	431.11	457.67	461.44
			42"(1067mm)	UESY-0442-PM	445.46	449.23	477.69	481.46
			48"(1219mm)	UESY-0448-PM	463.58	467.35	497.71	501.48



UESY-PM

Features

- Includes shelf, brackets, and hardware.
- Shelf thickness is 0.75"(19mm).
- Shipped unassembled.


Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equals the shelf width.
- Support brackets must be installed under shelf surface.
- Designed for lightweight accessories.
- Does not accept separately specified task lights.

To Order, Specify:

- 1) Product number.
- 2) Laminate shelf color.
- 3) Edgeband trim color.
- 4) Trim color for brackets.

Corner Mini Shelf, Standard Mount	4.25"(108mm)	6.25"(159mm)	24"(610mm)	UESZ-0424-PM	\$739.04	\$744.73	\$792.11	\$797.80
			30"(762mm)	UESZ-0430-PM	786.21	791.90	839.28	844.97
			36"(914mm)	UESZ-0436-PM	833.38	839.07	889.31	895.00
			42"(1067mm)	UESZ-0442-PM	880.55	886.24	939.34	945.03
			48"(1219mm)	UESZ-0448-PM	927.72	933.41	989.37	995.06



UESZ-PM

Features

- Includes shelf, brackets, and hardware.
- Middle of shelf is 15.25"(387mm) deep.
- Shelf thickness is 0.75"(19mm).
- Shipped unassembled.

Specification Tips

- To be installed in connector slots on two panels or on a combination of panels of equivalent widths in 90° configuration.
- Support brackets must be installed under shelf surface.
- Designed for lightweight accessories.
- Does not accept separately specified task lights.

To Order, Specify:

- 1) Product number.
- 2) Laminate shelf color.
- 3) Edgeband trim color.
- 4) Trim color for brackets.

Mini Shelves with Loop Bracket


for use with UniGroup Too, UniGroup, PLACES

	Height	Depth	Width	Number	Laminate A	Laminate B
Straight Mini-Shelf, with Loop Bracket 	5.5"(140mm)	6.25"(159mm)	18"(457mm)	HMSS-0618	\$407.18	\$435.68
			24"(610mm)	HMSS-0624	430.82	461.51
			30"(762mm)	HMSS-0630	454.46	487.34
			36"(914mm)	HMSS-0636	478.10	513.17
			42"(1067mm)	HMSS-0642	501.74	539.00
			48"(1219mm)	HMSS-0648	525.38	564.83

HMSS

- Features**
 - Includes brackets, hardware and mini-shelf.
 - Mounts on single or multiple panels of equivalent widths.
 - Support bracket may be mounted under shelf surface only.
 - Does not accept task lights.
- To Order, Specify:**
 - Product number.
 - Laminate shelf color.
 - Trim color for brackets.

- Specification Tips**
- To be installed in connector slots on same size panel or on a combination of panels that equals the shelf width.
 - Support brackets must be installed under shelf surface.
 - Designed for lightweight accessories.
 - Does not accept separately specified task lights.


Corner Mini-Shelf, with Loop Bracket 	5.5"(140mm)	6.25"(159mm)	24"(610mm) x 24"(610mm)	HMSC-0624	\$ 827.67	\$ 888.50
			30"(762mm) x 30"(762mm)	HMSC-0630	881.60	942.43
			36"(914mm) x 36"(914mm)	HMSC-0636	935.53	999.64
			42"(1067mm) x 42"(1067mm)	HMSC-0642	989.46	1056.85
			48"(1219mm) x 48"(1219mm)	HMSC-0648	1043.39	1114.06

HMSC

- Features**
 - Includes brackets, hardware and corner mini-shelf.
 - Mounts on two panels of equivalent widths in 90° configuration.
 - Middle of shelf is 16"(406mm) deep.
 - Shelf thickness is 0.75"(19mm).
 - Support bracket may be mounted under shelf surface only.
 - Does not accept task lights.
- To Order, Specify:**
 - Product number.
 - Laminate shelf color.
 - Edgeband trim color.
 - Trim color for brackets.

- Specification Tips**
- To be installed in connector slots on same size panel or on a combination of panels that equals the shelf width.
 - Support brackets must be installed under shelf surface.
 - Designed for lightweight accessories.
 - Does not accept separately specified task lights.

Adaptable Upper Storage
for use with UniGroup Too, UniGroup, PLACES

	Height	Width	Number	Trim A	B
Open Shelf, Standard Mount  UESN-PM	8"(203mm)	24"(610mm)	UESN-0824-PM	\$372.87	\$391.56
		30"(762mm)	UESN-0830-PM	386.19	409.53
		36"(914mm)	UESN-0836-PM	399.51	427.50
		42"(1067mm)	UESN-0842-PM	412.83	445.47
		48"(1219mm)	UESN-0848-PM	426.15	463.44
		54"(1372mm)	UESN-0854-PM	439.47	481.41
		60"(1524mm)	UESN-0860-PM	452.79	499.38
		66"(1676mm)	UESN-0866-PM	466.11	517.35
		72"(1829mm)	UESN-0872-PM	479.43	535.32

Features


- Includes shelf with back stop, end panels and hardware.
- Safety interlock prevents dislodgement from panel connector slots.
- Accepts separately specified task lights.
- Shelf thickness is 2"(51mm).
- Shipped unassembled.

To Order, Specify:

- 1) Product number.
- 2) Trim color for shelf and end panels.

Specification Tips

- Specify separate shelf gang clip NUB-1 for unbalanced configurations with greater than one row of shelves.
- To be installed in panel trim rails on same size panel or on a combination of panels that equals the shelf width.

Overhead Storage Unit / Shelf Gang Clip	Description	Number	Price
 NUB-1	One clip	NUB-1	\$76.43

Features

- Provides additional stability in unbalanced panel configurations with adjacent shelves and overheads.
- Gangs adaptable style overheads and shelves.
- Standard in black finish.


To Order, Specify:

- 1) Product number.
(No finish specification required.)


Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES


Overhead Storage Unit,
Standard Mount – Painted Door



UEFS-PM



UEKS-PM



UEHS-PM

Height	Depth	Width	Flipper Door Number ① ②	Trim A		Trim B	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UEFS-1624-PM	\$1098.32	\$1104.24	\$1114.09	\$1120.01
		30"(762mm)	UEFS-1630-PM	1148.96	1155.88	1166.68	1173.60
		36"(914mm)	UEFS-1636-PM	1199.60	1207.52	1219.27	1227.19
		42"(1067mm)	UEFS-1642-PM	1250.24	1259.16	1271.86	1280.78
		48"(1219mm)	UEFS-1648-PM	1300.88	1310.80	1324.45	1334.37
		54"(1372mm)	UEFS-1654-PM	1351.52	1362.44	1377.04	1387.96
		60"(1524mm)	UEFS-1660-PM	1518.43	1530.35	1545.90	1557.82
		66"(1676mm)	UEFS-1666-PM	1827.26	1840.18	1856.68	1869.60
		72"(1829mm)	UEFS-1672-PM	2153.85	2167.77	2185.22	2199.14
16"(406mm)	14"(356mm)	24"(610mm)	Cabinet Door Number ①	Trim A		Trim B	
				A	B	A	B
				1830.13	1836.05	1845.90	1851.82
				1880.77	1887.69	1898.49	1905.41
				1931.41	1939.33	1951.08	1959.00
				1982.05	1990.97	2003.67	2012.59
				2103.05	2112.97	2126.62	2136.54
				2286.34	2297.26	2311.86	2322.78
				2498.55	2510.47	2526.02	2537.94
16"(406mm)	14"(356mm)	24"(610mm)	Single Slider Door Number ①	Trim A		Trim B	
				A	B	A	B
				1098.32	1104.24	1114.09	1120.01
				1148.96	1155.88	1166.68	1173.60
				1199.60	1207.52	1219.27	1227.19
				1250.24	1259.16	1271.86	1280.78
				1300.88	1310.80	1324.45	1334.37
				1351.52	1362.44	1377.04	1387.96
				1518.43	1530.35	1545.90	1557.82
16"(406mm)	14"(356mm)	24"(610mm)	Single Slider Door Number ①	Trim A		Trim B	
				A	B	A	B
				1827.26	1840.18	1856.68	1869.60
				2153.85	2167.77	2185.22	2199.14

- Features**
- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
 - Inside dimensions:
 - Height: 12.75"(324mm)
 - Depth: 13.25"(337mm)
 - Locks are available in black or chrome.
 - For lock options, refer to Lock Program section of the Accessories Price List.
 - Accepts separately specified task lights.
 - Safety interlock prevents dislodgement from panel component slots.
 - Flipper Door - 66"(1676mm) and 72"(1829mm) units have two doors, one lock per door if locking option is specified.
 - Flipper door stores on top of unit.
 - Cabinet Door - 24"-42"(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
 - 48"-72"(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
 - Single Slider Door - Door is half the width of the unit.
 - Shipped unassembled.


- Specification Tips**
- To be installed in component slots on same size panel or on a combination of panels that equal the width of the storage unit.
 - Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
 - Doors cannot be retrofitted with locks.
 - Standard mount overhead storage unit cannot be retrofitted to up mount overhead storage unit.
 - Flipper doors can be field retrofitted with slow close mechanism from eParts.

- To Order, Specify:**
- Product number, including:
 - ① Locking Option:**
 - N** Non-locking
 - L** Locking, add \$31.53 list.
 - ② Close Option: (Flipper door only)**
 - S** Slow close, add \$516.39 list.
66" and 72" wide units, add \$1032.78 list.
 - No specification required for standard close.
 - Trim color for shelf and end panels.
 - Trim color for door.
 - Trim color for lock housing, if applicable.


Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES


Overhead Storage Unit, Standard Mount – Translucent Door



UEFF-QM



UEKF-QM



UEHF-QM

Height	Depth	Width	Flipper Door Number ① ②	White Trim A	Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UEFF-1624-QM	\$1720.90	\$1736.67
		30"(762mm)	UEFF-1630-QM	1796.86	1814.58
		36"(914mm)	UEFF-1636-QM	1872.82	1892.49
		42"(1067mm)	UEFF-1642-QM	1948.78	1970.40
		48"(1219mm)	UEFF-1648-QM	2024.74	2048.31
		54"(1372mm)	UEFF-1654-QM	2100.70	2126.22
		60"(1524mm)	UEFF-1660-QM	2348.13	2375.60
		66"(1676mm)	UEFF-1666-QM	2875.41	2904.83
		72"(1829mm)	UEFF-1672-QM	3272.67	3304.04
Height	Depth	Width	Cabinet Door Number ①	White Trim A	Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UEKF-1624-QM	\$2769.03	\$2784.80
		30"(762mm)	UEKF-1630-QM	2874.48	2892.20
		36"(914mm)	UEKF-1636-QM	2979.93	2999.60
		42"(1067mm)	UEKF-1642-QM	3085.38	3107.00
		48"(1219mm)	UEKF-1648-QM	3225.99	3249.56
		54"(1372mm)	UEKF-1654-QM	3522.96	3548.48
		60"(1524mm)	UEKF-1660-QM	3838.09	3865.56
		66"(1676mm)	UEKF-1666-QM	4612.13	4641.55
		72"(1829mm)	UEKF-1672-QM	5323.45	5354.82
Height	Depth	Width	Single Slider Door Number ①	White Trim A	Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UEHF-1624-QM	\$1720.90	\$1736.67
		30"(762mm)	UEHF-1630-QM	1796.86	1814.58
		36"(914mm)	UEHF-1636-QM	1872.82	1892.49
		42"(1067mm)	UEHF-1642-QM	1948.78	1970.40
		48"(1219mm)	UEHF-1648-QM	2024.74	2048.31
		54"(1372mm)	UEHF-1654-QM	2100.70	2126.22
		60"(1524mm)	UEHF-1660-QM	2348.13	2375.60
		66"(1676mm)	UEHF-1666-QM	2875.41	2904.83
		72"(1829mm)	UEHF-1672-QM	3272.67	3304.04

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
- Inside dimensions:
 - Height: 12.75"(324mm)
 - Depth: 13.25"(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program section of the Accessories Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper Door - 66"(1676mm) and 72"(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24"-42"(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
 - 48"-72"(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- To be installed in component slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Standard mount overhead storage unit cannot be retrofitted to up mount overhead storage unit.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

- Product number, including:

① Locking Option:

- N** Non-locking
- L** Locking, add \$31.53 list.

② Close Option: (Flipper door only)




- S** Slow close, add \$516.39 list. 66" and 72" wide units, add \$1032.78 list.
- No specification required for standard close.

- Trim color for shelf and end panels.
- Trim color for door.
- Trim color for lock housing, if applicable.

Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES

Overhead Storage Unit,
Standard Mount – Wood Door



Height	Depth	Width	Flipper Door Number 1 2	Wood Group A Trim A Trim B	Wood Group B Trim A Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UEFS-1624-WM	\$1793.21 \$1808.98	\$1907.52 \$1923.29
		30"(762mm)	UEFS-1630-WM	1874.96 1892.68	1989.27 2006.99
		36"(914mm)	UEFS-1636-WM	1956.71 1976.38	2071.02 2090.69
		42"(1067mm)	UEFS-1642-WM	2038.46 2060.08	2152.77 2174.39
		48"(1219mm)	UEFS-1648-WM	2120.21 2143.78	2234.52 2258.09
		54"(1372mm)	UEFS-1654-WM	2201.96 2227.48	2316.27 2341.79
		60"(1524mm)	UEFS-1660-WM	2524.15 2551.62	2638.46 2665.93
		66"(1676mm)	UEFS-1666-WM	3011.92 3041.34	3126.23 3155.65
72"(1829mm)			UEFS-1672-WM	3539.13 3570.50	3653.44 3684.81

Height	Depth	Width	Cabinet Door Number 1	Wood Group A Trim A Trim B	Wood Group B Trim A Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UEKS-1624-WM	\$2929.91 \$2945.68	\$3044.22 \$3059.99
		30"(762mm)	UEKS-1630-WM	3023.54 3041.26	3137.85 3155.57
		36"(914mm)	UEKS-1636-WM	3117.17 3136.84	3231.48 3251.15
		42"(1067mm)	UEKS-1642-WM	3210.80 3232.42	3325.11 3346.73
		48"(1219mm)	UEKS-1648-WM	3341.64 3365.21	3455.95 3479.52
		54"(1372mm)	UEKS-1654-WM	3666.11 3691.63	3780.42 3805.94
		60"(1524mm)	UEKS-1660-WM	4011.55 4039.02	4125.86 4153.33
		66"(1676mm)	UEKS-1666-WM	4801.37 4830.79	4915.68 4945.10
72"(1829mm)			UEKS-1672-WM	5584.90 5616.27	5699.21 5730.58

Height	Depth	Width	Single Slider Door Number 1	Wood Group A Trim A Trim B	Wood Group B Trim A Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UEHS-1624-WM	\$1793.21 \$1808.98	\$1907.52 \$1923.29
		30"(762mm)	UEHS-1630-WM	1874.96 1892.68	1989.27 2006.99
		36"(914mm)	UEHS-1636-WM	1956.71 1976.38	2071.02 2090.69
		42"(1067mm)	UEHS-1642-WM	2038.46 2060.08	2152.77 2174.39
		48"(1219mm)	UEHS-1648-WM	2120.21 2143.78	2234.52 2258.09
		54"(1372mm)	UEHS-1654-WM	2201.96 2227.48	2316.27 2341.79
		60"(1524mm)	UEHS-1660-WM	2524.15 2551.62	2638.46 2665.93
		66"(1676mm)	UEHS-1666-WM	3011.92 3041.34	3126.23 3155.65
72"(1829mm)			UEHS-1672-WM	3539.13 3570.50	3653.44 3684.81

- Features**
- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
 - Inside dimensions:
 - Height: 12.75"(324mm)
 - Depth: 13.25"(337mm)
 - Locks are available in black or chrome.
 - For lock options, refer to Lock Program section of the Accessories Price List.
 - Accepts separately specified task lights.
 - Safety interlock prevents dislodgement from panel component slots.
 - Flipper Door - 66"(1676mm) and 72"(1829mm) units have two doors, one lock per door if locking option is available.
 - Flipper door stores on top of unit.
 - Cabinet Door - 24"-42"(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
 - 48"-72"(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
 - Single Slider Door - Door is half the width of the unit.
 - Shipped unassembled.


- Specification Tips**
- To be installed in component slots on same size panel or on a combination of panels that equal the width of the storage unit.
 - Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
 - Doors cannot be retrofitted with locks.
 - Standard mount overhead storage unit cannot be retrofitted to up mount overhead storage unit.
 - Flipper doors can be field retrofitted with slow close mechanism from eParts.

- To Order, Specify:**
- Product number, including:
 - 1 Locking Option:**
 - N** Non-locking
 - L** Locking, add \$31.53 list.
 - 2 Close Option: (Flipper door only)**
 - S** Slow close, add \$516.39 list. 66" and 72" wide units, add \$1032.78 list.
 - No specification required for standard close.
 - Trim color for shelf and end panels.
 - Wood finish for door.
 - Trim color for lock housing, if applicable.


Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES


Overhead Storage Unit, Standard Mount – Laminate Door



UEFS-LM



UEKS-LM



UEHS-LM

Height	Depth	Width	Flipper Door Number ① ②	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UEFS-1624-LM	\$1492.68	\$1508.45	\$1522.27	\$1538.04
		30"(762mm)	UEFS-1630-LM	1580.58	1598.30	1610.17	1627.89
		36"(914mm)	UEFS-1636-LM	1668.48	1688.15	1698.07	1717.74
		42"(1067mm)	UEFS-1642-LM	1756.38	1778.00	1785.97	1807.59
		48"(1219mm)	UEFS-1648-LM	1844.28	1867.85	1873.87	1897.44
		54"(1372mm)	UEFS-1654-LM	1932.18	1957.70	1961.77	1987.29
		60"(1524mm)	UEFS-1660-LM	2140.33	2167.80	2169.92	2197.39
		66"(1676mm)	UEFS-1666-LM	2594.77	2624.19	2624.36	2653.78
		72"(1829mm)	UEFS-1672-LM	3051.26	3082.63	3080.85	3112.22

Height	Depth	Width	Cabinet Door Number ①	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UEKS-1624-LM	\$2540.81	\$2556.58	\$2570.40	\$2586.17
		30"(762mm)	UEKS-1630-LM	2628.71	2646.43	2658.30	2676.02
		36"(914mm)	UEKS-1636-LM	2716.61	2736.28	2746.20	2765.87
		42"(1067mm)	UEKS-1642-LM	2804.51	2826.13	2834.10	2855.72
		48"(1219mm)	UEKS-1648-LM	2930.34	2953.91	2959.93	2983.50
		54"(1372mm)	UEKS-1654-LM	3214.85	3240.37	3244.44	3269.96
		60"(1524mm)	UEKS-1660-LM	3519.56	3547.03	3549.15	3576.62
		66"(1676mm)	UEKS-1666-LM	4210.54	4239.96	4240.13	4269.55
		72"(1829mm)	UEKS-1672-LM	4897.65	4929.02	4927.24	4958.61

Height	Depth	Width	Single Slider Door Number ①	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UEHS-1624-LM	\$1492.68	\$1508.45	\$1522.27	\$1538.04
		30"(762mm)	UEHS-1630-LM	1580.58	1598.30	1610.17	1627.89
		36"(914mm)	UEHS-1636-LM	1668.48	1688.15	1698.07	1717.74
		42"(1067mm)	UEHS-1642-LM	1756.38	1778.00	1785.97	1807.59
		48"(1219mm)	UEHS-1648-LM	1844.28	1867.85	1873.87	1897.44
		54"(1372mm)	UEHS-1654-LM	1932.18	1957.70	1961.77	1987.29
		60"(1524mm)	UEHS-1660-LM	2140.33	2167.80	2169.92	2197.39
		66"(1676mm)	UEHS-1666-LM	2594.77	2624.19	2624.36	2653.78
		72"(1829mm)	UEHS-1672-LM	3051.26	3082.63	3080.85	3112.22

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
- Inside dimensions:
 - Height: 12.75"(324mm)
 - Depth: 13.25"(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program section of the Accessories Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper Door - 66"(1676mm) and 72"(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24"-42"(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
 - 48"-72"(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- To be installed in component slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Standard mount overhead storage unit cannot be retrofitted to up mount overhead storage unit.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

- Product number, including:

① Locking Option:

N Non-locking

L Locking, add \$31.53 list.

② Close Option: (Flipper door only)

S Slow close, add \$516.39 list.
66" and 72" wide units,
add \$1032.78 list.


No specification required for standard close.

- Trim color for shelf and end panels.
- Laminate color for door.
- Edgeband color.
- Trim color for lock housing, if applicable.


Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES


Overhead Storage Unit,
Up Mount – Painted Door



UEGS-PM



UELS-PM



UEJS-PM

Height	Depth	Width	Flipper Door Number 1 2	Trim A A	B	Trim B A	B
16"(406mm)	14"(356mm)	24"(610mm)	UEGS-1624-PM	\$1535.02	\$1540.94	\$1550.79	\$1556.71
		30"(762mm)	UEGS-1630-PM	1585.66	1592.58	1603.38	1610.30
		36"(914mm)	UEGS-1636-PM	1636.30	1644.22	1655.97	1663.89
		42"(1067mm)	UEGS-1642-PM	1686.94	1695.86	1708.56	1717.48
		48"(1219mm)	UEGS-1648-PM	1737.58	1747.50	1761.15	1771.07
Height	Depth	Width	Cabinet Door Number 1	Trim A A	B	Trim B A	B
16"(406mm)	14"(356mm)	24"(610mm)	UELS-1624-PM	\$2593.81	\$2599.73	\$2609.58	\$2615.50
		30"(762mm)	UELS-1630-PM	2644.45	2651.37	2662.17	2669.09
		36"(914mm)	UELS-1636-PM	2695.09	2703.01	2714.76	2722.68
		42"(1067mm)	UELS-1642-PM	2745.73	2754.65	2767.35	2776.27
		48"(1219mm)	UELS-1648-PM	2866.73	2876.65	2890.30	2900.22
Height	Depth	Width	Single Slider Door Number 1	Trim A A	B	Trim B A	B
16"(406mm)	14"(356mm)	24"(610mm)	UEJS-1624-PM	\$1535.02	\$1540.94	\$1550.79	\$1556.71
		30"(762mm)	UEJS-1630-PM	1585.66	1592.58	1603.38	1610.30
		36"(914mm)	UEJS-1636-PM	1636.30	1644.22	1655.97	1663.89
		42"(1067mm)	UEJS-1642-PM	1686.94	1695.86	1708.56	1717.48
		48"(1219mm)	UEJS-1648-PM	1737.58	1747.50	1761.15	1771.07

Features

- Includes door front without lock, top shelf, bottom shelf with full back, mounting brackets, end panels, and hardware. Optional locks available.
- Inside dimensions:
 - Height: 12.75"(324mm)
 - Depth: 13.25"(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program section of the Accessories Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24"-42"(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
 - 48"(1219mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Doors shipped separate - remainder of the unit shipped unassembled.

Specification Tips

- To be installed in component slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Up mount overhead storage unit cannot be retrofitted to Standard overhead storage unit.
- Recommended for single row application.
- Recommended for use with 48"-56"(1219mm-1422mm) high panel configurations.
- Using up mount overheads limits allowable panel runs to 10 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Cannot be installed above a slat pad, tackboard, markerboard, or add-on glazed panel.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

1 Locking Option:

- N Non-locking
- L Locking, add \$31.53 list.

2 Close Option: (Flipper door only)


- S Slow close, add \$516.39 list.
- No specification required for standard close.

- 2) Trim color for shelf and end panels.
- 3) Trim color for door.
- 4) Trim color for lock housing, if applicable.


Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES


Overhead Storage Unit, Up Mount – Translucent Door



UEQF-QM



UELF-QM



UEJF-QM

Height	Depth	Width	Flipper Door Number ① ②	White Trim A	Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UEGF-1624-QM	\$2407.97	\$2423.74
		30"(762mm)	UEGF-1630-QM	2483.93	2501.65
		36"(914mm)	UEGF-1636-QM	2559.89	2579.56
		42"(1067mm)	UEGF-1642-QM	2635.85	2657.47
		48"(1219mm)	UEGF-1648-QM	2711.81	2735.38
Height	Depth	Width	Cabinet Door Number ①	White Trim A	Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UELF-1624-QM	\$3948.65	\$3964.42
		30"(762mm)	UELF-1630-QM	4054.10	4071.82
		36"(914mm)	UELF-1636-QM	4159.55	4179.22
		42"(1067mm)	UELF-1642-QM	4265.00	4286.62
		48"(1219mm)	UELF-1648-QM	4405.61	4429.18
Height	Depth	Width	Single Slider Door Number ①	White Price	Price
16"(406mm)	14"(356mm)	24"(610mm)	UEJF-1624-QM	\$2407.97	\$2423.74
		30"(762mm)	UEJF-1630-QM	2483.93	2501.65
		36"(914mm)	UEJF-1636-QM	2559.89	2579.56
		42"(1067mm)	UEJF-1642-QM	2635.85	2657.47
		48"(1219mm)	UEJF-1648-QM	2711.81	2735.38

Features

- Includes door front without lock, top shelf, bottom shelf with full back, mounting brackets, end panels, and hardware. Optional locks available.
- Inside dimensions:
 - Height: 12.75"(324mm)
 - Depth: 13.25"(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program section of the Accessories Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24"-42"(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
 - 48"(1219mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Doors shipped separate - remainder of the unit shipped unassembled.

Specification Tips

- To be installed in component slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Up mount overhead storage unit cannot be retrofitted to Standard overhead storage unit.
- Recommended for single row application.
- Recommended for use with 48"-56"(1219mm-1422mm) high panel configurations.
- Using up mount overheads limits allowable panel runs to 10 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Cannot be installed above a slat pad, tackboard, markerboard, or add-on glazed panel.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

- 1) Product number, including:

① Locking Option:

- N** Non-locking
L Locking, add \$31.53 list.

② Close Option: (Flipper door only)


- S** Slow close, add \$516.39 list.
 No specification required for standard close.

- 2) Trim color for shelf and end panels.
 3) Translucent color for door.
 4) Trim color for lock housing, if applicable.


Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES


Overhead Storage Unit,
Up Mount – Wood Door



UEGS-WM



UELS-WM



UEJS-WM

Height	Depth	Width	Flipper Door Number	1 2		Wood Group A		Wood Group B	
						Trim A	B	Trim B	A B
16"(406mm)	14"(356mm)	24"(610mm)	UEGS-1624-WM			\$2449.26	\$2465.03	\$2563.57	\$2579.34
		30"(762mm)	UEGS-1630-WM			2531.01	2548.73	2645.32	2663.04
		36"(914mm)	UEGS-1636-WM			2612.76	2632.43	2727.07	2746.74
		42"(1067mm)	UEGS-1642-WM			2694.51	2716.13	2808.82	2830.44
		48"(1219mm)	UEGS-1648-WM			2776.26	2799.83	2890.57	2914.14
Height	Depth	Width	Cabinet Door Number	1		Trim A		Trim B	
						A	B	A	B
		24"(610mm)	UELS-1624-WM			\$4175.74	\$4191.51	\$4290.05	\$4305.82
		30"(762mm)	UELS-1630-WM			4269.37	4287.09	4383.68	4401.40
		36"(914mm)	UELS-1636-WM			4363.00	4382.67	4477.31	4496.98
42"(1067mm)	14"(356mm)	42"(1067mm)	UELS-1642-WM			4456.63	4478.25	4570.94	4592.56
		48"(1219mm)	UELS-1648-WM			4587.47	4611.04	4701.78	4725.35
Height	Depth	Width	Single Slider Door Number	1		Trim A		Trim B	
						A	B	A	B
		24"(610mm)	UEJS-1624-WM			\$2449.26	\$2465.03	\$2563.57	\$2579.34
		30"(762mm)	UEJS-1630-WM			2531.01	2548.73	2645.32	2663.04
		36"(914mm)	UEJS-1636-WM			2612.76	2632.43	2727.07	2746.74
42"(1067mm)	14"(356mm)	42"(1067mm)	UEJS-1642-WM			2694.51	2716.13	2808.82	2830.44
		48"(1219mm)	UEJS-1648-WM			2776.26	2799.83	2890.57	2914.14

Features

- Includes door front without lock, top shelf, bottom shelf with full back, mounting brackets, end panels, and hardware. Optional locks available.
- Inside dimensions:
 - Height: 12.75”(324mm)
 - Depth: 13.25”(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program section of the Accessories Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24”-42”(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
 - 48”(1219mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Doors shipped separate - remainder of the unit shipped unassembled.

Specification Tips

- To be installed in component slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Up mount overhead storage unit cannot be retrofitted to Standard overhead storage unit.
- Recommended for single row application.
- Recommended for use with 48”-56”(1219mm-1422mm) high panel configurations.
- Using up mount overheads limits allowable panel runs to 10 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Cannot be installed above a slat pad, tackboard, markerboard, or add-on glazed panel.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.


To Order, Specify:

- 1) Product number, including:
- 1 Locking Option:
- ☐ N Non-locking
- ☐ L Locking, add \$31.53 list.
- 2 Close Option: (Flipper door only)
- ☐ S Slow close, add \$516.39 list.
- ☐ No specification required for standard close.
- 2) Trim color for shelf and end panels.
- 3) Wood finish for door.
- 4) Trim color for lock housing, if applicable.


Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES


Overhead Storage Unit, Up Mount – Laminate Door



UEKS-LM



UELS-LM



UEJS-LM

Height	Depth	Width	Flipper Door Number ① ②	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UEGS-1624-LM	\$2119.77	\$2135.54	\$2149.36	\$2165.13
		30"(762mm)	UEGS-1630-LM	2207.67	2225.39	2237.26	2254.98
		36"(914mm)	UEGS-1636-LM	2295.57	2315.24	2325.16	2344.83
		42"(1067mm)	UEGS-1642-LM	2383.47	2405.09	2413.06	2434.68
		48"(1219mm)	UEGS-1648-LM	2471.37	2494.94	2500.96	2524.53
Height	Depth	Width	Cabinet Door Number ①	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UELS-1624-LM	\$3633.54	\$3649.31	\$3663.13	\$3678.90
		30"(762mm)	UELS-1630-LM	3721.44	3739.16	3751.03	3768.75
		36"(914mm)	UELS-1636-LM	3809.34	3829.01	3838.93	3858.60
		42"(1067mm)	UELS-1642-LM	3897.24	3918.86	3926.83	3948.45
		48"(1219mm)	UELS-1648-LM	4023.07	4046.64	4052.66	4076.23
Height	Depth	Width	Single Slider Door Number ①	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UEJS-1624-LM	\$2119.77	\$2135.54	\$2149.36	\$2165.13
		30"(762mm)	UEJS-1630-LM	2207.67	2225.39	2237.26	2254.98
		36"(914mm)	UEJS-1636-LM	2295.57	2315.24	2325.16	2344.83
		42"(1067mm)	UEJS-1642-LM	2383.47	2405.09	2413.06	2434.68
		48"(1219mm)	UEJS-1648-LM	2471.37	2494.94	2500.96	2524.53

Features

- Includes door front without lock, top shelf, bottom shelf with full back, mounting brackets, end panels, and hardware. Optional locks available.
- Inside dimensions:
 - Height: 12.75"(324mm)
 - Depth: 13.25"(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program section of the Accessories Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24"-42"(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
 - 48"(1219mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Doors shipped separate - remainder of the unit shipped unassembled.

Specification Tips

- To be installed in component slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Up mount overhead storage unit cannot be retrofitted to Standard overhead storage unit.
- Recommended for single row application.
- Recommended for use with 48"-56"(1219mm-1422mm) high panel configurations.
- Using up mount overheads limits allowable panel runs to 10 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Cannot be installed above a slat pad, tackboard, markerboard, or add-on glazed panel.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

- Product number, including:

① Locking Option:

- N** Non-locking
L Locking, add \$31.53 list.

② Close Option: (Flipper door only)


- S** Slow close, add \$516.39 list.
 No specification required for standard close.

- Trim color for shelf and end panels.
- Laminate color for door.
- Edgeband color.
- Trim color for lock housing, if applicable.


Wall Mount Components

for use with UniGroup Too, UniGroup, PLACES


Overhead Storage Unit,
Wall Mount – Painted Door



UUFS-PW



UUKS-PW



UUHS-PW

Height	Depth	Width	Flipper Door Number ① ②	Trim A		Trim B	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UUFS-1624-PW	\$1183.15	\$1189.07	\$1198.92	\$1204.84
		30"(762mm)	UUFS-1630-PW	1233.79	1240.71	1251.51	1258.43
		36"(914mm)	UUFS-1636-PW	1284.43	1292.35	1304.10	1312.02
		42"(1067mm)	UUFS-1642-PW	1335.07	1343.99	1356.69	1365.61
		48"(1219mm)	UUFS-1648-PW	1385.71	1395.63	1409.28	1419.20
		54"(1372mm)	UUFS-1654-PW	1436.35	1447.27	1461.87	1472.79
		60"(1524mm)	UUFS-1660-PW	1603.26	1615.18	1630.73	1642.65
		66"(1676mm)	UUFS-1666-PW	1912.09	1925.01	1941.51	1954.43
16"(406mm)	14"(356mm)	72"(1829mm)	UUFS-1672-PW	2238.68	2252.60	2270.05	2283.97
Height	Depth	Width	Cabinet Door Number ①	Trim A		Trim B	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UUKS-1624-PW	\$1914.96	\$1920.88	\$1930.73	\$1936.65
		30"(762mm)	UUKS-1630-PW	1965.60	1972.52	1983.32	1990.24
		36"(914mm)	UUKS-1636-PW	2016.24	2024.16	2035.91	2043.83
		42"(1067mm)	UUKS-1642-PW	2066.88	2075.80	2088.50	2097.42
		48"(1219mm)	UUKS-1648-PW	2187.88	2197.80	2211.45	2221.37
		54"(1372mm)	UUKS-1654-PW	2371.17	2382.09	2396.69	2407.61
		60"(1524mm)	UUKS-1660-PW	2583.38	2595.30	2610.85	2622.77
		66"(1676mm)	UUKS-1666-PW	3099.19	3112.11	3128.61	3141.53
16"(406mm)	14"(356mm)	72"(1829mm)	UUKS-1672-PW	3563.77	3577.69	3595.14	3609.06
Height	Depth	Width	Single Slider Door Number ①	Trim A		Trim B	
				A	B	A	B
16"(406mm)	14"(356mm)	24"(610mm)	UUHS-1624-PW	\$1183.15	\$1189.07	\$1198.92	\$1204.84
		30"(762mm)	UUHS-1630-PW	1233.79	1240.71	1251.51	1258.43
		36"(914mm)	UUHS-1636-PW	1284.43	1292.35	1304.10	1312.02
		42"(1067mm)	UUHS-1642-PW	1335.07	1343.99	1356.69	1365.61
		48"(1219mm)	UUHS-1648-PW	1385.71	1395.63	1409.28	1419.20
		54"(1372mm)	UUHS-1654-PW	1436.35	1447.27	1461.87	1472.79
		60"(1524mm)	UUHS-1660-PW	1603.26	1615.18	1630.73	1642.65
		66"(1676mm)	UUHS-1666-PW	1912.09	1925.01	1941.51	1954.43
16"(406mm)	14"(356mm)	72"(1829mm)	UUHS-1672-PW	2238.68	2252.60	2270.05	2283.97

- Features**
- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, wall attachment bar, angle attachment bracket and hardware. Optional locks available.
 - Inside dimensions:
 - Height: 12.75"(324mm)
 - Depth: 13.25"(337mm)
 - Locks are available in black or chrome.
 - For lock options, refer to Lock Program section of the Accessories Price List.
 - Accepts separately specified task lights.
 - Safety interlock prevents dislodgement from wall.
 - Flipper Door - 66"(1676mm) and 72"(1829mm) units have two doors, one lock per door if locking option is specified.
 - Flipper door stores on top of unit.
 - Cabinet Door - 24"-42"(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
 - 48"-72"(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
 - Single Slider Door - Door is half the width of the unit.
 - Optional non-structural back is available.
 - Shipped unassembled.


- Specification Tips**
- Doors cannot be retrofitted with locks.
 - Must be properly anchored to a structural wall.
 - Anchors are not provided, must be field supplied.
 - Flipper doors can be field retrofitted with slow close mechanism from eParts.
 - Wall mount overhead storage units cannot be retrofitted to:
 - Upmount overhead storage unit
 - Standard overhead storage unit

- To Order, Specify:**
- Product number, including:
 - ① Locking Option:**
 - N** Non-locking
 - L** Locking, add \$31.53 list.
 - ② Close Option: (Flipper door only)**
 - S** Slow close, add \$516.39 list.
66" and 72" wide units, add \$1032.78 list.
 - No specification required for standard close.
 - Trim color for shelf and end panels.
 - Trim color for door.
 - Trim color for lock housing, if applicable.


Wall Mount Components

for use with UniGroup Too, UniGroup, PLACES


Overhead Storage Unit, Wall Mount – Translucent Door



UUFF-QW



UUKF-QW



UUHF-QW

Height	Depth	Width	Flipper Door Number ① ②	White Trim A	Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UUFF-1624-QW	\$2091.43	\$2107.20
		30"(762mm)	UUFF-1630-QW	2167.39	2185.11
		36"(914mm)	UUFF-1636-QW	2243.35	2263.02
		42"(1067mm)	UUFF-1642-QW	2319.31	2340.93
		48"(1219mm)	UUFF-1648-QW	2395.27	2418.84
		54"(1372mm)	UUFF-1654-QW	2471.23	2496.75
		60"(1524mm)	UUFF-1660-QW	2718.66	2746.13
		66"(1676mm)	UUFF-1666-QW	3245.94	3275.36
		72"(1829mm)	UUFF-1672-QW	3643.20	3674.57
Height	Depth	Width	Cabinet Door Number ①	White Trim A	Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UUKF-1624-QW	\$3139.56	\$3155.33
		30"(762mm)	UUKF-1630-QW	3245.01	3262.73
		36"(914mm)	UUKF-1636-QW	3350.46	3370.13
		42"(1067mm)	UUKF-1642-QW	3455.91	3477.53
		48"(1219mm)	UUKF-1648-QW	3596.52	3620.09
		54"(1372mm)	UUKF-1654-QW	3893.49	3919.01
		60"(1524mm)	UUKF-1660-QW	4208.62	4236.09
		66"(1676mm)	UUKF-1666-QW	4982.66	5012.08
		72"(1829mm)	UUKF-1672-QW	5693.98	5725.35
Height	Depth	Width	Single Slider Door Number ①	White Trim A	Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UUHF-1624-QW	\$2091.43	\$2107.20
		30"(762mm)	UUHF-1630-QW	2167.39	2185.11
		36"(914mm)	UUHF-1636-QW	2243.35	2263.02
		42"(1067mm)	UUHF-1642-QW	2319.31	2340.93
		48"(1219mm)	UUHF-1648-QW	2395.27	2418.84
		54"(1372mm)	UUHF-1654-QW	2471.23	2496.75
		60"(1524mm)	UUHF-1660-QW	2718.66	2746.13
		66"(1676mm)	UUHF-1666-QW	3245.94	3275.36
		72"(1829mm)	UUHF-1672-QW	3643.20	3674.57

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, wall attachment bar, angle attachment bracket and hardware. Optional locks available.
- Inside dimensions:
 - Height: 12.75"(324mm)
 - Depth: 13.25"(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program section of the Accessories Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from wall.
- Flipper Door - 66"(1676mm) and 72"(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24"-42"(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
 - 48"-72"(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Optional non-structural back is available.
- Shipped unassembled.

Specification Tips

- Doors cannot be retrofitted with locks.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.
- Wall mount overhead storage units cannot be retrofitted to:
 - Upmount overhead storage unit
 - Standard overhead storage unit

To Order, Specify:

- Product number, including:

① Locking Option:

- N** Non-locking
- L** Locking, add \$31.53 list.

② Close Option: (Flipper door only)


- S** Slow close, add \$516.39 list. 66" and 72" wide units, add \$1032.78 list.
- No specification required for standard close.

- Trim color for shelf and end panels.
- Translucent color for door.
- Trim color for lock housing, if applicable.


Wall Mount Components

for use with UniGroup Too, UniGroup, PLACES


Overhead Storage Unit,
Wall Mount – Wood Door



UUFS-WW



UUKS-WW



UUHS-WW

Height	Depth	Width	Flipper Door Number	1	2	Wood Group A Trim A	Trim B	Wood Group B Trim A	Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UUFS-1624-WW			\$2049.42	\$2065.19	\$2163.73	\$2179.50
		30"(762mm)	UUFS-1630-WW			2131.17	2148.89	2245.48	2263.20
		36"(914mm)	UUFS-1636-WW			2212.92	2232.59	2327.23	2346.90
		42"(1067mm)	UUFS-1642-WW			2294.67	2316.29	2408.98	2430.60
		48"(1219mm)	UUFS-1648-WW			2376.42	2399.99	2490.73	2514.30
		54"(1372mm)	UUFS-1654-WW			2458.17	2483.69	2572.48	2598.00
		60"(1524mm)	UUFS-1660-WW			2780.36	2807.83	2894.67	2922.14
		66"(1676mm)	UUFS-1666-WW			3268.13	3297.55	3382.44	3411.86
		72"(1829mm)	UUFS-1672-WW			3795.34	3826.71	3909.65	3941.02
Height	Depth	Width	Cabinet Door Number	1		Wood Group A Trim A	Trim B	Wood Group B Trim A	Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UUKS-1624-WW			\$3379.30	\$3395.07	\$3493.61	\$3509.38
		30"(762mm)	UUKS-1630-WW			3472.93	3490.65	3587.24	3604.96
		36"(914mm)	UUKS-1636-WW			3566.56	3586.23	3680.87	3700.54
		42"(1067mm)	UUKS-1642-WW			3660.19	3681.81	3774.50	3796.12
		48"(1219mm)	UUKS-1648-WW			3791.03	3814.60	3905.34	3928.91
		54"(1372mm)	UUKS-1654-WW			4115.50	4141.02	4229.81	4255.33
		60"(1524mm)	UUKS-1660-WW			4460.94	4488.41	4575.25	4602.72
		66"(1676mm)	UUKS-1666-WW			5250.76	5280.18	5365.07	5394.49
		72"(1829mm)	UUKS-1672-WW			6034.29	6065.66	6148.60	6179.97
Height	Depth	Width	Single Slider Door Number	1		Wood Group A Trim A	Trim B	Wood Group B Trim A	Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UUHS-1624-WW			\$2049.42	\$2065.19	\$2163.73	\$2179.50
		30"(762mm)	UUHS-1630-WW			2131.17	2148.89	2245.48	2263.20
		36"(914mm)	UUHS-1636-WW			2212.92	2232.59	2327.23	2346.90
		42"(1067mm)	UUHS-1642-WW			2294.67	2316.29	2408.98	2430.60
		48"(1219mm)	UUHS-1648-WW			2376.42	2399.99	2490.73	2514.30
		54"(1372mm)	UUHS-1654-WW			2458.17	2483.69	2572.48	2598.00
		60"(1524mm)	UUHS-1660-WW			2780.36	2807.83	2894.67	2922.14
		66"(1676mm)	UUHS-1666-WW			3268.13	3297.55	3382.44	3411.86
		72"(1829mm)	UUHS-1672-WW			3795.34	3826.71	3909.65	3941.02

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, wall attachment bar, angle attachment bracket and hardware. Optional locks available.
- Inside dimensions:
 - Height: 12.75"(324mm)
 - Depth: 13.25"(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program section of the Accessories Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from wall.
- Flipper Door - 66"(1676mm) and 72"(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24"-42"(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
 - 48"-72"(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Optional non-structural back is available.
- Shipped unassembled.

Specification Tips

- Doors cannot be retrofitted with locks.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.
- Wall mount overhead storage units cannot be retrofitted to:
 - Upmount overhead storage unit
 - Standard overhead storage unit


To Order, Specify:

- 1) Product number, including:
- 1 Locking Option:
- N Non-locking
 - L Locking, add \$31.53 list.
- 2 Close Option: (Flipper door only)
- S Slow close, add \$516.39 list.
66" and 72" wide units, add \$1032.78 list.
 - No specification required for standard close.
- 2) Trim color for shelf and end panels.
- 3) Wood finish for door.
- 4) Trim color for lock housing, if applicable.


Wall Mount Components

for use with UniGroup Too, UniGroup, PLACES


Overhead Storage Unit, Wall Mount – Laminate Door



UUFS-LW



UUKS-LW



UUHS-LW

Height	Depth	Width	Flipper Door Number ① ②	Laminate A		Laminate B	
				Trim A	Trim B	Trim A	Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UUFS-1624-LW	\$1772.10	\$1787.87	\$1801.69	\$1817.46
		30"(762mm)	UUFS-1630-LW	1860.00	1877.72	1889.59	1907.31
		36"(914mm)	UUFS-1636-LW	1947.90	1967.57	1977.49	1997.16
		42"(1067mm)	UUFS-1642-LW	2035.80	2057.42	2065.39	2087.01
		48"(1219mm)	UUFS-1648-LW	2123.70	2147.27	2153.29	2176.86
		54"(1372mm)	UUFS-1654-LW	2211.60	2237.12	2241.19	2266.71
		60"(1524mm)	UUFS-1660-LW	2419.75	2447.22	2449.34	2476.81
		66"(1676mm)	UUFS-1666-LW	2874.19	2903.61	2903.78	2933.20
		72"(1829mm)	UUFS-1672-LW	3330.68	3362.05	3360.27	3391.64

Height	Depth	Width	Cabinet Door Number ①	Laminate A		Laminate B	
				Trim A	Trim B	Trim A	Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UUKS-1624-LW	\$2820.23	\$2836.00	\$2849.82	\$2865.59
		30"(762mm)	UUKS-1630-LW	2908.13	2925.85	2937.72	2955.44
		36"(914mm)	UUKS-1636-LW	2996.03	3015.70	3025.62	3045.29
		42"(1067mm)	UUKS-1642-LW	3083.93	3105.55	3113.52	3135.14
		48"(1219mm)	UUKS-1648-LW	3209.76	3233.33	3239.35	3262.92
		54"(1372mm)	UUKS-1654-LW	3494.27	3519.79	3523.86	3549.38
		60"(1524mm)	UUKS-1660-LW	3798.98	3826.45	3828.57	3856.04
		66"(1676mm)	UUKS-1666-LW	4489.96	4519.38	4519.55	4548.97
		72"(1829mm)	UUKS-1672-LW	5177.07	5208.44	5206.66	5238.03

Height	Depth	Width	Single Slider Door Number ①	Laminate A		Laminate B	
				Trim A	Trim B	Trim A	Trim B
16"(406mm)	14"(356mm)	24"(610mm)	UUHS-1624-LW	\$1772.10	\$1787.87	\$1801.69	\$1817.46
		30"(762mm)	UUHS-1630-LW	1860.00	1877.72	1889.59	1907.31
		36"(914mm)	UUHS-1636-LW	1947.90	1967.57	1977.49	1997.16
		42"(1067mm)	UUHS-1642-LW	2035.80	2057.42	2065.39	2087.01
		48"(1219mm)	UUHS-1648-LW	2123.70	2147.27	2153.29	2176.86
		54"(1372mm)	UUHS-1654-LW	2211.60	2237.12	2241.19	2266.71
		60"(1524mm)	UUHS-1660-LW	2419.75	2447.22	2449.34	2476.81
		66"(1676mm)	UUHS-1666-LW	2874.19	2903.61	2903.78	2933.20
		72"(1829mm)	UUHS-1672-LW	3330.68	3362.05	3360.27	3391.64

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, wall attachment bar, angle attachment bracket and hardware. Optional locks available.
- Inside dimensions:
 - Height: 12.75"(324mm)
 - Depth: 13.25"(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock section of the Accessories Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from wall.
- Flipper Door - 66"(1676mm) and 72"(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24"-42"(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
 - 48"-72"(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Optional non-structural back is available.
- Shipped unassembled.

Specification Tips

- Doors cannot be retrofitted with locks.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.
- Wall mount overhead storage units cannot be retrofitted to:
 - Upmount overhead storage unit
 - Standard overhead storage unit

To Order, Specify:

- Product number, including:

① Locking Option:


- ☐ N Non-locking
- ☐ L Locking, add \$31.53 list.

② Close Option: (Flipper door only)


- ☐ S Slow close, add \$516.39 list.
66" and 72" wide units,
add \$1032.78 list.
- ☐ No specification required for standard close.

- Trim color for shelf and end panels.
- Laminate color for door.
- Edgeband color.
- Trim color for lock housing, if applicable.

Shelf Accessories

Adaptable Shelf Dividers	Height	Depth	Width	Number	Trim	
	A	B				
	4"(102mm)	13.25"(337mm)	1.75"(44mm)	NADR-8	\$345.87	\$369.99
	Features - Includes box of eight shelf dividers. - To be used to divide space laterally on panel mounted shelves or up mount shelves, standard or up mount overhead storage units, or vertical storage units, Adaptable open shelf and Adaptable overhead storage unit. To Order, Specify: - Product number. - Trim color.					

NADR-8
Class CA


Wall Track	Height	Depth	Width	Number	Trim	
	A	B				
	60"(1524mm)	0.75"(19mm)	0.625"(16mm)	WT-60	\$233.74	\$245.38
	72"(1829mm)			WT-72	274.42	286.06
	84"(2134mm)			WT-84	315.10	326.74
	Features - Includes two wall tracks and attachment screws (#10 2.5"(64mm) long). - For attachment of components to structural walls. - See installation instructions for proper mounting. To Order, Specify: - Product number. - Trim color for track.					

WT
Class AA

Specification Tip

- Not for use with up-mount overhead storage unit.

Wall Mount Components

	Outside Height	Width	Number	Trim A	B
 UUF-B-P	16"(406mm)	24"(610mm)	UUF-B-0024-P	\$416.97	\$459.42
		30"(762mm)	UUF-B-0030-P	426.70	469.15
		36"(914mm)	UUF-B-0036-P	436.43	478.88
		42"(1067mm)	UUF-B-0042-P	446.16	488.61
		48"(1219mm)	UUF-B-0048-P	455.89	498.34
		54"(1372mm)	UUF-B-0054-P	465.62	508.07
		60"(1524mm)	UUF-B-0060-P	475.35	517.80
		66"(1676mm)	UUF-B-0066-P	485.08	527.53
		72"(1829mm)	UUF-B-0072-P	494.81	537.26

Features

- Includes one painted back and mounting hardware.
- Used to cover wall mount attachment brackets.


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tips

- For use on Wall Mount Overhead Storage Units only.
- Back must match width of Wall Mounted Overhead Storage Units.

Worksurface Wall Bracket



ZUBW-PN

Number	Price
ZUBW-0000-PN	\$38.18

Features

- Includes one bracket and worksurface or worksurface support panel mounting screws.
- **Screws/anchors for attachment to wall are field supplied.**
- Worksurface to wall application
 - Partially supports the back of a worksurface in wall mount application when a vertical wall track is not desired.
- Worksurface Support Panel to wall application
 - Attaches a worksurface support panel (ZEFS) to a building wall in a wall mount application when a vertical wall track is not desired.
- Standard in black finish only.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips

- **Must be properly anchored to a structural wall.**
- Worksurface front corners support requirements:
 - One corner must be floor supported.
 - Second corner must be either floor supported or attached to an adjacent worksurface with a flush mount kit.
 - The distance between these floor supports may not exceed 10 feet.

Bracket Requirements

Length of a particular worksurface adjacent to the wall (inches)	Min # of Brackets Required (qty)
12-47	2
48-83	3
84-120	4

Tack Strips/Tackboards


	Height	Thickness	Width	Number	Fabric Grade		C	E	F	G
					A	B				
Tack Strip  HTB	5"(127mm)	1"(25mm)	24"(610mm)	HTB-2405	\$329.77	\$379.11	\$435.03	\$553.48	\$635.72	\$685.05
			30"(762mm)	HTB-3005	343.91	395.36	453.69	577.23	662.99	714.43
			36"(914mm)	HTB-3605	358.05	411.61	472.35	600.98	690.26	743.81
			42"(1067mm)	HTB-4205	372.19	427.86	491.01	624.73	717.53	773.19
			48"(1219mm)	HTB-4805	386.33	444.11	509.67	648.48	744.80	802.57
			54"(1372mm)	HTB-5405	400.47	460.36	528.33	672.23	772.07	831.95
			60"(1524mm)	HTB-6005	414.61	476.61	546.99	695.98	799.34	861.33

Features

- Includes tack strip and attachment hardware.
- HTB tack strips can be applied to all panel surface types except PLACES monolithic high performance panel.
- Tack strip to be installed on one or more panels of equivalent widths when designated tack area is required or can be mounted to wall track.

To Order, Specify:

- Product number.
- Fabric surface and color.

Tackboard  HTB	11"(279mm)	1"(25mm)	24"(610mm)	HTB-2411	\$386.23	\$444.21	\$509.79	\$ 648.40	\$ 744.80	\$ 802.47
	16"(406mm)			HTB-2416	433.28	498.46	572.09	727.50	835.70	900.32
	33"(838mm)			HTB-2433	593.25	682.91	783.91	996.44	1144.76	1233.01
	11"(279mm)		30"(762mm)	HTB-3011	\$400.37	\$460.46	\$528.45	\$ 672.15	\$ 772.07	\$ 831.85
	16"(406mm)			HTB-3016	447.42	514.71	590.75	751.25	862.97	929.70
	33"(838mm)			HTB-3033	607.39	699.16	802.57	1020.19	1172.03	1262.39
	11"(279mm)		36"(914mm)	HTB-3611	\$414.51	\$476.71	\$547.11	\$ 695.90	\$ 799.34	\$ 861.23
	16"(406mm)			HTB-3616	461.56	530.96	609.41	775.00	890.24	959.08
	33"(838mm)			HTB-3633	621.53	715.41	821.23	1043.94	1199.30	1291.77
	11"(279mm)		42"(1067mm)	HTB-4211	\$428.65	\$492.96	\$565.77	\$ 719.65	\$ 826.61	\$ 890.61
	16"(406mm)			HTB-4216	475.70	547.21	628.07	798.75	917.51	988.46
	33"(838mm)			HTB-4233	635.67	731.66	839.89	1067.69	1226.57	1321.15
	11"(279mm)		48"(1219mm)	HTB-4811	\$442.79	\$509.21	\$584.43	\$ 743.40	\$ 853.88	\$ 919.99
	16"(406mm)			HTB-4816	489.84	563.46	646.73	822.50	944.78	1017.84
	33"(838mm)			HTB-4833	649.81	747.91	858.55	1091.44	1253.84	1350.53
	11"(279mm)		54"(1372mm)	HTB-5411	\$456.93	\$525.46	\$603.09	\$ 767.15	\$ 881.15	\$ 949.37
	16"(406mm)			HTB-5416	503.98	579.71	665.39	846.25	972.05	1047.22
	33"(838mm)			HTB-5433	663.95	764.16	877.21	1115.19	1281.11	1379.91
	11"(279mm)		60"(1524mm)	HTB-6011	\$471.07	\$541.71	\$621.75	\$ 790.90	\$ 908.42	\$ 978.75
	16"(406mm)			HTB-6016	518.12	595.96	684.05	870.00	999.32	1076.60
	33"(838mm)			HTB-6033	678.09	780.41	895.87	1138.94	1308.38	1409.29

Features

- Includes tackboard and attachment hardware.
- HTB tackboards can be applied to all panel surface types except PLACES monolithic high performance panel.
- Tackboard to be installed on one or more panels of equivalent widths when designated tack area required or can be mounted to wall track.


To Order, Specify:

- Product number.
- Fabric surface and color.

Markerboards/Wall Accessory Slat Pad

for use with UniGroup Too, UniGroup, PLACES

	Height	Depth	Width	Number	Price
Markerboard — Non-Magnetic Surface	16"(406mm)	3.25"(83mm)	30"(762mm)	MEAM-3016	\$ 519.15
			36"(914mm)	MEAM-3616	545.43
			42"(1067mm)	MEAM-4216	571.71
			48"(1219mm)	MEAM-4816	597.99
			60"(1524mm)	MEAM-6016	650.55
	23.125"(587mm)	3.25"(83mm)	30"(762mm)	HNAM-3023	\$ 679.79
			36"(914mm)	HNAM-3623	724.35
			42"(1067mm)	HNAM-4223	768.91
			48"(1219mm)	HNAM-4823	813.47
			60"(1524mm)	HNAM-6023	902.59
	48.125"(1222mm)	3.25"(83mm)	60"(1524mm)	HNAM-6048	\$1187.82



MEAM
Class CA
HNAM
Class BA


- Features**
- Includes markerboard and tray.
 - White erasable writing surface with tray for storage of dry erase markers and eraser.
 - Markers and erasers not included.
 - Non-magnetic.
 - Tray is standard in charcoal and edge is standard in white finish colors.
 - May be used on wall track.

- Specification Tips**
- **The following products are recommended to maintain the markerboard appearance:**
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
 - Markerboard cleaner and conditioner, order part# 7031-7001.
 - Markerboard spray cleaner, order part# 7031-7002.

To Order, Specify:

1) Product number.
(No finish specification required.)

Wall Accessory Slat Pad	Height	Width	Number	Trim	
				A	B
	16"(406mm)	24"(610mm)	HGRY-2416	\$397.95	\$447.68
		30"(762mm)	HGRY-3016	440.18	489.91
		36"(914mm)	HGRY-3616	482.13	531.86
		42"(1067mm)	HGRY-4216	524.35	574.08
		48"(1219mm)	HGRY-4816	566.30	616.03
		54"(1372mm)	HGRY-5416	608.53	658.26
		60"(1524mm)	HGRY-6016	650.48	700.21



HGRY
Class BA

- Features**
- Includes one pad, end caps and attachment brackets.
 - Assembled slat pad thickness is 0.375"(10mm).


To Order, Specify:

1) Product number.
2) Trim color.

- Specification Tips**
- Attaches to a UniGroup Too, UniGroup or PLACES panel or a combination of panels that equal the pad width.
 - Designed to work with Belong work tools and Jump Stuff slat pad tools.
 - Can be mounted under a shelf or overhead storage unit.
 - Intended to provide paper management capabilities.
 - May be used on wall track.

Markerboard Accessories

	Description	Number	Price
Markerboard Accessories	Dry Erase Marker Kit (holder, six markers and eraser)	7062-8001	\$200.28
	Cleaner and Conditioner	7031-7001	239.12
	Spray Cleaner	7031-7002	72.99



7062-8001



7031-7002



7031-7001

Class YA

Feature

- Recommended dry erase marker products to maintain, clean & condition markerboards.


To Order, Specify:

- 1) Product number
(No finish specification required.)

Belong Work Tools Mounting Rails

for use with Adaptable Worksurfaces

Tool Rail — Worksurface Mount
C-Clamp or Thru-Mount



KUR1-1224-CSN

Rail Height	Width	Description	Number	Price A	B
1.19"(30mm) Thick Top					
4"(102mm)	24"(610mm)	C-Clamp	KUR1-1224-CSN	\$445.87	\$465.88
	30"(762mm)		KUR1-1230-CSN	469.54	491.37
	36"(914mm)		KUR1-1236-CSN	493.21	516.86
	42"(1067mm)		KUR1-1242-CSN	516.88	542.35
	48"(1219mm)		KUR1-1248-CSN	540.55	567.84
	54"(1372mm)		KUR1-1254-CSN	564.22	593.33
	60"(1524mm)		KUR1-1260-CSN	709.83	740.76
2"(51mm) thick Top					
4"(102mm)	24"(610mm)	C-Clamp	KUR1-1224-CMN	\$445.87	\$465.88
	30"(762mm)		KUR1-1230-CMN	469.54	491.37
	36"(914mm)		KUR1-1236-CMN	493.21	516.86
	42"(1067mm)		KUR1-1242-CMN	516.88	542.35
	48"(1219mm)		KUR1-1248-CMN	540.55	567.84
	54"(1372mm)		KUR1-1254-CMN	564.22	593.33
	60"(1524mm)		KUR1-1260-CMN	709.83	740.76
1.19"(30mm) Thick Top					
4"(102mm)	24"(610mm)	Thru-mount	KUR1-1224-TSN	\$445.87	\$465.88
	30"(762mm)		KUR1-1230-TSN	469.54	491.37
	36"(914mm)		KUR1-1236-TSN	493.21	516.86
	42"(1067mm)		KUR1-1242-TSN	516.88	542.35
	48"(1219mm)		KUR1-1248-TSN	540.55	567.84
	54"(1372mm)		KUR1-1254-TSN	564.22	593.33
	60"(1524mm)		KUR1-1260-TSN	709.83	740.76
2"(51mm) thick Top					
4"(102mm)	24"(610mm)	Thru-mount	KUR1-1224-TMN	\$445.87	\$465.88
	30"(762mm)		KUR1-1230-TMN	469.54	491.37
	36"(914mm)		KUR1-1236-TMN	493.21	516.86
	42"(1067mm)		KUR1-1242-TMN	516.88	542.35
	48"(1219mm)		KUR1-1248-TMN	540.55	567.84
	54"(1372mm)		KUR1-1254-TMN	564.22	593.33
	60"(1524mm)		KUR1-1260-TMN	709.83	740.76

- Features
- Includes one double sided rail with two posts, two rail end caps and attachment hardware.
 - Mounts to worksurface to support rail tools.
 - 1.19"(30mm) C-clamp Rail mounts on worksurfaces from 0.75"(19mm) to 1.75"(44mm) thick.
 - Thru-mount Rail mounts on 1.19"(30mm) thick worksurfaces.
 - Posts are 1.25"(32mm) thick.
 - Belong Rail tools separately specified.
 - Belong Work Tools or JumpStuff Slat Pad Tools may be used; separately specified.
 - Rail overall height above worksurface: 11.81"(300mm).
 - Distance between rail bottom and top of worksurface: 7.44"(189mm).
 - Ships unassembled.

- Specification Tips
- Designed for single sided Reside desking and single sided benching applications.
 - **Not designed to be used in front of panel mounted accessories (tackboard, markerboard).**
 - Rail holds up to a maximum of 40 pounds(18.14kg) evenly distributed on one side.
 - Rail may be installed off modular.
 - Heavy load application; additional posts can be ordered.
 - Monitor arm cannot be mounted in post positions.
 - Thru-mount post can be attached flush to back edge of worksurface.
 - C-clamp rail can be attached to panel mounted worksurface with notch or radius wireways without removing the worksurface.
 - Under worksurface: 4"(102mm) of clearance is necessary between back of worksurface and adjacent component for clamp attachment.
 - Gap between screen and horizontal surface allows installation of Belong Tool Rail.
 - Utility tray provides clearance for installation of Belong Tool Rail.
 - Refer to Specification Guide for planning rules.


Note: No more than 6"(152mm) of rail can be extended beyond outside of support.

- To Order, Specify:
- 1) Product number.
 - 2) Trim color for rail/post.
 - 3) Trim color for rail end caps:
 - TR-K Charcoal
 - TR-J Graphite
 - TR-FM Snow

Belong Work Tools Mounting Rails

for use with Adaptable Worksurfaces

Tool Rail — Single Post — C-Clamp or Thru-mount



KUP1-0000-CSN

Post Height	Description	Number	Price	
A	B			
1.19"(30mm) Thick Top				
7.5"(191mm)	C-Clamp	KUP1-0000-CSN	\$138.29	\$149.21
2"(51mm) Thick Top				
7.5"(191mm)	C-Clamp	KUP1-0000-CMN	\$138.29	\$149.21
1.19"(30mm) Thick Top				
7.5"(191mm)	Thru-mount	KUP1-0000-TSN	\$138.29	\$149.21
2"(51mm) Thick Top				
7.5"(191mm)	Thru-mount	KUP1-0000-TMN	\$138.29	\$149.21

Features

- Includes one C-clamp or one Thru-mount Post and attachment hardware.
- Posts mount on worksurfaces 1.81"(46mm)-2"(51mm) thick.
- Posts are 1.25"(32mm) thick.



To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tips


- Posts supports slide along rail bottom groove.
- For use with C-clamp or Thru-mount tool rail only.
- Monitor arm cannot be mounted in post position.
- Extra single posts can be ordered when additional support for monitor arms and paper management are attached to Tool Rail.
- Refer to Specification Guide for planning rules.

Lighting — Task

	Fixture Length	Watts	Number	Price
Reed Premier™ Stand-Alone LED Task Light  LUTS-0017-19ULD5  <td>16.4″(417mm)</td> <td>7.8</td> <td>LUTS-0017-19ULD5</td> <td>\$366.83</td>	16.4″(417mm)	7.8	LUTS-0017-19ULD5	\$366.83
Features - Includes 17″(432mm) LED fixture, 15 watt power supply with nine foot removable power cord. - Standard in anodized (silver) color with white end caps. - Height: 0.5″(12.7mm); Width: 2.0″(51mm); Length: 16.4″(417mm). Specification Tips - For use with 120 volt, 60 hertz electrical system. - Color Temp: 3500K. - Color Rendition Index: 84 CRI. - Rated Lifespan: 5 0,000 hour. - Not intended for daisy chaining. - Single touch on/off with continuous dimming from 15-100%. - Includes screw and magnetic attachment hardware for steel, laminate and wood. - Intended for use in horizontal applications. To Order, Specify: 1) Product number. (No finish specification required.)				
Reed Premier™ Starter LED Task Light  LUTS-0017-12ULD6  <td> 16.4″(417mm) 30.1″(765mm) 43.7″(1110mm) 57.4″(1458mm) </td> <td> 7.8 17.6 25.9 33.6 </td> <td> LUTS-0017-12ULD6 LUTS-0031-12ULD6 LUTS-0044-12ULD6 LUTS-0058-12ULD6 </td> <td> \$ 504.40 734.00 947.20 1176.80 </td>	16.4″(417mm) 30.1″(765mm) 43.7″(1110mm) 57.4″(1458mm)	7.8 17.6 25.9 33.6	LUTS-0017-12ULD6 LUTS-0031-12ULD6 LUTS-0044-12ULD6 LUTS-0058-12ULD6	\$ 504.40 734.00 947.20 1176.80
Features - Includes LED fixture, 60 watt power supply with twelve foot removable power cord. - Standard in anodized (silver) color with white end caps. - Height: 0.5″(12.7mm); Width: 2.0″(51mm); Lengths: 16.4″(417mm), 30.1″(765mm), 43.7″(1110mm) or 57.4″(1458mm). Specification Tips - For use with 120 volt, 60 hertz electrical system. - Color Temp: 3500K. - Color Rendition Index: 84 CRI. - Rated Lifespan: 5 0,000 hour. - Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together. - Single touch on/off with continuous dimming from 15-100%. - Includes screw and magnetic attachment hardware for steel, laminate and wood. - Intended for use in horizontal applications. To Order, Specify: 1) Product number. (No finish specification required.)				

Lighting — Task

	Fixture Length	Watts	Number	Price
Reed Premier™	16.4"(417mm)	7.8	LUTD-0017-1NULDN	\$ 366.83
Add-On LED Task Light —	30.1"(765mm)	17.6	LUTD-0031-1NULDN	596.43
For Use with Reed Premier Starter	43.7"(1110mm)	25.9	LUTD-0044-1NULDN	809.63
LED Task Lights	57.4"(1458mm)	33.6	LUTD-0058-1NULDN	1039.23



LUTD-0017-1NULDN



Features

- Includes LED fixture, 8"(203mm) and 30"(762mm) daisy chain cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5"(12.7mm); Width: 2.0"(51mm); Lengths: 16.4"(417mm), 30.1"(765mm), 43.7"(1110mm) or 57.4"(1458mm).


Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 84 CRI.
- Rated Lifespan: 5 0,000 hour.
- Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together.
- Single touch on/off with continuous dimming from 15-100%.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Reed Premier™
Add-On Occupancy Sensor



LUTS-0000



Features

- Includes occupancy sensor and attachment connector.
- Standard in anodized (silver) color with white end caps.
- Height: 0.7"(17.8mm); Width: 2.0"(51mm); Length: 2.3"(58mm).

Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

LUTS-0000


\$412.73

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Lighting — Haworth

	Fixture Length	Total Length with Switch	Watts	Number	Price
Adaptable LED Task Light - Stand-Alone	17"(432mm)	18.6"(472mm)	5.6	LUTN-0017-19ULDN	\$244.53
	31"(787mm)	32.6"(828mm)	10.3	LUTN-0031-19ULDN	277.57
	44"(1118mm)	45.6"(1158mm)	14.3	LUTN-0044-19ULDN	308.25




- Features**
- Includes 17"(1118mm), 31"(787mm) or 44"(1118mm) LED fixture, one on/off/dimmer pack, 18 watt power supply with black nine foot power cord, two adhesive cord managers and screw/magnetic attachment hardware.
 - Standard in anodized (silver) color with black caps.
 - Height: 0.5"(12.7mm); Width: 1.18"(30mm).
 - Automatic turn off after 12 hours (+/- 15 mins).

- Specification Tips**
- For use with 120 volt, 60 hertz electrical system.
 - Color Temp: 3500K.
 - Color Rendition Index: 85 CRI.
 - Rated Lifespan: 52,000 hour.
 - **Not intended for daisy chaining.**
 - Single touch on/off with continuous dimming from 15-100% with last state memory.
 - Intended for use under shelf or cabinet.

- To Order, Specify:**
- 1) Product number.
(No finish specification required.)

Adaptable LED Task Light - Starter Kit	17"(432mm)	18.6"(472mm)	5.6	LUTT-0017-11ULDN	\$277.41
	31"(787mm)	32.6"(828mm)	10.3	LUTT-0031-11ULDN	310.45
	44"(1118mm)	45.6"(1158mm)	14.3	LUTT-0044-11ULDN	341.13




- Features**
- Includes LED fixture, one on/off/dimmer pack, 65 watt power supply with eleven foot power cord, two adhesive cord managers, and screw/magnetic attachment hardware.
 - Standard in anodized (silver) color with black caps.
 - Height: 0.5"(12.7mm); Width: 1.18"(30mm).
 - Automatic turn off after 12 hours (+/- 15 mins).

- Specification Tips**
- For use with 120 volt, 60 hertz electrical system.
 - Color Temp: 3500K.
 - Color Rendition Index: 85 CRI.
 - Rated Lifespan: 52,000 hour.
 - Refer to the Specification Guide or under the Adaptable LED Task Light - Add-on Kit for a chart showing the total number of light fixtures that can be daisy chained together.
 - Single touch on/off with continuous dimming from 15-100% with last state memory.
 - The on/off dimmer switch on the Starter Kit fixture will control all connected Add-On lights.
 - Intended for use under shelf or cabinet.

- To Order, Specify:**
- 1) Product number.
(No finish specification required.)

Lighting — Haworth

	Fixture Length	Watts	Number	Price
Adaptable LED Task Light - Add-On Kit	17"(432mm)	5.6	LUTA-0017-1NULDN	\$205.92
	31"(787mm)	10.3	LUTA-0031-1NULDN	238.96
	44"(1118mm)	14.3	LUTA-0044-1NULDN	269.64



Features

- Includes LED fixture, 18"(457mm) daisy chain cord, two adhesive cord mangers, and screw/magnetic attachment hardware.
- Standard in anodized (silver) color with black caps.
- Height: 0.5"(12.7mm); Width: 1.18"(30mm).

Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 85 CRI.
- Rated Lifespan: 52,000 hour.
- Refer to the chart below for the total number of light fixtures that can be daisy chained together.
- The on/off dimmer switch on the Starter Kit fixture will control all connected Add-On lights.
- Intended for use under shelf or cabinet.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Acceptable Daisy Chain Light Combinations			
Daisy Chair Combinations	# of 17" Lights	# of 31" Lights	# of 44" Lights
Combination 1	1	1	1
Combination 2	1	1	0
Combination 3	1	2	0
Combination 4	1	0	1
Combination 5	1	0	0
Combination 6	2	1	0
Combination 7	2	0	1
Combination 8	2	0	0
Combination 9	3	1	0
Combination 10	3	0	0
Combination 11	4	0	0
Combination 12	0	1	1
Combination 14	0	2	0
Combination 15	0	3	0
Combination 17	0	0	2

Finish/Color Legend

Wood Finishes

Grade A
Double Cut

CQ-HKL	Auburn on Walnut
CQ-HBF	Clove
	on Walnut
2P-RL	Applegate
WE-RD	Dune
WJ-RE	Ebony ⁽¹⁾
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba ⁽¹⁾
W4-PB	Pebble

Grade B
Cherry

VC-CA1	Amber
VC-W23	American
VC-CPK	Bourbon on Cherry
VC-HKF	Burgundy on Cherry
	Caramel
VC-W33	Heritage
VC-W32	Pacific
VC-HKA	Toffee on Cherry

Maple

VP-LM	Light
VP-N	Natural ⁽²⁾

Maple Quarter Cut

NM-N	Natural
------	---------

Oak

VJ-HKC	Urban on Oak
--------	--------------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-HKG	Colombian on Walnut
VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W15	Espresso
NW-W31	Retro

Laminate

Grade A
Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-DYP	New Age Oak
H-AE	Maple
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B
Premium Wood Grain

H-C8	Blonde
	Modern Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha
	Modern Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-C9	Spiced
	Modern Cherry

Grade E
Premium

H-C1	Hay
H-C2	Drift
H-C3	Pecan
H-C4	Molasses
H-C5	Mineral
H-C6	Hatch
H-C7	Tanned

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Patterned Edgeband

HP-P1	Linen Casual
HP-P2	Linen Classic
HP-P3	Linen Crisp
HP-P4	Linen Flax

Wood Grain

HP-C8	Blonde
	Modern Cherry
HP-B06	Brazilwood
HP-E79	Colombian
	Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha
	Modern Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced
	Modern Cherry
HP-C09	Williamsburg
	Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Premium

HP-C1	Hay
HP-C2	Drift
HP-C3	Pecan
HP-C4	Molasses
HP-C5	Mineral
HP-C6	Hatch
HP-C7	Tanned

Trim - UniGroup and PLACES

Grade A

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke

Trim - UniGroup Too

Grade A

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke

Grade B

TR-MC	Metallic Champagne
TR-LE	Metallic Silver

Glass - Solid
Grade A

SK-1C	Clear
-------	-------

Glass - Patterned⁽³⁾
Grade C

SQ-ER	English Reeded
-------	----------------

Grade D

SQ-CM	Checks Mix
SQ-VM	Vertical Moire

Lock Plugs

LR-BL	Black
LR-BP	Chrome

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood:

2R-RL	Butternut
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
VP-AD	Sand
WC-RW	Wenge

Laminate:

H-AM	Amber Cherry
H-AD	Medium Cherry

Forest Stewardship Council (FSC) Statement:
In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821.

⁽¹⁾Available on Adaptable Components only.
⁽²⁾Not available on UniGroup Panels.
⁽³⁾Available on Add-on Panels only.

Fabrics/Color Legend

Vertical Fabrics

Grade A

Chevron (6X)
Highlands (L6)
Striae (C1)
Tailored (PY)
Tellure (3A)

Grade B

Classic (L5)
Fields (34)
Hue (6)
Kio (ZR)
Shimmer (WS)

Grade C

Birds Nest (PH)
Sisal (SW)
Thorman (45)

* For most current finish and fabric availability please reference surfaces.haworth.com.

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Vertical Fabrics

Grade D

Tangram (LV)

Haworth+

For information on the Haworth+ alliance program, including images and product availability, please refer to:
[Haworth.com](https://haworth.com) > Surface Collection > Haworth+ Library

Customer's Own Material (COM)

For general Customer's Own Material (COM) information including processes and forms, please refer to:
[Haworth.com](https://haworth.com) > Surface Collection > Resources > COM

For information on approved COM's, please refer to:
[Haworth.com](https://haworth.com) > Surface Collection > COM Library

COM Yardage Requirements

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards)			66 Inch Roll (Linear Yards)		
		Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Straight Panel							
32"(813mm)	24" (610mm)	0.42	0.78	0.42	0.42	0.39	0.39
	30" (762mm)	0.83	0.94	0.83	0.42	0.47	0.42
	36" (914mm)	0.83	1.11	0.83	0.83	0.56	0.56
	42" (1067mm)	0.83	1.28	0.83	0.83	0.64	0.64
	48" (1219mm)	0.83	1.44	0.83	0.83	0.72	0.72
	60" (1529mm)	N/A	1.78	1.78	0.83	0.89	0.83
40"(1016mm)	24" (610mm)	0.51	0.78	0.51	0.51	0.78	0.51
	30" (762mm)	1.03	0.94	0.94	0.51	0.94	0.51
	36" (914mm)	1.03	1.11	1.03	1.03	1.11	1.03
	42" (1067mm)	1.03	1.28	1.03	1.03	1.28	1.03
	48" (1219mm)	1.03	1.44	1.03	1.03	1.44	1.03
	60" (1529mm)	N/A	1.78	1.78	1.03	1.78	1.03
48"(1219mm)	24" (610mm)	0.61	0.78	0.61	0.61	0.78	0.61
	30" (762mm)	1.22	0.94	0.94	0.61	0.94	0.61
	36" (914mm)	1.22	1.11	1.11	1.22	1.11	1.11
	42" (1067mm)	1.22	1.28	1.22	1.22	1.28	1.22
	48" (1219mm)	1.22	1.44	1.22	1.22	1.44	1.22
	60" (1529mm)	N/A	1.78	1.78	1.22	1.78	1.22
56"(1422mm)	24" (610mm)	0.78	0.78	0.78	0.78	0.78	0.78
	30" (762mm)	1.56	0.94	0.94	0.78	0.94	0.78
	36" (914mm)	1.56	1.11	1.11	1.56	1.11	1.11
	42" (1067mm)	1.56	1.28	1.28	1.56	1.28	1.28
	48" (1219mm)	1.56	1.44	1.44	1.56	1.44	1.44
	60" (1529mm)	N/A	1.78	1.78	1.56	1.78	1.56
64" (1626mm)	24" (610mm)	0.89	N/A	0.89	0.89	0.78	0.78
	30" (762mm)	1.78	N/A	1.78	0.89	0.94	0.89
	36" (914mm)	1.78	N/A	1.78	1.78	1.11	1.11
	42" (1067mm)	1.78	N/A	1.78	1.78	1.28	1.28
	48" (1219mm)	1.78	N/A	1.78	1.78	1.44	1.44
	60" (1529mm)	N/A	N/A	N/A	1.78	1.78	1.78
72"(1829mm)	24" (610mm)	0.94	N/A	0.94	0.94	0.78	0.78
	30" (762mm)	1.89	N/A	1.89	0.94	0.94	0.94
	36" (914mm)	1.89	N/A	1.89	1.89	1.11	1.11
	42" (1067mm)	1.89	N/A	1.89	1.89	1.28	1.28
	48" (1219mm)	1.89	N/A	1.89	1.89	1.44	1.44
	60" (1529mm)	N/A	N/A	N/A	1.89	1.78	1.78
80"(2032mm)	24" (610mm)	1.14	N/A	1.14	1.14	N/A	1.14
	30" (762mm)	2.28	N/A	2.28	1.14	N/A	1.14
	36" (914mm)	2.28	N/A	2.28	2.28	N/A	2.28
	42" (1067mm)	2.28	N/A	2.28	2.28	N/A	2.28
	48" (1219mm)	2.28	N/A	2.28	2.28	N/A	2.28
	60" (1529mm)	N/A	N/A	N/A	2.28	N/A	2.28

COM Yardage Requirements

UniGroup Too

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards)			66 Inch Roll (Linear Yards)		
		Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Finish Posts							
32"(813mm)		0.10	0.10	0.10	0.08	0.10	0.08
40"(1016mm)		0.13	0.19	0.13	0.10	0.10	0.10
48"(1219mm)		0.16	0.19	0.16	0.12	0.19	0.12
56"(1422mm)		0.21	0.19	0.19	0.16	0.19	0.15
64"(1626mm)		0.24	N/A	0.24	0.19	0.19	0.19
72"(1829mm)		0.25	N/A	0.25	0.20	0.19	0.19
80"(2032mm)		0.31	N/A	0.31	0.24	N/A	0.24

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards)			66 Inch Roll (Linear Yards)		
		Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Tackboard and Tack Strip							
5" (127mm)	24" (610mm)	0.31	0.21	0.21	0.31	0.14	0.14
	30" (762mm)	0.31	0.25	0.25	0.31	0.17	0.17
	36" (914mm)	0.31	0.29	0.29	0.31	0.19	0.19
	42" (1067mm)	0.31	0.33	0.31	0.31	0.22	0.22
	48" (1219mm)	0.31	0.38	0.31	0.31	0.25	0.25
	60" (1529mm)	N/A	0.46	0.46	0.31	0.31	0.31
11" (279mm)	24" (610mm)	0.47	0.42	0.42	0.47	0.28	0.28
	30" (762mm)	0.47	0.50	0.47	0.47	0.33	0.33
	36" (914mm)	0.47	0.58	0.47	0.47	0.39	0.39
	42" (1067mm)	0.47	0.67	0.47	0.47	0.44	0.44
	48" (1219mm)	0.47	0.75	0.47	0.47	0.50	0.47
	54" (1371mm)	N/A	0.83	0.83	0.47	0.56	0.47
16" (406mm)	60" (1529mm)	N/A	0.92	0.92	0.47	0.61	0.47
	24" (610mm)	0.61	0.42	0.42	0.61	0.28	0.28
	30" (762mm)	0.61	0.50	0.50	0.61	0.33	0.33
	36" (914mm)	0.61	0.58	0.58	0.61	0.39	0.39
	42" (1067mm)	0.61	0.67	0.61	0.61	0.44	0.44
	48" (1219mm)	0.61	0.75	0.61	0.61	0.50	0.50
33" (838mm)	54" (1371mm)	N/A	0.83	0.83	0.61	0.56	0.56
	60" (1529mm)	N/A	0.92	0.92	0.61	0.61	0.61
	24" (610mm)	1.08	0.83	0.83	1.08	0.83	0.83
	30" (762mm)	1.08	1.00	1.00	1.08	1.00	1.00
	36" (914mm)	1.08	1.17	1.08	1.08	1.17	1.08
	42" (1067mm)	1.08	1.33	1.08	1.08	1.33	1.08
	48" (1219mm)	1.08	1.50	1.08	1.08	1.50	1.08
	54" (1371mm)	N/A	1.67	1.67	1.08	1.67	1.08
	60" (1529mm)	N/A	1.83	1.83	1.08	1.83	1.08

COM Yardage Requirements

UniGroup

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards)			66 Inch Roll (Linear Yards)		
		Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Straight Panel							
30" (762mm)	12" (305mm)	0.28	0.44	0.28	0.21	0.22	0.21
	18" (457mm)	0.42	0.61	0.42	0.28	0.31	0.28
	24" (610mm)	0.42	0.78	0.42	0.42	0.39	0.39
	30" (762mm)	0.83	0.94	0.83	0.42	0.47	0.42
	36" (914mm)	0.83	1.11	0.83	0.83	0.56	0.56
	42" (1067mm)	0.83	1.28	0.83	0.83	0.64	0.64
	48" (1219mm)	0.83	1.44	0.83	0.83	0.72	0.72
	54" (1371mm)	N/A	1.61	1.61	0.83	0.81	0.81
37" (940mm)	60" (1529mm)	N/A	1.78	1.78	0.83	0.89	0.83
	12" (305mm)	0.34	0.44	0.34	0.26	0.44	0.26
	18" (457mm)	0.51	0.61	0.51	0.34	0.61	0.34
	24" (610mm)	0.51	0.78	0.51	0.51	0.78	0.51
	30" (762mm)	1.03	0.94	0.94	0.51	0.94	0.51
	36" (914mm)	1.03	1.11	1.03	1.03	1.11	1.03
	42" (1067mm)	1.03	1.28	1.03	1.03	1.28	1.03
	48" (1219mm)	1.03	1.44	1.03	1.03	1.44	1.03
44" (1118mm)	54" (1371mm)	N/A	1.61	1.61	1.03	1.61	1.03
	60" (1529mm)	N/A	1.78	1.78	1.03	1.78	1.03
	12" (305mm)	0.41	0.44	0.41	0.31	0.44	0.31
	18" (457mm)	0.61	0.61	0.61	0.41	0.61	0.41
	24" (610mm)	0.61	0.78	0.61	0.61	0.78	0.61
	30" (762mm)	1.22	0.94	0.94	0.61	0.94	0.61
	36" (914mm)	1.22	1.11	1.11	1.22	1.11	1.11
	42" (1067mm)	1.22	1.28	1.22	1.22	1.28	1.22
50" (1270mm)	48" (1219mm)	1.22	1.44	1.22	1.22	1.44	1.22
	54" (1371mm)	N/A	1.61	1.61	1.22	1.61	1.22
	60" (1529mm)	N/A	1.78	1.78	1.22	1.78	1.22
	12" (305mm)	0.46	0.44	0.44	0.35	0.44	0.35
	18" (457mm)	0.69	0.61	0.61	0.46	0.61	0.46
	24" (610mm)	0.69	0.78	0.69	0.69	0.78	0.69
	30" (762mm)	1.39	0.94	0.94	0.69	0.94	0.69
	36" (914mm)	1.39	1.11	1.11	1.39	1.11	1.11
64" (1626mm)	42" (1067mm)	1.39	1.28	1.28	1.39	1.28	1.28
	48" (1219mm)	1.39	1.44	1.39	1.39	1.44	1.39
	54" (1371mm)	N/A	1.61	1.61	1.39	1.61	1.39
	60" (1529mm)	N/A	1.78	1.78	1.39	1.78	1.39
	12" (305mm)	0.59	N/A	0.59	0.44	0.44	0.44
	18" (457mm)	0.89	N/A	0.89	0.59	0.61	0.59
	24" (610mm)	0.89	N/A	0.89	0.89	0.78	0.78
	30" (762mm)	1.78	N/A	1.78	0.89	0.94	0.89
68" (1727mm)	36" (914mm)	1.78	N/A	1.78	1.78	1.11	1.11
	42" (1067mm)	1.78	N/A	1.78	1.78	1.28	1.28
	48" (1219mm)	1.78	N/A	1.78	1.78	1.44	1.44
	54" (1371mm)	N/A	N/A	N/A	1.78	1.61	1.61
	60" (1529mm)	N/A	N/A	N/A	1.78	1.78	1.78
	12" (305mm)	0.63	N/A	0.63	0.47	0.44	0.44
	18" (457mm)	0.94	N/A	0.94	0.63	0.61	0.61
	24" (610mm)	0.94	N/A	0.94	0.94	0.78	0.78
	30" (762mm)	1.89	N/A	1.89	0.94	0.94	0.94
	36" (914mm)	1.89	N/A	1.89	1.89	1.11	1.11
	42" (1067mm)	1.89	N/A	1.89	1.89	1.28	1.28
	48" (1219mm)	1.89	N/A	1.89	1.89	1.44	1.44
	54" (1371mm)	N/A	N/A	N/A	1.89	1.61	1.61
	60" (1529mm)	N/A	N/A	N/A	1.89	1.78	1.78

COM Yardage Requirements

UniGroup

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards)			66 Inch Roll (Linear Yards)		
		Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Straight Panel							
82" (2083mm)	12" (305mm)	0.76	N/A	0.76	0.57	N/A	0.57
	18" (457mm)	1.14	N/A	1.14	0.76	N/A	0.76
	24" (610mm)	1.14	N/A	1.14	1.14	N/A	1.14
	30" (762mm)	2.28	N/A	2.28	1.14	N/A	1.14
	36" (914mm)	2.28	N/A	2.28	2.28	N/A	2.28
	42" (1067mm)	2.28	N/A	2.28	2.28	N/A	2.28
	48" (1219mm)	2.28	N/A	2.28	2.28	N/A	2.28
	54" (1371mm)	N/A	N/A	N/A	2.28	N/A	2.28
	60" (1529mm)	N/A	N/A	N/A	2.28	N/A	2.28

Actual (Inches) Height - Side Rail	Width	54 Inch Roll (Linear Yards)			66 Inch Roll (Linear Yards)		
		Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Add-On Panel							
12" (305mm)	12" (305mm)	0.15	0.15	0.15	0.11	0.11	0.11
	18" (459mm)	0.22	0.20	0.20	0.15	0.15	0.15
	24" (610mm)	0.25	0.26	0.25	0.25	0.26	0.25
	30" (762mm)	0.50	0.32	0.32	0.25	0.32	0.25
	36" (914mm)	0.50	0.37	0.37	0.50	0.37	0.37
	42" (1067mm)	0.50	0.43	0.43	0.45	0.40	0.40
	48" (1219mm)	0.50	0.48	0.48	0.50	0.48	0.48
	54" (1372mm)	N/A	0.54	0.54	0.45	0.40	0.40
	60" (1529mm)	N/A	0.59	0.59	0.50	0.59	0.50
	14" (356mm)	12" (305mm)	0.17	0.15	0.15	0.13	0.15
18" (459mm)		0.25	0.20	0.20	0.17	0.20	0.17
24" (610mm)		0.25	0.26	0.25	0.25	0.26	0.25
30" (762mm)		0.50	0.31	0.31	0.25	0.31	0.25
36" (914mm)		0.50	0.37	0.37	0.50	0.37	0.37
42" (1067mm)		0.50	0.43	0.43	0.50	0.43	0.43
48" (1219mm)		0.50	0.48	0.48	0.50	0.48	0.49
54" (1372mm)		N/A	0.54	0.54	0.50	0.54	0.50
60" (1529mm)		N/A	0.59	0.59	0.50	0.59	0.50
18" (457mm)		12" (305mm)	0.20	0.22	0.20	0.15	0.15
	18" (457mm)	0.31	0.31	0.31	0.20	0.20	0.20
	24" (610mm)	0.31	0.39	0.31	0.31	0.26	0.26
	30" (762mm)	0.61	0.47	0.47	0.31	0.31	0.31
	36" (914mm)	0.61	0.56	0.56	0.61	0.37	0.37
	42" (1067mm)	0.61	0.64	0.61	0.61	0.43	0.43
	48" (1219mm)	0.61	0.72	0.61	0.61	0.48	0.48
	54" (1372mm)	N/A	0.81	0.81	0.61	0.54	0.54
	60" (1529mm)	N/A	0.89	0.89	0.61	0.59	0.59
	20" (508mm)	12" (305mm)	0.22	0.22	0.22	0.17	0.22
18" (457mm)		0.33	0.31	0.31	0.22	0.31	0.22
24" (610mm)		0.33	0.39	0.33	0.33	0.39	0.33
30" (762mm)		0.67	0.47	0.47	0.33	0.47	0.33
36" (914mm)		0.67	0.56	0.56	0.67	0.56	0.56
42" (1067mm)		0.67	0.64	0.64	0.67	0.64	0.64
48" (1219mm)		0.67	0.72	0.67	0.67	0.72	0.67
54" (1372mm)		N/A	0.81	0.81	0.67	0.81	0.67
60" (1529mm)		N/A	0.89	0.89	0.67	0.89	0.67

COM Yardage Requirements

UniGroup

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards)			66 Inch Roll (Linear Yards)		
		Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Add-On Panel (continued)							
24" (610mm)	12" (305mm)	0.26	0.22	0.22	0.19	0.22	0.19
	18" (457mm)	0.39	0.31	0.31	0.26	0.31	0.26
	24" (610mm)	0.39	0.39	0.39	0.39	0.39	0.39
	30" (762mm)	0.78	0.47	0.47	0.39	0.47	0.39
	36" (914mm)	0.78	0.56	0.56	0.78	0.56	0.56
	42" (1067mm)	0.78	0.64	0.64	0.78	0.64	0.64
	48" (1219mm)	0.78	0.72	0.72	0.78	0.72	0.72
	54" (1372mm)	N/A	0.81	0.81	0.78	0.81	0.78
	60" (1529mm)	N/A	0.89	0.89	0.78	0.89	0.78
Wainscot Panel							
*	12" (305mm)	0.20	0.36	0.20	0.16	0.18	0.16
	18" (457mm)	0.40	0.53	0.40	0.27	0.26	0.26
	24" (610mm)	0.40	0.69	0.40	0.40	0.35	0.35
	36" (914mm)	0.81	1.03	0.81	0.81	0.51	0.51
	48" (1219mm)	0.81	1.36	0.81	0.81	0.68	0.68
	60" (1529mm)	N/A	1.69	1.69	0.81	0.85	0.81

*Usage for 67"/68" and 81"/82" high panels

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards)			66 Inch Roll (Linear Yards)		
		Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Finish Posts							
30" (762mm)		0.10	0.10	0.10	0.08	0.10	0.08
37" (940mm)		0.13	0.19	0.13	0.10	0.10	0.10
44" (1118mm)		0.16	0.19	0.16	0.12	0.19	0.12
50" (1270mm)		0.18	0.19	0.18	0.14	0.19	0.14
56" (1422mm)		0.21	0.19	0.19	0.16	0.19	0.15
64" (1626mm)		0.24	N/A	0.24	0.19	0.19	0.19
68" (1727mm)		0.25	N/A	0.25	0.20	0.19	0.19
82" (2083mm)		0.31	N/A	0.31	0.24	N/A	0.24

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards)			66 Inch Roll (Linear Yards)		
		Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Flipper Doors							
16 3/4" (425mm)	24" (610mm)	0.61	0.42	0.42	0.31	0.28	0.28
	30" (762mm)	0.61	0.50	0.50	0.61	0.33	0.33
	36" (914mm)	0.61	0.58	0.58	0.61	0.39	0.39
	42" (1067mm)	0.61	0.67	0.61	0.61	0.44	0.44
	48" (1219mm)	0.61	0.75	0.61	0.61	0.50	0.50
	60" (1529mm)	N/A	0.92	0.92	0.61	0.61	0.61

COM Yardage Requirements

UniGroup

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards)			66 Inch Roll (Linear Yards)		
		Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Tackboard and Tack Strip							
5" (127mm)	24" (610mm)	0.31	0.21	0.21	0.31	0.14	0.14
	30" (762mm)	0.31	0.25	0.25	0.31	0.17	0.17
	36" (914mm)	0.31	0.29	0.29	0.31	0.19	0.19
	42" (1067mm)	0.31	0.33	0.31	0.31	0.22	0.22
	48" (1219mm)	0.31	0.38	0.31	0.31	0.25	0.25
	60" (1529mm)	N/A	0.46	0.46	0.31	0.31	0.31
11" (279mm)	24" (610mm)	0.47	0.42	0.42	0.47	0.28	0.28
	30" (762mm)	0.47	0.50	0.47	0.47	0.33	0.33
	36" (914mm)	0.47	0.58	0.47	0.47	0.39	0.39
	42" (1067mm)	0.47	0.67	0.47	0.47	0.44	0.44
	48" (1219mm)	0.47	0.75	0.47	0.47	0.50	0.47
	54" (1371mm)	N/A	0.83	0.83	0.47	0.56	0.47
16" (406mm)	60" (1529mm)	N/A	0.92	0.92	0.47	0.61	0.47
	24" (610mm)	0.61	0.42	0.42	0.61	0.28	0.28
	30" (762mm)	0.61	0.50	0.50	0.61	0.33	0.33
	36" (914mm)	0.61	0.58	0.58	0.61	0.39	0.39
	42" (1067mm)	0.61	0.67	0.61	0.61	0.44	0.44
	48" (1219mm)	0.61	0.75	0.61	0.61	0.50	0.50
33" (838mm)	54" (1371mm)	N/A	0.83	0.83	0.61	0.56	0.56
	60" (1529mm)	N/A	0.92	0.92	0.61	0.61	0.61
	24" (610mm)	1.08	0.83	0.83	1.08	0.83	0.83
	30" (762mm)	1.08	1.00	1.00	1.08	1.00	1.00
	36" (914mm)	1.08	1.17	1.08	1.08	1.17	1.08
	42" (1067mm)	1.08	1.33	1.08	1.08	1.33	1.08
	48" (1219mm)	1.08	1.50	1.08	1.08	1.50	1.08
	54" (1371mm)	N/A	1.67	1.67	1.08	1.67	1.08
	60" (1529mm)	N/A	1.83	1.83	1.08	1.83	1.08

COM Yardage Requirements

PLACES

Actual (Inches) Height		54"(1372m) Roll (Linear Yards)			66"(1676m) Roll (Linear Yards)		
		Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Width							
Straight Panels							
30"(762mm)	12"(305mm)	0.28	0.44	0.28	0.21	0.22	0.21
	18"(457mm)	0.42	0.61	0.42	0.28	0.31	0.28
	24"(610mm)	0.42	0.78	0.42	0.42	0.39	0.39
	30"(762mm)	0.83	0.94	0.83	0.42	0.47	0.42
	36"(914mm)	0.83	1.11	0.83	0.83	0.56	0.56
	42"(1067mm)	0.83	1.28	0.83	0.83	0.64	0.64
	48"(1219mm)	0.83	1.44	0.83	0.83	0.72	0.72
	54"(1372mm)	N/A	1.61	1.61	0.83	0.81	0.81
	60"(1524mm)	N/A	1.78	1.78	0.83	0.89	0.83
	37"(940mm)	12"(305mm)	0.34	0.44	0.34	0.26	0.44
18"(457mm)		0.51	0.61	0.51	0.34	0.61	0.34
24"(610mm)		0.51	0.78	0.51	0.51	0.78	0.51
30"(762mm)		1.03	0.94	0.94	0.51	0.94	0.51
36"(914mm)		1.03	1.11	1.03	1.03	1.11	1.03
42"(1067mm)		1.03	1.28	1.03	1.03	1.28	1.03
48"(1219mm)		1.03	1.44	1.03	1.03	1.44	1.03
54"(1372mm)		N/A	1.61	1.61	1.03	1.61	1.03
60"(1524mm)		N/A	1.78	1.78	1.03	1.78	1.03
44"(1118mm)		12"(305mm)	0.41	0.44	0.41	0.31	0.44
	18"(457mm)	0.61	0.61	0.61	0.41	0.61	0.41
	24"(610mm)	0.61	0.78	0.61	0.61	0.78	0.61
	30"(762mm)	1.22	0.94	0.94	0.61	0.94	0.61
	36"(914mm)	1.22	1.11	1.11	1.22	1.11	1.11
	42"(1067mm)	1.22	1.28	1.22	1.22	1.28	1.22
	48"(1219mm)	1.22	1.44	1.22	1.22	1.44	1.22
	54"(1372mm)	N/A	1.61	1.61	1.22	1.61	1.22
	60"(1524mm)	N/A	1.78	1.78	1.22	1.78	1.22
	50"(1270mm)	12"(305mm)	0.46	0.44	0.44	0.35	0.44
18"(457mm)		0.69	0.61	0.61	0.46	0.61	0.46
24"(610mm)		0.69	0.78	0.69	0.69	0.78	0.69
30"(762mm)		1.39	0.94	0.94	0.69	0.94	0.69
36"(914mm)		1.39	1.11	1.11	1.39	1.11	1.11
42"(1067mm)		1.39	1.28	1.28	1.39	1.28	1.28
48"(1219mm)		1.39	1.44	1.39	1.39	1.44	1.39
54"(1372mm)		N/A	1.61	1.61	1.39	1.61	1.39
60"(1524mm)		N/A	1.78	1.78	1.39	1.78	1.39
56"(1422mm)		12"(305mm)	0.52	0.44	0.44	0.39	0.44
	18"(457mm)	0.78	0.61	0.61	0.52	0.61	0.52
	24"(610mm)	0.78	0.78	0.78	0.78	0.78	0.78
	30"(762mm)	1.56	0.94	0.94	0.78	0.94	0.78
	36"(914mm)	1.56	1.11	1.11	1.56	1.11	1.11
	42"(1067mm)	1.56	1.28	1.28	1.56	1.28	1.28
	48"(1219mm)	1.56	1.44	1.44	1.56	1.44	1.44
	54"(1372mm)	N/A	1.61	1.61	1.56	1.61	1.56
	60"(1524mm)	N/A	1.78	1.78	1.56	1.78	1.56
	64"(1626mm)	12"(305mm)	0.59	N/A	0.59	0.44	0.44
18"(457mm)		0.89	N/A	0.89	0.59	0.61	0.59
24"(610mm)		0.89	N/A	0.89	0.89	0.78	0.78
30"(762mm)		1.78	N/A	1.78	0.89	0.94	0.89
36"(914mm)		1.78	N/A	1.78	1.78	1.11	1.11
42"(1067mm)		1.78	N/A	1.78	1.78	1.28	1.28
48"(1219mm)		1.78	N/A	1.78	1.78	1.44	1.44
54"(1372mm)		N/A	N/A	N/A	1.78	1.61	1.61
60"(1524mm)		N/A	N/A	N/A	1.78	1.78	1.78

COM Yardage Requirements

PLACES

Actual (Inches)		54"(1372mm) Roll (Linear Yards)			66"(1676mm) Roll (Linear Yards)		
Height	Width	Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Straight Panels (Continued)							
68"(1727mm)	12"(305mm)	0.63	N/A	0.63	0.47	0.44	0.44
	18"(457mm)	0.94	N/A	0.94	0.63	0.61	0.61
	24"(610mm)	0.94	N/A	0.94	0.94	0.78	0.78
	30"(762mm)	1.89	N/A	1.89	0.94	0.94	0.94
	36"(914mm)	1.89	N/A	1.89	1.89	1.11	1.11
	42"(1067mm)	1.89	N/A	1.89	1.89	1.28	1.28
	48"(1219mm)	1.89	N/A	1.89	1.89	1.44	1.44
	54"(1372mm)	N/A	N/A	N/A	1.89	1.61	1.61
	60"(1524mm)	N/A	N/A	N/A	1.89	1.78	1.78
82"(2083mm)	12"(305mm)	0.76	N/A	0.79	0.57	N/A	0.57
	18"(457mm)	1.14	N/A	1.14	0.76	N/A	0.76
	24"(610mm)	1.14	N/A	1.14	1.14	N/A	1.14
	30"(762mm)	2.28	N/A	2.28	1.14	N/A	1.14
	36"(914mm)	2.28	N/A	2.28	2.28	N/A	2.28
	42"(1067mm)	2.28	N/A	2.28	2.28	N/A	2.28
	48"(1219mm)	2.28	N/A	2.28	2.28	N/A	2.28
	54"(1372mm)	N/A	N/A	N/A	2.28	N/A	2.28
	60"(1524mm)	N/A	N/A	N/A	2.28	N/A	2.28

Actual (Inches) Height	Width	54"(1372mm) Roll (Linear Yards)			66"(1676mm) Roll (Linear Yards)		
		Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Wainscot Panels							
*	12"(305mm)	0.20	0.36	0.20	0.16	0.18	0.16
	18"(457mm)	0.40	0.53	0.40	0.27	0.26	0.26
	24"(610mm)	0.40	0.69	0.40	0.40	0.35	0.35
	30"(762mm)	0.81	0.86	0.81	0.40	0.43	0.40
	36"(914mm)	0.81	1.03	0.81	0.81	0.51	0.51
	42"(1067mm)	0.81	1.19	0.81	0.81	0.60	0.60
	48"(1219mm)	0.81	1.36	0.81	0.81	0.68	0.68
	54"(1372mm)	0.81	1.53	0.81	0.81	0.76	0.76
	60"(1524mm)	N/A	1.69	1.69	0.81	0.85	0.81

*Usage for 68" and 82" wainscot panel with muntins and 30"-high wainscot kit.

COM Yardage Requirements

PLACES

Actual (Inches) Height		54"(1372mm) Roll (Linear Yards)			66"(1676mm) Roll (Linear Yards)		
		Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Add-on Panels							
12"(305mm)	12"(305mm)	0.15	0.15	0.15	0.11	0.11	0.11
	18"(457mm)	0.22	0.21	0.21	0.15	0.15	0.15
	24"(610mm)	0.22	0.26	0.22	0.22	0.20	0.20
	30"(762mm)	0.45	0.32	0.32	0.22	0.24	0.22
	36"(914mm)	0.45	0.37	0.37	0.45	0.28	0.28
	42"(1067mm)	0.45	0.43	0.43	0.45	0.32	0.32
	48"(1219mm)	0.45	0.48	0.45	0.45	0.36	0.36
	54"(1372mm)	N/A	0.54	0.54	0.45	0.40	0.40
	60"(1524mm)	N/A	0.59	0.59	0.45	0.45	0.45
14"(356mm)	12"(305mm)	0.17	0.15	0.15	0.13	0.15	0.13
	18"(457mm)	0.25	0.21	0.21	0.17	0.21	0.17
	24"(610mm)	0.25	0.26	0.25	0.25	0.26	0.25
	30"(762mm)	0.50	0.32	0.32	0.25	0.32	0.25
	36"(914mm)	0.50	0.37	0.37	0.50	0.37	0.37
	42"(1067mm)	0.50	0.43	0.43	0.50	0.43	0.43
	48"(1219mm)	0.50	0.48	0.48	0.50	0.48	0.48
	54"(1372mm)	N/A	0.54	0.54	0.50	0.54	0.50
	60"(1524mm)	N/A	0.59	0.59	0.50	0.59	0.50
18"(457mm)	12"(305mm)	0.21	0.22	0.21	0.15	0.15	0.15
	18"(457mm)	0.31	0.31	0.31	0.21	0.21	0.21
	24"(610mm)	0.31	0.39	0.31	0.31	0.26	0.26
	30"(762mm)	0.61	0.47	0.47	0.31	0.32	0.31
	36"(914mm)	0.61	0.56	0.56	0.62	0.37	0.37
	42"(1067mm)	0.61	0.64	0.61	0.61	0.43	0.43
	48"(1219mm)	0.61	0.72	0.61	0.61	0.48	0.48
	54"(1372mm)	N/A	0.81	0.81	0.61	0.54	0.54
	60"(1524mm)	N/A	0.89	0.89	0.61	0.59	0.59
20"(508mm)	12"(305mm)	0.22	0.22	0.22	0.17	0.22	0.17
	18"(457mm)	0.34	0.31	0.31	0.22	0.31	0.22
	24"(610mm)	0.34	0.39	0.34	0.34	0.39	0.34
	30"(762mm)	0.67	0.47	0.47	0.34	0.47	0.34
	36"(914mm)	0.67	0.56	0.56	0.67	0.56	0.56
	42"(1067mm)	0.67	0.64	0.64	0.67	0.64	0.64
	48"(1219mm)	0.67	0.72	0.67	0.67	0.72	0.67
	54"(1372mm)	N/A	0.81	0.81	0.67	0.81	0.67
	60"(1524mm)	N/A	0.89	0.89	0.67	0.89	0.67
24"(610mm)	12"(305mm)	0.26	0.22	0.22	0.20	0.22	0.20
	18"(457mm)	0.39	0.31	0.31	0.26	0.31	0.26
	24"(610mm)	0.39	0.39	0.39	0.39	0.39	0.39
	30"(762mm)	0.78	0.47	0.47	0.39	0.47	0.39
	36"(914mm)	0.78	0.56	0.56	0.78	0.56	0.56
	42"(1067mm)	0.78	0.64	0.64	0.78	0.64	0.64
	48"(1219mm)	0.78	0.72	0.72	0.78	0.72	0.72
	54"(1372mm)	N/A	0.81	0.81	0.78	0.81	0.78
	60"(1524mm)	N/A	0.89	0.89	0.78	0.89	0.78

COM Yardage Requirements

PLACES

Actual (Inches)		54"(1372mm) Roll (Linear Yards)			66"(1676mm) Roll (Linear Yards)		
Height	Width	Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Tackboards and Tackstrips							
5"(127mm)	24"(610mm)	0.31	0.21	0.21	0.31	0.14	0.14
	30"(762mm)	0.31	0.25	0.25	0.31	0.17	0.17
	36"(914mm)	0.31	0.29	0.29	0.31	0.19	0.19
	42"(1067mm)	0.31	0.33	0.31	0.31	0.22	0.22
	48"(1219mm)	0.31	0.38	0.31	0.31	0.25	0.25
	60"(1524mm)	N/A	0.46	0.46	0.31	0.31	0.31
11"(279mm)	24"(610mm)	0.47	0.42	0.42	0.47	0.28	0.28
	30"(762mm)	0.47	0.50	0.47	0.47	0.33	0.33
	36"(914mm)	0.47	0.58	0.47	0.47	0.39	0.39
	42"(1067mm)	0.47	0.67	0.47	0.47	0.44	0.44
	48"(1219mm)	0.47	0.75	0.47	0.47	0.50	0.47
	54"(1372mm)	N/A	0.83	0.83	0.47	0.56	0.47
	60"(1524mm)	N/A	0.92	0.92	0.47	0.61	0.47
16"(406mm)	24"(610mm)	0.61	0.42	0.42	0.61	0.28	0.28
	30"(762mm)	0.61	0.50	0.50	0.61	0.33	0.33
	36"(914mm)	0.61	0.58	0.58	0.61	0.39	0.39
	42"(1067mm)	0.61	0.67	0.61	0.61	0.44	0.44
	48"(1219mm)	0.61	0.75	0.61	0.61	0.50	0.50
	54"(1372mm)	N/A	0.83	0.83	0.61	0.56	0.56
	60"(1524mm)	N/A	0.92	0.92	0.61	0.61	0.61
33"(838mm)	24"(610mm)	1.08	0.83	0.83	1.08	0.83	0.83
	30"(762mm)	1.08	1.00	1.00	1.08	1.00	1.00
	36"(914mm)	1.08	1.17	1.08	1.08	1.17	1.08
	42"(1067mm)	1.08	1.33	1.08	1.08	1.33	1.08
	48"(1219mm)	1.08	1.50	1.08	1.08	1.50	1.08
	54"(1372mm)	N/A	1.67	1.67	1.08	1.67	1.08
	60"(1524mm)	N/A	1.83	1.83	1.08	1.83	1.08

COM Yardage Requirements

PLACES

Actual (Inches) Height		54"(1372mm) Roll (Linear Yards)			66"(1676mm) Roll (Linear Yards)		
		Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Flipper Doors							
15.6"(397mm)	24"(610mm)	0.61	0.42	0.42	0.31	0.28	0.28
	30"(762mm)	0.61	0.50	0.50	0.61	0.33	0.33
	36"(914mm)	0.61	0.58	0.58	0.61	0.39	0.39
	42"(1067mm)	0.61	0.67	0.61	0.61	0.44	0.44
	48"(1219mm)	0.61	0.75	0.61	0.61	0.50	0.50
	54"(1372mm)	N/A	0.83	0.83	0.61	0.56	0.56
	60"(1524mm)	N/A	0.92	0.92	0.61	0.61	0.61
16.75"(425mm)	24"(610mm)	0.61	0.42	0.42	0.31	0.28	0.28
	30"(762mm)	0.61	0.50	0.50	0.61	0.33	0.33
	36"(914mm)	0.61	0.58	0.58	0.61	0.39	0.39
	42"(1067mm)	0.61	0.67	0.61	0.61	0.44	0.44
	48"(1219mm)	0.61	0.75	0.61	0.61	0.50	0.50
	54"(1372mm)	N/A	0.83	0.83	0.61	0.56	0.56
	60"(1524mm)	N/A	0.92	0.92	0.61	0.61	0.61
Finish Posts — 90°, 120°, 135°, 180° and End of Run							
30"(762mm)		0.10	0.10	0.10	0.08	0.10	0.08
37"(940mm)		0.13	0.19	0.13	0.10	0.10	0.10
44"(1118mm)		0.16	0.19	0.16	0.12	0.19	0.12
50"(1270mm)		0.18	0.19	0.18	0.14	0.19	0.14
56"(1422mm)		0.21	0.19	0.19	0.16	0.19	0.16
64"(1626mm)		0.24	N/A	0.24	0.19	0.19	0.19
68"(1727mm)		0.25	N/A	0.25	0.20	0.19	0.19
82"(2083mm)		0.31	N/A	0.31	0.24	N/A	0.24
Variable Height End of Run Posts							
4"(102mm)		0.02	0.02	0.02	0.01	0.01	0.01
6"(152mm)		0.03	0.02	0.02	0.02	0.02	0.02
7"(178mm)		0.03	0.03	0.03	0.02	0.02	0.02
8"(203mm)		0.03	0.03	0.03	0.03	0.03	0.03
12"(305mm)		0.05	0.05	0.05	0.04	0.04	0.04
13"(330mm)		0.05	0.06	0.05	0.04	0.05	0.04
14"(356mm)		0.06	0.06	0.06	0.05	0.05	0.05
18"(457mm)		0.07	0.10	0.07	0.06	0.06	0.06
19"(483mm)		0.08	0.10	0.08	0.06	0.06	0.06
20"(508mm)		0.08	0.10	0.08	0.06	0.06	0.06
24"(610mm)		0.10	0.10	0.10	0.08	0.10	0.08
26"(660mm)		0.11	0.10	0.10	0.08	0.10	0.08
27"(686mm)		0.11	0.19	0.11	0.09	0.10	0.09
31"(787mm)		0.13	0.19	0.13	0.10	0.10	0.10
32"(813mm)		0.13	0.19	0.13	0.10	0.10	0.10
34"(864mm)		0.14	0.19	0.14	0.11	0.19	0.11
38"(965mm)		0.15	0.19	0.15	0.12	0.19	0.12
45"(1143mm)		0.18	0.19	0.18	0.14	0.19	0.14
52"(1321mm)		0.21	0.19	0.19	0.16	0.19	0.16

COM Yardage Requirements

PLACES

Actual (Inches) Height		Width	54"(1372mm) Roll (Linear Yards)			66"(1676m) Roll (Linear Yards)		
			Directional Rightway	Directional Railroad	Non- directional	Directional Rightway	Directional Railroad	Non- directional
Cable Management Posts — Variable Height								
4"(102mm)			0.02	0.02	0.02	0.01	0.01	0.01
6"(152mm)			0.03	0.02	0.03	0.02	0.02	0.02
7"(178mm)			0.04	0.03	0.04	0.02	0.02	0.02
8"(203mm)			0.04	0.03	0.04	0.03	0.03	0.03
12"(305mm)			0.06	0.05	0.06	0.04	0.04	0.04
13"(330mm)			0.06	0.06	0.06	0.04	0.05	0.04
14"(356mm)			0.07	0.06	0.07	0.05	0.05	0.05
18"(457mm)			0.09	0.10	0.09	0.06	0.06	0.06
19"(483mm)			0.09	0.10	0.09	0.06	0.06	0.06
20"(508mm)			0.10	0.10	0.10	0.06	0.06	0.06
24"(610mm)			0.11	0.10	0.11	0.08	0.10	0.08
26"(660mm)			0.12	0.10	0.12	0.08	0.10	0.08
27"(686mm)			0.13	0.19	0.13	0.09	0.10	0.09
31"(787mm)			0.15	0.19	0.15	0.10	0.10	0.10
32"(813mm)			0.15	0.19	0.15	0.10	0.10	0.10
34"(864mm)			0.16	0.19	0.16	0.11	0.19	0.11
38"(965mm)			0.18	0.19	0.18	0.12	0.19	0.12
45"(1143mm)			0.21	0.19	0.19	0.14	0.19	0.14
52"(1321mm)			0.24	0.19	0.19	0.16	0.19	0.16

Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
2371-6401	Panel Accessories – Panel Bridge	120
7031-0501	Panel Accessories – Friction Pad	74
7031-0501	Panel Accessories – Friction Pad	100
7031-0501	Panel Accessories – Friction Pad	123
7031-7001	Markerboard Accessories	229
7031-7002	Markerboard Accessories	229
7062-8001	Markerboard Accessories	229
BFM-1-B	Electrical Components – Base Feed Module – Hardwire Connection	133
BFM-1-C	Electrical Components — Hardwire – Base Feed Kit	155
BFM-2-A	Electrical Components – Single Circuit Base Feed Module – Receptacle Connection with Power Cord	134
BFM-2-B	Electrical Components – Single Circuit Base Feed Module – Receptacle Connection with Power Cord	133
BFM-6-B	Electrical Components – Base Feed Module — Concealed Hardwire Connection	135
BPM-1-C	Electrical Components — Hardwire – Blank Cover Plate	155
CH-8	Panel Accessories – All-Purpose Hook	100
CMPF-1-BR	Electrical and Cable Management Accessories – Cable Management Pole — One Channel – UniGroup Too and UniGroup Only	148
CMPT-1-B	Electrical and Cable Management Accessories – Cable Management Pole — Two Channels – UniGroup Too and UniGroup Only	148
E2AG	Glazed Add-On Panel – Glazed	63
E2AL-1	Panel Accessories – UniGroup Too Top Cap Aligner	71
E2AM	Fabric Add-On Panel – Fabric	62
E2BN-B	Monolithic Panel Core without Insert(s) — No Power – Panel Core	52
E2BP-B	Monolithic Panel Core without Insert(s) — Powered – Panel Core	54
E2CA-120	Panel Accessories – 120° Square Painted Top Cap for 2-Way or 3-Way	70
E2CC-90	Panel Accessories – 90° Square Painted Top Cap for 2-Way, 3-Way, 4-Way	70
E2CH-8	Panel Accessories – All-Purpose Hook	74
E2DS	Swing Door – Single Door — Laminate	65
E2EC-1	Panel Accessories – UniGroup Too Top Cap End Plug	71
E2FM	Electrical Components – Top Feed Module — UniGroup Too Only	138
E2FM-NT	Electrical Components — Hardwire / International – Top Feed Module – Hardwire / International – UniGroup Too Only	156
E2FM-X	Electrical Components – Top Feed Module — UniGroup Too Only	138
E2FN-B	Fabric Monolithic Panel — No Power – Fabric	29
E2FP-B	Fabric Monolithic Panel — Powered – Fabric	33
E2GN-B	Glazed Monolithic Panel — No Power – Glazed	56
E2GP-B	Glazed Monolithic Panel — Powered – Glazed	58
E2JF	Base Insert – Base Insert — Fabric	60
E2LN-B	Monolithic Panel with Full-Height Inserts — No Power – Fabric Inserts	37
E2LP-B	Monolithic Panel with Full-Height Inserts — Powered – Fabric Inserts	41
E2MN-B	Basic Monolithic Panel — No Power – Fabric	21
E2MP-B	Basic Monolithic Panel — Powered – Fabric	25
E2PA	Panel Accessories – 120° Full-Height Finish Post — Square Painted Top Cap	67
E2PA-V	Panel Accessories – 120° Variable-Height Finish Post — Square Painted Top Cap	67
E2PC	Panel Accessories – 90° Full-Height Finish Post — Square Painted Top Cap	66
E2PC-120-B	Panel Accessories – 120° Power Connector Cover	67
E2PC-90-B	Panel Accessories – 90° Power Connector Cover — Square Profile	66
E2PC-V	Panel Accessories – 90° Variable-Height Finish Post — Square Painted Top Cap	66
E2PS	Panel Accessories – 180° Full-Height Finish Post — Square Painted Top Cap	68
E2PS-N	Panel Accessories – 180° Vertical Cover only, (no top cap or base raceway cover)	69
E2PS-V	Panel Accessories – 180° Variable-Height Finish Post — Square Painted Top Cap	68
E2SN-B	Monolithic Panel with Segmented Inserts — No Power – Fabric Inserts	45
E2SP-B	Monolithic Panel with Segmented Inserts — Powered – Fabric Inserts	49
E2TF	Upper Inserts – Upper Insert — Fabric or Markerboard	61
E2TK	Panel Accessories – T-Mount Kits	74

Product Code	Product Description	Page
E2TM	Upper Inserts – Upper Insert — Fabric or Markerboard	.61
E2TS-P	Panel Accessories – Retrofit Kits – Square Painted Top Caps	.128
E2TS-T	Panel Accessories – Retrofit Kits – Square Painted Top Caps	.124
E2TS-U	Panel Accessories – Retrofit Kits – Square Painted Top Caps	.124
E2UR-A	Panel Accessories – Retrofit Kits – Trim Strip for UniGroup Fabric and Glazed Add-On Panels	.124
EAF	Fabric Add-On Panel – Fabric	.92
EAG	Glazed Add-On Panel – Glazed	.94
EBEJ-0072-3WF	Electrical Components – Raised Floor Base Feed Module	.135
EC-10-B	Electrical and Cable Management Accessories – Base Raceway End Cap	.147
EC-10-B	Panel Accessories – Base Raceway End Cap	.71
EDS-BHL	Swing Doors with Steel Top Cap – Single Door — Laminate	.96
EFN-B	Monolithic Panel with Steel Top Cap — No Power – Fabric	.76
EFP-B	Monolithic Panel with Steel Top Cap — Powered – Fabric	.78
EGN-B	Glazed Monolithic Panel with Steel Top Cap — No Power – Glazed	.88
EGP-B	Glazed Monolithic Panel with Steel Top Cap — Powered – Glazed	.90
EMN-B	Basic Monolithic Panel with Steel Top Cap — No Power – Fabric	.80
EMP-B	Basic Monolithic Panel with Steel Top Cap — Powered – Fabric	.82
EON-B	Open Frame Panel with Steel Top Cap — No Power – Open-Frame	.84
EOP-B	Open Frame Panel with Steel Top Cap — Powered – Open-Frame	.86
ETCR	Electrical and Cable Management Accessories – Expanded Top Cap Raceway – UniGroup Only	.153
EVEJ-3WF	Electrical Components – Internal Power Base AI Feed	.136
FBEW	Electrical Components – Wall Feed Field Wired 1 Port	.136
FC-1	Electrical and Cable Management Accessories – Expanded Top Finish Cap – UniGroup Only	.153
FC-2	Electrical and Cable Management Accessories – Expanded Top Finish Cap – UniGroup Only	.153
FC-3	Electrical and Cable Management Accessories – Expanded Top Finish Cap – UniGroup Only	.153
FC-4	Electrical and Cable Management Accessories – Expanded Top Finish Cap – UniGroup Only	.153
FC-90	Electrical and Cable Management Accessories – Expanded Top Finish Cap – UniGroup Only	.153
FPC-2	Panel Accessories – Steel Top Cap for 3-Way and 4-Way	.97
FPPC-B	Panel Accessories – 90° Finish Post — for Steel Top Cap — Painted Surface	.97
FPPS-B	Panel Accessories – 180° Finish Post — for Steel Top Cap — Painted Surface	.97
H2PC	Panel Accessories – Retrofit Kits – 90° Full-Height Finish Post — Square Painted Top Cap	.128
H2PC-V	Panel Accessories – Retrofit Kits – 90° Variable-Height Finish Post — Square Painted Top Cap	.128
H2PS	Panel Accessories – Retrofit Kits – 180° Full-Height Finish Post — Square Painted Top Cap	.129
H2PS-V	Panel Accessories – Retrofit Kits – 180° Variable-Height Finish Post — Square Painted Top Cap	.129
HAB	Panel Accessories – Seismic Anchoring Bracket	.74
HAB	Panel Accessories – Seismic Anchoring Bracket	.100
HAB	Panel Accessories – Seismic Anchoring Bracket	.123
HAF	Fabric Add-On Panel – Fabric	.114
HAG	Glazed Add-On Panel – Glazed	.116
HCCP-V4	Electrical and Cable Management Accessories – Cable Management Post – Variable Height – Three-Way 90° – PLACES Only	.152
HCH-0008	Panel Accessories – All-Purpose Hook	.123
HCPA	Electrical and Cable Management Accessories – Cable Management Pole – Panel Height – PLACES Only	.149
HCPA	Electrical and Cable Management Accessories – Cable Management Pole – for 10'(3048mm)-High Ceiling – PLACES Only	.149
HCPA	Electrical and Cable Management Accessories – Cable Management Pole – for 12'(3658mm)-High Ceiling – PLACES Only	.150
HCPE	Electrical and Cable Management Accessories – Cable Management Pole – for 10'(3048mm)-High Ceiling – PLACES Only	.149
HCPE	Electrical and Cable Management Accessories – Cable Management Pole – for 12'(3658mm)-High Ceiling – PLACES Only	.150
HCPS	Electrical and Cable Management Accessories – Cable Management Pole – Panel Height – PLACES Only	.149
HCPS	Electrical and Cable Management Accessories – Cable Management Pole – for 10'(3048mm)-High Ceiling – PLACES Only	.149
HCPS	Electrical and Cable Management Accessories – Cable Management Pole – for 12'(3658mm)-High Ceiling – PLACES Only	.150
HCT-0000	Electrical Components — Hardwire / International – Plastic Liner	.157
HCT-0000	PLACES — Electrical Components – Plastic Liner — PLACES Only	.140
HDPG	Panel Accessories – 90° Finish Post — for Steel Top Cap — Painted Surface	.119
HDPG	Panel Accessories – 180° Finish Post — for Steel Top Cap — Painted Surface	.119

Index

Product Code	Product Description	Page
HDS-L	Swing Doors with Steel Top Cap – Single Door — Laminate	118
HE	Panel Accessories – Hinges	73
HE	Panel Accessories – Hinges	98
HFN	Monolithic Fabric Panel with Steel Top Cap — No Power – Fabric	102
HFP	Monolithic Fabric Panel with Steel Top Cap — Powered – Fabric	104
HGN	Glazed Monolithic Panels with Steel Top Cap — No Power – Glazed	110
HGP	Glazed Monolithic Panels with Steel Top Cap — Powered – Glazed	112
HGRY	Markerboards/Wall Accessory Slat Pad – Wall Accessory Slat Pad	228
HHE	Panel Accessories – Hinges	121
HMN	Basic Monolithic Fabric Panel with Steel Top Cap — No Power – Fabric	106
HMP	Basic Monolithic Fabric Panel with Steel Top Cap — Powered – Fabric	108
HMSC	Mini Shelves with Loop Bracket – Corner Mini-Shelf, with Loop Bracket	210
HMSS	Mini Shelves with Loop Bracket – Straight Mini-Shelf, with Loop Bracket	210
HNAM	Markerboards/Wall Accessory Slat Pad – Markerboard — Non-Magnetic Surface	228
HRE	Panel Accessories – Side Trim Rail With Notch	120
HREH	Panel Accessories – Full Height Side Trim Rail – for use with Add-On Panels	121
HSCP-V1	Electrical and Cable Management Accessories – Cable Management Post – Variable Height – PLACES Only	151
HSCP-V2	Electrical and Cable Management Accessories – Cable Management Post – Variable Height – Two-Way 90° – PLACES Only	151
HSCP-V3	Electrical and Cable Management Accessories – Cable Management Post – Variable Height — In-Line – PLACES Only	151
HTB	Tack Strips/Tackboards – Tack Strip	227
HTB	Tack Strips/Tackboards – Tackboard	227
HTF-0004	Panel Accessories – Steel Top Cap for 3-Way and 4-Way	120
HTFM	Electrical Components — Hardwire / International – Top Feed Module – Hardwire / International – PLACES Only	157
HTFM	PLACES — Electrical Components – Top Feed Module — PLACES Only	140
HTFM-X	PLACES — Electrical Components – Top Feed Module — PLACES Only	140
KUAF	Wall Mount Components – Tackboard, Wall Mount	226
KUAM	Wall Mount Components – Markerboard, Wall Mount	226
KUP1-0000-CSN	Belong Work Tools Mounting Rails – Tool Rail — Single Post — C-Clamp or Thru-mount	231
KUPY	Wall Mount Components – Slat, Wall Mount	226
KUR1-1224-CSN	Belong Work Tools Mounting Rails – Tool Rail — Worksurface Mount C-Clamp or Thru-Mount	230
(Left-hand swing)	Swing Doors with Steel Top Cap – Single Door — Laminate	96
LUTA	Lighting — Haworth – Adaptable LED Task Light - Add-On Kit	235
LUTD-0017-1NULDN	Lighting — Task – Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	233
LUTN	Lighting — Haworth – Adaptable LED Task Light - Stand-Alone	234
LUTS-0000	Lighting — Task – Reed Premier™ Add-On Occupancy Sensor	233
LUTS-0017-12ULD6	Lighting — Task – Reed Premier™ Starter LED Task Light	232
LUTS-0017-19ULD5	Lighting — Task – Reed Premier™ Stand-Alone LED Task Light	232
LUTT	Lighting — Haworth – Adaptable LED Task Light - Starter Kit	234
MAC-0001	Worksurface Accessories – Make-A-Corner	208
MEAM	Markerboards/Wall Accessory Slat Pad – Markerboard — Non-Magnetic Surface	228
NADR-8	Shelf Accessories – Adaptable Shelf Dividers	224
NEP-1	Electrical and Cable Management Accessories – Power Breaker Marker	152
NUB-1	Adaptable Upper Storage – Overhead Storage Unit / Shelf Gang Clip	211
PCC-180-B	Panel Accessories – 180° Power Connector Cover — Radius Profile	97
PCC-180-B	Panel Accessories – 180° Power Connector Cover	120
PCC-90-B	Panel Accessories – 90° Power Connector Cover — Radius Profile	119
PCC-90-B	Panel Accessories – 90° Power Connector Cover	97
PCF-3-B	Electrical Components – Flexible Power Connector — Panel-to-Panel	141
PCOF-1-B	Electrical Components – Connector Assembly – 12” Pass-Through	142
PCSS-3-B	Electrical Components – Flexible Power Connector — Straight Span	142
PPC-180-B	Panel Accessories – 180° Power Connector Cover	69
PRCN-B	Electrical Components – Ported Raceway Covers	146
PRCP	Electrical Components — Hardwire – Raceway Covers	155

Product Code	Product Description	Page
PRCP-B	Electrical Components – Ported Raceway Covers	146
PRD-2000-M13	Electrical Components – Duplex Receptacle – 20 Amp	145
PRD-3-B	Electrical Components – Duplex Receptacle – 15 Amp	143
PRDI-5-B	Electrical Components – Duplex Receptacle – 15 Amp	143
RKN-B	Electrical Components – Raceway Retrofit Kit	144
RKP-00-C	Electrical Components — Hardwire – Dual Power Access Raceway Kit — 4”-High Base Raceway	155
RKP-3-LB	Electrical Components – Raceway Cover – 20 Amp	145
RKP-3-LS	Electrical Components – Raceway Cover – 20 Amp	145
RKP-B	Electrical Components – Raceway Retrofit Kit	144
SPCL-1613	Clerestory Kits – 2-Way Connector Kit	132
SPCL-1614	Clerestory Kits – 3-Way Connector Kit	132
SPCL-1615	Clerestory Kits – 4-Way Connector Kit	132
SPCL-1616	Clerestory Kits – Straight Track Kit	132
SPCL-1622	Clerestory Kits – End Kit	132
SRE	Panel Accessories – Side Trim Rail	72
SRE	Panel Accessories – Side Trim Rail	98
SREH	Panel Accessories – Full Height Side Trim Rail	72
SREH	Panel Accessories – Full-Height Side Trim Rails — for use with Add-On Panels	98
TFM-B	Electrical Components – Top Feed Module — UniGroup Only	139
TFM-NT	Electrical Components — Hardwire / International – Top Feed Module – Hardwire / International – UniGroup Only	156
TFM-X	Electrical Components – Top Feed Module — UniGroup Only	139
TMKT-B	Panel Accessories – T-Mount Kit — Center and End Conditions	99
U2PA	Panel Accessories – Retrofit Kits – 120° Full-Height Finish Post — Square Painted Top Cap	126
U2PA-V	Panel Accessories – Retrofit Kits – 120° Variable-Height Finish Post — Square Painted Top Cap	126
U2PC	Panel Accessories – Retrofit Kits – 90° Full-Height Finish Post — Square Painted Top Cap	125
U2PC-V	Panel Accessories – Retrofit Kits – 90° Variable-Height Finish Post — Square Painted Top Cap	125
U2PS	Panel Accessories – Retrofit Kits – 180° Full-Height Finish Post — Square Painted Top Cap	127
U2PS-V	Panel Accessories – Retrofit Kits – 180° Variable-Height Finish Post — Square Painted Top Cap	127
UEFF-QM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Translucent Door	213
UEFS-LM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Laminate Door	215
UEFS-PM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Painted Door	212
UEFS-WM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Wood Door	214
UEGF-QM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Translucent Door	217
UEGS-LM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Laminate Door	219
UEGS-PM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Painted Door	216
UEGS-WM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Wood Door	218
UEHF-QM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Translucent Door	213
UEHS-LM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Laminate Door	215
UEHS-PM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Painted Door	212
UEHS-WM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Wood Door	214
UEJF-QM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Translucent Door	217
UEJS-LM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Laminate Door	219
UEJS-PM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Painted Door	216
UEJS-WM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Wood Door	218
UEKF-QM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Translucent Door	213
UEKS-LM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Laminate Door	215
UEKS-PM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Painted Door	212
UEKS-WM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Wood Door	214
UELF-QM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Translucent Door	217
UELS-LM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Laminate Door	219
UELS-PM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Painted Door	216
UELS-WM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Wood Door	218
UESN-PM	Adaptable Upper Storage – Open Shelf, Standard Mount	211

Index

Product Code	Product Description	Page
UESY-PM	Adaptable Upper Storage – Straight Mini Shelf, Standard Mount	209
UESZ-PM	Adaptable Upper Storage – Corner Mini Shelf, Standard Mount	209
UUFB-P	Wall Mount Components – Back for Wall Mounted Overhead Storage Unit	225
UUFF-QW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Translucent Door	221
UUF5-LW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Laminate Door	223
UUF5-PW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Painted Door	220
UUF5-WW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Wood Door	222
UUHF-QW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Translucent Door	221
UUHS-LW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Laminate Door	223
UUHS-PW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Painted Door	220
UUHS-WW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Wood Door	222
UUKF-QW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Translucent Door	221
UUK5-LW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Laminate Door	223
UUK5-PW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Painted Door	220
UUK5-WW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Wood Door	222
VEEH-3	Electrical Components – Infeed Harness	137
VEZP	Panel Accessories – Filler Post - Sliding Door	64
VUZF	Panel Accessories – Sliding Door	64
WMK	Panel Accessories – Wall Mount Kit	73
WMK	Panel Accessories – Wall Mount Kit	99
WMK	Panel Accessories – Wall Mount Kit	122
WT	Panel Accessories – Wall Track	73
WT	Panel Accessories – Wall Track	99
WT	Panel Accessories – Wall Track	122
WT	Shelf Accessories – Wall Track	224
WUCA	Adaptable Worksurfaces – Corner, 90° Straight Front	171
WUCB-L54	Adaptable Worksurfaces – Bent	195
WUCB-R45	Adaptable Worksurfaces – Bent	195
WUCC-0004	Worksurface Supports – Support Column	206
WUCD-L	Adaptable Worksurfaces – D-Shaped Convergent, Wrap-Around	192
WUCE-L44	Adaptable Worksurfaces – Corner, 90° Wrap-Around Extended	180
WUCF-R44	Adaptable Worksurfaces – Corner, 90° Wrap-Around Extended	180
WUCF-L45	Adaptable Worksurfaces – Corner, 90° Angled – Transitional	178
WUCF-L54	Adaptable Worksurfaces – Corner, 90° Angled – Transitional	178
WUCH-N34	Adaptable Worksurfaces – Corner, 90° Notched Transitional	177
WUCH-N43	Adaptable Worksurfaces – Corner, 90° Notched Transitional	177
WUCL-0001	Worksurface Supports – Straight Leg Basic	206
WUCN	Adaptable Worksurfaces – Corner, 90° Notched	173
WUCN	Adaptable Worksurfaces – Corner 90° Worksurface	175
WUCP-L44	Adaptable Worksurfaces – Corner, 90° Notched Extended	182
WUCP-R44	Adaptable Worksurfaces – Corner, 90° Notched Extended	182
WUCQ-N44	Adaptable Worksurfaces – 90° Merger	188
WUCR	Adaptable Worksurfaces – Corner, 90° Wrap-Around	172
WUCT-N34	Adaptable Worksurfaces – Corner, 90° Wrap-Around Transitional	176
WUCT-N43	Adaptable Worksurfaces – Corner, 90° Wrap-Around Transitional	176
WUCU	Adaptable Worksurfaces – Corner, 90° Angled	174
WUCX-L43	Adaptable Worksurfaces – Corner, 90° Wrap-Around Transitional Extended	185
WUCX-R34	Adaptable Worksurfaces – Corner, 90° Wrap-Around Transitional Extended	185
WUCZ-N44	Adaptable Worksurfaces – Corner, 120° Wrap-Around	189
WUDC-3830	Adaptable Worksurfaces – Conference End	197
WUDC-5030	Adaptable Worksurfaces – Conference End	197
WUDC-6230	Adaptable Worksurfaces – Conference End	197
WUDD	Adaptable Worksurfaces – D-Shaped Ender	194

Index

<u>Product Code</u>	<u>Product Description</u>	<u>Page</u>
WUDZ	Adaptable Worksurfaces – 120° Link	199
WUKC	Adaptable Worksurfaces – Corner 90° Adjustable Split Top	175
WUKR	Adaptable Worksurfaces – Rectangular Adjustable Split Top	162
WURA	Adaptable Worksurfaces – Rectangular Worksurface	162
WURA	Adaptable Worksurfaces – Rectangular	159
WURD	Adaptable Worksurfaces – D-Shaped Convergent	190
WURE-N34	Adaptable Worksurfaces – Wedge	167
WURE-N43	Adaptable Worksurfaces – Wedge	167
WURG-N34	Adaptable Worksurfaces – Sharp Wedge	169
WURG-N43	Adaptable Worksurfaces – Sharp Wedge	169
WURR	Adaptable Worksurfaces – Rectangular Radius End	170
WURS	Adaptable Worksurfaces – Rectangular Swell	164
WURT-N34	Adaptable Worksurfaces – Rectangular Transition	166
WURT-N43	Adaptable Worksurfaces – Rectangular Transition	166
WURV	Adaptable Worksurfaces – Rectangular Convergent	191
WURW	Adaptable Worksurfaces – Rectangular Inverse Swell	165
WURY	Adaptable Worksurfaces – Rectangular Key	163
WURY-3830	Adaptable Worksurfaces – Key Conference End	198
WURY-5030	Adaptable Worksurfaces – Key Conference End	198
WURY-5036	Adaptable Worksurfaces – Key Conference End	198
WURY-6236	Adaptable Worksurfaces – Key Conference End	198
WURY-6242	Adaptable Worksurfaces – Key Conference End	198
WURY-6248	Adaptable Worksurfaces – Key Conference End	198
WUTS	Adaptable Worksurfaces – Countertop	196
Z2BT-0000	Worksurface Supports – Counter Top Brackets	203
ZEBA-0000	Worksurface Supports – Side Bracket	203
ZEBC-1200	Worksurface Supports – Standard Snap-n-Fit Mini Cantilever Bracket for Corner Worksurface	202
ZEBC-1900	Worksurface Supports – Standard Snap-n-Fit Cantilever Bracket for Corner Worksurface	202
ZEBD-1000	Worksurface Supports – Standard Mini Cantilever Bracket	200
ZEBD-1600	Worksurface Supports – Standard Cantilever Bracket	200
ZEBF-0000-P	Worksurface Supports – Anti Dislodgement Bracket for use with Worksurface Support Panels	202
ZEBL-1600	Worksurface Supports – Standard Link Cantilever Bracket	200
ZEBN-0000	Adaptable Worksurface Supports – Pedestal-to-Panel Bracket	204
ZEBR-0000	Worksurface Supports – Rear-Corner Bracket	203
ZEBS-1200	Worksurface Supports – Standard Snap-n-Fit Mini Cantilever Bracket for Rectangular Worksurfaces	201
ZEBS-1900	Worksurface Supports – Standard Snap-n-Fit Cantilever Bracket for Rectangular Worksurfaces	201
ZEBT-0000	Worksurface Supports – Counter Top Brackets	203
ZEBV-0000	Worksurface Supports – Convergent Mount Bracket	203
ZEFS	Adaptable Worksurface Supports – Worksurface Support Panels	205
ZEFS	Adaptable Worksurface Supports – Worksurface Support Panels	205
ZHBT-0000	Worksurface Supports – Counter Top Brackets	203
ZUBF-0000	Worksurface Supports – Flush Mount Plate	203
ZUBW-PN	Wall Mount Components – Worksurface Wall Bracket	225
ZUFJ-0101-PNFG	Worksurface Supports – Single Support Leg	207
ZZFJ	Worksurface Supports – Support Post	207
ZZFK	Worksurface Supports – Double Support Leg	207

This page intentionally blank

Product Compatibility and Limited Warranty Policy

Great Expectations

You have them as a Haworth customer and so do we. And because we value our customers, we cover our products with the Haworth North America Product Compatibility and Limited Warranty Policy.

Our Commitment To Product Compatibility – Integrated Product Platforms

As a market leader in the design and manufacture of workspaces that adapt to change, we strive to maintain product compatibility within our various generations of integrated product platforms. This benefits the customer who desires to update or modify their work environment. It also benefits the customer needing to replace a product due to damage or other reasons but which is no longer manufactured or is otherwise unavailable, such as a fabric or finish that is discontinued because of changing market preferences. In both circumstances, we often can provide products with comparable function and performance.

Our Commitment To Product Quality – The Haworth North America Limited Warranty

To ensure customer satisfaction and peace of mind, we stand behind our products with the Haworth North America Limited Warranty. To review the current version of the limited warranty including its terms and conditions, please go to:

www.haworth.com/warranty or contact OneTouch@Haworth.com or 1 877 429 6784.

Warranty Requests or Questions

For questions or service requests pertaining to the Haworth Limited Warranty, please contact your Haworth dealer.

If you are unsure who your dealer is, please contact **OneTouch@Haworth.com or 1 877 429 6784.**

Effective: September 1, 2021

Terms of Sale

The Terms of Sale apply to all products in the North America Price Lists. To review the current version of the North American Terms of Sale, please go to:

www.haworth.com/terms-of-sale or contact OneTouch@Haworth.com or 1 877 429 6784.

Effective: September 2, 2022

HAWORTH®

HAWORTH® is a registered trademark of Haworth, Inc.

© Haworth, Inc. All rights reserved. 2024 5.24 | Item #LIT21026

haworth.com | 800 344 2600