

HAWORTH

Fixed Height Tables

GSA Price List – July 2024

Includes Compose, Cultivate, Executive Wood, Immerse, Jive, Masters Series, Pip, Planes, PopUp, PREMISE and Reside Tables



This price list is based upon Haworth's February 2024 commercial pricing.
GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE
Authorized Federal Supply Scheduled Price List (Catalog) Office Furniture, Wood Casegoods and Tables
(FSC Group 71, Part I, FSC Classes 7105, 7110, 7125 and 7195)
Contract No: GS-03F-057DA | Contract Period: February 8, 2016 – February 7, 2026 | Business: Large
Contractor: Haworth, Inc. | One Haworth Center | Holland, MI 49423-9576 | 1.616.393.3000



Electronic Update Page – Fixed Height Tables Price List

- The table below lists all of the updates and addendums added to this price list since the original version was created.
- All **Update** pages will replace the existing pages within the document.
- All **New** pages will be placed at the back of the document.

Link	Date	Pages	Description
Click Here	July 2024	All Pages	Update – The wood finish options for the following products were obsoleted (the affected pages have been updated or removed and the entire book was renumbered): • Wood Tops for Planes Conference Tables Interior Leg • Planes Conference Table Top for use with Column Base • Planes End Supported Top • Planes Conference Tables Column Base Cladding • Cable Base
Click Here	July 2024	148, 150	Update – Correction to Upcharge added.
Click Here	Aug 2024	71	Update – Presentation Board has been obsoleted.
Click Here	Sept 2024	32	Update – Flush Mount Power Module with Sliding Door Mounting Bracket for 2" Tops (EWWM-0601-P) has been obsoleted.



This Haworth North American price book contains US list prices.
Canadian customers can convert the US list price into their Canadian equivalent by going to www.Haworth.com/Canada to find the current Canadian multipliers. These multiplier factors allow you to convert the US list price into a Canadian list price.

HAWORTH, INC.

GENERAL SERVICES ADMINISTRATION

FEDERAL ACQUISITION SERVICES

Authorized Federal Supply Schedule Furniture (FSC Group 71, FSC Classes 7105, 7110, 7125 and 7195)

Contract Number:	GS-03F-057DA
Contract Start Date:	February 8, 2016
Contract End Date:	February 7, 2026
Contractor:	HAWORTH, INC. One Haworth Center Holland, MI 49423-9576 1-616-393-3000 http://www.haworth.com/government
Business Size:	Large

Information for Ordering Activities I-FSS-600

Online access to Haworth's Authorized Federal Supply Schedule contract ordering information, terms and conditions, and up-to-date product and discount listing can be found at GSA Advantage, eLibrary link [here](#).

Table of Contents

Statement of Line

Statement of Line

7-18

Compose Tables — Laminate

Round — Post Base

21

Compose Tables — Wood

Round — Post Base

22

Cultivate

General Specifications

25-27

Top – No Storage

28

Top - For use with Storage

29

Frame

30

Bag Hook

31

Mounting Clip for Flip Top Unit

32

Mounting Bracket for Enhanced Power Modules

32

Flush Mount Power Module with Sliding Door Mounting Bracket

for 2”(51mm) tops

32

Wire Management Basket

33

Basket Cover

33

Vertical Wire Channel - Leg Attached

33

Executive Conference Buffet

Conference Buffet — Wood

37

Center Drawer

37

Executive Wood

Specifications

38-39

Catalog Logic

40-42

Statement of Line

43-45

Base Placement

46

Round/Square

47

Base Kits — Round/Square Wood Tables

48

Base Kits — Round/Square Wood Tables

48

Rectangular

49

Base Kits — Rectangular Wood Tables

52

Base Kits — Rectangular Wood Tables

52

Racetrack Tables

53-55

Base Kits — Racetrack Wood Tables

56

Boat

57-59

Base Kits — Boat Wood Tables

60

Wedge

61-63

Base Kits — Wedge Wood Tables

64

Executive Wood Tables

Specifications

65-66

Rectangular Table Top

67

Boat Table Top

68

Wedge Table Top

69

Base Kit

70

Executive Accessories

Presentation Board

71

Immerse — Ledge Table

Rectangle – Painted Legs

75

Rectangle – Wood Legs

76

Immerse — Overlap Table

Rectangle/Rectangle – Painted Legs

78-79

Rectangle/Round – Painted Legs

80

Racetrack/Round – Painted Legs

81

Rectangle/Ledge – Painted Legs

82

Rectangle/Rectangle – Wood Legs

84-85

Rectangle/Round – Wood Legs

86

Racetrack/Round – Wood Legs

87

Rectangle/Ledge – Wood Legs

88

Immerse — Shift Table

Rectangle/Rectangle – Painted Legs

89

Rectangle/Round – Painted Legs

90

Racetrack/Round – Painted Legs

91

Rectangle/Rectangle – Wood Legs

92

Rectangle/Round – Wood Legs

93

Racetrack/Round – Wood Legs

94

Immerse — Single Table

Round – Painted Legs

95

Square – Painted Legs

96

Rectangle – Painted Legs

97

Racetrack – Painted Legs

98

Round – Wood Legs

99

Square – Wood Legs

100

Rectangle – Wood Legs

101

Racetrack – Wood Legs

102

Immerse — Stack Table

Rectangle – Painted Legs

103

Immerse — Planter

Oblong

104

Round

105

Jive Tables

Catalog Logic

109

Round – Laminate or Wood

110-111

Square – Laminate or Wood

112-113

Pebble – Laminate or Wood

115-117

Rectangle – Laminate or Wood

119-121

Racetrack – Laminate or Wood

122-123

Trapezoid – Laminate or Wood

124

Crescent – Laminate or Wood

125

Half Racetrack – Laminate or Wood

126

Half Pebble – Laminate or Wood

127

Jive Table — Post Round Base

Round – Laminate or Wood

128-129

Square – Laminate or Wood

130-131

Pebble – Laminate or Wood

133-135

Rectangle – Laminate or Wood

137-138

Racetrack – Laminate or Wood

140-141

Trapezoid – Laminate or Wood

142

Crescent – Laminate or Wood

143

Half Racetrack – Laminate or Wood

144

Half Pebble – Laminate or Wood

145

Jive Table — X-Base

Round – Laminate or Wood

146-147

Square – Laminate or Wood

148-149

Pebble – Laminate or Wood

150-151

Rectangle – Laminate or Wood

152-153

Jive Table — Bridge Base

Round – Laminate or Wood

154

Square – Laminate or Wood – Laminate or Wood

155

Pebble – Laminate or Wood

156-159

Rectangle – Laminate or Wood

161-163

Racetrack – Laminate or Wood

165-167

Half Racetrack – Laminate or Wood

168-169

Half Pebble – Laminate or Wood

170-171

Half Hexagon – Laminate or Wood

172

Jive Table — C-Leg

Rectangle – Laminate or Wood — Extruded

173-174

Rectangle – Laminate or Wood — Round

176-178

Rectangle (Round or Extruded) – Laminate or Wood— Flip

Base

179-180

Table of Contents

Jive Table — Disc Base

Round – Laminate or Wood	181-182
Square – Laminate or Wood	183
Pebble – Laminate or Wood	184
Rectangle – Laminate or Wood	185

Jive Table — Dual Disc Base

Pebble – Laminate or Wood	186
Rectangle – Laminate or Wood	187
Racetrack – Laminate or Wood	188

Jive Table — Disc Base

Round	189
Square	189
Pebble	189

Jive Table — T-Leg — Extruded

Rectangle – Laminate or Wood	191-193
Pebble – Laminate or Wood	194
Racetrack – Laminate or Wood	195
Trapezoid – Laminate or Wood	196

Jive Table — T-Leg — Round

Rectangle – Laminate or Wood	197-199
Pebble – Laminate or Wood	200
Racetrack – Laminate or Wood	201
Trapezoid – Laminate or Wood	202
Rectangle (Round or Extruded) – Laminate or Wood — Flip Base	203-204

Jive Table — Swivel Base

Square – Laminate or Wood	205
Rectangle – Laminate or Wood	206
Trapezoid – Laminate or Wood	207
Crescent – Laminate or Wood	208
Corner, Transitional Extended – Laminate or Wood	209
Corner, Extended – Laminate or Wood	210

Masters Series Table — (Round or Square)

Table — Round	213
Square Tables	213

Pip

Personal Laptop Table	218
Collaborative Table	218

Planes Collaborative Tables

Y-Leg Flip Top or Non-Flip Top Table — Rectangular — Laminate	221
Y-Leg Flip Top or Non-Flip Top Table — Pebble — Laminate	222
Y-Leg Flip Top or Non-Flip Top Table — Hexagon — Laminate	223
Y-Leg Flip Top or Non-Flip Top Table — Half Round — Laminate	224
Y-Leg Flip Top or Non-Flip Top Table — Polygon — Laminate	225
Y-Leg Flip Top or Non-Flip Top Table — Rectangular — Wood	226
Y-Leg Flip Top or Non-Flip Top Table — Pebble — Wood	227
Y-Leg Flip Top or Non-Flip Top Table — Hexagon — Wood	228
Y-Leg Flip Top or Non-Flip Top Table — Half Round — Wood	229
Y-Leg Flip Top or Non-Flip Top Table — Polygon — Wood	230

Planes Collaborative Tables — Accessories

Vertical Wire Management	231
Y-Leg Bumper	231
Ganging Mechanism	231
Ganging Clip	231
Casters	232
Glides	232

Planes Tables — X Base

Laminate or Wood	234-235
------------------------	---------

Planes Tables — Disc Base

Laminate or Wood	236-237
------------------------	---------

Planes Tables — Dual X Base

Laminate or Wood – Rectangle	238-239
Laminate or Wood – Hexagon	240-241
Laminate or Wood – Pebble	242-243

Planes Tables — Dual Disc Base

Laminate or Wood – Rectangle	244-245
Laminate or Wood – Hexagon	246-247
Laminate or Wood – Pebble	248-249

Planes Training Tables

Terminology	250
Product Catalog Logic	251
Flip Top or Non-Flip Top Table — Rectangular — Laminate	252-253
Flip Top or Non-Flip Top Table — Crescent — Laminate	254
Flip Top or Non-Flip Top Table — Trapezoid — Laminate	255
Flip Top or Non-Flip Top Table — Polygon — Laminate	256
Pie Connector — Laminate	257
Flip Top or Non-Flip Top Table — Rectangular — Wood	258-259
Flip Top or Non-Flip Top Table — Crescent — Wood	260
Flip Top or Non-Flip Top Table — Trapezoid — Wood	261
Flip Top or Non-Flip Top Table — Polygon — Wood	262
Pie Connector — Wood	263
Modesty Panels	264-265

Planes Training Tables 2-Circuit

Power Feeds — Single Circuit Corded Base Feed — for use with 2-Circuit, 20 Amp	266
Power Feeds — Hardwire Modular Base Feed — 2-Circuit	266
Power Feeds — Wall Feed — 2-Circuit	266
Modular Power Pass-Through — Tables Pass-Through Connector — 2-Circuit	267
Modular Power Kits — 2-Circuit	268
Modular Power Components — Receptacles — 15 Amp 2-Circuit	269
Modular Power Components — Receptacle Block Connector	269
Modular Power Components — Four-Port Splitter	269
Modular Power Components — Mounting Bracket — Receptacle	269

Quick Connect Two Power — Flip Top Unit with Smooth Bezel

Flip Top with Smooth Bezel Module	270-271
Starter Box	272
Pass-Through Connector	272
Starter Box Bracket	272
Wire Manager Clips	272

Planes Training Tables — Accessories

Ganging Mechanism	274
Casters	274
Glides	274
Wire Manager Clips	275
Vertical Wire Manager	275
Grommet	275

Planes Carts

Cart – Small Media – Laminate	276
Cart – Medium Media – Laminate	277
Cart – Catering – Laminate	278
Cart – Podium – Laminate	279

Table of Contents

Planes Credenza Bases

Credenza Base – 19”(483mm) High – Laminate or Wood 280

Credenza Base – 29”(737mm) High with Slider Unit –
Laminate or Wood 281

Planes Credenza Base with Slider Unit –
Credenza Base – 35”(889mm) High with Slider Unit –
Laminate or Wood 282

Credenza Base – 29”(737mm) High – Laminate or Wood 283

Credenza Base – 39”(991mm) High with Slider Unit –
Laminate or Wood 284

Credenza Base – 45”(1143mm) High with Slider Unit –
Laminate or Wood 285

Planes Credenza Tops

Credenza Top – Laminate or Wood 286

Grommet 286

Planes Conference Tables

Round, Square, Rectangular – Interior Leg – Laminate 287-288

Half Round – Interior Leg – Laminate 289

Polygon – Interior Leg – Laminate 290

Rectangular – One-Piece Top – Interior Leg – Laminate 291-292

Pebble – One-Piece Top – Interior Leg – Laminate 293-294

Hexagon – One-Piece Top – Interior Leg – Laminate 295-296

Rectangular – Two-Piece Tops – Interior Leg – Laminate ... 297-298

Pebble – Two-Piece Tops – Interior Leg – Laminate 299-300

Hexagon – Two-Piece Tops – Interior Leg – Laminate 301-302

Rectangular – Three-Piece Tops – Interior Leg – Laminate .. 303-304

Pebble – Three-Piece Tops – Interior Leg – Laminate 305-306

Hexagon – Three-Piece Tops – Interior Leg – Laminate 307-308

Square and Rectangular – 2”(51mm) Edge –
Perimeter Leg – Laminate 309

Rectangular – 2”(51mm) Edge – One-Piece Top –
Perimeter Leg – Laminate 310

Rectangular – 2”(51mm) Edge – Two-Piece Tops –
Perimeter Leg – Laminate 311-312

Rectangular – 2”(51mm) Edge – Three-Piece Tops –
Perimeter Leg – Laminate 313-314

Planes Conference Table Tops

Catalog Logic 315

Planes Component Specification Overview 316-317

Round, Square and Pebble (for use with Column Base) –
Laminate 318

Rectangle (for use with Column Base) – Laminate 320-322

Pebble (for use with Column Base) – Laminate 324-326

Hexagon (for use with Column Base) – Laminate 328-330

Planes End Supported Top — with Column Base

Catalog Logic 332

Component Specification Overview 333-334

D-Shape Convergent (for use with Column Base) –
Laminate 335-336

Rectangular Conference End (for use with Column Base)
– Laminate 337-338

Key Conference (for use with Column Base) –
Laminate 339-340

Column Frame (for use with Conference Table Top and End
Supported Top) 341

Column Base Plate – Square and Round (for use with Conference
Table Top and End Supported Top) 342

Cladding – Flat and Round (for use with Conference Table
Top and End Supported Top) 343

Cladding — Flat Laminate 344

J-Channel 345

J-Channel Tray 345

Wall Mount Bracket(s) 346

Side/Corner Bracket 346

Side Bracket for use with Knife Edge 346

Planes — Accessories

Cable Base 347

Cable Column 347

Planes — Electrical Accessories

Cable Reel 348

Cable Reel Bracket 348

Planes — Electrical Components

Table Mount With Shroud 349

Table Mount With Shroud Dual Monitor 349

PopUp Table

Catalog Logic 353

Rectangle – Laminate or Wood 354

Oval (Rectangular Radius Corner) – Laminate or Wood 355

Racetrack – Laminate or Wood 356

Accent Plate 357

Vertical Wire Channel – Leg Attached 358

Finish/Color Legends 359-368

Index 369-374


Lifetime Product Warranty Inside Back Cover

6 July 2024 / N.A.


HAWORTH

Statement of Line

Compose Tables — Pages 21-22



TZRN-LG
Round — Post Base -
Laminate




TZRN-WG
Round — Post Base -
Wood


Cultivate Tops — Pages 28-29



TYRA-LJSN
TYRA-WKSN
TYRA-LJMN
TYRA-WKMN
No Storage




TYRA-LJSN
TYRA-WKSN
TYRA-LJMN
TYRA-WKMN
With Storage - 3 High




TYRA-LJSN
TYRA-WKSN
TYRA-LJMN
TYRA-WKMN
With Storage - 2 High

Cultivate Frames — Page 30




TYBA-NNNNNG4A
Seated Height




TYBA-NNNNNG7A
Standing Height

Cultivate Bag Hook — Page 31




KUWH-0202


Cultivate Power Module Clips and Brackets — Page 32



EUMC-0201
Mounting Clip
for Flip Top Unit




EUDB-0000
Mounting Bracket
for Enhanced Power
Modules




EWWM-0601
Flush Mount Power
Module with Sliding Door
Mounting Bracket for
2"(51mm) tops


Cultivate Wire Management — Page 33



TAWB
Wire Management
Basket




TABC
Basket Cover




TYVW
Vertical Wire Channel -
Leg Attached

Executive Conference Buffet — Page 37


























TECB
Conference Buffet - Wood







UXCD-N
Center Drawer

Statement of Line


Executive Wood Tables — Pages 47-64

 TERN Round	 TERQ Square	 TEFC Round/Square Base Kit	 TEFC-A Round/Square Base Kit	 TEXB-M Round/Square Base Kit	 TEXB-W Round/Square Base Kit		
 TERA Rectangular 60"-120"	 TERA Rectangular 132"-240"	 TEFC Rectangular Base Kit	 TEFC-A Rectangular Base Kit	 TEHC Rectangular Base Kit	 TEHC-A Rectangular Base Kit	 TEXB-W Rectangular Base Kit	 TESL Rectangular Base Kit
 TERT Racetrack 60"-120"	 TERT Racetrack 132"-240"	 TEFC Racetrack Base Kit	 TEFC-A Racetrack Base Kit	 TEHC Racetrack Base Kit	 TEHC-A Racetrack Base Kit	 TEXB-W Racetrack Base Kit	 TESL Racetrack Base Kit
 TEBO Boat 60"-120"	 TEBO Boat 132"-240"	 TEFC Boat Base Kit	 TEFC-A Boat Base Kit	 TEHC Boat Base Kit	 TEHC-A Boat Base Kit	 TEXB-W Boat Base Kit	 TESL Boat Base Kit
 TEWE Wedge 84"-120"	 TEWE Wedge 132"-240"	 TEFC Wedge Base Kit	 TEFC-A Wedge Base Kit	 TEHC Wedge Base Kit	 TEHC-A Wedge Base Kit	 TEXB-W Wedge Base Kit	 TESL Wedge Base Kit

Executive Wood Tables – A5 — Pages 67-70

 TERA Rectangular Table Top	 TEBO Boat Table Top	 TEWE Wedge Table Top	 TEA5 Base Kit
---	---	--	---

Executive Accessories — Page 71

 TEPB Presentation Board

Statement of Line

Immerse — Pages 75-103



THLD
Ledge Table
Rectangle
Painted Legs



THLD
Ledge Table
Rectangle
Wood Legs



THRR
Overlap Table
Rectangle/Rectangle
Painted Legs



THRD
Overlap Table
Rectangle/Round
Painted Legs



THTD
Overlap Table
Racetrack/Round
Painted Legs



THRL
Overlap Table
Rectangle/Ledge
Painted Legs



THRR
Overlap Table
Rectangle/Rectangle
Wood Legs



THRD
Overlap Table
Rectangle/Round
Wood Legs



THTD
Overlap Table
Racetrack/Round
Wood Legs



THRL
Overlap Table
Rectangle/Ledge
Wood Legs



THRR
Shift Table
Rectangle/Rectangle
Painted Legs



THRD
Shift Table
Rectangle/Round
Painted Legs



THTD
Shift Table
Racetrack/Round
Painted Legs



THRR
Shift Table
Rectangle/Rectangle
Wood Legs



THRD
Shift Table
Rectangle/Round
Wood Legs



THTD
Shift Table
Racetrack/Round
Wood Legs



THRN
Single Table
Round
Painted Legs



THRQ
Single Table
Square
Painted Legs



THRA
Single Table
Rectangle
Painted Legs



THRT
Single Table
Racetrack
Painted Legs



THRN
Single Table
Round
Wood Legs



THRQ
Single Table
Square
Wood Legs



THRA
Single Table
Rectangle
Wood Legs




THRT
Single Table
Racetrack
Wood Legs




THRA
Stack Table
Rectangle
Painted Legs

Statement of Line


Immerse — Planter — Pages 104-105




Jive Table — Post Extruded Base — Pages 110-127



Jive Table — Post Round Base — Pages 128-145




Statement of Line

Jive Table — X-Base — Pages 146-153

TCRN-SNXF
Round
(Power)




TCRN-SNX
Round
(No Power)



TCRQ-SNXF
Square
(Power)




TCRQ-SNX
Square
(No Power)



TCRP-SNXF
Pebble
(Power)



TCRP-SNX
Pebble
(No Power)




TCRA-SNXF
Rectangular
(Power)



TCRA-SNX
Rectangular
(No Power)

Jive Table — Bridge Base — Pages 154-172

TCRN-SNG
Round



TCRQ-SNG
Square



TCRP-5454-SNG
Pebble
(Symmetrical)




TCRP-3048-SNG
Pebble
(Asymmetrical)




TCRA-SNG
Rectangle



TCRT-SNG
Racetrack




TCHT-SNG
Half Racetrack




TCHP-SNG
Half Pebble




TCHX-SNG
Half Hexagon

Jive Table — C-Leg — Extruded — Pages 173-175

TCRA-SNC
Rectangle

Jive Table — C-Leg — Round — Pages 176-178

TCRA-SNB
Rectangle

Jive Table — C-Leg — Flip Base — Pages 179-180


TCRA-SNH

Statement of Line

Jive Table — Disc Base — Pages 182-185




TCRN-SND
Round



TCRQ-SND
Square




TCRP-SND
Pebble



TCRA-SND
Rectangle



TCRP-SND
Pebble



TCRA-SND
Rectangle




TCRT-SND
Racetrack

Jive Table — Disc Base — Page 189



TCRN
Round




TCRQ
Square



TCRP
Pebble

Jive Table — T-Leg — Extruded — Pages 191-196



TCRA-SNT
Rectangle



TCRP-SNT
Pebble




TCRT-SNT
Racetrack



TCPT-SNT
Trapezoid

Jive Table — T-Leg — Round — Pages 197-202



TCRA-SNF
Rectangle



TCRP-SNF
Pebble




TCRT-SNE
Racetrack



TCPT-SNF
Trapezoid





TCRA-SNFH4
Rectangle





Jive Table — T-Leg — Flip Base — Pages 203-204



Jive Table — Swivel Base — Pages 205-210





TVRQ-LJSNR
Square





TVRA-LJSNR
Rectangle





TVTP-LJSNR
Trapezoid



TVBN-LJSNR
Crescent




TVCX-LJSNR
Corner, Transitional
Extended



TVCE-LJSNRE
Corner, Extended

Master Series — Page 213



XZAM-1S
Round



XLAS-3030
XZAS-3030
Square

Pip — Page 218



STP-P26-TH
Personal Laptop Table






S970
Collaborative Table

Statement of Line










Planes Collaborative Tables — Y-Leg Flip-Top/Non-Flip Top — Laminate — Pages 221-225 / Wood — Pages 226-230

TARA
RectangularTARP
PebbleTARX
HexagonTAHN
Half RoundTACV
Polygon



Planes Collaborative Tables — Accessories — Pages 231-232

TA01-0212
Vertical Wire
ManagementTA01-0213
TA01-0214
Y-Leg BumperTA01-0222
Ganging MechanismTA01-0001
Ganging ClipTA01-0216
CastersTA01-0215
Glides


Planes Table — Pages 234-249

TARN-NXC
Round — X BaseTARQ-NXC
Square — X BaseTARP-NXG
Pebble — X BaseTARN-NDN
Round — Disc BaseTARQ-NDN
Square — Disc BaseTARP-NDN
Pebble — Disc BaseTARA-XC
TARA-XG
Rectangle — Dual X BaseTARX-XC
TARX-XG
Hexagon — Dual X BaseTARP-XC
TARP-XG
Pebble — Dual X BaseTARA-D
Rectangle —
Dual Disc BaseTARX-D
Hexagon — Dual Disc BaseTARP-D
Pebble — Dual Disc Base

Planes Training Tables — Laminate — Pages 252-257 / Wood — Pages 258-263

TARA-L
TARA-W
RectangularTABN-L
TABN-W
CrescentTATP-L
TATP-W
TrapezoidTACV-L
TACV-W
PolygonTAPC-L
TAPC-W
Pie Connector

Planes Training Table Modesty Panels — Pages 264-265


TA0M
Modesty Panels

Statement of Line


Planes Training Tables 2-Circuit Modular Power Components — Pages 266-269




20 Amp Plug




EAEB-2024-2C
Single Circuit Corded
Base Feed — for use
with 2-Circuit, 20 Amp




EAEB
Hardwire Modular
Base Feed — 2-Circuit




EAWP-0004-21
Wall Feed — 2-Circuit




EAEJ
Tables Pass-Through
Connector — 2-Circuit




EAM (One receptacle)
Modular Power Kits —
2-Circuit




EAM (Two receptacles)
Modular Power Kits —
2-Circuit




EAER
Receptacles — 15 Amp
2-Circuit



EAED-0000-22
Receptacle Block
Connector




EAED-0000-24
Four-Port Splitter



TA01-0224
Mounting Bracket —
Receptacle


Planes Training Tables Quick Connect Power – Flip Top Unit Accessories — Pages 270-272



EUQ1-QS1P
6 Port
Quick Connect Two




EUQ1-QS1P
2-4 Port
Quick Connect Two




EUQB-0072-1
Starter Box



EUQJ-1
Pass-Through
Connector




TA01-0227
Starter Box
Bracket




TA01-0225
Wire Manager
Clips


Planes Accessories — Pages 274-275




TA01-0222
Ganging Mechanism




TA01-0216
Casters



TA01-0215
Glides



TA01-0225
Wire Manager
Clips




TA01-0228
Vertical Wire Manager




WQAG-PS
Grommet

Planes Carts — Pages 276-279




GAKF-1919
Small Media
Laminate



GAKE-1919
Medium Media
Laminate




GAKG-1935
Catering
Laminate




GAKD-1919
Podium
Laminate

Statement of Line

Planes Credenza Bases — Pages 280-285



Planes Credenza Tops — Page 286



GACJ
Laminate or Wood



TA01
Grommet

Planes Conference Tables – Interior Leg — Pages 287-290



TARN
Round
Laminate



TARQ
Square
Laminate



TARA
Rectangular
Laminate




TAHN
Half Round
Laminate



TACV
Polygon
Laminate

Planes Conference Tables – One-Piece Top – Interior Leg — Pages 291-296



TARA
Rectangular
Laminate



TARP
Pebble
Laminate



TARX
Hexagon
Laminate

Planes Conference Tables – Two-Piece Tops – Interior Leg — Pages 297-302



TARA
Rectangular
Laminate



TARP
Pebble
Laminate



TARX
Hexagon
Laminate

Statement of Line

Planes Conference Tables – Three-Piece Tops – Interior Leg — Pages 303-308



TARA
Rectangular
Laminate



TARP
Pebble
Laminate



TARX
Hexagon
Laminate


Planes Conference Tables – Perimeter Leg – Laminate — Pages 309-314



TARQ
Square
2”(51mm) Edge



TARA
Rectangular
2”(51mm) Edge



TARA
One-Piece Top
Rectangular
2”(51mm) Edge



TARA
Two-Piece Tops
Rectangular
2”(51mm) Edge




TARA
Three-Piece Tops
Rectangular
2”(51mm) Edge

Planes Conference Table Top (for use with Column Base) – Laminate — Pages 318-330




TARN
Round




TARQ
Square




TARP
Pebble



TARA
Rectangle




TARP
Pebble




TARX
Hexagon


Planes End Supported Top (for use with Column Base) — Pages 335-340



TARD
D-Shape Convergent
Laminate




TARU
Rectangular
Conference End
Laminate




TARY
Key Conference
Laminate


Planes Conference Tables – Column Base (for use with Conference Table Top and End Supported Top) — Pages 341-345




TACB-2
Column Frame




TACB-4
Column Frame




TACB-7
Column Frame




TAPL-S
Column Base Plate - Square




TAPL-R
Column Base Plate - Round




TACC-F2
Cladding - Flat




TACC-R2
Cladding - Round



TACC-LF2S
Cladding - Flat



TAJC
J-Channel




TA01
J-Channel Tray

Statement of Line


Planes End Supported Top (for use with Column Base) — Bracket(s) — Page 346



ZUBW-0000-PN
Wall Mount Bracket(s)




ZZBA-0000-PR
ZZBA-0000-PL
Side/Corner Bracket




ZZBA-0000-PRF
ZZBA-0000-PLF
Side Bracket for use with
Knife Edge

Planes Accessories — Page 347




TA01-0814
Cable Base




TA01-1414
Cable Base




TA01-0217
Cable Column




TA01-CR48
Cable Reel



TA01-CRBK
Cable Reel Bracket



EWVT-SASD-P
Table Mount With
Shroud



EWVT-DCSD-P
Table Mount With
Shroud Dual
Monitor

PopUp Table — Pages 354-358



TPRA-SNA
Rectangle
Laminate or Wood




TPRP-SNA
Oval — Rectangle
Radius Corner
Laminate or Wood



TPRT-SNA
Racetrack
Laminate or Wood



TPAP
Accent Plate



TPVW
Vertical Wire Channel —
Leg Attached


This page intentionally blank

Compose

This page intentionally blank

Compose Tables — Laminate

	Diameter	Number ①	Laminate A		Laminate B	
			J	F	J	F
Round — Post Base	48"(1219mm)	TZRN-4848-L SCJG	\$3893.06	\$4406.40	\$3929.68	\$4443.02
	60"(1524mm)	TZRN-6060-L SCJG	5667.74	6198.36	5710.84	6241.46



Features

- Includes top and four post legs with glides.
- Height adjustable- 26"(660mm)-32"(813mm) in 0.5"(13mm) increments.

To Order, Specify:

- 1) Product number, including:


① Edge Option:

- J** Edgeband
- F** Knife

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.

Note: \$26.42 upcharge list for Metallic and accent trim color.

Compose Tables — Wood

	Diameter	Number ①	Wood Group A		Wood Group B	
			K	U	K	U
Round — Post Base	48"(1219mm)	TZRN-4848-W SCJG	\$4679.42	\$5202.36	\$5171.20	\$5722.94
	Features - Includes top and four post legs with glides. - Height adjustable- 26"(660mm)-32"(813mm) in 0.5"(13mm) increments.		To Order, Specify:			
			1) Product number, including: ① Edge Option: K Edgeband U Knife 2) Wood finish color. 3) Base trim color. *Note: \$26.42 upcharge list for Metallic and accent trim color.			

Cultivate

This page intentionally blank

Cultivate General Specifications

Tops

EXAMPLE: Cultivate, Top, 36"X60", Laminate, Edgeband, 1.18" Core, No Cutout.

TY	RA	-	36	60	-	L	J	S	N
									Cutout: N – None X – Center, Single-Sided 4 outlets Z – Center, Single-Sided 6 outlets M – Center, Double-Sided 8 outlets Q – Center, Double-Sided 12 outlets
									Core Type: S – 1.18" M – 2"
									Edge: J – Edgeband (Laminate) K – Edgeband (Wood)
									Top Surface: L – Laminate W – Wood
									Width: 60 – 60" 72 – 72" 84 – 84" 96 – 96" A8 – 108" CO – 120"
									Depth: 36 – 36" 42 – 42"
									Top Shape: RA – Rectangle
									Platform: TY – Cultivate

Cultivate General Specifications

Tops for use with Storage


EXAMPLE: Cultivate, Top, 36"X79", Laminate, Edgeband, 1.18" Core, No Cutout.

TY	RA	-	36	79	-	L	J	S	N
									Cutout: N – None X – Center, Single-Sided 4 outlets Z – Center, Single-Sided 6 outlets M – Center, Double-Sided 8 outlets Q – Center, Double-Sided 12 outlets
									Core Type: S – 1.18" M – 2"
									Edge: J – Edgeband (Laminate) K – Edgeband (Wood)
									Top Surface: L – Laminate W – Wood
									Width: 1 Side 79 – 79" 91 – 91" A3 – 103" B5 – 115" 2 Side 98 – 98" B0 – 110" C2 – 122" D4 – 134"
									Depth: 36 – 36" 42 – 42"
									Top Shape: RA – Rectangle
									Platform: TY – Cultivate

Cultivate General Specifications


Frames

EXAMPLE: Cultivate, Base Only, 36"X60", Glides, 28"H, Painted.



Cultivate Tops

Top – No Storage



TYRA-LJSN
TYRA-WKSN
TYRA-LJMN
TYRA-WKMN

Features

- Includes pre-drilled 1.18”(30mm) or 2”(51mm) thick top.
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.

Specification Tips

- Tops are allowed to overhang the frame width and depth.
- 60”(1524mm), 72”(1829mm), 84”(2134mm) and 96”(2438mm) tops are flush to the frame. 108”(2743mm) and 120”(3048mm) tops will overhang the frame by 12”(305mm) on each side.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified Flush Mount or Flip Top Double-Sided Unit power module.
- All other power options require field modification.
- These top sizes are not dimensioned for use with storage.
- Separately specified:
 - Frame
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

- J** Edgeband (Laminate)
- K** Edgeband (Wood)

3 Cutout Option:


- N** No Cutout
- X** Center, Flush Mount Power/4 ports, add \$45.17 list
- Z** Center, Flush Mount Power/6 ports, add \$45.17 list
- M** Center, Flip Top Double-Sided/8 ports, add \$45.17 list
- Q** Center, Flip Top Double-Sided/12 ports, add \$45.17 list

2) Laminate surface color or Wood surface color.
3) Edge trim color (laminate only).

No. of Pieces	Seating Capacity	Depth	Top Width	Pre-drilled for Frame Width	Number 1 2 3	Laminate A	B	Wood Group A	Group B
1.18”(30mm) Thick Top									
1		36”(914mm)	60”(1524mm)	60”(1524mm)	TYRA-3660- S	\$ 455.20	\$ 560.99	\$ 875.34	\$ 976.08
1			72”(1829mm)	72”(1829mm)	TYRA-3672- S	510.49	620.75	952.62	1067.01
1			84”(2134mm)	84”(2134mm)	TYRA-3684- S	565.78	680.51	1029.90	1157.94
1			96”(2438mm)	96”(2438mm)	TYRA-3696- S	621.07	740.27	1107.18	1248.87
1			108”(2743mm)	84”(2134mm)	TYRA-36A8- S	676.36	800.03	1184.46	1339.80
1			120”(3048mm)	96”(2438mm)	TYRA-36C0- S	731.65	859.79	1261.74	1430.73
1		42”(1067mm)	60”(1524mm)	60”(1524mm)	TYRA-4260- S	\$ 492.06	\$ 600.83	\$ 926.86	\$1036.70
1			72”(1829mm)	72”(1829mm)	TYRA-4272- S	565.78	680.51	1029.90	1157.94
1			84”(2134mm)	84”(2134mm)	TYRA-4284- S	621.07	740.27	1107.18	1248.87
1			96”(2438mm)	96”(2438mm)	TYRA-4296- S	694.79	819.95	1210.22	1370.11
1			108”(2743mm)	84”(2134mm)	TYRA-42A8- S	920.27	1049.90	1457.69	1631.23
1			120”(3048mm)	96”(2438mm)	TYRA-42C0- S	993.99	1129.58	1560.73	1752.47
2”(51mm) Thick Top									
1		36”(914mm)	60”(1524mm)	60”(1524mm)	TYRA-3660- M	\$1022.48	\$1128.27	N/A	N/A
1			72”(1829mm)	72”(1829mm)	TYRA-3672- M	1077.77	1188.03	N/A	N/A
1			84”(2134mm)	84”(2134mm)	TYRA-3684- M	1133.06	1247.79	N/A	N/A
1			96”(2438mm)	96”(2438mm)	TYRA-3696- M	1188.35	1307.55	N/A	N/A
1			108”(2743mm)	84”(2134mm)	TYRA-36A8- M	1243.64	1367.31	N/A	N/A
1			120”(3048mm)	96”(2438mm)	TYRA-36C0- M	1298.93	1427.07	N/A	N/A
1		42”(1067mm)	60”(1524mm)	60”(1524mm)	TYRA-4260- M	\$1059.34	\$1168.11	N/A	N/A
1			72”(1829mm)	72”(1829mm)	TYRA-4272- M	1133.06	1247.79	N/A	N/A
1			84”(2134mm)	84”(2134mm)	TYRA-4284- M	1188.35	1307.55	N/A	N/A
1			96”(2438mm)	96”(2438mm)	TYRA-4296- M	1262.07	1387.23	N/A	N/A
1			108”(2743mm)	84”(2134mm)	TYRA-42A8- M	1487.55	1617.18	N/A	N/A
1			120”(3048mm)	96”(2438mm)	TYRA-42C0- M	1561.27	1696.86	N/A	N/A

Cultivate Tops – For use with Storage

Top - For use with Storage



TYRA-LJSN
TYRA-WKSN
TYRA-LJMN
TYRA-WKMN

Features

- Includes pre-drilled 1.18" (30mm) or 2" (51mm) thick top. Two-piece top comes with attachment hardware.
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Table top seams on two-piece tops:
 - 1.18" (30mm) thick tops have 1mm edgeband seam
 - 2" (51mm) thick tops have a 3mm edgeband seam

Specification Tips

- Tops are allowed to overhang the frame. See Specification Guide for guidelines.
- Overhang of 19" (483mm) require storage support.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified Flush Mounted or Flip Top Double-Sided Unit power module.
- All other power options require field modification.
- Tops are dimensioned to be used with X Series 18.75" (457mm) depth with 36" (914mm) or 42" (1067mm) width, 2H for seated height. 3H for standing height.
- Storage on 1 side has 19" (483mm) overhang and the other side is flush to frame. Storage on 2 side has 19" (483mm) overhang on each side.
- Separately specified:
 - Frame
 - Storage
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories

To Order, Specify:

- 1) Product number, including:

① Surface Option:

- L** Laminate
W Wood

② Edge Option:

- J** Edgeband (Laminate)
K Edgeband (Wood)



③ Cutout Option:

- N** No Cutout
X Center, Flush Mount Power/4 ports, add \$45.17 list
Z Center, Flush Mount Power/6 ports, add \$45.17 list
M Center, Flip Top Double-Sided/8 ports, add \$45.17 list
Q Center, Flip Top Double-Sided/12 ports, add \$45.17 list

- 2) Laminate surface color or Wood surface color.
3) Edge trim color (laminate only).

No. of Pieces	Seating Capacity	Depth	Top Width	Pre-drilled for Frame Width	Number ① ② ③	Laminate A	B	Wood Group A	Group B
Storage on 1 side		1.18" (30mm) Thick Top							
1		36" (914mm)	79" (2007mm)	60" (1524mm)	TYRA-3679- S	\$ 547.35	\$ 660.59	\$1004.14	\$1127.63
1			91" (2311mm)	72" (1829mm)	TYRA-3691- S	602.64	720.35	1081.42	1218.56
1			103" (2616mm)	84" (2134mm)	TYRA-36A3- S	657.93	780.11	1158.70	1309.49
1			115" (2921mm)	96" (2438mm)	TYRA-36B5- S	713.22	839.87	1235.98	1400.42
1		42" (1067mm)	79" (2007mm)	60" (1524mm)	TYRA-4279- S	\$ 602.64	\$ 720.35	\$1081.42	\$1218.56
1			91" (2311mm)	72" (1829mm)	TYRA-4291- S	676.36	800.03	1184.46	1339.80
1			103" (2616mm)	84" (2134mm)	TYRA-42A3- S	731.65	859.79	1261.74	1430.73
1			115" (2921mm)	96" (2438mm)	TYRA-42B5- S	975.56	1109.66	1534.97	1722.16
Storage on 1 side		2" (51mm) Thick Top							
1		36" (914mm)	79" (2007mm)	60" (1524mm)	TYRA-3679- M	\$1114.63	\$1227.87	N/A	N/A
1			91" (2311mm)	72" (1829mm)	TYRA-3691- M	1169.92	1287.63	N/A	N/A
1			103" (2616mm)	84" (2134mm)	TYRA-36A3- M	1225.21	1347.39	N/A	N/A
1			115" (2921mm)	96" (2438mm)	TYRA-36B5- M	1280.50	1407.15	N/A	N/A
1		42" (1067mm)	79" (2007mm)	60" (1524mm)	TYRA-4279- M	\$1169.92	\$1287.63	N/A	N/A
1			91" (2311mm)	72" (1829mm)	TYRA-4291- M	1243.64	1367.31	N/A	N/A
1			103" (2616mm)	84" (2134mm)	TYRA-42A3- M	1298.93	1427.07	N/A	N/A
1			115" (2921mm)	96" (2438mm)	TYRA-42B5- M	1542.84	1676.94	N/A	N/A
Storage on 2 sides		1.18" (30mm) Thick Top							
1		36" (914mm)	98" (2489mm)	60" (1524mm)	TYRA-3698- S	\$ 621.07	\$ 740.27	\$1107.18	\$1248.87
1			110" (2794mm)	72" (1829mm)	TYRA-36B0- S	676.36	800.03	1184.46	1339.80
2			122" (3099mm)	84" (2134mm)	TYRA-36C2- S	873.46	1001.60	1403.55	1572.54
2			134" (3404mm)	96" (2438mm)	TYRA-36D4- S	928.75	1061.36	1480.83	1663.47
1		42" (1067mm)	98" (2489mm)	60" (1524mm)	TYRA-4298- S	\$ 713.22	\$ 839.87	\$1235.98	\$1400.42
1			110" (2794mm)	72" (1829mm)	TYRA-42B0- S	938.70	1069.82	1483.45	1661.54
2			122" (3099mm)	84" (2134mm)	TYRA-42C2- S	1154.23	1291.31	1728.30	1924.59
2			134" (3404mm)	96" (2438mm)	TYRA-42D4- S	1209.52	1351.07	1805.58	2015.52
Storage on 2 sides		2" (51mm) Thick Top							
1		36" (914mm)	98" (2489mm)	60" (1524mm)	TYRA-3698- M	\$1188.35	\$1307.55	N/A	N/A
1			110" (2794mm)	72" (1829mm)	TYRA-36B0- M	1243.64	1367.31	N/A	N/A
2			122" (3099mm)	84" (2134mm)	TYRA-36C2- M	1717.30	1845.44	N/A	N/A
2			134" (3404mm)	96" (2438mm)	TYRA-36D4- M	1772.59	1905.20	N/A	N/A
1		42" (1067mm)	98" (2489mm)	60" (1524mm)	TYRA-4298- M	\$1280.50	\$1407.15	N/A	N/A
1			91" (2311mm)	72" (1829mm)	TYRA-42B0- M	1505.98	1637.10	N/A	N/A
2			122" (3099mm)	84" (2134mm)	TYRA-42C2- M	1998.07	2135.15	N/A	N/A
2			134" (3404mm)	96" (2438mm)	TYRA-42D4- M	2053.36	2194.91	N/A	N/A

Cultivate Frames

	Height	Depth	Width	Number	Trim A	B
 Seated Height	Seated Height					
	28"(711mm)	36"(914mm)	60"(1524mm)	TYBA-3660-NNNNNG4A	\$1791.78	\$1849.61
			72"(1829mm)	TYBA-3672-NNNNNG4A	1895.82	1953.65
			84"(2134mm)	TYBA-3684-NNNNNG4A	1999.86	2057.69
			96"(2438mm)	TYBA-3696-NNNNNG4A	2103.90	2161.73
		42"(1067mm)	60"(1524mm)	TYBA-4260-NNNNNG4A	\$1835.28	\$1893.11
			72"(1829mm)	TYBA-4272-NNNNNG4A	1939.32	1997.15
			84"(2134mm)	TYBA-4284-NNNNNG4A	2043.36	2101.19
			96"(2438mm)	TYBA-4296-NNNNNG4A	2147.40	2205.23
	 Standing Height	Standing Height				
40"(1016mm)		36"(914mm)	60"(1524mm)	TYBA-3660-NNNNNG7A	\$2086.86	\$2144.69
			72"(1829mm)	TYBA-3672-NNNNNG7A	2190.90	2248.73
			84"(2134mm)	TYBA-3684-NNNNNG7A	2294.94	2352.77
			96"(2438mm)	TYBA-3696-NNNNNG7A	2398.98	2456.81
		42"(1067mm)	60"(1524mm)	TYBA-4260-NNNNNG7A	\$2130.36	\$2188.19
			72"(1829mm)	TYBA-4272-NNNNNG7A	2234.40	2292.23
			84"(2134mm)	TYBA-4284-NNNNNG7A	2338.44	2396.27
			96"(2438mm)	TYBA-4296-NNNNNG7A	2442.48	2500.31

TYBA-NNNNNG4A
TYBA-NNNNNG7A


- Features**

 - Includes painted metal frame with two fixed-height leg assemblies, foot rail(s), support beam and attachment hardware.
 - Seated height frame is standard with one foot rail.
 - Standing height frame is standard with two foot rails.
 - Glide adjustment 1.18"(30mm).
- To Order, Specify:**

 - Product number.
 - Frame finish.


- Specification Tips**
- Tops are allowed to overhang the frame. 18"(457mm) maximum overhang per side on width or depth is allowed. See specification Guide for guidelines.
 - Separately specified:
 - Top
 - Storage
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
 - Structural frame provides a foundation for COM options, contact Tailored Solutions for feasibility.

Cultivate Bag Hook

Bag Hook	Number	Trim A	B
	KUWH-0202	\$59.92	\$67.80
 KUWH-0202	Features - Includes one hook and attachment hardware. - Hook will swivel if plastic washers are installed.		
	Specification Tips - Attaches to the bottom of the 1.18”(30mm) and 2”(51mm) thick top. - Weight Limit 50 lbs max.		
To Order, Specify: - Product number. - Trim color.			

Cultivate Power Module Clips and Brackets


	Width	Height	Number	Price
Mounting Clip for Flip Top Unit	0.5"(1mm)	2"(51mm)	EUMC-0201	\$161.68



EUMC-0201
Class YA – GSA: Open Market

- Features**
 - Includes twelve brackets.
 - For mounting Flip Top Unit in 2"(51mm) hollow core top.
 - Four brackets required per Flip Top Unit.
- To Order, Specify:**
 - Product number.
(No finish specification required.)
- Specification Tip**
 - Required for Flip Top Unit on the 2"(51mm) core worksurface.


	Height	Width	Length	Description	Number	Price
Mounting Bracket for Enhanced Power Modules	1.75"(44mm)	2"(51mm)	3.38"(86mm)	Black Bracket	EUDB-0000-BB	\$89.96
				White Bracket	EUDB-0000-BW	\$89.96



EUDB-0000
Class YA – GSA: Open Market

- Features**
 - Includes bracket and mounting hardware.
 - For use with 3, 4 or 6 port Enhanced Power Modules or 2, 3, 4 and 5 port Seamless Enhanced Power Modules.
 - Available in black or white.
 - Mounts to the bottom of worksurface placing face of an Enhanced Power Module below perimeter tubing.
- To Order, Specify:**
 - Product number.
(No finish specification required.)
- Specification Tips**
 - Specify Enhanced Power Module separately.
 - Requires field installation.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


	Width	Height	Number	Price
Flush Mount Power Module with Sliding Door Mounting Bracket for 2"(51mm) tops	.05"(1mm)	6"(152mm)	EWWM-0601	\$54.64





EWWM-0601
Class TK – GSA: Open Market

- Feature**
 - Includes two painted steel brackets and hardware for Flush Mount Power Module with Sliding Door to 2"(51mm) hollow core top.
- To Order, Specify:**
 - Product number.
(No finish specification required.)
- Specification Tips**
 - Required for Flush Mount Power Module with Sliding Door installation on the 2"(51mm) hollow core worksurface.
 - Requires Accessory components.

Cultivate Wire Management

	Width	Number	Price
Wire Management Basket  TAWB Class TA – GSA: Open Market	18”(457mm)	TAWB-0918	\$180.24
	24”(610mm)	TAWB-0924	189.28
	36”(914mm)	TAWB-0936	207.29
	Features - Includes one basket, four brackets and attachment hardware. - Standard in black. - Basket is 8.5”(203mm) deep x 3.5”(76mm) high. With mounting hardware overall height is 4.94”(102mm) and depth is 10.82”(254mm). - Accessible from both sides. - Basket detaches without tools. To Order, Specify: - Product number. (No finish specification required.)		
	Specification Tips - Verify mounting clearance with table understructure. - Separately specify covers.		

	Width	Number	Price
Basket Cover  TABC (Two covers shown) Class TA – GSA: Open Market	18”(457mm)	TABC-0918	\$ 49.78
	24”(610mm)	TABC-0924	66.83
	36”(914mm)	TABC-0936	100.81
	Feature - Includes one painted cover. To Order, Specify: - Product number. - Trim color. Note: \$15.79 upcharge list for Metallic and Accent trim colors.		
	Specification Tips - Designed to be used with wire management basket. Up to two can be installed. - Order to match wire management basket width.		


	For Use With	Height	Width	Number	Trim A	B
Vertical Wire Channel - Leg Attached  TYVW Class CL – GSA: Open Market	28” Frame	25.7”(635mm)	1.17”(25mm)	TYVW-2601-P	\$109.38	\$115.83
	40” Frame	37.7”(940mm)	1.17”(25mm)	TYVW-3801-P	115.03	124.43
	Feature - Includes wire manager and attachment screws. To Order, Specify: - Product number. - Trim color.					
	Specification Tips - Order correct model for table height. - Add additional Vertical Wire Channels if cord number exceeds three cords. - Accommodates 2-3 cords/cables (depending on cable diameter) or one 0.5”(13mm) Flexible Conduit.					


This page intentionally blank

Executive

This page intentionally blank

Executive Conference Buffet

	Height	Depth	Width	Number	①	②	③	Wood Group B	D
Conference Buffet — Wood	36.38"(924mm)	22"(559mm)	72"(1829mm)	TECB-2272-W	S	G6		\$15679.11	\$17310.37
 TECB Note: ↗ = Wood Grain Direction	Features - Includes wood veneer top with storage. 1.5"(38mm) thick wood veneer top with choice of four profile edges: –Square (1), Bevel (2), Chamfer (3) or Radius (4) on three edges with square edge on back. - Matched veneer across doors. - Single panel construction with four touch latch doors with concealed hinges. - Includes two adjustable shelves with 1.25"(32mm) adjustment range. - Optional Locks are available in black or chrome. - Lock plug(s) and key(s) are shipped with random numbering unless they are specified "keyed-alike" or "master-keyed". - Center Drawer available; separately specified. - Glides provide 1"(25mm) adjustment range. - Shipped assembled.			To Order, Specify: 1) Product number, including: ① Edge Option: 1 Square 2 Bevel 3 Chamfer 4 Radius ② Lock Option: L Lock, add \$222.23 list N No Lock ③ Lock Color Option: BL Black BP Chrome 2) Wood finish color.					

	Height	Depth	Width	Number	①	Wood Group B
Center Drawer	1.88"(48mm)	17.5"(445mm)	24"(610mm)	UXCD-1824-		\$642.41
 UXCD-N	Features - Includes center drawer and attachment hardware. - Hardwood front rail with routed pencil channels. - Drawer body in black miterfold. - Optional lock available in black or chrome. - Lock options; refer to Accessories Price List. - Field installation required.			To Order, Specify: 1) Product number, including: ① Lock Option: L Lock, add \$88.46 list N No Lock 2) Wood finish color (Group B veneer only). 3) Trim color for lock plug.		
	Specification Tip For use within Conference Buffet.					

Executive Wood Tables Specifications

Construction Features


- One piece tops (36"-120"[914mm-3048mm] widths) are constructed with 1.5"(38mm) fiber board substrate with solid wood segmented edges.
- Two piece tops (132"-240"[3353mm-6096mm] widths) are constructed with 1.5"(38mm) fiber board substrate with solid wood segmented edges and tight joint fasteners. The tops are field joint built to go together.
- All base heights are 28"(711mm).
- All finished table heights are 29.5"(749mm).
- Solid wood edges are constructed of the same species as the veneer specified on the tops and are applied to tops in segments.
- 2.75"(70mm) thick edges (Bullnose Smooth and Bullnose Notched) are build-up construction with mitered corners; 1.5"(38mm) thick edges are solid core construction with butt joint corners. Refer to Edge Details.
- Dimensions are actual, however the tables are natural wood and dimensional variance is ±.25"(6mm) per top.

Wood/Finish Features


- All exposed veneers are plain-sliced and book-and center-matched (excludes patterns). Veneer for patterns is Quarter Cut.
- Executive Wood Tables feature AWI (Architectural Woodwork Institute) Grade AA tops. They are finished with a hand-applied, water-based finish. Refer to Finish Matrix.
- Executive Wood Tables are designed for non-dining applications; it is highly recommended that a protective accessory be used on table tops when possible.

Pattern and Border Options


- Diamond (R) or Reverse Diamond (V) pattern options are available on Round tops only and Box (R) or Reverse Box (V) pattern options are available on Square tops only.
- Sunburst (B) pattern option is available on Round tops only.
- Border (O) with inlay option is available on all tops.




Option B
Sunburst




Option R
Diamond




Option V
Reverse Diamond




Option O
Border Inlay




Option N
None




Option R
Box




Option V
Reverse Box




Option O
Border Inlay



Option N
None




1.5"(38mm) edge and Border with Inlay Option (O) and butt joint corner construction.




2.75"(70mm) edge and Border with Inlay Option (O) and mitered corner construction.


Edge Detail




Square (1)




Bevel (2)




Chamfer (3)



Radius (4)



Bullnose Notched (5)



Bullnose Smooth (6)

Executive Wood Tables Specifications


Flip Top Unit Cutout Locations

One-piece tables are available with a single centered cutout option. If a centered flip top unit cutout is specified, the cutout is located at half the length and half the depth of the table top.


Two-piece tables are available with a dual left and right cutout option, which is located at half the depth and one-third the length from both ends. The cutout is sized for a dual-sided flip top unit, which is specified separately.

Each cutout is for one 12-port Double-Sided Flip Top Unit.



Tables: Centered Cutout



Examples:



Tables: Left/Right Cutout



Steps to Specify an Executive Wood Table

- (1) Top
 - Shape
 - Size
 - Edge Option
 - Cutout Option for Flip Top Unit
 - Pattern or Border Option
 - Finish Option
- (2) Base Type
 - Access Door Option
 - Finish for Wood or Trim Color for Metal
- (3) Power
 - Flip Top Unit (separately specified)

On site measurements should be taken to ensure there is adequate room in elevators and/or hallway conditions to accommodate the table size.

Executive Wood Tables Catalog Logic

Half Cylinder, Full Cylinder, and X Bases

T	E	FC	-	24	02	-	W	A	4
									Height: 4" – 28" Base Height
								Access Door: A – Access Door N – No Access Door	
							Material: M – Metal W – Wood		
					Base Count: 01 – One Base 02 – Two Bases 03 – Three Bases				
				Depth: 18" – 18" 24" – 24" 26" – 26" 28" – 28" 30" – 30" 32" – 32" 40" – 40"					
		Base Style: FC – Full Cylinder FH – Full Cylinder with Half Cylinders HC – Half Cylinder XB – X Base							
	Platform: E – Executive Conference Tables								

Product Type:
T – Tables

Slab Base


T	E	SL	-	30	60	-	W	N	4
									Height: 4" – 28" Base Height
								Access Door: N – No Access Door	
							Material: W – Wood		
					Base Count: 60" – 60" E4 – 144" 66" – 66" F6 – 156" 72" – 72" G8 – 168" 78" – 78" J0 – 180" 84" – 84" K2 – 192" 96" – 96" L4 – 204" A8" – 108" M6 – 216" C0 – 120" N8 – 228" D2 – 132" Q0 – 240"				
				Depth: 30" – 30"					
		Base Style: SL – Slab Base							
	Platform: E – Executive Conference Tables								

Product Type:
T – Tables

Executive Wood Tables Catalog Logic


Conference Buffet													
T	E	CB	-	22	72	-	W	1	S	N	G	6	BL

Executive Wood Tables Statement of Line




Round Table Dimensions

	36"	42"	48"	54"	60"
36"	X				
42"		X			
48"			X		
54"				X	
60"					X




Square Table Dimensions

	36"	42"	48"	54"	60"
36"	X				
42"		X			
48"			X		
54"				X	
60"					X



Rectangle Table Dimensions

Depth	Width	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	204"	216"	228"	240"
36"	X	X	X	X	X														
42"				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
48"					X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
54"							X	X	X	X	X	X	X	X	X	X	X	X	X
60"							X	X	X	X	X	X	X	X	X	X	X	X	X




Racetrack Table Dimensions

Depth	Width	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	204"	216"	228"	240"
36"	X	X	X	X	X														
42"				X	X	X	X	X											
48"					X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
54"							X	X	X	X	X	X	X	X	X	X	X	X	X
60"							X	X	X	X	X	X	X	X	X	X	X	X	X

Note: ↗ = Wood Grain Direction


Executive Wood Tables Statement of Line



Boat Table Dimensions

Depth Width

	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	204"	216"	228"	240"
36"	X	X	X	X	X													
42"				X	X	X	X	X										
48"					X	X	X	X	X	X	X	X	X	X	X	X	X	X
54"							X	X	X	X	X	X	X	X	X	X	X	X
60"							X	X	X	X	X	X	X	X	X	X	X	X




Wedge Table Dimensions

Depth


	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	204"	216"	228"	240"
48"	X	X	X	X	X	X	X	X	X	X	X	X	X	X
54"			X	X	X	X	X	X	X	X	X	X	X	X
60"			X	X	X	X	X	X	X	X	X	X	X	X

Note: ↗ = Wood Grain Direction

Executive Wood Tables Statement of Line





Full Cylinder
18", 24", 30" Diameter




**Full Cylinder with
Optional Access Door**




Half Cylinder
18", 24", 30"




**Half Cylinder with
Optional Access Door**




X Base
1.25" Thick
26", 32" Lengths




Slab Base
2" Thick
30" Long




Metal X Base
28", 40"




Conference Buffet




Presentation Board




Center Drawer



Flip Top Units



Vertical Manager — Vertical



Wire Manager — Horizontal



Note: ↗ = Wood Grain Direction

Executive Wood Tables Base Placement

Base Placement


Slab Base

- 60"-78"(1524mm-1981mm) wide top base placement spacing is 12"(305mm) from ends.
- Greater than 78"(1981mm) wide top base placement spacing is 24"(610mm) from ends.
- Keel between slab base panels is 6"(152mm) tall and inset 7"(178mm) from the edge of the panels.



Cylinder, Half Cylinder and X Base


- $\frac{\text{Top depth} = \text{base inset}}{2}$




Executive Wood Tables

Size	Number	123			Wood Group		Pattern/Border Upcharges		Reverse Diamond/ Reverse Box (V)	Border (O)
					B	D	Sunburst (B)	Diamond/Box (R)		
1.5”(38mm) Edge — Round										
36”(914mm)	TERN-3636-W	T			\$ 3281.02	\$ 3849.12	\$1306.35	\$ 993.15	\$ 993.15	\$2988.35
42”(1067mm)	TERN-4242-W	T			3814.32	4549.93	1778.17	1347.99	1347.99	3359.04
48”(1219mm)	TERN-4848-W	T			4423.02	5349.88	2331.24	1762.30	1762.30	3729.77
54”(1372mm)	TERN-5454-W	T			5107.12	6248.97	3770.40	2214.19	2224.19	4100.50
60”(1524mm)	TERN-6060-W	T			5866.62	7247.20	4646.60	2745.55	2745.55	4462.18
2.75”(70mm) Edge										
36”(914mm)	TERN-3636-W	K			\$ 7268.38	\$ 7820.64	\$1306.35	\$ 993.15	\$ 993.15	\$2988.35
42”(1067mm)	TERN-4242-W	K			8466.24	9183.37	1778.17	1347.99	1347.99	3359.04
48”(1219mm)	TERN-4848-W	K			12316.53	13222.27	2331.24	1762.30	1762.30	3729.77
54”(1372mm)	TERN-5454-W	K			13665.19	14783.28	3770.40	2224.19	2224.19	4100.50
60”(1524mm)	TERN-6060-W	K			15089.25	16443.43	4646.60	2745.55	2745.55	4462.18
1.5”(38mm) Edge — Square										
36” x 36”(914mm x 914mm)	TERQ-3636-W	T			\$ 2816.22	\$ 2941.10	N/A	\$ 993.15	\$ 993.15	\$2988.35
42” x 42”(1067mm x 1067mm)	TERQ-4242-W	T			3378.47	3632.31	N/A	1347.99	1347.99	3359.04
48” x 48”(1219mm x 1219mm)	TERQ-4848-W	T			4020.02	4422.66	N/A	1762.30	1762.30	3729.77
54” x 54”(1372mm x 1372mm)	TERQ-5454-W	T			4740.87	5312.15	N/A	2224.19	2224.19	4100.50
60” x 60”(1524mm x 1524mm)	TERQ-6060-W	T			5541.02	6300.78	N/A	2745.55	2745.55	4462.18
2.75”(70mm) Edge										
36” x 36”(914mm x 914mm)	TERQ-3636-W	K			\$ 4377.14	\$ 4791.46	N/A	\$ 993.15	\$ 993.15	\$2988.35
42” x 42”(1067mm x 1067mm)	TERQ-4242-W	K			4975.87	5567.39	N/A	1347.99	1347.99	3359.04
48” x 48”(1219mm x 1219mm)	TERQ-4848-W	K			7537.13	8325.69	N/A	1762.30	1762.30	3729.77
54” x 54”(1372mm x 1372mm)	TERQ-5454-W	K			8294.46	9299.90	N/A	2224.19	2224.19	4100.50
60” x 60”(1524mm x 1524mm)	TERQ-6060-W	K			9131.09	10373.25	N/A	2745.55	2745.55	4462.18

Round/Square



TERN



TERQ

Note: ↗ = Wood Grain Direction

Features

- Includes one piece, round or square, wood veneer top with solid wood edge:
 - 1.5" (38mm) Edge: Square (1), Bevel (2), Chamfer (3) or Radius (4).
 - 2.75" (70mm) Edge: Bullnose Notched (5) or Bullnose Smooth (6)
- Flip Top Unit Cutout Option available with Full Cylinder Base only (Flip Top Units separately specified).
- Diamond on Round or Box on Square (R) and Reverse Diamond on Round or Reverse Box on Square (V) pattern options are available.
- Sunburst (B) pattern option is available on round tops only.
- Border (O) option has black 0.125" (3mm) thick inlay.
- Base Kits are specified separately.
- Base kits include Full Cylinder, Metal X Base and Wood X Base.
- Finished table height with base is 29.5" (749mm).
- S Cutout - Each cutout is for one 12-port Double-Sided Flip Top Unit.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

- 1 1.5" Square
- 2 1.5" Bevel
- 3 1.5" Chamfer
- 4 1.5" Radius
- 5 2.75" Bullnose Notched
- 6 2.75" Bullnose Smooth

② Flip Top Unit Cutout:

- S Single Centered, add \$388.69 list
- N None


③ Pattern/Border Options: Upcharges (list)

- B Sunburst (Round Only)
- R Diamond/Box
- V Reverse Diamond/Reverse Box
- O Border
- N None


- 2) Wood surface finish.

Executive Wood Tables

Size	Base Qty/Size	Number ①	Price	Wood Group B	D
Base Kits — Round/Square Wood Tables					
Full Cylinder Base Kit					
36"(914mm)	1-18"(457mm)	TEFC-1801-W 4		\$2686.29	\$3547.96
42"-54"(1067mm-1372mm)	1-24"(610mm)	TEFC-2401-W 4		2719.17	3591.35
60"(1524mm)	1-30"(762mm)	TEFC-3001-W 4		3015.11	3982.21
Metal X Base Kit					
36"-42"(914mm-1067mm)	1-28"(711mm)	TEXB-2801-MN4	\$628.38		
48"(1219mm)	1-40"(1016mm)	TEXB-4001-MN4	731.47		
Wood X Base Kit					
36"-42"(914mm-1067mm)	1-26"(660mm)	TEXB-2601-WN4		\$2531.43	\$3343.44
48"-60"(1219mm-1524mm)	1-32"(813mm)	TEXB-3201-WN4		2660.29	3513.60




TEFC



TEXB-A



TEXB-M



TEXB-W

Note: ↗ = Wood Grain Direction

- Features**
- Each kit includes one 28"(711mm) high base with attachment hardware:
 - Full Cylinder Base: Wood veneer over wood base; available with optional Access Door for power access.
 - Full Cylinder Base has cord access cutout.
 - Each Full Cylinder base includes weight for stability.
 - Wood X Base: Two 26"(660mm) or 32"(813mm) deep, 1.25"(32mm) thick wood veneer slabs.
 - X Base: two 30"(762mm) deep, 1.25"(32mm) thick wood veneer slabs.
 - Metal X Base available in trim colors.
 - Glide adjustment of 1"(25mm) on all bases.
 - Cylinders ship assembled; X Bases require field assembly.

To Order, Specify:

- 1) Product number, including:

① Access Hatch Option:

- A** Access Door, add \$765.85 list
N No Access Door

- 2) Wood surface finish.

X Base – Wood

- 1) Product number.
2) Wood surface finish.



X Base – Metal

- 1) Product number
2) Trim colors.

Note: \$27.73 upcharge (list) for Metallic or accent trim colors.

Executive Wood Tables

Rectangular

TERA
(60"-120")TERA
(132"-240")
[3353mm-6096mm]

Note: ↗ = Wood Grain Direction

Features

- Includes one piece (60"-120"[1524mm-3048mm] wide) or two piece (132"-240"[3353mm-6096mm] wide) Rectangular shaped wood veneer top with solid wood edge:
 - 1.5"(38mm) Edge: Square (1), Bevel (2), Chamfer (3) or Radius (4).
 - 2.75"(70mm) Edge: Bullnose Notched (5) or Bullnose Smooth (6).
- Border (O) option has black 0.125"(3mm) thick inlay.
- Base Kits are specified separately.
- Base kits include Full Cylinder, Half Cylinder, Full/Half Cylinder, Wood X Base and Wood Slab Base.
- Flip Top Unit Cutout Options available for separately specified Flip Top Unit(s) on tops greater than 36"(914mm) deep:
 - One centered cutout (S) (84"-120"[2134mm-3048mm] wide tops).
 - Two left/right cutouts (D) (132"-240"[3353mm-6096mm] wide tops).
 - Cutouts are centered between bases.

Note: On site measurements should be taken to ensure there is adequate room in elevators and/or hallway conditions to accommodate the top sizes.

Cutout options: S - One 12-port Double-Sided Flip Top Unit
D - Two 12-port Double-Sided Flip Top Units

To Order, Specify:

1) Product number, including:

① Edge Option:

- 1 1.5" Square
- 2 1.5" Bevel
- 3 1.5" Chamfer
- 4 1.5" Radius
- 5 2.75" Bullnose Notched
- 6 2.75" Bullnose Smooth

② Flip Top Unit Cutout:

- S Single Centered (84"-120"[2134mm-3048mm] Widths), add **\$388.69** list
- D Two Left/Right (132"-240"[3353mm-6096mm] Widths), add **\$777.40** list
- N None

③ Border Option: Upcharge (list)

- N None
- O Border

2) Wood surface finish.

Depth	Width	Pieces	Number	①	②	③	Wood Group B	D	Upcharge Border Option (O)
1.5"(38mm) Edge									
36"(914mm)	60"(1524mm)	1	TERA-3660-W	TN			\$ 4058.80	\$ 4535.53	\$1314.36
	66"(1676mm)	1	TERA-3666-W	TN			4418.20	4939.45	1394.41
	72"(1829mm)	1	TERA-3672-W	TN			4777.60	5343.37	1474.47
	78"(1981mm)	1	TERA-3678-W	TN			5137.00	5747.29	1554.54
	84"(2134mm)	1	TERA-3684-W	TN			5496.40	6151.21	1634.60
2.75"(70mm) Edge									
36"(914mm)	60"(1524mm)	1	TERA-3660-W	KN			\$ 7146.58	\$ 7623.31	\$1314.36
	66"(1676mm)	1	TERA-3666-W	KN			7778.98	8300.23	1394.41
	72"(1829mm)	1	TERA-3672-W	KN			8411.38	8977.15	1474.47
	78"(1981mm)	1	TERA-3678-W	KN			9043.78	9654.07	1554.54
	84"(2134mm)	1	TERA-3684-W	KN			9676.18	10330.99	1634.60
1.5"(38mm) Edge									
42"(1067mm)	78"(1981mm)	1	TERA-4278-W	TN			\$ 5695.76	\$ 6402.51	\$1634.60
	84"(2134mm)	1	TERA-4284-W	T			6083.64	6842.33	1714.66
	96"(2438mm)	1	TERA-4296-W	T			6859.40	7721.97	1874.78
	108"(2743mm)	1	TERA-42A8-W	T			7635.16	8601.61	2034.90
	120"(3048mm)	1	TERA-42C0-W	T			8410.92	9481.25	2195.03
	132"(3353mm)	2	TERA-42D2-W	T			9951.70	11125.91	2531.69
	144"(3658mm)	2	TERA-42E4-W	T			10962.82	12240.91	2691.82
	156"(3962mm)	2	TERA-42F6-W	T			11973.94	13355.91	2851.95
	168"(4267mm)	2	TERA-42G8-W	T			12985.06	14470.91	3012.07
	180"(4572mm)	2	TERA-42J0-W	T			14879.22	16468.95	3270.27
	192"(4877mm)	2	TERA-42K2-W	T			15772.66	17466.27	3430.40
	204"(5182mm)	2	TERA-42L4-W	T			16666.10	18463.59	3590.52
	216"(5486mm)	2	TERA-42M6-W	T			17559.54	19460.91	3750.64
	228"(5791mm)	2	TERA-42N8-W	T			18452.98	20458.23	3910.76
	240"(6096mm)	2	TERA-42Q0-W	T			19346.42	21455.55	4070.89






Executive Wood Tables

	Depth	Width	Pieces	Number	①	②	③	Wood Group B	D	Upcharge Border Option (O)
Rectangular	2.75"(70mm) Edge									
	42"(1067mm)	78"(1981mm)	1	TERA-4278-W	■	KN	■	\$ 9875.54	\$10582.29	\$1634.60
		84"(2134mm)	1	TERA-4284-W	■	K	■	10536.42	11295.11	1714.66
		96"(2438mm)	1	TERA-4296-W	■	K	■	11858.18	12720.75	1874.78
		108"(2743mm)	1	TERA-42A8-W	■	K	■	13179.94	14146.39	2034.90
		120"(3048mm)	1	TERA-42C0-W	■	K	■	14501.70	15572.03	2195.03
		132"(3353mm)	2	TERA-42D2-W	■	K	■	17392.80	18567.01	2531.69
		144"(3658mm)	2	TERA-42E4-W	■	K	■	19420.72	20698.81	2691.82
		156"(3962mm)	2	TERA-42F6-W	■	K	■	21448.64	22830.61	2851.95
		168"(4267mm)	2	TERA-42G8-W	■	K	■	23476.56	24962.41	3012.07
		180"(4572mm)	2	TERA-42J0-W	■	K	■	24465.07	26054.80	3270.27
		192"(4877mm)	2	TERA-42K2-W	■	K	■	25982.99	27676.60	3430.40
		204"(5182mm)	2	TERA-42L4-W	■	K	■	27500.91	29298.40	3590.52
		216"(5486mm)	2	TERA-42M6-W	■	K	■	29018.83	30920.20	3750.64
		228"(5791mm)	2	TERA-42N8-W	■	K	■	30536.75	32542.00	3910.76
		240"(6096mm)	2	TERA-42Q0-W	■	K	■	32054.67	34163.80	4070.89
	1.5"(38mm) Edge									
	48"(1219mm)	84"(2134mm)	1	TERA-4884-W	■	T	■	\$ 6670.88	\$ 7533.45	\$1794.72
		96"(2438mm)	1	TERA-4896-W	■	T	■	7503.60	8484.89	1954.85
		108"(2743mm)	1	TERA-48A8-W	■	T	■	8336.32	9436.33	2114.96
		120"(3048mm)	1	TERA-48C0-W	■	T	■	9169.04	10387.77	2275.09
		132"(3353mm)	2	TERA-48D2-W	■	T	■	10747.23	12084.68	2611.76
		144"(3658mm)	2	TERA-48E4-W	■	T	■	11579.95	13036.12	2771.88
		156"(3962mm)	2	TERA-48F6-W	■	T	■	12412.67	13987.56	2932.00
		168"(4267mm)	2	TERA-48G8-W	■	T	■	13245.39	14939.00	3091.60
		180"(4572mm)	2	TERA-48J0-W	■	T	■	15922.14	17734.47	3350.34
		192"(4877mm)	2	TERA-48K2-W	■	T	■	16872.54	18803.59	3510.46
		204"(5182mm)	2	TERA-48L4-W	■	T	■	17822.94	19872.71	3670.58
		216"(5486mm)	2	TERA-48M6-W	■	T	■	18773.34	20941.83	3830.71
		228"(5791mm)	2	TERA-48N8-W	■	T	■	19723.74	22010.95	3990.83
		240"(6096mm)	2	TERA-48Q0-W	■	T	■	20674.14	23080.07	4150.95
	2.75"(70mm) Edge									
	48"48"(1219mm)	84"(2134mm)	1	TERA-4884-W	■	K	■	\$11396.66	\$12259.23	\$1794.72
		96"(2438mm)	1	TERA-4896-W	■	K	■	12775.38	13756.67	1954.85
		108"(2743mm)	1	TERA-48A8-W	■	K	■	14154.10	15254.11	2114.96
		120"(3048mm)	1	TERA-48C0-W	■	K	■	15532.82	16751.55	2275.09
		132"(3353mm)	2	TERA-48D2-W	■	K	■	18029.73	19367.18	2611.76
		144"(3658mm)	2	TERA-48E4-W	■	K	■	19408.45	20864.62	2771.88
		156"(3962mm)	2	TERA-48F6-W	■	K	■	20787.17	22362.06	2932.00
		168"(4267mm)	2	TERA-48G8-W	■	K	■	22165.89	23859.50	3091.60
		180"(4572mm)	2	TERA-48J0-W	■	K	■	25977.15	27789.48	3350.34
		192"(4877mm)	2	TERA-48K2-W	■	K	■	27689.35	29620.40	3510.46
		204"(5182mm)	2	TERA-48L4-W	■	K	■	29401.55	31451.32	3670.58
		216"(5486mm)	2	TERA-48M6-W	■	K	■	31113.75	33282.24	3830.71
		228"(5791mm)	2	TERA-48N8-W	■	K	■	32825.95	35113.16	3990.83
		240"(6096mm)	2	TERA-48Q0-W	■	K	■	34538.15	36944.08	4150.95

Executive Wood Tables


	Depth	Width	Pieces	Number	①	②	③	Wood Group B	D	Upcharge Border Option (O)
Rectangular	1.5"(38mm) Edge									
	54"(1372mm)	108"(2743mm)	1	TERA-54A8-W	T			\$ 9037.48	\$10271.05	\$2195.03
		120"(3048mm)	1	TERA-54C0-W	T			9927.16	11294.29	2355.14
		132"(3353mm)	2	TERA-54D2-W	T			11876.14	13376.83	2691.82
		144"(3658mm)	2	TERA-54E4-W	T			12883.50	14517.75	2851.95
		156"(3962mm)	2	TERA-54F6-W	T			13890.86	15658.67	3012.07
		168"(4267mm)	2	TERA-54G8-W	T			14898.22	16799.59	3172.19
		180"(4572mm)	2	TERA-54J0-W	T			16965.06	18999.99	3430.40
		192"(4877mm)	2	TERA-54K2-W	T			17972.42	20140.91	3590.52
		204"(5182mm)	2	TERA-54L4-W	T			18979.78	21281.83	3750.64
		216"(5486mm)	2	TERA-54M6-W	T			19987.14	22422.75	3910.76
		228"(5791mm)	2	TERA-54N8-W	T			20994.50	23563.67	4070.89
		240"(6096mm)	2	TERA-54Q0-W	T			22001.86	24704.59	4231.02
	2.75"(70mm) Edge									
	54"(1372mm)	108"(2743mm)	1	TERA-54A8-W	K			\$15128.26	\$16361.83	\$2195.03
		120"(3048mm)	1	TERA-54C0-W	K			16563.94	17931.07	2355.14
		132"(3353mm)	2	TERA-54D2-W	K			19627.83	21128.52	2691.82
		144"(3658mm)	2	TERA-54E4-W	K			21416.59	23050.84	2851.95
		156"(3962mm)	2	TERA-54F6-W	K			23205.35	24973.16	3012.07
		168"(4267mm)	2	TERA-54G8-W	K			24994.11	26895.48	3172.19
		180"(4572mm)	2	TERA-54J0-W	K			27489.26	29524.19	3430.40
		192"(4877mm)	2	TERA-54K2-W	K			29376.12	31544.61	3590.52
		204"(5182mm)	2	TERA-54L4-W	K			31262.98	33565.03	3750.64
		216"(5486mm)	2	TERA-54M6-W	K			33149.84	35585.45	3910.76
		228"(5791mm)	2	TERA-54N8-W	K			35036.70	37605.87	4070.89
		240"(6096mm)	2	TERA-54Q0-W	K			36923.56	39626.29	4231.02
	1.5"(38mm) Edge									
	60"(1524mm)	108"(2743mm)	1	TERA-60A8-W	T			\$ 9738.64	\$11105.77	\$2275.09
		120"(3048mm)	1	TERA-60C0-W	T			10685.28	12200.81	2435.21
		132"(3353mm)	2	TERA-60D2-W	TN			12897.23	14561.16	2771.88
		144"(3658mm)	2	TERA-60E4-W	T			13961.55	15773.88	2932.00
		156"(3962mm)	2	TERA-60F6-W	T			15025.87	16986.60	3092.13
		168"(4267mm)	2	TERA-60G8-W	T			16090.19	18199.32	3252.25
		180"(4572mm)	2	TERA-60J0-W	T			17694.10	19951.63	3510.46
		192"(4877mm)	2	TERA-60K2-W	T			18758.42	21164.35	3670.58
		204"(5182mm)	2	TERA-60L4-W	T			19822.74	22377.07	3830.71
		216"(5486mm)	2	TERA-60M6-W	T			20887.06	23589.79	3990.83
		228"(5791mm)	2	TERA-60N8-W	T			21951.38	24802.51	4150.95
		240"(6096mm)	2	TERA-60Q0-W	T			23015.70	26015.23	4311.07
	2.75"(70mm) Edge									
	60"(1524mm)	108"(2743mm)	1	TERA-60A8-W	K			\$16102.42	\$17469.55	\$2275.09
		120"(3048mm)	1	TERA-60C0-W	K			17595.06	19110.59	2435.21
		132"(3353mm)	2	TERA-60D2-W	KN			21069.03	22732.96	2771.88
		144"(3658mm)	2	TERA-60E4-W	K			22914.75	24727.08	2932.00
		156"(3962mm)	2	TERA-60F6-W	K			24760.47	26721.20	3092.13
		168"(4267mm)	2	TERA-60G8-W	K			26606.19	28715.32	3252.25
		180"(4572mm)	2	TERA-60J0-W	K			29197.49	31455.02	3510.46
		192"(4877mm)	2	TERA-60K2-W	K			31278.63	33684.56	3670.58
		204"(5182mm)	2	TERA-60L4-W	K			33359.77	35914.10	3830.71
		216"(5486mm)	2	TERA-60M6-W	K			35440.91	38143.64	3990.83
		228"(5791mm)	2	TERA-60N8-W	K			37522.05	40373.18	4150.95
		240"(6096mm)	2	TERA-60Q0-W	K			39603.19	42602.72	4311.07

Executive Wood Tables


	Rectangular Table Depths	Widths	Base Qty/Size	Number ①	Wood Group B	D
Base Kits — Rectangular Wood Tables  TEFC  TEFC-A  TEHC  TEHC-A  TEXB-W  TESL Note: ↗ = Wood Grain Direction	Full Cylinder Base Kits					
	36"-42"(914mm-1067mm)	60"-120"(1524mm-3048mm)	2-18"(457mm)	TEFC-1802-W 4	\$5105.75	\$ 6743.42
	42"(1067mm)	132"-240"(3353mm-6096mm)	3-18"(457mm)	TEFC-1803-W 4	7660.53	10117.66
	48"-54"(1219mm-1372mm)	84"-120"(2134mm-3048mm)	2-24"(610mm)	TEFC-2402-W 4	5438.35	7182.75
		132"-240"(3353mm-6096mm)	3-24"(610mm)	TEFC-2403 W 4	8155.60	10771.54
	60"(1524mm)	108"-120"(2743mm-3048mm)	2-30"(762mm)	TEFC-3002-W 4	6034.08	7969.48
		132"-240"(3353mm-6096mm)	3-30"(762mm)	TEFC-3003-W 4	9049.11	11951.69
	Full/Half Cylinder Base Kits					
	42"(1067mm)	132"-240"(3353mm-6096mm)	3-18"(457mm)	TEFH-1803-W 4	\$7776.59	\$10270.93
	48"-54"(1219mm-1372mm)	132"-240"(3353mm-6096mm)	3-24"(610mm)	TEFH-2403-W 4	8207.86	10840.56
	60"(1524mm)	132"-240"(3353mm-6096mm)	3-30"(762mm)	TEFH-3003-W 4	9097.45	12015.52
	Half Cylinder Base Kits					
	36"-42"(914mm-1067mm)	60"-120"(1524mm-3048mm)	2-18"(457mm)	TEHC-1802-W 4	\$5247.23	\$ 6929.69
	48"-54"(1219mm-1372mm)	84"-120"(2134mm-3048mm)	2-24"(610mm)	TEHC-2402-W 4	5474.52	7156.98
	60"(1524mm)	108"-120"(2743mm-3048mm)	2-30"(762mm)	TEHC-3002-W 4	6111.73	7794.19
	Wood X Base Kits					
	36"-54"	60"-120"(1524mm-3048mm)	2-26"(660mm)	TEXB-2602-WN4	\$5064.85	\$ 6689.48
		132"-240"(3353mm-6096mm)	3-26"(660mm)	TEXB-2603-WN4	7596.29	10032.86
	60"(1524mm)	108"-120"(2743mm-3048mm)	2-32"(813mm)	TEXB-3202-WN4	5320.57	7027.25
		132"-240"(3353mm-6096mm)	3-32"(813mm)	TEXB-3203-WN4	7980.88	10540.80
	Wood Slab Base Kits					
			2-60"(1524mm)	TESL-3060-WN4	\$3699.64	\$ 4886.30
			2-66"(1676mm)	TESL-3066-WN4	3714.79	4906.30
			2-72"(1829mm)	TESL-3072-WN4	3729.94	4926.30
			2-78"(1981mm)	TESL-3078-WN4	3745.09	4946.30
			2-84"(2134mm)	TESL-3084-WN4	3760.24	4966.30
			2-96"(2438mm)	TESL-3096-WN4	3790.54	5006.30
			2-108"(2743mm)	TESL-30A8-WN4	3820.84	5046.30
			2-120"(3048mm)	TESL-30C0-WN4	3851.14	5086.30
			3-132"(3353mm)	TESL-30D2-WN4	6171.13	8150.56
			3-144"(3658mm)	TESL-30E4-WN4	6519.81	8611.18
			3-156"(3962mm)	TESL-30F6-WN4	6868.49	9071.80
			3-168"(4267mm)	TESL-30G8-WN4	7217.17	9532.42
			3-180"(4572mm)	TESL-30J0-WN4	7565.85	9993.04
			3-192"(4877mm)	TESL-30K2-WN4	7914.53	10453.66
			3-204"(5182mm)	TESL-30L4-WN4	8263.21	10914.28
			3-216"(5486mm)	TESL-30M6-WN4	8611.89	11374.90
			3-228"(5791mm)	TESL-30N8-WN4	8960.57	11835.52
			3-240"(6096mm)	TESL-30Q0-WN4	9309.25	12296.14
Features						
• Each kit includes 28"(711mm) high base kit(s) with attachment hardware:						
–Full Cylinder Base: Wood veneer over wood base; available with optional Access Door for power access.						
–Full Cylinder Base and Half Cylinder Base have cord access cutout.						
–Half Cylinder Base: Wood veneer over wood base.						
• Each Full Cylinder and Half Cylinder base includes weight for stability.						
• Wood X Base: Two 26"(660mm) or 32"(813mm) deep, 1.25"(32mm) thick wood veneer slabs.						
• Slab Base: 30"(762mm) deep, 2"(51mm) thick wood veneer with Keel sets:						
–One base set includes one Keel set.						
–Three base kit includes two Keel sets.						
• Glide adjustment of 1"(25mm) on all bases						
• Cylinders ship assembled; other bases require field assembly.						
To Order, Specify:						
1) Product number, including:						
① Access Hatch Option:						
A Access Door, upcharges (list) per kit						
Base Qty Two, add \$1531.72 list						
Base Qty Three, add \$2297.57 list						
N No Access Door						
2) Wood surface finish.						
X Base/Slab Base						
1) Product number.						
2) Wood surface finish.						

Executive Wood Tables

Racetrack Tables



TERT
(60"-120")



TERT
(132"-240")
[3353mm-6096mm])

Note: ↗ = Wood Grain Direction

Features

- Includes one piece (60"-120"[1524mm-3048mm] wide) or two piece (132"-240"[3353mm-6096mm] wide) Racetrack shaped wood veneer top with solid wood edge:
 - 1.5"(38mm) Edge: Square (1), Bevel (2), Chamfer (3) or Radius (4).
 - 2.75"(70mm) Edge: Bullnose Notched (5) or Bullnose Smooth (6).
- Border (O) option has black 0.125"(3mm) thick inlay.
- Base Kits are specified separately.
- Base kits include Full Cylinder, Half Cylinder, Full/Half Cylinder Wood X Base and Wood Slab Base.
- Flip Top Unit Cutout Options available for separately specified Flip Top Unit(s) on tops greater than 36"(914mm) deep:
 - One centered cutout (S) (84"-120"[2134mm-3048mm] wide tops).
 - Two left/right cutouts (D) (132-240"[3353mm-6096mm] wide tops).
 - Cutouts are centered between bases.

Note: On site measurements should be taken to ensure there is adequate room in elevators and/or hallway conditions to accommodate the top sizes.

Cutout options: S - One 12-port Double-Sided Flip Top Unit
D - Two 12-port Double-Sided Flip Top Units

To Order, Specify:

1) Product number, including:

1 Edge Option:

- 1 1.5" Square
- 2 1.5" Bevel
- 3 1.5" Chamfer
- 4 1.5" Radius
- 5 2.75" Bullnose Notched
- 6 2.75" Bullnose Smooth

2 Flip Top Unit Cutout:

- S Single Centered (84"-120"[2134mm-3048mm] Widths), add **\$388.69** list
- D Two Left/Right (132"-240"[3353mm-6096mm] Widths), add **\$777.40** list
- N None

3 Border Option: Upcharge (list)

- N None
- O Border

2) Wood surface finish.





Executive Wood Tables

	Depth	Width	No. of Sections	Number	①	②	③	Wood Group B	D	Upcharge Border Option (O)
Racetrack	1.5"(38mm) Edge									
	36"(914mm)	60"(1524mm)	1	TERT-3660-W	TN			\$ 5607.06	\$ 6265.62	\$1939.25
		66"(1676mm)	1	TERT-3666-W	TN			6102.96	6823.32	2056.86
		72"(1829mm)	1	TERT-3672-W	TN			6598.86	7381.02	2174.63
		78"(1981mm)	1	TERT-3678-W	TN			7094.76	7938.72	2292.38
		84"(2134mm)	1	TERT-3684-W	TN			7590.66	8496.42	2410.13
	2.75"(70mm) Edge									
	36"(914mm)	60"(1524mm)	1	TERT-3660-W	KN			\$ 9872.66	\$10531.22	\$1939.11
		66"(1676mm)	1	TERT-3666-W	KN			10745.96	11466.32	2056.86
		72"(1829mm)	1	TERT-3672-W	KN			11619.26	12401.42	2174.63
		78"(1981mm)	1	TERT-3678-W	KN			12492.56	13336.52	2292.38
		84"(2134mm)	1	TERT-3684-W	KN			13365.86	14271.62	2410.13
	1.5"(38mm) Edge									
	42"(1067mm)	78"(1981mm)	1	TERT-4278-W	TN			\$ 7865.69	\$ 8843.55	\$2410.13
		84"(2134mm)	1	TERT-4284-W	T			8400.88	9450.84	2527.90
		96"(2438mm)	1	TERT-4296-W	T			9471.26	10665.42	2763.41
		108"(2743mm)	1	TERT-42A8-W	T			10541.64	11880.00	2998.92
		120"(3048mm)	1	TERT-42C0-W	T			11612.02	13094.58	3234.44
	2.75"(70mm) Edge									
	42"(1067mm)	78"(1981mm)	1	TERT-4278-W	KN			\$13640.89	\$14618.75	\$2410.13
		84"(2134mm)	1	TERT-4284-W	K			14553.48	15603.44	2527.90
		96"(2438mm)	1	TERT-4296-W	K			16378.66	17572.82	2763.41
		108"(2743mm)	1	TERT-42A8-W	K			18203.84	19542.20	2998.92
		120"(3048mm)	1	TERT-42C0-W	K			20029.02	21511.58	3234.44
	1.5"(38mm) Edge									
	48"(1219mm)	84"(2134mm)	1	TERT-4884-W	T			\$ 9211.10	\$10405.26	\$2645.65
		96"(2438mm)	1	TERT-4896-W	T			10360.06	11719.02	2881.17
		108"(2743mm)	1	TERT-48A8-W	T			11509.02	13032.78	3116.69
		120"(3048mm)	1	TERT-48C0-W	T			12657.98	14346.54	3352.19
		132"(3353mm)	2	TERT-48D2-W	T			14888.28	16741.64	3848.20
		144"(3658mm)	2	TERT-48E4-W	T			16037.24	18055.40	4083.72
		156"(3962mm)	2	TERT-48F6-W	T			17186.20	19369.16	4319.23
		168"(4267mm)	2	TERT-48G8-W	T			18335.16	20682.92	4554.74
		180"(4572mm)	2	TERT-48J0-W	T			21980.04	24492.60	4934.98
		192"(4877mm)	2	TERT-48K2-W	T			23291.60	25968.96	5170.50
		204"(5182mm)	2	TERT-48L4-W	T			24603.16	27445.32	5406.00
		216"(5486mm)	2	TERT-48M6-W	T			25914.72	28921.68	5641.52
		228"(5791mm)	2	TERT-48N8-W	T			27226.28	30398.04	5877.04
		240"(6096mm)	2	TERT-48Q0-W	T			28537.84	31874.40	6112.55
	2.75"(70mm) Edge									
	48"(1219mm)	84"(2134mm)	1	TERT-4884-W	K			\$15741.10	\$16935.26	\$2645.65
		96"(2438mm)	1	TERT-4896-W	K			17644.86	19003.82	2881.17
		108"(2743mm)	1	TERT-48A8-W	K			19548.62	21072.38	3116.69
		120"(3048mm)	1	TERT-48C0-W	K			21452.38	23140.94	3352.19
		132"(3353mm)	2	TERT-48D2-W	K			24900.87	26754.23	3848.20
		144"(3658mm)	2	TERT-48E4-W	K			26804.63	28822.79	4083.72
		156"(3962mm)	2	TERT-48F6-W	K			28708.39	30891.35	4319.23
		168"(4267mm)	2	TERT-48G8-W	K			30612.15	32959.91	4554.74
		180"(4572mm)	2	TERT-48J0-W	K			35876.35	38388.91	4934.98
		192"(4877mm)	2	TERT-48K2-W	K			38240.77	40918.13	5170.50
		204"(5182mm)	2	TERT-48L4-W	K			40605.19	43447.35	5406.00
		216"(5486mm)	2	TERT-48M6-W	K			42969.61	45976.57	5641.52
		228"(5791mm)	2	TERT-48N8-W	K			45334.03	48505.79	5877.04
		240"(6096mm)	2	TERT-48Q0-W	K			47698.45	51035.01	6112.55

Executive Wood Tables


	Depth	Width	No. of Sections	Number	①	②	③	Wood Group B	D	Upcharge Border Option (O)
Racetrack	1.5"(38mm) Edge									
	54"(1372mm)	108"(2743mm)	1	TERT-54A8-W	T			\$12476.40	\$14185.56	\$3234.44
		120"(3048mm)	1	TERT-54C0-W	T			13703.94	15598.50	3469.96
		132"(3353mm)	2	TERT-54D2-W	T			16394.89	18474.85	3965.96
		144"(3658mm)	2	TERT-54E4-W	T			17785.03	20050.39	4201.47
		156"(3962mm)	2	TERT-54F6-W	T			19175.17	21625.93	4436.99
		168"(4267mm)	2	TERT-54G8-W	T			20565.31	23201.47	4672.50
		180"(4572mm)	2	TERT-54J0-W	T			23418.90	26240.46	5052.73
		192"(4877mm)	2	TERT-54K2-W	T			24809.04	27816.00	5288.25
		204"(5182mm)	2	TERT-54L4-W	T			26199.18	29391.54	5523.77
		216"(5486mm)	2	TERT-54M6-W	T			27589.32	30967.08	5759.28
		228"(5791mm)	2	TERT-54N8-W	T			28979.46	32542.62	5994.79
		240"(6096mm)	2	TERT-54Q0-W	T			30369.60	34118.16	6230.31
	2.75"(70mm) Edge									
	54"(1372mm)	108"(2743mm)	1	TERT-54A8-W	K			\$20893.40	\$22602.56	\$3234.44
		120"(3048mm)	1	TERT-54C0-W	K			22875.74	24770.30	3469.96
		132"(3353mm)	2	TERT-54D2-W	K			27107.43	29187.39	3965.96
		144"(3658mm)	2	TERT-54E4-W	K			29577.59	31842.95	4201.47
		156"(3962mm)	2	TERT-54F6-W	K			32047.75	34498.51	4436.99
		168"(4267mm)	2	TERT-54G8-W	K			34517.91	37154.07	4672.50
		180"(4572mm)	2	TERT-54J0-W	K			37963.61	40785.17	5052.73
		192"(4877mm)	2	TERT-54K2-W	K			40569.27	43576.23	5288.25
		204"(5182mm)	2	TERT-54L4-W	K			43174.93	46367.29	5523.77
		216"(5486mm)	2	TERT-54M6-W	K			45780.59	49158.35	5759.28
		228"(5791mm)	2	TERT-54N8-W	K			48386.25	51949.41	5994.79
		240"(6096mm)	2	TERT-54Q0-W	K			50991.91	54740.47	6230.31
	1.5"(38mm) Edge									
	60"(1524mm)	108"(2743mm)	1	TERT-60A8-W	T			\$13443.78	\$15338.34	\$3352.19
		120"(3048mm)	1	TERT-60C0-W	T			14749.90	16850.46	3587.71
		132"(3353mm)	2	TERT-60D2-W	TN			17803.99	20110.55	4083.72
		144"(3658mm)	2	TERT-60E4-W	T			19272.71	21785.27	4319.23
		156"(3962mm)	2	TERT-60F6-W	T			20741.43	23459.99	4554.74
		168"(4267mm)	2	TERT-60G8-W	T			22210.15	25134.71	4790.26
		180"(4572mm)	2	TERT-60J0-W	T			24424.16	27554.72	5170.50
		192"(4877mm)	2	TERT-60K2-W	T			25892.88	29229.44	5406.00
		204"(5182mm)	2	TERT-60L4-W	T			27361.60	30904.16	5641.52
		216"(5486mm)	2	TERT-60M6-W	T			28830.32	32578.88	5877.04
		228"(5791mm)	2	TERT-60N8-W	T			30299.04	34253.60	6112.55
		240"(6096mm)	2	TERT-60Q0-W	T			31767.76	35928.32	6348.06
	2.75"(70mm) Edge									
	60"(1524mm)	108"(2743mm)	1	TERT-60A8-W	K			\$22238.18	\$24132.74	\$3352.19
		120"(3048mm)	1	TERT-60C0-W	K			24299.10	26399.66	3587.71
		132"(3353mm)	2	TERT-60D2-W	KN			29097.15	31403.71	4083.72
		144"(3658mm)	2	TERT-60E4-W	K			31645.89	34158.45	4319.23
		156"(3962mm)	2	TERT-60F6-W	K			34194.63	36913.19	4554.74
		168"(4267mm)	2	TERT-60G8-W	K			36743.37	39667.93	4790.26
		180"(4572mm)	2	TERT-60J0-W	K			40321.89	43452.45	5170.50
		192"(4877mm)	2	TERT-60K2-W	K			43195.83	46532.39	5406.00
		204"(5182mm)	2	TERT-60L4-W	K			46069.77	49612.33	5641.52
		216"(5486mm)	2	TERT-60M6-W	K			48943.71	52692.27	5877.04
		228"(5791mm)	2	TERT-60N8-W	K			51817.65	55772.21	6112.55
		240"(6096mm)	2	TERT-60Q0-W	K			54691.59	58852.15	6348.06

Executive Wood Tables


	Rectangular Table Depths	Widths	Base Qty/Size	Number ①	Wood Group B	D
Base Kits — Racetrack Wood Tables  TEFC  TEFC-A  TEXB-W  TESL	Full Cylinder Base Kits					
	36"-42"(914mm-1067mm)	60"-120"(1524mm-3048mm)	2-18"(457mm)	TEFC-1802-W 4	\$5105.75	\$ 6743.42
	48"-54"(1219mm-1372mm)	84"-120"(2134mm-3048mm)	2-24"(610mm)	TEFC-2402-W 4	5438.35	7182.75
		132"-240"(3353mm-6096mm)	3-24"(610mm)	TEFC-2403-W 4	8155.60	10771.54
	60"(1524mm)	108"-120"(2743mm-3048mm)	2-30"(762mm)	TEFC-3002-W 4	6034.08	7969.48
		132"-240"(3353mm-6096mm)	3-30"(762mm)	TEFC-3003-W 4	9049.11	11951.69
	Full/Half Cylinder Base Kits					
	48"-54"(1219mm-1372mm)	132"-240"(3353mm-6096mm)	3-24"(610mm)	TEFH-2403-W 4	\$8207.86	\$10840.56
	60"(1524mm)	132"-240"(3353mm-6096mm)	3-30"(762mm)	TEFH-3003-W 4	9097.45	12015.52
	Half Cylinder Base Kits					
	36"-42"(914mm-1067mm)	60"-120"(1524mm-3048mm)	2-18"(457mm)	TEHC-1802-W 4	\$5247.23	\$ 6929.69
	48"-54"(1219mm-1372mm)	84"-120"(2134mm-3048mm)	2-24"(610mm)	TEHC-2402-W 4	5474.52	7156.98
		108"-120"(2743mm-3048mm)	2-30"(762mm)	TEHC-3002-W 4	6111.73	7794.19
	Wood X Base Kits					
	36"-54"(914mm-1372mm)	60"-120"(1524mm-3048mm)	2-26"(660mm)	TEXB-2602-WN4	\$5064.85	\$ 6689.48
		132"-240"(3353mm-6096mm)	3-26"(660mm)	TEXB-2603-WN4	7596.29	10032.86
	60"(1524mm)	108"-120"(2743mm-3048mm)	2-32"(813mm)	TEXB-3202-WN4	5320.57	7027.25
		132"-240"(3353mm-6096mm)	3-32"(813mm)	TEXB-3203-WN4	7980.88	10540.80
	Wood Slab Base Kits					
			2-60"(1524mm)	TESL-3060-WN4	\$3699.64	\$ 4886.30
			2-66"(1676mm)	TESL-3066-WN4	3714.79	4906.30
			2-72"(1829mm)	TESL-3072-WN4	3729.94	4926.30
			2-78"(1981mm)	TESL-3078-WN4	3745.09	4946.30
			2-84"(2134mm)	TESL-3084-WN4	3760.24	4966.30
			2-96"(2438mm)	TESL-3096-WN4	3790.54	5006.30
			2-108"(2743mm)	TESL-30A8-WN4	3820.84	5046.30
			2-120"(3048mm)	TESL-30C0-WN4	3851.14	5086.30
			3-132"(3353mm)	TESL-30D2-WN4	6171.13	8150.56
			3-144"(3658mm)	TESL-30E4-WN4	6519.81	8611.18
			3-156"(3962mm)	TESL-30F6-WN4	6868.49	9071.80
			3-168"(4267mm)	TESL-30G8-WN4	7217.17	9532.42
			3-180"(4572mm)	TESL-30J0-WN4	7565.85	9993.04
			3-192"(4877mm)	TESL-30K2-WN4	7914.53	10453.66
			3-204"(5182mm)	TESL-30L4-WN4	8263.21	10914.28
			3-216"(5486mm)	TESL-30M6-WN4	8611.89	11374.90
			3-228"(5791mm)	TESL-30N8-WN4	8960.57	11835.52
			3-240"(6096mm)	TESL-30Q0-WN4	9309.25	12296.14
Features						
• Each kit includes 28"(711mm) high base kit(s) with attachment hardware:						
–Full Cylinder Base: Wood veneer over wood base; available with optional Access Door for power access.						
–Full Cylinder and Half Cylinder Bases have cord access cutout.						
–Half Cylinder Base: Wood veneer over wood base.						
–Each Full Cylinder and Half Cylinder base includes weight for stability.						
• Wood X Base: Two 26"(660mm) or 32"(813mm) deep, 1.25"(32mm) thick wood veneer slabs.						
• Slab Base: 30"(762mm) deep, 2"(51mm) thick wood veneer with Keel sets:						
–One base set includes one Keel set.						
–Three base kit includes two Keel sets.						
• Glide adjustment of 1"(25mm) on all bases.						
• Cylinders ship assembled; other bases require field assembly.						
To Order, Specify:						
1) Product number, including:						
X Base – Wood						
① Access Hatch Option (Full Cylinder):						
A Access Door, upcharges (list) per kit						
Base Qty Two, add \$1531.72 list						
Base Qty Three, add \$2297.57 list						
N No Access Door						
2) Wood surface finish.						
X Base/Slab Base						
1) Product number.						
2) Wood surface finish.						

Executive Wood Tables

Boat



TEBO
(60"-120")



TEBO
(132"-240")
[3353mm-6096mm])

Note: ↕ = Wood Grain Direction

Features

- Includes one piece (60"-120"[1524mm-3048mm] wide) or two piece (132"-240"[3353mm-6096mm] wide) Boat shaped wood veneer top with solid wood edge:
 - 1.5"(38mm) Edge: Square (1), Bevel (2), Chamfer (3) or Radius (4).
 - 2.75"(70mm) Edge: Bullnose Notched (5) or Bullnose Smooth (6).
 - Boat top depths taper 6"(152mm) at ends; i.e., 36"(914mm) depth top is 30"(762mm) at each end.
- Border (O) option has black 0.125"(3mm) thick inlay.
- Base Kits are specified separately.
- Base kits include Full Cylinder, Half Cylinder, Full/Half Cylinder Wood X Base and Wood Slab Base.
- Flip Top Unit Cutout Options available for separately specified Flip Top Unit(s) on tops greater than 36"(914mm) deep:
 - One centered cutout (S) (84"-120"[2134mm-3048mm] wide tops).
 - Two left/right cutouts (D) (132"-240"[3353mm-6096mm] wide tops).
 - Cutouts are centered between bases.

Note: On site measurements should be taken to ensure there is adequate room in elevators and/or hallway conditions to accommodate the top sizes.

Cutout options: S - One 12-port Double-Sided Flip Top Unit
D - Two 12-port Double-Sided Flip Top Units

To Order, Specify:

1) Product number, including:

1 Edge Option:

- 1 1.5" Square
- 2 1.5" Bevel
- 3 1.5" Chamfer
- 4 1.5" Radius
- 5 2.75" Bullnose Notched
- 6 2.75" Bullnose Smooth

2 Flip Top Unit Cutout:

- S Single Centered (84"-120"[2134mm-3048mm] Widths), add **\$388.69** list
- D Two Left/Right (132"-240"[3353mm-6096mm] Widths), add **\$777.40** list
- N None

3 Border Option: Upcharge (list)

- N None
- O Border

2) Wood surface finish.






Executive Wood Tables

	Depth	Width	No. of Sections	Number	①	②	③	Wood Group B	D	Upcharge Border Option (O)
Boat	1.5"(38mm) Edge									
	36"/30"(914mm/762mm)	60"(1524mm)	1	TEBO-3660-W	TN			\$ 5715.09	\$ 6386.36	\$1850.74
		66"(1676mm)	1	TEBO-3666-W	TN			6220.65	6955.04	1963.30
		72"(1829mm)	1	TEBO-3672-W	TN			6726.21	7523.72	2075.87
		78"(1981mm)	1	TEBO-3678-W	TN			7231.77	8092.40	2188.44
		84"(2134mm)	1	TEBO-3684-W	TN			7737.33	8661.08	2301.01
	2.75"(70mm) Edge									
	36"/30"(914mm/762mm)	60"(1524mm)	1	TEBO-3660-W	KN			\$10062.91	\$10734.18	\$1850.74
		66"(1676mm)	1	TEBO-3666-W	KN			10952.95	11687.34	1963.30
		72"(1829mm)	1	TEBO-3672-W	KN			11842.99	12640.50	2075.87
		78"(1981mm)	1	TEBO-3678-W	KN			12733.03	13593.66	2188.44
		84"(2134mm)	1	TEBO-3684-W	KN			13623.07	14546.82	2301.01
	1.5"(38mm) Edge									
	42"/36"(1067mm/914mm)	78"(1981mm)	1	TEBO-4278-W	TN			\$ 8017.61	\$ 9015.00	\$2301.01
		84"(2134mm)	1	TEBO-4284-W	T			8563.21	9634.24	2413.58
		96"(2438mm)	1	TEBO-4296-W	T			9654.41	10872.72	2638.72
		108"(2743mm)	1	TEBO-42A8-W	T			10745.61	12111.20	2863.87
		120"(3048mm)	1	TEBO-42C0-W	T			11836.81	13349.68	3089.00
	2.75"(70mm) Edge									
	42"/36"(1067mm/914mm)	78"(1981mm)	1	TEBO-4278-W	KN			\$13903.35	\$14900.74	\$2301.01
		84"(2134mm)	1	TEBO-4284-W	K			14833.43	15904.46	2413.58
		96"(2438mm)	1	TEBO-4296-W	K			16693.59	17911.90	2638.72
		108"(2743mm)	1	TEBO-42A8-W	K			18553.75	19919.34	2863.87
		120"(3048mm)	1	TEBO-42C0-W	K			20413.91	21926.78	3089.00
	1.5"(38mm) Edge									
	48"/42"(1219mm/1067mm)	84"(2134mm)	1	TEBO-4884-W	T			\$ 9389.09	\$10607.40	\$2526.15
		96"(2438mm)	1	TEBO-4896-W	T			10560.37	11947.00	2751.29
		108"(2743mm)	1	TEBO-48A8-W	T			11731.65	13286.60	2976.43
		120"(3048mm)	1	TEBO-48C0-W	T			12902.93	14626.20	3201.57
		132"(3353mm)	2	TEBO-48D2-W	T			15123.89	17015.48	3675.34
		144"(3658mm)	2	TEBO-48E4-W	T			16295.17	18355.08	3900.48
		156"(3962mm)	2	TEBO-48F6-W	T			17466.45	19694.68	4125.62
		168"(4267mm)	2	TEBO-48G8-W	T			18637.73	21034.28	4350.76
		180"(4572mm)	2	TEBO-48J0-W	T			22405.54	24970.41	4713.97
		192"(4877mm)	2	TEBO-48K2-W	T			23742.58	26475.77	4939.11
		204"(5182mm)	2	TEBO-48L4-W	T			25079.62	27981.13	5164.25
		216"(5486mm)	2	TEBO-48M6-W	T			26416.66	29486.49	5389.40
		228"(5791mm)	2	TEBO-48N8-W	T			27753.70	30991.85	5614.54
		240"(6096mm)	2	TEBO-48Q0-W	T			29090.74	32497.21	5839.67
	2.75"(70mm) Edge									
	48"/42"(1219mm/1067mm)	84"(2134mm)	1	TEBO-4884-W	K			\$16043.79	\$17262.10	\$2526.15
		96"(2438mm)	1	TEBO-4896-W	K			17984.03	19370.66	2751.29
		108"(2743mm)	1	TEBO-48A8-W	K			19924.27	21479.22	2976.43
		120"(3048mm)	1	TEBO-48C0-W	K			21864.51	23587.78	3201.57
		132"(3353mm)	2	TEBO-48D2-W	K			25379.28	27270.87	3675.34
		144"(3658mm)	2	TEBO-48E4-W	K			27319.52	29379.43	3900.48
		156"(3962mm)	2	TEBO-48F6-W	K			29259.76	31487.99	4125.62
		168"(4267mm)	2	TEBO-48G8-W	K			31200.00	33596.55	4350.76
		180"(4572mm)	2	TEBO-48J0-W	K			36565.40	39130.27	4713.97
		192"(4877mm)	2	TEBO-48K2-W	K			38975.24	41708.43	4939.11
		204"(5182mm)	2	TEBO-48L4-W	K			41385.08	44286.59	5164.25
		216"(5486mm)	2	TEBO-48M6-W	K			43794.92	46864.75	5389.40
		228"(5791mm)	2	TEBO-48N8-W	K			46204.76	49442.91	5614.54
		240"(6096mm)	2	TEBO-48Q0-W	K			48614.60	52021.07	5539.67

Executive Wood Tables


	Depth	Width	No. of Sections	Number	①	②	③	Wood Group B	D	Upcharge Border Option (O)
Boat	1.5"(38mm) Edge									
	54"/48"(1372mm/1219mm)	108"(2743mm)	1	TEBO-54A8-W	T			\$12717.69	\$14462.00	\$3089.00
		120"(3048mm)	1	TEBO-54C0-W	T			13969.05	15902.72	3314.14
		132"(3353mm)	2	TEBO-54D2-W	T			16712.07	18835.10	3787.91
		144"(3658mm)	2	TEBO-54E4-W	T			18129.19	20441.58	4013.05
		156"(3962mm)	2	TEBO-54F6-W	T			19546.31	22048.06	4238.18
		168"(4267mm)	2	TEBO-54G8-W	T			20963.43	23654.54	4463.32
		180"(4572mm)	2	TEBO-54J0-W	T			23872.06	26752.53	4826.55
		192"(4877mm)	2	TEBO-54K2-W	T			25289.18	28359.01	5051.68
		204"(5182mm)	2	TEBO-54L4-W	T			26706.30	29965.49	5726.82
		216"(5486mm)	2	TEBO-54M6-W	T			28123.42	31571.97	5501.96
		228"(5791mm)	2	TEBO-54N8-W	T			29540.54	33178.45	5727.10
		240"(6096mm)	2	TEBO-54Q0-W	T			30957.66	34784.93	5952.24
	2.75"(70mm) Edge									
	54"/48"(1372mm/1219mm)	108"(2743mm)	1	TEBO-54A8-W	K			\$21294.79	\$23039.10	\$3089.00
		120"(3048mm)	1	TEBO-54C0-W	K			23315.11	25248.78	3314.14
		132"(3353mm)	2	TEBO-54D2-W	K			27107.82	29230.85	3787.91
		144"(3658mm)	2	TEBO-54E4-W	K			29625.40	31937.79	4013.05
		156"(3962mm)	2	TEBO-54F6-W	K			32142.98	34644.73	4238.18
		168"(4267mm)	2	TEBO-54G8-W	K			34660.56	37351.67	4463.32
		180"(4572mm)	2	TEBO-54J0-W	K			38692.62	41573.09	4826.55
		192"(4877mm)	2	TEBO-54K2-W	K			41348.28	44418.11	5051.68
		204"(5182mm)	2	TEBO-54L4-W	K			44003.94	47263.13	5276.82
		216"(5486mm)	2	TEBO-54M6-W	K			46659.60	50108.15	5501.96
		228"(5791mm)	2	TEBO-54N8-W	K			49315.26	52953.17	5727.10
		240"(6096mm)	2	TEBO-54Q0-W	K			51970.92	55798.19	5952.24
	1.5"(38mm) Edge									
	60"/54"(1525mm/1372mm)	108"(2743mm)	1	TEBO-60A8-W	T			\$13703.73	\$15637.40	\$3201.57
		120"(3048mm)	1	TEBO-60C0-W	T			15035.17	17179.24	3426.71
		132"(3353mm)	2	TEBO-60D2-W	TN			18148.32	20502.79	3900.48
		144"(3658mm)	2	TEBO-60E4-W	T			19645.52	22210.39	4125.62
		156"(3962mm)	2	TEBO-60F6-W	T			21142.72	23917.99	4350.76
		168"(4267mm)	2	TEBO-60G8-W	T			22639.92	25625.59	4571.62
		180"(4572mm)	2	TEBO-60J0-W	T			24896.58	28092.65	4939.11
		192"(4877mm)	2	TEBO-60K2-W	T			26393.78	29800.25	5164.25
		204"(5182mm)	2	TEBO-60L4-W	T			27890.98	31507.85	5389.40
		216"(5486mm)	2	TEBO-60M6-W	T			29388.18	33215.45	5614.54
		228"(5791mm)	2	TEBO-60N8-W	T			30885.38	34923.05	5839.67
		240"(6096mm)	2	TEBO-60Q0-W	T			32382.58	36630.65	6064.81
	2.75"(70mm) Edge									
	60"/54"(1525mm/1372mm)	108"(2743mm)	1	TEBO-60A8-W	K			\$22665.31	\$24598.98	\$3201.57
		120"(3048mm)	1	TEBO-60C0-W	K			24765.71	26909.78	3426.71
		132"(3353mm)	2	TEBO-60D2-W	KN			29656.05	32010.52	3900.48
		144"(3658mm)	2	TEBO-60E4-W	K			32253.71	34818.58	4125.62
		156"(3962mm)	2	TEBO-60F6-W	K			34851.37	37626.64	4350.76
		168"(4267mm)	2	TEBO-60G8-W	K			37449.03	40434.70	4571.62
		180"(4572mm)	2	TEBO-60J0-W	K			41096.10	44292.17	4939.11
		192"(4877mm)	2	TEBO-60K2-W	K			44025.18	47431.65	5164.25
		204"(5182mm)	2	TEBO-60L4-W	K			46954.26	50571.13	5389.40
		216"(5486mm)	2	TEBO-60M6-W	K			49883.34	53710.61	5614.54
		228"(5791mm)	2	TEBO-60N8-W	K			52812.42	56850.09	5839.67
		240"(6096mm)	2	TEBO-60Q0-W	K			55741.50	59989.57	6064.81

Executive Wood Tables


	Depths	Widths	Base Qty/Size	Number 1	Wood Group B	D
Base Kits — Boat Wood Tables  TEFC  TEFC-A  TEHC  TEHC-A  TEXB-W  TESL Note: ↗ = Wood Grain Direction	Full Cylinder Base Kits					
	36"-42"(914mm-1067mm)	60"-120"(1524mm-3048mm)	2"-18"(457mm)	TEFC-1802-W 4	\$5105.75	\$ 6743.42
	48"-54"(1219mm-1372mm)	84"-120"(2134mm-3048mm)	2"-24"(610mm)	TEFC-2402-W 4	5438.35	7182.75
		132"-240"(3353mm-6096mm)	3"-24"(610mm)	TEFC-2403-W 4	8155.60	10771.54
	60"(1524mm)	108"-120"(2743mm-3048mm)	2"-30"(762mm)	TEFC-3002-W 4	6034.08	7969.48
		132"-240"(3353mm-6096mm)	3"-30"(762mm)	TEFC-3003-W 4	9049.11	11951.69
	Full/Half Cylinder Base Kits					
	48"-54"(1219mm-1372mm)	132"-240"(3353mm-6096mm)	3"-24"(610mm)	TEFH-2403-W 4	\$8207.86	\$10840.56
	60"(1524mm)	132"-240"	3"-30"(762mm)	TEFH-3003-W 4	9097.45	12015.52
	Half Cylinder Base Kits					
	36"-42"(914mm-1067mm)	60"-120"(1524mm-3048mm)	2"-18"(457mm)	TEHC-1802-W 4	\$5247.23	\$ 6929.69
	48"-54"(1219mm-1372mm)	84"-120"(2134mm-3048mm)	2"-24"(610mm)	TEHC-2402-W 4	5474.52	7156.98
	60"(1524mm)	108"-120"(2743mm-3048mm)	2"-30"(762mm)	TEHC-3002-W 4	6111.73	7794.19
	Wood X Base Kits					
	36"-54"(914mm-1372mm)	60"-120"(1524mm-3048mm)	2"-26"(660mm)	TEXB-2602-WN4	\$5064.85	\$ 6689.48
		132"-240"(3353mm-6096mm)	3"-26"(660mm)	TEXB-2603-WN4	7596.29	10032.86
	60"(1524mm)	108"-120"(2743mm-3048mm)	2"-32"(813mm)	TEXB-3202-WN4	5320.57	7027.25
		132"-240"(3353mm-6096mm)	3"-32"(813mm)	TEXB-3203-WN4	7980.88	10540.80
	Wood Slab Base Kits					
			2"-60"(1524mm)	TESL-3060-WN4	\$3699.64	\$ 4886.30
			2"-66"(1676mm)	TESL-3066-WN4	3714.79	4906.30
			2"-72"(1829mm)	TESL-3072-WN4	3729.94	4926.30
			2"-78"(1981mm)	TESL-3078-WN4	3745.09	4946.30
			2"-84"(2134mm)	TESL-3084-WN4	3760.24	4966.30
			2"-96"(2438mm)	TESL-3096-WN4	3790.54	5006.30
			2"-108"(2743mm)	TESL-30A8-WN4	3820.84	5046.30
			2"-120"(3048mm)	TESL-30C0-WN4	3851.14	5086.30
			3"-132"(3353mm)	TESL-30D2-WN4	6171.13	8150.56
			3"-144"(3658mm)	TESL-30E4-WN4	6519.81	8611.18
			3"-156"(3962mm)	TESL-30F6-WN4	6868.49	9071.80
			3"-168"(4267mm)	TESL-30G8-WN4	7217.17	9532.42
			3"-180"(4572mm)	TESL-30J0-WN4	7565.85	9993.04
			3"-192"(4877mm)	TESL-30K2-WN4	7914.53	10453.66
			3"-204"(5182mm)	TESL-30L4-WN4	8263.21	10914.28
			3"-216"(5486mm)	TESL-30M6-WN4	8611.89	11374.90
			3"-228"(5791mm)	TESL-30N8-WN4	8960.57	11835.52
			3"-240"(6096mm)	TESL-30Q0-WN4	9309.25	12296.14
Features						
• Each kit includes 28"(711mm) high base kit(s) with attachment hardware:						
• Full Cylinder Base: Wood veneer over wood base; available with optional Access Door for power access.						
• Full Cylinder and Half Cylinder Bases have cord access cutout.						
–Half Cylinder Base: Wood veneer over wood base.						
–Each Full Cylinder and Half Cylinder base includes weight for stability.						
–Wood X Base: Two 26"(660mm) or 32"(813mm) deep, 1.25"(32mm) thick wood veneer slabs.						
• Slab Base: 30"(762mm) deep, 2"(51mm) thick wood veneer with Keel sets:						
–One base set includes one Keel set.						
–Three base kit includes two Keel sets.						
• Glide adjustment of 1"(25mm) on all bases.						
• Cylinders ship assembled; other bases require field assembly.						
To Order, Specify:						
Full/Half Cylinder Base						
1) Product number, including:						
1 Access Hatch Option (Full Cylinder):						
A Access Door, upcharges (list) per kit						
Base Qty Two, add \$1531.72 list						
Base Qty Three, add \$2297.57 list						
N No Access Door						
2) Wood surface finish.						
X Base/Slab Base						
1) Product number.						
2) Wood surface finish.						

Executive Wood Tables

Wedge



TEWE
(84" - 120")



TEWE
(132"-240")
[3353mm-6096mm]]

Note: ↗ = Wood Grain Direction

Features

- Includes one piece (84"-120"[2134mm-3048mm] wide) or two piece (132"-240"[3353mm-6096mm] wide) Wedge shaped wood veneer top with solid wood edge:
 - 1.5" Edge: Square (1), Bevel (2), Chamfer (3) or Radius (4).
 - 2.75" Edge: Bullnose Notched (5) or Bullnose Smooth (6).
 - Wedge top depths taper 12"(305mm) from wider end; i.e., 48"(1219mm) deep to 36"(914mm) deep.
- Border (O) option has black 0.125"(3mm) thick inlay.
- Base Kits are specified separately.
- Base kits include Full Cylinder, Half Cylinder, Full/Half Cylinder, Wood X Base and Wood Slab Base.
- Flip Top Unit Cutout Options available for separately specified Flip Top Unit(s):
 - One centered cutout (S) (84-120"[2134mm-3048mm] wide tops).
 - Two left/right cutouts (D) (132-240"[3353mm-6096mm] wide tops).
 - Cutouts are centered between bases.

Note: On site measurements should be taken to ensure there is adequate room in elevators and/or hallway conditions to accommodate the top sizes.

Cutout options: S - One 12-port Double-Sided Flip Top Unit
D - Two 12-port Double-Sided Flip Top Units

To Order, Specify:

1) Product number, including:

1 Edge Option:

- 1 1.5" Square
- 2 1.5" Bevel
- 3 1.5" Chamfer
- 4 1.5" Radius
- 5 2.75" Bullnose Notched
- 6 2.75" Bullnose Smooth

2 Flip Top Unit Cutout:

- S Single Centered (84"-120"[2134mm-3048mm] Widths), add \$388.69 list
- D Two Left/Right (132"-240"[3353mm-6096mm] Widths), add \$777.40 list
- N None

3 Border Option: Upcharge (list)

- N None
- O Border

2) Wood surface finish.






Executive Wood Tables

	Depth	Width	No. of Sections	Number	①	②	③	Wood Group B	D	Upcharge Border Option (O)
Wedge	1.5"(38mm) Edge									
	48"/36"(1219mm/914mm)	84"(2134mm)	1	TEWE-4884-W	T			\$ 6670.88	\$ 7533.45	\$1794.72
		96"(2438mm)	1	TEWE-4896-W	T			7503.60	8484.89	1954.85
		108"(2743mm)	1	TEWE-48A8-W	T			8336.32	9436.33	2114.96
		120"(3048mm)	1	TEWE-48C0-W	T			9169.04	10387.77	2275.09
		132"(3353mm)	2	TEWE-48D2-W	T			10755.06	12092.51	2611.76
		144"(3658mm)	2	TEWE-48E4-W	T			11587.78	13043.95	2771.88
		156"(3962mm)	2	TEWE-48F6-W	T			12420.50	13995.39	2932.00
		168"(4267mm)	2	TEWE-48G8-W	T			13253.22	14946.83	3092.13
		180"(4572mm)	2	TEWE-48J0-W	T			15922.14	17734.47	3350.34
		192"(4877mm)	2	TEWE-48K2-W	T			16872.54	18803.59	3510.46
		204"(5182mm)	2	TEWE-48L4-W	T			17822.94	19872.71	3670.58
		216"(5486mm)	2	TEWE-48M6-W	T			18773.34	20941.83	3830.71
		228"(5791mm)	2	TEWE-48N8-W	T			19723.74	22010.95	3990.83
		240"(6096mm)	2	TEWE-48Q0-W	T			20674.14	23080.07	4150.95
	2.75"(70mm) Edge									
	48"/36"(1219mm/914mm)	84"(2134mm)	1	TEWE-4884-W	K			\$11396.66	\$12259.23	\$1794.72
		96"(2438mm)	1	TEWE-4896-W	K			12775.38	13756.67	1954.85
		108"(2743mm)	1	TEWE-48A8-W	K			14154.10	15254.11	2114.96
		120"(3048mm)	1	TEWE-48C0-W	K			15532.82	16751.55	2275.09
		132"(3353mm)	2	TEWE-48D2-W	K			18041.47	19378.92	2611.76
		144"(3658mm)	2	TEWE-48E4-W	K			19420.19	20876.36	2771.88
		156"(3962mm)	2	TEWE-48F6-W	K			20798.91	22373.80	2932.00
		168"(4267mm)	2	TEWE-48G8-W	K			22177.63	23871.24	3092.13
		180"(4572mm)	2	TEWE-48J0-W	K			25977.15	27789.48	3350.34
		192"(4877mm)	2	TEWE-48K2-W	K			27689.35	29620.40	3510.46
		204"(5182mm)	2	TEWE-48L4-W	K			29401.55	31451.32	3670.58
		216"(5486mm)	2	TEWE-48M6-W	K			31113.75	33282.24	3830.71
		228"(5791mm)	2	TEWE-48N8-W	K			32825.95	35113.16	3990.83
		240"(6096mm)	2	TEWE-48Q0-W	K			34538.15	36944.08	4150.95
	1.5"(48mm) Edge									
	54"/42"(1372mm/1067mm)	108"(2743mm)	1	TEWE-54A8-W	T			\$ 9037.48	\$10271.05	\$2195.03
		120"(3048mm)	1	TEWE-54C0-W	T			9927.16	11294.29	2355.14
		132"(3353mm)	2	TEWE-54D2-W	T			11876.14	13376.83	2691.82
		144"(3658mm)	2	TEWE-54E4-W	T			12883.50	14517.75	2851.95
		156"(3962mm)	2	TEWE-54F6-W	T			13890.86	15658.67	3012.07
		168"(4267mm)	2	TEWE-54G8-W	T			14898.22	16799.59	3172.19
		180"(4572mm)	2	TEWE-54J0-W	T			16965.06	18999.99	3430.40
		192"(4877mm)	2	TEWE-54K2-W	T			17972.42	20140.91	3590.52
		204"(5182mm)	2	TEWE-54L4-W	T			18979.78	21281.83	3750.64
		216"(5486mm)	2	TEWE-54M6-W	T			19987.14	22422.75	3910.76
		228"(5791mm)	2	TEWE-54N8-W	T			20994.50	23563.67	4070.89
		240"(6096mm)	2	TEWE-54Q0-W	T			22001.86	24704.59	4231.02


Executive Wood Tables

	Depth	Width	No. of Sections	Number	①	②	③	Wood Group B	D	Upcharge Border Option (O)
Wedge	2.75"(70mm) Edge									
	54"/42"(1372mm/1067mm)	108"(2743mm)	1	TEWE-54A8-W	K			\$15128.26	\$16361.83	\$2195.03
		120"(3048mm)	1	TEWE-54C0-W	K			16563.94	17931.07	2355.14
		132"(3353mm)	2	TEWE-54D2-W	K			19627.83	21128.52	2691.82
		144"(3658mm)	2	TEWE-54E4-W	K			21416.59	23050.84	2851.95
		156"(3962mm)	2	TEWE-54F6-W	K			23205.35	24973.16	3012.07
		168"(4267mm)	2	TEWE-54G8-W	K			24994.11	26895.48	3172.19
		180"(4572mm)	2	TEWE-54J0-W	K			27489.26	29524.19	3430.40
		192"(4877mm)	2	TEWE-54K2-W	K			29376.12	31544.61	3590.52
		204"(5182mm)	2	TEWE-54L4-W	K			31262.98	33565.03	3750.64
		216"(5486mm)	2	TEWE-54M6-W	K			33149.84	35585.45	3910.76
		228"(5791mm)	2	TEWE-54N8-W	K			35036.70	37605.87	4070.89
		240"(6096mm)	2	TEWE-54Q0-W	K			36923.56	39626.29	4231.02
	1.5"(38mm) Edge									
	60"/42"(1524mm/1067mm)	108"(2743mm)	1	TEWE-60A8-W	T			\$ 9738.64	\$11105.77	\$2275.09
		120"(3048mm)	1	TEWE-60C0-W	T			10685.28	12200.81	2435.21
		132"(3353mm)	2	TEWE-60D2-W	T			12897.23	14561.16	2771.88
		144"(3658mm)	2	TEWE-60E4-W	T			13961.55	15773.88	2932.00
		156"(3962mm)	2	TEWE-60F6-W	T			15025.87	16986.60	3092.13
		168"(4267mm)	2	TEWE-60G8-W	T			16090.19	18199.32	3252.25
		180"(4572mm)	2	TEWE-60J0-W	T			17694.10	19951.63	3510.46
		192"(4877mm)	2	TEWE-60K2-W	T			18758.42	21164.35	3670.58
		204"(5182mm)	2	TEWE-60L4-W	T			19822.74	22377.07	3830.71
		216"(5486mm)	2	TEWE-60M6-W	T			20887.06	23589.79	3990.83
		228"(5791mm)	2	TEWE-60N8-W	T			21951.38	24802.51	4150.95
		240"(6096mm)	2	TEWE-60Q0-W	T			23015.70	26015.23	4311.07
	2.75"(70mm) Edge									
	60"/42"(1524mm/1067mm)	108"(2743mm)	1	TEWE-60A8-W	K			\$16102.42	\$17469.55	\$2275.09
		120"(3048mm)	1	TEWE-60C0-W	K			17595.06	19110.59	2435.21
		132"(3353mm)	2	TEWE-60D2-W	K			21069.03	22732.96	2771.88
		144"(3658mm)	2	TEWE-60E4-W	K			22914.75	24727.08	2932.00
		156"(3962mm)	2	TEWE-60F6-W	K			24760.47	26721.20	3092.13
		168"(4267mm)	2	TEWE-60G8-W	K			26606.19	28715.32	3252.25
		180"(4572mm)	2	TEWE-60J0-W	K			29197.49	31455.02	3510.46
		192"(4877mm)	2	TEWE-60K2-W	K			31278.63	33684.56	3670.58
		204"(5182mm)	2	TEWE-60L4-W	K			33359.77	35914.10	3830.71
		216"(5486mm)	2	TEWE-60M6-W	K			35440.91	38143.64	3990.83
		228"(5791mm)	2	TEWE-60N8-W	K			37522.05	40373.18	4150.95
		240"(6096mm)	2	TEWE-60Q0-W	K			39603.19	42602.72	4311.07

Executive Wood Tables

	Depths	Widths	Base Qty/Size	Number ①	Wood Group B	D
Base Kits — Wedge Wood Tables  TEFC  TEFC-A  TEHC  TEHC-A  TEXB-W  TESL Note: ↗ = Wood Grain Direction	Full Cylinder Base Kits					
	48"-60"(1219mm-1524mm)	84"-120"(2134mm-3048mm)	2-24"(610mm)	TEFC-2402-W 4	\$5438.35	\$ 7182.75
		132"-240"(3353mm-6096mm)	3-24"(610mm)	TEFC-2403-W 4	8155.60	10771.54
	Full/Half Cylinder Base Kits					
	48"-60"(1219mm-1524mm)	132"-240"(3353mm-6096mm)	3-24"(610mm)	TEFH-2403-W 4	\$8207.86	\$10840.56
	Half Cylinder Base Kits					
	48"-60"(1219mm-1524mm)	84"-120"(2134mm-3048mm)	2-24"(610mm)	TEHC-2402-W 4	\$5474.52	\$ 7156.98
	Wood X Base Kits					
	48"-60"(1219mm-1524mm)	84"-120"(2134mm-3048mm)	2-32"(813mm)	TEXB-3202-WN4	\$5320.57	\$ 7027.25
		132"-240"(3353mm-6096mm)	3-32"(813mm)	TEXB-3203-WN4	7980.88	10540.80
	Wood Slab Base Kits					
			2-84"(2134mm)	TESL-3084-WN4	\$3760.24	\$ 4966.30
			2-96"(2438mm)	TESL-3096-WN4	3790.54	5006.30
			2-108"(2743mm)	TESL-30A8-WN4	3820.84	5046.30
			2-120"(3048mm)	TESL-30C0-WN4	3851.14	5086.30
			3-132"(3353mm)	TESL-30D2-WN4	6171.13	8150.56
			3-144"(3658mm)	TESL-30E4-WN4	6519.81	8611.18
			3-156"(3962mm)	TESL-30F6-WN4	6868.49	9071.80
			3-168"(4267mm)	TESL-30G8-WN4	7217.17	9532.42
			3-180"(4572mm)	TESL-30J0-WN4	7565.85	9993.04
			3-192"(4877mm)	TESL-30K2-WN4	7914.53	10453.66
			3-204"(5182mm)	TESL-30L4-WN4	8263.21	10914.28
			3-216"(5486mm)	TESL-30M6-WN4	8611.89	11374.90
			3-228"(5791mm)	TESL-30N8-WN4	8960.57	11835.52
			3-240"(6096mm)	TESL-30Q0-WN4	9309.25	12296.14
Features						
• Each kit includes 28"(711mm) high base kit(s) with attachment hardware:						
–Full Cylinder Base: Wood veneer over wood base; available with optional Access Door for power access.						
–Full Cylinder and Half Cylinder Bases have cord access cutout.						
–Half Cylinder Base: Wood veneer over wood base.						
–Each Full Cylinder and Half Cylinder base includes weight for stability.						
• Wood X Base: Two 26"(660mm) or 32"(813mm) deep, 1.25"(32mm) thick wood veneer slabs.						
• X Base: 30"(762mm) deep, 1.25"(32mm) thick wood veneer slabs.						
• Slab Base: 30"(762mm) deep, 2"(51mm) thick wood veneer with Keel sets:						
–One base set includes one Keel set.						
–Three base kit includes two Keel sets.						
• Glide adjustment of 1"(25mm) on all bases.						
• Cylinders ship assembled; other bases require field assembly.						
To Order, Specify:						
1) Product number, including:						
X Base – Wood						
1) Access Hatch Option (Full Cylinder):						
A Access Door, upcharges (list) per kit						
Base Qty Two, add \$1531.72 list						
Base Qty Three, add \$2297.57 list						
N No Access Door						
2) Wood surface finish.						
X Base/Slab Base						
1) Product number.						
2) Wood surface finish.						

Executive Wood Tables – A5 — Specifications



Construction Features

- One piece tops (120"[3048mm] widths) are constructed with 1.5"(38mm) fiber board substrate.
- Two piece tops (132"-240"[3353mm-6096mm] widths) are constructed with 1.5"(38mm) fiber board substrate and are secured together with tight joint fasteners. The tops are field joint built to go together.
- Knife edge is 1.5"(38mm) thick solid wood with a rake of 20.82° tapering 3"(76mm) from the edge. The top of the edge is made of quarter cut veneer of the species specified for the top, creating a 3"(76mm) border which is separated by the field with a 0.125"(3mm) thick black inlay.
- Base height is 28"(711mm).
- Finished table height is 29.5"(749mm).
- Table top dimensions are actual; however, the tables are natural wood and dimensional variance is +/- 0.25"(6mm) per top.
- Boat Table Top Depth / Taper:
 - The 54"(1372mm) depth Boat Table Top tapers to a 48"(1219mm) depth at each end.
 - The 60"(1524mm) depth Boat Table Top tapers to a 54"(1372mm) depth at each end.
- Wedge Table Top Depth / Taper:
 - The 54"(1372mm) depth Wedge Table Top tapers to a 42"(1067mm) depth on one end.
 - The 60" depth Wedge Table Top tapers to a 48" depth on one end.


Wood / Finish Features

- Top field veneer is plain-sliced and book-and-center matched; border is a quarter-cut veneer.
- Veneer is AWI (Architectural Woodworking Institute) Grade AA tops with water based finish. Refer to finish matrix.
- Table is designed for non-dining applications; it is highly recommended that a protective accessory be used on table tops when possible.


Executive Wood Tables – A5 — Specifications

- Wood Grain Direction
- Two-piece tops are field joint built and secured with tight joint features.
 - Base must be specified separately.

Top View with (1) Piece Top



Top View with (2) Piece Top




Top field veneer is plain-sliced and book-and-center matched.


Border is quarter-cut veneer.

Arrow describes
Wood Grain Direction

Knife Edge /
Black Inlay Detail



Executive Wood Tables – A5

	Depth	Width	Pieces	Number	Wood Group A	D
Rectangular Table Top  TERA	54"(1372mm)	120"(3048mm)	1	TERA-54C0-WATNO	\$27597.88	\$39576.13
		132"(3353mm)	2	TERA-54D2-WATNO	31941.59	45685.88
		144"(3658mm)	2	TERA-54E4-WATNO	34833.63	50343.96
		156"(3962mm)	2	TERA-54F6-WATNO	37725.67	55002.04
		168"(4267mm)	2	TERA-54G8-WATNO	40617.71	59660.12
		180"(4572mm)	2	TERA-54J0-WATNO	46397.70	67206.15
		192"(4877mm)	2	TERA-54K2-WATNO	50491.46	73065.95
		204"(5182mm)	2	TERA-54L4-WATNO	54585.22	78925.75
		216"(5486mm)	2	TERA-54M6-WATNO	58678.98	84785.55
		228"(5791mm)	2	TERA-54N8-WATNO	62772.74	90645.35
		240"(6096mm)	2	TERA-54Q0-WATNO	66866.50	96505.15
	60"(1524mm)	120"(3048mm)	1	TERA-60C0-WATNO	\$29180.64	\$42123.53
		132"(3353mm)	2	TERA-60D2-WATNO	33934.43	48658.20
		144"(3658mm)	2	TERA-60E4-WATNO	36883.43	53388.08
		156"(3962mm)	2	TERA-60F6-WATNO	39832.43	58117.96
		168"(4267mm)	2	TERA-60G8-WATNO	42781.43	62847.84
		180"(4572mm)	2	TERA-60J0-WATNO	48265.26	70112.55
		192"(4877mm)	2	TERA-60K2-WATNO	52415.98	76044.15
		204"(5182mm)	2	TERA-60L4-WATNO	56566.70	81975.75
		216"(5486mm)	2	TERA-60M6-WATNO	60717.42	87907.35
		228"(5791mm)	2	TERA-60N8-WATNO	64868.14	93838.95
		240"(6096mm)	2	TERA-60Q0-WATNO	69018.86	99770.55

Features


- Includes top only.
- Constructed of 1.5"(38mm) thick fiber board substrate with AWI (Architectural Woodworking Institute) Grade AA veneer with knife edge and mitered corners.
- Two-piece tops are field joint built and secured with tight joint fasteners.
- Knife edge is 1.5"(38mm) thick solid wood with a rake of 20.82° tapering 3"(76mm) from the edge.
- Black inlay is 0.125"(3mm) thick and set 3"(76mm) from the edges.

Note: On site measurements should be taken to ensure there is adequate room in elevators and/or hallway conditions to accommodate the top sizes.

To Order, Specify:

- 1) Product number.
- 2) Wood finish.

Executive Wood Tables – A5


	Depth	Width	Pieces	Number	Wood Group	
					A	D
Boat Table Top  TEBO	54"(1372mm)/48"(1219mm)	120"(3048mm)	1	TEBO-54C0-WATNO	\$37356.89	\$ 52026.40
		132"(3353mm)	2	TEBO-54D2-WATNO	43284.53	60102.76
		144"(3658mm)	2	TEBO-54E4-WATNO	47335.29	66302.24
		156"(3962mm)	2	TEBO-54F6-WATNO	51386.05	72501.72
		168"(4267mm)	2	TEBO-54G8-WATNO	55436.81	78701.20
		180"(4572mm)	2	TEBO-54J0-WATNO	62062.38	87475.49
		192"(4877mm)	2	TEBO-54K2-WATNO	67314.86	94876.69
		204"(5182mm)	2	TEBO-54L4-WATNO	72567.34	102277.89
		216"(5486mm)	2	TEBO-54M6-WATNO	77819.82	109679.09
		228"(5791mm)	2	TEBO-54N8-WATNO	83072.30	117080.29
		240"(6096mm)	2	TEBO-54Q0-WATNO	88324.78	124481.49
	60"(1524mm)/54"(1372mm)	120"(3048mm)	1	TEBO-60C0-WATNO	\$39646.17	\$ 55505.76
		132"(3353mm)	2	TEBO-60D2-WATNO	43672.56	61701.91
		144"(3658mm)	2	TEBO-60E4-WATNO	47450.32	67649.43
		156"(3962mm)	2	TEBO-60F6-WATNO	51228.08	73596.95
		168"(4267mm)	2	TEBO-60G8-WATNO	55005.84	79544.47
		180"(4572mm)	2	TEBO-60J0-WATNO	64752.06	91460.45
		192"(4877mm)	2	TEBO-60K2-WATNO	70084.62	98962.77
		204"(5182mm)	2	TEBO-60L4-WATNO	75417.18	106465.09
		216"(5486mm)	2	TEBO-60M6-WATNO	80749.74	113967.41
		228"(5791mm)	2	TEBO-60N8-WATNO	86082.30	121469.73
		240"(6096mm)	2	TEBO-60Q0-WATNO	91414.86	128972.05

- Features**
- Includes top only.
 - Constructed of 1.5"(38mm) thick fiber board substrate with AWI (Architectural Woodworking Institute) Grade AA veneer with knife edge and mitered corners.
 - Depth tapers in 6"(152mm) at ends.
 - Two-piece tops are field joint built and secured with tight joint fasteners.
 - Knife edge is 1.5"(38mm) thick solid wood with a rake of 20.82° tapering 3"(76mm) from the edge.
 - Black inlay is 0.125"(3mm) thick and set 3"(76mm) from the edges.

Note: On site measurements should be taken to ensure there is adequate room in elevators and/or hallway conditions to accommodate the top sizes.

- To Order, Specify:**
- 1) Product number.
 - 2) Wood finish.

Executive Wood Tables – A5

	Depth	Width	Pieces	Number	Wood Group A	Wood Group D
Wedge Table Top  TEWE	54"(1372mm)/42"(1067mm)	120"(3048mm)	1	TEWE-54C0-WATNO	\$27597.88	\$39576.13
		132"(3353mm)	2	TEWE-54D2-WATNO	31941.59	45685.88
		144"(3658mm)	2	TEWE-54E4-WATNO	34833.63	50343.96
		156"(3962mm)	2	TEWE-54F6-WATNO	37725.67	55002.04
		168"(4267mm)	2	TEWE-54G8-WATNO	40617.71	59660.12
		180"(4572mm)	2	TEWE-54J0-WATNO	46397.70	67206.15
		192"(4877mm)	2	TEWE-54K2-WATNO	50491.46	73065.95
		204"(5182mm)	2	TEWE-54L4-WATNO	54585.22	78925.75
		216"(5486mm)	2	TEWE-54M6-WATNO	58678.98	84785.55
		228"(5791mm)	2	TEWE-54N8-WATNO	62772.74	90645.35
		240"(6096mm)	2	TEWE-54Q0-WATNO	66866.50	96505.15
	60"(1524mm)/48"(1219mm)	120"(3048mm)	1	TEWE-60C0-WATNO	\$29180.64	\$42123.53
		132"(3353mm)	2	TEWE-60D2-WATNO	33934.43	48658.20
		144"(3658mm)	2	TEWE-60E4-WATNO	36883.43	53388.08
		156"(3962mm)	2	TEWE-60F6-WATNO	39832.43	58117.96
		168"(4267mm)	2	TEWE-60G8-WATNO	42781.43	62847.84
		180"(4572mm)	2	TEWE-60J0-WATNO	48265.26	70112.55
		192"(4877mm)	2	TEWE-60K2-WATNO	52415.98	76044.15
		204"(5182mm)	2	TEWE-60L4-WATNO	56566.70	81975.75
		216"(5486mm)	2	TEWE-60M6-WATNO	60717.42	87907.35
		228"(5791mm)	2	TEWE-60N8-WATNO	64868.14	93838.95
		240"(6096mm)	2	TEWE-60Q0-WATNO	69018.86	99770.55

Features


- Includes top only.
- Constructed of 1.5"(38mm) thick fiber board substrate with AWI (Architectural Woodworking Institute) Grade AA veneer with knife edge and mitered corners.
- Depth tapers in 12"(305mm) at smaller end.
- Two-piece tops are field joint built and secured with tight joint fasteners.
- Knife edge is 1.5"(38mm) thick solid wood with a rake of 20.82° tapering 3"(76mm) from the edge.
- Black inlay is 0.125"(3mm) thick and set 3"(76mm) from the edges.

Note: On site measurements should be taken to ensure there is adequate room in elevators and/or hallway conditions to accommodate the top sizes.

To Order, Specify:

- 1) Product number.
- 2) Wood finish.

Executive Wood Tables – A5

	Height	Table Width	Base Width	Bases	Number	Wood Group A D	
Base Kit 	27.5"(700mm)	120"(3048mm)	84"(2134mm)	2	TEA5-32C0-WN4	\$17734.48	\$23422.79
		132"(3353mm)	96"(2438mm)	2	TEA5-32D2-WN4	18166.64	23993.53
		144"(3658mm)	108"(2743mm)	2	TEA5-32E4-WN4	18598.80	24564.27
		156"(3962mm)	120"(3048mm)	3	TEA5-32F6-WN4	19030.96	25135.01
		168"(4267mm)	132"(3353mm)	3	TEA5-32G8-WN4	19463.12	25705.75
		180"(4572mm)	144"(3658mm)	3	TEA5-32J0-WN4	19895.28	26276.49
		192"(4877mm)	156"(3962mm)	3	TEA5-32K2-WN4	20327.44	26847.23
		204"(5182mm)	168"(4267mm)	3	TEA5-32L4-WN4	20759.60	27417.97
		216"(5486mm)	180"(4572mm)	3	TEA5-32M6-WN4	21191.76	27988.71
		228"(5791mm)	192"(4877mm)	3	TEA5-32N8-WN4	21623.92	28559.45
		240"(6096mm)	204"(5182mm)	3	TEA5-32Q0-WN4	22056.08	29130.19

TEA5

- Features**


 - Includes stretchers and two or three pre-assembled bases depending on top size.
 - Bases are constructed with AWI (Architectural Woodworking Institute) Grade AA veneer.
 - Bases are angled with a maximum width of 32.6"(829mm) and taper to 18"(457mm) and are joined by 6"(152mm) aprons.
 - Bases are inset 18"(457mm) from each end.
 - Back panel of each base is removable.
 - Inner panel features 3" x 4"(77mm x 102mm) port for wire access.
 - Glides are black with 1"(25mm) height adjustment.
 - Assemble stretchers to bases.
- To Order, Specify:**

 - 1) Product Number.
 - 2) Wood Finish.

Executive Accessories

Height	Depth	Width	Number ①	Wood Group	Fabric Grade A	B	C	D	E	F	G
48"(1219mm)	5.38"(137mm)	48"(1219mm)	TEPB-4848-WKS	B	\$ 9701.47	\$ 9745.51	\$ 9772.74	\$ 9816.78	\$ 9848.22	\$ 9992.90	\$10051.62
			TEPB-4848-WKS	D	10619.82	10663.86	10691.09	10735.13	10766.57	10911.25	10969.97

Presentation Board



TEPB

Features

- Includes wood presentation board with hinged doors, flip chart clips, and tackboards on inside of doors and wall mount hardware.
- Fabric covered tackboards are attached in place on each door.
- Erasable porcelain writing surface on inside back panel (markers, eraser and flip charts are field supplied).
- Available with or without optional projection screen.

Specification Tip

- Must be properly anchored to a structural wall.

To Order, Specify:

- 1) Product number, including:

① Projection Screen Option:

- ☐ N No Projection Screen
- ☐ P Projection Screen, add \$553.51 list

- 2) Wood finish/color.
- 3) Tackboard fabric surface/color.



OBSOLETE / Aug 2024

This page intentionally blank

Immerse

This page intentionally blank

Immerse — Ledge Table
Rectangle – Painted Legs



THLD

Features

- Includes one ledge top, painted understructure and foot rail, four painted metal legs, adjustable glides and hardware.
- Laminate or wood veneer 0.5” thick top with waterfall edge.
- Ledge top wood has a hardboard laminated core.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- Power is not available.

To Order, Specify:

- 1) Product number, including:
- ① Surface Type:**
- L** Laminate
- W** Wood
- 2) Laminate or wood finish color.
- 3) Understructure and Foot Rail trim color.
Grade B, add **\$59.49** list.
- 4) Trim color. Grade B, add **\$59.49** list.

Height	Depth	Width	Number ①	Laminate Grade A	Grade B	Wood Group A	Group B
36”(914mm)	22”(559mm)	57”(1448mm)	THLD-2257-  WSNBG7P	\$3810.89	\$4132.29	\$4109.79	\$4386.29

Immerse — Ledge Table

Rectangle – Wood Legs



THLD

Features

- Includes one ledge top, painted understructure and foot rail, four solid wood legs, adjustable glides and hardware.
- Laminate or wood veneer 0.5” thick top with waterfall edge.
- Ledge top wood has a hardboard laminated core.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- Power is not available.

To Order, Specify:

- 1) Product number, including:
- 1 Surface Type:**
- L

Laminate
- W


Wood
- 2) Laminate or wood finish color.
- 3) Understructure and Foot Rail trim color.
Grade B, add **\$59.49** list.
- 4) Wood leg finish.
M7-W43 Ink on Ash - no upcharge
M5-W35 Clear on White Oak, add **\$202.27** list
M6-W35 Clear on Walnut, add **\$611.35** list

Height	Depth	Width	Number 1	Laminate Grade A	Grade B	Wood Group A	Group B
36”(914mm)	22”(559mm)	57”(1448mm)	THLD-2257- WSNBG7W	\$5669.21	\$5990.61	\$5968.11	\$6244.61

This page intentionally blank

Immerse — Overlap Table

Rectangle/Rectangle – Painted Legs



THRR

Features

- Includes two tops, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Lower top available in laminate, solid surface and wood veneer with knife edge. Lower top not available painted. Upper top available painted, laminate, solid surface or wood veneer with knife edge.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Power only available in the upper top.
- Separately specified power available. Use Oblong Planter (EHPO- _ _ _ _).
- When cutout option (-U) is selected, the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 18.5”(470mm).
- Seating capacity of 11 based upon 27”(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29”(737mm)	60”(1524mm)	78”(1981mm)
37.5”(953mm)	60”(1524mm)	78”(1981mm)

Upper Top Dimensions

Height	Depth	Width
30.5”(775mm)	48”(1219mm)	96”(2438mm)
39”(991mm)	48”(1219mm)	96”(2438mm)

To Order, Specify:

- 1) Product number, including:

1 Cutout Option:

- N** No Cutout
U Cutout - Upper Top, add **\$175.91** list

- 2) Lower surface finish/color.
3) Edge trim color (laminate only).
4) Upper surface finish/color.
5) Edge trim color (laminate only).
6) Understructure trim color. Grade B, add **\$57.20** list.
7) Trim color. Grade B, add **\$57.20** list.


Immerse — Overlap Table

Rectangle/Rectangle – Painted Legs

Overall Width	Number	①	Upper Top Laminate Grade A	Grade B	Paint Grade A	Grade B	Wood Group A	Group B	Solid Surface
Laminate Grade A Lower Top – 29”(737mm) Height									
156”(3962mm)	THRR-60F6-MFS	EGBP	N/A	N/A	\$11966.35	\$11996.38	N/A	N/A	N/A
	THRR-60F6-LFS	EGBP	\$ 9426.83	\$ 9758.53	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGBP	N/A	N/A	N/A	N/A	N/A	N/A	\$27172.75
	THRR-60F6-QFS	EGBP	N/A	N/A	N/A	N/A	\$11915.15	\$12887.95	N/A
Laminate Grade A Lower Top – 37.5”(953mm) Height									
156”(3962mm)	THRR-60F6-MFS	EGCP	N/A	N/A	\$12185.23	\$12215.26	N/A	N/A	N/A
	THRR-60F6-LSS	EGCP	\$ 9645.71	\$ 9977.41	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGCP	N/A	N/A	N/A	N/A	N/A	N/A	\$27391.63
	THRR-60F6-QFS	EGCP	N/A	N/A	N/A	N/A	\$12134.03	\$13106.83	N/A
Laminate Grade B Lower Top – 29”(737mm) Height									
156”(3962mm)	THRR-60F6-MFS	EGBP	N/A	N/A	\$12301.79	\$12331.82	N/A	N/A	N/A
	THRR-60F6-LFS	EGBP	\$ 9762.27	\$10093.97	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGBP	N/A	N/A	N/A	N/A	N/A	N/A	\$27508.19
	THRR-60F6-QFS	EGBP	N/A	N/A	N/A	N/A	\$12250.59	\$13223.39	N/A
Laminate Grade B Lower Top – 37.5”(953mm) Height									
156”(3962mm)	THRR-60F6-MFS	EGCP	N/A	N/A	\$12520.67	\$12550.70	N/A	N/A	N/A
	THRR-60F6-LSS	EGCP	\$ 9981.15	\$10312.85	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGCP	N/A	N/A	N/A	N/A	N/A	N/A	\$27727.07
	THRR-60F6-QFS	EGCP	N/A	N/A	N/A	N/A	\$12469.47	\$13442.27	N/A
Solid Surface Lower Top – 29”(737mm) Height									
156”(3962mm)	THRR-60F6-FUS	EGBP	N/A	N/A	\$29989.55	\$30019.58	N/A	N/A	N/A
	THRR-60F6-KFS	EGBP	\$27450.03	\$27781.73	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	EGBP	N/A	N/A	N/A	N/A	N/A	N/A	\$45195.95
	THRR-60F6-EUS	EGBP	N/A	N/A	N/A	N/A	\$29938.35	\$30911.15	N/A
Solid Surface Lower Top – 37.5”(953mm) Height									
156”(3962mm)	THRR-60F6-FUS	EGCP	N/A	N/A	\$30208.43	\$30238.46	N/A	N/A	N/A
	THRR-60F6-KFS	EGCP	\$27668.91	\$28000.61	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	EGCP	N/A	N/A	N/A	N/A	N/A	N/A	\$45414.83
	THRR-60F6-EUS	EGCP	N/A	N/A	N/A	N/A	\$30157.23	\$31130.03	N/A
Wood Group A Lower Top – 29”(737mm) Height									
156”(3962mm)	THRR-60F6-GUS	EGBP	N/A	N/A	\$14493.55	\$14523.58	N/A	N/A	N/A
	THRR-60F6-RFS	EGBP	\$11954.03	\$12285.73	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGBP	N/A	N/A	N/A	N/A	N/A	N/A	\$29699.95
	THRR-60F6-WUS	EGBP	N/A	N/A	N/A	N/A	\$14442.35	\$15415.15	N/A
Wood Group A Lower Top – 37.5”(953mm) Height									
156”(3962mm)	THRR-60F6-GUS	EGCP	N/A	N/A	\$14712.43	\$14742.46	N/A	N/A	N/A
	THRR-60F6-RFS	EGCP	\$12172.91	\$12504.61	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGCP	N/A	N/A	N/A	N/A	N/A	N/A	\$29918.83
	THRR-60F6-WUS	EGCP	N/A	N/A	N/A	N/A	\$14661.23	\$15634.03	N/A
Wood Group B Lower Top – 29”(737mm) Height									
156”(3962mm)	THRR-60F6-GUS	EGBP	N/A	N/A	\$15481.55	\$15511.58	N/A	N/A	N/A
	THRR-60F6-RFS	EGBP	\$12942.03	\$13273.73	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGBP	N/A	N/A	N/A	N/A	N/A	N/A	\$30687.95
	THRR-60F6-WUS	EGBP	N/A	N/A	N/A	N/A	\$15430.35	\$16403.15	N/A
Wood Group B Lower Top – 37.5”(953mm) Height									
156”(3962mm)	THRR-60F6-GUS	EGCP	N/A	N/A	\$15700.43	\$15730.46	N/A	N/A	N/A
	THRR-60F6-RFS	EGCP	\$13160.91	\$13492.61	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGCP	N/A	N/A	N/A	N/A	N/A	N/A	\$30906.83
	THRR-60F6-WUS	EGCP	N/A	N/A	N/A	N/A	\$15649.23	\$16622.03	N/A

Immerse — Overlap Table

Rectangle/Round – Painted Legs



THRD

Features

- Includes lower racetrack top, upper round top, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Rectangle lower top available painted, laminate, solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____) for the rectangle top and Round Planter (EHPR-____) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 15.75”(400mm).
- Seating capacity of 8 based upon 27”(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29”(737mm)	48”(1219mm)	96”(2438mm)

Upper Top Dimensions

Height	Diameter
30.5”(775mm)	60”(1524mm)

To Order, Specify:

1) Product number, including:

1 Cutout Option:


- N** No Cutout
- L** Cutout - Lower Top, add **\$175.91** list
- P** Cutout - Lower and Upper Top, add **\$351.82** list
- U** Cutout - Upper Top, add **\$175.91** list

- 2) Lower surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Upper surface finish/color.
- 5) Edge trim color (laminate only).
- 6) Understructure trim color. Grade B, add **\$57.20** list.
- 7) Trim color. Grade B, add **\$57.20** list.

Overall Width	Number	1	Upper Top Laminate Grade A	Grade B	Wood Group A	Group B	Solid Surface
Paint Grade A Lower Top							
138”(3505mm)	THRD-48D8-TFS	EGBP	\$11242.15	\$11521.49	N/A	N/A	N/A
	THRD-48D8-HUS	EGBP	N/A	N/A	N/A	N/A	\$25106.15
	THRD-48D8-IUS	EGBP	N/A	N/A	\$13186.15	\$13946.15	N/A
Paint Grade B Lower Top							
138”(3505mm)	THRD-48D8-TFS	EGBP	\$11272.18	\$11551.52	N/A	N/A	N/A
	THRD-48D8-HUS	EGBP	N/A	N/A	N/A	N/A	\$25136.18
	THRD-48D8-IUS	EGBP	N/A	N/A	\$13216.18	\$13976.18	N/A
Laminate Grade A Lower Top							
138”(3505mm)	THRD-48D8-LFS	EGBP	\$ 8702.63	\$ 8981.97	N/A	N/A	N/A
	THRD-48D8-JFS	EGBP	N/A	N/A	N/A	N/A	\$22566.63
	THRD-48D8-QFS	EGBP	N/A	N/A	\$10646.63	\$11406.63	N/A
Laminate Grade B Lower Top							
138”(3505mm)	THRD-48D8-LFS	EGBP	\$ 9034.33	\$ 9313.67	N/A	N/A	N/A
	THRD-48D8-JFS	EGBP	N/A	N/A	N/A	N/A	\$22898.33
	THRD-48D8-QFS	EGBP	N/A	N/A	\$10978.33	\$11738.33	N/A
Solid Surface Lower Top							
138”(3505mm)	THRD-48D8-KFS	EGBP	\$26448.55	\$26727.89	N/A	N/A	N/A
	THRD-48D8-SSS	EGBP	N/A	N/A	N/A	N/A	\$40312.55
	THRD-48D8-EUS	EGBP	N/A	N/A	\$28392.55	\$29152.55	N/A
Wood Group A Lower Top							
138”(3505mm)	THRD-48D8-RFS	EGBP	\$11190.95	\$11470.29	N/A	N/A	N/A
	THRD-48D8-DUS	EGBP	N/A	N/A	N/A	N/A	\$25054.95
	THRD-48D8-WUS	EGBP	N/A	N/A	\$13134.95	\$13894.95	N/A
Wood Group B Lower Top							
138”(3505mm)	THRD-48D8-RFS	EGBP	\$12163.75	\$12443.09	N/A	N/A	N/A
	THRD-48D8-DUS	EGBP	N/A	N/A	N/A	N/A	\$26027.75
	THRD-48D8-WUS	EGBP	N/A	N/A	\$14107.75	\$14867.75	N/A

Immerse — Overlap Table

Racetrack/Round – Painted Legs



THTD

Features

- Includes lower racetrack top, upper round top, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Racetrack lower top available painted, laminate, solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____) for the racetrack top and Round Planter (EHPR-____) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 16.25”(413mm).
- Seating capacity of 8 based upon 27”(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

To Order, Specify:

- Product number, including:

1 Cutout Option:

- N** No Cutout
- L** Cutout - Lower Top, add **\$175.91** list
- P** Cutout - Lower and Upper Top, add **\$351.82** list
- U** Cutout - Upper Top, add **\$175.91** list

- Lower surface finish/color.
- Edge trim color (laminate only).
- Upper surface finish/color.
- Edge trim color (laminate only).
- Understructure trim color. Grade B, add **\$57.20** list.
- Trim color. Grade B, add **\$57.20** list.

Lower Top Dimensions

Height	Depth	Width
29”(737mm)	48”(1219mm)	96”(2438mm)


Upper Top Dimensions

Height	Diameter
30.5”(775mm)	60”(1524mm)

Overall Width	Number	1	Upper Top Laminate Grade A	Grade B	Wood Group A	Group B	Solid Surface
Paint Grade A Lower Top							
138”(3505mm)	THTD-48D8-TFS	EGBP	\$11242.15	\$11521.49	N/A	N/A	N/A
	THTD-48D8-HUS	EGBP	N/A	N/A	N/A	N/A	\$25106.15
	THTD-48D8-IUS	EGBP	N/A	N/A	\$13186.15	\$13946.15	N/A
Paint Grade B Lower Top							
138”(3505mm)	THTD-48D8-TFS	EGBP	\$11272.18	\$11551.52	N/A	N/A	N/A
	THTD-48D8-HUS	EGBP	N/A	N/A	N/A	N/A	\$25136.18
	THTD-48D8-IUS	EGBP	N/A	N/A	\$13216.18	\$13976.18	N/A
Laminate Grade A Lower Top							
138”(3505mm)	THTD-48D8-LFS	EGBP	\$ 8702.63	\$ 8981.97	N/A	N/A	N/A
	THTD-48D8-JFS	EGBP	N/A	N/A	N/A	N/A	\$22566.63
	THTD-48D8-QFS	EGBP	N/A	N/A	\$10646.63	\$11406.63	N/A
Laminate Grade B Lower Top							
138”(3505mm)	THTD-48D8-LFS	EGBP	\$ 9034.33	\$ 9313.67	N/A	N/A	N/A
	THTD-48D8-JFS	EGBP	N/A	N/A	N/A	N/A	\$22898.33
	THTD-48D8-QFS	EGBP	N/A	N/A	\$10978.33	\$11738.33	N/A
Solid Surface Lower Top							
138”(3505mm)	THTD-48D8-KFS	EGBP	\$26448.55	\$26727.89	N/A	N/A	N/A
	THTD-48D8-SSS	EGBP	N/A	N/A	N/A	N/A	\$40312.55
	THTD-48D8-EUS	EGBP	N/A	N/A	\$28392.55	\$29152.55	N/A
Wood Group A Lower Top							
138”(3505mm)	THTD-48D8-RFS	EGBP	\$11190.95	\$11470.29	N/A	N/A	N/A
	THTD-48D8-DUS	EGBP	N/A	N/A	N/A	N/A	\$25054.95
	THTD-48D8-WUS	EGBP	N/A	N/A	\$13134.95	\$13894.95	N/A
Wood Group B Lower Top							
138”(3505mm)	THTD-48D8-RFS	EGBP	\$12163.75	\$12443.09	N/A	N/A	N/A
	THTD-48D8-DUS	EGBP	N/A	N/A	N/A	N/A	\$26027.75
	THTD-48D8-WUS	EGBP	N/A	N/A	\$14107.75	\$14867.75	N/A

Immerse — Overlap Table

Rectangle/Ledge – Painted Legs



THRL

Features

- Includes one ledge upper top with 0.5”(7mm) spacer attached and one rectangle lower top, painted understructure, four painted metal legs, adjustable glides and hardware.
- Upper ledge top 0.5”(13mm) laminate or wood veneer with waterfall edge.
- Rectangle lower top available laminate, solid surface and wood veneer with knife edge.
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Ledge wood top is hardboard laminated core.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____).
- When cutout option (-L) is selected, the cutout is on the lower top only.
- Overlap of top and bottom surfaces is 17.75”(451mm).
- Seating capacity of 9 based upon 27”(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29”(737mm)	48”(1219mm)	120”(3048mm)

Upper Top Dimensions

Height	Depth	Width
30.5”(775mm)	57”(1448mm)	22”(559mm)

To Order, Specify:

1) Product number, including:

1 Cutout Option:

- N** No Cutout
- L** Cutout - Lower Top, add \$175.91 list

2) Lower surface finish/color.

3) Edge trim color (laminate only).

4) Upper surface finish/color.

5) Understructure trim color. Grade B, add \$57.20 list.


6) Trim color. Grade B, add \$57.20 list.

Overall Width	Number	1	Upper Top Laminate Grade A	Grade B	Wood Group A	Group B
Laminate Grade A Lower Top						
124”(3150mm)	THRL-48C4-LFS	EGBP	\$ 7320.88	\$ 7606.14	N/A	N/A
	THRL-48C4-QFS	EGBP	N/A	N/A	\$ 7608.23	\$ 7874.23
Laminate Grade B Lower Top						
124”(3150mm)	THRL-48C4-LFS	EGBP	\$ 7712.42	\$ 7997.68	N/A	N/A
	THRL-48C4-QFS	EGBP	N/A	N/A	\$ 7999.77	\$ 8265.77
Solid Surface Lower Top						
124”(3150mm)	THRL-48C4-KFS	EGBP	\$29503.28	\$29788.54	N/A	N/A
	THRL-48C4-ESS	EGBP	N/A	N/A	\$29790.63	\$30056.63
Wood Group A Lower Top						
124”(3150mm)	THRL-48C4-RFS	EGBP	\$10431.28	\$10716.54	N/A	N/A
	THRL-48C4-WUS	EGBP	N/A	N/A	\$10718.63	\$10984.63
Wood Group B Lower Top						
124”(3150mm)	THRL-48C4-RFS	EGBP	\$11647.28	\$11932.54	N/A	N/A
	THRL-48C4-WUS	EGBP	N/A	N/A	\$11934.63	\$12200.63

This page intentionally blank

Immerse — Overlap Table

Rectangle/Rectangle – Wood Legs



THRR

Features

- Includes two tops, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Lower top available in laminate, solid surface and wood veneer with knife edge. Lower top not available painted. Upper top available painted, laminate, solid surface or wood veneer with knife edge.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Power only available in the upper top.
- Separately specified power available. Use Oblong Planter (EHPO- _ _ _ _).
- When cutout option (-U) is selected, the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 18.5”(470mm).
- Seating capacity of 11 based upon 27”(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29”(737mm)	60”(1524mm)	78”(1981mm)
37.5”(953mm)	60”(1524mm)	78”(1981mm)

Upper Top Dimensions

Height	Depth	Width
30.5”(775mm)	48”(1219mm)	96”(2438mm)
39”(991mm)	48”(1219mm)	96”(2438mm)

To Order, Specify:

- 1) Product number, including:
 - 1 Cutout Option:**
 - N** No Cutout
 - U** Cutout - Upper Top, add **\$175.91** list
- 2) Lower surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Upper surface finish/color.
- 5) Edge trim color (laminate only).
- 6) Understructure trim color. Grade B, add **\$57.20** list.
- 7) Wood leg finish.
 - M7-W43 Ink on Ash - no upcharge
 - M5-W35 Clear on White Oak, add **\$301.14** list
 - M6-W35 Clear on Walnut, add **\$910.21** list


Immerse — Overlap Table

Rectangle/Rectangle – Wood Legs

Overall Width	Number	①	Upper Top Laminate Grade A	Grade B	Paint Grade A	Grade B	Wood Group A	Group B	Solid Surface
Laminate Grade A Lower Top – 29”(737mm) Height									
156”(3962mm)	THRR-60F6-MFS	EGBW	N/A	N/A	\$17377.27	\$17407.30	N/A	N/A	N/A
	THRR-60F6-LFS	EGBW	\$14837.75	\$15169.45	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$32583.67
	THRR-60F6-QFS	EGBW	N/A	N/A	N/A	N/A	\$17326.07	\$18298.87	N/A
Laminate Grade A Lower Top – 37.5”(953mm) Height									
156”(3962mm)	THRR-60F6-MFS	EGCW	N/A	N/A	\$17596.15	\$17626.18	N/A	N/A	N/A
	THRR-60F6-LSS	EGCW	\$15056.63	\$15388.33	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGCW	N/A	N/A	N/A	N/A	N/A	N/A	\$32802.55
	THRR-60F6-QFS	EGCW	N/A	N/A	N/A	N/A	\$17544.95	\$18517.75	N/A
Laminate Grade B Lower Top – 29”(737mm) Height									
156”(3962mm)	THRR-60F6-MFS	EGBW	N/A	N/A	\$17712.71	\$17742.74	N/A	N/A	N/A
	THRR-60F6-LFS	EGBW	\$15173.19	\$15504.89	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$32919.11
	THRR-60F6-QFS	EGBW	N/A	N/A	N/A	N/A	\$17661.51	\$18634.31	N/A
Laminate Grade B Lower Top – 37.5”(953mm) Height									
156”(3962mm)	THRR-60F6-MFS	EGCW	N/A	N/A	\$17931.59	\$17961.62	N/A	N/A	N/A
	THRR-60F6-LSS	EGCW	\$15392.07	\$15723.77	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	EGCW	N/A	N/A	N/A	N/A	N/A	N/A	\$33137.99
	THRR-60F6-QFS	EGCW	N/A	N/A	N/A	N/A	\$17880.39	\$18853.19	N/A
Solid Surface Lower Top – 29”(737mm) Height									
156”(3962mm)	THRR-60F6-FUS	EGBW	N/A	N/A	\$35400.47	\$35430.50	N/A	N/A	N/A
	THRR-60F6-KFS	EGBW	\$32860.95	\$33192.65	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$50606.87
	THRR-60F6-EUS	EGBW	N/A	N/A	N/A	N/A	\$35349.27	\$36322.07	N/A
Solid Surface Lower Top – 37.5”(953mm) Height									
156”(3962mm)	THRR-60F6-FUS	EGCW	N/A	N/A	\$35619.35	\$35649.38	N/A	N/A	N/A
	THRR-60F6-KFS	EGCW	\$33079.83	\$33411.53	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	EGCW	N/A	N/A	N/A	N/A	N/A	N/A	\$50825.75
	THRR-60F6-EUS	EGCW	N/A	N/A	N/A	N/A	\$35568.15	\$36540.95	N/A
Wood Group A Lower Top – 29”(737mm) Height									
156”(3962mm)	THRR-60F6-GUS	EGBW	N/A	N/A	\$19904.47	\$19934.50	N/A	N/A	N/A
	THRR-60F6-RFS	EGBW	\$17364.95	\$17696.65	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$35110.87
	THRR-60F6-WUS	EGBW	N/A	N/A	N/A	N/A	\$19853.27	\$20826.07	N/A
Wood Group A Lower Top – 37.5”(953mm) Height									
156”(3962mm)	THRR-60F6-GUS	EGCW	N/A	N/A	\$20123.35	\$20153.38	N/A	N/A	N/A
	THRR-60F6-RFS	EGCW	\$17583.83	\$17915.53	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGCW	N/A	N/A	N/A	N/A	N/A	N/A	\$35329.75
	THRR-60F6-WUS	EGCW	N/A	N/A	N/A	N/A	\$20072.15	\$21044.95	N/A
Wood Group B Lower Top – 29”(737mm) Height									
156”(3962mm)	THRR-60F6-GUS	EGBW	N/A	N/A	\$20892.47	\$20922.50	N/A	N/A	N/A
	THRR-60F6-RFS	EGBW	\$18352.95	\$18684.65	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGBW	N/A	N/A	N/A	N/A	N/A	N/A	\$36098.87
	THRR-60F6-WUS	EGBW	N/A	N/A	N/A	N/A	\$20841.27	\$21814.07	N/A
Wood Group B Lower Top – 37.5”(953mm) Height									
156”(3962mm)	THRR-60F6-GUS	EGCW	N/A	N/A	\$21111.35	\$21141.38	N/A	N/A	N/A
	THRR-60F6-RFS	EGCW	\$18571.83	\$18903.53	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	EGCW	N/A	N/A	N/A	N/A	N/A	N/A	\$36317.75
	THRR-60F6-WUS	EGCW	N/A	N/A	N/A	N/A	\$21060.15	\$22032.95	N/A

Immerse — Overlap Table

Rectangle/Round – Wood Legs



THRD

Features

- Includes lower racetrack top, upper round top, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Rectangle lower top available painted, laminate, solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____) for the rectangle top and Round Planter (EHPR-____) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 15.75”(400mm).
- Seating capacity of 8 based upon 27”(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29”(737mm)	48”(1219mm)	96”(2438mm)

Upper Top Dimensions

Height	Diameter
30.5”(775mm)	60”(1524mm)

To Order, Specify:

1) Product number, including:

1 Cutout Option:


- N** No Cutout
- L** Cutout - Lower Top, add **\$175.91** list
- P** Cutout - Lower and Upper Top, add **\$351.82** list
- U** Cutout - Upper Top, add **\$175.91** list

- 2) Lower surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Upper surface finish/color.
- 5) Edge trim color (laminate only).
- 6) Understructure trim color. Grade B, add **\$57.20** list.
- 7) Wood leg finish.
 - M7-W43 Ink on Ash - no upcharge
 - M5-W35 Clear on White Oak, add **\$301.14** list
 - M6-W35 Clear on Walnut, add **\$910.21** list

Overall Width	Number	1	Upper Top Laminate Grade A	Grade B	Wood Group A	Group B	Solid Surface
Paint Grade A Lower Top							
138”(3505mm)	THRD-48D8-TFS	EGBW	\$16653.07	\$16932.41	N/A	N/A	N/A
	THRD-48D8-HUS	EGBW	N/A	N/A	N/A	N/A	\$30517.07
	THRD-48D8-IUS	EGBW	N/A	N/A	\$18597.07	\$19357.07	N/A
Paint Grade B Lower Top							
138”(3505mm)	THRD-48D8-TFS	EGBW	\$16683.10	\$16962.44	N/A	N/A	N/A
	THRD-48D8-HUS	EGBW	N/A	N/A	N/A	N/A	\$30547.10
	THRD-48D8-IUS	EGBW	N/A	N/A	\$18627.10	\$19387.10	N/A
Laminate Grade A Lower Top							
138”(3505mm)	THRD-48D8-LFS	EGBW	\$14113.55	\$14392.89	N/A	N/A	N/A
	THRD-48D8-JFS	EGBW	N/A	N/A	N/A	N/A	\$27977.55
	THRD-48D8-QFS	EGBW	N/A	N/A	\$16057.55	\$16817.55	N/A
Laminate Grade B Lower Top							
138”(3505mm)	THRD-48D8-LFS	EGBW	\$14445.25	\$14724.59	N/A	N/A	N/A
	THRD-48D8-JFS	EGBW	N/A	N/A	N/A	N/A	\$28309.25
	THRD-48D8-QFS	EGBW	N/A	N/A	\$16389.25	\$17149.25	N/A
Solid Surface Lower Top							
138”(3505mm)	THRD-48D8-KFS	EGBW	\$31859.47	\$32138.81	N/A	N/A	N/A
	THRD-48D8-SSS	EGBW	N/A	N/A	N/A	N/A	\$45723.47
	THRD-48D8-EUS	EGBW	N/A	N/A	\$33803.47	\$34563.47	N/A
Wood Group A Lower Top							
138”(3505mm)	THRD-48D8-RFS	EGBW	\$16601.87	\$16881.21	N/A	N/A	N/A
	THRD-48D8-DUS	EGBW	N/A	N/A	N/A	N/A	\$30465.87
	THRD-48D8-WUS	EGBW	N/A	N/A	\$18545.87	\$19305.87	N/A
Wood Group B Lower Top							
138”(3505mm)	THRD-48D8-RFS	EGBW	\$17574.67	\$17854.01	N/A	N/A	N/A
	THRD-48D8-DUS	EGBW	N/A	N/A	N/A	N/A	\$31438.67
	THRD-48D8-WUS	EGBW	N/A	N/A	\$19518.67	\$20278.67	N/A

Immerse — Overlap Table

Racetrack/Round – Wood Legs



THTD

Features

- Includes lower racetrack top, upper round top, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Racetrack lower top available painted, laminate, solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____) for the racetrack top and Round Planter (EHPR-____) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 16.25”(413mm).
- Seating capacity of 8 based upon 27”(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

To Order, Specify:

- 1) Product number, including:

1 Cutout Option:

- N** No Cutout
- L** Cutout - Lower Top, add **\$175.91** list
- P** Cutout - Lower and Upper Top, add **\$351.82** list
- U** Cutout - Upper Top, add **\$175.91** list

- 2) Lower surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Upper surface finish/color.
- 5) Edge trim color (laminate only).
- 6) Understructure trim color. Grade B, add **\$57.20** list.
- 7) Wood leg finish.
- M7-W43 Ink on Ash - no upcharge
 - M5-W35 Clear on White Oak, add **\$301.14** list
 - M6-W35 Clear on Walnut, add **\$910.21** list

Lower Top Dimensions

Height	Depth	Width
29”(737mm)	48”(1219mm)	96”(2438mm)


Upper Top Dimensions

Height	Diameter
30.5”(775mm)	60”(1524mm)

Overall Width	Number	1	Upper Top Laminate Grade A	Grade B	Wood Group A	Group B	Solid Surface
Paint Grade A Lower Top							
138”(3505mm)	THTD-48D8-TFS	EGBW	\$16653.07	\$16932.41	N/A	N/A	N/A
	THTD-48D8-HUS	EGBW	N/A	N/A	N/A	N/A	\$30517.07
	THTD-48D8-IUS	EGBW	N/A	N/A	\$18597.07	\$19357.07	N/A
Paint Grade B Lower Top							
138”(3505mm)	THTD-48D8-TFS	EGBW	\$16683.10	\$16962.44	N/A	N/A	N/A
	THTD-48D8-HUS	EGBW	N/A	N/A	N/A	N/A	\$30547.10
	THTD-48D8-IUS	EGBW	N/A	N/A	\$18627.10	\$19387.10	N/A
Laminate Grade A Lower Top							
138”(3505mm)	THTD-48D8-LFS	EGBW	\$14113.55	\$14392.89	N/A	N/A	N/A
	THTD-48D8-JFS	EGBW	N/A	N/A	N/A	N/A	\$27977.55
	THTD-48D8-QFS	EGBW	N/A	N/A	\$16057.55	\$16817.55	N/A
Laminate Grade B Lower Top							
138”(3505mm)	THTD-48D8-LFS	EGBW	\$14445.25	\$14724.59	N/A	N/A	N/A
	THTD-48D8-JFS	EGBW	N/A	N/A	N/A	N/A	\$28309.25
	THTD-48D8-QFS	EGBW	N/A	N/A	\$16389.25	\$17149.25	N/A
Solid Surface Lower Top							
138”(3505mm)	THTD-48D8-KFS	EGBW	\$31859.47	\$32138.81	N/A	N/A	N/A
	THTD-48D8-SSS	EGBW	N/A	N/A	N/A	N/A	\$45723.47
	THTD-48D8-EUS	EGBW	N/A	N/A	\$33803.47	\$34563.47	N/A
Wood Group A Lower Top							
138”(3505mm)	THTD-48D8-RFS	EGBW	\$16601.87	\$16881.21	N/A	N/A	N/A
	THTD-48D8-DUS	EGBW	N/A	N/A	N/A	N/A	\$30465.87
	THTD-48D8-WUS	EGBW	N/A	N/A	\$18545.87	\$19305.87	N/A
Wood Group B Lower Top							
138”(3505mm)	THTD-48D8-RFS	EGBW	\$17574.67	\$17854.01	N/A	N/A	N/A
	THTD-48D8-DUS	EGBW	N/A	N/A	N/A	N/A	\$31438.67
	THTD-48D8-WUS	EGBW	N/A	N/A	\$19518.67	\$20278.67	N/A

Immerse — Overlap Table

Rectangle/Ledge – Wood Legs



THRL

Features

- Includes one ledge upper top with 0.5”(13mm) spacer attached and one rectangle lower top, painted understructure, four solid wood legs, adjustable glides and hardware.
- Upper ledge top 0.5”(13mm) laminate or wood veneer with waterfall edge.
- Rectangle lower top available laminate, solid surface and wood veneer with knife edge.
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Ledge wood top is hardboard laminated core.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____).
- When cutout option (-L) is selected, the cutout is on the lower top only.
- Overlap of top and bottom surfaces is 17.75”(451mm).
- Seating capacity of 9 based upon 27”(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29”(737mm)	48”(1219mm)	120”(3048mm)

Upper Top Dimensions

Height	Depth	Width
30.5”(775mm)	57”(1448mm)	22”(559mm)


To Order, Specify:

- 1) Product number, including:
- 1 Cutout Option:**
- N** No Cutout
- L** Cutout - Lower Top, add **\$175.91** list
- 2) Lower surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Upper surface finish/color.
- 5) Understructure trim color. Grade B, add **\$57.20** list.
- 6) Wood leg finish.
- M7-W43 Ink on Ash - no upcharge
- M5-W35 Clear on White Oak, add **\$194.49** list
- M6-W35 Clear on Walnut, add **\$587.82** list

Overall Width	Number	1	Upper Top Laminate Grade A	Grade B	Wood Group A	Group B
Laminate Grade A Lower Top						
124”(3150mm)	THRL-48C4-LFS	EGBW	\$10824.72	\$11109.98	N/A	N/A
	THRL-48C4-QFS	EGBW	N/A	N/A	\$11112.07	\$11378.07
Laminate Grade B Lower Top						
124”(3150mm)	THRL-48C4-LFS	EGBW	\$11216.26	\$11501.52	N/A	N/A
	THRL-48C4-QFS	EGBW	N/A	N/A	\$11503.61	\$11769.61
Solid Surface Lower Top						
124”(3150mm)	THRL-48C4-KFS	EGBW	\$33007.12	\$33292.38	N/A	N/A
	THRL-48C4-ESS	EGBW	N/A	N/A	\$33294.47	\$33560.47
Wood Group A Lower Top						
124”(3150mm)	THRL-48C4-RFS	EGBW	\$13935.12	\$14220.38	N/A	N/A
	THRL-48C4-WUS	EGBW	N/A	N/A	\$14222.47	\$14488.47
Wood Group B Lower Top						
124”(3150mm)	THRL-48C4-RFS	EGBW	\$15151.12	\$15436.38	N/A	N/A
	THRL-48C4-WUS	EGBW	N/A	N/A	\$15438.47	\$15704.47

Immerse — Shift Table

Rectangle/Rectangle – Painted Legs



THRR

Features

- Includes two tops, 7"(178mm) high stack spacer, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Lower top available in laminate, solid surface and wood veneer with knife edge. Upper top available painted, laminate, solid surface or wood veneer with knife edge.
 - Painted 1.125"(29mm) thick
 - Laminate and wood veneer 1.18"(30mm) thick
 - Solid surface 1" thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____).
- When cutout option (-U) is selected, cutout is on the upper top only. Lower top not available with cutout.
- Overlap of top and bottom surfaces is 18.5"(470mm).
- Seating capacity of 11 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29"(737mm)	60"(1524mm)	78"(1981mm)

Upper Top Dimensions

Height	Depth	Width
36"(914mm)	48"(1219mm)	96"(2438mm)

To Order, Specify:

- Product number, including:

1 Cutout Option:

- N** No Cutout
U Cutout - Upper Top, add **\$175.91** list

- Lower surface finish/color.
- Edge trim color (laminate only).
- Upper surface finish/color.
- Edge trim color (laminate only).
- Understructure trim color. Grade B, add **\$57.20** list.
- Trim color. Grade B, add **\$57.20** list.
- Stack spacer color.

Overall Width	Number	1	Upper Top Laminate Grade A	Grade B	Paint Grade A	Grade B	Wood Group A	Group B	Solid Surface
Laminate Grade A Lower Top									
156"(3962mm)	THRR-60F6-MFS	DGAP	N/A	N/A	\$12439.63	\$12469.66	N/A	N/A	N/A
	THRR-60F6-LFS	DGAP	\$ 9900.11	\$10231.81	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	DGAP	N/A	N/A	N/A	N/A	N/A	N/A	\$27646.03
	THRR-60F6-QFS	DGAP	N/A	N/A	N/A	N/A	\$12388.43	\$13361.23	N/A
Laminate Grade B Lower Top									
156"(3962mm)	THRR-60F6-MFS	DGAP	N/A	N/A	\$12775.07	\$12805.10	N/A	N/A	N/A
	THRR-60F6-LFS	DGAP	\$10235.55	\$10567.25	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	DGAP	N/A	N/A	N/A	N/A	N/A	N/A	\$27981.47
	THRR-60F6-QFS	DGAP	N/A	N/A	N/A	N/A	\$12723.87	\$13696.67	N/A
Solid Surface Lower Top									
156"(3962mm)	THRR-60F6-FUS	DGAP	N/A	N/A	\$30462.83	\$30492.86	N/A	N/A	N/A
	THRR-60F6-KFS	DGAP	\$27923.31	\$28255.01	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	DGAP	N/A	N/A	N/A	N/A	N/A	N/A	\$45669.23
	THRR-60F6-EUS	DGAP	N/A	N/A	N/A	N/A	\$30411.63	\$31384.43	N/A
Wood Group A Lower Top									
156"(3962mm)	THRR-60F6-GUS	DGAP	N/A	N/A	\$14966.83	\$14996.86	N/A	N/A	N/A
	THRR-60F6-RFS	DGAP	\$12427.31	\$12759.01	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	DGAP	N/A	N/A	N/A	N/A	N/A	N/A	\$30173.23
	THRR-60F6-WUS	DGAP	N/A	N/A	N/A	N/A	\$14915.63	\$15888.43	N/A
Wood Group B Lower Top									
156"(3962mm)	THRR-60F6-GUS	DGAP	N/A	N/A	\$15954.83	\$15984.86	N/A	N/A	N/A
	THRR-60F6-RFS	DGAP	\$13415.31	\$13747.01	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	DGAP	N/A	N/A	N/A	N/A	N/A	N/A	\$31161.23
	THRR-60F6-WUS	DGAP	N/A	N/A	N/A	N/A	\$15903.63	\$16876.43	N/A

Immerse — Shift Table

Rectangle/Round – Painted Legs



THRD

Features

- Includes rectangle lower top and round upper top, 7”(178mm) high stack spacer, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Rectangle lower top available painted, laminate, solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-_____) for the rectangle top and Round Planter (EHPR-_____) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 15.75”(400mm).
- Seating capacity of 8 based upon 27”(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29”(737mm)	48”(1219mm)	96”(2438mm)

Upper Top Dimensions

Height	Diameter
36”(914mm)	60”(1524mm)

To Order, Specify:

1) Product number, including:

1 Cutout Option:


- N** No Cutout
- L** Cutout - Lower Top, add **\$175.91** list
- P** Cutout - Lower and Upper Top, add **\$351.82** list
- U** Cutout - Upper Top, add **\$175.91** list

- 2) Lower surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Upper surface finish/color.
- 5) Edge trim color (laminate only).
- 6) Understructure trim color. Grade B, add **\$57.20** list.
- 7) Trim color. Grade B, add **\$57.20** list.
- 8) Stack spacer color.

Overall Width	Number	1	Upper Top Laminate Grade A	Grade B	Wood Group A	Group B	Solid Surface
Paint Grade A Lower Top							
138”(3505mm)	THRD-48D8-TFS	DGAP	\$11715.43	\$11994.77	N/A	N/A	N/A
	THRD-48D8-HUS	DGAP	N/A	N/A	N/A	N/A	\$25579.43
	THRD-48D8-IUS	DGAP	N/A	N/A	\$13659.43	\$14419.43	N/A
Paint Grade B Lower Top							
138”(3505mm)	THRD-48D8-TFS	DGAP	\$11745.46	\$12024.80	N/A	N/A	N/A
	THRD-48D8-HUS	DGAP	N/A	N/A	N/A	N/A	\$25609.46
	THRD-48D8-IUS	DGAP	N/A	N/A	\$13689.46	\$14449.46	N/A
Laminate Grade A Lower Top							
138”(3505mm)	THRD-48D8-LFS	DGAP	\$ 9175.91	\$ 9455.25	N/A	N/A	N/A
	THRD-48D8-JFS	DGAP	N/A	N/A	N/A	N/A	\$23039.91
	THRD-48D8-QFS	DGAP	N/A	N/A	\$11119.91	\$11879.91	N/A
Laminate Grade B Lower Top							
138”(3505mm)	THRD-48D8-LFS	DGAP	\$ 9507.61	\$ 9786.95	N/A	N/A	N/A
	THRD-48D8-JFS	DGAP	N/A	N/A	N/A	N/A	\$23371.61
	THRD-48D8-QFS	DGAP	N/A	N/A	\$11451.61	\$12211.61	N/A
Solid Surface Lower Top							
138”(3505mm)	THRD-48D8-KFS	DGAP	\$26921.83	\$27201.17	N/A	N/A	N/A
	THRD-48D8-SSS	DGAP	N/A	N/A	N/A	N/A	\$40785.83
	THRD-48D8-EUS	DGAP	N/A	N/A	\$28865.83	\$29625.83	N/A
Wood Group A Lower Top							
138”(3505mm)	THRD-48D8-RFS	DGAP	\$11664.23	\$11943.57	N/A	N/A	N/A
	THRD-48D8-DUS	DGAP	N/A	N/A	N/A	N/A	\$25528.23
	THRD-48D8-WUS	DGAP	N/A	N/A	\$13608.23	\$14368.23	N/A
Wood Group B Lower Top							
138”(3505mm)	THRD-48D8-RFS	DGAP	\$12637.03	\$12916.37	N/A	N/A	N/A
	THRD-48D8-DUS	DGAP	N/A	N/A	N/A	N/A	\$26501.03
	THRD-48D8-WUS	DGAP	N/A	N/A	\$14581.03	\$15341.03	N/A

Immerse — Shift Table

Racetrack/Round – Painted Legs



THTD

Features

- Includes racetrack lower top and round upper top, 7"(178mm) high stack spacer, painted understructure, six painted metal legs, adjustable glides and hardware.
- Tops: Racetrack lower top available painted, laminate, solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
 - Painted 1.125"(29mm) thick
 - Laminate and wood veneer 1.18"(30mm) thick
 - Solid surface 1"(25mm) thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-_____) for the racetrack top and Round Planter (EHPR-_____) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 17.75"(451mm).
- Seating capacity of 8 based upon 27"(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29"(737mm)	48"(1219mm)	96"(2438mm)

Upper Top Dimensions

Height	Diameter
36"(914mm)	60"(1524mm)

To Order, Specify:

- 1) Product number, including:

1 Cutout Option:


- N** No Cutout
- L** Cutout - Lower Top, add **\$175.91** list
- P** Cutout - Lower and Upper Top, add **\$351.82** list
- U** Cutout - Upper Top, add **\$175.91** list

- 2) Lower surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Upper surface finish/color.
- 5) Edge trim color (laminate only).
- 6) Understructure trim color. Grade B, add **\$57.20** list.
- 7) Trim color. Grade B, add **\$57.20** list.
- 8) Stack spacer color.

Overall Width	Number	1	Upper Top Laminate Grade A	Grade B	Wood Group A	Group B	Solid Surface
Paint Grade A Lower Top							
138"(3505mm)	THTD-48D8-TFS	DGAP	\$11715.43	\$11994.77	N/A	N/A	N/A
	THTD-48D8-HUS	DGAP	N/A	N/A	N/A	N/A	\$25579.43
	THTD-48D8-IUS	DGAP	N/A	N/A	\$13659.43	\$14419.43	N/A
Paint Grade B Lower Top							
138"(3505mm)	THTD-48D8-TFS	DGAP	\$11745.46	\$12024.80	N/A	N/A	N/A
	THTD-48D8-HUS	DGAP	N/A	N/A	N/A	N/A	\$25609.46
	THTD-48D8-IUS	DGAP	N/A	N/A	\$13689.46	\$14449.46	N/A
Laminate Grade A Lower Top							
138"(3505mm)	THTD-48D8-LFS	DGAP	\$ 9175.91	\$ 9455.25	N/A	N/A	N/A
	THTD-48D8-JFS	DGAP	N/A	N/A	N/A	N/A	\$23039.91
	THTD-48D8-QFS	DGAP	N/A	N/A	\$11119.91	\$11879.91	N/A
Laminate Grade B Lower Top							
138"(3505mm)	THTD-48D8-LFS	DGAP	\$ 9507.61	\$ 9786.95	N/A	N/A	N/A
	THTD-48D8-JFS	DGAP	N/A	N/A	N/A	N/A	\$23371.61
	THTD-48D8-QFS	DGAP	N/A	N/A	\$11451.61	\$12211.61	N/A
Solid Surface Lower Top							
138"(3505mm)	THTD-48D8-KFS	DGAP	\$26921.83	\$27201.17	N/A	N/A	N/A
	THTD-48D8-SSS	DGAP	N/A	N/A	N/A	N/A	\$40785.83
	THTD-48D8-EUS	DGAP	N/A	N/A	\$28865.83	\$29625.83	N/A
Wood Group A Lower Top							
138"(3505mm)	THTD-48D8-RFS	DGAP	\$11664.23	\$11943.57	N/A	N/A	N/A
	THTD-48D8-DUS	DGAP	N/A	N/A	N/A	N/A	\$25528.23
	THTD-48D8-WUS	DGAP	N/A	N/A	\$13608.23	\$14368.23	N/A
Wood Group B Lower Top							
138"(3505mm)	THTD-48D8-RFS	DGAP	\$12637.03	\$12916.37	N/A	N/A	N/A
	THTD-48D8-DUS	DGAP	N/A	N/A	N/A	N/A	\$26501.03
	THTD-48D8-WUS	DGAP	N/A	N/A	\$14581.03	\$15341.03	N/A

Immerse — Shift Table

Rectangle/Rectangle – Wood Legs



THRR

Features

- Includes two tops, 7”(178mm) high stack spacer, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Lower top available in laminate, solid surface and wood veneer with knife edge. Upper top available painted, laminate, solid surface or wood veneer with knife edge.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1” thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-_____).
- When cutout option (-U) is selected, cutout is on the upper top only. Lower top not available with cutout.
- Overlap of top and bottom surfaces is 18.5”(470mm).
- Seating capacity of 11 based upon 27”(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29”(737mm)	60”(1524mm)	78”(1981mm)

Upper Top Dimensions

Height	Depth	Width
36”(914mm)	48”(1219mm)	96”(2438mm)


To Order, Specify:

- 1) Product number, including:
- 1 Cutout Option:**
- N** No Cutout
- U** Cutout - Upper Top, add **\$175.91** list
- 2) Lower surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Upper surface finish/color.
- 5) Edge trim color (laminate only).
- 6) Understructure trim color. Grade B, add **\$57.20** list.
- 7) Wood leg finish.
M7-W43 Ink on Ash - no upcharge
M5-W35 Clear on White Oak, add **\$301.14** list
M6-W35 Clear on Walnut, add **\$910.21** list
- 8) Stack spacer color.

Overall Width	Number	1	Upper Top Laminate Grade A	Grade B	Paint Grade A	Grade B	Wood Group A	Group B	Solid Surface
Laminate Grade A Lower Top									
156”(3962mm)	THRR-60F6-MFS	DGAW	N/A	N/A	\$18342.56	\$18372.59	N/A	N/A	N/A
	THRR-60F6-LFS	DGAW	\$15803.04	\$16134.74	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	DGAW	N/A	N/A	N/A	N/A	N/A	N/A	\$33548.96
	THRR-60F6-QFS	DGAW	N/A	N/A	N/A	N/A	\$18291.36	\$19264.16	N/A
Laminate Grade B Lower Top									
156”(3962mm)	THRR-60F6-MFS	DGAW	N/A	N/A	\$18678.00	\$18708.03	N/A	N/A	N/A
	THRR-60F6-LFS	DGAW	\$16138.48	\$16470.18	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-JFS	DGAW	N/A	N/A	N/A	N/A	N/A	N/A	\$33884.40
	THRR-60F6-QFS	DGAW	N/A	N/A	N/A	N/A	\$18626.80	\$19599.60	N/A
Solid Surface Lower Top									
156”(3962mm)	THRR-60F6-FUS	DGAW	N/A	N/A	\$36365.76	\$36395.79	N/A	N/A	N/A
	THRR-60F6-KFS	DGAW	\$33826.24	\$34157.94	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-SSS	DGAW	N/A	N/A	N/A	N/A	N/A	N/A	\$51572.16
	THRR-60F6-EUS	DGAW	N/A	N/A	N/A	N/A	\$36314.56	\$37287.36	N/A
Wood Group A Lower Top									
156”(3962mm)	THRR-60F6-GUS	DGAW	N/A	N/A	\$20869.76	\$20899.79	N/A	N/A	N/A
	THRR-60F6-RFS	DGAW	\$18330.24	\$18661.94	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	DGAW	N/A	N/A	N/A	N/A	N/A	N/A	\$36076.16
	THRR-60F6-WUS	DGAW	N/A	N/A	N/A	N/A	\$20818.56	\$21791.36	N/A
Wood Group B Lower Top									
156”(3962mm)	THRR-60F6-GUS	DGAW	N/A	N/A	\$21857.76	\$21887.79	N/A	N/A	N/A
	THRR-60F6-RFS	DGAW	\$19318.24	\$19649.94	N/A	N/A	N/A	N/A	N/A
	THRR-60F6-DUS	DGAW	N/A	N/A	N/A	N/A	N/A	N/A	\$37064.16
	THRR-60F6-WUS	DGAW	N/A	N/A	N/A	N/A	\$21806.56	\$22779.36	N/A

Immerse — Shift Table

Rectangle/Round – Wood Legs



THRD

Features

- Includes rectangle lower top and round upper top, 7" (178mm) high stack spacer, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Rectangle lower top available painted, laminate, solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
 - Painted 1.125" (29mm) thick
 - Laminate and wood veneer 1.18" (30mm) thick
 - Solid surface 1" (25mm) thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5" (13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-_____) for the rectangle top and Round Planter (EHPR-_____) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 15.75" (400mm).
- Seating capacity of 8 based upon 27" (686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29" (737mm)	48" (1219mm)	96" (2438mm)

Upper Top Dimensions

Height	Diameter
36" (914mm)	60" (1524mm)

To Order, Specify:

- Product number, including:


1 Cutout Option:

- N** No Cutout
 - L** Cutout - Lower Top, add **\$175.91** list
 - P** Cutout - Lower and Upper Top, add **\$351.82** list
 - U** Cutout - Upper Top, add **\$175.91** list
- Lower surface finish/color.
 - Edge trim color (laminate only).
 - Upper surface finish/color.
 - Edge trim color (laminate only).
 - Understructure trim color. Grade B, add **\$57.20** list.
 - Wood leg finish.
 - M7-W43 Ink on Ash - no upcharge
 - M5-W35 Clear on White Oak, add **\$301.14** list
 - M6-W35 Clear on Walnut, add **\$910.21** list
 - Stack spacer color.

Overall Width	Number	1	Upper Top Laminate Grade A	Grade B	Wood Group A	Group B	Solid Surface
Paint Grade A Lower Top							
138" (3505mm)	THRD-48D8-TFS	DGAW	\$17618.36	\$17897.70	N/A	N/A	N/A
	THRD-48D8-HUS	DGAW	N/A	N/A	N/A	N/A	\$31482.36
	THRD-48D8-IUS	DGAW	N/A	N/A	\$19562.36	\$20322.36	N/A
Paint Grade B Lower Top							
138" (3505mm)	THRD-48D8-TFS	DGAW	\$17648.39	\$17927.73	N/A	N/A	N/A
	THRD-48D8-HUS	DGAW	N/A	N/A	N/A	N/A	\$31512.39
	THRD-48D8-IUS	DGAW	N/A	N/A	\$19592.39	\$20352.39	N/A
Laminate Grade A Lower Top							
138" (3505mm)	THRD-48D8-LFS	DGAW	\$15078.84	\$15358.18	N/A	N/A	N/A
	THRD-48D8-JFS	DGAW	N/A	N/A	N/A	N/A	\$28942.84
	THRD-48D8-QFS	DGAW	N/A	N/A	\$17022.84	\$17782.84	N/A
Laminate Grade B Lower Top							
138" (3505mm)	THRD-48D8-LFS	DGAW	\$15410.54	\$15689.88	N/A	N/A	N/A
	THRD-48D8-JFS	DGAW	N/A	N/A	N/A	N/A	\$29274.54
	THRD-48D8-QFS	DGAW	N/A	N/A	\$17354.54	\$18114.54	N/A
Solid Surface Lower Top							
138" (3505mm)	THRD-48D8-KFS	DGAW	\$32824.76	\$33104.10	N/A	N/A	N/A
	THRD-48D8-SSS	DGAW	N/A	N/A	N/A	N/A	\$46688.76
	THRD-48D8-EUS	DGAW	N/A	N/A	\$34768.76	\$35528.76	N/A
Wood Group A Lower Top							
138" (3505mm)	THRD-48D8-RFS	DGAW	\$17567.16	\$17846.50	N/A	N/A	N/A
	THRD-48D8-DUS	DGAW	N/A	N/A	N/A	N/A	\$31431.16
	THRD-48D8-WUS	DGAW	N/A	N/A	\$19511.16	\$20271.16	N/A
Wood Group B Lower Top							
138" (3505mm)	THRD-48D8-RFS	DGAW	\$18539.96	\$18819.30	N/A	N/A	N/A
	THRD-48D8-DUS	DGAW	N/A	N/A	N/A	N/A	\$32403.96
	THRD-48D8-WUS	DGAW	N/A	N/A	\$20483.96	\$21243.96	N/A

Immerse — Shift Table

Racetrack/Round – Wood Legs



THTD

Features

- Includes racetrack lower top and round upper top, 7”(178mm) high stack spacer, painted understructure, six solid wood legs, adjustable glides and hardware.
- Tops: Racetrack lower top available painted, laminate, solid surface and wood veneer with knife edge. Round upper top available in laminate, solid surface or wood veneer with knife edge. Round upper top not available painted.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Stack spacer is painted MDF.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-_____) for the racetrack top and Round Planter (EHPR-_____) for the round top.
- When cutout option (-L) is selected, the cutout is on the lower top, option (-P) the cutout is on the lower and upper top and option (-U) the cutout is on the upper top only.
- Overlap of top and bottom surfaces is 17.75”(451mm).
- Seating capacity of 8 based upon 27”(686mm) per chair.
- Tops share one understructure and are not designed to be separated.

Lower Top Dimensions

Height	Depth	Width
29”(737mm)	48”(1219mm)	96”(2438mm)

Upper Top Dimensions


Height	Diameter
36”(914mm)	60”(1524mm)

To Order, Specify:

- Product number, including:
 - Cutout Option:**
 - N** No Cutout
 - L** Cutout - Lower Top, add **\$175.91** list
 - P** Cutout - Lower and Upper Top, add **\$351.82** list
 - U** Cutout - Upper Top, add **\$175.91** list
 - Lower surface finish/color.
 - Edge trim color (laminate only).
 - Upper surface finish/color.
 - Edge trim color (laminate only).
 - Understructure trim color. Grade B, add **\$57.20** list.
 - Wood leg finish.
 - M7-W43 Ink on Ash - no upcharge
 - M5-W35 Clear on White Oak, add **\$301.14** list
 - M6-W35 Clear on Walnut, add **\$910.21** list
 - Stack spacer color.

Overall Width	Number	1	Upper Top Laminate Grade A	Grade B	Wood Group A	Group B	Solid Surface
Paint Grade A Lower Top							
138”(3505mm)	THTD-48D8-TFS	DGAW	\$17618.36	\$17897.70	N/A	N/A	N/A
	THTD-48D8-HUS	DGAW	N/A	N/A	N/A	N/A	\$31482.36
	THTD-48D8-IUS	DGAW	N/A	N/A	\$19562.36	\$20322.36	N/A
Paint Grade B Lower Top							
138”(3505mm)	THTD-48D8-TFS	DGAW	\$17648.39	\$17927.73	N/A	N/A	N/A
	THTD-48D8-HUS	DGAW	N/A	N/A	N/A	N/A	\$31512.39
	THTD-48D8-IUS	DGAW	N/A	N/A	\$19592.39	\$20352.39	N/A
Laminate Grade A Lower Top							
138”(3505mm)	THTD-48D8-LFS	DGAW	\$15078.84	\$15358.18	N/A	N/A	N/A
	THTD-48D8-JFS	DGAW	N/A	N/A	N/A	N/A	\$28942.84
	THTD-48D8-QFS	DGAW	N/A	N/A	\$17022.84	\$17782.84	N/A
Laminate Grade B Lower Top							
138”(3505mm)	THTD-48D8-LFS	DGAW	\$15410.54	\$15689.88	N/A	N/A	N/A
	THTD-48D8-JFS	DGAW	N/A	N/A	N/A	N/A	\$29274.54
	THTD-48D8-QFS	DGAW	N/A	N/A	\$17354.54	\$18114.54	N/A
Solid Surface Lower Top							
138”(3505mm)	THTD-48D8-KFS	DGAW	\$32824.76	\$33104.10	N/A	N/A	N/A
	THTD-48D8-SSS	DGAW	N/A	N/A	N/A	N/A	\$46688.76
	THTD-48D8-EUS	DGAW	N/A	N/A	\$34768.76	\$35528.76	N/A
Wood Group A Lower Top							
138”(3505mm)	THTD-48D8-RFS	DGAW	\$17567.16	\$17846.50	N/A	N/A	N/A
	THTD-48D8-DUS	DGAW	N/A	N/A	N/A	N/A	\$31431.16
	THTD-48D8-WUS	DGAW	N/A	N/A	\$19511.16	\$20271.16	N/A
Wood Group B Lower Top							
138”(3505mm)	THTD-48D8-RFS	DGAW	\$18539.96	\$18819.30	N/A	N/A	N/A
	THTD-48D8-DUS	DGAW	N/A	N/A	N/A	N/A	\$32403.96
	THTD-48D8-WUS	DGAW	N/A	N/A	\$20483.96	\$21243.96	N/A

Immerse — Single Table
Round – Painted Legs



THRN

Features

- Includes top, four painted metal legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, laminate, solid surface or wood veneer with knife edge.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Table height options: 29”(737mm), 36”(914mm) and 39”(991mm).
- Diameter shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available on the 60”(1524mm) diameter table only. Use Round Planter (EHPR-____).
- 60”(1524mm) diameter table not available painted.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- P** Painted
- S** Solid Surface
- W** Wood

2 Edge Option:

- F** Knife (Laminate)
- U** Knife (Painted or Wood Surface)
- S** Solid Surface (for use with Solid Surface only)

3 Cutout Option:


- N** No Cutout
- P** Cutout, add **\$175.91** list

- 2) Top surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Understructure trim color. Grade B, add **\$57.20** list.
- 5) Trim color. Grade B, add **\$57.20** list.

Height	Diameter	Number	1 2 3			Laminate	Grade B	Paint	Grade B	Wood	Group B	Solid
						Grade A	F	Grade A	U	Group A	U	Surface
29”(737mm)	48”(1219mm)	THRN-4848-			SNAG4P	\$3729.94	\$3941.96	\$4999.70	\$5029.73	\$4974.10	\$5460.50	\$12602.90
	60”(1524mm)	THRN-6060-			S AG4P	4598.98	4878.32	N/A	N/A	6542.98	7302.98	18462.98
36”(914mm)	48”(1219mm)	THRN-4848-			SNAG6P	\$3900.18	\$4112.20	\$5169.94	\$5199.97	\$5144.34	\$5630.74	\$12773.14
	60”(1524mm)	THRN-6060-			S AG6P	4769.22	5048.56	N/A	N/A	6713.22	7473.22	18633.22
39”(991mm)	48”(1219mm)	THRN-4848-			SNAG7P	\$3973.14	\$4185.16	\$5242.90	\$5272.93	\$5217.30	\$5703.70	\$12846.10
	60”(1524mm)	THRN-6060-			S AG7P	4842.18	5121.52	N/A	N/A	6786.18	7546.18	18706.18

Immerse — Single Table

Square – Painted Legs



THRQ

Features

- Includes top, four painted metal legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, laminate, solid surface or wood veneer top with knife edge.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Table height options: 29”(737mm), 36”(914mm) and 39”(991mm).
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available on the 60”(1524mm) depth table only. Use Round Planter (EHPR-____).
- 60”(1524mm) depth table not available painted.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L Laminate
- P Painted
- S Solid Surface
- W Wood

2 Edge Option:

- F Knife (Laminate)
- U Knife (Painted or Wood Surface)
- S Solid Surface (for use with Solid Surface only)

3 Cutout Option:


- N No Cutout
- P Cutout, add \$175.91 list

- 2) Top surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Understructure trim color. Grade B, add \$57.20 list.
- 5) Trim color. Grade B, add \$57.20 list.

Height	Depth	Width	Number	1 2 3			Laminate	Grade B	Paint	Grade B	Wood	Group B	Solid
							Grade A	F	Grade A	U	Group A	U	Surface
29”(737mm)	48”(1219mm)	48”(1219mm)	THRQ-4848-			SNAG4P	\$3729.94	\$3941.96	\$4999.70	\$5029.73	\$4974.10	\$5460.50	\$12602.90
	60”(1524mm)	60”(1524mm)	THRQ-6060-			AG4P	4598.98	4878.32	N/A	N/A	6542.98	7302.98	18462.98
36”(914mm)	48”(1219mm)	48”(1219mm)	THRQ-4848-			SNAG6P	\$3900.18	\$4112.20	\$5169.94	\$5199.97	\$5144.34	\$5630.74	\$12773.14
	60”(1524mm)	60”(1524mm)	THRQ-6060-			AG6P	4769.22	5048.56	N/A	N/A	6713.22	7473.22	18633.22
39”(991mm)	48”(1219mm)	48”(1219mm)	THRQ-4848-			SNAG7P	\$3973.14	\$4185.16	\$5242.90	\$5272.93	\$5217.30	\$5703.70	\$12846.10
	60”(1524mm)	60”(1524mm)	THRQ-6060-			AG7P	4842.18	5121.52	N/A	N/A	6786.18	7546.18	18706.18

Immerse — Single Table

Rectangle – Painted Legs



THRA

Features

- Includes top, four painted metal legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, laminate, solid surface or wood veneer top with knife edge.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Table height options: 29”(737mm), 36”(914mm) and 39”(991mm).
- Tops greater than 120”(3048mm) are two piece.
- One piece tops have four legs, two piece tops have 6 legs.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____).
- Two piece tops specified with cutout will have two cutouts and require two Oblong Planters.
- 120”(3048mm) and 144”(3658mm) width tables not available painted.

To Order, Specify:

1) Product number, including:

① Surface Option:

- L** Laminate
- P** Painted
- S** Solid Surface
- W** Wood

② Edge Option:

- F** Knife (Laminate)
- U** Knife (Painted or Wood Surface)
- S** Solid Surface (for use with Solid Surface only)

③ Cutout Option:

- N** No Cutout
- P** Cutout, add **\$175.91** list for one-piece add **\$351.82** list for two-piece

2) Top surface finish/color.


3) Edge trim color (laminate only).

4) Understructure trim color. Grade B, add **\$57.20** list.5) Trim color. Grade B, add **\$57.20** list.

Height	Depth	Width	Number ① ② ③	Laminate Grade A F	Grade B F	Paint Grade A U	Grade B U	Wood Group A U	Group B U	Solid Surface S
29”(737mm)	48”(1219mm)	96”(2438mm)	THRA-4896- S AG4P	\$5274.90	\$5606.60	\$7814.42	\$7844.45	\$ 7763.22	\$ 8736.02	\$23020.82
	48”(1219mm)	144”(3658mm)	THRA-48E4- S AG4P	6819.86	7271.24	N/A	N/A	10552.34	12011.54	33438.74
	60”(1524mm)	120”(3048mm)	THRA-60C0- S AG4P	7012.98	7479.32	N/A	N/A	10900.98	12420.98	34740.98
	60”(1524mm)	144”(3658mm)	THRA-60E4- S AG4P	7978.58	8519.72	N/A	N/A	12644.18	14468.18	41252.18
36”(914mm)	48”(1219mm)	96”(2438mm)	THRA-4896- S AG6P	\$5445.14	\$5776.84	\$7984.66	\$8014.69	\$ 7933.46	\$ 8906.26	\$23191.06
	60”(1524mm)	120”(3048mm)	THRA-60C0- S AG6P	7183.22	7649.56	N/A	N/A	11071.22	12591.22	34911.22
39”(991mm)	48”(1219mm)	96”(2438mm)	THRA-4896- S AG7P	\$5518.10	\$5849.80	\$8057.62	\$8087.65	\$ 8006.42	\$ 8979.22	\$23264.02
	60”(1524mm)	120”(3048mm)	THRA-60C0- S AG7P	7256.18	7722.52	N/A	N/A	11144.18	12664.18	34984.18

Immerse — Single Table

Racetrack – Painted Legs



THRT

Features

- Includes top, four painted metal legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, laminate, solid surface or wood veneer top with knife edge.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Table height options: 29”(737mm), 36”(914mm) and 39”(991mm).
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- Separately specified power available. Use Oblong Planter (EHPO-____).

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- P** Painted
- S** Solid Surface
- W** Wood

2 Edge Option:

- F** Knife (Laminate)
- U** Knife (Painted or Wood Surface)
- S** Solid Surface (for use with Solid Surface only)


3 Cutout Option:

- N** No Cutout
- P** Cutout, add **\$175.91** list

- 2) Top surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Understructure trim color. Grade B, add **\$57.20** list.
- 5) Trim color. Grade B, add **\$57.20** list.

Height	Depth	Width	Number 1 2 3	Laminate	Grade B	Paint	Grade B	Wood	Group B	Solid
				Grade A	F	Grade A	U	Group A	U	Surface
29”(737mm)	48”(1219mm)	96”(2438mm)	THRT-4896- S AG4P	\$5274.90	\$5606.60	\$7814.42	\$7844.45	\$7763.22	\$8736.02	\$23020.82
36”(914mm)	48”(1219mm)	96”(2438mm)	THRT-4896- S AG6P	\$5445.14	\$5776.84	\$7984.66	\$8014.69	\$7933.46	\$8906.26	\$23191.06
39”(991mm)	48”(1219mm)	96”(2438mm)	THRT-4896- S AG7P	\$5518.10	\$5849.80	\$8057.62	\$8087.65	\$8006.42	\$8979.22	\$23264.02

Immerse — Single Table
Round – Wood Legs



THRN

Features

- Includes top, four solid wood legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, laminate, solid surface or wood veneer with knife edge.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Table height options: 29”(737mm), 36”(914mm) and 39”(991mm).
- Diameter shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available on the 60”(1524mm) diameter table only. Use Round Planter (EHPR-____).
- 60”(1524mm) diameter table not available painted.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- P** Painted
- S** Solid Surface
- W** Wood

2 Edge Option:

- F** Knife (Laminate)
- U** Knife (Painted or Wood Surface)
- S** Solid Surface (for use with Solid Surface only)

3 Cutout Option:


- N** No Cutout
- P** Cutout, add **\$175.91** list

- 2) Top surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Understructure trim color. Grade B, add **\$57.20** list.
- 5) Wood leg finish.
 - M7-W43 Ink on Ash - no upcharge
 - M5-W35 Clear on White Oak, add **\$194.49** list
 - M6-W35 Clear on Walnut, add **\$587.82** list

Height	Diameter	Number	1	2	3	Laminate Grade A F	Grade B F	Paint Grade A U	Grade B U	Wood Group A U	Group B U	Solid Surface S
29”(737mm)	48”(1219mm)	THRN-4848-			SNAG4W	\$7269.36	\$7481.38	\$8539.12	\$8569.15	\$ 8513.52	\$ 8999.92	\$16142.32
	60”(1524mm)	THRN-6060-			S AG4W	8138.40	8417.74	N/A	N/A	10082.40	10842.40	22002.40
36”(914mm)	48”(1219mm)	THRN-4848-			SNAG6W	\$7439.60	\$7651.62	\$8709.36	\$8739.39	\$ 8683.76	\$ 9170.16	\$16312.56
	60”(1524mm)	THRN-6060-			S AG6W	8308.64	8587.98	N/A	N/A	10252.64	11012.64	22172.64
39”(991mm)	48”(1219mm)	THRN-4848-			SNAG7W	\$7512.56	\$7724.58	\$8782.32	\$8812.35	\$ 8756.72	\$ 9243.12	\$16385.52
	60”(1524mm)	THRN-6060-			S AG7W	8381.60	8660.94	N/A	N/A	10325.60	11085.60	22245.60

Immerse — Single Table

Square – Wood Legs



THRQ

Features

- Includes top, four solid wood legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, laminate, solid surface or wood veneer top with knife edge.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Table height options: 29”(737mm), 36”(914mm) and 39”(991mm).
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available on the 60”(1524mm) depth table only. Use Round Planter (EHPR-____).
- 60”(1524mm) depth table not available painted.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L Laminate
- P Painted
- S Solid Surface
- W Wood

2 Edge Option:

- F Knife (Laminate)
- U Knife (Painted or Wood Surface)
- S Solid Surface (for use with Solid Surface only)

3 Cutout Option:


- N No Cutout
- P Cutout, add \$175.91 list

- 2) Top surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Understructure trim color. Grade B, add \$57.20 list.
- 5) Wood leg finish.
- M7-W43 Ink on Ash - no upcharge
 - M5-W35 Clear on White Oak, add \$194.49 list
 - M6-W35 Clear on Walnut, add \$587.82 list

Height	Depth	Width	Number	1 2 3			Laminate	Grade B	Paint	Grade B	Wood	Group B	Solid
							Grade A	F	Grade A	U	Group A	U	Surface
29”(737mm)	48”(1219mm)	48”(1219mm)	THRQ-4848-			SNAG4W	\$7269.36	\$7481.38	\$8539.12	\$8569.15	\$ 8513.52	\$ 8999.92	\$16142.32
	60”(1524mm)	60”(1524mm)	THRQ-6060-			AG4W	8138.40	8417.74	N/A	N/A	10082.40	10842.40	22002.40
36”(914mm)	48”(1219mm)	48”(1219mm)	THRQ-4848-			SNAG6W	\$7439.60	\$7651.62	\$8709.36	\$8739.39	\$ 8683.76	\$ 9170.16	\$16312.56
	60”(1524mm)	60”(1524mm)	THRQ-6060-			AG6W	8308.64	8587.98	N/A	N/A	10252.64	11012.64	22172.64
39”(991mm)	48”(1219mm)	48”(1219mm)	THRQ-4848-			SNAG7W	\$7512.56	\$7724.58	\$8782.32	\$8812.35	\$ 8756.72	\$ 9243.12	\$16385.52
	60”(1524mm)	60”(1524mm)	THRQ-6060-			AG7W	8381.60	8660.94	N/A	N/A	10325.60	11085.60	22245.60

Immerse — Single Table

Rectangle – Wood Legs



THRA

Features

- Includes top, four solid wood legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, laminate, solid surface or wood veneer top with knife edge.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Table height options: 29”(737mm), 36”(914mm) and 39”(991mm).
- Tops greater than 120”(3048mm) are two piece.
- One piece tops have four legs, two piece tops have 6 legs.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____).
- Two piece tops specified with cutout will have two cutouts and require two Oblong Planters.
- 60”(1524mm) depth tables not available painted.

To Order, Specify:

- Product number, including:

1 Surface Option:

- L** Laminate
- P** Painted
- S** Solid Surface
- W** Wood

2 Edge Option:

- F** Knife (Laminate)
- U** Knife (Painted or Wood Surface)
- S** Solid Surface (for use with Solid Surface only)

3 Cutout Option:


- N** No Cutout
- P** Cutout, add **\$175.91** list for one-piece add **\$351.82** list for two-piece

- Top surface finish/color.
- Edge trim color (laminate only).
- Understructure trim color. Grade B, add **\$57.20** list.
- Wood leg finish.
 - M7-W43 Ink on Ash - no upcharge
 - M5-W35 Clear on White Oak, add **\$194.49** list
 - M6-W35 Clear on Walnut, add **\$587.82** list

Height	Depth	Width	Number	1	2	3	Laminate Grade A F	Grade B F	Paint Grade A U	Grade B U	Wood Group A U	Group B U	Solid Surface S	
29”(737mm)	48”(1219mm)	96”(2438mm)	THRA-4896-				AG4W	\$ 8814.32	\$ 9146.02	\$11353.84	\$11383.87	\$11302.64	\$12275.44	\$26560.24
	48”(1219mm)	144”(3658mm)	THRA-48E4-				AG4W	10359.28	10810.66	N/A	N/A	14091.76	15550.96	36978.16
	60”(1524mm)	120”(3048mm)	THRA-60C0-				AG4W	10552.40	11018.74	N/A	N/A	14440.40	15960.40	38280.40
	60”(1524mm)	144”(3658mm)	THRA-60E4-				AG4W	11518.00	12059.14	N/A	N/A	16183.60	18007.60	44791.60
36”(914mm)	48”(1219mm)	96”(2438mm)	THRA-4896-				AG6W	\$ 8984.56	\$ 9316.26	\$11524.08	\$11554.11	\$11472.88	\$12445.68	\$26730.48
	60”(1524mm)	120”(3048mm)	THRA-60C0-				AG6W	10722.64	11188.98	N/A	N/A	14610.64	16130.64	38450.64
39”(991mm)	48”(1219mm)	96”(2438mm)	THRA-4896-				AG7W	\$ 9057.52	\$ 9389.22	\$11597.04	\$11627.07	\$11545.84	\$12518.64	\$26803.44
	60”(1524mm)	120”(3048mm)	THRA-60C0-				AG7W	10795.60	11261.94	N/A	N/A	14683.60	16203.60	38523.60

Immerse — Single Table

Racetrack – Wood Legs



THRT

Features

- Includes top, four solid wood legs, painted understructure, adjustable glides and hardware.
- Tops: Painted, laminate, solid surface or wood veneer top with knife edge.
 - Painted 1.125”(29mm) thick
 - Laminate and wood veneer 1.18”(30mm) thick
 - Solid surface 1”(25mm) thick
- Solid surface is standard in Cameo White.
- Glides have 0.5”(13mm) height adjustment and are standard in black.
- Table height options: 29”(737mm), 36”(914mm) and 39”(991mm).
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- Separately specified power available. Use Oblong Planter (EHPO-____).

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- P** Painted
- S** Solid Surface
- W** Wood

2 Edge Option:

- F** Knife (Laminate)
- U** Knife (Painted or Wood Surface)
- S** Solid Surface (for use with Solid Surface only)

3 Cutout Option:


- N** No Cutout
- P** Cutout, add **\$175.91** list

- 2) Top surface finish/color.
- 3) Edge trim color (laminate only).
- 4) Understructure trim color. Grade B, add **\$57.20** list.
- 5) Wood leg finish.
 - M7-W43 Ink on Ash - no upcharge
 - M5-W35 Clear on White Oak, add **\$194.49** list
 - M6-W35 Clear on Walnut, add **\$587.82** list

Height	Depth	Width	Number	1	2	3	Laminate Grade A F	Grade B F	Paint Grade A U	Grade B U	Wood Group A U	Group B U	Solid Surface S	
29”(737mm)	48”(1219mm)	96”(2438mm)	THRT-4896-			S	AG4W	\$8814.32	\$9146.02	\$11353.84	\$11383.87	\$11302.64	\$12275.44	\$26560.24
36”(914mm)	48”(1219mm)	96”(2438mm)	THRT-4896-			S	AG6W	\$8984.56	\$9316.26	\$11524.08	\$11554.11	\$11472.88	\$12445.68	\$26730.48
39”(991mm)	48”(1219mm)	96”(2438mm)	THRT-4896-			S	AG7W	\$9057.52	\$9389.22	\$11597.04	\$11627.07	\$11545.84	\$12518.64	\$26803.44

Immerse — Stack Table

Rectangle – Painted Legs



THRA

Features

- Includes top, 0.125"(3mm) thick sill (below surface), painted metal legs, painted understructure, adjustable glides and hardware.
- Top (upper surface), laminate, solid surface or wood veneer with knife edge.
 - Laminate and wood veneer 1.18"(30mm) thick
 - Solid surface 1"(25mm) thick
- Sill is solid surface with flat edge or laminate.
- Solid surface is standard in Cameo White.
- Glides have 0.5"(13mm) height adjustment and are standard in black.
- Tops greater than 120"(3048mm) are two piece.
- One piece tops have four legs, two piece tops have 6 legs.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Separately specified power available. Use Oblong Planter (EHPO-____).
- When cutout option (-P) is selected, single piece table has one cutout and two piece tables has two cutouts. Order the correct number of planters.
- Stack table not available painted.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
S Solid Surface
W Wood

2 Edge Option:

- F** Knife (Laminate)
U Knife (Wood Surface)
S Solid Surface (for use with Solid Surface only)


3 Cutout Option:

- N** No Cutout
P Cutout, add **\$175.91** list for one-piece add **\$351.82** list for two-piece

- 2) Top surface finish/color.
 3) Edge trim color (laminate only).
 4) Sill surface color.
 5) Sill edge trim color (laminate only).
 6) Understructure trim color. Grade B, add **\$57.20** list.
 7) Trim color. Grade B, add **\$57.20** list.

Height	Depth	Width	Number 1 2 3	Laminate Grade A F	Grade B F	Wood Group A U	Group B U	Solid Surface S
39"(991mm)	60"(1524mm)	96"(2438mm)	THRA-6096- S CG7P	\$10832.37	\$11219.11	\$20445.17	\$21661.17	\$39517.17
39"(991mm)	60"(1524mm)	120"(3048mm)	THRA-60C0- S CG7P	14809.67	15270.01	26825.67	28345.67	50665.67
39"(991mm)	60"(1524mm)	144"(3658mm)	THRA-60E4- S CG7P	16902.07	17436.01	31321.27	33145.27	59929.27

Immerse — Planter — Oblong



Features

- Includes planter, brackets, and mounting hardware.
- Available in Black, Smooth Plaster, Gray Tone, and Terra Cotta.
- Available with or without power.
- When ordering with power option:
 - Includes 2 power modules with a total of 8 ports that can be configured with simplex outlets (NEMA-5-15R), or USB charging simplex outlets (with 2 USB outlets). No data or cable bay options are available.
 - Includes cable management clips.
- Corded option combines both power modules into a single NEMA-5-15P style circuit breaker plug.
- Power modules are UL listed.

Specification Tips


- The no power option cannot be modified for power in the field.
- Specify the power and USB port options (1 configuration for both power modules).
- Power modules are color matched to the planter.
- Installs in a factory cut work surface.
- Planter, brackets, and power modules are field installed. Hand tighten mounting hardware to avoid deformation of the planter.
- For use with 120 volt, 60 hertz power source only.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
- 2) Trim finish.

Width	Bezel Depth	Cord Length	Port	Configuration (per side)	Number	Price
No Power						
					EHPO-000M-00	\$1025.72
Corded						
		6'(1829mm)	8	4 Power Receptacles	EHPO-PF0M-40	\$2425.80
				3 Power Receptacles, 1 USB Charging	EHPO-PF0M-31	2511.62
				2 Power Receptacles, 2 USB Charging	EHPO-PF0M-22	2597.44
		12'(3658mm)	8	4 Power Receptacles	EHPO-PL0M-40	\$2495.88
				3 Power Receptacles, 1 USB Charging	EHPO-PL0M-31	2581.70
				2 Power Receptacles, 2 USB Charging	EHPO-PL0M-22	2667.52
		21'(6401mm)	8	4 Power Receptacles	EHPO-PW0M-40	\$2565.95
				3 Power Receptacles, 1 USB Charging	EHPO-PW0M-31	2651.77
				2 Power Receptacles, 2 USB Charging	EHPO-PW0M-22	2737.59
Hardwire						
		6'(1829mm)	8	4 Power Receptacles	EHPO-HF0M-40	\$2617.43
				3 Power Receptacles, 1 USB Charging	EHPO-HF0M-31	2703.25
				2 Power Receptacles, 2 USB Charging	EHPO-HF0M-22	2789.07
		12'(3658mm)	8	4 Power Receptacles	EHPO-HL0M-40	\$2687.51
				3 Power Receptacles, 1 USB Charging	EHPO-HL0M-31	2773.33
				2 Power Receptacles, 2 USB Charging	EHPO-HL0M-22	2859.15

Immerse — Planter — Round



Features

- Includes planter, brackets, and mounting hardware.
- Available in Black, Smooth Plaster, Gray Tone, and Terra Cotta.
- Available with and without power.
- When ordering with power option:
 - Includes a power module with a total of 4 ports that can be configured with simplex outlets (NEMA-5-15R), or USB charging simplex outlets (with 2 USB outlets). No data or cable bay options are available.
- Power module is UL listed.

Specification Tips

- The no power option cannot be modified for power in the field.
- **Choosing 4 power ports and 0 USB requires the use of a NEMA-5-15P style circuit breaker plug.**
- Power modules are color matched to the planter.
- Installs in a factory cut work surface.
- Planter, brackets, and power modules are field installed. Hand tighten mounting hardware to avoid deformation of the planter.
- For use with 120 volt, 60 hertz power source only.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
- 2) Trim finish.

Width	Bezel Depth	Cord Length	Port	Configuration	Number	Price
No Power						
					EHPR-000M-00	\$ 765.13
Corded						
		6'(1829mm)	4	4 Power Receptacles	EHPR-PF0M-40	\$1640.37
				3 Power Receptacles, 1 USB Charging	EHPR-PF0M-31	1726.19
				2 Power Receptacles, 2 USB Charging	EHPR-PF0M-22	1812.01
		12'(3658mm)	4	4 Power Receptacles	EHPR-PL0M-40	\$1710.45
				3 Power Receptacles, 1 USB Charging	EHPR-PL0M-31	1796.27
				2 Power Receptacles, 2 USB Charging	EHPR-PL0M-22	1882.09
		21'(6401mm)	4	4 Power Receptacles	EHPR-PW0M-40	\$1780.52
				3 Power Receptacles, 1 USB Charging	EHPR-PW0M-31	1866.34
				2 Power Receptacles, 2 USB Charging	EHPR-PW0M-22	1952.16
Hardwire						
		6'(1829mm)	4	4 Power Receptacles	EHPR-HF0M-40	\$1832.00
				3 Power Receptacles, 1 USB Charging	EHPR-HF0M-31	1917.82
				2 Power Receptacles, 2 USB Charging	EHPR-HF0M-22	2003.64
		12'(3658mm)	4	4 Power Receptacles	EHPR-HL0M-40	\$1902.08
				3 Power Receptacles, 1 USB Charging	EHPR-HL0M-31	1987.90
				2 Power Receptacles, 2 USB Charging	EHPR-HL0M-22	2073.72

This page intentionally blank


Jive

This page intentionally blank


T	C	RA	-	24	60	-	L	J	S	J	B	M	4	A
														Base Foot Finish Option: A – Painted B – Polished
														Height: 1 – 16” 4 – 29” 7 – 42” 2 – 20” 6 – 36”
														Base Foot and Wire Management: <i>Base – No Power</i> C – Casters G – Glides <i>Base – Power Ready</i> J – Casters K – Glides <i>Base – No Power – Flip Top</i> H – Casters F – Glides <i>Base – Power Ready – Flip Top</i> L – Casters M – Glides
														Base Type: B – C-Leg Round G – Bridge C – C-Leg Extruded R – Swivel D – Disc T – T-Leg Extruded E – Post Extruded V – Post Round F – T-Leg Round X – X Base
														Cutout: N – No Cutout Q – Center, Double-Sided/12 outlets A – Center, Single-Sided/2 outlets V – Left/Right, Single-Sided/4 outlets F – Center, Single-Sided/4 outlets K – Left/Right, Single-Sided/6 outlets J – Center, Single-Sided/6 outlets R – 3” Round M – Center, Double-Sided/8 outlets
														Core Type: S – Standard
														Edge: F – Laminate Knife U – Wood Knife J – Laminate Edgeband K – Wood Edgeband
														Surface Material: L – Laminate W – Wood
														Width: 18” – 18” 72” – 72” 24” – 24” 84” – 84” 30” – 30” 96” – 96” 36” – 36” A8 – 108” 42” – 42” C0 – 120” 48” – 48” E4 – 144” 54” – 54” J0 – 180” 60” – 60” M6 – 216”
														Depth: 18” – 18” 42” – 42” 24” – 24” 48” – 48” 30” – 30” 54” – 54” 36” – 36” 60” – 60”
														Shape: BN – Crescent RA – Rectangle CE – Extended Corner RN – Round CX – Transitional Extended Corner RP – Pebble HP – Half Pebble RQ – Square HT – Half Race Track RT – Racetrack HX – Half Hexagon TP – Trapezoid
														Product Line: C – Jive
														Product Type: T – Table

Jive Table — Post Extruded Base

Round – Laminate or Wood



TCRN



Features

- Includes 1.18”(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16”(406mm), 20”(508mm) and 29”(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- 16”(406mm) and 20”(508mm) heights are available with glides only.
- 29”(737mm) height available with glides or casters.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- **Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- **Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29”(737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16”(406mm), 20”(508mm) and 29”(737mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- M** Center, Double-Sided/8 outlets, add **\$45.84** list
- Q** Center, Double-Sided/12 outlets, add **\$45.84** list

4 Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29” Height Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29” Height Only)
- K** Glides

- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.


Jive Table — Post Extruded Base

Round – Laminate or Wood


Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B		
								J	F	J	F	K	U	K	U	
Base — No Power — No Cutout																
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S	E	1	\$ 666.55	\$ 878.52	\$ 755.05	\$ 967.02	\$1073.29	\$1190.89	\$1152.22	\$1276.49
	30"(762mm)	30"(762mm)	TCRN-3030-			S	E	1	737.11	987.96	830.92	1081.77	1297.09	1500.33	1416.79	1640.41
	36"(914mm)	36"(914mm)	TCRN-3636-			S	E	1	821.91	1111.64	922.21	1211.94	1566.25	1882.72	1734.82	2090.11
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S	E	1	920.95	1249.56	1028.92	1357.53	1880.77	2339.08	2106.31	2626.78
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S	E	1	1034.23	1401.72	1151.05	1518.54	2240.65	2868.20	2531.26	3249.00
20"(508mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S	E	2	\$ 673.68	\$ 885.65	\$ 762.18	\$ 974.15	\$1080.42	\$1198.02	\$1159.35	\$1283.62
	30"(762mm)	30"(762mm)	TCRN-3030-			S	E	2	744.24	995.09	838.05	1088.90	1304.22	1507.46	1423.92	1647.54
	36"(914mm)	36"(914mm)	TCRN-3636-			S	E	2	829.04	1118.77	929.34	1219.07	1573.38	1889.85	1741.95	2097.24
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S	E	2	928.08	1256.69	1036.05	1364.66	1887.90	2346.21	2113.44	2633.91
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S	E	2	1041.36	1408.85	1158.18	1525.67	2247.78	2875.33	2538.39	3256.13
29"(737mm)	30"(762mm)	30"(762mm)	TCRN-3030-			S	E	4	\$ 765.63	\$1016.48	\$ 859.44	\$1110.29	\$1325.61	\$1528.85	\$1445.31	\$1668.93
	36"(914mm)	36"(914mm)	TCRN-3636-			S	E	4	850.43	1140.16	950.73	1240.46	1594.77	1911.24	1763.34	2118.63
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S	E	4	949.47	1278.08	1057.44	1386.05	1909.29	2367.60	2134.83	2655.30
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S	E	4	1062.75	1430.24	1179.57	1547.06	2269.17	2896.72	2559.78	3277.52
	54"(1372mm)	54"(1372mm)	TCRN-5454-			S	E	4	1190.27	1596.64	1317.12	1723.49	2674.41	3499.16	3038.19	3985.94
	60"(1524mm)	60"(1524mm)	TCRN-6060-			S	E	4	1332.03	1777.28	1470.09	1915.34	3125.01	4175.84	3570.06	4781.65
Base — Power Ready — No Cutout																
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S	E	1	\$ 693.68	\$ 905.65	\$ 782.18	\$ 994.15	\$1100.42	\$1218.02	\$1179.35	\$1303.62
	30"(762mm)	30"(762mm)	TCRN-3030-			S	E	1	764.24	1015.09	858.05	1108.90	1324.22	1527.46	1443.92	1667.54
	36"(914mm)	36"(914mm)	TCRN-3636-			S	E	1	849.04	1138.77	949.34	1239.07	1593.38	1909.85	1761.95	2117.24
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S	E	1	948.08	1276.69	1056.05	1384.66	1907.90	2366.21	2133.44	2653.91
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S	E	1	1061.36	1428.85	1178.18	1545.67	2267.78	2895.33	2558.39	3276.13
20"(508mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S	E	2	\$ 700.81	\$ 912.78	\$ 789.31	\$1001.28	\$1107.55	\$1225.15	\$1186.48	\$1310.75
	30"(762mm)	30"(762mm)	TCRN-3030-			S	E	2	771.37	1022.22	865.18	1116.03	1331.35	1534.59	1451.05	1674.67
	36"(914mm)	36"(914mm)	TCRN-3636-			S	E	2	856.17	1145.90	956.47	1246.20	1600.51	1916.98	1769.08	2124.37
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S	E	2	955.21	1283.82	1063.18	1391.79	1915.03	2373.34	2140.57	2661.04
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S	E	2	1068.49	1435.98	1185.31	1552.80	2274.91	2902.46	2565.52	3283.26
29"(737mm)	30"(762mm)	30"(762mm)	TCRN-3030-			S	E	4	\$ 792.76	\$1043.61	\$ 886.57	\$1137.42	\$1352.74	\$1555.98	\$1472.44	\$1696.06
	36"(914mm)	36"(914mm)	TCRN-3636-			S	E	4	877.56	1167.29	977.86	1267.59	1621.90	1938.37	1790.47	2145.76
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S	E	4	976.60	1305.21	1084.57	1413.18	1936.42	2394.73	2161.96	2682.43
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S	E	4	1089.88	1457.37	1206.70	1574.19	2296.30	2923.85	2586.91	3304.65
	54"(1372mm)	54"(1372mm)	TCRN-5454-			S	E	4	1217.40	1623.77	1344.25	1750.62	2701.54	3526.29	3065.32	4013.07
	60"(1524mm)	60"(1524mm)	TCRN-6060-			S	E	4	1359.16	1804.41	1497.22	1942.47	3152.14	4202.97	3597.19	4808.78

Jive Table — Post Extruded Base

Square – Laminate or Wood



TCRQ



Features

- Includes 1.18”(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16”(406mm), 20”(508mm) and 29”(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- 16”(406mm) and 20”(508mm) heights are available with glides only.
- 29”(737mm) height available with glides or casters.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- **Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.
- Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29”(737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16”(406mm), 20”(508mm) and 29”(737mm) high tables)
- **–Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- M** Center, Double-Sided/8 outlets, add **\$45.84** list
- Q** Center, Double-Sided/12 outlets, add **\$45.84** list

4 Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29” Height Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29” Height Only)
- K** Glides

- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — Post Extruded Base

Square – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B		
								J	F	J	F	K	U	K	U	
Base — No Power — No Cutout																
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-			S	E	1	\$ 666.55	\$ 878.52	\$ 755.05	\$ 967.02	\$1073.29	\$1190.89	\$1152.22	\$1276.49
	30"(762mm)	30"(762mm)	TCRQ-3030-			S	E	1	737.11	987.96	830.92	1081.77	1297.09	1500.33	1416.79	1640.41
	36"(914mm)	36"(914mm)	TCRQ-3636-			S	E	1	821.91	1111.64	922.21	1211.94	1566.25	1882.72	1734.82	2090.11
	42"(1067mm)	42"(1067mm)	TCRQ-4242-			S	E	1	920.95	1249.56	1028.92	1357.53	1880.77	2339.08	2106.31	2626.78
	48"(1219mm)	48"(1219mm)	TCRQ-4848-			S	E	1	1034.23	1401.72	1151.05	1518.54	2240.65	2868.20	2531.26	3249.00
20"(508mm)	24"(610mm)	24"(610mm)	TCRQ-2424-			S	E	2	\$ 673.68	\$ 885.65	\$ 762.18	\$ 974.15	\$1080.42	\$1198.02	\$1159.35	\$1283.62
	30"(762mm)	30"(762mm)	TCRQ-3030-			S	E	2	744.24	995.09	838.05	1088.90	1304.22	1507.46	1423.92	1647.54
	36"(914mm)	36"(914mm)	TCRQ-3636-			S	E	2	829.04	1118.77	929.34	1219.07	1573.38	1889.85	1741.95	2097.24
	42"(1067mm)	42"(1067mm)	TCRQ-4242-			S	E	2	928.08	1256.69	1036.05	1364.66	1887.90	2346.21	2113.44	2633.91
	48"(1219mm)	48"(1219mm)	TCRQ-4848-			S	E	2	1041.36	1408.85	1158.18	1525.67	2247.78	2875.33	2538.39	3256.13
29"(737mm)	30"(762mm)	30"(762mm)	TCRQ-3030-			S	E	4	\$ 765.63	\$1016.48	\$ 859.44	\$1110.29	\$1325.61	\$1528.85	\$1445.31	\$1668.93
	36"(914mm)	36"(914mm)	TCRQ-3636-			S	E	4	850.43	1140.16	950.73	1240.46	1594.77	1911.24	1763.34	2118.63
	42"(1067mm)	42"(1067mm)	TCRQ-4242-			S	E	4	949.47	1278.08	1057.44	1386.05	1909.29	2367.60	2134.83	2655.30
	48"(1219mm)	48"(1219mm)	TCRQ-4848-			S	E	4	1062.75	1430.24	1179.57	1547.06	2269.17	2896.72	2559.78	3277.52
	54"(1372mm)	54"(1372mm)	TCRQ-5454-			S	E	4	1190.27	1596.64	1317.12	1723.49	2674.41	3499.16	3038.19	3985.94
	60"(1524mm)	60"(1524mm)	TCRQ-6060-			S	E	4	1332.03	1777.28	1470.09	1915.34	3125.01	4175.84	3570.06	4781.65
Base — Power Ready — No Cutout																
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-			S	E	1	\$ 693.68	\$ 905.65	\$ 782.18	\$ 994.15	\$1100.42	\$1218.02	\$1179.35	\$1303.62
	30"(762mm)	30"(762mm)	TCRQ-3030-			S	E	1	764.24	1015.09	858.05	1108.90	1324.22	1527.46	1443.92	1667.54
	36"(914mm)	36"(914mm)	TCRQ-3636-			S	E	1	849.04	1138.77	949.34	1239.07	1593.38	1909.85	1761.95	2117.24
	42"(1067mm)	42"(1067mm)	TCRQ-4242-			S	E	1	948.08	1276.69	1056.05	1384.66	1907.90	2366.21	2133.44	2653.91
	48"(1219mm)	48"(1219mm)	TCRQ-4848-			S	E	1	1061.36	1428.85	1178.18	1545.67	2267.78	2895.33	2558.39	3276.13
20"(508mm)	24"(610mm)	24"(610mm)	TCRQ-2424-			S	E	2	\$ 700.81	\$ 912.78	\$ 789.31	\$1001.28	\$1107.55	\$1225.15	\$1186.48	\$1310.75
	30"(762mm)	30"(762mm)	TCRQ-3030-			S	E	2	771.37	1022.22	865.18	1116.03	1331.35	1534.59	1451.05	1674.67
	36"(914mm)	36"(914mm)	TCRQ-3636-			S	E	2	856.17	1145.90	956.47	1246.20	1600.51	1916.98	1769.08	2124.37
	42"(1067mm)	42"(1067mm)	TCRQ-4242-			S	E	2	955.21	1283.82	1063.18	1391.79	1915.03	2373.34	2140.57	2661.04
	48"(1219mm)	48"(1219mm)	TCRQ-4848-			S	E	2	1068.49	1435.98	1185.31	1552.80	2274.91	2902.46	2565.52	3283.26
29"(737mm)	30"(762mm)	30"(762mm)	TCRQ-3030-			S	E	4	\$ 792.76	\$1043.61	\$ 886.57	\$1137.42	\$1352.74	\$1555.98	\$1472.44	\$1696.06
	36"(914mm)	36"(914mm)	TCRQ-3636-			S	E	4	877.56	1167.29	977.86	1267.59	1621.90	1938.37	1790.47	2145.76
	42"(1067mm)	42"(1067mm)	TCRQ-4242-			S	E	4	976.60	1305.21	1084.57	1413.18	1936.42	2394.73	2161.96	2682.43
	48"(1219mm)	48"(1219mm)	TCRQ-4848-			S	E	4	1089.88	1457.37	1206.70	1574.19	2296.30	2923.85	2586.91	3304.65
	54"(1372mm)	54"(1372mm)	TCRQ-5454-			S	E	4	1217.40	1623.77	1344.25	1750.62	2701.54	3526.29	3065.32	4013.07
	60"(1524mm)	60"(1524mm)	TCRQ-6060-			S	E	4	1359.16	1804.41	1497.22	1942.47	3152.14	4202.97	3597.19	4808.78

This page intentionally blank

Jive Table — Post Extruded Base


Pebble – Laminate or Wood



TCRP-4242 (Symmetrical)



TCRP-3060 (Asymmetrical)



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16" (406mm), 20" (508mm) and 29" (737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- 16" (406mm) and 20" (508mm) heights are available with glides only.
- 29" (737mm) height available with glides or casters.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm) and 29" (737mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/4 outlets, add **\$45.84** list

J Center, Single-Sided/6 outlets, add **\$45.84** list

M Center, Double-Sided/8 outlets, add **\$45.84** list

Q Center, Double-Sided/12 outlets, add **\$45.84** list

4 Base and Wire Management Option:

Base - No Power:

C Casters, add **\$22.32** list (29" Height Only)

G Glides

Base - Power Ready:

J Casters, add **\$22.32** list (29" Height Only)

K Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — Post Extruded Base

Pebble – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B		
								J	F	J	F	K	U	K	U	
Symmetrical — Base — No Power — No Cutout																
16"(406mm)	24"(610mm)	24"(610mm)	TCRP-2424-			S	E	1	\$ 666.55	\$ 878.52	\$ 755.05	\$ 967.02	\$1073.29	\$1190.89	\$1152.22	\$1276.49
	30"(762mm)	30"(762mm)	TCRP-3030-			S	E	1	737.11	987.96	830.92	1081.77	1297.09	1500.33	1416.79	1640.41
	36"(914mm)	36"(914mm)	TCRP-3636-			S	E	1	821.91	1111.64	922.21	1211.94	1566.25	1882.72	1734.82	2090.11
	42"(1067mm)	42"(1067mm)	TCRP-4242-			S	E	1	920.95	1249.56	1028.92	1357.53	1880.77	2339.08	2106.31	2626.78
	48"(1219mm)	48"(1219mm)	TCRP-4848-			S	E	1	1034.23	1401.72	1151.05	1518.54	2240.65	2868.20	2531.26	3249.00
20"(508mm)	24"(610mm)	24"(610mm)	TCRP-2424-			S	E	2	\$ 673.68	\$ 885.65	\$ 762.18	\$ 974.15	\$1080.42	\$1198.02	\$1159.35	\$1283.62
	30"(762mm)	30"(762mm)	TCRP-3030-			S	E	2	744.24	995.09	838.05	1088.90	1304.22	1507.46	1423.92	1647.54
	36"(914mm)	36"(914mm)	TCRP-3636-			S	E	2	829.04	1118.77	929.34	1219.07	1573.38	1889.85	1741.95	2097.24
	42"(1067mm)	42"(1067mm)	TCRP-4242-			S	E	2	928.08	1256.69	1036.05	1364.66	1887.90	2346.21	2113.44	2633.91
	48"(1219mm)	48"(1219mm)	TCRP-4848-			S	E	2	1041.36	1408.85	1158.18	1525.67	2247.78	2875.33	2538.39	3256.13
29"(737mm)	30"(762mm)	30"(762mm)	TCRP-3030-			S	E	4	\$ 765.63	\$1016.48	\$ 859.44	\$1110.29	\$1325.61	\$1528.85	\$1445.31	\$1668.93
	36"(914mm)	36"(914mm)	TCRP-3636-			S	E	4	850.43	1140.16	950.73	1240.46	1594.77	1911.24	1763.34	2118.63
	42"(1067mm)	42"(1067mm)	TCRP-4242-			S	E	4	949.47	1278.08	1057.44	1386.05	1909.29	2367.60	2134.83	2655.30
	48"(1219mm)	48"(1219mm)	TCRP-4848-			S	E	4	1062.75	1430.24	1179.57	1547.06	2269.17	2896.72	2559.78	3277.52
	54"(1372mm)	54"(1372mm)	TCRP-5454-			S	E	4	1190.27	1596.64	1317.12	1723.49	2674.41	3499.16	3038.19	3985.94
	60"(1524mm)	60"(1524mm)	TCRP-6060-			S	E	4	1332.03	1777.28	1470.09	1915.34	3125.01	4175.84	3570.06	4781.65
Symmetrical — Base — Power Ready — No Cutout																
16"(406mm)	24"(610mm)	24"(610mm)	TCRP-2424-			S	E	1	\$ 693.68	\$ 905.65	\$ 782.18	\$ 994.15	\$1100.42	\$1218.02	\$1179.35	\$1303.62
	30"(762mm)	30"(762mm)	TCRP-3030-			S	E	1	764.24	1015.09	858.05	1108.90	1324.22	1527.46	1443.92	1667.54
	36"(914mm)	36"(914mm)	TCRP-3636-			S	E	1	849.04	1138.77	949.34	1239.07	1593.38	1909.85	1761.95	2117.24
	42"(1067mm)	42"(1067mm)	TCRP-4242-			S	E	1	948.08	1276.69	1056.05	1384.66	1907.90	2366.21	2133.44	2653.91
	48"(1219mm)	48"(1219mm)	TCRP-4848-			S	E	1	1061.36	1428.85	1178.18	1545.67	2267.78	2895.33	2558.39	3276.13
20"(508mm)	24"(610mm)	24"(610mm)	TCRP-2424-			S	E	2	\$ 700.81	\$ 912.78	\$ 789.31	\$1001.28	\$1107.55	\$1225.15	\$1186.48	\$1310.75
	30"(762mm)	30"(762mm)	TCRP-3030-			S	E	2	771.37	1022.22	865.18	1116.03	1331.35	1534.59	1451.05	1674.67
	36"(914mm)	36"(914mm)	TCRP-3636-			S	E	2	856.17	1145.90	956.47	1246.20	1600.51	1916.98	1769.08	2124.37
	42"(1067mm)	42"(1067mm)	TCRP-4242-			S	E	2	955.21	1283.82	1063.18	1391.79	1915.03	2373.34	2140.57	2661.04
	48"(1219mm)	48"(1219mm)	TCRP-4848-			S	E	2	1068.49	1435.98	1185.31	1552.80	2274.91	2902.46	2565.52	3283.26
29"(737mm)	30"(762mm)	30"(762mm)	TCRP-3030-			S	E	4	\$ 792.76	\$1043.61	\$ 886.57	\$1137.42	\$1352.74	\$1555.98	\$1472.44	\$1696.06
	36"(914mm)	36"(914mm)	TCRP-3636-			S	E	4	877.56	1167.29	977.86	1267.59	1621.90	1938.37	1790.47	2145.76
	42"(1067mm)	42"(1067mm)	TCRP-4242-			S	E	4	976.60	1305.21	1084.57	1413.18	1936.42	2394.73	2161.96	2682.43
	48"(1219mm)	48"(1219mm)	TCRP-4848-			S	E	4	1089.88	1457.37	1206.70	1574.19	2296.30	2923.85	2586.91	3304.65
	54"(1372mm)	54"(1372mm)	TCRP-5454-			S	E	4	1217.40	1623.77	1344.25	1750.62	2701.54	3526.29	3065.32	4013.07
	60"(1524mm)	60"(1524mm)	TCRP-6060-			S	E	4	1359.16	1804.41	1497.22	1942.47	3152.14	4202.97	3597.19	4808.78

Jive Table — Post Extruded Base


Pebble – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B		
								J	F	J	F	K	U	K	U	
Asymmetrical — Base — No Power — No Cutout																
16"(406mm)	30"(762mm)	48"(1219mm)	TCRP-3048-					1	\$ 839.96	\$1130.93	\$ 946.75	\$1237.72	\$1755.88	\$2116.34	\$1969.14	\$2375.93
		60"(1524mm)	TCRP-3060-					1	920.67	1268.72	1033.36	1381.41	2011.57	2446.02	2271.67	2763.72
		72"(1829mm)	TCRP-3072-					1	1002.32	1413.04	1120.91	1531.63	2270.09	2785.79	2577.66	3163.33
	36"(914mm)	60"(1524mm)	TCRP-3660-					1	\$ 995.11	\$1362.60	\$1113.70	\$1481.19	\$2248.21	\$2707.86	\$2550.97	\$3072.06
		72"(1829mm)	TCRP-3672-					1	1091.23	1522.79	1216.90	1648.46	2552.80	3095.51	2911.28	3528.09
20"(508mm)	30"(762mm)	48"(1219mm)	TCRP-3048-					2	\$ 847.09	\$1138.06	\$ 953.88	\$1244.85	\$1763.01	\$2123.47	\$1976.27	\$2383.06
		60"(1524mm)	TCRP-3060-					2	927.80	1275.85	1040.49	1388.54	2018.70	2453.15	2278.80	2770.85
		72"(1829mm)	TCRP-3072-					2	1009.45	1420.17	1128.04	1538.76	2277.22	2792.92	2584.79	3170.46
	36"(914mm)	60"(1524mm)	TCRP-3660-					2	\$1002.24	\$1369.73	\$1120.83	\$1488.32	\$2255.34	\$2714.99	\$2558.10	\$3079.19
		72"(1829mm)	TCRP-3672-					2	1098.36	1529.92	1224.03	1655.59	2559.93	3102.64	2918.41	3535.22
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-					4	\$ 868.48	\$1159.45	\$ 975.27	\$1266.24	\$1784.40	\$2144.86	\$1997.66	\$2404.45
		60"(1524mm)	TCRP-3060-					4	949.19	1297.24	1061.88	1409.93	2040.09	2474.54	2300.19	2792.24
		72"(1829mm)	TCRP-3072-					4	1030.84	1441.56	1149.43	1560.15	2298.61	2814.31	2606.18	3191.85
	36"(914mm)	60"(1524mm)	TCRP-3660-					4	\$1023.63	\$1391.12	\$1142.22	\$1509.71	\$2276.73	\$2736.38	\$2579.49	\$3100.58
		72"(1829mm)	TCRP-3672-					4	1119.75	1551.31	1245.42	1676.98	2581.32	3124.03	2939.80	3556.61
	42"(1067mm)	72"(1829mm)	TCRP-4272-					4	\$1208.66	\$1661.07	\$1341.41	\$1793.82	\$2864.03	\$3433.75	\$3273.43	\$3921.36
	48"(1219mm)	72"(1829mm)	TCRP-4872-					4	\$1297.58	\$1770.82	\$1437.41	\$1910.65	\$3146.74	\$3743.48	\$3607.05	\$4286.12
Asymmetrical — Base — Power Ready — No Cutout																
16"(406mm)	30"(762mm)	48"(1219mm)	TCRP-3048-					1	\$ 867.09	\$1158.06	\$ 973.88	\$1264.85	\$1783.01	\$2143.47	\$1996.27	\$2403.06
		60"(1524mm)	TCRP-3060-					1	947.80	1295.85	1060.49	1408.54	2038.70	2473.15	2298.80	2790.85
		72"(1829mm)	TCRP-3072-					1	1029.45	1440.17	1148.04	1558.76	2297.22	2812.92	2604.79	3190.46
	36"(914mm)	60"(1524mm)	TCRP-3660-					1	\$1022.24	\$1389.73	\$1140.83	\$1508.32	\$2275.34	\$2734.99	\$2578.10	\$3099.19
		72"(1829mm)	TCRP-3672-					1	1118.36	1549.92	1244.03	1675.59	2579.93	3122.64	2938.41	3555.22
20"(508mm)	30"(762mm)	48"(1219mm)	TCRP-3048-					2	\$ 874.22	\$1165.19	\$ 981.01	\$1271.98	\$1790.14	\$2150.60	\$2003.40	\$2410.19
		60"(1524mm)	TCRP-3060-					2	954.93	1302.98	1067.62	1415.67	2045.83	2480.28	2305.93	2797.98
		72"(1829mm)	TCRP-3072-					2	1036.58	1447.30	1155.17	1565.89	2304.35	2820.05	2611.92	3197.59
	36"(914mm)	60"(1524mm)	TCRP-3660-					2	\$1029.37	\$1396.86	\$1147.96	\$1515.45	\$2282.47	\$2742.12	\$2585.23	\$3106.32
		72"(1829mm)	TCRP-3672-					2	1125.49	1557.05	1251.16	1682.72	2587.06	3129.77	2945.54	3562.35
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-					4	\$ 895.61	\$1186.58	\$1002.40	\$1293.37	\$1811.53	\$2171.99	\$2024.79	\$2431.58
		60"(1524mm)	TCRP-3060-					4	976.32	1324.37	1089.01	1437.06	2067.22	2501.67	2327.32	2819.37
		72"(1829mm)	TCRP-3072-					4	1057.97	1468.69	1176.56	1587.28	2325.74	2841.44	2633.31	3218.98
	36"(914mm)	60"(1524mm)	TCRP-3660-					4	\$1050.76	\$1418.25	\$1169.35	\$1536.84	\$2303.86	\$2763.51	\$2606.62	\$3127.71
		72"(1829mm)	TCRP-3672-					4	1146.88	1578.44	1272.55	1704.11	2608.45	3151.16	2966.93	3583.74
	42"(1067mm)	72"(1829mm)	TCRP-4272-					4	\$1235.79	\$1688.20	\$1368.54	\$1820.95	\$2891.16	\$3460.88	\$3300.56	\$3948.49
	48"(1219mm)	72"(1829mm)	TCRP-4872-					4	\$1324.71	\$1797.95	\$1464.54	\$1937.78	\$3173.87	\$3770.61	\$3634.18	\$4313.25


This page intentionally blank

Jive Table — Post Extruded Base

Rectangle – Laminate or Wood



TCRA



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16" (406mm), 20" (508mm) and 29" (737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm) and 29" (737mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

① Surface Option:

- L** Laminate
- W** Wood

② Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

③ Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- M** Center, Double-Sided/8 outlets, add **\$45.84** list
- Q** Center, Double-Sided/12 outlets, add **\$45.84** list

④ Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29" Height Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29" Height Only)
- K** Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — Post Extruded Base

Rectangle – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B		
								J	F	J	F	K	U	K	U	
Base — No Power — No Cutout																
16″(406mm)	30″(762mm)	48″(1219mm)	TCRA-3048-			S	E	1	\$ 839.96	\$1130.93	\$ 946.75	\$1237.72	\$1755.88	\$2116.34	\$1969.14	\$2375.93
		54″(1372mm)	TCRA-3054-			S	E	1	880.20	1199.01	989.94	1308.75	1883.37	2279.92	2119.97	2568.35
		60″(1524mm)	TCRA-3060-			S	E	1	920.67	1268.72	1033.36	1381.41	2011.57	2446.02	2271.67	2763.72
	36″(914mm)	60″(1524mm)	TCRA-3660-			S	E	1	\$ 995.11	\$1362.60	\$1113.70	\$1481.19	\$2248.21	\$2707.86	\$2550.97	\$3072.06
		72″(1829mm)	TCRA-3672-			S	E	1	1091.23	1522.79	1216.90	1648.46	2552.80	3095.51	2911.28	3528.09
20″(508mm)	30″(762mm)	48″(1219mm)	TCRA-3048-			S	E	2	\$ 847.09	\$1138.06	\$ 953.88	\$1244.85	\$1763.01	\$2123.47	\$1976.27	\$2383.06
		54″(1372mm)	TCRA-3054-			S	E	2	887.33	1206.14	997.07	1315.88	1890.50	2287.05	2127.10	2575.48
		60″(1524mm)	TCRA-3060-			S	E	2	927.80	1275.85	1040.49	1388.54	2018.70	2453.15	2278.80	2770.85
	36″(914mm)	60″(1524mm)	TCRA-3660-			S	E	2	\$1002.24	\$1369.73	\$1120.83	\$1488.32	\$2255.34	\$2714.99	\$2558.10	\$3079.19
		72″(1829mm)	TCRA-3672-			S	E	2	1098.36	1529.92	1224.03	1655.59	2559.93	3102.64	2918.41	3535.22
29″(737mm)	18″(457mm)	48″(1219mm)	TCRA-1848-			S	E	4	\$ 748.54	N/A	\$ 845.89	N/A	\$1403.26	N/A	\$1547.71	N/A
		54″(1372mm)	TCRA-1854-			S	E	4	774.31	N/A	873.43	N/A	1484.68	N/A	1644.22	N/A
		60″(1524mm)	TCRA-1860-			S	E	4	800.31	N/A	901.20	N/A	1566.81	N/A	1741.59	N/A
		66″(1676mm)	TCRA-1866-			S	E	4	826.54	N/A	929.20	N/A	1649.65	N/A	1839.83	N/A
		72″(1829mm)	TCRA-1872-			S	E	4	853.01	N/A	957.44	N/A	1733.20	N/A	1938.93	N/A
	24″(610mm)	36″(914mm)	TCRA-2436-			S	E	4	\$ 743.20	\$ 966.06	\$ 840.55	\$1063.41	\$1387.04	\$1659.20	\$1527.93	\$1832.96
		42″(1067mm)	TCRA-2442-			S	E	4	775.74	1022.94	875.45	1122.65	1490.08	1793.79	1649.87	1991.26
		48″(1219mm)	TCRA-2448-			S	E	4	808.51	1081.44	910.58	1183.51	1593.83	1930.91	1772.68	2152.52
		54″(1372mm)	TCRA-2454-			S	E	4	841.51	1141.59	945.94	1246.02	1698.28	2070.54	1896.35	2316.73
		60″(1524mm)	TCRA-2460-			S	E	4	874.75	1203.36	981.54	1310.15	1803.45	2212.70	2020.89	2483.90
		66″(1676mm)	TCRA-2466-			S	E	4	908.22	1266.77	1017.37	1375.92	1909.32	2357.38	2146.29	2654.02
		72″(1829mm)	TCRA-2472-			S	E	4	941.92	1331.81	1053.43	1443.32	2015.91	2504.59	2272.55	2827.10
		30″(762mm)	TCRA-3036-			S	E	4	\$ 788.70	\$1028.19	\$ 889.59	\$1129.08	\$1531.54	\$1825.28	\$1698.58	\$2028.47
	36″(914mm)	42″(1067mm)	TCRA-3042-			S	E	4	828.47	1093.01	932.31	1196.85	1657.62	1983.81	1847.69	2214.98
		48″(1219mm)	TCRA-3048-			S	E	4	868.48	1159.45	975.27	1266.24	1784.40	2144.86	1997.66	2404.45
		54″(1372mm)	TCRA-3054-			S	E	4	908.72	1227.53	1018.46	1337.27	1911.89	2308.44	2148.49	2596.87
		60″(1524mm)	TCRA-3060-			S	E	4	949.19	1297.24	1061.88	1409.93	2040.09	2474.54	2300.19	2792.24
		72″(1829mm)	TCRA-3072-			S	E	4	1030.84	1441.56	1149.43	1560.15	2298.61	2814.31	2606.18	3191.85
		60″(1524mm)	TCRA-3660-			S	E	4	\$1023.63	\$1391.12	\$1142.22	\$1509.71	\$2276.73	\$2736.38	\$2579.49	\$3100.58
		66″(1676mm)	TCRA-3666-			S	E	4	1071.57	1470.40	1193.70	1592.53	2428.67	2928.94	2759.21	3327.12
	42″(1067mm)	72″(1829mm)	TCRA-3672-			S	E	4	1119.75	1551.31	1245.42	1676.98	2581.32	3124.03	2939.80	3556.61
		60″(1524mm)	TCRA-4260-			S	E	4	\$1098.07	\$1485.00	\$1222.56	\$1609.49	\$2513.37	\$2998.22	\$2858.79	\$3408.92
		72″(1829mm)	TCRA-4272-			S	E	4	1208.66	1661.07	1341.41	1793.82	2864.03	3433.75	3273.43	3921.36
	48″(1219mm)	72″(1829mm)	TCRA-4872-			S	E	4	\$1297.58	\$1770.82	\$1437.41	\$1910.65	\$3146.74	\$3743.48	\$3607.05	\$4286.12


Jive Table — Post Extruded Base

Rectangle – Laminate or Wood


Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B		
								J	F	J	F	K	U	K	U	
Base — Power Ready — No Cutout																
16"(406mm)	30"(762mm)	48"(1219mm)	TCRA-3048-			S	E	1	\$ 867.09	\$1158.06	\$ 973.88	\$1264.85	\$1783.01	\$2143.47	\$1996.27	\$2403.06
		54"(1372mm)	TCRA-3054-			S	E	1	907.33	1226.14	1017.07	1335.88	1910.50	2307.05	2147.10	2595.48
		60"(1524mm)	TCRA-3060-			S	E	1	947.80	1295.85	1060.49	1408.54	2038.70	2473.15	2298.80	2790.85
	36"(914mm)	60"(1524mm)	TCRA-3660-			S	E	1	\$1022.24	\$1389.73	\$1140.83	\$1508.32	\$2275.34	\$2734.99	\$2578.10	\$3099.19
		72"(1829mm)	TCRA-3672-			S	E	1	1118.36	1549.92	1244.03	1675.59	2579.93	3122.64	2938.41	3555.22
20"(508mm)	30"(762mm)	48"(1219mm)	TCRA-3048-			S	E	2	\$ 874.22	\$1165.19	\$ 981.01	\$1271.98	\$1790.14	\$2150.60	\$2003.40	\$2410.19
		54"(1372mm)	TCRA-3054-			S	E	2	914.46	1233.27	1024.20	1343.01	1917.63	2314.18	2154.23	2602.61
		60"(1524mm)	TCRA-3060-			S	E	2	954.93	1302.98	1067.62	1415.67	2045.83	2480.28	2305.93	2797.98
	36"(914mm)	60"(1524mm)	TCRA-3660-			S	E	2	\$1029.37	\$1396.86	\$1147.96	\$1515.45	\$2282.47	\$2742.12	\$2585.23	\$3106.32
		72"(1829mm)	TCRA-3672-			S	E	2	1125.49	1557.05	1251.16	1682.72	2587.06	3129.77	2945.54	3562.35
29"(737mm)	18"(457mm)	48"(1219mm)	TCRA-1848-			S	E	4	\$ 775.67	N/A	\$ 873.02	N/A	\$1430.39	N/A	\$1574.84	N/A
		54"(1372mm)	TCRA-1854-			S	E	4	801.44	N/A	900.56	N/A	1511.81	N/A	1671.35	N/A
		60"(1524mm)	TCRA-1860-			S	E	4	827.44	N/A	928.33	N/A	1593.94	N/A	1768.72	N/A
		66"(1676mm)	TCRA-1866-			S	E	4	853.67	N/A	956.33	N/A	1676.78	N/A	1866.96	N/A
		72"(1829mm)	TCRA-1872-			S	E	4	880.14	N/A	984.57	N/A	1760.33	N/A	1966.06	N/A
	24"(610mm)	36"(914mm)	TCRA-2436-			S	E	4	\$ 770.33	\$ 993.19	\$ 867.68	\$1090.54	\$1414.17	\$1686.33	\$1555.06	\$1860.09
		42"(1067mm)	TCRA-2442-			S	E	4	802.87	1050.07	902.58	1149.78	1517.21	1820.92	1677.00	2018.39
		48"(1219mm)	TCRA-2448-			S	E	4	835.64	1108.57	937.71	1210.64	1620.96	1958.04	1799.81	2179.65
		54"(1372mm)	TCRA-2454-			S	E	4	868.64	1168.72	973.07	1273.15	1725.41	2097.67	1923.48	2343.86
		60"(1524mm)	TCRA-2460-			S	E	4	901.88	1230.49	1008.67	1337.28	1830.58	2239.83	2048.02	2511.03
		66"(1676mm)	TCRA-2466-			S	E	4	935.35	1293.90	1044.50	1403.05	1936.45	2384.51	2173.42	2681.15
		72"(1829mm)	TCRA-2472-			S	E	4	969.05	1358.94	1080.56	1470.45	2043.04	2531.72	2299.68	2854.23
	30"(762mm)	36"(914mm)	TCRA-3036-			S	E	4	\$ 815.83	\$1055.32	\$ 916.72	\$1156.21	\$1558.67	\$1852.41	\$1725.71	\$2055.60
		42"(1067mm)	TCRA-3042-			S	E	4	855.60	1120.14	959.44	1223.98	1684.75	2010.94	1874.82	2242.11
		48"(1219mm)	TCRA-3048-			S	E	4	895.61	1186.58	1002.40	1293.37	1811.53	2171.99	2024.79	2431.58
		54"(1372mm)	TCRA-3054-			S	E	4	935.85	1254.66	1045.59	1364.40	1939.02	2335.57	2175.62	2624.00
		60"(1524mm)	TCRA-3060-			S	E	4	976.32	1324.37	1089.01	1437.06	2067.22	2501.67	2327.32	2819.37
		72"(1829mm)	TCRA-3072-			S	E	4	1057.97	1468.69	1176.56	1587.28	2325.74	2841.44	2633.31	3218.98
	36"(914mm)	60"(1524mm)	TCRA-3660-			S	E	4	\$1050.76	\$1418.25	\$1169.35	\$1536.84	\$2303.86	\$2763.51	\$2606.62	\$3127.71
		66"(1676mm)	TCRA-3666-			S	E	4	1098.70	1497.53	1220.83	1619.66	2455.80	2956.07	2786.34	3354.25
		72"(1829mm)	TCRA-3672-			S	E	4	1146.88	1578.44	1272.55	1704.11	2608.45	3151.16	2966.93	3583.74
	42"(1067mm)	60"(1524mm)	TCRA-4260-			S	E	4	\$1125.20	\$1512.13	\$1249.69	\$1636.62	\$2540.50	\$3025.35	\$2885.92	\$3436.05
		72"(1829mm)	TCRA-4272-			S	E	4	1235.79	1688.20	1368.54	1820.95	2891.16	3460.88	3300.56	3948.49
48"(1219mm)	72"(1829mm)	TCRA-4872-			S	E	4	\$1324.71	\$1797.95	\$1464.54	\$1937.78	\$3173.87	\$3770.61	\$3634.18	\$4313.25	

Jive Table — Post Extruded Base

Racetrack – Laminate or Wood



TCRT



Features

- Includes 1.18”(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16”(406mm), 20”(508mm) and 29”(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- 16”(406mm) and 20”(508mm) heights are available with glides only.
- 29”(737mm) height available with glides or casters.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- **Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- **Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29”(737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16”(406mm), 20”(508mm) and 29”(737mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- M** Center, Double-Sided/8 outlets, add **\$45.84** list
- Q** Center, Double-Sided/12 outlets, add **\$45.84** list

4 Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29” Height Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29” Height Only)
- K** Glides

- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — Post Extruded Base


Racetrack – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B			
								J	F	J	F	K	U	K	U		
Base — No Power — No Cutout																	
16"(406mm)	30"(762mm)	48"(1219mm)	TCRT-3048-			S	E	1	\$ 839.96	\$1130.93	\$ 946.75	\$1237.72	\$1755.88	\$2116.34	\$1969.14	\$2375.93	
		60"(1524mm)	TCRT-3060-			S	E	1	920.67	1268.72	1033.36	1381.41	2011.57	2446.02	2271.67	2763.72	
		72"(1829mm)	TCRT-3072-			S	E	1	1002.32	1413.04	1120.91	1531.63	2270.09	2785.79	2577.66	3163.33	
	36"(914mm)	60"(1524mm)	TCRT-3660-			S	E	1	\$ 995.11	\$1362.60	\$1113.70	\$1481.19	\$2248.21	\$2707.86	\$2550.97	\$3072.06	
		72"(1829mm)	TCRT-3672-			S	E	1	1091.23	1522.79	1216.90	1648.46	2552.80	3095.51	2911.28	3528.09	
20"(508mm)	30"(762mm)	48"(1219mm)	TCRT-3048-			S	E	2	\$ 847.09	\$1138.06	\$ 953.88	\$1244.85	\$1763.01	\$2123.47	\$1976.27	\$2383.06	
		60"(1524mm)	TCRT-3060-			S	E	2	927.80	1275.85	1040.49	1388.54	2018.70	2453.15	2278.80	2770.85	
		72"(1829mm)	TCRT-3072-			S	E	2	1009.45	1420.17	1128.04	1538.76	2277.22	2792.92	2584.79	3170.46	
	36"(914mm)	60"(1524mm)	TCRT-3660-			S	E	2	\$1002.24	\$1369.73	\$1120.83	\$1488.32	\$2255.34	\$2714.99	\$2558.10	\$3079.19	
		72"(1829mm)	TCRT-3672-			S	E	2	1098.36	1529.92	1224.03	1655.59	2559.93	3102.64	2918.41	3535.22	
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-			S	E	4	\$ 868.48	\$1159.45	\$ 975.27	\$1266.24	\$1784.40	\$2144.86	\$1997.66	\$2404.45	
		60"(1524mm)	TCRT-3060-			S	E	4	949.19	1297.24	1061.88	1409.93	2040.09	2474.54	2300.19	2792.24	
		72"(1829mm)	TCRT-3072-			S	E	4	1030.84	1441.56	1149.43	1560.15	2298.61	2814.31	2606.18	3191.85	
		36"(914mm)	TCRT-3660-			S	E	4	\$1023.63	\$1391.12	\$1142.22	\$1509.71	\$2276.73	\$2736.38	\$2579.49	\$3100.58	
	36"(914mm)	72"(1829mm)	TCRT-3672-			S	E	4	1119.75	1551.31	1245.42	1676.98	2581.32	3124.03	2939.80	3556.61	
		42"(1067mm)	72"(1829mm)	TCRT-4272-			S	E	4	\$1208.66	\$1661.07	\$1341.41	\$1793.82	\$2864.03	\$3433.75	\$3273.43	\$3921.36
		48"(1219mm)	72"(1829mm)	TCRT-4872-			S	E	4	\$1297.58	\$1770.82	\$1437.41	\$1910.65	\$3146.74	\$3743.48	\$3607.05	\$4286.12
Base — Power Ready — No Cutout																	
16"(406mm)	30"(762mm)	48"(1219mm)	TCRT-3048-			S	E	1	\$ 867.09	\$1158.06	\$ 973.88	\$1264.85	\$1783.01	\$2143.47	\$1996.27	\$2403.06	
		60"(1524mm)	TCRT-3060-			S	E	1	947.80	1295.85	1060.49	1408.54	2038.70	2473.15	2298.80	2790.85	
		72"(1829mm)	TCRT-3072-			S	E	1	1029.45	1440.17	1148.04	1558.76	2297.22	2812.92	2604.79	3190.46	
	36"(914mm)	60"(1524mm)	TCRT-3660-			S	E	1	\$1022.24	\$1389.73	\$1140.83	\$1508.32	\$2275.34	\$2734.99	\$2578.10	\$3099.19	
		72"(1829mm)	TCRT-3672-			S	E	1	1118.36	1549.92	1244.03	1675.59	2579.93	3122.64	2938.41	3555.22	
20"(508mm)	30"(762mm)	48"(1219mm)	TCRT-3048-			S	E	2	\$ 874.22	\$1165.19	\$ 981.01	\$1271.98	\$1790.14	\$2150.60	\$2003.40	\$2410.19	
		60"(1524mm)	TCRT-3060-			S	E	2	954.93	1302.98	1067.62	1415.67	2045.83	2480.28	2305.93	2797.98	
		72"(1829mm)	TCRT-3072-			S	E	2	1036.58	1447.30	1155.17	1565.89	2304.35	2820.05	2611.92	3197.59	
	36"(914mm)	60"(1524mm)	TCRT-3660-			S	E	2	\$1029.37	\$1396.86	\$1147.96	\$1515.45	\$2282.47	\$2742.12	\$2585.23	\$3106.32	
		72"(1829mm)	TCRT-3672-			S	E	2	1125.49	1557.05	1251.16	1682.72	2587.06	3129.77	2945.54	3562.35	
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-			S	E	4	\$ 895.61	\$1186.58	\$1002.40	\$1293.37	\$1811.53	\$2171.99	\$2024.79	\$2431.58	
		60"(1524mm)	TCRT-3060-			S	E	4	976.32	1324.37	1089.01	1437.06	2067.22	2501.67	2327.32	2819.37	
		72"(1829mm)	TCRT-3072-			S	E	4	1057.97	1468.69	1176.56	1587.28	2325.74	2841.44	2633.31	3218.98	
		36"(914mm)	TCRT-3660-			S	E	4	\$1050.76	\$1418.25	\$1169.35	\$1536.84	\$2303.86	\$2763.51	\$2606.62	\$3127.71	
	36"(914mm)	72"(1829mm)	TCRT-3672-			S	E	4	1146.88	1578.44	1272.55	1704.11	2608.45	3151.16	2966.93	3583.74	
		42"(1067mm)	72"(1829mm)	TCRT-4272-			S	E	4	\$1235.79	\$1688.20	\$1368.54	\$1820.95	\$2891.16	\$3460.88	\$3300.56	\$3948.49
		48"(1219mm)	72"(1829mm)	TCRT-4872-			S	E	4	\$1324.71	\$1797.95	\$1464.54	\$1937.78	\$3173.87	\$3770.61	\$3634.18	\$4313.25


Jive Table — Post Extruded Base

Trapezoid – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B		
								J	F	J	F	K	U	K	U	
Base — No Power — No Cutout																
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-			S	E		\$ 808.59	\$1081.52	\$ 813.31	\$1086.24	\$1006.57	\$1343.65	\$1063.02	\$1442.86
		54"(1372mm)	TCTP-2454-			S	E		841.59	1141.67	848.67	1148.75	1111.02	1483.28	1186.69	1607.07
		60"(1524mm)	TCTP-2460-			S	E		874.83	1203.44	884.27	1212.88	1216.19	1625.44	1311.23	1774.24
		66"(1676mm)	TCTP-2466-			S	E		908.30	1266.85	920.10	1278.65	1322.06	1770.12	1436.63	1944.36
		72"(1829mm)	TCTP-2472-			S	E		942.00	1331.89	956.16	1346.05	1428.65	1917.33	1562.89	2117.44
30"(762mm)	60"(1524mm)	TCTP-3060-			S	E		\$ 949.27	\$1297.32	\$ 964.61	\$1312.66	\$1452.83	\$1887.28	\$1590.53	\$2082.58	
		66"(1676mm)	TCTP-3066-			S	E		989.98	1368.66	1008.27	1386.95	1581.74	2055.90	1743.09	2280.91
		72"(1829mm)	TCTP-3072-			S	E		1030.92	1441.64	1052.16	1462.88	1711.35	2227.05	1896.52	2482.19
36"(914mm)	84"(2134mm)	TCTP-3684-			S	E		\$1216.88	\$1718.12	\$1252.28	\$1753.52	\$2301.49	\$2934.52	\$2593.91	\$3314.80	
Base — Power Ready — No Cutout																
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-			S	E		\$ 835.72	\$1108.65	\$ 840.44	\$1113.37	\$1033.70	\$1370.78	\$1090.15	\$1469.99
		54"(1372mm)	TCTP-2454-			S	E		868.72	1168.80	875.80	1175.88	1138.15	1510.41	1213.82	1634.20
		60"(1524mm)	TCTP-2460-			S	E		901.96	1230.57	911.40	1240.01	1243.32	1652.57	1338.36	1801.37
		66"(1676mm)	TCTP-2466-			S	E		935.43	1293.98	947.23	1305.78	1349.19	1797.25	1463.76	1971.49
		72"(1829mm)	TCTP-2472-			S	E		969.13	1359.02	983.29	1373.18	1455.78	1944.46	1590.02	2144.57
30"(762mm)	60"(1524mm)	TCTP-3060-			S	E		\$ 976.40	\$1324.45	\$ 991.74	\$1339.79	\$1479.96	\$1914.41	\$1617.66	\$2109.71	
		66"(1676mm)	TCTP-3066-			S	E		1017.11	1395.79	1035.40	1414.08	1608.87	2083.03	1770.22	2308.04
		72"(1829mm)	TCTP-3072-			S	E		1058.05	1468.77	1079.29	1490.01	1738.48	2254.18	1923.65	2509.32
36"(914mm)	84"(2134mm)	TCTP-3684-			S	E		\$1244.01	\$1745.25	\$1279.41	\$1780.65	\$2328.62	\$2961.65	\$2621.04	\$3341.93	



TCTP



Features

- Includes 1.18”(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29”(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- **Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- **Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29”(737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29”(737mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number, including:

① Surface Option:

- L** Laminate
W Wood

② Edge Option:

Laminate:

- J** Edgeband
F Knife

Wood:

- K** Edgeband
U Knife

③ Cutout:

- N** No Cutout
F Center, Single-Sided/4 outlets, add **\$45.84** list
J Center, Single-Sided/6 outlets, add **\$45.84** list

④ Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29” Height Only)
G Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29” Height Only)
K Glides


- 2) Laminate surface color or wood finish color.
3) Edgeband trim color (laminate only).
4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.


Jive Table — Post Extruded Base

Crescent – Laminate or Wood

Depth	Width	Number	① ② ③ ④				Laminate A		Laminate B		Wood Group A		Wood Group B		
			J	F	J	F	J	F	K	U	K	U			
Base — No Power — No Cutout															
24"(610mm)	60"(1524mm)	TCBN-2460-			S	E	4	\$1428.17	\$1756.78	\$1437.61	\$1766.22	\$1769.53	\$2178.78	\$1864.57	\$2327.58
30"(762mm)	72"(1829mm)	TCBN-3072-			S	E	4	1584.26	1994.98	1605.50	2016.22	2264.69	2780.39	2449.86	3035.53
36"(914mm)	84"(2134mm)	TCBN-3684-			S	E	4	1770.22	2271.46	1805.62	2306.86	2854.83	3487.86	3147.25	3868.14
Base — Power Ready — No Cutout															
24"(610mm)	60"(1524mm)	TCBN-2460-			S	E	4	\$1455.30	\$1783.91	\$1464.74	\$1793.35	\$1796.66	\$2205.91	\$1891.70	\$2354.71
30"(762mm)	72"(1829mm)	TCBN-3072-			S	E	4	1611.39	2022.11	1632.63	2043.35	2291.82	2807.52	2476.99	3062.66
36"(914mm)	84"(2134mm)	TCBN-3684-			S	E	4	1797.35	2298.59	1832.75	2333.99	2881.96	3514.99	3174.38	3895.27



TCBN

**Features**

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29"(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Three locking and three non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.
- Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29"(737mm) high tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

① Surface Option:

- L** Laminate
- W** Wood

② Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

③ Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list

④ Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29" Height Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29" Height Only)
- K** Glides


- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.


Jive Table — Post Extruded Base

Half Racetrack – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B				
								J	F	J	F	K	U	K	U			
Base — No Power — No Cutout																		
29”(737mm)	42”(1067mm)	42”(1067mm)	TCHT-4242-			S		E		4	\$ 995.87	\$1324.48	\$1015.34	\$1343.95	\$1601.75	\$2060.06	\$1765.64	\$2286.11
	48”(1219mm)	48”(1219mm)	TCHT-4848-			S		E		4	1109.15	1476.64	1137.47	1504.96	1961.63	2589.18	2190.59	2908.33
	54”(1372mm)	54”(1372mm)	TCHT-5454-			S		E		4	1236.67	1643.04	1275.02	1681.39	2366.87	3191.62	2669.00	3616.75
	60”(1524mm)	60”(1524mm)	TCHT-6060-			S		E		4	1378.43	1823.68	1427.99	1873.24	2817.47	3868.30	3200.87	4412.46
Base — Power Ready — No Cutout																		
29”(737mm)	42”(1067mm)	42”(1067mm)	TCHT-4242-			S		E		4	\$1023.00	\$1351.61	\$1042.47	\$1371.08	\$1628.88	\$2087.19	\$1792.77	\$2313.24
	48”(1219mm)	48”(1219mm)	TCHT-4848-			S		E		4	1136.28	1503.77	1164.60	1532.09	1988.76	2616.31	2217.72	2935.46
	54”(1372mm)	54”(1372mm)	TCHT-5454-			S		E		4	1263.80	1670.17	1302.15	1708.52	2394.00	3218.75	2696.13	3643.88
	60”(1524mm)	60”(1524mm)	TCHT-6060-			S		E		4	1405.56	1850.81	1455.12	1900.37	2844.60	3895.43	3228.00	4439.59



TCHT



- Features**
- Includes 1.18”(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
 - Standard table height is 29”(737mm).
 - Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
 - Bases are painted steel.
 - Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
 - Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
 - Casters and glides are not interchangeable.
 - Depth and width shown in nominal dimensions.
 - Ships unassembled.


- Specification Tips**
- Edge choice allows a flat seam between tables.
 - **Specifying a cutout does not automatically include a Power Ready base.**
 - Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
 - Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
 - **Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29”(737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29”(737mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
 - **Power cord length determines the distance to building power source.**
 - Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
 - Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

- To Order, Specify:**
- 1) Product number, including:
- ① Surface Option:**
- Laminate
- Wood
- ② Edge Option:**
- Laminate:
- Edgeband
- Knife
- Wood:
- Edgeband
- Knife
- ③ Cutout:**
- No Cutout
- Center, Single-Sided/4 outlets, add \$45.84 list
- Center, Single-Sided/6 outlets, add \$45.84 list
- Center, Double-Sided/8 outlets, add \$45.84 list
- Center, Double-Sided/12 outlets, add \$45.84 list
- ④ Base and Wire Management Option:**
- Base - No Power:
- Casters, add \$22.32 list (29” Height Only)
- Glides
- Base - Power Ready:
- Casters, add \$22.32 list (29” Height Only)
- Glides
- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.
- Note:** \$63.03 upcharge list for Metallic trim colors.


Jive Table — Post Extruded Base

Half Pebble – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B	
								J	F	J	F	K	U	K	U
Base — No Power — No Cutout															
29″(737mm)	42″(1067mm)	42″(1067mm)	TCHP-4242-	S E	4	\$ 995.87	\$1324.48	\$1015.34	\$1343.95	\$1601.75	\$2060.06	\$1765.64	\$2286.11		
	48″(1219mm)	48″(1219mm)	TCHP-4848-	S E	4	1109.15	1476.64	1137.47	1504.96	1961.63	2589.18	2190.59	2908.33		
	54″(1372mm)	54″(1372mm)	TCHP-5454-	S E	4	1236.67	1643.04	1275.02	1681.39	2366.87	3191.62	2669.00	3616.75		
	60″(1524mm)	60″(1524mm)	TCHP-6060-	S E	4	1378.43	1823.68	1427.99	1873.24	2817.47	3868.30	3200.87	4412.46		
Base — Power Ready — No Cutout															
29″(737mm)	42″(1067mm)	42″(1067mm)	TCHP-4242-	S E	4	\$1023.00	\$1351.61	\$1042.47	\$1371.08	\$1628.88	\$2087.19	\$1792.77	\$2313.24		
	48″(1219mm)	48″(1219mm)	TCHP-4848-	S E	4	1136.28	1503.77	1164.60	1532.09	1988.76	2616.31	2217.72	2935.46		
	54″(1372mm)	54″(1372mm)	TCHP-5454-	S E	4	1263.80	1670.17	1302.15	1708.52	2394.00	3218.75	2696.13	3643.88		
	60″(1524mm)	60″(1524mm)	TCHP-6060-	S E	4	1405.56	1850.81	1455.12	1900.37	2844.60	3895.43	3228.00	4439.59		



TCHP

**Features**

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29"(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29"(737mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

① Surface Option:

- L** Laminate
W Wood

② Edge Option:

Laminate:

- J** Edgeband
F Knife

Wood:

- K** Edgeband
U Knife

③ Cutout:

- N** No Cutout
F Center, Single-Sided/4 outlets, add **\$45.84** list
J Center, Single-Sided/6 outlets, add **\$45.84** list
M Center, Double-Sided/8 outlets, add **\$45.84** list
Q Center, Double-Sided/12 outlets, add **\$45.84** list

④ Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29" Height Only)
G Glides

Base - Power Ready:


- J** Casters, add **\$22.32** list (29" Height Only)
K Glides

- 2) Laminate surface color or wood finish color.
3) Edgeband trim color (laminate only).
4) Base trim color.


Note: \$63.03 upcharge list for Metallic trim colors.

Jive Table — Post Round Base

Round – Laminate or Wood



TCRN-SNV



Features

- Includes 1.18”(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16”(406mm), 20”(508mm) and 29”(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- **Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- **Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29”(737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16”(406mm), 20”(508mm) and 29”(737mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- M** Center, Double-Sided/8 outlets, add **\$45.84** list
- Q** Center, Double-Sided/12 outlets, add **\$45.84** list

4 Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29” Height Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29” Height Only)
- K** Glides

- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.


Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — Post Round Base
Round – Laminate or Wood


Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B		
								J	F	J	F	K	U	K	U	
Base — No Power — No Cutout																
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S	V	1	\$ 511.78	\$ 723.75	\$ 600.28	\$ 812.25	\$ 918.52	\$1036.12	\$ 997.45	\$1121.72
	30"(762mm)	30"(762mm)	TCRN-3030-			S	V	1	582.34	833.19	676.15	927.00	1142.32	1345.56	1262.02	1485.64
	36"(914mm)	36"(914mm)	TCRN-3636-			S	V	1	667.14	956.87	767.44	1057.17	1411.48	1727.95	1580.05	1935.34
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S	V	1	766.18	1094.79	874.15	1202.76	1726.00	2184.31	1951.54	2472.01
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S	V	1	879.46	1246.95	996.28	1363.77	2085.88	2713.43	2376.49	3094.23
20"(508mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S	V	2	\$ 511.78	\$ 723.75	\$ 600.28	\$ 812.25	\$ 918.52	\$1036.12	\$ 997.45	\$1121.72
	30"(762mm)	30"(762mm)	TCRN-3030-			S	V	2	582.34	833.19	676.15	927.00	1142.32	1345.56	1262.02	1485.64
	36"(914mm)	36"(914mm)	TCRN-3636-			S	V	2	667.14	956.87	767.44	1057.17	1411.48	1727.95	1580.05	1935.34
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S	V	2	766.18	1094.79	874.15	1202.76	1726.00	2184.31	1951.54	2472.01
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S	V	2	879.46	1246.95	996.28	1363.77	2085.88	2713.43	2376.49	3094.23
29"(737mm)	30"(762mm)	30"(762mm)	TCRN-3030-			S	V	4	\$ 582.34	\$ 833.19	\$ 676.15	\$ 927.00	\$1142.32	\$1345.56	\$1262.02	\$1485.64
	36"(914mm)	36"(914mm)	TCRN-3636-			S	V	4	667.14	956.87	767.44	1057.17	1411.48	1727.95	1580.05	1935.34
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S	V	4	766.18	1094.79	874.15	1202.76	1726.00	2184.31	1951.54	2472.01
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S	V	4	879.46	1246.95	996.28	1363.77	2085.88	2713.43	2376.49	3094.23
	54"(1372mm)	54"(1372mm)	TCRN-5454-			S	V	4	1006.98	1413.35	1133.83	1540.20	2491.12	3315.87	2854.90	3802.65
	60"(1524mm)	60"(1524mm)	TCRN-6060-			S	V	4	1148.74	1593.99	1286.80	1732.05	2941.72	3992.55	3386.77	4598.36
Base — Power Ready — No Cutout																
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S	V	1	\$ 538.91	\$ 750.88	\$ 627.41	\$ 839.38	\$ 945.65	\$1063.25	\$1024.58	\$1148.85
	30"(762mm)	30"(762mm)	TCRN-3030-			S	V	1	609.47	860.32	703.28	954.13	1169.45	1372.69	1289.15	1512.77
	36"(914mm)	36"(914mm)	TCRN-3636-			S	V	1	694.27	984.00	794.57	1084.30	1438.61	1755.08	1607.18	1962.47
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S	V	1	793.31	1121.92	901.28	1229.89	1753.13	2211.44	1978.67	2499.14
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S	V	1	906.59	1274.08	1023.41	1390.90	2113.01	2740.56	2403.62	3121.36
20"(508mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S	V	2	\$ 538.91	\$ 750.88	\$ 627.41	\$ 839.38	\$ 945.65	\$1063.25	\$1024.58	\$1148.85
	30"(762mm)	30"(762mm)	TCRN-3030-			S	V	2	609.47	860.32	703.28	954.13	1169.45	1372.69	1289.15	1512.77
	36"(914mm)	36"(914mm)	TCRN-3636-			S	V	2	694.27	984.00	794.57	1084.30	1438.61	1755.08	1607.18	1962.47
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S	V	2	793.31	1121.92	901.28	1229.89	1753.13	2211.44	1978.67	2499.14
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S	V	2	906.59	1274.08	1023.41	1390.90	2113.01	2740.56	2403.62	3121.36
29"(737mm)	30"(762mm)	30"(762mm)	TCRN-3030-			S	V	4	\$ 609.47	\$ 860.32	\$ 703.28	\$ 954.13	\$1169.45	\$1372.69	\$1289.15	\$1512.77
	36"(914mm)	36"(914mm)	TCRN-3636-			S	V	4	694.27	984.00	794.57	1084.30	1438.61	1755.08	1607.18	1962.47
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S	V	4	793.31	1121.92	901.28	1229.89	1753.13	2211.44	1978.67	2499.14
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S	V	4	906.59	1274.08	1023.41	1390.90	2113.01	2740.56	2403.62	3121.36
	54"(1372mm)	54"(1372mm)	TCRN-5454-			S	V	4	1034.11	1440.48	1160.96	1567.33	2518.25	3343.00	2882.03	3829.78
	60"(1524mm)	60"(1524mm)	TCRN-6060-			S	V	4	1175.87	1621.12	1313.93	1759.18	2968.85	4019.68	3413.90	4625.49

Jive Table — Post Round Base

Square – Laminate or Wood



TCRQ-SNV



Features

- Includes 1.18”(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 16”(406mm), 20”(508mm) and 29”(737mm).
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29”(737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16”(406mm), 20”(508mm) and 29”(737mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

① Surface Option:

- L** Laminate
- W** Wood

② Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

③ Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- M** Center, Double-Sided/8 outlets, add **\$45.84** list
- Q** Center, Double-Sided/12 outlets, add **\$45.84** list

④ Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29” Height Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29” Height Only)
- K** Glides

- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.


Jive Table — Post Round Base
Square – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B		
								J	F	J	F	K	U	K	U	
Base — No Power — No Cutout																
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-			S	V	1	\$ 511.78	\$ 723.75	\$ 600.28	\$ 812.25	\$ 918.52	\$1036.12	\$ 997.45	\$1121.72
	30"(762mm)	30"(762mm)	TCRQ-3030-			S	V	1	582.34	833.19	676.15	927.00	1142.32	1345.56	1262.02	1485.64
	36"(914mm)	36"(914mm)	TCRQ-3636-			S	V	1	667.14	956.87	767.44	1057.17	1411.48	1727.95	1580.05	1935.34
	42"(1067mm)	42"(1067mm)	TCRQ-4242-			S	V	1	766.18	1094.79	874.15	1202.76	1726.00	2184.31	1951.54	2472.01
	48"(1219mm)	48"(1219mm)	TCRQ-4848-			S	V	1	879.46	1246.95	996.28	1363.77	2085.88	2713.43	2376.49	3094.23
20"(508mm)	24"(610mm)	24"(610mm)	TCRQ-2424-			S	V	2	\$ 511.78	\$ 723.75	\$ 600.28	\$ 812.25	\$ 918.52	\$1036.12	\$ 997.45	\$1121.72
	30"(762mm)	30"(762mm)	TCRQ-3030-			S	V	2	582.34	833.19	676.15	927.00	1142.32	1345.56	1262.02	1485.64
	36"(914mm)	36"(914mm)	TCRQ-3636-			S	V	2	667.14	956.87	767.44	1057.17	1411.48	1727.95	1580.05	1935.34
	42"(1067mm)	42"(1067mm)	TCRQ-4242-			S	V	2	766.18	1094.79	874.15	1202.76	1726.00	2184.31	1951.54	2472.01
	48"(1219mm)	48"(1219mm)	TCRQ-4848-			S	V	2	879.46	1246.95	996.28	1363.77	2085.88	2713.43	2376.49	3094.23
29"(737mm)	30"(762mm)	30"(762mm)	TCRQ-3030-			S	V	4	\$ 582.34	\$ 833.19	\$ 676.15	\$ 927.00	\$1142.32	\$1345.56	\$1262.02	\$1485.64
	36"(914mm)	36"(914mm)	TCRQ-3636-			S	V	4	667.14	956.87	767.44	1057.17	1411.48	1727.95	1580.05	1935.34
	42"(1067mm)	42"(1067mm)	TCRQ-4242-			S	V	4	766.18	1094.79	874.15	1202.76	1726.00	2184.31	1951.54	2472.01
	48"(1219mm)	48"(1219mm)	TCRQ-4848-			S	V	4	879.46	1246.95	996.28	1363.77	2085.88	2713.43	2376.49	3094.23
	54"(1372mm)	54"(1372mm)	TCRQ-5454-			S	V	4	1006.98	1413.35	1133.83	1540.20	2491.12	3315.87	2854.90	3802.65
	60"(1524mm)	60"(1524mm)	TCRQ-6060-			S	V	4	1148.74	1593.99	1286.80	1732.05	2941.72	3992.55	3386.77	4598.36
Base — Power Ready — No Cutout																
16"(406mm)	24"(610mm)	24"(610mm)	TCRQ-2424-			S	V	1	\$ 538.91	\$ 750.88	\$ 627.41	\$ 839.38	\$ 945.65	\$1063.25	\$1024.58	\$1148.85
	30"(762mm)	30"(762mm)	TCRQ-3030-			S	V	1	609.47	860.32	703.28	954.13	1169.45	1372.69	1289.15	1512.77
	36"(914mm)	36"(914mm)	TCRQ-3636-			S	V	1	694.27	984.00	794.57	1084.30	1438.61	1755.08	1607.18	1962.47
	42"(1067mm)	42"(1067mm)	TCRQ-4242-			S	V	1	793.31	1121.92	901.28	1229.89	1753.13	2211.44	1978.67	2499.14
	48"(1219mm)	48"(1219mm)	TCRQ-4848-			S	V	1	906.59	1274.08	1023.41	1390.90	2113.01	2740.56	2403.62	3121.36
20"(508mm)	24"(610mm)	24"(610mm)	TCRQ-2424-			S	V	2	\$ 538.91	\$ 750.88	\$ 627.41	\$ 839.38	\$ 945.65	\$1063.25	\$1024.58	\$1148.85
	30"(762mm)	30"(762mm)	TCRQ-3030-			S	V	2	609.47	860.32	703.28	954.13	1169.45	1372.69	1289.15	1512.77
	36"(914mm)	36"(914mm)	TCRQ-3636-			S	V	2	694.27	984.00	794.57	1084.30	1438.61	1755.08	1607.18	1962.47
	42"(1067mm)	42"(1067mm)	TCRQ-4242-			S	V	2	793.31	1121.92	901.28	1229.89	1753.13	2211.44	1978.67	2499.14
	48"(1219mm)	48"(1219mm)	TCRQ-4848-			S	V	2	906.59	1274.08	1023.41	1390.90	2113.01	2740.56	2403.62	3121.36
29"(737mm)	30"(762mm)	30"(762mm)	TCRQ-3030-			S	V	4	\$ 609.47	\$ 860.32	\$ 703.28	\$ 954.13	\$1169.45	\$1372.69	\$1289.15	\$1512.77
	36"(914mm)	36"(914mm)	TCRQ-3636-			S	V	4	694.27	984.00	794.57	1084.30	1438.61	1755.08	1607.18	1962.47
	42"(1067mm)	42"(1067mm)	TCRQ-4242-			S	V	4	793.31	1121.92	901.28	1229.89	1753.13	2211.44	1978.67	2499.14
	48"(1219mm)	48"(1219mm)	TCRQ-4848-			S	V	4	906.59	1274.08	1023.41	1390.90	2113.01	2740.56	2403.62	3121.36
	54"(1372mm)	54"(1372mm)	TCRQ-5454-			S	V	4	1034.11	1440.48	1160.96	1567.33	2518.25	3343.00	2882.03	3829.78
	60"(1524mm)	60"(1524mm)	TCRQ-6060-			S	V	4	1175.87	1621.12	1313.93	1759.18	2968.85	4019.68	3413.90	4625.49


This page intentionally blank

Jive Table — Post Round Base


Pebble – Laminate or Wood



TCRP-4242-SNV (Symmetrical)



TCRP-3060-SNV (Asymmetrical)



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16" (406mm), 20" (508mm) and 29" (737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm) and 29" (737mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

L Laminate

W Wood

2 Edge Option:

Laminate:

J Edgeband

F Knife

Wood:

K Edgeband

U Knife

3 Cutout:

N No Cutout

F Center, Single-Sided/4 outlets, add **\$45.84** list

J Center, Single-Sided/6 outlets, add **\$45.84** list

M Center, Double-Sided/8 outlets, add **\$45.84** list

Q Center, Double-Sided/12 outlets, add **\$45.84** list

4 Base and Wire Management Option:

Base - No Power:

C Casters, add **\$22.32** list (29" Height Only)

G Glides

Base - Power Ready:

J Casters, add **\$22.32** list (29" Height Only)

K Glides

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — Post Round Base

Pebble – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B		
								J	F	J	F	K	U	K	U	
Symmetrical — Base — No Power — No Cutout																
16″(406mm)	24″(610mm)	24″(610mm)	TCRP-2424-					1	\$ 511.78	\$ 723.75	\$ 600.28	\$ 812.25	\$ 918.52	\$1036.12	\$ 997.45	\$1121.72
	30″(762mm)	30″(762mm)	TCRP-3030-					1	582.34	833.19	676.15	927.00	1142.32	1345.56	1262.02	1485.64
	36″(914mm)	36″(914mm)	TCRP-3636-					1	667.14	956.87	767.44	1057.17	1411.48	1727.95	1580.05	1935.34
	42″(1067mm)	42″(1067mm)	TCRP-4242-					1	766.18	1094.79	874.15	1202.76	1726.00	2184.31	1951.54	2472.01
	48″(1219mm)	48″(1219mm)	TCRP-4848-					1	879.46	1246.95	996.28	1363.77	2085.88	2713.43	2376.49	3094.23
20″(508mm)	24″(610mm)	24″(610mm)	TCRP-2424-					2	\$ 511.78	\$ 723.75	\$ 600.28	\$ 812.25	\$ 918.52	\$1036.12	\$ 997.45	\$1121.72
	30″(762mm)	30″(762mm)	TCRP-3030-					2	582.34	833.19	676.15	927.00	1142.32	1345.56	1262.02	1485.64
	36″(914mm)	36″(914mm)	TCRP-3636-					2	667.14	956.87	767.44	1057.17	1411.48	1727.95	1580.05	1935.34
	42″(1067mm)	42″(1067mm)	TCRP-4242-					2	766.18	1094.79	874.15	1202.76	1726.00	2184.31	1951.54	2472.01
	48″(1219mm)	48″(1219mm)	TCRP-4848-					2	879.46	1246.95	996.28	1363.77	2085.88	2713.43	2376.49	3094.23
29″(737mm)	30″(762mm)	30″(762mm)	TCRP-3030-					4	\$ 582.34	\$ 833.19	\$ 676.15	\$ 927.00	\$1142.32	\$1345.56	\$1262.02	\$1485.64
	36″(914mm)	36″(914mm)	TCRP-3636-					4	667.14	956.87	767.44	1057.17	1411.48	1727.95	1580.05	1935.34
	42″(1067mm)	42″(1067mm)	TCRP-4242-					4	766.18	1094.79	874.15	1202.76	1726.00	2184.31	1951.54	2472.01
	48″(1219mm)	48″(1219mm)	TCRP-4848-					4	879.46	1246.95	996.28	1363.77	2085.88	2713.43	2376.49	3094.23
	54″(1372mm)	54″(1372mm)	TCRP-5454-					4	1006.98	1413.35	1133.83	1540.20	2491.12	3315.87	2854.90	3802.65
60″(1524mm)	60″(1524mm)	TCRP-6060-					4	1148.74	1593.99	1286.80	1732.05	2941.72	3992.55	3386.77	4598.36	
Symmetrical — Base — Power Ready — No Cutout																
16″(406mm)	24″(610mm)	24″(610mm)	TCRP-2424-					1	\$ 538.91	\$ 750.88	\$ 627.41	\$ 839.38	\$ 945.65	\$1063.25	\$1024.58	\$1148.85
	30″(762mm)	30″(762mm)	TCRP-3030-					1	609.47	860.32	703.28	954.13	1169.45	1372.69	1289.15	1512.77
	36″(914mm)	36″(914mm)	TCRP-3636-					1	694.27	984.00	794.57	1084.30	1438.61	1755.08	1607.18	1962.47
	42″(1067mm)	42″(1067mm)	TCRP-4242-					1	793.31	1121.92	901.28	1229.89	1753.13	2211.44	1978.67	2499.14
	48″(1219mm)	48″(1219mm)	TCRP-4848-					1	906.59	1274.08	1023.41	1390.90	2113.01	2740.56	2403.62	3121.36
20″(508mm)	24″(610mm)	24″(610mm)	TCRP-2424-					2	\$ 538.91	\$ 750.88	\$ 627.41	\$ 839.38	\$ 945.65	\$1063.25	\$1024.58	\$1148.85
	30″(762mm)	30″(762mm)	TCRP-3030-					2	609.47	860.32	703.28	954.13	1169.45	1372.69	1289.15	1512.77
	36″(914mm)	36″(914mm)	TCRP-3636-					2	694.27	984.00	794.57	1084.30	1438.61	1755.08	1607.18	1962.47
	42″(1067mm)	42″(1067mm)	TCRP-4242-					2	793.31	1121.92	901.28	1229.89	1753.13	2211.44	1978.67	2499.14
	48″(1219mm)	48″(1219mm)	TCRP-4848-					2	906.59	1274.08	1023.41	1390.90	2113.01	2740.56	2403.62	3121.36
29″(737mm)	30″(762mm)	30″(762mm)	TCRP-3030-					4	\$ 609.47	\$ 860.32	\$ 703.28	\$ 954.13	\$1169.45	\$1372.69	\$1289.15	\$1512.77
	36″(914mm)	36″(914mm)	TCRP-3636-					4	694.27	984.00	794.57	1084.30	1438.61	1755.08	1607.18	1962.47
	42″(1067mm)	42″(1067mm)	TCRP-4242-					4	793.31	1121.92	901.28	1229.89	1753.13	2211.44	1978.67	2499.14
	48″(1219mm)	48″(1219mm)	TCRP-4848-					4	906.59	1274.08	1023.41	1390.90	2113.01	2740.56	2403.62	3121.36
	54″(1372mm)	54″(1372mm)	TCRP-5454-					4	1034.11	1440.48	1160.96	1567.33	2518.25	3343.00	2882.03	3829.78
	60″(1524mm)	60″(1524mm)	TCRP-6060-					4	1175.87	1621.12	1313.93	1759.18	2968.85	4019.68	3413.90	4625.49

Jive Table — Post Round Base


Pebble – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B		
								J	F	J	F	K	U	K	U	
Asymmetrical — Base — No Power — No Cutout																
16"(406mm)	30"(762mm)	48"(1219mm)	TCRP-3048-			S	V	1	\$ 685.19	\$ 976.16	\$ 791.98	\$1082.95	\$1601.11	\$1961.57	\$1814.37	\$2221.16
		60"(1524mm)	TCRP-3060-			S	V	1	765.90	1113.95	878.59	1226.64	1856.80	2291.25	2116.90	2608.95
		72"(1829mm)	TCRP-3072-			S	V	1	847.55	1258.27	966.14	1376.86	2115.32	2631.02	2422.89	3008.56
	36"(914mm)	60"(1524mm)	TCRP-3660-			S	V	1	\$ 840.34	\$1207.83	\$ 958.93	\$1326.42	\$2093.44	\$2553.09	\$2396.20	\$2917.29
		72"(1829mm)	TCRP-3672-			S	V	1	936.46	1368.02	1062.13	1493.69	2398.03	2940.74	2756.51	3373.32
20"(508mm)	30"(762mm)	48"(1219mm)	TCRP-3048-			S	V	2	\$ 685.19	\$ 976.16	\$ 791.98	\$1082.95	\$1601.11	\$1961.57	\$1814.37	\$2221.16
		60"(1524mm)	TCRP-3060-			S	V	2	765.90	1113.95	878.59	1226.64	1856.80	2291.25	2116.90	2608.95
		72"(1829mm)	TCRP-3072-			S	V	2	847.55	1258.27	966.14	1376.86	2115.32	2631.02	2422.89	3008.56
	36"(914mm)	60"(1524mm)	TCRP-3660-			S	V	2	\$ 840.34	\$1207.83	\$ 958.93	\$1326.42	\$2093.44	\$2553.09	\$2396.20	\$2917.29
		72"(1829mm)	TCRP-3672-			S	V	2	936.46	1368.02	1062.13	1493.69	2398.03	2940.74	2756.51	3373.32
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-			S	V	4	\$ 685.19	\$ 976.16	\$ 791.98	\$1082.95	\$1601.11	\$1961.57	\$1814.37	\$2221.16
		60"(1524mm)	TCRP-3060-			S	V	4	765.90	1113.95	878.59	1226.64	1856.80	2291.25	2116.90	2608.95
		72"(1829mm)	TCRP-3072-			S	V	4	847.55	1258.27	966.14	1376.86	2115.32	2631.02	2422.89	3008.56
	36"(914mm)	60"(1524mm)	TCRP-3660-			S	V	4	\$ 840.34	\$1207.83	\$ 958.93	\$1326.42	\$2093.44	\$2553.09	\$2396.20	\$2917.29
		72"(1829mm)	TCRP-3672-			S	V	4	936.46	1368.02	1062.13	1493.69	2398.03	2940.74	2756.51	3373.32
	42"(1067mm)	72"(1829mm)	TCRP-4272-			S	V	4	\$1025.37	\$1477.78	\$1158.12	\$1610.53	\$2680.74	\$3250.46	\$3090.14	\$3738.07
		48"(1219mm)	TCRP-4872-			S	V	4	\$1114.29	\$1587.53	\$1254.12	\$1727.36	\$2963.45	\$3560.19	\$3423.76	\$4102.83
Asymmetrical — Base — Power Ready — No Cutout																
16"(406mm)	30"(762mm)	48"(1219mm)	TCRP-3048-			S	V	1	\$ 712.32	\$1003.29	\$ 819.11	\$1110.08	\$1628.24	\$1988.70	\$1841.50	\$2248.29
		60"(1524mm)	TCRP-3060-			S	V	1	793.03	1141.08	905.72	1253.77	1883.93	2318.38	2144.03	2636.08
		72"(1829mm)	TCRP-3072-			S	V	1	874.68	1285.40	993.27	1403.99	2142.45	2658.15	2450.02	3035.69
	36"(914mm)	60"(1524mm)	TCRP-3660-			S	V	1	\$ 867.47	\$1234.96	\$ 986.06	\$1353.55	\$2120.57	\$2580.22	\$2423.33	\$2944.42
		72"(1829mm)	TCRP-3672-			S	V	1	963.59	1395.15	1089.26	1520.82	2425.16	2967.87	2783.64	3400.45
20"(508mm)	30"(762mm)	48"(1219mm)	TCRP-3048-			S	V	2	\$ 712.32	\$1003.29	\$ 819.11	\$1110.08	\$1628.24	\$1988.70	\$1841.50	\$2248.29
		60"(1524mm)	TCRP-3060-			S	V	2	793.03	1141.08	905.72	1253.77	1883.93	2318.38	2144.03	2636.08
		72"(1829mm)	TCRP-3072-			S	V	2	874.68	1285.40	993.27	1403.99	2142.45	2658.15	2450.02	3035.69
	36"(914mm)	60"(1524mm)	TCRP-3660-			S	V	2	\$ 867.47	\$1234.96	\$ 986.06	\$1353.55	\$2120.57	\$2580.22	\$2423.33	\$2944.42
		72"(1829mm)	TCRP-3672-			S	V	2	963.59	1395.15	1089.26	1520.82	2425.16	2967.87	2783.64	3400.45
29"(737mm)	30"(762mm)	48"(1219mm)	TCRP-3048-			S	V	4	\$ 712.32	\$1003.29	\$ 819.11	\$1110.08	\$1628.24	\$1988.70	\$1841.50	\$2248.29
		60"(1524mm)	TCRP-3060-			S	V	4	793.03	1141.08	905.72	1253.77	1883.93	2318.38	2144.03	2636.08
		72"(1829mm)	TCRP-3072-			S	V	4	874.68	1285.40	993.27	1403.99	2142.45	2658.15	2450.02	3035.69
	36"(914mm)	60"(1524mm)	TCRP-3660-			S	V	4	\$ 867.47	\$1234.96	\$ 986.06	\$1353.55	\$2120.57	\$2580.22	\$2423.33	\$2944.42
		72"(1829mm)	TCRP-3672-			S	V	4	963.59	1395.15	1089.26	1520.82	2425.16	2967.87	2783.64	3400.45
	42"(1067mm)	72"(1829mm)	TCRP-4272-			S	V	4	\$1052.50	\$1504.91	\$1185.25	\$1637.66	\$2707.87	\$3277.59	\$3117.27	\$3765.20
		48"(1219mm)	TCRP-4872-			S	V	4	\$1141.42	\$1614.66	\$1281.25	\$1754.49	\$2990.58	\$3587.32	\$3450.89	\$4129.96


This page intentionally blank

Jive Table — Post Round Base

Rectangle – Laminate or Wood



TCRA-SNV



Features

- Includes 1.18" (30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16" (406mm), 20" (508mm) and 29" (737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm) and 29" (737mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- M** Center, Double-Sided/8 outlets, add **\$45.84** list
- Q** Center, Double-Sided/12 outlets, add **\$45.84** list

4 Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29" Height Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29" Height Only)
- K** Glides

- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — Post Round Base

Rectangle – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B		
								J	F	J	F	K	U	K	U	
Base — No Power — No Cutout																
16"(406mm)	30"(762mm)	48"(1219mm)	TCRA-3048-			S	V	1	\$ 685.19	\$ 976.16	\$ 791.98	\$1082.95	\$1601.11	\$1961.57	\$1814.37	\$2221.16
		54"(1372mm)	TCRA-3054-			S	V	1	725.43	1044.24	835.17	1153.98	1728.60	2125.15	1965.20	2413.58
		60"(1524mm)	TCRA-3060-			S	V	1	765.90	1113.95	878.59	1226.64	1856.80	2291.25	2116.90	2608.95
	36"(914mm)	60"(1524mm)	TCRA-3660-			S	V	1	\$ 840.34	\$1207.83	\$ 958.93	\$1326.42	\$2093.44	\$2553.09	\$2396.20	\$2917.29
		72"(1829mm)	TCRA-3672-			S	V	1	936.46	1368.02	1062.13	1493.69	2398.03	2940.74	2756.51	3373.32
20"(508mm)	30"(762mm)	48"(1219mm)	TCRA-3048-			S	V	2	\$ 685.19	\$ 976.16	\$ 791.98	\$1082.95	\$1601.11	\$1961.57	\$1814.37	\$2221.16
		54"(1372mm)	TCRA-3054-			S	V	2	725.43	1044.24	835.17	1153.98	1728.60	2125.15	1965.20	2413.58
		60"(1524mm)	TCRA-3060-			S	V	2	765.90	1113.95	878.59	1226.64	1856.80	2291.25	2116.90	2608.95
	36"(914mm)	60"(1524mm)	TCRA-3660-			S	V	2	\$ 840.34	\$1207.83	\$ 958.93	\$1326.42	\$2093.44	\$2553.09	\$2396.20	\$2917.29
		72"(1829mm)	TCRA-3672-			S	V	2	936.46	1368.02	1062.13	1493.69	2398.03	2940.74	2756.51	3373.32
29"(737mm)	18"(457mm)	48"(1219mm)	TCRA-1848-			S	V	4	\$ 565.25	N/A	\$ 662.60	N/A	\$1219.97	N/A	\$1364.42	N/A
		54"(1372mm)	TCRA-1854-			S	V	4	591.02	N/A	690.14	N/A	1301.39	N/A	1460.93	N/A
		60"(1524mm)	TCRA-1860-			S	V	4	617.02	N/A	717.91	N/A	1383.52	N/A	1558.30	N/A
		66"(1676mm)	TCRA-1866-			S	V	4	643.25	N/A	745.91	N/A	1466.36	N/A	1656.54	N/A
		72"(1829mm)	TCRA-1872-			S	V	4	669.72	N/A	774.15	N/A	1549.91	N/A	1755.64	N/A
	24"(610mm)	36"(914mm)	TCRA-2436-			S	V	4	\$ 559.91	\$ 782.77	\$ 657.26	\$ 880.12	\$1203.75	\$1475.91	\$1344.64	\$1649.67
		42"(1067mm)	TCRA-2442-			S	V	4	592.45	839.65	692.16	939.36	1306.79	1610.50	1466.58	1807.97
		48"(1219mm)	TCRA-2448-			S	V	4	625.22	898.15	727.29	1000.22	1410.54	1747.62	1589.39	1969.23
		54"(1372mm)	TCRA-2454-			S	V	4	658.22	958.30	762.65	1062.73	1514.99	1887.25	1713.06	2133.44
		60"(1524mm)	TCRA-2460-			S	V	4	691.46	1020.07	798.25	1126.86	1620.16	2029.41	1837.60	2300.61
		66"(1676mm)	TCRA-2466-			S	V	4	724.93	1083.48	834.08	1192.63	1726.03	2174.09	1963.00	2470.73
		72"(1829mm)	TCRA-2472-			S	V	4	758.63	1148.52	870.14	1260.03	1832.62	2321.30	2089.26	2643.81
		30"(762mm)	TCRA-3036-			S	V	4	\$ 605.41	\$ 844.90	\$ 706.30	\$ 945.79	\$1348.25	\$1641.99	\$1515.29	\$1845.18
	36"(914mm)	42"(1067mm)	TCRA-3042-			S	V	4	645.18	909.72	749.02	1013.56	1474.33	1800.52	1664.40	2031.69
		48"(1219mm)	TCRA-3048-			S	V	4	685.19	976.16	791.98	1082.95	1601.11	1961.57	1814.37	2221.16
		54"(1372mm)	TCRA-3054-			S	V	4	725.43	1044.24	835.17	1153.98	1728.60	2125.15	1965.20	2413.58
		60"(1524mm)	TCRA-3060-			S	V	4	765.90	1113.95	878.59	1226.64	1856.80	2291.25	2116.90	2608.95
		72"(1829mm)	TCRA-3072-			S	V	4	847.55	1258.27	966.14	1376.86	2115.32	2631.02	2422.89	3008.56
		60"(1524mm)	TCRA-3660-			S	V	4	\$ 840.34	\$1207.83	\$ 958.93	\$1326.42	\$2093.44	\$2553.09	\$2396.20	\$2917.29
		66"(1676mm)	TCRA-3666-			S	V	4	888.28	1287.11	1010.41	1409.24	2245.38	2745.65	2575.92	3143.83
	42"(1067mm)	72"(1829mm)	TCRA-3672-			S	V	4	936.46	1368.02	1062.13	1493.69	2398.03	2940.74	2756.51	3373.32
		60"(1524mm)	TCRA-4260-			S	V	4	\$ 914.78	\$1301.71	\$1039.27	\$1426.20	\$2330.08	\$2814.93	\$2675.50	\$3225.63
		72"(1829mm)	TCRA-4272-			S	V	4	1025.37	1477.78	1158.12	1610.53	2680.74	3250.46	3090.14	3738.07
	48"(1219mm)	72"(1829mm)	TCRA-4872-			S	V	4	\$1114.29	\$1587.53	\$1254.12	\$1727.36	\$2963.45	\$3560.19	\$3423.76	\$4102.83


Jive Table — Post Round Base

Rectangle – Laminate or Wood


Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B			
								J	F	J	F	K	U	K	U		
Base — Power Ready — No Cutout																	
16"(406mm)	30"(762mm)	48"(1219mm)	TCRA-3048-			S		V	1	\$ 712.32	\$1003.29	\$ 819.11	\$1110.08	\$1628.24	\$1988.70	\$1841.50	\$2248.29
		54"(1372mm)	TCRA-3054-			S		V	1	752.56	1071.37	862.30	1181.11	1755.73	2152.28	1992.33	2440.71
		60"(1524mm)	TCRA-3060-			S		V	1	793.03	1141.08	905.72	1253.77	1883.93	2318.38	2144.03	2636.08
	36"(914mm)	60"(1524mm)	TCRA-3660-			S		V	1	\$ 867.47	\$1234.96	\$ 986.06	\$1353.55	\$2120.57	\$2580.22	\$2423.33	\$2944.42
		72"(1829mm)	TCRA-3672-			S		V	1	963.59	1395.15	1089.26	1520.82	2425.16	2967.87	2783.64	3400.45
20"(508mm)	30"(762mm)	48"(1219mm)	TCRA-3048-			S		V	2	\$ 712.32	\$1003.29	\$ 819.11	\$1110.08	\$1628.24	\$1988.70	\$1841.50	\$2248.29
		54"(1372mm)	TCRA-3054-			S		V	2	752.56	1071.37	862.30	1181.11	1755.73	2152.28	1992.33	2440.71
		60"(1524mm)	TCRA-3060-			S		V	2	793.03	1141.08	905.72	1253.77	1883.93	2318.38	2144.03	2636.08
	36"(914mm)	60"(1524mm)	TCRA-3660-			S		V	2	\$ 867.47	\$1234.96	\$ 986.06	\$1353.55	\$2120.57	\$2580.22	\$2423.33	\$2944.42
		72"(1829mm)	TCRA-3672-			S		V	2	963.59	1395.15	1089.26	1520.82	2425.16	2967.87	2783.64	3400.45
29"(737mm)	18"(457mm)	48"(1219mm)	TCRA-1848-			S		V	4	\$ 592.38	N/A	\$ 689.73	N/A	\$1247.10	N/A	\$1391.55	N/A
		54"(1372mm)	TCRA-1854-			S		V	4	618.15	N/A	717.27	N/A	1328.52	N/A	1488.06	N/A
		60"(1524mm)	TCRA-1860-			S		V	4	644.15	N/A	745.04	N/A	1410.65	N/A	1585.43	N/A
		66"(1676mm)	TCRA-1866-			S		V	4	670.38	N/A	773.04	N/A	1493.49	N/A	1683.67	N/A
		72"(1829mm)	TCRA-1872-			S		V	4	696.85	N/A	801.28	N/A	1577.04	N/A	1782.77	N/A
	24"(610mm)	36"(914mm)	TCRA-2436-			S		V	4	\$ 587.04	\$ 809.90	\$ 684.39	\$ 907.25	\$1230.88	\$1503.04	\$1371.77	\$1676.80
		42"(1067mm)	TCRA-2442-			S		V	4	619.58	866.78	719.29	966.49	1333.92	1637.63	1493.71	1835.10
		48"(1219mm)	TCRA-2448-			S		V	4	652.35	925.28	754.42	1027.35	1437.67	1774.75	1616.52	1996.36
		54"(1372mm)	TCRA-2454-			S		V	4	685.35	985.43	789.78	1089.86	1542.12	1914.38	1740.19	2160.57
		60"(1524mm)	TCRA-2460-			S		V	4	718.59	1047.20	825.38	1153.99	1647.29	2056.54	1864.73	2327.74
		66"(1676mm)	TCRA-2466-			S		V	4	752.06	1110.61	861.21	1219.76	1753.16	2201.22	1990.13	2497.86
		72"(1829mm)	TCRA-2472-			S		V	4	785.76	1175.65	897.27	1287.16	1859.75	2348.43	2116.39	2670.94
		30"(762mm)	TCRA-3036-			S		V	4	\$ 632.54	\$ 872.03	\$ 733.43	\$ 972.92	\$1375.38	\$1669.12	\$1542.42	\$1872.31
	36"(914mm)	42"(1067mm)	TCRA-3042-			S		V	4	672.31	936.85	776.15	1040.69	1501.46	1827.65	1691.53	2058.82
		48"(1219mm)	TCRA-3048-			S		V	4	712.32	1003.29	819.11	1110.08	1628.24	1988.70	1841.50	2248.29
		54"(1372mm)	TCRA-3054-			S		V	4	752.56	1071.37	862.30	1181.11	1755.73	2152.28	1992.33	2440.71
		60"(1524mm)	TCRA-3060-			S		V	4	793.03	1141.08	905.72	1253.77	1883.93	2318.38	2144.03	2636.08
		72"(1829mm)	TCRA-3072-			S		V	4	874.68	1285.40	993.27	1403.99	2142.45	2658.15	2450.02	3035.69
		60"(1524mm)	TCRA-3660-			S		V	4	\$ 867.47	\$1234.96	\$ 986.06	\$1353.55	\$2120.57	\$2580.22	\$2423.33	\$2944.42
		66"(1676mm)	TCRA-3666-			S		V	4	915.41	1314.24	1037.54	1436.37	2272.51	2772.78	2603.05	3170.96
	42"(1067mm)	72"(1829mm)	TCRA-3672-			S		V	4	963.59	1395.15	1089.26	1520.82	2425.16	2967.87	2783.64	3400.45
		60"(1524mm)	TCRA-4260-			S		V	4	\$ 941.91	\$1328.84	\$1066.40	\$1453.33	\$2357.21	\$2842.06	\$2702.63	\$3252.76
		72"(1829mm)	TCRA-4272-			S		V	4	1052.50	1504.91	1185.25	1637.66	2707.87	3277.59	3117.27	3765.20
		48"(1219mm)	72"(1829mm)	TCRA-4872-			S		V	4	\$1141.42	\$1614.66	\$1281.25	\$1754.49	\$2990.58	\$3587.32	\$3450.89

Jive Table — Post Round Base

Racetrack – Laminate or Wood



TCRT-SNV



Features

- Includes 1.18”(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table heights are 16”(406mm), 20”(508mm) and 29”(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- **Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- **Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29”(737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 16”(406mm), 20”(508mm) and 29”(737mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- M** Center, Double-Sided/8 outlets, add **\$45.84** list
- Q** Center, Double-Sided/12 outlets, add **\$45.84** list

4 Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29” Height Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29” Height Only)
- K** Glides

- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — Post Round Base


Racetrack – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B		
								J	F	J	F	K	U	K	U	
Base — No Power — No Cutout																
16"(406mm)	30"(762mm)	48"(1219mm)	TCRT-3048-			S	V	1	\$ 685.19	\$ 976.16	\$ 791.98	\$1082.95	\$1601.11	\$1961.57	\$1814.37	\$2221.16
		60"(1524mm)	TCRT-3060-			S	V	1	765.90	1113.95	878.59	1226.64	1856.80	2291.25	2116.90	2608.95
		72"(1829mm)	TCRT-3072-			S	V	1	847.55	1258.27	966.14	1376.86	2115.32	2631.02	2422.89	3008.56
	36"(914mm)	60"(1524mm)	TCRT-3660-			S	V	1	\$ 840.34	\$1207.83	\$ 958.93	\$1326.42	\$2093.44	\$2553.09	\$2396.20	\$2917.29
		72"(1829mm)	TCRT-3672-			S	V	1	936.46	1368.02	1062.13	1493.69	2398.03	2940.74	2756.51	3373.32
20"(508mm)	30"(762mm)	48"(1219mm)	TCRT-3048-			S	V	2	\$ 685.19	\$ 976.16	\$ 791.98	\$1082.95	\$1601.11	\$1961.57	\$1814.37	\$2221.16
		60"(1524mm)	TCRT-3060-			S	V	2	765.90	1113.95	878.59	1226.64	1856.80	2291.25	2116.90	2608.95
		72"(1829mm)	TCRT-3072-			S	V	2	847.55	1258.27	966.14	1376.86	2115.32	2631.02	2422.89	3008.56
	36"(914mm)	60"(1524mm)	TCRT-3660-			S	V	2	\$ 840.34	\$1207.83	\$ 958.93	\$1326.42	\$2093.44	\$2553.09	\$2396.20	\$2917.29
		72"(1829mm)	TCRT-3672-			S	V	2	936.46	1368.02	1062.13	1493.69	2398.03	2940.74	2756.51	3373.32
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-			S	V	4	\$ 685.19	\$ 976.16	\$ 791.98	\$1082.95	\$1601.11	\$1961.57	\$1814.37	\$2221.16
		60"(1524mm)	TCRT-3060-			S	V	4	765.90	1113.95	878.59	1226.64	1856.80	2291.25	2116.90	2608.95
		72"(1829mm)	TCRT-3072-			S	V	4	847.55	1258.27	966.14	1376.86	2115.32	2631.02	2422.89	3008.56
	36"(914mm)	60"(1524mm)	TCRT-3660-			S	V	4	\$ 840.34	\$1207.83	\$ 958.93	\$1326.42	\$2093.44	\$2553.09	\$2396.20	\$2917.29
		72"(1829mm)	TCRT-3672-			S	V	4	936.46	1368.02	1062.13	1493.69	2398.03	2940.74	2756.51	3373.32
	42"(1067mm)	72"(1829mm)	TCRT-4272-			S	V	4	\$1025.37	\$1477.78	\$1158.12	\$1610.53	\$2680.74	\$3250.46	\$3090.14	\$3738.07
	48"(1219mm)	72"(1829mm)	TCRT-4872-			S	V	4	\$1114.29	\$1587.53	\$1254.12	\$1727.36	\$2963.45	\$3560.19	\$3423.76	\$4102.83
	Base — Power Ready — No Cutout															
16"(406mm)	30"(762mm)	48"(1219mm)	TCRT-3048-			S	V	1	\$ 712.32	\$1003.29	\$ 819.11	\$1110.08	\$1628.24	\$1988.70	\$1841.50	\$2248.29
		60"(1524mm)	TCRT-3060-			S	V	1	793.03	1141.08	905.72	1253.77	1883.93	2318.38	2144.03	2636.08
		72"(1829mm)	TCRT-3072-			S	V	1	874.68	1285.40	993.27	1403.99	2142.45	2658.15	2450.02	3035.69
	36"(914mm)	60"(1524mm)	TCRT-3660-			S	V	1	\$ 867.47	\$1234.96	\$ 986.06	\$1353.55	\$2120.57	\$2580.22	\$2423.33	\$2944.42
		72"(1829mm)	TCRT-3672-			S	V	1	963.59	1395.15	1089.26	1520.82	2425.16	2967.87	2783.64	3400.45
20"(508mm)	30"(762mm)	48"(1219mm)	TCRT-3048-			S	V	2	\$ 712.32	\$1003.29	\$ 819.11	\$1110.08	\$1628.24	\$1988.70	\$1841.50	\$2248.29
		60"(1524mm)	TCRT-3060-			S	V	2	793.03	1141.08	905.72	1253.77	1883.93	2318.38	2144.03	2636.08
		72"(1829mm)	TCRT-3072-			S	V	2	874.68	1285.40	993.27	1403.99	2142.45	2658.15	2450.02	3035.69
	36"(914mm)	60"(1524mm)	TCRT-3660-			S	V	2	\$ 867.47	\$1234.96	\$ 986.06	\$1353.55	\$2120.57	\$2580.22	\$2423.33	\$2944.42
		72"(1829mm)	TCRT-3672-			S	V	2	963.59	1395.15	1089.26	1520.82	2425.16	2967.87	2783.64	3400.45
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-			S	V	4	\$ 712.32	\$1003.29	\$ 819.11	\$1110.08	\$1628.24	\$1988.70	\$1841.50	\$2248.29
		60"(1524mm)	TCRT-3060-			S	V	4	793.03	1141.08	905.72	1253.77	1883.93	2318.38	2144.03	2636.08
		72"(1829mm)	TCRT-3072-			S	V	4	874.68	1285.40	993.27	1403.99	2142.45	2658.15	2450.02	3035.69
	36"(914mm)	60"(1524mm)	TCRT-3660-			S	V	4	\$ 867.47	\$1234.96	\$ 986.06	\$1353.55	\$2120.57	\$2580.22	\$2423.33	\$2944.42
		72"(1829mm)	TCRT-3672-			S	V	4	963.59	1395.15	1089.26	1520.82	2425.16	2967.87	2783.64	3400.45
	42"(1067mm)	72"(1829mm)	TCRT-4272-			S	V	4	\$1052.50	\$1504.91	\$1185.25	\$1637.66	\$2707.87	\$3277.59	\$3117.27	\$3765.20
	48"(1219mm)	72"(1829mm)	TCRT-4872-			S	V	4	\$1141.42	\$1614.66	\$1281.25	\$1754.49	\$2990.58	\$3587.32	\$3450.89	\$4129.96


Jive Table — Post Round Base

Trapezoid – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B			
								J	F	J	F	K	U	K	U		
Base — No Power — No Cutout																	
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-			S	V		4	\$ 635.23	\$ 908.16	\$ 639.95	\$ 912.88	\$ 833.21	\$1170.29	\$ 889.66	\$1269.50
		54"(1372mm)	TCTP-2454-			S	V		4	668.23	968.31	675.31	975.39	937.66	1309.92	1013.33	1433.71
		60"(1524mm)	TCTP-2460-			S	V		4	701.47	1030.08	710.91	1039.52	1042.83	1452.08	1137.87	1600.88
		66"(1676mm)	TCTP-2466-			S	V		4	734.94	1093.49	746.74	1105.29	1148.70	1596.76	1263.27	1771.00
		72"(1829mm)	TCTP-2472-			S	V		4	768.64	1158.53	782.80	1172.69	1255.29	1743.97	1389.53	1944.08
30"(762mm)	60"(1524mm)	TCTP-3060-			S	V		4	\$ 775.91	\$1123.96	\$ 791.25	\$1139.30	\$1279.47	\$1713.92	\$1417.17	\$1909.22	
		66"(1676mm)	TCTP-3066-			S	V		4	816.62	1195.30	834.91	1213.59	1408.38	1882.54	1569.73	2107.55
		72"(1829mm)	TCTP-3072-			S	V		4	857.56	1268.28	878.80	1289.52	1537.99	2053.69	1723.16	2308.83
36"(914mm)	84"(2134mm)	TCTP-3684-			S	V		4	\$1043.52	\$1544.76	\$1078.92	\$1580.16	\$2128.13	\$2761.16	\$2420.55	\$3141.44	
Base — Power Ready — No Cutout																	
29"(737mm)	24"(610mm)	48"(1219mm)	TCTP-2448-			S	V		4	\$ 662.36	\$ 935.29	\$ 667.08	\$ 940.01	\$ 860.34	\$1197.42	\$ 916.79	\$1296.63
		54"(1372mm)	TCTP-2454-			S	V		4	695.36	995.44	702.44	1002.52	964.79	1337.05	1040.46	1460.84
		60"(1524mm)	TCTP-2460-			S	V		4	728.60	1057.21	738.04	1066.65	1069.96	1479.21	1165.00	1628.01
		66"(1676mm)	TCTP-2466-			S	V		4	762.07	1120.62	773.87	1132.42	1175.83	1623.89	1290.40	1798.13
		72"(1829mm)	TCTP-2472-			S	V		4	795.77	1185.66	809.93	1199.82	1282.42	1771.10	1416.66	1971.21
30"(762mm)	60"(1524mm)	TCTP-3060-			S	V		4	\$ 803.04	\$1151.09	\$ 818.38	\$1166.43	\$1306.60	\$1741.05	\$1444.30	\$1936.35	
		66"(1676mm)	TCTP-3066-			S	V		4	843.75	1222.43	862.04	1240.72	1435.51	1909.67	1596.86	2134.68
		72"(1829mm)	TCTP-3072-			S	V		4	884.69	1295.41	905.93	1316.65	1565.12	2080.82	1750.29	2335.96
36"(914mm)	84"(2134mm)	TCTP-3684-			S	V		4	\$1070.65	\$1571.89	\$1106.05	\$1607.29	\$2155.26	\$2788.29	\$2447.68	\$3168.57	



TCTP-SNV



Features

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29"(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29"(737mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number, including:

① Surface Option:

- L Laminate
W Wood

② Edge Option:

Laminate:

- J Edgeband
F Knife

Wood:

- K Edgeband
U Knife

③ Cutout:

- N No Cutout
F Center, Single-Sided/4 outlets, add \$45.84 list
J Center, Single-Sided/6 outlets, add \$45.84 list

④ Base and Wire Management Option:

Base - No Power:

- C Casters, add \$22.32 list (29" Height Only)
G Glides

Base - Power Ready:

- J Casters, add \$22.32 list (29" Height Only)
K Glides


- 2) Laminate surface color or wood finish color.
3) Edgeband trim color (laminate only).
4) Base trim color.

Note: \$63.03 upcharge list for Metallic trim colors.


Jive Table — Post Round Base

Crescent – Laminate or Wood

Depth	Width	Number	① ② ③ ④				Laminate A		Laminate B		Wood Group A		Wood Group B				
			J	F	J	F	K	U	K	U							
Base — No Power — No Cutout																	
24"(610mm)	60"(1524mm)	TCBN-2460-			S		V		4	\$ 731.38	\$1059.99	\$ 740.82	\$1069.43	\$1072.74	\$1481.99	\$1167.78	\$1630.79
30"(762mm)	72"(1829mm)	TCBN-3072-			S		V		4	887.47	1298.19	908.71	1319.43	1567.90	2083.60	1753.07	2338.74
36"(914mm)	84"(2134mm)	TCBN-3684-			S		V		4	1073.43	1574.67	1108.83	1610.07	2158.04	2791.07	2450.46	3171.35
Base — Power Ready — No Cutout																	
24"(610mm)	60"(1524mm)	TCBN-2460-			S		V		4	\$ 758.51	\$1087.12	\$ 767.95	\$1096.56	\$1099.87	\$1509.12	\$1194.91	\$1657.92
30"(762mm)	72"(1829mm)	TCBN-3072-			S		V		4	914.60	1325.32	935.84	1346.56	1595.03	2110.73	1780.20	2365.87
36"(914mm)	84"(2134mm)	TCBN-3684-			S		V		4	1100.56	1601.80	1135.96	1637.20	2185.17	2818.20	2477.59	3198.48



TCBN-SNV



Features

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29"(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Three locking and three non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29"(737mm) high tables)
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

① Surface Option:

- L** Laminate
- W** Wood

② Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

③ Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list

④ Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29" Height Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29" Height Only)
- K** Glides


- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.


Jive Table — Post Round Base

Half Racetrack – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B	
				J	F	J	F	K	U	K	U				
Base — No Power — No Cutout															
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHT-4242-	S	V	4		\$524.96	\$ 853.57	\$544.43	\$ 873.04	\$1130.84	\$1589.15	\$1294.73	\$1815.20
	48"(1219mm)	48"(1219mm)	TCHT-4848-	S	V	4		638.24	1005.73	666.56	1034.05	1490.72	2118.27	1719.68	2437.42
	54"(1372mm)	54"(1372mm)	TCHT-5454-	S	V	4		765.76	1172.13	804.11	1210.48	1895.96	2720.71	2198.09	3145.84
	60"(1524mm)	60"(1524mm)	TCHT-6060-	S	V	4		907.52	1352.77	957.08	1402.33	2346.56	3397.39	2729.96	3941.55
Base — Power Ready — No Cutout															
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHT-4242-	S	V	4		\$552.09	\$ 880.70	\$571.56	\$ 900.17	\$1157.97	\$1616.28	\$1321.86	\$1842.33
	48"(1219mm)	48"(1219mm)	TCHT-4848-	S	V	4		665.37	1032.86	693.69	1061.18	1517.85	2145.40	1746.81	2464.55
	54"(1372mm)	54"(1372mm)	TCHT-5454-	S	V	4		792.89	1199.26	831.24	1237.61	1923.09	2747.84	2225.22	3172.97
	60"(1524mm)	60"(1524mm)	TCHT-6060-	S	V	4		934.65	1379.90	984.21	1429.46	2373.69	3424.52	2757.09	3968.68



TCHT



- Features**
- Includes 1.18”(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
 - Standard table height is 29”(737mm).
 - Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
 - Bases are painted steel.
 - Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
 - Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
 - Casters and glides are not interchangeable.
 - Depth and width shown in nominal dimensions.
 - Ships unassembled.


- Specification Tips**
- Edge choice allows a flat seam between tables.
 - Specifying a cutout does not automatically include a Power Ready base.**
 - Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
 - Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
 - Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29”(737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29”(737mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
 - Power cord length determines the distance to building power source.**
 - Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
 - Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

- To Order, Specify:**
- 1) Product number, including:
- ① Surface Option:**
- L** Laminate
 - W** Wood
- ② Edge Option:**
- Laminate:
- J** Edgeband
 - F** Knife
- Wood:
- K** Edgeband
 - U** Knife
- ③ Cutout:**
- N** No Cutout
 - F** Center, Single-Sided/4 outlets, add **\$45.84** list
 - J** Center, Single-Sided/6 outlets, add **\$45.84** list
 - M** Center, Double-Sided/8 outlets, add **\$45.84** list
 - Q** Center, Double-Sided/12 outlets, add **\$45.84** list
- ④ Base and Wire Management Option:**
- Base - No Power:
- C** Casters, add **\$22.32** list (29” Height Only)
 - G** Glides
- Base - Power Ready:
- J** Casters, add **\$22.32** list (29” Height Only)
 - K** Glides
- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.
- Note: \$63.03** upcharge list for Metallic trim colors.


Jive Table — Post Round Base

Half Pebble – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	Laminate A J F	Laminate B J F	Wood Group A K U	Wood Group B K U
Base — No Power — No Cutout											
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-	■	■	S	V	■	\$524.96	\$ 853.57	\$544.43 \$ 873.04 \$1130.84 \$1589.15 \$1294.73 \$1815.20
	48"(1219mm)	48"(1219mm)	TCHP-4848-	■	■	S	V	■	638.24	1005.73	666.56 1034.05 1490.72 2118.27 1719.68 2437.42
	54"(1372mm)	54"(1372mm)	TCHP-5454-	■	■	S	V	■	765.76	1172.13	804.11 1210.48 1895.96 2720.71 2198.09 3145.84
	60"(1524mm)	60"(1524mm)	TCHP-6060-	■	■	S	V	■	907.52	1352.77	957.08 1402.33 2346.56 3397.39 2729.96 3941.55
Base — Power Ready — No Cutout											
29"(737mm)	42"(1067mm)	42"(1067mm)	TCHP-4242-	■	■	S	V	■	\$552.09	\$ 880.70	\$571.56 \$ 900.17 \$1157.97 \$1616.28 \$1321.86 \$1842.33
	48"(1219mm)	48"(1219mm)	TCHP-4848-	■	■	S	V	■	665.37	1032.86	693.69 1061.18 1517.85 2145.40 1746.81 2464.55
	54"(1372mm)	54"(1372mm)	TCHP-5454-	■	■	S	V	■	792.89	1199.26	831.24 1237.61 1923.09 2747.84 2225.22 3172.97
	60"(1524mm)	60"(1524mm)	TCHP-6060-	■	■	S	V	■	934.65	1379.90	984.21 1429.46 2373.69 3424.52 2757.09 3968.68



TCHP



Features

- Includes 1.18"(30mm) thick top, leg bases, adjustable glides or casters, and hardware.
- Standard table height is 29"(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Bases are painted steel.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Post Extruded legs.
- Powered leg location determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29"(737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29"(737mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

① Surface Option:

- L** Laminate
- W** Wood

② Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

③ Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- M** Center, Double-Sided/8 outlets, add **\$45.84** list
- Q** Center, Double-Sided/12 outlets, add **\$45.84** list

④ Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29" Height Only)
- G** Glides

Base - Power Ready:


- J** Casters, add **\$22.32** list (29" Height Only)
- K** Glides

- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: \$63.03 upcharge list for Metallic trim colors.

Jive Table — X-Base

Round – Laminate or Wood



TCRN-SNXF (Base — Power Ready)



TCRN-SNX_ (Base — No Power)

Features

- Includes 1.18”(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16”(406mm), 20”(508mm), 29”(737mm), 36”(914mm) and 42”(1067mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Base Sizes:
 - 24”(610mm) tops includes 22”(559mm) X-Base
 - 30”(762mm) tops include 28”(711mm) X-Base
 - 36”(914mm) tops include 31”(787mm) X-Base
 - 42”(1067mm) tops include 37”(940mm) X-Base
 - 48”(1219mm) tops include 37”(940mm) X-Base
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (R) option for a Centered, Flush Mount Power - Round
- Power Ready Base:
 - Allows for cord management through the X-Base.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (available 29”(737mm), 36”(914mm), and 42”(1067mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available 29”(737mm), 36”(914mm), and 42”(1067mm) high tables)
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout Option:

- N** No Cutout (No Power or Power Ready)
- R** 3”(76mm) Cutout (Power Ready base option only) add **\$45.84** list

4 Base and Wire Management Option:

Base — No Power:

- C** Casters, add **\$22.32** list
- G** Glides

Base — Power Ready:

- J** Casters, add **\$22.32** list
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished, add **\$63.50** list

- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.


Jive Table — X-Base

Round – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B	
									J	F	J	F	K	U	K	U
Base — No Power																
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-						\$ 646.62	\$ 858.59	\$ 735.12	\$ 947.09	\$1053.36	\$1170.96	\$1132.29	\$1256.56
	30"(762mm)	30"(762mm)	TCRN-3030-						717.18	968.03	810.99	1061.84	1277.16	1480.40	1396.86	1620.48
	36"(914mm)	36"(914mm)	TCRN-3636-						801.98	1091.71	902.28	1192.01	1546.32	1862.79	1714.89	2070.18
	42"(1067mm)	42"(1067mm)	TCRN-4242-						901.02	1229.63	1008.99	1337.60	1860.84	2319.15	2086.38	2606.85
	48"(1219mm)	48"(1219mm)	TCRN-4848-						1014.30	1381.79	1131.12	1498.61	2220.72	2848.27	2511.33	3229.07
20"(508mm)	24"(610mm)	24"(610mm)	TCRN-2424-						\$ 653.96	\$ 865.93	\$ 742.46	\$ 954.43	\$1060.70	\$1178.30	\$1139.63	\$1263.90
	30"(762mm)	30"(762mm)	TCRN-3030-						724.52	975.37	818.33	1069.18	1284.50	1487.74	1404.20	1627.82
	36"(914mm)	36"(914mm)	TCRN-3636-						809.32	1099.05	909.62	1199.35	1553.66	1870.13	1722.23	2077.52
	42"(1067mm)	42"(1067mm)	TCRN-4242-						908.36	1236.97	1016.33	1344.94	1868.18	2326.49	2093.72	2614.19
	48"(1219mm)	48"(1219mm)	TCRN-4848-						1021.64	1389.13	1138.46	1505.95	2228.06	2855.61	2518.67	3236.41
29"(737mm)	24"(610mm)	24"(610mm)	TCRN-2424-						\$ 675.84	\$ 887.81	\$ 764.34	\$ 976.31	\$1082.58	\$1200.18	\$1161.51	\$1285.78
	30"(762mm)	30"(762mm)	TCRN-3030-						746.40	997.25	840.21	1091.06	1306.38	1509.62	1426.08	1649.70
	36"(914mm)	36"(914mm)	TCRN-3636-						831.20	1120.93	931.50	1221.23	1575.54	1892.01	1744.11	2099.40
	42"(1067mm)	42"(1067mm)	TCRN-4242-						930.24	1258.85	1038.21	1366.82	1890.06	2348.37	2115.60	2636.07
	48"(1219mm)	48"(1219mm)	TCRN-4848-						1043.52	1411.01	1160.34	1527.83	2249.94	2877.49	2540.55	3258.29
36"(914mm)	24"(610mm)	24"(610mm)	TCRN-2424-						\$ 669.19	\$ 881.16	\$ 757.69	\$ 969.66	\$1075.93	\$1193.53	\$1154.86	\$1279.13
	30"(762mm)	30"(762mm)	TCRN-3030-						739.75	990.60	833.56	1084.41	1299.73	1502.97	1419.43	1643.05
	36"(914mm)	36"(914mm)	TCRN-3636-						824.55	1114.28	924.85	1214.58	1568.89	1885.36	1737.46	2092.75
	42"(1067mm)	42"(1067mm)	TCRN-4242-						923.59	1252.20	1031.56	1360.17	1883.41	2341.72	2108.95	2629.42
	48"(1219mm)	48"(1219mm)	TCRN-4848-						1036.87	1404.36	1153.69	1521.18	2243.29	2870.84	2533.90	3251.64
42"(1067mm)	24"(610mm)	24"(610mm)	TCRN-2424-						\$ 683.86	\$ 895.83	\$ 772.36	\$ 984.33	\$1090.60	\$1208.20	\$1169.53	\$1293.80
	30"(762mm)	30"(762mm)	TCRN-3030-						754.42	1005.27	848.23	1099.08	1314.40	1517.64	1434.10	1657.72
	36"(914mm)	36"(914mm)	TCRN-3636-						839.22	1128.95	939.52	1229.25	1583.56	1900.03	1752.13	2107.42
	42"(1067mm)	42"(1067mm)	TCRN-4242-						938.26	1266.87	1046.23	1374.84	1898.08	2356.39	2123.62	2644.09
	48"(1219mm)	48"(1219mm)	TCRN-4848-						1051.54	1419.03	1168.36	1535.85	2257.96	2885.51	2548.57	3266.31
Base — Power Ready																
16"(406mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S			\$ 957.76	\$1169.73	\$1046.26	\$1258.23	\$1364.50	\$1482.10	\$1443.43	\$1567.70
	30"(762mm)	30"(762mm)	TCRN-3030-			S			1028.32	1279.17	1122.13	1372.98	1588.30	1791.54	1708.00	1931.62
	36"(914mm)	36"(914mm)	TCRN-3636-			S			1113.12	1402.85	1213.42	1503.15	1857.46	2173.93	2026.03	2381.32
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S			1212.16	1540.77	1320.13	1648.74	2171.98	2630.29	2397.52	2917.99
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S			1325.44	1692.93	1442.26	1809.75	2531.86	3159.41	2822.47	3540.21
20"(508mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S			\$ 965.10	\$1177.07	\$1053.60	\$1265.57	\$1371.84	\$1489.44	\$1450.77	\$1575.04
	30"(762mm)	30"(762mm)	TCRN-3030-			S			1035.66	1286.51	1129.47	1380.32	1595.64	1798.88	1715.34	1938.96
	36"(914mm)	36"(914mm)	TCRN-3636-			S			1120.46	1410.19	1220.76	1510.49	1864.80	2181.27	2033.37	2388.66
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S			1219.50	1548.11	1327.47	1656.08	2179.32	2637.63	2404.86	2925.33
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S			1332.78	1700.27	1449.60	1817.09	2539.20	3166.75	2829.81	3547.55
29"(737mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S		X	\$ 986.98	\$1198.95	\$1075.48	\$1287.45	\$1393.72	\$1511.32	\$1472.65	\$1596.92
	30"(762mm)	30"(762mm)	TCRN-3030-			S		X	1057.54	1308.39	1151.35	1402.20	1617.52	1820.76	1737.22	1960.84
	36"(914mm)	36"(914mm)	TCRN-3636-			S		X	1142.34	1432.07	1242.64	1532.37	1886.68	2203.15	2055.25	2410.54
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S		X	1241.38	1569.99	1349.35	1677.96	2201.20	2659.51	2426.74	2947.21
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S		X	1354.66	1722.15	1471.48	1838.97	2561.08	3188.63	2851.69	3569.43
36"(914mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S		X	\$ 980.33	\$1192.30	\$1068.83	\$1280.80	\$1387.07	\$1504.67	\$1466.00	\$1590.27
	30"(762mm)	30"(762mm)	TCRN-3030-			S		X	1050.89	1301.74	1144.70	1395.55	1610.87	1814.11	1730.57	1954.19
	36"(914mm)	36"(914mm)	TCRN-3636-			S		X	1135.69	1425.42	1235.99	1525.72	1880.03	2196.50	2048.60	2403.89
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S		X	1234.73	1563.34	1342.70	1671.31	2194.55	2652.86	2420.09	2940.56
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S		X	1348.01	1715.50	1464.83	1832.32	2554.43	3181.98	2845.04	3562.78
42"(1067mm)	24"(610mm)	24"(610mm)	TCRN-2424-			S		X	\$ 995.00	\$1206.97	\$1083.50	\$1295.47	\$1401.74	\$1519.34	\$1480.67	\$1604.94
	30"(762mm)	30"(762mm)	TCRN-3030-			S		X	1065.56	1316.41	1159.37	1410.22	1625.54	1828.78	1745.24	1968.86
	36"(914mm)	36"(914mm)	TCRN-3636-			S		X	1150.36	1440.09	1250.66	1540.39	1894.70	2211.17	2063.27	2418.56
	42"(1067mm)	42"(1067mm)	TCRN-4242-			S		X	1249.40	1578.01	1357.37	1685.98	2209.22	2667.53	2434.76	2955.23
	48"(1219mm)	48"(1219mm)	TCRN-4848-			S		X	1362.68	1730.17	1479.50	1846.99	2569.10	3196.65	2859.71	3577.45

Jive Table — X-Base

Square – Laminate or Wood



TCRQ-SNXF (Base - Power Ready)



TCRQ-SNX_ (Base - No Power)

Features

- Includes 1.18”(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16”(406mm), 20”(508mm), 29”(737mm), 36”(914mm) and 42”(1067mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Base Sizes:
 - 24”(610mm) tops include 22”(559mm) X-Base
 - 30”(762mm) tops include 28”(711mm) X-Base
 - 36”(914mm) tops include 31”(787mm) X-Base
 - 42”(1067mm) tops include 37”(940mm) X-Base
 - 48”(1219mm) tops include 37”(940mm) X-Base
- **Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (R) option for a Centered, Flush Mount Power - Round
- Power Ready Base:
 - Allows for cord management through the X-Base.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (available 29”(737mm), 36”(914mm), and 42”(1067mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available 29”(737mm), 36”(914mm), and 42”(1067mm) high tables)
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout Option:

- N** No Cutout (No Power or Power Ready)
- R** 3”(76mm) Cutout (Power Ready base option only) add **\$45.84** list

4 Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished, add **\$63.50** list

- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.


Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — X Base
Square – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B			
									J	F	J	F	K	U	K	U		
Base — No Power																		
16″(406mm)	24″(610mm)	24″(610mm)	TCRQ-2424-	■	■	■	■	■	SNXG1	■	\$ 646.62	\$ 858.59	\$ 735.12	\$ 947.09	\$1053.36	\$1170.96	\$1132.29	\$1256.56
	30″(762mm)	30″(762mm)	TCRQ-3030-	■	■	■	■	■	SNXG1	■	717.18	968.03	810.99	1061.84	1277.16	1480.40	1396.86	1620.48
	36″(914mm)	36″(914mm)	TCRQ-3636-	■	■	■	■	■	SNXG1	■	801.98	1091.71	902.28	1192.01	1546.32	1862.79	1714.89	2070.18
	42″(1067mm)	42″(1067mm)	TCRQ-4242-	■	■	■	■	■	SNXG1	■	901.02	1229.63	1008.99	1337.60	1860.84	2319.15	2086.38	2606.85
	48″(1219mm)	48″(1219mm)	TCRQ-4848-	■	■	■	■	■	SNXG1	■	1014.30	1381.79	1131.12	1498.61	2220.72	2848.27	2511.33	3229.07
20″(508mm)	24″(610mm)	24″(610mm)	TCRQ-2424-	■	■	■	■	■	SNXG2	■	\$ 653.96	\$ 865.93	\$ 742.46	\$ 954.43	\$1060.70	\$1178.30	\$1139.63	\$1263.90
	30″(762mm)	30″(762mm)	TCRQ-3030-	■	■	■	■	■	SNXG2	■	724.52	975.37	818.33	1069.18	1284.50	1487.74	1404.20	1627.82
	36″(914mm)	36″(914mm)	TCRQ-3636-	■	■	■	■	■	SNXG2	■	809.32	1099.05	909.62	1199.35	1553.66	1870.13	1722.23	2077.52
	42″(1067mm)	42″(1067mm)	TCRQ-4242-	■	■	■	■	■	SNXG2	■	908.36	1236.97	1016.33	1344.94	1868.18	2326.49	2093.72	2614.19
	48″(1219mm)	48″(1219mm)	TCRQ-4848-	■	■	■	■	■	SNXG2	■	1021.64	1389.13	1138.46	1505.95	2228.06	2855.61	2518.67	3236.41
29″(737mm)	24″(610mm)	24″(610mm)	TCRQ-2424-	■	■	■	■	■	SNX	4	\$ 675.84	\$ 887.81	\$ 764.34	\$ 976.31	\$1082.58	\$1200.18	\$1161.51	\$1285.78
	30″(762mm)	30″(762mm)	TCRQ-3030-	■	■	■	■	■	SNX	4	746.40	997.25	840.21	1091.06	1306.38	1509.62	1426.08	1649.70
	36″(914mm)	36″(914mm)	TCRQ-3636-	■	■	■	■	■	SNX	4	831.20	1120.93	931.50	1221.23	1575.54	1892.01	1744.11	2099.40
	42″(1067mm)	42″(1067mm)	TCRQ-4242-	■	■	■	■	■	SNX	4	930.24	1258.85	1038.21	1366.82	1890.06	2348.37	2115.60	2636.07
	48″(1219mm)	48″(1219mm)	TCRQ-4848-	■	■	■	■	■	SNX	4	1043.52	1411.01	1160.34	1527.83	2249.94	2877.49	2540.55	3258.29
36″(914mm)	24″(610mm)	24″(610mm)	TCRQ-2424-	■	■	■	■	■	SNX	6	\$ 669.19	\$ 881.16	\$ 757.69	\$ 969.66	\$1075.93	\$1193.53	\$1154.86	\$1279.13
	30″(762mm)	30″(762mm)	TCRQ-3030-	■	■	■	■	■	SNX	6	739.75	990.60	833.56	1084.41	1299.73	1502.97	1419.43	1643.05
	36″(914mm)	36″(914mm)	TCRQ-3636-	■	■	■	■	■	SNX	6	824.55	1114.28	924.85	1214.58	1568.89	1885.36	1737.46	2092.75
	42″(1067mm)	42″(1067mm)	TCRQ-4242-	■	■	■	■	■	SNX	6	923.59	1252.20	1031.56	1360.17	1883.41	2341.72	2108.95	2629.42
	48″(1219mm)	48″(1219mm)	TCRQ-4848-	■	■	■	■	■	SNX	6	1036.87	1404.36	1153.69	1521.18	2243.29	2870.84	2533.90	3251.64
42″(1067mm)	24″(610mm)	24″(610mm)	TCRQ-2424-	■	■	■	■	■	SNX	7	\$ 683.86	\$ 895.83	\$ 772.36	\$ 984.33	\$1090.60	\$1208.20	\$1169.53	\$1293.80
	30″(762mm)	30″(762mm)	TCRQ-3030-	■	■	■	■	■	SNX	7	754.42	1005.27	848.23	1099.08	1314.40	1517.64	1434.10	1657.72
	36″(914mm)	36″(914mm)	TCRQ-3636-	■	■	■	■	■	SNX	7	839.22	1128.95	939.52	1229.25	1583.56	1900.03	1752.13	2107.42
	42″(1067mm)	42″(1067mm)	TCRQ-4242-	■	■	■	■	■	SNX	7	938.26	1266.87	1046.23	1374.84	1898.08	2356.39	2123.62	2644.09
	48″(1219mm)	48″(1219mm)	TCRQ-4848-	■	■	■	■	■	SNX	7	1051.54	1419.03	1168.36	1535.85	2257.96	2885.51	2548.57	3266.31
Base — Power Ready																		
16″(406mm)	24″(610mm)	24″(610mm)	TCRQ-2424-	■	■	■	■	■	S	■	\$ 957.76	\$1169.73	\$1046.26	\$1258.23	\$1364.50	\$1482.10	\$1443.43	\$1567.70
	30″(762mm)	30″(762mm)	TCRQ-3030-	■	■	■	■	■	S	■	1028.32	1279.17	1122.13	1372.98	1588.30	1791.54	1708.00	1931.62
	36″(914mm)	36″(914mm)	TCRQ-3636-	■	■	■	■	■	S	■	1113.12	1402.85	1213.42	1503.15	1857.46	2173.93	2026.03	2381.32
	42″(1067mm)	42″(1067mm)	TCRQ-4242-	■	■	■	■	■	S	■	1212.16	1540.77	1320.13	1648.74	2171.98	2630.29	2397.52	2917.99
	48″(1219mm)	48″(1219mm)	TCRQ-4848-	■	■	■	■	■	S	■	1325.44	1692.93	1442.26	1809.75	2531.86	3159.41	2822.47	3540.21
20″(508mm)	24″(610mm)	24″(610mm)	TCRQ-2424-	■	■	■	■	■	S	■	\$ 965.10	\$1177.07	\$1053.60	\$1265.57	\$1371.84	\$1489.44	\$1450.77	\$1575.04
	30″(762mm)	30″(762mm)	TCRQ-3030-	■	■	■	■	■	S	■	1035.66	1286.51	1129.47	1380.32	1595.64	1798.88	1715.34	1938.96
	36″(914mm)	36″(914mm)	TCRQ-3636-	■	■	■	■	■	S	■	1120.46	1410.19	1220.76	1510.49	1864.80	2181.27	2033.37	2388.66
	42″(1067mm)	42″(1067mm)	TCRQ-4242-	■	■	■	■	■	S	■	1219.50	1548.11	1327.47	1656.08	2179.32	2637.63	2404.86	2925.33
	48″(1219mm)	48″(1219mm)	TCRQ-4848-	■	■	■	■	■	S	■	1332.78	1700.27	1449.60	1817.09	2539.20	3166.75	2829.81	3547.55
29″(737mm)	24″(610mm)	24″(610mm)	TCRQ-2424-	■	■	■	■	■	S	■	\$ 986.98	\$1198.95	\$1075.48	\$1287.45	\$1393.72	\$1511.32	\$1472.65	\$1596.92
	30″(762mm)	30″(762mm)	TCRQ-3030-	■	■	■	■	■	S	■	1057.54	1308.39	1151.35	1402.20	1617.52	1820.76	1737.22	1960.84
	36″(914mm)	36″(914mm)	TCRQ-3636-	■	■	■	■	■	S	■	1142.34	1432.07	1242.64	1532.37	1886.68	2203.15	2055.25	2410.54
	42″(1067mm)	42″(1067mm)	TCRQ-4242-	■	■	■	■	■	S	■	1241.38	1569.99	1349.35	1677.96	2201.20	2659.51	2426.74	2947.21
	48″(1219mm)	48″(1219mm)	TCRQ-4848-	■	■	■	■	■	S	■	1354.66	1722.15	1471.48	1838.97	2561.08	3188.63	2851.69	3569.43
36″(914mm)	24″(610mm)	24″(610mm)	TCRQ-2424-	■	■	■	■	■	S	■	\$ 980.33	\$1192.30	\$1068.83	\$1280.80	\$1387.07	\$1504.67	\$1466.00	\$1590.27
	30″(762mm)	30″(762mm)	TCRQ-3030-	■	■	■	■	■	S	■	1050.89	1301.74	1144.70	1395.55	1610.87	1814.11	1730.57	1954.19
	36″(914mm)	36″(914mm)	TCRQ-3636-	■	■	■	■	■	S	■	1135.69	1425.42	1235.99	1525.72	1880.03	2196.50	2048.60	2403.89
	42″(1067mm)	42″(1067mm)	TCRQ-4242-	■	■	■	■	■	S	■	1234.73	1563.34	1342.70	1671.31	2194.55	2652.86	2420.09	2940.56
	48″(1219mm)	48″(1219mm)	TCRQ-4848-	■	■	■	■	■	S	■	1348.01	1715.50	1464.83	1832.32	2554.43	3181.98	2845.04	3562.78
42″(1067mm)	24″(610mm)	24″(610mm)	TCRQ-2424-	■	■	■	■	■	S	■	\$ 995.00	\$1206.97	\$1083.50	\$1295.47	\$1401.74	\$1519.34	\$1480.67	\$1604.94
	30″(762mm)	30″(762mm)	TCRQ-3030-	■	■	■	■	■	S	■	1065.56	1316.41	1159.37	1410.22	1625.54	1828.78	1745.24	1968.86
	36″(914mm)	36″(914mm)	TCRQ-3636-	■	■	■	■	■	S	■	1150.36	1440.09	1250.66	1540.39	1894.70	2211.17	2063.27	2418.56
	42″(1067mm)	42″(1067mm)	TCRQ-4242-	■	■	■	■	■	S	■	1249.40	1578.01	1357.37	1685.98	2209.22	2667.53	2434.76	2955.23
	48″(1219mm)	48″(1219mm)	TCRQ-4848-	■	■	■	■	■	S	■	1362.68	1730.17	1479.50	1846.99	2569.10	3196.65	2859.71	3577.45

Jive Table — X-Base

Pebble – Laminate or Wood



TCRP-SNXF (Base — Power Ready)



TCRP-SNX_ (Base — No Power)

Features

- Includes 1.18”(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16”(406mm), 20”(508mm), 29”(737mm), 36”(914mm) and 42”(1067mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Base Sizes:
 - 24”(610mm) tops include 22”(559mm) X-Base
 - 30”(762mm) tops include 28”(711mm) X-Base
 - 36”(914mm) tops include 31”(787mm) X-Base
 - 42”(1067mm) tops include 37”(940mm) X-Base
 - 48”(1219mm) tops include 37”(940mm) X-Base
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (R) option for a Centered, Flush Mount Power - Round
- Power Ready Base:
 - Allows for cord management through the X-Base.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (available 29”(737mm), 36”(914mm), and 42”(1067mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available 29”(737mm), 36”(914mm), and 42”(1067mm) high tables)
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout Option:

- N** No Cutout (No Power or Power Ready)
- R** 3”(76mm) Cutout (Power Ready base option only) add **\$45.84** list

4 Base and Wire Management Option:

Base — No Power:

- C** Casters, add **\$22.32** list
- G** Glides

Base — Power Ready:

- J** Casters, add **\$22.32** list
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished, add **\$63.50** list

- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.


Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — X-Base
Pebble – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B		
									J	F	J	F	K	U	K	U	
Base — No Power																	
16″(406mm)	24″(610mm)	24″(610mm)	TCRP-2424-	■	■	■	■	■	SNXG1	\$ 646.62	\$ 858.59	\$ 735.12	\$ 947.09	\$1053.36	\$1170.96	\$1132.29	\$1256.56
	30″(762mm)	30″(762mm)	TCRP-3030-	■	■	■	■	■	SNXG1	717.18	968.03	810.99	1061.84	1277.16	1480.40	1396.86	1620.48
	36″(914mm)	36″(914mm)	TCRP-3636-	■	■	■	■	■	SNXG1	801.98	1091.71	902.28	1192.01	1546.32	1862.79	1714.89	2070.18
	42″(1067mm)	42″(1067mm)	TCRP-4242-	■	■	■	■	■	SNXG1	901.02	1229.63	1008.99	1337.60	1860.84	2319.15	2086.38	2606.85
	48″(1219mm)	48″(1219mm)	TCRP-4848-	■	■	■	■	■	SNXG1	1014.30	1381.79	1131.12	1498.61	2220.72	2848.27	2511.33	3229.07
20″(508mm)	24″(610mm)	24″(610mm)	TCRP-2424-	■	■	■	■	■	SNXG2	\$ 653.96	\$ 865.93	\$ 742.46	\$ 954.43	\$1060.70	\$1178.30	\$1139.63	\$1263.90
	30″(762mm)	30″(762mm)	TCRP-3030-	■	■	■	■	■	SNXG2	724.52	975.37	818.33	1069.18	1284.50	1487.74	1404.20	1627.82
	36″(914mm)	36″(914mm)	TCRP-3636-	■	■	■	■	■	SNXG2	809.32	1099.05	909.62	1199.35	1553.66	1870.13	1722.23	2077.52
	42″(1067mm)	42″(1067mm)	TCRP-4242-	■	■	■	■	■	SNXG2	908.36	1236.97	1016.33	1344.94	1868.18	2326.49	2093.72	2614.19
	48″(1219mm)	48″(1219mm)	TCRP-4848-	■	■	■	■	■	SNXG2	1021.64	1389.13	1138.46	1505.95	2228.06	2855.61	2518.67	3236.41
29″(737mm)	24″(610mm)	24″(610mm)	TCRP-2424-	■	■	■	■	■	SNX 4	\$ 675.84	\$ 887.81	\$ 764.34	\$ 976.31	\$1082.58	\$1200.18	\$1161.51	\$1285.78
	30″(762mm)	30″(762mm)	TCRP-3030-	■	■	■	■	■	SNX 4	746.40	997.25	840.21	1091.06	1306.38	1509.62	1426.08	1649.70
	36″(914mm)	36″(914mm)	TCRP-3636-	■	■	■	■	■	SNX 4	831.20	1120.93	931.50	1221.23	1575.54	1892.01	1744.11	2099.40
	42″(1067mm)	42″(1067mm)	TCRP-4242-	■	■	■	■	■	SNX 4	930.24	1258.85	1038.21	1366.82	1890.06	2348.37	2115.60	2636.07
	48″(1219mm)	48″(1219mm)	TCRP-4848-	■	■	■	■	■	SNX 4	1043.52	1411.01	1160.34	1527.83	2249.94	2877.49	2540.55	3258.29
36″(914mm)	24″(610mm)	24″(610mm)	TCRP-2424-	■	■	■	■	■	SNX 6	\$ 669.19	\$ 881.16	\$ 757.69	\$ 969.66	\$1075.93	\$1193.53	\$1154.86	\$1279.13
	30″(762mm)	30″(762mm)	TCRP-3030-	■	■	■	■	■	SNX 6	739.75	990.60	833.56	1084.41	1299.73	1502.97	1419.43	1643.05
	36″(914mm)	36″(914mm)	TCRP-3636-	■	■	■	■	■	SNX 6	824.55	1114.28	924.85	1214.58	1568.89	1885.36	1737.46	2092.75
	42″(1067mm)	42″(1067mm)	TCRP-4242-	■	■	■	■	■	SNX 6	923.59	1252.20	1031.56	1360.17	1883.41	2341.72	2108.95	2629.42
	48″(1219mm)	48″(1219mm)	TCRP-4848-	■	■	■	■	■	SNX 6	1036.87	1404.36	1153.69	1521.18	2243.29	2870.84	2533.90	3251.64
42″(1067mm)	24″(610mm)	24″(610mm)	TCRP-2424-	■	■	■	■	■	SNX 7	\$ 683.86	\$ 895.83	\$ 772.36	\$ 984.33	\$1090.60	\$1208.20	\$1169.53	\$1293.80
	30″(762mm)	30″(762mm)	TCRP-3030-	■	■	■	■	■	SNX 7	754.42	1005.27	848.23	1099.08	1314.40	1517.64	1434.10	1657.72
	36″(914mm)	36″(914mm)	TCRP-3636-	■	■	■	■	■	SNX 7	839.22	1128.95	939.52	1229.25	1583.56	1900.03	1752.13	2107.42
	42″(1067mm)	42″(1067mm)	TCRP-4242-	■	■	■	■	■	SNX 7	938.26	1266.87	1046.23	1374.84	1898.08	2356.39	2123.62	2644.09
	48″(1219mm)	48″(1219mm)	TCRP-4848-	■	■	■	■	■	SNX 7	1051.54	1419.03	1168.36	1535.85	2257.96	2885.51	2548.57	3266.31
Base — Power Ready																	
16″(406mm)	24″(610mm)	24″(610mm)	TCRP-2424-	■	■	■	■	■	S XK1	\$ 957.76	\$1169.73	\$1046.26	\$1258.23	\$1364.50	\$1482.10	\$1443.43	\$1567.70
	30″(762mm)	30″(762mm)	TCRP-3030-	■	■	■	■	■	S XK1	1028.32	1279.17	1122.13	1372.98	1588.30	1791.54	1708.00	1931.62
	36″(914mm)	36″(914mm)	TCRP-3636-	■	■	■	■	■	S XK1	1113.12	1402.85	1213.42	1503.15	1857.46	2173.93	2026.03	2381.32
	42″(1067mm)	42″(1067mm)	TCRP-4242-	■	■	■	■	■	S XK1	1212.16	1540.77	1320.13	1648.74	2171.98	2630.29	2397.52	2917.99
	48″(1219mm)	48″(1219mm)	TCRP-4848-	■	■	■	■	■	S XK1	1325.44	1692.93	1442.26	1809.75	2531.86	3159.41	2822.47	3540.21
20″(508mm)	24″(610mm)	24″(610mm)	TCRP-2424-	■	■	■	■	■	S XK2	\$ 965.10	\$1177.07	\$1053.60	\$1265.57	\$1371.84	\$1489.44	\$1450.77	\$1575.04
	30″(762mm)	30″(762mm)	TCRP-3030-	■	■	■	■	■	S XK2	1035.66	1286.51	1129.47	1380.32	1595.64	1798.88	1715.34	1938.96
	36″(914mm)	36″(914mm)	TCRP-3636-	■	■	■	■	■	S XK2	1120.46	1410.19	1220.76	1510.49	1864.80	2181.27	2033.37	2388.66
	42″(1067mm)	42″(1067mm)	TCRP-4242-	■	■	■	■	■	S XK2	1219.50	1548.11	1327.47	1656.08	2179.32	2637.63	2404.86	2925.33
	48″(1219mm)	48″(1219mm)	TCRP-4848-	■	■	■	■	■	S XK2	1332.78	1700.27	1449.60	1817.09	2539.20	3166.75	2829.81	3547.55
29″(737mm)	24″(610mm)	24″(610mm)	TCRP-2424-	■	■	■	■	■	S X 4	\$ 986.98	\$1198.95	\$1075.48	\$1287.45	\$1393.72	\$1511.32	\$1472.65	\$1596.92
	30″(762mm)	30″(762mm)	TCRP-3030-	■	■	■	■	■	S X 4	1057.54	1308.39	1151.35	1402.20	1617.52	1820.76	1737.22	1960.84
	36″(914mm)	36″(914mm)	TCRP-3636-	■	■	■	■	■	S X 4	1142.34	1432.07	1242.64	1532.37	1886.68	2203.15	2055.25	2410.54
	42″(1067mm)	42″(1067mm)	TCRP-4242-	■	■	■	■	■	S X 4	1241.38	1569.99	1349.35	1677.96	2201.20	2659.51	2426.74	2947.21
	48″(1219mm)	48″(1219mm)	TCRP-4848-	■	■	■	■	■	S X 4	1354.66	1722.15	1471.48	1838.97	2561.08	3188.63	2851.69	3569.43
36″(914mm)	24″(610mm)	24″(610mm)	TCRP-2424-	■	■	■	■	■	S X 6	\$ 980.33	\$1192.30	\$1068.83	\$1280.80	\$1387.07	\$1504.67	\$1466.00	\$1590.27
	30″(762mm)	30″(762mm)	TCRP-3030-	■	■	■	■	■	S X 6	1050.89	1301.74	1144.70	1395.55	1610.87	1814.11	1730.57	1954.19
	36″(914mm)	36″(914mm)	TCRP-3636-	■	■	■	■	■	S X 6	1135.69	1425.42	1235.99	1525.72	1880.03	2196.50	2048.60	2403.89
	42″(1067mm)	42″(1067mm)	TCRP-4242-	■	■	■	■	■	S X 6	1234.73	1563.34	1342.70	1671.31	2194.55	2652.86	2420.09	2940.56
	48″(1219mm)	48″(1219mm)	TCRP-4848-	■	■	■	■	■	S X 6	1348.01	1715.50	1464.83	1832.32	2554.43	3181.98	2845.04	3562.78
42″(1067mm)	24″(610mm)	24″(610mm)	TCRP-2424-	■	■	■	■	■	S X 7	\$ 995.00	\$1206.97	\$1083.50	\$1295.47	\$1401.74	\$1519.34	\$1480.67	\$1604.94
	30″(762mm)	30″(762mm)	TCRP-3030-	■	■	■	■	■	S X 7	1065.56	1316.41	1159.37	1410.22	1625.54	1828.78	1745.24	1968.86
	36″(914mm)	36″(914mm)	TCRP-3636-	■	■	■	■	■	S X 7	1150.36	1440.09	1250.66	1540.39	1894.70	2211.17	2063.27	2418.56
	42″(1067mm)	42″(1067mm)	TCRP-4242-	■	■	■	■	■	S X 7	1249.40	1578.01	1357.37	1685.98	2209.22	2667.53	2434.76	2955.23
	48″(1219mm)	48″(1219mm)	TCRP-4848-	■	■	■	■	■	S X 7	1362.68	1730.17	1479.50	1846.99	2569.10	3196.65	2859.71	3577.45

Jive Table — X-Base

Rectangle – Laminate or Wood



TCRA-SNXF (Base — Power Ready)



TCRA-SNX_ (Base — No Power)

Features

- Includes 1.18”(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16”(406mm), 20”(508mm), 29”(737mm), 36”(914mm) and 42”(1067mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Base Sizes:
 - 24”(610mm) tops include 22”(559mm) X-Base
 - 30”(762mm) tops include 28”(711mm) X-Base
 - 36”(914mm) tops include 31”(787mm) X-Base
 - 42”(1067mm) tops include 37”(940mm) X-Base
 - 48”(1219mm) tops include 37”(940mm) X-Base
- **Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (R) option for a Centered, Flush Mount Power - Round
- Power Ready Base:
 - Allows for cord management through the X-Base.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (available 29”(737mm), 36”(914mm), and 42”(1067mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available 29”(737mm), 36”(914mm), and 42”(1067mm) high tables)
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout Option:

- N** No Cutout (No Power or Power Ready)
- R** 3”(76mm) Cutout (Power Ready base option only) add **\$45.84** list

4 Base and Wire Management Option:

Base — No Power:

- C** Casters, add **\$22.32** list
- G** Glides

Base — Power Ready:

- J** Casters, add **\$22.32** list
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished, add **\$63.50** list

- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.


Jive Table — X Base
Rectangle – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B		
									J	F	J	F	K	U	K	U	
Base — No Power																	
16″(406mm)	24″(610mm)	30″(762mm)	TCRA-2430-					SNXG1		\$ 662.45	\$ 862.37	\$ 757.44	\$ 957.36	\$1236.26	\$1478.69	\$1358.40	\$1629.17
		36″(914mm)	TCRA-2436-					SNXG1		694.75	917.61	792.10	1014.96	1338.59	1610.75	1479.48	1784.51
	30″(762mm)	36″(914mm)	TCRA-3036-					SNXG1		740.25	979.74	841.14	1080.63	1483.09	1776.83	1650.13	1980.02
		42″(1067mm)	TCRA-3042-					SNXG1		780.02	1044.56	883.86	1148.40	1609.17	1935.36	1799.24	2166.53
20″(508mm)	24″(610mm)	30″(762mm)	TCRA-2430-					SNXG2		\$ 669.79	\$ 869.71	\$ 764.78	\$ 964.70	\$1243.60	\$1486.03	\$1365.74	\$1636.51
		36″(914mm)	TCRA-2436-					SNXG2		702.09	924.95	799.44	1022.30	1345.93	1618.09	1486.82	1791.85
	30″(762mm)	36″(914mm)	TCRA-3036-					SNXG2		747.59	987.08	848.48	1087.97	1490.43	1784.17	1657.47	1987.36
		42″(1067mm)	TCRA-3042-					SNXG2		787.36	1051.90	891.20	1155.74	1616.51	1942.70	1806.58	2173.87
29″(737mm)	24″(610mm)	30″(762mm)	TCRA-2430-					SNX	4	\$ 691.67	\$ 891.59	\$ 786.66	\$ 986.58	\$1265.48	\$1507.91	\$1387.62	\$1658.39
		36″(914mm)	TCRA-2436-					SNX	4	723.97	946.83	821.32	1044.18	1367.81	1639.97	1508.70	1813.73
	30″(762mm)	36″(914mm)	TCRA-3036-					SNX	4	769.47	1008.96	870.36	1109.85	1512.31	1806.05	1679.35	2009.24
		42″(1067mm)	TCRA-3042-					SNX	4	809.24	1073.78	913.08	1177.62	1638.39	1964.58	1828.46	2195.75
36″(914mm)	24″(610mm)	30″(762mm)	TCRA-2430-					SNX	6	\$ 685.02	\$ 884.94	\$ 780.01	\$ 979.93	\$1258.83	\$1501.26	\$1380.97	\$1651.74
		36″(914mm)	TCRA-2436-					SNX	6	717.32	940.18	814.67	1037.53	1361.16	1633.32	1502.05	1807.08
	30″(762mm)	36″(914mm)	TCRA-3036-					SNX	6	762.82	1002.31	863.71	1103.20	1505.66	1799.40	1672.70	2002.59
		42″(1067mm)	TCRA-3042-					SNX	6	802.59	1067.13	906.43	1170.97	1631.74	1957.93	1821.81	2189.10
42″(1067mm)	24″(610mm)	30″(762mm)	TCRA-2430-					SNX	7	\$ 699.69	\$ 899.61	\$ 794.68	\$ 994.60	\$1273.50	\$1515.93	\$1395.64	\$1666.41
		36″(914mm)	TCRA-2436-					SNX	7	731.99	954.85	829.34	1052.20	1375.83	1647.99	1516.72	1821.75
	30″(762mm)	36″(914mm)	TCRA-3036-					SNX	7	777.49	1016.98	878.38	1117.87	1520.33	1814.07	1687.37	2017.26
		42″(1067mm)	TCRA-3042-					SNX	7	817.26	1081.80	921.10	1185.64	1646.41	1972.60	1836.48	2203.77
Base — Power Ready																	
16″(406mm)	24″(610mm)	30″(762mm)	TCRA-2430-					S		XK1		\$ 973.59	\$1173.51	\$1068.58	\$1268.50	\$1547.40	\$1789.83
		36″(914mm)	TCRA-2436-					S		XK1		1005.89	1228.75	1103.24	1326.10	1649.73	1921.89
	30″(762mm)	36″(914mm)	TCRA-3036-					S		XK1		1051.39	1290.88	1152.28	1391.77	1794.23	2087.97
		42″(1067mm)	TCRA-3042-					S		XK1		1091.16	1355.70	1195.00	1459.54	1920.31	2246.50
20″(508mm)	24″(610mm)	30″(762mm)	TCRA-2430-					S		XK2		\$ 980.93	\$1180.85	\$1075.92	\$1275.84	\$1554.74	\$1797.17
		36″(914mm)	TCRA-2436-					S		XK2		1013.23	1236.09	1110.58	1333.44	1657.07	1929.23
	30″(762mm)	36″(914mm)	TCRA-3036-					S		XK2		1058.73	1298.22	1159.62	1399.11	1801.57	2095.31
		42″(1067mm)	TCRA-3042-					S		XK2		1098.50	1363.04	1202.34	1466.88	1927.65	2253.84
29″(737mm)	24″(610mm)	30″(762mm)	TCRA-2430-					S		X	4	\$1002.81	\$1202.73	\$1097.80	\$1297.72	\$1576.62	\$1819.05
		36″(914mm)	TCRA-2436-					S		X	4	1035.11	1257.97	1132.46	1355.32	1678.95	1951.11
	30″(762mm)	36″(914mm)	TCRA-3036-					S		X	4	1080.61	1320.10	1181.50	1420.99	1823.45	2117.19
		42″(1067mm)	TCRA-3042-					S		X	4	1120.38	1384.92	1224.22	1488.76	1949.53	2275.72
36″(914mm)	24″(610mm)	30″(762mm)	TCRA-2430-					S		X	6	\$ 996.16	\$1196.08	\$1091.15	\$1291.07	\$1569.97	\$1812.40
		36″(914mm)	TCRA-2436-					S		X	6	1028.46	1251.32	1125.81	1348.67	1672.30	1944.46
	30″(762mm)	36″(914mm)	TCRA-3036-					S		X	6	1073.96	1313.45	1174.85	1414.34	1816.80	2110.54
		42″(1067mm)	TCRA-3042-					S		X	6	1113.73	1378.27	1217.57	1482.11	1942.88	2269.07
42″(1067mm)	24″(610mm)	30″(762mm)	TCRA-2430-					S		X	7	\$1010.83	\$1210.75	\$1105.82	\$1305.74	\$1584.64	\$1827.07
		36″(914mm)	TCRA-2436-					S		X	7	1043.13	1265.99	1140.48	1363.34	1686.97	1959.13
	30″(762mm)	36″(914mm)	TCRA-3036-					S		X	7	1088.63	1328.12	1189.52	1429.01	1831.47	2125.21
		42″(1067mm)	TCRA-3042-					S		X	7	1128.40	1392.94	1232.24	1496.78	1957.55	2283.74


Jive Table — Bridge Base

Round – Laminate or Wood

No. of Columns	Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B	
									J	F	J	F	K	U	K	U
Base — No Power — No Cutout																
4	20″(508mm)	48″(1219mm)	48″(1219mm)	TCRN-4848-			S	GG2	\$1598.51	\$1966.00	\$1598.51	\$1966.00	\$2804.93	\$3432.48	\$3095.54	\$3813.28
4		54″(1372mm)	54″(1372mm)	TCRN-5454-			S	GG2	1726.03	2132.40	1726.03	2132.40	3210.17	4034.92	3573.95	4521.70
4		60″(1524mm)	60″(1524mm)	TCRN-6060-			S	GG2	1867.79	2313.04	1867.79	2313.04	3660.77	4711.60	4105.82	5317.41
4	29″(737mm)	48″(1219mm)	48″(1219mm)	TCRN-4848-			S	GG4	\$1635.18	\$2002.67	\$1752.00	\$2119.49	\$2841.60	\$3469.15	\$3132.21	\$3849.95
4		54″(1372mm)	54″(1372mm)	TCRN-5454-			S	GG4	1762.70	2169.07	1762.70	2169.07	3246.84	4071.59	3610.62	4558.37
4		60″(1524mm)	60″(1524mm)	TCRN-6060-			S	GG4	1904.46	2349.71	1904.46	2349.71	3697.44	4748.27	4142.49	5354.08
Base — Power Ready — No Cutout																
4	20″(508mm)	48″(1219mm)	48″(1219mm)	TCRN-4848-			S	GK2	\$1625.64	\$1993.13	\$1625.64	\$1993.13	\$2832.06	\$3459.61	\$3122.67	\$3840.41
4		54″(1372mm)	54″(1372mm)	TCRN-5454-			S	GK2	1753.16	2159.53	1753.16	2159.53	3237.30	4062.05	3601.08	4548.83
4		60″(1524mm)	60″(1524mm)	TCRN-6060-			S	GK2	1894.92	2340.17	1894.92	2340.17	3687.90	4738.73	4132.95	5344.54
4	29″(737mm)	48″(1219mm)	48″(1219mm)	TCRN-4848-			S	GK4	\$1662.31	\$2029.80	\$1779.13	\$2146.62	\$2868.73	\$3496.28	\$3159.34	\$3877.08
4		54″(1372mm)	54″(1372mm)	TCRN-5454-			S	GK4	1789.83	2196.20	1789.83	2196.20	3273.97	4098.72	3637.75	4585.50
4		60″(1524mm)	60″(1524mm)	TCRN-6060-			S	GK4	1931.59	2376.84	1931.59	2376.84	3724.57	4775.40	4169.62	5381.21



TCRN-SNG



Features

- Includes 1.18"(30mm) thick standard top, base, adjustable glides and hardware.
- Standard table heights are 20"(508mm) and 29"(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard is black.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base columns. **Powered leg location determined during installation.**
 - Available with Glides only.
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

① Surface Option:

- L Laminate
- W Wood

② Edge Option:

Laminate:

- J Edgeband
- F Knife

Wood:

- K Edgeband
- U Knife

③ Cutout:

- N No Cutout
- F Center, Single-Sided/4 outlets, add \$45.84 list
- J Center, Single-Sided/6 outlets, add \$45.84 list
- M Center, Double-Sided/8 outlets, add \$45.84 list

④ Base Finish Option:

- A Painted
- B Polished, add \$63.50 list


- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.

Note: \$63.03 upcharge list for Metallic trim colors.


Jive Table — Bridge Base

Square – Laminate or Wood

No. of Columns	Height	Depth	Width	Number	①	②	③	④	Laminate A J F	Laminate B J F	Wood Group A K U	Wood Group B K U				
Base — No Power — No Cutout																
4	20"(508mm)	48"(1219mm)	48"(1219mm)	TCRQ-4848-			S	GG2	\$1598.51	\$1966.00	\$1715.33	\$2082.82	\$2804.93	\$3432.48	\$3095.54	\$3813.28
4		54"(1372mm)	54"(1372mm)	TCRQ-5454-			S	GG2	1726.03	2132.40	1852.88	2259.25	3210.17	4034.92	3573.95	4521.70
4		60"(1524mm)	60"(1524mm)	TCRQ-6060-			S	GG2	1867.79	2313.04	2005.85	2451.10	3660.77	4711.60	4105.82	5317.41
4	29"(737mm)	48"(1219mm)	48"(1219mm)	TCRQ-4848-			S	GG4	\$1635.18	\$2002.67	\$1752.00	\$2119.49	\$2841.60	\$3469.15	\$3132.21	\$3849.95
4		54"(1372mm)	54"(1372mm)	TCRQ-5454-			S	GG4	1762.70	2169.07	1889.55	2295.92	3246.84	4071.59	3610.62	4558.37
4		60"(1524mm)	60"(1524mm)	TCRQ-6060-			S	GG4	1904.46	2349.71	2042.52	2487.77	3697.44	4748.27	4142.49	5354.08
Base — Power Ready — No Cutout																
4	20"(508mm)	48"(1219mm)	48"(1219mm)	TCRQ-4848-			S	GK2	\$1625.64	\$1993.13	\$1742.46	\$2109.95	\$2832.06	\$3459.61	\$3122.67	\$3840.41
4		54"(1372mm)	54"(1372mm)	TCRQ-5454-			S	GK2	1753.16	2159.53	1880.01	2286.38	3237.30	4062.05	3601.08	4548.83
4		60"(1524mm)	60"(1524mm)	TCRQ-6060-			S	GK2	1894.92	2340.17	2032.98	2478.23	3687.90	4738.73	4132.95	5344.54
4	29"(737mm)	48"(1219mm)	48"(1219mm)	TCRQ-4848-			S	GK4	\$1662.31	\$2029.80	\$1779.13	\$2146.62	\$2868.73	\$3496.28	\$3159.34	\$3877.08
4		54"(1372mm)	54"(1372mm)	TCRQ-5454-			S	GK4	1789.83	2196.20	1916.68	2323.05	3273.97	4098.72	3637.75	4585.50
4		60"(1524mm)	60"(1524mm)	TCRQ-6060-			S	GK4	1931.59	2376.84	2069.65	2514.90	3724.57	4775.40	4169.62	5381.21



TCRQ-SNG

**Features**

- Includes 1.18"(30mm) thick standard top, base, adjustable glides and hardware.
- Standard table heights are 20"(508mm) and 29"(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base columns. **Powered leg location determined during installation.**
 - Available with Glides only.
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

① Surface Option:

- L** Laminate
W Wood

② Edge Option:

Laminate:

- J** Edgeband
F Knife

Wood:

- K** Edgeband
U Knife

③ Cutout:

- N** No Cutout
F Center, Single-Sided/4 outlets, add **\$45.84** list
J Center, Single-Sided/6 outlets, add **\$45.84** list
M Center, Double-Sided/8 outlets, add **\$45.84** list

④ Base Finish Option:

- A** Painted
B Polished, add **\$63.50** list

- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — Bridge Base


Pebble – Laminate or Wood



TCRP-5454-SNG (Symmetrical)



TCRP-3048-SNG (Asymmetrical)



Features

- Includes 1.18" (30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters with 0.625" (16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Asymmetrical tables:
 - 144" (3658mm) and 180" (4572mm) width top has two pieces;
 - 216" (5486mm) top has three pieces.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for tables 72" (1829mm) wide or less:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Factory installed cutout is available for:
 - Tables greater than 72" (1829mm) wide **except 84" (2134mm), 96" (2438mm) and 108" (2743mm) wide:**
 - Specify the (V) option for Left/Right, Single-Sided/4 outlet Flip Top Unit
 - Specify the (K) option for Left/Right, Single-Sided/6 outlet Flip Top Unit
 - Exception:
 - 54" (1372mm) depth x 96" (2438mm) wide will accept V and K option cutouts.
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base Base columns.
 - Asymmetrical tables with 30" (762mm), 36" (914mm), 42" (1067mm) and 48" (1219mm) depths will have 2 or 3 columns. Powered leg location with:
 - Two columns is determined during installation.
 - Three columns is always centered.
 - Asymmetrical tables with 54" (1372mm) depths and Symmetrical tables will have 4 or more columns. Powered leg location with 6 and 8 columns determined at installation of interior legs.
- Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available Asymmetrical tables 29" (737mm) or 42" (1067mm) high with two columns).
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm) high tables).
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- M** Center, Double-Sided/8 outlets, add **\$45.84** list
- Q** Center, Double-Sided/12 outlets, add **\$45.84** list
- V** Left/Right, Single-Sided/4 outlets, add **\$91.69** list
- K** Left/Right, Single-Sided/6 outlets, add **\$91.69** list

4 Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29" and 42" Heights Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29" and 42" Heights Only)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished, add **\$63.50** list

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — Bridge Base

Pebble – Laminate or Wood

No. of Columns	Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B			
										J	F	J	F	K	U	K	U		
Symmetrical — Base — No Power — No Cutout																			
4	20”(508mm)	48”(1219mm)	48”(1219mm)	TCRP-4848-			S		GG2		\$1598.51	\$1966.00	\$1715.33	\$2082.82	\$2804.93	\$3432.48	\$3095.54	\$3813.28	
4		54”(1372mm)	54”(1372mm)	TCRP-5454-			S		GG2		1726.03	2132.40	1852.88	2259.25	3210.17	4034.92	3573.95	4521.70	
4		60”(1524mm)	60”(1524mm)	TCRP-6060-			S		GG2		1867.79	2313.04	2005.85	2451.10	3660.77	4711.60	4105.82	5317.41	
4	29”(737mm)	48”(1219mm)	48”(1219mm)	TCRP-4848-			S		G		4	\$1635.18	\$2002.67	\$1752.00	\$2082.82	\$2841.60	\$3469.15	\$3132.21	\$3849.95
4		54”(1372mm)	54”(1372mm)	TCRP-5454-			S		G		4	1762.70	2169.07	1889.55	2259.25	3246.84	4071.59	3610.62	4558.37
4		60”(1524mm)	60”(1524mm)	TCRP-6060-			S		G		4	1904.46	2349.71	2042.52	2487.77	3697.44	4748.27	4142.49	5354.08
Symmetrical — Base — Power Ready — No Cutout																			
4	20”(508mm)	48”(1219mm)	48”(1219mm)	TCRP-4848-			S		GK2		\$1625.64	\$1993.13	\$1742.46	\$2109.95	\$2832.06	\$3459.61	\$3122.67	\$3840.41	
4		54”(1372mm)	54”(1372mm)	TCRP-5454-			S		GK2		1753.16	2159.53	1880.01	2286.38	3237.30	4062.05	3601.08	4548.83	
4		60”(1524mm)	60”(1524mm)	TCRP-6060-			S		GK2		1894.92	2340.17	2032.98	2478.23	3687.90	4738.73	4132.95	5344.54	
4	29”(737mm)	48”(1219mm)	48”(1219mm)	TCRP-4848-			S		G		4	\$1662.31	\$2029.80	\$1779.13	\$2109.95	\$2868.73	\$3496.28	\$3159.34	\$3877.08
4		54”(1372mm)	54”(1372mm)	TCRP-5454-			S		G		4	1789.83	2196.20	1916.68	2286.38	3273.97	4098.72	3637.75	4585.50
4		60”(1524mm)	60”(1524mm)	TCRP-6060-			S		G		4	1931.59	2376.84	2069.65	2514.90	3724.57	4775.40	4169.62	5381.21

Jive Table — Bridge Base

Pebble – Laminate or Wood

No. of Columns	Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B			
										J	F	J	K	K	U	K	U		
Asymmetrical — Base — No Power — No Cutout																			
2	16”(406mm)	30”(762mm)	48”(1219mm)	TCRP-3048-					SNGG1			\$1402.11	\$1693.08	\$1508.90	\$1799.87	\$ 2318.03	\$ 2678.49	\$ 2531.29	\$ 2938.08
2			60”(1524mm)	TCRP-3060-					S	GG1		1482.82	1830.87	1595.51	1943.56	2573.72	3008.17	2833.82	3325.87
2			72”(1829mm)	TCRP-3072-					S	GG1		1564.47	1975.19	1683.06	2093.78	2832.24	3347.94	3139.81	3725.48
2	16”(406mm)	36”(914mm)	60”(1524mm)	TCRP-3660-					S	GG1		\$1557.26	\$1924.75	\$1675.85	\$2043.34	\$ 2810.36	\$ 3270.01	\$ 3113.12	\$ 3634.21
2			72”(1829mm)	TCRP-3672-					S	GG1		1653.38	2084.94	1779.05	2210.61	3114.95	3657.66	3473.43	4090.24
2	20”(508mm)	30”(762mm)	48”(1219mm)	TCRP-3048-					SNGG2			\$1473.40	\$1764.37	\$1580.19	\$1871.16	\$ 2389.32	\$ 2749.78	\$ 2602.58	\$ 3009.37
2			60”(1524mm)	TCRP-3060-					S	GG2		1554.11	1902.16	1666.80	2014.85	2645.01	3079.46	2905.11	3397.16
2			72”(1829mm)	TCRP-3072-					S	GG2		1635.76	2046.48	1754.35	2165.07	2903.53	3419.23	3211.10	3796.77
2		36”(914mm)	60”(1524mm)	TCRP-3660-					S	GG2		\$1628.55	\$1996.04	\$1747.14	\$2114.63	\$ 2881.65	\$ 3341.30	\$ 3184.41	\$ 3705.50
2			72”(1829mm)	TCRP-3672-					S	GG2		1724.67	2156.23	1850.34	2281.90	3186.24	3728.95	3544.72	4161.53
2	29”(737mm)	30”(762mm)	48”(1219mm)	TCRP-3048-					SNG	4		\$1473.40	\$1764.37	\$1580.19	\$1871.16	\$ 2389.32	\$ 2749.78	\$ 2602.58	\$ 3009.37
2			60”(1524mm)	TCRP-3060-					S	G	4	1554.11	1902.16	1666.80	2014.85	2645.01	3079.46	2905.11	3397.16
2			72”(1829mm)	TCRP-3072-					S	G	4	1635.76	2046.48	1754.35	2165.07	2903.53	3419.23	3211.10	3796.77
2		36”(914mm)	60”(1524mm)	TCRP-3660-					S	G	4	\$1628.55	\$1996.04	\$1747.14	\$2114.63	\$ 2881.65	\$ 3341.30	\$ 3184.41	\$ 3705.50
2			72”(1829mm)	TCRP-3672-					S	G	4	1724.67	2156.23	1850.34	2281.90	3186.24	3728.95	3544.72	4161.53
3		42”(1067mm)	84”(2134mm)	TCRP-4284-					SNG	4		\$3470.60	\$3994.07	\$3611.61	\$4135.08	\$ 5367.94	\$ 6029.79	\$ 5841.93	\$ 6596.03
3			96”(2438mm)	TCRP-4296-					SNG	4		3583.06	4183.20	3732.33	4332.47	5724.27	6485.51	6263.48	7132.12
3		48”(1219mm)	96”(2438mm)	TCRP-4896-					SNG	4		\$3700.92	\$4324.70	\$3859.63	\$4483.41	\$ 6099.11	\$ 6891.00	\$ 6705.75	\$ 7609.70
3			108”(2743mm)	TCRP-48A8-					SNG	4		3828.78	4536.24	3996.93	4704.39	6504.34	7404.69	7185.08	8214.02
3			120”(3048mm)	TCRP-48C0-					S	G	4	3957.58	4754.30	4135.17	4931.89	6912.41	7928.47	7667.86	8830.15
6		54”(1372mm)	96”(2438mm)	TCRP-5496-					SNG	4		\$3961.30	\$4608.72	\$4129.45	\$4776.87	\$ 6616.48	\$ 7439.01	\$ 7290.54	\$ 8229.81
6			108”(2743mm)	TCRP-54A8-					SNG	4		4103.63	4836.13	4282.40	5014.90	7067.78	8000.58	7824.19	8890.54
6			120”(3048mm)	TCRP-54C0-					S	G	4	4246.91	5070.07	4436.30	5259.46	7521.91	8572.25	8361.30	9563.09
6			144”(3658mm)	TCRP-54E4-					S	G	4	6048.76	7127.06	6259.39	7337.69	10349.41	12288.96	11356.61	13486.75
8			180”(4572mm)	TCRP-54J0-					S	GG4		6679.49	8096.98	6921.98	8339.47	11935.54	14276.91	13199.13	15798.09
8			216”(5486mm)	TCRP-54M6-					S	GG4		7243.24	9255.36	7517.59	9529.71	13875.71	16197.31	15401.29	18057.43
2	36”(914mm)	30”(762mm)	48”(1219mm)	TCRP-3048-					SNGG6			\$1509.03	\$1800.00	\$1615.82	\$1906.79	\$ 2424.95	\$ 2785.41	\$ 2638.21	\$ 3045.00
2			60”(1524mm)	TCRP-3060-					S	GG6		1589.74	1937.79	1702.43	2050.48	2680.64	3115.09	2940.74	3432.79
2			72”(1829mm)	TCRP-3072-					S	GG6		1671.39	2082.11	1789.98	2200.70	2939.16	3454.86	3246.73	3832.40
2	36”(914mm)	36”(914mm)	60”(1524mm)	TCRP-3660-					S	GG6		\$1664.18	\$2031.67	\$1782.77	\$2150.26	\$ 2917.28	\$ 3376.93	\$ 3220.04	\$ 3741.13
2			72”(1829mm)	TCRP-3672-					S	GG6		1760.30	2191.86	1885.97	2317.53	3221.87	3764.58	3580.35	4197.16
2	42”(1067mm)	30”(762mm)	48”(1219mm)	TCRP-3048-					SNG	7		\$1544.68	\$1835.65	\$1651.47	\$1942.44	\$ 2460.60	\$ 2821.06	\$ 2673.86	\$ 3080.65
2			60”(1524mm)	TCRP-3060-					S	G	7	1625.39	1973.44	1738.08	2086.13	2716.29	3150.74	2976.39	3468.44
2			72”(1829mm)	TCRP-3072-					S	G	7	1707.04	2117.76	1825.63	2236.35	2974.81	3490.51	3282.38	3868.05
2	42”(1067mm)	36”(914mm)	60”(1524mm)	TCRP-3660-					S	G	7	\$1699.83	\$2067.32	\$1818.42	\$2185.91	\$ 2952.93	\$ 3412.58	\$ 3255.69	\$ 3776.78
2			72”(1829mm)	TCRP-3672-					S	G	7	1795.95	2227.51	1921.62	2353.18	3257.52	3800.23	3616.00	4232.81



Jive Table — Bridge Base
Pebble – Laminate or Wood

No. of Columns	Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B				
										J	F	J	K	K	U	K	U			
Asymmetrical — Base — Power Ready — No Cutout																				
2	16″(406mm)	30″(762mm)	48″(1219mm)	TCRP-3048-					SNGK1		\$1429.24	\$1720.21	\$1536.03	\$1827.00	\$ 2345.16	\$ 2705.62	\$ 2558.42	\$ 2965.21		
2			60″(1524mm)	TCRP-3060-				S		GK1		1509.95	1858.00	1622.64	1970.69	2600.85	3035.30	2860.95	3353.00	
2			72″(1829mm)	TCRP-3072-				S		GK1		1591.60	2002.32	1710.19	2120.91	2859.37	3375.07	3166.94	3752.61	
2	16″(406mm)	36″(914mm)	60″(1524mm)	TCRP-3660-					S		\$1584.39	\$1951.88	\$1702.98	\$2070.47	\$ 2837.49	\$ 3297.14	\$ 3140.25	\$ 3661.34		
2			72″(1829mm)	TCRP-3672-				S		GK1		1680.51	2112.07	1806.18	2237.74	3142.08	3684.79	3500.56	4117.37	
2	20″(508mm)	30″(762mm)	48″(1219mm)	TCRP-3048-					SNGK2		\$1500.53	\$1791.50	\$1607.32	\$1898.29	\$ 2416.45	\$ 2776.91	\$ 2629.71	\$ 3036.50		
2			60″(1524mm)	TCRP-3060-				S		GK2		1581.24	1929.29	1693.93	2041.98	2672.14	3106.59	2932.24	3424.29	
2			72″(1829mm)	TCRP-3072-				S		GK2		1662.89	2073.61	1781.48	2192.20	2930.66	3446.36	3238.23	3823.90	
2		36″(914mm)	60″(1524mm)	TCRP-3660-					S		\$1655.68	\$2023.17	\$1774.27	\$2141.76	\$ 2908.78	\$ 3368.43	\$ 3211.54	\$ 3732.63		
2			72″(1829mm)	TCRP-3672-				S		GK2		1751.80	2183.36	1877.47	2309.03	3213.37	3756.08	3571.85	4188.66	
2	29″(737mm)	30″(762mm)	48″(1219mm)	TCRP-3048-					SNG	4	\$1500.53	\$1791.50	\$1607.32	\$1898.29	\$ 2416.45	\$ 2776.91	\$ 2629.71	\$ 3036.50		
2			60″(1524mm)	TCRP-3060-				S		G	4	1581.24	1929.29	1693.93	2041.98	2672.14	3106.59	2932.24	3424.29	
2			72″(1829mm)	TCRP-3072-				S		G	4	1662.89	2073.61	1781.48	2192.20	2930.66	3446.36	3238.23	3823.90	
2	36″(914mm)		60″(1524mm)	TCRP-3660-					S	G	4	\$1655.68	\$2023.17	\$1774.27	\$2141.76	\$ 2908.78	\$ 3368.43	\$ 3211.54	\$ 3732.63	
2			72″(1829mm)	TCRP-3672-				S		G	4	1751.80	2183.36	1877.47	2309.03	3213.37	3756.08	3571.85	4188.66	
3		42″(1067mm)	84″(2134mm)	TCRP-4284-					SNG	4	\$3497.73	\$4021.20	\$3638.74	\$4162.21	\$ 5395.07	\$ 6056.92	\$ 5869.06	\$ 6623.16		
3			96″(2438mm)	TCRP-4296-					SNG	4	3610.19	4210.33	3759.46	4359.60	5751.40	6512.64	6290.61	7159.23		
3			48″(1219mm)	96″(2438mm)	TCRP-4896-					SNG	4	\$3728.05	\$4351.83	\$3886.76	\$4510.54	\$ 6126.24	\$ 6918.13	\$ 6732.88	\$ 7636.83	
3			108″(2743mm)	TCRP-48A8-						SNG	4	3855.91	4563.37	4024.06	4731.52	6531.47	7431.82	7212.21	8241.15	
3			120″(3048mm)	TCRP-48C0-					S		G	4	3984.71	4781.43	4162.30	4959.02	6939.54	7955.60	7694.99	8857.28
6	54″(1372mm)		96″(2438mm)	TCRP-5496-					SNG	4	\$3988.43	\$4635.85	\$4156.58	\$4804.00	\$ 6643.61	\$ 7466.14	\$ 7317.67	\$ 8256.94		
6			108″(2743mm)	TCRP-54A8-					SNG	4	4130.76	4863.26	4309.53	5042.03	7094.91	8027.71	7851.32	8917.67		
6			120″(3048mm)	TCRP-54C0-					S		G	4	4274.04	5097.20	4463.43	5286.59	7549.04	8599.38	8388.43	9590.22
6			144″(3658mm)	TCRP-54E4-					S		G	4	6075.89	7154.19	6286.52	7364.82	10376.54	12316.09	11383.74	13513.88
8			180″(4572mm)	TCRP-54J0-					S		GK4		6706.62	8124.11	6949.11	8366.60	11962.67	14304.04	13226.26	15825.22
8		216″(5486mm)	TCRP-54M6-					S		GK4	7270.37	9282.49	7544.72	9556.84	13902.84	16224.44	15428.42	18084.56		
2	36″(914mm)	30″(762mm)	48″(1219mm)	TCRP-3048-					SNGK6		\$1536.16	\$1827.13	\$1642.95	\$1933.92	\$ 2452.08	\$ 2812.54	\$ 2665.34	\$ 3072.13		
2			60″(1524mm)	TCRP-3060-				S		GK6		1616.87	1964.92	1729.56	2077.61	2707.77	3142.22	2967.87	3459.92	
2			72″(1829mm)	TCRP-3072-				S		GK6		1698.52	2109.24	1817.11	2227.83	2966.29	3481.99	3273.86	3859.53	
2	36″(914mm)	36″(914mm)	60″(1524mm)	TCRP-3660-					S		\$1691.31	\$2058.80	\$1809.90	\$2177.39	\$ 2944.41	\$ 3404.06	\$ 3247.17	\$ 3768.26		
2			72″(1829mm)	TCRP-3672-				S		GK6		1787.43	2218.99	1913.10	2344.66	3249.00	3791.71	3607.48	4224.29	
2	42″(1067mm)	30″(762mm)	48″(1219mm)	TCRP-3048-					SNG	7	\$1571.81	\$1862.78	\$1678.60	\$1969.57	\$ 2487.73	\$ 2848.19	\$ 2700.99	\$ 3107.78		
2			60″(1524mm)	TCRP-3060-				S		G	7	1652.52	2000.57	1765.21	2113.26	2743.42	3177.87	3003.52	3495.57	
2			72″(1829mm)	TCRP-3072-				S		G	7	1734.17	2144.89	1852.76	2263.48	3001.94	3517.64	3309.51	3895.18	
2	42″(1067mm)	36″(914mm)	60″(1524mm)	TCRP-3660-					S		\$1726.96	\$2094.45	\$1845.55	\$2213.04	\$ 2980.06	\$ 3439.71	\$ 3282.82	\$ 3803.91		
2			72″(1829mm)	TCRP-3672-				S		G	7	1823.08	2254.64	1948.75	2380.31	3284.65	3827.36	3643.13	4259.94	


This page intentionally blank

Jive Table — Bridge Base

Rectangle – Laminate or Wood



TCRA-SNG



Features

- Includes 1.18" (30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters with 0.625" (16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Tables with more than one piece:
 - 144" (3658mm) and 180" (4572mm) width top has two pieces;
 - 216" (5486mm) top has three pieces.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for tables 72" (1829mm) wide or less:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Factory installed cutout is available for:
 - Tables greater than 72" (1829mm) wide except 84" (2134mm), 96" (2438mm) and 108" (2743mm) wide:
 - Specify the (V) option for Left/Right, Single-Sided/4 outlet Flip Top Unit
 - Specify the (K) option for Left/Right, Single-Sided/6 outlet Flip Top Unit
 - Exception:
 - 54" (1372mm) depth x 96" (2438mm) wide will accept V and K option cutouts.
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base Base columns.
 - Tables with 30" (762mm), 36" (914mm), 42" (1067mm) and 48" (1219mm) depths will have 2 or 3 columns. Powered leg location with:
 - Two columns is determined during installation.
 - Three columns is always centered.
 - Tables with 54" (1372mm) depths will have 4 or more columns. Powered leg location with 6 and 8 columns determined at installation of interior legs.
- Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Casters and Glides:
 - No Power Base**
 - Specify the (C) option for Casters only available with two column tables 29" (737mm) or 42" (1067mm) high)
 - Specify the (G) option for Glides (available on 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm) high tables).
 - Power Ready Base**
 - Specify the (J) option for Casters (only available with two column tables 29" (737mm) or 42" (1067mm))
 - Specify the (K) option for Glides (available on 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm) high tables).
- Separately specified:
 - Ganging Mechanism
 - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- M** Center, Double-Sided/8 outlets, add **\$45.84** list
- Q** Center, Double-Sided/12 outlets, add **\$45.84** list
- V** Left/Right, Single-Sided/4 outlets, add **\$91.69** list
- K** Left/Right, Single-Sided/6 outlets, add **\$91.69** list

4 Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29" and 42" Heights Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29" and 42" Heights Only)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished, add **\$63.50** list

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — Bridge Base

Rectangle – Laminate or Wood

No. of Columns	Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A J	F	Laminate B J	F	Wood Group A K	U	Wood Group B K	U				
Base — No Power — No Cutout																					
2	16”(406mm)	30”(762mm)	48”(1219mm)	TCRA-3048-					SNGG1			\$1402.11	\$1693.08	\$1508.90	\$1799.87	\$ 2318.03	\$ 2678.49	\$ 2531.29	\$ 2938.08		
2			60”(1524mm)	TCRA-3060-					S	GG1			1482.82	1830.87	1595.51	1943.56	2573.72	3008.17	2833.82	3325.87	
2			72”(1829mm)	TCRA-3072-						S	GG1			1564.47	1975.19	1683.06	2093.78	2832.24	3347.94	3139.81	3725.48
2	16”(406mm)	36”(914mm)	60”(1524mm)	TCRA-3660-					S	GG1		\$1557.26	\$1924.75	\$1675.85	\$2043.34	\$ 2810.36	\$ 3270.01	\$ 3113.12	\$ 3634.21		
2			72”(1829mm)	TCRA-3672-					S	GG1			1653.38	2084.94	1779.05	2210.61	3114.95	3657.66	3473.43	4090.24	
2			20”(508mm)	30”(762mm)	48”(1219mm)	TCRA-3048-					SNGG2			\$1473.40	\$1764.37	\$1580.19	\$1871.16	\$ 2389.32	\$ 2749.78	\$ 2602.58	\$ 3009.37
2			60”(1524mm)	TCRA-3060-					S	GG2		1554.11	1902.16	1666.80	2014.85	2645.01	3079.46	2905.11	3397.16		
2			72”(1829mm)	TCRA-3072-					S	GG2		1635.76	2046.48	1754.35	2165.07	2903.53	3419.23	3211.10	3796.77		
2	20”(508mm)	36”(914mm)	60”(1524mm)	TCRA-3660-					S	GG2		\$1628.55	\$1996.04	\$1747.14	\$2114.63	\$ 2881.65	\$ 3341.30	\$ 3184.41	\$ 3705.50		
2			72”(1829mm)	TCRA-3672-					S	GG2			1724.67	2156.23	1850.34	2281.90	3186.24	3728.95	3544.72	4161.53	
2			29”(737mm)	30”(762mm)	48”(1219mm)	TCRA-3048-					SNG	4		\$1473.40	\$1764.37	\$1580.19	\$1871.16	\$ 2389.32	\$ 2749.78	\$ 2602.58	\$ 3009.37
2			60”(1524mm)	TCRA-3060-					S	G	4	1554.11	1902.16	1666.80	2014.85	2645.01	3079.46	2905.11	3397.16		
2			72”(1829mm)	TCRA-3072-					S	G	4	1635.76	2046.48	1754.35	2165.07	2903.53	3419.23	3211.10	3796.77		
2	29”(737mm)	36”(914mm)	60”(1524mm)	TCRA-3660-					S	G	4	\$1628.55	\$1996.04	\$1747.14	\$2114.63	\$ 2881.65	\$ 3341.30	\$ 3184.41	\$ 3705.50		
2			72”(1829mm)	TCRA-3672-					S	G	4	1724.67	2156.23	1850.34	2281.90	3186.24	3728.95	3544.72	4161.53		
3			29”(737mm)	42”(1067mm)	84”(2134mm)	TCRA-4284-					SNGG4			\$3470.60	\$3994.07	\$3611.61	\$4135.08	\$ 5367.94	\$ 6029.79	\$ 5841.93	\$ 6596.03
3			96”(2438mm)	TCRA-4296-					SNGG4			3583.06	4183.20	3732.33	4332.47	5724.27	6485.51	6263.48	7132.12		
3	29”(737mm)	48”(1219mm)	96”(2438mm)	TCRA-4896-					SNGG4			\$3700.92	\$4324.70	\$3859.63	\$4483.41	\$ 6099.11	\$ 6891.00	\$ 6705.75	\$ 7609.70		
3			108”(2743mm)	TCRA-48A8-					S	SNGG4			3828.78	4536.24	3996.93	4704.39	6504.34	7404.69	7185.08	8214.02	
3			120”(3048mm)	TCRA-48C0-					S	S	GG4			3957.58	4754.30	4135.17	4931.89	6912.41	7928.47	7667.86	8830.15
6	29”(737mm)	54”(1372mm)	96”(2438mm)	TCRA-5496-					SNGG4			\$3961.30	\$4608.72	\$4129.45	\$4776.87	\$ 6616.48	\$ 7439.01	\$ 7290.54	\$ 8229.81		
6			108”(2743mm)	TCRA-54A8-					S	SNGG4			4103.63	4836.13	4282.40	5014.90	7067.78	8000.58	7824.19	8890.54	
6			120”(3048mm)	TCRA-54C0-					S	S	GG4			4246.91	5070.07	4436.30	5259.46	7521.91	8572.25	8361.30	9563.09
6			144”(3658mm)	TCRA-54E4-					S	S	GG4			6048.76	7127.06	6259.39	7337.69	10349.41	12288.96	11356.61	13486.75
8			180”(4572mm)	TCRA-54J0-					S	S	GG4	6679.49	8096.98	6921.98	8339.47	11935.54	14276.91	13199.13	15798.09		
8			216”(5486mm)	TCRA-54M6-					S	S	GG4	7243.24	9255.36	7517.59	9529.71	13875.71	16197.31	15401.29	18057.43		
2	36”(914mm)	30”(762mm)	48”(1219mm)	TCRA-3048-					SNGG6			\$1509.03	\$1800.00	\$1615.82	\$1906.79	\$ 2424.95	\$ 2785.41	\$ 2638.21	\$ 3045.00		
2			60”(1524mm)	TCRA-3060-					S	GG6			1589.74	1937.79	1702.43	2050.48	2680.64	3115.09	2940.74	3432.79	
2			72”(1829mm)	TCRA-3072-						S	GG6			1671.39	2082.11	1789.98	2200.70	2939.16	3454.86	3246.73	3832.40
2	36”(914mm)	36”(914mm)	60”(1524mm)	TCRA-3660-					S	GG6		\$1664.18	\$2031.67	\$1782.77	\$2150.26	\$ 2917.28	\$ 3376.93	\$ 3220.04	\$ 3741.13		
2			72”(1829mm)	TCRA-3672-					S	GG6			1760.30	2191.86	1885.97	2317.53	3221.87	3764.58	3580.35	4197.16	
2			42”(1067mm)	30”(762mm)	48”(1219mm)	TCRA-3048-					SNG	7		\$1544.68	\$1835.65	\$1651.47	\$1942.44	\$ 2460.60	\$ 2821.06	\$ 2673.86	\$ 3080.65
2			60”(1524mm)	TCRA-3060-					S	G	7	1625.39	1973.44	1738.08	2086.13	2716.29	3150.74	2976.39	3468.44		
2			72”(1829mm)	TCRA-3072-					S	G	7	1707.04	2117.76	1825.63	2236.35	2974.81	3490.51	3282.38	3868.05		
2	42”(1067mm)	36”(914mm)	60”(1524mm)	TCRA-3660-					S	G	7	\$1699.83	\$2067.32	\$1818.42	\$2185.91	\$ 2952.93	\$ 3412.58	\$ 3255.69	\$ 3776.78		
2			72”(1829mm)	TCRA-3672-					S	G	7		1795.95	2227.51	1921.62	2353.18	3257.52	3800.23	3616.00	4232.81	

Jive Table — Bridge Base



Rectangle – Laminate or Wood

No. of Columns	Height	Depth	Width	Number	①②③④⑤					Laminate A		Laminate B		Wood Group A		Wood Group B				
					J	F	J	F	K	U	K	U								
Base — Power Ready — No Cutout																				
2	16”(406mm)	30”(762mm)	48”(1219mm)	TCRA-3048-					SNGK1		\$1429.24	\$1720.21	\$1536.03	\$1827.00	\$ 2345.16	\$ 2705.62	\$ 2558.42	\$ 2965.21		
2			60”(1524mm)	TCRA-3060-					S		GK1		1509.95	1858.00	1622.64	1970.69	2600.85	3035.30	2860.95	3353.00
2			72”(1829mm)	TCRA-3072-						S		GK1		1591.60	2002.32	1710.19	2120.91	2859.37	3375.07	3166.94
2	16”(406mm)	36”(914mm)	60”(1524mm)	TCRA-3660-					S		GK1		\$1584.39	\$1951.88	\$1702.98	\$2070.47	\$ 2837.49	\$ 3297.14	\$ 3140.25	\$ 3661.34
2			72”(1829mm)	TCRA-3672-					S		GK1		1680.51	2112.07	1806.18	2237.74	3142.08	3684.79	3500.56	4117.37
2			20”(508mm)	30”(762mm)	48”(1219mm)	TCRA-3048-					SNGK2		\$1500.53	\$1791.50	\$1607.32	\$1898.29	\$ 2416.45	\$ 2776.91	\$ 2629.71	\$ 3036.50
2			60”(1524mm)	TCRA-3060-					S		GK2		1581.24	1929.29	1693.93	2041.98	2672.14	3106.59	2932.24	3424.29
2			72”(1829mm)	TCRA-3072-					S		GK2		1662.89	2073.61	1781.48	2192.20	2930.66	3446.36	3238.23	3823.90
2	20”(508mm)	36”(914mm)	60”(1524mm)	TCRA-3660-					S		GK2		\$1655.68	\$2023.17	\$1774.27	\$2141.76	\$ 2908.78	\$ 3368.43	\$ 3211.54	\$ 3732.63
2			72”(1829mm)	TCRA-3672-					S		GK2		1751.80	2183.36	1877.47	2309.03	3213.37	3756.08	3571.85	4188.66
2			29”(737mm)	30”(762mm)	48”(1219mm)	TCRA-3048-					SNG		4	\$1500.53	\$1791.50	\$1607.32	\$1898.29	\$ 2416.45	\$ 2776.91	\$ 2629.71
2			60”(1524mm)	TCRA-3060-					S		G	4	1581.24	1929.29	1693.93	2041.98	2672.14	3106.59	2932.24	3424.29
2			72”(1829mm)	TCRA-3072-					S		G	4	1662.89	2073.61	1781.48	2192.20	2930.66	3446.36	3238.23	3823.90
2	29”(737mm)	36”(914mm)	60”(1524mm)	TCRA-3660-					S		G	4	\$1655.68	\$2023.17	\$1774.27	\$2141.76	\$ 2908.78	\$ 3368.43	\$ 3211.54	\$ 3732.63
2			72”(1829mm)	TCRA-3672-					S		G	4	1751.80	2183.36	1877.47	2309.03	3213.37	3756.08	3571.85	4188.66
2			29”(737mm)	42”(1067mm)	84”(2134mm)	TCRA-4284-					SNGK4		\$3497.73	\$4021.20	\$3638.74	\$4162.21	\$ 5395.07	\$ 6056.92	\$ 5869.06	\$ 6623.16
3			96”(2438mm)	TCRA-4296-					SNGK4		3610.19	4210.33	3759.46	4359.60	5751.40	6512.64	6290.61	7159.25		
3	29”(737mm)	48”(1219mm)	96”(2438mm)	TCRA-4896-					SNGK4		\$3728.05	\$4351.83	\$3886.76	\$4510.54	\$ 6126.24	\$ 6918.13	\$ 6732.88	\$ 7636.83		
3			108”(2743mm)	TCRA-48A8-					SNGK4		3855.91	4563.37	4024.06	4731.52	6531.47	7431.82	7212.21	8241.15		
3			120”(3048mm)	TCRA-48C0-					S		GK4		3984.71	4781.43	4162.30	4959.02	6939.54	7955.60	7694.99	8857.28
6	29”(737mm)	54”(1372mm)	96”(2438mm)	TCRA-5496-					SNGK4		\$3988.43	\$4635.85	\$4156.58	\$4804.00	\$ 6643.61	\$ 7466.14	\$ 7317.67	\$ 8256.94		
6			108”(2743mm)	TCRA-54A8-					SNGK4		4130.76	4863.26	4309.53	5042.03	7094.91	8027.71	7851.32	8917.67		
6			120”(3048mm)	TCRA-54C0-					S		GK4		4274.04	5097.20	4463.43	5286.59	7549.04	8599.38	8388.43	9590.22
6			144”(3658mm)	TCRA-54E4-					S		GK4		6075.89	7154.19	6286.52	7364.82	10376.54	12316.09	11383.74	13513.88
8			180”(4572mm)	TCRA-54J0-					S		GK4		6706.62	8124.11	6949.11	8366.60	11962.67	14304.04	13226.26	15825.22
8			216”(5486mm)	TCRA-54M6-					S		GK4		7270.37	9282.49	7544.72	9556.84	13902.84	16224.44	15428.42	18084.56
2	36”(914mm)	30”(762mm)	48”(1219mm)	TCRA-3048-					SNGK6		\$1536.16	\$1827.13	\$1642.95	\$1933.92	\$ 2452.08	\$ 2812.54	\$ 2665.34	\$ 3072.13		
2			60”(1524mm)	TCRA-3060-					S		GK6		1616.87	1964.92	1729.56	2077.61	2707.77	3142.22	2967.87	3459.92
2			72”(1829mm)	TCRA-3072-						S		GK6		1698.52	2109.24	1817.11	2227.83	2966.29	3481.99	3273.86
2	36”(914mm)	36”(914mm)	60”(1524mm)	TCRA-3660-					S		GK6		\$1691.31	\$2058.80	\$1809.90	\$2177.39	\$ 2944.41	\$ 3404.06	\$ 3247.17	\$ 3768.26
2			72”(1829mm)	TCRA-3672-					S		GK6		1787.43	2218.99	1913.10	2344.66	3249.00	3791.71	3607.48	4224.29
2			42”(1067mm)	30”(762mm)	48”(1219mm)	TCRA-3048-					SNG		7	\$1571.81	\$1862.78	\$1678.60	\$1969.57	\$ 2487.73	\$ 2848.19	\$ 2700.99
2			60”(1524mm)	TCRA-3060-					S		G	7	1652.52	2000.57	1765.21	2113.26	2743.42	3177.87	3003.52	3495.57
2			72”(1829mm)	TCRA-3072-					S		G	7	1734.17	2144.89	1852.76	2263.48	3001.94	3517.64	3309.51	3895.18
2	42”(1067mm)	36”(914mm)	60”(1524mm)	TCRA-3660-					S		G	7	\$1726.96	\$2094.45	\$1845.55	\$2213.04	\$ 2980.06	\$ 3439.71	\$ 3282.82	\$ 3803.91
2			72”(1829mm)	TCRA-3672-						S		G	7	1823.08	2254.64	1948.75	2380.31	3284.65	3827.36	3643.13


This page intentionally blank

Jive Table — Bridge Base

Racetrack – Laminate or Wood



TCRT-SNG



Features

- Includes 1.18" (30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters with 0.625" (16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Tables with more than one piece:
 - 144" (3658mm) and 180" (4572mm) width top has two pieces;
 - 216" (5486mm) top has three pieces.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for tables 72" (1829mm) wide or less:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Factory installed cutout is available for:
 - Tables greater than 72" wide **except 84" (2134mm), 96" (2438mm) and 108" (2743mm) wide:**
 - Specify the (V) option for Left/Right, Single-Sided/4 outlet Flip Top Unit
 - Specify the (K) option for Left/Right, Single-Sided/6 outlet Flip Top Unit
 - Exception:
 - 54" (1372mm) depth x 96" (2438mm) wide will accept V and K option cutouts.
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base Base columns.
 - Tables with 30" (762mm), 36" (914mm), 42" (1067mm) and 48" (1219mm) depths will have 2 or 3 columns. Powered leg location with:
 - Two columns is determined during installation.
 - Three columns is always centered.
 - Tables with 54" (1372mm) depths will have 4 or more columns. Powered leg location with 6 and 8 columns determined at installation of interior legs.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available with two column tables 29" (737mm) or 42" (1067mm) high)
 - Specify the (K) option for Glides on the Power Ready base (available on 16" (406mm), 20" (508mm), 29" (737mm), 36" (914mm) and 42" (1067mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

① Surface Option:

- L** Laminate
- W** Wood

② Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

③ Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- M** Center, Double-Sided/8 outlets, add **\$45.84** list
- Q** Center, Double-Sided/12 outlets, add **\$45.84** list
- V** Left/Right, Single-Sided/4 outlets, add **\$91.69** list
- K** Left/Right, Single-Sided/6 outlets, add **\$91.69** list

④ Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29" and 42" Heights Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29" and 42" Heights Only)
- K** Glides

⑤ Base Finish Option:

- A** Painted
- B** Polished, add **\$63.50** list

- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — Bridge Base

Racetrack – Laminate or Wood

No. of Columns	Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B				
										J	F	J	F	K	U	K	U			
Base — No Power — No Cutout																				
2	16″(406mm)	30″(762mm)	48″(1219mm)	TCRT-3048-					SNGG1		\$1402.11	\$1693.08	\$1508.90	\$1799.87	\$ 2318.03	\$ 2678.49	\$ 2531.29	\$ 2938.08		
2			60″(1524mm)	TCRT-3060-				S		GG1		1482.82	1830.87	1595.51	1943.56	2573.72	3008.17	2833.82	3325.87	
2			72″(1829mm)	TCRT-3072-				S		GG1		1564.47	1975.19	1683.06	2093.78	2832.24	3347.94	3139.81	3725.48	
2	16″(406mm)	36″(914mm)	60″(1524mm)	TCRT-3660-				S		GG1	\$1557.26	\$1924.75	\$1675.85	\$2043.34	\$ 2810.36	\$ 3270.01	\$ 3113.12	\$ 3634.21		
2			72″(1829mm)	TCRT-3672-				S		GG1		1653.38	2084.94	1779.05	2210.61	3114.95	3657.66	3473.43	4090.24	
2	20″(508mm)	30″(762mm)	48″(1219mm)	TCRT-3048-					SNGG2		\$1473.40	\$1764.37	\$1580.19	\$1871.16	\$ 2389.32	\$ 2749.78	\$ 2602.58	\$ 3009.37		
2			60″(1524mm)	TCRT-3060-				S		GG2		1554.11	1902.16	1666.80	2014.85	2645.01	3079.46	2905.11	3397.16	
2			72″(1829mm)	TCRT-3072-				S		GG2		1635.76	2046.48	1754.35	2165.07	2903.53	3419.23	3211.10	3796.77	
2	20″(508mm)	36″(914mm)	60″(1524mm)	TCRT-3660-				S		GG2	\$1628.55	\$1996.04	\$1747.14	\$2114.63	\$ 2881.65	\$ 3341.30	\$ 3184.41	\$ 3705.50		
2			72″(1829mm)	TCRT-3672-				S		GG2		1724.67	2156.23	1850.34	2281.90	3186.24	3728.95	3544.72	4161.53	
2	29″(737mm)	30″(762mm)	48″(1219mm)	TCRT-3048-					SNG		4	\$1473.40	\$1764.37	\$1580.19	\$1871.16	\$ 2389.32	\$ 2749.78	\$ 2602.58	\$ 3009.37	
2			60″(1524mm)	TCRT-3060-				S		G		4	1554.11	1902.16	1666.80	2014.85	2645.01	3079.46	2905.11	3397.16
2			72″(1829mm)	TCRT-3072-				S		G		4	1635.76	2046.48	1754.35	2165.07	2903.53	3419.23	3211.10	3796.77
2	29″(737mm)	36″(914mm)	60″(1524mm)	TCRT-3660-				S		G		4	\$1628.55	\$1996.04	\$1747.14	\$2114.63	\$ 2881.65	\$ 3341.30	\$ 3184.41	\$ 3705.50
2			72″(1829mm)	TCRT-3672-				S		G		4	1724.67	2156.23	1850.34	2281.90	3186.24	3728.95	3544.72	4161.53
3	29″(737mm)	42″(1067mm)	84″(2134mm)	TCRT-4284-					SNGG4		\$3470.60	\$3994.07	\$3611.61	\$4135.08	\$ 5367.94	\$ 6029.79	\$ 5841.93	\$ 6596.03		
3			96″(2438mm)	TCRT-4296-						SNGG4		3583.06	4183.20	3732.33	4332.47	5724.27	6485.51	6263.48	7132.12	
3	29″(737mm)	48″(1219mm)	108″(2743mm)	TCRT-48A8-					SNGG4		\$3828.78	\$4536.24	\$3996.93	\$4704.39	\$ 6504.34	\$ 7404.69	\$ 7185.08	\$ 8214.02		
3			120″(3048mm)	TCRT-48C0-				S		GG4		3957.58	4754.30	4135.17	4931.89	6912.41	7928.47	7667.86	8830.15	
6	29″(737mm)	54″(1372mm)	96″(2438mm)	TCRT-5496-					SNGG4		\$3961.30	\$4608.72	\$4129.45	\$4776.87	\$ 6616.48	\$ 7439.01	\$ 7290.54	\$ 8229.81		
6			108″(2743mm)	TCRT-54A8-						SNGG4		4103.63	4836.13	4282.40	5014.90	7067.78	8000.58	7824.19	8890.54	
6			120″(3048mm)	TCRT-54C0-						SNGG4		4246.91	5070.07	4436.30	5259.46	7521.91	8572.25	8361.30	9563.09	
6			144″(3658mm)	TCRT-54E4-					S		GG4		6048.76	7127.06	6259.39	7337.69	10349.41	12288.96	11356.61	13486.75
8			180″(4572mm)	TCRT-54J0-					S		GG4	6679.49	8096.98	6921.98	8339.47	11935.54	14276.91	13199.13	15798.09	
8			216″(5486mm)	TCRT-54M6-					S		GG4	7243.24	9255.36	7517.59	9529.71	13875.71	16197.31	15401.29	18057.43	
2	36″(914mm)	30″(762mm)	48″(1219mm)	TCRT-3048-					SNGG6		\$1509.03	\$1800.00	\$1615.82	\$1906.79	\$ 2424.95	\$ 2785.41	\$ 2638.21	\$ 3045.00		
2			60″(1524mm)	TCRT-3060-				S		GG6		1589.74	1937.79	1702.43	2050.48	2680.64	3115.09	2940.74	3432.79	
2			72″(1829mm)	TCRT-3072-				S		GG6		1671.39	2082.11	1789.98	2200.70	2939.16	3454.86	3246.73	3832.40	
2	36″(914mm)	36″(914mm)	60″(1524mm)	TCRT-3660-				S		GG6	\$1664.18	\$2031.67	\$1782.77	\$2150.26	\$ 2917.28	\$ 3376.93	\$ 3220.04	\$ 3741.13		
2			72″(1829mm)	TCRT-3672-				S		GG6		1760.30	2191.86	1885.97	2317.53	3221.87	3764.58	3580.35	4197.16	
2	42″(1067mm)	30″(762mm)	48″(1219mm)	TCRT-3048-				S		G	7	\$1544.68	\$1835.65	\$1651.47	\$1942.44	\$ 2460.60	\$ 2821.06	\$ 2673.86	\$ 3080.65	
2			60″(1524mm)	TCRT-3060-				S		G	7	1625.39	1973.44	1738.08	2086.13	2716.29	3150.74	2976.39	3468.44	
2			72″(1829mm)	TCRT-3072-				S		G	7	1707.04	2117.76	1825.63	2236.35	2974.81	3490.51	3282.38	3868.05	
2	42″(1067mm)	36″(914mm)	60″(1524mm)	TCRT-3660-				S		G	7	\$1699.83	\$2067.32	\$1818.42	\$2185.91	\$ 2952.93	\$ 3412.58	\$ 3255.69	\$ 3776.78	
2			72″(1829mm)	TCRT-3672-				S		G	7	1795.95	2227.51	1921.62	2353.18	3257.52	3800.23	3616.00	4232.81	


Jive Table — Bridge Base

Racetrack – Laminate or Wood


No. of Columns	Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B	
										J	F	J	F	K	U	K	U
Base — Power Ready — No Cutout																	
2	16”(406mm)	30”(762mm)	48”(1219mm)	TCRT-3048-				SNGK1		\$1429.24	\$1720.21	\$1536.03	\$1827.00	\$ 2345.16	\$ 2705.62	\$ 2558.42	\$ 2965.21
2			60”(1524mm)	TCRT-3060-			S	GK1		1509.95	1858.00	1622.64	1970.69	2600.85	3035.30	2860.95	3353.00
2			72”(1829mm)	TCRT-3072-			S	GK1		1591.60	2002.32	1710.19	2120.91	2859.37	3375.07	3166.94	3752.61
2	16”(406mm)	36”(914mm)	60”(1524mm)	TCRT-3660-			S	GK1		\$1584.39	\$1951.88	\$1702.98	\$2070.47	\$ 2837.49	\$ 3297.14	\$ 3140.25	\$ 3661.34
2			72”(1829mm)	TCRT-3672-			S	GK1		1680.51	2112.07	1806.18	2237.74	3142.08	3684.79	3500.56	4117.37
2	20”(508mm)	30”(762mm)	48”(1219mm)	TCRT-3048-				SNGK2		\$1500.53	\$1791.50	\$1607.32	\$1898.29	\$ 2416.45	\$ 2776.91	\$ 2629.71	\$ 3036.50
2			60”(1524mm)	TCRT-3060-			S	GK2		1581.24	1929.29	1693.93	2041.98	2672.14	3106.59	2932.24	3424.29
2			72”(1829mm)	TCRT-3072-			S	GK2		1662.89	2073.61	1781.48	2192.20	2930.66	3446.36	3238.23	3823.90
2	20”(508mm)	36”(914mm)	60”(1524mm)	TCRT-3660-			S	GK2		\$1655.68	\$2023.17	\$1774.27	\$2141.76	\$ 2908.78	\$ 3368.43	\$ 3211.54	\$ 3732.63
2			72”(1829mm)	TCRT-3672-			S	GK2		1751.80	2183.36	1877.47	2309.03	3213.37	3756.08	3571.85	4188.66
2	29”(737mm)	30”(762mm)	48”(1219mm)	TCRT-3048-				SNG	4	\$1500.53	\$1791.50	\$1607.32	\$1898.29	\$ 2416.45	\$ 2776.91	\$ 2629.71	\$ 3036.50
2			60”(1524mm)	TCRT-3060-			S	G	4	1581.24	1929.29	1693.93	2041.98	2672.14	3106.59	2932.24	3424.29
2			72”(1829mm)	TCRT-3072-			S	G	4	1662.89	2073.61	1781.48	2192.20	2930.66	3446.36	3238.23	3823.90
2	29”(737mm)	36”(914mm)	60”(1524mm)	TCRT-3660-			S	G	4	\$1655.68	\$2023.17	\$1774.27	\$2141.76	\$ 2908.78	\$ 3368.43	\$ 3211.54	\$ 3732.63
2			72”(1829mm)	TCRT-3672-			S	G	4	1751.80	2183.36	1877.47	2309.03	3213.37	3756.08	3571.85	4188.66
3	29”(737mm)	42”(1067mm)	84”(2134mm)	TCRT-4284-				SNGK4		\$3497.73	\$4021.20	\$3638.74	\$4162.21	\$ 5395.07	\$ 6056.92	\$ 5869.06	\$ 6623.16
3			96”(2438mm)	TCRT-4296-				SNGK4		3610.19	4210.33	3759.46	4359.60	5751.40	6512.64	6290.61	7159.25
3	29”(737mm)	48”(1219mm)	108”(2743mm)	TCRT-48A8-				SNGK4		\$3855.91	\$4563.37	\$4024.06	\$4731.52	\$ 6531.47	\$ 7431.82	\$ 7212.21	\$ 8241.15
3			120”(3048mm)	TCRT-48C0-			S	GK4		3984.71	4781.43	4162.30	4959.02	6939.54	7955.60	7694.99	8857.28
6	29”(737mm)	54”(1372mm)	96”(2438mm)	TCRT-5496-				SNGK4		\$3988.43	\$4635.85	\$4156.58	\$4804.00	\$ 6643.61	\$ 7466.14	\$ 7317.67	\$ 8256.94
6			108”(2743mm)	TCRT-54A8-				SNGK4		4130.76	4863.26	4309.53	5042.03	7094.91	8027.71	7851.32	8917.67
6			120”(3048mm)	TCRT-54C0-				SNGK4		4274.04	5097.20	4463.43	5286.59	7549.04	8599.38	8388.43	9590.22
6			144”(3658mm)	TCRT-54E4-			S	GK4		6075.89	7154.19	6286.52	7364.82	10376.54	12316.09	11383.74	13513.88
8			180”(4572mm)	TCRT-54J0-			S	GK4		6706.62	8124.11	6949.11	8366.60	11962.67	14304.04	13226.26	15825.22
8			216”(5486mm)	TCRT-54M6-			S	GK4		7270.37	9282.49	7544.72	9556.84	13902.84	16224.44	15428.42	18084.56
2	36”(914mm)	30”(762mm)	48”(1219mm)	TCRT-3048-				SNGK6		\$1536.16	\$1827.13	\$1642.95	\$1933.92	\$ 2452.08	\$ 2812.54	\$ 2665.34	\$ 3072.13
2			60”(1524mm)	TCRT-3060-			S	GK6		1616.87	1964.92	1729.56	2077.61	2707.77	3142.22	2967.87	3459.92
2			72”(1829mm)	TCRT-3072-			S	GK6		1698.52	2109.24	1817.11	2227.83	2966.29	3481.99	3273.86	3859.53
2	36”(914mm)	36”(914mm)	60”(1524mm)	TCRT-3660-			S	GK6		\$1691.31	\$2058.80	\$1809.90	\$2177.39	\$ 2944.41	\$ 3404.06	\$ 3247.17	\$ 3768.26
2			72”(1829mm)	TCRT-3672-			S	GK6		1787.43	2218.99	1913.10	2344.66	3249.00	3791.71	3607.48	4224.29
2	42”(1067mm)	30”(762mm)	48”(1219mm)	TCRT-3048-			S	G	7	\$1571.81	\$1862.78	\$1678.60	\$1969.57	\$ 2487.73	\$ 2848.19	\$ 2700.99	\$ 3107.78
2			60”(1524mm)	TCRT-3060-			S	G	7	1652.52	2000.57	1765.21	2113.26	2743.42	3177.87	3003.52	3495.57
2			72”(1829mm)	TCRT-3072-			S	G	7	1734.17	2144.89	1852.76	2263.48	3001.94	3517.64	3309.51	3895.18
2	42”(1067mm)	36”(914mm)	60”(1524mm)	TCRT-3660-			S	G	7	\$1726.96	\$2094.45	\$1845.55	\$2213.04	\$ 2980.06	\$ 3439.71	\$ 3282.82	\$ 3803.91
2			72”(1829mm)	TCRT-3672-			S	G	7	1823.08	2254.64	1948.75	2380.31	3284.65	3827.36	3643.13	4259.94

Jive Table — Bridge Base

Half Racetrack – Laminate or Wood



TCHT-SNG



Features

- Includes 1.18”(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 29”(737mm) and 42”(1067mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Four locking casters with 0.625”(16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- **Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout available on 54”(1372mm) and 60”(1524mm) deep tables:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit (only available on 60”(1524mm) deep tables)
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base Base columns.
 - Tables with two column Powered leg location is determined during installation.
 - Tables with 54”(1372mm) and 60”(1524mm) depths will have 4 columns. **Powered leg location is determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available with two column tables 29”(737mm) or 42”(1067mm) high)
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- M** Center, Double-Sided/8 outlets, add **\$45.84** list

4 Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished, add **\$63.50** list

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.


Jive Table — Bridge Base

Half Racetrack – Laminate or Wood


No. of Columns	Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B	
										J	F	J	F	K	U	K	U
Base — No Power — No Cutout																	
2	29"(737mm)	42"(1067mm)	42"(1067mm)	TCHT-4242-	■	■	SNG	4	■	\$1606.90	\$1935.51	\$1626.37	\$1954.98	\$2212.78	\$2671.09	\$2376.67	\$2897.14
2		48"(1219mm)	48"(1219mm)	TCHT-4848-	■	■	SNG	4	■	1720.18	2087.67	1748.50	2115.99	2572.66	3200.21	2801.62	3519.36
4		54"(1372mm)	54"(1372mm)	TCHT-5454-	■	■	S	GG4		1847.70	2254.07	1886.05	2292.42	2977.90	3802.65	3280.03	4227.78
4		60"(1524mm)	60"(1524mm)	TCHT-6060-	■	■	S	GG4		1989.46	2434.71	2039.02	2484.27	3428.50	4479.33	3811.90	5023.49
2	42"(1067mm)	42"(1067mm)	42"(1067mm)	TCHT-4242-	■	■	SNG	7	■	\$1748.02	\$2076.63	\$1767.49	\$2096.10	\$2353.90	\$2812.21	\$2517.79	\$3038.26
2		48"(1219mm)	48"(1219mm)	TCHT-4848-	■	■	SNG	7	■	1861.30	2228.79	1889.62	2257.11	2713.78	3341.33	2942.74	3660.48
4		54"(1372mm)	54"(1372mm)	TCHT-5454-	■	■	S	GG7		1988.82	2395.19	2027.17	2433.54	3119.02	3943.77	3421.15	4368.90
4		60"(1524mm)	60"(1524mm)	TCHT-6060-	■	■	S	GG7		2130.58	2575.83	2180.14	2625.39	3569.62	4620.45	3953.02	5164.61
Base — Power Ready — No Cutout																	
2	29"(737mm)	42"(1067mm)	42"(1067mm)	TCHT-4242-	■	■	SNG	4	■	\$1634.03	\$1962.64	\$1653.50	\$1982.11	\$2239.91	\$2698.22	\$2403.80	\$2924.27
2		48"(1219mm)	48"(1219mm)	TCHT-4848-	■	■	SNG	4	■	1747.31	2114.80	1775.63	2143.12	2599.79	3227.34	2828.75	3546.49
4		54"(1372mm)	54"(1372mm)	TCHT-5454-	■	■	S	GK4		1874.83	2281.20	1913.18	2319.55	3005.03	3829.78	3307.16	4254.91
4		60"(1524mm)	60"(1524mm)	TCHT-6060-	■	■	S	GK4		2016.59	2461.84	2066.15	2511.40	3455.63	4506.46	3839.03	5050.62
2	42"(1067mm)	42"(1067mm)	42"(1067mm)	TCHT-4242-	■	■	SNG	7	■	\$1775.15	\$2103.76	\$1794.62	\$2123.23	\$2381.03	\$2839.34	\$2544.92	\$3065.39
2		48"(1219mm)	48"(1219mm)	TCHT-4848-	■	■	SNG	7	■	1888.43	2255.92	1916.75	2284.24	2740.91	3368.46	2969.87	3687.61
4		54"(1372mm)	54"(1372mm)	TCHT-5454-	■	■	S	GK7		2015.95	2422.32	2054.30	2460.67	3146.15	3970.90	3448.28	4396.03
4		60"(1524mm)	60"(1524mm)	TCHT-6060-	■	■	S	GK7		2157.71	2602.96	2207.27	2652.52	3596.75	4647.58	3980.15	5191.74

Jive Table — Bridge Base

Half Pebble – Laminate or Wood



TCHP-SNG



Features

- Includes 1.18”(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 29”(737mm) and 42”(1067mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Four locking casters with 0.625”(16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- **Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout available on 54”(1372mm) and 60”(1524mm) deep tables:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit (only available on 60”(1524mm) deep tables)
- Power Ready Base:
 - Allows for cord management through one of the Bridge Base Base columns.
 - Tables with two column Powered leg location is determined during installation.
 - Tables with 54”(1372mm) and 60”(1524mm) depths will have 4 columns. Powered leg location is determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available with two column tables 29”(737mm) or 42”(1067mm) high)
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- M** Center, Double-Sided/8 outlets, add **\$45.84** list

4 Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished, add **\$63.50** list

- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — Bridge Base

Half Pebble – Laminate or Wood

No. of Columns	Height	Depth	Width	Number						Laminate A		Laminate B		Wood Group A		Wood Group B		
					1	2	3	4	5	J	F	J	F	K	U	K	U	
Base — No Power — No Cutout																		
2	29”(737mm)	42”(1067mm)	42”(1067mm)	TCHP-4242-			SNG	4		\$1606.90	\$1935.51	\$1626.37	\$1954.98	\$2212.78	\$2671.09	\$2376.67	\$2897.14	
2		48”(1219mm)	48”(1219mm)	TCHP-4848-			SNG	4		1720.18	2087.67	1748.50	2115.99	2572.66	3200.21	2801.62	3519.36	
4		54”(1372mm)	54”(1372mm)	TCHP-5454-			S	G	4		1847.70	2254.07	1886.05	2292.42	2977.90	3802.65	3280.03	4227.78
4		60”(1524mm)	60”(1524mm)	TCHP-6060-			S	G	4		1989.46	2434.71	2039.02	2484.27	3428.50	4479.33	3811.90	5023.49
2	42”(1067mm)	42”(1067mm)	42”(1067mm)	TCHP-4242-			SNG	7		\$1748.02	\$2076.63	\$1767.49	\$2096.10	\$2353.90	\$2812.21	\$2517.79	\$3038.26	
2		48”(1219mm)	48”(1219mm)	TCHP-4848-			SNG	7		1861.30	2228.79	1889.62	2257.11	2713.78	3341.33	2942.74	3660.48	
4		54”(1372mm)	54”(1372mm)	TCHP-5454-			S	G	7		1988.82	2395.19	2027.17	2433.54	3119.02	3943.77	3421.15	4368.90
4		60”(1524mm)	60”(1524mm)	TCHP-6060-			S	G	7		2130.58	2575.83	2180.14	2625.39	3569.62	4620.45	3953.02	5164.61
Base — Power Ready — No Cutout																		
2	29”(737mm)	42”(1067mm)	42”(1067mm)	TCHP-4242-			SNG	4		\$1634.03	\$1962.64	\$1653.50	\$1982.11	\$2239.91	\$2698.22	\$2403.80	\$2924.27	
2		48”(1219mm)	48”(1219mm)	TCHP-4848-			SNG	4		1747.31	2114.80	1775.63	2143.12	2599.79	3227.34	2828.75	3546.49	
4		54”(1372mm)	54”(1372mm)	TCHP-5454-			S	G	4		1874.83	2281.20	1913.18	2319.55	3005.03	3829.78	3307.16	4254.91
4		60”(1524mm)	60”(1524mm)	TCHP-6060-			S	G	4		2016.59	2461.84	2066.15	2511.40	3455.63	4506.46	3839.03	5050.62
2	42”(1067mm)	42”(1067mm)	42”(1067mm)	TCHP-4242-			SNG	7		\$1775.15	\$2103.76	\$1794.62	\$2123.23	\$2381.03	\$2839.34	\$2544.92	\$3065.39	
2		48”(1219mm)	48”(1219mm)	TCHP-4848-			SNG	7		1888.43	2255.92	1916.75	2284.24	2740.91	3368.46	2969.87	3687.61	
4		54”(1372mm)	54”(1372mm)	TCHP-5454-			S	G	7		2015.95	2422.32	2054.30	2460.67	3146.15	3970.90	3448.28	4396.03
4		60”(1524mm)	60”(1524mm)	TCHP-6060-			S	G	7		2157.71	2602.96	2207.27	2652.52	3596.75	4647.58	3980.15	5191.74

Jive Table — Bridge Base

Half Hexagon – Laminate or Wood

No. of Columns	Height	Depth	Width	Number	①	②	③	④	Laminate A J	F	Laminate B J	F	Wood Group A K	U	Wood Group B K	U
Base — No Power — No Cutout																
2	29"(737mm)	48"(1219mm)	48"(1219mm)	TCHX-4848-			SNG	4	\$1720.18	\$2087.67	\$1748.50	\$2115.99	\$2572.66	\$3200.21	\$2801.62	\$3519.36
2	42"(1067mm)	48"(1219mm)	48"(1219mm)	TCHX-4848-			SNG	7	1861.30	2228.79	1889.62	2257.11	2713.78	3341.33	2942.74	3660.48
Base — Power Ready — No Cutout																
2	29"(737mm)	48"(1219mm)	48"(1219mm)	TCHX-4848-			SNG	4	\$1747.31	\$2114.80	\$1775.63	\$2143.12	\$2599.79	\$3227.34	\$2828.75	\$3546.49
2	42"(1067mm)	48"(1219mm)	48"(1219mm)	TCHX-4848-			SNG	7	1888.43	2255.92	1916.75	2284.24	2740.91	3368.46	2969.87	3687.61




TCHX-SNG

- Features**
- Includes 1.18"(30mm) thick standard top, base, adjustable glides or casters and hardware.
 - Standard table heights are 29"(737mm) and 42"(1067mm).
 - Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
 - Casters:
 - Four locking casters with 0.625"(16mm) adjustment.
 - Standard in black.
 - Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
 - Casters and glides are not interchangeable.
 - Ships unassembled.
- Specification Tips**
- Edge choice allows a flat seam between tables.
 - Not available with factory cutout option.**
 - Power Ready Base:
 - Allows for cord management through one of the Bridge Base Base columns.
 - Powered leg location is determined during installation.**
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available with two column tables 29"(737mm) or 42"(1067mm) high)
 - Specify the (K) option for Glides on the Power Ready base
 - Power cord length determines the distance to building power source.**
 - Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
 - Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.


- To Order, Specify:**
- 1) Product number, including:
- ① Surface Option:**
- L** Laminate
- W** Wood
- ② Edge Option:**
- Laminate:
- J** Edgeband
- F** Knife
- Wood:
- K** Edgeband
- U** Knife
- ③ Base and Wire Management Option:**
- Base - No Power:
- C** Casters, add **\$22.32** list
- G** Glides
- Base - Power Ready:
- J** Casters, add **\$22.32** list
- K** Glides
- ④ Base Finish Option:**
- A** Painted
- B** Polished, add **\$63.50** list
- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.
- Note: \$63.03** upcharge list for Metallic trim colors.

Jive Table — C-Leg — Extruded

Rectangle – Laminate or Wood



TCRA-SNC

**Features**

- Includes 1.18" (30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 29" (737mm) and 42" (1067mm).
- Laminate or wood top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Optional Belong Hatch cutout:
 - Laminate tops only with one cutout.
 - Available on worksurfaces 30" (762mm) D and widths 54" (1372mm), 60" (1524mm), 66" (1676mm) and 72" (1829mm).
 - Requires separately specified Belong Hatch.
 - Refer to Specification Guide for cutout details.
- Casters:
 - Two locking and two non-locking casters with 0.625" (16mm) adjustment.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (A) option for a Center, Single-Sided/2 outlet Flip Top Unit
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (H) option for Belong Hatch
- Power Ready Base:
 - Allows for cord management through one of the Extruded C-Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29" (737mm) and 42" (1067mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- A** Center, Single-Sided/2 outlets, add **\$45.84** list
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- H** Belong Hatch add **\$45.84** list

4 Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29" Height Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29" Height Only)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished, add **\$63.50** list

- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — C-Leg — Extruded

Rectangle – Laminate or Wood


Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B		
									J	F	J	F	K	U	K	U	
Base — No Power — No Cutout																	
29"(737mm)	24"(610mm)	36"(914mm)	TCRA-2436-			S		C	4	\$ 923.92	\$1146.78	\$1021.27	\$1244.13	\$1567.76	\$1839.92	\$1708.65	\$2013.68
		42"(1067mm)	TCRA-2442-			S		C	4	956.46	1203.66	1056.17	1303.37	1670.80	1974.51	1830.59	2171.98
		48"(1219mm)	TCRA-2448-			S		C	4	989.23	1262.16	1091.30	1364.23	1774.55	2111.63	1953.40	2333.24
		54"(1372mm)	TCRA-2454-			S		C	4	1022.23	1322.31	1126.66	1426.74	1879.00	2251.26	2077.07	2497.45
		60"(1524mm)	TCRA-2460-			S		C	4	1055.47	1384.08	1162.26	1490.87	1984.17	2393.42	2201.61	2664.62
		66"(1676mm)	TCRA-2466-			S		C	4	1088.94	1447.49	1198.09	1556.64	2090.04	2538.10	2327.01	2834.74
		72"(1829mm)	TCRA-2472-			S		C	4	1122.64	1512.53	1234.15	1624.04	2196.63	2685.31	2453.27	3007.82
	30"(762mm)	36"(914mm)	TCRA-3036-			S		C	4	\$ 969.42	\$1208.91	\$1070.31	\$1309.80	\$1712.26	\$2006.00	\$1879.30	\$2209.19
		42"(1067mm)	TCRA-3042-			S		C	4	1009.19	1273.73	1113.03	1377.57	1838.34	2164.53	2028.41	2395.70
		48"(1219mm)	TCRA-3048-			S		C	4	1049.20	1340.17	1155.99	1446.96	1965.12	2325.58	2178.38	2585.17
		54"(1372mm)	TCRA-3054-			S		C	4	1089.44	1408.25	1199.18	1517.99	2092.61	2489.16	2329.21	2777.59
		60"(1524mm)	TCRA-3060-			S		C	4	1129.91	1477.96	1242.60	1590.65	2220.81	2655.26	2480.91	2972.96
		66"(1676mm)	TCRA-3066-			S		C	4	1170.62	1549.30	1286.26	1664.94	2349.72	2823.88	2633.47	3171.29
		72"(1829mm)	TCRA-3072-			S		C	4	1211.56	1622.28	1330.15	1740.87	2479.33	2995.03	2786.90	3372.57
42"(1067mm)	24"(610mm)	36"(914mm)	TCRA-2436-			S		CG7		\$1194.77	\$1417.63	\$1292.12	\$1514.98	\$1838.61	\$2110.77	\$1979.50	\$2284.53
		42"(1067mm)	TCRA-2442-			S		CG7		1227.31	1474.51	1327.02	1574.22	1941.65	2245.36	2101.44	2442.83
		48"(1219mm)	TCRA-2448-			S		CG7		1260.08	1533.01	1362.15	1635.08	2045.40	2382.48	2224.25	2604.09
		54"(1372mm)	TCRA-2454-			S		CG7		1293.08	1593.16	1397.51	1697.59	2149.85	2522.11	2347.92	2768.30
		60"(1524mm)	TCRA-2460-			S		CG7		1326.32	1654.93	1433.11	1761.72	2255.02	2664.27	2472.46	2935.47
		66"(1676mm)	TCRA-2466-			S		CG7		1359.79	1718.34	1468.94	1827.49	2360.89	2808.95	2597.86	3105.59
		72"(1829mm)	TCRA-2472-			S		CG7		1393.49	1783.38	1505.00	1894.89	2467.48	2956.16	2724.12	3278.67
	30"(762mm)	36"(914mm)	TCRA-3036-			S		CG7		\$1240.27	\$1479.76	\$1341.16	\$1580.65	\$1983.11	\$2276.85	\$2150.15	\$2480.04
		42"(1067mm)	TCRA-3042-			S		CG7		1280.04	1544.58	1383.88	1648.42	2109.19	2435.38	2299.26	2666.55
		48"(1219mm)	TCRA-3048-			S		CG7		1320.05	1611.02	1426.84	1717.81	2235.97	2596.43	2449.23	2856.02
		54"(1372mm)	TCRA-3054-			S		CG7		1360.29	1679.10	1470.03	1788.84	2363.46	2760.01	2600.06	3048.44
		60"(1524mm)	TCRA-3060-			S		CG7		1400.76	1748.81	1513.45	1861.50	2491.66	2926.11	2751.76	3243.81
		66"(1676mm)	TCRA-3066-			S		CG7		1441.47	1820.15	1557.11	1935.79	2620.57	3094.73	2904.32	3442.14
		72"(1829mm)	TCRA-3072-			S		CG7		1482.41	1893.13	1601.00	2011.72	2750.18	3265.88	3057.75	3643.42

Jive Table — C-Leg — Extruded
Rectangle – Laminate or Wood


Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B				
									J	F	J	F	K	U	K	U			
Base — Power Ready — No Cutout																			
29"(737mm)	24"(610mm)	36"(914mm)	TCRA-2436-	■	■	S	■	C	■	4	■	\$ 951.05	\$1173.91	\$1048.40	\$1271.26	\$1594.89	\$1867.05	\$1735.78	\$2040.81
		42"(1067mm)	TCRA-2442-	■	■	S	■	C	■	4	■	983.59	1230.79	1083.30	1330.50	1697.93	2001.64	1857.72	2199.11
		48"(1219mm)	TCRA-2448-	■	■	S	■	C	■	4	■	1016.36	1289.29	1118.43	1391.36	1801.68	2138.76	1980.53	2360.37
		54"(1372mm)	TCRA-2454-	■	■	S	■	C	■	4	■	1049.36	1349.44	1153.79	1453.87	1906.13	2278.39	2104.20	2524.58
		60"(1524mm)	TCRA-2460-	■	■	S	■	C	■	4	■	1082.60	1411.21	1189.39	1518.00	2011.30	2420.55	2228.74	2691.75
		66"(1676mm)	TCRA-2466-	■	■	S	■	C	■	4	■	1116.07	1474.62	1225.22	1583.77	2117.17	2565.23	2354.14	2861.87
		72"(1829mm)	TCRA-2472-	■	■	S	■	C	■	4	■	1149.77	1539.66	1261.28	1651.17	2223.76	2712.44	2480.40	3034.95
	30"(762mm)	36"(914mm)	TCRA-3036-	■	■	S	■	C	■	4	■	\$ 996.55	\$1236.04	\$1097.44	\$1336.93	\$1739.39	\$2033.13	\$1906.43	\$2236.32
		42"(1067mm)	TCRA-3042-	■	■	S	■	C	■	4	■	1036.32	1300.86	1140.16	1404.70	1865.47	2191.66	2055.54	2422.83
		48"(1219mm)	TCRA-3048-	■	■	S	■	C	■	4	■	1076.33	1367.30	1183.12	1474.09	1992.25	2352.71	2205.51	2612.30
		54"(1372mm)	TCRA-3054-	■	■	S	■	C	■	4	■	1116.57	1435.38	1226.31	1545.12	2119.74	2516.29	2356.34	2804.72
		60"(1524mm)	TCRA-3060-	■	■	S	■	C	■	4	■	1157.04	1505.09	1269.73	1617.78	2247.94	2682.39	2508.04	3000.09
		66"(1676mm)	TCRA-3066-	■	■	S	■	C	■	4	■	1197.75	1576.43	1313.39	1692.07	2376.85	2851.01	2660.60	3198.42
		72"(1829mm)	TCRA-3072-	■	■	S	■	C	■	4	■	1238.69	1649.41	1357.28	1768.00	2506.46	3022.16	2814.03	3399.70
42"(1067mm)	24"(610mm)	36"(914mm)	TCRA-2436-	■	■	S	■	CK7	■		\$1221.90	\$1444.76	\$1319.25	\$1542.11	\$1865.74	\$2137.90	\$2006.63	\$2311.66	
		42"(1067mm)	TCRA-2442-	■	■	S	■	CK7	■		1254.44	1501.64	1354.15	1601.35	1968.78	2272.49	2128.57	2469.96	
		48"(1219mm)	TCRA-2448-	■	■	S	■	CK7	■		1287.21	1560.14	1389.28	1662.21	2072.53	2409.61	2251.38	2631.22	
		54"(1372mm)	TCRA-2454-	■	■	S	■	CK7	■		1320.21	1620.29	1424.64	1724.72	2176.98	2549.24	2375.05	2795.43	
		60"(1524mm)	TCRA-2460-	■	■	S	■	CK7	■		1353.45	1682.06	1460.24	1788.85	2282.15	2691.40	2499.59	2962.60	
		66"(1676mm)	TCRA-2466-	■	■	S	■	CK7	■		1386.92	1745.47	1496.07	1854.62	2388.02	2836.08	2624.99	3132.72	
		72"(1829mm)	TCRA-2472-	■	■	S	■	CK7	■		1420.62	1810.51	1532.13	1922.02	2494.61	2983.29	2751.25	3305.80	
	30"(762mm)	36"(914mm)	TCRA-3036-	■	■	S	■	CK7	■		\$1267.40	\$1506.89	\$1368.29	\$1607.78	\$2010.24	\$2303.98	\$2177.28	\$2507.17	
		42"(1067mm)	TCRA-3042-	■	■	S	■	CK7	■		1307.17	1571.71	1411.01	1675.55	2136.32	2462.51	2326.39	2693.68	
		48"(1219mm)	TCRA-3048-	■	■	S	■	CK7	■		1347.18	1638.15	1453.97	1744.94	2263.10	2623.56	2476.36	2883.15	
		54"(1372mm)	TCRA-3054-	■	■	S	■	CK7	■		1387.42	1706.23	1497.16	1815.97	2390.59	2787.14	2627.19	3075.57	
		60"(1524mm)	TCRA-3060-	■	■	S	■	CK7	■		1427.89	1775.94	1540.58	1888.63	2518.79	2953.24	2778.89	3270.94	
		66"(1676mm)	TCRA-3066-	■	■	S	■	CK7	■		1468.60	1847.28	1584.24	1962.92	2647.70	3121.86	2931.45	3469.27	
		72"(1829mm)	TCRA-3072-	■	■	S	■	CK7	■		1509.54	1920.26	1628.13	2038.85	2777.31	3293.01	3084.88	3670.55	

Jive Table — C-Leg — Round

Rectangle – Laminate or Wood



TCRA-SNB



Features

- Includes 1.18”(30mm) thick standard top, base, adjustable glides or casters and hardware.
- Standard table heights are 29”(737mm) and 42”(1067mm).
- Laminate or wood top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Optional Belong Hatch cutout:
 - Laminate tops only with one cutout.
 - Available on worksurfaces 54”(1372mm), 60”(1524mm), 66”(1676mm) and 72”(1829mm).
 - Requires separately specified Belong Hatch.
 - Refer to Specification Guide for cutout details.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- **Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (A) option for a Center, Single-Sided/2 outlet Flip Top Unit
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (H) option for Belong Hatch
- Power Ready Base:
 - Allows for cord management through one of the Round C-Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29”(737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29”(737mm) and 42”(1067mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- A** Center, Single-Sided/2 outlets, add **\$45.84** list
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- H** Belong Hatch add **\$45.84** list

4 Base Foot and Wire Management:

Base - No Power:

- C** Casters, add **\$22.32** list (29” Height Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29” Height Only)
- K** Glides

5 Base Foot Finish Option:

- A** Painted
- B** Polished, add **\$63.50** list

- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — C-Leg — Round
Rectangle – Laminate or Wood

Height	Depth	Width	Distributed Load Capacity	Number	1	2	3	4	5	Laminate A		Laminate B		Wood Group A		Wood Group B			
										J	F	J	F	K	U	K	U		
Base — No Power — No Cutout																			
29″(737mm)	24″(610mm)	36″(914mm)	144	TCRA-2436-			S	B	4	\$ 724.11	\$ 946.97	\$ 821.46	\$1044.32	\$1367.95	\$1640.11	\$1508.84	\$1813.87		
		42″(1067mm)	158	TCRA-2442-			S	B	4	756.65	1003.85	856.36	1103.56	1470.99	1774.70	1630.78	1972.17		
		48″(1219mm)	173	TCRA-2448-			S	B	4	789.42	1062.35	891.49	1164.42	1574.74	1911.82	1753.59	2133.43		
		54″(1372mm)	187	TCRA-2454-			S	B	4	822.42	1122.50	926.85	1226.93	1679.19	2051.45	1877.26	2297.64		
		60″(1524mm)	202	TCRA-2460-			S	B	4	855.66	1184.27	962.45	1291.06	1784.36	2193.61	2001.80	2464.81		
		66″(1676mm)	216	TCRA-2466-			S	B	4	889.13	1247.68	998.28	1356.83	1890.23	2338.29	2127.20	2634.93		
		72″(1829mm)	230	TCRA-2472-			S	B	4	922.83	1312.72	1034.34	1424.23	1996.82	2485.50	2253.46	2808.01		
		30″(762mm)	36″(914mm)	158	TCRA-3036-			S	B	4	\$ 769.61	\$1009.10	\$ 870.50	\$1109.99	\$1512.45	\$1806.19	\$1679.49	\$2009.38	
		42″(1067mm)	173	TCRA-3042-			S	B	4	809.38	1073.92	913.22	1177.76	1638.53	1964.72	1828.60	2195.89		
		48″(1219mm)	187	TCRA-3048-			S	B	4	849.39	1140.36	956.18	1247.15	1765.31	2125.77	1978.57	2385.36		
		54″(1372mm)	202	TCRA-3054-			S	B	4	889.63	1208.44	999.37	1318.18	1892.80	2289.35	2129.40	2577.78		
		60″(1524mm)	216	TCRA-3060-			S	B	4	930.10	1278.15	1042.79	1390.84	2021.00	2455.45	2281.10	2773.15		
		66″(1676mm)	230	TCRA-3066-			S	B	4	970.81	1349.49	1086.45	1465.13	2149.91	2624.07	2433.66	2971.48		
		72″(1829mm)	245	TCRA-3072-			S	B	4	1011.75	1422.47	1130.34	1541.06	2279.52	2795.22	2587.09	3172.76		
		42″(1067mm)	24″(610mm)	36″(914mm)	144	TCRA-2436-			S	B	G7	\$ 994.94	\$1217.80	\$1092.29	\$1315.15	\$1638.78	\$1910.94	\$1779.67	\$2084.70
				42″(1067mm)	158	TCRA-2442-			S	B	G7	1027.48	1274.68	1127.19	1374.39	1741.82	2045.53	1901.61	2243.00
48″(1219mm)	173			TCRA-2448-			S	B	G7	1060.25	1333.18	1162.32	1435.25	1845.57	2182.65	2024.42	2404.26		
54″(1372mm)	187			TCRA-2454-			S	B	G7	1093.25	1393.33	1197.68	1497.76	1950.02	2322.28	2148.09	2568.47		
60″(1524mm)	202			TCRA-2460-			S	B	G7	1126.49	1455.10	1233.28	1561.89	2055.19	2464.44	2272.63	2735.64		
66″(1676mm)	216			TCRA-2466-			S	B	G7	1159.96	1518.51	1269.11	1627.66	2161.06	2609.12	2398.03	2905.76		
72″(1829mm)	230			TCRA-2472-			S	B	G7	1193.66	1583.55	1305.17	1695.06	2267.65	2756.33	2524.29	3078.84		
30″(762mm)	36″(914mm)			158	TCRA-3036-			S	B	G7	\$1040.44	\$1279.93	\$1141.33	\$1380.82	\$1783.28	\$2077.02	\$1950.32	\$2280.21	
		42″(1067mm)	173	TCRA-3042-			S	B	G7	1080.21	1344.75	1184.05	1448.59	1909.36	2235.55	2099.43	2466.72		
		48″(1219mm)	187	TCRA-3048-			S	B	G7	1120.22	1411.19	1227.01	1517.98	2036.14	2396.60	2249.40	2656.19		
		54″(1372mm)	202	TCRA-3054-			S	B	G7	1160.46	1479.27	1270.20	1589.01	2163.63	2560.18	2400.23	2848.61		
		60″(1524mm)	216	TCRA-3060-			S	B	G7	1200.93	1548.98	1313.62	1661.67	2291.83	2726.28	2551.93	3043.98		
		66″(1676mm)	230	TCRA-3066-			S	B	G7	1241.64	1620.32	1357.28	1735.96	2420.74	2894.90	2704.49	3242.31		
		72″(1829mm)	245	TCRA-3072-			S	B	G7	1282.58	1693.30	1401.17	1811.89	2550.35	3066.05	2857.92	3443.59		


Jive Table — C-Leg — Round

Rectangle – Laminate or Wood

Height	Depth	Width	Distributed Load Capacity	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B		
										J	F	J	F	K	U	K	U	
Base — Power Ready — No Cutout																		
29"(737mm)	24"(610mm)	36"(914mm)	144	TCRA-2436-			S	B	4	\$ 751.24	\$ 974.10	\$ 848.59	\$1071.45	\$1395.08	\$1667.24	\$1535.97	\$1841.00	
		42"(1067mm)	158	TCRA-2442-			S	B	4	783.78	1030.98	883.49	1130.69	1498.12	1801.83	1657.91	1999.30	
		48"(1219mm)	173	TCRA-2448-			S	B	4	816.55	1089.48	918.62	1191.55	1601.87	1938.95	1780.72	2160.56	
		54"(1372mm)	187	TCRA-2454-			S	B	4	849.55	1149.63	953.98	1254.06	1706.32	2078.58	1904.39	2324.77	
		60"(1524mm)	202	TCRA-2460-			S	B	4	882.79	1211.40	989.58	1318.19	1811.49	2220.74	2028.93	2491.94	
		66"(1676mm)	216	TCRA-2466-			S	B	4	916.26	1274.81	1025.41	1383.96	1917.36	2365.42	2154.33	2662.06	
		72"(1829mm)	230	TCRA-2472-			S	B	4	949.96	1339.85	1061.47	1451.36	2023.95	2512.63	2280.59	2835.14	
		30"(762mm)	36"(914mm)	158	TCRA-3036-			S	B	4	\$ 796.74	\$1036.23	\$ 897.63	\$1137.12	\$1539.58	\$1833.32	\$1706.62	\$2036.51
		42"(1067mm)	173	TCRA-3042-			S	B	4	836.51	1101.05	940.35	1204.89	1665.66	1991.85	1855.73	2223.02	
		48"(1219mm)	187	TCRA-3048-			S	B	4	876.52	1167.49	983.31	1274.28	1792.44	2152.90	2005.70	2412.49	
		54"(1372mm)	202	TCRA-3054-			S	B	4	916.76	1235.57	1026.50	1345.31	1919.93	2316.48	2156.53	2604.91	
		60"(1524mm)	216	TCRA-3060-			S	B	4	957.23	1305.28	1069.92	1417.97	2048.13	2482.58	2308.23	2800.28	
		66"(1676mm)	230	TCRA-3066-			S	B	4	997.94	1376.62	1113.58	1492.26	2177.04	2651.20	2460.79	2998.61	
		72"(1829mm)	245	TCRA-3072-			S	B	4	1038.88	1449.60	1157.47	1568.19	2306.65	2822.35	2614.22	3199.89	
		42"(1067mm)	24"(610mm)	36"(914mm)	144	TCRA-2436-			S	BK7	\$1022.07	\$1244.93	\$1119.42	\$1342.28	\$1665.91	\$1938.07	\$1806.80	\$2111.83
				42"(1067mm)	158	TCRA-2442-			S	BK7	1054.61	1301.81	1154.32	1401.52	1768.95	2072.66	1928.74	2270.13
48"(1219mm)	173			TCRA-2448-			S	BK7	1087.38	1360.31	1189.45	1462.38	1872.70	2209.78	2051.55	2431.39		
54"(1372mm)	187			TCRA-2454-			S	BK7	1120.38	1420.46	1224.81	1524.89	1977.15	2349.41	2175.22	2595.60		
60"(1524mm)	202			TCRA-2460-			S	BK7	1153.62	1482.23	1260.41	1589.02	2082.32	2491.57	2299.76	2762.77		
66"(1676mm)	216			TCRA-2466-			S	BK7	1187.09	1545.64	1296.24	1654.79	2188.19	2636.25	2425.16	2932.89		
72"(1829mm)	230			TCRA-2472-			S	BK7	1220.79	1610.68	1332.30	1722.19	2294.78	2783.46	2551.42	3105.97		
30"(762mm)	36"(914mm)			158	TCRA-3036-			S	BK7	\$1067.57	\$1307.06	\$1168.46	\$1407.95	\$1810.41	\$2104.15	\$1977.45	\$2307.34	
				42"(1067mm)	173	TCRA-3042-			S	BK7	1107.34	1371.88	1211.18	1475.72	1936.49	2262.68	2126.56	2493.85
		48"(1219mm)	187	TCRA-3048-			S	BK7	1147.35	1438.32	1254.14	1545.11	2063.27	2423.73	2276.53	2683.32		
		54"(1372mm)	202	TCRA-3054-			S	BK7	1187.59	1506.40	1297.33	1616.14	2190.76	2587.31	2427.36	2875.74		
		60"(1524mm)	216	TCRA-3060-			S	BK7	1228.06	1576.11	1340.75	1688.80	2318.96	2753.41	2579.06	3071.11		
		66"(1676mm)	230	TCRA-3066-			S	BK7	1268.77	1647.45	1384.41	1763.09	2447.87	2922.03	2731.62	3269.44		
		72"(1829mm)	245	TCRA-3072-			S	BK7	1309.71	1720.43	1428.30	1839.02	2577.48	3093.18	2885.05	3470.72		

Jive Table — C-Leg (Round or Extruded) — Flip Base

Rectangle – Laminate or Wood



TCRA-SNH

Features

- Includes 1.18" (30mm) thick top, two C-Leg bases with round or extruded columns, stretcher and hardware
- Standard table height is 29" (737mm).
- Laminate or wood top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (A) option for a Center, Single-Sided/2 outlet Flip Top Unit
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the C-Leg (Round or Extruded) Base Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (L) option for Casters on the Power Ready base
 - Specify the (M) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- A** Center, Single-Sided/2 outlets, add **\$45.84** list
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list

4 Base and Wire Management Option:

Base - No Power:

- H** Casters, add **\$22.32** list
- F** Glides

Base - Power Ready:

- L** Casters, add **\$22.32** list
- M** Glides

5 Base Finish Option:

- A** Painted
- B** Polished, add **\$63.50** list

- Surface color.
- Edgeband trim color.
- Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.


Jive Table — C-Leg (Round or Extruded) — Flip Base

Rectangle – Laminate or Wood


Height	Depth	Width	Distributed Load Capacity	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B	
										J	F	J	F	K	U	K	U
Round — Base — No Power — No Cutout																	
29"(737mm)	24"(610mm)	48"(1219mm)	173	TCRA-2448-			S	B	4	\$1409.89	\$1682.82	\$1511.96	\$1784.89	\$2195.21	\$2532.29	\$2374.06	\$2753.90
		60"(1524mm)	202	TCRA-2460-			S	B	4	1476.13	1804.74	1582.92	1911.53	2404.83	2814.08	2622.27	3085.28
		72"(1829mm)	230	TCRA-2472-			S	B	4	1543.30	1933.19	1654.81	2044.70	2617.29	3105.97	2873.93	3428.48
	30"(762mm)	48"(1219mm)	187	TCRA-3048-			S	B	4	\$1469.86	\$1760.83	\$1576.65	\$1867.62	\$2385.78	\$2746.24	\$2599.04	\$3005.83
		60"(1524mm)	216	TCRA-3060-			S	B	4	1550.57	1898.62	1663.26	2011.31	2641.47	3075.92	2901.57	3393.62
		72"(1829mm)	245	TCRA-3072-			S	B	4	1632.22	2042.94	1750.81	2161.53	2899.99	3415.69	3207.56	3793.23
Extruded — Base — No Power — No Cutout																	
29"(737mm)	24"(610mm)	48"(1219mm)	173	TCRA-2448-			S	C	4	\$1609.70	\$1882.63	\$1711.77	\$1984.70	\$2395.02	\$2732.10	\$2573.87	\$2953.71
		60"(1524mm)	202	TCRA-2460-			S	C	4	1675.94	2004.55	1782.73	2111.34	2604.64	3013.89	2822.08	3285.09
		72"(1829mm)	230	TCRA-2472-			S	C	4	1743.11	2133.00	1854.62	2244.51	2817.10	3305.78	3073.74	3628.29
	30"(762mm)	48"(1219mm)	187	TCRA-3048-			S	C	4	\$1669.67	\$1960.64	\$1776.46	\$2067.43	\$2585.59	\$2946.05	\$2798.85	\$3205.64
		60"(1524mm)	216	TCRA-3060-			S	C	4	1750.38	2098.43	1863.07	2211.12	2841.28	3275.73	3101.38	3593.43
		72"(1829mm)	245	TCRA-3072-			S	C	4	1832.03	2242.75	1950.62	2361.34	3099.80	3615.50	3407.37	3993.04
Round — Base — Power Ready — No Cutout																	
29"(737mm)	24"(610mm)	48"(1219mm)	173	TCRA-2448-			S	B	4	\$1437.02	\$1709.95	\$1539.09	\$1812.02	\$2222.34	\$2559.42	\$2401.19	\$2781.03
		60"(1524mm)	202	TCRA-2460-			S	B	4	1503.26	1831.87	1610.05	1938.66	2431.96	2841.21	2649.40	3112.41
		72"(1829mm)	230	TCRA-2472-			S	B	4	1570.43	1960.32	1681.94	2071.83	2644.42	3133.10	2901.06	3455.61
	30"(762mm)	48"(1219mm)	187	TCRA-3048-			S	B	4	\$1496.99	\$1787.96	\$1603.78	\$1894.75	\$2412.91	\$2773.37	\$2626.17	\$3032.96
		60"(1524mm)	216	TCRA-3060-			S	B	4	1577.70	1925.75	1690.39	2038.44	2668.60	3103.05	2928.70	3420.75
		72"(1829mm)	245	TCRA-3072-			S	B	4	1659.35	2070.07	1777.94	2188.66	2927.12	3442.82	3234.69	3820.36
Extruded — Base — Power Ready — No Cutout																	
29"(737mm)	24"(610mm)	48"(1219mm)	173	TCRA-2448-			S	C	4	\$1636.83	\$1909.76	\$1738.90	\$2011.83	\$2422.15	\$2759.23	\$2601.00	\$2980.84
		60"(1524mm)	202	TCRA-2460-			S	C	4	1703.07	2031.68	1809.86	2138.47	2631.77	3041.02	2849.21	3312.22
		72"(1829mm)	230	TCRA-2472-			S	C	4	1770.24	2160.13	1881.75	2271.64	2844.23	3332.91	3100.87	3655.42
	30"(762mm)	48"(1219mm)	187	TCRA-3048-			S	C	4	\$1696.80	\$1987.77	\$1803.59	\$2094.56	\$2612.72	\$2973.18	\$2825.98	\$3232.77
		60"(1524mm)	216	TCRA-3060-			S	C	4	1777.51	2125.56	1890.20	2238.25	2868.41	3302.86	3128.51	3620.56
		72"(1829mm)	245	TCRA-3072-			S	C	4	1859.16	2269.88	1977.75	2388.47	3126.93	3642.63	3434.50	4020.17

Jive Table — Disc Base

Round – Laminate or Wood



TCRN-SND



Features

- Includes 1.18”(30mm) thick standard top, base, glides and hardware.
- Standard table heights are 16”(406mm), 20”(508mm), 29”(737mm) and 36”(914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Disc Base Diameter Sizes:
 - 24”(610mm) and 30”(762mm) tops include 21”(533mm) disc base
 - 36”(914mm) tops include 27”(686mm) disc base
- Power Ready Base:
 - Allows for cord management through the Disk Base (available on 16”(406mm), 20”(508mm), 29”(737mm) and 36”(914mm) high tables)
 - Edge mounted power is recommended.
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number, including:

1 Surface Option:

- L** Laminate
W Wood

2 Edge Option:

Laminate:

- J** Edgeband
F Knife

Wood:

- K** Edgeband
U Knife

- 2) Laminate surface color or wood finish color.
3) Edgeband trim color (laminate only).
4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — Disc Base


Round – Laminate or Wood

Height	Depth	Width	Number 1 2	Laminate A		Laminate B		Wood Group A		Wood Group B	
				J	F	J	F	K	U	K	U
Base — No Power											
16″(406mm)	24″(610mm)	24″(610mm)	TCRN-2424-  SNDN1	\$ 906.83	\$1118.80	\$ 995.33	\$1207.30	\$1313.57	\$1431.17	\$1392.50	\$1516.77
	30″(762mm)	30″(762mm)	TCRN-3030-  SNDN1	977.39	1228.24	1071.20	1322.05	1537.37	1740.61	1657.07	1880.69
	36″(914mm)	36″(914mm)	TCRN-3636-  SNDN1	1062.19	1351.92	1162.49	1452.22	1806.53	2123.00	1975.10	2330.39
	42″(1067mm)	42″(1067mm)	TCRN-4242-  SNDN1	1161.23	1489.84	1269.20	1597.81	2121.05	2579.36	2346.59	2867.06
	48″(1219mm)	48″(1219mm)	TCRN-4848-  SNDN1	1274.51	1642.00	1391.33	1758.82	2480.93	3108.48	2771.54	3489.28
20″(508mm)	24″(610mm)	24″(610mm)	TCRN-2424-  SNDN2	\$ 913.96	\$1125.93	\$1002.46	\$1214.43	\$1320.70	\$1438.30	\$1399.63	\$1523.90
	30″(762mm)	30″(762mm)	TCRN-3030-  SNDN2	984.52	1235.37	1078.33	1329.18	1544.50	1747.74	1664.20	1887.82
	36″(914mm)	36″(914mm)	TCRN-3636-  SNDN2	1069.32	1359.05	1169.62	1459.35	1813.66	2130.13	1982.23	2337.52
	42″(1067mm)	42″(1067mm)	TCRN-4242-  SNDN2	1168.36	1496.97	1276.33	1604.94	2128.18	2586.49	2353.72	2874.19
	48″(1219mm)	48″(1219mm)	TCRN-4848-  SNDN2	1281.64	1649.13	1398.46	1765.95	2488.06	3115.61	2778.67	3496.41
29″(737mm)	24″(610mm)	24″(610mm)	TCRN-2424-  SNDN4	\$ 935.34	\$1147.31	\$1023.84	\$1235.81	\$1342.08	\$1459.68	\$1421.01	\$1545.28
	30″(762mm)	30″(762mm)	TCRN-3030-  SNDN4	1005.90	1256.75	1099.71	1350.56	1565.88	1769.12	1685.58	1909.20
	36″(914mm)	36″(914mm)	TCRN-3636-  SNDN4	1090.70	1380.43	1191.00	1480.73	1835.04	2151.51	2003.61	2358.90
	42″(1067mm)	42″(1067mm)	TCRN-4242-  SNDN4	1189.74	1518.35	1297.71	1626.32	2149.56	2607.87	2375.10	2895.57
	48″(1219mm)	48″(1219mm)	TCRN-4848-  SNDN4	1303.02	1670.51	1419.84	1787.33	2509.44	3136.99	2800.05	3517.79
36″(914mm)	24″(610mm)	24″(610mm)	TCRN-2424-  SNDN6	\$ 942.68	\$1154.65	\$1031.18	\$1243.15	\$1349.42	\$1467.02	\$1428.35	\$1552.62
	30″(762mm)	30″(762mm)	TCRN-3030-  SNDN6	1013.24	1264.09	1107.05	1357.90	1573.22	1776.46	1692.92	1916.54
	36″(914mm)	36″(914mm)	TCRN-3636-  SNDN6	1098.04	1387.77	1198.34	1488.07	1842.38	2158.85	2010.95	2366.24
	42″(1067mm)	42″(1067mm)	TCRN-4242-  SNDN6	1197.08	1525.69	1305.05	1633.66	2156.90	2615.21	2382.44	2902.91
	48″(1219mm)	48″(1219mm)	TCRN-4848-  SNDN6	1310.36	1677.85	1427.18	1794.67	2516.78	3144.33	2807.39	3525.13
Base — Power Ready											
16″(406mm)	24″(610mm)	24″(610mm)	TCRN-2424-  SNDK1	\$ 933.96	\$1145.93	\$1022.46	\$1234.43	\$1340.70	\$1458.30	\$1419.63	\$1543.90
	30″(762mm)	30″(762mm)	TCRN-3030-  SNDK1	1004.52	1255.37	1098.33	1349.18	1564.50	1767.74	1684.20	1907.82
	36″(914mm)	36″(914mm)	TCRN-3636-  SNDK1	1089.32	1379.05	1189.62	1479.35	1833.66	2150.13	2002.23	2357.52
	42″(1067mm)	42″(1067mm)	TCRN-4242-  SNDK1	1188.36	1516.97	1296.33	1624.94	2148.18	2606.49	2373.72	2894.19
	48″(1219mm)	48″(1219mm)	TCRN-4848-  SNDK1	1301.64	1669.13	1418.46	1785.95	2508.06	3135.61	2798.67	3516.41
20″(508mm)	24″(610mm)	24″(610mm)	TCRN-2424-  SNDK2	\$ 941.09	\$1153.06	\$1029.59	\$1241.56	\$1347.83	\$1465.43	\$1426.76	\$1551.03
	30″(762mm)	30″(762mm)	TCRN-3030-  SNDK2	1011.65	1262.50	1105.46	1356.31	1571.63	1774.87	1691.33	1914.95
	36″(914mm)	36″(914mm)	TCRN-3636-  SNDK2	1096.45	1386.18	1196.75	1486.48	1840.79	2157.26	2009.36	2364.65
	42″(1067mm)	42″(1067mm)	TCRN-4242-  SNDK2	1195.49	1524.10	1303.46	1632.07	2155.31	2613.62	2380.85	2901.32
	48″(1219mm)	48″(1219mm)	TCRN-4848-  SNDK2	1308.77	1676.26	1425.59	1793.08	2515.19	3142.74	2805.80	3523.54
29″(737mm)	24″(610mm)	24″(610mm)	TCRN-2424-  SNDK4	\$ 962.47	\$1174.44	\$1050.97	\$1262.94	\$1369.21	\$1486.81	\$1448.14	\$1572.41
	30″(762mm)	30″(762mm)	TCRN-3030-  SNDK4	1033.03	1283.88	1126.84	1377.69	1593.01	1796.25	1712.71	1936.33
	36″(914mm)	36″(914mm)	TCRN-3636-  SNDK4	1117.83	1407.56	1218.13	1507.86	1862.17	2178.64	2030.74	2386.03
	42″(1067mm)	42″(1067mm)	TCRN-4242-  SNDK4	1216.87	1545.48	1324.84	1653.45	2176.69	2635.00	2402.23	2922.70
	48″(1219mm)	48″(1219mm)	TCRN-4848-  SNDK4	1330.15	1697.64	1446.97	1814.46	2536.57	3164.12	2827.18	3544.92
36″(914mm)	24″(610mm)	24″(610mm)	TCRN-2424-  SNDK6	\$ 969.81	\$1181.78	\$1058.31	\$1270.28	\$1376.55	\$1494.15	\$1455.48	\$1579.75
	30″(762mm)	30″(762mm)	TCRN-3030-  SNDK6	1040.37	1291.22	1134.18	1385.03	1600.35	1803.59	1720.05	1943.67
	36″(914mm)	36″(914mm)	TCRN-3636-  SNDK6	1125.17	1414.90	1225.47	1515.20	1869.51	2185.98	2038.08	2393.37
	42″(1067mm)	42″(1067mm)	TCRN-4242-  SNDK6	1224.21	1552.82	1332.18	1660.79	2184.03	2642.34	2409.57	2930.04
	48″(1219mm)	48″(1219mm)	TCRN-4848-  SNDK6	1337.49	1704.98	1454.31	1821.80	2543.91	3171.46	2834.52	3552.26


Jive Table — Disc Base

Square – Laminate or Wood

Height	Depth	Width	Number ① ②	Laminate A		Laminate B		Wood Group A		Wood Group B	
				J	F	J	F	K	U	K	U
Base — No Power											
16″(406mm)	24″(610mm)	24″(610mm)	TCRQ-2424-   SNDN1	\$ 906.83	\$1118.80	\$ 995.33	\$1207.30	\$1313.57	\$1431.17	\$1392.50	\$1516.77
	30″(762mm)	30″(762mm)	TCRQ-3030-   SNDN1	977.39	1228.24	1071.20	1322.05	1537.37	1740.61	1657.07	1880.69
	36″(914mm)	36″(914mm)	TCRQ-3636-   SNDN1	1062.19	1351.92	1162.49	1452.22	1806.53	2123.00	1975.10	2330.39
20″(508mm)	24″(610mm)	24″(610mm)	TCRQ-2424-   SNDN2	\$ 913.96	\$1125.93	\$1002.46	\$1214.43	\$1320.70	\$1438.30	\$1399.63	\$1523.90
	30″(762mm)	30″(762mm)	TCRQ-3030-   SNDN2	984.52	1235.37	1078.33	1329.18	1544.50	1747.74	1664.20	1887.82
	36″(914mm)	36″(914mm)	TCRQ-3636-   SNDN2	1069.32	1359.05	1169.62	1459.35	1813.66	2130.13	1982.23	2337.52
29″(737mm)	24″(610mm)	24″(610mm)	TCRQ-2424-   SNDN4	\$ 935.34	\$1147.31	\$1023.84	\$1235.81	\$1342.08	\$1459.68	\$1421.01	\$1545.28
	30″(762mm)	30″(762mm)	TCRQ-3030-   SNDN4	1005.90	1256.75	1099.71	1350.56	1565.88	1769.12	1685.58	1909.20
	36″(914mm)	36″(914mm)	TCRQ-3636-   SNDN4	1090.70	1380.43	1191.00	1480.73	1835.04	2151.51	2003.61	2358.90
36″(914mm)	24″(610mm)	24″(610mm)	TCRQ-2424-   SNDN6	\$ 942.68	\$1154.65	\$1031.18	\$1243.15	\$1349.42	\$1467.02	\$1428.35	\$1552.62
	30″(762mm)	30″(762mm)	TCRQ-3030-   SNDN6	1013.24	1264.09	1107.05	1357.90	1573.22	1776.46	1692.92	1916.54
	36″(914mm)	36″(914mm)	TCRQ-3636-   SNDN6	1098.04	1387.77	1198.34	1488.07	1842.38	2158.85	2010.95	2366.24
Base — Power Ready											
16″(406mm)	24″(610mm)	24″(610mm)	TCRQ-2424-   SNDK1	\$ 933.96	\$1145.93	\$1022.46	\$1234.43	\$1340.70	\$1458.30	\$1419.63	\$1543.90
	30″(762mm)	30″(762mm)	TCRQ-3030-   SNDK1	1004.52	1255.37	1098.33	1349.18	1564.50	1767.74	1684.20	1907.82
	36″(914mm)	36″(914mm)	TCRQ-3636-   SNDK1	1089.32	1379.05	1189.62	1479.35	1833.66	2150.13	2002.23	2357.52
20″(508mm)	24″(610mm)	24″(610mm)	TCRQ-2424-   SNDK2	\$ 941.09	\$1153.06	\$1029.59	\$1241.56	\$1347.83	\$1465.43	\$1426.76	\$1551.03
	30″(762mm)	30″(762mm)	TCRQ-3030-   SNDK2	1011.65	1262.50	1105.46	1356.31	1571.63	1774.87	1691.33	1914.95
	36″(914mm)	36″(914mm)	TCRQ-3636-   SNDK2	1096.45	1386.18	1196.75	1486.48	1840.79	2157.26	2009.36	2364.65
29″(737mm)	24″(610mm)	24″(610mm)	TCRQ-2424-   SNDK4	\$ 962.47	\$1174.44	\$1050.97	\$1262.94	\$1369.21	\$1486.81	\$1448.14	\$1572.41
	30″(762mm)	30″(762mm)	TCRQ-3030-   SNDK4	1033.03	1283.88	1126.84	1377.69	1593.01	1796.25	1712.71	1936.33
	36″(914mm)	36″(914mm)	TCRQ-3636-   SNDK4	1117.83	1407.56	1218.13	1507.86	1862.17	2178.64	2030.74	2386.03
36″(914mm)	24″(610mm)	24″(610mm)	TCRQ-2424-   SNDK6	\$ 969.81	\$1181.78	\$1058.31	\$1270.28	\$1376.55	\$1494.15	\$1455.48	\$1579.75
	30″(762mm)	30″(762mm)	TCRQ-3030-   SNDK6	1040.37	1291.22	1134.18	1385.03	1600.35	1803.59	1720.05	1943.67
	36″(914mm)	36″(914mm)	TCRQ-3636-   SNDK6	1125.17	1414.90	1225.47	1515.20	1869.51	2185.98	2038.08	2393.37



TCRQ-SND



Features

- Includes 1.18"(30mm) thick standard top, base, glides and hardware.
- Standard table heights are 16"(406mm), 20"(508mm), 29"(737mm) and 36"(914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Disc Base Diameter Sizes:
 - 24"(610mm) and 30"(762mm) tops include 21"(533mm) disc base
 - 36"(914mm) tops include 27"(686mm) disc base
- Power Ready Base:
 - Allows for cord management through the Disk Base (available on 16"(406mm), 20"(508mm), 29"(737mm) and 36"(914mm) high tables)
 - Edge mounted power is recommended.
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number, including:

① Surface Option:

- L** Laminate
W Wood

② Edge Option:

Laminate:

- J** Edgeband
F Knife

Wood:

- K** Edgeband
U Knife


- 2) Laminate surface color or wood finish color.
3) Edgeband trim color (laminate only).
4) Base trim color.

Note: \$63.03 upcharge list for Metallic trim colors.


Jive Table — Disc Base

Pebble – Laminate or Wood

Height	Depth	Width	Number 1 2	Laminate A		Laminate B		Wood Group A		Wood Group B	
				J	F	J	F	K	U	K	U
Base — No Power											
16″(406mm)	24″(610mm)	24″(610mm)	TCRP-2424-   SNDN1	\$ 906.83	\$1118.80	\$ 995.33	\$1207.30	\$1313.57	\$1431.17	\$1392.50	\$1516.77
	30″(762mm)	30″(762mm)	TCRP-3030-   SNDN1	977.39	1228.24	1071.20	1322.05	1537.37	1740.61	1657.07	1880.69
	36″(914mm)	36″(914mm)	TCRP-3636-   SNDN1	1062.19	1351.92	1162.49	1452.22	1806.53	2123.00	1975.10	2330.39
	42″(1067mm)	42″(1067mm)	TCRP-4242-   SNDN1	1161.23	1489.84	1269.20	1597.81	2121.05	2579.36	2346.59	2867.06
20″(508mm)	24″(610mm)	24″(610mm)	TCRP-2424-   SNDN2	\$ 913.96	\$1125.93	\$1002.46	\$1214.43	\$1320.70	\$1438.30	\$1399.63	\$1523.90
	30″(762mm)	30″(762mm)	TCRP-3030-   SNDN2	984.52	1235.37	1078.33	1329.18	1544.50	1747.74	1664.20	1887.82
	36″(914mm)	36″(914mm)	TCRP-3636-   SNDN2	1069.32	1359.05	1169.62	1459.35	1813.66	2130.13	1982.23	2337.52
	42″(1067mm)	42″(1067mm)	TCRP-4242-   SNDN2	1168.36	1496.97	1276.33	1604.94	2128.18	2586.49	2353.72	2874.19
29″(737mm)	24″(610mm)	24″(610mm)	TCRP-2424-   SNDN4	\$ 935.34	\$1147.31	\$1023.84	\$1235.81	\$1342.08	\$1459.68	\$1421.01	\$1545.28
	30″(762mm)	30″(762mm)	TCRP-3030-   SNDN4	1005.90	1256.75	1099.71	1350.56	1565.88	1769.12	1685.58	1909.20
	36″(914mm)	36″(914mm)	TCRP-3636-   SNDN4	1090.70	1380.43	1191.00	1480.73	1835.04	2151.51	2003.61	2358.90
	42″(1067mm)	42″(1067mm)	TCRP-4242-   SNDN4	1189.74	1518.35	1297.71	1626.32	2149.56	2607.87	2375.10	2895.57
36″(914mm)	24″(610mm)	24″(610mm)	TCRP-2424-   SNDN6	\$ 942.68	\$1154.65	\$1031.18	\$1243.15	\$1349.42	\$1467.02	\$1428.35	\$1552.62
	30″(762mm)	30″(762mm)	TCRP-3030-   SNDN6	1013.24	1264.09	1107.05	1357.90	1573.22	1776.46	1692.92	1916.54
	36″(914mm)	36″(914mm)	TCRP-3636-   SNDN6	1098.04	1387.77	1198.34	1488.07	1842.38	2158.85	2010.95	2366.24
	42″(1067mm)	42″(1067mm)	TCRP-4242-   SNDN6	1197.08	1525.69	1305.05	1633.66	2156.90	2615.21	2382.44	2902.91
Base — Power Ready											
16″(406mm)	24″(610mm)	24″(610mm)	TCRP-2424-   SNDK1	\$ 933.96	\$1145.93	\$1022.46	\$1234.43	\$1340.70	\$1458.30	\$1419.63	\$1543.90
	30″(762mm)	30″(762mm)	TCRP-3030-   SNDK1	1004.52	1255.37	1098.33	1349.18	1564.50	1767.74	1684.20	1907.82
	36″(914mm)	36″(914mm)	TCRP-3636-   SNDK1	1089.32	1379.05	1189.62	1479.35	1833.66	2150.13	2002.23	2357.52
	42″(1067mm)	42″(1067mm)	TCRP-4242-   SNDK1	1188.36	1516.97	1296.33	1624.94	2148.18	2606.49	2373.72	2894.19
20″(508mm)	24″(610mm)	24″(610mm)	TCRP-2424-   SNDK2	\$ 941.09	\$1153.06	\$1029.59	\$1241.56	\$1347.83	\$1465.43	\$1426.76	\$1551.03
	30″(762mm)	30″(762mm)	TCRP-3030-   SNDK2	1011.65	1262.50	1105.46	1356.31	1571.63	1774.87	1691.33	1914.95
	36″(914mm)	36″(914mm)	TCRP-3636-   SNDK2	1096.45	1386.18	1196.75	1486.48	1840.79	2157.26	2009.36	2364.65
	42″(1067mm)	42″(1067mm)	TCRP-4242-   SNDK2	1195.49	1524.10	1303.46	1632.07	2155.31	2613.62	2380.85	2901.32
29″(737mm)	24″(610mm)	24″(610mm)	TCRP-2424-   SNDK4	\$ 962.47	\$1174.44	\$1050.97	\$1262.94	\$1369.21	\$1486.81	\$1448.14	\$1572.41
	30″(762mm)	30″(762mm)	TCRP-3030-   SNDK4	1033.03	1283.88	1126.84	1377.69	1593.01	1796.25	1712.71	1936.33
	36″(914mm)	36″(914mm)	TCRP-3636-   SNDK4	1117.83	1407.56	1218.13	1507.86	1862.17	2178.64	2030.74	2386.03
	42″(1067mm)	42″(1067mm)	TCRP-4242-   SNDK4	1216.87	1545.48	1324.84	1653.45	2176.69	2635.00	2402.23	2922.70
36″(914mm)	24″(610mm)	24″(610mm)	TCRP-2424-   SNDK6	\$ 969.81	\$1181.78	\$1058.31	\$1270.28	\$1376.55	\$1494.15	\$1455.48	\$1579.75
	30″(762mm)	30″(762mm)	TCRP-3030-   SNDK6	1040.37	1291.22	1134.18	1385.03	1600.35	1803.59	1720.05	1943.67
	36″(914mm)	36″(914mm)	TCRP-3636-   SNDK6	1125.17	1414.90	1225.47	1515.20	1869.51	2185.98	2038.08	2393.37
	42″(1067mm)	42″(1067mm)	TCRP-4242-   SNDK6	1224.21	1552.82	1332.18	1660.79	2184.03	2642.34	2409.57	2930.04



TCRP-SND



Features

- Includes 1.18"(30mm) thick standard top, base, glides and hardware.
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 16"(406mm), 20"(508mm), 29"(737mm) and 36"(914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Disc Base Diameter Sizes:
 - 24"(610mm) and 30"(762mm) tops include 21"(533mm) disc base
 - 36"(914mm) tops include 27"(686mm) disc base
- Power Ready Base:
 - Allows for cord management through the Disk Base (available on 16"(406mm), 20"(508mm), 29"(737mm) and 36"(914mm) high tables)
 - Edge mounted power is recommended.
- Power cord length determines the distance to building power source.
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number, including:

1 Surface Option:

- L Laminate
W Wood

2 Edge Option:

Laminate:

- J Edgeband
F Knife

Wood:

- K Edgeband
U Knife


- 2) Laminate surface color or wood finish color.
3) Edgeband trim color (laminate only).
4) Base trim color.

Note: \$63.03 upcharge list for Metallic trim colors.


Jive Table — Disc Base

Rectangle – Laminate or Wood

Height	Depth	Width	Number ① ②	Laminate A		Laminate B		Wood Group A		Wood Group B	
				J	F	J	F	K	U	K	U
Base — No Power											
16"(406mm)	30"(762mm)	36"(914mm)	TCRA-3036-   SNDN1	\$1000.46	\$1239.95	\$1101.35	\$1340.84	\$1743.30	\$2037.04	\$1910.34	\$2240.23
20"(508mm)			TCRA-3036-   SNDN2	1007.59	1247.08	1108.48	1347.97	1750.43	2044.17	1917.47	2247.36
29"(737mm)			TCRA-3036-   SNDN4	1028.97	1268.46	1129.86	1369.35	1771.81	2065.55	1938.85	2268.74
36"(914mm)			TCRA-3036-   SNDN6	1036.31	1275.80	1137.20	1376.69	1779.15	2072.89	1946.19	2276.08
Base — Power Ready											
16"(406mm)	30"(762mm)	36"(914mm)	TCRA-3036-   SNDK1	\$1027.59	\$1267.08	\$1128.48	\$1367.97	\$1770.43	\$2064.17	\$1937.47	\$2267.36
20"(508mm)			TCRA-3036-   SNDK2	1034.72	1274.21	1135.61	1375.10	1777.56	2071.30	1944.60	2274.49
29"(737mm)			TCRA-3036-   SNDK4	1056.10	1295.59	1156.99	1396.48	1798.94	2092.68	1965.98	2295.87
36"(914mm)			TCRA-3036-   SNDK6	1063.44	1302.93	1164.33	1403.82	1806.28	2100.02	1973.32	2303.21



TCRA-SND

**Features**

- Includes 1.18"(30mm) thick standard top, base, glides and hardware.
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 16"(406mm), 20"(508mm), 29"(737mm) and 36"(914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Disc Base Diameter Sizes:
 - 24"(610mm) and 30"(762mm) tops include 21"(533mm) disc base
- Power Ready Base:
 - Allows for cord management through the Disk Base (available on 16"(406mm), 20"(508mm), 29"(737mm) and 36"(914mm) high tables)
 - Edge mounted power is recommended.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

① Surface Option:

- ☐ L Laminate
☐ W Wood

② Edge Option:

Laminate:

- ☐ J Edgeband
☐ F Knife

Wood:

- ☐ K Edgeband
☐ U Knife


- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: \$63.03 upcharge list for Metallic trim colors.


Jive Table — Dual Disc Base

Pebble – Laminate or Wood

Height	Depth	Width	Number ①②③	Laminate A		Laminate B		Wood Group A		Wood Group B					
				J	F	J	F	K	U	K	U				
Base — No Power															
29”(737mm)	30”(762mm)	60”(1524mm)	TCRP-3060-			S	DN4	\$1947.69	\$2295.74	\$2060.38	\$2408.43	\$3038.59	\$3473.04	\$3298.69	\$3790.74
		72”(1829mm)	TCRP-3072-			S	DN4	2029.34	2440.06	2147.93	2558.65	3297.11	3812.81	3604.68	4190.35
	36”(914mm)	72”(1829mm)	TCRP-3672-			S	DN4	\$2118.25	\$2549.81	\$2243.92	\$2675.48	\$3579.82	\$4122.53	\$3938.30	\$4555.11
		84”(2134mm)	TCRP-3684-			S	DN4	2215.30	2716.54	2348.05	2849.29	3887.25	4520.28	4302.07	5022.96
	42”(1067mm)	84”(2134mm)	TCRP-4284-			S	DN4	\$2318.69	\$2842.16	\$2459.70	\$2983.17	\$4216.03	\$4877.88	\$4690.02	\$5444.12
		96”(2438mm)	TCRP-4296-			S	DN4	2431.15	3031.29	2580.42	3180.56	4572.36	5333.60	5111.57	5980.21
36”(914mm)	30”(762mm)	60”(1524mm)	TCRP-3060-			S	DN6	\$1962.38	\$2310.43	\$2075.07	\$2423.12	\$3053.28	\$3487.73	\$3313.38	\$3805.43
		72”(1829mm)	TCRP-3072-			S	DN6	2044.03	2454.75	2162.62	2573.34	3311.80	3827.50	3619.37	4205.04
	36”(914mm)	72”(1829mm)	TCRP-3672-			S	DN6	\$2132.94	\$2564.50	\$2258.61	\$2690.17	\$3594.51	\$4137.22	\$3952.99	\$4569.80
		84”(2134mm)	TCRP-3684-			S	DN6	2229.99	2731.23	2362.74	2863.98	3901.94	4534.97	4316.76	5037.65
	42”(1067mm)	84”(2134mm)	TCRP-4284-			S	DN6	\$2333.38	\$2856.85	\$2474.39	\$2997.86	\$4230.72	\$4892.57	\$4704.71	\$5458.81
		96”(2438mm)	TCRP-4296-			S	DN6	2445.84	3045.98	2595.11	3195.25	4587.05	5348.29	5126.26	5994.90
Base — Power Ready															
29”(737mm)	30”(762mm)	60”(1524mm)	TCRP-3060-			S	DK4	\$1974.82	\$2322.87	\$2087.51	\$2435.56	\$3065.72	\$3500.17	\$3325.82	\$3817.87
		72”(1829mm)	TCRP-3072-			S	DK4	2056.47	2467.19	2175.06	2585.78	3324.24	3839.94	3631.81	4217.48
	36”(914mm)	72”(1829mm)	TCRP-3672-			S	DK4	\$2145.38	\$2576.94	\$2271.05	\$2702.61	\$3606.95	\$4149.66	\$3965.43	\$4582.24
		84”(2134mm)	TCRP-3684-			S	DK4	2242.43	2743.67	2375.18	2876.42	3914.38	4547.41	4329.20	5050.09
	42”(1067mm)	84”(2134mm)	TCRP-4284-			S	DK4	\$2345.82	\$2869.29	\$2486.83	\$3010.30	\$4243.16	\$4905.01	\$4717.15	\$5471.25
		96”(2438mm)	TCRP-4296-			S	DK4	2458.28	3058.42	2607.55	3207.69	4599.49	5360.73	5138.70	6007.34
36”(914mm)	30”(762mm)	60”(1524mm)	TCRP-3060-			S	DK6	\$1989.51	\$2337.56	\$2102.20	\$2450.25	\$3080.41	\$3514.86	\$3340.51	\$3832.56
		72”(1829mm)	TCRP-3072-			S	DK6	2071.16	2481.88	2189.75	2600.47	3338.93	3854.63	3646.50	4232.17
	36”(914mm)	72”(1829mm)	TCRP-3672-			S	DK6	\$2160.07	\$2591.63	\$2285.74	\$2717.30	\$3621.64	\$4164.35	\$3980.12	\$4596.93
		84”(2134mm)	TCRP-3684-			S	DK6	2257.12	2758.36	2389.87	2891.11	3929.07	4562.10	4343.89	5064.78
	42”(1067mm)	84”(2134mm)	TCRP-4284-			S	DK6	\$2360.51	\$2883.98	\$2501.52	\$3024.99	\$4257.85	\$4919.70	\$4731.84	\$5485.94
		96”(2438mm)	TCRP-4296-			S	DK6	2472.97	3073.11	2622.24	3222.38	4614.18	5375.42	5153.39	6022.03



TCRP-SND



- Features
 - Includes 1.18"(30mm) thick standard top, base, glides and hardware.
 - Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
 - Standard table heights are 29"(737mm) and 36"(914mm).
 - Table is available with black glides only.
 - Ships unassembled.
- Specification Tips
 - Disc Base Diameter Sizes:
 - 30"(762mm) tops include 21"(533mm) two disc bases
 - 36"(914mm) tops include two 27"(686mm) disc bases
 - 42"(1067mm) tops include two 27"(686mm) disc bases
 - Specifying a cutout does not automatically include a Power Ready base.
 - Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
 - Power Ready Base:
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
 - Power cord length determines the distance to building power source.
 - Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
 - Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

- To Order, Specify:
- 1) Product number, including:
- ① Surface Option:

L

Laminate

W

Wood
- ② Edge Option:

Laminate:

J

Edgeband

F

Knife

Wood:

K

Edgeband

U

Knife
- ③ Cutout:

N

No Cutout

F

Center, Single Sided/4 outlets, add \$45.84 list

J

Center, Single Sided/6 outlets, add \$45.84 list

M

Center, Double Sided/8 outlets, add \$45.84 list

Q


Center, Double Sided/12 outlets, add \$45.84 list
- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.

Note: \$63.03 upcharge list for Metallic trim colors.


Jive Table — Dual Disc Base

Rectangle – Laminate or Wood

Height	Depth	Width	Number	①	②	③	Laminate A		Laminate B		Wood Group A		Wood Group B		
							J	F	J	F	K	U	K	U	
Base — No Power															
29"(737mm)	30"(762mm)	60"(1524mm)	TCRA-3060-			S	DN4	\$1947.70	\$2295.75	\$2060.39	\$2408.44	\$3038.60	\$3473.05	\$3298.70	\$3790.75
		72"(1829mm)	TCRA-3072-			S	DN4	2029.35	2440.07	2147.94	2558.66	3297.12	3812.82	3604.69	4190.36
	36"(914mm)	72"(1829mm)	TCRA-3672-			S	DN4	\$2118.26	\$2549.82	\$2243.93	\$2675.49	\$3579.83	\$4122.54	\$3938.31	\$4555.12
		84"(2134mm)	TCRA-3684-			S	DN4	2215.31	2716.55	2348.06	2849.30	3887.26	4520.29	4302.08	5022.97
	42"(1067mm)	84"(2134mm)	TCRA-4284-			S	DN4	\$2318.70	\$2842.17	\$2459.71	\$2983.18	\$4216.04	\$4877.89	\$4690.03	\$5444.13
		96"(2438mm)	TCRA-4296-			S	DN4	2431.16	3031.30	2580.43	3180.57	4572.37	5333.61	5111.58	5980.22
36"(914mm)	30"(762mm)	60"(1524mm)	TCRA-3060-			S	DN6	\$1962.38	\$2310.43	\$2075.07	\$2423.12	\$3053.28	\$3487.73	\$3313.38	\$3805.43
		72"(1829mm)	TCRA-3072-			S	DN6	2044.03	2454.75	2162.62	2573.34	3311.80	3827.50	3619.37	4205.04
	36"(914mm)	72"(1829mm)	TCRA-3672-			S	DN6	\$2132.94	\$2564.50	\$2258.61	\$2690.17	\$3594.51	\$4137.22	\$3952.99	\$4569.80
		84"(2134mm)	TCRA-3684-			S	DN6	2229.99	2731.23	2362.74	2863.98	3901.94	4534.97	4316.76	5037.65
	42"(1067mm)	84"(2134mm)	TCRA-4284-			S	DN6	\$2333.38	\$2856.85	\$2474.39	\$2997.86	\$4230.72	\$4892.57	\$4704.71	\$5458.81
		96"(2438mm)	TCRA-4296-			S	DN6	2445.84	3045.98	2595.11	3195.25	4587.05	5348.29	5126.26	5994.90
Base — Power Ready															
29"(737mm)	30"(762mm)	60"(1524mm)	TCRA-3060-			S	DK4	\$1974.83	\$2322.88	\$2087.52	\$2435.57	\$3065.73	\$3500.18	\$3325.83	\$3817.88
		72"(1829mm)	TCRA-3072-			S	DK4	2056.48	2467.20	2175.07	2585.79	3324.25	3839.95	3631.82	4217.49
	36"(914mm)	72"(1829mm)	TCRA-3672-			S	DK4	\$2145.39	\$2576.95	\$2271.06	\$2702.62	\$3606.96	\$4149.67	\$3965.44	\$4582.25
		84"(2134mm)	TCRA-3684-			S	DK4	2242.44	2743.68	2375.19	2876.43	3914.39	4547.42	4329.21	5050.10
	42"(1067mm)	84"(2134mm)	TCRA-4284-			S	DK4	\$2345.83	\$2869.30	\$2486.84	\$3010.31	\$4243.17	\$4905.02	\$4717.16	\$5471.26
		96"(2438mm)	TCRA-4296-			S	DK4	2458.29	3058.43	2607.56	3207.70	4599.50	5360.74	5138.71	6007.35
36"(914mm)	30"(762mm)	60"(1524mm)	TCRA-3060-			S	DK6	\$1989.51	\$2337.56	\$2102.20	\$2450.25	\$3080.41	\$3514.86	\$3340.51	\$3832.56
		72"(1829mm)	TCRA-3072-			S	DK6	2071.16	2481.88	2189.75	2600.47	3338.93	3854.63	3646.50	4232.17
	36"(914mm)	72"(1829mm)	TCRA-3672-			S	DK6	\$2160.07	\$2591.63	\$2285.74	\$2717.30	\$3621.64	\$4164.35	\$3980.12	\$4596.93
		84"(2134mm)	TCRA-3684-			S	DK6	2257.12	2758.36	2389.87	2891.11	3929.07	4562.10	4343.89	5064.78
	42"(1067mm)	84"(2134mm)	TCRA-4284-			S	DK6	\$2360.51	\$2883.98	\$2501.52	\$3024.99	\$4257.85	\$4919.70	\$4731.84	\$5485.94
		96"(2438mm)	TCRA-4296-			S	DK6	2472.97	3073.11	2622.24	3222.38	4614.18	5375.42	5153.39	6022.03



TCRA-DND

**Features**

- Includes 1.18"(30mm) thick standard top, two bases, glides and hardware.
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 29"(737mm) and 36"(914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Disc Base Diameter Sizes:
 - 30"(762mm) tops include 21"(533mm) two disc bases
 - 36"(914mm) tops include two 27"(686mm) disc bases
 - 42"(1067mm) tops include two 27"(686mm) disc bases
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

① Surface Option:

- L** Laminate
- W** Wood

② Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

③ Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add \$45.84 list
- J** Center, Single-Sided/6 outlets, add \$45.84 list
- M** Center, Double-Sided/8 outlets, add \$45.84 list
- Q** Center, Double-Sided/12 outlets, add \$45.84 list


- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: \$63.03 upcharge list for Metallic trim colors.


Jive Table — Dual Disc Base

Racetrack – Laminate or Wood

Height	Depth	Width	Number	①	②	③	Laminate A		Laminate B		Wood Group A		Wood Group B		
				J		F	J	F	J	F	K	U	K	U	
Base — No Power															
29”(737mm)	30”(762mm)	60”(1524mm)	TCRT-3060-			S	DN4	\$1947.69	\$2295.74	\$2060.38	\$2408.43	\$3038.59	\$3473.04	\$3298.69	\$3790.74
		72”(1829mm)	TCRT-3072-			S	DN4	2029.34	2440.06	2147.93	2558.65	3297.11	3812.81	3604.68	4190.35
	36”(914mm)	72”(1829mm)	TCRT-3672-			S	DN4	\$2118.25	\$2549.81	\$2243.92	\$2675.48	\$3579.82	\$4122.53	\$3938.30	\$4555.11
		84”(2134mm)	TCRT-3684-			S	DN4	2215.30	2716.54	2348.05	2849.29	3887.25	4520.28	4302.07	5022.96
	42”(1067mm)	84”(2134mm)	TCRT-4284-			S	DN4	\$2318.69	\$2842.16	\$2459.70	\$2983.17	\$4216.03	\$4877.88	\$4690.02	\$5444.12
		96”(2438mm)	TCRT-4296-			S	DN4	2431.15	3031.29	2580.42	3180.56	4572.36	5333.60	5111.57	5980.21
36”(914mm)	30”(762mm)	60”(1524mm)	TCRT-3060-			S	DN6	\$1962.38	\$2310.43	\$2075.07	\$2423.12	\$3053.28	\$3487.73	\$3313.38	\$3805.43
		72”(1829mm)	TCRT-3072-			S	DN6	2044.03	2454.75	2162.62	2573.34	3311.80	3827.50	3619.37	4205.04
	36”(914mm)	72”(1829mm)	TCRT-3672-			S	DN6	\$2132.94	\$2564.50	\$2258.61	\$2690.17	\$3594.51	\$4137.22	\$3952.99	\$4569.80
		84”(2134mm)	TCRT-3684-			S	DN6	2229.99	2731.23	2362.74	2863.98	3901.94	4534.97	4316.76	5037.65
	42”(1067mm)	84”(2134mm)	TCRT-4284-			S	DN6	\$2333.38	\$2856.85	\$2474.39	\$2997.86	\$4230.72	\$4892.57	\$4704.71	\$5458.81
		96”(2438mm)	TCRT-4296-			S	DN6	2445.84	3045.98	2595.11	3195.25	4587.05	5348.29	5126.26	5994.90
Base — Power Ready															
29”(737mm)	30”(762mm)	60”(1524mm)	TCRT-3060-			S	DK4	\$1974.82	\$2322.87	\$2087.51	\$2435.56	\$3065.72	\$3500.17	\$3325.82	\$3817.87
		72”(1829mm)	TCRT-3072-			S	DK4	2056.47	2467.19	2175.06	2585.78	3324.24	3839.94	3631.81	4217.48
	36”(914mm)	72”(1829mm)	TCRT-3672-			S	DK4	\$2145.38	\$2576.94	\$2271.05	\$2702.61	\$3606.95	\$4149.66	\$3965.43	\$4582.24
		84”(2134mm)	TCRT-3684-			S	DK4	2242.43	2743.67	2375.18	2876.42	3914.38	4547.41	4329.20	5050.09
	42”(1067mm)	84”(2134mm)	TCRT-4284-			S	DK4	\$2345.82	\$2869.29	\$2486.83	\$3010.30	\$4243.16	\$4905.01	\$4717.15	\$5471.25
		96”(2438mm)	TCRT-4296-			S	DK4	2458.28	3058.42	2607.55	3207.69	4599.49	5360.73	5138.70	6007.34
36”(914mm)	30”(762mm)	60”(1524mm)	TCRT-3060-			S	DK6	\$1989.51	\$2337.56	\$2102.20	\$2450.25	\$3080.41	\$3514.86	\$3340.51	\$3832.56
		72”(1829mm)	TCRT-3072-			S	DK6	2071.16	2481.88	2189.75	2600.47	3338.93	3854.63	3646.50	4232.17
	36”(914mm)	72”(1829mm)	TCRT-3672-			S	DK6	\$2160.07	\$2591.63	\$2285.74	\$2717.30	\$3621.64	\$4164.35	\$3980.12	\$4596.93
		84”(2134mm)	TCRT-3684-			S	DK6	2257.12	2758.36	2389.87	2891.11	3929.07	4562.10	4343.89	5064.78
	42”(1067mm)	84”(2134mm)	TCRT-4284-			S	DK6	\$2360.51	\$2883.98	\$2501.52	\$3024.99	\$4257.85	\$4919.70	\$4731.84	\$5485.94
		96”(2438mm)	TCRT-4296-			S	DK6	2472.97	3073.11	2622.24	3222.38	4614.18	5375.42	5153.39	6022.03



TCRT-SND



Features

- Includes 1.18"(30mm) thick standard top, two bases, glides and hardware.
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Standard table heights are 29"(737mm) and 36"(914mm).
- Table is available with black glides only.
- Ships unassembled.

Specification Tips

- Disc Base Diameter Sizes:
 - 30"(762mm) tops include 21"(533mm) two disc bases
 - 36"(914mm) tops include two 27"(686mm) disc bases
 - 42"(1067mm) tops include two 27"(686mm) disc bases
- **Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (M) option for a Center, Double-Sided/8 outlet Flip Top Unit
 - Specify the (Q) option for a Center, Double-Sided/12 outlet Flip Top Unit
- Power Ready Base:
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and base location.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number, including:

① Surface Option:

- L Laminate
W Wood

② Edge Option:

Laminate:

- J Edgeband
F Knife

Wood:

- K Edgeband
U Knife

③ Cutout:

- N No Cutout
F Center, Single-Sided/4 outlets, add \$45.84 list
J Center, Single-Sided/6 outlets, add \$45.84 list
M Center, Double-Sided/8 outlets, add \$45.84 list
Q Center, Double-Sided/12 outlets, add \$45.84 list


- 2) Laminate surface color or wood finish color.
3) Edgeband trim color (laminate only).
4) Base trim color.

Note: \$63.03 upcharge list for Metallic trim colors.

Jive Table — Disc Base


Pneumatic Adjustment

Round




TCRN

Square



TCRQ

Pebble



TCRP

Features

- Includes 1.18" (30mm) thick top, disc base, glides, pneumatic column with lever and hardware.
- Laminate top with knife edge or 3mm edgeband or wood veneer top with 3mm wood edgeband or knife edge.
- Pneumatic height adjustment with 27" (686mm) to 44" (1118mm) continuous adjustment.
- Glides have 0.38" (9.5mm) height adjustment and are standard in black.
- Tables are available with black glides only.

Specification Tips

- Base Sizes:
 - 30" (762mm) tops include 21" (533mm) disc base.
 - 36" (914mm) tops include 27" (686mm) disc base.
- Power cannot be routed through column.
- Does not accept screen, AKP, monitor arms or any drawers or pedestals.

To Order, Specify:

1) Product number, including:

1 Surface Option:

☐ L Laminate

☐ W Wood

2 Edge Option:

Laminate:

☐ J Edgeband

☐ F Knife

Wood:

☐ K Edgeband

☐ U Knife

2) Laminate surface color or wood finish color.

3) Edgeband trim color (laminate only).

4) Base trim color.


Note: \$63.04 upcharge list for Grade B trim colors.

Diameter	Number 1 2		Laminate A		Laminate B		Wood Group A		Wood Group B	
			J	F	J	F	K	U	K	U
Round										
30”(762mm)	TCRN-3030-	SNDNA	\$1674.03	\$1924.88	\$1767.84	\$2018.69	\$2234.01	\$2437.25	\$2353.71	\$2577.33
36”(914mm)	TCRN-3636-	SNDNA	1758.83	2048.56	1859.13	2148.86	2503.17	2819.64	2671.74	3027.03
Square										
30”(762mm)	TCRQ-3030-	SNDNA	\$1674.03	\$1924.88	\$1767.84	\$2018.69	\$2234.01	\$2437.25	\$2353.71	\$2577.33
36”(914mm)	TCRQ-3636-	SNDNA	1758.83	2048.56	1859.13	2148.86	2503.17	2819.64	2671.74	3027.03
Pebble										
30”(762mm)	TCRP-3030-	SNDNA	\$1674.03	\$1924.88	\$1767.84	\$2018.69	\$2234.01	\$2437.25	\$2353.71	\$2577.33
36”(914mm)	TCRP-3636-	SNDNA	1758.83	2048.56	1859.13	2148.86	2503.17	2819.64	2671.74	3027.03


This page intentionally blank

Jive Table — T-Leg — Extruded

Rectangle – Laminate or Wood



TCRA-SNT



Features

- Includes 1.18" (30mm) thick top, two T-Leg bases with extruded columns, and hardware.
- Standard table heights are 29" (737mm), 36" (914mm) and 42" (1067mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Optional Belong Hatch cutout:
 - Laminate tops only with one cutout.
 - Available on 30"D and 36"D worksurfaces:
 - 30"D - Widths 54" (1372mm), 60" (1524mm), 66" (1676mm) and 72" (1829mm). All heights.
 - 36"D - Widths 66" (1676mm) and 72" (1829mm). All heights.
 - 36"D with 60" (1524mm) only available on 29"H table.
 - Requires separately specified Belong Hatch.
 - Refer to Specification Guide for cutout details.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutouts are available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (H) option for Belong Hatch
- Power Ready Base:
 - Allows for cord management through one of the Extruded T-Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29" (737mm), 36" (914mm) and 42" (1067mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- H** Belong Hatch add **\$45.84** list

4 Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29" Height Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29" Height Only)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished, add **\$63.50** list

- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — T-Leg — Extruded

Rectangle – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B			
									J	F	J	F	K	U	K	U		
Base — No Power — No Cutout																		
29"(737mm)	18"(457mm)	48"(1219mm)	TCRA-1848-			S		T	4		\$ 929.26	\$1184.16	\$1026.61	\$1281.51	\$1583.98	\$1897.67	\$1728.43	\$2081.32
		54"(1372mm)	TCRA-1854-			S		T	4		955.03	1236.36	1054.15	1335.48	1665.40	2013.36	1824.94	2217.32
		60"(1524mm)	TCRA-1860-			S		T	4		981.03	1290.20	1081.92	1391.09	1747.53	2131.58	1922.31	2356.28
		66"(1676mm)	TCRA-1866-			S		T	4		1007.26	1345.67	1109.92	1448.33	1830.37	2252.32	2020.55	2498.19
		72"(1829mm)	TCRA-1872-			S		T	4		1033.73	1402.77	1138.16	1507.20	1913.92	2375.58	2119.65	2643.06
	24"(610mm)	36"(914mm)	TCRA-2436-			S		T	4		\$ 923.92	\$1146.78	\$1021.27	\$1244.13	\$1567.76	\$1839.92	\$1708.65	\$2013.68
		42"(1067mm)	TCRA-2442-			S		T	4		956.46	1203.66	1056.17	1303.37	1670.80	1974.51	1830.59	2171.98
		48"(1219mm)	TCRA-2448-			S		T	4		989.23	1262.16	1091.30	1364.23	1774.55	2111.63	1953.40	2333.24
		54"(1372mm)	TCRA-2454-			S		T	4		1022.23	1322.31	1126.66	1426.74	1879.00	2251.26	2077.07	2497.45
		60"(1524mm)	TCRA-2460-			S		T	4		1055.47	1384.08	1162.26	1490.87	1984.17	2393.42	2201.61	2664.62
		66"(1676mm)	TCRA-2466-			S		T	4		1088.94	1447.49	1198.09	1556.64	2090.04	2538.10	2327.01	2834.74
		72"(1829mm)	TCRA-2472-			S		T	4		1122.64	1512.53	1234.15	1624.04	2196.63	2685.31	2453.27	3007.82
	30"(762mm)	36"(914mm)	TCRA-3036-			S		T	4		\$ 969.42	\$1208.91	\$1070.31	\$1309.80	\$1712.26	\$2006.00	\$1879.30	\$2209.19
		42"(1067mm)	TCRA-3042-			S		T	4		1009.19	1273.73	1113.03	1377.57	1838.34	2164.53	2028.41	2395.70
		48"(1219mm)	TCRA-3048-			S		T	4		1049.20	1340.17	1155.99	1446.96	1965.12	2325.58	2178.38	2585.17
		54"(1372mm)	TCRA-3054-			S		T	4		1089.44	1408.25	1199.18	1517.99	2092.61	2489.16	2329.21	2777.59
		60"(1524mm)	TCRA-3060-			S		T	4		1129.91	1477.96	1242.60	1590.65	2220.81	2655.26	2480.91	2972.96
66"(1676mm)		TCRA-3066-			S		T	4		1170.62	1549.30	1286.26	1664.94	2349.72	2823.88	2633.47	3171.29	
72"(1829mm)		TCRA-3072-			S		T	4		1211.56	1622.28	1330.15	1740.87	2479.33	2995.03	2786.90	3372.57	
36"(914mm)	60"(1524mm)	TCRA-3660-			S		T	4		\$1204.35	\$1571.84	\$1322.94	\$1690.43	\$2457.45	\$2917.10	\$2760.21	\$3281.30	
	66"(1676mm)	TCRA-3666-			S		T	4		1252.29	1651.12	1374.42	1773.25	2609.39	3109.66	2939.93	3507.84	
	72"(1829mm)	TCRA-3672-			S		T	4		1300.47	1732.03	1426.14	1857.70	2762.04	3304.75	3120.52	3737.33	
36"(914mm)	24"(610mm)	36"(914mm)	TCRA-2436-			S		TG6		\$1066.48	\$1289.34	\$1163.83	\$1386.69	\$1710.32	\$1982.48	\$1851.21	\$2156.24	
		42"(1067mm)	TCRA-2442-			S		TG6		1099.02	1346.22	1198.73	1445.93	1813.36	2117.07	1973.15	2314.54	
		48"(1219mm)	TCRA-2448-			S		TG6		1131.79	1404.72	1233.86	1506.79	1917.11	2254.19	2095.96	2475.80	
		54"(1372mm)	TCRA-2454-			S		TG6		1164.79	1464.87	1269.22	1569.30	2021.56	2393.82	2219.63	2640.01	
		60"(1524mm)	TCRA-2460-			S		TG6		1198.03	1526.64	1304.82	1633.43	2126.73	2535.98	2344.17	2807.18	
		66"(1676mm)	TCRA-2466-			S		TG6		1231.50	1590.05	1340.65	1699.20	2232.60	2680.66	2469.57	2977.30	
		72"(1829mm)	TCRA-2472-			S		TG6		1265.20	1655.09	1376.71	1766.60	2339.19	2827.87	2595.83	3150.38	
	30"(762mm)	36"(914mm)	TCRA-3036-			S		TG6		\$1111.98	\$1351.47	\$1212.87	\$1452.36	\$1854.82	\$2148.56	\$2021.86	\$2351.75	
		42"(1067mm)	TCRA-3042-			S		TG6		1151.75	1416.29	1255.59	1520.13	1980.90	2307.09	2170.97	2538.26	
		48"(1219mm)	TCRA-3048-			S		TG6		1191.76	1482.73	1298.55	1589.52	2107.68	2468.14	2320.94	2727.73	
		54"(1372mm)	TCRA-3054-			S		TG6		1232.00	1550.81	1341.74	1660.55	2235.17	2631.72	2471.77	2920.15	
		60"(1524mm)	TCRA-3060-			S		TG6		1272.47	1620.52	1385.16	1733.21	2363.37	2797.82	2623.47	3115.52	
		66"(1676mm)	TCRA-3066-			S		TG6		1313.18	1691.86	1428.82	1807.50	2492.28	2966.44	2776.03	3313.85	
		72"(1829mm)	TCRA-3072-			S		TG6		1354.12	1764.84	1472.71	1883.43	2621.89	3137.59	2929.46	3515.13	
	36"(914mm)	66"(1676mm)	TCRA-3666-			S		TG6		\$1394.85	\$1793.68	\$1516.98	\$1915.81	\$2751.95	\$3252.22	\$3082.49	\$3650.40	
		72"(1829mm)	TCRA-3672-			S		TG6		1443.03	1874.59	1568.70	2000.26	2904.60	3447.31	3263.08	3879.89	
	42"(1067mm)	24"(610mm)	36"(914mm)	TCRA-2436-			S		TG7		\$1194.77	\$1417.63	\$1292.12	\$1514.98	\$1838.61	\$2110.77	\$1979.50	\$2284.53
42"(1067mm)			TCRA-2442-			S		TG7		1227.31	1474.51	1327.02	1574.22	1941.65	2245.36	2101.44	2442.83	
48"(1219mm)			TCRA-2448-			S		TG7		1260.08	1533.01	1362.15	1635.08	2045.40	2382.48	2224.25	2604.09	
54"(1372mm)			TCRA-2454-			S		TG7		1293.08	1593.16	1397.51	1697.59	2149.85	2522.11	2347.92	2768.30	
60"(1524mm)			TCRA-2460-			S		TG7		1326.32	1654.93	1433.11	1761.72	2255.02	2664.27	2472.46	2935.47	
66"(1676mm)			TCRA-2466-			S		TG7		1359.79	1718.34	1468.94	1827.49	2360.89	2808.95	2597.86	3105.59	
72"(1829mm)			TCRA-2472-			S		TG7		1393.49	1783.38	1505.00	1894.89	2467.48	2956.16	2724.12	3278.67	
30"(762mm)		36"(914mm)	TCRA-3036-			S		TG7		\$1240.27	\$1479.76	\$1341.16	\$1580.65	\$1983.11	\$2276.85	\$2150.15	\$2480.04	
		42"(1067mm)	TCRA-3042-			S		TG7		1280.04	1544.58	1383.88	1648.42	2109.19	2435.38	2299.26	2666.55	
		48"(1219mm)	TCRA-3048-			S		TG7		1320.05	1611.02	1426.84	1717.81	2235.97	2596.43	2449.23	2856.02	
		54"(1372mm)	TCRA-3054-			S		TG7		1360.29	1679.10	1470.03	1788.84	2363.46	2760.01	2600.06	3048.44	
		60"(1524mm)	TCRA-3060-			S		TG7		1400.76	1748.81	1513.45	1861.50	2491.66	2926.11	2751.76	3243.81	
		66"(1676mm)	TCRA-3066-			S		TG7		1441.47	1820.15	1557.11	1935.79	2620.57	3094.73	2904.32	3442.14	
		72"(1829mm)	TCRA-3072-			S		TG7		1482.41	1893.13	1601.00	2011.72	2750.18	3265.88	3057.75	3643.42	
36"(914mm)		66"(1676mm)	TCRA-3666-			S		TG7		\$1523.14	\$1921.97	\$1645.27	\$2044.10	\$2880.24	\$3380.51	\$3210.78	\$3778.69	
		72"(1829mm)	TCRA-3672-			S		TG7		1571.32	2002.88	1696.99	2128.55	3032.89	3575.60	3391.37	4008.18	

Jive Table — T-Leg — Extruded
Rectangle – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B		
									J	F	J	F	K	U	K	U	
Base — Power Ready — No Cutout																	
29"(737mm)	18"(457mm)	48"(1219mm)	TCRA-1848-			S	T	4	\$ 956.39	\$1211.29	\$1053.74	\$1308.64	\$1611.11	\$1924.80	\$1755.56	\$2108.45	
		54"(1372mm)	TCRA-1854-			S	T	4	982.16	1263.49	1081.28	1362.61	1692.53	2040.49	1852.07	2244.45	
		60"(1524mm)	TCRA-1860-			S	T	4	1008.16	1317.33	1109.05	1418.22	1774.66	2158.71	1949.44	2383.41	
		66"(1676mm)	TCRA-1866-			S	T	4	1034.39	1372.80	1137.05	1475.46	1857.50	2279.45	2047.68	2525.32	
		72"(1829mm)	TCRA-1872-			S	T	4	1060.86	1429.90	1165.29	1534.33	1941.05	2402.71	2146.78	2670.19	
	24"(610mm)	36"(914mm)	TCRA-2436-			S	T	4	\$ 951.05	\$1173.91	\$1048.40	\$1271.26	\$1594.89	\$1867.05	\$1735.78	\$2040.81	
		42"(1067mm)	TCRA-2442-			S	T	4	983.59	1230.79	1083.30	1330.50	1697.93	2001.64	1857.72	2199.11	
		48"(1219mm)	TCRA-2448-			S	T	4	1016.36	1289.29	1118.43	1391.36	1801.68	2138.76	1980.53	2360.37	
		54"(1372mm)	TCRA-2454-			S	T	4	1049.36	1349.44	1153.79	1453.87	1906.13	2278.39	2104.20	2524.58	
		60"(1524mm)	TCRA-2460-			S	T	4	1082.60	1411.21	1189.39	1518.00	2011.30	2420.55	2228.74	2691.75	
		66"(1676mm)	TCRA-2466-			S	T	4	1116.07	1474.62	1225.22	1583.77	2117.17	2565.23	2354.14	2861.87	
		72"(1829mm)	TCRA-2472-			S	T	4	1149.77	1539.66	1261.28	1651.17	2223.76	2712.44	2480.40	3034.95	
		30"(762mm)	TCRA-3036-			S	T	4	\$ 996.55	\$1236.04	\$1097.44	\$1336.93	\$1739.39	\$2033.13	\$1906.43	\$2236.32	
	30"(762mm)	42"(1067mm)	TCRA-3042-			S	T	4	1036.32	1300.86	1140.16	1404.70	1865.47	2191.66	2055.54	2422.83	
		48"(1219mm)	TCRA-3048-			S	T	4	1076.33	1367.30	1183.12	1474.09	1992.25	2352.71	2205.51	2612.30	
		54"(1372mm)	TCRA-3054-			S	T	4	1116.57	1435.38	1226.31	1545.12	2119.74	2516.29	2356.34	2804.72	
		60"(1524mm)	TCRA-3060-			S	T	4	1157.04	1505.09	1269.73	1617.78	2247.94	2682.39	2508.04	3000.09	
		66"(1676mm)	TCRA-3066-			S	T	4	1197.75	1576.43	1313.39	1692.07	2376.85	2851.01	2660.60	3198.42	
		72"(1829mm)	TCRA-3072-			S	T	4	1238.69	1649.41	1357.28	1768.00	2506.46	3022.16	2814.03	3399.70	
		36"(914mm)	60"(1524mm)	TCRA-3660-			S	T	4	\$1231.48	\$1598.97	\$1350.07	\$1717.56	\$2484.58	\$2944.23	\$2787.34	\$3308.43
		66"(1676mm)	TCRA-3666-			S	T	4	1279.42	1678.25	1401.55	1800.38	2636.52	3136.79	2967.06	3534.97	
	36"(914mm)	72"(1829mm)	TCRA-3672-			S	T	4	1327.60	1759.16	1453.27	1884.83	2789.17	3331.88	3147.65	3764.46	
		36"(914mm)	TCRA-2436-			S	TK6		\$1093.61	\$1316.47	\$1190.96	\$1413.82	\$1737.45	\$2009.61	\$1878.34	\$2183.37	
		42"(1067mm)	TCRA-2442-			S	TK6		1126.15	1373.35	1225.86	1473.06	1840.49	2144.20	2000.28	2341.67	
		48"(1219mm)	TCRA-2448-			S	TK6		1158.92	1431.85	1260.99	1533.92	1944.24	2281.32	2123.09	2502.93	
		54"(1372mm)	TCRA-2454-			S	TK6		1191.92	1492.00	1296.35	1596.43	2048.69	2420.95	2246.76	2667.14	
		60"(1524mm)	TCRA-2460-			S	TK6		1225.16	1553.77	1331.95	1660.56	2153.86	2563.11	2371.30	2834.31	
		66"(1676mm)	TCRA-2466-			S	TK6		1258.63	1617.18	1367.78	1726.33	2259.73	2707.79	2496.70	3004.43	
		72"(1829mm)	TCRA-2472-			S	TK6		1292.33	1682.22	1403.84	1793.73	2366.32	2855.00	2622.96	3177.51	
	30"(762mm)	36"(914mm)	TCRA-3036-			S	TK6		\$1139.11	\$1378.60	\$1240.00	\$1479.49	\$1881.95	\$2175.69	\$2048.99	\$2378.88	
		42"(1067mm)	TCRA-3042-			S	TK6		1178.88	1443.42	1282.72	1547.26	2008.03	2334.22	2198.10	2565.39	
		48"(1219mm)	TCRA-3048-			S	TK6		1218.89	1509.86	1325.68	1616.65	2134.81	2495.27	2348.07	2754.86	
		54"(1372mm)	TCRA-3054-			S	TK6		1259.13	1577.94	1368.87	1687.68	2262.30	2658.85	2498.90	2947.28	
		60"(1524mm)	TCRA-3060-			S	TK6		1299.60	1647.65	1412.29	1760.34	2390.50	2824.95	2650.60	3142.65	
		66"(1676mm)	TCRA-3066-			S	TK6		1340.31	1718.99	1455.95	1834.63	2519.41	2993.57	2803.16	3340.98	
		72"(1829mm)	TCRA-3072-			S	TK6		1381.25	1791.97	1499.84	1910.56	2649.02	3164.72	2956.59	3542.26	
		36"(914mm)	66"(1676mm)	TCRA-3666-			S	TK6		\$1421.98	\$1820.81	\$1544.11	\$1942.94	\$2779.08	\$3279.35	\$3109.62	\$3677.53
	42"(1067mm)	72"(1829mm)	TCRA-3672-			S	TK6		1470.16	1901.72	1595.83	2027.39	2931.73	3474.44	3290.21	3907.02	
		36"(914mm)	TCRA-2436-			S	TK7		\$1221.90	\$1444.76	\$1319.25	\$1542.11	\$1865.74	\$2137.90	\$2006.63	\$2311.66	
		42"(1067mm)	TCRA-2442-			S	TK7		1254.44	1501.64	1354.15	1601.35	1968.78	2272.49	2128.57	2469.96	
		48"(1219mm)	TCRA-2448-			S	TK7		1287.21	1560.14	1389.28	1662.21	2072.53	2409.61	2251.38	2631.22	
		54"(1372mm)	TCRA-2454-			S	TK7		1320.21	1620.29	1424.64	1724.72	2176.98	2549.24	2375.05	2795.43	
		60"(1524mm)	TCRA-2460-			S	TK7		1353.45	1682.06	1460.24	1788.85	2282.15	2691.40	2499.59	2962.60	
		66"(1676mm)	TCRA-2466-			S	TK7		1386.92	1745.47	1496.07	1854.62	2388.02	2836.08	2624.99	3132.72	
		72"(1829mm)	TCRA-2472-			S	TK7		1420.62	1810.51	1532.13	1922.02	2494.61	2983.29	2751.25	3305.80	
	30"(762mm)	36"(914mm)	TCRA-3036-			S	TK7		\$1267.40	\$1506.89	\$1368.29	\$1607.78	\$2010.24	\$2303.98	\$2177.28	\$2507.17	
		42"(1067mm)	TCRA-3042-			S	TK7		1307.17	1571.71	1411.01	1675.55	2136.32	2462.51	2326.39	2693.68	
		48"(1219mm)	TCRA-3048-			S	TK7		1347.18	1638.15	1453.97	1744.94	2263.10	2623.56	2476.36	2883.15	
		54"(1372mm)	TCRA-3054-			S	TK7		1387.42	1706.23	1497.16	1815.97	2390.59	2787.14	2627.19	3075.57	
		60"(1524mm)	TCRA-3060-			S	TK7		1427.89	1775.94	1540.58	1888.63	2518.79	2953.24	2778.89	3270.94	
		66"(1676mm)	TCRA-3066-			S	TK7		1468.60	1847.28	1584.24	1962.92	2647.70	3121.86	2931.45	3469.27	
		72"(1829mm)	TCRA-3072-			S	TK7		1509.54	1920.26	1628.13	2038.85	2777.31	3293.01	3084.88	3670.55	
		36"(914mm)	66"(1676mm)	TCRA-3666-			S	TK7		\$1550.27	\$1949.10	\$1672.40	\$2071.23	\$2907.37	\$3407.64	\$3237.91	\$3805.82
	36"(914mm)	72"(1829mm)	TCRA-3672-			S	TK7		1598.45	2030.01	1724.12	2155.68	3060.02	3602.73	3418.50	4035.31	


Jive Table — T-Leg — Extruded

Pebble – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B		
									J	F	J	F	K	U	K	U	
Base — No Power — No Cutout																	
29″(737mm)	30″(762mm)	48″(1219mm)	TCRP-3048-			S	T	4		\$1049.20	\$1340.17	\$1155.99	\$1446.96	\$1965.12	\$2325.58	\$2178.38	\$2585.17
		60″(1524mm)	TCRP-3060-			S	T	4		1129.91	1477.96	1242.60	1590.65	2220.81	2655.26	2480.91	2972.96
		72″(1829mm)	TCRP-3072-			S	T	4		1211.56	1622.28	1330.15	1740.87	2479.33	2995.03	2786.90	3372.57
	36″(914mm)	60″(1524mm)	TCRP-3660-			S	T	4		\$1204.35	\$1571.84	\$1322.94	\$1690.43	\$2457.45	\$2917.10	\$2760.21	\$3281.30
		72″(1829mm)	TCRP-3672-			S	T	4		1300.47	1732.03	1426.14	1857.70	2762.04	3304.75	3120.52	3737.33
Base — Power Ready — No Cutout																	
29″(737mm)	30″(762mm)	48″(1219mm)	TCRP-3048-			S	T	4		\$1076.33	\$1367.30	\$1183.12	\$1474.09	\$1992.25	\$2352.71	\$2205.51	\$2612.30
		60″(1524mm)	TCRP-3060-			S	T	4		1157.04	1505.09	1269.73	1617.78	2247.94	2682.39	2508.04	3000.09
		72″(1829mm)	TCRP-3072-			S	T	4		1238.69	1649.41	1357.28	1768.00	2506.46	3022.16	2814.03	3399.70
	36″(914mm)	60″(1524mm)	TCRP-3660-			S	T	4		\$1231.48	\$1598.97	\$1350.07	\$1717.56	\$2484.58	\$2944.23	\$2787.34	\$3308.43
		72″(1829mm)	TCRP-3672-			S	T	4		1327.60	1759.16	1453.27	1884.83	2789.17	3331.88	3147.65	3764.46



TCRP-SNT



Features

- Includes 1.18”(30mm) thick top, two T-Leg bases with extruded columns, and hardware.
- Standard table height is 29”(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Extruded T-Leg. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

① Surface Option:

- L Laminate
- W Wood

② Edge Option:

Laminate:

- J Edgeband
- F Knife

Wood:

- K Edgeband
- U Knife

③ Cutout:

- N No Cutout
- F Center, Single-Sided/4 outlets, add \$45.84 list
- J Center, Single-Sided/6 outlets, add \$45.84 list

④ Base and Wire Management Option:

Base - No Power:

- C Casters, add \$22.32 list (29” Height Only)
- G Glides

Base - Power Ready:

- J Casters, add \$22.32 list (29” Height Only)
- K Glides

⑤ Base Finish Option:

- A Painted
- B Polished, add \$63.50 list


- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.

Note: \$63.03 upcharge list for Metallic trim colors.


Jive Table — T-Leg — Extruded

Racetrack – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B	
									J	F	J	F	K	U	K	U
Base — No Power — No Cutout																
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-			S	T	4	\$1049.20	\$1340.17	\$1155.99	\$1446.96	\$1965.12	\$2325.58	\$2178.38	\$2585.17
		60"(1524mm)	TCRT-3060-			S	T	4	1129.91	1477.96	1242.60	1590.65	2220.81	2655.26	2480.91	2972.96
		72"(1829mm)	TCRT-3072-			S	T	4	1211.56	1622.28	1330.15	1740.87	2479.33	2995.03	2786.90	3372.57
	36"(914mm)	60"(1524mm)	TCRT-3660-			S	T	4	\$1204.35	\$1571.84	\$1322.94	\$1690.43	\$2457.45	\$2917.10	\$2760.21	\$3281.30
		72"(1829mm)	TCRT-3672-			S	T	4	1300.47	1732.03	1426.14	1857.70	2762.04	3304.75	3120.52	3737.33
Base — Power Ready — No Cutout																
29"(737mm)	30"(762mm)	48"(1219mm)	TCRT-3048-			S	T	4	\$1076.33	\$1367.30	\$1183.12	\$1474.09	\$1992.25	\$2352.71	\$2205.51	\$2612.30
		60"(1524mm)	TCRT-3060-			S	T	4	1157.04	1505.09	1269.73	1617.78	2247.94	2682.39	2508.04	3000.09
		72"(1829mm)	TCRT-3072-			S	T	4	1238.69	1649.41	1357.28	1768.00	2506.46	3022.16	2814.03	3399.70
	36"(914mm)	60"(1524mm)	TCRT-3660-			S	T	4	\$1231.48	\$1598.97	\$1350.07	\$1717.56	\$2484.58	\$2944.23	\$2787.34	\$3308.43
		72"(1829mm)	TCRT-3672-			S	T	4	1327.60	1759.16	1453.27	1884.83	2789.17	3331.88	3147.65	3764.46



TCRT-SNT



Features

- Includes 1.18"(30mm) thick top, two T-Leg bases with extruded columns, and hardware.
- Standard table height is 29"(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Extruded T-Leg. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.
- Power cord length determines the distance to building power source.
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number, including:

① Surface Option:

- L Laminate
W Wood

② Edge Option:

Laminate:

- J Edgeband
F Knife

Wood:

- K Edgeband
U Knife

③ Cutout:

- N No Cutout
F Center, Single-Sided/4 outlets, add \$45.84 list
J Center, Single-Sided/6 outlets, add \$45.84 list

④ Base and Wire Management Option:

Base - No Power:

- C Casters, add \$22.32 list (29" Height Only)
G Glides

Base - Power Ready:

- J Casters, add \$22.32 list (29" Height Only)
K Glides

⑤ Base Finish Option:

- A Painted
B Polished, add \$63.50 list


- 2) Laminate surface color or wood finish color.
3) Edgeband trim color (laminate only).
4) Base trim color.

Note: \$63.03 upcharge list for Metallic trim colors.


Jive Table — T-Leg — Extruded

Trapezoid – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B	
									J	F	J	F	K	U	K	U
Base — No Power — No Cutout																
29″(737mm)	24″(610mm)	48″(1219mm)	TCTP-2448-			S	T	4	\$ 989.31	\$1262.24	\$ 994.03	\$1266.96	\$1187.29	\$1524.37	\$1243.74	\$1623.58
		54″(1372mm)	TCTP-2454-			S	T	4	1022.31	1322.39	1029.39	1329.47	1291.74	1664.00	1367.41	1787.79
		60″(1524mm)	TCTP-2460-			S	T	4	1055.55	1384.16	1064.99	1393.60	1396.91	1806.16	1491.95	1954.96
		66″(1676mm)	TCTP-2466-			S	T	4	1089.02	1447.57	1100.82	1459.37	1502.78	1950.84	1617.35	2125.08
		72″(1829mm)	TCTP-2472-			S	T	4	1122.72	1512.61	1136.88	1526.77	1609.37	2098.05	1743.61	2298.16
30″(762mm)	60″(1524mm)	TCTP-3060-			S	T	4	\$1129.99	\$1478.04	\$1145.33	\$1493.38	\$1633.55	\$2068.00	\$1771.25	\$2263.30	
		66″(1676mm)	TCTP-3066-			S	T	4	1170.70	1549.38	1188.99	1567.67	1762.46	2236.62	1923.81	2461.63
		72″(1829mm)	TCTP-3072-			S	T	4	1211.64	1622.36	1232.88	1643.60	1892.07	2407.77	2077.24	2662.91
36″(914mm)	84″(2134mm)	TCTP-3684-			S	T	4	\$1397.60	\$1898.84	\$1433.00	\$1934.24	\$2482.21	\$3115.24	\$2774.63	\$3495.52	
Base — Power Ready — No Cutout																
29″(737mm)	24″(610mm)	48″(1219mm)	TCTP-2448-			S	T	4	\$1016.44	\$1289.37	\$1021.16	\$1294.09	\$1214.42	\$1551.50	\$1270.87	\$1650.71
		54″(1372mm)	TCTP-2454-			S	T	4	1049.44	1349.52	1056.52	1356.60	1318.87	1691.13	1394.54	1814.92
		60″(1524mm)	TCTP-2460-			S	T	4	1082.68	1411.29	1092.12	1420.73	1424.04	1833.29	1519.08	1982.09
		66″(1676mm)	TCTP-2466-			S	T	4	1116.15	1474.70	1127.95	1486.50	1529.91	1977.97	1644.48	2152.21
		72″(1829mm)	TCTP-2472-			S	T	4	1149.85	1539.74	1164.01	1553.90	1636.50	2125.18	1770.74	2325.29
30″(762mm)	60″(1524mm)	TCTP-3060-			S	T	4	\$1157.12	\$1505.17	\$1172.46	\$1520.51	\$1660.68	\$2095.13	\$1798.38	\$2290.43	
		66″(1676mm)	TCTP-3066-			S	T	4	1197.83	1576.51	1216.12	1594.80	1789.59	2263.75	1950.94	2488.76
		72″(1829mm)	TCTP-3072-			S	T	4	1238.77	1649.49	1260.01	1670.73	1919.20	2434.90	2104.37	2690.04
36″(914mm)	84″(2134mm)	TCTP-3684-			S	T	4	\$1424.73	\$1925.97	\$1460.13	\$1961.37	\$2509.34	\$3142.37	\$2801.76	\$3522.65	



TCTP-SNT



Features

- Includes 1.18"(30mm) thick top, two T-Leg bases with extruded columns, and hardware.
- Standard table height is 29"(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Extruded T-Legs.
 - Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Refer to Specification Guide for accessory placement and compatibility.

To Order, Specify:

- 1) Product number, including:

① Surface Option:

- L Laminate
W Wood

② Edge Option:

Laminate:

- J Edgeband
F Knife

Wood:

- K Edgeband
U Knife

③ Cutout:

- N No Cutout
F Center, Single-Sided/4 outlets, add \$45.84 list
J Center, Single-Sided/6 outlets, add \$45.84 list

④ Base and Wire Management Option:

Base - No Power:

- C Casters, add \$22.32 list (29" Height Only)
G Glides

Base - Power Ready:

- J Casters, add \$22.32 list (29" Height Only)
K Glides

⑤ Base Finish Option:


- A Painted
B Polished, add \$63.50 list

- 2) Laminate surface color or wood finish color.
3) Edgeband trim color (laminate only).
4) Base trim color.


Note: \$63.03 upcharge list for Metallic trim colors.

Jive Table — T-Leg — Round

Rectangle – Laminate or Wood



TCRA-SNF



Features

- Includes 1.18" (30mm) thick top, two T-Leg bases with round columns, and hardware.
- Standard table heights are 29" (737mm), 36" (914mm) and 42" (1067mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Optional Belong Hatch cutout:
 - Laminate tops only with one cutout.
 - Available on 30"D and 36"D worksurfaces:
 - 30"D - Widths 54" (1372mm), 60" (1524mm), 66" (1676mm) and 72" (1829mm). All heights.
 - 36"D - Widths 66" (1676mm) and 72" (1829mm). All heights.
 - 36"D with 60" (1524mm) only available on 29"H table.
 - Requires separately specified Belong Hatch.
 - Refer to Specification Guide for cutout details.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- No casters on 36" (914mm) or 42" (1067mm) height tables.
- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Specify the (H) option for Belong Hatch
- Power Ready Base:
 - Allows for cord management through one of the Round T-Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base (only available on 29" (737mm) high tables)
 - Specify the (K) option for Glides on the Power Ready base (available on 29" (737mm), 36" (914mm) and 42" (1067mm) high tables)
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list
- H** Belong Hatch add **\$45.84** list

4 Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29" Height Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29" Height Only)
- K** Glides

5 Base Finish Option:

- A** Painted
- B** Polished, add **\$63.50** list

- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — T-Leg — Round

Rectangle – Laminate or Wood

Height	Depth	Width	Distributed Load Capacity	Number	1	2	3	4	5	Laminate A		Laminate B		Wood Group A		Wood Group B	
										J	F	J	F	K	U	K	U
Base — No Power — No Cutout																	
29"(737mm)	18"(457mm)	48"(1219mm)	158	TCRA-1848-			S	F	4	\$ 740.86	\$ 995.76	\$ 838.21	\$1093.11	\$1395.58	\$1709.27	\$1540.03	\$1892.92
		54"(1372mm)	173	TCRA-1854-			S	F	4	766.63	1047.96	865.75	1147.08	1477.00	1824.96	1636.54	2028.92
		60"(1524mm)	187	TCRA-1860-			S	F	4	792.63	1101.80	893.52	1202.69	1559.13	1943.18	1733.91	2167.88
		66"(1676mm)	202	TCRA-1866-			S	F	4	818.86	1157.27	921.52	1259.93	1641.97	2063.92	1832.15	2309.79
		72"(1829mm)	216	TCRA-1872-			S	F	4	845.33	1214.37	949.76	1318.80	1725.52	2187.18	1931.25	2454.66
	24"(610mm)	36"(914mm)	144	TCRA-2436-			S	F	4	\$ 735.52	\$ 958.38	\$ 832.87	\$1055.73	\$1379.36	\$1651.52	\$1520.25	\$1825.28
		42"(1067mm)	158	TCRA-2442-			S	F	4	768.06	1015.26	867.77	1114.97	1482.40	1786.11	1642.19	1983.58
		48"(1219mm)	173	TCRA-2448-			S	F	4	800.83	1073.76	902.90	1175.83	1586.15	1923.23	1765.00	2144.84
		54"(1372mm)	187	TCRA-2454-			S	F	4	833.83	1133.91	938.26	1238.34	1690.60	2062.86	1888.67	2309.05
		60"(1524mm)	202	TCRA-2460-			S	F	4	867.07	1195.68	973.86	1302.47	1795.77	2205.02	2013.21	2476.22
30"(762mm)	24"(610mm)	66"(1676mm)	216	TCRA-2466-			S	F	4	900.54	1259.09	1009.69	1368.24	1901.64	2349.70	2138.61	2646.34
		72"(1829mm)	230	TCRA-2472-			S	F	4	934.24	1324.13	1045.75	1435.64	2008.23	2496.91	2264.87	2819.42
		36"(914mm)	158	TCRA-3036-			S	F	4	\$ 781.02	\$1020.51	\$ 881.91	\$1121.40	\$1523.86	\$1817.60	\$1690.90	\$2020.79
		42"(1067mm)	173	TCRA-3042-			S	F	4	820.79	1085.33	924.63	1189.17	1649.94	1976.13	1840.01	2207.30
		48"(1219mm)	187	TCRA-3048-			S	F	4	860.80	1151.77	967.59	1258.56	1776.72	2137.18	1989.98	2396.77
	36"(914mm)	54"(1372mm)	202	TCRA-3054-			S	F	4	901.04	1219.85	1010.78	1329.59	1904.21	2300.76	2140.81	2589.19
		60"(1524mm)	216	TCRA-3060-			S	F	4	941.51	1289.56	1054.20	1402.25	2032.41	2466.86	2292.51	2784.56
		66"(1676mm)	230	TCRA-3066-			S	F	4	982.22	1360.90	1097.86	1476.54	2161.32	2635.48	2445.07	2982.89
		72"(1829mm)	245	TCRA-3072-			S	F	4	1023.16	1433.88	1141.75	1552.47	2290.93	2806.63	2598.50	3184.17
		72"(1829mm)	259	TCRA-3660-			S	F	4	\$1015.95	\$1383.44	\$1134.54	\$1502.03	\$2269.05	\$2728.70	\$2571.81	\$3092.90
36"(914mm)	24"(610mm)	66"(1676mm)	245	TCRA-3666-			S	F	4	1063.89	1462.72	1186.02	1584.85	2420.99	2921.26	2751.53	3319.44
		72"(1829mm)	259	TCRA-3672-			S	F	4	1112.07	1543.63	1237.74	1669.30	2573.64	3116.35	2932.12	3548.93
		36"(914mm)	144	TCRA-2436-			S	FG6		\$ 878.05	\$1100.91	\$ 975.40	\$1198.26	\$1521.89	\$1794.05	\$1662.78	\$1967.81
		42"(1067mm)	158	TCRA-2442-			S	FG6		910.59	1157.79	1010.30	1257.50	1624.93	1928.64	1784.72	2126.11
		48"(1219mm)	173	TCRA-2448-			S	FG6		943.36	1216.29	1045.43	1318.36	1728.68	2065.76	1907.53	2287.37
	30"(762mm)	54"(1372mm)	187	TCRA-2454-			S	FG6		976.36	1276.44	1080.79	1380.87	1833.13	2205.39	2031.20	2451.58
		60"(1524mm)	202	TCRA-2460-			S	FG6		1009.60	1338.21	1116.39	1445.00	1938.30	2347.55	2155.74	2618.75
		66"(1676mm)	216	TCRA-2466-			S	FG6		1043.07	1401.62	1152.22	1510.77	2044.17	2492.23	2281.14	2788.87
		72"(1829mm)	230	TCRA-2472-			S	FG6		1076.77	1466.66	1188.28	1578.17	2150.76	2639.44	2407.40	2961.95
		72"(1829mm)	245	TCRA-3072-			S	FG6		1165.69	1576.41	1284.28	1695.00	2433.46	2949.16	2741.03	3326.70
42"(1067mm)	24"(610mm)	36"(914mm)	245	TCRA-3666-			S	FG6		\$1206.42	\$1605.25	\$1328.55	\$1727.38	\$2563.52	\$3063.79	\$2894.06	\$3461.97
		72"(1829mm)	259	TCRA-3672-			S	FG6		1254.60	1686.16	1380.27	1811.83	2716.17	3258.88	3074.65	3691.46
		36"(914mm)	144	TCRA-2436-			S	FG7		\$ 949.30	\$1172.16	\$1046.65	\$1269.51	\$1593.14	\$1865.30	\$1734.03	\$2039.06
		42"(1067mm)	158	TCRA-2442-			S	FG7		981.84	1229.04	1081.55	1328.75	1696.18	1999.89	1855.97	2197.36
		48"(1219mm)	173	TCRA-2448-			S	FG7		1014.61	1287.54	1116.68	1389.61	1799.93	2137.01	1978.78	2358.62
	30"(762mm)	54"(1372mm)	187	TCRA-2454-			S	FG7		1047.61	1347.69	1152.04	1452.12	1904.38	2276.64	2102.45	2522.83
		60"(1524mm)	202	TCRA-2460-			S	FG7		1080.85	1409.46	1187.64	1516.25	2009.55	2418.80	2226.99	2690.00
		66"(1676mm)	216	TCRA-2466-			S	FG7		1114.32	1472.87	1223.47	1582.02	2115.42	2563.48	2352.39	2860.12
		72"(1829mm)	230	TCRA-2472-			S	FG7		1148.02	1537.91	1259.53	1649.42	2222.01	2710.69	2478.65	3033.20
		72"(1829mm)	245	TCRA-3072-			S	FG7		\$ 994.80	\$1234.29	\$1095.69	\$1335.18	\$1737.64	\$2031.38	\$1904.68	\$2234.57
48"(1219mm)	30"(762mm)	42"(1067mm)	173	TCRA-3042-			S	FG7		1034.57	1299.11	1138.41	1402.95	1863.72	2189.91	2053.79	2421.08
		48"(1219mm)	187	TCRA-3048-			S	FG7		1074.58	1365.55	1181.37	1472.34	1990.50	2350.96	2203.76	2610.55
		54"(1372mm)	202	TCRA-3054-			S	FG7		1114.82	1433.63	1224.56	1543.37	2117.99	2514.54	2354.59	2802.97
		60"(1524mm)	216	TCRA-3060-			S	FG7		1155.29	1503.34	1267.98	1616.03	2246.19	2680.64	2506.29	2998.34
		66"(1676mm)	230	TCRA-3066-			S	FG7		1196.00	1574.68	1311.64	1690.32	2375.10	2849.26	2658.85	3196.67
	36"(914mm)	72"(1829mm)	245	TCRA-3072-			S	FG7		1236.94	1647.66	1355.53	1766.25	2504.71	3020.41	2812.28	3397.95
		72"(1829mm)	259	TCRA-3672-			S	FG7		\$1277.67	\$1676.50	\$1399.80	\$1798.63	\$2634.77	\$3135.04	\$2965.31	\$3533.22
		72"(1829mm)	259	TCRA-3672-			S	FG7		1325.85	1757.41	1451.52	1883.08	2787.42	3330.13	3145.90	3762.71


Jive Table — T-Leg — Round
Rectangle – Laminate or Wood

Height	Depth	Width	Distributed Load Capacity	Number	1	2	3	4	5	Laminate A		Laminate B		Wood Group A		Wood Group B	
										J	F	J	F	K	U	K	U
Base — Power Ready — No Cutout																	
29"(737mm)	18"(457mm)	48"(1219mm)	158	TCRA-1848-			S	F	4	\$ 767.99	\$1022.89	\$ 865.34	\$1120.24	\$1422.71	\$1736.40	\$1567.16	\$1920.05
		54"(1372mm)	173	TCRA-1854-			S	F	4	793.76	1075.09	892.88	1174.21	1504.13	1852.09	1663.67	2056.05
		60"(1524mm)	187	TCRA-1860-			S	F	4	819.76	1128.93	920.65	1229.82	1586.26	1970.31	1761.04	2195.01
		66"(1676mm)	202	TCRA-1866-			S	F	4	845.99	1184.40	948.65	1287.06	1669.10	2091.05	1859.28	2336.92
		72"(1829mm)	216	TCRA-1872-			S	F	4	872.46	1241.50	976.89	1345.93	1752.65	2214.31	1958.38	2481.79
	24"(610mm)	36"(914mm)	144	TCRA-2436-			S	F	4	\$ 762.65	\$ 985.51	\$ 860.00	\$1082.86	\$1406.49	\$1678.65	\$1547.38	\$1852.41
		42"(1067mm)	158	TCRA-2442-			S	F	4	795.19	1042.39	894.90	1142.10	1509.53	1813.24	1669.32	2010.71
		48"(1219mm)	173	TCRA-2448-			S	F	4	827.96	1100.89	930.03	1202.96	1613.28	1950.36	1792.13	2171.97
		54"(1372mm)	187	TCRA-2454-			S	F	4	860.96	1161.04	965.39	1265.47	1717.73	2089.99	1915.80	2336.18
		60"(1524mm)	202	TCRA-2460-			S	F	4	894.20	1222.81	1000.99	1329.60	1822.90	2232.15	2040.34	2503.35
30"(762mm)	24"(610mm)	66"(1676mm)	216	TCRA-2466-			S	F	4	927.67	1286.22	1036.82	1395.37	1928.77	2376.83	2165.74	2673.47
		72"(1829mm)	230	TCRA-2472-			S	F	4	961.37	1351.26	1072.88	1462.77	2035.36	2524.04	2292.00	2846.55
		36"(914mm)	158	TCRA-3036-			S	F	4	\$ 808.15	\$1047.64	\$ 909.04	\$1148.53	\$1550.99	\$1844.73	\$1718.03	\$2047.92
		42"(1067mm)	173	TCRA-3042-			S	F	4	847.92	1112.46	951.76	1216.30	1677.07	2003.26	1867.14	2234.43
		48"(1219mm)	187	TCRA-3048-			S	F	4	887.93	1178.90	994.72	1285.69	1803.85	2164.31	2017.11	2423.90
	36"(914mm)	54"(1372mm)	202	TCRA-3054-			S	F	4	928.17	1246.98	1037.91	1356.72	1931.34	2327.89	2167.94	2616.32
		60"(1524mm)	216	TCRA-3060-			S	F	4	968.64	1316.69	1081.33	1429.38	2059.54	2493.99	2319.64	2811.69
		66"(1676mm)	230	TCRA-3066-			S	F	4	1009.35	1388.03	1124.99	1503.67	2188.45	2662.61	2472.20	3010.02
		72"(1829mm)	245	TCRA-3072-			S	F	4	1050.29	1461.01	1168.88	1579.60	2318.06	2833.76	2625.63	3211.30
		60"(1524mm)	230	TCRA-3660-			S	F	4	\$1043.08	\$1410.57	\$1161.67	\$1529.16	\$2296.18	\$2755.83	\$2598.94	\$3120.03
36"(914mm)	24"(610mm)	66"(1676mm)	245	TCRA-3666-			S	F	4	1091.02	1489.85	1213.15	1611.98	2448.12	2948.39	2778.66	3346.57
		72"(1829mm)	259	TCRA-3672-			S	F	4	1139.20	1570.76	1264.87	1696.43	2600.77	3143.48	2959.25	3576.06
		36"(914mm)	144	TCRA-2436-			S	FK6		\$ 905.18	\$1128.04	\$1002.53	\$1225.39	\$1549.02	\$1821.18	\$1689.91	\$1994.94
		42"(1067mm)	158	TCRA-2442-			S	FK6		937.72	1184.92	1037.43	1284.63	1652.06	1955.77	1811.85	2153.24
		48"(1219mm)	173	TCRA-2448-			S	FK6		970.49	1243.42	1072.56	1345.49	1755.81	2092.89	1934.66	2314.50
	30"(762mm)	54"(1372mm)	187	TCRA-2454-			S	FK6		1003.49	1303.57	1107.92	1408.00	1860.26	2232.52	2058.33	2478.71
		60"(1524mm)	202	TCRA-2460-			S	FK6		1036.73	1365.34	1143.52	1472.13	1965.43	2374.68	2182.87	2645.88
		66"(1676mm)	216	TCRA-2466-			S	FK6		1070.20	1428.75	1179.35	1537.90	2071.30	2519.36	2308.27	2816.00
		72"(1829mm)	230	TCRA-2472-			S	FK6		1103.90	1493.79	1215.41	1605.30	2177.89	2666.57	2434.53	2989.08
		36"(914mm)	158	TCRA-3036-			S	FK6		\$ 950.68	\$1190.17	\$1051.57	\$1291.06	\$1693.52	\$1987.26	\$1860.56	\$2190.45
42"(1067mm)	24"(610mm)	42"(1067mm)	173	TCRA-3042-			S	FK6		990.45	1254.99	1094.29	1358.83	1819.60	2145.79	2009.67	2376.96
		48"(1219mm)	187	TCRA-3048-			S	FK6		1030.46	1321.43	1137.25	1428.22	1946.38	2306.84	2159.64	2566.43
		54"(1372mm)	202	TCRA-3054-			S	FK6		1070.70	1389.51	1180.44	1499.25	2073.87	2470.42	2310.47	2758.85
		60"(1524mm)	216	TCRA-3060-			S	FK6		1111.17	1459.22	1223.86	1571.91	2202.07	2636.52	2462.17	2954.22
		66"(1676mm)	230	TCRA-3066-			S	FK6		1151.88	1530.56	1267.52	1646.20	2330.98	2805.14	2614.73	3152.55
	30"(762mm)	72"(1829mm)	245	TCRA-3072-			S	FK6		1192.82	1603.54	1311.41	1722.13	2460.59	2976.29	2768.16	3353.83
		36"(914mm)	245	TCRA-3666-			S	FK6		\$1233.55	\$1632.38	\$1355.68	\$1754.51	\$2590.65	\$3090.92	\$2921.19	\$3489.10
		72"(1829mm)	259	TCRA-3672-			S	FK6		1281.73	1713.29	1407.40	1838.96	2743.30	3286.01	3101.78	3718.59
		42"(1067mm)	144	TCRA-2436-			S	FK7		\$ 976.43	\$1199.29	\$1073.78	\$1296.64	\$1620.27	\$1892.43	\$1761.16	\$2066.19
		36"(914mm)	42"(1067mm)	158	TCRA-2442-			S	FK7		1008.97	1256.17	1108.68	1355.88	1723.31	2027.02	1883.10
48"(1219mm)	173		TCRA-2448-			S	FK7		1041.74	1314.67	1143.81	1416.74	1827.06	2164.14	2005.91	2385.75	
54"(1372mm)	187		TCRA-2454-			S	FK7		1074.74	1374.82	1179.17	1479.25	1931.51	2303.77	2129.58	2549.96	
60"(1524mm)	202		TCRA-2460-			S	FK7		1107.98	1436.59	1214.77	1543.38	2036.68	2445.93	2254.12	2717.13	
66"(1676mm)	216		TCRA-2466-			S	FK7		1141.45	1500.00	1250.60	1609.15	2142.55	2590.61	2379.52	2887.25	
42"(1067mm)	30"(762mm)	72"(1829mm)	230	TCRA-2472-			S	FK7		1175.15	1565.04	1286.66	1676.55	2249.14	2737.82	2505.78	3060.33
		36"(914mm)	158	TCRA-3036-			S	FK7		\$1021.93	\$1261.42	\$1122.82	\$1362.31	\$1764.77	\$2058.51	\$1931.81	\$2261.70
		42"(1067mm)	173	TCRA-3042-			S	FK7		1061.70	1326.24	1165.54	1430.08	1890.85	2217.04	2080.92	2448.21
		48"(1219mm)	187	TCRA-3048-			S	FK7		1101.71	1392.68	1208.50	1499.47	2017.63	2378.09	2230.89	2637.68
		54"(1372mm)	202	TCRA-3054-			S	FK7		1141.95	1460.76	1251.69	1570.50	2145.12	2541.67	2381.72	2830.10
	36"(914mm)	60"(1524mm)	216	TCRA-3060-			S	FK7		1182.42	1530.47	1295.11	1643.16	2273.32	2707.77	2533.42	3025.47
		66"(1676mm)	230	TCRA-3066-			S	FK7		1223.13	1601.81	1338.77	1717.45	2402.23	2876.39	2685.98	3223.80
		72"(1829mm)	245	TCRA-3072-			S	FK7		1264.07	1674.79	1382.66	1793.38	2531.84	3047.54	2839.41	3425.08
		66"(1676mm)	245	TCRA-3666-			S	FK7		\$1304.80	\$1703.63	\$1426.93	\$1825.76	\$2661.90	\$3162.17	\$2992.44	\$3560.35
		72"(1829mm)	259	TCRA-3672-			S	FK7		1352.98	1784.54	1478.65	1910.21	2814.55	3357.26	3173.03	3789.84


Jive Table — T-Leg — Round

Pebble – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B		
									J	F	J	F	K	U	K	U	
Base — No Power — No Top Cutout																	
29″(737mm)	30″(762mm)	48″(1219mm)	TCRP-3048-	■	■	S	F	4	■	\$ 860.80	\$1151.77	\$ 967.59	\$1258.56	\$1776.72	\$2137.18	\$1989.98	\$2396.77
		60″(1524mm)	TCRP-3060-	■	■	S	F	4	■	941.51	1289.56	1054.20	1402.25	2032.41	2466.86	2292.51	2784.56
		72″(1829mm)	TCRP-3072-	■	■	S	F	4	■	1023.16	1433.88	1141.75	1552.47	2290.93	2806.63	2598.50	3184.17
36″(914mm)	60″(1524mm)	60″(1524mm)	TCRP-3660-	■	■	S	F	4	■	\$1015.95	\$1383.44	\$1134.54	\$1502.03	\$2269.05	\$2728.70	\$2571.81	\$3092.90
		72″(1829mm)	TCRP-3672-	■	■	S	F	4	■	1112.07	1543.63	1237.74	1669.30	2573.64	3116.35	2932.12	3548.93
Base — Power Ready — No Top Cutout																	
29″(737mm)	30″(762mm)	48″(1219mm)	TCRP-3048-	■	■	S	F	4	■	\$ 887.93	\$1178.90	\$ 994.72	\$1285.69	\$1803.85	\$2164.31	\$2017.11	\$2423.90
		60″(1524mm)	TCRP-3060-	■	■	S	F	4	■	968.64	1316.69	1081.33	1429.38	2059.54	2493.99	2319.64	2811.69
		72″(1829mm)	TCRP-3072-	■	■	S	F	4	■	1050.29	1461.01	1168.88	1579.60	2318.06	2833.76	2625.63	3211.30
36″(914mm)	60″(1524mm)	60″(1524mm)	TCRP-3660-	■	■	S	F	4	■	\$1043.08	\$1410.57	\$1161.67	\$1529.16	\$2296.18	\$2755.83	\$2598.94	\$3120.03
		72″(1829mm)	TCRP-3672-	■	■	S	F	4	■	1139.20	1570.76	1264.87	1696.43	2600.77	3143.48	2959.25	3576.06



TCRP-SNF



- Features**
- Includes 1.18”(30mm) thick top, two T-Leg bases with round columns, and hardware.
 - Standard table height is 29”(737mm).
 - Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
 - Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
 - Glides:
 - 0.625”(16mm) adjustment.
 - Standard in black.
 - Casters and glides are not interchangeable.
 - Depth and width shown in nominal dimensions.
 - Ships unassembled.


- Specification Tips**
- Specifying a cutout does not automatically include a Power Ready base.**
 - Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
 - Power Ready Base:
 - Allows for cord management through one of the Round T-Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
 - Power cord length determines the distance to building power source.**
 - Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
 - Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

- To Order, Specify:**
- 1) Product number, including:
- ① Surface Option:**
- L** Laminate
 - W** Wood
- ② Edge Option:**
- Laminate:
- J** Edgeband
 - F** Knife
- Wood:
- K** Edgeband
 - U** Knife
- ③ Cutout:**
- N** No Cutout
 - F** Center, Single-Sided/4 outlets, add **\$45.84** list
 - J** Center, Single-Sided/6 outlets, add **\$45.84** list
- ④ Base and Wire Management Option:**
- Base - No Power:
- C** Casters, add **\$22.32** list (29” Height Only)
 - G** Glides
- Base - Power Ready:
- J** Casters, add **\$22.32** list (29” Height Only)
 - K** Glides
- ⑤ Base Finish Option:**
- A** Painted
 - B** Polished, add **\$63.50** list
- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Base trim color.
- Note:** **\$63.03** upcharge list for Metallic trim colors.


Jive Table — T-Leg — Round

Racetrack – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B			
									J	F	J	F	K	U	K	U		
Base — No Power — No Cutout																		
29”(737mm)	30”(762mm)	48”(1219mm)	TCRT-3048-			S	F		4		\$ 860.80	\$1151.77	\$ 967.59	\$1258.56	\$1776.72	\$2137.18	\$1989.98	\$2396.77
		60”(1524mm)	TCRT-3060-			S	F		4		941.51	1289.56	1054.20	1402.25	2032.41	2466.86	2292.51	2784.56
		72”(1829mm)	TCRT-3072-			S	F		4		1023.16	1433.88	1141.75	1552.47	2290.93	2806.63	2598.50	3184.17
	36”(914mm)	60”(1524mm)	TCRT-3660-			S	F		4		\$1015.95	\$1383.44	\$1134.54	\$1502.03	\$2269.05	\$2728.70	\$2571.81	\$3092.90
		72”(1829mm)	TCRT-3672-			S	F		4		1112.07	1543.63	1237.74	1669.30	2573.64	3116.35	2932.12	3548.93
Base — Power Ready — No Cutout																		
29”(737mm)	30”(762mm)	48”(1219mm)	TCRT-3048-			S	F		4		\$ 887.93	\$1178.90	\$ 994.72	\$1285.69	\$1803.85	\$2164.31	\$2017.11	\$2423.90
		60”(1524mm)	TCRT-3060-			S	F		4		968.64	1316.69	1081.33	1429.38	2059.54	2493.99	2319.64	2811.69
		72”(1829mm)	TCRT-3072-			S	F		4		1050.29	1461.01	1168.88	1579.60	2318.06	2833.76	2625.63	3211.30
	36”(914mm)	60”(1524mm)	TCRT-3660-			S	F		4		\$1043.08	\$1410.57	\$1161.67	\$1529.16	\$2296.18	\$2755.83	\$2598.94	\$3120.03
		72”(1829mm)	TCRT-3672-			S	F		4		1139.20	1570.76	1264.87	1696.43	2600.77	3143.48	2959.25	3576.06



TCRT-SNE



Features

- Includes 1.18"(30mm) thick top, two T-Leg bases with round columns, and hardware.
- Standard table height is 29"(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Round T-Leg. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

① Surface Option:

- L** Laminate
- W** Wood

② Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

③ Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list

④ Base Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29" Height Only)
- G** Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29" Height Only)
- K** Glides

⑤ Base Finish Option:

- A** Painted
- B** Polished, add **\$63.50** list


- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.


Jive Table — T-Leg — Round

Trapezoid – Laminate or Wood

Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B	
									J	F	J	F	K	U	K	U
Base — No Power — No Cutout																
29″(737mm)	24″(610mm)	48″(1219mm)	TCTP-2448-			S	F	4	\$ 800.91	\$1073.84	\$ 805.63	\$1078.56	\$ 998.89	\$1335.97	\$1055.34	\$1435.18
		54″(1372mm)	TCTP-2454-			S	F	4	833.91	1133.99	840.99	1141.07	1103.34	1475.60	1179.01	1599.39
		60″(1524mm)	TCTP-2460-			S	F	4	867.15	1195.76	876.59	1205.20	1208.51	1617.76	1303.55	1766.56
		66″(1676mm)	TCTP-2466-			S	F	4	900.62	1259.17	912.42	1270.97	1314.38	1762.44	1428.95	1936.68
		72″(1829mm)	TCTP-2472-			S	F	4	934.32	1324.21	948.48	1338.37	1420.97	1909.65	1555.21	2109.76
30″(762mm)	60″(1524mm)	TCTP-3060-			S	F	4	\$ 941.59	\$1289.64	\$ 956.93	\$1304.98	\$1445.15	\$1879.60	\$1582.85	\$2074.90	
		66″(1676mm)	TCTP-3066-			S	F	4	982.30	1360.98	1000.59	1379.27	1574.06	2048.22	1735.41	2273.23
		72″(1829mm)	TCTP-3072-			S	F	4	1023.24	1433.96	1044.48	1455.20	1703.67	2219.37	1888.84	2474.51
36″(914mm)	84″(2134mm)	TCTP-3684-			S	F	4	\$1209.20	\$1710.44	\$1244.60	\$1745.84	\$2293.81	\$2926.84	\$2586.23	\$3307.12	
Base — Power Ready — No Cutout																
29″(737mm)	24″(610mm)	48″(1219mm)	TCTP-2448-			S	F	4	\$ 828.04	\$1100.97	\$ 832.76	\$1105.69	\$1026.02	\$1363.10	\$1082.47	\$1462.31
		54″(1372mm)	TCTP-2454-			S	F	4	861.04	1161.12	868.12	1168.20	1130.47	1502.73	1206.14	1626.52
		60″(1524mm)	TCTP-2460-			S	F	4	894.28	1222.89	903.72	1232.33	1235.64	1644.89	1330.68	1793.69
		66″(1676mm)	TCTP-2466-			S	F	4	927.75	1286.30	939.55	1298.10	1341.51	1789.57	1456.08	1963.81
		72″(1829mm)	TCTP-2472-			S	F	4	961.45	1351.34	975.61	1365.50	1448.10	1936.78	1582.34	2136.89
30″(762mm)	60″(1524mm)	TCTP-3060-			S	F	4	\$ 968.72	\$1316.77	\$ 984.06	\$1332.11	\$1472.28	\$1906.73	\$1609.98	\$2102.03	
		66″(1676mm)	TCTP-3066-			S	F	4	1009.43	1388.11	1027.72	1406.40	1601.19	2075.35	1762.54	2300.36
		72″(1829mm)	TCTP-3072-			S	F	4	1050.37	1461.09	1071.61	1482.33	1730.80	2246.50	1915.97	2501.64
36″(914mm)	84″(2134mm)	TCTP-3684-			S	F	4	\$1236.33	\$1737.57	\$1271.73	\$1772.97	\$2320.94	\$2953.97	\$2613.36	\$3334.25	



TCTP-SNF



Features

- Includes 1.18"(30mm) thick top, two T-Leg bases with round columns, and hardware.
- Standard table height is 29"(737mm).
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625"(16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the Round T-Legs.
 - Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (J) option for Casters on the Power Ready base
 - Specify the (K) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Recommended for use with power between tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Refer to Specification Guide for accessory placement and compatibility.

To Order, Specify:

- 1) Product number, including:

① Surface Option:

- L** Laminate
W Wood

② Edge Option:

Laminate:

- J** Edgeband
F Knife

Wood:

- K** Edgeband
U Knife

③ Cutout:

- N** No Cutout
F Center, Single-Sided/4 outlets, add **\$45.84** list
J Center, Single-Sided/6 outlets, add **\$45.84** list

④ Base and Wire Management Option:

Base - No Power:

- C** Casters, add **\$22.32** list (29" Height Only)
G Glides

Base - Power Ready:

- J** Casters, add **\$22.32** list (29" Height Only)
K Glides

⑤ Base Finish Option:


- A** Painted
B Polished, add **\$63.50** list

- 2) Laminate surface color or wood finish color.
3) Edgeband trim color (laminate only).
4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.

Jive Table — T-Leg (Round or Extruded) — Flip Base

Rectangle – Laminate or Wood



TCRA-SNFH4

Features

- Includes 1.18" (30mm) thick top, two T-Leg bases with round or extruded columns, stretcher and hardware.
- Standard table height is 29" (737mm).
- Laminate or wood top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- T-Leg base with round columns are available with casters only.
- T-Leg base with extruded columns are available with casters and glides.
- Casters:
 - Two locking and two non-locking casters.
 - Standard in black.
- Glides:
 - 0.625" (16mm) adjustment.
 - Standard in black.
- Casters and glides are not interchangeable.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Edge choice allows a flat seam between tables.
- Specifying a cutout does not automatically include a Power Ready base.**
- Factory installed cutout is available for:
 - Specify the (A) option for a Center, Single-Sided/2 outlet Flip Top Unit
 - Specify the (F) option for a Center, Single-Sided/4 outlet Flip Top Unit
 - Specify the (J) option for a Center, Single-Sided/6 outlet Flip Top Unit
- Power Ready Base:
 - Allows for cord management through one of the T-Leg (Round or Extruded) Base Legs. Powered leg location determined during installation.
 - Casters and Glides:
 - Specify the (L) option for Casters on the Power Ready base
 - Specify the (M) option for Glides on the Power Ready base
 - Flip Top Unit circuit breaker plug will not fit in the Power Ready Base opening.**
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Horizontal and Vertical Wire Management
 - Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Information on electrical components compatible with factory cut opening.
 - Power Ready base cable capacity.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

1 Surface Option:

- L** Laminate
- W** Wood

2 Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- A** Center, Single-Sided/2 outlets, add **\$45.84** list
- F** Center, Single-Sided/4 outlets, add **\$45.84** list
- J** Center, Single-Sided/6 outlets, add **\$45.84** list

4 Base and Wire Management Option:

Base - No Power:

- H** Casters, add **\$22.32** list
- F** Glides

Base - Power Ready:

- L** Casters, add **\$22.32** list
- M** Glides

5 Base Finish Option:

- A** Painted
- B** Polished, add **\$63.50** list

2) Surface color.

3) Edge trim color.

4) Base trim color.

Note: **\$63.03** upcharge list for Metallic trim colors.



Jive Table — T-Leg (Round or Extruded) — Flip Base

Rectangle – Laminate or Wood

Height	Depth	Width	Distributed Load Capacity	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B		
										J	F	J	F	K	U	K	U	
Round — Base — No Power — No Cutout																		
29"(737mm)	18"(457mm)	48"(1219mm)	158	TCRA-1848-			S	F	4		\$1361.33	\$1616.23	\$1458.68	\$1713.58	\$2016.05	\$2329.74	\$2160.50	\$2513.39
		60"(1524mm)	187	TCRA-1860-			S	F	4		1413.10	1722.27	1513.99	1823.16	2179.60	2563.65	2354.38	2788.35
		72"(1829mm)	216	TCRA-1872-			S	F	4		1465.80	1834.84	1570.23	1939.27	2345.99	2807.65	2551.72	3075.13
24"(610mm)	48"(1219mm)	48"(1219mm)	173	TCRA-2448-			S	F	4		\$1421.30	\$1694.23	\$1523.37	\$1796.30	\$2206.62	\$2543.70	\$2385.47	\$2765.31
		60"(1524mm)	202	TCRA-2460-			S	F	4		1487.54	1816.15	1594.33	1922.94	2416.24	2825.49	2633.68	3096.69
		72"(1829mm)	230	TCRA-2472-			S	F	4		1554.71	1944.60	1666.22	2056.11	2628.70	3117.38	2885.34	3439.89
30"(762mm)	48"(1219mm)	48"(1219mm)	187	TCRA-3048-			S	F	4		\$1481.27	\$1772.24	\$1588.06	\$1879.03	\$2397.19	\$2757.65	\$2610.45	\$3017.24
		60"(1524mm)	216	TCRA-3060-			S	F	4		1561.98	1910.03	1674.67	2022.72	2652.88	3087.33	2912.98	3405.03
		72"(1829mm)	245	TCRA-3072-			S	F	4		1643.63	2054.35	1762.22	2172.94	2911.40	3427.10	3218.97	3804.64
36"(914mm)	60"(1524mm)	60"(1524mm)	230	TCRA-3660-			S	F	4		\$1636.42	\$2003.91	\$1755.01	\$2122.50	\$2889.52	\$3349.17	\$3192.28	\$3713.37
		72"(1829mm)	259	TCRA-3672-			S	F	4		1732.54	2164.10	1858.21	2289.77	3194.11	3736.82	3552.59	4169.40
Extruded — Base — No Power — No Cutout																		
29"(737mm)	18"(457mm)	48"(1219mm)	158	TCRA-1848-			S	T	4		\$1549.73	\$1804.63	\$1647.08	\$1901.98	\$2204.45	\$2518.14	\$2348.90	\$2701.79
		60"(1524mm)	187	TCRA-1860-			S	T	4		1601.50	1910.67	1702.39	2011.56	2368.00	2752.05	2542.78	2976.75
		72"(1829mm)	216	TCRA-1872-			S	T	4		1654.20	2023.24	1758.63	2127.67	2534.39	2996.05	2740.12	3263.53
24"(610mm)	48"(1219mm)	48"(1219mm)	173	TCRA-2448-			S	T	4		\$1609.70	\$1882.63	\$1711.77	\$1984.70	\$2395.02	\$2732.10	\$2573.87	\$2953.71
		60"(1524mm)	202	TCRA-2460-			S	T	4		1675.94	2004.55	1782.73	2111.34	2604.64	3013.89	2822.08	3285.09
		72"(1829mm)	230	TCRA-2472-			S	T	4		1743.11	2133.00	1854.62	2244.51	2817.10	3305.78	3073.74	3628.29
30"(762mm)	48"(1219mm)	48"(1219mm)	187	TCRA-3048-			S	T	4		\$1669.67	\$1960.64	\$1776.46	\$2067.43	\$2585.59	\$2946.05	\$2798.85	\$3205.64
		60"(1524mm)	216	TCRA-3060-			S	T	4		1750.38	2098.43	1863.07	2211.12	2841.28	3275.73	3101.38	3593.43
		72"(1829mm)	245	TCRA-3072-			S	T	4		1832.03	2242.75	1950.62	2361.34	3099.80	3615.50	3407.37	3993.04
36"(914mm)	60"(1524mm)	60"(1524mm)	230	TCRA-3660-			S	T	4		\$1824.82	\$2192.31	\$1943.41	\$2310.90	\$3077.92	\$3537.57	\$3380.68	\$3901.77
		72"(1829mm)	259	TCRA-3672-			S	T	4		1920.94	2352.50	2046.61	2478.17	3382.51	3925.22	3740.99	4357.80
Round — Base — Power Ready — No Cutout																		
29"(737mm)	18"(457mm)	48"(1219mm)	158	TCRA-1848-			S	F	4		\$1388.46	\$1643.36	\$1485.81	\$1740.71	\$2043.18	\$2356.87	\$2187.63	\$2540.52
		60"(1524mm)	187	TCRA-1860-			S	F	4		1440.23	1749.40	1541.12	1850.29	2206.73	2590.78	2381.51	2815.48
		72"(1829mm)	216	TCRA-1872-			S	F	4		1492.93	1861.97	1597.36	1966.40	2373.12	2834.78	2578.85	3102.26
24"(610mm)	48"(1219mm)	48"(1219mm)	173	TCRA-2448-			S	F	4		\$1448.43	\$1721.36	\$1550.50	\$1823.43	\$2233.75	\$2570.83	\$2412.60	\$2792.44
		60"(1524mm)	202	TCRA-2460-			S	F	4		1514.67	1843.28	1621.46	1950.07	2443.37	2852.62	2660.81	3123.82
		72"(1829mm)	230	TCRA-2472-			S	F	4		1581.84	1971.73	1693.35	2083.24	2655.83	3144.51	2912.47	3467.02
30"(762mm)	48"(1219mm)	48"(1219mm)	187	TCRA-3048-			S	F	4		\$1508.40	\$1799.37	\$1615.19	\$1906.16	\$2424.32	\$2784.78	\$2637.58	\$3044.37
		60"(1524mm)	216	TCRA-3060-			S	F	4		1589.11	1937.16	1701.80	2049.85	2680.01	3114.46	2940.11	3432.16
		72"(1829mm)	245	TCRA-3072-			S	F	4		1670.76	2081.48	1789.35	2200.07	2938.53	3454.23	3246.10	3831.77
36"(914mm)	60"(1524mm)	60"(1524mm)	230	TCRA-3660-			S	F	4		\$1663.55	\$2031.04	\$1782.14	\$2149.63	\$2916.65	\$3376.30	\$3219.41	\$3740.50
		72"(1829mm)	259	TCRA-3672-			S	F	4		1759.67	2191.23	1885.34	2316.90	3221.24	3763.95	3579.72	4196.53
Extruded — Base — Power Ready — No Cutout																		
29"(737mm)	18"(457mm)	48"(1219mm)	158	TCRA-1848-			S	T	4		\$1576.86	\$1831.76	\$1674.21	\$1929.11	\$2231.58	\$2545.27	\$2376.03	\$2728.92
		60"(1524mm)	187	TCRA-1860-			S	T	4		1628.63	1937.80	1729.52	2038.69	2395.13	2779.18	2569.91	3003.88
		72"(1829mm)	216	TCRA-1872-			S	T	4		1681.33	2050.37	1785.76	2154.80	2561.52	3023.18	2767.25	3290.66
24"(610mm)	48"(1219mm)	48"(1219mm)	173	TCRA-2448-			S	T	4		\$1636.83	\$1909.76	\$1738.90	\$2011.83	\$2422.15	\$2759.23	\$2601.00	\$2980.84
		60"(1524mm)	202	TCRA-2460-			S	T	4		1703.07	2031.68	1809.86	2138.47	2631.77	3041.02	2849.21	3312.22
		72"(1829mm)	230	TCRA-2472-			S	T	4		1770.24	2160.13	1881.75	2271.64	2844.23	3332.91	3100.87	3655.42
30"(762mm)	48"(1219mm)	48"(1219mm)	187	TCRA-3048-			S	T	4		\$1696.80	\$1987.77	\$1803.59	\$2094.56	\$2612.72	\$2973.18	\$2825.98	\$3232.77
		60"(1524mm)	216	TCRA-3060-			S	T	4		1777.51	2125.56	1890.20	2238.25	2868.41	3302.86	3128.51	3620.56
		72"(1829mm)	245	TCRA-3072-			S	T	4		1859.16	2269.88	1977.75	2388.47	3126.93	3642.63	3434.50	4020.17
36"(914mm)	60"(1524mm)	60"(1524mm)	230	TCRA-3660-			S	T	4		\$1851.95	\$2219.44	\$1970.54	\$2338.03	\$3105.05	\$3564.70	\$3407.81	\$3928.90
		72"(1829mm)	259	TCRA-3672-			S	T	4		1948.07	2379.63	2073.74	2505.30	3409.64	3952.35	3768.12	4384.93

Jive Table — Swivel Base

Square – Laminate or Wood



TVRQ-LJSNR

Depth	Width	Number	①	②	③	Laminate		Wood Group	
						A	B	A	B
24"(610mm)	24"(610mm)	TVRQ-2424-	■	■	SNRG4	\$1081.98	\$1081.98	\$1173.18	\$1180.86
30"(762mm)	30"(762mm)	TVRQ-3030-	■	■	SNR 4	1157.01	1162.14	1388.73	1409.49
36"(914mm)	36"(914mm)	TVRQ-3636-	■	■	SNR 4	1246.74	1258.14	1645.14	1681.46
42"(1067mm)	42"(1067mm)	TVRQ-4242-	■	■	SNR 4	1351.17	1369.98	1942.41	1996.77
48"(1219mm)	48"(1219mm)	TVRQ-4848-	■	■	SNR 4	1470.30	1497.66	2280.54	2355.42

Features

- Includes 1.18"(30mm) top, leg bases with magnetic ganging mechanism, adjustable casters or glides and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5"(13mm) height adjustment.
- Glides have 0.75"(19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 24"(610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (approved with casters or glides):
 - 30"(762mm)-48"(1219mm) deep table supports a 27"(686mm) high Belong screen or monitor(s) up to 25 lbs.
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number, including:

① Surface Option:

- L Laminate
W Wood

② Edge Option:

- J Edgeband
K Wood Edgeband

③ Base Style:



- C Casters, add \$22.32 list
G Glides

- 2) Laminate surface color or wood surface color.
3) Edge trim color (laminate only).
4) Base trim color.

Note: \$63.03 upcharge list for Metallic trim colors.

Jive Table — Swivel Base

Rectangle – Laminate or Wood



TVRA-LJSNR

Depth	Width	Number	①	②	③	Laminate		Wood Group			
						A	B	A	B		
18"(457mm)	48"(1219mm)	TVRA-1848-	■	■	SNR	■	4	\$ 979.83	\$1068.33	\$1333.77	\$1395.43
	54"(1372mm)	TVRA-1854-	■	■	SNR	■	4	1001.19	1091.46	1402.47	1476.46
	60"(1524mm)	TVRA-1860-	■	■	SNR	■	4	1022.55	1114.59	1471.17	1557.49
	66"(1676mm)	TVRA-1866-	■	■	SNR	■	4	1043.91	1137.72	1539.87	1638.52
	72"(1829mm)	TVRA-1872-	■	■	SNR	■	4	1065.27	1160.85	1608.57	1719.55
24"(610mm)	36"(914mm)	TVRA-2436-	■	■	SNR	■	4	\$ 979.83	\$1068.33	\$1333.77	\$1395.43
	42"(1067mm)	TVRA-2442-	■	■	SNR	■	4	1008.31	1099.17	1425.37	1503.47
	48"(1219mm)	TVRA-2448-	■	■	SNR	■	4	1036.79	1130.01	1516.97	1611.51
	54"(1372mm)	TVRA-2454-	■	■	SNR	■	4	1065.27	1160.85	1608.57	1719.55
	60"(1524mm)	TVRA-2460-	■	■	SNR	■	4	1093.75	1191.69	1700.17	1827.59
	66"(1676mm)	TVRA-2466-	■	■	SNR	■	4	1122.23	1222.53	1791.77	1935.63
	72"(1829mm)	TVRA-2472-	■	■	SNR	■	4	1150.71	1253.37	1883.37	2043.67
30"(762mm)	36"(914mm)	TVRA-3036-	■	■	SNR	■	4	\$1022.55	\$1114.59	\$1471.17	\$1557.49
	42"(1067mm)	TVRA-3042-	■	■	SNR	■	4	1058.15	1153.14	1585.67	1692.54
	48"(1219mm)	TVRA-3048-	■	■	SNR	■	4	1093.75	1191.69	1700.17	1827.59
	54"(1372mm)	TVRA-3054-	■	■	SNR	■	4	1129.35	1230.24	1814.67	1962.64
	60"(1524mm)	TVRA-3060-	■	■	SNR	■	4	1164.95	1268.79	1929.17	2097.69
	66"(1676mm)	TVRA-3066-	■	■	SNR	■	4	1200.55	1307.34	2043.67	2232.74
	72"(1829mm)	TVRA-3072-	■	■	SNR	■	4	1236.15	1345.89	2158.17	2367.79
36"(914mm)	66"(1676mm)	TVRA-3666-	■	■	SNR	■	4	\$1278.87	\$1392.15	\$2295.57	\$2529.85
	72"(1829mm)	TVRA-3672-	■	■	SNR	■	4	1321.59	1438.41	2432.97	2691.91

Features

- Includes 1.18"(30mm) top, leg bases with magnetic ganging mechanism, adjustable casters or glides and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5"(13mm) height adjustment.
- Glides have 0.75"(19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 24"(610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (approved with casters or glides):
 - 30"(762mm)-48"(1219mm) deep table supports a 27"(686mm) high
 - Belong screen or monitor(s) up to 25 lbs.
- **Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number, including:

① Surface Option:

- L Laminate
W Wood

② Edge Option:

- J Edgeband
K Wood Edgeband

③ Base Style:



- C Casters, add \$22.32 list
G Glides

- 2) Laminate surface color or wood surface color.
3) Edge trim color (laminate only).
4) Base trim color.

Note: \$63.03 upcharge list for Metallic trim colors.

Jive Table — Swivel Base

Trapezoid – Laminate or Wood



TVTP-LJSNR

Depth	Width	Number	①	②	③	Laminate		Wood Group	
						A	B	A	B
24"(610mm)	48"(1219mm)	TVTP-2448-	■	■	SNR	■	4	\$1158.14	\$1162.54
	54"(1372mm)	TVTP-2454-	■	■	SNR	■	4	1190.94	1197.54
	60"(1524mm)	TVTP-2460-	■	■	SNR	■	4	1223.98	1232.78
	66"(1676mm)	TVTP-2466-	■	■	SNR	■	4	1257.25	1268.25
	72"(1829mm)	TVTP-2472-	■	■	SNR	■	4	1290.75	1303.95
30"(762mm)	60"(1524mm)	TVTP-3060-	■	■	SNR	■	4	\$1297.92	\$1312.22
	66"(1676mm)	TVTP-3066-	■	■	SNR	■	4	1338.38	1355.43
	72"(1829mm)	TVTP-3072-	■	■	SNR	■	4	1379.07	1398.87

Features

- Includes 1.18"(30mm) top, 4 legs with magnetic ganging mechanism, adjustable casters or glides and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5"(13mm) height adjustment.
- Glides have 0.75"(19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Enhanced Power Module and Table Dome are available for field installation; separately specified.
- Magnetic field can be harmful to pacemaker wearers.**
- 24"(610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (with or without casters):
 - 30"(762mm)-48"(1219mm) deep table supports a 27"(686mm) high
 - Belong screen or monitor(s) up to 25 lbs.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

① Surface Option:

- L** Laminate
- W** Wood

② Edge Option:

- J** Edgeband
- K** Wood Edgeband

③ Base Style:



- C** Casters, add \$22.32 list
- G** Glides

- Laminate surface color or wood surface color.
- Edge trim color (laminate only).
- Base trim color.

Note: \$63.03 upcharge list for Metallic trim colors.

Jive Table — Swivel Base

Crescent – Laminate or Wood



TVBN-LJSNR

Depth	Width	Number	①	②	③	Laminate		Wood Group	
						A	B	A	B
24"(610mm)	60"(1524mm)	TVBN-2460-	SNR	4		\$1675.80	\$1684.92	\$2029.56	\$2129.16
30"(762mm)	72"(1829mm)	TVBN-3072-	SNR	4		1836.99	1857.51	2543.74	2737.57
36"(914mm)	84"(2134mm)	TVBN-3684-	SNR	4		2029.04	2063.24	3156.59	3462.56

Features

- Includes 1.18"(30mm) top, 4 legs with magnetic ganging mechanism, one post leg, adjustable casters or glides and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5"(13mm) height adjustment.
- Glides have 0.75"(19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Enhanced Power Module and Table Dome are available for field installation; separately specified.
- Magnetic field can be harmful to pacemaker wearers.**
- 24"(610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (with or without casters):
 - 30"(762mm)-48"(1219mm) deep table supports a 27"(686mm) high
 - Along screen or monitor(s) up to 25 lbs.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number, including:

① Surface Option:

- L Laminate
- W Wood

② Edge Option:

- J Edgeband
- K Wood Edgeband

③ Base Style:



- C Casters, add \$22.32 list
- G Glides

- 2) Laminate surface color or wood surface color.
- 3) Edge trim color (laminate only).
- 4) Base trim color.

Note: \$63.03 upcharge list for Metallic trim colors.

Jive Table — Swivel Base

Corner, Transitional Extended – Laminate or Wood



TVCX-LJSNRP

Left/Right Depth	Width	Length	Number	①	②	③	Laminate A	Laminate B	Wood Group A	Wood Group B
Left-Hand										
18"(457mm)/24"(610mm)	42"(1067mm)	60"(1524mm)	TVCX-4260-			SNR P	\$1564.18	\$1574.68	\$2017.00	\$2131.00
		72"(1829mm)	TVCX-4272-			SNR P	1760.78	1786.68	2948.04	3229.24
Right-Hand										
24"(610mm)/18"(457mm)	42"(1067mm)	60"(1524mm)	TVCX-4260-			SNR U	\$1569.64	\$1580.14	\$2017.00	\$2131.00
		72"(1829mm)	TVCX-4272-			SNR U	1766.50	1792.40	2948.04	3229.24
Left-Hand										
24"(610mm)/30"(762mm)	48"(1219mm)	60"(1524mm)	TVCX-4860-			SNR R	\$1564.70	\$1575.20	\$2017.00	\$2131.00
		72"(1829mm)	TVCX-4872-			SNR R	1761.56	1787.46	2948.04	3229.24
Right-Hand										
30"(762mm)/24"(610mm)	48"(1219mm)	60"(1524mm)	TVCX-4860-			SNR W	\$1570.42	\$1580.92	\$2017.00	\$2131.00
		72"(1829mm)	TVCX-4872-			SNR W	1767.02	1792.92	2948.04	3229.24

Features

- Includes 1.18"(30mm) top, adjustable casters or glides and hardware:
 - Legs:
- 24"(610mm)/18"(457mm) depth - 2 legs with magnetic ganging mechanisms and 3 post legs
- 24"(610mm)/30"(762mm) depth - 4 legs with magnetic ganging mechanisms and 1 post leg
- 18"(457mm) depth always has the post leg
- 24"(610mm) and 30"(762mm) depth always has the magnetic ganging mechanism
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
- Top available in standard core only.
- Leg bases are painted aluminum.
- Casters have 0.5"(13mm) height adjustment.
- Glides have 0.75"(19mm) height adjustment.
- Grommets are available for field installation; separately specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Enhanced Power Module and Table Dome are available for field installation; separately specified.
- Magnetic field can be harmful to pacemaker wearers.**
- 24"(610mm) depth tables not designed to support screens or monitors.
- Screen and Monitor Arm application (with or without casters):
 - 30"(762mm)-48"(1219mm) deep table supports a 27"(686mm) high
 - Along screen or monitor(s) up to 25 lbs.
- Power cord length determines the distance to building power source.**
- Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
 - Accessories
- Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- Product number, including:

① Surface Option:

- L** Laminate
W Wood

② Edge Option:

- J** Edgeband
K Wood Edgeband

③ Base Style:



- C** Casters, add \$22.32 list
G Glides

- Laminate surface color or wood surface color.
- Edge trim color (laminate only).
- Base trim color.

Note: \$63.03 upcharge list for Metallic trim colors.

Jive Table — Swivel Base

Corner, Extended – Laminate or Wood



TVCE-LJSNRE

Left/Right Depth	Width	Length	Number	①	②	③	Laminate A	B	Wood Group A	B
Left-Hand										
24"(610mm)/24"(610mm)	42"(1067mm)	60"(1524mm)	TVCE-4260-			SNR	E	\$1567.30	\$1577.80	\$2017.00 \$2131.00
		72"(1829mm)	TVCE-4272-			SNR	E	1763.90	1789.80	2948.04 3229.24
24"(610mm)/24"(610mm)	48"(1219mm)	60"(1524mm)	TVCE-4860-			SNR	E	\$1567.30	\$1577.80	\$2017.00 \$2131.00
		72"(1829mm)	TVCE-4872-			SNR	E	1763.90	1789.80	2948.04 3229.24
Right-Hand										
24"(610mm)/24"(610mm)	42"(1067mm)	60"(1524mm)	TVCE-4260-			SNR	H	\$1567.30	\$1577.80	\$2017.00 \$2131.00
		72"(1829mm)	TVCE-4272-			SNR	H	1763.90	1789.80	2948.04 3229.24
24"(610mm)/24"(610mm)	48"(1219mm)	60"(1524mm)	TVCE-4860-			SNR	H	\$1567.30	\$1577.80	\$2017.00 \$2131.00
		72"(1829mm)	TVCE-4872-			SNR	H	1763.90	1789.80	2948.04 3229.24
Left-Hand										
30"(762mm)/30"(762mm)	48"(1219mm)	60"(1524mm)	TVCE-4860-			SNR	F	\$1567.82	\$1578.32	\$2017.00 \$2131.00
		72"(1829mm)	TVCE-4872-			SNR	F	1764.68	1790.58	2948.04 3229.24
Right-Hand										
30"(762mm)/30"(762mm)	48"(1219mm)	60"(1524mm)	TVCE-4860-			SNR	J	\$1567.82	\$1578.32	\$2017.00 \$2131.00
		72"(1829mm)	TVCE-4872-			SNR	J	1764.68	1790.58	2948.04 3229.24

- Features**
- Includes 1.18"(30mm) top, 4 legs with magnetic ganging mechanism, one post leg, adjustable casters or glides and hardware.
 - Standard table height is 29"(737mm).
 - Laminate top with 3mm edgeband or wood veneer top with 3mm wood edgeband.
 - Top available in standard core only.
 - Leg bases are painted aluminum.
 - Casters have 0.5"(13mm) height adjustment.
 - Glides have 0.75"(19mm) height adjustment.
 - Grommets are available for field installation; separately specified.
 - Depth and width shown in nominal dimensions.
 - Ships unassembled.

- Specification Tips**
- Enhanced Power Module and Table Dome are available for field installation; separately specified.
 - Magnetic field can be harmful to pacemaker wearers.**
 - 24"(610mm) depth tables not designed to support screens or monitors.
 - Screen and Monitor Arm application (with or without casters):
 - 30"(762mm)-48"(1219mm) deep table supports a 27"(686mm) high Belong screen or monitor(s) up to 25 lbs.
 - Power cord length determines the distance to building power source.**
 - Separately specified:
 - Horizontal and Vertical Wire Management
 - See Accessories Price List for Power and Data Components
 - Accessories
 - Refer to Specification Guide:
 - Accessory placement and compatibility.
 - Seating capacities and leg locations.
 - Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

- To Order, Specify:**
- Product number, including:
 - ① Surface Option:**
 - L** Laminate
 - W** Wood
 - ② Edge Option:**
 - J** Edgeband
 - K** Wood Edgeband
 - ③ Base Style:**
 - C** Casters, add \$22.32 list
 - G** Glides
 - Laminate surface color or wood surface color.
 - Edge trim color (laminate only).
 - Base trim color.
- Note:** \$63.03 upcharge list for Metallic trim colors.


Masters Series

This page intentionally blank

Masters Series Table — (Round or Square)

Tables

Table — Round



XZAM-1S

Height	Diameter	Number ①	Laminate A	B	Wood Group A	Group B
Laminate						
29.25"(743mm)	30"(762mm)	XLAM-3000-JS	\$2026.89	\$2113.77	N/A	N/A
	36"(914mm)	XLAM-3600-JS	2226.52	2309.55	N/A	N/A
	42"(1067mm)	XLAM-4200-JS	2461.41	2539.89	N/A	N/A
	48"(1219mm)	XLAM-4800-JS	2731.56	2804.79	N/A	N/A
Wood						
29.25"(743mm)	30"(762mm)	XZAM-3000- S	N/A	N/A	\$2171.65	\$2316.34
	36"(914mm)	XZAM-3600- S	N/A	N/A	2458.18	2619.40
	42"(1067mm)	XZAM-4200- S	N/A	N/A	2790.45	2970.86
	48"(1219mm)	XZAM-4800- S	N/A	N/A	3168.46	3370.72

Features

- Includes round top and 27"(686mm) disc base.
- 30"(762mm) and 36"(914mm) includes 21"(533mm) disc base.
- 42"(1067mm) and 48"(1219mm) includes 27"(686mm) disc base.
- Fixed height base: 29.25"(743mm).
- 1.18"(30mm) thick laminate worksurface with T-mold edgeband.
- 1.18"(30mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional). Double-cut veneers available with Square 3mm Radius edge only.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

- 1 Square
- 5 Bevel, add \$278.63 list
- 6 Radius, add \$278.63 list
- 7 Traditional, add \$278.63 list

- 2) Finish code (laminate or wood).


- 3) Laminate edge trim color (if laminate specified).

- 4) Trim code for disc base.

Note: \$23.12 upcharge (list) for metallic or accent trim colors.

Height	Depth	Width	Number ①	Laminate A	B	Wood Group A	Wood Group B
Laminate							
29.25"(743mm)	30"(762mm)	30"(762mm)	XLAS-3030-JS	\$2161.62	\$2254.23	N/A	N/A
	36"(914mm)	36"(914mm)	XLAS-3636-JS	2374.69	2463.23	N/A	N/A
	42"(1067mm)	42"(1067mm)	XLAS-4242-JS	2625.36	2709.09	N/A	N/A
Wood							
29.25"(743mm)	30"(762mm)	30"(762mm)	XZAS-3030- S	N/A	N/A	\$2609.06	\$2770.26
	36"(914mm)	36"(914mm)	XZAS-3636- S	N/A	N/A	2954.70	3136.04
	42"(1067mm)	42"(1067mm)	XZAS-4242- S	N/A	N/A	3345.60	3549.74

Square Tables

XLAS-3030
XZAS-3030**Features**

- Includes square top and 27"(686mm) disc base.
- Includes 1.18"(36mm) thick laminate worksurface with 3mm edgeband.
- Includes 1.18"(36mm) thick wood worksurface with a choice of profiled edge (Square, Bevel, Radius or Traditional). **Double-cut veneers available with Square 3mm edge only.**

To Order, Specify:

- 1) Product number, including:

① Edge Option:

Wood:

- 1 Square
- 5 Bevel, add \$364.81 list
- 6 Radius, add \$364.81 list
- 7 Traditional, add \$364.81 list

- 2) Finish code (laminate or wood).

- 3) Laminate edge trim color (if laminate specified).

- 4) Trim code for disc base.


Note: \$23.12 upcharge (list) for Metallic and accent trim colors.

This page intentionally blank

Pip

This page intentionally blank

Personal Laptop Table



Pip

	Height	Depth	Width	Number		Painted MDF	White Oak	Walnut
				①	②			
Personal Laptop Table	26"(660mm)	13"(330mm)	21.25"(540mm)	STP-	26-T	\$790.87	\$1437.27	\$1615.98



STP-P26-TH

- Features**
- Includes table top, base and hardware.
 - Top available in painted MDF or planked wood in White Oak or Walnut.
 - Wood tops are designed to be unique using solid wood planks with a clear, low-gloss finish showing natural variation.
 - Base: Painted aluminum support plate and column with painted steel base plate.
 - Ships unassembled.

- To Order, Specify:**
- 1) Product number, including:
- ① Surface Material:**
- P** Painted MDF
- W** Planked Wood
- ② Glide Type:**
- H** Hard Plastic
- F** Felt
- 2) Top surface and color.
- 3) Base trim color.

Collaborative Table



S970

- Features**
- Includes: 1.18"(30mm) standard top with two columns on a painted steel base.
 - Laminate or wood veneer top with knife edge.
 - Standard with clear non-adjustable glides.

- Specification Tips**
- Designed for use with lounge seating to provide a seated height surface.
 - Cannot route power through legs.
 - Ships unassembled.

- To Order, Specify:**
- 1) Product number, including:
- ① Surface Type:**
- L** Laminate
- W** Wood Veneer
- 2) Laminate surface color or wood finish color.
- 3) Edge color (laminate only).
- 4) Base trim color.

Height	Depth	Width	Number ①	Laminate A	B	Wood Group A	B
28"(711mm)	30"(762mm)	54"(1372mm)	S970- 00-H	\$2574.10	\$2602.31	\$2757.47	\$2820.94

Planes


This page intentionally blank

Planes Collaborative Tables — Rectangular — Laminate

Y-Leg Flip Top or Non-Flip Top Table

Depth	Width	Laminate Number ① ② ③	Laminate A J	F	Laminate B J	F
Flip Top Tables						
30"(762mm)	60"(1524mm)	TARA-3060-L S Y 4	\$1633.38	\$1961.02	\$1722.78	\$2050.42
	66"(1676mm)	TARA-3066-L S Y 4	1715.00	2060.88	1813.20	2159.08
	72"(1829mm)	TARA-3072-L S Y 4	1796.62	2160.74	1903.62	2267.74
36"(914mm)	60"(1524mm)	TARA-3660-L S Y 4	\$1792.90	\$2138.78	\$1899.90	\$2245.78
	66"(1676mm)	TARA-3666-L S Y 4	1890.10	2254.22	2007.66	2371.78
	72"(1829mm)	TARA-3672-L S Y 4	1987.30	2369.66	2115.42	2497.78
Non-Flip Top Tables						
30"(762mm)	60"(1524mm)	TARA-3060-L S Y 4	\$1633.38	\$1961.02	\$1722.78	\$2050.42
	66"(1676mm)	TARA-3066-L S Y 4	1715.00	2060.88	1813.20	2159.08
	72"(1829mm)	TARA-3072-L S Y 4	1796.62	2160.74	1903.62	2267.74
36"(914mm)	60"(1524mm)	TARA-3660-L S Y 4	\$1792.90	\$2138.78	\$1899.90	\$2245.78
	66"(1676mm)	TARA-3666-L S Y 4	1890.10	2254.22	2007.66	2371.78
	72"(1829mm)	TARA-3672-L S Y 4	1987.30	2369.66	2115.42	2497.78
42"(1067mm)	78"(1981mm)	TARA-3678-L S Y 4	2084.50	2485.10	2223.18	2623.78
	84"(2134mm)	TARA-3684-L S Y 4	2181.70	2600.54	2330.94	2749.78
	90"(2286mm)	TARA-3690-L S Y 4	2278.90	2715.98	2438.70	2875.78
48"(1219mm)	96"(2438mm)	TARA-3696-L S Y 4	2376.10	2831.42	2546.46	3001.78

Flip Top Table



Non-Flip Top Table



TARA

Features

- Includes 1.18"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27.88"(708mm) knee clearance.
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

- Product number, including:

① Edge Option:

- J** Edgeband
- F** Knife

② Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$43.24** list
- J** Center – single-sided/6 outlets, add **\$43.24** list

③ Base Option (Flip/Non-Flip):

- H** Flip Top Table – Casters, add **\$434.82** list
- F** Flip Top Table – Glides, add **\$536.13** list
- C** Non-flip Top Table: Casters
- G** Non-flip Top Table: Glides, add **\$101.31** list

- Laminate surface color.
- Edge trim color.
- Base/Stretcher trim color.


Note: \$59.46 upcharge list for Metallic and accent trim colors.

Planes Collaborative Tables — Pebble — Laminate

Y-Leg Flip Top or Non-Flip Top Table

Depth	Width	Number	①	②	③	Laminate A		Laminate B	
						J	F	J	F
Flip Top Tables									
30”(762mm)	60”(1524mm)	TARP-3060-L	S	Y	4	\$1647.78	\$1941.18	\$1737.18	\$2030.58
	66”(1676mm)	TARP-3066-L	S	Y	4	1730.36	2043.32	1828.56	2141.52
	72”(1829mm)	TARP-3072-L	S	Y	4	1812.94	2145.46	1919.94	2252.46
36”(914mm)	60”(1524mm)	TARP-3660-L	S	Y	4	\$1808.26	\$2121.22	\$1915.26	\$2228.22
	66”(1676mm)	TARP-3666-L	S	Y	4	1906.42	2238.94	2023.98	2356.50
	72”(1829mm)	TARP-3672-L	S	Y	4	2004.58	2356.66	2132.70	2484.78
Non-Flip Top Tables									
30”(762mm)	60”(1524mm)	TARP-3060-L	S	Y	4	\$1647.78	\$1941.18	\$1737.18	\$2030.58
	66”(1676mm)	TARP-3066-L	S	Y	4	1730.36	2043.32	1828.56	2141.52
	72”(1829mm)	TARP-3072-L	S	Y	4	1812.94	2145.46	1919.94	2252.46
36”(914mm)	60”(1524mm)	TARP-3660-L	S	Y	4	\$1808.26	\$2121.22	\$1915.26	\$2228.22
	66”(1676mm)	TARP-3666-L	S	Y	4	1906.42	2238.94	2023.98	2356.50
	72”(1829mm)	TARP-3672-L	S	Y	4	2004.58	2356.66	2132.70	2484.78
	78”(1981mm)	TARP-3678-L	S	Y	4	2102.74	2474.38	2241.42	2613.06
	84”(2134mm)	TARP-3684-L	S	Y	4	2200.90	2592.10	2350.14	2741.34
	90”(2286mm)	TARP-3690-L	S	Y	4	2299.06	2709.82	2458.86	2869.62
	96”(2438mm)	TARP-3696-L	S	Y	4	2397.22	2827.54	2567.58	2997.90

Flip Top Table



Non-Flip Top Table



TARP

Features

- Includes 1.18"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27.88"(708mm) knee clearance.
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

1) Product number, including:

① Edge Option:

- J Edgeband
- F Knife

② Flip Top Unit Cutout(s):

- N None
- F Center – single sided/4 outlets, add \$43.24 list
- J Center – single-sided/6 outlets, add \$43.24 list

③ Base Option (Flip/Non-Flip):

- H Flip Top Table – Casters, add \$434.82 list
- F Flip Top Table – Glides, add \$536.13 list
- C Non-flip Top Table: Casters
- G Non-flip Top Table: Glides, add \$101.31 list

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base/Stretcher trim color.


Note: \$59.46 upcharge list for Metallic and accent trim colors.

Planes Collaborative Tables — Hexagon — Laminate

Y-Leg Flip Top or Non-Flip Top Table

Depth	Width	Number	①	②	③	Laminate A		Laminate B		
						J	F	J	F	
Flip Top Tables										
30"(762mm)	60"(1524mm)	TARX-3060-L				4	\$1647.78	\$1995.22	\$1737.18	\$2084.62
	66"(1676mm)	TARX-3066-L				4	1730.36	2097.36	1828.56	2195.56
	72"(1829mm)	TARX-3072-L				4	1812.94	2199.50	1919.94	2306.50
36"(914mm)	60"(1524mm)	TARX-3660-L				4	\$1808.26	\$2175.26	\$1915.26	\$2282.26
	66"(1676mm)	TARX-3666-L				4	1906.42	2292.98	2023.98	2410.54
	72"(1829mm)	TARX-3672-L				4	2004.58	2410.70	2132.70	2538.82
Non-Flip Top Tables										
30"(762mm)	60"(1524mm)	TARX-3060-L				4	\$1647.78	\$1995.22	\$1737.18	\$2084.62
	66"(1676mm)	TARX-3066-L				4	1730.36	2097.36	1828.56	2195.56
	72"(1829mm)	TARX-3072-L				4	1812.94	2199.50	1919.94	2306.50
36"(914mm)	60"(1524mm)	TARX-3660-L				4	\$1808.26	\$2175.26	\$1915.26	\$2282.26
	66"(1676mm)	TARX-3666-L				4	1906.42	2292.98	2023.98	2410.54
	72"(1829mm)	TARX-3672-L				4	2004.58	2410.70	2132.70	2538.82
	78"(1981mm)	TARX-3678-L				4	2102.74	2528.42	2241.42	2667.10
	84"(2134mm)	TARX-3684-L				4	2200.90	2646.14	2350.14	2795.38
	90"(2286mm)	TARX-3690-L				4	2299.06	2763.86	2458.86	2923.66
	96"(2438mm)	TARX-3696-L				4	2397.22	2881.58	2567.58	3051.94

Flip Top Table



Non-Flip Top Table



TARX

Features

- Includes 1.18"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27.88"(708mm) knee clearance.
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

- Product number, including:

① Edge Option:

- J** Edgeband
- F** Knife

② Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$43.24** list
- J** Center – single-sided/6 outlets, add **\$43.24** list

③ Base Option (Flip/Non-Flip):

- H** Flip Top Table – Casters, add **\$434.82** list
- F** Flip Top Table – Glides, add **\$536.13** list
- C** Non-flip Top Table: Casters
- G** Non-flip Top Table: Glides, add **\$101.31** list

- Laminate surface color.
- Edge trim color.
- Base/Stretcher trim color.


Note: \$59.46 upcharge list for Metallic and accent trim colors.

Planes Collaborative Tables — Half Round — Laminate

Y-Leg Flip Top or Non-Flip Top Table

Depth	Width	Laminate Number	①	②	③	Laminate A	F	Laminate B	J	F
Flip Top Table										
36"(914mm)	72"(1829mm)	TAHN-3672-L	S	Y	4	\$1967.75	\$2291.75	\$2093.68	\$2417.68	
Non-Flip Top Table										
36"(914mm)	72"(1829mm)	TAHN-3672-L	S	Y	4	\$1967.75	\$2291.75	\$2093.68	\$2417.68	

Flip Top Table



Non-Flip Top Table



TAHN

Features

- Includes 1.18"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27.88"(708mm) knee clearance.
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Width is meant to accommodate two 36"(914mm) tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

1) Product number, including:

① Edge Option:

- J Edgeband
- F Knife

② Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$43.24 list
- J Center – single-sided/6 outlets, add \$43.24 list

③ Base Option (Flip/Non-Flip):

- H Flip Top Table – Casters, add \$434.82 list
- F Flip Top Table – Glides, add \$536.13 list
- C Non-flip Top Table: Casters
- G Non-flip Top Table: Glides, add \$101.31 list

2) Laminate surface color.

3) Edge trim color.

4) Base/Stretcher trim color.



Note: \$59.46 upcharge list for Metallic and accent trim colors.

Planes Collaborative Tables — Polygon — Laminate

Y-Leg Flip Top or Non-Flip Top Table

Depth	Width	Laminate Number ① ② ③	Laminate A J	F	Laminate B J	F
Flip Top Tables						
30" (762mm)	60" (1524mm)	TACV-3060-L S Y 4	\$1624.46	\$1979.10	\$1715.14	\$2069.78
36" (914mm)	72" (1829mm)	TACV-3672-L S Y 4	1994.81	2481.71	2125.53	2612.43
Non-Flip Top Tables						
30" (762mm)	60" (1524mm)	TACV-3060-L S Y 4	\$1624.46	\$1979.10	\$1715.14	\$2069.78
36" (914mm)	72" (1829mm)	TACV-3672-L S Y 4	1994.81	2481.71	2125.53	2612.43

Flip Top Table



Features

- Includes 1.18" (30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29" (737mm) with 27.88" (708mm) knee clearance.
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

To Order, Specify:

- Product number, including:

① Edge Option:

- J** Edgeband
- F** Knife

② Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$43.24** list
- J** Center – single-sided/6 outlets, add **\$43.24** list


③ Base Option (Flip/Non-Flip):

- H** Flip Top Table – Casters, add **\$434.82** list
- F** Flip Top Table – Glides, add **\$536.13** list
- C** Non-flip Top Table: Casters
- G** Non-flip Top Table: Glides, add **\$101.31** list

- Laminate surface color.
- Edge trim color.
- Base/Stretcher trim color.

Note: \$59.46 upcharge list for Metallic and accent trim colors.

Non-Flip Top Table



TACV

Specification Tips


- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth matches 30" (762mm) or 36" (914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

Planes Collaborative Tables — Rectangular — Wood

Y-Leg Flip Top or Non-Flip Top Table

Depth	Width	Number	①	②	③	Wood Group A		Wood Group B	
						K	U	K	U
Flip Top Tables									
30″(762mm)	60″(1524mm)	TARA-3060-W	S	Y	4	\$2101.89	\$2506.93	\$2134.59	\$2552.23
	66″(1676mm)	TARA-3066-W	S	Y	4	2236.54	2664.98	2275.76	2717.64
	72″(1829mm)	TARA-3072-W	S	Y	4	2371.19	2823.03	2416.93	2883.05
36″(914mm)	60″(1524mm)	TARA-3660-W	S	Y	4	\$2359.19	\$2787.63	\$2404.21	\$2846.09
	66″(1676mm)	TARA-3666-W	S	Y	4	2518.37	2970.21	2571.07	3037.19
	72″(1829mm)	TARA-3672-W	S	Y	4	2677.55	3152.79	2737.93	3228.29
Non-Flip Top Tables									
30″(762mm)	60″(1524mm)	TARA-3060-W	S	Y	4	\$2101.89	\$2506.93	\$2134.59	\$2552.23
	66″(1676mm)	TARA-3066-W	S	Y	4	2236.54	2664.98	2275.76	2717.64
	72″(1829mm)	TARA-3072-W	S	Y	4	2371.19	2823.03	2416.93	2883.05
36″(914mm)	60″(1524mm)	TARA-3660-W	S	Y	4	\$2359.19	\$2787.63	\$2404.21	\$2846.09
	66″(1676mm)	TARA-3666-W	S	Y	4	2518.37	2970.21	2571.07	3037.19
	72″(1829mm)	TARA-3672-W	S	Y	4	2677.55	3152.79	2737.93	3228.29
	78″(1981mm)	TARA-3678-W	S	Y	4	2836.73	3335.37	2904.79	3419.39
	84″(2134mm)	TARA-3684-W	S	Y	4	2995.91	3517.95	3071.65	3610.49
	90″(2286mm)	TARA-3690-W	S	Y	4	3155.09	3700.53	3238.51	3801.59
	96″(2438mm)	TARA-3696-W	S	Y	4	3314.27	3883.11	3405.37	3992.69

Flip Top Table



Non-Flip Top Table



TARA

Features

- Includes 1.18"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27.88"(708mm) knee clearance.
- Wood veneer top with 3mm wood edgeband or knife wood edges.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables; refer to Specification Guide.
- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

1) Product number, including:

① Wood Edge Option:

- K Edgeband
- U Knife

② Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$43.24 list
- J Center – single-sided/6 outlets, add \$43.24 list

③ Base Options (Flip/Non-Flip):

- H Flip Top Table – Casters, add \$434.82 list
- F Flip Top Table – Glides, add \$536.13 list
- C Non-flip Top Table: Casters
- G Non-flip Top Table: Glides, add \$101.31 list

2) Wood finish color.

3) Base/Stretcher trim color.


Note: \$59.46 upcharge (list) for Metallic and accent trim colors.

Planes Collaborative Tables — Pebble — Wood

Y-Leg Flip Top or Non-Flip Top Table

Depth	Width	Number	①	②	③	Wood Group A K	U	Wood Group B K	U
Flip Top Tables									
30”(762mm)	60”(1524mm)	TARP-3060-W				\$2101.89	\$2452.89	\$2134.59	\$2498.19
	66”(1676mm)	TARP-3066-W				2236.54	2610.94	2275.76	2663.60
	72”(1829mm)	TARP-3072-W				2371.19	2768.99	2416.93	2829.01
36”(914mm)	60”(1524mm)	TARP-3660-W				\$2359.19	\$2733.59	\$2404.21	\$2792.05
	66”(1676mm)	TARP-3666-W				2518.37	2916.17	2571.07	2983.15
	72”(1829mm)	TARP-3672-W				2677.55	3098.75	2737.93	3174.25
Non-Flip Top Tables									
30”(762mm)	60”(1524mm)	TARP-3060-W				\$2101.89	\$2452.89	\$2134.59	\$2498.19
	66”(1676mm)	TARP-3066-W				2236.54	2610.94	2275.76	2663.60
	72”(1829mm)	TARP-3072-W				2371.19	2768.99	2416.93	2829.01
36”(914mm)	60”(1524mm)	TARP-3660-W				\$2359.19	\$2733.59	\$2404.21	\$2792.05
	66”(1676mm)	TARP-3666-W				2518.37	2916.17	2571.07	2983.15
	72”(1829mm)	TARP-3672-W				2677.55	3098.75	2737.93	3174.25
	78”(1981mm)	TARP-3678-W				2836.73	3281.33	2904.79	3365.35
	84”(2134mm)	TARP-3684-W				2995.91	3463.91	3071.65	3556.45
	90”(2286mm)	TARP-3690-W				3155.09	3646.49	3238.51	3747.55
	96”(2438mm)	TARP-3696-W				3314.27	3829.07	3405.37	3938.65

Flip Top Table



Non-Flip Top Table



TARP

Features

- Includes 1.18"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27.88"(708mm) knee clearance.
- Wood veneer top with 3mm wood edgeband or knife wood edges.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Underside of table top has matching wood veneer surface.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

- 1) Product number, including:

① Wood Edge Option:

- K** Edgeband
U Knife

② Flip Top Unit Cutout(s):

- N** None
F Center – single-sided/4 outlets, add \$43.24 list
J Center – single-sided/6 outlets, add \$43.24 list

③ Base Options (Flip/Non-Flip):

- H** Flip Top Table – Casters, add \$434.82 list
F Flip Top Table – Glides, add \$536.13 list
C Non-flip Top Table: Casters
G Non-flip Top Table: Glides, add \$101.31 list

- 2) Wood finish color.
3) Base/Stretcher trim color.


Note: \$59.46 upcharge (list) for Metallic and accent trim colors.

Planes Collaborative Tables — Hexagon — Wood

Y-Leg Flip Top or Non-Flip Top Table

Depth	Width	Number	1	2	3	Wood Group A K	U	Wood Group B K	U
Flip Top Tables									
30"(762mm)	60"(1524mm)	TARX-3060-W	S	Y	4	\$2101.89	\$2506.93	\$2134.59	\$2552.23
	66"(1676mm)	TARX-3066-W	S	Y	4	2236.54	2664.98	2275.76	2717.64
	72"(1829mm)	TARX-3072-W	S	Y	4	2371.19	2823.03	2416.93	2883.05
36"(914mm)	60"(1524mm)	TARX-3660-W	S	Y	4	\$2359.19	\$2787.63	\$2404.21	\$2846.09
	66"(1676mm)	TARX-3666-W	S	Y	4	2518.37	2970.21	2571.07	3037.19
	72"(1829mm)	TARX-3672-W	S	Y	4	2677.55	3152.79	2737.93	3228.29
Non-Flip Top Tables									
30"(762mm)	60"(1524mm)	TARX-3060-W	S	Y	4	\$2101.89	\$2506.93	\$2134.59	\$2552.23
	66"(1676mm)	TARX-3066-W	S	Y	4	2236.54	2664.98	2275.76	2717.64
	72"(1829mm)	TARX-3072-W	S	Y	4	2371.19	2823.03	2416.93	2883.05
36"(914mm)	60"(1524mm)	TARX-3660-W	S	Y	4	\$2359.19	\$2787.63	\$2404.21	\$2846.09
	66"(1676mm)	TARX-3666-W	S	Y	4	2518.37	2970.21	2571.07	3037.19
	72"(1829mm)	TARX-3672-W	S	Y	4	2677.55	3152.79	2737.93	3228.29
	78"(1981mm)	TARX-3678-W	S	Y	4	2836.73	3335.37	2904.79	3419.39
	84"(2134mm)	TARX-3684-W	S	Y	4	2995.91	3517.95	3071.65	3610.49
	90"(2286mm)	TARX-3690-W	S	Y	4	3155.09	3700.53	3238.51	3801.59
	96"(2438mm)	TARX-3696-W	S	Y	4	3314.27	3883.11	3405.37	3992.69

Flip Top Table



Non-Flip Top Table



TARX

Features

- Includes 1.18"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27.88"(708mm) knee clearance.
- Wood veneer top with 3mm wood edgeband or knife wood edges.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Underside of table top has matching wood veneer surface.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Ganging clip
 - Flip top unit electrical modules
 - Grommets (field cut opening)
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

- 1) Product number, including:

1 Wood Edge Option:

- K Edgeband
- U Knife

2 Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$43.24 list
- J Center – single-sided/6 outlets, add \$43.24 list

3 Base Options (Flip/Non-Flip):

- H Flip Top Table – Casters, add \$434.82 list
- F Flip Top Table – Glides, add \$536.13 list
- C Non-flip Top Table: Casters
- G Non-flip Top Table: Glides, add \$101.31 list

- 2) Wood finish color.
3) Base/Stretcher trim color.


Note: \$59.46 upcharge (list) for Metallic and accent trim colors.

Planes Collaborative Tables — Half Round — Wood

Y-Leg Flip Top or Non-Flip Top Table

Depth	Width	Number	①	②	③	Wood Group A		Wood Group B	
						K	U	K	U
Flip Top Tables									
36”(914mm)	72”(1829mm)	TAHN-3672-W	S	Y	4	\$2644.97	\$3057.53	\$2702.30	\$3134.30
Non-Flip Top Tables									
36”(914mm)	72”(1829mm)	TAHN-3672-W	S	Y	4	\$2644.97	\$3057.53	\$2702.30	\$3134.30

Flip Top Table



Non-Flip Top Table



TAHN

Features

- Includes 1.18"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27.88"(708mm) knee clearance.
- Wood veneer top with 3mm wood edgeband or knife wood edges.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Underside of table top has matching wood veneer surface.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth is meant to accommodate two 36"(914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Vertical wire management
 - Y-leg Bumper

To Order, Specify:

1) Product number, including:

① Edge Option:

- K Edgeband
- U Knife

② Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$43.24 list
- J Center – single-sided/6 outlets, add \$43.24 list

③ Base Options (Flip/Non-Flip):

- H Flip Top Table – Casters, add \$434.82 list
- F Flip Top Table – Glides, add \$536.13 list
- C Non-flip Top Table: Casters
- G Non-flip Top Table: Glides, add \$101.31 list

2) Wood finish color.

3) Base/Stretcher trim color.



Note: \$59.46 upcharge (list) for Metallic and accent trim colors.

Planes Collaborative Tables — Polygon — Wood

Y-Leg Flip Top or Non-Flip Top Table

Depth	Width	Number	①	②	③	Wood Group A K	U	Wood Group B K	U
Flip Top Tables									
30"(762mm)	60"(1524mm)	TACV-3060-W	S	Y	4	\$2148.80	\$2449.44	\$2184.25	\$2501.09
36"(914mm)	72"(1829mm)	TACV-3672-W	S	Y	4	2718.07	3127.22	2788.90	3221.37
Non-Flip Top Tables									
30"(762mm)	60"(1524mm)	TACV-3060-W	S	Y	4	\$2148.80	\$2449.44	\$2184.25	\$2501.09
36"(914mm)	72"(1829mm)	TACV-3672-W	S	Y	4	2718.07	3127.22	2788.90	3221.37

Flip Top Table



Features

- Includes 1.18"(30mm) thick top, two Y-leg assemblies, stretcher and hardware.
- Standard table height is 29"(737mm) with 27.88"(708mm) knee clearance.
- Wood veneer top with 3mm wood edgeband or knife wood edges.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Underside of table top has matching wood veneer surface.
- Base and stretcher are painted aluminum.
- Stretcher provides lay-in cable management.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional casters (two locking) or glides are field interchangeable.
- Casters have light platinum hub with graphite tread.
- Glides are light platinum with 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Depth is meant to accommodate 30"(762mm) or 36"(914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Ganging clip
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Vertical cable management
 - Y-leg Bumper

To Order, Specify:

1) Product number, including:

① Edge Option:

- K Edgeband
- U Knife

② Flip Top Unit Cutout(s):

- N None
- F Center – single-sided/4 outlets, add \$43.24 list
- J Center – single-sided/6 outlets, add \$43.24 list

③ Base Options (Flip/Non-Flip):


- H Flip Top Table – Casters, add \$434.82 list
- F Flip Top Table – Glides, add \$536.13 list
- C Non-flip Top Table: Casters
- G Non-flip Top Table: Glides, add \$101.31 list

2) Wood finish color.

3) Base/Stretcher trim color.


Note: \$59.46 upcharge (list) for Metallic and accent trim colors.


Non-Flip Top Table





TACV

Planes Collaborative Tables — Accessories



		Width	Length	Number	Price
Vertical Wire Management 	2”(51mm)		12”(305mm)	TA01-0212	\$57.91
	Features - Includes one plastic wire manager sleeve - Standard in light platinum color - Field installed			To Order, Specify: 1) Product number (No color specification required.)	
	Specification Tips - For use on the Y-leg assembly for flip top unit wire management - Snaps into top portion of Y-leg assembly.				
	TA01-0212				



Y-Leg Bumper 	Description		Number	Price
	For use on 36”(914mm) deep top		TA01-0213	\$11.19
	For use on 30”(762mm) deep top		TA01-0214	11.19
	Feature Includes 4 bumpers in light platinum.		To Order, Specify: 1) Product number (No color specification required.)	
Specification Tip Protects Y-leg tables when nested.				
TA01-0213 TA01-0214				

Ganging Mechanism 			Number	Price
			TA01-0222	\$150.50
	Features - Includes four (two sets) ganging mechanisms and attachment hardware. - Standard in black. - Ganging Mechanism required for in-line powered Planes C-Leg and Y-Leg or Jive C-Leg and T-Leg Training Tables. - Field installed.			To Order, Specify: 1) Product number. (No finish specification required.)
	Specification Tip Planes C-Leg Training Tables are drilled for ganging mechanisms.			
TA01-0222 (one set)				

Ganging Clip 			Number	Price
			TA01-0001	\$59.64
	Features - Includes set of two ganging clips and installation hardware. - Standard in black.			To Order, Specify: 1) Product number. (No finish specification required.)
TA01-0001				

Planes Collaborative Tables — Accessories




	Number	Price
Casters   Hub Tread TA01-0216	TA01-0216	\$47.70
Features - Includes 4 casters; 2 locking, 2 non-locking. –Casters are available with: - Light platinum or fog hub with graphite tread, or black hub with black tread.		
To Order, Specify: - Product number. - Trim color for hub.		
Specification Tip - Casters are for use with Y-leg tables, carts and easels. - Not designed for interior or perimeter leg conference tables.		

	Description	Number	Price
Glides   Stem Base Disc TA01-0215	Painted Stem	TA01-0215	\$166.01
Features - Includes 4 glides. - Glides have 0.5”(13mm) height adjustment. - Glides stems are either painted (specify paint trim color) or polished aluminum. - Glide base disc is available in light platinum, fog or black (specify trim color).			
To Order, Specify: - Product number. - Stem trim color (for painted Glide). - Base Disc trim color.			
Specification Tip - Glides are for use with Y-leg tables, carts and easels. - Not designed for interior or perimeter leg conference tables.			

This page intentionally blank

Planes Tables — X Base

Laminate or Wood



Features

- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18"(30mm) thick standard top, base and hardware.
- Fixed table height options are 21"(533mm), 29"(737mm) and 41"(1041mm).
- Caster and glides are not interchangeable.
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides are graphite and provide 0.5"(13mm) glide adjustment.
- Ships unassembled.

Specification Tips

- Base Sizes:
 - 30"(762mm) and 36"(914mm) tops include 27.25"(692mm) X-Base.
 - 42"(1067mm) and 48"(1219mm) tops include 33.75"(857mm) X-Base.

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Base:

- C** Caster
- G** Glide, add **\$89.34** list

4 Base Material:

- A** Painted
- B** Polished, add **\$364.84** list

- 2) Laminate surface color or Wood finish color.
- 3) Edge trim color (laminate only).
- 4) Base trim color (painted only).
- 5) Caster color.

Note: **\$59.46** upcharge list for Metallic and accent trim colors.


Planes Tables — X Base

Laminate or Wood


Height	Depth	Width	Number	①	②	③	④	Laminate A		Laminate B		Wood Group A		Wood Group B	
								J	F	J	F	K	U	K	U
Round															
21"(533mm)	30"(762mm)	30"(762mm)	TARN-3030-			SNX	2	\$ 912.06	\$1166.87	\$1000.07	\$1254.88	\$1363.18	\$1622.19	\$1394.43	\$1673.00
	36"(914mm)	36"(914mm)	TARN-3636-			SNX	2	1090.29	1384.94	1197.66	1492.31	1623.13	2001.81	1670.62	2079.38
	42"(1067mm)	42"(1067mm)	TARN-4242-			SNX	2	1299.18	1633.67	1429.43	1763.92	1924.54	2449.22	1990.83	2558.31
	48"(1219mm)	48"(1219mm)	TARN-4848-			SNX	2	1538.73	1913.06	1695.38	2069.71	2267.41	2965.12	2355.06	3110.55
29"(737mm)	30"(762mm)	30"(762mm)	TARN-3030-			SNX	4	\$ 934.39	\$1189.20	\$1022.40	\$1277.21	\$1385.51	\$1644.52	\$1416.76	\$1695.33
	36"(914mm)	36"(914mm)	TARN-3636-			SNX	4	1112.62	1407.27	1219.99	1514.64	1645.46	2024.14	1692.95	2101.71
	42"(1067mm)	42"(1067mm)	TARN-4242-			SNX	4	1321.51	1656.00	1451.76	1786.25	1946.87	2471.55	2013.16	2580.64
	48"(1219mm)	48"(1219mm)	TARN-4848-			SNX	4	1561.06	1935.39	1717.71	2092.04	2289.74	2987.45	2377.39	3132.88
41"(1041mm)	30"(762mm)	30"(762mm)	TARN-3030-			SNX	7	\$ 956.75	\$1211.56	\$1044.76	\$1299.57	\$1407.87	\$1666.88	\$1439.12	\$1717.69
	36"(914mm)	36"(914mm)	TARN-3636-			SNX	7	1134.98	1429.63	1242.35	1537.00	1667.82	2046.50	1715.31	2124.07
	42"(1067mm)	42"(1067mm)	TARN-4242-			SNX	7	1343.87	1678.36	1474.12	1808.61	1969.23	2493.91	2035.52	2603.00
	48"(1219mm)	48"(1219mm)	TARN-4848-			SNX	7	1583.42	1957.75	1740.07	2114.40	2312.10	3009.81	2399.75	3155.24
Square															
21"(533mm)	30"(762mm)	30"(762mm)	TARQ-3030-			SNX	2	\$ 910.86	\$1156.07	\$ 998.87	\$1244.08	\$1363.18	\$1490.10	\$1394.43	\$1529.87
	36"(914mm)	36"(914mm)	TARQ-3636-			SNX	2	1088.85	1371.98	1196.22	1479.35	1623.13	1843.31	1670.62	1907.62
	42"(1067mm)	42"(1067mm)	TARQ-4242-			SNX	2	1297.50	1618.55	1427.75	1748.80	1924.54	2264.91	1990.83	2358.58
	48"(1219mm)	48"(1219mm)	TARQ-4848-			SNX	2	1536.81	1895.78	1693.46	2052.43	2267.41	2753.78	2355.06	2881.54
29"(737mm)	30"(762mm)	30"(762mm)	TARQ-3030-			SNX	4	\$ 933.19	\$1178.40	\$1021.20	\$1266.41	\$1385.51	\$1512.43	\$1416.76	\$1552.20
	36"(914mm)	36"(914mm)	TARQ-3636-			SNX	4	1111.18	1394.31	1218.55	1501.68	1645.46	1865.64	1692.95	1929.95
	42"(1067mm)	42"(1067mm)	TARQ-4242-			SNX	4	1319.83	1640.88	1450.08	1771.13	1946.87	2287.24	2013.16	2380.91
	48"(1219mm)	48"(1219mm)	TARQ-4848-			SNX	4	1559.14	1918.11	1715.79	2074.76	2289.74	2776.11	2377.39	2903.87
41"(1041mm)	30"(762mm)	30"(762mm)	TARQ-3030-			SNX	7	\$ 955.55	\$1200.76	\$1043.56	\$1288.77	\$1407.87	\$1534.79	\$1439.12	\$1574.56
	36"(914mm)	36"(914mm)	TARQ-3636-			SNX	7	1133.54	1416.67	1240.91	1524.04	1667.82	1888.00	1715.31	1952.31
	42"(1067mm)	42"(1067mm)	TARQ-4242-			SNX	7	1342.19	1663.24	1472.44	1793.49	1969.23	2309.60	2035.52	2403.27
	48"(1219mm)	48"(1219mm)	TARQ-4848-			SNX	7	1581.50	1940.47	1738.15	2097.12	2312.10	2798.47	2399.75	2926.23
Pebble															
21"(533mm)	30"(762mm)	30"(762mm)	TARP-3030-			SNX	2	\$ 910.86	\$1156.07	\$ 998.87	\$1244.08	\$1363.18	\$1490.10	\$1394.43	\$1529.87
	36"(914mm)	36"(914mm)	TARP-3636-			SNX	2	1088.85	1371.98	1196.22	1479.35	1623.13	1843.31	1670.62	1907.62
	42"(1067mm)	42"(1067mm)	TARP-4242-			SNX	2	1297.50	1618.55	1427.75	1748.80	1924.54	2264.91	1990.83	2358.58
	48"(1219mm)	48"(1219mm)	TARP-4848-			SNX	2	1536.81	1895.78	1693.46	2052.43	2267.41	2753.78	2355.06	2881.54
29"(737mm)	30"(762mm)	30"(762mm)	TARP-3030-			SNX	4	\$ 933.19	\$1178.40	\$1021.20	\$1266.41	\$1385.51	\$1512.43	\$1416.76	\$1552.20
	36"(914mm)	36"(914mm)	TARP-3636-			SNX	4	1111.18	1394.31	1218.55	1501.68	1645.46	1865.64	1692.95	1929.95
	42"(1067mm)	42"(1067mm)	TARP-4242-			SNX	4	1319.83	1640.88	1450.08	1771.13	1946.87	2287.24	2013.16	2380.91
	48"(1219mm)	48"(1219mm)	TARP-4848-			SNX	4	1559.14	1918.11	1715.79	2074.76	2289.74	2776.11	2377.39	2903.87
41"(1041mm)	30"(762mm)	30"(762mm)	TARP-3030-			SNX	7	\$ 955.55	\$1200.76	\$1043.56	\$1288.77	\$1407.87	\$1534.79	\$1439.12	\$1574.56
	36"(914mm)	36"(914mm)	TARP-3636-			SNX	7	1133.54	1416.67	1240.91	1524.04	1667.82	1888.00	1715.31	1952.31
	42"(1067mm)	42"(1067mm)	TARP-4242-			SNX	7	1342.19	1663.24	1472.44	1793.49	1969.23	2309.60	2035.52	2403.27
	48"(1219mm)	48"(1219mm)	TARP-4848-			SNX	7	1581.50	1940.47	1738.15	2097.12	2312.10	2798.47	2399.75	2926.23

Planes Tables — Disc Base


Laminate or Wood



TARN-NDN



TARQ-NDN



TARP-NDN

Features

- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Includes 1.18”(30mm) thick standard top, base and hardware.
- Fixed table height options are 21”(533mm), 29”(737mm) and 41”(1041mm).
- Ships unassembled.

Specification Tips

- Base Sizes:
 - 30”(762mm) and 36”(914mm) tops include 21”(533mm) disc base.
 - 42”(1067mm) and 48”(1219mm) tops include 27”(686mm) disc base.

To Order, Specify:

- 1) Product number, including:

① Surface Options:

- L** Laminate
- W** Wood

② Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

- 2) Laminate surface color or Wood finish color.
3) Edge trim color (laminate only).
4) Base trim color.

Note: \$59.46 upcharge list for Metallic and accent trim colors.


Planes Tables — Disc Base

Laminate or Wood


Height	Depth	Width	Number ①②	Laminate A		Laminate B		Wood Group A		Wood Group B	
				J	F	J	F	K	U	K	U
Round											
21"(533mm)	30"(762mm)	30"(762mm)	TARN-3030-   SNDN2A	\$1151.81	\$1406.62	\$1239.82	\$1494.63	\$1602.93	\$1861.94	\$1634.18	\$1912.75
	36"(914mm)	36"(914mm)	TARN-3636-   SNDN2A	1330.04	1624.69	1437.41	1732.06	1862.88	2241.56	1910.37	2319.13
	42"(1067mm)	42"(1067mm)	TARN-4242-   SNDN2A	1538.93	1873.42	1669.18	2003.67	2164.29	2688.97	2230.58	2798.06
	48"(1219mm)	48"(1219mm)	TARN-4848-   SNDN2A	1778.48	2152.81	1935.13	2309.46	2507.16	3204.87	2594.81	3350.30
29"(737mm)	30"(762mm)	30"(762mm)	TARN-3030-   SNDN4A	\$1174.14	\$1428.95	\$1262.15	\$1516.96	\$1625.26	\$1884.27	\$1656.51	\$1935.08
	36"(914mm)	36"(914mm)	TARN-3636-   SNDN4A	1352.37	1647.02	1459.74	1754.39	1885.21	2263.89	1932.70	2341.46
	42"(1067mm)	42"(1067mm)	TARN-4242-   SNDN4A	1561.26	1895.75	1691.51	2026.00	2186.62	2711.30	2252.91	2820.39
	48"(1219mm)	48"(1219mm)	TARN-4848-   SNDN4A	1800.81	2175.14	1957.46	2331.79	2529.49	3227.20	2617.14	3372.63
41"(1041mm)	30"(762mm)	30"(762mm)	TARN-3030-   SNDN7A	\$1196.50	\$1451.31	\$1284.51	\$1539.32	\$1647.62	\$1906.63	\$1678.87	\$1957.44
	36"(914mm)	36"(914mm)	TARN-3636-   SNDN7A	1374.73	1669.38	1482.10	1776.75	1907.57	2286.25	1955.06	2363.82
	42"(1067mm)	42"(1067mm)	TARN-4242-   SNDN7A	1583.62	1918.11	1713.87	2048.36	2208.98	2733.66	2275.27	2842.75
	48"(1219mm)	48"(1219mm)	TARN-4848-   SNDN7A	1823.17	2197.50	1979.82	2354.15	2551.85	3249.56	2639.50	3394.99
Square											
21"(533mm)	30"(762mm)	30"(762mm)	TARQ-3030-   SNDN2A	\$1149.42	\$1394.63	\$1237.43	\$1482.64	\$1601.74	\$1728.66	\$1632.99	\$1768.43
	36"(914mm)	36"(914mm)	TARQ-3636-   SNDN2A	1327.41	1610.54	1434.78	1717.91	1861.69	2081.87	1909.18	2146.18
	42"(1067mm)	42"(1067mm)	TARQ-4242-   SNDN2A	1536.06	1857.11	1666.31	1987.36	2163.10	2503.47	2229.39	2597.14
	48"(1219mm)	48"(1219mm)	TARQ-4848-   SNDN2A	1775.37	2134.34	1932.02	2290.99	2505.97	2992.34	2593.62	3120.10
29"(737mm)	30"(762mm)	30"(762mm)	TARQ-3030-   SNDN4A	\$1171.75	\$1416.96	\$1259.76	\$1504.97	\$1624.07	\$1750.99	\$1655.32	\$1790.76
	36"(914mm)	36"(914mm)	TARQ-3636-   SNDN4A	1349.74	1632.87	1457.11	1740.24	1884.02	2104.20	1931.51	2168.51
	42"(1067mm)	42"(1067mm)	TARQ-4242-   SNDN4A	1558.39	1879.44	1688.64	2009.69	2185.43	2525.80	2251.72	2619.47
	48"(1219mm)	48"(1219mm)	TARQ-4848-   SNDN4A	1797.70	2156.67	1954.35	2313.32	2528.30	3014.67	2615.95	3142.43
41"(1041mm)	30"(762mm)	30"(762mm)	TARQ-3030-   SNDN7A	\$1194.11	\$1439.32	\$1282.12	\$1527.33	\$1646.43	\$1773.35	\$1677.68	\$1813.12
	36"(914mm)	36"(914mm)	TARQ-3636-   SNDN7A	1372.10	1655.23	1479.47	1762.60	1906.38	2126.56	1953.87	2190.87
	42"(1067mm)	42"(1067mm)	TARQ-4242-   SNDN7A	1580.75	1901.80	1711.00	2032.05	2207.79	2548.16	2274.08	2641.83
	48"(1219mm)	48"(1219mm)	TARQ-4848-   SNDN7A	1820.06	2179.03	1976.71	2335.68	2550.66	3037.03	2638.31	3164.79
Pebble											
21"(533mm)	30"(762mm)	30"(762mm)	TARP-3030-   SNDN2A	\$1150.61	\$1395.82	\$1238.62	\$1483.83	\$1602.93	\$1729.85	\$1634.18	\$1769.62
	36"(914mm)	36"(914mm)	TARP-3636-   SNDN2A	1328.60	1611.73	1435.97	1719.10	1862.88	2083.06	1910.37	2147.37
	42"(1067mm)	42"(1067mm)	TARP-4242-   SNDN2A	1537.25	1858.30	1667.50	1988.55	2164.29	2504.66	2230.58	2598.33
	48"(1219mm)	48"(1219mm)	TARP-4848-   SNDN2A	1776.56	2135.53	1933.21	2292.18	2507.16	2993.53	2594.81	3121.29
29"(737mm)	30"(762mm)	30"(762mm)	TARP-3030-   SNDN4A	\$1172.94	\$1418.15	\$1260.95	\$1506.16	\$1625.26	\$1752.18	\$1656.51	\$1791.95
	36"(914mm)	36"(914mm)	TARP-3636-   SNDN4A	1350.93	1634.06	1458.30	1741.43	1885.21	2105.39	1932.70	2169.70
	42"(1067mm)	42"(1067mm)	TARP-4242-   SNDN4A	1559.58	1880.63	1689.83	2010.88	2186.62	2526.99	2252.91	2620.66
	48"(1219mm)	48"(1219mm)	TARP-4848-   SNDN4A	1798.89	2157.86	1955.54	2314.51	2529.49	3015.86	2617.14	3143.62
41"(1041mm)	30"(762mm)	30"(762mm)	TARP-3030-   SNDN7A	\$1195.30	\$1440.51	\$1283.31	\$1528.52	\$1647.62	\$1774.54	\$1678.87	\$1814.31
	36"(914mm)	36"(914mm)	TARP-3636-   SNDN7A	1373.29	1656.42	1480.66	1763.79	1907.57	2127.75	1955.06	2192.06
	42"(1067mm)	42"(1067mm)	TARP-4242-   SNDN7A	1581.94	1902.99	1712.19	2033.24	2208.98	2549.35	2275.27	2643.02
	48"(1219mm)	48"(1219mm)	TARP-4848-   SNDN7A	1821.25	2180.22	1977.90	2336.87	2551.85	3038.22	2639.50	3165.98

Planes Tables — Dual X Base

Laminate or Wood – Rectangle



TARA-XC



TARA-XG

Features

- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18”(30mm) thick standard top, bases and hardware.
- Fixed table height options are 29”(737mm) and 41”(1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides available in graphite only and provide 0.5”(13mm) adjustment.
- Casters and glides are not interchangeable.
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$43.24** list
- J** Center, Single-Sided/6 outlets, add **\$43.24** list

4 Base:

- C** Caster
- G** Glide, add **\$178.69** list

5 Base Material:

- A** Painted
- B** Polished, add **\$729.67** list

- 2) Laminate surface color or wood finish color.
- 3) Edge trim color (laminate only).
- 4) Base trim color.

Note: **\$59.46** upcharge list for Metallic and accent trim colors.

Planes Tables — Dual X Base

Laminate or Wood – Rectangle


Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B	
									J	F	J	F	K	U	K	U
29"(737mm)	30"(762mm)	60"(1524mm)	TARA-3060-			S	X	4	\$1762.46	\$2106.07	\$1854.47	\$2198.08	\$2248.21	\$2663.82	\$2283.34	\$2711.55
		66"(1676mm)	TARA-3066-			S	X	4	1846.28	2209.09	1947.34	2310.15	2386.79	2826.40	2428.86	2881.91
		72"(1829mm)	TARA-3072-			S	X	4	1930.10	2312.11	2040.21	2422.22	2525.37	2988.98	2574.38	3052.27
		78"(1981mm)	TARA-3078-			S	X	4	2013.92	2415.13	2133.08	2534.29	2663.95	3151.56	2719.90	3222.63
		84"(2134mm)	TARA-3084-			S	X	4	2097.74	2518.15	2225.95	2646.36	2802.53	3314.14	2865.42	3392.99
		90"(2286mm)	TARA-3090-			S	X	4	2181.56	2621.17	2318.82	2758.43	2941.11	3476.72	3010.94	3563.35
		96"(2438mm)	TARA-3096-			S	X	4	2265.38	2724.19	2411.69	2870.50	3079.69	3639.30	3156.46	3733.71
	36"(914mm)	60"(1524mm)	TARA-3660-			S	X	4	\$1926.38	\$2289.19	\$2036.49	\$2399.30	\$2512.89	\$2952.50	\$2561.06	\$3014.11
		66"(1676mm)	TARA-3666-			S	X	4	2026.22	2408.23	2147.19	2529.20	2676.69	3140.30	2733.02	3210.91
		72"(1829mm)	TARA-3672-			S	X	4	2126.06	2527.27	2257.89	2659.10	2840.49	3328.10	2904.98	3407.71
		78"(1981mm)	TARA-3678-			S	X	4	2225.90	2646.31	2368.59	2789.00	3004.29	3515.90	3076.94	3604.51
		84"(2134mm)	TARA-3684-			S	X	4	2325.74	2765.35	2479.29	2918.90	3168.09	3703.70	3248.90	3801.31
		90"(2286mm)	TARA-3690-			S	X	4	2425.58	2884.39	2589.99	3048.80	3331.89	3891.50	3420.86	3998.11
		96"(2438mm)	TARA-3696-			S	X	4	2525.42	3003.43	2700.69	3178.70	3495.69	4079.30	3592.82	4194.91
	42"(1067mm)	60"(1524mm)	TARA-4260-			S	X	4	\$2090.30	\$2472.31	\$2218.51	\$2600.52	\$2777.57	\$3241.18	\$2838.78	\$3316.67
		66"(1676mm)	TARA-4266-			S	X	4	2206.16	2607.37	2347.04	2748.25	2966.59	3454.20	3037.18	3539.91
		72"(1829mm)	TARA-4272-			S	X	4	2322.02	2742.43	2475.57	2895.98	3155.61	3667.22	3235.58	3763.15
		78"(1981mm)	TARA-4278-			S	X	4	2437.88	2877.49	2604.10	3043.71	3344.63	3880.24	3433.98	3986.39
		84"(2134mm)	TARA-4284-			S	X	4	2553.74	3012.55	2732.63	3191.44	3533.65	4093.26	3632.38	4209.63
		90"(2286mm)	TARA-4290-			S	X	4	2669.60	3147.61	2861.16	3339.17	3722.67	4306.28	3830.78	4432.87
		96"(2438mm)	TARA-4296-			S	X	4	2785.46	3282.67	2989.69	3486.90	3911.69	4519.30	4029.18	4656.11
	48"(1219mm)	60"(1524mm)	TARA-4860-			S	X	4	\$2254.22	\$2655.43	\$2400.53	\$2801.74	\$3042.25	\$3529.86	\$3116.50	\$3619.23
		66"(1676mm)	TARA-4866-			S	X	4	2386.10	2806.51	2546.89	2967.30	3256.49	3768.10	3341.34	3868.91
		72"(1829mm)	TARA-4872-			S	X	4	2517.98	2957.59	2693.25	3132.86	3470.73	4006.34	3566.18	4118.59
		78"(1981mm)	TARA-4878-			S	X	4	2649.86	3108.67	2839.61	3298.42	3684.97	4244.58	3791.02	4368.27
		84"(2134mm)	TARA-4884-			S	X	4	2781.74	3259.75	2985.97	3463.98	3899.21	4482.82	4015.86	4617.95
		90"(2286mm)	TARA-4890-			S	X	4	2913.62	3410.83	3132.33	3629.54	4113.45	4721.06	4240.70	4867.63
		96"(2438mm)	TARA-4896-			S	X	4	3045.50	3561.91	3278.69	3795.10	4327.69	4959.30	4465.54	5117.31
	41"(1041mm)	30"(762mm)	60"(1524mm)	TARA-3060-			S	X	7	\$1851.81	\$2195.42	\$1943.82	\$2287.43	\$2337.56	\$2753.17	\$2372.69
66"(1676mm)			TARA-3066-			S	X	7	1935.63	2298.44	2036.69	2399.50	2476.14	2915.75	2518.21	2971.26
72"(1829mm)			TARA-3072-			S	X	7	2019.45	2401.46	2129.56	2511.57	2614.72	3078.33	2663.73	3141.62
78"(1981mm)			TARA-3078-			S	X	7	2103.27	2504.48	2222.43	2623.64	2753.30	3240.91	2809.25	3311.98
84"(2134mm)			TARA-3084-			S	X	7	2187.09	2607.50	2315.30	2735.71	2891.88	3403.49	2954.77	3482.34
90"(2286mm)			TARA-3090-			S	X	7	2270.91	2710.52	2408.17	2847.78	3030.46	3566.07	3100.29	3652.70
96"(2438mm)			TARA-3096-			S	X	7	2354.73	2813.54	2501.04	2959.85	3169.04	3728.65	3245.81	3823.06
36"(914mm)		60"(1524mm)	TARA-3660-			S	X	7	\$2015.73	\$2378.54	\$2125.84	\$2488.65	\$2602.24	\$3041.85	\$2650.41	\$3103.46
		66"(1676mm)	TARA-3666-			S	X	7	2115.57	2497.58	2236.54	2618.55	2766.04	3229.65	2822.37	3300.26
		72"(1829mm)	TARA-3672-			S	X	7	2215.41	2616.62	2347.24	2748.45	2929.84	3417.45	2994.33	3497.06
		78"(1981mm)	TARA-3678-			S	X	7	2315.25	2735.66	2457.94	2878.35	3093.64	3605.25	3166.29	3693.86
		84"(2134mm)	TARA-3684-			S	X	7	2415.09	2854.70	2568.64	3008.25	3257.44	3793.05	3338.25	3890.66
		90"(2286mm)	TARA-3690-			S	X	7	2514.93	2973.74	2679.34	3138.15	3421.24	3980.85	3510.21	4087.46
		96"(2438mm)	TARA-3696-			S	X	7	2614.77	3092.78	2790.04	3268.05	3585.04	4168.65	3682.17	4284.26
42"(1067mm)		60"(1524mm)	TARA-4260-			S	X	7	\$2179.65	\$2561.66	\$2307.86	\$2689.87	\$2866.92	\$3330.53	\$2928.13	\$3406.02
		66"(1676mm)	TARA-4266-			S	X	7	2295.51	2696.72	2436.39	2837.60	3055.94	3543.55	3126.53	3629.26
		72"(1829mm)	TARA-4272-			S	X	7	2411.37	2831.78	2564.92	2985.33	3244.96	3756.57	3324.93	3852.50
		78"(1981mm)	TARA-4278-			S	X	7	2527.23	2966.84	2693.45	3133.06	3433.98	3969.59	3523.33	4075.74
		84"(2134mm)	TARA-4284-			S	X	7	2643.09	3101.90	2821.98	3280.79	3623.00	4182.61	3721.73	4298.98
		90"(2286mm)	TARA-4290-			S	X	7	2758.95	3236.96	2950.51	3428.52	3812.02	4395.63	3920.13	4522.22
		96"(2438mm)	TARA-4296-			S	X	7	2874.81	3372.02	3079.04	3576.25	4001.04	4608.65	4118.53	4745.46
48"(1219mm)	60"(1524mm)	TARA-4860-			S	X	7	\$2343.57	\$2744.78	\$2489.88	\$2891.09	\$3131.60	\$3619.21	\$3205.85	\$3708.58	
	66"(1676mm)	TARA-4866-			S	X	7	2475.45	2895.86	2636.24	3056.65	3345.84	3857.45	3430.69	3958.26	
	72"(1829mm)	TARA-4872-			S	X	7	2607.33	3046.94	2782.60	3222.21	3560.08	4095.69	3655.53	4207.94	
	78"(1981mm)	TARA-4878-			S	X	7	2739.21	3198.02	2928.96	3387.77	3774.32	4333.93	3880.37	4457.62	
	84"(2134mm)	TARA-4884-			S	X	7	2871.09	3349.10	3075.32	3553.33	3988.56	4572.17	4105.21	4707.30	
	90"(2286mm)	TARA-4890-			S	X	7	3002.97	3500.18	3221.68	3718.89	4202.80	4810.41	4330.05	4956.98	
	96"(2438mm)	TARA-4896-			S	X	7	3134.85	3651.26	3368.04	3884.45	4417.04	5048.65	4554.89	5206.66	

Planes Tables — Dual X Base

Laminate or Wood – Hexagon



TARX-XC



TARX-XG

Features

- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18”(30mm) thick standard top, bases and hardware.
- Fixed table height options are 29”(737mm) and 41”(1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides available in graphite only and provide 0.5”(13mm) adjustment.
- Casters and glides are not interchangeable.
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$43.24** list
- J** Center, Single-Sided/6 outlets, add **\$43.24** list

4 Base:

- C** Caster
- G** Glide, add **\$178.69** list

5 Base Material:

- A** Painted
- B** Polished, add **\$729.67** list

- 2) Laminate surface color or wood finish color.
- 3) Edge trim color (laminate only).
- 4) Base trim color.

Note: **\$59.46** upcharge list for Metallic and accent trim colors.


Planes Tables — Dual X Base

Laminate or Wood – Hexagon

Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B	
									J	F	J	F	K	U	K	U
29″(737mm)	30″(762mm)	60″(1524mm)	TARX-3060-			S	X	4	\$1814.85	\$2169.26	\$1906.86	\$2261.27	\$2284.40	\$2700.01	\$2319.53	\$2747.74
		66″(1676mm)	TARX-3066-			S	X	4	1899.75	2274.08	2000.81	2375.14	2422.98	2862.59	2465.05	2918.10
		72″(1829mm)	TARX-3072-			S	X	4	1984.65	2378.90	2094.76	2489.01	2561.56	3025.17	2610.57	3088.46
		78″(1981mm)	TARX-3078-			S	X	4	2069.55	2483.72	2188.71	2602.88	2700.14	3187.75	2756.09	3258.82
		84″(2134mm)	TARX-3084-			S	X	4	2154.45	2588.54	2282.66	2716.75	2838.72	3350.33	2901.61	3429.18
		90″(2286mm)	TARX-3090-			S	X	4	2239.35	2693.36	2376.61	2830.62	2977.30	3512.91	3047.13	3599.54
		96″(2438mm)	TARX-3096-			S	X	4	2324.25	2798.18	2470.56	2944.49	3115.88	3675.49	3192.65	3769.90
	36″(914mm)	60″(1524mm)	TARX-3660-			S	X	4	\$1979.85	\$2354.18	\$2089.96	\$2464.29	\$2549.08	\$2988.69	\$2597.25	\$3050.30
		66″(1676mm)	TARX-3666-			S	X	4	2080.77	2475.02	2201.74	2595.99	2712.88	3176.49	2769.21	3247.10
		72″(1829mm)	TARX-3672-			S	X	4	2181.69	2595.86	2313.52	2727.69	2876.68	3364.29	2941.17	3443.90
		78″(1981mm)	TARX-3678-			S	X	4	2282.61	2716.70	2425.30	2859.39	3040.48	3552.09	3113.13	3640.70
		84″(2134mm)	TARX-3684-			S	X	4	2383.53	2837.54	2537.08	2991.09	3204.28	3739.89	3285.09	3837.50
		90″(2286mm)	TARX-3690-			S	X	4	2484.45	2958.38	2648.86	3122.79	3368.08	3927.69	3457.05	4034.30
		96″(2438mm)	TARX-3696-			S	X	4	2585.37	3079.22	2760.64	3254.49	3531.88	4115.49	3629.01	4231.10
	42″(1067mm)	60″(1524mm)	TARX-4260-			S	X	4	\$2144.85	\$2539.10	\$2273.06	\$2667.31	\$2813.76	\$3277.37	\$2874.97	\$3352.86
		66″(1676mm)	TARX-4266-			S	X	4	2261.79	2675.96	2402.67	2816.84	3002.78	3490.39	3073.37	3576.10
		72″(1829mm)	TARX-4272-			S	X	4	2378.73	2812.82	2532.28	2966.37	3191.80	3703.41	3271.77	3799.34
		78″(1981mm)	TARX-4278-			S	X	4	2495.67	2949.68	2661.89	3115.90	3380.82	3916.43	3470.17	4022.58
		84″(2134mm)	TARX-4284-			S	X	4	2612.61	3086.54	2791.50	3265.43	3569.84	4129.45	3668.57	4245.82
		90″(2286mm)	TARX-4290-			S	X	4	2729.55	3223.40	2921.11	3414.96	3758.86	4342.47	3866.97	4469.06
96″(2438mm)		TARX-4296-			S	X	4	2846.49	3360.26	3050.72	3564.49	3947.88	4555.49	4065.37	4692.30	
48″(1219mm)	60″(1524mm)	TARX-4860-			S	X	4	\$2309.85	\$2724.02	\$2456.16	\$2870.33	\$3078.44	\$3566.05	\$3152.69	\$3655.42	
	66″(1676mm)	TARX-4866-			S	X	4	2442.81	2876.90	2603.60	3037.69	3292.68	3804.29	3377.53	3905.10	
	72″(1829mm)	TARX-4872-			S	X	4	2575.77	3029.78	2751.04	3205.05	3506.92	4042.53	3602.37	4154.78	
	78″(1981mm)	TARX-4878-			S	X	4	2708.73	3182.66	2898.48	3372.41	3721.16	4280.77	3827.21	4404.46	
	84″(2134mm)	TARX-4884-			S	X	4	2841.69	3335.54	3045.92	3539.77	3935.40	4519.01	4052.05	4654.14	
	90″(2286mm)	TARX-4890-			S	X	4	2974.65	3488.42	3193.36	3707.13	4149.64	4757.25	4276.89	4903.82	
	96″(2438mm)	TARX-4896-			S	X	4	3107.61	3641.30	3340.80	3874.49	4363.88	4995.49	4501.73	5153.50	
41″(1041mm)	30″(762mm)	60″(1524mm)	TARX-3060-			S	X	7	\$1904.20	\$2258.61	\$1996.21	\$2350.62	\$2373.75	\$2789.36	\$2408.88	\$2837.09
		66″(1676mm)	TARX-3066-			S	X	7	1989.10	2363.43	2090.16	2464.49	2512.33	2951.94	2554.40	3007.45
		72″(1829mm)	TARX-3072-			S	X	7	2074.00	2468.25	2184.11	2578.36	2650.91	3114.52	2699.92	3177.81
		78″(1981mm)	TARX-3078-			S	X	7	2158.90	2573.07	2278.06	2692.23	2789.49	3277.10	2845.44	3348.17
		84″(2134mm)	TARX-3084-			S	X	7	2243.80	2677.89	2372.01	2806.10	2928.07	3439.68	2990.96	3518.53
		90″(2286mm)	TARX-3090-			S	X	7	2328.70	2782.71	2465.96	2919.97	3066.65	3602.26	3136.48	3688.89
		96″(2438mm)	TARX-3096-			S	X	7	2413.60	2887.53	2559.91	3033.84	3205.23	3764.84	3282.00	3859.25
	36″(914mm)	60″(1524mm)	TARX-3660-			S	X	7	\$2069.20	\$2443.53	\$2179.31	\$2553.64	\$2638.43	\$3078.04	\$2686.60	\$3139.65
		66″(1676mm)	TARX-3666-			S	X	7	2170.12	2564.37	2291.09	2685.34	2802.23	3265.84	2858.56	3336.45
		72″(1829mm)	TARX-3672-			S	X	7	2271.04	2685.21	2402.87	2817.04	2966.03	3453.64	3030.52	3533.25
		78″(1981mm)	TARX-3678-			S	X	7	2371.96	2806.05	2514.65	2948.74	3129.83	3641.44	3202.48	3730.05
		84″(2134mm)	TARX-3684-			S	X	7	2472.88	2926.89	2626.43	3080.44	3293.63	3829.24	3374.44	3926.85
		90″(2286mm)	TARX-3690-			S	X	7	2573.80	3047.73	2738.21	3212.14	3457.43	4017.04	3546.40	4123.65
		96″(2438mm)	TARX-3696-			S	X	7	2674.72	3168.57	2849.99	3343.84	3621.23	4204.84	3718.36	4320.45
	42″(1067mm)	60″(1524mm)	TARX-4260-			S	X	7	\$2234.20	\$2628.45	\$2362.41	\$2756.66	\$2903.11	\$3366.72	\$2964.32	\$3442.21
		66″(1676mm)	TARX-4266-			S	X	7	2351.14	2765.31	2492.02	2906.19	3092.13	3579.74	3162.72	3665.45
		72″(1829mm)	TARX-4272-			S	X	7	2468.08	2902.17	2621.63	3055.72	3281.15	3792.76	3361.12	3888.69
		78″(1981mm)	TARX-4278-			S	X	7	2585.02	3039.03	2751.24	3205.25	3470.17	4005.78	3559.52	4111.93
		84″(2134mm)	TARX-4284-			S	X	7	2701.96	3175.89	2880.85	3354.78	3659.19	4218.80	3757.92	4335.17
		90″(2286mm)	TARX-4290-			S	X	7	2818.90	3312.75	3010.46	3504.31	3848.21	4431.82	3956.32	4558.41
96″(2438mm)		TARX-4296-			S	X	7	2935.84	3449.61	3140.07	3653.84	4037.23	4644.84	4154.72	4781.65	
48″(1219mm)	60″(1524mm)	TARX-4860-			S	X	7	\$2399.20	\$2813.37	\$2545.51	\$2959.68	\$3167.79	\$3655.40	\$3242.04	\$3744.77	
	66″(1676mm)	TARX-4866-			S	X	7	2532.16	2966.25	2692.95	3127.04	3382.03	3893.64	3466.88	3994.45	
	72″(1829mm)	TARX-4872-			S	X	7	2665.12	3119.13	2840.39	3294.40	3596.27	4131.88	3691.72	4244.13	
	78″(1981mm)	TARX-4878-			S	X	7	2798.08	3272.01	2987.83	3461.76	3810.51	4370.12	3916.56	4493.81	
	84″(2134mm)	TARX-4884-			S	X	7	2931.04	3424.89	3135.27	3629.12	4024.75	4608.36	4141.40	4743.49	
	90″(2286mm)	TARX-4890-			S	X	7	3064.00	3577.77	3282.71	3796.48	4238.99	4846.60	4366.24	4993.17	
	96″(2438mm)	TARX-4896-			S	X	7	3196.96	3730.65	3430.15	3963.84	4453.23	5084.84	4591.08	5242.85	

Planes Tables — Dual X Base

Laminate or Wood – Pebble



TARP-XC



TARP-XG

Features

- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18"(30mm) thick standard top, bases and hardware.
- Fixed table height options are 29"(737mm) and 41"(1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides available in graphite only and provide 0.5"(13mm) adjustment.
- Casters and glides are not interchangeable.
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$43.24** list
- J** Center, Single-Sided/6 outlets, add **\$43.24** list

4 Base:

- C** Caster
- G** Glide, add **\$178.69** list

5 Base Material:

- A** Painted
- B** Polished, add **\$729.67** list

- 2) Laminate surface color or wood finish color.
- 3) Edge trim color (laminate only).
- 4) Base trim color.

Note: **\$59.46** upcharge list for Metallic and accent trim colors.


Planes Tables — Dual X Base

Laminate or Wood – Pebble

Height	Depth	Width	Number	①	②	③	④	⑤	Laminate A		Laminate B		Wood Group A		Wood Group B		
									J	F	J	F	K	U	K	U	
29″(737mm)	30″(762mm)	60″(1524mm)	TARP-3060-			S	X	4	\$1814.85	\$2113.65	\$1906.86	\$2205.66	\$2284.40	\$2644.40	\$2319.53	\$2692.13	
		66″(1676mm)	TARP-3066-			S	X	4	1899.75	2218.47	2000.81	2319.53	2422.98	2806.98	2465.05	2862.49	
		72″(1829mm)	TARP-3072-			S	X	4	1984.65	2323.29	2094.76	2433.40	2561.56	2969.56	2610.57	3032.85	
		78″(1981mm)	TARP-3078-			S	X	4	2069.55	2428.11	2188.71	2547.27	2700.14	3132.14	2756.09	3203.21	
		84″(2134mm)	TARP-3084-			S	X	4	2154.45	2532.93	2282.66	2661.14	2838.72	3294.72	2901.61	3373.57	
		90″(2286mm)	TARP-3090-			S	X	4	2239.35	2637.75	2376.61	2775.01	2977.30	3457.30	3047.13	3543.93	
		96″(2438mm)	TARP-3096-			S	X	4	2324.25	2742.57	2470.56	2888.88	3115.88	3619.88	3192.65	3714.29	
	36″(914mm)	60″(1524mm)	TARP-3660-			S	X	4	\$1979.85	\$2298.57	\$2089.96	\$2408.68	\$2549.08	\$2933.08	\$2597.25	\$2994.69	
		66″(1676mm)	TARP-3666-			S	X	4	2080.77	2419.41	2201.74	2540.38	2712.88	3120.88	2769.21	3191.49	
		72″(1829mm)	TARP-3672-			S	X	4	2181.69	2540.25	2313.52	2672.08	2876.68	3308.68	2941.17	3388.29	
		78″(1981mm)	TARP-3678-			S	X	4	2282.61	2661.09	2425.30	2803.78	3040.48	3496.48	3113.13	3585.09	
		84″(2134mm)	TARP-3684-			S	X	4	2383.53	2781.93	2537.08	2935.48	3204.28	3684.28	3285.09	3781.89	
		90″(2286mm)	TARP-3690-			S	X	4	2484.45	2902.77	2648.86	3067.18	3368.08	3872.08	3457.05	3978.69	
		96″(2438mm)	TARP-3696-			S	X	4	2585.37	3023.61	2760.64	3198.88	3531.88	4059.88	3629.01	4175.49	
	42″(1067mm)	60″(1524mm)	TARP-4260-			S	X	4	\$2144.85	\$2483.49	\$2273.06	\$2611.70	\$2813.76	\$3221.76	\$2874.97	\$3297.25	
		66″(1676mm)	TARP-4266-			S	X	4	2261.79	2620.35	2402.67	2761.23	3002.78	3434.78	3073.37	3520.49	
		72″(1829mm)	TARP-4272-			S	X	4	2378.73	2757.21	2532.28	2910.76	3191.80	3647.80	3271.77	3743.73	
		78″(1981mm)	TARP-4278-			S	X	4	2495.67	2894.07	2661.89	3060.29	3380.82	3860.82	3470.17	3966.97	
		84″(2134mm)	TARP-4284-			S	X	4	2612.61	3030.93	2791.50	3209.82	3569.84	4073.84	3668.57	4190.21	
		90″(2286mm)	TARP-4290-			S	X	4	2729.55	3167.79	2921.11	3359.35	3758.86	4286.86	3866.97	4413.45	
		96″(2438mm)	TARP-4296-			S	X	4	2846.49	3304.65	3050.72	3508.88	3947.88	4499.88	4065.37	4636.69	
	48″(1219mm)	60″(1524mm)	TARP-4860-			S	X	4	\$2309.85	\$2668.41	\$2456.16	\$2814.72	\$3078.44	\$3510.44	\$3152.69	\$3599.81	
		66″(1676mm)	TARP-4866-			S	X	4	2442.81	2821.29	2603.60	2982.08	3292.68	3748.68	3377.53	3849.49	
		72″(1829mm)	TARP-4872-			S	X	4	2575.77	2974.17	2751.04	3149.44	3506.92	3986.92	3602.37	4099.17	
		78″(1981mm)	TARP-4878-			S	X	4	2708.73	3127.05	2898.48	3316.80	3721.16	4225.16	3827.21	4348.85	
		84″(2134mm)	TARP-4884-			S	X	4	2841.69	3279.93	3045.92	3484.16	3935.40	4463.40	4052.05	4598.53	
		90″(2286mm)	TARP-4890-			S	X	4	2974.65	3432.81	3193.36	3651.52	4149.64	4701.64	4276.89	4848.21	
		96″(2438mm)	TARP-4896-			S	X	4	3107.61	3585.69	3340.80	3818.88	4363.88	4939.88	4501.73	5097.89	
	41″(1041mm)	30″(762mm)	60″(1524mm)	TARP-3060-			S	X	7	\$1904.20	\$2203.00	\$1996.21	\$2295.01	\$2373.75	\$2733.75	\$2408.88	\$2781.48
			66″(1676mm)	TARP-3066-			S	X	7	1989.10	2307.82	2090.16	2408.88	2512.33	2896.33	2554.40	2951.84
			72″(1829mm)	TARP-3072-			S	X	7	2074.00	2412.64	2184.11	2522.75	2650.91	3058.91	2699.92	3122.20
			78″(1981mm)	TARP-3078-			S	X	7	2158.90	2517.46	2278.06	2636.62	2789.49	3221.49	2845.44	3292.56
			84″(2134mm)	TARP-3084-			S	X	7	2243.80	2622.28	2372.01	2750.49	2928.07	3384.07	2990.96	3462.92
			90″(2286mm)	TARP-3090-			S	X	7	2328.70	2727.10	2465.96	2864.36	3066.65	3546.65	3136.48	3633.28
			96″(2438mm)	TARP-3096-			S	X	7	2413.60	2831.92	2559.91	2978.23	3205.23	3709.23	3282.00	3803.64
		36″(914mm)	60″(1524mm)	TARP-3660-			S	X	7	\$2069.20	\$2387.92	\$2179.31	\$2498.03	\$2638.43	\$3022.43	\$2686.60	\$3084.04
			66″(1676mm)	TARP-3666-			S	X	7	2170.12	2508.76	2291.09	2629.73	2802.23	3210.23	2858.56	3280.84
			72″(1829mm)	TARP-3672-			S	X	7	2271.04	2629.60	2402.87	2761.43	2966.03	3398.03	3030.52	3477.64
			78″(1981mm)	TARP-3678-			S	X	7	2371.96	2750.44	2514.65	2893.13	3129.83	3585.83	3202.48	3674.44
			84″(2134mm)	TARP-3684-			S	X	7	2472.88	2871.28	2626.43	3024.83	3293.63	3773.63	3374.44	3871.24
			90″(2286mm)	TARP-3690-			S	X	7	2573.80	2992.12	2738.21	3156.53	3457.43	3961.43	3546.40	4068.04
			96″(2438mm)	TARP-3696-			S	X	7	2674.72	3112.96	2849.99	3288.23	3621.23	4149.23	3718.36	4264.84
	42″(1067mm)	60″(1524mm)	TARP-4260-			S	X	7	\$2234.20	\$2572.84	\$2362.41	\$2701.05	\$2903.11	\$3311.11	\$2964.32	\$3386.60	
		66″(1676mm)	TARP-4266-			S	X	7	2351.14	2709.70	2492.02	2850.58	3092.13	3524.13	3162.72	3609.84	
		72″(1829mm)	TARP-4272-			S	X	7	2468.08	2846.56	2621.63	3000.11	3281.15	3737.15	3361.12	3833.08	
		78″(1981mm)	TARP-4278-			S	X	7	2585.02	2983.42	2751.24	3149.64	3470.17	3950.17	3559.52	4056.32	
		84″(2134mm)	TARP-4284-			S	X	7	2701.96	3120.28	2880.85	3299.17	3659.19	4163.19	3757.92	4279.56	
		90″(2286mm)	TARP-4290-			S	X	7	2818.90	3257.14	3010.46	3448.70	3848.21	4376.21	3956.32	4502.80	
		96″(2438mm)	TARP-4296-			S	X	7	2935.84	3394.00	3140.07	3598.23	4037.23	4589.23	4154.72	4726.04	
	48″(1219mm)	60″(1524mm)	TARP-4860-			S	X	7	\$2399.20	\$2757.76	\$2545.51	\$2904.07	\$3167.79	\$3599.79	\$3242.04	\$3689.16	
		66″(1676mm)	TARP-4866-			S	X	7	2532.16	2910.64	2692.95	3071.43	3382.03	3838.03	3466.88	3938.84	
		72″(1829mm)	TARP-4872-			S	X	7	2665.12	3063.52	2840.39	3238.79	3596.27	4076.27	3691.72	4188.52	
		78″(1981mm)	TARP-4878-			S	X	7	2798.08	3216.40	2987.83	3406.15	3810.51	4314.51	3916.56	4438.20	
		84″(2134mm)	TARP-4884-			S	X	7	2931.04	3369.28	3135.27	3573.51	4024.75	4552.75	4141.40	4687.88	
		90″(2286mm)	TARP-4890-			S	X	7	3064.00	3522.16	3282.71	3740.87	4238.99	4790.99	4366.24	4937.56	
		96″(2438mm)	TARP-4896-			S	X	7	3196.96	3675.04	3430.15	3908.23	4453.23	5029.23	4591.08	5187.24	

Planes Tables — Dual Disc Base

Laminate or Wood – Rectangle



Features

- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18”(30mm) thick standard top, bases and hardware.
- Fixed table height options are 29”(737mm) and 41”(1041mm).
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$43.24** list
- J** Center, Single-Sided/6 outlets, add **\$43.24** list

2) Laminate surface color or wood finish color.

3) Edge trim color (laminate only).

4) Base trim color.

Note: **\$59.46** upcharge list for Metallic and accent trim colors.


Planes Tables — Dual Disc Base

Laminate or Wood – Rectangle

Height	Depth	Width	Number ① ② ③	Laminate A		Laminate B		Wood Group A		Wood Group B	
				J	F	J	F	K	U	K	U
29"(737mm)	30"(762mm)	60"(1524mm)	TARA-3060-■ ■ ■ S ■ DN4A	\$2710.37	\$3053.98	\$2802.38	\$3145.99	\$3196.12	\$3611.73	\$3231.25	\$3659.46
		66"(1676mm)	TARA-3066-■ ■ ■ S ■ DN4A	2794.19	3157.00	2895.25	3258.06	3334.70	3774.31	3376.77	3829.82
		72"(1829mm)	TARA-3072-■ ■ ■ S ■ DN4A	2878.01	3260.02	2988.12	3370.13	3473.28	3936.89	3522.29	4000.18
		78"(1981mm)	TARA-3078-■ ■ ■ S ■ DN4A	2961.83	3363.04	3080.99	3482.20	3611.86	4099.47	3667.81	4170.54
		84"(2134mm)	TARA-3084-■ ■ ■ S ■ DN4A	3045.65	3466.06	3173.86	3594.27	3750.44	4262.05	3813.33	4340.90
		90"(2286mm)	TARA-3090-■ ■ ■ S ■ DN4A	3129.47	3569.08	3266.73	3706.34	3889.02	4424.63	3958.85	4511.26
		96"(2438mm)	TARA-3096-■ ■ ■ S ■ DN4A	3213.29	3672.10	3359.60	3818.41	4027.60	4587.21	4104.37	4681.62
		36"(914mm)	60"(1524mm)	TARA-3660-■ ■ ■ S ■ DN4A	\$2874.29	\$3237.10	\$2984.40	\$3347.21	\$3460.80	\$3900.41	\$3508.97
	66"(1676mm)		TARA-3666-■ ■ ■ S ■ DN4A	2974.13	3356.14	3095.10	3477.11	3624.60	4088.21	3680.93	4158.82
	72"(1829mm)		TARA-3672-■ ■ ■ S ■ DN4A	3073.97	3475.18	3205.80	3607.01	3788.40	4276.01	3852.89	4355.62
	78"(1981mm)		TARA-3678-■ ■ ■ S ■ DN4A	3173.81	3594.22	3316.50	3736.91	3952.20	4463.81	4024.85	4552.42
	84"(2134mm)		TARA-3684-■ ■ ■ S ■ DN4A	3273.65	3713.26	3427.20	3866.81	4116.00	4651.61	4196.81	4749.22
	90"(2286mm)		TARA-3690-■ ■ ■ S ■ DN4A	3373.49	3832.30	3537.90	3996.71	4279.80	4839.41	4368.77	4946.02
	96"(2438mm)		TARA-3696-■ ■ ■ S ■ DN4A	3473.33	3951.34	3648.60	4126.61	4443.60	5027.21	4540.73	5142.82
	42"(1067mm)		60"(1524mm)	TARA-4260-■ ■ ■ S ■ DN4A	\$3038.21	\$3420.22	\$3166.42	\$3548.43	\$3725.48	\$4189.09	\$3786.69
		66"(1676mm)	TARA-4266-■ ■ ■ S ■ DN4A	3154.07	3555.28	3294.95	3696.16	3914.50	4402.11	3985.09	4487.82
		72"(1829mm)	TARA-4272-■ ■ ■ S ■ DN4A	3269.93	3690.34	3423.48	3843.89	4103.52	4615.13	4183.49	4711.06
		78"(1981mm)	TARA-4278-■ ■ ■ S ■ DN4A	3385.79	3825.40	3552.01	3991.62	4292.54	4828.15	4381.89	4934.30
		84"(2134mm)	TARA-4284-■ ■ ■ S ■ DN4A	3501.65	3960.46	3680.54	4139.35	4481.56	5041.17	4580.29	5157.54
		90"(2286mm)	TARA-4290-■ ■ ■ S ■ DN4A	3617.51	4095.52	3809.07	4287.08	4670.58	5254.19	4778.69	5380.78
		96"(2438mm)	TARA-4296-■ ■ ■ S ■ DN4A	3733.37	4230.58	3937.60	4434.81	4859.60	5467.21	4977.09	5604.02
		48"(1219mm)	60"(1524mm)	TARA-4860-■ ■ ■ S ■ DN4A	\$3202.13	\$3603.34	\$3348.44	\$3749.65	\$3990.16	\$4477.77	\$4064.41
	66"(1676mm)		TARA-4866-■ ■ ■ S ■ DN4A	3334.01	3754.42	3494.80	3915.21	4204.40	4716.01	4289.25	4816.82
	72"(1829mm)		TARA-4872-■ ■ ■ S ■ DN4A	3465.89	3905.50	3641.16	4080.77	4418.64	4954.25	4514.09	5066.50
	78"(1981mm)		TARA-4878-■ ■ ■ S ■ DN4A	3597.77	4056.58	3787.52	4246.33	4632.88	5192.49	4738.93	5316.18
	84"(2134mm)		TARA-4884-■ ■ ■ S ■ DN4A	3729.65	4207.66	3933.88	4411.89	4847.12	5430.73	4963.77	5565.86
	90"(2286mm)		TARA-4890-■ ■ ■ S ■ DN4A	3861.53	4358.74	4080.24	4577.45	5061.36	5668.97	5188.61	5815.54
	96"(2438mm)		TARA-4896-■ ■ ■ S ■ DN4A	3993.41	4509.82	4226.60	4743.01	5275.60	5907.21	5413.45	6065.22
41"(1041mm)	30"(762mm)		60"(1524mm)	TARA-3060-■ ■ ■ S ■ DN7A	\$2799.72	\$3143.33	\$2891.73	\$3235.34	\$3285.47	\$3701.08	\$3320.60
		66"(1676mm)	TARA-3066-■ ■ ■ S ■ DN7A	2883.54	3246.35	2984.60	3347.41	3424.05	3863.66	3466.12	3919.17
		72"(1829mm)	TARA-3072-■ ■ ■ S ■ DN7A	2967.36	3349.37	3077.47	3459.48	3562.63	4026.24	3611.64	4089.53
		78"(1981mm)	TARA-3078-■ ■ ■ S ■ DN7A	3051.18	3452.39	3170.34	3571.55	3701.21	4188.82	3757.16	4259.89
		84"(2134mm)	TARA-3084-■ ■ ■ S ■ DN7A	3135.00	3555.41	3263.21	3683.62	3839.79	4351.40	3902.68	4430.25
		90"(2286mm)	TARA-3090-■ ■ ■ S ■ DN7A	3218.82	3658.43	3356.08	3795.69	3978.37	4513.98	4048.20	4600.61
		96"(2438mm)	TARA-3096-■ ■ ■ S ■ DN7A	3302.64	3761.45	3448.95	3907.76	4116.95	4676.56	4193.72	4770.97
		36"(914mm)	60"(1524mm)	TARA-3660-■ ■ ■ S ■ DN7A	\$2963.64	\$3326.45	\$3073.75	\$3436.56	\$3550.15	\$3989.76	\$3598.32
	66"(1676mm)		TARA-3666-■ ■ ■ S ■ DN7A	3063.48	3445.49	3184.45	3566.46	3713.95	4177.56	3770.28	4248.17
	72"(1829mm)		TARA-3672-■ ■ ■ S ■ DN7A	3163.32	3564.53	3295.15	3696.36	3877.75	4365.36	3942.24	4444.97
	78"(1981mm)		TARA-3678-■ ■ ■ S ■ DN7A	3263.16	3683.57	3405.85	3826.26	4041.55	4553.16	4114.20	4641.77
	84"(2134mm)		TARA-3684-■ ■ ■ S ■ DN7A	3363.00	3802.61	3516.55	3956.16	4205.35	4740.96	4286.16	4838.57
	90"(2286mm)		TARA-3690-■ ■ ■ S ■ DN7A	3462.84	3921.65	3627.25	4086.06	4369.15	4928.76	4458.12	5035.37
	96"(2438mm)		TARA-3696-■ ■ ■ S ■ DN7A	3562.68	4040.69	3737.95	4215.96	4532.95	5116.56	4630.08	5232.17
	42"(1067mm)		60"(1524mm)	TARA-4260-■ ■ ■ S ■ DN7A	\$3127.56	\$3509.57	\$3255.77	\$3637.78	\$3814.83	\$4278.44	\$3876.04
		66"(1676mm)	TARA-4266-■ ■ ■ S ■ DN7A	3243.42	3644.63	3384.30	3785.51	4003.85	4491.46	4074.44	4577.17
		72"(1829mm)	TARA-4272-■ ■ ■ S ■ DN7A	3359.28	3779.69	3512.83	3933.24	4192.87	4704.48	4272.84	4800.41
		78"(1981mm)	TARA-4278-■ ■ ■ S ■ DN7A	3475.14	3914.75	3641.36	4080.97	4381.89	4917.50	4471.24	5023.65
		84"(2134mm)	TARA-4284-■ ■ ■ S ■ DN7A	3591.00	4049.81	3769.89	4228.70	4570.91	5130.52	4669.64	5246.89
		90"(2286mm)	TARA-4290-■ ■ ■ S ■ DN7A	3706.86	4184.87	3898.42	4376.43	4759.93	5343.54	4868.04	5470.13
		96"(2438mm)	TARA-4296-■ ■ ■ S ■ DN7A	3822.72	4319.93	4026.95	4524.16	4948.95	5556.56	5066.44	5693.37
		48"(1219mm)	60"(1524mm)	TARA-4860-■ ■ ■ S ■ DN7A	\$3291.48	\$3692.69	\$3437.79	\$3839.00	\$4079.51	\$4567.12	\$4153.76
	66"(1676mm)		TARA-4866-■ ■ ■ S ■ DN7A	3423.36	3843.77	3584.15	4004.56	4293.75	4805.36	4378.60	4906.17
	72"(1829mm)		TARA-4872-■ ■ ■ S ■ DN7A	3555.24	3994.85	3730.51	4170.12	4507.99	5043.60	4603.44	5155.85
	78"(1981mm)		TARA-4878-■ ■ ■ S ■ DN7A	3687.12	4145.93	3876.87	4335.68	4722.23	5281.84	4828.28	5405.53
	84"(2134mm)		TARA-4884-■ ■ ■ S ■ DN7A	3819.00	4297.01	4023.23	4501.24	4936.47	5520.08	5053.12	5655.21
	90"(2286mm)		TARA-4890-■ ■ ■ S ■ DN7A	3950.88	4448.09	4169.59	4666.80	5150.71	5758.32	5277.96	5904.89
	96"(2438mm)		TARA-4896-■ ■ ■ S ■ DN7A	4082.76	4599.17	4315.95	4832.36	5364.95	5996.56	5502.80	6154.57

Planes Tables — Dual Disc Base

Laminate or Wood – Hexagon



Features

- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18"(30mm) thick standard top, bases and hardware.
- Fixed table height options are 29"(737mm) and 41"(1041mm).
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$43.24** list
- J** Center, Single-Sided/6 outlets, add **\$43.24** list

2) Laminate surface color or wood finish color.

3) Edge trim color (laminate only).

4) Base trim color.

Note: **\$59.46** upcharge list for Metallic and accent trim colors.


Planes Tables — Dual Disc Base

Laminate or Wood – Hexagon

Height	Depth	Width	Number ① ② ③	Laminate A		Laminate B		Wood Group A		Wood Group B	
				J	F	J	F	K	U	K	U
29"(737mm)	30"(762mm)	60"(1524mm)	TARX-3060-■ ■ S DN4A	\$2762.76	\$3117.17	\$2854.77	\$3209.18	\$3232.31	\$3647.92	\$3267.44	\$3695.65
		66"(1676mm)	TARX-3066-■ ■ S DN4A	2847.66	3221.99	2948.72	3323.05	3370.89	3810.50	3412.96	3866.01
		72"(1829mm)	TARX-3072-■ ■ S DN4A	2932.56	3326.81	3042.67	3436.92	3509.47	3973.08	3558.48	4036.37
		78"(1981mm)	TARX-3078-■ ■ S DN4A	3017.46	3431.63	3136.62	3550.79	3648.05	4135.66	3704.00	4206.73
		84"(2134mm)	TARX-3084-■ ■ S DN4A	3102.36	3536.45	3230.57	3664.66	3786.63	4298.24	3849.52	4377.09
		90"(2286mm)	TARX-3090-■ ■ S DN4A	3187.26	3641.27	3324.52	3778.53	3925.21	4460.82	3995.04	4547.45
		96"(2438mm)	TARX-3096-■ ■ S DN4A	3272.16	3746.09	3418.47	3892.40	4063.79	4623.40	4140.56	4717.81
	36"(914mm)	60"(1524mm)	TARX-3660-■ ■ S DN4A	\$2927.76	\$3302.09	\$3037.87	\$3412.20	\$3496.99	\$3936.60	\$3545.16	\$3998.21
		66"(1676mm)	TARX-3666-■ ■ S DN4A	3028.68	3422.93	3149.65	3543.90	3660.79	4124.40	3717.12	4195.01
		72"(1829mm)	TARX-3672-■ ■ S DN4A	3129.60	3543.77	3261.43	3675.60	3824.59	4312.20	3889.08	4391.81
		78"(1981mm)	TARX-3678-■ ■ S DN4A	3230.52	3664.61	3373.21	3807.30	3988.39	4500.00	4061.04	4588.61
		84"(2134mm)	TARX-3684-■ ■ S DN4A	3331.44	3785.45	3484.99	3939.00	4152.19	4687.80	4233.00	4785.41
		90"(2286mm)	TARX-3690-■ ■ S DN4A	3432.36	3906.29	3596.77	4070.70	4315.99	4875.60	4404.96	4982.21
		96"(2438mm)	TARX-3696-■ ■ S DN4A	3533.28	4027.13	3708.55	4202.40	4479.79	5063.40	4576.92	5179.01
	42"(1067mm)	60"(1524mm)	TARX-4260-■ ■ S DN4A	\$3092.76	\$3487.01	\$3220.97	\$3615.22	\$3761.67	\$4225.28	\$3822.88	\$4300.77
		66"(1676mm)	TARX-4266-■ ■ S DN4A	3209.70	3623.87	3350.58	3764.75	3950.69	4438.30	4021.28	4524.01
		72"(1829mm)	TARX-4272-■ ■ S DN4A	3326.64	3760.73	3480.19	3914.28	4139.71	4651.32	4219.68	4747.25
		78"(1981mm)	TARX-4278-■ ■ S DN4A	3443.58	3897.59	3609.80	4063.81	4328.73	4864.34	4418.08	4970.49
		84"(2134mm)	TARX-4284-■ ■ S DN4A	3560.52	4034.45	3739.41	4213.34	4517.75	5077.36	4616.48	5193.73
		90"(2286mm)	TARX-4290-■ ■ S DN4A	3677.46	4171.31	3869.02	4362.87	4706.77	5290.38	4814.88	5416.97
		96"(2438mm)	TARX-4296-■ ■ S DN4A	3794.40	4308.17	3998.63	4512.40	4895.79	5503.40	5013.28	5640.21
	48"(1219mm)	60"(1524mm)	TARX-4860-■ ■ S DN4A	\$3257.76	\$3671.93	\$3404.07	\$3818.24	\$4026.35	\$4513.96	\$4100.60	\$4603.33
		66"(1676mm)	TARX-4866-■ ■ S DN4A	3390.72	3824.81	3551.51	3985.60	4240.59	4752.20	4325.44	4853.01
		72"(1829mm)	TARX-4872-■ ■ S DN4A	3523.68	3977.69	3698.95	4152.96	4454.83	4990.44	4550.28	5102.69
		78"(1981mm)	TARX-4878-■ ■ S DN4A	3656.64	4130.57	3846.39	4320.32	4669.07	5228.68	4775.12	5352.37
		84"(2134mm)	TARX-4884-■ ■ S DN4A	3789.60	4283.45	3993.83	4487.68	4883.31	5466.92	4999.96	5602.05
		90"(2286mm)	TARX-4890-■ ■ S DN4A	3922.56	4436.33	4141.27	4655.04	5097.55	5705.16	5224.80	5851.73
		96"(2438mm)	TARX-4896-■ ■ S DN4A	4055.52	4589.21	4288.71	4822.40	5311.79	5943.40	5449.64	6101.41
41"(1041mm)	30"(762mm)	60"(1524mm)	TARX-3060-■ ■ S DN7A	\$2852.11	\$3206.52	\$2944.12	\$3298.53	\$3321.66	\$3737.27	\$3356.79	\$3785.00
		66"(1676mm)	TARX-3066-■ ■ S DN7A	2937.01	3311.34	3038.07	3412.40	3460.24	3899.85	3502.31	3955.36
		72"(1829mm)	TARX-3072-■ ■ S DN7A	3021.91	3416.16	3132.02	3526.27	3598.82	4062.43	3647.83	4125.72
		78"(1981mm)	TARX-3078-■ ■ S DN7A	3106.81	3520.98	3225.97	3640.14	3737.40	4225.01	3793.35	4296.08
		84"(2134mm)	TARX-3084-■ ■ S DN7A	3191.71	3625.80	3319.92	3754.01	3875.98	4387.59	3938.87	4466.44
		90"(2286mm)	TARX-3090-■ ■ S DN7A	3276.61	3730.62	3413.87	3867.88	4014.56	4550.17	4084.39	4636.80
		96"(2438mm)	TARX-3096-■ ■ S DN7A	3361.51	3835.44	3507.82	3981.75	4153.14	4712.75	4229.91	4807.16
	36"(914mm)	60"(1524mm)	TARX-3660-■ ■ S DN7A	\$3017.11	\$3391.44	\$3127.22	\$3501.55	\$3586.34	\$4025.95	\$3634.51	\$4087.56
		66"(1676mm)	TARX-3666-■ ■ S DN7A	3118.03	3512.28	3239.00	3633.25	3750.14	4213.75	3806.47	4284.36
		72"(1829mm)	TARX-3672-■ ■ S DN7A	3218.95	3633.12	3350.78	3764.95	3913.94	4401.55	3978.43	4481.16
		78"(1981mm)	TARX-3678-■ ■ S DN7A	3319.87	3753.96	3462.56	3896.65	4077.74	4589.35	4150.39	4677.96
		84"(2134mm)	TARX-3684-■ ■ S DN7A	3420.79	3874.80	3574.34	4028.35	4241.54	4777.15	4322.35	4874.76
		90"(2286mm)	TARX-3690-■ ■ S DN7A	3521.71	3995.64	3686.12	4160.05	4405.34	4964.95	4494.31	5071.56
		96"(2438mm)	TARX-3696-■ ■ S DN7A	3622.63	4116.48	3797.90	4291.75	4569.14	5152.75	4666.27	5268.36
	42"(1067mm)	60"(1524mm)	TARX-4260-■ ■ S DN7A	\$3182.11	\$3576.36	\$3310.32	\$3704.57	\$3851.02	\$4314.63	\$3912.23	\$4390.12
		66"(1676mm)	TARX-4266-■ ■ S DN7A	3299.05	3713.22	3439.93	3854.10	4040.04	4527.65	4110.63	4613.36
		72"(1829mm)	TARX-4272-■ ■ S DN7A	3415.99	3850.08	3569.54	4003.63	4229.06	4740.67	4309.03	4836.60
		78"(1981mm)	TARX-4278-■ ■ S DN7A	3532.93	3986.94	3699.15	4153.16	4418.08	4953.69	4507.43	5059.84
		84"(2134mm)	TARX-4284-■ ■ S DN7A	3649.87	4123.80	3828.76	4302.69	4607.10	5166.71	4705.83	5283.08
		90"(2286mm)	TARX-4290-■ ■ S DN7A	3766.81	4260.66	3958.37	4452.22	4796.12	5379.73	4904.23	5506.32
		96"(2438mm)	TARX-4296-■ ■ S DN7A	3883.75	4397.52	4087.98	4601.75	4985.14	5592.75	5102.63	5729.56
	48"(1219mm)	60"(1524mm)	TARX-4860-■ ■ S DN7A	\$3347.11	\$3761.28	\$3493.42	\$3907.59	\$4115.70	\$4603.31	\$4189.95	\$4692.68
		66"(1676mm)	TARX-4866-■ ■ S DN7A	3480.07	3914.16	3640.86	4074.95	4329.94	4841.55	4414.79	4942.36
		72"(1829mm)	TARX-4872-■ ■ S DN7A	3613.03	4067.04	3788.30	4242.31	4544.18	5079.79	4639.63	5192.04
		78"(1981mm)	TARX-4878-■ ■ S DN7A	3745.99	4219.92	3935.74	4409.67	4758.42	5318.03	4864.47	5441.72
		84"(2134mm)	TARX-4884-■ ■ S DN7A	3878.95	4372.80	4083.18	4577.03	4972.66	5556.27	5089.31	5691.40
		90"(2286mm)	TARX-4890-■ ■ S DN7A	4011.91	4525.68	4230.62	4744.39	5186.90	5794.51	5314.15	5941.08
		96"(2438mm)	TARX-4896-■ ■ S DN7A	4144.87	4678.56	4378.06	4911.75	5401.14	6032.75	5538.99	6190.76

Planes Tables — Dual Disc Base

Laminate or Wood – Pebble



Features

- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge. Edgeband tops are 3mm on user edge and 1mm on remaining edges.
- Includes 1.18”(30mm) thick standard top, bases and hardware.
- Fixed table height options are 29”(737mm) and 41”(1041mm).
- Power modules are available for field installation; separately specified. Refer to Specification Guide.
- Ships unassembled.

Specification Tips

- Cutouts are designed for single sided flip top units.
- The following Planes products are separately specified:
 - Power modules
 - Grommet (field cut opening)
 - Wire Management

To Order, Specify:

1) Product number, including:

1 Surface Options:

- L** Laminate
- W** Wood

2 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

3 Cutout:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$43.24** list
- J** Center, Single-Sided/6 outlets, add **\$43.24** list

2) Laminate surface color or wood finish color.

3) Edge trim color (laminate only).

4) Base trim color.

Note: **\$59.46** upcharge list for Metallic and accent trim colors.

Planes Tables — Dual Disc Base


Laminate or Wood – Pebble

Height	Depth	Width	Number	①	②	③	Laminate A		Laminate B		Wood Group A		Wood Group B		
							J	F	J	F	K	U	K	U	
29"(737mm)	30"(762mm)	60"(1524mm)	TARP-3060-			S	DN4A	\$2762.76	\$3061.56	\$2854.77	\$3153.57	\$3232.31	\$3592.31	\$3267.44	\$3640.04
		66"(1676mm)	TARP-3066-			S	DN4A	2847.66	3166.38	2948.72	3267.44	3370.89	3754.89	3412.96	3810.40
		72"(1829mm)	TARP-3072-			S	DN4A	2932.56	3271.20	3042.67	3381.31	3509.47	3917.47	3558.48	3980.76
		78"(1981mm)	TARP-3078-			S	DN4A	3017.46	3376.02	3136.62	3495.18	3648.05	4080.05	3704.00	4151.12
		84"(2134mm)	TARP-3084-			S	DN4A	3102.36	3480.84	3230.57	3609.05	3786.63	4242.63	3849.52	4321.48
		90"(2286mm)	TARP-3090-			S	DN4A	3187.26	3585.66	3324.52	3722.92	3925.21	4405.21	3995.04	4491.84
		96"(2438mm)	TARP-3096-			S	DN4A	3272.16	3690.48	3418.47	3836.79	4063.79	4567.79	4140.56	4662.20
	36"(914mm)	60"(1524mm)	TARP-3660-			S	DN4A	\$2927.76	\$3246.48	\$3037.87	\$3356.59	\$3496.99	\$3880.99	\$3545.16	\$3942.60
		66"(1676mm)	TARP-3666-			S	DN4A	3028.68	3367.32	3149.65	3488.29	3660.79	4068.79	3717.12	4139.40
		72"(1829mm)	TARP-3672-			S	DN4A	3129.60	3488.16	3261.43	3619.99	3824.59	4256.59	3889.08	4336.20
		78"(1981mm)	TARP-3678-			S	DN4A	3230.52	3609.00	3373.21	3751.69	3988.39	4444.39	4061.04	4533.00
		84"(2134mm)	TARP-3684-			S	DN4A	3331.44	3729.84	3484.99	3883.39	4152.19	4632.19	4233.00	4729.80
		90"(2286mm)	TARP-3690-			S	DN4A	3432.36	3850.68	3596.77	4015.09	4315.99	4819.99	4404.96	4926.60
		96"(2438mm)	TARP-3696-			S	DN4A	3533.28	3971.52	3708.55	4146.79	4479.79	5007.79	4576.92	5123.40
	42"(1067mm)	60"(1524mm)	TARP-4260-			S	DN4A	\$3092.76	\$3431.40	\$3220.97	\$3559.61	\$3761.67	\$4169.67	\$3822.88	\$4245.16
		66"(1676mm)	TARP-4266-			S	DN4A	3209.70	3568.26	3350.58	3709.14	3950.69	4382.69	4021.28	4468.40
		72"(1829mm)	TARP-4272-			S	DN4A	3326.64	3705.12	3480.19	3858.67	4139.71	4595.71	4219.68	4691.64
		78"(1981mm)	TARP-4278-			S	DN4A	3443.58	3841.98	3609.80	4008.20	4328.73	4808.73	4418.08	4914.88
		84"(2134mm)	TARP-4284-			S	DN4A	3560.52	3978.84	3739.41	4157.73	4517.75	5021.75	4616.48	5138.12
		90"(2286mm)	TARP-4290-			S	DN4A	3677.46	4115.70	3869.02	4307.26	4706.77	5234.77	4814.88	5361.36
		96"(2438mm)	TARP-4296-			S	DN4A	3794.40	4252.56	3998.63	4456.79	4895.79	5447.79	5013.28	5584.60
	48"(1219mm)	60"(1524mm)	TARP-4860-			S	DN4A	\$3257.76	\$3616.32	\$3404.07	\$3762.63	\$4026.35	\$4458.35	\$4100.60	\$4547.72
		66"(1676mm)	TARP-4866-			S	DN4A	3390.72	3769.20	3551.51	3929.99	4240.59	4696.59	4325.44	4797.40
		72"(1829mm)	TARP-4872-			S	DN4A	3523.68	3922.08	3698.95	4097.35	4454.83	4934.83	4550.28	5047.08
		78"(1981mm)	TARP-4878-			S	DN4A	3656.64	4074.96	3846.39	4264.71	4669.07	5173.07	4775.12	5296.76
		84"(2134mm)	TARP-4884-			S	DN4A	3789.60	4227.84	3993.83	4432.07	4883.31	5411.31	4999.96	5546.44
		90"(2286mm)	TARP-4890-			S	DN4A	3922.56	4380.72	4141.27	4599.43	5097.55	5649.55	5224.80	5796.12
		96"(2438mm)	TARP-4896-			S	DN4A	4055.52	4533.60	4288.71	4766.79	5311.79	5887.79	5449.64	6045.80
41"(1041mm)	30"(762mm)	60"(1524mm)	TARP-3060-			S	DN7A	\$2852.11	\$3150.91	\$2944.12	\$3242.92	\$3321.66	\$3681.66	\$3356.79	\$3729.39
		66"(1676mm)	TARP-3066-			S	DN7A	2937.01	3255.73	3038.07	3356.79	3460.24	3844.24	3502.31	3899.75
		72"(1829mm)	TARP-3072-			S	DN7A	3021.91	3360.55	3132.02	3470.66	3598.82	4006.82	3647.83	4070.11
		78"(1981mm)	TARP-3078-			S	DN7A	3106.81	3465.37	3225.97	3584.53	3737.40	4169.40	3793.35	4240.47
		84"(2134mm)	TARP-3084-			S	DN7A	3191.71	3570.19	3319.92	3698.40	3875.98	4331.98	3938.87	4410.83
		90"(2286mm)	TARP-3090-			S	DN7A	3276.61	3675.01	3413.87	3812.27	4014.56	4494.56	4084.39	4581.19
		96"(2438mm)	TARP-3096-			S	DN7A	3361.51	3779.83	3507.82	3926.14	4153.14	4657.14	4229.91	4751.55
	36"(914mm)	60"(1524mm)	TARP-3660-			S	DN7A	\$3017.11	\$3335.83	\$3127.22	\$3445.94	\$3586.34	\$3970.34	\$3634.51	\$4031.95
		66"(1676mm)	TARP-3666-			S	DN7A	3118.03	3456.67	3239.00	3577.64	3750.14	4158.14	3806.47	4228.75
		72"(1829mm)	TARP-3672-			S	DN7A	3218.95	3577.51	3350.78	3709.34	3913.94	4345.94	3978.43	4425.55
		78"(1981mm)	TARP-3678-			S	DN7A	3319.87	3698.35	3462.56	3841.04	4077.74	4533.74	4150.39	4622.35
		84"(2134mm)	TARP-3684-			S	DN7A	3420.79	3819.19	3574.34	3972.74	4241.54	4721.54	4322.35	4819.15
		90"(2286mm)	TARP-3690-			S	DN7A	3521.71	3940.03	3686.12	4104.44	4405.34	4909.34	4494.31	5015.95
		96"(2438mm)	TARP-3696-			S	DN7A	3622.63	4060.87	3797.90	4236.14	4569.14	5097.14	4666.27	5212.75
	42"(1067mm)	60"(1524mm)	TARP-4260-			S	DN7A	\$3182.11	\$3520.75	\$3310.32	\$3648.96	\$3851.02	\$4259.02	\$3912.23	\$4334.51
		66"(1676mm)	TARP-4266-			S	DN7A	3299.05	3657.61	3439.93	3798.49	4040.04	4472.04	4110.63	4557.75
		72"(1829mm)	TARP-4272-			S	DN7A	3415.99	3794.47	3569.54	3948.02	4229.06	4685.06	4309.03	4780.99
		78"(1981mm)	TARP-4278-			S	DN7A	3532.93	3931.33	3699.15	4097.55	4418.08	4898.08	4507.43	5004.23
		84"(2134mm)	TARP-4284-			S	DN7A	3649.87	4068.19	3828.76	4247.08	4607.10	5111.10	4705.83	5227.47
		90"(2286mm)	TARP-4290-			S	DN7A	3766.81	4205.05	3958.37	4396.61	4796.12	5324.12	4904.23	5450.71
		96"(2438mm)	TARP-4296-			S	DN7A	3883.75	4341.91	4087.98	4546.14	4985.14	5537.14	5102.63	5673.95
	48"(1219mm)	60"(1524mm)	TARP-4860-			S	DN7A	\$3347.11	\$3705.67	\$3493.42	\$3851.98	\$4115.70	\$4547.70	\$4189.95	\$4637.07
		66"(1676mm)	TARP-4866-			S	DN7A	3480.07	3858.55	3640.86	4019.34	4329.94	4785.94	4414.79	4886.75
		72"(1829mm)	TARP-4872-			S	DN7A	3613.03	4011.43	3788.30	4186.70	4544.18	5024.18	4639.63	5136.43
		78"(1981mm)	TARP-4878-			S	DN7A	3745.99	4164.31	3935.74	4354.06	4758.42	5262.42	4864.47	5386.11
		84"(2134mm)	TARP-4884-			S	DN7A	3878.95	4317.19	4083.18	4521.42	4972.66	5500.66	5089.31	5635.79
		90"(2286mm)	TARP-4890-			S	DN7A	4011.91	4470.07	4230.62	4688.78	5186.90	5738.90	5314.15	5885.47
		96"(2438mm)	TARP-4896-			S	DN7A	4144.87	4622.95	4378.06	4856.14	5401.14	5977.14	5538.99	6135.15


Planes Training Tables

Terminology

Flip Top Table



Non-Flip Top Table




Planes Training Tables

Product Catalog Logic



EXAMPLE: Planes C-Leg Training Table, flip top, rectangular, 24" deep by 60" wide, wood with 3mm wood edgeband, standard core, no cutouts for Flip Top Unit, C-Leg, flip top with casters, 29" high, Painted base/stretcher finish option.

TARA-24 60-W K S N CH 4 A





Planes Training Tables — Rectangular — Laminate

Flip Top or Non-Flip Top Table



Rectangular: Flip Table Top



TARA-W-3060

TARA-L



Features

- Includes 1.18”(30mm) thick top, two C-Leg bases, stretcher and hardware.
- Standard table height is 29”(737mm).
- Laminate top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Reinforcement bar included with 72”(1829mm) or greater tops.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and Stretcher Finish Options:
 - (A) Painted aluminum C-leg bases, glide stem and stretcher. Stretcher end caps and support arms or stretcher brackets match base trim color. (Specify trim color)
 - (B) Polished aluminum C-leg bases and glide stem. Stretcher and support arms or stretcher brackets are painted and require a trim color specification.
- Flip Top Unit Cutout Options include:
 - One cutout centered along back edge, or
 - One left and one right cutout along back edge.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5”(13mm) height adjustment.
 - Glide stem is painted or polished to match base; glide base disc color must be specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- The following Planes products are separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Flip Top Unit electrical modules
 - Electrical Components
 - Grommet (field cut opening)
 - Modesty Panel
 - Vertical Wire Manager
 - Horizontal Wire Manager
 - Wire Management Clips

To Order, Specify:

1) Product number, including:

1 Edge Options:

- J Edgeband
- F Knife

2 Flip Top Unit Cutout Options by Width:

36” - 54” (Options: A, F, J, N)
60” - 96” (Options: A, B, F, V, J, K, N)

- N No cutout
- A 2 outlet cutout - centered back, add \$43.24 list
- B 2 outlet cutout - left and right back, add \$86.48 list
- F 4 outlet cutout - centered back, add \$43.24 list
- V 4 outlet cutout - left and right back, add \$86.48 list
- J 6 outlet cutout - centered back, add \$43.24 list
- K 6 outlet cutout - left and right back, add \$86.48 list

3 Base Options (Flip/Non-Flip):

- H Flip Top Table: Casters, add \$238.98 list
- F Flip Top Table: Glides, add \$340.29 list
- C Non-flip Top Table: Casters
- G Non-flip Top Table: Glides, add \$101.31 list

4 Base/Stretcher Finish Options:

- A Painted
- B Polished, add \$711.13 (must specify trim color for stretcher)

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base/Stretcher trim color.
- 5) Caster/Glide Base Disc trim color.

Note: \$59.46 upcharge list for Metallic and accent trim colors.

Planes Training Tables — Rectangular — Laminate



Flip Top or Non-Flip Top Table

Depth	Width	Distributed Load Capacity	Laminate Number	①	②	③	④	Laminate A J	F	Laminate B J	F
Flip Top Tables											
24"(610mm)	36"(914mm)	144	TARA-2436-L	S	C	C	4	\$1076.15	\$1317.90	\$1119.41	\$1361.16
	42"(1067mm)	158	TARA-2442-L	S	C	C	4	1248.70	1509.17	1299.12	1559.59
	48"(1219mm)	173	TARA-2448-L	S	C	C	4	1421.25	1700.44	1478.83	1758.02
	54"(1372mm)	187	TARA-2454-L	S	C	C	4	1593.80	1891.71	1658.54	1956.45
	60"(1524mm)	202	TARA-2460-L	S	C	C	4	1766.35	2082.98	1838.25	2154.88
	66"(1676mm)	216	TARA-2466-L	S	C	C	4	1938.90	2274.25	2017.96	2353.31
	72"(1829mm)	230	TARA-2472-L	S	C	C	4	2111.45	2465.52	2197.67	2551.74
30"(762mm)	36"(914mm)	158	TARA-3036-L	S	C	C	4	\$1222.60	\$1483.07	\$1276.60	\$1537.07
	42"(1067mm)	173	TARA-3042-L	S	C	C	4	1405.81	1685.00	1468.76	1747.95
	48"(1219mm)	187	TARA-3048-L	S	C	C	4	1589.02	1886.93	1660.92	1958.83
	54"(1372mm)	202	TARA-3054-L	S	C	C	4	1772.23	2088.86	1853.08	2169.71
	60"(1524mm)	216	TARA-3060-L	S	C	C	4	1955.44	2290.79	2045.24	2380.59
	66"(1676mm)	230	TARA-3066-L	S	C	C	4	2138.65	2492.72	2237.40	2591.47
	72"(1829mm)	245	TARA-3072-L	S	C	C	4	2321.86	2694.65	2429.56	2802.35
Non-Flip Top Tables											
20"(508mm)	36"(914mm)	134	TARA-2036-L	S	C	C	4	\$1031.19	\$1260.46	\$1067.29	\$1296.56
	42"(1067mm)	149	TARA-2042-L	S	C	C	4	1193.08	1441.07	1234.55	1482.54
	48"(1219mm)	163	TARA-2048-L	S	C	C	4	1365.63	1632.34	1414.26	1680.97
	54"(1372mm)	178	TARA-2054-L	S	C	C	4	1527.52	1812.95	1581.52	1866.95
	60"(1524mm)	192	TARA-2060-L	S	C	C	4	1689.41	1993.56	1748.78	2052.93
	66"(1676mm)	206	TARA-2066-L	S	C	C	4	1861.96	2184.83	1928.49	2251.36
	72"(1829mm)	221	TARA-2072-L	S	C	C	4	2023.85	2365.44	2095.75	2437.34
	78"(1981mm)	235	TARA-2078-L	S	C	C	4	2247.35	2607.66	2324.62	2684.93
	84"(2134mm)	250	TARA-2084-L	S	C	C	4	2429.38	2808.41	2513.81	2892.84
	90"(2286mm)	264	TARA-2090-L	S	C	C	4	2600.75	2998.50	2690.55	3088.30
	96"(2438mm)	278	TARA-2096-L	S	C	C	4	2772.12	3188.59	2867.29	3283.76
24"(610mm)	36"(914mm)	144	TARA-2436-L	S	C	C	4	\$1076.15	\$1317.90	\$1119.41	\$1361.16
	42"(1067mm)	158	TARA-2442-L	S	C	C	4	1248.70	1509.17	1299.12	1559.59
	48"(1219mm)	173	TARA-2448-L	S	C	C	4	1421.25	1700.44	1478.83	1758.02
	54"(1372mm)	187	TARA-2454-L	S	C	C	4	1593.80	1891.71	1658.54	1956.45
	60"(1524mm)	202	TARA-2460-L	S	C	C	4	1766.35	2082.98	1838.25	2154.88
	66"(1676mm)	216	TARA-2466-L	S	C	C	4	1938.90	2274.25	2017.96	2353.31
	72"(1829mm)	230	TARA-2472-L	S	C	C	4	2111.45	2465.52	2197.67	2551.74
	78"(1981mm)	245	TARA-2478-L	S	C	C	4	2345.61	2718.40	2438.99	2811.78
	84"(2134mm)	259	TARA-2484-L	S	C	C	4	2527.64	2919.15	2628.18	3019.69
	90"(2286mm)	274	TARA-2490-L	S	C	C	4	2709.67	3119.90	2817.37	3227.60
	96"(2438mm)	288	TARA-2496-L	S	C	C	4	2891.70	3320.65	3006.56	3435.51
30"(762mm)	36"(914mm)	158	TARA-3036-L	S	C	C	4	\$1222.60	\$1483.07	\$1276.60	\$1537.07
	42"(1067mm)	173	TARA-3042-L	S	C	C	4	1405.81	1685.00	1468.76	1747.95
	48"(1219mm)	187	TARA-3048-L	S	C	C	4	1589.02	1886.93	1660.92	1958.83
	54"(1372mm)	202	TARA-3054-L	S	C	C	4	1772.23	2088.86	1853.08	2169.71
	60"(1524mm)	216	TARA-3060-L	S	C	C	4	1955.44	2290.79	2045.24	2380.59
	66"(1676mm)	230	TARA-3066-L	S	C	C	4	2138.65	2492.72	2237.40	2591.47
	72"(1829mm)	245	TARA-3072-L	S	C	C	4	2321.86	2694.65	2429.56	2802.35
	78"(1981mm)	259	TARA-3078-L	S	C	C	4	2566.68	2958.19	2683.33	3074.84
	84"(2134mm)	274	TARA-3084-L	S	C	C	4	2759.37	3169.60	2884.97	3295.20
	90"(2286mm)	288	TARA-3090-L	S	C	C	4	2952.06	3381.01	3086.61	3515.56
	96"(2438mm)	302	TARA-3096-L	S	C	C	4	3144.75	3592.42	3288.25	3735.92



Planes Training Tables — Crescent — Laminate

Flip Top or Non-Flip Top Table

Depth	Width	Laminate Number	①	②	③	④	Laminate A	F	Laminate B	F
30"(762mm)	68"(1727mm)	TABN-3068-L	S	C	4		J		J	
							\$2109.58	\$2469.89	\$2210.47	\$2570.78



Crescent: Flip Table Top



TABN-L-3060

TABN-L



Features

- Includes 1.18"(30mm) thick top, two C-Leg bases, stretcher and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and Stretcher Finish Options:
 - (A) Painted aluminum C-leg bases, glide stem and stretcher. Stretcher end caps and support arms or stretcher brackets match base trim color. (Specify trim color)
 - (B) Polished aluminum C-leg bases and glide stem. Stretcher and support arms or stretcher brackets are painted and require a trim color specification.
- Flip Top Unit Cutout Options include:
 - One cutout centered along back edge.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
- Glide stem is painted or polished to match base; glide base disc color must be specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- The following Planes products are separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Flip Top Unit electrical modules
 - Electrical Components
 - Grommet (field cut opening)
 - Vertical Wire Manager
 - Horizontal Wire Manager
 - Wire Management Clips

To Order, Specify:

1) Product number, including:

① Edge Options:

- J Edgeband
- F Knife

② Flip Top Unit Cutout Options:

- N No cutout
- A 2 outlet cutout - centered back, add \$43.24 list
- F 4 outlet cutout - centered back, add \$43.24 list
- J 6 outlet cutout - centered back, add \$43.24 list

③ Base Options (Flip/Non-Flip):

- H Flip Top Table: Casters, add \$238.98 list
- F Flip Top Table: Glides, add \$340.29 list
- C Non-flip Top Table: Casters
- G Non-flip Top Table: Glides, add \$101.31 list

④ Base/Stretcher Finish Options:

- A Painted
- B Polished, add \$711.13 (must specify trim color for stretcher)

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base/Stretcher trim color.
- 5) Caster/Glide Base Disc trim color.



Note: \$59.46 upcharge list for Metallic and accent trim colors.

Planes Training Tables — Trapezoid — Laminate



Flip Top or Non-Flip Top Table

Depth	Width	Number	①	②	③	④	Laminate A J	F	Laminate B J	F
30"(762mm)	60"(1524mm)	TATP-3060-L	S	C	4		\$1953.22	\$2288.57	\$2043.48	\$2378.83

Trapezoid: Non-Flip Table Top



Polygon: Flip Table Top

Flip Table Top:
Activated

TATP-L

TATP-L



Features

- Includes 1.18"(30mm) thick top, two C-Leg bases, stretcher and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and Stretcher Finish Options:
 - (A) Painted aluminum C-leg bases, glide stem and stretcher. Stretcher end caps and support arms or stretcher brackets match base trim color. (Specify trim color)
 - (B) Polished aluminum C-leg bases and glide stem. Stretcher and support arms or stretcher brackets are painted and require a trim color specification.
- Flip Top Unit Cutout Options include:
 - One cutout centered along back edge.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted or polished to match base; glide base disc color must be specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- The following Planes products are separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Flip Top Unit electrical modules
 - Electrical Components
 - Grommet (field cut opening)
 - Modesty Panel
 - Vertical Wire Manager
 - Horizontal Wire Manager
 - Wire Management Clips

To Order, Specify:

1) Product number, including:

① Edge Options:

- J Edgeband
- F Knife

② Flip Top Unit Cutout Options:

- N No cutout
- A 2 outlet cutout - centered back, add **\$43.24** list
- F 4 outlet cutout - centered back, add **\$43.24** list
- J 6 outlet cutout - centered back, add **\$43.24** list

③ Base Options (Flip/Non-Flip):

- H Flip Top Table: Casters, add **\$238.98** list
- F Flip Top Table: Glides, add **\$340.29** list
- C Non-flip Top Table: Casters
- G Non-flip Top Table: Glides, add **\$101.31** list

④ Base/Stretcher Finish Options:

- A Painted
- B Polished, add **\$711.13** (must specify trim color for stretcher)

2) Laminate surface color.

3) Edge trim color.

4) Base/Stretcher trim color.



5) Caster/Glide Base Disc trim color.

Note: **\$59.46** upcharge list for Metallic and accent trim colors.

Planes Training Tables — Polygon — Laminate

Flip Top or Non-Flip Top Table

Depth	Width	Number	①	②	③	④	Laminate A		Laminate B	
							J	F	J	F
24"(610mm)	55"(1397mm)	TACV-2455-L	S	C	4		\$1648.20	\$1869.19	\$1806.22	\$2027.21
30"(762mm)	66"(1676mm)	TACV-3066-L	S	C	4		2076.49	2393.88	2234.51	2551.90



TACV-L

TACV-L



Features

- Includes 1.18"(30mm) thick top, two C-Leg bases, stretcher and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and Stretcher Finish Options:
 - (A) Painted aluminum C-leg bases, glide stem and stretcher. Stretcher end caps and support arms or stretcher brackets match base trim color. (Specify trim color)
 - (B) Polished aluminum C-leg bases and glide stem. Stretcher and support arms or stretcher brackets are painted and require a trim color specification.
- Flip Top Unit Cutout Options include:
 - One cutout centered along back edge.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
- Glide stem is painted or polished to match base; glide base disc color must be specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- The following Planes products are separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Flip Top Unit electrical modules
 - Electrical Components
 - Grommet (field cut opening)
 - Modesty Panel
 - Vertical Wire Manager
 - Horizontal Wire Manager
 - Wire Management Clips

To Order, Specify:

1) Product number, including:

① Edge Options:

- J Edgeband
- F Knife

② Flip Top Unit Cutout Options:

- N No cutout
- A 2 outlet cutout - centered back, add \$43.24 list
- F 4 outlet cutout - centered back, add \$43.24 list
- J 6 outlet cutout - centered back, add \$43.24 list

③ Base Options (Flip/Non-Flip):

- H Flip Top Table: Casters, add \$238.98 list
- F Flip Top Table: Glides, add \$340.29 list
- C Non-flip Top Table: Casters
- G Non-flip Top Table: Glides, add \$101.31 list

④ Base/Stretcher Finish Options:

- A Painted
- B Polished, add \$711.13 (must specify trim color for stretcher)


- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base/Stretcher trim color.
- 5) Caster/Glide Base Disc trim color.

Note: \$59.46 upcharge list for Metallic and accent trim colors.

Planes Training Tables — Pie Connector — Laminate

Depth	Laminate Number ①	Laminate A		Laminate B	
		J	F	J	F
20"(508mm)	TAPC-2015-L SN	\$402.99	\$518.68	\$434.60	\$550.29
	TAPC-2030-L SN	434.60	550.29	466.21	581.90
	TAPC-2045-L SN	466.21	581.90	497.82	613.51
	TAPC-2090-L SN	529.43	645.12	561.04	676.73
24"(610mm)	TAPC-2415-L SN	\$497.82	\$613.51	\$529.43	\$645.12
	TAPC-2430-L SN	529.43	645.12	561.04	676.73
	TAPC-2445-L SN	561.04	676.73	592.65	708.34
	TAPC-2490-L SN	624.26	739.95	655.87	771.56
30"(762mm)	TAPC-3015-L SN	\$592.65	\$708.34	\$624.26	\$739.95
	TAPC-3030-L SN	624.26	739.95	655.87	771.56
	TAPC-3045-L SN	655.87	771.56	687.48	803.17
	TAPC-3090-L SN	719.09	834.78	750.70	866.39

Pie Connector



TAPC-L

Features

- Includes 1.18"(30mm) thick top and two sets of ganging mechanisms required for support.
- Laminate top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Depth shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Requires two same-depth Planes C-Leg Training Tables for support; separately specified.
- Additional Table Pass-Through Connector may be required based upon application.
- Wire Manager Clips are available if needed; separately specified.

To Order, Specify:

- 1) Product number, including:



① Edge Options:

- J Edgeband
F Knife



- 2) Laminate surface color.
3) Edge trim color.

Planes Training Table — Rectangular — Wood

Flip Top or Non-Flip Top Table



Rectangular: Flip Table Top



TARA-W-3060

TARA-W



Features

- Includes 1.18”(30mm) thick top, two C-Leg bases, stretcher and hardware.
- Standard table height is 29”(737mm).
- Wood veneer top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Reinforcement bar included with 72”(1829mm) or greater tops.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and Stretcher Finish Options:
 - (A) Painted aluminum C-leg bases, glide stem and stretcher. Stretcher end caps and support arms or stretcher brackets match base trim color. (Specify trim color)
 - (B) Polished aluminum C-leg bases and glide stem. Stretcher and support arms or stretcher brackets are painted and require a trim color specification.
- Flip Top Unit Cutout Options include:
 - One cutout centered along back edge, or
 - One left and one right cutout along back edge.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5”(13mm) height adjustment.
 - Glide stem is painted or polished to match base; glide base disc color must be specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- The following Planes products are separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Flip Top Unit electrical modules
 - Electrical Components
 - Grommet (field cut opening)
 - Modesty Panel
 - Vertical Wire Manager
 - Horizontal Wire Manager
 - Wire Management Clips

To Order, Specify:

1) Product number, including:

1 Edge Options:

- K** Edgeband
- U** Knife

2 Flip Top Unit Cutout Options by Width:

36” - 54” (Options: A, F, J, N)
60” - 96” (Options: A, B, F, V, J, K, N)

- N** No cutout
- A** 2 outlet cutout - centered back, add **\$43.24** list
- B** 2 outlet cutout - left and right back, add **\$86.48** list
- F** 4 outlet cutout - centered back, add **\$43.24** list
- V** 4 outlet cutout - left and right back, add **\$86.48** list
- J** 6 outlet cutout - centered back, add **\$43.24** list
- K** 6 outlet cutout - left and right back, add **\$86.48** list

3 Base Options (Flip/Non-Flip):

- H** Flip Top Table: Casters, add **\$238.98** list
- F** Flip Top Table: Glides, add **\$340.29** list
- C** Non-flip Top Table: Casters
- G** Non-flip Top Table: Glides, add **\$101.31** list

4 Base/Stretcher Finish Options:

- A** Painted
- B** Polished, add **\$711.13** (must specify trim color for stretcher/arms)

- 2) Wood finish color.
- 3) Base/Stretcher trim color.
- 4) Caster/Glide Base Disc trim color.

Note: **\$59.46** upcharge list for Metallic and accent trim colors.

Planes Training Table — Rectangular — Wood


Flip Top or Non-Flip Top Table

Depth	Width	Distributed Load Capacity	Number	①	②	③	④	Wood Group A		Wood Group B	
				K	U	K	U				
Flip Top Tables											
24"(610mm)	36"(914mm)	144	TARA-2436-W	S C 4			\$1389.27	\$1617.82	\$1399.83	\$1666.78	
	42"(1067mm)	158	TARA-2442-W	S C 4			1589.82	1835.77	1603.38	1891.57	
	48"(1219mm)	173	TARA-2448-W	S C 4			1790.37	2053.72	1806.93	2116.36	
	54"(1372mm)	187	TARA-2454-W	S C 4			1990.92	2271.67	2010.48	2341.15	
	60"(1524mm)	202	TARA-2460-W	S C 4			2191.47	2489.62	2214.03	2565.94	
	66"(1676mm)	216	TARA-2466-W	S C 4			2392.02	2707.57	2417.58	2790.73	
	72"(1829mm)	230	TARA-2472-W	S C 4			2592.57	2925.52	2621.13	3015.52	
30"(762mm)	36"(914mm)	158	TARA-3036-W	S C 4			\$1561.88	\$1807.83	\$1576.52	\$1864.71	
	42"(1067mm)	173	TARA-3042-W	S C 4			1772.17	2035.52	1790.35	2099.78	
	48"(1219mm)	187	TARA-3048-W	S C 4			1982.46	2263.21	2004.18	2334.85	
	54"(1372mm)	202	TARA-3054-W	S C 4			2192.75	2490.90	2218.01	2569.92	
	60"(1524mm)	216	TARA-3060-W	S C 4			2403.04	2718.59	2431.84	2804.99	
	66"(1676mm)	230	TARA-3066-W	S C 4			2613.33	2946.28	2645.67	3040.06	
	72"(1829mm)	245	TARA-3072-W	S C 4			2823.62	3173.97	2859.50	3275.13	
Non-Flip Top Tables											
20"(508mm)	36"(914mm)	134	TARA-2036-W	S C 4			\$1326.87	\$1543.82	\$1334.71	\$1587.50	
	42"(1067mm)	149	TARA-2042-W	S C 4			1517.68	1752.03	1527.98	1802.01	
	48"(1219mm)	163	TARA-2048-W	S C 4			1718.23	1969.98	1731.53	2026.80	
	54"(1372mm)	178	TARA-2054-W	S C 4			1909.04	2178.19	1924.80	2241.31	
	60"(1524mm)	192	TARA-2060-W	S C 4			2099.85	2386.40	2118.07	2455.82	
	66"(1676mm)	206	TARA-2066-W	S C 4			2300.40	2604.35	2321.62	2680.61	
	72"(1829mm)	221	TARA-2072-W	S C 4			2491.21	2812.56	2514.89	2895.12	
	78"(1981mm)	235	TARA-2078-W	S C 4			2743.63	3082.38	2769.77	3171.24	
	84"(2134mm)	250	TARA-2084-W	S C 4			2953.66	3309.81	2982.80	3405.51	
	90"(2286mm)	264	TARA-2090-W	S C 4			3153.95	3527.50	3185.55	3629.50	
24"(610mm)	96"(2438mm)	278	TARA-2096-W	S C 4			3354.24	3745.19	3388.30	3853.49	
	36"(914mm)	144	TARA-2436-W	S C 4			\$1389.27	\$1617.82	\$1399.83	\$1666.78	
	42"(1067mm)	158	TARA-2442-W	S C 4			1589.82	1835.77	1603.38	1891.57	
	48"(1219mm)	173	TARA-2448-W	S C 4			1790.37	2053.72	1806.93	2116.36	
	54"(1372mm)	187	TARA-2454-W	S C 4			1990.92	2271.67	2010.48	2341.15	
	60"(1524mm)	202	TARA-2460-W	S C 4			2191.47	2489.62	2214.03	2565.94	
	66"(1676mm)	216	TARA-2466-W	S C 4			2392.02	2707.57	2417.58	2790.73	
	72"(1829mm)	230	TARA-2472-W	S C 4			2592.57	2925.52	2621.13	3015.52	
	78"(1981mm)	245	TARA-2478-W	S C 4			2854.73	3205.08	2886.29	3301.92	
	84"(2134mm)	259	TARA-2484-W	S C 4			3064.76	3432.51	3099.32	3536.19	
30"(762mm)	90"(2286mm)	274	TARA-2490-W	S C 4			3274.79	3659.94	3312.35	3770.46	
	96"(2438mm)	288	TARA-2496-W	S C 4			3484.82	3887.37	3525.38	4004.73	
	36"(914mm)	158	TARA-3036-W	S C 4			\$1561.88	\$1807.83	\$1576.52	\$1864.71	
	42"(1067mm)	173	TARA-3042-W	S C 4			1772.17	2035.52	1790.35	2099.78	
	48"(1219mm)	187	TARA-3048-W	S C 4			1982.46	2263.21	2004.18	2334.85	
	54"(1372mm)	202	TARA-3054-W	S C 4			2192.75	2490.90	2218.01	2569.92	
	60"(1524mm)	216	TARA-3060-W	S C 4			2403.04	2718.59	2431.84	2804.99	
	66"(1676mm)	230	TARA-3066-W	S C 4			2613.33	2946.28	2645.67	3040.06	
	72"(1829mm)	245	TARA-3072-W	S C 4			2823.62	3173.97	2859.50	3275.13	
	78"(1981mm)	259	TARA-3078-W	S C 4			3095.52	3463.27	3134.94	3571.81	
	84"(2134mm)	274	TARA-3084-W	S C 4			3315.29	3700.44	3358.25	3816.36	
	90"(2286mm)	288	TARA-3090-W	S C 4			3535.06	3937.61	3581.56	4060.91	
	96"(2438mm)	302	TARA-3096-W	S C 4			3754.83	4174.78	3804.87	4305.46	

Planes Training Tables — Crescent — Wood

Flip Top or Non-Flip Top Table

Depth	Width	Number	1	2	3	4	Wood Group A		Wood Group B	
30"(762mm)	68"(1727mm)	TABN-3068-W	S	C	4		K	U	K	U
							\$2645.83	\$2984.58	\$2690.90	\$3092.37



Features

- Includes 1.18"(30mm) thick top, two C-Leg bases, stretcher and hardware.
- Standard table height is 29"(737mm).
- Wood veneer top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and Stretcher Finish Options:
 - (A) Painted aluminum C-leg bases, glide stem and stretcher. Stretcher end caps and support arms or stretcher brackets match base trim color. (Specify trim color)
 - (B) Polished aluminum C-leg bases and glide stem. Stretcher and support arms or stretcher brackets are painted and require a trim color specification.
- Flip Top Unit Cutout Options include:
 - One cutout centered along back edge.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted or polished to match base; glide base disc color must be specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- The following Planes products are separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Flip Top Unit electrical modules
 - Electrical Components
 - Grommet (field cut opening)
 - Vertical Wire Manager
 - Horizontal Wire Manager
 - Wire Management Clips

To Order, Specify:

1) Product number, including:

1 Edge Options:

- K Edgeband
- U Knife

2 Flip Top Unit Cutout Options:

- N No cutout
- A 2 outlet cutout - centered back, add \$43.24 list
- F 4 outlet cutout - centered back, add \$43.24 list
- J 6 outlet cutout - centered back, add \$43.24 list

3 Base Options (Flip/Non-Flip):


- H Flip Top Table: Casters, add \$238.98 list
- F Flip Top Table: Glides, add \$340.29 list
- C Non-flip Top Table: Casters
- G Non-flip Top Table: Glides, add \$101.31 list

4 Base/Stretcher Finish Options:



- A Painted
- B Polished, add \$711.13 (must specify trim color for stretcher/arms)

- 2) Wood finish color.
- 3) Base/Stretcher trim color.
- 4) Caster/Glide Base Disc trim color.

Note: \$59.46 upcharge list for Metallic and accent trim colors.



Crescent: Flip Table Top



TABN-L-3060



TABN-W



Planes Training Table — Trapezoid — Wood

Flip Top or Non-Flip Top Table

Depth	Width	Number	① ② ③ ④				Wood Group A		Wood Group B	
			K	S	C	U	K	U	K	U
30"(762mm)	60"(1524mm)	TATP-3060-W	■	■	■	■	\$2450.02	\$2767.37	\$2487.82	\$2812.37



Features

- Includes 1.18"(30mm) thick top, two C-Leg bases, stretcher and hardware.
- Standard table height is 29" (737mm).
- Wood veneer top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
- Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
- Base and Stretcher Finish Options:
 - (A) Painted aluminum C-leg bases, glide stem and stretcher. Stretcher end caps and support arms or stretcher brackets match base trim color. (Specify trim color)
 - (B) Polished aluminum C-leg bases and glide stem. Stretcher and support arms or stretcher brackets are painted and require a trim color specification.
- Flip Top Unit Cutout Options include:
 - One cutout centered along back edge.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted or polished to match base; glide base disc color must be specified.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tip

- The following Planes products are separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Flip Top Unit electrical modules
 - Electrical Components
 - Grommet (field cut opening)
 - Modesty Panel
 - Vertical Wire Manager
 - Horizontal Wire Manager
 - Wire Management Clips

To Order, Specify:

1) Product number, including:

① Edge Options:

- K Edgeband
- U Knife

② Flip Top Unit Cutout Options:

- N No cutout
- A 2 outlet cutout - centered back, add \$43.24 list
- F 4 outlet cutout - centered back, add \$43.24 list
- J 6 outlet cutout - centered back, add \$43.24 list

③ Base Options (Flip/Non-Flip):

- H Flip Top Table: Casters, add \$238.98 list
- F Flip Top Table: Glides, add \$340.29 list
- C Non-flip Top Table: Casters
- G Non-flip Top Table: Glides, add \$101.31 list

④ Base/Stretcher Finish Options:

- A Painted
- B Polished, add \$711.13 (must specify trim color for stretcher/arms)

2) Wood finish color.

3) Base/Stretcher trim color.


4) Caster/Glide Base Disc trim color.

Note: \$59.46 upcharge list for Metallic and accent trim colors.

Planes Training Tables — Polygon — Wood

Flip Top or Non-Flip Top Table

Depth	Width	Number	1234				Wood Group A		Wood Group B	
			S	C	4		K	U	K	U
24"(610mm)	55"(1397mm)	TACV-2455-W	S	C	4		\$2002.17	\$2250.04	\$2033.78	\$2281.65
30"(762mm)	66"(1676mm)	TACV-3066-W	S	C	4		2642.16	3003.85	2697.50	3059.19



- Features**
- Includes 1.18”(30mm) thick top, two C-Leg bases, stretcher and hardware.
 - Standard table height is 29”(737mm).
 - Wood veneer top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
 - Base Options:
 - Flip Top Table with casters (H) or with glides (F).
 - Non-flip Top Table with casters (C) or with glides (G).
 - Flip Top Table:
 - Table top flips from horizontal to vertical position via pneumatic assist mechanism activated by two finger pulls.
 - Tables nest when flipped to vertical position. Refer to Specification Guide for details.
 - Base and Stretcher Finish Options:
 - (A) Painted aluminum C-leg bases, glide stem and stretcher. Stretcher end caps and support arms or stretcher brackets match base trim color. (Specify trim color)
 - (B) Polished aluminum C-leg bases and glide stem. Stretcher and support arms or stretcher brackets are painted and require a trim color specification.
 - Flip Top Unit Cutout Options include:
 - One cutout centered along back edge.
 - Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
 - Optional glides (four) are available in light platinum, fog or black with 0.5”(13mm) height adjustment.
 - Glide stem is painted or polished to match base; glide base disc color must be specified.
 - Depth and width shown in nominal dimensions.
 - Ships unassembled.


- Specification Tip**
- The following Planes products are separately specified:
 - Ganging Mechanism - Required for use with powered tables.
 - Flip Top Unit electrical modules
 - Electrical Components
 - Grommet (field cut opening)
 - Modesty Panel
 - Vertical Wire Manager
 - Horizontal Wire Manager
 - Wire Management Clips

- To Order, Specify:**
- 1) Product number, including:
- 1 Edge Options:**
- K** Edgeband
 - U** Knife
- 2 Flip Top Unit Cutout Options:**
- N** No cutout
 - A** 2 outlet cutout - centered back, add **\$43.24** list
 - F** 4 outlet cutout - centered back, add **\$43.24** list
 - J** 6 outlet cutout - centered back, add **\$43.24** list
- 3 Base Options (Flip/Non-Flip):**
- H** Flip Top Table: Casters, add **\$238.98** list
 - F** Flip Top Table: Glides, add **\$340.29** list
 - C** Non-flip Top Table: Casters
 - G** Non-flip Top Table: Glides, add **\$101.31** list
- 4 Base/Stretcher Finish Options:**
- A** Painted
 - B** Polished, add **\$711.13** (must specify trim color for stretcher/arms)
- 2) Wood finish color.
- 3) Base/Stretcher trim color.
- 4) Caster/Glide Base Disc trim color.
- Note:** **\$59.46** upcharge list for Metallic and accent trim colors.



Planes Training Tables — Pie Connector — Wood

Depth	Number ①	Wood Group A		Wood Group B	
		K	U	K	U
20"(508mm)	TAPC-2015-W SN	\$395.08	\$455.76	\$410.89	\$471.57
	TAPC-2030-W SN	426.69	487.37	442.50	503.18
	TAPC-2045-W SN	458.30	518.98	474.11	534.79
	TAPC-2090-W SN	521.52	582.20	537.33	598.01
24"(610mm)	TAPC-2415-W SN	\$489.91	\$550.59	\$505.72	\$566.40
	TAPC-2430-W SN	521.52	582.20	537.33	598.01
	TAPC-2445-W SN	553.13	613.81	568.94	629.62
	TAPC-2490-W SN	616.35	677.03	632.16	692.84
30"(762mm)	TAPC-3015-W SN	\$584.74	\$645.42	\$600.55	\$661.23
	TAPC-3030-W SN	616.35	677.03	632.16	692.84
	TAPC-3045-W SN	647.96	708.64	663.77	724.45
	TAPC-3090-W SN	711.18	771.86	726.99	787.67



Features

- Includes 1.18"(30mm) thick top and two sets of ganging mechanisms required for support.
- Wood veneer top with 3mm edgeband on user edge and 1mm edgeband on remaining sides, or knife edge on user edge and 1mm edgeband on sides and back.
- Depth shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Requires two same-depth Planes C-Leg Training Tables for support; separately specified.
- Additional Table Pass-Through Connector may be required based upon application.
- Wire Manager Clips are available if needed; separately specified.

To Order, Specify:


- 1) Product number, including:

① Edge Options:

- K** Edgeband
U Knife

- 2) Wood finish color.

Planes Training Tables — Modesty Panels



- Features**
- Includes modesty panel and attachment hardware.
 - Modesty Panels are 11.59”(294mm) high (actual) and 0.56”(14mm) thick.
 - Modesty Panels are mounted 1.4”(36mm) below the table top to allow for wire pass-through.
 - Finish surface is non-tackable.
 - Hinged bracket allows for table nesting without modesty panel removal.
 - Modesty panel is removable; slides into table attachment brackets. No tools required.
 - Screen and hardware are field installed.

Specification Tip

- Modesty Panels are available for use on Training Tables in shapes/sizes indicated. Refer to Specification Guide for application guidelines.


- To Order, Specify:**
- 1) Product number, including:
- ① Modesty Panel Options:**
- F** Full width, add **\$78.23** list
 - P** Powered Table
- 2) Surface Colors Options:
- Fabric:
–Fabric Color
- Laminate:
–Laminate Surface Color
–Edgeband trim color
- Wood:
–Wood Finish Color
- * Note: Modesty Panel Options:**
- (F) Full-width modesty panel will be width of the rectangular table and not for use with tables that are connected with 2-Circuit Modular Power or Quick Connect Two electrical components.
 - (P) Must be ordered for tables with 2-Circuit Modular Power or Flip Top Units with Quick Connect Two Power base feed. Modesty Panels are inset 3”(76mm) from each end.

Table Width	Option (P)	Option (F)	Number ①								
	Modesty Actual Width	Modesty Actual Width		Fabric Grade		A	B	C	D	E	F
Rectangle											
36″(914mm)	29.5″(749mm)	35.5″(902mm)	TAOM-1336-F 	\$328.62	\$406.85	\$422.54	\$441.32	\$ 469.46	\$ 497.64	\$ 532.07	
42″(1067mm)	35.5″(902mm)	41.5″(1054mm)	TAOM-1342-F 	383.39	461.62	477.31	496.09	524.23	552.41	586.84	
48″(1219mm)	41.5″(1064mm)	47.5″(1207mm)	TAOM-1348-F 	438.16	516.39	532.08	550.86	579.00	607.18	641.61	
54″(1372mm)	47.5″(1207mm)	53.5″(1359mm)	TAOM-1354-F 	492.93	571.16	586.85	605.63	633.77	661.95	696.38	
60″(1524mm)	53.5″(1369mm)	59.5″(1511mm)	TAOM-1360-F 	547.70	625.93	641.62	660.40	688.54	716.72	751.15	
66″(1676mm)	59.5″(1511mm)	65.5″(1664mm)	TAOM-1366-F 	602.47	680.70	696.39	715.17	743.31	771.49	805.92	
72″(1829mm)	65.5″(1664mm)	71.5″(1816mm)	TAOM-1372-F 	657.24	735.47	751.16	769.94	798.08	826.26	860.69	
78″(1981mm)	71.5″(1816mm)	77.5″(1969mm)	TAOM-1378-F 	712.01	790.24	805.93	824.71	852.85	881.03	915.46	
84″(2134mm)	77.5″(1969mm)	83.5″(2121mm)	TAOM-1384-F 	766.78	845.01	860.70	879.48	907.62	935.80	970.23	
90″(2286mm)	83.5″(2121mm)	89.5″(2273mm)	TAOM-1390-F 	821.55	899.78	915.47	934.25	962.39	990.57	1025.00	
96″(2438mm)	89.5″(2273mm)	95.5″(2426mm)	TAOM-1396-F 	876.32	954.55	970.24	989.02	1017.16	1045.34	1079.77	
Polygon											
55″(1397mm)	41.5″(1054mm)		TAOM-1348-FP	\$438.16	\$516.39	\$532.08	\$550.86	\$ 579.00	\$ 607.18	\$ 641.61	
66″(1676mm)	47.5″(1207mm)	53.5″(1359mm)	TAOM-1354-F 	492.93	571.16	586.85	605.63	633.77	661.95	696.38	
Trapezoid											
60″(1524mm)	28″(711mm)		TAOM-1360-FP	\$547.70	\$625.93	\$641.62	\$660.40	\$ 688.54	\$ 716.72	\$ 751.15	
Half Round											
60″(1524mm)	53.5″(1359mm)	59.5″(1511mm)	TAOM-1360-F 	\$547.70	\$625.93	\$641.62	\$660.40	\$ 688.54	\$ 716.72	\$ 751.15	


Planes Training Tables — Modesty Panels


Table Width	Option (P) Modesty Actual Width	Option (F) Modesty Actual Width	Number ①	Laminate A	B
Rectangle					
36"(914mm)	29.5"(749mm)	35.5"(902mm)	TA0M-1336-L 	\$176.05	\$184.93
42"(1067mm)	35.5"(902mm)	41.5"(1054mm)	TA0M-1342-L 	203.53	214.63
48"(1219mm)	41.5"(1064mm)	47.5"(1207mm)	TA0M-1348-L 	231.01	244.33
54"(1372mm)	47.5"(1207mm)	53.5"(1359mm)	TA0M-1354-L 	258.49	274.03
60"(1524mm)	53.5"(1369mm)	59.5"(1511mm)	TA0M-1360-L 	285.97	303.73
66"(1676mm)	59.5"(1511mm)	65.5"(1664mm)	TA0M-1366-L 	313.45	333.43
72"(1829mm)	65.5"(1664mm)	71.5"(1816mm)	TA0M-1372-L 	340.93	363.13
78"(1981mm)	71.5"(1816mm)	77.5"(1969mm)	TA0M-1378-L 	368.41	392.83
84"(2134mm)	77.5"(1969mm)	83.5"(2121mm)	TA0M-1384-L 	395.89	422.53
90"(2286mm)	83.5"(2121mm)	89.5"(2273mm)	TA0M-1390-L 	423.37	452.23
96"(2438mm)	89.5"(2273mm)	95.5"(2426mm)	TA0M-1396-L 	450.85	481.93
Polygon					
55"(1397mm)	41.5"(1054mm)		TA0M-1348-LP	\$231.01	\$244.33
66"(1676mm)	47.5"(1207mm)	53.5"(1359mm)	TA0M-1354-L 	258.49	274.03
Trapezoid					
60"(1524mm)	28"(711mm)		TA0M-1360-LP	\$285.97	303.73
Half Round					
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TA0M-1396-L 	\$285.97	303.73
Table Width	Option (P) Modesty Actual Width	Option (F) Modesty Actual Width	Number ①	Wood A	B
Rectangle					
36"(914mm)	29.5"(749mm)	35.5"(902mm)	TA0M-1336-W 	\$ 503.17	\$ 580.93
42"(1067mm)	35.5"(902mm)	41.5"(1054mm)	TA0M-1342-W 	558.17	645.71
48"(1219mm)	41.5"(1064mm)	47.5"(1207mm)	TA0M-1348-W 	613.17	710.49
54"(1372mm)	47.5"(1207mm)	53.5"(1359mm)	TA0M-1354-W 	668.17	775.27
60"(1524mm)	53.5"(1369mm)	59.5"(1511mm)	TA0M-1360-W 	723.17	840.05
66"(1676mm)	59.5"(1511mm)	65.5"(1664mm)	TA0M-1366-W 	778.17	904.83
72"(1829mm)	65.5"(1664mm)	71.5"(1816mm)	TA0M-1372-W 	833.17	969.61
78"(1981mm)	71.5"(1816mm)	77.5"(1969mm)	TA0M-1378-W 	888.17	1034.39
84"(2134mm)	77.5"(1969mm)	83.5"(2121mm)	TA0M-1384-W 	943.17	1099.17
90"(2286mm)	83.5"(2121mm)	89.5"(2273mm)	TA0M-1390-W 	998.17	1163.95
96"(2438mm)	89.5"(2273mm)	95.5"(2426mm)	TA0M-1396-W 	1053.17	1228.73
Polygon					
55"(1397mm)	41.5"(1054mm)		TA0M-1348-WP	\$ 613.17	\$ 710.49
66"(1676mm)	47.5"(1207mm)	53.5"(1359mm)	TA0M-1354-W 	668.17	775.27
Trapezoid					
60"(1524mm)	28"(711mm)		TA0M-1360-WP	\$ 723.17	\$ 840.05
Half Round					
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TA0M-1360-W 	\$ 723.17	\$ 840.05

Planes Training Tables 2-Circuit — Power Feeds


	Description	Number	Price
Single Circuit Corded Base Feed — for use with 2-Circuit, 20 Amp 20 Amp Plug  EAEB-2024-2C	20 Amp (USA Only)	EAEB-2024-2C	\$496.13
	Feature Includes one 24″(610mm) black cord with NEMA 5-20P plug plus a 48″(1219mm) flexible metal conduit (unpainted) with modular male connector standard in black.	To Order, Specify: 1) Product number. (No finish specification required.)	
	Specification Tips - For use on Planes C-Leg Training Tables only. - Provides power to circuit one only. - For use with 120 volt 60 hertz power source only. - Electric application requires prior approval by authority having jurisdiction. - Base Feed accesses common ground only. - Requires a 20 Amp, 125 volt power receptacle (NEMA 5 20-R) for connection to building power (not included). - Not for use in Canada due to electrical code restrictions. - Corded Base Feed is PVC free.		



	Description	Length	Number	Price
 EAEB	Hardwire Modular Base Feed — 2-Circuit	20 Amp	48″(1219mm)	EAEB-2048-2H
			60″(1524mm)	EAEB-2060-2H
			72″(1829mm)	EAEB-2072-2H
			96″(2438mm)	EAEB-2096-2H
			120″(3048mm)	EAEB-20C0-2H
			180″(4572mm)	EAEB-20J0-2H
			240″(6096mm)	EAEB-20Q0-2H
			300″(7620mm)	EAEB-20W0-2H
	Feature Includes one flexible metal conduit (unpainted) base feed with four 12-gauge wires for up to two 20 Amp circuits of power and one modular male connector standard in black.			
	Specification Tips - For 2-circuit modular power components. Do not mix with other systems. - For use for floor, column or wall hardwire connections. - For use with 120 volt 60 hertz power source only. - Electric application requires prior approval by authority having jurisdiction. - Base Feed accesses common ground only.			
	To Order, Specify: 1) Product number. (No finish specification required.)			

 EAWP-0004-21	Wall Feed — 2-Circuit	EAWP-0004-21	\$143.98
	Features • Includes one 2-circuit wall feed with female connector and four 12-gauge wires for up to two 20 Amp circuits. • Standard in black.	To Order, Specify: 1) Product number. (No finish specification required.)	
	Specification Tips • For use with 2-Circuit components only. Do not mix with other power systems. • For use with separately specified 2-circuit Pass-Through Connector. • For use with 120 volt 60 hertz power source only. • Electric application requires prior approval by authority having jurisdiction. • For mounting on vertical surfaces only.		
			

Planes Training Tables 2-Circuit — Modular Power Pass-Through

	Connector Width	Number	Price
Tables Pass-Through Connector — 2-Circuit  EAEJ  	10"(254mm)	EAEJ-0010-2	\$ 91.29
	18"(457mm)	EAEJ-0018-2	101.75
	24"(610mm)	EAEJ-0024-2	109.59
	30"(762mm)	EAEJ-0030-2	117.43
	36"(914mm)	EAEJ-0036-2	125.27
	42"(1067mm)	EAEJ-0042-2	133.11
	48"(1219mm)	EAEJ-0048-2	140.95
	54"(1372mm)	EAEJ-0054-2	148.79
	60"(1524mm)	EAEJ-0060-2	156.63
	66"(1676mm)	EAEJ-0066-2	164.47
	72"(1829mm)	EAEJ-0072-2	172.31
	78"(1981mm)	EAEJ-0078-2	180.15
	96"(2438mm)	EAEJ-0096-2	203.67

Features

- Includes one flexible metal conduit (unpainted) connector with modular male connectors standard in black.
- System is 4-wire with 2 circuits, 20 Amps each.
- Modular connectors are PVC-free.



Specification Tips

- For use with other 2-Circuit components only. Do not mix with other systems.
- Required for use with wall feed component to bring building power to Planes Training tables or for use to pass power between tables.
- **For use with 120 volt 60 hertz power source only.**
- **Electric application requires prior approval by authority having jurisdiction.**
- Pass-Through Connectors cannot be coupled together; separately specify Four-Port Splitter to connect Pass-Through Connectors.

To Order, Specify:

- 1) Product number.
(No finish specification required.)





Planes Training Tables 2-Circuit — Modular Power Kits

	Table Width	Number of Receptacles	Number	Price
Modular Power Kits — 2-Circuit  One receptacle  Two receptacles EAEM 	Rectangle			
	36"(914mm)	1	EAEM-3624-2JB	\$431.96
	42"(1067mm)	2	EAEM-4224-2JB	438.23
	48"(1219mm)	2	EAEM-4824-2JB	444.50
	54"(1372mm)	2	EAEM-5424-2JB	450.77
	60"(1524mm)	2	EAEM-6024-2JB	457.04
	66"(1676mm)	2	EAEM-6624-2JB	463.31
	72"(1829mm)	2	EAEM-7224-2JB	469.58
	78"(1981mm)	2	EAEM-7824-2JB	475.85
	84"(2134mm)	2	EAEM-8424-2JB	482.12
	90"(2286mm)	2	EAEM-9024-2JB	488.39
	96"(2438mm)	2	EAEM-9624-2JB	494.66
	Polygon			
	55"(1397mm)	2	EAEM-5524-2JB	\$457.04
	66"(1676mm)	2	EAEM-6624-2JBHP	463.31
	Trapezoid			
	60"(1524mm)	2	EAEM-6024-2JBHT	\$444.50
	Crescent			
	68"(1727mm)	2	EAEM-6824-2JB	\$469.58
	Half Round			
	60"(1524mm)	2	EAEM-6024-2JBH	\$457.04




- Features
- Kit with one receptacle includes two Pass-Through Connectors with flexible metal conduit (unpainted) with modular male connectors standard in black, one duplex receptacle (NEMA 5-15R configuration) and one Four-Port Splitter both standard in black.
 - Kit with two receptacles includes two Pass-Through Connectors with flexible metal conduit (unpainted) with modular male connectors standard in black and two duplex receptacles (NEMA 5-15R configuration) standard in black.
 - Receptacle(s) have two 15 Amp outlets (NEMA 5-15R configuration).
 - Kit with one receptacle includes a circuit one receptacle.
 - Kit with two receptacles includes a circuit one and a circuit two receptacle.
 - Receptacles are circuit specific, accessing only common ground.
 - System is 4-wire with 2 circuits; system rated for 20 Amps.
 - Components are PVC-free.
- To Order, Specify:
- 1) Product number.
(No finish specification required.)

- Specification Tips
- **Designed for use with Planes C-Leg Training Tables only.**
 - Included Pass-Through Connector is for use with in-line Planes Training Table applications; additional Pass-Through Connectors may be required for non-linear table applications.
 - For use with separately specified corded Flip Top Unit.
 - Separately specified table ganging mechanisms are required.
 - **For use with 120 volt 60 hertz power source only.**
 - **Electric application requires prior approval by authority having jurisdiction.**
 - Up to 13 duplex receptacles allowed per circuit. (10 duplex receptacles in Canada)
 - Up to 26 duplex receptacles per hardwired modular base feed. (20 duplex receptacles in Canada)

Planes Training Tables 2-Circuit — Modular Power Components

	Description	Circuit Access	Number	Price
Receptacles — 15 Amp 2-Circuit  EAER 	2-Circuit	1	EAER-0015-21G	\$93.91
		2	EAER-0015-22G	93.91
	Features - Includes one modular 15 Amp duplex receptacle (NEMA 5-15R) with integral latching system. - Receptacles are PVC-free and standard in black. Specification Tips - For use with 2-Circuit components only. Do not mix with other power systems. - Receptacle(s) are included with Modular Power Kits. For use with 120 volt 60 hertz power source only. Electric application requires prior approval by authority having jurisdiction. - Up to 13 duplex receptacles allowed per circuit. (10 duplex receptacles in Canada) - Up to 26 duplex receptacles per hardwired modular base feed. (20 duplex receptacles in Canada)			
To Order, Specify: 1) Product number. (No finish specification required.)				
Receptacle Block Connector  EAED-0000-22 	2-Circuit, 2-Port		EAED-0000-22	\$20.33
	Features - Includes one receptacle block connector. - Receptacle Block Connectors are PVC-free and standard in black. Specification Tips - For use with 2-Circuit components only. Do not mix with other power systems. - Used for connecting two receptacles. For use with 120 volt 60 hertz power source only. Electric application requires prior approval by authority having jurisdiction.			
	To Order, Specify: 1) Product number. (No finish specification required.)			
Four-Port Splitter  EAED-0000-24 	2-Circuit, 4-Port		EAED-0000-24	\$36.83
	Features - Includes one four-port splitter. - Four-Port Splitters are PVC-free and standard in black. Specification Tips - For use with 2-Circuit components only. Do not mix with other power systems. - Used for connecting pass-through connectors. - Four-Port Splitters are included with Modular Power Kits. For use with 120 volt 60 hertz power source only. Electric application requires prior approval by authority having jurisdiction.			
	To Order, Specify: 1) Product number. (No finish specification required.)			
Mounting Bracket — Receptacle  TA01-0224			TA01-0224	\$7.84
	Features - Includes one mounting bracket and mounting screws. - Standard in black. - Field installed. Specification Tips - For use to mount receptacles to table bottom in reconfiguration applications if needed. - Mounting Brackets are included with all Planes C-Leq Training Tables.			
	To Order, Specify: 1) Product number. (No finish specification required.)			

Quick Connect Two Power — Flip Top Unit with Smooth Bezel



EUQ1-QS1P (2-4 port Quick Connect Two)



Features

- Includes flip top with smooth bezel module with 2, 4, or 6 ports configured with simplex outlets (NEMA 5-15R), USB charging port (USB-C 60W, Smart USB-A+C), data port(s) or cable bay, 60”(1524mm) modular connectors (one female, one male) and mounting hardware.
- Modular connection provides power distribution between tables.
- Non-sequential modular power connections allow easy table reconfiguration.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables. Occupies one port.
- Each cable bay can accept up to two pull out data/AV cables.
- Smart USB-A+C can provide fast charge for a mobile phone and tablets. Occupies one charging port.
- USB-C 60W can charge phone, tablets and some laptops. Occupies two ports.
- Smooth bezel is painted and features non mitered corners.
- Port color is either black or white based on smooth bezel color.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2 3/4”(70mm) and will extend below the table top.

Specification Tips


- Applications may have up to eight modular connections; a combination of eight Flip Top Units with Smooth Bezel and/or Pass-Through Connectors per Starter Box.
- **Separately specify Starter Box to provide power to Flip Top Units with Smooth Bezel.**
- Furniture that shares electrical connections must be mechanically connected to each other.
- Recommend ganging mechanisms (TA01-0222) for table applications.
- Cable bay cannot be retrofitted to accept data jacks.
- **For use with 120 volt 60 hertz power source only.**
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

- 1) Product number.
- 2) Finish color for Bezel/Port.
 - TR-PM1 Silver/White
 - TR-PM2 Midnight Black/Black
 - TR-PM8 Matte White/White
 - TR-PM9 Matte Grey/Black

Note: Order flip top units to match flip top unit cutout option specified for each table (A/B, F/V or J/K).

2, 4, and 6 Port Examples






Quick Connect Two Power — Flip Top Unit with Smooth Bezel

Bezel Width	Bezel Depth	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
Single Circuit Base Feed Power						
5.25"(133mm)	4.38"(111mm)	2	1 Power Receptacle, 1 Smart USB-A+C Charging	A, B	EUQ1-Q51P-101000	710.98
			1 Power Receptacle, 1 Data Port	A, B	EUQ1-Q51P-100010	612.08
			2 Power Receptacles	A, B	EUQ1-Q51P-200000	618.16
8.31"(211mm)	4.38"(111mm)	4	1 Power Receptacle, 1 Smart USB-A+C Charging, 1 Cable Bay	F, V	EUQ1-Q51P-101001	913.06
			1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUQ1-Q51P-100011	814.16
			1 Power Receptacle, 1 Smart USB-A+C Charging, 1 USB-C 60W Charging, 1 USB-C 60W Charging	F, V	EUQ1-Q51P-110100	1008.84
			1 Power Receptacle, 2 Smart USB-A+C Charging, 1 Data Port	F, V	EUQ1-Q51P-111010	834.28
			2 Power Receptacles, 1 Cable Bay	F, V	EUQ1-Q51P-200001	820.24
			2 Power Receptacles, 1 Smart USB-A+C Charging, 1 Data Port	F, V	EUQ1-Q51P-201010	741.46
			2 Power Receptacles, 2 Smart USB-A+C Charging	F, V	EUQ1-Q51P-211000	840.36
			2 Power Receptacles, 1 USB-C 60W Charging	F, V	EUQ1-Q51P-200100	916.02
			2 Power Receptacles, 2 Data Ports	F, V	EUQ1-Q51P-200020	642.56
			3 Power Receptacles, 1 Smart USB-A+C Charging	F, V	EUQ1-Q51P-301000	747.54
			3 Power Receptacles, 1 Data Port	F, V	EUQ1-Q51P-300010	648.64
			1 Power Receptacle, 2 Smart USB-A+C Charging, 1 Data Port, 1 Cable Bay	J, K	EUQ1-Q51P-111011	1036.40
			1 Power Receptacle, 2 Smart USB-A+C Charging, 3 Data Ports	J, K	EUQ1-Q51P-111030	858.72
			1 Power Receptacle, 1 Smart USB-A+C Charging, 1 USB-C 60W Charging, 1 Cable Bay	J, K	EUQ1-Q51P-101101	1210.96
			1 Power Receptacle, 1 Smart USB-A+C Charging, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUQ1-Q51P-101120	1033.28
11.25"(286mm)	4.38"(111mm)	6	1 Power Receptacle, 1 Smart USB-A+C Charging, 2 Data Ports, 1 Cable Bay	J, K	EUQ1-Q51P-101021	937.50
			1 Power Receptacle, 1 USB-C 60W Charging, 3 Data Ports	J, K	EUQ1-Q51P-100130	934.38
			1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUQ1-Q51P-100031	838.60
			2 Power Receptacles, 2 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUQ1-Q51P-211001	1042.48
			2 Power Receptacles, 1 Smart USB-A+C Charging, 1 USB-C 60W Charging, 1 Data Port	J, K	EUQ1-Q51P-201110	1039.36
			2 Power Receptacles, 1 USB-C 60W Charging, 2 Data Ports	J, K	EUQ1-Q51P-200120	940.46
			2 Power Receptacles, 1 USB-C 60W Charging, 1 Cable Bay	J, K	EUQ1-Q51P-200101	1118.14
			2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUQ1-Q51P-200021	844.68
			2 Power Receptacles, 4 Data	J, K	EUQ1-Q51P-200040	667.00
			3 Power Receptacles, 1 Smart USB-A+C Charging, 1 Cable Bay	J, K	EUQ1-Q51P-301001	949.66
			3 Power Receptacles, 1 USB-C 60W Charging, 1 Data Port	J, K	EUQ1-Q51P-300110	946.54
			3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUQ1-Q51P-300011	850.76
			3 Power Receptacles, 2 Smart USB-A+C Charging, 1 Data Port	J, K	EUQ1-Q51P-311010	870.88
			3 Power Receptacles, 1 Smart USB-A+C Charging, 2 Data Ports	J, K	EUQ1-Q51P-301020	771.98
			3 Power Receptacles, 3 Data Ports	J, K	EUQ1-Q51P-300030	673.08



HAWORTH

This page intentionally blank


Planes Training Tables — Accessories

	Number	Price									
Ganging Mechanism  TA01-0222 (one set) Features - Includes four (two sets) ganging mechanisms and attachment hardware. - Standard in black. - Ganging Mechanism required for in-line powered Planes C-Leg and Y-Leg Training Tables. - Field installed. Specification Tip - Planes C-Leg Training Tables are drilled for ganging mechanisms. To Order, Specify: 1) Product number. (No finish specification required.)	TA01-0222	\$150.50									
Casters  Hub Tread TA01-0216 Features - Includes 4 casters: 2 locking, 2 non-locking. - Casters are available with: - Light platinum or fog hub with graphite tread, or black hub with black tread. - Field installed. Specification Tips - Casters are for use with Planes C-Leg and Y-Leg Training Tables and carts. - Casters and glides are field interchangeable. To Order, Specify: 1) Product number. 2) Trim color for hub.	TA01-0216	\$47.70									
Glides  Stem Base Disc TA01-0215 Description <table><tr><th>Description</th><th>Number</th><th>Price</th></tr><tr><td>Painted Stem</td><td>TA01-0215</td><td>\$166.01</td></tr><tr><td>Polished Stem</td><td>TA01-0223</td><td>\$166.01</td></tr></table> Features - Includes 4 adjustable glides. - Glides have 0.5" (13mm) height adjustment. - Glides stems are either painted (specify paint trim color) or polished aluminum. - Glide base disc is available in light platinum, fog or black (specify trim color). - Field installed. Specification Tips - Glides are for use with Planes C-Leg and Y-Leg Training Tables and carts. - Casters and glides are field interchangeable. To Order, Specify: 1) Product number. 2) Stem trim color (for painted Glide). 3) Base Disc trim color.	Description	Number	Price	Painted Stem	TA01-0215	\$166.01	Polished Stem	TA01-0223	\$166.01		
Description	Number	Price									
Painted Stem	TA01-0215	\$166.01									
Polished Stem	TA01-0223	\$166.01									

Planes Training Tables — Accessories


	Number	Price
Wire Manager Clips	TA01-0225	\$31.30
	Features - Includes ten wire manager clips and screws. - Standard in black. - Field installed. Specification Tip - Specify for cord management as needed.	To Order, Specify: Product number. (No finish specification required.)
TA01-0225 Class TA1 – SIN 33721; Discount Group X		
Vertical Wire Manager	Length	Number
	16"(406mm)	TA01-0228-F
	Features - Includes one plastic wire manager. - Standard in black. - Field installed. Specification Tip - For use on Planes C-Leg Training Tables for wire management. - Snaps into top portion of C-leg base.	To Order, Specify: Product number. (No finish specification required.)
TA01-0228 Class TA1 – SIN 33721; Discount Group X		
Grommet	Top Thickness	Number
	1.18"(30mm)	WQAG-0303-PS
	Features - Includes one 3"(76mm) diameter grommet with cover. - Requires 2.75"(70mm) diameter field drilled hole. - Field installed.	To Order, Specify: - Product number. - Trim color.
WQAG-PS Class PT – SIN 33721; Discount Group IX		

Planes Carts — Small Media

Cart – Small Media – Laminate	Height	Depth	Width	Number	1 2		Laminate A	B
	Laminate							
 GAKF-1919	29”(737mm)	22”(559mm)	22.5”(572mm)	GAKF-1919-LJ	SN	4	\$1641.03	\$1730.43
	Features - Includes cart with one door, shelf and hardware. - Laminate with 1mm edgeband. - Rails are aluminum and available in metallic trim colors only. - Cart top has overhang with 22”(559mm) x 22.5”(572mm) usable top surface. - Standard with one adjustable shelf – 1”(25mm) increments. - Cart door has touch latch with locking option. - Optional locks are available in black or chrome. - For lock options refer to Lock Program Price List. - Optional casters or glides are field interchangeable: –Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread. - Optional glides (four) are available in light platinum, fog or black with 0.5”(13mm) height adjustment. –Glide stem is painted to match base; glide base disc color must be specified. - Cart interior dimensions: 17.38”(411mm) W x 21.62”(549mm) H x 16.88”(429mm) D - Cart door opening: 16.5”(419mm) W x 21.62”(549mm) H - Ships assembled. To Order, Specify: 1) Product number, including: 1 Door Locking Option: N Non-locking A Locking, add \$86.19 list 2 Base Option: C Caster G Glide 2) Laminate surface color. 3) Edge trim color. 4) Rail trim color. (Metallic and accent trim colors only.) 5) Caster/Glide base disc trim color: Black – TR-F Fog – TR-7 Light Platinum – TR-LPL 6) Lock plug trim color. Black – LR-BL Chrome – LR-BP							

Planes Carts — Medium Media

	Height	Depth	Width	Number	①②	Laminate A	B
Cart – Medium Media – Laminate	Laminate						
	36"(914mm)	19"(483mm)	19"(483mm)	GAKE-1919-LJ	SN ■ ■ 6	\$2244.46	\$2333.86



GAKE-1919

Features

- Includes cart with four doors and hardware.
- Laminate with 1mm edgeband.
- Standard with dual handles.
- Rails and handles are aluminum and available in metallic trim colors only.
- Cart standard with 2.75"(70mm) diameter bottom cutout for wire access to floor. Optional grommet separately specified for field retrofitting.
- Cart door configuration:
 - 6.38"(162mm) high upper touch latch flap door in front and back that folds down flat to allow air flow and is standard with locking option
 - 21.75"(552mm) lower touch latch door in front and back with locking option with adjustable shelf in 1"(25mm) increments
- 4"(101mm) deep full-height enclosure in front for power and cable management.
- Optional locks are available in black or chrome.
- For lock options refer to Lock Program Price List.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
 - Light platinum or fog hub with graphite tread, or
 - black hub with black tread.
 - Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted to match base; glide base disc color must be specified.
- Glides are light platinum with 0.5"(13mm) height adjustment.
- Ships assembled.

To Order, Specify:

- 1) Product number, including:

① Door Locking Option:

- N** Non-locking
- A** Locking, add **\$86.19** list

② Base Option:

- C** Caster
- G** Glide

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Rail trim color.
(Metallic and accent trim colors only.)
- 5) Caster/Glide base disc trim color:
 - Black – TR-F
 - Fog – TR-7
 - Light Platinum – TR-LPL
- 6) Lock plug trim color.
 - Black – LR-BL
 - Chrome – LR-BP

Specification Tip

The following Planes products are separately specified:

–Grommet

Planes Carts – Catering

	Height	Depth	Width	Number	①	Laminate A	B
Cart – Catering – Laminate	36”(914mm)	19”(483mm)	35.25”(895mm)	GAKG-1935-LJ	SNN	6	\$1985.83 \$2075.23



GAKG-1935


- Features**
- Includes cart, shelf and shelf hardware.
 - Laminate with 1mm edgeband.
 - Standard with dual handles.
 - Rails and handles are aluminum and available in metallic trim colors only.
 - Standard with center adjustable shelf; 3.5”(89mm) increments.
 - Each cart end has upper and lower open stationary shelves with shelf rails to accommodate beverage containers.
 - Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
 - Optional glides (four) are available in light platinum, fog or black with 0.5”(13mm) height adjustment.
 - Glide stem is painted to match base; glide base disc color must be specified.
 - Ships assembled.

- To Order, Specify:**
- 1) Product number, including:
- ① Base Option:**
- C







Caster
- G

Glide
- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Rail and handles trim color.
(Metallic and accent trim colors only.)
- 5) Caster/Glide base disc trim color:
Black – TR-F
Fog – TR-7
Light Platinum – TR-LPL

Planes Cart – Podium

	Height	Depth	Width	Number	①②	Laminate A	B
Cart – Podium – Laminate	Laminate						
	46”(1168mm)	22.25”(565mm)	22.5”(572mm)	GAKD-1919-LJ	SN ■ ■ 9	\$2763.26	\$2852.66
 GAJD-1919	Features • Includes podium, shelf and hardware. • Laminate with 1mm edgeband. • Podium sloping top is 22.5”(572mm) wide x 16.38”(416mm) deep with paper ledge. • Rails are aluminum and available in metallic trim colors only. • Optional casters or glides are field interchangeable: –Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread. • Optional glides (four) are available in light platinum, fog or black with 0.5”(13mm) height adjustment. –Glide stem is painted to match base; glide base disc color must be specified. • Podium doors are touch latch and available as all locking or all non-locking. • Optional locks are available in black or chrome • For lock options refer to Lock Program Price List. • Podium user side has open shelf, lower storage with lockable touch latch door and one adjustable shelf. • Podium back has touch latch, lockable full height door with full-height enclosure for power and cable management. • Podium bottom has 2.75”(70mm) cutout for wire access to floor. Optional grommet can be ordered separately for field installation. • Ships assembled.						
	Specification Tip The following Planes products are separately specified: –Grommet						
To Order, Specify: 1) Product number, including: ① Door Locking Option: N Non-locking, all A Locking, add \$86.19 list ② Base Option: C Caster G Glide 2) Laminate surface color. 3) Edge trim color. 4) Rail trim color. (Metallic and accent trim colors only.) 5) Caster/Glide base disc trim color: Black – TR-F Fog – TR-7 Light Platinum – TR-LPL 6) Lock plug trim color. Black – LR-BL Chrome – LR-BP							

Planes Credenza Bases – 19” High

	Overall Height*	Depth	Width	Number	①	Laminate A	B	Wood Group A	Group B
Credenza Base – 19”(483mm) High – Laminate or Wood (19” high)       GAC1	Laminate								
	19”(483mm)	20”(508mm)	36”(914mm)	GAC1-2036-LNSN	G2	\$1465.44	\$1554.84		
			48”(1219mm)	GAC1-2048-LNSN	G2	1944.32	2081.64		
			54”(1372mm)	GAC1-2054-LNSN	G2	2183.76	2345.04		
			72”(1829mm)	GAC1-2072-LNSN	G2	2902.08	3135.24		
			96”(2438mm)	GAC1-2096-LNSN	G2	3859.84	4188.84		
			108”(2743mm)	GAC1-20A8-LNSN	G2	4338.72	4715.64		
	Wood								
	19”(483mm)	20”(508mm)	36”(914mm)	GAC1-2036-WNSN	G2			\$2479.13	\$2541.90
			48”(1219mm)	GAC1-2048-WNSN	G2			3293.23	3407.12
			54”(1372mm)	GAC1-2054-WNSN	G2			3700.28	3839.73
			72”(1829mm)	GAC1-2072-WNSN	G2			4921.43	5137.56
			96”(2438mm)	GAC1-2096-WNSN	G2			6549.63	6868.00
		108”(2743mm)	GAC1-20A8-WNSN	G2			7363.73	7733.22	
Features • Includes 19”(483mm) high base cabinet with one or more shelves, doors, legs and hardware. • Credenza top is ordered separately. • Laminate with 1mm edgeband or wood veneer with wood 1mm edgeband. • Wood door fronts are matched veneer. • 1/8”(3mm) reveal between credenza top and base • Credenza base available in standard core. • Cabinet doors have touch latches. • Optional locks are available in Black or Chrome. • For lock options refer to Lock Program Price List. • Leg is 2.25”(57mm) high painted aluminum. • Available with black glides only; 1.5”(38mm) height adjustment. • Includes one adjustable shelf per cabinet with 1.25”(32mm) adjustment increments. –36”(914mm) wide has two doors and four legs –48”(1219mm) wide has three doors and four legs –54”(1372mm) wide has three doors and four legs –72”(1829mm) wide has four doors and six legs –96”(2438mm) wide has six doors and eight legs –108”(2743mm) wide has six doors and eight legs • Ships unassembled.									
To Order, Specify: 1) Product number, including: ① Locking Option: N Non-locking A All locking, add \$86.19 list 2) Laminate surface color or wood finish color. 3) Edge trim color for laminate. 4) Leg trim color. 5) Lock plug trim color. Black – LR-BL Chrome – LR-BP Note: \$59.46 upcharge (list) for Metallic trim colors.									

Specification Tips

- Must order a 1.18”(30mm) thick credenza top separately.
 - Grommets are ordered separately and requires field cutting and installation.
- * Overall height includes credenza base, legs, reveal and separately specified credenza top.







To Order, Specify:

- 1) Product number, including:
- ① Locking Option:
- N

Non-locking
- A

All locking, add \$86.19 list
- 2) Laminate surface color or wood finish color.
- 3) Edge trim color for laminate.
- 4) Leg trim color.
- 5) Lock plug trim color.
Black – LR-BL
Chrome – LR-BP
- Note:** \$59.46 upcharge (list) for Metallic trim colors.

Planes Credenza Base with Slider Unit – 29" High







	Overall Height*	Depth	Width	Number	①	Glass A	C	F	Translucent
Credenza Base – 29" (737mm) High with Slider Unit – Laminate or Wood (29" high)       GAC2	Laminate – Grade A								
	29" (737mm)	20" (508mm)	36" (914mm)	GAC2-2036-LGSN	G4	\$ 2262.01	\$ 2853.67	\$ 3120.82	\$ 2523.82
			48" (1219mm)	GAC2-2048-LGSN	G4	3011.67	3800.65	4156.78	3359.72
			54" (1372mm)	GAC2-2054-LGSN	G4	3386.50	4274.14	4674.76	3777.67
			72" (1829mm)	GAC2-2072-LGSN	G4	4510.99	5694.61	6228.70	5031.52
			96" (2438mm)	GAC2-2096-LGSN	G4	6010.31	7588.57	8300.62	6703.32
			108" (2743mm)	GAC2-20A8-LGSN	G4	6759.97	8535.55	9336.58	7539.22
	Laminate – Grade B								
	29" (737mm)	20" (508mm)	36" (914mm)	GAC2-2036-LGSN	G4	\$ 2444.00	\$ 3035.66	\$ 3302.81	\$ 2705.81
			48" (1219mm)	GAC2-2048-LGSN	G4	3253.70	4042.68	4398.81	3601.75
			54" (1372mm)	GAC2-2054-LGSN	G4	3658.55	4546.19	4946.81	4049.72
			72" (1829mm)	GAC2-2072-LGSN	G4	4873.10	6056.72	6590.81	5393.63
			96" (2438mm)	GAC2-2096-LGSN	G4	6492.50	8070.76	8782.81	7185.51
			108" (2743mm)	GAC2-20A8-LGSN	G4	7302.20	9077.78	9878.81	8081.45
	Wood Group A								
	29" (737mm)	20" (508mm)	36" (914mm)	GAC2-2036-WGSN	G4	\$ 4011.62	\$ 4603.28	\$ 4870.43	\$ 4273.43
			48" (1219mm)	GAC2-2048-WGSN	G4	5236.98	6025.96	6382.09	5585.03
			54" (1372mm)	GAC2-2054-WGSN	G4	5849.66	6737.30	7137.92	6240.83
			72" (1829mm)	GAC2-2072-WGSN	G4	7687.70	8871.32	9405.41	8208.23
			96" (2438mm)	GAC2-2096-WGSN	G4	10138.42	11716.68	12428.73	10831.43
			108" (2743mm)	GAC2-20A8-WGSN	G4	11363.78	13139.36	13940.39	12143.03
	Wood Group B								
	29" (737mm)	20" (508mm)	36" (914mm)	GAC2-2036-WGSN	G4	\$ 4116.99	\$ 4708.65	\$ 4975.80	\$ 4378.80
			48" (1219mm)	GAC2-2048-WGSN	G4	5370.79	6159.77	6515.90	5718.84
			54" (1372mm)	GAC2-2054-WGSN	G4	5997.69	6885.33	7285.95	6388.86
			72" (1829mm)	GAC2-2072-WGSN	G4	7878.39	9062.01	9596.10	8398.92
			96" (2438mm)	GAC2-2096-WGSN	G4	10385.99	11964.25	12676.30	11079.00
			108" (2743mm)	GAC2-20A8-WGSN	G4	11639.79	13415.37	14216.40	12419.04
Features - Includes 19" (483mm) high base cabinet with one shelf, doors, legs and 10" (254mm) high upper slider unit with glass or translucent slider doors, pulls and hardware. Credenza top is ordered separately. - Laminate with 1mm edgeband or wood veneer with 1mm wood edgeband. - Wood grain on door fronts of the base unit will be matched, while side panels of the base unit and slider may not have matching wood grain. 1/8" (3mm) reveal between base and slider unit and between slider unit and credenza top. - Available in standard core. - Cabinet doors have touch latches. - Slider unit doors are glass or translucent with painted aluminum bar pulls. - Optional locks are available in black or chrome. - For lock options refer to Lock Program Price List. - Leg is 2.25" (57mm) high painted metal. - Available with black glides only; 1.5" (38mm) height adjustment. - Cabinet includes one adjustable shelf per cabinet with 1.25" (32mm) adjustment increments. –36" (914mm) wide has two doors and four legs –48" (1219mm) wide has three doors and four legs –54" (1372mm) wide has three doors and four legs –72" (1829mm) wide has four doors and six legs –96" (2438mm) wide has six doors and eight legs –108" (2743mm) wide has six doors and eight legs - Ships unassembled.									
To Order, Specify: - Product number, including: ① Locking Option: N Non-locking A All locking, add \$172.42 list L Slider unit locking only, add \$86.19 list - Laminate surface color or wood finish color. - Edge trim color for laminate. - Leg and slider pull trim color. - Slider unit glass/translucent door. - Lock plug trim color. - Black – LR-BL - Chrome – LR-BP Note: \$59.46 upcharge (list) for Metallic trim colors.									

Specification Tip

- Must order a 1.18" (30mm) thick credenza top separately.**

* Overall height includes credenza base, legs, reveal, slider unit and separately specified credenza top.

Planes Credenza Base with Slider Unit — 35" High

	Overall Height*	Depth	Width	Number	①	Glass A	C	F	Translucent
Credenza Base – 35" (889mm) High with Slider Unit – Laminate or Wood (35" high) 36" 48" 54" 72" 96" 108" GAC2	Laminate – Grade A								
	35" (889mm)	20" (508mm)	36" (914mm)	GAC2-2036-LGSN	G6	\$ 2715.38	\$ 3307.04	\$ 3574.19	\$ 2977.19
			48" (1219mm)	GAC2-2048-LGSN	G6	3611.90	4400.88	4757.01	3959.95
			54" (1372mm)	GAC2-2054-LGSN	G6	4060.16	4947.80	5348.42	4451.33
			72" (1829mm)	GAC2-2072-LGSN	G6	5404.94	6588.56	7122.65	5925.47
			96" (2438mm)	GAC2-2096-LGSN	G6	7197.98	8776.24	9488.29	7890.99
			108" (2743mm)	GAC2-20A8-LGSN	G6	8094.50	9870.08	10671.11	8873.75
	Laminate – Grade B								
	35" (889mm)	20" (508mm)	36" (914mm)	GAC2-2036-LGSN	G6	\$ 2897.37	\$ 3489.03	\$ 0.00	\$ 3159.18
			48" (1219mm)	GAC2-2048-LGSN	G6	3853.93	4642.91	4999.04	4201.98
			54" (1372mm)	GAC2-2054-LGSN	G6	4332.21	5219.85	5620.47	4723.38
			72" (1829mm)	GAC2-2072-LGSN	G6	5767.05	6950.67	7484.76	6287.58
			96" (2438mm)	GAC2-2096-LGSN	G6	7680.17	9258.43	9970.48	8373.18
			108" (2743mm)	GAC2-20A8-LGSN	G6	8636.73	10412.31	11213.34	9415.98
	Wood Group A								
	35" (889mm)	20" (508mm)	36" (914mm)	GAC2-2036-WGSN	G6	\$ 4464.99	\$ 5056.65	\$ 5323.80	\$ 4726.80
			48" (1219mm)	GAC2-2048-WGSN	G6	5837.21	6626.19	6982.32	6185.26
			54" (1372mm)	GAC2-2054-WGSN	G6	6523.32	7410.96	7811.58	6914.49
			72" (1829mm)	GAC2-2072-WGSN	G6	8581.65	9765.27	10299.36	9102.18
			96" (2438mm)	GAC2-2096-WGSN	G6	11326.09	12904.35	13616.40	12019.10
			108" (2743mm)	GAC2-20A8-WGSN	G6	12698.31	14473.89	15274.92	13477.56
	Wood Group B								
	35" (889mm)	20" (508mm)	36" (914mm)	GAC2-2036-WGSN	G6	\$ 4570.36	\$ 5162.02	\$ 5429.17	\$ 4832.17
			48" (1219mm)	GAC2-2048-WGSN	G6	5971.02	6760.00	7116.13	6319.07
			54" (1372mm)	GAC2-2054-WGSN	G6	6671.35	7558.99	7959.61	7062.52
			72" (1829mm)	GAC2-2072-WGSN	G6	8772.34	9955.96	10490.05	9292.87
			96" (2438mm)	GAC2-2096-WGSN	G6	11573.66	13151.92	13863.97	12266.67
			108" (2743mm)	GAC2-20A8-WGSN	G6	12974.32	14749.90	15550.93	13753.57
Features									
- Includes 19" (483mm) high base cabinet with one shelf, doors, legs and 16" (406mm) high upper slider unit with one shelf, glass or acrylic slider doors, door tracks, pulls and hardware. Credenza top is ordered separately. - Laminate with 1mm edgeband or wood veneer with 1mm wood edgeband. - Wood grain on door fronts of the base unit will be matched, while side panels of the base unit and slider may not have matching wood grain. 0.125" (3mm) reveal between base and slider unit and between slider unit and credenza top. - Credenza available in standard core. - Cabinet doors have touch latches. - Slider unit doors are glass or translucent with painted aluminum bar pulls. - Optional locks are available in black or chrome. - For lock options refer to Lock Program Price List. - Leg is 2.25" (57mm) high painted metal. - Available with Black glides only; 1.5" (38mm) height adjustment. - Slider unit includes one adjustable shelf per unit with 1.25" (32mm) adjustment increments. - Cabinet includes one adjustable shelf per cabinet with 1.25" (32mm) adjustment increments. –36" (914mm) wide has two doors and four legs –48" (1219mm) wide has three doors and four legs –54" (1372mm) wide has three doors and four legs –72" (1829mm) wide has four doors and six legs –96" (2438mm) wide has six doors and eight legs –108" (2743mm) wide has six doors and eight legs - Ships unassembled.									

Specification Tip

- Must order a 1.18" (30mm) thick credenza top separately.

* Overall height includes credenza base legs, reveal, slider unit and credenza top.

To Order, Specify:

- 1) Product number, including:


① Locking Option:

- N Non-locking
- A All locking, add \$172.42 list
- L Slider unit locking only, add \$86.19 list







- 2) Laminate surface color or wood finish color.
- 3) Edge trim color for laminate.
- 4) Leg and slider door pull trim color.
- 5) Slider unit glass/translucent door.
- 6) Lock plug trim color.
Black – LR-BL
Chrome – LR-BP

Note: \$59.46 upcharge (list) for Metallic trim colors.

Planes Credenza Base – 29" High

	Overall Height*	Depth	Width	Number	①	Laminate A	B	Wood Group A	Group B
Credenza Base – 29" (737mm) High – Laminate or Wood									
 36" 48" 54" 72" 96" 108" GAC1	Laminate								
	29" (737mm)	20" (508mm)	36" (914mm)	GAC1-2036-LNSN	G4	\$1953.60	\$2043.00		
			48" (1219mm)	GAC1-2048-LNSN	G4	2608.76	2746.08		
			54" (1372mm)	GAC1-2054-LNSN	G4	2929.56	3090.84		
			72" (1829mm)	GAC1-2072-LNSN	G4	3878.40	4111.56		
			96" (2438mm)	GAC1-2096-LNSN	G4	5175.16	5504.16		
			108" (2743mm)	GAC1-20A8-LNSN	G4	5816.76	6193.68		
Wood									
	29" (737mm)	20" (508mm)	36" (914mm)	GAC1-2036-WNSN	G4			\$2967.29	\$3030.06
			48" (1219mm)	GAC1-2048-WNSN	G4			3957.67	4071.56
			54" (1372mm)	GAC1-2054-WNSN	G4			4446.08	4585.53
			72" (1829mm)	GAC1-2072-WNSN	G4			5897.75	6113.88
			96" (2438mm)	GAC1-2096-WNSN	G4			7864.95	8183.32
			108" (2743mm)	GAC1-20A8-WNSN	G4			8841.77	9211.26
Features - Includes 29" (737mm) high base cabinet with two shelves, doors, legs and hardware. Credenza top is ordered separately. - Laminate with 1mm edgeband or wood veneer with 1mm wood edgeband. - Wood door fronts are matched veneer. 0.125" (3mm) reveal between base unit and credenza top. - Credenza available in standard core. - Cabinet doors have touch latches. - Optional locks are available in black or chrome. - For lock options refer to Lock Program Price List. - Leg is 2.25" (57mm) high painted metal. - Available with black glides only; 1.5" (38mm) height adjustment. - Includes one adjustable shelf per cabinet with 0.25" (6mm) adjustment increments. –36" (914mm) wide has two doors and four legs –48" (1219mm) wide has three doors and four legs –54" (1372mm) wide has three doors and four legs –72" (1829mm) wide has four doors and six legs –96" (2438mm) wide has six doors and eight legs –108" (2743mm) wide has six doors and eight legs - Ships unassembled.									
Specification Tips Must order a 1.18" (30mm) thick credenza top separately. - Grommets are ordered separately and requires field cutting and installation. * Overall height includes credenza base legs, reveal, slider unit and separately specified credenza top.									
To Order, Specify: - Product number, including: ① Locking Option: N Non-locking A All locking, add \$86.19 list - Laminate surface color or wood finish color. - Edge trim color for laminate. - Leg trim color. - Lock plug trim color. - Black – LR-BL - Chrome – LR-BP Note: \$59.46 upcharge (list) for Metallic trim colors.									

Planes Credenza Base with Slider Unit — 39" High

	Overall Height*	Depth	Width	Number	①	Glass A	C	F	Translucent
Credenza Base – 39”(991mm) High with Slider Unit – Laminate or Wood (39” high)  36”  48”  54”  72”  96”  108” GAC2	Laminate – Grade A								
	39”(991mm)	20”(508mm)	36”(914mm)	GAC2-2036-LGSN	G7	\$ 2737.73	\$ 3329.39	\$ 3596.54	\$ 2999.54
			48”(1219mm)	GAC2-2048-LGSN	G7	3646.03	4435.01	4791.14	3994.08
			54”(1372mm)	GAC2-2054-LGSN	G7	4100.18	4987.82	5388.44	4491.35
			72”(1829mm)	GAC2-2072-LGSN	G7	5462.63	6646.25	7180.34	5983.16
			96”(2438mm)	GAC2-2096-LGSN	G7	7279.23	8857.49	9569.54	7972.24
			108”(2743mm)	GAC2-20A8-LGSN	G7	8187.53	9963.11	10764.14	8966.78
	Laminate – Grade B								
	39”(991mm)	20”(508mm)	36”(914mm)	GAC2-2036-LGSN	G7	\$ 2919.72	\$ 3511.38	\$ 3778.53	\$ 3181.53
			48”(1219mm)	GAC2-2048-LGSN	G7	3888.06	4677.04	5033.17	4236.11
			54”(1372mm)	GAC2-2054-LGSN	G7	4372.23	5259.87	5660.49	4763.40
			72”(1829mm)	GAC2-2072-LGSN	G7	5824.74	7008.36	7542.45	6345.27
			96”(2438mm)	GAC2-2096-LGSN	G7	7761.42	9339.68	10051.73	8454.43
			108”(2743mm)	GAC2-20A8-LGSN	G7	8729.76	10505.34	11306.37	9509.01
	Wood Group A								
	39”(991mm)	20”(508mm)	36”(914mm)	GAC2-2036-WGSN	G7	\$ 4487.34	\$ 5079.00	\$ 5346.15	\$ 4749.15
			48”(1219mm)	GAC2-2048-WGSN	G7	5871.34	6660.32	7016.45	6219.39
			54”(1372mm)	GAC2-2054-WGSN	G7	6563.34	7450.98	7851.60	6954.51
			72”(1829mm)	GAC2-2072-WGSN	G7	8639.34	9822.96	10357.05	9159.87
			96”(2438mm)	GAC2-2096-WGSN	G7	11407.34	12985.60	13697.65	12100.35
			108”(2743mm)	GAC2-20A8-WGSN	G7	12791.34	14566.92	15367.95	13570.59
	Wood Group B								
	39”(991mm)	20”(508mm)	36”(914mm)	GAC2-2036-WGSN	G7	\$ 4592.71	\$ 5184.37	\$ 5451.52	\$ 4854.52
			48”(1219mm)	GAC2-2048-WGSN	G7	6005.15	6794.13	7150.26	6353.20
			54”(1372mm)	GAC2-2054-WGSN	G7	6711.37	7599.01	7999.63	7102.54
			72”(1829mm)	GAC2-2072-WGSN	G7	8830.03	10013.65	10547.74	9350.56
			96”(2438mm)	GAC2-2096-WGSN	G7	11654.91	13233.17	13945.22	12347.92
			108”(2743mm)	GAC2-20A8-WGSN	G7	13067.35	14842.93	15643.96	13846.60
Features									
- Includes 29”(737mm) high base cabinet with two shelves, doors, legs and 10”(254mm) high upper slider unit with glass or acrylic slider doors, pulls and hardware. - Credenza top is ordered separately. - Laminate with 1mm edgeband or wood veneer with 1mm wood edgeband. - Wood grain on door fronts of the base unit will be matched, while side panels of the base unit and slider may not have matching wood grain. 0.125”(3mm) reveal between base and slider unit and between slider unit and credenza top. - Credenza available in standard core. - Cabinet doors have touch latches. - Slider unit doors are glass or translucent with painted aluminum bar pulls. - Optional locks are available in black or chrome. - For lock options refer to Lock Program Price List. - Leg is 2.25”(57mm) high painted metal. - Available with black glides only; 1.5”(38mm) height adjustment. - Cabinet includes one adjustable shelf per cabinet with 0.25”(6mm) adjustment increments. –36”(914mm) wide has two doors and four legs –48”(1219mm) wide has three doors and four legs –54”(1372mm) wide has three doors and four legs –72”(1829mm) wide has four doors and six legs –96”(2438mm) wide has six doors and eight legs –108”(2743mm) wide has six doors and eight legs - Ships unassembled.									
To Order, Specify:									
1) Product number, including:									
① Locking Option:									
N Non-locking A All locking, add \$172.42 list L Slider unit locking only, add \$86.19 list									
2) Laminate surface color or wood finish color.									
3) Edge trim color for laminate.									
4) Leg and slider pull trim color.									
5) Slider unit glass/translucent door.									
6) Lock plug trim color. Black – LR-BL Chrome – LR-BP									
Note: \$59.46 upcharge (list) for Metallic trim colors.									

Specification Tip

- Must order a 1.18”(30mm) thick credenza top separately.

* Overall height includes credenza base legs, reveal, slider unit and separately specified credenza top.

To Order, Specify:

1) Product number, including:

① Locking Option:

N

Non-locking

A

All locking, add \$172.42 list

L

Slider unit locking only, add \$86.19 list

2) Laminate surface color or wood finish color.

3) Edge trim color for laminate.


4) Leg and slider pull trim color.

5) Slider unit glass/translucent door.

6) Lock plug trim color.
Black – LR-BL
Chrome – LR-BP

Note: \$59.46 upcharge (list) for Metallic trim colors.

Planes Credenza Base with Slider Unit — 45" High


	Overall Height*	Depth	Width	Number	①	Glass A	C	F	Translucent
Credenza Base – 45" (1143mm) High with Slider Unit – Laminate or Wood (45" high) 	Laminate – Grade A								
	45" (1143mm)	20" (508mm)	36" (914mm)	GAC2-2036-LGSN	G9	\$ 3184.71	\$ 3776.37	\$ 4043.52	\$ 3446.52
			48" (1219mm)	GAC2-2048-LGSN	G9	4240.25	5029.23	5385.36	4588.30
			54" (1372mm)	GAC2-2054-LGSN	G9	4768.02	5655.66	6056.28	5159.19
			72" (1829mm)	GAC2-2072-LGSN	G9	6351.33	7534.95	8069.04	6871.86
			96" (2438mm)	GAC2-2096-LGSN	G9	8462.41	10040.67	10752.72	9155.42
			108" (2743mm)	GAC2-20A8-LGSN	G9	9517.95	11293.53	12094.56	10297.20
	Laminate – Grade B								
	45" (1143mm)	20" (508mm)	36" (914mm)	GAC2-2036-LGSN	G9	\$ 3366.70	\$ 3958.36	\$ 4225.51	\$ 3628.51
			48" (1219mm)	GAC2-2048-LGSN	G9	4482.28	5271.26	5627.39	4830.33
			54" (1372mm)	GAC2-2054-LGSN	G9	5040.07	5927.71	6328.33	5431.24
			72" (1829mm)	GAC2-2072-LGSN	G9	6713.44	7897.06	8431.15	7233.97
			96" (2438mm)	GAC2-2096-LGSN	G9	8944.60	10522.86	11234.91	9637.61
			108" (2743mm)	GAC2-20A8-LGSN	G9	10060.18	11835.76	12636.79	10839.43
	Wood Group A								
	45" (1143mm)	20" (508mm)	36" (914mm)	GAC2-2036-WGSN	G9	\$ 4934.32	\$ 5525.98	\$ 5793.13	\$ 5196.13
			48" (1219mm)	GAC2-2048-WGSN	G9	6465.56	7254.54	7610.67	6813.61
			54" (1372mm)	GAC2-2054-WGSN	G9	7231.18	8118.82	8519.44	7622.35
			72" (1829mm)	GAC2-2072-WGSN	G9	9528.04	10711.66	11245.75	10048.57
			96" (2438mm)	GAC2-2096-WGSN	G9	12590.52	14168.78	14880.83	13283.53
			108" (2743mm)	GAC2-20A8-WGSN	G9	14121.76	15897.34	16698.37	14901.01
	Wood Group B								
	45" (1143mm)	20" (508mm)	36" (914mm)	GAC2-2036-WGSN	G9	\$ 5039.69	\$ 5631.35	\$ 5898.50	\$ 5301.50
			48" (1219mm)	GAC2-2048-WGSN	G9	6599.37	7388.35	7744.48	6947.42
			54" (1372mm)	GAC2-2054-WGSN	G9	7379.21	8266.85	8667.47	7770.38
			72" (1829mm)	GAC2-2072-WGSN	G9	9718.73	10902.35	11436.44	10239.26
			96" (2438mm)	GAC2-2096-WGSN	G9	12838.09	14416.35	15128.40	13531.10
			108" (2743mm)	GAC2-20A8-WGSN	G9	14397.77	16173.35	16974.38	15177.02
Features - Includes 29" (737mm) high base cabinet with two shelves, doors, legs and 16" (406mm) high upper slider unit with one shelf, glass or translucent slider doors, pulls and hardware. Credenza top is ordered separately. - Laminate with 1mm edgeband or wood veneer with 1mm wood edgeband. - Wood grain on door fronts of the base unit will be matched, while side panels of the base unit and slider may not have matching wood grain. 0.125" (3mm) reveal between base and slider unit and between slider unit and credenza top. - Credenza available in standard core. - Cabinet doors have touch latches. - Slider unit doors are glass or translucent with painted aluminum bar pulls. - Optional locks are available in black or chrome. - Lock plugs and keys are shipped with random numbering unless specified as keyed-alike or master-keyed. - Leg is 2.25" (57mm) high painted metal. - Available with black glides only; 1.5" (38mm) height adjustment. - Slider unit includes one adjustable shelf per unit. - Cabinet includes one adjustable shelf per cabinet with 1.25" (32mm) adjustment increments. –36" (914mm) wide has two doors and four legs –48" (1219mm) wide has three doors and four legs –54" (1372mm) wide has three doors and four legs –72" (1829mm) wide has four doors and six legs –96" (2438mm) wide has six doors and eight legs –108" (2743mm) wide has six doors and eight legs - Ships unassembled.									
To Order, Specify: - Product number, including: - Laminate surface color or wood finish color. - Edge trim color for laminate. - Leg and slider pull trim color. - Slider unit glass/translucent door. - Lock plug trim color. Black – LR-BL Chrome – LR-BP									
① Locking Option: N Non-locking A All locking, add \$172.42 list L Slider unit locking only, add \$86.19 list									
Note: \$59.46 upcharge (list) for Metallic trim color.									

Specification Tip

- Must order a 1.18" (30mm) thick credenza top separately.

* Overall height includes credenza base legs, reveal, slider unit and separately specified credenza top.


Planes Credenza Tops

Credenza Top – Laminate or Wood	Depth	Width	Number	Laminate A	B	Wood Group A	Group B
	Laminate						
 GACJ	20"(508mm)	36"(914mm)	GACJ-2036-LJSNNNN	\$ 389.52	\$ 478.92		
		48"(1219mm)	GACJ-2048-LJSNNNN	520.42	624.84		
		54"(1372mm)	GACJ-2054-LJSNNNN	585.87	697.80		
		72"(1829mm)	GACJ-2072-LJSNNNN	782.22	916.68		
		96"(2438mm)	GACJ-2096-LJSNNNN	1044.02	1208.52		
		108"(2743mm)	GACJ-20A8-LJSNNNN	1174.92	1354.44		
	Wood						
	20"(508mm)	36"(914mm)	GACJ-2036-WKSNNNN			\$ 625.79	\$ 639.77
		48"(1219mm)	GACJ-2048-WKSNNNN			833.33	859.55
		54"(1372mm)	GACJ-2054-WKSNNNN			937.10	969.44
		72"(1829mm)	GACJ-2072-WKSNNNN			1248.41	1299.11
		96"(2438mm)	GACJ-2096-WKSNNNN			1663.49	1738.67
		108"(2743mm)	GACJ-20A8-WKSNNNN			1871.03	1958.45
Features - Includes one 1.18"(30mm) thick credenza top and hardware for use on Planes credenza bases. - Laminate with 1mm edgeband or wood veneer with 1mm wood edgeband. - Credenza top available in standard core. - Top installs on credenza base with 0.25"(6mm) reveal.				To Order, Specify: - Product number. - Laminate surface color or wood finish color. - Edge trim color for laminate.			
Specification Tip Must be used with credenza base for finished aesthetic.							


Grommet	Top Thickness	Diameter	Number	Price
	0.75"(19mm)	2.75"(70mm)	TA01-0220	\$41.50
 TA01	Features - Includes one grommet. - Field installed into field cut opening.		To Order, Specify: - Product number. - Trim color.	
			Note: \$6.39 upcharge list for Metallic and accent trim colors.	

Planes Conference Tables — Interior Leg — Laminate


Round, Square, Rectangular



TARN



TARQ



TARA

Features

- Includes 1.18" (30mm) top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband or knife edges based upon shape.
- 3mm edgeband or knife edge not available on 42" (1067mm)-60" (1524mm) round tables.
- Table top seams are 1mm edgeband on two piece tops.
- Interior legs are painted aluminum.
- Interior leg is 1.125" (29mm) x 3.25" (83mm).
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Optional cable base can be specified for tables 36" (914mm) deep and deeper:
 - 36" (914mm) deep tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Two piece tops will include one cable base to be centered on seams under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Optional Cable Base may reduce number of legs shipped with product.
 - Refer to Specification Guide for use guidelines and details.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base not recommended for 30" (762mm) deep tables.
- Cable base for 36" (914mm) deep table is not compatible with Flip top Cutout Options (M) and (Q).
- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip top unit Cutout(s):

Cutout options **F, J, M, Q**:
 add **\$43.24** list for one-piece top;
 add **\$86.48** list for two-piece tops.

- N** None
- F** Center – single-sided/4 outlets
- J** Center – single-sided/6 outlets
- M** Center – double-sided/8 outlets
- Q** Center – double-sided/12 outlets

3 Cable Base Option:

- N** None
- C** Cable Base:
 add **\$869.14** list for 36" deep tables;
 add **\$916.53** list for 42" deep and deeper tables

- 2) Laminate surface color.
- 3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Base
- 7) Edge trim color – Cable Base

Note: **\$59.46** upcharge (list) for Metallic and accent trim colors.

Planes Conference Tables — Interior Leg — Laminate

Round, Square, Rectangular


No. of Pieces	No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	Laminate A		Laminate B	
									J	F	J	F
Round												
1	4	4	42”(1067mm)	42”(1067mm)	TARN-4242-L		S	JG4N	\$1009.62	\$1339.69	\$1099.43	\$1429.50
1	4	4	48”(1219mm)	48”(1219mm)	TARN-4848-L		S	JG4N	1253.58	1623.01	1370.09	1739.52
1	4	4	54”(1372mm)	54”(1372mm)	TARN-5454-L		S	JG4N	1528.82	1937.61	1675.59	2084.38
1	4	4	60”(1524mm)	60”(1524mm)	TARN-6060-L		S	JG4N	1835.34	2283.49	2015.93	2464.08
2	6	6	66”(1676mm)	66”(1676mm)	TARN-6666-L		S	JG4	\$2712.07	\$3292.98	\$2930.04	\$3510.95
2	6	6	72”(1829mm)	72”(1829mm)	TARN-7272-L		S	JG4	3183.80	3804.07	3442.71	4062.98
Square												
1	4	4	42”(1067mm)	42”(1067mm)	TARQ-4242-L		S	JG4N	\$1009.62	\$1339.69	\$1099.43	\$1429.50
1	4	4	48”(1219mm)	48”(1219mm)	TARQ-4848-L		S	JG4N	1253.58	1623.01	1370.09	1739.52
1	4	4	54”(1372mm)	54”(1372mm)	TARQ-5454-L		S	JG4N	1528.82	1937.61	1675.59	2084.38
1	4	8	60”(1524mm)	60”(1524mm)	TARQ-6060-L		S	JG4N	1835.34	2283.49	2015.93	2464.08
2	6	8	66”(1676mm)	66”(1676mm)	TARQ-6666-L		S	JG4	\$2712.07	\$3251.57	\$2930.04	\$3469.54
2	6	8	72”(1829mm)	72”(1829mm)	TARQ-7272-L		S	JG4	3183.80	3762.66	3442.71	4021.57
Rectangular												
1	4	4	30”(762mm)	60”(1524mm)	TARA-3060-L		S	JG4N	\$1078.84	\$1423.19	\$1169.55	\$1513.90
1	4	4		66”(1676mm)	TARA-3066-L		S	JG4N	1161.27	1524.94	1261.18	1624.85
1	6	4		72”(1829mm)	TARA-3072-L		S	JG4N	1243.70	1626.69	1352.81	1735.80
1	4	4	36”(914mm)	60”(1524mm)	TARA-3660-L		S	JG4	\$1240.22	\$1603.89	\$1349.33	\$1713.00
1	4	4		66”(1676mm)	TARA-3666-L		S	JG4	1338.44	1721.43	1458.59	1841.58
				72”(1829mm)	TARA-3672-L		S	JG4	1436.66	1838.97	1567.85	1970.16
1	4	4	42”(1067mm)	48”(1219mm)	TARA-4248-L		S	JG4	\$1173.58	\$1517.93	\$1275.33	\$1619.68
1	4	4		54”(1372mm)	TARA-4254-L		S	JG4	1287.59	1651.26	1402.22	1765.89
1	4	4		60”(1524mm)	TARA-4260-L		S	JG4	1401.60	1784.59	1529.11	1912.10
1	4	6		66”(1676mm)	TARA-4266-L		S	JG4	1515.61	1917.92	1656.00	2058.31
1	6	6		72”(1829mm)	TARA-4272-L		S	JG4	1629.62	2051.25	1782.89	2204.52
1	6	6		78”(1981mm)	TARA-4278-L		S	JG4	1743.63	2184.58	1909.78	2350.73
1	4	4	48”(1219mm)	54”(1372mm)	TARA-4854-L		S	JG4	\$1433.18	\$1816.17	\$1564.37	\$1947.36
1	4	4		60”(1524mm)	TARA-4860-L		S	JG4	1562.98	1965.29	1708.89	2111.20
1	4	6		66”(1676mm)	TARA-4866-L		S	JG4	1692.78	2114.41	1853.41	2275.04
1	6	6		72”(1829mm)	TARA-4872-L		S	JG4	1822.58	2263.53	1997.93	2438.88
1	6	8		78”(1981mm)	TARA-4878-L		S	JG4	1952.38	2412.65	2142.45	2602.72
1	4	4	54”(1372mm)	60”(1524mm)	TARA-5460-L		S	JG4	\$1724.36	\$2145.99	\$1888.67	\$2310.30
1	4	6		66”(1676mm)	TARA-5466-L		S	JG4	1869.95	2310.90	2050.82	2491.77
1	6	6		72”(1829mm)	TARA-5472-L		S	JG4	2015.54	2475.81	2212.97	2673.24
1	6	6		78”(1981mm)	TARA-5478-L		S	JG4	2161.13	2640.72	2375.12	2854.71
1	4	8	60”(1524mm)	66”(1676mm)	TARA-6066-L		S	JG4	\$2047.12	\$2507.39	\$2248.23	\$2708.50
1	6	8		72”(1829mm)	TARA-6072-L		S	JG4	2208.50	2688.09	2428.01	2907.60
1	6	8		78”(1981mm)	TARA-6078-L		S	JG4	2369.88	2868.79	2607.79	3106.70

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables — Interior Leg — Laminate

Half Round

No. of Pieces	No. of Legs	Depth	Width	Number ① ②	Laminate A		Laminate B	
					J	F	J	F
1	4	30"(762mm)	60"(1524mm)	TAHN-3060-L S JG4N	\$1069.44	\$1422.52	\$1159.70	\$1512.78
1	4	36"(914mm)	72"(1829mm)	TAHN-3672-L S JG4N	1424.08	1838.54	1553.72	1968.18



TAHN

Features

- Includes 1.18"(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or knife edges.
- Bases are painted aluminum.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base not recommended for half round tables.
- 3mm edgeband edge is recommended to allow a flat seam between tables.
- Width is meant to accommodate two 30"(762mm) or 36"(914mm) deep rectangular tables.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
- Refer to Specification Guide for leg locations.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

- J** Edgeband
- F** Knife

② Flip Top Unit Cutout(s):

- N** None
- F** Center – single sided/4 outlets, add **\$43.24** list
- J** Center – single-sided/6 outlets, add **\$43.24** list


- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.

Note: **\$59.46** upcharge (list) for Metallic and accent trim colors.

Planes Conference Tables — Interior Leg — Laminate

Polygon

No. of Pieces	No. of Legs	Depth	Width	Number ① ②	Laminate A		Laminate B	
					J	F	J	F
1	5	30"(762mm)	60"(1524mm)	TACV-3060-L S JG4N	\$1075.00	\$1419.71	\$1165.71	\$1510.42
1	5	36"(914mm)	72"(1829mm)	TACV-3672-L S JG4N	1431.99	1834.36	1563.18	1965.55




- Features**
- Includes 1.18"(30mm) thick top, interior leg bases and hardware.
 - Standard table height is 29"(737mm).
 - Laminate top with 3mm edgeband or knife edges.
 - Bases are painted aluminum.
 - Optional Flip Top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
 - Available with glides only; 0.5"(13mm) height adjustment.
 - Depth and width shown in nominal dimensions.
 - Ships unassembled.
- Specification Tips**
- Cable base not recommended for polygon table.
 - 3mm edgeband edge is recommended to allow a flat seam between tables.
 - Depth matches 30"(762mm) or 36"(914mm) deep rectangular tables.
 - The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire manager
 - Refer to Specification Guide for leg locations.

- To Order, Specify:**
- 1) Product number, including:
- ① Edge Option:**
- J** Edgeband
 - F** Knife
- ② Flip Top Unit Cutout(s):**
- N** None
 - F** Center – single-sided/4 outlets, add **\$43.24** list
 - J** Center – single-sided/6 outlets, add **\$43.24** list
- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.
- Note:** **\$59.46** upcharge (list) for Metallic and accent trim colors.

Planes Conference Tables — One-Piece Top — Interior Leg — Laminate

Rectangular



TARA

Features

- Includes 1.18" (30mm) thick top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband or knife edges based upon shape.
- Interior legs are painted aluminum.
- Interior leg is 1.125" (29mm) x 3.25" (83mm).
- Optional cable base can be specified for tables 36" (914mm) deep and deeper:
 - 36" (914mm) deep tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base for 36" (914mm) deep table is not compatible with Flip Top Cut Out Options (M) and (Q).
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$43.24** list
- V** Left/Right – single-sided/4 outlets, add **\$86.48** list
- J** Center – single-sided/6 outlets, add **\$43.24** list
- K** Left/Right – single-sided/6 outlets, add **\$86.48** list
- M** Center – double-sided/8 outlets, add **\$43.24** list
- P** Left/Right – double-sided/8 outlets, add **\$86.48** list
- Q** Center – double-sided/12 outlets, add **\$43.24** list
- T** Left/Right – double-sided/12 outlets, add **\$86.48** list

3 Cable Base Option:

- N** None
- C** Cable Base: add **\$869.14** list for 36" deep tables; add **\$916.53** list for 42" deep and deeper tables

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.

5) Laminate surface – Cable Base

6) Edge trim color – Cable Base

Note: **\$59.46** upcharge (list) for Metallic and accent trim colors.

Planes Conference Tables — One-Piece Top — Interior Leg — Laminate


Rectangular

No. of Pieces	Seating Capacity*	Depth	Width	Number ① ② ③	Laminate A		Laminate B	
					J	F	J	F
6	6	36"(914mm)	72"(1829mm)	TARA-3672-L S JG4	\$1436.66	\$1838.97	\$1567.85	\$1970.16
6	6		78"(1981mm)	TARA-3678-L S JG4	1534.88	1956.51	1677.11	2098.74
6	6		84"(2134mm)	TARA-3684-L S JG4	1633.10	2074.05	1786.37	2227.32
6	8		90"(2286mm)	TARA-3690-L S JG4	1731.32	2191.59	1895.63	2355.90
6	8		96"(2438mm)	TARA-3696-L S JG4	1829.54	2309.13	2004.89	2484.48
6	6	42"(1067mm)	84"(2134mm)	TARA-4284-L S JG4	\$1857.64	\$2317.91	\$2036.67	\$2496.94
6	8		90"(2286mm)	TARA-4290-L S JG4	1971.65	2451.24	2163.56	2643.15
6	8		96"(2438mm)	TARA-4296-L S JG4	2085.66	2584.57	2290.45	2789.36
6	8		102"(2591mm)	TARA-42A2-L S JG4	2199.67	2717.90	2417.34	2935.57
6	10		108"(2743mm)	TARA-42A8-L S JG4	2313.68	2851.23	2544.23	3081.78
6	10	48"(1291mm)	114"(2896mm)	TARA-42B4-L S JG4	2427.69	2984.56	2671.12	3227.99
6	10		120"(3048mm)	TARA-42C0-L S JG4	2541.70	3117.89	2798.01	3374.20
6	6		84"(2134mm)	TARA-4884-L S JG4	\$2082.18	\$2561.77	\$2286.97	\$2766.56
6	8		90"(2286mm)	TARA-4890-L S JG4	2211.98	2710.89	2431.49	2930.40
6	8		96"(2438mm)	TARA-4896-L S JG4	2341.78	2860.01	2576.01	3094.24
6	8	54"(1372mm)	102"(2591mm)	TARA-48A2-L S JG4	2471.58	3009.13	2720.53	3258.08
6	10		108"(2743mm)	TARA-48A8-L S JG4	2601.38	3158.25	2865.05	3421.92
6	10		114"(2896mm)	TARA-48B4-L S JG4	2731.18	3307.37	3009.57	3585.76
6	10		120"(3048mm)	TARA-48C0-L S JG4	2860.98	3456.49	3154.09	3749.60
6	8		84"(2134mm)	TARA-5484-L S JG4	\$2306.72	\$2805.63	\$2537.27	\$3036.18
6	10	60"(1524mm)	90"(2286mm)	TARA-5490-L S JG4	2452.31	2970.54	2699.42	3217.65
6	10		96"(2438mm)	TARA-5496-L S JG4	2597.90	3135.45	2861.57	3399.12
6	10		102"(2591mm)	TARA-54A2-L S JG4	2743.49	3300.36	3023.72	3580.59
6	10		108"(2743mm)	TARA-54A8-L S JG4	2889.08	3465.27	3185.87	3762.06
6	10		114"(2896mm)	TARA-54B4-L S JG4	3034.67	3630.18	3348.02	3943.53
6	10	60"(1524mm)	120"(3048mm)	TARA-54C0-L S JG4	3180.26	3795.09	3510.17	4125.00
6	10		84"(2134mm)	TARA-6084-L S JG4	\$2531.26	\$3049.49	\$2787.57	\$3305.80
6	10		90"(2286mm)	TARA-6090-L S JG4	2692.64	3230.19	2967.35	3504.90
6	10		96"(2438mm)	TARA-6096-L S JG4	2854.02	3410.89	3147.13	3704.00
6	10		102"(2591mm)	TARA-60A2-L S JG4	3015.40	3591.59	3326.91	3903.10
6	10	60"(1524mm)	108"(2743mm)	TARA-60A8-L S JG4	3176.78	3772.29	3506.69	4102.20
6	10		114"(2896mm)	TARA-60B4-L S JG4	3338.16	3952.99	3686.47	4301.30
6	10		120"(3048mm)	TARA-60C0-L S JG4	3499.54	4133.69	3866.25	4500.40

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables — One-Piece Top — Interior Leg — Laminate

Pebble



TARP

Features

- Includes 1.18"(30mm) thick top, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or knife edges.
- Top available in standard core.
- Interior legs are painted aluminum.
- Interior leg is 1.125"(29mm) x 3.25"(83mm).
- Optional cable base can be specified for tables 36"(914mm) deep and deeper:
 - 36"(914mm) deep tables will ship with 8"(203mm) x 14"(356mm) cable base.
 - 42"(1067mm) deep and deeper tables will ship with 14"(356mm) x 14"(356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base for 36"(914mm) deep table is not compatible with Flip Top Cut Out Options (M) and (Q).
- The following Planes products are separately specified:
 - Grommets (field cut grommet)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

① Edge Option:

- J** Edgeband
- F** Knife

② Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$43.24** list
- V** Left/Right – single-sided/4 outlets, add **\$86.48** list
- J** Center – single-sided/6 outlets, add **\$43.24** list
- K** Left/Right – single-sided/6 outlets, add **\$86.48** list
- M** Center – double-sided/8 outlets, add **\$43.24** list
- P** Left/Right – double-sided/8 outlets, add **\$86.48** list
- Q** Center – double-sided/12 outlets, add **\$43.24** list
- T** Left/Right – double-sided/12 outlets, add **\$86.48** list

③ Cable Base Option:

- N** None
- C** Cable Base: add **\$869.14** list for 36" deep tables; add **\$916.53** list for 42" deep and deeper tables

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.

5) Laminate surface – Cable Base

6) Edge trim color – Cable Base

Note: **\$59.46** upcharge (list) for Metallic and accent trim colors.

Planes Conference Tables — One-Piece Top — Interior Leg — Laminate


Pebble

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	Laminate A		Laminate B	
								J	F	J	F
4	6	36"(914mm)	72"(1829mm)	TARP-3672-L	S	JG4		\$1436.66	\$1838.97	\$1567.85	\$1970.16
6	6		78"(1981mm)	TARP-3678-L	S	JG4		1534.88	1956.51	1677.11	2098.74
6	6		84"(2134mm)	TARP-3684-L	S	JG4		1633.10	2074.05	1786.37	2227.32
6	8		90"(2286mm)	TARP-3690-L	S	JG4		1731.32	2191.59	1895.63	2355.90
6	8		96"(2438mm)	TARP-3696-L	S	JG4		1829.54	2309.13	2004.89	2484.48
6	6	42"(1067mm)	84"(2134mm)	TARP-4284-L	S	JG4		\$1857.64	\$2317.91	\$2036.67	\$2496.94
6	8		90"(2286mm)	TARP-4290-L	S	JG4		1971.65	2451.24	2163.56	2643.15
6	8		96"(2438mm)	TARP-4296-L	S	JG4		2085.66	2584.57	2290.45	2789.36
6	8		102"(2591mm)	TARP-42A2-L	S	JG4		2199.67	2717.90	2417.34	2935.57
6	10		108"(2743mm)	TARP-42A8-L	S	JG4		2313.68	2851.23	2544.23	3081.78
6	10		114"(2896mm)	TARP-42B4-L	S	JG4		2427.69	2984.56	2671.12	3227.99
6	10		120"(3048mm)	TARP-42C0-L	S	JG4		2541.70	3117.89	2798.01	3374.20
6	6	48"(1291mm)	84"(2134mm)	TARP-4884-L	S	JG4		\$2082.18	\$2561.77	\$2286.97	\$2766.56
6	8		90"(2286mm)	TARP-4890-L	S	JG4		2211.98	2710.89	2431.49	2930.40
6	8		96"(2438mm)	TARP-4896-L	S	JG4		2341.78	2860.01	2576.01	3094.24
6	8		102"(2591mm)	TARP-48A2-L	S	JG4		2471.58	3009.13	2720.53	3258.08
6	10		108"(2743mm)	TARP-48A8-L	S	JG4		2601.38	3158.25	2865.05	3421.92
6	10		114"(2896mm)	TARP-48B4-L	S	JG4		2731.18	3307.37	3009.57	3585.76
6	10		120"(3048mm)	TARP-48C0-L	S	JG4		2860.98	3456.49	3154.09	3749.60
6	8	54"(1372mm)	84"(2134mm)	TARP-5484-L	S	JG4		\$2306.72	\$2805.63	\$2537.27	\$3036.18
6	10		90"(2286mm)	TARP-5490-L	S	JG4		2452.31	2970.54	2699.42	3217.65
6	10		96"(2438mm)	TARP-5496-L	S	JG4		2597.90	3135.45	2861.57	3399.12
6	10		102"(2591mm)	TARP-54A2-L	S	JG4		2743.49	3300.36	3023.72	3580.59
6	10		108"(2743mm)	TARP-54A8-L	S	JG4		2889.08	3465.27	3185.87	3762.06
6	10		114"(2896mm)	TARP-54B4-L	S	JG4		3034.67	3630.18	3348.02	3943.53
6	10		120"(3048mm)	TARP-54C0-L	S	JG4		3180.26	3795.09	3510.17	4125.00
6	10	60"(1524mm)	84"(2134mm)	TARP-6084-L	S	JG4		\$2531.26	\$3049.49	\$2787.57	\$3305.80
6	10		90"(2286mm)	TARP-6090-L	S	JG4		2692.64	3230.19	2967.35	3504.90
6	10		96"(2438mm)	TARP-6096-L	S	JG4		2854.02	3410.89	3147.13	3704.00
6	10		102"(2591mm)	TARP-60A2-L	S	JG4		3015.40	3591.59	3326.91	3903.10
6	10		108"(2743mm)	TARP-60A8-L	S	JG4		3176.78	3772.29	3506.69	4102.20
6	10		114"(2896mm)	TARP-60B4-L	S	JG4		3338.16	3952.99	3686.47	4301.30
6	10		120"(3048mm)	TARP-60C0-L	S	JG4		3499.54	4133.69	3866.25	4500.40

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables — One-Piece Top — Interior Leg — Laminate

Hexagon



TARX

Features

- Includes 1.18" (30mm) thick top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband and knife edges.
- Top available in standard core.
- Interior legs are painted aluminum.
- Interior leg is 1.125" (29mm) x 3.25" (83mm).
- Optional cable base can be specified for tables 36" (914mm) deep and deeper:
 - 36" (914mm) deep tables will ship with 8" (203mm) x 14" (356mm) cable base.
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base for 36" (914mm) deep table is not compatible with Flip Top Cut Out Options (M) and (Q).
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$43.24** list
- V** Left/Right – single-sided/4 outlets, add **\$86.48** list
- J** Center – single-sided/6 outlets, add **\$43.24** list
- K** Left/Right – single-sided/6 outlets, add **\$86.48** list
- M** Center – double-sided/8 outlets, add **\$43.24** list
- P** Left/Right – double-sided/8 outlets, add **\$86.48** list
- Q** Center – double-sided/12 outlets, add **\$43.24** list
- T** Left/Right – double-sided/12 outlets, add **\$86.48** list

3 Cable Base Option:

- N** None
- C** Cable Base: add **\$869.14** list for 36" deep tables; add **\$916.53** list for 42" deep and deeper tables

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.

5) Laminate surface – Cable Base

6) Edge trim color – Cable Base

Note: **\$59.46** upcharge (list) for Metallic and accent trim colors.

Planes Conference Tables — One-Piece Top — Interior Leg — Laminate


Hexagon

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	Laminate A		Laminate B	
								J	F	J	F
4	6	36"(914mm)	72"(1829mm)	TARX-3672-L	S	JG4		\$1436.66	\$1838.97	\$1567.85	\$1970.16
6	6		78"(1981mm)	TARX-3678-L	S	JG4		1534.88	1956.51	1677.11	2098.74
6	6		84"(2134mm)	TARX-3684-L	S	JG4		1633.10	2074.05	1786.37	2227.32
6	8		90"(2286mm)	TARX-3690-L	S	JG4		1731.32	2191.59	1895.63	2355.90
6	8		96"(2438mm)	TARX-3696-L	S	JG4		1829.54	2309.13	2004.89	2484.48
6	6	42"(1067mm)	84"(2134mm)	TARX-4284-L	S	JG4		\$1857.64	\$2317.91	\$2036.67	\$2496.94
6	8		90"(2286mm)	TARX-4290-L	S	JG4		1971.65	2451.24	2163.56	2643.15
6	8		96"(2438mm)	TARX-4296-L	S	JG4		2085.66	2584.57	2290.45	2789.36
6	8		102"(2591mm)	TARX-42A2-L	S	JG4		2199.67	2717.90	2417.34	2935.57
6	10		108"(2743mm)	TARX-42A8-L	S	JG4		2313.68	2851.23	2544.23	3081.78
6	10		114"(2896mm)	TARX-42B4-L	S	JG4		2427.69	2984.56	2671.12	3227.99
6	10		120"(3048mm)	TARX-42C0-L	S	JG4		2541.70	3117.89	2798.01	3374.20
6	6	48"(1291mm)	84"(2134mm)	TARX-4884-L	S	JG4		\$2082.18	\$2561.77	\$2286.97	\$2766.56
6	8		90"(2286mm)	TARX-4890-L	S	JG4		2211.98	2710.89	2431.49	2930.40
6	8		96"(2438mm)	TARX-4896-L	S	JG4		2341.78	2860.01	2576.01	3094.24
6	8		102"(2591mm)	TARX-48A2-L	S	JG4		2471.58	3009.13	2720.53	3258.08
6	10		108"(2743mm)	TARX-48A8-L	S	JG4		2601.38	3158.25	2865.05	3421.92
6	10		114"(2896mm)	TARX-48B4-L	S	JG4		2731.18	3307.37	3009.57	3585.76
6	10		120"(3048mm)	TARX-48C0-L	S	JG4		2860.98	3456.49	3154.09	3749.60
6	8	54"(1372mm)	84"(2134mm)	TARX-5484-L	S	JG4		\$2306.72	\$2805.63	\$2537.27	\$3036.18
6	10		90"(2286mm)	TARX-5490-L	S	JG4		2452.31	2970.54	2699.42	3217.65
6	10		96"(2438mm)	TARX-5496-L	S	JG4		2597.90	3135.45	2861.57	3399.12
6	10		102"(2591mm)	TARX-54A2-L	S	JG4		2743.49	3300.36	3023.72	3580.59
6	10		108"(2743mm)	TARX-54A8-L	S	JG4		2889.08	3465.27	3185.87	3762.06
6	10		114"(2896mm)	TARX-54B4-L	S	JG4		3034.67	3630.18	3348.02	3943.53
6	10		120"(3048mm)	TARX-54C0-L	S	JG4		3180.26	3795.09	3510.17	4125.00
6	10	60"(1524mm)	84"(2134mm)	TARX-6084-L	S	JG4		\$2531.26	\$3049.49	\$2787.57	\$3305.80
6	10		90"(2286mm)	TARX-6090-L	S	JG4		2692.64	3230.19	2967.35	3504.90
6	10		96"(2438mm)	TARX-6096-L	S	JG4		2854.02	3410.89	3147.13	3704.00
6	10		102"(2591mm)	TARX-60A2-L	S	JG4		3015.40	3591.59	3326.91	3903.10
6	10		108"(2743mm)	TARX-60A8-L	S	JG4		3176.78	3772.29	3506.69	4102.20
6	10		114"(2896mm)	TARX-60B4-L	S	JG4		3338.16	3952.99	3686.47	4301.30
6	10		120"(3048mm)	TARX-60C0-L	S	JG4		3499.54	4133.69	3866.25	4500.40

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables — Two-Piece Tops — Interior Leg — Laminate

Rectangular



TARA

Features

- Includes 1.18"(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or knife edges.
- Table top seam is 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125"(29mm) x 3.25"(83mm).
- Optional cable base is available:
 - 42"(1067mm) deep and deeper tables will ship with 14"(356mm) x 14"(356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

① Edge Option:

- J** Edgeband
- F** Knife

② Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$86.48** list
- V** Left/Right – single-sided/4 outlets, add **\$172.96** list
- J** Center – single-sided/6 outlets, add **\$86.48** list
- K** Left/Right – single-sided/6 outlets, add **\$172.96** list
- M** Center – double-sided/8 outlets, add **\$86.48** list
- P** Left/Right – double-sided/8 outlets, add **\$172.96** list
- Q** Center – double-sided/12 outlets, add **\$86.48** list
- T** Left/Right – double-sided/12 outlets, add **\$172.96** list

③ Cable Base Option:

- N** None
- C** Cable Base, add **\$916.53** list

2) Laminate surface color.

3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Base

7) Edge trim color – Cable Base

Note: **\$59.46** upcharge (list) for Metallic and accent trim colors.

Planes Conference Tables — Two-Piece Tops — Interior Leg — Laminate


Rectangular

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	Laminate A		Laminate B	
								J	F	J	F
6	10	42"(1067mm)	126"(3200mm)	TARA-42C6-L	■	S	JG4	\$3378.12	\$4008.08	\$3647.31	\$4277.27
6	10		132"(3353mm)	TARA-42D2-L	■	S	JG4	3524.52	4173.80	3806.59	4455.87
10	10		138"(3505mm)	TARA-42D8-L	■	S	JG4	3670.92	4339.52	3965.87	4634.47
10	10		144"(3658mm)	TARA-42E4-L	■	S	JG4	3817.32	4505.24	4125.15	4813.07
10	10		150"(3810mm)	TARA-42F0-L	■	S	JG4	3963.72	4670.96	4284.43	4991.67
10	12		156"(3962mm)	TARA-42F6-L	■	S	JG4	4110.12	4836.68	4443.71	5170.27
10	12		162"(4115mm)	TARA-42G2-L	■	S	JG4	4256.52	5002.40	4602.99	5348.87
10	12		168"(4267mm)	TARA-42G8-L	■	S	JG4	4402.92	5168.12	4762.27	5527.47
10	12		174"(4420mm)	TARA-42H4-L	■	S	JG4	4549.32	5333.84	4921.55	5706.07
10	12		180"(4572mm)	TARA-42J0-L	■	S	JG4	4695.72	5499.56	5080.83	5884.67
6	10	48"(1219mm)	126"(3200mm)	TARA-48C6-L	■	S	JG4	\$3816.85	\$4466.13	\$4124.68	\$4773.96
6	10		132"(3353mm)	TARA-48D2-L	■	S	JG4	3979.04	4647.64	4301.59	4970.19
10	10		138"(3505mm)	TARA-48D8-L	■	S	JG4	4141.23	4829.15	4478.50	5166.42
10	10		144"(3658mm)	TARA-48E4-L	■	S	JG4	4303.42	5010.66	4655.41	5362.65
10	10		150"(3810mm)	TARA-48F0-L	■	S	JG4	4465.61	5192.17	4832.32	5558.88
10	12		156"(3962mm)	TARA-48F6-L	■	S	JG4	4627.80	5373.68	5009.23	5755.11
10	12		162"(4115mm)	TARA-48G2-L	■	S	JG4	4789.99	5555.19	5186.14	5951.34
10	12		168"(4267mm)	TARA-48G8-L	■	S	JG4	4952.18	5736.70	5363.05	6147.57
10	12		174"(4420mm)	TARA-48H4-L	■	S	JG4	5114.37	5918.21	5539.96	6343.80
10	12		180"(4572mm)	TARA-48J0-L	■	S	JG4	5276.56	6099.72	5716.87	6540.03
6	10	54"(1372mm)	126"(3200mm)	TARA-54C6-L	■	S	JG4	\$4255.58	\$4924.18	\$4602.05	\$5270.65
6	10		132"(3353mm)	TARA-54D2-L	■	S	JG4	4433.56	5121.48	4796.59	5484.51
10	10		138"(3505mm)	TARA-54D8-L	■	S	JG4	4611.54	5318.78	4991.13	5698.37
10	10		144"(3658mm)	TARA-54E4-L	■	S	JG4	4789.52	5516.08	5185.67	5912.23
10	10		150"(3810mm)	TARA-54F0-L	■	S	JG4	4967.50	5713.38	5380.21	6126.09
10	12		156"(3962mm)	TARA-54F6-L	■	S	JG4	5145.48	5910.68	5574.75	6339.95
10	12		162"(4115mm)	TARA-54G2-L	■	S	JG4	5323.46	6107.98	5769.29	6553.81
10	12		168"(4267mm)	TARA-54G8-L	■	S	JG4	5501.44	6305.28	5963.83	6767.67
10	14		174"(4420mm)	TARA-54H4-L	■	S	JG4	5679.42	6502.58	6158.37	6981.53
10	14		180"(4572mm)	TARA-54J0-L	■	S	JG4	5857.40	6699.88	6352.91	7195.39
6	10	60"(1524mm)	126"(3200mm)	TARA-60C6-L	■	S	JG4	\$4694.31	\$5382.23	\$5079.42	\$5767.34
6	10		132"(3353mm)	TARA-60D2-L	■	S	JG4	4888.08	5595.32	5291.59	5998.83
10	10		138"(3505mm)	TARA-60D8-L	■	S	JG4	5081.85	5808.41	5503.76	6230.32
10	10		144"(3658mm)	TARA-60E4-L	■	S	JG4	5275.62	6021.50	5715.93	6461.81
10	10		150"(3810mm)	TARA-60F0-L	■	S	JG4	5469.39	6234.59	5928.10	6693.30
10	12		156"(3962mm)	TARA-60F6-L	■	S	JG4	5663.16	6447.68	6140.27	6924.79
10	12		162"(4115mm)	TARA-60G2-L	■	S	JG4	5856.93	6660.77	6352.44	7156.28
10	12		168"(4267mm)	TARA-60G8-L	■	S	JG4	6050.70	6873.86	6564.61	7387.77
10	14		174"(4420mm)	TARA-60H4-L	■	S	JG4	6244.47	7086.95	6776.78	7619.26
10	14		180"(4572mm)	TARA-60J0-L	■	S	JG4	6438.24	7300.04	6988.95	7850.75

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables — Two-Piece Tops — Interior Leg — Laminate

Pebble



TARP

Features

- Includes 1.18"(30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29"(737mm).
- Laminate top with 3mm edgeband or knife edges.
- Table top seam is 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125"(29mm) x 3.25"(83mm).
- Optional cable base is available:
 - 42"(1067mm) deep and deeper tables will ship with 14"(356mm) x 14"(356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5"(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut openings)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

① Edge Option:

- J** Edgeband
- F** Knife

② Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$86.48** list
- V** Left/Right – single-sided/4 outlets, add **\$172.96** list
- J** Center – single-sided/6 outlets, add **\$86.48** list
- K** Left/Right – single-sided/6 outlets, add **\$172.96** list
- M** Center – double-sided/8 outlets, add **\$86.48** list
- P** Left/Right – double-sided/8 outlets, add **\$172.96** list
- Q** Center – double-sided/12 outlets, add **\$86.48** list
- T** Left/Right – double-sided/12 outlets, add **\$172.96** list

③ Cable Base Option:

- N** None
- C** Cable Base, add **\$916.53** list

2) Laminate surface color.

3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Base

7) Edge trim color – Cable Base

Note: **\$59.46** upcharge (list) for Metallic and accent trim colors.

Planes Conference Tables — Two-Piece Tops — Interior Leg — Laminate


Pebble

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	Laminate A		Laminate B	
								J	F	J	F
6	10	42"(1067mm)	126"(3200mm)	TARP-42C6-L			JG4	\$3378.12	\$4008.08	\$3647.31	\$4277.27
6	10		132"(3353mm)	TARP-42D2-L			JG4	3524.52	4173.80	3806.59	4455.87
6	10		138"(3505mm)	TARP-42D8-L			JG4	3670.92	4339.52	3965.87	4634.47
6	10		144"(3658mm)	TARP-42E4-L			JG4	3817.32	4505.24	4125.15	4813.07
10	10		150"(3810mm)	TARP-42F0-L			JG4	3963.72	4670.96	4284.43	4991.67
10	10		156"(3962mm)	TARP-42F6-L			JG4	4110.12	4836.68	4443.71	5170.27
10	10		162"(4115mm)	TARP-42G2-L			JG4	4256.52	5002.40	4602.99	5348.87
10	12		168"(4267mm)	TARP-42G8-L			JG4	4402.92	5168.12	4762.27	5527.47
10	12		174"(4420mm)	TARP-42H4-L			JG4	4549.32	5333.84	4921.55	5706.07
10	12		180"(4572mm)	TARP-42J0-L			JG4	4695.72	5499.56	5080.83	5884.67
6	10	48"(1219mm)	126"(3200mm)	TARP-48C6-L			JG4	\$3816.85	\$4466.13	\$4124.68	\$4773.96
6	10		132"(3353mm)	TARP-48D2-L			JG4	3979.04	4647.64	4301.59	4970.19
6	10		138"(3505mm)	TARP-48D8-L			JG4	4141.23	4829.15	4478.50	5166.42
6	10		144"(3658mm)	TARP-48E4-L			JG4	4303.42	5010.66	4655.41	5362.65
10	10		150"(3810mm)	TARP-48F0-L			JG4	4465.61	5192.17	4832.32	5558.88
10	10		156"(3962mm)	TARP-48F6-L			JG4	4627.80	5373.68	5009.23	5755.11
10	10		162"(4115mm)	TARP-48G2-L			JG4	4789.99	5555.19	5186.14	5951.34
10	10		168"(4267mm)	TARP-48G8-L			JG4	4952.18	5736.70	5363.05	6147.57
10	12		174"(4420mm)	TARP-48H4-L			JG4	5114.37	5918.21	5539.96	6343.80
10	12		180"(4572mm)	TARP-48J0-L			JG4	5276.56	6099.72	5716.87	6540.03
6	10	54"(1372mm)	126"(3200mm)	TARP-54C6-L			JG4	\$4255.58	\$4924.18	\$4602.05	\$5270.65
6	10		132"(3353mm)	TARP-54D2-L			JG4	4433.56	5121.48	4796.59	5484.51
6	10		138"(3505mm)	TARP-54D8-L			JG4	4611.54	5318.78	4991.13	5698.37
6	10		144"(3658mm)	TARP-54E4-L			JG4	4789.52	5516.08	5185.67	5912.23
10	10		150"(3810mm)	TARP-54F0-L			JG4	4967.50	5713.38	5380.21	6126.09
10	10		156"(3962mm)	TARP-54F6-L			JG4	5145.48	5910.68	5574.75	6339.95
10	10		162"(4115mm)	TARP-54G2-L			JG4	5323.46	6107.98	5769.29	6553.81
10	10		168"(4267mm)	TARP-54G8-L			JG4	5501.44	6305.28	5963.83	6767.67
10	12		174"(4420mm)	TARP-54H4-L			JG4	5679.42	6502.58	6158.37	6981.53
10	12		180"(4572mm)	TARP-54J0-L			JG4	5857.40	6699.88	6352.91	7195.39
6	10	60"(1524mm)	126"(3200mm)	TARP-60C6-L			JG4	\$4694.31	\$5382.23	\$5079.42	\$5767.34
6	10		132"(3353mm)	TARP-60D2-L			JG4	4888.08	5595.32	5291.59	5998.83
6	10		138"(3505mm)	TARP-60D8-L			JG4	5081.85	5808.41	5503.76	6230.32
6	10		144"(3658mm)	TARP-60E4-L			JG4	5275.62	6021.50	5715.93	6461.81
10	10		150"(3810mm)	TARP-60F0-L			JG4	5469.39	6234.59	5928.10	6693.30
10	10		156"(3962mm)	TARP-60F6-L			JG4	5663.16	6447.68	6140.27	6924.79
10	10		162"(4115mm)	TARP-60G2-L			JG4	5856.93	6660.77	6352.44	7156.28
10	10		168"(4267mm)	TARP-60G8-L			JG4	6050.70	6873.86	6564.61	7387.77
10	12		174"(4420mm)	TARP-60H4-L			JG4	6244.47	7086.95	6776.78	7619.26
10	12		180"(4572mm)	TARP-60J0-L			JG4	6438.24	7300.04	6988.95	7850.75

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables — Two-Piece Tops — Interior Leg — Laminate

Hexagon



TARX

Features

- Includes 1.18" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband or knife edges.
- Table top seam is 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125" (29mm) x 3.25" (83mm).
- Optional cable base is available:
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable base
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut openings)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$86.48** list
- V** Left/Right – single-sided/4 outlets, add **\$172.96** list
- J** Center – single-sided/6 outlets, add **\$86.48** list
- K** Left/Right – single-sided/6 outlets, add **\$172.96** list
- M** Center – double-sided/8 outlets, add **\$86.48** list
- P** Left/Right – double-sided/8 outlets, add **\$172.96** list
- Q** Center – double-sided/12 outlets, add **\$86.48** list
- T** Left/Right – double-sided/12 outlets, add **\$172.96** list

3 Cable Base Option:

- N** None
- C** Cable Base, add **\$916.53** list

2) Laminate surface color.

3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Base

7) Edge trim color – Cable Base

Note: **\$59.46** upcharge (list) for Metallic and accent trim colors.

Planes Conference Tables — Two-Piece Tops — Interior Leg — Laminate

Hexagon

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	Laminate A		Laminate B	
								J	F	J	F
6	10	42"(1067mm)	126"(3200mm)	TARX-42C6-L	■	S	JG4	\$3378.12	\$4008.08	\$3647.31	\$4277.27
6	10		132"(3353mm)	TARX-42D2-L	■	S	JG4	3524.52	4173.80	3806.59	4455.87
6	10		138"(3505mm)	TARX-42D8-L	■	S	JG4	3670.92	4339.52	3965.87	4634.47
6	10		144"(3658mm)	TARX-42E4-L	■	S	JG4	3817.32	4505.24	4125.15	4813.07
10	10		150"(3810mm)	TARX-42F0-L	■	S	JG4	3963.72	4670.96	4284.43	4991.67
10	10		156"(3962mm)	TARX-42F6-L	■	S	JG4	4110.12	4836.68	4443.71	5170.27
10	10		162"(4115mm)	TARX-42G2-L	■	S	JG4	4256.52	5002.40	4602.99	5348.87
10	10		168"(4267mm)	TARX-42G8-L	■	S	JG4	4402.92	5168.12	4762.27	5527.47
10	12		174"(4420mm)	TARX-42H4-L	■	S	JG4	4549.32	5333.84	4921.55	5706.07
10	12		180"(4572mm)	TARX-42J0-L	■	S	JG4	4695.72	5499.56	5080.83	5884.67
6	10	48"(1219mm)	126"(3200mm)	TARX-48C6-L	■	S	JG4	\$3816.85	\$4466.13	\$4124.68	\$4773.96
6	10		132"(3353mm)	TARX-48D2-L	■	S	JG4	3979.04	4647.64	4301.59	4970.19
6	10		138"(3505mm)	TARX-48D8-L	■	S	JG4	4141.23	4829.15	4478.50	5166.42
6	10		144"(3658mm)	TARX-48E4-L	■	S	JG4	4303.42	5010.66	4655.41	5362.65
10	10		150"(3810mm)	TARX-48F0-L	■	S	JG4	4465.61	5192.17	4832.32	5558.88
10	10		156"(3962mm)	TARX-48F6-L	■	S	JG4	4627.80	5373.68	5009.23	5755.11
10	10		162"(4115mm)	TARX-48G2-L	■	S	JG4	4789.99	5555.19	5186.14	5951.34
10	10		168"(4267mm)	TARX-48G8-L	■	S	JG4	4952.18	5736.70	5363.05	6147.57
10	12		174"(4420mm)	TARX-48H4-L	■	S	JG4	5114.37	5918.21	5539.96	6343.80
10	12		180"(4572mm)	TARX-48J0-L	■	S	JG4	5276.56	6099.72	5716.87	6540.03
6	10	54"(1372mm)	126"(3200mm)	TARX-54C6-L	■	S	JG4	\$4255.58	\$4924.18	\$4602.05	\$5270.65
6	10		132"(3353mm)	TARX-54D2-L	■	S	JG4	4433.56	5121.48	4796.59	5484.51
6	10		138"(3505mm)	TARX-54D8-L	■	S	JG4	4611.54	5318.78	4991.13	5698.37
6	10		144"(3658mm)	TARX-54E4-L	■	S	JG4	4789.52	5516.08	5185.67	5912.23
10	10		150"(3810mm)	TARX-54F0-L	■	S	JG4	4967.50	5713.38	5380.21	6126.09
10	10		156"(3962mm)	TARX-54F6-L	■	S	JG4	5145.48	5910.68	5574.75	6339.95
10	10		162"(4115mm)	TARX-54G2-L	■	S	JG4	5323.46	6107.98	5769.29	6553.81
10	10		168"(4267mm)	TARX-54G8-L	■	S	JG4	5501.44	6305.28	5963.83	6767.67
10	12		174"(4420mm)	TARX-54H4-L	■	S	JG4	5679.42	6502.58	6158.37	6981.53
10	12		180"(4572mm)	TARX-54J0-L	■	S	JG4	5857.40	6699.88	6352.91	7195.39
6	10	60"(1524mm)	126"(3200mm)	TARX-60C6-L	■	S	JG4	\$4694.31	\$5382.23	\$5079.42	\$5767.34
6	10		132"(3353mm)	TARX-60D2-L	■	S	JG4	4888.08	5595.32	5291.59	5998.83
6	10		138"(3505mm)	TARX-60D8-L	■	S	JG4	5081.85	5808.41	5503.76	6230.32
6	10		144"(3658mm)	TARX-60E4-L	■	S	JG4	5275.62	6021.50	5715.93	6461.81
10	10		150"(3810mm)	TARX-60F0-L	■	S	JG4	5469.39	6234.59	5928.10	6693.30
10	10		156"(3962mm)	TARX-60F6-L	■	S	JG4	5663.16	6447.68	6140.27	6924.79
10	10		162"(4115mm)	TARX-60G2-L	■	S	JG4	5856.93	6660.77	6352.44	7156.28
10	10		168"(4267mm)	TARX-60G8-L	■	S	JG4	6050.70	6873.86	6564.61	7387.77
10	12		174"(4420mm)	TARX-60H4-L	■	S	JG4	6244.47	7086.95	6776.78	7619.26
10	12		180"(4572mm)	TARX-60J0-L	■	S	JG4	6438.24	7300.04	6988.95	7850.75

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables — Three-Piece Tops — Interior Leg — Laminate

Rectangular



TARA

Features

- Includes 1.18" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband or knife edges.
- Table top seams are 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125" (29mm) x 3.25" (83mm).
- Optional cable bases are available:
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$129.72** list
- V** Left/Right – single-sided/4 outlets, add **\$259.44** list
- J** Center – single-sided/6 outlets, add **\$129.72** list
- K** Left/Right – single-sided/6 outlets, add **\$259.44** list
- M** Center – double-sided/8 outlets, add **\$129.72** list
- P** Left/Right – double-sided/8 outlets, add **\$259.44** list
- Q** Center – double-sided/12 outlets, add **\$129.72** list
- T** Left/Right – double-sided/12 outlets, add **\$259.44** list

3 Cable Base Option:

- N** None
- C** Cable Bases (2), add **\$1833.01** list

- 2) Laminate surface color.
- 3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*
- 4) Edge trim color.
- 5) Base trim color.
- 6) Laminate surface – Cable Bases
- 7) Edge trim color – Cable Bases

Note: **\$59.46** upcharge (list) for Metallic and accent trim colors.

Planes Conference Tables — Three-Piece Tops — Interior Leg — Laminate


Rectangular

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	Laminate A		Laminate B	
								J	F	J	F
8	14	42"(1067mm)	186"(4724mm)	TARA-42J6-L			JG4	\$4858.37	\$ 5726.19	\$ 5256.36	\$ 6124.18
8	14		192"(4877mm)	TARA-42K2-L			JG4	5004.77	5891.91	5415.64	6302.78
8	14		198"(5029mm)	TARA-42K8-L			JG4	5151.17	6057.63	5574.92	6481.38
14	14		204"(5182mm)	TARA-42L4-L			JG4	5297.57	6223.35	5734.20	6659.98
14	14		210"(5334mm)	TARA-42M0-L			JG4	5443.97	6389.07	5893.48	6838.58
14	14		216"(5486mm)	TARA-42M6-L			JG4	5590.37	6554.79	6052.76	7017.18
14	16		222"(5639mm)	TARA-42N2-L			JG4	5736.77	6720.51	6212.04	7195.78
14	16		228"(5791mm)	TARA-42N8-L			JG4	5883.17	6886.23	6371.32	7374.38
14	16		234"(5944mm)	TARA-42P4-L			JG4	6029.57	7051.95	6530.60	7552.98
14	16		240"(6096mm)	TARA-42Q0-L			JG4	6175.97	7217.67	6689.88	7731.58
14	16		246"(6248mm)	TARA-42Q6-L			JG4	6322.37	7383.39	6849.16	7910.18
14	16		252"(6401mm)	TARA-42R2-L			JG4	6468.77	7549.11	7008.44	8088.78
14	18		258"(6553mm)	TARA-42R8-L			JG4	6615.17	7714.83	7167.72	8267.38
14	18		264"(6706mm)	TARA-42S4-L			JG4	6761.57	7880.55	7327.00	8445.98
14	20		270"(6858mm)	TARA-42T0-L			JG4	7001.26	8046.27	7579.57	8624.58
8	14	48"(1219mm)	186"(4724mm)	TARA-48J6-L			JG4	\$5455.00	\$ 6342.14	\$ 5910.03	\$ 6797.17
8	14		192"(4877mm)	TARA-48K2-L			JG4	5617.19	6523.65	6086.94	6993.40
8	14		198"(5029mm)	TARA-48K8-L			JG4	5779.38	6705.16	6263.85	7189.63
14	14		204"(5182mm)	TARA-48L4-L			JG4	5941.57	6886.67	6440.76	7385.86
14	14		210"(5334mm)	TARA-48M0-L			JG4	6103.76	7068.18	6617.67	7582.09
14	14		216"(5486mm)	TARA-48M6-L			JG4	6265.95	7249.69	6794.58	7778.32
14	16		222"(5639mm)	TARA-48N2-L			JG4	6428.14	7431.20	6971.49	7974.55
14	16		228"(5791mm)	TARA-48N8-L			JG4	6590.33	7612.71	7148.40	8170.78
14	16		234"(5944mm)	TARA-48P4-L			JG4	6752.52	7794.22	7325.31	8367.01
14	16		240"(6096mm)	TARA-48Q0-L			JG4	6914.71	7975.73	7502.22	8563.24
14	16		246"(6248mm)	TARA-48Q6-L			JG4	7076.90	8157.24	7679.13	8759.47
14	16		252"(6401mm)	TARA-48R2-L			JG4	7239.09	8338.75	7856.04	8955.70
14	18		258"(6553mm)	TARA-48R8-L			JG4	7401.28	8520.26	8032.95	9151.93
14	18		264"(6706mm)	TARA-48S4-L			JG4	7563.47	8701.77	8209.86	9348.16
14	20		270"(6858mm)	TARA-48T0-L			JG4	7725.66	8883.28	8386.77	9544.39
8	14	54"(1372mm)	186"(4724mm)	TARA-54J6-L			JG4	\$5958.34	\$ 6958.09	\$ 6470.41	\$ 7470.16
8	14		192"(4877mm)	TARA-54K2-L			JG4	6136.32	7155.39	6664.95	7684.02
8	14		198"(5029mm)	TARA-54K8-L			JG4	6314.30	7352.69	6859.49	7897.88
14	14		204"(5182mm)	TARA-54L4-L			JG4	6492.28	7549.99	7054.03	8111.74
14	14		210"(5334mm)	TARA-54M0-L			JG4	6670.26	7747.29	7248.57	8325.60
14	14		216"(5486mm)	TARA-54M6-L			JG4	6848.24	7944.59	7443.11	8539.46
14	16		222"(5639mm)	TARA-54N2-L			JG4	7026.22	8141.89	7637.65	8753.32
14	16		228"(5791mm)	TARA-54N8-L			JG4	7204.20	8339.19	7832.19	8967.18
14	16		234"(5944mm)	TARA-54P4-L			JG4	7382.18	8536.49	8026.73	9181.04
14	16		240"(6096mm)	TARA-54Q0-L			JG4	7560.16	8733.79	8221.27	9394.90
14	16		246"(6248mm)	TARA-54Q6-L			JG4	7738.14	8931.09	8415.81	9608.76
14	16		252"(6401mm)	TARA-54R2-L			JG4	7916.12	9128.39	8610.35	9822.62
14	18		258"(6553mm)	TARA-54R8-L			JG4	8094.10	9325.69	8804.89	10036.48
14	18		264"(6706mm)	TARA-54S4-L			JG4	8272.08	9522.99	8999.43	10250.34
14	20		270"(6858mm)	TARA-54T0-L			JG4	8450.06	9720.29	9193.97	10464.20
8	14	60"(1524mm)	186"(4724mm)	TARA-60J6-L			JG4	\$6461.67	\$ 7574.04	\$ 7030.78	\$ 8143.15
8	14		192"(4877mm)	TARA-60K2-L			JG4	6655.44	7787.13	7242.95	8374.64
8	14		198"(5029mm)	TARA-60K8-L			JG4	6849.21	8000.22	7455.12	8606.13
14	14		204"(5182mm)	TARA-60L4-L			JG4	7042.98	8213.31	7667.29	8837.62
14	14		210"(5334mm)	TARA-60M0-L			JG4	7236.75	8426.40	7879.46	9069.11
14	14		216"(5486mm)	TARA-60M6-L			JG4	7430.52	8639.49	8091.63	9300.60
14	16		222"(5639mm)	TARA-60N2-L			JG4	7624.29	8852.58	8303.80	9532.09
14	16		228"(5791mm)	TARA-60N8-L			JG4	7818.06	9065.67	8515.97	9763.58
14	16		234"(5944mm)	TARA-60P4-L			JG4	8011.83	9278.76	8728.14	9995.07
14	16		240"(6096mm)	TARA-60Q0-L			JG4	8205.60	9491.85	8940.31	10226.56
14	16		246"(6248mm)	TARA-60Q6-L			JG4	8399.37	9704.94	9152.48	10458.05
14	16		252"(6401mm)	TARA-60R2-L			JG4	8593.14	9918.03	9364.65	10689.54
14	18		258"(6553mm)	TARA-60R8-L			JG4	8786.91	10131.12	9576.82	10921.03
14	18		264"(6706mm)	TARA-60S4-L			JG4	8980.68	10344.21	9788.99	11152.52
14	20		270"(6858mm)	TARA-60T0-L			JG4	9174.45	10557.30	10001.16	11384.01

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables — Three-Piece Tops — Interior Leg — Laminate

Pebble



TARP

Features

- Includes 1.18" (30mm) thick tops, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband or knife edges.
- Table top seams are 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125" (29mm) x 3.25" (83mm).
- Optional cable bases are available :
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$129.72** list
- V** Left/Right – single-sided/4 outlets, add **\$259.44** list
- J** Center – single-sided/6 outlets, add **\$129.72** list
- K** Left/Right – single-sided/6 outlets, add **\$259.44** list
- M** Center – double-sided/8 outlets, add **\$129.72** list
- P** Left/Right – double-sided/8 outlets, add **\$259.44** list
- Q** Center – double-sided/12 outlets, add **\$129.72** list
- T** Left/Right – double-sided/12 outlets, add **\$259.44** list

3 Cable Base Option:

- N** None
- C** Cable Bases (2), add **\$1833.01** list

2) Laminate surface color.

3) 1mm edgeband trim color.
(Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Bases

7) Edge trim color – Cable Bases

Note: **\$59.46** upcharge (list) for Metallic and accent trim colors.

Planes Conference Tables — Three-Piece Tops — Interior Leg — Laminate


Pebble

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	Laminate A		Laminate B	
								J	F	J	F
8	14	42"(1067mm)	186"(4724mm)	TARP-42J6-L				\$4858.37	\$ 5726.19	\$ 5256.36	\$ 6124.18
8	14		192"(4877mm)	TARP-42K2-L				5004.77	5891.91	5415.64	6302.78
8	14		198"(5029mm)	TARP-42K8-L				5151.17	6057.63	5574.92	6481.38
10	14		204"(5182mm)	TARP-42L4-L				5297.57	6223.35	5734.20	6659.98
10	14		210"(5334mm)	TARP-42M0-L				5443.97	6389.07	5893.48	6838.58
10	14		216"(5486mm)	TARP-42M6-L				5590.37	6554.79	6052.76	7017.18
14	14		222"(5639mm)	TARP-42N2-L				5736.77	6720.51	6212.04	7195.78
14	14		228"(5791mm)	TARP-42N8-L				5883.17	6886.23	6371.32	7374.38
14	14		234"(5944mm)	TARP-42P4-L				6029.57	7051.95	6530.60	7552.98
14	14		240"(6096mm)	TARP-42Q0-L				6175.97	7217.67	6689.88	7731.58
14	14		246"(6248mm)	TARP-42Q6-L				6322.37	7383.39	6849.16	7910.18
14	14		252"(6401mm)	TARP-42R2-L				6468.77	7549.11	7008.44	8088.78
14	14		258"(6553mm)	TARP-42R8-L				6615.17	7714.83	7167.72	8267.38
14	14		264"(6706mm)	TARP-42S4-L				6761.57	7880.55	7327.00	8445.98
14	16		270"(6858mm)	TARP-42T0-L				6907.97	8046.27	7486.28	8624.58
8	14	48"(1219mm)	186"(4724mm)	TARP-48J6-L				\$5455.00	\$ 6342.14	\$ 5910.03	\$ 6797.17
8	14		192"(4877mm)	TARP-48K2-L				5617.19	6523.65	6086.94	6993.40
8	14		198"(5029mm)	TARP-48K8-L				5779.38	6705.16	6263.85	7189.63
8	14		204"(5182mm)	TARP-48L4-L				5941.57	6886.67	6440.76	7385.86
8	14		210"(5334mm)	TARP-48M0-L				6103.76	7068.18	6617.67	7582.09
8	14		216"(5486mm)	TARP-48M6-L				6265.95	7249.69	6794.58	7778.32
14	14		222"(5639mm)	TARP-48N2-L				6428.14	7431.20	6971.49	7974.55
14	14		228"(5791mm)	TARP-48N8-L				6590.33	7612.71	7148.40	8170.78
14	14		234"(5944mm)	TARP-48P4-L				6752.52	7794.22	7325.31	8367.01
14	14		240"(6096mm)	TARP-48Q0-L				6914.71	7975.73	7502.22	8563.24
14	14		246"(6248mm)	TARP-48Q6-L				7076.90	8157.24	7679.13	8759.47
14	14		252"(6401mm)	TARP-48R2-L				7239.09	8338.75	7856.04	8955.70
14	14		258"(6553mm)	TARP-48R8-L				7401.28	8520.26	8032.95	9151.93
14	14		264"(6706mm)	TARP-48S4-L				7563.47	8701.77	8209.86	9348.16
14	16		270"(6858mm)	TARP-48T0-L				7725.66	8883.28	8386.77	9544.39
8	14	54"(1372mm)	186"(4724mm)	TARP-54J6-L				\$5958.34	\$ 6958.09	\$ 6470.41	\$ 7470.16
8	14		192"(4877mm)	TARP-54K2-L				6136.32	7155.39	6664.95	7684.02
8	14		198"(5029mm)	TARP-54K8-L				6314.30	7352.69	6859.49	7897.88
8	14		204"(5182mm)	TARP-54L4-L				6492.28	7549.99	7054.03	8111.74
8	14		210"(5334mm)	TARP-54M0-L				6670.26	7747.29	7248.57	8325.60
8	14		216"(5486mm)	TARP-54M6-L				6848.24	7944.59	7443.11	8539.46
14	14		222"(5639mm)	TARP-54N2-L				7026.22	8141.89	7637.65	8753.32
14	14		228"(5791mm)	TARP-54N8-L				7204.20	8339.19	7832.19	8967.18
14	14		234"(5944mm)	TARP-54P4-L				7382.18	8536.49	8026.73	9181.04
14	14		240"(6096mm)	TARP-54Q0-L				7560.16	8733.79	8221.27	9394.90
14	14		246"(6248mm)	TARP-54Q6-L				7738.14	8931.09	8415.81	9608.76
14	14		252"(6401mm)	TARP-54R2-L				7916.12	9128.39	8610.35	9822.62
14	14		258"(6553mm)	TARP-54R8-L				8094.10	9325.69	8804.89	10036.48
14	14		264"(6706mm)	TARP-54S4-L				8272.08	9522.99	8999.43	10250.34
14	16		270"(6858mm)	TARP-54T0-L				8450.06	9720.29	9193.97	10464.20
8	14	60"(1524mm)	186"(4724mm)	TARP-60J6-L				\$6461.67	\$ 7574.04	\$ 7030.78	\$ 8143.15
8	14		192"(4877mm)	TARP-60K2-L				6655.44	7787.13	7242.95	8374.64
8	14		198"(5029mm)	TARP-60K8-L				6849.21	8000.22	7455.12	8606.13
8	14		204"(5182mm)	TARP-60L4-L				7042.98	8213.31	7667.29	8837.62
8	14		210"(5334mm)	TARP-60M0-L				7236.75	8426.40	7879.46	9069.11
8	14		216"(5486mm)	TARP-60M6-L				7430.52	8639.49	8091.63	9300.60
14	14		222"(5639mm)	TARP-60N2-L				7624.29	8852.58	8303.80	9532.09
14	14		228"(5791mm)	TARP-60N8-L				7818.06	9065.67	8515.97	9763.58
14	14		234"(5944mm)	TARP-60P4-L				8011.83	9278.76	8728.14	9995.07
14	14		240"(6096mm)	TARP-60Q0-L				8205.60	9491.85	8940.31	10226.56
14	14		246"(6248mm)	TARP-60Q6-L				8399.37	9704.94	9152.48	10458.05
14	14		252"(6401mm)	TARP-60R2-L				8593.14	9918.03	9364.65	10689.54
14	14		258"(6553mm)	TARP-60R8-L				8786.91	10131.12	9576.82	10921.03
14	14		264"(6706mm)	TARP-60S4-L				8980.68	10344.21	9788.99	11152.52
14	16		270"(6858mm)	TARP-60T0-L				9174.45	10557.30	10001.16	11384.01

*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables — Three-Piece Tops — Interior Leg — Laminate

Hexagon



TARX

Features

- Includes 1.18" (30mm) thick top, interior leg bases and hardware.
- Standard table height is 29" (737mm).
- Laminate top with 3mm edgeband or knife edges.
- Table top seams are 1mm edgeband.
- Interior legs are painted aluminum.
- Interior leg is 1.125" (29mm) x 3.25" (83mm).
- Optional cable bases are available :
 - 42" (1067mm) deep and deeper tables will ship with 14" (356mm) x 14" (356mm) cable bases.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5" (13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- F** Knife

2 Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$129.72** list
- V** Left/Right – single-sided/4 outlets, add **\$259.44** list
- J** Center – single-sided/6 outlets, add **\$129.72** list
- K** Left/Right – single-sided/6 outlets, add **\$259.44** list
- M** Center – double-sided/8 outlets, add **\$129.72** list
- P** Left/Right – double-sided/8 outlets, add **\$259.44** list
- Q** Center – double-sided/12 outlets, add **\$129.72** list
- T** Left/Right – double-sided/12 outlets, add **\$259.44** list

3 Cable Base Option:

- N** None
- C** Cable Bases (2), add **\$1833.01** list

2) Laminate surface color.

3) 1mm edgeband trim color. (Cascade edge/multiple-tops only)*

4) Edge trim color.

5) Base trim color.

6) Laminate surface – Cable Bases

7) Edge trim color – Cable Bases

Note: **\$59.46** upcharge (list) for Metallic and accent trim colors.

Planes Conference Tables — Three-Piece Tops — Interior Leg — Laminate


Hexagon

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	③	Laminate A		Laminate B	
								J	F	J	F
8	14	42"(1067mm)	186"(4724mm)	TARX-42J6-L			JG4	\$4858.37	\$ 5726.19	\$ 5256.36	\$ 6124.18
8	14		192"(4877mm)	TARX-42K2-L			JG4	5004.77	5891.91	5415.64	6302.78
8	14		198"(5029mm)	TARX-42K8-L			JG4	5151.17	6057.63	5574.92	6481.38
10	14		204"(5182mm)	TARX-42L4-L			JG4	5297.57	6223.35	5734.20	6659.98
10	14		210"(5334mm)	TARX-42M0-L			JG4	5443.97	6389.07	5893.48	6838.58
10	14		216"(5486mm)	TARX-42M6-L			JG4	5590.37	6554.79	6052.76	7017.18
14	14		222"(5639mm)	TARX-42N2-L			JG4	5736.77	6720.51	6212.04	7195.78
14	14		228"(5791mm)	TARX-42N8-L			JG4	5883.17	6886.23	6371.32	7374.38
14	14		234"(5944mm)	TARX-42P4-L			JG4	6029.57	7051.95	6530.60	7552.98
14	14		240"(6096mm)	TARX-42Q0-L			JG4	6175.97	7217.67	6689.88	7731.58
14	14		246"(6248mm)	TARX-42Q6-L			JG4	6322.37	7383.39	6849.16	7910.18
14	14		252"(6401mm)	TARX-42R2-L			JG4	6468.77	7549.11	7008.44	8088.78
14	14		258"(6553mm)	TARX-42R8-L			JG4	6615.17	7714.83	7167.72	8267.38
14	14		264"(6706mm)	TARX-42S4-L			JG4	6761.57	7880.55	7327.00	8445.98
14	16		270"(6858mm)	TARX-42T0-L			JG4	6907.97	8046.27	7486.28	8624.58
8	14	48"(1219mm)	186"(4724mm)	TARX-48J6-L			JG4	\$5455.00	\$ 6342.14	\$ 5910.03	\$ 6797.17
8	14		192"(4877mm)	TARX-48K2-L			JG4	5617.19	6523.65	6086.94	6993.40
8	14		198"(5029mm)	TARX-48K8-L			JG4	5779.38	6705.16	6263.85	7189.63
8	14		204"(5182mm)	TARX-48L4-L			JG4	5941.57	6886.67	6440.76	7385.86
8	14		210"(5334mm)	TARX-48M0-L			JG4	6103.76	7068.18	6617.67	7582.09
8	14		216"(5486mm)	TARX-48M6-L			JG4	6265.95	7249.69	6794.58	7778.32
14	14		222"(5639mm)	TARX-48N2-L			JG4	6428.14	7431.20	6971.49	7974.55
14	14		228"(5791mm)	TARX-48N8-L			JG4	6590.33	7612.71	7148.40	8170.78
14	14		234"(5944mm)	TARX-48P4-L			JG4	6752.52	7794.22	7325.31	8367.01
14	14		240"(6096mm)	TARX-48Q0-L			JG4	6914.71	7975.73	7502.22	8563.24
14	14		246"(6248mm)	TARX-48Q6-L			JG4	7076.90	8157.24	7679.13	8759.47
14	14		252"(6401mm)	TARX-48R2-L			JG4	7239.09	8338.75	7856.04	8955.70
14	14		258"(6553mm)	TARX-48R8-L			JG4	7401.28	8520.26	8032.95	9151.93
14	14		264"(6706mm)	TARX-48S4-L			JG4	7563.47	8701.77	8209.86	9348.16
14	16		270"(6858mm)	TARX-48T0-L			JG4	7725.66	8883.28	8386.77	9544.39
8	14	54"(1372mm)	186"(4724mm)	TARX-54J6-L			JG4	\$5958.34	\$ 6958.09	\$ 6470.41	\$ 7470.16
8	14		192"(4877mm)	TARX-54K2-L			JG4	6136.32	7155.39	6664.95	7684.02
8	14		198"(5029mm)	TARX-54K8-L			JG4	6314.30	7352.69	6859.49	7897.88
8	14		204"(5182mm)	TARX-54L4-L			JG4	6492.28	7549.99	7054.03	8111.74
8	14		210"(5334mm)	TARX-54M0-L			JG4	6670.26	7747.29	7248.57	8325.60
8	14		216"(5486mm)	TARX-54M6-L			JG4	6848.24	7944.59	7443.11	8539.46
14	14		222"(5639mm)	TARX-54N2-L			JG4	7026.22	8141.89	7637.65	8753.32
14	14		228"(5791mm)	TARX-54N8-L			JG4	7204.20	8339.19	7832.19	8967.18
14	14		234"(5944mm)	TARX-54P4-L			JG4	7382.18	8536.49	8026.73	9181.04
14	14		240"(6096mm)	TARX-54Q0-L			JG4	7560.16	8733.79	8221.27	9394.90
14	14		246"(6248mm)	TARX-54Q6-L			JG4	7738.14	8931.09	8415.81	9608.76
14	14		252"(6401mm)	TARX-54R2-L			JG4	7916.12	9128.39	8610.35	9822.62
14	14		258"(6553mm)	TARX-54R8-L			JG4	8094.10	9325.69	8804.89	10036.48
14	14		264"(6706mm)	TARX-54S4-L			JG4	8272.08	9522.99	8999.43	10250.34
14	16		270"(6858mm)	TARX-54T0-L			JG4	8450.06	9720.29	9193.97	10464.20
8	14	60"(1524mm)	186"(4724mm)	TARX-60J6-L			JG4	\$6461.67	\$ 7574.04	\$ 7030.78	\$ 8143.15
8	14		192"(4877mm)	TARX-60K2-L			JG4	6655.44	7787.13	7242.95	8374.64
8	14		198"(5029mm)	TARX-60K8-L			JG4	6849.21	8000.22	7455.12	8606.13
8	14		204"(5182mm)	TARX-60L4-L			JG4	7042.98	8213.31	7667.29	8837.62
8	14		210"(5334mm)	TARX-60M0-L			JG4	7236.75	8426.40	7879.46	9069.11
8	14		216"(5486mm)	TARX-60M6-L			JG4	7430.52	8639.49	8091.63	9300.60
14	14		222"(5639mm)	TARX-60N2-L			JG4	7624.29	8852.58	8303.80	9532.09
14	14		228"(5791mm)	TARX-60N8-L			JG4	7818.06	9065.67	8515.97	9763.58
14	14		234"(5944mm)	TARX-60P4-L			JG4	8011.83	9278.76	8728.14	9995.07
14	14		240"(6096mm)	TARX-60Q0-L			JG4	8205.60	9491.85	8940.31	10226.56
14	14		246"(6248mm)	TARX-60Q6-L			JG4	8399.37	9704.94	9152.48	10458.05
14	14		252"(6401mm)	TARX-60R2-L			JG4	8593.14	9918.03	9364.65	10689.54
14	14		258"(6553mm)	TARX-60R8-L			JG4	8786.91	10131.12	9576.82	10921.03
14	14		264"(6706mm)	TARX-60S4-L			JG4	8980.68	10344.21	9788.99	11152.52
14	16		270"(6858mm)	TARX-60T0-L			JG4	9174.45	10557.30	10001.16	11384.01


*Recommended seating capacity based upon 27"(686mm) per chair.

Planes Conference Tables — Perimeter Leg — Laminate

Square and Rectangular – 2”(51mm) Edge



TARQ



TARA

No. of Pieces	No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	Laminate A	B
Square									
1	4	4	42”(1067mm)	42”(1067mm)	TARQ-4242-LJM	PG4N		\$1116.91	\$1206.72
1	4	4	48”(1219mm)	48”(1219mm)	TARQ-4848-LJM	PG4N		1398.52	1515.03
1	4	4	54”(1372mm)	54”(1372mm)	TARQ-5454-LJM	PG4N		1716.43	1863.20
1	4	4	60”(1524mm)	60”(1524mm)	TARQ-6060-LJM	PG4N		2070.64	2251.23
2	6	6	66”(1676mm)	66”(1676mm)	TARQ-6666-LJM	PG4		\$3378.45	\$3596.42
2	6	6	72”(1829mm)	72”(1829mm)	TARQ-7272-LJM	PG4		3887.22	4146.13
Rectangular									
1	4	4	30”(762mm)	60”(1524mm)	TARA-3060-LJM	PG4N		\$1219.77	\$1310.48
1	4	4		66”(1676mm)	TARA-3066-LJM	PG4N		1312.75	1412.66
1	6	4		72”(1829mm)	TARA-3072-LJM	PG4N		1405.73	1514.84
1	4	4	36”(914mm)	60”(1524mm)	TARA-3660-LJM	PG4		\$1402.25	\$1511.36
1	4	4		66”(1676mm)	TARA-3666-LJM	PG4		1513.13	1633.28
1	4	4	42”(1067mm)	48”(1219mm)	TARA-4248-LJM	PG4		\$1327.17	\$1428.92
1	4	4		54”(1372mm)	TARA-4254-LJM	PG4		1455.95	1570.58
1	4	4		60”(1524mm)	TARA-4260-LJM	PG4		1584.73	1712.24
1	4	6		66”(1676mm)	TARA-4266-LJM	PG4		1713.51	1853.90
1	6	6		72”(1829mm)	TARA-4272-LJM	PG4		1842.29	1995.56
1	6	6		78”(1981mm)	TARA-4278-LJM	PG4		1971.07	2137.22
1	4	4	48”(1219mm)	54”(1372mm)	TARA-4854-LJM	PG4		\$1620.53	\$1751.72
1	4	4		60”(1524mm)	TARA-4860-LJM	PG4		1767.21	1913.12
1	4	6		66”(1676mm)	TARA-4866-LJM	PG4		1913.89	2074.52
1	6	6		72”(1829mm)	TARA-4872-LJM	PG4		2060.57	2235.92
1	6	8		78”(1981mm)	TARA-4878-LJM	PG4		2207.25	2397.32
1	4	4	54”(1372mm)	60”(1524mm)	TARA-5460-LJM	PG4		\$1949.69	\$2114.00
1	4	6		66”(1676mm)	TARA-5466-LJM	PG4		2114.27	2295.14
1	6	6		72”(1829mm)	TARA-5472-LJM	PG4		2278.85	2476.28
1	6	6		78”(1981mm)	TARA-5478-LJM	PG4		2443.43	2657.42
1	4	8	60”(1524mm)	66”(1676mm)	TARA-6066-LJM	PG4		\$2314.65	\$2515.76
1	6	8		72”(1829mm)	TARA-6072-LJM	PG4		2497.13	2716.64
1	6	8		78”(1981mm)	TARA-6078-LJM	PG4		2679.61	2917.52

Features

- Includes 2”(51mm) thick top, perimeter leg bases, and hardware.
- Standard table height is 30”(762mm).
- Laminate top with 3mm edgeband edges only.
- Table top seam is 3mm edgeband on multiple piece tops.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1.38”(35mm) x 4”(102mm).
- Optional cable base can be specified for tables 36”(914mm) deep and deeper:
 - 36”(914mm) deep tables will ship with 8”(203mm) x 14”(356mm) cable base.
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Two piece tops will include one cable base to be centered on seam under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5”(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Cable base not recommended to 30”(762mm) deep tables.
- Cable base for 36”(914mm) deep table is not compatible with Flip Top Cut Out Options (M) and (Q).
- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Recommended seating capacity based upon 27”(686mm) per chair.

To Order, Specify:

- Product number, including:

① Flip Top Unit Cutout(s):

Cutout options F, J, M, Q:
add \$43.24 list for one-piece top;
add \$86.48 list for two-piece tops.

N	None
F	Center – single-sided/4 outlets
J	Center – single-sided/6 outlets
M	Center – double-sided/8 outlets
Q	Center – double-sided/12 outlets

② Cable Base Option:


N	None
C	Cable Base: add \$869.14 list for 36” deep tables; add \$916.53 list for 42” deep and deeper tables

- Laminate surface color.
- Edge trim color.
- Base trim color.
- Laminate Surface – Cable Base
- Edge trim color – Cable Base

Note: \$59.46 upcharge (list) for Metallic and accent trim colors.

Planes Conference Tables — One-Piece Top — Perimeter Leg — Laminate

Rectangular – 2”(51mm) Edge



TARA

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	Laminate A	B
6	6	36”(914mm)	72”(1829mm)	TARA-3672-LJM	PG4		\$1624.01	\$1755.20
6	6		78”(1981mm)	TARA-3678-LJM	PG4		1734.89	1877.12
6	6		84”(2134mm)	TARA-3684-LJM	PG4		1845.77	1999.04
6	8		90”(2286mm)	TARA-3690-LJM	PG4		1956.65	2120.96
6	8		96”(2438mm)	TARA-3696-LJM	PG4		2067.53	2242.88
6	6	42”(1067mm)	84”(2134mm)	TARA-4284-LJM	PG4		\$2099.85	\$2278.88
6	8		90”(2286mm)	TARA-4290-LJM	PG4		2228.63	2420.54
6	8		96”(2438mm)	TARA-4296-LJM	PG4		2357.41	2562.20
6	8		102”(2591mm)	TARA-42A2-LJM	PG4		2486.19	2703.86
6	10		108”(2743mm)	TARA-42A8-LJM	PG4		2614.97	2845.52
6	10		114”(2896mm)	TARA-42B4-LJM	PG4		2743.75	2987.18
6	10		120”(3048mm)	TARA-42C0-LJM	PG4		2872.53	3128.84
6	6	48”(1219mm)	84”(2134mm)	TARA-4884-LJM	PG4		\$2353.93	\$2558.72
6	8		90”(2286mm)	TARA-4890-LJM	PG4		2500.61	2720.12
6	8		96”(2438mm)	TARA-4896-LJM	PG4		2647.29	2881.52
6	8		102”(2591mm)	TARA-48A2-LJM	PG4		2793.97	3042.92
6	10		108”(2743mm)	TARA-48A8-LJM	PG4		2940.65	3204.32
6	10		114”(2896mm)	TARA-48B4-LJM	PG4		3087.33	3365.72
6	10		120”(3048mm)	TARA-48C0-LJM	PG4		3234.01	3527.12
6	8	54”(1372mm)	84”(2134mm)	TARA-5484-LJM	PG4		\$2608.01	\$2838.56
6	10		90”(2286mm)	TARA-5490-LJM	PG4		2772.59	3019.70
6	10		96”(2438mm)	TARA-5496-LJM	PG4		2937.17	3200.84
6	10		102”(2591mm)	TARA-54A2-LJM	PG4		3101.75	3381.98
6	10		108”(2743mm)	TARA-54A8-LJM	PG4		3266.33	3563.12
6	10		114”(2896mm)	TARA-54B4-LJM	PG4		3430.91	3744.26
6	10		120”(3048mm)	TARA-54C0-LJM	PG4		3595.49	3925.40
6	10	60”(1524mm)	84”(2134mm)	TARA-6084-LJM	PG4		\$2862.09	\$3118.40
6	10		90”(2286mm)	TARA-6090-LJM	PG4		3044.57	3319.28
6	10		96”(2438mm)	TARA-6096-LJM	PG4		3227.05	3520.16
6	10		102”(2591mm)	TARA-60A2-LJM	PG4		3409.53	3721.04
6	10		108”(2743mm)	TARA-60A8-LJM	PG4		3592.01	3921.92
6	10		114”(2896mm)	TARA-60B4-LJM	PG4		3774.49	4122.80
6	10		120”(3048mm)	TARA-60C0-LJM	PG4		3956.97	4323.68

Features

- Includes 2”(51mm) thick top, perimeter leg bases, and hardware.
- Standard table height is 30”(762mm).
- Laminate top with 3mm edgeband edges only.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1.38”(35mm) x 4”(102mm).
- Optional cable base can be specified for tables 36”(914mm) deep and deeper:
 - 36”(914mm) deep tables will ship with 8”(203mm) x 14”(356mm) cable base.
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - One piece tops will include one cable base to be centered under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5”(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

*Recommended seating capacity based upon 27”(686mm) per chair.

To Order, Specify:

1) Product number, including:

① Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add \$43.24 list
- V** Left/Right – single-sided/4 outlets, add \$86.48 list
- J** Center – single-sided/6 outlets, add \$43.24 list
- K** Left/Right – single-sided/6 outlets, add \$86.48 list
- M** Center – double-sided/8 outlets, add \$43.24 list
- P** Left/Right – double-sided/8 outlets, add \$86.48 list
- Q** Center – double-sided/12 outlets, add \$43.24 list
- T** Left/Right – double-sided/12 outlets, add \$86.48 list

② Cable Base Option:

- N** None
- C** Cable Base: add \$869.14 list for 36” deep tables; add \$916.53 list for 42” deep and deeper tables

- 2) Laminate surface color.
- 3) Edge trim color.
- 4) Base trim color.
- 5) Laminate Surface – Cable Base
- 6) Edge trim color – Cable Base

Note: \$59.46 upcharge (list) for Metallic and accent trim colors.

Planes Conference Tables — Two-Piece Tops — Perimeter Leg — Laminate

Rectangular – 2”(51mm) Edge



TARA

Features

- Includes 2”(51mm) thick top, perimeter leg bases, and hardware.
- Standard table height is 30”(762mm).
- Laminate top with 3mm edgeband edges only.
- Table top seam is 3mm edgeband.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1.38”(35mm) x 4”(102mm).
- Optional cable base is available: :
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - Two piece tops will include one cable base to be centered on seams under table top.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5”(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

① Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$86.48** list
- V** Left/Right – single-sided/4 outlets, add **\$172.96** list
- J** Center – single-sided/6 outlets, add **\$86.48** list
- K** Left/Right – single-sided/6 outlets, add **\$172.96** list
- M** Center – double-sided/8 outlets, add **\$86.48** list
- P** Left/Right – double-sided/8 outlets, add **\$172.96** list
- Q** Center – double-sided/12 outlets, add **\$86.48** list
- T** Left/Right – double-sided/12 outlets, add **\$172.96** list

② Cable Base Option:

- N** None
- C** Cable Base, add **\$916.53** list

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.

5) Laminate Surface – Cable Base

6) Edge trim color – Cable Base

Note: **\$59.46** upcharge (list) for Metallic and accent trim colors.

Planes Conference Tables — Two-Piece Tops — Perimeter Leg — Laminate

Rectangular – 2”(51mm) Edge

No. of Legs	Seating Capacity*	Depth	Width	Number	①	②	Laminate A	B
6	10	42”(1067mm)	126”(3200mm)	TARA-42C6-LJM	PG4		\$4193.26	\$4462.45
6	10		132”(3353mm)	TARA-42D2-LJM	PG4		4374.04	4656.11
10	10		138”(3505mm)	TARA-42D8-LJM	PG4		4554.82	4849.77
10	10		144”(3658mm)	TARA-42E4-LJM	PG4		4735.60	5043.43
10	10		150”(3810mm)	TARA-42F0-LJM	PG4		4916.38	5237.09
10	12		156”(3962mm)	TARA-42F6-LJM	PG4		5097.16	5430.75
10	12		162”(4115mm)	TARA-42G2-LJM	PG4		5277.94	5624.41
10	12		168”(4267mm)	TARA-42G8-LJM	PG4		5458.72	5818.07
10	12		174”(4420mm)	TARA-42H4-LJM	PG4		5639.50	6011.73
10	14		180”(4572mm)	TARA-42J0-LJM	PG4		5820.28	6205.39
6	10	48”(1219mm)	126”(3200mm)	TARA-48C6-LJM	PG4		\$4717.17	\$5025.00
6	10		132”(3353mm)	TARA-48D2-LJM	PG4		4924.07	5246.62
10	10		138”(3505mm)	TARA-48D8-LJM	PG4		5130.97	5468.24
10	10		144”(3658mm)	TARA-48E4-LJM	PG4		5337.87	5689.86
10	10		150”(3810mm)	TARA-48F0-LJM	PG4		5544.77	5911.48
10	12		156”(3962mm)	TARA-48F6-LJM	PG4		5751.67	6133.10
10	12		162”(4115mm)	TARA-48G2-LJM	PG4		5958.57	6354.72
10	12		168”(4267mm)	TARA-48G8-LJM	PG4		6165.47	6576.34
10	12		174”(4420mm)	TARA-48H4-LJM	PG4		6372.37	6797.96
10	14		180”(4572mm)	TARA-48J0-LJM	PG4		6579.27	7019.58
6	10	54”(1372mm)	126”(3200mm)	TARA-54C6-LJM	PG4		\$5241.13	\$5587.60
6	10		132”(3353mm)	TARA-54D2-LJM	PG4		5470.82	5833.85
10	10		138”(3505mm)	TARA-54D8-LJM	PG4		5700.51	6080.10
10	10		144”(3658mm)	TARA-54E4-LJM	PG4		5930.20	6326.35
10	10		150”(3810mm)	TARA-54F0-LJM	PG4		6159.89	6572.60
10	12		156”(3962mm)	TARA-54F6-LJM	PG4		6389.58	6818.85
10	12		162”(4115mm)	TARA-54G2-LJM	PG4		6619.27	7065.10
10	12		168”(4267mm)	TARA-54G8-LJM	PG4		6848.96	7311.35
10	14		174”(4420mm)	TARA-54H4-LJM	PG4		7078.65	7557.60
10	14		180”(4572mm)	TARA-54J0-LJM	PG4		7308.34	7803.85
6	10	60”(1524mm)	126”(3200mm)	TARA-60C6-LJM	PG4		\$5765.06	\$6150.17
6	10		132”(3353mm)	TARA-60D2-LJM	PG4		6017.58	6421.09
10	10		138”(3505mm)	TARA-60D8-LJM	PG4		6270.10	6692.01
10	10		144”(3658mm)	TARA-60E4-LJM	PG4		6522.62	6962.93
10	10		150”(3810mm)	TARA-60F0-LJM	PG4		6775.14	7233.85
10	12		156”(3962mm)	TARA-60F6-LJM	PG4		7027.66	7504.77
10	12		162”(4115mm)	TARA-60G2-LJM	PG4		7280.18	7775.69
10	12		168”(4267mm)	TARA-60G8-LJM	PG4		7532.70	8046.61
10	14		174”(4420mm)	TARA-60H4-LJM	PG4		7785.22	8317.53
10	14		180”(4572mm)	TARA-60J0-LJM	PG4		7445.52	7996.23

*Recommended seating capacity based upon 27”(686mm) per chair.

Planes Conference Tables — Three-Piece Tops — Perimeter Leg — Laminate

Rectangular – 2”(51mm) Edge



TARA

Features

- Includes 2”(51mm) thick top, perimeter leg bases, and hardware.
- Standard table height is 30”(762mm).
- Laminate top with 3mm edgeband edges only.
- Table top seams are 3mm edgeband.
- Perimeter legs are painted aluminum.
- Perimeter leg is 1.38”(35mm) x 4”(102mm).
- Optional cable bases are available:
 - 42”(1067mm) deep and deeper tables will ship with 14”(356mm) x 14”(356mm) cable base.
 - Three piece tops will include two cable bases to be centered on seams.
 - Cable base and table top(s) are laminate and can be specified in different surface colors and edge trim colors.
 - Refer to Specification Guide for use guidelines.
- Optional Flip top unit electrical modules are separately specified. Refer to electrical components for appropriate product specification.
- Available with glides only; 0.5”(13mm) height adjustment.
- Depth and width shown in nominal dimensions.
- Ships unassembled.

Specification Tips

- Tables with multiple-piece tops have equal sized pieces.
- The following Planes products are separately specified:
 - Grommets (field cut opening)
 - Flip top unit electrical modules
 - Horizontal wire management
- Refer to Specification Guide for seating capacities with Cable Base Option and leg locations.

To Order, Specify:

1) Product number, including:

① Flip Top Unit Cutout(s):

- N** None
- F** Center – single-sided/4 outlets, add **\$129.72** list
- V** Left/Right – single-sided/4 outlets, add **\$259.44** list
- J** Center – single-sided/6 outlets, add **\$129.72** list
- K** Left/Right – single-sided/6 outlets, add **\$259.44** list
- M** Center – double-sided/8 outlets, add **\$129.72** list
- P** Left/Right – double-sided/8 outlets, add **\$259.44** list
- Q** Center – double-sided/12 outlets, add **\$129.72** list
- T** Left/Right – double-sided/12 outlets, add **\$259.44** list

② Cable Base Option:

- N** None
- C** Cable Base (2), add **\$1833.01** list

2) Laminate surface color.

3) Edge trim color.

4) Base trim color.

5) Laminate Surface – Cable Base

6) Edge trim color – Cable Base

Note: **\$59.46** upcharge (list) for Metallic and accent trim colors.

Planes Conference Tables — Three-Piece Tops — Perimeter Leg — Laminate

Rectangular – 2”(51mm) Edge

No. of Legs	Seating Capacity*	Depth	Length	Number	①	②	Laminate A	B
8	14	42”(1067mm)	186”(4724mm)	TARA-42J6-LJM	PG4		\$ 5938.97	\$ 6336.96
8	14		192”(4877mm)	TARA-42K2-LJM	PG4		6119.75	6530.62
8	14		198”(5029mm)	TARA-42K8-LJM	PG4		6300.53	6724.28
14	14		204”(5182mm)	TARA-42L4-LJM	PG4		6481.31	6917.94
14	14		210”(5334mm)	TARA-42M0-LJM	PG4		6662.09	7111.60
14	14		216”(5486mm)	TARA-42M6-LJM	PG4		6842.87	7305.26
14	16		222”(5639mm)	TARA-42N2-LJM	PG4		7023.65	7498.92
14	16		228”(5791mm)	TARA-42N8-LJM	PG4		7204.43	7692.58
14	16		234”(5944mm)	TARA-42P4-LJM	PG4		7385.21	7886.24
14	16		240”(6096mm)	TARA-42Q0-LJM	PG4		7565.99	8079.90
14	16		246”(6248mm)	TARA-42Q6-LJM	PG4		7746.77	8273.56
14	16		252”(6401mm)	TARA-42R2-LJM	PG4		7927.55	8467.22
14	18		258”(6553mm)	TARA-42R8-LJM	PG4		8108.33	8660.88
14	18		264”(6706mm)	TARA-42S4-LJM	PG4		8289.11	8854.54
14	20		270”(6858mm)	TARA-42T0-LJM	PG4		8743.58	9321.89
8	14	48”(1219mm)	186”(4724mm)	TARA-48J6-LJM	PG4		\$ 7112.25	\$ 7167.28
8	14		192”(4877mm)	TARA-48K2-LJM	PG4		6915.87	7385.62
8	14		198”(5029mm)	TARA-48K8-LJM	PG4		7119.49	7603.96
14	14		204”(5182mm)	TARA-48L4-LJM	PG4		7323.11	7822.30
14	14		210”(5334mm)	TARA-48M0-LJM	PG4		7526.73	8040.64
14	14		216”(5486mm)	TARA-48M6-LJM	PG4		7730.35	8258.98
14	14		222”(5639mm)	TARA-48N2-LJM	PG4		7933.97	8477.32
14	16		228”(5791mm)	TARA-48N8-LJM	PG4		8137.59	8695.66
14	16		234”(5944mm)	TARA-48P4-LJM	PG4		8341.21	8914.00
14	16		240”(6096mm)	TARA-48Q0-LJM	PG4		8544.83	9132.34
14	16		246”(6248mm)	TARA-48Q6-LJM	PG4		8748.45	9350.68
14	16		252”(6401mm)	TARA-48R2-LJM	PG4		8952.07	9569.02
14	18		258”(6553mm)	TARA-48R8-LJM	PG4		9155.69	9787.36
14	18		264”(6706mm)	TARA-48S4-LJM	PG4		9359.31	10005.70
14	20		270”(6858mm)	TARA-48T0-LJM	PG4		9562.93	10224.04
8	14	54”(1372mm)	186”(4724mm)	TARA-54J6-LJM	PG4		\$ 7392.28	\$ 7904.35
8	14		192”(4877mm)	TARA-54K2-LJM	PG4		7618.70	8147.33
8	14		198”(5029mm)	TARA-54K8-LJM	PG4		7845.12	8390.31
14	14		204”(5182mm)	TARA-54L4-LJM	PG4		8071.54	8633.29
14	14		210”(5334mm)	TARA-54M0-LJM	PG4		8297.96	8876.27
14	14		216”(5486mm)	TARA-54M6-LJM	PG4		8524.38	9119.25
14	16		222”(5639mm)	TARA-54N2-LJM	PG4		8750.80	9362.23
14	16		228”(5791mm)	TARA-54N8-LJM	PG4		8977.22	9605.21
14	16		234”(5944mm)	TARA-54P4-LJM	PG4		9203.64	9848.19
14	16		240”(6096mm)	TARA-54Q0-LJM	PG4		9430.06	10091.17
14	16		246”(6248mm)	TARA-54Q6-LJM	PG4		9656.48	10334.15
14	16		252”(6401mm)	TARA-54R2-LJM	PG4		9882.90	10577.13
14	18		258”(6553mm)	TARA-54R8-LJM	PG4		10109.32	10820.11
14	18		264”(6706mm)	TARA-54S4-LJM	PG4		10335.74	11063.09
14	20		270”(6858mm)	TARA-54T0-LJM	PG4		10562.16	11306.07
8	14	60”(1524mm)	186”(4724mm)	TARA-60J6-LJM	PG4		\$ 8006.83	\$ 8575.94
8	14		192”(4877mm)	TARA-60K2-LJM	PG4		8256.08	8843.59
8	14		198”(5029mm)	TARA-60K8-LJM	PG4		8505.33	9111.24
14	14		204”(5182mm)	TARA-60L4-LJM	PG4		8754.58	9378.89
14	14		210”(5334mm)	TARA-60M0-LJM	PG4		9003.83	9646.54
14	14		216”(5486mm)	TARA-60M6-LJM	PG4		9253.08	9914.19
14	16		222”(5639mm)	TARA-60N2-LJM	PG4		9502.33	10181.84
14	16		228”(5791mm)	TARA-60N8-LJM	PG4		9751.58	10449.49
14	16		234”(5944mm)	TARA-60P4-LJM	PG4		10000.83	10717.14
14	16		240”(6096mm)	TARA-60Q0-LJM	PG4		10250.08	10984.79
14	16		246”(6248mm)	TARA-60Q6-LJM	PG4		10499.33	11252.44
14	16		252”(6401mm)	TARA-60R2-LJM	PG4		10748.58	11520.09
14	18		258”(6553mm)	TARA-60R8-LJM	PG4		10997.83	11787.74
14	18		264”(6706mm)	TARA-60S4-LJM	PG4		11247.08	12055.39
14	20		270”(6858mm)	TARA-60T0-LJM	PG4		11496.33	12323.04


*Recommended seating capacity based upon 27”(686mm) per chair.

TA RA - 48 C0 - L F S Q B N N N

Planes Component Specification Overview

Conference Table with Column Base

Planes Conference Top(s), Column Base(s), and J-Channel(s) are separately specified. See below for required component specification.



1 Conference Top

- The number of tops depend on the width of the conference table. Top options include a 1-piece top, 2-piece top or 3-piece top.

Column Base

Each Column Base requires separately specified components: **Column Frame, Column Base Plate, and Cladding.**

2 Column Frame

- Column Frames are square and are available in two sizes, 9”(229mm) & 12”(305mm) square, and three heights, 20”(508mm) lounge height , 28”(711mm) seated height and 40”(1016mm) standing height.
 - The table top width and the number of pieces dictate the quantity of column frame(s). **Refer to Matrix-A for details.**
 - The table top depth dictates the column frame size, 9”(229mm) or 12”(305mm) square. **Refer to Matrix-B for details.**

3 Column Base Plate

- Round or Square Column Base Plates are available in four sizes: 21”(533mm), 24”(610mm), 27”(686mm) and 30”(762mm).
 - The column base plate size is specific to the column frame size of 9”(229mm) or 12”(305mm); specify accordingly.
 - The column frame width and the table top depth dictate the size of the column base plate. **Refer to Matrix-B for details.**

4 Cladding

- Round or Flat Cladding is available in two widths, 9”(229mm) & 12”(305mm), and three heights, 20”(508mm) lounge height, 28”(711mm) seated height and 40”(1016mm) standing height. (Exception: Round cladding is not available 40” high)
 - Cladding is specified as one single piece per catalog number. A quantity of (4) pieces are required per each Column Frame.
 - Note: All round or flat, or a combination of round and flat cladding may be used on a column frame.
 - Specify cladding to match the column frame width and height.

5 J-Channel

- Provides wire management and the required support below the Conference Table Top.
 - J-Channel is specified as one pair per catalog number. A pair of J-Channels are used between each column base.
 - The table top width and column size dictate the number of pairs and length of J-Channel. **Refer to Matrix-A for details.**

J-Channel Tray - Optional

- J-Channel Trays are optional and provide additional wire management between columns; lays in J-Channels.
 - Specify J-Channel Tray width to match Column Frame size.
 - The J-Channel length dictates the maximum number of J-Channel Trays. **Refer to Matrix A for details.**

Planes Component Specification Overview

Conference Table with Column Base

MATRIX - A

Column Frame Quantity & J Channel Quantity and Size - Specification Matrix							
Table Width	Number of Pieces in Top	Number of Column Frames	Number of Pairs of J Channel	9"(229mm) x 9"(229mm) Column Frame		12"(305mm) x 12"(305mm) Column Frame	
				J Channel Length	# of Trays (Maximum)	J Channel Length	# of Trays (Maximum)
96"(2438mm)	1	2	1	29"(737mm)	1	26"(660mm)	1
102"(2591mm)	1	2	1	35"(889mm)	1	32"(813mm)	1
108"(2743mm)	1	2	1	41"(1041mm)	2	38"(965mm)	2
114"(2896mm)	1	2	1	47"(1194mm)	2	44"(1118mm)	2
120"(3048mm)	1	2	1	53"(1346mm)	3	50"(1270mm)	2
126"(3200mm)	2	2	1	59"(1499mm)	3	56"(1422mm)	3
132"(3353mm)	2	2	1	65"(1651mm)	3	62"(1575mm)	3
138"(3505mm)	2	2	1	71"(1803mm)	4	68"(1727mm)	4
144"(3658mm)	2	2	1	77"(1956mm)	4	74"(1880mm)	4
150"(3810mm)	2	2	1	83"(2108mm)	5	80"(2032mm)	5
156"(3962mm)	2	2	1	89"(2261mm)	5	86"(2184mm)	5
162"(4115mm)	2	2	1	95"(2413mm)	6	92"(2337mm)	5
168"(4267mm)	2	2	1	101"(2565mm)	6	98"(2489mm)	6
174"(4420mm)	2	3	2	50"(1270mm)	2	47"(1194mm)	2
180"(4572mm)	2	3	2	53"(1346mm)	3	50"(1270mm)	2
186"(4724mm)	3	3	2	56"(1422mm)	3	53"(1346mm)	3
192"(4877mm)	3	3	2	59"(1499mm)	3	56"(1422mm)	3
198"(5029mm)	3	3	2	62"(1575mm)	3	59"(1499mm)	3
204"(5182mm)	3	3	2	65"(1651mm)	3	62"(1575mm)	3
210"(5334mm)	3	3	2	68"(1727mm)	4	65"(1651mm)	3
216"(5486mm)	3	3	2	71"(1803mm)	4	68"(1727mm)	4
222"(5639mm)	3	3	2	74"(1880mm)	4	71"(1803mm)	4
228"(5791mm)	3	3	2	77"(1956mm)	4	74"(1880mm)	4
234"(5944mm)	3	3	2	80"(2032mm)	5	77"(1956mm)	4
240"(6096mm)	3	3	2	83"(2108mm)	5	80"(2032mm)	5
246"(6248mm)	3	3	2	86"(2184mm)	5	83"(2108mm)	5
252"(6401mm)	3	3	2	89"(2261mm)	5	86"(2184mm)	5
258"(6553mm)	3	3	2	92"(2337mm)	5	89"(2261mm)	5
264"(6706mm)	3	3	2	92"(2337mm)	6	92"(2337mm)	5
270"(6858mm)	3	3	2	98"(2489mm)	6	95"(2413mm)	6

MATRIX - B


Column Frame Size & Column Base Plate Size - Specification Matrix					
Table Depth	9"(229mm) x 9"(229mm) Column Frame		12"(305mm) x 12"(305mm) Column Frame		
	21"(533mm) Base Plate (Round or Square)	24"(610mm) Base Plate (Round or Square)	24"(610mm) Base Plate (Round or Square)	27"(686mm) Base Plate (Round or Square)	30"(762mm) Base Plate (Round or Square)
36"(914mm)	✓	✓	✓	✓	✓
42"(1067mm)		✓	✓	✓	✓
48"(1219mm)				✓	✓
54"(1372mm)				✓ (Square only)	✓
60"(1524mm)				✓ (Square only)	✓

Planes Conference Table Top — Round, Square and Pebble (for use with Column Base)

Laminate



TARN



TARQ



TARP

Features

- Includes 1.18”(30mm) thick top.
- Laminate top with 3mm edgeband or knife, based upon shape.
- Top available in standard core.
- **Requires separately specified Column Base.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Conference Top requires separately specified components for Column Base:
 - Column Frame
 - Column Base Plate
 - Cladding (4) pieces per each Column Frame
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified flip top unit electrical module.
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes Conference Table Tops (for use with Column Base).

To Order, Specify:

1) Product number, including;

1 Edge Options:

Laminate:

- J** Edgeband
- F** Knife

2 Cutout Options:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add \$43.24 list
- J** Center, Single-Sided/6 outlets, add \$43.24 list
- M** Center, Double-Sided/8 outlets, add \$43.24 list
- Q** Center, Double-Sided/12 outlets, add \$43.24 list

2) Laminate surface color.

3) Edgeband trim color.


No. of Pieces	Seating Capacity*	Depth	Width	Number	Laminate A		Laminate B			
					J	F	J	F		
Round										
1	4	36"(914mm)	36"(914mm)	TARN-3636-L	S	BNNN	\$ 503.27	\$ 793.98	\$ 589.61	\$ 880.32
1	4	42"(1067mm)	42"(1067mm)	TARN-4242-L	S	BNNN	708.15	1038.22	816.85	1146.92
1	4	48"(1219mm)	48"(1219mm)	TARN-4848-L	S	BNNN	943.11	1312.54	1077.61	1447.04
1	8	54"(1372mm)	54"(1372mm)	TARN-5454-L	S	BNNN	1208.15	1616.94	1371.89	1780.68
1	8	60"(1524mm)	60"(1524mm)	TARN-6060-L	S	BNNN	1503.27	1951.42	1699.69	2147.84
Square										
1	4	36"(914mm)	36"(914mm)	TARQ-3636-L	S	BNNN	\$ 501.83	\$ 781.02	\$ 588.17	\$ 867.36
1	4	42"(1067mm)	42"(1067mm)	TARQ-4242-L	S	BNNN	706.47	1023.10	815.17	1131.80
1	4	48"(1219mm)	48"(1219mm)	TARQ-4848-L	S	BNNN	941.19	1295.26	1075.69	1429.76
1	8	54"(1372mm)	54"(1372mm)	TARQ-5454-L	S	BNNN	1205.99	1597.50	1369.73	1761.24
1	8	60"(1524mm)	60"(1524mm)	TARQ-6060-L	S	BNNN	1500.87	1929.82	1697.29	2126.24
Pebble										
1	4	36"(914mm)	36"(914mm)	TARP-3636-L	S	BNNN	\$ 503.27	\$ 793.98	\$ 589.61	\$ 880.32
1	4	42"(1067mm)	42"(1067mm)	TARP-4242-L	S	BNNN	708.15	1038.22	816.85	1146.92
1	4	48"(1219mm)	48"(1219mm)	TARP-4848-L	S	BNNN	943.11	1312.54	1077.61	1447.04
1	8	54"(1372mm)	54"(1372mm)	TARP-5454-L	S	BNNN	1208.15	1616.94	1371.89	1780.68
1	8	60"(1524mm)	60"(1524mm)	TARP-6060-L	S	BNNN	1503.27	1951.42	1699.69	2147.84

*Recommended seating capacity based upon 27”(687mm) per chair.

This page intentionally blank

Planes Conference Table Top — Rectangle (for use with Column Base)

Laminate



TARA

Features

- Includes 1.18”(30mm) thick top.
- Laminate top with 3mm edgeband or knife edge. Multiple piece tops are 1mm edgeband at the seams.
- Table top seams are 1mm edgeband.
- **Requires separately specified Column Base and J Channels.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Multiple piece conference tops have equal sized pieces and are shipped unassembled.
- Conference Top requires separately specified components for Column Base:
 - Column Frame
 - Column Base Plate
 - Cladding (4) pieces per each Column Frame
- Conference Top requires separately specified J Channels for support and load purposes.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified flip top unit electrical module.
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes Conference Table Tops (for use with Column Base).

③ Cutout Options			
Cutout	1 Piece	2 Piece	3 Piece
F	\$43.24	\$ 86.48	\$129.72
V	\$86.48	\$172.96	\$259.44
J	\$43.24	\$ 86.48	\$129.72
K	\$86.48	\$172.96	\$259.44
M	\$43.24	\$ 86.48	\$129.72
P	\$86.48	\$172.96	\$259.44
Q	\$43.24	\$ 86.48	\$129.72
T	\$86.48	\$172.96	\$259.44

To Order, Specify:

1) Product number, including;

① Edge Options:

Laminate:

- J Edgeband
- F Knife

② Cutout Options:

- N No Cutout
- F Center, Single-Sided/4 outlets, see chart for upcharge
- V Left/Right, Single-Sided/4 outlets, see chart for upcharge
- J Center, Single-Sided/6 outlets, see chart for upcharge
- K Left/Right, Single-Sided/6 outlets, see chart for upcharge
- M Center, Double-Sided/8 outlets, see chart for upcharge
- P Left/Right, Double-Sided/8 outlets, see chart for upcharge
- Q Center, Double-Sided/12 outlets, see chart for upcharge
- T Left/Right, Double-Sided/12 outlets, see chart for upcharge

2) Laminate surface color.

3) Edgeband trim color.

Planes Conference Table Top — Rectangle (for use with Column Base)

Laminate

No. of Pieces	Seating Capacity*	Depth	Width	Number ① ②	Laminate A		Laminate B	
					J	F	J	F
1	8	42"(1067mm)	96"(2438mm)	TARA-4296-L S BNNN	\$1671.81	\$2148.64	\$1867.54	\$2344.37
1	8		102"(2591mm)	TARA-42A2-L S BNNN	1781.43	2276.62	1989.41	2484.60
1	10		108"(2743mm)	TARA-42A8-L S BNNN	1891.05	2404.60	2111.28	2624.83
1	10		114"(2896mm)	TARA-42B4-L S BNNN	2000.67	2532.58	2233.15	2765.06
1	10		120"(3048mm)	TARA-42C0-L S BNNN	2110.29	2660.56	2355.02	2905.29
2	10		126"(3200mm)	TARA-42C6-L S BNNN	2914.54	3518.40	3171.52	3775.38
2	10		132"(3353mm)	TARA-42D2-L S BNNN	3055.31	3677.53	3324.54	3946.76
2	12		138"(3505mm)	TARA-42D8-L S BNNN	3196.08	3836.66	3477.56	4118.14
2	12		144"(3658mm)	TARA-42E4-L S BNNN	3336.85	3995.79	3630.58	4289.52
2	12		150"(3810mm)	TARA-42F0-L S BNNN	3477.62	4154.92	3783.60	4460.90
2	12		156"(3962mm)	TARA-42F6-L S BNNN	3618.39	4314.05	3936.62	4632.28
2	14		162"(4115mm)	TARA-42G2-L S BNNN	3759.16	4473.18	4089.64	4803.66
2	14		168"(4267mm)	TARA-42G8-L S BNNN	3899.93	4632.31	4242.66	4975.04
2	14		174"(4420mm)	TARA-42H4-L S BNNN	4040.70	4791.44	4395.68	5146.42
2	14		180"(4572mm)	TARA-42J0-L S BNNN	4181.47	4950.57	4548.70	5317.80
3	14		186"(4724mm)	TARA-42J6-L S BNNN	4337.81	5170.30	4717.29	5549.78
3	16		192"(4877mm)	TARA-42K2-L S BNNN	4478.58	5329.43	4870.31	5721.16
3	16		198"(5029mm)	TARA-42K8-L S BNNN	4619.35	5488.56	5023.33	5892.54
3	16		204"(5182mm)	TARA-42L4-L S BNNN	4760.12	5647.69	5176.35	6063.92
3	16		210"(5334mm)	TARA-42M0-L S BNNN	4900.89	5806.82	5329.37	6235.30
3	18		216"(5486mm)	TARA-42M6-L S BNNN	5041.66	5965.95	5482.39	6406.68
3	18		222"(5639mm)	TARA-42N2-L S BNNN	5182.43	6125.08	5635.41	6578.06
3	18		228"(5791mm)	TARA-42N8-L S BNNN	5323.20	6284.21	5788.43	6749.44
3	18		234"(5944mm)	TARA-42P4-L S BNNN	5463.97	6443.34	5941.45	6920.82
3	18		240"(6096mm)	TARA-42Q0-L S BNNN	5604.74	6602.47	6094.47	7092.20
3	20		246"(6248mm)	TARA-42Q6-L S BNNN	5745.51	6761.60	6247.49	7263.58
3	20		252"(6401mm)	TARA-42R2-L S BNNN	5886.28	6920.73	6400.51	7434.96
3	20		258"(6553mm)	TARA-42R8-L S BNNN	6027.05	7079.86	6553.53	7606.34
3	20		264"(6706mm)	TARA-42S4-L S BNNN	6167.82	7238.99	6706.55	7777.72
3	22		270"(6858mm)	TARA-42T0-L S BNNN	6308.59	7398.12	6859.57	7949.10
1	8	48"(1219mm)	96"(2438mm)	TARA-4896-L S BNNN	\$1918.05	\$2413.24	\$2141.78	\$2636.97
1	8		102"(2591mm)	TARA-48A2-L S BNNN	2042.85	2556.40	2280.58	2794.13
1	10		108"(2743mm)	TARA-48A8-L S BNNN	2167.65	2699.56	2419.38	2951.29
1	10		114"(2896mm)	TARA-48B4-L S BNNN	2292.45	2842.72	2558.18	3108.45
1	10		120"(3048mm)	TARA-48C0-L S BNNN	2417.25	2985.88	2696.98	3265.61
2	10		126"(3200mm)	TARA-48C6-L S BNNN	3336.35	3958.57	3630.08	4252.30
2	10		132"(3353mm)	TARA-48D2-L S BNNN	3492.30	4132.88	3800.03	4440.61
2	12		138"(3505mm)	TARA-48D8-L S BNNN	3648.25	4307.19	3969.98	4628.92
2	12		144"(3658mm)	TARA-48E4-L S BNNN	3804.20	4481.50	4139.93	4817.23
2	12		150"(3810mm)	TARA-48F0-L S BNNN	3960.15	4655.81	4309.88	5005.54
2	12		156"(3962mm)	TARA-48F6-L S BNNN	4116.10	4830.12	4479.83	5193.85
2	14		162"(4115mm)	TARA-48G2-L S BNNN	4272.05	5004.43	4649.78	5382.16
2	14		168"(4267mm)	TARA-48G8-L S BNNN	4428.00	5178.74	4819.73	5570.47
2	14		174"(4420mm)	TARA-48H4-L S BNNN	4583.95	5353.05	4989.68	5758.78
2	14		180"(4572mm)	TARA-48J0-L S BNNN	4739.90	5527.36	5159.63	5947.09
3	14		186"(4724mm)	TARA-48J6-L S BNNN	4911.42	5762.27	5345.15	6196.00
3	16		192"(4877mm)	TARA-48K2-L S BNNN	5067.37	5936.58	5515.10	6384.31
3	16		198"(5029mm)	TARA-48K8-L S BNNN	5223.32	6110.89	5685.05	6572.62
3	16		204"(5182mm)	TARA-48L4-L S BNNN	5379.27	6285.20	5855.00	6760.93
3	16		210"(5334mm)	TARA-48M0-L S BNNN	5535.22	6459.51	6024.95	6949.24
3	18		216"(5486mm)	TARA-48M6-L S BNNN	5691.17	6633.82	6194.90	7137.55
3	18		222"(5639mm)	TARA-48N2-L S BNNN	5847.12	6808.13	6364.85	7325.86
3	18		228"(5791mm)	TARA-48N8-L S BNNN	6003.07	6982.44	6534.80	7514.17
3	18		234"(5944mm)	TARA-48P4-L S BNNN	6159.02	7156.75	6704.75	7702.48
3	18		240"(6096mm)	TARA-48Q0-L S BNNN	6314.97	7331.06	6874.70	7890.79
3	20		246"(6248mm)	TARA-48Q6-L S BNNN	6470.92	7505.37	7044.65	8079.10
3	20		252"(6401mm)	TARA-48R2-L S BNNN	6626.87	7679.68	7214.60	8267.41
3	20		258"(6553mm)	TARA-48R8-L S BNNN	6782.82	7853.99	7384.55	8455.72
3	20		264"(6706mm)	TARA-48S4-L S BNNN	6938.77	8028.30	7554.50	8644.03
3	22		270"(6858mm)	TARA-48T0-L S BNNN	7094.72	8202.61	7724.45	8832.34

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes Conference Table Top — Rectangle (for use with Column Base)

Laminate


No. of Pieces	Seating Capacity*	Depth	Width	Number ① ②	Laminate A		Laminate B	
					J	F	J	F
1	10	54"(1372mm)	96"(2438mm)	TARA-5496-L S BNNN	\$2164.29	\$2677.84	\$2416.02	\$ 2929.57
1	10		102"(2591mm)	TARA-54A2-L S BNNN	2304.27	2836.18	2571.75	3103.66
1	12		108"(2743mm)	TARA-54A8-L S BNNN	2444.25	2994.52	2727.48	3277.75
1	12		114"(2896mm)	TARA-54B4-L S BNNN	2584.23	3152.86	2883.21	3451.84
1	12		120"(3048mm)	TARA-54C0-L S BNNN	2724.21	3311.20	3038.94	3625.93
2	12		126"(3200mm)	TARA-54C6-L S BNNN	3758.16	4398.74	4088.64	4729.22
2	12		132"(3353mm)	TARA-54D2-L S BNNN	3929.29	4588.23	4275.52	4934.46
2	14		138"(3505mm)	TARA-54D8-L S BNNN	4100.42	4777.72	4462.40	5139.70
2	14		144"(3658mm)	TARA-54E4-L S BNNN	4271.55	4967.21	4649.28	5344.94
2	14		150"(3810mm)	TARA-54F0-L S BNNN	4442.68	5156.70	4836.16	5550.18
2	14		156"(3962mm)	TARA-54F6-L S BNNN	4613.81	5346.19	5023.04	5755.42
2	16		162"(4115mm)	TARA-54G2-L S BNNN	4784.94	5535.68	5209.92	5960.66
2	16		168"(4267mm)	TARA-54G8-L S BNNN	4956.07	5725.17	5396.80	6165.90
2	16		174"(4420mm)	TARA-54H4-L S BNNN	5127.20	5914.66	5583.68	6371.14
2	16		180"(4572mm)	TARA-54J0-L S BNNN	5298.33	6104.15	5770.56	6576.38
3	16		186"(4724mm)	TARA-54J6-L S BNNN	5395.33	6354.24	5883.31	6842.22
3	18		192"(4877mm)	TARA-54K2-L S BNNN	5566.46	6543.73	6070.19	7047.46
3	18		198"(5029mm)	TARA-54K8-L S BNNN	5737.59	6733.22	6257.07	7252.70
3	18		204"(5182mm)	TARA-54L4-L S BNNN	5908.72	6922.71	6443.95	7457.94
3	18		210"(5334mm)	TARA-54M0-L S BNNN	6079.85	7112.20	6630.83	7663.18
3	20		216"(5486mm)	TARA-54M6-L S BNNN	6250.98	7301.69	6817.71	7868.42
3	20		222"(5639mm)	TARA-54N2-L S BNNN	6422.11	7491.18	7004.59	8073.66
3	20		228"(5791mm)	TARA-54N8-L S BNNN	6593.24	7680.67	7191.47	8278.90
3	20		234"(5944mm)	TARA-54P4-L S BNNN	6764.37	7870.16	7378.35	8484.14
3	20		240"(6096mm)	TARA-54Q0-L S BNNN	6935.50	8059.65	7565.23	8689.38
3	22		246"(6248mm)	TARA-54Q6-L S BNNN	7106.63	8249.14	7752.11	8894.62
3	22		252"(6401mm)	TARA-54R2-L S BNNN	7277.76	8438.63	7938.99	9099.86
3	22		258"(6553mm)	TARA-54R8-L S BNNN	7448.89	8628.12	8125.87	9305.10
3	22		264"(6706mm)	TARA-54S4-L S BNNN	7620.02	8817.61	8312.75	9510.34
3	24		270"(6858mm)	TARA-54T0-L S BNNN	7791.15	9007.10	8499.63	9715.58
1	10	60"(1524mm)	96"(2438mm)	TARA-6096-L S BNNN	\$2410.53	\$2942.44	\$2690.26	\$ 3222.17
1	10		102"(2591mm)	TARA-60A2-L S BNNN	2565.69	3115.96	2862.92	3413.19
1	12		108"(2743mm)	TARA-60A8-L S BNNN	2720.85	3289.48	3035.58	3604.21
1	12		114"(2896mm)	TARA-60B4-L S BNNN	2876.01	3463.00	3208.24	3795.23
1	12		120"(3048mm)	TARA-60C0-L S BNNN	3031.17	3636.52	3380.90	3986.25
2	12		126"(3200mm)	TARA-60C6-L S BNNN	4179.97	4838.91	4547.20	5206.14
2	12		132"(3353mm)	TARA-60D2-L S BNNN	4366.28	5043.58	4751.01	5428.31
2	14		138"(3505mm)	TARA-60D8-L S BNNN	4552.59	5248.25	4954.82	5650.48
2	14		144"(3658mm)	TARA-60E4-L S BNNN	4738.90	5452.92	5158.63	5872.65
2	14		150"(3810mm)	TARA-60F0-L S BNNN	4925.21	5657.59	5362.44	6094.82
2	14		156"(3962mm)	TARA-60F6-L S BNNN	5111.52	5862.26	5566.25	6316.99
2	16		162"(4115mm)	TARA-60G2-L S BNNN	5297.83	6066.93	5770.06	6539.16
2	16		168"(4267mm)	TARA-60G8-L S BNNN	5484.14	6271.60	5973.87	6761.33
2	16		174"(4420mm)	TARA-60H4-L S BNNN	5670.45	6476.27	6177.68	6983.50
2	16		180"(4572mm)	TARA-60J0-L S BNNN	5856.76	6680.94	6381.49	7205.67
3	16		186"(4724mm)	TARA-60J6-L S BNNN	5879.23	6946.21	6421.46	7488.44
3	18		192"(4877mm)	TARA-60K2-L S BNNN	6065.54	7150.88	6625.27	7710.61
3	18		198"(5029mm)	TARA-60K8-L S BNNN	6251.85	7355.55	6829.08	7932.78
3	18		204"(5182mm)	TARA-60L4-L S BNNN	6438.16	7560.22	7032.89	8154.95
3	18		210"(5334mm)	TARA-60M0-L S BNNN	6624.47	7764.89	7236.70	8377.12
3	20		216"(5486mm)	TARA-60M6-L S BNNN	6810.78	7969.56	7440.51	8599.29
3	20		222"(5639mm)	TARA-60N2-L S BNNN	6997.09	8174.23	7644.32	8821.46
3	20		228"(5791mm)	TARA-60N8-L S BNNN	7183.40	8378.90	7848.13	9043.63
3	20		234"(5944mm)	TARA-60P4-L S BNNN	7369.71	8583.57	8051.94	9265.80
3	20		240"(6096mm)	TARA-60Q0-L S BNNN	7556.02	8788.24	8255.75	9487.97
3	22		246"(6248mm)	TARA-60Q6-L S BNNN	7742.33	8992.91	8459.56	9710.14
3	22		252"(6401mm)	TARA-60R2-L S BNNN	7928.64	9197.58	8663.37	9932.31
3	22		258"(6553mm)	TARA-60R8-L S BNNN	8114.95	9402.25	8867.18	10154.48
3	22		264"(6706mm)	TARA-60S4-L S BNNN	8301.26	9606.92	9070.99	10376.65
3	24		270"(6858mm)	TARA-60T0-L S BNNN	8487.57	9811.59	9274.80	10598.82

*Recommended seating capacity based upon 27"(687mm) per chair.

This page intentionally blank

Planes Conference Table Top — Pebble (for use with Column Base)

Laminate



Features

- Includes 1.18”(30mm) thick top(s).
- Laminate top with 3mm edgeband or knife edge. Multiple piece tops are 1mm edgeband at the seams.
- Table top seams are 1mm edgeband.
- Requires separately specified Column Base and J Channels.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Multiple piece conference tops have equal sized pieces and are shipped unassembled.
- Conference Top requires separately specified components for Column Base:
 - Column Frame
 - Column Base Plate
 - Cladding (4) pieces per each Column Frame
- Conference Top requires separately specified J Channels for support and load purposes.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified flip top unit electrical module.
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes Conference Table Tops (for use with Column Base).

3 Cutout Options			
Cutout	1 Piece	2 Piece	3 Piece
F	\$43.24	\$ 86.48	\$129.72
V	\$86.48	\$172.96	\$259.44
J	\$43.24	\$ 86.48	\$129.72
K	\$86.48	\$172.96	\$259.44
M	\$43.24	\$ 86.48	\$129.72
P	\$86.48	\$172.96	\$259.44
Q	\$43.24	\$ 86.48	\$129.72
T	\$86.48	\$172.96	\$259.44

To Order, Specify:

1) Product number, including;

1 Edge Options:

Laminate:

- J Edgeband
- F Knife

2 Cutout Options:

- N No Cutout
- F Center, Single-Sided/4 outlets, see chart for upcharge
- V Left/Right, Single-Sided/4 outlets, see chart for upcharge
- J Center, Single-Sided/6 outlets, see chart for upcharge
- K Left/Right, Single-Sided/6 outlets, see chart for upcharge
- M Center, Double-Sided/8 outlets, see chart for upcharge
- P Left/Right, Double-Sided/8 outlets, see chart for upcharge
- Q Center, Double-Sided/12 outlets, see chart for upcharge
- T Left/Right, Double-Sided/12 outlets, see chart for upcharge

2) Laminate surface color.

3) Edgeband trim color.

Planes Conference Table Top — Pebble (for use with Column Base)

Laminate

No. of Pieces	Seating Capacity*	Depth	Width	Number ① ②	Laminate A		Laminate B	
					J	F	J	F
1	8	42"(1067mm)	96"(2438mm)	TARP-4296-L S BNNN	\$1671.81	\$2148.64	\$1867.54	\$2344.37
1	8		102"(2591mm)	TARP-42A2-L S BNNN	1781.43	2276.62	1989.41	2484.60
1	10		108"(2743mm)	TARP-42A8-L S BNNN	1891.05	2404.60	2111.28	\$2624.83
1	10		114"(2896mm)	TARP-42B4-L S BNNN	2000.67	2532.58	2233.15	2765.06
1	10		120"(3048mm)	TARP-42C0-L S BNNN	2110.29	2660.56	2355.02	2905.29
2	10		126"(3200mm)	TARP-42C6-L S BNNN	2914.54	3518.40	3171.52	3775.38
2	10		132"(3353mm)	TARP-42D2-L S BNNN	3055.31	3677.53	3324.54	3946.76
2	12		138"(3505mm)	TARP-42D8-L S BNNN	3196.08	3836.66	3477.56	4118.14
2	12		144"(3658mm)	TARP-42E4-L S BNNN	3336.85	3995.79	3630.58	4289.52
2	12		150"(3810mm)	TARP-42F0-L S BNNN	3477.62	4154.92	3783.60	4460.90
2	12		156"(3962mm)	TARP-42F6-L S BNNN	3618.39	4314.05	3936.62	4632.28
2	14		162"(4115mm)	TARP-42G2-L S BNNN	3759.16	4473.18	4089.64	4803.66
2	14		168"(4267mm)	TARP-42G8-L S BNNN	3899.93	4632.31	4242.66	4975.04
2	14		174"(4420mm)	TARP-42H4-L S BNNN	4040.70	4791.44	4395.68	5146.42
2	14		180"(4572mm)	TARP-42J0-L S BNNN	4181.47	4950.57	4548.70	5317.80
3	14		186"(4724mm)	TARP-42J6-L S BNNN	4337.81	5170.30	4717.29	5549.78
3	16		192"(4877mm)	TARP-42K2-L S BNNN	4478.58	5329.43	4870.31	5721.16
3	16		198"(5029mm)	TARP-42K8-L S BNNN	4619.35	5488.56	5023.33	5892.54
3	16		204"(5182mm)	TARP-42L4-L S BNNN	4760.12	5647.69	5176.35	6063.92
3	16		210"(5334mm)	TARP-42M0-L S BNNN	4900.89	5806.82	5329.37	6235.30
3	18		216"(5486mm)	TARP-42M6-L S BNNN	5041.66	5965.95	5482.39	6406.68
3	18		222"(5639mm)	TARP-42N2-L S BNNN	5182.43	6125.08	5635.41	6578.06
3	18		228"(5791mm)	TARP-42N8-L S BNNN	5323.20	6284.21	5788.43	6749.44
3	18		234"(5944mm)	TARP-42P4-L S BNNN	5463.97	6443.34	5941.45	6920.82
3	18		240"(6096mm)	TARP-42Q0-L S BNNN	5604.74	6602.47	6094.47	7092.20
3	20		246"(6248mm)	TARP-42Q6-L S BNNN	5745.51	6761.60	6247.49	7263.58
3	20		252"(6401mm)	TARP-42R2-L S BNNN	5886.28	6920.73	6400.51	7434.96
3	20		258"(6553mm)	TARP-42R8-L S BNNN	6027.05	7079.86	6553.53	7606.34
3	20		264"(6706mm)	TARP-42S4-L S BNNN	6167.82	7238.99	6706.55	7777.72
3	22		270"(6858mm)	TARP-42T0-L S BNNN	6308.59	7398.12	6859.57	7949.10
1	8	48"(1219mm)	96"(2438mm)	TARP-4896-L S BNNN	\$1918.05	\$2413.24	\$2141.78	\$2636.97
1	8		102"(2591mm)	TARP-48A2-L S BNNN	2042.85	2556.40	2280.58	2794.13
1	10		108"(2743mm)	TARP-48A8-L S BNNN	2167.65	2699.56	2419.38	2951.29
1	10		114"(2896mm)	TARP-48B4-L S BNNN	2292.45	2842.72	2558.18	3108.45
1	10		120"(3048mm)	TARP-48C0-L S BNNN	2417.25	2985.88	2696.98	3265.61
2	10		126"(3200mm)	TARP-48C6-L S BNNN	3336.35	3958.57	3630.08	4252.30
2	10		132"(3353mm)	TARP-48D2-L S BNNN	3492.30	4132.88	3800.03	4440.61
2	12		138"(3505mm)	TARP-48D8-L S BNNN	3648.25	4307.19	3969.98	4628.92
2	12		144"(3658mm)	TARP-48E4-L S BNNN	3804.20	4481.50	4139.93	4817.23
2	12		150"(3810mm)	TARP-48F0-L S BNNN	3960.15	4655.81	4309.88	5005.54
2	12		156"(3962mm)	TARP-48F6-L S BNNN	4116.10	4830.12	4479.83	5193.85
2	14		162"(4115mm)	TARP-48G2-L S BNNN	4272.05	5004.43	4649.78	5382.16
2	14		168"(4267mm)	TARP-48G8-L S BNNN	4428.00	5178.74	4819.73	5570.47
2	14		174"(4420mm)	TARP-48H4-L S BNNN	4583.95	5353.05	4989.68	5758.78
2	14		180"(4572mm)	TARP-48J0-L S BNNN	4739.90	5527.36	5159.63	5947.09
3	14		186"(4724mm)	TARP-48J6-L S BNNN	4911.42	5762.27	5345.15	6196.00
3	16		192"(4877mm)	TARP-48K2-L S BNNN	5067.37	5936.58	5515.10	6384.31
3	16		198"(5029mm)	TARP-48K8-L S BNNN	5223.32	6110.89	5685.05	6572.62
3	16		204"(5182mm)	TARP-48L4-L S BNNN	5379.27	6285.20	5855.00	6760.93
3	16		210"(5334mm)	TARP-48M0-L S BNNN	5535.22	6459.51	6024.95	6949.24
3	18		216"(5486mm)	TARP-48M6-L S BNNN	5691.17	6633.82	6194.90	7137.55
3	18		222"(5639mm)	TARP-48N2-L S BNNN	5847.12	6808.13	6364.85	7325.86
3	18		228"(5791mm)	TARP-48N8-L S BNNN	6003.07	6982.44	6534.80	7514.17
3	18		234"(5944mm)	TARP-48P4-L S BNNN	6159.02	7156.75	6704.75	7702.48
3	18		240"(6096mm)	TARP-48Q0-L S BNNN	6314.97	7331.06	6874.70	7890.79
3	20		246"(6248mm)	TARP-48Q6-L S BNNN	6470.92	7505.37	7044.65	8079.10
3	20		252"(6401mm)	TARP-48R2-L S BNNN	6626.87	7679.68	7214.60	8267.41
3	20		258"(6553mm)	TARP-48R8-L S BNNN	6782.82	7853.99	7384.55	8455.72
3	20		264"(6706mm)	TARP-48S4-L S BNNN	6938.77	8028.30	7554.50	8644.03
3	22		270"(6858mm)	TARP-48T0-L S BNNN	7094.72	8202.61	7724.45	8832.34

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes Conference Table Top — Pebble (for use with Column Base)

Laminate


No. of Pieces	Seating Capacity*	Depth	Width	Number ① ②	Laminate A		Laminate B	
					J	F	J	F
1	10	54"(1372mm)	96"(2438mm)	TARP-5496-L S BNNN	\$2164.29	\$2677.84	\$2416.02	\$ 2929.57
1	10		102"(2591mm)	TARP-54A2-L S BNNN	2304.27	2836.18	2571.75	3103.66
1	12		108"(2743mm)	TARP-54A8-L S BNNN	2444.25	2994.52	2727.48	3277.75
1	12		114"(2896mm)	TARP-54B4-L S BNNN	2584.23	3152.86	2883.21	3451.84
1	12		120"(3048mm)	TARP-54C0-L S BNNN	2724.21	3311.20	3038.94	3625.93
2	12		126"(3200mm)	TARP-54C6-L S BNNN	3758.16	4398.74	4088.64	4729.22
2	12		132"(3353mm)	TARP-54D2-L S BNNN	3929.29	4588.23	4275.52	4934.46
2	14		138"(3505mm)	TARP-54D8-L S BNNN	4100.42	4777.72	4462.40	5139.70
2	14		144"(3658mm)	TARP-54E4-L S BNNN	4271.55	4967.21	4649.28	5344.94
2	14		150"(3810mm)	TARP-54F0-L S BNNN	4442.68	5156.70	4836.16	5550.18
2	14		156"(3962mm)	TARP-54F6-L S BNNN	4613.81	5346.19	5023.04	5755.42
2	16		162"(4115mm)	TARP-54G2-L S BNNN	4784.94	5535.68	5209.92	5960.66
2	16		168"(4267mm)	TARP-54G8-L S BNNN	4956.07	5725.17	5396.80	6165.90
2	16		174"(4420mm)	TARP-54H4-L S BNNN	5127.20	5914.66	5583.68	6371.14
2	16		180"(4572mm)	TARP-54J0-L S BNNN	5298.33	6104.15	5770.56	6576.38
3	16		186"(4724mm)	TARP-54J6-L S BNNN	5395.33	6354.24	5883.31	6842.22
3	18		192"(4877mm)	TARP-54K2-L S BNNN	5566.46	6543.73	6070.19	7047.46
3	18		198"(5029mm)	TARP-54K8-L S BNNN	5737.59	6733.22	6257.07	7252.70
3	18		204"(5182mm)	TARP-54L4-L S BNNN	5908.72	6922.71	6443.95	7457.94
3	18		210"(5334mm)	TARP-54M0-L S BNNN	6079.85	7112.20	6630.83	7663.18
3	20		216"(5486mm)	TARP-54M6-L S BNNN	6250.98	7301.69	6817.71	7868.42
3	20		222"(5639mm)	TARP-54N2-L S BNNN	6422.11	7491.18	7004.59	8073.66
3	20		228"(5791mm)	TARP-54N8-L S BNNN	6593.24	7680.67	7191.47	8278.90
3	20		234"(5944mm)	TARP-54P4-L S BNNN	6764.37	7870.16	7378.35	8484.14
3	20		240"(6096mm)	TARP-54Q0-L S BNNN	6935.50	8059.65	7565.23	8689.38
3	22		246"(6248mm)	TARP-54Q6-L S BNNN	7106.63	8249.14	7752.11	8894.62
3	22		252"(6401mm)	TARP-54R2-L S BNNN	7277.76	8438.63	7938.99	9099.86
3	22		258"(6553mm)	TARP-54R8-L S BNNN	7448.89	8628.12	8125.87	9305.10
3	22		264"(6706mm)	TARP-54S4-L S BNNN	7620.02	8817.61	8312.75	9510.34
3	24		270"(6858mm)	TARP-54T0-L S BNNN	7791.15	9007.10	8499.63	9715.58
1	10	60"(1524mm)	96"(2438mm)	TARP-6096-L S BNNN	\$2410.53	\$2942.44	\$2690.26	\$ 3222.17
1	10		102"(2591mm)	TARP-60A2-L S BNNN	2565.69	3115.96	2862.92	3413.19
1	12		108"(2743mm)	TARP-60A8-L S BNNN	2720.85	3289.48	3035.58	3604.21
1	12		114"(2896mm)	TARP-60B4-L S BNNN	2876.01	3463.00	3208.24	3795.23
1	12		120"(3048mm)	TARP-60C0-L S BNNN	3031.17	3636.52	3380.90	3986.25
2	12		126"(3200mm)	TARP-60C6-L S BNNN	4179.97	4838.91	4547.20	5206.14
2	12		132"(3353mm)	TARP-60D2-L S BNNN	4366.28	5043.58	4751.01	5428.31
2	14		138"(3505mm)	TARP-60D8-L S BNNN	4552.59	5248.25	4954.82	5650.48
2	14		144"(3658mm)	TARP-60E4-L S BNNN	4738.90	5452.92	5158.63	5872.65
2	14		150"(3810mm)	TARP-60F0-L S BNNN	4925.21	5657.59	5362.44	6094.82
2	14		156"(3962mm)	TARP-60F6-L S BNNN	5111.52	5862.26	5566.25	6316.99
2	16		162"(4115mm)	TARP-60G2-L S BNNN	5297.83	6066.93	5770.06	6539.16
2	16		168"(4267mm)	TARP-60G8-L S BNNN	5484.14	6271.60	5973.87	6761.33
2	16		174"(4420mm)	TARP-60H4-L S BNNN	5670.45	6476.27	6177.68	6983.50
2	16		180"(4572mm)	TARP-60J0-L S BNNN	5856.76	6680.94	6381.49	7205.67
3	16		186"(4724mm)	TARP-60J6-L S BNNN	5879.23	6946.21	6421.46	7488.44
3	18		192"(4877mm)	TARP-60K2-L S BNNN	6065.54	7150.88	6625.27	7710.61
3	18		198"(5029mm)	TARP-60K8-L S BNNN	6251.85	7355.55	6829.08	7932.78
3	18		204"(5182mm)	TARP-60L4-L S BNNN	6438.16	7560.22	7032.89	8154.95
3	18		210"(5334mm)	TARP-60M0-L S BNNN	6624.47	7764.89	7236.70	8377.12
3	20		216"(5486mm)	TARP-60M6-L S BNNN	6810.78	7969.56	7440.51	8599.29
3	20		222"(5639mm)	TARP-60N2-L S BNNN	6997.09	8174.23	7644.32	8821.46
3	20		228"(5791mm)	TARP-60N8-L S BNNN	7183.40	8378.90	7848.13	9043.63
3	20		234"(5944mm)	TARP-60P4-L S BNNN	7369.71	8583.57	8051.94	9265.80
3	20		240"(6096mm)	TARP-60Q0-L S BNNN	7556.02	8788.24	8255.75	9487.97
3	22		246"(6248mm)	TARP-60Q6-L S BNNN	7742.33	8992.91	8459.56	9710.14
3	22		252"(6401mm)	TARP-60R2-L S BNNN	7928.64	9197.58	8663.37	9932.31
3	22		258"(6553mm)	TARP-60R8-L S BNNN	8114.95	9402.25	8867.18	10154.48
3	22		264"(6706mm)	TARP-60S4-L S BNNN	8301.26	9606.92	9070.99	10376.65
3	24		270"(6858mm)	TARP-60T0-L S BNNN	8487.57	9811.59	9274.80	10598.82

*Recommended seating capacity based upon 27"(687mm) per chair.

This page intentionally blank

Planes Conference Table Top — Hexagon (for use with Column Base)

Laminate



Features

- Includes 1.18”(30mm) thick top(s).
- Laminate top with 3mm edgeband or knife edge. Multiple piece tops are 1mm edgeband at the seams.
- Table top seams are 1mm edgeband.
- **Requires separately specified Column Base and J Channels.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Multiple piece conference tops have equal sized pieces and are shipped unassembled.
- Conference Top requires separately specified components for Column Base:
 - Column Frame
 - Column Base Plate
 - Cladding (4) pieces per each Column Frame
- Conference Top requires separately specified J Channels for support and load purposes.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified flip top unit electrical module.
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes Conference Table Tops (for use with Column Base).

3 Cutout Options			
Cutout	1 Piece	2 Piece	3 Piece
F	\$43.24	\$ 86.48	\$129.72
V	\$86.48	\$172.96	\$259.44
J	\$43.24	\$ 86.48	\$129.72
K	\$86.48	\$172.96	\$259.44
M	\$43.24	\$ 86.48	\$129.72
P	\$86.48	\$172.96	\$259.44
Q	\$43.24	\$ 86.48	\$129.72
T	\$86.48	\$172.96	\$259.44

To Order, Specify:

1) Product number, including;

1 Edge Options:

Laminate:

- J Edgeband
- F Knife

2 Cutout Options:

- N No Cutout
- F Center, Single-Sided/4 outlets, see chart for upcharge
- V Left/Right, Single-Sided/4 outlets, see chart for upcharge
- J Center, Single-Sided/6 outlets, see chart for upcharge
- K Left/Right, Single-Sided/6 outlets, see chart for upcharge
- M Center, Double-Sided/8 outlets, see chart for upcharge
- P Left/Right, Double-Sided/8 outlets, see chart for upcharge
- Q Center, Double-Sided/12 outlets, see chart for upcharge
- T Left/Right, Double-Sided/12 outlets, see chart for upcharge

2) Laminate surface color.

3) Edgeband trim color.

Planes Conference Table Top — Hexagon (for use with Column Base)

Laminate

No. of Pieces	Seating Capacity*	Depth	Width	Number ① ②	Laminate A		Laminate B	
					J	F	J	F
1	8	42"(1067mm)	96"(2438mm)	TARX-4296-L S BNNN	\$1671.81	\$2148.64	\$1867.54	\$2344.37
1	8		102"(2591mm)	TARX-42A2-L S BNNN	1781.43	2276.62	1989.41	2484.60
1	10		108"(2743mm)	TARX-42A8-L S BNNN	1891.05	2404.60	2111.28	2624.83
1	10		114"(2896mm)	TARX-42B4-L S BNNN	2000.67	2532.58	2233.15	2765.06
1	10		120"(3048mm)	TARX-42C0-L S BNNN	2110.29	2660.56	2355.02	2905.29
2	10		126"(3200mm)	TARX-42C6-L S BNNN	2914.54	3518.40	3171.52	3775.38
2	10		132"(3353mm)	TARX-42D2-L S BNNN	3055.31	3677.53	3324.54	3946.76
2	12		138"(3505mm)	TARX-42D8-L S BNNN	3196.08	3836.66	3477.56	4118.14
2	12		144"(3658mm)	TARX-42E4-L S BNNN	3336.85	3995.79	3630.58	4289.52
2	12		150"(3810mm)	TARX-42F0-L S BNNN	3477.62	4154.92	3783.60	4460.90
2	12		156"(3962mm)	TARX-42F6-L S BNNN	3618.39	4314.05	3936.62	4632.28
2	14		162"(4115mm)	TARX-42G2-L S BNNN	3759.16	4473.18	4089.64	4803.66
2	14		168"(4267mm)	TARX-42G8-L S BNNN	3899.93	4632.31	4242.66	4975.04
2	14		174"(4420mm)	TARX-42H4-L S BNNN	4040.70	4791.44	4395.68	5146.42
2	14		180"(4572mm)	TARX-42J0-L S BNNN	4181.47	4950.57	4548.70	5317.80
3	14		186"(4724mm)	TARX-42J6-L S BNNN	4337.81	5170.30	4717.29	5549.78
3	16		192"(4877mm)	TARX-42K2-L S BNNN	4478.58	5329.43	4870.31	5721.16
3	16		198"(5029mm)	TARX-42K8-L S BNNN	4619.35	5488.56	5023.33	5892.54
3	16		204"(5182mm)	TARX-42L4-L S BNNN	4760.12	5647.69	5176.35	6063.92
3	16		210"(5334mm)	TARX-42M0-L S BNNN	4900.89	5806.82	5329.37	6235.30
3	18		216"(5486mm)	TARX-42M6-L S BNNN	5041.66	5965.95	5482.39	6406.68
3	18		222"(5639mm)	TARX-42N2-L S BNNN	5182.43	6125.08	5635.41	6578.06
3	18		228"(5791mm)	TARX-42N8-L S BNNN	5323.20	6284.21	5788.43	6749.44
3	18		234"(5944mm)	TARX-42P4-L S BNNN	5463.97	6443.34	5941.45	6920.82
3	18		240"(6096mm)	TARX-42Q0-L S BNNN	5604.74	6602.47	6094.47	7092.20
3	20		246"(6248mm)	TARX-42Q6-L S BNNN	5745.51	6761.60	6247.49	7263.58
3	20		252"(6401mm)	TARX-42R2-L S BNNN	5886.28	6920.73	6400.51	7434.96
3	20		258"(6553mm)	TARX-42R8-L S BNNN	6027.05	7079.86	6553.53	7606.34
3	20		264"(6706mm)	TARX-42S4-L S BNNN	6167.82	7238.99	6706.55	7777.72
3	22		270"(6858mm)	TARX-42T0-L S BNNN	6308.59	7398.12	6859.57	7949.10
1	8	48"(1219mm)	96"(2438mm)	TARX-4896-L S BNNN	\$1918.05	\$2413.24	\$2141.78	\$2636.97
1	8		102"(2591mm)	TARX-48A2-L S BNNN	2042.85	2556.40	2280.58	2794.13
1	10		108"(2743mm)	TARX-48A8-L S BNNN	2167.65	2699.56	2419.38	2951.29
1	10		114"(2896mm)	TARX-48B4-L S BNNN	2292.45	2842.72	2558.18	3108.45
1	10		120"(3048mm)	TARX-48C0-L S BNNN	2417.25	2985.88	2696.98	3265.61
2	10		126"(3200mm)	TARX-48C6-L S BNNN	3336.35	3958.57	3630.08	4252.30
2	10		132"(3353mm)	TARX-48D2-L S BNNN	3492.30	4132.88	3800.03	4440.61
2	12		138"(3505mm)	TARX-48D8-L S BNNN	3648.25	4307.19	3969.98	4628.92
2	12		144"(3658mm)	TARX-48E4-L S BNNN	3804.20	4481.50	4139.93	4817.23
2	12		150"(3810mm)	TARX-48F0-L S BNNN	3960.15	4655.81	4309.88	5005.54
2	12		156"(3962mm)	TARX-48F6-L S BNNN	4116.10	4830.12	4479.83	5193.85
2	14		162"(4115mm)	TARX-48G2-L S BNNN	4272.05	5004.43	4649.78	5382.16
2	14		168"(4267mm)	TARX-48G8-L S BNNN	4428.00	5178.74	4819.73	5570.47
2	14		174"(4420mm)	TARX-48H4-L S BNNN	4583.95	5353.05	4989.68	5758.78
2	14		180"(4572mm)	TARX-48J0-L S BNNN	4739.90	5527.36	5159.63	5947.09
3	14		186"(4724mm)	TARX-48J6-L S BNNN	4911.42	5762.27	5345.15	6196.00
3	16		192"(4877mm)	TARX-48K2-L S BNNN	5067.37	5936.58	5515.10	6384.31
3	16		198"(5029mm)	TARX-48K8-L S BNNN	5223.32	6110.89	5685.05	6572.62
3	16		204"(5182mm)	TARX-48L4-L S BNNN	5379.27	6285.20	5855.00	6760.93
3	16		210"(5334mm)	TARX-48M0-L S BNNN	5535.22	6459.51	6024.95	6949.24
3	18		216"(5486mm)	TARX-48M6-L S BNNN	5691.17	6633.82	6194.90	7137.55
3	18		222"(5639mm)	TARX-48N2-L S BNNN	5847.12	6808.13	6364.85	7325.86
3	18		228"(5791mm)	TARX-48N8-L S BNNN	6003.07	6982.44	6534.80	7514.17
3	18		234"(5944mm)	TARX-48P4-L S BNNN	6159.02	7156.75	6704.75	7702.48
3	18		240"(6096mm)	TARX-48Q0-L S BNNN	6314.97	7331.06	6874.70	7890.79
3	20		246"(6248mm)	TARX-48Q6-L S BNNN	6470.92	7505.37	7044.65	8079.10
3	20		252"(6401mm)	TARX-48R2-L S BNNN	6626.87	7679.68	7214.60	8267.41
3	20		258"(6553mm)	TARX-48R8-L S BNNN	6782.82	7853.99	7384.55	8455.72
3	20		264"(6706mm)	TARX-48S4-L S BNNN	6938.77	8028.30	7554.50	8644.03
3	22		270"(6858mm)	TARX-48T0-L S BNNN	7094.72	8202.61	7724.45	8832.34

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes Conference Table Top — Hexagon (for use with Column Base)

Laminate


No. of Pieces	Seating Capacity*	Depth	Width	Number ① ②	Laminate A		Laminate B	
					J	F	J	F
1	10	54"(1372mm)	96"(2438mm)	TARX-5496-L S BNNN	\$2164.29	\$2677.84	\$2416.02	\$ 2929.57
1	10		102"(2591mm)	TARX-54A2-L S BNNN	2304.27	\$2836.18	\$2571.75	\$ 3103.66
1	12		108"(2743mm)	TARX-54A8-L S BNNN	2444.25	\$2994.52	\$2727.48	\$ 3277.75
1	12		114"(2896mm)	TARX-54B4-L S BNNN	2584.23	\$3152.86	\$2883.21	\$ 3451.84
1	12		120"(3048mm)	TARX-54C0-L S BNNN	2724.21	\$3311.20	\$3038.94	\$ 3625.93
2	12		126"(3200mm)	TARX-54C6-L S BNNN	3758.16	\$4398.74	\$4088.64	\$ 4729.22
2	12		132"(3353mm)	TARX-54D2-L S BNNN	3929.29	4588.23	4275.52	4934.46
2	12		138"(3505mm)	TARX-54D8-L S BNNN	4100.42	4777.72	4462.40	5139.70
2	14		144"(3658mm)	TARX-54E4-L S BNNN	4271.55	4967.21	4649.28	5344.94
2	14		150"(3810mm)	TARX-54F0-L S BNNN	4442.68	5156.70	4836.16	5550.18
2	14		156"(3962mm)	TARX-54F6-L S BNNN	4613.81	5346.19	5023.04	5755.42
2	16		162"(4115mm)	TARX-54G2-L S BNNN	4784.94	5535.68	5209.92	5960.66
2	16		168"(4267mm)	TARX-54G8-L S BNNN	4956.07	5725.17	5396.80	6165.90
2	16		174"(4420mm)	TARX-54H4-L S BNNN	5127.20	5914.66	5583.68	6371.14
2	16		180"(4572mm)	TARX-54J0-L S BNNN	5298.33	6104.15	5770.56	6576.38
3	16		186"(4724mm)	TARX-54J6-L S BNNN	5395.33	6354.24	5883.31	6842.22
3	18		192"(4877mm)	TARX-54K2-L S BNNN	5566.46	6543.73	6070.19	7047.46
3	18		198"(5029mm)	TARX-54K8-L S BNNN	5737.59	6733.22	6257.07	7252.70
3	18		204"(5182mm)	TARX-54L4-L S BNNN	5908.72	6922.71	6443.95	7457.94
3	18		210"(5334mm)	TARX-54M0-L S BNNN	6079.85	7112.20	6630.83	7663.18
3	20		216"(5486mm)	TARX-54M6-L S BNNN	6250.98	7301.69	6817.71	7868.42
3	20		222"(5639mm)	TARX-54N2-L S BNNN	6422.11	7491.18	7004.59	8073.66
3	20		228"(5791mm)	TARX-54N8-L S BNNN	6593.24	7680.67	7191.47	8278.90
3	20		234"(5944mm)	TARX-54P4-L S BNNN	6764.37	7870.16	7378.35	8484.14
3	20		240"(6096mm)	TARX-54Q0-L S BNNN	6935.50	8059.65	7565.23	8689.38
3	22		246"(6248mm)	TARX-54Q6-L S BNNN	7106.63	8249.14	7752.11	8894.62
3	22		252"(6401mm)	TARX-54R2-L S BNNN	7277.76	8438.63	7938.99	9099.86
3	22		258"(6553mm)	TARX-54R8-L S BNNN	7448.89	8628.12	8125.87	9305.10
3	22		264"(6706mm)	TARX-54S4-L S BNNN	7620.02	8817.61	8312.75	9510.34
3	24		270"(6858mm)	TARX-54T0-L S BNNN	7791.15	9007.10	8499.63	9715.58
1	10	60"(1524mm)	96"(2438mm)	TARX-6096-L S BNNN	\$2410.53	\$2942.44	\$2690.26	\$ 3222.17
1	10		102"(2591mm)	TARX-60A2-L S BNNN	2565.69	\$3115.96	\$2862.92	\$ 3413.19
1	12		108"(2743mm)	TARX-60A8-L S BNNN	2720.85	\$3289.48	\$3035.58	\$ 3604.21
1	12		114"(2896mm)	TARX-60B4-L S BNNN	2876.01	\$3463.00	\$3208.24	\$ 3795.23
1	12		120"(3048mm)	TARX-60C0-L S BNNN	3031.17	\$3636.52	\$3380.90	\$ 3986.25
2	12		126"(3200mm)	TARX-60C6-L S BNNN	4179.97	\$4838.91	\$4547.20	\$ 5206.14
2	12		132"(3353mm)	TARX-60D2-L S BNNN	4366.28	5043.58	4751.01	5428.31
2	14		138"(3505mm)	TARX-60D8-L S BNNN	4552.59	5248.25	4954.82	5650.48
2	14		144"(3658mm)	TARX-60E4-L S BNNN	4738.90	5452.92	5158.63	5872.65
2	14		150"(3810mm)	TARX-60F0-L S BNNN	4925.21	5657.59	5362.44	6094.82
2	14		156"(3962mm)	TARX-60F6-L S BNNN	5111.52	5862.26	5566.25	6316.99
2	16		162"(4115mm)	TARX-60G2-L S BNNN	5297.83	6066.93	5770.06	6539.16
2	16		168"(4267mm)	TARX-60G8-L S BNNN	5484.14	6271.60	5973.87	6761.33
2	16		174"(4420mm)	TARX-60H4-L S BNNN	5670.45	6476.27	6177.68	6983.50
2	16		180"(4572mm)	TARX-60J0-L S BNNN	5856.76	6680.94	6381.49	7205.67
3	16		186"(4724mm)	TARX-60J6-L S BNNN	5879.23	6946.21	6421.46	7488.44
3	18		192"(4877mm)	TARX-60K2-L S BNNN	6065.54	7150.88	6625.27	7710.61
3	18		198"(5029mm)	TARX-60K8-L S BNNN	6251.85	7355.55	6829.08	7932.78
3	18		204"(5182mm)	TARX-60L4-L S BNNN	6438.16	7560.22	7032.89	8154.95
3	18		210"(5334mm)	TARX-60M0-L S BNNN	6624.47	7764.89	7236.70	8377.12
3	20		216"(5486mm)	TARX-60M6-L S BNNN	6810.78	7969.56	7440.51	8599.29
3	20		222"(5639mm)	TARX-60N2-L S BNNN	6997.09	8174.23	7644.32	8821.46
3	20		228"(5791mm)	TARX-60N8-L S BNNN	7183.40	8378.90	7848.13	9043.63
3	20		234"(5944mm)	TARX-60P4-L S BNNN	7369.71	8583.57	8051.94	9265.80
3	20		240"(6096mm)	TARX-60Q0-L S BNNN	7556.02	8788.24	8255.75	9487.97
3	22		246"(6248mm)	TARX-60Q6-L S BNNN	7742.33	8992.91	8459.56	9710.14
3	22		252"(6401mm)	TARX-60R2-L S BNNN	7928.64	9197.58	8663.37	9932.31
3	22		258"(6553mm)	TARX-60R8-L S BNNN	8114.95	9402.25	8867.18	10154.48
3	22		264"(6706mm)	TARX-60S4-L S BNNN	8301.26	9606.92	9070.99	10376.65
3	24		270"(6858mm)	TARX-60T0-L S BNNN	8487.57	9811.59	9274.80	10598.82

*Recommended seating capacity based upon 27"(687mm) per chair.

This page intentionally blank

Planes End Supported Top — with Column Base


EXAMPLE: Planes, Key Conference End, 60" x 66" , Laminate, Knife Edge, Standard Core, 4 Outlet Single-sided, Center Cutout, Column Base



Component Specification Overview

Planes End Supported Top with Column Base

The outboard end of an End Supported Top requires a column base for floor support and the opposite end requires brackets for attachment to a structural wall, Compose or Enclose panel. See below for required component specification.



1 End Supported Top

- Always a 1-piece top.
 - Requires one column base for floor support and brackets for attachment to a structural building wall, Compose or Enclose panel.

Floor Support: Column Base

Each Column Base requires separately specified components: **Column Frame and Cladding. The Column Base Plate is optional.**

2 Column Frame

- Column Frames are square and are available in two sizes, 9"(229mm) & 12"(305mm) square, and three heights, 20"(508mm) lounge height, 28"(711mm) seated height and 40"(1016mm) standing height.
 - One Column Frame is required per End Supported Top.
 - The table top depth dictates the column frame size, 9"(229mm) or 12"(305mm) square. **Refer to Matrix-A for details.**

3 Column Base Plate - Optional

- Column Base Plate is an optional component for an End Support Top.** (Note: Required for a Conference Table with Column Base)
- Round or Square Column Base Plates are available in four sizes: 21"(533mm), 24"(610mm), 27"(686mm) and 30"(762mm).
 - The column base plate size is specific to the column frame size of 9"(229mm) or 12"(305mm); specify accordingly.
 - The column frame width and the table top depth dictate the size of the column base plate. **Refer to Matrix-A for details.**

4 Cladding

- Round or Flat Cladding is available in two widths, 9"(229mm) & 12"(305mm), and three heights, 20"(508mm) lounge height, 28"(711mm) seated height and 40"(1016mm) standing height. (Exception: Round cladding is not available 40" high)
 - Cladding is specified as one single piece per catalog number. A quantity of (4) pieces are required per each Column Frame.
 - Note: All round or flat, or a combination of round and flat cladding may be used on a column frame.
 - Specify cladding to match the column frame width and height.

NOTE: J-Channel and J-Channel Tray are not required for an End Supported Top.

MATRIX - A

Column Frame Size / Base Plate Size - Specification Matrix					
Table Depth	9"(229mm) x 9"(229mm) Column Frame		12"(305mm) x 12"(305mm) Column Frame		
	21"(533mm) Base Plate (Round or Square)	24"(610mm) Base Plate (Round or Square)	24"(610mm) Base Plate (Round or Square)	27"(686mm) Base Plate (Round or Square)	30"(762mm) Base Plate (Round or Square)
36"(914mm)	✓	✓	✓	✓	✓
42"(1067mm)		✓	✓	✓	✓
48"(1219mm)				✓	✓
54"(1372mm)				✓	✓
60"(1524mm)				✓	✓

Component Specification Overview

Planes End Supported Top with Column Base

Attached End: Bracket Options

The attached end of the End Supported Top requires separately specified attachment brackets for a structural building wall, Compose or Enclose panel.

5 Specify the appropriate type of attachment bracket and quantity per End Supported Top application. See below for options:

Structural Building Wall Application

- Specify the required quantity to accommodate the depth of the End Supported Top.


Wall Mount Bracket

Bracket Quantity	
Depth of End Supported Top	Number of Brackets Required
36"(914mm)-42"(1067mm)	Quantity: (2)
48"(1219mm)-60"(1524mm)	Quantity: (3)

Compose and/or Enclose Panel Application


- Specify the appropriate side/corner bracket per worktop edge option. One left- and one right-hand bracket is required per Compose or Enclose panel for an attached End Supported Top.

For use with Edgeband trim:



Side/Corner Bracket


For use with Cascade, T-Mold and Knife edge trim options:



Side Bracket for use with Knife Edge

Planes End Supported Top — D-Shape Convergent (for use with Column Base)

Laminate



Features

- Includes 1.18" (30mm) thick top.
- Laminate top with knife edge or 3mm edgeband edges. Edgeband tops are 3mm on user edge and 1mm on end supported edge.
- **Requires separately specified Column Base for one end and support brackets for opposite end.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Each end of top requires separate support components:
 - **One end of top requires separately specified components for Column Base:**
 - Column Frame
 - Cladding (4) pieces per each Column Frame
 - Optional Column Base Plate can also be specified
 - **Opposite End of top requires support brackets for attachment to the building wall or support brackets for Enclose or Compose.**
- Does not require J Channels.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified Flip Top Unit Power Module or Flush Mount Power Module with Sliding Door (Accessories Price List).
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes End Supported Tops (for use with Column Base).

To Order, Specify:

- 1) Product number, including;

① Edge Options:

Laminate:

- J** Edgeband
- F** Knife

② Cutout Options:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add \$43.24 list
- J** Center, Single-Sided/6 outlets, add \$43.24 list
- M** Center, Double-Sided/8 outlets, add \$43.24 list
- Q** Center, Double-Sided/12 outlets, add \$43.24 list

- 2) Laminate surface color.
- 3) Edge trim color.


Planes End Supported Top — D-Shape Convergent (for use with Column Base)
Laminate

Depth	Width	Number ① ②	Laminate A		Laminate B	
			J	F	J	F
42"(1067mm)	48"(1219mm)	TARD-4248-L S BNNN	\$ 794.84	\$1124.79	\$ 896.07	\$1226.02
	54"(1372mm)	TARD-4254-L S BNNN	904.46	1252.77	1017.94	1366.25
	60"(1524mm)	TARD-4260-L S BNNN	1014.08	1380.75	1139.81	1506.48
	66"(1676mm)	TARD-4266-L S BNNN	1123.70	1508.73	1261.68	1646.71
	72"(1829mm)	TARD-4272-L S BNNN	1233.32	1636.71	1383.55	1786.94
48"(1219mm)	48"(1219mm)	TARD-4848-L S BNNN	\$ 919.64	\$1267.95	\$1034.87	\$1383.18
	54"(1372mm)	TARD-4854-L S BNNN	1044.44	1411.11	1173.67	1540.34
	60"(1524mm)	TARD-4860-L S BNNN	1169.24	1554.27	1312.47	1697.50
	66"(1676mm)	TARD-4866-L S BNNN	1294.04	1697.43	1451.27	1854.66
	72"(1829mm)	TARD-4872-L S BNNN	1418.84	1840.59	1590.07	2011.82
54"(1372mm)	54"(1372mm)	TARD-5454-L S BNNN	\$1184.42	\$1569.45	\$1329.40	\$1714.43
	60"(1524mm)	TARD-5460-L S BNNN	1324.40	1727.79	1485.13	1888.52
	66"(1676mm)	TARD-5466-L S BNNN	1464.38	1886.13	1640.86	2062.61
	72"(1829mm)	TARD-5472-L S BNNN	1604.36	2044.47	1796.59	2236.70
60"(1524mm)	60"(1524mm)	TARD-6060-L S BNNN	\$1479.56	\$1901.31	\$1657.79	\$2079.54
	66"(1676mm)	TARD-6066-L S BNNN	1634.72	2074.83	1830.45	2270.56
	72"(1829mm)	TARD-6072-L S BNNN	1789.88	2248.35	2003.11	2461.58
	78"(1981mm)	TARD-6078-L S BNNN	1945.04	2421.87	2175.77	2652.60
	84"(2134mm)	TARD-6084-L S BNNN	2100.20	2595.39	2348.43	2843.62

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes End Supported Top — Rectangular Conference End (for use with Column Base)

Laminate



TARU

Features

- Includes 1.18" (30mm) thick top.
- Laminate top with knife edge or 3mm edgeband edges. Edgeband tops are 3mm on user edge and 1mm on end supported edge.
- **Requires separately specified Column Base for one end and support brackets for opposite end.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Each end of top requires separate support components:
 - **One end of top requires separately specified components for Column Base:**
 - Column Frame
 - Cladding (4) pieces per each Column Frame
 - Optional Column Base Plate can also be specified
 - **Opposite End of top requires support brackets for attachment to the building wall or support brackets for Enclose or Compose.**
- Does not require J Channels.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified Flip Top Unit Power Module or Flush Mount Power Module with Sliding Door (Accessories Price List).
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes End Supported Tops (for use with Column Base).

To Order, Specify:

- 1) Product number, including;

① Edge Options:

Laminate:

- J** Edgeband
- F** Knife

② Cutout Options:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$43.24** list
- J** Center, Single-Sided/6 outlets, add **\$43.24** list
- M** Center, Double-Sided/8 outlets, add **\$43.24** list
- Q** Center, Double-Sided/12 outlets, add **\$43.24** list

- 2) Laminate surface color.
- 3) Edge trim color.


Planes End Supported Top — Rectangular Conference End (for use with Column Base)
Laminate

Depth	Width	Number ① ②	Laminate A		Laminate B	
			J	F	J	F
36"(914mm)	48"(1219mm)	TARU-3648-L S BNNN	\$ 670.04	\$ 981.63	\$ 757.27	\$1068.86
	54"(1372mm)	TARU-3654-L S BNNN	764.48	1094.43	862.21	1192.16
	60"(1524mm)	TARU-3660-L S BNNN	858.92	1207.23	967.15	1315.46
	66"(1676mm)	TARU-3666-L S BNNN	953.36	1320.03	1072.09	1438.76
	72"(1829mm)	TARU-3672-L S BNNN	1047.80	1432.83	1177.03	1562.06
42"(1067mm)	48"(1219mm)	TARU-4248-L S BNNN	\$ 794.84	\$1124.79	\$ 896.07	\$1226.02
	54"(1372mm)	TARU-4254-L S BNNN	904.46	1252.77	1017.94	1366.25
	60"(1524mm)	TARU-4260-L S BNNN	1014.08	1380.75	1139.81	1506.48
	66"(1676mm)	TARU-4266-L S BNNN	1123.70	1508.73	1261.68	1646.71
	72"(1829mm)	TARU-4272-L S BNNN	1233.32	1636.71	1383.55	1786.94
48"(1219mm)	48"(1219mm)	TARU-4848-L S BNNN	\$ 919.64	\$1267.95	\$1034.87	\$1383.18
	54"(1372mm)	TARU-4854-L S BNNN	1044.44	1411.11	1173.67	1540.34
	60"(1524mm)	TARU-4860-L S BNNN	1169.24	1554.27	1312.47	1697.50
	66"(1676mm)	TARU-4866-L S BNNN	1294.04	1697.43	1451.27	1854.66
	72"(1829mm)	TARU-4872-L S BNNN	1418.84	1840.59	1590.07	2011.82
54"(1372mm)	54"(1372mm)	TARU-5454-L S BNNN	\$1184.42	\$1569.45	\$1329.40	\$1714.43
	60"(1524mm)	TARU-5460-L S BNNN	1324.40	1727.79	1485.13	1888.52
	66"(1676mm)	TARU-5466-L S BNNN	1464.38	1886.13	1640.86	2062.61
	72"(1829mm)	TARU-5472-L S BNNN	1604.36	2044.47	1796.59	2236.70
60"(1524mm)	60"(1524mm)	TARU-6060-L S BNNN	\$1479.56	\$1901.31	\$1657.79	\$2079.54
	66"(1676mm)	TARU-6066-L S BNNN	1634.72	2074.83	1830.45	2270.56
	72"(1829mm)	TARU-6072-L S BNNN	1789.88	2248.35	2003.11	2461.58
	78"(1981mm)	TARU-6078-L S BNNN	1945.04	2421.87	2175.77	2652.60
	84"(2134mm)	TARU-6084-L S BNNN	2100.20	2595.39	2348.43	2843.62

*Recommended seating capacity based upon 27"(687mm) per chair.

Planes End Supported Top — Key Conference (for use with Column Base)

Laminate



TARY

Features

- Includes 1.18”(30mm) thick top.
- Laminate top with knife edge or 3mm edgeband edges. Edgeband tops are 3mm on user edge and 1mm on end supported edge.
- **Requires separately specified Column Base for one end and support brackets for opposite end.**
- Optional power modules are separately specified.
- Depth and width shown in nominal dimensions.

Specification Tips

- Each end of top requires separate support components:
 - **One end of top requires separately specified components for Column Base:**
 - Column Frame
 - Cladding (4) pieces per each Column Frame
 - Optional Column Base Plate can also be specified
 - **Opposite End of top requires support brackets for attachment to the building wall or support brackets for Enclose or Compose.**
- Does not require J Channels.
- Cutouts are optional. If specified they are factory installed.
- Each cutout requires a separately specified Flip Top Unit Power Module or Flush Mount Power Module with Sliding Door (Accessories Price List).
- Separately specified Planes grommets are available for field installation.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list; see Planes End Supported Tops (for use with Column Base).

To Order, Specify:

- 1) Product number, including;

① Edge Options:

Laminate:

- J** Edgeband
- F** Knife

② Cutout Options:

- N** No Cutout
- F** Center, Single-Sided/4 outlets, add **\$43.24** list
- J** Center, Single-Sided/6 outlets, add **\$43.24** list
- M** Center, Double-Sided/8 outlets, add **\$43.24** list
- Q** Center, Double-Sided/12 outlets, add **\$43.24** list

- 2) Laminate surface color.

- 3) Edge trim color.

Planes End Supported Top — Key Conference (for use with Column Base)

Laminate


Depth	Width	Number ① ②	Laminate A		Laminate B	
			J	F	J	F
42"(1067mm)	42"(1067mm)	TARY-4242-L S BNNN	\$ 685.22	\$ 996.81	\$ 774.20	\$1085.79
	48"(1219mm)	TARY-4248-L S BNNN	794.84	1124.79	896.07	1226.02
	54"(1372mm)	TARY-4254-L S BNNN	904.46	1252.77	1017.94	1366.25
	60"(1524mm)	TARY-4260-L S BNNN	1014.08	1380.75	1139.81	1506.48
48"(1219mm)	48"(1219mm)	TARY-4848-L S BNNN	\$ 919.64	\$1267.95	\$1034.87	\$1383.18
	54"(1372mm)	TARY-4854-L S BNNN	1044.44	1411.11	1173.67	1540.34
	60"(1524mm)	TARY-4860-L S BNNN	1169.24	1554.27	1312.47	1697.50
	66"(1676mm)	TARY-4866-L S BNNN	1294.04	1697.43	1451.27	1854.66
	72"(1829mm)	TARY-4872-L S BNNN	1418.84	1840.59	1590.07	2011.82
54"(1372mm)	54"(1372mm)	TARY-5454-L S BNNN	\$1184.42	\$1569.45	\$1329.40	\$1714.43
	60"(1524mm)	TARY-5460-L S BNNN	1324.40	1727.79	1485.13	1888.52
	66"(1676mm)	TARY-5466-L S BNNN	1464.38	1886.13	1640.86	2062.61
	72"(1829mm)	TARY-5472-L S BNNN	1604.36	2044.47	1796.59	2236.70
60"(1524mm)	60"(1524mm)	TARY-6060-L S BNNN	\$1479.56	\$1901.31	\$1657.79	\$2079.54
	66"(1676mm)	TARY-6066-L S BNNN	1634.72	2074.83	1830.45	2270.56
	72"(1829mm)	TARY-6072-L S BNNN	1789.88	2248.35	2003.11	2461.58
	78"(1981mm)	TARY-6078-L S BNNN	1945.04	2421.87	2175.77	2652.60
	84"(2134mm)	TARY-6084-L S BNNN	2100.20	2595.39	2348.43	2843.62

*Recommended seating capacity based upon 27"(687mm) per chair.


Planes Conference Tables — Column Base (for use with Conference Table Top and End Supported Top)

Column Frame


Height	Depth	Width	Number	Price
20"(508mm)	21"(533mm)	9"(229mm)	TACB-0900-2	\$1212.66
	24"(610mm)	12"(305mm)	TACB-1200-2	1227.28
28"(711mm)	21"(533mm)	9"(229mm)	TACB-0900-4	\$1227.28
	24"(610mm)	12"(305mm)	TACB-1200-4	1241.90
40"(1016mm)	21"(533mm)	9"(229mm)	TACB-0900-7	\$1285.71
	24"(610mm)	12"(305mm)	TACB-1200-7	1300.33



TACB-2



TACB-4



TACB-7

Features

- Includes one black square column frame, glides and mounting hardware.
- Available in two widths, 9"(229mm) x 9"(229mm) or 12"(305mm) x 12"(305mm), and three heights, 20"(508mm), 28"(711mm) or 40"(1016mm).
- Glide adjustment is 0.5" (13mm).
- For use with Planes Conference Table Top and End Supported Top.
- The quantity and width of the column frame is dependent on the top size.
- Requires separately specified cladding and column base plate (Exception: base plate is optional for End Supported Top.)

To Order, Specify:

- 1) Product number.
(No finish specification required.)


Specification Tips

- Specify cladding to match column frame height and width.
- Specify column base plate to match column frame width.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list.


Planes Conference Table — Column Base (for use with Conference Table Top and End Supported Top)

Column Base Plate — Square and Round

Size	For use with Column Frame Width	Number	Paint A	B
Square				
21"(533mm)	9"(229mm)	TAPL-2109-SA	\$ 767.03	\$ 783.09
24"(610mm)	9"(229mm)	TAPL-2409-SA	\$ 913.13	\$ 929.19
	12"(305mm)	TAPL-2412-SA	913.13	929.19
27"(686mm)	12"(305mm)	TAPL-2712-SA	\$1059.24	\$1075.30
Round				
21"(533mm)	9"(229mm)	TAPL-2109-RA	\$ 693.98	\$ 710.04
24"(610mm)	9"(229mm)	TAPL-2409-RA	\$ 840.08	\$ 856.14
	12"(305mm)	TAPL-2412-RA	840.08	856.14
27"(686mm)	12"(305mm)	TAPL-2712-RA	\$ 986.19	\$1002.25
30"(762mm)	12"(305mm)	TAPL-3012-RA	\$1278.37	\$1294.43



TAPL-S



Round (21", 24" or 27" dia.)
TAPL-R


- Features**
- Includes 0.38"(10mm) thick square or round column base plate with attached glides.
 - A base plate with a 8"(203mm)x 8"(203mm) cutout accepts a 12"(305mm) column frame; base plate with a 6"(152mm) x 6"(152mm) cutout accepts a 9"(229mm) column frame.
 - Column base plate attachment hardware is included with the column frame.
 - The column base plate levels by adjusting the attachment hardware; 0.75"(19mm) adjustment range.
 - Available in a painted finish.

- To Order, Specify:**
- 1) Product number:
 - 2) Paint surface color.


- Specification Tips**
- Specify the appropriate column base plate size for use with a 9"(229mm) or 12"(305mm) column frame width.
 - For use with separately specified column frame and cladding.
 - Column Base Plate is required for Planes Conference Table Top and is optional for End Supported Top.
 - For separately specified required components refer to the **Component Specification Overview** located in the front of the price list.

Planes Conference Table — Column Base (for use with Conference Table Top and End Supported Top)

Cladding — Flat Paint and Round



TACC-F2



TACC-R2

Frame Height	Frame Width	Number	Paint A	B
Flat				
20"(508mm)	9"(229mm)	TACC-0900-PF2	\$336.05	\$343.35
	12"(305mm)	TACC-1200-PF2	350.67	357.97
28"(711mm)	9"(229mm)	TACC-0900-PF4	\$350.67	\$357.97
	12"(305mm)	TACC-1200-PF4	365.29	372.59
40"(1016mm)	9"(229mm)	TACC-0900-PF7	\$365.27	\$372.57
	12"(305mm)	TACC-1200-PF7	379.89	387.19
Round				
20"(508mm)	9"(229mm)	TACC-0900-PR2	\$350.67	\$357.97
	12"(305mm)	TACC-1200-PR2	365.29	372.59
28"(711mm)	9"(229mm)	TACC-0900-PR4	\$365.29	\$372.59
	12"(305mm)	TACC-1200-PR4	379.91	387.21

Features

- Includes one piece painted cladding and light block for a square column frame.
- Each square column frame requires a quantity of four: flat, round or a combination of flat and round.
- Flat cladding is available in three heights 20"(508mm), 28"(711mm) or 40"(1016mm) and two widths 9"(229mm) or 12"(305mm).
- Round Cladding is available in two heights 20"(508mm) or 28"(711mm) and two widths 9"(229mm) or 12"(305mm).
- Attaches in column frame slots and is removable for easy access.
- Cladding is painted steel.

To Order, Specify:


- 1) Product number.
- 2) Paint surface color.

Specification Tips

- Specify cladding to match column frame height and width.
- Specify a quantity of (4) cladding pieces for each column frame. Individual pieces may be all flat, all round, or a combination of flat and round pieces.
- Specify column base plate to match column frame width.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list.

Planes Conference Table — Column Base (for use with Conference Table Top and End Supported Top)

Cladding — Flat Laminate



TACC-LF2S

Frame Height	Frame Width	Number	Laminate A	B
Flat				
20"(508mm)	9"(229mm)	TACC-0900LF2S	\$916.40	\$ 999.85
	12"(305mm)	TACC-1200LF2S	933.69	1019.60
28"(711mm)	9"(229mm)	TACC-0900LF4S	\$933.69	\$1024.22
	12"(305mm)	TACC-1200LF4S	950.98	1043.97
40"(1016mm)	9"(229mm)	TACC-0900LF7S	\$950.96	\$1048.57
	12"(305mm)	TACC-1200LF7S	968.25	1068.32

Features

- Includes a four piece set of laminate cladding and light block for a square column frame.
- Flat cladding is available in three heights 20"(508mm), 28"(711mm) or 40"(1016mm) and two widths 9"(229mm) or 12"(305mm).
- Attaches in column frame slots and is removable for easy access.

To Order, Specify:


- 1) Product number.
- 2) Paint surface color.
- 3) Edge trim color.

Specification Tips

- Specify cladding to match column frame height and width.
- Specify column base plate to match column frame width.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list.

Planes Conference Table — Column Base (for use with Conference Table Top)

J-Channels

	Width	Number	Price
J-Channel  TAJC	26" (660mm)	TAJC-2600	\$ 330.19
	29" (737mm)	TAJC-2900	368.69
	32" (813mm)	TAJC-3200	406.69
	35" (889mm)	TAJC-3500	444.69
	38" (965mm)	TAJC-3800	482.69
	41" (1041mm)	TAJC-4100	520.69
	44" (1118mm)	TAJC-4400	559.19
	47" (1194mm)	TAJC-4700	597.19
	50" (1270mm)	TAJC-5000	635.19
	53" (1346mm)	TAJC-5300	673.19
	56" (1422mm)	TAJC-5600	711.19
	59" (1499mm)	TAJC-5900	749.69
	62" (1575mm)	TAJC-6200	787.69
	65" (1651mm)	TAJC-6500	825.69
	68" (1727mm)	TAJC-6800	863.69
	71" (1803mm)	TAJC-7100	901.69
	74" (1880mm)	TAJC-7400	940.19
	77" (1956mm)	TAJC-7700	978.19
	80" (2032mm)	TAJC-8000	1016.19
	83" (2108mm)	TAJC-8300	1054.19
	86" (2184mm)	TAJC-8600	1092.19
	89" (2261mm)	TAJC-8900	1130.69
	92" (2337mm)	TAJC-9200	1168.69
	95" (2413mm)	TAJC-9500	1206.69
	98" (2489mm)	TAJC-9800	1244.69
	101" (2565mm)	TAJC-A100	1282.69

Features


- Includes one pair of J-Channels and mounting hardware.
- Provides wire management and support below the Conference Table Top.
- Attaches to the underside of the Conference Table Top with screws.
- The Conference Table Top width and the column frame size determines the J-Channel width.
- Field-installed.
- Available in black finish color only.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Specification Tips

- J-Channels are required for Planes Conference Table Top.
- J-Channels are not required for Planes End Supported Tops.
- For separately specified required components refer to the **Component Specification Overview** located in the front of the price list.

J-Channel Tray  TA01	9" (229mm)	TA01-JT09	\$14.45
	12" (305mm)	TA01-JT12	14.45

Features

- Includes one J-Channel Tray.
- Provides additional wire management between columns; wires lay in J-Channels.
- Field-installed.
- Available in black finish color only.

To Order, Specify:



- 1) Product number.
(No finish specification required.)


Specification Tips

- J-Channel Tray is an optional component.
- Specify the appropriate size for use with a 9" (229mm) or 12" (305mm) wide column frame.

Planes End Supported Top (for use with Column Base) — Bracket(s)


Wall Mount Bracket(s)		Description	Number	Price					
 ZUBW-0000-PN		Single	ZUBW-0000-PN	\$38.18					
	Features - Includes one wall mount bracket and attachment hardware to top. - Screws/anchors for attachment to wall are field supplied. - Supports one end of a Planes End Supported Top. - Standard in black finish only.								
	Specification Tips - Supports the straight end of an End Supported Top in a wall mount application. Opposite end of top requires a column base. - Number of brackets required is dependent on depth of the End Supported Top; see chart for quantity. - Must be properly anchored to a structural wall.								
	Wall Mount Bracket Requirement: <table><tr><th>Width of End Supported Top</th><th>Number of Brackets Required</th></tr><tr><td>36"-42"</td><td>Quantity: (2)</td></tr><tr><td>48"-60"</td><td>Quantity: (3)</td></tr></table>				Width of End Supported Top	Number of Brackets Required	36"-42"	Quantity: (2)	48"-60"
Width of End Supported Top	Number of Brackets Required								
36"-42"	Quantity: (2)								
48"-60"	Quantity: (3)								
To Order, Specify: 1) Product number. (No finish specification required.)									

Side/Corner Bracket		Description	Number	Price
 Right-hand ZZBA-0000-PR  Left-hand ZZBA-0000-PL		Right-hand	ZZBA-0000-PR	\$30.94
		Left-hand	ZZBA-0000-PL	\$30.94
	Features - Includes one left- or right-hand bracket, mounting screws and dislodgement clip. - Standard in charcoal finish. - Installs into Compose or Enclose panel frame slots and attaches to top. - For use with Edgeband trim only.			
	Specification Tips - Supports the straight end of an End Supported Top in a Compose or Enclose panel mount application. Opposite end of top requires a column base. - A left- and right-hand bracket is required for one End Supported Top.			
To Order, Specify: 1) Product number. (No finish specification required.)				


Side Bracket for use with Knife Edge		Description	Number	Price
 Left Hand  Right Hand ZZBA-0000-PRF ZZBA-0000-PLF		Right-hand	ZZBA-0000-PRF	\$91.41
		Left-hand	ZZBA-0000-PLF	\$91.41
	Features - Includes one left- or right-hand bracket, mounting screws and dislodgement clip. - Installs into Compose or Enclose panel frame slots and attaches to top. - For use with Knife Edge, Cascade and T-Mold trim options.			
	Specification Tips - Supports the straight end of an End Supported Top in a Compose or Enclose panel mount application. Opposite end of top requires a column base. - A left- and right-hand bracket is required for one End Supported Top with Knife edge trim option, only.			
To Order, Specify: 1) Product number. 2) Trim color. Note: \$23.47 upcharge list for Metallic and accent trim colors.				

Planes — Accessories

	Height	Depth	Width	Number	Laminate A	B
Cable Base	Laminate					
	28"(711mm)	8"(203mm)	14"(356mm)	TA01-0814-L	\$855.65	\$924.28
		14"(356mm)	14"(356mm)	TA01-1414-L	911.44	984.90



TA01-0814



TA01-1414

Features

- Includes 28"(711mm) high cable base and mounting hardware.
- Laminate with 1mm edgeband.
- Provides internal cable management with removable panels for access.
- Standard in green core.
- Bracket is standard in charcoal.
- Includes 1"(25mm) adjustable glides.
- Ships assembled.

To Order, Specify:

- 1) Product number.
- 2) Laminate surface color.
- 3) Edge trim color.

Specification Tips

- Refer to Specification Guide for use guidelines.
- **Cable base not recommended for use with 30"(762mm) deep tables, half round tables, polygon tables or Y-leg tables or 36"(914mm) deep tables with (M) or (Q) flip top unit cutout options.**
- Specify 8"(203mm) x 14"(356mm) cable base for 36"(914mm) deep tables.
- Specify 14"(356mm) x 14"(356mm) cable base for 42"(1067mm) deep and deeper tables.
- One and two-piece table tops – one cable base.
- Three-piece table tops – two cable bases.
- Cable base cord access:
 - 1.5"(38mm) at top
 - adjustable side panels allow 1"(25mm) gap at bottom edges
 - 8"(203mm) depth base has a 3"(76mm) deep cutout in bottom;
 - 14"(356mm) depth base has an 8"(203mm) deep cutout in bottom.

The following Planes products are separately specified:

- Horizontal wire management

	Height	Depth	Width	Number	Price
Cable Column	28"(711mm)	2"(51mm)	4.5"(114mm)	TA01-0217	\$310.61



TA01-0217

Features

- Cable Column offers a wire management option for conference tables when the Cable Base Option cannot be used.
- Includes one Cable Column with mounting hardware for attaching to underside of table.
- Hardware for attaching Cable Column to floor is field supplied.
- Ships unassembled.


To Order, Specify:


- 1) Product number.
- 2) Trim color.

Specification Tips

- Cable Column attaches to underside of table, extends to the floor where it is also attached.
- Cable Column is not load bearing and does not replace table leg(s).
- Cable Column can be installed anywhere under a conference table unless it would interfere with table legs, Horizontal Wire Manager or Flip Top Power/Data Units.
- The Cable Column can be used with the Horizontal Wire Manager for cable management.



Planes — Electrical Accessories

	Description	Extension Length	Number	Price
Cable Reel 	60"(1524mm) HDMI	48"(1219mm)	TA01-CR48-H	\$868.19
	60"(1524mm) VGA	48"(1219mm)	TA01-CR48-V	868.19
	Features • Includes cable reel with spring loaded retractor mechanism with one cable which can extend 48"(1219mm). • Cable Reel available with one VGA or one HDMI cable. • VGA Cable Reel has female VGA connector on housing for connection of VGA patch cable. • HDMI Cable Reel has female HDMI connector on housing for connection of HDMI patch cable. • VGA or HDMI patch cable typically routes to TV Monitor. • VGA cable conveys video only - no audio content. • Black only. Specification Tips • For use with cable reel bracket, column frame and power modules equipped with cable bay(s), seated, standing or lounge height column frame. • Separately specify cable reel bracket. • Cable reels compatible with the following power modules specified with cable bay(s): –workware interface –flip top power module –flush mount power module To Order, Specify: 1) Product number. (No finish specification required.)			

	Description	Number	Price
Cable Reel Bracket 	9"(229mm)	TA01-CRBK-T09	\$57.88
	12"(305mm)	TA01-CRBK-T12	57.88
	Features • Includes bracket and mounting hardware to mount cable reels to column frame. • 9"(229mm) cable reel bracket for use with 9"(229mm) column frame and allows mounting of up to two cable reels. • 12"(305mm) cable reel bracket for use with 12"(305mm) column frame and allows mounting of up to four cable reels. • Available in black only. Specification Tips • For use with 9"(229mm) or 12"(305mm) base frames, seated, standing or lounge heights. • Specify VGA or HDMI cable reels separately. • Specify column frame, cladding, power module and table separately. To Order, Specify: 1) Product number. (No finish specification required.)		

Planes — Electrical Components

Belong View

	Height	Width	Front Trim Width	Depth	Monitor Size (diagonal)	Number	Trim A	B
Table Mount With Shroud  EWVT-SASD-P	With Shroud							
	31.5"(800mm)	41"(1041mm)	33"(838mm)	8.44"(214mm)	40"/42"	EWVT-SASD-P	\$2984.69	\$3074.29
	34.06"(865mm)	46"(1168mm)	38"(965mm)	8.44"(214mm)	46"/47"	EWVT-SBSD-P	3280.36	3369.96
	38.25"(972mm)	53"(1346mm)	45"(1143mm)	8.44"(214mm)	52"/55"	EWVT-SCSD-P	3737.29	3826.89
	Without Shroud							
	27.31"(694mm)	24.375"(619mm)	33"(838mm)	8.25"(210mm)	40"/42"	EWVT-SAND-P	\$1388.76	\$1478.36
Without Shroud  EWVT-SAND-P	29.375"(746mm)	24.375"(619mm)	38"(965mm)	8.25"(210mm)	46"/47"	EWVT-SBND-P	1612.76	1702.36
	33.06"(840mm)	28.375"(721mm)	45"(1143mm)	8.25"(210mm)	52"/55"	EWVT-SCND-P	2060.74	2150.34

Features


- Includes:
 - With Shroud: shroud, black monitor mounting bracket with front trim and attachment hardware.
 - Without Shroud: monitor mounting bracket with front trim and attachment hardware.
- Front trim is 6" high x 4" deep
- Table Mount extends below horizontal top:
 - with shroud: 1.44"
 - without shroud: 1.25"

To Order, Specify:


- Product number.
- Trim color for shroud and front trim.

Specification Tips

- Refer to Fixed Heights Tables Price List Specification Guide for minimum table sizes and appropriate monitor size(s).
- Not for use with Cultivate 2" Thick Tops.
- Field installation required.
- LED monitors are highly recommended with 70 pounds maximum weight.
- Table Mount accommodates monitors with VESA® mounting patterns in a central location: 200mm x 200mm - 400mm x 400mm.
- For Table Mount without Shroud; recommend placing against a wall as monitor mounting bracket is exposed.
- Separately specified if applicable:
 - Wire management

Table Mount With Shroud Dual Monitor

EWVT-DCSD-P

Without Shroud

EWVT-DCND-P

With Shroud								
27.5"(699mm)	64"(1626mm)	52.5"(1334mm)	8.44"(214mm)	32"x2	EWVT-DCSD-P	\$4124.40	\$4214.00	
Without Shroud								
24.75"(629mm)	46"(1168mm)	52.5"(1334mm)	8.25"(210mm)	32"x2	EWVT-DCND-P	\$2472.92	\$2562.52	

Features

- Includes:
 - With Shroud: shroud, black monitor mounting bracket with front trim and attachment hardware.
 - Without Shroud: black monitor mounting bracket with front trim and attachment hardware.
- Front trim is 6" high x 4" deep X 52.5" Width
- Table Mount extends below horizontal top:
 - with shroud: 1.44"

To Order, Specify:

- Product number.
- Trim color for shroud and front trim.

Specification Tips

- Refer to Fixed Heights Tables Price List Specification Guide for minimum table sizes and appropriate monitor size(s).
- Not for use with Cultivate 2" Thick Tops.
- Field installation required.
- LED monitors are highly recommended with 35 pounds maximum weight per monitor.
- Table Mount accommodates monitors with VESA® mounting patterns in a central location: 100mm x 100mm - 300mm x 300mm.
- For Table Mount without Shroud; recommend placing against a wall as monitor mounting bracket is exposed.
- Separately specified if applicable:
 - Wire management

This page intentionally blank

PopUp Tables

This page intentionally blank


EXAMPLE: PopUp Table, Rectangle, 18" x 48", Laminate, Edgeband, 1 3/16" Core, No Cutout, Angled Leg, Glide, 36"H, Foot Rest.



PopUp Table


Rectangle – Laminate or Wood

Height	Depth	Width	Number	①	②	③	Laminate A		Laminate B		Wood Group A		Wood Group B		
							J	F	J	F	K	U	K	U	
36"(914mm)	18"(457mm)	48"(1219mm)	TPRA-1848-			SNA	6F	\$1618.93	\$1951.08	\$1753.49	\$2085.64	\$2018.68	\$2422.50	\$2099.82	\$2503.64
		54"(1372mm)	TPRA-1854-			SNA	6F	1653.82	2023.77	1790.63	2160.58	2073.85	2505.39	2163.60	2595.14
		60"(1524mm)	TPRA-1860-			SNA	6F	1688.71	2096.46	1827.77	2235.52	2129.02	2588.28	2227.38	2686.64
		66"(1676mm)	TPRA-1866-			SNA	6F	1723.60	2169.15	1864.91	2310.46	2184.19	2671.17	2291.16	2778.14
		72"(1829mm)	TPRA-1872-			SNA	6F	1758.49	2241.84	1902.05	2385.40	2239.36	2754.06	2354.94	2869.64
	24"(610mm)	48"(1219mm)	TPRA-2448-			SNA	6F	\$1696.77	\$2052.92	\$1837.33	\$2193.48	\$2150.60	\$2571.34	\$2254.70	\$2675.44
		54"(1372mm)	TPRA-2454-			SNA	6F	1740.97	2134.92	1884.53	2278.48	2221.84	2670.30	2337.42	2785.88
		60"(1524mm)	TPRA-2460-			SNA	6F	1785.17	2216.92	1931.73	2363.48	2293.08	2769.26	2420.14	2896.32
		66"(1676mm)	TPRA-2466-			SNA	6F	1829.37	2298.92	1978.93	2448.48	2364.32	2868.22	2502.86	3006.76
		72"(1829mm)	TPRA-2472-			SNA	6F	1873.57	2380.92	2026.13	2533.48	2435.56	2967.18	2585.58	3117.20
	30"(762mm)	48"(1219mm)	TPRA-3048-			SNA	6F	\$1774.61	\$2154.76	\$1921.17	\$2301.32	\$2282.52	\$2720.18	\$2409.58	\$2847.24
		54"(1372mm)	TPRA-3054-			SNA	6F	1828.12	2246.07	1978.43	2396.38	2369.83	2835.21	2511.24	2976.62
		60"(1524mm)	TPRA-3060-			SNA	6F	1881.63	2337.38	2035.69	2491.44	2457.14	2950.24	2612.90	3106.00
		66"(1676mm)	TPRA-3066-			SNA	6F	1935.14	2428.69	2092.95	2586.50	2544.45	3065.27	2714.56	3235.38
		72"(1829mm)	TPRA-3072-			SNA	6F	1988.65	2520.00	2150.21	2681.56	2631.76	3180.30	2816.22	3364.76
41"(1041mm)	18"(457mm)	48"(1219mm)	TPRA-1848-			SNA	7F	\$1657.78	\$1989.93	\$1792.34	\$2124.49	\$2057.53	\$2461.35	\$2138.67	\$2542.49
		54"(1372mm)	TPRA-1854-			SNA	7F	1692.67	2062.62	1829.48	2199.43	2112.70	2544.24	2202.45	2633.99
		60"(1524mm)	TPRA-1860-			SNA	7F	1727.56	2135.31	1866.62	2274.37	2167.87	2627.13	2266.23	2725.49
		66"(1676mm)	TPRA-1866-			SNA	7F	1762.45	2208.00	1903.76	2349.31	2223.04	2710.02	2330.01	2816.99
		72"(1829mm)	TPRA-1872-			SNA	7F	1797.34	2280.69	1940.90	2424.25	2278.21	2792.91	2393.79	2908.49
	24"(610mm)	48"(1219mm)	TPRA-2448-			SNA	7F	\$1735.62	\$2091.77	\$1876.18	\$2232.33	\$2189.45	\$2610.19	\$2293.55	\$2714.29
		54"(1372mm)	TPRA-2454-			SNA	7F	1779.82	2173.77	1923.38	2317.33	2260.69	2709.15	2376.27	2824.73
		60"(1524mm)	TPRA-2460-			SNA	7F	1824.02	2255.77	1970.58	2402.33	2331.93	2808.11	2458.99	2935.17
		66"(1676mm)	TPRA-2466-			SNA	7F	1868.22	2337.77	2017.78	2487.33	2403.17	2907.07	2541.71	3045.61
		72"(1829mm)	TPRA-2472-			SNA	7F	1912.42	2419.77	2064.98	2572.33	2474.41	3006.03	2624.43	3156.05
	30"(762mm)	48"(1219mm)	TPRA-3048-			SNA	7F	\$1813.46	\$2193.61	\$1960.02	\$2340.17	\$2321.37	\$2759.03	\$2448.43	\$2886.09
		54"(1372mm)	TPRA-3054-			SNA	7F	1866.97	2284.92	2017.28	2435.23	2408.68	2874.06	2550.09	3015.47
		60"(1524mm)	TPRA-3060-			SNA	7F	1920.48	2376.23	2074.54	2530.29	2495.99	2989.09	2651.75	3144.85
		66"(1676mm)	TPRA-3066-			SNA	7F	1973.99	2467.54	2131.80	2625.35	2583.30	3104.12	2753.41	3274.23
		72"(1829mm)	TPRA-3072-			SNA	7F	2027.50	2558.85	2189.06	2720.41	2670.61	3219.15	2855.07	3403.61



- Features**
- Includes 1.18"(30mm) thick standard top, legs and hardware.
 - Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
 - Fixed table heights are 36"(914mm) and 41"(1041mm).
 - Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
 - Glides available in black only and provide 0.5"(13mm) adjustment.
 - Casters and glides are not interchangeable.
 - Leg and foot rail can be the same or different trim colors.
 - Ships unassembled.

- Specification Tips**
- Not for use with screens, modesty, AKP, monitor arms or suspended pedestal.
 - Separately specified, as needed:
 - Power modules
 - Vertical Wire Channel (TPVW)
 - Accent Plate (TPAP)
 - Bag Hook (KUWH)



To Order, Specify:

1) Product number, including:

- ① Surface Option:**
- L** Laminate
 - W** Wood

- ② Edge Option:**
- Laminate:
- J** Edgeband
 - F** Knife
- Wood:
- K** Edgeband
 - U** Knife

- ③ Base Foot:**
- C** Casters, add **\$97.22** list
 - G** Glides

- 2) Laminate surface color or wood finish color.
- 3) Edgeband trim color (laminate only).
- 4) Leg trim color.
- 5) Foot rail color.
- 6) Caster color (if applicable).

Note: Foot rail: **\$13.50** upcharge list for Metallic and Accent trim colors.
Legs: **\$40.51** upcharge list for Metallic and Accent trim colors.

PopUp Table

Oval (Rectangular Radius Corner) – Laminate or Wood

Height	Depth	Width	Number	①	②	③	Laminate A		Laminate B		Wood Group A		Wood Group B			
							J	F	J	F	K	U	K	U		
36"(914mm)	18"(457mm)	48"(1219mm)	TPRP-1848-			SNA		6F	\$1784.58	\$2116.73	\$1919.14	\$2251.29	\$2184.33	\$2588.15	\$2265.47	\$2669.29
		54"(1372mm)	TPRP-1854-			SNA		6F	1819.47	2189.42	1956.28	2326.23	2239.50	2671.04	2329.25	2760.79
		60"(1524mm)	TPRP-1860-			SNA		6F	1854.36	2262.11	1993.42	2401.17	2294.67	2753.93	2393.03	2852.29
		66"(1676mm)	TPRP-1866-			SNA		6F	1889.25	2334.80	2030.56	2476.11	2349.84	2836.82	2456.81	2943.79
		72"(1829mm)	TPRP-1872-			SNA		6F	1924.14	2407.49	2067.70	2551.05	2405.01	2919.71	2520.59	3035.29
	24"(610mm)	48"(1219mm)	TPRP-2448-			SNA		6F	\$1862.42	\$2218.57	\$2002.98	\$2359.13	\$2316.25	\$2736.99	\$2420.35	\$2841.09
		54"(1372mm)	TPRP-2454-			SNA		6F	1906.62	2300.57	2050.18	2444.13	2387.49	2835.95	2503.07	2951.53
		60"(1524mm)	TPRP-2460-			SNA		6F	1950.82	2382.57	2097.38	2529.13	2458.73	2934.91	2585.79	3061.97
		66"(1676mm)	TPRP-2466-			SNA		6F	1995.02	2464.57	2144.58	2614.13	2529.97	3033.87	2668.51	3172.41
		72"(1829mm)	TPRP-2472-			SNA		6F	2039.22	2546.57	2191.78	2699.13	2601.21	3132.83	2751.23	3282.85
	30"(762mm)	48"(1219mm)	TPRP-3048-			SNA		6F	\$1940.26	\$2320.41	\$2086.82	\$2466.97	\$2448.17	\$2885.83	\$2575.23	\$3012.89
		54"(1372mm)	TPRP-3054-			SNA		6F	1993.77	2411.72	2144.08	2562.03	2535.48	3000.86	2676.89	3142.27
		60"(1524mm)	TPRP-3060-			SNA		6F	2047.28	2503.03	2201.34	2657.09	2622.79	3115.89	2778.55	3271.65
		66"(1676mm)	TPRP-3066-			SNA		6F	2100.79	2594.34	2258.60	2752.15	2710.10	3230.92	2880.21	3401.03
		72"(1829mm)	TPRP-3072-			SNA		6F	2154.30	2685.65	2315.86	2847.21	2797.41	3345.95	2981.87	3530.41
41"(1041mm)	18"(457mm)	48"(1219mm)	TPRP-1848-			SNA		7F	\$1823.43	\$2155.58	\$1957.99	\$2290.14	\$2223.18	\$2627.00	\$2304.32	\$2708.14
		54"(1372mm)	TPRP-1854-			SNA		7F	1858.32	2228.27	1995.13	2365.08	2278.35	2709.89	2368.10	2799.64
		60"(1524mm)	TPRP-1860-			SNA		7F	1893.21	2300.96	2032.27	2440.02	2333.52	2792.78	2431.88	2891.14
		66"(1676mm)	TPRP-1866-			SNA		7F	1928.10	2373.65	2069.41	2514.96	2388.69	2875.67	2495.66	2982.64
		72"(1829mm)	TPRP-1872-			SNA		7F	1962.99	2446.34	2106.55	2589.90	2443.86	2958.56	2559.44	3074.14
	24"(610mm)	48"(1219mm)	TPRP-2448-			SNA		7F	\$1901.27	\$2257.42	\$2041.83	\$2397.98	\$2355.10	\$2775.84	\$2459.20	\$2879.94
		54"(1372mm)	TPRP-2454-			SNA		7F	1945.47	2339.42	2089.03	2482.98	2426.34	2874.80	2541.92	2990.38
		60"(1524mm)	TPRP-2460-			SNA		7F	1989.67	2421.42	2136.23	2567.98	2497.58	2973.76	2624.64	3100.82
		66"(1676mm)	TPRP-2466-			SNA		7F	2033.87	2503.42	2183.43	2652.98	2568.82	3072.72	2707.36	3211.26
		72"(1829mm)	TPRP-2472-			SNA		7F	2078.07	2585.42	2230.63	2737.98	2640.06	3171.68	2790.08	3321.70
	30"(762mm)	48"(1219mm)	TPRP-3048-			SNA		7F	\$1979.11	\$2359.26	\$2125.67	\$2505.82	\$2487.02	\$2924.68	\$2614.08	\$3051.74
		54"(1372mm)	TPRP-3054-			SNA		7F	2032.62	2450.57	2182.93	2600.88	2574.33	3039.71	2715.74	3181.12
		60"(1524mm)	TPRP-3060-			SNA		7F	2086.13	2541.88	2240.19	2695.94	2661.64	3154.74	2817.40	3310.50
		66"(1676mm)	TPRP-3066-			SNA		7F	2139.64	2633.19	2297.45	2791.00	2748.95	3269.77	2919.06	3439.88
		72"(1829mm)	TPRP-3072-			SNA		7F	2193.15	2724.50	2354.71	2886.06	2836.26	3384.80	3020.72	3569.26




TPRP-SNA

Features

- Includes 1.18"(30mm) thick standard top, legs and hardware.
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Fixed table heights are 36"(914mm) and 41"(1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with black tread, or black hub with black tread.
- Glides available in black only and provide 0.5"(13mm) adjustment.
- Casters and glides are not interchangeable.
- Leg and foot rail can be the same or different trim colors.
- Ships unassembled.

Specification Tips

- Not for use with screens, modesty, AKP, monitor arms or suspended pedestal.
- Separately specified, as needed:
 - Power modules
 - Vertical Wire Channel (TPVW)
 - Accent Plate (TPAP)
 - Bag Hook (KUWH)



To Order, Specify:

- Product number, including:

① Surface Option:

- L** Laminate
- W** Wood

② Edge Option:

Laminate:

- J** Edgeband
- F** Knife

Wood:

- K** Edgeband
- U** Knife

③ Base Foot:

- C** Casters, add **\$97.22** list
- G** Glides


- Laminate surface color or wood finish color.
- Edgeband trim color (laminate only).
- Leg trim color.
- Foot rail color.
- Caster color (if applicable).

Note: Foot rail: **\$13.50** upcharge list for Metallic and Accent trim colors.
Legs: **\$40.51** upcharge list for Metallic and Accent trim colors.

PopUp Table

Racetrack – Laminate or Wood

Height	Depth	Width	Number	①	②	③	Laminate A		Laminate B		Wood Group A		Wood Group B				
							J	F	J	F	K	U	K	U			
36″(914mm)	18″(457mm)	48″(1219mm)	TPRT-1848-			SNA		6F	\$1784.58	\$2116.73	\$1919.14	\$2251.29	\$2184.33	\$2588.15	\$2265.47	\$2669.29	
		54″(1372mm)	TPRT-1854-			SNA		6F	1819.47	2189.42	1956.28	2326.23	2239.50	2671.04	2329.25	2760.79	
		60″(1524mm)	TPRT-1860-			SNA		6F	1854.36	2262.11	1993.42	2401.17	2294.67	2753.93	2393.03	2852.29	
		66″(1676mm)	TPRT-1866-			SNA		6F	1889.25	2334.80	2030.56	2476.11	2349.84	2836.82	2456.81	2943.79	
		72″(1829mm)	TPRT-1872-			SNA		6F	1924.14	2407.49	2067.70	2551.05	2405.01	2919.71	2520.59	3035.29	
	24″(610mm)	60″(1524mm)	TPRT-2460-			SNA		6F	\$1950.82	\$2382.57	\$2097.38	\$2529.13	\$2458.73	\$2934.91	\$2585.79	\$3061.97	
		66″(1676mm)	TPRT-2466-			SNA		6F	1995.02	2464.57	2144.58	2614.13	2529.97	3033.87	2668.51	3172.41	
		72″(1829mm)	TPRT-2472-			SNA		6F	2039.22	2546.57	2191.78	2699.13	2601.21	3132.83	2751.23	3282.85	
		30″(762mm)	72″(1829mm)	TPRT-3072-			SNA		6F	\$2154.30	\$2685.65	\$2315.86	\$2847.21	\$2797.41	\$3345.95	\$2981.87	\$3530.41
			41″(1041mm)	18″(457mm)	48″(1219mm)	TPRT-1848-			SNA		7F	\$1823.43	\$2155.58	\$1957.99	\$2290.14	\$2223.18	\$2627.00
41″(1041mm)	18″(457mm)	54″(1372mm)	TPRT-1854-			SNA		7F	1858.32	2228.27	1995.13	2365.08	2278.35	2709.89	2368.10	2799.64	
		60″(1524mm)	TPRT-1860-			SNA		7F	1893.21	2300.96	2032.27	2440.02	2333.52	2792.78	2431.88	2891.14	
		66″(1676mm)	TPRT-1866-			SNA		7F	1928.10	2373.65	2069.41	2514.96	2388.69	2875.67	2495.66	2982.64	
		72″(1829mm)	TPRT-1872-			SNA		7F	1962.99	2446.34	2106.55	2589.90	2443.86	2958.56	2559.44	3074.14	
		24″(610mm)	60″(1524mm)	TPRT-2460-			SNA		7F	\$1989.67	\$2421.42	\$2136.23	\$2567.98	\$2497.58	\$2973.76	\$2624.64	\$3100.82
	66″(1676mm)		TPRT-2466-			SNA		7F	2033.87	2503.42	2183.43	2652.98	2568.82	3072.72	2707.36	3211.26	
	72″(1829mm)		TPRT-2472-			SNA		7F	2078.07	2585.42	2230.63	2737.98	2640.06	3171.68	2790.08	3321.70	
	30″(762mm)		72″(1829mm)	TPRT-3072-			SNA		7F	\$2193.15	\$2724.50	\$2354.71	\$2886.06	\$2836.26	\$3384.80	\$3020.72	\$3569.26




Features

- Includes 1.18"(30mm) thick standard top, legs and hardware.
- Laminate top with knife edge or 3mm edgeband edges or wood veneer top with 3mm wood edgeband or knife edge.
- Fixed table heights are 36"(914mm) and 41"(1041mm).
- Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Glides available in black only and provide 0.5"(13mm) adjustment.
- Casters and glides are not interchangeable.
- Leg and foot rail can be the same or different trim colors.
- Ships unassembled.

Specification Tips

- Not for use with screens, modesty, AKP, monitor arms or suspended pedestal.
- Separately specified, as needed:
 - Power modules
 - Vertical Wire Channel (TPVW)
 - Accent Plate (TPAP)
 - Bag Hook (KUWH)



To Order, Specify:

- 1) Product number, including:

① Surface Option:

- L Laminate
W Wood

② Edge Option:

Laminate:

- J Edgeband
F Knife

Wood:

- K Edgeband
U Knife


③ Base Foot:

- C Casters, add \$97.22 list
G Glides

- 2) Laminate surface color or wood finish color.
3) Edgeband trim color (laminate only).
4) Leg trim color.
5) Foot rail color.
6) Caster color (if applicable).

Note: Foot rail: \$13.50 upcharge list for Metallic and Accent trim colors.
Legs: \$40.51 upcharge list for Metallic and Accent trim colors.

PopUp Table
Accent Plate



TPAP

Depth	Height	Number 1	Trim A	B	Wood Group A	Group B
24"(610mm)	36"(914mm)	TPAP-2436-	\$289.20	\$297.71	\$426.90	\$453.89
	41"(1041mm)	TPAP-2441-	289.20	297.71	426.90	453.89
30"(762mm)	36"(914mm)	TPAP-3036-	\$303.00	\$313.13	\$440.70	\$470.15
	41"(1041mm)	TPAP-3041-	303.00	313.13	440.70	470.15

Feature

- Includes two painted or wood accent plate and attachment hardware.

Specification Tips

- Not for use on 18"(457mm) depth PopUp tables.
- Leg accent plate is located in the top center section of each leg assembly and allows for a user-specified accent color for aesthetic purposes.
- Size must match depth and height of table.

To Order, Specify:

- 1) Product number, including:


1 Surface Option:

- P Paint
W Wood

- 2) Paint or wood finish color.

PopUp Table

Vertical Wire Channel – Leg Attached



TPVW

For Use With	Width	Number	Trim A	B
No Accent Plate				
36"H Table	2"(51mm)	TPVW-3602-PN	\$177.62	\$185.38
41"H Table	2"(51mm)	TPVW-4102-PN	198.27	207.48
With Accent Plate				
36"H Table	2"(51mm)	TPVW-3302-PA	\$165.23	\$172.12
41"H Table	2"(51mm)	TPVW-3802-PA	185.88	194.22

Feature

- Includes one painted vertical wire channel and attachment hardware.

Specification Tip

- When specifying a Vertical Wire Channel no Accent Plate or with Accent Plate, order correct model for table height.

To Order, Specify:

- Product number.
- Trim color.

Compose Finish/Color Legend

Wood Finishes

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
W4-PB	Pebble
CQ-WG	Walnut Grove

Grade B

Anegre Quarter Cut

NP-W08	Golden
--------	--------

Cherry

VC-CA1	Amber
VC-W23	American
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-W15	Espresso
VR-W21	Mahogany Satin
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W15	Espresso
NW-W31	Retro
NW-W41	Verdant

Grade D

Figured Anegre

V0-W08	Gold
--------	------

Laminate

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood

H-AE	Maple
------	-------

Grade B

Premium Wood Grain

H-KA	Brazilwood
H-HG	Columbia Walnut
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-KL	Neo Walnut
H-KC	New Age Oak
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-KD	River Cherry
H-KE	Sanara
H-KF	Williamsburg Cherry

Grade E

Premium

H-C1	Hay
H-C2	Drift
H-C3	Pecan
H-C4	Molasses
H-C5	Mineral
H-C6	Hatch
H-C7	Tanned

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Patterned Edgeband

HP-P1	Linen Casual
HP-P2	Linen Classic
HP-P3	Linen Crisp
HP-P4	Linen Flax

Wood Grain

HP-B06	Brazilwood
HP-AM	Cherry
HP-E79	Colombian Walnut
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-AD	Medium Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-KE	Sanara
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Premium

HP-C1	Hay
HP-C2	Drift
HP-C3	Pecan
HP-C4	Molasses
HP-C5	Mineral
HP-C6	Hatch
HP-C7	Tanned

Trim

Grade A

Smooth

TR-R	Beige
TR-F	Black
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-1C	Accent Blue
TR-1E	Accent Orange
TR-1G	Blue Jay
TR-1R	Brownstone
TR-1N	Night
TR-1Q	Park
TR-RR	Rusty Red
TR-1M	Sable
TR-1J	Sky Blue
TR-1H	Terra
TR-1K	Wren

Smooth Metallic

TR-DM	Dark Bronze Metallic
TR-MC	Metallic Champagne
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-HE	Hellenic
-------	----------

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood:

VJ-W42	Brindle
2R-RL	Butternut
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
VP-AD	Sand
WC-RW	Wenge

Laminate:

H-AM	Amber Cherry
H-AD	Medium Cherry

Trims:

TR-CTS	Chartreuse
--------	------------

Forest Stewardship Council (FSC) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC.

Haworth FSC Trademark License
#FSC-C002821

Cultivate Finish/Color Legend

Wood Finishes

Grade A

Double Cut

2P-RL	Applegate
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
WE-RT	Melba
CQ-WG	Walnut Grove

Grade B

Anegre Quarter Cut

NP-W08	Golden
--------	--------

Cherry

VC-CA1	Amber
VC-W23	American
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W15	Espresso
NW-W31	Retro

Laminate Finishes

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Grade A

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood

H-AE	Maple
------	-------

Grade B

Premium Wood Grain

H-KA	Brazilwood
H-KG	Columbia Walnut
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-KL	Neo Walnut
H-KC	New Age Oak
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-KD	River Cherry
H-KE	Sanara
H-KF	Williamsburg Cherry

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Patterned

HP-P1	Linen Casual
HP-P2	Linen Classic
HP-P3	Linen Crisp
HP-P4	Linen Flax

Wood Grain

HP-B06	Brazilwood
HP-AM	Cherry
HP-E79	Colombian Walnut
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-AD	Medium Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-KE	Sanara
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-1C	Accent Blue
TR-1E	Accent Orange
TR-1G	Blue Jay
TR-1R	Brownstone
TR-1N	Night
TR-1Q	Park
TR-RR	Rusty Red
TR-1M	Sable
TR-1J	Sky Blue
TR-1H	Terra
TR-1K	Wren

Smooth Metallic

TR-DM	Dark Bronze Metallic
TR-MC	Metallic Champagne
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-HE	Hellenic
-------	----------

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood:

VJ-W42	Brindle
2R-RL	Butternut
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
VP-AD	Sand
WC-RW	Wenge

Laminate:

H-AM	Amber Cherry
H-AD	Medium Cherry

Trims:

TR-CTS	Chartreuse
--------	------------

Forest Stewardship Council (FSC) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Executive — A5 Table Finish/Color Legends

Grade BAnegre Quarter Cut

YC-W08 Golden

Cherry

YD-CA1 Amber
 YD-W23 American
 YD-W33 Caramel
 YD-W30 Heritage
 YD-W32 Pacific

Maple

YL-LM Light
 YL-N Natural

Maple Quarter Cut

YM-N Natural

Rift Cut White Oak

YB-W15 Espresso

Walnut

YN-W15 Espresso
 YN-W31 Retro

Walnut Quarter Cut

Y9-W15 Espresso
 Y9-W31 Retro

Grade D

V0-W16 Espresso
 V0-W08 Golden

Trim**Grade A**Smooth

TR-R Beige
 TR-AK Chalk
 TR-K Charcoal
 TR-C1 Cocoa
 TR-J Graphite
 TR-G Gray Tone
 TR-AA Putty
 TR-E Smoke
 TR-PLS Smooth Plaster
 TR-FM Snow

Textured

TR-TG Grout
 TR-TF Pitch
 TR-TW Plaster

Grade BSmooth

TR-1C Accent Blue
 TR-1E Accent Orange
 TR-1G Blue Jay
 TR-1R Brownstone
 TR-1N Night
 TR-1Q Park
 TR-RR Rusty Red
 TR-1M Sable
 TR-1J Sky Blue
 TR-1H Terra
 TR-1K Wren

Smooth Metallic

TR-DM Dark Bronze Metallic
 TR-MC Metallic Champagne
 TR-MG Metallic Gunmetal
 TR-LE Metallic Silver

Textured Metallic

TR-HE Hellenic

Lock Plugs

TR-BL Black
 TR-BP Chrome

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Trims:

TR-CTS Chartreuse

Forest Stewardship Council (FSC)**Statement:**

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC.

Haworth FSC Trademark License
 #FSC-C002821

Immerse Table Finish/Color Legends

Wood Finishes

Grade A

Double Cut

2P-RL	Applegate
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
WE-RT	Melba
CQ-WG	Walnut Grove

Grade B

Anegre Quarter Cut

YC-W08	Golden
--------	--------

Cherry

YD-CA1	Amber
YD-W23	American
YD-W33	Caramel
YD-W30	Heritage
YD-W32	Pacific

Maple

YL-LM	Light
YL-N	Natural

Maple Quarter Cut

YM-N	Natural
------	---------

Rift Cut White Oak

YB-W35	Clear
YB-W15	Espresso
YB-W40	Mocha

Walnut

YN-W15	Espresso
YN-W31	Retro

Walnut Quarter Cut

Y9-W35	Clear
Y9-W15	Espresso
Y9-W31	Retro

Paint Top Finishes

Grade A

Solid Color

PW-R	Beige
PW-F	Black
PW-AK	Chalk
PW-G	Gray Tone
PW-PL	Polar
PW-SY	Stormy
PW-VR	Vapor

Grade B

Solid Color

PW-RR	Rusty Red
PW-1J	Sky Blue
PW-SP	Sparrow
PW-ST	Straw
PW-1H	Terra

Laminate Finishes

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Wood

H-AE	Maple
------	-------

Grade B

Premium Wood Grain

H-KA	Brazilwood
H-KG	Columbian Walnut
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-KL	Neo Walnut
H-KC	New Age Oak
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-KD	River Cherry
H-KF	Williamsburg Cherry

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Wood Grain

HP-KA	Brazilwood
HP-AM	Cherry
HP-KG	Columbian Walnut
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-AD	Medium Cherry
HP-KL	Neo Walnut
HP-KC	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-KD	River Cherry
HP-KF	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Solid Surface Top Finish

SS-CW	Cameo White
-------	-------------

Planter Finishes

TR-F	Black
TR-G	Gray Tone
TR-PLS	Smooth Plaster
TR-TC	Terra Cotta

Wood Leg Finishes

M5-W35	Clear on Oak
M6-W35	Clear on Walnut
M7-W43	Ink on Ash

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-1C	Accent Blue
TR-1E	Accent Orange
TR-1G	Blue Jay
TR-1R	Brownstone
TR-1N	Night
TR-1Q	Park
TR-RR	Rusty Red
TR-1M	Sable
TR-1J	Sky Blue
TR-1H	Terra
TR-1K	Wren

Smooth Metallic

TR-DM	Dark Bronze Metallic
TR-MC	Metallic Champagne
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-HE	Hellenic
-------	----------

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood:

VJ-W42	Brindle
2R-RL	Butternut
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
VP-AD	Sand
WC-RW	Wenge

Laminate:

H-AM	Amber Cherry
H-AD	Medium Cherry

Trims:

TR-CTS	Chartreuse
--------	------------

Forest Stewardship Council (FSC) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC.

Haworth FSC Trademark License #FSC-C002821

Jive Table Finish/Color Legends

Wood Finishes

Grade A

Double Cut

2P-RL	Applegate
WJ-RE	Ebony
2N-RL	Echo
WE-RD	Dune
WE-RT	Melba
CQ-WG	Walnut Grove

Grade B

Anegre Quarter Cut

NP-W08	Golden
--------	--------

Cherry

VC-CA1	Amber
VC-W23	American
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W15	Espresso
NW-W31	Retro

Laminate Finishes

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Wood

H-AE	Maple
------	-------

Grade B

Premium Wood Grain

H-KA	Brazilwood
H-KG	Columbian Walnut
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-KL	Neo Walnut
H-KC	New Age Oak
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-KD	River Cherry
H-KF	Williamsburg Cherry

Grade E

Premium

H-C1	Hay
H-C2	Drift
H-C3	Pecan
H-C4	Molasses
H-C5	Mineral
H-C6	Hatch
H-C7	Tanned

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Wood Grain

HP-KA	Brazilwood
HP-AM	Cherry
HP-KG	Columbian Walnut
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-AD	Medium Cherry
HP-KL	Neo Walnut
HP-KC	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-KD	River Cherry
HP-KF	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Premium

HP-C1	Hay
HP-C2	Drift
HP-C3	Pecan
HP-C4	Molasses
HP-C5	Mineral
HP-C6	Hatch
HP-C7	Tanned

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	GROUT
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-1C	Accent Blue
TR-1E	Accent Orange
TR-1G	Blue Jay
TR-1R	Brownstone
TR-1N	Night
TR-1Q	Park
TR-RR	Rusty Red
TR-1M	Sable
TR-1J	Sky Blue
TR-1H	Terra
TR-1K	Wren

Smooth Metallic

TR-DM	Dark Bronze Metallic
TR-MC	Metallic Champagne
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-HE	Hellenic
-------	----------

Casters

TR-F	Black
TR-7	Fog
TR-LPL	Light Platinum

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood:

VJ-W42	Brindle
2R-RL	Butternut
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
VP-AD	Sand
WC-RW	Wenge

Laminate:

H-AM	Amber Cherry
H-AD	Medium Cherry

Trims:

TR-CTS	Chartreuse
--------	------------

Forest Stewardship Council (FSC) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Masters Series Table Finish/Color Legends

Wood Finishes

Grade A

Double Cut

2P-RL	Applegate
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
WE-RT	Melba
CQ-WG	Walnut Grove

Cherry

VC-CA1	Amber
VC-W23	American
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W15	Espresso
NW-W31	Retro

Laminate Finishes

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Grade A

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood

H-AM	Amber Cherry
H-AE	Maple

Grade B

Premium Wood Grain

H-KA	Brazilwood
H-KG	Columbian Walnut
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-KL	Neo Walnut
H-KC	New Age Oak
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-KD	River Cherry
H-KE	Sanara
H-KF	Williamsburg Cherry

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Patterned

HP-P1	Linen Casual
HP-P2	Linen Classic
HP-P3	Linen Crisp
HP-P4	Linen Flax

Wood Grain

HP-KA	Brazilwood
HP-AM	Cherry
HP-KG	Columbian Walnut
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-AD	Medium Cherry
HP-KL	Neo Walnut
HP-KC	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-KD	River Cherry
HP-KE	Sanara
HP-KF	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-1C	Accent Blue
TR-1E	Accent Orange
TR-1G	Blue Jay
TR-1R	Brownstone
TR-1N	Night
TR-1Q	Park
TR-RR	Rusty Red
TR-1M	Sable
TR-1J	Sky Blue
TR-1H	Terra
TR-1K	Wren

Smooth Metallic

TR-DM	Dark Bronze Metallic
TR-MC	Metallic Champagne
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-HE	Hellenic
-------	----------

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood:

VJ-W42	Brindle
2R-RL	Butternut
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
VP-AD	Sand
WC-RW	Wenge

Laminate:

H-AM	Amber Cherry
H-AD	Medium Cherry

Trims:

TR-CTS	Chartreuse
--------	------------

Forest Stewardship Council (FSC) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Pip Table Finish/Color Legends

Trim Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-1C	Accent Blue
TR-1E	Accent Orange
TR-1G	Blue Jay
TR-1R	Brownstone
TR-1N	Night
TR-1Q	Park
TR-RR	Rusty Red
TR-1M	Sable
TR-1J	Sky Blue
TR-1H	Terra
TR-1K	Wren

Smooth Metallic

TR-DM	Dark Bronze Metallic
TR-MC	Metallic Champagne
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-HE	Hellenic
-------	----------

Surface - Painted MDF Grade A

PW-R	Beige
PW-F	Black
PW-AK	Chalk
PW-G	Gray Tone
PW-PL	Polar
PW-SY	Stormy
PW-VA	Vapor

Grade B

PW-RR	Rusty Red
PW-1J	Sky Blue
PW-SP	Sparrow
PW-ST	Straw
PW-1H	Terra

Surface - Wood

VB-W35	Plank White Oak
VH-W35	Plank Walnut

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Trims:

TR-CTS Chartreuse

Forest Stewardship Council (FSC) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC.

Haworth FSC Trademark License
#FSC-C002821

Planes Table Finish/Color Legends

Wood Finishes

Grade A

Double Cut

2P-RL	Applegate
WJ-RE	Ebony
2N-RL	Echo
WE-RD	Dune
WE-RT	Melba
CQ-WG	Walnut Grove

Grade B

Anegre Quarter Cut

NP-W08	Golden
--------	--------

Cherry

VC-CA1	Amber
VC-W23	American
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W15	Espresso
NW-W31	Retro

Laminate Finishes

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Wood

H-AE	Maple
------	-------

Grade B

Premium Wood Grain

H-KA	Brazilwood
H-KG	Columbian Walnut
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-KL	Neo Walnut
H-KC	New Age Oak
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-KD	River Cherry
H-KF	Williamsburg Cherry

Grade E

Premium

H-C1	Hay
H-C2	Drift
H-C3	Pecan
H-C4	Molasses
H-C5	Mineral
H-C6	Hatch
H-C7	Tanned

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Wood Grain

HP-KA	Brazilwood
HP-AM	Cherry
HP-KG	Columbian Walnut
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-AD	Medium Cherry
HP-KL	Neo Walnut
HP-KC	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-KD	River Cherry
HP-KF	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Premium

HP-C1	Hay
HP-C2	Drift
HP-C3	Pecan
HP-C4	Molasses
HP-C5	Mineral
HP-C6	Hatch
HP-C7	Tanned

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	GROUT
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-1C	Accent Blue
TR-1E	Accent Orange
TR-1G	Blue Jay
TR-1R	Brownstone
TR-1N	Night
TR-1Q	Park
TR-RR	Rusty Red
TR-1M	Sable
TR-1J	Sky Blue
TR-1H	Terra
TR-1K	Wren

Smooth Metallic

TR-DM	Dark Bronze Metallic
TR-MC	Metallic Champagne
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-HE	Hellenic
-------	----------

Casters

TR-F	Black
TR-7	Fog
TR-LPL	Light Platinum

Lock Plugs

LR-BL	Black
LR-BP	Chrome

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood:

VJ-W42	Brindle
2R-RL	Butternut
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
VP-AD	Sand
WC-RW	Wenge

Laminate:

H-AM	Amber Cherry
H-AD	Medium Cherry

Trims:

TR-CTS	Chartreuse
--------	------------

Forest Stewardship Council (FSC) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Planes Fabrics/Color Legend

Vertical Fabrics Grade A Chevron (6X) Etch (35) Highlands (L6) Striae (C1) Tailored (PY) Tellure (3A) Grade B Camp (33) Classic (L5) Fields (34) Hue (6) Kio (ZR) Peca (32) Ritz (PV) Shimmer (WS) Grade C Birds Nest (PH) Sisal (SW) Grade D Tangram (LV)	Haworth+ For information on the Haworth+ alliance program, including images and product availability, please refer to: Haworth.com > Surface Collection > Haworth+ Library Customer's Own Material (COM) For general Customer's Own Material (COM) information including processes and forms, please refer to: Haworth.com > Surface Collection > Resources > COM For information on approved COM's, please refer to: Haworth.com > Surface Collection > COM Library
--	---

* For most current finish and fabric availability please reference surfaces.haworth.com.

PopUp Table Finish/Color Legends

Wood Finishes

Grade A

Double Cut

2P-RL	Applegate
WJ-RE	Ebony
2N-RL	Echo
WE-RT	Melba
CQ-WG	Walnut Grove

Grade B

Cherry

VC-CA1	Amber
VC-W23	American
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Rift Cut White Oak

NR-W35	Clear
NR-W15	Espresso
NR-W40	Mocha

Walnut

VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W15	Espresso
NW-W31	Retro

Laminate Finishes

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Grade A

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood

H-AE	Maple
------	-------

Grade B

Premium Wood Grain

H-KA	Brazilwood
H-KG	Columbian Walnut
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-KL	Neo Walnut
H-KC	New Age Oak
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-KD	River Cherry
H-KE	Sanara
H-KF	Williamsburg Cherry

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Patterned

HP-P1	Linen Casual
HP-P2	Linen Classic
HP-P3	Linen Crisp
HP-P4	Linen Flax

Wood Grain

HP-KA	Brazilwood
HP-AM	Cherry
HP-KG	Columbian Walnut
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-AD	Medium Cherry
HP-KL	Neo Walnut
HP-KC	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-KD	River Cherry
HP-KE	Sanara
HP-KF	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-1C	Accent Blue
TR-1E	Accent Orange
TR-1G	Blue Jay
TR-1R	Brownstone
TR-1N	Night
TR-1Q	Park
TR-RR	Rusty Red
TR-1M	Sable
TR-1J	Sky Blue
TR-1H	Terra
TR-1K	Wren

Smooth Metallic

TR-DM	Dark Bronze Metallic
TR-MC	Metallic Champagne
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-HE	Hellenic
-------	----------

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood:

VJ-W42	Brindle
2R-RL	Butternut
NP-W08	Golden
NP-W07	Light
NX-U	Medium
VR-W12	Naturally Walnut
VP-AD	Sand
WC-RW	Wenge

Laminate:

H-AM	Amber Cherry
H-AD	Medium Cherry

Trims:

TR-CTS	Chartreuse
--------	------------

Forest Stewardship Council (FSC) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
EAEB	Planes Training Tables 2-Circuit — Power Feeds – Hardwire Modular Base Feed — 2-Circuit	266
EAEB-2024-2C	Planes Training Tables 2-Circuit — Power Feeds – Single Circuit Corded Base Feed — for use with 2-Circuit, 20 Amp	266
EAED-0000-22	Planes Training Tables 2-Circuit — Modular Power Components – Receptacle Block Connector	269
EAED-0000-24	Planes Training Tables 2-Circuit — Modular Power Components – Four-Port Splitter	269
EAEJ	Planes Training Tables 2-Circuit — Modular Power Pass-Through – Tables Pass-Through Connector — 2-Circuit	267
EAEM	Planes Training Tables 2-Circuit — Modular Power Kits – Modular Power Kits — 2-Circuit	268
EAER	Planes Training Tables 2-Circuit — Modular Power Components – Receptacles — 15 Amp 2-Circuit	269
EAWP-0004-21	Planes Training Tables 2-Circuit — Power Feeds – Wall Feed — 2-Circuit	266
EHPO	Immerse — Planter — Oblong	104
EHPR	Immerse — Planter — Round	105
EUDB-0000	Cultivate Power Module Clips and Brackets – Mounting Bracket for Enhanced Power Modules	32
EUMC-0201	Cultivate Power Module Clips and Brackets – Mounting Clip for Flip Top Unit	32
EUQ1-QS1P	Quick Connect Two Power — Flip Top Unit with Smooth Bezel	270
EUQ1-QS1P	Quick Connect Two Power — Flip Top Unit with Smooth Bezel	270
EUQB-0072-1	Quick Connect Two Power — Flip Top Unit with Smooth Bezel – Starter Box	272
EUQJ-1	Planes Training Tables Quick Connect Power — Flip Top Unit Accessories – Pass-Through Connector	272
EWVT-DCND-P	Planes — Electrical Components – Belong View – Table Mount With Shroud Dual Monitor	349
EWVT-DCSD-P	Planes — Electrical Components – Belong View – Table Mount With Shroud Dual Monitor	349
EWVT-SAND-P	Planes — Electrical Components – Belong View – Table Mount With Shroud	349
EWVT-SASD-P	Planes — Electrical Components – Belong View – Table Mount With Shroud	349
EWWM-0601	Cultivate Power Module Clips and Brackets – Flush Mount Power Module with Sliding Door Mounting Bracket for 2”(51mm) tops	32
	Planes — Electrical Components – Belong View – Table Mount With Shroud Dual Monitor	349
GAC1	Planes Credenza Base – 29” High – Credenza Base – 29”(737mm) High – Laminate or Wood	283
GAC1	Planes Credenza Bases – 19” High – Credenza Base – 19”(483mm) High – Laminate or Wood	280
GAC2	Planes Credenza Base with Slider Unit — 35” High – Credenza Base – 35”(889mm) High with Slider Unit – Laminate or Wood	282
GAC2	Planes Credenza Base with Slider Unit — 39” High – Credenza Base – 39”(991mm) High with Slider Unit – Laminate or Wood	284
GAC2	Planes Credenza Base with Slider Unit — 45” High – Credenza Base – 45”(1143mm) High with Slider Unit – Laminate or Wood	285
GAC2	Planes Credenza Base with Slider Unit – 29” High – Credenza Base – 29”(737mm) High with Slider Unit – Laminate or Wood	281
GACJ	Planes Credenza Tops – Credenza Top – Laminate or Wood	286
GAKD-1919	Planes Cart – Podium – Cart – Podium – Laminate	279
GAKE-1919	Planes Carts — Medium Media – Cart – Medium Media – Laminate	277
GAKF-1919	Planes Carts — Small Media – Cart – Small Media – Laminate	276
GAKG-1935	Planes Carts – Catering – Cart – Catering – Laminate	278
KUWH-0202	Cultivate Bag Hook – Bag Hook	31
TCRA-SNB	Jive Table — C-Leg — Round – Rectangle – Laminate or Wood	176
TCRA-SND	Jive Table — Disc Base – Rectangle – Laminate or Wood	185
TCRA-SNT	Jive Table — T-Leg — Extruded – Rectangle – Laminate or Wood	191
TCRP-SND	Jive Table — Dual Disc Base – Pebble – Laminate or Wood	186
TCRT-SND	Jive Table — Dual Disc Base – Racetrack – Laminate or Wood	188
TCTP-SNT	Jive Table — T-Leg — Extruded – Trapezoid – Laminate or Wood	196
ZUBW-0000-PN	Planes End Supported Top (for use with Column Base) — Bracket(s) – Wall Mount Bracket(s)	346
S970	Pip – Collaborative Table	218
STP-P26-TH	Pip – Personal Laptop Table	218
TA01	Planes Credenza Tops – Grommet	286
TA01	Planes Conference Table — Column Base (for use with Conference Table Top) – J-Channels – J-Channel Tray	345
TA01-0001	Planes Collaborative Tables — Accessories – Ganging Clip	231
TA01-0212	Planes Collaborative Tables — Accessories – Vertical Wire Management	231
TA01-0213	Planes Collaborative Tables — Accessories – Y-Leg Bumper	231
TA01-0214	Planes Collaborative Tables — Accessories – Y-Leg Bumper	231
TA01-0215	Planes Accessories – Glides	274
TA01-0215	Planes Collaborative Tables — Accessories – Glides	232
TA01-0216	Planes Accessories – Casters	274
TA01-0216	Planes Collaborative Tables — Accessories – Casters	232

Index

Product Code	Product Description	Page
TA01-0217	Planes — Accessories — Cable Column	347
TA01-0222	Planes Collaborative Tables — Accessories — Ganging Mechanism	231
TA01-0222	Planes Training Tables — Accessories — Ganging Mechanism	274
TA01-0224	Planes Training Tables 2-Circuit — Modular Power Components — Mounting Bracket — Receptacle	269
TA01-0225	Planes Training Tables — Accessories — Wire Manager Clips	275
TA01-0225	Planes Training Tables Quick Connect Power — Flip Top Unit Accessories — Wire Manager Clips	272
TA01-0227	Planes Training Tables Quick Connect Power — Flip Top Unit Accessories — Starter Box Bracket	272
TA01-0228	Planes Accessories — Vertical Wire Manager	275
TA01-0814	Planes — Accessories — Cable Base	347
TA01-1414	Planes — Accessories — Cable Base	347
TA01-CR48	Planes — Electrical Accessories — Cable Reel	348
TA01-CRKB	Planes — Electrical Accessories — Cable Reel Bracket	348
TA0M	Planes Training Tables — Modesty Panels —	264
TABC	Cultivate Wire Management — Basket Cover	33
TABN-L	Planes Training Tables — Crescent — Laminate — Flip Top or Non-Flip Top Table	254
TABN-W	Planes Training Tables — Crescent — Wood — Flip Top or Non-Flip Top Table	260
TACB-2	Planes Conference Tables — Column Base (for use with Conference Table Top and End Supported Top) — Column Frame	341
TACB-4	Planes Conference Tables — Column Base (for use with Conference Table Top and End Supported Top) — Column Frame	341
TACB-7	Planes Conference Tables — Column Base (for use with Conference Table Top and End Supported Top) — Column Frame	341
TACC-F2	Planes Conference Table — Column Base (for use with Conference Table Top and End Supported Top) — Cladding — Flat Paint and Round	343
TACC-LF2S	Planes Conference Table — Column Base (for use with Conference Table Top and End Supported Top) — Cladding — Flat Laminate	344
TACC-R2	Planes Conference Table — Column Base (for use with Conference Table Top and End Supported Top) — Cladding — Flat Paint and Round	343
TACV	Planes Collaborative Tables — Polygon — Laminate — Y-Leg Flip Top or Non-Flip Top Table	225
TACV	Planes Collaborative Tables — Polygon — Wood — Y-Leg Flip Top or Non-Flip Top Table	230
TACV	Planes Conference Tables — Interior Leg — Laminate — Polygon	290
TACV-L	Planes Training Tables — Polygon — Laminate — Flip Top or Non-Flip Top Table	256
TACV-W	Planes Training Tables — Polygon — Wood — Flip Top or Non-Flip Top Table	262
TAHN	Planes Collaborative Tables — Half Round — Laminate — Y-Leg Flip Top or Non-Flip Top Table	224
TAHN	Planes Collaborative Tables — Half Round — Wood — Y-Leg Flip Top or Non-Flip Top Table	229
TAHN	Planes Conference Tables — Interior Leg — Laminate — Half Round	289
TAJC	Planes Conference Table — Column Base (for use with Conference Table Top) — J-Channels — J-Channel	345
TAPC-L	Planes Training Tables — Pie Connector — Laminate	257
TAPC-W	Planes Training Tables — Pie Connector — Wood	263
TAPL-R	Planes Conference Table — Column Base (for use with Conference Table Top and End Supported Top) — Column Base Plate — Square and Round	342
TAPL-S	Planes Conference Table — Column Base (for use with Conference Table Top and End Supported Top) — Column Base Plate — Square and Round	342
TARA	Planes Collaborative Tables — Rectangular — Laminate — Y-Leg Flip Top or Non-Flip Top Table	221
TARA	Planes Collaborative Tables — Rectangular — Wood — Y-Leg Flip Top or Non-Flip Top Table	226
TARA	Planes Conference Table Top — Rectangle (for use with Column Base) — Laminate — Rectangle	320
TARA	Planes Conference Tables — Interior Leg — Laminate — Round, Square, Rectangular — Rectangular	287
TARA	Planes Conference Tables — One-Piece Top — Interior Leg — Laminate — Rectangular	291
TARA	Planes Conference Tables — Perimeter Leg — Laminate — Square and Rectangular — 2”(51mm) Edge	309
TARA	Planes Conference Tables — Three-Piece Tops — Interior Leg — Laminate — Rectangular — Rectangular	303
TARA	Planes Conference Tables — Three-Piece Tops — Perimeter Leg — Laminate — Rectangular — 2”(51mm) Edge	313
TARA	Planes Conference Tables — One-Piece Top — Perimeter Leg — Laminate — Rectangular — 2”(51mm) Edge	310
TARA	Planes Conference Tables — Two-Piece Tops — Interior Leg — Laminate — Rectangular — 2”(51mm) Edge	297
TARA	Planes Conference Tables — Two-Piece Tops — Perimeter Leg — Laminate — Rectangular — 2”(51mm) Edge	311
TARA-D	Planes Tables — Dual Disc Base — Laminate or Wood — Rectangle	244
TARA-L	Planes Training Tables — Rectangular — Laminate — Flip Top or Non-Flip Top Table	252
TARA-W	Planes Training Table — Rectangular — Wood — Flip Top or Non-Flip Top Table	258
TARA-XC	Planes Tables — Dual X Base — Laminate or Wood — Rectangle	238
TARA-XG	Planes Tables — Dual X Base — Laminate or Wood — Rectangle	238

Index

Product Code	Product Description	Page
TARD	Planes End Supported Top — D-Shape Convergent (for use with Column Base) – Laminate	335
TARN	Planes Conference Tables — Interior Leg — Laminate – Round, Square, Rectangular	287
TARN	Planes Conference Table Top — Round, Square and Pebble (for use with Column Base) – Laminate	318
TARN-NDN	Planes Tables — Disc Base – Laminate or Wood	236
TARN-NXC	Planes Tables — X Base – Laminate or Wood	234
TARP	Planes Collaborative Tables — Pebble — Laminate – Y-Leg Flip Top or Non-Flip Top Table	222
TARP	Planes Collaborative Tables — Pebble — Wood – Y-Leg Flip Top or Non-Flip Top Table	227
TARP	Planes Conference Table Top — Pebble (for use with Column Base) – Laminate	324
TARP	Planes Conference Tables — One-Piece Top — Interior Leg — Laminate – Pebble	293
TARP	Planes Conference Tables — Three-Piece Tops — Interior Leg — Laminate – Pebble	305
TARP	Planes Conference Table Top — Round, Square and Pebble (for use with Column Base) – Laminate	318
TARP	Planes Conference Tables — Two-Piece Tops — Interior Leg — Laminate – Pebble	299
TARP-D	Planes Tables — Dual Disc Base – Laminate or Wood – Pebble	248
TARP-NDN	Planes Tables — Disc Base – Laminate or Wood	236
TARP-NXG	Planes Tables — X Base – Laminate or Wood	234
TARP-XC	Planes Tables — Dual X Base – Laminate or Wood – Pebble	242
TARP-XG	Planes Tables — Dual X Base – Laminate or Wood – Pebble	242
TARQ	Planes Conference Tables — Interior Leg — Laminate – Round, Square, Rectangular	287
TARQ	Planes Conference Tables — Perimeter Leg — Laminate – Square and Rectangular – 2”(51mm) Edge	309
TARQ	Planes Conference Table Top — Round, Square and Pebble (for use with Column Base) – Laminate	318
TARQ-NDN	Planes Tables — Disc Base – Laminate or Wood	236
TARQ-NXC	Planes Tables — X Base – Laminate or Wood	234
TARU	Planes End Supported Top — Rectangular Conference End (for use with Column Base) – Laminate	337
TARX	Planes Collaborative Tables — Hexagon — Laminate – Y-Leg Flip Top or Non-Flip Top Table	223
TARX	Planes Collaborative Tables — Hexagon — Wood – Y-Leg Flip Top or Non-Flip Top Table	228
TARX	Planes Conference Table Top — Hexagon (for use with Column Base) – Laminate	328
TARX	Planes Conference Tables — One-Piece Top — Interior Leg — Laminate – Hexagon	295
TARX	Planes Conference Tables — Three-Piece Tops — Interior Leg — Laminate – Hexagon	307
TARX	Planes Conference Tables — Two-Piece Tops — Interior Leg — Laminate – Hexagon	301
TARX-D	Planes Tables — Dual Disc Base – Laminate or Wood – Hexagon	246
TARX-XC	Planes Tables — Dual X Base – Laminate or Wood – Hexagon	240
TARX-XG	Planes Tables — Dual X Base – Laminate or Wood – Hexagon	240
TARY	Planes End Supported Top — Key Conference (for use with Column Base) – Laminate	339
TATP-L	Planes Training Tables — Trapezoid — Laminate – Flip Top or Non-Flip Top Table	255
TATP-W	Planes Training Table — Trapezoid — Wood – Flip Top or Non-Flip Top Table	261
TAWB	Cultivate Wire Management – Wire Management Basket	33
TCBN	Jive Table — Post Extruded Base – Crescent – Laminate or Wood	125
TCBN-SNV	Jive Table — Post Round Base – Crescent – Laminate or Wood	143
TCHP	Jive Table — Post Extruded Base – Half Pebble – Laminate or Wood	127
TCHP	Jive Table — Post Round Base – Half Pebble – Laminate or Wood	145
TCHP-SNG	Jive Table — Bridge Base – Half Pebble – Laminate or Wood	170
TCHT	Jive Table — Post Extruded Base – Half Racetrack – Laminate or Wood	126
TCHT	Jive Table — Post Round Base – Half Racetrack – Laminate or Wood	144
TCHT-SNG	Jive Table — Bridge Base – Half Racetrack – Laminate or Wood	168
TCHX-SNG	Jive Table — Bridge Base – Half Hexagon – Laminate or Wood	172
TCRA	Jive Table — Post Extruded Base – Rectangle – Laminate or Wood	119
TCRA-SNC	Jive Table — C-Leg — Extruded – Rectangle – Laminate or Wood	173
TCRA-NDN	Jive Table — Dual Disc Base – Rectangle – Laminate or Wood	187
TCRA-SNF	Jive Table — T-Leg — Round – Rectangle – Laminate or Wood	197
TCRA-SNFH4	Jive Table — T-Leg (Round or Extruded) — Flip Base – Rectangle – Laminate or Wood	203
TCRA-SNG	Jive Table — Bridge Base – Rectangle – Laminate or Wood	161
TCRA-SNH	Jive Table — C-Leg (Round or Extruded) — Flip Base – Rectangle – Laminate or Wood	179
TCRA-SNV	Jive Table — Post Round Base – Rectangle – Laminate or Wood	137
TCRA-SNX	Jive Table — X-Base – Rectangle – Laminate or Wood	152
TCRA-SNXF	Jive Table — X-Base – Rectangle – Laminate or Wood	152

Index

Product Code	Product Description	Page
TCRN	Jive Table — Disc Base – Pneumatic Adjustment – Round	189
TCRN	Jive Table — Post Extruded Base – Round – Laminate or Wood	110
TCRN-SND	Jive Table — Disc Base – Round – Laminate or Wood	181
TCRN-SNG	Jive Table — Bridge Base – Round – Laminate or Wood	154
TCRN-SNV	Jive Table — Post Round Base – Round – Laminate or Wood	128
TCRN-SNX_	Jive Table — X-Base – Round – Laminate or Wood	146
TCRN-SNXF	Jive Table — X-Base – Round – Laminate or Wood	146
TCRP	Jive Table — Disc Base – Pneumatic Adjustment – Pebble	189
TCRP-3048-SNG	Jive Table — Bridge Base – Pebble – Laminate or Wood	156
TCRP-3060	Jive Table — Post Extruded Base – Pebble – Laminate or Wood	115
TCRP-3060-SNV	Jive Table — Post Round Base – Pebble – Laminate or Wood	133
TCRP-4242	Jive Table — Post Extruded Base – Pebble – Laminate or Wood	115
TCRP-4242-SNV	Jive Table — Post Round Base – Pebble – Laminate or Wood	133
TCRP-5454-SNG	Jive Table — Bridge Base – Pebble – Laminate or Wood	156
TCRP-SND	Jive Table — Disc Base – Pebble – Laminate or Wood	184
TCRP-SNF	Jive Table — T-Leg — Round – Pebble – Laminate or Wood	200
TCRP-SNT	Jive Table — T-Leg — Extruded – Pebble – Laminate or Wood	194
TCRP-SNX_	Jive Table — X-Base – Pebble – Laminate or Wood	150
TCRP-SNXF	Jive Table — X-Base – Pebble – Laminate or Wood	150
TCRQ	Jive Table — Disc Base – Pneumatic Adjustment – Square	189
TCRQ	Jive Table — Post Extruded Base – Square – Laminate or Wood	112
TCRQ-SND	Jive Table — Disc Base – Square – Laminate or Wood	183
TCRQ-SNG	Jive Table — Bridge Base – Square – Laminate or Wood	155
TCRQ-SNV	Jive Table — Post Round Base – Square – Laminate or Wood	130
TCRQ-SNX_	Jive Table — X-Base – Square – Laminate or Wood	148
TCRQ-SNXF	Jive Table — X-Base – Square – Laminate or Wood	148
TCRT	Jive Table — Post Extruded Base – Racetrack – Laminate or Wood	122
TCRT-SNE	Jive Table — T-Leg — Round – Racetrack – Laminate or Wood	201
TCRT-SNG	Jive Table — Bridge Base – Racetrack – Laminate or Wood	165
TCRT-SNT	Jive Table — T-Leg — Extruded – Racetrack – Laminate or Wood	195
TCRT-SNV	Jive Table — Post Round Base – Racetrack – Laminate or Wood	140
TCTP	Jive Table — Post Extruded Base – Trapezoid – Laminate or Wood	124
TCTP-SNF	Jive Table — T-Leg — Round – Trapezoid – Laminate or Wood	202
TCTP-SNV	Jive Table — Post Round Base – Trapezoid – Laminate or Wood	142
TEA5	Executive Wood Tables – A5 – Base Kit	70
TEBO	Executive Wood Tables – Boat	57
TEBO	Executive Wood Tables – Boat	57
TEBO	Executive Wood Tables – A5 – Boat Table Top	68
TECB	Executive Conference Buffet – Conference Buffet — Wood	37
TEFC	Executive Wood Tables – Base Kits — Boat Wood Tables	60
TEFC	Executive Wood Tables – Base Kits — Racetrack Wood Tables	56
TEFC	Executive Wood Tables – Base Kits — Rectangular Wood Tables	52
TEFC	Executive Wood Tables – Base Kits — Round/Square Wood Tables	48
TEFC	Executive Wood Tables – Base Kits — Wedge Wood Tables	64
TEFC-A	Executive Wood Tables – Base Kits — Boat Wood Tables	60
TEFC-A	Executive Wood Tables – Base Kits — Racetrack Wood Tables	56
TEFC-A	Executive Wood Tables – Base Kits — Rectangular Wood Tables	52
TEFC-A	Executive Wood Tables – Base Kits — Round/Square Wood Tables	48
TEFC-A	Executive Wood Tables – Base Kits — Wedge Wood Tables	64
TEHC	Executive Wood Tables – Base Kits — Boat Wood Tables	60
TEHC	Executive Wood Tables – Base Kits — Racetrack Wood Tables	56
TEHC	Executive Wood Tables – Base Kits — Rectangular Wood Tables	52
TEHC	Executive Wood Tables – Base Kits — Wedge Wood Tables	64
TEHC-A	Executive Wood Tables – Base Kits — Boat Wood Tables	60
TEHC-A	Executive Wood Tables – Base Kits — Racetrack Wood Tables	56

Index

Product Code	Product Description	Page
TEHC-A	Executive Wood Tables – Base Kits — Rectangular Wood Tables	.52
TEHC-A	Executive Wood Tables – Base Kits — Wedge Wood Tables	.64
TEPB	Executive Accessories – Presentation Board	.71
TERA	Executive Wood Tables – Rectangular	.49
TERA	Executive Wood Tables – Rectangular	.49
TERA	Executive Wood Tables – A5 – Rectangular Table Top	.67
TERN	Executive Wood Tables – Round/Square	.47
TERQ	Executive Wood Tables – Round/Square	.47
TERT	Executive Wood Tables – Racetrack Tables	.53
TERT	Executive Wood Tables – Racetrack Tables	.53
TESL	Executive Wood Tables – Base Kits — Boat Wood Tables	.60
TESL	Executive Wood Tables – Base Kits — Racetrack Wood Tables	.56
TESL	Executive Wood Tables – Base Kits — Rectangular Wood Tables	.52
TESL	Executive Wood Tables – Base Kits — Wedge Wood Tables	.64
TEWE	Executive Wood Tables – Wedge	.61
TEWE	Executive Wood Tables – Wedge	.61
TEWE	Executive Wood Tables – A5 – Wedge Table Top	.69
TEXB-M	Executive Wood Tables – Base Kits — Round/Square Wood Tables	.48
TEXB-W	Executive Wood Tables – Base Kits — Boat Wood Tables	.60
TEXB-W	Executive Wood Tables – Base Kits — Racetrack Wood Tables	.56
TEXB-W	Executive Wood Tables – Base Kits — Rectangular Wood Tables	.52
TEXB-W	Executive Wood Tables – Base Kits — Round/Square Wood Tables	.48
TEXB-W	Executive Wood Tables – Base Kits — Wedge Wood Tables	.64
THLD	Immerse — Ledge Table – Rectangle – Painted Legs	.75
THLD	Immerse — Ledge Table – Rectangle – Wood Legs	.76
THRA	Immerse — Single Table – Rectangle – Painted Legs	.97
THRA	Immerse — Single Table – Rectangle – Wood Legs	.101
THRA	Immerse — Stack Table – Rectangle – Painted Legs	.103
THRD	Immerse — Overlap Table – Rectangle/Round – Painted Legs	.80
THRD	Immerse — Overlap Table – Rectangle/Round – Wood Legs	.86
THRD	Immerse — Shift Table – Rectangle/Round – Painted Legs	.90
THRD	Immerse — Shift Table – Rectangle/Round – Wood Legs	.93
THRL	Immerse — Overlap Table – Rectangle/Ledge – Painted Legs	.82
THRL	Immerse — Overlap Table – Rectangle/Ledge – Wood Legs	.88
THRN	Immerse — Single Table – Round – Painted Legs	.95
THRN	Immerse — Single Table – Round – Wood Legs	.99
THRQ	Immerse — Single Table – Square – Painted Legs	.96
THRQ	Immerse — Single Table – Square – Wood Legs	.100
THRR	Immerse — Overlap Table – Rectangle/Rectangle – Painted Legs	.78
THRR	Immerse — Overlap Table – Rectangle/Rectangle – Wood Legs	.84
THRR	Immerse — Shift Table – Rectangle/Rectangle – Painted Legs	.89
THRR	Immerse — Shift Table – Rectangle/Rectangle – Wood Legs	.92
THRT	Immerse — Single Table – Racetrack – Painted Legs	.98
THRT	Immerse — Single Table – Racetrack – Wood Legs	.102
THTD	Immerse — Overlap Table – Racetrack/Round – Painted Legs	.81
THTD	Immerse — Overlap Table – Racetrack/Round – Wood Legs	.87
THTD	Immerse — Shift Table – Racetrack/Round – Painted Legs	.91
THTD	Immerse — Shift Table – Racetrack/Round – Wood Legs	.94
TPAP	PopUp Table – Accent Plate	.357
TPRA-SNA	PopUp Table – Rectangle – Laminate or Wood – Rectangle	.354
TPRP-SNA	PopUp Table – Oval (Rectangular Radius Corner) – Laminate or Wood – Oval	.355
TPRT-SNA	PopUp Table – Racetrack – Laminate or Wood – Racetrack	.356
TPVW	PopUp Table – Vertical Wire Channel – Leg Attached	.358
TVBN-LJSNR	Jive Table — Swivel Base – Crescent – Laminate or Wood	.208
TVCE-LJSNRE	Jive Table — Swivel Base – Corner, Extended – Laminate or Wood	.210

Index

Product Code	Product Description	Page
TVCX-LJSNRP	Jive Table — Swivel Base – Corner, Transitional Extended – Laminate or Wood	.209
TVRA-LJSNR	Jive Table — Swivel Base – Rectangle – Laminate or Wood – Rectangle	.206
TVRQ-LJSNR	Jive Table — Swivel Base – Square – Laminate or Wood	.205
TVTP-LJSNR	Jive Table — Swivel Base – Trapezoid – Laminate or Wood	.207
TYBA-NNNNNG4A	Cultivate Frames – Frame	.30
TYBA-NNNNNG7A	Cultivate Frames – Frame	.30
TYRA-LJMN	Cultivate Tops – Top – No Storage	.28
TYRA-LJMN	Cultivate Tops – For use with Storage – Top	.29
TYRA-LJSN	Cultivate Tops – Top – No Storage	.28
TYRA-LJSN	Cultivate Tops – For use with Storage – Top	.29
TYRA-WKMN	Cultivate Tops – Top – No Storage	.28
TYRA-WKMN	Cultivate Tops – For use with Storage – Top	.29
TYRA-WKSN	Cultivate Tops – Top – No Storage	.28
TYRA-WKSN	Cultivate Tops – For use with Storage – Top	.29
TYVW	Cultivate Wire Management – Vertical Wire Channel - Leg Attached	.33
TZRN-LG	Compose Tables — Laminate – Round — Post Base	.21
TZRN-WG	Compose Tables — Wood – Round — Post Base	.22
UXCD-N	Conference Buffet – Center Drawer	.37
WQAG-PS	Planes Accessories – Grommet	.275
XLAS-3030	Masters Series Table — (Round or Square) – Tables – Square Tables	.213
XZAM-1S	Masters Series Table — (Round or Square) – Tables – Table — Round	.213
XZAS-3030	Masters Series Table — (Round or Square) – Tables – Square Tables	.213
ZZBA-0000-PL	Planes End Supported Top (for use with Column Base) — Bracket(s) – Side/Corner Bracket	.346
ZZBA-0000-PLF	Planes End Supported Top (for use with Column Base) — Bracket(s) – Side Bracket for use with Knife Edge	.346
ZZBA-0000-PR	Planes End Supported Top (for use with Column Base) — Bracket(s) – Side/Corner Bracket	.346
ZZBA-0000-PRF	Planes End Supported Top (for use with Column Base) — Bracket(s) – Side Bracket for use with Knife Edge	.346

Product Compatibility and Limited Warranty Policy

Great Expectations

You have them as a Haworth customer and so do we. And because we value our customers, we cover our products with the Haworth North America Product Compatibility and Limited Warranty Policy.

Our Commitment To Product Compatibility – Integrated Product Platforms

As a market leader in the design and manufacture of workspaces that adapt to change, we strive to maintain product compatibility within our various generations of integrated product platforms. This benefits the customer who desires to update or modify their work environment. It also benefits the customer needing to replace a product due to damage or other reasons but which is no longer manufactured or is otherwise unavailable, such as a fabric or finish that is discontinued because of changing market preferences. In both circumstances, we often can provide products with comparable function and performance.

Our Commitment To Product Quality – The Haworth North America Limited Warranty

To ensure customer satisfaction and peace of mind, we stand behind our products with the Haworth North America Limited Warranty. To review the current version of the limited warranty including its terms and conditions, please go to:

www.haworth.com/warranty or contact **OneTouch@Haworth.com** or **1 877 429 6784**.

Warranty Requests or Questions

For questions or service requests pertaining to the Haworth Limited Warranty, please contact your Haworth dealer.

If you are unsure who your dealer is, please contact **OneTouch@Haworth.com** or **1 877 429 6784**.

Effective: September 1, 2021

