

ZEKER[™] MODULAR SEATING

PRICE LIST

EFFECTIVE SEPTEMBER 26, 2024 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering Customer's Own Material (C.O.N	Ordering Customer's Own Material (C.O.M.) Upholstery Information 2					
	-					
Zeker™ Modular Seating						
Technical Specifications	4					
Configurations	7					
Lounge Chair	10					
48" Rectangle	11					
60" Rectangle	12					
72" Rectangle	13					
Corner	14					
Inside Curve	15					
Outside Curve	16					
Extended Outside Curve	17					
Backless	18					
Ganging Kit	19					

Ordering Customer's Own Material (C.O.M.) Upholstery



Ordering Customer's Own Material (C.O.M.) Upholstery

Specifications Form January 2023

How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied. RAILROADED FABRIC REQUIRES A PRODUCT MODIFICATION REQUEST DUE TO ADDITIONAL YARDAGE REQUIREMENTS

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.

C.O.M. must be supplied in continuous yardage.

Yardage requirements listed in price list are based on plain goods 54" wide. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. Consult matrix below for additional yardage needed.



C.O.M. INCREASE MATRIX (yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or K.O.M. upholsteries). This table is a general guide

FABRIC	PLAIN	UNDER 7"	8"-13"	14"-21"	22"-27"	28"-33"	34"-40"	41"-48"
WIDTH	FABRIC	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT
54"	0	20%	25%	30%	45%	55%	70%	80%
51"-53"	15%	25%	30%	35%	50%	60%	80%	90%
48"-50"	20%	30%	35%	40%	55%	65%	85%	95%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

Fabric with double repeat: If using a fabric with a double repeat, please follow this formula: take the total amount of the larger and half of the smaller repeat; add together to find the correct overall repeat. Example: 10" vertical with 14" horizontal would be 14+5=19.

If fabric comes in on multiple rolls, one additional yard per roll needs to be added to the yardage requirement.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit. For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer's upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. or K.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled as follows:

- 1. Name and address
- 2. Your purchase order number
- 3. Our style number to which fabric is to be applied
- 4. Supplier name and fabric name, number, and color

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order

Ordering Customer's Own Material (C.O.M.) Upholstery



C.O.M. SHIPPING LOCATION



Architectural Walls EvokeMN Genius WallsMN	
Casegoods Aristotle TackboardsMN Likha TackboardsMN	Re So
Classroom Furniture Intellect Wave Chairs	50
Desking 700 Series Desking	Se
Files & Storage 700 Series Pedestal Cushion	
Fixed Seating Concerto Auditorium Seating	
Panel Systems	

Universal Overheads	MN
Wireworks	MN
Unite	MN
Residence Hall Furniture	
RoomScape Furniture	MN
Screens	
All Terrain	KP
Connection Zone	BW
Tributaire	
True/Volition	
Genesis	
Tattoo	
Universal	
G.1.V.G.G.G.1	
Seating	
600 Series Folding Chairs	RW
600 Series Stools	
Affina Collection	
Altus Task Chairs	
Apply Stack Chairs	
Calida Lounge Seating	
Diem Task Chairs	
Doni Collection	
Gladly Lounge Seating	
Grazie Seating	
Hub Modular Lounge Seating	
Impress Task Chairs	
Impress Task Chairs	
Jessa Lounge Seating	
9 9	
Jubilee Lounge Seating	
Katera Kurv Benches	
LimeLite	
Lyra Lounge Seating	
Medical & Laboratory Stools	OM

MyPlace Lounge Seating

MyWay SeatingHN
Oath Task Chairs and StoolsGB
Opt4GB
Pilot Task ChairsOM
Promenade Seating SystemBW
RuckusGB
Sela Lounge SeatingHN
Sift Task ChairsGB
Signia Task Chairs and StoolsOM
Soltice Metal CollectionHN
Soltice Multiple, Healthcare & Guest . HN
Soltice II Healthcare SeatingHN
SonrisaHN
Strive Multiple, Stack & TaskGB
SwayBW
TattooHN
Torsion-on-the-Go! Nesting Chairs GB
Torsion Air Stack and Task Seating GB
ZekerHN
ZoetryHN

KI C.O.M. Manufacturing Site Addresses:

KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107

GB KI Green Bay Attn: COM Storage

Green Bay, WI 54302

1687 Westminster Drive - Gate 3

Balance Overheads....

KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263

.. MN

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

OM KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761

1

TECHNICAL SPECIFICATIONS

Interior Frame Construction

The interior frame is constructed of $^{23}/_{32}$ " thick hardwood plywood. The back is made from the same $^{23}/_{32}$ " thick hardwood plywood. All components are CNC-machined (computer numerical control) to maintain accuracy of part dimensions and to ensure that all connection joints are engineered to interlink with other hardwood plywood components. All joints are glued with polyvinyl acetate adhesive and further secured with staples and wood screws.

Seat Construction

The seat utilizes upholstery webbing that is affixed to the machined frame construction. The seat cushion is 4" thick and consists of high-resilience contract grade 2.5-45 polyurethane foam.

Backrest Construction

The backrest of the lounge unit utilizes a high-resilience contract grade 2.5-45 polyurethane foam that provides a supporting comfortable sit. The outside portion of the unit utilizes the same contract grade 2.5-45 polyurethane foam to maintain a smooth consistent shape around the perimeter. Back foam thickness on the top and sides of the backrest is 2.5" thick.

Upholstery

Upholstery is available in non-contrasting, or contrasting upholstery options on low-back models. Upholstery is only non-contrasting on backless models. A variety of KI ingrades, Pallas and customer ordered materials/KI ordered materials (COM/KOM) have been approved for use on the Zeker product line. All seams are reinforced with a top stitch.

Base Options

Poly feet with adjustable glides.

Poly Feet

Poly feet are $1^{1}/2^{n}$ high and contain an adjustable glide. Poly feet are mounted to the lounge frame underside using bolts. Poly feet are Black in color with five feet per half round (ZK092) and inside curve (ZK060), and four feet for the rest of the line. The adjustable-height glide bottom pad is of natural color poly, is impact resistant and threads into the nylon foot with a 1/4-20 threaded stem having 1/4-20

Ganging

Gangers consist of a hook latch with catch bracket. Ganger assemblies are made from 11-gauge steel ($^{1}/_{8}$ " thick), with a zinc plated finish. Gangers are secured to the underside of any lounge using #14 x 1" wood screws.

Power Modules

Round Mini-Tap® Power Module with 3-Prong Plug

Certain Zeker modular seating units can be configured with optional Byrne Mini-Tap power modules with 3-prong plug (a self-contained, UL listed single Furniture Power Distribution Unit). One 15-amp, 125 volt AC simplex receptacle with one 2.1-amp, 5 volt DC USB-A port, and one USB-C port (2.0 and 3.0 compatible, no data), provide connection for device charging or direct AC power. Byrne Mini-Tap power module is standard with 72" long, 14 AWG, 15-amp NEMA rated 3-conductor SJT cord with a three-prong grounded plug. Modules are available in black, white, warm grey, and cool grey. Cord is black.

One Byrne round Mini-Tap® power module with 3-prong plug is available on lounge chair, 48" rectangle, 60" rectangle, 72" rectangle, inside curve, outside curve, and extended outside curve units. The round Mini-Tap power module is only available in the front center-facing location on lounge chair, 48" rectangle, inside curve and outside curve units. One round Mini-Tap power module is available in the front left-, right- and center-facing locations on 60" rectangle, 72" rectangle and extended outside curve units. See Zeker Modular Seating - Planning Guide (KI-PG-000043) for configurable power locations.


Compliance

This product has been tested according to the Business & institutional Furniture Manufacturers Association (BIFMA) voluntary standards known as ANSI/BIFMA X5.4-2020 for Public and Lounge Seating, meeting, or exceeding all applicable testing requirements of the standard.


This product meets third party certification for Indoor Air Quality as certified by SCS Global Services. This product meets all qualifications for Indoor Advantage Gold, the highest standard which conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2021) and ANSI/BIFMA e3-2019 (Credits 7.6.1, 7.6.2, 7.63) for seating parameters.

STATEMENT OF LINE

Zeker Low-Back Modular Seating



Zeker Backless Modular Seating



Half Round

7K092

7K0901GNG


Ganging Kit


Zeker[™] Modular Seating Product Specifications


Zeker[™] Modular Seating **Product Specifications**

DIMENSIONS

Zeker Low-Back Modular Seating - Lounge Chair










Zeker Low-Back Modular Seating - 48" Rectangle, 60" Rectangle, & 72" Rectangle


Model Number	A Overall Depth	B Overall Width	C Overall Height	D Seat Depth	E Seat Height
ZK020	30.50"	48"	29.75"	21.375"	18.50"
ZK030	30.50"	60"	29.75"	21.375"	18.50"
ZK040	30.50"	72"	29.75"	21.375"	18.50"




Zeker Low-Back Modular Seating - Corner









Zeker Low-Back Modular Seating - Inside Curve










Product Specifications




Zeker Low-Back Modular Seating - Outside Curve










Zeker Low-Back Modular Seating - Extended Outside Curve










Zeker Backless Modular Seating - 24" Backless



Zeker Backless Modular Seating - Half Round









Zeker[™] Modular Seating Configurations

Typical Configurations

Typical Configuration 1

ltem	Qty	Model
А	4	ZK020
В	2	ZK060
С	2	ZK080
D	2	ZK092
Е	3	CTABLE
F	I	MI8R
G	I	M36R







*Optional ganger kits are available for connecting units to one another (ordered separately).

Typical Configuration 2

ltem	Qty	Model
А	4	ZK020
В	2	ZK060
С	2	ZK080
D	2	ZK092
Е	2	CTABLE







^{*}Optional ganger kits are available for connecting units to one another (ordered separately).

Typical Configuration 3

ltem	Qty	Model
А	2	ZK040
В	2	ZK092
С	2	CTABLE





*Optional ganger kits are available for connecting units to one another (ordered separately).

Typical Configuration 4


ltem	Qty	Model				
Α	2	ZK030				
В	I	ZK050				
С	2	ZK090		-	116"	
D	I	TJCZR	4			_
Е	I	TJFXT		(B)	(A)	
			116"	(C)	• ((E)


^{*}Optional ganger kits are available for connecting units to one another (ordered separately).

Zeker[™] Modular Seating Configurations

Typical Configuration 5

ltem	Qty	Model
А	2	ZK030
В	ı	ZK050
С	2	ZK090
D	ı	M36S







^{*}Optional ganger kits are available for connecting units to one another (ordered separately).

Typical Configuration 6

Item	Qty	Model
А	4	ZK010
В	2	ZK020
С	2	ZK040
D	4	ZK050
Е	2	ZK090







^{*}Optional ganger kits are available for connecting units to one another (ordered separately).

Typical Configuration 7

ltem	Qty	Model
Α	4	ZK060







^{*}Optional ganger kits are available for connecting units to one another (ordered separately).

Typical Configuration 8

ltem	Qty	Model
Α	4	ZK060
В	I	ZK090






^{*}Optional ganger kits are available for connecting units to one another (ordered separately).


1155/16"-

Typical Configuration 9

Zeker[™] Modular Seating Configurations

ltem	Qty	Model
Α	4	ZK020
В	I	ZK060
С	ı	ZK080
D	2	ZK092







^{*}Optional ganger kits are available for connecting units to one another (ordered separately).

Typical Configuration 10

ltem	Qty	Model
А	4	ZK040
В	2	ZK092
С	5	CTABLE .





^{*}Optional ganger kits are available for connecting units to one another (ordered separately).



Zeker[™] Modular Seating Lounge Chair

									•											
			MODEL	NUMBER																
	MODEL	Features	Basic Model	Power & Location	Power Color	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather
	Zeker Lounge Chair, 24" Width, Low	Non-contrast	ZK010NC					75.0#	\$ 1499	\$ 1662	\$ 1705	\$ 1757	\$ 1791	\$ 1860	\$ 1929	\$ 2020	\$ 2186	\$ 2358	\$ 2530	\$ 2873
	Back, Non-contrast • Fully upholstered with 1.5" black poly																			
	feet																			
	Option for center-facing powerGanging kits ordered separately																			
	 Non-contrast C.O.M = 3.5 yds 																			
	 Overall Dimensions: W=24" D=30.5" 																			
Center-facing power shown	H=29.75"																			
ZK010																				
	Zeker Lounge Chair, 24" Width, Low	Contrast	ZK010FC					75.0#	\$ 1550	\$ 1760	\$ 1815	\$ 1881	\$ 1925	\$ 2013	\$ 2102	\$ 2219	\$ 2433	\$ 2653	\$ 2875	\$ 3316
2	Back, Contrast Fully upholstered with 1.5" black poly																			
	feet																			
1	Option for center-facing powerGanging kits ordered separately																			
	 1 = Seat & Base (Fabric Contrast 1) 																			
Center-facing	C.O.M = 3 yds 2 = Back (Fabric Contrast 2) C.O.M = 1.5	5																		
power showr	yds	,																		
ZK010	 Overall Dimensions: W=24" D=30.5" H=29.75" 																			
			A	B	e		а													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select power & location.

NP - No power
CP - Center-facing power; add \$360

Select power module color.

MBL - Black module

MCG - Cool Grey module MWG - Warm Grey module MWH - White Module

• Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

ESelect fabric contrast 2. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.

Zeker[™] Modular Seating 48" Rectangle



Zeker[™] Modular Seating
48" Rectangle

			MODEL I	NUMBER																
	MODEL	Features	Basic Model	Power & Location	Power Color	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather
$\overline{}$		Non-contrast	ZK020NC					90.0#	\$ 1999	\$ 2220	\$ 2279	\$ 2348	\$ 2394	\$ 2488	\$ 2582	\$ 2706	\$ 2931	\$ 3164	\$ 3398	\$ 3863
	Non-contrast																			
	 Fully upholstered with 1.5" black poly feet 																			
	Option for center-facing power																			
	 Ganging kits ordered separately Non-contrast C.O.M = 4.75 yds 																			
Center-facing power shown	 Overall Dimensions: W=48" D=30.5" 																			
ZK020	H=29.75"																			
	Zeker Rectangle, 48" Width, Low Back,	Contrast	ZK020FC					90.0#	\$ 2050	\$ 2318	\$ 2389	\$ 2473	\$ 2529	\$ 2642	\$ 2756	\$ 2906	\$ 3178	\$ 3460	\$ 3744	\$ 4307
	Contrast																			
2	 Fully upholstered with 1.5" black poly feet 																			
1	Option for center-facing power																			
	 Ganging kits ordered separately 1 = Seat & Base (Fabric Contrast 1) 																			
Center-facing	$C \cap M = 3.75 \text{ yds}$																			
power shown	• 2 = Back (Fabric Contrast 2) C.O.M = 2																			
ZK020	yds • Overall Dimensions: W=48" D=30.5"																			
	H=29.75"																			
	11-20.70																			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select power & location.

NP - No power
CP - Center-facing power; add \$360

Select power module color. MBL - Black module

MCG - Cool Grey module MWG - Warm Grey module MWH - White Module

• Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

ESelect fabric contrast 2. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 300.

Zeker[™] Modular Seating 60" Rectangle



Zeker[™] Modular Seating 60" Rectangle

			MODEL	NUMBER																
	MODEL	Features	Basic Model	Power &		Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	
	Zeker Rectangle, 60" Width, Low Back,	Non-contrast	ZK030NC					110.0#	\$ 2375	\$ 2725	\$ 2817	\$ 2926	\$ 3000	\$ 3147	\$ 3295	\$ 3491	\$ 3846	\$ 4214	\$ 4584	П
	Non-contrast																			
	 Fully upholstered with 1.5" black poly 																			
\longrightarrow	feet																			
	 Option for left-, right- or center-facing power 																			
•	Ganging kits ordered separately																			
Left-facing power sho	 Non-contrast C.O.M = 7.5 yds 																			
,,,,,,,	 Overall Dimensions: W=60" D=30.5" 																			
030	H=29.75"																			
00	Zeker Rectangle, 60" Width, Low Back,	Contrast	ZK030FC					110.0#	\$ 2425	\$ 2798	\$ 2896	\$ 3013	\$ 3092	\$ 3249	\$ 3407	\$ 3616	\$ 3995	\$ 4387	\$ 4781	_
	Contrast	Contrast	21100010					110.0#	ψ 2420	Ψ 2730	Ψ 2000	φ σσισ	Ψ 0032	ψ 02-13	ψ 0407	Ψ 0010	ψ 0000	φ 4007	ψ 4701	
	Fully upholstered with 1.5" black poly																			
1	feet																			
•	Option for left-, right- or center-facing																			
1	powerGanging kits ordered separately																			
Right-facing power sho	vn • 1 = Seat & Base (Fabric Contrast 1)																			
	C.0.M = 5.5 yds																			
	• 2 = Back (Fabric Contrast 2) C.O.M = 2.5	5																		
30	yds																			
	 Overall Dimensions: W=60" D=30.5" H=29.75" 																			
						_														
			A	$oldsymbol{\mathbf{G}}$	$\mathbf{\Theta}$	O	(3													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect power & location.

NP - No power
LP - Left-facing - Left-facing power; add \$360 - Right-facing power; add \$360 - Center-facing power; add \$360

Select power module color.

MBL - Black module MCG - Cool Grey module MWG - Warm Grey module MWH - White Module

• Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

Select fabric contrast 2. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.

Zeker[™] Modular Seating 72" Rectangle



Zeker[™] Modular Seating
72" Rectangle

										•											
			MODEL	NUMBER																	
	MODEL	Features	Basic Model	Power & Location	Power Color	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Approx. Packaged Weight		Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather
	Zeker Rectangle, 72" Width, Low Back,	Non-contrast	ZK040NC					130.0#		\$ 2795	\$ 3156	\$ 3252	\$ 3365	\$ 3441	\$ 3593	\$ 3746	\$ 3948	\$ 4315	\$ 4695	\$ 5078	\$ 5837
	Non-contrast																				
	 Fully upholstered with 1.5" black poly feet 																				
	Option for left-, right- or center-facing																				
	power																				
Right-facing	 Ganging kits ordered separately Non-contrast C.O.M = 7.75 yds 																				
power shown	• Overall Dimensions: W=72" D=30.5"																				
	H=29.75"																				
ZK040																					
	Zeker Rectangle, 72" Width, Low Back,	Contrast	ZK040FC					130.0#		\$ 2845	\$ 3218	\$ 3316	\$ 3433	\$ 3511	\$ 3668	\$ 3827	\$ 4035	\$ 4414	\$ 4807	\$ 5201	\$ 5985
	Contrast																				
2	 Fully upholstered with 1.5" black poly feet 																				
1	Option for left-, right- or center-facing																				
1 1	power																				
Left-facing nower shown	 Ganging kits ordered separately 1 = Seat & Base (Fabric Contrast 1) 																				
power snown	C.O.M = 5.5 yds																				
	• 2 = Back (Fabric Contrast 2) C.O.M = 2.5	5																			
ZK040	yds • Overall Dimensions: W=72" D=30.5"																				
	H=29.75"																				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect power & location.

NP - No power
LP - Left-facing - Left-facing power; add \$360 - Right-facing power; add \$360 - Center-facing power; add \$360

Select power module color.

MBL - Black module MCG - Cool Grey module MWG - Warm Grey module MWH - White Module

• Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

Select fabric contrast 2. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 300.



Zeker[™] Modular Seating

			MODEL N	IIIMDED															
	MODEL	Features		Power &	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather
	Zeker Corner, Low Back, Non-contrast Fully upholstered with 1.5" black poly feet Ganging kits ordered separately Non-contrast C.O.M = 5.5 yds Overall Dimensions: W=32" D=32" H=29.75"	Non-contrast	ZK050NC	NP			80.0#	\$ 2040	\$ 2297	\$ 2364	\$ 2445	\$ 2498	\$ 2606	\$ 2715	\$ 2859	\$ 3119	\$ 3389	\$ 3660	\$ 4199
ZK050																			
2 2	Zeker Corner, Low Back, Contrast Fully upholstered with 1.5" black poly feet Ganging kits ordered separately 1 = Seat & Base (Fabric Contrast 1) C.O.M = 3.5 yds 2 = Back (Fabric Contrast 2) C.O.M = 2.5 yds Overall Dimensions: W=32" D=32" H=29.75"		ZK050FC	NP			80.0#	\$ 2090	\$ 2369	\$ 2443	\$ 2531	\$ 2589	\$ 2707	\$ 2826	\$ 2982	\$ 3267	\$ 3561	\$ 3857	\$ 4445
ZK050																			
			A	B	•	O													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect power & location. NP - No power

Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

• Select fabric contrast 2. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 250.



Zeker[™] Modular Seating Inside Curve

			MODEL N	NUMBER		Non-Contrast														
	MODEL	Features	Basic Model	Power & Location		or Fabric Contrast 1	Fabric Contrast 2	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather
	Zeker Inside Curve, Low Back, Non-contrast Fully upholstered with 1.5" black poly feet	Non-contrast	ZK060NC					90.0#	\$ 242	\$ 2670	\$ 2734	\$ 2811	\$ 2862	\$ 2965	\$ 3069	\$ 3206	\$ 3455	\$ 3712	\$ 3971	\$ 4486
Center-facing	 Option for center-facing power Ganging kits ordered separately Non-contrast C.O.M = 5.25 yds Overall Dimensions: W=51.75" D=30.5" 																			
ZK060	H=29.75" Zeker Inside Curve, Low Back, Contrast • Fully upholstered with 1.5" black poly		ZK060FC					90.0#	\$ 247	\$ 2755	\$ 2828	\$ 2916	\$ 2975	\$ 3092	\$ 3211	\$ 3368	\$ 3652	\$ 3946	\$ 4242	\$ 4830
2	feet Option for center-facing power Ganging kits ordered separately 1 = Seat & Base (Fabric Contrast 1)																			
Center-facing power shown	C.0.M = 3.5 yds																			
50	H=29.75"		A	B	•	0	3													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select power & location.

NP - No power

CP - Center-facing power; add \$360

Select power module color.

MBL - Black module MCG - Cool Grey module

MWG - Warm Grey module

MWH - White Module

OSelect non-contrast or fabric contrast 1. Refer to **ki.com/fabrics**

Select fabric contrast 2. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 300.

Zeker[™] Modular Seating Outside Curve



Zeker[™] Modular Seating Outside Curve

			MODEL N	NUMBER																
			Basic	Power &		Non-Contrast or Fabric	Fabric Contrast	Approx. Packaged	Grade	Grade	Grade	Grade E &	Grade	Grade						
	MODEL	Features	Model	Location	Color	Contrast 1	2	Weight	C.O.M.	С	D	C.O.L.	F	G	Н	1	J	K	L Leather	M Leather
	Zeker Outside Curve, Low Back, Non-contrast Fully upholstered with 1.5" black poly feet Option for center-facing power	Non-contrast	ZK070NC					90.0#	\$ 2685	\$ 2894	\$ 2950	\$ 3015	\$ 3059	\$ 3148	\$ 3237	\$ 3354	\$ 3567	\$ 3788	\$ 4010	\$ 4451
Center-facing power show	 Ganging kits ordered separately Non-contrast C.O.M = 4.5 yds Overall Dimensions: W=51.75" D=30.5" 																			
ZK070																				
2	Zeker Outside Curve, Low Back, Contrast Fully upholstered with 1.5" black poly feet Option for center-facing power Ganging kits ordered separately	Contrast	ZK070FC					90.0#	\$ 2735	\$ 2991	\$ 3059	\$ 3139	\$ 3193	\$ 3301	\$ 3410	\$ 3553	\$ 3814	\$ 4084	\$ 4355	\$ 4894
1 1 CO	1 = Seat & Base (Fabric Contrast 1) C.O.M = 3.75 yds 2 = Back (Fabric Contrast 2) C.O.M = 1.75 yds																			
power shown	 Overall Dimensions: W=51.75" D=30.5" 																			
ZK070	H=29.75"																			
			A	B	•	O	(3													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select power & location.

NP - No power
CP - Center-facing power; add \$360

Select power module color. MBL - Black module

MCG - Cool Grey module MWG - Warm Grey module MWH - White Module

• Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

BSelect fabric contrast 2. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 300.

Zeker[™] Modular Seating Extended Outside Curve



Zeker[™] Modular Seating Extended Outside Curve

		MODEL I	NUMBER																
	MODEL Features	Basic Model	Power & Location		Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather
	Zeker Extended Outside Curve, Low Back, Non-contrast	ZK080NC					130.0#	\$ 3485	\$ 3858	\$ 3956	\$ 4073	\$ 4151	\$ 4308	\$ 4467	\$ 4675	\$ 5054	\$ 5447	\$ 5841	\$ 6625
	Non-contrast																		
	Fully upholstered with 1.5" black poly feet																		
	Option for left-, right- or center-facing																		
	power																		
Left-facing	Ganging kits ordered separately Non-contrast C.O.M = 8 yds																		
power shown	• Overall Dimensions: W=75.75" D=30.5"																		
	H=29.75"																		
ZK080																			
	Zeker Extended Outside Curve, Low Back, Contrast	ZK080FC					130.0#	\$ 3535	\$ 3920	\$ 4021	\$ 4142	\$ 4222	\$ 4384	\$ 4548	\$ 4763	\$ 5154	\$ 5558	\$ 5965	\$ 6774
	Contrast • Fully upholstered with 1.5" black poly																		
2	feet																		
1	Option for left-, right- or center-facing power																		
1 1	Ganging kits ordered separately																		
Right-facing power shown	 1 = Seat & Base (Fabric Contrast 1) 																		
	C.O.M = 5.75 yds • 2 = Back (Fabric Contrast 2) C.O.M = 2.5																		
ZK080	yds																		
	• Overall Dimensions: W=75.75" D=30.5" H=29.75"																		
		•	3	•	• • • • • • • • • • • • • • • • • • •	3													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select power & location.

NP - No power

LP - Left-facing p - Left-facing power; add \$360 - Right-facing power; add \$360 - Center-facing power; add \$360

Select power module color.

MBL - Black module MCG - Cool Grey module MWG - Warm Grey module
MWH - White Module

• Select non-contrast or fabric contrast 1. Refer to <u>ki.com/fabrics</u>

Select fabric contrast 2. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 300.

Zeker[™] Modular Seating Backless

										•										
		MODEL NUMBER																		
					Non-Contrast or	Approx.						Grade								
	MODEL	Features	Basic Model	Power & Location	Fabric Contrast 1	Packaged Weight	Grade C.O.M.			Grade C	Grade D	E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather
	Zeker Backless, 24" Width, Non-contrast	t Non-contrast	ZK090NC	NP		60.0#	\$ 1115			\$ 1243	\$ 1277	\$ 1317	\$ 1344	\$ 1398	\$ 1453	\$ 1524	\$ 1655	\$ 1789	\$ 1925	\$ 2195
	 Fully upholstered with 1.5" black poly feet 																			
	Ganging kits ordered separately																			
	 Non-contrast C.O.M = 2.75 yds 																			
	 Overall Dimensions: W=24" D=30.5" H=18.5" 																			
	11-10.0																			
_																				
ZK090																				
ZK090	Zakar Daaklasa Half David Nan santras	A Non contract	71/00010	ND		00.0#	ф 0100			Ф 0000	ф 041F	ф 0474	ф 0E10	ф 0500	ф 0C71	ф 077F	ф 000F	Ф 01C1	ф <u>2250</u>	ф 07F0
	Zeker Backless, Half Round, Non-contras • Fully upholstered with 1.5" black poly	Non-contrast	ZKU9ZNU	INP		80.0#	\$ 2180			\$ 2366	\$ 2415	\$ 2474	\$ 2513	\$ 2592	\$ 2671	\$ 2775	\$ 2965	\$ 3161	\$ 3358	\$ 3750
	feet																			
	 Ganging kits ordered separately Non-contrast C.O.M = 4 yds 																			
	 Overall Dimensions: W=61" D=32.5" 																			
	H=18.5"																			
ZK092																				
			A	B	•															
			•	•	•															

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect power & location. - No power

© Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Backless, 24"W: Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class

Backless, Half Round: Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight



Zeker[™] Modular Seating Ganging Kit

				—		
		MODEL NUMBER				
			Approx. Packaged			
		Basic	Packaged	Delivered		
	MODEL	Model	Weight	Pricing		
	Zeker Ganging Kit • One ganging kit to be specified for each	ZK901GNG	0.0#	\$ 20		
ZK901	One ganging kit to be specified for each					
	lounge-to-lounge connection					
	lounge-to-lounge connection Each ganging kit contains two gangers Basic tools required for assembly					

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

