

# SIGNA<sup>™</sup> TASK SEATING

PRICE LIST

EFFECTIVE JANUARY 17, 2024 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering C	ustomer's Own Material (C.O.M.	Upholstery
	Information	
Signia™		
•	General Information	
	Technical Specifications	
	Product Color Options	1
	Task Chairs, Mesh Back	1.
	Task Stools, Mesh Back	1.
	Task Chairs, Fabric Back	1.
	Task Stools, Fabric Back	2

MN

MN




Ordering Customer's Own Material (C.O.M.) Upholstery

### **How to Specify**

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.

### Diagram A



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

### Production

Customer's upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

### Testing

When KI requires testing, actual vardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

### **Treated Materials**

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

### Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

### **Excess Upholstery Material**

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

### **Cancelled or Changed Orders**

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

### C.O.M. SHIPPING LOCATION



Architectural Walls	System 3000
EvokeMN	Universal Overheads
Genius WallsMN	Wireworks
	Unite
Casegoods	
Aristotle TackboardsMN	Residence Hall Furniture
Likha TackboardsMN	RoomScape Furniture
Classroom Furniture	Screens
Intellect Wave ChairsGB	All Terrain
Learn2GB	Connection Zone
RuckusGB	True/Volition
	Genesis
Desking	Tattoo
700 Series DeskingKP	Universal
Balance OverheadsMN	
Genesis DeskingMN	Seating
True DeskingKP	400 Series Folding Chair
Universal OverheadsMN	600 Series Folding Chair
WorkZone DeskingMN	600 Series Stools
3	Affina Collection
Files & Storage	Altus Task Chairs
700 Series Pedestal CushionGB	Apply Stack Chairs
Connection Zone PadsBW	Calida Lounge Seating
U-Series Pedestal Cushion	Diem Task Chairs
TattooBW	Doni Collection
101100	Gladly Lounge Seating
Fixed Seating	Grazie Seating
Concerto Auditorium SeatingBW	Hub Modular Lounge Sea
Single Pedestal Seating	Impress Task Chairs
Jury Base SeatingGB	Impress Ultra Task Chairs
, ,	Jessa Lounge Seating
Lancaster Auditorium SeatingBW	
Sequence Seating	Jubilee Lounge Seating Katera Guest Chair
University SeatingGB	
Devel Code on	Kurv Benches
Panel Systems	LaResta Dav Beds

Maestro Stack Chairs	GE
Medical & Laboratory Stools	ON
MyPlace Lounge Seating	H
MyWay Seating	H
Oath Task Chairs and Stools	GE
Opt4	GE
Pilot Task Chairs	
Promenade Seating System	BV
Ruckus	
Sela Lounge Seating	
Sift Task Chairs	GE
Signia Task Chairs and Stools	ON
Soltice Metal Collection	
Soltice Multiple, Healthcare & Guesi	
Soltice II Healthcare Seating	
Sonrisa	
Strive Multiple, Stack & Task	GE
Sway	
Tattoo	
Torsion-on-the-Go! Nesting Chairs	GE
Torsion Air Stack and Task Seating .	
Zoetry	

### KI C.O.M. Manufacturing Site Addresses:

Attn: COM Storage 204 West South St. Bonduel, WI 54107

KI Green Bay

Attn: COM Storage

Green Bay, WI 54302

1687 Westminster Drive - Gate 3

All Terrain.

Balance Overheads.

KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263

. MN

LimeLite.

Lyra Lounge Seating..

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

Attn: COM Storage

1110 S. Mildred Ave.

Ontario, CA 91761

Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623



















Basic Synchrotilt Task Chair, Mesh Back, Armless (KISN86M0)

Basic Synchrotilt Task Chair, Mesh Back, 1D Arms (KISN86MB)

Basic Synchrotilt Task Chair, Mesh Back, 4D Arms (KISN86MC2)

Basic Synchrotilt Task Chair, Mesh Back, Conference Arms (KISN86MM)

Advanced Synchrotilt Task Chair, Advanced Sync
Mesh Back, Armless Mesh Ba

Advanced Synchrotilt Task Chair, Mesh Back, 1D Arms (KISNARMR)

Advanced Synchrotilt Task Chair, Mesh Back, 4D Arms

Advanced Synchrotilt Task Chair, Mesh Back, Conference Arms

	(KISN86MO)	(KISN86MB)	(KISN86MC2)	(KISN86MM)		(KISN88MO)	(KISN88MB)	(KISN88MC2)	(KISN88MM)
Features					Features				
Basic Synchrotilt	7" incline	7" incline	7" incline	7" incline	Advanced Synchrotilt (Forward Tilt)	*	*	*	*
Seat Depth Adjustment	3" travel	3" travel	3" travel	3" travel	Seat Depth Adjustment	3" travel	3" travel	3" travel	3" travel
Quick Tension Adjustment (7 positions)	*	*	*	*	Quick Tension Adjustment (7 positions)	*	*	*	*
Back Travel Limiter (6 positions)	*	*	*	*:	Back Travel Limiter (6 positions)	*	*	*	*
General Dimensions					General Dimensions				
Seat width	18-1/4"	18-1/4"	18-1/4"	18-1/4"	Seat width	18-1/4"	18-1/4"	18-1/4"	18-1/4"
Seat depth	17" - 20"	17" - 20"	17" - 20"	17" - 20"	Seat depth	17" - 20"	17" - 20"	17" - 20"	17" - 20"
Seat height	17-1/2 - 22"	17-1/2 - 22"	17-1/2 - 22"	17-1/2 - 22"	Seat height	17-1/2 - 22"	17-1/2 - 22"	17-1/2 - 22"	17-1/2 - 22"
Back width	16"	16"	16"	16"	Back width	16"	16"	16"	16"
Back height (above seat)	21"	21"	21"	21"	Back height (above seat)	22-3/8"	22-3/8"	22-3/8"	22-3/8"
Inside arm distance		20"	18-3/8"	19-1/2"	Inside arm distance		20"	18-3/8"	19-1/2"
Arm height (from floor)		24" - 32-1/4"	25" - 32-1/2"	26-1/2" - 31-1/2"	Arm height (from floor)		24" - 32-1/4"	25" - 32-1/2"	26-1/2" - 31-1/2"
Overall Dimensions					Overall Dimensions				
Width	26"	26"	26"	26"	Width	26"	26"	26"	26"
Depth	26"	26"	26"	26"	Depth	26"	26"	26"	26"
Height	38-1/2" - 43"	38-1/2" - 43"	38-1/2" - 43"	38-1/2" - 43"	Height	40" - 44-3/8"	40" - 44-3/8"	40" - 44-3/8"	40" - 44-3/8"
Base diameter	26" dia	26" dia	26" dia	26" dia	Base diameter	26" dia	26" dia	26" dia	26" dia

### INFORMATION

## Warranty

Refer to KI Terms & Conditions document or visit ki.com









Basic Synchrotilt Task Chair, Fabric Back, 1D Arms (KISN86FB)



Basic Synchrotilt Task Chair, Fabric Back, 4D Arms (KISN86FC2)



Basic Synchrotilt Task Chair, Fabric Back, Conference Arms (KISN86FM)



Advanced Synchrotilt Task Chair, Fabric Back, Armless (KISN88F0)



Advanced Synchrotilt Task Chair, Fabric Back, 1D Arms (KISN88FB)



Advanced Synchrotilt Task Chair, Fabric Back, 4D Arms (KISN88FC2)



Advanced Synchrotilt Task Chair, Fabric Back, Conference Arms (KISN88FM)

ires					Features			
sic Synchrotilt	7" incline	7" incline	7" incline	7" incline	Advanced Synchrotilt (Forward Tilt)	*	*	*
eat Depth Adjustment	3" travel	3" travel	3" travel	3" travel	Seat Depth Adjustment	3" travel	3" travel	3" travel 3" travel
luick Tension Adjustment (7 positions)	*	*	*	*	Quick Tension Adjustment (7 positions)	*	*	* *
ack Travel Limiter (6 positions)	*	*	*	*	Back Travel Limiter (6 positions)	*	*	
orward tilt					General Dimensions			
eneral Dimensions					Seat width	18-1/2"	18-1/2"	18-1/2" 18-1/2"
Geat width	18-1/8"	18-1/8"	18-1/8"	18-1/8"	Seat depth	17" - 20"	17" - 20"	17" - 20" 17" - 20"
Seat depth	17" - 20"	17" - 20"	17" - 20"	17" - 20"	Seat height	17-1/2 - 22"	17-1/2 - 22"	17-1/2 - 22" 17-1/2 - 22"
Seat height	17-1/2 - 22"	17-1/2 - 22"	17-1/2 - 22"	17-1/2 - 22"	Back width	16-1/4"	16-1/4"	16-1/4" 16-1/4"
Back width	16-1/8"	16-1/8"	16-1/8"	16-1/8"	Back height (above seat)	21-1/2"	21-1/2"	21-1/2" 21-1/2"
Back height (above seat)	21-3/8"	21-3/8"	21-3/8"	21-3/8"	Inside arm distance		20"	20" 18-3/8"
nside arm distance		20"	18-3/8"	19-1/2"	Arm height (from floor)		24" - 32-1 /4"	24" - 32-1 /4" 25" - 32-1/2"
rm height (from floor)		24" - 32-1 /4"	25" - 32-1/2"	26-1/2" - 31-1/2"	Overall Dimensions			
rerall Dimensions					Width	26"	26"	26" 26"
Width	26"	26"	26"	26"	Depth	26"	26"	26" 26"
Depth	26"	26"	26"	26"	Height	40" - 44-3/8"	40" - 44-3/8"	40" - 44-3/8"
Height	38-1/2" - 43"	38-1/2" - 43"	38-1/2" - 43"	38-1/2" - 43"	Base diameter	26" dia	26" dia	26" dia 26" dia
Base diameter	26" dia	26" dia	26" dia	26" dia				



**Overall Dimensions** 

Width

Depth

Height

Base diameter











Basic Synchrotilt Task Stool, Mesh Back, Conference Arms 4D Arms (KISN96MM)



26"

42-3/4" - 50-1/2"

26" dia



26"

26"

42-3/4" - 50-1/2"

26" dia



26"

26"

42-3/4" - 50-1/2"

26" dia



26"

26"

42-3/4" - 50-1/2"

26" dia

				-
	Basic Synchrotilt Task Stool, Mesh Back, Armless (KIS96M0)	Basic Synchrotilt Task Stool, Mesh Back, 1D Arms (KISN96MB)	Basic Synchrotilt Task Stool, Mesh Back, 4D Arms (KISN96MC2)	Basic Synchrotilt Task Stool, Mesh Back,Conference Arms 4D Arms (KISN96MM)
Features				
Basic Synchrotilt	7" incline	7" incline	7" incline	7" incline
Seat Dept h Adjustment	3" travel	3" travel	3" travel	3" travel
Quick Tension Adjustment (7 positions)	*	*	*	*
Back Travel Limiter (6 positions)	*	*	*	*
General Dimensions				
Seat width	18-1/4"	18-1/4"	18-1/4"	
Seat depth	17" - 20"	17" - 20"	17" - 20"	7" - 20"
Seat height	21-3/4 - 29-1/2"	21-3/4 - 29-1/2"	21-3/4 - 29-1/2"	21-3/4 - 29-1/2"
Back width	16"	16"	16"	16"
Back height (above seat)	21"	21"	21"	20"
Inside arm distance		20"	18-3/8"	19-1/2"
Arm height (from floor)		28-1/4" - 39-3/4"	29-1/4" - 40"	26-1/2" - 31-1/2"
Overall Dimensions				
Width	26"	26"	26"	26"
Depth	26"	26"	26"	26"
Height	42-3/4" - 50-1/2"	42-3/4" - 50-1/2"	42-3/4" - 50-1/2"	42-3/4" - 50-1/2"
Base diameter	26" dia	26" dia	26" dia	26" dia

	Basic Synchrotilt Task Stool, Fabric Back, Armless (KISN96F0)	Basic Synchrotilt Task Stool, Fabric Back, 1D Arms (KISN96FB)	Basic Synchrotilt Task Stool, Fabric Back, 4D Arms (KISN96FC2)	Basic Synchrotilt Task Stool, Fabric Back, Conference Arms, (KISN96FM)
Features				
Basic Synchrotilt	7" incline	7" incline	7" incline	7" incline
Seat Depth Adjustment	3" travel	3" travel	3" travel	3" travel
Quick Tension Adjustment (7 positions)	*	*	*	*
Back Travel Limiter (6 positions)	*	*	*	*
General Dimensions				
Seat width	18-1/8"	18-1/8"	18-1/8"	18-1/8"
Seat depth	17" - 20"	17" - 20"	17" - 20"	17" - 20"
Seat height	21-3/4 - 29-1/2"	21-3/4 - 29-1/2"	21-3/4 - 29-1/2"	21-3/4 - 29-1/2"
Back width	16-1/8"	16-1/8"	16-1/8"	16-1/8"
Back height (above seat)	21-3/8"	21-3/8"	21-3/8"	21-3/8"
Inside arm distance		20"	18-3/8"	19-1/2"
Arm height (from floor)		28-1/4" - 39-3/4"	29-1/4" - 40"	26-1/2" - 31-1/2"

## **TECHNICAL SPECIFICATIONS**

## **Mechanism**

## Basic Syncrotilt Mechanism

The mechanism housing is constructed of stamped steel, shrouded with a black plastic trim cover. Seat height lever adjusts with  $4\frac{1}{2}$  of travel, from  $17\frac{1}{2}$  to 22". The back tension knob has seven distinct adjustment positions. The back travel knob has five tilt-stop positions, from upright to full recline. The seat depth lever provides for 3" of seat front to backrest travel, from 17" to 20".

## Advanced Syncrotilt Mechanism

The mechanism housing is constructed of stamped steel, shrouded with a black plastic trim cover. Seat height lever adjusts with  $4\frac{1}{2}$ " of travel, from  $17\frac{1}{2}$ " to 22". The back tension knob has seven distinct adjustment positions. The back travel knob has five tilt-stop positions, from upright to full recline. The seat depth lever provides for 3" of seat front to backrest travel, from 17" to 20". Full rotation of the back angle knob clicks into 48 distinct micro-positions, equaling 7-degrees of total change. The forward tilt lever is inward of the back travel knob and flips down to adjust forward tilt angle, then recline the backrest until a click sound is heard to engage the 2-degrees of forward seat angle change. Flip the forward tilt lever up, recline against the backrest and hear a click sound to return the seat to level.

## Seat

Plywood seat board with high resiliency (HR) foam with simple waterfall front edge. Optional seat depth adjustment range of 3".

## Backrest

Reinforced nylon frame available in black or grey, with mesh insert available in black, blue, or grey. An upholstered option is available to cover the front of the mesh, for added comfort and aesthetic choices, which uses a 1.15 lb polyurethane open cell cut foam, that passed CA TB-177 standard. The back of the upholstered backrest is always black mesh. The backrest upholstery is evenly tensioned and stapled over the top of the foam and mesh, then clamped between the inner and outer nylon frame.

## Base

Chair and stool have an injection-molded, glass-reinforced black or cool grey nylon 5-blade base or a polished die-cast aluminum 5-blade base. The chair and stool cylinders are available in either Black or Chrome.

## **Casters**

Casters are 55 mm O.D., double-wheel high-impact thermoplastic, and are designed for use on both commercial carpet and hard floor.

## Foot Ring

Task stools are equipped with an adjustable-height foot ring with black, die-cast aluminum hub and spokes, with an 20" diameter chrome-plated tubular steel ring.

### Arms

Optional height-adjustable arms are molded in black reinforced plastic with molded black polyurethane arm caps. Armrests mount directly to the seat board.

### **ID** Arms

ID Arms are height-adjustable with a range of  $6^{1}/2$ " to  $14^{3}/4$ " above the seat.

### 4D Arms

4D Arms are two-way adjustable, by width and height. Forward-slanting arms with ergonomic, maximum mobility arm top (button-activated and lockable arm pad; 11/4" side-to-side, 2" forward and back, and pivoting). Adjustable height ranges from  $7^{1}/2^{2}$  to 15" above the seat.

### **Conference Arms**

Conference arms are made of ADC 12 aluminum and go through a 5-step polishing process to achieve arm features a leather covered arm pad consisting of a plastic upholstery liner and 6 mm thick foam pa are not adjustable.

## Compliance

Passes BIFMA x5. I-2017 and KI's internal standard testing for 300-pound capacity.



# Signia Mesh Back Task Chairs



Basic Syncrotilt Armless KISN86M0



Advanced Syncrotilt Armless KISN88M0



Basic Syncrotilt 1D Arms KISN86MB



**Advanced Syncrotilt** 4D Arms KISN88MC2



**Basic Syncrotilt** Conference Arms KISN86MM



**Advanced Syncrotilt** Conference Arms KISN88MM

# Signia Mesh Back Task Stools



Basic Syncrotilt Armless KISN96M0



**Advanced Syncrotilt** 

1D Arms

KISN88MB

Basic Syncrotilt 1D Arms KISN96MB



Basic Syncrotilt 4D Arms KISN96MC2



Conference Arms KISN96MM

# Signia Upholstered Back Task Chairs



**Basic Syncrotilt** Armless KISN86F0



Advanced Syncrotilt Armless KISN88F0



**Basic Syncrotilt** 1D Árms KISN86FB



**Advanced Syncrotilt** 1D Arms KISN88FB



Basic Syncrotilt 4D Årms KISN86FC2



**Advanced Syncrotilt** 4D Arms KISN88FC2

KISN96FC2



Basic Syncrotilt Conference Arms KISN86FM




**Advanced Syncrotilt** Conference Arms KISN88FM

# Signia Upholstered Back Task Stools



KISN96F0










Basic Syncrotilt Conference Arms KISN96FM




## Signia Armless Task Chairs - (model KISN88F0 shown)










Signia Task Arm Chairs - ID Arms - (model KISN88FB shown)









### Signia Task Arm Chairs - 4D Arms - (model KISN88FC2 shown)




Signia Task Arm Chairs - Conference Arms - (model KISN88FM shown)




## Signia Task Arm Stool - ID Arms - (model KISN96FB shown)



## Signia Task Arm Stools - 4D Arms - (model KISN96FC2 shown)



## Signia Task Arm Stools - Conference Arms - (model KISN96FM shown)



Signia<sup>TM</sup>
Product Color Options

### **Mesh Color**

Black SBL SBU Blue SCG Grey

### **Base Finish**

Aluminum base Α Black plastic base CG Cool Grey plastic base

\*Polished Aluminum requires an upcharge.

### Back/Arm Frame Finish

BLBR Black Cool Grey CGBR

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

Finish Cards

View color swatches for items listed within this document.

<u>Paints</u>

Plastics/Poly

Wood/Veneer <u>Laminates</u>

**Edge Styles** 

**Hard Plastics Molded Edges** 

<u>Glass</u>





										•						
		MODEL NU	JMBER													
		Basic Model	Code		Base par Finish			Seat Upholstery	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Armless	KISN86M0		NLS			MSC		52.0#	\$ 850	\$ 854	\$ 862	\$ 907	\$ 960	\$ 1018	\$ 1037
SG8M0																
Basic Synchrotilt Task Chair, Mesh Back, Armless																
<ul> <li>Mesh back</li> <li>3-1/2" thick upholstered seat</li> <li>Dual surface caster</li> <li>400 pound weight rating</li> <li>24/7 multi-shift use</li> </ul>																
	Fixed Conference Arms	KISN86MM		NLS			MSC		57.0#	\$ 1082	\$ 1086	\$ 1094	\$ 1139	\$ 1192	\$ 1250	\$ 1269
SG8MM																
Basic Synchrotilt Task Chair, Mesh Back, Conference Arms																
<ul> <li>Polished reverse cantilever arm with black leather arm pad</li> <li>Mesh back</li> <li>3-1/2" thick upholstered seat</li> <li>Dual surface caster</li> <li>400 pound weight rating</li> <li>24/7 multi-shift use</li> </ul>																
		A	ß	0 0	<b>(3</b>	<b>(3</b>	G	0								

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of 
  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

A Select basic model.

• -----

BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select mesh color.

SBL - Black

SBU - Blue SCG - Grey Refer to ki.com/fabrics

Refer to <u>Ki.com/fabrics</u>

OSelect lumbar support.

NLS - No lumbar support (lumber option under development)

**B**Select base finish.

Refer to the **Product Color Options** page in this price list.
\*add \$130 for polished aluminum base

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

Select back/arm frame finish.

Refer to the **Product Color Options** page in this price list.

NOTE: Only select if polished aluminum base.

GSelect caster.

MSC - Multi-Surface Caster

Select seat upholstery.
Refer to ki.com/fabrics

### UPHOLSTERY INFORMATION

### C.O.M. Upholstery

Mesh Back: C.O.M. requirement for 10 or less mesh back chairs is 1 yard of 54" wide nondirectional fabric. For orders of 11 or more mesh back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

### SPECIAL SERVICES

### **Special Carton Marking**


With specially marked information N/C

### Shipping

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.







Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR - Compliance to TB 117-2013

Select mesh color.

SBL - Black SBU - Blue SCG - Grey

Refer to ki.com/fabrics

DSelect lumbar support.

NLS - No lumbar support (lumber option under development)

Select base finish.

Refer to the **Product Color Options** page in this price list. \*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

Select back/arm frame finish. Refer to the Product Color Options page in this price list.

NOTE: Only select if polished aluminum base.

**G**Select caster.

MSC - Multi-Surface Caster

Select seat upholstery. Refer to ki.com/fabrics

### **UPHOLSTERY INFORMATION**

### C.O.M. Upholstery

Mesh Back: C.O.M. requirement for 10 or less mesh back chairs is 1 yard of 54" wide nondirectional fabric. For orders of 11 or more mesh back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C


Shipping

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.

# Signia<sup>TM</sup>



Signia IM
Task Chairs, Mesh Back



### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select fire code.

NFR - Compliance to TB 117-2013

Select mesh color.
Refer to ki.com/fabrics

• Select lumbar support.

NLS - No lumbar support (lumber option under development)

Select base finish.

Refer to the **Product Color Options** page in this

price list.
\*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required. Select back/arm frame finish.

Refer to the **Product Color Options** page in this price list.

NOTE: Only select if polished aluminum base.

GSelect caster.

MSC - Multi-Surface Caster

Select seat upholstery.
Refer to <u>ki.com/fabrics</u>

### **UPHOLSTERY INFORMATION**

### C.O.M. Upholstery

Mesh Back: C.O.M. requirement for 10 or less mesh back chairs is 1 yard of 54" wide nondirectional fabric. For orders of 11 or more mesh back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information N/C

### Shipping

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.





											<u> </u>							
			MODEL NU	MBER														
	MODEL	Features	Basic Model	Fire Code	Mesh Color	Lumbar		Back/Arm Frame Finish	Caster Type	Seat Upholstery	Approx. Package Weight		Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Do Pr Pa Gi
	Advanced Synchrotilt Task Chair, Mesh	1D Arms	KISN88MB			NLS			MSC		55.5a	\$ 1034	\$ 1038	\$ 1046	\$ 1091	\$ 1144	\$ 1202	\$
	Back, 1D Arms  1D (height adjustable) arm																	
	Mesh back																	
	3-1/2" thick upholstered seat     Duel outfood coater																	
0	<ul><li>Dual surface caster</li><li>400 pound weight rating</li></ul>																	
0	24/7 multi-shift use																	
Opt Op																		
BM1																		
	Advanced Synchrotilt Task Chair, Mesh	4D Arms	KISN88MC2			NLS			MSC		60.0i	¥ \$ 1166	\$ 1170	\$ 1178	\$ 1223	\$ 1276	\$ 1334	\$
	<ul><li>Back, 4D Arms</li><li>4D (height, width, pivot, length) arm</li></ul>																	
	<ul> <li>Mesh back</li> </ul>																	
	<ul><li>3-1/2" thick upholstered seat</li><li>Dual surface caster</li></ul>																	
000	<ul> <li>400 pound weight rating</li> </ul>																	
a Company	• 24/7 multi-shift use																	
ODD ODE																		
8M4																		
			A	$oldsymbol{\Theta}$	$\mathbf{\Theta}$	<b>O</b>	<b>(3</b>	<b>(3</b> )	<b>(</b>	<b>(1)</b>								

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code. NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select mesh color. SBL - Black SBII - Blue SCG - Grey

Refer to ki.com/fabrics

OSelect lumbar support.
NLS - No lumbar support (lumber option under development)

Select base finish.

Refer to the **Product Color Options** page in this \*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

Select back/arm frame finish. Refer to the **Product Color Options** page in this price list. NOTE: Only select if polished aluminum base.

Select seat upholstery.

# Select caster. MSC - Multi-surface caster Refer to ki.com/fabrics

### **UPHOLSTERY INFORMATION**

### C.O.M. Upholstery

Mesh Back: C.O.M. requirement for 10 or less mesh back chairs is 1 yard of 54" wide nondirectional fabric. For orders of 11 or more mesh back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.



Signia<sup>TM</sup> Task Stools, Mesh Back

		MODEL N	UMBER														
	Features	Basic Model	Fire Code	Mesh Color	Lumbar	Base Finish	Back/Arm Frame Finish		Seat Upholstery	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Armless	KISN96M0			NLS			MSC		58.0#	\$ 952	\$ 956	\$ 964	\$ 1009	\$ 1062	\$ 1120	\$ 1139
SG9M0 Basic Synchrotilt Task Stool, Mesh Back, Armless																	
<ul> <li>Mesh back</li> <li>3-1/2" thick upholstered seat</li> <li>Dual surface caster</li> <li>400 pound weight rating</li> <li>Seat height range of 21-3/4" - 29-1/2"</li> <li>24/7 multi-shift use</li> </ul>																	
	Fixed Conference Arms	KISN96MM			NLS			MSC		63.0#	\$ 1184	\$ 1188	\$ 1196	\$ 1241	\$ 1294	\$ 1352	\$ 1371
SG9MM  Basic Synchrotilt Task Stool, Mesh Back, Conference Arms  Polished reverse cantilever arm with																	
black leather arm pad  Mesh back  3-1/2" thick upholstered seat  Dual surface caster  400 pound weight rating  Seat height range of 21-3/4" - 29-1/2"																	
• 24/7 multi-shift use		A	<b>B</b>	<b>G</b>	<b>D</b>	<b>(3</b> )	(3)	<b>G</b>	0								

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code. NFR - Compliance to TB 117-2013 FR - Compliance to TB 133

CSelect mesh color. Refer to ki.com/fabrics

OSelect lumbar support.

NLS - No lumbar support (lumber option under development)

Select base finish.

Refer to the **Product Color Options** page in this

\*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

Select back/arm frame finish.

Refer to the **Product Color Options** page in this price list.

NOTE: Only select if polished aluminum base.

GSelect caster.

MSC - Multi-surface caster

Select seat upholstery. Refer to ki.com/fabrics

### **UPHOLSTERY INFORMATION**

C.O.M. Upholstery Mesh Back: C.O.M. requirement for 10 or less mesh back chairs is 1 yard of 54" wide nondirectional fabric. For orders of 11 or more mesh back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

### SPECIAL SERVICES

### **Special Carton Marking** With specially marked information N/C

### Shipping

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.





											•								
			MODEL N	UMBER															
	MODEL	Features	Basic Model	Fire Code	Mesh Color		Base Finish	Back/Arm Frame Finish	Caster Type	Seat Upholstery	Appı Pack Weig	aged	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	
	Basic Synchrotilt Task Stool, Mesh Back,	1D Arms	KISN96MB			NLS			MSC		6	2.0#		\$ 999	\$ 1007	\$ 1052	\$ 1105	\$ 1163	_
	1D Arms  • 1D (height adjustable) arm																		
	<ul><li>Mesh back</li><li>3-1/2" thick upholstered seat</li></ul>																		
	<ul> <li>Dual surface caster</li> </ul>																		
	<ul><li>400 pound weight rating</li><li>Seat height range of 21-3/4" - 29-1/2"</li></ul>																		
	24/7 multi-shift use																		
11																			
	Basic Synchrotilt Task Stool, Mesh Back,	4D Arms	KISN96MC2			NLS			MSC		6-	4.0#	\$ 1126	\$ 1130	\$ 1138	\$ 1183	\$ 1236	\$ 1294	
	<ul><li>4D Arms</li><li>4D (height, width, pivot, length) arm</li></ul>																		
	<ul><li>Mesh back</li><li>3-1/2" thick upholstered seat</li></ul>																		
	<ul> <li>Dual surface caster</li> </ul>																		
	<ul><li>400 pound weight rating</li><li>Seat height range of 21-3/4" - 29-1/2"</li><li>24/7 multi-shift use</li></ul>																		
1																			
			A	•	· O	0	<b>3</b>	•	О	0									

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select mesh color. Refer to ki.com/fabrics

Select lumbar support.

NLS - No lumbar support (lumber option under development)

Select base finish.

Refer to the **Product Color Options** page in this price list. \*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

Select back/arm frame finish.

Refer to the **Product Color Options** page in this price list. NOTE: Only select if polished aluminum

base.

Select caster.

MSC - Multi-surface caster

Select seat upholstery. Refer to ki.com/fabrics

### **UPHOLSTERY INFORMATION**

C.O.M. Upholstery Mesh Back: C.O.M. requirement for 10 or less mesh back chairs is 1 yard of 54" wide nondirectional fabric. For orders of 11 or more mesh back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.





			MODEL N	IUMBER													
	MODEL	Features	Basic Model	Fire Code	Bas Lumbar Fini	Back/Arm h Frame Finish	Caster Type	Upholstery Color	Approx. Package Weight	Delivered Pricing Fabric Gr 1 & C.O.I	Pricing ade Fabric Grade	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	
	Basic Synchrotilt Task Chair, Fabric Back	Armless	KISN86F0		NLS 🗆		MSC		52.0#	\$ 979	\$ 983	\$ 991	\$ 1036	\$ 1089	\$ 1147	\$ 1166	
1	Armless • Fabric cushioned front/black mesh back																
	3-1/2" thick upholstered seat																
	Dual surface caster																
	<ul><li>400 pound weight rating</li><li>24/7 multi-shift use</li></ul>																
	2 ,																
3 09																	
$\overline{\gamma}$	Basic Synchrotilt Task Chair, Fabric Back	Fixed Conference Arms	KISN86FM		NLS 🗆		MSC		57.0#	\$ 1211	\$ 1215	\$ 1223	\$ 1268	\$ 1321	\$ 1379	\$ 1398	
\	Conference Arms																
	<ul> <li>Polished reverse cantilever arm with black leather arm pad</li> </ul>																
	<ul> <li>Fabric cushioned front/black mesh back</li> </ul>																
	<ul><li>3-1/2" thick upholstered seat</li><li>Dual surface caster</li></ul>																
	400 pound weight rating																
	<ul> <li>Seat height range of 21-3/4" - 29-1/2"</li> </ul>																
	• 24/7 multi-shift use																
			Δ	B	<b>a</b> (	) A	A										

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR - Compliance to TB 117-2013

Select lumbar support.

NLS - No lumbar support (lumber option under development)

DSelect base finish.

Refer to the **Product Color Options** page in this price list.

\*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

**E**Select back/arm frame finish. Refer to the **Product Color Options** page in this

price list.
NOTE: Only select if polished aluminum base.

### Select caster.

MSC - Multi-Surface Caster

GSelect upholstery color. Refer to ki.com/fabrics

### **UPHOLSTERY INFORMATION**

### C.O.M. Upholstery

Fabric Back: C.O.M. requirement for 10 or less fabric back chairs is 2 yards of 54" wide nondirectional fabric. For orders of 11 or more fabric back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

### SPECIAL SERVICES

## **Special Carton Marking**

With specially marked information N/C

Shipping Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.





			MODEL N	UMBER														
	MODEL	Features	Basic Model	Fire Code	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Upholstery Color	Approx Packag Weight	k. ged	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Basic Synchrotilt Task Chair, Fabric Back	, 1D Arms	KISN86FB		NLS			MSC		56.0	0#	\$ 1022	\$ 1026	\$ 1034	\$ 1079	\$ 1132	\$ 1190	\$ 1209
1	<ul><li>1D Arms</li><li>1D (height adjustable) arm</li></ul>																	
	Fabric cushioned front/black mesh back																	
	3-1/2" thick upholstered seat																	
	<ul><li>Dual surface caster</li><li>400 pound weight rating</li></ul>																	
05	• 24/7 multi-shift use																	
OD OD																		
SG8F1																		
	Basic Synchrotilt Task Chair, Fabric Back 4D Arms	, 4D Arms	KISN86FC2		NLS			MSC		58.0	O# :	\$ 1154	\$ 1158	\$ 1166	\$ 1211	\$ 1264	\$ 1322	\$ 1341
\ \_	• 4D (height, width, pivot, length) arm																	
	<ul> <li>Fabric cushioned front/black mesh back</li> </ul>																	
	<ul><li>3-1/2" thick upholstered seat</li><li>Dual surface caster</li></ul>																	
	<ul> <li>400 pound weight rating</li> </ul>																	
	• 24/7 multi-shift use																	
OD OF																		
SG8F4																		
			A	ß	(	O	a	<b>(3</b> )	ര									

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR - Compliance to TB 117-2013

Select lumbar support.

NLS - No lumbar support (lumber option under development)

**D**Select base finish.

Refer to the **Product Color Options** page in this price list.

\*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

Select back/arm frame finish. Refer to the **Product Color Options** page in this price list.
NOTE: Only select if polished aluminum base.

Select caster.

MSC - Multi-Surface Caster

GSelect upholstery color. Refer to ki.com/fabrics

## **UPHOLSTERY INFORMATION**

**C.O.M. Upholstery**Fabric Back: C.O.M. requirement for 10 or less fabric back chairs is 2 yards of 54" wide nondirectional fabric. For orders of 11 or more fabric back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.

# Signia<sup>TM</sup> Task Chairs, Fabric Back





			MODEL N	IUMBER													
	MODEL	Features	Basic Model	Fire Code	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Advanced Synchrotilt Task Chair, Fabric	Armless	KISN88F0		NLS			MSC		54.0#	\$ 1121	\$ 1125	\$ 1133	\$ 1178	\$ 1231	\$ 1289	\$ 1308
	Back, Armless  • Fabric cushioned front/black mesh back																
	3-1/2" thick upholstered seat																
	Dual surface caster																
	<ul><li>400 pound weight rating</li><li>24/7 multi-shift use</li></ul>																
QN QD																	
SG8F0																	
	Advanced Synchrotilt Task Chair, Fabric	Fixed Conference Arms	KISN88FM		NLS			MSC		59.0#	\$ 1353	\$ 1357	\$ 1365	\$ 1410	\$ 1463	\$ 1521	\$ 1540
\ \_	Back, Conference Arms     Polished reverse cantilever arm with																
	black leather arm pad																
	<ul><li>Fabric cushioned front/black mesh back</li><li>3-1/2" thick upholstered seat</li></ul>																
	Dual surface caster																
	• 400 pound weight rating																
•	<ul><li>Seat height range of 21-3/4" - 29-1/2"</li><li>24/7 multi-shift use</li></ul>																
SG8FM																	
			A	ß	•	0	<b>(3</b>	<b>(3</b> )	œ								

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code. NFR - Compliance to TB 117-2013
- Select lumbar support.

NLS - No lumbar support (lumber option under development)

- ①Select base finish.
- Refer to the **Product Color Options** page in this price list.

\*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

**E**Select back/arm frame finish. Refer to the **Product Color Options** page in this

NOTE: Only select if polished aluminum base.

Select caster.

MSC - Multi-Surface Caster

GSelect upholstery color. Refer to ki.com/fabrics

## **UPHOLSTERY INFORMATION**

**C.O.M. Upholstery**Fabric Back: C.O.M. requirement for 10 or less fabric back chairs is 2 yards of 54" wide nondirectional fabric. For orders of 11 or more fabric back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

### SPECIAL SERVICES

## **Special Carton Marking**

With specially marked information N/C

### Shipping

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.





			MODEL N	UMBER														
	MODEL	Features	Basic Model	Fire Code	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Upholstery Color	Approx. Package Weight	Delive Pricing d Fabric 1 & C.	ng c Grade	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Advanced Synchrotilt Task Chair, Fabric Back, 1D Arms  1D (height adjustable) arm Fabric cushioned front/black mesh back 3-1/2" thick upholstered seat Dual surface caster 400 pound weight rating 24/7 multi-shift use		KISN88FB		NLS			MSC		58.0#	\$ 11	161	\$ 1165	\$ 1173	\$ 1218	\$ 1271	\$ 1329	\$ 1348
SG8F1	Advanced Synchrotilt Task Chair, Fabric	4D Arms	KISN88FC2		NLS			MSC		60.0#	÷ \$ 12	290	\$ 1294	\$ 1302	\$ 1347	\$ 1400	\$ 1458	\$ 1477
	Back, 4D Arms  4D (height, width, pivot, length) arm Fabric cushioned front/black mesh back 3-1/2" thick upholstered seat  Dual surface caster 400 pound weight rating 24/7 multi-shift use										V /-		V 1.20 !	V 1002	* 17.11			* '''
SG8F4			A	B	e	0	G	G	e									

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code. NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select lumbar support.

NLS - No lumbar support (lumber option Select upholstery color. under development)

OSelect base finish.

Refer to the **Product Color Options** page in this

\*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

Select back/arm frame finish.

Refer to the **Product Color Options** page in this price list.

NOTE: Only select if polished aluminum base.

Select caster.

MSC - Multi-surface caster

Refer to ki.com/fabrics

### **UPHOLSTERY INFORMATION**

**C.O.M. Upholstery**Fabric Back: C.O.M. requirement for 10 or less fabric back chairs is 2 yards of 54" wide nondirectional fabric. For orders of 11 or more fabric back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.





		MODEL N	UMBER														
	MODEL	Features	Basic Model	Fire Code	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Upholstery Color	Approx. Pri Packaged Fal	elivered icing bric Grade & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Basic Synchrotilt Task Stool, Fabric Back, Armless  Fabric cushioned front/black mesh back  3-1/2" thick upholstered seat  Dual surface caster  400 pound weight rating  Seat height range of 21-3/4" - 29-1/2"  24/7 multi-shift use		KISN96F0							58.0# \$		\$ 1085	\$ 1093	\$ 1138	\$ 1191	\$ 1249	\$ 1268
SG9F0																	
SG9FM	Basic Synchrotilt Task Stool, Fabric Back, Conference Arms  Polished reverse cantilever arm with black leather arm pad Fabric cushioned front/black mesh back 3-1/2" thick upholstered seat Dual surface caster 400 pound weight rating Seat height range of 21-3/4" - 29-1/2" 24/7 multi-shift use		KISN96FM		NLS			MSC		63.0# \$	1313	\$ 1317	\$ 1325	\$ 1370	\$ 1423	\$ 1481	\$ 1500
Subjective Control of the Control of			•	<b>3</b>	0	O	<b>(3</b>	•	G								

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.
  - NFR Compliance to TB 117-2013
  - FR Compliance to TB 133
- ©Select lumbar support. NLS - No lumbar support (lumber option G Select upholstery color. under development)
- **D**Select base finish.

Refer to the **Product Color Options** page in this price list.

\*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

Select back/arm frame finish.

Refer to the **Product Color Options** page in

this price list. NOTE: Only select if polished aluminum

Select caster.

base.

MSC - Multi-surface caster

Refer to ki.com/fabrics

### **UPHOLSTERY INFORMATION**

**C.O.M. Upholstery**Fabric Back: C.O.M. requirement for 10 or less fabric back chairs is 2 yards of 54" wide nondirectional fabric. For orders of 11 or more fabric back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.





		MODEL N	IUMBER												
	MODEL Feature	Basic Model	Fire Code	Lumbar	Base Finish	Back/Arm Frame Finish	Caster Type	Upholstery Color	Delivered Approx. Pricing Packaged Fabric Grac Weight 1 & C.O.M	Pricing ade Fabric Grade	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
	Basic Synchrotilt Task Stool, Fabric Back, 1D Arms 1D Arms	KISN96FB		NLS			MSC		62.0# \$ 1122	\$ 1126	\$ 1134	\$ 1179	\$ 1232	\$ 1290	\$ 1309
	1D (height adjustable) arm     Fabric cushioned front/black mesh back     3-1/2" thick upholstered seat     Dual surface caster														
	400 pound weight rating     Seat height range of 21-3/4" - 29-1/2"     24/7 multi-shift use														
SG9F1															
	Basic Synchrotilt Task Stool, Fabric Back, 4D Arms  4D Arms  4D (height, width, pivot, length) arm  Fabric cushioned front/black mesh back  3-1/2" thick upholstered seat  Dual surface caster  400 pound weight rating  Seat height range of 21-3/4" - 29-1/2"  24/7 multi-shift use	KISN96FC2		] NLS			MSC		64.0# \$ 1256	\$ 1260	\$ 1268	\$ 1313	\$ 1366	\$ 1424	\$ 1443
SG9F4															
		A	ß	•	0	<b>3</b>	•	<b>G</b>							

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select fire code.

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

Select lumbar support. NLS - No lumbar support (lumber option under development)

OSelect base finish.

Refer to the **Product Color Options** page in this price list. \*add \$130 for polished aluminum base.

NOTE: On a plastic base, the back/arm color always matches the base. If a polished aluminum base is selected, a back/arm color selection is required.

Select back/arm frame finish.

Refer to the **Product Color Options** page in this price list. NOTE: Only select if polished aluminum

base.

Select caster.

MSC - Multi-surface caster

**G**Select upholstery color. Refer to ki.com/fabrics

### **UPHOLSTERY INFORMATION**

**C.O.M. Upholstery**Fabric Back: C.O.M. requirement for 10 or less fabric back chairs is 2 yards of 54" wide nondirectional fabric. For orders of 11 or more fabric back chairs, please contact customer service. For complete information on ordering C.O.M. and C.O.V., see "Ordering Customer's Own Material (C.O.M) Upholstery" section.

### SPECIAL SERVICES

### **Special Carton Marking** With specially marked information N/C

### Shipping

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.

