

IMPRESS[®] SEATING

PRICE LIST

EFFECTIVE DECEMBER 15, 2023 800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering Customer's Own Material (C.O.M.) Upholstery									
	Information		,						
Impress®									
-	General Information		4						
	Task Chairs and Stools		ļ						




How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.





When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer's upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION



Architectural Walls	System 3000	MN
EvokeMN	Universal Overheads	MN
Genius WallsMN	Wireworks	MN
	Unite	MN
Casegoods		
Aristotle TackboardsMN	Residence Hall Furniture	
Likha TackboardsMN	RoomScape Furniture	MN
Classroom Furniture	Screens	
Intellect Wave ChairsGB	All Terrain	KF
Learn2 GB	Connection Zone	BW
RuckusGB	True/Volition	KF
	Genesis	KF
Desking	Tattoo	MN
700 Series DeskingKP	Universal	BW
Balance OverheadsMN		
Genesis DeskingMN	Seating	
True DeskingKP	400 Series Folding Chairs	BW
Universal OverheadsMN	600 Series Folding Chairs	BW
WorkZone DeskingMN	600 Series Stools	BW
	Affina Collection	H
Files & Storage	Altus Task Chairs	GE
700 Series Pedestal CushionGB	Apply Stack Chairs	GE
Connection Zone PadsBW	Calida Lounge Seating	H
U-Series Pedestal CushionGB	Diem Task Chairs	ON
TattooBW	Doni Collection	GE
	Gladly Lounge Seating	VG
Fixed Seating	Grazie Seating	GE
Concerto Auditorium SeatingBW	Hub Modular Lounge Seating	H
Single Pedestal SeatingGB	Impress Task Chairs	ON
Jury Base SeatingGB	Impress Ultra Task Chairs	ON
Lancaster Auditorium SeatingBW	Jessa Lounge Seating	H
Sequence SeatingGB	Jubilee Lounge Seating	VG
University SeatingGB	Katera Guest Chair	GE
	Kurv Benches	HN
Panel Systems	LaResta Day Beds	HN
All TerrainKP	LimeLite	GE
Balance OverheadsMN	Lyra Lounge Seating	H

Maestro Stack Chairs	GB
Medical & Laboratory Stools	OM
MyPlace Lounge Seating	ΗN
MyWay Seating	ΗN
Oath Task Chairs and Stools	GB
Opt4	GB
Pilot Task Chairs	OM
Promenade Seating System	
Ruckus	GB
Sela Lounge Seating	ΗN
Sift Task Chairs	GB
Signia Task Chairs and Stools	MC
Soltice Metal Collection	ΗN
Soltice Multiple, Healthcare & Guest .	ΗN
Soltice II Healthcare Seating	ΗN
Sonrisa	ΗN
Strive Multiple, Stack & Task	GB
Sway	BW
Tattoo	ΗN
Torsion-on-the-Go! Nesting Chairs	GB
Torsion Air Stack and Task Seating	GB
7ootn:	LINI

KI C.O.M. Manufacturing Site Addresses:

KI Bondue Attn: COM Storage 204 West South St. Bonduel WI 54107

1687 Westminster Drive - Gate 3

Green Bay, WI 54302

KI Green Bay Attn: COM Storage HN KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

Attn: COM Storage 1110 S. Mildred Ave Ontario, CA 91761







Task Chair (KI62/JR39)

Sled Base Chair (KI60S)

Stool (KI63)

Features			
Free-floating back	•		•
Seat slide	•		•
Back height adjustable	•		•
3 position back lock	•		•
2-1/2" thick foam cushioned seat	•	•	•
General Dimensions			
Seat width	20-1/2"	20-1/2"	20-1/2"
Seat depth	18"	18"	18"
Seat height	17-3/4" - 22-1/4"	18"	22-1/4" - 30"
Back width	20"	20"	20"
Back height (above seat)	19-1/2" - 22-1/2"	21"	19-1/2" - 22-1/2"
Overall Dimensions			
Width	26"	24"	26"
Height	37" - 45""	38-1/2"	43-1/2" - 56-1/2"



4D T-Arm (JR69)



Adjustable T-Arm (JR39)



Fixed Loop Arm (KR48)

SPECIFICATIONS

Mechanism (KI62 and KI63)

A stamped steel dual housing forms a sturdy cradle for the seat. There are two control levers. One lever actuates the pneumatic cylinder, which adjusts the seat height with infinite selection within the range (KI62). One lever locks the chair in several positions or actuates the free-floating mode. The synchronized 2:1 free floating mode has adjustments of 8° on seat and 16° on back.

Backrest (KI62 and KI63)

The injection molded plastic board has embedded inserts for mounting. The board is covered with contoured molded high-resilient foam and upholstered with fabric. A textured black shroud covers the rear side. An easy-to-operate mechanism is installed on the back board for adjusting the back height (3").

Backrest (KI60S)

The injection molded plastic board has embedded inserts for mounting. The board is cov- Low Height: 16-3/4" - 19-1/2"

ered with contour molded foam and upholstered with fabric. A textured black shroud covers the rear side.

Seat (KI62 and KI63)

Constructed of a 1/2" thick, saddle shape plywood with 2-1/2" molded high-resilient foam and upholstered with fabric. The entire seat assembly is mounted to the mechanism by four screws.

Seat (KI60S)

Constructed of a 1/2" thick, saddle shape plywood with 2-1/2" contour molded high-resilient foam, and covered with upholstered

Seat Slide (KI62 and KI63)

Double spring-loaded: side-mounted, easy-to-use control. Adjustment range of 3.1" (18" - 21.1")

Seat Height (KI62)

In addition to the standard height cylinder whose dimensions are shown above, there are two optional cylinders:

Tall Height: 20-1/2" - 26-3/4" To select these optional cylinders, please see the "Options" section on the following page.

Memory Foam

Double layer of foam. Molded memory foam is layered over molded, high-resiliency foam.

Pedestal Base (KI62 and KI63)

The 26" diameter, five-blade base is made of reinforced nylon. Black only.

Sled Base (KI60S)

The sled base is formed from 1-1/8" diameter. 13-gauge thickness steel tubing. Black only.

Carpet Casters (KI62 and KI63)

The double 55mm diameter black wheels are molded of high-impact thermoplastic and are housed in a high impact frame. Hard floor casters are available.

Fixed Loop Arm (KR48)

Arm is black plastic.

Adjustable T-Arm Option (JR39)

Height adjustment of 4-1/4" and width adjustment of 1-1/2" per side. Arm ships KD (same box as the chair) and must be installed on the chair (no tools required). With arm fully extended out, it's 22" from inside of arm frame to inside of arm frame. (20" from inside of arm pad to inside of arm pad)

4D T-Arm (JR69)

Two-way adjustable width/height. Forward-slanting T-arms with ergonomic, maximum-mobility arm top (button-activated arm pad; 1" lateral, 2" forward and back, and diagonal adjustability.) Adjustable height range of 4.25". Adjustable width range of 1.75" each side. With arms extended all the way out from inside of arm pad to inside of arm pad, it's 20.75".

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this fabric is directional in pattern or weave, the direction thane or imitation leather upholstery. must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Department

1110 S. Mildred Ave Ontario, CA 91761

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

Stacking Vinyl, Polyurethane, and Imitation **Leather Upholstered Chairs**

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid product. A 1-1/2 yd. x 54" sample must be submitted impressions in the seat cushion. KI does not warrant and approved prior to acceptance of an order. If the the effects of stacking on stock or COM vinyl, polyure-

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Impress® Task Chairs and Stools





												•											
		MODEL NUMBER																					
	Features	Basic Model	Mem Foam	Seat Height	Seat Slide	Back Panel	Fire Code	Uph. Color E	Base	Approx. Packaged Weight		Delivered Pricing Fabric Grade Soft Knit™	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Delivered Pricing C.O.L.	Delivered Pricing Leather
	No Arm	KI62/NA			SLD				_	42.0#		\$ 1056	\$ 871	\$ 904	\$ 932	\$ 932	\$ 968	\$ 1047	\$ 1109	\$ 1161	\$ 1213	\$ 1211	\$ 1304
	4D T-Arm	KI62/JR69			SLD		NFR			42.0#		1353	1169	1198	1226	1226	1266	1346	1408	1459	1509	1506	1600
((Adjustable T-Arm	KI62/JR39			SLD		NFR			51.0#		1263	1080	1108	1137	1137	1178	1260	1318	1366	1419	1415	1511
	Adjustable T-Arm, Fire Retardant	KI62/FR39			SLD		FR			51.0#		1708	1529	1555	1583	1583	1623	1704	1765	1813	1863	1860	1957
	Fixed Loop Arm	KI62/KR48			SLD		NFR			51.0#		1260	1074	1104	1133	1133	1173	1253	1312	1362	1415	1411	1506
	TIXCU LOOP ATTI	KIOZ/KI140			OLD		INITY			31.0#		1200	1074	1104	1100	1100	1175	1200	1012	1002	1710	1711	1300
IMPR																							
Impress® Task Chair - Free Float																							
 2-1/2" thick foam cushioned seat 																							
Synchronized free-floating backBack height adjustment																							
Multiple-position back lock																							
 Pedestal base available in black only 																							
FR models (no arm and FR39 arm)																							
require the plastic back panel to be upholstered																							
	No Arm	KI60S/NA								37.0#		\$ 648	\$ 469	\$ 496	\$ 524	\$ 524	\$ 564	\$ 643	\$ 706	\$ 754	\$ 804	ф 001	\$ 898
	Fixed Loop Arm	KI60S/KR48					□□□ NFR			46.0#		\$ 646 849	\$ 469 670	\$ 496 698	φ 524 725	τ 524 725	\$ 564 764	\$ 643 843	906	\$ 754 959	1004	\$ 801 1001	\$ 090 1101
	Fixed Loop Allii	K1005/KN40					INFR			40.0#		049	070	090	720	723	704	043	906	909	1004	1001	1101
\																							
IMPR																							
Impress® Guest Chair - Sled Base																							
•																							
2-1/2" thick foam cushioned seatCantilevered sled base																							
 Sled base available in black only 																							
FR models (no arm and FR39 arm)																							
require the plastic back panel to be upholstered																							
Not for use on carpet																							
								\perp															
		A	$oldsymbol{\Theta}$	œ	O	(3)	(3)	G	0														

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required. ullet The absence of the \square indicates that no

- choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect memory foam.

NF - No memory foam

- Memory foam (for seat only); add \$140 Memory foam for seat only.

● Select seat height.

NS - Standard height (17 3/4"-22 1/4")

IPCYL4HD - Low height (16 3/4"-19 1/2")

IPCYL6SHD - Tall height (20 1/2"-26 3/4")

Select seat option.

SLD - Sliding seat

Select back panel.

POLY - Poly back (standard)

DUB2 - Upholstered back panel; add \$105

Select fire code.

NFR - Compliance to TB 117-2013

- Compliance to TB 133

GSelect upholstery grade/color. Refer to ki.com/fabrics

Select base option.

- Carpet casters - Hard floor casters

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than ten chairs is 1 yard of 54" wide nondirectional fabric. For ten or more chairs with an upholstered seat and back, the requirement is 3/4 yards. For an upholstered seat only, the requirement is 1/2 yards. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=No Arm Added List Price=\$178

FR is also available on models with the Adjustable T-arm (JR39 arm). See Models KI62/FR39 and KI63/FR39 for pricing.

When FR version is ordered, the plastic back panel is upholstered (add upcharge). For C.O.M. yardage, see "C.O.M. Upholstery" note.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.





Approx.

Weight

Packaged

47.0#

55.0#

56.0#

56.0#

56.0#

Pricing

Soft Knit™

1503

1411

1857

1408

Delivered

Pricing

1 & C.O.M.

1320

1229

1672

1224

\$ 1026

Delivered

Pricing

\$ 1054

1347

1261

1706

1258

Delivered

Pricing

\$ 1080

1378

1286

1733

1282

Delivered

Pricing

\$ 1080

1378

1286

1733

1282

2V

Delivered

Pricing

Group P0

\$ 1120

1417

1326

1772

1318

Fabric Grade Fabric Grade Fabric Grade Fabric Grade Vinyl Group Pallas Fabric Pallas F

Delivered

Pricing

Group P1

\$ 1198

1497

1407

1854

1401

Delivered

Pricing

Group P2

\$ 1262

1557

1467

1914

1463

Delivered

Group P3

\$ 1310

1606

1515

1962

1513

Pricing

Group P4

\$ 1361

1659

1569

2016

1562

Pricing



Delivered

Pricing

Leather

\$ 1455

1751

1660

2103

1655

Delivered

\$ 1356

1655

1565

2010

1559

C.O.L.

			MODEL NUMBER							
	MODEL	Features	Basic Model	Mem Foam	Seat Slide	Back Panel	Fire Code	Uph. Color	Base	
	Impress® Stool	No Arm	KI63/NA		SLD					
	2-1/2" thick foam cushioned seatSynchronized free-floating back	4D T-Arm	KI63/JR69		SLD		NFR			
	Back height adjustment	Adjustable T-Arm	KI63/JR39		SLD		NFR			
	Multiple-position back lock	Adjustable T-Arm, Fire Retardant	KI63/FR39		SLD		FR			
	Pedestal base available in black only	Fixed Loop Arm	KI63/KR48		SLD		NFR			
oje	 FR models (no arm and FR39 arm) require the plastic back panel to be 									
	upholstered									
o H a										
IMPR										
			A	3	0	0	(3	•	Ф	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect memory foam.

NF - No memory foam MF - Memory foam (for seat only); add \$140

Memory foam for seat only.

Select seat option. SLD - Sliding seat

Select back panel.

DUB2 - Upholstered back panel; add \$105 POLY - Poly back (standard)

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select upholstery grade/color. Refer to ki.com/fabrics

GSelect base option.

C - Carpet casters - Hard floor casters

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for less than ten chairs is 1 yard of 54" wide nondirectional fabric. For ten or more chairs with an upholstered seat and back, the requirement is 3/4 yards. For an upholstered seat only, the requirement is 1/2 yards. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=No Arm Added List Price=\$178

FR is also available on models with the Adjustable T-arm (JR39 arm). See Models KI62/FR39 and KI63/FR39 for pricing.

When FR version is ordered, the plastic back panel is upholstered (add upcharge). For C.O.M. yardage, see "C.O.M. Upholstery" note.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Ontario, CA 91761, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

