



UNIFRAME[®] CAFETERIA TABLES & CONVERTIBLE BENCH

PRICE LIST

EFFECTIVE NOVEMBER 1, 2023
800.424.2432

Contents

Refer to KI Terms & Conditions document or visit ki.com.



Contents

Refer to KI Terms & Conditions document or visit ki.com.

Uniframe® Tables	
Product Color Options	3
Uniframe® Rectangular Tables with Seating	
General Information	4
Uniframe® Rectangular Tables with Seating (Freight Excluded)	
Rectangular Table with Benches	6
Rectangular Table with Split Benches	7
Rectangular Table with Stool Seats	8
Uniframe® Rectangular Tables with Seating (Delivered)	
Rectangular Table with Benches	10
Rectangular Table with Split Benches	11
Rectangular Table with Stool Seats	12
Uniframe® Round Tables with Seating	
General Information	14
Uniframe® Round Tables with Seating (Freight Excluded)	
Round Table with Split Benches	16
Round Table with Stool Seats	17
Uniframe® Round Tables with Seating (Delivered)	
Round Table with Split Benches	19
Round Table with Stool Seats	20
Uniframe® Tables without Seating	
General Information	22
Uniframe® Tables without Seating (Freight Excluded)	
Rectangular Table	24
Round Table	25
Oval Table	26
Square Table	27
Hexagonal Table	28
Octagonal Table	29
Round Stand-up Height Table	30
Uniframe® Tables without Seating (Delivered)	
Rectangular Table	31
Round Table	32
Oval Table	33
Square Table	34
Hexagonal Table	35
Octagonal Table	36
Round Stand-up Height Table	37
Uniframe® Wheelchair Accessible Tables with Seating	
General Information	38
Uniframe® Wheelchair Accessible Tables with Seating (Freight Excluded)	
Rectangular Table with Benches	39
Rectangular Table with Stool Seats	40
Uniframe® Wheelchair Accessible Tables with Seating (Delivered)	
Rectangular Table with Benches	42
Rectangular Table with Stool Seats	43
Uniframe® Wheelchair Accessible Tables without Seating	
General Information	45
Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)	
Rectangular Table	46
Round Table	47
Oval Table	48
Square Table	49
Hexagonal Table	50
Octagonal Table	51
Uniframe® Wheelchair Accessible Tables without Seating (Delivered)	
Rectangular Table	52
Round Table	53
Oval Table	54
Square Table	55

Hexagonal Table	56
Octagonal Table	57
Uniframe® Convertible Bench	
General Information	58
Product Color Options	59
Uniframe® Convertible Bench (Freight Excluded)	
	60
Uniframe® Convertible Bench (Delivered)	
	61



Surface Finish - Laminate										
Beigewood	LBZ	Cherry Storm	BLCX	Sand	PSA	Hazy Jade	EHJ	Ultra Blue	EUB	
Belair	LBQ	Classic Linen	BLCI	Surf's Up	PSP	Honey Bee	EHY	Warm Grey	EWG	
Biltmore Cherry	LBT	Cloud Zephyr	BLCL	Tarragon	PTQ	Light Tone	ELG	Windsor Mahogany	EWY	
Black	LBK	Cocobala	BLCC	Twilight Shadow	PTI	Mardi Gras	EMG	Zesty Lime	EZL	
Brighton Walnut	LBW	Crisp Linen	BLRI	Ultra Blue	PUB	Misty Brown	EMY			
Canyon Zephyr	LCA	Desert Zephyr	BLDZ	Zesty Lime	PZL	Nemo	ENE			
Castle Oak	LCO	Designer White	BLDR	Stool Color - Thermoset Hard Plastic (CX)		Nordic	END			
Casual Linen	LCU	Dove Grey	BLDG		CK	Poppy Red	EPR			
Cherry Storm	LCX	Flax Linen	BLXF		CB	Purple Haze	EPH			
Classic Linen	LCI	Florence Walnut	BLFC		CL	Rubber Ducky	ERK			
Cloud Zephyr	LCL	Forged Steel	BLOL	Light Grey	CN	Sand	ESA			
Cocobala	LCC	Friston Ash	BLFH	Navy Blue		Sky Blue	ESK			
Crisp Linen	LRI	Frosty White	BLFW	Frame Color		Surf's Up	ESP			
Desert Zephyr	LDZ	Graphite Nebula	BLGN		BL	Twilight Shadow	ETI			
Designer White	LDR	Grey	BLGE		GR	Ultra Blue	EUB			
Dove Grey	LDG	High Rise	BLHE		ZM	Warm Grey	EWG			
Flax Linen	LXF	Hollyberry	BLHY	Cayenne	CY	Zesty Lime	EZL			
Florence Walnut	LFC	Island	BLID	Champagne Metallic	CM	Edge Color for 73P Edge				
Forged Steel	LOL	Italian Silver Ash	BLIT	Chrome	CH		Beigewood	EBZ		
Friston Ash	LFH	Kensington Maple	BLKM	Cool Grey	CG		Belair	EBQ		
Frosty White	LFW	Lapis Blue	BLLB	Cottonwood	CO		Biltmore Cherry	EBT		
Graphite Nebula	LGN	Markerboard White	BLMK	Earthen Clay	EY	Black	EBL			
Grey	LGE	Misted Zephyr	BLMR	Espresso Metallic	EX	Blue Grey	EGR			
High Rise	LHE	Monticello Maple	BLMT	Everglade Shade	EV	Brighton Walnut	EBW			
Hollyberry	LHY	North Sea	BLNA	Flannel	FN	Castle Oak	ECO			
Island	LID	Ocean	BLON	Glitz Metallic	GZ	Cayenne	ECY			
Italian Silver Ash	LIT	Pearl Bisque	BLPB	Hazy Jade	HJ	Cherry Storm	ECX			
Kensington Maple	LKM	Pinnacle Walnut	BLPW	Honey Bee	HY	Cool Grey	ECG			
Lapis Blue	LLB	Pressed Linen	BLPR	Light Tone	LG	Designer White	EDR			
Markerboard White	LMK	River Cherry	BLRY	Mardi Gras	MG	Earthen Clay	EEY			
Misted Zephyr	LMR	Satin Stainless	BLSS	Misty Brown	MY	Everglade Shade	EEV			
Monticello Maple	LMT	Shadow Zephyr	BLSR	Nemo	NE	Flannel	EFN			
North Sea	LNA	Silicon Evolv	BLSV	Nordic	ND	Florence Walnut	EFC			
Ocean	LON	Sterling Ash	BLAZ	Purple Haze	PH	Friston Ash	EFH			
Pearl Bisque	LPB	Tailored Linen	BLTL	Rainforest	RQ	Frosty White	EFW			
Pinnacle Walnut	LPW	Titanium Evolv	BLTV	Raw Jasper	RJ	Hazy Jade	EHJ			
Pressed Linen	LPR	White Nebula	BLWL	Rubber Ducky	RK	Honey Bee	EHY			
River Cherry	LRY	White Sand	BLWN	Sand	SA	Italian Silver Ash	EIT			
Satin Stainless	LSS	Windsor Mahogany	BLWY	Starlight Silver Metallic	SX	Kensington Maple	EKM			
Shadow Zephyr	LSR	Stool Color - Polypropylene (PY)		Surf's Up	SP	Light Tone	ELG			
Silicon evolv	LSV		PBL	Tarragon	TQ	Mardi Gras	EMG			
Sterling Ash	LAZ		PGR	Twilight Shadow	TI	Misty Brown	EMY			
Tailored Linen	LTL		PCY	Ultra Blue	UB	Monticello Maple	EMT			
Titanium evolv	LTV	Cayenne	PCG	Warm Grey	WG	Nemo	ENE			
White Nebula	LWL	Cool Grey	PEY	Zesty Lime	ZL	Nordic	END			
White Sand	LWN	Earthen Clay	PEV	Edge Color for PR Edge		Pinnacle Walnut	EPW			
Windsor Mahogany	LWY	Everglade Shade	PHJ		EBL	Poppy Red	EPR			
		Hazy Jade	PHY	Black		Purple Haze	EPH			
		Honey Bee	PLG	Edge Color for BN Edge		Rainforest	ERQ			
	BLBZ	Light Tone	PMG		EBL	River Cherry	ERY			
	BLBQ	Mardi Gras	PMY		EGR	Rubber Ducky	ERK			
	BLBT	Misted Brown	PNE		ECY	Sand	ESA			
Black	BLBK	Nemo	PND	Cool Grey	ECG	Sky Blue	ESK			
Brighton Walnut	BLBW	Nordic	PPH	Earthen Clay	EEY	Sterling Ash	EAZ			
Canyon Zephyr	BLCA	Purple Haze	PRQ	Everglade Shade	EEV	Surf's Up	ESP			
Castle Oak	BLCO	Rainforest	PRJ	Flannel	EFN	Tarragon	ETQ			
Casual Linen	BLCU	Raw Jasper	PRK	Frosty White	EFW	Twilight Shadow	ETI			
		Rubber Ducky								

Finish Cards

View color swatches for items listed within this document.

<u>Paints</u>	<u>Wood/Veneer</u>	<u>Molded Edges</u>	<u>Hard Plastics</u>
<u>Plastics/Poly</u>	<u>Laminates</u>	<u>Edge Styles</u>	<u>Glass</u>

Certain options referenced may not be available on GSA Schedule.

Uniframe® Rectangular Tables with Seating

General Information



Uniframe® Rectangular Tables with Seating

General Information



Rectangular Tables with Benches (UF12BE)



Rectangular Tables with Split Benches (UF12SB)



Rectangular Tables with Stool Seats (UF128)

Features		
Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
27" height	•	•
29" height	•	•

Features	
Solid core top	•
High-pressure laminate surface	•
Bullnose edge	•
73P edge	•
Perfect edge	•
27" height	•
29" height	•



Seating Capacity:

Model	Max. Child Capacity	Rec. Child Capacity	Max. Adult Capacity	Rec. Adult Capacity
UF12BE	20	16	16	12
UF10BE	16	12	12	8
UF08BE	12	12	8	8
UF12SB	16	16	16	8
UF128	16	16	16	16
UF126	12	12	12	12
UF106	12	12	12	12
UF084	8	8	8	8

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Benches

Bench supports are robotically welded steel construction of 14-gauge tubular frame steel

with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Benches are secured to steel plates with deep thread screws. Each split bench requires two plates. Full benches for 8' tables require two plates; full benches for 10' and 12' tables require three plates. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is

13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.
B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.
C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface

edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" o.d. 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is gravity operated for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of eight per table.

Casters

Large 4" diameter heavy-duty hard rubber swivel

casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of the table top when in the open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

General

Tables ship fully assembled. Tables are listed to applicable UL standards and requirements by Underwriters Laboratories, Inc.


INFORMATION

Warranty


Refer to KI Terms & Conditions document or visit ki.com



DIMENSIONS-Rectangular Tables with Benches







Model UF/BE







Model UF/SB

Model #	A	B	C	D	E	F	G	H	I	J
UF12/SB/29	139.5"	59.5"	30.0"	29.5"	16.9"	79.75"	33.5"	41.75"	27.56"	11.25"
UF12/SB/27	139.5"	59.0"	30.0"	27.5"	16.9"	77.75"	33.5"	41.75"	27.56"	11.25"
UF12/BE/29	139.5"	56.5"	30.0"	29.5"	16.9"	79.75"	33.5"	41.75"	62.75"	8.5"
UF12/BE/27	139.5"	56.5"	30.0"	27.5"	16.9"	77.75"	33.5"	41.75"	62.75"	8.5"
UF10/BE/29	120.0"	56.5"	30.0"	29.5"	16.9"	71.75"	33.5"	41.75"	53.88"	8.5"
UF10/BE/27	120.0"	56.5"	30.0"	27.5"	16.9"	69.75"	33.5"	41.75"	53.88"	8.5"
UF08/BE/29	96.0"	56.5"	30.0"	29.5"	16.9"	61.75"	33.5"	41.75"	42.63"	8.5"
UF08/BE/27	96.0"	56.5"	30.0"	27.5"	16.9"	59.75"	33.5"	41.75"	42.63"	8.5"

DIMENSIONS-Rectangular Tables with stools



Model #	A	B	C	D	E	F	G	H
UF12/8/29	139.5"	56.5"	30.0"	29.4"	16.8"	79.75"	33.8"	41.75"
UF12/8/27	139.5"	56.5"	30.0"	27.4"	16.8"	77.75"	33.8"	41.75"
UF12/6/29	139.5"	56.5"	30.0"	29.4"	16.8"	79.75"	33.8"	41.75"
UF12/6/27	139.5"	56.5"	30.0"	27.4"	16.8"	77.75"	33.8"	41.75"
UF10/6/29	120.0"	56.5"	30.0"	29.4"	16.8"	71.75"	33.8"	41.75"
UF10/6/27	120.0"	56.5"	30.0"	27.4"	16.8"	69.75"	33.8"	41.75"
UF08/4/29	96.0"	56.5"	30.0"	29.4"	16.8"	61.75"	33.8"	41.75"
UF08/4/27	96.0"	56.5"	30.0"	27.4"	16.8"	59.75"	33.8"	41.75"

			MODEL NUMBER													
MODEL			D x W	Basic Model	Edge Style	Height	Surface Finish	Surface Edge Color	Bench Surface	Bench Edge Color	Frame Color	Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
 UFRCB	Rectangular Table with Benches	56-1/2 x 96"	UF08BE	□□□	□□	□□□	□□□	□□□□	□□□□	□□		295.0#	\$ 2351	\$ 2665	\$ 2807	\$ 190
	• Available in 8', 10' and 12' models	56-1/2 x 120"	UF10BE	□□□	□□	□□□	□□□	□□□□	□□□□	□□		341.0#	2552	2757	3083	192
	• Unitized all-steel frames provide superior stability and durability	56-1/2 x 139-1/2"	UF12BE	□□□	□□	□□□	□□□	□□□□	□□□□	□□		371.0#	2604	2931	3190	186
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning															
	• Storage lock standard for added safety															
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly															
	• Listed to applicable UL standards and requirements by Underwriters Laboratories, Inc															
	• Dimensions include overall depth and width of table and seating															
				A	B	C	D	E	F	G	H					

Specifications and prices are subject to change without prior notice.


Uniframe® Rectangular Tables with Seating (Freight Excluded)

Rectangular Table with Split Benches



Uniframe® Rectangular Tables with Seating (Freight Excluded)

Rectangular Table with Split Benches

	MODEL	D x W	MODEL NUMBER													Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color						
 UFRCS	Rectangular Table with Split Benches	59 x 139-1/2"	UF12SB	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>						\$ 207
	• Available in 12' models															
	• Unitized all-steel frames provide superior stability and durability															
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning															
	• Storage lock standard for added safety															
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly															
	• Listed to applicable UL standards and requirements by Underwriters Laboratories, Inc															
	• Dimensions include overall depth and width of table and seating															
			A	B	C	D	E	F	G	H						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B**Select edge style.

BN

- Flat vinyl T-edge

73P

- 3/4" 73P edge

PR

- Perfect edge
- C**Select height.

27

- 27" high

29

- 29" high
- D**Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E**Select surface edge color.
Refer to the **Product Color Options** page in this price list.

- Edge color offerings are based on edge style selections.
- F**Select bench surface.
Refer to the **Product Color Options** page in this price list.
- G**Select bench edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- H**Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight excluded**. Freight class 200.

Specifications and prices are subject to change without prior notice.




Uniframe® Rectangular Tables with Seating (Freight Excluded)

Rectangular Table with Stool Seats



Uniframe® Rectangular Tables with Seating (Freight Excluded)

Rectangular Table with Stool Seats

				MODEL NUMBER												
				Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color					Chrome Upcharge add to list price	
MODEL	Features	D x W									Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)		
 UFRCP	Rectangular Table with Stool Seats - Polypropylene	8 Stools	60-1/2 x 96"	UF084/PY	□□□	□□	□□□	□□□	□□□□	□□	299.0#	\$ 2699	\$ 2834	\$ 2983	\$ 181	
	• Available in 8', 10' and 12' models	12 Stools	60-1/2 x 120"	UF106/PY	□□□	□□	□□□	□□□	□□□□	□□	353.0#	2846	2990	3142	198	
	• Unitized all-steel frames provide superior stability and durability	12 Stools	60-1/2 x 139-1/2"	UF126/PY	□□□	□□	□□□	□□□	□□□□	□□	377.0#	2984	3134	3295	214	
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning	16 Stools	60-1/2 x 139-1/2"	UF128/PY	□□□	□□	□□□	□□□	□□□□	□□	385.0#	3098	3251	3412	207	
	• Storage lock standard for added safety															
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly															
	• Listed to applicable UL standards and requirements by Underwriters Laboratories, Inc															
	• Dimensions include overall depth and width of table and seating															
				A	B	C	D	E	F	G						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.
- B** Select edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge
- C** Select height.
27 - 27" high
29 - 29" high
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select surface edge color.
Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

F Select stool color - Polypropylene (PY).
Refer to the **Product Color Options** page in this price list.

G Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

INFORMATION

Polypropylene Stool
High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight excluded.** Freight class 200.

Specifications and prices are subject to change without prior notice.





Uniframe® Rectangular Tables with Seating (Freight Excluded)

Rectangular Table with Stool Seats



Uniframe® Rectangular Tables with Seating (Freight Excluded)

Rectangular Table with Stool Seats

			MODEL NUMBER												
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color						Chrome Upcharge add to list price
MODEL	Features	D x W									Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	
 UFRCT	Rectangular Table with Stools - Thermoset Hard Plastic	8 Stools 60-1/2 x 96"	UF084/CX	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		299.0#	\$ 2881	\$ 3025	\$ 3163	\$ 181
		12 Stools 60-1/2 x 120"	UF106/CX	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		353.0#	3107	3261	3402	198
	• Available in 8', 10' and 12' models	12 Stools 60-1/2 x 139-1/2"	UF126/CX	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		377.0#	3246	3410	3556	214
	• Unitized all-steel frames provide superior stability and durability	16 Stools 60-1/2 x 139-1/2"	UF128/CX	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>		385.0#	3451	3623	3761	207
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning														
	• Storage lock standard for added safety														
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly														
	• Listed to applicable UL standards and requirements by Underwriters Laboratories, Inc														
	• Dimensions include overall depth and width of table and seating														
			A	B	C	D	E	F	G						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.
- B**Select edge style.

BN

- Flat vinyl T-edge

73P

- 3/4" 73P edge

PR

- Perfect edge
- C**Select height.

27

- 27" high

29

- 29" high
- D**Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E**Select surface edge color.
Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

- F**Select stool color - Thermoset Hard Plastic (CX).
Refer to the **Product Color Options** page in this price list.
- G**Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight excluded.** Freight class 200.

Specifications and prices are subject to change without prior notice.





Uniframe® Rectangular Tables with Seating (Delivered)

Rectangular Table with Benches



Uniframe® Rectangular Tables with Seating (Delivered)

Rectangular Table with Benches

		MODEL NUMBER												
		Basic Model	Edge Style	Height	Surface Finish	Surface Edge Color	Bench Surface	Bench Edge Color	Frame Color				Chrome Upcharge add to list price	
MODEL	D x W									Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	
 UFRCB	Rectangular Table with Benches	56-1/2 x 96"	UF08BE	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	295.0#	\$ 2756	\$ 3127	\$ 3290	\$ 221
	• Available in 8', 10' and 12' models	56-1/2 x 120"	UF10BE	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	341.0#	2995	3232	3618	223
	• Unitized all-steel frames provide superior stability and durability	56-1/2 x 139-1/2"	UF12BE	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	371.0#	3054	3463	3742	220
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning													
	• Storage lock standard for added safety													
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly													
	• Listed to applicable UL standards and requirements by Underwriters Laboratories, Inc													
	• Dimensions include overall depth and width of table and seating													
			A	B	C	D	E	F	G	H				

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B**Select edge style.
- C**Select height.

27- 27" high

29- 29" high
- D**Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E**Select surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select bench surface.
Refer to the **Product Color Options** page in this price list.
- G**Select bench edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- H**Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 200.

Specifications and prices are subject to change without prior notice.


Uniframe® Rectangular Tables with Seating (Delivered)

Rectangular Table with Split Benches



Uniframe® Rectangular Tables with Seating (Delivered)


Rectangular Table with Split Benches

	MODEL	D x W	MODEL NUMBER													Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color						
 UFRCS	Rectangular Table with Split Benches	59 x 139-1/2"	UF12SB	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>						\$ 245
	<ul style="list-style-type: none">Available in 12' modelsUnitized all-steel frames provide superior stability and durabilityKI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaningStorage lock standard for added safetyGravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedlyListed to applicable UL standards and requirements by Underwriters Laboratories, IncDimensions include overall depth and width of table and seating															
			A	B	C	D	E	F	G	H						




Approx. Packaged Weight
385.0#

Flat Vinyl T-Edge (BN)
\$ 3518



3/4" 73P Edge (73P)
\$ 3799



Perfect Edge (PR)
\$ 4272

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B** Select edge style.
- C** Select height.
27 - 27" high
29 - 29" high
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

- F** Select bench surface.
Refer to the **Product Color Options** page in this price list.
- G** Select bench edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- H** Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 200.

Specifications and prices are subject to change without prior notice.





Uniframe® Rectangular Tables with Seating (Delivered)

Rectangular Table with Stool Seats



Uniframe® Rectangular Tables with Seating (Delivered)

Rectangular Table with Stool Seats

				MODEL NUMBER											
				Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color					Chrome Upcharge add to list price
MODEL	Features	D x W									Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	
 UFRCP	Rectangular Table with Stool Seats - Polypropylene	8 Stools	60-1/2 x 96"	UF084/PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	299.0#	\$ 3164	\$ 3324	\$ 3499	\$ 214
	• Available in 8', 10' and 12' models	12 Stools	60-1/2 x 120"	UF106/PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	353.0#	3341	3505	3683	230
	• Unitized all-steel frames provide superior stability and durability	12 Stools	60-1/2 x 139-1/2"	UF126/PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	377.0#	3500	3676	3864	252
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning	16 Stools	60-1/2 x 139-1/2"	UF128/PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	385.0#	3632	3812	4001	245
	• Storage lock standard for added safety														
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly														
	• Listed to applicable UL standards and requirements by Underwriters Laboratories, Inc														
	• Dimensions include overall depth and width of table and seating														
				A	B	C	D	E	F	G					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.
- B** Select edge style.
- C** Select height.
27 - 27" high
29 - 29" high
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select stool color - Polypropylene (PY).
Refer to the **Product Color Options** page in this price list.
- G** Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

INFORMATION

Polypropylene Stool
High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 200.

Specifications and prices are subject to change without prior notice.





Uniframe® Rectangular Tables with Seating (Delivered)

Rectangular Table with Stool Seats



Uniframe® Rectangular Tables with Seating (Delivered)

Rectangular Table with Stool Seats

				MODEL NUMBER												
				Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color					Chrome Upcharge add to list price	
MODEL	Features	D x W									Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)		
 UFRCT	Rectangular Table with Stools - Thermo-set Hard Plastic <ul style="list-style-type: none">• Available in 8', 10' and 12' models• Unitized all-steel frames provide superior stability and durability• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning• Storage lock standard for added safety• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly• Listed to applicable UL standards and requirements by Underwriters Laboratories, Inc• Dimensions include overall depth and width of table and seating	8 Stools	60-1/2 x 96"	UF084/CX	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	299.0#	\$ 3380	\$ 3546	\$ 3709	\$ 214	
		12 Stools	60-1/2 x 120"	UF106/CX	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	353.0#	3644	3824	3990	230	
		12 Stools	60-1/2 x 139-1/2"	UF126/CX	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	377.0#	3809	3998	4171	252	
		16 Stools	60-1/2 x 139-1/2"	UF128/CX	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	385.0#	4046	4249	4409	245	
				A	B	C	D	E	F	G						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.
- B** Select edge style.
- C** Select height.
27 - 27" high
29 - 29" high
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select stool color - Thermoset Hard Plastic (CX).
Refer to the **Product Color Options** page in this price list.
- G** Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 200.

Specifications and prices are subject to change without prior notice.

Uniframe® Round Tables with Seating

General Information



Uniframe® Round Tables with Seating

General Information



Round Tables with Split Benches
(UFRD5SB/BN/CH)



Round Tables with Stool Seats
(UFRD58/PR/PB)

Features		
Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
27" height	•	•
29" height	•	•

Seating Capacity:


Model	Max. Child Capacity	Rec. Child Capacity	Max. Adult Capacity	Rec. Adult Capacity
UFRD5SB	12	8	8	4
UFRD58	8	8	8	8



Bullnose Edge



73P Edge



Perfect Edge

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Split Benches

Bench supports shall be robotically welded steel construction consisting of a 14-gauge tubular

frame with 6" square, heavy-duty 11-gauge steel plates welded to the uprights. Benches are secured to the steel plates with deep thread screws. There shall be two plates for each split bench. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface

edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" o.d. 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.
B. Chrome Finish: Bright and semi-bright duplex

nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of four per table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the end

of the bench unit or outermost stool when in the open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

General

Tables ship fully assembled. Tables are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION


Warranty

Refer to KI Terms & Conditions document or visit ki.com

Uniframe® Round Tables with Seating

General Information

DIMENSIONS-Round Tables with Benches




Model #	A	B	C	D	E	F	G	H
UFRD5/SB/29	81.5"	81.1"	60.0"	29.2"	17.2"	52.3"	39.0"	26.5"
UFRD5/SB/27	81.5"	81.1"	60.0"	27.2"	17.2"	52.3"	39.0"	26.5"



Uniframe® Round Tables with Seating

General Information

DIMENSIONS-Round Tables with Stools



Model #	A	B	C	D	E	F	G	H
UFRD5/SB/29	83.75"	86"	60.7"	29.2"	17.2"	52.3"	39.0"	26.5"
UFRD5/SB/27	83.75"	86"	60.7"	27.2"	17.2"	52.3"	39.0"	26.5"
UFRD5/CX/29	83.75"	86"	60.7"	29.2"	17.2"	52.3"	39.0"	26.5"
UFRD5/CX/27	83.75"	86"	60.7"	27.2"	17.2"	52.3"	39.0"	26.5"



Uniframe® Round Tables with Seating (Freight Excluded)

Round Table with Split Benches



Uniframe® Round Tables with Seating (Freight Excluded)

Round Table with Split Benches

	MODEL	DIA	MODEL NUMBER								Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color					
 UFRDS	Round Table with Split Benches	81"	UFRD5SB	□□□	□□	□□□	□□□	□□□□	□□□□	□□	335.0#	\$ 2884	\$ 3028	\$ 3498	\$ 175
	• Unitized all-steel frames provide superior stability and durability														
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning														
	• Storage lock standard for added safety														
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly														
	• Listed to applicable UL standards and requirements by Underwriters Laboratories, Inc														
	• Dimensions include overall depth and width of table and seating; Diameter of top is 60"														
			A	B	C	D	E	F	G	H					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The □ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

B Select edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

C Select height.
27 - 27" high
29 - 29" high

D Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

E Select surface edge color.
Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

F Select bench surface.
Refer to the **Product Color Options** page in this price list.

G Select bench edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

H Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight excluded**. Freight class 200.

Specifications and prices are subject to change without prior notice.





Uniframe® Round Tables with Seating (Freight Excluded)

Round Table with Stool Seats



Uniframe® Round Tables with Seating (Freight Excluded)

Round Table with Stool Seats

	MODEL	DIA	MODEL NUMBER							Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color					
 UFRDP	Round Table with Stool Seats - Polypropylene	86"	UFRD58/PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	331.0#	\$ 2351	\$ 2468	\$ 2636	\$ 175
	• Unitized all-steel frames provide superior stability and durability													
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning													
	• Available in 8-stool model only													
	• Storage lock standard for added safety													
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly													
	• Listed to applicable UL standards and requirements by Underwriters Laboratories, Inc													
	• Dimensions include overall depth and width of table and seating													
	• Diameter of top is 60"													
			A	B	C	D	E	F	G					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

• The absence of the ☐ indicates that no choice is required.

• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.
- B** Select edge style.

BN

- Flat vinyl T-edge

73P

- 3/4" 73P edge

PR

- Perfect edge
- C** Select height.

27

- 27" high

29

- 29" high
- D** Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- E** Select surface edge color.

Refer to the **Product Color Options** page in this price list.
- Edge color offerings are based on edge style selections.

F Select stool color - Polypropylene (PY).

Refer to the **Product Color Options** page in this price list.
- G** Select frame color.

Refer to the **Product Color Options** page in this price list.

(BL) Std-no upcharge, all other colors have\$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

- Additional Laminate Offering**
- Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:
- Formica - LF/supplier's color pattern code

Nevamar - LN/supplier's color pattern code

Pionite - LP/supplier's color pattern code

Wilsonart - LW/supplier's color pattern code
- KI's standard finish is the supplier's recommended finish for that color/pattern.

INFORMATION

- Polypropylene Stool**
- High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight excluded**. Freight class 200.

Specifications and prices are subject to change without prior notice.





Uniframe® Round Tables with Seating (Freight Excluded)

Round Table with Stool Seats



Uniframe® Round Tables with Seating (Freight Excluded)

Round Table with Stool Seats

MODEL	DIA	MODEL NUMBER							Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
		Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color					
 UFRDT	86"	UFRD58/CX	□□□	□□	□□□	□□□	□□□	□□	331.0#	\$ 2565	\$ 2693	\$ 2852	\$ 175
		A	B	C	D	E	F	G					

- Round Table with Stool Seats - Thermoset Hard Plastic**
- Unitized all-steel frames provide superior stability and durability
 - KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning
 - Available in 8-stool model only
 - Storage lock standard for added safety
 - Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly
 - Listed to applicable UL standards and requirements by Underwriters Laboratories, Inc
 - Dimensions include overall depth and width of table and seating
 - Diameter of top is 60"

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B** Select edge style.
- | | |
|------------|---------------------|
| BN | - Flat vinyl T-edge |
| 73P | - 3/4" 73P edge |
| PR | - Perfect edge |
- C** Select height.
- | | |
|-----------|------------|
| 27 | - 27" high |
| 29 | - 29" high |
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select surface edge color.
Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

- F** Select stool color - Thermoset Hard Plastic (CX).
Refer to the **Product Color Options** page in this price list.
- G** Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight excluded**. Freight class 200.

Specifications and prices are subject to change without prior notice.





Uniframe® Round Tables with Seating (Delivered)

Round Table with Split Benches



Uniframe® Round Tables with Seating (Delivered)

Round Table with Split Benches

	MODEL	DIA	MODEL NUMBER								Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color					
 UFRDS	Round Table with Split Benches	81"	UFRD5SB	□□□	□□	□□□	□□□	□□□□	□□□□	□□	335.0#	\$ 3663	\$ 3847	\$ 4445	\$ 206
	• Unitized all-steel frames provide superior stability and durability														
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning														
	• Storage lock standard for added safety														
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly														
	• Listed to applicable UL standards and requirements by Underwriters Laboratories, Inc														
	• Dimensions include overall depth and width of table and seating; Diameter of top is 60"														
			A	B	C	D	E	F	G	H					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The □ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

B Select edge style.

BN

- Flat vinyl T-edge

73P

- 3/4" 73P edge

PR

- Perfect edge

C Select height.

27

- 27" high

29

- 29" high

D Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

E Select surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

F Select bench surface.

Refer to the **Product Color Options** page in this price list.

G Select bench edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

H Select frame color.

Refer to the **Product Color Options** page in this price list.

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 200.

Specifications and prices are subject to change without prior notice.





Uniframe® Round Tables with Seating (Delivered)

Round Table with Stool Seats



Uniframe® Round Tables with Seating (Delivered)

Round Table with Stool Seats

	MODEL	DIA	MODEL NUMBER							Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color					
 UFRDP	Round Table with Stool Seats - Polypropylene	86"	UFRD58/PY	□□□	□□	□□□□	□□□	□□□□	□□	331.0#	\$ 2986	\$ 3136	\$ 3351	\$ 206
	• Unitized all-steel frames provide superior stability and durability													
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning													
	• Available in 8-stool model only													
	• Storage lock standard for added safety													
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly													
	• Listed to applicable UL standards and requirements by Underwriters Laboratories, Inc													
	• Dimensions include overall depth and width of table and seating													
	• Diameter of top is 60"													
			A	B	C	D	E	F	G					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.

B Select edge style.

BN

- Flat vinyl T-edge

73P

- 3/4" 73P edge

PR

- Perfect edge

C Select height.

27

- 27" high

29

- 29" high

D Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

E Select surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

F Select stool color - Polypropylene (PY).

Refer to the **Product Color Options** page in this price list.

G Select frame color.

Refer to the **Product Color Options** page in this price list.

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 200.

Specifications and prices are subject to change without prior notice.





Uniframe® Round Tables with Seating (Delivered)

Round Table with Stool Seats



Uniframe® Round Tables with Seating (Delivered)

Round Table with Stool Seats

	MODEL	DIA	MODEL NUMBER							Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color					
 UFRDT	Round Table with Stool Seats - Thermoset Hard Plastic	86"	UFRD58/CX	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	331.0#	\$ 3259	\$ 3420	\$ 3624	\$ 206
	• Unitized all-steel frames provide superior stability and durability													
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning													
	• Available in 8-stool model only													
	• Storage lock standard for added safety													
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly													
	• Listed to applicable UL standards and requirements by Underwriters Laboratories, Inc													
	• Dimensions include overall depth and width of table and seating													
	• Diameter of top is 60"													
			A	B	C	D	E	F	G					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B** Select edge style.

BN

- Flat vinyl T-edge

73P

- 3/4" 73P edge

PR

- Perfect edge
- C** Select height.

27

- 27" high

29

- 29" high
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select surface edge color.
Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

- F** Select stool color - Thermoset Hard Plastic (CX).
Refer to the **Product Color Options** page in this price list.
- G** Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 200.

Specifications and prices are subject to change without prior notice.

Uniframe® Tables without Seating

General Information



Uniframe® Tables without Seating

General Information



Rectangular Table (UFRT12)



Round Table (UFRD5)



Oval Table (UFOV66)


Features			
Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P edge	•	•	•
Perfect edge	•	•	•
27" height	•	•	•
29" height	•	•	•



Bullnose Edge



73P Edge



Perfect Edge



T-Style Leg



Square Table (UFSQ4)



Hexagonal Table (UFHX4)



Octagonal Table (UFOC5)



Stand-Up Table (UFSU5)

Features			
Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P edge	•	•	•
Perfect edge	•	•	•
27" height	•	•	•
29" height	•	•	•
42" height			•

SPECIFICATIONS

Lift Mechanism

Rectangular tables fold and open in one fluid motion, assisted by a torsional energy storage system. This ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling.

Shaped tables fold in one fluid motion without pneumatic or torsional energy assistance. Safety lock engages in the semi-open position to halt downward movement. Safety lock can be released from either side of the table.

Tops

Table tops are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bull-nose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames for Rectangular Tables without Seating

Table frames are fabricated using a welded

unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. End leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" x 2" 14-gauge bottom tube. Center leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" round 14-gauge bottom tube. Center hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frames for Shaped Tables without Seating

Table frame is fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge angle steel, pierced to securely anchor the tops. Leg weldments are robotically wire-welded. Leg consists of 1" x 2" 14-gauge vertical tube and bottom tube, 1" round

14-gauge top tube and two support gussets for added strength. Center hinge plates are 7-gauge steel. Stretcher bars are 1" 7-gauge steel. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks for Rectangular Tables

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly.

KI's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Locks for Shaped Tables

Gravity lock with spring assist constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Safety lock engages in a semi-open position to halt downward opening movement. Release of gravity lock is possible from either side of the table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of table top when table is in the open position. Casters are self-lubricating.

General


Tables ship fully assembled. Rectangular tables without seating are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com


DIMENSIONS-Rectangular Tables without Seating



Model #	A	B	C	D	E	F
UFRT12/29	139.5"	30"	29"	79.75"	33.5"	28.0"
UFRT12/27	139.5"	30"	27"	77.75"	33.5"	28.0"
UFRT10/29	120"	30"	29"	71.75"	33.5"	28.0"
UFRT10/27	120"	30"	27"	69.75"	33.5"	28.0"
UFRT08/29	96"	30"	29"	61.75"	33.5"	28.0"
UFRT08/27	96"	30"	27"	59.75"	33.5"	28.0"
WAUFRT12	139.5"	30"	31"	81.75"	33.5"	28.0"
WAUFRT10	120"	30"	31"	73.75"	33.5"	28.0"
WAUFRT08	96"	30"	31"	63.75"	33.5"	28.0"



DIMENSIONS-Shaped Mobile Tables Without Seating



Model #	A	B	C	D	E	F	G	H
UFRD6/29	72"	72"		29"	42.5"	40.75"	12.0"	37.0"
UFRD6/27	72"	72"		27"	42.5"	38.75"	12.0"	37.0"
UFRD5/29	60"	60"		29"	42.5"	40.75"	12.0"	37.0"
UFRD5/27	60"	60"		27"	42.5"	38.75"	12.0"	37.0"
UFRD4/29	48"	48"		29"	42.5"	40.75"	12.0"	37.0"
UFRD4/27	48"	48"		27"	42.5"	38.75"	12.0"	37.0"
UFOV72/29	72"	60"		29"	42.5"	40.75"	12.0"	37.0"
UFOV72/27	72"	60"		27"	42.5"	38.75"	12.0"	37.0"
UFOV66/29	66"	60"		29"	42.5"	40.75"	12.0"	37.0"
UFOV66/27	66"	60"		27"	42.5"	38.75"	12.0"	37.0"
UFSQ4/29	48"	48"		29"	42.5"	40.75"	12.0"	37.0"
UFSQ4/27	48"	48"		27"	42.5"	38.75"	12.0"	37.0"
UFHX4/29	56"	48"	24.5"	29"	42.5"	40.75"	12.0"	37.0"
UFHX4/27	56"	48"	24.5"	27"	42.5"	38.75"	12.0"	37.0"
UFOC5/29	60"	60"	24.5"	29"	42.5"	40.75"	12.0"	37.0"
UFOC5/27	60"	60"	24.5"	27"	42.5"	38.75"	12.0"	37.0"
UFSU5/42	60"	60"		42"	42.5"	53.75"	12.0"	37.0"
UFSU4/42	48"	48"		42"	42.5"	53.75"	12.0"	37.0"
WAUFRD6	72"	72"		31"	42.5"	42.75"	12.0"	37.0"
WAUFRD5	60"	60"		31"	42.5"	42.75"	12.0"	37.0"
WAUFRD4	48"	48"		31"	42.5"	42.75"	12.0"	37.0"
WAUFOV72	72"	69"		31"	42.5"	42.75"	12.0"	37.0"
WAUFOV66	66"	60"		31"	42.5"	42.75"	12.0"	37.0"
WAUFSQ4	48"	48"		31"	42.5"	42.75"	12.0"	37.0"
WAUFHX4	56"	48"		31"	42.5"	42.75"	12.0"	37.0"
WAUFOC5	60"	60"		31"	42.5"	42.75"	12.0"	37.0"

A

B

©

D

E

F

Specifications and prices are subject to change without prior notice.





Uniframe® Tables without Seating (Freight Excluded)

Round Table



Uniframe® Tables without Seating (Freight Excluded)

Round Table

	MODEL	DIA	MODEL NUMBER						Approx. Packaged Weight				Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color		Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	
 UFRDN	Round Table - Without Seating	48"	UFRD4	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	98.0#	\$ 1198	\$ 1257	\$ 1405	\$ 33
	• Unitized all-steel frames provide superior stability and durability	60"	UFRD5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	132.0#	1265	1329	1473	36
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning	72"	UFRD6	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	158.0#	1702	1787	2099	37
	• Storage lock standard for added safety												
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly												
	• Safety lock engages in a semi-open position to halt downward opening movement												
	• T-leg design furnishes maximum leg room and seating capacity												
	• Dimensions include overall depth and width of table												
	• Ideal for multi-purpose seating												

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B** Select edge style.

BN

- Flat vinyl T-edge

73P

- 3/4" 73P edge

PR

- Perfect edge
- C** Select height.

27

- 27" high

29

- 29" high
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select surface edge color.
Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

F Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight excluded**. Freight class 150.

Specifications and prices are subject to change without prior notice.





Uniframe® Tables without Seating (Freight Excluded)

Oval Table



Uniframe® Tables without Seating (Freight Excluded)

Oval Table

	MODEL	D x L	MODEL NUMBER						Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color					
 UFOVN	Oval Table - Without Seating	60 x 66"	UFOV66	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	143.0#	\$ 1494	\$ 1569	\$ 1779	\$ 33
	<ul style="list-style-type: none">Unitized all-steel frames provide superior stability and durability	60 x 72"	UFOV72	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	151.0#	1550	1631	1875	37
	<ul style="list-style-type: none">KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning												
	<ul style="list-style-type: none">Storage lock standard for added safety												
	<ul style="list-style-type: none">Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly												
	<ul style="list-style-type: none">Safety lock engages in a semi-open position to halt downward opening movement												
	<ul style="list-style-type: none">T-leg design furnishes maximum leg room and seating capacity												
	<ul style="list-style-type: none">Dimensions include overall depth and width of table												
	<ul style="list-style-type: none">Ideal for multi-purpose seating												
			A	B	C	D	E	F					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B** Select edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge
- C** Select height.
27 - 27" high
29 - 29" high
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select surface edge color.
Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

- F** Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight excluded**. Freight class 150.

Specifications and prices are subject to change without prior notice.





Uniframe® Tables without Seating (Freight Excluded)

Square Table



Uniframe® Tables without Seating (Freight Excluded)

Square Table

	MODEL	D x W	MODEL NUMBER						Approx. Packaged Weight				Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color		Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	
 UFSQN	Square Table - Without Seating <ul style="list-style-type: none">• Unitized all-steel frames provide superior stability and durability• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning• Storage lock standard for added safety• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly• Safety lock engages in a semi-open position to halt downward opening movement• T-leg design furnishes maximum leg room and seating capacity• Dimensions include overall depth and width of table• Ideal for multi-purpose seating	48 x 48"	UFSQ4	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	108.0#	\$ 1139	\$ 1198	\$ 1348	\$ 38
			A	B	C	D	E	F					

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B** Select edge style.
- | | |
|------------|---------------------|
| BN | - Flat vinyl T-edge |
| 73P | - 3/4" 73P edge |
| PR | - Perfect edge |
- C** Select height.
- | | |
|-----------|------------|
| 27 | - 27" high |
| 29 | - 29" high |
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select surface edge color.
Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

F Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight excluded**. Freight class 150.

Specifications and prices are subject to change without prior notice.





Uniframe® Tables without Seating (Freight Excluded)

Hexagonal Table



Uniframe® Tables without Seating (Freight Excluded)

Hexagonal Table

	MODEL	DIA	MODEL NUMBER						Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color					
 UFHXN	Hexagonal Table - Without Seating	48"	UFHX4	□□□	□□	□□□	□□□	□□	101.0#	\$ 1265	\$ 1329	\$ 1473	\$ 36
	• Unitized all-steel frames provide superior stability and durability												
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning												
	• Storage lock standard for added safety												
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly												
	• Safety lock engages in a semi-open position to halt downward opening movement												
	• T-leg design furnishes maximum leg room and seating capacity												
	• Dimensions include overall depth and width of table												
	• Ideal for multi-purpose seating												
			A	B	C	D	E	F					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B** Select edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge
- C** Select height.
27 - 27" high
29 - 29" high
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select surface edge color.
Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

F Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight excluded**. Freight class 150.

Specifications and prices are subject to change without prior notice.





Uniframe® Tables without Seating (Freight Excluded)

Octagonal Table



Uniframe® Tables without Seating (Freight Excluded)

Octagonal Table

	MODEL	DIA	MODEL NUMBER						Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color					
 UFOCN	Octagonal Table - Without Seating	60"	UFOC5	□□□	□□	□□□	□□□	□□	134.0#	\$ 1306	\$ 1370	\$ 1526	\$ 45
	• Unitized all-steel frames provide superior stability and durability												
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning												
	• Storage lock standard for added safety												
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly												
	• Safety lock engages in a semi-open position to halt downward opening movement												
	• T-leg design furnishes maximum leg room and seating capacity												
	• Dimensions include overall depth and width of table												
	• Ideal for multi-purpose seating												
			A	B	C	D	E	F					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The □ indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B** Select edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge
- C** Select height.
27 - 27" high
29 - 29" high
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select surface edge color.
Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

F Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight excluded**. Freight class 150.

Specifications and prices are subject to change without prior notice.





Uniframe® Tables without Seating (Freight Excluded)

Round Stand-up Height Table



Uniframe® Tables without Seating (Freight Excluded)

Round Stand-up Height Table

	MODEL	DIA	MODEL NUMBER						Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color					
 UFRDU	Round Stand-up Height Table - Without Seating	48"	UFSU4	□□□	42	□□□	□□□	□□	109.0#	\$ 1329	\$ 1395	\$ 1531	\$ 33
		60"	UFSU5	□□□	42	□□□	□□□	□□	129.0#	1398	1467	1596	31
	• Unitized all-steel frames provide superior stability and durability												
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning												
	• Storage lock standard for added safety												
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly												
	• Safety lock engages in a semi-open position to halt downward opening movement												
	• T-leg design furnishes maximum leg room and seating capacity												
			A	B	C	D	E	F					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The □ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B**Select edge style.

BN	- Flat vinyl T-edge
73P	- 3/4" 73P edge
PR	- Perfect edge
- C**Select height.

42	- 42" high
-----------	------------
- D**Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- E**Select surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style
- selections.

FSelect frame color.

Refer to the **Product Color Options** page in this price list.

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight excluded**. Freight class 150.

Specifications and prices are subject to change without prior notice.

A

B

©

D

E

F

Specifications and prices are subject to change without prior notice.

A

B

C

④

E

F

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

- B** Select edge style.

BN	- Flat vinyl T-edge
73P	- 3/4" 73P edge
PR	- Perfect edge

- C** Select height

27	- 27" high
29	- 29" high

- D** Select surface finish.

Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

- E** Select surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

- F** Select frame color.

Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Specifications and prices are subject to change without prior notice.

A

B

©

D

E

F

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

- B** Select edge style.
- | | |
|------------|---------------------|
| BN | - Flat vinyl T-edge |
| 73P | - 3/4" 73P edge |
| PR | - Perfect edge |

- C** Select height.
- | | |
|----|------------|
| 27 | - 27" high |
| 29 | - 29" high |

- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

- E** Select surface edge color.
Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

- F** Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 150.

Specifications and prices are subject to change without prior notice.





Uniframe® Tables without Seating (Delivered)

Square Table



Uniframe® Tables without Seating (Delivered)

Square Table

	MODEL	D x W	MODEL NUMBER						Approx. Packaged Weight				Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color					
 UFSQN	Square Table - Without Seating	48 x 48"	UFSQ4	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	108.0#	\$ 1337	\$ 1404	\$ 1582	\$ 46
	• Unitized all-steel frames provide superior stability and durability												
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning												
	• Storage lock standard for added safety												
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly												
	• Safety lock engages in a semi-open position to halt downward opening movement												
	• T-leg design furnishes maximum leg room and seating capacity												
	• Dimensions include overall depth and width of table												
	• Ideal for multi-purpose seating												
			A	B	C	D	E	F					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B** Select edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge
- C** Select height.
27 - 27" high
29 - 29" high
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select surface edge color.
Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

- F** Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 150.

Specifications and prices are subject to change without prior notice.





Uniframe® Tables without Seating (Delivered)

Hexagonal Table



Uniframe® Tables without Seating (Delivered)

Hexagonal Table

	MODEL	DIA	MODEL NUMBER						Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color					
 UFHXN	Hexagonal Table - Without Seating	48"	UFHX4	□□□	□□	□□□	□□□	□□	101.0#	\$ 1484	\$ 1559	\$ 1728	\$ 43
	• Unitized all-steel frames provide superior stability and durability												
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning												
	• Storage lock standard for added safety												
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly												
	• Safety lock engages in a semi-open position to halt downward opening movement												
	• T-leg design furnishes maximum leg room and seating capacity												
	• Dimensions include overall depth and width of table												
	• Ideal for multi-purpose seating												
			A	B	C	D	E	F					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B** Select edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge
- C** Select height.
27 - 27" high
29 - 29" high
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select surface edge color.
Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

F Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 150.

Specifications and prices are subject to change without prior notice.





Uniframe® Tables without Seating (Delivered)

Octagonal Table



Uniframe® Tables without Seating (Delivered)

Octagonal Table

	MODEL	DIA	MODEL NUMBER						Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color					
 UFOCN	Octagonal Table - Without Seating	60"	UFOC5	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	134.0#	\$ 1531	\$ 1608	\$ 1787	\$ 53
	• Unitized all-steel frames provide superior stability and durability												
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning												
	• Storage lock standard for added safety												
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly												
	• Safety lock engages in a semi-open position to halt downward opening movement												
	• T-leg design furnishes maximum leg room and seating capacity												
	• Dimensions include overall depth and width of table												
	• Ideal for multi-purpose seating												
			A	B	C	D	E	F					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B** Select edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge
- C** Select height.
27 - 27" high
29 - 29" high
- D** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E** Select surface edge color.
Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

- F** Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 150.

Specifications and prices are subject to change without prior notice.





Uniframe® Tables without Seating (Delivered)

Round Stand-up Height Table



Uniframe® Tables without Seating (Delivered)

Round Stand-up Height Table

	MODEL	DIA	MODEL NUMBER						Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color					
 UFRDU	Round Stand-up Height Table - Without Seating	48"	UFSU4	□□□	42	□□□	□□□	□□	109.0#	\$ 1559	\$ 1638	\$ 1793	\$ 40
		60"	UFSU5	□□□	42	□□□	□□□	□□	129.0#	1640	1723	1871	37
	• Unitized all-steel frames provide superior stability and durability												
	• KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning												
	• Storage lock standard for added safety												
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly												
	• Safety lock engages in a semi-open position to halt downward opening movement												
	• T-leg design furnishes maximum leg room and seating capacity												
			A	B	C	D	E	F					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

B Select edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

C Select height.
42 - 42" high

D Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

E Select surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style
- selections.

F Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 150.

Specifications and prices are subject to change without prior notice.

Uniframe® Wheelchair Accessible Tables with Seating

General Information



Uniframe® Wheelchair Accessible Tables with Seating

General Information



Wheelchair Accessible Tables w/Benches (WAUF12BE)



Wheelchair Accessible Tables w/Stools (WAUF126)

Features		
Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
31-3/4" height	•	•



Bullnose Edge



73P Edge



Perfect Edge

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-on-ly assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Benches

Bench supports are robotically welded steel

construction of 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Benches are secured to steel plates with deep thread screws. There shall be three plates for each full bench. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core

and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" OD 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant.

Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is gravity operated for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Casters

Large 4" diameter heavy-duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the end of the bench unit or outermost stool when in the

open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of four per table.


General

Tables ship fully assembled. Tables are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION

Warranty





Refer to KI Terms & Conditions document or visit ki.com



UWRCB

Wheelchair Accessible Rectangular Table with Benches

- Height to top of surface is 31-3/4"
- 31" clearance from floor to underside of table
- Full bench
- Storage lock standard for added safety
- Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly
- Listed to applicable UL standards and requirements Underwriters Laboratories, Inc
- Dimensions include overall depth and width of table and seating

		MODEL NUMBER													
MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color	Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price	
 UWRCB	Wheelchair Accessible Rectangular Table with Benches	WAUF12BE	□□□	31	□□□	□□□	□□□□	□□□□	□□	309.0#	\$ 2482	\$ 2736	\$ 3036	\$ 175	
	• Height to top of surface is 31-3/4"														
	• 31" clearance from floor to underside of table														
	• Full bench														
	• Storage lock standard for added safety														
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly														
	• Listed to applicable UL standards and requirements Underwriters Laboratories, Inc														
	• Dimensions include overall depth and width of table and seating														
		A	B	C	D	E	F	G	H						

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

A Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

B Select edge style.

BN	- Flat vinyl T-edge
73P	- 3/4" 73P edge
PR	- Perfect edge

D Select surface finish.
Refer to the **Product Color Options** page in the price list.
Surface finish offerings are based on edge style selections.

E Select surface edge color.
Refer to the **Product Color Options** page in the price list.
Edge color offerings are based on edge style

F Select bench surface.
Refer to the **Product Color Options** page in this price list.

G Select bench edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

H Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KL's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 200.





Specifications and prices are subject to change without prior notice.

Uniframe® Wheelchair Accessible Tables with Seating (Freight Excluded)

Rectangular Table with Stool Seats

Uniframe® Wheelchair Accessible Tables with Seating (Freight Excluded)

Rectangular Table with Stool Seats

		MODEL NUMBER												
		Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color						Chrome Upcharge add to list price
MODEL	D x W									Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	
 UWRCP	WA Rectangular Table with Stool Seats - Polypropylene	60-1/2 x 139-1/2"	WAUF126/PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	312.0#	\$ 2846	\$ 2990	\$ 3135	\$ 199
		60-1/2 x 139-1/2"	WAUF128/PY	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	316.0#	2949	3095	3245	199
	• Height to top of surface is 31-3/4"													
	• 31" clearance from floor to underside of table													
	• Polypropylene stool seats													
	• Storage lock standard for added safety													
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly													
	• Listed to applicable UL standards and requirements Underwriters Laboratories, Inc													
	• Dimensions include overall depth and width of table and seating													
			A	B	C	D	E	F	G					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

BN	- Flat vinyl T-edge
73P	- 3/4" 73P edge
PR	- Perfect edge

CSelect height.

31	- 31" high
-----------	------------

DSelect surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

ESelect surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style
- selections.

FSelect stool color - Polypropylene (PY).

Refer to the **Product Color Options** page in this price list.

GSelect frame color.

Refer to the **Product Color Options** page in this price list.

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavy-duty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight excluded.** Freight class 200.





Specifications and prices are subject to change without prior notice.

Uniframe® Wheelchair Accessible Tables with Seating (Freight Excluded)

Rectangular Table with Stool Seats

Uniframe® Wheelchair Accessible Tables with Seating (Freight Excluded)

Rectangular Table with Stool Seats

		MODEL NUMBER												
		Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color						Chrome Upcharge add to list price
MODEL	D x W									Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	
 UWRCT	WA Rectangular Table w/Stools - Thermoset Hard Plastic	60-1/2 x 139-1/2"	WAUF126/CX	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	312.0#	\$ 2972	\$ 3121	\$ 3264	\$ 199
		60-1/2 x 139-1/2"	WAUF128/CX	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	316.0#	3125	3284	3422	199
			A	B	C	D	E	F	G					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B** Select edge style.

BN	- Flat vinyl T-edge
73P	- 3/4" 73P edge
PR	- Perfect edge
- C** Select height.

31	- 31" high
-----------	------------
- D** Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- E** Select surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style
- selections.
- F** Select stool color - Thermoset Hard Plastic (CX).

Refer to the **Product Color Options** page in this price list.
- G** Select frame color.

Refer to the **Product Color Options** page in this price list.

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight excluded.** Freight class 200.

Specifications and prices are subject to change without prior notice.





Uniframe® Wheelchair Accessible Tables with Seating (Delivered)

Rectangular Table with Benches



Uniframe® Wheelchair Accessible Tables with Seating (Delivered)

Rectangular Table with Benches

			MODEL NUMBER												
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color	Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
 UWRCB	Wheelchair Accessible Rectangular Table with Benches <ul style="list-style-type: none">• Height to top of surface is 31-3/4"• 31" clearance from floor to underside of table• Full bench• Storage lock standard for added safety• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly• Listed to applicable UL standards and requirements Underwriters Laboratories, Inc• Dimensions include overall depth and width of table and seating	56-1/2 x 139-1/2"	WAUF12BE	□□□	31	□□□	□□□	□□□□	□□□□	□□	309.0#	\$ 2911	\$ 3210	\$ 3560	\$ 206
			A	B	C	D	E	F	G	H					

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

BN

- Flat vinyl T-edge

73P

- 3/4" 73P edge

PR

- Perfect edge

CSelect height.

31

- 31" high

DSelect surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

ESelect surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style

selections.

FSelect bench surface.
Refer to the **Product Color Options** page in this price list.

GSelect bench edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

HSelect frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 200.

Specifications and prices are subject to change without prior notice.

[illegible]

Specifications and prices are subject to change without prior notice.





Uniframe® Wheelchair Accessible Tables with Seating (Delivered)

Rectangular Table with Stool Seats



Uniframe® Wheelchair Accessible Tables with Seating (Delivered)

Rectangular Table with Stool Seats

		MODEL NUMBER												
		Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color						Chrome Upcharge add to list price
MODEL	D x W									Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	
 UWRCT	WA Rectangular Table w/Stools - Thermoset Hard Plastic	60-1/2 x 139-1/2"	WAUF126/CX	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	312.0#	\$ 3487	\$ 3661	\$ 3827	\$ 235
		60-1/2 x 139-1/2"	WAUF128/CX	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	316.0#	3665	3851	4012	235
	• Height to top of surface is 31-3/4"													
	• 31" clearance from floor to underside of table													
	• Thermoset Hard Plastic stool seats													
	• Storage lock standard for added safety													
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly													
	• Listed to applicable UL standards and requirements Underwriters Laboratories, Inc													
	• Dimensions include overall depth and width of table and seating													
			A	B	C	D	E	F	G					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B**Select edge style.

BN	- Flat vinyl T-edge
73P	- 3/4" 73P edge
PR	- Perfect edge
- C**Select height.

31	- 31" high
-----------	------------
- D**Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- E**Select surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style
- selections.
- F**Select stool color - Thermoset Hard Plastic (CX).

Refer to the **Product Color Options** page in this price list.
- G**Select frame color.

Refer to the **Product Color Options** page in this price list.

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 200.

Specifications and prices are subject to change without prior notice.

Uniframe® Wheelchair Accessible Tables without Seating

General Information



Uniframe® Wheelchair Accessible Tables without Seating

General Information



WA Rectangular Table
(WAUFRT12)



WA Round Table
(WAUFRD5)




WA Oval Table
(WAUFOV66)

Features			
Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P Edge	•	•	•
Perfect Edge	•	•	•
31-3/4" height	•	•	•



Bullnose Edge



73P Edge



Perfect Edge



T-Style Leg



WA Square Table
(WAUFSQ4)



WA Hexagonal Table
(WAUFHX4)



WA Octagonal Table
(WAUFOC5)

Features			
Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P Edge	•	•	•
Perfect Edge	•	•	•
31-3/4" height	•	•	•

SPECIFICATIONS

Lift Mechanism

Rectangular tables fold and open in one fluid motion, assisted by a torsional energy storage system. This ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling.

Shaped tables fold in one fluid motion without pneumatic or torsional energy assistance. Safety lock engages in the semi-open position to halt downward movement. Safety lock can be released from either side of the table.

Tops

Table tops are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bull-nose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat polypropylene edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames for Rectangular Tables without Seating

Table frames are fabricated using a welded

unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. End leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" x 2" 14-gauge bottom tube. Center leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" round 14-gauge bottom tube. Center hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frames for Shaped Tables without Seating

Table frame is fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge angle steel, pierced to securely anchor the tops. Leg weldments are robotically wire-welded. Leg consists of 1" x 2" 14-gauge vertical tube and bottom tube, 1" round

14-gauge top tube and two support gussets for added strength. Center hinge plates are 7-gauge steel. Stretcher bars are 1" 7-gauge steel. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks for Rectangular Tables

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly.

KI's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Locks for Shaped Tables

Gravity lock with spring assist constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Safety lock engages in a semi-open position to halt downward opening movement. Release of gravity lock is possible from either side of the table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of table top when table is in the open position. Casters are self-lubricating.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of ABS plastic material are standard. Set of four per table.

General

Tables ship fully assembled. Rectangular tables without seating are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

B Select edge style.

BN	- Flat vinyl T-edge
73P	- 3/4" 73P edge
PR	- Perfect edge

C Select height.
31 - 31" high

D Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

E Select surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style

F Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight excluded. Freight class 150.





Specifications and prices are subject to change without prior notice.

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)

Round Table

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)

Round Table

		MODEL NUMBER										
												
MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price
 UWRDN	48"	WAUFRD4	□□□	31	□□□	□□□	□□	89.0#	\$ 1212	\$ 1271	\$ 1425	\$ 37
	60"	WAUFRD5	□□□	31	□□□	□□□	□□	115.0#	1289	1352	1500	33
	72"	WAUFRD6	□□□	31	□□□	□□□	□□	149.0#	1726	1812	2121	31
			A	B	C	D	E	F				

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

B Select edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

C Select height.
31 - 31" high

D Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

E Select surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style
- selections.

F Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight excluded**. Freight class 150.





Specifications and prices are subject to change without prior notice.

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)

Oval Table

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)

Oval Table

		MODEL NUMBER										
		Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight				Chrome Upcharge add to list price
 UWOVN	MODEL											
	D x L											
	Wheelchair Accessible Oval Table - Without Seating	WAUFOV66	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	132.0#	\$ 1509	\$ 1586	\$ 1797	\$ 32
		WAUFOV72	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	140.0#	1573	1653	1894	31
		A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B** Select edge style.

BN

- Flat vinyl T-edge

73P

- 3/4" 73P edge

PR

- Perfect edge
- C** Select height.

31

- 31" high
- D** Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- E** Select surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style
- selections.

F Select frame color.

Refer to the **Product Color Options** page in this price list.

(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight excluded**. Freight class 150.





Specifications and prices are subject to change without prior notice.

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)

Square Table

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)

Square Table

			MODEL NUMBER										
MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price	
 UWSQN	Wheelchair Accessible Square Table - Without Seating	48 X 48"	WAUFSQ4	□□□	31	□□□	□□□	□□	102.0#	\$ 1158	\$ 1216	\$ 1366	\$ 43
	• Storage lock standard for added safety												
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly												
	• Safety lock engages in a semi-open position to halt downward opening movement												
	• T-leg design furnishes maximum leg room and seating capacity												
	• Height to top of surface is 31-3/4"												
	• 31" clearance from floor to underside of table												
			A	B	C	D	E	F					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

B Select edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

C Select height.
31 - 31" high

D Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

E Select surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style

selections.

F Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight excluded**. Freight class 150.





Specifications and prices are subject to change without prior notice.

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)

Hexagonal Table

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)

Hexagonal Table

	MODEL	DIA	MODEL NUMBER						Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color					
 UWHXN	Wheelchair Accessible Hexagonal Table - Without Seating	48"	WAUFHX4	□□□	31	□□□	□□□	□□	94.0#	\$ 1289	\$ 1352	\$ 1500	\$ 33
	• Storage lock standard for added safety												
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly												
	• Safety lock engages in a semi-open position to halt downward opening movement												
	• T-leg design furnishes maximum leg room and seating capacity												
	• Height to top of surface is 31-3/4"												
	• 31" clearance from floor to underside of table												
			A	B	C	D	E	F					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

CSelect height.
31 - 31" high

DSelect surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

ESelect surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style
- selections.

FSelect frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight excluded**. Freight class 150.





Specifications and prices are subject to change without prior notice.

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)

Octagonal Table

Uniframe® Wheelchair Accessible Tables without Seating (Freight Excluded)

Octagonal Table

	MODEL	DIA	MODEL NUMBER						Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color					
 UWOCN	Wheelchair Accessible Octagonal Table - Without Seating	60"	WAUFOC5	□□□	31	□□□	□□□	□□	140.0#	\$ 1332	\$ 1397	\$ 1543	\$ 43
	• Storage lock standard for added safety												
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly												
	• Safety lock engages in a semi-open position to halt downward opening movement												
	• T-leg design furnishes maximum leg room and seating capacity												
	• Height to top of surface is 31-3/4"												
	• 31" clearance from floor to underside of table												
			A	B	C	D	E	F					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

CSelect height.
31 - 31" high

DSelect surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

ESelect surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style
- selections.
- F**Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$14 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

- Additional Laminate Offering**
Additional laminates are available with two weeks extended leadtime and a \$70 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:
- Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code
- KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking





With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight excluded.** Freight class 150.

Specifications and prices are subject to change without prior notice.

Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

Rectangular Table

		MODEL NUMBER										
		Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
 UWRCN	MODEL											
	Wheelchair Accessible Rectangular Table - Without Seating											
	• Storage lock standard for added safety											
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly											
	• Listed to applicable UL standards and requirements Underwriters Laboratories, Inc											
	• T-leg design furnishes maximum leg room and seating capacity											
	• Height to top of surface is 31-3/4"											
	• 31" clearance from floor to underside of table											
			A	B	C	D	E	F				

KI Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

Rectangular Table

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B**Select edge style.

BN

- Flat vinyl T-edge

73P

- 3/4" 73P edge

PR

- Perfect edge
- C**Select height.

31

- 31" high
- D**Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- E**Select surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style
- selections.

FSelect frame color.

Refer to the **Product Color Options** page in this price list.

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 150.

Specifications and prices are subject to change without prior notice.

Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

Round Table

		MODEL NUMBER											
		Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price	
 UWRDN	MODEL	DIA											
	Wheelchair Accessible Round Table - Without Seating	48"	WAUFRD4	□□□	31	□□□	□□□	□□	89.0#	\$ 1423	\$ 1492	\$ 1673	\$ 44
	<ul style="list-style-type: none">• Storage lock standard for added safety• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly• Safety lock engages in a semi-open position to halt downward opening movement• T-leg design furnishes maximum leg room and seating capacity• Height to top of surface is 31-3/4"• 31" clearance from floor to underside of table	60"	WAUFRD5	□□□	31	□□□	□□□	□□	115.0#	1511	1588	1758	40
		72"	WAUFRD6	□□□	31	□□□	□□□	□□	149.0#	2024	2125	2489	37

KI Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

Round Table

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

BN

- Flat vinyl T-edge

73P

- 3/4" 73P edge

PR

- Perfect edge

CSelect height.

31

- 31" high

DSelect surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

ESelect surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style

selections.

FSelect frame color.

Refer to the **Product Color Options** page in this price list.

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 150.

Specifications and prices are subject to change without prior notice.





Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

Oval Table



Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

Oval Table

		MODEL NUMBER										
		Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
 UWOVN	Wheelchair Accessible Oval Table - Without Seating	60 x 66"	WAUFOV66	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	132.0#	\$ 1772	\$ 1861	\$ 2108	\$ 38
		60 x 72"	WAUFOV72	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	140.0#	1846	2009	2216	37
	• Storage lock standard for added safety											
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly											
	• Safety lock engages in a semi-open position to halt downward opening movement											
	• T-leg design furnishes maximum leg room and seating capacity											
	• Height to top of surface is 31-3/4"											
	• 31" clearance from floor to underside of table											
			A	B	C	D	E	F				

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

B Select edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

C Select height.
31 - 31" high

D Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

E Select surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style
- selections.

F Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 150.

Specifications and prices are subject to change without prior notice.





Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

Square Table



Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

Square Table

	MODEL	D x W	MODEL NUMBER						Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color					
 UWSQN	Wheelchair Accessible Square Table - Without Seating	48 X 48"	WAUFSQ4	□□□	31	□□□	□□□	□□	102.0#	\$ 1356	\$ 1427	\$ 1602	\$ 49
	• Storage lock standard for added safety												
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly												
	• Safety lock engages in a semi-open position to halt downward opening movement												
	• T-leg design furnishes maximum leg room and seating capacity												
	• Height to top of surface is 31-3/4"												
	• 31" clearance from floor to underside of table												
			A	B	C	D	E	F					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B** Select edge style.

BN	- Flat vinyl T-edge
73P	- 3/4" 73P edge
PR	- Perfect edge
- C** Select height.

31	- 31" high
-----------	------------
- D** Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- E** Select surface edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style
- selections.

F Select frame color.

Refer to the **Product Color Options** page in this price list.

(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 150.

Specifications and prices are subject to change without prior notice.





Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

Hexagonal Table



Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

Hexagonal Table

	MODEL	DIA	MODEL NUMBER						Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)	 Perfect Edge (PR)	Chrome Upcharge add to list price
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color					
 UWHXN	Wheelchair Accessible Hexagonal Table - Without Seating	48"	WAUFHX4	□□□	31	□□□	□□□	□□	94.0#	\$ 1511	\$ 1588	\$ 1758	\$ 40
	• Storage lock standard for added safety												
	• Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly												
	• Safety lock engages in a semi-open position to halt downward opening movement												
	• T-leg design furnishes maximum leg room and seating capacity												
	• Height to top of surface is 31-3/4"												
	• 31" clearance from floor to underside of table												
			A	B	C	D	E	F					

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge

CSelect height.
31 - 31" high

DSelect surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

ESelect surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style
- selections.

FSelect frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 150.

Specifications and prices are subject to change without prior notice.

Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

Octagonal Table



UWOCN

MODEL

DIA

- Wheelchair Accessible Octagonal Table - Without Seating**
- Storage lock standard for added safety
 - Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly
 - Safety lock engages in a semi-open position to halt downward opening movement
 - T-leg design furnishes maximum leg room and seating capacity
 - Height to top of surface is 31-3/4"
 - 31" clearance from floor to underside of table

MODEL NUMBER

Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color
WAUFOC5	□□□	31	□□□	□□□	□□

A

B

C

D

E

F

Approx. Packaged Weight

140.0#




Uniframe® Wheelchair Accessible Tables without Seating (Delivered)

Octagonal Table




Flat Vinyl T-Edge (BN)

\$ 1561



3/4" 73P Edge (73P)

\$ 1639



Perfect Edge (PR)

\$ 1811

Chrome Upcharge add to list price

\$ 49

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

- Note:
- The □ indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.
- B**Select edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
PR - Perfect edge
- C**Select height.
31 - 31" high
- D**Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- E**Select surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style

selections.

- F**Select frame color.
Refer to the **Product Color Options** page in this price list.
(BL) Std-no upcharge, all other colors have \$17 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering
Additional laminates are available with two weeks extended leadtime and a \$83 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Pionite - LP/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 150.

Specifications and prices are subject to change without prior notice.



PRODUCT SPECIFICATIONS

Uniframe® Convertible Bench

April 2020

TECHNICAL SPECIFICATIONS

15-Year Warranty

All benches described herein carry a 15-year warranty for frames, tops/backs and benches.

Dimensions

	29" H	27" H
Folded height	33 1/4"	31 1/4"
Folded depth	22"	22"
Bench height	17"	15"
Bench length	96"	96"
Top height	29"	27"
Depth when unit is in use (bench folded down and top either up or down)	29 1/2"	27 1/2"

Tops/Backs and Benches

Tops/backs and benches consist of a solid 45 PCF density particle board core material. Nominal thickness is 3/4" of warp-resistant construction, with a .030" high-pressure laminate face and a .011" polymer impregnated kraft liner backer. The frame is secured to the top with deep thread screws, benches are secured to the frame using a #10-24 through bolt and locknut at six locations. Corners have a 2 1/2" radius. Tops measure 14 3/4" by 96" long. Benches measure 12 1/4" by 95" long.

Edges

Tabletop edges are finished in one of the following:

53B Bullnose Edge

53B bullnose edge is .11" thick. Edges are banded with an abrasion-resistant black vinyl 53B bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced 8-10" apart.

73P Edge

Edges are banded with a 2 mm flat polypropylene edge banding that is chemically bonded to the table core.

Frames

Frames are fabricated using a welded unitized construction, integrating all structural steel members and the ganging mechanism into a self-supporting unit. The top/back support apron is 18-gauge bent and welded steel. Leg supports are 14-gauge square steel tubing. The main pivot folding action is heavy-duty 14-gauge steel tubing coupled with thick 11-gauge saddles. The lower leg base is welded to the leg assembly.

Frame Finish

Powder-coat finish is non-chipping electrostatically applied and baked. Finish is black only, with optional chrome legs.

Sliding Foot Ganger

Steel ganging mechanism is provided on all tables as standard, allowing two tables to be locked together into a common unit. Mechanisms are located on each end, on top of the foot tube for easy access.



TECHNICAL SPECIFICATIONS (cont.)

Bench Support Foot Caps

Bench support foot caps are black poly.


Casters

Large 4" diameter heavy-duty hard rubber swivel casters, two locking and two non-locking, provide easy and safe maneuverability.

General

Convertible benches ship knocked down in two boxes for customer assembly (unassembled).

DIMENSIONS





Surface Finish--Laminate		Frosty White	EFW		
Belair	LBQ	Hazy Jade	EHJ	Frame Color	
Biltmore Cherry	LBT	Honey Bee	EHY		Black
Black	LBK	Light Tone	ELG	Leg Finish	BL
Brighton Walnut	LBW	Mardi Gras	EMG		
Canyon Zephyr	LCA	Misty Brown	EMY		Black leg finish
Castle Oak	LCO	Nemo	ENE		Chrome leg finish
Casual Linen	LCU	Nordic	END		
Cherry Storm	LCX	Poppy Red	EPR		
Classic Linen	LCI	Purple Haze	EPH		
Cloud Zephyr	LCL	Rubber Ducky	ERK		
Cocobala	LCC	Sand	ESA		
Crisp Linen	LRI	Sky Blue	ESK		
Desert Zephyr	LDZ	Surf's Up	ESP		BLF
Dove Grey	LDG	Twilight Shadow	ETI		CHF
Fired Steel	LIL	Ultra Blue	EUB		
Flax Linen	LXF	Warm Grey	EWG		
Florence Walnut	LFC	Zesty Lime	EZL		
Forged Steel	LOL	Edge Color for 73P Edge			
Friston Ash	LFH	Belair	EBQ		
Frosty White	LFW	Biltmore Cherry	EBT		
Graphite Nebula	LGN	Black	EBL		
Grey	LGE	Blue Grey	EGR		
High Rise	LHE	Brighton Walnut	EBW		
Hollyberry	LHY	Castle Oak	ECO		
Island	LID	Cayenne	ECY		
Italian Silver Ash	LIT	Cherry Storm	ECX		
Kensington Maple	LKM	Cool Grey	ECG		
Lapis Blue	LLB	Earthen Clay	EEY		
Markerboard White	LMK	Everglade Shade	EEV		
Misted Zephyr	LMR	Flannel	EFN		
Monticello Maple	LMT	Florence Walnut	EFC		
Nickel Evolv	LNV	Friston Ash	EFH		
North Sea	LNA	Frosty White	EFW		
Ocean	LON	Hazy Jade	EHJ		
Pearl Bisque	LPB	Honey Bee	EHY		
Pearl Silver	LPS	Italian Silver Ash	EIT		
Pressed Linen	LPR	Kensington Maple	EKM		
River Cherry	LRY	Light Tone	ELG		
Rugged Linen	LRG	Mardi Gras	EMG		
Satin Stainless	LSS	Misty Brown	EMY		
Shadow Zephyr	LSR	Monticello Maple	EMT		
Silicon evolv	LSV	Nemo	ENE		
Sterling Ash	LAZ	Nordic	END		
Tailored Linen	LTL	Poppy Red	EPR		
Titanium evolv	LTV	Purple Haze	EPH		
White Nebula	LWL	River Cherry	ERY		
White Sand	LWN	Rubber Ducky	ERK		
Windsor Mahogany	LWY	Sand	ESA		
Edge Color for BN Edge		Sky Blue	ESK		
Black	EBL	Sterling Ash	EAZ		
Blue Grey	EGR	Surf's Up	ESP		
Cayenne	ECY	Twilight Shadow	ETI		
Cool Grey	ECG	Ultra Blue	EUB		
Earthen Clay	EEY	Warm Grey	EWG		
Everglade Shade	EEV	Windsor Mahogany	EWY		
Flannel	EFN	Zesty Lime	EZL		

Finish Cards




View color swatches for items listed within this document.

- Paints
- Wood/Veneer
- Molded Edges
- Hard Plastics
- Plastics/Poly
- Laminates
- Edge Styles
- Glass

Certain options referenced may not be available on GSA Schedule.

Uniframe® Convertible Bench (Freight Excluded)

Uniframe® Convertible Bench (Freight Excluded)

	MODEL	SIZE	MODEL NUMBER							Approx. Packaged Weight	 Flat Vinyl T-Edge (BN)	 3/4" 73P Edge (73P)
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Leg Finish			
 UCB	Convertible Bench	96"	UCB8	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	135.0#	\$ 1082	\$ 1136
	• Tops/back and seat tops are constructed of laminated surfaces with solid, high-density particleboard core											
	• Vinyl bullnose edge banding or 73P edge banding											
	• Unitized all-steel frames provide superior stability and durability											
	• Black frame finish and black or chrome legs											
	• Wide wheel base and large 4" swivel casters permit easy and safe maneuverability											
	• Non-marring rubber surface glides											
	• Standard, built-in ganging mechanism											
	• Listed to applicable UL standards and requirements Underwriters Laboratories, Inc											
	• Assembly required											
			A	B	C	D	E	F	G			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
Basic model includes length of bench.
- B**Select edge style.
BN - Flat vinyl T-edge
73P - 3/4" 73P edge
- C**Height
27 - 27" high
29 - 29" high
- D**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- E**Select surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Frame Color
BL - Black

- G**Leg Finish
BLF - Black leg finish
CHF - Chrome leg finish; add \$24

SPECIAL SERVICES

Special Carton Marking



With specially marked information N/C

Shipping
Ships **knocked down**, **FOB Bonduel, WI 54107**, **freight excluded**. Freight class 85.

Specifications and prices are subject to change without prior notice.

Uniframe® Convertible Bench (Delivered)

Uniframe® Convertible Bench (Delivered)

	MODEL	SIZE	MODEL NUMBER							Approx. Packaged Weight		
			Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Leg Finish		 Flat Vinyl T-Edge (BN)	
 UCB	Convertible Bench	96"	UCB8	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	BL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	135.0#	\$ 1297	\$ 1362
	• Tops/back											
	• Vinyl bullnose edge banding											
	• Unitized all-steel frames provide superior stability and durability											
	• Black frame finish and black or chrome legs											
	• Wide wheel base and large 4" swivel casters permit easy and safe maneuverability											
	• Non-marring rubber surface glides											
	• Standard, built-in ganging mechanism											
	• Listed to applicable UL standards and requirements Underwriters Laboratories, Inc											
	• Assembly required											
			A	B	C	D	E	F	G			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
Basic model includes length of bench.
- B**Select edge style.

BN - Flat vinyl T-edge

73P - 3/4" 73P edge
- C**Height

27 - 27" high

29 - 29" high
- D**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- E**Select surface edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Frame Color
BL - Black

- G**Leg Finish

BLF - Black leg finish

CHF - Chrome leg finish; add \$29

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down**, **FOB Bonduel, WI 54107**, **freight prepaid**. Freight class 85.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2023 Krueger International, Inc. All Rights Reserved.