

TREK° TABLES

PRICE LIST

EFFECTIVE APRIL 3, 2024 800.424.2432

Contents

Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Trek® Tables General Information Product Color Options Froduct Color Options Fixed Leg Fixed Height Fixed Leg with Modesty Panel Fixed Leg with PowerUp® Flip-Top Flip-Top with Modesty Panel Trek® Plus Tables Storage and Accessories 11 12 13 14

Trek Plus Tables



Features Fixed bases Three edge styles Ganging Casters/glide option









Rectangular Table, Quick-Release



Flip-Top Table, T Base

Round Table, X Base

Rectangular Table, TT Base

Modesty Panel

Features				
Fixed, flip-top bases	•			•
Three edge styles	•	•	•	•
Modesty panel and wire management				•
Caster option	•	•	•	•



Laminate; 74P edge; Laminate; knife square corner (74P)

edge; square corner



Laminate: 1"x 1-3/4" wood bullnose edge; .62" radius corner (15W)











Plus-Laminate; 74P edge; square corner (74P)



Laminate; 3/8" x 1-1/4" wood band edge: square corner: corner joint is not mitered (34S)



Laminate; 3/8" x 1-3/4" wood band edge: square corner: corner joint is not mitered (36S)



Grommet location for tables 36" or smaller



Grommet location for tables 43" or deeper









SPECIFICATIONS

Trek Pedestal Table

This system employs heavy gauge tubular steel components in fixed, or flip-top models. Trek includes T, TT and X base configurations. Fixed table column welded to 1/4" solid steel plate.

Built of 2-1/4", 14-gauge round tubular steel leg column with steel end cap and 16-gauge steel tapered legs elliptically swaged down to 1" diameter at end; highly durable, smooth powder-coated finish. Adjustable glides or casters are secured to the legs. Two casters in each set shall have wheel brakes (locking).

Trek Tables Plus Ganging Mechanism

Built of black high-strength nylon, userfriendly ganger with pegs draws tables together. No tools are required when joining tables. Ganger is self-storing under table top. Mounting screws are provided. Tops are predrilled for placement of ganging pegs. Two gangers per table. CAUTION: Gangers are not retrofittable to

earlier purchased tables.

Table Surfaces

1-1/8" thick high-density particleboard core with high-pressure laminate top and phenolic backing sheet. Tops are pre-drilled.

A "standard" table consists of a standard laminate worksurface and a 1-1/4" edge for any KI table base. All Knife(KN) edge styles will use an M3 particle board compostion. The undersurface edge is sanded, stained and sealed.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Flip-Top

Standard flip-top table does not have a detachable top.

Folding Modesty Panels

.685" thick particleboard faced on both sides with laminate that matches table top. Modesty panels are 6-1/4" high by length of table. Mounting brackets are black and packed with the base. Table top and panel are pre-drilled. Lower edge of panel extends 8-1/4" from underside of table. The modesty panel is shipped k.d.

Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-two step process.

Powder-Coated Finish

Hybrid powder coating is electrostatically applied. The dry coating is then fused and cured in a baking oven to form a smooth continuous film. Finish is chemical-resistant, hard, tough and mar-resistant.

Quick-Release Modesty Panels

.685" thick particleboard faced on both sides with laminate that matches table top laminate. Lower edge of modesty panel extends 7-1/4" from underside of table. Panel is easily removed from the table without tools. It locks into two 11-gauge steel retaining brackets and is removed by pulling down on vinyl-coated stainless steel release levers. Modesty panel is shipped k.d.

Trek Table Truck

Black powder-coated finish. Two swivel and two rigid 6" diameter casters with heavy-duty roller bearings. Rectangular or square table storage. Truck measures 60" long by 30" wide by 55" high. Felt is standard on top edges. Six-table capacity.

Trek with PowerUp®

Tables are available with one or two power/data modules, PowerUp, centrally located 4-1/4" from the front edge of table top. PowerUp is a UL Listed. Relocatable Power Tap, which mounts flush into the table top. When flipped up, cover open, one (1) duplex receptacle and two (2) data ports are exposed. The underside of the table is provided with a hinged plastic channel (cord management trough) which covers the bottom of the module. This channel, furnished with metal dividers, is provided for the routing of the power supply cords and data lines.

The PowerUp module is 6-1/4" long by 3" wide by 2-1/2" high when opened. It is provided

with a 9 ft. or 15ft., 3-conductor cord and is rated 120V a/c, 15A. The cover snaps into the upright position to allow cords to be unplugged without the cover closing. The data ports are molded to accept AT&T "M" Series, RJ45 jacks. The module can be modified to accept various brand jacks.

Cords are further managed by the vertical leg wire manager which comes standard with PowerUp.

Under-Table Wire Management

Constructed of high quality black velcro. Harness is fastened to table bottom with screws. Shipped assembled. Wire management options HO, HW and WO) are only available on rectangle tables 96" and smaller (not available on any cantilever or flip-top tables).

Leg Wireways

Scuff-resistant, high-impact rigid plastic. Two separate wire channels per leg. Fastened to legs with full length adhesive bond. Black only. One wireway per leg. Shipped assembled. Two leg wireways per top. Not available on 18" x 60" fixed base tables,

18" x 60" and 24" x 60" cantilevered base.

Grommets

Plastic grommets are 3" diameter and recessed into table top. Cap is removable and has retractable slot cover. Two grommets per top. Grommets not available on 18" x 60" fixed base tables, 18" x 60" and 24" x 60" cantilevered base. Grommet location for tables that are 36" deep and smaller will be on the corners of the table. Grommet location for the tables 42" deep and larger will be the centerline of the table. See graphics above.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



						•		
Surface FinishLaminate		Cherry Storm	ECX	Cherry Storm	ECX	Rubber Ducky	RK	
Beigewood	LBZ	Cocobala	ECC	Cool Grey	ECG	Sand	SA	
Belair	LBQ	Cool Grey	ECG	Designer White	EDR	Sky Blue	SK	
Biltmore Cherry	LBT	Designer White	EDR	Everglade Shade	EEV	Starlight Silver Metallic	SX	
Black	LBK	Earthen Clay	EEY	Flannel	EFN	Surf's Up	SP	
Brighton Walnut	LBW	Everglade Shade	EEV	Florence Walnut	EFC	Tarragon	TQ	
Canyon Zephyr	LCA	Flannel	EFN	Friston Ash	EFH	Twilight Shadow	TI	
Castle Oak	LC0	Florence Walnut	EFC	Frosty White	EFW	Ultra Blue	UB	
Casual Linen	LCU	Friston Ash	EFH	Hazy Jade	EHJ	Warm Grey	WG	
Cherry Storm	LCX	Frosty White	EFW	Honey Bee	EHY	Zesty Lime	ZL	
Classic Linen	LCI	Hazy Jade	EHJ	Italian Silver Ash	EIT	Madala Oalan		
Cloud Zephyr	LCL	Honey Bee	EHY	Kensington Maple	EKM	Module Color		
Cocobala	LCC	Italian Silver Ash	EIT	Light Tone	ELG	Black module	MBL	
Crisp Linen	LRI	Kensington Maple	EKM	Mardi Gras	EMG	Blue Grey module	MGR	
Desert Zephyr	LDZ	Light Tone	ELG	Misty Brown	EMY	Cool Grey module	MCG	
Designer White	LDR	Mardi Gras	EMG	Monticello Maple	EMT	Flannel module	MFN	
Dove Grey	LDG	Misty Brown	EMY	Nemo	ENE	Misty Brown module	MMY	
Flax Linen	LXF	Monticello Maple	EMT	Pinnacle Walnut	EPW	Sand module	MSA	
Florence Walnut	LFC	Multiplex	EMB	Poppy Red	EPR	Warm Grey module	MWG	
Forged Steel	LOL	Nemo	ENE	Purple Haze	EPH	Grommet Color		
Friston Ash	LFH	Nordic	END	Rainforest	ERQ	Black grommet	GBL	
Frosty White	LFW	Pinnacle Walnut	EPW	River Cherry	ERY	Blue Grey grommet	GGR	
Graphite Nebula	LGN	Poppy Red	EPR	Rubber Ducky	ERK	Cool Grey grommet	GCG	
Grey	LGE	Purple Haze	EPH	Sand	ESA	Flannel grommet	GFN	
High Rise	LHE	Rainforest	ERQ	Sky Blue	ESK	Misty Brown grommet	GMY	
Hollyberry	LHY	River Cherry	ERY	Sterling Ash	EAZ	Sand grommet	GSA	
Island	LID	Rubber Ducky	ERK	Surf's Up	ESP	Warm Grey grommet	GWG	
Italian Silver Ash	LIT	Sand	ESA	Tarragon	ETQ	warm droy grommot	awa	
Kensington Maple	LKM	Sky Blue	ESK	Twilight Shadow	ETI			
Lapis Blue	LLB	Sterling Ash	EAZ	Ultra Blue	EUB			
Markerboard White	LMK	Surf's Up	ESP	Warm Grey	EWG			
Misted Zephyr	LMR	Tarragon	ETQ	Zesty Lime	EZL			
Monticello Maple	LMT	Twilight Shadow	ETI					
North Sea	LNA	Ultra Blue	EUB	Base Finish				
Ocean	LON	Warm Grey	EWG	Black	BL			
Pearl Bisque	LPB	Windsor Mahogany	EWY	Blue Grey	GR			
Pinnacle Walnut	LPW	Zesty Lime	EZL	Bronze Metallic	ZM			
Pressed Linen	LPR	51 01 (45W 040 1000 51		Cayenne	CY			
River Cherry	LRY	Edge Color for 15W, 34S, and 36S Edge		Champagne Metallic	CM			
Satin Stainless	LSS	Biltmore Cherry on Maple (sample not available)	MBT	Chrome	СН			
Shadow Zephyr	LSR	Brighton Walnut on Maple (sample not available)	MBW	Cool Grey	CG			
Silicon evolv	LSV	Castle Oak	VOK	Cottonwood	CO			
Sterling Ash	LAZ	Cherry Storm on Maple	MCX	Earthen Clay	EY			
Tailored Linen	LTL	Cinnamon on Maple	MCN	Espresso Metallic	EX			
Titanium evolv	LTV	Cocoa on Maple	MCA	Everglade Shade	EV			
White Nebula	LWL	Florence Walnut on Maple	MFC	Flannel	FN			
White Sand	LWN	Kensington Maple on Maple	MMA	Glitz Metallic	GZ			
Windsor Mahogany	LWY	Monticello Maple on Maple	MMT	Hazy Jade	HJ			
		River Cherry on Maple	MRY	Honey Bee	HY			
Edge Color for 74P Edge		Edge Color for KN Edge		Light Tone	LG			
Beigewood	EBZ	Beigewood	EBZ	Mardi Gras	MG			
Belair	EBQ	Belair	EBQ	Misty Brown	MY			
Biltmore Cherry	EBT	Biltmore Cherry	EBT	Nemo	NE			
Black	EBL	Black	EBL	Nordic	ND			
Blue Grey	EGR	Blue Grey	EGR	Poppy Red	PR			
Brighton Walnut	EBW	Brighton Walnut		Purple Haze	PH			
Castle Oak	ECO	Castle Oak	EBW ECO	Rainforest	RQ			
Cayenne	ECY	Uasiit Uak	EUU	Raw Jasper	RJ			

Finish Cards
View color swatches for items listed within this document.

Paints

Wood/Veneer

Molded Edges
Hard Plastics

Edge Styles

Glass





										•			
				MODEL	NUMBER								
									Approx.			1-3/4" Wood	
	MODEL	Engluson	Avpvevn	Basic Model	Edge E Style C	dge Surfac	e Base Finish	Dana	Packaged	74P Edge	Knife Edge	Bullnose	
			AxBxCxD						Weight	(74P)	(KN)	(15W)	
	Square Tables, X Base	X Base	30 x 30"						55.0#	\$ 1015	\$ 1120	\$ 1405	
A B		X Base	36 x 36"						69.0#	1139	1250	1617	
		X Base	42 x 42"	TS35FX					86.0#	1507	1658	2250	
в В													
TFX													
	Square Tables, TT Base	TT Base	48 x 48"	TS4F					132.0#	\$ 1712	\$ 1879	\$ 2432	
() in the contraction of the co													
B +													
TFX													
	Round Tables, X Base	X Base	30" Diameter	TR25FX					48.0#	\$ 985	\$ 1041	\$ 1832	
	1100110 100100, 11 0000	X Base	36" Diameter						59.0#	1096	1180	2051	
		X Base	42" Diameter						73.0#	1263	1366	2442	
		X Base	48" Diameter				- 1	4GB		1441	1557	2886	
TEV		A Dase	40 Diameter	IN4FA				400	88.0#	1441	1557	2000	
IFX	B 1711 778	TT D	0011 D: 1	TDEE				1000	440.0"	A 0450	A 0007	A 4070	
	Round Tables, TT Base	TT Base	60" Diameter	TR5F					148.0#	\$ 2152	\$ 2367	\$ 4070	
A													
TFX													
	Trapezoid Tables, T Base	T Base	24 x 24 x 24 x 48"	TT24F				4GB	56.0#	\$ 1071	\$ 1180	\$ 2341	·
C di di A	 24x24x24x48 = 21"D 30x30x30x60 = 26"D 	T Base	30 x 30 x 30 x 60"	TT35F					71.0#	1140	1257	2582	
	• 30x30x30x60 = 26°D • 36x36x36x72 = 31°D	T Base	36 x 36 x 36 x 72"	TT36F		100 000			89.0#	1790	1968	3637	
	- 3000000012 - 31 D												
TFX	• 24x24x24x48 available with glides only	/											
	Rectangular Tables, X Base	X Base	24 x 30"	T225FX					49.0#	\$ 1020	\$ 1123	\$ 1403	
	3	X Base	24 x 36"						54.0#	1040	1140	1488	
A		X Base	30 x 36"						63.0#	1121	1234	1603	
# ∦ • ⊨B		A Dust	00 X 00	120017					00.0#	1121	1204	1000	
TEV													
TFX													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge - Knife edge

- 1-3/4" Wood bullnose

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select base option. 4GB - 4 black glides

4CB - 4 black casters w/black hub caps

(2 locking)

4MB - 2 black casters w/black hub caps,

2 black glides

B O

0

3

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.





		MODEL NUMBER				
		MUDEL NUMBER	_			
			Approx.	Ť		1-3/4" Wood
MODEL	Fastings	A x B Basic Edge Edge Surface Base Model Style Color Finish Finish Base	Packaged	74P Edge	Knife Edge	Bullnose
MODEL				(74P)	(KN)	(15W)
Rectangular Tables, T Base		18 x 48" T154F		\$ 1119	\$ 1232	\$ 1480
ф ф A		18 x 60" T155F	□ 67.0#		1274	1654
		18 x 72" T156F □□□ □□□ □□□ □□			1366	1829
		18 x 84" T157F □□□ □□□ □□□ □□	□ 82.0#		1486	2163
TFX		24 x 48" T24F □□□ □□□ □□□ □□			1241	1652
	T Base 2	24 x 60" T25F	80.0#	1190	1310	1805
	T Base 2	24 x 72" T26F	90.0#	1385	1524	2077
	T Base 2	24 x 84" T27F □□□ □□□ □□□ □□	100.0#	1454	1602	2417
	T Base 2	24 x 96" T28F □□□ □□□ □□□ □□	110.0#	1573	1727	2460
	T Base 3	30 x 48" T254F □□□ □□□ □□□ □□	80.0#	1168	1286	1801
	T Base 3	30 x 60" T255F	93.0#	1287	1418	1961
	T Base 3	30 x 72" T256F	105.0#	1424	1571	2246
	T Base 3	30 x 84' T257F	118.0#	1643	1810	2637
	T Base 3	30 x 96" T258F	130.0#	1757	1935	2759
	T Base 3	36 x 48" T34F □□□ □□□ □□ □□	90.0#	1235	1364	2094
	T Base 3	36 x 60" T35F	105.0#	1480	1628	2298
		36 x 72" T36F	120.0#		1676	2610
		36 x 84" T37F □□□ □□□ □□ □□		1829	2015	2661
	T Base 3	36 x 96" T38F □□□ □□□ □□ □□			2039	2726
Rectangular Tables, 120° Base		18 x 96" T158F		\$ 1453	\$ 1597	\$ 2326
)2 (A						

HOW TO ORDER

TFX

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge - Knife edge - 1-3/4" Wood bullnose

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

Refer to the **Product Color Options** page in this price list.

• Select surface finish.

Select base finish.

Select base option.

4GB - 4 black glides

- 4 black casters w/black hub caps

0

(2 locking)

4MB - 2 black casters w/black hub caps, 2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Fixed Leg



7716



MODEL NUMBER 1-3/4" Wood Approx. 74P Edge Knife Edge Edge Edge Surface Base Packaged Bullnose MODEL A x B x C | Model | Style | Color | Finish | Finish | Base **Features** Weight (74P) (15W) Rectangular Tables, TT Bases 42 x 60" 138.0# \$ 2013 \$ 2213 \$ 2787 TT Base T355F · Tables with four TT bases have a two-TT Base 155.0# 2048 2250 3036 42 x 72" T356F piece top TT Base 42 x 84" T357F ____ 173.0# 2198 2413 3251 TT Base 42 x 96" T358F 190.0# 2544 2796 3424 TFX Three TT Bases 42 x 120" T350F 245.0# 2917 3206 4757 TT Base 48 x 60" T45F 152.0# 2118 2329 2913 TT Base 48 x 72" T46F 172.0# 2172 2384 3317 TT Base 48 x 84" T47F 192.0# 2283 2514 3475 212.0# 2563 3588 TT Base 48 x 96" T48F 2819 Three TT Bases 48 x 120" T410F 272.0# 3062 3370 4980 Three TT Bases 48 x 144" T412F 312.0# 3677 4043 5259

493.0#

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

A Select basic model.

Select edge style.

74P - 74P edge

KN - Knife edge

15W - 1-3/4" Wood bullnose

Select edge color.

selections

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style

• Select surface finish.

Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style

selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select base option.

Four TT Bases 60 x 192"

A

B

4GB - 4 black glides

4CB - 4 black casters w/black hub caps (2 locking)

4MB - 2 black casters w/black hub caps, 2 black glides

0

3

(3)

 Θ

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime.

Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

8495

9718

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Fixed Leg



Approx.

Weight

111.0#

161.0#

194.0#

290.0#

453.0#

78.0#

93.0#

84.0#

104.0#

113.0#

136.0#

101.0#

80.0#

Packaged 74P Edge

290.0# \$ 4937

(74P)

\$ 1897

2471

2765

4486

6606

\$ 1605

2276

1613 2312

2335

2431

1871

\$ 1528



1-3/4" Wood Bullnose (15W) \$ 3056 3902 4001 \$ 6364 5789 10691

				MODEL						
				Basic	Edge	Edge	Surface	Base		
	MODEL	Features	AxBxC	Model	Style	Color	Finish	Finish	Base	
	Racetrack Tables (Oval), T and TT Bases	T Base	36 x 72"	T036F						
		TT Base	42 x 84"	T07F						
		TT Base	48 x 96"	T048F						
В										
TFX										
	Boat Shape Tables, TT Base	Four TT Bases	36 x 48 x 144"	T412B24						
A B	Tables with four TT bases have a two- piece top	Three TT Bases	36 x 48 x 144"	T412BF3						
, ,	4MW base option not available on 3 or 4	Four TT Bases	42 x 60 x 192"	T516B2						
v	base options									
TFX	 If the 4CW or the 4CB base option is selected, 3 base options will have 3 locking 									
	and 3 non-locking, 4 base options will									
	have 4 locking and 4 non-locking casters									
	 4GB option, glides are provided for all bases 									
	Dases									
C	Crescent Tables, T Base	T Base	48 x 24 x 75-1/2"	TC24F						
		T Base	60 x 24 x 94"	TC25F						
B		T Base	48 x 30 x 75-1/2"	TC254F						
		T Base	60 x 30 x 94"	TC255F						
TFX		T Base	60 x 36 x 94"	TC35F						
	Half Daniel Tables T Danie	T Base	72 x 36 x 113"	TUSEFF						
	Half Round Tables, T Base	T Base	30 x 60"	TH255F						
A do to A		T Base	36 x 72"	TH36F						
В										
TFX										
11 /										
				A	$oldsymbol{\Theta}$	Θ	O	(3	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge - Knife edge - 1-3/4" Wood bullnose

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections

• Select surface finish.

price list.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

Select base finish. Refer to the **Product Color Options** page in this Select base option.

4GB - 4 black glides

- 4 black casters w/black hub caps (2 locking)

4MB - 2 black casters w/black hub caps,

2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Knife Edge

\$ 2085

2715

3046

\$ 5432

4935

7267

\$ 1764

2502

1776

2545 2567

2674

2058

\$ 1683

\$ 2519

3588

2546

3588

3637

3822 \$ 2406

2944

(KN)

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.





										•	
				MODEL N	IUMBER						
	MODEL	Features		Basic Model	Edge Style	face Basish Fi	ase inish Ba		ed	74P Edge (74P)	Knife Edge (KN)
	Corner Table (Fixed Height) • Corner surface with curved front	T Base	24 x 48"	TCC2448F				81.0		\$ 1589	\$ 1726
	Fixed height at 29"	T Base	30 x 54"	TCC3054F				103.0	#	1848	1968
	 T-base 										
	 Typical use: Primary surface, Recommended for 90° corner configuration 										
TFY	mended for 30 corner configuration										
	Dune Shape (Fixed Height)	V Base	28 x 46"	TDU46F				73.0	#	\$ 1477	\$ 1610
	 Dune-shaped surface 	V Base	28 x 50"	TDU50F				82.0		1835	1985
	Fixed height 29"V-base										
A. A.	· Typical use: Primary surface, Recom-										
	mended for 90° corner configuration										
TFX		1/ 5	00 45"	TOWASE		 		20.0	"	* 4040	A 444
<u> </u>	Swash Shape (Fixed Height) • Swash-shaped surface	V Base	28 x 45" 28 x 57"	TSW45F				62.0a		\$ 1342 1408	\$ 1441 1518
	 Fixed height at 29" 	V Base	28 x 63"	TSW63F				74.0		1541	1639
	V-baseTypical use: Primary surface, Meeting	V Base	28 x 69"	TSW69F				85.0		1566	1660
•	table, Training table										
TFX											
	Ellipse Shape (Fixed Height)	V Base	27 x 45"	TEL2745F				54.0	#	\$ 1243	\$ 1323
	Ellipse-shaped surfaceFixed height at 29"	V Base	36 x 58"	TEL3658F				80.0	#	1446	1579
	 V-base 										
	 Typical use: Primary surface, Meeting table 										
TFX											
····	Slate Shape (Fixed Height)	V Base	27 x 45"	TSL2745F				59.0	#	\$ 1243	\$ 1323
	Slate-shaped surface	V Base	36 x 58"	TSL3658F				90.0	#	1446	1579
	Fixed height at 29"V-base										
ı	· Typical use: Primary surface, Meeting										
TFX	table, Training table										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge color.
Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

Select base finish.

selections.

Refer to the **Product Color Options** page in this

Select base option.

Select edge style.

74P - 74P edge

KN - Knife edge

4GB - 4 black glides 4CB - 4 black casters w/black hub caps (2 locking)

4MB - 2 black casters w/black hub caps,

B O D G

2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Fixed Leg with Modesty Panel



Trek® Tables

Fixed Leg with Modesty Panel

			MODEL NUMB	ER				
						A	\vee	
			Basic Edge	Edge Surface	Base	Approx. Packaged	74P Edge	Knife Edge
	MODEL	Features A x B	Basic Edge Model Style	Edge Surface Color Finish	Finish Ba		(74P)	(KN)
	Rectangular Tables, Fixed Leg, Modesty	T Base 18 x 60"	T155F/M □□				\$ 1437	\$ 1582
ф ф A	Panel, T Base	T Base 18 x 60"	T155F/Q □□			□□ 80.0#	1437	N/A
B	Modesty panels available with standard folding mechanism (M) or quick release.	1000	T156F/M □□			□□ 88.0#	1589	1750
	folding mechanism (M) or quick release mechanism (Q)	T Base 18 x 72"	T156F/Q □□			□□ 88.0#	1589	N/A
TFXM	 Modesty panel only available in black 	T Base 18 x 84"	T157F/M □□			98.0#	1707	1876
	bullnose edge	T Base 18 x 84"	T157F/Q □□			98.0#	1707	N/A
			T25F/M □□			99.0#	1475	1618
						99.0#	1475	N/A
		T Base 24 x 72"				□□ 104.0#	1735	1906
			T26F/Q □□			□□ 104.0#	1735	N/A
		T Base 24 x 84"	T27F/M □□			□□ 117.0#	1807	1985
			T27F/Q □□			□□ 117.0#	1807	N/A
		T Base 24 x 96"	T28F/M □□			□□ 134.0#	1921	2113
		T Base 24 x 96"	T28F/Q □□			□□ 134.0#	1921	N/A
			T255F/M □□	_		□□ 110.0#	1571	1724
						□□ 110.0#	1571	N/A
			T256F/M □□			□□ 125.0#	1777	1955
		T Base 30 x 72"	T256F/Q □□			□□ 125.0#	1777	N/A
		T Base 30 x 84"	T257F/M □□			□□ 142.0#	1994	2196
		T Base 30 x 84"				□□ 142.0#	1994	N/A
		T Base 30 x 96"				□□ 157.0#	2112	2323
		T Base 30 x 96"				□□ 157.0#	2112	N/A
	Rectangular Tables, Fixed Leg, Modesty	120° Base 18 x 96"	T158F/M □□			□□ 106.0#	\$ 1803	\$ 1982
	Panel, 120° Base							
	 Modesty panels available with standard folding mechanism (M) 							
В	Madaght panal only available in block							

HOW TO ORDER

TFXM

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

selections.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

Select base finish.

Select base option.

A Select basic model.

Modesty panel only available in black

bullnose edge

Select edge style.

74P - 74P edge

KN - Knife edge

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

DSelect surface finish.

selections.

Refer to the **Product Color Options** page in this

- 4 black glides

A

3

 Θ

0

(3

4CB - 4 black casters w/black hub caps

(2 locking)

4MB - 2 black casters w/black hub caps, 2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Fixed Leg with PowerUp®



Fixed Leg with PowerUp®

				MODEL NI	INADED					•					
				MODEL NU	JIVIBEK					_					
						F	, ,	_		Approx.		14D F I	W W E1	1-3/4" Wood	
	MODEL	Features	AxB	Basic Model	Edge Style	Edge S Color F	urface E inish E		ord Modul eet) Color	Package Weight		74P Edge (74P)	Knife Edge (KN)	Bullnose (15W)	
	Fixed Leg, Rectangular Tables with	T Base	24 x 60"	TD25F/1						83.0i	# \$	1542	\$ 1696	\$ 2123	
	PowerUp®	T Base	24 x 60"	TD25F/2						86.0a	#	1659	1813	2242	
	 Available with one module (1) or two modules (2) 	T Base	24 x 72"	TD26F/1						93.0 _i	#	1735	1906	2394	
	modules (2)	T Base	24 x 72"	TD26F/2						96.0a	#	1855	2024	2507	
~		T Base	30 x 60"	TD255F/1						96.0 _i	#	1640	1805	2280	
		T Base	30 x 60"	TD255F/2						99.0	#	1755	1916	2398	
TUX		T Base	30 x 72"	TD256F/1						123.0 _i	#	1753	1928	2570	
		T Base	30 x 72"	TD256F/2			_			126.0 _i	#	1869	2042	2684	
	Fixed Leg, Quick Release Modesty Panel		24 x 60"	TD25FQ/1						102.0		1824	N/A	N/A	
	Rectangular Tables w/PowerUp®	T Base	24 x 60"	TD25FQ/2						105.0		1940	N/A	N/A	
	 Available with one module (1) or two modules (2) 	T Base	24 x 72"	TD26FQ/1						107.0		2084	N/A	N/A	
		T Base	24 x 72"	TD26FQ/2						110.0		2200	N/A	N/A	
~		T Base	30 x 60"	TD255FQ/1						113.0i		1916	N/A	N/A	
		T Base	30 x 60"	TD255FQ/2						116.0 _i		2036	N/A	N/A	
TUXQ		T Base	30 x 72"	TD256FQ/1						129.0 _i		2124	N/A	N/A	
		T Base	30 x 72"	TD256FQ/2						131.0 _i	#	2243	N/A	N/A	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P - 74P edge - Knife edge - 1-3/4" Wood bullnose

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

4GB - 4 black glides 4CB - 4 black casters w/black hub caps

(2 locking)

4MB - 2 black casters w/black hub caps, 2 black glides

GSelect cord length (feet).

Select base option.

B O

0 0 0 0

- 9' cord length - 15' cord length

Select module color.

Refer to the **Product Color Options** page in this price list.

> Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.



											•		
				MODE	L NUMBE	R							
	MODEL	_	A x B x C x D	Basic Model	Edge Style	Color		Finish B	Base	Approx. Packaged Weight	74P Edge (74P)	1-3/4" Wood Bullnose (15W)	
آم و	Square Tables, X Base	X Base	30 x 30"	TS25FT						57.0#	\$ 1365	\$ 1688	
A B	Will ship standard with the connecting bar (allowing for one hand flipping)	X Base	36 x 36"	TS3FT						71.0#	1368	1921	
TFP													
	Round Tables, X Bases	X Base	30" Diameter	TR25FT						50.0#	\$ 1368	\$ 2144	
A A	 Will ship standard with the connecting bar (allowing for one hand flipping) 	X Base	36" Diameter	TR3FT						61.0#	1374	2372	
TFP													
	Rectangular Tables, T Base	T Base	24 x 48"	T24FT						76.0#	\$ 1657	\$ 2172	
	Will ship standard with the connecting	T Base	24 x 60"	T25FT						86.0#	1671	2432	
	bar (allowing for one hand flipping)	T Base	24 x 72"	T26FT						96.0#	1905	2609	
4 B		T Base	30 x 48"	T254FT						86.0#	1728	2329	
TFP		T Base	30 x 60"	T255FT						98.0#	1793	2491	
		T Base	30 x 72"	T256FT						111.0#	1939	2649	
		T Base	36 x 48"	T34FT						96.0#	2059	2477	
		T Base	36 x 60"	T35FT						111.0#	2072	2775	
		T Base	36 x 72"	T36FT						126.0#	2174	2918	
	Racetrack Tables (Oval), T Base • Will ship standard with the connecting bar (allowing for one hand flipping)	T Base	36 x 72"	T036FT						116.0#	\$ 2319	\$ 3433	
# *													
TFP													
	Trapezoid Tables, T Base	T Base	24 x 24 x 24 x 48"	TT24FT				□□ 4	GB	62.0#	\$ 1803	\$ 3036	
C A	 Will ship standard with the connecting 	T Base	30 x 30 x 30 x 60"							76.0#	1947	3230	
D	bar (allowing for one hand flipping) • 24x24x24x48 = 21"D • 30x30x30x60 = 26"D	T Base	36 x 36 x 36 x 72"	TT36FT						94.0#	2445	4207	
TFP	• 36x36x36x72 = 31"D												
	• 24x24x24x48 available with glides only												
				A	3	0	O	3	•				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge
15W - 1-3/4" Wood bullnose

Select edge color.
Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

OSelect surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this

Select base option.

4CB - 4 black casters w/black hub caps

(2 locking)

4MB - 2 black casters w/black hub caps, 2 black glides

4GB - 4 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Flip-Top with Modesty Panel



Trek® Tables

Flip-Top with Modesty Panel

										<u> </u>	
				MODEL N	UMBER						
	MODEL	Features	A x B	Basic Model	Edge Style	Edge Surface Color Finish	Base Finish	Base	Approx. Packaged Weight	74P Edge (74P)	
	Rectangular Tables, Flip Top, Modesty	T Base	24 x 60"	T25FT/M					101.0#	\$ 1954	
to to A	Panel, T Base	T Base	24 x 60"	T25FT/Q					101.0#	1954	
	Modesty panels available with standard	T Base	24 x 72"	T26FT/M					112.0#	2255	
, and the second	folding mechanism (M) or quick release mechanism (Q)	T Base	24 x 72"	T26FT/Q					112.0#	2255	
TFPM	Modesty panel only available in black	T Base	30 x 60"	T255FT/M					115.0#	2072	
	bullnose edge	T Base	30 x 60"	T255FT/Q					115.0#	2072	
	 Will ship standard with the connecting bar (allowing for one hand flipping) 	T Base	30 x 72"	T256FT/M					130.0#	2292	
	bai (allowing for one natio inpping)	T Base	30 x 72"	T256FT/Q					130.0#	2292	
				A	B	9 0	(3	(3			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

Select edge color. Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

DSelect surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this

Select base option.

4GB - 4 black glides

4CB - 4 black casters w/black hub caps

(2 locking)

4MB - 2 black casters w/black hub caps,

2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.



TREK PLUS TYPICALS TABLE COMPONENTS

hape	Model Number	Dimensions A x B x C	Table Components					
acetrack Typical	TPRT24	96" x 144" x 24"	2 Rectangles 24" x 48"					
C			4 Cresents 48" x 24" x 751/2"					
	TPRT30	96" x 144" x 30"	2 Rectangles 30" x 48"					
			4 Cresents 48" x 30" x 751/2"					
	TPRT36	120" x 180" x 36"	2 Rectangles 36" x 60"					
В			4 Cresents 60" x 36" x 94"					
uarter Circle Typical	TPQC24	96" x 96" x 24"	4 Rectangles 24" x 48"					
C			4 Quarter Rounds 24" x 24"					
	TPQC30	108" x 108" x 30"	4 Rectangles 30" x 48"					
			4 Quarter Rounds 30" x 30"					
	TPQC36	144" x 144" x 36"	4 Rectangles 36" x 72"					
В			4 Quarter Rounds 36" x 36"					
al Typical	TP0V24	48" x 96" x 24"	2 Rectangles 24" x 48"					
			2 Half Rounds 24" x 48"					
	TPOV30	60" x 120" x 30"	2 Rectangles 30" x 60"					
В			2 Half Rounds 30" x 60"					
	TPOV36	72" x 144" x 36"	2 Rectangles 36" x 72"					
			2 Half Rounds 36" x 72"					
oen Circle Typical	TPOC24	96" x 96" x 24"	4 Cresents 48" x 24" x 751/2"					
C	TPOC30	120" x 120" x 30"	4 Cresents 60" x 30" x 94"					
	TPOC36	144" x 144" x 36"	4 Cresents 72" x 36" x 113"					
В								
rcle Typical	TPCT24	48" x 48" x 24"	2 Half Rounds 24" x 48"					
C	TPCT30	60" x 60" x 30"	2 Half Rounds 30" x 60"					
_ •	TPCT36	72" x 72" x 36"	2 Half Rounds 36" x 72"					
В								

TREK PLUS TYPICALS TABLE COMPONENTS

Shape	Model Number	Dimensions A x B x C	Table Components
Open Hexagon Typical	TP0H24	84" x 96" x 21"	6 Trapezoids 24" x 24" x 24" x 48"
[C	TPOH30	105" x 120" x 26 ¹ / ₄ "	6 Trapezoids 30" x 30" x 30" x 60"
	TPOH36	126" x 144" x 31 ¹ / ₂ "	6 Trapezoids 36" x 36" x 72"
A			
B			
Hexagon Typical	TPHT24	42" x 48" x 21"	2 Trapezoids 24" x 24" x 24" x 48"
	TPHT30	52 ¹ / ₂ " x 60" x 26 ¹ / ₄ "	2 Trapezoids 30" x 30" x 30" x 60"
A C	TPHT36	63" x 72" x 31 ¹ / ₂ "	2 Trapezoids 36" x 36" x 36" x 72"
В			
Open Boat Shaped Typical	TP0B24	72" x 111" x 24"	2 Rectangles 24" x 48"
C			2 Trapezoids 36" x 36" x 36" x 72"
A			
В			
Boat Shaped Typical	TPBT24	48" x 90" x 24"	2 Rectangles 24" x 48"
i c			2 Trapezoids 24" x 24" x 24" x 48"
A	TPBT30	60" x 112 ¹ / ₂ " x 30"	2 Rectangles 30" x 60"
			2 Trapezoids 30" x 30" x 30" x 60"
В	TPBT36	72" x 135" x 36"	2 Rectangles 36" x 72"
			2 Trapezoids 36" x 36" x 36" x 72"



										▼			
				MODEL	NUMBER	R							
									Approx.	740.51	3/8" Wood		
	MODEL	Features	AxBxCxD		Edge Style	Edge Surfact Color Finish	e Base Finish	Base	Packaged Weight	74P Edge (74P)	Band Edge (34S)	Band Edge (36S)	
	Rectangular Tables, T Base-Fixed	T Base	24 × 48"	TP24F			_		71.0#	\$ 1175	\$ 1385	\$ 1584	
	Hootangulai labios, i base-i ixeu	T Base	24 x 60"						81.0#	1284	ψ 1563 1558	1763	
A A		T Base	30 x 48"	TP254F					81.0#	1249	1524	1713	
		T Base	30 x 60"						94.0#	1391	1735	1955	
TPX		T Base	36 x 60"						106.0#	1480	1935	2121	
II A		T Base	36 x 72"						121.0#	1548	2139	2398	
R	Trapezoid Tables, T Base-Fixed	T Base	24 x 24 x 24 x 48"	TPT24F				4GB	57.0#	\$ 1053	\$ 1730	\$ 1848	
C/A A	 24x24x24x48 = 21"D 	T Base	30 x 30 x 30 x 60"				_		71.0#	1182	1912	2162	
	• 30x30x30x60 = 26"D	T Base	36 x 36 x 36 x 72"	TPT36F					88.0#	1587	2367	2666	
- Б	• 36x36x36x72 = 31"D	. 5400	00 // 00 // 00 // 12						00.0#		2001	2000	
TPX	• 24x24x24x48 available with glides only												
	Crescent Tables, T Base-Fixed	T Base	48 x 24 x 75-1/2"	TPC24F					78.0#	\$ 1424	\$ 2436	\$ 3020	
		T Base	60 x 24 x 94"	TPC25F		000 000			94.0#	2028	3170	4310	
		T Base	48 x 30 x 75-1/2"						85.0#	1443	2467	3054	
		T Base	60 x 30 x 94"	TPC255F					104.0#	2028	3190	4338	
TPX		T Base	60 x 36 x 94"						113.0#	2062	3207	4371	
		T Base	72 x 36 x 113"						129.0#	2166	5506	7138	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge - 3/8" Wood band edge

- 1-3/4" Wood band edge

Select edge color.

selections.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select base option.

4GB - 4 black glides

4CB - 4 black casters w/black hub caps

(2 locking)

4MB - 2 black casters w/black hub caps, 2 black glides

B O D

(3

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.



										•			
				MODEL	UMBER	ł							
									Approx.		3/8" Wo	ood 1-3/4" Wo	od
	MODEL	Features	AxBxC	Basic Model	Edge Style	Edge Surfa Color Finis	nce Base h Finis	h Base	Packaged Weight	74P Edge (74P)	Band Ed (34S)	dge Band Edge (36S)	
	Quarter Round-No Base		24 x 24"	TPQ2					31.0#	\$ 457	\$ 879	9 \$ 1168	
	 To be used with Plus Tables only 		30 x 30"	TPQ25					40.0#	547	1052	2 1405	
, and the second			36 x 36"	TPQ3					51.0#	686	131	1 1639	
В													
TPX													
	Half Round Table, T Base-Fixed	T Base	24 x 48"	TPH24F					62.0#	\$ 1055	\$ 1912		
A		T Base	30 x 60"	TPH255F					80.0#	1367	2269		
<u>B</u> 1		T Base	36 x 72"	TPH36F					102.0#	1686	2946	6 3383	
TPX													
	Racetrack Typical-Fixed	T Base	96 x 144 x 24"	TPRT24F					451.0#	\$ 8050	\$ 12518		
[c		T Base	96 x 144 x 30"						498.0#	8283	12923		
A		T Base	120 x 180 x 36"	TPRT36F					498.0#	11221	16700	0 21723	
	B												
B													
-													
TPX													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

- 3/8" Wood band edge - 1-3/4" Wood band edge

Select edge color.

selections.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

• Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select base option.

4GB - 4 black glides

4CB - 4 black casters w/black hub caps (2 locking)

4MB - 2 black casters w/black hub caps,

B O D

a a

2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.



							•			
		Ва		Surface E Finish F	ase	Approx. Packaged	74P Edge	3/8" Wood Band Edge	1-3/4" Wood Band Edge	
MODEL	Features A x	x B x C Mo	odel St		inish Base	Weight	(74P)	(34S)	(36S)	
Quarter Circle Typical-Fixed	T Base 96	x 96 x 24"	PQC24F			405.0#	\$ 6531	\$ 9055	\$ 11074	
C	T Base 108	8 x 108 x 30" TP	PQC30F			441.0#	7201	10309	12462	
	T Base 144	4 x 144 x 36" TP	PQC36F			683.0#	8926	13800	16140	
A B										
TPX										
Oval Typical-Fixed	T Base 48	x 96 x 24" TP	POV24F			265.0#	\$ 4466	\$ 6596	\$ 8187	
\mathbf{A}	T Base 60	x 120 x 30" TP	POV30F			346.0#	5504	8011	9559	
	T Base 72	x 144 x 36" TP	POV36F □			443.0#	6433	10168	11563	
В										
TPX										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge - 3/8" Wood band edge

- 1-3/4" Wood band edge

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

• Select surface finish.

selections.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

4GB - 4 black glides

4CB - 4 black casters w/black hub caps

Select base option.

(2 locking)

4MB - 2 black casters w/black hub caps, 2 black glides

3 0 0 3 G

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Kl's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.



									•			
		ı	MODEL NU	UMBER								
								Approx. Packaged	740.51	3/8" Wood	1-3/4" Wood	
MODEL	Features A x B		Basic Model	Edge Edge Style Col	ge Surfac lor Finish	e Base Finish	Base	Раскадеа Weight	74P Edge (74P)	Band Edge (34S)	Band Edge (36S)	
Open Circle Typical-Fixed	T Base 96 x 9			-		_		312.0#	\$ 5707	\$ 9747	\$ 12177	
c								416.0#	8116	12752	17357	
1	T Base 144 x	144 x 36" T	POC36F					514.0#	8665	22037	28560	
A												
В												
TPX Civola Tunical Fixed	T Doop 49 v 49	0 v 04" T	DCT04F					125.0#	¢ 0110	¢ 2006	Ф E01E	
Circle Typical-Fixed	T Base 48 x 48 T Base 60 x 60							125.0# 161.0#	\$ 2118 2723	\$ 3826 4536	\$ 5015 5648	
C								203.0#	3339	5882	6769	
A	I Dase 12 X II	2 X 30	101301					203.0#	3333	3002	0703	
В												
TPX												
			A	B (a a	(a)	a					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge - 3/8" Wood band edge - 1-3/4" Wood band edge

Select edge color.

selections.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

• Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select base option.

4GB - 4 black glides

4CB - 4 black casters w/black hub caps

(2 locking)

4MB - 2 black casters w/black hub caps, 2 black glides

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.



										▼			
				MODEL	UMBER								
										Approx.	3/8" Wood	1-3/4" Wood	
	MODEL	Features	AxBxC	Basic Model	Edge I Style (Edge S Color F	urface B inish F	ase inish E	Raca	Packaged 74P Edge Weight (74P)	Band Edge (34S)	Band Edge (36S)	
	Open Hexagon Typical-Fixed	T Base	84 x 96 x 21"	TPOH24F				_	4GB	341.0# \$ 6327	\$ 10396	\$ 11084	
	 84x96x21 (model TPOH24F) available 	T Base	105 x 120 x 26-1/4	TPOH30F						427.0# 7101	11472	12955	
	with glides only	T Base	126 x 144 x 31-1/2"	TPOH36F						529.0# 9517	14203	15994	
A		1 Dase	120 X 144 X 31-1/2	11 011301						323.U# 3311	14200	13354	
В													
TPX													
	Hexagon Typical-Fixed	T Base	48 x 48 x 21"	TPHT24F] 4	4GB	114.0# \$ 2113	\$ 3463	\$ 3601	
	48x48x21 (model TPHT24F) available with glides only.	T Base	52-1/2 x 60 x 26-1/4"	TPHT30F						142.0# 2367	3826	4319	
A	with glides only	T Base	60 x 72 x 31-1/2"	TPHT36F						177.0# 3171	4735	5332	
TPX													
	Open Boat Shaped Typical-Fixed	T Base	72 x 111 x 24"	TPOB24F			100 0			318.0# \$ 5526	\$ 7504	\$ 8502	
C													
Α													
В													
TPX													
	Boat Shaped Typical-Fixed	T Base	48 x 90 x 24"	TPBT24F] 4	4GB	255.0# \$ 4460	\$ 6239	\$ 6866	
C	Boat Shaped Typical-Fixed • 48x90x24 (model TPBT24F) available	T Base	60 x 112-1/2 x 30"	TPBT30F						304.0# 5144	7295	8224	
A1	with glides only	T Base	72 x 135 x 36"	TPBT36F						418.0# 6265	9017	10132	
В													
TPX													

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

- 3/8" Wood band edge - 1-3/4" Wood band edge

Select edge color.

Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

• Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

Select base option. 4GB - 4 black glides

4CB - 4 black casters w/black hub caps

(2 locking)

4MB - 2 black casters w/black hub caps, 2 black glides

 Θ Θ

(3

(3)

ß

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

Additional Stains

Specially stained edges beyond the KI standard offering (as shown under Edge Color column on Product Color Options page) are also available. Contact KI.

OPTIONS

Table Heights Other Than 29"

Table heights other than 29" are available. Add the table height in inches to the end of the model number string.

Example: to specify 27-1/4" from the top of the table to the floor add "/27.25" to the end of the model number. The minimum height for a Trek® fixed leg table is 25". The maximum height is 42"

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.





					•	
			MODEL NUMBER			
			Racio	Approx. Packaned	Delivered	
	MODEL	Features	Basic Model	Approx. Packaged Weight	Pricing	
	Casters	Non-locking	46.5146.BL	1.0#	\$ 37	
HRDPT	3" black casters with black hub	Locking	46.5147.BL	1.0#	41	
•	Glides		10.3000.BLWH	1.0#	\$ 8	
HRDPT						
	Under-Table Wire Management					
	 Constructed of easy-to-use, high quality black velcro 					
•	· Harness is fastened to table bottom with					
	screws • SEE PRICING BELOW					
l nten	Leg Wireways • Scuff-resistant, high-impact rigid plastic					
	 Two separate wire channels per leg 					
	 Fastened to legs with adhesive bond 					
£ \	One wireway per leg; black onlySEE PRICING BELOW					
₫	OLE I MONG BLEOW					
	Grommets					
6	 Plastic grommets are 3" diameter and 					
	recessed into table top					
	 Removable cap w/retractable slot cover Two grommets per top 					
	SEE PRICING BELOW					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

OPTIONS

Accessory Options Under-Table Wire Management, Leg Wireways, and Grommets are Accessory Options. Add the following to the end of the model number:

Under-Table Wire Management and Leg Wireways selections are: HO = Under-Table Wire Management; Upcharge

WO = Leg Wireways; Upcharge is \$28 HW = Under-Table Wire Management and Leg

Wireways; Upcharge is \$97 Wire Management options HO, HW and WO are ONLY available on rectangular tables 96" and smaller (NOT available on any cantilever or flip-top tables).

Grommet Selections are: Gxx=grommet with color designator; Upcharge is \$27

Refer to Product Color Options page. Grommet option is available on rectangle tables 96" and smaller, except for all 18"x 60" and

24"x60" cantilevered fixed tables (24"x60" tables with standard fixed bases are okay).

No accessory options are available on PowerUp® tables or flip-top tables.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

