



OPT4[®] SEATING

PRICE LIST

EFFECTIVE JUNE 27, 2024
800.424.2432




Ordering Customer's Own Material (C.O.M.) Upholstery		
Information		3
Opt4®		
General Information		4
Technical Specifications		8
Product Color Options		12
Four-Leg		13
High Density Chair		17
Cafe Stools		18
Dolly		19



How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor’s website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer’s upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer’s responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

C.O.M. SHIPPING LOCATION



Architectural Walls	Universal Overheads..... MN	Oath Task Chairs and Stools..... GB
Evoke..... MN	Wireworks MN	Opt4..... GB
Genius Walls..... MN	Unite..... MN	Pilot Task Chairs..... OM
Casegoods	Residence Hall Furniture	Promenade Seating SystemBW
Aristotle Tackboards.....MN	RoomScape Furniture MN	Ruckus..... GB
Likha Tackboards.....MN		Sela Lounge Seating HN
Classroom Furniture	Screens	Sift Task Chairs GB
Intellect Wave Chairs..... GB	All Terrain..... KP	Signia Task Chairs and StoolsOM
Learn2 GB	Connection Zone.....BW	Soltice Metal Collection..... HN
Ruckus.....GB	True/Volition KP	Soltice Multiple, Healthcare & Guest . HN
	Genesis KP	Soltice II Healthcare Seating..... HN
	Tattoo..... MN	Sonrisa HN
	Universal.....BW	Strive Multiple, Stack & Task GB
Desking		Sway BW
700 Series Desking KP	Seating	Tattoo HN
Balance Overheads MN	600 Series Folding Chairs.....BW	Torsion-on-the-Go! Nesting Chairs GB
Genesis Desking..... MN	600 Series Stools.....BW	Torsion Air Stack and Task Seating GB
True Desking..... KP	Affina Collection..... HN	Zoetry HN
Universal Overheads..... MN	Altus Task Chairs..... GB	
WorkZone Desking MN	Apply Stack Chairs GB	
Files & Storage	Calida Lounge Seating HN	
700 Series Pedestal Cushion..... GB	Diem Task Chairs OM	
Connection Zone Pads.....BW	Doni Collection..... GB	
U-Series Pedestal Cushion..... GB	Gladly Lounge Seating VQ	
Tattoo.....BW	Grazie Seating GB	
	Hub Modular Lounge Seating HN	
Fixed Seating	Impress Task Chairs..... OM	
Concerto Auditorium Seating.....BW	Impress Ultra Task Chairs OM	
Single Pedestal Seating GB	Jessa Lounge Seating..... HN	
Jury Base Seating..... GB	Jubilee Lounge Seating.....VQ	
Lancaster Auditorium SeatingBW	Katera..... GB	
Sequence Seating..... GB	Kurv Benches..... HN	
University Seating..... GB	LimeLite..... GB	
	Lyra Lounge Seating HN	
Panel Systems	Medical & Laboratory Stools..... OM	
All Terrain..... KP	MyPlace Lounge Seating HN	
Balance Overheads MN	MyWay Seating..... HN	

KI C.O.M. Manufacturing Site Addresses:

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	<u>HN</u> KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263	<u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220	<u>VQ</u> KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623
<u>GB</u> KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	<u>KP</u> KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	<u>OM</u> KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	



Four-Leg Chair, Mesh Seat
(04LNAMSMB and 04LNAMSPB))



Four-Leg Chair, Poly Seat
(04LNAPSMB and 04LNAPSPB)



Four-Leg Chair, Upholstered Seat
(04LNAUSMB and 04LNAUSPB)

Features			
Stackable	•	•	•
Mesh, poly, or upholstered seat and back	•	•	•
General Dimensions			
Seat width	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"
Seat height	17-3/4"	17-3/4"	18-1/2"
Overall Dimensions			
Width	20-1/2"	20-1/2"	20-1/2"
Depth	21-13/16"	21-13/16"	21-13/16"
Height	32-3/16"	32-3/16"	33"
Stacking on dolly			
Overall width	22-1/2"	22-1/2"	22-1/2"
Overall depth	37"	37"	37"
Quantity/height	15 Chairs/68" High	15 Chairs/68" High	15 Chairs/68" High
Stacking on floor			
Quantity/height	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High



Four-Leg Arm Chair, Mesh Seat
(04LWAMSMB and 04LWAMSPB)



Four-Leg Arm Chair, Poly Seat
(04LWAPSMB and 04LWAPSPB)



Four-Leg Arm Chair, Upholstered Seat
(04LWAUSMB and 04LWAUSPB)

Features			
Stackable	•	•	•
Mesh, poly, or upholstered seat and back	•	•	•
General Dimensions			
Seat width	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"
Seat height	17-3/4"	17-3/4"	18-1/2"
Overall Dimensions			
Width	24-5/8"	24-5/8"	24-5/8"
Depth	21-13/16"	21-13/16"	21-13/16"
Height	32-3/16"	32-3/16"	33"
Stacking on dolly			
Overall width	22-1/2"	22-1/2"	22-1/2"
Overall depth	37"	37"	37"
Quantity/height	15 Chairs/68" High	15 Chairs/68" High	15 Chairs/68" High
Stacking on floor			
Quantity/height	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High

Stacking Vinyl, Polyurethane, and Imitation
Leather Upholstered Chairs

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit ki.com



Four-Leg Chair with Casters, Mesh Seat
(04LNAMSMBC and 04LNAMSPBC)



Four-Leg Chair with Casters, Poly Back
(04LNAPSMBC and 04LNAPSPBC)



Four-Leg Chair with Casters, Upholstered
Seat (04LNAUSMBC and 04LNAUSPBC)

Features			
Stackable	•	•	•
Mesh, poly, or upholsterd seat and back	•	•	•
General Dimensions			
Seat width	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"
Seat height	17-3/4"	17-3/4"	18-1/2"
Overall Dimensions			
Width	20-1/2"	20-1/2"	20-1/2"
Depth	21-13/16"	21-13/16"	21-13/16"
Height	32-3/16"	32-3/16"	33"
Stacking on floor			
Quantity/height	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High



Four-Leg Arm Chair with Casters, Mesh
Seat (04LWAMSMBC and 04LWAMSPBC)



Four-Leg Arm Chair with Casters, Poly Seat
(04LWAPSMBC and 04LWAPSPBC)



Four-Leg Arm Chair with Casters, Upholstered
Seat (04LWAUSMBC and 04LWAUSPBC)

Features			
Stackable	•	•	•
Mesh, poly, or upholstered seat and back	•	•	•
General Dimensions			
Seat width	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"
Seat height	17-3/4"	17-3/4"	18-1/2"
Overall Dimensions			
Width	24-5/8"	24-5/8"	24-5/8"
Depth	21-13/16"	21-13/16"	21-13/16"
Height	32-3/16"	32-3/16"	33"
Stacking on floor			
Quantity/height	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High

Stacking Vinyl, Polyurethane, and Imitation
Leather Upholstered Chairs

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit
ki.com



High Density Stack Chair, Mesh Seat
(04MSMB and 04MSPB)



High Density Stack Chair, Poly Seat
(04PSMB and 04PSPB)



High Density Stack Chair, Upholstered Seat
(04USMB and 04USPB)

Features			
Stackable	•	•	•
Ganging	•	•	•
Mesh, poly, or upholstered seat and back	•	•	•
General Dimensions			
Seat width	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"
Seat height	17-3/4"	17-3/4"	18-1/2"
Overall Dimensions			
Width	19-3/4"	19-3/4"	19-3/4"
Depth	21-13/16"	21-13/16"	21-13/16"
Height	32-3/16"	32-3/16"	33"
Stacking on dolly			
Overall width	22-3/8"	22-3/8"	22-1/2"
Overall depth	38-1/4"	38-1/4"	37"
Quantity/height	38 Chairs/80" High	38 Chairs/80" High	20 Chairs/69" High
Stacking on floor			
Quantity/height	10 Chairs/40-1/4" High	10 Chairs/40-1/4" High	5 Chairs/40-1/2" High



Transport Dolly for All Four-leg Chairs
(04LD.BL)



Transport Dolly for High Density
Chairs with Poly or Mesh Seats
(04DA.BL)



Transport Dolly for High Density
Chairs with Upholstered Seat
(04DAU.BL)



Transport Dolly for All Cafe Stools
(04SD.BL)

Overall Dimensions				
Width	22-1/2"	22-3/8"	22"	22-3/8"
Depth	26-1/8"	32"	30-1/4"	25-5/8"
Height	15-1/2"	16-3/4"	21-3/8"	14"
Quantity/height	15 Chairs/68" High	38 Chairs/80" High	20 Chairs/69" High	See specifications chart



Cafe Stool, Mesh Seat
(04SMSMB and 04SMSPB)



Cafe Stool, Poly Seat
(04SPSMB and 04SPSPB)



Cafe Stool, Upholstered Seat
(04SUSMB and 04SUSPB)

Features			
Stackable	•	•	•
Ganging	•	•	•
Mesh, poly, or upholstered seat and back	•	•	•
General Dimensions			
Seat width	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"
Seat height	24" / 30"	24" / 30"	24" / 30"
Overall Dimensions			
Width	20-1/8"	20-1/8"	20-1/8"
Depth	23"	23"	23"
Height - 24"	33-5/16"	33-5/16"	33-5/16"
Height - 30"	44-3/16"	44-3/16"	44-3/16"
Stacking on dolly			
Overall width	24"	24"	24"
Overall depth	52"	52"	55"
Quantity/height - 24"	26 Stools/74"H	26 Stools/74"H	10 Stools/74" H
Quantity/height - 30"	26 Stools/80"H	26 Stools/80"H	10 Stools/80" H
Stacking on floor			
Quantity/height - 24"	8 Stools/45" H	8 Stools/45" H	4 Stools/37" H
Quantity/height - 30"	8 Stools/51" H	8 Stools/51" H	4 Stools/43" H



Opt4® 4-Leg Armchair or Armless Chair with Glides or Casters

March 2020

TECHNICAL SPECIFICATIONS

4-Leg Glide & Caster Frames

Frame is fabricated from 7/8" O.D. by 17-guage tubular steel. All joint are welded.

Optional Upholstered Seat

Upholstered seat pad consist of an injection molded polypropylene liner board, 1/2" thick urethane slab foam and an upholstery covering, all held together with a draw-string process. Upholstered seat pad is attached to the seat with eight screws that extend through the seat and are screwed into poly bosses that are molded in the liner board.

Seat and Back

Seat and back are available in six combinations of mesh or polypropylene backrests and mesh, polypropylene or upholstered seats. Polypropylene frame and mesh are monochromatic. Poly backrest models have an integral handle. Mesh material is made from 100% post-consumer PET bottles. All resin parts (backrest, seat, and glides) are 100% recycled polypropylene.

Arms

Optional armrests are available. When equipped with arms, a formed steel tube 7/8" OD by 17-guage tubular steel is welded directly to the chair frame. Arm caps are polypropylene material.

Casters/Glides

Glides are molded from nylon with glass fill. Glides are Stone Grey or Black in color. 4-Leg chairs may be ordered with casters instead of glides. Casters are 50 mm diameter, double-wheel high-impact thermoplastic, available with hard or soft wheel surface, in Black only.

Frame Finishes

Frames are finished in either baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint, or bright nickel-chrome plating.

Transport Dolly

Frame construction is welded tubular steel with black powder-coated finish and 5" wheels (two swivel and two fixed).

Opt4® High-Density Sled Base Stack Chair & Stool

November 2020

TECHNICAL SPECIFICATIONS

Sled Base Frame

Frame and cross members are fabricated from 1/2" O.D. by 16-gauge tubular steel. All joints are welded. Stools are available in two heights (24" and 30"), and have footrest made of 1/2" O.D. by 16-gauge tubular steel.

Optional Upholstered Seat

Upholstered seat pad consist of an injection molded polypropylene liner board, 1/2" thick urethane slab foam and an upholstery covering, all held together with a draw-string process. Upholstered seat pad is attached to the seat with eight screws that extend through the seat and are screwed into poly bosses that are molded in the liner board.

Seat and Back

Seat and back are available in six combinations of mesh or polypropylene backrests and mesh, polypropylene or upholstered seats. Mesh material is made from 100% post-consumer PET bottles. All resin parts (backrest and seat) are 100% recycled polypropylene.

Glides

Frames are available with either nylon, steel, felt or PVC/non-skid glides. Nylon glides are available with or without integral ganging clips. Nylon glides are Stone Grey. PVC/non-skid glides are Black. Steel glides have a stainless steel cap that fits over a non-ganging nylon glide. Felt glides have a replaceable (snap-fit) felt cap that is black nylon with a neutral-colored felt. All glides are attached with one screw.

Frames and Finishes


Frames are finished in either baked-on electrostatically-applied powder-coat paint or bright nickel-chrome plating.

Transport Dolly


Powder-coated tubular steel frame. Two swivel casters and two fixed casters.




Opt 4 4-Leg Armless Chairs with Glides




04LNAPSPB




04LNAMSMB




04LNAPSMB



04LNAMSPB




04LNAUSPB




04LNAUSMB


Opt 4 4-Leg Armchairs with Glides




04LWAPSPB




04LWAMSMB




04LWAPSMB



04LWAMSPB




04LWAUSPB




04LWAUSMB


Opt4 4-Leg Armless Chair with Glides - Mesh Seat & Mesh Backrest




Opt4 4-Leg Armless Chair with Glides - Upholstered Seat & Mesh Backrest




Opt4 4-Leg Armchair with Glides - Mesh Seat & Mesh Backrest




Opt4 4-Leg Armchair with Glides - Upholstered Seat & Mesh Backrest




Opt 4 4-Leg Armless Chairs with Casters




04LNAPSPBC




04LNAMSMBC




04LNAPSMBC



04LNAMSPBC




04LNAUSPBC




04LNAUSMBC


Opt 4 4-Leg Armchairs with Casters




04LWAPSPBC



04LWAMSMBC




04LWAPSMBC



04LWAMSPBC




04LWAUSPBC




04LWAUSMBC


Opt4 4-Leg Armless Chair with Casters - Mesh Seat & Mesh Backrest




Opt4 4-Leg Armless Chair with Casters - Upholstered Seat & Mesh Backrest



Opt4 4-Leg Armchair with Casters - Mesh Seat & Mesh Backrest




Opt4 4-Leg Armchair with Casters - Upholstered Seat & Mesh Backrest







Opt4 HD Sled Base Stack Chairs




O4PSPB




O4SMSMB




O4PSMB



O4MSPB




O4SUSPB




O4USMB

Opt4 HD Sled Base Stack Chair - Mesh Seat & Mesh Backrest




Opt4 HD Sled Base Stack Chair - Upholstered Seat & Mesh Backrest







24" High Opt4 HD Sled Base Stack Stools




24" High Opt4 HD Sled Base Stack Stool - Mesh Seat & Mesh Backrest




24" High Opt4 HD Sled Base Stack Stool - Upholstered Seat & Mesh Backrest




30" High Opt4 HD Sled Base Stack Chairs



30" High Opt4 HD Sled Base Stack Stool - Mesh Seat & Mesh Backrest



30" High Opt4 HD Sled Base Stack Stool - Upholstered Seat & Mesh Backrest





Frame Color

Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Cayenne	CY
Champagne Metallic	CM
Chrome	CH
Cool Grey	CG
Cottonwood	CO
Earthen Clay	EY
Espresso Metallic	EX
Everglade Shade	EV
Flannel	FN
Glitz Metallic	GZ
Hazy Jade	HJ
Honey Bee	HY
Light Tone	LG
Mardi Gras	MG
Misty Brown	MY
Nemo	NE
Nordic	ND
Purple Haze	PH
Rainforest	RQ
Raw Jasper	RJ
Rubber Ducky	RK
Sand	SA
Starlight Silver Metallic	SX
Surf's Up	SP
Tarragon	TQ
Twilight Shadow	TI
Ultra Blue	UB
Warm Grey	WG
Zesty Lime	ZL

Seat and Back Color - Poly and Mesh

Black	O4BL
Stone Grey	O4SG
White	O4WH




Finish Cards

View color swatches for items listed within this document.

- [Paints](#)
- [Wood/Veneer](#)
- [Molded Edges](#)
- [Hard Plastics](#)
- [Plastics/Poly](#)
- [Laminates](#)
- [Edge Styles](#)
- [Glass](#)

Certain options referenced may not be available on GSA Schedule.



			MODEL NUMBER																
			Basic Model	Frame Color	Fire Code	Seat & Back Color	Upholstery Color	Glide Option											
MODEL	Features								Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
	Four-Leg Armless Chair, Mesh Seat <ul style="list-style-type: none">• Stacking• 350 lb. weight rating• Stacking bumper	Mesh Seat, Mesh Back	O4LNAMSMB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	12.0#	\$ 474										
		Mesh Seat, Poly Back	O4LNAMSPB	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	12.0#	429									
OPT4L																			
	Four-Leg Armless Chair, Poly Seat <ul style="list-style-type: none">• Stacking• 350 lb. weight rating• Stacking bumper	Poly Seat, Mesh Back	O4LNAPSMB	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	12.0#	\$ 429										
		Poly Seat, Poly Back	O4LNAPSPB	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	12.0#	374									
OPT4L																			
	Four-Leg Armless Chair, Upholstered Seat <ul style="list-style-type: none">• Stacking• 350 lb. weight rating• Stacking bumper	Uph Seat, Mesh Back	O4LNAUSMB	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	14.0#	N/A	\$ 585	\$ 610	\$ 624	\$ 635	\$ 677	\$ 690	\$ 715	\$ 745	
		Uph Seat, Poly Back	O4LNAUSPB	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	14.0#	N/A	528	553	568	578	622	635	659	690	
OP4LU																			
			A	B	C	D	E	F											

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select fire code. (Available on mesh seat/mesh back model only)
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
- D**Select poly and/or mesh seat and back color.
Refer to the **Product Color Options** page in this price list.
- E**Select upholstery grade/color.
Refer to **ki.com/fabrics**
- F**Select glide option.
GBL - Black
GSG - Stone Grey glide

INFORMATION

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Mesh Seat, Mesh Back Only
Added Lead Time=none
Added List Price=\$0

INFORMATION

Cartoning
4 chairs per carton




SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

			MODEL NUMBER															
			Basic Model	Frame Color	Fire Code	Seat & Back Color	Upholstery Color	Caster Type										
MODEL	Features								Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
 OPT4L	Four-Leg Armless Chair with Casters, Mesh Seat <ul style="list-style-type: none">• Stacking (Caution should be used if stacking to prevent casters from damaging chair and frame)• Stacking on dollies NOT recommended• 350 lb. weight rating• Stacking bumper	Mesh Seat, Mesh Back, Casters	O4LNAMSMBC	□□	□□□	□□□□		□	13.0#	\$ 523								
		Mesh Seat, Poly Back, Casters	O4LNAMSPBC	□□	NFR	□□□□		□	13.0#	478								
 OPT4L	Four-Leg Armless Chair with Casters, Poly Seat <ul style="list-style-type: none">• Stacking (Caution should be used if stacking to prevent casters from damaging chair and frame)• Stacking on dollies NOT recommended• 350 lb. weight rating• Stacking bumper	Poly Seat, Mesh Back, Casters	O4LNAPSMBC	□□	NFR	□□□□		□	13.0#	\$ 478								
		Poly Seat, Poly Back, Casters	O4LNAPSPBC	□□	NFR	□□□□		□	13.0#	420								
 OP4LU	Four-Leg Armless Chair with Casters, Upholstered Seat <ul style="list-style-type: none">• Stacking (Caution should be used if stacking to prevent casters from damaging chair and frame)• Stacking on dollies NOT recommended• 350 lb. weight rating• Stacking bumper	Uph Seat,Mesh Back, Casters	O4LNAUSMBC	□□	NFR	□□□□	□□□□□	□	15.0#	N/A	\$ 635	\$ 659	\$ 673	\$ 684	\$ 727	\$ 740	\$ 764	\$ 795
		Uph Seat,Poly Back, Casters	O4LNAUSPBC	□□	NFR	□□□□	□□□□□	□	15.0#	N/A	576	600	616	625	669	681	706	737
			A	B	C	D	E	F										

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select frame color.
Refer to the **Product Color Options** page in this price list.

C Select fire code. (Available on mesh seat/mesh back model only).

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

D Select poly and/or mesh seat and back color.
Refer to the **Product Color Options** page in this price list.

E Select upholstery grade/color.
Refer to [**ki.com/fabrics**](http://ki.com/fabrics)

F Select caster option.

C	- Carpet casters
S	- Hard floor casters

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Mesh Seat, Mesh Back Only
Added Lead Time=none
Added List Price=\$0

Cartoning
4 chairs per carton

Special Carton Marking




With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER															
			Basic Model	Frame Color	Fire Code	Seat & Back Color	Upholstery Color	Glide Option										
MODEL	Features								Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Four-Leg Arm Chair, Mesh Seat <ul style="list-style-type: none">• Stacking• 350 lb. weight rating• Stacking bumper	Mesh Seat, Mesh Back	O4LWAMSMB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>		12.0#	\$ 568								
		Mesh Seat, Poly Back	O4LWAMSPB	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>		12.0#	523							
OPT4L																		
	Four-Leg Arm Chair, Poly Seat <ul style="list-style-type: none">• Stacking• 350 lb. weight rating• Stacking bumper	Poly Seat, Mesh Back	O4LWAPSMB	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	12.0#	\$ 523								
		Poly Seat, Poly Back	O4LWAPSPB	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	12.0#	465								
OPT4L																		
	Four-Leg Arm Chair, Upholstered Seat <ul style="list-style-type: none">• Stacking• 350 lb. weight rating• Stacking bumper	Uph Seat, Mesh Back	O4LWAUSMB	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	14.0#	N/A	\$ 678	\$ 703	\$ 718	\$ 728	\$ 771	\$ 784	\$ 809	\$ 839
		Uph Seat, Poly Back	O4LWAUSPB	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	14.0#	N/A	620	645	660	670	714	725	750	782
OP4LU																		
			A	B	C	D	E	F										

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select fire code. (Available on mesh seat/mesh back model only).

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133
- D**Select poly and/or mesh seat and back color.
Refer to the **Product Color Options** page in this price list.
- E**Select upholstery grade/color.
Refer to [ki.com/fabrics](#)
- F**Select glide option.

GBL

- Black

GSG

- Stone Grey glide

INFORMATION

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Mesh Seat, Mesh Back Only
Added Lead Time=none
Added List Price=\$0

INFORMATION

Cartoning
4 chairs per carton

SPECIAL SERVICES




Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																						
			Basic Model	Frame Color	Fire Code	Seat & Back Color	Upholstery Color	Caster Type																	
 OPT4L	Four-Leg Arm Chair with Casters, Mesh Seat <ul style="list-style-type: none">Stacking (Caution should be used if stacking to prevent casters from damaging chair and frame)Stacking on dollies NOT recommended350 lb. weight ratingStacking bumper	Mesh Seat, Mesh Back, Casters	O4LWAMSMBC	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	13.0#	\$	616	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4							
		Mesh Seat, Poly Back, Casters	O4LWAMSPBC	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	13.0#		571															
 OPT4L	Four-Leg Arm Chair with Casters, Poly Seat <ul style="list-style-type: none">Stacking (Caution should be used if stacking to prevent casters from damaging chair and frame)Stacking on dollies NOT recommended350 lb. weight ratingStacking bumper	Poly Seat, Mesh Back, Casters	O4LWAPSMBC	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	13.0#	\$	571															
		Poly Seat, Poly Back, Casters	O4LWAPSPBC	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	13.0#		514															
 OP4LU	Four-Leg Arm Chair with Casters, Upholstered Seat <ul style="list-style-type: none">Stacking (Caution should be used if stacking to prevent casters from damaging chair and frame)Stacking on dollies NOT recommended350 lb. weight ratingStacking bumper	Uph Seat,Mesh Back, Casters	O4LWAUSMBC	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	15.0#	N/A	\$	727	\$	751	\$	767	\$	775	\$	820	\$	833	\$	858	\$	888
		Uph Seat,Poly Back, Casters	O4LWAUSPBC	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	15.0#	N/A		670		694		710		719		762		774		799		832
			A	B	C	D	E	F																	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select fire code. (Available on mesh seat/mesh back model only).
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
- D**Select poly and/or mesh seat and back color.
Refer to the **Product Color Options** page in this price list.
- E**Select upholstery grade/color.
Refer to **ki.com/fabrics**
- F**Select caster option.
C - Carpet casters
S - Hard floor casters

INFORMATION

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Mesh Seat, Mesh Back Only
Added Lead Time=none
Added List Price=\$0

INFORMATION

Cartoning
4 chairs per carton

SPECIAL SERVICES




Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																	
			Basic Model	Frame Color	Fire Code	Seat & Back Color	Upholstery Color	Glide Option												
MODEL	Features							Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4			
	High Density Stacking Chair, Mesh Seat <ul style="list-style-type: none">• Stacking• 350 lb. weight rating• Ganging optional	Mesh Seat, Mesh Back	O4MSMB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	10.0#	\$ 421											
		Mesh Seat, Poly Back	O4MSPB	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	10.0#	356										
OPT4																				
	High Density Stacking Chair, Poly Seat <ul style="list-style-type: none">• Stacking• 350 lb. weight rating• Ganging optional	Poly Seat, Mesh Back	O4PSMB	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	10.0#	\$ 356											
		Poly Seat, Poly Back	O4PSPB	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/>	10.0#	279										
OPT4																				
	High Density Stacking Chair, Upholstered Seat <ul style="list-style-type: none">• Stacking• 350 lb. weight rating• Stacking bumper• Ganging optional	Uph Seat, Poly Back	O4USPB	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12.0#	N/A	\$ 435	\$ 460	\$ 474	\$ 485	\$ 527	\$ 540	\$ 565	\$ 596			
		Uph Seat, Mesh Back	O4USMB	<input type="checkbox"/> <input type="checkbox"/>	NFR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12.0#	N/A	513	538	552	563	606	618	643	673			
OP4U																				
			A	B	C	D	E	F												

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select fire code. (Available on mesh seat/mesh back model only).

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133
- D**Select poly and/or mesh seat and back color.
Refer to the **Product Color Options** page in this price list.
- E**Select upholstery grade/color.
Refer to **ki.com/fabrics**

- F**Select glide option.

F - Replaceable Felt glides, non-ganging

G - Nylon glides, ganging

NG - Nylon glides, non-ganging

S - Steel glides, non-ganging

NS - PVC/Non-skid glides, non-ganging

INFORMATION

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Mesh Seat, Mesh Back Only
Added Lead Time=none
Added List Price=\$0

INFORMATION

Cartoning
4 chairs per carton

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

Select basic model.

B

Select seat height.

24

- 24” Seat Height

30

- 30” Seat Height

C

Select frame color.

Refer to the **Product Color Options** page in this price list.

D

Select fire code. (Available on mesh seat/mesh back model only).

FR

- Compliance to TB 133

NFR

- Compliance to TB 117-2013

E

Select poly and/or mesh seat and back color.

Refer to ki.com/fabrics

F

Select upholstery grade/color.

Refer to ki.com/fabrics

G

Select glide option.

F

- Replaceable Felt glides, non-ganging

G

- Nylon glides, ganging

NG

- Nylon glides, non-ganging

S

- Steel glides, non-ganging

NS

- PVC/Non-skid glides, non-ganging

INFORMATION

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Mesh Seat, Mesh Back Only
Added Lead Time=none
Added List Price=\$0

INFORMATION

Cartoning

2 stools per carton

SPECIAL SERVICES

Special Carton Marking






With specially marked informationN/C

Shipping

Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



MODEL	MODEL NUMBER			
	Basic Model	Approx. Packaged Weight	Delivered Pricing	
 HRDPT	Transport Dolly for Four-Leg Chair <ul style="list-style-type: none">• Easy maneuverability with 5" casters; two fixed, two swivel• Black powder-coated finish• For chairs with poly, mesh or uph seat• Not for use on chairs with casters	O4LD.BL	30.0#	\$ 522
 HRDPT	Transport Dolly for High Density Chair, Poly or Mesh Seat <ul style="list-style-type: none">• Easy maneuverability with 5" casters; two fixed, two swivel• Black powder-coated finish• For chairs with poly or mesh seats	O4DA.BL	30.0#	\$ 522
 HRDPT	Transport Dolly for High Density Chair, Uph Seat <ul style="list-style-type: none">• Easy maneuverability with 5" casters; two fixed, two swivel• Black powder-coated finish• For chairs with uph seat only	O4DAU.BL	30.0#	\$ 522
 HRDPT	Transport Dolly for Cafe Stool <ul style="list-style-type: none">• Easy maneuverability with 5" casters; two fixed, two swivel• Black powder-coated finish• For stools with poly, mesh or uph seat	O4SD.BL	30.0#	\$ 552
 HRDPT	Universal Dolly Handle <ul style="list-style-type: none">• Field installable• Provides convenient handle for relocating dolly when empty or loaded• Overall dolly height with handle is 37"	UDH.BL	8.0#	\$ 199

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2023 Krueger International, Inc. All Rights Reserved.