



PIROUETTE[®] TABLES

PRICE LIST

EFFECTIVE SEPTEMBER 4, 2024
800.424.2432



Pirouette® Tables		
General Information-Pattern Electrical		3
General Information-Height Adjustable		5
Product Color Options		8
Pirouette® Tables - Fixed Height Base		
Fixed Top-Rectangular-29" High (Training)		9
Fixed Top-Rectangular-29" High (Collaborative)		13
Fixed Top-Rectangular-29" High (Conference)		15
Fixed Top-Rectangular-36" High (Counter Height)		21
Fixed Top-Rectangular-42" High (Cafe Height)		23
Fixed Top-Chevron-29" High (Standard Height)		25
Fixed Top-Chevron-36" High (Counter Height)		27
Fixed Top-Chevron-42" High (Cafe Height)		29
Fixed Top-Double Chevron-29" High (Standard Height)		31
Fixed Top-Double Chevron-29" High (Conference)		33
Fixed Top-Guitar Pick-29" High (Standard Height)		37
Fixed Top-Square-29" High (Standard Height)		38
Fixed Top-Square-36" High (Counter Height)		39
Fixed Top-Square-42" High (Cafe Height)		40
Fixed Top-Round-29" High (Standard Height)		41
Fixed Top-Round-36" High (Counter Height)		42
Fixed Top-Round-42" High (Cafe Height)		43
Fixed Top-Scale Up-29" High (Standard Height)		44
Fixed Top-Half Round-29" High (Standard Height)		45
Fixed Top-Trapezoid-29" High (Standard Height)		46
Nesting Top-Rectangular-29" High (Training)		47
Nesting Top-Rectangular-29" High (Collaborative)		49
Nesting Top-Rectangular-36" High (Counter Height)		51
Nesting Top-Rectangular-42" High (Cafe Height)		52
Nesting Top-Chevron-29" High (Standard Height)		53
Nesting Top-Chevron-36" High (Counter Height)		55
Nesting Top-Chevron-42" High (Cafe Height)		56
Nesting Top-Double Chevron-29" High (Standard Height)		57
Nesting Top-Round-29" High (Standard Height)		59
Nesting Top-Scale Up-29" High (Standard Height)		60
Nesting Top-Half Round-29" High (Standard Height)		61
Nesting Top-Trapezoid-29" High (Standard Height)		62
Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base		
Fixed Top-Rectangular-29" High (Training)		63
Fixed Top-Rectangular-36" High (Counter Height)		68
Fixed Top-Rectangular-42" High (Cafe Height)		72
Fixed Top-Chevron-29" High (Standard Height)		76
Fixed Top-Chevron-36" High (Counter Height)		78
Fixed Top-Chevron-42" High (Cafe Height)		80
Fixed Top-Scale Up-29" High (Standard Height)		82
Nesting Top-Rectangular-29" High (Training)		83
Nesting Top-Rectangular-36" High (Counter Height)		87
Nesting Top-Rectangular-42" High (Cafe Height)		91
Nesting Top-Chevron-29" High (Standard Height)		95
Nesting Top-Chevron-36" High (Counter Height)		97
Nesting Top-Chevron-42" High (Cafe Height)		99
Nesting Top-Scale Up-29" High (Standard Height)		101
Pirouette® HA Tables - Pneumatic Adjustable Height Base		
Fixed Top-Rectangular		102
Fixed Top-Chevron		103
Pirouette® HA Tables - Screw Adjustable Height Base		
Fixed Top-Rectangular		104
Fixed Top-Chevron		105
Pirouette® HA Tables - Pneumatic Adjustable Height Base		
Nesting Top-Rectangular		106
Nesting Top-Chevron		107
Pirouette® HA Tables - Screw Adjustable Height Base		
Nesting Top-Rectangular		108
Nesting Top-Chevron		109
Pirouette® Tables		
Accessories		110



PRODUCT SPECIFICATIONS

Pirouette® Tables

Tables with Pattern™ Electrical, Power Modules with 3-Prong Plug or No Power

March 2024

TECHNICAL SPECIFICATIONS

Tabletops

Standard tabletops are nominal 1 1/4" overall thickness with .030" thick high-pressure laminate top surface and .028" phenolic backer (bottom surface). The density of the core in standard tops is 45 lb/cu ft. particleboard. Pirouette table is available with the 2 mm (74P) edge.

Flipping/Nesting Table Frame

The framework for table support and flipping/nesting operation consists of 30 mm x 50 mm x 3 mm thick wall steel tubing, with 4 mm thick formed steel support hubs welded to the tubes for mounting the legs. A 3 mm formed steel table support bracket is attached to the beam and hub structure using a 10 mm diameter steel pivot pin. # 12 x 1 3/4" Phillips wood screws attach the framework brackets to the tabletop. A 9.9 mm steel hex rod connects the latch mechanism and is connected to a nylon release paddle on either end of the table base. The table latch release handle is actuated by squeezing the paddle on either end to the underside of the tabletop. Pulling upward raises the tabletop for nesting storage.

To lower the table, grasp the top center of the tabletop edge and lower the surface to allow the latches to engage once the surface is down. All hinge pins for the flipping mechanism are zinc plated steel. Hinge pin spacers are molded nylon. The framework is shipped separately, ready to be assembled to the tabletop and legs.

Leg Assemblies

Flipping/Nesting Table

The leg assembly consists of one right-hand leg and one left-hand leg, with three leg depth options. One depth fits 18" deep tables; one fits 24" and 30" deep tables; the other fits 36" deep tables. Leg height is fixed to provide 29" high tabletop height. An ADA table height of 32" is accomplished using 3" leg extensions threaded into the bottom of the leg. Café height of 36" and standing height of 42" are also available. Leg construction consists of 2.2" diameter, .10" thick wall steel tubing with a 4 mm thick steel pivot plate welded to it. The feet consist of two 4 mm thick blades welded to the leg tube. The blade covers are aluminum die cast, attached with self-tapping metal screws. The leg assemblies are bolted to the table frame structure using two M12 x 25 mm flat head bolts. Leg assemblies ship with blade covers installed but casters or glides must be installed upon assembly. A hardware kit is shipped with the base that consists of a cover that must be installed after the leg assembly to prevent access to the pivot mechanism.

Fixed T-Base Table

Three T-base leg depths are available. One depth fits 18" deep tables; one fits 24" and 30" deep tables; the other fits 36" deep tables. Leg height is fixed to provide 29" high tabletop height. An ADA table height of 32" is accomplished using 3" leg extensions threaded into the bottom of the leg. Café height of 36" and standing height of 42" are also available. Leg construction consists of 2.2" diameter, .10" thick wall steel tubing with a 5 mm thick steel plate welded to it. The feet consist of two 4 mm thick blades welded to the leg tube. The blade covers are aluminum die cast, attached with self-tapping metal screws. The leg assemblies are attached to the tabletops using # 12 x 1" screws. Leg assemblies ship with blade covers installed but casters or glides must be installed upon assembly.

Fixed TT-Base Table

Some larger fixed leg tables use a T or TT-base style leg. Available standard in one depth of 38" to fit 42" and 48" deep tables. Leg height is fixed to provide only 29" high tabletop height. ADA table height of 32" is accomplished using 3" leg extensions threaded into the bottom of the leg. Leg construction consists of 2.2" diameter, .10" thick wall steel tubing with a 5 mm thick steel plate welded to it. The feet consist of two 4 mm thick blades welded to two leg tubes separated by a 1" x 2" welded steel cross tube, and the blade covers are aluminum die cast attached with self-tapping metal screws. The leg assemblies are attached to the tabletop using # 12 x 1" screws. Leg assemblies ship with blade covers installed but casters or glides must be installed upon assembly.



TECHNICAL SPECIFICATIONS

Fixed C-Base

Some shaped tables use three or four C-base style legs. Available standard in one length of 14". Leg height is fixed to provide only 29" high tabletop height. ADA table height of 32" is accomplished using 3" leg extensions threaded into the bottom of the leg. Leg construction consists of 2.2" diameter, .10" thick wall steel tubing with a 5 mm thick steel plate welded to it. The foot consist of one 4 mm thick blade welded to the leg tube, and the blade covers are aluminum die cast attached with self-tapping metal screws. The leg assemblies are attached to the tabletop using # 12 x 1" screws. Leg assemblies ship with blade covers installed but casters or glides need to be installed upon assembly.

Fixed X-Base

Some round and square shaped tables use X-base style legs. Available in a standard 28" x 28" style foot configuration. 29", 36" and 42" tabletop height configurations are available on various sizes. Leg construction consists of 3" diameter, .10" thick wall steel tubing with a 5 mm thick steel plate welded to it. The foot consist of one 4 mm thick blade welded to the leg tube, and the blade covers are aluminum die cast attached with self-tapping metal screws. The leg assemblies are attached to the tabletop using # 12 x 1" screws. Leg assemblies ship with blade covers installed but casters or glides need to be installed upon assembly.

Casters and Glides

Each table includes either glides or casters. Each table with casters will include two-wheel locking casters. Casters are made of molded nylon and are two-tone Starlight Silver and black. Glides are made of molded nylon and are two-tone black and white. Glides and casters are interchangeable without changing table height. Caster wheels are a minimum of 2.44" (62 mm) diameter. Caster wheel treads are medium hard (75 max Shore A) for easy mobility on carpet or hard floors. Glides have a smooth convex bottom surface for mobility. 2 3/4" diameter black nylon glides are optional. Glides have 1" of telescoping height adjustment that adjusts table height from 28 1/2" to 29 1/2". Steel 1/2" threaded stems attach the glides to legs. Casters and glides ship unassembled.

Ganging Mechanism

After installation of pegs, no tools are required to join tables together. Tabletops are pre-drilled for placement of ganging pegs. Two gangers and six pegs are included in each kit. If table is specified with power modules for Pattern™, two gangers, eight pegs and all mounting screws are included in the kit. One kit per table joint is required. All ganging accessories are included for tables with Pattern electrical. Field installed. Gangers are self-storing under the table when not in use. Ganging kits are ordered separately for all other table models.

Vertical Leg Wire Management

A color matched extrusion made of aluminum "snaps" to the Pirouette leg, managing cables and wires exiting power modules or through standard grommets installed on the tabletop. The extrusion is 12" long. Vertical wire managers are included when power options are ordered.

Wire Trough

The wire trough is a cord management accessory that is provided with the Pirouette table if Pattern components are specified with the order. If the Pirouette table is specified with any 3-prong plug module unit, then a wire trough must be ordered separately. Constructed of 18-gauge steel with a powder-coated finish in all KI standard finishes. Screws are provided for attachment to the underside of the tabletop, and tops are pre-drilled for wire trough locations. Provides multiple access holes to feed wires, and includes cutouts for installation of additional Pattern snap-in RPT power modules.

Velcro® Wire Management

The Velcro wire manager is constructed of 2" x 4 1/2" Velcro hook and loop material. The wire manager is provided with adhesive backing and screws for attachment to the underside of the top. Tops are pre-drilled for locating wire managers, but a wire manager may be applied in any convenient location. Two or five Velcro wire managers are included when Pattern power modules are ordered, and wire clips are provided when power modules with 3-prong plugs are ordered. Field installed.



TECHNICAL SPECIFICATIONS

Grommets

Flip-Top Grommets for Dean® & Nacre® Power Modules

Flip-top grommets are surface-mounted covers, constructed of 18-gauge steel. Grommets have a flip-up receding door and are identical in cutout size to the Nacre or Dean power modules listed below, which allows for retrofitting corresponding power modules at a later date. One grommet ships per table, which is located in the center of the tops. Two grommets ship per conference table, which are located near the center of the tops. Grommets are finished with powder-coat paint and available in all KI paint colors. The flip-up door is designed to allow cords to remain routed through the opening while it is closed and allows for more cord routing space when the flip-up door is opened. Field installed.

Circular Grommet for Node® Power Module

The Node circular grommet is an open top, surface-mounted grommet constructed of aluminum. The overall diameter of 3.15" fits into a 3" diameter cutout in the surface. One grommet ships per table, which is located in the center of the tops. Two grommets ship per conference table, which are located near the center of the tops. Grommets are finished with powder-coat paint and available in all KI paint colors. Not available in chrome. Field installed.

Power Modules

Dean In-Surface Power Module

Dean In-Surface power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be modified to fit various brand jacks. Data tree ships with Dean in-surface power modules. Data connectors are not supplied with the module and are purchased by the customer. The Dean in-surface module is 8.12" long by 2.31" wide by 2.5" high and fits securely into a 7.81" x 1.93" cutout. Module is mechanically attached to the worksurface with screws from the underside. The module has a molded plastic faceplate with steel trim and an aluminum housing. Modules comes standard with either 9' or 15' cord with a 3-prong plug, or a 20" cord with a Pattern™ connector. A 40" cord option is available for larger conference tables with two power modules. Dean power module is rated at 15 amps/120 volts and is UL listed.

Dean Clamp-On Power Module

Dean clamp-on power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A and one USB-C port, 2 amps per port. Dean clamp-on module is 5.50" long by 3.06" wide by 3.38" high. The module has a smooth molded plastic faceplate with an anodized aluminum housing. Clamp-on mounting style positions the module at a right angle to the worksurface and uses two thumb screws for attachment, without the need for table cutouts. Clamp is 3" wide, extends 1¾" onto edge of surface and can accommodate a maximum surface thickness of 1½". Modules come standard with either 3', 9' or 15' cord with a 3-prong plug, or a 40" cord with a Pattern connector. Dean power module is rated at 15 amps/120 volts and is UL listed.

Nacre Pop-Up In-Surface Module

Nacre Pop-Up In-Surface consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be modified to fit various brand jacks. Data tree ships with Nacre power modules. Data connectors are not supplied with the module and are purchased by the customer. Nacre is 7.25" long by 3.31" wide by 2.92" high and fits securely into a 6.94" x 3" cutout with .38" radius corners. The module is made of molded plastic. The module is a pop-up design with a dampened spring-loaded mechanism to allow the unit to smoothly open for use and close smoothly when not in use. Modules come standard with either 9' or 15' cord with a 3-prong plug, or a 20" cord with a Pattern connector. A 40" cord option is available for larger conference tables with two power modules. Nacre power module is rated at 15 amps/120 volts and is UL listed.

Dubbel™ Undersurface Power Module

Dubbel undersurface module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port. Dubbel is 7.63" wide by 1.75" tall by 5.25" deep. The module is made of molded plastic and secures under the worksurface with two 5/16 x 2" Phillips round-head screws. Modules come standard with either 3', 9' or 15' cord with a 3-prong plug, or a 40" cord with a Pattern connector. Dubbel power module is rated at 15 amps/120 volts and is UL listed.

TECHNICAL SPECIFICATIONS

Node® In-Surface Power Module

Node In-Surface power module consists of one simplex receptacle port (rated at 15 amps/125 volts), includes one USB-A port , and one USB-C port, 2 amps per port. Node is 3.38" in diameter by 3.30" tall fits and securely into a 3" diameter cutout. The module housing is made of plastic with a powder-coat painted aluminum faceplate. Modules come standard with either 9' or 15' cord with a 3-prong plug, or a 20" or 40" cord with a Pattern connector. Node power module is rated at 15 amps/120 volts and is UL listed.

Snap-In RPT Power Module

Snap-In RPT module is only available for use with Pattern™ electrical system. Snap-in module consists of two simplex receptacle ports (rated at 15 amps/125 volts). Snap-in RPT fits securely in user facing cutouts located on the wire trough, mounted under the table. Modules comes standard with a 20" or 40" pattern connector, rated at 15 amps/120 volts and is UL listed.

Pattern Electrical System

Select Pirouette table models can be configured with Pattern electrical system. The Pattern electrical system is ETL Listed, evaluated to safety standard UL 962A (USA) and CAN/CSA-C22.2 No. 308 (Canada). It allows for a maximum up to ten distribution blocks and up to 50' of power jumpers from the power infeed (in either direction), whichever comes first. Pattern allows up to eighteen power modules depending on table width, and connects to one 15-amp power supply cord (power infeed). Pattern is a non-sequential system and the infeed is compatible with ground fault interrupter (GFI/GFCI) outlets. Power modules for Pattern are specified as an option on Pirouette tables.

Pattern Power Distribution Blocks

Pattern power distributions blocks are standalone connectors, each containing four port locations. Distribution blocks are included with appropriate power jumper and power infeed kits, so do not need to be ordered separately. Distribution blocks bring the power infeed, power jumpers, and power modules together and allow power to be efficiently supplied to each table. Two distribution block types are included with the Pattern system, grey and white.

Pattern Table-to-Table Power Jumper Kits

Pattern table-to-table jumper power kits come with one grey distribution block and an appropriately sized power jumper. Jumpers are nonsequential and are keyed on each end to connect between distribution blocks. Table-to-table power jumper kits are ordered separately, according to layout configuration.

Pattern Power Infeed Kits

The Pattern power infeed kit must be ordered separately. Site configurations vary and will affect the number of power infeeds required. The number and size of tables, as well as the number of receptacles per table and amperage needs in each ganging configuration will determine the number of power infeed kits required at any given installation. Infeeds can be installed anywhere in the run.

Kit comes with one grey Pattern power distribution block, one 12" power jumper, one white Pattern power distribution block and Pattern power infeed cord. Power infeed consists of a 15-amp plug on one end of the 108" cord and a keyed connector at the opposite end of the cord. Kit includes a vertical wire manager. A Pattern quick-release tool is also included to assist with disconnecting connector ends from distribution blocks.

Polyester Felt Modesty Panel

Polyester felt modesty panels are constructed from a sound-absorbing, 100% polyester felt. The panels have a density of 0.5 lb/ft² and is sound absorbing tested to ASTM C423 with an NRC rating of .44 when using no air gap (A Mount testing method) and an NRC rating of .81" with 2" air gap. The polyester felt is in accordance with ASTM-E84 and achieve a Class A Flame Spread. Modesty panels are 9¼" high on 29" (standard-height) tables and are 15" tall on 36" and 42" height tables. Modesty panel widths are 28½", 34½", 40½", 46½", 52½", 58½", 64½", and 70½" .

Mounting Hooks

The mounting hooks are 18-gauge steel and attach underneath the tabletop using two steel screws. Panels 28½", 34½", 40½" and 46½" wide use two hooks per panel. Panels 52½", 58½", 64½" and 70½" wide use three hooks per panel.



PRODUCT SPECIFICATIONS

Pirouette® HA Tables
Screw-Adjustable & Pneumatic-Adjustable Height

March 2023

TECHNICAL SPECIFICATIONS

Tabletops

Standard tabletops are nominal 1 1/4" overall thickness with .030" thick high-pressure laminate top surface and .028" phenolic backer (bottom surface). The density of the core in standard tops is 45 lb/cu ft. particleboard. Pirouette table is available with the 2 mm (74P) edge.

Table Frames

Flipping & Nesting Base

The framework for table support and flipping/nesting mechanism consists of a set of steel hinge mechanisms which allow the top to be flipped vertical, allowing the table to be nested with a mating table. A 4 mm thick formed steel lower table support hinged using a 10 mm steel pin with a 3 mm thick worksurface mounting plate. A 9.9 mm steel hex rod joins the latch mechanisms and is connected to a nylon release paddle on each end of the table base. The tabletop lock paddle is actuated by pulling the paddle up on either end of the tabletop. Pulling upward rotates the tabletop for nesting storage. To lower the table, grasp the top center of the tabletop edge and rotate the surface down until the latches engage when the surface is horizontal. All hinge pins for the flipping mechanism are zinc plated steel. Hinge pin spacers are molded nylon. The framework is shipped separately, ready to be assembled to the tabletop and legs. #12 x 1 1/2" Phillips wood screws attach the framework to the to the tabletop.

Fixed-Top Base

The table support framework for the fixed-top, non-nesting table consists of a pair of 7-gauge formed steel enclosures. The steel enclosures are welded directly to the 1 3/4" diameter, 14-gauge upper leg tube for both the pneumatic and screw adjustable-height versions. Each plate is attached to the tabletop using four #12 x 1" screws.

Leg Assemblies

Pneumatic-Adjustable Height Leg (Nesting-Top Base)

An 11-gauge steel leg support bracket is welded to the 1 3/4" diameter, 14-gauge upper leg tube. The lower leg structure consists of 4 mm steel feet welded to a 2 1/4" diameter, 14-gauge steel vertical tube. The inner leg tube is supported in the lower leg tube by a set of Delrin glide bushings. Housed inside each leg tube is a pneumatic cylinder which includes a locking feature to prevent vertical movement when any force is applied to the worksurface and the cylinder is not actuated. Each leg assembly is attached to the mechanism using four total 1/4 -20 x 5/8" Torx head (T-30) thread forming screws. The legs are joined by a 1 1/4" by 2", 14-gauge rectangular steel tube cross-brace bar that is secured in place with six total 1/4 -20 x 5/8" Torx head (T-30) thread forming screws. Leg assemblies ship with foot covers installed, but casters or glides must be installed upon assembly.

On Pneumatic-adjustable height tables, the tabletop adjusts up and down between 29" and 44" from the floor by activating a pneumatic cylinder using a lever located under the user side of the worksurface. The table's recommended weight load is 20 lb or less.

Pneumatic-Adjustable Height Leg (Fixed-Top Base)

An 11-gauge steel leg support bracket is welded to the 1 3/4" diameter, 14-gauge upper leg tube. The lower leg structure consists of 4 mm steel feet welded to a 2 1/4" diameter, 14-gauge steel outer vertical tube. The inner leg tube is supported in the lower leg tube by a set of Delrin glide bushings. Housed inside each leg tube is a pneumatic cylinder which includes a locking feature to prevent vertical movement when any force is applied to the worksurface and the cylinder is not actuated. Each leg assembly is attached to the mechanism using four total 1/4 -20 x 5/8" Torx head (T-30) thread forming screws. The legs are joined by a 1 1/4" by 2", 14-gauge rectangular steel tube cross-brace bar that is secured in place with six total 1/4 -20 x 5/8" Torx head (T-30) thread forming screws. Leg assemblies ship with foot covers installed, but casters or glides must be installed upon assembly.

On Pneumatic-adjustable height tables, the tabletop adjusts up and down between 29" and 44" from the floor by activating a pneumatic cylinder using a lever located under the user side of the worksurface. The table's recommended weight load is 20 lb or less.



TECHNICAL SPECIFICATIONS

Leg Assemblies (cont.)

Screw-Adjustable Height Leg (Nesting-Top Base)

An 11-gauge steel leg support bracket is welded to the 1 3/4" diameter, 14-gauge upper leg tube. The lower leg structure consists of 4 mm steel feet welded to a 2 1/4" diameter, 14-gauge steel outer vertical tube. The inner leg tube is supported in the lower, outer leg tube by a set of Delrin glide bushings. The inner tube contains a set of threaded adjustment holes spaced 1" apart which mate up with two holes on the outer leg. By removing the 1/4-20 x 1/2" locking screws, the tabletop height may be adjusted in 1" increments. Each leg assembly is attached to the mechanism using four total 1/4 -20 x 5/8" Torx head (T-30) thread forming screws. The legs are joined by a 1 1/4" by 2", 14-gauge rectangular steel tube cross-brace bar that is secured in place with six total 1/4 -20 x 5/8" Torx head (T-30) thread forming screws. Leg assemblies ship with foot covers installed, but casters or glides must be installed upon assembly.

On screw-adjustable height tables, the top of the tabletop adjusts up and down between 29" and 44" from the floor by manually removing the two locking set screws located on the inside of each leg below the lower cross-brace, and adjusting the top up or down in 1" increments, then replacing the locking set screws.

Screw-Adjustable Height Leg (Fixed-Top Base)

An 11-gauge steel leg support bracket is welded to the 1 3/4" diameter, 14-gauge upper leg tube. The lower leg structure consists of 4 mm steel feet welded to a 2 1/4" diameter, 14-gauge steel outer vertical tube. The inner leg tube is supported in the lower, outer leg tube by a set of Delrin glide bushings. The inner tube contains a set of threaded adjustment holes spaced 1" apart which mate up with two holes on the outer leg. By removing the 1/4-20 x 1/2" locking screws, the tabletop height may be adjusted in 1" increments. Each leg assembly is attached to the mechanism using four total 1/4 -20 x 5/8" Torx head (T-30) thread forming screws. The legs are joined by a 1 1/4" by 2", 14-gauge rectangular steel tube cross-brace bar that is secured in place with six total 1/4 -20 x 5/8" Torx head (T-30) thread forming screws. Leg assemblies ship with foot covers installed, but casters or glides must be installed upon assembly.

On screw-adjustable height tables, the top of the tabletop adjusts up and down between 29" and 44" from the floor by manually removing the two locking set screws located on the inside of each leg below the lower cross-brace, and adjusting the top up or down in 1" increments, then replacing the locking set screws.

Casters and Glides

Each table includes either glides or casters. Tables with casters will include two-wheel locking casters, made of molded nylon and are two-tone Starlight Silver and black. Glides are made of molded nylon and are two-tone black and white. Glides and casters are interchangeable without changing table height. Caster wheels are a minimum of 2.44" (62 mm) diameter. Caster wheel treads are medium hard (75 max Shore A) for easy mobility on carpet or hard floors. Glides have a smooth convex bottom surface for mobility. 2 3/4" diameter black nylon glides are optional. Glides have 1" of telescoping height adjustment to level the table height. Steel 1/2" threaded stems attach the glides to legs. Casters and glides ship unassembled.

Wire Management

Cable Trough


The cable trough is a cable and cord management accessory that is provided on all versions of the table. Constructed of 18-gauge steel with a black powder-coated finish. Screws are provided for attachment to the underside of the tabletop, and tops are pre-drilled for cable trough locations. Provides multiple access holes to feed wires, and cables.

Vertical Leg Wire Management

A color matched extrusion made of aluminum "snaps" to the Pirouette leg, managing cables and wires exiting power modules or through standard grommets installed on the tabletop. The extrusion is 12" long. Vertical wire managers are included when power options are ordered.

Velcro® Wire Management

The Velcro wire manager is constructed of 2" x 4 1/2" Velcro hook and loop material. The wire manager is provided with adhesive backing and screws for attachment to the underside of the top. Tops are pre-drilled for locating wire managers, but a wire manager may be applied in any convenient location. Wire clips are provided when power modules with 3-prong plugs are ordered. Field installed.



TECHNICAL SPECIFICATIONS

Grommets

Flip-Top Grommets for Dean® & Nacre® Power Modules

Flip-top grommets are surface-mounted covers, constructed of 18-gauge steel. Grommets have a flip-up receding door and are identical in cutout size to the Nacre or Dean power modules listed below, which allows for retrofitting corresponding power modules at a later date. One grommet ships per table, which is located in the center of the tops. Two grommets ship per conference table, which are located near the center of the tops. Grommets are finished with powder-coat paint and available in all KI paint colors. The flip-up door is designed to allow cords to remain routed through the opening while it is closed and allows for more cord routing space when the flip-up door is opened. Field installed.

Circular Grommet for Node® Power Module

The Node circular grommet is an open top, surface-mounted grommet constructed of aluminum. The overall diameter of 3.15" fits into a 3" diameter cutout in the surface. One grommet ships per table, which is located in the center of the tops. Two grommets ship per conference table, which are located near the center of the tops. Grommets are finished with powder-coat paint and available in all KI paint colors. Not available in chrome. Field installed.

Power Modules

Dean In-Surface Power Module with 3-Prong Plug

Dean In-Surface power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be modified to fit various brand jacks. Data tree ships with Dean in-surface power modules. Data connectors are not supplied with the module and are purchased by the customer. The Dean in-surface module is 8.12" long by 2.31" wide by 2.5" high and fits securely into a 7.81" x 1.93" cutout. Module is mechanically attached to the worksurface with screws from the underside. The module has a molded plastic faceplate with steel trim and an aluminum housing. Modules comes standard with either 9' or 15' cord with a 3-prong plug. Dean power module is rated at 15 amps/120 volts, and is UL listed.

Dean Clamp-On Power Module with 3-Prong Plug

Dean clamp-on power module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A and one USB-C port, 2 amps per port. Dean clamp-on module ls 5.50" long by 3.06" wide by 3.38" high. The module has a smooth molded plastic faceplate with an anodized aluminum housing. Clamp-on mounting style positions the module at a right angle to the worksurface and uses two thumb screws for attachment, without the need for table cutouts. Clamp is 3" wide, extends 1¾" onto edge of surface and can accommodate a maximum surface thickness of 1 ½". Modules come standard with either 3', 9' or 15' cord with a 3-prong plug. Dean power module is rated at 15 amps/120 volts, and is UL listed.

Nacre Pop-Up In-Surface Module with 3-Prong Plug

Nacre Pop-Up In-Surface consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port, and one data jack opening. The module can be modified to fit various brand jacks. Data tree ships with Nacre power modules. Data connectors are not supplied with the module and are purchased by the customer. Nacre is 7.25" long by 3.31" wide by 2.92" high and fits securely into a 6.94" x 3" cutout with .38" radius corners. The module is made of molded plastic. The module is a pop-up design with a dampened spring-loaded mechanism to allow the unit to smoothly open for use and close smoothly when not in use. Modules come standard with either 9' or 15' cord with a 3-prong plug. Nacre power module is rated at 15 amps/120 volts, and is UL listed.

Dubbel™ Undersurface Power Module with 3-Prong Plug

Dubbel undersurface module consists of two simplex receptacle ports (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port. Dubbel is 7.63" wide by 1.75" tall by 5.25" deep. The module is made of molded plastic and secures under the worksurface with two 5⁄16 x 2" Phillips round-head screws. Modules come standard with either 3', 9' or 15' cord with a 3-prong plug. Dubbel power module is rated at 15 amps/120 volts, and is UL listed.

TECHNICAL SPECIFICATIONS

Power Modules (cont.)

Node® In-Surface Power Module with 3-Prong Plug


Node In-Surface power module consists of one simplex receptacle port (rated at 15 amps/125 volts), includes one USB-A port , and one USB-C port, 2 amps per port. Node is 3.38" in diameter by 3.30" tall fits and securely into a 3" diameter cutout. The module housing is made of plastic with a powder-coat painted aluminum faceplate. Modules come standard with either 9' or 15' cord with a 3-prong plug. Node power module is rated at 15 amps/120 volts, and is UL listed.

Polyester Felt Modesty Panel

Polyester felt modesty panels are constructed from a sound-absorbing, 100% polyester felt. The panels have a density of 0.5 lb/ft² and are sound absorbing tested to ASTM C423 with an NRC rating of .44 when using no air gap (A-Mount testing method) and an NRC rating of .81 with 2" air gap. The polyester felt is in accordance with ASTM-E84 and achieve a Class A Flame Spread. Standard sizes are 9¼" high by 28½", 34½", 40½", 46½", 52½", 58½", 64½", and 70½" wide.

Mounting Hooks

The mounting hooks are 18-gauge steel and attach underneath the tabletop using two steel screws. Panels 28½", 34½", 40½" and 46½" wide use two hooks per panel. Panels 52½", 58½", 64½" and 70½" wide use three hooks per panel.




STATEMENT OF LINE


Pirouette HA Tables - Fixed-Top Base




Rectangular Table
Pneumatic-Adjustable Height
PPFR



Chevron Table
Pneumatic-Adjustable Height
PPFCV



Rectangular Table
Screw-Adjustable Height
PSFR



Chevron Table
Screw-Adjustable Height
PSFCV


Pirouette HA Tables - Flipping & Nesting-Top Base



Rectangular Table
Pneumatic-Adjustable Height
PPNR



Chevron Table
Pneumatic-Adjustable Height
PPNCV



Rectangular Table
Screw-Adjustable Height
PSNR



Chevron Table
Screw-Adjustable Height
PSNCV



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)

			MODEL NUMBER																			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base							Cord (feet)			
	T Base	18 x 30"	PIFR1830T	□□□	NNN	□□□	□□□	□□	□□		□□□□	□□□						41.0#	\$ 650		\$ 18	\$ 115
	T Base	18 x 36"	PIFR1836T	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□					45.0#	798		18	115
	T Base	18 x 42"	PIFR1842T	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□					49.0#	825		18	115
	T Base	18 x 48"	PIFR1848T	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□					53.0#	859		18	115
	T Base	18 x 54"	PIFR1854T	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□					56.0#	928		18	115
	T Base	18 x 60"	PIFR1860T	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□					60.0#	996		18	115
	T Base	18 x 66"	PIFR1866T	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□					63.0#	1002		18	115
	T Base	18 x 72"	PIFR1872T	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□					71.0#	1029		18	115
PIFT Rectangular Tables - 18"D																						
PIFT Rectangular Tables - 24"D	T Base	24 x 30"	PIFR2430T	□□□	NNN	□□□	□□□	□□	□□		□□□□	□□□						50.0#	\$ 692		\$ 18	\$ 115
	T Base	24 x 36"	PIFR2436T	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□					55.0#	862		18	115
	T Base	24 x 42"	PIFR2442T	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□					60.0#	896		18	115
	T Base	24 x 48"	PIFR2448T	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□					65.0#	932		18	115
	T Base	24 x 54"	PIFR2454T	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□					70.0#	977		25	170
	T Base	24 x 60"	PIFR2460T	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□					74.0#	1032		25	170
	T Base	24 x 66"	PIFR2466T	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□					79.0#	1074		25	170
	T Base	24 x 72"	PIFR2472T	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□					88.0#	1127		25	170
			A	B	C	D	E	F	G	H	I	J	K									

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144
CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$182
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION

LEG CLEARANCE

Table Length /	From Table Edge /	Inside Leg
30"	1.5	22.75
36"	1.5	28.75
42"	1.5	34.75
48"	1.5	40.75
54"	1.5	46.75
60"	1.5	52.75
66"	1.5	58.75
72"	1.5	64.75

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)

			MODEL NUMBER														
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Polyester Modesty Panel Color	Base					Cord (feet)
	Features	D x W															
	T Base	36 x 36"	PIFR3636T	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐	☐ ☐	☐ ☐	☐ ☐		72.0#	\$ 1029	\$ 35	\$ 225
	T Base	36 x 42"	PIFR3642T	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐	☐ ☐	☐ ☐	☐ ☐		78.0#	1076	35	225
	T Base	36 x 48"	PIFR3648T	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐	☐ ☐	☐ ☐	☐ ☐		84.0#	1123	35	225
	T Base	36 x 54"	PIFR3654T	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐	☐ ☐	☐ ☐	☐ ☐		90.0#	1237	50	350
	T Base	36 x 60"	PIFR3660T	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐	☐ ☐	☐ ☐	☐ ☐		96.0#	1270	50	350
	T Base	36 x 66"	PIFR3666T	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐	☐ ☐	☐ ☐	☐ ☐		102.0#	1288	50	350
	T Base	36 x 72"	PIFR3672T	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐	☐ ☐	☐ ☐	☐ ☐		112.0#	1320	50	350

- PIFT
- Rectangular Tables - 36"D**
- Training tables are designed for maximum leg spacing for the length of the table
 - Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
 - Gangers ordered separately
 - 60", 66" and 72" includes worksurface stiffener channel
 - Fixed base at 29" high"

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
G01 - Grommet, Node (1); add \$144
- CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$182
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION

LEG CLEARANCE		
Table Length /	From Table Edge /	Inside Leg
30"	1.5	22.75
36"	1.5	28.75
42"	1.5	34.75
48"	1.5	40.75
54"	1.5	46.75
60"	1.5	52.75
66"	1.5	58.75
72"	1.5	64.75

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)

			MODEL NUMBER													
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Base	Cord (feet)	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Three Bases	36 x 84"	PIFR3684T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	145.0#	\$ 1627	\$ 70	\$ 450
	Three Bases	36 x 96"	PIFR3696T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	159.0#	1632	70	450
			A	B	C	D	E	F	G	H	I	J				

PIFT

Rectangular Tables - 36"D

- Training tables are designed for maximum leg spacing for the length of the table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Fixed base at 29" high"
- 84" and 96" have third leg in center

- PIFT
- Rectangular Tables - 36”D**
- Training tables are designed for maximum leg spacing for the length of the table
 - Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
 - Gangers ordered separately
 - Fixed base at 29” high”
 - 84” and 96” have third leg in center

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
NNN - No grommets, power or wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$839
MB2 - Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$528
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528
GA2 - Grommets, Nacre (2); add \$408
GD2 - Grommets, Dean (2); add \$408
GO2 - Grommets, Node (2); add \$276
- CORD LENGTH: 9' or 15' is optional on all module options.
- WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.
- D** Select modesty panel.
NMP - No modesty panel
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- I** Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- J** Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Collaborative)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Collaborative)

				MODEL NUMBER																		
				Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base											
MODEL				Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Urethane Edge (ME2)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
PIFC	Rectangular Tables - 24"D </																					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P

ME2

- 74P edge

- Urethane edge

* (Edge style ME2 has ME on long edges/74P on short edges)
- C**Select power option.

NNN

- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP

- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this

- price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H**Select base.

4EC

4GB

- 4 black casters w/silver hub (2 locking)

- 4 black glides

INFORMATION

LEG CLEARANCE		
Table Length / From Table Edge / Inside Leg		
60"	13.5	28.75
66"	13.5	34.75
72"	13.5	40.75
84"	13.5	52.75
96"	13.5	64.75

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29” High (Collaborative)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29” High (Collaborative)

			MODEL NUMBER															
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base							Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
MODEL	Features	D x W																
 PIFC	Rectangular Tables - 36”D																	
	• Collaborative tables are designed to provide leg spacing for all sides of the table	T Base 36 x 60”	PIFR3660C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐							\$ 50	\$ 350
		T Base 36 x 66”	PIFR3666C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐							50	350
		T Base 36 x 72”	PIFR3672C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐							50	350
	• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)	T Base 36 x 84”	PIFR3684C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐							70	450
	• ME2 edge is the molded urethane edge on the long sides of the table with a 74P trim on the short side of the table.	T Base 36 x 96”	PIFR3696C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐							70	450
	• 96” includes worksurface stiffener channel																	
	• Fixed base at 29” high																	
			A	B	C	D	E	F	G	H								

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.	G Select leg finish. Refer to the Product Color Options page in this price list.
B Select edge style. 74P - 74P edge ME2 - Urethane edge * (Edge style ME2 has ME on long edges/74P on short edges)	H Select base. 4EC - 4 black casters w/silver hub (2 locking) 4GB - 4 black glides
C Select power option. NNN - No grommets, power, wire management/No cutouts	
D Select modesty panel. NMP - No modesty panel	
E Select edge color. Refer to the Product Color Options page in this price list. Edge color offerings are based on edge style selections.	
F Select surface finish. Refer to the Product Color Options page in this	

price list.

INFORMATION

LEG CLEARANCE		
Table Length / From Table Edge / Inside Leg		
60”	13.5	28.75
66”	13.5	34.75
72”	13.5	40.75
84”	13.5	52.75
96”	13.5	64.75

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)

			MODEL NUMBER										Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)				
	TT Base	42 x 60"	PIFR4260	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	112.0#	\$ 1821	\$ 50	\$ 350
	TT Base	42 x 72"	PIFR4272	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	130.0#	1930	50	350
	TT Base	42 x 84"	PIFR4284	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	148.0#	2091	70	450
			A	B	C	D	E	F	G	H	I	J				

- PIFT
- Rectangular Conference Tables - 42"D**
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
 - Legs are inset 13.4" from edge to allow seating on all sides of table
 - 1 module/grommet for table lengths of 60" and 72"
 - 2 modules/grommets for table lengths of 84"
 - 84" includes worksurface stiffener channel
 - Fixed base at 29" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
WMO - Wire management only-no cutouts; add \$64
NNN - No grommets, power or wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144

- MA2** - Modules, Nacre pop-up w/USB-A/C (2); add \$839
MB2 - Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$528
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528
GA2 - Grommets, Nacre (2); add \$408
GD2 - Grommets, Dean (2); add \$408
GO2 - Grommets, Node (2); add \$276
CORD LENGTH: 9' or 15' is optional on all module options.
- WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.
- D**Select modesty panel.
NMP - No modesty panel
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style

- selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- I**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- J**Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)

			MODEL NUMBER													
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 PIFT Rectangular Conference Tables - 42"D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Legs are inset 13.4" from edge to allow seating on all sides of table • Fixed base at 29" high • Center leg is single T Base to improve leg clearance	Three Bases	42 x 96"	PIFR4296	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	179.0#	\$ 2329	\$ 70	\$ 450
	Three Bases	42 x 120"	PIFR42120	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	211.0#	2509	100	675
			A	B	C	D	E	F	G	H	I	J				

PIFT
Rectangular Conference Tables - 42"D

- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Legs are inset 13.4" from edge to allow seating on all sides of table
- Fixed base at 29" high
- Center leg is single T Base to improve leg clearance

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power or wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$839
MB2 - Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$528
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528
GA2 - Grommets, Nacre (2); add \$408
GD2 - Grommets, Dean (2); add \$408
GO2 - Grommets, Node (2); add \$276

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- I**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- J**Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)

			MODEL NUMBER										Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)				
	TT Base	48 x 60"	PIFR4860	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	125.0#	\$ 1821	\$ 50	\$ 350
	TT Base	48 x 72"	PIFR4872	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	145.0#	1930	50	350
	TT Base	48 x 84"	PIFR4884	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	165.0#	2091	70	450
			A	B	C	D	E	F	G	H	I	J				

- PIFT
- Rectangular Conference Tables - 48"D**
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
 - Legs are inset 13.4" from edge to allow seating on all sides of table
 - 1 module/grommet for table lengths of 60" and 72"
 - 2 modules/grommets for table lengths of 84"
 - 84" includes worksurface stiffener channel
 - Fixed base at 29" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
WMO - Wire management only-no cutouts; add \$64
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144

- MA2** - Modules, Nacre pop-up w/USB-A/C (2); add \$839
MB2 - Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$528
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528
GA2 - Grommets, Nacre (2); add \$408
GD2 - Grommets, Dean (2); add \$408
GO2 - Grommets, Node (2); add \$276
CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel

- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style

- selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- I**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- J**Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)

			MODEL NUMBER														
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)					
 PIFT Rectangular Conference Tables - 48"D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Legs are inset 13.4" from edge to allow seating on all sides of table • Fixed base at 29" high • Center leg is single T Base to improve leg clearance	Features	D x W															
	Three Bases	48 x 96"	PIFR4896	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐		199.0#	\$ 2329	\$ 70	\$ 450
	Three Bases	48 x 120"	PIFR48120	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐		236.0#	2509	100	675
	Three TT Bases	48 x 144"	PIFR48144	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	4GB	☐ ☐		276.0#	2912	100	675
			A	B	C	D	E	F	G	H	I	J					

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power or wire management/No cutouts

WMO- Wire management only-no cutouts; add \$64

MA2- Modules, Nacre pop-up w/USB-A/C (2); add \$839

MB2- Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$528

MD2- Modules, Dean in-surface w/USB-A/C (2) ; add \$707

MO2- Modules, Node in-surface w/USB-A/C (2); add \$528

GA2- Grommets, Nacre (2); add \$408

GD2- Grommets, Dean (2); add \$408

GO2- Grommets, Node (2); add \$276

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides
- J**Select cord length (feet).

15- 15' cord length

9- 9' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.




Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)

			MODEL NUMBER																
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)							
Features	D x W												Approx. Packaged Weight	74P Edge (74P)		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price		
	TT Base	60 x 72"	PIFR6072	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	4GB	☐ ☐	175.0#	\$ 2669		\$ 100	\$ 675		
	TT Base	60 x 84"	PIFR6084	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	4GB	☐ ☐	199.0#	2912		100	675		
PIFT																			
Rectangular Conference Tables - 60"D																			
• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Legs are inset 13.4" from edge to allow seating on all sides of table • 1 module/grommet for table lengths of 72" • 2 modules/grommets for table lengths of 84" thru 144" • 84" includes worksurface stiffener channel • Fixed base at 29" high																			
	Three TT Bases	60 x 96"	PIFR6096	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	4GB	☐ ☐	239.0#	\$ 3397		\$ 100	\$ 675		
	Three TT Bases	60 x 120"	PIFR60120	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	4GB	☐ ☐	286.0#	3882		100	675		
	Three TT Bases	60 x 132"	PIFR60132	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	4GB	☐ ☐	310.0#	4246		100	675		
	Three TT Bases	60 x 144"	PIFR60144	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	4GB	☐ ☐	334.0#	4489		100	675		
PIFT																			
Rectangular Conference Tables - 60"D																			
• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Legs are inset 13.4" from edge to allow seating on all sides of table • Fixed base at 29" high																			
			A	B	C	D	E	F	G	H	I	J							

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$839

- MB2** - Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$528
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528
GA2 - Grommets, Nacre (2); add \$408
GD2 - Grommets, Dean (2); add \$408
GO2 - Grommets, Node (2); add \$276
CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel

- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.

- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.

- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- I**Select base.
4GB - 4 black glides

- J**Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-29" High (Conference)

		MODEL NUMBER										Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)				
 PIFT Rectangular Conference Tables - 60"D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Legs are inset 13.4" from edge to allow seating on all sides of table • Tables with four or more TT bases have a two-piece top • Fixed base at 29" high	Four TT Bases	60 x 156"	PIFR60156	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	4GB	☐ ☐ ☐	374.0#	\$ 5095	\$ 200	\$ 1350
	Four TT Bases	60 x 168"	PIFR60168	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	4GB	☐ ☐ ☐	398.0#	5459	200	1350
	Four TT Bases	60 x 192"	PIFR60192	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	4GB	☐ ☐ ☐	446.0#	5824	200	1350
 PIFT Rectangular Conference Tables - 60"D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Legs are inset 13.4" from edge to allow seating on all sides of table • Tables with four or more TT bases have a two-piece top • Fixed base at 29" high	Six TT Bases	60 x 240"	PIFR60240	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	4GB	☐ ☐ ☐	550.0#	\$ 7036	\$ 200	\$ 1350

A

B

C

D

E

F

G

H

I

J

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power or wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$839
MB2 - Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$528
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528
GA2 - Grommets, Nacre (2); add \$408
GD2 - Grommets, Dean (2); add \$408
GO2 - Grommets, Node (2); add \$276

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- I**Select base.
4GB - 4 black glides
- J**Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)

			MODEL NUMBER														
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base	Cord (feet)				
Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	18 x 36"	PIFR1836H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	47.0#	\$ 939	\$ 18	\$ 115
	T Base	18 x 42"	PIFR1842H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	51.0#	974	18	115
	T Base	18 x 48"	PIFR1848H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	55.0#	974	18	115
	T Base	18 x 54"	PIFR1854H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	58.0#	996	18	115
	T Base	18 x 60"	PIFR1860H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	62.0#	996	18	115
	T Base	18 x 66"	PIFR1866H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	65.0#	1015	18	115
	T Base	18 x 72"	PIFR1872H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	73.0#	1015	18	115
PIF3																	
Rectangular Tables - 18"D																	
• Tables are designed for maximum leg spacing for the length of the table																	
• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)																	
• Gangers ordered separately																	
• Recommended chair height for 36"H table is 24" stool																	
• Fixed base at 36" high																	
PIF3	T Base	24 x 36"	PIFR2436H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	57.0#	\$ 994	\$ 18	\$ 115
	T Base	24 x 42"	PIFR2442H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	62.0#	1014	18	115
	T Base	24 x 48"	PIFR2448H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	67.0#	1049	18	115
	T Base	24 x 54"	PIFR2454H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	72.0#	1147	25	170
	T Base	24 x 60"	PIFR2460H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	76.0#	1147	25	170
	T Base	24 x 66"	PIFR2466H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	81.0#	1260	25	170
	T Base	24 x 72"	PIFR2472H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	90.0#	1260	25	170
PIF3																	
Rectangular Tables - 24"D																	
• Tables are designed for maximum leg spacing for the length of the table																	
• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)																	
• Gangers ordered separately																	
• Recommended chair height for 36"H table is 24" stool																	
• Fixed base at 36" high																	
			A	B	C	D	E	F	G	H	I	J	K				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
- NNN** - No grommets, power, wire management/No cutouts
- WMO** - Wire management only-no cutouts; add \$64
- MD1** - Module, Dean in-surface w/USB-A/C (1); add \$354
- MB1** - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
- MA1** - Module, Nacre pop-up w/USB-A/C (1); add \$420
- MO1** - Module, Node in-surface w/USB-A/C (1); add \$264
- GA1** - Grommet, Nacre (1); add \$209
- GD1** - Grommet, Dean (1); add \$209
- GO1** - Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
- | | |
|------------|---|
| NMP | - No modesty panel |
| PMP | - Polyester felt modesty panel; add \$265 |
- E** Select edge color.
- Refer to the **Product Color Options** page in this price list.
- Edge color offerings are based on edge style selections.
- F** Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
- Refer to the **Product Color Options** page in this price list.

- H** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- 1** Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |
- K** Select cord length (feet).
- | | |
|-----------|-------------------|
| 15 | - 15' cord length |
| 9 | - 9' cord length |

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)

			MODEL NUMBER																	
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Polyester Modesty Panel Color	Base					Cord (feet)			
Features	D x W													Approx. Packaged Weight	74P Edge (74P)		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price		
	T Base	30 x 36"	PIFR3036H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	64.0#	\$ 1080		\$ 25	\$ 170		
	T Base	30 x 42"	PIFR3042H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	70.0#	1148		25	170		
	T Base	30 x 48"	PIFR3048H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	76.0#	1148		25	170		
	T Base	30 x 54"	PIFR3054H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	82.0#	1275		25	170		
	T Base	30 x 60"	PIFR3060H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	88.0#	1275		25	170		
	T Base	30 x 66"	PIFR3066H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	94.0#	1331		25	170		
	T Base	30 x 72"	PIFR3072H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	104.0#	1352		25	170		
PIF3																				
Rectangular Tables - 30"D																				
• Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Recommended chair height for 36"H table is 24" stool • Fixed base at 36" high																				
			A	B	C	D	E	F	G	H	I	J	K							

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
- NNN** - No grommets, power, wire management/No cutouts
- WMO** - Wire management only-no cutouts; add \$64
- MD1** - Module, Dean in-surface w/USB-A/C (1); add \$354
- MB1** - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
- MA1** - Module, Nacre pop-up w/USB-A/C (1); add \$420
- MO1** - Module, Node in-surface w/USB-A/C (1); add \$264
- GA1** - Grommet, Nacre (1); add \$209
- GD1** - Grommet, Dean (1); add \$209
- GO1** - Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
- | | |
|------------|---|
| NMP | - No modesty panel |
| PMP | - Polyester felt modesty panel; add \$265 |
- E** Select edge color.
- Refer to the **Product Color Options** page in this price list.
- Edge color offerings are based on edge style selections.
- F** Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
- Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- 1** Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |
- K** Select cord length (feet).
- | | |
|-----------|-------------------|
| 15 | - 15' cord length |
| 9 | - 9' cord length |

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-42" High (Cafe Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-42" High (Cafe Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
 - 74P** - 74P edge
- C** Select power option.
 - NNN** - No grommets, power, wire management/No cutouts
 - WMO** - Wire management only-no cutouts; add \$64
 - MD1** - Module, Dean in-surface w/USB-A/C (1); add \$354
 - MB1** - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
 - MA1** - Module, Nacre pop-up w/USB-A/C (1); add \$420
 - MO1** - Module, Node in-surface w/USB-A/C (1); add \$264
 - GA1** - Grommet, Nacre (1); add \$209
 - GD1** - Grommet, Dean (1); add \$209
 - GO1** - Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
- | | |
|------------|---|
| NMP | - No modesty panel |
| PMP | - Polyester felt modesty panel; add \$265 |
- E** Select edge color.
- Refer to the **Product Color Options** page in this price list.
- Edge color offerings are based on edge style selections.
- F** Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
- Refer to the **Product Color Options** page in this price list.

- H** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- ➊ Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- ➋ Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |
- ➌ Select cord length (feet).
- | | |
|-----------|-------------------|
| 15 | - 15' cord length |
| 9 | - 9' cord length |

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-42" High (Cafe Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Rectangular-42" High (Cafe Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
- NNN** - No grommets, power, wire management/No cutouts
- WMO** - Wire management only-no cutouts; add \$64
- MD1** - Module, Dean in-surface w/USB-A/C (1); add \$354
- MB1** - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
- MA1** - Module, Nacre pop-up w/USB-A/C (1); add \$420
- MO1** - Module, Node in-surface w/USB-A/C (1); add \$264
- GA1** - Grommet, Nacre (1); add \$209
- GD1** - Grommet, Dean (1); add \$209
- GO1** - Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
- | | |
|------------|---|
| NMP | - No modesty panel |
| PMP | - Polyester felt modesty panel; add \$265 |
- E** Select edge color.
- Refer to the **Product Color Options** page in this price list.
- Edge color offerings are based on edge style selections.
- F** Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
- Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- 1** Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |
- K** Select cord length (feet).
- | | |
|-----------|-------------------|
| 15 | - 15' cord length |
| 9 | - 9' cord length |

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-29” High (Standard Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-29” High (Standard Height)

			MODEL NUMBER															
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base				Cord (feet)		
Features	D x W														Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	18 x 60"	PIFCV1860	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐			63.0#	\$ 842	\$ 18	\$ 115
	T Base	18 x 72"	PIFCV1872	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐			75.0#	860	18	115
PIFT																		
Chevron Tables - 18"D																		
• Tables are designed for maximum leg spacing for the length of the table																		
• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)																		
• Gangers ordered separately																		
• 72" includes worksurface stiffener channel																		
• Midpoint is 3" wider than ends																		
• Fixed base at 29" high																		

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See “How To Build a Model Number”.
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$182
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-29” High (Standard Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-29” High (Standard Height)

			MODEL NUMBER														
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base	Cord (feet)	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 PIFT Chevron Tables - 30”D • Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • 72” includes worksurface stiffener channel • Midpoint is 3” wider than ends • Fixed base at 29” high	T Base	30 x 60”	PIFCV3060	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	89.0#	\$ 1158	\$ 25	\$ 170
	T Base	30 x 72”	PIFCV3072	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	106.0#	1268	25	170
				A	B	C	D	E	F	G	H	I	J	K			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144

CORD LENGTH: 9’ or 15’ is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$182
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
15 - 15’ cord length
9 - 9’ cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-36” High (Counter Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-36” High (Counter Height)

			MODEL NUMBER																								
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base	Cord (feet)											Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Features	D x W	PFCV1860H36	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐											65.0#	\$ 1158	\$ 18	\$ 115
	T Base	18 x 60"	PFCV1872H36	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐											77.0#	1255	18	115
	T Base	18 x 72"																									
PIF3																											
Chevron Tables - 18"D																											
• Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Recommended chair height for 36"H table is 24" stool • 72" includes worksurface stiffener channel • Midpoint is 3" wider than ends • Fixed base at 36" high																											

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
G01 - Grommet, Node (1); add \$144
CORD LENGTH: 9' or 15' is optional on all module options.
- WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$265
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-36” High (Counter Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-36” High (Counter Height)

			MODEL NUMBER																					
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Polyester Modesty Panel Color	Base	Cord (feet)			Approx. Packaged Weight	74P Edge (74P)			Laminate Grade 2 add to list price	Laminate Grade 3 add to list price			
 PIF3 Chevron Tables - 30"D • Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Recommended chair height for 36"H table is 24" stool • 72" includes worksurface stiffener channel • Midpoint is 3" wider than ends • Fixed base at 36" high	T Base	30 x 60"	PIFCV3060H36	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐			91.0#	\$ 1331			\$ 25	\$ 170			
	T Base	30 x 72"	PIFCV3072H36	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐			108.0#	1442			25	170			
				A	B	C	D	E	F	G	H	I	J	K										

PIF3

Chevron Tables - 30”D

- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Recommended chair height for 36”H table is 24” stool
- 72” includes worksurface stiffener channel
- Midpoint is 3” wider than ends
- Fixed base at 36” high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect edge style.

74P- 74P edge

CSelect power option.

NNN- No grommets, power, wire management/No cutouts

WMO- Wire management only-no cutouts; add \$64

MD1- Module, Dean in-surface w/USB-A/C (1) ; add \$354

MB1- Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264

MA1- Module, Nacre pop-up w/USB-A/C (1); add \$420

MO1- Module, Node in-surface w/USB-A/C (1) ; add \$264

GA1- Grommet, Nacre (1); add \$209

GD1- Grommet, Dean (1); add \$209

G01- Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

DSelect modesty panel.

NMP- No modesty panel

PMP- Polyester felt modesty panel; add \$265

ESelect edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

FSelect surface finish.

Refer to the **Product Color Options** page in this price list.

GSelect leg finish.

Refer to the **Product Color Options** page in this price list.

HSelect grommet/module color.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

Refer to the **Product Color Options** page in this price list.

ISelect modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

JSelect base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

KSelect cord length (feet).

15- 15' cord length

9- 9' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-42" High (Cafe Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-42" High (Cafe Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
- NNN** - No grommets, power, wire management/No cutouts
- WMO** - Wire management only-no cutouts; add \$64
- MD1** - Module, Dean in-surface w/USB-A/C (1); add \$354
- MB1** - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
- MA1** - Module, Nacre pop-up w/USB-A/C (1); add \$420
- MO1** - Module, Node in-surface w/USB-A/C (1); add \$264
- GA1** - Grommet, Nacre (1); add \$209
- GD1** - Grommet, Dean (1); add \$209
- GO1** - Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
- | | |
|------------|---|
| NMP | - No modesty panel |
| PMP | - Polyester felt modesty panel; add \$265 |
- E** Select edge color.
- Refer to the **Product Color Options** page in this price list.
- Edge color offerings are based on edge style selections.
- F** Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
- Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- 1** Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |
- K** Select cord length (feet).
- | | |
|-----------|-------------------|
| 15 | - 15' cord length |
| 9 | - 9' cord length |

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-42” High (Cafe Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Chevron-42” High (Cafe Height)

			MODEL NUMBER																
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Polyester Modesty Panel Color	Base	Cord (feet)						
														Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price		
	T Base	30 x 60"	PIFCV3060H42	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	93.0#	\$ 1341	\$ 25	\$ 170		
	T Base	30 x 72"	PIFCV3072H42	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	110.0#	1452	25	170		
PIF4																			
Chevron Tables - 30"D																			
• Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Recommended chair height for 42"H table is 30" stool • 72" includes worksurface stiffener channel • Midpoint is 3" wider than ends • Fixed base at 42" high																			
			A	B	C	D	E	F	G	H	I	J	K						

PIF4

Chevron Tables - 30”D

- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Recommended chair height for 42”H table is 30” stool
- 72” includes worksurface stiffener channel
- Midpoint is 3” wider than ends
- Fixed base at 42” high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect edge style.

74P- 74P edge

CSelect power option.

NNN- No grommets, power, wire management/No cutouts

WMO- Wire management only-no cutouts; add \$64

MD1- Module, Dean in-surface w/USB-A/C (1) ; add \$354

MB1- Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264

MA1- Module, Nacre pop-up w/USB-A/C (1); add \$420

MO1- Module, Node in-surface w/USB-A/C (1) ; add \$264

GA1- Grommet, Nacre (1); add \$209

GD1- Grommet, Dean (1); add \$209

G01- Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

DSelect modesty panel.

NMP- No modesty panel

PMP- Polyester felt modesty panel; add \$265

ESelect edge color.

Refer to the Product Color Options page in this price list.

Edge color offerings are based on edge style selections.

FSelect surface finish.

Refer to the Product Color Options page in this price list.

GSelect leg finish.

Refer to the Product Color Options page in this price list.

HSelect grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.
- J**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides
- K**Select cord length (feet).

15- 15' cord length

9- 9' cord length

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Standard Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Standard Height)

			MODEL NUMBER														
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)					
Features	D x W												Approx. Packaged Weight	74P Edge (74P)		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	30 x 60"	PIFDC3060T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	92.0#	\$ 1407		\$ 25	\$ 170
	T Base	30 x 72"	PIFDC3072T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	110.0#	1590		25	170
PIFT Double Chevron Tables - 30"D • Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • 72" includes worksurface stiffener channel • Midpoint is 6" wider than ends • Fixed base at 29" high	T Base	36 x 60"	PIFDC3660T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	105.0#	\$ 1461		\$ 50	\$ 350
	T Base	36 x 72"	PIFDC3672T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	125.0#	1603		50	350
			A	B	C	D	E	F	G	H	I	J					

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
NMP - No modesty panel
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- I** Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- J** Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Double Chevron Tables - 36" D

- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- 72" includes worksurface stiffener channel
- Midpoint is 6" wider than ends
- Fixed base at 29" high

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
- NNN** - No grommets, power or wire management/No cutouts
- WMO** - Wire management only-no cutouts; add \$64
- MA2** - Modules, Nacre pop-up w/USB-A/C (2); add \$839
- MB2** - Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$528
- MD2** - Modules, Dean in-surface w/USB-A/C (2); add \$707
- MO2** - Modules, Node in-surface w/USB-A/C (2); add \$528
- GA2** - Grommets, Nacre (2); add \$408
- GD2** - Grommets, Dean (2); add \$408
- GO2** - Grommets, Node (2); add \$276

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
NMP - No modesty panel
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- | | |
|-------------------------------------|--|
| 1 Select base. | |
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |
| J Select cord length (feet). | |
| 15 | - 15' cord length |
| 9 | - 9' cord length |

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Conference)



Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Conference)

			MODEL NUMBER													
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)				
	Features	D x W	TT Base	42 x 60"	PIFDC4260	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	118.0#	\$ 1957	\$ 50	\$ 350
	TT Base	42 x 72"	PIFDC4272	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	140.0#	2068	50	350
	TT Base	42 x 84"	PIFDC4284	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	157.0#	2231	70	450

PIFT

Double Chevron Conference Tables - 42"D

- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Legs are inset 13.4" from edge to allow seating on all sides of table
- 1 module/grommet for table lengths of 60" and 72"
- 2 modules/grommets for table lengths of 84"
- Midpoint is 6" wider than ends
- Fixed base at 29" high

A

B

C

D

E

F

G

H

I

J

PIFT
Double Chevron Conference Tables
- 42"D

- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Legs are inset 13.4" from edge to allow seating on all sides of table
- 1 module/grommet for table lengths of 60" and 72"
- 2 modules/grommets for table lengths of 84"
- Midpoint is 6" wider than ends
- Fixed base at 29" high

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power or wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$839

- MB2 - Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$528
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528
GA2 - Grommets, Nacre (2); add \$408
GD2 - Grommets, Dean (2); add \$408
GO2 - Grommets, Node (2); add \$276
CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- I**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- J**Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Conference)



Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Conference)

			MODEL NUMBER													
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)				
 PIFT Double Chevron Conference Tables - 42"D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Legs are inset 13.4" from edge to allow seating on all sides of table • Center leg is single T Base to improve leg clearance • Midpoint is 6" wider than ends • Fixed base at 29" high	Features	D x W	Three Bases	42 x 96"	PIFDC4296	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Three Bases	42 x 120"	PIFDC42120	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	189.0#	\$ 2468	\$ 70	\$ 450
													224.0#	2648	100	675
			A	B	C	D	E	F	G	H	I	J				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$839
MB2 - Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$528
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528
GA2 - Grommets, Nacre (2); add \$408
GD2 - Grommets, Dean (2); add \$408
GO2 - Grommets, Node (2); add \$276

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
NMP - No modesty panel
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- I** Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- J** Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Conference)



Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Conference)

			MODEL NUMBER												
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	TT Base	48 x 60"	PIFDC4860	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	131.0#	\$ 1992	\$ 50	\$ 350
	TT Base	48 x 72"	PIFDC4872	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	155.0#	2104	50	350
	TT Base	48 x 84"	PIFDC4884	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	174.0#	2265	70	450
			A	B	C	D	E	F	G	H	I	J			

PIFT
Double Chevron Conference Tables
- 48"D

- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Legs are inset 13.4" from edge to allow seating on all sides of table
- 1 module/grommet for table lengths of 60" and 72"
- 2 modules/grommets for table lengths of 84"
- Midpoint is 6" wider than ends
- Fixed base at 29" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144
MA2 - Modules, Nacre pop-up w/USB-A/C (2); add \$839

- MB2** - Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$528
MD2 - Modules, Dean in-surface w/USB-A/C (2) ; add \$707
MO2 - Modules, Node in-surface w/USB-A/C (2); add \$528
GA2 - Grommets, Nacre (2); add \$408
GD2 - Grommets, Dean (2); add \$408
GO2 - Grommets, Node (2); add \$276
CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
NMP - No modesty panel
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- I** Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- J** Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Conference)



Pirouette® Tables - Fixed Height Base

Fixed Top-Double Chevron-29" High (Conference)

		MODEL NUMBER										Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)				
 PIFT Double Chevron Conference Tables - 48”D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Legs are inset 13.4” from edge to allow seating on all sides of table • Center leg is single T Base to improve leg clearance • Midpoint is 6” wider than ends • Fixed base at 29” high	Features	D x W													
	Three Bases	48 x 96”	PIFDC4896	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	209.0#	\$ 2573	\$ 70	\$ 450
	Three Bases	48 x 120”	PIFDC48120	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	249.0#	2684	100	675
			A	B	C	D	E	F	G	H	I	J			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power or wire management/No cutouts

WMO- Wire management only-no cutouts; add \$64

MA2- Modules, Nacre pop-up w/USB-A/C (2); add \$839

MB2- Modules, Dubbel under-surface w/ dual USB-A/C (2); add \$528

MD2- Modules, Dean in-surface w/USB-A/C (2) ; add \$707

MO2- Modules, Node in-surface w/USB-A/C (2); add \$528

GA2- Grommets, Nacre (2); add \$408

GD2- Grommets, Dean (2); add \$408

GO2- Grommets, Node (2); add \$276

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides
- J**Select cord length (feet).

15- 15' cord length

9- 9' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Guitar Pick-29" High (Standard Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Guitar Pick-29" High (Standard Height)

				MODEL NUMBER															
				Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base								
MODEL				Features	D x W							Approx. Packaged Weight	74P Edge (74P)			Laminate Grade 2 add to list price	Laminate Grade 3 add to list price		
	Guitar Pick Tables - 48"			C Base	48 x 48"	PIFG48	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	99.0#	\$ 1407		\$	35	\$	225
	• Chrome bases will have polished aluminum foot covers																		
	• Fixed base at 29" high																		
PIFT																			
PIFT	Guitar Pick Tables - 54"			C Base	54 x 54"	PIFG54	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	115.0#	\$ 1543		\$	50	\$	350
	• Chrome bases will have polished aluminum foot covers																		
	• Fixed base at 29" high																		
PIFT	Guitar Pick Tables - 60"			C Base	60 x 60"	PIFG60	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	133.0#	\$ 1578		\$	50	\$	350
	• Chrome bases will have polished aluminum foot covers																		
	• Fixed base at 29" high																		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Fixed Top-Square-29" High (Standard Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Square-29" High (Standard Height)

				MODEL NUMBER								Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
				Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base				
	MODEL Square Tables - Fixed, 29" High - Chrome bases will have polished aluminum foot covers - Fixed base at 29" high	Features	D x W												
		X Base	30 x 30"	PIFXSQ30	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	61.0#	\$ 865	\$ 25	\$ 170
		X Base	36 x 36"	PIFXSQ36	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	75.0#	971	35	225
PIFT															
	MODEL Square Tables - Fixed, 29" High - Chrome bases will have polished aluminum foot covers - Fixed base at 29" high	C Base	42 x 42"	PIFCSQ42	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	91.0#	\$ 1415	\$ 35	\$ 225
		C Base	48 x 48"	PIFCSQ48	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	110.0#	1446	35	225
		C Base	60 x 60"	PIFCSQ60	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	155.0#	1590	50	350
PIFT															
				A	B	C	D	E	F	G	H				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Square-36" High (Counter Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Square-36" High (Counter Height)

			MODEL NUMBER								Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base				
 PIF3	MODEL	Features	D x W											
	Square Tables - Fixed, 36" High													
	• Chrome bases will have polished aluminum foot covers	X Base	30 x 30"	PIFXSQ30H36	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	64.0#	\$ 871	\$ 25
	• Recommended chair height for 36"H table is 24" stool	X Base	36 x 36"	PIFXSQ36H36	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	78.0#	975	35
	• Fixed base at 36" high													225
				A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Square-42" High (Cafe Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Square-42" High (Cafe Height)

			MODEL NUMBER								Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base				
 PIF4	MODEL	Features	D x W											
	Square Tables - Fixed, 42" High													
	• Chrome bases will have polished aluminum foot covers	X Base	30 x 30"	PIFXSQ30H42	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	67.0#	\$ 879	\$ 25
	• Recommended chair height for 42"H table is 30" stool	X Base	36 x 36"	PIFXSQ36H42	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	81.0#	981	35
	• Fixed base at 42" high													225
				A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Fixed Top-Round-29" High (Standard Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Round-29" High (Standard Height)

				MODEL NUMBER											
				Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base				
 PIFT	MODEL	Features	DIA	PIFXRD30	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	Round Tables - Fixed, 29" High	X Base	30" Dia									55.0#	\$ 922	\$ 25	\$ 170
	• Chrome bases will have polished aluminum foot covers	X Base	36" Dia	PIFXRD36	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	65.0#	1023	35	225
	• Fixed base at 29" high	X Base	42" Dia	PIFXRD42	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	78.0#	1171	35	225
 PIFT	Round Tables - Fixed, 29" High	C Base	48" Dia	PIFCRD48	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	93.0#	\$ 1488	\$ 50	\$ 350
	• Chrome bases will have polished aluminum foot covers	C Base	60" Dia	PIFCRD60	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	128.0#	1631	50	350
	• Fixed base at 29" high														

A

B

C

D

E

F

G

H

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Fixed Top-Round-36” High (Counter Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Round-36” High (Counter Height)

			MODEL NUMBER								Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base				
 PIF3	MODEL	Features	DIA											
	Round Tables - Fixed, 36” High													
	• Chrome bases will have polished aluminum foot covers	X Base	30” Dia	PIFXRD30H36	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐		58.0#	\$ 926	\$ 25 \$ 170
	• Recommended chair height for 36”H table is 24” stool	X Base	36” Dia	PIFXRD36H36	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐		68.0#	1029	35 225
	• Fixed base at 36” high	X Base	42” Dia	PIFXRD42H36	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐		81.0#	1179	35 225
				A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides


SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

PIF4

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

Refer to the **Product Color Options** page in this price list.

- A Select basic model.
- B Select edge style.
74P - 74P edge
- C Select power option.
NNN - No grommets, power, wire management/No cutouts
- D Select modesty panel.
NMP - No modesty panel
- E Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G Select leg finish.

- H** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables - Fixed Height Base

Fixed Top-Scale Up-29" High (Standard Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Scale Up-29" High (Standard Height)

		MODEL NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
 PIFT Scale Up Tables - 30"D 3 tables form an 84" dia pod design to seat up to 9 people - Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) - Gangers ordered separately - Fixed base at 29" high	Features	D x W	T Base	30 x 72"	PIFS3072	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

PIFT

Scale Up Tables - 30"D

- 3 tables form an 84" dia pod design to seat up to 9 people
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Fixed base at 29" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts

WMO- Wire management only-no cutouts; add \$64

MA1- Module, Nacre pop-up w/USB-A/C (1); add \$420

MB1- Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264

MD1- Module, Dean in-surface w/USB-A/C (1) ; add \$354

MO1- Module, Node in-surface w/USB-A/C (1) ; add \$264

GA1- Grommet, Nacre (1); add \$209

GD1- Grommet, Dean (1); add \$209

G01- Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select base finish.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides
- J**Select cord length (feet).

15- 15' cord length

9- 9' cord length

INFORMATION

LEG CLEARANCE

Table Length	From Table Edge	Inside Leg
72"	14.75	38.75

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Fixed Top-Half Round-29" High (Standard Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Half Round-29" High (Standard Height)

			MODEL NUMBER												
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base					
MODEL	Features	D x W									Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price		Laminate Grade 3 add to list price
	Half Round Tables - 24”D • Chrome bases will have polished aluminum foot covers • Gangers ordered separately • Fixed base at 29” high	T Base	24 x 48”	PIFH48	☐ ☐	NNN	NMP	☐ ☐	☐	☐	☐ ☐	53.0#	\$ 875	\$ 18	\$ 115
PIFT															
PIFT	Half Round Tables - 30”D • Chrome bases will have polished aluminum foot covers • Gangers ordered separately • Fixed base at 29” high	T Base	30 x 60”	PIFH60	☐ ☐	NNN	NMP	☐ ☐	☐	☐	☐ ☐	71.0#	\$ 1035	\$ 25	\$ 170
PIFT	Half Round Tables - 36”D • Chrome bases will have polished aluminum foot covers • Gangers ordered separately • Fixed base at 29” high	T Base	36 x 72”	PIFH72	☐ ☐	NNN	NMP	☐ ☐	☐	☐	☐ ☐	91.0#	\$ 1144	\$ 50	\$ 350
			ABCDEFGH												

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

INFORMATION

LEG CLEARANCE

Table Length / From	Table Edge Point / Inside Leg	
48"	7.0	28.75
60"	10.5	34.75
72"	12.5	42.75

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Fixed Top-Trapezoid-29" High (Standard Height)



Pirouette® Tables - Fixed Height Base

Fixed Top-Trapezoid-29" High (Standard Height)

			MODEL NUMBER												
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base					
MODEL	Features	D x W									Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
 PIFT	Trapezoid Tables - 26"D	T Base 30 x 60"	PIFT3060	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	64.0#	\$ 1000	\$ 25	\$ 170	
	• Chrome bases will have polished aluminum foot covers • Gangers ordered separately • Fixed base at 29" high														
			A	B	C	D	E	F	G	H					

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

INFORMATION

LEG CLEARANCE

Table Length /	From Table Edge Point /	Inside Leg
60"	13.5	28.25


SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Rectangular Tables - 18" D

- Tables are designed for maximum leg spacing for length of table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Nesting base at 29" high

Rectangular Tables - 24" D

- Tables are designed for maximum leg spacing for length of table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Nesting base at 29" high

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

A Select basic model.

- | | |
|------------|---|
| B | Select edge style. |
| 74P | - 74P edge |
| C | Select power option. |
| NNN | - No grommets, power, wire management/No cutouts |
| WMO | - Wire management only-no cutouts; add \$64 |
| MA1 | - Module, Nacre pop-up w/USB-A/C (1); add \$420 |
| MB1 | - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264 |
| MD1 | - Module, Dean in-surface w/USB-A/C (1); add \$354 |
| MO1 | - Module, Node in-surface w/USB-A/C (1); add \$264 |
| GA1 | - Grommet, Nacre (1); add \$209 |
| GD1 | - Grommet, Dean (1); add \$209 |
| GO1 | - Grommet, Node (1); add \$144 |

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
- | | |
|------------|---|
| NMP | - No modesty panel |
| PMP | - Polyester felt modesty panel; add \$182 |
- E** Select edge color.
- Refer to the **Product Color Options** page in this price list.
- Edge color offerings are based on edge style selections.
- F** Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
- Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- 1** Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |
- K** Select cord length (feet).
- | | |
|-----------|-------------------|
| 15 | - 15' cord length |
| 9 | - 9' cord length |

INFORMATION

LEG CLEARANCE

Table Length / From Table Edge / Inside Leg		
30"	0.75	24
36"	0.75	30
42"	3.75	30
48"	0.75	42
54"	3.75	42
60"	0.75	54
66"	3.75	54
72"	0.75	66

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Rectangular Tables - 30" D

- Tables are designed for maximum leg spacing for length of table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Nesting base at 29" high



Rectangular Tables - 36" D

- Tables are designed for maximum leg spacing for length of table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Nesting base at 29" high

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
- NNN** - No grommets, power, wire management/No cutouts
- WMO** - Wire management only-no cutouts; add \$64
- MD1** - Module, Dean in-surface w/USB-A/C (1); add \$354
- MB1** - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
- MA1** - Module, Nacre pop-up w/USB-A/C (1); add \$420
- MO1** - Module, Node in-surface w/USB-A/C (1); add \$264
- GA1** - Grommet, Nacre (1); add \$209
- GD1** - Grommet, Dean (1); add \$209
- GO1** - Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
- | | |
|------------|---|
| NMP | - No modesty panel |
| PMP | - Polyester felt modesty panel; add \$182 |
- On 30" and 36"D tables, modesty panels only available if no power (NNN) is selected.
- E** Select edge color.
- Refer to the **Product Color Options** page in this price list.
- Edge color offerings are based on edge style selections.
- F** Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
- Refer to the **Product Color Options** page in this price list.

- H** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- I** Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |
- K** Select cord length (feet).
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

INFORMATION

LEG CLEARANCE

Table Length / From Table Edge / Inside Leg

30"	0.75	24
36"	0.75	30
42"	3.75	30
48"	0.75	42
54"	3.75	42
60"	0.75	54
66"	3.75	54
72"	0.75	66

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables - Fixed Height Base

Nesting Top-Rectangular-29" High (Collaborative)



Pirouette® Tables - Fixed Height Base

Nesting Top-Rectangular-29" High (Collaborative)

			MODEL NUMBER													
MODEL	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	Approx. Packaged Weight			Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
												74P Edge (74P)	Urethane Edge (ME2)			
 PINC	Rectangular Tables - 24"D	T Base	24 x 60"	PINR2460C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	93.0#	\$ 1407	\$ 1764	\$ 25	\$ 170
	• Collaborative tables are designed to provide leg spacing for all sides of the table	T Base	24 x 66"	PINR2466C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	98.0#	1447	1859	25	170
		T Base	24 x 72"	PINR2472C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	106.0#	1492	1888	25	170
	• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)	T Base	24 x 84"	PINR2484C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	119.0#	1650	2125	50	350
	• ME2 edge is the molded urethane edge on the long sides of the table with a 74P trim on the short side of the table.	T Base	24 x 96"	PINR2496C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	132.0#	1695	2233	50	350
	• Nesting base at 29" high															
PINC	Rectangular Tables - 30"D	T Base	30 x 60"	PINR3060C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	105.0#	\$ 1465	\$ 1833	\$ 25	\$ 170
	• Collaborative tables are designed to provide leg spacing for all sides of the table	T Base	30 x 66"	PINR3066C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	111.0#	1506	1935	25	170
		T Base	30 x 72"	PINR3072C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	120.0#	1574	1962	25	170
	• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)	T Base	30 x 84"	PINR3084C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	136.0#	1746	2212	50	350
	• ME2 edge is the molded urethane edge on the long sides of the table with a 74P trim on the short side of the table.	T Base	30 x 96"	PINR3096C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	151.0#	1762	2327	50	350
	• Nesting base at 29" high															
			A	B	C	D	E	F	G	H						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect edge style.

74P

ME2

- 74P edge

- Urethane edge

(Edge style ME2 has ME on long edges/74P on short edges)

CSelect power option.

NNN

- No grommets, power, wire management/No cutouts

DSelect modesty panel.

NMP

- No modesty panel

ESelect edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

FSelect surface finish.

Refer to the **Product Color Options** page in this

price list.

GSelect leg finish.

Refer to the **Product Color Options** page in this price list.

HSelect base.

4EC

4GB

- 4 black casters w/silver hub (2 locking)

- 4 black glides

INFORMATION

LEG CLEARANCE		
Table Length	From Table Edge	Inside Leg
60"	6.75	42
66"	9.75	42
72"	12.75	42
84"	12.75	54
96"	12.75	66

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables - Fixed Height Base

Nesting Top-Rectangular-29” High (Collaborative)



Pirouette® Tables - Fixed Height Base

Nesting Top-Rectangular-29” High (Collaborative)

			MODEL NUMBER														
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base			Approx. Packaged Weight	 74P Edge (74P)	 Urethane Edge (ME2)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
MODEL	Features	D x W															
 PINC	Rectangular Tables - 36"D	T Base	36 x 60"	PINR3660C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		86.0#	\$ 1663	\$ 2126	\$ 50	\$ 350	
	• Collaborative tables are designed to provide leg spacing for all sides of the table	T Base	36 x 66"	PINR3666C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		86.0#	1676	2162	50	350	
	• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)	T Base	36 x 72"	PINR3672C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		86.0#	1695	2185	50	350	
	• ME2 edge is the molded urethane edge on the long sides of the table with a 74P trim on the short side of the table.	T Base	36 x 84"	PINR3684C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		86.0#	1758	2289	70	450	
	• Nesting base at 29" high	T Base	36 x 96"	PINR3696C	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐		86.0#	1798	2354	70	450	
			A	B	C	D	E	F	G	H							

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.	G Select leg finish. Refer to the Product Color Options page in this price list.
B Select edge style. 74P - 74P edge ME2 - Urethane edge (Edge style ME2 has ME on long edges/74P on short edges)	H Select base. 4EC - 4 black casters w/silver hub (2 locking) 4GB - 4 black glides
C Select power option. NNN - No grommets, power, wire management/No cutouts	
D Select modesty panel. NMP - No modesty panel	
E Select edge color. Refer to the Product Color Options page in this price list. Edge color offerings are based on edge style selections.	
F Select surface finish. Refer to the Product Color Options page in this	

price list.

INFORMATION

LEG CLEARANCE		
Table Length /	From Table Edge /	Inside Leg
60”	6.75	42
66”	9.75	42
72”	12.75	42
84”	12.75	54
96”	12.75	66


SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Rectangular Tables - 24"D

- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Recommended chair height for 36"H table is 24" stool
- Nesting base at 36" high

Rectangular Tables - 30" D

- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Recommended chair height for 36"H table is 24" stool
- Nesting base at 36" high

			MODEL NUMBER																	
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Polyester Modesty Panel Color	Base	Cord (feet)							
	Features	D x W												Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price			
	T Base	24 x 36"	PINR2436H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	76.0#	\$ 1259	\$ 18	\$ 115			
	T Base	24 x 42"	PINR2442H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	81.0#	1280	18	115			
	T Base	24 x 48"	PINR2448H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	89.0#	1331	18	115			
	T Base	24 x 54"	PINR2454H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	94.0#	1428	25	170			
	T Base	24 x 60"	PINR2460H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	102.0#	1449	25	170			
	T Base	24 x 66"	PINR2466H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	107.0#	1558	25	170			
		24 x 72"	PINR2472H36	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□	115.0#	1577	25	170			

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

- B** Select edge style.
- 74P** - 74P edge

- Select power option.
 - NNN** - No grommets, power, wire management-No cutouts
 - WMO** - Wire management only-no cutouts; add \$64
 - MD1** - Module, Dean in-surface w/USB-A/C (1); add \$354
 - MB1** - Module, Dubble under-surface w/ dual USB-A/C (1); add \$264
 - MA1** - Module, Nacre pop-up w/USB-A/C (1); add \$420
 - MO1** - Module, Node in-surface w/USB-A/C (1); add \$264
 - GA1** - Grommet, Nacre (1); add \$209
 - GD1** - Grommet, Dean (1); add \$209
 - GO1** - Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
- | | |
|------------|---|
| NMP | - No modesty panel |
| PMP | - Polyester felt modesty panel; add \$265 |
- On 30"D tables, modesty panels only available if no power (NNN) is selected.

- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.

- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.

- H** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- 1 Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.

- J** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |

- K** Select cord length (feet).
- | | |
|----|-------------------|
| 15 | - 15' cord length |
| 9 | - 9' cord length |

Contact KI Customer Service for specific models that are UL listed.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Nesting Top-Rectangular-42” High (Cafe Height)



Pirouette® Tables - Fixed Height Base

Nesting Top-Rectangular-42” High (Cafe Height)

			MODEL NUMBER																	
Features	D x W		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base	Cord (feet)		Approx. Packaged Weight	74P Edge (74P)			Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	24 x 36"	PINR2436H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□		78.0#	\$ 1312			\$ 18	\$ 115
	T Base	24 x 42"	PINR2442H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□		83.0#	1333			18	115
	T Base	24 x 48"	PINR2448H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□		91.0#	1383			18	115
	T Base	24 x 54"	PINR2454H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□		96.0#	1481			25	170
	T Base	24 x 60"	PINR2460H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□		104.0#	1501			25	170
	T Base	24 x 66"	PINR2466H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□		109.0#	1612			25	170
	T Base	24 x 72"	PINR2472H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□		117.0#	1630			25	170
PIN4																				
PIN4	T Base	30 x 36"	PINR3036H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□		85.0#	\$ 1420			\$ 25	\$ 170
	T Base	30 x 42"	PINR3042H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□		91.0#	1488			25	170
	T Base	30 x 48"	PINR3048H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□		101.0#	1504			25	170
	T Base	30 x 54"	PINR3054H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□		107.0#	1630			25	170
	T Base	30 x 60"	PINR3060H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□		116.0#	1648			25	170
	T Base	30 x 66"	PINR3066H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□		122.0#	1706			25	170
	T Base	30 x 72"	PINR3072H42	□□□	□□□	□□□	□□□	□□	□□	□□□	□□□□	□□□	□□		131.0#	1744			25	170
PIN4																				
			A	B	C	D	E	F	G	H	I	J	K							

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.
BSelect edge style.
74P - 74P edge
CSelect power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
G01 - Grommet, Node (1); add \$144
CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

DSelect modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$265
On 30"D tables, modesty panels only available if no power (NNN) is selected.
ESelect edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
FSelect surface finish.
Refer to the **Product Color Options** page in this price list.
GSelect leg finish.
Refer to the **Product Color Options** page in this price list.

HSelect grommet/module color.
Refer to the **Product Color Options** page in this price list.
ISelect modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
JSelect base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
KSelect cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.





Chevron Tables - 18"D

- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Midpoint is 3" wider than ends
- Nesting base at 29" high



Chevron Tables - 24"D

- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers ordered separately
- Midpoint is 3" wider than ends
- Nesting base at 29" high

			MODEL NUMBER														
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base					
Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 PINT Chevron Tables - 18”D • Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Midpoint is 3” wider than ends • Nesting base at 29” high	T Base	18 x 60”	PINCV1860											89.0#	\$ 1307	\$ 18	\$ 115
	T Base	18 x 72”	PINCV1872											100.0#	1423	18	115
PINT Chevron Tables - 24”D • Tables are designed for maximum leg spacing for the length of the table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Midpoint is 3” wider than ends • Nesting base at 29” high	T Base	24 x 60”	PINCV2460											103.0#	\$ 1407	\$ 25	\$ 170
	T Base	24 x 72”	PINCV2472											117.0#	1490	25	170
			A	B	C	D	E	F	G	H	I	J	K				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
- NNN** - No grommets, power, wire management/No cutouts
- WMO** - Wire management only-no cutouts; add \$64
- MA1** - Module, Nacre pop-up w/USB-A/C (1); add \$420
- MB1** - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
- MD1** - Module, Dean in-surface w/USB-A/C (1); add \$354
- MO1** - Module, Node in-surface w/USB-A/C (1); add \$264
- GA1** - Grommet, Nacre (1); add \$209
- GD1** - Grommet, Dean (1); add \$209
- GO1** - Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
- | | |
|------------|---|
| NMP | - No modesty panel |
| PMP | - Polyester felt modesty panel; add \$182 |
- E** Select edge color.
- Refer to the **Product Color Options** page in this price list.
- Edge color offerings are based on edge style selections.
- F** Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
- Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- 1** Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |
- K** Select cord length (feet).
- | | |
|-----------|-------------------|
| 15 | - 15' cord length |
| 9 | - 9' cord length |

Pirouette® Tables - Fixed Height Base

Nesting Top-Chevron-29" High (Standard Height)



Pirouette® Tables - Fixed Height Base

Nesting Top-Chevron-29" High (Standard Height)

			MODEL NUMBER														
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base	Cord (feet)				
	T Base	30 x 60"	PINCV3060	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐		Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price
	T Base	30 x 72"	PINCV3072	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐		115.0#	\$ 1557	\$ 50
															131.0#	1684	50
																	350
			A	B	C	D	E	F	G	H	I	J	K				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144
CORD LENGTH: 9' or 15' is optional on all module options.
- WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$182
On 30"D tables, modesty panels only available if no power (NNN) is selected.
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.

- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Nesting Top-Chevron-36" High (Counter Height)



Pirouette® Tables - Fixed Height Base

Nesting Top-Chevron-36" High (Counter Height)

			MODEL NUMBER														
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base	Cord (feet)				
Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
T Base	24 x 60"	PINCV2460H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	105.0#	\$ 1465	\$ 25	\$ 170
T Base	24 x 72"	PINCV2472H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	119.0#	1554	25	170

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144
- CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$265
On 30"D tables, modesty panels only available if no power (NNN) is selected.
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.

- H** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- I** Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J** Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K** Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables - Fixed Height Base

Nesting Top-Chevron-42" High (Cafe Height)



Pirouette® Tables - Fixed Height Base

Nesting Top-Chevron-42" High (Cafe Height)

			MODEL NUMBER															
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Polyester Modesty Panel Color	Base	Cord (feet)					
Features	D x W														Approx. Packaged Weight	 74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
T Base	24 x 60"	PINCV2460H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		107.0#	\$ 1519	\$ 25	\$ 170	
T Base	24 x 72"	PINCV2472H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐		121.0#	1605	25	170	
															</			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
G01 - Grommet, Node (1); add \$144
- CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D** Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$265
On 30"D tables, modesty panels only available if no power (NNN) is selected.
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.

- H** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.
- I** Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J** Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K** Select cord length (feet).
9 - 9' cord length
15 - 15' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Nesting Top-Double Chevron-29" High (Standard Height)



Pirouette® Tables - Fixed Height Base

Nesting Top-Double Chevron-29" High (Standard Height)

			MODEL NUMBER								Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base				
 PINT	MODEL	Features	D x W											
	Double Chevron Tables - 24"D	T Base	24 x 60"	PINDC2460	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	106.0#	\$ 1577	\$ 25
		T Base	24 x 72"	PINDC2472	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	121.0#	1706	25
PINT	Double Chevron Tables - 30"D	T Base	30 x 60"	PINDC3060	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	118.0#	\$ 1779	\$ 50
		T Base	30 x 72"	PINDC3072	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	135.0#	1947	50
				A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Nesting Top-Double Chevron-29" High (Standard Height)



Pirouette® Tables - Fixed Height Base

Nesting Top-Double Chevron-29" High (Standard Height)

			MODEL NUMBER								Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base				
 PINT	MODEL	Features	D x W											
	Double Chevron Tables - 36"D													
		• Tables are designed for maximum leg spacing for the length of the table	T Base 36 x 60"	PINDC3660	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	131.0#	\$ 1862	\$ 50
		• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)	T Base 36 x 72"	PINDC3672	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	150.0#	1990	50
		• Gangers ordered separately												350
		• Midpoint is 6" wider than ends												
		• Nesting base at 29" high												
				A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.


Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Nesting Top-Round-29" High (Standard Height)

Pirouette® Tables - Fixed Height Base

Nesting Top-Round-29" High (Standard Height)

		MODEL NUMBER											
MODEL	DIA	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	Approx. Packaged Weight	 74P Edge (74P)	Laminate	
												Grade 2 add to list price	Grade 3 add to list price
	Round Tables - 42"D • Chrome bases will have polished aluminum foot covers • Nesting base at 29" high	42" Dia	PINRD42	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	97.0#	\$ 1427	\$ 35	\$ 225
PINT													
PINT	Round Tables - 48"D • Chrome bases will have polished aluminum foot covers • Nesting base at 29" high	48" Dia	PINRD48	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	112.0#	\$ 1506	\$ 35	\$ 225
			A	B	C	D	E	F	G	H			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
- D**Select modesty panel.
NMP - No modesty panel
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Nesting Top-Scale Up-29" High (Standard Height)



Pirouette® Tables - Fixed Height Base

Nesting Top-Scale Up-29" High (Standard Height)

		MODEL NUMBER										Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/Module Color	Base	Cord (feet)				
	Features	D x W													
	T Base	30 x 72"	PINS3072	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	86.0#	\$ 1595	\$ 25	\$ 170
			A	B	C	D	E	F	G	H	I	J			

- PINT
- Scale Up Tables - 30"D**
- 3 tables form an 84" dia pod design to seat up to 9 people
 - Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
 - Gangers ordered separately
 - Nesting base at 29" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- Note:
- The ☐ indicates that a choice is required.
 - The absence of the ☐ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
- 74P** - 74P edge
- C**Select power option.
- NNN** - No grommets, power, wire management/No cutouts
- WMO** - Wire management only-no cutouts; add \$64
- MA1** - Module, Nacre pop-up w/USB-A/C (1); add \$420
- MB1** - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
- MD1** - Module, Dean in-surface w/USB-A/C (1) ; add \$354
- MO1** - Module, Node in-surface w/USB-A/C (1) ; add \$264
- GA1** - Grommet, Nacre (1); add \$209
- GD1** - Grommet, Dean (1); add \$209
- GO1** - Grommet, Node (1); add \$144
- CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
- NMP** - No modesty panel
- E**Select edge color.
- Refer to the **Product Color Options** page in this price list.
- Edge color offerings are based on edge style selections.
- F**Select surface finish.
- Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
- Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
- Refer to the **Product Color Options** page in this price list.

- I**Select base.
- 4EC** - 4 black casters w/silver hub (2 locking)
- 4GB** - 4 black glides
- J**Select cord length (feet).
- 15** - 15' cord length
- 9** - 9' cord length

INFORMATION

LEG CLEARANCE

Table Length	From Table Edge	Inside Leg
72"	13.125	42

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables - Fixed Height Base

Nesting Top-Half Round-29" High (Standard Height)



Pirouette® Tables - Fixed Height Base

Nesting Top-Half Round-29" High (Standard Height)

				MODEL NUMBER								Approx. Packaged Weight 74P Edge (74P)				Laminate Grade 2 add to list price Laminate Grade 3 add to list price	
				Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base						
	MODEL Half Round Tables - 24”D • Chrome bases will have polished aluminum foot covers • Gangers ordered separately • Nesting base at 29” high	T Base	24 x 48”	PINH48	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	71.0#	\$ 1223	\$	18	\$	115
PINT																	
PINT	Half Round Tables - 30”D • Chrome bases will have polished aluminum foot covers • Gangers ordered separately • Nesting base at 29” high	T Base	30 x 60”	PINH60	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	90.0#	\$ 1398	\$	25	\$	170
PINT	Half Round Tables - 36”D • Chrome bases will have polished aluminum foot covers • Gangers ordered separately • Nesting base at 29” high	T Base	36 x 72”	PINH72	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	113.0#	\$ 1500	\$	50	\$	350
				A	B	C	D	E	F	G	H						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

INFORMATION

LEG CLEARANCE		
Table Length / From	Table Edge Point / Inside Leg	
48"	6.75	30
60"	12.75	30
72"	12.75	42

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables - Fixed Height Base

Nesting Top-Trapezoid-29" High (Standard Height)



Pirouette® Tables - Fixed Height Base

Nesting Top-Trapezoid-29" High (Standard Height)

			MODEL NUMBER								Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base				
	MODEL	Features	D x W											
	Trapezoid Tables - 26"D	T Base	30 x 60"	PINT3060	☐ ☐ ☐	NNN	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	82.0#	\$ 1339	\$ 25 \$ 170
	• Chrome bases will have polished aluminum foot covers • Gangers ordered separately • Nesting base at 29" high													
				A	B	C	D	E	F	G	H			

PINT

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

NNN- No grommets, power, wire management/No cutouts
- D**Select modesty panel.

NMP- No modesty panel
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.

- H**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

INFORMATION

LEG CLEARANCE

Table Length /	From Table Edge Point /	Inside Leg
60"	12.75	30

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

SPECIAL SERVICES

With specially marked information N/C

Ships knocked down, FOB Bundel, WI 34107,
freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Training tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Fixed base at 29" high

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option. PMA1 - Pattern module, Nacre pop-up (1) ; add \$660 PMB1 - Pattern module, Dubbel under-surface (1); add \$408 PMD1 - Pattern module, Dean in-surface (1); add \$491 PMO1 - Pattern module, Node in-surface (1); add \$384 PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$276 PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$683
D	Select modesty panel. NMP - No modesty panel PMP - Polyester felt modesty panel; add

\$182
Select edge color.

felt panel is chosen).
Refer to the **Product Color Options** page in this price list.

E Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

F Select surface finish.
Refer to the **Product Color Options** page in this price list.

G Select leg finish.
Refer to the **Product Color Options** page in this price list.

H Select module color.
Refer to the **Product Color Options** page in this price list.

1 Select grommet color.
Refer to the **Product Color Options** page in this price list.

J Select modesty panel color (only if polyester)

LEG CLEARANCE

Table Length / From Table Edge / Inside Leg		
30"	1.5	22.75
36"	1.5	28.75
42"	1.5	34.75
48"	1.5	40.75
54"	1.5	46.75
60"	1.5	52.75
66"	1.5	58.75
72"	1.5	64.75

Contact KI Customer Service for specific models that are UL listed.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107,
freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option. PMA1 - Pattern module, Nacre pop-up (1) ; add \$695 PMB1 - Pattern module, Dubbel under-surface (1) ; add \$443 PMD1 - Pattern module, Dean in-surface (1) ; add \$528 PM01 - Pattern module, Node in-surface (1) ; add \$414 PS2GA1 - Pattern black snap-in RPT's (2) & grommet, Nacre (1); add \$443 PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
D	Select modesty panel. NMP - No modesty panel PMP - Polyester felt modesty panel; add

\$182

Select edge color.
Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

Select surface finish.
Refer to the **Product Color Options** page in this price list.

Select leg finish.
Refer to the **Product Color Options** page in this price list.

Select module color.
Refer to the **Product Color Options** page in this price list.

Select grommet color.
Refer to the **Product Color Options** page in this price list.

Select modesty panel color (only if polyester

Refer to the **Product Color Options** page in this price list.

K Select base.

4EC	- 4 black casters w/silver hub (2 locking)
4GB	- 4 black glides

INFORMATION

LEG CLEARANCE

Table Length / From Table Edge / Inside Leg		
30"	1.5	22.75
36"	1.5	28.75
42"	1.5	34.75
48"	1.5	40.75
54"	1.5	46.75
60"	1.5	52.75
66"	1.5	58.75
72"	1.5	64.75

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-29" High (Training)

			MODEL NUMBER									74P Edge (74P)							
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Base								
 PAFT Rectangle Table w/Single Circuit-36"D - Two grommets or modules per table - Two troughs, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included - Infeed kits and table-to-table jumpers ordered separately - Training tables are designed for maximum leg spacing for the length of the table - Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) 84" and 96" table models have a third leg in the center - Fixed base at 29" high	Features	D x W	Three Bases	36 X 84"	PAFR3684T	☐	☐	☐	NMP	☐	☐	☐	☐	☐	☐	145.0#	\$ 1627	\$ 70	\$ 450
	Three Bases	36 X 96"	PAFR3696T	☐	☐	☐	NMP	☐	☐	☐	☐	☐	☐	☐	☐	159.0#	1632	70	450
			A	B	C	D	E	F	G	H	I								

- PAFT
- Rectangle Table w/Single Circuit-36"D**
- Two grommets or modules per table
 - Two troughs, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
 - Infeed kits and table-to-table jumpers ordered separately
 - Training tables are designed for maximum leg spacing for the length of the table
 - Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
 - 84" and 96" table models have a third leg in the center
 - Fixed base at 29" high

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

BSelect edge style.
74P - 74P edge

CSelect power option.
PMA2 - Pattern modules, Nacre pop-up (2) ; add \$1260
PMB2 - Pattern modules, Dubbel under-surface (2) ; add \$815
PMD2 - Pattern modules, Dean in-surface (2) ; add \$983
PMO2 - Pattern modules, Node in-surface (2) ; add \$768

DSelect modesty panel.
NMP - No modesty panel

ESelect edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.

GSelect leg finish.
Refer to the **Product Color Options** page in this price list.

HSelect module color.
Refer to the **Product Color Options** page in this price list.

ISelect base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION

LEG CLEARANCE		
Table Length / From Table Edge / Inside Leg		
30"	1.5	22.75
36"	1.5	28.75
42"	1.5	34.75
48"	1.5	40.75
54"	1.5	46.75
60"	1.5	52.75
66"	1.5	58.75
72"	1.5	64.75

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)

			MODEL NUMBER															
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base					
Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
	T Base	24 X 36"	PAFR2436H36	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	57.0#	\$ 994	\$ 18	\$ 115	
	T Base	24 X 42"	PAFR2442H36	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	62.0#	1014	18	115	
PAF3																		
Rectangle Table w/Single Circuit-24"D																		
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Recommended chair height for 36"H table is 24" stool • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Fixed base at 36" high																		
			A	B	C	D	E	F	G	H	I	J	K					

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P - 74P edge
- C**Select power option.

PMA1 - Pattern module, Nacre pop-up (1) ; add \$660

PMB1 - Pattern module, Dubbel under-surface (1) ; add \$408

PMD1 - Pattern module, Dean in-surface (1) ; add \$491

PMO1 - Pattern module, Node in-surface (1) ; add \$384

PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$276

PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$683
- D**Select modesty panel.

NMP - No modesty panel

PMP - Polyester felt modesty panel; add

- \$265
- E**Select edge color.

3

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H**Select module color.

Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.

Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.
- K**Select base.

4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)

			MODEL NUMBER														
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	30 X 36"	PAFR3036H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	64.0#	\$ 1080	\$ 25	\$ 170
	T Base	30 X 42"	PAFR3042H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	70.0#	1148	25	170
			A	B	C	D	E	F	G	H	I	J	K				

- PAF3
- Rectangle Table w/Single Circuit-30"D**
- One grommet or module per table
 - A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
 - Infeed kits and table-to-table jumpers ordered separately
 - Recommended chair height for 36"H table is 24" stool
 - Tables are designed for maximum leg spacing for the length of the table
 - Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
 - Fixed base at 36" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

BSelect edge style.
74P - 74P edge

CSelect power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$660
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$408
PMD1 - Pattern module, Dean in-surface (1) ; add \$491
PMO1 - Pattern module, Node in-surface (1) ; add \$384
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$276
PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$683

DSelect modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add
- \$265

ESelect edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

FSelect surface finish.
Refer to the **Product Color Options** page in this price list.

GSelect leg finish.
Refer to the **Product Color Options** page in this price list.

HSelect module color.
Refer to the **Product Color Options** page in this price list.

ISelect grommet color.
Refer to the **Product Color Options** page in this price list.

JSelect modesty panel color (only if polyester

felt panel is chosen).
Refer to the **Product Color Options** page in this price list.

KSelect base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-36" High (Counter Height)

			MODEL NUMBER											Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base				
	Features	D x W															
	T Base	24 X 48"	PAFR2448H36	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	67.0#	\$ 1049	\$ 18	\$ 115
	T Base	24 X 54"	PAFR2454H36	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	72.0#	1147	25	170
	T Base	24 X 60"	PAFR2460H36	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	76.0#	1147	25	170
	T Base	24 X 66"	PAFR2466H36	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	81.0#	1260	25	170
	T Base	24 X 72"	PAFR2472H36	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	90.0#	1260	25	170
PAF3			Rectangle Table w/Single Circuit-24"D														
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Recommended chair height for 36"H table is 24" stool • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Fixed base at 36" high																	
			A	B	C	D	E	F	G	H	I	J	K				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect edge style.

74P- 74P edge

CSelect power option.

PMA1- Pattern module, Nacre pop-up (1) ; add \$695

PMB1- Pattern module, Dubbel under-surface (1) ; add \$443

PMD1- Pattern module, Dean in-surface (1) ; add \$528

PMO1- Pattern module, Node in-surface (1) ; add \$414

PS2GA1- Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443

PS2MB1GA1- Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768

DSelect modesty panel.

NMP- No modesty panel

PMP- Polyester felt modesty panel; add

\$265

ESelect edge color.

Refer to the **Product Color Options** page in this price list.

FSelect surface finish.

Refer to the **Product Color Options** page in this price list.

GSelect leg finish.

Refer to the **Product Color Options** page in this price list.

HSelect module color.

Refer to the **Product Color Options** page in this price list.

ISelect grommet color.

Refer to the **Product Color Options** page in this price list.

JSelect modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

KSelect base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked informationN/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

PAF3

Rectangle Table w/Single Circuit-30"D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 36"H table is 24" stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgtrs (when applicable)
- Fixed base at 36" high

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option. PMA1 - Pattern module, Nacre pop-up (1) ; add \$695 PMB1 - Pattern module, Dubbel under-surface (1); add \$443 PMD1 - Pattern module, Dean in-surface (1); add \$528 PMO1 - Pattern module, Node in-surface (1); add \$414 PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443 PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
D	Select modesty panel. NMP - No modesty panel PMP - Polyester felt modesty panel; add

\$265
Select edge color.

felt panel is chosen).
Refer to the **Product Color Options** page in this price list.

E Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

F Select surface finish.
Refer to the **Product Color Options** page in this price list.

G Select leg finish.
Refer to the **Product Color Options** page in this price list.

H Select module color.
Refer to the **Product Color Options** page in this price list.

① Select grommet color.
Refer to the **Product Color Options** page in this price list.

J Select modesty panel color (only if polyester)

Refer to the **Product Color Options** page in this price list.

K Select base.

4EC	- 4 black casters w/silver hub (2 locking)
4GB	- 4 black glides

Contact KI Customer Service for specific models that are UL listed.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-42” High (Cafe Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-42” High (Cafe Height)

			MODEL NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Features	D x W																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

- PAF4
- Rectangle Table w/Single Circuit-24”D**
- One grommet or module per table
 - A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
 - Infeed kits and table-to-table jumpers ordered separately
 - Recommended chair height for 42”H table is 30” stool
 - Tables are designed for maximum leg spacing for the length of the table
 - Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
 - Fixed base at 42” high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

BSelect edge style.
74P - 74P edge

CSelect power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$660
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$408
PMD1 - Pattern module, Dean in-surface (1) ; add \$491
PMO1 - Pattern module, Node in-surface (1) ; add \$384
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$276
PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$683

DSelect modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add
- \$265

ESelect edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

FSelect surface finish.
Refer to the **Product Color Options** page in this price list.

GSelect leg finish.
Refer to the **Product Color Options** page in this price list.

HSelect module color.
Refer to the **Product Color Options** page in this price list.

ISelect grommet color.
Refer to the **Product Color Options** page in this price list.

JSelect modesty panel color (only if polyester

felt panel is chosen).
Refer to the **Product Color Options** page in this price list.

KSelect base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-42” High (Cafe Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-42” High (Cafe Height)

			MODEL NUMBER															
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base					
Features	D x W														Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	30 X 36"	PAFR3036H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		66.0#	\$ 1091	\$ 25	\$ 170
	T Base	30 X 42"	PAFR3042H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		72.0#	1160	25	170
PAF4																		
Rectangle Table w/Single Circuit-30"D																		

PAF4
Rectangle Table w/Single Circuit-30”D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 42”H table is 30” stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Fixed base at 42” high

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$660
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$408
PMD1 - Pattern module, Dean in-surface (1) ; add \$491
PMO1 - Pattern module, Node in-surface (1) ; add \$384
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$276
PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$683
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

- \$265
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester

- felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- K**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C
Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-42" High (Cafe Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Rectangular-42" High (Cafe Height)

			MODEL NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Features	D x W																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option. PMA1 - Pattern module, Nacre pop-up (1) ; add \$695 PMB1 - Pattern module, Dubbel under-surface (1); add \$443 PMD1 - Pattern module, Dean in-surface (1); add \$528 PMO1 - Pattern module, Node in-surface (1); add \$414 PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443 PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
D	Select modesty panel. NMP - No modesty panel PMP - Polyester felt modesty panel; add

\$265

Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

Select surface finish.
Refer to the **Product Color Options** page in this price list.

Select leg finish.
Refer to the **Product Color Options** page in this price list.

Select module color.
Refer to the **Product Color Options** page in this price list.

Select grommet color.
Refer to the **Product Color Options** page in this price list.

Select modesty panel color (only if polyester)

Refer to the **Product Color Options** page in this price list.

K Select base.

4EC	- 4 black casters w/silver hub (2 locking)
4GB	- 4 black glides

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Rectangle Table w/Single Circuit-30" D

- One grommet or module per table
- A Trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 42"H table is 30" stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Fixed base at 42" high

MODEL NUMBER										
Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base
PAFR3048H42	[] [] []	[] [] []	[] [] []	[] [] []	[] []	[] []	[] [] [] []	[] [] []	[] [] [] []	[] []
PAFR3054H42	[] [] []	[] [] []	[] [] []	[] [] []	[] []	[] []	[] [] [] []	[] [] []	[] [] [] []	[] []
PAFR3060H42	[] [] []	[] [] []	[] [] []	[] [] []	[] []	[] []	[] [] [] []	[] [] []	[] [] [] []	[] []
PAFR3066H42	[] [] []	[] [] []	[] [] []	[] [] []	[] []	[] []	[] [] [] []	[] [] []	[] [] [] []	[] []
PAFR3072H42	[] [] []	[] [] []	[] [] []	[] [] []	[] []	[] []	[] [] [] []	[] [] []	[] [] [] []	[] []
A	B	C	D	E	F	G	H	I	J	K

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

\$265

- A** Select basic model.
74P - 74P edge

C Select power option.
PMA1 - Pattern module, Nacre pop-up (1)
 ; add \$695
PMB1 - Pattern module, Dubbel under-surface (1); add \$443
PMD1 - Pattern module, Dean in-surface (1); add \$528
PMO1 - Pattern module, Node in-surface (1); add \$414
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443
PS2MB1GA1 - Pattern black snap-in RPTs (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768

D Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

E Select edge color.
 Refer to the **Product Color Options** page in this price list.
 Edge color offerings are based on edge style selections.

F Select surface finish.
 Refer to the **Product Color Options** page in this price list.

G Select leg finish.
 Refer to the **Product Color Options** page in this price list.

H Select module color.
 Refer to the **Product Color Options** page in this price list.

I Select grommet color.
 Refer to the **Product Color Options** page in this price list.

J Select modesty panel color (only if polyester

Refer to the **Product Color Options** page in this price list.

- K** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |

Contact KI Customer Service for specific models that are UL listed.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-29” High (Standard Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-29” High (Standard Height)

		MODEL NUMBER														
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base				
	Features	D x W														
	T Base	24 X 60”	PAFCV2460	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐				
	T Base	24 X 72”	PAFCV2472	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐				
			A	B	C	D	E	F	G	H	I	J	K			

PAFT
Chevron Tables w/Single Circuit-24”D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Midpoint is 3” wider than ends
- Fixed base at 29” high

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$695
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$443
PMD1 - Pattern module, Dean in-surface (1) ; add \$528
PMO1 - Pattern module, Node in-surface (1) ; add \$414
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

- \$182
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- K**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-29” High (Standard Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-29” High (Standard Height)

			MODEL NUMBER														
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base				
Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 PAFT Chevron Tables w/Single Circuit-30"D • One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Midpoint is 3" wider than ends • Fixed base at 29" high	T Base	30 X 60"	PAFCV3060											89.0#	\$ 1158	\$ 25	\$ 170
	T Base	30 X 72"	PAFCV3072											106.0#	1268	25	170

PAFT
Chevron Tables w/Single Circuit-30”D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Midpoint is 3” wider than ends
- Fixed base at 29” high

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$695
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$443
PMD1 - Pattern module, Dean in-surface (1) ; add \$528
PMO1 - Pattern module, Node in-surface (1) ; add \$414
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

- \$182
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- K**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-36” High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-36” High (Counter Height)

			MODEL NUMBER															
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base					
Features	D x W														Approx. Packaged Weight	 74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
T Base	24 X 60"	PAFCV2460H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		79.0#	\$ 1169	\$ 25	\$ 170	
T Base	24 X 72"	PAFCV2472H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		94.0#	1238	25	170	

PAF3
Chevron Tables w/Single Circuit-24”D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 36”H table is 24” stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Midpoint is 3” wider than ends
- Fixed base at 36” high

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$695
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$443
PMD1 - Pattern module, Dean in-surface (1) ; add \$528
PMO1 - Pattern module, Node in-surface (1) ; add \$414
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

- \$265
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- K**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-36" High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-36" High (Counter Height)

			MODEL NUMBER																
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base						
Features	D x W														Approx. Packaged Weight	74P Edge (74P)		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	30 X 60"	PAFCV3060H36	□□□	□□□	□□□	□□	□□	□□	□□□	□□□	□□□□	□□		91.0#	\$ 1331		\$ 25	\$ 170
	T Base	30 X 72"	PAFCV3072H36	□□□	□□□	□□□	□□	□□	□□	□□□	□□□	□□□□	□□		108.0#	1442		25	170
PAF3																			
Chevron Tables w/Single Circuit-30"D																			
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Recommended chair height for 36"H table is 24" stool • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Midpoint is 3" wider than ends • Fixed base at 36" high																			
			A	B	C	D	E	F	G	H	I	J	K						

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option. PMA1 - Pattern module, Nacre pop-up (1) ; add \$695 PMB1 - Pattern module, Dubbel under-surface (1); add \$443 PMD1 - Pattern module, Dean in-surface (1); add \$528 PMO1 - Pattern module, Node in-surface (1); add \$414 PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443 PS2MB1GA1 - Pattern black snap-in RPTs (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
D	Select modesty panel. NMP - No modesty panel PMP - Polyester felt modesty panel; add

\$265

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

Select surface finish.
Refer to the **Product Color Options** page in this price list.

Select leg finish.
Refer to the **Product Color Options** page in this price list.

Select module color.
Refer to the **Product Color Options** page in this price list.

Select grommet color.
Refer to the **Product Color Options** page in this price list.

Select modesty panel color (only if polyester)

Refer to the **Product Color Options** page in this price list.

K Select base.

4EC	- 4 black casters w/silver hub (2 locking)
4GB	- 4 black glides

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-42” High (Cafe Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-42” High (Cafe Height)

			MODEL NUMBER														
	Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	24 X 60”	PAFCV2460H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	81.0#	\$ 1180	\$ 25	\$ 170
	T Base	24 X 72”	PAFCV2472H42	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	96.0#	1248	25	170
			A	B	C	D	E	F	G	H	I	J	K				

PAF4

Chevron Tables w/Single Circuit-24”D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 42”H table is 30” stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Midpoint is 3” wider than ends
- Fixed base at 42” high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P- 74P edge
- C**Select power option.

PMA1- Pattern module, Nacre pop-up (1) ; add \$695

PMB1- Pattern module, Dubbel under-surface (1) ; add \$443

PMD1- Pattern module, Dean in-surface (1) ; add \$528

PMO1- Pattern module, Node in-surface (1) ; add \$414

PS2GA1- Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443

PS2MB1GA1- Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
- D**Select modesty panel.

NMP- No modesty panel

PMP- Polyester felt modesty panel; add

- \$265
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H**Select module color.

Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.

Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.
- K**Select base.

4EC- 4 black casters w/silver hub (2 locking)

4GB- 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking	
With specially marked information	N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-42" High (Cafe Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Chevron-42" High (Cafe Height)

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option. PMA1 - Pattern module, Nacre pop-up (1) ; add \$695 PMB1 - Pattern module, Dubbel under-surface (1); add \$443 PMD1 - Pattern module, Dean in-surface (1); add \$528 PM01 - Pattern module, Node in-surface (1); add \$414 PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443 PS2MB1GA1 - Pattern black snap-in RPTs (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
D	Select modesty panel. NMP - No modesty panel PMP - Polyester felt modesty panel; add

\$265

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

Select surface finish.
Refer to the **Product Color Options** page in this price list.

Select leg finish.
Refer to the **Product Color Options** page in this price list.

Select module color.
Refer to the **Product Color Options** page in this price list.

Select grommet color.
Refer to the **Product Color Options** page in this price list.

Select modesty panel color (only if polyester)

Refer to the **Product Color Options** page in this price list.

K Select base.

4EC	- 4 black casters w/silver hub (2 locking)
4GB	- 4 black glides

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Scale Up-29" High (Standard Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Fixed Top-Scale Up-29" High (Standard Height)

			MODEL NUMBER															
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Base						
Features	D x W		PAFS3072	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐	Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price		
	T Base	30 X 72"											64.0#	\$ 1241	\$ 25	\$ 170		
PAFT																		
Scale Up Tables w/Single Circuit-30"D																		
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • 3 tables form an 84" dia pod design to seat up to 9 people • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Fixed base at 29" high																		
			A	B	C	D	E	F	G	H	I	J						

PAFT
Scale Up Tables w/Single Circuit-30"D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- 3 tables form an 84" dia pod design to seat up to 9 people
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Fixed base at 29" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$695
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$443
PMD1 - Pattern module, Dean in-surface (1) ; add \$528
PMO1 - Pattern module, Node in-surface (1) ; add \$414
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
- D**Select modesty panel.
NMP - No modesty panel

- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select base finish.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

INFORMATION

LEG CLEARANCE
Table Length / From Table Edge / Inside Leg
72" 14.75 38.75



INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



A B C D E F G H I J K

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

\$182

- | | |
|----------|---|
| A | Select basic model. |
| B | Select edge style.
74P - 74P edge |
| C | Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$660
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$408
PMD1 - Pattern module, Dean in-surface (1) ; add \$491
PMD1 - Pattern module, Node in-surface (1) ; add \$384
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$276
PS1MBTGA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$683 |
| D | Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add |

- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select module color.
Refer to the **Product Color Options** page in this price list.
- I** Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J** Select modesty panel color (only if polyester

Refer to the **Product Color Options** page in this price list.

- K** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |

LEG CLEARANCE

Table Length / From Table Edge / Inside Leg		
30"	0.75	24
36"	0.75	30
42"	3.75	30
48"	0.75	42
54"	3.75	42
60"	0.75	54
66"	3.75	54
72"	0.75	66

Contact KI Customer Service for specific models that are UL listed.

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-29” High (Training)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-29” High (Training)

		MODEL NUMBER													
	Features	D x W										Approx. Packaged Weight	74P Edge (74P)		
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color			Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
	T Base	36 X 36”	PANR3636T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	89.0#	\$ 1413	\$ 35	\$ 225
	T Base	36 X 42”	PANR3642T	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	96.0#	1465	35	225
			A	B	C	D	E	F	G	H	I	J			

PANT
Rectangle Table w/Single Circuit-36”D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Tables are designed for maximum leg spacing for length of table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 29” high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$660
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$408
PMD1 - Pattern module, Dean in-surface (1) ; add \$491
PMO1 - Pattern module, Node in-surface (1) ; add \$384
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$276
PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$683
- D**Select modesty panel.
NMP - No modesty panel

- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

INFORMATION

LEG CLEARANCE		
Table Length / From Table Edge / Inside Leg		
30”	0.75	24
36”	0.75	30
42”	3.75	30
48”	0.75	42
54”	3.75	42
60”	0.75	54
66”	3.75	54
72”	0.75	66

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking	
With specially marked information	N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Tables are designed for maximum leg spacing for length of table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 29" high

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option. PMA1 - Pattern module, Nacre pop-up (1) ; add \$695 PMB1 - Pattern module, Dubbel under-surface (1) ; add \$443 PMO1 - Pattern module, Dean in-surface (1) ; add \$528 PMO1 - Pattern module, Node in-surface (1) ; add \$414 PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443 PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
D	Select modesty panel. NMP - No modesty panel

J Select base.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

LEG CLEARANCE		
Table Length / From Table Edge / Inside Leg		
30"	0.75	24
36"	0.75	30
42"	3.75	30
48"	0.75	42
54"	3.75	42
60"	0.75	54
66"	3.75	54
72"	0.75	66

Contact KI Customer Service for specific models that are UL listed.

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-36" High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-36" High (Counter Height)



PAN3

Rectangle Table w/Single Circuit-24" D

- One grommet or module per table
- A Trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 36"H table is 24" stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgtrs (when applicable)
- Nesting base at 36" high

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

\$265

- | | |
|----------|---|
| A | Select basic model. |
| B | Select edge style.
74P - 74P edge |
| C | Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$660
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$408
PMD1 - Pattern module, Dean in-surface (1) ; add \$491
PMO1 - Pattern module, Node in-surface (1) ; add \$384
PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$276
PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$683 |
| D | Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add |

- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select module color.
Refer to the **Product Color Options** page in this price list.
- I** Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J** Select modesty panel color (only if polyester

Refer to the **Product Color Options** page in this price list.

- K** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-36” High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-36” High (Counter Height)

			MODEL NUMBER																						
Features	D x W		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Base					Approx. Packaged Weight	74P Edge (74P)		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price				
T Base	30 X 36"		PANR3036H36	☐ ☐	☐ ☐	NMP	☐ ☐	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐					83.0#	\$ 1365		\$ 25	\$ 170				
T Base	30 X 42"		PANR3042H36	☐ ☐	☐ ☐	NMP	☐ ☐	☐	☐	☐ ☐ ☐ ☐	☐ ☐	☐					89.0#	1424		25	170				

PAN3
Rectangle Table w/Single Circuit-30”D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 36”H table is 24” stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 36” high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select edge style.

74P - 74P edge
- C

Select power option.

PMA1 - Pattern module, Nacre pop-up (1) ; add \$660

PMB1 - Pattern module, Dubbel under-surface (1) ; add \$408

PMD1 - Pattern module, Dean in-surface (1) ; add \$491

PMO1 - Pattern module, Node in-surface (1) ; add \$384

PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$276

PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$683
- D

Select modesty panel.

NMP - No modesty panel

- E

Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.
- F

Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G

Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H

Select module color.

Refer to the **Product Color Options** page in this price list.
- I

Select grommet color.

Refer to the **Product Color Options** page in this price list.
- J

Select base.

4GB - 4 black casters w/silver hub (2 locking)


4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.



SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 36"H table is 24" stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgtrs (when applicable)
- Nesting base at 36" high

			MODEL NUMBER																	
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base							
Features	D x W													Approx. Packaged Weight	74P Edge (74P)		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price		
	T Base	24 X 48"	PANR2448H36	□□	□□	□□	□	□	□	□□	□□	□□□	□	89.0#	\$ 1331		\$ 18	\$ 115		
	T Base	24 X 54"	PANR2454H36	□□	□□	□□	□	□	□	□□	□□	□□□	□	94.0#	1428		25	170		
	T Base	24 X 60"	PANR2460H36	□□	□□	□□	□	□	□	□□	□□	□□□	□	102.0#	1449		25	170		
	T Base	24 X 66"	PANR2466H36	□□	□□	□□	□	□	□	□□	□□	□□□	□	107.0#	1558		25	170		
	T Base	24 X 72"	PANR2472H36	□□	□□	□□	□	□	□	□□	□□	□□□	□	115.0#	1577		25	170		
PAN3																				
Rectangle Table w/Single Circuit-24"D																				
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Recommended chair height for 36"H table is 24" stool • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Nesting base at 36" high																				
			A	B	C	D	E	F	G	H	I	J	K							

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

\$265

- | | |
|----------|---|
| A | Select basic model. |
| B | Select edge style.
74P - 74P edge |
| C | Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$695
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$443
PMD1 - Pattern module, Dean in-surface (1) ; add \$528
PMO1 - Pattern module, Node in-surface (1) ; add \$414
PS2GA1 - Pattern black snap-in RPT's (2) & grommet, Nacre (1); add \$443
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768 |
| D | Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add |

- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select module color.
Refer to the **Product Color Options** page in this price list.
- I** Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J** Select modesty panel color (only if polyester

Refer to the **Product Color Options** page in this price list.

- K** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |

Contact KI Customer Service for specific models that are UL listed.

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Rectangular-36" High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base



Nesting Top-Rectangular-36" High (Counter Height)



PAN3

Rectangle Table w/Single Circuit-30" D

- One grommet or module per table
- A tough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 36"H table is 24" stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgtrs (when applicable)
- Nesting base at 36" high

			MODEL NUMBER																			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Base										
Features	D x W												Approx. Packaged Weight	74P Edge (74P)			Laminate Grade 2 add to list price	Laminate Grade 3 add to list price				
	T Base	30 X 48"	PANR3048H36	□□	□□	NMP	□□	□	□	□□□	□□	□	99.0#	\$ 1438	\$	25	\$	170				
	T Base	30 X 54"	PANR3054H36	□□	□□	NMP	□□	□	□	□□□	□□	□	105.0#	1577		25		170				
	T Base	30 X 60"	PANR3060H36	□□	□□	NMP	□□	□	□	□□□	□□	□	114.0#	1597		25		170				
	T Base	30 X 66"	PANR3066H36	□□	□□	NMP	□□	□	□	□□□	□□	□	120.0#	1651		25		170				
	T Base	30 X 72"	PANR3072H36	□□	□□	NMP	□□	□	□	□□□	□□	□	129.0#	1692		25		170				
PAN3																						
Rectangle Table w/Single Circuit-30"D																						
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Recommended chair height for 36"H table is 24" stool • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Nesting base at 36" high																						
			A	B	C	D	E	F	G	H	I	J										

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
- PMA1** - Pattern module, Nacre pop-up (1)
; add \$695
- PMB1** - Pattern module, Dubbel under-surface (1); add \$443
- PMD1** - Pattern module, Dean in-surface (1); add \$528
- PMO1** - Pattern module, Node in-surface (1); add \$414
- PS2GA1** - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443
- PS2MB1GA1** - Pattern black snap-in RPTs (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
- D** Select modesty panel.
- NMP** - No modesty panel

- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select module color.
Refer to the **Product Color Options** page in this price list.
- I** Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J** Select base.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES


Special Carton Marking



With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER															
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Base						
Features	D x W												Approx. Packaged Weight	74P Edge (74P)		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
	T Base	30 X 36"	PANR3036H42	☐	☐	NMP	☐	☐	☐	☐	☐	☐	85.0#	\$ 1420		\$ 25	\$ 170	
	T Base	30 X 42"	PANR3042H42	☐	☐	NMP	☐	☐	☐	☐	☐	☐	91.0#	1488		25	170	
PAN4																		
Rectangle Table w/Single Circuit-30"D																		
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Recommended chair height for 42"H table is 30" stool • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Nesting base at 42" high																		
			A	B	C	D	E	F	G	H	I	J						

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option. PMA1 - Pattern module, Nacre pop-up (1) ; add \$660 PMB1 - Pattern module, Dubbel under-surface (1) ; add \$408 PMD1 - Pattern module, Dean in-surface (1) ; add \$491 PMO1 - Pattern module, Node in-surface (1) ; add \$384 PS1GA1 - Pattern black snap-in RPT (1) & grommet, Nacre (1); add \$276 PS1MB1GA1 - Pattern black snap-in RPT (1), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$683
D	Select modesty panel. NMP - No modesty panel

E Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

F Select surface finish.
Refer to the **Product Color Options** page in this price list.

G Select leg finish.
Refer to the **Product Color Options** page in this price list.

H Select module color.
Refer to the **Product Color Options** page in this price list.

1 Select grommet color.
Refer to the **Product Color Options** page in this price list.

J Select base.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

Contact KI Customer Service for specific models that are UL listed.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



PAN4

Rectangle Table w/Single Circuit-24" D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 42"H table is 30" stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 42" high

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option. PMA1 - Pattern module, Nacre pop-up (1) ; add \$695 PMB1 - Pattern module, Dubbel under-surface (1); add \$443 PMD1 - Pattern module, Dean in-surface (1); add \$528 PMD1 - Pattern module, Node in-surface (1); add \$414 PS2GA1 - Pattern black snap-in RPT's (2) & grommet, Nacre (1); add \$443 PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
D	Select modesty panel. NMP - No modesty panel PMP - Polyester felt modesty panel; add

- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select module color.
Refer to the **Product Color Options** page in this price list.
- I** Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J** Select modesty panel color (only if polyester

felt panel is chosen). Refer to the **Product Color Options** page in this price list.

K Select base.


4EC	- 4 black casters w/silver hub (2 locking)
4GB	- 4 black glides



Contact KI Customer Service for specific models that are UL listed.

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER																			
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Base										
	Features	D x W	T Base	30 X 48"	PANR3048H42	□□□	□□□	NMP	□□□	□□	□□□□	□□□	□□	101.0#	\$ 1504	\$	25	\$	170			
	T Base	30 X 54"	PANR3054H42	□□□	□□□	NMP	□□□	□□	□□	□□□□	□□□	□□	107.0#	1630		25		170				
	T Base	30 X 60"	PANR3060H42	□□□	□□□	NMP	□□□	□□	□□	□□□□	□□□	□□	116.0#	1648		25		170				
	T Base	30 X 66"	PANR3066H42	□□□	□□□	NMP	□□□	□□	□□	□□□□	□□□	□□	122.0#	1706		25		170				
	T Base	30 X 72"	PANR3072H42	□□□	□□□	NMP	□□□	□□	□□	□□□□	□□□	□□	131.0#	1744		25		170				
PAN4																						
Rectangle Table w/Single Circuit-30"D																						
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Recommended chair height for 42"H table is 30" stool • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Nesting base at 42" high																						
			A	B	C	D	E	F	G	H	I	J										

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$695
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$443
PMD1 - Pattern module, Dean in-surface (1) ; add \$528
PMO1 - Pattern module, Node in-surface (1) ; add \$414
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443
PS2MB1GA1 - Pattern black snap-in RPTs (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
- D** Select modesty panel.
NMP - No modesty panel

E Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

F Select surface finish.
Refer to the **Product Color Options** page in this price list.

G Select leg finish.
Refer to the **Product Color Options** page in this price list.

H Select module color.
Refer to the **Product Color Options** page in this price list.

1 Select grommet color.
Refer to the **Product Color Options** page in this price list.

J Select base.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

Contact KI Customer Service for specific models that are UL listed.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-29" High (Standard Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-29" High (Standard Height)

			MODEL NUMBER																		
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base								
Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price				
T Base	24 X 60"	PANCV2460	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		103.0#	\$ 1407	\$ 25	\$ 170				
T Base	24 X 72"	PANCV2472	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐		117.0#	1490	25	170				
								</													

PANT
Chevron Tables w/Single Circuit-24"D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 29" high

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$695
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$443
PMD1 - Pattern module, Dean in-surface (1) ; add \$528
PMO1 - Pattern module, Node in-surface (1) ; add \$414
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add

- \$182
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester

- felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- K**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-29" High (Standard Height)

KI

Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-29" High (Standard Height)

			MODEL NUMBER															
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color					Base		
Features	D x W												Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price		
	T Base	30 X 60"	PANCV3060	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	NMP	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	115.0#	\$ 1557	\$ 25	\$ 170		
	T Base	30 X 72"	PANCV3072	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	NMP	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐	131.0#	1684	25	170		
PANT																		
Chevron Tables w/Single Circuit-30"D																		
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Nesting base at 29" high																		
			A	B	C	D	E	F	G	H	I	J						

PANT
Chevron Tables w/Single Circuit-30"D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 29" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$695
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$443
PMD1 - Pattern module, Dean in-surface (1) ; add \$528
PMO1 - Pattern module, Node in-surface (1) ; add \$414
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
- D**Select modesty panel.
NMP - No modesty panel

- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-36" High (Counter Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-36" High (Counter Height)

			MODEL NUMBER																
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base						
Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price		
	T Base	24 X 60"	PANCV2460H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	105.0#	\$ 1465	\$ 25	\$ 170		
	T Base	24 X 72"	PANCV2472H36	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	119.0#	1554	25	170		
PAN3																			
Chevron Tables w/Single Circuit-24"D																			
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • Recommended chair height for 36"H table is 24" stool • Tables are designed for maximum leg spacing for the length of the table • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Nesting base at 36" high																			
			A	B	C	D	E	F	G	H	I	J	K						

PAN3
Chevron Tables w/Single Circuit-24"D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 36"H table is 24" stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 36" high

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$695
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$443
PMD1 - Pattern module, Dean in-surface (1) ; add \$528
PMO1 - Pattern module, Node in-surface (1) ; add \$414
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add


- \$265
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- K**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option. PMA1 - Pattern module, Nacre pop-up (1) ; add \$695 PMB1 - Pattern module, Dubbel under-surface (1) ; add \$443 PMO1 - Pattern module, Dean in-surface (1) ; add \$528 PMO1 - Pattern module, Node in-surface (1) ; add \$414 PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443 PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
D	Select modesty panel. NMP - No modesty panel

E Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

F Select surface finish.
Refer to the **Product Color Options** page in this price list.

G Select leg finish.
Refer to the **Product Color Options** page in this price list.

H Select module color.
Refer to the **Product Color Options** page in this price list.

① Select grommet color.
Refer to the **Product Color Options** page in this price list.

J Select base.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

Contact KI Customer Service for specific models that are UL listed.


Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



Chevron Tables w/Single Circuit-24"D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 42"H table is 30" stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrrs (when applicable)
- Nesting base at 42" high

MODEL NUMBER										
Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Polyester Modesty Panel Color	Base
PANCV2460H42	□ □ □	□ □ □	□ □ □	□ □	□ □	□ □	□ □ □	□ □ □	□ □ □ □	□ □
PANCV2472H42	□ □ □	□ □ □	□ □ □	□ □	□ □	□ □	□ □ □	□ □ □	□ □ □ □	□ □
A	B	C	D	E	F	G	H	I	J	K

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

\$265

- | | |
|----------|---|
| A | Select basic model. |
| B | Select edge style.
74P - 74P edge |
| C | Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$695
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$443
PMD1 - Pattern module, Dean in-surface (1) ; add \$528
PMO1 - Pattern module, Node in-surface (1) ; add \$414
PS2GA1 - Pattern black snap-in RPT's (2) & grommet, Nacre (1); add \$443
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768 |
| D | Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add |

- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select module color.
Refer to the **Product Color Options** page in this price list.
- I** Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J** Select modesty panel color (only if polyester

Refer to the **Product Color Options** page in this price list.

- K** Select base.
- | | |
|------------|--|
| 4EC | - 4 black casters w/silver hub (2 locking) |
| 4GB | - 4 black glides |

Contact KI Customer Service for specific models that are UL listed.

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-42" High (Cafe Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Chevron-42" High (Cafe Height)

			MODEL NUMBER														
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Base					
Features	D x W													Approx. Packaged Weight	74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
T Base	30 X 60"		PANCV3060H42	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐		119.0#	\$ 1702	\$ 25	\$ 170
T Base	30 X 72"		PANCV3072H42	☐ ☐ ☐	☐ ☐ ☐	NMP	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐	☐ ☐		135.0#	1829	25	170

PAN4
Chevron Tables w/Single Circuit-30"D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- Recommended chair height for 42"H table is 30" stool
- Tables are designed for maximum leg spacing for the length of the table
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 42" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$695
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$443
PMD1 - Pattern module, Dean in-surface (1) ; add \$528
PMO1 - Pattern module, Node in-surface (1) ; add \$414
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
- D**Select modesty panel.
NMP - No modesty panel

- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select module color.
Refer to the **Product Color Options** page in this price list.
- I**Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Scale Up-29" High (Standard Height)



Pirouette® Tables w/Single Circuit Electrical - Fixed Height Base

Nesting Top-Scale Up-29" High (Standard Height)

			MODEL NUMBER													
Features	D x W	Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Module Color	Grommet Color	Base	Approx. Packaged Weight	 74P Edge (74P)	Laminate Grade 2 add to list price	Laminate Grade 3 add to list price	
T Base	30 X 72"	PANS3072	☐ ☐	☐ ☐	NMP	☐ ☐	☐	☐	☐ ☐ ☐	☐ ☐	☐	86.0#	\$ 1595	\$ 25	\$ 170	
																
PANT																
Scale Up Tables w/Single Circuit-30"D																
• One grommet or module per table • A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included • Infeed kits and table-to-table jumpers ordered separately • 3 tables form an 84" dia pod design to seat up to 9 people • Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable) • Nesting base at 29" high																

PANT

Scale Up Tables w/Single Circuit-30"D

- One grommet or module per table
- A trough, velcro wire managers, gangers and all electrical accessories (excluding infeed kits and table-to-table jumpers) are included
- Infeed kits and table-to-table jumpers ordered separately
- 3 tables form an 84" dia pod design to seat up to 9 people
- Chrome bases have polished alum. foot covers/polished alum. vertical wire mgrs (when applicable)
- Nesting base at 29" high

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
PMA1 - Pattern module, Nacre pop-up (1) ; add \$695
PMB1 - Pattern module, Dubbel under-surface (1) ; add \$443
PMD1 - Pattern module, Dean in-surface (1) ; add \$528
PMO1 - Pattern module, Node in-surface (1) ; add \$414
PS2GA1 - Pattern black snap-in RPTs (2) & grommet, Nacre (1); add \$443
PS2MB1GA1 - Pattern black snap-in RPT's (2), Pattern Dubbel under-surface (1) & grommet, Nacre (1); add \$768
- D** Select modesty panel.
NMP - No modesty panel

- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select module color.
Refer to the **Product Color Options** page in this price list.
- I** Select grommet color.
Refer to the **Product Color Options** page in this price list.
- J** Select base.
4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® HA Tables - Pneumatic Adjustable Height Base

Fixed Top-Rectangular



Pirouette® HA Tables - Pneumatic Adjustable Height Base

Fixed Top-Rectangular

			MODEL NUMBER																
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grom./Module Color	Polyester Modesty Panel Color	Base	Cord (feet)						
Features	D x W														Approx. Packaged Weight	74P Edge (74P)		Laminate Grade 2 add to list price	Laminate Grade 3 add to list price
 PPFR Rectangular - 24”D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers not recommended • Recommended for weight load of 20 lbs or less • Base adjusts from 29” - 44” • Quick, easy and toolless infinite adjustments by squeezing activator handle	Adjustable T Base	24 x 48”	PPFR2448	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		87.0#	\$ 1907		\$ 18	\$ 115
	Adjustable T Base	24 x 54”	PPFR2454	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		91.0#	1960		25	170
	Adjustable T Base	24 x 60”	PPFR2460	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		102.0#	2013		25	170
	Adjustable T Base	24 x 66”	PPFR2466	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		104.0#	2055		25	170
	Adjustable T Base	24 x 72”	PPFR2472	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		113.0#	2098		25	170
PPFR Rectangular - 30”D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers not recommended • Recommended for weight load of 20 lbs or less • Base adjusts from 29” - 44” • Quick, easy and toolless infinite adjustments by squeezing activator handle	Adjustable T Base	30 x 48”	PPFR3048	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		95.0#	\$ 1960		\$ 25	\$ 170
	Adjustable T Base	30 x 54”	PPFR3054	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		101.0#	2013		25	170
	Adjustable T Base	30 x 60”	PPFR3060	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		112.0#	2066		25	170
	Adjustable T Base	30 x 66”	PPFR3066	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		116.0#	2225		25	170
	Adjustable T Base	30 x 72”	PPFR3072	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐		126.0#	2278		25	170
			A	B	C	D	E	F	G	H	I	J	K						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge style.
74P - 74P edge
- C** Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144
- CORD LENGTH: 9' or 15' is optional on all module options.
- WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.
- D** Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$182
- E** Select edge color.
Refer to the **Product Color Options** page in this price list.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G** Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H** Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- I** Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J** Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K** Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Pirouette® HA Tables - Pneumatic Adjustable Height Base

Fixed Top-Chevron



Pirouette® HA Tables - Pneumatic Adjustable Height Base

Fixed Top-Chevron

			MODEL NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grom./Module Color	Polyester Modesty Panel Color	Base	Cord (feet)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	Features	D x W	Adjustable T Base	24 x 60"	PPFCV2460	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													</

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.

74P - 74P edge
- C**Select power option.

NNN - No grommets, power, wire management/No cutouts

WMO - Wire management only-no cutouts; add \$64

MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420

MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264

MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354

MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264

GA1 - Grommet, Nacre (1); add \$209

GD1 - Grommet, Dean (1); add \$209

G01 - Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.

NMP - No modesty panel

PMP - Polyester felt modesty panel; add \$182
- E**Select edge color.

Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.

Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.

Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.
- J**Select base.

4EC - 4 black casters w/silver hub (2 locking)

4GB - 4 black glides
- K**Select cord length (feet).

15 - 15' cord length

9 - 9' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® HA Tables - Screw Adjustable Height Base

Fixed Top-Rectangular



Pirouette® HA Tables - Screw Adjustable Height Base

Fixed Top-Rectangular

			MODEL NUMBER																		
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grom./Module Color	Polyester Modesty Panel Color	Base	Cord (feet)								
 PSFR Rectangular - 24”D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers limit ability to adjust height; order separately • Base adjusts from 29” - 44” • Leg height adjusts with screws in 1” increments	Adjustable T Base	24 x 48”	PSFR2448	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	83.0#	\$ 1165			\$	18	\$	115
	Adjustable T Base	24 x 54”	PSFR2454	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	89.0#	1240				25		170
	Adjustable T Base	24 x 60”	PSFR2460	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	98.0#	1272				25		170
	Adjustable T Base	24 x 66”	PSFR2466	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	103.0#	1352				25		170
	Adjustable T Base	24 x 72”	PSFR2472	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	113.0#	1373				25		170
PSFR Rectangular - 30”D • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers limit ability to adjust height; order separately • Base adjusts from 29” - 44” • Leg height adjusts with screws in 1” increments	Adjustable T Base	30 x 48”	PSFR3048	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	92.0#	\$ 1261			\$	25	\$	170
	Adjustable T Base	30 x 54”	PSFR3054	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	98.0#	1378				25		170
	Adjustable T Base	30 x 60”	PSFR3060	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	108.0#	1399				25		170
	Adjustable T Base	30 x 66”	PSFR3066	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	115.0#	1447				25		170
	Adjustable T Base	30 x 72”	PSFR3072	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	125.0#	1468				25		170
			A	B	C	D	E	F	G	H	I	J	K								

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$182
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® HA Tables - Screw Adjustable Height Base

Fixed Top-Chevron



Pirouette® HA Tables - Screw Adjustable Height Base

Fixed Top-Chevron

		MODEL NUMBER											Approx. Packaged Weight 74P Edge (74P) Laminate Grade 2 add to list price Laminate Grade 3 add to list price			
		Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grom./Module Color	Polyester Modesty Panel Color	Base	Cord (feet)				
	Adjustable T Base	24 x 60"	PSFCV2460	☐	☐	☐	☐	☐	☐	☐	☐	☐	100.0#	\$ 1293	\$ 25	\$ 170
	Adjustable T Base	24 x 72"	PSFCV2472	☐	☐	☐	☐	☐	☐	☐	☐	☐	115.0#	1346	25	170
PSFCV		Chevron - 24"D	• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers limit ability to adjust height; order separately • Base adjusts from 29" - 44" • Leg height adjusts with screws in 1" increments • Midpoint is 3" wider than ends													
	Adjustable T Base	30 x 60"	PSFCV3060	☐	☐	☐	☐	☐	☐	☐	☐	☐	111.0#	\$ 1447	\$ 50	\$ 350
	Adjustable T Base	30 x 72"	PSFCV3072	☐	☐	☐	☐	☐	☐	☐	☐	☐	128.0#	1558	50	350
PSFCV		Chevron - 30"D	• Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers limit ability to adjust height; order separately • Base adjusts from 29" - 44" • Leg height adjusts with screws in 1" increments • Midpoint is 3" wider than ends													
			A	B	C	D	E	F	G	H	I	J	K			

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$182
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION

Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping



Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Pirouette® HA Tables - Pneumatic Adjustable Height Base
Nesting Top-Rectangular



Pirouette® HA Tables - Pneumatic Adjustable Height Base
Nesting Top-Rectangular

			MODEL NUMBER																
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grom./ Module Color	Polyester Modesty Panel Color	Base	Cord (feet)						
	Adjustable T Base	24 x 48"	PPNR2448	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	95.0#	\$ 2331	\$ 18	\$ 115		
	Adjustable T Base	24 x 54"	PPNR2454	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	101.0#	2384	25	170		
	Adjustable T Base	24 x 60"	PPNR2460	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	110.0#	2437	25	170		
	Adjustable T Base	24 x 66"	PPNR2466	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	116.0#	2479	25	170		
	Adjustable T Base	24 x 72"	PPNR2472	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	126.0#	2522	25	170		
PPNR Rectangular - 24”D - Offers inline nesting - Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) - Gangers not recommended - Recommended for weight load of 20 lbs or less - Base adjusts from 29” - 44” - Quick, easy and toolless infinite adjustments by squeezing activator handle																			
PPNR Rectangular - 30”D - Offers inline nesting - Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) - Gangers not recommended - Recommended for weight load of 20 lbs or less - Base adjusts from 29” - 44” - Quick, easy and toolless infinite adjustments by squeezing activator handle	Adjustable T Base	30 x 48"	PPNR3048	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	104.0#	\$ 2384	\$ 25	\$ 170		
	Adjustable T Base	30 x 54"	PPNR3054	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	110.0#	2437	25	170		
	Adjustable T Base	30 x 60"	PPNR3060	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	121.0#	2490	25	170		
	Adjustable T Base	30 x 66"	PPNR3066	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	127.0#	2649	25	170		
	Adjustable T Base	30 x 72"	PPNR3072	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	138.0#	2702	25	170		
			A	B	C	D	E	F	G	H	I	J	K						

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
GO1 - Grommet, Node (1); add \$144
CORD LENGTH: 9' or 15' is optional on all module options.
- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$182
On 30"D tables, modesty panels only available if no power (NNN) is selected.
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.
- WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
15 - 15' cord length
9 - 9' cord length

INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES
Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Pirouette® HA Tables - Pneumatic Adjustable Height Base

Nesting Top-Chevron



Pirouette® HA Tables - Pneumatic Adjustable Height Base

Nesting Top-Chevron

			MODEL NUMBER																	
			Basic Model	Edge Style	Power Option	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grom./Module Color	Polyester Modesty Panel Color	Base	Cord (feet)							
	Features	D x W	Adjustable T Base	24 x 60"	PPNCV2460	☐	☐	☐	☐	☐	☐	☐	☐	113.0#	\$	2437	Laminate Grade 2 add to list price	\$	170	
	Adjustable T Base	24 x 72"	PPNCV2472	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	129.0#		2522			170	
PPNCV Chevron - 24"D • Offers inline nesting • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers not recommended • Recommended for weight load of 20 lbs or less • Base adjusts from 29" - 44" • Quick, easy and toolless infinite adjustments by squeezing activator handle • Midpoint is 3" wider than ends	Adjustable T Base	30 x 60"	PPNCV3060	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	124.0#	\$	2490	\$	170		
	Adjustable T Base	30 x 72"	PPNCV3072	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	141.0#		2702			170	
PPNCV Chevron - 30"D • Offers inline nesting • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers not recommended • Recommended for weight load of 20 lbs or less • Base adjusts from 29" - 44" • Quick, easy and toolless infinite adjustments by squeezing activator handle • Midpoint is 3" wider than ends																				
			A	B	C	D	E	F	G	H	I	J	K							

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge style.
74P - 74P edge
- C**Select power option.
NNN - No grommets, power, wire management/No cutouts
WMO - Wire management only-no cutouts; add \$64
MD1 - Module, Dean in-surface w/USB-A/C (1) ; add \$354
MB1 - Module, Dubbel under-surface w/ dual USB-A/C (1); add \$264
MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1 - Module, Node in-surface w/USB-A/C (1) ; add \$264
GA1 - Grommet, Nacre (1); add \$209
GD1 - Grommet, Dean (1); add \$209
G01 - Grommet, Node (1); add \$144
CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

- D**Select modesty panel.
NMP - No modesty panel
PMP - Polyester felt modesty panel; add \$182
On 30"D tables, modesty panels only available if no power (NNN) is selected.
- E**Select edge color.
Refer to the **Product Color Options** page in this price list.
- F**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- G**Select leg finish.
Refer to the **Product Color Options** page in this price list.
- H**Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

- I**Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.
- J**Select base.
4EC - 4 black casters w/silver hub (2 locking)
4GB - 4 black glides
- K**Select cord length (feet).
9 - 9' cord length
15 - 15' cord length


INFORMATION
Contact KI Customer Service for specific models that are UL listed.

SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



- Offers inline nesting
- Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable)
- Gangers limit ability to adjust height order separately
- Base adjusts from 29" - 44"
- Leg height adjusts with screws in 1" increments

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option. NNN - No grommets, power, wire management/No cutouts WMO - Wire management only-no cutouts; add \$64 MD1 - Module, Dean in-surface w/USB-A/C (1); add \$354 MB1 - Module, Dubble under-surface w/ dual USB-A/C (1); add \$264 MA1 - Module, Nacre pop-up w/USB-A/C (1); add \$420 MO1 - Module, Node in-surface w/USB-A/C (1); add \$264 GA1 - Grommet, Nacre (1); add \$209 GD1 - Grommet, Dean (1); add \$209 GO1 - Grommet, Node (1); add \$144

CORD LENGTH: 9' or 15' is optional on all module options.

WIRE MANAGEMENT: All options except NNN include vertical and horizontal wire management.

D Select modesty panel.

NMP	- No modesty panel
PMP	- Polyester felt modesty panel; add \$182

On 30"D tables, modesty panels only available if no power (NNN) is selected.

E Select edge color.
Refer to the **Product Color Options** page in this price list.

F Select surface finish.
Refer to the **Product Color Options** page in this price list.

G Select leg finish.
Refer to the **Product Color Options** page in this price list.

H Select grommet/module color.

Refer to the **Product Color Options** page in this price list.

① Select modesty panel color (only if polyester felt panel is chosen).
Refer to the **Product Color Options** page in this price list.

J Select base.

4EC	- 4 black casters w/silver hub (2 locking)
4GB	- 4 black glides

K Select cord length (feet).

9	- 9' cord length
15	- 15' cord length

Contact KI Customer Service for specific models that are UL listed.


Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.



- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.


A	Select basic model.
B	Select edge style. 74P - 74P edge
C	Select power option.
NNN	- No grommets, power, wire management/No cutouts
WMO	- Wire management only-no cutouts; add \$64
MD1	- Module, Dean in-surface w/USB-A/C (1); add \$354
MB1	- Module, Dubble under-surface w/ dual USB-A/C (1); add \$264
MA1	- Module, Nacre pop-up w/USB-A/C (1); add \$420
MO1	- Module, Node in-surface w/USB-A/C (1); add \$264
GA1	- Grommet, Nacre (1); add \$209
GD1	- Grommet, Dean (1); add \$209
GO1	- Grommet, Node (1); add \$144

CORD Length: 9' or 15' is optional on all module options.

H Select grommet/module color.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Leg Finish		
 HRDPT	MODEL Table Ganger (Set of 2 for one table-to-table gang) • KIT INCLUDES: • 2 black nylon ganging hooks • 6 nylon pegs • 6 #14 x 1-1/2" screws	13.3115		Approx. Packaged Weight 1.0#	Delivered Pricing \$ 17
HRDPT	3" Leg Extension • Kit includes four leg extenders • Achieve a tabletop height of 32" • Leg available in powdercoat colors and polished aluminum	PIR.ADA.KIT	☐ ☐	2.0#	\$ 329

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select leg finish.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



	MODEL NUMBER			
	Basic Model	Approx. Packaged Weight	Delivered Pricing	
 HRDPT	MODEL Trough RPT Cover • Black • Covers snap into trough holes when not using RPT modules • Sold individually	46.5930.BL	0.0#	\$ 14

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Paint Color		
MODEL	L			Approx. Packaged Weight	Delivered Pricing
HRDPT	Pattern Infeed • 108” cord plugs into standard 15 amp outlet • Kit includes Pattern infeed, grey power distribution block, 12” Pattern jumper and white power distribution block • Can be installed anywhere in the run (middle or end) • Jumper length cannot exceed 600” or 50’ per infeed • 90 degree angled plug • Includes one Pattern quick release tool • Includes vertical wire management	IFPAT.PI	☐ ☐	0.0#	\$ 339
HRDPT	Pattern Jumper • Each jumper kit includes jumper and grey power distribution block • Review product Planning Guide for table-to-table jumper length guidance.	53” JPPAT.53		1.0#	\$ 109
		75” JPPAT.75		1.0#	115
		101” JPPAT.101		1.0#	139
 HRDPT	Pattern Quick Release Tool • Snaps onto Pattern plugs to make disconnecting Pattern connections easier • Can be moved to multiple connections • Stores snapped onto one connection for easy access	BE04878.BL		0.0#	\$ 3

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER				
		Basic Model	Paint Color			
MODEL		L			Approx. Packaged Weight	Delivered Pricing
 HRDPT	Pattern Wire Trough - Designed to work on training style bases - Keeps wires enclosed and tidy - Allows Snap-in RPT modules to snap into user side of trough while still having access to cables - Wire pass throughs on non-user side - Electrical components to be ordered separately 22 gauge steel construction - Intended for installation into pre-drilled pilot holes - Mounting hardware included 4.4"W x 3.2"H x 18"L - One kit for 36" and 42" training or post leg tables (fixed & nesting: rectangle, chevron, scale-up) - Not compatible with 18"D tables	18"	TGH.PI.36	☐ ☐	0.0#	\$ 66
 HRDPT	Pattern Wire Trough 4.4"W x 3.2"H x 30"L - One kit for 48" and 54" training or post leg tables (fixed & nesting: rectangle, chevron, scale-up) - Not compatible with 18"D tables	30"	TGH.PI.48	☐ ☐	0.0#	\$ 84
 HRDPT	Pattern Wire Trough 4.4"W x 3.2"H x 42"L - One kit for 60" and 66" training or post leg tables (fixed & nesting: rectangle, chevron, scale-up) - Not compatible with 18"D tables	42"	TGH.PI.60	☐ ☐	0.0#	\$ 94
 HRDPT	Pattern Wire Trough 4.4"W x 3.2"H x 54"L - One kit for 72" training or post leg tables (fixed & nesting: rectangle, chevron, scale-up) - Not compatible with 18"D tables	54"	TGH.PI.72	☐ ☐	0.0#	\$ 107

A

B

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Paint Color		
 HRDPT	MODEL Velcro Wire Manager Kit • Attaches wires to underside of table • Kit includes 1 velcro manager, 2 mounting tabs, 4 mounting screws.	Features	87.9323		Approx. Packaged Weight 0.0# Delivered Pricing \$ 15
HRDPT	Vertical Wire Manager • Keeps cables attached to leg of table for neat appearance • Easily snaps on to table leg without tools	<attrib	46.5836	☐ ☐	0.0# \$ 34

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	Module Color		
MODEL		L		Approx. Packaged Weight	Delivered Pricing
 HRDPT	Dean Clamp-on Power Module (Corded)	36” Cord	MOD.MC1.36	☐ ☐	1.0# \$ 305
	• Toolessly clamps onto worksurfaces 3/4” to 1-1/2” thick • Not compatible with modesty panels • Provides two 3-prong receptacles, one USB-A and one USB-C charging port • Includes two strain-relief clips included for wire management • 15A approved • UL listed	108” Cord	MOD.MC1.108	☐ ☐	1.0# 311
		180” Cord	MOD.MC1.180	☐ ☐	1.0# 322
 HRDPT	Dean Clamp-on Power Module (Pattern)	40” Pattern Cord	MOD.PMC1.40	☐ ☐	1.0# \$ 366
	• Toolessly clamps onto worksurfaces 3/4” to 1-1/2” thick • Not compatible with modesty panels • Provides two 3-prong receptacles, one USB-A and one USB-C charging port • Pattern Infeed, jumpers, and gangers ordered separately • Wire management not included • 15A approved • UL listed				

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



1330 BELLEVUE STREET
GREEN BAY, WI 54302
800.424.2432 / KI.COM

KI is a trusted expert for furniture and wall systems around the globe.
USA | CANADA | MEXICO | UK | EUROPE | ASIA | MIDDLE EAST
© 2024 Krueger International, Inc. All Rights Reserved.