

CONDUIT MEETING TABLES // DESIGNED BY RAMSEY MADSEN



PRODUCT FEATURES/SPECIFICATIONS:

- » Two table heights: 29" and 42".
- » Table tops available in ash, maple and walnut veneer with solid wood edge as well as laminate selections.
- » Veneer available in all standard and custom finishes, with direction running lengthwise on all tables.
- » For Super Matte Sable finish on Ash or Maple, upcharge applies. Refer to options section for pricing.
- » For custom wood finishes, please add one-time upcharge of \$472 List per color per order.
- » Laminate tops will be inset with 1/16" reveal.
- » For custom laminates, add \$590 List per color per order. Pre-approval required, please contact client services.
- » Unless specified, laminate wood grain direction will run lengthwise on all table sizes.
- » Legs are veneer-wrapped steel with low profile black glides, unless specified with solid color laminate top. In those instances, paint will be applied directly to the steel.
- » For veneer tops, solid wood edge and veneer-wrapped steel legs will match as standard, unless specified otherwise.
- » For wood grain and solid color laminate tops, solid wood edge and legs will be finished to match as standard, with wood species predetermined for the best result. Refer to next page for laminate/applicable wood species breakdown.
- » Finishes will appear slightly darker on the solid wood edge and corner joints.
- » Table lengths of 84" and 96" come standard with underside box bridge for stability as well as housing for optional electrical units.
- » Select technology options for top surface placement available on all sizes, please refer to pages 5-7 for options.
- » All dimensions are nominal.

SHIPPING/ASSEMBLY:


- » All tables ship KD. Assembly required.
- » Leg placement is specific to each corner to ensure the proper fit, therefore they are not interchangeable.

ORDERING REQUIREMENTS:

- » Model number
- » Wood species
- » Finish selection

CONDUIT MEETING TABLES // DESIGNED BY RAMSEY MADSEN


STANDARD LAMINATES AND CORRESPONDING WOOD SPECIES:




Nevamar WM-8-340T
Clear Maple



Nevamar WM-0005T
Siren Maple



Pionite WX421-PV
Witchcraft



Formica 7739-58
Cocoa Maple

MAPLE




Formica 459-58
Brite White*




Wilsonart 1595-60
Black**



Wilsonart 7954-38
Natural Rift



Formica 5794-NG
Beige Elm



Wilsonart 7937-38
River Cherry



Wilsonart 8212K-28
Phantom Ecru

ASH




Pionite WY160-SD
Absolute Acajou



Nevamar WM-0047T
Iconic Maple



Pionite SG228-SD
Slate***



Pionite SW101-AW
Black Ashwood

*Formica Brite White laminate tops will feature maple solid wood edge and steel legs. Edge and legs will be painted white (0788 Glossy Cotton) but due to the varied materials, color will not match exactly. Premium finish upcharge applies.





** Wilsonart Black laminate tops will feature maple solid wood edge and veneer-wrapped legs finished in MA0915 Ebony Maple.

*** Pionite Slate laminate tops will feature ash solid wood edge and veneer-wrapped legs finished in AS0805 Slate Grey Ash.

CONDUIT MEETING TABLES // DESIGNED BY RAMSEY MADSEN

ORDERING REQUIREMENTS:

- » Model number
- » Wood species
- » Finish selection





	MODEL NUMBER	ASH, MAPLE AND INSET LAMINATE	WALNUT	WEIGHT
 30" Depth, 29" Height 30 D x 72 L x 29 H 30 D x 84 L x 29 H 30 D x 96 L x 29 H	8800-307229 8800-308429 8800-309629	5444 5911 5992	5526 6096 6188	139 156 174
 36" Depth, 29" Height 36 D x 72 L x 29 H 36 D x 84 L x 29 H 36 D x 96 L x 29 H	8800-367229 8800-368429 8800-369629	5610 6077 6157	5699 6269 6361	160 180 201
 42" Depth, 29" Height 42 D x 72 L x 29 H 42 D x 84 L x 29 H 42 D x 96 L x 29 H	8800-427229 8800-428429 8800-429629	5775 6242 6322	5873 6443 6535	150 204 230
 48" Depth, 29" Height 48 D x 84 L x 29 H 48 D x 96 L x 29 H	8800-488429 8800-489629	6422 6503	6632 6723	228 256

OPTIONS			
-PF05	Premium Finish	202	
-SM06	Super Matte Sable Wood Finish	275	

CONDUIT MEETING TABLES // DESIGNED BY RAMSEY MADSEN

ORDERING REQUIREMENTS:






- » Model number
- » Wood species
- » Finish selection

	MODEL NUMBER	ASH, MAPLE AND INSET LAMINATE	WALNUT	WEIGHT
 30" Depth, 42" Height 30 D x 72 L x 42 H 30 D x 84 L x 42 H 30 D x 96 L x 42 H	8800-307242 8800-308442 8800-309642	5746 6213 6294	5813 6384 6475	155 172 190
 36" Depth, 42" Height 36 D x 72 L x 42 H 36 D x 84 L x 42 H 36 D x 96 L x 42 H	8800-367242 8800-368442 8800-369642	5912 6379 6459	5987 6557 6649	176 196 217
 42" Depth, 42" Height 42 D x 72 L x 42 H 42 D x 84 L x 42 H 42 D x 96 L x 42 H	8800-427242 8800-428442 8800-429642	6077 6544 6624	6160 6730 6724	196 220 244
 48" Depth, 42" Height 48 D x 84 L x 42 H 48 D x 96 L x 42 H	8800-488442 8800-489642	6724 6805	6919 7011	244 272
OPTIONS				
-PF05	Premium Finish	202		
-SM06	Super Matte Sable Wood Finish	275		

CONDUIT MEETING TABLES // DESIGNED BY RAMSEY MADSEN

ELECTRICAL UNIT NOTES:






- » All units below are corded and available for top surface placement. Refer to pages 6-7 for daisy chain options.
- » Cord length should be taken into account when specifying electrical placement.
- » **Power source location must be identified.**
- » Standard placement for single power unit will always be centered on table. For two or three units, refer to page 9 for standard locations.

MODEL NUMBER	PRODUCT SPECIFICATIONS	LIST
PX3-() 	Power Matrix 3 <ul style="list-style-type: none"> » Dimensions: 5⁷/₈" W x 2⁷/₈" D » Black (-B) or white finish (-W) » One (1) outlet, one USB-A and one USB-C charging port » 120" electrical cord (only length available) » UL listed 	472
PX4-() 	Power Matrix 4 <ul style="list-style-type: none"> » Dimensions: 7¹/₄" W x 2⁷/₈" D » Black (-B) or white finish (-W) » Two (2) outlets, one USB-A and one USB-C charging port » 120" electrical cord (only length available) » UL listed 	494
PP2 	Portal Power 2 <ul style="list-style-type: none"> » Dimensions: 5¹/₄" W x 4¹/₄" D » Touch latch lid with metallic silver finish » Unit features two simplex outlets with 72" electrical cord » 120" length cord available, please specify and add \$38 List » UL listed 	
PP3 	Portal Power 3 <ul style="list-style-type: none"> » Dimensions: 5¹/₄" W x 4¹/₄" D » Touch latch lid with metallic silver finish » One (1) outlet with 72" electrical cord, one (1) USB-A and one (1) USB-C charging port » 120" length cord available, please specify and add \$38 List » UL listed 	
PP7 	Portal Power 7 <ul style="list-style-type: none"> » Dimensions: 6³/₄" W x 4³/₈" D » Touch latch lid with clear anodized aluminum finish » Two (2) 15 amp simplex outlets, one (1) USB-A and one (1) USB-C charging port » 72" electrical cord » 120" length cord available, please specify and add \$38 List » UL listed 	

CONDUIT MEETING TABLES // DESIGNED BY RAMSEY MADSEN





DAISY CHAIN ELECTRICAL UNIT NOTES:

- » Daisy chain units are required when more than one electrical unit is specified on one top.
- » To determine jumper cable length, measure length from edge of electrical unit to end of table.
- » Every connection point must be a female-to-male or male-to-female connection (**all daisy chain power units feature male ends**).

MODEL NUMBER	PRODUCT SPECIFICATIONS	LIST												
PB2-DC-S (SILVER FINISH) PB2-DC-W (WHITE FINISH) 	Power Band 2 Daisy Chain <ul style="list-style-type: none"> » Dimensions: 5³/₄" W x 2¹/₂" D » Metallic silver or white finish » Unit features two simplex outlets » UL listed 	428												
PB3-DC-S (SILVER FINISH) PB3-DC-W (WHITE FINISH) 	Power Band 3 Daisy Chain <ul style="list-style-type: none"> » Dimensions: 6¹/₂" W x 2¹/₂" D » Metallic silver or white finish » Unit features two simplex outlets and two USB charging ports » UL listed 	640												
PB4-DC-S (SILVER FINISH) PB4-DC-W (WHITE FINISH) 	Power Band 4 Daisy Chain <ul style="list-style-type: none"> » Dimensions: 10¹/₂" W x 2¹/₂" D » Metallic silver or white finish » Unit features two simplex outlets, two USB charging ports and cut-out for an A/V faceplate » For available A/V faceplate options, please contact client services » UL listed 	701												
PB-ST-CD-72 	Power Band Starter Cable, 72" Long, Corded Plug Infeed <ul style="list-style-type: none"> » Must select either corded or hardwire starter cable which goes from power source in wall or floor to first power band unit 	276												
PB-ST-HW-() 	Power Band Starter Cable, Hardwire Infeed <ul style="list-style-type: none"> » Must select either corded or hardwire starter cable which goes from power source in wall or floor to first power band unit <table> <tr> <th>MODEL</th><th>LENGTH</th><th>LIST</th></tr> <tr> <td>PB-ST-HW-72</td><td>72"</td><td>191</td></tr> <tr> <td>PB-ST-HW-108</td><td>108"</td><td>220</td></tr> <tr> <td>PB-ST-HW-120</td><td>120"</td><td>245</td></tr> </table>	MODEL	LENGTH	LIST	PB-ST-HW-72	72"	191	PB-ST-HW-108	108"	220	PB-ST-HW-120	120"	245	SEE TABLE
MODEL	LENGTH	LIST												
PB-ST-HW-72	72"	191												
PB-ST-HW-108	108"	220												
PB-ST-HW-120	120"	245												

CONDUIT MEETING TABLES // DESIGNED BY RAMSEY MADSEN




- DAISY CHAIN ELECTRICAL UNIT NOTES:
- » Daisy chain units are required when more than one electrical unit is specified on one top.
 - » To determine jumper cable length, measure length from edge of electrical unit to end of table.
 - » Every connection point must be a female-to-male or male-to-female connection (**all daisy chain power units feature male ends**).

MODEL NUMBER	PRODUCT SPECIFICATIONS	LIST																											
<div>PB-FF-()</div> <div></div>	<div>Power Band Jumper Cables, Female to Female</div> <div>» Typically used to connect 2 units together</div> <div>» For additional lengths in 12" increments, please add \$21 List per foot</div> <table><tr><th>MODEL</th><th>LENGTH</th><th>LIST</th></tr><tr><td>PB-FF-12</td><td>12"</td><td>130</td></tr><tr><td>PB-FF-24</td><td>24"</td><td>142</td></tr><tr><td>PB-FF-30</td><td>30"</td><td>154</td></tr><tr><td>PB-FF-36</td><td>36"</td><td>154</td></tr><tr><td>PB-FF-48</td><td>48"</td><td>166</td></tr><tr><td>PB-FF-54</td><td>54"</td><td>172</td></tr><tr><td>PB-FF-60</td><td>60"</td><td>179</td></tr><tr><td>PB-FF-72</td><td>72"</td><td>191</td></tr></table>	MODEL	LENGTH	LIST	PB-FF-12	12"	130	PB-FF-24	24"	142	PB-FF-30	30"	154	PB-FF-36	36"	154	PB-FF-48	48"	166	PB-FF-54	54"	172	PB-FF-60	60"	179	PB-FF-72	72"	191	SEE TABLE
MODEL	LENGTH	LIST																											
PB-FF-12	12"	130																											
PB-FF-24	24"	142																											
PB-FF-30	30"	154																											
PB-FF-36	36"	154																											
PB-FF-48	48"	166																											
PB-FF-54	54"	172																											
PB-FF-60	60"	179																											
PB-FF-72	72"	191																											
<div>PB-FM-()</div> <div></div>	<div>Power Band Jumper Cables, Female to Male</div> <div>» Typically used to connect 2 units together</div> <div>» For additional lengths in 12" increments, please add \$21 List per foot</div> <table><tr><th>MODEL</th><th>LENGTH</th><th>LIST</th></tr><tr><td>PB-FM-12</td><td>12"</td><td>130</td></tr><tr><td>PB-FM-24</td><td>24"</td><td>142</td></tr><tr><td>PB-FM-30</td><td>30"</td><td>154</td></tr><tr><td>PB-FM-36</td><td>36"</td><td>154</td></tr><tr><td>PB-FM-48</td><td>48"</td><td>166</td></tr><tr><td>PB-FM-54</td><td>54"</td><td>172</td></tr><tr><td>PB-FM-60</td><td>60"</td><td>179</td></tr><tr><td>PB-FM-72</td><td>72"</td><td>191</td></tr></table>	MODEL	LENGTH	LIST	PB-FM-12	12"	130	PB-FM-24	24"	142	PB-FM-30	30"	154	PB-FM-36	36"	154	PB-FM-48	48"	166	PB-FM-54	54"	172	PB-FM-60	60"	179	PB-FM-72	72"	191	SEE TABLE
MODEL	LENGTH	LIST																											
PB-FM-12	12"	130																											
PB-FM-24	24"	142																											
PB-FM-30	30"	154																											
PB-FM-36	36"	154																											
PB-FM-48	48"	166																											
PB-FM-54	54"	172																											
PB-FM-60	60"	179																											
PB-FM-72	72"	191																											
<div>PB-T</div> <div></div>	<div>Power Band T-Connector</div> <div>» Used when power is needed to go in two directions</div> <div>» Features 2 male ends and 1 female end</div> <div></div>	172																											

CONDUIT MEETING TABLES

//



DESIGNED BY RAMSEY MADSEN

MODEL NUMBER	PRODUCT SPECIFICATIONS	LIST
LM01-()	<p>Through-The-Leg Wire Management</p> <ul style="list-style-type: none">» 1³/₄" diameter cut-outs at top and bottom of inner leg for concealing power cords» Includes black grommet covers» Leg location must be specified - use identifier below and add to model number» Note: leg placement is specific to each corner to ensure the proper fit, therefore they are not interchangeable» Power unit cord must be threaded before the leg is connected to the table top <div></div>	289
WM03	<p>Felt Sleeve Vertical Wire Manager - 29" Height Tables</p> <ul style="list-style-type: none">» Dimensions: 3" Dia. x 25" L» Thick felt material, heathered charcoal grey as standard» Top cap affixes to underside of table at any desired location» Weighted bottom cap keeps sleeve in place <div></div>	258
WM04	<p>Felt Sleeve Vertical Wire Manager - 42" Height Tables</p> <ul style="list-style-type: none">» Dimensions: 3" Dia. x 38" L» Thick felt material, heathered charcoal grey as standard» Top cap affixes to underside of table at any desired location» Weighted bottom cap keeps sleeve in place <div></div>	289

CONDUIT MEETING TABLES // DESIGNED BY RAMSEY MADSEN

POWER UNIT STANDARD LOCATIONS:

Table Top Positioning



2 Power Units

D X L	A	B
30" x 72"	18"	15"
30" x 84"	28"	15"
30" x 96"	24"	15"
36" x 72"	18"	18"
36" x 84"	28"	18"
36" x 96"	24"	18"
42" x 72"	24"	21"
42" x 84"	28"	21"
42" x 96"	32"	21"
48" x 84"	28"	24"
48" x 96"	32"	24"

3 Power Units

D X L	A	B
30" x 72"	18"	15"
30" x 84"	21"	15"
30" x 96"	24"	15"
36" x 72"	18"	18"
36" x 84"	21"	18"
36" x 96"	24"	18"
42" x 72"	18"	21"
42" x 84"	21"	21"
42" x 96"	24"	21"
48" x 84"	21"	24"
48" x 96"	24"	24"

For custom power unit placement, please contact client services to verify location can be accommodated.