







PRODUCT FEATURES:

- » Tables offered in veneer, laminate, Fenix and Formica Colorcore 2.
- » Corian top also available.
- » Tables with 20" depth are intended for use against a wall or divider (signature edge detail featured on one side only).



- » Table lengths of 120" and greater will require a center panel base.
- » All panel bases feature adjustable glides as standard for leveling purposes.
- » End panel bases, center panel bases and underside of tables feature removable panels for wire management accessibility.
- » Select technology options for top surface and/or side-mount placement available on all sizes, please refer to pages 6-10 for options. Power units cannot be installed on center panel bases.
- » Two-tone wood finishing available (exterior surface one color, interior surface another color), please add \$408 list for 1-piece tops and \$684 List for 2-piece tops and specify finishes. Edge finish will be the interior surface color.
- » All dimensions are nominal.



VENEER TABLE SPECIFICATIONS:

- » Available in maple, walnut and white oak wood species.
- » Veneer direction will run cross-grain on all table sizes.
- » All standard wood finishes available on selected wood species (note: MA0915 Ebony Maple not available).
- » For Super Matte Sable finish on Maple or White Oak, upcharge applies. Refer to options section for pricing.
- » For custom wood finishes, please add one-time upcharge of \$472 List per color per order.

LAMINATE TABLE SPECIFICATIONS:

- » Applied to entire exterior surface only (cannot be used in combination with veneer exterior end panel bases).
- » Wood species and finish must be specified for the table interior surface, which will also be applied to the edge. For the best results, please reference guide below which identifies the appropriate wood species for each standard laminate.
- » Laminate wood grain direction will run lengthwise on all table sizes.
- » Available in all standard laminates.
- » Matching wood edges and/or bases specified with Formica Brite White and Pionite Slate, please add one-time upcharge of \$472 List per color, per order.
- » Matching wood edges and/or bases to our standard wood grain laminates is performed at no additional upcharge.
- » For custom laminates, add \$590 List per color per order. Pre-approval required, please contact client services.

STANDARD LAMINATES AND CORRESPONDING WOOD SPECIES:



Nevamar WM-8-340T Clear Maple



Nevamar WM-0005T Siren Maple



Pionite WX421-PV Witchcraft



Formica 459-58 Brite White



Pionite SG228-SD Slate

MAPLE



Wilsonart 7937-38 River Cherry

WALNUT



Wilsonart 7954-38



Formica 5794-NG Beige Elm



Wilsonart 7937-38 River Cherry



Wilsonart 8212K-28 Phantom Ecru



Pionite WY160-SD Absolute Acaiou

Nevamar WM-0047T Iconic Maple



Pionite SW101-AW Black Ashwood



Wilsonart 1595-60 Black

WHITE OAK

FENIX TABLE SPECIFICATIONS:

- » Applied to entire exterior surface only (cannot be used in combination with veneer exterior end panel bases).
- » Wood species and finish must be specified for the table interior surface, which will also be applied to the edge.
- » Matching wood edges and/or bases specified with Bianco Kos, please add one-time upcharge of \$472 List per order.
- » Matching wood edges and/or bases specified in Nero Ingo is performed at no additional upcharge. Finish will be super matte black on white oak species.

FENIX COLORS:

- » FJ0032 Bianco Kos
- » FJ0718 Grigio Londra
- » FJ0720 Nero Ingo
- » FJ0724 Grigio Bromo
- » FJ0725 Grigio Efeso

FORMICA COLORCORE 2 SPECIFICATIONS:

- » Features the same high performance characteristics as laminates with the added dimension of solid through color (i.e. eliminates the dark line associated with laminate edges).
- » Offered in 949C-58 White Matte color only.
- » Applied to entire exterior surface only (cannot be used in combination with veneer exterior end panel bases).
- » Wood species and finish must be specified for the table interior surface, which will also be applied to the edge.
- » To order in Colorcore 2, please specify and add \$421 list for 1-piece tops and \$699 List for 2-piece tops (add upcharge to applicable interior surface wood species column).

CORIAN TOP SPECIFICATIONS:

- » Corian is affixed to table top only and increases overall table height by 1/2". Please note that a 1/8" reveal will be present.
- » Corian not available on table edges or on panel bases.
- » Wood species and finish must be specified for panel bases.
- » For Corian top, specify "-CO" after model number with color selection and add upcharge to applicable table pricing.
- » Custom Corian colors available, please contact client services for pricing.

CORIAN COLORS:


- » CWN Designer White
- » CLN Linen
- » CTD Witch Hazel
- » CRC Rain Cloud
- » CGQ Grey Onyx
- » CSQ Stonique

SHIPPING/ASSEMBLY:

- » All tables ship blanket-wrapped within the contiguous United States.
- » If cartoning is required, a 20% upcharge will be applied to each applicable product. Contact client services for additional information.
- » Please note that Canadian shipments are unable to be shipped blanket-wrapped and a 20% cartoning surcharge will always apply.
- » Tables 96" in length and under ship in one piece.
- » Tables 120" in length and over ship in two sections.
- » All tables that are shipped in more than one piece will include a table joint connector to attach sections together.
- » Limited field assembly is required as bases are pre-assembled to table tops.

ORDERING REQUIREMENTS:

- » Model number
- » Wood species
- » Exterior surface finish
- » Interior surface finish, as applicable
- » Options, as applicable



ORDERING REQUIREMENTS:

- » Model number
- » Wood species
- » Exterior surface finish
- » Interior surface finish, as applicable
- » Options, as applicable

20" Depth*, 29" Height 20 D x 60 L x 29 H	*Intended for use against a wall or divider	MODEL NUMBER	MAPLE OR LAMINATE EXTERIOR WITH MAPLE INTERIOR	WALNUT, WHITE OAK OR LAMINATE EXTERIOR WITH WALNUT OR WHITE OAK INTERIOR	FENIX EXTERIOR (-FE) Add upcharge to applicable wood species column	CORIAN TOP (-CO) Add upcharge to applicable wood species column	WEIGHT (exclude Corian)
10	20" Depth*, 29" Height						
20 D x 96 L x 29 H							142
20 D x 120 L x 29 H							151
20 D x 144 L x 29 H A-2014429 10526 11633 4215 20 D x 192 L x 29 H A-2019229 11337 12470 1663 5618 20" Depth*, 42" Height 20 D x 60 L x 42 H A-206042 7656 8378 832 1760 20 D x 72 L x 42 H A-207242 7944 8916 832 2111 20 D x 20 L x 42 H A-209642 8412 9296 832 2811 20 D x 120 L x 42 H A-201042 10670 11779 1663 3514 20 D x 120 L x 42 H A-2014442 11181 12342 1663 4215 20 D x 120 L x 42 H A-2019242 11795 13138 1663 5618 30" Depth, 29" Height 30" Depth, 29" Height 30 D x 60 L x 29 H A-306029 8902 10077 1663 3163 30 D x 96 L x 29 H A-307229 9240 10355 1663 3163 30 D x 96 L x 29 H A-307229 9240 10355 1663 3163 30 D x 96 L x 29 H A-3012029 12277 13853 2494 5270 30 D x 120 L x 29 H A-3012029 12277 13853 2494 5270 30 D x 120 L x 29 H A-3014229 12721 14415 2494 6321 30 D x 120 L x 29 H A-3019229 13925 15002 2494 8426 30" Depth, 42" Height 30 D x 60 L x 42 H A-3019229 13925 15002 2494 8426 30" Depth, 42" Height 30 D x 60 L x 42 H A-309642 9573 10941 1663 3163 30 D x 50 L x 42 H A-3019242 10180 11606 1663 4215 30 D x 120 L x 29 H A-3019242 10180 11606 1663 4215 30 D x 120 L x 24 H A-301942 10180 11606 1663 4215 30 D x 120 L x 24 H A-301942 10180 11606 1663 4215 30 D x 120 L x 24 H A-301942 13094 14668 2494 5270	•						165
20 D x 192 L x 29 H	-						256
20" Depth*, 42" Height 20 D x 60 L x 42 H	•						269 289
20 D x 60 L x 42 H	2007172172711	N ZOI)ZZ)	11337	124/0	1003	3010	209
20 D x 72 L x 42 H	20" Depth*, 42" Height						
20 D x 72 L x 42 H	20 D x 60 L x 42 H	A-206042	7656	8378	832	1760	153
20 D x 96 L x 42 H							163
20 D x 120 L x 42 H							177
30" Depth, 29" Height 30 D x 60 L x 29 H							287
30" Depth, 29" Height 30 D x 60 L x 29 H	20 D x 144 L x 42 H	A-2014442	11181	12342	1663	4215	301
30 D x 60 L x 29 H A-306029 8902 10077 1663 2635 3163 3163 30 D x 72 L x 29 H A-309629 9563 10865 1663 4215 30 D x 120 L x 29 H A-3012029 12277 13853 2494 5270 30 D x 144 L x 29 H A-3014429 12721 14415 2494 6321 30 D x 192 L x 29 H A-3019229 13925 15002 2494 8426 30 D x 192 L x 29 H A-3019229 13925 15002 2494 8426 30 D x 192 L x 29 H A-3019229 13925 15002 2494 8426 30 D x 192 L x 29 H A-306042 9127 10360 1663 2635 3163 30 D x 72 L x 42 H A-307242 9573 10941 1663 3163 30 D x 96 L x 42 H A-309642 10180 11606 1663 4215 30 D x 120 L x 42 H A-3012042 13094 14668 2494 5270	20 D x 192 L x 42 H	A-2019242	11795	13138	1663	5618	321
30 D x 72 L x 29 H	30" Depth, 29" Height						
30 D x 72 L x 29 H	20 D v (0 L v 20 H	A 206020	9002	10077		2625	456
30 D x 96 L x 29 H A-309629 9563 10865 1663 4215 30 D x 120 L x 29 H A-3012029 12277 13853 2494 5270 30 D x 144 L x 29 H A-3014429 12721 14415 2494 6321 30 D x 192 L x 29 H A-3019229 13925 15002 2494 8426 30 D x 60 L x 42 H A-306042 9127 10360 1663 2635 30 D x 72 L x 42 H A-307242 9573 10941 1663 3163 30 D x 96 L x 42 H A-309642 10180 11606 1663 4215 30 D x 120 L x 42 H A-3012042 13094 14668 2494 5270							156 169
30 D x 120 L x 29 H A-3012029 12277 13853 2494 5270 30 D x 144 L x 29 H A-3014429 12721 14415 2494 6321 30 D x 192 L x 29 H A-3019229 13925 15002 2494 8426 30 D x 60 L x 42 H A-306042 9127 10360 1663 2635 30 D x 72 L x 42 H A-307242 9573 10941 1663 3163 30 D x 96 L x 42 H A-309642 10180 11606 1663 4215 30 D x 120 L x 42 H A-3012042 13094 14668 2494 5270							183
30 D x 144 L x 29 H A-3014429 12721 14415 2494 6321 30 D x 192 L x 29 H A-3019229 13925 15002 2494 8426 30" Depth, 42" Height 30 D x 60 L x 42 H A-306042 9127 10360 1663 2635 30 D x 72 L x 42 H A-307242 9573 10941 1663 3163 310 D x 96 L x 42 H A-309642 10180 11606 1663 4215 30 D x 120 L x 42 H A-3012042 13094 14668 2494 5270							280
30 D x 192 L x 29 H A-3019229 13925 15002 2494 8426 30" Depth, 42" Height 30 D x 60 L x 42 H A-306042 9127 10360 1663 2635 30 D x 72 L x 42 H A-307242 9573 10941 1663 3163 310 D x 96 L x 42 H A-309642 10180 11606 1663 4215 30 D x 120 L x 42 H A-3012042 13094 14668 2494 5270			12721	14415		6321	198
30 D x 60 L x 42 H A-306042 9127 10360 1663 2635 30 D x 72 L x 42 H A-307242 9573 10941 1663 3163 30 D x 96 L x 42 H A-309642 10180 11606 1663 4215 30 D x 120 L x 42 H A-3012042 13094 14668 2494 5270	30 D x 192 L x 29 H	A-3019229	13925	15002		8426	318
30 D x 60 L x 42 H A-306042 9127 10360 1663 2635 30 D x 72 L x 42 H A-307242 9573 10941 1663 3163 30 D x 96 L x 42 H A-309642 10180 11606 1663 4215 30 D x 120 L x 42 H A-3012042 13094 14668 2494 5270							
30 D x 72 L x 42 H A-307242 9573 10941 1663 3163 30 D x 96 L x 42 H A-309642 10180 11606 1663 4215 30 D x 120 L x 42 H A-3012042 13094 14668 2494 5270	30" Depth, 42" Height						
30 D x 72 L x 42 H A-307242 9573 10941 1663 3163 30 D x 96 L x 42 H A-309642 10180 11606 1663 4215 30 D x 120 L x 42 H A-3012042 13094 14668 2494 5270	30 D x 60 L x 42 H	A-306042	9127	10360	1663	2635	193
30 D x 96 L x 42 H A-309642 10180 11606 1663 4215 30 D x 120 L x 42 H A-3012042 13094 14668 2494 5270							205
30 D x 120 L x 42 H A-3012042 13094 14668 2494 5270							221
30 D x 144 L x 42 H A-3014442 13221 14875 2494 6321		A-3012042					347
							364
30 D x 192 L x 42 H A-3019242 14226 15987 2494 8426	30 D x 192 L x 42 H	A-3019242	14226	15987	2494	8426	388

-SM06 Super Matte Sable Wood Finish (96" Length and Under) -SM07 Super Matte Sable Wood Finish (120" Length and Under)

275 400

ORDERING REQUIREMENTS:

- » Model number
- » Wood species
- » Exterior surface finish
- » Interior surface finish, as applicable
- » Options, as applicable

	MODEL NUMBER	MAPLE OR LAMINATE EXTERIOR WITH MAPLE INTERIOR	WALNUT, WHITE OAK OR LAMINATE EXTERIOR WITH WALNUT OR WHITE OAK INTERIOR	FENIX EXTERIOR (-FE) Add upcharge to applicable wood species column	CORIAN TOP (-CO) Add upcharge to applicable wood species column	WEIGHT (exclude Corian)
36" Depth, 29" Height						
36 D x 60 L x 29 H	A-366029	9131	10215	1663	3631	176
36 D x 72 L x 29 H	A-367229	9494	10792	1663	4356	188
36 D x 96 L x 29 H	A-369629	9940	11270	1663	5808	204
36 D x 120 L x 29 H	A-3612029	12746	14359	2494	7257	315
36 D x 144 L x 29 H	A-3614429	13965	15874	2494	8706	332
36 D x 192 L x 29 H	A-3619229	14846	16526	2494	11608	356
36" Depth, 42" Height						
	A-366042	9421	10557	1663	3631	193
36 D x 60 L x 42 H	A-367242	9743	11126	1663	4356	205
36 D x 72 L x 42 H	A-369642	10353	11777	1663	5808	203
36 D x 96 L x 42 H	A-3612042	13816	15617	2494	7257	357
36 D x 120 L x 42 H	A-3614442	14783	16361	2494	8706	373
36 D x 144 L x 42 H 36 D x 192 L x 42 H	A-3619242	15347	17181	2494	11608	398
42" Depth, 29" Height						
42 D x 60 L x 29 H	A-426029	9264	10550	1663	4245	184
42 D x 72 L x 29 H	A-427229	9795	11049	1663	5081	196
42 D x 96 L x 29 H	A-429629	10201	11587	1663	6774	210
42 D x 120 L x 29 H	A-4212029	13767	15553	2494	8467	334
42 D x 144 L x 29 H	A-4214429	14871	16456	2494	10157	352
42 D x 192 L x 29 H	A-4219229	15682	17694	2494	13542	371
42" Depth, 42" Height						
42 D x 60 L x 42 H	A-426042	9602	10998	1663	4245	201
42 D x 72 L x 42 H	A-427242	10121	11566	1663	5081	214
42 D x 96 L x 42 H	A-429642	10703	11840	1663	6774	214
42 D x 120 L x 42 H	A-4212042	14947	16933	2494	8467	377
42 D x 144 L x 42 H	A-4214442	15595	17803	2494	10157	395
42 D x 192 L x 42 H	A-4219242	16871	19113	2494	13542	418
						410

-SM06 -SM07

ELECTRICAL UNIT NOTES:

- » All units below are corded and available for top surface and/or side-mount placement. Refer to pages 8-9 for daisy chain options.
- » Power units cannot be positioned above center panel bases nor can they be installed onto center panel bases themselves.
- » Side-mount placement can be on inside or outside of end panel bases.
- » Please specify if power unit is to be placed on table top, inside base panel or outside base panel.
- » Cord length should be taken into account when specifying electrical placement.
- » Power source location must be identified.
- » Refer to page 10 for power unit standard locations.
- » End interior panel bases, center panel bases and underside of tables feature removable panels for wire management accessibility.
- » To add power cord exit to the exterior base panel, please specify "PCO2" and add \$98 List. For 20" depth tables, please note the base

ODEL NUMBER	PRODUCT SPECIFICATIONS	LIST
X3-()	Power Matrix 3	
	» Dimensions: $5^7/8$ " W x $2^7/8$ " D	472
	» Black (-B) or white finish (-W)	
	» One (1) outlet, one (1) USB-A and one (1) USB-C charging port	
\checkmark	» 120" electrical cord (only length available)	
	» UL listed	
X4-()	Power Matrix 4	
~	» Dimensions: $7^1/4$ " W x $2^7/8$ " D	494
	» Black (-B) or white finish (-W)	
	» Two (2) outlets, one (1) USB-A and one (1) USB-C charging port	
	» 120" electrical cord (only length available)	
V	» UL listed	
P2	Portal Power 2	
<u></u>	» Dimensions: 51/4" W x 41/4" D	670
	» Touch latch lid with metallic silver finish	
	» Unit features two (2) simplex outlets with 72" electrical cord	
	» 120" length cord available, please specify and add \$38 List	
	» UL listed	
P3	Portal Power 3	
	» Dimensions: 51/4" W x 41/4" D	792
	» Touch latch lid with metallic silver finish	
	» One (1) outlet with 72" electrical cord, one (1) USB-A and one (1) USB-C charging port	
	» 120" length cord available, please specify and add \$38 List	
	» UL listed	


852

AVELINA MEETING TABLES // DESIGNED BY MADSEN + CONTOIS

ELECTRICAL UNIT NOTES:

- » All units below are corded and available for top surface placement only. Refer to pages 8-9 for daisy chain options.
- » Power units cannot be positioned above center panel bases.
- » Cord length should be taken into account when specifying electrical placement.
- » Power source location must be identified.
- » End interior panel bases, center panel bases and underside of tables feature removable panels for wire management accessibility.
- » To add power cord exit to the exterior base panel, please specify -"PC02" and add \$98 List. For 20" depth tables, please note the base location as left or right, as facing.

PP7 Portal Power 7



- » Dimensions: 63/4" W x 43/8" D
- » Touch latch lid with clear anodized aluminum finish
- » Two (2) 15 amp simplex outlets, one (1) USB-A and one (1) USB-C charging port
- » 72" electrical cord
- » 120" length cord available, please specify and add \$38 List
- » UL listed

PP7 units available for top surface mount placement only.

DAISY CHAIN ELECTRICAL UNIT NOTES:

- » Daisy chain units are required when more than one electrical unit is specified on one top.
- » To determine jumper cable length, measure length from edge of electrical unit to end of table.
- » Every connection point must be a female-to-male or male-to-female connection (all daisy chain power units feature male ends).

MODEL NUMBER	PRODUCT SPECIFI	CATIONS		LIST
PB2-DC-S (SILVER FINISH)	Power Band 2 Dai	sy Chain		
PB2-DC-W (WHITE FINISH)	» Dimensions: 5		'D	428
(4)	» Metallic silver			
	» Unit features to	vo simplex o	outlets	
	» UL listed	•		
PB3-DC-S (SILVER FINISH)	Power Band 3 Dai	sv Chain		
PB3-DC-W (WHITE FINISH)	» Dimensions: 6 ¹		'D	640
	» Metallic silver			0,0
(4) 4 (1)			outlets and two USB charging ports	
•	» UL listed		cattors and the God sharging ports	
	323134			
PP/ PC C (-		61 .		
PB4-DC-S (SILVER FINISH) PB4-DC-W (WHITE FINISH)	Power Band 4 Dai		II D	704
	» Dimensions: 10			701
	» Metallic silver			
			outlets, two USB charging ports and cut-out for an A/V faceplate options, please contact client services	
	» UL listed			
PB-ST-CD-72			" Long, Corded Plug Infeed	
	» Must select eit	her corded o	or hardwire starter cable which goes from power source in	276
100	wall or floor to	first power l	band unit	
PB-ST-HW-()	Power Band Start	-		
₩.			or hardwire starter cable which goes from power source in	SEE TABLE
	wall or floor to	first power l	band unit	
	MODEL	LENGTH	LIST	
	PB-ST-HW-72	72"	191	
"		108"	220	
	PB-ST-HW-120	120"	245	

SEE TABLE

SEE TABLE

172

AVELINA MEETING TABLES // DESIGNED BY MADSEN + CONTOIS

DAISY CHAIN ELECTRICAL UNIT NOTES:

- » Daisy chain units are required when more than one electrical unit is specified on one top.
- » To determine jumper cable length, measure length from edge of electrical unit to end of table.
- » Every connection point must be a female-to-male or male-to-female connection (all daisy chain power units feature male ends).

MODEL NUMBER PRODUCT SPECIFICATIONS LIST

PB-FF-()



Power Band Jumper Cables, Female to Female

- » Typically used to connect 2 units together
- » For additional lengths in 12" increments, please add \$21 List per foot

MODEL	LENGTH	LIST
PB-FF-12	12"	130
PB-FF-24	24"	142
PB-FF-30	30"	154
PB-FF-36	36"	154
PB-FF-48	48"	166
PB-FF-54	54"	172
PB-FF-60	60"	179
PB-FF-72	72"	191

PB-FM-()



Power Band Jumper Cables, Female to Male

- » Typically used to connect 2 units together
- » For additional lengths in 12" increments, please add \$21 List per foot


MODEL	LENGTH	LIST
PB-FM-12	12"	130
PB-FM-24	24"	142
PB-FM-30	30"	154
PB-FM-36	36"	154
PB-FM-48	48"	166
PB-FM-54	54"	172
PB-FM-60	60"	179
PB-FM-72	72"	191

PB-T




Power Band T-Connector


- » Used when power is needed to go in two directions
- » Features 2 male ends and 1 female end




POWER UNIT STANDARD LOCATIONS:

Table Top Positioning





Panel Base (inside & outside)



2 Power Units

DXL	Α	В
20" x 60"	20"	5"
20" x 72"	24"	5"
20" x 96"	32"	5"
20" x 120"	40"	5"
20" x 144"	48"	5"
20" x 192"	64"	5"
30" x 60"	20"	15"
30" x 72"	24"	15"
30" x 96"	32"	15"
30" x 120"	40"	15"
30" x 144"	48"	15"
30" x 192"	64"	15"
36" x 60"	20"	18"
36" x 72"	24"	18"
36" x 96"	32"	18"
36" x 120"	40"	18"
36" x 144"	48"	18"
36" x 192"	64"	18"
42" x 60"	20"	21"
42" x 72"	24"	21"
42" x 96"	32"	21"
42" x 120"	40"	21"
42" x 144"	48"	21"
42" x 192"	64"	21"

3 Power Units

DXL	Α	В
20" x 60"	15"	5"
20" x 72"	18"	5"
20" x 96"	24"	5"
30" x 60"	15"	15"
30" x 72"	18"	15"
30" x 96"	24"	15"
36" x 60"	15"	18"
36" x 72"	18"	18"
36" x 96"	24"	18"
42" x 60"	15"	21"
42" x 72"	18"	21"
42" x 96"	24"	21"

1 Power Unit

DXH	Α	В
20" x 29"	10.25"	5"
30" x 29"	10.25"	15"
36" x 29"	10.25"	18"
42" x 29"	10.25"	21"
20" x 42"	10.25"	5"
30" x 42"	10.25"	15"
36" x 42"	10.25"	18"
42" x 42"	10.25"	21"

For custom power unit placement, please contact client services to verify location can be accommodated.