

LINEUP OCCASIONAL TABLES // DESIGNED BY IDA DESIGN



PRODUCT FEATURES/SPECIFICATIONS:

- » Rounded square and rectangle tables manufactured in ash.
- » Four standard finish options:
 - Ash veneer top with matching veneer body as standard, unless otherwise specified.
 - Laminate top with veneer or laminate body, please specify.
 - Fenix top with veneer or laminate body, please specify.
 - Corian top with veneer or laminate body, please specify.
- » For Super Matte Sable Ash, upcharge applies. Refer to options section for pricing.
- » For custom wood finishes, please add one-time upcharge of \$472 List per color per order.
- » For custom laminates, add \$590 List per color per order. Pre-approval required, please contact client services.
- » For Corian top, specify “-CO” next to model number. Corian top is affixed to table top surface increasing overall table height by 1/2". Please note that a 1/8" reveal will be present. For non-standard colors, please contact client services for pricing.
- » Wood plinth base features non-skid adjustable glides. Available in solid color standard and premium painted finishes only.
- » Optional power units available. Refer to page 4 for details.
- » All dimensions are nominal.

FENIX® COLORS:

- » FJ0032 Bianco Kos
- » FJ0720 Nero Ingo
- » FJ0725 Grigio Efeso
- » FJ0718 Grigio Londra
- » FJ0724 Grigio Bromo

CORIAN® COLORS:

- » CWN Designer White
- » CLN Linen
- » CTD Witch Hazel
- » CRC Rain Cloud
- » CGQ Grey Onyx
- » CSQ Stonique

LINEUP OCCASIONAL TABLES // DESIGNED BY IDA DESIGN

STANDARD BASE FINISH COLORS:

- » 0405 Charcoal Grey
- » 0535 Metallic Silver
- » 0630 Satin Black

PREMIUM BASE FINISH COLORS:

- » 0605 Matte Black
- » 0705 Matte Cotton
- » 0788 Glossy Cotton
- » 0805 Oasis
- » 0905 Mint
- » 1005 Mercury
- » 1105 Canary
- » 1205 Stone
- » 1305 Sage
- » 1405 Ice Blue
- » 1505 Clay

ORDERING REQUIREMENTS:




- » Model number
- » Top material and finish
- » Body material and finish, as applicable
- » Base finish
- » Options, as applicable

LINEUP OCCASIONAL TABLES

// DESIGNED BY IDA DESIGN

ORDERING REQUIREMENTS:

- » Model number
- » Top material and finish
- » Body material and finish, as applicable
- » Base finish
- » Options, as applicable




		MODEL NUMBER	VENEER OR LAMINATE	FENIX (-FE)	CORIAN (-CO)	WEIGHT (Veneer/Laminate Top)
	Rounded Square Tables					
	18" W x 18" L x 22" H	8940-181822	1086	1174	1424	32
	24" W x 24" L x 22" H	8940-242422	1424	1580	2024	35
						
	24" W x 24" L x 16" H	8940-242416	1326	1482	1926	32
	30" W x 30" L x 16" H	8940-303016	1556	1800	2619	47
	36" W x 36" L x 16" H	8940-363616	2107	2458	3637	58
	Rounded Rectangle Tables					
	20" W x 36" L x 16" H	8940-203616	1767	1962	2617	60
	20" W x 48" L x 16" H	8940-204816	2185	2445	3319	72
OPTIONS						

-SM04	Super Matte Sable Wood Finish	40
-PF02	Premium Painted Base Color	101

LINEUP OCCASIONAL TABLES // DESIGNED BY IDA DESIGN

POWER UNITS:

- » Specify power unit model number after applicable table model number.
- » Units will be positioned in the center of tables as standard, unless otherwise specified.

MODEL NUMBER	PRODUCT SPECIFICATIONS	LIST
<p>() - PX3-B (BLACK FINISH) () - PX3-W (WHITE FINISH)</p> 	<p>Power Matrix 3</p> <ul style="list-style-type: none"> » Dimensions: 5⁷/₈" W x 2⁷/₈" D » Black or white finish » One (1) outlet, one (1) USB-A and one (1) USB-C charging port » 120" electrical cord (only length available) » UL listed 	472
<p>() - PX4-B (BLACK FINISH) () - PX4-W (WHITE FINISH)</p> 	<p>Power Matrix 4</p> <ul style="list-style-type: none"> » Dimensions: 7¹/₄" W x 2⁷/₈" D » Black or white finish » Two (2) outlets, one (1) USB-A and one (1) USB-C charging port » 120" electrical cord (only length available) » UL listed 	494
<p>() - PN1-C (CHROME FINISH) () - PN1-W (WHITE FINISH)</p> 	<p>Power Node</p> <ul style="list-style-type: none"> » Dimensions: 3³/₈" Dia. » Chrome or white finish » One (1) outlet, one (1) USB-A and one (1) USB-C charging port » 72" electrical cord (only length available) » UL listed 	640