


COLLECTION LOOKBOOK /

patcraft®

# REMATERIAL / WOOD + WEALD

---

I781V  
I795V Click  
8x50





## Resilient Reimagined. Remade to Matter.

ReMaterial **Wood + Weald** is a PVC-free resilient that is fully recyclable at the end of its long life span. Defined by its materiality and measured by its performance, the collection provides a holistic flooring solution that transforms material performance through circular design.







**BACKED BY A LEGACY. DEFINED BY MATERIALITY.  
MEASURED BY PERFORMANCE. /**

*"ReMaterial reflects a cumulative approach to product development, addressing solutions through a combination of performance, sustainability and design attributes. It is an innovation that will continue to evolve as the next generation of resilient flooring—taking the material ingredients that we have and giving them new life."*

— Erin Helm, Patcraft Product Designer

## inside the design /



**in the loop /  
fully recyclable  
through re[TURN]®**

Fully recyclable at the end of its useful life through the re[TURN]® reclamation program.



**carbon neutral  
+ low embodied  
carbon**

An ingredient stream that reduces raw material extraction from the earth and lowers the embodied carbon footprint of future products to continue the cycle of creating new products out of old.



**pvc-free**

Made of polyolefin materials including up to 25% post-consumer recycled plastic derived from products like yogurt cups and laundry detergent containers.



**25-year  
warranty**

Constructed for high-demand, high-traffic areas and is backed by an industry-leading warranty to ensure long-lasting quality and appearance retention.



**digitally printed /  
allows for more  
unique planks**

Creates increased variation on the floor when compared to standard printing for enhanced design flexibility.



**resistant to  
scratch + scuff**

A distinct manufacturing process for durable product performance, and an ExoGuard+® topcoat provides enhanced resistance to scratches and stains.



**durable  
construction**

Features a multi-layer core that can withstand extreme indentation up to 2,500 psi and is constructed to provide optimal dimensional stability.



# Transform space from the inside out.

A holistic flooring solution at the intersection of performance, sustainability and design.  
PVC-free. Fully recyclable. An innovation in materiality for durability and circularity.





spaces to traverse /

Durable construction for  
high-traffic environments  
that can stand up to and  
embrace the wear and tear.

---

retail  
hospitality  
living spaces




WOOD + WEALD in colors 00115 and 00720 / installed stagger



**WOOD + WEALD** in color 00780 /  
installed stagger

---







**WOOD + WEALD** in color 00105 /  
installed stagger

---





spaces to  
connect /

Ideal for coworking and  
learning spaces that  
transition and connect.

workplace  
higher ed  
K-12



**WOOD + WEALD** in color 00120 / installed stagger

featured with **DICHROIC 12 X 48** in colors 00120, 00400 and 00600



**WOOD + WEALD** in color 00120 /  
installed stagger

featured with **COLOR VARIANCE**  
in color 00525

---







**WOOD + WEALD**

in color 00115 /

installed stagger

featured with **VISUAL REST**

in color 00110

---



spaces to linger /

Ideal for public spaces,  
lobbies, reception and  
other common areas.

multifamily  
senior living



WOOD + WEALD in color 00110 / installed stagger





**WOOD + WEALD** in color 00755 /  
installed herringbone

---





**WOOD + WEALD** in color 00105 /  
installed stagger

---







**WOOD + WEALD**

in color 00715 /  
installed stagger

---



COLORWAYS /




spruce 105




elm 120



fir 530



arbor 710




alder 730



alpine 330




juniper 715




cypress 750




lagoon 345



willow 115




maple 755




arctic 430




teak 720



bark 125




pebble 525




acorn 745




birch 110




mist 505



timber 780



cedar 760



charcoal 590



# COORDINATING PALETTE / HEALTHCARE



- 1 WOOD + WEALD I781V in cypress
- 2 WOOD + WEALD I781V in arctic
- 3 HOLISTIC THRIVE I691V in flow
- 4 PERENNIAL I0530 in larkspur
- 5 FLORACULTURE I0529 in larkspur
- 6 MEANING II I719V in cultivate
- 7 HOLISTIC THRIVE I691V in pep
- 8 HOLISTIC SHADES I690V in bubbly
- 9 MARK MAKING I509V in loam
- 10 MARK MAKING I509V in earthwood
- 11 BENJAMIN MOORE PAINT in Sweet Bluette 813
- 12 BENJAMIN MOORE PAINT in Water's Edge 1635

*designed by*

**JOURDEN BIXENMAN**

Interior Design Service Specialist



# COORDINATING PALETTE / WORKPLACE



- 1 WOOD + WEALD I781V in bark
- 2 WOOD + WEALD I781V in timber
- 3 COLLECTOR I0666 in emphasis
- 4 MAKER I0669 in emphasis
- 5 VISIONARY I0670 in emphasis
- 6 COMPOSED LAYER I0605 in ash grey
- 7 UNFOLD I0609 in ash grey
- 8 MOLTEN I478V in calcite
- 9 RUBBER BASE in steel wool 00086
- 10 BENJAMIN MOORE PAINT in Thunder Cloud Grey 2124-40
- 11 BENJAMIN MOORE PAINT in Montpelier AF-55
- 12 BENJAMIN MOORE PAINT in Pure White OC-64

*designed by*

**JOURDEN BIXENMAN**

Interior Design Service Specialist



# COORDINATING PALETTE / K-12 EDUCATION



- 1 WOOD + WEALD I781V in alpine
- 2 WOOD + WEALD I781V in willow
- 3 TIDAL I0578 in haze
- 4 TIDAL I0578 in cloud
- 5 COLOR VARIANCE I0663 in moss
- 6 REACH I601V in adapt
- 7 CMYK I426V in eggshell
- 8 COLOR CHOICE I637V in fawn
- 9 ACCESS I0533 in passage
- 10 SURFACE TONE I464V in tropic
- 11 BENJAMIN MOORE PAINT in Raindance 1572
- 12 BENJAMIN MOORE PAINT in Ice Mist OC-67


*designed by*

**JOURDEN BIXENMAN**

Interior Design Service Specialist



## PRODUCT SPECS /



### WOOD + WEALD

style / I781V

product size	8.27" x 50.79"   21 cm x 129 cm
construction	heavy commercial pvc-free EcoWorx™ resilient
total thickness	.098"   2.5 mm
finish	ExoGuard+®
installation	glue down

### WOOD + WEALD CLICK


style / I795V

product size	8" x 50.79"   20.3 cm x 129 cm
construction	light commercial pvc-free EcoWorx™ resilient
total thickness	.22"   5.7 mm
finish	ExoGuard+®
installation	float


*For use in light commercial and residential environments*

#### INSTALLATION METHODS | I781V

STAGGER




HERRINGBONE




STAGGER



MONOLITHIC



BRICK




#### INSTALLATION METHODS | I795V


For full specifications and color, please visit [this collection on the website](#).

**WOOD + WEALD** in colors 00430, 00330, 00345, 00525 and 00505 / installed stagger






—  
**Wood + Weald** I781V



**EcoWorx™ Resilient offers a total of 4 layers**

- 1. EXOGUARD+®**  
Thermoplastic polyolefin polyurethane provides durability against scratching and staining in demanding environments.
- 2. DIRECT DIGITAL PRINT**  
Direct digital printing creates visuals characterized by clarity, depth and intricate detail.
- 3. ECOWORX™ RESILIENT CORE**  
EcoWorx Resilient core provides optimal dimensional stability, protects against indentation and promotes adhesion to the subfloor.
- 4. BACK BEVEL**  
Back bevel allows for ease of installation ensuring that planks seamlessly connect reducing the time required for installation.

—  
**Wood + Weald Click** I795V



- 1. EXOGUARD+®**
- 2. DIRECT DIGITAL PRINT**
- 3. ECOWORX™ RESILIENT CORE**
- 4. INTEGRATED LOCKING SYSTEM**  
Our integrated locking system locks our EcoWorx Resilient planks together without the use of adhesive. Ensuring a tight fit between joints and prevents seam separation in light commercial applications.
- 5. ACOUSTIC BACKING**  
Attached acoustic backing reduces sound impact from foot traffic and floor-to-floor sound transfer.

*For use in light commercial and residential environments*