

SIENNA
BOARD FORMED

STONESOURCE



CEMENT GRIGIO Natural 18"x36" Rectified



CEMENT GRIGIO Natural 24"x24" Rectified




CEMENT GRIGIO Natural 18"x36" Rectified





CEMENT GRIGIO Natural 18"x36" Rectified



CEMENT GRIGIO Natural 12"x24" Rectified



CÉMENT GRIGIO Natural 18"x36" Rectified





CEMENT QUARTZ Natural 18"x36" Rectified



CEMENT QUARTZ Natural 24"x24" Rectified



CEMENT QUARTZ Natural 24"x48" Rectified




CEMENT QUARTZ Natural 18"x36" Rectified



CEMENT QUARTZ Natural 18"x36" Rectified



CEMENT TAUPE Natural 18"x36" Rectified





CEMENT TAUPE Natural 18"x36" Rectified

SIENNA BOARD FORMED

PORCELAIN TILE

COLOR AVAILABILITY



CEMENT TAUPE



CEMENT QUARTZ




CEMENT GRIGIO

SIZE AVAILABILITY




24”x48” Rectified

Thickness: 10mm
Finish: Natural
Available in all colors



18”x36” Rectified

Thickness: 10mm
Finish: Natural
Available in all colors



24”x24” Rectified

Thickness: 10mm
Finish: Natural
Available in all colors



12”x24” Rectified

Thickness: 10mm
Finish: Natural
Available in all colors

V3 SHADE VARIATION

SIENNA BOARD FORMED

PORCELAIN TILE

DECORS

Mosaic 12”x12” (2”x2” Pcs)

Thickness: 10mm - Finish: Natural



CEMENT TAUPE



CEMENT QUARTZ




CEMENT GRIGIO

SPECIAL PIECES




Bullnose 3”x24” Rectified

Finish: Natural
Available in all colors



Step 13”x24”x1.25”x1.25” Rectified

Finish: Natural
Available in all colors



Corner Tile SX/DX 13”x24”x1.25”x1.25” Rectified

Finish: Natural
Available in all colors



Step 13”x48”x1.25”x1.25” Rectified

Finish: Natural
Available in all colors



Corner Tile SX/DX 13”x48”x1.25”x1.25” Rectified

Finish: Natural
Available in all colors

SIENNA BOARD FORMED

PORCELAIN TILE

PACKAGING

SIZES	THICKNESS (MM)	PIECES PER SQM	PIECES PER BOX	SQM PER BOX	WEIGHT PER BOX	BOXES PER PALLET	SQM PER PALLET	WEIGHT PER PALLET
24”x48”	10mm	1.39	2	1.440	34.02	36	51.84	1225
18”x36”	10mm	2.47	3	1.215	27.72	32	38.88	887
24”x24”	10mm	2.78	3	1.080	23.62	40	43.20	945
12”x24”	10mm	5.56	6	1.080	24.23	40	43.20	969
Mosaic 12”x12”	10mm	11.11	5	0.450	7.90	60	27.00	474

SIENNA BOARD FORMED

PORCELAIN TILE

TECHNICAL SPECIFICATIONS

DRY - PRESSED CERAMIC TILES ISO 13006 ANNEX G - UNI EN 14411 Annex G - Bla GL

TECHNICAL FEATURES	STANDARD	VALUE
Flatness	UNI EN ISO 10545/2	± 0.26% / ±1.5mm
	ASTM C485 CALIBRATED ± 0.75% (MAX ± 0.09 in)	-
	ASTM C485 RECTIFIED ± 0.40% (MAX ± 0.05 IN-SIZE ≤ 60 cm) (MAX ± 0.07 IN-SIZE ≤> 60 cm)	±0.25% (MAX ± 0.05 IN-SIZE ≤ 60 cm) (MAX ± 0.07 IN-SIZE ≤> 60 cm)
Water absorption	UNI EN ISO 10545/3 ≤ 0.5%	Compliant
	ASTM C373	Compliant
Modulus of rupture	UNI EN ISO 10545/4	≥ 50 N/mm²
Breaking strength	UNI EN ISO 10545/4	≥ 2000 N
	ASTM C648	250 Lbs
Frost resistance	UNI EN ISO 10545/12	Conform
	ASTM C1026	Unaffected
Chemical resistance to high and low acid and basic concentrations	UNI EN ISO 10545/13	GLA - GHA - GA
	ASTM C650	Unaffected
Stain resistance	UNI EN ISO 10545/14	5
	CTI 81-7D	No evident variation
		NATURAL
Slip Resistance	DIN 51130	R11
	DIN 51097	C (A+B+C)
	ANSI A 137.1-2012 DCOF(Section 9.6)	0.57 Wet

Shade Variation V3
Recycled Content: 7.5%



SIENNA BOARD FORMED

9.2022.v3

