

LCD Lift™

convertible flat panel desk solution

The world's most innovative monitor accommodation for LCD flat panel technology is now available for the LINX® line of modular furniture. Wright Line's LCD Lift™ is ideal for computer labs, education and training environments, lobby and reception areas or even your personal workstation. LCD Lift is revolutionary in design, simplicity and security. Your LCD flat panel electronically elevates to an optimal viewing position with the push of a button. When not in use, you may retract your display into a locked, secure enclosure under the desktop, maximizing your workspace area.



▲ It only takes the push of a button to return the flat screen to its docked position.



▲ In the closed mode, the monitor lift completely integrates with your desktop to create a flush, almost seamless appearance.



wright · line

technical environment solutions



▲ The decorative, fully vented screen mount provides an attractive cover to hide power and computer connections (back of workstation shown).

technology

The LCD Lift's technology relies on a space-efficient, electro-mechanical mechanism that completely integrates most 15" to 19" LCD flat panel displays (VESA compatible screen mounts). To access the monitor, simply push the "raise" button and your screen will instantly lift with whisper quiet activation. There is no need to operate a crank or wrestle with retractable arms to position the monitor:



▲ A compact gas cylinder at the back of the monitor mount allows a tilt adjustment of 10° to minimize glare and create a preferred viewing angle. A locking device secures the LCD against tampering and theft.



▲ Your flat panel LCD display raises and lowers with the push of a button.

LCD Lift technology can be specified for most LINX worksurface models to address a wide variety of applications:

training

► LCD Lift technology is ideal for training environments. The integration feature transforms a computer station into a traditional training desk suitable for multi-purpose applications.



Computer Labs



Professional Environments

office




◀ Ideal for managerial workstations, this state-of-the-art monitor accommodation permits a user to interface comfortably with guests.

workstation

► The LCD Lift can be specified for corner workstations, making this technology available for your personal workstation.

Your LCD monitor is appropriately positioned to optimize proper focal distances and can be complemented by an optional keyboard platform.




Personal Workstations

Monitor Specifications

LCD Lift technology is compatible with most 15" to 19" LCD flat screens available today. Your screen must have a VESA mounting interface standard. The VESA FDMI standard refers to an industry-recognized mounting pattern on the back of a flat screen with one of the following patterns: 75mm x 75mm or 100mm x 100mm. It is often necessary to remove the manufacturer-supplied base to determine the hole pattern. The base must be removed to attach the screen to the LCD Lift mechanism.

LCD flat screens will vary greatly in weight by size and by manufacturer. It is useful to determine the overall size of a screen with the base removed to ensure compatibility with the LCD Lift.



LCD Flat Screens	
Maximum LCD panel size (base removed)	16" (406mm) H x 18 1/8" (460mm) W x 3 1/8" (79mm) D
Maximum weight of screen (base removed)	25 lbs. (11.3kg)
Typical screen size range (based on thickness of bezel)	15" (381mm) to 19" (483mm)

Worksurface Model	Surface Size	LCD Lift Location Options		
		Left	Center	Right
Linear (width x depth)	36" x 30" (914mm x 762mm)		●	
	42" x 30" (1067mm x 762mm)	●	●	●
	48" x 30" (1219mm x 762mm)	●	●	●
	60" x 30" (1524mm x 762mm)	●	●	●
	72" x 30" - single lift (1829mm x 762mm)	●	●	●
	72" x 30" - dual lift (1829mm x 762mm)	●		●
Bow (width x depth)	60" x 36" (1524mm x 914mm)		●	
	72" x 36" (1829mm x 914mm)		●	
Corner <ul style="list-style-type: none"> • Curved and straight edge styles • Freestanding and linked models 	48" x 48" (1219mm x 1219mm)		●	

Wright Line LLC 160 Gold Star Boulevard • Worcester, MA 01606

Phone: 508-852-4300 • 800-225-7348 • Fax: 508-365-6178 • Web: www.wrightline.com • Email: info@wrightline.com

Wright Line Limited Regus House • 400 Thames Valley Park Drive • Reading • Berkshire, RG6 1PT England • Tel: 44-1189-637-935 • Fax: 44-1189-637-934

Wright Line Japan Company, Ltd Seveness Bldg. 2F • 12-13 Nibancho, Chiyoda-ku • Tokyo 102-0084 • Tel: 81-3-3221-8451 • Fax: 81-3-3221-8455

TAB - Canada 130 Sparks Avenue • Willowdale, Ontario M2H 2S4 • Tel: 800-667-4020 • Fax: 800-765-9705

For additional International Representation, please contact us at 800-225-7348 or email info@wrightline.com.