

# Surface-to-Floor Screen



## GLASS

60", 72"H

### DIMENSIONS

- Works with fixed height worksurfaces, providing 30" or 42" separation above surface height
- Screen surface height is 28  $\frac{3}{4}$ " with  $\frac{3}{8}$ " glide adjustment to 29  $\frac{3}{16}$ "
- 48"D screens work with 24"D surfaces
- 60"D screens work with 30"D surfaces

### MATERIALS

- Aluminum painted frame
- Clear tempered glass

### FEATURES & OPTIONS

- Flat metal feet with clear rubber bumpers
- $\frac{3}{8}$ " adjustable glide at surface height
- Foot is 6"D x 19  $\frac{1}{2}$ "W x  $\frac{1}{4}$ "H

# Surface-to-Floor Screen



## LAMINATE (HPL)

60", 72"H

### DIMENSIONS

- Works with fixed height worksurfaces, providing 30" or 42" separation above surface height
- Screen surface height is 28  $\frac{3}{4}$ " with  $\frac{3}{8}$ " glide adjustment to 29  $\frac{3}{16}$ "
- 48"D screens works with 24"D surfaces
- 60"D screens works with 30"D surfaces

### MATERIALS

- Aluminum painted frame
- HPL

### FEATURES & OPTIONS

- Flat metal feet with clear rubber bumpers
- $\frac{3}{8}$ " adjustable glide at surface height
- Foot is 6"D x 19  $\frac{1}{2}$ "W x  $\frac{1}{4}$ "H



## WRITABLE LAMINATE (HPL)

60", 72"H

### DIMENSIONS

- Works with fixed height worksurfaces, providing 30" or 42" separation above surface height
- Screen surface height is 28  $\frac{3}{4}$ " with  $\frac{3}{8}$ " glide adjustment to 29  $\frac{3}{16}$ "
- 48"D screens works with 24"D surfaces
- 60"D screens works with 30"D surfaces


### MATERIALS

- Aluminum painted frame
- Writable HPL in Designer White

### FEATURES & OPTIONS

- Flat metal feet with clear rubber bumpers
- $\frac{3}{8}$ " adjustable glide at surface height
- Foot is 6"D x 19  $\frac{1}{2}$ "W x  $\frac{1}{4}$ "H

# Surface-to-Floor Screen



## FABRIC

60", 72"H

### DIMENSIONS

- Works with fixed height worksurfaces, providing 30" or 42" separation above surface height
- Screen surface height is 28  $\frac{3}{4}$ " with  $\frac{3}{8}$ " glide adjustment to 29  $\frac{3}{16}$ "
- 48"D screens works with 24"D surfaces
- 60"D screens works with 30"D surfaces

### MATERIALS

- Grade A-Infuse & Merge; Grade B-Pact; or COM
- Aluminum painted frame

### FEATURES & OPTIONS

- Flat metal feet with clear rubber bumpers
- $\frac{3}{8}$ " adjustable glide at surface height
- Foot is 6"D x 19  $\frac{1}{2}$ "W x  $\frac{1}{4}$ "H



## PET

60", 72"H

### DIMENSIONS

- Works with fixed height worksurfaces, providing 30" or 42" separation above surface height
- Screen surface height is 28  $\frac{3}{4}$ " with  $\frac{3}{8}$ " glide adjustment to 29  $\frac{3}{16}$ "
- 48"D screens works with 24"D surfaces
- 60"D screens works with 30"D surfaces

### MATERIALS

- PET, 100% Polyester, Nordic Knit
- Aluminum painted frame

### FEATURES & OPTIONS

- Flat metal feet with clear rubber bumpers
- $\frac{3}{8}$ " adjustable glide at surface height
- Foot is 6"D x 19  $\frac{1}{2}$ "W x  $\frac{1}{4}$ "H