

Price List Dates:	
Pricing	09.30.24
Revisions	01.17.25



Kimball®

	▶ See page
Statement of Line	AB.2
Planning	AB.3
Overview	AB.3
Pricing	AB.4
Side Chairs	AB.4
Surface Materials	AB.5
Wood Finishes	AB.5
Upholstery	AB.6
COM/COL Yardage Requirements	AB.7

Statement of Line	➤ See page AB.2
Planning	AB.3
Pricing	AB.4
Surface Materials	AB.5



Fully Upholstered Back
➤ See page AB.4 to specify.



Upholstered Back with Wood Top
*Bottom part of back is upholstered,
top part is wood.*
➤ See page AB.4 to specify.



**Open Back with
Wood Top and Slat**
*Bottom part of back is open,
top part is wood with wood slat.*
➤ See page AB.4 to specify.

➤ See individual pricing pages
for dimensions.

ABBOTT™ SEATING

Overview

Planning

Statement of Line	➤ See page AB.2
Planning	AB.3
Pricing	AB.4
Surface Materials	AB.5

Steam-bent frame is constructed of kiln-dried European beech.

Wall-saver legs flare slightly so they contact the baseboard first, saving the wall's finish.

Seat rails are reinforced with wood corner blocks and cleats attached with glued and wood screws.

Wood top on applicable models is curved for back support and comfort.

Steambent, curved arms provide comfort and a unique design that complements various settings.

Upholstered back on applicable models is constructed of two panels that are sandwiched together. Each panel features a contoured, 3-ply, cross-banded plywood inner panel. Inner panels are covered with high-resiliency, CFC-free foam (1/2" on the front and 1/4" on the back). Seating textile or leather is wrapped around the inner panel and secured with upholstery staples. Both upholstered panels are securely attached to the wood top with cleats and Christmas-tree fasteners.

If clean-out feature is desired, specify open-back model, which is open below the wood top and slat to the seat.

Seat cushion is made of 1 1/4" thin-profile, high-resiliency, CFC-free foam for maximum comfort and durability.

Joints are securely fastened with mortise and tenon joinery or double-doweled construction to ensure long-term use.

Nylon glides are 7/8" in diameter



Fully Upholstered



Upholstered Back with Wood Top



Open Back with Wood Top & Slat

Three Abbott models are available.

Seat suspension is constructed of plywood that is machined to form an open perimeter. Unidirectional webbing is machine-stretched across the open perimeter and stapled to the edges to form a comfortable, secure suspension.

Seat assembly is attached with wood screws to wood cleats on the frame.

Seating textile or leather is wrapped over the seat cushion and secured.

Contrasting textiles or leather on backs and seats are available on Abbott side chairs. If different price grades are selected, use our electronic specification tool for accurate pricing.

ABBOTT™ SEATING

Side Chairs

Pricing

Statement of Line	➤ See page AB.2
Planning	AB.3
Pricing	AB.4
Surface Materials	AB.5



Fully Upholstered Back



Upholstered Back
with Wood Top



Open Back
with Wood Top and Slat

Model	Description	Kimball International Seating Textile/Leather Price Grade										Shipping		GSA SIN
		1	2/COM	3/COL	4	5	6	7	L7	L8		Lbs.	Cubic Feet	
K52S1AUFBU	Fully upholstered back	\$1428	1515	1559	1615	—	1775	1855	2189	2375		25.05	14.00	33721
K52S1AUWTRU	Upholstered back/wood top	\$1656	1732	1771	1820	—	1960	2030	2322	2485		26.70	14.00	33721
K52S1AWHBU	Open back/wood top & slat	\$1351	1400	1425	1456	—	1546	1591	1779	1884		24.55	14.00	33721

Model	Alliance Program Seating Textile Price Grade																	
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
K52S1AUFBU	\$1551	1611	1657	1705	1757	1815	1849	1915	1969	2025	2113	2292	2406	2431	2454	2481	2509	2633
K52S1AUWTRU	\$1764	1816	1857	1899	1944	1995	2025	2082	2129	2179	2255	2412	2512	2534	2554	2577	2602	2711
K52S1AWHBU	\$1420	1454	1480	1507	1536	1569	1588	1625	1655	1687	1736	1837	1901	1915	1928	1943	1959	2029

Description	Dimensions (Inches)							
	Overall			Seat			Arm	
	H	W	D	H	W	D	H	
Fully uph. back	30¾	27¾	24½	18	23	20	26	
Uph. back/wood	30¾	27¾	24½	18	23	20	26	
Open back/wood	30¾	27¾	24½	18	23	20	26	

Weight Ratings

Standard seating will accommodate an occupant up to 350 lbs.

Tips

Contrasting textiles or leather are available. Use an electronic specification tool for accurate pricing.

Thin, thick, or stiff materials may result in gathers and puckers at corners, contours, and seams.

IMPORTANT: Orders cannot be cancelled for chairs specified with Alliance Program textiles.

TB133 is not available.

How to Specify

- Model
Back (omit for open-back model):
- Textile or leather grade or Alliance prefix + grade
- Textile or leather number
Seat:
- Textile or leather grade or Alliance prefix + grade
- Textile or leather number
Frame:
- Finish price group:
STD = Group 1
- Finish designator

Statement of Line	▶ See page AB.2
Planning	AB.3
Pricing	AB.4
Surface Materials	AB.5

Applies to:

- Abbott seating

Price Group 1

793	Acorn
AD	Almond
MC	Amber
AC	Autumn
BZ	Brazilwood
IM	Brighton
CO	Canyon
CL	Caramel
CI	Chai
462	Cinder
CC	Cordoba
CW	Cordovan
405	Designer White
DF	Driftwood
HN	Honey
TM	Huntington
DW	Judicial
KN	Kona
MW	Midtown
MH	Mocha
YO	Monterey
NM	Natural
PC	Porcini
PT	Portico
PB	Portobello
792	Sable
SC	Sedona
SK	Skyline
TW	Tribeca
TF	Truffle
NW	Tuscan
UW	Urban
WL	Willow

▶ For a complete overview of the surface materials program, see the *Surface Materials Reference Guide* at www.kimballinternational.com

▶ For special wood finishes, customer-specified paint, and customer-specified laminate processes and upcharges, see the *Surface Materials Reference Guide* at www.kimballinternational.com

Statement of Line	➤ See page AB.2
Planning	AB.3
Pricing	AB.4
Surface Materials	AB.5

<i>Applies to:</i> <ul style="list-style-type: none">• Abbott seating	Kimball International Seating Textiles Price Grades 1–7	Kimball International Seating Leather Price Grades L7 and L8	Alliance Program Textiles Price Grades A–R ➤ See Surface Materials at www.kimballinternational.com for a wide variety of graded-in textiles from Arc-Com, Carnegie, CF Stinson, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics.	➤ For a complete overview of the surface materials program, see the <i>Surface Materials Reference Guide</i> at www.kimballinternational.com
---	---	--	--	--

ABBOTT™ SEATING

COM/COL Yardage Requirements

Surface Materials

Statement of Line	➤ See page AB.2
Planning	AB.3
Pricing	AB.4
Surface Materials	AB.5

MODEL	ENTIRE UNIT					BACK					SEAT				
	COM (Yards)					COL					COM (Yards)				
	Non-	1-4"	5-11"	12-18"	(Sq.	Non-	1-4"	5-11"	12-18"	(Sq.	Non-	1-4"	5-11"	12-18"	(Sq.
	Dir.	Repeat	Repeat	Repeat	Feet)	Dir.	Repeat	Repeat	Repeat	Feet)	Dir.	Repeat	Repeat	Repeat	Feet)
K52S1AUFBU	1.2	1.7	2.8	3.4	24.0	0.7	0.8	1.0	2.4	14.0	0.9	1.1	1.4	1.5	18.0
K52S1AUWTRU	1.0	1.5	2.0	2.8	20.0	0.5	0.7	0.9	1.8	10.0	0.9	1.1	1.4	1.5	18.0
K52S1AWHBU	0.9	1.1	1.4	1.5	18.0	—	—	—	—	—	0.9	1.1	1.4	1.5	18.0

Kimball has analyzed each model to most accurately reflect the COM/COL yardage requirements. The yardage requirement for each model is based on 54"W textile and cutting the textile up the roll.

For widths other than 54", increase the yardage requirement by the factors below:

<i>Textile width</i>	<i>Increase yardage</i>
50"—53"	15%
48"—49"	30%
45"—47"	45%

If repeat is larger than 18", contact Customer Service to confirm the correct amount of yardage required.

When ordering 10 or more chairs in the same COM, yardage requirements may be reduced.

➤ Contact Customer Service.