

Name

Datastorm

Designer

Suzanne Tick

Style No.

4125

Collection

Kinetic Energy

Use

Upholstery

Content

50% Recycled Polyester,
50% Polyester

Abrasion

Wyzenbeek 100,000
double rubs

Environmental


Heavy Metal Free
Recycled Content
Oeko Tex 100 Cat II
REACH Regulation
Compliant




Streaming 4125-07




Silo 4125-02



Qubit 4125-04




Hot Wire 4125-03



Zap 4125-05




Airdrop 4125-06



Streaming 4125-07



Cloudburst 4125-01



Recall 4125-08



Shadow Noise 4125-09

Name **Datastorm**

Style No. **4125**

Designer Suzanne Tick

Specification
Use: Upholstery
Content: 50% Recycled Polyester (Post Consumer), 50% Polyester
Weight: 30 oz per linear yard
Width: 54"
Pattern Repeat: 27" Horizontal, 43.3" Vertical
This style is designed to be applied randomly to minimize waste
Directional: Yes

Finish None


Performance
Abrasion: ASTM D4157 Wyzenbeek 100,000 double rubs
Breaking Strength: ASTM D5034 Warp 642 lbf, Fill 490 lbf
Seam Slippage: ASTM D4034 Warp 115 lbf, Fill 111 lbf
Colorfastness to Light: AATCC 16, Grade 5 at 40 Hours
Colorfastness to Crocking: AATCC 8, Wet Class 5, Dry Class 5
Pilling: ASTM D3511 (Brush Pill), Class 4

Flame Retardancy Cal TB 117-2013

Maintenance
WS, Clean with either a water-based or solvent-based cleaning agent.
Bleach Cleanable: 9% (10:1 Ratio), wipe with water after solution.

Environmental
Heavy Metal Free
Recycled Content
Oeko Tex 100 Cat II
REACH Regulation Compliant

Origin Italy
Dye lots may vary slightly from samples shown. Samples shown off the bolt.



Graphic shows one full repeat.

Canada
877.705.LUUM
luumtextiles.ca

USA
877.705.LUUM
luumtextiles.com

International
919.464.2922
luumtextiles.com

cdn/us/int/09-24

© Luum™ 2024, all rights reserved.

®,™ Trademarks used under license by Luum™, Datastorm™

*Certification Marks owned by the Association for Contract Textiles, Inc.

U9-SC-305-4125