# AARON

**Pio & Tito Toso** | 2020





It was born generous, attentive and dynamic. You could call it a friend, one of the family. It was born double, like the double "A" in its name. AARON, a stool and a table all in one. It is an elegant and functional solution for all contexts, reducing space and valuing privacy. It has an embracing seat and a metal core which gives rise to a column that becomes a swivel tabletop. At different heights, with or without a footrest, AARON is the ideal solution for all work, meeting and relaxation needs. The designers who started this small revolution in the world of Lapalma stools are the Venetian brothers PIO&TITOTOSO. A story of complicity and understanding. A dual story. A great idea.








## | S436 stool with swivel table top h52


Stool with base in powder coated steel. Swivel seat upholstered with fi re retardant moulded foam covered with fabric, ecoleather or leather and off-centre pivoting tablet. Felt under the base. Also available with small base for floor fixing.





# | S440 stool with swivel table top h60

Stool with base in powder coated steel. Swivel seat upholstered with fi re retardant moulded foam covered with fabric, ecoleather or leather and off-centre pivoting tablet. Felt under the base. Also available with small base for floor fixing.






## | S444 stool with swivel table top h78

Stool with base and footrest in powder coated steel. Swivel seat upholstered with fi re retardant moulded foam covered with fabric, ecoleather or leather and off-centre pivoting tablet. Felt under the base. Also available with small base for floor fixing.

TEST EN 1728:2012 AC:2013 - EN 16139:2013 - L2





#### frame



powder coating pistacchio 1 Colors



black 1 Colors



1 Colors



1 Colors

powder coating celeste 1 Colors



mattone oliva 1 Colors 1 Colors



powder coating tortora 1 Colors

seat



Main Line Flax -Grade. B

57 Colors



86 Colors

Blazer - Grade. C Chili - Grade. A 47 Colors



Umber - Grade. B 36 Colors



30 Colors

fabric Nobel - Grade. C



fabric fabric Naveli - Grade. C Fiocco - Grade. B 24 Colors 34 Colors







fabric



fabric wood Panama - Grade. A Sorrento - Grade. B natural ash 22 Colors 1 Colors



wood black open pore



fabric Hallingdal 65 -Grade C 58 Colors



fabric Canvas 2 - Grade C Steelcut Trio 3 -



Grade D 54 Colors



72 Colors



fabric Fiord 2 - Grade C 39 Colors



27 Colors

fabric fabric Divina MD - Grade DDivina Melange 3 - Tonica 2 - Grade C Medley - Grade A

Grade D

40 Colors

fabric

39 Colors

66 Colors



fabric







fabric Jet - Grade A 66 Colors





fabric Crisp - Grade B 40 Colors



fabric Ilris - Grade B 24 Colors



fabric

ecoleather



37 Colors

fabric Steelcut 3 - Grade D Valencia - Grade B Grain - Grade. B 50 Colors



fabric Re-wool - Grade C 21 Colors





#### top



powder coating black 1 Colors

www.lapalma.it





powder coating perla 1 Colors



powder coating celeste 1 Colors



powder coating mattone 1 Colors



powder coating oliva

powder coating tortora

1 Colors



consult the porfolio for the range of colors, fabrics, eco-leather, soft-leather.

#### use and maintenance instructions

Clean all parts in wood, leather, fabric and metal with a damp cloth or a diluted neutral cleaner. Do not use cleaners with alcohol, bleach, solvent or abrasive products. Any liquid spilt on the product must be wiped up immediately. When lifting or moving the product, hold it on the structure and not under the seat. The product should not be subjected to unbalanced weights, as it is designed for a proper rest on the foothold (on four legs or on the base). Our company relieves from any responsibility in case of damage caused to fragile floors. Avoid any improper use of the product: do not step on the product, on the footrest or on the armrests. Avoid any movements that could compromise the proper functionality of the product or the safety of the users. Wood and leather, being natural materials, could be easily damaged. Small impurities or imperfections are within quality standard range. Do not expose the product to weather conditions or atmospheric agents, nor to heat sources over 40°C. Also products for outdoor use could be afflicted by atmospheric agents. The product could undergo possible exterior changes due to particular exposure to heat, humidity and saltiness. An appropriate and frequent maintenance and cleaning of the product enhances its durability. The product could change colour and shade, if exposed to direct sunlight. Maintenance has to be carried out by experienced staff. Dispose of the package only after assembling the product, in order to avoid the loss of ironmongery and components. Once the product has been dismantled, the product itself or its components must be given to the public garbage disposal system, according to the legislation in force.