ShawContract®

Flare

Product Type Broadloom
Collection Brightwork
Style Number 5A175

Construction Graphic Loop

Fiber Ecosolution Q® Nylon

Dye Method 100% Solution Dyed

Primary Backing Synthetic
Secondary Backing Classicbac®

Protective Treatments SSP® Shaw Soil Protection

Recommended 3800 Indoor Outdoor Broadloom 4 Gallon, 1000

Adhesive Broadloom 4 Gallon or Shaw 1200

u.s. metric

Product Size 12 ft 3.66 m

 Gauge
 1/8 in
 31.5 per 10 cm

 Stitches
 11.5 per in
 45.0 per 10 cm

Finished Pile Thickness 0.149 in 3.78 mm

Average Density 5799 oz/yd³ 0.215 g/cm³

Kilotex 12.22

 Total Thickness
 0.296 in
 7.52 mm

 Tufted Weight
 24 oz/yd²
 813.7 g/m²

Installation Pattern 1.5 in w x 3.06 in I 3.81 cm w x 7.77 cm I

Repeat



Recommended Installation Method

Direct Glue, Double Glue, Stretch-In

Performance + Testing

Pill Test Pass
Radiant Panel Class I

NBS Smoke Less Than 450
CRI Green Label Plus (GLP) GLP8472

ADA Compliance >0.6, meets the recommended static coefficient of friction

for ADA walking surfaces and accessible routes***

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranties

10 Year Commercial Limited Warranty

Diversity & Inclusion

We believe all humans are equal. Individually and collectively, we need to proactively create and promote opportunities that give everybody an equal footing in life. We nurture an environment where every voice and perspective can be heard, and proactively promote accessibility and inclusivity inside our network and beyond. One proof point is our ability to meet the criteria of the Social Fairness pillar of the Cradle to Cradle Product Standard. At Shaw Industries, we promote supplier participation that is reflective of Shaw's diverse customer base and local community. More than 42% of our spend***** is with small and diverse businesses. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and openingnew markets for growth.

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Syciney +61 800 556 302

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company March 1, 2025 1 of 3

ShawContract® Flare

Coordinating Products

Carpet Tile: Allure Tile, Shine Tile, Glimmer Tile

Broadloom: Flicker

Material Health & Environmental Certifications

Health & Wellbeing

Material Ingredient Transparency Cradle to Cradle Certified® | Silver Level (Version 3.1)

Health Product Declaration (HPD) | 1,000 ppm Disclosure

NSF 140 | Gold

Indoor Air Quality CRI Green Label Plus (GLP) | GLP8472

Climate Impact

Environmental Product Declaration (EPD) 3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804

Total Recycled Content <1% (Pre-Consumer <1% | Post-Consumer 0%)

Product Packaging 100% Recyclable

Global Product Assessment CE Marking (EN 14041) | 3rd Party Certified

Environmental Guarantee* | Re[turn] Reclamation Program* | Pickup &

Delivery Available

Country of Origin** | USA

WELL V2 Contribution Credit

X08 Hazardous Material Reduction

Part 1: Limit Hazardous Materials Optimization

X10 Volatile Compound Reduction

Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization

X11 Long Term Emissions Control Part 2: Flooring Optimization

X13 Enhanced Material Precaution

Part 1: Select Optimized Materials Optimization

X14 Material Transparency

Part 1: Promote Ingredient Disclosure Optimization

C2C Silver Level (Version 3.1)

C2C Silver Level (Version 3.1)

Green Label Plus Certificationglp8472

C2C Silver Level (Version 3.1)

C2C Silver Level (Version 3.1)

Leed v4 Contribution Credits

MR Credit: Building Product Disclosure and Optimization

Environmental Product Declarations - Option 1: Environmental Product

Declaration (EPD)

MR Credit: Building Product Disclosure and Optimization

Material Ingredients - Option 1: Material Ingredient Reporting

MR Credit: Building Product Disclosure and Optimization

Material Ingredients - Option 2: Material Ingredient Optimization

EQ Credit: Low Emitting Materials
Option 1: Product Category Calculations

3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804

C2C Silver Level (Version 3.1)

C2C Silver Level (Version 3.1)

Green Label Plus Certification: GLP8472

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Snanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sychey +61 800 556 302

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company March 1, 2025 2 of 3

Available Colorways



Quick Simp

Quick Ship 2 Weeks - up to 2,500 square yards from USA

Additional Information

- * To learn more about the recyclability of our products and our Environmental Guarantee, please visit shawcontract.com/sustainability.
- **Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)
- ***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

Installation Guidelines Maintenance Guidelines

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

 $\label{thm:linear_variance} \mbox{\sc Visit shawcontract.com/testing for more information.}$









PVC-Free

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Attanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company March 1, 2025