ShawContract®

Inlay

Product Type Broadloom
Collection Open Work
Style Number 5A193

Construction Multi-Level Pattern Loop
Fiber Ecosolution Q® Nylon

Dye Method 57% Solution Dyed / 43% Yarn Dyed

Primary Backing Synthetic Secondary Backing Ultraloc®

Protective Treatments SSP® Shaw Soil Protection

Recommended 1000 Broadloom 4 Gallon, Shaw 1200 or 3800

Adhesive Indoor Outdoor Broadloom 4 Gallon

u.s. metric

Product Size 12 ft 3.66 m

 Gauge
 1/10 in
 39.4 per 10 cm

 Stitches
 10.0 per in
 39.0 per 10 cm

Finished Pile Thickness 0.137 in 3.48 mm

Average Density 5781 oz/yd³ 0.214 g/cm³

Kilotex 12.05

 Total Thickness
 0.276 in
 7.01 mm

 Tufted Weight
 22 oz/yd²
 745.9 g/m²

Installation Pattern 14.4 in x 36 in 36.58 cm x 91.44 cm

Repeat



Recommended Installation Method

Direct Glue, Double Glue, Stretch-In

Performance + Testing

Pill Test Pass
Radiant Panel Class I

NBS Smoke Less Than 450
Electrostatic Propensity Less Than 3.5 kv

CRI Green Label Plus (GLP) GLP2271

ADA Compliance >0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes***

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranties

Lifetime Commercial Limited Warranty

Diversity & Inclusion

We believe all humans are equal. Individually and collectively, we need to proactively create and promote opportunities that give everybody an equal footing in life. We nurture an environment where every voice and perspective can be heard, and proactively promote accessibility and inclusivity inside our network and beyond. One proof point is our ability to meet the criteria of the Social Fairness pillar of the Cradle to Cradle Product Standard. At Shaw Industries, we promote supplier participation that is reflective of Shaw's diverse customer base and local community. More than 42% of our spend***** is with small and diverse businesses. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and openingnew markets for growth.

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company March 1, 2025

Coordinating Products

Carpet Tile: Kasuri Tile Broadloom: Effect

Material Health & Environmental Certifications

Health & Wellbeing

Material Ingredient Transparency Cradle to Cradle Certified® | Silver Level (Version 3.1)

Health Product Declaration (HPD) | 1,000 ppm Disclosure

NSF 140 | Gold

CRI Green Label Plus (GLP) | GLP2271 Indoor Air Quality

Climate Impact

3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804 Environmental Product Declaration (EPD)

Total Recycled Content <1% (Pre-Consumer <1% | Post-Consumer 0%)

Product Packaging 100% Recyclable

Global Product Assessment GSA | Approved

CE Marking (EN 14041) | 3rd Party Certified

Environmental Guarantee* | Re[turn] Reclamation Program* | Pickup &

Delivery Available

Country of Origin** | USA

WELL V2 Contribution Credit

X08 Hazardous Material Reduction

Part 1: Limit Hazardous Materials Optimization

X10 Volatile Compound Reduction

Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization

X11 Long Term Emissions Control Part 2: Flooring Optimization

X13 Enhanced Material Precaution

Part 1: Select Optimized Materials Optimization

X14 Material Transparency

Part 1: Promote Ingredient Disclosure Optimization

C2C Silver Level (Version 3.1)

C2C Silver Level (Version 3.1)

Green Label Plus Certification GLP2271

C2C Silver Level (Version 3.1)

C2C Silver Level (Version 3.1)

Leed v4 Contribution Credits

MR Credit: Building Product Disclosure and Optimization

Environmental Product Declarations - Option 1: Environmental Product

Declaration (EPD)

MR Credit: Building Product Disclosure and Optimization Material Ingredients - Option 1: Material Ingredient Reporting

MR Credit: Building Product Disclosure and Optimization

Material Ingredients - Option 2: Material Ingredient Optimization

EQ Credit: Low Emitting Materials Option 1: Product Category Calculations 3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804

C2C Silver Level (Version 3.1)

C2C Silver Level (Version 3.1)

Green Label Plus Certification: GLP2271

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company March 1, 2025

2 of 3

Available Colorways



Gild 93111 LRV 16.1 | L* 47.16



Goldenglow 93170 LRV 23.3 | L* 55.34



Molten 93314 LRV 7.8 | L* 33.56



Bismuth 93496 LRV 4.7 | L* 25.85



Ore 93505 LRV 4.6 | L* 25.46



Flux 93515 LRV 18.5 | L* 50.04



Antico 93516 LRV 8.8 | L* 35.68



Tinsmith 93555 LRV 10.1 | L* 38.04



Galena 93585 LRV 7 | L* 31.82



Burnish 93601 LRV 5.8 | L* 28.82



Embellish 93701 LRV 14.8 | L* 45.31



Oxide 93750 LRV 5.6 | L* 28.27



Tinsel 93761 LRV 12.2 | L* 41.55

Additional Information

- * To learn more about the recyclability of our products and our Environmental Guarantee, please visit shawcontract.com/sustainability.
- **Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)
- ***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

Installation Guidelines
Maintenance Guidelines

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.













Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9339 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 558 6720 | São Paulo +55 1920 | São Paul

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company March 1, 2025