ShawContract®

Terra

Secondary Backing

Product Type Broadloom
Collection Turn-Key
Style Number 5A037

Construction Textured Loop
Fiber Solution Q® Nylon
Dye Method 100% Solution Dyed
Primary Backing Polypropylene

Protective Treatments SSP® Shaw Soil Protection

Recommended 1000 Broadloom 4 Gallon, Shaw 1200 or 3800

Adhesive Indoor Outdoor Broadloom 4 Gallon

Classicbac®

u.s. metric

Product Size 12 ft 3.66 m

 Gauge
 1/10 in
 39.4 per 10 cm

 Stitches
 9.0 per in
 35.0 per 10 cm

Finished Pile Thickness 0.099 in 2.51 mm

Average Density 8727 oz/yd³ 0.323 g/cm³

Kilotex 12.55

Total Thickness0.256 in6.5 mmTufted Weight24 oz/yd²813.7 g/m²Installation PatternNoneNone

Repeat



Recommended Installation Method

Direct Glue, Double Glue, Stretch-In

Performance + Testing

Pill Test Pass
Radiant Panel Class I

NBS Smoke Less Than 450
Electrostatic Propensity Less Than 3.5 kv

CRI Green Label Plus (GLP) GLP8472

ADA Compliance >0.6, meets the recommended static coefficient of friction

for ADA walking surfaces and accessible routes***

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranties

10 Year Commercial Limited Warranty

Diversity & Inclusion

We believe all humans are equal. Individually and collectively, we need to proactively create and promote opportunities that give everybody an equal footing in life. We nurture an environment where every voice and perspective can be heard, and proactively promote accessibility and inclusivity inside our network and beyond. One proof point is our ability to meet the criteria of the Social Fairness pillar of the Cradle to Cradle Product Standard. At Shaw Industries, we promote supplier participation that is reflective of Shaw's diverse customer base and local community. More than 42% of our spend***** is with small and diverse businesses. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and openingnew markets for growth.

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company March 1, 2025 1 of 3

ShawContract®

Coordinating Products

Broadloom: Fossil, Text, Blog, Essential, Prime

Material Health & Environmental Certifications

Health & Wellbeing

Cradle to Cradle Certified® | Silver Level (Version 3.1) Material Ingredient Transparency

NSF 140 | Gold

Indoor Air Quality CRI Green Label Plus (GLP) | GLP8472

Climate Impact

Environmental Product Declaration (EPD) 3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804

Total Recycled Content <1% (Pre-Consumer <1% | Post-Consumer 0%)

Product Packaging 100% Recyclable

Global Product Assessment CE Marking (EN 14041) | 3rd Party Certified

Environmental Guarantee* | Re[turn] Reclamation Program* | Pickup &

Delivery Available

Country of Origin** | USA

WELL V2 Contribution Credit

C2C Silver Level (Version 3.1) X08 Hazardous Material Reduction

Part 1: Limit Hazardous Materials Optimization X10 Volatile Compound Reduction C2C Silver Level (Version 3.1)

Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization X11 Long Term Emissions Control Green Label Plus Certificationglp8472

Part 2: Flooring Optimization

X13 Enhanced Material Precaution C2C Silver Level (Version 3.1) Part 1: Select Optimized Materials Optimization

X14 Material Transparency

C2C Silver Level (Version 3.1) Part 1: Promote Ingredient Disclosure Optimization

Leed v4 Contribution Credits

3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804 MR Credit: Building Product Disclosure and Optimization

Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)

MR Credit: Building Product Disclosure and Optimization

Material Ingredients - Option 1: Material Ingredient Reporting

MR Credit: Building Product Disclosure and Optimization Material Ingredients - Option 2: Material Ingredient Optimization

Green Label Plus Certification: GLP8472 EQ Credit: Low Emitting Materials Option 1: Product Category Calculations

C2C Silver Level (Version 3.1)

C2C Silver Level (Version 3.1)

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company March 1, 2025

Available Colorways



Quick Ship 2 Weeks - up to 2,500 square yards from USA

Additional Information

- * To learn more about the recyclability of our products and our Environmental Guarantee, please visit shawcontract.com/sustainability.
- **Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)
- ***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

Installation Guidelines Maintenance Guidelines

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.









PVC-Free

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Syciney +61 800 556 302