

Scepter II

|                             |                                                                              |                |
|-----------------------------|------------------------------------------------------------------------------|----------------|
| Product Type                | Broadloom                                                                    |                |
| Style Number                | 50521                                                                        |                |
| Construction                | Solid Cut                                                                    |                |
| Fiber                       | Nylon                                                                        |                |
| Dye Method                  | 100% Piece Dyed                                                              |                |
| Primary Backing             | Polypropylene                                                                |                |
| Secondary Backing           | Classicbac®                                                                  |                |
| Protective Treatments       | SSP® Shaw Soil Protection                                                    |                |
| Recommended Adhesive        | 1000 Broadloom 4 Gallon, Shaw 1200 or 3800 Indoor Outdoor Broadloom 4 Gallon |                |
|                             | u.s.                                                                         | metric         |
| Product Size                | 12 ft                                                                        | 3.66 m         |
| Gauge                       | 1/10 in                                                                      | 39.4 per 10 cm |
| Stitches                    | 11.5 per in                                                                  | 46.0 per 10 cm |
| Finished Pile Thickness     | 0.243 in                                                                     | 6.17 mm        |
| Average Density             | 6222 oz/yd³                                                                  | 0.23 g/cm³     |
| Kilotex                     |                                                                              | 10.97          |
| Total Thickness             | 0.401 in                                                                     | 10.19 mm       |
| Tufted Weight               | 42 oz/yd²                                                                    | 1424 g/m²      |
| Installation Pattern Repeat |                                                                              | None           |



Recommended Installation Method

Direct Glue, Double Glue, Stretch-In

Performance + Testing

|                            |                                                                                                              |
|----------------------------|--------------------------------------------------------------------------------------------------------------|
| Pill Test                  | Pass                                                                                                         |
| Radiant Panel              | Class I                                                                                                      |
| NBS Smoke                  | Less Than 450                                                                                                |
| Electrostatic Propensity   | Less Than 3.5 kv                                                                                             |
| CRI Green Label Plus (GLP) | GLP8878                                                                                                      |
| ADA Compliance             | >0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes*** |

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranties

10 Year Commercial Limited Warranty

Diversity & Inclusion

We believe all humans are equal. Individually and collectively, we need to proactively create and promote opportunities that give everybody an equal footing in life. We nurture an environment where every voice and perspective can be heard, and proactively promote accessibility and inclusivity inside our network and beyond. One proof point is our ability to meet the criteria of the Social Fairness pillar of the Cradle to Cradle Product Standard. At Shaw Industries, we promote supplier participation that is reflective of Shaw’s diverse customer base and local community. More than 42% of our spend\*\*\*\*\* is with small and diverse businesses. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and openingnew markets for growth.

Material Health & Environmental Certifications

|                                         |                                                                                                                                                                                      |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Health & Wellbeing                      |                                                                                                                                                                                      |
| Material Ingredient Transparency        | Cradle to Cradle Certified®   Silver Level (Version 3.1)<br>NSF 140   Gold                                                                                                           |
| Indoor Air Quality                      | CRI Green Label Plus (GLP)   GLP8878                                                                                                                                                 |
| Climate Impact                          |                                                                                                                                                                                      |
| Environmental Product Declaration (EPD) | 3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804                                                                                                                  |
| Total Recycled Content                  | <1% (Pre-Consumer <1%   Post-Consumer 0%)                                                                                                                                            |
| Product Packaging                       | 100% Recyclable                                                                                                                                                                      |
| Global Product Assessment               | GSA   Approved<br>CE Marking (EN 14041)   3rd Party Certified<br>Environmental Guarantee*   Re[turn] Reclamation Program*   Pickup & Delivery Available<br>Country of Origin**   USA |












WELL V2 Contribution Credit























|                                                                                                      |                                       |
|------------------------------------------------------------------------------------------------------|---------------------------------------|
| X08 Hazardous Material Reduction<br>Part 1: Limit Hazardous Materials Optimization                   | C2C Silver Level (Version 3.1)        |
| X10 Volatile Compound Reduction<br>Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization | C2C Silver Level (Version 3.1)        |
| X11 Long Term Emissions Control<br>Part 2: Flooring Optimization                                     | Green Label Plus Certificationglp8878 |
| X13 Enhanced Material Precaution<br>Part 1: Select Optimized Materials Optimization                  | C2C Silver Level (Version 3.1)        |
| X14 Material Transparency<br>Part 1: Promote Ingredient Disclosure Optimization                      | C2C Silver Level (Version 3.1)        |
















Leed v4 Contribution Credits


|                                                                                                                                                   |                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| MR Credit: Building Product Disclosure and Optimization<br>Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD) | 3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804 |
| MR Credit: Building Product Disclosure and Optimization<br>Material Ingredients - Option 1: Material Ingredient Reporting                         | C2C Silver Level (Version 3.1)                                      |
| MR Credit: Building Product Disclosure and Optimization<br>Material Ingredients - Option 2: Material Ingredient Optimization                      | C2C Silver Level (Version 3.1)                                      |
| EQ Credit: Low Emitting Materials<br>Option 1: Product Category Calculations                                                                      | Green Label Plus Certification: GLP8878                             |

Available Colorways

|                                                                                                                                        |                                                                                                                                       |                                                                                                                                     |                                                                                                                                         |                                                                                                                                             |                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
|  <div>Ivory 43101<br/>LRV 41.6   L* 70.62</div>        |  <div>Canvas 43106<br/>LRV 31.9   L* 63.27</div>     |  <div>Hazelnut 43111<br/>LRV 22.1   L* 54.17</div> |  <div>Buttercream 43115<br/>LRV 30.4   L* 61.97</div> |  <div>Water Chestnut 43120<br/>LRV 21.6   L* 53.58</div> |  <div>Sorbet 43135<br/>LRV 21.1   L* 53.06</div>      |
|  <div>Mushroom 43150<br/>LRV 21.9   L* 53.89</div>     |  <div>Pebble Beach 43155<br/>LRV 16   L* 46.97</div> |  <div>Puma 43193<br/>LRV 12.2   L* 41.48</div>     |  <div>Lemon 43201<br/>LRV 31.9   L* 63.23</div>       |  <div>Sunshine 43202<br/>LRV 23.9   L* 55.95</div>       |  <div>Gold Run 43220<br/>LRV 13.8   L* 44.01</div>    |
|  <div>Wheat Field 43230<br/>LRV 17.2   L* 48.54</div> |  <div>Midas 43235<br/>LRV 22.1   L* 54.14</div>     |  <div>Lime 43301<br/>LRV 20.6   L* 52.46</div>    |  <div>Retro 43302<br/>LRV 16.1   L* 47.07</div>      |  <div>Seacrest 43306<br/>LRV 14.7   L* 45.17</div>      |  <div>Denver Pine 43308<br/>LRV 7.7   L* 33.31</div> |
|  <div>Elephant 43309<br/>LRV 5.4   L* 27.86</div>    |  <div>Grenada 43314<br/>LRV 5.6   L* 28.4</div>    |  <div>Tundra 43315<br/>LRV 8.8   L* 35.6</div>   |  <div>Boxwood 43316<br/>LRV 1.9   L* 15.19</div>    |  <div>Basil 43319<br/>LRV 3.5   L* 21.83</div>         |  <div>Longhorn 43321<br/>LRV 4   L* 23.62</div>     |
|  <div>Sprout 43326<br/>LRV 18.5   L* 50.08</div>     |  <div>Cactus 43330<br/>LRV 7.5   L* 32.95</div>    |  <div>Mikado 43331<br/>LRV 15   L* 45.57</div>   |  <div>Sagebrush 43332<br/>LRV 10.5   L* 38.68</div> |  <div>Shade 43340<br/>LRV 7.5   L* 32.94</div>         |  <div>Fern 43365<br/>LRV 4.6   L* 25.46</div>       |

|                                                                                    |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |    |    |
| Avocado 43370<br>LRV 3   L* 20.01                                                  | Moss 43371<br>LRV 14.8   L* 45.29                                                   | Junglewood 43372<br>LRV 7.1   L* 31.94                                              | Black Forest 43375<br>LRV 3   L* 19.95                                               | Grass 43399<br>LRV 7.9   L* 33.81                                                     | Delft 43401<br>LRV 9.2   L* 36.46                                                     |
|    |    |    |    |    |    |
| Nautical 43409<br>LRV 3.7   L* 22.78                                               | Stonewashed 43416<br>LRV 21.2   L* 53.22                                            | Blue Pearl 43425<br>LRV 10.6   L* 38.92                                             | Gulf Stream 43445<br>LRV 8.2   L* 34.4                                               | Tonic 43462<br>LRV 3.7   L* 22.74                                                     | Cobalt 43470<br>LRV 4.9   L* 26.48                                                    |
|   |   |   |   |   |   |
| Indigo 43480<br>LRV 2.6   L* 18.28                                                 | Sea 43484<br>LRV 11.8   L* 40.84                                                    | Royal 43485<br>LRV 1.6   L* 13.39                                                   | Blue Blazer 43490<br>LRV 2.9   L* 19.83                                              | Vivid 43491<br>LRV 6.7   L* 31.01                                                     | Night Tide 43496<br>LRV 1.5   L* 12.29                                                |
|  |  |  |  |  |  |
| Coal 43500<br>LRV 2   L* 15.25                                                     | Moonlight 43501<br>LRV 29   L* 60.77                                                | Silver Lining 43502<br>LRV 17.3   L* 48.58                                          | Nimbus 43504<br>LRV 15.2   L* 45.95                                                  | Raven 43505<br>LRV 1.1   L* 9.48                                                      | Dover 43506<br>LRV 15.7   L* 46.57                                                    |
|  |  |  |  |  |  |
| Blizzard 43518<br>LRV 27.6   L* 59.56                                              | Cloud 43530<br>LRV 11.7   L* 40.76                                                  | Khaki 43545<br>LRV 12.5   L* 42.04                                                  | Cannon 43555<br>LRV 10.9   L* 39.45                                                  | Winter Cloud 43575<br>LRV 9.6   L* 37.19                                              | Denim 43580<br>LRV 5.9   L* 29.16                                                     |

|                                                                                    |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |    |    |
| Gunmetal 43585<br>LRV 6.9   L* 31.5                                                | Charcoal 43597<br>LRV 4.6   L* 25.43                                                | Orange 43601<br>LRV 16.5   L* 47.57                                                 | Fall 43606<br>LRV 8.3   L* 35.56                                                     | Spice 43665<br>LRV 4.8   L* 26.27                                                     | Antelope 43706<br>LRV 7   L* 31.92                                                    |
|    |    |    |    |    |    |
| Antique Bronze 43707<br>LRV 6.1   L* 29.7                                          | Mahogany 43708<br>LRV 9.7   L* 37.33                                                | Everglade 43709<br>LRV 2.2   L* 16.51                                               | Chocolate 43711<br>LRV 2.2   L* 16.66                                                | Cattail 43713<br>LRV 5.3   L* 27.55                                                   | Coffee 43750<br>LRV 2.8   L* 19.4                                                     |
|   |   |   |   |   |   |
| Sesame 43755<br>LRV 13.4   L* 43.41                                                | Suede 43760<br>LRV 6.7   L* 31.19                                                   | Twine 43761<br>LRV 4.3   L* 24.62                                                   | Hot Pink 43801<br>LRV 8.6   L* 35.16                                                 | Henna 43855<br>LRV 1.9   L* 15.02                                                     | Cranberry 43860<br>LRV 2.4   L* 17.54                                                 |
|  |  |  |  |  |  |
| Red Soul 43861<br>LRV 6   L* 29.49                                                 | Lipstick 43870<br>LRV 3.1   L* 20.57                                                | Emperor 43901<br>LRV 2.4   L* 17.35                                                 | Bright 43903<br>LRV 2.9   L* 19.73                                                   | Haze 43904<br>LRV 8.1   L* 34.09                                                      | Garnet 43906<br>LRV 3.6   L* 22.21                                                    |
|  |  |  |  |  |  |
| Old Spar 43910<br>LRV 9.3   L* 36.64                                               | Fresno 43920<br>LRV 9.9   L* 37.64                                                  | Aurora 43944<br>LRV 6.7   L* 31.09                                                  | Muscadine 43979<br>LRV 2.9   L* 19.64                                                | Fresh Lilac 43981<br>LRV 20   L* 51.89                                                | Eggplant 43990<br>LRV 1.9   L* 15.22                                                  |



Violet 43993  
LRV 3 | L\* 20.18

## Additional Information

\* To learn more about the recyclability of our products and our Environmental Guarantee, please visit [shawcontract.com/sustainability](https://shawcontract.com/sustainability).

\*\*Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

\*\*\*This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](https://shawcontract.com/testing) for more information.



**PVC-Free**

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | **Atlanta** +1 404 853 7429 | **Bengaluru** +91 80 6773 0202 | **Beijing** +86 10 6568 588 | **Chicago** +1 312 467 1331 | **Dubai** +971 4 584 6956 | **Hong Kong** +852 2623 0371 | **Latin America (Miami)** +1 305 827 5912 | **London** +44 207 961 4120 | **Los Angeles** +1 800 233 1614 | **Melbourne** +61 3 9939 8543 | **Mexico City** +55 5010 7600 | **Mumbai** +91 22 6284 5050 | **Nantong** +86 400 800 7429 | **New York** +1 212 953 7429 | **Paris** +33 (0) 1 81 22 44 39 | **San Francisco** +1 415 955 1920 | **Santiago** +562 2431 5000 x 550 | **São Paulo** +55 11 3071 1702 | **Shanghai** +86 21 3338 4000 | **Singapore** +65 6733 1811 | **Sydney** +61 800 556 302