Bora

Occasional Table Collection

When ordering this product, specification codes must be added to unit Model Number, as shown below.
NOTE: Upholstery and/or additional options must be specified separately.

METAL BASE
FINISH –

MODEL
NUMBER –

DRT20D16-U

METAL BASE
FINISH –

–CH

GM	Gunmetal
MB	Metallic Beige
SB	Smooth Black
SS	Smooth Silver
TB	Textured Black
TN	Textured Nickel

Bora
Occasional Table Collection

All prices are in US dollars (USD).

DRT20D16–U

DESCRIPTION –

Drum Table

20″ x 16″

DIMENSIONS –

Width 20

Height 16

COM Yard 2

Cubic Feet 4

Ship Weight 19

OPTIONS –

Moisture barrier	+40
A/C receptacle with USB port	+495

LOCATED
SIDE FRONT

POWER WITH
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16–U	1648	1696	1743	1792	1839	1887	1936	1984

DRT20D20–U

DESCRIPTION –

Drum Table

20″ x 20″

DIMENSIONS –

Width 20

Height 20

COM Yard 2

Cubic Feet 5

Ship Weight 23

OPTIONS –

Moisture barrier	+40
A/C receptacle with USB port	+495

LOCATED
SIDE FRONT

POWER WITH
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20–U	1709	1768	1827	1886	1946	2004	2064	2123

DRT24D16–U

DESCRIPTION –

Drum Table

24″ x 16″

DIMENSIONS –

Width 24

Height 16

COM Yard 2.25

Cubic Feet 5

Ship Weight 26

OPTIONS –

Moisture barrier	+45
A/C receptacle with USB port	+495

LOCATED
SIDE FRONT

POWER WITH
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16–U	1769	1840	1910	1980	2051	2122	2193	2264

Bora
Occasional Table Collection

All prices are in US dollars (USD).

DRT24D20–U

DESCRIPTION –

Drum Table

24″ x 20″

DIMENSIONS –

Width 24

Height 20

COM Yard 2.25

Cubic Feet 7

Ship Weight 30

OPTIONS –

Moisture barrier	+55
A/C receptacle with USB port	+495

LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20–U	1830	1912	1993	2075	2158	2240	2323	2406

DRT30D16–U

DESCRIPTION –

Drum Table

30″ x 16″

DIMENSIONS –

Width 30

Height 16

COM Yard 2.75

Cubic Feet 8

Ship Weight 35

OPTIONS –

Moisture barrier	+45
A/C receptacle with USB port	+395

LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16–U	1891	1984	2076	2169	2265	2356	2452	2547

DRT30D20–U

DESCRIPTION –

Drum Table

30″ x 20″

DIMENSIONS –

Width 30

Height 20

COM Yard 2.75

Cubic Feet 10

Ship Weight 41

OPTIONS –

Moisture barrier	+70
A/C receptacle with USB port	+495

LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20–U	1949	2055	2159	2265	2370	2474	2579	2685

Bora
Occasional Table Collection

All prices are in US dollars (USD).

DRT36D16–U

DESCRIPTION –

Drum Table

36″ x 16″

DIMENSIONS –

Width 36

Height 16

COM Yard 2.75

Cubic Feet 12

Ship Weight 43

OPTIONS –

Moisture barrier	+70
A/C receptacle with USB port	+495

LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16–U	2066	2184	2301	2418	2536	2654	2772	2890

DRT36D20–U

DESCRIPTION –

Drum Table

36″ x 20″

DIMENSIONS –

Width 36

Height 20

COM Yard 2.75

Cubic Feet 15

Ship Weight 47

OPTIONS –

Moisture barrier	+85
A/C receptacle with USB port	+495

LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20–U	2183	2313	2442	2572	2704	2834	2966	3097

DRT42D16–U

DESCRIPTION –

Drum Table

42″ x 16″

DIMENSIONS –

Width 42

Height 16

COM Yard 3.25

Cubic Feet 16

Ship Weight 55

OPTIONS –

Moisture barrier	+75
A/C receptacle with USB port	+495

LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16–U	2298	2441	2585	2727	2871	3014	3158	3302

Bora
Occasional Table Collection

All prices are in US dollars (USD).

DRT20D16-U-PL

DESCRIPTION –

Drum Table, plinth base

20" x 16"

DIMENSIONS –

Width 20

Height 16

COM Yard 2

Cubic Feet 4

Ship Weight 41

OPTIONS –

Moisture barrier	+40
A/C receptacle with USB port	+495

LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL	2174	2221	2270	2317	2365	2412	2461	2509

DRT20D20-U-PL

DESCRIPTION –

Drum Table, plinth base

20" x 20"

DIMENSIONS –

Width 20

Height 20

COM Yard 2

Cubic Feet 5

Ship Weight 44

OPTIONS –

Moisture barrier	+40
A/C receptacle with USB port	+495

LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL	2320	2379	2438	2498	2557	2616	2676	2735

DRT24D16-U-PL

DESCRIPTION –

Drum Table, plinth base

24" x 16"

DIMENSIONS –

Width 24

Height 16

COM Yard 2.25

Cubic Feet 5

Ship Weight 57

OPTIONS –

Moisture barrier	+45
A/C receptacle with USB port	+495

LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL	2467	2536	2607	2679	2750	2819	2891	2964

Bora
Occasional Table Collection

All prices are in US dollars (USD).

DRT24D20-U-PL

DESCRIPTION –

Drum Table, plinth base

24" x 20"

DIMENSIONS –

Width 24

Height 20

COM Yard 2.25

Cubic Feet 7

Ship Weight 60

OPTIONS –

Moisture barrier	+55
A/C receptacle with USB port	+495

LOCATED
SIDE FRONT

POWER WITH
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL	2613	2694	2776	2860	2942	3023	3107	3192

DRT30D16-U-PL

DESCRIPTION –

Drum Table, plinth base

30" x 16"

DIMENSIONS –

Width 30

Height 16

COM Yard 2.75

Cubic Feet 8

Ship Weight 85

OPTIONS –

Moisture barrier	+45
A/C receptacle with USB port	+495

LOCATED
SIDE FRONT

POWER WITH
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL	2760	2852	2945	3041	3134	3226	3323	3420

DRT30D20-U-PL

DESCRIPTION –

Drum Table, plinth base

30" x 20"

DIMENSIONS –

Width 30

Height 20

COM Yard 2.75

Cubic Feet 10

Ship Weight 90

OPTIONS –

Moisture barrier	+70
A/C receptacle with USB port	+495

LOCATED
SIDE FRONT

POWER WITH
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL	2905	3010	3115	3220	3326	3430	3535	3641

Bora
Occasional Table Collection

All prices are in US dollars (USD).

Bora

DRT36D16-U-PL

DESCRIPTION –

Drum Table, plinth base

36" x 16"

DIMENSIONS –

Width 36

Height 16

COM Yard 2.75

Cubic Feet 12

Ship Weight 115

OPTIONS –

Moisture barrier	+70
A/C receptacle with USB port	+495

LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL	3108	3226	3344	3462	3580	3698	3816	3933

DRT36D20-U-PL

DESCRIPTION –

Drum Table, plinth base

36" x 20"

DIMENSIONS –

Width 36

Height 20

COM Yard 2.75

Cubic Feet 15

Ship Weight 118

OPTIONS –

Moisture barrier	+85
A/C receptacle with USB port	+495

LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL	3312	3442	3574	3704	3834	3966	4097	4229

DRT42D16-U-PL

DESCRIPTION –

Drum Table, plinth base

42" x 16"

DIMENSIONS –

Width 42

Height 16

COM Yard 3.25

Cubic Feet 16

Ship Weight 150

OPTIONS –

Moisture barrier	+75
A/C receptacle with USB port	+495

LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL	3517	3659	3803	3946	4090	4233	4376	4521

Bora
Occasional Table Collection

All prices are in US dollars (USD).

Bora

DRT20D16-U-S

DESCRIPTION –

Drum Table

With solid surface top

20″ x 16″

DIMENSIONS –

Width 20

Height 16

COM Yard 2

Cubic Feet 4

Ship Weight 19

OPTIONS –

Moisture barrier	+40
A/C receptacle with USB port	+395

LOCATED TOP REAR

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-S	1884	1932	1979	2028	2075	2123	2171	2219

DRT20D20-U-S

DESCRIPTION –

Drum Table

With solid surface top

20″ x 20″

DIMENSIONS –

Width 20

Height 20

COM Yard 2

Cubic Feet 5

Ship Weight 23

OPTIONS –

Moisture barrier	+40
A/C receptacle with USB port	+395

LOCATED TOP REAR

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-S	1945	2004	2063	2122	2182	2240	2300	2359

DRT24D16-U-S

DESCRIPTION –

Drum Table

With solid surface top

24″ x 16″

DIMENSIONS –

Width 24

Height 16

COM Yard 2.5

Cubic Feet 5

Ship Weight 26

OPTIONS –

Moisture barrier	+45
A/C receptacle with USB port	+395

LOCATED TOP REAR

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-S	2055	2126	2196	2266	2337	2408	2479	2550

Bora
Occasional Table Collection

All prices are in US dollars (USD).

DRT24D20-U-S

DESCRIPTION –

Drum Table
With solid surface top
24" x 20"

DIMENSIONS –

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 30

OPTIONS –

Moisture barrier	+55
A/C receptacle with USB port	+395

LOCATED
TOP REAR

POWER WITH
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-S	2117	2199	2279	2361	2444	2526	2609	2692

DRT30D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
30" x 16"

DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 35

OPTIONS –

Moisture barrier	+45
A/C receptacle with USB port	+395

LOCATED
TOP CENTER

POWER WITH
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-S	2228	2321	2413	2506	2601	2692	2789	2884

DRT30D20-U-S

DESCRIPTION –

Drum Table, solid surface top
With solid surface top
30" x 20"

DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 41

OPTIONS –

Moisture barrier	+70
A/C receptacle with USB port	+395

LOCATED
TOP CENTER

POWER WITH
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-S	2286	2392	2496	2601	2707	2810	2915	3021

Bora
Occasional Table Collection

All prices are in US dollars (USD).

DRT36D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
36" x 16"

DIMENSIONS –

Width 36
Height 16
COM Yard 1.75
Cubic Feet 12
Ship Weight 43

OPTIONS –

Moisture barrier	+70
A/C receptacle with USB port	+395

LOCATED TOP CENTER

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-S	2565	2683	2798	2916	3035	3153	3271	3389

DRT36D20-U-S

DESCRIPTION –

Drum Table
With solid surface top
36" x 20"

DIMENSIONS –

Width 36
Height 20
COM Yard 1.75
Cubic Feet 15
Ship Weight 47

OPTIONS –

Moisture barrier	+85
A/C receptacle with USB port	+395

LOCATED TOP CENTER

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-S	2680	2812	2941	3071	3202	3333	3464	3595

DRT42D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
42" x 16"

DIMENSIONS –

Width 42
Height 16
COM Yard 2
Cubic Feet 16
Ship Weight 55

OPTIONS –

Moisture barrier	+75
A/C receptacle with USB port	+395

LOCATED TOP CENTER

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-S	2878	3021	3165	3308	3452	3594	3738	3882

Bora
Occasional Table Collection

All prices are in US dollars (USD).

Bora

DRT20D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

20" x 16"

DIMENSIONS –

Width 20

Height 16

COM Yard 2

Cubic Feet 4

Ship Weight 41

OPTIONS –

Moisture barrier	+40
A/C receptacle with USB port	+395

LOCATED TOP REAR

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL-S	2411	2458	2506	2553	2601	2649	2697	2745

DRT20D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

20" x 20"

DIMENSIONS –

Width 20

Height 20

COM Yard 2

Cubic Feet 5

Ship Weight 44

OPTIONS –

Moisture barrier	+40
A/C receptacle with USB port	+395

LOCATED TOP REAR

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL-S	2557	2615	2674	2734	2793	2852	2912	2971

DRT24D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

24" x 16"

DIMENSIONS –

Width 24

Height 16

COM Yard 2.25

Cubic Feet 5

Ship Weight 57

OPTIONS –

Moisture barrier	+45
A/C receptacle with USB port	+395

LOCATED TOP REAR

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL-S	2754	2823	2894	2966	3036	3106	3171	3250

Bora
Occasional Table Collection

All prices are in US dollars (USD).

DRT24D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With solid surface top
24" x 20"

DIMENSIONS –

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 60

OPTIONS –

Moisture barrier	+55
A/C receptacle with USB port	+395

LOCATED TOP REAR

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL-S	2900	2980	3062	3147	3228	3309	3393	3478

DRT30D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With solid surface top
30" x 16"

DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 85

OPTIONS –

Moisture barrier	+45
A/C receptacle with USB port	+395

LOCATED TOP CENTER

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL-S	3097	3189	3281	3378	3471	3562	3660	3757

DRT30D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With solid surface top
30" x 20"

DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 90

OPTIONS –

Moisture barrier	+70
A/C receptacle with USB port	+395

LOCATED TOP CENTER

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL-S	3241	3347	3451	3557	3662	3767	3872	3978

Bora
Occasional Table Collection

All prices are in US dollars (USD).

Bora

DRT36D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

36" x 16"

DIMENSIONS –

Width 36

Height 16

COM Yard 1.75

Cubic Feet 12

Ship Weight 115

OPTIONS –

Moisture barrier	+70
A/C receptacle with USB port	+395

LOCATED TOP CENTER

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL-S	3607	3724	3842	3960	4078	4196	4314	4431

DRT36D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

36" x 20"

DIMENSIONS –

Width 36

Height 20

COM Yard 1.75

Cubic Feet 15

Ship Weight 118

OPTIONS –

Moisture barrier	+85
A/C receptacle with USB port	+395

LOCATED TOP CENTER

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL-S	3810	3940	4072	4203	4333	4464	4596	4727

DRT42D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

42" x 16"

DIMENSIONS –

Width 42

Height 16

COM Yard 2

Cubic Feet 16

Ship Weight 150

OPTIONS –

Moisture barrier	+75
A/C receptacle with USB port	+395

LOCATED TOP CENTER

POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL-S	4097	4240	4384	4526	4670	4812	4957	5101