

**Bora**

Occasional Table Collection

When ordering this product, specification codes must be added to unit Model Number, as shown below.

NOTE: Upholstery and/or additional options must be specified separately.

Bora



METAL BASE  
FINISH -

MODEL  
NUMBER -

METAL BASE  
FINISH -


**DRT20D16-U -CH**

- GM** Gunmetal
- MB** Metallic Beige
- SB** Smooth Black
- SS** Smooth Silver
- TB** Textured Black
- TN** Textured Nickel

## Bora

### Occasional Table Collection

All prices are in CA dollars (CAD).



#### DRT20D16-U

##### DESCRIPTION -

Drum Table  
20" x 16"



##### DIMENSIONS -

Width 20  
Height 16  
COM Yard 2  
Cubic Feet 4  
Ship Weight 19

##### OPTIONS -

Moisture barrier +40  
A/C receptacle with USB port +495



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U	1712	1763	1812	1862	1911	1961	2012	2062

#### DRT20D20-U

##### DESCRIPTION -

Drum Table  
20" x 20"



##### DIMENSIONS -

Width 20  
Height 20  
COM Yard 2  
Cubic Feet 5  
Ship Weight 23

##### OPTIONS -

Moisture barrier +40  
A/C receptacle with USB port +495



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U	1776	1838	1898	1960	2022	2083	2145	2206

#### DRT24D16-U

##### DESCRIPTION -

Drum Table  
24" x 16"



##### DIMENSIONS -

Width 24  
Height 16  
COM Yard 2.25  
Cubic Feet 5  
Ship Weight 26

##### OPTIONS -

Moisture barrier +45  
A/C receptacle with USB port +495



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U	1839	1912	1985	2058	2132	2205	2279	2353

**Bora**

Occasional Table Collection

All prices are in CA dollars (CAD).



**DRT24D20-U**

DESCRIPTION –

Drum Table  
24" x 20"



DIMENSIONS –

Width 24  
Height 20  
COM Yard 2.25  
Cubic Feet 7  
Ship Weight 30

OPTIONS –

Moisture barrier +55  
A/C receptacle with USB port +495



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U	1902	1987	2071	2156	2242	2328	2415	2500

**DRT30D16-U**

DESCRIPTION –

Drum Table  
30" x 16"



DIMENSIONS –

Width 30  
Height 16  
COM Yard 2.75  
Cubic Feet 8  
Ship Weight 35

OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U	1965	2062	2157	2254	2353	2449	2548	2647

**DRT30D20-U**

DESCRIPTION –

Drum Table  
30" x 20"



DIMENSIONS –

Width 30  
Height 20  
COM Yard 2.75  
Cubic Feet 10  
Ship Weight 41

OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +495



LOCATED SIDE FRONT




POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U	2026	2135	2244	2353	2463	2571	2680	2790

**Bora**

Occasional Table Collection

All prices are in CA dollars (CAD).



**DRT36D16-U**

DESCRIPTION –

Drum Table  
36" x 16"




DIMENSIONS –

Width 36  
Height 16  
COM Yard 2.75  
Cubic Feet 12  
Ship Weight 43

OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +495



MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U	2147	2270	2391	2513	2636	2758	2881	3004

**DRT36D20-U**

DESCRIPTION –

Drum Table  
36" x 20"




DIMENSIONS –

Width 36  
Height 20  
COM Yard 2.75  
Cubic Feet 15  
Ship Weight 47

OPTIONS –

Moisture barrier +85  
A/C receptacle with USB port +495



MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U	2268	2404	2538	2673	2810	2945	3082	3218

**DRT42D16-U**

DESCRIPTION –

Drum Table  
42" x 16"




DIMENSIONS –

Width 42  
Height 16  
COM Yard 3.25  
Cubic Feet 16  
Ship Weight 55

OPTIONS –

Moisture barrier +75  
A/C receptacle with USB port +495



MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U	2388	2537	2686	2834	2984	3132	3281	3432

**Bora**

Occasional Table Collection

All prices are in CA dollars (CAD).



**DRT20D16-U-PL**

DESCRIPTION –

Drum Table, plinth base  
20" x 16"



DIMENSIONS –

Width 20  
Height 16  
COM Yard 2  
Cubic Feet 4  
Ship Weight 41

OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +495



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL	2259	2308	2359	2408	2458	2507	2558	2608

**DRT20D20-U-PL**

DESCRIPTION –

Drum Table, plinth base  
20" x 20"



DIMENSIONS –

Width 20  
Height 20  
COM Yard 2  
Cubic Feet 5  
Ship Weight 44

OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +495



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL	2411	2472	2534	2596	2658	2718	2781	2843

**DRT24D16-U-PL**

DESCRIPTION –

Drum Table, plinth base  
24" x 16"



DIMENSIONS –

Width 24  
Height 16  
COM Yard 2.25  
Cubic Feet 5  
Ship Weight 57

OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +495



LOCATED  
SIDE FRONT




POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL	2564	2636	2709	2784	2858	2930	3005	3080

## Bora

### Occasional Table Collection

All prices are in CA dollars (CAD).



#### DRT24D20-U-PL

##### DESCRIPTION –

Drum Table, plinth base  
24" x 20"



##### DIMENSIONS –

Width 24  
Height 20  
COM Yard 2.25  
Cubic Feet 7  
Ship Weight 60

##### OPTIONS –

Moisture barrier +55  
A/C receptacle with USB port +495



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL	2716	2800	2885	2972	3057	3141	3229	3317

#### DRT30D16-U-PL

##### DESCRIPTION –

Drum Table, plinth base  
30" x 16"



##### DIMENSIONS –

Width 30  
Height 16  
COM Yard 2.75  
Cubic Feet 8  
Ship Weight 85

##### OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +495



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL	2868	2963	3060	3161	3257	3353	3453	3554

#### DRT30D20-U-PL

##### DESCRIPTION –

Drum Table, plinth base  
30" x 20"



##### DIMENSIONS –

Width 30  
Height 20  
COM Yard 2.75  
Cubic Feet 10  
Ship Weight 90

##### OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +495



LOCATED  
SIDE FRONT




POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL	3019	3128	3237	3346	3456	3564	3674	3783

**Bora**

Occasional Table Collection

All prices are in CA dollars (CAD).



**DRT36D16-U-PL**

DESCRIPTION –

Drum Table, plinth base  
36" x 16"




DIMENSIONS –

Width 36  
Height 16  
COM Yard 2.75  
Cubic Feet 12  
Ship Weight 115

OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +495



MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL	3230	3353	3475	3598	3720	3843	3966	4087

**DRT36D20-U-PL**

DESCRIPTION –

Drum Table, plinth base  
36" x 20"




DIMENSIONS –

Width 36  
Height 20  
COM Yard 2.75  
Cubic Feet 15  
Ship Weight 118

OPTIONS –

Moisture barrier +85  
A/C receptacle with USB port +495



MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL	3442	3577	3714	3849	3985	4121	4258	4395

**DRT42D16-U-PL**

DESCRIPTION –

Drum Table, plinth base  
42" x 16"




DIMENSIONS –

Width 42  
Height 16  
COM Yard 3.25  
Cubic Feet 16  
Ship Weight 150

OPTIONS –

Moisture barrier +75  
A/C receptacle with USB port +495




MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL	3655	3803	3952	4101	4250	4399	4548	4698

## Bora

### Occasional Table Collection

All prices are in CA dollars (CAD).



#### DRT20D16-U-S

##### DESCRIPTION –

Drum Table  
With solid surface top  
20" x 16"



##### DIMENSIONS –

Width 20  
Height 16  
COM Yard 2  
Cubic Feet 4  
Ship Weight 19

##### OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-S	1958	2008	2057	2108	2156	2206	2256	2306

#### DRT20D20-U-S

##### DESCRIPTION –

Drum Table  
With solid surface top  
20" x 20"



##### DIMENSIONS –

Width 20  
Height 20  
COM Yard 2  
Cubic Feet 5  
Ship Weight 23

##### OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-S	2021	2083	2144	2205	2268	2328	2390	2452

#### DRT24D16-U-S

##### DESCRIPTION –

Drum Table  
With solid surface top  
24" x 16"



##### DIMENSIONS –

Width 24  
Height 16  
COM Yard 2.5  
Cubic Feet 5  
Ship Weight 26

##### OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED  
TOP REAR




POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-S	2136	2210	2283	2355	2429	2503	2577	2650

**Bora**

Occasional Table Collection

All prices are in CA dollars (CAD).



**DRT24D20-U-S**

DESCRIPTION –

Drum Table  
With solid surface top  
24" x 20"



DIMENSIONS –

Width 24  
Height 20  
COM Yard 2.25  
Cubic Feet 7  
Ship Weight 30

OPTIONS –

Moisture barrier +55  
A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-S	2200	2285	2369	2454	2540	2625	2712	2798

**DRT30D16-U-S**

DESCRIPTION –

Drum Table  
With solid surface top  
30" x 16"



DIMENSIONS –

Width 30  
Height 16  
COM Yard 2.75  
Cubic Feet 8  
Ship Weight 35

OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-S	2315	2412	2507	2604	2703	2798	2898	2997

**DRT30D20-U-S**

DESCRIPTION –

Drum Table, solid surface top  
With solid surface top  
30" x 20"



DIMENSIONS –

Width 30  
Height 20  
COM Yard 2.75  
Cubic Feet 10  
Ship Weight 41

OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-S	2376	2486	2594	2703	2813	2921	3030	3140

## Bora

Occasional Table Collection

All prices are in CA dollars (CAD).

Bora

### DRT36D16-U-S

DESCRIPTION –

Drum Table  
With solid surface top  
36" x 16"



DIMENSIONS –

Width 36  
Height 16  
COM Yard 1.75  
Cubic Feet 12  
Ship Weight 43

OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-S	2665	2788	2908	3031	3153	3276	3399	3521

### DRT36D20-U-S

DESCRIPTION –

Drum Table  
With solid surface top  
36" x 20"



DIMENSIONS –

Width 36  
Height 20  
COM Yard 1.75  
Cubic Feet 15  
Ship Weight 47

OPTIONS –

Moisture barrier +85  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-S	2786	2922	3056	3191	3327	3464	3600	3736

### DRT42D16-U-S

DESCRIPTION –

Drum Table  
With solid surface top  
42" x 16"



DIMENSIONS –

Width 42  
Height 16  
COM Yard 2  
Cubic Feet 16  
Ship Weight 55

OPTIONS –

Moisture barrier +75  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-S	2991	3140	3289	3437	3587	3735	3885	4035

**Bora**

Occasional Table Collection

All prices are in CA dollars (CAD).



**DRT20D16-U-PL-S**

DESCRIPTION –

Drum Table, plinth base  
With solid surface top  
20" x 16"



DIMENSIONS –

Width 20  
Height 16  
COM Yard 2  
Cubic Feet 4  
Ship Weight 41

OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +395



MODEL NO.	COM/1	2	3	4	5	6	7	8
<b>DRT20D16-U-PL-S</b>	2505	2554	2604	2653	2703	2753	2803	2853

**DRT20D20-U-PL-S**

DESCRIPTION –

Drum Table, plinth base  
With solid surface top  
20" x 20"



DIMENSIONS –

Width 20  
Height 20  
COM Yard 2  
Cubic Feet 5  
Ship Weight 44

OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +395



MODEL NO.	COM/1	2	3	4	5	6	7	8
<b>DRT20D20-U-PL-S</b>	2657	2717	2779	2841	2903	2964	3026	3088

**DRT24D16-U-PL-S**

DESCRIPTION –

Drum Table, plinth base  
With solid surface top  
24" x 16"



DIMENSIONS –

Width 24  
Height 16  
COM Yard 2.25  
Cubic Feet 5  
Ship Weight 57

OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



MODEL NO.	COM/1	2	3	4	5	6	7	8
<b>DRT24D16-U-PL-S</b>	2862	2933	3007	3082	3155	3227	3295	3377

## Bora

### Occasional Table Collection

All prices are in CA dollars (CAD).

# Bora

#### DRT24D20-U-PL-S

##### DESCRIPTION –

Drum Table, plinth base  
With solid surface top  
24" x 20"



##### DIMENSIONS –

Width 24  
Height 20  
COM Yard 2.25  
Cubic Feet 7  
Ship Weight 60

##### OPTIONS –

Moisture barrier +55  
A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL-S	3014	3097	3182	3270	3354	3439	3526	3615

#### DRT30D16-U-PL-S

##### DESCRIPTION –

Drum Table, plinth base  
With solid surface top  
30" x 16"



##### DIMENSIONS –

Width 30  
Height 16  
COM Yard 2.75  
Cubic Feet 8  
Ship Weight 85

##### OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL-S	3218	3314	3410	3510	3607	3702	3803	3904

#### DRT30D20-U-PL-S

##### DESCRIPTION –

Drum Table, plinth base  
With solid surface top  
30" x 20"



##### DIMENSIONS –

Width 30  
Height 20  
COM Yard 2.75  
Cubic Feet 10  
Ship Weight 90

##### OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL-S	3368	3478	3586	3696	3805	3914	4023	4133

## Bora

Occasional Table Collection

All prices are in CA dollars (CAD).

Bora

### DRT36D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

36" x 16"



DIMENSIONS –

Width 36

Height 16

COM Yard 1.75

Cubic Feet 12

Ship Weight 115

OPTIONS –

Moisture barrier +70

A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL-S	3749	3870	3993	4115	4238	4361	4483	4605

### DRT36D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

36" x 20"



DIMENSIONS –

Width 36

Height 20

COM Yard 1.75

Cubic Feet 15

Ship Weight 118

OPTIONS –

Moisture barrier +85

A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL-S	3960	4095	4231	4367	4503	4639	4776	4912

### DRT42D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

42" x 16"



DIMENSIONS –

Width 42

Height 16

COM Yard 2

Cubic Feet 16

Ship Weight 150

OPTIONS –

Moisture barrier +75

A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL-S	4257	4406	4556	4704	4853	5001	5151	5301