

QuickShip

CATALOG



At Tarkett, we're committed to being the simplest part of your day—ensuring that you have the flooring solutions you need, when you need them. To that end, we've recently expanded our QuickShip program—with the goal of helping make your business more nimble, responsive and successful. We look forward to our next project with you—and to delighting your clients with beautiful, long-lasting products that create a healthier, more sustainable future for people and the planet.

Thank you for your business and continued partnership.

Contents

QuickShip Program Overview ... 13

Products By Color... 14

Products By Category

Carpet Tile ... 24

Powerbond® ... 38

Accessories ... 46

Solution Spectrum ... 49

Construction Options ... 50

Global Impact ... 51

Index ... 54

When you need flooring fast.

When you're in a hurry, this trusted collection of favorites is always on our production calendar, so we can get them to you fast. Our QuickShip Express (QE2) program ships in only two business days.* When a broader range of options is desired, our standard QuickShip (Q10) program ships products in 10 business days or less.**

*Ready to ship in 2 days pending credit approval.

**Ready to ship in 10 days pending credit approval.





Geoknit 10887 Shadow Gris 42710 | 24" x 24" Vertical ashlar installation
ID Latitude™ Abstract Finelines Greige PLFL 5103 | 18" x 18" Quarter turn installation







Substance 11449 Clerestory 76202 | 18" x 36" Vertical Ashlar Installation
ID Latitude™ Wood Blanched Pine 5134 | 6" x 48" Unidirectional Installation



Stamp 11018 Native Asphalt 28302 | 24" x 24" Quarter Turn Installation
ID Latitude® Wood Vintage Oak 3530 | 6" x 48" Unidirectional Installation





Cache Tweed A0002 Felted 42713
24" X 24" Vertical Ashlar Installation
ID Latitude™ Stone Hearthstone 7242
18" X 18" Quarter Turn Installation

QuickShip Program Overview

Tarkett’s QuickShip and QuickShip Express programs do more to simplify and streamline the jobs of dealers, architects, designers and others. By offering a curated selection of soft-surface products, as well as MetalEdge® finishing accessories, Tarkett provides a single source for all flooring surfaces needed to complete a project—and quickly prepares orders for shipment.

Our QuickShip Express program ships product in only two business days. When a broader range of options is desired, our standard QuickShip program ships product in 10 business days or less.

Key to QuickShip Express and QuickShip Icons:

QE2 = QuickShip Express products (ready to ship within 2 business days*)

Q10 = QuickShip products (ready to ship within 10 business days*)

Minimum/Maximum Ordering Quantities:

QuickShip

- QuickShip: Carpet Tile/Powerbond
- Minimum: 5 sq. yds. or 1 carton (whichever is greater)
 - Maximum: Up to 1,500 sq. yds.
 - Ready to ship in 10 business days

QuickShip Express

- QuickShip Express: Carpet Tile/Powerbond
- Minimum: 5 sq. yds. or 1 carton (whichever is greater)
 - Maximum: Up to 750 sq. yds.
 - Ready to ship in 2 business days

QuickShip Express: MetalEdge


- Minimum: 1 piece
- Maximum: 10 pieces**
- Ready to ship in 2 business days

*Pending credit approval.


**Note: ME004 maximum is 30 pieces.

Black Shades


Powerbond + Carpet Tile



CHARCOAL 19100
CARPET TILE/POWERBOND® CUSHION




FIREWORKS 23514
CARPET TILE/POWERBOND CUSHION RS




ANCHOR BOLT 28301
CARPET TILE




NOIR,NOIR 42704
CARPET TILE




SATURATED GREY 42703
CARPET TILE




ANCHOR BOLT 28301
CARPET TILE



LIGHTS OUT 36101
CARPET TILE



BLOCK OUT 76204
CARPET TILE



INGRESS 76208
CARPET TILE

QE2


MetalEdge

\$


BLACK PEARL 82

Grey Tones


Powerbond + Carpet Tile



STORMTROOPER 71607
POWERBOND CUSHION RS




WINTER GRAY 19103
MODULAR/POWERBOND CUSHION




FLANNEL 23509
MODULAR/POWERBOND CUSHION RS




MERINO 23504
MODULAR/POWERBOND CUSHION RS




SILVER DEPOSIT 28303
MODULAR




CHROMIUM 26201
MODULAR/POWERBOND CUSHION RS




STEELWORK 26202
MODULAR/POWERBOND CUSHION RS




SATURATED GREY 42703
MODULAR



STONE LITHOGRAPH 15612
MODULAR




LANDING ZONE 42808
MODULAR



TOMORROWLAND 42801
MODULAR




MOON RAY 48010
POWERBOND CUSHION RS



DATA CLOUD 42702
MODULAR



SHADOW GRIS 42710
MODULAR



AGATE 62107
MODULAR




MID-GREY/SHARD 60616
MODULAR




QUARTZITE 62105
MODULAR




STREET CORNER 36104
MODULAR




CLERESTORY 76202
MODULAR




PURE PARCHMENT 76207
MODULAR



QUINTESSENCE 76201
MODULAR



LANDING ZONE 42808
MODULAR




TOMORROWLAND 42801
MODULAR

Taupe Hues


Powerbond + Carpet Tile



MOSAIC 28502
CARPET TILE/POWERBOND CUSHION RS




FELTED 42713
CARPET TILE




ANCIENT PARCHMENT 15611
CARPET TILE




FELTED 42713
CARPET TILE



WOVEN CANE 42714
CARPET TILE



NATIVE ASPHALT 28302
CARPET TILE



TERRENE 76205
CARPET TILE

QE2

\$

MetalEdge®


STEEL 179

Multicolor/Saturated Tones


Powerbond + Carpet Tile




MIDNIGHT BLUE 19101
CARPET TILE/POWERBOND CUSHION




FLEECE 23508
CARPET TILE/POWERBOND CUSHION




LAPIS/MARINE 23517
CARPET TILE/POWERBOND CUSHION




POTPOURRI 23510
CARPET TILE/POWERBOND CUSHION



TAPESTRY 23512
CARPET TILE/POWERBOND CUSHION



LAPIS 28518
CARPET TILE/POWERBOND CUSHION




MARINE 28517
CARPET TILE/POWERBOND CUSHION




ENERGY 48005
POWERBOND CUSHION RS



PRISM 48002
POWERBOND CUSHION RS



VIBES 48003
POWERBOND CUSHION RS



DEEP INDIGO 42717
CARPET TILE



SOVEREIGN 76203
CARPET TILE



Aggregate 11016 Anchor Bolt 28301
24" X 24" Quarter Turn Installation

1D Latitude™ Wood Peppercorn 4695
6' X 48' Unidirectional Installation

Carpet Tile

To simplify the design process for quick-turn projects, we've pulled together a complete selection of carpet tile patterns and colorways that work across segments. Our carpet is available in tiles and planks of various sizes to support creative layouts and modern wayfinding. Proven to perform, these carpet tile offerings work in tandem with all other Tarkett products to create beautiful, functional spaces.

Aggregate 11016 Silver Deposit 28303
24" X 24" Monolithic Installation

ID Latitude™ Wood Vintage Oak 3530
6" X 48" Unidirectional Installation



Abrasive Action II 02578

Construction: Accuweave® Patterned Loop

Size: 24" x 24"

Yarn Content: TDX® Nylon

Dye Method: 100% Solution Dyed

Pattern Match: Not Required

Pile Height Average: 0.187 inch

Carpet Tile Backing: ethos® Modular with Omnicat Technology®

Powerbond® Backing: Powerbond Cushion

\$\$\$\$\$



JHANE BARNES

Aftermath II 03026

Construction: Stratatec® Patterned Loop

Size: 24" x 24"

Yarn Content: Dynex® Nylon

Dye Method: Solution/Yarn Dyed

Pattern Match: Not Required

Pile Height Average: 0.187 inch

Carpet Tile Backing: ethos Modular with Omnicat Technology

Powerbond Backing: Powerbond Cushion RS

\$\$\$



JHANE BARNES

AGGREGATE 11016

Construction: Stratatec Patterned Loop

Size: 24" x 24"

Yarn Content: ECONYL®


Dye Method: 100% Solution Dyed

Pattern Match: N/A


Pile Height Average: 0.187 inch

Carpet Tile Backing: ethos Modular with Omnicat Technology

\$



ANCHOR BOLT



SILVER DEPOSIT



APPLAUSE III 02803

Construction: Level Loop

Size: 24" x 24"

Yarn Content: Dynex®Nylon

Dye Method: Solution/Yarn Dyed


Pattern Match: Not Required

Pile Height Average: 0.117 inch

Carpet Tile Backing: ethos Modular with Omnicat Technology

Powerbond Backing: Powerbond Cushion RS

\$\$\$



ASSERTIVE SERIES

ASSERTIVE ACTION 04837

Construction: Symtex®

Size: 24" x 24"

Yarn Content: TDX Nylon

Dye Method: 100% Solution Dyed

Pattern Match: Not Required

Pile Height Average: 0.187 inch


Carpet Tile Backing: ethos Modular with Omnicat Technology

Powerbond® Backing: Powerbond Cushion RS


\$\$\$\$\$




CHROMIUM




STEELWORK



OPEN ARCHIVE COLLECTION

CACHE TWEED A0002**Construction:** Tufted Patterned Loop**Size:** 24" x 24"**Yarn Content:** TDX Nylon**Dye Method:** 100% Solution Dyed**Pattern Match:** N/A**Pile Height Average:** 0.219 inch**Carpet Tile Backing:** ethos Modular with Omniccoat Technology
\$\$\$

SATURATED GREY



FELTED



CARTOGRAPHY 04843

Construction: Stratatec Patterned Symtex

Size: 24" x 24"

Yarn Content: Dynex SD Nylon


Dye Method: 100% Solution Dyed

Pattern Match: N/A


Pile Height Average: 0.187 inch

Carpet Tile Backing: ethos Modular with Omnicoat Technology

\$\$\$



ANCIENT PARCHMENT



STONE LITHOGRAPH



COLORMAP 11130

Construction: Stratatec Patterned Loop

Size: 24" x 24"


Yarn Content: Dynex SD Nylon

Dye Method: 100% Solution Dyed


Pattern Match: N/A

Pile Height Average: 0.140 inch

Carpet Tile Backing: ethos Modular with Omnicoat Technology
\$\$\$



TOMORROWLAND



LANDING ZONE



JHANE BARNES

GEOKNIT 10887

Construction: Stratatec Patterned Loop

Size: 24" x 24"

Yarn Content: TDX® Nylon


Dye Method: 100% Solution Dyed

Pattern Match: N/A


Pile Height Average: 0.187 inch

Carpet Tile Backing: ethos Modular with Omnicat Technology


\$\$




DATA CLOUD




SATURATED GREY




NOIR,NOIR



SHADOW GRIS



FELTED



WOVEN CANE



DEEP INDIGO



SCALE STUDY SERIES

METRI II 04654

Construction: Stratatec Patterned Loop

Size: 24" x 24"

Yarn Content: Dynex SD Nylon


Dye Method: 100% Solution Dyed

Pattern Match: N/A

Pile Height Average: 0.187 inch

Carpet Tile Backing: ethos Modular with Omnicoat Technology

\$\$\$



QUARTZITE



AGATE



MID-GREY/SHARD



STAMP 11018

Construction: Stratatec Patterned Loop

Size: 24" x 24"

Yarn Content: ECONYL


Dye Method: 100% Solution Dyed

Pattern Match: N/A


Pile Height Average: 0.187 inch

Carpet Tile Backing: ethos Modular with Omnicat Technology

\$



ANCHOR BOLT




NATIVE ASPHALT




BIG CITY... BRIGHT LIGHTS

STREET LIFE 03973**Construction:** Stratatec Patterned Loop**Size:** 24" x 24"**Yarn Content:** Dynex SD Nylon**Dye Method:** 100% Solution Dyed**Pattern Match:** N/A**Pile Height Average:** 0.187 inch**Carpet Tile Backing:** ethos Modular with Omnicot Technology

\$



LIGHTS OUT



STREET CORNER



SUBSTANCE 11449

Construction: Stratatec Patterned Loop

Size: 18" x 36"

Yarn Content: Dynex SD Nylon


Dye Method: 100% Solution Dyed

Pattern Match: N/A


Pile Height Average: 0.141 inch

Carpet Tile Backing: ethos Modular with Omnicoat Technology


\$




76201
QUINTESSENCE




76202
CLERESTORY




76203
SOVEREIGN




76204
BLOCK OUT



76205
TERRENE



76207
PURE PARCHMENT



76208
INGRESS



TEXTUREMAP 11129

Construction: Stratatec Patterned Loop

Size: 24" x 24"


Yarn Content: Dynex SD Nylon

Dye Method: 100% Solution Dyed


Pattern Match: N/A

Pile Height Average: 0.187 inch

Carpet Tile Backing: ethos Modular with Omnicat Technology
\$\$\$



TOMORROWLAND



LANDING ZONE



JHANE BARNES

Powerbond

Powerbond hybrid resilient sheet flooring is a heterogeneous construction of nylon and an innovative closed-cell cushion, fused together through heat and pressure to create an impermeable, inseparable covering.

With installations that have performed for more than four decades, Powerbond has won numerous awards for design and performance—and offers unique attributes perfect for any commercial interior.

Applause III 02803 Mosaic 28502
Powerbond Installation

ID Latitude® Wood Chamois Oak 3606
6" x 48" Unidirectional installation



2NDPOWER 04987

Construction: Stratatec Patterned Loop

Yarn Content: Dynex SD Nylon


Dye Method: 100% Solution Dyed

Pattern Match: Not Required

Pile Height Average: 0.187 inch

Powerbond Backing: Powerbond Cushion RS

\$\$\$



STORMTROOPER



JHANE BARNES

ABRASIVE ACTION II 02578

Construction: Accuweave Patterned Loop

Size: 24" x 24"

Yarn Content: TDX Nylon

Dye Method: 100% Solution Dyed

Pattern Match: Not Required

Pile Height Average: 0.187 inch

Carpet Tile Backing: ethos Modular with Omnicat Technology

Powerbond® Backing: Powerbond Cushion

\$\$\$\$\$



JHANE BARNES

AFTERMATH II 03026

Construction: Stratatec Patterned Loop
Size: 24" x 24"
Yarn Content: Dynex Nylon
Dye Method: Solution/Yarn Dyed
Pattern Match: Not Required
Pile Height Average: 0.187 inch
Carpet Tile Backing: ethos Modular with Omnicat Technology
Powerbond Backing: Powerbond Cushion RS
\$\$\$




MERINO




FLEECE




FLANNEL



POTPOURRI



TAPESTRY



FIREWORKS



LAPIS/MARINE



JHANE BARNES

APPLAUSE III 02803

Construction: Level Loop

Size: 24" x 24"

Yarn Content: Dynex Nylon

Dye Method: Solution/Yarn Dyed


Pattern Match: Not Required

Pile Height Average: 0.117 inch

Carpet Tile Backing: ethos Modular with Omnicat Technology

Powerbond® Backing: Powerbond Cushion RS

\$\$\$



ASSERTIVE SERIES

ASSERTIVE ACTION 04837

Construction: Symtex

Size: 24" x 24"

Yarn Content: TDX Nylon

Dye Method: 100% Solution Dyed

Pattern Match: Not Required

Pile Height Average: 0.187 inch


Carpet Tile Backing: ethos Modular with Omnicat Technology

Powerbond Backing: Powerbond Cushion RS

\$\$\$\$\$



CHROMIUM



STEELWORK



Color Spectrum II 11644

Construction: Level Loop

Yarn Content: Dynex SD Nylon

Dye Method: 100% Solution Dyed

Pattern Match: Not Required

Pile Height Average: 0.117 inch

Powerbond Backing: Powerbond Cushion RS

\$\$\$



PRISM



VIBES



ENERGY



MOON RAY





MetalEdge[®] Finishing Accessories

Transition seamlessly between soft and hard surface flooring with this beautifully engineered solution. MetalEdge's unobtrusive design allows safe passage, while three metallic finishes coordinate so easily with flooring selections, they're practically invisible.

Geoknit 10887 Shadow Gris 42710
24" x 24" Vertical Ashlar Installation

ID Latitude™ Wood Peppercorn 4695
6" x 48" Unidirectional Installation

MetalEdge

Styles: ME001 - 0.130" (3.30 mm) to 0.255" (6.48 mm), LVT to Carpet
MET02 - 0.130" (3.30 mm) to 0.189" (4.80 mm), LVT to Carpet
ME003 - 0.375" (9.5 mm) to 0.25" (6.35 mm)
ME004 - Subfloor Leveler

Length: ME001, MET02, ME003 – 12'; ME004 – 4'



MET02 BLACK PEARL 82



ME001 IRONSTONE 178




ME003 STEEL 179



Geoknit 10887 Saturated Grey 42703
24" x 24" Vertical Ashlar Installation

ID Latitude™ Wood Urban Oak 3603
6" x 48" Unidirectional Installation



Tarkett Solution SPECtrum™

Design more brilliantly.


At Tarkett, we believe in placing people in the center of every space. So we've developed a portfolio of products designed to work together both functionally and aesthetically, helping you create more supportive spaces that maximize return on investment. Our full palette of colors, patterns, and textures is coordinated to work together visually across product categories—creating the perfect balance for people, planet, and performance.

The BrillianceSM Digital Color System puts the entire TARKETT SOLUTION SPECtrum portfolio at your fingertips—no matter where you happen to be working. Within one digital tool, you can save favorite surfaces to project boards, visualize them in a space, and order samples. By getting the right color match every time, the tool reduces sample waste and shipping, helping us all design more responsibly and reduce our carbon footprints. Speak to your Tarkett sales representative to get started, or visit brilliance.tarkett.com.

Products Shown:

1. Carpet Tile
Geoknit 10887
Saturated Grey 42703
2. Carpet Tile & Powerbond
Abrasive Action II 02578
Charcoal 19100
3. Carpet Tile
Stamp 11018 Native Asphalt 28302
4. iD Latitude Stone PLST LVT
iD Latitude Stone Hearthstone 7242
5. iD Latitude Abstract LVT
Finelines PLFL
Greige 5103
6. Carpet Tile
Street Life 03973
Lights Out 36101
7. Carpet Tile
Substance 11449
Clerestory 76202
8. iD Latitude Wood PLWD LVT
Vintage Oak 3530
9. Carpet Tile
Cache Tweed A0002
Felted 42713


CONSTRUCTION OPTIONS



ethos Modular with Omnicoat Technology

is a non-PVC backing made with post-consumer recycled PVB from car windshields and architectural glass from buildings. The filler used in the backing is post-industrial waste from the paper industry. ethos Modular carpet tile backing is Cradle to Cradle Certified® Silver.

When installed with TarkettTAPE, ethos with Omnicoat Technology requires no moisture testing.



Powerbond is a hybrid resilient carpet with a closed-cell impermeable cushion. Installing with chemically-welded seams creates a wall-to-wall impermeable installation. The product also creates a calmer environment with a 0.22 Noise Reduction Coefficient, and a 68 Impact Insulation Class. Powerbond is available with or without peel-and-stick—and no moisture testing is required before installation, if surface water is not visible.

Launched over 50 years ago, Powerbond still has no equal in the industry, and regularly maintained products have performed for over 40 years. When combined with Tarkett's Imaginations® program, Powerbond (as well as ethos Modular and Flex-Aire Modular Cushion) can display customized visuals such as brand names, logos, mascots, wayfinding, communications, and any other visual imaginable.



Construction Options

| | Backing Systems | Lifetime Limited Warranty | Rollability | Seams | Moisture Management | Installation |
|-----------|--|---------------------------|-------------|-------------|---------------------|--|
| POWERBOND | Powerbond Cushion | ● | Good | Impermeable | Impact 0 @ 10,000 | Peel & Stick Direct Glue |
| | Powerbond Medfloor® | ● | Excellent | Impermeable | Impact 0 @ 10,000 | Direct Glue |
| MODULAR | ethos Modular with Omnicoat Technology | ● | Excellent | | | TarkettTAPE Direct Glue |
| | Flex-Aire Modular Cushion | ● | Good | | | TarkettTAPE Peel & Stick Direct Glue |

| Product | Recycled Content* | | NSF 140 SCS Rating | Cradle to Cradle Certified® v3.1 | Declare | Green Label Plus Certified |
|--|-------------------|---------------|-----------------------|-------------------------------------|---------|----------------------------|
| | Overall | Post-Consumer | | | | |
| ethos Modular with Omnicoat Technology | 48-64% | 28-38% | Gold | Silver | ● | GLP8320 |
| Powerbond Cushion | 8-11% | 8-11% | Gold | | | GLP9744 |
| Flex-Aire Modular Cushion | 22-28% | 5-6% | Gold | | | GLP6558 |
| Powerbond Medfloor | 9-11% | 9-11% | Gold | | | GLP9744 |

*Minimum recycled content certified by Scientific Certification Systems (SCS) and varies by product style.

*Minimum recycled content certified by Scientific Certification Systems (SCS) and varies by product style.

**Cradle to Cradle Certified is a certification mark licensed by the Cradle to Cradle Products Innovation Institute. All products phthalate-free; does not contain PFAS or antimicrobials.

Visit us on Ecomedes (tarkett.ecomedes.com) to find product documentations such as LEED® LBC, WELL, Green Globes® Rating Systems and Federal Standards. Tarkett offers Environmental Product Declarations (EPDs) for all products.



For years, Tarkett has raised the sustainability standards of our industry. We took the first steps and are determined to stay a step ahead.

And while inspirational words are great, we know impact is in the numbers — numbers subjected to intense third-party scrutiny. So, at Tarkett we don't just say it, **we prove it.**

These three values help us stay the course when it comes to sustainability.



Setting New Transparency Standards

What you begin with affects everything that comes after it. That's why we subject our products to relentless scientific scrutiny and third-party testing and offer radical transparency about our materials and operations.



Empowering the Next Step in the Value Chain

We make our business partners and customers more inherently sustainable with products and practices that consider every step in the value chain.



Creating Healthier Futures

We base all our sustainability initiatives on our commitment to create healthier environments indoors and out, today and for generations to come.

Sustainability Highlights


Feel confident in the numbers



A holistic approach you can count on...



...And certifications you can trust.



We're leaders in radical transparency.



Setting tomorrow's standards...



...For globally recognized excellence.

95%

of our raw materials are third-party assessed their impact on human and environmental health based on Cradle to Cradle criteria.

70%

of raw materials are abundant, rapidly renewable or recycled.

14

zero-waste to landfill manufacturing plants.

2011

started working with EPEA to integrate Cradle to Cradle principles into every facet of our business.

2013

first commercial flooring **CERTIFIED asthma and allergy friendly®**.

2022

Powerbond RS is the first soft surface product in the industry to be **CERTIFIED asthma and allergy friendly®**.

100_{ppm}

raw materials content revealed down to 100 parts per million.

When most manufacturers reveal raw materials content down to just 1,000 ppm, there's simply no contest.

We've been providing Material Health Statements since 2013 to give you peace of mind about the content of our products.

99%

of flooring solutions have low VOC emission levels — 10x lower than the most stringent world standards.

100%

ortho-phthalate-free vinyl production. First company to eliminate ortho-phthalates from all products.

2010

first flooring manufacturer to join the UN Global Compact.

2021

awarded the Gold medal by EcoVadis; now ranked among the top 2% of companies in our industry rated by EcoVadis.

2022

scored A-, the CDP management level, regarding the climate change performance assessment.

At Tarkett, social and environmental responsibility aren't add-ons. They're woven, stamped and sealed into everything we do. But more importantly, we don't just say this, **we prove it.**

QuickShip Product Index by Collection

This index lists all products available through QuickShip (10-day shipping) and QuickShip Express (2-day shipping).
For more information, visit tarkett.com.

CARPET TILE & POWERBOND

| Style Name | Style # | Color Name | Color # | Service Level | Maximum | Price |
|--------------------|---------|-------------------|---------|---------------|---------|------------|
| 2nd Power II | 11648 | Stormtrooper | 71607 | Q10 | 1500 | \$\$\$ |
| Abrasive Action II | 02578 | Charcoal | 19100 | QE2 | 750 | \$\$\$\$\$ |
| Abrasive Action II | 02578 | Midnight Blue | 19101 | QE2 | 750 | \$\$\$\$\$ |
| Abrasive Action II | 02578 | Winter Gray | 19103 | QE2 | 750 | \$\$\$\$\$ |
| Aftermath II | 03026 | Fireworks | 23514 | Q10 | 1500 | \$\$\$ |
| Aftermath II | 03026 | Flannel | 23509 | QE2 | 750 | \$\$\$ |
| Aftermath II | 03026 | Fleece | 23508 | QE2 | 750 | \$\$\$ |
| Aftermath II | 03026 | Lapis/Marine | 23517 | Q10 | 1500 | \$\$\$ |
| Aftermath II | 03026 | Merino | 23504 | Q10 | 1500 | \$\$\$ |
| Aftermath II | 03026 | Potpourri | 23510 | Q10 | 1500 | \$\$\$ |
| Aftermath II | 03026 | Tapestry | 23512 | Q10 | 1500 | \$\$\$ |
| Aggregate | 11016 | Anchor Bolt | 28301 | QE2 | 750 | \$ |
| Aggregate | 11016 | Silver Deposit | 28303 | Q10 | 1500 | \$ |
| Applause III | 02803 | Lapis | 28518 | Q10 | 1500 | \$\$\$ |
| Applause III | 02803 | Marine | 28517 | Q10 | 1500 | \$\$\$ |
| Applause III | 02803 | Mosaic | 28502 | QE2 | 750 | \$\$\$ |
| Assertive Action | 04837 | Chromium | 26201 | Q10 | 1500 | \$\$\$\$\$ |
| Assertive Action | 04837 | Steelwork | 26202 | QE2 | 750 | \$\$\$\$\$ |
| Cache Tweed | A0002 | Felted | 42713 | Q10 | 1500 | \$\$\$ |
| Cache Tweed | A0002 | Saturated Grey | 42703 | QE2 | 750 | \$\$\$ |
| Cartography | 04843 | Ancient Parchment | 15611 | QE2 | 750 | \$\$\$ |
| Cartography | 04843 | Stone Lithograph | 15612 | Q10 | 1500 | \$\$\$ |
| ColorMap | 11130 | Landing Zone | 42808 | Q10 | 1500 | \$\$\$ |
| ColorMap | 11130 | Tomorrowland | 42801 | Q10 | 1500 | \$\$\$ |
| Color Spectrum II | 11644 | Energy | 48005 | QE2 | 750 | \$\$\$ |
| Color Spectrum II | 11644 | Moon Ray | 48010 | QE2 | 750 | \$\$\$ |
| Color Spectrum II | 11644 | Prism | 48002 | QE2 | 750 | \$\$\$ |
| Color Spectrum II | 11644 | Vibes | 48003 | QE2 | 750 | \$\$\$ |
| GeoKnit | 10887 | Data Cloud | 42702 | Q10 | 1500 | \$ |
| GeoKnit | 10887 | Deep Indigo | 42717 | Q10 | 1500 | \$ |
| GeoKnit | 10887 | Felted | 42713 | QE2 | 750 | \$ |
| GeoKnit | 10887 | Noir,Noir | 42704 | Q10 | 1500 | \$ |
| GeoKnit | 10887 | Saturated Grey | 42703 | Q10 | 1500 | \$ |
| GeoKnit | 10887 | Shadow Gris | 42710 | Q10 | 1500 | \$ |
| GeoKnit | 10887 | Woven Cane | 42714 | Q10 | 1500 | \$ |
| Metri II | 04654 | Agate | 62107 | Q10 | 1500 | \$\$\$ |
| Metri II | 04654 | Mid-Grey/Shard | 60616 | QE2 | 750 | \$\$\$ |
| Metri II | 04654 | Quartzite | 62105 | Q10 | 1500 | \$\$\$ |
| Stamp | 11018 | Anchor Bolt | 28301 | Q10 | 1500 | \$ |
| Stamp | 11018 | Native Asphalt | 28302 | Q10 | 1500 | \$ |
| Street Life | 03973 | Lights Out | 36101 | QE2 | 750 | \$ |
| Street Life | 03973 | Street Corner | 36104 | Q10 | 1500 | \$ |
| Substance | 11449 | Block Out | 76204 | Q10 | 1500 | \$ |
| Substance | 11449 | Clerestory | 76202 | Q10 | 1500 | \$ |
| Substance | 11449 | Ingress | 76208 | Q10 | 1500 | \$ |
| Substance | 11449 | Pure Parchment | 76207 | Q10 | 1500 | \$ |
| Substance | 11449 | Quintessence | 76201 | Q10 | 1500 | \$ |
| Substance | 11449 | Sovereign | 76203 | Q10 | 1500 | \$ |
| Substance | 11449 | Terrene | 76205 | Q10 | 1500 | \$ |
| TextureMap | 11129 | Landing Zone | 42808 | Q10 | 1500 | \$\$\$ |
| TextureMap | 11129 | Tomorrowland | 42801 | Q10 | 1500 | \$\$\$ |

ACCESSORIES

| Style Name | Style # | Color Name | Color # | Service Level | Price |
|-----------------|-----------|-------------|---------|---------------|-------|
| MetalEdge ME001 | 445082003 | Black Pearl | 82 | QE2 | \$ |
| MetalEdge ME001 | 445082001 | Ironstone | 178 | QE2 | \$ |
| MetalEdge ME001 | 445082002 | Steel | 179 | QE2 | \$ |
| MetalEdge MET02 | 445081007 | Black Pearl | 82 | QE2 | \$ |
| MetalEdge MET02 | 445081005 | Ironstone | 178 | QE2 | \$ |
| MetalEdge MET02 | 445081006 | Steel | 179 | QE2 | \$ |
| MetalEdge ME003 | 440483041 | Black Pearl | 82 | QE2 | \$ |
| MetalEdge ME003 | 440483010 | Ironstone | 178 | QE2 | \$ |
| MetalEdge ME003 | 440483012 | Steel | 179 | QE2 | \$ |
| MetalEdge ME004 | 440270002 | Black | 40 | QE2 | \$ |

INDEX

Visit tarkettna.com to view all products.

Product Notes

**POWERBOND®
MODULAR**

| | | | |
|-------------------------------------|---|---|--|
| 2ndPower II: pg 37 | ■ | | |
| Abrasive Action II: pg 22/38 | ■ | ■ | |
| Aftermath II: pg 23/39 | ■ | ■ | |
| Aggregate: pg 24 | | ■ | |
| Applause III: pg 25/40 | ■ | ■ | |
| Assertive Action: pg 26/41 | ■ | ■ | |
| Cache Tweed: pg 27 | | ■ | |
| Cartography: pg 28 | | ■ | |
| Color Spectrum II: pg 42 | ■ | | |
| ColorMap: pg 29 | | ■ | |
| GeoKnit: pg 30 | | ■ | |
| Metri II: pg 31 | | ■ | |
| Stamp: pg 32 | | ■ | |
| Street Life: pg 33 | | ■ | |
| Substance: pg 34 | | ■ | |
| TextureMap: pg 35 | | ■ | |



MIX
Paper from
responsible sources
FSC® C102271

Tarkett North America

30000 Aurora Road
Solon, Ohio 44139
800.248.2878

www.tarkett.com

For samples, visit www.tarket.com or call 800.248.2878.

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample.

©Tarkett North America 10/2023 **6299030007**