

Prices effective February 3, 2025 Published March 2025

Canvas Office Landscape® Vista™ 10-Day or Less

ntroduction	page 2
Canvas Office Landscape Vista 10-Day or Less	3
nfrastructure	5
Energy Distribution	7
Cable Management	9
Work Surfaces	10
Screens	11
Height Adjustable Table	12
ndices	15
By Name	15
By Number	17
Appendices	
10-Day or Less Order Information	
10-Day Keyed-Alike Information	
Proprietary Textiles Application Chart - 10-Day Workspaces	
Proprietary Textile Colors - 10-Day Workspaces	
For the latest materials information, refer to the Materials pages on H	ermanMiller.com.

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 3, 2025, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. Herman Miller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

For additional product information such as demensional drawings and product descriptions, refer to the standard price books.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

Infrastructure


Energy Distribution

Cable Management

Work Surfaces

Screens - Chase Attach


Height Adjustable Table




Specification Information
Step 1.
FG110.

Step 2. Width 72 72" wide

Prices	for Steps 1-2.		
FG110). 72	\$1007	
01 0			
Step 3	5. Finish		
Smoot	h Paint		
98	studio white (CP)	+\$0	
Metalli	ic Paint		
611	beige mist metallic (CP)	+\$0	
613	silver (CP)	+\$0	
SNA	satin aluminum	+\$80	
SNB	satin bronze	+\$80	
SNC	satin carbon	+\$80	
Sand -	Texture Paint		
UBK	ultra black (CP)	+\$0	
G1	graphite (CP)	+\$0	
DB3	glacier	+\$30	
DR1	canyon	+\$30	
DN2	nightfall	+\$30	
OLF	olive	+\$30	



Spe	ecification Information	
Step	1.	
FG16	60.	\$123
Step :	2. Finish	
Smoo	oth Paint	
98	studio white (CP)	+\$0
Metal	llic Paint	
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
Sand	Texture Paint	
UBK	ultra black (CP)	+\$0
G1	graphite (CP)	+\$0
DB3	glacier	+\$10
DR1	canyon	+\$10
DN2	nightfall	+\$10
OLF	olive	+\$10



Specification Information

Step 1.

FG119.

Step 2. Leg Location

1B intermediate

Step 3. Leg Finish

G1

DB3

DR1

DN2

OLF

graphite (CP)

glacier

canyon


nightfall

olive

1G end, for use with gallery panel

Prices for Steps 1-2.	
FG119. 1B	\$543
1G	\$664

Smoot	h Paint	
98	studio white (CP)	+\$0
Metall	ic Paint	
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
Sand ⁻	Texture Paint	
UBK	ultra black (CP)	+\$0



Specification Information

Step 1.

+\$0

+\$30

+\$30

+\$30

+\$30

FG117.

Step 2.	Leg Location
1A	end
1B	intermediate
1G	end, for use with gallery panel

Prices for Steps 1-2.	
FG117. 1A	\$559
1B	\$437
1G	\$559


Step 3	. Leg Finish	
Smoot	h Paint	
98	studio white (CP)	+\$0
Metalli	c Paint	
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
Sand T	exture Paint	
UBK	ultra black (CP)	+\$0
G1	graphite (CP)	+\$0
DB3	glacier	+\$30
DR1	canyon	+\$30
DN2	nightfall	+\$30
OLF	olive	+\$30

Power Entry, Internal Direct Connect - Floor

FG144.

Harness with Power + Data Cover

FG150.



Specification	Information
Specification	

Step 1.

FG144.

Step 2. Configuration

8-wire, 4-circuit, shared neutral

Step 3. Chase of Entry Length

60 60" wide


72 72" wide

Step 4. Power Harnes Location in Chase of Entry

Step 5. Length

06 6' long

Prices for Steps 1-5.	
	M06
FG144. 08 60	\$384
72	\$390



Specification Information

Step 1.

FG150.

Step 2. Configuration

8-wire, 4-circuit, shared neutral

Prices for Steps 1-2.

FG150. 08

Step 3. Finish


BK black

UBK ultra black (CP) \$356

+\$0

\$187

\$187



Specification Information

Step 1.

FG154.C

Step 2	Configu	ration		
nα	8_wire	4-circuit	charad nautral	


Step 3. Chase Length 60 60" wide

72 72" wide

Step 4. Power Locations Chase-to-Chase

1 (left to left) or (center to center) or (right to right)

Prices for Steps 1-4.	
	1
FG154.C 08 60	\$170
72	\$188



(Package of 4)

Receptacle, 4-Circuit, 15 Amp

Specification Information

Step 1.

FG152.

Step	2.	Configuration
------	----	---------------

AN 8-wire duplex, shared neutral, circuit a


DN 8-wire duplex, shared neutral, circuit d

Prices for Steps 1-2. FG152. AN DN


 Step 3. Finish
 +\$0

 BK black
 +\$0

 UBK ultra black (CP)
 +\$0



Spec	ification Information	
Step 1		
FG199		\$84
01.0		
Stan 2	Finish	
Step 2	. Finish ultra black (CP)	+\$0




Spec	ification Information
Step 1.	
FG	
Step 2.	Edge
S35.	squared-edge
Step 3.	Depth
42	42" deep
Step 4.	Width
48	48" wide
Step 5.	Surface Material
For squ	uared-edge (S35.)
L	high-pressure laminate top/thermoplastic edge

Step 6.	Top Thickness
For squ	ared-edge (S35.) with high-pressure laminate top/thermoplastic edge
(L)	
04	11/4" thick

Prices for Steps 1-6.	
	L04
FGS35. 42 48	\$975

Step 7	. Top Finish	
For hi	gh-pressure laminate top/thermoplastic edge (L)	
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Step 8	8. Edge Finish	
For h	nigh-pressure laminate top/ther	moplastic edge (L)
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
Step 9	9. Power Access Cutout	
NC	no cutout	+\$0



Spe	cification Information	
Step 1		\$294
Step 2	2. Finish	
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
98	studio white (CP)	+\$0
DB3	glacier	+\$10
DN2	nightfall	+\$10
DR1	canyon	+\$10
G1	graphite (CP)	+\$0
OLF	olive	+\$10
UBK	ultra black (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

FG116.

Step 2. Height

19" high (to reach 46" datum)

Step 3. Width

60 60" wide

72" wide 72

Step 4. Surface Material

For 60" wide (60) or 72" wide (72)

tackable fabric, horizontal


Prices for Steps 1-4.

R FG116. 19 60 \$1159

\$1327

Step 5. Fabric Price Category 1 +\$0

Price Category 2 +\$68 Price Category 3 +\$156



Specification Information

Step 1.

FG118.

Step 2. Height

19" high (to reach 46" datum)


Step 3. Width

60 60" wide

Prices for Steps 1-3.

60 FG118. 19 \$1337

Motia® Vista™ Rectangular Table with DV6GTS T-Foot



Specification Information

Step 1.

DV6GT

Step 2. Edge

squared-edge

Step 3. Depth

30" deep (29" surface size)

Step 4. Width

60 60" wide (58" surface size)

72" wide (70" surface size)

Step 5. Surface Material

For squared-edge (S.)

L

 $\textbf{A} \qquad \quad \text{high-pressure laminate top/thermoplastic edge with MicrobeCare} \\ ^{\text{\tiny{TM}}}$

C high-pressure laminate top/universal edge with MicrobeCare™

high-pressure laminate top/thermoplastic edge

U high-pressure laminate/universal edge

J thermally-fused laminate top/thermoplastic edge with MicrobeCare™

 $\textbf{K} \hspace{1cm} \textbf{thermally-fused laminate top/universal edge with MicrobeCare} ^{\text{\tiny{M}}}$

 ${\bf M} \hspace{1cm} \hbox{thermally-fused laminate top/thermoplastic edge}$

T thermally-fused laminate top/universal edge

W veneer top/veneer edge

Step 6. Top Thickness

For squared-edge (S.) with high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), or veneer top/veneer edge (W)

04 11/4" thick

For squared-edge (S.) with thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

04 11/4" thick

Step 7. Mechanism

E electric standard range

Step 8. Leg Location

For 60" wide (58" surface size) (60) or 72" wide (70" surface size) (72) with electric standard range (E)

1 legs outbound (no surface mounted storage)

Prices for Steps 1-8.						
	A04E1	C04E1	L04E1	U04E1	J04E1	K04E1
DV6GTS. 30 60	\$3269	3237	3219	3172	3172	3172
72	\$3471	3436	3422	3372	3366	3366

	M04E1	T04E1	W04E1
DV6GTS. 30 60	\$3077	3077	3845
72	\$3271	3271	4185

Step 9	. Switch Option	
STS	simple up/down - touch switch	+\$0

Step 10.

Top Finish

For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

natural maple (CP)	+\$0
natural cherry (CP)	+\$0
walnut (CP)	+\$0
light ash (CP)	+\$0
warm ash (CP)	+\$0
clear on ash (CP)	+\$0
walnut on ash (CP)	+\$0
	natural cherry (CP) walnut (CP) light ash (CP) warm ash (CP) clear on ash (CP)

Top/Edge Finish For veneer top/veneer edge (W) CHD noble cherry +\$85 WHN natural white oak +\$85

LBU

Top Finish For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T) natural maple (CP) +\$0 126 natural cherry (CP) +\$0 127 walnut (CP) +\$0 139 light ash (CP) +\$0 140 warm ash (CP) +\$0 8Q folkstone grey (CP) +\$0 91 +\$0 white (CP) 98 studio white (CP) +\$0 LBA clear on ash (CP) +\$0 LBB oak on ash (CP) +\$0 LBC walnut on ash (CP) +\$0 LBF neutral twill +\$0 LBQ white twill +\$0

Step 11. Edge Finish

medium matte walnut (CP)

For high-pressure laminate top/thermoplastic edge with MicrobeCare[™] (A), high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge with MicrobeCare[™] (J), or thermally-fused laminate top/thermoplastic edge (M)

+\$0

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
UBK	ultra black (CP)	+\$0

Step 12. Base Finish

Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand	Texture Paint	
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
Smoo	oth Paint	
98	studio white (CP)	+\$0
Step	13. Cable Trough	
N	no cable trough	+\$0
Step	14. Power Access Cutout	
NC	no cutout	+\$0
Step	15. Glides	
57	glides	+\$0

Canvas Vista™ 10-Day or Less	
Cable Manager, Under Chase	page(s) 9
Chase	5
Chase End Cap	5
Chase to Surface Tether Brackets	11
Flat Edge Screen, Chase Attached	12
Harness with Power + Data Cover	7
Marker Board Screen, Chase Attached	12
Motia® Vista™ Rectangular Table with T-Foot	13
Non-Structural Chase Post Leg	6
Peninsula Surface, Round End	10
Power Entry, Internal Direct Connect - Floor	7
Power Jumper - Consistent Chase Widths, Chase-to-Chase	8
Receptacle, 4-Circuit, 15 Amp (Package of 4)	8
Structural Chase T-Leg	6

DV6GTS	Motia® Vista™ Rectangular Table with T-Foot	page(s) 13
FG110.	Chase	5
FG116.	Flat Edge Screen, Chase Attached	12
FG117.	Non-Structural Chase Post Leg	6
FG118.	Marker Board Screen, Chase Attached	12
FG119.	Structural Chase T-Leg	6
FG144.	Power Entry, Internal Direct Connect - Floor	7
FG150.	Harness with Power + Data Cover	7
FG152.	Receptacle, 4-Circuit, 15 Amp (Package of 4)	8
FG154.	Power Jumper - Consistent Chase Widths, Chase-to-Cha	se 8
FG160.	Chase End Cap	5
FG199.	Cable Manager, Under Chase	g
FG290.	Chase to Surface Tether Brackets	11
FGS35.	Peninsula Surface, Round End	10



10-Day or Less Program

10-day or less products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple West Michigan manufacturing facilities. These include Holland, Spring Lake, and Zeeland. Orders will be shipped within 10 business days or less from the date of Herman Miller acknowledgement.

Ordering Procedures

- Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.
 - Order Entry fax number for Meridian® Filing and Storage: (616) 846 9236.
 - Order Entry fax number for all other products: (616) 654 3085.
- 2. Orders must be clearly marked "10-day or less program" and include only 10-day or less products. Orders not marked this way will be processed under standard lead times. Orders for standard lead times must be placed on a separate purchase order.
- 3. Only fabrics and finishes listed with each product are available through the 10-day or less program.
- 4. For any 10-day or less project over \$250,000 list price, please contact your Customer Care representative within 48 hours of order entry to reserve lead time.
- 5. For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

HermanMiller May 2022



Keyed-Alike Locks

All components with locks may be specified keyed alike. Products with keyed-alike locks will be shipped with lock chassis installed. Installation of lock cylinders will be on-site according to instructions provided. Herman Miller, Inc. will not be responsible for lock cylinder installation.

When specifying product keyed-alike, include separate lines on your order for the lock cylinders.

For Action Office® or Ethospace® products, list cylinder part number and key number (232092-XXX); select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

For Tu® Storage or Meridian® Storage, see the following charts. Keyed-alike locks are field installed.

To order keyed-alike locks for Action Office® Series 1 and 2 door panels, please contact Customer Care.

A master key can be used to open any lock on an attached or freestanding component. In addition, a removal key or lock change tool is required to remove lock plugs. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care.

For Tu Storage or Meridian Storage, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX1	black	UM series 226-427
KA	1B2JK7-XXX ¹	chrome	UM series 226-427

For 5000 Series flipper door unit with bezel or credenza storage cabinet with bezel, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX ¹	black	UM series 226-427

Key Number:

XXX1 = a key number between 226 and 427 (excluding 408 and 412)

HermanMiller May 2022



2 2 • • •

• • •

•

Proprietary Textiles Application Chart — 10-Day Workspaces Action Office® Panels/Connectors Canvas Office Landscape® Tiles Ethospace® Tiles/Connectors Available Application Note: Herman Miller cannot guarantee material/ B-Style Tackboards pattern alignment in adjacent products. For example, a fabric's E-Style Storage pattern may not align from one screen to the next, or from one panel to the next. Price Category 1 • Chain 2 Crossing (85_ 5 • • 3DE 2 2 • 21_ Grasscloth 1MN_ 2 2 Monologue 5T_ _ Resonance Slant 22F_ 10 235_ Tailored 1WS_ Whisper 2 2 Price Category 2 3AR_ Aristo 2 • • Cord • 51_. 2 • 92__ Crepe • • 2 • 2 • 4N_ Horizon • 2 • Medley • • 8R__ Twist (5S_ _--) 2 **Price Category 3**

2 Available on all products except 54" and 60" wide.

Ground Cloth®

Strands

8W_

Meld - Maharam

4 Not available on Action Office acoustical panels and not available on 54" and 60" wide products.

5 Not available on Action Office acoustical panels.

6 Available on seating products in select colors.

See the "Proprietary Textile Colors-10-Day Seating"
appendix.

Not available on Action Office connectors, cable management, and spacers.

22 Not available as railroaded application option for Chain (2V__).

HermanMiller August 2024



Price Category 1

Chain	
66" wide	
100% red	cycled polyester
with 12%	ocean bound plastic
2V01	Pearl ¹
2V02	Oyster
2V03	Wheat
2V04	Linen
2V05	Wicker
2V06	Bamboo
2V07	Sage
2V08	Spring Wood ¹
2V09	Iceberg ¹

Crossin	g
54" wide	9
86% ant	imony-free polyester
14% pol	yester
8T03	Wicker
8T04	Porcelain
8T05	Warm Grey
8T10	Tomato
8T17	Cerulean
8T18	Indigo
8T19	Shale
8T22	Tin
8T23	Graphite
8T24	Black

Crossir	ıg
For syst	ems products only.
54" wid	e
86% an	timony-free polyester
14% po	lyester
8501	lvory
8502	Ovster

Dex	
54" wide	
67% recy	cled polyester
33% poly	ester
3DE01	Frost
3DE02	Silver Pine
3DE03	Stone
3DE04	
3DE05	Charcoal
3DE06	
3DE07	Pine

Grassclo	th
66" wide	
100% rec	ycled polyester
with 11%	ocean bound plastic
2101	Silver Birch
2102	Pampas ¹
2103	Sedge
2107	Lea ¹
2108	Taro
2109	Steam Grey ¹
2l13	Gravel

Monologue		
54" wide		
56% recycled polyester		
44% polyester		
1MN01	Linen	
1MN02	Alabaster	
1MN04	Folkstone	
1MN05	Silver Pine	
1MN06	Slate	
1MN07	Seed	
1MN09	Persimmon	
1MN11	Meadow	
1MN12	Blue Sky	
1MN13		
1MN14	Deep Sea	

Resonance		
66" wide		
100% pol	yester	
5T04	Greige	
5T05	Porcelain	
5T06	Alabaster	
5T15	Iris	
5T28	Sugar	
5T54	Saltbush	

Slant	
66" wide	
51% poly	ester
49% recycled polyester	
22F04	Pesto
22F06	Neptune
22F07	Blueberry
22F10	Pumpkin
22F12	Silver Birch
22F13	Blue Stone
22F15	Shale

Tailored	
54" wide	
56% poly	ester
44% recyc	cled polyester
23502	Sugar
23508	Cobalt
23509	Cadet
23510	Fog
23511	
23512	Black

Whisper			
54" wide	54" wide		
73% recy	cled polyester		
27% poly	ester,		
vith 11.3	3% ocean bound plastic		
IWS01	Sand Dollar		
LWS02	Pebble		
LWS03	Silver Birch		
LWS04	lceberg		
LWS05	Silver Pine		
LWS06	Carbon		
LWS07	Cumin		
IWS12	Willow		
LWS13			
LWS14			
LWS15	Blueberry		
IWS16	Glacier		
LWS17	Grey		
IWS18	Canyon		

1 Temporary extended lead-time.

HermanMiller May 2024

Price Category 2

Appendix: Proprietary Textile Colors —10-Day Workspaces

3AR12

3AR13

3AR14

3AR15

Tin

Pewter

Grey Brindle

Grey Black

Aristo 54" wide 88% recycled polyester 12% polyester Acrylic backing 3AR01 Forest Moss 3AR02 Light Brindle 3AR03 Mink 3AR04 Copper 3AR06 Cherry 3AR08 Green Apple 3AR10 Waterfall 3AR11 Cadet

Cord			
66" wide			
51% an	51% antimony-free polyester		
49% polyester			
5101	lvory		
5102	White Ash		
5103	Linen		
5104	Bamboo		
5105	Sepia		
5107	Sesame		
5109	Bayou		
5111	Spring Wood		
5112	Summer White		

Crepe	
54" wide	
100% rec	ycled polyester,
with 43.6	% ocean bound plastic
9201	Licorice
9203	Smoke
9207	
9223	Cadet
9241	Beachglass
9249	Stone
9251	Fog
9252	Slate Grey
9261	
	Graphite
9265	Mineral
9266	Persimmon
9267	Juniper
9268	Glacier
9269	Cascade
9270	

Horizon		
54" wid	е	
65% ant	timony-free polyester	
35% po	lyester	
4N01	Rye Grass ¹	
4N02	Sugar Pine ¹	
4N04	White Ash ¹	
4N05	Spring Wood ¹	
4N09	Oat Grass ¹	

Medley	
54" wide	
50% recy	cled polyester
50% poly	ester
1HA01	Stone
1HA02	Trail
1HA03	Charcoal
1HA04	Cinder
1HA05	Citrus
1HA06	Papaya
1HA07	Chutney
1HA08	Tundra
1HA09	Feather Grey
1HA10	Chartreuse
1HA11	Loden
1HA12	Peacock
1HA13	Bayou
1HA14	Blue Grotto
1HA15	Blueberry
1HA22	Khaki
1HA23	Pewter

Sequel	
54" wide	
100% vin	yl
100% pol	yester knit backing
Resilience	e® finish
3SL01	White
3SL02	Pebble
3SL03	Mushroom
3SL04	
3SL06	Stone Rattan 1
33LU9	Seat
3SL10	Blue Fog
3SL11	Folkstone
3SL12	Shale
3SL13	Slate Grey
	Charcoal
3SL15	Carbon Dark
3SL28	

Twist	
54" wide	e
80% ant	imony-free polyester
13% rec	ycled polyester
7% pol	yester
8R05	Wicker
8R10	Рорру
8R14	
8R15	Shale
8R16	Graphite
	Birch
	Sepia
8R22	Blueberry
8R23	Green Apple
8R26	Gunmetal
8R35	Waterfall
8R37	Carbon Dark

Twist		
For systems products only.		
54" wide		
80% antimony-free polyester		
13% recycled polyester		
7% polyester		
5S03 Oyster		
80% antimony-free polyester 13% recycled polyester 7% polyester		

1 Temporary extended lead-time.

2 May 2024 HermanMiller

Price Category 3

Ground Cloth®			
66" wide			
100% polyester			
4701	Vapor Grey		
4721	Warm White		
4722	Fog		
4723	Straw		
4724	Red Orange		
4726	Green Apple		
4727	Caribbean		
4728	Midnight		
4729	Cappuccino		

Meld – Maharam		
54" wide		
68% post-consumer recycled polyeste		
32% polyester		
PFOA-Free stain resist	ant	
ZM202/466387-202	Panda	
ZM204/466387-204	Knight	
ZM205/466387-205	Quill	
ZM239/466387-239	Isle	

Strands				
66" wide				
100% recycled polyester				
8W01	Pebble			
8W02	Porcelain			
8W03	Taupe ¹			
8W05	Khaki			
8W08	Tin			

1 Temporary extended lead-time.

HermanMiller

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

® HermanMiller, ●, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

[™] About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyris, Lyris 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

 \mbox{Corian}^{\otimes} is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

 $\mbox{\it Crypton}^{\mbox{\it @}}$ is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

 $\label{eq:FSC} {\sf FSC}^{\scriptsize (8)} \ {\sf is \ a \ registered \ trademark \ of \ the \ Forest \ Stewardship \ Council \ A.C. \ ({\sf FSC}).}$

Geiger[®] is a registered trademark, and Bumper[™], Saiba[™], and Ward Bennett[™] are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Lisocore® is a registered trademark of Pyrus Panels GmbH.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare[™] is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi[®] and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat[™] is a trademark of Dahti Seating, a division of ITW.

Valor™ is among the trademarks owned by Nemschoff, Inc.