



GSA prices effective October 7, 2024
(based on July 1, 2024, commercial price list)
Published March 2025

Workspaces

Canvas Office Landscape® Vista™

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!®, a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture
FSC/PSC 7110/7125
Contract Number: GS-03F-036DA
UEI: Q2K3MSZ843D8
Contract Period: December 21, 2015—December 20, 2025

MillerKnoll, Inc.
855 East Main Avenue
Zeeland, Michigan 49464
(616) 654 3000 Phone
(616) 654 8278 Fax
www.HermanMiller.com/government

Business Size: Large

Contract Information

1a. Special Item Numbers (SIN)

SIN 33721

Furniture Systems, Computer Furniture, Filing and Storage, Tables and Accessories, Upholstered Seating and Multi-Purpose Seating, Project Management, Reconfiguration and Relocation Services, Design/Layout and Installation Services

SIN 33721P

Packaged Offices

SIN 337127

Modular Laboratory Furniture Systems

SIN 339113H

Healthcare Furniture

SIN OLM

Order-Level Materials (OLMs)

This SIN is only for products and/or services used in direct support of the purchase of new furniture. It requires approval from the ordering Contract Officer. Please contact your local MillerKnoll Inc. representative to discuss the appropriate use of this SIN.

SIN 532289

Leasing

Contact MillerKnoll Inc participating government dealer for current leasing information.

1b. Lowest Priced Model

SIN 33721:	BVP3.S	\$7.27
SIN 33127:	TW113	\$5.81
SIN 339113H:	CR900NR	\$483.80

1c. Service Rates

Project Management

Furniture Project Manager: \$64.75 per hour
Furniture Project Coordinator: \$49.00 per hour
Build-Out Project Manager: \$80.00 per hour

Reconfiguration and Relocation Services

Not to exceed \$55 per hour.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

Design/Layout

Not to exceed \$65 per hour.

Installation Services

Not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation).

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

2. Maximum Order

SIN 33721, 337127, NEW, OLM

\$250,000 net product value

SIN 33721P

\$250,000 net value

SIN 339113H

\$500,000 net product value

3. Minimum Order

\$100 net

4. Geographic Coverage

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

5. Point of Production

Zeeland, Ottawa County, Michigan

Spring Lake, Ottawa County, Michigan

Elland, Yorkshire, United Kingdom

Hildebran, Burke County, North Carolina, USA

6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 33721

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Action Office 1	73.8%
Action Office 2	73.8%
Aeron	64.5%
Ambit Workspace Solutions	74.3%
Asari Chair	53.7%
Aside	64.2%
Bay Work Pod	56.7%
C-Style Overhead Storage	73.8%
Canvas Office Landscape Channel	74.8%
Canvas Office Landscape Dock	74.8%
Canvas Metal Desk	74.8%
Canvas Office Landscape Metal Storage	74.8%
Canvas Office Landscape Private Office	74.8%
Canvas Office Landscape Wood Storage	74.8%
Canvas Office Landscape Vista	74.8%
Canvas Office Landscape Wall	74.8%
Caper	61.5%
Commend Nurses Station	73.3%
Cosm	61.7%
Eames® Aluminum Group	58.7%
Eames Conference & Dining Tables	73.6%
Easton Family	54.91%
Embody	59.7%
Energy Distribution Systems	73.8%
Ethospace System	73.8%
Everywhere™ Tables	73.8%
Exclave	61.7%

Contract Information

continued

Fuld	59.7%
Headway™ Tables	73.8%
Intent Solution	58.7%
Layout Studio®	60.7%
Lighting	73.8%
Lino	63.7%
Meridian Laterals	67.3%
Meridian Pedestals	64.2%
Meridian Towers	62.7%
Meridian Storage	62.7%
Mirra 2	61.7%
Motia Tables	73.8%
NaughtOne	50.0%
Nemschoff	54.91%
Nevi™ Tables	73.8%
Nevi Link	73.8%
OE1 Boundary	72.8%
OE1 Community Elements	61.7%
OE1 Micro Packs	73.8%
OE1 Storage	72.8%
OE1 Tables and Benching	73.8%
Overlay™	62.7%
Plex® Lounge Furniture	59.5%
Pronta Stacking Chair	57.7%
Public Office Landscape	61.7%
Renew™ Tables	73.8%
Renew Link	73.8%
Sayl	62.2%
Setu	59.7%
Swoop Lounge Furniture	60.7%
Thrive Portfolio	62.0%
Thrive Portfolio-CBS Products Extension	62.0%
Tu Lateral Files	74.3%
Tu Pedestals	73.8%
Tu Storage	74.3%
Tu Towers	74.3%
Tu Wood Cases	74.3%
Tu Wood Cubbies	74.3%
Tu Wood Credenzas	74.3%
Tu Wood Pedestals	74.3%
Tu Wood Towers	74.3%
Valor™ Family	54.91%
Verus	63.7%
Zeph	60.2%

Services

Please refer to section 19 for Terms and Conditions of Installation/ Reconfiguration and Relocation Services.

Project Management

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local MillerKnoll Inc. representative to discuss the available labor categories (listed below). The hourly rates listed are “Not To Exceed” or “NTE” values.

Furniture Project Manager: \$64.75 per hour
Furniture Project Coordinator: \$49.00 per hour
Build-Out Project Manager: \$80.00 per hour

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

Design/Layout

Design service will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$65 per hour.

Installation Services

Installation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation).

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 337127

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Action Lab	58.5%
Compass System	58.5%
Co/Struc System	58.5%
Healthcare Carts	18.0%
Mora System	58.5%
Bedside Cabinets	58.5%

SIN 33721P

Packaged Office Furniture - Maximum Order \$250,000 (net).

Includes packaged furniture solutions for customers needing to furnish an office.

SIN 339113H

Standard Lead Time, Single Order Net Purchase \$100 - 500,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Nemschoff Healthcare Furniture	54.91%

7. Quantity Discounts

Reference item #6.

8. Payment Terms

Net 30 days

9. Foreign Items

None

10. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact MillerKnoll Inc. or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

Contract Information

continued

11. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

12. Ordering Address

a. MillerKnoll Inc.

Government Customer Care 0161
855 East Main Avenue
Zeeland MI 49464.

b. For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.

13. Payment Address.

MillerKnoll Inc.
22764 Network Place
Chicago, IL 60673-1227

14. Warranty

MillerKnoll Inc. commercial warranty applies.

15. Export Packing Charge

Prices supplied on request.

16. Rental Maintenance and Repair Terms

Not applicable

17. Terms and Conditions of Installation/Reconfiguration and Relocation Services

* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

18. Terms and Conditions of Repair Parts

Not applicable

19. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

20. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/where-to-buy/contact-a-dealer/. Select your market by using the filter.

21. Preventive Maintenance

Not applicable

22a. Special Attributes.

2022

MillerKnoll earns its 15th consecutive perfect score in Human Rights Campaign Foundation's 2022 Corporate Equality Index.

2021

The OE1 Trolley and Micro Packs are both winners of the 2021 Archiproducts international design competition in the Office Category.

MillerKnoll is named to Michigan's Best and Brightest in Wellness List for 2021.

MillerKnoll is awarded Platinum Rating in CSR by EcoVadis.

OE1 is named winner of Wallpaper's "Most Futuristic Furniture" Category as part of their first-ever Smart Space Awards.

OE1 receives the Workplace category award from Fast Company's 2021 Innovation by Design Awards.

MillerKnoll is named to Fast Company's Annual List of the World's Most Innovative Companies for 2021.

MillerKnoll is recognized as a "Disclosure Leader" by the Chemical Footprint Project (CFP).

Contract Information

continued

MillerKnoll earns its 14th consecutive perfect score in Human Rights Campaign Foundation's 2021 Corporate Equality Index.

MillerKnoll is named to Newsweek's List of America's Most Responsible Companies 2021.

Great Lakes Women's Business Council awards MillerKnoll for "Excellence in Supplier Diversity" in the Best In Class category.

2020

Herman Miller is recognized with a 2020 FSC® Leadership Award for our commitment to responsible forestry management.

Herman Miller is named one of Investor's Business Daily Top 50 Best ESG (Environmental, Social, and Corporate Governance) Companies.

Working Mother names Herman Miller as one of the Best Companies for Dads.

Herman Miller is awarded Platinum Rating in CSR by EcoVadis.

Herman Miller is named Diversity Inc 2020 Noteworthy Company for recruitment efforts, employee development opportunities, leadership accountability, and supplier diversity.

Cosm, by Studio 7.5, receives an iF Gold Award in the Office and Industry category at the iF World Design Awards 2020.

Herman Miller earns its 13th consecutive perfect score in Human Rights Campaign Foundation's 2020 Corporate Equality Index.

2019

Mora System casework, designed by Collective Ten for Herman Miller, receives silver in the Industrial and Life Science Design/ Medical Furniture category at the European Product Design Awards.

Mora System casework is awarded GOOD DESIGN Award 2019, selected for design excellence and innovation.

National Minority Supplier Diversity Council (NMSDC) names Herman Miller as the 2019 Class 1 Corporation of the Year for leadership in supplier diversity.

TIME Magazine names Cosm to its list of 100 Best Inventions of 2019.

Herman Miller is named #12 Overall and #2 in Manufacturing on Investor's Business Daily Best ESG (Environmental, Social, Governance) Companies.

Herman Miller is recognized as a silver level Certified Veteran-Friendly Employer by the Michigan Veterans Affairs Agency for a commitment to veteran hiring, retention, and development.

For the second year in a row, Herman Miller receives a Gold Medal from EcoVadis in recognition of Corporate Social Responsibility achievement measured in categories of environment, labor and human rights, ethics, and sustainable procurement.

Herman Miller is named "Frontrunner" in Chemical Footprint Project by Clean Production Action for our chemical management policies and practices.

Herman Miller receives International Interior Design Association and Contract's best showroom design award in the "Large Showroom" category at NeoCon.

Herman Miller earns its 12th consecutive perfect score in Human Rights Campaign Foundation's 2019 Corporate Equality Index.

Cosm, designed by Studio 7.5 for Herman Miller, receives a Red Dot Best of the Best Product Design Award in the "Office Chairs" category.

Lino, designed by Sam Hecht and Kim Colin for Herman Miller, receives an iF Design Award in the Product Design category.

2018

Overlay, designed by Birsell+Seck, receives Interior Design Best of Year Award in the Partitions and Wall Systems category.

Herman Miller receives the "Corporation of the Year" in consumer products award from the Michigan Minority Supplier Development Council.

Herman Miller achieves the Advanced Excellence in Supplier Diversity Award from the Great Lakes Women's Business Council for doing business with women-owned suppliers.

Great Lakes Women's Business Council awards Herman Miller for "Excellence in Supplier Diversity" in the Advanced category.

WEConnect awards Herman Miller an Honorable Mention for global supplier diversity initiatives.

As one of the top-scoring companies in the industry for the 14th consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2018 Sustainability Yearbook and receives the Silver Class distinction for excellent sustainability performance—economic, environmental, and social.

For the 11th consecutive year, Herman Miller receives a perfect score on the Human Rights Campaign Foundation's Corporate Equality Index and is designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly LGBT-related policies and practices.

Contract Information

continued

Herman Miller receives Gold Medal from EcoVadis in recognition of Corporate Social Sustainability achievement measured in categories of environment, labor and human rights, ethics, and sustainable procurement. EcoVadis operates the first web-based collaborative platform that allows companies to assess the environmental and social performance of their global suppliers.

Aeron receives Good Design Award from The Chicago Athenaeum Museum of Architecture and Design.

The Cosm Chair wins Mix Interiors "Product of the Year—Task" award.

2017

Herman Miller receives "Rising Star Award" from the Michigan Veterans Affairs Agency (MVAA) for exhibiting new and novel approaches to veteran recruitment and hiring.

Herman Miller is named the 2017 "Corporation of the Year" in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller receives a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award. SEAL Award winners are determined by a holistic methodology measuring applicants against established benchmarks that demonstrate impact and progress toward creating a healthy planet and a sustainable future.

Herman Miller earns the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller is named one of the Best and Brightest in Wellness for the 5th year in a row.

Herman Miller earns its 10th consecutive perfect score in Human Rights Campaign Foundation's 2017 Corporate Equality Index.

As one of the top-scoring companies in the industry for the 13th consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2017 Sustainability Yearbook and receives the Bronze Class distinction for excellent economic, environmental, and social sustainability performance. The selection criteria for inclusion in the Yearbook becomes more rigorous each year, and only the top 15 percent of companies within each industry are selected.

Herman Miller once again earns the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience. Herman Miller is the only furniture manufacturer among the 160 companies across the U.S. and Canada honored with the award.

Herman Miller's Mora wins Nightingale Silver Award in the "Furniture Collections" category at the 2017 Healthcare Design Conference.

2016

Herman Miller earns 9th consecutive perfect score in Human Rights Campaign Foundation's Corporate Equality Index and is designated as Best Place to Work for LGBT equality.

Herman Miller is recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC) for being an outstanding partner in support of the growth of WMEAC's programs. WMEAC's award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (5th consecutive year) recognizes Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability. This award celebrates those companies that are making their businesses more sustainable, the lives of their employees better, and the community, both locally and globally, more responsible as a whole.

Herman Miller is recognized by the Michigan Minority Supplier Development Council (MMSDC) as a "Corporation of the Year". Additionally, we are the only West Michigan company this year to receive an "Ambassadors Championing Excellence" Award from the MMSDC.

Herman Miller is recognized with "2016 Excellence in Supplier Diversity Award" from the Great Lakes Women's Business Council.

Herman Miller is recognized as a 2016 Healthiest 100 Workplace in America, ranking 49th in the country for our commitment to health and exceptional corporate wellness programming.

Herman Miller receives the Best and Brightest in Wellness Award for the 4th year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

The Michigan Occupational Safety and Health Administration renews Herman Miller's "Star" status, the highest workplace safety and health designation, for the Hickory facility in Spring Lake.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Herman Miller is named a 2016 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller is selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for the 12th consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

Contract Information

continued

22b. Section 508 Compliance

Not applicable

23. Unique Entity ID: Q2K3MSZ843D8

24. Registered in System for Award Management (www.SAM.gov) Database

25. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

26. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

Returns and restocking policy is not applicable to Options products, products under SIN 337127, 339113H, NaughtOne and Nemschoff products.

MillerKnoll Inc. Miscellaneous Information:

Federal ID Number: 38-0837640

Commercial and Government Entity Code (CAGE): 40636

Data Universal Numbering System (DUNS) 00-601-2801

Commercial Entity Code (CEC): 00702290J

Introduction	page 2
Canvas Office Landscape® Vista™	3
Infrastructure	5
Energy Distribution	15
Cable Management	37
Work Surfaces	42
Screens	62
Accessories	98
Height Adjustable Table	106
Storage-Tu® Wood for Canvas Vista	124
Indices	169
By Name	169
By Number	171
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Keyed-Alike Information	
Vary Easy Program	
Textiles Application Chart-Workspaces	
Textile Colors	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective October 7, 2024, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.


20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Infrastructure	
Energy Distribution	
Cable Management	
Work Surfaces	
Screens - Chase Attach	
Screens - Fixed Surface Attach	
Accessories	
Height Adjustable Table	
Storage - Tu Wood for Canvas Vista™	





Product Information

Description

This aluminum extrusion distributes power, data and cable management to the user. The chase has 3 tracks on top that are designed for flexibility and to layer work surfaces, screens, T-lights, Ubi work tools and other accessories. The chase has 2 tracks on the bottom for attaching legs, wire management, Ubi work tools and power + data covers. Plastic covers are included to cover power and data cables in the bottom of chase.

Notes

Chase is 6" deep.

Overall chase height above finished floor is 26½".


Power can enter chase at end of run or at an intermediate location using floor power entry (FG144.) or ceiling power entry (FG142.). For New York City floor power entry, order floor power entry (FG141.) separately.

Chase must be supported by structural and nonstructural supports depending on length of run and application. See planning guide for additional planning information.

Order the following products separately:

- Structural chase A-leg (FG11A.)
- Structural chase T-leg (FG119.)
- Non-structural chase post leg (FG117.)
- End cap (FG160.)

Dimensions



Specification Information

Step 1.

FG110.

Step 2. Width

48	48" wide
60	60" wide
66	66" wide
72	72" wide
84	84" wide
96	96" wide

Prices for Steps 1-2.

FG110. 48	\$716
60	\$846
66	\$929
72	\$1007
84	\$1267
96	\$1532

Step 3. Finish

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$80
SNB	satin bronze	+\$80
SNC	satin carbon	+\$80
EH	metallic bronze	+\$0

Sand Texture Paint


UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
DB3	glacier	+\$30
DR1	canyon	+\$30
DN2	nightfall	+\$30
OLF	olive	+\$30

Chase End Cap

FG160.



Product Information
Description
This end trim finishes the exposed ends of the Vista™ chase. Quantity of 2.
Notes
Specify 1 set of end caps for a single chase. For a run of 2 or more chases, specify 1 set of end caps.
Dimensions




Specification Information
Step 1.
FG160.
\$123


Step 2. Finish
Smooth Paint
8Q folkstone grey (CP) +\$0
91 white (CP) +\$0
98 studio white (CP) +\$0
CL cool grey neutral +\$0
WL warm stone (CP) +\$0
WN warm grey neutral +\$0
Metallic Paint
611 beige mist metallic (CP) +\$0
613 silver (CP) +\$0
SNA satin aluminum +\$10
SNB satin bronze +\$10
SNC satin carbon +\$10
EH metallic bronze +\$0
Sand Texture Paint
UBK ultra black (CP) +\$0
BK black +\$0
G1 graphite (CP) +\$0
DB3 glacier +\$10
DR1 canyon +\$10
DN2 nightfall +\$10
OLF olive +\$10

Structural Chase A-Leg


FG11A.



Product Information
Description
This structural A-leg provides support on one end of the chase. This fixed height leg provides 2" of leveling adjustment. Attachment hardware included.
Notes
2 end legs, 1 at each end of the chase, are needed to provide support. For length of run and proper support information, see planning guide.
Dimensions



Specification Information
Step 1.
FG11A. \$1007
Step 2. Leg Finish
Smooth Paint
8Q folkstone grey (CP) +\$0
91 white (CP) +\$0
98 studio white (CP) +\$0
CL cool grey neutral +\$0
WL warm stone (CP) +\$0
WN warm grey neutral +\$0
Metallic Paint
611 beige mist metallic (CP) +\$0
613 silver (CP) +\$0
EH metallic bronze +\$0
SNA satin aluminum +\$10
SNB satin bronze +\$10
SNC satin carbon +\$10
Sand Texture Paint
UBK ultra black (CP) +\$0
BK black +\$0
G1 graphite (CP) +\$0
DB3 glacier +\$30
DR1 canyon +\$30
DN2 nightfall +\$30
OLF olive +\$30



Canvas Vista™ Infrastructure

Product Information


Description

This structural T-leg provides support on one end of the chase or at an intermediate location. This fixed height leg provides 2" of leveling adjustment. Attachment hardware included.

Notes

2 end legs, 1 at each end of the chase, are required to provide support. Structural T-leg, end (FG119.1A) is used on the end of the chase. Structural T-leg, intermediate (FG119.1B) is used where 2 chase sections come together in the intermediate location or along the chase where additional support is needed. When using gallery panel, chase attached (FG113.) specify leg location as end, for use with gallery panel (FG119.1G) option. Attachment hardware for chase included. Order gallery panel (FG113.) separately. For length of run and proper support information, see planning guide.

Dimensions



Specification Information

Step 1.

FG119.

Step 2. Leg Location

1A end**1B** intermediate

Prices for Steps 1-2.

FG119. 1A	\$664
1B	\$543

Step 3. Leg Finish

Smooth Paint


8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
DB3	glacier	+\$30
DR1	canyon	+\$30
DN2	nightfall	+\$30
OLF	olive	+\$30



Product Information


Description

This nonstructural post leg provides support on one end of the chase or at an intermediate location. This fixed height leg provides 2" of leveling adjustment. Attachment hardware included.

Notes

2 end legs, 1 at each end of the chase, are required to provide support.
 Nonstructural post leg, end (FG117.1A) is used on the end of the chase.
 Nonstructural post leg, intermediate (FG117.1B) is used where 2 chase sections come together in the intermediate location or along the chase where additional support is needed.
 When using gallery panel, chase attached (FG113.) specify leg location as end, for use with gallery panel (FG117.1G) option. Attachment hardware for chase included. Order gallery panel (FG113.) separately.
 For length of run and proper support information, see planning guide.

Dimensions



Non-Structural Chase Post Leg

continued

Specification Information

Step 1.

FG117.

Step 2. Leg Location

1A end

1B intermediate

Prices for Steps 1-2.

FG117. 1A \$559

1B \$437

Step 3. Leg Finish

Smooth Paint

8Q folkstone grey (CP) +\$0

91 white (CP) +\$0

98 studio white (CP) +\$0

CL cool grey neutral +\$0

WL warm stone (CP) +\$0

WN warm grey neutral +\$0

Metallic Paint

611 beige mist metallic (CP) +\$0

613 silver (CP) +\$0

EH metallic bronze +\$0

SNA satin aluminum +\$10

SNB satin bronze +\$10

SNC satin carbon +\$10

Sand Texture Paint

UBK ultra black (CP) +\$0

BK black +\$0

G1 graphite (CP) +\$0

DB3 glacier +\$30


DR1 canyon +\$30

DN2 nightfall +\$30

OLF olive +\$30


Structural Support, Low Storage to Chase

FG292.



Product Information
Description This structural storage support provides support to the chase by attaching to the top surface of a Tu® Wood for Vista™ shared or individual credenza. Attachment hardware included.
Notes For use with a Tu Wood for Vista shared storage credenza, specify clamp mount (1A). Clamp mount (1A) slides into place without defacing credenza top. For use with a Tu Wood for Vista individual storage credenza, specify through mount (1B). Through mount (1B) will deface the storage surface top by drilling into it. Through mount (1B) can also be used with Tu storage units that have an overall height of 22". For length of run and proper support information, see planning guide.

Dimensions



Structural Support, Low Storage to Chase *continued*

Specification Information

Step 1.

FG292.

Step 2. Application

1A clamp mount, for use with Vista shared storage

1B through mount, for use with single sided storage

Prices for Steps 1-2.

FG292. 1A \$513

1B \$513

Step 3. Leg Finish

Smooth Paint

8Q folkstone grey (CP) +\$0

91 white (CP) +\$0

98 studio white (CP) +\$0

CL cool grey neutral +\$0

WL warm stone (CP) +\$0

WN warm grey neutral +\$0

Metallic Paint

611 beige mist metallic (CP) +\$0

613 silver (CP) +\$0

EH metallic bronze +\$0

SNA satin aluminum +\$10

SNB satin bronze +\$10

SNC satin carbon +\$10

Sand Texture Paint

UBK ultra black (CP) +\$0

BK black +\$0

G1 graphite (CP) +\$0

DB3 glacier +\$10


DR1 canyon +\$10

DN2 nightfall +\$10

OLF olive +\$10


Chase Connector Kit

FG121.




Product Information
Description
This connector kit is used to connect one chase to another when a structural or nonstructural support is not used at the chase-to-chase intersection. Finish is black. Attachment hardware is included.
Notes
When using a chase connector kit, a structural or nonstructural support is needed within 1' of the connection. Order support separately. For proper support information, see planning guide.
Dimensions

Specification Information
Step 1.
FG121.
\$131



Power Entry, Internal Direct Connect FG144. - Floor



Product Information

Description

This power entry connects a building's electrical supply from a wall, floor or column to the power block of the harness with power + data cover located under the chase. It enters the bottom of an end leg or can enter at a chase-to-chase intermediate location by routing up an intermediate leg with infeed cover. Power entry is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. The power infeed is liquid tight from the power source to the transition coupler in the leg, and flex conduit from the coupler to the power harness. Power entry is UL Listed and Canadian UL Listed.

Notes



Power entry consumes 1 of 4 modular connection points available on each end of the harness with power + data cover (FG150.).

Licensed electrician must wire power entry.

Power entry does not contain any PVC.

For more planning information using the power entry, see planning guide.

Dimensions



Specification Information

Step 1.

FG144.

Step 2. Configuration

08	8-wire, 4-circuit, shared neutral
10	10-wire, 4-circuit, separate neutrals

Step 3. Chase of Entry Length

48	48" wide
60	60" wide
66	66" wide
72	72" wide
84	84" wide
96	96" wide

Step 4. Power Harness Location in Chase of Entry

N	near
M	mid
F	far

Step 5. Length


06	6' long
12	12' long
18	18' long

Prices for Steps 1-5.

		N06	N12	N18	M06	M12	M18
FG144.	08 48	\$367	539	708	373	545	716
	60	\$367	539	708	384	553	724
	66	\$367	539	708	388	557	727
	72	\$367	539	708	390	560	731
	84	\$367	539	708	402	572	742
	96	\$367	539	708	415	586	751
	10 48	\$367	539	708	373	545	716
	60	\$367	539	708	384	553	724
	66	\$367	539	708	388	557	727
	72	\$367	539	708	390	560	731
	84	\$367	539	708	402	572	742
	96	\$367	539	708	415	586	751

Power Entry, Internal Direct Connect
 - Floor *continued*

			F06	F12	F18
Canvas Vista™ Energy Distribution	FG144.	08 48	\$384	553	724
		60	\$398	566	738
		66	\$405	574	746
		72	\$410	583	751
		84	\$438	608	775
		96	\$463	633	797
	10	48	\$384	553	724
		60	\$398	566	738
		66	\$405	574	746
		72	\$410	583	751
		84	\$438	608	775
		96	\$463	633	797



Product Information

Description

This floor power entry connects a building's electrical supply from a junction box located inside the end leg to the end of the harness with power + data cover located under the chase. It connects to the modular connection location on the end of a power harness and includes a junction box. Power entry is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. Power entry is UL Listed and Canadian UL Listed.

Notes

Licensed electrician must wire power entry.

Power entry consumes 1 of 4 modular connection points available on each end of the harness with power + data cover (FG150.).


Harness with power + data cover (FG150.) is required. Order separately.

This infeed comes in 1 of 5 lengths and must be field cut to the appropriate length.

When power entry is at a chase-to-chase intermediate connection, a structural chase T-leg, end (FG119.1A) or nonstructural chase post leg, end (FG117.1A) will need to be used, depending on the application.

For more planning information using the power entry, see planning guide.

Dimensions



Canvas Vista™ Energy Distribution

Specification Information

Step 1.

FG141.

Step 2. Configuration

08	8-wire, 4-circuit, shared neutral
10	10-wire, 4-circuit, separate neutrals

Step 3. Chase of Entry Length


48	48" wide
60	60" wide
66	66" wide
72	72" wide
84	84" wide
96	96" wide

Step 4. Power Harness Location in Chase of Entry

N	near
M	mid
F	far

Prices for Steps 1-4.

	N	M	F
FG141. 08 48	\$521	521	521
60	\$536	536	536
66	\$543	543	543
72	\$548	548	548
84	\$564	564	564
96	\$581	581	581
10 48	\$521	521	521
60	\$536	536	536
66	\$543	543	543
72	\$548	548	548
84	\$564	564	564
96	\$581	581	581



Product Information

Description

This power entry connects a ceiling electrical supply to the end of the harness with power + data cover located under the chase. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. It comes with a 10' pole that can be field cut to the appropriate length and ceiling trim. Power entry is UL Listed and Canadian UL Listed.

Notes

Power entry consumes 1 of 4 modular connection points available on each end of the harness with power + data cover (FG150.).


Licensed electrician must wire power entry.

Power entry cannot be attached to the end of a run that is supported by storage.

Power pole is plastic.

For cable capacity, see planning guide.

Dimensions



Specification Information

Step 1.

FG142.

Step 2. Configuration


08	8-wire, 4-circuit, shared neutral
10	10-wire, 4-circuit, separate neutrals
N	nonpowered

Prices for Steps 1-2.

FG142. 08	\$1668
10	\$1668
N	\$939

Step 3. Finish

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This power harness with cover attaches to the underside of the chase. Harness accepts up to 4 duplex receptacles, 2 on each side of the chase, providing up to 4 outlets on each side. Receptacles in this module are rated for 15 or 20 amps. Knockouts at each end of the cover can be removed to accept data. Harness is UL Listed and Canadian UL Listed.

Notes

Order receptacles (FG152, FG152M, FG153, FG153M.) separately.

To connect harnesses through the chase, order power jumpers (FG154.) separately.

Harness with power + data cover can be placed in right, center, or left locations on the chase.

For chase lengths 48", 60", and 66", only 1 harness can be specified.

For chase lengths 72", 84", and 96", 2 harnesses can be specified within a single chase. Locations must be left and right.


Data exits through knockouts on each end of the cover. Data cable capacity depends on the data faceplate used.

Power + data cover accepts Modular Furniture Standard faceplates. It does not accept NEMA data faceplates. Leviton® 49910-SE2 can be used; for additional clearance for making data connections the extended depth Leviton 49910-EE4 can be used. The faceplate reducer (G1189.A) is not required when using these faceplates.

Receptacle ports on Harness with Power + Data Cover come knocked out.

Order Receptacle/Data Cover (Package of 2) (FG155.) separately to conceal unused ports.


Dimensions



Harness with Power + Data Cover

continued

Specification Information		
Step 1.		
FG150.		
Step 2. Configuration		
08	8-wire, 4-circuit, shared neutral	
10	10-wire, 4-circuit, separate neutrals	
Prices for Steps 1-2.		
FG150. 08		\$356
10		\$356
Step 3. Finish		
BK	black	+\$0
UBK	ultra black (CP)	+\$0




Product Information

Description
This unit is a metal junction box and cover that is used in place of the harness with power + data cover. Cover for unused data opening is included.

Notes
Chicago solution is compatible with Decora® receptacles.
When using the Chicago solution, do not order the harness with power + data cover (FG150.), receptacles or jumpers.
Licensed electrician must wire the Chicago solution.
Chicago solution box has knockouts at each end for data.

Dimensions




Specification Information

Step 1.		
FG157.		\$698
Step 2. Finish		
UBK	ultra black (CP)	+\$0
BK	black	+\$0

Power Jumper - Consistent Chase Widths, Chase-to-Chase

FG154.



Product Information




Description

This power jumper distributes power from one harness with power + data cover to another. It connects power from one chase to another chase with consistent length. Jumper connects into the end of a power harness. It is available in 8-wire and 10-wire configurations and distributes 4 20-amp circuits. Power jumper is UL Listed and Canadian UL Listed.

Notes

Power jumper consumes 1 of 4 modular connection points available on each end of the harness with power + data cover (FG150.).
For chase lengths 72", 84", and 96", 2 harnesses can be specified within a single chase. Locations must be left and right. Order power jumper-within single chase width (FG154.S) separately.
Order harness with power + data cover (FG150.) separately.

Dimensions



Specification Information

Step 1.

FG154.C

Step 2. Configuration

08	8-wire, 4-circuit, shared neutral
10	10-wire, 4-circuit, separate neutrals

Step 3. Chase Length

48	48" wide
60	60" wide
66	66" wide
72	72" wide
84	84" wide
96	96" wide


Step 4. Power Locations Chase-to-Chase

1	(left to left) or (center to center) or (right to right)
2	(left to center) or (center to right)
3	(left to right)
4	(center to left) or (right to center)
5	(right to left)

Prices for Steps 1-4.

		1	2	3	4	5
FG154.C	08 48	\$148	154	162	140	129
	60	\$170	186	201	150	129
	66	\$181	199	233	154	129
	72	\$188	214	262	160	129
	84	\$209	267	332	171	129
	96	\$245	318	400	182	129
	10 48	\$148	154	162	140	129
	60	\$170	186	201	150	129
	66	\$181	199	233	154	129
	72	\$188	214	262	160	129
	84	\$209	267	332	171	129
	96	\$245	318	400	182	129

Power Jumper - Within Single Chase FG154.



Product Information

Description

This power jumper distributes power from one harness with power + data cover to another within 1 chase length. Jumper connects into the end of a power harness. It is available in 8-wire and 10-wire configurations and distributes 4 20-amp circuits. Power jumper is UL Listed and Canadian UL Listed.

Notes

Power jumper consumes 1 of 4 modular connection points available on each end of the harness with power + data cover (FG150.).

This jumper can only be installed on chase lengths 72", 84", and 96" where 2 harnesses can be specified within a single chase. Locations must be left and right.

Order harness with power + data cover (FG150.) separately.

Dimensions

Specification Information

Step 1.

FG154.S

Step 2. Configuration


08	8-wire, 4-circuit, shared neutral
10	10-wire, 4-circuit, separate neutrals

Step 3. Chase Length


72	72" wide
84	84" wide
96	96" wide

Prices for Steps 1-3.

		72	84	96
FG154.S	08	\$121	145	162
	10	\$121	145	162



Power Jumper - Inconsistent Chase Widths, Chase-to-Chase FG154.



Product Information

Description

This power jumper distributes power from one harness with power + data cover to another. It connects power from one chase to another chase with inconsistent length. It is available in 8-wire and 10-wire configurations and distributes 4 20-amp circuits. Power jumper is UL Listed and Canadian UL Listed.

Notes


To specify power jumpers for inconsistent chase lengths, see Power Jumper Matrix in the planning guide.

Power jumper consumes 1 of 4 modular connection points available on each end of the harness with power + data cover (FG150.).

Harness with power + data cover (FG150.) can be placed in the left, center, or right location underneath each chase.

Order harness with power + data cover (FG150.) separately.

Dimensions



Specification Information	
Step 1.	
FG154.D	
Step 2. Configuration	
08	8-wire, 4-circuit, shared neutral
10	10-wire, 4-circuit, separate neutrals
Step 3. Jumper Length	
28	28" long
32	32" long
37	37" long
38	38" long
41	41" long
43	43" long
44	44" long
46	46" long
47	47" long
49	49" long
50	50" long
52	52" long
53	53" long
55	55" long
56	56" long
58	58" long
59	59" long
61	61" long
62	62" long
64	64" long
65	65" long
67	67" long
70	70" long
71	71" long
73	73" long
74	74" long
76	76" long
77	77" long
79	79" long
82	82" long
83	83" long
85	85" long
86	86" long
88	88" long
89	89" long
94	94" long
95	95" long
98	98" long

Power Jumper - Inconsistent Chase
Widths, Chase-to-Chase *continued*


Canvas Vista™ Energy Distribution

100 100" long
101 101" long
106 106" long
107 107" long
112 112" long
118 118" long
130 130" long
142 142" long

		Prices for Steps 1-3.					
		28	32	37	38	41	43
FG154.D	08	\$129	140	148	150	154	156
	10	\$129	140	148	150	154	156
		44	46	47	49	50	52
FG154.D	08	\$160	162	165	170	171	174
	10	\$160	162	165	170	171	174
		53	55	56	58	59	61
FG154.D	08	\$178	181	182	184	186	188
	10	\$178	181	182	184	186	188
		62	64	65	67	70	71
FG154.D	08	\$190	193	194	197	201	205
	10	\$190	193	194	197	201	205
		73	74	76	77	79	82
FG154.D	08	\$209	210	211	214	220	233
	10	\$209	210	211	214	220	233
		83	85	86	88	89	94
FG154.D	08	\$236	245	248	254	259	262
	10	\$236	245	248	254	259	262
		95	98	100	101	106	107
FG154.D	08	\$267	274	281	283	298	300
	10	\$267	274	281	283	298	300
			112	118	130	142	
FG154.D	08		\$314	332	368	400	
	10		\$314	332	368	400	

Receptacle, 4-Circuit, 15 Amp
(Package of 4)

FG152.




Product Information

Description

This receptacle locks into the power harness of the harness with power + data cover under the chase. It is UL Listed and Canadian UL Listed. Package contains 4 receptacles.

Dimensions



Specification Information

Step 1.

FG152.

Step 2. Configuration

AN	8-wire duplex, shared neutral, circuit a
BN	8-wire duplex, shared neutral, circuit b
CN	8-wire duplex, shared neutral, circuit c
DN	8-wire duplex, shared neutral, circuit d
AG	8-wire duplex, shared neutral, circuit a, isolated ground
BG	8-wire duplex, shared neutral, circuit b, isolated ground
CG	8-wire duplex, shared neutral, circuit c, isolated ground
DG	8-wire duplex, shared neutral, circuit d, isolated ground
1N	10-wire duplex, independent neutral, circuit 1
2N	10-wire duplex, independent neutral, circuit 2
3N	10-wire duplex, independent neutral, circuit 3
4N	10-wire duplex, independent neutral, circuit 4
1G	10-wire duplex, independent neutral, circuit 1, isolated ground
2G	10-wire duplex, independent neutral, circuit 2, isolated ground
3G	10-wire duplex, independent neutral, circuit 3, isolated ground
4G	10-wire duplex, independent neutral, circuit 4, isolated ground


Prices for Steps 1-2.

FG152. AN	\$187
BN	\$187
CN	\$187
DN	\$187
AG	\$187
BG	\$187
CG	\$187
DG	\$187
1N	\$187
2N	\$187
3N	\$187
4N	\$187
1G	\$187
2G	\$187
3G	\$187
4G	\$187

Step 3. Finish

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Controlled Receptacle, 4-Circuit, 15 Amp (Package of 4) FG152M



Product Information


Description

This receptacle is to be used for ASHRAE 90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacle that is under automated control by the energy management system. The receptacle locks into the power harness of the harness with power + data cover under the chase. It is UL Listed and Canadian UL Listed. Package contains 4 receptacles.

Notes

This receptacle does not have any built-in control, only the controlled label. It must be controlled by another means.

Dimensions



Specification Information

Step 1.

FG152M.

Step 2. Configuration

AN	8-wire duplex, shared neutral, circuit a
BN	8-wire duplex, shared neutral, circuit b
CN	8-wire duplex, shared neutral, circuit c
DN	8-wire duplex, shared neutral, circuit d
AG	8-wire duplex, shared neutral, circuit a, isolated ground
BG	8-wire duplex, shared neutral, circuit b, isolated ground
CG	8-wire duplex, shared neutral, circuit c, isolated ground
DG	8-wire duplex, shared neutral, circuit d, isolated ground
1N	10-wire duplex, independent neutral, circuit 1
2N	10-wire duplex, independent neutral, circuit 2
3N	10-wire duplex, independent neutral, circuit 3
4N	10-wire duplex, independent neutral, circuit 4
1G	10-wire duplex, independent neutral, circuit 1, isolated ground
2G	10-wire duplex, independent neutral, circuit 2, isolated ground
3G	10-wire duplex, independent neutral, circuit 3, isolated ground
4G	10-wire duplex, independent neutral, circuit 4, isolated ground

Prices for Steps 1-2.


FG152M. AN	\$187
BN	\$187
CN	\$187
DN	\$187
AG	\$187
BG	\$187
CG	\$187
DG	\$187
1N	\$187
2N	\$187
3N	\$187
4N	\$187
1G	\$187
2G	\$187
3G	\$187
4G	\$187

Step 3. Finish


BK	black	+\$0
UBK	ultra black (CP)	+\$0

Receptacle, 20 Amp

FG153.




Product Information
Description
This receptacle locks into the power harness of the harness with power + data cover under the chase. It provides power to equipment with a 20-amp standard plug head or cap. It also accepts 15-amp standard plug heads or caps. It is UL Listed and Canadian UL Listed. Package contains 1 receptacle.
Notes
Avoid overloading circuit by ensuring total connected load does not exceed 16 amps. If 1 piece of equipment requires all available power, do not use receptacle's second outlet or install additional receptacles on that circuit. In many cases, equipment requiring this receptacle will use all available power. Harness with power + data cover (FG150.) has knockouts above each receptacle location that will need to be removed for proper cover assembly over the 20-amp receptacles.
Dimensions



Specification Information
Step 1.
FG153.
Step 2. Configuration
AN 8-wire duplex, shared neutral, circuit a
BN 8-wire duplex, shared neutral, circuit b
AG 8-wire duplex, shared neutral, circuit a, isolated ground
BG 8-wire duplex, shared neutral, circuit b, isolated ground
1N 10-wire duplex, independent neutral, circuit 1
2N 10-wire duplex, independent neutral, circuit 2
1G 10-wire duplex, independent neutral, circuit 1, isolated ground
2G 10-wire duplex, independent neutral, circuit 2, isolated ground
Prices for Steps 1-2.
FG153. AN \$73
BN \$73
AG \$73
BG \$73
1N \$73
2N \$73
1G \$73
2G \$73
Step 3. Finish
BK black +\$0
UBK ultra black (CP) +\$0

Controlled Receptacle, 20 Amp

FG153M



Product Information

Description

Notes

Dimensions

This receptacle is to be used for ASHRAE 90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacle that is under automated control by the energy management system. The receptacle locks into the power harness of the harness with power + data cover under the chase. It provides power to equipment with a 20-amp standard plug head or cap. It also accepts 15-amp standard plug heads or caps. It is UL Listed and Canadian UL Listed. Package contains 1 receptacle.

This receptacle does not have any built-in control, only the controlled label. It must be controlled by another means.

Avoid overloading circuit by ensuring total connected load does not exceed 16 amps. If 1 piece of equipment requires all available power, do not use receptacle's second outlet or install additional receptacles on that circuit. In many cases, equipment requiring this receptacle will use all available power.

Harness with power + data cover (FG150.) has knockouts above each receptacle location that will need to be removed for proper cover assembly over the 20-amp receptacles.

Specification Information

Step 1.

Step 2. Configuration

Prices for Steps 1-2.


FG153M.

AN	8-wire duplex, shared neutral, circuit a
BN	8-wire duplex, shared neutral, circuit b
AG	8-wire duplex, shared neutral, circuit a, isolated ground
BG	8-wire duplex, shared neutral, circuit b, isolated ground
1N	10-wire duplex, independent neutral, circuit 1
2N	10-wire duplex, independent neutral, circuit 2
1G	10-wire duplex, independent neutral, circuit 1, isolated ground
2G	10-wire duplex, independent neutral, circuit 2, isolated ground

FG153M. AN	\$73
BN	\$73
AG	\$73
BG	\$73
1N	\$73
2N	\$73
1G	\$73
2G	\$73


Step 3. Finish

BK	black	+\$0
UBK	ultra black (CP)	+\$0




Receptacle/Data Cover
(Package of 2)

FG155.



Product Information
Description
This cover conceals the opening of an unused receptacle and data port on the harness with power + data cover. Finish is black. Package contains 2 covers.
Notes
Order harness with power + data cover (FG150.) separately.
Dimensions




Specification Information
Step 1.
FG155.
Step 2. Finish
BK black
UBK ultra black (CP)

\$47

+\$0

+\$0

Canvas Vista™ Energy Distribution




Product Information

Description
This metal infeed cover attaches to a nonstructural intermediate post leg or a structural intermediate T-leg to conceal a floor power entry and data cables from the power source to the underside of the chase. Attachment hardware included.

Notes
Infeed cover attaches only to the structural chase intermediate T-leg (FG119.1B) or nonstructural chase intermediate post leg (FG117.1B), ordered separately.

Dimensions



Specification Information


Step 1.
FG156. \$163

Step 2. Finish

Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0






Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30


Sand Texture Paint		
BK	black	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0



Product Information
Description
This data box mounts on the bottom side of the chase if additional data is desired. Housing accepts NEMA data faceplates. It has openings on both sides and comes with 1 cover that can be removed to install a second NEMA data faceplate. Attachment hardware included.
Dimensions

Specification Information
Step 1.
FG159.
Step 2. Finish
BK black
UBK ultra black (CP)





Product Information


Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Grommet mount attachment does not come with the mini grommet (order separately as needed). Cable clips and attachment hardware included. Product is UL listed.


Notes

Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed. Cable clips for cord management are intended for a 1-time installation. Clamp versions can be reoriented in the field by a technician. USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts. Cord color is predetermined. For white (91) finish cords will be white. For graphite (G1) finish cords will be black. Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Dimensions




Surface Clamp



Grommet Mount

Specification Information			
Step 1.			
Y1414.			
Step 2. Configuration			
L	1 simplex receptacles, 1 powered USB A/C Combo		
K	2 simplex receptacles		
Step 3. Cord/Conduit Length			
03	3' cord/conduit		
06	6' cord/conduit		
10	10' cord/conduit		
Step 4. Attachment			
G	grommet mount		
S	surface clamp		
Prices for Steps 1-4.			
		G	S
Y1414. L	03	\$471	471
	06	\$471	471
	10	\$483	483
K	03	\$264	264
	06	\$264	264
	10	\$278	278
Step 5. Finish			
BK	black	☐	+\$0
UBK	ultra black (CP)		+\$0
91	white (CP)	☐	+\$0
98	studio white (CP)	☐	+\$0
G1	graphite (CP)	☐	+\$0



Product Information

Description

This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.

Notes

This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.

Dimensions

Specification Information

Step 1.

Y1412.

Step 2. Configuration

1

mini rectangle grommet

2

mini square grommet

Prices for Steps 1-2.

Y1412. 1

\$42

2

\$47

Step 3. Finish

91

white (CP)

+\$0

98

studio white (CP)

+\$0

BK

black

+\$0

G1

graphite (CP)



+\$0

UBK

ultra black (CP)


+\$0

Canvas Vista™ Energy Distribution




Cable Management Clip


FG197.



Product Information
Description
These clips snap into tracks on the underside of the chase to route wires and cables. Each clip holds 2 to 3 power cords. Finish is black. Package contains 10 clips.
Dimensions

Specification Information
Step 1.
FG197.
\$132
Step 2. Finish
UBK ultra black (CP)
BK black
+\$0
+\$0







Product Information
Description
This steel tray attaches to the underside of the chase to hold and conceal cords, cables, and device AC power adapters. Finish is black. Attachment hardware included.
Notes
Specify this cable manager for use with the following accessories: • T-Light (FG600.) • Display unit (FG111.) For additional planning information, see planning guide.
Dimensions


Specification Information		
Step 1.		
FG199.		\$84
Step 2. Finish		
UBK	ultra black (CP)	+\$0
BK	black	+\$0

Canvas Vista™ Cable Management






Product Information
Description
This sleeve routes cables from the chase to the work surface. One end attaches to a track on the underside of the chase and the other end attaches to the underside of the work surface. It has a plastic track embedded inside the sleeve to allow unrestricted cable movement as a height adjustable work surface moves up and down. Sleeve can hold 2 power cables and 2 data cables. Installation hardware included.
Notes
For use with fixed height tables, 23" (23) sleeve length must be specified.
For use with height adjustable tables, 42" (42) sleeve length must be specified.
Dimensions



Specification Information
Step 1.
FG198.
Step 2. Length
23 23" long (for use with fixed height tables)
42 42" long (for use with height adjustable tables)
Prices for Steps 1-2.
FG198. 23 \$271
42 \$320
Step 3. Fabric
Price Category 4 +\$0

Hinged Cable Trough

Y1300.



Product Information

Description

This sheet metal trough is a stand-alone cable management tray that mounts to the underside of a work surface to hold and conceal cords and cables. It can be used with a Logic Mini unit for cord storage or used alone with cords routed through the ends of the trough. Trough holds cords in place when open.

Notes

Power strip (Y1500.) is intended to be housed inside the trough for additional power access.




Hinged cable trough works best with a Motia® Vista™ height adjustable table (DV6GT.). Can be used on any other work surface that has the clearance for the overall dimensions listed below.

When specifying a 24"D×54"W table with legs inbound for under surface storage on both ends (2) option, the hinged cable trough option is not available. It is recommended to use the (Y1200.48N) cable trough, ordered separately.

Order the following products separately:

- Power strip (Y1500.)
- Logic Mini (Y1414., Y1412.)

Dimensions



Hinged Cable Trough *continued***Specification Information****Step 1.****Y1300.** ☐**Step 2. Work Surface Depth****24** for use with 24" deep work surface ☐**30** for use with 30" deep work surface ☐**48** for use with a 24" or 30" deep x 48" wide Motia C-Leg Table ☐**Prices for Steps 1-2.**

Y1300. 24	\$261
30	\$283
48	\$245

Step 3. Finish**Smooth Paint**


8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Sand Texture Paint

BK	black ☐	+\$0
G1	graphite (CP) ☐	+\$0

Metallic Paint

SNB	satin bronze ☐	+\$0
EH	metallic bronze ☐	+\$0



Product Information

Description

This surface attaches to the Canvas Vista™ chase with a pair of tether brackets. It can be attached in parallel and perpendicular applications. Surface can also be freestanding when used with 2 surface supports. It has a laminate top with thermoplastic edge, laminate top with thermoplastic backed plywood edge or veneer top and edge. Laminate and veneer surfaces are 1 1/8" thick or 1 1/4" thick. Surface is available with or without a cutout for the Logic Mini unit. There is a 1" gap between the work surface and the top of the chase to allow for standard plug head and cord passage.

Notes

For attachment to the Vista chase, order tether brackets (FG290.) separately.

For use with Canvas Office Landscape®, specify 1 1/4" thick top.

Cutout options for Logic Mini units are left cutout (LC), right cutout (RC), and center cutout (CC). Order Logic mini (Y1414.) and grommet (Y1412.1) separately.

Inbound leg position (2) intended for suspended storage. Order suspended cubby (L2SCF.) and suspended drawer (L2SDF.) separately. Stiffener (FG696.) is required depending on application. See Vista planning guide for specific stiffener guidelines.


When specifying a 24"D×54"W table with legs inbound for under surface storage on both ends (2) option, the hinged cable trough option is not available. It is recommended to use the (Y1200.48N) cable trough, ordered separately.

Order the following support products separately:

- Surface support, A-leg (FG2B1.)
- Surface support, T-leg (FG2B2.)
- Surface support, post leg (FG2B3.)
- Stiffener (FG696.)
- Chase to surface tether brackets (FG290.)

For additional finish options, see Vary Easy Program in appendices.

Dimensions



1 1/8"

1 1/4"




Laminate, Veneer



Legs Outbound



Legs Inbound



Cutout Locations

Rectangular Work Surface *continued*

Specification Information

Step 1.

FG

Step 2. Edge

S10. squared-edge

Step 3. Depth

24 24" deep

30 30" deep

Step 4. Width

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For squared-edge (S10.)

L high-pressure laminate top/thermoplastic edge

U high-pressure laminate/universal edge

W veneer top/veneer edge A

Step 6. Top Thickness

For squared-edge (S10.) with high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), or veneer top/veneer edge (W)

04 1¼" thick

08 1⅝" thick

Step 7. Leg Location

For 48" wide (48)

1 legs outbound (no surface mounted storage)

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

1 legs outbound (no surface mounted storage)

2 legs inbound (for under surface storage on both ends)

Prices for Steps 1-7.

		L041	L042	L081	L082	U041	U042
FGS10.	24 48	\$394	—	479	—	394	—
	54	\$473	473	561	561	473	473
	60	\$523	523	609	609	523	523
	66	\$587	587	672	672	587	587
	72	\$612	612	703	703	612	612
	30 48	\$483	—	557	—	483	—
	54	\$587	587	672	672	587	587
	60	\$612	612	703	703	612	612
	66	\$692	692	766	766	692	692
	72	\$752	752	828	828	752	752
		U081	U082	W041	W042	W081	W082
FGS10.	24 48	\$479	—	880	—	987	—
	54	\$561	561	1046	1046	1128	1128
	60	\$609	609	1143	1143	1248	1248
	66	\$672	672	1196	1196	1376	1376
	72	\$703	703	1251	1251	1437	1437
	30 48	\$557	—	1012	—	1139	—
	54	\$672	672	1196	1196	1376	1376
	60	\$703	703	1310	1310	1437	1437
	66	\$766	766	1480	1480	1551	1551
	72	\$828	828	1593	1593	1667	1667

Step 8.

Top Finish

For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut	+\$85
40	dark brown walnut	+\$85
CHD	noble cherry	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
EW	medium matte walnut	+\$85
UL	natural maple	+\$85
WHN	natural white oak	+\$85

Step 9. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For high-pressure laminate/universal edge (U)

PLY	plywood edge	+\$50
-----	--------------	-------

Step 10. Power Access Cutout

CC	center cutout for Logic Mini - Y1414 and Y1412.1	+\$55
LC	left cutout for Logic Mini - Y1414 and Y1412.1	+\$55
NC	no cutout	+\$0
RC	right cutout for Logic Mini - Y1414 and Y1412.1	+\$55



Product Information

Description

This squared-edge peninsula surface attaches to the Canvas Vista™ chase with a pair of tether brackets and requires a support leg. It has a laminate top with thermoplastic edge or veneer top and edge. Laminate and veneer surfaces are 1⅞" thick or 1¼" thick. Surface is available with or without a cutout for the Logic Mini unit. Surface cannot stand alone. When tethered to the chase there is a 1" gap between the work surface and the top of the chase to allow for standard plug head and cord passage.

Notes

For attachment to the Vista chase, order tether brackets (FG290.) separately.

Stiffener is not needed.

Surface has center cutout (CC) option for Logic Mini unit. Order Logic mini (Y1414.) and grommet (Y1412.1) separately.

For cable management with optional Logic, cable management channel (FT19C.08) can be used. Order separately.

For use with Canvas Office Landscape®, specify 1¼" thick top.


Order the following support products separately:

- Surface support, post leg (FG2B3.)
- Chase to surface tether brackets (FG290.)

For additional finish options, see Vary Easy Program in appendices.

For support and planning information, see planning guide.

Dimensions



Specification Information				
Step 1.				
FG				
Step 2. Edge				
S36. squared-edge				
Step 3. Depth				
36	36" deep			
42	42" deep			
48	48" deep			
Step 4. Width				
For 36" deep (36) or 42" deep (42)				
30	30" wide			
For 48" deep (48)				
36	36" wide			
Step 5. Surface Material				
For squared-edge (S36.)				
L	high-pressure laminate top/thermoplastic edge			
W	veneer top/veneer edge ☐			
Step 6. Top Thickness				
For squared-edge (S36.) with high-pressure laminate top/thermoplastic edge (L) or veneer top/veneer edge (W)				
04	1¼" thick			
08	1⅝" thick			
Prices for Steps 1-6.				
	L04	L08	W04	W08
FGS36. 36 30	\$762	843	1353	1432
42 30	\$871	953	1550	1627
48 36	\$981	1062	1748	1825

Step 7.		
Top Finish		
<i>For high-pressure laminate top/thermoplastic edge (L)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut	+\$85
40	dark brown walnut	+\$85
CHD	noble cherry	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
EW	medium matte walnut	+\$85
UL	natural maple	+\$85
WHN	natural white oak	+\$85


Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 9. Power Access Cutout

CC	center cutout for Logic Mini - Y1414 and Y1412.1	+\$55
NC	no cutout	+\$0



Product Information

Description

This squared-edge peninsula surface attaches to the Canvas Vista™ chase with a pair of tether brackets and requires a surface support leg. It has a laminate top with thermoplastic edge or veneer top and edge. Laminate and veneer surfaces are 1 1/8" thick or 1 1/4" thick. Surface is available with or without a cutout for the Logic Mini unit. Surface cannot stand alone. When tethered to the chase there is a 1" gap between the work surface and the top of the chase to allow for standard plug head and cord passage.

Notes

For attachment to the Vista chase, order tether brackets (FG290.) separately.

Stiffener is not needed.

Surface has center cutout (CC) option for Logic Mini unit. Order Logic mini (Y1414.) and grommet (Y1412.1) separately.

For cable management with optional Logic, cable management channel (FT19C.08) can be used. Order separately.

For use with Canvas Office Landscape®, specify 1 1/4" thick top.


Order the following support products separately:

- Surface support, post leg (FG2B3.)
- Chase to surface tether brackets (FG290.)


For additional finish options, see Vary Easy Program in appendices.

For support and planning information, see planning guide.

Dimensions



Laminate, Veneer



Cutout Location

Peninsula Surface, Round End

continued

Specification Information					
Step 1.					
FG					
Step 2. Edge					
S35. squared-edge					
Step 3. Depth					
36	36" deep				
42	42" deep				
Step 4. Width					
48	48" wide				
54	54" wide				
Step 5. Surface Material					
For squared-edge (S35.)					
L	high-pressure laminate top/thermoplastic edge				
W	veneer top/veneer edge				
Step 6. Top Thickness					
For squared-edge (S35.) with high-pressure laminate top/thermoplastic edge (L) or veneer top/veneer edge (W)					
04	1¼" thick				
08	1⅝" thick				
Prices for Steps 1-6.					
		L04	L08	W04	W08
FGS35. 36 48		\$871	953	1453	1534
	54	\$1091	1174	1821	1901
	42 48	\$975	1056	1623	1706
	54	\$1297	1379	2166	2245

Step 7.		
Top Finish		
For high-pressure laminate top/thermoplastic edge (L)		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Top/Edge Finish		
For veneer top/veneer edge (W)		
2U	light brown walnut	+\$85
40	dark brown walnut	+\$85
CHD	noble cherry	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
EW	medium matte walnut	+\$85
UL	natural maple	+\$85
WHN	natural white oak	+\$85

Peninsula Surface, Round End

continued

Canvas Vista™ Work Surfaces


Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 9. Power Access Cutout

CC	center cutout for Logic Mini - Y1414 and Y1412.1	+\$55
NC	no cutout	+\$0



Product Information

Description

This squared-edge café surface attaches to the Canvas Vista™ chase with a pair of tether brackets and requires a surface support leg. It has a laminate top with thermoplastic edge, laminate top with thermoplastic backed plywood edge, or veneer top and edge. Laminate and veneer surfaces are 1 1/8" thick or 1 1/4" thick. Surface is available with or without a cutout for the Logic Mini unit. Surface cannot stand alone. When tethered to the chase there is a 1" gap between the work surface and the top of the chase to allow for standard plug head and cord passage.

Notes

For attachment to the Vista chase, order tether brackets (FG290.) separately.

For use with Canvas Office Landscape®, specify 1 1/4" thick top.

Surface has center cutout (CC) option for Logic Mini unit. Order Logic mini (Y1414.) and grommet (Y1412.) separately.

For cable management with optional Logic, cable management channel (FT19C.08) can be used. Order separately.




Stiffener (FG696.39) is required for the 54"-wide surface. Surfaces 36", 42"- and 48"-wide do not require a stiffener. For additional information, see Vista planning guide for specific stiffener guidelines.

Order the following support products separately:

- Surface support, A-leg (FG2B1.)
- Surface support, T-leg (FG2B2.)
- Surface support, post leg (FG2B3.)
- Stiffener (FG696.)
- Chase to surface tether brackets (FG290.)

For additional finish options, see Vary Easy Program in appendices.

Dimensions



Cutout Location

Specification Information							
Step 1.							
FG							
Step 2. Edge							
S34. squared-edge							
Step 3. Depth							
21	21" deep						
42	42" deep						
Step 4. Width							
36	36" wide						
42	42" wide						
48	48" wide						
54	54" wide						
Step 5. Surface Material							
L	high-pressure laminate top/thermoplastic edge						
U	high-pressure laminate/universal edge						
W	veneer top/veneer edge A						
Step 6. Top Thickness							
04	1¼" thick						
08	1½" thick						
Prices for Steps 1-6.							
		L04	L08	U04	U08	W04	W08
FGS34. 21	36	\$346	424	346	424	732	807
	42	\$350	429	350	429	777	851
	48	\$356	435	356	435	820	896
	54	\$431	508	431	508	950	1023
	42 36	\$739	817	739	817	1453	1528
	42	\$803	881	803	881	1621	1695
	48	\$865	945	865	945	1785	1863
	54	\$930	1007	930	1007	1951	2027

Step 7.		
Top Finish		
<i>For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Top/Edge Finish: Wood Veneer		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut	+\$85
40	dark brown walnut	+\$85
CHD	noble cherry	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
EW	medium matte walnut	+\$85
UL	natural maple	+\$85
WHN	natural white oak	+\$85

Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For high-pressure laminate/universal edge (U)

PLY	plywood edge	+\$50
-----	--------------	-------

Step 9. Power Access Cutout

NC	no cutout	+\$0
CC	center cutout for Logic Mini - Y1414 and Y1412.1	+\$55



Product Information


Description

This surface attaches to the top of the Canvas Vista™ chase with tether brackets to provide an area for collaboration. It has a laminate top with thermoplastic edge or veneer top and edge. Laminate and veneer surfaces are 1 1/8" or 1 1/4" thick.


Notes

Requires 2 pair of tether brackets (FG290.) for attachment to the chase.
Café round surface can be mounted anywhere along the chase while adhering to support rules.
A structural support (FG11A., FG119.) must be no more than 1' from the round surface.
For proper support information, see planning guide.
For additional product options, see Vary Easy Program in appendices.

Dimensions



Laminate, Veneer



Specification Information

Step 1.

FG

Step 2. Edge

S16. squared-edge

Step 3. Diameter

24 24" diameter
30 30" diameter

Step 4. Surface Material

For squared-edge (S16.)

L high-pressure laminate top/thermoplastic edge
W veneer top/veneer edge ☐

Step 5. Top Thickness

For squared-edge (S16.) with high-pressure laminate top/thermoplastic edge (L) or veneer top/veneer edge (W)

04 1 1/4" thick
08 1 1/8" thick

Prices for Steps 1-5.

	04	08
FGS16. 24 L	\$479	555
W	\$654	724
30 L	\$548	624
W	\$911	983

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBV	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut	+\$60
40	dark brown walnut	+\$60
CHD	noble cherry	+\$60
ET	clear on ash	+\$60
EU	oak on ash	+\$60
EV	walnut on ash	+\$60
EW	medium matte walnut	+\$60
UL	natural maple	+\$60
WHN	natural white oak	+\$60


Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBV	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
SG	slate grey	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Chase to Surface Tether Brackets




FG290.



Product Information
Description
These brackets attach a surface to a chase in a perpendicular or parallel application or a peninsula surface perpendicular to the chase. Sold as a pair. Attachment hardware included.
Notes
Tether brackets alone cannot support a surface. Tethers must be used with a surface support leg (FG2B1., FG2B2., FG2B3.), ordered separately.
Tether placement is 3 1/2" from surface edge to tether edge on both sides of work surface.
Dimensions


Specification Information
Step 1.
FG290.
\$294
Step 2. Finish
611 beige mist metallic (CP)
613 silver (CP)
8Q folkstone grey (CP)
91 white (CP)
98 studio white (CP)
BK black
CL cool grey neutral
EH metallic bronze
G1 graphite (CP)
UBK ultra black (CP)
WL warm stone (CP)
WN warm grey neutral
SNA satin aluminum
SNB satin bronze
SNC satin carbon

Canvas Vista™ Work Surfaces



Stiffener

FG696.



Product Information

Description

This stiffener adds additional stiffness to a Canvas Vista™ freestanding surface, Vista chase-attached surface or Vista peninsula surface. Attachment hardware included.

Notes

Stiffener extends 1 1/4" below the surface.

Common stiffener applications include the following. See planning guide for more applications.

Stiffener Width—Leg Placement—Surface Width

34"—2 legs outbound—48"

34"—1 leg inset, 1 leg outbound—54"

34"—2 legs inset—60"

39"—2 legs outbound—54"

39"—2 legs inset—66"

43"—2 legs outbound—60"

43"—1 leg inset, 1 leg outbound—60"

43"—2 legs inset—72"

48"—2 legs outbound—66"

48"—1 leg inset, 1 leg outbound—66", 72"

57"—2 legs outbound—72"

Dimensions

Specification Information

Step 1.

FG696.


Step 2. Width

34	33 7/8" wide
39	38 5/8" wide
43	43 1/4" wide
48	48" wide
57	57 3/8" wide

Prices for Steps 1-2.


FG696. 34	\$101
39	\$101
43	\$103
48	\$103
57	\$105

Canvas Vista™ Work Surfaces



Surface Support, A-Leg

FG2B1.



Product Information

Description

This A-leg provides support for a chase-attached work surface, peninsula surface or café surface. It can also support a freestanding rectangular work surface. Fixed-height leg provides 2" of leveling adjustment. Attachment hardware included.


Notes

To support a chase-attached work surface, café surface or peninsula surface, tether brackets (FG290.) are required to support opposite end of surface. Order separately.

A-leg can support 24"- and 30"-deep freestanding rectangular work surfaces (FGS10.).

For additional support information, see planning guide.

Dimensions



Specification Information

Step 1.	
FG2B1.	\$801

Step 2. Finish


Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint		
BK	black	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0

Surface Support, T Leg

FG2B2.



Product Information

Description


This T-leg provides support for a chase-attached work surface, peninsula surface or café surface. It can also support a freestanding rectangular work surface. Fixed-height leg provides 2" of leveling adjustment. Attachment hardware included.

Notes

To support a chase-attached work surface, café surface or peninsula surface, tether brackets (FG290.) are required to support opposite end of surface. Order separately.

T-leg can support 24" and 30" deep freestanding rectangular work surfaces (FGS10.).

For additional support information, see planning guide.



Specification Information

Step 1.

FG2B2.

Step 2. Depth


24	24" deep
30	30" deep

Prices for Steps 1-2.

FG2B2. 24	\$589
30	\$601

Step 3. Finish

Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
Sand Texture Paint		
BK	black	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0



Product Information

Description


This post leg provides support for a chase-attached work surface, peninsula surface or café surface. Fixed-height leg provides 2" of leveling adjustment. Attachment hardware included.

Notes

To support a chase-attached work surface, café surface or peninsula surface, tether brackets (FG290.) are required to support opposite end of surface. Order separately.


Shared post leg (FG2B3.2) supports 2 parallel surfaces in a benching application.

For additional support information, see planning guide.



Specification Information		
Step 1.		
FG2B3.		
Step 2. Application		
1	non-shared (one surface)	
2	shared (between two surfaces)	
Prices for Steps 1-2.		
FG2B3. 1		\$543
2		\$543
Step 3. Finish		
Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
Sand Texture Paint		
BK	black	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0

Open Frame Screen, Chase Attached FG112.



Product Information

Description

This steel tube screen attaches anywhere along the top of a Canvas Vista™ chase to create layering and a sense of boundary without an enclosed barrier on top of the chase. Attachment hardware included.

Notes

Screen can be placed in any of the 3 tracks on top of chase.


Actual screen height is 14.63"; actual width is 42".

A movable insert (FG430.) can snap onto open frame screen and is user movable. Order separately.

Steel frame provides magnetic ability.

For proper support information, see planning guide.

Dimensions



Specification Information

Step 1.

FG112.

Step 2. Height

15 15" high (to reach 42" datum)

Step 3. Width

42 42" wide

Prices for Steps 1-3.

	42
FG112. 15	\$571

Step 4. Screen Finish

Smooth Paint

91	white (CP)	+\$0
98	studio white (CP)	+\$0


Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0


FG111.



Description

Notes

Dimensions



Step 1.

FG111.

26 26" high (to reach 53" datum)

48 48" wide

60 60" wide

66 66" wide

L thermally-fused laminate frame

L thermally-fused laminate center panel

Prices for Steps 1-5.

	LL
FG111. 26 48	\$2099
60	\$2207
66	\$2271

Step 6. Grain Direction for Center Panel

For 48" wide (48) or 60" wide (60) with thermally-fused laminate center panel (L)

HRG	horizontal grain	+\$0
VTG	vertical grain	+\$0

For 66" wide (66) with thermally-fused laminate center panel (L)

HRG	horizontal grain	+\$0
------------	------------------	------

Step 7. Frame Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Center Panel Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 9. Top Rail and Pocket Finish

Smooth Paint


91	white (CP)	+\$0
98	studio white (CP)	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0



Product Information

Description

This fabric or marker board infill attaches to the center panel of the display unit. Fabric is tackable and marker board is magnetic. Attachment hardware included.

Notes

Infill actual height is 23.92".

Specify 1 infill per side of display unit.

A monitor can be mounted to either or both sides of the display unit (FG111.) center panel. When using infill, infill must be field cut for monitor installation. For planning information, see planning guide.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

26—0.95

For horizontal fabric direction (R):

Width—Yardage


48—1.64

60—2.02

66—2.21

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FG491. [A]

Step 2. Height

26 26" high (to reach 53" datum) [A]

Step 3. Width

48 48" wide [A]

60 60" wide [A]

66 66" wide [A]

Step 4. Infill Material

F fabric [A]

M marker board - magnetic [A]

Step 5. Surface Material

For 48" wide (48) with fabric (F)

R tackable fabric, horizontal [A]

T tackable fabric [A]

For 60" wide (60) or 66" wide (66) with fabric (F)

R tackable fabric, horizontal [A]


Prices for Steps 1-5.

		FR	FT	M
FG491. 26 48		\$494	494	748
60		\$548	—	773
66		\$613	—	797

Step 6. Fabric

For fabric (F)

Price Category 1	+\$0
Price Category 2	+\$32
Price Category 3	+\$73
Price Category 5	+\$208
Price Category B	+\$136
Price Category C	+\$186
Price Category D	+\$235
Price Category E	+\$283



Product Information

Description

This movable insert snaps onto a chase-attached or surface-attached open frame screen to provide moderate visual privacy. It has an ABS plastic frame covered with fabric or marker board and is user movable.

Notes


Fabric surface and marker board are magnetic. Fabric is not tackable.
Movable insert works with open frame screen, chase attached (FG112.) or open frame screen, surface attached (FG345.42), ordered separately.
Movable insert can attach horizontally to top rail of display unit (FG111.).
Actual insert height is 11.615"; actual width is 21.998".
For planning information, see planning guide.
Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

Option—Yardage

- BT—0.55
- BR—0.87
- FT—1.10
- FR—1.73

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FG430. ☐

Step 2. Height

12 12" high ☐

Step 3. Width

22 22" wide ☐

Step 4. Insert Material

- F fabric/fabric ☐
- M marker board/marker board ☐
- B fabric/marker board ☐

Step 5. Surface Material

For fabric/fabric (F) or fabric/marker board (B)

- T fabric ☐
- R fabric, horizontal ☐

Prices for Steps 1-5.

		FT	FR	M	M	BT	BR
FG430.	12 22	\$496	496	453	453	476	476


Step 6. Insert Frame Finish

- 98 studio white (CP) ☐ +\$0
- DCR dark carbon ☐ +\$0
- DVP dark mineral ☐ +\$0

Step 7. Fabric

For fabric/fabric (F) or fabric/marker board (B)

- Price Category 1 ☐ +\$0
- Price Category 2 ☐ +\$32
- Price Category 3 ☐ +\$73
- Price Category 5 ☐ +\$208
- Price Category B ☐ +\$136
- Price Category C ☐ +\$186
- Price Category D ☐ +\$235
- Price Category E ☐ +\$283



Product Information

Description

This tackable fabric screen attaches anywhere along the top of a Canvas Vista™ chase. It extends the overall height to provide boundary and layering with a tackable surface. Attachment hardware included.

Notes

Screen width does not need to match chase width.

When using 84"-wide chase, specify 2 42"-wide screens to provide full screen coverage.

When using 96"-wide chase, specify 2 48"-wide screens to provide full screen coverage.

Pari screen can be placed in any of the 3 tracks on top of chase.

Screens can mount over work surface tether brackets (FG290.) as long as screen bayonets do not collide with tether brackets.

Screen actual heights are 14.64" (15), 18.64" (19), and 25.64" (26).

For proper support information, see planning guide.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

15—1.32

19—1.58

26—2.02

For horizontal fabric direction (R), for 15" high and 19" high:

Width—Yardage

24—0.95

30—1.13

36—1.32

42—1.51

48—1.70

60—2.08

66—2.27

72—2.46

For horizontal fabric direction (R), for 26" high:

Width—Yardage

24—1.89

30—2.27

36—2.65

42—3.02

48—3.40


60—4.16

66—4.54

72—4.91

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.


Dimensions



Specification Information			
Step 1.			
FG115.			
Step 2. Height			
15	15" high (to reach 42" datum)		
19	19" high (to reach 46" datum)		
26	26" high (to reach 53" datum)		
Step 3. Width			
24	24" wide		
30	30" wide		
36	36" wide		
42	42" wide		
48	48" wide		
60	60" wide		
66	66" wide		
72	72" wide		
Step 4. Surface Material			
For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)			
T	tackable fabric		
R	tackable fabric, horizontal		
For 60" wide (60), 66" wide (66), or 72" wide (72)			
R	tackable fabric, horizontal		
Prices for Steps 1-4.			
		T	R
FG115. 15	24	\$916	916
	30	\$983	983
	36	\$1050	1050
	42	\$1118	1118
	48	\$1185	1185
	60	—	\$1319
	66	—	\$1380
	72	—	\$1446
19	24	\$977	977
	30	\$1043	1043
	36	\$1112	1112
	42	\$1179	1179
	48	\$1245	1245
	60	—	\$1380
	66	—	\$1465
	72	—	\$1548

26 24	\$1103	1103
30	\$1190	1190
36	\$1280	1280
42	\$1366	1366
48	\$1452	1452
60	—	\$1627
66	—	\$1732
72	—	\$1837

Step 5. Fabric		
<i>For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)</i>		
Price Category 1	A	+\$0
Price Category 2	A	+\$41
Price Category 3	A	+\$92
Price Category 5	A	+\$288
Price Category B	A	+\$199
Price Category C	A	+\$234
Price Category E	A	+\$356
<i>For 60" wide (60), 66" wide (66), or 72" wide (72)</i>		
Price Category 1	A	+\$0
Price Category 2	A	+\$68
Price Category 3	A	+\$156
Price Category 5	A	+\$416
Price Category B	A	+\$342
Price Category C	A	+\$390
Price Category E	A	+\$607



Product Information

Description

This tackable fabric screen attaches anywhere along the top of a Canvas Vista™ chase. It extends the overall height to provide boundary and layering with a tackable surface. Attachment hardware included.

Notes

Screen width does not need to match chase width.

When using 84"-wide chase, specify 2 42"-wide screens to provide full screen coverage.

When using 96"-wide chase, specify 2 48"-wide screens to provide full screen coverage.

Flat-edge screen can be placed in any of the 3 tracks on top of chase.

Screens can mount over work surface tether brackets (FG290.) as long as screen bayonets do not collide with tether brackets.

Screen actual heights are 14.64" (15), 18.64" (19), and 25.64" (26).

For proper support information, see planning guide.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

15—1.32

19—1.58

26—2.02

For horizontal fabric direction (R), for 15" high and 19" high:

Width—Yardage

24—0.95

30—1.13

36—1.32

42—1.51

48—1.70

60—2.08

66—2.27

72—2.46

For horizontal fabric direction (R), for 26" high:

Width—Yardage

24—1.89

30—2.27

36—2.65

42—3.02

48—3.40


60—4.16

66—4.54

72—4.91

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Flat Edge Screen, Chase Attached

continued

Canvas Vista™ Screens - Chase Attach

Specification Information

Step 1.

FG116.

Step 2. Height

15	15" high (to reach 42" datum)
19	19" high (to reach 46" datum)
26	26" high (to reach 53" datum)

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	60" wide
66	66" wide
72	72" wide

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

T	tackable fabric
R	tackable fabric, horizontal

For 60" wide (60), 66" wide (66), or 72" wide (72)

R	tackable fabric, horizontal
----------	-----------------------------

Prices for Steps 1-4.

	T	R
FG116. 15 24	\$769	769
30	\$830	830
36	\$890	890
42	\$948	948
48	\$1009	1009
60	—	\$1130
66	—	\$1190
72	—	\$1250
19 24	\$787	787
30	\$849	849
36	\$912	912
42	\$975	975
48	\$1033	1033
60	—	\$1159
66	—	\$1243
72	—	\$1327

26 24	\$970	970
30	\$1060	1060
36	\$1148	1148
42	\$1239	1239
48	\$1328	1328
60	—	\$1506
66	—	\$1645
72	—	\$1782


Step 5. Fabric

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

Price Category 1 A	+\$0
Price Category 2 A	+\$41
Price Category 3 A	+\$92
Price Category 5 A	+\$288
Price Category B A	+\$197
Price Category C A	+\$234
Price Category E A	+\$356

For 60" wide (60), 66" wide (66), or 72" wide (72)

Price Category 1 A	+\$0
Price Category 2 A	+\$68
Price Category 3 A	+\$156
Price Category 5 A	+\$416
Price Category B A	+\$284
Price Category C A	+\$390
Price Category E A	+\$607



Product Information

Description

This laminate screen attaches anywhere along the top of a Canvas Vista™ chase. It extends the overall height to provide boundary and layering. Attachment hardware included.

Notes

Screen width does not need to match chase width.

When using 84"-wide chase, specify 2 42"-wide screens to provide full screen coverage.

When using 96"-wide chase, specify 2 48"-wide screens to provide full screen coverage.

Laminate screen can be placed in any of the 3 tracks on top of chase.


Screens can mount over work surface tether brackets (FG290.) as long as screen bayonets do not collide with tether brackets.

Screen actual heights are 14.64" (15), 18.64" (19), and 25.64" (26).

For proper support information, see planning guide.

For additional product options, see Vary Easy Program in appendices.

Dimensions



Specification Information

Step 1.

FG120.

Step 2. Height

15	15" high (to reach 42" datum)
19	19" high (to reach 46" datum)
26	26" high (to reach 53" datum)

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	60" wide
66	66" wide
72	72" wide

Step 4. Surface Material

L	high-pressure laminate/thermoplastic edge
U	high - pressure laminate/universal edge

Prices for Steps 1-4.

		L	U
FG120.	15 24	\$595	595
	30	\$646	646
	36	\$698	698
	42	\$749	749
	48	\$802	802
	60	\$905	905
	66	\$939	939
	72	\$974	974
	19 24	\$698	698
	30	\$749	749
	36	\$802	802
	42	\$854	854
	48	\$905	905
	60	\$1010	1010
	66	\$1042	1042
	72	\$1078	1078

Laminate Screen, Chase Attached

continued

26	24	\$829	829
30		\$878	878
36		\$930	930
42		\$979	979
48		\$1033	1033
60		\$1135	1135
66		\$1155	1155
72		\$1175	1175

Step 5. Grain Direction

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), or 60" wide (60)

HRG	horizontal grain	+\$0
VTG	vertical grain	+\$0

For 66" wide (66) or 72" wide (72)

HRG	horizontal grain	+\$0
-----	------------------	------

Step 6. Surface Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0

Step 7. Edge Finish

For high-pressure laminate/thermoplastic edge (L)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For high - pressure laminate/universal edge (U)

PLY	plywood edge	+\$50
-----	--------------	-------

Marker Board Screen, Chase Attached

FG118.



Product Information

Description

This marker board laminate screen attaches anywhere along the top of a Canvas Vista™ chase. It extends the overall height to provide boundary and layering with a white dry-erase marker board face. Marker board is nonmagnetic. Attachment hardware included.

Notes

Screen width does not need to match chase width.

When using 84"-wide chase, specify 2 42"-wide screens to provide full screen coverage.

When using 96"-wide chase, specify 2 48"-wide screens to provide full screen coverage.


Marker board screen can be placed in any of the 3 tracks on top of chase.

Screens can mount over work surface tether brackets (FG290.) as long as screen bayonets do not collide with tether brackets.

Screen actual heights are 14.64" (15), 18.64" (19), and 25.64" (26).

For proper support information, see planning guide.

Dimensions



Specification Information

Step 1.

FG118.

Step 2. Height

15	15" high (to reach 42" datum)
19	19" high (to reach 46" datum)
26	26" high (to reach 53" datum)


Step 3. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	60" wide
66	66" wide
72	72" wide

Prices for Steps 1-3.

		24	30	36	42	48	60
FG118.	15	\$762	841	920	999	1077	1233
	19	\$901	973	1046	1119	1192	1337
	26	\$1038	1135	1232	1329	1427	1620
						66	72
FG118.	15					\$1296	1357
	19					\$1401	1460
	26					\$1737	1854

Canvas Vista™ Screens - Chase Attach



Product Information

Description

This laminate or veneer screen provides privacy and modesty above and below 1 side of a Canvas Vista™ chase for single-sided chase applications. It attaches to the underside of the chase. Mounting bracket finish is black.

Notes


It is best to specify boundary screen width to match chase width.

To provide full screen coverage when using an 84"-wide chase, specify 2 42"-wide boundary screens.

To provide full screen coverage when using a 96"-wide chase, specify 2 48"-wide boundary screens.

Boundary screen can be used with both a T-leg (FG119.) and a post leg (FG117.). When using a T-leg, specify T-leg (1) application to ensure the screen can sit above the T-leg foot. When using a post leg, specify post leg (2) application to allow the screen to extend to the bottom of the post leg foot.

Dimensions



Specification Information

Step 1.

FG303.

Step 2. Height

36	36" high
42	42" high
46	46" high

Step 3. Width

42	42" wide
48	48" wide
60	60" wide
66	66" wide
72	72" wide

Step 4. Application

1	for use with t-leg (screen sits above the t-leg foot)
2	for use with post leg (screen goes to the bottom of the foot)

Step 5. Surface Material

L	thermally-fused laminate/thermoplastic edge
U	thermally-fused laminate/universal edge
W	veneer/veneer edge A

Prices for Steps 1-5.

			1L	1U	1W	2L	2U	2W
FG303.	36	42	\$864	864	1876	906	906	2065
		48	\$941	941	2024	989	989	2226
		60	\$1021	1021	2172	1073	1073	2390
		66	\$1100	1100	2320	1154	1154	2552
		72	\$1179	1179	2467	1236	1236	2714
	42	42	\$882	882	1977	926	926	2174
		48	\$966	966	2125	1014	1014	2337
		60	\$1047	1047	2273	1098	1098	2500
		66	\$1128	1128	2421	1185	1185	2663
		72	\$1212	1212	2568	1273	1273	2824
	46	42	\$903	903	2072	946	946	2279
		48	\$989	989	2219	1038	1038	2440
		60	\$1075	1075	2367	1128	1128	2603
		66	\$1161	1161	2513	1219	1219	2766
		72	\$1245	1245	2663	1308	1308	2928

Single Sided Boundary Screen

continued

Step 6. Grain Direction

For 42" wide (42), 48" wide (48), or 60" wide (60) with thermally-fused laminate/thermoplastic edge (L), or thermally-fused laminate/universal edge (U)

HRG	horizontal grain	+\$0
VTG	vertical grain	+\$0

For 66" wide (66) or 72" wide (72) with thermally-fused laminate/thermoplastic edge (L), or thermally-fused laminate/universal edge (U)

HRG	horizontal grain	+\$0
------------	------------------	------

For 42" wide (42), 48" wide (48), 60" wide (60), 66" wide (66), or 72" wide (72) with veneer/veneer edge (W)

HRG	horizontal grain	+\$0
VTG	vertical grain	+\$0

Step 7. Mounting Bracket Finish

UBK	ultra black (CP)	+\$0
BK	black	+\$0

Step 8. Surface Finish

For thermally-fused laminate/thermoplastic edge (L) or thermally-fused laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For veneer/veneer edge (W)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$0
UL	natural maple	+\$0

Canvas Vista™ Screens - Chase Attach

Single Sided Boundary Screen

continued

Step 9. Edge Finish

For thermally-fused laminate/thermoplastic edge (L)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For thermally-fused laminate/universal edge (U)

PLY	plywood edge	+\$50
-----	--------------	-------

Open Frame Screen, Surface Attached

FG345.



Product Information

Description

This steel tube screen attaches to a Canvas Vista™ work surface to create a sense of boundary without an enclosed barrier. Attachment hardware included.

Notes

Screen is flush with back edge of surface.


Screen is 8" high to reach the 36" datum or 14" high to reach the 42" datum. Actual screen height is 8.06" (36) or 13.63" (42) from bottom of work surface to top of screen; actual width is 42".

A movable insert (FG430.) can snap onto the 42"-high open frame screen and is user movable. Order separately.

There is enough clearance for a Vista modesty screen (FG346., FG348.) below the work surface.

Steel frame provides magnetic ability.

Dimensions



Specification Information

Step 1.

FG345.

Step 2. Height

36	36" high
42	42" high

Step 3. Width

42	42" wide
----	----------

Prices for Steps 1-3.

		42
FG345. 36		\$480
42		\$514

Step 4. Screen Finish

Smooth Paint

91	white (CP)	+\$0
98	studio white (CP)	+\$0


Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Vista Modesty Screen-Handed, FG346.
Surface Attached




Product Information

Description
This sheet metal modesty screen attaches to a Canvas Vista™ work surface that is tethered to the chase. The screen wraps around 1 end of the work surface. Attachment hardware included.

Notes
Bottom edge of screen is 15" below top of work surface.
For surfaces 1 1/8" thick, the modesty is flush with top of surface. For surfaces 1 1/4" thick, surface will be 1/8" proud of screen top edge.
Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.
There is enough clearance for an open frame screen (FG345.) to be mounted above the work surface. Order separately.
For work surface that overlaps the chase, specify screen width 6" shorter than work surface width.
When seated at the work surface, left hand return (L) is on the left and right hand return (R) is on the right.

Dimensions



Vista Modesty Screen-Handed,
Surface Attached *continued*

Specification Information

Step 1.

FG346.

Step 2. Depth

24 24" deep

30 30" deep

Step 3. Width

42 42" wide

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 4. Type

L left hand return

R right hand return

Prices for Steps 1-4.

		L	R
FG346. 24	42	\$1010	1010
	48	\$1049	1049
	54	\$1095	1095
	60	\$1139	1139
	66	\$1218	1218
	72	\$1296	1296
30	42	\$1037	1037
	48	\$1077	1077
	54	\$1122	1122
	60	\$1167	1167
	66	\$1245	1245
	72	\$1324	1324

Step 5. Screen Finish

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
EH	metallic bronze	+\$0

Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Vista Privacy + Modesty Screen -
Handed, Surface Attached

FG347.



Product Information


Description

This sheet metal privacy + modesty screen attaches to a Canvas Vista™ work surface that is tethered to the chase. The screen wraps around 1 end of the work surface. Attachment hardware included.

Notes

The privacy top edge is 7" above top of work surface at a 36" datum height.
 Bottom edge of screen is 15" below top of work surface.
 Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.
 There is not enough clearance for an open frame screen (FG345.) to be mounted above the work surface.
 For work surface that overlaps the chase, specify screen width 6" shorter than work surface width.
 When seated at the work surface, left hand return (L) is on the left and right hand return (R) is on the right.

Dimensions



Vista Privacy + Modesty Screen -
Handed, Surface Attached *continued*

Specification Information

Step 1.

FG347.

Step 2. Height

A36 36" high/15" below work surface

Step 3. Depth

24 24" deep

30 30" deep

Step 4. Width

42 42" wide

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Type

L left hand return

R right hand return

Prices for Steps 1-5.

		42L	42R	48L	48R	54L	54R
FG347. A36	24	\$1273	1273	1322	1322	1376	1376
	30	\$1307	1307	1357	1357	1406	1406
		60L	60R	66L	66R	72L	72R
FG347. A36	24	\$1427	1427	1537	1537	1648	1648
	30	\$1461	1461	1572	1572	1684	1684

Step 6. Screen Finish

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
EH	metallic bronze	+\$0


Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Canvas Vista™ Screens - Fixed Surface Attach

Vista Modesty Screen-Double Sided, Surface Attached

FG348.



Product Information

Description

This sheet metal modesty screen attaches to a Canvas Vista™ freestanding fixed-height work surface. The screen wraps around both ends of the work surface. Attachment hardware included.

Notes


Bottom edge of screen is 15" below top of work surface.

For surfaces 1 1/8" thick, the modesty is flush with top of surface. For surfaces 1 1/4" thick, surface will be 1/8" proud of screen top edge.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

There is enough clearance for an open frame screen (FG345.) to be mounted above the work surface. Order separately.

Dimensions



Specification Information

Step 1.

FG348.

Step 2. Depth

24	24" deep
30	30" deep

Step 3. Width

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Prices for Steps 1-3.

	48	54	60	66	72
FG348. 24	\$1188	1215	1243	1354	1467
30	\$1229	1256	1284	1396	1506

Step 4. Screen Finish

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
EH	metallic bronze	+\$0

Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Vista Privacy + Modesty Screen - Double Sided, Surface Attached

FG349.



Product Information

Description

This sheet metal privacy + modesty screen attaches to a Canvas Vista™ freestanding fixed-height work surface. The screen wraps around both ends of the work surface. Attachment hardware included.

Notes


The privacy top edge is 7" above top of work surface at a 36" datum height.

Bottom edge of screen is 15" below top of work surface.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

There is not enough clearance for an open frame screen (FG345.) to be mounted above the work surface.

Dimensions



Specification Information

Step 1.

FG349.

Step 2. Height

A36 36" high/15" below work surface

Step 3. Depth

24 24" deep

30 30" deep

Step 4. Width

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Prices for Steps 1-4.

	48	54	60	66	72
FG349. A36 24	\$1461	1521	1583	1655	1748
30	\$1528	1588	1648	1732	1816

Step 5. Screen Finish

Smooth Paint


8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
EH	metallic bronze	+\$0

Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0



Product Information

Description

This tackable fabric screen attaches to a Canvas Vista™ work surface to provide boundary with a tackable surface. Attachment hardware included.

Notes

Screen widths are actual dimensions and extend to the end of Canvas Vista work surfaces.

Screen extends 4" below surface to hide attachment hardware.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

For planning information, see planning guide.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.48

46—1.73

53—2.17

For horizontal fabric direction (R), for 42" high:

Width—Yardage

42—1.51

48—1.70

54—1.89

60—2.08

66—2.27

72—2.46

For horizontal fabric direction (R), for 46" high and 53" high:

Width—Yardage

42—3.02

48—3.40

54—3.78


60—4.16

66—4.54

72—4.91

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Canvas Vista™ Screens - Fixed Surface Attach

Pari Screen, Surface Attached

continued

Specification Information

Step 1.

FG351.

Step 2. Attachment

G Vista surface attached

Step 3. Height

42 42" high

46 46" high

53 53" high

Step 4. Width

42 42" wide

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For 42" wide (42) or 48" wide (48)

R tackable fabric, horizontal

T tackable fabric

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal

Prices for Steps 1-5.

		42R	42T	48R	48T	54R	60R
FG351. G	42	\$1029	1029	1060	1060	1175	1254
	46	\$1115	1115	1229	1229	1345	1442
	53	\$1403	1403	1480	1480	1564	1592
						66R	72R
FG351. G	42					\$1345	1416
	46					\$1520	1578
	53					\$1637	1667

Step 6. Bracket Finish

G1 graphite (CP) +\$0

Step 7. Fabric

For 42" wide (42) or 48" wide (48)

Price Category 1 +\$0

Price Category 2 +\$28

Price Category 3 +\$65

Price Category 5 +\$288

Price Category B +\$197

Price Category C +\$167

Price Category E +\$281

For 54" wide (54) or 60" wide (60)

Price Category 1 +\$0

Price Category 2 +\$32

Price Category 3 +\$78

Price Category 5 +\$416

Price Category B +\$284

Price Category C +\$196

Price Category E +\$281

For 66" wide (66) or 72" wide (72)

Price Category 1 +\$0

Price Category 2 +\$40

Price Category 3 +\$94


Price Category 5 +\$416

Price Category B +\$284

Price Category C +\$234

Price Category E +\$281

Pari Screen, Surface Attached with Modesty FG353.




Product Information

Description
 This tackable fabric screen attaches to a Canvas Vista™ work surface to provide boundary and modesty with a tackable surface. An optional cable management trough is available. Trough finish is graphite. Attachment hardware included.

Notes

Screen widths are actual dimensions and extend to the end of Canvas Vista work surfaces.
 Screen extends 9" below surface for modesty.
 Screen can be flush with back edge of surface, or provide a 1" gap.
 Screens 48" wide and wider include an additional 1"-wide center mounting bracket.
 For planning information, see planning guide.
 Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.
 For vertical fabric direction (T):
 Height—Yardage
 42—1.48
 46—1.73
 53—2.17
 For horizontal fabric direction (R), for 42" high:
 Width—Yardage
 42—1.51
 48—1.70
 54—1.89
 60—2.08
 66—2.27
 72—2.46
 For horizontal fabric direction (R), for 46" high and 53" high:
 Width—Yardage
 42—3.02
 48—3.40
 54—3.78
 60—4.16
 66—4.54
 72—4.91
 For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Pari Screen, Surface Attached with Modesty *continued*

Specification Information

Step 1.

FG353.

Step 2. Attachment

G Vista surface attached

Step 3. Height

A42 42" high/9" below surface

A46 46" high/ 9" below surface

A53 53" high/ 9" below surface

Step 4. Width

42 42" wide

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For 42" wide (42) or 48" wide (48)

R tackable fabric, horizontal

T tackable fabric

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal

Prices for Steps 1-5.

		42R	42T	48R	48T	54R	60R
FG353. G	A42	\$1169	1169	1299	1299	1463	1494
	A46	\$1372	1372	1474	1474	1545	1637
	A53	\$1520	1520	1637	1637	1695	1753
						66R	72R
FG353. G	A42					\$1610	1656
	A46					\$1720	1761
	A53					\$1902	1936

Step 6. Cable Trough

NC no cable way +\$0

CW cable way +\$25

Step 7. Cable Trough Finish

G1 graphite (CP) +\$0

Step 8. Bracket Finish

G1 graphite (CP) +\$0

Step 9. Fabric

For 42" wide (42) or 48" wide (48)

Price Category 1 +\$0

Price Category 2 +\$58

Price Category 3 +\$132

Price Category 5 +\$288

Price Category B +\$197

Price Category C +\$335

Price Category E +\$510

For 54" wide (54) or 60" wide (60)

Price Category 1 +\$0

Price Category 2 +\$70

Price Category 3 +\$158

Price Category 5 +\$416

Price Category B +\$284

Price Category C +\$402

Price Category E +\$616

For 66" wide (66) or 72" wide (72)

Price Category 1 +\$0

Price Category 2 +\$88


Price Category 3 +\$198

Price Category 5 +\$416

Price Category B +\$284

Price Category C +\$502

Price Category E +\$769



Product Information

Description

This tackable fabric screen attaches to a Canvas Vista™ work surface to provide boundary with a tackable surface. Attachment hardware included.

Notes

- Screen widths are actual dimensions and extend to the end of Canvas work surfaces.
- Screen extends 4" below surface to hide attachment hardware.
- Screen can be flush with back edge of surface, or provide a 1" gap.
- Screens 48" wide and wider include an additional 1"-wide center mounting bracket.
- For planning information, see planning guide.
- Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.48

46—1.73

53—2.17

For horizontal fabric direction (R), for 42" high:

Width—Yardage

42—1.51

48—1.70

54—1.89

60—2.08

66—2.27

72—2.46

For horizontal fabric direction (R), for 46" high and 53" high:

Width—Yardage

42—3.02

48—3.40

54—3.78


60—4.16

66—4.54

72—4.91

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Canvas Vista™ Screens - Fixed Surface Attach

Flat Edge Screen, Surface Attached

continued

Specification Information

Step 1.

FG356.

Step 2. Attachment

G Vista surface attached

Step 3. Height

42 42" high

46 46" high

53 53" high

Step 4. Width

42 42" wide

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For 42" wide (42) or 48" wide (48)

R tackable fabric, horizontal

T tackable fabric

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal

Prices for Steps 1-5.

		42R	42T	48R	48T	54R	60R
FG356. G	42	\$831	831	887	887	942	1020
	46	\$917	917	1012	1012	1107	1197
	53	\$1245	1245	1283	1283	1318	1353
						66R	72R
FG356. G	42					\$1068	1136
	46					\$1251	1307
	53					\$1360	1368

Step 6. Bracket Finish

G1 graphite (CP) +\$0

Step 7. Fabric

For 42" wide (42) or 48" wide (48)

Price Category 1 +\$0

Price Category 2 +\$29

Price Category 3 +\$65

Price Category 5 +\$288

Price Category B +\$197

Price Category C +\$167

Price Category E +\$251

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

Price Category 1 +\$0

Price Category 2 +\$37

Price Category 3 +\$84


Price Category 5 +\$416

Price Category B +\$284

Price Category C +\$212

Price Category E +\$324

Flat Edge Screen, Surface Attached with Modesty FG357.




Product Information

Description
 This tackable fabric screen attaches to a Canvas Vista™ work surface to provide boundary and modesty with a tackable surface. An optional cable management trough is available. Trough finish is graphite. Attachment hardware included.

Notes

Screen widths are actual dimensions and extend to the end of Canvas Vista work surfaces.
 Screen extends 9" below surface for modesty.
 Screen can be flush with back edge of surface, or provide a 1" gap.
 Screens 48" wide and wider include an additional 1"-wide center mounting bracket.
 For planning information, see planning guide.
 Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.
 For vertical fabric direction (T):
 Height—Yardage
 42—1.73
 46—2.14
 53—2.58
 For horizontal fabric direction (R), for 42" high:
 Width—Yardage
 42—1.51
 48—1.70
 54—1.89
 60—2.08
 66—2.27
 72—2.46
 For horizontal fabric direction (R), for 46" high and 53" high:
 Width—Yardage
 42—3.02
 48—3.40
 54—3.78
 60—4.16
 66—4.54
 72—4.91
 For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Flat Edge Screen, Surface Attached with Modesty *continued*

Specification Information

Step 1.

FG357.

Step 2. Attachment

G Vista surface attached

Step 3. Height

A42 42" high/9" below surface

A46 46" high/ 9" below surface

A53 53" high/ 9" below surface

Step 4. Width

42 42" wide

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For 42" wide (42) or 48" wide (48)

R tackable fabric, horizontal

T tackable fabric

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal

Prices for Steps 1-5.

		42R	42T	48R	48T	54R	60R
FG357. G	A42	\$917	917	969	969	1019	1121
	A46	\$1124	1124	1140	1140	1236	1253
	A53	\$1286	1286	1304	1304	1320	1341
						66R	72R
FG357. G	A42					\$1150	1307
	A46					\$1288	1332
	A53					\$1453	1500

Step 6. Cable Trough

NC no cable way +\$0

CW cable way +\$25

Step 7. Cable Trough Finish

G1 graphite (CP) +\$0

Step 8. Bracket Finish

G1 graphite (CP) +\$0

Step 9. Fabric

For 42" wide (42) or 48" wide (48)

Price Category 1 +\$0

Price Category 2 +\$58

Price Category 3 +\$132

Price Category 5 +\$288

Price Category B +\$197

Price Category C +\$335

Price Category E +\$510

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

Price Category 1 +\$0

Price Category 2 +\$76


Price Category 3 +\$173

Price Category 5 +\$416

Price Category B +\$284

Price Category C +\$436

Price Category E +\$672



Product Information

Description

This laminate screen attaches to a Canvas Vista™ work surface to provide boundary. Attachment hardware included.

Notes


Screen widths are actual dimensions and extend to the end of Canvas Vista work surfaces.

Screen extends 4" below surface to hide attachment hardware.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

For additional product options, see Vary Easy Program in appendices.



Specification Information

Step 1.

FG360.

Step 2. Attachment

G Vista surface attached

Step 3. Height

42 42" high

46 46" high

Step 4. Width

42 42" wide

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

L high-pressure laminate/thermoplastic edge

U high - pressure laminate/universal edge

Prices for Steps 1-5.

		42L	42U	48L	48U	54L	54U
FG360.	G 42	\$518	518	544	544	570	570
	46	\$638	638	664	664	691	691
		60L	60U	66L	66U	72L	72U
FG360.	G 42	\$585	585	634	634	665	665
	46	\$702	702	757	757	786	786

Step 6. Grain Direction

For 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)

HRG horizontal grain

VTG vertical grain

For 66" wide (66) or 72" wide (72)

HRG horizontal grain

Step 7. Bracket Finish

G1 graphite (CP)

Canvas Vista™ Screens - Fixed Surface Attach

Laminate Screen, Surface Attached

continued

Step 8. Surface Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 9. Edge Finish

For high-pressure laminate/thermoplastic edge (L)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For high - pressure laminate/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Laminate Screen, Surface Attached with Modesty

FG361.



Product Information

Description

This laminate screen attaches to a Canvas Vista™ work surface to provide boundary and modesty. An optional cable management trough is available. Trough finish is graphite. Attachment hardware included.

Notes

Screen widths are actual dimensions and extend to the end of Canvas Vista work surfaces.


Screen extends 9" below surface for modesty.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

For additional product options, see Vary Easy Program in appendices.

Dimensions



Canvas Vista™ Screens - Fixed Surface Attach

Specification Information

Step 1.

FG361.

Step 2. Attachment

G Vista surface attached

Step 3. Height

A42 42" high/9" below surface

A46 46" high/ 9" below surface

Step 4. Width

42 42" wide

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

L high-pressure laminate/thermoplastic edge

U high - pressure laminate/universal edge

Prices for Steps 1-5.

			42L	42U	48L	48U	54L	54U
FG361. G	A42		\$570	570	599	599	626	626
	A46		\$702	702	731	731	759	759
			60L	60U	66L	66U	72L	72U
FG361. G	A42		\$641	641	688	688	719	719
	A46		\$772	772	824	824	854	854

Step 6. Grain Direction

For 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)

HRG	horizontal grain	+\$0
VTG	vertical grain	+\$0

For 66" wide (66) or 72" wide (72)

HRG	horizontal grain	+\$0
------------	------------------	------

Step 7. Cable Way

CW	cable way	+\$25
NC	no cable way	+\$0

Step 8. Cable Way Finish

G1	graphite (CP)	+\$0
-----------	---------------	------

Laminate Screen, Surface Attached with Modesty *continued*


Step 9. Bracket Finish		
G1	graphite (CP)	+\$0

Step 10. Surface Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 11. Edge Finish		
----------------------	--	--

<i>For high-pressure laminate/thermoplastic edge (L)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

<i>For high - pressure laminate/universal edge (U)</i>		
PLY	plywood edge	+\$50



Product Information

Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface.

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (GR) and end-of-run left handed (GL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

See planning guide for applications.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.17

46—1.42

For horizontal fabric direction (R), for 42" high and 46" high:


Width—Yardage

24—0.91

48—1.10

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FG354.

Step 2. Attachment

GL Vista surface attached, end of run left handed

GR Vista surface attached, end of run right handed

Step 3. Height

42 42" high

46 46" high

Step 4. Width

24 24" wide

30 30" wide

Step 5. Surface Material

R tackable fabric, horizontal

T tackable fabric

Prices for Steps 1-5.


		24R	24T	30R	30T
FG354. GL	42	\$1150	1150	1189	1189
	46	\$1211	1211	1257	1257
	GR 42	\$1150	1150	1189	1189
	46	\$1211	1211	1257	1257

Step 6. Bracket Finish

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 7. Fabric

Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 5	+\$158
Price Category B	+\$108
Price Category C	+\$122
Price Category E	+\$203



Product Information

Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface.

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (GR) and end-of-run left handed (GL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

See planning guide for applications.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.17

46—1.42

For horizontal fabric direction (R), for 42" high and 46" high:


Width—Yardage

24—0.91

48—1.10

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FG358.

Step 2. Attachment

GL Vista surface attached, end of run left handed

GR Vista surface attached, end of run right handed

Step 3. Height

42 42" high

46 46" high

Step 4. Width

24 24" wide

30 30" wide

Step 5. Surface Material

R tackable fabric, horizontal

T tackable fabric

Prices for Steps 1-5.


		24R	24T	30R	30T
FG358. GL	42	\$713	713	753	753
	46	\$775	775	821	821
	GR 42	\$713	713	753	753
	46	\$775	775	821	821

Step 6. Bracket Finish

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 7. Fabric

Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 5	+\$158
Price Category B	+\$108
Price Category C	+\$122
Price Category E	+\$203



Product Information

Description

This light mounts anywhere along the top of the chase in the center track. It turns on to full power by touching the stem. Touch once more to dim to 50%. Touch again to turn the lamp off. The energy-efficient light emitting diode (LED) has a 3000° Kelvin color temperature and CRI of 90+. Lamp is UL Listed.


Notes

Cord length from base of light to AC plug is approximately 10'. Plastic cord cover included. Predetermined finish is black texture or folkstone grey.

For management of light cords, order cable manager, under chase (FG199.) separately. Cable manager attaches to underside of chase to hold and conceal cord and power block from T-light.

For proper support information and applications, see planning guide.

Dimensions



Specification Information

Step 1.


FG600. \$2501

Step 2. Finish

Smooth Paint		
91	white (CP)	+\$0
98	studio white (CP)	+\$0

Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint		
UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0



Product Information

Description


This surface attaches to the top of a Canvas Vista™ chase to provide a platform for user accessories. It has a laminate top with thermoplastic edge, laminate top with thermoplastic backed plywood edge, or veneer top and edge. Laminate and veneer surfaces are 3/4" thick. Attachment hardware included.

Notes

Surface can be mounted anywhere along the top of the case and is user movable.

For additional product options, see Vary Easy Program in appendices.

Dimensions



Specification Information

Step 1.

FG

Step 2. Edge

S17. squared edge

Step 3. Depth

06 6" deep

Step 4. Width

18 18" wide

24 24" wide

Step 5. Surface Material

L thermally-fused laminate top/thermoplastic edge

U thermally-fused laminate top/universal edge

W veneer top/veneer edge A

Prices for Steps 1-5.

	L	U	W
FGS17. 06 18	\$294	294	385
24	\$336	336	426

Step 6.

Top Finish

For thermally-fused laminate top/thermoplastic edge (L) or thermally-fused laminate top/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut	+\$60
40	dark brown walnut	+\$60
CHD	noble cherry	+\$60
ET	clear on ash	+\$60
EU	oak on ash	+\$60
EV	walnut on ash	+\$60
EW	medium matte walnut	+\$60
UL	natural maple	+\$60
WHN	natural white oak	+\$60

Step 7. Edge Finish

For thermally-fused laminate top/thermoplastic edge (L)


76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For thermally-fused laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0

For thermally-fused laminate top/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------



Product Information

Description

This painted metal shelf comes in 4 sizes and mounts to a surface along the back edge, to a Layout Studio® performance rail or a Canvas Vista™ chase. All attachment types are user movable without tools. The backdrop is optional, and can be easily retrofitted in the field. Backdrop and rod finish match shelf finish. When attached to a surface along the back edge or a Layout Studio performance rail, the space under the shelf can accommodate accessory boxes. Shelf comes with a liner in a choice of colors.

Notes

Changing the attachment type on an existing shelf is not easily completed in the field.


Order the following accessories separately:

- Name tag (YT410.)
- Rod bookend (YT440.) for 8" shelf depth only
- Short bin (YT800.)
- Small box (YT840.S)
- Square pencil cup (YT820.)
- Round pencil cup (YT825.)
- Shelf liner (YT510.)


Vista chase mount (C) attaches to the Canvas Vista Chase (FG110.).

Attachment hardware included. For additional information, see Canvas Vista planning guide.


Dimensions



(R) Rail mount stanchion for layout studio performance rail



(C) Vista chase mount



(S) Surface clamp stanchion

Specification Information

Step 1.

YT300. ☐

Step 2. Height

04 4" high ☐

Step 3. Width

12 12" wide ☐15 15" wide ☐22 22" wide ☐

Step 4. Depth

For 12" wide (12)

05 5" deep ☐

For 15" wide (15)

08 8" deep ☐

For 22" wide (22)

05 5" deep ☐08 8" deep ☐

Step 5. Attachment Type

S surface clamp stanchion ☐R rail mount stanchion for Layout Studio Performance Rail ☐C chase mount ☐

Step 6. Backdrop

N no backdrop ☐B backdrop ☐

Step 7. Shelf Material

M painted metal ☐L insert liner ☐

Prices for Steps 1-7.

		05SNM	05SNL	05SBM	05SBL	05RNM	05RNL
YT300.	04 12	\$258	337	387	464	258	337
	22	\$306	422	470	582	306	422

		05RBM	05RBL	05CNM	05CNL	05CBM	05CBL
YT300.	04 12	\$387	464	278	354	397	472
	22	\$470	582	355	461	508	615

		08SNM	08SNL	08SBM	08SBL	08RNM	08RNL
YT300.	04 15	\$281	367	422	506	281	367
	22	\$331	451	496	612	331	451

		08RBM	08RBL	08CNM	08CNL	08CBM	08CBL
YT300.	04 15	\$422	506	297	380	429	513
	22	\$496	612	379	493	532	646

Step 8. Shelf Finish

Metallic Paint

613 silver (CP) ☐ +\$0SNB satin bronze ☐ +\$10

Sand Texture Paint

BK black ☐ +\$0UBK ultra black (CP) ☐ +\$0

Smooth Paint

91 white (CP) ☐ +\$098 studio white (CP) ☐ +\$0G1 graphite (CP) ☐ +\$0


Step 9. Insert Liner Finish

For insert liner (L)


Price Category 4 ☐ +\$0

Magnetic Document Clip


YT400.



Product Information
Description
This document clip magnetically attaches to the back of the large and small organizers and the screen to provide storage for documents.
Notes
Magnetic document clip fits on the following products, ordered separately:
• Small organizer (YT100.)
• Large organizer (YT150.)
• Slim screen (YT200.)
Dimensions



Specification Information
Step 1.
YT400. A
Step 2. Depth
20 20" deep A
Prices for Steps 1-2.
YT400. 20 \$106
Step 3. Finish
613 silver (CP) A +\$0
SNB satin bronze A +\$10
UBK ultra black (CP) A +\$0
91 white (CP) A +\$0
98 studio white (CP) A +\$0
BK black A +\$0
G1 graphite (CP) A +\$0



Product Information


Description

This bag hook clamps to a work surface, mounts under the surface with screws, mounts to the underside of the Canvas Vista™ chase, or attaches to the Ambit™ shroud. The hook rotates 360° to hold the bag under the surface. Clamp mount is easily moved by the user. Fixed attachment option includes attachment hardware.


Notes

Clamp attaches to work surfaces from 3/4" to 1 1/8" thick.
Maximum weight capacity is 15 pounds for clamp and fixed attachment;
maximum weight capacity for hook attached to rail is 35 pounds.
Vista chase mount (M) attaches to underside of Canvas Vista chase (FG110.). Attachment hardware included. It is user movable. For additional information, see Canvas Vista planning guide.


Dimensions




(F) Bag hook fixed



(C) Bag hook clamp



(M) Vista chase mount




(S) Ambit shroud attachment

Bag Hook *continued*

Specification Information		
Step 1.		
YT700. ☐		
Step 2. Attachment Type		
S	shroud ☐	
C	clamp ☐	
F	fixed ☐	
M	chase mount ☐	
Prices for Steps 1-2.		
YT700. S		\$62
C		\$70
F		\$70
M		\$67
Step 3. Finish		
613	silver (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
G1	graphite (CP) ☐	+\$0

Motia® Vista™ Rectangular Table with DV6GTS T-Foot



Product Information

Description

This rectangular height adjustable table has a T-leg configuration and laminate top with square thermoplastic edge, laminate top with thermoplastic backed plywood edge or veneer top and edge. Multiple height adjustment options come with a simple up/down touch switch, simple up/down paddle switch or with no switch to accommodate adding Live Platform™ to the table. Glides have 1/2" leveling range. Work surface stiffener included for surfaces wider than 54". Shipped knocked down. Product is UL Listed.

Notes

Floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for table depth and width are nominal. Depth of surface is reduced by 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

When no under-surface mounted storage (L2SCF., L2SDF.) is used, specify legs outbound (1) location.

To use under-surface mounted storage (L2SCF., L2SDF.) on both ends of the surface, specify legs inbound for under surface storage on both ends (2) location.

To use under-surface mounted storage (L2SCF., L2SDF.) on the right- or left-hand end of the surface, specify legs inbound for under surface storage on left or right end (3) location. This will make the table handed. Surface will come with inbound leg holes; the outbound leg holes will need to be field drilled.

When specifying cable trough (2, 3), trough finish will match table base finish.

When specifying a power access cutout (RC, LC, CC), Logic Mini unit (Y1414.) and grommet (Y1412.) must be ordered separately.

When specifying a 24"D×54"W table with legs inbound for under surface storage on both ends (2) option, the hinged cable trough option is not available. It is recommended to use the (Y1200.48N) cable trough, ordered separately.

If a stiffener is desired for surface widths less than or equal to 54", order work surface stiffener (FV696) separately.

Order the following optional products separately:

- Vista modesty + privacy screen-double sided, height adjustable table (Y1130.)
- Vista modesty screen-double sided, height adjustable table (Y1131.)
- Suspended cubby (L2SCF.)
- Suspended drawer (L2SDF.)

For additional planning information, see planning guide.


For additional product options, see Vary Easy Program in appendices.

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Motia® Vista™ Rectangular Table with T-Foot *continued*

Specification Information

Step 1.

DV6GT

Step 2. Edge

S. squared-edge

Step 3. Depth

24 24" deep (23" surface size) **A**
30 30" deep (29" surface size)

Step 4. Width

48 48" wide (46" surface size) **A**
54 54" wide (52" surface size) **A**
60 60" wide (58" surface size)
66 66" wide (64" surface size) **A**
72 72" wide (70" surface size)

Step 5. Surface Material

For squared-edge (S.)

A high-pressure laminate top/thermoplastic edge with MicrobeCare™
C high-pressure laminate top/universal edge with MicrobeCare™
L high-pressure laminate top/thermoplastic edge
U high-pressure laminate/universal edge
J thermally-fused laminate top/thermoplastic edge with MicrobeCare™
K thermally-fused laminate top/universal edge with MicrobeCare™
M thermally-fused laminate top/thermoplastic edge
T thermally-fused laminate top/universal edge
W veneer top/veneer edge

Step 6. Top Thickness

For squared-edge (S.) with high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), or veneer top/veneer edge (W)

04 1¼" thick
08 1⅝" thick **A**

For squared-edge (S.) with thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

04 1¼" thick

Step 7. Mechanism

D electric extended range **A**
E electric standard range

Step 8. Leg Location

For 48" wide (46" surface size) (48) with electric extended range (D) or electric standard range (E)

1 legs outbound (no surface mounted storage) **A**

For 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with electric standard range (E)

1 legs outbound (no surface mounted storage)
2 legs inbound (for under surface storage on both ends) **A**
3 legs inbound (for under surface storage on left or right end) **A**

For 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with electric extended range (D)

1 legs outbound (no surface mounted storage) **A**

Prices for Steps 1-8.

			A04D1	A04E1	A04E2	A04E3	A08D1	A08E1
DV6GTS.	24	48	\$3317	3080	—	—	3390	3153
		54	\$3401	3166	3166	3166	3477	3240
		60	\$3460	3225	3225	3225	3536	3299
		66	\$3540	3303	3303	3303	3613	3379
		72	\$3615	3380	3380	3380	3691	3454
	30	48	\$3331	3095	—	—	3407	3169
		54	\$3438	3202	3202	3202	3511	3276
		60	\$3504	3269	3269	3269	3579	3343
		66	\$3606	3370	3370	3370	3684	3445
		72	\$3704	3471	3471	3471	3780	3544
			A08E2	A08E3	C04D1	C04E1	C04E2	C04E3
DV6GTS.	24	48	—	—	\$3284	3050	—	—
		54	\$3240	3240	3368	3135	3135	3135
		60	\$3299	3299	3427	3194	3194	3194
		66	\$3379	3379	3505	3273	3273	3273
		72	\$3454	3454	3580	3347	3347	3347
	30	48	—	—	\$3298	3066	—	—
		54	\$3276	3276	3405	3171	3171	3171
		60	\$3343	3343	3471	3237	3237	3237
		66	\$3445	3445	3572	3337	3337	3337
		72	\$3544	3544	3669	3436	3436	3436

Motia® Vista™ Rectangular Table with
T-Foot *continued*

Canvas Vista™ Height Adjustable Table

		C08D1	C08E1	C08E2	C08E3	L04D1	L04E1
DV6GTS.	24 48	\$3357	3124	—	—	3266	3027
	54	\$3443	3209	3209	3209	3353	3116
	60	\$3501	3268	3268	3268	3413	3174
	66	\$3579	3346	3346	3346	3493	3253
	72	\$3655	3421	3421	3421	3569	3333
	30 48	\$3374	3138	—	—	3282	3042
	54	\$3478	3244	3244	3244	3390	3151
	60	\$3545	3309	3309	3309	3458	3219
	66	\$3647	3412	3412	3412	3562	3322
	72	\$3744	3509	3509	3509	3661	3422

		L04E2	L04E3	L08D1	L08E1	L08E2	L08E3
DV6GTS.	24 48	—	—	\$3342	3102	—	—
	54	\$3116	3116	3431	3192	3192	3192
	60	\$3174	3174	3490	3250	3250	3250
	66	\$3253	3253	3568	3331	3331	3331
	72	\$3333	3333	3648	3407	3407	3407
	30 48	—	—	\$3358	3120	—	—
	54	\$3151	3151	3465	3227	3227	3227
	60	\$3219	3219	3535	3294	3294	3294
	66	\$3322	3322	3640	3397	3397	3397
	72	\$3422	3422	3738	3498	3498	3498

		U04D1	U04E1	U04E2	U04E3	U08D1	U08E1
DV6GTS.	24 48	\$3218	2983	—	—	3293	3057
	54	\$3304	3071	3071	3071	3381	3145
	60	\$3363	3128	3128	3128	3439	3203
	66	\$3442	3206	3206	3206	3516	3282
	72	\$3517	3284	3284	3284	3595	3357
	30 48	\$3234	2998	—	—	3309	3074
	54	\$3341	3105	3105	3105	3415	3180
	60	\$3408	3172	3172	3172	3484	3246
	66	\$3510	3274	3274	3274	3587	3348
	72	\$3608	3372	3372	3372	3684	3447

		U08E2	U08E3	J04D1	J04E1	J04E2	J04E3
DV6GTS.	24 48	—	—	\$3217	2988	—	—
	54	\$3145	3145	3299	3071	3071	3071
	60	\$3203	3203	3357	3129	3129	3129
	66	\$3282	3282	3434	3206	3206	3206
	72	\$3357	3357	3507	3279	3279	3279
	30 48	—	—	\$3231	3003	—	—
	54	\$3180	3180	3336	3106	3106	3106
	60	\$3246	3246	3399	3172	3172	3172
	66	\$3348	3348	3499	3269	3269	3269
	72	\$3447	3447	3594	3366	3366	3366

		K04D1	K04E1	K04E2	K04E3	M04D1	M04E1
DV6GTS.	24 48	\$3217	2988	—	—	3122	2893
	54	\$3299	3071	3071	3071	3207	2979
	60	\$3357	3129	3129	3129	3263	3034
	66	\$3434	3206	3206	3206	3340	3110
	72	\$3507	3279	3279	3279	3413	3186
	30 48	\$3231	3003	—	—	3138	2909
	54	\$3336	3106	3106	3106	3240	3014
	60	\$3399	3172	3172	3172	3306	3077
	66	\$3499	3269	3269	3269	3405	3177
	72	\$3594	3366	3366	3366	3501	3271

		M04E2	M04E3	T04D1	T04E1	T04E2	T04E3
DV6GTS.	24 48	—	—	\$3122	2893	—	—
	54	\$2979	2979	3207	2979	2979	2979
	60	\$3034	3034	3263	3034	3034	3034
	66	\$3110	3110	3340	3110	3110	3110
	72	\$3186	3186	3413	3186	3186	3186
	30 48	—	—	\$3138	2909	—	—
	54	\$3014	3014	3240	3014	3014	3014
	60	\$3077	3077	3306	3077	3077	3077
	66	\$3177	3177	3405	3177	3177	3177
	72	\$3271	3271	3501	3271	3271	3271

		W04D1	W04E1	W04E2	W04E3	W08D1	W08E1
DV6GTS.	24 48	\$3609	3377	—	—	3684	3451
	54	\$3752	3523	3523	3523	3825	3594
	60	\$3874	3642	3642	3642	3948	3715
	66	\$4019	3788	3788	3788	4092	3861
	72	\$4138	3907	3907	3907	4210	3983
	30 48	\$3739	3510	—	—	3814	3583
	54	\$3915	3687	3687	3687	3990	3758
	60	\$4076	3845	3845	3845	4150	3917
	66	\$4261	4032	4032	4032	4333	4105
	72	\$4415	4185	4185	4185	4490	4259

		W08E2	W08E3
DV6GTS.	24 54	\$3594	3594
	60	\$3715	3715
	66	\$3861	3861
	72	\$3983	3983
	30 54	\$3758	3758
	60	\$3917	3917
	66	\$4105	4105
	72	\$4259	4259

Motia® Vista™ Rectangular Table with T-Foot *continued*

Step 9. Switch Option

STS	simple up/down - touch switch	+\$0
SUD	simple up/down - paddle switch ☐	+\$50
SMT	no switch - LO100 ☐	+\$0

Step 10.

Top Finish

For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
CHD	noble cherry	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
EW	medium matte walnut ☐	+\$85
UL	natural maple ☐	+\$85
WHN	natural white oak	+\$85

Top Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Canvas Vista™ Height Adjustable Table

Motia® Vista™ Rectangular Table with T-Foot *continued*

Step 11. Edge Finish

For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut [A]	+\$0
8Q	folkstone grey (CP) [A]	+\$0
91	white (CP) [A]	+\$0
98	studio white (CP) [A]	+\$0
CL	cool grey neutral [A]	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light [A]	+\$0
HP	light anigre [A]	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP) [A]	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill [A]	+\$0
LBJ	graphite twill [A]	+\$0
LBQ	white twill [A]	+\$0
LBR	phantom ecru [A]	+\$0
LBS	phantom cocoa [A]	+\$0
LBU	medium matte walnut (CP) [A]	+\$0
LBV	warm grey teak [A]	+\$0
LU	soft white [A]	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP) [A]	+\$0
WN	warm grey neutral [A]	+\$0

For high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate/universal edge (U), thermally-fused laminate top/universal edge with MicrobeCare™ (K), or thermally-fused laminate top/universal edge (T)

PLY	plywood edge [A]	+\$50
-----	------------------	-------

Step 12. Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze [A]	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

BK	black [A]	+\$0
DB3	glacier [A]	+\$25
DN2	nightfall [A]	+\$25
DR1	canyon [A]	+\$25
G1	graphite (CP)	+\$0
OLF	olive [A]	+\$25
UBK	ultra black (CP)	+\$0

Smooth Paint

8Q	folkstone grey (CP) [A]	+\$0
91	white (CP) [A]	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral [A]	+\$0
WL	warm stone (CP) [A]	+\$0
WN	warm grey neutral [A]	+\$0

Step 13. Cable Trough

For 24" deep (23" surface size) (24) with 48" wide (46" surface size) (48), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72)

2	hinged cable trough for 24" deep surface [A]	+\$275
N	no cable trough [A]	+\$0

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72)

3	hinged cable trough for 30" deep surface [A]	+\$296
N	no cable trough	+\$0

For 24" deep (23" surface size) (24) with 54" wide (52" surface size) (54) with legs inbound (for under surface storage on both ends) (2)

N	no cable trough [A]	+\$0
---	---------------------	------

Motia® Vista™ Rectangular Table with
T-Foot *continued*

For 24" deep (23" surface size) (24) with 54" wide (52" surface size) (54) with legs outbound (no surface mounted storage) (1), or legs inbound (for under surface storage on left or right end) (3)

2	hinged cable trough for 24" deep surface ☐	+\$275
N	no cable trough ☐	+\$0

Step 14. Power Access Cutout


CC	center cutout for Logic Mini - Y1414 and Y1412.1 ☐	+\$55
LC	left cutout for Logic Mini - Y1414 and Y1412.1 ☐	+\$55
NC	no cutout	+\$0
RC	right cutout for Logic Mini - Y1414 and Y1412.1 ☐	+\$55

Step 15. Glides

57	glides	+\$0
-----------	--------	------

Motia® Vista™ Adjustable Base Kit with T-Foot

DV7GT.



Product Information

Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths and multiple widths with a choice of switch type. Glides have 1/2" of leveling range. Kit includes work surface stiffener. Shipped knocked down. Product is UL Recognized.

Notes


With standard 1 1/8" thick work surface, floor to top-of-surface height adjustment ranges are 27"-46" for the electric standard range (E) option, and 22"-48" for the electric extended range (D) option.

Sizes listed for foot depth and base width are nominal. Depth of foot is reduced 1" for cord management when paired with equal depth work surface. Width of base is reduced 2" to minimize possible pinch point hazards when paired with equal width work surface.


To accommodate adding Live Platform™ to the table, specify no switch - LO100 (SMT) option.

For proper installation of leg kit and design information, see planning guide.

Dimensions



(E) Electric Standard Range



(D) Electric Extended Range

Specification Information

Step 1.

DV7GT. ☐ A

Step 2. Depth

24 24" deep (23" surface size) ☐ A

30 30" deep (29" surface size) ☐ A

Step 3. Mechanism

D electric extended range ☐ A

E electric standard range ☐ A

Step 4. Leg Location

1 legs outbound (no surface mounted storage) ☐ A

Prices for Steps 1-4.

	1
DV7GT. 24 D	\$2878
E	\$2642
30 D	\$2789
E	\$2555

Step 5. Switch Option

STS	simple up/down touch switch ☐ A	+\$0
SMT	no switch - LO100 ☐ A	+\$0
SUD	simple up down - paddle switch ☐ A	+\$50
SRM	digital read out with memory ☐ A	+\$160

Step 6. Leg/Foot Finish

Smooth Paint

8Q	folkstone grey (CP) ☐ A	+\$0
91	white (CP) ☐ A	+\$0
98	studio white (CP) ☐ A	+\$0
CL	cool grey neutral ☐ A	+\$0
WL	warm stone (CP) ☐ A	+\$0
WN	warm grey neutral ☐ A	+\$0

Metallic Paint


611	beige mist metallic (CP) ☐ A	+\$0
613	silver (CP) ☐ A	+\$0
EH	metallic bronze ☐ A	+\$0
SNA	satin aluminum ☐ A	+\$30
SNB	satin bronze ☐ A	+\$30
SNC	satin carbon ☐ A	+\$30

Motia® Vista™ Adjustable Base Kit
with T-Foot *continued*

Sand Texture Paint		
BK	black ☐	+\$0
G1	graphite (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
Step 7. Glides		
57	glides ☐	+\$0

Vista Privacy + Modesty Screen - Double Sided, Height Adjustable Table

Y1130.



Product Information

Description

This sheet metal privacy + modesty screen attaches to a Motia® Vista™ height adjustable table. The screen wraps around both ends of the work surface. Attachment hardware included.

Notes

Actual screen width is 2" less than specified width.


Privacy top edge is 7" above top of work surface at a 36" datum height.

Bottom edge of screen is 15" below top of work surface.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

There is not enough clearance for an open frame screen (FG345.) to be mounted above the work surface.

Dimensions



Specification Information

Step 1.

Y1130. ☐

Step 2. Height

A36 36" high/15" below work surface ☐

Step 3. Depth

24 24" deep ☐

30 30" deep ☐

Step 4. Width

48 48" wide ☐

54 54" wide ☐

60 60" wide ☐

66 66" wide ☐

72 72" wide ☐

Prices for Steps 1-4.

		48	54	60	66	72
Y1130. A36	24	\$1000	1040	1081	1132	1196
	30	\$1045	1087	1129	1186	1243

Step 5. Screen Finish

Smooth Paint

8Q	folkstone grey (CP)	☐	+\$0
91	white (CP)	☐	+\$0
98	studio white (CP)	☐	+\$0
CL	cool grey neutral	☐	+\$0
WL	warm stone (CP)	☐	+\$0
WN	warm grey neutral	☐	+\$0


Metallic Paint

611	beige mist metallic (CP)	☐	+\$0
613	silver (CP)	☐	+\$0
SNA	satin aluminum	☐	+\$10
SNB	satin bronze	☐	+\$10
SNC	satin carbon	☐	+\$10
EH	metallic bronze	☐	+\$0

Sand Texture Paint

UBK	ultra black (CP)	☐	+\$0
BK	black	☐	+\$0
G1	graphite (CP)	☐	+\$0

Vista Modesty Screen - Double Sided, Y1131. Height Adjustable Table



Product Information

Description

This sheet metal modesty screen attaches to a Motia® Vista™ height adjustable table. The screen wraps around both ends of the work surface. Attachment hardware included.

Notes


Actual screen width is 2" less than specified width.

Bottom edge of screen is 15" below top of work surface.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

There is enough clearance for an open frame screen (FG345.) to be mounted above the work surface. Order separately.

Dimensions



Specification Information

Step 1.

Y1131. ☐ A

Step 2. Depth

24 24" deep ☐ A

30 30" deep ☐ A

Step 3. Width

48 48" wide ☐ A

54 54" wide ☐ A

60 60" wide ☐ A

66 66" wide ☐ A

72 72" wide ☐ A

Prices for Steps 1-3.

	48	54	60	66	72
Y1131. 24	\$814	833	850	927	1004
30	\$842	860	876	953	1033

Step 4. Screen Finish

Smooth Paint

8Q	folkstone grey (CP)	☐ A	+\$0
91	white (CP)	☐ A	+\$0
98	studio white (CP)	☐ A	+\$0
CL	cool grey neutral	☐ A	+\$0
WL	warm stone (CP)	☐ A	+\$0
WN	warm grey neutral	☐ A	+\$0

Metallic Paint


611	beige mist metallic (CP)	☐ A	+\$0
613	silver (CP)	☐ A	+\$0
SNA	satin aluminum	☐ A	+\$10
SNB	satin bronze	☐ A	+\$10
SNC	satin carbon	☐ A	+\$10
EH	metallic bronze	☐ A	+\$0

Sand Texture Paint

UBK	ultra black (CP)	☐ A	+\$0
BK	black	☐ A	+\$0
G1	graphite (CP)	☐ A	+\$0

Pari Screen, Height Adjustable
Tables

Y1116.



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 10" below work surface.

Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 10" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

- A—1.51
- B—1.89
- C—1.76
- D—2.14
- E—2.21
- F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

- 24—0.88
- 30—1.07
- 36—1.26
- 42—1.45
- 48—1.64
- 54—1.83
- 60—2.02
- 66—2.21
- 72—2.39

For heights C/D/E/F:

- 24—1.76
- 30—2.14
- 36—2.52
- 42—2.90
- 48—3.28
- 54—3.65
- 60—4.03
- 66—4.41
- 72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Pari Screen, Height Adjustable

Tables *continued*

Specification Information

Step 1.

Y1116. ☐

Step 2. Height

- A privacy (42" high) ☐
- B privacy & modesty (42" high/10" below surface) ☐
- C privacy (46" high) ☐
- D privacy & modesty (46" high/10" below surface) ☐
- E privacy (53" high) ☐
- F privacy & modesty (53" high/10" below surface) ☐

Step 3. Width

- 24 24" wide ☐
- 30 30" wide ☐
- 36 36" wide ☐
- 42 42" wide ☐
- 48 48" wide ☐
- 54 54" wide ☐
- 60 60" wide ☐
- 66 66" wide ☐
- 72 72" wide ☐

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

- R tackable fabric, horizontal ☐
- T tackable fabric ☐
- D tackable fabric, horizontal with MicrobeCare™ ☐
- E tackable fabric with MicrobeCare™ ☐

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

- R tackable fabric, horizontal ☐
- D tackable fabric, horizontal with MicrobeCare™ ☐

Prices for Steps 1-4.

	R	T	D	E
Y1116. A 24	\$556	556	625	625
30	\$645	645	712	712
36	\$670	670	738	738
42	\$710	710	779	779
48	\$736	736	805	805
54	\$808	—	876	—
60	\$868	—	937	—
66	\$927	—	998	—
72	\$979	—	1046	—

B 24	\$671	671	739	739
30	\$719	719	786	786
36	\$765	765	832	832
42	\$808	808	876	876
48	\$897	897	965	965
54	\$1009	—	1077	—
60	\$1035	—	1103	—
66	\$1113	—	1182	—
72	\$1141	—	1210	—
C 24	\$632	632	700	700
30	\$676	676	744	744
36	\$724	724	792	792
42	\$768	768	836	836
48	\$848	848	915	915
54	\$933	—	1000	—
60	\$1039	—	1107	—
66	\$1089	—	1157	—
72	\$1133	—	1200	—
D 24	\$812	812	879	879
30	\$855	855	923	923
36	\$901	901	969	969
42	\$946	946	1014	1014
48	\$1017	1017	1087	1087
54	\$1067	—	1135	—
60	\$1130	—	1198	—
66	\$1187	—	1255	—
72	\$1218	—	1285	—
E 24	\$831	831	899	899
30	\$876	876	944	944
36	\$921	921	988	988
42	\$993	993	1062	1062
48	\$1022	1022	1091	1091
54	\$1080	—	1150	—
60	\$1102	—	1171	—
66	\$1129	—	1197	—
72	\$1155	—	1223	—
F 24	\$915	915	983	983
30	\$959	959	1028	1028
36	\$1006	1006	1074	1074
42	\$1051	1051	1119	1119
48	\$1131	1131	1199	1199
54	\$1171	—	1238	—
60	\$1214	—	1282	—
66	\$1313	—	1380	—
72	\$1338	—	1406	—

Canvas Vista™ Height Adjustable Table

Pari Screen, Height Adjustable


Tables *continued*

Step 5. Cable Trough		
<i>For privacy & modesty (42" high/10" below surface) (B), privacy & modesty (46" high/10" below surface) (D), or privacy & modesty (53" high/10" below surface) (F)</i>		
NC	no cable way ☐	+\$0
CW	cable way ☐	+\$25

Step 6. Fabric		
Price Category 1	☐	+\$0
Price Category 2	☐	+\$23
Price Category 3	☐	+\$49
Price Category 5	☐	+\$162
Price Category B	☐	+\$86
Price Category C	☐	+\$121
Price Category E	☐	+\$182


Canvas Vista™ Height Adjustable Table

Surface-Attached Screen, Flat Edge Y1118.



Product Information
Description
This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.
Notes
Privacy and modesty panel actual width is 2" less than specified width.
Privacy screen (A) top edge is 13" above top of work surface; bottom edge is 3¾" below work surface.
Privacy & modesty screen (B) top edge is 13" above top of work surface; bottom edge is 10" below work surface.
Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.
Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.
Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.
Screens 54" wide and wider include an additional 1"-wide center mounting bracket.
Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.
Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.
Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment.
Attachment bracket finish is painted graphite.
Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.
For vertical fabric direction (T):
Height—Yardage
A—1.51
B—1.89
C—1.76
D—2.14
E—2.21
F—2.58

For horizontal fabric direction (R):
Width—Yardage
For heights A/B:
24—0.88
30—1.07
36—1.26
42—1.45
48—1.64
54—1.83
60—2.02
66—2.21
72—2.39
For heights C/D/E/F:
24—1.76
30—2.14
36—2.52
42—2.90
48—3.28
54—3.65
60—4.03
66—4.41
72—4.79
For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.
MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.
MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.
MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).



Surface-Attached Screen, Flat Edge

continued

Canvas Vista™ Height Adjustable Table

Specification Information					
Step 1.					
Y1118. A					
Step 2. Height					
A	privacy (42" high)	A			
B	privacy & modesty (42" high/ 9" below surface)	A			
C	privacy (46" high)	A			
D	privacy & modesty (46" high/ 9" below surface)	A			
E	privacy (53" high)	A			
F	privacy & modesty (53" high/ 9" below surface)	A			
Step 3. Width					
24	24" wide	A			
30	30" wide	A			
36	36" wide	A			
42	42" wide	A			
48	48" wide	A			
54	54" wide	A			
60	60" wide	A			
66	66" wide	A			
72	72" wide	A			
Step 4. Surface Material					
For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)					
R	tackable fabric, horizontal	A			
T	tackable fabric	A			
D	tackable fabric, horizontal with MicrobeCare™	A			
E	tackable fabric with MicrobeCare™	A			
For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)					
R	tackable fabric, horizontal	A			
D	tackable fabric, horizontal with MicrobeCare™	A			
Prices for Steps 1-4.					
		R	T	D	E
Y1118. A	24	\$387	387	455	455
	30	\$418	418	486	486
	36	\$498	498	567	567
	42	\$536	536	604	604
	48	\$574	574	641	641
	54	\$610	—	677	—
	60	\$662	—	730	—
	66	\$693	—	761	—
	72	\$738	—	806	—

B	24	\$482	482	548 548
	30	\$519	519	588 588
	36	\$556	556	625 625
	42	\$595	595	663 663
	48	\$626	626	695 695
	54	\$660	—	727 —
	60	\$682	—	750 —
	66	\$744	—	813 —
	72	\$800	—	868 —
C	24	\$483	483	551 551
	30	\$532	532	600 600
	36	\$572	572	640 640
	42	\$630	630	698 698
	48	\$706	706	773 773
	54	\$743	—	812 —
	60	\$831	—	899 —
	66	\$874	—	941 —
	72	\$937	—	1005 —
D	24	\$606	606	675 675
	30	\$676	676	744 744
	36	\$754	754	821 821
	42	\$771	771	840 840
	48	\$803	803	872 872
	54	\$826	—	892 —
	60	\$914	—	982 —
	66	\$988	—	1057 —
	72	\$1029	—	1097 —
E	24	\$658	658	725 725
	30	\$667	667	735 735
	36	\$685	685	753 753
	42	\$805	805	874 874
	48	\$833	833	902 902
	54	\$854	—	922 —
	60	\$892	—	960 —
	66	\$973	—	1042 —
	72	\$1036	—	1104 —
F	24	\$796	796	864 864
	30	\$805	805	874 874
	36	\$819	819	887 887
	42	\$833	833	902 902
	48	\$844	844	913 913
	54	\$855	—	923 —
	60	\$946	—	1014 —
	66	\$994	—	1063 —
	72	\$1201	—	1269 —

Surface-Attached Screen, Flat Edge

continued

Step 5. Cable Trough

For privacy & modesty (42" high/ 9" below surface) (B), privacy & modesty (46" high/ 9" below surface) (D), or privacy & modesty (53" high/ 9" below surface) (F)


NC	no cable way ☐	+\$0
CW	cable way ☐	+\$25

Step 6. Fabric

Price Category 1 ☐	+\$0
Price Category 2 ☐	+\$25
Price Category 3 ☐	+\$59
Price Category 5 ☐	+\$146
Price Category B ☐	+\$97
Price Category C ☐	+\$133
Price Category E ☐	+\$182


For tackable fabric, horizontal (R) or tackable fabric, horizontal with MicrobeCare™ (D)

Price Category 1 ☐	+\$0
Price Category 2 ☐	+\$25
Price Category 3 ☐	+\$59
Price Category 5 ☐	+\$146
Price Category B ☐	+\$97
Price Category C ☐	+\$133



Product Information
Description
This screen attaches to an individual height adjustable work surface. It has a laminate surface with frameless design and comes in privacy and modesty sizes. Attachment hardware included.
Notes
Privacy and modesty panel actual width is 2" less than specified width.
Privacy screen (13A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (13B) top edge aligns with the 42"-high Canvas datum line; bottom edge is 11 1/8" below work surface.
Screens 54" wide and wider include an additional 1"-wide center mounting bracket.
Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.
Optional cable management trough is only available when specifying privacy & modesty height option (13B). Trough finish is graphite.
Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.
Attachment bracket finish is painted graphite.
Dimensions

Canvas Vista™ Height Adjustable Table



Specification Information
Step 1.
Y1120.
Step 2. Height
13A privacy (13 1/2" above worksurface)
13B privacy & modesty (13 1/2" above worksurface/11 1/8" below worksurface)
Step 3. Width
24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
54 54" wide
60 60" wide
66 66" wide
72 72" wide
Step 4. Surface Material
L thermally-fused laminate
U thermally-fused laminate/universal edge

Prices for Steps 1-4.		L	U
Y1120.	13A 24	\$264	264
	30	\$281	281
	36	\$295	295
	42	\$309	309
	48	\$324	324
	54	\$337	337
	60	\$348	348
	66	\$359	359
	72	\$373	373
	13B 24	\$326	326
	30	\$343	343
	36	\$361	361
	42	\$380	380
	48	\$398	398
	54	\$412	412
	60	\$430	430
	66	\$442	442
	72	\$457	457

Laminate Screen, Surface Attached

continued

Step 5. Grain Direction

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)

VTG	vertical grain	+\$0
HRG	horizontal grain	+\$0

For 66" wide (66) or 72" wide (72)

HRG	horizontal grain	+\$0
------------	------------------	------

Step 6. Cable Trough

For privacy (13½" above worksurface) (13A)

NC	no cable way	+\$0
-----------	--------------	------

For privacy & modesty (13½" above worksurface/11½" below worksurface) (13B)

NC	no cable way	+\$0
CW	cable way	+\$25

Step 7. Surface Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Edge Finish

For thermally-fused laminate (L)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For thermally-fused laminate/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Credenza with 2" Base, Individual
Box/File

L2CF.



Product Information

Description

This individual credenza provides drawer storage on 1 side with a box drawer and file drawer. It can be used freestanding or with a structural support bracket to support the chase. Credenza is available with laminate case and drawer fronts. It has a recessed 2"-high base, base with fronts to floor, or 2"-high feet with 1" leveling glides. False back panel is optional.

Notes

Counterweight is required and is specified with each individual storage unit. Box and file drawers have full-extension slides. File drawers accommodate side-to-side letter filing. For front-to-back filing of letter- or legal-size hanging files, order optional file converter (L29P.15) separately. Specify 2 file converters per drawer.

Actual credenza depth is 16½"; actual width is 29⅞"; actual height is 22".


Order optional accessories separately:

- Structural support, low storage to chase (FG292.1B)

Grain direction is vertical on fronts, sides, and back/false back panel.

For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.

See planning guide for additional configuration information and dimensions.



Specification Information		
Step 1.		
L2CF.21		
Step 2. Width		
30	30" wide	+\$2425
Step 3. Depth		
16	16.5" deep	+\$0
Step 4. Base/Foot Height		
1	base	+\$33
3	base with fronts to floor	+\$62
5	tube foot	+\$148
9	c-foot	+\$188
Step 5. Configuration		
BF	box/file - 30" wide module	+\$0
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 9. False Back Panel		
N	no back panel	+\$0
B	back panel, matches finish of drawer fronts	+\$242

Credenza with 2" Base, Individual
Box/File *continued*

Step 10. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 11. Front Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 12. Pull Finish		
<i>For arc pull (A)</i>		
NH	brushed nickel	+\$0
NK	black nickel	+\$0
Smooth Paint		
<i>For bar pull (K) or flush pull (U)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Credenza with 2" Base, Individual
Box/File *continued*

Metallic Paint

For bar pull (K) or flush pull (U)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$0
SNB	satin bronze	+\$0
SNC	satin carbon	+\$0

Sand Texture Paint

For bar pull (K) or flush pull (U)

UBK	ultra black (CP)	+\$0
BK	black	+\$16

Step 13. Foot Finish

For tube foot (5) or c-foot (9)

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 14. Counterweight


CB	counterweight	+\$0
-----------	---------------	------

Step 15. Lock Option

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 2" Base, Individual Box/File + Door

L2CF.



Product Information

Description

This individual credenza provides 6 configurations of 15", 18" and 30"-wide box drawer, file drawer, and cabinet modules on 1 side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Credenza is available with laminate case and fronts. It has a recessed 2"-high base, base with fronts to floor, or 2"-high feet with 1" leveling glides. False back panel is optional.

Notes

Counterweight is required and is specified with each individual storage unit. Box and file drawers have full-extension slides. File drawers 15" wide accommodate front-to-back filing. File drawers 30" wide accommodate side-to-side letter filing. For front-to-back filing of letter- or legal-size hanging files, order optional file converter (L29P.15) separately. Specify 2 file converters per drawer.

Actual credenza depth is 16 1/2"; actual height is 22".

Actual credenza widths are:

Nominal—Actual

30"—29 5/8"

45"—44 3/4"

48"—47 3/4"

Order optional accessories separately:


- Structural support, low storage to chase (FG292.1B)

Grain direction is vertical on fronts, sides, and back/false back panel.

For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.

See planning guide for additional configuration information and dimensions.

Dimensions



Canvas Vista™ Storage - Tu® Wood for Canvas Vista™

Credenza with 2" Base, Individual Box/File + Door *continued*

Specification Information		
Step 1.		
L2CF.22		
Step 2. Width		
30	30" wide	+\$2573
45	45" wide	+\$3030
48	48" wide	+\$3066
Step 3. Depth		
16	16.5" deep	+\$0
Step 4. Base/Foot Height		
1	base	+\$33
3	base with fronts to floor	+\$62
5	tube foot	+\$148
9	c-foot	+\$188
Step 5. Configuration		
<i>For 30" wide (30)</i>		
B1	box/file, door - 15" wide modules	+\$0
D1	door, box/file - 15" wide modules	+\$0
<i>For 45" wide (45)</i>		
B2	box/file - 30" wide module, door - 15" wide module	+\$0
D2	door - 15" wide module, box/file - 30" wide module	+\$0
<i>For 48" wide (48)</i>		
B3	box/file - 30" wide module, door - 18" wide module	+\$0
D3	door - 18" wide module, box/file - 30" wide module	+\$0
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0

Step 9. False Back Panel		
N	no back panel	+\$0
B	back panel, matches finish of the front panels and drawer fronts	+\$242
Step 10. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teal	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza with 2" Base, Individual Box/File + Door *continued*

Step 11. Front Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 12. Pull Finish		
<i>For arc pull (A)</i>		
NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint		
<i>For bar pull (K) or flush pull (U)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint		
<i>For bar pull (K) or flush pull (U)</i>		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint		
<i>For bar pull (K) or flush pull (U)</i>		
UBK	ultra black (CP)	+\$0
BK	black	+\$16

Step 13. Foot Finish		
<i>For tube foot (5) or c-foot (9)</i>		
Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
EH	metallic bronze	+\$0


Sand Texture Paint		
UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 14. Counterweight		
CB	counterweight	+\$0

Step 15. Lock Option		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 8" Base, Individual 1 Module

L2CF.



Product Information

Description


This individual credenza provides drawer storage on 1 side with 2 box drawers and can be used freestanding or with a structural support bracket to support the chase. Options include a lock or no lock and a false back panel. Credenza is available with laminate case and drawer fronts and has 8"-high feet with 1½" leveling glides.

Notes

Counterweight is required and is specified with each individual storage unit.
Box drawers have full-extension slides.
Actual credenza depth is 16½"; actual width is 29⅞"; actual height is 22".
Order optional accessories separately:

- Structural support, low storage to chase (FG292.1B)

Grain direction is vertical on fronts, sides, and back/false back panel.
For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.
See planning guide for additional configuration information and dimensions.



Specification Information		
Step 1.		
L2CF.81		
Step 2. Width		
30	30" wide	+\$2623
Step 3. Depth		
16	16.5" deep	+\$0
Step 4. Base/Foot Height		
8	8" foot	+\$0
Step 5. Configuration		
BB	box/box - 30" wide module	+\$0
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 9. False Back Panel		
N	no back panel	+\$0
B	back panel, matches finish of drawer fronts	+\$242
Step 10. Lock		
L	lock	+\$0
N	no lock	-\$15

Credenza with 8" Base, Individual 1

Module *continued*

Step 11. Case Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 12. Front Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 13. Pull Finish

For arc pull (A)

NH	brushed nickel	A	+\$0
NK	black nickel	A	+\$0

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Credenza with 8" Base, Individual 1

Module *continued*

Metallic Paint

For bar pull (K) or flush pull (U)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

For bar pull (K) or flush pull (U)

UBK	ultra black (CP)	+\$0
BK	black	+\$16

Step 14. Foot Finish

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0

Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 15. Counterweight


CB	counterweight	+\$0
-----------	---------------	------

Step 16. Lock Option

For lock (L)

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 8" Base, Individual 2 L2CF. Module - 30" Wide



Product Information


Description

This individual credenza provides 4 configurations of 15"-wide file drawer and cabinet modules on 1 side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Options include a lock or no lock and a false back panel. Credenza is available with laminate case and fronts and has 8"-high feet with 1 1/2" leveling glides.

Notes

Counterweight is required and is specified with each individual storage unit.
 File drawers have full-extension slides and accommodate front-to-back filing.
 Actual credenza depth is 16 1/2"; actual width is 29 5/8"; actual height is 22".
 Order optional accessories separately:
 • Structural support, low storage to chase (FG292.1B)
 Grain direction is vertical on fronts, sides, and back/false back panel.
 For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.
 See planning guide for additional configuration information and dimensions.

Dimensions



Credenza with 8" Base, Individual 2
Module - 30" Wide *continued*

Specification Information		
Step 1.		
L2CF.82		
Step 2. Width		
30	30" wide	+\$2296
Step 3. Depth		
16	16.5" deep	+\$0
Step 4. Base/Foot Height		
8	8" foot	+\$0
Step 5. Configuration		
FF	file, file - 15" wide modules	+\$318
DD	door, door - 15" wide modules	+\$0
FD	file, door - 15" wide modules	+\$154
DF	door, file - 15" wide modules	+\$154
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 9. False Back Panel		
N	no back panel	+\$0
B	back panel, matches finish of the front panels and drawer fronts	+\$242
Step 10. Lock		
L	lock	+\$0
N	no lock	-\$32

Step 11. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza with 8" Base, Individual 2

Module - 30" Wide *continued*

Step 12. Front Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBV	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 13. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

For bar pull (K) or flush pull (U)

UBK	ultra black (CP)	+\$0
BK	black	+\$16

Step 14. Foot Finish

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
EH	metallic bronze	+\$0

Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 15. Counterweight

For file, file - 15" wide modules (FF), file, door - 15" wide modules (FD), or door, file - 15" wide modules (DF)


CB	counterweight	+\$0
-----------	---------------	------

Step 16. Lock Option

For lock (L)

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 8" Base, Individual 2 L2CF. Module - 45" Wide



Product Information

Description

This individual credenza provides 6 configurations of 15"- and 30"-wide box drawer, file drawer, cabinet, and tip-out bin modules on 1 side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Options include a lock or no lock and a false back panel. Credenza is available with laminate case and fronts and has 8"-high feet with 1½" leveling glides.

Notes

Counterweight is required and is specified with each individual storage unit. Box and file drawers have full-extension slides. File drawers accommodate front-to-back filing.

Actual credenza depth is 16½"; actual width is 44¾"; actual height is 22".

Order optional accessories separately:

- Structural support, low storage to chase (FG292.1B)



Grain direction is vertical on fronts, sides, and back/false back panel.

For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.



Dimensional illustration does not include all possible configurations.

See planning guide for additional configuration information and dimensions.



Dimensions




Box/Box, Door



Box/Box, File



Tip-Out Bin, Box/Box



Credenza with 8" Base, Individual 2

Module - 45" Wide *continued*

Specification Information		
Step 1.		
L2CF.82		
Step 2. Width		
45	45" wide	+\$3132
Step 3. Depth		
16	16.5" deep	+\$0
Step 4. Base/Foot Height		
8	8" foot	+\$0
Step 5. Configuration		
2BB	tip-out bin - 15" wide module, box/box - 30" wide module	+\$182
BB2	box/box - 30" wide module, tip-out bin - 15" wide module	+\$182
BBD	box/box - 30" wide module, door - 15" wide module	+\$0
BBF	box/box - 30" wide module, file - 15" wide module	+\$161
DBB	door - 15" wide module, box/box - 30" wide module	+\$0
FBB	file - 15" wide module, box/box - 30" wide module	+\$161
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 9. False Back Panel		
N	no back panel	+\$0
B	back panel, matches finish of the front panels and drawer fronts	+\$310
Step 10. Lock		
L	lock	+\$0
N	no lock	-\$32

Step 11. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza with 8" Base, Individual 2

Module - 45" Wide *continued*

Step 12. Front Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 13. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

For bar pull (K) or flush pull (U)

UBK	ultra black (CP)	+\$0
BK	black	+\$16

Step 14. Foot Finish

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
EH	metallic bronze	+\$0

Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 15. Counterweight

CB	counterweight	+\$0
----	---------------	------


Step 16. Lock Option

For lock (L)

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 8" Base, Individual 3 Module

L2CF.



Product Information


Description

This individual credenza provides 10 configurations of 15"-wide file drawer, cabinet, and tip-out bin modules on 1 side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Options include a lock or no lock and a false back panel. Credenza is available with laminate case and fronts and has 8"-high feet with 1½" leveling glides.

Notes

Counterweight is required and is specified with each individual storage unit.
 File drawers have full-extension slides and accommodate front-to-back filing.
 Actual credenza depth is 16½"; actual width is 44½"; actual height is 22".
 Order optional accessories separately:
 • Structural support, low storage to chase (FG292.1B)
 Grain direction is vertical on fronts, sides, and back/false back panel.
 For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.
 Dimensional illustration does not include all possible configurations.
 See planning guide for additional configuration information and dimensions.

Dimensions



Credenza with 8" Base, Individual 3

Module *continued*

Specification Information		
Step 1.		
L2CF.83		
Step 2. Width		
45	45" wide	+\$2845
Step 3. Depth		
16	16.5" deep	+\$0
Step 4. Base/Foot Height		
8	8" foot	+\$0
Step 5. Configuration		
FFD	file, file, door - 15" wide modules	+\$334
DFF	door, file, file - 15" wide modules	+\$334
FF2	file, file, tip-out bin - 15" wide modules	+\$504
2FF	tip-out bin, file, file - 15" wide modules	+\$504
FFF	file, file, file - 15" wide modules	+\$498
DDD	door, door, door - 15" wide modules	+\$0
DD2	door, door, tip-out bin - 15" wide modules	+\$182
2DD	tip-out bin, door, door - 15" wide modules	+\$182
DF2	door, file, tip-out bin - 15" wide modules	+\$324
2FD	tip-out bin, file, door - 15" wide modules	+\$324
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 9. False Back Panel		
N	no back panel	+\$0
B	back panel, matches finish of the front panels and drawer fronts	+\$310
Step 10. Lock		
L	lock	+\$0
N	no lock	-\$49

Step 11. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza with 8" Base, Individual 3

Module *continued*

Step 12. Front Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP) A	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 13. Pull Finish		
<i>For arc pull (A)</i>		
NH	brushed nickel	+\$0
NK	black nickel	+\$0
Smooth Paint		
<i>For bar pull (K) or flush pull (U)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint		
<i>For bar pull (K) or flush pull (U)</i>		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint		
<i>For bar pull (K) or flush pull (U)</i>		
UBK	ultra black (CP)	+\$0
BK	black	+\$16

Step 14. Foot Finish		
Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
EH	metallic bronze	+\$0


Sand Texture Paint		
UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 15. Counterweight		
<i>For file, file, door - 15" wide modules (FFD), door, file, file - 15" wide modules (DFF), file, file, tip-out bin - 15" wide modules (FF2), tip-out bin, file, file - 15" wide modules (2FF), file, file, file - 15" wide modules (FFF), door, file, tip-out bin - 15" wide modules (DF2), or tip-out bin, file, door - 15" wide modules (2FD)</i>		
CB	counterweight	+\$0

Credenza with 8" Base, Individual 3
Module *continued*

Step 16. Lock Option		
<i>For lock (L)</i>		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 2" Base, Shared Box/ File L2CFS.



Product Information

Description

This shared credenza provides a 15"-wide box drawer and file drawer on each side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Credenza is available with laminate case and drawer fronts. It has a recessed 2"-high base, base with fronts to floor, or 2"-high feet with 1" leveling glides or casters. False back panel is optional.

Notes

Shared storage works best with Canvas Vista™ residing underneath the chase or any benching application between two users.

Box and file drawers have full-extension slides. File drawers accommodate front-to-back filing.

Actual credenza depth is 21³/₄"; actual width is 29⁵/₈"; actual height is 22".

Order optional accessories separately:


- Structural support, low storage to chase (FG292.1A)
- Add-on cushion top (FF891.)

Grain direction is vertical on front, side, and back panels.

For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.

See planning guide for additional configuration information and dimensions.

Dimensions



Credenza with 2" Base, Shared Box/
File *continued*

Specification Information		
Step 1.		
L2CFS.22		
Step 2. Width		
30	30" wide	+\$3575
Step 3. Depth		
22	22" deep	+\$0
Step 4. Base/Foot Height		
1	base	+\$33
3	base with fronts to floor	+\$62
5	tube foot	+\$148
9	c-foot	+\$188
Step 5. Configuration		
BFX	box/file, back panel - 15" wide modules	+\$0
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0

Step 9. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Credenza with 2" Base, Shared Box/
File *continued*

Step 10. Front Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 11. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$0
SNB	satin bronze	+\$0
SNC	satin carbon	+\$0

Sand Texture Paint

For bar pull (K) or flush pull (U)

UBK	ultra black (CP)	+\$0
BK	black	+\$16

Step 12. Foot Finish

For tube foot (5) or c-foot (9)

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0


Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 13. Lock Option

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 2" Base, Shared Box/ File + Half-Depth Door L2CFS.



Product Information

Description

This shared credenza provides 2 configurations of 15"- and 18"-wide box drawer, file drawer, and cabinet modules on each side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Credenza is available with laminate case and fronts. It has a recessed 2"-high base, base with fronts to floor, or 2"-high feet with 1" leveling glides or casters. False back panel is optional.

Notes

Shared storage works best with Canvas Vista™ residing underneath the chase or any benching application between two users.

Box and file drawers have full-extension slides. File drawers accommodate front-to-back filing.

Actual credenza depth is 21 3/4"; actual height is 22".

Actual credenza widths are:

Nominal—Actual

45"—44 1/2"

48"—47 3/4"

Order optional accessories separately:


- Structural support, low storage to chase (FG292.1A)
- Add-on cushion top (FF891.)

Grain direction is vertical on front, side, and back panels.

For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.

See planning guide for additional configuration information and dimensions.

Dimensions



Credenza with 2" Base, Shared Box/
File + Half-Depth Door *continued*

Specification Information		
Step 1.		
L2CFS.23		
Step 2. Width		
45	45" wide	+\$4610
48	48" wide	+\$4644
Step 3. Depth		
22	22" deep	+\$0
Step 4. Base/Foot Height		
1	base	+\$33
3	base with fronts to floor	+\$62
5	tube foot	+\$148
9	c-foot	+\$188
Step 5. Configuration		
<i>For 45" wide (45)</i>		
BX5	box/file, back panel - 15" wide modules, half-depth door - 15" wide module	+\$0
<i>For 48" wide (48)</i>		
BX8	box/file, back panel - 15" wide modules, half-depth door - 18" wide module	+\$0
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0

Step 9. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza with 2" Base, Shared Box/
File + Half-Depth Door *continued*

Step 10. Front Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Step 11. Pull Finish		
<i>For arc pull (A)</i>		
NH	brushed nickel	+\$0
NK	black nickel	+\$0
Smooth Paint		
<i>For bar pull (K) or flush pull (U)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint		
<i>For bar pull (K) or flush pull (U)</i>		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$0
SNB	satin bronze	+\$0
SNC	satin carbon	+\$0

Sand Texture Paint		
<i>For bar pull (K) or flush pull (U)</i>		
UBK	ultra black (CP)	+\$0
BK	black	+\$16

Step 12. Foot Finish		
<i>For tube foot (5) or c-foot (9)</i>		
Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0

Sand Texture Paint		
UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 13. Lock Option		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 8" Base, Shared 1 Module

L2CFS.



Product Information

Description

This shared credenza provides a 30"-wide box drawer and tip-out bin module on each side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Credenza is available with laminate case and drawer fronts and has 8"-high feet with 1½" leveling glides. Locks are optional.

Notes

Shared storage works best with Canvas Vista™ residing underneath the chase or any benching application between two users.

Box drawers have full-extension slides.

Actual credenza depth is 21¾"; actual width is 29⅞"; actual height is 22".

Order optional accessories separately:


- Structural support, low storage to chase (FG292.1A)
- Add-on cushion top (FF891.)

Grain direction is vertical on front and side panels.

For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.

See planning guide for additional configuration information and dimensions.

Dimensions



Specification Information

Step 1.

L2CFS.81

Step 2. Width

30 30" wide +\$4002

Step 3. Depth

22 22" deep +\$0

Step 4. Base/Foot Height

8 8" foot +\$0

Step 5. Configuration

1B box/tip-out tray with liner - 30" wide module +\$0

Step 6. Case Material

L thermally-fused laminate case material +\$0

Step 7. Front Material

L thermally-fused laminate front material +\$0

Step 8. Pull Type

A arc pull +\$0

K bar pull +\$0

U flush pull +\$0

Step 9. Lock

L lock +\$0

N no lock -\$67

Credenza with 8" Base, Shared 1

Module *continued*

Step 10. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 11. Front Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 12. Pull Finish		
<i>For arc pull (A)</i>		
NH	brushed nickel	+\$0
NK	black nickel	+\$0
Smooth Paint		
<i>For bar pull (K) or flush pull (U)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Credenza with 8" Base, Shared 1

Module *continued*

Metallic Paint

For bar pull (K) or flush pull (U)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$0
SNB	satin bronze	+\$0
SNC	satin carbon	+\$0

Sand Texture Paint

For bar pull (K) or flush pull (U)

UBK	ultra black (CP)	+\$0
BK	black	+\$16

Step 13. Foot Finish

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0

Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0


Step 14. Lock Option

For lock (L)

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 8" Base, Shared 2 Module

L2CFS.



Product Information

Description

This shared credenza provides 3 configurations of 15"-wide file drawer, cabinet, and medicine cabinet modules on each side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Credenza is available with laminate case and fronts and has 8"-high feet with 1½" leveling glides. Locks are optional.

Notes

Shared storage works best with Canvas Vista™ residing underneath the chase or any benching application between two users.

File drawers have full-extension slides and accommodate front-to-back filing. Actual credenza depth is 21¾"; actual width is 29⅝"; actual height is 22".

Order optional accessories separately:


- Structural support, low storage to chase (FG292.1A)
- Add-on cushion top (FF891.)

Grain direction is vertical on front and side panels.

For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.

See planning guide for additional configuration information and dimensions.

Dimensions



Credenza with 8" Base, Shared 2 Module *continued*

Specification Information		
Step 1.		
L2CFS.82		
Step 2. Width		
30	30" wide	+\$3103
Step 3. Depth		
22	22" deep	+\$0
Step 4. Base/Foot Height		
8	8" foot	+\$0
Step 5. Configuration		
FX	full depth file, back panel - 15" wide modules	+\$0
FM	file, medicine - 15" wide modules	+\$354
DM	door, medicine - 15" wide modules	+\$119
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 9. Lock		
L	lock	+\$0
N	no lock	-\$67

Step 10. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza with 8" Base, Shared 2


Module *continued*

Step 11. Front Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Step 12. Pull Finish		
<i>For arc pull (A)</i>		
NH	brushed nickel	+\$0
NK	black nickel	+\$0
Smooth Paint		
<i>For bar pull (K) or flush pull (U)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint		
<i>For bar pull (K) or flush pull (U)</i>		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$0
SNB	satin bronze	+\$0
SNC	satin carbon	+\$0
Sand Texture Paint		
<i>For bar pull (K) or flush pull (U)</i>		
UBK	ultra black (CP)	+\$0
BK	black	+\$16
Step 13. Foot Finish		
Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
Sand Texture Paint		
UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
Step 14. Lock Option		
<i>For lock (L)</i>		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 8" Base, Shared 2 Module - 45" Wide

L2CFS.



Product Information

Description

This shared credenza provides 2 configurations of 15"- and 30"-wide box drawer, tip-out tray, cabinet, and tip-out bin modules on each side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Credenza is available with laminate case and fronts and has 8"-high feet with 1½" leveling glides. Locks are optional.

Notes

Shared storage works best with Canvas Vista™ residing underneath the chase or any benching application between two users.

Box drawers have full-extension slides.

Actual credenza depth is 21¾"; actual width is 44¾"; actual height is 22".

Order optional accessories separately:


- Structural support, low storage to chase (FG292.1A)
- Add-on cushion top (FF891.)

Grain direction is vertical on front and side panels.

For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.

See planning guide for additional configuration information and dimensions.

Dimensions



Credenza with 8" Base, Shared 2
Module - 45" Wide *continued*

Specification Information		
Step 1.		
L2CFS.82		
Step 2. Width		
45	45" wide	+\$4872
Step 3. Depth		
22	22" deep	+\$0
Step 4. Base/Foot Height		
8	8" foot	+\$0
Step 5. Configuration		
1B2	box/tip-out tray with liner - 30" wide module, tip-out bin - 15" wide module	+\$334
1BD	box/tip-out tray with liner - 30" wide module, half-depth door- 15" wide module	+\$0
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 9. Lock		
L	lock	+\$0
N	no lock	-\$100

Step 10. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza with 8" Base, Shared 2
Module - 45" Wide *continued*

Step 11. Front Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 12. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint

For bar pull (K) or flush pull (U)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint

For bar pull (K) or flush pull (U)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0

Sand Texture Paint

For bar pull (K) or flush pull (U)

UBK	ultra black (CP)	+\$0
BK	black	+\$16

Step 13. Foot Finish

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0

Sand Texture Paint

UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0


Step 14. Lock Option

For lock (L)

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza with 8" Base, Shared 3 Module

L2CFS.



Product Information

Description

This shared credenza provides 6 configurations of 15"-wide file drawer, cabinet, tip-out bin, and medicine cabinet modules on each side of the unit. It can be used freestanding or with a structural support bracket to support the chase. Credenza is available with laminate case and fronts and has 8"-high feet with 1½" leveling glides. Locks are optional.

Notes

Shared storage works best with Canvas Vista™ residing underneath the chase or any benching application between two users.

File drawers have full-extension slides and accommodate front-to-back filing.

Actual credenza depth is 21¾"; actual width is 44½"; actual height is 22".

Order optional accessories separately:


- Structural support, low storage to chase (FG292.1A)
- Add-on cushion top (FF891.)

Grain direction is vertical on front and side panels.


For keyed-alike locks, order lock plugs separately. See keyed-alike information in appendices.

See planning guide for additional configuration information and dimensions.


Dimensions




File, Medicine, Tip-Out Bin




Full-Depth File, Back Panel, Half-Depth Door




Full-Depth File, Back Panel, Tip-Out Bin



File, Medicine, Half-Depth Door



Door, Medicine, Half-Depth Door



Door, Medicine, Tip-Out Bin

Credenza with 8" Base, Shared 3

Module *continued*

Specification Information		
Step 1.		
L2CFS.83		
Step 2. Width		
45	45" wide	+\$3974
Step 3. Depth		
22	22" deep	+\$0
Step 4. Base/Foot Height		
8	8" foot	+\$0
Step 5. Configuration		
FXD	full-depth file, back panel, half-depth door - 15" wide modules	+\$0
FX2	full-depth file, back panel, tip-out bin - 15" wide modules	+\$334
FMD	file, medicine, half-depth door - 15" wide modules	+\$354
FM2	file, medicine, tip-out bin - 15" wide modules	+\$682
DMD	door, medicine, half-depth door - 15" wide modules	+\$119
DM2	door, medicine, tip-out bin - 15" wide modules	+\$448
Step 6. Case Material		
L	thermally-fused laminate case material	+\$0
Step 7. Front Material		
L	thermally-fused laminate front material	+\$0
Step 8. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
U	flush pull	+\$0
Step 9. Lock		
L	lock	+\$0
N	no lock	-\$100

Step 10. Case Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Credenza with 8" Base, Shared 3


Module *continued*

Step 11. Front Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Step 12. Pull Finish		
<i>For arc pull (A)</i>		
NH	brushed nickel	+\$0
NK	black nickel	+\$0
Smooth Paint		
<i>For bar pull (K) or flush pull (U)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint		
<i>For bar pull (K) or flush pull (U)</i>		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$0
SNB	satin bronze	+\$0
SNC	satin carbon	+\$0
Sand Texture Paint		
<i>For bar pull (K) or flush pull (U)</i>		
UBK	ultra black (CP)	+\$0
BK	black	+\$16
Step 13. Foot Finish		
Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
Sand Texture Paint		
UBK	ultra black (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
Step 14. Lock Option		
<i>For lock (L)</i>		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Suspended Cubby

L2SCF.




Product Information

Description
This suspended cubby mounts to the underside of a tethered, fixed-height or height-adjustable work surface. It has laminate case and fronts. Lock is optional. Felt liner included.

Notes
To use the suspended cubby, surface support positions must be inbound. Suspended cubby is handed, determined from user viewpoint while facing the surface.
When mounting suspended cubby below a height-adjustable table surface, the minimum height of table must be set at a height higher than the components below it.
See planning guide for more information.

Dimensions



Specification Information

Step 1.		
L2SCF. ☐		
Step 2. Type		
L	left hand ☐	+\$1482
R	right hand ☐	+\$1482
Step 3. Case Material		
L	thermally-fused laminate case material ☐	+\$0
Step 4. Front Material		
L	thermally-fused laminate front material ☐	+\$0
Step 5. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
Step 6. Lock		
L	lock ☐	+\$0
N	no lock ☐	-\$17

Step 7. Case Finish			
125	natural maple (CP)	☐ A	+\$0
126	natural cherry (CP)	☐ A	+\$0
127	walnut (CP)	☐ A	+\$0
139	light ash (CP)	☐ A	+\$0
140	warm ash (CP)	☐ A	+\$0
76	light brown walnut	☐ A	+\$0
8Q	folkstone grey (CP)	☐ A	+\$0
91	white (CP)	☐ A	+\$0
98	studio white (CP)	☐ A	+\$0
CL	cool grey neutral	☐ A	+\$0
G1	graphite (CP)	☐ A	+\$0
HP	light anigre	☐ A	+\$0
LBA	clear on ash (CP)	☐ A	+\$0
LBB	oak on ash (CP)	☐ A	+\$0
LBC	walnut on ash (CP)	☐ A	+\$0
LBF	neutral twill	☐ A	+\$0
LBJ	graphite twill	☐ A	+\$0
LBQ	white twill	☐ A	+\$0
LBR	phantom ecru	☐ A	+\$0
LBS	phantom cocoa	☐ A	+\$0
LBU	medium matte walnut (CP)	☐ A	+\$0
LBV	warm grey teak	☐ A	+\$0
LU	soft white	☐ A	+\$0
WL	warm stone (CP)	☐ A	+\$0
WN	warm grey neutral	☐ A	+\$0

Step 8. Front Finish			
125	natural maple (CP)	☐ A	+\$0
126	natural cherry (CP)	☐ A	+\$0
127	walnut (CP)	☐ A	+\$0
139	light ash (CP)	☐ A	+\$0
140	warm ash (CP)	☐ A	+\$0
76	light brown walnut	☐ A	+\$0
8Q	folkstone grey (CP)	☐ A	+\$0
91	white (CP)	☐ A	+\$0
98	studio white (CP)	☐ A	+\$0
CL	cool grey neutral	☐ A	+\$0
G1	graphite (CP)	☐ A	+\$0
HP	light anigre	☐ A	+\$0
LBA	clear on ash (CP)	☐ A	+\$0
LBB	oak on ash (CP)	☐ A	+\$0
LBC	walnut on ash (CP)	☐ A	+\$0
LBF	neutral twill	☐ A	+\$0
LBJ	graphite twill	☐ A	+\$0
LBQ	white twill	☐ A	+\$0
LBR	phantom ecru	☐ A	+\$0
LBS	phantom cocoa	☐ A	+\$0
LBU	medium matte walnut (CP)	☐ A	+\$0
LBV	warm grey teak	☐ A	+\$0
LU	soft white	☐ A	+\$0
WL	warm stone (CP)	☐ A	+\$0
WN	warm grey neutral	☐ A	+\$0

Step 9. Pull Finish			
<i>For arc pull (A)</i>			
NH	brushed nickel		+\$0
NK	black nickel		+\$0
Smooth Paint			
<i>For bar pull (K)</i>			
8Q	folkstone grey (CP)	☐ A	+\$0
91	white (CP)	☐ A	+\$0
98	studio white (CP)	☐ A	+\$0
G1	graphite (CP)	☐ A	+\$0
WL	warm stone (CP)	☐ A	+\$0

Suspended Cubby *continued*

Metallic Paint

For bar pull (K)

611	beige mist metallic (CP) ☐	+\$0
613	silver (CP) ☐	+\$0
SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10

Sand Texture Paint

For bar pull (K)

UBK	ultra black (CP) ☐	+\$0
BK	black ☐	+\$16


Step 10. Lock Option

For lock (L)

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Suspended Drawer

L2SDF.




Product Information

Description
This suspended drawer mounts to the underside of a tethered, fixed-height or height-adjustable work surface. It has laminate case and fronts. Lock is optional. Felt liner included.

Notes
To use the suspended drawer, surface support positions must be inbound.
Suspended drawer is handed, determined from user viewpoint while facing the surface.
When mounting suspended drawer below a height-adjustable table surface, the minimum height of table must be set at a height higher than the components below it.
See planning guide for more information.

Dimensions

Canvas Vista™ Storage - Tu® Wood for Canvas Vista™



Specification Information

Step 1.		
L2SDF. ☐ A		
Step 2. Type		
L	left hand ☐ A	+\$1144
R	right hand ☐ A	+\$1144
Step 3. Case Material		
L	thermally-fused laminate case material ☐ A	+\$0
Step 4. Front Material		
L	thermally-fused laminate front material ☐ A	+\$0
Step 5. Pull Type		
A	arc pull	+\$0
K	bar pull	+\$0
Step 6. Lock		
L	lock ☐ A	+\$0
N	no lock ☐ A	-\$17

Step 7. Case Finish

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 8. Front Finish

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 9. Pull Finish

For arc pull (A)

NH	brushed nickel	+\$0
NK	black nickel	+\$0

Smooth Paint

For bar pull (K)

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0


Metallic Paint		
<i>For bar pull (K)</i>		
611	beige mist metallic (CP) ☐ A	+\$0
613	silver (CP) ☐ A	+\$0
SNA	satin aluminum ☐ A	+\$10
SNB	satin bronze ☐ A	+\$10
SNC	satin carbon ☐ A	+\$10

Sand Texture Paint		
<i>For bar pull (K)</i>		
UBK	ultra black (CP) ☐ A	+\$0
BK	black ☐ A	+\$16

Step 10. Lock Option		
<i>For lock (L)</i>		
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

Credenza Cushion Top

FF891.



Product Information


Description

This cushion attaches to the top of a metal or wood credenza to provide temporary guest seating. Attachment hardware included.

Notes

Cushion accepts Customer's Own Material (COM). Yardage is estimated for nondirectional, 54"-wide fabrics. Order 1 yard of fabric per cushion. For odd number of cushions, round up to next full yard. For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FF891.

Step 2. Height

01 1" high

02 2" high

Step 3. Depth

20 20" deep

Step 4. Width

24 24" wide

30 30" wide

36 36" wide

42 42" wide

48 48" wide

Prices for Steps 1-4.

	24	30	36	42	48
FF891. 01 20	\$323	347	372	385	405
02 20	\$386	421	456	484	507

Step 5. Fabric

For 1" high (01)

Price Category 1	+\$0
Price Category 10	+\$197
Price Category 2	+\$122
Price Category 3	+\$148
Price Category 5	+\$203
Price Category 7	+\$247
Price Category 8	+\$175
Price Category 9	+\$1710
Price Category B	+\$85
Price Category C	+\$118
Price Category D	+\$98
Price Category E	+\$180
Price Category F	+\$232
Price Category G	+\$301
Price Category H	+\$366
Price Category I	+\$431

<i>For 2" high (02)</i>	
Price Category 1	+\$0
Price Category 10	+\$197
Price Category 2	+\$122
Price Category 3	+\$148
Price Category 5	+\$203
Price Category 7	+\$247
Price Category 8	+\$175
Price Category 9	+\$1710
Price Category B	+\$85
Price Category C	+\$118
Price Category D	+\$98
Price Category H	+\$366
Price Category I	+\$431

Canvas Vista™ Storage - Tu® Wood for Canvas Vista™

Index by Product Name

Canvas Vista™	
	page(s)
Bag Hook	104
Cable Management Clip	37
Cable Management Sleeve	39
Cable Manager, Under Chase	38
Café Rectangle	51
Café Round	54
Chase	5
Chase Connector Kit	14
Chase End Cap	6
Chase Shelf	99
Chase to Surface Tether Brackets	56
Chicago Solution	22
Controlled Receptacle, 4-Circuit, 15 Amp (Package of 4)	28
Controlled Receptacle, 20 Amp	30
Credenza Cushion Top	167
Credenza with 2" Base, Individual Box/File	124
Credenza with 2" Base, Individual Box/File + Door	127
Credenza with 2" Base, Shared Box/File	143
Credenza with 2" Base, Shared Box/File + Half-Depth Door	146
Credenza with 8" Base, Individual 1 Module	130
Credenza with 8" Base, Individual 2 Module - 30" Wide	133
Credenza with 8" Base, Individual 2 Module - 45" Wide	136
Credenza with 8" Base, Individual 3 Module	139
Credenza with 8" Base, Shared 1 Module	149
Credenza with 8" Base, Shared 2 Module	152
Credenza with 8" Base, Shared 2 Module - 45" Wide	155
Credenza with 8" Base, Shared 3 Module	158
Data Box, Chase Mounted	33
Display Unit, Chase Attached	63
Flat Edge Screen, Chase Attached	69
Flat Edge Screen, Delineation	97
Flat Edge Screen, Surface Attached	88
Flat Edge Screen, Surface Attached with Modesty	90
Harness with Power + Data Cover	20
Hinged Cable Trough	40
Infeed Cover	32
Infill, Display Unit	65
Laminate Screen, Chase Attached	71
Laminate Screen, Surface Attached	92, 122
Laminate Screen, Surface Attached with Modesty	94
Logic Mini	34
Logic Mini Grommet	36
Magnetic Document Clip	103
Marker Board Screen, Chase Attached	73
Motia® Vista™ Adjustable Base Kit with T-Foot	112
Motia® Vista™ Rectangular Table with T-Foot	106

Moveable Insert	66
Non-Structural Chase Post Leg	10
Open Frame Screen, Chase Attached	62
Open Frame Screen, Surface Attached	77
Pari Screen, Chase Attached	67
Pari Screen, Delineation	96
Pari Screen, Height Adjustable Tables	116
Pari Screen, Surface Attached	84
Pari Screen, Surface Attached with Modesty	86
Peninsula Surface, D-Shaped	45
Peninsula Surface, Round End	48
Power Entry - Ceiling	19
Power Entry, Internal Direct Connect - Floor	15
Power Entry, New York - Floor	17
Power Jumper - Consistent Chase Widths, Chase-to-Chase	23
Power Jumper - Inconsistent Chase Widths, Chase-to-Chase	25
Power Jumper - Within Single Chase	24
Receptacle, 4-Circuit, 15 Amp (Package of 4)	27
Receptacle, 20 Amp	29
Receptacle/Data Cover (Package of 2)	31
Rectangular Work Surface	42
Shelf	101
Single Sided Boundary Screen	74
Stiffener	57
Structural Chase A-Leg	7
Structural Chase T-Leg	8
Structural Support, Low Storage to Chase	12
Surface-Attached Screen, Flat Edge	119
Surface Support, A-Leg	58
Surface Support, Post Leg	60
Surface Support, T Leg	59
Suspended Cubby	161
Suspended Drawer	164
T-Light	98
Vista Modesty Screen - Double Sided, Height Adjustable Table	115
Vista Modesty Screen-Double Sided, Surface Attached	82
Vista Modesty Screen-Handed, Surface Attached	78
Vista Privacy + Modesty Screen - Double Sided, Height Adjustable	
Table	114
Vista Privacy + Modesty Screen - Double Sided, Surface Attached	83
Vista Privacy + Modesty Screen - Handed, Surface Attached	80

Index by Product Number

DV6GTS Motia® Vista™ Rectangular Table with T-Foot	page(s) 106	FG354. Pari Screen, Delineation	96
DV7GT. Motia® Vista™ Adjustable Base Kit with T-Foot	112	FG356. Flat Edge Screen, Surface Attached	88
FF891. Credenza Cushion Top	167	FG357. Flat Edge Screen, Surface Attached with Modesty	90
FG2B1. Surface Support, A-Leg	58	FG358. Flat Edge Screen, Delineation	97
FG2B2. Surface Support, T Leg	59	FG360. Laminate Screen, Surface Attached	92
FG2B3. Surface Support, Post Leg	60	FG361. Laminate Screen, Surface Attached with Modesty	94
FG11A. Structural Chase A-Leg	7	FG430. Moveable Insert	66
FG110. Chase	5	FG491. Infill, Display Unit	65
FG111. Display Unit, Chase Attached	63	FG600. T-Light	98
FG112. Open Frame Screen, Chase Attached	62	FG696. Stiffener	57
FG115. Pari Screen, Chase Attached	67	FGS10. Rectangular Work Surface	42
FG116. Flat Edge Screen, Chase Attached	69	FGS16. Café Round	54
FG117. Non-Structural Chase Post Leg	10	FGS17. Chase Shelf	99
FG118. Marker Board Screen, Chase Attached	73	FGS34. Café Rectangle	51
FG119. Structural Chase T-Leg	8	FGS35. Peninsula Surface, Round End	48
FG120. Laminate Screen, Chase Attached	71	FGS36. Peninsula Surface, D-Shaped	45
FG121. Chase Connector Kit	14	L2CF. Credenza with 2" Base, Individual Box/File	124
FG141. Power Entry, New York - Floor	17	L2CF. Credenza with 2" Base, Individual Box/File + Door	127
FG142. Power Entry - Ceiling	19	L2CF. Credenza with 8" Base, Individual 1 Module	130
FG144. Power Entry, Internal Direct Connect - Floor	15	L2CF. Credenza with 8" Base, Individual 2 Module - 30" Wide	133
FG150. Harness with Power + Data Cover	20	L2CF. Credenza with 8" Base, Individual 2 Module - 45" Wide	136
FG152. Receptacle, 4-Circuit, 15 Amp (Package of 4)	27	L2CF. Credenza with 8" Base, Individual 3 Module	139
FG152M Controlled Receptacle, 4-Circuit, 15 Amp (Package of 4)	28	L2CFS. Credenza with 2" Base, Shared Box/File	143
FG153. Receptacle, 20 Amp	29	L2CFS. Credenza with 2" Base, Shared Box/File + Half-Depth Door	146
FG153M Controlled Receptacle, 20 Amp	30	L2CFS. Credenza with 8" Base, Shared 1 Module	149
FG154. Power Jumper - Consistent Chase Widths, Chase-to-Chase	23	L2CFS. Credenza with 8" Base, Shared 2 Module	152
FG154. Power Jumper - Inconsistent Chase Widths, Chase-to-Chase	25	L2CFS. Credenza with 8" Base, Shared 2 Module - 45" Wide	155
FG154. Power Jumper - Within Single Chase	24	L2CFS. Credenza with 8" Base, Shared 3 Module	158
FG155. Receptacle/Data Cover (Package of 2)	31	L2SCF. Suspended Cubby	161
FG156. Infeed Cover	32	L2SDF. Suspended Drawer	164
FG157. Chicago Solution	22	Y1116. Pari Screen, Height Adjustable Tables	116
FG159. Data Box, Chase Mounted	33	Y1118. Surface-Attached Screen, Flat Edge	119
FG160. Chase End Cap	6	Y1120. Laminate Screen, Surface Attached	122
FG197. Cable Management Clip	37	Y1130. Vista Privacy + Modesty Screen - Double Sided, Height Adjustable Table	114
FG198. Cable Management Sleeve	39	Y1131. Vista Modesty Screen - Double Sided, Height Adjustable Table	115
FG199. Cable Manager, Under Chase	38	Y1300. Hinged Cable Trough	40
FG290. Chase to Surface Tether Brackets	56	Y1412. Logic Mini Grommet	36
FG292. Structural Support, Low Storage to Chase	12	Y1414. Logic Mini	34
FG303. Single Sided Boundary Screen	74	YT300. Shelf	101
FG345. Open Frame Screen, Surface Attached	77	YT400. Magnetic Document Clip	103
FG346. Vista Modesty Screen-Handed, Surface Attached	78	YT700. Bag Hook	104
FG347. Vista Privacy + Modesty Screen - Handed, Surface Attached	80		
FG348. Vista Modesty Screen-Double Sided, Surface Attached	82		
FG349. Vista Privacy + Modesty Screen - Double Sided, Surface Attached	83		
FG351. Pari Screen, Surface Attached	84		
FG353. Pari Screen, Surface Attached with Modesty	86		



20-Day or Less/Assigned Lead-Time Order Information

GSA

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian® Filing and Storage:

(616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at:

(866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Keyed-Alike Information

GSA

Keyed-Alike Locks

All components with locks may be specified keyed alike. Products with keyed-alike locks will be shipped with lock chassis installed. Installation of lock cylinders will be on-site according to instructions provided. Herman Miller, Inc., will not be responsible for lock cylinder installation.

When specifying product keyed-alike, include separate lines on your order for the lock cylinders.

For Action Office®, Ethospace®, Quadrant®, and Supplemental products, list cylinder part number and key number (232092-XXX); select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

The following products require a different lock cylinder part number.

Specify UKY001-XXX for these products only; select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

A3013.

A3053.

G5180.

G5181.

G5280.

The keys provided in 232092-XXX and UKY001-XXX kits work with either cylinder type, provided the key numbers match.

For Tu® Storage, Canvas Office Landscape®, and Meridian® Storage, see the following charts.

Keyed-alike locks are field installed.

To order keyed-alike locks for Action Office® Series 1 and 2 door panels, please contact Customer Care.

A master key can be used to open any lock on an attached or freestanding component. In addition, a removal key or lock change tool is required to remove lock plugs. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care.

For Canvas overhead and lower storage units, specify as follows:

Specification Code	Part Number	Color	Lock Series
KA	1B2JK7-XXX ¹	chrome	UM series 226-427

For Meridian Storage and Tu Storage, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX ¹	black	UM series 226-427
KA	1B2JK7-XXX ¹	chrome	UM series 226-427

For Canvas Metal Desk overhead units, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX ¹	black	UM series 226-427
KC	1B2JK7-XXX ¹	chrome	UM series 226-427

Key Number:

XXX¹ = a key number between 226 and 427 (excluding 408 and 412)



Vary Easy Program

GSA

Program Overview

The Vary Easy program offers expanded product selections beyond what is available through our standard offering. From expanded material and finish lists, to size availability, to completely new product configurations, the Vary Easy program offers it all at standard pricing, warranty, and lead-time.

Specifying Vary Easy using Made-to-Measure Plus

Vary Easy products are now available by clicking the Vary Easy/Options tile in the Made-to-Measure Plus tool.

Made-to-Measure Plus is a web-based tool available through Omni that takes the guesswork out of specifying products and service parts. It's quickly evolving to become your one-stop shop for specifying Herman Miller products and service parts, particularly customized product like Vary Easy and HM Options.

Vary Easy products are no longer published in marketing SIF for importing into specIT and other third-party specifiers. Specifying through the Made-to-Measure Plus tool allows us to make frequent updates and offer more complex products. It allows you to easily specify and price products and download SIF files to import into your specification tool. The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead-time and are competitively priced.

For step-by-step instructions, reference the Made-to-Measure Plus page under Tools & Resources on Omni to watch the how-to video and to see how easy it is to specify Vary Easy products in Made-to-Measure Plus.

For Vary Easy product and specification questions, contact Product Services at 866 854 3048 (ext #1).

For technical questions about the Made-to-Measure Plus tool, contact Sales Technology Support at 866 854 3048 (ext #4) or sts@hermanmiller.com.



Textiles Application Chart — Workspaces

GSA

• Available

[A] Assigned lead-time textile.

[A] Maharam textiles are on assigned lead times.

See following page for exception notes.

		Action Office® Panels/Connectors	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles/Channel Tiles	Canvas B-/E-Style Storage	Canvas Tackboards	Canvas Metal Desk Hutch Back Panel	Canvas Vista™ Movable Insert and Display Unit	OE1 Boundary Agile Wall Tile	OE1 Boundary Project Board and Screens	OE1 Nook Liner/Felt Screen Liner/Storage Trolley Liner	Overlay™ Performance Wall Cladding	Pari™ Screens/Flat Edge Screens/Channel Screens	Renew™ Link Screens	Exclave® Tackable Boards and Stowage Tackable Backdrop	Exclave Video-Friendly Tackable Boards and Stowage Tackable Backdrop	Personal Side Screen	Tu® Wood Storage Cubby Tackboard	Seating
Price Category 1																						
COM	Customer's Own Material A	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2V__	Chain	•	•	•	•	•	•	22	•	•	•	•	•	•	•	•	•	•	•	•	•	•
8T__	Crossing (85__)	2	2	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•	8	•	•	18
3DE__	Dex	6	2	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•	•	•	•	•
2I__	Grasscloth	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1MN__	Monologue	2	2	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•	•	•	•	•
5T__	Resonance	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
4SC__	Scatter	2	2				•		•	•	•	•	•		•	•	•	•		•	•	•
22F__	Slant	6	•		•	•	•	•		•	•	•	•		•	•	•	•			•	
235__	Tailored	•		•	•	•	•	8	•	•	•	•	•		•	•	•	•			•	•
1WS__	Whisper	2	2	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•		•	•	•
Price Category 2																						
3AR__	Aristo	2	2	•	•	•	•	•	2	•	•	•	•	•		•	•	•	•	•	•	•
51__	Cord	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•			•	
92__	Crepe	2	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	8	•	•	•
3EP__	Epic	2	2	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•		•	•	•
3DP__	Hint	•	•	•	•	•	•	•		•	•	•	•		•	•	•	•	•	•	•	•
4N__	Horizon	2	2	•	•	•	•	•	•	•	•	•			•	•	•	•		•	•	
1HA__	Medley	2	2	•	•	•	•	•	•	•	•	•	•		•	•	•	•	8	•	•	•
4ME__	Mellow	2	2	•	•	•	•	•	2	•	•	•	•	•		•	•	•	•	•	•	•
ZMA__	Metaphor - Maharam A	2	2	2	2	•	•	•	2	•		•	•		•	•	•	•				
811__	Muse - Maharam A	2	2	2	•		•	2	•		•	•	•		•	•	•	•		•		
3SL__	Sequel			2				2														•
4TE__	Terra	2	2	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•		•	•	•
3TW__	Twine	•	•	•	21	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
8R__	Twist (5S__)	5	2	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•		•	•	18
Price Category 3																						
43Z__	Fractal	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
47__	Ground Cloth®	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	8	•	•	
ZM2__	Meld - Maharam A	2	2	•	•	•	•	•	•	•	•	•	•		•	•	•	•		•		
4GE__	Parcel	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•		•	•	•
8W__	Strands	•	•	•	•	•	•	•	•	•	•		•		•	•	•	•		•	•	
Price Category 4																						
No fabrics available at this time.																						
Price Category 5																						
14A__	Hopsak	2	2	•	•		•	2	•	•	•	•			•			•			•	•
40G__	Method - Maharam A	2	2	2	2	•	•	2	•	•	•	•	•		•	•	•	•		•		
ZNC__	Nico - Maharam A	2	2	2	•	•	•	2	•	•	•	•	•		•	•	•	•		•		
Price Category 6																						
No fabrics available at this time.																						

continued on next page

Textiles Application Chart — Workspaces

GSA *continued*

- Available

[A] Assigned lead-time textile.

[A] Maharam textiles are on assigned lead times.

See following page for exception notes.

	Action Office® Panels/Connectors	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles/Channel Tiles	Canvas B-/E-Style Storage	Canvas Tackboards	Canvas Metal Desk Hutch Back Panel	Canvas Vista™ Movable Insert and Display Unit	OE1 Boundary Agile Wall Tile	OE1 Boundary Project Board and Screens	OE1 Nook Liner/Felt Screen Liner/Storage Trolley Liner	Overlay™ Performance Wall Cladding	Pari™ Screens/Flat Edge Screens/Channel Screens	Renew™ Link Screens	Exclave® Tackable Boards and Stowage Tackable Backdrop	Exclave Video-Friendly Tackable Boards and Stowage Tackable Backdrop	Personal Side Screen	Tu® Wood Storage Cubby Tackboard	Seating
Price Category A																					
No fabrics available at this time.																					
Price Category B																					
VM__ Medium - Maharam [A]		2			•	20	•	•	•				•								•
TL__ Messenger - Maharam [A] *		2	•	20	•	2	•	•	•				•	•							•
Price Category C																					
Z27__ Manner - Maharam [A]	2	2	2	•	•	2	•	•	•				•	•							
Z3__ Metric - Maharam [A]	2	2			•	•	•	•	•				•	•							
Price Category D																					
ZMD__ Mode - Maharam [A]	2																•				•
ZS3__ Spiral - Maharam [A]	•	•	•	•	•	•	•	•	•				•								
Price Category E																					
TT__ Parallel - Maharam [A]	7	•		•	•	•	17	•	•	•				•							
Price Category F																					
8EX__ Emit - Maharam [A]	2	2	2	•	•	•	2	•	•												
Price Category G-K																					
No fabrics available at this time.																					

* Available in select colors on 20-day lead-time.

Refer to “Textile Colors” for 20-day colors.

- 1 Refer to price book appendices and Omni for COM information.
- 2 Available on all products except 54” and 60” wide.
- 3 Not available on AO partial-glazed panels.
- 4 Not available on Action Office (AO®) acoustical panels.
- 5 (8R__), (8T__), (85__), and (5S__) not available on AO acoustical panels and not available on 54”- or 60”-wide products.
- 6 Not available on Action Office (AO®) connectors, cable management, and spacers.
- 7 Not available on AO acoustical panels; not available on AO2 cable management panel face.
- 8 Available in select colors. See the “Textile Colors” appendix.
- 17 Not available on Canvas E-style flipper doors.
- 18 Available on seating products in select colors. See the “Textile Colors” appendix.
- 20 Not available on Ethospace tackable tiles.
- 21 Not available on Ethospace connectors and cable management tiles.
- 22 Not available as railroaded application option for Chain and Moire on Canvas extended width tiles.

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric’s pattern may not align from one screen to the next, or from one panel to the next.

Textile Colors

GSA

Price Category 1

Customer's Own Material
Ancillary/Seating/Workspaces
See Order Information in
Appendices.
Assigned lead-time textile. A

8Z Pellicle®
Seating
For New Aeron® Chairs
56% elastomeric
44% polyester
23101 Mineral
23102 Carbon
23103 Graphite

AireWeave™ 2
Seating
For Mirra® 2 Chairs
67% elastomeric
33% antimony-free polyester
1A701 Alpine
1A702 Slate Grey
1A703 Graphite
1A704 Lime Green
1A706 Urban Orange
1A708 Twilight

Chain
Workspaces
66" wide
100% recycled polyester
with 12% ocean bound plastic
2V01 Pearl
2V02 Oyster
2V03 Wheat
2V04 Linen
2V05 Wicker
2V06 Bamboo
2V07 Sage
2V08 Spring Wood
2V09 Iceberg

Crossing
Seating/Workspaces
54" wide
86% antimony-free polyester
14% polyester
8T03 Wicker *
8T04 Porcelain *
8T05 Warm Grey *
8T10 Tomato
8T17 Cerulean
8T18 Indigo
8T19 Shale *
8T22 Tin *
8T23 Graphite
8T24 Black

Crossing
Workspaces
For systems products only.
54" wide
86% antimony-free polyester
14% polyester
8501 Ivory *
8502 Oyster *

* Crossing colors available
on Exclave® Video-friendly
Tackable Boards and Stowage
Tackable Backdrop

Dex
Seating/Workspaces
54" wide
67% recycled polyester
33% polyester
3DE01 Frost
3DE02 Silver Pine
3DE03 Stone
3DE04 Shale
3DE05 Charcoal
3DE06 Gossamer
3DE07 Pine

Duo
Seating
For Lino™ Chairs
52% polyester
48% elastomeric
4RM01 Mineral
4RM02 Poppy
4RM03 Green Leaf
4RM04 Jade
4RM05 Shadow
4RM06 Graphite

Flexnet™
Seating
For Caper® Chairs
69% elastomeric
31% polyester
6V01 Black
6V02 Silver Grey

Grasscloth
Workspaces
66" wide
100% recycled polyester
with 11% ocean bound plastic
2I01 Silver Birch
2I02 Pampas
2I03 Sedge
2I07 Lea
2I08 Taro
2I09 Steam Grey
2I13 Gravel

Intercept
Seating
For Cosm™ Chairs
60% elastomeric
40% polyester
84501 Graphite
84502 Carbon
84503 Mineral
84504 Nightfall
84505 Glacier
84506 Canyon

Lyris 2™
Seating
For Setu® Chairs
74% elastomeric
26% polyester
4W21 Alpine
4W23 Chartreuse
4W25 Berry Blue
4W26 Slate Grey
4W28 Chino
4W31 Graphite

Monologue
Ancillary/Seating/Workspaces
54" wide
56% recycled polyester
44% polyester
1MN01 Linen
1MN02 Alabaster
1MN04 Folkstone
1MN05 Silver Pine
1MN06 Slate
1MN07 Seed
1MN09 Persimmon
1MN11 Meadow
1MN12 Blue Sky
1MN13 Blue Spruce
1MN14 Deep Sea

Price category 1 continued on
next page

Textile Colors

continued

GSA

Price Category 1

continued

Appendix: Textile Colors

Resonance	
Workspaces	
66" wide	
100% polyester	
5T04	Greige
5T05	Porcelain
5T06	Alabaster
5T15	Iris
5T28	Sugar
5T47	Tobacco
5T54	Saltbush
5T57	Seed
5T58	Sepia
5T60	Iceberg
5T65	Red
5T68	Pistachio
5T71	Jade
5T72	Blue Green
5T74	Twilight

Ripple 3D Knit	
Seating	
Available only on Zeph® Chairs.	
knit to size	
99% recycled polyester	
1% lycra	
5H201	Black
5H202	Carbon
5H203	Alpine
5H204	Silt
5H205	Tea Rose
5H206	Cocoa
5H207	Persimmon
5H208	Blaze
5H209	Cayenne
5H210	Falcon
5H211	Mustard Seed
5H212	Patina
5H213	Olive
5H214	Moss
5H215	Aloe
5H216	Glacier
5H217	Ultramarine
5H218	Nightfall
5H219	Bluebell
5H220	Boysenberry
5H221	Nightfall/Bluebell
5H222	Patina/Alpine
5H223	Cayenne/Glacier
5H224	Tea Rose/Olive
5H225	Silt/Blaze

Scatter	
Ancillary/Seating/Workspaces	
54" wide	
100% recycled polyester,	
with 26% ocean bound plastic	
4SC01	Alpine
4SC02	Fog
4SC03	Shale
4SC04	Persimmon
4SC07	Olive
4SC08	Glacier
4SC09	Blue Sky
4SC10	Lagoon
4SC11	Slate Grey
4SC12	Blue Black
Scribe	
Ancillary/Seating/Workspaces	
54" wide	
100% recycled polyester	
with 53% ocean bound plastic	
3DN01	Spring Wood
3DN02	Poplar
3DN03	Pewter
3DN04	Deep Sea
3DN05	Fir
3DN06	Nutmeg
Slant	
Workspaces	
66" wide	
51% polyester	
49% recycled polyester	
22F04	Pesto
22F06	Neptune
22F07	Blueberry
22F10	Pumpkin
22F12	Silver Birch
22F13	Bluestone
22F15	Shale

Splash 3D Knit	
Seating	
Available only on Zeph® Chairs.	
knit to size	
98% recycled polyester	
2% lycra	
5H101	Black
5H102	Carbon
5H103	Alpine
5H104	Silt
5H105	Tea Rose
5H106	Cocoa
5H107	Persimmon
5H108	Blaze
5H109	Cayenne
5H110	Falcon
5H111	Mustard Seed
5H112	Patina
5H113	Olive
5H114	Moss
5H115	Aloe
5H116	Glacier
5H117	Ultramarine
5H118	Nightfall
5H119	Bluebell
5H120	Boysenberry
Stretch Knit	
Seating	
Assigned lead-time textile. A	
Available only on Sayl®	
Suspension Back Work Chairs	
97% polyester, 3% spandex	
3DK01	Fog
3DK02	Slate Grey
3DK03	Java
3DK04	Black
3DK05	Red
3DK06	Green Apple
3DK07	Berry Blue

Price category 1 continued on next page

Textile Colors

continued

GSA

Price Category 1

continued

Tailored	
Ancillary/Seating/Workspaces	
54" wide	
56% polyester	
44% recycled polyester	
23501	Studio White * **
23502	Sugar **
23503	Tomato
23506	Chive
23508	Cobalt
23509	Cadet
23510	Fog
23511	Graphite
23512	Black
23513	Coffee

* Color not available on Canvas Tiles.

** Colors not available on Plex™ Lounge Furniture.

Tuck 3D Knit	
Seating	
Available only on Fuld Nesting Chairs.	
knit to size	
56% polyester	
44% recycled polyester	
9NK01	Alpine
9NK02	Carbon
9NK03	Nightfall
9NK04	Olive
9NK05	Cocoa
9NK06	Canyon

Whisper	
Ancillary/Seating/Workspaces	
54" wide	
73% recycled polyester	
27% polyester, with 11.3% ocean bound plastic	
1WS01	Sand Dollar
1WS02	Pebble
1WS03	Silver Birch
1WS04	Iceberg
1WS05	Silver Pine
1WS06	Carbon
1WS07	Cumin
1WS12	Willow
1WS13	Sea Grass
1WS14	Pool
1WS15	Blueberry
1WS16	Glacier
1WS17	Grey
1WS18	Canyon

Price Category 2

Aristo	
Seating/Workspaces	
54" wide	
88% recycled polyester	
12% polyester	
Acrylic backing	
3AR01	Forest Moss
3AR02	Light Brindle
3AR03	Mink
3AR04	Copper
3AR06	Cherry
3AR08	Green Apple
3AR10	Waterfall
3AR11	Cadet
3AR12	Tin
3AR13	Pewter
3AR14	Grey Brindle
3AR15	Grey Black

Cord	
Workspaces	
66" wide	
51% antimony-free polyester	
49% polyester	
5101	Ivory
5102	White Ash
5103	Linen
5104	Bamboo
5105	Sepia
5107	Sesame
5109	Bayou
5111	Spring Wood
5112	Summer White

Crepe	
Ancillary/Seating/Workspaces	
54" wide	
100% recycled polyester, with 43.6% ocean bound plastic	
9201	Licorice
9203	Smoke
9207	Cherry
9223	Cadet
9241	Beachglass
9249	Stone *
9251	Fog *
9252	Slate Grey
9261	Shale
9262	Graphite
9265	Mineral
9266	Persimmon
9267	Juniper
9268	Glacier
9269	Cascade
9270	Navy

* Colors available on Exclave® Video-friendly Tackable Boards and Stowage Tackable Backdrop

Epic	
Seating/Workspaces	
54" wide	
56% recycled polyester	
44% polyester	
Acrylic backing	
3EP01	Alabaster
3EP02	Smoke
3EP03	Falcon
3EP05	Copper
3EP06	Urban Orange
3EP07	Poppy
3EP10	Clover
3EP11	Loden
3EP14	Peacock
3EP15	Cadet
3EP16	Indigo
3EP17	Spring Wood
3EP18	Grey Brindle
3EP19	Seed
3EP20	Carbon Dark

Price category 2 continued on next page

Textile Colors

continued

GSA

Price Category 2

continued

Appendix: Textile Colors

Hint	
Seating/Workspaces	
54" wide	
76% recycled polyester	
24% polyester	
3DP01	Sediment
3DP02	Gunmetal
3DP03	Silt
3DP04	Porcelain
3DP05	Indigo
3DP06	Fern
3DP07	Adobe
3DP08	Red Sea
Horizon	
Workspaces	
54" wide	
65% antimony-free polyester	
35% polyester	
4N01	Rye Grass
4N02	Sugar Pine
4N03	Silver Pine
4N04	White Ash
4N05	Spring Wood
4N08	Haystack
4N09	Oat Grass
4N13	Pine Cone
4N15	Elderberry
Marvel	
Seating	
54" wide	
100% pvc-free polyurethane	
1MV01	Summer White
1MV02	Sand Dollar
1MV03	Espresso
1MV04	Folkstone Grey
1MV05	Graphite
1MV06	Onyx
1MV07	Polar Blue
1MV08	Blush Grey
1MV12	Red
1MV14	Pine
1MV15	Teal Green
1MV16	Twilight

Medley	
Ancillary/Seating/Workspaces	
54" wide	
50% recycled polyester	
50% polyester	
1HA01	Stone *
1HA02	Trail
1HA03	Charcoal
1HA04	Cinder
1HA06	Papaya
1HA07	Chutney
1HA09	Feather Grey *
1HA11	Loden
1HA13	Bayou *
1HA14	Blue Grotto
1HA15	Blueberry
1HA22	Khaki
1HA23	Pewter
1HA24	Yellow Oxide
1HA25	Vintage Rose
1HA26	Raspberry
1HA27	Acai Berry
* Colors available on Exclave®	
Video-friendly Tackable Boards	
and Stowage Tackable Backdrop	
Mellow	
Seating/Workspaces	
54" wide	
100% recycled polyester,	
with 16% ocean bound plastic	
4ME01	Mineral
4ME04	Olive
4ME05	Glacier
4ME06	Oceanside
4ME07	Charcoal

Metaphor – Maharam	
Ancillary/Seating/Workspaces	
54" wide	
100% polyester	
Acrylic backing	
ZMA01/466553-001	Afterfeather
ZMA02/466553-002	Moonflower
ZMA03/466553-003	Handcraft
ZMA04/466553-004	Crossroad
ZMA05/466553-005	Chondrite
ZMA06/466553-006	Detective
ZMA07/466553-007	Steamship
ZMA08/466553-008	Electricity
ZMA09/466553-009	Takeoff
ZMA10/466553-010	Parachute
ZMA11/466553-011	Blueshift
ZMA12/466553-012	Dockyard
ZMA13/466553-013	Bathe
ZMA14/466553-014	Icebound
ZMA15/466553-015	Thermosphere
ZMA16/466553-016	Aboard
ZMA17/466553-017	Agateware
ZMA18/466553-018	Homeland
ZMA19/466553-019	Rockfall
ZMA20/466553-020	Undergrowth
ZMA21/466553-021	Gremolata
ZMA22/466553-022	Patina
ZMA23/466553-023	Sylvan
ZMA24/466553-024	Outfield
ZMA25/466553-025	Windbreak
ZMA26/466553-026	Saguaro
ZMA27/466553-027	Barnwood
ZMA28/466553-028	Cookshop
ZMA29/466553-029	Amandine
ZMA30/466553-030	Bodhran
ZMA31/466553-031	Centerstage
ZMA32/466553-032	Focaccia
ZMA33/466553-033	Bumblebee
ZMA34/466553-034	Microbrew
ZMA35/466553-035	Sauna
ZMA36/466553-036	Gazebo
ZMA37/466553-037	Pirouette
ZMA38/466553-038	Heartbeat
ZMA39/466553-039	Shino
ZMA40/466553-040	Sunrise

Metaphor continued	
ZMA41/466553-041	Florist
ZMA42/466553-042	Beadwork
ZMA43/466553-043	Framboise
ZMA44/466553-044	Wisteria
ZMA45/466553-045	Warrior
Muse – Maharam	
Ancillary/Seating/Workspaces	
54" wide	
100% post-consumer recycled polyester	
8I101/466487-001	Crescendo
8I102/466487-002	Resonate
8I103/466487-003	Runway
8I104/466487-004	Ascend
8I105/466487-005	Veil
8I106/466487-006	Refresh
8I107/466487-007	Clear
8I108/466487-008	Fantasy
8I109/466487-009	Miso
8I110/466487-010	Compass
8I111/466487-011	Bergamot
8I112/466487-012	Grasshopper
8I113/466487-013	Goal
8I114/466487-014	Mistletoe
8I115/466487-015	Seaglass
8I116/466487-016	Frigid
8I117/466487-017	Riverbend
8I118/466487-018	Noble
8I119/466487-019	Pulsar
8I120/466487-020	Velella
8I121/466487-021	Sailboat
8I122/466487-022	Sparse
8I123/466487-023	Vase
8I124/466487-024	Haven
8I125/466487-025	Mead
8I126/466487-026	Neat
8I127/466487-027	Jovial
8I128/466487-028	Theater
8I129/466487-029	Poinsettia
8I130/466487-030	Celebrate
8I131/466487-031	Spectacle

Price category 2 continued on next page

Textile Colors

continued

GSA

Price Category 2

continued

Rhythm	
Seating	
54" wide	
100% polyester	
3002	Green Apple
3004	Bayou
3005	Berry Blue
3006	Iris
3007	Twilight
3009	Poppy
3010	Molasses
3012	Khaki
3013	Mink
3014	Black *
3015	Charcoal *

* Colors available on Embody® Chair

Sequel	
Ancillary/Seating/Workspaces	
54" wide	
100% vinyl	
100% polyester knit backing	
Resilience® finish	
3SL01	White
3SL02	Pebble
3SL03	Mushroom
3SL04	Stone
3SL09	Seal
3SL10	Blue Fog
3SL11	Folkstone
3SL12	Shale
3SL13	Slate Grey
3SL14	Charcoal
3SL15	Carbon Dark
3SL28	Navy *

* Color available on Eames® Tandem Sling Seating

Terra	
Ancillary/Seating/Workspaces	
54" wide	
100% post-consumer recycled biodegradable polyester *	
4TE01	Spring Wood
4TE02	Zinc
4TE03	Pine Cone
4TE04	Charcoal
* 1% biodegradation in 1,278 days under ASTM D5511 conditions. No evidence of further degradation.	

Twine	
Workspaces	
66" wide	
100% recycled polyester	
3TW01	Silver Birch
3TW02	Ivory
3TW03	Alabaster
3TW04	Bamboo
3TW05	Iceberg
3TW06	Charcoal
3TW07	Feather Grey
3TW08	Shale

Twist	
Ancillary/Seating/Workspaces	
54" wide	
80% antimony-free polyester	
13% recycled polyester	
7% polyester	
8R05	Wicker
8R10	Poppy
8R14	Tin
8R15	Shale
8R16	Graphite
8R17	Birch
8R18	Sepia
8R22	Blueberry
8R23	Green Apple
8R26	Gunmetal
8R27	Cinder
8R29	Pekoe
8R33	Forest
8R35	Waterfall
8R36	Midnight Blue
8R37	Carbon Dark

Twist	
Workspaces	
For systems products only.	
54" wide	
80% antimony-free polyester	
13% recycled polyester	
7% polyester	
5S03	Oyster

Price Category 3

Ace	
Ancillary/Seating	
54" wide	
100% polyurethane	
Polyester knit backing	
Stain resistant finish	
3AC01	Summer White
3AC02	White Ash
3AC04	Metal
3AC05	Clay
3AC06	Chestnut
3AC08	Camelback
3AC09	Chipotle
3AC12	Artichoke
3AC13	Sepia Dark
3AC14	Aloe
3AC17	Oceanside
3AC18	Midnight
3AC20	Frost
3AC21	Lead
3AC22	Black

Fractal	
Ancillary/Seating/Workspaces	
58" wide	
84% recycled polyester	
16% polyester	
43Z01	Granite
43Z02	Golden Olive
43Z03	Verdant
43Z04	Cadet

Price category 3 continued on next page

Appendix: Textile Colors

Textile Colors

continued

GSA

Price Category 3

continued

Ground Cloth®	
Workspaces	
66" wide	
100% polyester	
4701	Vapor Grey
4721	Warm White *
4722	Fog *
4723	Straw *
4724	Red Orange *
4726	Green Apple *
4727	Caribbean *
4728	Midnight *
4729	Cappuccino *

* Colors available on Exclave®
Video-friendly Tackable Boards
and Stowage Tackable Backdrop

Latitude	
Seating	
Colors for Mirra 2 Chairs	
100% polyester	
8M10	Alpine
8M17	Black
8M23	French Press
8M27	Cordovan
8M28	Ochre
8M29	Ultramarine
8M30	Olive

Meld - Maharam	
Seating/Workspaces	
Workspaces	
54" wide	
68% post-consumer recycled polyester	
32% polyester	
PFOA-Free stain resistant	
ZM201/466387-201	Vast
ZM202/466387-202	Panda **
ZM203/466387-203	Skyline *
ZM204/466387-204	Knight **
ZM205/466387-205	Quill **
ZM206/466387-206	Pipe
ZM207/466387-207	Grate *
ZM208/466387-208	Gloss
ZM209/466387-209	Bulb

Meld continued	
ZM210/466387-210	Bride
ZM211/466387-211	Stark
ZM212/466387-212	Seashell
ZM213/466387-213	Antler
ZM214/466387-214	Crater *
ZM215/466387-215	Perennial
ZM216/466387-216	Mulberry
ZM217/466387-217	Fuchsia *
ZM218/466387-218	Amethyst *
ZM219/466387-219	Merlot
ZM220/466387-220	Magma *
ZM221/466387-221	Rooster
ZM222/466387-222	Heat *
ZM223/466387-223	Clementine
ZM224/466387-224	Fox
ZM225/466387-225	Kiss *
ZM226/466387-226	Bare
ZM227/466387-227	Blonde
ZM228/466387-228	Mimosa
ZM229/466387-229	Comet *
ZM230/466387-230	Honeydew
ZM231/466387-231	Wild *
ZM232/466387-232	Vine
ZM233/466387-233	Seed
ZM234/466387-234	Kale *
ZM235/466387-235	Waterfall *
ZM236/466387-236	Nordic *
ZM237/466387-237	Reef *
ZM238/466387-238	Wave
ZM239/466387-239	Isle **
ZM240/466387-240	Creek
ZM241/466387-241	Mariner *
ZM242/466387-242	Globe
ZM243/466387-243	Spa

* Colors available on
20-day lead time.
** Colors available on
10-day lead time.

Parcel	
Ancillary/Seating/Workspaces	
54" wide	
100% recycled polyester	
4GE01	Gunmetal
4GE02	Brindle
4GE03	Bayou
4GE04	Pesto
4GE05	Golden Olive
4GE06	Copper Sea
Saille - Geiger Textile	
Ancillary	
57" wide	
69% cotton	
31% polyester	
PFOA-Free stain resistant finish	
Acrylic backing	
18001	Coal
18002	Shale
18003	Haze
18004	Stone
18005	White *
18006	Beach
18007	Sand
18008	Blush
18009	Brick
18010	Fog
18011	Celadon
18012	Poolside
18013	Summer Sky
18014	Lake
18015	Midnight Blue

* Color not available on Eames®
Soft Pad Group Chairs/Ottomans.

Strands	
Workspaces	
66" wide	
100% recycled polyester	
8W01	Pebble
8W02	Porcelain
8W04	Honey
8W05	Khaki
8W06	Rye
8W07	Wicker
8W08	Tin
8W09	Cool Grey

Textile Colors

continued

GSA

Price Category 4

Cygnus	
Ancillary	
For Eames® Aluminum Group Chairs	
69% elastomeric	
31% polyester	
5401	Black
5402	Zinc
5403	Quartz

Daydream	
Ancillary/Seating	
54" wide	
48% wool	
41% recycled polyester	
9% nylon	
2% polyester	
3DM01	Rye Grass
3DM02	Silver Birch
3DM03	Pewter
3DM04	Graphite
3DM05	Black
3DM06	Lemongrass
3DM07	Permission
3DM08	Juniper
3DM09	Sea Grass
3DM10	Nightfall

Kalista - Geiger Textile	
Ancillary	
54" wide	
71% post-industrial recycled cotton	
18% post-industrial recycled polyester	
11% polyester	
PFOA-Free stain resistant finish	
1AL01	Cotton
1AL02	Natural
1AL03	Titanium
1AL04	Pewter
1AL05	Starry Night
1AL06	Red Hot
1AL07	Sun Kissed
1AL08	Dune
1AL09	Beach Glass
1AL10	Bluestone
1AL11	Seaside
1AL12	Night Sky

Lariat – Maharam	
Ancillary/Seating	
54" wide	
100% vinyl	
ZLR01/440401-001	001
ZLR02/440401-002	002
ZLR04/440401-004	004
ZLR06/440401-006	006
ZLR07/440401-007	007
ZLR08/440401-008	008
ZLR10/440401-010	010
ZLR11/440401-011	011
ZLR13/440401-013	013
ZLR14/440401-014	014
ZLR15/440401-015	015
ZLR16/440401-016	016
ZLR18/440401-018	018
ZLR20/440401-020	020
ZLR21/440401-021	021
ZLR24/440401-024	024
ZLR25/440401-025	025
ZLR26/440401-026	026
ZLR28/440401-028	028
ZLR31/440401-031	031
ZLR32/440401-032	032
ZLR33/440401-033	033
ZLR34/440401-034	034
ZLR38/440401-038	038
ZLR39/440401-039	Granite
ZLR40/440401-040	Linen
ZLR41/440401-041	Stella
ZLR42/440401-042	Saddle
ZLR43/440401-043	Holly
ZLR44/440401-044	Maroon
ZLR45/440401-045	Siren
ZLR46/440401-046	Reseda
ZLR47/440401-047	Purslane
ZLR48/440401-048	Spire
ZLR49/440401-049	Papyrus
ZLR50/440401-050	Chickadee
ZLR51/440401-051	Requiem

Sync	
Ancillary/Seating	
55" wide	
100% polyester	
3SY01	Pine Cone
3SY03	Canyon
3SY04	Truffle
3SY06	Everglade
3SY08	Nightfall
3SY09	Dark Mineral
3SY10	Slate Grey
3SY11	Dark Carbon
3SY12	Black

Price Category 5

Arlo - Maharam	
Ancillary/Seating	
70% wool	
30% polyester	
5YT01	Turn
5YT02	Embers
5YT03	Parallel
5YT04	Octave
5YT05	Musing
5YT06	Summon
5YT07	Dynamic
5YT08	Signals
5YT09	Aspect
5YT10	Dedicate
5YT11	Juniper
5YT12	Cilantro
5YT13	Hawthorn
5YT14	Thread
5YT15	Spalted
5YT16	Warmer
5YT17	Misted
5YT18	Share
5YT19	Chord
5YT20	Heroic
5YT21	Arpeggio
5YT22	Roots
5YT23	Sumac
5YT24	Purl
5YT25	Homeward

Cozy	
Ancillary/Seating	
54" wide	
100% wool	
3CY01	Heathered Warm Grey
3CY02	Heathered Rye Grass
3CY03	Heathered Cool Grey
3CY05	Heathered Black
3CY06	Heathered Persimmon
3CY07	Heathered Loden
3CY09	Heathered Lagoon
3CY10	Heathered Twilight

Price category 5 continued on next page

Textile Colors

continued

GSA

Price Category 5

continued

Hopsak	
Ancillary/Seating/Workspaces	
56" wide	
100% recycled polyester	
14A20	Black
14A22	Raw Umber Dark
14A26	Grey Blue Dark
14A30	Sepia Dark
14A38	Emerald Dark
14A39	Yellow Dark
14A40	Orange
14A41	Sienna
14A42	Olive Green Dark
14A43	Crimson
14A44	Crimson Dark Dark
14A45	Violet Dark
14A46	Pink Dark Dark
14A47	Ultramarine Dark
14A48	Cobalt Blue
14A49	Terra Cotta
14A50	Ochre Dark

Ingenuie - Geiger Textile	
Ancillary	
54" wide	
28% wool	
26% viscose	
25% acrylic	
16% polyester	
5% cotton	
PFOA-Free stain resistant finish	
1GH01	Sand
1GH02	Fog
1GH03	Flannel
1GH04	Trench
1GH05	Vermillion
1GH06	Adriatic
1GH07	Umber
1GH08	Charcoal

Method – Maharam	
Seating/Workspaces	
54" wide	
100% recycled polyester	
with 12% ocean-bound plastic	
40G01/466579-001	Inspire
40G02/466579-002	Rhea
40G03/466579-003	Noise
40G04/466579-004	Speedway
40G05/466579-005	Villanelle
40G06/466579-006	Maestro
40G07/466579-007	Destiny
40G08/466579-008	Possess
40G09/466579-009	Waterside
40G10/466579-010	Relax
40G11/466579-011	Delightful
40G12/466579-012	Parrotlet
40G13/466579-013	Verdurous
40G14/466579-014	Bosky
40G15/466579-015	Acreage
40G16/466579-016	Allude
40G17/466579-017	Tweed
40G18/466579-018	Korma
40G19/466579-019	Fossilize
40G20/466579-020	Cattail
40G21/466579-021	Shortcake
40G22/466579-022	Racecar
40G23/466579-023	Courtship
40G24/466579-024	Jam
40G25/466579-025	Sparrow

Nico - Maharam	
Ancillary/Seating/Workspaces	
54" wide	
63% wool	
21% polyester	
16% solution-dyed nylon	
ZNC01/466564-001	Alcazar
ZNC02/466564-002	Ironclad
ZNC03/466564-003	Tune
ZNC04/466564-004	Bridegroom
ZNC05/466564-005	Diode
ZNC06/466564-006	Jest

Nico continued	
ZNC07/466564-007	Sanctuary
ZNC08/466564-008	Aquarius
ZNC09/466564-009	Houseboat
ZNC10/466564-010	Olympian
ZNC11/466564-011	Tennis
ZNC12/466564-012	Dressage
ZNC13/466564-013	Zing
ZNC14/466564-014	Bitterroot
ZNC15/466564-015	Gemini
ZNC16/466564-016	Posh
ZNC17/466564-017	Sizzle
ZNC18/466564-018	Cheerful
ZNC19/466564-019	Watermelon
ZNC20/466564-020	Toucan
ZNC21/466564-021	Rosin
ZNC22/466564-022	Jousting
ZNC23/466564-023	Jojoba
ZNC24/466564-024	Dromedary
ZNC25/466564-025	Toasty
ZNC26/466564-026	Casaba
ZNC27/466564-027	Greenhouse
ZNC28/466564-028	Sibyl
ZNC29/466564-029	Spearmint
ZNC30/466564-030	Pothos
ZNC31/466564-031	Calathea
ZNC32/466564-032	Landscape
ZNC33/466564-033	Espalier
ZNC34/466564-034	Gecko
ZNC35/466564-035	Meditation

Summit	
Ancillary/Seating	
54" wide	
100% silicone	
Polyester knit backing	
3SU02	Oyster
3SU03	Zinc
3SU04	Sparrow
3SU07	Black
3SU09	Beachglass
3SU10	Midnight

Vionette - Geiger Textile	
Ancillary	
55" wide	
100% polyester	
1GJ01	White Sand Mix
1GJ02	Desert Mix
1GJ03	Light Gray Mix
1GJ04	Pewter Mix
1GJ05	Cobalt Mix
1GJ06	Prussian Blue Mix
1GJ07	Chocolate Mix
1GJ08	Champagne
1GJ09	Morning Sky
1GJ10	Aquatic
1GJ11	Sapphire
1GJ12	Midnight Blue
1GJ13	Shadow
1GJ14	Java
1GJ15	Carbon
1GJ16	Black
1GJ17	Claret
1GJ18	Poppy

Textile Colors

continued

GSA

Price Category 6

Balance	
Seating	
For Embody® chairs	
100% polyester	
3512	Carbon
3513	Black

Outdoor Weave	
Ancillary	
For Eames® Aluminum Group	
Outdoor Chairs	
50% elastomeric	
50% polypropylene	
7203	Lead
7205	Graphite

Price Category 7

Customer's Own Leather	
Seating/Ancillary	
See Order Information in	
Appendices. Assigned lead-time	
textile. A	

Beck – Maharam	
Ancillary/Seating	
55" wide	
78% wool	
22% nylon	
ZB301/466571-001	Overshadow
ZB302/466571-002	Molecule
ZB303/466571-003	Zeitgeist
ZB304/466571-004	Blacksmith
ZB305/466571-005	Cornerstone
ZB306/466571-006	Chainmail
ZB307/466571-007	Buckram
ZB308/466571-008	Callisto
ZB309/466571-009	Interlude
ZB310/466571-010	Letterpress
ZB311/466571-011	Memoir
ZB312/466571-012	Litmus
ZB313/466571-013	Stoic
ZB314/466571-014	Inkpad
ZB315/466571-015	Praxis
ZB316/466571-016	Astute
ZB317/466571-017	Percolate
ZB318/466571-018	Halocline
ZB319/466571-019	Semblance
ZB320/466571-020	Loch
ZB321/466571-021	Lido
ZB322/466571-022	Underwater
ZB323/466571-023	Tetrapod
ZB324/466571-024	Nymph
ZB325/466571-025	Appalachian
ZB326/466571-026	Menthol
ZB327/466571-027	Woodruff
ZB328/466571-028	Malachite
ZB329/466571-029	Botanist
ZB330/466571-030	Woodlet
ZB331/466571-031	Katydid
ZB332/466571-032	Exuberant
ZB333/466571-033	Retrospect

Beck continued	
ZB334/466571-034	Lambic
ZB335/466571-035	Argil
ZB336/466571-036	Brushstroke
ZB337/466571-037	Candescent
ZB338/466571-038	Reedbuck
ZB339/466571-039	Clayware
ZB340/466571-040	Curio
ZB341/466571-041	Whimsy
ZB342/466571-042	Effervescent
ZB343/466571-043	Lingonberry
ZB344/466571-044	Resplendent
ZB345/466571-045	Hollyhock
ZB346/466571-046	Filigree
ZB347/466571-047	Plutonic
ZB348/466571-048	Foundry
ZB349/466571-049	Patisserie
ZB390	Gold 007/032/033 *
ZB391	Russet 036/040/039 *
ZB392	Indigo 008/013/014 *
ZB393	Forest 006/031/028 *

* Colors available only on
Girard Color Wheel Ottoman.

Bellano - Geiger Textile	
Ancillary	
55" wide	
75% wool	
10% linen	
8% nylon	
7% alpaca	
1AX01	Pearl
1AX02	Fog
1AX03	Fawn
1AX04	Pumice
1AX05	Pewter
1AX06	Atlantic
1AX07	Black Green
1AX08	Adriatic
1AX09	Coffee
1AX10	Charcoal
1AX11	Umber
1AX12	Magenta
1AX13	Bittersweet
1AX14	Sunflower

Capri - Geiger Textile	
Ancillary	
55" wide	
36% cotton	
32% acrylic	
24% rayon	
8% polyester	
PFOA-Free stain resistant finish	
Acrylic backing	
17201	Snow
17202	Stone
17203	Trench
17204	Graphite
17205	Anthracite
17206	Light Silver
17207	Russet
17208	Chestnut Brown
17209	Sand
17210	Sterling
17211	Cobalt
17212	Ink

Mantle - Maharam	
Ancillary/Seating	
59% recycled polyester	
37% polyester	
4% spandex	
8PV01	Pavement
8PV02	Future
8PV03	Piper
8PV04	Manifesto
8PV05	Mapo
8PV06	Redwood
8PV07	Rocky
8PV08	Impala
8PV09	Warbler
8PV10	Guild
8PV11	Kinetic
8PV12	Behold
8PV13	Orb
8PV14	Sport
8PV15	Utopia
8PV16	True
8PV17	Galore

Price category 7 continued on
next page

Textile Colors

continued

GSA

Price Category 7

continued

Price Category 8

Appendix: Textile Colors

Mantle continued

8PV18	Parsley
8PV19	Dare
8PV20	Branzino
8PV21	Network
8PV22	Standard
8PV23	Salamander
8PV24	Oscillate

Milaner - Geiger Textile

Ancillary	
55" wide	
56% wool, 10% acrylic	
10% alpaca, 10% cotton	
8% nylon, 6% rayon	
17101	Linen
17102	Flax
17103	Bark
17104	Deep Navy
17105	Charcoal
17106	Medium Grey
17107	Ash
17108	Crimson

Panno di Dolce - Geiger Textile

Ancillary	
55" wide	
65% wool	
20% nylon	
15% alpaca	
1AV01	Fog
1AV02	Dune
1AV03	Trench
1AV04	Flannel
1AV05	Charcoal
1AV06	Umber
1AV07	Deep Navy
1AV08	Graphite
1AV09	Orange
1AV10	Pink
1AV11	Deep Red
1AV12	Bright Green
1AV13	Cerulean Blue
1AV14	Deep Cerulean Blue

Resca - Geiger Textile

Ancillary	
56" wide	
75% wool	
10% linen	
8% nylon	
7% alpaca	

1AW01	Fog
1AW02	Dune
1AW03	Trench
1AW04	Flannel
1AW05	Umber
1AW06	Bordeaux

Rowan - Maharam

Ancillary/Seating	
77% wool	
12% nylon	
6% acrylic	
5% linen	

5K301	Kingdom
5K302	Northern
5K303	Rabbit
5K304	Elephant
5K305	Furrow
5K306	Heirloom
5K307	Appear
5K308	Repose
5K309	Blackcurrant
5K310	Courage
5K311	Bordeaux
5K312	Cherish
5K313	Brickfield
5K314	Hibiscus
5K315	Carnelian
5K316	Cinnabar
5K317	Toasted
5K318	Revea
5K319	Cortado
5K320	Medallion
5K321	Polenta
5K322	Prized
5K323	Travertine
5K324	Companion
5K325	Library
5K326	Fable

Rowan continued

5K327	Pixie
5K328	Arboretum
5K329	Ease
5K330	Sapling
5K331	Cottonwood
5K332	Scout
5K333	Valleyside
5K334	Ornament
5K335	Zucchini
5K336	Ethereal
5K337	Springtide
5K338	Traverse
5K339	Untold
5K340	Flowing
5K341	Laguna
5K342	Cerulean
5K343	Soundscape
5K344	Message
5K345	Freefall
5K346	Musical
5K347	Puzzle
5K348	Operatic
5K349	Daydream
5K350	Shale
5K351	Forward
5K352	Anthracite

Wool Tweed - Geiger Textile

Ancillary	
54" wide	
80% wool, 20% nylon	
16601	Trench
16602	Pewter
16603	Ruby
16604	Blue Gray
16605	Navy
16606	Umber
16607	Charcoal

Luce - Maharam

Ancillary/Seating	
59" wide	
75% post-consumer recycled wool	
20% polyester	
5% nylon	
ZLU01/466566-001	Brioche
ZLU02/466566-002	Blanched
ZLU03/466566-003	Relic
ZLU04/466566-004	Sinter
ZLU05/466566-005	Scoria
ZLU06/466566-006	Austere
ZLU07/466566-007	Pigment
ZLU08/466566-008	Alkali
ZLU09/466566-009	Tidal
ZLU10/466566-010	Imbue
ZLU11/466566-011	Reservoir
ZLU12/466566-012	Brine
ZLU13/466566-013	Undertone
ZLU14/466566-014	Prelude
ZLU15/466566-015	Submerge
ZLU16/466566-016	Cypress
ZLU17/466566-017	Awash
ZLU18/466566-018	Adriatic
ZLU19/466566-019	Province
ZLU20/466566-020	Virescent
ZLU21/466566-021	Nettle
ZLU22/466566-022	Agrarian
ZLU23/466566-023	Serpentine
ZLU24/466566-024	Laurel
ZLU25/466566-025	Clarion
ZLU26/466566-026	Gooseberry
ZLU27/466566-027	Swelter
ZLU28/466566-028	Etruscan
ZLU29/466566-029	Coulis
ZLU30/466566-030	Rubescient
ZLU31/466566-031	Akoya
ZLU32/466566-032	Radiant
ZLU33/466566-033	Regent
ZLU34/466566-034	Spectral
ZLU35/466566-035	Thistle

Textile Colors

continued

GSA

Price Category 9

Gemma – Maharam	
Ancillary/Seating	
55" wide	
85% wool	
15% nylon	
ZGE01/466568-001	Crinoline
ZGE02/466568-002	Angelic
ZGE03/466568-003	Savory
ZGE04/466568-004	Honeycomb
ZGE05/466568-005	Gilded
ZGE06/466568-006	Paddleboat
ZGE07/466568-007	Stagecoach
ZGE08/466568-008	Waterbuck
ZGE09/466568-009	Earnest
ZGE10/466568-010	Auric
ZGE11/466568-011	Carmine
ZGE12/466568-012	Serape
ZGE13/466568-013	Ferric
ZGE14/466568-014	Canyon
ZGE15/466568-015	Alembic
ZGE16/466568-016	Patio
ZGE17/466568-017	Sorrel
ZGE18/466568-018	Root
ZGE19/466568-019	Mansion
ZGE20/466568-020	Buff
ZGE21/466568-021	Starch
ZGE22/466568-022	Dawn
ZGE23/466568-023	Countryside
ZGE24/466568-024	Dewy
ZGE25/466568-025	Reliquary
ZGE26/466568-026	Deluge
ZGE27/466568-027	Overlay
ZGE28/466568-028	Electron
ZGE29/466568-029	Sheath
ZGE30/466568-030	Quietude
ZGE31/466568-031	Jargon
ZGE32/466568-032	Powder
ZGE33/466568-033	Tide
ZGE34/466568-034	Outwash
ZGE35/466568-035	Enamored
ZGE36/466568-036	Smitten
ZGE37/466568-037	Revere
ZGE38/466568-038	Mangosteen
ZGE39/466568-039	Allium
ZGE40/466568-040	Immense

Gemma continued	
ZGE41/466568-041	Chamber
ZGE42/466568-042	Cosmos
ZGE43/466568-043	Inkling
ZGE44/466568-044	Rainwater
ZGE45/466568-045	Shade
ZGE46/466568-046	Pendant
ZGE47/466568-047	Axial
ZGE48/466568-048	Fervent
ZGE49/466568-049	Legacy
ZGE50/466568-050	Caliber
ZGE51/466568-051	Temple
ZGE52/466568-052	Evenfall

Jasper - Maharam	
Seating	
53" wide	
55% wool	
27% solution-dyed nylon	
18% cotton	
ZJA01/466563-001	Thrill
ZJA02/466563-002	Anise
ZJA03/466563-003	Grapefruit
ZJA04/466563-004	Lifeguard
ZJA05/466563-005	Heartfelt
ZJA06/466563-006	Corsage
ZJA07/466563-007	Earthenware
ZJA08/466563-008	Bear
ZJA09/466563-009	Firelight
ZJA10/466563-010	Dreamcatcher
ZJA11/466563-011	Bobcat
ZJA12/466563-012	Glacial
ZJA13/466563-013	Vaporize
ZJA14/466563-014	Trapdoor
ZJA15/466563-015	Halcyon
ZJA16/466563-016	Observatory
ZJA17/466563-017	Steamboat
ZJA18/466563-018	Aquathlon
ZJA19/466563-019	Cloudless
ZJA20/466563-020	Briny
ZJA21/466563-021	Magical
ZJA22/466563-022	Picnic
ZJA23/466563-023	Herbage
ZJA24/466563-024	Pasture
ZJA25/466563-025	Courtyard
ZJA26/466563-026	Leapfrog

Leather	
Ancillary/Seating	
approx. 50 sq. ft. per hide	
100% leather	
2101	Ivory
2109	Black *
2110	Smoke
2111	Graphite
2112	Khaki
2113	Rattan
2114	Truffle
2115	Alpine
2116	Haze
2117	Sable Grey
2118	Dark Mineral **
2119	Dark Carbon ***
2120	Cranberry
2121	Deep Sea

* Armpad color available on Aeron® Chair, Graphite.
 ** Armpad color available on Aeron Chair, Mineral.
 *** Armpad color available on Aeron Chair, Carbon.

Price Category 10

Bristol Leather - Geiger Textile	
Ancillary	
approx. 55 sq. ft. per hide	
100% leather	
5-507	Black
5-511	Putty
5-519	Hunter
5-520	White
5-521	Ivory
5-522	Parchment
5-537	Caribbean
5-546	Pumice
5-547	Smoke
5-548	Charcoal
5-549	Dark Shale
5-556	Downtown Grey
5-557	City Night
5-559	Ash Grey
5-563	Champagne
5-564	Chestnut Brown
5-565	Dark Sienna
5-566	Earthen
5-567	Desert
5-568	British Green
5-579	Paris Blue
5-583	Atlantic
5-592	Camel
5-594	Taupe
5-597	Pure
5-598	Cream
5-600	Midnight Blue
5-603	Sangria
5-604	Swiss Red
5-605	Nordic Yellow
5-606	Sky Grey
5-608	Natural

Price category 10 continued on next page

Textile Colors

continued

GSA

Price Category 10

continued

Firma – Maharam	
Ancillary/Seating	
55" wide	
78% wool	
22% nylon	
3KH01/466582-001	Wrath
3KH02/466582-002	Pantomime
3KH03/466582-003	Shaded
3KH04/466582-004	Prologue
3KH05/466582-005	Framework
3KH06/466582-006	Railroad
3KH07/466582-007	Grommet
3KH08/466582-008	Lunisolar
3KH09/466582-009	Snowpack
3KH10/466582-010	Coldsnap
3KH11/466582-011	Sealift
3KH12/466582-012	Brood
3KH13/466582-013	Intertidal
3KH14/466582-014	Confide
3KH15/466582-015	Secluded
3KH16/466582-016	Leisure
3KH17/466582-017	Portfolio
3KH18/466582-018	Strato
3KH19/466582-019	Fogbow
3KH20/466582-020	Snowcone
3KH21/466582-021	Kazoo
3KH22/466582-022	Esteem
3KH23/466582-023	Mackerel
3KH24/466582-024	Brooch
3KH25/466582-025	Caesious
3KH26/466582-026	Islet
3KH27/466582-027	Biosphere
3KH28/466582-028	Hilltop
3KH29/466582-029	Arboreal
3KH30/466582-030	Lineage
3KH31/466582-031	Comfrey
3KH32/466582-032	Circe
3KH33/466582-033	Ecosystem
3KH34/466582-034	Knack
3KH35/466582-035	Watt
3KH36/466582-036	Epiphany
3KH37/466582-037	Gamma
3KH38/466582-038	Taxicab
3KH39/466582-039	Varietal

Gemma Multi – Maharam	
Ancillary/Seating	
55" wide	
85% wool	
15% nylon	
ZGF01/466569-001	Andromeda
ZGF02/466569-002	Dappled
ZGF03/466569-003	Lyra
ZGF04/466569-004	Flaunt
ZGF05/466569-005	Celluloid
ZGF06/466569-006	Hydrozoa
ZGF07/466569-007	Firefly
ZGF08/466569-008	Pisces
ZGF09/466569-009	Strath
ZGF10/466569-010	Erosion
ZGF11/466569-011	Cabaret
ZGF12/466569-012	Candytuft
ZGF13/466569-013	Juice
ZGF14/466569-014	Fairground
ZGF15/466569-015	Copperplate
ZGF16/466569-016	Sunbird
ZGF17/466569-017	Cinematic
ZGF18/466569-018	Clairvoyant
ZGF19/466569-019	Crocus
ZGF20/466569-020	Memoir
ZGF21/466569-021	Roulette
ZGF22/466569-022	Voltaic
ZGF23/466569-023	Compote
ZGF24/466569-024	Lambent
ZGF25/466569-025	Twister
ZGF26/466569-026	Chronicle
ZGF27/466569-027	Sidereal
ZGF28/466569-028	Tanzanite
ZGF29/466569-029	Crystalize
ZGF30/466569-030	Chromium
ZGF31/466569-031	Pallium
ZGF32/466569-032	Spectre
ZGF33/466569-033	Courgette
ZGF34/466569-034	Viper
ZGF35/466569-035	Sunlit
ZGF36/466569-036	Heavenly
ZGF37/466569-037	Vernal
ZGF38/466569-038	Cress
ZGF39/466569-039	Limn
ZGF40/466569-040	Horseradish

Gemma Multi continued	
ZGF41/466569-041	Shandy
ZGF42/466569-042	Granary
ZGF43/466569-043	Percolate
ZGF44/466569-044	Motor
ZGF45/466569-045	Unicorn
ZGF46/466569-046	Lobster
ZGF47/466569-047	Rhododendron
ZGF48/466569-048	Taffy
ZGF49/466569-049	Rishi
ZGF50/466569-050	Backcountry
ZGF51/466569-051	Buckthorn
ZGF52/466569-052	Coniferous
ZGF53/466569-053	Delphic
ZGF54/466569-054	Hieroglyph
ZGF55/466569-055	Eiderdown
ZGF56/466569-056	Sandbar
ZGF57/466569-057	Tanager

Gemma Multi Reverse – Maharam	
Ancillary/Seating	
55" wide	
85% wool	
15% nylon	
ZGF58/466569-101	Andromeda
	Reverse
ZGF59/466569-102	Dappled
	Reverse
ZGF60/466569-103	Lyra
	Reverse
ZGF61/466569-104	Flaunt
	Reverse
ZGF62/466569-105	Celluloid
	Reverse
ZGF63/466569-106	Hydrozoa
	Reverse
ZGF64/466569-107	Firefly
	Reverse
ZGF65/466569-108	Pisces
	Reverse
ZGF66/466569-109	Strath
	Reverse
ZGF67/466569-110	Erosion
	Reverse

Gemma Multi Reverse continued	
ZGF68/466569-111	Cabaret
	Reverse
ZGF69/466569-112	Candytuft
	Reverse
ZGF70/466569-113	Juice
	Reverse
ZGF71/466569-114	Fairground
	Reverse
ZGF72/466569-115	Copperplate
	Reverse
ZGF73/466569-116	Sunbird
	Reverse
ZGF74/466569-117	Cinematic
	Reverse
ZGF75/466569-118	Clairvoyant
	Reverse
ZGF76/466569-119	Crocus
	Reverse
ZGF77/466569-120	Memoir
	Reverse
ZGF78/466569-121	Roulette
	Reverse
ZGF79/466569-122	Voltaic
	Reverse
ZGF80/466569-123	Compote
	Reverse
ZGF81/466569-124	Lambent
	Reverse
ZGF82/466569-125	Twister
	Reverse
ZGF83/466569-126	Chronicle
	Reverse
ZGF84/466569-127	Sidereal
	Reverse
ZGF85/466569-128	Tanzanite
	Reverse
ZGF86/466569-129	Crystalize
	Reverse
ZGF87/466569-130	Chromium
	Reverse
ZGF88/466569-131	Pallium
	Reverse
ZGF89/466569-132	Spectre
	Reverse

Price category 10 continued on next page

Textile Colors

continued

GSA

Price Category 10

continued

Gemma Multi Reverse continued

ZGF90/466569-133	Courgette
	Reverse
ZGF91/466569-134	Viper
	Reverse
ZGF92/466569-135	Sunlit
	Reverse
ZGF93/466569-136	Heavenly
	Reverse
ZGF94/466569-137	Vernal
	Reverse
ZGF95/466569-138	Cress
	Reverse
ZGF96/466569-139	Limn
	Reverse
ZGF97/466569-140	Horseradish
	Reverse
ZGF98/466569-141	Shandy
	Reverse
ZGF99/466569-142	Granary
	Reverse
ZGFA0/466569-143	Percolate
	Reverse
ZGFA1/466569-144	Motor
	Reverse
ZGFA2/466569-145	Unicorn
	Reverse
ZGFA3/466569-146	Lobster
	Reverse
ZGFA4/466569-147	Rhododendron
	Reverse
ZGFA5/466569-148	Taffy
	Reverse
ZGFA6/466569-149	Rishi
	Reverse
ZGFA7/466569-150	Backcountry
	Reverse
ZGFA8/466569-151	Buckthorn
	Reverse
ZGFA9/466569-152	Coniferous
	Reverse
ZGFB0/466569-153	Delphic
	Reverse

Gemma Multi Reverse continued

ZGFB1/466569-154	Hieroglyph
	Reverse
ZGFB2/466569-155	Eiderdown
	Reverse
ZGFB3/466569-157	Tanager
	Reverse

Petra - Maharam

Ancillary/Seating	
55" wide	
70% wool	
19% linen	
11% nylon	
ZP401/466580-001	Hieroglyph
ZP402/466580-002	Interior
ZP403/466580-003	Samovar
ZP404/466580-004	Calcite
ZP405/466580-005	Silversmith
ZP406/466580-006	Rivet
ZP407/466580-007	Carpolite
ZP408/466580-008	Bonbon
ZP409/466580-009	Dreamy
ZP410/466580-010	Bejewel
ZP411/466580-011	Sashimi
ZP412/466580-012	Spirula
ZP413/466580-013	Chalet
ZP414/466580-014	Reindeer
ZP415/466580-015	Nostalgia
ZP416/466580-016	Trove
ZP417/466580-017	Narcissus
ZP418/466580-018	Yurt
ZP419/466580-019	Congee
ZP420/466580-020	Genepy
ZP421/466580-021	Herbaceous
ZP422/466580-022	Paddock
ZP423/466580-023	Precious
ZP424/466580-024	Biome
ZP425/466580-025	Tinted
ZP426/466580-026	Pelagic
ZP427/466580-027	Bluebill
ZP428/466580-028	Chicory
ZP429/466580-029	Eaglet
ZP430/466580-030	Permafrost
ZP431/466580-031	Atlantic
ZP432/466580-032	Airstream
ZP433/466580-033	Debonair

Price Category 11

Felix - Maharam

Ancillary/Seating	
85% wool	
15% nylon	
3BS01	Angular
3BS02	Shark
3BS03	Easy
3BS04	Cue
3BS05	Rye
3BS06	Champion
3BS07	Between
3BS08	Propose
3BS09	Rising
3BS10	Tile
3BS11	Place
3BS12	Kernel
3BS13	Pinnacle
3BS14	Darling
3BS15	Seasonal
3BS16	Shipmate
3BS17	Jump
3BS18	Geyser
3BS19	Team

Prone Leather - Maharam

Ancillary	
approx. 50 sq. ft. per hide	
100% leather	
protective top coat	
1NX01/700020-001	Lotus
1NX02/700020-002	Timbre
1NX03/700020-003	Essence
1NX04/700020-004	Script
1NX05/700020-005	Gambit
1NX06/700020-006	Obsidian
1NX07/700020-007	Sail
1NX09/700020-009	Vine
1NX10/700020-010	Yarrow
1NX13/700020-013	Balsa
1NX14/700020-014	Shore
1NX15/700020-015	Bricolage
1NX17/700020-017	Ledge
1NX19/700020-019	Mantra
1NX20/700020-020	Java
1NX21/700020-021	Lute
1NX22/700020-022	Glow
1NX23/700020-023	Hickory

Price Category A

No fabrics available at this time.

Textile Colors

continued

GSA

Price Category B

Medium – Maharam	
Ancillary/Seating/Workspaces	
54" wide	
100% polyester	
VM01/463490-001	Raven
VM02/463490-002	Smoke
VM03/463490-003	Alloy
VM04/463490-004	Flax
VM07/463490-007	Espresso
VM14/463490-014	Laser
VM16/463490-016	Port
VM22/463490-022	Marina
VM29/463490-029	Pistachio
VM32/463490-032	Prospect
VM36/463490-036	Delight
VM39/463490-039	Nautical
VM40/463490-040	Pool
VM44/463490-044	Washed
VM45/463490-045	Sculpture
VM46/463490-046	Thatched
VM47/463490-047	Hike
VM48/463490-048	Tangle
VM49/463490-049	Pacific
VM50/463490-050	Cosmic
VM53/463490-053	Nasturtium
Messenger — Maharam	
Ancillary/Seating/Workspaces	
54" wide	
78% post-industrial recycled polyester	
15% polyester	
7% nylon	
TI07/458640-007	Shadow
TI08/458640-008	Bayou *
TI24/458640-024	Poppy
TI25/458640-025	Mao
TI29/458640-029	Onyx *
TI31/458640-031	Cloud *
TI38/458640-038	Depth *
TI40/458640-040	Nile *
TI41/458640-041	Azure *
TI45/458640-045	Cactus *

Messenger continued	
TI46/458640-046	Ice *
TI48/458640-048	Neon
TI50/458640-050	Hydrangea
TI53/458640-053	Tangelo
TI54/458640-054	Lumine *
TI58/458640-058	Snow **
TI60/458640-060	Peridot
TI61/458640-061	Capri *
TI62/458640-062	Ultramarine
TI63/458640-063	Squall
TI66/458640-066	Cassis
TI67/458640-067	Aster
TI69/458640-069	Cherry
TI70/458640-070	Vibrant
TI71/458640-071	Satsuma *
TI72/458640-072	Maize
TI76/458640-076	Fossil
TI77/458640-077	Ash
TI78/458640-078	Tusk
TI79/458640-079	Oyster **
TI81/458640-081	Husk
TI84/458640-084	Robust
TI85/458640-085	Beyond
TI86/458640-086	Voyage *
TI87/458640-087	Everglade
TI89/458640-089	Blanch **
TI90/458640-090	Longspur
TI91/458640-091	Vireo
TI92/458640-092	Dipper
TI93/458640-093	Gale
TI94/458640-094	Hunter
TI95/458640-095	Lime
TI96/458640-096	Apple
TI97/458640-097	Krill
TI98/458640-098	Catalyst
* Colors available on 20-day lead time.	
** Colors not available on Eames Molded Fiberglass and Molded Plastic Side Chairs.	

Price Category C

Manner - Maharam	
Ancillary/Seating/Workspaces	
54" wide	
65% post-industrial recycled polyester	
35% post-consumer recycled polyester	
Z2701/466177-001	Magic
Z2702/466177-002	Carob
Z2703/466177-003	Porpoise
Z2704/466177-004	Flint
Z2705/466177-005	Hush *
Z2706/466177-006	Nuance
Z2711/466177-011	Ember
Z2712/466177-012	Wagon
Z2713/466177-013	Ablaze
Z2714/466177-014	Peel
Z2716/466177-016	Butterscotch
Z2717/466177-017	Harvest
Z2720/466177-020	Parakeet
Z2722/466177-022	Aquatic
Z2723/466177-023	Cottage
Z2724/466177-024	Dahlia
Z2725/466177-025	Vivid
Z2726/466177-026	Basin
Z2727/466177-027	Schooner
Z2729/466177-029	Silverpoint
Z2730/466177-030	Lattice
Z2731/466177-031	Smoky
Z2732/466177-032	Magnetic
Z2733/466177-033	Woad
Z2734/466177-034	Resolute
Z2735/466177-035	Cruise
Z2736/466177-036	Atmospheric
Z2737/466177-037	Cloudburst
Z2738/466177-038	Tidewater
Z2739/466177-039	Firth
Z2740/466177-040	Oceanside
Z2741/466177-041	Grandeur
Z2742/466177-042	Comfort
Z2743/466177-043	Dill
Z2744/466177-044	Poplar
Z2745/466177-045	Citronella
Z2746/466177-046	Passerine

Manner continued	
Z2747/466177-047	Southwest
Z2748/466177-048	Roseate
Z2749/466177-049	Charisma
Z2750/466177-050	Siltstone
Z2751/466177-051	Kimono
Z2752/466177-052	Valiant
Z2753/466177-053	Baroness
* Color not available on Eames Aluminum Group, Executive Chairs, Upholstered Molded Plywood Chairs, and Sofa Compact.	
Merit - Maharam	
Seating	
54" wide	
76% post-industrial recycled polyester	
24% polyester	
PFOA-Free stain resistant	
88Z01/466444-001	Trickle
88Z02/466444-002	Beluga
88Z03/466444-003	Gunmetal
88Z04/466444-004	Blackout
88Z05/466444-005	Superior
88Z06/466444-006	Ocean
88Z07/466444-007	Highborn
88Z08/466444-008	Immersed
88Z09/466444-009	Rainfall
88Z10/466444-010	Blizzard
88Z11/466444-011	Poolside
88Z12/466444-012	Steel
88Z13/466444-013	Zircon
88Z14/466444-014	Ripple
88Z15/466444-015	Aegean
88Z16/466444-016	Armada
88Z17/466444-017	Hedera
88Z18/466444-018	Rainforest
88Z19/466444-019	Gator
88Z20/466444-020	Vineyard
88Z21/466444-021	Pine
88Z22/466444-022	Kiwi
88Z23/466444-023	Kookaburra

Price category C continued on next page

Textile Colors

continued

GSA

Price Category C

continued

Merit continued	
88Z24/466444-024	Bellini
88Z25/466444-025	Sunflower
88Z26/466444-026	Sandstorm
88Z27/466444-027	Mudder
88Z28/466444-028	Lynx
88Z29/466444-029	Farro
88Z30/466444-030	Manila
88Z31/466444-031	Starfish
88Z32/466444-032	Brass
88Z33/466444-033	Arrow
88Z34/466444-034	Gelato
88Z35/466444-035	Nectarine
88Z36/466444-036	Macaron
88Z37/466444-037	Alert
88Z38/466444-038	Goji
88Z39/466444-039	Cabernet
88Z40/466444-040	Eggplant
88Z41/466444-041	Hawk
88Z42/466444-042	Stag
88Z43/466444-043	Overcast
Metric – Maharam	
Seating/Workspaces	
54" wide	
51% post-industrial recycled polyester	
49% polyester	
Z302/466014-002	Fog
Z303/466014-003	Fleece
Z312/466014-012	Cardinal
Z313/466014-013	Lava
Z318/466014-018	Pollen
Z320/466014-020	Alligator
Z323/466014-023	Tar
Z324/466014-024	Anchor
Z326/466014-026	Admiral
Z327/466014-027	Seaport
Z328/466014-028	Scuba
Z329/466014-029	Skate
Z330/466014-030	Hopscotch
Z331/466014-031	Film
Z332/466014-032	Whale
Z333/466014-033	Downpour
Z334/466014-034	Midday

Metric continued	
Z335/466014-035	Talisman
Z336/466014-036	Hedgerow
Z337/466014-037	Snorkel
Z338/466014-038	Highway
Z339/466014-039	Canary
Z340/466014-040	Sunny
Z341/466014-041	Aztec
Z342/466014-042	Fruit
Z343/466014-043	Galah
Z344/466014-044	Kiln
Z345/466014-045	Moth
Murmur - Maharam	
Seating	
55" wide	
100% polyester	
PFOA-Free stain resistant	
8EY01/466446-001	Gust
8EY02/466446-002	Harmonica
8EY03/466446-003	Canopy
8EY04/466446-004	Dim
8EY05/466446-005	Peppercorn
8EY06/466446-006	Cauldron
8EY07/466446-007	Conquer
8EY08/466446-008	Rapids
8EY09/466446-009	Seawater
8EY10/466446-010	Baby
8EY11/466446-011	Elderberry
8EY12/466446-012	Iceberg
8EY13/466446-013	Tallgrass
8EY14/466446-014	Underground
8EY15/466446-015	Biome
8EY16/466446-016	Cask
8EY17/466446-017	Argan
8EY18/466446-018	Sundown
8EY19/466446-019	Ignite
8EY20/466446-020	Sultry
8EY21/466446-021	Sangria

Price Category D

Bluff - Maharam	
Ancillary/Seating	
54" wide	
100% polyurethane	
Ink-resistant protective top coat	
Polyester backing	
8I801/466489-001	Loom
8I802/466489-002	Helm
8I803/466489-003	Cruller
8I804/466489-004	Folklore
8I805/466489-005	Beguile
8I806/466489-006	Sherpa
8I807/466489-007	Teleport
8I808/466489-008	Annex
8I809/466489-009	Lorimer
8I810/466489-010	Cinema
8I811/466489-011	Zip
8I812/466489-012	Coach
8I813/466489-013	Supernova
8I814/466489-014	Pirate
8I815/466489-015	Academy
8I816/466489-016	Disco
8I817/466489-017	Equator
8I818/466489-018	Brink
8I819/466489-019	Scene
8I820/466489-020	Petrichor
8I821/466489-021	Exotic
8I822/466489-022	Fauna
8I823/466489-023	Calabash
8I824/466489-024	Fuscous
8I825/466489-025	Wildling
8I826/466489-026	Blitz
8I827/466489-027	Allspice
8I828/466489-028	Lumos
8I829/466489-029	Pilot
8I830/466489-030	Jukebox
8I831/466489-031	Dugout
8I832/466489-032	Claret
8I833/466489-033	Flamenco
Mode – Maharam	
Ancillary/Seating/Workspaces	
54" wide	
80% post-consumer recycled polyester	
20% polyester	
PFOA-Free stain resistant finish	
ZMD01/466337-001	Stroll
ZMD02/466337-002	Intaglio
ZMD03/466337-003	Ominous
ZMD04/466337-004	Machine
ZMD05/466337-005	Talus
ZMD06/466337-006	Marsh
ZMD07/466337-007	Hollow
ZMD08/466337-008	Sycamore
ZMD09/466337-009	Clavicle
ZMD10/466337-010	Billygoat
ZMD11/466337-011	Spindle
ZMD12/466337-012	Lemon
ZMD13/466337-013	Oxeye
ZMD14/466337-014	Henge
ZMD15/466337-015	Goldenrod
ZMD16/466337-016	Cottontail
ZMD17/466337-017	Lioness
ZMD18/466337-018	Oriole
ZMD19/466337-019	Rust
ZMD20/466337-020	Carotene
ZMD21/466337-021	Blush
ZMD22/466337-022	Vermillion
ZMD23/466337-023	Alder
ZMD24/466337-024	Kermes
ZMD25/466337-025	Barberry
ZMD26/466337-026	Petal
ZMD27/466337-027	Valley
ZMD28/466337-028	Odyssey
ZMD29/466337-029	Ballpoint
ZMD30/466337-030	Toile
ZMD31/466337-031	Paradise

Price category D continued on next page

Textile Colors

continued

GSA

Price Category D

continued

Mode continued

ZMD32/466337-032	Angelfish
ZMD33/466337-033	Denim
ZMD34/466337-034	Crush
ZMD35/466337-035	Jetty
ZMD36/466337-036	Saltwater
ZMD37/466337-037	Mallard
ZMD38/466337-038	Celtic
ZMD39/466337-039	Eucalyptus
ZMD40/466337-040	Bonsai
ZMD41/466337-041	Sassafras
ZMD42/466337-042	Yucca
ZMD43/466337-043	Lichen

Spiral - Maharam

Workspaces	
66" wide	
100% polyester	
ZS301/901882-001	Chalk
ZS303/901882-003	Wheat
ZS304/901882-004	Mica
ZS305/901882-005	Pavement
ZS306/901882-006	Graphite

Price Category E

Article – Maharam

Ancillary/Seating	
54" wide	
100% vinyl	
ZAT08/458600-008	Marina
ZAT13/458600-013	Flume
ZAT14/458600-014	Storm
ZAT15/458600-015	Toast
ZAT19/458600-019	Fleece
ZAT22/458600-022	Stone
ZAT26/458600-026	Mercury
ZAT29/458600-029	Bluegrass
ZAT31/458600-031	Truffle
ZAT32/458600-032	Gravel
ZAT33/458600-033	Value
ZAT34/458600-034	Tint
ZAT35/458600-035	Snowflake
ZAT36/458600-036	Chalice
ZAT37/458600-037	Trail
ZAT38/458600-038	Pyramid
ZAT39/458600-039	Desert
ZAT40/458600-040	Lei
ZAT41/458600-041	Rouge
ZAT42/458600-042	Karma
ZAT43/458600-043	Opal
ZAT44/458600-044	Periwinkle
ZAT45/458600-045	Vampire
ZAT46/458600-046	Surf
ZAT47/458600-047	Plumage

Micro – Maharam

Ancillary	
54" wide	
100% vinyl	
ZMB01/466099-001	Muslin
ZMB04/466099-004	Basalt
ZMB06/466099-006	Phantom
ZMB07/466099-007	Depth
ZMB08/466099-008	Cottage
ZMB09/466099-009	Hunter
ZMB11/466099-011	Tomatillo
ZMB12/466099-012	Brew
ZMB14/466099-014	Tang
ZMB15/466099-015	Risk

Parallel — Maharam

Workspaces	
66" wide	
100% recycled polyester	
TT03/901180-003	Fog
TT22/901180-022	Sterling
TT23/901180-023	Linen
TT24/901180-024	Pea
TT27/901180-027	Boulder
TT28/901180-028	Stream
TT29/901180-029	Shiitake
TT32/901180-032	Brandy
TT33/901180-033	Crater
TT36/901180-036	Quail

Price Category F

Apt – Maharam

Ancillary/Seating
54" wide
100% polyurethane/silicone
Ink-resistant protective top coat
Polyester backing
82T12/466392-012 Iris
82T13/466392-013 Nocturnal
82T14/466392-014 Fluid
82T15/466392-015 Eden
82T16/466392-016 Galactic
82T17/466392-017 Shoreline
82T18/466392-018 Jade
82T19/466392-019 Garden
82T20/466392-020 Botanic
82T21/466392-021 Chartreuse
82T23/466392-023 Lyric
82T24/466392-024 Turmeric
82T25/466392-025 Bengal
82T26/466392-026 Core
82T27/466392-027 Mantle
82T28/466392-028 Sorbet
82T32/466392-032 Oak
82T33/466392-033 Castle
82T34/466392-034 Follow
82T35/466392-035 Elixir
82T36/466392-036 Charm
82T37/466392-037 Descend
82T38/466392-009 Sketch
82T39/466392-010 Glacier
82T40/466392-031 Fortress
82T41/466392-030 Lotus
82T42/466392-001 Coconut
82T43/466392-011 Cobblestone
82T44/466392-029 Bloom
82T45/466392-022 Crepe
82T46/466392-006 Hickory
82T47/466392-007 Constellation
82T48/466392-008 Labyrinth
82T49/466392-002 Vibe
82T50/466392-003 Stampede
82T51/466392-004 Lumber
82T52/466392-005 Gingerbread

Price category F continued on next page

Textile Colors

continued

GSA

Price Category F

continued

Price Category G

Price Category H

Appendix: Textile Colors

Scuba - Maharam

Ancillary
54" wide
100% polyurethane
V9B1/464930-001 Vanilla
V9B5/464930-005 Chinchilla
V9B6/464930-006 Mahogany
V9B7/464930-007 Jet
V9B8/464930-008 Charcoal
V9B9/464930-009 Dolphin
V9BA/464930-010 Drizzle
V9BC/464930-012 Conifer
V9BD/464930-013 Bottle
V9BF/464930-015 Tourmaline
V9BG/464930-016 Sapphire
V9BH/464930-017 Electric
V9BL/464930-020 Cabernet
V9BM/464930-021 Brick
V9BN/464930-022 Coral
V9BP/464930-023 Autumn

Strum - Maharam

Seating
54" wide
100% polyurethane
with silver-based antimicrobial
Z3301/466122-001 Overcast
Z3302/466122-002 Ridge
Z3304/466122-004 Pigeon
Z3307/466122-007 Bur
Z3308/466122-008 Abalone
Z3312/466122-012 Lemongrass

Compound - Maharam

Seating
54" wide
100% polyurethane
silane-based antimicrobial
ZC201/466196-001 Quartz
ZC203/466196-003 Weathered
ZC204/466196-004 Cliff
ZC205/466196-005 Espresso
ZC206/466196-006 Smolder
ZC207/466196-007 Blaze
ZC208/466196-008 Mandarin
ZC209/466196-009 Maple
ZC210/466196-010 Perennial
ZC211/466196-011 Mountainside
ZC212/466196-012 Tundra
ZC213/466196-013 Manatee
ZC214/466196-014 Marine
ZC215/466196-015 Twilight
ZC216/466196-016 Shelter
ZC217/466196-017 Vessel
ZC218/466196-018 Smoke
ZC219/466196-019 Fog

Gild - Maharam

Ancillary/Seating
54" wide
100% non-phthalate vinyl
Ink-resistant protective top coat
Polyester backing
8AR01/466432-005 Grapevine
8AR02/466432-009 Frosting
8AR03/466432-007 Smokey
8AR04/466432-003 Skylight
8AR05/466432-011 Sandstone
8AR06/466432-004 Hurricane
8AR07/466432-002 Wreath
8AR08/466432-001 Rainforest
8AR09/466432-012 Fudge
8AR10/466432-010 Lantern
8AR11/466432-006 Planet
8AR12/466432-008 Reflection

Sudden - Maharam

Ancillary
54" wide
100% polyurethane
ZSD02/463000-002 002
ZSD03/463000-003 003
ZSD05/463000-005 005
ZSD06/463000-006 006
ZSD07/463000-007 007
ZSD08/463000-008 008
ZSD09/463000-009 009
ZSD10/463000-010 010
ZSD11/463000-011 011
ZSD13/463000-013 013
ZSD15/463000-015 015
ZSD16/463000-016 016
ZSD17/463000-017 017
ZSD18/463000-018 018
ZSD19/463000-019 019
ZSD20/463000-020 020
ZSD24/463000-024 024
ZSD27/463000-027 027
ZSD36/463000-036 036

Circles - Maharam

Ancillary/Seating
55" wide
70% cotton
30% polyester
ZT01/458310-001 Khaki
ZT02/458310-002 Fatigue
ZT03/458310-003 Document
ZT04/458310-004 Engine

Dot Pattern - Maharam

Ancillary/Seating
55" wide
71% cotton
29% polyester
ZK01/458300-001 Document
ZK02/458300-002 Taupe
ZK04/458300-004 Red
ZK05/458300-005 Navy

Regatta - Maharam

Ancillary
54" wide
65% solution-dyed acrylic
35% solution-dyed polyester
ZRT01/466189-001 Drift
ZRT02/466189-002 Parasol
ZRT04/466189-004 Swell

Small Dot Pattern - Maharam

Ancillary/Seating
55" wide
71% cotton
29% polyester
ZL01/458320-001 Document
ZL02/458320-002 Sand
ZL03/458320-003 Khaki
ZL04/458320-004 Taupe
ZL05/458320-005 Charcoal
ZL06/458320-006 Document
Reverse
ZL07/458320-007 Red
ZL08/458320-008 Yellow
ZL09/458320-009 Green

Textile Colors

continued

GSA

Price Category I	Price Category J-O	Price Category P	Price Category Q
Cursive – Maharam Seating 54” wide 67% solution-dyed acrylic 33% solution-dyed polyester PFOA-Free stain resistant 7CW01/466335-001 Fast 7CW03/466335-003 Beachcomb 7CW05/466335-005 Swift 7CW06/466335-006 Jetstream 7CW07/466335-007 Inkwell 7CW08/466335-008 Rubber	No fabrics available at this time.	Layers Vineyard Small – Maharam Ancillary 52” wide 92% wool 5% polyester 3% nylon ZLS01/465920-001 Ochre/White ZLS02/465920-002 Scarlet/Peony ZLS03/465920-003 Taupe/Violet ZLS04/465920-004 Jade/Turquoise ZLS05/465920-005 Ginger/Rose	Brushed Camel – Maharam Ancillary 58” wide 100% baby camel hair ZBA01/465977-001 Albino ZBA02/465977-002 Natural

Textile Colors

continued

GSA

Price Category R-Z

No fabrics available at this time.

Price Category 10M

Pace Leather – Maharam	
Ancillary	
approx. 50 sq. ft. per hide	
100% leather	
ZPA01/700011-001	Whisper
ZPA02/700011-002	Shy
ZPA03/700011-003	Granite
ZPA04/700011-004	Misty
ZPA05/700011-005	Studio
ZPA06/700011-006	Throne
ZPA07/700011-007	Proper
ZPA08/700011-008	Huron
ZPA09/700011-009	Darkroom
ZPA10/700011-010	Bark
ZPA11/700011-011	Raspberry
ZPA12/700011-012	Sangria
ZPA13/700011-013	Admiral
ZPA14/700011-014	Juniper
ZPA15/700011-015	Regal
ZPA16/700011-016	Vapor
ZPA17/700011-017	Valley
ZPA18/700011-018	Bushel
ZPA19/700011-019	Heirloom
ZPA20/700011-020	Palomino
ZPA21/700011-021	Bamboo
ZPA22/700011-022	Saffron
ZPA23/700011-023	Tearose
ZPA24/700011-024	Canyon
ZPA25/700011-025	Bistro
ZPA26/700011-026	Toffee
ZPA27/700011-027	Rodeo
ZPA28/700011-028	Mudslide
ZPA29/700011-029	Greige
ZPA30/700011-030	Reflection
ZPA31/700011-031	Pure
ZPA32/700011-032	Desert
ZPA33/700011-033	Griffin
ZPA34/700011-034	Urbane
ZPA35/700011-035	Woodrose

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

® HermanMiller, , Action Office, Aeron, Aside, Canvas Office Landscape, Caper, Cosm, Co/Struc, Eames, Embody, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Intent, Layout Studio, Lino, Maharam, Meridian, Mirra, Motia, Nelson, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Sayl, Setu, Tu, Verus, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ AireWeave, Bubbletack, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Durawrap, Everywhere, Flex-Edge, Headway, Hopsak 2, Iota, Keyless Entry, Latitude, Lyris 2, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Renew, Stackable, Swoop, Thrive, TriFlex, Twist and Valor are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles® is a registered trademark of Place Textiles.