



Prices effective February 3, 2025

Published March 2025

Canvas Office Landscape® Wall and Private Office

Introduction	page 2
Canvas Office Landscape Wall and Private Office	3
Walls	5
Work Surfaces	225
Storage	342
Screens	422
Lighting	461
Indices	469
By Name	469
By Number	473
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Keyed-Alike Information	
Vary Easy Program	
Fire Retardancy-Workspaces	
Stain-to-Match Program	
Surface Edge Styles	
Canvas Office Landscape Connectors and Covers Matrix	
Customer's Own Material/Customer's Own Leather Order Information-Cushion Tops	
Customer's Own Material Order Information-Workspaces	
Textiles Application Chart-Workspaces	
Textiles Application Chart-Seating	
Textile Colors	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 3, 2025, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Walls


Work Surfaces

Storage

Screens

Lighting





Product Information

Description

This frame holds individual tiles on both sides and is available with an open base with tapered feet, base covers, or no base. Base covers can be specified without knockouts or with knockouts that accept standard-size receptacles and data faceplates.

Notes

For frame with no base option (F), specify architectural foot (FT117.) separately.

Order the following products separately:

- 90° universal connector (FT121.) or frame-to-frame connection hardware (FT128.)

- Frame top cap (FT112.) or Frame top cap, architectural (FT11A.)

Order optional power separately:

- 4-circuit receptacle (FT155. or FT156.)
- Base power harness (FT150.)
- Power harness, low credenza height (FT15A.)
- Power harness, lower power/data tile (FT152.)
- Power harness, upper power/data tile (FT153.)
- Power harness extender (FT151.), for routing power through a connector
- Power jumper (FT154.)

To finish the end of a frame run, order finished end (FT160.) or finished end architectural, (FT16A.) separately.

When connecting 2 unequal-height frames in a straight line, order change-of-height finished end (FT161.) or finished end, architectural, change of height (FT16B.) separately.

35"-high frame cannot have power and data routed above the surface.

42"-high frame connects to 35", 42", 53", 57" and 68"-high frames only.

53"-high frame connects to 35", 42", 46", 53", 68", and 79"-high frames only.


When routing cables horizontally through frame, order cable tray (FT193.) separately. Cable tray is not necessary when routing cables in top channel or in base.

For protection when routing data cabling through openings in frame, order frame grommet (FT194.) separately.

To cover knockout openings, order plastic port covers with service part number 241489 (quantity of 6).

For cable capacity information, see Cable Capacity Charts in Omni.

Dimensions



Specification Information							
Step 1.							
FT110.							
Step 2. Height							
35	35" high						
42	42" high						
46	46" high						
53	53" high						
57	57" high						
68	68" high						
79	79" high						
Step 3. Width							
18	18" wide						
24	24" wide						
30	30" wide						
36	36" wide						
42	42" wide						
48	48" wide						
Step 4. Base Option							
For 18" wide (18)							
A	open base, tapered foot						
N	base covers, no knockouts						
X	no base covers						
F	no base, for use with architectural foot						
For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)							
A	open base, tapered foot						
N	base covers, no knockouts						
J	base covers, power/data knockouts						
R	base covers, power/data knockouts (meets Chicago electrical code requirements)						
X	no base covers						
F	no base, for use with architectural foot						
Prices for Steps 1-4.							
		A	N	J	R	X	F
FT110. 35	18	\$219	246	—	—	203	203
	24	\$232	264	277	282	212	212
	30	\$242	282	272	299	223	223
	36	\$258	297	314	318	234	234
	42	\$277	316	332	336	242	242
	48	\$296	337	353	365	255	255

42 18	\$229	266	—	—	216	216	
24	\$239	277	291	297	223	223	
30	\$255	291	305	314	235	235	
36	\$271	309	324	331	243	243	
42	\$286	329	344	348	249	249	
48	\$304	348	368	374	264	264	
46 18	\$233	272	—	—	220	220	
24	\$245	285	299	304	232	232	
30	\$264	298	315	321	239	239	
36	\$278	316	332	336	255	255	
42	\$296	336	352	364	268	268	
48	\$315	356	377	381	278	278	
53 18	\$245	282	—	—	236	236	
24	\$258	296	310	316	245	245	
30	\$272	309	324	332	258	258	
36	\$288	328	343	348	272	272	
42	\$304	345	366	369	285	285	
48	\$322	367	384	392	297	297	
57 18	\$259	290	—	—	248	248	
24	\$270	303	318	324	262	262	
30	\$282	318	335	342	276	276	
36	\$297	336	352	364	290	290	
42	\$315	353	374	380	301	301	
48	\$333	377	394	402	315	315	
68 18	\$272	304	—	—	266	266	
24	\$286	321	337	344	279	279	
30	\$299	337	353	365	296	296	
36	\$316	353	374	380	314	314	
42	\$333	374	392	398	329	329	
48	\$348	394	415	423	342	342	
79 18	\$360	398	—	—	347	347	
24	\$377	416	439	445	366	366	
30	\$394	433	454	463	383	383	
36	\$413	452	477	485	403	403	
42	\$432	472	497	504	421	421	
48	\$448	494	520	528	441	441	

Step 5. Base Finish


For base covers, no knockouts (N), base covers, power/data knockouts (J), or base covers, power/data knockouts (meets Chicago electrical code requirements) (R)

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10



Canvas Office Landscape® Walls

Product Information


Description

This individual foot supports 1 end of a frame, adjacent frames within a run, or multiple frames at a 2-, 3-, or 4-way connection. It has 2" leveling adjustability. Attachment hardware included.

Notes

Specify frame(s) with no base, for use with architectural foot option (FT110. xxxxF).

Dimensions



Specification Information

Step 1.

FT117.

Step 2. Configuration

- 1A end-of-frame
- 1B shared, frame-to-frame connection
- 2C 2-way 90° connection
- 2A 2-way 180° connection
- 3C 3-way 90° connection
- 4C 4-way 90° connection

Prices for Steps 1-2.

FT117. 1A	\$177
1B	\$183
2C	\$342
2A	\$342
3C	\$351
4C	\$362

Step 3. Surface Finish

Metallic Paint


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Freestanding Foot

FT116.



Product Information

Description

This 4½"W×15"D painted metal foot attaches to one end of a Canvas frame with no base, for architectural foot option to provide support for a freestanding frame run. It replaces either the left or right glide on the frame and provides 2" of leveling adjustment. Shims for structural foot are included. Attachment hardware included.

Notes

For use only with Canvas frame with no base, for use with architectural foot (FT110.xxxxF) option, ordered separately.

Freestanding foot will not attach to Canvas Frame (FT110.) with base options (A, N, J, R, or X).

Structural foot (FT116.A) must be placed at each end of the frame run and at a minimum of every other inline connection.

Maximum frame/stacking frame height or screen height is 57" high up to 24' long.

Foot supports non-load-bearing frames only and will not support any hang-on components.

It is recommended to use non-structural inline foot (FT116.B) on either side of the frame to support the tile during use and install if there is not a structural foot present.



One (1) non-structural inline foot (FT116.B) is required where a structural foot is not present. See planning guide for support rules.

Counterweights (FZ19D.) are needed on runs less than 9' 6". See planning guide for details. Order separately.


Order the following products separately:

- Base cover retrofit kit (FT163.)
- Base power harness (FT150.)

Dimensions



FT116.A



FT116.B

Freestanding Foot *continued*

Specification Information

Step 1.

FT116.

Step 2. Foot Location

- A** structural foot
- B** non-structural inline foot

Prices for Steps 1-2.

FT116. A	\$398
B	\$243

Step 3. Surface Finish

For structural foot (A)

Metallic Paint


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Floor Anchor Bracket

FT119.




Product Information
Description
This bracket fastens a Canvas Wall frame to the floor and is designed to be used in areas requiring seismic components. Finish is black. Package contains 10.
Notes
Customer must supply required anchors and bolts.
Dimensions

Specification Information
Step 1.
FT119. A \$1292



Single Sided Base Cover Kit

FT963.



Canvas Office Landscape® Walls

Product Information

Description


This base cover attaches to one side of a frame (or frames) with no base covers (FT110.xxxX) to enclose the base when a to-the-floor tile is used on the opposite side. Attachment hardware included.

Notes

Match width of base cover to width of 1 frame, or the combined width of 2 frames.

Specify no attachment clips option (NN) when retrofitting the single-sided base cover kit to an existing frame with base.

Dimensions



Specification Information

Step 1.

FT963.

Step 2. Width

18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
96	96" wide

Step 3. Base Option

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

N	no knockouts
J	power/data knockouts
R	power/data knockouts (meets Chicago electrical code requirements)

For 18" wide (18), 54" wide (54), 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)

N	no knockouts
---	--------------

Step 4. Attachment

For 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

TF	to-the-floor tiles on 1 side
NN	no attachment clips

For 54" wide (54), 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)

TF	to-the-floor tiles on 1 side
BC	base covers on 2 sides
NN	no attachment clips

Prices for Steps 1-4.

	TF	BC	NN
FT963. 18 N	\$62	—	43

24 N	\$65	—	48
J	\$65	—	48
R	\$65	—	48
30 N	\$68	—	56
J	\$68	—	56
R	\$68	—	56
36 N	\$74	—	65
J	\$74	—	65
R	\$74	—	65
42 N	\$78	—	75
J	\$78	—	75
R	\$78	—	75
48 N	\$86	—	83
J	\$86	—	83
R	\$86	—	83
54 N	\$114	114	107
60 N	\$124	124	114
66 N	\$130	130	124
72 N	\$135	135	129
78 N	\$142	142	134
84 N	\$151	151	140
90 N	\$159	159	146
96 N	\$167	167	150

Step 5. Surface Finish

Sand Texture Paint


UBK	ultra black (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Counterweight

FZ19D.




Canvas Office Landscape® Walls

Product Information
Description
This counterweight attaches to the top of the lower frame rail. It is required for specific applications supported by structural feet. 1 counterweight includes 2 weighted blocks and attachment hardware.
Notes
Each counterweight includes 2 pieces. For more application information, see the Canvas Channel or Canvas Wall planning guide.
Dimensions


Specification Information
Step 1.
FZ19D.

\$294



Base Cover Retrofit Kit

FT163.



Product Information

Description

This kit converts a frame with an open base to a frame with a base cover. Attachment hardware and glides are included.


Notes

Specify 1 kit per frame (2 base covers are included).

For powered base, order base power harness (FT150.) separately.

When using Freestanding Foot (FT116.), specify base option M, K, or S.

Dimensions



Specification Information

Step 1.

FT163.

Step 2. Width

18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 3. Base Option

For 18" wide (18)

N	no knockouts
M	no knockouts, for use with freestanding foot

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

N	no knockouts
J	power/data knockouts
R	power/data knockouts (meets Chicago electrical code requirements)
M	no knockouts, for use with freestanding foot
K	power/data knockouts, for use with freestanding foot
S	power/data knockouts, for use with freestanding foot (meets Chicago electrical code requirements)

Prices for Steps 1-3.

		N	J	R	M	K	S
FT163.	18	\$94	—	—	94	—	—
	24	\$97	97	97	97	97	97
	30	\$101	101	101	101	101	101
	36	\$106	106	106	106	106	106
	42	\$112	112	112	112	112	112
	48	\$117	117	117	117	117	117

Step 4. Finish


Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Canvas Office Landscape® Walls

Sand Texture Paint		
8Q	folkstone grey (CP) ☐ A	+\$0
98	studio white (CP) ☐ A	+\$0
UBK	ultra black (CP) ☐ A	+\$0
WL	warm stone (CP) ☐ A	+\$0
91	white (CP) ☐ A	+\$0
BK	black ☐ A	+\$0
CL	cool grey neutral ☐ A	+\$0
G1	graphite (CP) ☐ A	+\$0
WN	warm grey neutral ☐ A	+\$0

Retrofit Base Cover for Power Entry FT162.



Product Information

Description

This base cover replaces an existing frame base cover. It allows for easier installation of an external direct connect power entry.


Notes

Specify 1 retrofit base cover per frame.

Order external direct connect power entry (FT140.) separately.

Covers are included for unused openings.

Dimensions



Specification Information

Step 1.

FT162.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Prices for Steps 1-2.

FT162. 24	\$62
30	\$70
36	\$78
42	\$83
48	\$87

Step 3. Finish

Sand Texture Paint


UBK	ultra black (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP)	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral	+\$0

Metallic Paint


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Stacking Frame


FT111.



Product Information	
Description	
This frame attaches to the top of a base frame to extend the overall height and holds individual tiles on both sides. Attachment hardware is included for attaching the stacking frame to the base frame and an adjacent in-line frame. Light seal included; finish is black.	
Notes	
A maximum of one 22"-high or two 11"-high stacking frames can attach to a frame; the total frame height cannot exceed 90".	
53"-high frame can accept one 11"-high stacking frame.	
Stacking frame cannot be used on top of a window tile or open tile.	
To finish exposed end of frame, order finished end (FT160.) or finished end, architectural (FT16A.) separately.	
When adjacent frames are same height or higher than stacked frame, order 90° universal stacking connector (FT122.) separately.	
When stacking frames are the same height at a corner connector, order connector cover to match the overall height of the 2 frames.	
For appropriate planning applications, see Canvas Planning Guide.	
Dimensions	



Specification Information							
Step 1.							
FT111.							
Step 2. Height							
11	11" high						
22	22" high						
Step 3. Width							
18	18" wide						
24	24" wide						
30	30" wide						
36	36" wide						
42	42" wide						
48	48" wide						
Prices for Steps 1-3.							
		18	24	30	36	42	48
FT111.	11	\$208	218	229	236	245	255
	22	\$229	236	245	255	266	277
Step 4. Application							
LD	stacking on 35", 46", 57", 68", 79" base frame						+\$0
JL	stacking on 42" or 53"-high base frame						+\$0



Product Information

Description

This window stacks on top of a frame or stacking frame and is finished on both sides. It has a thin-profile frame, $\frac{1}{8}$ "-thick single-pane glass or acrylic insert, and a horizontal bead along the top. A limited number of cables can be routed along the top channel. Attachment hardware is included for attaching the stacking window to the base frame and an adjacent in-line frame. Light seal included; finish is black.

A maximum of 1 22"-high or 11"-high window can stack on a frame; the overall height (frame plus stacking window) cannot exceed 90". Stacking window cannot be used above a window tile or open tile.

Notes

53"-high frame can accept one 11"-high stacking window.

Specify 18", 24", 30", 36", 42" or 48"-wide stacking window to match width of frame. Specify 60", 66", 72", 78", 84", 90", or 96"-wide stacking window to span 2 frames.

18", 24", 30", 36", 42", and 48"-wide stacking windows have a tempered glass insert. 60", 66", 72", 78", 84", 90", and 96"-wide windows have an acrylic insert.

Order frame top cap (FT112.) or frame top cap, architectural (FT11A.) separately.

Components cannot hang from a thin profile stacking window.

22" thin profile stacking window is not compatible with privacy door lock post (FT118. or FT992.).

When adjacent frames are the same height or higher than stacking window at a corner connector, order 90° universal stacking connector (FT122.) separately.


When frames and stacking windows are the same height at a corner connector, order connector cover to match the overall height.

To finish exposed end of frame and stacking window, order finished end (FT160.) or finished end, architectural (FT16A.) separately to match combined height of frame and stacking window.

A frame with a thin-profile stacking window (FT187.) cannot be placed off module to a spine wall frame.

For cable capacity information, see Cable Capacity Charts in Omni.

Dimensions



Specification Information							
Step 1.							
FT187.							
Step 2. Height							
11	11" high						
22	22" high						
Step 3. Width							
For 11" high (11)							
18	18" wide						
24	24" wide						
30	30" wide						
36	36" wide						
42	42" wide						
48	48" wide						
60	60" wide						
66	66" wide						
72	72" wide						
78	78" wide						
84	84" wide						
90	90" wide						
96	96" wide						
For 22" high (22)							
18	18" wide						
24	24" wide						
30	30" wide						
36	36" wide						
42	42" wide						
48	48" wide						
Prices for Steps 1-3.							
		18	24	30	36	42	48
FT187. 11		\$430	470	506	544	586	624
	22	\$561	601	648	695	745	791
		60	66	72	78	84	90
FT187. 11		\$857	890	1015	1053	1089	1127
							96
FT187. 11							\$1163

Step 4. Frame Finish		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WN	warm grey neutral	+\$0
98	studio white (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10


Step 5. Glass Finish		
TR	clear	+\$0
34	opal glaze	+\$50

Step 6. Horizontal Bead Finish		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 7. Application		
LD	stacking on 35", 46", 57", 68", 79" base frame	+\$0
JL	stacking on 42" or 53"-high base frame	+\$40

Upmount Screen

FT113.



Product Information

Description

This 11"-high glass screen attaches to the top of a frame to increase overall height. Frame top cap and attachment brackets included.

Notes

Glass is 1/4" thick.


Match width of upmount screen to frame width.

Cables cannot be routed along top channel of frame where screen is attached.

Screen cannot attach to top of thin-profile stacking window (FT187.).

A frame with upmount screen (FT113.) cannot be placed off module to a spine wall frame.

Dimensions



Specification Information

Step 1.

FT113.1

Step 2. Width

18G	18" wide
24G	24" wide
30G	30" wide
36G	36" wide
42G	42" wide
48G	48" wide

Step 3. Top Cap Material

P	painted standard top cap
W	veneer standard top cap A
A	painted architectural top cap

Prices for Steps 1-3.

		P	W	A
FT113.1	18G	\$332	437	411
	24G	\$348	468	442
	30G	\$373	515	480
	36G	\$396	564	515
	42G	\$422	611	552
	48G	\$442	658	591

Step 4. Screen Finish

TR	clear		+\$0
5A	opal etched		+\$50
NN	no glass- for customer's own glass A		-\$150

Step 5. Clip Finish

Metallic Paint

611	beige mist metallic (CP)		+\$0
613	silver (CP)		+\$0
EH	metallic bronze		+\$0
SNA	satin aluminum		+\$10
SNB	satin bronze		+\$10
SNC	satin carbon		+\$10

Sand Texture Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 6. Top Cap Finish

Metallic Paint

For painted standard top cap (P) or painted architectural top cap (A)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

For painted standard top cap (P) or painted architectural top cap (A)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For veneer standard top cap (W)


2U	light brown walnut ☐ A	+\$0
40	dark brown walnut ☐ A	+\$0
CHD	noble cherry	+\$0
EW	medium matte walnut ☐ A	+\$0
ET	clear on ash ☐ A	+\$0
EU	oak on ash ☐ A	+\$0
EV	walnut on ash ☐ A	+\$0
UL	natural maple ☐ A	+\$0

Step 7. Application


LD	stacking on 35", 46", 57", 68", 79" base frame	+\$0
JL	stacking on 42" or 53"-high base frame	+\$40

Frame Top Screen

FT114.



Product Information
Description
This glass screen attaches to the top of a frame (or frames) to increase the overall height. It has concealed attachment brackets that eliminate the gap between the top of the frame and the bottom of the screen. Frame top cap and attachment hardware included.
Notes
Specify width of screen to match the width of 1 frame, or the combined width of 2 frames.
18"- to 48"-wide frame top screens can only span 1 frame. 54"-wide and wider can span 2 frames.
Cables cannot be routed along top channel of frame where screen is attached.
Screen cannot attach to top of thin-profile stacking window (FT187.)
Screen cannot be placed next to finished end change-of-height (FT161.) or finished end architectural change-of-height (FT16B.).
Screen cannot be used on frames with veneer trim.
Screen cannot be used next to connector-attached power poles (FT143., FT14A.).
A frame with a frame top screen (FT114.) cannot be placed off module to a spine wall frame.
Options (F) and (G) are for 54"-wide and wider top cap to span the combined width of 2 adjacent frames placed between 2 universal connectors or a universal connector and a finished end.
Options (H) and (J) are for 54"-wide and wider top cap to span the combined width of 2 adjacent frames in runs of 3 frames or more.
Dimensions



Specification Information
Step 1.
FT114.
Step 2. Height
07 7" high
11 11" high
15 15" high
Step 3. Width
18 18" wide
24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
54 54" wide
60 60" wide
66 66" wide
72 72" wide
78 78" wide
84 84" wide
90 90" wide
96 96" wide
Step 4. Top Cap Material
For 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)
A painted architectural top cap ☐
P painted standard top cap
For 54" wide (54), 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)
F painted extended architectural top cap to span 2 frames ☐
G painted extended standard top cap to span 2 frames ☐
H painted extended architectural top cap to span 2 frames in runs of 3 frames or more ☐
J painted extended standard top cap to span 2 frames in runs of 3 frames or more ☐

Step 5. Surface Finish

For painted architectural top cap (A), painted extended architectural top cap to span 2 frames (F), or painted extended architectural top cap to span 2 frames in runs of 3 frames or more (H)

TR	clear glass - 1/4" thick	A
5A	opal etched - 1/4" thick	A
NN	no glass- for customer's own glass	A
C3	clear glass - 3/8" thick	A
G3	opal glass - 3/8" thick	A
N3	no glass, for customer's own 3/8" thick glass	A

For painted standard top cap (P), painted extended standard top cap to span 2 frames (G), or painted extended standard top cap to span 2 frames in runs of 3 frames or more (J)

TR	clear glass - 1/4" thick
5A	opal etched - 1/4" thick
NN	no glass- for customer's own glass

Prices for Steps 1-5.

	ATR	A5A	ANN	AC3	AG3	AN3
FT114. 07 18	\$393	473	284	484	603	284
24	\$420	521	306	524	652	306
30	\$455	573	343	569	713	343
36	\$497	636	377	623	793	377
42	\$542	698	414	679	873	414
48	\$591	765	465	738	951	465
11 18	\$435	529	284	542	668	284
24	\$456	574	306	574	717	306
30	\$492	627	343	612	783	343
36	\$533	699	377	668	873	377
42	\$581	783	414	726	978	414
48	\$630	856	465	793	1073	465
15 18	\$473	569	284	580	703	284
24	\$492	614	306	617	774	306
30	\$529	679	343	663	852	343
36	\$572	765	377	713	951	377
42	\$617	856	414	774	1073	414
48	\$667	977	465	831	1221	465

	PTR	P5A	PNN	FTR	F5A	FNN
FT114. 07 18	\$338	425	220	—	—	—
24	\$353	455	239	—	—	—
30	\$377	497	268	—	—	—
36	\$410	549	295	—	—	—
42	\$448	603	320	—	—	—
48	\$488	658	358	—	—	—
54	—	—	—	\$600	811	510
60	—	—	—	\$658	903	554
66	—	—	—	\$713	950	591
72	—	—	—	\$777	1000	614
78	—	—	—	\$843	1060	652
84	—	—	—	\$904	1132	680
90	—	—	—	\$988	1200	721
96	—	—	—	\$1060	1256	757
11 18	\$364	468	220	—	—	—
24	\$391	507	239	—	—	—
30	\$416	549	268	—	—	—
36	\$448	613	295	—	—	—
42	\$488	688	320	—	—	—
48	\$524	750	358	—	—	—
54	—	—	—	\$636	920	510
60	—	—	—	\$693	1013	554
66	—	—	—	\$747	1090	591
72	—	—	—	\$811	1161	614
78	—	—	—	\$876	1221	652
84	—	—	—	\$939	1320	680
90	—	—	—	\$1023	1394	721
96	—	—	—	\$1092	1474	757
15 18	\$403	507	220	—	—	—
24	\$428	549	239	—	—	—
30	\$455	603	268	—	—	—
36	\$488	679	295	—	—	—
42	\$524	765	320	—	—	—
48	\$562	871	358	—	—	—
54	—	—	—	\$685	1040	510
60	—	—	—	\$738	1143	554
66	—	—	—	\$796	1251	591
72	—	—	—	\$865	1330	614
78	—	—	—	\$934	1441	652
84	—	—	—	\$994	1520	680
90	—	—	—	\$1078	1592	721
96	—	—	—	\$1149	1654	757

		FC3	FG3	FN3	GTR	G5A	GNN
FT114. 07	54	\$750	1014	510	496	706	404
	60	\$822	1126	554	541	787	437
	66	\$894	1189	591	588	823	467
	72	\$970	1249	614	639	865	479
	78	\$1052	1323	652	696	916	504
	84	\$1126	1413	680	750	977	527
	90	\$1233	1499	721	811	1026	545
	96	\$1323	1566	757	871	1064	568
11	54	\$795	1150	510	530	815	404
	60	\$865	1269	554	578	896	437
	66	\$936	1360	591	622	964	467
	72	\$1014	1455	614	676	1026	479
	78	\$1093	1526	652	731	1075	504
	84	\$1175	1652	680	787	1165	527
	90	\$1277	1738	721	846	1214	545
	96	\$1364	1841	757	906	1286	568
15	54	\$855	1300	510	581	934	404
	60	\$920	1427	554	622	1026	437
	66	\$998	1563	591	670	1125	467
	72	\$1081	1660	614	731	1196	479
	78	\$1171	1803	652	791	1296	504
	84	\$1244	1900	680	843	1363	527
	90	\$1347	1994	721	901	1416	545
	96	\$1435	2072	757	958	1465	568
		HTR	H5A	HNN	HC3	HG3	HN3
FT114. 07	54	\$600	811	510	750	1014	510
	60	\$658	903	554	822	1126	554
	66	\$713	950	591	894	1189	591
	72	\$777	1000	614	970	1249	614
	78	\$843	1060	652	1052	1323	652
	84	\$904	1132	680	1126	1413	680
	90	\$988	1200	721	1233	1499	721
	96	\$1060	1256	757	1323	1566	757
11	54	\$636	920	510	795	1150	510
	60	\$693	1013	554	865	1269	554
	66	\$747	1090	591	936	1360	591
	72	\$811	1161	614	1014	1455	614
	78	\$876	1221	652	1093	1526	652
	84	\$939	1320	680	1175	1652	680
	90	\$1023	1394	721	1277	1738	721
	96	\$1092	1474	757	1364	1841	757

15	54	\$685	1040	510	855	1300	510
	60	\$738	1143	554	920	1427	554
	66	\$796	1251	591	998	1563	591
	72	\$865	1330	614	1081	1660	614
	78	\$934	1441	652	1171	1803	652
	84	\$994	1520	680	1244	1900	680
	90	\$1078	1592	721	1347	1994	721
	96	\$1149	1654	757	1435	2072	757
					JTR	J5A	JNN
FT114. 07	54				\$496	706	404
	60				\$541	787	437
	66				\$588	823	467
	72				\$639	865	479
	78				\$696	916	504
	84				\$750	977	527
	90				\$811	1026	545
	96				\$871	1064	568
11	54				\$530	815	404
	60				\$578	896	437
	66				\$622	964	467
	72				\$676	1026	479
	78				\$731	1075	504
	84				\$787	1165	527
	90				\$846	1214	545
	96				\$906	1286	568
15	54				\$581	934	404
	60				\$622	1026	437
	66				\$670	1125	467
	72				\$731	1196	479
	78				\$791	1296	504
	84				\$843	1363	527
	90				\$901	1416	545
	96				\$958	1465	568

Step 6. Top Cap Finish

Metallic Paint


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Canvas Office Landscape® Walls

Sand Texture Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Pari Screen, Frame Top

FT355.



Product Information
Description This tackable fabric screen attaches to the top of a Canvas frame (or frames) to provide boundary with a tackable surface. Bayonets extend through the top cap for attachment, which allows the screen to sit cleanly on the top cap. Frame top cap and attachment hardware included.
Notes Specify width of screen to match the width of 1 frame, or the combined width of 2 frames of equal size. 24" to 48"-wide frame top screens can only span 1 frame. 54"-wide and wider can span 2 frames of equal size. Screen comes with metal alignment piece that attaches into the top of 2 screens to align them along a run. 15"-high screen will align with top of upmount unit (FT415.), but not with other frame top screens. Cables cannot be routed along top channel of frame where screen is attached. Screen cannot attach to top of thin-profile stacking window (FT187.) Screen cannot be placed next to finished end change-of-height (FT161.) or finished end architectural change-of-height (FT16B.). Screen cannot be used on frames with veneer finished ends. Screen cannot be used next to connector-attached power poles (FT143., FT14A.). A frame with a Pari screen, frame top (FT355.) cannot be placed off module to a spine wall frame. Options (F) and (G) are for 54"-wide and wider top cap to span the combined width of 2 adjacent frames placed between 2 universal connectors or a universal connector and a finished end. Options (H) and (J) are for 54"-wide and wider top cap to span the combined width of 2 adjacent frames in runs of 3 frames or more.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics. For vertical fabric direction (T): Height—Yardage 11—1.04 15—1.30 For horizontal fabric direction (R): Width—Yardage 24—0.95 30—1.14 36—1.32 42—1.51 48—1.71 54—1.90 60—2.07 66—2.27 72—2.46 For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.



Specification Information
Step 1.
FT355. A
Step 2. Height
11 11" high A
15 15" high A
Step 3. Width
24 24" wide A
30 30" wide A
36 36" wide A
42 42" wide A
48 48" wide A
54 54" wide A
60 60" wide A
66 66" wide A
72 72" wide A
Step 4. Surface Material
For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)
R tackable fabric, horizontal A
T tackable fabric A
For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)
R tackable fabric, horizontal A
Step 5. Top Cap Material
For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)
A painted architectural top cap A
P painted standard top cap A
For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)
F painted extended architectural top cap to span 2 frames A
G painted extended standard top cap to span 2 frames A
H painted extended architectural top cap to span 2 frames in runs of 3 frames or more A
J painted extended standard top cap to span 2 frames in runs of 3 frames or more A
Prices for Steps 1-5.

			RA	RF	RG	RP	RH	RJ
FT355.	11	24	\$992	—	—	946	—	—
		30	\$1045	—	—	990	—	—
		36	\$1101	—	—	1035	—	—
		42	\$1153	—	—	1081	—	—
		48	\$1207	—	—	1123	—	—
		54	—	\$1260	1171	—	1260	1171
		60	—	\$1311	1213	—	1311	1213
		66	—	\$1347	1243	—	1347	1243
		72	—	\$1382	1274	—	1382	1274
		72	—	\$1539	1433	—	1539	1433
	15	24	\$1013	—	—	967	—	—
		30	\$1075	—	—	1016	—	—
		36	\$1147	—	—	1083	—	—
		42	\$1213	—	—	1140	—	—
		48	\$1267	—	—	1177	—	—
		54	—	\$1311	1222	—	1311	1222
		60	—	\$1388	1294	—	1388	1294
		66	—	\$1461	1359	—	1461	1359
		72	—	\$1539	1433	—	1539	1433
		72	—	\$1539	1433	—	1539	1433

			TA	TP
FT355.	11	24	\$992	946
		30	\$1045	990
		36	\$1101	1035
		42	\$1153	1081
		48	\$1207	1123
		54	\$1267	1177
		60	\$1311	1222
		66	\$1347	1243
		72	\$1382	1274
		72	\$1539	1433
	15	24	\$1013	967
		30	\$1075	1016
		36	\$1147	1083
		42	\$1213	1140
		48	\$1267	1177
		54	\$1311	1222
		60	\$1388	1294
		66	\$1461	1359
		72	\$1539	1433
		72	\$1539	1433

Step 6. Top Cap Finish

611	beige mist metallic (CP) A	+\$0
613	silver (CP) A	+\$0
EH	metallic bronze A	+\$0
SNA	satin aluminum A	+\$10
SNB	satin bronze A	+\$10
SNC	satin carbon A	+\$10

Sand Texture Paint		
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 7. Fabric

For 24" wide (24) or 30" wide (30)

Price Category B	+\$136
Price Category 1	+\$0
Price Category 2	+\$18
Price Category 3	+\$42
Price Category 4	+\$73
Price Category 5	+\$102
Price Category C	+\$101
Price Category E	+\$259

For 36" wide (36), 42" wide (42), or 48" wide (48)

Price Category B	+\$160
Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 4	+\$84
Price Category 5	+\$140
Price Category C	+\$122
Price Category E	+\$259


For 54" wide (54) or 60" wide (60)

Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$72
Price Category 4	+\$125
Price Category 5	+\$175
Price Category B	+\$160
Price Category C	+\$178

For 66" wide (66) or 72" wide (72)

Price Category 1	+\$0
Price Category 2	+\$36
Price Category 3	+\$85
Price Category 4	+\$149
Price Category 5	+\$204
Price Category B	+\$284
Price Category C	+\$217
Price Category E	+\$259

Flat Edge Screen, Frame Top FT359.




Product Information

Description
This tackable fabric screen attaches to the top of a Canvas frame (or frames) to provide boundary with a tackable surface. Bayonets extend through the top cap for attachment, which allows the screen to sit cleanly on the top cap. Frame top cap and attachment hardware included.

Notes
Specify width of screen to match the width of 1 frame, or the combined width of 2 frames of equal size.
24" to 48"-wide frame top screens can only span 1 frame. 54"-wide and wider can span 2 frames of equal size.
Screen comes with metal alignment piece that attaches into the top of 2 screens to align them along a run.
15"-high screen will align with top of upmount unit (FT415.), but not with other frame top screens.
Cables cannot be routed along top channel of frame where screen is attached.
Screen cannot attach to top of thin-profile stacking window (FT187.)
Screen cannot be placed next to finished end change-of-height (FT161.) or finished end architectural change-of-height (FT16B.)
Screen cannot be used on frames with veneer finished ends.
Screen cannot be used next to connector-attached power poles (FT143., FT14A.).
A frame with a flat edge screen, frame top (FT359.) cannot be placed off module to a spine wall frame.
Options (F) and (G) are for 54"-wide and wider top cap to span the combined width of 2 adjacent frames placed between 2 universal connectors or a universal connector and a finished end.
Options (H) and (J) are for 54"-wide and wider top cap to span the combined width of 2 adjacent frames in runs of 3 frames or more.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.
For vertical fabric direction (T):
Height—Yardage
11—1.04
15—1.30
For horizontal fabric direction (R):
Width—Yardage
24—0.95
30—1.14
36—1.32
42—1.51
48—1.71
54—1.90
60—2.07
66—2.27
72—2.46
For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Flat Edge Screen, Frame Top *continued*

Specification Information

Step 1.

FT359.

Step 2. Height

11	11" high
15	15" high

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

R	tackable fabric, horizontal
T	tackable fabric

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R	tackable fabric, horizontal
----------	-----------------------------

Step 5. Top Cap Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

A	painted architectural top cap
P	painted standard top cap

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

F	painted extended architectural top cap to span 2 frames
G	painted extended standard top cap to span 2 frames
H	painted extended architectural top cap to span 2 frames in runs of 3 frames or more
J	painted extended standard top cap to span 2 frames in runs of 3 frames or more

Prices for Steps 1-5.

			RA	RF	RG	RH	RJ	RP
FT359.	11	24	\$738	—	—	—	—	693
		30	\$800	—	—	—	—	742
		36	\$861	—	—	—	—	794
		42	\$918	—	—	—	—	845
		48	\$980	—	—	—	—	895
		54	—	\$1039	946	1039	946	—
		60	—	\$1101	998	1101	998	—
		66	—	\$1187	1085	1187	1085	—
		72	—	\$1274	1167	1274	1167	—
	15	24	\$759	—	—	—	—	710
		30	\$826	—	—	—	—	770
		36	\$906	—	—	—	—	840
		42	\$980	—	—	—	—	905
		48	\$1039	—	—	—	—	948
		54	—	\$1092	998	1092	998	—
		60	—	\$1174	1081	1174	1081	—
		66	—	\$1299	1197	1299	1197	—
		72	—	\$1433	1327	1433	1327	—

			TA	TP
FT359.	11	24	\$738	693
		30	\$800	742
		36	\$861	794
		42	\$918	845
		48	\$980	895
	15	24	\$759	710
		30	\$826	770
		36	\$906	840
		42	\$980	905
		48	\$1039	948

Step 6. Top Cap Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 7. Fabric

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)


Price Category B	+\$136
Price Category 1	+\$0
Price Category 2	+\$18
Price Category 3	+\$42
Price Category 4	+\$73
Price Category 5	+\$102
Price Category C	+\$112
Price Category E	+\$119

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$72
Price Category 4	+\$125
Price Category 5	+\$175
Price Category B	+\$284
Price Category C	+\$180
Price Category E	+\$119

Support Bracket, Low Credenza-to-Frame

FT292.



Product Information

Description

This bracket attaches between a Canvas wood or metal credenza and a frame. It allows the credenza to attach parallel or perpendicular to the frame, providing support to a frame run in place of a return wall or work surface support.

Notes



Bracket attaches credenza with no gap or with a 1" gap from the front of the frame to allow room for cords and cables.

Support bracket attaches to low credenza with 4" foot and thin top only.

Support bracket also attaches to back of a 60" wide or wider low credenza where 2 units are joined.

Support bracket orientation (left or right) is determined by the frame orientation as you are facing the frame. Credenza can be attached parallel or perpendicular to a frame. Bracket attaches to the back left or back right of the low credenza.

Dimensions



Specification Information

Step 1.

FT292.

Step 2. Storage Type

M for use with metal low credenza with 4" high foot

C for use with wood low credenza with 4" high foot **A**

Step 3. Frame Attachment Location

L left end of frame

R right end of frame

Step 4. Storage Attachment Position

N no gap, for storage tight to wall

G 1" gap, for cord drop

Prices for Steps 1-4.

			N	G
FT292.	M	L	\$216	216
		R	\$216	216
	C	L	\$216	216
		R	\$216	216


Step 5. Surface Finish

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10



Product Information

Description

This structural panel stands on the floor and attaches to a frame of equal height or taller to provide end of run support and privacy. It is 1 1/4" thick and has a laminate surface with thermoplastic edge, laminate surface with a thermoplastic backed plywood edge, or veneer surface and edge. Leveling glides and attachment hardware included.

Notes

Gallery panels 24"-72" wide are a single panel construction for non-directional laminates and all veneers; 78"-144" wide are multi-panel (3 pieces) construction for veneers.

Gallery panels 24"-54" wide are a single-panel construction for directional laminates; 60"-144" wide are multi-panel construction for directional laminates.

Left- or right-attach gallery panels 60"-72" wide with directional laminates have 2-piece construction; mid-attach gallery panels 60"-144" wide with directional laminates have 3-piece construction.

Attachment direction is determined by facing the gallery panel from outside the workstation. Left attachment (L) connects the left side of a gallery panel to the end of a frame. Right attachment (R) connects the right side of a gallery panel to the end of a frame. Mid attachment (M) connects the middle of a gallery panel to the end of a frame.

Gallery panels are 3" wider than nominal dimensions.

66"-wide and wider left- or right-attach gallery panels and 144"-wide mid-attach gallery panels require attachment to adjacent surfaces. Attachment hardware included.

When connected to a frame of unequal height specify a Finished End, for use with Gallery Panel (FT16G.) separately.

Leveling glides provide 2" of adjustment.

29"-high gallery panels are compatible with 6", 13", or 17"-high finished ends (FT16G.).

35"-high gallery panels are compatible with 7", 11", 18", or 22"-high finished ends (FT16G.).

42"-high gallery panels are compatible with 11" or 15"-high finished ends (FT16G.).

46"-high gallery panels are compatible with 7" or 11"-high finished ends (FT16G.).




53"-high gallery panels are not compatible with finished ends.

57"-high gallery panels are compatible with 11"-high finished ends (FT16G.).


Grain direction is vertical.

For additional product options, see Vary Easy Program in appendices.


Dimensions



Left
Attachment



Right
Attachment



Mid Attachment

Gallery Panel *continued*

Specification Information

Step 1.

FT115. ☐

Step 2. Height

29 29" high ☐
 35 35" high ☐
 42 42" high ☐
 46 46" high ☐
 53 53" high ☐
 57 57" high ☐

Step 3. Width

24 24" wide ☐
 30 30" wide ☐
 36 36" wide ☐
 42 42" wide ☐
 48 48" wide ☐
 54 54" wide ☐
 60 60" wide ☐
 66 66" wide ☐
 72 72" wide ☐
 78 78" wide ☐
 84 84" wide ☐
 90 90" wide ☐
 96 96" wide ☐
 120 120" wide ☐
 144 144" wide ☐

Step 4. Surface Material

L high-pressure laminate/thermoplastic edge ☐
 W veneer ☐
 U high - pressure laminate/universal edge ☐

Step 5. Attachment Method

For 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42)

L left attachment ☐
 R right attachment ☐

For 48" wide (48), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

M mid attachment ☐
 L left attachment ☐
 R right attachment ☐

For 78" wide (78), 84" wide (84), 90" wide (90), 96" wide (96), 120" wide (120), or 144" wide (144)

M mid attachment ☐

Prices for Steps 1-5.

			LM	LL	LR	WM	WL	WR
FT115.	29	24	—	\$465	465	—	937	937
		30	—	\$570	570	—	1247	1247
		36	—	\$640	640	—	1402	1402
		42	—	\$747	747	—	1636	1636
		48	\$851	851	851	1871	1871	1871
		54	\$956	956	956	2096	2096	2096
		60	\$1023	1023	1023	2246	2246	2246
		66	\$1115	1115	1115	2398	2398	2398
		72	\$1171	1171	1171	2566	2566	2566
		78	\$1538	—	—	2741	—	—
		84	\$1633	—	—	3359	—	—
		90	\$1749	—	—	3595	—	—
		96	\$1783	—	—	3698	—	—
		120	\$1987	—	—	4366	—	—
		144	\$2291	—	—	5038	—	—
	35	24	—	\$570	570	—	1247	1247
		30	—	\$711	711	—	1560	1560
		36	—	\$782	782	—	1714	1714
		42	—	\$889	889	—	1947	1947
		48	\$993	993	993	2180	2180	2180
		54	\$1115	1115	1115	2442	2442	2442
		60	\$1171	1171	1171	2566	2566	2566
		66	\$1273	1273	1273	2741	2741	2741
		72	\$1317	1317	1317	2888	2888	2888
		78	\$1727	—	—	3084	—	—
		84	\$1783	—	—	3698	—	—
		90	\$1912	—	—	3957	—	—
		96	\$1934	—	—	4032	—	—
		120	\$2142	—	—	4701	—	—
		144	\$2446	—	—	5374	—	—

Gallery Panel *continued*

Canvas Office Landscape® Walls

42	24	—	\$640	640	—	1402	1402
30		—	\$782	782	—	1714	1714
36		—	\$851	851	—	1871	1871
42		—	\$959	959	—	2101	2101
48		\$1065	1065	1065	2337	2337	2337
54		\$1194	1194	1194	2618	2618	2618
60		\$1243	1243	1243	2725	2725	2725
66		\$1339	1339	1339	2910	2910	2910
72		\$1388	1388	1388	3047	3047	3047
78		\$1819	—	—	3254	—	—
84		\$1934	—	—	4032	—	—
90		\$2070	—	—	4315	—	—
96		\$2082	—	—	4366	—	—
120		\$2291	—	—	5038	—	—
144		\$2596	—	—	5709	—	—
46	24	—	\$711	711	—	1560	1560
30		—	\$851	851	—	1871	1871
36		—	\$923	923	—	2026	2026
42		—	\$1030	1030	—	2258	2258
48		\$1136	1136	1136	2491	2491	2491
54		\$1273	1273	1273	2790	2790	2790
60		\$1317	1317	1317	2888	2888	2888
66		\$1405	1405	1405	3084	3084	3084
72		\$1461	1461	1461	3207	3207	3207
78		\$1916	—	—	3425	—	—
84		\$2082	—	—	4366	—	—
90		\$2229	—	—	4672	—	—
96		\$2232	—	—	4701	—	—
120		\$2446	—	—	5374	—	—
144		\$2751	—	—	6045	—	—
53	24	—	\$749	749	—	1748	1758
30		—	\$895	895	—	2096	2096
36		—	\$992	992	—	2270	2270
42		—	\$1084	1084	—	2529	2529
48		\$1194	1194	1194	2790	2790	2790
54		\$1366	1366	1366	3125	3125	3125
60		\$1432	1432	1432	3140	3140	3140
66		\$1578	1578	1578	3454	3454	3454
72		\$1591	1591	1591	3487	3487	3487
78		\$2146	—	—	3836	—	—
84		\$2335	—	—	4890	—	—
90		\$2498	—	—	5233	—	—
96		\$2503	—	—	5266	—	—
120		\$2741	—	—	6019	—	—
144		\$3084	—	—	6771	—	—

57	24	—	\$785	785	—	1957	1957
	30	—	\$939	939	—	2347	2347
	36	—	\$1045	1045	—	2542	2542
	42	—	\$1137	1137	—	2833	2833
	48	\$1256	1256	1256	3125	3125	3125
	54	\$1432	1432	1432	3500	3500	3500
	60	\$1507	1507	1507	3517	3517	3517
	66	\$1657	1657	1657	3868	3868	3868
	72	\$1670	1670	1670	3905	3905	3905
	78	\$2256	—	—	4296	—	—
	84	\$2450	—	—	5477	—	—
	90	\$2622	—	—	5861	—	—
	96	\$2626	—	—	5897	—	—
	120	\$2877	—	—	6742	—	—
	144	\$3238	—	—	7583	—	—
					UM	UL	UR
FT115.	29	24			—	\$424	424
		30			—	\$564	564
		36			—	\$635	635
		42			—	\$739	739
		48			\$843	843	843
		54			\$928	928	928
		60			\$1012	1012	1012
		66			\$1081	1081	1081
		72			\$1155	1155	1155
		78			\$1234	—	—
		84			\$1514	—	—
		90			\$1620	—	—
		96			\$1664	—	—
		120			\$1966	—	—
		144			\$2269	—	—
	35	24			—	\$564	564
		30			—	\$701	701
		36			—	\$773	773
		42			—	\$879	879
		48			\$982	982	982
		54			\$1081	1081	1081
		60			\$1155	1155	1155
		66			\$1200	1200	1200
		72			\$1300	1300	1300
		78			\$1389	—	—
		84			\$1664	—	—
		90			\$1781	—	—
		96			\$1816	—	—
		120			\$2117	—	—
		144			\$2417	—	—

42	24	—	\$635	635
30		—	\$773	773
36		—	\$843	843
42		—	\$948	948
48		\$1053	1053	1053
54		\$1159	1159	1159
60		\$1228	1228	1228
66		\$1276	1276	1276
72		\$1375	1375	1375
78		\$1468	—	—
84		\$1816	—	—
90		\$1944	—	—
96		\$1966	—	—
120		\$2269	—	—
144		\$2569	—	—
46	24	—	\$701	701
30		—	\$843	843
36		—	\$914	914
42		—	\$1020	1020
48		\$1121	1121	1121
54		\$1234	1234	1234
60		\$1300	1300	1300
66		\$1351	1351	1351
72		\$1445	1445	1445
78		\$1543	—	—
84		\$1966	—	—
90		\$2104	—	—
96		\$2117	—	—
120		\$2417	—	—
144		\$2721	—	—
53	24	—	\$749	749
30		—	\$895	895
36		—	\$992	992
42		—	\$1084	1084
48		\$1194	1194	1194
54		\$1366	1366	1366
60		\$1432	1432	1432
66		\$1578	1578	1578
72		\$1591	1591	1591
78		\$2146	—	—
84		\$2335	—	—
90		\$2498	—	—
96		\$2503	—	—
120		\$2741	—	—
144		\$3084	—	—

57	24	—	\$785	785
30		—	\$939	939
36		—	\$1045	1045
42		—	\$1137	1137
48		\$1256	1256	1256
54		\$1432	1432	1432
60		\$1507	1507	1507
66		\$1657	1657	1657
72		\$1670	1670	1670
78		\$2256	—	—
84		\$2450	—	—
90		\$2622	—	—
96		\$2626	—	—
120		\$2877	—	—
144		\$3238	—	—

Step 6.

Surface Finish

For high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
UBK	ultra black (CP)	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
HF	inner tone light	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0
76	light brown walnut	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0

Surface/Edge Finish

For veneer (W)

2U	light brown walnut	A	+\$85
40	dark brown walnut	A	+\$85
CHD	noble cherry	A	+\$85
ET	clear on ash	A	+\$85
EU	oak on ash	A	+\$85
EV	walnut on ash	A	+\$85
EW	medium matte walnut	A	+\$85
UL	natural maple	A	+\$85
WHN	natural white oak	A	+\$85


Step 7. Edge Finish

For high-pressure laminate/thermoplastic edge (L)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
G1	graphite (CP)	A	+\$0
UBK	ultra black (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0
HF	inner tone light	A	+\$0
HP	light anigre	A	+\$0
LU	soft white	A	+\$0

For high - pressure laminate/universal edge (U)

PLY	plywood edge	A	+\$50
-----	--------------	---	-------






Product Information

Description
This gallery panel return supports a mid-run or end-of-run gallery panel for additional privacy. It is 1¼" thick and has a laminate surface with thermoplastic edge, laminate surface with a thermoplastic-backed plywood edge, or veneer surface and edge. Attachment hardware included.

Notes
Gallery panel return attaches directly to the end of an end-of-run gallery panel or mid-run gallery panel on the outside edge.
Gallery panels 24"-72" wide are a single panel construction for non-directional laminates and all veneers.
Gallery panels 24"-48" wide are a single-panel construction for directional laminates; 60"-72" wide are multi-panel construction for directional laminates.
Panel heights align with top cap of adjacent frame.
Leveling glides provide 2" of adjustment.
Attachment direction is determined by facing the gallery panel from outside the workstation. Left attachment (L) connects the left side of a gallery panel to the end of a mid-run or end-of-run gallery panel. Right attachment (R) connects the right side of a gallery panel to the end of a mid-run or end-of-run gallery panel. Mid attachment (M) connects the middle of a gallery panel to the end of a mid-run or end-of-run gallery panel.
Gallery panels are 1.2" wider than nominal dimensions.

Dimensions



Gallery Panel Return *continued*

Specification Information	
Step 1.	
FT20G.	
Step 2. Height	
29	29" high
35	35" high
42	42" high
46	46" high
53	53" high
57	57" high
Step 3. Width	
24	24" wide
30	30" wide
36	36" wide
48	48" wide
60	60" wide
72	72" wide
Step 4. Surface Material	
L	high-pressure laminate/thermoplastic edge
W	veneer A
U	high - pressure laminate/universal edge
Step 5. Grain Direction	
For 24" wide (24), 30" wide (30), 36" wide (36), or 48" wide (48) with high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U)	
VTG	vertical
For 60" wide (60) or 72" wide (72) with high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U)	
HRG	horizontal
VTG	vertical
For 24" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide (60), or 72" wide (72) with veneer (W)	
VTG	vertical
Step 6. Attachment Method	
For 24" wide (24), 30" wide (30), or 36" wide (36)	
L	left attachment
R	right attachment

For 48" wide (48), 60" wide (60), or 72" wide (72)

M mid attachment

Prices for Steps 1-6.

		LHRGM	LVTGM	LVTGL	LVTGR	WVTGM	WVTGL
FT20G.	29 24	—	—	\$529	529	—	960
	30	—	—	\$607	607	—	1278
	36	—	—	\$684	684	—	1437
	48	—	\$908	—	—	1916	—
	60	\$1061	1252	—	—	2234	—
	72	\$1210	1428	—	—	2554	—
	35 24	—	—	\$590	590	—	1291
	30	—	—	\$736	736	—	1612
	36	—	—	\$810	810	—	1775
	48	—	\$1029	—	—	2259	—
	60	\$1173	1385	—	—	2581	—
	72	\$1320	1558	—	—	3161	—
	42 24	—	—	\$657	657	—	1437
	30	—	—	\$802	802	—	1758
	36	—	—	\$873	873	—	1916
	48	—	\$1090	—	—	2395	—
	60	\$1234	1457	—	—	2712	—
	72	\$1380	1629	—	—	3181	—
	46 24	—	—	\$729	729	—	1597
	30	—	—	\$873	873	—	1916
	36	—	—	\$946	946	—	2076
	48	—	\$1163	—	—	2554	—
	60	\$1308	1544	—	—	2871	—
	72	\$1452	1714	—	—	3191	—
	53 24	—	—	\$749	749	—	1748
	30	—	—	\$895	895	—	2096
	36	—	—	\$992	992	—	2270
	48	—	\$1194	—	—	2790	—
	60	\$1432	1690	—	—	3140	—
	72	\$1591	1878	—	—	3487	—
	57 24	—	—	\$785	785	—	1957
	30	—	—	\$939	939	—	2347
	36	—	—	\$1045	1045	—	2541
	48	—	\$1256	—	—	3124	—
	60	\$1507	1779	—	—	3517	—
	72	\$1670	1971	—	—	3905	—

		WVTGR	UHRGM	UVTGM	UVTGL	UVTGR
FT20G.	29	24	\$960	—	—	529 529
		30	\$1278	—	—	607 607
		36	\$1437	—	—	684 684
		48	—	—	\$908	— —
		60	—	\$1061	1252	— —
		72	—	\$1210	1428	— —
	35	24	\$1291	—	—	590 590
		30	\$1612	—	—	736 736
		36	\$1775	—	—	810 810
		48	—	—	\$1029	— —
		60	—	\$1173	1385	— —
		72	—	\$1320	1558	— —
	42	24	\$1437	—	—	657 657
		30	\$1758	—	—	802 802
		36	\$1916	—	—	873 873
		48	—	—	\$1090	— —
		60	—	\$1234	1457	— —
		72	—	\$1380	1629	— —
	46	24	\$1597	—	—	729 729
		30	\$1916	—	—	873 873
		36	\$2076	—	—	946 946
		48	—	—	\$1163	— —
		60	—	\$1308	1544	— —
		72	—	\$1452	1714	— —
	53	24	\$1748	—	—	749 749
		30	\$2096	—	—	895 895
		36	\$2270	—	—	992 992
		48	—	—	\$1194	— —
		60	—	\$1432	1690	— —
		72	—	\$1591	1878	— —
	57	24	\$1957	—	—	785 785
		30	\$2347	—	—	939 939
		36	\$2541	—	—	1045 1045
		48	—	—	\$1256	— —
		60	—	\$1507	1779	— —
		72	—	\$1670	1971	— —

Step 7.

Surface Finish

For high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U) with vertical (VTG)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBD	dark brown walnut (non-promote)	+\$0
LBF	neutral twill	+\$0
LBH	earthen twill (non-promote)	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Surface Finish

For high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U) with horizontal (HRG)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Surface/Edge Finish

For veneer (W) with vertical (VTG)

2U	light brown walnut	+\$85
40	dark brown walnut	+\$85
CHD	noble cherry	+\$85
EK	medium red walnut (non-promote)	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
EW	medium matte walnut	+\$85
UL	natural maple	+\$85
UX	Cherry Walnut (non-promote)	+\$85

Step 8. Edge Finish


For high-pressure laminate/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBD	dark brown walnut (non-promote)	+\$0
LBF	neutral twill	+\$0
LBH	earthen twill (non-promote)	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For high - pressure laminate/universal edge (U)


PLY	plywood edge	+\$50
-----	--------------	-------

Gallery Panel,Wall Attached Mid-Run FT26G.



Product Information
Description
This structural panel stands on the floor and attaches to a Canvas Wall frame to provide mid-run support and privacy. It is 1 1/4" thick and has a laminate surface with thermoplastic edge, laminate surface with thermoplastic-backed plywood edge, or veneer surface and edge. Leveling glides included. Attachment hardware sold separately.
Notes
Mid-run gallery panel bracket (FT23G.) attaches directly to wall frame (FT110.) between 2 frames. Gallery panel will be centered between 2 connecting frames.
Order mid-run gallery panel bracket (FT23G.) separately. When specifying left-side (FT23G.xxL), bracket will be visible to left of the gallery panel. When specifying right-side (FT23G.xxR), bracket will be visible to the right of the gallery panel.
For back-to-back applications with 2 mid-run panels (FT26G.), specify back-to-back bracket (FT23G.BD) which contains 2 brackets. For single-sided applications, specify single-sided bracket (FT23G.BS).
Gallery panels 24"-54" wide are single-panel construction; 60"-84" wide are multi-piece construction.
Mid-run gallery panel is designed to align with end-of-run gallery panel.
Leveling glides provide 2" of adjustment.
Panel heights align with top cap of adjacent frame.

Dimensions



Specification Information
Step 1.
FT26G.
Step 2. Height
29 29" high
35 35" high
42 42" high
46 46" high
53 53" high
57 57" high
Step 3. Width
24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
54 54" wide
60 60" wide
66 66" wide
72 72" wide
78 78" wide
84 84" wide
Step 4. Surface Material
L high-pressure laminate/thermoplastic edge
W veneer ☐
U high - pressure laminate/universal edge
Step 5. Grain Direction
For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), 78" wide (78), or 84" wide (84) with high-pressure laminate/ thermoplastic edge (L) or high - pressure laminate/universal edge (U)
VTG vertical
For 60" wide (60), 66" wide (66), or 72" wide (72) with high-pressure laminate/ thermoplastic edge (L) or high - pressure laminate/universal edge (U)
VTG vertical
HRG horizontal
For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), or 84" wide (84) with veneer (W)
VTG vertical

Gallery Panel,Wall Attached Mid-Run

continued

Canvas Office Landscape® Walls

Prices for Steps 1-5.					
		LVTG	LHRG	WVTG	UVTG UHRG
FT26G.	29 24	\$465	—	937	465 —
	30	\$570	—	1247	570 —
	36	\$640	—	1402	640 —
	42	\$747	—	1636	747 —
	48	\$851	—	1871	851 —
	54	\$956	—	2096	956 —
	60	\$993	1345	2180	993 1345
	66	\$1115	1401	2398	1115 1401
	72	\$1137	1458	2491	2491 1458
	78	\$1537	—	3359	1537 —
	84	\$1633	—	3698	1633 —
	35 24	\$570	—	1247	570 —
	30	\$711	—	1560	711 —
	36	\$782	—	1714	782 —
	42	\$889	—	1947	889 —
	48	\$993	—	2180	993 —
	54	\$1115	—	2442	1115 —
	60	\$1136	1513	2491	1136 1513
	66	\$1273	1576	2741	1273 1576
	72	\$1278	1641	2803	1278 1641
	78	\$1727	—	3084	1727 —
	84	\$1783	—	3698	1783 —
	42 24	\$640	—	1402	640 —
	30	\$782	—	1714	782 —
	36	\$851	—	1871	851 —
	42	\$959	—	2101	959 —
	48	\$1065	—	2337	1065 —
	54	\$1194	—	2618	1194 —
	60	\$1206	1595	2645	1206 1595
	66	\$1339	1661	2910	1339 1661
	72	\$1347	1729	3254	1347 1729
	78	\$1819	—	3580	1819 —
	84	\$1934	—	4032	1934 —
	46 24	\$711	—	1560	711 —
	30	\$851	—	1871	851 —
	36	\$923	—	2026	923 —
	42	\$1030	—	2258	1030 —
	48	\$1136	—	2491	1136 —
	54	\$1273	—	2790	1273 —
	60	\$1278	1679	2803	1278 1679
	66	\$1405	1748	3084	1405 1748
	72	\$1418	1820	3113	1418 1820
	78	\$1916	—	3425	1916 —
	84	\$2082	—	4366	2082 —

53 24	\$749	—	1748	749	—
30	\$895	—	2096	895	—
36	\$992	—	2270	992	—
42	\$1084	—	2529	1084	—
48	\$1194	—	2790	1194	—
54	\$1366	—	3125	1366	—
60	\$1432	1780	3140	1432	1780
66	\$1578	1854	3454	1578	1854
72	\$1591	1931	3487	1591	1931
78	\$2146	—	3836	2146	—
84	\$2335	—	4890	2335	—
57 24	\$785	—	1957	785	—
30	\$939	—	2347	939	—
36	\$1045	—	2541	1045	—
42	\$1137	—	3016	1137	—
48	\$1256	—	3125	1256	—
54	\$1432	—	3500	1432	—
60	\$1507	1869	3517	1507	1869
66	\$1657	1946	3868	1657	1946
72	\$1670	2027	3905	1670	2027
78	\$2256	—	4296	2256	—
84	\$2450	—	5477	2450	—

Gallery Panel,Wall Attached Mid-Run

continued

Step 6.

Surface Finish

For high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U) with vertical (VTG)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBD	dark brown walnut (non-promote)	+\$0
LBF	neutral twill	+\$0
LBH	earthen twill (non-promote)	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut (CP) A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Surface Finish

For high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U) with horizontal (HRG)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Surface/Edge Finish

For veneer (W) with vertical (VTG)

2U	light brown walnut	+\$85
40	dark brown walnut	+\$85
CHD	noble cherry	+\$85
EK	medium red walnut (non-promote)	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
EW	medium matte walnut	+\$85
UL	natural maple	+\$85
UX	Cherry Walnut (non-promote)	+\$85
WHN	natural white oak	+\$85

Step 7. Edge Finish

For high-pressure laminate/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBD	dark brown walnut (non-promote)	+\$0
LBF	neutral twill	+\$0
LBH	earthen twill (non-promote)	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Gallery Panel,Wall Attached Mid-Run
continued

Canvas Office Landscape® Walls

<i>For high - pressure laminate/universal edge (U)</i>		
PLY	plywood edge	+\$50

Gallery Panel, Upmount Glass Compatible

FT25G.



Product Information

Description

This structural panel accepts the gallery panel-attached upmount glass screen (FT24G.). The panel stands on the floor and attaches to a frame of equal height or taller to provide end of run support and privacy. It is 1 1/4" thick and has a laminate surface with thermoplastic edge, laminate surface with a thermoplastic backed plywood edge, or veneer surface and edge. Leveling glides and attachment hardware included.

Notes

Gallery panels 24"-72" wide are a single panel construction for non-directional laminates and all veneers; 78"-144" wide are multi-panel (3 pieces) construction for veneers.

Gallery panels 24"-54" wide are a single-panel construction for directional laminates; 60"-144" wide are multi-panel construction for directional laminates.

Left- or right-attach gallery panels 60"-72" wide with directional laminates have 2-piece construction; mid-attach gallery panels 60"-144" wide with directional laminates have 3-piece construction.

Attachment direction is determined by facing the gallery panel from outside the workstation. Left attachment (L) connects the left side of a gallery panel to the end of a frame. Right attachment (R) connects the right side of a gallery panel to the end of a frame. Mid attachment (M) connects the middle of a gallery panel to the end of a frame.

Gallery panels are 3" wider than nominal dimensions.

66"-wide and wider left- or right-attach gallery panels and 144"-wide mid-attach gallery panels require attachment to adjacent surfaces. Attachment hardware included.

When connected to a frame of unequal height specify a finished end, for use with gallery panel (FT16G.) separately.

Leveling glides provide 2" of adjustment.

29"-high gallery panels are compatible with 6", 13", or 17"-high finished ends (FT16G.).

35"-high gallery panels are compatible with 7", 11", 18", or 22"-high finished ends (FT16G.).

42"-high gallery panels are compatible with 11" or 15"-high finished ends (FT16G.).


46"-high gallery panels are compatible with 7" or 11"-high finished ends (FT16G.).

53"-high gallery panels are not compatible with finished ends.

57"-high gallery panels are compatible with 11"-high finished ends (FT16G.).

Grain direction is vertical.

Dimensions



Gallery Panel, Upmount Glass

Compatible *continued*

Specification Information	
Step 1.	
FT25G.	
Step 2. Height	
29	29" high
35	35" high
42	42" high
46	46" high
Step 3. Width	
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
96	96" wide
120	120" wide
144	144" wide
Step 4. Surface Material	
L	high-pressure laminate/thermoplastic edge
W	veneer A
U	high - pressure laminate/universal edge
Step 5. Grain Direction on Gallery Panel	
For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), 78" wide (78), 84" wide (84), 90" wide (90), 96" wide (96), 120" wide (120), or 144" wide (144) with high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U)	
VTG	vertical
For 60" wide (60), 66" wide (66), or 72" wide (72) with high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U)	
VTG	vertical
HRG	horizontal
For veneer (W)	
VTG	vertical

Step 6. Top Attachment	
1	¼" thick glass
Step 7. Attachment Method	
For 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42)	
L	left attachment
R	right attachment
For 48" wide (48), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)	
M	mid attachment
L	left attachment
R	right attachment
For 78" wide (78), 84" wide (84), 90" wide (90), 96" wide (96), 120" wide (120), or 144" wide (144)	
M	mid attachment

Prices for Steps 1-7.				LVTG1M	LVTG1L	LVTG1R	LHRG1M	LHRG1L	LHRG1R
FT25G.	29	24		—	\$582	582	—	—	—
		30		—	\$655	655	—	—	—
		36		—	\$783	783	—	—	—
		42		—	\$861	861	—	—	—
		48		\$937	937	937	—	—	—
		54		\$1049	1049	1049	—	—	—
		60		\$1494	1494	1494	1093	1093	1093
		66		\$1556	1556	1556	1224	1224	1224
		72		\$1620	1620	1620	1250	1250	1250
		78		\$1687	—	—	—	—	—
		84		\$1797	—	—	—	—	—
		90		\$1923	—	—	—	—	—
		96		\$1962	—	—	—	—	—
		120		\$2186	—	—	—	—	—
		144		\$2521	—	—	—	—	—

Gallery Panel, Upmount Glass
Compatible *continued*

35	24	—	\$627	627	—	—	—
30		—	\$783	783	—	—	—
36		—	\$861	861	—	—	—
42		—	\$978	978	—	—	—
48		\$1093	1093	1093	—	—	—
54		\$1224	1224	1224	—	—	—
60		\$1681	1681	1681	1250	1250	1250
66		\$1751	1751	1751	1400	1400	1400
72		\$1823	1823	1823	1406	1406	1406
78		\$1898	—	—	—	—	—
84		\$1962	—	—	—	—	—
90		\$2099	—	—	—	—	—
96		\$2128	—	—	—	—	—
120		\$2357	—	—	—	—	—
144		\$2691	—	—	—	—	—
42	24	—	\$704	704	—	—	—
30		—	\$861	861	—	—	—
36		—	\$937	937	—	—	—
42		—	\$1055	1055	—	—	—
48		\$1172	1172	1172	—	—	—
54		\$1313	1313	1313	—	—	—
60		\$1772	1772	1772	1327	1327	1327
66		\$1845	1845	1845	1473	1473	1473
72		\$1921	1921	1921	1482	1482	1482
78		\$2001	—	—	—	—	—
84		\$2128	—	—	—	—	—
90		\$2277	—	—	—	—	—
96		\$2291	—	—	—	—	—
120		\$2521	—	—	—	—	—
144		\$2856	—	—	—	—	—
46	24	—	\$783	783	—	—	—
30		—	\$937	937	—	—	—
36		—	\$1016	1016	—	—	—
42		—	\$1133	1133	—	—	—
48		\$1250	1250	1250	—	—	—
54		\$1400	1400	1400	—	—	—
60		\$1865	1865	1865	1406	1406	1406
66		\$1942	1942	1942	1547	1547	1547
72		\$2022	2022	2022	1560	1560	1560
78		\$2106	—	—	—	—	—
84		\$2291	—	—	—	—	—
90		\$2451	—	—	—	—	—
96		\$2456	—	—	—	—	—
120		\$2691	—	—	—	—	—
144		\$3027	—	—	—	—	—

		WVTG1M	WVTG1L	WVTG1R	UVTG1M	UVTG1L	UVTG1R	
FT25G.	29	24	—	\$1031	1031	—	582	582
		30	—	\$1372	1372	—	655	655
		36	—	\$1543	1543	—	783	783
		42	—	\$1800	1800	—	861	861
		48	\$2059	2059	2059	937	937	937
		54	\$2306	2306	2306	1049	1049	1049
		60	\$2398	2398	2398	1494	1494	1494
		66	\$2638	2638	2638	1556	1556	1556
		72	\$2741	2741	2741	1620	1620	1620
		78	\$3015	—	—	1687	—	—
		84	\$3695	—	—	1797	—	—
		90	\$3954	—	—	1923	—	—
		96	\$4068	—	—	1962	—	—
		120	\$4803	—	—	2186	—	—
	144	\$5542	—	—	2521	—	—	
35	24	—	\$1372	1372	—	627	627	
		30	—	\$1716	1716	—	783	783
		36	—	\$1886	1886	—	861	861
		42	—	\$2142	2142	—	978	978
		48	\$2398	2398	2398	1093	1093	1093
		54	\$2686	2686	2686	1224	1224	1224
		60	\$2741	2741	2741	1681	1681	1681
		66	\$3015	3015	3015	1751	1751	1751
		72	\$3084	3084	3084	1823	1823	1823
		78	\$3392	—	—	1898	—	—
		84	\$4068	—	—	1962	—	—
		90	\$4353	—	—	2099	—	—
		96	\$4436	—	—	2128	—	—
		120	\$5172	—	—	2357	—	—
	144	\$5912	—	—	2691	—	—	
42	24	—	\$1543	1543	—	704	704	
		30	—	\$1886	1886	—	861	861
		36	—	\$2059	2059	—	937	937
		42	—	\$2312	2312	—	1055	1055
		48	\$2571	2571	2571	1172	1172	1172
		54	\$2880	2880	2880	1313	1313	1313
		60	\$2910	2910	2910	1772	1772	1772
		66	\$3201	3201	3201	1845	1845	1845
		72	\$3254	3254	3254	1921	1921	1921
		78	\$3580	—	—	2001	—	—
		84	\$4436	—	—	2128	—	—
		90	\$4746	—	—	2277	—	—
		96	\$4803	—	—	2291	—	—
		120	\$5542	—	—	2521	—	—
	144	\$6280	—	—	2856	—	—	

Gallery Panel, Upmount Glass
Compatible *continued*

46	24	—	\$1716	1716	—	783	783
30		—	\$2059	2059	—	937	937
36		—	\$2229	2229	—	1016	1016
42		—	\$2484	2484	—	1133	1133
48		\$2741	2741	2741	1250	1250	1250
54		\$3069	3069	3069	1400	1400	1400
60		\$3084	3084	3084	1865	1865	1865
66		\$3392	3392	3392	1942	1942	1942
72		\$3425	3425	3425	2022	2022	2022
78		\$3767	—	—	2106	—	—
84		\$4803	—	—	2291	—	—
90		\$5139	—	—	2451	—	—
96		\$5172	—	—	2456	—	—
120		\$5912	—	—	2691	—	—
144		\$6650	—	—	3027	—	—
				UHRG1M	UHRG1L	UHRG1R	
FT25G.	29	60		\$1093	1093	1093	
		66		\$1224	1224	1224	
		72		\$1250	1250	1250	
	35	60		\$1250	1250	1250	
		66		\$1400	1400	1400	
		72		\$1406	1406	1406	
	42	60		\$1327	1327	1327	
		66		\$1473	1473	1473	
		72		\$1482	1482	1482	
	46	60		\$1406	1406	1406	
		66		\$1547	1547	1547	
		72		\$1560	1560	1560	

Step 8.

Surface Finish

For high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U) with vertical (VTG)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBD	dark brown walnut (non-promote)	+\$0
LBF	neutral twill	+\$0
LBH	earthen twill (non-promote)	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut (CP) A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Surface Finish

For high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U) with horizontal (HRG)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Gallery Panel, Upmount Glass

Compatible *continued*


Surface/Edge Finish		
<i>For veneer (W)</i>		
2U	light brown walnut	+\$85
40	dark brown walnut	+\$85
CHD	noble cherry	+\$85
EK	medium red walnut (non-promote)	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
EW	medium matte walnut	+\$85
UL	natural maple	+\$85
UX	Cherry Walnut (non-promote)	+\$85
WHN	natural white oak	+\$85

Step 9. Edge Finish


<i>For high-pressure laminate/thermoplastic edge (L)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBD	dark brown walnut (non-promote)	+\$0
LBF	neutral twill	+\$0
LBH	earthen twill (non-promote)	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

<i>For high - pressure laminate/universal edge (U)</i>		
PLY	plywood edge	+\$50

Gallery Panel Attached Upmount FT24G.
Glass Screen (for use with FT25G.)



Product Information
Description This 1/4"-thick glass screen attaches to the top of an upmount glass-compatible gallery panel (FT25G.) to increase overall height. Glass is compression fit into top of gallery panel.
Notes Glass will be sized to gallery panel (FT25G.), ordered separately. When used on multi-piece gallery panels, glass will be 1 piece per panel. Glass available in clear (TR) or opal etched (5A). See planning guide for more application rules.
Dimensions



Specification Information
Step 1. FT24G.

Step 2. Height
07 7" high 11 11" high 15 15" high

Step 3. Gallery Panel Width
24 for use with 24" wide FT25G. 30 for use with 30" wide FT25G. 36 for use with 36" wide FT25G. 42 for use with 42" wide FT25G. 48 for use with 48" wide FT25G. 54 for use with 54" wide FT25G. 60 for use with 60" wide FT25G. 66 for use with 66" wide FT25G. 72 for use with 72" wide FT25G. 78 for use with 78" wide FT25G. 84 for use with 84" wide FT25G. 90 for use with 90" wide FT25G. 96 for use with 96" wide FT25G. 120 for use with 120" wide FT25G. 144 for use with 144" wide FT25G.

Step 4. Grain Direction on Gallery Panel
--

For use with 24" wide FT25G. (24), use with 30" wide FT25G. (30), use with 36" wide FT25G. (36), use with 42" wide FT25G. (42), use with 48" wide FT25G. (48), use with 54" wide FT25G. (54), use with 78" wide FT25G. (78), use with 84" wide FT25G. (84), use with 90" wide FT25G. (90), use with 96" wide FT25G. (96), use with 120" wide FT25G. (120), or use with 144" wide FT25G. (144)

VTG vertical

For use with 60" wide FT25G. (60), use with 66" wide FT25G. (66), or use with 72" wide FT25G. (72)

VNR vertical grain veneer
VTG vertical
HRG horizontal

Step 5. Attachment Method

For use with 24" wide FT25G. (24), use with 30" wide FT25G. (30), use with 36" wide FT25G. (36), or use with 42" wide FT25G. (42)

U left or right attachment

Gallery Panel Attached Upmount Glass Screen (for use with FT25G.)

continued

For use with 48" wide FT25G. (48), use with 54" wide FT25G. (54), use with 60" wide FT25G. (60), use with 66" wide FT25G. (66), or use with 72" wide FT25G. (72)

M mid attachment
U left or right attachment

For use with 78" wide FT25G. (78), use with 84" wide FT25G. (84), use with 90" wide FT25G. (90), use with 96" wide FT25G. (96), use with 120" wide FT25G. (120), or use with 144" wide FT25G. (144)

M mid attachment

Step 6. Surface Finish

TR clear glass - 1/4" thick
5A opal etched - 1/4" thick


Prices for Steps 1-6.

	VNRMTR	VNRM5A	VNRUTR	VNRU5A	VTGMTR	VTGM5A
FT24G. 07 48	—	—	—	—	\$459	594
54	—	—	—	—	\$485	612
60	\$511	630	511	630	511	630
66	\$557	703	557	703	557	703
72	\$604	776	604	776	604	776
78	—	—	—	—	\$699	871
84	—	—	—	—	\$835	1007
90	—	—	—	—	\$864	1049
96	—	—	—	—	\$927	1098
120	—	—	—	—	\$1149	1417
144	—	—	—	—	\$1358	1746
11 48	—	—	—	—	\$489	665
54	—	—	—	—	\$514	726
60	\$538	787	538	787	538	787
66	\$584	844	584	844	584	844
72	\$630	902	630	902	630	902
78	—	—	—	—	\$725	997
84	—	—	—	—	\$861	1133
90	—	—	—	—	\$894	1218
96	—	—	—	—	\$954	1288
120	—	—	—	—	\$1210	1770
144	—	—	—	—	\$1416	2029

15 48	—	—	—	—	\$518	759
54	—	—	—	—	\$546	823
60	\$573	888	573	888	573	888
66	\$622	960	622	960	622	960
72	\$672	1033	672	1033	672	1033
78	—	—	—	—	\$767	1128
84	—	—	—	—	\$903	1264
90	—	—	—	—	\$942	1391
96	—	—	—	—	\$1004	1445
120	—	—	—	—	\$1289	1997
144	—	—	—	—	\$1510	2324

	VTGUTR	VTGU5A	HRGMTR	HRGM5A	HRGUTR	HRGU5A
FT24G. 07 24	\$326	404	—	—	—	—
30	\$353	445	—	—	—	—
36	\$386	494	—	—	—	—
42	\$421	542	—	—	—	—
48	\$459	594	—	—	—	—
54	\$485	612	—	—	—	—
60	\$511	630	526	649	526	649
66	\$557	703	574	724	574	724
72	\$604	776	622	800	622	800
11 24	\$354	446	—	—	—	—
30	\$382	487	—	—	—	—
36	\$414	543	—	—	—	—
42	\$452	608	—	—	—	—
48	\$489	665	—	—	—	—
54	\$514	726	—	—	—	—
60	\$538	787	554	810	554	810
66	\$584	844	602	870	602	870
72	\$630	902	649	929	649	929
15 24	\$382	477	—	—	—	—
30	\$411	528	—	—	—	—
36	\$444	594	—	—	—	—
42	\$480	665	—	—	—	—
48	\$518	759	—	—	—	—
54	\$546	823	—	—	—	—
60	\$573	888	590	914	590	914
66	\$622	960	641	989	641	989
72	\$672	1033	692	1064	692	1064

Gallery Panel Return, Upmount Glass FT22G.
Compatible



Product Information

Description

This gallery panel return supports a mid-run or end-of-run gallery panel for additional privacy and accepts the gallery panel return-attached upmount glass screen (FT21G.). The return panel is 1 1/4" thick and has a laminate surface with thermoplastic edge, laminate surface with a thermoplastic-backed plywood edge, or veneer surface and edge. Leveling glides included. Attachment hardware included.

Notes

Gallery panel return attaches directly to the end of an end-of-run gallery panel or mid-run gallery panel on the outside edge.

Order gallery panel return-attached upmount glass screen (FT21G.) separately.

Gallery panels 24"-72" wide are a single panel construction for non-directional laminates and all veneers.

Gallery panels 24"-48" wide are a single-panel construction for directional laminates; 60"-72" wide are multi-panel construction for directional laminates.


Panel heights align with top cap of adjacent frame.

Attachment direction is determined by facing the gallery panel from outside the workstation. Left attachment (L) connects the left side of a gallery panel to the end of a mid-run or end-of-run gallery panel. Right attachment (R) connects the right side of a gallery panel to the end of a mid-run or end-of-run gallery panel. Mid attachment (M) connects the middle of a gallery panel to the end of a mid-run or end-of-run gallery panel.

Leveling glides provide 2" of adjustment.

Gallery panels are 1.2" wider than nominal dimensions.

Dimensions



Gallery Panel Return, Upmount Glass Compatible *continued*

Specification Information

Step 1.

FT22G.

Step 2. Height

29	29" high
35	35" high
42	42" high
46	46" high

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
48	48" wide
60	60" wide
72	72" wide

Step 4. Surface Material

L	high-pressure laminate/thermoplastic edge
W	veneer A
U	high - pressure laminate/universal edge

Step 5. Grain Direction

For 24" wide (24), 30" wide (30), 36" wide (36), or 48" wide (48) with high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U)

VTG vertical

For 60" wide (60) or 72" wide (72) with high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U)

VTG vertical

HRG horizontal

For veneer (W)

VTG vertical

Step 6. Attachment Method

For 24" wide (24), 30" wide (30), or 36" wide (36)

L	left attachment
R	right attachment

For 48" wide (48), 60" wide (60), or 72" wide (72)

M mid attachment

Step 7. Top Attachment

1 ¼" thick glass

Prices for Steps 1-7.

		LVTGM1	LVTGL1	LVTGR1	LHRGM1	WVTGM1	WVTGL1
FT22G.	29 24	—	\$582	582	—	—	1031
	30	—	\$655	655	—	—	1372
	36	—	\$783	783	—	—	1543
	48	\$937	—	—	—	2059	—
	60	\$1494	—	—	1093	2741	—
	72	\$1620	—	—	1250	2741	—
	35 24	—	\$627	627	—	—	1372
	30	—	\$783	783	—	—	1716
	36	—	\$861	861	—	—	1886
	48	\$1093	—	—	—	2398	—
	60	\$1681	—	—	1250	2741	—
	72	\$1823	—	—	1406	3084	—
	42 24	—	\$704	704	—	—	1543
	30	—	\$861	861	—	—	1886
	36	—	\$937	937	—	—	2059
	48	\$1172	—	—	—	2571	—
	60	\$1772	—	—	1327	2910	—
	72	\$1921	—	—	1482	3254	—
	46 24	—	\$783	783	—	—	1716
	30	—	\$937	937	—	—	2059
	36	—	\$1016	1016	—	—	2229
	48	\$1250	—	—	—	2741	—
	60	\$1865	—	—	1406	3084	—
	72	\$2022	—	—	1559	3425	—

		WVTGR1	UVTGM1	UVTGL1	UVTGR1	UHRGM1
FT22G.	29 24	\$1031	—	582	582	—
	30	\$1372	—	655	655	—
	36	\$1543	—	783	783	—
	48	—	\$937	—	—	—
	60	—	\$1494	—	—	1093
	72	—	\$1620	—	—	1250
	35 24	\$1372	—	627	627	—
	30	\$1716	—	783	783	—
	36	\$1886	—	861	861	—
	48	—	\$1093	—	—	—
	60	—	\$1681	—	—	1250
	72	—	\$1823	—	—	1406

Gallery Panel Return, Upmount Glass Compatible *continued*

42	24	\$1543	—	704	704	—
30		\$1886	—	861	861	—
36		\$2059	—	937	937	—
48		—	\$1172	—	—	—
60		—	\$1772	—	—	1327
72		—	\$1921	—	—	1482
46	24	\$1716	—	783	783	—
30		\$2059	—	937	937	—
36		\$2229	—	1016	1016	—
48		—	\$1250	—	—	—
60		—	\$1865	—	—	1406
72		—	\$2022	—	—	1559

Step 8.

Surface Finish

For high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U) with vertical (VTG)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBD	dark brown walnut (non-promote)	+\$0
LBF	neutral twill	+\$0
LBH	earthen twill (non-promote)	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut (CP) A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Surface Finish

For high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U) with horizontal (HRG)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Surface/Edge Finish

For veneer (W)

2U	light brown walnut	+\$85
40	dark brown walnut	+\$85
CHD	noble cherry	+\$85
EK	medium red walnut (non-promote)	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
EW	medium matte walnut	+\$85
UL	natural maple	+\$85
UX	Cherry Walnut (non-promote)	+\$85
WHN	natural white oak	+\$85

Gallery Panel Return, Upmount Glass Compatible *continued*

Step 9. Edge Finish


For high-pressure laminate/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBD	dark brown walnut (non-promote)	+\$0
LBF	neutral twill	+\$0
LBH	earthen twill (non-promote)	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


For high - pressure laminate/universal edge (U)

PLY	plywood edge	+\$50
-----	--------------	-------

Gallery Panel Return Attached
Upmount Glass Screen (for use with
FT22G.) FT21G.



Product Information
Description This 1/4" thick glass screen attaches to the top of an upmount glass-compatible mid-run gallery panel (FT22G.) to increase overall height. Glass is compression fit into top of gallery panel.
Notes Glass will be sized to gallery panel (FT22G.), ordered separately. When used on multi-piece gallery panels, glass will be 1 piece per panel. Glass available in clear (TR) or opal etched (5A). See planning guide for more application rules.
Dimensions




Specification Information	
Step 1.	
FT21G.	
Step 2. Height	
07	7" high
11	11" high
15	15" high
Step 3. Gallery Panel Width	
24	for use with 24" wide FT22G.
30	for use with 30" wide FT22G.
36	for use with 36" wide FT22G.
48	for use with 48" wide FT22G.
60	for use with 60" wide FT22G.
72	for use with 72" wide FT22G.
Step 4. Grain Direction on Gallery Panel	
For use with 24" wide FT22G. (24), use with 30" wide FT22G. (30), use with 36" wide FT22G. (36), or use with 48" wide FT22G. (48)	
VTG	vertical
For use with 60" wide FT22G. (60) or use with 72" wide FT22G. (72)	
VNR	vertical grain veneer
VTG	vertical
HRG	horizontal
Step 5. Attachment Method on Gallery Panel	
For use with 24" wide FT22G. (24), use with 30" wide FT22G. (30), or use with 36" wide FT22G. (36)	
U	left or right attachment
For use with 48" wide FT22G. (48), use with 60" wide FT22G. (60), or use with 72" wide FT22G. (72)	
M	mid attachment
Step 6. Surface Finish	
TR	clear glass - 1/4" thick
5A	opal etched - 1/4" thick

Gallery Panel Return Attached
Upmount Glass Screen (for use with
FT22G.) *continued*

Prices for Steps 1-6.							
		VNRMTR	VNRM5A	VTGMTR	VTGM5A	VTGUTR	VTGU5A
FT21G. 07	24	—	—	—	—	\$326	404
	30	—	—	—	—	\$353	445
	36	—	—	—	—	\$386	494
	48	—	—	\$459	594	—	—
	60	\$511	630	511	630	—	—
	72	\$604	776	604	776	—	—
11	24	—	—	—	—	\$354	446
	30	—	—	—	—	\$381	487
	36	—	—	—	—	\$414	543
	48	—	—	\$489	665	—	—
	60	\$538	787	538	787	—	—
	72	\$630	902	630	902	—	—
15	24	—	—	—	—	\$382	477
	30	—	—	—	—	\$411	528
	36	—	—	—	—	\$444	594
	48	—	—	\$518	759	—	—
	60	\$573	888	573	888	—	—
	72	\$672	1033	672	1033	—	—
						HRGMTR	HRGM5A
FT21G. 07	60					\$526	649
	72					\$622	800
11	60					\$554	810
	72					\$649	929
15	60					\$590	914
	72					\$692	1064

Mid-Run Gallery Panel Upmount
Glass Compatible

FT28G.



Product Information
Description This structural panel accepts the mid-run gallery panel-attached upmount glass screen (FT27G.). The panel stands on the floor and attaches to a Canvas Wall frame to provide mid-run support and privacy. It is 1¼" thick and has a laminate surface with thermoplastic edge, laminate surface with thermoplastic-backed plywood edge, or veneer surface and edge. Leveling glides included. Attachment hardware sold separately.
Notes Mid-run gallery panel bracket (FT23G.) attaches directly to wall frame (FT110.) between 2 frames. Gallery panel will be centered between 2 connecting frames. Order mid-run gallery panel bracket (FT23G.) separately. When specifying left-side (FT23G.xL), bracket will be visible to left of the gallery panel. When specifying right-side (FT23G.xR), bracket will be visible to the right of the gallery panel. For back-to-back applications with 2 mid-run panels (FT28G.), specify back-to-back bracket (FT23G.BD) which contains 2 brackets. For single-sided applications, specify single-sided bracket (FT23G.BS). Order mid-run gallery panel-attached upmount glass screen (FT27G.) separately. Gallery panels 24"-54" wide are single-panel construction; 60"-84" wide are multi-piece construction. 66" wide and wider gallery panels require additional support. Mid-run gallery panel is designed to align with end-of-run gallery panel. Leveling glides provide 2" of adjustment. Panel heights align with top cap of adjacent frame.

Dimensions

Mid-Run Gallery Panel Upmount

Glass Compatible *continued*

Specification Information	
Step 1.	
FT28G.	
Step 2. Height	
29	29" high
35	35" high
42	42" high
46	46" high
Step 3. Width	
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
Step 4. Surface Material	
L	high-pressure laminate/thermoplastic edge
W	veneer ☐
U	high - pressure laminate/universal edge
Step 5. Grain Direction on Gallery Panel	
For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), 78" wide (78), or 84" wide (84) with high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U)	
VTG	vertical
For 60" wide (60), 66" wide (66), or 72" wide (72) with high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U)	
VTG	vertical
HRG	horizontal
For veneer (W)	
VTG	vertical
Step 6. Top Attachment	
1	¼" thick glass

Prices for Steps 1-6.						
		LVTG1	LHRG1	WWTG1	UVTG1	UHRG1
FT28G. 29	24	\$582	—	1031	582	—
	30	\$655	—	1372	655	—
	36	\$783	—	1543	783	—
	42	\$861	—	1800	861	—
	48	\$937	—	2059	937	—
	54	\$1049	—	2306	1049	—
	60	\$1494	1093	2398	1494	1093
	66	\$1556	1224	2638	1556	1224
	72	\$1620	1250	2741	1620	1250
	78	\$1687	—	3015	1687	—
	84	\$1797	—	3695	1797	—
35	24	\$627	—	1372	627	—
	30	\$783	—	1716	783	—
	36	\$861	—	1886	861	—
	42	\$978	—	2142	978	—
	48	\$1093	—	2398	1093	—
	54	\$1224	—	2686	1224	—
	60	\$1681	1250	2741	1681	1250
	66	\$1751	1400	3015	1751	1400
	72	\$1823	1406	3084	1823	1406
	78	\$1898	—	3392	1898	—
	84	\$1962	—	4068	1962	—
42	24	\$704	—	1543	704	—
	30	\$861	—	1886	861	—
	36	\$937	—	2059	937	—
	42	\$1055	—	2312	1055	—
	48	\$1172	—	2571	1172	—
	54	\$1313	—	2880	1313	—
	60	\$1772	1327	2910	1772	1327
	66	\$1845	1473	3201	1845	1473
	72	\$1921	1482	3254	1921	1482
	78	\$2001	—	3580	2001	—
	84	\$2128	—	4436	2128	—
46	24	\$783	—	1716	783	—
	30	\$937	—	2059	937	—
	36	\$1016	—	2229	1016	—
	42	\$1133	—	2484	1133	—
	48	\$1250	—	2741	1250	—
	54	\$1400	—	3069	1400	—
	60	\$1865	1406	3084	1865	1406
	66	\$1942	1547	3392	1942	1547
	72	\$2022	1560	3425	2022	1560
	78	\$2106	—	3767	2106	—
	84	\$2291	—	4803	2291	—

Mid-Run Gallery Panel Upmount

Glass Compatible *continued*

Step 7.

Surface Finish

For high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U) with vertical (VTG)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBD	dark brown walnut (non-promote)	+\$0
LBF	neutral twill	+\$0
LBH	earthen twill (non-promote)	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut (CP) A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Surface Finish

For high-pressure laminate/thermoplastic edge (L) or high - pressure laminate/universal edge (U) with horizontal (HRG)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Surface/Edge Finish

For veneer (W)

2U	light brown walnut	+\$85
40	dark brown walnut	+\$85
CHD	noble cherry	+\$85
EK	medium red walnut (non-promote)	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
EW	medium matte walnut	+\$85
UL	natural maple	+\$85
UX	Cherry Walnut (non-promote)	+\$85
WHN	natural white oak	+\$85

Step 8. Edge Finish


For high-pressure laminate/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBD	dark brown walnut (non-promote)	+\$0
LBF	neutral twill	+\$0
LBH	earthen twill (non-promote)	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Mid-Run Gallery Panel Upmount
Glass Compatible *continued*

<i>For high - pressure laminate/universal edge (U)</i>		
PLY	plywood edge	+\$50

Mid-Run Gallery Panel Attached Upmount Glass Screen(for use with FT28G.) FT27G.




Product Information
Description This 1/4" thick glass screen attaches to the top of an upmount glass-compatible mid-run gallery panel (FT28G.) to increase overall height. Glass is compression fit into top of gallery panel.
Notes Glass will be sized to gallery panel (FT28G.), ordered separately. When used on multi-piece gallery panels, glass will be 1 piece per panel. Glass available in clear (TR) or opal etched (5A). See planning guide for more application rules.
Dimensions



Specification Information	
Step 1.	
FT27G.	
Step 2. Height	
07	7" high
11	11" high
15	15" high
Step 3. Gallery Panel Width	
24	for use with 24" wide FT28G.
30	for use with 30" wide FT28G.
36	for use with 36" wide FT28G.
42	for use with 42" wide FT28G.
48	for use with 48" wide FT28G.
54	for use with 54" wide FT28G.
60	for use with 60" wide FT28G.
66	for use with 66" wide FT28G.
72	for use with 72" wide FT28G.
78	for use with 78" wide FT28G.
84	for use with 84" wide FT28G.
Step 4. Grain Direction on Gallery Panel	
<i>For use with 24" wide FT28G. (24), use with 30" wide FT28G. (30), use with 36" wide FT28G. (36), use with 42" wide FT28G. (42), use with 48" wide FT28G. (48), use with 54" wide FT28G. (54), use with 78" wide FT28G. (78), or use with 84" wide FT28G. (84)</i>	
VTG	vertical
<i>For use with 60" wide FT28G. (60), use with 66" wide FT28G. (66), or use with 72" wide FT28G. (72)</i>	
VNR	vertical grain veneer
VTG	vertical
HRG	horizontal
Step 5. Surface Finish	
TR	clear glass - 1/4" thick
5A	opal etched - 1/4" thick

Mid-Run Gallery Panel Attached
Upmount Glass Screen(for use with
FT28G.) *continued*

Prices for Steps 1-5.							
		VNRTR	VNR5A	VTGTR	VTG5A	HRGTR	HRG5A
FT27G. 07	24	—	—	\$326	404	—	—
	30	—	—	\$353	445	—	—
	36	—	—	\$386	494	—	—
	42	—	—	\$421	542	—	—
	48	—	—	\$459	594	—	—
	54	—	—	\$485	612	—	—
	60	\$511	630	511	630	526	649
	66	\$557	703	557	703	574	724
	72	\$604	776	604	776	622	800
	78	—	—	\$699	871	—	—
	84	—	—	\$835	1007	—	—
11	24	—	—	\$354	446	—	—
	30	—	—	\$382	487	—	—
	36	—	—	\$414	543	—	—
	42	—	—	\$452	608	—	—
	48	—	—	\$489	665	—	—
	54	—	—	\$514	726	—	—
	60	\$538	787	538	787	554	810
	66	\$584	844	584	844	602	870
	72	\$630	902	630	902	649	929
	78	—	—	\$725	997	—	—
	84	—	—	\$861	1133	—	—
15	24	—	—	\$382	477	—	—
	30	—	—	\$411	528	—	—
	36	—	—	\$444	594	—	—
	42	—	—	\$480	665	—	—
	48	—	—	\$518	759	—	—
	54	—	—	\$546	823	—	—
	60	\$573	888	573	888	590	914
	66	\$622	960	622	960	641	989
	72	\$672	1033	672	1033	692	1064
	78	—	—	\$767	1128	—	—
	84	—	—	\$903	1264	—	—

**Product Information****Description**


This bracket attaches a mid-run gallery panel (FT26G. or FT28G.) to the frame and provides structural support for a single-sided or back-to-back application. Bracket can be attached to the left or right of the mid-run panel.

Notes

When specifying left-side (L), bracket will be visible to left of the gallery panel. When specifying right-side (R), bracket will be visible to the right of the gallery panel.

For back-to-back applications with 2 mid-run panels (FT26G. or FT28G.), specify back-to-back bracket (FT23G.BD) which contains 2 brackets. For single-sided applications, specify single-sided bracket (FT23G.BS).

Only 1 bracket per mid-run panel is needed.

Dimensions**Specification Information****Step 1.****FT23G.****Step 2. Application**

BS bracket for single-sided applications

BD bracket for back-to-back applications

Step 3. Mid-Run Bracket Position

L left-side

R right-side

Prices for Steps 1-3.

	L	R
FT23G. BS	\$200	200
BD	\$400	400

Step 4. Surface Finish**Metallic Paint**


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$0
SNB	satin bronze	+\$0
SNC	satin carbon	+\$0

Sand Texture Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Privacy Door Lock Post Kit

FT992.



Product Information

Description

This kit converts a non-locking privacy door to a locking privacy door. It locks the door from outside the workstation. It includes a safety latch allowing the door to be unlocked from inside the workstation.

Lock assembly conforms to the Americans with Disabilities Act (ADA) guidelines.

Notes


Specify lock kit left attachment (FT992.xxL) for use with left-attached door (FT118.xxxxxL6).

Specify lock kit right attachment (FT992.xxR) for use with right-attached door (FT118.xxxxxR6).

Privacy door lock post is not compatible with 22" high thin profile stacking window (FT187.22xx).

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

FT992.

Step 2. Height

57 57" high

68 68" high

Step 3. Attachment

L left

R right

Step 4. Application

F in-line frame attachment

C corner connector attachment

Prices for Steps 1-4.

	F	C
FT992. 57 L	\$627	627
R	\$627	627
68 L	\$683	683
R	\$683	683

Step 5. Lock Option

KA	keyed alike	+\$0
KD	keyed differently	+\$0
NL	no lock	+\$0


Step 6. Finish

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Canvas Office Landscape® Walls

Metallic Paint		
611	beige mist metallic (CP) ☐	+\$0
613	silver (CP) ☐	+\$0
EH	metallic bronze ☐	+\$0
SNA	satin aluminum ☐	+\$30
SNB	satin bronze ☐	+\$30
SNC	satin carbon ☐	+\$30



Product Information

Description

This sliding door provides enclosure and added privacy to a workstation. It has an aluminum frame, urethane wheels, and a fabric or plastic infill. The door attaches to an equal-height frame and is specified to close to the left or right. The lock option locks the door from outside the workstation; a built-in safety feature allows the door to be unlocked from the inside. The floor track minimizes wear on carpet and ensures proper alignment. Floor track is anodized aluminum.

Door handle and lock assembly conform to the Americans with Disabilities Act (ADA) guidelines.

Notes

Door and adjacent frames must be the same height.

To use privacy door with architectural trim, order frame top cap, architectural, privacy door (FT11B.) separately.

A 36"-wide door attaches to a 42"-wide or wider frame combination. A 42"-wide door attaches to a 48"-wide or wider frame combination.

Door closure direction is identified when facing the door from outside the workstation. A left door attachment (L6) attaches to a frame on the left and closes to the right. A right door attachment (R6) attaches to a frame on the right and closes to the left.

Door direction cannot be reversed in the field.

Privacy door is not compatible with frames with architectural feet, to-the-floor tiles, or 120° connectors.

Privacy door lock post is not compatible with 22" high thin profile stacking window (FT187.22xx).

Fluted translucent infill option (FW) has a Class A fire-retardant rating.


For fluted translucent infill option (FW), flute direction is vertical.

Clear (TR) and opal frosted (J9) infills are acrylic.


Opal frosted (J9) infill complements opal glass.

For keyed-alike locks, see Keyed-Alike Information in Appendices.


Dimensions



Left Door Attachment




Right Door Attachment



In-line Frame Attachment

Left door attachment closes to the right



Corner Connector Attachment

Left door attachment closes to the right




Specification Information								
Step 1.								
FT118. ☐								
Step 2. Height								
57	57" high	☐						
68	68" high	☐						
Step 3. Width								
36	36" wide	☐						
42	42" wide	☐						
Step 4. Material								
A	translucent plastic	☐						
F	fabric	☐						
Step 5. Door Attachment								
L6	left	☐						
R6	right	☐						
Step 6. Lock Application								
NFA	in-line frame attachment	☐						
CCA	corner connector attachment	☐						
Prices for Steps 1-6.								
			AL6NFA	AL6CCA	AR6NFA	AR6CCA	FL6NFA	FL6CCA
FT118.	57 36		\$3705	3705	3705	3705	5111	5111
	42		\$3803	3803	3803	3803	5225	5225
	68 36		\$3834	3834	3834	3834	5265	5265
	42		\$3945	3945	3945	3945	5394	5394
							FR6NFA	FR6CCA
FT118.	57 36						\$5111	5111
	42						\$5225	5225
	68 36						\$5265	5265
	42						\$5394	5394
Step 7. Lock								
NL	no lock	☐					+\$0	
KA	keyed alike	☐					+\$270	
KD	keyed differently	☐					+\$270	



Step 8. Frame Finish		
Sand Texture Paint		
UBK	ultra black (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0
Metallic Paint		
611	beige mist metallic (CP) ☐	+\$0
613	silver (CP) ☐	+\$0
EH	metallic bronze ☐	+\$0
SNA	satin aluminum ☐	+\$30
SNB	satin bronze ☐	+\$30
SNC	satin carbon ☐	+\$30
Step 9. Infill Finish		
For fabric (F)		
Price Category 1		+\$0
Price Category 2		+\$88
Price Category 3		+\$157
Price Category 4		+\$236
Price Category 5		+\$388
Price Category B		+\$181
Price Category C		+\$271
Price Category D		+\$359
Price Category E		+\$416
Price Category F		+\$0
For translucent plastic (A)		
FW	fluted translucent ☐	+\$0
TR	clear ☐	+\$335
J9	opal frosted ☐	+\$955

Frame-to-Frame Connection Hardware

FT128.




Product Information
Description
This hardware connects 2 frames of equal or unequal heights in a straight line. Light seal is included; finish is black.
Notes
When connecting frames of unequal heights, specify height to match lower frame.
35", 42"- and 46"-high hardware includes 2 bolts; 53", 57", 68"- and 79"-high hardware includes 3 bolts.
Dimensions



Specification Information
Step 1.
FT128.
Step 2. Frame Height
35 35" high
42 42" high
46 46" high
53 53" high
57 57" high
68 68" high
79 79" high

Prices for Steps 1-2.	
FT128. 35	\$38
42	\$39
46	\$39
53	\$46
57	\$49
68	\$50
79	\$51



Canvas Office Landscape® Walls

Product Information

Description

This connector joins 2, 3, or 4 frames of equal or unequal heights at a 90° angle. Attachment hardware and light seal included. Light seal finish is black.

Notes

For 53"-high frames and higher, specify 57"-high 90° universal connector (FT121_57).

For 2-way connections, specify connector to match height of lower connecting frame. For 3-way and 4-way connections, specify connector to match height of higher connecting frame.

Order the following products separately:

- 90° connector cover (FT123.) or 90° architectural connector cover (FT12B.)
- 90° connector top cap (FT126.) or 90° architectural connector top cap (FT12A.)

To pass power in a straight line through connector, order power harness extender (FT151.) separately.

FT121_46 includes 2 blocks for frames 46"-high and lower; FT121_57 includes 3 blocks for frames 53"-high and higher.

4-way connector kit includes enough hardware to complete a 2-way, 3-way, or 4-way 90° connection.

Additional hardware and light seals are available through Service Parts to convert connectors to different configurations.

Dimensions

Specification Information

Step 1.

FT121.

Step 2. Configuration


2	2 way, 90° or 180°
3	3 way
4	4 way

Step 3. Frame Height

46	for 46"-high frames and lower
57	for 53"-high frames and higher


Prices for Steps 1-3.

		46	57
FT121.	2	\$90	137
	3	\$105	155
	4	\$122	174




120° Universal Connector

FT131.




Product Information
Description
This connector joins 2 or 3 frames of equal or unequal heights at a 120° angle. Attachment hardware and light seal included. Light seal finish is black.
Notes
For 53"-high frames and higher, specify 57"-high 120° universal connector (FT131._57).
For 2-way connections, specify connector to match height of lower connecting frame. For 3-way connections, specify connector to match height of higher connecting frame.
Order 120° connector cover (FT133.) and 120° connector top cap (FT136.) separately.
FT131._46 includes 2 blocks for frames 46"-high and lower; FT131._57 includes 3 blocks for frames 53"-high and higher.
3-way connector kit includes enough hardware and light seals to complete a 2-way or 3-way 120° connection.
Additional hardware and light seals are available through Service Parts to convert connectors to different configurations.
Dimensions



Specification Information		
Step 1.		
FT131.		
Step 2. Configuration		
2	2 way	
3	3 way	
Step 3. Frame Height		
46	for 46"-high frames and lower	
57	for 53"-high frames and higher	
Prices for Steps 1-3.		
	46	57
FT131. 2	\$143	217
3	\$157	235

90° Universal Stacking Connector

FT122.



Canvas Office Landscape® Walls

Product Information

Description

This stacking connector joins 1, 2, 3, or 4 stacking frames of equal or unequal heights at a 90° angle. It is used to attach an 11"- or 22"-high stacking frame to an adjacent frame or frames. Attachment hardware, light seal, and 1 block are included. Block has 1 removable side for cable routing capability.

Notes

The total connector height cannot exceed 90".

Order the following products separately:

- 90° connector cover (FT123.) or 90° architectural connector cover (FT12B.)
- 90° connector top cap (FT126.) or 90° architectural connector top cap (FT12A.)

Specify height of connector cover as combined height of connector and stacking connector.


To extend height of adjacent frames, order stacking frame (FT111.) separately.

To pass power in a straight line through connector, order power harness extender (FT151.) separately.

4-way connector kit includes enough hardware to complete a 2-way, 3-way, or 4-way 90° connection.

Additional hardware and light seals are available through Service Parts to convert connectors to different configurations.

Dimensions



Specification Information

Step 1.

FT122.

Step 2. Configuration


2	2 way, 90° or 180°
3	3 way
4	4 way

Prices for Steps 1-2.



FT122.	2	\$59
	3	\$71
	4	\$83

120° Universal Stacking Connector


FT132.



Product Information
Description
This stacking connector joins a stacking frame to another frame(s) at a 2- or 3-way 120° connector. It is used to attach an 11" or 22"high stacking frame to an adjacent frame(s) that is the same height or higher than the stacked frame. The total frame height cannot exceed 90". Attachment hardware, light seal, and 1 top block are included. Light seal finish is black.
Notes
Order 120° connector top cap (FT136.) and 120° connector cover (FT133.) separately. Specify height of connector cover as combined height of connector and stacking connector.
To extend height of adjacent frames, order stacking frame (FT111.) separately.
3-way connector kit includes enough hardware and light seals to complete a 2-way or 3-way 120° connection.
Additional hardware and light seals are available through Service Parts to convert connectors to different configurations.
Dimensions



Specification Information
Step 1.
FT132.
Step 2. Configuration
2 2 way
3 3 way
Prices for Steps 1-2.
FT132. 2 \$93
3 \$100



Canvas Office Landscape® Walls

Product Information

Description

This connector cover attaches to a connector or stacking connector of equal height. It has a painted or veneer surface. Attachment hardware included.

Notes

Specify connector cover to match height of frame and number of connector sides that are exposed.

For change-of-height application, specify connector cover height to match exposed height of lower frames; specify a separate cover(s) to match the exposed height of the higher frame(s).


7", 11", 15", 18", 22", 26", and 33"-high connector covers are only used in change-of-height applications. 7", 15", 18", and 26"-high connector covers are intended for use with 42" and 53"-high frames.

Light seals are included with change-of-height connectors only.

When 35"-high or higher 1-sided covers are used at a 2-way 180° connection, light seals are needed for at least 1 connector cover. Specify Service Part U1B3THG separately.

For application information, see Connector Cover Matrix in Canvas Planning Guide.

Dimensions



Specification Information

Step 1.

FT123.

Step 2. Configuration

- | | |
|---|-----------------|
| 1 | 1 side covered |
| 2 | 2 sides covered |
| 3 | 3 sides covered |

Step 3. Height

For 1 side covered (1) or 2 sides covered (2)

- | | |
|----|--|
| 07 | 7" high (for 42" and 53" high frames only) |
| 11 | 11" high |
| 15 | 15" high (for use with 42" or 53" high frames) |
| 18 | 18" high (for use with 42" or 53" high frames) |
| 22 | 22" high |
| 26 | 26" high (for use with 42" or 53" high frames) |
| 33 | 33" high |
| 35 | 35" high |
| 42 | 42" high |
| 46 | 46" high |
| 53 | 53" high |
| 57 | 57" high |
| 64 | 64" high |
| 68 | 68" high |
| 79 | 79" high |
| 90 | 90" high |

For 3 sides covered (3)

- | | |
|----|--|
| 07 | 7" high (for 42" and 53" high frames only) |
| 11 | 11" high |
| 15 | 15" high (for use with 42" or 53" high frames) |
| 18 | 18" high (for use with 42" or 53" high frames) |
| 22 | 22" high |
| 26 | 26" high (for use with 42" or 53" high frames) |
| 33 | 33" high |

Step 4. Base Option

For 7" high (for 42" and 53" high frames only) (07), 11" high (11), 15" high (for use with 42" or 53" high frames) (15), 18" high (for use with 42" or 53" high frames) (18), 22" high (22), 26" high (for use with 42" or 53" high frames) (26), or 33" high (33)

- | | |
|---|---------|
| N | no base |
|---|---------|

For 35" high (35), 42" high (42), 46" high (46), 53" high (53), 57" high (57), 64" high (64), 68" high (68), 79" high (79), or 90" high (90)

- A** open base, tapered foot
B base cover/to-the-floor tile

Step 5. Surface Material

- P** painted
W veneer **A**

Prices for Steps 1-5.

		AP	AW	NP	NW	BP	BW
FT123. 1	07	—	—	\$62	248	—	—
	11	—	—	\$64	264	—	—
	15	—	—	\$66	289	—	—
	18	—	—	\$73	309	—	—
	22	—	—	\$77	327	—	—
	26	—	—	\$80	351	—	—
	33	—	—	\$87	389	—	—
	35	\$56	226	—	—	60	245
	42	\$60	258	—	—	63	277
	46	\$63	280	—	—	68	297
	53	\$68	307	—	—	72	325
	57	\$72	334	—	—	76	354
	64	\$76	360	—	—	81	381
	68	\$81	390	—	—	83	407
	79	\$85	444	—	—	88	461
	90	\$92	499	—	—	94	518
2	07	—	—	\$73	262	—	—
	11	—	—	\$77	294	—	—
	15	—	—	\$80	341	—	—
	18	—	—	\$85	375	—	—
	22	—	—	\$87	410	—	—
	26	—	—	\$89	457	—	—
	33	—	—	\$96	524	—	—
	35	\$76	335	—	—	81	358
	42	\$82	389	—	—	84	409
	46	\$84	422	—	—	87	446
	53	\$88	464	—	—	92	489
	57	\$92	512	—	—	94	531
	64	\$95	553	—	—	98	575
	68	\$98	596	—	—	101	616
	79	\$109	682	—	—	111	702
	90	\$115	766	—	—	120	791

3	07	—	—	\$102	345	—	—
	11	—	—	\$107	371	—	—
	15	—	—	\$114	426	—	—
	18	—	—	\$116	477	—	—
	22	—	—	\$117	504	—	—
	26	—	—	\$120	561	—	—
	33	—	—	\$126	639	—	—

Step 6. Surface Finish

Sand Texture Paint

For painted (P)

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint


For painted (P)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Wood Veneer

For veneer (W)

CHD	noble cherry A	+\$50
2U	light brown walnut A	+\$50
40	dark brown walnut	+\$50
EW	medium matte walnut	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
UL	natural maple A	+\$50

**Product Information****Description**

This painted connector cover attaches to a connector or stacking connector of equal height. Attachment hardware included.

Notes

Specify connector cover to match overall height of frame(s) and number of connector sides that are exposed.



Order 90° connector top cap, architectural (FT12A.) separately.

For change-of-height application, specify connector cover height to match exposed height of lower frames; specify a separate cover(s) to match the exposed height of the higher frame(s).

7", 11", 15", 18", 22", 26", and 33"-high connector covers are only used in change-of-height applications. 7", 15", 18", and 26"-high connector covers are intended for use with 42" and 53"-high frames.

Light seals are included with change-of-height connectors only.

When 35"-high or higher 1-sided covers are used at a 2-way 180° connection, light seals are needed for at least 1 connector cover. Specify Service Part U1B3THG separately.

Dimensions**Specification Information****Step 1.**

FT12B.

Step 2. Configuration

- | | |
|---|-----------------|
| 1 | 1 side covered |
| 2 | 2 sides covered |
| 3 | 3 sides covered |

Step 3. Height*For 1 side covered (1) or 2 sides covered (2)*

- | | |
|----|--|
| 07 | 7" high (for 42" and 53" high frames only) |
| 11 | 11" high |
| 15 | 15" high (for use with 42" or 53" high frames) |
| 18 | 18" high (for use with 42" or 53" high frames) |
| 22 | 22" high |
| 26 | 26" high (for use with 42" or 53" high frames) |
| 33 | 33" high |
| 35 | 35" high |
| 42 | 42" high |
| 46 | 46" high |
| 53 | 53" high |
| 57 | 57" high |
| 64 | 64" high |
| 68 | 68" high |
| 79 | 79" high |
| 90 | 90" high |

For 3 sides covered (3)

- | | |
|----|--|
| 07 | 7" high (for 42" and 53" high frames only) |
| 11 | 11" high |
| 15 | 15" high (for use with 42" or 53" high frames) |
| 18 | 18" high (for use with 42" or 53" high frames) |
| 22 | 22" high |
| 26 | 26" high (for use with 42" or 53" high frames) |
| 33 | 33" high |

Step 4. Base Option

For 7" high (for 42" and 53" high frames only) (07), 11" high (11), 15" high (for use with 42" or 53" high frames) (15), 18" high (for use with 42" or 53" high frames) (18), 22" high (22), 26" high (for use with 42" or 53" high frames) (26), or 33" high (33)

- | | |
|---|---------|
| N | no base |
|---|---------|

90° Connector Cover, Architectural

continued

For 35" high (35), 42" high (42), 46" high (46), 53" high (53), 57" high (57), 64" high (64), 68" high (68), 79" high (79), or 90" high (90)

- A** open base / architectural foot
B base cover / floor-length tiles

Step 5. Surface Material

- P** painted

Prices for Steps 1-5.

		AP	NP	BP
FT12B. 1	07	—	\$83	—
	11	—	\$86	—
	15	—	\$90	—
	18	—	\$92	—
	22	—	\$93	—
	26	—	\$100	—
	33	—	\$105	—
	35	\$105	—	110
	42	\$110	—	116
	46	\$116	—	120
	53	\$122	—	125
	57	\$125	—	130
	64	\$131	—	137
	68	\$135	—	142
	79	\$146	—	150
	90	\$156	—	163
2	07	—	\$103	—
	11	—	\$107	—
	15	—	\$111	—
	18	—	\$114	—
	22	—	\$117	—
	26	—	\$120	—
	33	—	\$125	—
	35	\$125	—	130
	42	\$130	—	135
	46	\$135	—	139
	53	\$139	—	145
	57	\$145	—	149
	64	\$150	—	156
	68	\$155	—	158
	79	\$166	—	171
	90	\$178	—	181

3	07	—	\$118	—
	11	—	\$120	—
	15	—	\$125	—
	18	—	\$128	—
	22	—	\$130	—
	26	—	\$135	—
	33	—	\$139	—


Step 6. Surface Finish

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

**Product Information****Description**

This connector cover attaches to a 120° connector of equal height. It has a painted or veneer surface. Attachment hardware is included.

Notes



Specify connector cover(s) to match height of frame and match the number of connector sides that are exposed.

For change-of-height application, specify connector cover height to match exposed height of lower frames; specify a separate cover(s) to match the exposed height of the higher frame(s).

7", 11", 15", 18", 22", 26", and 33"-high connector covers are only used in change-of-height applications.

Light seals are included with change-of-height connectors only.

For application information, see Connector Cover Matrix in Canvas Planning Guide.

Dimensions**Specification Information****Step 1.**

FT133.

Step 2. Configuration

- | | |
|---|-----------------|
| 1 | 1 side covered |
| 2 | 2 sides covered |

Step 3. Height*For 1 side covered (1)*

- | | |
|----|--|
| 07 | 7" high (for 42" and 53" high frames only) |
| 11 | 11" high |
| 15 | 15" high (for use with 42" or 53" high frames) A |
| 18 | 18" high (for use with 42" or 53" high frames) |
| 22 | 22" high |
| 26 | 26" high (for use with 42" or 53" high frames) A |
| 33 | 33" high |
| 35 | 35" high |
| 42 | 42" high |
| 46 | 46" high |
| 53 | 53" high |
| 57 | 57" high |
| 64 | 64" high |
| 68 | 68" high |
| 79 | 79" high |
| 90 | 90" high |

For 2 sides covered (2)

- | | |
|----|--|
| 07 | 7" high (for 42" and 53" high frames only) |
| 11 | 11" high |
| 15 | 15" high (for use with 42" or 53" high frames) A |
| 18 | 18" high (for use with 42" or 53" high frames) |
| 22 | 22" high |
| 26 | 26" high (for use with 42" or 53" high frames) A |
| 33 | 33" high |

Step 4. Base Option

For 7" high (for 42" and 53" high frames only) (07), 11" high (11), 15" high (for use with 42" or 53" high frames) (15), 18" high (for use with 42" or 53" high frames) (18), 22" high (22), 26" high (for use with 42" or 53" high frames) (26), or 33" high (33)

- | | |
|----------|---------|
| N | no base |
|----------|---------|

For 35" high (35), 42" high (42), 46" high (46), 53" high (53), 57" high (57), 64" high (64), 68" high (68), 79" high (79), or 90" high (90)

- A** open base, tapered foot
B base cover/to-the-floor tile

Step 5. Surface Material

- P** painted
W veneer **A**

Prices for Steps 1-5.

			AP	AW	NP	NW	BP	BW
FT133. 1	07		—	—	\$95	340	—	—
	11		—	—	\$101	356	—	—
	15		—	—	\$107	383	—	—
	18		—	—	\$111	416	—	—
	22		—	—	\$116	432	—	—
	26		—	—	\$120	465	—	—
	33		—	—	\$123	514	—	—
	35		\$101	486	—	—	107	457
	42		\$116	527	—	—	120	513
	46		\$121	557	—	—	123	544
	53		\$128	538	—	—	136	513
	57		\$139	667	—	—	142	616
	64		\$148	638	—	—	152	591
	68		\$156	775	—	—	162	725
	79		\$178	882	—	—	183	787
	90		\$188	997	—	—	188	875
2	07		—	—	\$121	362	—	—
	11		—	—	\$123	392	—	—
	15		—	—	\$128	455	—	—
	18		—	—	\$134	501	—	—
	22		—	—	\$139	541	—	—
	26		—	—	\$142	605	—	—
	33		—	—	\$151	693	—	—

Step 6. Surface Finish

Sand Texture Paint

For painted (P)

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

For painted (P)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30


Wood Veneer

For veneer (W)

2U	light brown walnut A	+\$50
40	dark brown walnut	+\$50
CHD	noble cherry A	+\$50
EW	medium matte walnut	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
UL	natural maple A	+\$50

Connector Base Filler

FT165.



Canvas Office Landscape® Walls

Product Information


Description

This filler covers the space at the base of a connector when frames with base covers and frames with open bases are connected to one another. Attachment hardware is included.

Notes

For usage information, see Canvas Planning Guide.

Dimensions



Specification Information

Step 1.

FT165.

Step 2. Usage

- B** for use at end of frame
- C** for use between 2 base covers
- E** for use between base cover and connector cover

Prices for Steps 1-2.

FT165. B	\$60
C	\$60
E	\$60


Step 3. Finish

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10



Product Information


Description

This cover finishes the exposed end of a single frame or covers the combined height of a frame and stacking frames. It has a painted or veneer surface and a black light seal. Attachment hardware is included.

Notes

Specify finished end height to match height of frame or combined height of frame and stacking frame(s). When using stacking frame at the end of a run, remove shorter finished end and add finished end for the total frame height. Order frame top cap (FT112.) separately.

Dimensions



Specification Information

Step 1.

FT160.

Step 2. Height

35	35" high
42	42" high
46	46" high
53	53" high
57	57" high
64	64" high
68	68" high
79	79" high
90	90" high

Step 3. Base Option

A	open base, tapered foot
B	base cover/to-the-floor tile

Step 4. Surface Material

P	painted
W	veneer A

Prices for Steps 1-4.

		P	W
FT160.	35 A	\$76	386
	B	\$84	403
	42 A	\$81	417
	B	\$88	435
	46 A	\$84	438
	B	\$91	455
	53 A	\$88	477
	B	\$95	490
	57 A	\$91	490
	B	\$98	507
	64 A	\$95	524
	B	\$103	539
	68 A	\$98	542
	B	\$108	558
	79 A	\$108	591
	B	\$115	611
	90 A	\$115	651
	B	\$122	671

Step 5. Surface Finish

Metallic Paint

For painted (P)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint


For painted (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Wood Veneer

For veneer (W)

CHD	noble cherry ☐	+\$0
2U	light brown walnut ☐	+\$102
40	dark brown walnut	+\$102
EW	medium matte walnut	+\$102
ET	clear on ash ☐	+\$102
EU	oak on ash ☐	+\$102
EV	walnut on ash ☐	+\$102
UL	natural maple ☐	+\$102



Product Information

Description


This cover finishes the exposed end of a single frame or covers the combined height of a frame and stacking frames. Light seal and attachment hardware included.

Notes

Specify finished end height to match height of frame or combined height of frame and stacking frame(s).

Order frame top cap, architectural (FT11A.) separately.

Dimensions



Specification Information

Step 1.

FT16A.

Step 2. Height

35	35" high
42	42" high
46	46" high
53	53" high
57	57" high
64	64" high
68	68" high
79	79" high
90	90" high

Step 3. Base Option

A	open base / architectural foot
B	base cover/to-the-floor tile

Step 4. Surface Material


P	painted
----------	---------

Prices for Steps 1-4.

	P
FT16A. 35 A	\$289
B	\$301
42 A	\$301
B	\$315
46 A	\$315
B	\$326
53 A	\$328
B	\$343
57 A	\$339
B	\$349
64 A	\$353
B	\$357
68 A	\$362
B	\$373
79 A	\$389
B	\$400
90 A	\$409
B	\$424

Step 5. Surface Finish

Sand Texture Paint		
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10



Product Information

Description

This cover finishes the exposed end of a frame when joining frames of unequal heights in a straight line. It has a painted or veneer surface and a black light seal. Attachment hardware is included.


Notes

Use change-of-height finished end for straight-line applications only (cannot use at connectors). For other applications, use connector covers (FT123.). When routing cables through a finished end in a straight-line application, specify option (B).

When using stacking frame at the end of a run, remove shorter finished end and order finished end (FT160.) for the total frame height.

Frame top screen (FT114.), flat edge frame top screen (FT359.), Pari frame top screen (FT355.), or frame top storage (FT415.) cannot be placed next to this change-of-height finished end.

Dimensions



Specification Information

Step 1.

FT161.

Step 2. Height

07	7" high (for 42" and 53" high frames only)
11	11" high
15	15" high (for use with 42" or 53" high frames)
18	18" high (for use with 42" or 53" high frames)
22	22" high
26	26" high (for use with 42" or 53" high frames)
33	33" high

Step 3. Type

A	standard, no cable routing
B	cable routing capability

Step 4. Surface Material

P	painted
W	veneer ☐ A

Prices for Steps 1-4.

		P	W
FT161.	07 A	\$63	252
	B	\$100	311
	11 A	\$66	273
	B	\$103	339
	15 A	\$71	299
	B	\$108	385
	18 A	\$73	318
	B	\$111	422
	22 A	\$75	333
	B	\$112	458
	26 A	\$79	355
	B	\$116	505
	33 A	\$83	392
	B	\$119	576

Finished End, Change-Of-Height

continued

Step 5. Surface Finish

Metallic Paint

For painted (P)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

For painted (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Wood Veneer

For veneer (W)

2U	light brown walnut ☐	+\$102
40	dark brown walnut	+\$102
CHD	noble cherry ☐	+\$0
EW	medium matte walnut	+\$102
ET	clear on ash ☐	+\$102
EU	oak on ash ☐	+\$102
EV	walnut on ash ☐	+\$102
UL	natural maple ☐	+\$102

Finished End, Architectural, Change-Of-Height

FT16B.



Product Information

Description

This cover finishes the exposed end of a frame when joining frames of unequal heights in a straight line. Light seal and attachment hardware included.

Notes


Change-of-height finished end can only be used in straight-line applications; it cannot be used with universal connector.

Change-of-height finished end does not have cable routing capability.

Order frame top cap, architectural (FT11A,) separately.

Frame top screen (FT114.), flat edge frame top screen (FT359.), Pari frame top screen (FT355.), or frame top storage (FT415.) cannot be placed next to this change-of-height finished end.

Dimensions



Specification Information

Step 1.

FT16B.

Step 2. Height

07	7" high (for 42" and 53" high frames only)
11	11" high
15	15" high (for use with 42" or 53" high frames)
18	18" high (for use with 42" or 53" high frames)
22	22" high
26	26" high (for use with 42" or 53" high frames)
33	33" high

Step 3. Type

A	standard, no cable routing
----------	----------------------------

Step 4. Surface Material

P	painted
----------	---------

Prices for Steps 1-4.

	P
FT16B. 07 A	\$229
11 A	\$234
15 A	\$244
18 A	\$248
22 A	\$252
26 A	\$262
33 A	\$277

Step 5. Surface Finish

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Finished End, Architectural, Change-
Of-Height *continued*

Canvas Office Landscape® Walls

Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Finished End, for use with Gallery Panel

FT16G.



Product Information
Description
This change of height cover finishes the exposed end of a frame that is connected to a gallery panel of lower height. Attachment hardware included.
Notes
Specify this finished end only when gallery panel (FT115.) height is lower than height of attached frame.
Specify type (A) for use with architectural frame top caps (FT11A.), type (P) for use with standard painted top caps, or type (W) for use with standard veneer top caps (FT112.), ordered separately.
6", 13", or 17"-high finished ends are compatible with 29"-high gallery panels (FT115.).
7", 11", 18", or 22"-high finished ends are compatible with 35"-high gallery panels (FT115.).
11" or 15"-high finished ends are compatible with 42"-high gallery panels (FT115.).
7" or 11"-high finished ends are compatible with 46"-high gallery panels (FT115.).

Dimensions
3/8" 3" h
Standard
1/4" 3" h
Architectural

Finished End, for use with Gallery
Panel *continued*

Specification Information

Step 1.

FT16G. ☐ A

Step 2. Height

06	6" high ☐ A
07	7" high ☐ A
11	11" high ☐ A
13	13" high ☐ A
15	15" high ☐ A
17	17" high ☐ A
18	18" high ☐ A
22	22" high ☐ A

Step 3. Type

A	architectural trim ☐ A
P	standard painted trim ☐ A
W	standard veneer trim ☐ A

Prices for Steps 1-3.

	A	P	W
FT16G. 06	\$226	63	237
07	\$231	66	257
11	\$235	71	281
13	\$237	72	298
15	\$246	73	306
17	\$249	74	318
18	\$251	75	323
22	\$255	76	340

Step 4. Surface Finish

Sand Texture Paint

For architectural trim (A) or standard painted trim (P)

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

For architectural trim (A) or standard painted trim (P)

611	beige mist metallic (CP) ☐ A	+\$0
613	silver (CP) ☐ A	+\$0
EH	metallic bronze ☐ A	+\$0
SNA	satin aluminum ☐ A	+\$10
SNB	satin bronze ☐ A	+\$10
SNC	satin carbon ☐ A	+\$10


Wood Veneer

For standard veneer trim (W)

2U	light brown walnut ☐ A	+\$102
40	dark brown walnut ☐ A	+\$102
EW	medium matte walnut ☐ A	+\$102
ET	clear on ash ☐ A	+\$102
EU	oak on ash ☐ A	+\$102
EV	walnut on ash ☐ A	+\$102
UL	natural maple ☐ A	+\$102

Frame Top Cap

FT112.



Product Information

Description

This cap trims the top of a frame (or frames) and has a painted or veneer surface.

Notes

Upper tile (FT181.) must be specified on both sides of frame for top cap to attach.

Top cap with standard option (A) covers 1 frame.

Top cap with cable routing cutout on 1 end option (C) covers 1 frame and is used with a change-of-height finished end with cable routing capability.


When specifying option (C), order change-of-height finished end with cable routing capability (FT161.B) separately.

Specify option (D) for 54"-wide and wider top cap to span the combined width of 2 adjacent frames placed between 2 universal connectors or 1 universal connector and 1 finished end.

Specify option (E) for 54"-wide and wider top cap to span the combined width of 2 adjacent frames in runs of 3 frames or more.

Frame top cap is not required for frames with transaction surfaces, upmount screens, frame top screens, and frame top storage.

Dimensions



Specification Information

Step 1.

FT112.

Step 2. Width

18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
96	96" wide

Step 3. Type

For 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

- A standard
- C cable routing cutout on 1 end

For 54" wide (54), 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)

- D standard extended to span 2 frames ☐
- E standard extended to span 2 frames in runs of 3 frames or more ☐

Step 4. Surface Material

For standard (A) or cable routing cutout on 1 end (C)

- P painted
- W veneer ☐

For standard extended to span 2 frames (D) or standard extended to span 2 frames in runs of 3 frames or more (E)

- P painted

Prices for Steps 1-4.

		P	W
FT112.	18 A	\$44	181
	C	\$50	179

24	A	\$46	213
	C	\$57	205
30	A	\$49	245
	C	\$62	235
36	A	\$54	278
	C	\$71	266
42	A	\$61	312
	C	\$75	297
48	A	\$65	345
	C	\$80	329
54	D	\$75	—
	E	\$75	—
60	D	\$80	—
	E	\$80	—
66	D	\$84	—
	E	\$84	—
72	D	\$90	—
	E	\$90	—
78	D	\$95	—
	E	\$95	—
84	D	\$98	—
	E	\$98	—
90	D	\$119	—
	E	\$119	—
96	D	\$124	—
	E	\$124	—

Step 5. Surface Finish

For painted (P)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10


For painted (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Wood Veneer

For veneer (W)

CHD	noble cherry	+\$50
2U	light brown walnut A	+\$50
40	dark brown walnut	+\$50
EW	medium matte walnut	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
UL	natural maple A	+\$50



Product Information

Description

This top cap finishes the top of an individual frame, or can span 2 frames within a run. Attachment hardware included.

Notes


Frame top cap is not required for a frame with transaction surface, upmount screen, or frame top screen.

Not compatible with off-module 90° connector kit for equal-height frames (FT127.A).

Specify option (D) for 54"-wide and wider top cap to span the combined width of 2 adjacent frames placed between 2 universal connectors or 1 universal connector and 1 finished end.

Specify option (E) for 54"-wide and wider top cap to span the combined width of 2 adjacent frames in runs of 3 frames or more.

Dimensions



Specification Information

Step 1.

FT11A.

Step 2. Width

18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
96	96" wide

Step 3. Type

For 18" wide (18), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

A for single frame, no cutout

For 54" wide (54), 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)

D extended to span 2 frames, no cutout **A**

E extended to span 2 frames in runs of 3 frames or more, no cutout **A**

Step 4. Surface Material

P painted

Prices for Steps 1-4.

	P
FT11A. 18 A	\$84
24 A	\$97
30 A	\$114
36 A	\$125
42 A	\$137
48 A	\$155
54 D	\$166
E	\$166
60 D	\$183
E	\$183

66 D	\$195
E	\$195
72 D	\$209
E	\$209
78 D	\$224
E	\$224
84 D	\$236
E	\$236
90 D	\$271
E	\$271
96 D	\$289
E	\$289

Step 5. Surface Finish

Sand Texture Paint


UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Finished End, Architectural, Privacy Door

FT16D.



Product Information


Description

This painted cover finishes the exposed end of a single frame or covers the combined height of a frame and stacking frames when a privacy door with lock is used. Light seal and attachment hardware included.

Notes

Specify finished end to match height of frame or combined height of frame and stacking frame(s).

Dimensions



Specification Information

Step 1.

FT16D. ☐ A

Step 2. Height

57 57" high ☐ A

68 68" high ☐ A

Step 3. Base Option

A open base / architectural foot ☐ A

B base cover/to-the-floor tile ☐ A

Step 4. Surface Material

P painted ☐ A

Prices for Steps 1-4.

	P
FT16D. 57 A	\$434
B	\$446
68 A	\$473
B	\$487

Step 5. Surface Finish


Sand Texture Paint

UBK	ultra black (CP) ☐ A	+\$0
8Q	folkstone grey (CP) ☐ A	+\$0
91	white (CP) ☐ A	+\$0
98	studio white (CP) ☐ A	+\$0
BK	black ☐ A	+\$0
CL	cool grey neutral ☐ A	+\$0
G1	graphite (CP) ☐ A	+\$0
WL	warm stone (CP) ☐ A	+\$0
WN	warm grey neutral ☐ A	+\$0


Metallic Paint

611	beige mist metallic (CP) ☐ A	+\$0
613	silver (CP) ☐ A	+\$0
EH	metallic bronze ☐ A	+\$0
SNA	satin aluminum ☐ A	+\$10
SNB	satin bronze ☐ A	+\$10
SNC	satin carbon ☐ A	+\$10

Frame Top Cap, Architectural, Privacy Door FT11B.



Product Information
Description
This painted top cap finishes the top of a frame when a privacy door is used with architectural trim products. Attachment hardware included.
Notes
Match width of top cap to width of frame.
Dimensions




Specification Information
Step 1.
FT11B. ☐
Step 2. Width
24 24" wide ☐
30 30" wide ☐
36 36" wide ☐
42 42" wide ☐
48 48" wide ☐

Prices for Steps 1-2.	
FT11B. 24	\$298
30	\$322
36	\$343
42	\$371
48	\$395

Step 3. Surface Finish		
Sand Texture Paint		
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

90° Connector Top Cap

FT126.



Product Information

Description

This cap trims the top of a connector or stacking connector and has a painted or veneer surface. Attachment hardware is included.


Notes

Specify top cap to connect into total number of adjacent equal-height frame top caps.

Order the following products separately:

- 90° connector cover (FT123.)
- Frame top cap (FT112.)

Dimensions



Specification Information

Step 1.

FT126.

Step 2. Configuration

- 1A for 1 frame top cap
- 2A for 2 frame top caps, 90°
- 2B for 2 frame top caps, 180°
- 3A for 3 frame top caps
- 4A for 4 frame top caps

Step 3. Surface Material

- P painted
- W veneer ☐ A

Prices for Steps 1-3.

	P	W
FT126. 1A	\$47	181
2A	\$47	181
2B	\$47	181
3A	\$47	181
4A	\$47	181

Step 4. Surface Finish

Sand Texture Paint

For painted (P)

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint


For painted (P)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum ☐ A	+\$10
SNB	satin bronze ☐ A	+\$10
SNC	satin carbon ☐ A	+\$10

Canvas Office Landscape® Walls

Wood Veneer		
<i>For veneer (W)</i>		
2U	light brown walnut ☐ A	+\$50
40	dark brown walnut	+\$50
CHD	noble cherry ☐ A	+\$50
EW	medium matte walnut	+\$50
ET	clear on ash ☐ A	+\$50
EU	oak on ash ☐ A	+\$50
EV	walnut on ash ☐ A	+\$50
UL	natural maple ☐ A	+\$50
WHN	natural white oak ☐ A	+\$0

90° Connector Top Cap, Architectural FT12A.



Product Information

Description

This cap finishes the top of an architectural connector or stacking connector. Attachment hardware is included.


Notes

Specify top cap to connect into total number of adjacent equal-height frame top caps.

Order the following products separately:

- 90° connector cover, architectural (FT12B.)
- Frame top cap, architectural (FT11A.)

Dimensions



Specification Information

Step 1.

FT12A.

Step 2. Configuration

- 1A** for 1 frame top cap
- 2A** for 2 frame top caps, 90°
- 2B** for 2 frame top caps, 180°
- 3A** for 3 frame top caps
- 4A** for 4 frame top caps

Step 3. Surface Material

P painted

Prices for Steps 1-3.

	P
FT12A. 1A	\$41
2A	\$41
2B	\$41
3A	\$41
4A	\$41


Step 4. Surface Finish

Sand Texture Paint

UBK	ultra black (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

**Product Information****Description**


This cap trims the top of a 120° connector or 120° stacking connector and has a painted or veneer surface. Attachment hardware is included.

Notes

Specify top cap to connect into total number of adjacent equal-height frame top caps.

Order the following products separately:

- 120° connector cover (FT133.)
- Frame top cap (FT112.)

Dimensions**Specification Information****Step 1.****FT136.****Step 2. Configuration**

- 1** connects into 1 frame top cap
- 1A** connects into 1 frame top screen
- 2** connects into 2 frame top caps
- 2A** connects into 2 frame top screens
- 2B** connects into frame top screen left, frame top cap right
- 2C** connects into frame top cap left and frame top screen right
- 3** connects into 3 frame top caps
- 3A** connects into 3 frame top screens
- 3B** connects into frame top screen 2 sides, frame top cap 1 side
- 3C** connects into frame top screen 1 side, frame top cap 2 sides

Step 3. Surface Material

For connects into 1 frame top cap (1) or connects into 2 frame top caps (2)

- P** painted
- W** veneer ☐ **A**

For connects into 3 frame top caps (3)

- P** painted
- W** veneer ☐ **A**

For connects into 1 frame top screen (1A), connects into 2 frame top screens (2A), connects into frame top screen left, frame top cap right (2B), connects into frame top cap left and frame top screen right (2C), connects into 3 frame top screens (3A), connects into frame top screen 2 sides, frame top cap 1 side (3B), or connects into frame top screen 1 side, frame top cap 2 sides (3C)

- P** painted

Prices for Steps 1-3.

	P	W
FT136. 1	\$51	159
1A	\$86	—
2	\$51	159
2A	\$86	—
2B	\$86	—
2C	\$86	—
3	\$51	159
3A	\$86	—
3B	\$86	—
3C	\$86	—

Step 4. Surface Finish

Sand Texture Paint

For painted (P)

UBK	ultra black (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Metallic Paint


For painted (P)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Wood Veneer

For veneer (W)

2U	light brown walnut ☐	+\$50
40	dark brown walnut ☐	+\$50
EW	medium matte walnut ☐	+\$50
UL	natural maple ☐	+\$50



Product Information

Description

This hardware kit connects a return frame to a spine wall frame at 90° in an off-module application. It works with open base frames, frames with architectural feet, and frames with base covers.

Notes

Option A is used with frames with standard top caps to connect an equal-height return frame anywhere along a spine wall frame when an off-module upper tile is not used. Option B is used with frames with standard or architectural top caps and connects an equal- or lower-height return frame to the top of an off-module upper tile in 1" intervals.

Use option B when:

- Architectural frame top caps are used.
- Return frame is the same height and the spine wall frame has an off-module tile with storage at the top. Specify off-module upper tile (FT188.) separately.
- Return frame is a lower change-of-height (COH). Specify off-module upper tile (FT188.) separately.

When using option B, top of off-module upper tile must match height of return frame.


Off-module return frame cannot attach within 2" of spine wall frame ends on frames with a base or open base with tapered foot, or 4" from the end of a frame with architectural foot.

Power/data cannot be routed from spine wall frame to off-module return frame.

Connector kit cannot be used for off module placement to a spine wall of a frame with any of the following products:


- Upmount screen (FT113.)
- Frame top screen (FT114.)
- Thin profile stacking window (FT187.)
- Pari screen, frame top (FT355.)

Dimensions



Off-Module 90° Connector Kit *continued*

Specification Information		
Step 1.		
FT127.		
Step 2. Application		
A	for equal-height frames (no off-module tile)	
B	for off-module tile (equal or COH frames)	
Prices for Steps 1-2.		
FT127. A		\$366
B		\$322



Canvas Office Landscape® Walls

Product Information

Description

This assembly connects a frame to an architectural wall or column at a 90° angle.

Wall starts require the following quantities of fasteners:


Height—Fasteners

- 35"—5
- 42"—5
- 46"—5
- 53"—5
- 57"—5
- 68"—6
- 79"—7

Notes

Specify height of wall start to match frame height.
Order wall fasteners (X1192.) separately.

Dimensions



Specification Information

Step 1.

FT190.

Step 2. Height


35	35" high
42	42" high
46	46" high
53	53" high
57	57" high
68	68" high
79	79" high

Prices for Steps 1-2.

FT190.	35	\$94
	42	\$98
	46	\$103
	53	\$106
	57	\$111
	68	\$119
	79	\$134

Wall Start Filler


FT920.



Product Information
Description
This fiberboard filler attaches between the architectural wall and a wall start used adjacent to a wall strip. Filler is coated with black primer and can be painted in the field.
Notes
Match height of wall start filler to height of wall start and frame.
Dimensions


Specification Information
Step 1.
FT920.
Step 2. Height
79 79" high
Prices for Steps 1-2.
FT920. 79 \$259

Canvas Office Landscape® Walls



Wall Fastener

X1192.




Canvas Office Landscape® Walls

Product Information
Description
This black pan head fastener attaches a wall strip to a wall. Package contains 100.
Notes
Specify fastener based on wall construction:
• 1½"-long #10 pan head sheet metal screw (X1192.1) fastens into anchors in cement blocks, poured walls, and brick • 3"-long #10 pan head sheet metal screw (X1192.2) fastens into studs or TC toggles in drywall • 3"-long #10 pan head machine screw (X1192.3) fastens into toggle wall strip anchor (X1191.) or wing toggle in drywall.
For drywall applications using X1192.3 wall fasteners, toggle wall strip anchors (X1191.) or equivalent fasteners are recommended; order separately.


Specification Information
Step 1.
X1192.
Step 2. Size
1 no. 10, 1½" sheet metal screw
2 no. 10, 3" sheet metal screw
3 no. 10, 3" machine screw
Prices for Steps 1-2.
X1192. 1 \$52
2 \$52
3 \$89

Wall Strip

FT191.




Product Information
Description
This double-slotted strip attaches to an architectural wall to support hanging components. 2 wall strips are required to hang a component.
Wall strips require the following quantities of fasteners:
Height—Fasteners
42"—5
46"—5
53"—6
57"—7
68"—8
79"—9
Notes
Order wall fasteners (X1192.) and toggle wall strip anchors (X1191.) separately.
When attaching tiles to wall strips, order tile adapters (FT192.) and appropriate tile trim separately:
• Tile trim, wall strip (FT167.)
• Vertical trim (FT197.)
2 side-by-side hanging components can share a double-slotted wall strip.
Dimensions



Specification Information
Step 1.
FT191.
Step 2. Height
42 42" high
46 46" high
53 53" high
57 57" high
68 68" high
79 79" high
Prices for Steps 1-2.
FT191. 42 \$89
46 \$92
53 \$94
57 \$97
68 \$105
79 \$113
Step 3. Finish
UBK ultra black (CP) +\$0


Toggle Wall Strip AnchorX1191.




Canvas Office Landscape® Walls

Product Information
Description
This anchor provides extra support for a wall hanger strip. Package contains 100.
Notes
Recommended for use in all drywall installations. Use with wall fastener (X1192.3).
Dimensions

Specification Information
Step 1.
X1191.
\$581





Product Information

Description

These adapters are used to hang a tile from wall strips. It cannot be used with a window tile, open tile, or upper/lower power/data tile.

Notes

Specify height of tile adapters to match height of attaching tile.

Order wall strip (FT191.) and appropriate tile trim separately:


- Tile trim, wall strip (FT167.)
- Vertical Trim (FT197.)

The number of tile adapters varies by tile height; appropriate quantity is included. Tile adapter quantities are as follows:

Tile Height—Adapter Quantity

07"—2
11"—2
18"—2
19"—4
22"—2
30"—6
33"—4
37"—6
41" to 63"—8

Dimensions



Specification Information

Step 1.


FT192.

Step 2. Tile Height

07 7" high ☐ A
11 11" high
18 18" high ☐ A
19 19" high
22 22" high
30 30" high
33 33" high
37 37" high ☐ A
41 41" high
48 48" high ☐ A
52 52" high
63 63" high

Prices for Steps 1-2.

FT192. 07	\$38
11	\$38
18	\$38
19	\$67
22	\$38
30	\$95
33	\$67
37	\$95
41	\$125
48	\$95
52	\$125
63	\$125



Product Information

Description

This trim kit finishes the top and bottom edges of tile(s) attached to wall strips. It secures the tile edge to the wall strips and provides a horizontal bead along the bottom edge of the lowest tile.

Notes

Specify width of tile trim to match width of attaching tiles.





1 kit finishes the top edge of the highest tile and the bottom edge of the lowest tile.

When bottom tile does not reach the base of the wall strips, specify option A.

When bottom tile is placed at the base of the wall strips, specify option B.

19" and 30"-high lower tiles and full-height tiles must always be placed at the base of the wall strips. Specify option B for these products.

Dimensions



Specification Information

Step 1.

FT167.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 3. Application

A	top/mid-level lower tile trim
B	top/base-level lower tile trim


Prices for Steps 1-3.

		A	B
FT167.	24	\$171	75
	30	\$182	83
	36	\$189	87
	42	\$197	90
	48	\$208	94

Step 4. Finish

Sand Texture Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
3G	brownstone	+\$0



Product Information

Description

This vertical trim finishes 1 exposed side edge of a wall strip.


Notes

Specify height of vertical trim to match height of wall strip.

Order wall strip (FT191.) separately.

When tile adapter is attached, vertical trim cannot be used on inside edge of wall strip.

Dimensions



Specification Information

Step 1.

FT197.

Step 2. Height

46A	46" high
57A	57" high
68A	68" high
79A	79" high


Prices for Steps 1-2.

FT197. 46A	\$96
57A	\$108
68A	\$119
79A	\$132


Step 3. Finish

SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
91	white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WN	warm grey neutral	+\$0
8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
WL	warm stone (CP)	+\$0

Power Entry, Internal Direct Connect, FT144.
4 Circuit




Product Information
Description This power entry connects a building's electrical supply from a wall, floor, or column to a powered frame. It enters the frame through 2 rectangular cutouts in the bottom rail of an open-base frame. The power entry plugs into the left-hand receptacle outlet on a power harness and includes a cable that can be field cut to the appropriate length. Due to the location of the power entry connection, only 3 receptacle locations remain available in the frame harness. It is UL listed and Canadian UL listed.
Notes Power entry connects directly to the harness above the open base or connects above or below a surface. Power entry cannot route through a connector. When bringing power in from the floor, power entry cannot be used on frames with a base. Order power entry external direct connect (FT140.) for this application. Power entry not compatible with 3-receptacle version of the low credenza height power harness (FT15A.3). Licensed electrician must wire power entry. PVC coated liquid tight conduit.
Dimensions




Specification Information		
Step 1.		
FT144.		
Step 2. Length		
06	6' long	
12	12' long	
18	18' long	
24	24' long	
Prices for Steps 1-2.		
FT144. 06		\$291
12		\$409
18		\$495
24		\$586
Step 3. Wiring Type		
LZ	PVC-free	+\$0


Power Entry, External Direct Connect FT140.



Product Information
Description
This power entry connects a building's electrical supply from a wall, floor, or column to the base of a powered frame. It plugs directly into a receptacle location on the frame's base to distribute up to 4 20-amp circuits. The power entry is manufactured in a right-hand direction but can be field converted to a left-hand direction. The cable is available in 4 lengths and can be field cut to the appropriate length. It is UL listed and Canadian UL listed.
Notes
Licensed electrician must wire power entry.
PVC coated liquid tight conduit.
For easier installation of power entry, order retrofit base cover for power entry (FT162.) separately.
Dimensions



Specification Information
Step 1.
FT140.
Step 2. Length
06 6' long
12 12' long
18 18' long
24 24' long
Prices for Steps 1-2.
FT140. 06 \$253
12 \$349
18 \$443
24 \$537
Step 3. Wiring Type
LZ PVC-free +\$0



Product Information

Description


This power entry connects a building's electrical supply from a wall, floor, or column into a frame. It includes a junction box, 8" of wire, 1 or 2 harnesses, and optional base. The power entry does not provide receptacle access. It is UL listed and Canadian UL listed.

Notes

For power entry used with base covers (FT141.B), 2 base covers are included to replace standard base covers included with a frame.

If entering power at location other than the base, mounting rail must be used (mounting rail is included with the power entry).

Dimensions



Specification Information

Step 1.

FT141.

Step 2. Width	
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 3. Usage

For 24" wide (24)	
A	use with open base
For 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)	
A	use with open base
B	use with base covers

Prices for Steps 1-3.

		A	B
FT141.	24	\$792	—
	30	\$826	855
	36	\$855	881
	42	\$915	949
	48	\$977	1010


Step 4. Wiring Type	
LZ	PVC-free +\$0

Step 5. Base Finish

For use with base covers (B)

Sand Texture Paint	
8Q	folkstone grey (CP) +\$0
91	white (CP) +\$0
98	studio white (CP) +\$0
BK	black +\$0
CL	cool grey neutral +\$0
G1	graphite (CP) +\$0
UBK	ultra black (CP) +\$0
WL	warm stone (CP) +\$0
WN	warm grey neutral +\$0

Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

**Product Information****Description**

This power entry connects a ceiling's electrical supply to the end of a frame run. It distributes up to 4 20-amp circuits. The power entry has a 10'-high pole that can be field cut to the appropriate length, ceiling trim, connecting hardware, conduit, and a factory-installed electrical harness. The power entry plugs into the end of the harness; it does not connect into a receptacle location. The power entry is UL listed and Canadian UL listed.


Notes

Finished end is not required for frames with an end-of-run ceiling power entry.

When using with stacking frames, specify frame height of power entry to match the combined height of the frame and stacking frame.

Licensed electrical must wire power entry.

For cable capacity information, see Cable Capacity Charts in Omni.

Dimensions**Specification Information****Step 1.**

FT142.

Step 2. Frame Height

42	42" high
46	46" high
53	53" high
57	57" high
64	64" high
68	68" high
79	79" high

Step 3. Base Option

A	open base, tapered foot
B	base cover

Step 4. Power**For open base, tapered foot (A)**

N	nonpowered
A	4-circuit power connects above surface

For base cover (B)

N	nonpowered
A	4-circuit power connects above surface
E	4-circuit power connects in base

Prices for Steps 1-4.

			N	A	E
FT142.	42	A	\$769	1238	—
		B	\$769	1238	1238
	46	A	\$771	1243	—
		B	\$771	1243	1243
	53	A	\$781	1266	—
		B	\$781	1266	1266
	57	A	\$787	1287	—
		B	\$787	1287	1287
	64	A	\$822	1318	—
		B	\$822	1318	1318
	68	A	\$861	1350	—
		B	\$861	1350	1350
	79	A	\$932	1426	—
		B	\$932	1426	1426


Ceiling Power Entry, End of Run

continued

Step 5. Finish

Sand Texture Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
3G	brownstone	+\$0



Product Information

Description

This power entry connects a ceiling's electrical supply to the top of a 90° universal connector. It distributes up to 4 20-amp circuits. The power entry can be used with ceiling heights up to 10' and includes ceiling trim, connecting hardware, conduit, and a factory-installed electrical harness. The power entry plugs into the end of the harness; it does not connect into a receptacle location. The power entry is UL listed and Canadian UL listed.

Notes

Specify frame height of power entry to match highest frame at the connection.



Connector top cap is not required for connectors with a connector ceiling power entry.

Power harness must be used at a matching location of an adjacent frame (power locations A, C, and E).

Frame top screen (FT114.), flat edge frame top screen (FT359.), Pari frame top screen (FT355.), or frame top storage (FT415.) cannot be placed next to this power pole.

For cable capacity information, see Cable Capacity Charts in Omni.

Dimensions



Specification Information

Step 1.

FT143.

Step 2. Frame Height

42	42" high
46	46" high
53	53" high
57	57" high
64	64" high
68	68" high
79	79" high A

Step 3. Power

N	nonpowered
A	4-circuit power connects above surface
C	4-circuit power connects below surface
E	4-circuit power connects in base

Prices for Steps 1-3.

		N	A	C	E
FT143.	42	\$1079	1453	1453	1453
	46	\$1041	1431	1431	1431
	53	\$989	1380	1380	1380
	57	\$952	1358	1358	1358
	64	\$918	1308	1308	1308
	68	\$866	1281	1281	1281
	79	\$849	1265	1265	1265

Step 4. Wiring Type

LZ	PVC-free				+\$0
----	----------	--	--	--	------

Step 5. Finish

Metallic Paint

611	beige mist metallic (CP)				+\$0
613	silver (CP)				+\$0
EH	metallic bronze				+\$0
SNA	satin aluminum				+\$30
SNB	satin bronze				+\$30
SNC	satin carbon				+\$30


Ceiling Power Entry, Connector

continued

Sand Texture Paint		
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Ceiling Power Entry, Architectural Trim, Connector

FT14A.



Product Information

Description

This power entry connects a ceiling's electrical supply to the top of a 90° universal connector. It distributes up to 4 20-amp circuits. The power entry can be used with ceiling heights up to 10' and includes ceiling trim, connecting hardware, conduit, and a factory-installed electrical harness. The power entry plugs into the end of the harness; it does not connect into a receptacle location. The power entry is UL listed and Canadian UL listed.

Notes

Specify height of power entry to match highest frame at the connection.


Connector top cap is not required for connector with a connector ceiling power entry.

Power Entry can only be used with architectural connector covers and frame top caps.

Power harness must be used at a matching location of an adjacent frame (power locations A, C, and E).

Frame top screen (FT114.), flat edge frame top screen (FT359.), Pari frame top screen (FT355.), or frame top storage (FT415.) cannot be placed next to this power pole.

Dimensions



Specification Information

Step 1.

FT14A. ☐ A

Step 2. Frame Height

42	42" high	☐ A
46	46" high	☐ A
53	53" high	
57	57" high	☐ A
64	64" high	
68	68" high	☐ A
79	79" high	☐ A

Step 3. Power

N	nonpowered	☐ A
A	4-circuit power connects above surface	☐ A
C	4-circuit power connects below surface	☐ A
E	4-circuit power connects in base	☐ A

Prices for Steps 1-3.

	N	A	C	E
FT14A. 42	\$1626	1845	1845	1845
46	\$1560	1789	1789	1789
53	\$1537	1773	1773	1773
57	\$1508	1736	1736	1736
64	\$1479	1698	1698	1698
68	\$1459	1688	1688	1688
79	\$1407	1638	1638	1638

Step 4. Wiring Type

For 4-circuit power connects above surface (A), 4-circuit power connects below surface (C), or 4-circuit power connects in base (E)

LZ PVC-free +\$0

For nonpowered (N)


LZ PVC-free +\$0

Step 5. Finish

3G brownstone ☐ A +\$0




Ceiling Power Entry, Architectural Trim, Connector *continued*

Metallic Paint		
611	beige mist metallic (CP) ☐ A	+\$0
613	silver (CP) ☐ A	+\$0
EH	metallic bronze ☐ A	+\$0
SNA	satin aluminum ☐ A	+\$30
SNB	satin bronze ☐ A	+\$30
SNC	satin carbon ☐ A	+\$30
Sand Texture Paint		
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0



Canvas Office Landscape® Walls


Product Information
Description
This harness converts a nonpowered frame to a powered frame at the base. It distributes up to 4 20-amp circuits and provides 2 receptacle locations on each side of the frame; 24"-wide harness has 1 receptacle location. The harness is UL listed and Canadian UL listed.
Notes
Order 4-circuit receptacle (FT155. or FT156.) separately. When routing power through a universal connector in a straight line, order power harness extender (FT151.) separately. Harness must be field installed.
Dimensions



Specification Information
Step 1.
FT150.
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
Prices for Steps 1-2.
FT150. 24 \$186
30 \$193
36 \$200
42 \$211
48 \$224
Step 3. Wiring Type
LZ PVC-free +\$0

Power Harness, Lower Power/Data
Tile

FT152.



Product Information

Description

This power harness is used with a lower power/data tile. It distributes up to 4 20-amp circuits and includes a support bar for attaching the harness to the frame. The harness can be used just above the surface (except on a 35"-high frame), just below the surface, or near the frame's base. It is UL listed and Canadian UL listed.

24"-wide harness has 1 receptacle location on each side of the frame; 30" to 48"-wide harnesses have 2 receptacle locations on each side.


Notes

Order the following products separately:

- 4-circuit receptacle (FT155. or FT156.)
- Lower power/data tile (FT171., FT172., FT17R. or FT36R.)

When routing power through universal connectors in a straight line, order power harness extender (FT151.) separately.

Dimensions



Specification Information

Step 1.

FT152.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide


Prices for Steps 1-2.

FT152. 24	\$252
30	\$262
36	\$270
42	\$278
48	\$285

Step 3. Wiring Type

LZ	PVC-free	+\$0
----	----------	------

Power Harness, Low Credenza Height FT15A.



Product Information

Description

This power harness is used with a low credenza height power/data tile. It distributes up to 4 20-amp circuits and includes a support bar for attaching the harness to the frame at a height just above a low credenza. It is UL listed and Canadian UL listed. Attachment hardware included.

Order the following products separately:

- 4-circuit receptacle (FT155. or FT156.)
- Lower power/data tile, low credenza height (FT371., FT372., or FT37R.)


Notes

When routing power through universal connectors in a straight line, order power harness extender (FT151.) separately.

Receptacle locations for the 3 duplex power harness (FT15A.3) are back-to-back and offset from center (left or right) of a frame. If 3 duplex receptacles are needed on both sides of a frame, order the 3 duplex low credenza height tile (FT371., FT372., FT37R.) with left orientation (F) option on 1 side of the frame, and with right orientation (G) option on the other side of the frame.

Power entry (FT144.) is not compatible with the 3 duplex receptacles (3) type of the low credenza power harness.

Dimensions



Specification Information

Step 1.

FT15A.

Step 2. Harness Type

- for 1 duplex receptacle
- for 2 duplex receptacles
- for 3 duplex receptacles

Step 3. Width

For 1 duplex receptacle (1)

24 24" wide

For 2 duplex receptacles (2)

- 30" wide
- 36" wide
- 42" wide
- 48" wide

For 3 duplex receptacles (3)

- 36" wide
- 42" wide
- 48" wide

Prices for Steps 1-3.


	24	30	36	42	48
FT15A. 1	\$325	—	—	—	—
2	—	\$346	367	389	428
3	—	—	\$410	435	459

Step 4. Wiring Type


LZ PVC-free +\$0

Power Harness, Upper Power/Data
Tile


FT153.



Product Information
Description
This power harness is used with an upper power/data tile. It distributes up to 4 20-amp circuits, provides 2 receptacle locations on each side of a frame, and includes a support bar for attaching the harness to the frame. The harness is UL listed and Canadian UL listed.
The harness can be used on a 46"-high or higher frame, in the activity zone at 46", 57", or 68", or used on a 22"-high stacking frame. Harness used on a 22"-high stacking frame can be used at the bottom of the tile.
24"-wide harness has 1 receptacle location on each side of the frame; 30" to 48"-wide harnesses have 2 receptacle locations on each side.
Notes
Order the following products separately:
• 4-circuit receptacle (FT155. or FT156.)
• Upper power/data tile (FT184.)
When routing power through universal connectors in a straight line, order power harness extender (FT151.) separately.
Dimensions




Specification Information
Step 1.
FT153.
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
Prices for Steps 1-2.
FT153. 24 \$268
30 \$280
36 \$286
42 \$291
48 \$299
Step 4. Wiring Type
LZ PVC-free +\$0



Canvas Office Landscape® Walls


Product Information
Description
This product extends a power harness by 3" when used to route power through a connector in a straight line. It can be used at the base, at surface height, or any height where power can be routed through the frame (every 11").
Notes
Harness extender is not required when routing power harness through a connector at a 90° or 120° angle.
Dimensions

Specification Information
Step 1.
FT151.
\$46



Power Jumper

FT154.




Product Information

Description

This power jumper connects power vertically from 1 power harness to another. It connects power within a frame or between adjacent frames. The power jumper connects into the end of a harness; it does not connect into a receptacle location. The power jumper is UL listed and Canadian UL listed. The power jumper cannot be used with a window tile or open tile.

Dimensions



Specification Information

Step 1.

FT154.

Step 2. Length

1	22" long
2	36" long
3	47" long
4	58" long
5	69" long
6	80" long

Prices for Steps 1-2.


FT154.	1	\$108
	2	\$149
	3	\$169
	4	\$185
	5	\$202
	6	\$217

Step 3. Wiring Type

LZ	PVC-free	+\$0
-----------	----------	------


Hardwire Mounting Kit

FT157.



Canvas Office Landscape® Walls


Product Information
Description
This rail is used to mount a hardwired junction box above a frame's base. It can be used with a lower power/data tile or upper power/data tile. Attachment hardware is included.
Notes
Junction boxes are not included; order separately through local supplier.
Mounting rail will not attach to the location immediately above a low credenza. To place hardwire power in this location, specify hardwire mounting kit, low credenza (FT15C.) separately.
Order lower power/data tile (FT171. or FT172.) or upper power/data tile (FT184.) separately.
When using hardwired junction boxes in base of frame, hardwire mounting rail is not required.
Mounting rail's primary use is for Chicago.
Dimensions



Specification Information
Step 1.
FT157.
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
Prices for Steps 1-2.
FT157. 24 \$50
30 \$53
36 \$59
42 \$62
48 \$65


Hardwire Mounting Kit, Low Credenza Height FT15C.

Height




Product Information
Description
This rail is used with a low credenza height power/data tile for mounting a hardwired junction box within a frame at a height just above a low credenza. Attachment hardware included.
Notes
Junction boxes are not included.
Order lower power/data tile, low credenza height (FT371., FT372., or FT37R.) separately.
Dimensions

Specification Information
Step 1.
FT15C. ☐ A
Step 2. Width
36 36" wide ☐ A
42 42" wide ☐ A
48 48" wide ☐ A
Prices for Steps 1-2.
FT15C. 36 \$150
42 \$169
48 \$182



Receptacle, 15 Amp (package of 6)FT155.





Product Information

Description

This receptacle locks into the power harness of a frame. Package contains 6 receptacles. It is UL listed and Canadian UL listed.

Dimensions



Duplex

Specification Information

Step 1.

FT155.

Step 2. Type

- A duplex, circuit a
- B duplex, circuit b
- C duplex, circuit c
- DN duplex, circuit d
- CI duplex, circuit c, isolated ground
- D duplex, circuit d, isolated ground
- C2 duplex, circuit c, neutral 2, common ground

Prices for Steps 1-2.

FT155.	A	\$265
	B	\$265
	C	\$265
	DN	\$265
	CI	\$265
	D	\$265
	C2	\$265


Step 3. Finish

Sand Texture Paint


8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
3G	brownstone	+\$0

Receptacle, 4 Circuit, 20 Amp

FT156.



Product Information
Description
This receptacle locks into a 4-circuit power harness to provide power to equipment with a 20-amp standard plug head or cap. It also accepts 15-amp standard plug heads or caps. The receptacle is UL listed; includes 1 receptacle.
Notes
Avoid overloading circuit by ensuring total connected load does not exceed 16 amps. If 1 piece of equipment requires all available power, do not use receptacle's second outlet or install additional receptacles on that circuit. In many cases, equipment requiring this receptacle will use all available power.
Dimensions




Specification Information
Step 1.
FT156.
Step 2. Type
AT circuit a
BT circuit b
CT circuit c
DTN circuit d
BIT circuit b, isolated ground
CIT circuit c, isolated ground
DT circuit d, isolated ground
Prices for Steps 1-2.
FT156. AT \$71
BT \$71
CT \$71
DTN \$71
BIT \$71
CIT \$71
DT \$71

Step 3. Finish
Sand Texture Paint
8Q folkstone grey (CP) +\$0
91 white (CP) +\$0
98 studio white (CP) +\$0
BK black +\$0
CL cool grey neutral +\$0
G1 graphite (CP) +\$0
UBK ultra black (CP) +\$0
WL warm stone (CP) +\$0
WN warm grey neutral +\$0
3G brownstone +\$0

Dual USB Charging Module, 2 Amp

FT15U.



Product Information




Description

This dual USB charging module locks into the power harness of a Canvas frame. Total output for both USB ports combined is 10 watts. The charging module must be powered through circuit a.

Notes

The USB outlets can charge 2 devices, rated 2 amps (10 watts) or less, simultaneously. It can charge 1 tablet and 1 phone, or 2 phones. Maximum rating for both ports combined is 10 watts.

Dimensions



Specification Information

Step 1.

FT15U. A

\$198


Step 2. Finish

Sand Texture Paint


8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
BK	black	A	+\$0
CL	cool grey neutral	A	+\$0
G1	graphite (CP)	A	+\$0
UBK	ultra black (CP)	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0
3G	brownstone	A	+\$0

Controlled Receptacle, 15 Amp
(package of 6)

FT155M



Product Information
Description
This receptacle is to be used for ASHRAE90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacles that are under automated control by the energy management system. The receptacle locks into the power harness of a frame. Package contains 6 receptacles. It is UL listed and Canadian UL listed.
Dimensions




Specification Information
Step 1.
FT155M. ☐ A
Step 2. Type
A duplex, circuit a ☐ A
B duplex, circuit b ☐ A
C duplex, circuit c ☐ A
DN duplex, circuit d ☐ A
CI duplex, circuit c, isolated ground ☐ A
D duplex, circuit d, isolated ground ☐ A

Prices for Steps 1-2.		
FT155M.	A	\$262
	B	\$262
	C	\$262
	DN	\$262
	CI	\$262
	D	\$262

Step 3. Finish		
Sand Texture Paint		
8Q	folkstone grey (CP) ☐ A	+\$0
91	white (CP) ☐ A	+\$0
98	studio white (CP) ☐ A	+\$0
BK	black ☐ A	+\$0
CL	cool grey neutral ☐ A	+\$0
G1	graphite (CP) ☐ A	+\$0
UBK	ultra black (CP) ☐ A	+\$0
WL	warm stone (CP) ☐ A	+\$0
WN	warm grey neutral ☐ A	+\$0
3G	brownstone ☐ A	+\$0

Controlled Receptacle, 4-Circuit, 20 Amp

FT156M



Product Information


Description

This receptacle is to be used for ASHRAE90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacles that are under automated control by the energy management system. The receptacle locks into a 4-circuit power harness to provide power to equipment with a 20-amp standard plug head or cap. It also accepts 15-amp standard plug heads or caps. Package contains 1 receptacle. Receptacle is UL listed.

Notes

Avoid overloading circuit by ensuring total connected load does not exceed 16 amps. If 1 piece of equipment requires all available power, do not use receptacles second outlet or install additional receptacles on that circuit. In many cases, equipment requiring this receptacle will use all available power.

Dimensions



Specification Information

Step 1.

FT156M. ☐

Step 2. Type

- AT** circuit a ☐
- BT** circuit b ☐
- CT** circuit c ☐
- DTN** circuit d ☐
- CIT** circuit c, isolated ground ☐
- DT** circuit d, isolated ground ☐

Prices for Steps 1-2.

FT156M.	AT	\$71
	BT	\$71
	CT	\$71
	DTN	\$71
	CIT	\$71
	DT	\$71

Step 3. Finish


Sand Texture Paint

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0
3G	brownstone ☐	+\$0

Controlled Receptacle Decal

G9999.

(12 per sheet)



Product Information

Description

This decal is to be used for ASHRAE90.1 and Title 24 compliance. The decal is used to mark standard receptacles (new or existing) that are under automated control by the energy management system. 1 sheet includes 12 clear decals with white or black print.

Dimensions

Specification Information

Step 1.

G9999.

A

Step 2. Color

B

black print

A

W

white print

A


Prices for Steps 1-2.

G9999. B

\$18


W

\$18



Frame Grommet

FT194.




Product Information

Description

This grommet is used inside a frame for extra protection when routing data cabling through openings in a frame. Package contains 12.

Dimensions



Specification Information

Step 1.

FT194.

Step 2. Usage


- A for vertical frame stiles
- B for horizontal frame rails

Prices for Steps 1-2.

FT194. A	\$84
B	\$84

Cable Tray

FT193.



Product Information

Description

This tray supports cables running horizontally within a frame. It spans the width of the frame and allows cables and power jumper to pass through the frame vertically. The cable tray is used at any 11"-high location along the frame.


Notes

Specify width of cable tray to match width of frame.

Cable tray is not required when routing cables horizontally in the base or top channel.

For cable capacity information, see Cable Capacity Charts in Omni.

Dimensions



Specification Information

Step 1.

FT193.

Step 2. Width


18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Prices for Steps 1-2.

FT193. 18	\$71
24	\$76
30	\$80
36	\$84
42	\$88
48	\$92


Communication Port Faceplate Reducer

G1189.




Product Information
Description This faceplate fits into a communication port cutout and reduces the size of the cutout to fit specific telecommunications outlet/connector faceplates. Finish is black. Package contains 6. Faceplate fits into the following communication port cutouts: • Action Office® Series 2, or Ethospace® cable management side cover • Action Office Series 2 cable management panel face • Ethospace cable-access tile upper port • Canvas communication port cutouts
Notes Purchase preconfigured voice/data outlets/connector faceplates separately from their manufacturers. When specifying faceplate for Action Office Series 2 panel or Ethospace frame, order "J" or "G" power option with communication port locations. When specifying faceplate for Ethospace grooved face tile or frame with grooved side covers, order both reducer (G1189.A) and extender (G1189.B).
Dimensions

Specification Information
Step 1. G1189.A \$84




Communication Faceplate Extender

X1313.




Product Information
Description
This faceplate fits over a Canvas communication port cutout. It allows installation of specific cable communication modules without reducing cable distribution capacity. The extender adds 3/8" of depth behind the communication module. Attachment hardware is included. Package contains 6.
Dimensions



Specification Information		
Step 1.		
X1313.		\$93
Step 2. Finish		
BK	black	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Communication Port Faceplate
Extender

G1189.




Product Information
Description This faceplate fits over the communication port cutout of the following products: Action Office® Series 2 or Ethospace® cable management side cover; Action Office Series 2 cable management panel face; or Ethospace cable access tile upper port. It allows installation of specific cable communication modules without interfering with cable distribution capacity. Attachment hardware is included. Package contains 6.
Notes Purchase preconfigured voice/data modules/faceplates separately from their manufacturers. When specifying faceplate for Action Office Series 2 panel or Ethospace frame, order "J" or "G" power option with communication port locations. When specifying faceplate for Ethospace grooved face tile or frame with grooved side covers, order both reducer (G1189.A) and extender (G1189.B).
Dimensions

Specification Information		
Step 1.		
G1189.B		\$117
Step 2. Surface Finish		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP) A	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0



Full-Height Tile

FT180.



Product Information

Description

This monolithic tile attaches to 1 side of a frame and has a tackable fabric, laminate, or veneer surface. It extends the full height of a frame and ends 4" from the floor. It has a horizontal bead along the top of the tile and is UL listed and NFPA classified. Attachment hardware included.

Notes

Specify tile height as follows:

- For 42"-high frame, specify 37"-high tile
- For 46"-high frame, specify 41"-high tile
- For 53"-high frame, specify 48"-high tile
- For 57"-high frame, specify 52"-high tile
- For 68"-high frame, specify 63"-high tile

Specify width of tile to match width of frame.

Grain direction is vertical for wood-grain laminates.

When specifying tackable fabric, horizontal option (R), fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.

Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

For tackable fabric option (T)

Height—Yardage

37"—1.26

41"—1.38

48"—1.50

52"—1.70

63"—2.00

For tackable fabric, horizontal option (R)

Width—Yardage

24"—.88

30"—1.05

36"—1.22


42"—1.40

48"—1.58

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

For additional product options, see Vary Easy in appendices.

Dimensions



Specification Information				
Step 1.				
FT180.				
Step 2. Height				
37	37" high			
41	41" high			
48	48" high			
52	52" high			
63	63" high			
Step 3. Width				
18	18" wide			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
Step 4. Surface Material				
<i>For 37" high (37) or 41" high (41)</i>				
T	tackable fabric			
W	veneer ☐			
L	high-pressure laminate			
R	tackable fabric, horizontal			
<i>For 48" high (48)</i>				
T	tackable fabric			
R	tackable fabric, horizontal			
<i>For 52" high (52) or 63" high (63)</i>				
T	tackable fabric			
Prices for Steps 1-4.				
		T	W	L R
FT180. 37 18		\$187	759	563 200
24		\$201	886	608 205
30		\$213	1011	667 219
36		\$259	1137	711 266
42		\$279	1246	757 285
48		\$291	1349	814 298

41 18	\$208	868	593	215
24	\$209	920	631	218
30	\$230	1052	689	234
36	\$280	1183	749	286
42	\$297	1312	810	307
48	\$315	1442	869	325
48 18	\$205	—	—	206
24	\$213	—	—	214
30	\$236	—	—	237
36	\$293	—	—	294
42	\$311	—	—	312
48	\$326	—	—	330
52 18	\$224	—	—	—
24	\$242	—	—	—
30	\$262	—	—	—
36	\$330	—	—	—
42	\$345	—	—	—
48	\$372	—	—	—
63 18	\$249	—	—	—
24	\$269	—	—	—
30	\$297	—	—	—
36	\$375	—	—	—
42	\$401	—	—	—
48	\$429	—	—	—

Step 5. Surface Finish

For veneer (W)

2U	light brown walnut ☐	+\$0
40	dark brown walnut	+\$0
ET	clear on ash ☐	+\$0
EU	oak on ash ☐	+\$0
EV	walnut on ash ☐	+\$0
EW	medium matte walnut	+\$0
UL	natural maple ☐	+\$0
CHD	noble cherry ☐	+\$0

For high-pressure laminate (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0

For high-pressure laminate (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
76	light brown walnut	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
WN	warm grey neutral	+\$0

Step 6. Horizontal Bead Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 7. Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 37" high (37) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$26
Price Category 3	+\$47
Price Category 4	+\$72
Price Category 5	+\$149
Price Category B	+\$76
Price Category C	+\$113
Price Category D	+\$149
Price Category E	+\$185
Price Category F	+\$248

For 41" high (41) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$50
Price Category 4	+\$79
Price Category 5	+\$163
Price Category B	+\$83
Price Category C	+\$124
Price Category D	+\$163
Price Category E	+\$203
Price Category F	+\$272

For 48" high (48) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$32
Price Category 3	+\$55
Price Category 4	+\$89
Price Category 5	+\$181
Price Category B	+\$92
Price Category C	+\$132
Price Category D	+\$167
Price Category E	+\$202
Price Category F	+\$260

Full-Height Tile *continued*

For 52" high (52) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$37
Price Category 3	+\$61
Price Category 4	+\$98
Price Category 5	+\$203
Price Category B	+\$102
Price Category C	+\$155
Price Category D	+\$203
Price Category E	+\$254
Price Category F	+\$335

For 63" high (63) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$44
Price Category 3	+\$71
Price Category 4	+\$116
Price Category 5	+\$244
Price Category B	+\$122
Price Category C	+\$184
Price Category D	+\$244
Price Category E	+\$302
Price Category F	+\$394

For 37" high (37) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$26
Price Category 3	+\$47
Price Category 4	+\$72
Price Category 5	+\$149
Price Category B	+\$76
Price Category C	+\$113
Price Category D	+\$149
Price Category E	+\$185
Price Category F	+\$248

For 41" high (41) with tackable fabric, horizontal (R)


Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$50
Price Category 4	+\$79
Price Category 5	+\$163
Price Category B	+\$83
Price Category C	+\$124
Price Category D	+\$163
Price Category E	+\$203
Price Category F	+\$272

For 48" high (48) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$32
Price Category 3	+\$55
Price Category 4	+\$89
Price Category 5	+\$181
Price Category B	+\$92
Price Category C	+\$132
Price Category D	+\$167
Price Category E	+\$202
Price Category F	+\$260

Extended-Width Full Height Tile

FT380.



Product Information

Description

This monolithic tile covers 1 side of 2 adjacent frames up to 46" high. It has a tackable fabric, laminate, or veneer surface with a horizontal bead along the top. The tile is UL listed and NFPA classified. Attachment hardware included.

Notes

Specify tile height as follows:

- For 42"-high frame, specify 37"-high tile
- For 46"-high frame, specify 41"-high tile

Specify width of tile to match the combined width of 2 frames.

Grain direction is horizontal for wood-grain laminates.

When specifying tackable fabric, horizontal option (R), fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.


Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

Width—Yardage

54"	1.75
60"	1.93
66"	2.11
72"	2.29
78"	2.47
84"	2.65
90"	2.83
96"	3.01

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

For additional product options, see Vary Easy in appendices.



Extended-Width Full Height Tile

continued

Specification Information			
Step 1.			
FT380.			
Step 2. Height			
37	37" high		
41	41" high		
Step 3. Width			
54	54" wide		
60	60" wide		
66	66" wide		
72	72" wide		
78	78" wide		
84	84" wide		
90	90" wide		
96	96" wide		
Step 4. Surface Material			
For 37" high (37)			
R	tackable fabric, horizontal		
For 41" high (41)			
R	tackable fabric, horizontal		
L	high-pressure laminate		
W	veneer ☐		
Prices for Steps 1-4.			
		R	L W
FT380. 37	54	\$392	— —
	60	\$404	— —
	66	\$451	— —
	72	\$498	— —
	78	\$538	— —
	84	\$554	— —
	90	\$568	— —
	96	\$582	— —
41	54	\$417	1141 1355
	60	\$433	1178 1590
	66	\$484	1292 1775
	72	\$536	1350 1881
	78	\$576	1540 2176
	84	\$595	1598 2302
	90	\$609	1660 2410
	96	\$630	1703 2519

Step 5. Frame Configuration		
For 54" wide (54)		
F0	1 30"-wide frame, 1 24"-wide frame	+\$0
For 60" wide (60)		
H0	2 30"-wide frames	+\$0
J0	1 36"-wide frame, 1 24"-wide frame	+\$0
For 66" wide (66)		
K0	1 36"-wide frame, 1 30"-wide frame	+\$0
L0	1 42"-wide frame, 1 24"-wide frame	+\$0
For 72" wide (72)		
M0	2 36"-wide frames	+\$0
P0	1 42"-wide frame, 1 30"-wide frame	+\$0
S0	1 48"-wide frame, 1 24"-wide frame	+\$0
For 78" wide (78)		
U0	1 42"-wide frame, 1 36"-wide frame	+\$0
V0	1 48"-wide frame, 1 30"-wide frame	+\$0
For 84" wide (84)		
X0	2 42"-wide frames	+\$0
Z0	1 48"-wide frame, 1 36"-wide frame	+\$0
For 90" wide (90)		
40	1 48"-wide frame, 1 42"-wide frame	+\$0
For 96" wide (96)		
50	2 48"-wide frames	+\$0

Extended-Width Full Height Tile

continued

Step 6. Surface Finish

For high-pressure laminate (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
76	light brown walnut	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
WN	warm grey neutral	+\$0
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0

For veneer (W)

2U	light brown walnut A	+\$102
40	dark brown walnut	+\$102
ET	clear on ash A	+\$102
EU	oak on ash A	+\$102
EV	walnut on ash A	+\$102
EW	medium matte walnut	+\$102
UL	natural maple A	+\$102
CHD	noble cherry	+\$0

Step 7. Horizontal Bead Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
WL	warm stone (CP)	+\$0


Step 8. Fabric

For 37" high (37) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$53
Price Category 3	+\$91
Price Category 4	+\$143
Price Category 5	+\$298
Price Category B	+\$150
Price Category C	+\$224
Price Category D	+\$295
Price Category E	+\$370
Price Category F	+\$541

For 41" high (41) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$59
Price Category 3	+\$100
Price Category 4	+\$157
Price Category 5	+\$326
Price Category B	+\$164
Price Category C	+\$245
Price Category D	+\$324
Price Category E	+\$404
Price Category F	+\$594



Canvas Office Landscape® Walls

Product Information

Description

This monolithic tile attaches to 1 side of a frame and has a tackable fabric surface. It extends the full height of a frame and ends 4" above the floor. It is UL listed and NFPA classified. Attachment hardware included.

Notes

Specify tile height as follows:

- For 42"-high frame, specify 37"-high (37) tile.
- For 46"-high frame, specify 41"-high (41) tile.
- For 53"-high frame, specify 48"-high (48) tile.
- For 57"-high frame, specify 52"-high (52) tile.
- For 68"-high frame, specify 63"-high (63) tile.

Specify width of tile to match width of frame.

When specifying tackable fabric, horizontal (R) option, fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.

Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

For tackable fabric option (T):

Height—Yardage

37"—1.26

41"—1.38

48"—1.50

52"—1.70

63"—2.00

For tackable fabric, horizontal option (R):

Width—Yardage

24"—0.88

30"—1.05


36"—1.22

42"—1.40

48"—1.58

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in appendices.

Dimensions



Specification Information

Step 1.

FT18A.

Step 2. Height

37	37" high
41	41" high
48	48" high
52	52" high
63	63" high

Step 3. Width

18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 4. Surface Material

For 37" high (37), 41" high (41), or 48" high (48)

T	tackable fabric
R	tackable fabric, horizontal

For 52" high (52) or 63" high (63)

T	tackable fabric
----------	-----------------

Prices for Steps 1-4.

	T	R
FT18A. 37 18	\$187	200
24	\$201	206
30	\$213	220
36	\$260	267
42	\$280	286
48	\$292	299
41 18	\$209	215
24	\$210	219
30	\$231	235
36	\$281	287
42	\$298	308
48	\$315	326

48 18	\$206	208
24	\$213	214
30	\$236	237
36	\$294	295
42	\$312	313
48	\$327	331
52 18	\$224	—
24	\$242	—
30	\$262	—
36	\$331	—
42	\$346	—
48	\$373	—
63 18	\$249	—
24	\$271	—
30	\$298	—
36	\$376	—
42	\$402	—
48	\$430	—

Step 5. Fabric

For 37" high (37) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$26
Price Category 3	+\$47
Price Category 4	+\$72
Price Category 5	+\$149
Price Category B	+\$76
Price Category C	+\$113
Price Category D	+\$149
Price Category E	+\$185
Price Category F	+\$248

For 41" high (41) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$50
Price Category 4	+\$79
Price Category 5	+\$163
Price Category B	+\$83
Price Category C	+\$124
Price Category D	+\$163
Price Category E	+\$203
Price Category F	+\$272

For 48" high (48) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$32
Price Category 3	+\$55
Price Category 4	+\$89
Price Category 5	+\$181
Price Category B	+\$92
Price Category C	+\$132
Price Category D	+\$167
Price Category E	+\$202
Price Category F	+\$260

For 52" high (52) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$37
Price Category 3	+\$61
Price Category 4	+\$98
Price Category 5	+\$203
Price Category B	+\$102
Price Category C	+\$155
Price Category D	+\$203
Price Category E	+\$254
Price Category F	+\$335

For 63" high (63) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$44
Price Category 3	+\$71
Price Category 4	+\$116
Price Category 5	+\$244
Price Category B	+\$122
Price Category C	+\$184
Price Category D	+\$244
Price Category E	+\$302
Price Category F	+\$394

For 37" high (37) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$26
Price Category 3	+\$47
Price Category 4	+\$72
Price Category 5	+\$149
Price Category B	+\$76
Price Category C	+\$113
Price Category D	+\$149
Price Category E	+\$185
Price Category F	+\$248

For 41" high (41) with tackable fabric, horizontal (R)


Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$50
Price Category 4	+\$79
Price Category 5	+\$163
Price Category B	+\$83
Price Category C	+\$124
Price Category D	+\$163
Price Category E	+\$203
Price Category F	+\$272

For 48" high (48) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$32
Price Category 3	+\$55
Price Category 4	+\$89
Price Category 5	+\$181
Price Category B	+\$92
Price Category C	+\$132
Price Category D	+\$167
Price Category E	+\$202
Price Category F	+\$260

To-The-Floor Full-Height Tile

FT385.



Product Information

Description

This monolithic tile covers 1 side of a frame and extends to the floor, concealing the base and eliminating the need for a base cover. It has a tackable fabric, laminate or veneer surface with a horizontal bead along the top. The tile is UL listed and NFPA classified. Light seals and attachment hardware included.

Notes

Tile is designed to be used on frame with no base covers (FT110.xxxxX).

Specify width of tile to match width of frame. Specify height of tile to match height of frame.

Tackable tiles include base stiffener kit.

Grain direction is vertical for wood-grain laminates.

When specifying tackable fabric, horizontal option (R), fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.

Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

For tackable fabric option (T)

Height—Yardage

42"—1.3

46"—1.4

57"—1.72

68"—2.04

For tackable fabric, horizontal option (R)

Width—Yardage

24"—.88

30"—1.05

36"—1.22


42"—1.4

48"—1.58

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

For additional product options, see Vary Easy in appendices.

Dimensions



To-The-Floor Full-Height Tile *continued*

Specification Information

Step 1.

FT385.

Step 2. Height

42	42" high
46	46" high
53	53" high
57	57" high
68	68" high

Step 3. Width

18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 4. Surface Material

For 42" high (42) or 46" high (46)

T	tackable fabric
R	tackable fabric, horizontal
L	high-pressure laminate
W	veneer A

For 53" high (53), 57" high (57), or 68" high (68)

T	tackable fabric
----------	-----------------

Prices for Steps 1-4.

		T	R	L	W
FT385.	42 18	\$260	296	603	826
	24	\$270	305	640	874
	30	\$284	322	697	991
	36	\$325	368	757	1125
	42	\$342	386	815	1242
	48	\$355	397	873	1359
	46 18	\$273	311	680	831
	24	\$283	320	717	902
	30	\$296	335	781	1019
	36	\$345	389	842	1141
	42	\$362	403	910	1264
	48	\$376	424	969	1382

53 18	\$284	—	—	—
24	\$299	—	—	—
30	\$316	—	—	—
36	\$368	—	—	—
42	\$385	—	—	—
48	\$398	—	—	—
57 18	\$331	—	—	—
24	\$336	—	—	—
30	\$354	—	—	—
36	\$410	—	—	—
42	\$430	—	—	—
48	\$451	—	—	—
68 18	\$372	—	—	—
24	\$382	—	—	—
30	\$403	—	—	—
36	\$475	—	—	—
42	\$501	—	—	—
48	\$523	—	—	—

Step 5. Surface Finish

For high-pressure laminate (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
76	light brown walnut	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teal	+\$0
WN	warm grey neutral	+\$0
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0

For veneer (W)

2U	light brown walnut A	+\$0
40	dark brown walnut	+\$0
CHD	noble cherry	+\$0
ET	clear on ash A	+\$0
EU	oak on ash A	+\$0
EV	walnut on ash A	+\$0
EW	medium matte walnut	+\$0
UL	natural maple A	+\$0

Step 6. Horizontal Bead Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 7. Fabric

For 42" high (42) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$50
Price Category 4	+\$79
Price Category 5	+\$163
Price Category B	+\$83
Price Category C	+\$124
Price Category D	+\$163
Price Category E	+\$203
Price Category F	+\$298

For 42" high (42) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$50
Price Category 4	+\$79
Price Category 5	+\$163
Price Category B	+\$83
Price Category C	+\$124
Price Category D	+\$163
Price Category E	+\$203
Price Category F	+\$298

For 46" high (46) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$37
Price Category 3	+\$61
Price Category 4	+\$98
Price Category 5	+\$203
Price Category B	+\$102
Price Category C	+\$155
Price Category D	+\$203
Price Category E	+\$254
Price Category F	+\$373

For 46" high (46) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$37
Price Category 3	+\$61
Price Category 4	+\$98
Price Category 5	+\$203
Price Category B	+\$102
Price Category C	+\$155
Price Category D	+\$203
Price Category E	+\$254
Price Category F	+\$373

For 53" high (53) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$37
Price Category 3	+\$61
Price Category 4	+\$98
Price Category 5	+\$203
Price Category B	+\$102
Price Category C	+\$155
Price Category D	+\$176
Price Category E	+\$214
Price Category F	+\$276

To-The-Floor Full-Height Tile *continued*

Canvas Office Landscape® Walls


For 57" high (57) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$37
Price Category 3	+\$61
Price Category 4	+\$98
Price Category 5	+\$203
Price Category B	+\$102
Price Category C	+\$155
Price Category D	+\$203
Price Category E	+\$254
Price Category F	+\$373

For 68" high (68) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$44
Price Category 3	+\$71
Price Category 4	+\$116
Price Category 5	+\$244
Price Category B	+\$122
Price Category C	+\$180
Price Category D	+\$228
Price Category E	+\$276
Price Category F	+\$356

To-The-Floor Extended-Width Full-Height Tile FT386.



Product Information

Description

This monolithic tile covers 1 side of 2 adjacent frames up to 46" high and extends to the floor. It conceals the bases and eliminates the need for base covers on that side. It has a tackable fabric, laminate or veneer surface with a horizontal bead along the top. The tile is UL listed and NFPA classified. Attachment hardware included.

Notes

Tile is designed to be used on frame with no base covers (FT110.xxxxX). Specify width of tile to match the combined width of 2 frames. Specify height of tile to match height of frame.

Grain direction is horizontal for wood-grain laminates.

When specifying tackable fabric, horizontal option (R), fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.


Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

Width—Yardage

54"	1.75
60"	1.93
66"	2.11
72"	2.29
78"	2.47
84"	2.65
90"	2.83
96"	3.01

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

For additional product options, see Vary Easy in appendices.



To-The-Floor Extended-Width Full-Height Tile *continued*

Specification Information				
Step 1.				
FT386.				
Step 2. Height				
42	42" high			
46	46" high			
Step 3. Width				
54	54" wide			
60	60" wide			
66	66" wide			
72	72" wide			
78	78" wide			
84	84" wide			
90	90" wide			
96	96" wide			
Step 4. Surface Material				
For 42" high (42)				
R	tackable fabric, horizontal			
For 46" high (46)				
R	tackable fabric, horizontal			
L	high-pressure laminate			
W	veneer ☐			
Prices for Steps 1-4.				
		R	L	W
FT386. 42	54	\$554	—	—
	60	\$568	—	—
	66	\$608	—	—
	72	\$651	—	—
	78	\$669	—	—
	84	\$689	—	—
	90	\$700	—	—
	96	\$712	—	—
46	54	\$577	1345	1758
	60	\$594	1400	2004
	66	\$642	1453	2111
	72	\$691	1510	2189
	78	\$707	1570	2408
	84	\$720	1627	2559
	90	\$739	1684	2622
	96	\$752	1742	2761

Step 5. Frame Configuration		
<i>For 54" wide (54)</i>		
F0	1 30"-wide frame, 1 24"-wide frame	+\$0
<i>For 60" wide (60)</i>		
H0	2 30"-wide frames	+\$0
J0	1 36"-wide frame, 1 24"-wide frame	+\$0
<i>For 66" wide (66)</i>		
K0	1 36"-wide frame, 1 30"-wide frame	+\$0
L0	1 42"-wide frame, 1 24"-wide frame	+\$0
<i>For 72" wide (72)</i>		
M0	2 36"-wide frames	+\$0
P0	1 42"-wide frame, 1 30"-wide frame	+\$0
S0	1 48"-wide frame, 1 24"-wide frame	+\$0
<i>For 78" wide (78)</i>		
U0	1 42"-wide frame, 1 36"-wide frame	+\$0
V0	1 48"-wide frame, 1 30"-wide frame	+\$0
<i>For 84" wide (84)</i>		
X0	2 42"-wide frames	+\$0
Z0	1 48"-wide frame, 1 36"-wide frame	+\$0
<i>For 90" wide (90)</i>		
40	1 48"-wide frame, 1 42"-wide frame	+\$0
<i>For 96" wide (96)</i>		
50	2 48"-wide frames	+\$0

To-The-Floor Extended-Width Full-Height Tile *continued*

Step 6. Surface Finish

For high-pressure laminate (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
76	light brown walnut	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
WN	warm grey neutral	+\$0
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0

For veneer (W)

2U	light brown walnut ☐	+\$102
40	dark brown walnut	+\$102
ET	clear on ash ☐	+\$102
EU	oak on ash ☐	+\$102
EV	walnut on ash ☐	+\$102
EW	medium matte walnut	+\$102
UL	natural maple ☐	+\$102
CHD	noble cherry	+\$0

Step 7. Horizontal Bead Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Fabric


For 42" high (42) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$59
Price Category 3	+\$100
Price Category 4	+\$157
Price Category 5	+\$326
Price Category B	+\$109
Price Category C	+\$150
Price Category D	+\$190
Price Category E	+\$229
Price Category F	+\$295

For 46" high (46) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$73
Price Category 3	+\$121
Price Category 4	+\$196
Price Category 5	+\$404
Price Category B	+\$118
Price Category C	+\$162
Price Category D	+\$204
Price Category E	+\$247
Price Category F	+\$319

To-The-Floor Full-Height Tile, FT38A.
Architectural



Product Information

Description
This monolithic tile covers 1 side of a frame and extends to the floor concealing the base and eliminating the need for a base cover. It has a tackable fabric surface. Tile is UL listed and NFPA classified. Light seals and attachment hardware included.

Notes

Tile is designed to be used on frame with no base covers (FT110.xxxxx). Specify width of tile to match width of frame. Specify height of tile to match height of frame.

Tackable tiles include base stiffener kit.

When specifying tackable fabric, horizontal (R) option, fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.

Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

For tackable fabric option (T):

Height—Yardage

42"	—1.30
46"	—1.40
57"	—1.72
68"	—2.04


For tackable fabric, horizontal option (R):

Width—Yardage

24"	—0.88
30"	—1.05
36"	—1.22
42"	—1.40
48"	—1.58

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in appendices.

Dimensions



To-The-Floor Full-Height Tile, Architectural *continued*

Specification Information

Step 1.

FT38A.

Step 2. Height

42	42" high
46	46" high
53	53" high
57	57" high
68	68" high

Step 3. Width

18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 4. Surface Material

For 42" high (42) or 46" high (46)

T	tackable fabric
R	tackable fabric, horizontal

For 53" high (53), 57" high (57), or 68" high (68)

T	tackable fabric
----------	-----------------

Prices for Steps 1-4.

	T	R
FT38A. 42 18	\$260	296
24	\$270	305
30	\$284	322
36	\$325	368
42	\$342	386
48	\$355	397
46 18	\$273	311
24	\$283	320
30	\$296	335
36	\$345	389
42	\$362	403
48	\$376	424

53 18	\$284	—
24	\$299	—
30	\$316	—
36	\$368	—
42	\$385	—
48	\$398	—
57 18	\$331	—
24	\$336	—
30	\$354	—
36	\$410	—
42	\$430	—
48	\$451	—
68 18	\$372	—
24	\$382	—
30	\$403	—
36	\$475	—
42	\$501	—
48	\$523	—

Step 5. Fabric

For 42" high (42) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$50
Price Category 4	+\$79
Price Category 5	+\$163
Price Category B	+\$83
Price Category C	+\$124
Price Category D	+\$163
Price Category E	+\$203
Price Category F	+\$298

For 46" high (46) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$37
Price Category 3	+\$61
Price Category 4	+\$98
Price Category 5	+\$203
Price Category B	+\$102
Price Category C	+\$155
Price Category D	+\$203
Price Category E	+\$254
Price Category F	+\$373

To-The-Floor Full-Height Tile, Architectural *continued*

For 53" high (53) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$37
Price Category 3	+\$61
Price Category 4	+\$98
Price Category 5	+\$203
Price Category B	+\$102
Price Category C	+\$155
Price Category D	+\$176
Price Category E	+\$214
Price Category F	+\$276

For 57" high (57) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$37
Price Category 3	+\$61
Price Category 4	+\$98
Price Category 5	+\$203
Price Category B	+\$102
Price Category C	+\$155
Price Category D	+\$203
Price Category E	+\$254
Price Category F	+\$373

For 68" high (68) with tackable fabric (T)


Price Category 1	+\$0
Price Category 2	+\$44
Price Category 3	+\$71
Price Category 4	+\$116
Price Category 5	+\$244
Price Category B	+\$122
Price Category C	+\$180
Price Category D	+\$228
Price Category E	+\$276
Price Category F	+\$356

For 42" high (42) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$50
Price Category 4	+\$79
Price Category 5	+\$163
Price Category B	+\$83
Price Category C	+\$124
Price Category D	+\$163
Price Category E	+\$203
Price Category F	+\$298

For 46" high (46) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$37
Price Category 3	+\$61
Price Category 4	+\$98
Price Category 5	+\$203
Price Category B	+\$102
Price Category C	+\$155
Price Category D	+\$203
Price Category E	+\$254
Price Category F	+\$373



Product Information

Description

This tile attaches to 1 side of a frame or to wall strips and has a painted, tackable fabric, veneer, or debossed metal surface. The lower tile zone is 30" high and can be covered with a 30" tile or a combination of an 11" and 19" tile. Each tile has a horizontal bead along the top of the tile. The tile is UL listed and NFPA classified. Attachment hardware is included.

Notes

Specify width of tile to match width of frame.

When using combination of 11"- and 19"-high tiles, 19"-high tile is in the lowest position.

Grain direction is vertical for wood-grain laminates.

When specifying tackable fabric, horizontal option (R), fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.

Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

For tackable fabric option (T)

Height—Yardage

11"—0.50

19"—0.74

30"—1.06

For tackable fabric, horizontal option (R)

Width—Yardage

24"—.88

30"—1.05

36"—1.22


42"—1.4

48"—1.58


For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

For additional product options, see Vary Easy in appendices.

Dimensions



Painted, Fabric, Laminate, Veneer



Debossed

Specification Information

Step 1.

FT170.

Step 2. Height

11	11" high
19	19" high
30	30" high

Step 3. Width

18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 4. Surface Material

P	painted
T	tackable fabric
W	veneer ☐
X	debossed
L	high-pressure laminate
R	tackable fabric, horizontal

Prices for Steps 1-4.

			P	T	W	X	L	R
FT170.	11	18	\$79	107	396	129	345	110
		24	\$81	110	405	131	353	116
		30	\$86	119	431	143	373	122
		36	\$91	129	461	156	399	134
		42	\$94	139	485	169	421	143
		48	\$98	148	514	182	443	151
	19	18	\$109	145	563	180	470	150
		24	\$111	151	574	183	488	155
		30	\$119	165	615	194	521	171
		36	\$126	180	662	211	554	186
		42	\$133	192	705	224	583	202
		48	\$142	209	752	242	623	214
	30	18	\$134	185	667	216	526	195
		24	\$140	195	703	225	538	199
		30	\$148	204	777	240	580	213
		36	\$161	225	855	259	631	230
		42	\$171	236	929	280	668	243
		48	\$182	252	1013	300	717	259

Step 5. Surface Finish

Metallic Paint

For painted (P) or debossed (X)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$60
SNB	satin bronze	+\$60
SNC	satin carbon	+\$60

Sand Texture Paint

For painted (P) or debossed (X)

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP)	+\$0
98	studio white (CP) ☐	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$60
DR1	canyon	+\$60
DN2	nightfall	+\$60
OLF	olive	+\$60

Wood Veneer

For veneer (W)

2U	light brown walnut ☐	+\$0
40	dark brown walnut	+\$0
ET	clear on ash ☐	+\$0
EU	oak on ash ☐	+\$0
EV	walnut on ash ☐	+\$0
EW	medium matte walnut	+\$0
UL	natural maple ☐	+\$0
CHD	noble cherry ☐	+\$0

For high-pressure laminate (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0

For high-pressure laminate (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
76	light brown walnut	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
WN	warm grey neutral	+\$0

Step 6. Horizontal Bead Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 7. Surface Finish

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 11" high (11) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$8
Price Category 3	+\$16
Price Category 4	+\$22
Price Category 5	+\$52
Price Category B	+\$26
Price Category C	+\$40
Price Category D	+\$52
Price Category E	+\$65
Price Category F	+\$96

For 19" high (19) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$16
Price Category 3	+\$25
Price Category 4	+\$40
Price Category 5	+\$83
Price Category B	+\$42
Price Category C	+\$62
Price Category D	+\$83
Price Category E	+\$101
Price Category F	+\$146

For 30" high (30) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$40
Price Category 4	+\$61
Price Category 5	+\$124
Price Category B	+\$62
Price Category C	+\$95
Price Category D	+\$124
Price Category E	+\$154
Price Category F	+\$209

For 11" high (11) with tackable fabric, horizontal (R)


Price Category 1	+\$0
Price Category 2	+\$8
Price Category 3	+\$16
Price Category 4	+\$22
Price Category 5	+\$52
Price Category B	+\$26
Price Category C	+\$40
Price Category D	+\$52
Price Category E	+\$65
Price Category F	+\$96

For 19" high (19) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$16
Price Category 3	+\$25
Price Category 4	+\$40
Price Category 5	+\$83
Price Category B	+\$42
Price Category C	+\$62
Price Category D	+\$83
Price Category E	+\$101
Price Category F	+\$146

For 30" high (30) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$40
Price Category 4	+\$61
Price Category 5	+\$124
Price Category B	+\$62
Price Category C	+\$95
Price Category D	+\$124
Price Category E	+\$154
Price Category F	+\$209



Product Information

Description

This tile attaches to 1 side of 2 adjacent frames to cover the lower zone. It has a tackable fabric, laminate, or veneer surface with a horizontal bead along the top. The tile is UL listed and NFPA classified. Attachment hardware included.

Notes

Specify width of tile to match the combined width of 2 frames.

When using combination of 11" and 19"-high lower tiles, 19"-high tile is in the lowest position.

Grain direction is horizontal for wood-grain laminates.

When specifying tackable fabric, horizontal option (R), fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.

Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.


Width—Yardage

54"	1.75
60"	1.93
66"	2.11
72"	2.29
78"	2.47
84"	2.65
90"	2.83
96"	3.01

Yardage for 54"-wide fabric covers up to 3 11"-high tiles, 2 19"-high tiles, or 1 30"-high tile.

For information on additional quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

For additional product options, see Vary Easy in appendices.



Specification Information				
Step 1.				
FT370.				
Step 2. Height				
11	11" high			
19	19" high			
30	30" high			
Step 3. Width				
54	54" wide			
60	60" wide			
66	66" wide			
72	72" wide			
78	78" wide			
84	84" wide			
90	90" wide			
96	96" wide			
Step 4. Surface Material				
R	tackable fabric, horizontal			
L	high-pressure laminate			
W	veneer ☐			
Prices for Steps 1-4.				
		R	L	W
FT370. 11 54		\$223	591	700
	60	\$229	604	735
	66	\$237	655	796
	72	\$247	674	818
	78	\$255	760	927
	84	\$260	781	951
	90	\$272	803	969
	96	\$280	823	1002
19 54		\$287	803	994
	60	\$308	830	1029
	66	\$328	895	1121
	72	\$340	923	1155
	78	\$349	1045	1320
	84	\$362	1074	1355
	90	\$376	1086	1400
	96	\$385	1123	1436

30 54	\$376	923	1273
60	\$401	951	1342
66	\$417	1035	1474
72	\$433	1074	1539
78	\$445	1220	1771
84	\$458	1259	1841
90	\$471	1298	1916
96	\$486	1338	1988

Step 5. Frame Configuration			
<i>For 30" high (30) with 54" wide (54) with tackable fabric, horizontal (R)</i>			
F0	1 30"-wide frame, 1 24"-wide frame		+\$0
<i>For 30" high (30) with 60" wide (60) with tackable fabric, horizontal (R)</i>			
H0	2 30"-wide frames		+\$0
J0	1 36"-wide frame, 1 24"-wide frame		+\$0
<i>For 30" high (30) with 66" wide (66) with tackable fabric, horizontal (R)</i>			
K0	1 36"-wide frame, 1 30"-wide frame		+\$0
L0	1 42"-wide frame, 1 24"-wide frame		+\$0
<i>For 30" high (30) with 72" wide (72) with tackable fabric, horizontal (R)</i>			
M0	2 36"-wide frames		+\$0
P0	1 42"-wide frame, 1 30"-wide frame		+\$0
S0	1 48"-wide frame, 1 24"-wide frame		+\$0
<i>For 30" high (30) with 78" wide (78) with tackable fabric, horizontal (R)</i>			
U0	1 42"-wide frame, 1 36"-wide frame		+\$0
V0	1 48"-wide frame, 1 30"-wide frame		+\$0
<i>For 30" high (30) with 84" wide (84) with tackable fabric, horizontal (R)</i>			
X0	2 42"-wide frames		+\$0
Z0	1 48"-wide frame, 1 36"-wide frame		+\$0
<i>For 30" high (30) with 90" wide (90) with tackable fabric, horizontal (R)</i>			
40	1 48"-wide frame, 1 42"-wide frame		+\$0
<i>For 30" high (30) with 96" wide (96) with tackable fabric, horizontal (R)</i>			
50	2 48"-wide frames		+\$0

Step 6. Surface Finish

For high-pressure laminate (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey	+\$0

For veneer (W)

2U	light brown walnut ☐	+\$0
40	dark brown walnut	+\$0
ET	clear on ash ☐	+\$0
EU	oak on ash ☐	+\$0
EV	walnut on ash ☐	+\$0
EW	medium matte walnut	+\$0
UL	natural maple ☐	+\$0
CHD	noble cherry	+\$0

Step 7. Horizontal Bead Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Fabric


For 11" high (11) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$16
Price Category 3	+\$30
Price Category 4	+\$53
Price Category 5	+\$102
Price Category B	+\$53
Price Category C	+\$78
Price Category D	+\$98
Price Category E	+\$119
Price Category F	+\$154

For 19" high (19) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$50
Price Category 4	+\$79
Price Category 5	+\$163
Price Category B	+\$83
Price Category C	+\$116
Price Category D	+\$148
Price Category E	+\$178
Price Category F	+\$229

<i>For 30" high (30) with tackable fabric, horizontal (R)</i>	
Price Category 1	+\$0
Price Category 2	+\$44
Price Category 3	+\$79
Price Category 4	+\$121
Price Category 5	+\$245
Price Category B	+\$118
Price Category C	+\$161
Price Category D	+\$204
Price Category E	+\$246
Price Category F	+\$318



Product Information

Description

This tile attaches to 1 side of a frame to cover the lower zone and conceal the base, eliminating the need for a base cover. It has a tackable fabric, laminate, or veneer surface with a horizontal bead along the top. The tile is UL listed and NFPA classified. Attachment hardware included.

Notes

Tile is designed to be used in the lowest position on frame with no base covers (FT110.xxxxX).

Specify width of tile to match width of frame.

Grain direction is vertical for wood-grain laminates.

When specifying tackable fabric, horizontal option (R), fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.

Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

For tackable fabric option (T)

Height—Yardage

24"—.76

35"—1.08

For tackable fabric, horizontal option (R)

Width—Yardage

24"—.88

30"—1.05

36"—1.22


42"—1.4

48"—1.58

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

For additional product options, see Vary Easy in appendices.

Dimensions



Specification Information					
Step 1.					
FT375.					
Step 2. Height					
24	24" high				
35	35" high				
Step 3. Width					
24	24" wide				
30	30" wide				
36	36" wide				
42	42" wide				
48	48" wide				
Step 4. Surface Material					
T	tackable fabric				
R	tackable fabric, horizontal				
L	high-pressure laminate				
W	veneer ☐				
Prices for Steps 1-4.					
		T	R	L	W
FT375. 24	24	\$206	232	555	644
	30	\$222	246	580	689
	36	\$236	264	614	732
	42	\$250	280	657	776
	48	\$264	296	690	818
35	24	\$255	287	621	803
	30	\$253	307	665	869
	36	\$291	329	721	943
	42	\$309	343	767	1013
	48	\$325	362	806	1107

Step 5. Surface Finish		
<i>For high-pressure laminate (L)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey	+\$0
<i>For veneer (W)</i>		
2U	light brown walnut ☐	+\$0
40	dark brown walnut	+\$0
ET	clear on ash ☐	+\$0
EU	oak on ash ☐	+\$0
EV	walnut on ash ☐	+\$0
EW	medium matte walnut	+\$0
UL	natural maple ☐	+\$0
CHD	noble cherry	+\$0

Step 6. Horizontal Bead Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 7. Fabric

For 24" high (24) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$16
Price Category 3	+\$25
Price Category 4	+\$40
Price Category 5	+\$83
Price Category B	+\$42
Price Category C	+\$62
Price Category D	+\$83
Price Category E	+\$98
Price Category F	+\$140

For 35" high (35) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$40
Price Category 4	+\$61
Price Category 5	+\$124
Price Category B	+\$62
Price Category C	+\$95
Price Category D	+\$124
Price Category E	+\$154
Price Category F	+\$224

For 24" high (24) with tackable fabric, horizontal (R)


Price Category 1	+\$0
Price Category 2	+\$16
Price Category 3	+\$25
Price Category 4	+\$40
Price Category 5	+\$83
Price Category B	+\$42
Price Category C	+\$62
Price Category D	+\$83
Price Category E	+\$98
Price Category F	+\$140

For 35" high (35) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$40
Price Category 4	+\$61
Price Category 5	+\$124
Price Category B	+\$62
Price Category C	+\$95
Price Category D	+\$124
Price Category E	+\$154
Price Category F	+\$224

To-The-Floor Extended-Width Lower Tile

FT376.



Canvas Office Landscape® Walls

Product Information

Description

This tile attaches to 1 side of 2 adjacent frames to cover the lower zone and conceal the base, eliminating the need for a base cover on that side. It has a tackable fabric, laminate, or veneer surface with a horizontal bead along the top. The tile is UL listed and NFPA classified. Attachment hardware included.

Notes

Tile is designed to be used in the lowest position on frames with no base covers (FT110.xxxxX).

Specify width of tile to match the combined width of 2 frames.

Grain direction is horizontal for wood-grain laminates.

When specifying tackable fabric, horizontal option (R), fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.

Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.


Width—Yardage

54"	—1.75
60"	—1.93
66"	—2.11
72"	—2.29
78"	—2.47
84"	—2.65
90"	—2.83
96"	—3.01

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

For additional product options, see Vary Easy in appendices.

Dimensions



To-The-Floor Extended-Width Lower Tile *continued*

Specification Information

Step 1.

FT376.

Step 2. Height

24 24" high

35 35" high

Step 3. Width

54 54" wide

60 60" wide

66 66" wide

72 72" wide

78 78" wide

84 84" wide

90 90" wide

96 96" wide

Step 4. Surface Material

R tackable fabric, horizontal

L high-pressure laminate

W veneer A

Prices for Steps 1-4.

		R	L	W
FT376. 24	54	\$394	951	1121
	60	\$406	975	1155
	66	\$428	1010	1192
	72	\$441	1035	1232
	78	\$453	1079	1267
	84	\$467	1127	1301
	90	\$475	1178	1342
	96	\$496	1220	1525
35	54	\$495	1079	1406
	60	\$509	1127	1483
	66	\$526	1192	1560
	72	\$542	1253	1651
	78	\$561	1285	1762
	84	\$568	1338	1888
	90	\$568	1385	1961
	96	\$608	1428	2071

Step 5. Frame Configuration

For 35" high (35) with 54" wide (54) with tackable fabric, horizontal (R)

F0 1 30"-wide frame, 1 24"-wide frame +\$0

For 35" high (35) with 60" wide (60) with tackable fabric, horizontal (R)

H0 2 30"-wide frames +\$0

J0 1 36"-wide frame, 1 24"-wide frame +\$0

For 35" high (35) with 66" wide (66) with tackable fabric, horizontal (R)

K0 1 36"-wide frame, 1 30"-wide frame +\$0

L0 1 42"-wide frame, 1 24"-wide frame +\$0

For 35" high (35) with 72" wide (72) with tackable fabric, horizontal (R)

M0 2 36"-wide frames +\$0

P0 1 42"-wide frame, 1 30"-wide frame +\$0

S0 1 48"-wide frame, 1 24"-wide frame +\$0

For 35" high (35) with 78" wide (78) with tackable fabric, horizontal (R)

U0 1 42"-wide frame, 1 36"-wide frame +\$0

V0 1 48"-wide frame, 1 30"-wide frame +\$0

For 35" high (35) with 84" wide (84) with tackable fabric, horizontal (R)

X0 2 42"-wide frames +\$0

Z0 1 48"-wide frame, 1 36"-wide frame +\$0

For 35" high (35) with 90" wide (90) with tackable fabric, horizontal (R)

40 1 48"-wide frame, 1 42"-wide frame +\$0

For 35" high (35) with 96" wide (96) with tackable fabric, horizontal (R)

50 2 48"-wide frames +\$0

To-The-Floor Extended-Width Lower Tile *continued*

Step 6. Surface Finish

For high-pressure laminate (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
76	light brown walnut	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
WN	warm grey neutral	+\$0
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0

For veneer (W)

2U	light brown walnut A	+\$0
40	dark brown walnut	+\$0
ET	clear on ash A	+\$0
EU	oak on ash A	+\$0
EV	walnut on ash A	+\$0
EW	medium matte walnut	+\$0
UL	natural maple A	+\$0
CHD	noble cherry	+\$0

Step 7. Horizontal Bead Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Fabric

For 24" high (24) with tackable fabric, horizontal (R)


Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$50
Price Category 4	+\$79
Price Category 5	+\$164
Price Category B	+\$83
Price Category C	+\$124
Price Category D	+\$164
Price Category E	+\$200
Price Category F	+\$258

For 35" high (35) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$44
Price Category 3	+\$79
Price Category 4	+\$121
Price Category 5	+\$245
Price Category B	+\$124
Price Category C	+\$180
Price Category D	+\$228
Price Category E	+\$276
Price Category F	+\$356

Lower Power/Data Tile

FT171.
FT172.
FT17R.



Product Information

Description

This tile attaches to 1 side of a frame to provide access to power and data near the frame's base, just below the surface, or just above the surface. It has a painted or fabric surface and a horizontal bead along the top. The tile is UL listed and NFPA classified. Attachment hardware is included.

To cover the lower zone of a frame, specify 1 of the following:

- 30"-high lower power/data tile
- 19"-high lower tile (FT170.19) and 11"-high lower power/data tile
- 19"-high lower power/data tile and 11"-high lower tile (FT170.11)
- 19"-high lower power/data tile and 11"-high lower power/data tile

Cutout options have the following power and data cutouts:

- A: 2 power cutouts and 1 data cutout above the surface
- C: 2 power cutouts and 1 data cutout below the surface
- D: 2 power cutouts at bottom of tile

24"-wide tiles with cutouts for standard power (options A, C, and D) have 1 power cutout or 1 power cutout and 1 data cutout.

Notes

Specify width of tile to match width of frame.

To access power, order lower power/data tile power harness (FT152.) separately.

Tile with Power/data cutouts above work surface option (A) includes a communication faceplate extender and covers for the power/data openings.

35"-high frame cannot accept power/data tile in the top location.

When specifying fabric, horizontal tile (FT17R.), fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.

Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

For fabric tile (FT171.)

Height—Yardage

11"—0.50

19"—0.74

30"—1.06

For fabric, horizontal tile (FT17R.)

Width—Yardage

24"—.88

30"—1.05

36"—1.22


42"—1.4

48"—1.58


For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions


Above Work Surface



Below Work Surface



At Bottom of Tile



Specification Information	
Step 1.	
FT17	
Step 2. Surface Material	
1.	painted
2.	fabric
R.	fabric, horizontal
Step 3. Height	
11	11" high
19	19" high
30	30" high
Step 4. Width	
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
Step 5. Cutout Location	

For painted (1.) with 11" high (11)

A	power/data cutouts above work surface
B	power/data cutouts above work surface (meets Chicago electrical code requirements)

For painted (1.) with 19" high (19)

C	power/data cutouts below work surface
D	power cutouts at bottom of tile
E	power/data cutouts below work surface (meets Chicago electrical code requirements)

For fabric (2.) with 11" high (11)

A	power/data cutouts above work surface
---	---------------------------------------

For fabric (2.) with 19" high (19)

C	power/data cutouts below work surface
D	power cutouts at bottom of tile

For painted (1.) with 30" high (30)

A	power/data cutouts above work surface
B	power/data cutouts above work surface (meets Chicago electrical code requirements)
C	power/data cutouts below work surface
D	power cutouts at bottom of tile
E	power/data cutouts below work surface (meets Chicago electrical code requirements)

For fabric (2.) with 30" high (30)

A	power/data cutouts above work surface
C	power/data cutouts below work surface
D	power cutouts at bottom of tile

For fabric, horizontal (R.) with 11" high (11)

A	power/data cutouts above work surface
---	---------------------------------------

For fabric, horizontal (R.) with 19" high (19)

C	power/data cutouts below work surface
D	power cutouts at bottom of tile

For fabric, horizontal (R.) with 30" high (30)

A	power/data cutouts above work surface
C	power/data cutouts below work surface
D	power cutouts at bottom of tile

Prices for Steps 1-5.

		A	B	C	D	E
FT171.	11 24	\$131	131	—	—	—
	30	\$135	135	—	—	—
	36	\$144	144	—	—	—
	42	\$148	148	—	—	—
	48	\$152	152	—	—	—
	19 24	—	—	\$154	154	154
	30	—	—	\$163	163	163
	36	—	—	\$175	175	175
	42	—	—	\$183	183	183
	48	—	—	\$189	189	189
	30 24	\$191	191	191	191	191
	30	\$199	199	199	199	199
	36	\$214	214	214	214	214
	42	\$226	226	226	226	226
	48	\$234	234	234	234	234

		A	B	C	D	E
FT172.	11 24	\$168	—	—	—	—
	30	\$174	—	—	—	—
	36	\$180	—	—	—	—
	42	\$183	—	—	—	—
	48	\$186	—	—	—	—
	19 24	—	—	\$197	197	—
	30	—	—	\$205	205	—
	36	—	—	\$211	211	—
	42	—	—	\$220	220	—
	48	—	—	\$231	231	—
	30 24	\$233	—	233	233	—
	30	\$244	—	244	244	—
	36	\$262	—	262	262	—
	42	\$277	—	277	277	—
	48	\$290	—	290	290	—
		A	B	C	D	E
FT17R.	11 24	\$185	—	—	—	—
	30	\$188	—	—	—	—
	36	\$193	—	—	—	—
	42	\$199	—	—	—	—
	48	\$204	—	—	—	—
	19 24	—	—	\$219	208	—
	30	—	—	\$226	215	—
	36	—	—	\$235	224	—
	42	—	—	\$245	234	—
	48	—	—	\$251	239	—
	30 24	\$242	—	252	242	—
	30	\$252	—	267	252	—
	36	\$280	—	292	280	—
	42	\$290	—	304	290	—
	48	\$302	—	321	302	—

Step 6. Surface Finish

For painted (1.)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0

Sand Texture Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$60
DR1	canyon	+\$60
DN2	nightfall	+\$60
OLF	olive	+\$60

Metallic Paint

EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Step 7. Horizontal Bead Finish

For painted (1.) with power/data cutouts above work surface (A), or power/data cutouts above work surface (meets Chicago electrical code requirements) (B), or power/data cutouts below work surface (C)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
BK	black	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
EH	metallic bronze	+\$0

For painted (1.) with power cutouts at bottom of tile (D), or power/data cutouts below work surface (meets Chicago electrical code requirements) (E)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
BK	black	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
EH	metallic bronze	+\$0

For fabric (2.) with power/data cutouts above work surface (A), or power/data cutouts below work surface (C)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
BK	black	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
EH	metallic bronze	+\$0

For fabric (2.) with power cutouts at bottom of tile (D)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
BK	black	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
EH	metallic bronze	+\$0

For painted (1.) with power/data cutouts above work surface (A), power/data cutouts above work surface (meets Chicago electrical code requirements) (B), power/data cutouts below work surface (C), or power cutouts at bottom of tile (D), or power/data cutouts below work surface (meets Chicago electrical code requirements) (E)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
BK	black	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
EH	metallic bronze	+\$0

For fabric (2.) with power/data cutouts above work surface (A), or power/data cutouts below work surface (C), or power cutouts at bottom of tile (D)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
BK	black	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
EH	metallic bronze	+\$0

For fabric, horizontal (R.) with power/data cutouts above work surface (A), or power/data cutouts below work surface (C)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
BK	black	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
EH	metallic bronze	+\$0

For fabric, horizontal (R.) with power cutouts at bottom of tile (D)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
BK	black	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
EH	metallic bronze	+\$0

For fabric, horizontal (R.) with power/data cutouts above work surface (A), or power/data cutouts below work surface (C), or power cutouts at bottom of tile (D)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
BK	black	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
EH	metallic bronze	+\$0

Step 8. Receptacle Trim Finish

For painted (1.) with power/data cutouts above work surface (A), or power/data cutouts below work surface (C)

UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
WL	warm stone (CP)	+\$0
91	white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WN	warm grey neutral	+\$0

For painted (1.) with power/data cutouts above work surface (meets Chicago electrical code requirements) (B)

UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For painted (1.) with power cutouts at bottom of tile (D), or power/data cutouts below work surface (meets Chicago electrical code requirements) (E)

UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For fabric (2.) with power/data cutouts above work surface (A), or power/data cutouts below work surface (C)

UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For fabric (2.) with power cutouts at bottom of tile (D)

UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For painted (1.) with power/data cutouts above work surface (A), power/data cutouts above work surface (meets Chicago electrical code requirements) (B), power/data cutouts below work surface (C), or power cutouts at bottom of tile (D), or power/data cutouts below work surface (meets Chicago electrical code requirements) (E)

UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For fabric (2.) with power/data cutouts above work surface (A), or power/data cutouts below work surface (C), or power cutouts at bottom of tile (D)

UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For fabric, horizontal (R.) with power/data cutouts above work surface (A), or power/data cutouts below work surface (C)

UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For fabric, horizontal (R.) with power cutouts at bottom of tile (D)

UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For fabric, horizontal (R.) with power/data cutouts above work surface (A), or power/data cutouts below work surface (C), or power cutouts at bottom of tile (D)

UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 9. Surface Finish

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For fabric (2.) with 11" high (11)

Price Category 1	+\$0
Price Category 2	+\$8
Price Category 3	+\$16
Price Category 4	+\$22
Price Category 5	+\$52
Price Category B	+\$26
Price Category C	+\$40
Price Category D	+\$52
Price Category E	+\$65
Price Category F	+\$96

For fabric (2.) with 19" high (19)

Price Category 1	+\$0
Price Category 2	+\$16
Price Category 3	+\$25
Price Category 4	+\$40
Price Category 5	+\$83
Price Category B	+\$42
Price Category C	+\$62
Price Category D	+\$83
Price Category E	+\$101
Price Category F	+\$146

For fabric (2.) with 30" high (30)

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$40
Price Category 4	+\$61
Price Category 5	+\$124
Price Category B	+\$62
Price Category C	+\$95
Price Category D	+\$124
Price Category E	+\$154
Price Category F	+\$209

For fabric, horizontal (R.) with 11" high (11)

Price Category 1	+\$0
Price Category 2	+\$8
Price Category 3	+\$16
Price Category 4	+\$22
Price Category 5	+\$52
Price Category B	+\$26
Price Category C	+\$40
Price Category D	+\$52
Price Category E	+\$65
Price Category F	+\$96

For fabric, horizontal (R.) with 19" high (19)


Price Category 1	+\$0
Price Category 2	+\$16
Price Category 3	+\$25
Price Category 4	+\$40
Price Category 5	+\$83
Price Category B	+\$42
Price Category C	+\$62
Price Category D	+\$83
Price Category E	+\$101
Price Category F	+\$146

For fabric, horizontal (R.) with 30" high (30)

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$40
Price Category 4	+\$61
Price Category 5	+\$124
Price Category B	+\$62
Price Category C	+\$95
Price Category D	+\$124
Price Category E	+\$154
Price Category F	+\$209

Extended-Width Lower Power/Data Tile

FT36R.



Product Information

Description

This tile attaches to 1 side of 2 adjacent frames to provide access to power and data just below the surface or just above the surface. It has a fabric surface and a horizontal bead along the top. The tile is UL listed and NFPA classified. Attachment hardware is included.

Notes

Specify width of tile to match the combined width of 2 frames.

Fabric direction is horizontal (railroaded). Specify all tiles within the work station the same.

Tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

Width—Yardage

60"—1.93


72"—2.29

84"—2.65

96"—3.01

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT36

Step 2. Surface Material

R. fabric, horizontal

Step 3. Height

37 37" high

41 41" high

Step 4. Width

60 60" wide

72 72" wide

84 84" wide

96 96" wide

Step 5. Cutout Location

AL power/data cutouts above work surface-left side of tile

AR power/data cutouts above work surface-right side of tile

BL power/data cutouts below work surface-left side of tile

BR power/data cutouts below work surface-right side of tile

Prices for Steps 1-5.

		AL	AR	BL	BR
FT36R. 37	60	\$476	476	476	476
	72	\$506	506	506	506
	84	\$534	534	534	534
	96	\$564	564	564	564
	41	\$501	501	501	501
	72	\$529	529	529	529
	84	\$556	556	556	556
	96	\$576	576	576	576

Step 6. Frame Configuration

For 60" wide (60)

H0 2 30"-wide frames +\$0

For 72" wide (72)

M0 2 36"-wide frames +\$0

For 84" wide (84)

X0 2 42"-wide frames +\$0

For 96" wide (96)

50 2 48"-wide frames +\$0

Extended-Width Lower Power/Data

Tile *continued*

Step 7. Horizontal Bead Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Receptacle Trim Finish


UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 9. Surface Finish

Price Category 1	+\$0
Price Category 2	+\$53
Price Category 3	+\$91
Price Category 4	+\$143
Price Category 5	+\$298
Price Category B	+\$150
Price Category C	+\$224
Price Category D	+\$295
Price Category E	+\$370
Price Category F	+\$541

Lower Power/Data Tile, Low
Credenza Height

FT371.
FT372.
FT37R.



Product Information
Description
This 30"-high tile attaches to 1 side of a frame to provide access to power and data above a low credenza. It has a painted or fabric surface and a horizontal bead along the top. The tile is UL listed and NFPA classified. Attachment hardware included.
Notes
Specify width of tile to match width of frame.
To access modular power, order power harness, low credenza height (FT15A.) separately.
Placement of a 3 duplex receptacle tile on both sides of a frame requires a 3 duplex low credenza height tile (FT371., FT372., FT37R.) with left orientation (F) option on 1 side of the frame, a right orientation (G) option on the other side of the frame, and a 3 receptacle low credenza height power/data harness (FT15A.3), ordered separately.
When specifying fabric, horizontal tile (FT37R.), fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.
Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.
For fabric tile (FT371.)
Height—Yardage
11"—0.50
19"—0.74
30"—1.06
For fabric, horizontal tile (FT37R.)
Width—Yardage
24"—.88
30"—1.05
36"—1.22
42"—1.4
48"—1.58
For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions

Lower Power/Data Tile, Low Credenza Height *continued*

Specification Information							
Step 1.							
FT37 ☐							
Step 2. Surface Material							
1.	paint	☐					
2.	fabric	☐					
R.	fabric, horizontal	☐					
Step 3. Height							
30	30" high	☐					
Step 4. Width							
24	24" wide	☐					
30	30" wide	☐					
36	36" wide	☐					
42	42" wide	☐					
48	48" wide	☐					
Step 5. Cutout Location							
For 24" wide (24)							
A	1 duplex receptacle cutout and 1 data cutout left side of tile ☐						
B	1 data cutout and 1 duplex receptacle cutout right side of tile ☐						
For 30" wide (30)							
C	2 duplex receptacle cutouts and 1 data cutout right side of tile ☐						
D	1 data cutout and 2 duplex receptacle cutouts left side of tile ☐						
For 36" wide (36), 42" wide (42), or 48" wide (48)							
F	3 duplex receptacle cutouts and 1 data cutout left side of tile ☐						
G	1 data cutout and 3 duplex receptacle cutouts right side of tile ☐						
L	2 duplex receptacle cutouts and 1 data cutout centered ☐						
Prices for Steps 1-5.							
		A	C	F	B	D	G
FT371.	30	24	\$205	—	—	205	—
		30	—	\$217	—	—	217
		36	—	—	\$225	—	225
		42	—	—	\$235	—	235
		48	—	—	\$244	—	244
							L
FT371.	30	36					\$209
		42					\$222
		48					\$231

			A	C	F	B	D	G
FT372.	30	24	\$268	—	—	268	—	—
		30	—	\$280	—	—	280	—
		36	—	—	\$292	—	—	292
		42	—	—	\$307	—	—	307
		48	—	—	\$320	—	—	320
								L
FT372.	30	36						\$277
		42						\$289
		48						\$304
			A	C	F	B	D	G
FT37R.	30	24	\$278	—	—	278	—	—
		30	—	\$290	—	—	290	—
		36	—	—	\$304	—	—	304
		42	—	—	\$315	—	—	315
		48	—	—	\$328	—	—	328
								L
FT37R.	30	36						\$284
		42						\$296
		48						\$311
Step 6. Surface Finish								
For painted (1.)								
Sand Texture Paint								
UBK	ultra black (CP) ☐							+\$0
8Q	folkstone grey (CP)							+\$0
91	white (CP) ☐							+\$0
98	studio white (CP)							+\$0
BK	black ☐							+\$0
CL	cool grey neutral ☐							+\$0
G1	graphite (CP) ☐							+\$0
WL	warm stone (CP)							+\$0
WN	warm grey neutral ☐							+\$0
Metallic Paint								
611	beige mist metallic (CP) ☐							+\$0
613	silver (CP) ☐							+\$0
EH	metallic bronze ☐							+\$0
SNA	satin aluminum ☐							+\$10
SNB	satin bronze ☐							+\$10
SNC	satin carbon ☐							+\$10

Lower Power/Data Tile, Low Credenza Height *continued*

Step 7. Horizontal Bead Finish

611	beige mist metallic (CP) ☐	+\$0
613	silver (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
3G	brownstone ☐	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP)	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
EH	metallic bronze ☐	+\$0
G1	graphite (CP) ☐	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral ☐	+\$0

Step 8. Receptacle Trim Finish

UBK	ultra black (CP) ☐	+\$0
3G	brownstone ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Step 9. Surface Finish

For fabric (2.)


Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$36
Price Category 4	+\$55
Price Category 5	+\$112
Price Category B	+\$56
Price Category C	+\$85
Price Category D	+\$112
Price Category E	+\$139
Price Category F	+\$193

For fabric, horizontal (R.)

Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$36
Price Category 4	+\$55
Price Category 5	+\$112
Price Category B	+\$56
Price Category C	+\$85
Price Category D	+\$112
Price Category E	+\$139
Price Category F	+\$193

Extended-Width Lower Power/Data
Tile, Low Credenza Height

FT39R.



Product Information

Description

This tile attaches to 1 side of 2 adjacent frames to provide access to power and data above a low credenza. It has a fabric surface and a horizontal bead along the top. The tile is UL listed and NFPA classified. Attachment hardware included.

Notes

Specify width of tile to match the combined width of 2 frames.
Placement of an extended width 3 duplex receptacle tile on both sides of a frame requires an extended width 3 duplex low credenza height tile (FT39R.) with left orientation (F) option on 1 side of the frame, a right orientation (G) option on the other side of the frame, and a 3 receptacle low credenza height power/data harness (FT15A.3), ordered separately.
Fabric direction is horizontal (railroaded). Specify all tiles within the work station the same.

Tile accepts Customer's Own Material (COM). Yardage is estimated for directional 54"-wide fabrics.

Width—Yardage

60"—1.93


72"—2.29

84"—2.65

96"—3.01

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions




Extended-Width Lower Power/Data
Tile, Low Credenza Height *continued*

Specification Information					
Step 1.					
FT39					
Step 2. Surface Material					
R.	fabric, horizontal				
Step 3. Height					
37	37" high				
41	41" high				
Step 4. Width					
60	60" wide				
72	72" wide				
84	84" wide				
96	96" wide				
Step 5. Cutout Location					
For 60" wide (60)					
C	2 duplex receptacle cutouts and 1 data cutout left side of tile				
D	1 data cutout and 2 duplex receptacle cutouts right side of tile				
For 72" wide (72), 84" wide (84), or 96" wide (96)					
F	3 duplex receptacle cutouts and 1 data cutout left side of tile				
G	1 data cutout and 3 duplex receptacle cutouts right side of tile				
Prices for Steps 1-5.					
FT39R.		C	F	D	G
37 60		\$531	—	531	—
	72	—	\$563	—	563
	84	—	\$594	—	594
	96	—	\$624	—	624
	41 60	\$554	—	554	—
	72	—	\$588	—	588
	84	—	\$615	—	615
	96	—	\$641	—	641
Step 6. Frame Configuration					
For 60" wide (60)					
H0	2 30"-wide frames				+\$0
For 72" wide (72)					
M0	2 36"-wide frames				+\$0

<i>For 84" wide (84)</i>		
X0	2 42"-wide frames	+\$0
<i>For 96" wide (96)</i>		
50	2 48"-wide frames	+\$0
Step 7. Horizontal Bead Finish		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Step 8. Receptacle Trim Finish		
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Step 9. Surface Finish		
Price Category 1		+\$0
Price Category 2		+\$20
Price Category 3		+\$36
Price Category 4		+\$55
Price Category 5		+\$112
Price Category B		+\$56
Price Category C		+\$85
Price Category D		+\$112
Price Category E		+\$139
Price Category F		+\$193

Full-Height Tile, Architectural with Power and Data FT18D.



Product Information

Description

This monolithic tile attaches to 1 side of a frame to provide access to power and data. It has a tackable fabric surface. It extends the full height of a frame and ends 4" above the floor. It is UL listed and NFPA classified. Attachment hardware included.

Notes

Specify tile height as follows:

- For 42"-high frame, specify 37"-high (37) tile.
- For 46"-high frame, specify 41"-high (41) tile.
- For 53"-high frame, specify 48"-high (48) tile.
- For 57"-high frame, specify 52"-high (52) tile.
- For 68"-high frame, specify 63"-high (63) tile.

Specify width of tile to match width of frame.

Cutout options have the following power and data cutouts:

A—2 power cutouts and 1 data cutout above the surface.

B—2 power cutouts and 1 data cutout above the surface (Chicago).

C—2 power cutouts and 1 data cutout below the surface.

E—2 power cutouts and 1 data cutout below the surface (Chicago).

Note: 24"-wide tiles with cutouts for shared power (A and C) have 1 power cutout or 1 power cutout and 1 data cutout.

To access power, order lower power/data tile power harness (FT152.) separately.

Tile with power/data cutouts above work surface (A) includes a communication faceplate extender and covers for the power/data openings.

For tile with cutouts for hardwired junction boxes (Chicago), order hardwire mounting rail (FT157.) separately.

When specifying tackable fabric, horizontal (R) option, fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.

Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

For tackable fabric option (T):

Height—Yardage

37"—1.26

41"—1.38

52"—1.70

63"—2.00

For tackable fabric, horizontal option (R):

Width—Yardage

24"—0.88

30"—1.05


36"—1.22

42"—1.40

48"—1.58

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in appendices.

Dimensions



Full-Height Tile, Architectural with Power and Data *continued*

Specification Information

Step 1.

FT18D.

Step 2. Height

37	37" high
41	41" high
48	48" high
52	52" high
63	63" high

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 4. Surface Material

For 37" high (37) or 41" high (41)

T	tackable fabric
R	tackable fabric, horizontal

For 48" high (48), 52" high (52), or 63" high (63)

T	tackable fabric
---	-----------------

Step 5. Cutout Location

A	power/data cutouts above work surface
B	power/data cutouts above work surface (meets Chicago electrical code requirements)
C	power/data cutouts below work surface
E	power/data cutouts below work surface (meets Chicago electrical code requirements)

Prices for Steps 1-5.

	TA	TB	TC	TE	RA	RB
FT18D. 37 24	\$312	312	312	312	315	315
30	\$323	323	323	323	328	328
36	\$372	372	372	372	379	379
42	\$388	388	388	388	394	394
48	\$400	400	400	400	407	407
41 24	\$321	321	321	321	327	327
30	\$339	339	339	339	343	343
36	\$389	389	389	389	396	396
42	\$406	406	406	406	419	419
48	\$426	426	426	426	436	436

48 24	\$323	323	323	323	—	—
30	\$345	345	345	345	—	—
36	\$402	402	402	402	—	—
42	\$421	421	421	421	—	—
48	\$437	437	437	437	—	—
52 24	\$349	349	349	349	—	—
30	\$375	375	375	375	—	—
36	\$439	439	439	439	—	—
42	\$455	455	455	455	—	—
48	\$483	483	483	483	—	—
63 24	\$382	382	382	382	—	—
30	\$406	406	406	406	—	—
36	\$486	486	486	486	—	—
42	\$512	512	512	512	—	—
48	\$537	537	537	537	—	—

	RC	RE
FT18D. 37 24	\$315	315
30	\$328	328
36	\$379	379
42	\$394	394
48	\$407	407
41 24	\$327	327
30	\$343	343
36	\$396	396
42	\$419	419
48	\$436	436

Step 6. Receptacle Trim Finish

UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Full-Height Tile, Architectural with Power and Data *continued*

Step 7. Fabric

For 37" high (37) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$26
Price Category 3	+\$47
Price Category 4	+\$72
Price Category 5	+\$149
Price Category B	+\$76
Price Category C	+\$113
Price Category D	+\$149
Price Category E	+\$185
Price Category F	+\$248

For 41" high (41) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$50
Price Category 4	+\$79
Price Category 5	+\$163
Price Category B	+\$83
Price Category C	+\$124
Price Category D	+\$163
Price Category E	+\$203
Price Category F	+\$272

For 48" high (48) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$32
Price Category 3	+\$55
Price Category 4	+\$89
Price Category 5	+\$181
Price Category B	+\$92
Price Category C	+\$132
Price Category D	+\$167
Price Category E	+\$202
Price Category F	+\$260

For 52" high (52) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$37
Price Category 3	+\$61
Price Category 4	+\$98
Price Category 5	+\$203
Price Category B	+\$102
Price Category C	+\$155
Price Category D	+\$203
Price Category E	+\$254
Price Category F	+\$335

For 63" high (63) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$44
Price Category 3	+\$71
Price Category 4	+\$116
Price Category 5	+\$244
Price Category B	+\$122
Price Category C	+\$184
Price Category D	+\$244
Price Category E	+\$302
Price Category F	+\$394

For 37" high (37) with tackable fabric, horizontal (R)


Price Category 1	+\$0
Price Category 2	+\$26
Price Category 3	+\$47
Price Category 4	+\$72
Price Category 5	+\$149
Price Category B	+\$76
Price Category C	+\$113
Price Category D	+\$149
Price Category E	+\$185
Price Category F	+\$248

For 41" high (41) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$50
Price Category 4	+\$79
Price Category 5	+\$163
Price Category B	+\$83
Price Category C	+\$124
Price Category D	+\$163
Price Category E	+\$203
Price Category F	+\$272

Lower Open Tile

FT174.



Product Information

Description


This 19"-high open tile attaches to 1 side of an equal-width frame. It is used in the bottom portion of a base frame. The open tile cannot be used with wall strips, tile adapters, or a power jumper. Each tile has a horizontal bead along the top of the tile and includes attachment hardware.

Notes

Specify width of tile to match width of frame.

Specify 1 open tile per frame; back side remains open.

Dimensions



Specification Information

Step 1.

FT174.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Prices for Steps 1-2.

FT174. 24	\$252
30	\$273
36	\$307
42	\$325
48	\$348

Step 3. Surface Finish

Metallic Paint


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP) ☐ A	+\$0
91	white (CP)	+\$0
98	studio white (CP) ☐ A	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP) ☐ A	+\$0
WN	warm grey neutral	+\$0

Canvas Office Landscape® Walls

Step 4. Horizontal Bead Finish		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This tile attaches to 1 side of a frame and has a painted, tackable fabric, marker board, veneer, or debossed metal surface. It provides a finished cover above a surface. Each tile has a horizontal bead along the top of the tile. The tile is UL listed and NFPA classified. Attachment hardware is included.

Notes

Specify width of tile to match width of frame.

7"-high tile attaches to the top position of a 42"- or 53"-high frame only.

18"-high tile attaches to the top position of a 53"-high frame only.

Grain direction is vertical for wood-grain laminates.

When specifying tackable fabric, horizontal option (R), fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.

Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

For tackable fabric option (T)

Height—Yardage

7"—0.38

11"—0.50

18"—0.66

22"—0.83

33"—1.15

For tackable fabric, horizontal option (R)

Width—Yardage

24"—.88

30"—1.05

36"—1.22


42"—1.4

48"—1.58


For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

For additional product options, see Vary Easy Program in appendices.

Dimensions



Painted, Fabric, Marker Board,
Laminate, Veneer



Debossed

Specification Information							
Step 1.							
FT181.							
Step 2. Height							
07	7" high (for 42" and 53" high frames only)						
11	11" high						
18	18" high (for 53" high frames only)						
22	22" high						
33	33" high						
Step 3. Width							
18	18" wide						
24	24" wide						
30	30" wide						
36	36" wide						
42	42" wide						
48	48" wide						
Step 4. Surface Material							
For 7" high (for 42" and 53" high frames only) (07)							
P	painted						
T	tackable fabric						
W	veneer ☐ A						
L	high-pressure laminate						
R	tackable fabric, horizontal						
For 11" high (11), 18" high (for 53" high frames only) (18), 22" high (22), or 33" high (33)							
P	painted						
T	tackable fabric						
M	marker board						
W	veneer ☐ A						
X	debossed						
L	high-pressure laminate						
R	tackable fabric, horizontal						
Prices for Steps 1-4.							
		P	T	M	W	X	L
FT181. 07 18		\$68	94	—	372	—	286
	24	\$73	96	—	387	—	293
	30	\$75	107	—	411	—	311
	36	\$82	111	—	436	—	326
	42	\$87	120	—	466	—	350
	48	\$93	125	—	495	—	368

11	18	\$82	105	180	410	127	327	
	24	\$84	109	184	421	130	332	
	30	\$88	118	201	445	141	350	
	36	\$93	126	222	472	153	373	
	42	\$98	137	246	505	169	398	
	48	\$101	146	271	533	180	420	
18	18	\$111	141	230	580	175	434	
	24	\$113	147	242	597	178	451	
	30	\$121	161	266	651	188	479	
	36	\$126	173	291	698	201	507	
	42	\$136	188	326	765	220	544	
	48	\$144	203	357	816	234	572	
22	18	\$111	141	230	580	175	434	
	24	\$113	147	242	597	178	451	
	30	\$121	161	266	600	188	479	
	36	\$126	173	291	698	201	507	
	42	\$136	188	326	765	220	544	
	48	\$144	203	357	816	234	572	
33	18	\$141	185	287	728	216	534	
	24	\$150	197	309	783	224	592	
	30	\$161	213	338	860	239	655	
	36	\$175	229	372	941	257	714	
	42	\$189	247	416	1030	282	793	
	48	\$197	261	457	1109	299	856	
							R	
FT181.	07	18						\$96
		24						\$97
		30						\$108
		36						\$117
		42						\$123
		48						\$129
11	18							\$109
	24							\$115
	30							\$121
	36							\$132
	42							\$143
	48							\$149
18	18							\$146
	24							\$151
	30							\$166
	36							\$180
	42							\$198
	48							\$206

22	18	\$146
24		\$151
30		\$166
36		\$180
42		\$198
48		\$206
33	18	\$195
24		\$201
30		\$216
36		\$233
42		\$257
48		\$272

Step 5. Surface Finish

Sand Texture Paint

For painted (P) or debossed (X)

UBK	ultra black (CP)	+\$0
91	white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WN	warm grey neutral	+\$0
98	studio white (CP) A	+\$0
8Q	folkstone grey (CP) A	+\$0
WL	warm stone (CP) A	+\$0
DB3	glacier	+\$60
DR1	canyon	+\$60
DN2	nightfall	+\$60
OLF	olive	+\$60

Metallic Paint

For painted (P) or debossed (X)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0

For high-pressure laminate (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0

For high-pressure laminate (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
76	light brown walnut	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
WN	warm grey neutral	+\$0

Wood Veneer

For veneer (W)

2U	light brown walnut A	+\$0
40	dark brown walnut	+\$0
ET	clear on ash A	+\$0
EU	oak on ash A	+\$0
EV	walnut on ash A	+\$0
EW	medium matte walnut	+\$0
UL	natural maple A	+\$0
CHD	noble cherry A	+\$0

Step 6. Horizontal Bead Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 7. Surface Finish

For 7" high (for 42" and 53" high frames only) (07) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$5
Price Category 3	+\$10
Price Category 4	+\$13
Price Category 5	+\$92
Price Category B	+\$17
Price Category C	+\$25
Price Category D	+\$32
Price Category E	+\$40
Price Category F	+\$65

For 11" high (11) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$8
Price Category 3	+\$16
Price Category 4	+\$22
Price Category 5	+\$52
Price Category B	+\$26
Price Category C	+\$40
Price Category D	+\$52
Price Category E	+\$65
Price Category F	+\$96

For 18" high (for 53" high frames only) (18) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$16
Price Category 3	+\$25
Price Category 4	+\$40
Price Category 5	+\$92
Price Category B	+\$47
Price Category C	+\$71
Price Category D	+\$92
Price Category E	+\$114
Price Category F	+\$168

For 22" high (22) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$16
Price Category 3	+\$25
Price Category 4	+\$40
Price Category 5	+\$92
Price Category B	+\$47
Price Category C	+\$71
Price Category D	+\$92
Price Category E	+\$114
Price Category F	+\$168

For 33" high (33) with tackable fabric (T)

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$40
Price Category 4	+\$61
Price Category 5	+\$134
Price Category B	+\$68
Price Category C	+\$101
Price Category D	+\$134
Price Category E	+\$167
Price Category F	+\$244

For 7" high (for 42" and 53" high frames only) (07) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$5
Price Category 3	+\$10
Price Category 4	+\$13
Price Category 5	+\$92
Price Category B	+\$17
Price Category C	+\$25
Price Category D	+\$32
Price Category E	+\$40
Price Category F	+\$65

For 11" high (11) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$8
Price Category 3	+\$16
Price Category 4	+\$22
Price Category 5	+\$52
Price Category B	+\$26
Price Category C	+\$40
Price Category D	+\$52
Price Category E	+\$65
Price Category F	+\$96

For 18" high (for 53" high frames only) (18) with tackable fabric, horizontal (R)


Price Category 1	+\$0
Price Category 2	+\$16
Price Category 3	+\$25
Price Category 4	+\$40
Price Category 5	+\$92
Price Category B	+\$47
Price Category C	+\$71
Price Category D	+\$92
Price Category E	+\$114
Price Category F	+\$168

For 22" high (22) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$16
Price Category 3	+\$25
Price Category 4	+\$40
Price Category 5	+\$92
Price Category B	+\$47
Price Category C	+\$71
Price Category D	+\$92
Price Category E	+\$114
Price Category F	+\$168

For 33" high (33) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$40
Price Category 4	+\$61
Price Category 5	+\$134
Price Category B	+\$68
Price Category C	+\$101
Price Category D	+\$134
Price Category E	+\$167
Price Category F	+\$244



Canvas Office Landscape® Walls

Product Information

Description

Notes

This tile attaches to 1 side of 2 adjacent frames and has a tackable fabric, laminate, or veneer surface with a horizontal bead along the top. The tile is UL listed and NFPA classified. Attachment hardware included.

Specify width of tile to match the combined width of 2 frames.

7"-high tile attaches to the top position of a 42"- or 53"-high frame only.

18"-high tile attaches to the top position of a 53"-high frame only.

Grain direction is horizontal for wood-grain laminates.

When specifying tackable fabric, horizontal option (R), fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.

Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.


Width—Yardage

54"	—1.75
60"	—1.93
66"	—2.11
72"	—2.29
78"	—2.47
84"	—2.65
90"	—2.83
96"	—3.01

Yardage for 54"-wide fabric covers up to 4 7"-high tiles, 3 11"-high tiles, 2 22"-high tiles, or 1 33"-high tile.

For information on additional quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

For additional product options, see Vary Easy in appendices.



Specification Information
Step 1.
FT381.
Step 2. Height

07	7" high (for 42" and 53" high frames only)
11	11" high
18	18" high (for 53" high frames only)
22	22" high
33	33" high

Step 3. Width

54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
96	96" wide

Step 4. Surface Material

R	tackable fabric, horizontal
L	high-pressure laminate
W	veneer A

Prices for Steps 1-4.

		R	L	W
FT381. 07	54	\$199	548	680
	60	\$208	576	727
	66	\$217	591	767
	72	\$223	611	808
	78	\$239	689	890
	84	\$247	771	946
	90	\$250	813	991
	96	\$258	844	1014
11	54	\$234	620	751
	60	\$239	635	774
	66	\$249	688	837
	72	\$259	709	858
	78	\$280	800	975
	84	\$291	822	999
	90	\$299	842	1019
	96	\$307	864	1053

18	54	\$309	813	1047
	60	\$336	850	1096
	66	\$355	896	1192
	72	\$390	966	1245
	78	\$419	1009	1419
	84	\$434	1078	1473
	90	\$461	1106	1495
	96	\$461	1153	1515
22	54	\$316	842	1082
	60	\$324	873	1127
	66	\$342	941	1232
	72	\$355	968	1275
	78	\$382	1096	1453
	84	\$397	1126	1507
	90	\$407	1131	1561
	96	\$424	1179	1611
33	54	\$419	1131	1431
	60	\$434	1187	1495
	66	\$455	1303	1639
	72	\$470	1365	1707
	78	\$510	1565	1959
	84	\$527	1636	2032
	90	\$543	1699	2111
	96	\$563	1771	2189

Step 5. Frame Configuration

For 7" high (for 42" and 53" high frames only) (07), 11" high (11), 18" high (for 53" high frames only) (18), or 22" high (22)

E0 any 2 frame widths +\$0

For 33" high (33) with 54" wide (54)

F0 1 30"-wide frame, 1 24"-wide frame +\$0

For 33" high (33) with 60" wide (60)

H0 2 30"-wide frames +\$0

J0 1 36"-wide frame, 1 24"-wide frame +\$0

For 33" high (33) with 66" wide (66)

K0 1 36"-wide frame, 1 30"-wide frame +\$0

L0 1 42"-wide frame, 1 24"-wide frame +\$0

For 33" high (33) with 72" wide (72)

M0 2 36"-wide frames +\$0

P0 1 42"-wide frame, 1 30"-wide frame +\$0

S0 1 48"-wide frame, 1 24"-wide frame +\$0

<i>For 33" high (33) with 78" wide (78)</i>		
U0	1 42"-wide frame, 1 36"-wide frame	+\$0
V0	1 48"-wide frame, 1 30"-wide frame	+\$0

<i>For 33" high (33) with 84" wide (84)</i>		
X0	2 42"-wide frames	+\$0
Z0	1 48"-wide frame, 1 36"-wide frame	+\$0

<i>For 33" high (33) with 90" wide (90)</i>		
40	1 48"-wide frame, 1 42"-wide frame	+\$0

<i>For 33" high (33) with 96" wide (96)</i>		
50	2 48"-wide frames	+\$0

Step 6. Surface Finish

<i>For high-pressure laminate (L)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
76	light brown walnut	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
WN	warm grey neutral	+\$0
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0

<i>For veneer (W)</i>		
2U	light brown walnut A	+\$102
40	dark brown walnut	+\$102
ET	clear on ash A	+\$102
EU	oak on ash A	+\$102
EV	walnut on ash A	+\$102
EW	medium matte walnut	+\$102
UL	natural maple A	+\$102
CHD	noble cherry	+\$0

Step 7. Horizontal Bead Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Fabric

For 7" high (for 42" and 53" high frames only) (07) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$12
Price Category 3	+\$24
Price Category 4	+\$34
Price Category 5	+\$79
Price Category B	+\$42
Price Category C	+\$62
Price Category D	+\$79
Price Category E	+\$97
Price Category F	+\$140

Extended-Width Upper Tile *continued*

For 11" high (11) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$16
Price Category 3	+\$30
Price Category 4	+\$53
Price Category 5	+\$102
Price Category B	+\$53
Price Category C	+\$78
Price Category D	+\$98
Price Category E	+\$119
Price Category F	+\$179

For 18" high (for 53" high frames only) (18) with tackable fabric, horizontal (R)


Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$50
Price Category 4	+\$79
Price Category 5	+\$184
Price Category B	+\$91
Price Category C	+\$140
Price Category D	+\$182
Price Category E	+\$221
Price Category F	+\$286

For 22" high (22) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$50
Price Category 4	+\$79
Price Category 5	+\$184
Price Category B	+\$91
Price Category C	+\$139
Price Category D	+\$176
Price Category E	+\$214
Price Category F	+\$286

For 33" high (33) with tackable fabric, horizontal (R)

Price Category 1	+\$0
Price Category 2	+\$44
Price Category 3	+\$79
Price Category 4	+\$121
Price Category 5	+\$266
Price Category B	+\$136
Price Category C	+\$202
Price Category D	+\$266
Price Category E	+\$332
Price Category F	+\$390



Canvas Office Landscape® Walls

Product Information

Description

This 11"-high tile attaches to 1 side of an equal-width frame. It has a fabric surface, receptacle opening(s), and a communication faceplate location. Covers for power and data openings are included. Each tile has a horizontal bead along the top of the tile. It is UL listed and NFPA classified. Attachment hardware included.

Tile with standard power option (C) has a tackable surface. Tile with Chicago power option (R) is not tackable.

Notes

Specify width of tile to match width of frame.

24"-wide tile with standard power option (C) has 1 receptacle opening only. All other tiles have 2 receptacle openings.

To access power, order upper power/data tile power harness (FT153.) separately.

Order 4-circuit receptacles (FT155. or FT156.) separately.

When using cutouts for hardwired junction boxes (Chicago), specify hardware mounting rail (FT157.) separately.

When specifying tackable fabric, horizontal option (R), fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.

Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

For tackable fabric option (T)
Order minimum of 0.50 yard.

For tackable fabric, horizontal option (R)
Width—Yardage

24"	— .88
30"	— 1.05
36"	— 1.22
42"	— 1.4
48"	— 1.58

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions

Configuration C (Standard Power Option):

- 24" wide tile: 1 receptacle opening.
- 30" wide tile: 2 receptacle openings.
- 36" wide tile: 2 receptacle openings.
- 42" wide tile: 2 receptacle openings.
- 48" wide tile: 2 receptacle openings.

Configuration R (Chicago Power Option):

- 24" wide tile: 1 receptacle opening.
- 30"-48" wide tile: 2 receptacle openings.

Specification Information**Step 1.****FT184.****Step 2. Width**

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 3. Functional Zone

T	fabric
R	fabric, horizontal

Step 4. Cutouts*For fabric (T)*

C	power/data cutouts
R	power/data cutouts (meets Chicago electrical code requirements)

For fabric, horizontal (R)

C	power/data cutouts
----------	--------------------

Prices for Steps 1-4.

	C	R
FT184. 24 T	\$195	195
R	\$199	—
30 T	\$208	208
R	\$216	—
36 T	\$222	222
R	\$229	—
42 T	\$236	236
R	\$243	—
48 T	\$247	247
R	\$255	—

Step 5. Horizontal Bead Finish**Metallic Paint**

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0

Sand Texture Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0

Step 6. Receptacle Trim Finish**Sand Texture Paint**

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0


Step 7. Surface Finish

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For fabric (T)

Price Category 1	+\$0
Price Category 2	+\$8
Price Category 3	+\$16
Price Category 4	+\$22
Price Category B	+\$26
Price Category C	+\$40
Price Category D	+\$52
Price Category E	+\$65
Price Category F	+\$96

<i>For fabric, horizontal (R)</i>	
Price Category 1	+\$0
Price Category 2	+\$8
Price Category 3	+\$16
Price Category 4	+\$22
Price Category 5	+\$52
Price Category B	+\$26
Price Category C	+\$40
Price Category D	+\$52
Price Category E	+\$65
Price Category F	+\$96



Product Information

Description

This 11"-high tile attaches to 1 side of a frame and is the upper connection point for an off-module 90° connector kit. It is also the attachment point for an off-module shelf, flipper door unit, or sliding door storage unit. Tile has a painted or fabric surface and a horizontal bead along the top. Tile is UL listed and NFPA classified. Attachment hardware included.

Notes

Return frame or overhead storage attaches to off-module tile in 1" intervals. Return frame must be inset at least 2" from either end of frame with off-module tile.

Tile cannot be used with wall strips.

When attaching overhead storage below the top of the frame, specify off-module change-of-height support rail (FT166.) separately.

When connecting a frame of lower height, specify off-module connector kit (FT127.B) separately.

Tile cannot be used for off module placement to a spine wall of a frame with any of the following products:

- Upmount screen (FT113.)
- Frame top screen (FT114.)
- Thin profile stacking window (FT187.)
- Pari screen, frame top (FT355.)

Fabric-covered tile is non-tackable.

When specifying fabric, horizontal option (R), fabric direction is horizontal (railroaded). Specify all tiles within the workstation the same.

Fabric-covered tile accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

For fabric option (F)

Height—Yardage

11"—0.50

For fabric, horizontal option (R)

24"—.88

30"—1.05


36"—1.22

42"—1.4

48"—1.58

For information on multiple quantities or nondirectional fabrics, contact COM department. See Order Information in Appendices.

Dimensions



Specification Information				
Step 1.				
FT188.				
Step 2. Width				
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
Step 3. Surface Material				
P	painted			
F	fabric			
R	fabric, horizontal			
Prices for Steps 1-3.				
		P	F	R
FT188. 24		\$463	637	651
30		\$513	688	707
36		\$581	767	783
42		\$657	840	863
48		\$703	889	919
Step 4. Surface Finish				
<i>For painted (P)</i>				
Sand Texture Paint				
UBK	ultra black (CP)			+\$0
8Q	folkstone grey (CP)			+\$0
91	white (CP)			+\$0
98	studio white (CP)			+\$0
BK	black			+\$0
CL	cool grey neutral			+\$0
G1	graphite (CP)			+\$0
WL	warm stone (CP)			+\$0
WN	warm grey neutral			+\$0
Metallic Paint				
611	beige mist metallic (CP)			+\$0
613	silver (CP)			+\$0
EH	metallic bronze			+\$0
SNA	satin aluminum			+\$10
SNB	satin bronze			+\$10
SNC	satin carbon			+\$10


Step 5. Horizontal Bead Finish		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 6. Surface Finish	
<i>For fabric (F)</i>	
Price Category 1	+\$0
Price Category 2	+\$8
Price Category 3	+\$16
Price Category 4	+\$22
Price Category 5	+\$52
Price Category B	+\$26
Price Category C	+\$40
Price Category D	+\$52
Price Category E	+\$65
Price Category F	+\$0

<i>For fabric, horizontal (R)</i>	
Price Category 1	+\$0
Price Category 2	+\$8
Price Category 3	+\$16
Price Category 4	+\$22
Price Category 5	+\$52
Price Category B	+\$26
Price Category C	+\$40
Price Category D	+\$52
Price Category E	+\$65
Price Category F	+\$0

Rail Tile

FT175.



Product Information

Description

This rail tile attaches to 1 side of a frame or wall strips and holds work tools. It has a horizontal bead along the top of the tile. Attachment hardware is included.

Notes

Specify width of tile to match width of frame.


7"-high tile attaches to the top position of a 42"- or 53"-high frame only.

Specify top tile position (T) when attaching to the top 11" of a frame. Specify middle tile position (M) for all other frame locations. Specify wall strip tile position (W) when attaching to wall strips.

Work tools cannot attach to bottom rail.

To retrofit existing rail tiles to support a monitor arm, order monitor arm retrofit kit (FT179.) separately.

Dimensions



Specification Information

Step 1.

FT175.

Step 2. Height

07 7" high

11 11" high

Step 3. Width

18 18" wide

24 24" wide

30 30" wide

36 36" wide

42 42" wide

48 48" wide

Step 4. Tile Position

For 7" high (07)

T top

For 11" high (11)

T top

M middle

W wall strip

Prices for Steps 1-4.

			T	M	W
FT175.	07	18	\$234	—	—
		24	\$247	—	—
		30	\$276	—	—
		36	\$300	—	—
		42	\$331	—	—
		48	\$345	—	—
	11	18	\$242	215	242
		24	\$249	224	249
		30	\$280	246	280
		36	\$307	269	307
		42	\$334	293	334
		48	\$360	323	360

Step 5. Surface Finish

Metallic Paint


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

UBK	ultra black (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0
DB3	glacier ☐	+\$60
DR1	canyon ☐	+\$60
DN2	nightfall ☐	+\$60
OLF	olive ☐	+\$60

Step 6. Horizontal Bead Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This 11"-high rail tile attaches to 1 side of a frame and supports a monitor arm. It also has rails to hold work tools. The monitor arm tile supports up to 3 monitor arms at a maximum of 20 pounds per arm. Each tile has a horizontal bead along the top of the tile and includes attachment hardware.

Notes


Specify width of tile to match width of frame.

Specify "T" option for use at top of frame; specify "M" option for use in middle of frame.

Power harness will not fit in frame location where upper monitor arm tile is attached.

Work tools cannot attach to bottom rail.

Dimensions



Specification Information

Step 1.

FT178.11

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 3. Position in Frame

T	top frame position
M	middle frame position

Prices for Steps 1-3.

		T	M
FT178.11	24	\$496	496
	30	\$543	543
	36	\$598	598
	42	\$652	652
	48	\$719	719

Step 4. Surface Finish

8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
BK	black	A	+\$0
CL	cool grey neutral	A	+\$0
G1	graphite (CP)	A	+\$0
UBK	ultra black (CP)	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Metallic Paint


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Canvas Office Landscape® Walls


Step 5. Horizontal Bead Finish		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
BK	black	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
EH	metallic bronze	+\$0

Monitor Arm Retrofit Kit, Upper Rail Tile


FT179.



Product Information
Description
This support kit is retrofit to an 11"-high rail tile. It attaches to the back side of the rail tile and allows the tile to support a monitor arm. The retrofit tile supports up to 3 monitor arms at a maximum of 20 pounds per arm. Attachment hardware is included.
Notes
Specify width of kit to match width of rail tile.
Power harness will not fit in frame location where monitor arm retrofit kit is attached.
When kit is used on rail tile, work tools cannot attach to bottom rail.
Dimensions



Specification Information
Step 1.
FT179.11
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
Prices for Steps 1-2.
FT179.11 24 \$322
30 \$355
36 \$388
42 \$423
48 \$467

**Product Information****Description**


This window tile attaches to an equal-width frame and finishes both sides of the frame. It has 1/8"-thick single-pane glass and is used in the top of a base frame or used in a stacking frame. Each tile has a horizontal bead along the top of the tile. Attachment hardware is included.

It cannot be used with wall strips or a power jumper. Stacking frames cannot be used on top of a window tile.

Notes

Specify width of tile to match width of frame.

For thin-profile window, order stacking window (FT187.) separately.

Dimensions**Specification Information****Step 1.**

FT183.

Step 2. Height

22 22" high

33 33" high

Step 3. Width

For 22" high (22) or 33" high (33)

18 18" wide

24 24" wide

30 30" wide

36 36" wide

42 42" wide

48 48" wide

Prices for Steps 1-3.

		18	24	30	36	42	48
FT183.	22	\$450	461	501	537	574	614
	33	\$528	536	576	624	665	707

Step 4. Frame Finish**Metallic Paint**


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

UBK	ultra black (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0
DB3	glacier ☐	+\$60
DR1	canyon ☐	+\$60
DN2	nightfall ☐	+\$60
OLF	olive ☐	+\$60

Upper Window Tile *continued*

Step 5. Glass Finish		
TR	clear	+\$0
34	opal glaze	+\$50
Step 6. Horizontal Bead Finish		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
BK	black	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
EH	metallic bronze	+\$0


**Product Information****Description**

This tile finishes an equal-width frame and provides an opening for communicating, sharing equipment, or improving air circulation. 1 tile finishes both sides of the frame. The open tile is used at the top of a base frame or used in a stacking frame. Each tile has a horizontal bead along the top of the tile. Attachment hardware is included.

It cannot be used with wall strips or a power jumper. Stacking frames cannot be used on top of an open tile.

Notes

Specify width of tile to match width of frame.

Dimensions**Specification Information****Step 1.****FT185.****Step 2. Height**

22	22" high
33	33" high

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Prices for Steps 1-3.

		24	30	36	42	48
FT185. 22		\$409	437	471	503	534
33		\$484	509	534	559	585

Step 4. Frame Finish**Metallic Paint**


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 5. Horizontal Bead Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**

This sound-reducing insert is placed within a frame and fills the entire frame or the upper tile zone of a frame. Acoustical inserts are 1½" thick and are positioned in the center of the frame.

The acoustical insert cannot be used with a window tile, open tile, or power/data tile.

Notes


Specify width of insert to match width of frame.

Order frames (FT110.) or stacking frames (FT111.) separately.

Power and data can be routed in the base of a frame that has base covers and an acoustical insert.

Upper zone inserts fill the frame's interior from 35" high to the top of the frame; power harness can be used in any lower zone position. Specify height of upper zone insert to match overall height of frame.

Full-height inserts cannot be used in a frame with a lower or upper power harness.

Dimensions**Specification Information****Step 1.**

FT189.

Step 2. Application

U upper zone insert

F full-height insert

Step 3. Frame Height

46 46"-high frame

57 57"-high frame

68 68"-high frame

Step 4. Width

18 18" wide

24 24" wide

30 30" wide

36 36" wide

42 42" wide


48 48" wide

Prices for Steps 1-4.

		18	24	30	36	42	48
FT189. U	46	\$95	106	117	126	143	169
	57	\$109	121	133	143	161	185
	68	\$126	136	152	177	208	232
F	46	\$95	106	117	126	143	169
	57	\$109	121	133	143	161	185
	68	\$126	136	152	177	208	232

Tool Bar

FT900.



Product Information

Description


This tool bar attaches to a frame or wall strips in 1" increments. It holds paper tools.

Notes

Specify width of tool bar to match width of frame or tool bar can span 2 smaller width frames.

Tool bar cannot attach to the top 3" of a frame.

Dimensions



Specification Information

Step 1.

FT900.

Step 2. Width

18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Prices for Steps 1-2.

FT900. 18	\$102
24	\$107
30	\$126
36	\$140
42	\$155
48	\$164

Step 3. Finish

Metallic Paint


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Coat Hook

FT490.




Canvas Office Landscape® Walls

Product Information

Description

This hook fits under the frame's top cap and holds coats, hats, and umbrellas. It can be specified for use with a standard top cap. Package of 6.

Dimensions



Specification Information

Step 1.

FT490.

Step 2. Type

S for standard top cap

Prices for Steps 1-2.

FT490. S \$159

Step 3. Finish

Sand Texture Paint


UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Coat Hook - Frame Attached


FT489.



Product Information
Description
This hook attaches using the slotted standards on the frame. Hook holds coats, hats, and umbrellas. It can be specified for use with a standard or architectural top cap, and can be located anywhere on the frame's slots. Package of 6.
Dimensions




End of Run (E)



In-line (L)


Specification Information
Step 1.
FT489. ☐ A
Step 2. Type
L canvas slotted standard attached - in-line ☐ A
E canvas slotted standard attached - end of run ☐ A
Prices for Steps 1-2.
FT489. L \$453
E \$453
Step 3. Surface Finish
Sand Texture Paint
8Q folkstone grey (CP) ☐ A +\$0
91 white (CP) ☐ A +\$0
98 studio white (CP) ☐ A +\$0
BK black ☐ A +\$0
CL cool grey neutral ☐ A +\$0
G1 graphite (CP) ☐ A +\$0
UBK ultra black (CP) ☐ A +\$0
WL warm stone (CP) ☐ A +\$0
WN warm grey neutral ☐ A +\$0
Metallic Paint
611 beige mist metallic (CP) ☐ A +\$0
613 silver (CP) ☐ A +\$0
EH metallic bronze ☐ A +\$0
SNA satin aluminum ☐ A +\$10
SNB satin bronze ☐ A +\$10
SNC satin carbon ☐ A +\$10



Canvas Office Landscape® Walls


Product Information
Description
This metal holder includes 4 erasable markers and an eraser. It attaches to a vertical surface with hook-and-loop fastener, 2-sided tape, or magnetic tape (also included).
Dimensions

Specification Information		
Step 1.		
Y7231.		\$191
Step 2. Finish		
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP)	+\$0
BK	black	+\$0



Rectangular Surface

FTE10.
FTS10.
FTT10.



Product Information

Description

This surface hangs from a frame, wall strips, or attaches to various support components to create a freestanding rectangular desk. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. Laminate and veneer surfaces are 1 1/4" thick. Painted Formcoat® surfaces are 1" thick. When hanging from a frame or wall strips there is a 1" gap at the back of the surface for standard plug head and cord passage.

Notes

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.

For surface attachment bracket (D) option:

- Ganging brackets are included for using the surface as a bridge.
- Surface will only attach to front edge of squared-edge surfaces or the transition portion of the thin-edge or eased-edge surfaces.

For Canvas frame attached surface (F) option:

- Order appropriate supports separately; 2 supports are required for each surface (left and right side):
 - Open support, tapered foot, frame attached (FT294.)
 - Open support, architectural foot, frame attached (FT2A1.)
 - Support panel, tapered foot, frame attached (FT291.)
 - Universal post leg, frame attached (FT2B1.)
 - Surface cantilever (FT290.)
 - Surface support rail (FT295.)
 - Support pedestal
- Center supports are included for surfaces 54" wide and wider.

For no brackets, for freestanding or use with low credenza (S) option:



- Order the following support products separately:
 - Closed support leg (FV2E2.)
 - Open support leg, architectural foot (FV2A2.)
 - Square open support leg (FV2D2.)
 - Support leg, post (FV689.)
 - Universal post leg (FT2B2.)
 - Surface ganging bracket (FT29B.)
 - Surface support, low credenza, adjustable height (FT299.)
 - Surface support, low credenza, fixed height (FT298.)
 - Surface-attached pedestal
- When creating a freestanding desk with closed support leg (FV2E2.), a modesty panel (FV697.) is required for stability.

Thin-edge surfaces do not work with the following:


- Surface-attached pedestal
- Support pedestal
- Closed support leg (FV2E2.)
- Square open support leg (FV2D2.)

Stiffener (FV696.) is required for any laminate or veneer surface 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever. See Canvas Office Landscape® Planning Guide for specific stiffener guidelines.

Dimensions



Laminate, Veneer



Painted

Specification Information	
Step 1.	
FT	
Step 2. Edge	
S10.	squared-edge
T10.	thin-edge
E10.	eased-edge
Step 3. Depth	
<i>For squared-edge (S10.)</i>	
20	20" deep
24	24" deep
30	30" deep
36	36" deep
<i>For thin-edge (T10.) or eased-edge (E10.)</i>	
24	24" deep
30	30" deep
36	36" deep
Step 4. Width	
<i>For 20" deep (20), 24" deep (24), or 30" deep (30)</i>	
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
96	96" wide
<i>For 36" deep (36)</i>	
60	60" wide ☐
66	66" wide ☐
72	72" wide ☐
78	78" wide ☐
84	84" wide ☐
90	90" wide ☐
96	96" wide ☐

Step 5. Surface Material	
<i>For squared-edge (S10.)</i>	
J	thermally-fused laminate top/thermoplastic edge with MicrobeCare™ ☐
M	thermally-fused laminate top/thermoplastic edge
T	thermally-fused laminate top/universal edge ☐
L	high-pressure laminate top/thermoplastic edge
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge
U	high-pressure laminate/universal edge ☐
A	high-pressure laminate top/thermoplastic edge with MicrobeCare™ ☐
<i>For thin-edge (T10.)</i>	
L	high-pressure laminate top/thermoplastic edge
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge
A	high-pressure laminate top/thermoplastic edge with MicrobeCare™ ☐
<i>For eased-edge (E10.)</i>	
P	painted Formcoat® top/edge
Step 6. Attachment Bracket	
<i>For 20" deep (20) with 24" wide (24), 30" wide (30), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)</i>	
F	Canvas frame attached surface
<i>For 20" deep (20) with 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)</i>	
D	surface attachment bracket
F	Canvas frame attached surface
<i>For 24" deep (24) or 30" deep (30) with 24" wide (24) or 30" wide (30)</i>	
F	Canvas frame attached surface
S	no brackets, for freestanding or use with low credenza
<i>For 24" deep (24) or 30" deep (30) with 36" wide (36), 42" wide (42), 48" wide (48), or 54" wide (54)</i>	
D	surface attachment bracket
F	Canvas frame attached surface
S	no brackets, for freestanding or use with low credenza

Rectangular Surface *continued*

<i>For 24" deep (24) or 30" deep (30) with 60" wide (60)</i>	
D	surface attachment bracket
F	Canvas frame attached surface
S	no brackets, for freestanding or use with low credenza

<i>For 24" deep (24) or 30" deep (30) with 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)</i>	
F	Canvas frame attached surface
S	no brackets, for freestanding or use with low credenza

<i>For 36" deep (36) with 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)</i>	
S	no brackets, for freestanding or use with low credenza

Prices for Steps 1-6.

		JD	JF	JS	MD	MF	MS
FTS10.	20 24	—	\$352	—	—	272	—
	30	—	\$384	—	—	304	—
	36	\$407	422	—	329	341	—
	42	\$443	461	—	363	383	—
	48	\$487	501	—	396	409	—
	54	\$567	580	—	475	489	—
	60	\$618	632	—	527	541	—
	66	—	\$657	—	—	566	—
	72	—	\$680	—	—	591	—
	78	—	\$725	—	—	623	—
	84	—	\$796	—	—	692	—
	90	—	\$817	—	—	713	—
	96	—	\$847	—	—	743	—
	24 24	—	\$352	286	—	272	208
	30	—	\$384	323	—	304	243
	36	\$407	422	360	329	341	280
	42	\$443	461	396	363	383	317
	48	\$494	508	446	401	417	355
	54	\$567	580	519	475	489	427
	60	\$625	642	562	533	549	471
	66	—	\$689	620	—	597	528
	72	—	\$713	644	—	622	552
	78	—	\$748	679	—	646	576
	84	—	\$796	743	—	692	640
	90	—	\$817	750	—	713	647
	96	—	\$847	752	—	743	650

30 24	—	\$376	314	—	298	235
30	—	\$450	387	—	369	307
36	\$492	508	444	412	429	364
42	\$532	545	492	454	467	412
48	\$568	580	528	476	489	435
54	\$674	689	620	581	597	528
60	\$698	713	644	606	622	552
66	—	\$784	715	—	692	624
72	—	\$838	770	—	746	678
78	—	\$901	848	—	798	744
84	—	\$964	896	—	858	792
90	—	\$1011	925	—	909	823
96	—	\$1052	960	—	947	856
36 60	—	—	\$792	—	—	701
66	—	—	\$874	—	—	781
72	—	—	\$946	—	—	854
78	—	—	\$968	—	—	864
84	—	—	\$977	—	—	874
90	—	—	\$1035	—	—	932
96	—	—	\$1091	—	—	987

		TD	TF	TS	LD	LF	LS
FTS10.	20 24	—	\$272	—	—	337	—
	30	—	\$304	—	—	375	—
	36	\$329	341	—	407	422	—
	42	\$363	383	—	449	472	—
	48	\$396	409	—	490	506	—
	54	\$475	489	—	587	603	—
	60	\$527	541	—	650	668	—
	66	—	\$566	—	—	699	—
	72	—	\$591	—	—	728	—
	78	—	\$623	—	—	768	—
	84	—	\$692	—	—	853	—
	90	—	\$713	—	—	879	—
	96	—	\$743	—	—	917	—

Rectangular Surface *continued*

Canvas Office Landscape® Work Surfaces

24	24	—	\$272	208	—	337	257
30		—	\$304	243	—	375	299
36		\$329	341	280	407	422	346
42		\$363	383	317	449	472	391
48		\$401	417	355	495	514	438
54		\$475	489	427	587	603	527
60		\$533	549	471	659	678	582
66		—	\$597	528	—	737	651
72		—	\$622	552	—	767	681
78		—	\$646	576	—	797	710
84		—	\$692	640	—	853	788
90		—	\$713	647	—	879	799
96		—	\$743	650	—	917	802
30	24	—	\$298	235	—	368	291
30		—	\$369	307	—	456	380
36		\$412	429	364	509	529	450
42		\$454	467	412	559	576	509
48		\$476	489	435	588	603	536
54		\$581	597	528	717	737	651
60		\$606	622	552	748	767	681
66		—	\$692	624	—	853	769
72		—	\$746	678	—	920	837
78		—	\$798	744	—	985	918
84		—	\$858	792	—	1059	977
90		—	\$909	823	—	1121	1015
96		—	\$947	856	—	1169	1056
36	60	—	—	\$701	—	—	864
66		—	—	\$781	—	—	963
72		—	—	\$854	—	—	1054
78		—	—	\$864	—	—	1066
84		—	—	\$874	—	—	1078
90		—	—	\$932	—	—	1149
96		—	—	\$987	—	—	1219

		WD	WF	WS	PD	PF	PS
FTS10.	20 24	—	\$678	—	—	427	—
	30	—	\$738	—	—	479	—
	36	\$780	795	—	577	541	—
	42	\$838	854	—	619	594	—
	48	\$895	911	—	658	656	—
	54	\$1128	1147	—	830	773	—
	60	\$1188	1206	—	874	861	—
	66	—	\$1287	—	—	933	—
	72	—	\$1376	—	—	974	—
	78	—	\$1488	—	—	1015	—
	84	—	\$1604	—	—	1089	—
	90	—	\$1676	—	—	1118	—
	96	—	\$1726	—	—	1165	—
	24 24	—	\$703	623	—	427	338
	30	—	\$791	710	—	479	393
	36	\$856	870	795	626	541	456
	42	\$915	931	869	670	594	509
	48	\$971	987	929	712	656	566
	54	\$1160	1180	1104	856	773	685
	60	\$1265	1282	1206	928	861	778
	66	—	\$1338	1261	—	963	875
	72	—	\$1398	1319	—	1031	939
	78	—	\$1488	1422	—	1071	978
	84	—	\$1604	1488	—	1111	1019
	90	—	\$1676	1548	—	1153	1062
	96	—	\$1726	1610	—	1194	1103
	30 24	—	\$781	702	—	468	380
	30	—	\$931	869	—	583	495
	36	\$971	987	929	712	673	588
	42	\$1030	1046	986	754	758	673
	48	\$1120	1137	1068	813	813	743
	54	\$1322	1338	1261	970	988	898
	60	\$1436	1468	1382	1041	1031	939
	66	—	\$1645	1560	—	1084	1011
	72	—	\$1763	1679	—	1174	1100
	78	—	\$1871	1807	—	1252	1177
	84	—	\$1979	1913	—	1349	1275
	90	—	\$2077	1985	—	1425	1352
	96	—	\$2173	2056	—	1491	1419
	36 60	—	—	\$1695	—	—	1193
	66	—	—	\$1918	—	—	1274
	72	—	—	\$2071	—	—	1384
	78	—	—	\$2130	—	—	1441
	84	—	—	\$2185	—	—	1499
	90	—	—	\$2306	—	—	1586
	96	—	—	\$2422	—	—	1678

Rectangular Surface *continued*

		UD	UF	US	AD	AF	AS
FTS10.	20 24	—	\$337	—	—	434	—
	30	—	\$375	—	—	473	—
	36	\$407	422	—	503	520	—
	42	\$449	472	—	547	568	—
	48	\$490	506	—	601	618	—
	54	\$587	603	—	700	716	—
	60	\$650	668	—	763	779	—
	66	—	\$699	—	—	809	—
	72	—	\$728	—	—	839	—
	78	—	\$768	—	—	895	—
	84	—	\$853	—	—	981	—
	90	—	\$879	—	—	1009	—
	96	—	\$917	—	—	1045	—
	24 24	—	\$337	257	—	434	353
	30	—	\$375	299	—	473	398
	36	\$407	422	346	503	520	444
	42	\$449	472	391	547	568	490
	48	\$495	514	438	609	627	551
	54	\$587	603	527	700	716	640
	60	\$659	678	582	770	793	693
	66	—	\$737	651	—	850	764
	72	—	\$767	681	—	879	795
	78	—	\$797	710	—	922	838
	84	—	\$853	788	—	981	917
	90	—	\$879	799	—	1009	926
	96	—	\$917	802	—	1045	929
	30 24	—	\$368	291	—	465	388
	30	—	\$456	380	—	554	476
	36	\$509	529	450	607	627	548
	42	\$559	576	509	658	673	607
	48	\$588	603	536	701	716	651
	54	\$717	737	651	833	850	764
	60	\$748	767	681	861	879	795
	66	—	\$853	769	—	968	881
	72	—	\$920	837	—	1034	950
	78	—	\$985	918	—	1111	1046
	84	—	\$1059	977	—	1188	1105
	90	—	\$1121	1015	—	1247	1143
	96	—	\$1169	1056	—	1298	1185
	36 60	—	—	\$864	—	—	977
	66	—	—	\$963	—	—	1078
	72	—	—	\$1054	—	—	1167
	78	—	—	\$1066	—	—	1193
	84	—	—	\$1078	—	—	1205
	90	—	—	\$1149	—	—	1277
	96	—	—	\$1219	—	—	1346

		TD	TF	TS	LD	LF	LS
FTT10.	24 24	—	—	—	—	\$451	373
	30	—	—	—	—	\$507	431
	36	—	—	—	\$616	573	497
	42	—	—	—	\$657	635	561
	48	—	—	—	\$698	698	621
	54	—	—	—	\$865	816	743
	60	—	—	—	\$907	918	841
	66	—	—	—	—	\$966	883
	72	—	—	—	—	\$1005	921
	78	—	—	—	—	\$1046	978
	84	—	—	—	—	\$1154	1091
	90	—	—	—	—	\$1189	1124
	96	—	—	—	—	\$1239	1177
	30 24	—	—	—	—	\$494	421
	30	—	—	—	—	\$621	545
	36	—	—	—	\$698	713	641
	42	—	—	—	\$770	752	689
	48	—	—	—	\$852	794	728
	54	—	—	—	\$991	966	883
	60	—	—	—	\$1089	1024	958
	66	—	—	—	—	\$1154	1088
	72	—	—	—	—	\$1245	1182
	78	—	—	—	—	\$1331	1266
	84	—	—	—	—	\$1433	1367
	90	—	—	—	—	\$1512	1447
	96	—	—	—	—	\$1585	1523
	36 60	—	—	—	—	—	\$1166
	66	—	—	—	—	—	\$1210
	72	—	—	—	—	—	\$1262
	78	—	—	—	—	—	\$1316
	84	—	—	—	—	—	\$1367
	90	—	—	—	—	—	\$1447
	96	—	—	—	—	—	\$1529

Rectangular Surface *continued*

Canvas Office Landscape® Work Surfaces

		WD	WF	WS	PD	PF	PS
FTT10.	24 24	—	\$899	814	—	457	371
	30	—	\$1014	927	—	511	426
	36	\$1208	1120	1037	665	578	491
	42	\$1317	1235	1151	723	640	553
	48	\$1409	1323	1240	791	701	618
	54	\$1606	1521	1436	911	822	739
	60	\$1791	1706	1623	1008	922	833
	66	—	\$1901	1817	—	1027	940
	72	—	\$2036	1952	—	1105	1019
	78	—	\$2147	2065	—	1204	1118
	84	—	\$2236	2153	—	1341	1252
	90	—	\$2320	2238	—	1374	1292
	96	—	\$2409	2326	—	1437	1352
	30 24	—	\$1000	918	—	498	410
	30	—	\$1221	1137	—	626	541
	36	\$1439	1368	1287	807	718	634
	42	\$1525	1513	1430	899	816	726
	48	\$1612	1628	1565	994	909	821
	54	\$1957	1929	1845	1155	1072	984
	60	\$2045	2063	1979	1271	1183	1098
	66	—	\$2147	2065	—	1333	1245
	72	—	\$2269	2197	—	1441	1357
	78	—	\$2409	2339	—	1538	1458
	84	—	\$2547	2476	—	1639	1550
	90	—	\$2669	2600	—	1697	1608
	96	—	\$2795	2724	—	1754	1664
	36 60	—	—	\$2514	—	—	1368
	66	—	—	\$2600	—	—	1561
	72	—	—	\$2706	—	—	1703
	78	—	—	\$2824	—	—	1774
	84	—	—	\$2940	—	—	1844
	90	—	—	\$3093	—	—	1954
	96	—	—	\$3244	—	—	2018

		UD	UF	US	AD	AF	AS
FTT10.	24 24	—	—	—	—	\$545	468
	30	—	—	—	—	\$601	526
	36	—	—	—	\$711	667	592
	42	—	—	—	\$751	728	655
	48	—	—	—	\$807	807	728
	54	—	—	—	\$977	925	852
	60	—	—	—	\$1016	1027	951
	66	—	—	—	—	\$1074	991
	72	—	—	—	—	\$1115	1030
	78	—	—	—	—	\$1169	1100
	84	—	—	—	—	\$1276	1215
	90	—	—	—	—	\$1312	1247
	96	—	—	—	—	\$1362	1300
	30 24	—	—	—	—	\$591	513
	30	—	—	—	—	\$714	640
	36	—	—	—	\$793	808	738
	42	—	—	—	\$863	847	783
	48	—	—	—	\$959	902	838
	54	—	—	—	\$1100	1074	991
	60	—	—	—	\$1198	1131	1068
	66	—	—	—	—	\$1262	1196
	72	—	—	—	—	\$1353	1291
	78	—	—	—	—	\$1454	1391
	84	—	—	—	—	\$1555	1490
	90	—	—	—	—	\$1636	1570
	96	—	—	—	—	\$1709	1646
	36 60	—	—	—	—	—	\$1276
	66	—	—	—	—	—	\$1320
	72	—	—	—	—	—	\$1370
	78	—	—	—	—	—	\$1439
	84	—	—	—	—	—	\$1490
	90	—	—	—	—	—	\$1570
	96	—	—	—	—	—	\$1652

		WD	WF	WS	PD	PF	PS
FTE10.	24	24	—	—	—	\$471	382
		30	—	—	—	\$533	440
		36	—	—	—	\$687	596
		42	—	—	—	\$750	659
		48	—	—	—	\$818	728
		54	—	—	—	\$940	851
		60	—	—	—	\$1042	955
		66	—	—	—	\$1064	974
		72	—	—	—	\$1140	1053
		78	—	—	—	\$1245	1159
		84	—	—	—	\$1384	1295
		90	—	—	—	\$1422	1337
		96	—	—	—	\$1482	1394
30	24	—	—	—	—	\$515	429
		30	—	—	—	\$651	558
		36	—	—	—	\$833	744
		42	—	—	—	\$929	842
		48	—	—	—	\$1027	938
		54	—	—	—	\$1196	1106
		60	—	—	—	\$1315	1228
		66	—	—	—	\$1380	1292
		72	—	—	—	\$1489	1401
		78	—	—	—	\$1582	1492
		84	—	—	—	\$1639	1550
		90	—	—	—	\$1697	1608
		96	—	—	—	\$1754	1664
36	60	—	—	—	—	\$1417	—
		66	—	—	—	\$1616	—
		72	—	—	—	\$1764	—
		78	—	—	—	\$1833	—
		84	—	—	—	\$1903	—
		90	—	—	—	\$1962	—
		96	—	—	—	\$2018	—

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP) A	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
CHD	noble cherry A	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
EW	medium matte walnut A	+\$85
UL	natural maple A	+\$85
WHN	natural white oak A	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 8. Edge Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teal	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

For thermally-fused laminate top/universal edge (T) or high-pressure laminate/universal edge (U)

PLY	plywood edge A	+\$50
------------	--	-------

Concave Rectangular Surface

FTE11.
FTS11.



Product Information

Description

This wall-attached surface hangs perpendicular to a spine wall and is used in an About Face™ work surface orientation. It has a laminate top and thermoplastic edge, a veneer top and edge or a painted top and edge. Laminate and veneer surfaces are 1 1/4" thick. Painted Formcoat® surfaces are 1" thick. There is a 1" gap at the back of the surface for standard plug head and cord passage.

Notes

For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.

36" deep end must be on aisle side of workstation.

To support 36" deep end of surface on aisle side, order 1 of the following products separately:

- 36"-wide or wider frame with surface support rail (FT295.)
- 36"-deep open support, tapered foot, frame attached (FT294.36)
- 36"-deep open support, architectural foot, frame attached (FT2A1.36)
- Universal post leg, frame attached (FT2B1.)

To support 33 7/16" end of surface, order one of the following separately:




- Support rail (FT295.) Support rail must match width of attaching frame.

Center surface supports are included.

Eased-edge surface does not work with bookcase surface support (FT293.).

Stiffener (FV696.) is required for any laminate or veneer surface 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever. See Canvas Office Landscape® Planning Guide for specific stiffener guidelines.

Dimensions



Laminate, Veneer



Painted

Concave Rectangular Surface

continued

Specification Information					
Step 1.					
FT					
Step 2. Edge					
S11.	squared-edge				
E11.	eased-edge				
Step 3. Depth					
3L	36" deep left				
3R	36" deep right				
Step 4. Width					
72	72" wide				
78	78" wide				
84	84" wide				
90	90" wide				
96	96" wide				
Step 5. Surface Material					
For squared-edge (S11.)					
M	thermally-fused laminate top/thermoplastic edge				
L	high-pressure laminate top/thermoplastic edge				
W	veneer top/veneer edge A				
P	painted Formcoat® top/edge				
For eased-edge (E11.)					
P	painted Formcoat® top/edge				
Step 6. Attachment					
F	Canvas frame attached surface				
Prices for Steps 1-6.					
		MF	LF	WF	PF
FTS11. 3L	72	\$1159	1430	2154	1823
	78	\$1235	1524	2286	1943
	84	\$1313	1619	2416	2060
	90	\$1384	1707	2533	2174
	96	\$1454	1794	2655	2288
3R	72	\$1159	1430	2154	1823
	78	\$1235	1524	2286	1943
	84	\$1313	1619	2416	2060
	90	\$1384	1707	2533	2174
	96	\$1454	1794	2655	2288

FTE11. 3L 72	—	—	—	\$1998
78	—	—	—	\$2127
84	—	—	—	\$2257
90	—	—	—	\$2383
96	—	—	—	\$2504
3R 72	—	—	—	\$1998
78	—	—	—	\$2127
84	—	—	—	\$2257
90	—	—	—	\$2383
96	—	—	—	\$2504

Step 7.		
Top Finish		
<i>For high-pressure laminate top/thermoplastic edge (L)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Concave Rectangular Surface

continued

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP) A	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$95
40	dark brown walnut A	+\$95
CHD	noble cherry A	+\$95
ET	clear on ash A	+\$95
EU	oak on ash A	+\$95
EV	walnut on ash A	+\$95
EW	medium matte walnut A	+\$95
UL	natural maple A	+\$95
WHN	natural white oak A	+\$95

Top/Edge Finish: Opaque Formcoat®


For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 8. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0



Product Information

Description

This surface has a centered, non-handed concave cutout and attaches to various support components to create a freestanding concave rectangular desk. It has a laminate top and thermoplastic edge, a veneer top and edge, or a painted top and edge. Laminate and veneer surfaces are 1 1/4" thick. Painted Formcoat® surfaces are 1" thick.

Notes

For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.


Order the following support products separately:

- Closed support leg (FV2E2.)
- Open support leg, architectural foot (FV2A2.)
- Square open support leg (FV2D2.)
- Support leg, post (FV689.)
- Universal post leg (FT2B2.)
- Surface support, low credenza, adjustable height (FT299.)
- Surface support, low credenza, fixed height (FT298.)

When creating a freestanding desk with closed support leg (FV2E2.), a modesty panel (FV697.) is required for stability.

Stiffener (FV696.) is required for any laminate or veneer surface 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever. See Canvas Office Landscape® Planning Guide for specific stiffener guidelines.

Dimensions



Specification Information

Step 1.

FT

Step 2. Edge

S18. squared-edge

Step 3. Depth

36 36" deep

Step 4. Width

For squared-edge (S18.)

72 72" wide

78 78" wide

84 84" wide

90 90" wide

96 96" wide

Step 5. Surface Material

For squared-edge (S18.) with 72" wide (72) or 78" wide (78)

M thermally-fused laminate top/thermoplastic edge

L high-pressure laminate top/thermoplastic edge

W veneer top/veneer edge **A**

P painted Formcoat® top/edge

For squared-edge (S18.) with 84" wide (84), 90" wide (90), or 96" wide (96)

M thermally-fused laminate top/thermoplastic edge

L high-pressure laminate top/thermoplastic edge

W veneer top/veneer edge **A**

Step 6. Attachment

S no brackets, for free standing or use with low credenza

Prices for Steps 1-6.

		MS	LS	WS	PS
FTS18.	36 72	\$1081	1333	2069	1804
	78	\$1223	1508	2268	1921
	84	\$1243	1532	2328	—
	90	\$1315	1623	2449	—
	96	\$1387	1710	2568	—

Bowtie Rectangular Surface *continued*

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP) A	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
CHD	noble cherry	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
EW	medium matte walnut A	+\$85
UL	natural maple A	+\$85
WHN	natural white oak	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Bowtie Rectangular Surface *continued*


Step 8. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Curvilinear Surface

FTE12.
FTS12.
FTT12.



Product Information

Description

This surface hangs from a frame, wall strips, or attaches to various support components to create a freestanding desk. It is 24" deep on 1 side and 30" deep on the other side. The surface has a laminate top and thermoplastic edge, a veneer top and edge, or a painted top and edge. Laminate and veneer surfaces are 1 1/4" thick. Painted Formcoat® surfaces are 1" thick. When hanging from a frame or wall strips, there is a 1" gap at the back of the surface for standard plug head and cord passage.

Notes

For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.

For Canvas frame attached surface (F) option:

- Order appropriate supports separately; 2 supports are required for each surface (left and right side):
 - Open support, tapered foot, frame attached (FT294.)
 - Open support, architectural foot, frame attached (FT2A1.)
 - Support panel, tapered foot, frame attached (FT291.)
 - Universal post leg, frame attached (FT2B1.)
 - Surface cantilever (FT290.)
 - Surface support rail (FT295.)
 - Support pedestal

- Center supports are included for surfaces 54" wide and wider.

For no brackets, for freestanding or use with low credenza (S) option:

- Order the following support products separately:
 - Closed support leg (FV2E2.)
 - Open support leg, architectural foot (FV2A2.)
 - Square open support leg (FV2D2.)
 - Support leg, post (FV689.)
 - Universal post leg (FT2B2.)
 - Surface support, low credenza, adjustable height (FT299.)
 - Surface support, low credenza, fixed height (FT298.)
 - Surface-attached pedestal


- When creating a freestanding desk with closed support leg (FV2E2.), a modesty panel (FV697.) is required for stability.

Thin-edge surface does not work with the following:

- Surface-attached pedestal
- Support pedestal
- Closed support leg (FV2E2.)
- Square open support leg (FV2D2.)

Stiffener (FV696.) is required for any laminate or veneer surface 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever. See Canvas Office Landscape® Planning Guide for specific stiffener guidelines.

Dimensions



Specification Information**Step 1.****FT****Step 2. Edge****S12.** squared-edge**T12.** thin-edge**E12.** eased-edge**Step 3. Depth****24** 24" deep left, 30" deep right**30** 30" deep left, 24" deep right**Step 4. Width****30** 30" wide**36** 36" wide**42** 42" wide**48** 48" wide**54** 54" wide**60** 60" wide**66** 66" wide**72** 72" wide**Step 5. Surface Material***For squared-edge (S12.)***M** thermally-fused laminate top/thermoplastic edge**L** high-pressure laminate top/thermoplastic edge**W** veneer top/veneer edge **A****P** painted Formcoat® top/edge*For thin-edge (T12.)***L** high-pressure laminate top/thermoplastic edge**W** veneer top/veneer edge **A****P** painted Formcoat® top/edge*For eased-edge (E12.)***P** painted Formcoat® top/edge**Step 6. Attachment***For 30" wide (30), 36" wide (36), or 42" wide (42)***F** Canvas frame attached surface*For 48" wide (48), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)***F** Canvas frame attached surface**S** no brackets, for free standing or use with low credenza**Prices for Steps 1-6.**

			MF	MS	LF	LS	WF	WS
FTS12.	24	30	\$399	—	493	—	970	—
		36	\$433	—	534	—	1057	—
		42	\$502	—	620	—	1203	—
		48	\$574	517	708	637	1354	1287
		54	\$586	529	721	652	1386	1317
		60	\$594	536	734	662	1407	1337
		66	\$698	643	861	794	1640	1570
		72	\$774	719	954	887	1806	1737

	30	30	\$399	—	493	—	970	—
		36	\$433	—	534	—	1057	—
		42	\$502	—	620	—	1203	—
		48	\$574	517	708	637	1354	1287
		54	\$586	529	721	652	1386	1317
		60	\$594	536	734	662	1407	1337
		66	\$698	643	861	794	1640	1570
		72	\$774	719	954	887	1806	1737

							PF	PS
FTS12.	24	30					\$627	—
		36					\$682	—
		42					\$788	—
		48					\$895	822
		54					\$918	843
		60					\$934	856
		66					\$1094	1018
		72					\$1213	1139

	30	30					\$627	—
		36					\$682	—
		42					\$788	—
		48					\$895	822
		54					\$918	843
		60					\$934	856
		66					\$1094	1018
		72					\$1213	1139

			MF	MS	LF	LS	WF	WS
FTT12.	24	30	—	—	\$664	—	1248	—
		36	—	—	\$724	—	1358	—
		42	—	—	\$837	—	1548	—
		48	—	—	\$954	886	1745	1672
		54	—	—	\$978	912	1782	1706
		60	—	—	\$991	924	1812	1734
		66	—	—	\$1164	1097	2109	2033
		72	—	—	\$1291	1227	2320	2247

30	30	—	—	\$664	—	1248	—
36		—	—	\$724	—	1358	—
42		—	—	\$837	—	1548	—
48		—	—	\$954	886	1745	1672
54		—	—	\$978	912	1782	1706
60		—	—	\$991	924	1812	1734
66		—	—	\$1164	1097	2109	2033
72		—	—	\$1291	1227	2320	2247

				PF	PS		
FTT12.	24	30		\$671	—		
		36		\$730	—		
		42		\$845	—		
		48		\$961	882		
		54		\$978	899		
		60		\$998	921		
		66		\$1171	1094		
		72		\$1298	1226		
30	30			\$671	—		
36				\$730	—		
42				\$845	—		
48				\$961	882		
54				\$978	899		
60				\$998	921		
66				\$1171	1094		
72				\$1298	1226		

				PF	PS		
FTE12.	24	30		\$697	—		
		36		\$754	—		
		42		\$872	—		
		48		\$992	911		
		54		\$1014	938		
		60		\$1032	952		
		66		\$1210	1130		
		72		\$1344	1270		
30	30			\$697	—		
36				\$754	—		
42				\$872	—		
48				\$992	911		
54				\$1014	938		
60				\$1032	952		
66				\$1210	1130		
72				\$1344	1270		

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
CHD	noble cherry A	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
EW	medium matte walnut A	+\$85
UL	natural maple A	+\$85
WHN	natural white oak A	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0


Step 8. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teal	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Corner Surface

FTS20.



Product Information

Description

This 90° corner surface hangs from frames, wall strips or attaches to support components and adjacent surfaces to create a freestanding corner desk. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. Laminate and veneer surfaces are 1 1/4" thick. Painted Formcoat® surfaces are 1" thick. When hanging from frames or wall strips there is a 1" gap at the back of the surface for standard plug head and cord passage.

Notes

For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.

For Canvas frame attached surface (F) option:


- Order appropriate supports separately; 2 supports are required for each surface (left and right side):
 - Open support, tapered foot, frame attached (FT294.)
 - Open support, architectural foot, frame attached (FT2A1.)
 - Support panel, tapered foot, frame attached (FT291.)
 - Surface cantilever (FT290.)

- A corner support bracket is included.

For no brackets, for freestanding or use with low credenza (S) option:

- Surface must be connected to adjacent surfaces on both sides and surfaces must be the same depth.
- A back corner support and 2 end supports are required for each surface (left and right side):
- To support the back corner of the surface, order one of the following separately:
 - Support leg, post (FV689.)
 - Universal post leg (FT2B2.)
- To support the ends, order two of the following separately:
 - Closed support leg (FV2E2.), shared position
 - Square open support leg (FV2D2.), shared position
 - Open support leg, architectural foot (FV2A2.), shared position

Dimensions



Specification Information

Step 1.

FT

Step 2. Edge

S20. squared-edge

Step 3. Depth

24 24" deep

30 30" deep

Step 4. Width

For 24" deep (24)

36 36" wide

42 42" wide

48 48" wide

For 30" deep (30)

42 42" wide

48 48" wide

Step 5. Surface Material

For squared-edge (S20.)

M thermally-fused laminate top/thermoplastic edge

T thermally-fused laminate top/universal edge **A**

L high-pressure laminate top/thermoplastic edge

W veneer top/veneer edge **A**

P painted Formcoat® top/edge

Step 6. Attachment

F Canvas frame attached surface

S for freestanding applications

Prices for Steps 1-6.

		MF	MS	TF	TS	LF	LS
FTS20.	24 36	\$456	397	456	397	562	491
	42	\$552	494	552	494	681	609
	48	\$648	591	648	591	800	728
	30 42	\$691	633	691	633	852	780
	48	\$773	715	773	715	953	881
		WF		WS	PF	PS	
FTS20.	24 36	\$1090		1022	712	633	
	42	\$1297		1227	866	785	
	48	\$1489		1421	1015	940	

30 42	\$1588	1516	1084	1005
48	\$1760	1686	1212	1131

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M) or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP) A	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$110
40	dark brown walnut A	+\$110
CHD	noble cherry A	+\$110
ET	clear on ash A	+\$110
EU	oak on ash A	+\$110
EV	walnut on ash A	+\$110
EW	medium matte walnut A	+\$110
UL	natural maple A	+\$110
WHN	natural white oak A	+\$110

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 8. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

For thermally-fused laminate top/universal edge (T)

PLY	plywood edge A	+\$50
------------	--	-------

Concave Corner Surface

FTE21.
FTS21.
FTT21.



Product Information

Description

This 90° corner surface hangs from frames, wall strips, or attaches to support components and adjacent surfaces to create a freestanding corner desk. It has a laminate top and thermoplastic edge, a veneer top and edge, or a painted top and edge. Laminate and veneer surfaces are 1 1/4" thick. Painted Formcoat® surfaces are 1" thick. When hanging from frames or wall strips there is a 1" gap at the back of the surface for standard plug head and cord passage.

Notes

For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.


For Canvas frame attached surface (F) option:

- Order appropriate supports separately; 2 supports are required for each surface (left and right side):
 - Open support, tapered foot, frame attached (FT294.)
 - Open support, architectural foot, frame attached (FT2A1.)
 - Support panel, tapered foot, frame attached (FT291.)
 - Surface cantilever (FT290.)
- A corner support bracket is included.

For no brackets, for freestanding or use with low credenza (S) option:

- Surface must be connected to adjacent surfaces on both sides and surfaces must be the same depth.
- A back corner support and 2 end supports are required for each surface (left and right side):
 - To support the back corner of the surface, order one of the following separately:
 - Support leg, post (FV689.)
 - Universal post leg (FT2B2.)
 - To support the ends, order two of the following separately:
 - Closed support leg (FV2E2.), shared position
 - Square open support leg (FV2D2.), shared position
 - Open support leg, architectural foot (FV2A2.), shared position

Dimensions



Concave Corner Surface *continued*

Specification Information

Step 1.

FT

Step 2. Edge

S21. squared-edge

T21. thin-edge

E21. eased-edge

Step 3. Depth

24 24" deep

30 30" deep

Step 4. Width

For 24" deep (24)

36 36" wide

42 42" wide

48 48" wide

For 30" deep (30)

42 42" wide

48 48" wide

Step 5. Surface Material

For squared-edge (S21.)

M thermally-fused laminate top/thermoplastic edge

L high-pressure laminate top/thermoplastic edge

W veneer top/veneer edge ☐

P painted Formcoat® top/edge

For thin-edge (T21.)

L high-pressure laminate top/thermoplastic edge

W veneer top/veneer edge ☐

P painted Formcoat® top/edge

For eased-edge (E21.)

P painted Formcoat® top/edge

Step 6. Attachment

F Canvas frame attached surface

S for freestanding applications

Prices for Steps 1-6.

		MF	MS	LF	LS	WF	WS
FTS21.	24 36	\$456	397	562	491	1090	1022
	42	\$552	494	681	609	1297	1227
	48	\$648	591	800	728	1489	1421
	30 42	\$691	633	852	780	1588	1516
	48	\$773	715	953	881	1760	1686

					PF	PS
FTS21.	24 36				\$712	633
	42				\$866	785
	48				\$1015	940
	30 42				\$1084	1005
	48				\$1212	1131

		MF	MS	LF	LS	WF	WS
FTT21.	24 36	—	—	\$758	690	1403	1330
	42	—	—	\$921	853	1670	1592
	48	—	—	\$1084	1012	1916	1841
	30 42	—	—	\$1154	1094	2038	1965
	48	—	—	\$1289	1221	2259	2183

					PF	PS
FTT21.	24 36				\$762	684
	42				\$928	851
	48				\$1088	1009
	30 42				\$1160	1081
	48				\$1296	1217

					PF	PS
FTE21.	24 36				\$762	684
	42				\$928	851
	48				\$1088	1009
	30 42				\$1160	1081
	48				\$1296	1217

Concave Corner Surface *continued*

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP) A	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$110
40	dark brown walnut A	+\$110
CHD	noble cherry A	+\$110
ET	clear on ash A	+\$110
EU	oak on ash A	+\$110
EV	walnut on ash A	+\$110
EW	medium matte walnut A	+\$110
UL	natural maple A	+\$110
WHN	natural white oak A	+\$110

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0


Step 8. Edge Finish

*For thermally-fused laminate top/thermoplastic edge (M) or
high-pressure laminate top/thermoplastic edge (L)*

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Extended Corner Surface, Rectangular End

FTS22.
FTS23.
FTT22.
FTT23.



Product Information

Description

This 90° extended corner surface hangs from frames, wall strips, or attaches to support components and adjacent surfaces to create a freestanding extended corner desk. It has a laminate top and thermoplastic edge, a veneer top and edge, or a painted top and edge. Laminate and veneer surfaces are 1 1/4" thick. Painted Formcoat® surfaces are 1" thick. When hanging from frames or wall strips there is a 1" gap at the back of the surface for standard plug head and cord passage.

Notes

For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.

For Canvas frame attached surface (F) option:

- Order appropriate supports separately; 2 supports are required for each surface (left and right side):
 - Open support, tapered foot, frame attached (FT294.)
 - Open support, architectural foot, frame attached (FT2A1.)
 - Support panel, tapered foot, frame attached (FT291.)
 - Surface cantilever (FT290.)
 - Support pedestal
- A corner support bracket and center support for the extended side of the surface are included.

For no brackets, for freestanding or use with low credenza (S) option:

- Surface must be connected to adjacent surface on the short end and adjacent surface must be the same depth.
- A back corner support and 2 end supports are required for each surface (left and right side).

For no brackets, for freestanding or use with low credenza (S) option:


- To support the back corner of the surface, order one of the following separately
 - Support leg, post (FV689.)
 - Universal post leg (FT2B2.)
- To support the extended end of the surface, order one of the following separately:
 - Closed support leg (FV2E2.)
 - Open support leg, architectural foot (FV2A2.)
 - Square open support leg (FV2D2.)
 - Support leg, post (FV689.)
 - Universal post leg (FT2B2.)
 - Surface support, low credenza, adjustable height (FT299.)
 - Surface support, low credenza, fixed height (FT298.)
 - Surface-attached pedestal
- To support the short end of the surface, order one of the following separately:
 - Closed support leg (FV2E2.), shared position
 - Open support leg, architectural foot (FV2A2.), shared position
 - Square open support leg (FV2D2.), shared position

Thin-edge surface does not work with the following:

- Support pedestal
- Surface-attached pedestal
- Closed support leg (FV2E2.)
- Square open support leg (FV2D2.)

Stiffener (FV696.) is required for any laminate or veneer surface 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever. See Canvas Office Landscape® Planning Guide for specific stiffener guidelines.

Dimensions



Extended Corner Surface, Rectangular End *continued*

Specification Information

Step 1.

FT

Step 2. Edge

S22. squared-edge, 24" deep

T22. thin-edge, 24" deep

S23. squared-edge, 30" deep

T23. thin-edge, 30" deep

Step 3. Width

For squared-edge, 24" deep (S22.) or thin-edge, 24" deep (T22.)

4260 42" wide left x 60" wide right

4266 42" wide left x 66" wide right

4272 42" wide left x 72" wide right

4278 42" wide left x 78" wide right

4860 48" wide left x 60" wide right

4866 48" wide left x 66" wide right

4872 48" wide left x 72" wide right

4878 48" wide left x 78" wide right

6042 60" wide left x 42" wide right

6048 60" wide left x 48" wide right

6642 66" wide left x 42" wide right

6648 66" wide left x 48" wide right

7242 72" wide left x 42" wide right

7248 72" wide left x 48" wide right

7842 78" wide left x 42" wide right

7848 78" wide left x 48" wide right

For squared-edge, 30" deep (S23.) or thin-edge, 30" deep (T23.)

4860 48" wide left x 60" wide right

4866 48" wide left x 66" wide right

4872 48" wide left x 72" wide right

4878 48" wide left x 78" wide right

6048 60" wide left x 48" wide right

6648 66" wide left x 48" wide right

7248 72" wide left x 48" wide right

7848 78" wide left x 48" wide right

Step 4. Surface Material

For squared-edge, 24" deep (S22.)

M thermally-fused laminate top/thermoplastic edge

L high-pressure laminate top/thermoplastic edge

W veneer top/veneer edge **A**

P painted Formcoat® top/edge

For squared-edge, 30" deep (S23.)

M thermally-fused laminate top/thermoplastic edge

L high-pressure laminate top/thermoplastic edge

W veneer top/veneer edge **A**

P painted Formcoat® top/edge

For thin-edge, 24" deep (T22.)

L high-pressure laminate top/thermoplastic edge

W veneer top/veneer edge **A**

P painted Formcoat® top/edge

For thin-edge, 30" deep (T23.)

L high-pressure laminate top/thermoplastic edge

W veneer top/veneer edge **A**

P painted Formcoat® top/edge

Step 5. Attachment

F Canvas frame attached surface

S for freestanding applications

Prices for Steps 1-5.

		F	S
FTS22.	4260 M	\$990	934
	L	\$1222	1152
	W	\$2324	2255
	P	\$1557	1482
	4266 M	\$1050	992
	L	\$1295	1224
	W	\$2455	2385
	P	\$1646	1575
	4272 M	\$1111	1054
	L	\$1370	1300
	W	\$2587	2516
	P	\$1744	1671
	4278 M	\$1170	1114
	L	\$1441	1373
	W	\$2712	2645
	P	\$1835	1759
	4860 M	\$1050	992
	L	\$1295	1224
	W	\$2455	2385
	P	\$1646	1575
	4866 M	\$1111	1054
	L	\$1370	1300
	W	\$2587	2516
	P	\$1744	1671

Extended Corner Surface,
Rectangular End *continued*

Canvas Office Landscape® Work Surfaces

4872	M	\$1170	1114
	L	\$1441	1373
	W	\$2712	2645
	P	\$1835	1759
4878	M	\$1230	1172
	L	\$1517	1446
	W	\$2838	2768
	P	\$1925	1850
6042	M	\$990	934
	L	\$1222	1152
	W	\$2324	2255
	P	\$1557	1482
6048	M	\$1050	992
	L	\$1295	1224
	W	\$2455	2385
	P	\$1646	1575
6642	M	\$1050	992
	L	\$1295	1224
	W	\$2455	2385
	P	\$1646	1575
6648	M	\$1111	1054
	L	\$1370	1300
	W	\$2587	2516
	P	\$1744	1671
7242	M	\$1111	1054
	L	\$1370	1300
	W	\$2587	2516
	P	\$1744	1671
7248	M	\$1170	1114
	L	\$1441	1373
	W	\$2712	2645
	P	\$1835	1759
7842	M	\$1170	1114
	L	\$1441	1373
	W	\$2712	2645
	P	\$1835	1759
7848	M	\$1230	1172
	L	\$1517	1446
	W	\$2838	2768
	P	\$1925	1850
		F	S
FTT22. 4260	L	\$1654	1588
	W	\$2995	2917
	P	\$1660	1587

4266	L	\$1753	1685
	W	\$3157	3083
	P	\$1759	1686
4272	L	\$1800	1737
	W	\$3233	3158
	P	\$1815	1737
4278	L	\$1898	1831
	W	\$3389	3317
	P	\$1907	1831
4860	L	\$1753	1685
	W	\$3157	3083
	P	\$1759	1686
4866	L	\$1852	1787
	W	\$3326	3251
	P	\$1863	1784
4872	L	\$1898	1831
	W	\$3389	3317
	P	\$1907	1831
4878	L	\$1994	1926
	W	\$3550	3476
	P	\$2007	1932
6042	L	\$1654	1588
	W	\$2995	2917
	P	\$1660	1587
6048	L	\$1753	1685
	W	\$3157	3083
	P	\$1759	1686
6642	L	\$1753	1685
	W	\$3157	3083
	P	\$1759	1686
6648	L	\$1852	1787
	W	\$3326	3251
	P	\$1863	1784
7242	L	\$1852	1787
	W	\$3326	3251
	P	\$1863	1784
7248	L	\$1953	1886
	W	\$3488	3415
	P	\$1962	1885
7842	L	\$1953	1886
	W	\$3488	3415
	P	\$1962	1885
7848	L	\$2051	1984
	W	\$3656	3579
	P	\$2064	1985

Extended Corner Surface,
Rectangular End *continued*

		F	S
FTS23. 4860	M	\$1175	1117
	L	\$1449	1378
	W	\$2730	2658
	P	\$1722	1645
4866	M	\$1235	1179
	L	\$1524	1454
	W	\$2859	2792
	P	\$1820	1737
4872	M	\$1257	1204
	L	\$1551	1485
	W	\$2903	2836
	P	\$1857	1781
4878	M	\$1315	1260
	L	\$1623	1555
	W	\$3029	2960
	P	\$1946	1873
6048	M	\$1175	1117
	L	\$1449	1378
	W	\$2730	2658
	P	\$1722	1645
6648	M	\$1235	1179
	L	\$1524	1454
	W	\$2859	2792
	P	\$1820	1737
7248	M	\$1293	1238
	L	\$1594	1526
	W	\$2989	2920
	P	\$1909	1833
7848	M	\$1354	1298
	L	\$1669	1601
	W	\$3118	3049
	P	\$1999	1924
		F	S
FTT23. 4860	L	\$1963	1894
	W	\$3510	3435
	P	\$1972	1892
4866	L	\$2063	1996
	W	\$3677	3601
	P	\$2074	1995
4872	L	\$2101	2033
	W	\$3734	3661
	P	\$2109	2035
4878	L	\$2200	2134
	W	\$3897	3823
	P	\$2207	2136

6048	L	\$1963	1894
	W	\$3510	3435
	P	\$1972	1892
6648	L	\$2063	1996
	W	\$3677	3601
	P	\$2074	1995
7248	L	\$2162	2093
	W	\$3842	3768
	P	\$2171	2094
7848	L	\$2264	2196
	W	\$4010	3934
	P	\$2271	2196

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Extended Corner Surface, Rectangular End *continued*

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP) A	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$125
40	dark brown walnut A	+\$125
CHD	noble cherry	+\$125
ET	clear on ash A	+\$125
EU	oak on ash A	+\$125
EV	walnut on ash A	+\$125
EW	medium matte walnut A	+\$125
UL	natural maple A	+\$125
WHN	natural white oak	+\$125

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0


Step 7. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Extended Corner Surface, Round End

FTS26.
FTS27.



Product Information

Description

This 90° extended corner surface hangs from frames, wall strips, or attaches to support components and adjacent surfaces to create a freestanding extended corner desk. It has a left- or right-hand extension with a round end. It has a laminate top and thermoplastic edge, a veneer top and edge, or a painted top and edge. Laminate and veneer surfaces are 1¼" thick. Painted Formcoat® surfaces are 1" thick. When hanging from frames or wall strips there is a 1" gap at the back of the surface for standard plug head and cord passage.

Notes

For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.

Surface requires support at both ends of the surface.

For Canvas frame attached surface (F) option:

- 2 supports are required for each surface (left and right side).
- To support the extended end of the surface when frame attached, specify frame width combination 12" shorter than width of surface and order one of the following separately:
 - Open support, tapered foot, frame attached (FT294.)
 - Open support, architectural foot, frame attached (FT2A1.)
 - Support panel, tapered foot, frame attached (FT291.)
- To support the extended end of the surface when used as a peninsula, order one of the following separately:
 - Open support leg, tapered foot, peninsula/d-shaped surface attached (FT2F2.), square edge only
 - Open support leg, architectural foot, peninsula/d-shaped surface attached (FT2A2.A) inset leg position.
 - Square open support leg, peninsula attached (FV2D1.)
 - Support leg, post (FV689.)
 - Universal support leg, post (FT2B2.)

For Canvas frame attached surface (F) option:

- To support the short end of the surface, order one of the following separately:
 - Surface cantilever (FT290.)
 - Open support, tapered foot, frame attached (FT294.)
 - Open support, architectural foot, frame attached (FT2A1.)
 - Support panel, tapered foot, frame attached (FT291.)
- A corner support bracket and center support for the extended side of the surface are included.

For no brackets, for freestanding or use with low credenza (S) option:

- Surface must be connected to adjacent surface on the short end and adjacent surface must be the same depth.
- A back corner support and 2 end supports are required for each surface (left and right side).


For no brackets, for freestanding or use with low credenza (S) option:

- To support the back corner of the surface, order one of the following separately:
 - Support leg, post (FV689.)
 - Universal post leg (FT2B2.)
- To support the extended end of the surface, order one of the following separately:
 - Open support leg, tapered foot, peninsula/D-shaped surface attached (FT2F2.), square edge only
 - Open support leg, architectural foot, peninsula/D-shaped surface attached (FT2A2.)
 - Square open support leg, peninsula attached (FV2D1.)
 - Support leg, post (FV689.)
 - Universal post leg (FT2B2.)
- To support the short end of the surface, order one of the following separately:
 - Closed support leg (FV2E2.), shared position
 - Open support leg, architectural foot (FV2A2.), shared position
 - Square open support leg (FV2D2.), shared position

Surface must be connected to adjacent surface on short end and adjacent surface must be the same depth.

Stiffener (FV696.) is required for any laminate or veneer surface 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever. See Canvas Office Landscape® Planning Guide for specific stiffener guidelines.

Dimensions



Extended Corner Surface, Round End

continued

Specification Information	
Step 1.	
FT	
Step 2. Edge	
S26.	squared-edge, 24" deep
S27.	squared-edge, 30" deep
Step 3. Width	
<i>For squared-edge, 24" deep (S26.)</i>	
4866	48" wide left x 66" wide right
4872	48" wide left x 72" wide right
4878	48" wide left x 78" wide right
6648	66" wide left x 48" wide right
7248	72" wide left x 48" wide right
7848	78" wide left x 48" wide right
<i>For squared-edge, 30" deep (S27.)</i>	
4866	48" wide left x 66" wide right
4872	48" wide left x 72" wide right
4878	48" wide left x 78" wide right
6648	66" wide left x 48" wide right
7248	72" wide left x 48" wide right
7848	78" wide left x 48" wide right
Step 4. Surface Material	
<i>For squared-edge, 24" deep (S26.)</i>	
M	thermally-fused laminate top/thermoplastic edge
L	high-pressure laminate top/thermoplastic edge
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge
<i>For squared-edge, 30" deep (S27.)</i>	
M	thermally-fused laminate top/thermoplastic edge
L	high-pressure laminate top/thermoplastic edge
W	veneer top/veneer edge ☐
P	painted Formcoat® top/edge
Step 5. Attachment	
F	Canvas frame attached surface
S	for freestanding applications

Prices for Steps 1-5.			
		F	S
FTS26.	4866 M	\$1026	966
	L	\$1266	1193
	W	\$2282	2207
	P	\$1600	1523
	4872 M	\$1045	991
	L	\$1290	1222
	W	\$2321	2246
	P	\$1639	1559
	4878 M	\$1131	1074
	L	\$1395	1325
	W	\$2499	2428
	P	\$1765	1686
	6648 M	\$1026	966
	L	\$1266	1193
	W	\$2282	2207
	P	\$1600	1523
	7248 M	\$1077	1019
	L	\$1328	1256
	W	\$2388	2316
	P	\$1684	1600
	7848 M	\$1165	1105
	L	\$1435	1363
	W	\$2572	2501
	P	\$1814	1732
		F	S
FTS27.	4866 M	\$1024	969
	L	\$1263	1195
	W	\$2323	2251
	P	\$1606	1528
	4872 M	\$1071	1016
	L	\$1321	1254
	W	\$2425	2356
	P	\$1687	1608
	4878 M	\$1156	1098
	L	\$1426	1355
	W	\$2605	2535
	P	\$1811	1734
	6648 M	\$1024	969
	L	\$1263	1195
	W	\$2323	2251
	P	\$1606	1528

Extended Corner Surface, Round End

continued

7248 M	\$1071	1016
L	\$1321	1254
W	\$2425	2356
P	\$1687	1608
7848 M	\$1156	1098
L	\$1426	1355
W	\$2605	2535
P	\$1811	1734

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP) A	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$125
40	dark brown walnut A	+\$125
CHD	noble cherry	+\$125
ET	clear on ash A	+\$125
EU	oak on ash A	+\$125
EV	walnut on ash A	+\$125
EW	medium matte walnut A	+\$125
UL	natural maple A	+\$125
WHN	natural white oak	+\$125

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Extended Corner Surface, Round End

continued


Step 7. Edge Finish

*For thermally-fused laminate top/thermoplastic edge (M) or
high-pressure laminate top/thermoplastic edge (L)*


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

120° Corner Surface, 90° Ends

FTS40.
FTT40.



Product Information
Description
This 24"-deep, 120° corner surface hangs from frames and has 90° ends. It has a laminate top and thermoplastic edge, a veneer top and edge, or a painted top and edge. Laminate and veneer surfaces are 1 1/4" thick. Painted Formcoat® surfaces are 1" thick. There is a 1" gap at the back of the surface for standard plug head and cord passage.
Notes
For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.
Order appropriate supports separately; 2 supports are required for each surface (left and right side):
• Open support, tapered foot, frame attached (FT294.) • Open support, architectural foot, frame attached (FT2A1.) • Support panel, tapered foot, frame attached (FT291.) • Surface cantilever (FT290.)
A corner support bracket is included. Center supports are included for 60"-wide surfaces.
Dimensions



Specification Information
Step 1.
FT
Step 2. Edge
S40. squared-edge
T40. thin-edge
Step 3. Depth
24 24" deep
Step 4. Width
24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
60 60" wide
Step 5. Surface Material
For squared-edge (S40.) with 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)
M thermally-fused laminate top/thermoplastic edge
L high-pressure laminate top/thermoplastic edge
W veneer top/veneer edge ☐ A
P painted Formcoat® top/edge
For thin-edge (T40.) with 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)
L high-pressure laminate top/thermoplastic edge
W veneer top/veneer edge ☐ A
P painted Formcoat® top/edge
For squared-edge (S40.) with 60" wide (60)
M thermally-fused laminate top/thermoplastic edge
L high-pressure laminate top/thermoplastic edge
P painted Formcoat® top/edge
For thin-edge (T40.) with 60" wide (60)
L high-pressure laminate top/thermoplastic edge
P painted Formcoat® top/edge
Step 6. Attachment
F Canvas frame attached surface

120° Corner Surface, 90° Ends

continued

Prices for Steps 1-6.

			MF	LF	WF	PF
FTS40. 24	24		\$620	764	1622	970
	30		\$775	955	1998	1220
	36		\$909	1121	2310	1423
	42		\$975	1203	2479	1529
	48		\$1039	1281	2629	1634
	60		\$1188	1466	—	1865
FTT40. 24	24		—	\$1030	2086	1037
	30		—	\$1292	2569	1303
	36		—	\$1513	2969	1524
	42		—	\$1626	3185	1634
	48		—	\$1737	3381	1744
	60		—	\$1985	—	1994

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP) A	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut	+\$110
40	dark brown walnut	+\$110
CHD	noble cherry	+\$110
ET	clear on ash A	+\$110
EU	oak on ash A	+\$110
EV	walnut on ash A	+\$110
EW	medium matte walnut	+\$110
UL	natural maple	+\$110
WHN	natural white oak	+\$110

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

120° Corner Surface, 90° Ends

continued


Step 8. Edge Finish

*For thermally-fused laminate top/thermoplastic edge (M) or
high-pressure laminate top/thermoplastic edge (L)*

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

120° Corner Surface, 120° Ends

FTE41.
FTS41.



Product Information

Description

This 24"-deep, 120° corner surface hangs from frames and has 120° ends. The ends fit against 2 return frames connected by 120° connectors and form a 120° workstation angle. It has a laminate top and thermoplastic edge, a veneer top and edge, or a painted top and edge. Laminate and veneer surfaces are 1 1/4" thick. Painted Formcoat® surfaces are 1" thick. There is a 1" gap at the back of the surface for standard plug head and cord passage.

Notes


For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.

Order appropriate supports separately; 2 supports are required for each surface (left and right side):

- Open support, tapered foot, frame attached (FT294.)
- Open support, architectural foot, frame attached (FT2A1.)
- Support panel, tapered foot, frame attached (FT291.)
- Surface cantilever (FT290.)

A corner support bracket is included. Center supports are included for 60"-wide surfaces.

Dimensions



Specification Information

Step 1.

FT

Step 2. Edge

S41. squared-edge

E41. eased-edge

Step 3. Depth

24 24" deep

Step 4. Width

36 36" wide

42 42" wide

48 48" wide

60 60" wide

Step 5. Surface Material

For squared-edge (S41.) with 36" wide (36), 42" wide (42), or 48" wide (48)

M thermally-fused laminate top/thermoplastic edge

L high-pressure laminate top/thermoplastic edge

W veneer top/veneer edge **A**

P painted Formcoat® top/edge

For eased-edge (E41.)

P painted Formcoat® top/edge

For squared-edge (S41.) with 60" wide (60)

M thermally-fused laminate top/thermoplastic edge

L high-pressure laminate top/thermoplastic edge

P painted Formcoat® top/edge

Step 6. Attachment

F Canvas frame attached surface

Prices for Steps 1-6.

			MF	LF	WF	PF
FTS41.	24	36	\$1137	1402	2658	1781
		42	\$1219	1504	2843	1916
		48	\$1302	1606	3021	2042
		60	\$1484	1831	—	2328
FTE41.	24	36	—	—	—	\$1907
		42	—	—	—	\$2050
		48	—	—	—	\$2185
		60	—	—	—	\$2491

120° Corner Surface, 120° Ends

continued

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP) A	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut	+\$110
40	dark brown walnut	+\$110
CHD	noble cherry	+\$110
ET	clear on ash A	+\$110
EU	oak on ash A	+\$110
EV	walnut on ash A	+\$110
EW	medium matte walnut	+\$110
UL	natural maple	+\$110
WHN	natural white oak	+\$110

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

120° Corner Surface, 120° Ends

continued


Step 8. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

120° Corner Surface, Extended 90°
Ends

FTE44.
FTS44.



Product Information

Description

This 24"-deep, 120° corner surface hangs from frames and has a left- or right-hand extension with a 90° end. It has a laminate top and thermoplastic edge, a veneer top and edge, or a painted top and edge. Laminate and veneer surfaces are 1 1/4" thick. Painted Formcoat® surfaces are 1" thick. There is a 1" gap at the back of the surface for standard plug head and cord passage.

Notes


For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.

Order appropriate supports separately; 2 supports are required for each surface (left and right side):


- Open support, tapered foot, frame attached (FT294.)
- Open support, architectural foot, frame attached (FT2A1.)
- Support panel, tapered foot, frame attached (FT291.)
- Surface cantilever (FT290.)

A corner support bracket is included. Center supports are included for 60"-wide surfaces.


Dimensions



90° Extended Left



90° Extended Right



Laminate, Veneer



Painted

Specification Information

Step 1.

FT

Step 2. Edge

S44. squared-edge

E44. eased-edge

Step 3. Width

2436 24" wide left x 36" wide right

2442 24" wide left x 42" wide right

2448 24" wide left x 48" wide right

2460 24" wide left x 60" wide right

3036 30" wide left x 36" wide right

3042 30" wide left x 42" wide right

3048 30" wide left x 48" wide right

3060 30" wide left x 60" wide right

3624 36" wide left x 24" wide right

3630 36" wide left x 30" wide right

3642 36" wide left x 42" wide right

3648 36" wide left x 48" wide right

3660 36" wide left x 60" wide right

4224 42" wide left x 24" wide right

4230 42" wide left x 30" wide right

4236 42" wide left x 36" wide right

4824 48" wide left x 24" wide right

4830 48" wide left x 30" wide right

4836 48" wide left x 36" wide right

6024 60" wide left x 24" wide right

6030 60" wide left x 30" wide right

6036 60" wide left x 36" wide right

Step 4. Surface Material

For squared-edge (S44.)

M thermally-fused laminate top/thermoplastic edge

L high-pressure laminate top/thermoplastic edge

W veneer top/veneer edge **A**

P painted Formcoat® top/edge

For eased-edge (E44.)

P painted Formcoat® top/edge

Step 5. Attachment

F Canvas frame attached surface

120° Corner Surface, Extended 90°

Ends *continued*

Canvas Office Landscape® Work Surfaces

Prices for Steps 1-5.

	F
FTS44. 2436 M	\$721
L	\$889
W	\$1871
P	\$1131
2442 M	\$753
L	\$930
W	\$1951
P	\$1183
2448 M	\$777
L	\$958
W	\$2005
P	\$1224
2460 M	\$837
L	\$1032
W	\$2139
P	\$1313
3036 M	\$829
L	\$1022
W	\$2127
P	\$1301
3042 M	\$864
L	\$1066
W	\$2212
P	\$1355
3048 M	\$894
L	\$1103
W	\$2278
P	\$1402
3060 M	\$957
L	\$1181
W	\$2430
P	\$1499
3624 M	\$721
L	\$889
W	\$1871
P	\$1131
3630 M	\$829
L	\$1022
W	\$2127
P	\$1301
3642 M	\$944
L	\$1164
W	\$2403
P	\$1485

3648 M	\$975
L	\$1203
W	\$2475
P	\$1529
3660 M	\$1044
L	\$1287
W	\$2639
P	\$1642
4224 M	\$753
L	\$930
W	\$1951
P	\$1183
4230 M	\$864
L	\$1066
W	\$2212
P	\$1355
4236 M	\$944
L	\$1164
W	\$2403
P	\$1485
4824 M	\$777
L	\$958
W	\$2005
P	\$1224
4830 M	\$894
L	\$1103
W	\$2278
P	\$1402
4836 M	\$975
L	\$1203
W	\$2475
P	\$1529
6024 M	\$837
L	\$1032
W	\$2139
P	\$1313
6030 M	\$957
L	\$1181
W	\$2430
P	\$1499
6036 M	\$1044
L	\$1287
W	\$2639
P	\$1642
	F
FTE44. 2436 P	\$1210

120° Corner Surface, Extended 90°
Ends *continued*

2442 P	\$1267
2448 P	\$1308
2460 P	\$1403
3036 P	\$1391
3042 P	\$1450
3048 P	\$1496
3060 P	\$1609
3624 P	\$1210
3630 P	\$1391
3642 P	\$1584
3648 P	\$1634
3660 P	\$1753
4224 P	\$1267
4230 P	\$1450
4236 P	\$1584
4824 P	\$1308
4830 P	\$1496
4836 P	\$1634
6024 P	\$1403
6030 P	\$1609
6036 P	\$1753

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

120° Corner Surface, Extended 90°

Ends *continued*

Canvas Office Landscape® Work Surfaces

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut	+\$110
40	dark brown walnut	+\$110
CHD	noble cherry	+\$110
ET	clear on ash A	+\$110
EU	oak on ash A	+\$110
EV	walnut on ash A	+\$110
EW	medium matte walnut	+\$110
UL	natural maple	+\$110
WHN	natural white oak	+\$110

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)


8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 7. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Peninsula Surface, Rectangular End FTS34.



Product Information

Description

This squared-edge peninsula surface attaches to a frame, wall strips, or can be supported by a low credenza or various support components to create a freestanding desk. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. Laminate and veneer surfaces are 1 1/4" thick. Painted Formcoat® surfaces are 1" thick. When hanging from a frame or wall strips there is a 1" gap at the back of the surface for standard plug head and cord passage.

Notes

For additional product options, see Vary Easy Program in Appendices.

Peninsula surface requires support at both ends of the surface.

To support the peninsula end of the surface, order 1 of the following supports separately:

- Open support leg, tapered foot, peninsula/d-shaped surface attached (FT2F2.)
- Open support leg, architectural foot, peninsula/d-shaped surface attached (FT2A2.)
- Square open support leg, peninsula attached (FV2D1.)
- Support leg, post (FV689.)
- Universal support leg, post (FT2B2.)

For surface attachment bracket (D) option:

- 2 ganging brackets are included for attaching peninsula surface to another surface at 90 degrees.
- Surface will only attach to front edge of squared-edge surfaces.

For Canvas frame attached surface (F) option:

- Attachment hardware is included.
- When attaching surface to a frame, match depth of surface to width of frame.


For no brackets, for freestanding or use with low credenza (S) option:

Order the following support products separately:

- Closed support leg (FV2E2.)
- Open support leg, architectural foot, peninsula/d-shaped surface attached (FT2A2.B)
- Square open support leg (FV2D2.)
- Support leg, post (FV689.)
- Universal post leg (FT2B2.)
- Surface support, low credenza, adjustable height (FT299.)
- Surface support, low credenza, fixed height (FT298.)

Stiffener (FV696.) is required for any laminate or veneer surface 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever. See Canvas Office Landscape® Planning Guide for specific stiffener guidelines.

Dimensions



Peninsula Surface, Rectangular End

continued

Specification Information

Step 1.

FT

Step 2. Edge

S34. squared-edge

Step 3. Depth

24 24" deep

30 30" deep

36 36" deep

Step 4. Width

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

M thermally-fused laminate top/thermoplastic edge

T thermally-fused laminate top/universal edge ☐

L high-pressure laminate top/thermoplastic edge

W veneer top/veneer edge ☐

P painted Formcoat® top/edge

U high-pressure laminate/universal edge ☐

Step 6. Attachment

D surface attachment bracket

F Canvas frame attachment brackets

S no brackets, for free standing or use with low credenza

Prices for Steps 1-6.

		MD	MF	MS	TD	TF	TS
FTS34.	24 48	\$316	345	260	411	411	354
	54	\$381	406	260	487	487	432
	60	\$431	459	324	551	551	491
	66	\$487	517	374	618	618	558
	72	\$528	557	431	665	665	607
30	48	\$441	468	474	559	559	503
	54	\$510	536	385	646	646	587
	60	\$586	610	455	733	733	674
	66	\$664	693	529	831	831	771
	72	\$720	747	606	898	898	841

36	48	\$623	650	666	778	778	721
54		\$635	663	567	796	796	737
60		\$723	751	579	901	901	842
66		\$827	854	666	1024	1024	966
72		\$899	925	771	1113	1113	1055

		LD	LF	LS	WD	WF	WS
FTS34.	24 48	\$390	426	321	846	879	775
	54	\$469	501	399	979	1016	912
	60	\$532	566	461	1110	1147	1039
	66	\$601	637	532	1244	1278	1175
	72	\$651	686	586	1337	1368	1268
30	48	\$544	577	474	1107	1143	1037
	54	\$629	662	561	1261	1294	1190
	60	\$721	753	652	1447	1480	1377
	66	\$819	854	748	1627	1661	1558
	72	\$888	921	821	1750	1783	1678
36	48	\$768	802	700	1534	1567	1461
	54	\$783	818	715	1542	1575	1474
	60	\$891	927	821	1765	1800	1696
	66	\$1019	1054	951	1990	2025	1921
	72	\$1109	1143	1043	2145	2181	2077

		PD	PF	PS	UD	UF	US
FTS34.	24 48	\$539	539	465	366	400	301
	54	\$637	637	565	440	470	374
	60	\$722	722	642	499	531	433
	66	\$810	810	731	564	598	499
	72	\$872	872	796	611	644	549
30	48	\$732	732	658	511	542	445
	54	\$846	846	768	591	622	527
	60	\$961	961	884	677	707	612
	66	\$1087	1087	1009	769	802	702
	72	\$1175	1175	1102	834	865	771
36	48	\$1018	1018	943	720	752	657
	54	\$1042	1042	965	735	768	671
	60	\$1180	1180	1103	837	871	771
	66	\$1341	1341	1264	956	989	892
	72	\$1457	1457	1381	1041	1073	979

Peninsula Surface, Rectangular End

continued

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M) or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP) A	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
CHD	noble cherry	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
EW	medium matte walnut A	+\$85
UL	natural maple A	+\$85
WHN	natural white oak	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Peninsula Surface, Rectangular End

continued

Step 8. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

For thermally-fused laminate top/universal edge (T) or high-pressure laminate/universal edge (U)

PLY	plywood edge ☐ A	+\$50
-----	---	-------

Step 9. Bracket Finish

For Canvas frame attachment brackets (F)


8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
WL	warm stone (CP)	+\$0

Bright Sand Texture Paint

91	white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0



Product Information

Description

This squared-edge peninsula surface attaches to a frame, wall strips, or is supported by various support components to create a freestanding desk. It has a laminate top and thermoplastic edge, a veneer top and edge, or a painted top and edge. Laminate and veneer surfaces are 1 1/4" thick. Painted Formcoat® surfaces are 1" thick. When hanging from a frame or wall strips there is a 1" gap at the back of the surface for standard plug head and cord passage.

Notes

For additional product options, see Vary Easy Program in Appendices.

Peninsula surface requires support at both ends of the surface.

To support the peninsula end of the surface, order 1 of the following supports separately:

- Open support leg, tapered foot, peninsula/d-shaped surface attached (FT2F2.)
- Open support leg, architectural foot, peninsula/d-shaped surface attached (FT2A2.A) inset leg position
- Square open support leg, peninsula attached (FV2D1.)
- Support leg, post (FV689.)
- Universal support leg, post (FT2B2.)

For surface attachment bracket (D) option:

- 2 ganging brackets are included for attaching peninsula surface to another surface at 90 degrees.
- Surface will only attach to front edge of squared-edge surfaces.

For Canvas frame attached surface (F) option:

- Attachment hardware is included.
- When attaching surface to a frame, match depth of surface to width of frame.


For no brackets, for freestanding or use with low credenza (S) option:

Order the following support products separately:

- Closed support leg (FV2E2.)
- Open support leg, architectural foot, peninsula/d-shaped surface attached (FT2A2.B)
- Square open support leg (FV2D2.)
- Support leg, post (FV689.)
- Universal support leg, post (FT2B2.)

Stiffener (FV696.) is required for any laminate or veneer surface 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever. See Canvas Office Landscape® Planning Guide for specific stiffener guidelines.

Dimensions



Peninsula Surface, Round End

continued

Specification Information

Step 1.

FT

Step 2. Edge

S35. squared-edge

Step 3. Depth

24 24" deep

30 30" deep

36 36" deep

Step 4. Width

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

M thermally-fused laminate top/thermoplastic edge

L high-pressure laminate top/thermoplastic edge

W veneer top/veneer edge ☐

P painted Formcoat® top/edge

Step 6. Attachment

D surface attachment bracket

F Canvas frame attached surface

S no brackets, for free standing or use with low credenza

Prices for Steps 1-6.

		MD	MF	MS	LD	LF	LS
FTS35.	24 48	\$342	369	286	423	456	353
	54	\$412	441	356	509	544	439
	60	\$485	512	429	599	632	529
	66	\$585	608	528	720	750	651
	72	\$664	691	607	819	852	749
	30 48	\$520	546	461	641	674	569
	54	\$591	620	533	728	764	659
	60	\$663	692	605	818	853	746
	66	\$765	791	707	943	976	872
	72	\$837	863	780	1032	1064	961
	36 48	\$706	733	648	871	904	800
	54	\$789	819	733	975	1011	904
	60	\$847	875	791	1045	1080	976
	66	\$952	979	897	1174	1207	1106
	72	\$1024	1050	969	1263	1295	1195

		WD	WF	WS	PD	PF	PS
FTS35.	24 48	\$1151	1185	1081	582	582	504
	54	\$1247	1281	1178	693	693	615
	60	\$1348	1380	1277	807	807	728
	66	\$1485	1520	1414	959	959	882
	72	\$1574	1609	1507	1085	1085	1011
	30 48	\$1447	1480	1377	857	857	781
	54	\$1542	1575	1474	970	970	891
	60	\$1642	1678	1572	1085	1085	1008
	66	\$1782	1818	1711	1240	1240	1163
	72	\$1866	1900	1798	1356	1356	1281
	36 48	\$1771	1806	1701	1150	1150	1076
	54	\$1888	1921	1816	1278	1278	1205
	60	\$1969	2002	1898	1371	1371	1298
	66	\$2112	2144	2042	1537	1537	1460
	72	\$2184	2218	2117	1654	1654	1578

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light ☐	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Peninsula Surface, Round End

continued

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut ☐	+\$85
40	dark brown walnut ☐	+\$85
CHD	noble cherry ☐	+\$85
ET	clear on ash ☐	+\$85
EU	oak on ash ☐	+\$85
EV	walnut on ash ☐	+\$85
EW	medium matte walnut ☐	+\$85
UL	natural maple ☐	+\$85
WHN	natural white oak ☐	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 8. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 9. Bracket Finish

For Canvas frame attached surface (F)

8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
WL	warm stone (CP)	+\$0


Bright Sand Texture Paint

91	white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0

Peninsula Surface, Round-End, FTE67. Transition Left



Product Information

Description

This peninsula surface attaches to a frame, wall strips, or is supported by various support components to create a freestanding desk. It abuts an eased-edge rectangular surface on the users left side creating an L-shaped configuration. Eased-edge surfaces have a painted top and edge. Laminate and veneer surfaces are 1 1/4" thick. Painted Formcoat® surfaces are 1" thick. When hanging from a frame or wall strips there is a 1" gap at the back of the surface for standard plug head and cord passage.

Notes

For additional product options, see Vary Easy Program in Appendices.

Peninsula surface requires support on both ends of the surface.

To support the peninsula end of the surface, order 1 of the following supports separately:

- Open support leg, architectural foot, peninsula/d-shaped surface attached (FT2A2.A), inset leg position
- Square open support leg, peninsula attached (FV2D1.)
- Support leg, post (FV689.)
- Universal support leg, post (FT2B2.)

For Canvas frame attached surface (F) option:

- Attachment hardware is included.
- When attaching surface to a frame, match depth of surface to width of frame.

For no brackets, for freestanding or use with low credenza (S) option:

Order the following support products separately:


- Closed support leg (FV2E2.), eased edge only
- Open support leg, architectural foot, peninsula/d-shaped surface attached (FT2A2.B)
- Square open support leg (FV2D2.), eased edge only
- Support leg, post (FV689.)
- Universal post leg (FT2B2.)

Stiffener (FV696.) is required for any laminate or veneer surface 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever. See Canvas Office Landscape® Planning Guide for specific stiffener guidelines.

Work surface-attached screens and modesty panels do not work with this peninsula surface.

The open shelf organizer (FF900.) does not work with an eased-edge peninsula surface.

Dimensions



Peninsula Surface, Round-End,
Transition Left *continued*

Specification Information

Step 1.

FT

Step 2. Edge

E67. eased-edge, transition left, 24" deep

Step 3. Depth

24 24" deep

30 30" deep

36 36" deep

Step 4. Width

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For eased-edge, transition left, 24" deep (E67.)

P painted Formcoat® top/edge

Step 6. Attachment

F Canvas frame attachment brackets

S no brackets, for freestanding

Prices for Steps 1-6.

	PF	PS
FTE67. 24 60	\$1143	1067
66	\$1364	1283
72	\$1544	1467
30 60	\$1546	1466
66	\$1765	1687
72	\$1933	1855
36 60	\$1954	1875
66	\$2187	2108
72	\$2353	2274

Step 7. Top/Edge Finish

For painted Formcoat® top/edge (P)

Opaque Formcoat®

8Q folkstone grey (CP)	+\$0
91 white (CP)	+\$0
LU soft white	+\$0

Step 8. Bracket Finish

For Canvas frame attachment brackets (F)


91 white (CP)	+\$0
CL cool grey neutral	+\$0
G1 graphite (CP)	+\$0
WN warm grey neutral	+\$0
8Q folkstone grey (CP)	+\$0
98 studio white (CP)	+\$0
WL warm stone (CP)	+\$0

Metallic Paint

611 beige mist metallic (CP)	+\$0
613 silver (CP)	+\$0
EH metallic bronze	+\$0

Peninsula Surface, Round-End, Single

FTE61.
FTE62.
FTT61.



Product Information

Description

This peninsula surface attaches to a single or double transition rectangular surface creating an L- or U-shaped configuration, or is supported by various support components to create a freestanding desk. Thin-edge surfaces have a laminate top and thermoplastic edge, a veneer top and edge, or a painted top and edge. Eased-edge surfaces have a painted top and edge. Laminate and veneer surfaces are 1 1/4" thick. Painted Formcoat® surfaces are 1" thick.

Notes

For additional product options, see Vary Easy Program in Appendices.

Peninsula surface requires support at both ends of the surface.

To support the peninsula end of the surface, order 1 of the following supports separately:

- Open support leg, architectural foot, peninsula/d-shaped surface attached (FT2A2.A), inset leg position
- Square open support leg, peninsula attached (FV2D1.)
- Support leg, post (FV689.)
- Universal support leg, post (FT2B2.)

For surface attachment bracket (D) option:

- 2 ganging brackets are included for attaching peninsula surface to another surface at 90 degrees.
- Peninsula attaches to the front edge of the rectangular surface transition, single (FTT1A., FTT1B., FTT1C., FTT1D., FTE1A., FTE1B., FTE1C., FTE1D.) or rectangular surface, transition, double (FTT1H., FTT1J., FTT1K., FTE1H., FTE1J., FTE1K.).

For no brackets, for freestanding or use with low credenza (S) option:

Order the following support products separately:


- Support leg, post (FV689.)
- Universal post leg (FT2B2.)

Stiffener (FV696.) is required for any laminate or veneer surface 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever. See Canvas Office Landscape Planning Guide for specific stiffener guidelines.


Work surface-attached screens and modesty panels do not work with this peninsula surface.

The open shelf organizer (FF900.) does not work with an eased-edge peninsula surface.


Dimensions



Right



Left



Laminate, Veneer



Painted

Peninsula Surface, Round-End,
Single *continued*

Specification Information

Step 1.

FT

Step 2. Edge

T61. thin-edge, right

E61. eased-edge, right

E62. eased-edge, left

Step 3. Depth

24 24" deep

30 30" deep

Step 4. Width

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For thin-edge, right (T61.)

L high-pressure laminate top/thermoplastic edge

W veneer top/veneer edge ☐ A

P painted Formcoat® top/edge

For eased-edge, right (E61.)

P painted Formcoat® top/edge

For eased-edge, left (E62.)

P painted Formcoat® top/edge

Step 6. Attachment

D surface attachment bracket

S no brackets, for free standing or use with low credenza

Prices for Steps 1-6.

	LD	LS	WD	WS	PD	PS
FTT61. 24 48	\$654	583	1767	1694	938	860
54	\$757	692	2004	1929	1086	1010
60	\$826	757	2115	2043	1184	1108
66	\$970	902	2435	2357	1394	1320
72	\$1086	1019	2673	2600	1567	1494

30 48	\$875	810	2234	2155	1256	1182
54	\$982	915	2413	2341	1412	1337
60	\$1088	1022	2580	2502	1570	1494
66	\$1235	1166	2845	2773	1781	1708
72	\$1341	1276	3018	2945	1941	1869

FTE61. 24 48	—	—	—	—	\$966	887
54	—	—	—	—	\$1125	1044
60	—	—	—	—	\$1226	1143
66	—	—	—	—	\$1443	1364
72	—	—	—	—	\$1622	1544

30 48	—	—	—	—	\$1298	1219
54	—	—	—	—	\$1460	1380
60	—	—	—	—	\$1624	1546
66	—	—	—	—	\$1846	1765
72	—	—	—	—	\$2009	1933

FTE62. 24 48	—	—	—	—	\$966	887
54	—	—	—	—	\$1125	1044
60	—	—	—	—	\$1226	1143
66	—	—	—	—	\$1443	1364
72	—	—	—	—	\$1622	1544

30 48	—	—	—	—	\$1298	1219
54	—	—	—	—	\$1460	1380
60	—	—	—	—	\$1624	1546
66	—	—	—	—	\$1846	1765
72	—	—	—	—	\$2009	1933

Peninsula Surface, Round-End, Single *continued*

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

CHD	noble cherry	+\$85
2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
EW	medium matte walnut A	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
UL	natural maple A	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0


Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Peninsula Surface, Round-End, Center

FTE60.
FTT60.



Product Information

Description

This peninsula surface attaches to a rectangular surface, transition, center or is supported by various support components to create a freestanding desk. Thin-edge surfaces have a laminate top and thermoplastic edge, a veneer top and edge, or a painted top and edge. Eased-edge surfaces have a painted top and edge. Laminate and veneer surfaces are 1¼" thick. Painted Formcoat® surfaces are 1" thick.

Notes

For additional product options, see Vary Easy Program in Appendices.

Peninsula surface requires support at both ends of the surface.

To support the peninsula end of the surface, order 1 of the following supports separately:

- Open support leg, architectural foot, peninsula/d-shaped surface attached (FT2A2.A), inset leg position.
- Square open support leg, peninsula attached (FV2D1.)
- Support leg, post (FV689.)
- Universal support leg, post (FT2B2.)

For no brackets, for freestanding or use with low credenza (S) option:

Order the following support products separately:


- Support leg, post (FV689.)
- Universal post leg (FT2B2.)

Stiffener (FV696.) is required for any laminate or veneer surface 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever. See Canvas Office Landscape® Planning Guide for specific stiffener guidelines.

Work surface-attached screens and modesty panels do not work with this peninsula surface.

The open shelf organizer (FF900.) does not work with the eased edge peninsula surface.

Dimensions



Specification Information

Step 1.

FT

Step 2. Edge

T60. thin-edge

E60. eased-edge

Step 3. Depth

24 24" deep

30 30" deep

36 36" deep

Step 4. Width

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For thin-edge (T60.)

L high-pressure laminate top/thermoplastic edge

W veneer top/veneer edge **A**

P painted Formcoat® top/edge

For eased-edge (E60.)

P painted Formcoat® top/edge

Step 6. Attachment

S no brackets, for free standing or use with low credenza

Prices for Steps 1-6.

			LS	WS	PS
FTT60.	24	48	\$583	1694	860
		54	\$692	1929	1010
		60	\$757	2043	1108
		66	\$902	2357	1320
		72	\$1019	2600	1494
	30	48	\$810	2155	1182
		54	\$915	2341	1337
		60	\$1022	2502	1494
		66	\$1166	2773	1708
		72	\$1276	2945	1869

Peninsula Surface, Round-End,
Center *continued*

36	48	\$1085	2594	1584
54		\$1208	2762	1765
60		\$1292	2823	1891
66		\$1449	3048	2115
72		\$1553	3169	2273
FTE60.	24 48	—	—	\$895
	54	—	—	\$1054
	60	—	—	\$1155
	66	—	—	\$1377
	72	—	—	\$1561
30	48	—	—	\$1232
	54	—	—	\$1396
	60	—	—	\$1562
	66	—	—	\$1782
	72	—	—	\$1951
36	48	—	—	\$1653
	54	—	—	\$1846
	60	—	—	\$1974
	66	—	—	\$2209
	72	—	—	\$2375

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
CHD	noble cherry	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
EW	medium matte walnut A	+\$85
UL	natural maple A	+\$85
WHN	natural white oak	+\$85

Peninsula Surface, Round-End,
Center *continued*

Top/Edge Finish: Opaque Formcoat®


For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0




Product Information

Description
This surface attaches to the ends of 2 surfaces separated by a frame. It has a laminate top and thermoplastic edge, a veneer top and edge, or a painted top and edge. Laminate and veneer surfaces are 1 1/4" thick. Painted Formcoat® surfaces are 1" thick. The surface cannot stand alone. Brackets are included for attaching the d-shaped surface to adjacent surfaces.

Notes
For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.
51"-wide d-shaped surface attaches to 24"-deep surfaces at the end of a frame. 63"-deep d-shaped surface attaches to 30"-deep surfaces at the end of a frame. The surface is notched to allow a flush fit against the finished end.
To support the end of the surface, order 1 of the following supports separately:
• Open support leg, tapered foot, peninsula/d-shaped surface attached (FT2F2.)
• Open support leg, architectural foot, peninsula/d-shaped surface attached (FT2A2.)
Or order 2 of the following supports separately:
• Support leg, post (FV689.)
• Universal support leg, post (FT2B2.)

Dimensions



Specification Information

Step 1.
FT

Step 2. Edge
S36. squared-edge

Step 3. Width
51 51" wide
63 63" wide

Step 4. Surface Material
For squared-edge (S36.)
M thermally-fused laminate top/thermoplastic edge
L high-pressure laminate top/thermoplastic edge
W veneer top/veneer edge ☐ A
P painted Formcoat® top/edge

Step 5. Attachment
D surface attachment bracket

Prices for Steps 1-5.

			D
FTS36. 51	M		\$585
	L		\$720
	W		\$1060
	P		\$877
63	M		\$689
	L		\$850
	W		\$1681
	P		\$1034

D-Shaped Surface *continued*

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP) A	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
CHD	noble cherry	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
EW	medium matte walnut A	+\$85
UL	natural maple A	+\$85
WHN	natural white oak	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)


8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

D-Shaped Surface *continued*

Step 7. Edge Finish

*For thermally-fused laminate top/thermoplastic edge (M) or
high-pressure laminate top/thermoplastic edge (L)*

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0



Product Information


Description

This wedge attaches to 2 work surfaces at a 90° angle to provide a corner work surface. It can be used with Action Office®, Canvas, and Ethospace® surfaces. The wedge has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, or a veneer top and edge. Attachment hardware is included.

Notes

Corner wedge can support a keyboard tray attached to the underside of the work surfaces in 90° corner applications.

Dimensions



Specification Information

Step 1.

Y2091.

Step 2. Surface Material

L	high-pressure laminate top/thermoplastic edge
U	high-pressure laminate/universal edge
W	veneer A

Prices for Steps 1-2.

Y2091. L	\$180
U	\$171
W	\$256

Step 3.

Top Finish

For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Squared-Edge Corner Wedge *continued*

Top/Edge Finish: Wood Veneer

For veneer (W)

CHD	noble cherry ☐ A	+\$39
2U	light brown walnut ☐ A	+\$39
40	dark brown walnut ☐ A	+\$39
EW	medium matte walnut ☐ A	+\$39
ET	clear on ash ☐ A	+\$39
EU	oak on ash ☐ A	+\$39
EV	walnut on ash ☐ A	+\$39
UL	natural maple ☐ A	+\$39


Step 4. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For high-pressure laminate/universal edge (U)

PLY	plywood edge	+\$50
-----	--------------	-------



Product Information

Description

This 14"-deep rectangular surface attaches to the top of a frame and provides a counter or display surface. It has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, or veneer top and edge. Stanchions attach the surface to the frame; a painted or veneer top cap with cutouts is included to accommodate the stanchions. The top of the surface sits 39" above the floor when used on a 35"-high frame. Attachment hardware is included.

Transaction surfaces wider than 48" require multiple frames:

Width—Frames

60"—any combination of frames totaling 60"

72"—any combination of frames totaling 72"

84"—2 42"-wide frames

96"—2 48"-wide frames

Notes


Transaction surface should be used with 35"-high frame.

Transaction surface cannot be used with change-of-height finished end with cable routing capability (FT161.B).

When placing 2 transaction surfaces side-by-side, there will be a .875" gap between surfaces.

Gap from frame top cap to underside of surface is 3.125".

Dimensions



Specification Information

Step 1.

FT280.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	60" wide
72	72" wide
84	84" wide
96	96" wide

Step 3. Surface Material

M	thermally-fused laminate top/thermoplastic edge
T	thermally-fused laminate top/universal edge A
L	high-pressure laminate top/thermoplastic edge
W	veneer A
U	high-pressure laminate/universal edge A

Step 4. Top Cap Material

P	painted standard top cap
W	veneer standard top cap A
A	painted architectural top cap

Prices for Steps 1-4.

		P	W	A
FT280. 24	M	\$735	977	886
	T	\$735	977	886
	L	\$796	1057	959
	W	\$1194	1458	1357
	U	\$796	1057	959
30	M	\$759	1055	933
	T	\$759	1055	933
	L	\$820	1141	1009
	W	\$1285	1605	1473
	U	\$820	1141	1009
36	M	\$783	1126	977
	T	\$783	1126	977
	L	\$848	1218	1057
	W	\$1378	1747	1588
	U	\$848	1218	1057

Squared-Edge Transaction Surface

continued

Canvas Office Landscape® Work Surfaces

42	M	\$807	1198	1028
	T	\$807	1198	1028
	L	\$873	1296	1113
	W	\$1469	1895	1707
	U	\$873	1296	1113
48	M	\$836	1274	1075
	T	\$836	1274	1075
	L	\$905	1378	1163
	W	\$1561	2040	1823
	U	\$905	1378	1163
60	M	\$1250	1789	1534
	T	\$1250	1789	1534
	L	\$1352	1934	1659
	W	\$2146	2729	2457
	U	\$1352	1934	1659
72	M	\$1296	1984	1627
	T	\$1296	1984	1627
	L	\$1402	2146	1761
	W	\$2333	3077	2691
	U	\$1402	2146	1761
84	M	\$1348	2132	1726
	T	\$1348	2132	1726
	L	\$1458	2305	1867
	W	\$2520	3368	2926
	U	\$1458	2305	1867
96	M	\$1397	2280	1862
	T	\$1397	2280	1862
	L	\$1510	2466	2013
	W	\$2707	3662	3208
	U	\$1510	2466	2013

Step 5.

Top Finish

For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Squared-Edge Transaction Surface

continued

Top Finish

For thermally-fused laminate top/thermoplastic edge (M) or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP) A	+\$0

Top/Edge Finish: Wood Veneer

For veneer (W)

2U	light brown walnut A	+\$60
40	dark brown walnut A	+\$60
CHD	noble cherry A	+\$60
ET	clear on ash A	+\$60
EU	oak on ash A	+\$60
EV	walnut on ash A	+\$60
EW	medium matte walnut A	+\$60
UL	natural maple A	+\$60
WHN	natural white oak A	+\$60

Step 6. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

For thermally-fused laminate top/universal edge (T) or high-pressure laminate/universal edge (U)

PLY	plywood edge A	+\$50
------------	-----------------------	-------

Step 7. Top Cap Finish

For painted standard top cap (P) or painted architectural top cap (A)

8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
WL	warm stone (CP)	+\$0

Squared-Edge Transaction Surface

continued

Bright Sand Texture Paint

For painted standard top cap (P) or painted architectural top cap (A)

91	white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

For painted standard top cap (P) or painted architectural top cap (A)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Wood Veneer

For veneer standard top cap (W)

2U	light brown walnut ☐	+\$0
40	dark brown walnut	+\$0
EW	medium matte walnut	+\$0
ET	clear on ash ☐	+\$0
EU	oak on ash ☐	+\$0
EV	walnut on ash ☐	+\$0
UL	natural maple ☐	+\$0

Step 8. Stanchion Finish

8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
WL	warm stone (CP)	+\$0

Bright Sand Texture Paint

91	white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Step 9. Application

LD	stacking on 35", 46", 57", 68", 79" base frame	+\$0
JL	stacking on 42"-high base frame	+\$40

Squared-Edge Transaction Surface for Height-Adjustable Tables

FT281.



Product Information

Description

This 8¾" deep rectangular surface attaches to the top of a frame and provides a counter or display surface. It has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, or veneer top and edge. Stanchions attach the surface to the frame; a painted or veneer top cap with cutouts is included to accommodate the stanchions. The top of the surface sits 39" above the floor when used on a 35" high frame. Attachment hardware is included.

Transaction surfaces wider than 48" require multiple frames:

Width—Frames

60"—any combination of frames totaling 60"

72"—any combination of frames totaling 72"

84"—2 42"-wide frames

96"—2 48"-wide frames

Notes



Transaction surface should be used with 35"-high frame.

Transaction surface cannot be used with change-of-height finished end with cable routing capability (FT161.B).

When placing 2 transaction surfaces side-by-side, there will be a .875" gap between surfaces.

Gap from frame top cap to underside of surface is 3.125".

Dimensions



Squared-Edge Transaction Surface for Height-Adjustable Tables *continued*

Specification Information				
Step 1.				
FT281.				
Step 2. Width				
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	60" wide			
72	72" wide			
84	84" wide			
96	96" wide			
Step 3. Surface Material				
M	thermally-fused laminate top/thermoplastic edge			
T	thermally-fused laminate top/universal edge			
L	high-pressure laminate top/thermoplastic edge			
W	veneer ☐ A			
U	high-pressure laminate/universal edge ☐ A			
Step 4. Top Cap Material				
P	painted standard top cap			
W	veneer standard top cap ☐ A			
A	painted architectural top cap			
Prices for Steps 1-4.				
		P	W	A
FT281. 24	M	\$911	1153	1062
	T	\$911	1153	1062
	L	\$972	1233	1136
	W	\$1370	1634	1533
	U	\$972	1233	1136
30	M	\$935	1231	1109
	T	\$935	1231	1109
	L	\$997	1317	1185
	W	\$1461	1781	1650
	U	\$997	1317	1185
36	M	\$959	1302	1153
	T	\$959	1302	1153
	L	\$1024	1394	1233
	W	\$1554	1924	1764
	U	\$1024	1394	1233

42	M	\$983	1375	1205
	T	\$983	1375	1205
	L	\$1049	1472	1289
	W	\$1645	2071	1883
	U	\$1049	1472	1289
48	M	\$1012	1450	1251
	T	\$1012	1450	1251
	L	\$1081	1554	1339
	W	\$1737	2216	1999
	U	\$1081	1554	1339
60	M	\$1426	1965	1710
	T	\$1426	1965	1710
	L	\$1528	2110	1835
	W	\$2322	2905	2633
	U	\$1528	2110	1835
72	M	\$1472	2160	1803
	T	\$1472	2160	1803
	L	\$1578	2322	1937
	W	\$2510	3253	2867
	U	\$1578	2322	1937
84	M	\$1725	2509	2103
	T	\$1725	2509	2103
	L	\$1835	2682	2244
	W	\$2897	3745	3303
	U	\$1835	2682	2244
96	M	\$1774	2657	2239
	T	\$1774	2657	2239
	L	\$1887	2843	2390
	W	\$3084	4039	3585
	U	\$1887	2843	2390

Squared-Edge Transaction Surface for Height-Adjustable Tables *continued*

Step 5.

Top Finish

For high-pressure laminate top/thermoplastic edge (L) or high-pressure

laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M) or thermally-fused

laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer (W)

2U	light brown walnut A	+\$60
40	dark brown walnut A	+\$60
EW	medium matte walnut A	+\$60
ET	clear on ash A	+\$60
EU	oak on ash A	+\$60
EV	walnut on ash A	+\$60
UL	natural maple A	+\$60

Squared-Edge Transaction Surface for Height-Adjustable Tables *continued*

Step 6. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

For thermally-fused laminate top/universal edge (T) or high-pressure laminate/universal edge (U)

PLY	plywood edge ☐ A	+\$50
-----	---	-------

Step 7. Top Cap Finish

For painted standard top cap (P) or painted architectural top cap (A)

8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
WL	warm stone (CP)	+\$0

Bright Sand Texture Paint

For painted standard top cap (P) or painted architectural top cap (A)

91	white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

For painted standard top cap (P) or painted architectural top cap (A)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Wood Veneer

For veneer standard top cap (W)

2U	light brown walnut ☐ A	+\$0
40	dark brown walnut	+\$0
EW	medium matte walnut	+\$0
ET	clear on ash ☐ A	+\$0
EU	oak on ash ☐ A	+\$0
EV	walnut on ash ☐ A	+\$0
UL	natural maple ☐ A	+\$0

Step 8. Stanchion Finish

8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
WL	warm stone (CP)	+\$0

Bright Sand Texture Paint


91	white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Squared-Edge Transaction Surface for Height-Adjustable Tables *continued*

Step 9. Application		
LD	stacking on 35", 46", 57", 68", 79" base frame	+\$0
JL	stacking on 42"-high base frame	+\$40



Product Information


Description

This bracket supports a surface on the left or right side and attaches the surface to a frame or wall strips. Attachment hardware and 1 surface cantilever are included.

Notes

Specify cantilever depth to match depth of surface being supported.
Cantilevered surfaces can be placed in 1" vertical increments along the frame or wall strips.

Dimensions



Specification Information

Step 1.

FT290.

Step 2. Surface Depth

- 24 for 20" or 24" deep surfaces
- 30 for 30" deep surface

Step 3. Position

- L left-hand cantilever
- R right-hand cantilever

Prices for Steps 1-3.

	L	R
FT290. 24	\$51	51
30	\$61	61

Step 4. Finish

Sand Texture Paint

8Q	folkstone grey (CP)	A	+\$0
91	white (CP)		+\$0
98	studio white (CP)	A	+\$0
BK	black		+\$0
CL	cool grey neutral		+\$0
G1	graphite (CP)		+\$0
UBK	ultra black (CP)		+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral		+\$0

Reclaimed Paint


RS	ironstone		-\$5
----	-----------	--	------

Metallic Paint

611	beige mist metallic (CP)		+\$0
613	silver (CP)		+\$0
EH	metallic bronze		+\$0
SNA	satin aluminum		+\$10
SNB	satin bronze		+\$10
SNC	satin carbon		+\$10

Peninsula Support Bracket

FT29A.



Product Information

Description

This support bracket attaches one end of a square edge rectangular surface perpendicular to a frame or wall strips to form a peninsula application.


Package contains 1 pair.

Notes

Match depth of surface to width of frame.

Peninsula support brackets only attach to the squared-edge portion of a surface.

Dimensions



Specification Information

Step 1.

FT29A.

\$280

Step 2. Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10


Sand Texture Paint

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Work Surface Support BracketE2931.





Product Information

Description

This bracket attaches to the front corner of an Ethospace® or Canvas hanging work surface to provide support. It can be used only when the return frame width matches the work surface depth. The bracket cannot be used with an Ethospace Flex-Edge™ work surface. Package contains 4.

Dimensions




Specification Information


Step 1.		
E2931.		
Step 2. Position		
L	left	
R	right	
Prices for Steps 1-2.		
E2931.	L	\$106
	R	\$106
Step 3. Finish		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP) A	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0

Surface Support Rail


FT295.



Product Information
Description
This rail attaches to an equal-width frame and provides support for the depth of a frame-attached surface. The rail also holds work tools.
Notes
Specify width of support rail to match width of frame.
When surface is placed at 28½", top of support rail is 27¼".
The opposite end of the surface can be supported by another frame and support rail or a frame-attached support panel or frame-attached open support of equal depth.
Surface support rail will not support a peninsula surface.
Dimensions



Specification Information
Step 1.
FT295.
Step 2. Frame Width
24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
Prices for Steps 1-2.
FT295. 24 \$140
30 \$163
36 \$184
42 \$199
48 \$210
Step 3. Finish
Metallic Paint
611 beige mist metallic (CP) +\$0
613 silver (CP) +\$0
EH metallic bronze +\$0
SNA satin aluminum +\$10
SNB satin bronze +\$10
SNC satin carbon +\$10
Sand Texture Paint
8Q folkstone grey (CP) +\$0
91 white (CP) +\$0
98 studio white (CP) +\$0
BK black +\$0
CL cool grey neutral +\$0
G1 graphite (CP) +\$0
UBK ultra black (CP) +\$0
WL warm stone (CP) +\$0
WN warm grey neutral +\$0



Product Information

Description

This support post fits into the front leg of a bookcase/bookshelf and attaches to the underside of a concave rectangular surface. It allows the bookcase/bookshelf to support the surface at one end, eliminating the need for a cantilever. Support has a 5" range of adjustment (26½" - 31½" surface height). Finish is black. Attachment hardware included.

Notes

For use with squared-edge surfaces.



Dimensions

Specification Information



Step 1.

FT293. \$182


Canvas Office Landscape® Work Surfaces



Post Support




Surface Bracket



Support Panel, Tapered Foot, Frame Attached

FT291.



Product Information

Description


This non-handed support panel attaches to a surface and a frame. It can be used as an end panel or a mid-run panel and supports a surface placed at 28½" high. The laminate panel has an open base with a glide that provides an adjustment range of 28½" to 30½". Attachment hardware is included.

Notes

Specify depth of panel to match depth of surface. For mid-run application, specify 12" or 20"-deep support panel.

For ¼-round link and 120° link, 20"-deep support panel is the minimum support requirement.

Dimensions



Specification Information

Step 1.

FT291.

Step 2. Depth


12L	12" deep, mid-run
20L	20" deep
24L	24" deep
30L	30" deep

Prices for Steps 1-2.

FT291. 12L	\$289
20L	\$393
24L	\$406
30L	\$421

Step 3. Surface Finish

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This handed support panel attaches to a surface and a frame to provide surface support and end or mid-run support to a frame run. It has adjustable glides with a 2" range, allowing a surface height of 28½"-30½". Attachment hardware included.


Notes

For end support, match depth of support panel to depth of surface, and match edge types.

For mid-run support, specify 12"-deep, shared mid-run option (2A) on applications with 20"-deep or 24"-deep surfaces that are 12' or less; 20"-deep or 24"-deep supports also provide mid-run support when surfaces are deeper or when longer applications are required.

See Canvas planning guide for support capabilities of each frame-attached support option.

Dimensions



Specification Information

Step 1.

FT2G2. A

Step 2. Work Surface Edge Type

S squared-edge A

T thin-edge A

E eased-edge A

Step 3. Depth

2A 12" deep, shared mid-run A

20 20" deep A

24 24" deep A

30 30" deep A

Step 4. Position

For 20" deep (20), 24" deep (24), or 30" deep (30)

L left-hand support A

R right-hand support A

For 12" deep, shared mid-run (2A)

S shared, mid-run A

Step 5. Surface Material

H high-pressure laminate with thermoplastic edge A

L thermally-fused laminate with thermoplastic edge A

W veneer A

Prices for Steps 1-5.

		LH	LL	LW	SH	SL	SW
FT2G2. S	2A	—	—	—	\$323	258	668
	20	\$510	408	838	—	—	—
	24	\$532	428	879	—	—	—
	30	\$541	433	904	—	—	—
T	2A	—	—	—	\$323	258	668
	20	\$510	408	838	—	—	—
	24	\$532	428	879	—	—	—
	30	\$541	433	904	—	—	—
E	2A	—	—	—	\$323	258	668
	20	\$510	408	838	—	—	—
	24	\$532	428	879	—	—	—
	30	\$541	433	904	—	—	—

Support Panel, Frame-Attached

continued

		RH	RL	RW
FT2G2. S	20	\$510	408	838
	24	\$532	428	879
	30	\$541	433	904
T	20	\$510	408	838
	24	\$532	428	879
	30	\$541	433	904
E	20	\$510	408	838
	24	\$532	428	879
	30	\$541	433	904

Step 6. Surface Finish

Solid-Color Laminate

For thermally-fused laminate with thermoplastic edge (L)

8Q	folkstone grey (CP)	A		+\$0
91	white (CP)	A		+\$0
98	studio white (CP)	A		+\$0
CL	cool grey neutral	A		+\$0
G1	graphite (CP)	A		+\$0
LU	soft white	A		+\$0
WL	warm stone (CP)	A		+\$0
WN	warm grey neutral	A		+\$0

Twill Laminate

For thermally-fused laminate with thermoplastic edge (L)

LBF	neutral twill	A		+\$0
LBJ	graphite twill	A		+\$0
LBQ	white twill	A		+\$0

Wood-Grain Laminate

For thermally-fused laminate with thermoplastic edge (L)

125	natural maple (CP)	A		+\$0
126	natural cherry (CP)	A		+\$0
127	walnut (CP)	A		+\$0
139	light ash (CP)	A		+\$0
140	warm ash (CP)	A		+\$0
76	light brown walnut	A		+\$0
HP	light anigre	A		+\$0
LBA	clear on ash (CP)	A		+\$0
LBB	oak on ash (CP)	A		+\$0
LBC	walnut on ash (CP)	A		+\$0
LBR	phantom ecru	A		+\$0
LBS	phantom cocoa	A		+\$0
LBU	medium matte walnut (CP)	A		+\$0
LBV	warm grey teak	A		+\$0

For high-pressure laminate with thermoplastic edge (H)

125	natural maple (CP)	A		+\$0
126	natural cherry (CP)	A		+\$0
127	walnut (CP)	A		+\$0
139	light ash (CP)	A		+\$0
140	warm ash (CP)	A		+\$0
76	light brown walnut			+\$0
8Q	folkstone grey (CP)			+\$0
91	white (CP)			+\$0
98	studio white (CP)			+\$0
CL	cool grey neutral			+\$0
HF	inner tone light			+\$0
HP	light anigre			+\$0
LBA	clear on ash (CP)			+\$0
LBB	oak on ash (CP)			+\$0
LBC	walnut on ash (CP)			+\$0
LBF	neutral twill			+\$0
LBJ	graphite twill			+\$0
LBQ	white twill			+\$0
LBR	phantom ecru	A		+\$0
LBS	phantom cocoa	A		+\$0
LBU	medium matte walnut (CP)	A		+\$0
LBV	warm grey teak	A		+\$0
LT	light tone			+\$0
LU	soft white			+\$0
UBK	ultra black (CP)	A		+\$0
WL	warm stone (CP)			+\$0
WN	warm grey neutral			+\$0

For veneer (W)

2U	light brown walnut	A		+\$0
40	dark brown walnut	A		+\$0
ET	clear on ash	A		+\$0
EU	oak on ash	A		+\$0
EV	walnut on ash	A		+\$0
EW	medium matte walnut	A		+\$0
UL	natural maple	A		+\$0

Support Panel, Frame-Attached


continued

Step 7. Attachment Bracket Finish

Canvas Office Landscape® Work Surfaces

Sand Texture Paint		
8Q	folkstone grey (CP) ☐ A	+\$0
91	white (CP) ☐ A	+\$0
98	studio white (CP) ☐ A	+\$0
BK	black ☐ A	+\$0
CL	cool grey neutral ☐ A	+\$0
G1	graphite (CP) ☐ A	+\$0
LU	soft white ☐ A	+\$0
MT	medium tone ☐ A	+\$0
UBK	ultra black (CP) ☐ A	+\$0
WL	warm stone (CP) ☐ A	+\$0
WN	warm grey neutral ☐ A	+\$0
SNA	satin aluminum ☐ A	+\$10
SNB	satin bronze ☐ A	+\$10
SNC	satin carbon ☐ A	+\$10

Open Support, Tapered Foot, Frame Attached FT294.



Product Information

Description

This open metal support attaches to a surface and a frame. It can be used as an end panel or a mid-run panel and supports a surface placed at 28½" high. The open support has a glide that provides an adjustment range of 28½" to 30½". Attachment hardware is included.


Notes

Specify depth of support to match depth of surface. For mid-run application, specify 12" or 20"-deep open support.

For ¼-round link and 120° link, 20"-deep open support is the minimum support requirement.

36"-deep open support is for concave rectangular surface (FT211.) only.

Dimensions



Specification Information

Step 1.

FT294.

Step 2. Depth

12	12" deep, mid-run
20	20" deep
24	24" deep
30	30" deep
36	36" deep

Step 3. Position

L	left-hand support
R	right-hand support

Prices for Steps 1-3.

		L	R
FT294.	12	\$453	453
	20	\$609	609
	24	\$627	627
	30	\$640	640
	36	\$658	658

Step 4. Finish


Sand Texture Paint

UBK	ultra black (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP)	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Open Support, Architectural Foot, Frame Attached FT2A1.



Product Information


Description

This support leg attaches to a surface and a frame to provide surface support and end or mid-run support to a frame run. The fixed-height leg has a 2" leveling range, allowing a surface height of 28½"-30½". The adjustable-height leg is adjustable over a 6" range, allowing a surface height of 25½"-31½". Attachment hardware included.

Notes

For end support, match depth of support panel to depth of surface.
For mid-run support, specify 12"-deep, shared mid-run option (12L).
36"-deep support leg supports a concave rectangular surface (FT211.) only.
See Canvas planning guide for support capabilities of each frame-attached support option.

Dimensions



Specification Information

Step 1.

FT2A1.

Step 2. Depth

12	12" deep, shared mid-run
20	20" deep
24	24" deep
30	30" deep
36	36" deep

Step 3. Leg Type

F	fixed height
A	adjustable height

Step 4. Position

L	left-hand support
R	right-hand support

Prices for Steps 1-4.

	L	R
FT2A1. 12 F	\$362	362
A	\$439	439
20 F	\$453	453
A	\$532	532
24 F	\$485	485
A	\$564	564
30 F	\$515	515
A	\$593	593
36 F	\$544	544
A	\$624	624

Step 5. Surface Finish


Sand Texture Paint

UBK	ultra black (CP) [A]	+\$0
8Q	folkstone grey (CP) [A]	+\$0
91	white (CP) [A]	+\$0
98	studio white (CP) [A]	+\$0
BK	black [A]	+\$0
CL	cool grey neutral [A]	+\$0
G1	graphite (CP) [A]	+\$0
WL	warm stone (CP) [A]	+\$0
WN	warm grey neutral [A]	+\$0

Open Support, Architectural Foot,
Frame Attached *continued*

Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Universal Post Leg, Frame Attached FT2B1.




Product Information

Description


This leg attaches to a surface and has a bracket that attaches to a frame to provide support for the surface and frame run. The fixed-height leg has a 2" leveling range, allowing a surface height of 28½"-30½". The adjustable-height leg is adjustable over a 6" range, allowing a surface height of 25½"-31½". Attachment hardware included.

Dimensions

Fixed Height



Adjustable Height



Specification Information

Step 1.

FT2B1.

Step 2. Leg Type

- F** fixed height
- A** adjustable height

Step 3. Position

- L** left-hand support
- R** right-hand support

Prices for Steps 1-3.

	L	R
FT2B1. F	\$651	651
A	\$694	694

Step 4. Leg Body/Frame Bracket Finish

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint

613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Step 5. Leg Face Finish

Sand Texture Paint

UBK	ultra black (CP) A	+\$0
8Q	folkstone grey (CP) A	+\$0
98	studio white (CP) A	+\$0
BK	black A	+\$0
WL	warm stone (CP) A	+\$0

Smooth Paint

G1	graphite (CP)	+\$0
91	white (CP)	+\$0


Universal Post Leg, Frame Attached

continued

Metallic Paint		
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
Anodized		
AN	clear anodized aluminum	+\$10

Open Support Leg, Tapered Foot, Peninsula/D-Shaped Surface Attached

FT2F2.




Product Information

Description

This support leg attaches to 1 end of a peninsula or D-shaped surface and is inset from the edge. The adjustable feet have a 2" range, allowing a surface height of 28½"-30½". Attachment hardware included.

Dimensions



Specification Information

Step 1.

FT2F2.

Step 2. Leg Position

A inset

Step 3. Surface Dimension

24	for 24"-deep peninsula
30	for 30"-deep peninsula
36	for 36"-deep peninsula
51	for 51"-wide d-shaped
63	for 63"-wide d-shaped

Prices for Steps 1-3.

	24	30	36	51	63
FT2F2. A	\$428	509	530	428	509

Step 4. Surface Finish


Sand Texture Paint

UBK	ultra black (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Square Open Support Leg, Peninsula Attached FV2D1.




Product Information

Description

This leg supports a 1 end of a peninsula surface and is inset from the edge. It has leveling glides with 1½" of adjustment. Attachment hardware included.

Dimensions



Specification Information

Step 1.

FV2D1.

Step 2. Leg Position

A inset

Step 3. Surface Depth

24 for 24"-deep surface
30 for 30"-deep surface
36 for 36"-deep surface

Step 4. Leg Type

F fixed height

Prices for Steps 1-4.

	F
FV2D1. A 24	\$328
30	\$503
36	\$503


Step 5. Surface Finish

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10




Product Information

Description


This leg is available as a single leg to support 1 corner of a surface, or as a pair to support 1 end of a surface. The fixed-height leg has a 2" leveling range, allowing a surface height of 28½"-30½". The adjustable-height leg is adjustable over a 6" range, allowing a surface height of 25½"-31½". Attachment hardware included.

Dimensions

Fixed Height



Adjustable Height



Specification Information

Step 1.

FT2B2.

Step 2. Leg Type

- F fixed height
- A adjustable height

Step 3. Position

- L left-hand, single leg
- R right-hand, single leg
- P left-hand & right-hand, pair

Prices for Steps 1-3.

	L	R	P
FT2B2. F	\$566	566	1121
A	\$604	604	1203

Step 4. Leg Body Finish

Sand Texture Paint

For left-hand, single leg (L) or right-hand, single leg (R)

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint

For left-hand, single leg (L) or right-hand, single leg (R)

613	silver (CP)	+\$0
-----	-------------	------

Sand Texture Paint

For left-hand & right-hand, pair (P)

UBK	ultra black (CP)	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
BK	black	A	+\$0
G1	graphite (CP)	A	+\$0
WL	warm stone (CP)	A	+\$0

Universal Post Leg *continued*

Metallic Paint

For left-hand & right-hand, pair (P)

613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Step 5. Leg Face Finish

Sand Texture Paint

For left-hand, single leg (L) or right-hand, single leg (R)

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

For left-hand, single leg (L) or right-hand, single leg (R)

G1	graphite (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint

For left-hand, single leg (L) or right-hand, single leg (R)

613	silver (CP)	+\$0
------------	-------------	------

Anodized

For left-hand, single leg (L) or right-hand, single leg (R)

AN	clear anodized aluminum	+\$10
-----------	-------------------------	-------

Sand Texture Paint

For left-hand & right-hand, pair (P)

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

For left-hand & right-hand, pair (P)

G1	graphite (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint


For left-hand & right-hand, pair (P)

613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Anodized

For left-hand & right-hand, pair (P)

AN	clear anodized aluminum	+\$20
-----------	-------------------------	-------




Product Information

Description

This single painted leg supports a desk or return and includes a glide with 1½" leveling range. Specify 2 legs to support one end of a surface. Attachment hardware included.

Dimensions



Specification Information

Step 1.

FV689.P \$241

Step 2. Surface Finish

Sand Texture Paint


UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Square Open Support Leg

FV2D2.



Product Information

Description

This individual leg supports 1 end of a surface or joins 2 surfaces end-to-end, providing shared support at the surface joint. It has leveling glides with 1½" of adjustment. Attachment hardware included.

Notes

When leg is supporting the end of a squared- or eased-edge surface, depth of support leg must match depth of surface. Support leg does not work with thin-edge surfaces in this position.

When leg is supporting the joint between 2 surfaces, specify leg as follows:


Surface Depth—Leg Depth

24" deep surface—12" deep leg

30" deep surface—24" deep leg

36" deep surface—24" deep leg

Dimensions



Specification Information

Step 1.

FV2D2.

Step 2. Surface Edge Type

S for squared edge surface

Step 3. Depth

2A 12" deep, shared

2B 24" deep, shared

24 24" deep

30 30" deep

36 36" deep

Step 4. Leg Type

F fixed height

Step 5. Position

For 12" deep, shared (2A) or 24" deep, shared (2B)

S shared

For 24" deep (24), 30" deep (30), or 36" deep (36)

L left

R right

Prices for Steps 1-5.

		FL	FS	FR
FV2D2.	S 2A	—	\$322	—
	2B	—	\$492	—
	24	\$492	—	492
	30	\$509	—	509
	36	\$520	—	520

Step 6. Surface Finish


Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Canvas Office Landscape® Work Surfaces

Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Open Support Leg, Architectural Foot FV2A2.



Product Information

Description

This individual leg supports 1 end of a surface or joins 2 surfaces end-to-end, providing shared support at the surface joint. The fixed height leg has a 2" leveling range allowing a surface height of 28 1/2"-30 1/2". The adjustable height leg has a 6" adjustment range in 1" increments allowing a surface height of 25 1/2"-31 1/2". Attachment hardware included.

Notes

When leg is supporting the end of a surface, depth of support leg must match depth of surface.

When leg is supporting the joint between 2 surfaces, specify leg as follows:

Surface Depth—Leg Depth

24" deep surface—12" deep leg

30" deep surface—24" deep leg

36" deep surface—24" deep leg

See planning guide for support rules.

Dimensions

Shared
Support




End
Support



Fixed Height



Adjustable Height



Specification Information

Step 1.

FV2A2.

Step 2. Depth

2A 12" deep, shared

2B 24" deep, shared

24 24" deep

30 30" deep

36 36" deep

Step 3. Leg Type

F fixed height

A adjustable height

Step 4. Position

For 12" deep, shared (2A) or 24" deep, shared (2B)

S shared

For 24" deep (24), 30" deep (30), or 36" deep (36)

L left

R right

Prices for Steps 1-4.

	L	S	R
FV2A2. 2A F	—	\$393	—
A	—	\$517	—
2B F	—	\$641	—
A	—	\$765	—
24 F	\$641	—	641
A	\$765	—	765
30 F	\$672	—	672
A	\$800	—	800
36 F	\$706	—	706
A	\$834	—	834

Open Support Leg, Architectural Foot

continued

Step 5. Surface Finish

Sand Texture Paint


UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
EH	metallic bronze	+\$0

Closed Support Leg

FV2E2.



Product Information

Description

This individual solid panel leg supports 1 end of a surface or joins 2 surfaces end-to-end, providing shared support at the surface joint. It is available as laminate or veneer and has leveling glides with 1½" of adjustment. Attachment hardware included.

Notes

For additional product options, see Vary Easy Program in Appendices.

Grain direction is vertical on wood-grain laminate and veneer.

When leg is supporting the end of a squared- or eased-edge surface, depth of support leg must match depth of surface. Support leg does not work with thin-edge surfaces in this position.

When leg is supporting the joint between 2 surfaces, specify leg as follows:


Surface Depth—Leg Depth

24" deep surface—12" deep leg

30" deep surface—24" deep leg

36" deep surface—24" deep leg

Dimensions



Specification Information

Step 1.

FV2E2.

Step 2. Surface Edge Type

S for squared edge surface

Step 3. Depth

2A 12" deep, shared

2B 24" deep, shared

24 24" deep

30 30" deep

36 36" deep

Step 4. Leg Type

F fixed height

Step 5. Surface Material

H high-pressure laminate with thermoplastic edge **A**

L thermally-fused laminate with thermoplastic edge

W veneer **A**

Prices for Steps 1-5.

		FH	FL	FW
FV2E2. S	2A	\$325	259	669
	2B	\$530	424	877
	24	\$530	424	877
	30	\$540	433	903
	36	\$552	440	1182

Step 6. Surface Finish

Solid-Color Laminate

For thermally-fused laminate with thermoplastic edge (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Twill Laminate

For thermally-fused laminate with thermoplastic edge (L)

LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Wood-Grain Laminate

For thermally-fused laminate with thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
76	light brown walnut	+\$0

For high-pressure laminate with thermoplastic edge (H)

125	natural maple (CP) A	+\$0
126	natural cherry (CP) A	+\$0
127	walnut (CP) A	+\$0
139	light ash (CP) A	+\$0
140	warm ash (CP) A	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut (CP) A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
UBK	ultra black (CP) A	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Wood Veneer

For veneer (W)

CHD	noble cherry	+\$85
2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
EW	medium matte walnut A	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
UL	natural maple A	+\$85

Canvas Cabinet/Wall Attachment Bracket


FV692.



Product Information
Description This bracket attaches 1 end of a surface to a Canvas wood vertical storage cabinet or architectural wall, eliminating the need for a support leg. Finish is black. Attachment hardware included.
Notes Supports a 20" or 24" deep surface. 20" deep surface can be attached to a 20" or 24" deep wood vertical storage cabinet or architectural wall. 24" deep surface can be attached to a 24" deep wood vertical storage cabinet or architectural wall.
Dimensions


Specification Information
Step 1. FV692.
\$112

Canvas Office Landscape® Work Surfaces



Tu® Storage Tower Attachment Bracket

LG692



Product Information


Description

This bracket attaches to the side of a Tu Metal storage tower to support 1 end of a 24" deep surface, eliminating the need for a support leg or cantilever. Finish is black. Attachment hardware included.

Notes

Bracket must attach to the pedestal side of a metal storage tower.
Bracket does not provide support for a panel or frame.

Dimensions



Specification Information


Step 1.

LG692

\$72

Support Bracket, Low Credenza-to-Frame

FT292.



Product Information

Description

This bracket attaches between a Canvas wood or metal credenza and a frame. It allows the credenza to attach parallel or perpendicular to the frame, providing support to a frame run in place of a return wall or work surface support.

Notes



Bracket attaches credenza with no gap or with a 1" gap from the front of the frame to allow room for cords and cables.

Support bracket attaches to low credenza with 4" foot and thin top only.

Support bracket also attaches to back of a 60" wide or wider low credenza where 2 units are joined.

Support bracket orientation (left or right) is determined by the frame orientation as you are facing the frame. Credenza can be attached parallel or perpendicular to a frame. Bracket attaches to the back left or back right of the low credenza.

Dimensions



Specification Information

Step 1.

FT292.

Step 2. Storage Type

M for use with metal low credenza with 4" high foot

C for use with wood low credenza with 4" high foot ☐

Step 3. Frame Attachment Location

L left end of frame

R right end of frame

Step 4. Storage Attachment Position

N no gap, for storage tight to wall

G 1" gap, for cord drop

Prices for Steps 1-4.

			N	G
FT292.	M	L	\$216	216
		R	\$216	216
	C	L	\$216	216
		R	\$216	216

Step 5. Surface Finish


Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Surface Support, Low Credenza, Fixed Height FT298.




Product Information
Description This support allows a low credenza to support 1 end of a surface and places the surface at 28½" high. Attachment hardware included.
Notes Support heights are: • 5⅛" high for storage type (M) • 6⅞" high for storage type (S)
Dimensions



Specification Information
Step 1. FT298.
Step 2. Storage Type M for use with thin top low credenza with 4" high foot S for use with thin top low credenza with 2¼" high base
Prices for Steps 1-2.
FT298. M \$281 S \$281

Step 3. Surface Finish
Sand Texture Paint
91 white (CP) ☐ A +\$0 CL cool grey neutral ☐ A +\$0 G1 graphite (CP) ☐ A +\$0 UBK ultra black (CP) ☐ A +\$0 WN warm grey neutral ☐ A +\$0 8Q folkstone grey (CP) ☐ A +\$0 98 studio white (CP) ☐ A +\$0 WL warm stone (CP) ☐ A +\$0
Metallic Paint
611 beige mist metallic (CP) +\$0 613 silver (CP) +\$0 EH metallic bronze +\$0 SNA satin aluminum +\$10 SNB satin bronze +\$10 SNC satin carbon +\$10

Surface Support, Low Credenza, Adjustable Height FT299.



Product Information

Description

This height-adjustable support allows a low credenza to support 1 end of a surface, and provides 3" of height adjustment for the surface. Attachment hardware included.

Notes



In lowest position, the height of supports is as follows:

- 3 $\frac{5}{8}$ " high for storage type (M)
- 5 $\frac{5}{8}$ " high for storage type (S)

When used with low credenza with $\frac{3}{8}$ " thin top, surface adjustment height range is 27" - 30".

When used with low credenza with $\frac{1}{4}$ " thick top, surface adjustment height range is 27 $\frac{5}{8}$ " - 30 $\frac{5}{8}$ ".

Dimensions



Specification Information

Step 1.

FT299.

Step 2. Storage Type

- M** for use with low credenza with 4" high foot
S for use with low credenza with 2 $\frac{1}{4}$ " high base

Prices for Steps 1-2.

FT299. M	\$467
S	\$467

Step 3. Surface Finish

Sand Texture Paint


UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Fixed Surface Support, Low Credenza, Power Chase

FV298.



Product Information

Description

This power chase support allows a low credenza to support 1 end of a surface and places the surface at 28½" high. The support is open to allow cords to route from surface through top of credenza and through to wall. Attachment hardware included.

Notes

Support heights:

Storage Type—Height

M—5⅛"

S—6⅞"





R—6"

W—4¼"

For use with wood low credenza, open with drawers, power access (FFV73.), ordered separately.

Support is sized for the 6-module Logic G1000 grommet mounted electrical distributor (Y1425.D or .G).

Dimensions



Fixed Surface Support, Low
Credenza, Power Chase *continued*

Specification Information

Step 1.

FV298. ☐

Step 2. Storage Type

M for use with thin top low credenza with 4" high foot ☐
S for use with thin top low credenza with 2¼" high base ☐
R for use with 1¼" top low credenza with 2¼" high base ☐
W for use with 1¼" top low credenza with 4" high foot ☐

Prices for Steps 1-2.


FV298. M	\$397
S	\$397
R	\$397
W	\$397

Step 3. Surface Finish

611	beige mist metallic (CP) ☐	+\$0
613	silver (CP) ☐	+\$0
BK	black ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
EH	metallic bronze ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Metallic Paint

SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10




Canvas Office Landscape® Work Surfaces

Product Information

Description
This stiffener is used to add additional stiffness to a Canvas freestanding surface, Canvas or Ethospace® surface-attached surface, peninsula or any frame-attached surface when a center cantilever cannot be used. Attachment hardware included.

Notes
Canvas and Ethospace laminate or veneer surfaces 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever require stiffener(s).
See Canvas Office Landscape® Planning Guide or Ethospace Work Surface Planning Guide for specific stiffener guidelines.
Stiffener hangs below surface and is 1¼" high.

Dimensions



Specification Information


Step 1.
FV696.

Step 2. Width	
34	337⁄8" wide
39	38⁵⁄₈" wide
43	43¼" wide
48	48" wide
57	57³⁄₈" wide
62	62½" wide
67	66¾" wide
71	71½" wide
81	807⁄₈" wide

Prices for Steps 1-2.		
FV696.	34	\$101
	39	\$103
	43	\$103
	48	\$103
	57	\$103
	62	\$103
	67	\$103
	71	\$103
	81	\$103

Open Support Leg, Architectural Foot, Peninsula/D-Shaped Surface Attached

FT2A2.



Product Information

Description

This support leg attaches to 1 end of a peninsula or D-shaped surface. It can be also be used to create a freestanding peninsula desk. The fixed-height leg has a 2" leveling range, allowing a surface height of 28½"-30½". The adjustable-height leg is adjustable over a 6" range, allowing a surface height of 25½"-31½". Attachment hardware included.

Notes


For D-shaped surface, specify support leg with inset option (A).

For peninsula surface attached to a frame or wall strips, specify support leg with inset option (A) or outbound option (B).

For peninsula supported by a low credenza, specify support leg with outbound option (B).

To create a freestanding peninsula desk, specify 2 support legs; 1 with inset option (A) and 1 with outbound option (B).

Dimensions



Specification Information

Step 1.

FT2A2.

Step 2. Leg Position

- A inset
- B outbound

Step 3. Surface Dimension

For inset (A)

- 24 for 24"-deep peninsula
- 30 for 30"-deep peninsula
- 36 for 36"-deep peninsula
- 51 for 51"-wide d-shaped
- 63 for 63"-wide d-shaped

For outbound (B)

- 24 for 24"-deep peninsula
- 30 for 30"-deep peninsula
- 36 for 36"-deep peninsula

Step 4. Leg Type

- F fixed height
- A adjustable height

Step 5. Position

For inset (A)

- S non-handed support

For outbound (B)

- L left-hand support
- R right-hand support

Prices for Steps 1-5.

		FL	FS	FR	AL	AS	AR
FT2A2.	A 24	—	\$597	—	—	717	—
	30	—	\$632	—	—	747	—
	36	—	\$663	—	—	779	—
	51	—	\$597	—	—	717	—
	63	—	\$632	—	—	747	—
	B 24	\$597	—	597	717	—	717
	30	\$632	—	632	747	—	747
	36	\$663	—	663	779	—	779

Open Support Leg, Architectural
Foot, Peninsula/D-Shaped Surface
Attached *continued*

Step 6. Surface Finish

Canvas Office Landscape® Work Surfaces

Sand Texture Paint


UBK	ultra black (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
G1	graphite (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Surface Ganging Bracket

FT29B.



Product Information

Description

This bracket connects one side of a square-edge surface to another square-edge surface in line or at a right angle.

Notes

For freestanding surface applications, when attaching 2 rectangular surfaces perpendicular to each other or when attaching a rectangular surface perpendicular to the squared-edge portion of a rectangular transition surface specify the pair version (FT29B.2).

When attaching freestanding surfaces next to each other in a straight line with a shared leg supporting the back portion of the surfaces, specify the single version (FT29B.1).

Dimensions

Specification Information

Step 1.


FT29B.


Step 2. Type

1	single
2	pair

Prices for Steps 1-2.

FT29B. 1	\$37
2	\$63





Product Information



Description

This cable manager attaches beneath a surface to provide routing of cables and cords at the back edge of a desk or return. Attachment hardware included.

Notes

When using cable manager with privacy panel or screen, specify cable manager width 12" less than privacy panel or screen width.

Dimensions



Specification Information

Step 1.

FV695.

Step 2. Width

18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Prices for Steps 1-2.

FV695. 18	\$110
24	\$116
30	\$126
36	\$134
42	\$145
48	\$158

Step 3. Surface Finish

Sand Texture Paint


UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10


Cable Management Trough

FT199.




Product Information
Description
This trough attaches along the underside of a Canvas surface to hold and manage power/data cables. It includes two 14"-wide troughs. Finish is black. Attachment hardware is included.
Dimensions

Specification Information
Step 1.
FT199.
\$102



Cable Management Channel

FT19C.




Product Information

Description

This channel attaches to the underside of a surface to hold and manage cords and cables. Attachment hardware included.

Dimensions




Specification Information

Step 1.		
FT19C. A		
Step 2. Width		
08	8" wide A	
40	40" wide A	
Prices for Steps 1-2.		
FT19C. 08		\$62
40		\$110


Cord Cleat

G1331.




Product Information
Description
This cleat attaches to the underside of a work surface or table to manage cords and cables. Finish is cool grey neutral. Package contains 2.
Dimensions

Specification Information
Step 1.
G1331.
\$35



Vertical Cable Manager

FV698.




Product Information

Description

This plastic cable manager adheres with double-sided tape to a desk leg to route cords and cables from the floor to the surface. Package of 6.

Dimensions



Specification Information

Step 1.

FV698.21


\$100

Step 2. Surface Finish



G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
3G	brownstone	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Grommet Kit, Surface

FV982.




Product Information
Description
This grommet kit allows cords and cables to be routed through a surface. Includes a template for proper placement. Package of 6.
Notes
Grommet kit requires field-drilling of surface.
Dimensions



Specification Information
Step 1.
FV982.
\$56
Step 2. Grommet Finish
G1 graphite (CP)
UBK ultra black (CP)
3G brownstone
8Q folkstone grey (CP)
91 white (CP)
98 studio white (CP)
BK black
CL cool grey neutral
LU soft white
MT medium tone
WL warm stone (CP)
WN warm grey neutral

Pencil Drawer

Y5010.




Product Information

Description

This plastic drawer mounts under a hanging or freestanding work surface to store pencils and other small items. Mounting hardware is included.

Dimensions



Specification Information

Step 1.

Y5010.


\$76

Step 2. Surface Finish


UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metal Pencil Drawer

Y5012.



Product Information
Description
This metal drawer mounts under a hanging or freestanding work surface to store pencils and other small items. Mounting hardware is included.
Dimensions




Specification Information
Step 1.
Y5012.
\$317
Step 2. Surface Finish
UBK ultra black (CP)
8Q folkstone grey (CP)
98 studio white (CP)
HF inner tone light
LT light tone
LU soft white
MT medium tone
SG slate grey
WL warm stone (CP)
WN warm grey neutral

Canvas Office Landscape® Work Surfaces

Storage Cabinet, Frame Top, Mounted, Open

FT415.



Product Information

Description

This cabinet mounts centered to the top of a frame, or frames, to provide overhead storage on 1 or both sides. Frame top cap(s) and attachment hardware included.

Notes

For additional product options, see Vary Easy Program in Appendices.

Match width of cabinet to the width of a frame 36"-48" wide, or the combined width of 2 equal width frames 60"-96" wide.

Double-sided option (D) allows 1/2 of the cabinet to be accessed from each side of the frame. Single-sided option (S) allows the entire cabinet to be accessed from 1 side of the frame.

Attaches to frames up to 57" high.



Specify optional marker board (FT492.) or tackboard (FT491.) separately.

Frame top storage cannot be placed next to finished end change-of-height (FT161.) or finished end architectural change-of-height (FT16B.).



Frame top storage cannot be placed next to connector-attached power poles (FT143.) or FT14A.) that are equal height or lower than storage.

Frame top storage cannot be used with off-module applications.

Dimensions



S



D

Specification Information

Step 1.

FT415.

Step 2. Width

36	36" wide
42	42" wide
48	48" wide
60	60" wide
72	72" wide
84	84" wide
96	96" wide

Step 3. Frame Top Cap Options

P	painted standard top cap
W	veneer standard top cap A
A	painted architectural top cap

Step 4. Storage Type

D	double-sided
S	single-sided

Step 5. Position

For double-sided (D)

L	opening left
R	opening right

For single-sided (S)

S	opening left and right
---	------------------------

Step 6. Surface Material

L	thermally-fused laminate
W	veneer A

Prices for Steps 1-6.

		DLL	DLW	DRL	DRW	SSL	SSW
FT415.	36 P	\$1757	3920	1757	3920	1616	3603
	W	\$1960	4154	1960	4154	1819	3838
	A	\$1871	4054	1871	4054	1730	3739
	42 P	\$1832	4191	1832	4191	1682	3857
	W	\$2062	4460	2062	4460	1915	4128
	A	\$1960	4343	1960	4343	1813	4006
	48 P	\$1909	4483	1909	4483	1757	4123
	W	\$2168	4787	2168	4787	2015	4429
	A	\$2053	4650	2053	4650	1900	4289

Storage Cabinet, Frame Top,
Mounted, Open *continued*

60 P	\$2109	5077	2109	5077	1942	4676
W	\$2425	5452	2425	5452	2257	5047
A	\$2280	5279	2280	5279	2109	4873
72 P	\$2309	5701	2309	5701	2130	5246
W	\$2716	6177	2716	6177	2529	5720
A	\$2509	5930	2509	5930	2321	5476
84 P	\$2691	6879	2691	6879	2457	6311
W	\$3150	7423	3150	7423	2916	6853
A	\$2881	7104	2881	7104	2652	6539
96 P	\$3017	7750	3017	7750	2757	7111
W	\$3533	8360	3533	8360	3279	7719
A	\$3253	8028	3253	8028	2996	7388

Step 7. Top/Edge Finish

Solid-Color Laminate Top/Thermoplastic Edge

For thermally-fused laminate (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Twill Laminate Top/Thermoplastic Edge

For thermally-fused laminate (L)

LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Wood-Grain Laminate Top/Thermoplastic Edge

For thermally-fused laminate (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
76	light brown walnut	+\$0

Wood Veneer

For veneer (W)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
CHD	noble cherry	+\$0
EW	medium matte walnut	+\$0
ET	clear on ash A	+\$0
EU	oak on ash A	+\$0
EV	walnut on ash A	+\$0
UL	natural maple	+\$0

Step 8. Top Cap Finish

Sand Texture Paint

For painted standard top cap (P) or painted architectural top cap (A)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Metallic Paint

For painted standard top cap (P) or painted architectural top cap (A)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Wood Veneer

For veneer standard top cap (W)


2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
CHD	noble cherry	+\$0
EW	medium matte walnut	+\$0
UL	natural maple	+\$0

Step 9. Application

LD	stacking on 35", 46", 57" base frame	+\$0
JL	stacking on 42" or 53"-high base frame	+\$40

Storage Cabinet, Frame Top,
Mounted, Sliding Door

FT416.



Product Information

Description

This cabinet mounts centered to the top of a frame, or frames, to provide overhead storage on 1 or both sides. Back-painted glass doors slide along an inset track. Doors are nonlockable and include a notched pull. Frame top cap(s) and attachment hardware included.

Notes

Match width of cabinet to width of frame 36"-48" wide, or combined width of 2 equal width frames 60"-96" wide.

Double-sided (D) option allows half of the cabinet to be accessed from each side of the frame. Single-sided (S) option allows the entire cabinet to be accessed from 1 side of the frame.

Attaches to frames up to 57" high.

Door material is always back-painted glass.

Glass doors are back-painted and writable with dry erase marker. Doors are nonmagnetic. Glass doors cannot lock.

Single-sided (S) units up to 72" wide have 2 doors on 1 side of cabinet; double-sided (D) units have 1 door on each side of cabinet.

Single-sided (S) units 84" and 96" wide have 4 doors on 1 side of cabinet; double-sided (D) units have 2 doors on each side of cabinet.

Dimensions

(D) Double-sided

(S) Single-sided

Storage Cabinet, Frame Top, Mounted, Sliding Door *continued*

Specification Information	
Step 1.	
FT416.	☐ A
Step 2. Height	
15	15" high ☐ A
Step 3. Width	
36	36" wide ☐ A
42	42" wide ☐ A
48	48" wide ☐ A
60	60" wide ☐ A
72	72" wide ☐ A
84	84" wide ☐ A
96	96" wide ☐ A
Step 4. Frame Top Cap Options	
P	painted standard top cap
W	veneer standard top cap ☐ A
A	painted architectural top cap
Step 5. Storage Type	
D	double-sided
S	single-sided
Step 6. Position	
<i>For double-sided (D)</i>	
L	opening left
R	opening right
<i>For single-sided (S)</i>	
S	opening left and right
Step 7. Surface Material	
L	thermally-fused laminate
W	veneer ☐ A
Step 8. Door Material	
G	glass ☐ A

Prices for Steps 1-8.						
		PDLLG	PDLWG	PDRLG	PDRWG	PSSLG PSSWG
FT416.	15 36	\$3517	5527	3517	5527	3357 5118
	42	\$3595	5784	3595	5784	3499 5592
	48	\$3894	6233	3894	6233	3807 6003
	60	\$4235	6621	4235	6621	4156 6442
	72	\$4582	7133	4582	7133	4492 6969
	84	\$6450	8123	6450	8123	6183 7890
	96	\$6840	8951	6840	8951	6567 8666
		WDLWG	WDLWG	WDRWG	WSSWG	WSSWG
FT416.	15 36	\$3728	5740	3728	5740	3569 5332
	42	\$3807	5994	3807	5994	3715 5805
	48	\$4105	6446	4105	6446	4020 6217
	60	\$4445	6835	4445	6835	4368 6654
	72	\$4794	7345	4794	7345	4705 7181
	84	\$6663	8336	6663	8336	6395 8102
	96	\$7052	9162	7052	9162	6780 8878
		ADLLG	ADLWG	ADRLG	ADRWG	ASSLG ASSWG
FT416.	15 36	\$3582	5592	3582	5592	3422 5181
	42	\$3662	5850	3662	5850	3566 5659
	48	\$3958	6300	3958	6300	3872 6071
	60	\$4299	6687	4299	6687	4221 6508
	72	\$4649	7199	4649	7199	4558 7033
	84	\$6517	8189	6517	8189	6248 7954
	96	\$6904	9017	6904	9017	6633 8733

Storage Cabinet, Frame Top, Mounted, Sliding Door *continued*

Step 9. Top/Edge Finish

For thermally-fused laminate (L)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Wood Veneer

For veneer (W)

2U	light brown walnut	A	+\$0
40	dark brown walnut	A	+\$0
EW	medium matte walnut	A	+\$0
ET	clear on ash	A	+\$0
EU	oak on ash	A	+\$0
EV	walnut on ash	A	+\$0
UL	natural maple	A	+\$0

Step 10. Top Cap Finish

Sand Texture Paint

For painted standard top cap (P) or painted architectural top cap (A)

UBK	ultra black (CP)	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
BK	black	A	+\$0
CL	cool grey neutral	A	+\$0
G1	graphite (CP)	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Metallic Paint

For painted standard top cap (P) or painted architectural top cap (A)

611	beige mist metallic (CP)	A	+\$0
613	silver (CP)	A	+\$0
EH	metallic bronze		+\$0
SNA	satin aluminum	A	+\$10
SNB	satin bronze	A	+\$10
SNC	satin carbon	A	+\$10

Wood Veneer

For veneer standard top cap (W)

2U	light brown walnut	A	+\$0
40	dark brown walnut	A	+\$0
EW	medium matte walnut	A	+\$0
UL	natural maple	A	+\$0


Step 11. Door Material Finish

8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0

Step 12. Application

LD	stacking on 35", 46", 57" base frame	+\$0
JL	stacking on 42" or 53"-high base frame	+\$40

Tackboard, Storage Cabinet, Frame FT491. Top Mounted



Product Information

Description

This tackboard attaches to 1 side of a double-sided frame top mounted storage cabinet to provide a tackable surface. Attachment hardware included.

Notes

Specify tackboard width $\frac{1}{2}$ the width of the storage cabinet.

Attaches to back of unit or to interior of open storage cabinet (FT415.).

Tackboard accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

For tackable fabric option (T)

Width—Yardage

All widths—.61

For tackable fabric, horizontal (R)

Width—Yardage

18—.72

21—.80


24—.88

30—1.05

36—1.22

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT491.

Step 2. Width

36	16 $\frac{3}{4}$ " for 36"-wide cabinet	
42	19 $\frac{3}{4}$ " for 42"-wide cabinet	
48	22 $\frac{3}{4}$ " for 48"-wide cabinet	
60	28 $\frac{3}{4}$ " for 60"-wide cabinet	
72	34 $\frac{3}{4}$ " for 72"-wide cabinet	
84	20" for 84"-wide cabinet	
96	23" for 96"-wide cabinet	

Step 3. Surface Material

T	tackable fabric	
R	tackable fabric, horizontal	

Prices for Steps 1-3.

		T	R
FT491.	36	\$187	191
	42	\$213	219
	48	\$237	244
	60	\$276	282
	72	\$315	324
	84	\$213	219
	96	\$237	244


Step 4. Surface Finish

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.


Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$40
Price Category 4	+\$61
Price Category 5	+\$124
Price Category B	+\$44
Price Category C	+\$61
Price Category D	+\$77
Price Category E	+\$94
Price Category F	+\$120

Markerboard, Storage Cabinet, Frame
Top Mounted

FT492.




Product Information
Description
This marker board attaches to 1 side of a double-sided frame top mounted storage cabinet to provide a writing surface for dry-erase markers. Attachment hardware included.
Notes
Specify marker board width $\frac{1}{2}$ the width of the storage cabinet. Attaches to back of storage unit (FT415.).
Dimensions



Specification Information
Step 1.
FT492. ☐
Step 2. Width
36 16 $\frac{3}{4}$ " for 36"-wide cabinet ☐
42 19 $\frac{3}{4}$ " for 42" -wide cabinet ☐
48 22 $\frac{3}{4}$ " for 48" -wide cabinet ☐
60 28 $\frac{3}{4}$ " for 60" -wide cabinet ☐
72 34 $\frac{3}{4}$ " for 72" -wide cabinet ☐
84 20" for 84" -wide cabinet ☐
96 23" for 96" -wide cabinet ☐

Prices for Steps 1-2.
FT492. 36 \$176
42 \$183
48 \$191
60 \$214
72 \$233
84 \$183
96 \$191



Product Information

Description

This lockable storage unit hangs from a frame, wall strips, off-module upper tile, or architectural wall. It has a painted, debossed, or veneer sliding door. The sliding door covers 1 side of the storage unit and can be locked in either position. The underside of the shelf accepts a task light. Attachment hardware included. Shipped knocked down.

The 15"-high storage unit has 1 shelf; the 22"-high storage unit has 2 shelves.

Notes

Debossed door can only be specified as lockable (L).

When hung off-module, the storage unit attaches in 1" intervals and can span more than 1 off-module upper tile.

When hung off-module, storage unit placement is determined by the location of off-module upper tile(s).

Order optional task light separately:


- Twist™ LED task light (G6160.xM)
- Under shelf LED task light (G6170.xxS). Width of light must match width of sliding door storage unit.

To enclose back of unit, order back panel (FT412.) separately. For off-module applications, a back panel is recommended.

Wall mount attachment includes back panel.

For keyed-alike locks, order chrome lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions



F-Style Sliding Door Storage Unit

continued

Specification Information

Step 1.

FT410.

Step 2. Height

- 1 15" high
- 2 22" high

Step 3. Width

- 24 24" wide
- 30 30" wide
- 36 36" wide
- 42 42" wide
- 48 48" wide

Step 4. Door Material

For 15" high (1)

- P painted door
- X debossed door
- C veneer door with vertical grain ☐ A

For 22" high (2)

- P painted door
- X debossed door
- C veneer door with vertical grain ☐ A

Step 5. Lock

For painted door (P) or veneer door with vertical grain (C)

- N no lock
- L lock

For debossed door (X)

- L lock

Prices for Steps 1-5.

		PN	PL	XL	CN	CL
FT410.	1					
	24	\$573	595	634	798	822
	30	\$607	629	670	839	855
	36	\$659	675	727	892	908
	42	\$708	727	776	944	965
	48	\$748	769	824	989	1008

2	24	\$766	784	822	1049	1074
	30	\$809	829	871	1096	1116
	36	\$875	890	937	1163	1185
	42	\$936	954	1005	1230	1250
	48	\$982	1003	1060	1286	1304

Step 6. Lock Option

For lock (L)

- KA keyed alike +\$0
- KC keyed differently, chrome +\$0

Step 7. Case Finish

Sand Texture Paint

- 91 white (CP) +\$0
- BK black +\$0
- CL cool grey neutral +\$0
- G1 graphite (CP) +\$0
- UBK ultra black (CP) +\$0
- WN warm grey neutral +\$0
- 8Q folkstone grey (CP) +\$0
- 98 studio white (CP) +\$0
- WL warm stone (CP) +\$0

Metallic Paint

- 611 beige mist metallic (CP) +\$0
- 613 silver (CP) +\$0
- EH metallic bronze +\$0
- SNA satin aluminum +\$60
- SNB satin bronze +\$60
- SNC satin carbon +\$60

Step 8. Door Finish

Sand Texture Paint

For painted door (P) or debossed door (X)

- 91 white (CP) +\$0
- BK black +\$0
- CL cool grey neutral +\$0
- G1 graphite (CP) +\$0
- UBK ultra black (CP) +\$0
- WN warm grey neutral +\$0
- 98 studio white (CP) +\$0
- 8Q folkstone grey (CP) +\$0
- WL warm stone (CP) +\$0

F-Style Sliding Door Storage Unit

continued

Metallic Paint

For painted door (P) or debossed door (X)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Wood Veneer

For veneer door with vertical grain (C)

2U	light brown walnut ☐	+\$55
40	dark brown walnut	+\$55
CHD	noble cherry ☐	+\$55
EW	medium matte walnut	+\$55
ET	clear on ash ☐	+\$55
EU	oak on ash ☐	+\$55
EV	walnut on ash ☐	+\$55
UL	natural maple ☐	+\$55

Step 9. Pull Finish

Sand Texture Paint

91	white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WN	warm grey neutral	+\$0
3G	brownstone	+\$0

Step 10. End Panel Option

For 15" high (1)


OM	off module	+\$0
SM	on module	+\$0
WM	wall mount	+\$200

For 22" high (2)

SM	on module	+\$0
WM	wall mount	+\$200

F-Style Upmount Sliding Door Storage Unit

FT414.



Product Information

Description

This 15"-high lockable storage unit has brackets that allow it to be mounted above the top of a frame. It has a painted, debossed, or veneer sliding door. The sliding door covers 1 side of the unit and can be locked in either position. The underside of the shelf accepts a task light. Back panel and attachment hardware included. Shipped knocked down.

Notes


Debossed door can only be specified as lockable (L).

Order optional task light separately:

- Twist™ LED task light (G6160.AM)
- Under shelf LED task light (G6170.xxS). Width of light must match width of sliding door storage unit.

For keyed-alike locks, specify chrome lock plugs separately. See Keyed-Alike information in Appendices.

Dimensions



Specification Information

Step 1.

FT414.1

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 3. Door Material

P	painted door
X	debossed door
C	veneer door with vertical grain A

Step 4. Lock

For painted door (P) or veneer door with vertical grain (C)

N	no lock
L	lock

For debossed door (X)

L	lock
----------	------

Prices for Steps 1-4.

			N	L
FT414.1	24	P	\$876	894
		X	—	\$935
		C	\$1120	1141
	30	P	\$934	947
		X	—	\$995
		C	\$1183	1203
	36	P	\$997	1010
		X	—	\$1060
		C	\$1252	1270
	42	P	\$1056	1076
		X	—	\$1125
		C	\$1318	1337
	48	P	\$1119	1139
		X	—	\$1194
		C	\$1385	1407

Step 5. Lock Option

For lock (L)

KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0

F-Style Upmount Sliding Door Storage Unit *continued*

Step 6. Case Finish

Sand Texture Paint

91	white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WN	warm grey neutral	+\$0
8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$60
SNB	satin bronze	+\$60
SNC	satin carbon	+\$60

Step 7. Door Finish

Sand Texture Paint

For painted door (P) or debossed door (X)

91	white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WN	warm grey neutral	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint

For painted door (P) or debossed door (X)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Wood Veneer

For veneer door with vertical grain (C)

2U	light brown walnut A	+\$55
40	dark brown walnut	+\$55
CHD	noble cherry	+\$55
EW	medium matte walnut	+\$55
ET	clear on ash A	+\$55
EU	oak on ash A	+\$55
EV	walnut on ash A	+\$55
UL	natural maple A	+\$55


Step 8. Pull Finish

Sand Texture Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
3G	brownstone	+\$0

F-Style Shelf

FT411.



Product Information

Description

This 8¾"-high shelf hangs from a frame or wall strips. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Notes

Order optional task light separately:

- Twist™ LED task light (G6160.xM)
- Under shelf LED task light (G6170.xxS). Width of light must match width of shelf.

Shelf matches style of sliding door storage unit (FT410.).

Dimensions



Specification Information

Step 1.

FT411.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Prices for Steps 1-2.

FT411. 24	\$247
30	\$258
36	\$273
42	\$297
48	\$304

Step 3. Surface Finish

Sand Texture Paint


UBK	ultra black (CP)	☐ A	+\$0
8Q	folkstone grey (CP)	☐ A	+\$0
91	white (CP)	☐ A	+\$0
98	studio white (CP)	☐ A	+\$0
BK	black	☐ A	+\$0
CL	cool grey neutral	☐ A	+\$0
G1	graphite (CP)	☐ A	+\$0
WL	warm stone (CP)	☐ A	+\$0
WN	warm grey neutral	☐ A	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Step 4. End Panel Option

SM	on module	+\$0
----	-----------	------




Product Information

Description

This panel attaches to the back of a sliding door storage unit to enclose the back. Attachment hardware is included.

Dimensions



Specification Information

Step 1.

FT412.

Step 2. Height

15 15" high

22 22" high

Step 3. Width

24 24" wide

30 30" wide

36 36" wide

42 42" wide

48 48" wide

Prices for Steps 1-3.


		24	30	36	42	48
FT412. 15		\$220	225	236	256	268
22		\$232	253	267	290	314

Step 4. Surface Finish

UBK	ultra black (CP) ☐					+\$0
8Q	folkstone grey (CP) ☐					+\$0
91	white (CP) ☐					+\$0
98	studio white (CP) ☐					+\$0
BK	black ☐					+\$0
CL	cool grey neutral ☐					+\$0
G1	graphite (CP) ☐					+\$0
WL	warm stone (CP) ☐					+\$0
WN	warm grey neutral ☐					+\$0

Metallic Paint

611	beige mist metallic (CP)					+\$0
613	silver (CP)					+\$0
EH	metallic bronze					+\$0
SNA	satin aluminum					+\$30
SNB	satin bronze					+\$30
SNC	satin carbon					+\$30



Product Information

Description

This 13"-deep lockable storage unit hangs on-module from a frame or wall strips. It combines a flipper door and shelf to enclose binders, files, and other items. The flipper door unit has a painted or fabric-covered door. The underside of the shelf accepts a task light. Attachment hardware included.

Shipped knocked down.

A 60"-wide unit hangs on frames with a combined width of 60".

Metallic silver (MS) case has cool grey neutral (CL) end panels. Metallic champagne (CN) and metallic bronze (EH) cases have warm grey neutral (WN) end panels.

Notes

Order optional task light separately:

- Twist™ LED task light (G6160.xM)
- Under shelf LED task light (G6170.xxS). Width of light must match width of flipper door unit.

Order optional angled shelf divider (G7330.) separately.

To enclose back of unit, order A-/B-style flipper door back panel (A3390.) separately.

Fabric-covered flipper door accepts Customer's Own Material (COM).

Yardage is estimated for nondirectional, 54"-wide fabrics.

Width—Yardage

24" to 48"— $\frac{2}{3}$


60"—2

60"— $\frac{2}{3}$, for 66"-wide fabrics

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

FT420.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	60" wide

Step 3. Door Material

P	painted door
F	fabric door

Step 4. Lock

N	no lock
L	lock

Prices for Steps 1-4.

		N	L
FT420.	24 P	\$648	670
	F	\$673	691
	30 P	\$685	706
	F	\$706	731
	36 P	\$745	764
	F	\$764	784
	42 P	\$798	818
	F	\$819	843
	48 P	\$846	867
	F	\$867	888
	60 P	\$1037	1056
	F	\$1056	1078

Step 5. Lock Option

For lock (L)

KA	keyed alike	+\$0
KD	keyed differently	+\$0

B-Style Flipper Door Unit *continued*

Step 6. Case Finish

Bright Sand Texture Paint

91	white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WN	warm grey neutral	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black A	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0

Step 7. Door Finish

For painted door (P)

Bright Sand Texture Paint

91	white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WN	warm grey neutral	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black A	+\$0
WL	warm stone (CP)	+\$0

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0

Step 8. End Panel Option

SM	on module	+\$0
-----------	-----------	------

Step 9. Door Finish


See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48) with fabric door (F)

Price Category 1	+\$0
Price Category 2	+\$22
Price Category 3	+\$44
Price Category 4	+\$65
Price Category 5	+\$104
Price Category B	+\$42
Price Category C	+\$61
Price Category D	+\$77
Price Category E	+\$94
Price Category F	+\$120

For 60" wide (60) with fabric door (F)

Price Category 1	+\$0
Price Category 2	+\$22
Price Category 3	+\$44
Price Category 4	+\$65
Price Category D	+\$77
Price Category E	+\$94



Product Information

Description

This shelf hangs on-module from a frame or wall strips. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

The shelf is available in 2 heights: the 7½"-high shelf is for storage or display and the 15½"-high shelf stores binders and books. A 60"-wide shelf hangs on frames with a combined width of 60".

Metallic silver (MS) case has cool grey neutral (CL) end panels. Metallic champagne (CN) and metallic bronze (EH) cases have warm grey neutral (WN) end panels.

Notes


Order optional task light separately:

- Twist™ LED task light (G6160.xM)
- Under shelf LED task light (G6170.xxS). Width of light must match width of shelf.

Order optional angled shelf divider (G7330.) separately.

For enclosed storage on 15½"-high shelf, order B-style flipper door (FT421.) separately.

Dimensions



Specification Information

Step 1.

FT422.

Step 2. Height

07	7½" high
15	15½" high

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	60" wide

Prices for Steps 1-3.

		24	30	36	42	48	60
FT422.	07	\$208	219	232	250	257	317
	15	\$277	287	304	318	328	384

Step 4. Surface Finish

3G	brownstone	+\$0
----	------------	------

Bright Sand Texture Paint

91	white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WN	warm grey neutral	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black A	+\$0
WL	warm stone (CP)	+\$0


Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Step 5. End Panel Option

For 15½" high (15)

SM	on module	+\$0
----	-----------	------




Product Information

Description

This panel attaches to the back of a B-style flipper door unit or a flipper door with shelf to enclose the back. Attachment hardware is included.

Dimensions



Specification Information

Step 1.

A3390.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Prices for Steps 1-2.


A3390. 24	\$144
30	\$144
36	\$157
42	\$163
48	\$165

Step 3. Surface Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP) A	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Overhead Storage Cabinet, Open

FV43C.



Product Information







Description

This open cabinet hangs from a Canvas Wall frame or attaches to an architectural wall. It accepts a task light.

Notes

7" or 15"-high cabinets at 24", 30", 36", 42", and 48"-wide have no divider.
7" or 15"-high cabinets at 54", 60", 66", and 72"-wide have a center divider.
Matches style of overhead storage cabinet, hinged doors (FV43H.).
Canvas frame connection option (F8) includes attachment hardware. For wall mount option (WM), attachment hardware must be customer supplied. 54", 60", 66", and 72"-wide are wall mounted only.
Finished case top (WT) aligns to top of the bead on a Canvas tile.
3/8" thin top (03, 04) aligns the top of the overhead to the top cap on a Canvas frame.
Grain direction is vertical on veneer and wood-grain laminate doors. Grain direction is horizontal on laminate door units wider than 60".
Order optional task lights and accessories separately:
• Cable management clips (FT198.) - when cabinet is frame attached
• Cord manager (FV984.) - when cabinet is wall attached
• Twist LED task light (G6160.xB)
• Cast LED light (FV617.)
For additional product options, see Vary Easy Program in appendices.

Dimensions



Overhead Storage Cabinet, Open

continued

Specification Information		
Step 1.		
FV43C.	☐	
Step 2. Attachment Bracket		
F8	Canvas frame connection ☐	+\$150
WM	wall mount ☐	+\$293
Step 3. Height		
07	7½" high ☐	+\$229
15	15" high ☐	+\$453
Step 4. Width		
<i>For Canvas frame connection (F8)</i>		
24	24" wide ☐	+\$488
30	30" wide ☐	+\$533
36	36" wide ☐	+\$635
42	42" wide ☐	+\$683
48	48" wide ☐	+\$711
<i>For wall mount (WM)</i>		
24	24" wide ☐	+\$488
30	30" wide ☐	+\$533
36	36" wide ☐	+\$635
42	42" wide ☐	+\$683
48	48" wide ☐	+\$711
54	54" wide ☐	+\$823
60	60" wide ☐	+\$898
66	66" wide ☐	+\$1010
72	72" wide ☐	+\$1210
Step 5. Case Material		
<i>For 24" wide (24), 30" wide (30), or 36" wide (36)</i>		
H	high-pressure laminate with thermoplastic edge ☐	+\$413
L	thermally-fused laminate with thermoplastic edge ☐	+\$0
<i>For 42" wide (42), 48" wide (48), or 54" wide (54)</i>		
H	high-pressure laminate with thermoplastic edge ☐	+\$453
L	thermally-fused laminate with thermoplastic edge ☐	+\$0
<i>For 60" wide (60) or 66" wide (66)</i>		
H	high-pressure laminate with thermoplastic edge ☐	+\$488
L	thermally-fused laminate with thermoplastic edge ☐	+\$0

<i>For 72" wide (72)</i>		
H	high-pressure laminate with thermoplastic edge ☐	+\$526
L	thermally-fused laminate with thermoplastic edge ☐	+\$0
Step 6. Top		
03	¾" thermally - fused laminate thin top ☐	+\$222
05	¾" high-pressure laminate thin top ☐	+\$364
WT	finished case top ☐	+\$0
Step 7. Case/Edge Finish		
<i>For thermally-fused laminate with thermoplastic edge (L)</i>		
125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Overhead Storage Cabinet, Open

continued

Canvas Office Landscape® Storage

For high-pressure laminate with thermoplastic edge (H)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut		+\$0
8Q	folkstone grey (CP)		+\$0
91	white (CP)		+\$0
98	studio white (CP)		+\$0
CL	cool grey neutral		+\$0
HF	inner tone light		+\$0
HP	light anigre		+\$0
LBA	clear on ash (CP)		+\$0
LBB	oak on ash (CP)		+\$0
LBC	walnut on ash (CP)		+\$0
LBF	neutral twill		+\$0
LBJ	graphite twill		+\$0
LBQ	white twill		+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LT	light tone		+\$0
LU	soft white		+\$0
UBK	ultra black (CP)	A	+\$0
WL	warm stone (CP)		+\$0
WN	warm grey neutral		+\$0

Step 8. Top/Edge Finish

For 3/8" thermally - fused laminate thin top (03)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

Overhead Storage Cabinet, Open


continued

For 3/8" high-pressure laminate thin top (05)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
UBK	ultra black (CP) ☐	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Overhead Storage Cabinet, Hinged Doors

FV43H.



Product Information

Description

This cabinet hangs from a Canvas Wall frame or attaches to an architectural wall to provide fully enclosed storage or enclosed storage with an open shelf below. It accepts a task light.

Notes

15"-high cabinet is fully enclosed. 22"-high cabinet has an open shelf below the doors.

Matches style of overhead storage cabinet, open (FV43C.).

Cabinets up to 48" wide have 2 doors. 54", 60", 66", and 72"-wide cabinets have 4 doors.

Canvas frame connection option (F8) includes attachment hardware. For wall mount option (WM), attachment hardware must be customer supplied. 54", 60", 66", and 72"-wide are wall mounted only.

Finished case top (WT) aligns to top of the bead on a Canvas tile.

3/8" thin top (03, 04) aligns the top of the overhead to the top cap on a Canvas frame.

Glass doors are back-painted and writable with dry erase markers. Doors are nonmagnetic.

Glass doors cannot lock.

Grain direction is vertical on veneer and wood-grain laminate doors. Grain direction is horizontal on laminate door units wider than 60".








Order optional task lights and accessories separately:

- Cable management clips (FT198.) - when cabinet is frame attached
- Cord manager (FV984.) - when cabinet is wall attached
- Twist LED task light (G6160.xB)
- Cast LED light (FV617.)

For keyed-alike locks, see Keyed-Alike Information in appendices.

For additional product options, see Vary Easy Program in appendices.

Dimensions



Overhead Storage Cabinet, Hinged Doors *continued*

Specification Information

Step 1.

FV43H. ☐

Step 2. Attachment Bracket

F8 Canvas frame connection ☐ +\$150
WM wall mount ☐ +\$293

Step 3. Height

15 15" high ☐ +\$438
22 22" high ☐ +\$722

Step 4. Width

For Canvas frame connection (F8)

24 24" wide ☐ +\$472
30 30" wide ☐ +\$515
36 36" wide ☐ +\$615
42 42" wide ☐ +\$659
48 48" wide ☐ +\$687

For wall mount (WM)

24 24" wide ☐ +\$472
30 30" wide ☐ +\$515
36 36" wide ☐ +\$615
42 42" wide ☐ +\$659
48 48" wide ☐ +\$687
54 54" wide ☐ +\$795
60 60" wide ☐ +\$869
66 66" wide ☐ +\$975
72 72" wide ☐ +\$1167

Step 5. Case/Door Material

For 24" wide (24), 30" wide (30), or 36" wide (36)

F high-pressure laminate case/glass doors ☐ +\$2483
G thermally-fused laminate case / glass door ☐ +\$2376
H high-pressure laminate case and doors ☐ +\$655
L thermally - fused laminate case and doors ☐ +\$509

For 42" wide (42), 48" wide (48), or 54" wide (54)

F high-pressure laminate case/glass doors ☐ +\$2737
G thermally-fused laminate case / glass door ☐ +\$2592
H high-pressure laminate case and doors ☐ +\$726
L thermally - fused laminate case and doors ☐ +\$544

For 60" wide (60) or 66" wide (66)

F high-pressure laminate case/glass doors ☐ +\$3708
G thermally-fused laminate case / glass door ☐ +\$3666
H high-pressure laminate case and doors ☐ +\$943
L thermally - fused laminate case and doors ☐ +\$869

For 72" wide (72)

F high-pressure laminate case/glass doors ☐ +\$4066
G thermally-fused laminate case / glass door ☐ +\$3955
H high-pressure laminate case and doors ☐ +\$1085
L thermally - fused laminate case and doors ☐ +\$939

Step 6. Top

03 ¾" thermally - fused laminate thin top ☐ +\$222
05 ¾" high-pressure laminate thin top ☐ +\$364
WT finished case top ☐ +\$0

Step 7. Lock

For high-pressure laminate case and doors (H) or thermally - fused laminate case and doors (L)

L lock ☐ +\$0
N no lock ☐ +\$0

For high-pressure laminate case/glass doors (F) or thermally-fused laminate case / glass door (G)

N no lock ☐ +\$0

Step 8. Lock Option

For lock (L)

KA keyed alike ☐ +\$0
KC keyed differently, chrome ☐ +\$0
KD keyed differently, black ☐ +\$0

Overhead Storage Cabinet, Hinged Doors *continued*

Step 9. Case/Edge Finish

For thermally-fused laminate case / glass door (G) or thermally - fused laminate case and doors (L)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

For high-pressure laminate case/glass doors (F) or high-pressure laminate case and doors (H)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
UBK	ultra black (CP) ☐	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Overhead Storage Cabinet, Hinged Doors *continued*

Step 10. Door/Edge Finish

For thermally - fused laminate case and doors (L)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

For high-pressure laminate case and doors (H)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
UBK	ultra black (CP) ☐	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For high-pressure laminate case/glass doors (F) or thermally-fused laminate case / glass door (G)

8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0

Overhead Storage Cabinet, Hinged Doors *continued*

Step 11. Top/Edge Finish

For 3/8" thermally - fused laminate thin top (03)


125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut		+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

For 3/8" high-pressure laminate thin top (05)


125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut		+\$0
8Q	folkstone grey (CP)		+\$0
91	white (CP)		+\$0
98	studio white (CP)		+\$0
CL	cool grey neutral		+\$0
HF	inner tone light		+\$0
HP	light anigre		+\$0
LBA	clear on ash (CP)		+\$0
LBB	oak on ash (CP)		+\$0
LBC	walnut on ash (CP)		+\$0
LBF	neutral twill		+\$0
LBJ	graphite twill		+\$0
LBQ	white twill		+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LT	light tone		+\$0
LU	soft white		+\$0
UBK	ultra black (CP)	A	+\$0
WL	warm stone (CP)		+\$0
WN	warm grey neutral		+\$0

Utility Shelf

E3234.




Product Information
Description
This 13"-deep shelf hangs from a frame or wall strips. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.
Notes
Specify width of shelf to match width of frame.
Use component brace for utility shelf (X3910.2) to connect overhead storage units in heavy component loading situations.
Order optional task light separately:
• Twist™ LED task light (G6160.xM)
• Under shelf LED task light (G6170.xxQ). Width of light must match width of shelf.
Order optional angled shelf divider (G7330.) separately.
Dimensions



Specification Information
Step 1.
E3234.
Step 2. Width
24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
60 60" wide
Prices for Steps 1-2.
E3234. 24 \$266
30 \$281
36 \$298
42 \$312
48 \$347
60 \$429
Step 3. Surface Finish
8Q folkstone grey (CP) +\$0
91 white (CP) +\$0
98 studio white (CP) ☐ A +\$0
CL cool grey neutral +\$0
G1 graphite (CP) +\$0
HF inner tone light +\$0
LU soft white +\$0
MT medium tone +\$0
SG slate grey +\$0
WL warm stone (CP) +\$0
WN warm grey neutral +\$0
EH metallic bronze +\$0

Overhead Storage Cabinet, Sliding
Partial Enclosure

FV43P.



Product Information

Description

This cabinet hangs from a Canvas Wall frame or attaches to an architectural wall and provides partially enclosed storage. The sliding door with optional lock encloses 1 side of the cabinet and can be locked on either side. The cabinet accepts a task light.

Notes

Matches style of overhead storage cabinet, sliding full enclosure (FV43F). Cabinets up to 60" wide have 1 door. 66" and 72"-wide cabinets have 2 doors. Cabinets up to 60" wide have a center divider. 66"-wide cabinet has 2 dividers and is divided as 1/3, 1/3, 1/3. 72"-wide cabinet has 2 dividers and is divided as 1/4, 1/2, 1/4.

Canvas frame connection option (F8) includes attachment hardware. For wall mount option (WM), attachment hardware must be customer supplied. 54", 60", 66", and 72"-wide are wall mounted only.

Overhead case top aligns with top of the bead on a Canvas tile.

Sliding door sits proud of overhead.

Grain direction is vertical on veneer and wood-grain laminate doors. Grain direction is horizontal on laminate door units wider than 60".


Order optional task lights and accessories separately:

- Cable management clips (FT198.) - when cabinet is frame attached
- Cord manager (FV984.) - when cabinet is wall attached
- Twist LED task light (G6160.xB)
- Cast LED light (FV617.)

For keyed-alike locks, see Keyed-Alike Information in appendices.

For additional product options, see Vary Easy Program in appendices.

Dimensions



07 (24"-60" Wide)



15 (24"-60" Wide)



07 (66" Wide)



15 (66" Wide)



07 (72" Wide)



15 (72" Wide)

Overhead Storage Cabinet, Sliding Partial Enclosure *continued*

Specification Information

Step 1.

FV43P. ☐

Step 2. Attachment Bracket

F8 Canvas frame connection ☐ +\$150

WM wall mount ☐ +\$293

Step 3. Height

07 7½" high ☐ +\$222

15 15" high ☐ +\$438

Step 4. Width

For Canvas frame connection (F8)

24 24" wide ☐ +\$472

30 30" wide ☐ +\$515

36 36" wide ☐ +\$615

42 42" wide ☐ +\$659

48 48" wide ☐ +\$687

For wall mount (WM) with 7½" high (07)

24 24" wide ☐ +\$472

30 30" wide ☐ +\$515

36 36" wide ☐ +\$615

42 42" wide ☐ +\$659

48 48" wide ☐ +\$687

For wall mount (WM) with 15" high (15)

24 24" wide ☐ +\$472

30 30" wide ☐ +\$515

36 36" wide ☐ +\$615

42 42" wide ☐ +\$659

48 48" wide ☐ +\$687

54 54" wide ☐ +\$795

60 60" wide ☐ +\$869

66 66" wide ☐ +\$975

72 72" wide ☐ +\$1167

Step 5. Case/Door Material

For 24" wide (24), 30" wide (30), or 36" wide (36)

H high-pressure laminate case and doors ☐ +\$655

L thermally - fused laminate case and doors ☐ +\$364

For 42" wide (42), 48" wide (48), or 54" wide (54)

H high-pressure laminate case and doors ☐ +\$726

L thermally - fused laminate case and doors ☐ +\$580

For 60" wide (60) or 66" wide (66)

H high-pressure laminate case and doors ☐ +\$943

L thermally - fused laminate case and doors ☐ +\$903

For 72" wide (72)

H high-pressure laminate case and doors ☐ +\$977

L thermally - fused laminate case and doors ☐ +\$939

Step 6. Lock

L lock ☐ +\$0

N no lock ☐ +\$0

Step 7. Lock Option

For lock (L)

KA keyed alike ☐ +\$0

KC keyed differently, chrome ☐ +\$0

KD keyed differently, black ☐ +\$0

Overhead Storage Cabinet, Sliding Partial Enclosure *continued*

Step 8. Case/Edge Finish

For thermally - fused laminate case and doors (L)

125	natural maple (CP) ☐ A	+\$0
126	natural cherry (CP) ☐ A	+\$0
127	walnut (CP) ☐ A	+\$0
139	light ash (CP) ☐ A	+\$0
140	warm ash (CP) ☐ A	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP) ☐ A	+\$0
91	white (CP) ☐ A	+\$0
98	studio white (CP) ☐ A	+\$0
CL	cool grey neutral ☐ A	+\$0
HP	light anigre ☐ A	+\$0
LBA	clear on ash (CP) ☐ A	+\$0
LBR	phantom ecru ☐ A	+\$0
LBS	phantom cocoa ☐ A	+\$0
LBU	medium matte walnut (CP) ☐ A	+\$0
LBV	warm grey teak ☐ A	+\$0
LBB	oak on ash (CP) ☐ A	+\$0
LBC	walnut on ash (CP) ☐ A	+\$0
LBF	neutral twill ☐ A	+\$0
LBJ	graphite twill ☐ A	+\$0
LBQ	white twill ☐ A	+\$0
LU	soft white ☐ A	+\$0
WL	warm stone (CP) ☐ A	+\$0
WN	warm grey neutral ☐ A	+\$0

For high-pressure laminate case and doors (H)

125	natural maple (CP) ☐ A	+\$0
126	natural cherry (CP) ☐ A	+\$0
127	walnut (CP) ☐ A	+\$0
139	light ash (CP) ☐ A	+\$0
140	warm ash (CP) ☐ A	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill ☐ A	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐ A	+\$0
LBS	phantom cocoa ☐ A	+\$0
LBU	medium matte walnut (CP) ☐ A	+\$0
LBV	warm grey teak ☐ A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
UBK	ultra black (CP) ☐ A	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Overhead Storage Cabinet, Sliding Partial Enclosure *continued*


Step 9. Door/Edge Finish

For thermally - fused laminate case and doors (L)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

For high-pressure laminate case and doors (H)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
UBK	ultra black (CP) ☐	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This curved-front storage unit hangs from the following products: Action Office® Series 1 or Series 2 panel or wall strips; Canvas wall-based frame, off-module upper tile, or wall strips; or Ethospace® on- or off-module frame, off-module upper tile, or wall strips. It combines a flipper door and a 13³/₄"-deep shelf to enclose binders, files, and other items. The unit has a painted door that opens over the case and 2 door mechanisms: a standard mechanism or a lift-assisted mechanism. A lift handle can be specified to enable easier lifting and closing of the flipper door. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Storage units can hang from 2 panels or 2 frames with a combined width of 36", 42", or 48". The 36", 42", and 48"-wide units can also span more than 1 Canvas or Ethospace off-module upper tile.

Metallic silver (MS) case has cool grey neutral (CL) end panels and lift handle. Metallic champagne (CN) and metallic bronze (EH) cases have warm grey neutral (WN) end panels and lift handles.

Notes

Lift handle conforms to guidelines of Americans with Disabilities Act (ADA). Canvas or Ethospace off-module upper tile location determines placement of storage unit.

Use component brace for C-/E-style flipper unit/shelf (X3910.1) to connect overhead storage units in heavy component loading situations.

Order optional task light separately:


- Twist™ LED task light (G6160.xM)
- Under shelf LED task light (G6170.xxQ). Width of light must match width of flipper door unit.

Order optional angled shelf divider (G7330.) separately.


To enclose back of unit, order C-style flipper door back panel (X3790.) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.


Dimensions



No Lift Handle



Lift Handle



C-Style Flipper Door Unit *continued*

Specification Information

Step 1.

X3750.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 3. Mechanism

SP	standard mechanism
HP	lift-assisted mechanism

Step 4. Lift Handle

N	no lift handle
U	lift handle

Prices for Steps 1-4.

		N	U
X3750. 24 SP		\$1073	1129
HP		\$1748	1803
30 SP		\$1141	1196
HP		\$1827	1885
36 SP		\$1210	1254
HP		\$1909	1964
42 SP		\$1295	1344
HP		\$1998	2044
48 SP		\$1388	1443
HP		\$2074	2131

Step 5. Lock Option

KA	keyed alike	+\$0
KD	keyed differently	+\$0

Step 6. Attachment Bracket

AO	for Action Office® system	+\$0
E1	for Ethospace® System	+\$0
F8	for Canvas	+\$0
OM	for Ethospace® off module	+\$0
OV	for Canvas off module	+\$0


Step 7. Case/Lift Handle Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Door Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Overhead Storage Cabinet, Sliding Full Enclosure FV43F.



Product Information

Description

This cabinet mounts to a Canvas Wall frame or attaches to an architectural wall and provides fully enclosed storage. It has 2 types of sliding doors; a solid primary door with an optional lock encloses 1 side, and a painted or translucent secondary door encloses the other side. Both doors can slide the entire width of the cabinet. The primary door can be locked on either side. Secondary door handle finish is anodized aluminum. The cabinet accepts a task light.

Notes

Matches style of overhead storage cabinet, sliding partial enclosure (FV43P.).

Cabinets up to 60" wide have 1 primary and 1 secondary door. 66"-wide cabinet has 2 primary doors and 1 secondary door. 72"-wide cabinet has 2 primary and 2 secondary doors.

Cabinets up to 60" wide have a center divider. 66"-wide cabinet has 2 dividers and is divided as 1/3, 1/3, 1/3. 72"-wide cabinet has 2 dividers and is divided as 1/4, 1/2, 1/4.

Canvas frame connection option (F8) includes attachment hardware. For wall mount option (WM), attachment hardware must be customer supplied. 54", 60", 66", and 72"-wide are wall mounted only.

Overhead case top aligns with top of the bead on a Canvas tile.

Sliding door sits proud of overhead.

Grain direction is vertical on veneer and wood-grain laminate doors. Grain direction is horizontal on laminate door units wider than 60".








Order optional task lights and accessories separately:

- Cable management clips (FT198.) - when cabinet is frame attached.
- Cord manager (FV984.) - when cabinet is wall attached
- Twist LED task light (G6160.xB)
- Cast LED light (FV617.)

For keyed-alike locks, see Keyed-Alike Information in Appendices.

For additional product options, see Vary Easy Program in Appendices.

Dimensions



Overhead Storage Cabinet, Sliding Full Enclosure *continued*

Specification Information

Step 1.

FV43F. ☐

Step 2. Attachment Bracket

F8 Canvas frame connection ☐ +\$150

WM wall mount ☐ +\$293

Step 3. Height

07 7½" high ☐ +\$222

15 15" high ☐ +\$438

Step 4. Width

For Canvas frame connection (F8)

24 24" wide ☐ +\$472

30 30" wide ☐ +\$515

36 36" wide ☐ +\$615

42 42" wide ☐ +\$659

48 48" wide ☐ +\$687

For wall mount (WM) with 7½" high (07)

24 24" wide ☐ +\$472

30 30" wide ☐ +\$515

36 36" wide ☐ +\$615

42 42" wide ☐ +\$659

48 48" wide ☐ +\$687

For wall mount (WM) with 15" high (15)

24 24" wide ☐ +\$472

30 30" wide ☐ +\$515

36 36" wide ☐ +\$615

42 42" wide ☐ +\$659

48 48" wide ☐ +\$687

54 54" wide ☐ +\$795

60 60" wide ☐ +\$869

66 66" wide ☐ +\$975

72 72" wide ☐ +\$1167

Step 5. Case/Door Material

For 24" wide (24), 30" wide (30), or 36" wide (36)

H high-pressure laminate case and doors ☐ +\$655

L thermally - fused laminate case and doors ☐ +\$364

For 42" wide (42), 48" wide (48), or 54" wide (54)

H high-pressure laminate case and doors ☐ +\$726

L thermally - fused laminate case and doors ☐ +\$580

For 60" wide (60) or 66" wide (66)

H high-pressure laminate case and doors ☐ +\$943

L thermally - fused laminate case and doors ☐ +\$903

For 72" wide (72)

H high-pressure laminate case and doors ☐ +\$977

L thermally - fused laminate case and doors ☐ +\$939

Step 6. Secondary Door Material

A translucent plastic ☐ +\$406

P painted ☐ +\$264

Step 7. Lock

L lock ☐ +\$0

N no lock ☐ +\$0

Step 8. Lock Option

For lock (L)

KA keyed alike ☐ +\$0

KC keyed differently, chrome ☐ +\$0

KD keyed differently, black ☐ +\$0

Overhead Storage Cabinet, Sliding Full Enclosure *continued*

Step 9. Case/Edge Finish

For thermally - fused laminate case and doors (L)

125	natural maple (CP) ☐ A	+\$0
126	natural cherry (CP) ☐ A	+\$0
127	walnut (CP) ☐ A	+\$0
139	light ash (CP) ☐ A	+\$0
140	warm ash (CP) ☐ A	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP) ☐ A	+\$0
91	white (CP) ☐ A	+\$0
98	studio white (CP) ☐ A	+\$0
CL	cool grey neutral ☐ A	+\$0
HP	light anigre ☐ A	+\$0
LBA	clear on ash (CP) ☐ A	+\$0
LBR	phantom ecru ☐ A	+\$0
LBS	phantom cocoa ☐ A	+\$0
LBU	medium matte walnut (CP) ☐ A	+\$0
LBV	warm grey teak ☐ A	+\$0
LBB	oak on ash (CP) ☐ A	+\$0
LBC	walnut on ash (CP) ☐ A	+\$0
LBF	neutral twill ☐ A	+\$0
LBJ	graphite twill ☐ A	+\$0
LBQ	white twill ☐ A	+\$0
LU	soft white ☐ A	+\$0
WL	warm stone (CP) ☐ A	+\$0
WN	warm grey neutral ☐ A	+\$0

For high-pressure laminate case and doors (H)

125	natural maple (CP) ☐ A	+\$0
126	natural cherry (CP) ☐ A	+\$0
127	walnut (CP) ☐ A	+\$0
139	light ash (CP) ☐ A	+\$0
140	warm ash (CP) ☐ A	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐ A	+\$0
LBS	phantom cocoa ☐ A	+\$0
LBU	medium matte walnut (CP) ☐ A	+\$0
LBV	warm grey teak ☐ A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
UBK	ultra black (CP) ☐ A	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Overhead Storage Cabinet, Sliding Full Enclosure *continued*

Step 10. Primary Door/Edge Finish

For thermally - fused laminate case and doors (L)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
CL	cool grey neutral ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

For high-pressure laminate case and doors (H)

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
UBK	ultra black (CP) ☐	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 11. Secondary Door Finish

Translucent Plastic

For translucent plastic (A)

J9	opal frosted ☐	+\$0
-----------	---------------------------------------	------

Sand Texture Paint

For painted (P)

G1	graphite (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
LU	soft white ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0


Overhead Storage Cabinet, Sliding
Full Enclosure *continued*

Canvas Office Landscape® Storage

Metallic Paint		
<i>For painted (P)</i>		
611	beige mist metallic (CP) ☐	+\$0
613	silver (CP) ☐	+\$0
EH	metallic bronze ☐	+\$0
SNA	satin aluminum ☐	+\$10
SNB	satin bronze ☐	+\$10
SNC	satin carbon ☐	+\$10

C-Style Flipper Door

X3710.



Product Information

Description

This curved flipper door attaches to a C-style shelf to provide top and front closure. It has a painted door with a standard mechanism. A lift handle can be specified to enable easier lifting and closing of the flipper door.

Attachment hardware is included. Shipped knocked down.

Metallic silver (MS) top has cool grey neutral (CL) lift handle. Metallic champagne (CN) top has warm grey neutral (WN) lift handle.

Notes

Order C-style shelf (X3730.) separately.


Lift handle conforms to guidelines of Americans with Disabilities Act (ADA).

Use component brace for C-/E-style flipper unit/shelf (X3910.1) to connect overhead storage units in heavy component loading situations.


To enclose back of unit, order C-style flipper door back panel (X3790.) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions



No Lift Handle



Lift Handle

Specification Information

Step 1.

X3710.

Step 2. Width

24SP	24" wide
30SP	30" wide
36SP	36" wide
42SP	42" wide
48SP	48" wide

Step 3. Lift Handle

N	no lift handle
U	lift handle

Prices for Steps 1-3.

	N	U
X3710. 24SP	\$673	722
30SP	\$717	775
36SP	\$783	838
42SP	\$844	904
48SP	\$905	956

Step 4. Lock Option

KA	keyed alike	+\$0
KD	keyed differently	+\$0

Step 5. Top/Lift Handle Finish


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Canvas Office Landscape® Storage

Step 6. Door Finish		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Overhead Storage Cabinet, Sliding Doors

FV43S.



Product Information

Description

This cabinet mounts to a Canvas Wall frame or attaches to an architectural wall and provides partial or fully enclosed storage. The back-painted glass doors slide along an inset track. Doors are nonlockable and include a notched pull. Doors can slide the entire width of the cabinet. Cabinet accepts a task light.

Notes

Partial sliding (1P) units have 1 door; full sliding (2F) units have 2 doors.

Cabinets up to 48" wide have no center divider; 54"-72" wide units have 1 center divider.

Canvas frame connection (F8) option includes attachment hardware. For wall mount (WM) option, attachment hardware must be customer supplied.

Cabinet with finished case top (WT) aligns with top of the bead on a frame-attached tile. Adding a thin top increases overall cabinet height 1/2".

Align like components next to like units: Finished case units with other finished case units, thin top units with other thin top units.

Grain direction is vertical on veneer and wood-grain laminate doors. Grain direction is horizontal on laminate door units wider than 60".



Order optional task lights and accessories separately:

- Cable management clips (FT198.), when cabinet is frame attached
- Cord manager (FV984.), when cabinet is wall attached
- Twist™ LED task light (G6160.xB)
- Cast LED light (FV617.)


Glass doors are back-painted and writable with dry erase marker. Doors are nonmagnetic. Glass doors cannot lock.

For additional product options, see Vary Easy Program in appendices.


Dimensions





1 Partial Sliding Door



2 Full Sliding Door



1 Partial Sliding Door



2 Full Sliding Door

Overhead Storage Cabinet, Sliding Doors *continued*

Specification Information			
Step 1.			
FV43S.	☐		
Step 2. Attachment Bracket			
F8	Canvas frame connection ☐		+\$150
WM	wall mount ☐		+\$293
Step 3. Height			
15	15" high ☐		+\$453
22	22" high with cubby ☐		+\$747
Step 4. Width			
<i>For Canvas frame connection (F8)</i>			
24	24" wide ☐		+\$488
30	30" wide ☐		+\$533
36	36" wide ☐		+\$635
42	42" wide ☐		+\$683
48	48" wide ☐		+\$711
<i>For wall mount (WM)</i>			
24	24" wide ☐		+\$488
30	30" wide ☐		+\$533
36	36" wide ☐		+\$635
42	42" wide ☐		+\$683
48	48" wide ☐		+\$711
54	54" wide ☐		+\$823
60	60" wide ☐		+\$898
66	66" wide ☐		+\$1010
72	72" wide ☐		+\$1210
Step 5. Configuration			
1P	1 partial sliding door ☐		+\$0
2F	2 full sliding doors ☐		+\$1046
Step 6. Case/Door Material			
<i>For 24" wide (24), 30" wide (30), or 36" wide (36)</i>			
G	thermally-fused laminate case/glass door ☐		+\$788
<i>For 42" wide (42), 48" wide (48), or 54" wide (54)</i>			
G	thermally-fused laminate case/glass door ☐		+\$1157
<i>For 60" wide (60) or 66" wide (66)</i>			
G	thermally-fused laminate case/glass door ☐		+\$1641

<i>For 72" wide (72)</i>			
G	thermally-fused laminate case/glass door ☐		+\$1827
Step 7. Top			
WT	finished case top ☐		+\$0
03	3/8" thermally-fused laminate thin top ☐		+\$222
Step 8. Case/Edge Finish			
125	natural maple (CP) ☐		+\$0
126	natural cherry (CP) ☐		+\$0
127	walnut (CP) ☐		+\$0
139	light ash (CP) ☐		+\$0
140	warm ash (CP) ☐		+\$0
76	light brown walnut ☐		+\$0
8Q	folkstone grey (CP) ☐		+\$0
91	white (CP) ☐		+\$0
98	studio white (CP) ☐		+\$0
CL	cool grey neutral ☐		+\$0
HP	light anigre ☐		+\$0
LBA	clear on ash (CP) ☐		+\$0
LBR	phantom ecru ☐		+\$0
LBS	phantom cocoa ☐		+\$0
LBU	medium matte walnut (CP) ☐		+\$0
LBV	warm grey teak ☐		+\$0
LBB	oak on ash (CP) ☐		+\$0
LBC	walnut on ash (CP) ☐		+\$0
LBF	neutral twill ☐		+\$0
LBJ	graphite twill ☐		+\$0
LBQ	white twill ☐		+\$0
LU	soft white ☐		+\$0
WL	warm stone (CP) ☐		+\$0
WN	warm grey neutral ☐		+\$0
Step 9. Door/Edge Finish			
91	white (CP) ☐		+\$0
98	studio white (CP) ☐		+\$0
8Q	folkstone grey (CP) ☐		+\$0

Overhead Storage Cabinet, Sliding Doors *continued*


Step 10. Top/Edge Finish

For 3/8" thermally-fused laminate thin top (03)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

C-Style Shelf

X3730.



Product Information

Description

This 13¾"-deep, curved-end-panel shelf hangs from the following products: Action Office® Series 1 or Series 2 panel or wall strips; Canvas on- or off-module frame, off-module upper tile, or wall strips; or Ethospace® on- or off-module frame, off-module upper tile, or wall strips. It stores binders and books. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Shelves can hang from 2 panels or 2 frames with a combined width of 36", 42", or 48". The 36", 42", and 48"-wide shelves can also span more than 1 Canvas or Ethospace off-module upper tile.

Metallic silver (MS) shelf has cool grey neutral (CL) end panels. Metallic champagne (CN) and metallic bronze (EH) shelves have warm grey neutral (WN) end panels.

Notes

Canvas or Ethospace off-module upper tile location determines placement of shelf.

Use component brace for C-/E-style flipper unit/shelf (X3910.1) to connect overhead storage units in heavy component loading situations.


Order optional task light separately:

- Twist™ LED task light (G6160.xM)
- Under shelf LED task light (G6170.xxQ). Width of light must match width of shelf.

Order optional angled shelf divider (G7330.) separately.

For enclosed storage, order C-style flipper door (X3710.) separately.

Dimensions



Specification Information**Step 1.****X3730.****Step 2. Width**

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Prices for Steps 1-2.


X3730. 24	\$445
30	\$462
36	\$483
42	\$510
48	\$532

Step 3. Attachment Bracket

AO	for Action Office® system	+\$0
E1	for Ethospace® System	+\$0
F8	for Canvas	+\$0
OM	for Ethospace® off module	+\$0
OV	for Canvas off module	+\$0

Step 4. Surface Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
MT	medium tone	+\$0
EH	metallic bronze	+\$0
WL	warm stone (CP)	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0



Product Information



Description

This painted aluminum floating shelf has a thin profile that is ¼" thick at the front increasing to 1" thick at the back. The shelf is 8¾" deep and provides an area for display. Shelf mounts directly to an architectural wall, and has an option for an LED accent light.

Notes

- Shelf is not intended for book and binder storage.
- Shelf is wall mounted (WM) only; attachment hardware must be customer supplied.
- Width of LED light aligns with shelf width. Light comes attached to light cover which must be installed in the field.
- Cord length for 24"-42" wide shelf is 8½'; for 48"-96" wide shelf is 8'.

Dimensions



Specification Information

Step 1.

FV434. ☐

Step 2. Attachment Bracket

WM wall mount ☐

Step 3. Shelf Type

N shelf without light ☐

L shelf with light ☐

Step 4. Material

A painted aluminum ☐

Step 5. Width

24 24" wide ☐

30 30" wide ☐

36 36" wide ☐

42 42" wide ☐

48 48" wide ☐

54 54" wide ☐

60 60" wide ☐

66 66" wide ☐

72 72" wide ☐

78 78" wide ☐

84 84" wide ☐

90 90" wide ☐

96 96" wide ☐

Prices for Steps 1-5.

		A24	A30	A36	A42	A48	A54
FV434. WM N		\$1563	1671	1779	1888	1996	2106
	L	\$1972	2079	2187	2295	2443	2553

		A60	A66	A72	A78	A84	A90
FV434. WM N		\$2216	2325	2433	2483	2542	2652
	L	\$2958	3092	3216	3308	3383	3519

		A96
FV434. WM N		\$2760
	L	\$3649

Step 6. Shelf Finish

611 beige mist metallic (CP) ☐ +\$0

613 silver (CP) ☐ +\$0

BK black ☐ +\$0

UBK ultra black (CP) ☐ +\$0

8Q folkstone grey (CP) ☐ +\$0

91 white (CP) ☐ +\$0

98 studio white (CP) ☐ +\$0

CL cool grey neutral ☐ +\$0

EH metallic bronze ☐ +\$0

G1 graphite (CP) ☐ +\$0

WL warm stone (CP) ☐ +\$0

WN warm grey neutral ☐ +\$0


Metallic Paint

SNA satin aluminum ☐ +\$10

SNB satin bronze ☐ +\$10

SNC satin carbon ☐ +\$10

C-Style Flipper Door Back PanelX3790.




Product Information

Description

This panel attaches to the back of a C-style flipper door unit or C-style flipper door with shelf to enclose the back. Attachment hardware is included.

Dimensions



Specification Information


Step 1.

X3790.

Step 2. Width	
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Prices for Steps 1-2.	
X3790. 24	\$220
30	\$220
36	\$240
42	\$258
48	\$272

Step 3. Surface Finish		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
EH	metallic bronze	+\$0



Product Information

Description

When used with a Canvas Private Office setting, this fabric back panel can mount to a wall above a desk or credenza worksurface (at 28½" high) or low credenza with or without the presence of overhead storage. Standard heights provided within FV930 are designed to utilize storage with a 2¼" plinth base (with a ⅜" thin or 1¼" thick top) at a 68"-high Canvas datum. Wire management included.

Notes

Patterned fabrics will not be pattern-matched when 2 fabric back panels are placed side-by-side.

Use our Made-to-Measure+ tool to specify fabric back panels in additional sizes when using Canvas 4" foot (in lieu of 2¼" plinth base), pairing with Canvas product with Tu® Wood Casegoods, or making use of 79"-high datums.

Fabric back panel accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics. COM yardage requirements for both FV930 and FV930V are as follows:

For tackable fabric (T)


Height—Yardage

14, 15, 16, 17—0.75
 19, 20, 21, 22, 23, 24—0.95
 25, 26, 27, 28, 29, 30, 31—1.15
 32, 33, 34, 35, 38—1.35
 40, 41, 42—1.50
 44, 45, 46—1.75
 49, 55, 56, 57—2.10
 For tackable fabric, horizontal (R)
 Width—Yardage
 24"—0.95
 30"—1.10
 36"—1.25
 42"—1.45
 48"—1.60
 54"—1.75
 60"—1.95
 66"—2.10
 72"—2.25
 78"—2.55
 84"—2.65
 90"—2.80
 96"—2.90

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

For exact dimensions and application assistance, see Canvas Office Landscape® Private Office Enhancements Planning Guide.

Dimensions



Tackable Fabric Back Panel *continued*

Specification Information

Step 1.

FV930. [A](#)

Step 2. Mount Option

WM wall mount [A](#)

Step 3. Application

C1 for use with Canvas 2-1/4" plinth base or 28.5"h worksurface at a 68"H datum [A](#)

Step 4. Height

- 16A** 16"h to go between a worksurface (28.5"h) and a 22"h overhead [A](#)
- 23A** 23.5"h to go between a worksurface (28.5"h) and 15"h overhead or between a low credenza (1 1/4" thick top) and 22"h overhead [A](#)
- 24A** 24"h to go between a low credenza (3/8" thin top) and a 22"h overhead [A](#)
- 30A** 30.8"h to go between a low credenza (1 1/4" thick top) and a 15"h overhead [A](#)
- 31A** 31.5"h to go between a low credenza (3/8" thin top) and a 15"h overhead [A](#)
- 38A** 38.3"h to go above a worksurface (28.5"h) without an overhead [A](#)
- 45A** 45.7"h to go above a low credenza (1 1/4" thick top) without an overhead [A](#)
- 46A** 46.3"h to go above a low credenza (3/8" thin top) without an overhead [A](#)

Step 5. Width

- 24** 24" wide [A](#)
- 30** 30" wide [A](#)
- 36** 36" wide [A](#)
- 42** 42" wide [A](#)
- 48** 48" wide [A](#)
- 54** 54" wide [A](#)
- 60** 60" wide [A](#)
- 66** 66" wide [A](#)
- 72** 72" wide [A](#)
- 78** 78" wide [A](#)
- 84** 84" wide [A](#)
- 90** 90" wide [A](#)
- 96** 96" wide [A](#)

Step 6. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

T tackable fabric [A](#)

R tackable fabric, horizontal [A](#)

For 54" wide (54), 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)

R tackable fabric, horizontal [A](#)

Prices for Steps 1-6.

	16A24T	16A24R	16A30T	16A30R	16A36T	16A36R
FV930. WM C1	\$309	309	351	351	396	396
	16A42T	16A42R	16A48T	16A48R	16A54R	16A60R
FV930. WM C1	\$441	441	488	488	555	664
	16A66R	16A72R	16A78R	16A84R	16A90R	16A96R
FV930. WM C1	\$683	702	743	786	834	896
	23A24T	23A24R	23A30T	23A30R	23A36T	23A36R
FV930. WM C1	\$483	483	527	527	569	569
	23A42T	23A42R	23A48T	23A48R	23A54R	23A60R
FV930. WM C1	\$616	616	666	666	782	896
	23A66R	23A72R	23A78R	23A84R	23A90R	23A96R
FV930. WM C1	\$916	936	972	1019	1076	1139
	24A24T	24A24R	24A30T	24A30R	24A36T	24A36R
FV930. WM C1	\$483	483	527	527	569	569
	24A42T	24A42R	24A48T	24A48R	24A54R	24A60R
FV930. WM C1	\$616	616	666	666	782	896
	24A66R	24A72R	24A78R	24A84R	24A90R	24A96R
FV930. WM C1	\$916	936	972	1019	1076	1139
	30A24T	30A24R	30A30T	30A30R	30A36T	30A36R
FV930. WM C1	\$539	539	584	584	637	637
	30A42T	30A42R	30A48T	30A48R	30A54R	30A60R
FV930. WM C1	\$674	674	718	718	838	956
	30A66R	30A72R	30A78R	30A84R	30A90R	30A96R
FV930. WM C1	\$974	1033	1091	1140	1208	1287
	31A24T	31A24R	31A30T	31A30R	31A36T	31A36R
FV930. WM C1	\$539	539	584	584	637	637
	31A42T	31A42R	31A48T	31A48R	31A54R	31A60R
FV930. WM C1	\$674	674	718	718	838	956

Tackable Fabric Back Panel *continued*

	31A66R	31A72R	31A78R	31A84R	31A90R	31A96R
FV930. WM C1	\$974	1033	1091	1140	1208	1287
	38A24T	38A24R	38A30T	38A30R	38A36T	38A36R
FV930. WM C1	\$607	607	662	662	709	709
	38A42T	38A42R	38A48T	38A48R	38A54R	38A60R
FV930. WM C1	\$763	763	813	813	948	1082
	38A66R	38A72R	38A78R	38A84R	38A90R	38A96R
FV930. WM C1	\$1103	1136	1186	1233	1286	1350
	45A24T	45A24R	45A30T	45A30R	45A36T	45A36R
FV930. WM C1	\$674	674	734	734	788	788
	45A42T	45A42R	45A48T	45A48R	45A54R	45A60R
FV930. WM C1	\$847	847	902	902	1055	1198
	45A66R	45A72R	45A78R	45A84R	45A90R	45A96R
FV930. WM C1	\$1220	1254	1306	1364	1428	1505
	46A24T	46A24R	46A30T	46A30R	46A36T	46A36R
FV930. WM C1	\$674	674	734	734	788	788
	46A42T	46A42R	46A48T	46A48R	46A54R	46A60R
FV930. WM C1	\$847	847	902	902	1055	1198
	46A66R	46A72R	46A78R	46A84R	46A90R	46A96R
FV930. WM C1	\$1220	1254	1306	1364	1428	1505

Step 7. Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 16"h to go between a worksurface (28.5"h) and a 22"h overhead (16A)

Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$44
Price Category 4	+\$66
Price Category 5	+\$136
Price Category B	+\$49
Price Category C	+\$67
Price Category D	+\$85
Price Category E	+\$103
Price Category F	+\$133

For 23.5"h to go between a worksurface (28.5"h) and 15"h overhead or between a low credenza (1¼" thick top) and 22"h overhead (23A) or 24"h to go between a low credenza (¾" thin top) and a 22"h overhead (24A)

Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$50
Price Category 4	+\$79
Price Category 5	+\$163
Price Category B	+\$65
Price Category C	+\$89
Price Category D	+\$113
Price Category E	+\$137
Price Category F	+\$176

For 30.8"h to go between a low credenza (1¼" thick top) and a 15"h overhead (30A) or 31.5"h to go between a low credenza (¾" thin top) and a 15"h overhead (31A)

Price Category 1	+\$0
Price Category 2	+\$35
Price Category 3	+\$56
Price Category 4	+\$92
Price Category 5	+\$190
Price Category B	+\$81
Price Category C	+\$111
Price Category D	+\$141
Price Category E	+\$171
Price Category F	+\$219


For 38.3"h to go above a worksurface (28.5"h) without an overhead (38A)

Price Category 1	+\$0
Price Category 2	+\$40
Price Category 3	+\$62
Price Category 4	+\$105
Price Category 5	+\$217
Price Category B	+\$97
Price Category C	+\$133
Price Category D	+\$169
Price Category E	+\$205
Price Category F	+\$262


<i>For 45.7" h to go above a low credenza (1¼" thick top) without an overhead (45A) or 46.3" h to go above a low credenza (¾" thin top) without an overhead (46A)</i>	
Price Category 1	+\$0
Price Category 2	+\$50
Price Category 3	+\$74
Price Category 4	+\$131
Price Category 5	+\$271
Price Category B	+\$129
Price Category C	+\$177
Price Category D	+\$225
Price Category E	+\$273
Price Category F	+\$348

Component Brace

X3910.




Product Information
Description
This bracket mounts under C- and E-style flipper door units and shelves and utility shelves (E3234.) hung from stacking panels or frames. The brackets support heavy component loading and reduce deflection of a panel or frame run. Package contains 6.
Notes
Component brace finish for utility shelf (X3910.2) is black umber (BU).
Dimensions



Specification Information
Step 1.
X3910.
Step 2. Usage
1 for C-/E-style flipper unit/shelf
2 for utility shelf (E3234.)
Prices for Steps 1-2.
X3910. 1 \$75
2 \$75
Step 3. Surface Finish
For C-/E-style flipper unit/shelf (1)
8Q folkstone grey (CP) +\$0
91 white (CP) +\$0
98 studio white (CP) +\$0
HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
MT medium tone +\$0
WL warm stone (CP) +\$0

Shelf Divider, AngledG7330.




Product Information

Description

This divider attaches to a B-, C-, or E-style shelf to vertically divide books and binders. Package contains 8.

Dimensions



Specification Information

Step 1.


G7330.\$393

Step 2. Surface Finish

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
EH	metallic bronze	+\$0

Tackable Fabric Back Panel, Used with Floating Shelf

FV932.



Product Information

Description

This fabric back panel mounts to an architectural wall and is to be used with the floating aluminum shelf. Wire management included. Attachment hardware included.

Notes

Order floating shelf, aluminum (FV434.) separately.

Standard heights provided are designed to support a 68"-high Canvas datum with 2 1/4" plinth base.

For exact dimensions, see Canvas Office Landscape® Planning Guide for Wall-Based and Private Office.

Fabric back panel accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.

For wall mounted (WM) with tackable fabric (T)

Height—Yardage

10A—0.58

13A—0.65

14A—0.68

19A—0.80

20A—0.85

For tackable fabric, horizontal (R)

Width—Yardage

24"—0.91

30"—1.08

36"—1.25

42"—1.41

48"—1.58

54"—1.75

60"—1.91

66"—2.08

72"—2.25

78"—2.54


84"—2.65

90"—2.76

96"—2.87

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Canvas Office Landscape® Storage

Tackable Fabric Back Panel, Used with Floating Shelf *continued*

Specification Information	
Step 1.	
FV932.	☐ A
Step 2. Mount Option	
WM	wall mount ☐ A
Step 3. Application	
C1	for use with Canvas 2-1/4" plinth base or 28.5"h worksurface at a 68"H datum ☐ A
Step 4. Height	
10A	9.75"h for use between aluminum floating shelf and 15"H overhead at 68"H datum ☐ A
13A	12.5"h (for use in multiple applications - refer to planning guide for placement guidance) ☐ A
14A	13.6"h (for use in multiple applications - refer to planning guide for placement guidance) ☐ A
19A	19.8"h for use above a low credenza (1 1/4" thick top) below aluminum floating shelf with 10"H panel and 15"H overhead ☐ A
20A	20.5"h for use above a low credenza (3/8" thin top) below aluminum floating shelf with 10"H panel and 15"H overhead ☐ A
Step 5. Width	
24	24" wide ☐ A
30	30" wide ☐ A
36	36" wide ☐ A
42	42" wide ☐ A
48	48" wide ☐ A
54	54" wide ☐ A
60	60" wide ☐ A
66	66" wide ☐ A
72	72" wide ☐ A
78	78" wide ☐ A
84	84" wide ☐ A
90	90" wide ☐ A
96	96" wide ☐ A
Step 6. Surface Material	
For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)	
T	tackable fabric ☐ A
R	tackable fabric, horizontal ☐ A
For 54" wide (54), 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)	
R	tackable fabric, horizontal ☐ A

Prices for Steps 1-6.						
	10A24T	10A24R	10A30T	10A30R	10A36T	10A36R
FV932. WM C1	\$280	280	333	333	272	376
	10A42T	10A42R	10A48T	10A48R	10A54R	10A60R
FV932. WM C1	\$418	418	468	468	539	637
	10A66R	10A72R	10A78R	10A84R	10A90R	10A96R
FV932. WM C1	\$656	674	686	704	715	733
	13A24T	13A24R	13A30T	13A30R	13A36T	13A36R
FV932. WM C1	\$297	297	345	345	388	388
	13A42T	13A42R	13A48T	13A48R	13A54R	13A60R
FV932. WM C1	\$432	432	481	481	550	655
	13A66R	13A72R	13A78R	13A84R	13A90R	13A96R
FV932. WM C1	\$673	692	719	749	778	819
	14A24T	14A24R	14A30T	14A30R	14A36T	14A36R
FV932. WM C1	\$297	297	345	345	388	388
	14A42T	14A42R	14A48T	14A48R	14A54R	14A60R
FV932. WM C1	\$432	432	481	481	550	655
	14A66R	14A72R	14A78R	14A84R	14A90R	14A96R
FV932. WM C1	\$673	713	719	749	778	819
	19A24T	19A24R	19A30T	19A30R	19A36T	19A36R
FV932. WM C1	\$396	396	438	438	482	482
	19A42T	19A42R	19A48T	19A48R	19A54R	19A60R
FV932. WM C1	\$529	529	577	577	668	779
	19A66R	19A72R	19A78R	19A84R	19A90R	19A96R
FV932. WM C1	\$799	819	857	902	954	1018
	20A24T	20A24R	20A30T	20A30R	20A36T	20A36R
FV932. WM C1	\$396	396	438	438	482	482
	20A42T	20A42R	20A48T	20A48R	20A54R	20A60R
FV932. WM C1	\$529	529	577	577	668	779
	20A66R	20A72R	20A78R	20A84R	20A90R	20A96R
FV932. WM C1	\$799	798	857	902	954	1018

Tackable Fabric Back Panel, Used with Floating Shelf *continued*

Step 7. Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 9.75" for use between aluminum floating shelf and 15"H overhead at 68"H datum (10A)


Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$38
Price Category 4	+\$53
Price Category 5	+\$109
Price Category B	+\$33
Price Category C	+\$45
Price Category D	+\$57
Price Category E	+\$69
Price Category F	+\$90

For 12.5" (for use in multiple applications - refer to planning guide for placement guidance) (13A) or 13.6" (for use in multiple applications - refer to planning guide for placement guidance) (14A)

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$41
Price Category 4	+\$60
Price Category 5	+\$123
Price Category B	+\$41
Price Category C	+\$56
Price Category D	+\$71
Price Category E	+\$86
Price Category F	+\$112

For 19.8" for use above a low credenza (1¼" thick top) below aluminum floating shelf with 10"H panel and 15"H overhead (19A) or 20.5" for use above a low credenza (¾" thin top) below aluminum floating shelf with 10"H panel and 15"H overhead (20A)

Price Category 1	+\$0
Price Category 2	+\$28
Price Category 3	+\$47
Price Category 4	+\$73
Price Category 5	+\$150
Price Category B	+\$57
Price Category C	+\$78
Price Category D	+\$99
Price Category E	+\$120
Price Category F	+\$155



Product Information

Description

When used with a Canvas Private Office setting, this laminate back panel can mount to a wall above a desk or credenza worksurface (at 28½" high) or low credenza with or without the presence of overhead storage. Standard heights provided within FV940 are designed to utilize storage with a 2¼" plinth base (with a ⅜" thin or 1¼" thick top) at a 68"-high Canvas datum. Wire management included.


Notes

Patterned or wood-grain laminates will not be pattern-matched or grain-matched when 2 laminate back panels are placed side-by-side.

Use our Made-to-Measure+ tool to specify laminate back panels in additional sizes when using Canvas 4" foot (in lieu of 2¼" plinth base), pairing with Canvas product with Tu® Wood Casegoods, or making use of 79"-high datums.

For exact dimensions and application assistance, see Canvas Office Landscape® Private Office Enhancements Planning Guide.

Dimensions



Specification Information

- Step 1.**
- FV940.** A
- Step 2. Mount Option**
- WM** wall mount A
- Step 3. Surface Material**
- H** high-pressure laminate/thermoplastic edge A
- Step 4. Application**
- C1** for use with Canvas 2-¼" plinth base or 28.5"h worksurface at a 68"H datum A
- Step 5. Height**
- 16A** 16"h to go between a worksurface (28.5"h) and a 22"h overhead A
- 23A** 23.5"h to go between a worksurface (28.5"h) and 15"h overhead or between a low credenza (1¼" thick top) and 22"h overhead A
- 24A** 24"h to go between a low credenza (⅜" thin top) and a 22"h overhead A
- 30A** 30.8"h to go between a low credenza (1¼" thick top) and a 15"h overhead A
- 31A** 31.5"h to go between a low credenza (⅜" thin top) and a 15"h overhead A
- 38A** 38.3"h to go above a worksurface (28.5"h) without an overhead A
- 45A** 45.7"h to go above a low credenza (1¼" thick top) without an overhead A
- 46A** 46.3"h to go above a low credenza (⅜" thin top) without an overhead A
- Step 6. Width**
- 24** 24" wide A
- 30** 30" wide A
- 36** 36" wide A
- 42** 42" wide A
- 48** 48" wide A
- 54** 54" wide A
- 60** 60" wide A
- 66** 66" wide A
- 72** 72" wide A
- 78** 78" wide A
- 84** 84" wide A
- 90** 90" wide A
- 96** 96" wide A

Prices for Steps 1-6.						
	C116A24	C116A30	C116A36	C116A42	C116A48	C116A54
FV940. WM H	\$606	685	761	840	925	1064
	C116A60	C116A66	C116A72	C116A78	C116A84	C116A90
FV940. WM H	\$1255	1288	1321	1378	1444	1516
	C116A96	C123A24	C123A30	C123A36	C123A42	C123A48
FV940. WM H	\$1606	845	922	996	1078	1165
	C123A54	C123A60	C123A66	C123A72	C123A78	C123A84
FV940. WM H	\$1367	1568	1602	1638	1701	1782
	C123A90	C123A96	C124A24	C124A30	C124A36	C124A42
FV940. WM H	\$1883	1993	845	922	996	1078
	C124A48	C124A54	C124A60	C124A66	C124A72	C124A78
FV940. WM H	\$1165	1367	1568	1602	1638	1701
	C124A84	C124A90	C124A96	C130A24	C130A30	C130A36
FV940. WM H	\$1782	1883	1993	944	1022	1114
	C130A42	C130A48	C130A54	C130A60	C130A66	C130A72
FV940. WM H	\$1180	1257	1466	1673	1704	1808
	C130A78	C130A84	C130A90	C130A96	C131A24	C131A30
FV940. WM H	\$1910	1995	2114	2252	944	1022
	C131A36	C131A42	C131A48	C131A54	C131A60	C131A66
FV940. WM H	\$1114	1180	1257	1466	1673	1704
	C131A72	C131A78	C131A84	C131A90	C131A96	C138A24
FV940. WM H	\$1808	1910	1995	2114	2252	1061
	C138A30	C138A36	C138A42	C138A48	C138A54	C138A60
FV940. WM H	\$1158	1240	1335	1422	1658	1893
	C138A66	C138A72	C138A78	C138A84	C138A90	C138A96
FV940. WM H	\$1930	1988	2075	2157	2250	2363
	C145A24	C145A30	C145A36	C145A42	C145A48	C145A54
FV940. WM H	\$1180	1284	1378	1482	1578	1846
	C145A60	C145A66	C145A72	C145A78	C145A84	C145A90
FV940. WM H	\$2095	2136	2194	2284	2386	2500

	C145A96	C146A24	C146A30	C146A36	C146A42	C146A48
FV940. WM H	\$2634	1180	1284	1378	1482	1578
	C146A54	C146A60	C146A66	C146A72	C146A78	C146A84
FV940. WM H	\$1846	2095	2136	2194	2284	2386
					C146A90	C146A96
FV940. WM H					\$2500	2634

Step 7. Grain Direction

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

H	horizontal grain	A	+\$0
V	vertical grain	A	+\$0

For 54" wide (54), 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)

H	horizontal grain	A	+\$0
----------	------------------	---	------


Step 8. Surface Finish

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
UBK	ultra black (CP)	A	+\$0
76	light brown walnut		+\$0
8Q	folkstone grey (CP)		+\$0
91	white (CP)		+\$0
98	studio white (CP)		+\$0
CL	cool grey neutral		+\$0
HF	inner tone light		+\$0
HP	light anigre		+\$0
LBA	clear on ash (CP)		+\$0
LBB	oak on ash (CP)		+\$0
LBC	walnut on ash (CP)		+\$0
LBF	neutral twill		+\$0
LBJ	graphite twill		+\$0
LBQ	white twill		+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LT	light tone		+\$0
LU	soft white		+\$0
WL	warm stone (CP)		+\$0
WN	warm grey neutral		+\$0

Step 9. Edge Finish		
125	natural maple (CP) ☐ A	+\$0
126	natural cherry (CP) ☐ A	+\$0
127	walnut (CP) ☐ A	+\$0
139	light ash (CP) ☐ A	+\$0
140	warm ash (CP) ☐ A	+\$0
G1	graphite (CP) ☐ A	+\$0
UBK	ultra black (CP) ☐ A	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Laminate Back Panel, Used with Floating Shelf

FV942.



Product Information

Description

This laminate back panel mounts to an architectural wall and is to be used with floating shelves. Wire management included. Attachment hardware included.


Notes

Order floating shelf separately.

Standard heights provided are designed to support a 68"-high Canvas datum with 2 1/4" plinth base.

For exact dimensions, see Canvas Office Landscape® Planning Guide for Wall-Based and Private Office.

Dimensions



Specification Information

Step 1.

FV942. A

Step 2. Mount Option

WM wall mount A

Step 3. Surface Material

H high-pressure laminate/thermoplastic edge A

Step 4. Application

C1 for use with Canvas 2-1/4" plinth base or 28.5"h worksurface at a 68"H datum A

Step 5. Height

- 10A** 9.75"h for use between aluminum floating shelf and 15"H overhead at 68"H datum A
- 13A** 12.5"h (for use in multiple applications - refer to planning guide for placement guidance) A
- 14A** 13.6"h (for use in multiple applications - refer to planning guide for placement guidance) A
- 19A** 19.8"h for use above a low credenza (1 1/4" thick top) below aluminum floating shelf with 10"H panel and 15"H overhead A
- 20A** 20.5"h for use above a low credenza (3/8" thin top) below aluminum floating shelf with 10"H panel and 15"H overhead A

Step 6. Width

- 24** 24" wide A
- 30** 30" wide A
- 36** 36" wide A
- 42** 42" wide A
- 48** 48" wide A
- 54** 54" wide A
- 60** 60" wide A
- 66** 66" wide A
- 72** 72" wide A
- 78** 78" wide A
- 84** 84" wide A
- 90** 90" wide A
- 96** 96" wide A

Prices for Steps 1-6.

	C110A24	C110A30	C110A36	C110A42	C110A48	C110A54
FV942. WM H	\$490	583	658	731	820	944
	C110A60	C110A66	C110A72	C110A78	C110A84	C110A90
FV942. WM H	\$1114	1148	1177	1200	1231	1251

Laminate Back Panel, Used with Floating Shelf *continued*

	C110A96	C113A24	C113A30	C113A36	C113A42	C113A48
FV942. WM H	\$1282	519	602	679	754	841
	C113A54	C113A60	C113A66	C113A72	C113A78	C113A84
FV942. WM H	\$960	1146	1178	1210	1257	1310
	C113A90	C113A96	C114A24	C114A30	C114A36	C114A42
FV942. WM H	\$1362	1432	519	602	679	754
	C114A48	C114A54	C114A60	C114A66	C114A72	C114A78
FV942. WM H	\$841	960	1146	1178	1210	1257
	C114A84	C114A90	C114A96	C119A24	C119A30	C119A36
FV942. WM H	\$1310	1362	1432	692	767	843
	C119A42	C119A48	C119A54	C119A60	C119A66	C119A72
FV942. WM H	\$925	1009	1169	1364	1398	1433
	C119A78	C119A84	C119A90	C119A96	C120A24	C120A30
FV942. WM H	\$1500	1578	1670	1781	692	767
	C120A36	C120A42	C120A48	C120A54	C120A60	C120A66
FV942. WM H	\$843	925	1009	1169	1364	1398
	C120A72	C120A78	C120A84	C120A90	C120A96	
FV942. WM H	\$1433	1500	1578	1670	1781	

Step 7. Grain Direction

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

H	horizontal grain ☐	+\$0
V	vertical grain ☐	+\$0

For 54" wide (54), 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78),
84" wide (84), 90" wide (90), or 96" wide (96)


H	horizontal grain ☐	+\$0
---	---	------

Step 8. Surface Finish

125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral ☐	+\$0
HF	inner tone light ☐	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone	+\$0
LU	soft white ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Laminate Back Panel, Used with Floating Shelf *continued*

Step 9. Edge Finish		
125	natural maple (CP) ☐	+\$0
126	natural cherry (CP) ☐	+\$0
127	walnut (CP) ☐	+\$0
139	light ash (CP) ☐	+\$0
140	warm ash (CP) ☐	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP) ☐	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
UBK	ultra black (CP) ☐	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0



Product Information

Description


When used with a Canvas Private Office setting, this markerboard back panel can mount to a wall above a desk or credenza worksurface (at 28½" high) or low credenza with or without the presence of overhead storage. Standard heights provided within FV960 are designed to utilize storage with a 2¼" plinth base (with a ⅜" thin or 1¼" thick top) at a 68"-high Canvas datum. Wire management included.

Notes

Use our Made-to-Measure+ tool to specify markerboard back panels in additional sizes when using Canvas 4" foot (in lieu of 2¼" plinth base), pairing with Canvas product with Tu® Wood Casegoods, or making use of 79"-high datums.

For exact dimensions and application assistance, see Canvas Office Landscape® Private Office Enhancements Planning Guide.

Dimensions



Specification Information

Step 1.

FV960. ☐

Step 2. Mount Option

WM wall mount ☐

Step 3. Support Type

N non-magnetic ☐

Step 4. Application

C1 for use with Canvas 2-¼" plinth base or 28.5"h worksurface at a 68"H datum ☐

Step 5. Height

- 16A 16"h to go between a worksurface (28.5"h) and a 22"h overhead ☐
- 23A 23.5"h to go between a worksurface (28.5"h) and 15"h overhead or between a low credenza (1¼" thick top) and 22"h overhead ☐
- 24A 24"h to go between a low credenza (⅜" thin top) and a 22"h overhead ☐
- 30A 30.8"h to go between a low credenza (1¼" thick top) and a 15"h overhead ☐
- 31A 31.5"h to go between a low credenza (⅜" thin top) and a 15"h overhead ☐
- 38A 38.3"h to go above a worksurface (28.5"h) without an overhead ☐
- 45A 45.7"h to go above a low credenza (1¼" thick top) without an overhead ☐
- 46A 46.3"h to go above a low credenza (⅜" thin top) without an overhead ☐

Step 6. Width


- 24 24" wide ☐
- 30 30" wide ☐
- 36 36" wide ☐
- 42 42" wide ☐
- 48 48" wide ☐
- 54 54" wide ☐
- 60 60" wide ☐
- 66 66" wide ☐
- 72 72" wide ☐
- 78 78" wide ☐
- 84 84" wide ☐
- 90 90" wide ☐
- 96 96" wide ☐

Markerboard Back Panel *continued*

Prices for Steps 1-6.						
	C116A24	C116A30	C116A36	C116A42	C116A48	C116A54
FV960. WM N	\$679	766	852	941	1035	1192
	C116A60	C116A66	C116A72	C116A78	C116A84	C116A90
FV960. WM N	\$1404	1443	1479	1544	1618	1698
	C116A96	C123A24	C123A30	C123A36	C123A42	C123A48
FV960. WM N	\$1799	946	1032	1115	1207	1305
	C123A54	C123A60	C123A66	C123A72	C123A78	C123A84
FV960. WM N	\$1531	1756	1794	1835	1905	1996
	C123A90	C123A96	C124A24	C124A30	C124A36	C124A42
FV960. WM N	\$2109	2232	946	1032	1115	1207
	C124A48	C124A54	C124A60	C124A66	C124A72	C124A78
FV960. WM N	\$1305	1531	1756	1794	1835	1905
	C124A84	C124A90	C124A96	C130A24	C130A30	C130A36
FV960. WM N	\$1996	2109	2232	1056	1144	1248
	C130A42	C130A48	C130A54	C130A60	C130A66	C130A72
FV960. WM N	\$1321	1407	1642	1874	1909	2024
	C130A78	C130A84	C130A90	C130A96	C131A24	C131A30
FV960. WM N	\$2139	2234	2368	2522	1056	1144
	C131A36	C131A42	C131A48	C131A54	C131A60	C131A66
FV960. WM N	\$1248	1321	1407	1642	1874	1909
	C131A72	C131A78	C131A84	C131A90	C131A96	C138A24
FV960. WM N	\$2024	2139	2234	2368	2522	1189
	C138A30	C138A36	C138A42	C138A48	C138A54	C138A60
FV960. WM N	\$1297	1389	1495	1593	1858	2120
	C138A66	C138A72	C138A78	C138A84	C138A90	C138A96
FV960. WM N	\$2162	2226	2324	2416	2520	2646
	C145A24	C145A30	C145A36	C145A42	C145A48	C145A54
FV960. WM N	\$1321	1438	1544	1659	1767	2067
	C145A60	C145A66	C145A72	C145A78	C145A84	C145A90
FV960. WM N	\$2347	2391	2457	2559	2673	2799

	C145A96	C146A24	C146A30	C146A36	C146A42	C146A48
FV960. WM N	\$2950	1321	1438	1544	1659	1767
	C146A54	C146A60	C146A66	C146A72	C146A78	C146A84
FV960. WM N	\$2067	2347	2391	2457	2559	2673
					C146A90	C146A96
FV960. WM N					\$2799	2950

Markerboard Back Panel, Used with Floating Shelf FV962.



Product Information

Description

This markerboard back panel mounts to an architectural wall and is to be used with floating shelves. Wire management included. Attachment hardware included.


Notes

Order floating shelf separately.

Standard heights provided are designed to support a 68"-high Canvas datum with 2 1/4" plinth base.

For exact dimensions, see Canvas Office Landscape® Planning Guide for Wall-Based and Private Office.

Dimensions



Specification Information

Step 1.

FV962. ☐

Step 2. Mount Option

WM wall mount ☐

Step 3. Surface Type

N non-magnetic ☐

Step 4. Application

C1 for use with Canvas 2-1/4" plinth base or 28.5"h worksurface at a 68"H datum ☐

Step 5. Height

19A 19.8"h for use above a low credenza (1 1/4" thick top) below aluminum floating shelf with 10"H panel and 15"H overhead ☐

20A 20.5"h for use above a low credenza (3/8" thin top) below aluminum floating shelf with 10"H panel and 15"H overhead ☐

Step 6. Width

24 24" wide ☐

30 30" wide ☐

36 36" wide ☐

42 42" wide ☐

48 48" wide ☐

54 54" wide ☐

60 60" wide ☐

66 66" wide ☐

72 72" wide ☐

78 78" wide ☐

84 84" wide ☐

90 90" wide ☐


96 96" wide ☐

Prices for Steps 1-6.

	C119A24	C119A30	C119A36	C119A42	C119A48	C119A54
FV962. WM N	\$775	858	944	1036	1130	1309
	C119A60	C119A66	C119A72	C119A78	C119A84	C119A90
FV962. WM N	\$1527	1566	1605	1680	1767	1869
	C119A96	C120A24	C120A30	C120A36	C120A42	C120A48
FV962. WM N	\$1994	775	858	944	1036	1130
	C120A54	C120A60	C120A66	C120A72	C120A78	C120A84
FV962. WM N	\$1309	1527	1566	1605	1680	1767

Markerboard Back Panel, Used with
Floating Shelf *continued*

	C120A90	C120A96
FV962. WM N	\$1869	1994




Product Information

Description
This back-painted glass back panel mounts to a wall above a work surface or above a low credenza with 2 1/4" base. Surface is writable. Attachment hardware included.

Notes
For exact dimensions, see Canvas Office Landscape® Planning Guide for Wall-Based and Private Office.
Rare-earth magnets are required for use with this glass back panel.

Dimensions



Specification Information

Step 1.

FV970.

Step 2. Mount Option

WM wall mount

Step 3. Surface Material

G glass

Step 4. Height

- 23A** 23 1/2" high to go between a work surface (28.5" high) and a 15" high overhead at a 68" high datum
- 30A** 30 7/8" high to go between a low credenza (1 1/4" thick top and 2 1/4" base) and a 15" high overhead at a 68" high
- 31A** 31 1/2" high to go between a low credenza (3/8" thin top and 2 1/4" base) and a 15" high overhead at a 68" high datum
- 38A** 38 1/2" high to go above a work surface (28.5" high) without an overhead at a 68" high datum
- 45A** 45 7/8" high to go above a low credenza (1 1/4" thick top and 2 1/4" base) without an overhead at a 68" high datum
- 46A** 46 1/2" high to go above a low credenza (3/8" thin top and 2 1/4" base) without an overhead at a 68" high datum

Step 5. Width

For 23 1/2" high to go between a work surface (28.5" high) and a 15" high overhead at a 68" high datum (23A), 30 7/8" high to go between a low credenza (1 1/4" thick top and 2 1/4" base) and a 15" high overhead at a 68" high (30A), or 31 1/2" high to go between a low credenza (3/8" thin top and 2 1/4" base) and a 15" high overhead at a 68" high datum (31A)

- 24** 24" wide
- 30** 30" wide
- 36** 36" wide
- 42** 42" wide
- 48** 48" wide
- 54** 54" wide
- 60** 60" wide
- 66** 66" wide
- 72** 72" wide
- 78** 78" wide
- 84** 84" wide
- 90** 90" wide
- 96** 96" wide

For 38½" high to go above a work surface (28.5" high) without an overhead at a 68" high datum (38A), 45⅞" high to go above a low credenza (1¼" thick top and 2¼" base) without an overhead at a 68" high datum (45A), or 46½" high to go above a low credenza (⅜" thin top and 2¼" base) without an overhead at a 68" high datum (46A)

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 6. Type

M magnetic

Prices for Steps 1-6.

	23A24M	23A30M	23A36M	23A42M	23A48M	23A54M
FV970. WM G	\$1266	1578	1894	2207	2520	2833
	23A60M	23A66M	23A72M	23A78M	23A84M	23A90M
FV970. WM G	\$3155	3468	3782	4095	4408	4723
	23A96M	30A24M	30A30M	30A36M	30A42M	30A48M
FV970. WM G	\$5035	1650	2054	2467	2879	3293
	30A54M	30A60M	30A66M	30A72M	30A78M	30A84M
FV970. WM G	\$3698	4111	4516	4926	5341	5746
	30A90M	30A96M	31A24M	31A30M	31A36M	31A42M
FV970. WM G	\$6160	6563	1702	2121	2550	2973
	31A48M	31A54M	31A60M	31A66M	31A72M	31A78M
FV970. WM G	\$3400	3818	4240	4667	5088	5518
	31A84M	31A90M	31A96M	38A24M	38A30M	38A36M
FV970. WM G	\$5938	6363	6788	2084	2603	3124
	38A42M	38A48M	38A54M	38A60M	38A66M	38A72M
FV970. WM G	\$3645	4165	4684	5204	5725	6244
	45A24M	45A30M	45A36M	45A42M	45A48M	45A54M
FV970. WM G	\$2467	3085	3698	4318	4926	5542


	45A60M	45A66M	45A72M	46A24M	46A30M	46A36M
FV970. WM G	\$6160	6771	7389	2520	3155	3782

	46A42M	46A48M	46A54M	46A60M	46A66M	46A72M
FV970. WM G	\$4408	5035	5661	6298	6923	7551

Step 7. Finish

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0

Glass Back Panel, Used with Floating Shelf FV972.



Product Information

Description

This back-painted glass back panel mounts to an architectural wall and is to be used with the floating aluminum shelf. Back panel surface is writable. Attachment hardware included.

Notes

Order floating shelf, aluminum (FV434.) separately.


Glass back panels are optimized to support a 68"-high Canvas datum.

Glass back panels feature a 5"W×¾"D vertical channel on each side for cable management.

See Canvas Office Landscape® Wall-Based and Private Office Planning Guide for exact dimensions.

Rare-earth magnets are required for use with this glass back panel.

Dimensions



Specification Information

Step 1.

FV972.

Step 2. Mount Option

WM wall mount

Step 3. Surface Material

G glass

Step 4. Height

- 10A** 9¾" H between floating shelf and 15"H overhead at 68"H datum
- 13A** 12 ½"H above work surface (28½"H) and below floating shelf, with 10"H glass and 15"H overhead at 68"H datum
- 14A** 14"H above a floating shelf, inline to 15"H overhead at 68"H datum
- 19A** 19⅞"H above a low credenza (1¼"H top and 2¼"H base) below floating shelf with 10"H glass and 15"H overhead at 68"H datum
- 20A** 20½"H above a low credenza (⅝"H top and 2¼"H base) below floating shelf with 10"H glass and 15"H overhead

Step 5. Width

- 24** 24" wide
- 30** 30" wide
- 36** 36" wide
- 42** 42" wide
- 48** 48" wide
- 54** 54" wide
- 60** 60" wide
- 66** 66" wide
- 72** 72" wide
- 78** 78" wide
- 84** 84" wide
- 90** 90" wide
- 96** 96" wide

Step 6. Type

M magnetic

Prices for Steps 1-6.


	10A24M	10A30M	10A36M	10A42M	10A48M	10A54M
FV972. WM G	\$732	808	905	1012	1105	1236
	10A60M	10A66M	10A72M	10A78M	10A84M	10A90M
FV972. WM G	\$1371	1510	1647	1782	1917	2057
	10A96M	13A24M	13A30M	13A36M	13A42M	13A48M
FV972. WM G	\$2192	887	1006	1190	1305	1495

Glass Back Panel, Used with Floating
Shelf *continued*

		13A54M	13A60M	13A66M	13A72M	13A78M	13A84M
FV972. WM G		\$1664	1855	2036	2222	2407	2560
		13A90M	13A96M	14A24M	14A30M	14A36M	14A42M
FV972. WM G		\$2773	2955	892	1012	1152	1346
		14A48M	14A54M	14A60M	14A66M	14A72M	14A78M
FV972. WM G		\$1539	1728	1917	2111	2299	2495
		14A84M	14A90M	14A96M	19A24M	19A30M	19A36M
FV972. WM G		\$2688	2896	3063	1152	1366	1642
		19A42M	19A48M	19A54M	19A60M	19A66M	19A72M
FV972. WM G		\$1909	2176	2450	2719	2993	3270
		19A78M	19A84M	19A90M	19A96M	20A24M	20A30M
FV972. WM G		\$3535	3810	4078	4354	1174	1406
		20A36M	20A42M	20A48M	20A54M	20A60M	20A66M
FV972. WM G		\$1685	1969	2252	2528	2812	3085
		20A72M	20A78M	20A84M	20A90M	20A96M	
FV972. WM G		\$3367	3649	3924	4209	4489	
Step 7. Finish							
8Q	folkstone grey (CP)						+\$0
91	white (CP)						+\$0
98	studio white (CP)						+\$0

Wall-Mount Fabric Tackboard, for use with Canvas Private Office

FV990.



Product Information

Description

When used with a Canvas Private Office setting, this fabric tackboard can mount to a wall above a desk or credenza work surface (at 28½" high) or low credenza with or without the presence of overhead storage. Standard heights provided within FV990 are designed to utilize storage with a 2¼" plinth base (with a ⅜" thin or 1¼" thick top) at a 68"-high Canvas datum. This product can also be used as a stand-alone product on an architectural wall.

Notes

This tackboard does not facilitate wire/cord drop. If wire management is desired, order fabric back panel (FV930, FV930V, or FV932).

Patterned fabrics will not be pattern-matched when 2 tackboards are placed side-by-side.

For additional sizes and custom needs, use our Made-to-Measure+ tool to customize dimensions to tenth-of-an-inch precision within 8-48"H×96"W or 8-96"H×48"W size capabilities using Exact Size Wall-Mount Fabric Tackboard (FV990V).

Tackboard accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics. COM yardage requirements for both FV990 and FV990V are as follows:

For tackable fabric (T)

Height—Yardage

16A or H01—0.75

23A, 24A, or H02—0.95

30A, 31A, or H03—1.15

38A or H04—1.35

H05—1.50

45A, 46A, or H06—1.75

H07—2.10

H08—2.25

H09—2.65

H10—2.90

For tackable fabric, horizontal (R)

Width—Yardage

12"-24"—0.95

24.1"-30"—1.10

30.1"-36"—1.25

36.1"-42"—1.45

42.1"-48"—1.60

48.1"-54"—1.75

54.1"-60"—1.95

60.1"-66"—2.10

66.1"-72"—2.25

72.1"-78"—2.55

78.1"-84"—2.65


84.1"-90"—2.80

90.1"-96"—2.90

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

For exact dimensions and application assistance, see Canvas Private Office Enhancements Planning Guide.

Dimensions



Wall-Mount Fabric Tackboard, for use with Canvas Private Office *continued*

Specification Information

Step 1.

FV990. ☐

Step 2. Application

C1 for use with Canvas 2-1/4" plinth base or 28.5"h worksurface at a 68"H datum ☐

Step 3. Height

16A 16"h to go between a worksurface (28.5"h) and a 22"h overhead ☐
23A 23.5"h to go between a worksurface (28.5"h) and 15"h overhead or between a low credenza (1 1/4" thick top) and 22"h overhead ☐
24A 24"h to go between a low credenza (3/8" thin top) and a 22"h overhead ☐
30A 30.8"h to go between a low credenza (1 1/4" thick top) and a 15"h overhead ☐
31A 31.5"h to go between a low credenza (3/8" thin top) and a 15"h overhead ☐
38A 38.3"h to go above a worksurface (28.5"h) without an overhead ☐
45A 45.7"h to go above a low credenza (1 1/4" thick top) without an overhead ☐
46A 46.3"h to go above a low credenza (3/8" thin top) without an overhead ☐

Step 4. Width

24 24" wide ☐
30 30" wide ☐
36 36" wide ☐
42 42" wide ☐
48 48" wide ☐
54 54" wide ☐
60 60" wide ☐
66 66" wide ☐
72 72" wide ☐
78 78" wide ☐
84 84" wide ☐
90 90" wide ☐
96 96" wide ☐

Step 5. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

R tackable fabric, horizontal ☐

T tackable fabric ☐

For 54" wide (54), 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)

R tackable fabric, horizontal ☐

Prices for Steps 1-5.

		24R	24T	30R	30T	36R	36T
FV990. C1	16A	\$219	219	260	260	305	305
	23A	\$387	387	431	431	474	474
	24A	\$387	387	431	431	474	474
	30A	\$437	437	482	482	535	535
	31A	\$437	437	482	482	535	535
	38A	\$492	492	548	548	594	594
	45A	\$554	554	613	613	667	667
	46A	\$554	554	613	613	667	667
		42R	42T	48R	48T	54R	60R
FV990. C1	16A	\$351	351	398	398	464	483
	23A	\$520	520	570	570	686	706
	24A	\$520	520	570	570	686	706
	30A	\$572	572	616	616	736	753
	31A	\$572	572	616	616	736	753
	38A	\$648	648	698	698	834	854
	45A	\$726	726	782	782	934	957
	46A	\$726	726	782	782	934	957
		66R	72R	78R	84R	90R	96R
FV990. C1	16A	\$502	522	562	605	653	715
	23A	\$725	746	782	828	886	949
	24A	\$725	746	782	828	886	949
	30A	\$771	830	889	938	1005	1084
	31A	\$771	830	889	938	1005	1084
	38A	\$875	908	958	1005	1058	1123
	45A	\$980	1013	1065	1124	1188	1265
	46A	\$980	1013	1065	1124	1188	1265

Wall-Mount Fabric Tackboard, for use with Canvas Private Office *continued*

Step 6. Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 16"h to go between a worksurface (28.5"h) and a 22"h overhead (16A)

Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$44
Price Category 4	+\$66
Price Category 5	+\$136
Price Category B	+\$49
Price Category C	+\$67
Price Category D	+\$85
Price Category E	+\$103
Price Category F	+\$133

For 23.5"h to go between a worksurface (28.5"h) and 15"h overhead or between a low credenza (1¼" thick top) and 22"h overhead (23A) or 24"h to go between a low credenza (¾" thin top) and a 22"h overhead (24A)

Price Category 1	+\$0
Price Category 2	+\$30
Price Category 3	+\$50
Price Category 4	+\$79
Price Category 5	+\$163
Price Category B	+\$65
Price Category C	+\$89
Price Category D	+\$113
Price Category E	+\$137
Price Category F	+\$176

For 30.8"h to go between a low credenza (1¼" thick top) and a 15"h overhead (30A) or 31.5"h to go between a low credenza (¾" thin top) and a 15"h overhead (31A)


Price Category 1	+\$0
Price Category 2	+\$35
Price Category 3	+\$56
Price Category 4	+\$92
Price Category 5	+\$190
Price Category B	+\$81
Price Category C	+\$111
Price Category D	+\$141
Price Category E	+\$171
Price Category F	+\$219

For 38.3"h to go above a worksurface (28.5"h) without an overhead (38A)

Price Category 1	+\$0
Price Category 2	+\$40
Price Category 3	+\$62
Price Category 4	+\$105
Price Category 5	+\$217
Price Category B	+\$97
Price Category C	+\$133
Price Category D	+\$169
Price Category E	+\$205
Price Category F	+\$262

For 45.7"h to go above a low credenza (1¼" thick top) without an overhead (45A) or 46.3"h to go above a low credenza (¾" thin top) without an overhead (46A)

Price Category 1	+\$0
Price Category 2	+\$50
Price Category 3	+\$74
Price Category 4	+\$131
Price Category 5	+\$271
Price Category B	+\$129
Price Category C	+\$177
Price Category D	+\$225
Price Category E	+\$273
Price Category F	+\$348



Product Information


Description

This laminate floating shelf is 1" thick and provides an area for book and binder storage or open display. Shelf mounts directly to an architectural wall. Attachment hardware included.

Notes

For exact dimensions, see Canvas Office Landscape® planning guide for wall-based and private office.

Dimensions



Specification Information

Step 1.

FV435. ☐ A

Step 2. Mount Option

WM wall mount ☐ A

Step 3. Laminate Selection

H high-pressure laminate top/thermoplastic edge ☐ A

V high-pressure laminate top/universal edge ☐ A

Step 4. Shelf Type

N shelf without light ☐ A

Step 5. Depth

10 10" deep ☐ A

13 13" deep ☐ A

Step 6. Width

24 24" wide ☐ A

30 30" wide ☐ A

36 36" wide ☐ A

42 42" wide ☐ A

48 48" wide ☐ A

54 54" wide ☐ A

60 60" wide ☐ A

66 66" wide ☐ A

72 72" wide ☐ A

78 78" wide ☐ A

84 84" wide ☐ A

90 90" wide ☐ A

96 96" wide ☐ A

Step 7. Grain Direction

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

V vertical grain ☐ A

H horizontal grain ☐ A

For 54" wide (54), 60" wide (60), 66" wide (66), 72" wide (72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (96)

H horizontal grain ☐ A

Prices for Steps 1-7.

		N1024V	N1024H	N1030V	N1030H	N1036V	N1036H
FV435.	WM H	\$1113	1113	1269	1269	1388	1388
	V	\$1113	1113	1269	1269	1388	1388

		N1042V	N1042H	N1048V	N1048H	N1054H	N1060H
FV435.	WM H	\$1487	1487	1669	1669	1768	1930
	V	\$1487	1487	1669	1669	1768	1930
		N1066H	N1072H	N1078H	N1084H	N1090H	N1096H
FV435.	WM H	\$2048	2146	2238	2413	2512	2596
	V	\$2048	2146	2238	2413	2512	2596
		N1324V	N1324H	N1330V	N1330H	N1336V	N1336H
FV435.	WM H	\$1224	1224	1396	1396	1526	1526
	V	\$1224	1224	1396	1396	1526	1526
		N1342V	N1342H	N1348V	N1348H	N1354H	N1360H
FV435.	WM H	\$1635	1635	1836	1836	1945	2122
	V	\$1635	1635	1836	1836	1945	2122
		N1366H	N1372H	N1378H	N1384H	N1390H	N1396H
FV435.	WM H	\$2253	2360	2461	2655	2764	2855
	V	\$2253	2360	2461	2655	2764	2855

Step 8. Surface Finish

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
HF	inner tone light	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBD	dark brown walnut (non-promote)	A	+\$0
LBF	neutral twill	A	+\$0
LBH	earthen twill (non-promote)	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LT	light tone	A	+\$0
LU	soft white	A	+\$0
UBK	ultra black (CP)	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0
X1	chalk white	A	+\$0

Step 9. Edge Finish

For high-pressure laminate top/thermoplastic edge (H)

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
BU	black	A	+\$0
CL	cool grey neutral	A	+\$0
G1	graphite (CP)	A	+\$0

HF	inner tone light ☐	+\$0
HP	light anigre ☐	+\$0
LBA	clear on ash (CP) ☐	+\$0
LBB	oak on ash (CP) ☐	+\$0
LBC	walnut on ash (CP) ☐	+\$0
LBD	dark brown walnut (non-promote) ☐	+\$0
LBF	neutral twill ☐	+\$0
LBH	earthen twill (non-promote) ☐	+\$0
LBJ	graphite twill ☐	+\$0
LBQ	white twill ☐	+\$0
LBR	phantom ecru ☐	+\$0
LBS	phantom cocoa ☐	+\$0
LBU	medium matte walnut (CP) ☐	+\$0
LBV	warm grey teak ☐	+\$0
LT	light tone ☐	+\$0
LU	soft white ☐	+\$0
MT	medium tone ☐	+\$0
SG	slate grey ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
WA	wheat (non-promote) ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey ☐	+\$0
X1	chalk white ☐	+\$0

For high-pressure laminate top/universal edge (V)


PLY	plywood edge ☐	+\$0
-----	---------------------------------------	------

Step 10. Metal Finish


611	beige mist metallic (CP) ☐	+\$0
613	silver (CP) ☐	+\$0
UBK	ultra black (CP) ☐	+\$0
8Q	folkstone grey (CP) ☐	+\$0
91	white (CP) ☐	+\$0
98	studio white (CP) ☐	+\$0
BK	black ☐	+\$0
CL	cool grey neutral ☐	+\$0
EH	metallic bronze ☐	+\$0
G1	graphite (CP) ☐	+\$0
SNA	satin aluminum ☐	+\$0
SNB	satin bronze ☐	+\$0
SNC	satin carbon ☐	+\$0
WL	warm stone (CP) ☐	+\$0
WN	warm grey neutral ☐	+\$0

Tackboard

FV980.



Product Information
Description
This tackboard attaches below a hutch.
Notes
For additional product options, see Vary Easy Program in Appendices.
For hutch-mount (HM), match tackboard width to hutch width.
Vary Easy Program offers the tackboard in 15"- to 30"-high in 1" increments and 24"-72"-wide in 1" increments
Tackboard accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics.
For hutch mounted (HM) with tackable fabric, horizontal (R)
Width—Yardage
59", 60"—1.86
65", 66"—2.02
71", 72"—2.19
For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.
Dimensions



Specification Information
Step 1.
FV980.
Step 2. Mount Option
HM hutch mounted
Step 3. Height
For hutch mounted (HM)
12 12" high
15 15" high
Step 4. Width
For hutch mounted (HM)
59 59" wide
60 60" wide
65 65" wide
66 66" wide
71 71" wide
72 72" wide
Step 5. Surface Material
For 59" wide (59), 60" wide (60), 65" wide (65), 66" wide (66), 71" wide (71), or 72" wide (72)
R tackable fabric, horizontal

Prices for Steps 1-5.		59R	60R	65R	66R	71R	72R
FV980.	HM 12	\$463	463	479	479	497	497
	15	\$479	479	497	497	516	516

Step 6. Fabric


See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For 12" high (12)

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$40
Price Category 4	+\$61
Price Category 5	+\$124
Price Category B	+\$42
Price Category C	+\$56
Price Category D	+\$72
Price Category E	+\$86
Price Category F	+\$113

For 15" high (15)

Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$44
Price Category 4	+\$66
Price Category 5	+\$136
Price Category B	+\$49
Price Category C	+\$67
Price Category D	+\$85
Price Category E	+\$103
Price Category F	+\$133



Product Information

Description

This screen attaches to a desk or return. It has a 1"-thick frame with a 1/4"-thick translucent or painted surface. Attachment hardware included.

Notes

When attaching the 12"-high screen to a basic desk or return, specify screen width 6" less than surface width.


When attaching a screen of any height to a single pedestal desk or pedestal return, specify screen width 18" less than surface width. When attaching to a double pedestal desk, specify screen width 30" less than surface width.

When attached to surface, there is a 1 1/2" gap between the back edge and the screen.

For translucent plastic (A) surface material, screen frame finish is metallic silver (MS). For painted (P) surface material, screen frame finish will match bracket finish (Step 6.).

For cable management between screen and back edge of surface, specify cable manager (FV695.) separately.

Dimensions



Specification Information							
Step 1.							
FV694.							
Step 2. Surface Material							
A	translucent plastic						
P	painted						
Step 3. Height							
For painted (P)							
12A	12" below work surface						
For translucent plastic (A)							
12A	12" below work surface						
18A	6" above/12" below work surface						
18B	12" above/6" below work surface						
24A	12" above/12" below work surface						
Step 4. Width							
For 12" below work surface (12A)							
30	30" wide						
36	36" wide						
42	42" wide						
48	48" wide						
54	54" wide						
60	60" wide						
66	66" wide						
72	72" wide						
For 6" above/12" below work surface (18A), 12" above/6" below work surface (18B), or 12" above/12" below work surface (24A)							
30	30" wide						
36	36" wide						
42	42" wide						
48	48" wide						
54	54" wide						
Prices for Steps 1-4.							
		30	36	42	48	54	60
FV694. A	12A	\$1012	1055	1096	1133	1177	1216
	18A	\$1066	1109	1152	1193	1234	—
	18B	\$1066	1109	1152	1193	1234	—
	24A	\$1216	1267	1312	1363	1410	—
	P 12A	\$924	958	993	1035	1069	1105

		66	72
FV694. A 12A		\$1257	1295
	P 12A	\$1141	1178

Step 5. Surface Finish			
Sand Texture Paint			
<i>For painted (P)</i>			
UBK	ultra black (CP)		+\$0
8Q	folkstone grey (CP)		+\$0
91	white (CP)		+\$0
98	studio white (CP)		+\$0
BK	black		+\$0
CL	cool grey neutral		+\$0
G1	graphite (CP)		+\$0
WL	warm stone (CP)		+\$0
WN	warm grey neutral		+\$0
Metallic Paint			
<i>For painted (P)</i>			
611	beige mist metallic (CP)		+\$0
613	silver (CP)		+\$0
EH	metallic bronze		+\$0
SNA	satin aluminum		+\$10
SNB	satin bronze		+\$10
SNC	satin carbon		+\$10
Translucent Plastic			
<i>For translucent plastic (A)</i>			
J9	opal frosted		+\$0


Step 6. Bracket Finish			
UBK	ultra black (CP)		+\$0
8Q	folkstone grey (CP)		+\$0
91	white (CP)		+\$0
98	studio white (CP)		+\$0
BK	black		+\$0
CL	cool grey neutral		+\$0
G1	graphite (CP)		+\$0
WL	warm stone (CP)		+\$0
WN	warm grey neutral		+\$0

Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Canvas Office Landscape® Screens

Modesty Panel

FV697.



Product Information

Description

This modesty panel attaches to a closed-leg rectangular or concave rectangular desk to provide partial- or full-height enclosure below the surface and increase stability. The panel can be mounted inset from the back edge of the desk, or flush with the back edge for knee clearance. Available in laminate or veneer. Attachment hardware included.


Notes

Modesty panel spans between 2 closed support legs (FV2E2.24, .30, or .36) and attaches to the closed support legs and underside of a surface. It does not work with shared closed support legs.


Grain direction is vertical on veneer and wood-grain laminate panel.

Wood-grain laminate option is only available in 36" - 60" widths.

Dimensions



Half Modesty Panel



Full Modesty Panel

Specification Information

Step 1.

FV697.

Step 2. Width

60	60" wide
66	66" wide
72	72" wide
84	84" wide
96	96" wide

Step 3. Modesty Panel Type

F	full modesty panel
H	half modesty panel

Step 4. Surface Material

H	high-pressure laminate with thermoplastic edge ☐
L	thermally-fused laminate with thermoplastic edge
W	veneer ☐

Prices for Steps 1-4.

	H	L	W
FV697. 60 F	\$939	750	1642
H	\$660	528	922
66 F	\$1030	824	1798
H	\$722	578	1022
72 F	\$1125	900	1968
H	\$785	629	1123
84 F	\$1307	1046	2293
H	\$810	648	1319
96 F	\$1499	1200	2628
H	\$881	667	1526

Step 5. Surface Finish

Solid-Color Laminate

For 60" wide (60) with thermally-fused laminate with thermoplastic edge (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Twill Laminate*For 60" wide (60) with thermally-fused laminate with thermoplastic edge (L)*

LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0

Wood-Grain Laminate*For 60" wide (60) with thermally-fused laminate with thermoplastic edge (L)*

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Solid-Color Laminate*For 66" wide (66), 72" wide (72), 84" wide (84), or 96" wide (96) with thermally-fused laminate with thermoplastic edge (L)*

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Wood Veneer*For veneer (W)*

2U	light brown walnut A	+\$50
40	dark brown walnut	+\$50
CHD	noble cherry	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
EW	medium matte walnut	+\$50
UL	natural maple A	+\$50
WHN	natural white oak	+\$50

For 60" wide (60) with high-pressure laminate with thermoplastic edge (H)


125	natural maple (CP) A	+\$0
126	natural cherry (CP) A	+\$0
127	walnut (CP) A	+\$0
139	light ash (CP) A	+\$0
140	warm ash (CP) A	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut (CP) A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
UBK	ultra black (CP) A	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For 66" wide (66), 72" wide (72), 84" wide (84), or 96" wide (96) with high-pressure laminate with thermoplastic edge (H)

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Privacy Panel

FV693.




Product Information

Description
This panel stands on the floor and attaches to a desk or return to provide partial- or full-width privacy. It is 3/4" thick, has a laminate or veneer surface, and includes leveling glides. Attachment hardware included.

Notes
For additional product options, see Vary Easy Program in Appendices.
Grain direction is vertical on veneer and wood-grain laminate panel.
29"-high panel provides modesty from the floor to the surface. 42"- and 46"-high panels rise above the surface for visual privacy.
When attached to surface, there is a 1 1/2" gap between the back edge and the panel.
Wood-grain laminate option is only available in 33" - 60" widths. Specify 2 panels to match the width of surfaces wider than 60".
For cable management between privacy panel and back edge of surface, specify cable manager (FV695.) separately.

Dimensions



Canvas Office Landscape® Screens

Specification Information			
Step 1.			
FV693.			
Step 2. Height			
29	29" high		
42	42" high		
46	46" high		
Step 3. Width			
For 29" high (29)			
33	33" wide		
36	36" wide		
48	48" wide		
54	54" wide		
60	60" wide		
66	66" wide		
72	72" wide		
84	84" wide		
For 42" high (42) or 46" high (46)			
48	48" wide		
54	54" wide		
60	60" wide		
72	72" wide		
Step 4. Surface Material			
L	high-pressure laminate		
W	veneer ☐		
Prices for Steps 1-4.			
		L	W
FV693. 29	33	\$419	905
	36	\$454	986
	48	\$601	1314
	54	\$674	1473
	60	\$750	1642
	66	\$824	1798
	72	\$900	1968
	84	\$1046	2293
42	48	\$727	1733
	54	\$816	1948
	60	\$905	2169
	72	\$1087	2602

46 48	\$762	1812
54	\$860	2047
60	\$953	2272
72	\$1139	2720

Step 5. Surface Finish		
Solid-Color Laminate		
<i>For 33" wide (33), 36" wide (36), 48" wide (48), 54" wide (54), or 60" wide (60) with high-pressure laminate (L)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
Twill Laminate		
<i>For 33" wide (33), 36" wide (36), 48" wide (48), 54" wide (54), or 60" wide (60) with high-pressure laminate (L)</i>		
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
Wood-Grain Laminate		
<i>For 33" wide (33), 36" wide (36), 48" wide (48), 54" wide (54), or 60" wide (60) with high-pressure laminate (L)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0

Solid-Color Laminate

For 66" wide (66), 72" wide (72), or 84" wide (84) with high-pressure laminate (L)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Wood Veneer

For veneer (W)

2U	light brown walnut A	+\$85
40	dark brown walnut	+\$85
CHD	noble cherry	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
EW	medium matte walnut	+\$85
UL	natural maple A	+\$85
WHN	natural white oak	+\$85


Step 6. Support Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Sand Texture Paint

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary with a tackable surface. Attachment hardware included.

Notes

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 4" below surface to hide attachment hardware.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.49

46—1.73

53—2.18

For horizontal fabric direction (R):

Width—Yardage

40—1.34

42—1.51

46—1.62

48—1.71

52—1.81

54—1.90


60—2.07

66—2.27

72—2.46

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT351. A

Step 2. Attachment

C Canvas surface attached A

Step 3. Height

42 42" high A

46 46" high A

53 53" high A

Step 4. Width

40 39½" wide A

42 42" wide A

46 45½" wide A

48 48" wide A

52 51½" wide A

54 54" wide A

60 60" wide A

66 66" wide A

72 72" wide A

Step 5. Surface Material

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

R tackable fabric, horizontal A

T tackable fabric A

For 51½" wide (52)

R tackable fabric, horizontal A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal A

Prices for Steps 1-5.

		40R	40T	42R	42T	46R	46T
FT351. C	42	\$984	984	1019	1019	1032	1032
	46	\$1064	1064	1104	1104	1157	1157
	53	\$1287	1287	1390	1390	1449	1449
		48R	48T	52R	54R	60R	66R
FT351. C	42	\$1050	1050	1136	1163	1242	1331
	46	\$1217	1217	1299	1331	1428	1505
	53	\$1465	1465	1530	1549	1576	1621

Pari Screen, Surface Attached

continued

	72R
FT351. C 42	\$1402
46	\$1563
53	\$1651

Step 6. Bracket Finish

G1	graphite (CP) ☐ A	+\$0
----	--	------

Step 7. Fabric

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

Price Category B	+\$136
Price Category 1	+\$0
Price Category 2	+\$28
Price Category 3	+\$65
Price Category 4	+\$113
Price Category 5	+\$0
Price Category C	+\$167
Price Category E	+\$281

For 51½" wide (52), 54" wide (54), or 60" wide (60)


Price Category B	+\$160
Price Category 1	+\$0
Price Category 2	+\$32
Price Category 3	+\$78
Price Category 4	+\$136
Price Category 5	+\$0
Price Category C	+\$234
Price Category E	+\$281

For 66" wide (66) or 72" wide (72)

Price Category B	+\$190
Price Category 1	+\$0
Price Category 2	+\$40
Price Category 3	+\$94
Price Category 4	+\$162
Price Category 5	+\$0
Price Category C	+\$234
Price Category E	+\$281

Pari Screen, Surface Attached with Modesty

FT353.



Product Information

Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary and modesty with a tackable surface. An optional cable management trough is available. Trough finish is graphite. Attachment hardware included.

Notes

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 10" below surface for modesty.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.90

46—2.14

53—2.59

For horizontal fabric direction (R):

Width—Yardage

40—2.87

42—3.02

46—3.22

48—3.41

52—3.63

54—3.78


60—4.17

66—4.54

72—4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Pari Screen, Surface Attached with Modesty *continued*

Specification Information

Step 1.

FT353. ☐ A

Step 2. Attachment

C Canvas surface attached ☐ A

Step 3. Height

A42 42" high/10" below surface ☐ A

A46 46" high/10" below surface ☐ A

A53 53" high/10" below surface ☐ A

Step 4. Width

40 39½" wide ☐ A

42 42" wide ☐ A

46 45½" wide ☐ A

48 48" wide ☐ A

52 51½" wide ☐ A

54 54" wide ☐ A

60 60" wide ☐ A

66 66" wide ☐ A

72 72" wide ☐ A

Step 5. Surface Material

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

R tackable fabric, horizontal ☐ A

T tackable fabric ☐ A

For 51½" wide (52)

R tackable fabric, horizontal ☐ A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal ☐ A

Prices for Steps 1-5.

		40R	40T	42R	42T	46R	46T
FT353. C	A42	\$1121	1121	1157	1157	1275	1275
	A46	\$1287	1287	1359	1359	1415	1415
	A53	\$1480	1480	1505	1505	1602	1602
		48R	48T	52R	54R	60R	66R
FT353. C	A42	\$1287	1287	1417	1449	1480	1595
	A46	\$1460	1460	1516	1530	1621	1703
	A53	\$1621	1621	1657	1678	1735	1883

72R

FT353. C	A42	\$1639
	A46	\$1743
	A53	\$1917

Step 6. Cable Trough

NC no cable way ☐ A +\$0

CW cable way ☐ A +\$25

Step 7. Cable Trough Finish

G1 graphite (CP) ☐ A +\$0

Step 8. Bracket Finish

G1 graphite (CP) ☐ A +\$0

Step 9. Fabric

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

Price Category B +\$244

Price Category 1 +\$0

Price Category 2 +\$43

Price Category 3 +\$103

Price Category 4 +\$180

Price Category 5 +\$0

Price Category C +\$336

Price Category E +\$509

For 51½" wide (52), 54" wide (54), or 60" wide (60)

Price Category B +\$322

Price Category 1 +\$0

Price Category 2 +\$62

Price Category 3 +\$148

Price Category 4 +\$257

Price Category 5 +\$0

Price Category C +\$436

Price Category E +\$659

For 66" wide (66) or 72" wide (72)

Price Category B +\$378

Price Category 1 +\$0

Price Category 2 +\$77

Price Category 3 +\$185

Price Category 4 +\$320


Price Category 5 +\$0

Price Category C +\$436

Price Category E +\$659

Pari Screen, Height Adjustable
Tables

Y1116.



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.
Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 10" below work surface.
Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 10" below work surface.
Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 10" below work surface.
Screens 54" wide and wider include an additional 1"-wide center mounting bracket.
Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.
Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.
Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment.
Attachment bracket finish is painted graphite.
Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

- A—1.51
- B—1.89
- C—1.76
- D—2.14
- E—2.21
- F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

- 24—0.88
- 30—1.07
- 36—1.26
- 42—1.45
- 48—1.64
- 54—1.83
- 60—2.02
- 66—2.21
- 72—2.39

For heights C/D/E/F:

- 24—1.76
- 30—2.14
- 36—2.52
- 42—2.90
- 48—3.28
- 54—3.65
- 60—4.03
- 66—4.41
- 72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Pari Screen, Height Adjustable

Tables *continued*

Specification Information

Step 1.

Y1116. ☐

Step 2. Height

A	privacy (42" high) ☐
B	privacy & modesty (42" high/10" below surface) ☐
C	privacy (46" high) ☐
D	privacy & modesty (46" high/10" below surface) ☐
E	privacy (53" high) ☐
F	privacy & modesty (53" high/10" below surface) ☐

Step 3. Width

24	24" wide ☐
30	30" wide ☐
36	36" wide ☐
42	42" wide ☐
48	48" wide ☐
54	54" wide ☐
60	60" wide ☐
66	66" wide ☐
72	72" wide ☐

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

R	tackable fabric, horizontal ☐
T	tackable fabric ☐
D	tackable fabric, horizontal with MicrobeCare™ ☐
E	tackable fabric with MicrobeCare™ ☐

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R	tackable fabric, horizontal ☐
D	tackable fabric, horizontal with MicrobeCare™ ☐

Prices for Steps 1-4.

	R	T	D	E
Y1116. A 24	\$556	556	625	625
30	\$645	645	712	712
36	\$670	670	738	738
42	\$710	710	779	779
48	\$736	736	805	805
54	\$808	—	876	—
60	\$868	—	937	—
66	\$927	—	998	—
72	\$979	—	1046	—


B 24	\$671	671	739	739
30	\$719	719	786	786
36	\$765	765	832	832
42	\$808	808	876	876
48	\$897	897	965	965
54	\$1009	—	1077	—
60	\$1035	—	1103	—
66	\$1113	—	1182	—
72	\$1141	—	1210	—
C 24	\$632	632	700	700
30	\$676	676	744	744
36	\$724	724	792	792
42	\$768	768	836	836
48	\$848	848	915	915
54	\$933	—	1000	—
60	\$1039	—	1107	—
66	\$1089	—	1157	—
72	\$1133	—	1200	—
D 24	\$812	812	879	879
30	\$855	855	923	923
36	\$901	901	969	969
42	\$946	946	1014	1014
48	\$1017	1017	1087	1087
54	\$1067	—	1135	—
60	\$1130	—	1198	—
66	\$1187	—	1255	—
72	\$1218	—	1285	—
E 24	\$831	831	899	899
30	\$876	876	944	944
36	\$921	921	988	988
42	\$993	993	1062	1062
48	\$1022	1022	1091	1091
54	\$1080	—	1150	—
60	\$1102	—	1171	—
66	\$1129	—	1197	—
72	\$1155	—	1223	—
F 24	\$915	915	983	983
30	\$959	959	1028	1028
36	\$1006	1006	1074	1074
42	\$1051	1051	1119	1119
48	\$1131	1131	1199	1199
54	\$1171	—	1238	—
60	\$1214	—	1282	—
66	\$1313	—	1380	—
72	\$1338	—	1406	—

Pari Screen, Height Adjustable
Tables *continued*

Step 5. Cable Trough		
<i>For privacy & modesty (42" high/10" below surface) (B), privacy & modesty (46" high/10" below surface) (D), or privacy & modesty (53" high/10" below surface) (F)</i>		
NC	no cable way ☐ A	+\$0
CW	cable way ☐ A	+\$25

Step 6. Fabric		
Price Category 1		+\$0
Price Category 2		+\$23
Price Category 3		+\$49
Price Category 4		+\$96
Price Category 5		+\$162
Price Category B		+\$86
Price Category C		+\$121
Price Category E		+\$182

Canvas Office Landscape® Screens



Product Information

Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage




24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information
Step 1.
FT354. ☐ A

Step 2. Attachment Type
CL Canvas Surface Attached, End of Run Left Handed ☐ A

CR Canvas Surface Attached, End of Run Right Handed ☐ A

Step 3. Height
42 42" high ☐ A

46 46" high ☐ A

Step 4. Width
24 24" wide ☐ A

30 30" wide ☐ A

36 36" wide ☐ A

Step 5. Surface Material
R tackable fabric, horizontal ☐ A

T tackable fabric ☐ A

Prices for Steps 1-5.


		24R	24T	30R	30T	36R	36T
FT354. CL	42	\$1139	1139	1178	1178	1212	1212
	46	\$1198	1198	1245	1245	1294	1294
	CR 42	\$1139	1139	1178	1178	1212	1212
	46	\$1198	1198	1245	1245	1294	1294

Step 6. Bracket Finish

UBK	ultra black (CP) ☐ A	+\$0
8Q	folkstone grey (CP) ☐ A	+\$0
91	white (CP) ☐ A	+\$0
98	studio white (CP) ☐ A	+\$0
BK	black ☐ A	+\$0
G1	graphite (CP) ☐ A	+\$0
SNA	satin aluminum ☐ A	+\$10
SNB	satin bronze ☐ A	+\$10
SNC	satin carbon ☐ A	+\$10
WL	warm stone (CP) ☐ A	+\$0
WN	warm grey neutral ☐ A	+\$0

Step 7. Fabric

Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 4	+\$84
Price Category 5	+\$102
Price Category B	+\$378
Price Category C	+\$128
Price Category E	+\$203



Product Information

Description

This tackable fabric screen attaches to a Canvas low credenza using the thin top and provides boundary with a tackable surface. Attachment hardware included.

Notes

Order credenza thin top separately:

- Credenza top for wood credenza (FF889.)
- Credenza top for metal credenza (FM889.)

Predrilled holes near back edge of credenza thin top allow for bayonets to extend up to support the screen.

Works with standard and powered Canvas credenzas.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

24—0.95
30—1.14
36—1.32

For horizontal fabric direction (R), for 42" high:

Width—Yardage

24—0.95
30—1.14
36—1.32
42—1.51
48—1.71
60—2.07
66—2.27
72—2.46


For horizontal fabric direction (R), for 46" high and 53" high:

Width—Yardage

24—1.90
30—2.27
36—2.66
42—3.02
48—3.41
60—4.17
66—4.54
72—4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Pari Screen, Storage Attached

continued

Specification Information

Step 1.

FV360. ☐ A

Step 2. Attachment

CS Canvas credenza attached, single ☐ A

CB Canvas credenza attached, back to back ☐ A

Step 3. Height

42 42" high ☐ A

46 46" high ☐ A

53 53" high ☐ A

Step 4. Width

30 30" wide ☐ A

36 36" wide ☐ A

42 42" wide ☐ A

48 48" wide ☐ A

60 60" wide ☐ A

66 66" wide ☐ A

72 72" wide ☐ A

Step 5. Surface Material

For 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

R tackable fabric, horizontal ☐ A

T tackable fabric ☐ A

For 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal ☐ A

Prices for Steps 1-5.

		30R	30T	36R	36T	42R	42T
FV360. CS	42	\$1077	1077	1120	1120	1185	1185
	46	\$1120	1120	1252	1252	1316	1316
	53	\$1316	1316	1383	1383	1601	1601
	CB 42	\$1077	1077	1120	1120	1185	1185
	46	\$1120	1120	1252	1252	1316	1316
	53	\$1316	1316	1383	1383	1601	1601
		48R	48T	60R	66R	72R	
FV360. CS	42	\$1383	1383	1579	1609	1646	
	46	\$1446	1446	1646	1739	1776	
	53	\$1710	1710	1908	2004	2038	
	CB 42	\$1383	1383	1579	1609	1646	
	46	\$1446	1446	1646	1739	1776	
	53	\$1710	1710	1908	2004	2038	

Step 6. Fabric

For 30" wide (30), 36" wide (36), or 42" wide (42)

Price Category B	+\$113
Price Category 1	+\$0
Price Category 2	+\$37
Price Category 3	+\$89
Price Category 4	+\$152
Price Category 5	+\$288
Price Category C	+\$155
Price Category E	+\$264


For 48" wide (48) or 60" wide (60)

Price Category B	+\$188
Price Category 1	+\$0
Price Category 2	+\$46
Price Category 3	+\$108
Price Category 4	+\$187
Price Category 5	+\$288
Price Category C	+\$205
Price Category E	+\$314

For 66" wide (66) or 72" wide (72)

Price Category B	+\$262
Price Category 1	+\$0
Price Category 2	+\$61
Price Category 3	+\$145
Price Category 4	+\$253
Price Category 5	+\$416
Price Category C	+\$281
Price Category E	+\$390

Flat Edge Screen, Surface Attached FT356.



Product Information

Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary with a tackable surface. Attachment hardware included.

Notes

Screen heights are overall datum heights to align with Canvas Office Landscape®; they are not the actual heights of screens.

42"-high (42) screen is a nominal 13" above work surface.

46"-high (46) screen is a nominal 17" above work surface.

53"-high (53) screen is a nominal 24" above work surface.

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 4" below surface to hide attachment hardware.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.49

46—1.73

53—2.18

For horizontal fabric direction (R):

Width—Yardage

40—1.34

42—1.51

46—1.62

48—1.71

52—1.81

54—1.90


60—2.07

66—2.27

72—2.46

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Canvas Office Landscape® Screens

Flat Edge Screen, Surface Attached

continued

Canvas Office Landscape® Screens

Specification Information

Step 1.

FT356.

Step 2. Attachment

C Canvas surface attached

Step 3. Height

42 42" high

46 46" high

53 53" high

Step 4. Width

40 39½" wide

42 42" wide

46 45½" wide

48 48" wide

52 51½" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

R tackable fabric, horizontal

T tackable fabric

For 51½" wide (52), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal

Prices for Steps 1-5.

		40R	40T	42R	42T	46R	46T
FT356. C	42	\$806	806	822	822	860	860
	46	\$869	869	908	908	939	939
	53	\$1124	1124	1232	1232	1248	1248

		48R	48T	52R	54R	60R	66R
FT356. C	42	\$879	879	907	933	1010	1057
	46	\$1002	1002	1033	1095	1186	1239
	53	\$1270	1270	1285	1304	1339	1347

72R

FT356. C	42	\$1124
	46	\$1294
	53	\$1355

Step 6. Bracket Finish

G1 graphite (CP) +\$0

Step 7. Fabric


For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

Price Category B	+\$132
Price Category 1	+\$0
Price Category 2	+\$28
Price Category 3	+\$65
Price Category 4	+\$113
Price Category 5	+\$166
Price Category C	+\$161
Price Category E	+\$203

For 51½" wide (52), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

Price Category B	+\$132
Price Category 1	+\$0
Price Category 2	+\$32
Price Category 3	+\$78
Price Category 4	+\$136
Price Category 5	+\$188
Price Category C	+\$198
Price Category E	+\$203

Flat Edge Screen, Surface Attached FT357. with Modesty



Product Information

Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary and modesty with a tackable surface. An optional cable management trough is available. Trough finish is graphite. Attachment hardware included.

Notes

Screen heights are overall datum heights to align with Canvas Office Landscape®; they are not the actual heights of screens.

42"-high (A42) screen is a nominal 13" above work surface.

46"-high (A46) screen is a nominal 17" above work surface.

53"-high (A53) screen is a nominal 24" above work surface.

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 9" below surface for modesty.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.90

46—2.14

53—2.59

For horizontal fabric direction (R):

Width—Yardage

40—2.87

42—3.02

46—3.22

48—3.41

52—3.63

54—3.78


60—4.17

66—4.54

72—4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Canvas Office Landscape® Screens

Flat Edge Screen, Surface Attached with Modesty *continued*

Specification Information

Step 1.

FT357.

Step 2. Attachment

C Canvas surface attached

Step 3. Height

A42 42" high/9" below surface

A46 46" high/ 9" below surface

A53 53" high/ 9" below surface

Step 4. Width

40 39½" wide

42 42" wide

46 45½" wide

48 48" wide

52 51½" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

R tackable fabric, horizontal

T tackable fabric

For 51½" wide (52), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal

Prices for Steps 1-5.

		40R	40T	42R	42T	46R	46T
FT357. C	A42	\$869	869	908	908	945	945
	A46	\$1043	1043	1113	1113	1117	1117
	A53	\$1245	1245	1274	1274	1280	1280

		48R	48T	52R	54R	60R	66R
FT357. C	A42	\$959	959	1004	1009	1110	1139
	A46	\$1128	1128	1170	1224	1241	1276
	A53	\$1292	1292	1298	1307	1327	1438

72R

FT357. C	A42	\$1218
	A46	\$1319
	A53	\$1486

Step 6. Cable Trough

NC no cable way +\$0

CW cable way +\$25

Step 7. Cable Trough Finish

G1 graphite (CP) +\$0

Step 8. Bracket Finish

G1 graphite (CP) +\$0

Step 9. Fabric

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

Price Category B +\$151

Price Category 1 +\$0

Price Category 2 +\$43

Price Category 3 +\$103

Price Category 4 +\$180

Price Category 5 +\$260

Price Category C +\$356

Price Category E +\$539

For 51½" wide (52), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

Price Category B +\$262

Price Category 1 +\$0

Price Category 2 +\$62

Price Category 3 +\$148


Price Category 4 +\$257

Price Category 5 +\$380

Price Category C +\$515

Price Category E +\$778

Surface-Attached Screen, Flat Edge Y1118.



Product Information


Description
This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes
Privacy and modesty panel actual width is 2" less than specified width.
Privacy screen (A) top edge is 13" above top of work surface; bottom edge is 3¾" below work surface.
Privacy & modesty screen (B) top edge is 13" above top of work surface; bottom edge is 10" below work surface.
Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.
Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.
Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.
Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.
Screens 54" wide and wider include an additional 1"-wide center mounting bracket.
Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.
Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.
Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment.
Attachment bracket finish is painted graphite.
Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):
Height—Yardage
A—1.51
B—1.89
C—1.76
D—2.14
E—2.21
F—2.58

For horizontal fabric direction (R):
Width—Yardage
For heights A/B:
24—0.88
30—1.07
36—1.26
42—1.45
48—1.64
54—1.83
60—2.02
66—2.21
72—2.39
For heights C/D/E/F:
24—1.76
30—2.14
36—2.52
42—2.90
48—3.28
54—3.65
60—4.03
66—4.41
72—4.79
For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.
MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.
MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.
MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Surface-Attached Screen, Flat Edge

continued

Specification Information					
Step 1.					
Y1118. ☐ A					
Step 2. Height					
A	privacy (42" high)	☐ A			
B	privacy & modesty (42" high/ 9" below surface)	☐ A			
C	privacy (46" high)	☐ A			
D	privacy & modesty (46" high/ 9" below surface)	☐ A			
E	privacy (53" high)	☐ A			
F	privacy & modesty (53" high/ 9" below surface)	☐ A			
Step 3. Width					
24	24" wide	☐ A			
30	30" wide	☐ A			
36	36" wide	☐ A			
42	42" wide	☐ A			
48	48" wide	☐ A			
54	54" wide	☐ A			
60	60" wide	☐ A			
66	66" wide	☐ A			
72	72" wide	☐ A			
Step 4. Surface Material					
For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)					
R	tackable fabric, horizontal	☐ A			
T	tackable fabric	☐ A			
D	tackable fabric, horizontal with MicrobeCare™	☐ A			
E	tackable fabric with MicrobeCare™	☐ A			
For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)					
R	tackable fabric, horizontal	☐ A			
D	tackable fabric, horizontal with MicrobeCare™	☐ A			
Prices for Steps 1-4.					
		R	T	D	E
Y1118. A	24	\$387	387	455	455
	30	\$418	418	486	486
	36	\$498	498	567	567
	42	\$536	536	604	604
	48	\$574	574	641	641
	54	\$610	—	677	—
	60	\$662	—	730	—
	66	\$693	—	761	—
	72	\$738	—	806	—

B	24	\$482	482	548 548
	30	\$519	519	588 588
	36	\$556	556	625 625
	42	\$595	595	663 663
	48	\$626	626	695 695
	54	\$660	—	727 —
	60	\$682	—	750 —
	66	\$744	—	813 —
	72	\$800	—	868 —
C	24	\$483	483	551 551
	30	\$532	532	600 600
	36	\$572	572	640 640
	42	\$630	630	698 698
	48	\$706	706	773 773
	54	\$743	—	812 —
	60	\$831	—	899 —
	66	\$874	—	941 —
	72	\$937	—	1005 —
D	24	\$606	606	675 675
	30	\$676	676	744 744
	36	\$754	754	821 821
	42	\$771	771	840 840
	48	\$803	803	872 872
	54	\$826	—	892 —
	60	\$914	—	982 —
	66	\$988	—	1057 —
	72	\$1029	—	1097 —
E	24	\$658	658	725 725
	30	\$667	667	735 735
	36	\$685	685	753 753
	42	\$805	805	874 874
	48	\$833	833	902 902
	54	\$854	—	922 —
	60	\$892	—	960 —
	66	\$973	—	1042 —
	72	\$1036	—	1104 —
F	24	\$796	796	864 864
	30	\$805	805	874 874
	36	\$819	819	887 887
	42	\$833	833	902 902
	48	\$844	844	913 913
	54	\$855	—	923 —
	60	\$946	—	1014 —
	66	\$994	—	1063 —
	72	\$1201	—	1269 —

Surface-Attached Screen, Flat Edge

continued

Step 5. Cable Trough

For privacy & modesty (42" high/ 9" below surface) (B), privacy & modesty (46" high/ 9" below surface) (D), or privacy & modesty (53" high/ 9" below surface) (F)


NC	no cable way ☐ A	+\$0
CW	cable way ☐ A	+\$25

Step 6. Fabric

Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$59
Price Category 4	+\$112
Price Category 5	+\$146
Price Category B	+\$97
Price Category C	+\$133
Price Category E	+\$182

For tackable fabric, horizontal (R) or tackable fabric, horizontal with MicrobeCare™ (D)

Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$59
Price Category 4	+\$112
Price Category 5	+\$146
Price Category B	+\$97
Price Category C	+\$133



Product Information

Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage


24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Flat Edge Screen, Delineation

continued

Specification Information

Step 1.

FT358.

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed

CR Canvas Surface Attached, End of Run Right Handed

Step 3. Height

42 42" high

46 46" high

Step 4. Width

24 24" wide

30 30" wide

36 36" wide

Step 5. Surface Material

R tackable fabric, horizontal

T tackable fabric

Prices for Steps 1-5.


		24R	24T	30R	30T	36R	36T
FT358. CL	42	\$706	706	746	746	761	761
	46	\$768	768	813	813	841	841
	CR 42	\$706	706	746	746	761	761
	46	\$768	768	813	813	841	841

Step 6. Bracket Finish

UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 7. Fabric

Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 4	+\$84
Price Category 5	+\$140
Price Category B	+\$68
Price Category C	+\$122
Price Category E	+\$203



Product Information

Description

This tackable fabric screen attaches to a Canvas low credenza using the thin top and provides boundary with a tackable surface. Attachment hardware included.

Notes

Order credenza thin top separately:

- Credenza top for wood credenza (FF889.)
- Credenza top for metal credenza (FM889.)

Predrilled holes near back edge of credenza thin top allow for bayonets to extend up to support the screen.

Works with standard and powered Canvas credenzas.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

- 24—0.95
- 30—1.14
- 36—1.32

For horizontal fabric direction (R), for 42" high:

Width—Yardage

- 24—0.95
- 30—1.14
- 36—1.32
- 42—1.51
- 48—1.71
- 60—2.07
- 66—2.27
- 72—2.46


For horizontal fabric direction (R), for 46" high and 53" high:

Width—Yardage

- 24—1.90
- 30—2.27
- 36—2.66
- 42—3.02
- 48—3.41
- 60—4.17
- 66—4.54
- 72—4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Flat Edge Screen, Storage Attached

continued

Specification Information

Step 1.

FV361.

Step 2. Attachment

CB Canvas credenza attached, back to back

CS Canvas credenza attached, single

Step 3. Height

42 42" high

46 46" high

53 53" high

Step 4. Width

30 30" wide

36 36" wide

42 42" wide

48 48" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

R tackable fabric, horizontal

T tackable fabric

For 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal

Prices for Steps 1-5.

		30R	30T	36R	36T	42R	42T
FV361. CB	42	\$981	981	1061	1061	1138	1138
	46	\$1023	1023	1191	1191	1270	1270
	53	\$1221	1221	1323	1323	1553	1553
CS	42	\$981	981	1061	1061	1138	1138
	46	\$1023	1023	1191	1191	1270	1270
	53	\$1221	1221	1323	1323	1553	1553
		48R	48T	60R	66R	72R	
FV361. CB	42	\$1218	1218	1295	1376	1454	
	46	\$1283	1283	1361	1508	1585	
	53	\$1585	1585	1624	1768	1849	
CS	42	\$1218	1218	1295	1376	1454	
	46	\$1283	1283	1361	1508	1585	
	53	\$1585	1585	1624	1768	1849	

Step 6. Fabric

For 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

Price Category B +\$113

Price Category 1 +\$0

Price Category 2 +\$37

Price Category 3 +\$89

Price Category 4 +\$152

Price Category 5 +\$276

Price Category C +\$155

Price Category E +\$264

For 60" wide (60), 66" wide (66), or 72" wide (72)

Price Category B +\$188

Price Category 1 +\$0


Price Category 2 +\$46

Price Category 3 +\$108

Price Category 5 +\$221

Price Category C +\$205

Price Category E +\$314




Product Information

Description
This laminate screen attaches to a Canvas work surface to provide boundary. Attachment hardware included.

Notes
Screen widths are actual dimensions; screens extend to the ends of Canvas work surfaces.
Screen extends 4" below surface to hide attachment hardware.
Screen can be flush with back edge of surface, or provide a 1" gap.
Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Dimensions



Specification Information

Step 1.
FT360.

Step 2. Attachment
C Canvas surface attached

Step 3. Height
42 42" high
46 46" high

Step 4. Width
39A 39½" wide
42 42" wide
45A 45½" wide
48 48" wide
51A 51½" wide
54 54" wide
60 60" wide
66 66" wide
72 72" wide

Step 5. Surface Material
L thermally-fused laminate
U thermally-fused laminate/universal edge

Prices for Steps 1-5.						
		39AL	39AU	42L	42U	45AL 45AU
FT360. C	42	\$495	495	505	505	519 519
	46	\$610	610	623	623	634 634
		48L	48U	51AL	51AU	54L 54U
FT360. C	42	\$532	532	546	546	557 557
	46	\$648	648	660	660	674 674
		60L	60U	66L	66U	72L 72U
FT360. C	42	\$570	570	617	617	649 649
	46	\$684	684	739	739	769 769

Step 6. Grain Direction
For 39½" wide (39A), 42" wide (42), 45½" wide (45A), 48" wide (48), 51½" wide (51A), 54" wide (54), or 60" wide (60)
VTG vertical grain +\$0
HRG horizontal grain +\$0

Laminate Screen, Surface Attached

continued

For 66" wide (66) or 72" wide (72)

HRG horizontal grain +\$0

Step 7. Bracket Finish

G1 graphite (CP) +\$0

Step 8. Surface Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 9. Edge Finish

For thermally-fused laminate (L)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For thermally-fused laminate/universal edge (U)

PLY plywood edge +\$50

Laminate Screen, Surface Attached with Modesty

FT361.



Product Information

Description

This laminate screen attaches to a Canvas work surface to provide boundary and modesty. An optional cable management trough is available. Trough finish is graphite. Attachment hardware included.

Notes


Screen widths are actual dimensions; screens extend to the ends of Canvas work surfaces.

Screen extends 9" below surface for modesty.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Dimensions



Specification Information

Step 1.

FT361.

Step 2. Attachment

C Canvas surface attached

Step 3. Height

A42 42" high/9" below surface

A46 46" high/ 9" below surface

Step 4. Width

39A 39½" wide

42 42" wide

45A 45½" wide

48 48" wide

51A 51½" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

L thermally-fused laminate

U thermally-fused laminate/universal edge

Prices for Steps 1-5.

				39AL	39AU	42L	42U	45AL	45AU
FT361.	C	A42		\$534	534	549	549	562	562
		A46		\$661	661	677	677	690	690
				48L	48U	51AL	51AU	54L	54U
FT361.	C	A42		\$577	577	589	589	603	603
		A46		\$703	703	715	715	729	729
				60L	60U	66L	66U	72L	72U
FT361.	C	A42		\$616	616	662	662	692	692
		A46		\$743	743	793	793	820	820

Step 6. Grain Direction

For 39½" wide (39A), 42" wide (42), 45½" wide (45A), 48" wide (48), 51½" wide (51A), 54" wide (54), or 60" wide (60)

VTG	vertical grain	+\$0
HRG	horizontal grain	+\$0

Laminate Screen, Surface Attached with Modesty *continued*

For 66" wide (66) or 72" wide (72)

HRG horizontal grain +\$0

Step 7. Cable Way

CW cable way +\$25

NC no cable way +\$0

Step 8. Cable Way Finish

For cable way (CW)

G1 graphite (CP) +\$0

Step 9. Bracket Finish

G1 graphite (CP) +\$0

Step 10. Surface Finish

125 natural maple (CP) +\$0

126 natural cherry (CP) +\$0

127 walnut (CP) +\$0

139 light ash (CP) +\$0

140 warm ash (CP) +\$0

76 light brown walnut +\$0

8Q folkstone grey (CP) +\$0

91 white (CP) +\$0

98 studio white (CP) +\$0

CL cool grey neutral +\$0

HP light anigre +\$0

LBA clear on ash (CP) +\$0

LBB oak on ash (CP) +\$0

LBC walnut on ash (CP) +\$0

LBF neutral twill +\$0

LBJ graphite twill +\$0

LBQ white twill +\$0

LBR phantom ecru +\$0

LBS phantom cocoa +\$0

LBU medium matte walnut (CP) +\$0

LBV warm grey teak +\$0

LU soft white +\$0

WL warm stone (CP) +\$0

WN warm grey neutral +\$0

Step 11. Edge Finish

For thermally-fused laminate (L)

125 natural maple (CP) +\$0

126 natural cherry (CP) +\$0

127 walnut (CP) +\$0

139 light ash (CP) +\$0

140 warm ash (CP) +\$0

UBK ultra black (CP) +\$0

76 light brown walnut +\$0

8Q folkstone grey (CP) +\$0

91 white (CP) +\$0

98 studio white (CP) +\$0

CL cool grey neutral +\$0

HF inner tone light +\$0

HP light anigre +\$0

LBA clear on ash (CP) +\$0

LBR phantom ecru +\$0

LBS phantom cocoa +\$0

LBU medium matte walnut (CP) +\$0

LBV warm grey teak +\$0

LBB oak on ash (CP) +\$0

LBC walnut on ash (CP) +\$0

LBF neutral twill +\$0

LBJ graphite twill +\$0

LBQ white twill +\$0


LU soft white +\$0

WL warm stone (CP) +\$0

WN warm grey neutral +\$0

For thermally-fused laminate/universal edge (U)

PLY plywood edge +\$50



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has a laminate surface with frameless design and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (13A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (13B) top edge aligns with the 42"-high Canvas datum line; bottom edge is 11 1/8" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.


Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (13B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.

Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.

Y1120.

Step 2. Height

13A privacy (13 1/2" above worksurface)

13B privacy & modesty (13 1/2" above worksurface/11 1/8" below worksurface)

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 4. Surface Material

L thermally-fused laminate

U thermally-fused laminate/universal edge

Prices for Steps 1-4.

			L	U
Y1120. 13A	24		\$264	264
	30		\$281	281
	36		\$295	295
	42		\$309	309
	48		\$324	324
	54		\$337	337
	60		\$348	348
	66		\$359	359
	72		\$373	373
13B	24		\$326	326
	30		\$343	343
	36		\$361	361
	42		\$380	380
	48		\$398	398
	54		\$412	412
	60		\$430	430
	66		\$442	442
	72		\$457	457

Laminate Screen, Surface Attached

continued

Step 5. Grain Direction

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)

VTG	vertical grain	+\$0
HRG	horizontal grain	+\$0

For 66" wide (66) or 72" wide (72)

HRG	horizontal grain	+\$0
------------	------------------	------

Step 6. Cable Trough

For privacy (13½" above worksurface) (13A)

NC	no cable way	+\$0
-----------	--------------	------

For privacy & modesty (13½" above worksurface/11⅞" below worksurface) (13B)

NC	no cable way	+\$0
CW	cable way	+\$25

Step 7. Surface Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Edge Finish

For thermally-fused laminate (L)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For thermally-fused laminate/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Name Tag Clip

Y1121.



Product Information

Description

This metal name tag clip hangs on surface-attached laminate screens. It can hold 2 or 4 name tags.

Notes

The 2-name-tag clip (2) holds 2 magnetic name tags (YT410.05M) in a back-to-back orientation.



The 4-name-tag clip (4) holds 2 magnetic name tags (YT410.05M) side-by-side on the front side, and 2 side-by-side on the back side.

Name tag clip can hang on any HermanMiller laminate screen.

Order magnetic name tag (YT410.05M) separately.

Order name tag insert for magnetic name tag (O.YT1900) separately through Sales Source.

Dimensions



Specification Information

Step 1.

Y1121. A

Step 2. Screen Type

L thermally-fused laminate A

Step 3. Application

2 2 magnetic name tags A


4 4 magnetic name tags A

Prices for Steps 1-3.

	2	4
Y1121. L	\$28	40

Step 4. Screen Finish

91	white (CP) A	+\$0
G1	graphite (CP) A	+\$0
611	beige mist metallic (CP) A	+\$0
613	silver (CP) A	+\$0
SNB	satin bronze A	+\$10



Product Information







Description
This metal board hangs on surface-attached laminate screens. It has a frameless, all-metal design with a straight edge. It accepts magnets and can be dry-erase marker writable when used with the magnetic marker board.

Notes

Metal board can hang on any HermanMiller laminate screen.
Order the following accessories separately:

- Magnetic document clip (YT400.)
- Magnetic name tag (YT410.05M)
- Magnetic marker board (YT450.)

Dimensions



Metal Board, Screen Attached

continued

Canvas Office Landscape® Screens

Specification Information

Step 1.

Y1122. ☐ A

Step 2. Screen Type

L thermally-fused laminate ☐ A

Step 3. Height

A 11" high ☐ A

Step 4. Width

24 24" wide ☐ A

30 30" wide ☐ A

Prices for Steps 1-4.


	24	30
Y1122. L A	\$140	153

Step 5. Screen Finish


91	white (CP) ☐ A	+\$0
G1	graphite (CP) ☐ A	+\$0
611	beige mist metallic (CP) ☐ A	+\$0
613	silver (CP) ☐ A	+\$0
SNB	satin bronze ☐ A	+\$10

Twist™ LED Task Light


G6160.



Product Information
Description
This light mounts under a flipper door unit, storage unit, shelf or any other surface to light the work area. It has an aluminum extruded housing, polycarbonate lens, and 2 linear light-emitting diodes (LED). The light can be rotated 45° forward and backward by the user to direct light where desired. The LEDs consume 9.5 watts of power. The light has an 11' cord and is UL listed, UL Canada listed, and CSA certified. Attachment hardware and adhesive cord clips included.
Notes
Specify magnetic attachment option (M) for attaching the light to any metal surface. Specify bracket attachment option (B) for attaching the light to a wood or wood composite surface.
Single unit (A) is a stand-alone unit only. It is not for use as a daisy chain.
Starter unit (B) is designed for use as a daisy chain with up to 3 add-on units (C).
Add-on unit (C) should not be used with single unit (A).
Multiple lights can be specified for use under 48"- and 60"-wide storage units/shelves.
Light meets local codes for Canada, New York City, and Chicago.
Dimensions



Specification Information		
Step 1.		
G6160.		
Step 2. Type		
A	single unit	
B	starter unit	
C	add-on unit	
Step 3. Attachment Method		
M	magnet attachment	
B	bracket attachment	
Prices for Steps 1-3.		
	M	B
G6160. A	\$609	609
B	\$733	733
C	\$528	528



Product Information

Description

This LED light mounts below metal overhangs and shelves to uniformly light a work surface. It has a powder-coated formed-steel housing, an acrylic lens, linear light-emitting diodes (LED) and an 8-foot cord. Mounting hardware and 3 cord management clips included. Light is UL Listed.

Notes

Width of light must match width of storage unit/shelf.

For use with Canvas Office Landscape®, Action Office® System, or

Ethospace® System, specify bracket option (S).

For use with Ethospace utility shelf (E3234.) or C-style storage (X3750., X3730.), specify bracket option (Q).

Task light has the following unit widths:

Task Light Width—Unit Width

30"—26.77"


36"—32.77"

42"—38.77"

48"—44.77"

30" and 36" lights consume 7 watts of power. 42" and 48" lights consume 12 watts of power.

Dimensions



Specification Information

Step 1.

G6170.

Step 2. Width

30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 3. Bracket Option

S	for Action Office® or Ethospace® Systems or Canvas
Q	for C-style storage or E3234.

Prices for Steps 1-3.

	S	Q
G6170. 30	\$506	506
36	\$519	519
42	\$535	535
48	\$547	547


Step 4. Surface Finish

For Action Office® or Ethospace® Systems or Canvas (S) or C-style storage or E3234. (Q)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP) A	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
EH	metallic bronze	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Cast LED Light

FV617.



Product Information

Description

This light mounts under a Canvas overhead storage unit to provide uniform light to the work surface below. LEDs consume 8 watts of power. Hardware is included for attachment to a wood or metal overhead storage unit.

Notes

Light widths are 18" or 30". Placement is 6" from back of storage unit.

Cord length for option (2N) is 9'; cord length for options (3N, 4N, 5N) is 7 1/2'.

Cord and switch can be placed on left or right side of light.

Order optional Valance, for Cast LED Light (FV618.) separately for Canvas wood overhead storage (FV43C., FV43F., FV43H., FV43P., FV43S.) only.


Available in 4 different kits:

Each kit includes 1 or 2 lights, 1 power supply, 2 cable management clips, and wood mounting brackets. Kits with 2 lights also include a connector that joins the 2 lights together under 1 storage unit that is 60"-96" wide or under 2 equal-width storage units that have a combined width of 60"-96".

Specify the following kit types:

- Type (2) for use with 24"-47"W storage units: (1) 18"W light.
- Type (3) for use with 48"-59"W storage units: (1) 30"W light.
- Type (4) for use with 60"-77"W storage units: (2) 18"W lights.
- Type (5) for use with 78"-96"W storage units: (2) 30"W lights.

Dimensions



Specification Information

Step 1.

FV617. [A]

Step 2. Type

2N use with 24", 30", 36", 42" wide overhead [A]

3N use with 48", 54" wide overhead [A]

4N use with 60", 66", 72" wide overhead or span of 2 equal width overheads [A]


5N use with 78", 84", 90", 96" wide span of 2 equal width overheads [A]

Prices for Steps 1-2.

FV617. 2N	\$438
3N	\$481
4N	\$872
5N	\$955

Valance, for Cast LED Light

FV618.



Product Information

Description

This metal valance mounts under a Canvas wood overhead storage unit and pairs with the Cast LED Light to provide uniform light to the work surface below. It comes in widths of 24" to 72". Hardware is included for attachment to wood overhead storage units.

Notes

Specify valance to match width of individual wood overhead storage. Valance matches overhead storage width exactly and aligns to the outside of cabinet end panels.

Placement is 6" from back of storage unit.


Valance is nonhanded.

Valance includes wire management.

For use with Canvas wood overhead storage (FV43C., FV43F., FV43H., FV43P., FV43S.) only.

Order the Cast LED Light (FV617.) separately.

Dimensions



Specification Information

Step 1.

FV618. ☐

Step 2. Width

- | | | |
|----|---------------|--------------------------|
| 24 | 24" wide unit | ☐ |
| 30 | 30" wide unit | ☐ |
| 36 | 36" wide unit | ☐ |
| 42 | 42" wide unit | ☐ |
| 48 | 48" wide unit | ☐ |
| 54 | 54" wide unit | ☐ |
| 60 | 60" wide unit | ☐ |
| 66 | 66" wide unit | ☐ |
| 72 | 72" wide unit | ☐ |

Prices for Steps 1-2.

FV618.	24	\$611
	30	\$618
	36	\$624
	42	\$633
	48	\$640
	54	\$757
	60	\$762
	66	\$1114
	72	\$1122

Step 3. Valance Finish


- | | | | |
|-----|--------------------------|--------------------------|------|
| 611 | beige mist metallic (CP) | ☐ | +\$0 |
| 613 | silver (CP) | ☐ | +\$0 |
| BK | black | ☐ | +\$0 |
| UBK | ultra black (CP) | ☐ | +\$0 |
| 8Q | folkstone grey (CP) | ☐ | +\$0 |
| 91 | white (CP) | ☐ | +\$0 |
| 98 | studio white (CP) | ☐ | +\$0 |
| CL | cool grey neutral | ☐ | +\$0 |
| EH | metallic bronze | ☐ | +\$0 |
| G1 | graphite (CP) | ☐ | +\$0 |
| WL | warm stone (CP) | ☐ | +\$0 |
| WN | warm grey neutral | ☐ | +\$0 |

Metallic Paint

- | | | | |
|-----|----------------|--------------------------|-------|
| SNA | satin aluminum | ☐ | +\$10 |
| SNB | satin bronze | ☐ | +\$10 |
| SNC | satin carbon | ☐ | +\$10 |


Cable Management Clips


FT198.



Product Information
Description
These clips attach to a frame at an in-line connection, corner, or end of a frame run (90° and 120° applications) to vertically manage task light cables. At least 2 clips are recommended to manage cables from 1 task light to below a surface. Finish is black.
Notes
Clips are available in a package of 12 or 36.
Dimensions

Specification Information
Step 1.
FT198.
Step 2. Quantity
12 12 clips
36 36 clips
Prices for Steps 1-2.
FT198. 12 \$83
36 \$213






Product Information
Description
This cord manager routes a cord from the underside of a hutch to the surface when a task light is attached. Color is black. Package of 6.
Dimensions


Specification Information
Step 1.
FV984.
Step 2. Height
1212" high
2424" high
3029½" high

Prices for Steps 1-2.	
FV984. 12	\$118
24	\$181
30	\$217




Flute™ Personal Light

Y6470.



Product Information
Description
This light sits freestanding or clamps to a surface. It has 1 energy-efficient light-emitting diode (LED) with a 3500 Kelvin color temperature that consumes 4.7 watts of power. The light has an 11' cord. UL listed and UL Canada listed.
Light head swivels 230°. Clamp mount option (CM) swivels 360° at the base.
Notes
Light meets local codes including Canada, New York City, and Chicago.
Dimensions



Specification Information
Step 1.
Y6470.
Step 2. Attachment Bracket
CM surface clamp
FR freestanding
Prices for Steps 1-2.
Y6470. CM \$486
FR \$486
Step 3. Finish
613 silver (CP) +\$0
G1 graphite (CP) +\$0
91 white (CP) +\$0

Index by Product Name

Canvas Office Landscape® Wall and Private Office	
	page(s)
90° Connector Cover	76
90° Connector Cover, Architectural	78
90° Connector Top Cap	99
90° Connector Top Cap, Architectural	101
90° Universal Connector	72
90° Universal Stacking Connector	74
120° Connector Cover	80
120° Connector Top Cap	102
120° Corner Surface, 90° Ends	259
120° Corner Surface, 120° Ends	262
120° Corner Surface, Extended 90° Ends	265
120° Universal Connector	73
120° Universal Stacking Connector	75
Acoustical Insert	220
Architectural Foot	8
Base Cover Retrofit Kit	15
Base Power Harness	124
Bookcase Surface Support	302
Bowtie Rectangular Surface	236
B-Style Flipper Door Back Panel	359
B-Style Flipper Door Unit	356
B-Style Shelf	358
Cable Management Channel	336
Cable Management Clips	465
Cable Management Trough	335
Cable Manager	334
Cable Tray	139
Canvas Cabinet/Wall Attachment Bracket	323
Cast LED Light	463
Ceiling Power Entry, Architectural Trim, Connector	122
Ceiling Power Entry, Connector	120
Ceiling Power Entry, End of Run	118
Closed Support Leg	321
Coat Hook	222
Coat Hook - Frame Attached	223
Communication Faceplate Extender	141
Communication Port Faceplate Extender	142
Communication Port Faceplate Reducer	140
Component Brace	395
Concave Corner Surface	246
Concave Rectangular Surface	233
Connector Base Filler	82
Controlled Receptacle, 4-Circuit, 20 Amp	136
Controlled Receptacle, 15 Amp (package of 6)	135
Controlled Receptacle Decal (12 per sheet)	137
Cord Cleat	337

Cord Manager	466
Corner Surface	243
Counterweight	14
C-Style Flipper Door	381
C-Style Flipper Door Back Panel	390
C-Style Flipper Door Unit	374
C-Style Shelf	386
Curvilinear Surface	239
D-Shaped Surface	284
Dual USB Charging Module, 2 Amp	134
Extended Corner Surface, Rectangular End	250
Extended Corner Surface, Round End	255
Extended-Width Full Height Tile	147
Extended-Width Lower Power/Data Tile	185
Extended-Width Lower Power/Data Tile, Low Credenza Height	190
Extended-Width Lower Tile	167
Extended-Width Upper Tile	202
Finished End	83
Finished End, Architectural	85
Finished End, Architectural, Change-Of-Height	89
Finished End, Architectural, Privacy Door	97
Finished End, Change-Of-Height	87
Finished End, for use with Gallery Panel	91
Fixed Surface Support, Low Credenza, Power Chase	328
Flat Edge Screen, Delineation	448
Flat Edge Screen, Frame Top	30
Flat Edge Screen, Storage Attached	450
Flat Edge Screen, Surface Attached	441
Flat Edge Screen, Surface Attached with Modesty	443
Floating Shelf, Aluminum	388
Floating Shelf, Laminate	417
Floor Anchor Bracket	11
Flute™ Personal Light	467
Frame	5
Frame Grommet	138
Frame-to-Frame Connection Hardware	71
Frame Top Cap	93
Frame Top Cap, Architectural	95
Frame Top Cap, Architectural, Privacy Door	98
Frame Top Screen	23
Freestanding Foot	9
F-Style Shelf	354
F-Style Sliding Door Storage Unit	349
F-Style Storage Unit Back Panel	355
F-Style Upmount Sliding Door Storage Unit	352
Full-Height Tile	143
Full-Height Tile, Architectural	150

Full-Height Tile, Architectural with Power and Data	192	Overhead Storage Cabinet, Sliding Full Enclosure	376
Gallery Panel	34	Overhead Storage Cabinet, Sliding Partial Enclosure	370
Gallery Panel Attached Upmount Glass Screen (for use with FT25G.)	52	Pari Screen, Delineation	437
Gallery Panel Return	39	Pari Screen, Frame Top	27
Gallery Panel Return Attached Upmount Glass Screen (for use with FT22G.)	58	Pari Screen, Height Adjustable Tables	434
Gallery Panel Return, Upmount Glass Compatible	54	Pari Screen, Storage Attached	439
Gallery Panel, Upmount Glass Compatible	47	Pari Screen, Surface Attached	430
Gallery Panel, Wall Attached Mid-Run	43	Pari Screen, Surface Attached with Modesty	432
Glass Back Panel	410	Pencil Drawer	340
Glass Back Panel, Used with Floating Shelf	412	Peninsula Support Bracket	299
Grommet Kit, Surface	339	Peninsula Surface, Rectangular End	269
Hardwire Mounting Kit	130	Peninsula Surface, Round End	273
Hardwire Mounting Kit, Low Credenza Height	131	Peninsula Surface, Round-End, Center	281
Laminate Back Panel	400	Peninsula Surface, Round-End, Single	278
Laminate Back Panel, Used with Floating Shelf	403	Peninsula Surface, Round-End, Transition Left	276
Laminate Screen, Surface Attached	452, 456	Power Entry, External Direct Connect	115
Laminate Screen, Surface Attached with Modesty	454	Power Entry, Internal Direct Connect, 4 Circuit	114
Lower Open Tile	195	Power Entry, New York City	116
Lower Power/Data Tile	177	Power Harness Extender	128
Lower Power/Data Tile, Low Credenza Height	187	Power Harness, Low Credenza Height	126
Lower Tile	163	Power Harness, Lower Power/Data Tile	125
Markerboard Back Panel	406	Power Harness, Upper Power/Data Tile	127
Markerboard Back Panel, Used with Floating Shelf	408	Power Jumper	129
Markerboard, Storage Cabinet, Frame Top Mounted	348	Privacy Door	69
Marker/Eraser Holder	224	Privacy Door Lock Post Kit	67
Metal Board, Screen Attached	459	Privacy Panel	427
Metal Pencil Drawer	341	Rail Tile	211
Mid-Run Gallery Panel Attached Upmount Glass Screen (for use with FT28G.)	64	Receptacle, 4 Circuit, 20 Amp	133
Mid-Run Gallery Panel Bracket	66	Receptacle, 15 Amp (package of 6)	132
Mid-Run Gallery Panel Upmount Glass Compatible	60	Rectangular Surface	225
Modesty Panel	425	Retrofit Base Cover for Power Entry	17
Monitor Arm Retrofit Kit, Upper Rail Tile	215	Screen	422
Name Tag Clip	458	Shelf Divider, Angled	396
Off-Module 90° Connector Kit	104	Single Sided Base Cover Kit	12
Off-Module Upper Tile	209	Squared-Edge Corner Wedge	287
Open Support, Architectural Foot, Frame Attached	308	Squared-Edge Transaction Surface	289
Open Support Leg, Architectural Foot	319	Squared-Edge Transaction Surface for Height-Adjustable Tables	293
Open Support Leg, Architectural Foot, Peninsula/D-Shaped Surface Attached	331	Square Open Support Leg	317
Open Support Leg, Tapered Foot, Peninsula/D-Shaped Surface Attached	312	Square Open Support Leg, Peninsula Attached	313
Open Support, Tapered Foot, Frame Attached	307	Stacking Frame	18
Overhead Storage Cabinet, Hinged Doors	364	Stiffener	330
Overhead Storage Cabinet, Open	360	Storage Cabinet, Frame Top, Mounted, Open	342
Overhead Storage Cabinet, Sliding Doors	383	Storage Cabinet, Frame Top, Mounted, Sliding Door	344
		Support Bracket, Low Credenza-to-Frame	33, 325
		Support Leg, Post	316
		Support Panel, Frame-Attached	304
		Support Panel, Tapered Foot, Frame Attached	303

Surface-Attached Screen, Flat Edge	445
Surface Cantilever	298
Surface Ganging Bracket	333
Surface Support, Low Credenza, Adjustable Height	327
Surface Support, Low Credenza, Fixed Height	326
Surface Support Rail	301
Tackable Fabric Back Panel	391
Tackable Fabric Back Panel, Used with Floating Shelf	397
Tackboard	420
Tackboard, Storage Cabinet, Frame Top Mounted	347
Thin-Profile Stacking Window	19
Tile Adapters, Wall Strip	111
Tile Trim, Wall Strip	112
Toggle Wall Strip Anchor	110
Tool Bar	221
To-The-Floor Extended-Width Full-Height Tile	157
To-The-Floor Extended-Width Lower Tile	174
To-The-Floor Full-Height Tile	153
To-The-Floor Full-Height Tile, Architectural	160
To-The-Floor Lower Tile	171
Tu® Storage Tower Attachment Bracket	324
Twist™ LED Task Light	461
Under Shelf LED Task Light	462
Universal Post Leg	314
Universal Post Leg, Frame Attached	310
Upmount Screen	21
Upper Monitor Arm Tile	213
Upper Open Tile	218
Upper Power/Data Tile	206
Upper Tile	197
Upper Window Tile	216
Utility Shelf	369
Valance, for Cast LED Light	464
Vertical Cable Manager	338
Vertical Trim, Wall Strip	113
Wall Fastener	108
Wall-Mount Fabric Tackboard, for use with Canvas Private Office	414
Wall Start	106
Wall Start Filler	107
Wall Strip	109
Work Surface Support Bracket	300

Index by Product Number

A3390.	B-Style Flipper Door Back Panel	page(s) 359
E2931.	Work Surface Support Bracket	300
E3234.	Utility Shelf	369
FT2A1.	Open Support, Architectural Foot, Frame Attached	308
FT2A2.	Open Support Leg, Architectural Foot, Peninsula/D-Shaped Surface Attached	331
FT2B1.	Universal Post Leg, Frame Attached	310
FT2B2.	Universal Post Leg	314
FT2F2.	Open Support Leg, Tapered Foot, Peninsula/D-Shaped Surface Attached	312
FT2G2.	Support Panel, Frame-Attached	304
FT11A.	Frame Top Cap, Architectural	95
FT11B.	Frame Top Cap, Architectural, Privacy Door	98
FT12A.	90° Connector Top Cap, Architectural	101
FT12B.	90° Connector Cover, Architectural	78
FT14A.	Ceiling Power Entry, Architectural Trim, Connector	122
FT15A.	Power Harness, Low Credenza Height	126
FT15C.	Hardwire Mounting Kit, Low Credenza Height	131
FT15U.	Dual USB Charging Module, 2 Amp	134
FT16A.	Finished End, Architectural	85
FT16B.	Finished End, Architectural, Change-Of-Height	89
FT16D.	Finished End, Architectural, Privacy Door	97
FT16G.	Finished End, for use with Gallery Panel	91
FT17R.	Lower Power/Data Tile	177
FT18A.	Full-Height Tile, Architectural	150
FT18D.	Full-Height Tile, Architectural with Power and Data	192
FT19C.	Cable Management Channel	336
FT20G.	Gallery Panel Return	39
FT21G.	Gallery Panel Return Attached Upmount Glass Screen (for use with FT22G.)	58
FT22G.	Gallery Panel Return, Upmount Glass Compatible	54
FT23G.	Mid-Run Gallery Panel Bracket	66
FT24G.	Gallery Panel Attached Upmount Glass Screen (for use with FT25G.)	52
FT25G.	Gallery Panel, Upmount Glass Compatible	47
FT26G.	Gallery Panel, Wall Attached Mid-Run	43
FT27G.	Mid-Run Gallery Panel Attached Upmount Glass Screen (for use with FT28G.)	64
FT28G.	Mid-Run Gallery Panel Upmount Glass Compatible	60
FT29A.	Peninsula Support Bracket	299
FT29B.	Surface Ganging Bracket	333
FT36R.	Extended-Width Lower Power/Data Tile	185
FT37R.	Lower Power/Data Tile, Low Credenza Height	187
FT38A.	To-The-Floor Full-Height Tile, Architectural	160
FT39R.	Extended-Width Lower Power/Data Tile, Low Credenza Height	190
FT110.	Frame	5

FT111.	Stacking Frame	18
FT112.	Frame Top Cap	93
FT113.	Upmount Screen	21
FT114.	Frame Top Screen	23
FT115.	Gallery Panel	34
FT116.	Freestanding Foot	9
FT117.	Architectural Foot	8
FT118.	Privacy Door	69
FT119.	Floor Anchor Bracket	11
FT121.	90° Universal Connector	72
FT122.	90° Universal Stacking Connector	74
FT123.	90° Connector Cover	76
FT126.	90° Connector Top Cap	99
FT127.	Off-Module 90° Connector Kit	104
FT128.	Frame-to-Frame Connection Hardware	71
FT131.	120° Universal Connector	73
FT132.	120° Universal Stacking Connector	75
FT133.	120° Connector Cover	80
FT136.	120° Connector Top Cap	102
FT140.	Power Entry, External Direct Connect	115
FT141.	Power Entry, New York City	116
FT142.	Ceiling Power Entry, End of Run	118
FT143.	Ceiling Power Entry, Connector	120
FT144.	Power Entry, Internal Direct Connect, 4 Circuit	114
FT150.	Base Power Harness	124
FT151.	Power Harness Extender	128
FT152.	Power Harness, Lower Power/Data Tile	125
FT153.	Power Harness, Upper Power/Data Tile	127
FT154.	Power Jumper	129
FT155.	Receptacle, 15 Amp (package of 6)	132
FT155M	Controlled Receptacle, 15 Amp (package of 6)	135
FT156.	Receptacle, 4 Circuit, 20 Amp	133
FT156M	Controlled Receptacle, 4-Circuit, 20 Amp	136
FT157.	Hardwire Mounting Kit	130
FT160.	Finished End	83
FT161.	Finished End, Change-Of-Height	87
FT162.	Retrofit Base Cover for Power Entry	17
FT163.	Base Cover Retrofit Kit	15
FT165.	Connector Base Filler	82
FT167.	Tile Trim, Wall Strip	112
FT170.	Lower Tile	163
FT171.	Lower Power/Data Tile	177
FT172.		
FT174.	Lower Open Tile	195
FT175.	Rail Tile	211
FT178.	Upper Monitor Arm Tile	213
FT179.	Monitor Arm Retrofit Kit, Upper Rail Tile	215

FT180.	Full-Height Tile	143
FT181.	Upper Tile	197
FT183.	Upper Window Tile	216
FT184.	Upper Power/Data Tile	206
FT185.	Upper Open Tile	218
FT187.	Thin-Profile Stacking Window	19
FT188.	Off-Module Upper Tile	209
FT189.	Acoustical Insert	220
FT190.	Wall Start	106
FT191.	Wall Strip	109
FT192.	Tile Adapters, Wall Strip	111
FT193.	Cable Tray	139
FT194.	Frame Grommet	138
FT197.	Vertical Trim, Wall Strip	113
FT198.	Cable Management Clips	465
FT199.	Cable Management Trough	335
FT280.	Squared-Edge Transaction Surface	289
FT281.	Squared-Edge Transaction Surface for Height-Adjustable Tables	293
FT290.	Surface Cantilever	298
FT291.	Support Panel, Tapered Foot, Frame Attached	303
FT292.	Support Bracket, Low Credenza-to-Frame	33, 325
FT293.	Bookcase Surface Support	302
FT294.	Open Support, Tapered Foot, Frame Attached	307
FT295.	Surface Support Rail	301
FT298.	Surface Support, Low Credenza, Fixed Height	326
FT299.	Surface Support, Low Credenza, Adjustable Height	327
FT351.	Pari Screen, Surface Attached	430
FT353.	Pari Screen, Surface Attached with Modesty	432
FT354.	Pari Screen, Delineation	437
FT355.	Pari Screen, Frame Top	27
FT356.	Flat Edge Screen, Surface Attached	441
FT357.	Flat Edge Screen, Surface Attached with Modesty	443
FT358.	Flat Edge Screen, Delineation	448
FT359.	Flat Edge Screen, Frame Top	30
FT360.	Laminate Screen, Surface Attached	452
FT361.	Laminate Screen, Surface Attached with Modesty	454
FT370.	Extended-Width Lower Tile	167
FT371.	Lower Power/Data Tile, Low Credenza Height	187
FT372.		
FT375.	To-The-Floor Lower Tile	171
FT376.	To-The-Floor Extended-Width Lower Tile	174
FT380.	Extended-Width Full Height Tile	147
FT381.	Extended-Width Upper Tile	202
FT385.	To-The-Floor Full-Height Tile	153
FT386.	To-The-Floor Extended-Width Full-Height Tile	157
FT410.	F-Style Sliding Door Storage Unit	349

FT411.	F-Style Shelf	354
FT412.	F-Style Storage Unit Back Panel	355
FT414.	F-Style Upmount Sliding Door Storage Unit	352
FT415.	Storage Cabinet, Frame Top, Mounted, Open	342
FT416.	Storage Cabinet, Frame Top, Mounted, Sliding Door	344
FT420.	B-Style Flipper Door Unit	356
FT422.	B-Style Shelf	358
FT489.	Coat Hook - Frame Attached	223
FT490.	Coat Hook	222
FT491.	Tackboard, Storage Cabinet, Frame Top Mounted	347
FT492.	Markerboard, Storage Cabinet, Frame Top Mounted	348
FT900.	Tool Bar	221
FT920.	Wall Start Filler	107
FT963.	Single Sided Base Cover Kit	12
FT992.	Privacy Door Lock Post Kit	67
FTE10.	Rectangular Surface	225
FTE11.	Concave Rectangular Surface	233
FTE12.	Curvilinear Surface	239
FTE21.	Concave Corner Surface	246
FTE41.	120° Corner Surface, 120° Ends	262
FTE44.	120° Corner Surface, Extended 90° Ends	265
FTE60.	Peninsula Surface, Round-End, Center	281
FTE61.	Peninsula Surface, Round-End, Single	278
FTE62.		
FTE67.	Peninsula Surface, Round-End, Transition Left	276
FTS10.	Rectangular Surface	225
FTS11.	Concave Rectangular Surface	233
FTS12.	Curvilinear Surface	239
FTS18.	Bowtie Rectangular Surface	236
FTS20.	Corner Surface	243
FTS21.	Concave Corner Surface	246
FTS22.	Extended Corner Surface, Rectangular End	250
FTS23.		
FTS26.	Extended Corner Surface, Round End	255
FTS27.		
FTS34.	Peninsula Surface, Rectangular End	269
FTS35.	Peninsula Surface, Round End	273
FTS36.	D-Shaped Surface	284
FTS40.	120° Corner Surface, 90° Ends	259
FTS41.	120° Corner Surface, 120° Ends	262
FTS44.	120° Corner Surface, Extended 90° Ends	265
FTT10.	Rectangular Surface	225
FTT12.	Curvilinear Surface	239
FTT21.	Concave Corner Surface	246
FTT22.	Extended Corner Surface, Rectangular End	250
FTT23.		
FTT40.	120° Corner Surface, 90° Ends	259

Index by Product Number *continued*

FTT60.	Peninsula Surface, Round-End, Center	281
FTT61.	Peninsula Surface, Round-End, Single	278
FV2A2.	Open Support Leg, Architectural Foot	319
FV2D1.	Square Open Support Leg, Peninsula Attached	313
FV2D2.	Square Open Support Leg	317
FV2E2.	Closed Support Leg	321
FV43C.	Overhead Storage Cabinet, Open	360
FV43F.	Overhead Storage Cabinet, Sliding Full Enclosure	376
FV43H.	Overhead Storage Cabinet, Hinged Doors	364
FV43P.	Overhead Storage Cabinet, Sliding Partial Enclosure	370
FV43S.	Overhead Storage Cabinet, Sliding Doors	383
FV298.	Fixed Surface Support, Low Credenza, Power Chase	328
FV360.	Pari Screen, Storage Attached	439
FV361.	Flat Edge Screen, Storage Attached	450
FV434.	Floating Shelf, Aluminum	388
FV435.	Floating Shelf, Laminate	417
FV617.	Cast LED Light	463
FV618.	Valance, for Cast LED Light	464
FV689.	Support Leg, Post	316
FV692.	Canvas Cabinet/Wall Attachment Bracket	323
FV693.	Privacy Panel	427
FV694.	Screen	422
FV695.	Cable Manager	334
FV696.	Stiffener	330
FV697.	Modesty Panel	425
FV698.	Vertical Cable Manager	338
FV930.	Tackable Fabric Back Panel	391
FV932.	Tackable Fabric Back Panel, Used with Floating Shelf	397
FV940.	Laminate Back Panel	400
FV942.	Laminate Back Panel, Used with Floating Shelf	403
FV960.	Markerboard Back Panel	406
FV962.	Markerboard Back Panel, Used with Floating Shelf	408
FV970.	Glass Back Panel	410
FV972.	Glass Back Panel, Used with Floating Shelf	412
FV980.	Tackboard	420
FV982.	Grommet Kit, Surface	339
FV984.	Cord Manager	466
FV990.	Wall-Mount Fabric Tackboard, for use with Canvas Private Office	414
FZ19D.	Counterweight	14
G1189.	Communication Port Faceplate Extender	142
G1189.	Communication Port Faceplate Reducer	140
G1331.	Cord Cleat	337
G6160.	Twist™ LED Task Light	461
G6170.	Under Shelf LED Task Light	462
G7330.	Shelf Divider, Angled	396
G9999.	Controlled Receptacle Decal (12 per sheet)	137

LG692.	Tu® Storage Tower Attachment Bracket	324
X1191.	Toggle Wall Strip Anchor	110
X1192.	Wall Fastener	108
X1313.	Communication Faceplate Extender	141
X3710.	C-Style Flipper Door	381
X3730.	C-Style Shelf	386
X3750.	C-Style Flipper Door Unit	374
X3790.	C-Style Flipper Door Back Panel	390
X3910.	Component Brace	395
Y1116.	Pari Screen, Height Adjustable Tables	434
Y1118.	Surface-Attached Screen, Flat Edge	445
Y1120.	Laminate Screen, Surface Attached	456
Y1121.	Name Tag Clip	458
Y1122.	Metal Board, Screen Attached	459
Y2091.	Squared-Edge Corner Wedge	287
Y5010.	Pencil Drawer	340
Y5012.	Metal Pencil Drawer	341
Y6470.	Flute™ Personal Light	467
Y7231.	Marker/Eraser Holder	224

Index: Product Number



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian®

Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Keyed-Alike Information

Keyed-Alike Locks

All components with locks may be specified keyed alike. Products with keyed-alike locks will be shipped with lock chassis installed. Installation of lock cylinders will be on-site according to instructions provided. Herman Miller, Inc., will not be responsible for lock cylinder installation.

When specifying product keyed-alike, include separate lines on your order for the lock cylinders.

For Action Office®, Ethospace®, and Supplemental products, list cylinder part number and key number (232092-XXX); select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

The following products require a different lock cylinder part number Specify UKY001-XXX for these products only; select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

- A3013.
- A3053.
- G5180.
- G5181.
- G5280.

The keys provided in 232092-XXX and UKY001-XXX kits work with either cylinder type, provided the key numbers match.

For Tu® Storage, Canvas Office Landscape®, and Meridian® Storage, see the following charts.

Keyed-alike locks are field installed.

To order keyed-alike locks for Action Office® Series 1 and 2 door panels, please contact Customer Care.

A master key can be used to open any lock on an attached or freestanding component. In addition, a removal key or lock change tool is required to remove lock plugs. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care.

For Canvas overhead and lower storage units, specify as follows:

Specification Code	Part Number	Color	Lock Series
KA	1B2JK7-XXX ¹	chrome	UM series 226-427

For Canvas Metal Storage, Meridian Storage, and Tu Storage, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX ¹	black	UM series 226-427
KA	1B2JK7-XXX ¹	chrome	UM series 226-427

For Canvas Metal Desk overhead units, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX ¹	black	UM series 226-427
KC	1B2JK7-XXX ¹	chrome	UM series 226-427

Key Number:
XXX¹ = a key number between 226 and 427 (excluding 408 and 412)

Vary Easy Program

Program Overview

The Vary Easy program offers expanded product selections beyond what is available through our standard offering. From expanded material and finish lists, to size availability, to completely new product configurations, the Vary Easy program offers it all at standard pricing, warranty, and lead-time.

Specifying Vary Easy using Made-to-Measure Plus

Vary Easy products are now available by clicking the Vary Easy/Options tile in the Made-to-Measure Plus tool.

Made-to-Measure Plus is a web-based tool available through Omni that takes the guesswork out of specifying products and service parts. It's quickly evolving to become your one-stop shop for specifying Herman Miller products and service parts, particularly customized product like Vary Easy and HM Options.

Vary Easy products are no longer published in marketing SIF for importing into specIT and other third-party specifiers. Specifying through the Made-to-Measure Plus tool allows us to make frequent updates and offer more complex products. It allows you to easily specify and price products and download SIF files to import into your specification tool. The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead-time and are competitively priced.

For step-by-step instructions, reference the Made-to-Measure Plus page under Tools & Resources on Omni to watch the how-to video and to see how easy it is to specify Vary Easy products in Made-to-Measure Plus.

For Vary Easy product and specification questions, contact Product Services at 866 854 3048 (ext #1).

For technical questions about the Made-to-Measure Plus tool, contact Sales Technology Support at 866 854 3048 (ext #4) or sts@hermanmiller.com.

Fire Retardancy for Proprietary Fabrics

Action Office® Products

The panel types listed below, when covered with the textiles identified below, meet the Class A requirements for flame spread and smoke development as specified by the National Fire Protection Association (NFPA) in the 2015 Life Safety Code No. 101, and the Underwriter's Laboratories requirements for use with energy distribution components (listed by UL under Office Furnishings 1286).

Panel Type		
fabric covered	stacking fabric covered	
acoustical	tackable acoustical barrier	
	partial-glazed	
Textiles		
Aristo	Grasscloth	Scribe
Bento	Ground Cloth®	Silkworm
Chain	Hopsak	Slant
Cord	Horizon	Strands
Crepe	Medley	Tailored
Crossing	Parcel	Twine
Dex	Resonance	Twist ¹
Fractal	Scatter	Whisper

¹ Fabric not available on acoustical panels.

Action Office Products

The panel type listed below meets the Class A requirements for flame spread and smoke development as specified by the National Fire Protection Association (NFPA) in the 2015 Life Safety Code No. 101, and the Underwriter's Laboratories requirements for use with energy distribution components (listed by UL under Office Furnishings 1286).

Panel Type
hard-surfaced

Ethospace® Products

Acoustical tiles, when covered with the textiles identified below, meet the Class B requirements for flame spread and smoke development as specified by the NFPA in the 2015 Life Safety Code No. 101, and the Underwriter's Laboratories requirements for use with electrical components (listed by UL under Office Furnishings 1286).

Face tiles and beltline communication tiles, when covered with the textiles identified below, meet the Class A requirements for flame spread and smoke development as specified by the National Fire Protection Association (NFPA) in the 2015 Life Safety Code No. 101, and the Underwriter's Laboratories requirements for use with electrical components (listed by UL under Office Furnishings 1286).

Tackable tiles, when covered with the textiles identified below, meet the Class B requirements for flame spread and smoke development as specified by the NFPA in the 2015 Life Safety Code No. 101, and the Underwriter's Laboratories requirements for use with electrical components (listed by UL under Office Furnishings 1286).

Tile Type	
face tile	beltline face tile
tackable tile	cable access tile
acoustical tile	cable channel tile

Textiles		
Chain	Hopsak	Silkworm
Cord	Horizon	Slant
Crepe	Loft	Strands
Crossing	Medley	Tailored
Fish Net	Moiré	Twine
Fractal	Parcel	Twist
Grasscloth	Resonance	Well Suited
Ground Cloth®	Scribe	

Canvas Office Landscape® Products

Tiles, when covered with the textiles identified below, meet the Class A requirements for flame spread and smoke development as specified by the National Fire Protection Association (NFPA) in the 2015 Life Safety Code No. 101, and the Underwriter’s Laboratories requirements for use with electrical components (listed by UL under Office Furnishings 1286).

Tile Type	
lower tile	lower power/data tile
full height tile	off-module upper tile
upper tile	upper power/data tile

Textiles		
Aristo	Ground Cloth	Silkworm
Bento	Hopsak ¹	Slant
Chain	Horizon	Strands
Cord	Loft ¹	Tailored
Crepe	Medley	Tape
Crossing	Moiré	Twine
Dex	Parcel	Twist
Fish Net	Resonance	Well Suited
Fractal	Scatter	Whisper
Grasscloth	Scribe	

¹ Canvas tiles, when covered in Hopsak or Loft meet the Class B requirements for flame spread and smoke development as specified by the NFPA in the 2015 Life Safety Code No. 101.

Fire Retardancy for Maharam® Fabrics

The panel types, tile types, and textiles listed below are recognized by the Underwriter's Laboratories under the UL Component Recognition Program. The following UL recognized fabrics, when used on the panel or tile types listed below, fall within a Class C requirement for flame spread and smoke development as specified by the National Fire Protection Association (NFPA) in the 2015 Life Safety Code No. 101. The panels and tiles are incomplete in construction features when tested. The UL Component Recognition Program does not provide evidence of UL listing or labeling, which may be required by installation codes or standards.

Tackable tiles, when covered with the textiles identified below, meet a minimum Class C requirement for flame spread and smoke development as specified by the NFPA in the 2015 Life Safety Code No. 101, and the Underwriter's Laboratories requirements for use with electrical components (listed by UL under Office Furnishings 1286).

Action Office Products	
Panel Type	
fabric covered	stacking fabric covered
acoustical	tackable acoustical barrier
	partial-glazed
Textiles	
Adjourn	Parallel ¹
Crisp ²	Plait
Glint	Reply
Hum	Sharkskin 2
Manner	Skein
Meld	Sketch
Metric	Spiral
Mode	Ticker
Morse	Unit

¹ Fabric not available on acoustical panels.

² Fabric not available on partial-glazed panels.

Ethospace Products	
Tile Type	
face tile	beltline face tile
tackable tile	cable access tile
acoustical tile	cable channel tile
Textiles	
Adjourn	Parallel
Crisp ¹	Plait
Glance	Sharkskin 2
Glint	Skein
Hum	Sketch
Manner	Spiral
Messenger	Ticker
Morse	

¹ Fabric not available on tackable tiles.

Canvas Office Landscape Products	
Tile Type	
lower tile	lower power/data tile
full height tile	off-module upper tile
upper tile	upper power/data tile
Textiles	
Adjourn	Parallel
Crisp	Plait
Hum	Skein
Manner	Sketch
Messenger	Spiral
Metric	Ticker
Morse	

Stain-to-Match Program

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at: (800) 654 3910

Stain-to-Match Process

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to: options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:


- STA: Stain-to-Match on Recut Ash
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.


Surface Edge Styles

Surface Edge Styles


Squared Edge



Eased Edge



Thin Edge






Canvas Office Landscape® Connectors and Covers Matrix

Use the following matrix to confirm your connector, cover, and top cap selection based on the frame heights specified. This matrix represents a subset of the possible frame and connector applications and shows the correct connector, connector cover, and top cap to specify.

For additional applications and information, see the Canvas Office Landscape® Planning Guide.

Legend	
Frames	
	Same Height/Tallest
	11" Drop in Height
	22" Drop in Height
Connectors	
35" and 46" High Frames	
 .46	
57", 68" and 79" High Frames	
 .57	
Covers	
One Side	
	.1 + Required Height
	(Shown When 2 are Required)
Two Sides	
	.2 + Required Height
Three Sides	
	.3 + Required Height
Top Caps	
	.1A
	.2A
	.2B
	.3A
	.4A

2-Way, Equal-Height Frames



Frames 35/35



Frames 46/46



Frames 57/57




Frames 68/68




Frames 79/79




2-Way, 1 Frame 11" Lower




Frames 46/35



Frames 57/46




Frames 68/57



Frames 79/68




2-Way, 1 Frame 22" Lower




Frames 57/35




Frames 68/46




Frames 79/57




3-Way, Equal-Height Frames




Frames 35/35/35




Frames 46/46/46




Frames 57/57/57




Frames 68/68/68




Frames 79/79/79



3-Way, 1 Frame 11" Higher



Frames 35/46/35




Frames 46/57/46




Frames 57/68/57



Frames 68/79/68



3-Way, 1 Frame 22" Higher




Frames 35/57/35




Frames 46/68/46




Frames 57/79/57



4-Way, Equal-Height Frames




Frames 35




Frames 46




Frames 57




Frames 68




Frames 79




4-Way, 2 180° Equal-Height Frames, 2 180° Frames
11" Lower




Frames 46/35/46/35




Frames 57/46/57/46




Frames 68/57/68/57



Frames 79/68/79/68



4-Way, 2 180° Equal-Height Frames, 2 180° Frames
22" Lower



Frames 57/35/57/35

3 = 22H ◀▶


Frames 68/46/68/46

3 = 22H ◀▶

Frames 79/57/79/57

3 = 22H ◀▶

4-Way, 2 90° Frames 11" Lower, 1 Frame 22" Lower



Frames 57/57/46/35

3 11H ◀▶
11H

Frames 68/68/57/46

3 11H ◀▶
11H

Frames 79/79/68/57

3 11H ◀▶
11H

Customer's Own Material/ Customer's Own Leather Order Information — Cushion Tops

Customer's Own Material/Customer's Own Leather

Program Overview

The Customer's Own Material (COM) and Customer's Own Leather (COL) program gives you the option of using textiles other than those listed. Herman Miller will test textiles for application to Herman Miller products and will process orders for those with approved COM/COL textiles only. COM/COL are assigned lead time textiles.

Omni lists an overview of fabrics and leathers that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for COM/COL is listed below. Questions about the COM/COL program and requests for assistance may be directed to your COM representative at:

(616) 654 3400

(866) 854 3048 ext 6543400

Customer's Own Material/Customer's Own Leather Warranty

Herman Miller does not warrant COM/COL textiles. COM/COL textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM/COL textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Customer's Own Material/Customer's Own Leather Pricing

COM is a Category 1 fabric. There are no application charges for COM fabrics. COL is a Category 7 textile; refer to prices on specific products to determine the application charge.

Ordering and payment for COM/COL textile yardage are the responsibility of the customer and the textile supplier.

If desired, Herman Miller will purchase COM textiles directly from Maharam, Camira, C.F. Stinson, Guilford of Maine, Luna Textiles, Momentum Textiles and Ultrafabrics to simplify ordering and shipment. For this service, refer to the Supplier Connection program in Omni.

Application Note

Herman Miller does not guarantee that Customer's Own Material (COM) fabric patterns will align across panels/tiles or from one screen to the next. We also do not guarantee that COM fabric designs will be positioned consistently in the same location across several panels, tiles, or screens.

Textile Approval

1. Select a COM/COL textile.
2. If your textile does not show as tested in Omni, submit a request. You will be required to select a specific color of the textile and feature of the product to test, i.e., seat, back, etc.
3. Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

Ordering Products with COM/COL

1. Refer to the specific products to determine the yardage required for COM/COL textiles.
Note: Yardage requirements are based on nondirectional, 54"-wide textiles. Additional yardage may be needed due to the unique characteristics of a textile.
2. Obtain the COM ID# in Omni. If the color you are ordering does not have a COM ID# assigned, click "Create ID".
3. Enter your order on Order Manager in Omni.
4. Upon receipt of your purchase order, Herman Miller will send you a PO acknowledgment.
5. Arrangements must be made for the textiles to be shipped from the supplier to Herman Miller for application to the seating products. See Omni for shipping procedures and current shipping addresses or contact a COM representative at (616) 654 3400 or (866) 854 3048 ext 6543400.

Products will be scheduled for production when COM/COL textiles are received at Herman Miller. Standard lead times in effect at that time will apply.

Note: If textiles are to be purchased directly by Herman Miller through the Supplier Connection program, Herman Miller will handle the ordering and shipping process and will schedule your order for production upon receipt of your purchase order (dependent on textile availability). Refer to the Supplier Connection program for more information.

Customer's Own Material/
Customer's Own Leather
Order Information — Cushion Tops

continued

Supplier Connection

Program Overview

The Supplier Connection program is a service offered by Herman Miller to purchase approved COM textiles directly from Maharam, Camira, C.F. Stinson, Guilford of Maine, Luna Textiles, Momentum Textiles and Ultrafabrics. When you select a textile through this program, Herman Miller will facilitate the ordering, scheduling, and shipment of the textile directly with the supplier.

Suppliers included in the Supplier Connection program keep an active inventory of textiles that are pre-approved for application to Herman Miller products. Pre-approval applies only to the suitability of a textile for manufacturing and application to a Herman Miller product. Omni provides an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for the Supplier Connection program is listed below. Questions and requests for assistance may be directed to your COM representative at:

(616) 654 3400
(866) 854 3048 ext 6543400

Supplier Connection Warranty

Textiles purchased by Herman Miller through the Supplier Connection program are COM and are not warranted by Herman Miller. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Supplier Connection Pricing

Textiles purchased by Herman Miller through the Supplier Connection program are COM. COM is a Category 1 fabric. There are no application charges for COM fabrics.

Payment for textiles purchased by Herman Miller through the Supplier Connection program is the responsibility of the customer or dealer. Herman Miller will invoice the order at a total product cost based on the supplier's price published at the time of the order.

Textile Approval

1. Select a COM/COL textile.
2. If your textile does not show as tested in Omni, submit a request. You will be required to select a specific color of the textile and feature of the product to test, i.e., seat, back, etc.
3. Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

Ordering Products with Supplier Connection COM

1. Identify and include the following information on your purchase order:
 - Product number and option
 - Herman Miller's COM identification number
2. Enter your order on Order Manager in Omni.
3. Upon receipt of the purchase order, Herman Miller will process your order and send you a PO acknowledgment. Herman Miller will determine the yardage required to produce your product and will order and schedule for delivery the required textile. Standard lead times in effect at the time the textile is allocated at the supplier will apply to products ordered through this program.

Customer's Own Material Order Information — Workspaces

Customer's Own Material

Program Overview

The Customer's Own Material (COM) program gives you the option of using textiles other than those listed. Herman Miller will test textiles for application to Herman Miller products and will process orders for those with approved COM textiles only. COM textiles are on assigned lead times.

Omni lists an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for COM is listed below. Questions about the COM program and requests for assistance may be directed to your COM representative at:

(616) 654 3400

(866) 854 3048 ext 6543400

Customer's Own Material Warranty

Herman Miller does not warrant COM textiles. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Customer's Own Material Pricing

COM is a Category 1 fabric. There are no application charges for COM fabrics.

Ordering and payment for COM textile yardage are the responsibility of the customer and the textile supplier.

If desired, Herman Miller will purchase COM textiles directly from Maharam, Camira, C.F. Stinson, Guilford of Maine, Luna Textiles, Momentum Textiles and Ultrafabrics to simplify ordering and shipment. For this service, refer to the Supplier Connection program in Omni.

Application Note

Herman Miller does not guarantee that Customer's Own Material (COM) fabric patterns will align across panels/tiles or from one screen to the next. We also do not guarantee that COM fabric designs will be positioned consistently in the same location across several panels, tiles, or screens.

Textile Approval

1. Select a COM textile and a Herman Miller product.
2. If your textile does not show as tested in Omni, submit a request. You will be required to select a specific color of the textile and feature of the product to test, i.e., seat, back, etc.
3. Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

Ordering Products with COM

1. Refer to the specific products to determine the yardage required for COM textiles.
Note: Yardage requirements are based on nondirectional, 54"-wide textiles. 66"-wide textiles are needed for application on 60"-wide products. Additional yardage may be needed due to the unique characteristics of a textile.
2. Obtain the COM ID# in Omni. If the color you are ordering does not have a COM ID# assigned, click "Create ID".
3. Enter your order on Order Manager in Omni.
4. Upon receipt of your purchase order, Herman Miller will send you a PO acknowledgment.
5. Arrangements must be made for the textiles to be shipped from the supplier to Herman Miller for application to the Herman Miller products. Textiles must be tagged with the assigned identification number and the roll yardage quantity. See Omni for shipping procedures and current shipping addresses or contact a COM representative at (616) 654 3400 or (866) 854 3048 ext 6543400.

Products will be scheduled for production when COM textiles are received at Herman Miller. Standard lead times in effect at that time will apply.

Note: If textiles are to be purchased directly by Herman Miller through the Supplier Connection program, Herman Miller will handle the ordering and shipping process and will schedule your order for production upon receipt of your purchase order (dependent on textile availability). Refer to the Supplier Connection program for more information.

Supplier Connection

Program Overview

The Supplier Connection program is a service offered by Herman Miller to purchase approved COM textiles directly from Maharam, Camira, C.F. Stinson, Guilford of Maine, Luna Textiles, Momentum Textiles and Ultrafabrics. When you select a textile through this program, Herman Miller will facilitate the ordering, scheduling, and shipment of the textile directly with the supplier.

Suppliers included in the Supplier Connection program keep an active inventory of textiles that are pre-approved for application to Herman Miller products. Pre-approval applies only to the suitability of a textile for manufacturing and application to a Herman Miller product. Omni provides an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for the Supplier Connection program is listed below. Questions and requests for assistance may be directed to your COM representative at:

(616) 654 3400
(866) 854 3048 ext 6543400

Supplier Connection Warranty

Textiles purchased by Herman Miller through the Supplier Connection program are COM and are not warranted by Herman Miller. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Supplier Connection Pricing

Textiles purchased by Herman Miller through the Supplier Connection program are COM. COM is a Category 1 fabric. There are no application charges for COM fabrics.

Payment for textiles purchased by Herman Miller through the Supplier Connection program is the responsibility of the customer or dealer. Herman Miller will invoice the order at a total product cost based on the supplier’s price published at the time of the order.

Textile Approval

1. Select a COM textile and a Herman Miller product.
2. If your textile does not show as tested in Omni, submit a request. You will be required to select a specific color of the textile and feature of the product to test, i.e., seat, back, etc.
3. Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

Ordering Products with Supplier Connection COM

1. Identify and include the following information on your purchase order:
 - Product number and option
 - Herman Miller’s COM identification number
2. Enter your order on Order Manager in Omni.
3. Upon receipt of the purchase order, Herman Miller will process your order and send you a PO acknowledgment. Herman Miller will determine the yardage required to produce your product and will order and schedule for delivery the required textile. Standard lead times in effect at the time the textile is allocated at the supplier will apply to products ordered through this program.

Textiles Application Chart — Workspaces *continued*

- Available

A Assigned lead-time textile.

A Maharam textiles are on assigned lead times.

See page 2 for exception notes.

Price Category 8

1QG__Breeze - Maharam A

Price Category 9

No fabrics available at this time.

Price Category A

No fabrics available at this time.

Price Category B

VM__Medium - Maharam A

TI__Messenger - Maharam A *

Price Category C

Z27__Manner - Maharam A

Z3__Metric - Maharam A

Price Category D

ZMD__Mode - Maharam A

ZS3__Spiral - Maharam A

Price Category E

ZF3__Flock - Maharam A

TT__Parallel - Maharam A

Price Category F

8EX__Emit - Maharam A

Price Category G-Z

No fabrics available at this time.

Action Office® Panels/Connectors
Action Office B-Style Tackboards
Action Office/Ethospace E-Style Storage
Ethospace Tiles/Connectors
Ethospace/Canvas Office Landscape® Privacy Doors
Canvas Tiles/Extended Width Tiles/Channel Tiles
Canvas B-/E-Style Storage
Canvas Tackboards
Canvas Metal Desk Hutch Back Panel
Canvas Vista™ Movable Insert and Display Unit
OE1 Boundary Agile Wall Tile
OE1 Boundary Project Board and Screens
OE1 Floating Screen
OE1 Nook Liner/Felt Screen Liner/Storage Trolley Liner
Overlay™ Performance Wall Cladding
Pari™ Screens/Flat Edge Screens/Channel Screens
Passport Work Table Screen
Renew™ Link Screens
Ambit™ Workspace Solutions Screens
Ambit Workspace Solutions Metal Screen Liner
Exclave® Tackable Boards and Stowage Tackable Backdrop
Exclave Video-Friendly Tackable Boards & Stowage Tackable Backdrop
Personal Side Screen
Tu® Wood Storge Cubby Tackboard
Seating

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric's pattern may not align from one screen to the next, or from one panel to the next.

* Available in select colors on 20-day lead-time. Refer to "Maharam Colors - Workspaces" for 20-day colors.

- 1 Refer to price book appendices and Omni for COM information.
- 2 Available on all products except 54" and 60" wide.
- 3 Not available on AO partial-glazed panels.
- 4 Not available on Action Office (AO®) acoustical panels.
- 5 (8R__), (8T__), (85__), and (5S__) not available on AO acoustical panels and not available on 54"- or 60"-wide products.
- 6 Not available on Action Office (AO®) connectors, cable management, and spacers.
- 7 Not available on AO acoustical panels; not available on AO2 cable management panel face.
- 8 Available in select colors. See the "Proprietary Textile Colors — Workspaces" appendix.
- 12 Not available on Ethospace tackable tiles.
- 16 Not available on Canvas E-style storage.
- 18 Available on seating products in select colors. See the "Proprietary Textile Colors — Seating" appendix.
- 20 Not available on Canvas E-style storage or 60"-wide B-style storage.
- 21 Not available on Ethospace connectors and cable management tiles.
- 22 Not available as railroaded application option for Chain (2V00) on Canvas Extended Width Tiles.

Textiles Application Chart — Seating

• Available

[A] Assigned lead-time textile.

[A] Maharam textiles are on assigned lead times.

[N] Non-woven textile.

See below for exception notes.

Price Category 1																																
COM	Customer's Own Material	A								1	1				1	1	1	1	1	1				1	1	1	1	1	1	1	1	
231__	8Z Pellicle®		•																													
1A7__	AireWeave™ 2				•																											
8T__	Crossing										•													•		•	•			•	•	
3DE__	Dex									•	•	•		•	•	•	•	•	•					•	19	•		•		•	•	
4RM__	Duo																							•								
6V__	Flexnet™																							•								
845__	Intercept				•																											
365__	Interweave 2												•			•																
4W__	Lyriss 2™												•			•																
1MN__	Monologue									24	22	•				•	•	•						•	•	•	•	•	•		•	•
5H2__	Ripple 3D Knit												•																			
5H1__	Splash 3D Knit												•																			
4SC__	Scatter											•	•	•		•	•	•	•	•	•			•	•	•	•			•	•	
3DN__	Scribe									25	22	•				•			•	•	•			•	•				•		•	
3DK__	Stretch Knit	A								25																						
235__	Tailored											•	•	•		•	•	•	•		•				23			•		7	•	
9NK__	Tuck 3D Knit								•																							
1WS__	Whisper									24		•	•			•	•	•	•	•				•	•	•	•	•	•		•	•
Price Category 2																																
3AR__	Aristo											•	•	•		•	•	•	•	•	•				•	•	•	•	•	•		
92__	Crepe											•	•	•		•	•	•	•	•	•				•	•	•	•	•	•		
3EP__	Epic											•	•			•	•	•	•	•	•				•				7	•		
3DP__	Hint											•	•			•			•	•	•			•			•	•	•	•		
1MV__	Marvel [N]									25	22	•								•					•			•		•		
1HA__	Medley								•			•	22			•	•	•	•	•	•			•	•	•	•		•	•		
4ME__	Mellow											•	22	•		•	•	•	•	•	•			•	•		•	•	•	•		
ZMA__	Metaphor - Maharam	A								16	16	•				•			•	•	•			•		•	•	•		•		
8I1__	Muse - Maharam	A								16	16					•		•						•			26			•		
30__	Rhythm								23			•	•			•	•	•	•	•	•			•	•			•		•		
3SL__	Sequel [N]									27	27	27		27	27	27	27	27	8				27	•	•	•	•	•	23	•	•	
4TE__	Terra											•	22			•	•	•	•	•	•			•			•	•		7	•	
8R__	Twist											•	•	•		•	•	•	•	•	•			•	•	•	•	•		•	•	
Price Category 3																																
3AC__	Ace									25		•			•	•	•	•	•	•	8			•	•	19		•		•		
43Z__	Fractal											•	•	•		•	•	•	•	•	•			•		•	•	•		•	•	
8M__	Latitude™								23																							
ZM2__	Meld - Maharam *	A										•	•	•		•	•	•	•	•	•			•	•	•	•		•	•		
4GE__	Parcel											•	•	•			•	•	•	•			•		•	•	•	•		•	•	
Price Category 4																																
3DM__	Daydream									25		•	•			•		•	•	•	•			•	•	•	•			•	•	
ZLR__	Lariat - Maharam [N]	A										•	•	•		•	•	•	•	•				•	20			•		•		
3SY__	Sync								•			•	•	•		•	•	•	•	•			•		•	•	•	•		•	•	

continued on next page

Textiles Application Chart — Seating continued

• Available

[A] Assigned lead-time textile.

[A] Maharam textiles are on assigned lead times.

[N] Non-woven textile.

See below for exception notes.

	Aeron® Chairs	Asari Work Chairs by Herman Miller™	Cosm™ Chairs	Mirra® 2 Chairs/Stools	Embody® Chairs	Fuld Nesting Chairs	Sayl® Work Chairs/Stools	Sayl Side Chairs	Setu® Chairs/Stools	Zeph® Chairs	Verus™ Work Chairs/Stools Back	Verus Work Chairs/Stools Seat	Verus Side Chairs Back	Verus Side Chairs Seat	Verus Plus Chairs	Aside® Chairs	Caper® Chairs/Stools	Lino™ Chairs Back	Lino Chairs Seat	OE1 Storage Trolley Cushion Top	Plex® Lounge Furniture	Swoop™ Lounge Seating - Fully Upholstered	Swoop Lounge Seating - Plywood	Valor™ Seating	Eames® Tandem Sling Seating	Cushion Tops	Workspaces
Price Category 5																											
5YT__Arlo - Maharam [A]																											
3CY__Cozy																											
14A__Hopsak																											
40G__Method - Maharam [A]							16	16																			
ZNC__Nico - Maharam [A]																											
3SU__Summit [N]																											
Price Category 6																											
35__ Balance																											
Price Category 7																											
COL Customer's Own Leather [A]	1															8				1						1	
ZB3__Beck - Maharam [A]							16	16																			
8PV__Mantle - Maharam [A]							16	16																			
5K3__Rowan - Maharam [A]							16	16																			
Price Category 8																											
ZLU__Luce - Maharam [A]							16	16																			
Price Category 9																											
ZC0__Campana - Maharam [A]							16	16																			
ZGE__Gemma - Maharam [A]																											
ZJA__Jasper - Maharam [A]							16	16																		7	
21__ Leather [N]	23															8											
Price Category 10																											
3KH__Firma - Maharam [A]							16																				
ZGF__Gemma Multi - Maharam [A]																											
ZGF__Gemma Multi Reverse - Maharam [A]																											
ZP4__Petra - Maharam [A]							16	16																			
Price Category 11																											
3BS__Felix - Maharam [A]							16	16																			
Price Category A																											
No fabrics available at this time.																											
Price Category B																											
VM__ Medium - Maharam [A]																											
TI__ Messenger - Maharam * [A]																									26		
Price Category C																											
Z27__Manner - Maharam [A]																											
887__Merit - Maharam [A]																											
Z3__ Metric - Maharam [A]																											
8EY__Murmur - Maharam [A]								16																			7
Price Category D																											
8I8__Bluff - Maharam [N] [A]							16	16								8					21						
ZMD__Mode - Maharam [A]							18																				
Price Category E																											
ZAT__Article - Maharam [N] [A]							16	16																		7	

continued on next page

Textiles Application Chart — Seating continued

• Available

[A] Assigned lead-time textile.

[A] Maharam textiles are on assigned lead times.

[N] Non-woven textile.

See below for exception notes.

Price Category F																													
82T__ Apt - Maharam [N] [A]											18	•					•	•							•	7			
871__ Brindle - Maharam [A]											16	16					•		•		•				•	•			
87Z__ Conduit - Maharam [A]											16	16			•	•	•			•						7			
74M__ Instill - Maharam [N] [A]											18	16			•	•	•	•			•		•		•	•	7		
89N__ Keen - Maharam [A]											16	16				•		•	•	•			•		•	•			
V9G__ Ledger - Maharam [N] [A]											18	16			•	•		•	•				•	•		•	•		
ZLL__ Loop - Maharam [A]											16	16				•		•			8			•		•			
82A__ Multiply - Maharam [A]											16	16			•	•	•	•		•				•	•	•			
8LW__ Pepper - Maharam [A]											16	16				•		•		•				•		•	•		
Z33__ Strum - Maharam [N] [A]												16												•	•	9		•	
												16													•	•	7		
Price Category G																													
ZC2__ Compound - Maharam [N] [A]											16	16				•	•	•	•		8			•		•	•	•	7
ZF1__ Fold - Maharam [N] [A]											16	16														•		7	
8AR__ Gild - Maharam [A]												16					•	•	•	•					21	•	•	•	
ZPR__ Pare - Maharam [A]											18	16				•		•		8				•		•	•	•	7
ZRF__ Runner - Maharam [A]											16	16													•			•	•
Price Category H																													
ZT__ Circles - Maharam [A]											16	16																•	
ZK__ Dot Pattern - Maharam [A]											•	•	•			•		•		•					•		•	•	
ZL__ Small Dot Pattern - Maharam [A]											•	•	•			•		•		•					•		•	•	
Price Category I																													
7CW__ Cursive - Maharam [A]											16	16				•	•	•	•		8			•	•		•	•	•
ZSY__ Study - Maharam [A]																								•			•		
Price Category J-K																													
No fabrics available at this time.																													
Price Category L																													
ZMK__ Minicheck - Maharam [A]												•	•				•	•	•		•				•		•	7	
Price Category M																													
ZF2__ Fruit - Maharam [A]											16									•								7	
Price Category N-Q																													
No fabrics available at this time.																													
Price Category R																													
Stow Leather			•																										
Price Category S-Z																													
No fabrics available at this time.																													

continued on next page

Textiles Application
Chart — Seating continued

- Available

- [A] Assigned lead-time textile.
- [A] Maharam textiles are on assigned lead times.
- [N] Non-woven textile.

See below for exception notes.

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric’s pattern may not align from one pedestal cushion top to the next, or from one chair to another.

** Available in select colors on 20-day lead-time. Refer to “Maharam Colors - Seating” for 20-day colors.*

- | | | | |
|----|--|----|---|
| 1 | Refer to price book appendices and Omni for COM/COL information. | 22 | Not available on Sayl side chairs with upholstered backs. |
| 7 | Available on 1” Cushion Tops only. | 23 | Available in select colors. Refer to “Textile Colors” for color offering. |
| 8 | Only available on the Aside nonupholstered outer back option (PB). | 24 | Not available on Sayl upholstered High-Back Work Chairs. |
| 9 | Available on Valor upholstered seat only. | 25 | Not available on Sayl upholstered back work chairs. |
| 16 | Available on Sayl Chair seat. | 26 | Available in select colors. Refer to “Textile Colors” for color offering. |
| 18 | Available on Sayl Chair seat and upholstered mid-back. | 27 | Not available in 3SL15 Carbon Dark. |
| 19 | Available on Plex seat only. | | |
| 20 | Not available on Plex Club Chair with Headrest. | | |
| 21 | Available on Plex seat and on Ottoman. | | |

Textile Colors

Price Category 1

Customer's Own Material
See Order Information in Appendices. Assigned lead-time textile. A

8Z Pellicle®
Seating
For New Aeron® Chairs
56% elastomeric
44% polyester
23101 Mineral
23102 Carbon
23103 Graphite

AireWeave™ 2
Seating
For Mirra® 2 Chairs
67% elastomeric
33% antimony-free polyester
1A701 Alpine
1A702 Slate Grey
1A703 Graphite
1A704 Lime Green
1A705 Cappuccino
1A706 Urban Orange
1A707 Dark Turquoise
1A708 Twilight

Chain
Workspaces
66" wide
100% recycled polyester
with 12% ocean bound plastic
2V01 Pearl
2V02 Oyster
2V03 Wheat
2V04 Linen
2V05 Wicker
2V06 Bamboo
2V07 Sage
2V08 Spring Wood
2V09 Iceberg

Crossing
Seating/Workspaces
54" wide
86% antimony-free polyester
14% polyester
8T03 Wicker *
8T04 Porcelain *
8T05 Warm Grey *
8T10 Tomato
8T17 Cerulean
8T18 Indigo
8T19 Shale *
8T22 Tin *
8T23 Graphite
8T24 Black

Crossing
Workspaces
For workspaces products only.
54" wide
86% antimony-free polyester
14% polyester
8501 Ivory *
8502 Oyster *

* Colors available on Exclave®
Video-friendly Tackable Boards
and Stowage Tackable Backdrop

Dex
Ancillary/Seating/Workspaces
54" wide
67% recycled polyester
33% polyester
3DE01 Frost
3DE02 Silver Pine
3DE03 Stone
3DE04 Shale
3DE05 Charcoal
3DE06 Gossamer
3DE07 Pine

Duo
Seating
For Lino™ Chairs
52% polyester
48% elastomeric
4RM01 Mineral
4RM02 Poppy
4RM03 Green Leaf
4RM04 Jade
4RM05 Shadow
4RM06 Graphite

Flexnet™
Seating
For Caper® Chairs
69% elastomeric
31% polyester
6V01 Black
6V02 Silver Grey

Grasscloth
Workspaces
66" wide
100% recycled polyester
with 11% ocean bound plastic
2I01 Silver Birch
2I02 Pampas
2I03 Sedge
2I07 Lea
2I08 Taro
2I09 Steam Grey
2I13 Gravel

Intercept
Seating
For Cosm™ Chairs
60% elastomeric
40% polyester
84501 Graphite
84502 Carbon
84503 Mineral
84504 Nightfall
84505 Glacier
84506 Canyon

Interweave 2
Seating
For Verus™ Chairs
65% elastomeric
35% polyester
36501 Iceberg
36502 Poppy
36503 Beachglass
36504 Blue Grotto
36505 Slate
36506 Shale

Lyris 2™
Seating
For Setu® Chairs
74% elastomeric
26% polyester
4W21 Alpine
4W23 Chartreuse
4W25 Berry Blue
4W26 Slate Grey
4W28 Chino
4W31 Graphite

Monologue
Ancillary/Seating/Workspaces
54" wide
56% recycled polyester
44% polyester
1MN01 Linen
1MN02 Alabaster
1MN04 Folkstone
1MN05 Silver Pine
1MN06 Slate
1MN07 Seed
1MN09 Persimmon
1MN11 Meadow
1MN12 Blue Sky
1MN13 Blue Spruce
1MN14 Deep Sea

Price category 1 continued on
next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category 1

continued

Appendix: Textile Colors

Resonance	Ripple 3D Knit	Scatter	Splash 3D Knit
Workspaces	Seating	Ancillary/Seating/Workspaces	Seating
66" wide	Available only on Zeph® Chairs.	54" wide	Available only on Zeph® Chairs.
100% polyester	knit to size	100% recycled polyester,	knit to size
5T04 Greige	99% recycled polyester	with 26% ocean bound plastic	98% recycled polyester
5T05 Porcelain	1% lycra	4SC01 Alpine	2% lycra
5T06 Alabaster	5H201 Black	4SC02 Fog	5H101 Black
5T15 Iris	5H202 Carbon	4SC03 Shale	5H102 Carbon
5T28 Sugar	5H203 Alpine	4SC04 Persimmon	5H103 Alpine
5T47 Tobacco	5H204 Silt	4SC07 Olive	5H104 Silt
5T54 Saltbush	5H205 Tea Rose	4SC08 Glacier	5H105 Tea Rose
5T57 Seed	5H206 Cocoa	4SC09 Blue Sky	5H106 Cocoa
5T58 Sepia	5H207 Persimmon	4SC10 Lagoon	5H107 Persimmon
5T60 Iceberg	5H208 Blaze	4SC11 Slate Grey	5H108 Blaze
5T65 Red	5H209 Cayenne	4SC12 Blue Black	5H109 Cayenne
5T67 Boysenberry	5H210 Falcon		5H110 Falcon
5T68 Pistachio	5H211 Mustard Seed	Scribe	5H111 Mustard Seed
5T69 Green Apple	5H212 Patina	Seating/Workspaces	5H112 Patina
5T71 Jade	5H213 Olive	54" wide	5H113 Olive
5T72 Blue Green	5H214 Moss	100% recycled polyester	5H114 Moss
5T74 Twilight	5H215 Aloe	with 53% ocean bound plastic	5H115 Aloe
	5H216 Glacier	3DN01 Spring Wood	5H116 Glacier
	5H217 Ultramarine	3DN02 Poplar	5H117 Ultramarine
	5H218 Nightfall	3DN03 Pewter	5H118 Nightfall
	5H219 Bluebell	3DN04 Deep Sea	5H119 Bluebell
	5H220 Boysenberry	3DN05 Fir	5H120 Boysenberry
	5H221 Nightfall/Bluebell	3DN06 Nutmeg	
	5H222 Patina/Alpine		Stretch Knit
	5H223 Cayenne/Glacier	Slant	Seating
	5H224 Tea Rose/Olive	Workspaces	Assigned lead-time textile. ^A
	5H225 Silt/Blaze	66" wide	Available only on Sayl®
		51% polyester	Suspension Back Work Chairs
		49% recycled polyester	97% polyester, 3% spandex
		22F04 Pesto	3DK01 Fog
		22F06 Neptune	3DK02 Slate Grey
		22F07 Blueberry	3DK03 Java
		22F10 Pumpkin	3DK04 Black
		22F12 Silver Birch	3DK05 Red
		22F13 Bluestone	3DK06 Green Apple
		22F15 Shale	3DK07 Berry Blue

Price category 1 continued on next page

- Maharam textiles are on assigned lead times ^A.
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category 1

continued

Tailored	
Ancillary/Seating/Workspaces	
54" wide	
56% polyester	
44% recycled polyester	
23501	Studio White * **
23502	Sugar *
23503	Tomato
23506	Chive
23508	Cobalt
23509	Cadet
23510	Fog
23511	Graphite
23512	Black
23513	Coffee

* Colors not available on Plex™ Lounge Furniture.

** Color not available on Canvas Tiles.

Tuck 3D Knit	
Seating	
Available only on Fuld Nesting Chairs.	
knit to size	
56% polyester	
44% recycled polyester	
9NK01	Alpine
9NK02	Carbon
9NK03	Nightfall
9NK04	Olive
9NK05	Cocoa
9NK06	Canyon

Whisper	
Ancillary/Seating/Workspaces	
54" wide	
73% recycled polyester	
27% polyester	
with 11.3% ocean bound plastic	
1WS01	Sand Dollar
1WS02	Pebble
1WS03	Silver Birch
1WS04	Iceberg
1WS05	Silver Pine
1WS06	Carbon
1WS07	Cumin
1WS12	Willow
1WS13	Sea Grass
1WS14	Pool
1WS15	Blueberry
1WS16	Glacier
1WS17	Grey
1WS18	Canyon

Price Category 2

Aristo	
Ancillary/Seating/Workspaces	
54" wide	
88% recycled polyester	
12% polyester	
Acrylic backing	
3AR01	Forest Moss
3AR02	Light Brindle
3AR03	Mink
3AR04	Copper
3AR05	Adobe
3AR06	Cherry
3AR07	Lilac
3AR08	Green Apple
3AR09	Surf
3AR10	Waterfall
3AR11	Cadet
3AR12	Tin
3AR13	Pewter
3AR14	Grey Brindle
3AR15	Grey Black

Cord	
Workspaces	
66" wide	
51% antimony-free polyester	
49% polyester	
5101	Ivory
5102	White Ash
5103	Linen
5104	Bamboo
5105	Sepia
5107	Sesame
5109	Bayou
5111	Spring Wood
5112	Summer White

Crepe	
Ancillary/Seating/Workspaces	
54" wide	
100% recycled polyester,	
with 43.6% ocean bound plastic	
9201	Licorice
9203	Smoke
9207	Cherry
9223	Cadet
9241	Beachglass
9249	Stone *
9251	Fog *
9252	Slate Grey
9261	Shale
9262	Graphite
9265	Mineral
9266	Persimmon
9267	Juniper
9268	Glacier
9269	Cascade
9270	Navy

* Colors available on Exclave® Video-friendly Tackable Boards and Stowage Tackable Backdrop.

Price category 2 continued on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category 2

continued

Appendix: Textile Colors

Epic	
Ancillary/Seating/Workspaces	
54" wide	
56% recycled polyester	
44% polyester	
Acrylic backing	
3EP01	Alabaster
3EP02	Smoke
3EP03	Falcon
3EP05	Copper
3EP06	Urban Orange
3EP07	Poppy
3EP10	Clover
3EP11	Loden
3EP14	Peacock
3EP15	Cadet
3EP16	Indigo
3EP17	Spring Wood
3EP18	Grey Brindle
3EP19	Seed
3EP20	Carbon Dark
Hint	
Ancillary/Seating/Workspaces	
54" wide	
76% recycled polyester	
24% polyester	
3DP01	Sediment
3DP02	Gunmetal
3DP03	Silt
3DP04	Porcelain
3DP05	Indigo
3DP06	Fern
3DP07	Adobe
3DP08	Red Sea

Horizon	
Workspaces	
54" wide	
65% antimony-free polyester	
35% polyester	
4N01	Rye Grass
4N02	Sugar Pine
4N03	Silver Pine
4N04	White Ash
4N05	Spring Wood
4N08	Haystack
4N09	Oat Grass
4N13	Pine Cone
4N15	Elderberry
Marvel	
Ancillary/Seating	
54" wide	
100% pvc-free polyurethane	
antimicrobial, antibacterial finish	
1MV01	Summer White
1MV02	Sand Dollar
1MV03	Espresso
1MV04	Folkstone Grey
1MV05	Graphite
1MV06	Onyx
1MV07	Polar Blue
1MV08	Blush Grey
1MV12	Red
1MV14	Pine
1MV15	Teal Green
1MV16	Twilight

Medley	
Ancillary/Seating/Workspaces	
54" wide	
100% polyester	
1HA01	Stone *
1HA02	Trail
1HA03	Charcoal
1HA04	Cinder
1HA07	Chutney
1HA09	Feather Grey *
1HA11	Loden
1HA13	Bayou *
1HA14	Blue Grotto
1HA15	Blueberry
1HA22	Khaki
1HA23	Pewter
1HA24	Yellow Oxide
1HA25	Vintage Rose
1HA26	Raspberry
1HA27	Acai Berry
* Colors available on Exclave®	
Video-friendly Tackable Boards	
and Stowage Tackable Backdrop	
Mellow	
Ancillary/Seating/Workspaces	
54" wide	
100% recycled polyester,	
with 16% ocean bound plastic	
4ME01	Mineral
4ME04	Olive
4ME05	Glacier
4ME06	Oceanside
4ME07	Charcoal

Metaphor – Maharam	
Ancillary/Seating/Workspaces	
54" wide	
100% polyester	
Acrylic backing	
ZMA01/466553-001	Afterfeather *
ZMA02/466553-002	Moonflower
ZMA03/466553-003	Handcraft
ZMA04/466553-004	Crossroad
ZMA05/466553-005	Chondrite
ZMA06/466553-006	Detective
ZMA07/466553-007	Steamship
ZMA08/466553-008	Electricity
ZMA09/466553-009	Takeoff
ZMA10/466553-010	Parachute
ZMA11/466553-011	Blueshift
ZMA12/466553-012	Dockyard
ZMA13/466553-013	Bathe
ZMA14/466553-014	Icebound
ZMA15/466553-015	Thermosphere
ZMA16/466553-016	Aboard
ZMA17/466553-017	Agaware
ZMA18/466553-018	Homeland
ZMA19/466553-019	Rockfall
ZMA20/466553-020	Undergrowth
ZMA21/466553-021	Gremolata
ZMA22/466553-022	Patina
ZMA23/466553-023	Sylvan
ZMA24/466553-024	Outfield
ZMA25/466553-025	Windbreak
ZMA26/466553-026	Saguaro

Price category 2 continued on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category 2

continued

Metaphor continued

ZMA27/466553-027	Barnwood
ZMA28/466553-028	Cookshop
ZMA29/466553-029	Amandine
ZMA30/466553-030	Bodhran
ZMA31/466553-031	Centerstage
ZMA32/466553-032	Focaccia
ZMA33/466553-033	Bumblebee
ZMA34/466553-034	Microbrew
ZMA35/466553-035	Sauna
ZMA36/466553-036	Gazebo
ZMA37/466553-037	Pirouette
ZMA38/466553-038	Heartbeat
ZMA39/466553-039	Shino
ZMA40/466553-040	Sunrise
ZMA41/466553-041	Florist
ZMA42/466553-042	Beadwork
ZMA43/466553-043	Framboise
ZMA44/466553-044	Wisteria
ZMA45/466553-045	Warrior

* Colors not available on Eames Aluminum Group, Soft Pad, Sofa Compact, Molded Fiberglass/Plastic Chairs, Task Chair, Wire Chairs, Nelson Platform Bench Cushion, Swoop Plywood Lounge Chair.

Muse – Maharam

Ancillary/Seating/Workspaces	
54" wide	
100% post-consumer recycled polyester	
8I101/466487-001	Crescendo
8I102/466487-002	Resonate
8I103/466487-003	Runway
8I104/466487-004	Ascend
8I105/466487-005	Veil *
8I106/466487-006	Refresh *
8I107/466487-007	Clear *
8I108/466487-008	Fantasy
8I109/466487-009	Miso
8I110/466487-010	Compass
8I111/466487-011	Bergamot *
8I112/466487-012	Grasshopper

Muse continued

8I113/466487-013	Goal
8I114/466487-014	Mistletoe
8I115/466487-015	Seaglass *
8I116/466487-016	Frigid
8I117/466487-017	Riverbend
8I118/466487-018	Noble
8I119/466487-019	Pulsar
8I120/466487-020	Veleva
8I121/466487-021	Sailboat
8I122/466487-022	Sparse
8I123/466487-023	Vase
8I124/466487-024	Haven
8I125/466487-025	Mead
8I126/466487-026	Neat
8I127/466487-027	Jovial
8I128/466487-028	Theater
8I129/466487-029	Poinsettia
8I130/466487-030	Celebrate
8I131/466487-031	Spectacle

* Colors not available on Valor Seating.

Rhythm

Ancillary/Seating	
54" wide	
100% polyester	
3002	Green Apple
3004	Bayou
3005	Berry Blue
3006	Iris
3007	Twilight
3009	Poppy
3010	Molasses
3012	Khaki
3013	Mink
3014	Black *
3015	Charcoal *

* Colors available on Embody® Chair.

Sequel

Ancillary/Seating/Workspaces	
54" wide	
100% vinyl	
100% polyester knit backing	
Resilience® finish	
3SL01	White
3SL02	Pebble
3SL03	Mushroom
3SL04	Stone
3SL06	Rattan
3SL09	Seal
3SL10	Blue Fog
3SL11	Folkstone
3SL12	Shale
3SL13	Slate Grey
3SL14	Charcoal
3SL15	Carbon Dark
3SL28	Navy *

* Color available on Eames® Tandem Sling Seating.

Terra

Ancillary/Seating/Workspaces	
54" wide	
100% post-consumer recycled biodegradable polyester *	
4TE01	Spring Wood
4TE02	Zinc
4TE03	Pine Cone
4TE04	Charcoal

* 1% biodegradation in 1,278 days under ASTM D5511 conditions. No evidence of further degradation.

Twine

Workspaces	
66" wide	
100% recycled polyester	
3TW01	Silver Birch
3TW02	Ivory
3TW03	Alabaster
3TW04	Bamboo
3TW05	Iceberg
3TW06	Charcoal
3TW07	Feather Grey
3TW08	Shale

Twist

Ancillary/Seating/Workspaces	
54" wide	
80% antimony-free polyester	
13% recycled polyester	
7% polyester	
8R05	Wicker
8R10	Poppy
8R14	Tin
8R15	Shale
8R16	Graphite
8R17	Birch
8R18	Sepia
8R22	Blueberry
8R23	Green Apple
8R26	Gunmetal
8R27	Cinder
8R29	Pekoe
8R33	Forest
8R35	Waterfall
8R36	Midnight Blue
8R37	Carbon Dark

Twist

Workspaces	
For workspaces products only.	
54" wide	
80% antimony-free polyester	
13% recycled polyester	
7% polyester	
5S03	Oyster

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category 3

Appendix: Textile Colors

Ace		Ground Cloth®		Meld continued		Parcel	
Ancillary/Seating		Workspaces		ZM209/466387-209 Bulb		Ancillary/Seating/Workspaces	
54" wide		66" wide		ZM210/466387-210 Bride		54" wide	
100% polyurethane		100% polyester		ZM211/466387-211 Stark		100% recycled polyester	
Polyester knit backing		4701 Vapor Grey		ZM212/466387-212 Seashell		4GE01 Gunmetal	
Stain resistant finish		4721 Warm White *		ZM213/466387-213 Antler		4GE02 Brindle	
3AC01 Summer White		4722 Fog *		ZM214/466387-214 Crater *		4GE03 Bayou	
3AC02 White Ash		4723 Straw *		ZM215/466387-215 Perennial		4GE04 Pesto	
3AC03 Rye		4724 Red Orange *		ZM216/466387-216 Mulberry		4GE05 Golden Olive	
3AC04 Metal		4726 Green Apple *		ZM217/466387-217 Fuchsia *		4GE06 Copper Sea	
3AC05 Clay		4727 Caribbean *		ZM218/466387-218 Amethyst *			
3AC06 Chestnut		4728 Midnight *		ZM219/466387-219 Merlot			
3AC08 Camelback		4729 Cappuccino *		ZM220/466387-220 Magma *			
3AC09 Chipotle				ZM221/466387-221 Rooster			
3AC12 Artichoke		* Colors available on Exclave®		ZM222/466387-222 Heat *			
3AC13 Sepia Dark		Video-friendly Tackable Boards		ZM223/466387-223 Clementine			
3AC14 Aloe		and Stowage Tackable Backdrop		ZM224/466387-224 Fox			
3AC15 Flint				ZM225/466387-225 Kiss *			
3AC16 Blue Sky				ZM226/466387-226 Bare			
3AC17 Oceanside				ZM227/466387-227 Blonde			
3AC18 Midnight				ZM228/466387-228 Mimosa			
3AC20 Frost				ZM229/466387-229 Comet *			
3AC21 Lead				ZM230/466387-230 Honeydew			
3AC22 Black				ZM231/466387-231 Wild *			
				ZM232/466387-232 Vine			
				ZM233/466387-233 Seed			
				ZM234/466387-234 Kale *			
				ZM235/466387-235 Waterfall *			
				ZM236/466387-236 Nordic *			
				ZM237/466387-237 Reef *			
				ZM238/466387-238 Wave			
				ZM239/466387-239 Isle **			
				ZM240/466387-240 Creek			
				ZM241/466387-241 Mariner *			
				ZM242/466387-242 Globe			
				ZM243/466387-243 Spa			

Textile Colors

continued

Price Category 3

continued

Strands	
Workspaces	
66" wide	
100% recycled polyester	
8W01	Pebble
8W02	Porcelain
8W03	Taupe
8W04	Honey
8W05	Khaki
8W06	Rye
8W07	Wicker
8W08	Tin
8W09	Cool Grey

Price Category 4

Cygnus	
Ancillary	
For Eames® Aluminum Group Chairs	
69% elastomeric	
31% polyester	
5401	Black
5402	Zinc
5403	Quartz

Daydream	
Ancillary/Seating/Workspaces	
54" wide	
48% wool	
41% recycled polyester	
9% nylon	
2% polyester	
3DM01	Rye Grass
3DM02	Silver Birch
3DM03	Pewter
3DM04	Graphite
3DM05	Black
3DM06	Lemongrass
3DM07	Permission
3DM08	Juniper
3DM09	Sea Grass
3DM10	Nightfall

Hush	
Workspaces	
66" wide	
80% polyester	
20% viscose	
1HS01	Canyon
1HS02	Pesto
1HS03	Bayou
1HS04	Greystone
1HS05	Charcoal
1HS06	Rye Grass
1HS07	Cool Grey
1HS08	Dark Grey
1HS09	Aqua Green
1HS10	Nightfall

Kalista - Geiger Textile	
Ancillary	
54" wide	
71% post-industrial recycled cotton	
18% post-industrial recycled polyester	
11% polyester	
PFOA-Free stain resistant finish	
1AL01	Cotton
1AL02	Natural
1AL03	Titanium
1AL04	Pewter
1AL05	Starry Night
1AL06	Red Hot
1AL07	Sun Kissed
1AL08	Dune
1AL09	Beach Glass
1AL10	Bluestone
1AL11	Seaside
1AL12	Night Sky

Lariat – Maharam	
Ancillary/Seating	
54" wide	
100% vinyl	
ZLR01/440401-001	001
ZLR02/440401-002	002
ZLR04/440401-004	004
ZLR06/440401-006	006
ZLR07/440401-007	007
ZLR08/440401-008	008
ZLR10/440401-010	010
ZLR11/440401-011	011
ZLR13/440401-013	013
ZLR14/440401-014	014
ZLR15/440401-015	015
ZLR16/440401-016	016
ZLR18/440401-018	018
ZLR20/440401-020	020
ZLR21/440401-021	021
ZLR24/440401-024	024
ZLR25/440401-025	025
ZLR26/440401-026	026

Lariat continued	
ZLR28/440401-028	028
ZLR31/440401-031	031
ZLR32/440401-032	032
ZLR33/440401-033	033
ZLR34/440401-034	034
ZLR38/440401-038	038
ZLR39/440401-039	Granite
ZLR40/440401-040	Linen
ZLR41/440401-041	Stella
ZLR42/440401-042	Saddle
ZLR43/440401-043	Holly
ZLR44/440401-044	Maroon
ZLR45/440401-045	Siren
ZLR46/440401-046	Reseda
ZLR47/440401-047	Purslane
ZLR48/440401-048	Spire
ZLR49/440401-049	Papyrus
ZLR50/440401-050	Chickadee
ZLR51/440401-051	Requiem

Sync	
Ancillary/Seating	
55" wide	
100% polyester	
3SY01	Pine Cone
3SY03	Canyon
3SY04	Truffle
3SY06	Everglade
3SY08	Nightfall
3SY09	Dark Mineral
3SY10	Slate Grey
3SY11	Dark Carbon
3SY12	Black

Appendix: Textile Colors

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category 5

Appendix: Textile Colors

Arlo - Maharam	
Ancillary/Seating	
70% wool	
30% polyester	
5YT01	Turn
5YT02	Embers
5YT03	Parallel
5YT04	Octave
5YT05	Musing
5YT06	Summon
5YT07	Dynamic
5YT08	Signals
5YT09	Aspect
5YT10	Dedicate
5YT11	Juniper
5YT12	Cilantro
5YT13	Hawthorn
5YT14	Thread
5YT15	Spalted
5YT16	Warmer
5YT17	Misted
5YT18	Share
5YT19	Chord
5YT20	Heroic
5YT21	Arpeggio
5YT22	Roots
5YT23	Sumac
5YT24	Purl
5YT25	Homeward
Cozy	
Ancillary/Seating	
54" wide	
100% wool	
3CY01	Heathered Warm Grey
3CY02	Heathered Rye Grass
3CY03	Heathered Cool Grey
3CY05	Heathered Black
3CY06	Heathered Persimmon
3CY07	Heathered Loden
3CY09	Heathered Lagoon
3CY10	Heathered Twilight

Hopsak	
Ancillary/Seating/Workspaces	
56" wide	
100% recycled polyester	
14A20	Black
14A22	Raw Umber Dark
14A26	Grey Blue Dark
14A30	Sepia Dark
14A38	Emerald Dark
14A39	Yellow Dark
14A40	Orange
14A41	Sienna
14A42	Olive Green Dark
14A43	Crimson
14A44	Crimson Dark Dark
14A45	Violet Dark
14A46	Pink Dark Dark
14A47	Ultramarine Dark
14A48	Cobalt Blue
14A49	Terra Cotta
14A50	Ochre Dark
Ingenuie - Geiger Textile	
Ancillary	
54" wide	
28% wool	
26% viscose	
25% acrylic	
16% polyester	
5% cotton	
PFOA-Free stain resistant finish	
1GH01	Sand
1GH02	Fog
1GH03	Flannel
1GH04	Trench
1GH05	Vermillion
1GH06	Adriatic
1GH07	Umber
1GH08	Charcoal

Method - Maharam	
Ancillary/Seating/Workspaces	
54" wide	
100% recycled polyester	
with 9% ocean-bound plastic	
40G01/466579-001	Inspire
40G02/466579-002	Rhea
40G03/466579-003	Noise
40G04/466579-004	Speedway
40G05/466579-005	Villanelle
40G06/466579-006	Maestro
40G07/466579-007	Destiny
40G08/466579-008	Possess
40G09/466579-009	Waterside
40G10/466579-010	Relax
40G11/466579-011	Delightful
40G12/466579-012	Parrotlet
40G13/466579-013	Verdurous
40G14/466579-014	Bosky
40G15/466579-015	Acreage
40G16/466579-016	Allude
40G17/466579-017	Tweed
40G18/466579-018	Korma
40G19/466579-019	Fossilize
40G20/466579-020	Cattail
40G21/466579-021	Shortcake
40G22/466579-022	Racecar
40G23/466579-023	Courtship
40G24/466579-024	Jam
40G25/466579-025	Sparrow

Nico - Maharam	
Ancillary/Seating/Workspaces	
54" wide	
63% wool	
21% polyester	
16% solution-dyed nylon	
ZNC01/466564-001	Alcazar
ZNC02/466564-002	Ironclad
ZNC03/466564-003	Tune
ZNC04/466564-004	Bridegroom
ZNC05/466564-005	Diode
ZNC06/466564-006	Jest
ZNC07/466564-007	Sanctuary
ZNC08/466564-008	Aquarius
ZNC09/466564-009	Houseboat
ZNC10/466564-010	Olympian
ZNC11/466564-011	Tennis
ZNC12/466564-012	Dressage
ZNC13/466564-013	Zing
ZNC14/466564-014	Bitterroot
ZNC15/466564-015	Gemini
ZNC16/466564-016	Posh
ZNC17/466564-017	Sizzle
ZNC18/466564-018	Cheerful
ZNC19/466564-019	Watermelon
ZNC20/466564-020	Toucan
ZNC21/466564-021	Rosin
ZNC22/466564-022	Jousting
ZNC23/466564-023	Jojoba
ZNC24/466564-024	Dromedary
ZNC25/466564-025	Toasty
ZNC26/466564-026	Casaba
ZNC27/466564-027	Greenhouse
ZNC28/466564-028	Sibyl
ZNC29/466564-029	Spearmint
ZNC30/466564-030	Pothos
ZNC31/466564-031	Calathea
ZNC32/466564-032	Landscape
ZNC33/466564-033	Espalier
ZNC34/466564-034	Gecko
ZNC35/466564-035	Meditation

Price category 5 continued on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category 5

continued

Summit	
Ancillary/Seating	
54" wide	
100% silicone	
Polyester knit backing	
3SU02	Oyster
3SU03	Zinc
3SU04	Sparrow
3SU07	Black
3SU09	Beachglass
3SU10	Midnight

Vionette - Geiger Textile	
Ancillary	
55" wide	
100% polyester	
1GJ01	White Sand Mix
1GJ02	Desert Mix
1GJ03	Light Gray Mix
1GJ04	Pewter Mix
1GJ05	Cobalt Mix
1GJ06	Prussian Blue Mix
1GJ07	Chocolate Mix
1GJ08	Champagne
1GJ09	Morning Sky
1GJ10	Aquatic
1GJ11	Sapphire
1GJ12	Midnight Blue
1GJ13	Shadow
1GJ14	Java
1GJ15	Carbon
1GJ16	Black
1GJ17	Claret
1GJ18	Poppy

Price Category 6

Balance	
Seating	
For Embody® chairs	
100% polyester	
3512	Carbon
3513	Black

Outdoor Weave	
Ancillary	
For Eames® Aluminum Group	
Outdoor Chairs	
50% elastomeric	
50% polypropylene	
7203	Lead
7205	Graphite

Price Category 7

Customer's Own Leather	
See Order Information in	
Appendices. Assigned lead-time	
textile. A	

Bamboo	
Ancillary	
83% bamboo	
17% polyurethane	
1BB01	Ivory
1BB02	Russet
1BB03	Black

Beck – Maharam	
Ancillary/Seating	
55" wide	
78% wool	
22% nylon	
ZB301/466571-001	Overshadow
ZB302/466571-002	Molecule
ZB303/466571-003	Zeitgeist
ZB304/466571-004	Blacksmith
ZB305/466571-005	Cornerstone
ZB306/466571-006	Chainmail
ZB307/466571-007	Buckram
ZB308/466571-008	Callisto
ZB309/466571-009	Interlude
ZB310/466571-010	Letterpress
ZB311/466571-011	Memoir
ZB312/466571-012	Litmus
ZB313/466571-013	Stoic
ZB314/466571-014	Inkpad
ZB315/466571-015	Praxis
ZB316/466571-016	Astute
ZB317/466571-017	Percolate
ZB318/466571-018	Halocline
ZB319/466571-019	Semblance
ZB320/466571-020	Loch
ZB321/466571-021	Lido
ZB322/466571-022	Underwater
ZB323/466571-023	Tetrapod
ZB324/466571-024	Nymph
ZB325/466571-025	Appalachian

Beck continued	
ZB326/466571-026	Menthol
ZB327/466571-027	Woodruff
ZB328/466571-028	Malachite
ZB329/466571-029	Botanist
ZB330/466571-030	Woodlet
ZB331/466571-031	Katydid
ZB332/466571-032	Exuberant
ZB333/466571-033	Retrospect
ZB334/466571-034	Lambic
ZB335/466571-035	Argil
ZB336/466571-036	Brushstroke
ZB337/466571-037	Candescent
ZB338/466571-038	Reedbuck
ZB339/466571-039	Clayware
ZB340/466571-040	Curio
ZB341/466571-041	Whimsy
ZB342/466571-042	Effervescent
ZB343/466571-043	Lingonberry
ZB344/466571-044	Resplendent
ZB345/466571-045	Hollyhock
ZB346/466571-046	Filigree
ZB347/466571-047	Plutonic
ZB348/466571-048	Foundry
ZB349/466571-049	Patisserie
ZB390	Gold 007/032/033 *
ZB391	Russet 036/040/039 *
ZB392	Indigo 008/013/014 *
ZB393	Forest 006/031/028 *

* Colors available only on
Girard Color Wheel Ottoman.

Price category 7 continued on
next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category 7

continued

Appendix: Textile Colors

Bellano - Geiger Textile	
Ancillary	
55" wide	
75% wool	
10% linen	
8% nylon	
7% alpaca	
1AX01	Pearl
1AX02	Fog
1AX03	Fawn
1AX04	Pumice
1AX05	Pewter
1AX06	Atlantic
1AX07	Black Green
1AX08	Adriatic
1AX09	Coffee
1AX10	Charcoal
1AX11	Umber
1AX12	Magenta
1AX13	Bittersweet
1AX14	Sunflower
Capri - Geiger Textile	
Ancillary	
55" wide	
36% cotton	
32% acrylic	
24% rayon	
8% polyester	
PFOA-Free stain resistant finish	
Acrylic backing	
17201	Snow
17202	Stone
17203	Trench
17204	Graphite
17205	Anthracite
17206	Light Silver
17207	Russet
17208	Chestnut Brown
17209	Sand
17210	Sterling
17211	Cobalt
17212	Ink

Mantle - Maharam	
Ancillary/Seating	
59% recycled polyester	
37% polyester	
4% spandex	
8PV01	Pavement
8PV02	Future
8PV03	Piper
8PV04	Manifesto
8PV05	Mapo
8PV06	Redwood
8PV07	Rocky
8PV08	Impala
8PV09	Warbler
8PV10	Guild
8PV11	Kinetic
8PV12	Behold
8PV13	Orb
8PV14	Sport
8PV15	Utopia
8PV16	True
8PV17	Galore
8PV18	Parsley
8PV19	Dare
8PV20	Branzino
8PV21	Network
8PV22	Standard
8PV23	Salamander
8PV24	Oscillate
Milaner - Geiger Textile	
Ancillary	
55" wide	
56% wool, 10% acrylic	
10% alpaca, 10% cotton	
8% nylon, 6% rayon	
17101	Linen
17102	Flax
17103	Bark
17104	Deep Navy
17105	Charcoal
17106	Medium Grey
17107	Ash
17108	Crimson

Panno di Dolce - Geiger Textile	
Ancillary	
55" wide	
65% wool	
20% nylon	
15% alpaca	
1AV01	Fog
1AV02	Dune
1AV03	Trench
1AV04	Flannel
1AV05	Charcoal
1AV06	Umber
1AV07	Deep Navy
1AV08	Graphite
1AV09	Orange
1AV10	Pink
1AV11	Deep Red
1AV12	Bright Green
1AV13	Cerulean Blue
1AV14	Deep Cerulean Blue
Pristina - Geiger Textile	
Ancillary	
55" wide	
37% wool	
25% viscose	
17% acrylic	
15% cotton	
6% polyester	
PFOA-Free stain resistant	
1JC01	Dove
1JC02	Goldstone
1JC03	Daybreak
1JC04	Pumice
1JC05	Cappuccino
1JC06	Gunmetal
1JC07	Caspian
1JC08	Café Noir

Resca - Geiger Textile	
Ancillary	
56" wide	
75% wool	
10% linen	
8% nylon	
7% alpaca	
1AW01	Fog
1AW02	Dune
1AW03	Trench
1AW04	Flannel
1AW05	Umber
1AW06	Bordeaux
Rowan - Maharam	
Ancillary/Seating	
77% wool	
12% nylon	
6% acrylic	
5% linen	
5K301	Kingdom
5K302	Northern
5K303	Rabbit
5K304	Elephant
5K305	Furrow
5K306	Heirloom
5K307	Appear
5K308	Repose
5K309	Blackcurrant
5K310	Courage
5K311	Bordeaux
5K312	Cherish
5K313	Brickfield
5K314	Hibiscus
5K315	Carnelian
5K316	Cinnabar
5K317	Toasted
5K318	Revea
5K319	Cortado
5K320	Medallion
5K321	Polenta

Price category 7 continued on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category 7

continued

Rowan continued

5K322	Prized
5K323	Travertine
5K324	Companion
5K325	Library
5K326	Fable
5K327	Pixie
5K328	Arboretum
5K329	Ease
5K330	Sapling
5K331	Cottonwood
5K332	Scout
5K333	Valleyside
5K334	Ornament
5K335	Zucchini
5K336	Ethereal
5K337	Springtide
5K338	Traverse
5K339	Untold
5K340	Flowing
5K341	Laguna
5K342	Cerulean
5K343	Soundscape
5K344	Message
5K345	Freefall
5K346	Musical
5K347	Puzzle
5K348	Operatic
5K349	Daydream
5K350	Shale
5K351	Forward
5K352	Anthracite

Vesture - Geiger Textile

Ancillary	
55" wide	
40% wool, 25% polyester	
20% silk, 15% nylon	
PFOA-Free stain resistant finish	
21701	Ashen
21702	Dark Blush
21703	Dusk
21704	Medium Gray
21705	Twilight

Wool Epinglé - Geiger Textile

Ancillary	
54" wide	
100% wool	
16201	Swiss Red
16202	Orange
16203	Light Chestnut Brown
16204	Light Burnt Umber
16205	Pale Native Umber
16207	Grey
16208	Natier Blue
16209	Deep Cerulean Blue
16210	Anthracite
16211	Natural Native Umber
16212	Chestnut Brown

Wool Tweed - Geiger Textile

Ancillary	
54" wide	
80% wool, 20% nylon	
16601	Trench
16602	Pewter
16603	Ruby
16604	Blue Gray
16605	Navy
16606	Umber
16607	Charcoal

Price Category 8

Breeze - Maharam

Workspaces	
120" wide	
65% FR polyester	
35% post-consumer recycled	
FR polyester	
1QG06/283817-006	Meteorite
1QG09/283817-009	Serum

Luce - Maharam

Ancillary/Seating	
59" wide	
75% post-consumer recycled wool	
20% polyester	
5% nylon	
ZLU01/466566-001	Brioche
ZLU02/466566-002	Blanched
ZLU03/466566-003	Relic
ZLU04/466566-004	Sinter
ZLU05/466566-005	Scoria
ZLU06/466566-006	Austere
ZLU07/466566-007	Pigment
ZLU08/466566-008	Alkali
ZLU09/466566-009	Tidal
ZLU10/466566-010	Imbue
ZLU11/466566-011	Reservoir
ZLU12/466566-012	Brine
ZLU13/466566-013	Undertone
ZLU14/466566-014	Prelude
ZLU15/466566-015	Submerge
ZLU16/466566-016	Cypress
ZLU17/466566-017	Awash
ZLU18/466566-018	Adriatic
ZLU19/466566-019	Province
ZLU20/466566-020	Virescent
ZLU21/466566-021	Nettle
ZLU22/466566-022	Agrarian
ZLU23/466566-023	Serpentine
ZLU24/466566-024	Laurel
ZLU25/466566-025	Clarion
ZLU26/466566-026	Gooseberry
ZLU27/466566-027	Swelter
ZLU28/466566-028	Etruscan
ZLU29/466566-029	Coulis
ZLU30/466566-030	Rubescence

Luce continued

ZLU31/466566-031	Akoya
ZLU32/466566-032	Radiant
ZLU33/466566-033	Regent
ZLU34/466566-034	Spectral
ZLU35/466566-035	Thistle

Tempo - Maharam

Ancillary	
55" wide	
100% polyester	
Polyester backing	
26S01/466589-001	Chert
26S02/466589-002	Grandstand
26S03/466589-003	Restful
26S04/466589-004	Battleship
26S05/466589-005	Lavender
26S06/466589-006	Dockside
26S07/466589-007	Swimming
26S08/466589-008	Ambience
26S09/466589-009	Adornment
26S10/466589-010	Remedy
26S11/466589-011	Fang
26S12/466589-012	Inshore
26S13/466589-013	Camouflage
26S14/466589-014	Mesclun
26S15/466589-015	Farmland
26S16/466589-016	Tadpole
26S17/466589-017	Purr
26S18/466589-018	Snowman
26S19/466589-019	Beehive
26S20/466589-020	Gazelle
26S21/466589-021	Shiitake
26S22/466589-022	Flaxseed
26S23/466589-023	Crawdadd
26S24/466589-024	Flowery
26S25/466589-025	Burgundy
26S26/466589-026	Rangoli
26S27/466589-027	Petunia
26S28/466589-028	Campsite

Price category 8 continued on next page

- Maharam textiles are on assigned lead times ^A.
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category 8

continued

Price Category 9

Appendix: Textile Colors

Whim	
Ancillary	
54" wide	
34% viscose	
33% acrylic	
17% wool	
8% polyester	
9DA01	Warm White
9DA02	Rye
9DA03	Mustard Seed
9DA04	Terra Cotta
9DA05	Fir
9DA06	Navy
9DA07	Pewter

Alpaca Mohair - Geiger Textile	
Ancillary	
54" wide	
63% alpaca	
21% cotton, 16% polyester	
18510	Dune
18511	Trench
18512	Vicuna
18570	Sepia
18571	Umber
18580	Fog
18581	Flannel
18582	Charcoal

Campana – Maharam	
Ancillary/Seating	
59" wide	
85% wool	
15% nylon	
ZC001/466571-001	Viverine
ZC002/466571-002	Lithograph
ZC003/466571-003	Moonscape
ZC004/466571-004	Brevity
ZC005/466571-005	Linear
ZC006/466571-006	Hinterland
ZC007/466571-007	Mural
ZC008/466571-008	Sloe
ZC009/466571-009	Interstellar
ZC010/466571-010	Mythology
ZC011/466571-011	Scintillate
ZC012/466571-012	Succession
ZC013/466571-013	Visceral
ZC014/466571-014	Hemisphere
ZC015/466571-015	Troposphere
ZC016/466571-016	Skye
ZC017/466571-017	Seaward
ZC018/466571-018	Nemorous
ZC019/466571-019	Allegory
ZC020/466571-020	Olivine
ZC021/466571-021	Reptilian
ZC022/466571-022	Basil
ZC023/466571-023	Fanleaf
ZC024/466571-024	Beachgrass
ZC025/466571-025	Hayfield

Campana continued	
ZC026/466571-026	Freesia
ZC027/466571-027	Rhodium
ZC028/466571-028	Undercoat
ZC029/466571-029	Airbrush
ZC030/466571-030	Shellfish
ZC031/466571-031	Mojave
ZC032/466571-032	Renaissance
ZC033/466571-033	Decoupage
ZC034/466571-034	Outback
ZC035/466571-035	Millipede

Gemma – Maharam	
Ancillary/Seating	
55" wide	
85% wool	
15% nylon	
ZGE01/466568-001	Crinoline
ZGE02/466568-002	Angelic
ZGE03/466568-003	Savory
ZGE04/466568-004	Honeycomb
ZGE05/466568-005	Gilded
ZGE06/466568-006	Paddleboat
ZGE07/466568-007	Stagecoach
ZGE08/466568-008	Waterbuck
ZGE09/466568-009	Earnest
ZGE10/466568-010	Auric
ZGE11/466568-011	Carmine
ZGE12/466568-012	Serape
ZGE13/466568-013	Ferric
ZGE14/466568-014	Canyon
ZGE15/466568-015	Alembic
ZGE16/466568-016	Patio
ZGE17/466568-017	Sorrel
ZGE18/466568-018	Root

Gemma continued	
ZGE19/466568-019	Mansion
ZGE20/466568-020	Buff
ZGE21/466568-021	Starch
ZGE22/466568-022	Dawn
ZGE23/466568-023	Countryside
ZGE24/466568-024	Dewy
ZGE25/466568-025	Reliquary
ZGE26/466568-026	Deluge
ZGE27/466568-027	Overlay
ZGE28/466568-028	Electron
ZGE29/466568-029	Sheath
ZGE30/466568-030	Quietude
ZGE31/466568-031	Jargon
ZGE32/466568-032	Powder
ZGE33/466568-033	Tide
ZGE34/466568-034	Outwash
ZGE35/466568-035	Enamored
ZGE36/466568-036	Smitten
ZGE37/466568-037	Revere
ZGE38/466568-038	Mangosteen
ZGE39/466568-039	Allium
ZGE40/466568-040	Immense
ZGE41/466568-041	Chamber
ZGE42/466568-042	Cosmos
ZGE43/466568-043	Inkling
ZGE44/466568-044	Rainwater
ZGE45/466568-045	Shade
ZGE46/466568-046	Pendant
ZGE47/466568-047	Axial
ZGE48/466568-048	Fervent
ZGE49/466568-049	Legacy
ZGE50/466568-050	Caliber
ZGE51/466568-051	Temple
ZGE52/466568-052	Evenfall

Price category 9 continued on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category 9

continued

Jasper - Maharam
Ancillary/Seating
53" wide
55% wool
27% solution-dyed nylon
18% cotton
ZJA01/466563-001 Thrill
ZJA02/466563-002 Anise
ZJA03/466563-003 Grapefruit
ZJA04/466563-004 Lifeguard
ZJA05/466563-005 Heartfelt
ZJA06/466563-006 Corsage
ZJA07/466563-007 Earthenware
ZJA08/466563-008 Bear
ZJA09/466563-009 Firelight
ZJA10/466563-010 Dreamcatcher
ZJA11/466563-011 Bobcat
ZJA12/466563-012 Glacial
ZJA13/466563-013 Vaporize
ZJA14/466563-014 Trapdoor
ZJA15/466563-015 Halcyon
ZJA16/466563-016 Observatory
ZJA17/466563-017 Steamboat
ZJA18/466563-018 Aquathlon
ZJA19/466563-019 Cloudless
ZJA20/466563-020 Briny
ZJA21/466563-021 Magical
ZJA22/466563-022 Picnic
ZJA23/466563-023 Herbage
ZJA24/466563-024 Pasture
ZJA25/466563-025 Courtyard
ZJA26/466563-026 Leapfrog

Leather
Ancillary/Seating
approx. 50 sq. ft. per hide
100% leather
2101 Ivory
2109 Black *
2110 Smoke
2111 Graphite
2112 Khaki
2113 Rattan
2114 Truffle
2115 Alpine
2116 Haze
2117 Sable Grey
2118 Dark Mineral **
2119 Dark Carbon ***
2120 Cranberry
2121 Deep Sea

* Armpad color available on Aeron® Chair, Graphite.
 ** Armpad color available on Aeron Chair, Mineral.
 *** Armpad color available on Aeron Chair, Carbon.

Price Category 10

Bristol Leather - Geiger Textile
Ancillary
approx. 55 sq. ft. per hide
100% leather
5-507 Black
5-511 Putty
5-519 Hunter
5-520 White
5-521 Ivory
5-522 Parchment
5-537 Caribbean
5-546 Pumice
5-547 Smoke
5-548 Charcoal
5-549 Dark Shale
5-556 Downtown Grey
5-557 City Night
5-559 Ash Grey
5-563 Champagne
5-564 Chestnut Brown
5-565 Dark Sienna
5-566 Earthen
5-567 Desert
5-568 British Green
5-579 Paris Blue
5-583 Atlantic
5-592 Camel
5-594 Taupe
5-597 Pure *
5-598 Cream
5-600 Midnight Blue
5-603 Sangria
5-604 Swiss Red
5-605 Nordic Yellow
5-606 Sky Grey
5-608 Natural

* Color not available on Saiba Chair.

Firma – Maharam
Ancillary/Seating
55" wide
78% wool
22% nylon
3KH01/466582-001 Wrath
3KH02/466582-002 Pantomime
3KH03/466582-003 Shaded
3KH04/466582-004 Prologue
3KH05/466582-005 Framework
3KH06/466582-006 Railroad
3KH07/466582-007 Grommet
3KH08/466582-008 Lunisolar
3KH09/466582-009 Snowpack
3KH10/466582-010 Coldsnap
3KH11/466582-011 Sealift
3KH12/466582-012 Brood
3KH13/466582-013 Intertidal
3KH14/466582-014 Confide
3KH15/466582-015 Secluded
3KH16/466582-016 Leisure
3KH17/466582-017 Portfolio
3KH18/466582-018 Strato
3KH19/466582-019 Fogbow
3KH20/466582-020 Snowcone
3KH21/466582-021 Kazoo
3KH22/466582-022 Esteem
3KH23/466582-023 Mackerel
3KH24/466582-024 Brooch
3KH25/466582-025 Caesious
3KH26/466582-026 Islet
3KH27/466582-027 Biosphere
3KH28/466582-028 Hilltop
3KH29/466582-029 Arboreal
3KH30/466582-030 Lineage
3KH31/466582-031 Comfrey
3KH32/466582-032 Circe
3KH33/466582-033 Ecosystem
3KH34/466582-034 Knack
3KH35/466582-035 Watt
3KH36/466582-036 Epiphany
3KH37/466582-037 Gamma
3KH38/466582-038 Taxicab
3KH39/466582-039 Varietal
3KH40/466582-040 Tale

Price category 10 continued on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category 10

continued

Firma continued		Gemma Multi continued		Gemma Multi Reverse – Maharam		Gemma Multi Reverse continued	
3KH41/466582-041	Elemental	ZGF19/466569-019	Crocus	Ancillary/Seating		ZGF78/466569-121	Roulette
3KH42/466582-042	Cuff	ZGF20/466569-020	Memoir	55" wide			Reverse
3KH43/466582-043	Emu	ZGF21/466569-021	Roulette	85% wool		ZGF79/466569-122	Voltaic
3KH44/466582-044	Tempeh	ZGF22/466569-022	Voltaic	15% nylon			Reverse
3KH45/466582-045	Tephra	ZGF23/466569-023	Compote	ZGF58/466569-101	Andromeda	ZGF80/466569-123	Compote
3KH46/466582-046	Shellac	ZGF24/466569-024	Lambent		Reverse		Reverse
3KH47/466582-047	Emporium	ZGF25/466569-025	Twister	ZGF59/466569-102	Dappled	ZGF81/466569-124	Lambent
3KH48/466582-048	Keratin	ZGF26/466569-026	Chronicle		Reverse		Reverse
3KH49/466582-049	Camwood	ZGF27/466569-027	Sidereal	ZGF60/466569-103	Lyra	ZGF82/466569-125	Twister
3KH50/466582-050	Gloam	ZGF28/466569-028	Tanzanite		Reverse		Reverse
3KH51/466582-051	Novela	ZGF29/466569-029	Crystalize	ZGF61/466569-104	Flaunt	ZGF83/466569-126	Chronicle
3KH52/466582-052	Fruitpunch	ZGF30/466569-030	Chromium		Reverse		Reverse
3KH53/466582-053	Decant	ZGF31/466569-031	Pallium	ZGF62/466569-105	Celluloid	ZGF84/466569-127	Sidereal
3KH54/466582-054	Milkshake	ZGF32/466569-032	Spectre		Reverse		Reverse
3KH55/466582-055	Metaphysic	ZGF33/466569-033	Courgette	ZGF63/466569-106	Hydrozoa	ZGF85/466569-128	Tanzanite
3KH56/466582-056	Carafe	ZGF34/466569-034	Viper		Reverse		Reverse
3KH57/466582-057	Voyager	ZGF35/466569-035	Sunlit	ZGF64/466569-107	Firefly	ZGF86/466569-129	Crystalize
3KH58/466582-058	Tenebrous	ZGF36/466569-036	Heavenly		Reverse		Reverse
3KH59/466582-059	Subtext	ZGF37/466569-037	Vernal	ZGF65/466569-108	Pisces	ZGF87/466569-130	Chromium
3KH60/466582-060	Silent	ZGF38/466569-038	Cress		Reverse		Reverse
Gemma Multi – Maharam		ZGF39/466569-039	Limn	ZGF66/466569-109	Strath	ZGF88/466569-131	Pallium
Ancillary/Seating		ZGF40/466569-040	Horseradish		Reverse		Reverse
55" wide		ZGF41/466569-041	Shandy	ZGF67/466569-110	Erosion	ZGF89/466569-132	Spectre
85% wool		ZGF42/466569-042	Granary		Reverse		Reverse
15% nylon		ZGF43/466569-043	Percolate	ZGF68/466569-111	Cabaret	ZGF90/466569-133	Courgette
ZGF01/466569-001	Andromeda	ZGF44/466569-044	Motor		Reverse		Reverse
ZGF02/466569-002	Dappled	ZGF45/466569-045	Unicorn	ZGF69/466569-112	Candytuft	ZGF91/466569-134	Viper
ZGF03/466569-003	Lyra	ZGF46/466569-046	Lobster		Reverse		Reverse
ZGF04/466569-004	Flaunt	ZGF47/466569-047	Rhododendron	ZGF70/466569-113	Juice	ZGF92/466569-135	Sunlit
ZGF05/466569-005	Celluloid	ZGF48/466569-048	Taffy		Reverse		Reverse
ZGF06/466569-006	Hydrozoa	ZGF49/466569-049	Rishi	ZGF71/466569-114	Fairground	ZGF93/466569-136	Heavenly
ZGF07/466569-007	Firefly	ZGF50/466569-050	Backcountry		Reverse		Reverse
ZGF08/466569-008	Pisces	ZGF51/466569-051	Buckthorn	ZGF72/466569-115	Copperplate	ZGF94/466569-137	Vernal
ZGF09/466569-009	Strath	ZGF52/466569-052	Coniferous		Reverse		Reverse
ZGF10/466569-010	Erosion	ZGF53/466569-053	Delphic	ZGF73/466569-116	Sunbird	ZGF95/466569-138	Cress
ZGF11/466569-011	Cabaret	ZGF54/466569-054	Hieroglyph		Reverse		Reverse
ZGF12/466569-012	Candytuft	ZGF55/466569-055	Eiderdown	ZGF74/466569-117	Cinematic	ZGF96/466569-139	Limn
ZGF13/466569-013	Juice	ZGF56/466569-056	Sandbar		Reverse		Reverse
ZGF14/466569-014	Fairground	ZGF57/466569-057	Tanager	ZGF75/466569-118	Clairvoyant	ZGF97/466569-140	Horseradish
ZGF15/466569-015	Copperplate				Reverse		Reverse
ZGF16/466569-016	Sunbird			ZGF76/466569-119	Crocus	ZGF98/466569-141	Shandy
ZGF17/466569-017	Cinematic				Reverse		Reverse
ZGF18/466569-018	Clairvoyant			ZGF77/466569-120	Memoir	ZGF99/466569-142	Granary
					Reverse		Reverse

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Price category 10 continued on next page

Textile Colors

continued

Price Category 10

continued

Gemma Multi Reverse *continued*

ZGFA0/466569-143	Percolate
	Reverse
ZGFA1/466569-144	Motor
	Reverse
ZGFA2/466569-145	Unicorn
	Reverse
ZGFA3/466569-146	Lobster
	Reverse
ZGFA4/466569-147	Rhododendron
	Reverse
ZGFA5/466569-148	Taffy
	Reverse
ZGFA6/466569-149	Rishi
	Reverse
ZGFA7/466569-150	Backcountry
	Reverse
ZGFA8/466569-151	Buckthorn
	Reverse
ZGFA9/466569-152	Coniferous
	Reverse
ZGFB0/466569-153	Delphic
	Reverse
ZGFB1/466569-154	Hieroglyph
	Reverse
ZGFB2/466569-155	Eiderdown
	Reverse
ZGFB3/466569-157	Tanager
	Reverse

Petra - Maharam

Ancillary/Seating
55" wide
70% wool
19% linen
11% nylon
ZP401/466580-001 Hieroglyph
ZP402/466580-002 Interior
ZP403/466580-003 Samovar
ZP404/466580-004 Calcite
ZP405/466580-005 Silversmith
ZP406/466580-006 Rivet
ZP407/466580-007 Carpolite
ZP408/466580-008 Bonbon

Petra *continued*

ZP409/466580-009	Dreamy
ZP410/466580-010	Bejewel
ZP411/466580-011	Sashimi
ZP412/466580-012	Spirula
ZP413/466580-013	Chalet
ZP414/466580-014	Reindeer
ZP415/466580-015	Nostalgia
ZP416/466580-016	Trove
ZP417/466580-017	Narcissus
ZP418/466580-018	Yurt
ZP419/466580-019	Congee
ZP420/466580-020	Genepy
ZP421/466580-021	Herbaceous
ZP422/466580-022	Paddock
ZP423/466580-023	Precious
ZP424/466580-024	Biome
ZP425/466580-025	Tinted
ZP426/466580-026	Pelagic
ZP427/466580-027	Bluebill
ZP428/466580-028	Chicory
ZP429/466580-029	Eaglet
ZP430/466580-030	Permafrost
ZP431/466580-031	Atlantic
ZP432/466580-032	Airstream
ZP433/466580-033	Debonair

Superweave - Maharam

Ancillary
54" wide
75% polyester
25% cotton
Z2203/466241-005 Sienna
Z2204/466241-002 Ochre
Z2207/466241-004 Marine
Z2208/466241-003 Olive
Z2220/466241-001 Orange and Pink

Price Category 11

Felix - Maharam

Ancillary/Seating	
85% wool	
15% nylon	
3BS01	Angular
3BS02	Shark
3BS03	Easy
3BS04	Cue
3BS05	Rye
3BS06	Champion
3BS07	Between
3BS08	Propose
3BS09	Rising
3BS10	Tile
3BS11	Place
3BS12	Kernel
3BS13	Pinnacle
3BS14	Darling
3BS15	Seasonal
3BS16	Shipmate
3BS17	Jump
3BS18	Geyser
3BS19	Team

Prone Leather - Maharam

Ancillary	
approx. 50 sq. ft. per hide	
100% leather	
protective top coat	
1NX01/700020-001	Lotus
1NX02/700020-002	Timbre
1NX03/700020-003	Essence
1NX04/700020-004	Script
1NX05/700020-005	Gambit
1NX06/700020-006	Obsidian
1NX07/700020-007	Sail
1NX09/700020-009	Vine
1NX10/700020-010	Yarrow
1NX13/700020-013	Balsa
1NX14/700020-014	Shore
1NX15/700020-015	Bricolage
1NX17/700020-017	Ledge
1NX19/700020-019	Mantra
1NX20/700020-020	Java
1NX21/700020-021	Lute
1NX22/700020-022	Glow
1NX23/700020-023	Hickory

Tenera Leather - Geiger Textile

Ancillary	
approx. 55 sq. ft. per hide	
100% leather	
17501	Cement
17502	Marzipan
17504	Raw Sienna
17505	Maple
17508	Cranberry
17510	Dark Chocolate
17511	Black
17512	Carbon
17513	Sapphire

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Appendix: Textile Colors

Price Category 12-13

No fabrics available at this time.

Price Category 14

Lanalux - Maharam

Ancillary
54" wide
100% wool
Z1375/466240-005 Black/White
Z1378/466240-006 Olive/Black
Z1380/466240-001 Natural
Z1383/466240-002 Umber
Z1384/466240-007 Natural/Black
Z1386/466240-003 Orange
Z1387/466240-004 Crimson

Price Category A

No fabrics available at this time.

Price Category B

Medium – Maharam

Ancillary/Seating/Workspaces
54" wide
100% polyester
VM01/463490-001 Raven
VM02/463490-002 Smoke
VM03/463490-003 Alloy
VM04/463490-004 Flax
VM07/463490-007 Espresso
VM14/463490-014 Laser
VM16/463490-016 Port
VM22/463490-022 Marina
VM29/463490-029 Pistachio
VM32/463490-032 Prospect
VM36/463490-036 Delight
VM39/463490-039 Nautical
VM40/463490-040 Pool
VM44/463490-044 Washed
VM45/463490-045 Sculpture
VM46/463490-046 Thatched
VM47/463490-047 Hike
VM48/463490-048 Tangle
VM49/463490-049 Pacific
VM50/463490-050 Cosmic
VM51/463490-051 Cascade
VM52/463490-052 Blackberry
VM53/463490-053 Nasturtium

Messenger – Maharam

Ancillary/Seating/Workspaces
54" wide
78% post-industrial recycled polyester
15% polyester, 7% nylon
TI07/458640-007 Shadow
TI08/458640-008 Bayou *
TI24/458640-024 Poppy
TI25/458640-025 Mao
TI29/458640-029 Onyx *
TI31/458640-031 Cloud *
TI38/458640-038 Depth *
TI40/458640-040 Nile *
TI41/458640-041 Azure *

Price category B continued on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category B

continued

Messenger continued	
TI45/458640-045	Cactus *
TI46/458640-046	Ice * **
TI48/458640-048	Neon
TI50/458640-050	Hydrangea
TI53/458640-053	Tangelo
TI54/458640-054	Lumine *
TI58/458640-058	Snow ** ***
TI60/458640-060	Peridot
TI61/458640-061	Capri *
TI62/458640-062	Ultramarine
TI63/458640-063	Squall
TI66/458640-066	Cassis
TI67/458640-067	Aster
TI69/458640-069	Cherry
TI70/458640-070	Vibrant
TI71/458640-071	Satsuma *
TI72/458640-072	Maize
TI76/458640-076	Fossil
TI77/458640-077	Ash
TI78/458640-078	Tusk
TI79/458640-079	Oyster **
TI81/458640-081	Husk
TI84/458640-084	Robust
TI85/458640-085	Beyond
TI86/458640-086	Voyage *
TI87/458640-087	Everglade
TI89/458640-089	Blanch ***
TI90/458640-090	Longspur
TI91/458640-091	Vireo
TI92/458640-092	Dipper
TI93/458640-093	Gale
TI94/458640-094	Hunter
TI95/458640-095	Lime
TI96/458640-096	Apple
TI97/458640-097	Krill
TI98/458640-098	Catalyst

* Colors available on 20-day lead time.

** Colors not available on Eames Molded Fiberglass and Molded Plastic Side Chairs.

*** Colors not available on Valor Seating.

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Price Category C

Manner - Maharam	
Ancillary/Seating/Workspaces	54" wide
65% post-industrial recycled polyester	
35% post-consumer recycled polyester	
Z2701/466177-001	Magic
Z2702/466177-002	Carob
Z2703/466177-003	Porpoise
Z2704/466177-004	Flint
Z2705/466177-005	Hush *
Z2706/466177-006	Nuance
Z2711/466177-011	Ember
Z2712/466177-012	Wagon
Z2713/466177-013	Ablaze
Z2714/466177-014	Peel
Z2716/466177-016	Butterscotch
Z2717/466177-017	Harvest
Z2720/466177-020	Parakeet
Z2722/466177-022	Aquatic
Z2723/466177-023	Cottage
Z2724/466177-024	Dahlia
Z2725/466177-025	Vivid
Z2726/466177-026	Basin
Z2727/466177-027	Schooner
Z2728/466177-028	Slope
Z2729/466177-029	Silverpoint
Z2730/466177-030	Lattice
Z2731/466177-031	Smoky
Z2732/466177-032	Magnetic
Z2733/466177-033	Woad
Z2734/466177-034	Resolute
Z2735/466177-035	Cruise
Z2736/466177-036	Atmospheric
Z2737/466177-037	Cloudburst
Z2738/466177-038	Tidewater
Z2739/466177-039	Firth
Z2740/466177-040	Oceanside
Z2741/466177-041	Grandeur
Z2742/466177-042	Comfort
Z2743/466177-043	Dill
Z2744/466177-044	Poplar
Z2745/466177-045	Citronella
Z2746/466177-046	Passerine

Manner continued	
Z2747/466177-047	Southwest
Z2748/466177-048	Roseate
Z2749/466177-049	Charisma
Z2750/466177-050	Siltstone
Z2751/466177-051	Kimono
Z2752/466177-052	Valiant
Z2753/466177-053	Baroness
* Color not available on Eames Aluminum Group, Executive Chairs, Upholstered Molded Plywood Chairs, and Sofa Compact.	

Merit - Maharam	
Ancillary/Seating	54" wide
76% post-industrial recycled polyester	
24% polyester	
PFOA-Free stain resistant	
88Z01/466444-001	Trickle
88Z02/466444-002	Beluga
88Z03/466444-003	Gunmetal
88Z04/466444-004	Blackout
88Z05/466444-005	Superior
88Z06/466444-006	Ocean
88Z07/466444-007	Highborn
88Z08/466444-008	Immersed
88Z09/466444-009	Rainfall
88Z10/466444-010	Blizzard
88Z11/466444-011	Poolside
88Z12/466444-012	Steel
88Z13/466444-013	Zircon
88Z14/466444-014	Ripple
88Z15/466444-015	Aegean
88Z16/466444-016	Armada
88Z17/466444-017	Hedera
88Z18/466444-018	Rainforest
88Z19/466444-019	Gator
88Z20/466444-020	Vineyard
88Z21/466444-021	Pine
88Z22/466444-022	Kiwi
88Z23/466444-023	Kookaburra

Merit continued	
88Z24/466444-024	Bellini
88Z25/466444-025	Sunflower
88Z26/466444-026	Sandstorm
88Z27/466444-027	Mudder
88Z28/466444-028	Lynx
88Z29/466444-029	Farro
88Z30/466444-030	Manila
88Z31/466444-031	Starfish
88Z32/466444-032	Brass
88Z33/466444-033	Arrow
88Z34/466444-034	Gelato
88Z35/466444-035	Nectarine
88Z36/466444-036	Macaron
88Z37/466444-037	Alert
88Z38/466444-038	Goji
88Z39/466444-039	Cabernet
88Z40/466444-040	Eggplant
88Z41/466444-041	Hawk
88Z42/466444-042	Stag
88Z43/466444-043	Overcast

Metric - Maharam	
Ancillary/Seating/Workspaces	54" wide
51% post-industrial recycled polyester	
49% polyester	
Z302/466014-002	Fog
Z303/466014-003	Fleece
Z312/466014-012	Cardinal
Z313/466014-013	Lava
Z318/466014-018	Pollen
Z320/466014-020	Alligator
Z323/466014-023	Tar
Z324/466014-024	Anchor
Z326/466014-026	Admiral
Z327/466014-027	Seaport
Z328/466014-028	Scuba
Z329/466014-029	Skate
Z330/466014-030	Hopscotch
Z331/466014-031	Film
Z332/466014-032	Whale
Z333/466014-033	Downpour
Z334/466014-034	Midday

Price category C continued on next page

Textile Colors

continued

Price Category C

continued

Price Category D

Appendix: Textile Colors

Metric continued	
Z335/466014-035	Talisman
Z336/466014-036	Hedgerow
Z337/466014-037	Snorkel
Z338/466014-038	Highway
Z339/466014-039	Canary
Z340/466014-040	Sunny
Z341/466014-041	Aztec
Z342/466014-042	Fruit
Z343/466014-043	Galah
Z344/466014-044	Kiln
Z345/466014-045	Moth

Murmur - Maharam	
Ancillary/Seating	
55" wide	
100% polyester	
PFOA-Free stain resistant	
8EY01/466446-001	Gust
8EY02/466446-002	Harmonica
8EY03/466446-003	Canopy
8EY04/466446-004	Dim
8EY05/466446-005	Peppercorn
8EY06/466446-006	Cauldron
8EY07/466446-007	Conquer
8EY08/466446-008	Rapids
8EY09/466446-009	Seawater
8EY10/466446-010	Baby
8EY11/466446-011	Elderberry
8EY12/466446-012	Iceberg
8EY13/466446-013	Tallgrass
8EY14/466446-014	Underground
8EY15/466446-015	Biome
8EY16/466446-016	Cask
8EY17/466446-017	Argan
8EY18/466446-018	Sundown
8EY19/466446-019	Ignite
8EY20/466446-020	Sultry
8EY21/466446-021	Sangria

Bluff - Maharam	
Ancillary/Seating	
54" wide	
100% polyurethane	
Ink-resistant protective top coat	
Polyester backing	
8I801/466489-001	Loom
8I802/466489-002	Helm
8I803/466489-003	Cruller
8I804/466489-004	Folklore
8I805/466489-005	Beguile
8I806/466489-006	Sherpa
8I807/466489-007	Teleport
8I808/466489-008	Annex
8I809/466489-009	Lorimer
8I810/466489-010	Cinema
8I811/466489-011	Zip
8I812/466489-012	Coach
8I813/466489-013	Supernova
8I814/466489-014	Pirate
8I815/466489-015	Academy
8I816/466489-016	Disco
8I817/466489-017	Equator
8I818/466489-018	Brink
8I819/466489-019	Scene
8I820/466489-020	Petrichor
8I821/466489-021	Exotic
8I822/466489-022	Fauna
8I823/466489-023	Calabash
8I824/466489-024	Fuscous
8I825/466489-025	Wildling
8I826/466489-026	Blitz
8I827/466489-027	Allspice
8I828/466489-028	Lumos
8I829/466489-029	Pilot
8I830/466489-030	Jukebox
8I831/466489-031	Dugout
8I832/466489-032	Claret
8I833/466489-033	Flamenco

Mode – Maharam	
Ancillary/Seating/Workspaces	
54" wide	
80% post-consumer recycled polyester	
20% polyester	
PFOA-Free stain resistant finish	
ZMD01/466337-001	Stroll
ZMD02/466337-002	Intaglio
ZMD03/466337-003	Ominous
ZMD04/466337-004	Machine
ZMD05/466337-005	Talus
ZMD06/466337-006	Marsh
ZMD07/466337-007	Hollow
ZMD08/466337-008	Sycamore
ZMD09/466337-009	Clavicle
ZMD10/466337-010	Billygoat
ZMD11/466337-011	Spindle
ZMD12/466337-012	Lemon
ZMD13/466337-013	Oxeye
ZMD14/466337-014	Henge
ZMD15/466337-015	Goldenrod
ZMD16/466337-016	Cottontail
ZMD17/466337-017	Lioness
ZMD18/466337-018	Oriole
ZMD19/466337-019	Rust
ZMD20/466337-020	Carotene
ZMD21/466337-021	Blush
ZMD22/466337-022	Vermilion
ZMD23/466337-023	Alder
ZMD24/466337-024	Kermes
ZMD25/466337-025	Barberry
ZMD26/466337-026	Petal
ZMD27/466337-027	Valley
ZMD28/466337-028	Odyssey
ZMD29/466337-029	Ballpoint
ZMD30/466337-030	Toile
ZMD31/466337-031	Paradise

Mode continued	
ZMD32/466337-032	Angelfish
ZMD33/466337-033	Denim
ZMD34/466337-034	Crush
ZMD35/466337-035	Jetty
ZMD36/466337-036	Saltwater
ZMD37/466337-037	Mallard
ZMD38/466337-038	Celtic
ZMD39/466337-039	Eucalyptus
ZMD40/466337-040	Bonsai
ZMD41/466337-041	Sassafras
ZMD42/466337-042	Yucca
ZMD43/466337-043	Lichen

Spiral - Maharam	
Workspaces	
66" wide	
100% polyester	
ZS301/901882-001	Chalk
ZS303/901882-003	Wheat
ZS304/901882-004	Mica
ZS305/901882-005	Pavement
ZS306/901882-006	Graphite

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category E

Article – Maharam	
Ancillary/Seating	
54" wide	
100% vinyl	
ZAT08/458600-008	Marina
ZAT13/458600-013	Flume
ZAT14/458600-014	Storm
ZAT15/458600-015	Toast
ZAT19/458600-019	Fleece
ZAT22/458600-022	Stone
ZAT26/458600-026	Mercury
ZAT29/458600-029	Bluegrass
ZAT31/458600-031	Truffle
ZAT32/458600-032	Gravel
ZAT33/458600-033	Value
ZAT34/458600-034	Tint
ZAT35/458600-035	Snowflake
ZAT36/458600-036	Chalice
ZAT37/458600-037	Trail
ZAT38/458600-038	Pyramid
ZAT39/458600-039	Desert
ZAT40/458600-040	Lei
ZAT41/458600-041	Rouge
ZAT42/458600-042	Karma
ZAT43/458600-043	Opal
ZAT44/458600-044	Periwinkle
ZAT45/458600-045	Vampire
ZAT46/458600-046	Surf
ZAT47/458600-047	Plumage

Flock - Maharam	
Workspaces	
63" wide	
100% polyester	
ZF301/901892-001	Calm
ZF302/901892-002	Course
ZF303/901892-003	Highlight
ZF305/901892-005	Poppy
ZF306/901892-006	Briefcase
ZF307/901892-007	Monkstrap
ZF308/901892-008	Quag
ZF309/901892-009	Pistachio
ZF310/901892-010	Froth
ZF311/901892-011	Celadon
ZF312/901892-012	Highsea
ZF313/901892-013	China
ZF314/901892-014	Victorian
ZF315/901892-015	Commander
ZF316/901892-016	Raven
ZF317/901892-017	Aluminum

Micro – Maharam	
Ancillary	
54" wide	
100% vinyl	
ZMB01/466099-001	Muslin
ZMB04/466099-004	Basalt
ZMB06/466099-006	Phantom
ZMB07/466099-007	Depth
ZMB08/466099-008	Cottage
ZMB09/466099-009	Hunter
ZMB11/466099-011	Tomatillo
ZMB12/466099-012	Brew
ZMB14/466099-014	Tang
ZMB15/466099-015	Risk

Parallel – Maharam	
Workspaces	
66" wide	
100% recycled polyester	
TT03/901180-003	Fog
TT22/901180-022	Sterling
TT23/901180-023	Linen
TT24/901180-024	Pea
TT27/901180-027	Boulder
TT28/901180-028	Stream
TT29/901180-029	Shiitake
TT32/901180-032	Brandy
TT33/901180-033	Crater
TT36/901180-036	Quail

Price Category F

Apt – Maharam	
Ancillary/Seating	
54" wide	
100% polyurethane/silicone	
Ink-resistant protective top coat	
Polyester backing	
82T12/466392-012	Iris
82T13/466392-013	Nocturnal
82T14/466392-014	Fluid
82T15/466392-015	Eden
82T16/466392-016	Galactic
82T17/466392-017	Shoreline
82T18/466392-018	Jade
82T19/466392-019	Garden
82T20/466392-020	Botanic
82T21/466392-021	Chartreuse
82T23/466392-023	Lyric
82T24/466392-024	Turmeric
82T25/466392-025	Bengal
82T26/466392-026	Core
82T27/466392-027	Mantle
82T28/466392-028	Sorbet
82T32/466392-032	Oak
82T33/466392-033	Castle
82T34/466392-034	Follow
82T35/466392-035	Elixir
82T36/466392-036	Charm
82T37/466392-037	Descend
82T38/466392-009	Sketch
82T39/466392-010	Glacier
82T40/466392-031	Fortress
82T41/466392-030	Lotus
82T42/466392-001	Coconut
82T43/466392-011	Cobblestone
82T44/466392-029	Bloom
82T45/466392-022	Crepe
82T46/466392-006	Hickory
82T47/466392-007	Constellation
82T48/466392-008	Labyrinth
82T49/466392-002	Vibe
82T50/466392-003	Stampede
82T51/466392-004	Lumber
82T52/466392-005	Gingerbread

Appendix: Textile Colors

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Price category F continued on next page

Textile Colors

continued

Price Category F

continued

Appendix: Textile Colors

Brindle - Maharam	
Ancillary/Seating	
58" wide	
100% polyester	
PFOA-free stain resistant	
Acrylic backing	
87101/466418-001	Calico
87102/466418-002	Mauve
87103/466418-003	Torch
87104/466418-004	Burnt
87105/466418-005	Barn
87106/466418-006	Pharaoh
87107/466418-007	Sandbur
87108/466418-008	Jungle
87109/466418-009	Inland
87110/466418-009	Seagrass
87111/466418-009	Watercolor
87112/466418-009	Aquarium
87113/466418-009	Drill

Chime - Maharam	
Ancillary	
54" wide	
100% vinyl	
V9M3/465350-003	Morel
V9MB/465350-011	Tranquil
V9MJ/465350-020	Slate
V9MV/465350-031	Verve
V9MW/465350-032	Understory

Conduit - Maharam	
Ancillary/Seating	
58" wide	
100% polyester	
PFOA-free stain resistant	
Acrylic backing	
87Z01/466428-001	Space
87Z02/466428-002	Syrup
87Z03/466428-003	Nimbus
87Z04/466428-004	Greystone
87Z05/466428-005	Fawn
87Z06/466428-006	Ghost
87Z07/466428-007	Caribbean
87Z08/466428-008	Canal
87Z09/466428-009	Bonfire

Emit - Maharam	
Workspaces	
54" wide	
55% post-industrial	
recycled polyester	
45% post-consumer	
recycled polyester	
PFOA-free stain resistant	
8EX01/466378-001	Wed
8EX02/466378-002	Zebra
8EX03/466378-003	Chiffon
8EX05/466378-005	Nectar
8EX06/466378-006	Elk
8EX08/466378-008	Goldenrod
8EX09/466378-009	Beached
8EX10/466378-010	Samba
8EX11/466378-011	Nest
8EX14/466378-014	Groove
8EX17/466378-017	Haiku
8EX18/466378-018	Bluefin
8EX19/466378-019	Flow
8EX20/466378-020	Xenon
8EX21/466378-021	Artem
8EX22/466378-022	Zen
8EX25/466378-025	Limeade

Instill - Maharam	
Ancillary/Seating	
54" wide	
100% polyurethane	
Ink-resistant protective top coat	
Polyester backing	
74M01/466351-001	Page
74M02/466351-002	Limestone
74M03/466351-003	Bobwhite
74M04/466351-004	Loafer
74M07/466351-007	Shaker
74M08/466351-008	Doe
74M09/466351-009	Ride
74M10/466351-010	Squire
74M11/466351-011	Tannin
74M12/466351-012	Vitis
74M14/466351-014	Quail
74M15/466351-015	Brittanic
74M16/466351-016	Narwhal
74M18/466351-018	Stowaway
74M19/466351-019	Koala
74M20/466351-020	Dorsal
74M21/466351-021	Stealth
74M22/466351-022	Mosey
74M23/466351-023	Beachfront
74M24/466351-024	Discovery
74M25/466351-025	Grasp
74M26/466351-026	Arboreous
74M27/466351-027	Yearling
74M28/466351-028	Allele
74M29/466351-029	Eager
74M30/466351-030	Rise
74M31/466351-031	Latte
74M32/466351-032	Compose
74M33/466351-033	Furrow
74M34/466351-034	Tenor
74M35/466351-035	Annatto
74M36/466351-036	Together
74M37/466351-037	Intention
74M38/466351-038	Overnight
74M39/466351-039	Icecap
74M40/466351-040	Metamorphic
74M41/466351-041	Anthracite

Keen - Maharam	
Ancillary/Seating	
54" wide	
61% polyester	
39% polyolefin	
PFOA-Free stain resistant	
Acrylic backing	
89N01/466433-001	Gaur
89N02/466433-002	Lock
89N03/466433-003	Elk
89N04/466433-004	Oatmeal
89N05/466433-005	Lakefront
89N06/466433-006	Argent
89N07/466433-007	Coyote
89N08/466433-008	Eventide
89N09/466433-009	Canal
89N10/466433-010	Rosemary
89N11/466433-011	Herb
89N12/466433-012	Ruby
89N13/466433-013	Loganberry

Ledger - Maharam	
Ancillary/Seating	
54" wide	
100% polyurethane	
V9G1/463770-001	001
V9G2/463770-002	002
V9G3/463770-003	003
V9G4/463770-004	004
V9GG/463770-017	017
V9GQ/463770-025	025
V9GS/463770-026	026
V9GU/463770-028	028
V9GV/463770-029	029
V9GW/463770-030	030
V9GX/463770-031	031
V9GY/463770-032	032
V9G18/463770-042	042
V9G19/463770-043	043
V9G20/463770-044	044
V9G21/463770-045	045
V9G22/463770-046	046

Price category F continued on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category F

continued

Loop - Maharam	
Ancillary/Seating	
57" wide	
48% post-industrial recycled polyester	
26% polyester	
26% post-consumer recycled polyester	
PFOA-Free stain resistant	
Acrylic Backing	
ZLL01/466469-001	Opossum
ZLL02/466469-002	Foundation
ZLL03/466469-003	Naval
ZLL04/466469-004	Buoyant
ZLL05/466469-005	Mockingbird
ZLL06/466469-006	Dynasty
ZLL07/466469-007	Zori
ZLL08/466469-008	Wildfire
ZLL09/466469-009	Floral
ZLL10/466469-010	Penguin

Multiply - Maharam	
Ancillary/Seating	
58" wide	
57% post-consumer recycled polyester	
43% post-industrial recycled polyester	
PFOA-Free stain resistant	
Acrylic Backing	
82A01/466341-001	Winter
82A02/466341-002	Encore
82A03/466341-003	Swing
82A04/466341-004	Contrast
82A05/466341-005	Sterling
82A06/466341-006	Daze
82A07/466341-007	Sway
82A08/466341-008	Sailor
82A09/466341-009	Mystique
82A10/466341-010	Deep
82A11/466341-011	Craft
82A12/466341-012	Town
82A13/466341-013	Limit
82A14/466341-014	Tamale

Pitch - Maharam	
Ancillary	
54" wide	
100% vinyl	
ZPC04/466186-004	Pollen
ZPC07/466186-007	Apple
ZPC11/466186-011	Voyage
ZPC12/466186-012	Turquoise
ZPC14/466186-014	Inlet
ZPC15/466186-015	Captain
ZPC16/466186-016	Aura
ZPC17/466186-017	Coastal
ZPC18/466186-018	Fog
ZPC19/466186-019	Coal
ZPC21/466186-021	Mulberry
ZPC24/466186-024	Flame
ZPC26/466186-026	Tumbleweed
ZPC29/466186-029	Subtle
ZPC30/466186-030	Buff

Pepper - Maharam	
Ancillary/Seating	
58" wide	
49% polyester	
41% post-industrial recycled polyester	
10% post-consumer recycled polyester	
PFOA-Free stain resistant	
Acrylic Backing	
8LW01/466486-001	Dojo
8LW02/466486-002	Marengo
8LW03/466486-003	Harlequin
8LW04/466486-004	Pavlova
8LW06/466486-006	Achiote
8LW07/466486-007	Essence
8LW08/466486-008	Genome
8LW09/466486-009	Myriad
8LW10/466486-010	Terrarium

Scuba - Maharam	
Ancillary	
54" wide	
100% polyurethane	
V9B1/464930-001	Vanilla
V9B5/464930-005	Chinchilla
V9B6/464930-006	Mahogany
V9B7/464930-007	Jet
V9B8/464930-008	Charcoal
V9B9/464930-009	Dolphin
V9BA/464930-010	Drizzle
V9BC/464930-012	Conifer
V9BD/464930-013	Bottle
V9BF/464930-015	Tourmaline
V9BG/464930-016	Sapphire
V9BH/464930-017	Electric
V9BL/464930-020	Cabernet
V9BM/464930-021	Brick
V9BN/464930-022	Coral
V9BP/464930-023	Autumn

Strum - Maharam	
Ancillary/Seating	
54" wide	
100% polyurethane with silane-based antimicrobial	
Z3301/466122-001	Overcast
Z3302/466122-002	Ridge
Z3304/466122-004	Pigeon
Z3307/466122-007	Bur
Z3308/466122-008	Abalone
Z3312/466122-012	Lemongrass

Price Category G

Compound - Maharam	
Ancillary/Seating	
54" wide	
100% polyurethane with silane-based antimicrobial	
ZC201/466196-001	Quartz
ZC203/466196-003	Weathered
ZC204/466196-004	Cliff
ZC205/466196-005	Espresso
ZC206/466196-006	Smolder
ZC207/466196-007	Blaze
ZC208/466196-008	Mandarin
ZC209/466196-009	Maple
ZC210/466196-010	Perennial
ZC211/466196-011	Mountainside
ZC212/466196-012	Tundra
ZC213/466196-013	Manatee
ZC214/466196-014	Marine
ZC215/466196-015	Twilight
ZC216/466196-016	Shelter
ZC217/466196-017	Vessel
ZC218/466196-018	Smoke
ZC219/466196-019	Fog

Fluent Crypton - Maharam	
Ancillary	
54" wide	
52% polyester	
31% post-industrial recycled polyester	
17% post-consumer recycled polyester	
ZFC01/466073-001	Lynx
ZFC12/466073-012	Bayou
ZFC13/466073-013	Bottle
ZFC14/466073-014	Cadet
ZFC22/466073-022	Turf
ZFC24/466073-024	Steady

Price category G continued on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category G

continued

Fold - Maharam
Seating
54" wide
100% polyurethane
Polyester backing
ZF101/466292-001 Jet
ZF102/466292-002 Chalk
ZF103/466292-003 Smoke
ZF105/466292-005 Fatigue
ZF106/466292-006 Splash
ZF107/466292-007 Apple
ZF108/466292-008 Moss
ZF110/466292-010 Midnight

Gild - Maharam
Ancillary/Seating
54" wide
100% non-phthalate vinyl
Ink-resistant protective top coat
Polyester backing
8AR01/466432-005 Grapevine
8AR02/466432-009 Frosting
8AR03/466432-007 Smokey
8AR04/466432-003 Skylight
8AR05/466432-011 Sandstone
8AR06/466432-004 Hurricane
8AR07/466432-002 Wreath
8AR08/466432-001 Rainforest
8AR09/466432-012 Fudge
8AR10/466432-010 Lantern
8AR11/466432-006 Planet
8AR12/466432-008 Reflection

Pare – Maharam
Ancillary/Seating
54" wide
52% wool
26% polyester
22% nylon
PFOA-free stain resistant finish
ZPR01/466359-001 Polaris
ZPR04/466359-004 Fresco
ZPR06/466359-006 Wink
ZPR07/466359-007 Concord
ZPR08/466359-008 Strawberry
ZPR09/466359-009 Solar
ZPR10/466359-010 Amulet
ZPR11/466359-011 Zest
ZPR12/466359-012 Elmwood
ZPR13/466359-013 Thyme
ZPR17/466359-017 Blueberry

Runner - Maharam
Ancillary/Seating
54" wide
57% post-industrial
recycled polyester
43% post-consumer
recycled polyester
ZRF01/466108-001 Bluff
ZRF03/466108-003 Grove
ZRF04/466108-004 Starboard
ZRF05/466108-005 Plot
ZRF06/466108-006 Carousel

Sudden – Maharam
Ancillary
54" wide
100% polyurethane
ZSD02/463000-002 002
ZSD03/463000-003 003
ZSD05/463000-005 005
ZSD06/463000-006 006
ZSD07/463000-007 007
ZSD08/463000-008 008
ZSD09/463000-009 009
ZSD10/463000-010 010
ZSD11/463000-011 011
ZSD13/463000-013 013
ZSD15/463000-015 015
ZSD16/463000-016 016
ZSD17/463000-017 017
ZSD18/463000-018 018
ZSD19/463000-019 019
ZSD20/463000-020 020
ZSD24/463000-024 024
ZSD27/463000-027 027
ZSD36/463000-036 036

Price Category H

Anagram - Maharam
Ancillary
54" wide
42% cotton
32% polyester
26% nylon
ZAN01/466067-001 Quarry
ZAN02/466067-002 Hush
ZAN03/466067-003 Electric
ZAN04/466067-004 Range
ZAN05/466067-005 Settle

Circles — Maharam
Ancillary/Seating
55" wide
70% cotton
30% polyester
ZT01/458310-001 Khaki
ZT02/458310-002 Fatigue
ZT03/458310-003 Document
ZT04/458310-004 Engine

Dot Pattern — Maharam
Ancillary/Seating
55" wide
71% cotton
29% polyester
ZK01/458300-001 Document
ZK02/458300-002 Taupe
ZK04/458300-004 Red
ZK05/458300-005 Navy

Mechanism – Maharam
Ancillary
54" wide
100% polyester
ZMC01/465952-001 Mercury
ZMC10/465952-010 Pearl
ZMC11/465952-011 Bronze
ZMC13/465952-013 Titanium
ZMC15/465952-015 Tangerine
ZMC17/465952-017 Sprout

Price category H continued on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category H

continued

Mister – Maharam
Ancillary
54" wide
67% solution-dyed acrylic
33% solution-dyed polyester
ZMG01/466178-001 Breeze
ZMG04/466178-004 Enliven
ZMG05/466178-005 Notice
ZMG06/466178-006 Azurite

Regatta – Maharam
Ancillary
54" wide
65% solution-dyed acrylic
35% solution-dyed polyester
ZRT01/466189-001 Drift
ZRT02/466189-002 Parasol
ZRT04/466189-004 Swell

Small Dot Pattern — Maharam
Ancillary/Seating
55" wide
71% cotton
29% polyester
ZL01/458320-001 Document
ZL02/458320-002 Sand
ZL03/458320-003 Khaki
ZL04/458320-004 Taupe
ZL05/458320-005 Charcoal
ZL06/458320-006 Document
Reverse
ZL07/458320-007 Red
ZL08/458320-008 Yellow
ZL09/458320-009 Green

Price Category I

Colorwheel – Maharam
Ancillary
54" wide
62% cotton
38% solution-dyed
post-industrial recycled nylon
ZCW02/466163-002 Pumice
ZCW03/466163-003 Viridian
ZCW06/466163-006 Charcoal
ZCW07/466163-007 Carbon

Cursive – Maharam
Ancillary/Seating
54" wide
67% solution-dyed acrylic
33% solution-dyed polyester
PFOA-Free stain resistant
7CW01/466335-001 Fast
7CW03/466335-003 Beachcomb
7CW05/466335-005 Swift
7CW07/466335-007 Inkwell
7CW08/466335-008 Rubber

Passage - Maharam
Ancillary
54" wide
100% polyester
59P01/466614-001 Mirage
59P02/466614-002 Poolside
59P03/466614-003 Cascade
59P04/466614-004 Lacinato
59P05/466614-005 Overstory
59P06/466614-006 Celadon
59P07/466614-007 Echo
59P08/466614-008 Bentonite
59P09/466614-009 Buttercup
59P10/466614-010 Maple
59P11/466614-011 Blossom
59P12/466614-012 Cloudberry
59P13/466614-013 Contessa
59P14/466614-014 Claret
59P15/466614-015 Katana

Study - Maharam
Ancillary/Seating
54" wide
73% solution-dyed acrylic
27% solution-dyed polyester
ZSY01/466269-001 001
ZSY02/466269-002 002
ZSY03/466269-003 003
ZSY04/466269-004 004
ZSY05/466269-005 005

Tracery – Maharam
Ancillary
52" wide
34% solution-dyed nylon
26% wool
21% polyester
19% cotton
acrylic backing
PFOA-free stain resistant finish
ZT501/466372-001 Birch
ZT502/466372-002 Sterling
ZT503/466372-003 Flint
ZT504/466372-004 Indigo
ZT505/466372-005 Arctic
ZT506/466372-006 Kelp
ZT507/466372-007 Melon
ZT508/466372-008 Poppy
ZT509/466372-009 Copper
ZT510/466372-010 Papaya
ZT511/466372-011 Sepia

Price Category J

Fluted Silk – Maharam
Ancillary
54" wide
85% silk
8% cotton
7% acrylic
ZFK02/465982-002 Tarnish
ZFK05/465982-005 Calm
ZFK06/465982-006 Flaxen
ZFK10/465982-010 Noticed
ZFK11/465982-011 Moody
ZFK12/465982-012 Constant
ZFK13/465982-013 Seed
ZFK14/465982-014 Eternal
ZFK15/465982-015 Honor
ZFK17/465982-017 Cranach
ZFK20/465982-020 Discreet

Mikado – Maharam
Ancillary
54" wide
79% cotton
21% polyester
V1901/459330-001 Umber
V1902/459330-002 Orange
V1903/459330-003 Ultramarine
V1904/459330-004 Pink
V1905/459330-005 Sepia

Price category J continued on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category J

continued

Trestle - Maharam	
Ancillary	
54" wide	
36% acrylic	
32% wool	
23% cotton	
9% polyester	
3WG01/466613-001	Loam
3WG02/466613-002	Rift
3WG03/466613-003	Fuse
3WG04/466613-004	Cumulus
3WG05/466613-005	Strand
3WG06/466613-006	Pomelo
3WG07/466613-007	Tawny
3WG08/466613-008	Sunstone
3WG09/466613-009	Kindling
3WG10/466613-010	Sidecar
3WG11/466613-011	Beak
3WG12/466613-012	Ficus
3WG13/466613-013	Hinge
3WG14/466613-014	Bluefish
3WG15/466613-015	Oblivion

Price Category K

Checker – Maharam	
Ancillary	
55" wide	
77% cotton	
23% polyester	
V1201/459830-001	Emerald Light/ Ivory
V1204/459830-004	Ultramarine/ Emerald
V1206/459830-007	Sienna Dark/ Khaki
V1207/459830-008	Black/White
V1209/459830-009	Ultramarine/ Turquoise
V1210/459830-010	Blue Gray/ Emerald
V1211/459830-011	Olive/Pink
V1212/459830-012	Magenta/ Orange
V1213/459830-013	Crimson/ Orange

Checker Split – Maharam	
Ancillary	
55" wide	
77% cotton	
23% polyester	
V1301/460290-01	Black/White

Double Triangles – Maharam	
Ancillary	
55" wide	
77% cotton	
23% polyester	
V1401/459840-001	Black/White

Facets – Maharam	
Ancillary	
55" wide	
77% cotton	
23% polyester	
V1501/459850-001	Black/White

Isa – Maharam	
Ancillary	
59" wide	
85% wool	
15% nylon	
VKZ01/466624-001	Bashful
VKZ02/466624-002	Median
VKZ03/466624-003	Observe
VKZ04/466624-004	Plains
VKZ05/466624-005	Drawn
VKZ06/466624-006	Connect
VKZ07/466624-007	Fennel
VKZ08/466624-008	Skyward
VKZ09/466624-009	Oceanic
VKZ10/466624-010	Neptune
VKZ11/466624-011	Sprint
VKZ12/466624-012	Ledge
VKZ13/466624-013	Surround
VKZ14/466624-014	Foretell
VKZ15/466624-015	Lory
VKZ16/466624-016	Dear
VKZ17/466624-017	Foxtrot
VKZ18/466624-018	Sincere
VKZ19/466624-019	Begonia

Optik – Maharam	
Ancillary	
55" wide	
76% cotton	
24% polyester	
ZQP01/459960-001	Sun Yellow/ Orange
ZQP06/459960-006	White/Black

Unisol – Maharam	
Ancillary	
55" wide	
61% rayon	
21% polyester	
18% cotton	
ZUN01/461160-001	Black/ White

Price Category L

Exaggerated Plaid – Maharam	
Ancillary	
59" wide	
100% wool	
ZEP01/466039-001	Glen
ZEP02/466039-002	Brae
ZEP03/466039-003	Firth

Geometri – Maharam	
Ancillary	
55" wide	
77% cotton	
23% polyester	
ZGM02/459970-002	Red/ Carmine
ZGM03/459970-003	Lilac/Blue
ZGM04/459970-004	White/ Black

Jacobs Coat – Maharam	
Ancillary	
54" wide	
92% wool	
8% nylon	
V1601/462270-001	Multicolored Bright *
V1602/462270-002	Multicolored Neutral

* Color available on Girard Color Wheel Ottoman.

Millerstripe – Maharam	
Ancillary	
54" wide	
92% wool	
8% rayon	
V1701/462250-001	Multicolored Bright
V1702/462250-002	Multicolored Neutral

Price category L continued on next page

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category L

continued

Minicheck - Maharam
Seating
55" wide
78% cotton
22% polyester
PFOA-Free stain resistant finish
ZMK01/466268-001 Black/ White

Monk's Wool – Maharam
Ancillary
54" wide
96% wool
4% nylon
ZMW01/457301-001 Tusk
ZMW03/457301-003 Slate
ZMW05/457301-005 Cherokee

Pebble Wool – Maharam
Ancillary
54" wide
90% wool
10% nylon
ZPW01/457401-001 Birch
ZPW10/457401-010 Cottage
ZPW13/457401-013 Eggshell
ZPW14/457401-014 Whisper
ZPW15/457401-015 Ceramic
ZPW16/457401-016 Seamist
ZPW17/457401-017 Armory
ZPW18/457401-018 Glaze
ZPW19/457401-019 Cordial

Pebble Wool Multi – Maharam
Ancillary
54" wide
97% wool
3% nylon
ZPM01/461200-001 Fawn
ZPM02/461200-002 Slate
ZPM05/461200-005 Moss
ZPM06/461200-006 Tabasco

Quatrefoil – Maharam
Ancillary
54" wide
75% cotton
25% nylon
V2101/459350-001 Silver
V2102/459350-002 Pink
V2103/459350-003 Crimson
V2104/459350-004 Emerald
V2105/459350-005 Violet

Repeat Classic Stripe – Maharam
Ancillary
55" wide
47% cotton
27% rayon
26% polyester
ZRS01/462170-001 Inca
ZRS02/462170-002 Pistachio
ZRS03/462170-003 Poppy
ZRS04/462170-004 Cadet
ZRS05/462170-005 Peacock

Repeat Dot Ring – Maharam
Ancillary
55" wide
75% cotton
25% polyester
ZRR01/462150-001 Gold
ZRR04/462150-004 Pink
ZRR05/462150-005 Coral
ZRR07/462150-007 Gold
Reverse
ZRR10/462150-010 Pink
Reverse
ZRR11/462150-011 Coral
Reverse

Stripes - Maharam
Ancillary
56" wide
92% wool
8% nylon
ZSP01/463980-001 001
ZSP02/463980-002 002
ZSP03/463980-003 003
ZSP04/463980-004 004
ZSP05/463980-005 005
ZSP06/463980-006 006
ZSP07/463980-007 007
ZSP08/463980-008 008
ZSP09/463980-009 009
ZSP10/463980-010 010

Toostripe – Maharam
Ancillary
54" wide
92% wool
8% nylon
V2201/462260-001 Orange Dark/ Crimson Dark
V2202/462260-002 Black/ Raw Umber
V2203/462260-003 Ochre Dark/ Sienna

Price Category M

Fruit - Maharam
Seating
54" wide
55% cotton
32% nylon
13% post-consumer recycled polyester
PFOA-Free stain resistant finish
Acrylic backing
ZF201/466262-001 Opal
ZF202/466262-002 Lime
ZF203/466262-003 Olive
ZF204/466262-004 Sky
ZF207/466262-007 Russet

Names – Maharam
Ancillary
55" wide
73% cotton
27% polyester
V1801/462510-001 Crimson On White
V1802/462510-002 Ultramarine On White
V1803/462510-003 Black On White

Price category M continued on next page

Appendix: Textile Colors

- Maharam textiles are on assigned lead times [A](#).
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Appendix: Textile Colors

Price Category M

continued

Ottoman Stripe – Maharam		
Ancillary		
58" wide		
92% wool		
8% nylon		
ZQN01/466142-001	Brass	
ZQN02/466142-002	Cocoa	
ZQN03/466142-003	Dusk	
ZQN04/466142-004	Pistachio	
ZQN05/466142-005	Apricot	

Pressed Plaid – Maharam		
Ancillary		
54" wide		
100% wool		
T1101/466181-001	001	
T1102/466181-002	002	
T1103/466181-003	003	
T1104/466181-004	004	
T1105/466181-005	005	
T1106/466181-006	006	

Wool Striae – Maharam		
Ancillary		
54" wide		
100% wool		
T1201/466184-001	001	
T1202/466184-002	002	
T1203/466184-003	003	
T1204/466184-004	004	
T1205/466184-005	005	
T1206/466184-006	006	
T1207/466184-007	007	

Price Category N

Alpaca Epinglé - Maharam		
Ancillary		
55" wide		
100% alpaca		
ZAE01/465902-001	Vellum	
ZAE02/465902-002	Slate	
ZAE06/465902-006	Graphite	
ZAE07/465902-007	Beignet	

Alpaca Velvet - Maharam		
Ancillary		
54" wide		
100% alpaca		
ZAV01/465901-001	Alpine	
ZAV06/465901-006	Charcoal	
ZAV07/465901-007	Pewter	
ZAV08/465901-008	Squash	
ZAV09/465901-009	Wallaby	
ZAV10/465901-010	Brunia	

Bespoke Stripe - Maharam		
Ancillary		
56" wide		
100% wool		
ZBP01/463540-001	Navy	
ZBP02/463540-002	Tobacco	
ZBP03/463540-003	Chocolate	
ZBP04/463540-004	Charcoal	
ZBP05/463540-005	Black	
ZBP06/463540-006	Pewter	

Herringbone Stripe - Maharam		
Ancillary		
57" wide		
100% wool		
ZKP01/465945-001	Granite	
ZKP02/465945-002	Espresso	
ZKP03/465945-003	Graphite	
ZKP04/465945-004	Indigo	
ZKP05/465945-005	Raven	

Price Category O

Point – Maharam		
Ancillary		
53" wide		
97% rayon		
3% nylon		
ZPT01/466090-001	Ivory and Ember	
ZPT02/466090-002	Black and Coral	
ZPT03/466090-003	Slate and Khaki	
ZPT04/466090-004	Black and Cobalt	
ZPT05/466090-005	Black and Khaki	
ZPT06/466090-006	Slate and Mandarin	
ZPT07/466090-007	Slate and Black	
ZPT08/466090-008	Brick and Greige	
ZPT09/466090-009	Gold and Black	
ZPT10/466090-010	Greige and Peat	
ZPT11/466090-011	Peat and Mandarin	
ZPT12/466090-012	Crimson	
ZPT13/466090-013	Mandarin	
ZPT14/466090-014	Citrus	
ZPT15/466090-015	Grass	
ZPT16/466090-016	Cyan	
ZPT17/466090-017	Cobalt	

Wool Velvet - Maharam		
Ancillary		
54" wide		
100% wool		
ZWV01/466120-001	Plush	
ZWV02/466120-002	Subdue	
ZWV03/466120-003	Flagstone	
ZWV04/466120-004	Nori	
ZWV06/466120-006	Bridle	
ZWV07/466120-007	Covert	
ZWV08/466120-008	Gateway	

Bavaria Stripe – Maharam		
Ancillary		
55" wide		
77% polyester		
23% cotton		
ZBS02/466161-002	Unique	

- Maharam textiles are on assigned lead times. [A](#)
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category P

Big Stripe – Maharam	
Ancillary	
55" wide	
92% wool	
8% nylon	
ZBR01/466174-001	Peacock
ZBR02/466174-002	Spring
ZBR03/466174-003	Umber
ZBR04/466174-004	Poppy
ZBR05/466174-005	Cobalt

Epinglé Stripe - Maharam	
Ancillary	
50" wide	
100% cotton	
ZES01/466007-001	Caramel
ZES02/466007-002	Lead
ZES03/466007-003	Violet
ZES04/466007-004	Mahogany
ZES05/466007-005	Olive

Layers Garden – Maharam	
Ancillary	
52" wide	
96% wool	
3% nylon	
1% polyester	
ZLY01/465916-001	Ivy/Bronze
ZLY02/465916-002	Putty/ Turquoise
ZLY03/465916-003	Pewter/ White
ZLY04/465916-004	Chocolate/ Lilac
ZLY05/465916-005	Peat/Copper

Layers Park – Maharam	
Ancillary	
52" wide	
95% wool	
3% nylon	
2% polyester	
ZLP01/465918-001	Ash/Snow
ZLP02/465918-002	Mineral/Sky
ZLP03/465918-003	Poppy/ Melon
ZLP04/465918-004	Indigo/ White
ZLP05/465918-005	Earth/Cobalt

Layers Vineyard Large – Maharam	
Ancillary	
52" wide	
95% wool	
3% nylon	
2% polyester	
ZLV01/465921-001	Ivory/Onyx
ZLV02/465921-002	Slate/Azure
ZLV03/465921-003	Loden/Sky
ZLV04/465921-004	Taupe/ Crimson
ZLV05/465921-005	Black/ Mahogany

Layers Vineyard Small – Maharam	
Ancillary	
52" wide	
92% wool	
5% polyester	
3% nylon	
ZLS01/465920-001	Ochre/White
ZLS02/465920-002	Scarlet/ Peony
ZLS03/465920-003	Taupe/Violet
ZLS04/465920-004	Jade/ Turquoise
ZLS05/465920-005	Ginger/Rose

Mohair Supreme - Maharam	
Ancillary	
54" wide	
100% mohair	
ZMS02/451801-072	Stonehenge
ZMS06/451801-112	Slate *
ZMS07/451801-113	Rich Chocolate *
ZMS09/451801-126	Cayenne
ZMS10/451801-127	Cognac
ZMS12/451801-129	Peat *
ZMS15/451801-133	Abyss
ZMS16/451801-134	Intrigue
ZMS18/451801-136	Lupine *
ZMS28/451801-146	League
ZMS29/451801-147	Armory *
ZMS32/451801-150	Capiz
ZMS33/451801-151	Underneath
ZMS34/451801-152	Crescent
ZMS35/451801-153	National
ZMS36/451801-154	Rooftop
ZMS37/451801-155	Skewer
ZMS38/451801-156	Party
ZMS39/451801-157	Keepsake
ZMS40/451801-158	Travel
ZMS41/451801-159	Estate
ZMS42/451801-160	Grassland
ZMS43/451801-161	Limoncello
ZMS44/451801-162	Mango
ZMS45/451801-163	Doll
ZMS46/451801-164	Carousel
ZMS47/451801-165	Palette
ZMS48/451801-166	Brandy
ZMS49/451801-167	Aristocrat
ZMS50/451801-168	Soulmate
ZMS51/451801-169	Rosette
ZMS52/451801-170	Aviator
ZMS53/451801-171	Penny

* Colors available on Eames Lounge Chair and Ottoman.

Price Category Q

A Band Apart – Maharam	
Ancillary	
56" wide	
75% polyester	
25% cotton	
ZAB01/466000-001	Unique

Brushed Camel – Maharam	
Ancillary	
58" wide	
100% baby camel hair	
ZBA01/465977-001	Albino
ZBA02/465977-002	Natural

Deconstructed Rose – Maharam	
Ancillary	
55" wide	
65% polyester	
32% cotton	
3% rayon	
ZDS01/466086-001	Golden
ZDS02/466086-002	Vivid
ZDS03/466086-003	Earthen

Massive Paisley – Maharam	
Ancillary	
57" wide	
76% polyester	
24% cotton	
ZMV01/465915-001	Ash
ZMV03/465915-003	Cardinal
ZMV06/465915-006	Night

The Firm – Maharam	
Ancillary	
56" wide	
75% polyester	
25% cotton	
ZTF03/465999-003	Unique

- Maharam textiles are on assigned lead times. ^A
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Appendix: Textile Colors

Price Category R

Borders – Maharam	
Ancillary	
53” wide	
98% wool	
2% polyester	
ZBB01/466082-001 Natural	
ZBB02/466082-002 Greige	
ZBB03/466082-003 Charcoal	
ZBB04/466082-004 Walnut	
Stow Leather - Maharam	
Ancillary	
approx. 50 sq. ft. per hide	
100% leather	
protective top coat	
ZSV01/700014-001 Opera	
ZSV02/700014-002 Japonica	
ZSV03/700014-003 Masquerade	
ZSV04/700014-004 Laguna	
ZSV05/700014-005 Jettison	
ZSV06/700014-006 Razor	
ZSV07/700014-007 Holiday	
ZSV08/700014-008 Patchouli	
ZSV09/700014-009 Macrame	
ZSV10/700014-010 Grace	
ZSV11/700014-011 Seraphim	
ZSV12/700014-012 Ricotta	
ZSV13/700014-013 Neroli	
ZSV14/700014-014 Sultana	
ZSV15/700014-015 Sundance	
ZSV16/700014-016 Quince	
ZSV17/700014-017 Babka	
ZSV18/700014-018 Maitake	
ZSV19/700014-019 Mercer	
ZSV20/700014-020 Gaucho	
ZSV21/700014-021 Chia	
ZSV22/700014-022 Vanguard	
ZSV23/700014-023 Zone	
ZSV24/700014-024 Zeppelin	

Price Category S

Bavaria – Maharam	
Ancillary	
55” wide	
73% polyester	
27% cotton	
ZBV01/466162-001 Unique	

Price Category T

All Grain Leather – Edelman	
Ancillary	
approx. 50 sq. ft. per hide	
100% full-grain Aniline-dye cowhide	
VB01/AG01	Pitch Brown
VB02/AG02	White
VB03/AG03	Cloud
VB04/AG04	Shadow
VB05/AG05	Black
VB06/AG06	Baked Bean
VB07/AG07	Mildew
VB08/AG08	Soot
VB09/AG09	Blue Jeans
VB10/AG10	Merlot
VB11/AG11	Nutmeg
VB12/AG12	Butter
VB13/AG13	Cherry
VB14/AG14	Burnt Orange
VB15/AG15	Whiskey
VB17/AG17	Raw Silk
VB18/AG18	Balsa
VB19/AG19	Naturale
VB21/AG21	Greige
VB22/AG27	Latte
VB23/AG28	Coral
VB24/AG29	Rose
VB25/AG30	Zinnia
VB26/AG31	Iris
VB27/AG32	Daffodil
Hours – Maharam	
Ancillary	
56” wide	
95% wool	
3% nylon	
2% rayon	
ZKR01/466092-001 Day	
ZKR02/466092-002 Night	

- Maharam textiles are on assigned lead times. ^A
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category U	Price Category V-W	Price Category X	Price Category Y
Layers Garden Double – Maharam Ancillary 52” wide 96% wool 3% nylon 1% polyester ZLD01/465917-001 Ash/ Quartz/ Grass ZLD02/465917-002 Earth/ Chocolate/ Coral ZLD03/465917-003 Black/ Navy/ Cobalt Layers Park Double – Maharam Ancillary 52” wide 96% wool 3% nylon 1% polyester ZLB01/465919-001 Mineral/ Taupe/ Lemon ZLB02/465919-002 Sienna/ Ginger/ Rose ZLB03/465919-003 Black/ Peat/ Copper	No fabrics available at this time.	Eden – Maharam Ancillary 56” wide 83% polyester 17% cotton ZED01/466258-001 001 ZED02/466258-002 002 ZED03/466258-003 003 ZED04/466258-004 004 ZED05/466258-005 005 Foliage – Maharam Ancillary 56” wide 75% polyester 25% cotton ZFG02/466257-002 002 ZFG04/466257-004 004 ZFG05/466257-005 005	Industry – Maharam Ancillary 55” wide 80% polyester 20% cotton ZND01/466255-001 001

- Maharam textiles are on assigned lead times. A
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

Textile Colors

continued

Price Category Z

Agency – Maharam		
Ancillary		
55" wide		
75% polyester		
25% cotton		
ZAG02/466001-002	002	
ZAG04/466001-004	004	
ZAG05/466001-005	005	
ZAG06/466001-006	006	
ZAG07/466001-007	007	
ZAG08/466001-008	008	

Price Category 10M

Pace Leather – Maharam		
Ancillary		
approx. 50 sq. ft. per hide		
100% leather		
ZPA01/700011-001	Whisper	
ZPA02/700011-002	Shy	
ZPA03/700011-003	Granite	
ZPA04/700011-004	Misty	
ZPA05/700011-005	Studio	
ZPA06/700011-006	Throne	
ZPA07/700011-007	Proper	
ZPA08/700011-008	Huron	
ZPA09/700011-009	Darkroom	
ZPA10/700011-010	Bark	
ZPA11/700011-011	Raspberry	
ZPA12/700011-012	Sangria	
ZPA13/700011-013	Admiral	
ZPA14/700011-014	Juniper	
ZPA15/700011-015	Regal	
ZPA16/700011-016	Vapor	
ZPA17/700011-017	Valley	
ZPA18/700011-018	Bushel	
ZPA19/700011-019	Heirloom	
ZPA20/700011-020	Palomino	
ZPA21/700011-021	Bamboo	
ZPA22/700011-022	Saffron	
ZPA23/700011-023	Tearose	
ZPA24/700011-024	Canyon	
ZPA25/700011-025	Bistro	
ZPA26/700011-026	Toffee	
ZPA27/700011-027	Rodeo	
ZPA28/700011-028	Mudslide	
ZPA29/700011-029	Greige	
ZPA30/700011-030	Reflection	
ZPA31/700011-031	Pure	
ZPA32/700011-032	Desert	
ZPA33/700011-033	Griffin	
ZPA34/700011-034	Urbane	
ZPA35/700011-035	Woodrose	

- Maharam textiles are on assigned lead times. [A](#)
- Fabric numbers are listed as Herman Miller fabric number/Maharam fabric number.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

© HermanMiller, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyriss, Lyriss 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemisurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Lisocore® is a registered trademark of Pyrus Panels GmbH.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.

Valor™ is among the trademarks owned by Nemschoff, Inc.