



GSA prices effective October 7, 2024  
(based on July 1, 2024, commercial price list)  
Published March 2025

## Height Adjustable Benching

### **General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List**

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!®, a menu-driven database system. The Internet address for GSA Advantage! is [www.gsaadvantage.gov](http://www.gsaadvantage.gov).

Office Furniture  
FSC/PSC 7110/7125  
Contract Number: GS-03F-036DA  
UEI: Q2K3MSZ843D8  
Contract Period: December 21, 2015—December 20, 2025

MillerKnoll, Inc.  
855 East Main Avenue  
Zeeland, Michigan 49464  
(616) 654 3000 Phone  
(616) 654 8278 Fax  
[www.HermanMiller.com/government](http://www.HermanMiller.com/government)

Business Size: Large



# Contract Information

## 1a. Special Item Numbers (SIN)

SIN 33721

Furniture Systems, Computer Furniture, Filing and Storage, Tables and Accessories, Upholstered Seating and Multi-Purpose Seating, Project Management, Reconfiguration and Relocation Services, Design/Layout and Installation Services

SIN 33721P

Packaged Offices

SIN 337127

Modular Laboratory Furniture Systems

SIN 339113H

Healthcare Furniture

SIN OLM

Order-Level Materials (OLMs)

This SIN is only for products and/or services used in direct support of the purchase of new furniture. It requires approval from the ordering Contract Officer. Please contact your local MillerKnoll Inc. representative to discuss the appropriate use of this SIN.

SIN 532289

Leasing

Contact MillerKnoll Inc participating government dealer for current leasing information.

## 1b. Lowest Priced Model

SIN 33721:	BVP3.S	\$7.27
SIN 33127:	TW113	\$5.81
SIN 339113H:	CR900NR	\$483.80

## 1c. Service Rates

Project Management

Furniture Project Manager: \$64.75 per hour  
Furniture Project Coordinator: \$49.00 per hour  
Build-Out Project Manager: \$80.00 per hour

Reconfiguration and Relocation Services

Not to exceed \$55 per hour.

See \* Additional Notes for Installation & Reconfiguration and Relocation Services.

Design/Layout

Not to exceed \$65 per hour.

Installation Services

Not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation).

See \* Additional Notes for Installation & Reconfiguration and Relocation Services.

## 2. Maximum Order

SIN 33721, 337127, NEW, OLM

\$250,000 net product value

SIN 33721P

\$250,000 net value

SIN 339113H

\$500,000 net product value

## 3. Minimum Order

\$100 net

## 4. Geographic Coverage

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

## 5. Point of Production

Zeeland, Ottawa County, Michigan

Spring Lake, Ottawa County, Michigan

Elland, Yorkshire, United Kingdom

Hildebran, Burke County, North Carolina, USA

## 6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 33721

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Action Office 1	73.8%
Action Office 2	73.8%
Aeron	64.5%
Ambit Workspace Solutions	74.3%
Asari Chair	53.7%
Aside	64.2%
Bay Work Pod	56.7%
C-Style Overhead Storage	73.8%
Canvas Office Landscape Channel	74.8%
Canvas Office Landscape Dock	74.8%
Canvas Metal Desk	74.8%
Canvas Office Landscape Metal Storage	74.8%
Canvas Office Landscape Private Office	74.8%
Canvas Office Landscape Wood Storage	74.8%
Canvas Office Landscape Vista	74.8%
Canvas Office Landscape Wall	74.8%
Caper	61.5%
Commend Nurses Station	73.3%
Cosm	61.7%
Eames® Aluminum Group	58.7%
Eames Conference & Dining Tables	73.6%
Easton Family	54.91%
Embody	59.7%
Energy Distribution Systems	73.8%
Ethospace System	73.8%
Everywhere™ Tables	73.8%
Exclave	61.7%

Contract Information

continued

Fuld	59.7%
Headway™ Tables	73.8%
Intent Solution	58.7%
Layout Studio®	60.7%
Lighting	73.8%
Lino	63.7%
Meridian Laterals	67.3%
Meridian Pedestals	64.2%
Meridian Towers	62.7%
Meridian Storage	62.7%
Mirra 2	61.7%
Motia Tables	73.8%
NaughtOne	50.0%
Nemschoff	54.91%
Nevi™ Tables	73.8%
Nevi Link	73.8%
OE1 Boundary	72.8%
OE1 Community Elements	61.7%
OE1 Micro Packs	73.8%
OE1 Storage	72.8%
OE1 Tables and Benching	73.8%
Overlay™	62.7%
Plex® Lounge Furniture	59.5%
Pronta Stacking Chair	57.7%
Public Office Landscape	61.7%
Renew™ Tables	73.8%
Renew Link	73.8%
Sayl	62.2%
Setu	59.7%
Swoop Lounge Furniture	60.7%
Thrive Portfolio	62.0%
Thrive Portfolio-CBS Products Extension	62.0%
Tu Lateral Files	74.3%
Tu Pedestals	73.8%
Tu Storage	74.3%
Tu Towers	74.3%
Tu Wood Cases	74.3%
Tu Wood Cubbies	74.3%
Tu Wood Credenzas	74.3%
Tu Wood Pedestals	74.3%
Tu Wood Towers	74.3%
Valor™ Family	54.91%
Verus	63.7%
Zeph	60.2%

Services

Please refer to section 19 for Terms and Conditions of Installation/ Reconfiguration and Relocation Services.

Project Management

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local MillerKnoll Inc. representative to discuss the available labor categories (listed below). The hourly rates listed are “Not To Exceed” or “NTE” values.

Furniture Project Manager: \$64.75 per hour  
Furniture Project Coordinator: \$49.00 per hour  
Build-Out Project Manager: \$80.00 per hour

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour.

See \* Additional Notes for Installation & Reconfiguration and Relocation Services.

Design/Layout

Design service will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$65 per hour.

Installation Services

Installation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation).

See \* Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 337127

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Action Lab	58.5%
Compass System	58.5%
Co/Struc System	58.5%
Healthcare Carts	18.0%
Mora System	58.5%
Bedside Cabinets	58.5%

SIN 33721P

Packaged Office Furniture - Maximum Order \$250,000 (net).

Includes packaged furniture solutions for customers needing to furnish an office.

SIN 339113H

Standard Lead Time, Single Order Net Purchase \$100 - 500,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Nemschoff Healthcare Furniture	54.91%

7. Quantity Discounts

Reference item #6.

8. Payment Terms

Net 30 days

9. Foreign Items

None

10. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact MillerKnoll Inc. or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

# Contract Information

*continued*

## 11. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

## 12. Ordering Address

a. MillerKnoll Inc.

Government Customer Care 0161  
855 East Main Avenue  
Zeeland MI 49464.

b. For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.

## 13. Payment Address.

MillerKnoll Inc.  
22764 Network Place  
Chicago, IL 60673-1227

## 14. Warranty

MillerKnoll Inc. commercial warranty applies.

## 15. Export Packing Charge

Prices supplied on request.

## 16. Rental Maintenance and Repair Terms

Not applicable

## 17. Terms and Conditions of Installation/Reconfiguration and Relocation Services

\* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

## 18. Terms and Conditions of Repair Parts

Not applicable

## 19. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

## 20. Participating Dealers

Access Herman Miller web site for current list of participating dealers: [www.HermanMiller.com/where-to-buy/contact-a-dealer/](http://www.HermanMiller.com/where-to-buy/contact-a-dealer/). Select your market by using the filter.

## 21. Preventive Maintenance

Not applicable

## 22a. Special Attributes.

2022

MillerKnoll earns its 15th consecutive perfect score in Human Rights Campaign Foundation's 2022 Corporate Equality Index.

2021

The OE1 Trolley and Micro Packs are both winners of the 2021 Archiproducts international design competition in the Office Category.

MillerKnoll is named to Michigan's Best and Brightest in Wellness List for 2021.

MillerKnoll is awarded Platinum Rating in CSR by EcoVadis.

OE1 is named winner of Wallpaper's "Most Futuristic Furniture" Category as part of their first-ever Smart Space Awards.

OE1 receives the Workplace category award from Fast Company's 2021 Innovation by Design Awards.

MillerKnoll is named to Fast Company's Annual List of the World's Most Innovative Companies for 2021.

MillerKnoll is recognized as a "Disclosure Leader" by the Chemical Footprint Project (CFP).

# Contract Information

*continued*

MillerKnoll earns its 14th consecutive perfect score in Human Rights Campaign Foundation's 2021 Corporate Equality Index.

MillerKnoll is named to Newsweek's List of America's Most Responsible Companies 2021.

Great Lakes Women's Business Council awards MillerKnoll for "Excellence in Supplier Diversity" in the Best In Class category.

2020

Herman Miller is recognized with a 2020 FSC® Leadership Award for our commitment to responsible forestry management.

Herman Miller is named one of Investor's Business Daily Top 50 Best ESG (Environmental, Social, and Corporate Governance) Companies.

Working Mother names Herman Miller as one of the Best Companies for Dads.

Herman Miller is awarded Platinum Rating in CSR by EcoVadis.

Herman Miller is named Diversity Inc 2020 Noteworthy Company for recruitment efforts, employee development opportunities, leadership accountability, and supplier diversity.

Cosm, by Studio 7.5, receives an iF Gold Award in the Office and Industry category at the iF World Design Awards 2020.

Herman Miller earns its 13th consecutive perfect score in Human Rights Campaign Foundation's 2020 Corporate Equality Index.

2019

Mora System casework, designed by Collective Ten for Herman Miller, receives silver in the Industrial and Life Science Design/Medical Furniture category at the European Product Design Awards.

Mora System casework is awarded GOOD DESIGN Award 2019, selected for design excellence and innovation.

National Minority Supplier Diversity Council (NMSDC) names Herman Miller as the 2019 Class 1 Corporation of the Year for leadership in supplier diversity.

TIME Magazine names Cosm to its list of 100 Best Inventions of 2019.

Herman Miller is named #12 Overall and #2 in Manufacturing on Investor's Business Daily Best ESG (Environmental, Social, Governance) Companies.

Herman Miller is recognized as a silver level Certified Veteran-Friendly Employer by the Michigan Veterans Affairs Agency for a commitment to veteran hiring, retention, and development.

For the second year in a row, Herman Miller receives a Gold Medal from EcoVadis in recognition of Corporate Social Responsibility achievement measured in categories of environment, labor and human rights, ethics, and sustainable procurement.

Herman Miller is named "Frontrunner" in Chemical Footprint Project by Clean Production Action for our chemical management policies and practices.

Herman Miller receives International Interior Design Association and Contract's best showroom design award in the "Large Showroom" category at NeoCon.

Herman Miller earns its 12th consecutive perfect score in Human Rights Campaign Foundation's 2019 Corporate Equality Index.

Cosm, designed by Studio 7.5 for Herman Miller, receives a Red Dot Best of the Best Product Design Award in the "Office Chairs" category.

Lino, designed by Sam Hecht and Kim Colin for Herman Miller, receives an iF Design Award in the Product Design category.

2018

Overlay, designed by Birsell+Seck, receives Interior Design Best of Year Award in the Partitions and Wall Systems category.

Herman Miller receives the "Corporation of the Year" in consumer products award from the Michigan Minority Supplier Development Council.

Herman Miller achieves the Advanced Excellence in Supplier Diversity Award from the Great Lakes Women's Business Council for doing business with women-owned suppliers.

Great Lakes Women's Business Council awards Herman Miller for "Excellence in Supplier Diversity" in the Advanced category.

WEConnect awards Herman Miller an Honorable Mention for global supplier diversity initiatives.

As one of the top-scoring companies in the industry for the 14th consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2018 Sustainability Yearbook and receives the Silver Class distinction for excellent sustainability performance—economic, environmental, and social.

For the 11th consecutive year, Herman Miller receives a perfect score on the Human Rights Campaign Foundation's Corporate Equality Index and is designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly LGBT-related policies and practices.

# Contract Information

*continued*

Herman Miller receives Gold Medal from EcoVadis in recognition of Corporate Social Sustainability achievement measured in categories of environment, labor and human rights, ethics, and sustainable procurement. EcoVadis operates the first web-based collaborative platform that allows companies to assess the environmental and social performance of their global suppliers.

Aeron receives Good Design Award from The Chicago Athenaeum Museum of Architecture and Design.

The Cosm Chair wins Mix Interiors "Product of the Year—Task" award.

2017

Herman Miller receives "Rising Star Award" from the Michigan Veterans Affairs Agency (MVAA) for exhibiting new and novel approaches to veteran recruitment and hiring.

Herman Miller is named the 2017 "Corporation of the Year" in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller receives a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award. SEAL Award winners are determined by a holistic methodology measuring applicants against established benchmarks that demonstrate impact and progress toward creating a healthy planet and a sustainable future.

Herman Miller earns the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller is named one of the Best and Brightest in Wellness for the 5th year in a row.

Herman Miller earns its 10th consecutive perfect score in Human Rights Campaign Foundation's 2017 Corporate Equality Index.

As one of the top-scoring companies in the industry for the 13th consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2017 Sustainability Yearbook and receives the Bronze Class distinction for excellent economic, environmental, and social sustainability performance. The selection criteria for inclusion in the Yearbook becomes more rigorous each year, and only the top 15 percent of companies within each industry are selected.

Herman Miller once again earns the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience. Herman Miller is the only furniture manufacturer among the 160 companies across the U.S. and Canada honored with the award.

Herman Miller's Mora wins Nightingale Silver Award in the "Furniture Collections" category at the 2017 Healthcare Design Conference.

2016

Herman Miller earns 9th consecutive perfect score in Human Rights Campaign Foundation's Corporate Equality Index and is designated as Best Place to Work for LGBT equality.

Herman Miller is recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC) for being an outstanding partner in support of the growth of WMEAC's programs. WMEAC's award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (5th consecutive year) recognizes Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability. This award celebrates those companies that are making their businesses more sustainable, the lives of their employees better, and the community, both locally and globally, more responsible as a whole.

Herman Miller is recognized by the Michigan Minority Supplier Development Council (MMSDC) as a "Corporation of the Year". Additionally, we are the only West Michigan company this year to receive an "Ambassadors Championing Excellence" Award from the MMSDC.

Herman Miller is recognized with "2016 Excellence in Supplier Diversity Award" from the Great Lakes Women's Business Council.

Herman Miller is recognized as a 2016 Healthiest 100 Workplace in America, ranking 49th in the country for our commitment to health and exceptional corporate wellness programming.

Herman Miller receives the Best and Brightest in Wellness Award for the 4th year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

The Michigan Occupational Safety and Health Administration renews Herman Miller's "Star" status, the highest workplace safety and health designation, for the Hickory facility in Spring Lake.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Herman Miller is named a 2016 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller is selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for the 12th consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

# Contract Information

*continued*

## **22b. Section 508 Compliance**

Not applicable

## **23. Unique Entity ID:** Q2K3MSZ843D8

## **24. Registered in System for Award Management ([www.SAM.gov](http://www.SAM.gov)) Database**

## **25. Cancellation**

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

## **26. Restocking Charges**

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

Returns and restocking policy is not applicable to Options products, products under SIN 337127, 339113H, NaughtOne and Nemschoff products.

## **MillerKnoll Inc. Miscellaneous Information:**

Federal ID Number: 38-0837640

Commercial and Government Entity Code (CAGE): 40636

Data Universal Numbering System (DUNS) 00-601-2801

Commercial Entity Code (CEC): 00702290J



<b>Introduction</b>	<b>page 2</b>
<b>Nevi™ Link</b>	<b>3</b>
Sit-to-Stand Bench	5
End Caps and Connecting Plates	12
Screen	18
Gallery Panel	21
Power	25
Cable Management	34
<b>Renew™ Link</b>	<b>43</b>
Sit-to-Stand Bench	45
End Caps and Connecting Plates	66
Back-to-Back Leg Shroud	69
Screen	74
Gallery Panel	77
Power	82
Cable Management	90
<b>Indices</b>	<b>93</b>
By Name	93
By Number	95
<b>Appendices</b>	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
Stain-to-Match Program	
Customer's Own Material Order Information-Workspaces	
Textiles Application Chart-Workspaces	
Textile Colors	
<b>For the latest materials information, refer to the Materials pages on HermanMiller.com.</b>	

**A Note on the Organization of This Book**

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

**Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.**

Information wraps from one column to the next and continues for as many pages as it needs to.

**Black bars are clues.**

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

**The index is presented two ways.**

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

**General Information**

This book is effective October 7, 2024, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit [www.HermanMiller.com](http://www.HermanMiller.com).

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

**20-Day or Less/Assigned Lead-Time Shipments**


All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

**Nevi™ Link Sit-to-Stand Bench**



# Nevi Link Back-to-Back Rectangular Height Adjustable Bench DY2AS.



## Product Information

### Description

This rectangular back-to-back bench is a 2-workstation unit that can be used in back-to-back height adjustable benching applications in series with other Nevi™ Link back-to-back benches to create a run. Each workstation comes in a squared-edge style and has options for laminate top with thermoplastic edge or laminate top with thermoplastic backed plywood edge. There are multiple height adjustment, wire management, and switch options. Glides have 1/2" of leveling adjustment. Shipped knocked down. Product is UL Listed.

### Notes

Floor-to-top-of-surface height adjustment ranges are 27"-46" for the electric standard range (EE) option and 22"-48" for the electric extended range (DD) option.

To power bench applications, specify the following components separately:

- Power entry (DU1351)
- Power entry, New York City (DU1352)
- Junction block to Junction block jumper (DU1353)
- Duplex receptacle (DU1355)
- Junction block (DU1358.DBB)


Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 1" to minimize possible pinch point hazards between benches.

Cutouts are specified for both tables. If table 1 and table 2 need different cutout locations, specify no cutout (NC) and field cut to desired location.

Power access cutouts are specifically sized for Logic Mini (Y1414.).

For linear bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 60"-wide and wider sections. For 120° bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 54"-wide and wider sections.

## Dimensions



Nevi™ Link Sit-to-Stand Bench

# Nevi Link Back-to-Back Rectangular Height Adjustable Bench *continued*

Nevi™ Link Sit-to-Stand Bench

Specification Information						
Step 1.						
DY2A						
Step 2. Edge						
S.	squared-edge					
Step 3. Depth						
24	24" deep (23" surface size)					
30	30" deep (29" surface size)					
Step 4. Width						
48	48" wide (47" surface size)					
54	54" wide (53" surface size)					
60	60" wide (59" surface size)					
66	66" wide (65" surface size)					
72	72" wide (71" surface size)					
Step 5. Surface Material						
L	high-pressure laminate top/thermoplastic edge					
U	high-pressure laminate/universal edge					
M	thermally-fused laminate top/thermoplastic edge					
T	thermally-fused laminate top/universal edge					
Step 6. Height Adjustable Range Tables 1 and 2						
DD	electric extended range					
EE	electric standard range					
Prices for Steps 1-6.						
	LDD	LEE	UDD	UEE	MDD	MEE
DY2AS. 24 48	\$6657	5791	6657	5791	6252	5439
54	\$6763	5880	6763	5880	6353	5523
60	\$6858	5964	6858	5964	6441	5603
66	\$6969	6062	6969	6062	6546	5694
72	\$7066	6147	7066	6147	6638	5774
30 48	\$6794	5906	6794	5906	6381	5547
54	\$6902	6001	6902	6001	6482	5636
60	\$6999	6085	6999	6085	6574	5716
66	\$7111	6184	7111	6184	6679	5808
72	\$7212	6273	7212	6273	6775	5891
					TDD	TEE
DY2AS. 24 48					\$6252	5439
54					\$6353	5523
60					\$6441	5603
66					\$6546	5694
72					\$6638	5774

<b>30</b>	<b>48</b>	\$6381	5547
	<b>54</b>	\$6482	5636
	<b>60</b>	\$6574	5716
	<b>66</b>	\$6679	5808
	<b>72</b>	\$6775	5891

Step 7. Central Cable Trough Tables 1 and 2			
<i>For 48" wide (47" surface size) (48), 54" wide (53" surface size) (54), or 60" wide (59" surface size) (60)</i>			
<b>BCT</b>	basic cable trough - data/power routing and cord management		+\$400
<b>ECT</b>	enhanced cable trough w/covers - data/power routing and cord management		+\$700

<i>For 66" wide (65" surface size) (66) or 72" wide (71" surface size) (72)</i>			
<b>BCT</b>	basic cable trough - data/power routing and cord management		+\$600
<b>ECT</b>	enhanced cable trough w/covers - data/power routing and cord management		+\$900

Step 8. Switch Option			
<b>STS</b>	simple up/down touch switch		+\$0
<b>SUD</b>	simple up down		+\$100

Step 9. Under Work Surface Cable Management Tables 1 and 2			
<b>N</b>	no under worksurface cable management		+\$0

Step 10. Power Access Cutout - Tables 1 and 2			
<b>CC</b>	center cutout for logic mini Y1414		+\$45
<b>LC</b>	left cutout for logic mini Y1414		+\$45
<b>RC</b>	right cutout for logic mini Y1414		+\$45
<b>NC</b>	no cutout		+\$0

# Nevi Link Back-to-Back Rectangular Height Adjustable Bench *continued*

## Step 11. Top Finish

*For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)*

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru <span>A</span>	+\$0
LBS	phantom cocoa <span>A</span>	+\$0
LBU	medium matte walnut (CP) <span>A</span>	+\$0
LBV	warm grey teak <span>A</span>	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

*For thermally-fused laminate top/thermoplastic edge (M) or thermally-fused laminate/universal edge (T)*

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

## Step 12. Edge Finish

*For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)*

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

*For high-pressure laminate/universal edge (U) or thermally-fused laminate top/universal edge (T)*

PLY	plywood edge	+\$50
-----	--------------	-------

## Step 13. Base Finish

*Metallic Paint*

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$60
SNB	satin bronze	+\$60
SNC	satin carbon	+\$60

Nevi Link Back-to-Back Rectangular  
Height Adjustable Bench *continued*


Nevi™ Link Sit-to-Stand Bench

Sand Texture Paint		
BK	black	+\$0
UBK	ultra black (CP)	+\$0
Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0



# Nevi Link 120 Degree Height Adjustable Bench

DY3AS.



## Product Information

### Description

This 120° back-to-back bench is a 3-workstation unit that can be used in back-to-back height adjustable benching applications in series with other Nevi™ Link back-to-back benches. Each workstation comes in a squared-edge style and has a laminate top with thermoplastic edge. There are multiple height adjustment, wire management, and switch options. Glides have ½" of leveling adjustment. Shipped knocked down. Product is UL Listed.

### Notes

Floor-to-top-of-surface height adjustment ranges are 27"-46" for the electric standard range (EEE) option and 22"-48" for the electric extended range (DDD) option.



To power bench applications, order Connect™ separately. See planning guide for details. Up to 4 duplexes per station.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 1" to minimize possible pinch point hazards between benches.

When specifying height adjustable range (EEE or DDD), all 3 tables will be the same range (standard or extended).

For linear bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 60"-wide and wider sections. For 120° bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 54"-wide and wider sections.

## Dimensions



## Specification Information

### Step 1.

**DY3A**

### Step 2. Edge

**S.** squared-edge

### Step 3. Depth

**24** 24" deep (23" surface size)  
**30** 30" deep (29" surface size)

### Step 4. Width

**48** 48" wide (47" surface size)  
**54** 54" wide (53" surface size)  
**60** 60" wide (59" surface size)

### Step 5. Surface Material

**L** high-pressure laminate top/thermoplastic edge  
**M** thermally-fused laminate top/thermoplastic edge

### Step 6. Height Adjustable Range Tables 1, 2, and 3

**DDD** electric extended range  
**EEE** electric standard range

### Prices for Steps 1-6.

		LDDD	LEEE	MDDD	MEEE
<b>DY3AS. 24 48</b>		\$18202	15828	17096	14867
<b>54</b>		\$19294	16778	18123	15759
<b>60</b>		\$20450	17784	19208	16703
<b>30 48</b>		\$19426	16891	18249	15868
<b>54</b>		\$20591	17905	19344	16820
<b>60</b>		\$21826	18980	20506	17831

### Step 7. Central Cable Trough Tables 1, 2, and 3

*For 48" wide (47" surface size) (48) or 54" wide (53" surface size) (54)*

<b>BCT</b>	basic cable trough - data/power routing and cord management	+\$1200
<b>ECT</b>	enhanced cable trough w/covers - data/power routing and cord management	+\$2100

*For 60" wide (59" surface size) (60)*

<b>BCT</b>	basic cable trough - data/power routing and cord management	+\$1200
<b>ECT</b>	enhanced cable trough w/covers - data/power routing and cord management	+\$2100

Nevi™ Link Sit-to-Stand Bench

# Nevi Link 120 Degree Height Adjustable Bench *continued*

Nevi™ Link Sit-to-Stand Bench

Step 8. Switch Option		
<b>STS</b>	simple up/down touch switch	+\$0
<b>SUD</b>	simple up down	+\$150

Step 9. Under Work Surface Cable Management Tables 1, 2, and 3		
<b>N</b>	no under worksurface cable management	+\$0

Step 10. Power Access Cutout - Tables 1, 2, and 3		
<b>LC</b>	left cutout for logic mini Y1414	+\$68
<b>NC</b>	no cutout	+\$0
<b>RC</b>	right cutout for logic mini Y1414	+\$68

Step 11. Top Finish		
---------------------	--	--

## For high-pressure laminate top/thermoplastic edge (L)

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBS</b>	phantom cocoa <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBU</b>	medium matte walnut (CP) <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LBV</b>	warm grey teak <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

## For thermally-fused laminate top/thermoplastic edge (M)

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0

Step 12. Edge Finish		
----------------------	--	--

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LU</b>	soft white	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

Nevi Link 120 Degree Height  
Adjustable Bench *continued*

Step 13. Base Finish

Sand Texture Paint

<b>BK</b>	black	+\$0
<b>UBK</b>	ultra black (CP)	+\$0

Smooth Paint


<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

Metallic Paint

<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$60
<b>SNB</b>	satin bronze	+\$60
<b>SNC</b>	satin carbon	+\$60

End Caps - Basic Cable Trough

DY4EC.



Nevi™ Link Sit-to-Stand Bench

Product Information


Description

This cover plate creates a clean and finished aesthetic at the end of a run. Finishes are available to match the base finishes of Nevi™ Link benches. Product is UL Listed.

Notes

End Caps-Basic Cable Trough are for use with height adjustable benching solutions with the basic cable trough (BCT) wire management option. For height adjustable benching solutions with the enhanced cable trough (ECT) wire management option, see the End Caps-Enhanced Cable Trough (DU4B., DU4S.). For back-to-back applications, specify end cap-2 per box (EC) option. End caps are placed on each end of the run. For 120° applications, specify 1 option of 2 per box (EC) and 1 option of 1 per box (EF) for a total of 3 end caps.

Dimensions



Specification Information

Step 1.

DY4

Step 2. End Cap Quantity

EC. end cap - 2 per box

Prices for Steps 1-2.

DY4EC. \$218

Step 3. Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

BK	black	+\$0
UBK	ultra black (CP)	+\$0


Smooth Paint

G1	graphite (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Connecting Plate - Basic Cable

DY4CP.

Trough




Product Information
Description
This cover plate creates a clean and finished aesthetic where bench sections come together. Finishes are available to match the base finishes of Nevi™ Link benches. Package contains 1 connecting plate. Product is UL Listed.
Notes
Connecting Plate-Basic Cable Trough are for use with height adjustable benching solutions with the basic cable trough (BCT) wire management option.
For height adjustable benching solutions with the enhanced cable trough (ECT) wire management option, see the Connecting Plate-Enhanced Cable Trough (DU4B., DU4S.).
Connecting plate is required to connect 1 bench section to another section. The number of connecting plates needed in a run is 1 less than the number of bench sections in the run.
Dimensions



Specification Information
Step 1.
DY4
Step 2. Connecting Plate or End Cap
CP. connecting plate (between tables) 1x box
Prices for Steps 1-2.
DY4CP. \$244
Step 3. Finish
Metallic Paint
611 beige mist metallic (CP) +\$0
613 silver (CP) +\$0
SNA satin aluminum +\$30
SNB satin bronze +\$30
SNC satin carbon +\$30
Sand Texture Paint
BK black +\$0
Smooth Paint
8Q folkstone grey (CP) +\$0
91 white (CP) +\$0
98 studio white (CP) +\$0
G1 graphite (CP) +\$0
WL warm stone (CP) +\$0
WN warm grey neutral +\$0

## End Caps - Enhanced Cable Trough

DU4B.  
DU4S.



Nevi™ Link Sit-to-Stand Bench

### Product Information

#### Description

These cover plates create a clean and finished aesthetic at the end of runs. Finishes are available to match the base finishes of Renew™ Link and Nevi™ Link benches. Product is UL Listed.

#### Notes


For single sided bench runs, specify single sided (DU4S.EC). Single sided end caps (DU4S.EC) do not work with Nevi Link. For back to back bench runs, specify back to back (DU4B.EC).

Only 1 set of end caps needed per run. End caps are placed on each end of the run.

End Caps-Enhanced Cable Trough are for use with height adjustable benching solutions with the enhanced cable trough (ECT) wire management option.

For height adjustable benching solutions with the basic cable trough (BCT) wire management option, see the End Caps-Basic Cable Trough (DY4EC., DY4EF.).

### Dimensions



### Specification Information

#### Step 1.

#### DU4

#### Step 2. Single Sided or Back to Back

- S. single sided
- B. back to back

#### Step 3. End Cap Quantity

EC end cap - 2 per box

#### Prices for Steps 1-3.

DU4S. EC \$201

DU4B. EC \$250

#### Step 4. Finish

#### Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

#### Sand Texture Paint


BK	black	+\$0
UBK	ultra black (CP)	+\$0

#### Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Connecting Plate - Enhanced Cable Trough

DU4B.  
DU4S.



Product Information

Description

These cover plates create a clean and finished aesthetic where bench sections come together. Finishes are available to match the base finishes of Renew™ Link and Nevi™ Link benches. Connecting plates come 1 per package. Product is UL Listed.

Notes

For single sided bench runs, specify single sided (DU4S.CP). For back to back bench runs, specify back to back (DU4B.CP).

Connecting plates are required to connect 1 bench section to another section. The number of connecting plates needed in a run is 1 less than the number of bench sections in the run.

Connecting Plate-Enhanced Cable Trough is for use with height adjustable benching solutions with the enhanced cable trough (ECT) wire management option.

For height adjustable benching solutions with the basic cable trough (BCT) wire management option, see the Connecting Plate-Basic Cable Trough (DY4CP.).

Dimensions

Single Sided

Back to Back

Nevi™ Link Sit-to-Stand Bench


Connecting Plate - Enhanced Cable  
Trough *continued*

Neu™ Link Sit-to-Stand Bench

Specification Information		
Step 1.		
DU4		
Step 2. Single Sided or Back to Back		
S.	single sided	
B.	back to back	
Step 3. Connecting Plate or End Cap		
CP	connecting plate (between tables) 1x box	
Prices for Steps 1-3.		
DU4S.	CP	\$243
DU4B.	CP	\$281
Step 4. Finish		
Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
Sand Texture Paint		
BK	black	+\$0
UBK	ultra black (CP)	+\$0
Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0



# Single End Cap - Basic Cable Trough DY4EF.




## Product Information

**Description**  
This cover plate creates a clean and finished aesthetic at the end of a run. Finishes are available to match the base finishes of Nevi™ Link benches. Product is UL Listed.

**Notes**  
End Caps-Basic Cable Trough are for use with height adjustable benching solutions with the basic cable trough (BCT) wire management option. For height adjustable benching solutions with the enhanced cable trough (ECT) wire management option, see the End Caps-Enhanced Cable Trough (DU4B, DU4S.).  
For back-to-back applications, specify end cap-2 per box (EC) option. End caps are placed on each end of the run.  
For 120° applications, specify 1 option of 2 per box (EC) and 1 option of 1 per box (EF) for a total of 3 end caps.

## Dimensions



## Specification Information

**Step 1.**  
**DY4**

**Step 2. End Cap Quantity**  
**EF.** end cap - 1 per box

**Prices for Steps 1-2.**  
**DY4EF.** \$111

## Step 3. Finish


Metallic Paint		
<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$30
<b>SNB</b>	satin bronze	+\$30
<b>SNC</b>	satin carbon	+\$30

Sand Texture Paint		
<b>BK</b>	black	+\$0
<b>UBK</b>	ultra black (CP)	+\$0

Smooth Paint		
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

## Screen, Trough Mounted

DU8E.  
DU8F.



Nevi™ Link Sit-to-Stand Bench

### Product Information

#### Description

This screen provides privacy between workstations and can create privacy and boundary from adjacent work areas. Installed height of all screen tops is 46". Screens are tackable fabric, laminate, or glass. Attachment hardware included.

#### Notes

Finish for glass screen hardware is always anodized (AN).

Back to back screen (BB) to be used with back to back bench applications.

Gallery screens (BG, SG) to be used on the end of back to back or single sided bench applications, respectively, and in conjunction with end of run gallery panels (DU9R.).

For use with boundary gallery panel (DU9B.) in single sided applications, specify single sided boundary gallery screen (SG). Single sided gallery (DU8x.SG) and single sided boundary (DU8x.SB) screens do not work with Nevi™ Link.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Application-Width—Yardage

SG24—1.45

SG30—1.45

SB48—1.45

BG48—1.45

BB48—2.14

For horizontal fabric direction (R):

Application-Width—Yardage

SG24—0.97

SG30—1.14

SB48—1.71

SB54—1.90

SB60—2.07

SB66—2.27

SB72—2.46

BG48—1.71

BG60—2.07

BB48—3.15

BB54—3.52


BB60—3.91

BB66—4.28


BB72—4.67

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.


### Dimensions




DU8F



DU8G



DU8L



DU8E

# Screen, Trough Mounted *continued*

## Specification Information

### Step 1.

**DU8**

### Step 2. Edge

F. Pari fabric screen  
E. flat edge fabric screen

### Step 3. Application

*For Pari fabric screen (F.) or flat edge fabric screen (E.)*

**SG** single side gallery  
**SB** single side boundary  
**BG** back to back gallery  
**BB** back to back

### Step 4. Width

*For single side gallery (SG)*

**24** 24" wide  
**30** 30" wide

*For single side boundary (SB)*

**48** 48" wide  
**54** 54" wide  
**60** 60" wide  
**66** 66" wide  
**72** 72" wide

*For back to back gallery (BG)*

**48** 48" wide  
**60** 60" wide

*For back to back (BB)*

**48** 48" wide  
**54** 54" wide  
**60** 60" wide  
**66** 66" wide  
**72** 72" wide

### Step 5. Surface Material

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 24" wide (24), 48" wide (48), or 30" wide (30)*

**T** tackable fabric  
**R** tackable fabric, horizontal

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)*

**R** tackable fabric, horizontal

### Prices for Steps 1-5.

			T	R
<b>DU8F.</b>	<b>SG</b>	<b>24</b>	\$855	830
		<b>30</b>	\$1161	1161
	<b>SB</b>	<b>48</b>	\$1245	1245
		<b>54</b>	—	\$1327
		<b>60</b>	—	\$1410
		<b>66</b>	—	\$1492
		<b>72</b>	—	\$1657
	<b>BG</b>	<b>48</b>	\$1245	1245
		<b>60</b>	—	\$1327
	<b>BB</b>	<b>48</b>	\$1989	1989
		<b>54</b>	—	\$2114
		<b>60</b>	—	\$2237
		<b>66</b>	—	\$2359
		<b>72</b>	—	\$2485

			T	R
<b>DU8E.</b>	<b>SG</b>	<b>24</b>	\$186	178
		<b>30</b>	\$525	505
	<b>SB</b>	<b>48</b>	\$608	589
		<b>54</b>	—	\$674
		<b>60</b>	—	\$787
		<b>66</b>	—	\$901
		<b>72</b>	—	\$1013
	<b>BG</b>	<b>48</b>	\$608	589
		<b>60</b>	—	\$702
	<b>BB</b>	<b>48</b>	\$1324	1324
		<b>54</b>	—	\$1452
		<b>60</b>	—	\$1578
		<b>66</b>	—	\$1686
		<b>72</b>	—	\$1795

### Step 6. Hardware Color

**NNN** none +\$0

## Step 7. Fabric

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 24" wide (24), or 30" wide (30)*

Price Category 1	+\$0
Price Category 2	+\$17
Price Category 3	+\$41
Price Category 5	+\$120
Price Category B	+\$79
Price Category C	+\$79

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 48" wide (48)*

Price Category 1	+\$0
Price Category 2	+\$22
Price Category 3	+\$53
Price Category 5	+\$154
Price Category B	+\$101
Price Category C	+\$101

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 54" wide (54), or 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$28
Price Category 3	+\$66
Price Category 5	+\$192
Price Category B	+\$126
Price Category C	+\$126

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 66" wide (66)*

Price Category 1	+\$0
Price Category 2	+\$31
Price Category 3	+\$74
Price Category 5	+\$217
Price Category B	+\$143
Price Category C	+\$143

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 72" wide (72)*

Price Category 1	+\$0
Price Category 2	+\$34
Price Category 3	+\$80
Price Category 5	+\$235
Price Category B	+\$143
Price Category C	+\$143

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 48" wide (48)*

Price Category 1	+\$0
Price Category 2	+\$38
Price Category 3	+\$90
Price Category 5	+\$263
Price Category B	+\$155
Price Category C	+\$155

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 54" wide (54), or 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$52
Price Category 3	+\$122
Price Category 5	+\$356
Price Category B	+\$234
Price Category C	+\$234

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 66" wide (66)*


Price Category 1	+\$0
Price Category 2	+\$59
Price Category 3	+\$140
Price Category 5	+\$410
Price Category B	+\$270
Price Category C	+\$270

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 72" wide (72)*

Price Category 1	+\$0
Price Category 2	+\$65
Price Category 3	+\$154
Price Category 5	+\$448
Price Category B	+\$294
Price Category C	+\$294

Gallery Panel

DU9B.  
DU9R.




Product Information


**Description**  
This gallery panel creates a finished and polished look to end of run or single sided applications. It also creates boundary for a single sided bench and an adjacent work space or aisle. The panel is laminate with thermoplastic edge, laminate with universal edge, or veneer with veneer edge. Edges are square. Glides have 1/2" of leveling adjustment.

**Notes**  
For end of run application, specify end of run panel (DU9R.).  
For single sided application on back side of work surface, specify single sided boundary panel (DU9B.). Single sided boundary gallery panel (DU9x.B) does not work with Nevi™ Link.  
When specifying 29" gallery panel with inserts to be used with 17"-high fabric screen (Pari or flat edge), overall combined height will align with trough-mounted screens at 46" high. Order 17"-high fabric screen separately.  
Grain direction is vertical on veneer, wood-grain and directional laminates.  
Wood-grain and directional laminates are not available on 66"-72" wide gallery panels and are not a recommended application when using ZZ open line wood-grain or directional laminates.

Dimensions



DU9R 1 1/4"



DU9B 1 1/4"

Nevi™ Link Sit-to-Stand Bench

## Gallery Panel *continued*

### Specification Information

#### Step 1.

DU9

#### Step 2. Edge

R. end of run gallery panel

B. single sided boundary gallery panel (along back edge)

#### Step 3. Width

#### For end of run gallery panel (R.)

24	24" wide - front edge to back edge for single sided bench
30	30" wide - front edge to back edge for single sided bench
48	48" wide - front edge to front edge for 24" deep back to back
60	60" wide - front edge to front edge for 30" deep back to back

#### For single sided boundary gallery panel (along back edge) (B.)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

#### Step 4. Height

29	29" tall
46	29" tall with inserts to be used with 17" tall fabric screens (Pari or Flat Edge)

#### Step 5. Surface Material

L	high-pressure laminate top/thermoplastic edge
W	veneer top/veneer edge
U	high-pressure laminate/universal edge

#### Prices for Steps 1-5.

		L	W	U
DU9R.	24 29	\$356	812	356
	46	\$451	906	451
	30 29	\$469	1023	469
	46	\$564	1117	564
	48 29	\$745	1588	745
	46	\$841	1684	841
	60 29	\$955	2020	955
	46	\$1060	2114	1060
		L	W	U
DU9B.	54 29	\$999	2040	970
	46	\$1107	2140	1043

48 29	\$853	1735	829
46	\$964	1840	937
60 29	\$1094	2238	1064
46	\$1209	2344	1174
66 29	\$1264	2568	1226
46	\$1372	2676	1334
72 29	\$1401	2857	1362
46	\$1512	2965	1467

#### Step 6.

#### Surface Finish

For 24" wide - front edge to back edge for single sided bench (24), 48" wide (48), 30" wide - front edge to back edge for single sided bench (30), 54" wide (54), 48" wide - front edge to front edge for 24" deep back to back (48), 60" wide (60), or 60" wide - front edge to front edge for 30" deep back to back (60) with high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

---

Surface Finish

*For 66" wide (66) or 72" wide (72) with high-pressure laminate top/  
thermoplastic edge (L), or high-pressure laminate/universal edge (U)*

<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

---

Surface/Edge Finish

*For veneer top/veneer edge (W)*

<b>2U</b>	light brown walnut	+\$85
<b>40</b>	dark brown walnut	+\$85
<b>CHD</b>	noble cherry	+\$85
<b>ET</b>	clear on ash	+\$85
<b>EU</b>	oak on ash	+\$85
<b>EV</b>	walnut on ash	+\$85
<b>EW</b>	medium matte walnut	+\$85
<b>UL</b>	natural maple	+\$85
<b>WHN</b>	natural white oak	+\$85

---

Step 7. Edge Finish

*For high-pressure laminate top/thermoplastic edge (L)*

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LU</b>	soft white	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

*For high-pressure laminate/universal edge (U)*

<b>PLY</b>	plywood edge	+\$50
------------	--------------	-------

---

Step 8. Bracket Finish

---

Metallic Paint

<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$10
<b>SNB</b>	satin bronze	+\$10
<b>SNC</b>	satin carbon	+\$10

---


Sand Texture Paint

<b>BK</b>	black	+\$0
<b>UBK</b>	ultra black (CP)	+\$0


**Nev<sup>™</sup> Link Sit-to-Stand Bench**

Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0






Product Information
Description
This power entry connects a building's electrical from a wall, floor, or column to the end of a 4-circuit junction block and distributes up to 4 20-amp circuits. UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.
Notes
Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.
Power entry can be field cut to the appropriate length.
For San Francisco, specify 3/8" flex metallic conduit option (C).
Finish color on liquid tight conduit is black. Finish color on metallic conduit is silver.
A licensed electrician must wire the power entry to the building's electrical system.
Dimensions



Specification Information		
Step 1.		
DU1351.		
Step 2. Length		
06	6' long	
12	12' long	
18	18' long	
24	24' long	
Step 3. Conduit Type		
L	liquid tight conduit	
C	3/8" flex metallic conduit	
Prices for Steps 1-3.		
	L	C
DU1351. 06	\$306	306
12	\$438	438
18	\$580	570
24	\$730	730


Connect™-Power Entry, 4-Circuit,  
New York City

DU1352




Product Information
Description
This power entry connects a building's electrical from a wall, floor, or column to the end of a 4-circuit junction block and distributes up to 4 20-amp circuits. It includes a junction box and harness. It is UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.
Notes
Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.
Power entry comes with an 8" harness.
A licensed electrician must wire the power entry to the building's electrical system.
For linear bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 60"-wide and wider sections. For 120° bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 54"-wide and wider sections.
Dimensions

Specification Information
Step 1.
DU1352.08
\$482



## DU1353




Product Information	
Description	

This adjustable power jumper distributes up to 4 20-amp circuits between 2 junction blocks. One end of the jumper extends an additional 3" when connecting to an adjacent junction block. It is UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.

Finish on 5/8" oval metallic conduit is silver.

## Dimensions



Adjustable Jumper

## Specification Information

DU1353.

## Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide


## Step 3. Type

**A** adjustable jumper

Prices for Steps 1-3.

	A
DU1353. 24	\$181
30	\$197
36	\$211
42	\$220
48	\$224
54	\$246
60	\$255


Connect™-Block Connector, 4-CircuitDU1354



Nevi™ Link Sit-to-Stand Bench

Product Information
Description
This connector connects 2 junction blocks together. Finish is black. Attachment hardware included. It is UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.
Notes
Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.
Dimensions


Specification Information
Step 1.
DU1354.S\$98



Short Receptacle-to-Receptacle Block Connector

Connect™-Junction Block, 4-Circuit

DU1358



Product Information

Description

This junction block attaches to the electrical cross bar and accepts 4-circuit receptacles for access and distribution of up to 4 20-amp circuits. It has connection points at both ends for attaching a power entry, a 4-circuit power jumper, or block-to-block connector. Finish is black. It is UL Listed for use with Renew™ Link and NeVi™ Link in the US and Canada. Attachment bracket and hardware included.

Notes

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.

For back-to-back applications, specify the 2-duplex block (DU1358.DB) or the 1-duplex block (DU1358.SB).

Order duplex receptacle, 4-circuit (DU1355.) separately.

To route power from building to junction block, order 4-circuit power entry (DU1351. or DU1352.) separately.

To route power between junction blocks, order junction block to junction block jumper (DU1353.) separately.

To connect 2 junction blocks together, order a short block to block connector (DU1354.S) separately.

Dimensions

Specification Information

Step 1.

DU1358.

Step 2. Junction Block Type

SB

single back-to-back junction block

DB

double back-to-back junction block

Step 3. Attachment Hardware



B

short 90° attachment to underside of surface

Prices for Steps 1-3.


B

DU1358.	SB	\$191
	DB	\$159



Connect™-Duplex Receptacle, 4-Circuit

DU1355



Product Information

Description

This 15- or 20-amp duplex receptacle attaches to a junction block to provide electrical access. Finish is black. Package of 1. It is UL Listed for use with Renew™ Link and Nevo™ Link in the US and Canada.


Notes

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.

Receptacle is labeled as I, II, III, or IV for circuit identification.

Order junction block (DU1358.) separately.

Dimensions



Specification Information

Step 1.

**DU1355.**

Step 2. Amps


15	15 amp
20	20 amp

Step 3. Circuit

1	circuit I
2	circuit II
3	circuit III
4	circuit IV

Prices for Steps 1-3.

		1	2	3	4
DU1355.	15	\$50	50	50	50
	20	\$60	60	60	60



### Product Information

#### Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Grommet mount attachment does not come with the mini grommet (order separately as needed). Cable clips and attachment hardware included. Product is UL listed.

#### Notes

Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Cable clips for cord management are intended for a 1-time installation.


Clamp versions can be reoriented in the field by a technician.

USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.


Cord color is predetermined. For white (91) finish cords will be white. For graphite (G1) finish cords will be black.

Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

### Dimensions



Surface Clamp



Grommet Mount

Nevi™ Link Sit-to-Stand Bench

Specification Information

Step 1.

Y1414.

Step 2. Configuration

- L 1 simplex receptacles, 1 powered USB A/C Combo
- K 2 simplex receptacles

Step 3. Cord/Conduit Length

- 03 3' cord/conduit
- 06 6' cord/conduit
- 10 10' cord/conduit

Step 4. Attachment

- G grommet mount
- S surface clamp

Prices for Steps 1-4.

			G	S
Y1414.	L	03	\$471	471
		06	\$471	471
		10	\$483	483
	K	03	\$264	264
		06	\$264	264
		10	\$278	278


Step 5. Finish

- BK black ☐ +\$0
- UBK ultra black (CP) ☐ +\$0
- 91 white (CP) ☐ +\$0
- 98 studio white (CP) ☐ +\$0
- G1 graphite (CP) ☐ +\$0




Logic Mini Grommet

Y1412.




Product Information
Description
This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.
Notes
This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.
Dimensions

Specification Information
Step 1.
Y1412.
Step 2. Configuration
1 mini rectangle grommet
2 mini square grommet
Prices for Steps 1-2.
Y1412. 1 \$42
2 \$47
Step 3. Finish
91 white (CP) +\$0
98 studio white (CP) +\$0
BK black +\$0
G1 graphite (CP) +\$0
UBK ultra black (CP) +\$0




Grommet - Rectangle



Grommet - Square

External Cable Manager

DU11B.  
DU11S.




Nevi™ Link Sit-to-Stand Bench

Product Information

Description

This cable manager seamlessly routes cables from the central trough of height adjustable benching (Renew™ Link or Nevi™ Link) up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.

Dimensions



Specification Information

Step 1.

DU11

Step 2. Attachment

- B. high density trough attachment
- S. worksurface attachment

Prices for Steps 1-2.


DU11B.	\$282
DU11S.	\$282

Step 3. Finish

Price Category 4	+\$0
Price Category 5	+\$0

# Hinged Cable Trough

Y1300.



## Product Information

### Description

This sheet metal trough is a stand-alone cable management tray that mounts to the underside of a work surface to hold and conceal cords and cables. It can be used with a Logic Mini unit for cord storage or used alone with cords routed through the ends of the trough. Trough holds cords in place when open.

### Notes

Power strip (Y1500.) is intended to be housed inside the trough for additional power access.




Hinged cable trough works best with a Motia® Vista™ height adjustable table (DV6GT.). Can be used on any other work surface that has the clearance for the overall dimensions listed below.

When specifying a 24"D×54"W table with legs inbound for under surface storage on both ends (2) option, the hinged cable trough option is not available. It is recommended to use the (Y1200.48N) cable trough, ordered separately.

Order the following products separately:

- Power strip (Y1500.)
- Logic Mini (Y1414., Y1412.)

## Dimensions



Specification Information

Step 1.

Y1300. ☐ A

Step 2. Work Surface Depth

- 24 for use with 24" deep work surface ☐ A
- 30 for use with 30" deep work surface ☐ A
- 48 for use with a 24" or 30" deep x 48" wide Motia C-Leg Table ☐ A

Prices for Steps 1-2.

Y1300. 24	\$261
30	\$283
48	\$245

Step 3. Finish

Smooth Paint


8Q	folkstone grey (CP) <input type="checkbox"/> A	+\$0
91	white (CP) <input type="checkbox"/> A	+\$0
98	studio white (CP) <input type="checkbox"/> A	+\$0
CL	cool grey neutral <input type="checkbox"/> A	+\$0
WL	warm stone (CP) <input type="checkbox"/> A	+\$0
WN	warm grey neutral <input type="checkbox"/> A	+\$0

Sand Texture Paint


BK	black <input type="checkbox"/> A	+\$0
G1	graphite (CP) <input type="checkbox"/> A	+\$0

Metallic Paint

SNB	satin bronze <input type="checkbox"/> A	+\$0
EH	metallic bronze <input type="checkbox"/> A	+\$0




Product Information
Description
This channel attaches to the underside of a surface to hold and manage cords and cables. Attachment hardware included.
Dimensions



Specification Information
Step 1.
FT19C. <span>A</span>
Step 2. Width
08 8" wide <span>A</span>
40 40" wide <span>A</span>
Prices for Steps 1-2.
FT19C. 08 \$62
40 \$110


Cable Management Trough

FT199.




Product Information
Description
This trough attaches along the underside of a Canvas surface to hold and manage power/data cables. It includes two 14"-wide troughs. Finish is black. Attachment hardware is included.
Dimensions

Specification Information
Step 1.
FT199.
\$102





Cable Manager

FV695.




Product Information
Description
This cable manager attaches beneath a surface to provide routing of cables and cords at the back edge of a desk or return. Attachment hardware included.
Notes
When using cable manager with privacy panel or screen, specify cable manager width 12" less than privacy panel or screen width.
Dimensions



Specification Information
Step 1.
FV695.
Step 2. Width
18 18" wide
24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
Prices for Steps 1-2.
FV695. 18 \$110
24 \$116
30 \$126
36 \$134
42 \$145
48 \$158
Step 3. Surface Finish
Sand Texture Paint
UBK ultra black (CP) +\$0
8Q folkstone grey (CP) +\$0
91 white (CP) +\$0
98 studio white (CP) +\$0
BK black +\$0
CL cool grey neutral +\$0
G1 graphite (CP) +\$0
WL warm stone (CP) +\$0
WN warm grey neutral +\$0
Metallic Paint
611 beige mist metallic (CP) +\$0
613 silver (CP) +\$0
EH metallic bronze +\$0
SNA satin aluminum +\$10
SNB satin bronze +\$10
SNC satin carbon +\$10


Cable Management Trough, Work Surface Suspended

AO382.



Product Information
Description
This trough attaches under an Action Office® suspended work surface to manage cables. Attachment hardware is included.
Dimensions


Specification Information		
Step 1.		
AO382.		
Step 2. Width		
30	30" wide	
40	40" wide	
Prices for Steps 1-2.		
AO382. 30		\$123
40		\$151
Step 3. Surface Finish		
UBK	ultra black (CP)	+\$0
MT	medium tone	+\$0






Height-Adjustable Vertical Cable Manager

DU15B.  
DU15S.



Product Information
<p>Description</p> <p>This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.</p>
<p>Dimensions</p>



Specification Information		
Step 1.		
DU15 <input type="checkbox"/>		
Step 2. Attachment		
B.	cable tray attachment <input type="checkbox"/>	
S.	worksurface attachment <input type="checkbox"/>	
Step 3. Table Mechanism		
D	electric extended range	
E	electric standard range	
Prices for Steps 1-3.		
DU15B. D		\$169
	E	\$169
DU15S. D		\$176
	E	\$176
Step 4. Finish		
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
BK	black	+\$0
91	white (CP)	+\$0




Renew™ Link Sit-to-Stand Bench





# Renew Link Back-to-Back Rectangular Height Adjustable Bench

DU2AS.  
DU2AT.



## Product Information

### Description

This rectangular back-to-back bench is a 2-workstation unit that can be used in back-to-back height adjustable benching applications in series with other Renew™ Link back-to-back benches to create a run. Each workstation has a C-leg configuration, comes in multiple edge styles, and has options for laminate top with thermoplastic edge, laminate top with universal edge, veneer top and edge, or painted Formcoat® top and edge. There are multiple height adjustment, wire management, and switch options. Glides have 1/2" of leveling adjustment. Shipped knocked down. Product is UL Listed.

Each table can be specified with a different height adjustment mechanism. Floor to top of surface height adjustment ranges are 27"-46" for the electric standard range (E) option, 22"-48" for the electric extended range (D) option, and 28 1/2" for the fixed height table (F).

### Notes

To power bench applications, specify the following components separately:

- Power entry (DU1351.)
- Power entry, New York City (DU1352.)
- Junction block to Junction block jumper (DU1353.)
- Duplex receptacle (DU1355.)
- Junction block (DU1358.DBB)

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 1" to minimize possible pinch point hazards between benches.

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. Available on 30" deep tables only.


Power access cutouts are specifically sized for 5 wide and 6 wide Logic G1000 grommet mounted electrical distributors (Y1425.).

For linear bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 60"-wide and wider sections. For 120° bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 54"-wide and wider sections.

MicrobeCare™ is an antimicrobial coating that can be applied to a wide variety of Herman Miller Group surfaces to protect products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is a US Environmental Protection Agency (EPA) registered nonpublic health antimicrobial.

## Dimensions



Renew™ Link Sit-to-Stand Bench

# Renew Link Back-to-Back Rectangular Height Adjustable Bench

continued

Renew™ Link Sit-to-Stand Bench

Specification Information	
Step 1.	
DU2A	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
Step 3. Depth	
24	24" deep (23" surface size)
30	30" deep (29" surface size)
Step 4. Width	
48	48" wide (47" surface size)
54	54" wide (53" surface size)
60	60" wide (59" surface size)
66	66" wide (65" surface size)
72	72" wide (71" surface size)
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
J	thermally-fused laminate top/thermoplastic edge with MicrobeCare™
K	thermally-fused laminate top/universal edge with MicrobeCare™
M	thermally-fused laminate top/thermoplastic edge
T	thermally-fused laminate top/universal edge
L	high-pressure laminate top/thermoplastic edge
W	veneer top/veneer edge
P	painted Formcoat® top/edge
<i>For thin-edge (T.)</i>	
L	high-pressure laminate top/thermoplastic edge
W	veneer top/veneer edge
P	painted Formcoat® top/edge
Step 6. Height Adjustable Table 1	
E	electric standard range
D	electric extended range
F	fixed table
Step 7. Height Adjustable Table 2	
<i>For electric standard range (E)</i>	
E	electric standard range
D	electric extended range
F	fixed table

For electric extended range (D)							
D	electric extended range						
F	fixed table						
For fixed table (F)							
F	fixed table						
Prices for Steps 1-7.							
		JEE	JED	JEF	JDD	JDF	JFF
DU2AS. 24	48	\$8149	8977	6465	10941	10954	4779
	54	\$8338	9199	6657	11214	11509	4967
	60	\$8524	9386	6839	11428	11737	5152
	66	\$8429	9348	6741	11470	12095	5055
	72	\$8603	9567	6917	11750	12398	5229
30	48	\$8402	9158	6715	11074	11360	5028
	54	\$8546	9366	6863	11363	11666	5175
	60	\$8676	9554	6989	11630	11953	5306
	66	\$8534	9486	6851	11656	12298	5162
	72	\$8674	9701	6987	11958	12618	5303
		KEE	KED	KEF	KDD	KDF	KFF
DU2AS. 24	48	\$8149	8977	6465	10941	10954	4779
	54	\$8338	9199	6657	11214	11269	4967
	60	\$8524	9386	6839	11428	11513	5152
	66	\$8429	9348	6741	11470	11602	5055
	72	\$8603	9567	6917	11750	11924	5229
30	48	\$8402	9158	6715	11074	11108	5028
	54	\$8546	9366	6863	11363	11436	5175
	60	\$8676	9554	6989	11630	11744	5306
	66	\$8534	9486	6851	11656	11816	5162
	72	\$8674	9701	6987	11958	12162	5303
		MEE	MED	MEF	MDD	MDF	MFF
DU2AS. 24	48	\$7951	8778	6264	10742	10757	4579
	54	\$8142	9001	6457	11015	11310	4769
	60	\$8325	9189	6639	11232	11539	4955
	66	\$8230	9148	6543	11271	11897	4857
	72	\$8406	9367	6719	11553	12199	5030
30	48	\$8203	8960	6516	10876	11161	4830
	54	\$8348	9169	6663	11165	11467	4975
	60	\$8478	9354	6792	11431	11752	5106
	66	\$8335	9288	6652	11457	12098	4964
	72	\$8475	9501	6790	11761	12420	5103

# Renew Link Back-to-Back Rectangular Height Adjustable Bench

continued

		TEE	TED	TEF	TDD	TDF	TFF
DU2AS. 24	48	\$7951	8778	6264	10742	10757	4579
	54	\$8142	9001	6457	11015	11071	4769
	60	\$8325	9189	6639	11232	11316	4955
	66	\$8230	9148	6543	11271	11403	4857
	72	\$8406	9367	6719	11553	11726	5030
30	48	\$8203	8960	6516	10876	10910	4830
	54	\$8348	9169	6663	11165	11238	4975
	60	\$8478	9354	6792	11431	11546	5106
	66	\$8335	9288	6652	11457	11617	4964
	72	\$8475	9501	6790	11761	11963	5103

		LEE	LED	LEF	LDD	LDF	LFF
DU2AS. 24	48	\$8072	8911	6360	10904	10918	4648
	54	\$8265	9137	6553	11182	11481	4841
	60	\$8452	9328	6739	11402	11713	5030
	66	\$8355	9287	6642	11441	12077	4931
	72	\$8534	9509	6821	11727	12384	5107
30	48	\$8328	9096	6615	11041	11328	4904
	54	\$8474	9308	6765	11333	11641	5051
	60	\$8606	9496	6895	11604	11929	5183
	66	\$8462	9428	6752	11630	12281	5039
	72	\$8603	9644	6893	11938	12609	5180

		WEE	WED	WEF	WDD	WDF	WFF
DU2AS. 24	48	\$9757	10749	8067	13103	13460	6379
	54	\$9982	11013	8297	13437	13834	6608
	60	\$10205	11240	8520	13691	14132	6826
	66	\$10150	11250	8460	13797	14296	6774
	72	\$10358	11516	8671	14136	14682	6983
30	48	\$10056	10966	8369	13266	13642	6680
	54	\$10233	11216	8544	13611	14038	6858
	60	\$10389	11440	8701	13932	14405	7013
	66	\$10275	11419	8590	14025	14552	6900
	72	\$10443	11677	8755	14389	14969	7069

		PEE	PED	PEF	PDD	PDF	PFF
DU2AS. 24	48	\$8318	9180	6631	11221	11303	4943
	54	\$8520	9410	6826	11507	11628	5138
	60	\$8708	9603	7018	11728	11884	5331
	66	\$8621	9576	6931	11783	11989	5246
	72	\$8801	9804	7114	12075	12324	5426
30	48	\$8577	9367	6892	11360	11461	5203
	54	\$8731	9584	7044	11661	11807	5354
	60	\$8865	9779	7179	11938	12125	5490
	66	\$8731	9721	7044	11978	12211	5354
	72	\$8875	9945	7187	12291	12572	5500

		LEE	LED	LEF	LDD	LDF	LFF
DU2AT. 24	48	\$8968	9891	7234	12080	12242	5497
	54	\$9180	10141	7445	12391	12596	5711
	60	\$9385	10349	7650	12631	12871	5916
	66	\$9302	10329	7571	12698	12993	5834
	72	\$9499	10577	7766	13011	13354	6031
30	48	\$9248	10094	7511	12234	12418	5777
	54	\$9413	10326	7679	12553	12786	5942
	60	\$9556	10534	7818	12853	13127	6086
	66	\$9427	10488	7693	12907	13233	5956
	72	\$9581	10724	7846	13247	13619	6109

		WEE	WED	WEF	WDD	WDF	WFF
DU2AT. 24	48	\$10870	11968	9153	14575	15111	7431
	54	\$11123	12264	9404	14939	15532	7687
	60	\$11368	12514	9649	15224	15854	7930
	66	\$11332	12549	9611	15370	16062	7893
	72	\$11563	12844	9845	15742	16490	8125
30	48	\$11206	12210	9488	14752	15318	7769
	54	\$11398	12486	9677	15135	15752	7959
	60	\$11569	12732	9851	15491	16161	8132
	66	\$11477	12734	9759	15616	16348	8037
	72	\$11659	13020	9942	16018	16806	8221

		PEE	PED	PEF	PDD	PDF	PFF
DU2AT. 24	48	\$9284	10173	7563	12491	12728	5845
	54	\$9501	10490	7783	12812	13093	6063
	60	\$9710	10706	7993	13055	13373	6274
	66	\$9641	10697	7925	13138	13513	6203
	72	\$9844	10951	8124	13465	13885	6406
30	48	\$9572	10443	7851	12649	12904	6134
	54	\$9742	10683	8021	12977	13285	6302
	60	\$9891	10898	8170	13286	13636	6452
	66	\$9766	10861	8046	13357	13761	6326
	72	\$9925	11107	8205	13702	14157	6486

## Step 8. Central Cable Trough Tables 1 and 2

For 48" wide (47" surface size) (48), 54" wide (53" surface size) (54), or 60" wide (59" surface size) (60)

BCT	basic cable trough - data/power routing and cord management	+\$100
ECT	enhanced cable trough w/covers - data/power routing and cord management	+\$700

Renew™ Link Sit-to-Stand Bench

# Renew Link Back-to-Back Rectangular Height Adjustable Bench

continued

Renew™ Link Sit-to-Stand Bench

For 66" wide (65" surface size) (66) or 72" wide (71" surface size) (72)

<b>BCT</b>	basic cable trough - data/power routing and cord management	+\$150
<b>ECT</b>	enhanced cable trough w/covers - data/power routing and cord management	+\$900

## Step 9. Switch Option

For fixed table (F) with fixed table (F)

<b>SNN</b>	no control	+\$0
------------	------------	------

For electric standard range (E) or electric extended range (D) with fixed table (F)

<b>SUD</b>	simple up down	+\$100
<b>SRM</b>	digital read out with memory	+\$160

For electric standard range (E) or electric extended range (D) with electric standard range (E), or electric extended range (D)

<b>SUD</b>	simple up down	+\$100
<b>SRM</b>	digital read out with memory	+\$320

## Step 10. Workstation Cord Cover/Cable Management Table 1 and 2

For 24" deep (23" surface size) (24)

<b>PSC</b>	simple cable	+\$0
------------	--------------	------

For 30" deep (29" surface size) (30)

<b>PSC</b>	simple cable	+\$0
<b>PHD</b>	high density cable trough	+\$549

## Step 11. Power Access Cutout - Tables 1 and 2

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 48" wide (47" surface size) (48), 54" wide (53" surface size) (54), or 60" wide (59" surface size) (60), or 66" wide (65" surface size) (66), or 72" wide (71" surface size) (72) with simple cable (PSC)

<b>NNN</b>	no cutout	+\$0
------------	-----------	------

For 30" deep (29" surface size) (30) with 48" wide (47" surface size) (48) with high density cable trough (PHD)

<b>NNN</b>	no cutout	+\$0
------------	-----------	------

For 30" deep (29" surface size) (30) with 54" wide (53" surface size) (54) with high density cable trough (PHD)

<b>NNN</b>	no cutout	+\$0
<b>LAC</b>	left cutout 6 port Y1425	+\$45
<b>RAC</b>	right cutout 6 port Y1425	+\$45
<b>LC5</b>	left cutout 5 port Y1425	+\$45
<b>RC5</b>	right cutout 5 port Y1425	+\$45

For 30" deep (29" surface size) (30) with 60" wide (59" surface size) (60), or 66" wide (65" surface size) (66), or 72" wide (71" surface size) (72) with high density cable trough (PHD)

<b>NNN</b>	no cutout	+\$0
<b>LAC</b>	left cutout	+\$45
<b>RAC</b>	right cutout	+\$45
<b>CAC</b>	center cutout	+\$45
<b>LC5</b>	left cutout 5 port Y1425	+\$45
<b>RC5</b>	right cutout 5 port Y1425	+\$45
<b>CC5</b>	center cutout 5 port Y1425	+\$45



# Renew Link Back-to-Back Rectangular Height Adjustable Bench

continued

## Step 12.

### Top Finish

*For high-pressure laminate top/thermoplastic edge (L)*

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0
<b>X1</b>	chalk white	+\$0

### Top Finish

*For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)*

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LU</b>	soft white	+\$0

### Top/Edge Finish

*For veneer top/veneer edge (W)*

<b>2U</b>	light brown walnut	+\$170
<b>40</b>	dark brown walnut	+\$170
<b>CHD</b>	noble cherry	+\$170
<b>ET</b>	clear on ash	+\$170
<b>EU</b>	oak on ash	+\$170
<b>EV</b>	walnut on ash	+\$170
<b>EW</b>	medium matte walnut	+\$170
<b>UL</b>	natural maple	+\$170
<b>WHN</b>	natural white oak	+\$170

### Top/Edge Finish

*For painted Formcoat® top/edge (P)*

<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>LU</b>	soft white	+\$0

Renew™ Link Sit-to-Stand Bench

# Renew Link Back-to-Back Rectangular Height Adjustable Bench

continued

Renew™ Link Sit-to-Stand Bench

## Step 13. Edge Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

## Step 14. Base Finish

### Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$60
SNB	satin bronze	+\$60
SNC	satin carbon	+\$60

### Sand Texture Paint


BK	black	+\$0
UBK	ultra black (CP)	+\$0

### Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

# Back to Back Trapezoid Height Adjustable Bench

DU2TS.  
DU2TT.



## Product Information

### Description

This bench is a 2 workstation unit that can be used in back to back height adjustable benching applications in series with other Renew™ Link back to back benches to create a run. The trapezoid shape creates individual and group work environments within a traditional benching application. Each workstation has a C-leg configuration, comes in multiple edge styles, and has options for laminate top with thermoplastic edge, laminate top with universal edge, veneer top and edge, or painted Formcoat® top and edge. There are multiple height adjustment, wire management, and switch options. Glides have 1/2" of leveling adjustment. Shipped knocked down. Product is UL Listed.

Each table can be specified with a different height adjustment mechanism. Floor to top of surface height adjustment ranges are 27"-46" for the electric standard range (E) option, 22"-48" for the electric extended range (D) option, and 28 1/2" for the fixed height table (F).

### Notes

To power bench applications, specify Connect™ separately. See planning guide for details.


Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. Available on 30" deep tables only.


Power access cutouts are specifically sized for 5 wide and 6 wide Logic G1000 grommet mounted electrical distributors (Y1425.).

For linear bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 60"-wide and wider sections. For 120° bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 54"-wide and wider sections.


## Dimensions



### Left Hand/Left Hand



### Left Hand/Right Hand



### Right Hand/Right Hand

Renew™ Link Sit-to-Stand Bench

# Back to Back Trapezoid Height Adjustable Bench *continued*

Specification Information	
Step 1.	
DU2T	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
Step 3. Width	
48	48" wide (47" surface size)
54	54" wide (53" surface size)
60	60" wide (59" surface size)
66	66" wide (65" surface size)
72	72" wide (71" surface size)
Step 4. Surface Material	
<i>For squared-edge (S.)</i>	
M	thermally-fused laminate top/thermoplastic edge
T	thermally-fused laminate top/universal edge
L	high-pressure laminate top/thermoplastic edge
W	veneer top/veneer edge
P	painted Formcoat® top/edge
U	high-pressure laminate/universal edge
<i>For thin-edge (T.)</i>	
L	high-pressure laminate top/thermoplastic edge
W	veneer top/veneer edge
P	painted Formcoat® top/edge
Step 5. Height Adjustable Table 1	
E	electric standard range
D	electric extended range
F	fixed table
Step 6. Height Adjustable Table 2	
<i>For electric standard range (E)</i>	
E	electric standard range
D	electric extended range
F	fixed table
<i>For electric extended range (D)</i>	
D	electric extended range
F	fixed table

For fixed table (F)

F

fixed table

Step 7. Trapezoid Configuration

A

left hand/left hand

B

left hand/right hand

C

right hand/right hand

Prices for Steps 1-7.

		EEA	EEB	EEC	EDA	EDB	EDC
DU2TS. 48	M	\$9695	9695	9695	10492	10492	10492
	T	\$9695	9695	9695	10492	10492	10492
	L	\$9793	9793	9793	10598	10598	10598
	W	\$11646	11646	11646	12597	12597	12597
	P	\$10090	10090	10090	10920	10920	10920
	U	\$9841	9841	9841	10651	10651	10651
54	M	\$9850	9850	9850	10707	10707	10707
	T	\$9850	9850	9850	10707	10707	10707
	L	\$9950	9950	9950	10815	10815	10815
	W	\$11826	11826	11826	12861	12861	12861
	P	\$10249	10249	10249	11145	11145	11145
	U	\$10000	10000	10000	10869	10869	10869
60	M	\$9985	9985	9985	10907	10907	10907
	T	\$9985	9985	9985	10907	10907	10907
	L	\$10086	10086	10086	11017	11017	11017
	W	\$11990	11990	11990	13094	13094	13094
	P	\$10393	10393	10393	11350	11350	11350
	U	\$10137	10137	10137	11072	11072	11072
66	M	\$10147	10147	10147	11144	11144	11144
	T	\$10147	10147	10147	11144	11144	11144
	L	\$10250	10250	10250	11256	11256	11256
	W	\$12182	12182	12182	13382	13382	13382
	P	\$10559	10559	10559	11599	11599	11599
	U	\$10302	10302	10302	11312	11312	11312
72	M	\$10293	10293	10293	11371	11371	11371
	T	\$10293	10293	10293	11371	11371	11371
	L	\$10397	10397	10397	11485	11485	11485
	W	\$12356	12356	12356	13651	13651	13651
	P	\$10711	10711	10711	11835	11835	11835
	U	\$10449	10449	10449	11542	11542	11542

# Back to Back Trapezoid Height Adjustable Bench *continued*

		EFA	EFB	EFC	DDA	DDB	DDC
DU2TS. 48	M	\$7924	7924	7924	12504	12504	12504
	T	\$7924	7924	7924	12504	12504	12504
	L	\$8005	8005	8005	12629	12629	12629
	W	\$9869	9869	9869	15013	15013	15013
	P	\$8321	8321	8321	13014	13014	13014
	U	\$8045	8045	8045	12692	12692	12692
54	M	\$8080	8080	8080	12805	12805	12805
	T	\$8080	8080	8080	12805	12805	12805
	L	\$8161	8161	8161	12934	12934	12934
	W	\$10053	10053	10053	15376	15376	15376
	P	\$8475	8475	8475	13328	13328	13328
	U	\$8201	8201	8201	12998	12998	12998
60	M	\$8216	8216	8216	13085	13085	13085
	T	\$8216	8216	8216	13085	13085	13085
	L	\$8299	8299	8299	13216	13216	13216
	W	\$10217	10217	10217	15714	15714	15714
	P	\$8622	8622	8622	13618	13618	13618
	U	\$8340	8340	8340	13282	13282	13282
66	M	\$8375	8375	8375	13424	13424	13424
	T	\$8375	8375	8375	13424	13424	13424
	L	\$8460	8460	8460	13559	13559	13559
	W	\$10411	10411	10411	16120	16120	16120
	P	\$8786	8786	8786	13973	13973	13973
	U	\$8502	8502	8502	13626	13626	13626
72	M	\$8523	8523	8523	13743	13743	13743
	T	\$8523	8523	8523	13743	13743	13743
	L	\$8609	8609	8609	13882	13882	13882
	W	\$10587	10587	10587	16498	16498	16498
	P	\$8939	8939	8939	14299	14299	14299
	U	\$8652	8652	8652	13951	13951	13951
		DFA	DFB	DFC	FFA	FFB	FFC
DU2TS. 48	M	\$12539	12539	12539	6155	6155	6155
	T	\$12539	12539	12539	6155	6155	6155
	L	\$12665	12665	12665	6218	6218	6218
	W	\$15409	15409	15409	8099	8099	8099
	P	\$13123	13123	13123	6547	6547	6547
	U	\$12728	12728	12728	6248	6248	6248
54	M	\$12881	12881	12881	6308	6308	6308
	T	\$12881	12881	12881	6308	6308	6308
	L	\$13010	13010	13010	6372	6372	6372
	W	\$15824	15824	15824	8281	8281	8281
	P	\$13480	13480	13480	6707	6707	6707
	U	\$13075	13075	13075	6404	6404	6404

60	M	\$13204	13204	13204	6444	6444	6444
	T	\$13204	13204	13204	6444	6444	6444
	L	\$13337	13337	13337	6509	6509	6509
	W	\$16209	16209	16209	8445	8445	8445
	P	\$13816	13816	13816	6849	6849	6849
	U	\$13403	13403	13403	6541	6541	6541
66	M	\$13591	13591	13591	6606	6606	6606
	T	\$13591	13591	13591	6606	6606	6606
	L	\$13728	13728	13728	6673	6673	6673
	W	\$16672	16672	16672	8639	8639	8639
	P	\$14218	14218	14218	7017	7017	7017
	U	\$13796	13796	13796	6706	6706	6706
72	M	\$13955	13955	13955	6750	6750	6750
	T	\$13955	13955	13955	6750	6750	6750
	L	\$14096	14096	14096	6818	6818	6818
	W	\$17108	17108	17108	8814	8814	8814
	P	\$14594	14594	14594	7170	7170	7170
	U	\$14166	14166	14166	6852	6852	6852
		EEA	EEB	EEC	EDA	EDB	EDC
DU2TT. 48	L	\$10659	10659	10659	11534	11534	11534
	W	\$12609	12609	12609	13642	13642	13642
	P	\$10930	10930	10930	11825	11825	11825
54	L	\$10827	10827	10827	11774	11774	11774
	W	\$12810	12810	12810	13927	13927	13927
	P	\$11104	11104	11104	12072	12072	12072
60	L	\$10978	10978	10978	11990	11990	11990
	W	\$12986	12986	12986	14184	14184	14184
	P	\$11254	11254	11254	12291	12291	12291
66	L	\$11156	11156	11156	12251	12251	12251
	W	\$13198	13198	13198	14497	14497	14497
	P	\$11436	11436	11436	12562	12562	12562
72	L	\$11313	11313	11313	12501	12501	12501
	W	\$13386	13386	13386	14788	14788	14788
	P	\$11602	11602	11602	12816	12816	12816
		EFA	EFB	EFC	DDA	DDB	DDC
DU2TT. 48	L	\$8867	8867	8867	13747	13747	13747
	W	\$10841	10841	10841	16260	16260	16260
	P	\$9161	9161	9161	14092	14092	14092
54	L	\$9034	9034	9034	14080	14080	14080
	W	\$11041	11041	11041	16651	16651	16651
	P	\$9334	9334	9334	14432	14432	14432
60	L	\$9184	9184	9184	14388	14388	14388
	W	\$11217	11217	11217	17019	17019	17019
	P	\$9487	9487	9487	14748	14748	14748

Renew™ Link Sit-to-Stand Bench

## Back to Back Trapezoid Height Adjustable Bench *continued*

Renew™ Link Sit-to-Stand Bench

66	L	\$9361	9361	9361	14757	14757	14757
	W	\$11428	11428	11428	17460	17460	17460
	P	\$9670	9670	9670	15132	15132	15132
72	L	\$9522	9522	9522	15109	15109	15109
	W	\$11618	11618	11618	17871	17871	17871
	P	\$9834	9834	9834	15490	15490	15490
		DFA	DFB	DFC	FFA	FFB	FFC
DU2TT. 48	L	\$13937	13937	13937	7072	7072	7072
	W	\$16841	16841	16841	9071	9071	9071
	P	\$14362	14362	14362	7391	7391	7391
54	L	\$14315	14315	14315	7239	7239	7239
	W	\$17290	17290	17290	9269	9269	9269
	P	\$14747	14747	14747	7565	7565	7565
60	L	\$14672	14672	14672	7389	7389	7389
	W	\$17709	17709	17709	9451	9451	9451
	P	\$15110	15110	15110	7720	7720	7720
66	L	\$15096	15096	15096	7570	7570	7570
	W	\$18210	18210	18210	9660	9660	9660
	P	\$15546	15546	15546	7902	7902	7902
72	L	\$15495	15495	15495	7730	7730	7730
	W	\$18683	18683	18683	9848	9848	9848
	P	\$15955	15955	15955	8064	8064	8064

### Step 8. Central Cable Trough

ECT	enhanced cable trough w/covers - data/power routing and cord management	+\$0
-----	---	------

### Step 9. Switch Option

#### For fixed table (F) with fixed table (F)

SNN	no control	+\$0
-----	------------	------

#### For electric standard range (E) or electric extended range (D) with fixed table (F)

SUD	simple up down	+\$0
SRM	digital read out with memory	+\$160

#### For electric standard range (E) or electric extended range (D) with electric standard range (E), or electric extended range (D)

SUD	simple up down	+\$0
SRM	digital read out with memory	+\$320

### Step 10. Workstation Cord Cover/Cable Management Table 1 and 2

PSC	simple cable	+\$0
PHD	high density cable trough	+\$549

### Step 11. Power Access Cutout - Tables 1 and 2

For 48" wide (47" surface size) (48), 54" wide (53" surface size) (54), 60" wide (59" surface size) (60), 66" wide (65" surface size) (66), or 72" wide (71" surface size) (72) with simple cable (PSC), or high density cable trough (PHD)

NNN	no cutout	+\$0
-----	-----------	------

For 54" wide (53" surface size) (54), 60" wide (59" surface size) (60), 66" wide (65" surface size) (66), or 72" wide (71" surface size) (72) with high density cable trough (PHD)

NNN	no cutout	+\$0
-----	-----------	------

OAC	offset center cutout for 6 port Y1425	+\$45
-----	---------------------------------------	-------

OC5	offset center cutout for 5 port Y1425 <span style="border: 1px solid black; padding: 0 2px;">A</span>	+\$45
-----	---	-------

### Step 12.

#### Top Finish

For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

## Back to Back Trapezoid Height Adjustable Bench *continued*

### Top Finish

*For thermally-fused laminate top/thermoplastic edge (M) or thermally-fused laminate top/universal edge (T)*

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LU</b>	soft white	+\$0

### Top/Edge Finish

*For veneer top/veneer edge (W)*

<b>2U</b>	light brown walnut	+\$170
<b>40</b>	dark brown walnut	+\$170
<b>CHD</b>	noble cherry	+\$170
<b>ET</b>	clear on ash	+\$170
<b>EU</b>	oak on ash	+\$170
<b>EV</b>	walnut on ash	+\$170
<b>EW</b>	medium matte walnut	+\$170
<b>UL</b>	natural maple	+\$170
<b>WHN</b>	natural white oak	+\$170

### Top/Edge Finish

*For painted Formcoat® top/edge (P)*

<b>8Q</b>	folkstone grey (CP)	<input type="checkbox"/> A	+\$0
<b>91</b>	white (CP)	<input type="checkbox"/> A	+\$0
<b>LU</b>	soft white	<input type="checkbox"/> A	+\$0

### Step 13. Edge Finish

#### *For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)*

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

### Step 14. Base Finish

#### Metallic Paint

<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$60
<b>SNB</b>	satin bronze	+\$60
<b>SNC</b>	satin carbon	+\$60

#### Sand Texture Paint

<b>BK</b>	black	+\$0
<b>UBK</b>	ultra black (CP)	+\$0

Back to Back Trapezoid Height  
Adjustable Bench *continued*


Renew™ Link Sit-to-Stand Bench

Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0



## Single Sided Rectangular Height Adjustable Bench

DU1AS.  
DU1AT.



### Product Information

#### Description

This rectangular single sided bench is a 1 workstation unit that can be used in single sided height adjustable benching applications in series with other Renew™ Link single sided benches to create a run. Each workstation has a C-leg configuration, comes in multiple edge styles, and has options for laminate top with thermoplastic edge, laminate top with universal edge, veneer top and edge, or painted Formcoat® top and edge. There are multiple height adjustment, wire management, and switch options. Glides have 1/2" of leveling adjustment. Shipped knocked down. Product is UL Listed.

Each table can be specified with a different height adjustment mechanism. Floor to top of surface height adjustment ranges are 27"-46" for the electric standard range (E) option, 22"-48" for the electric extended range (D) option, and 28 1/2" for the fixed height table (F).

#### Notes

To power bench applications, specify Connect™ separately. See planning guide for details.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 1" to minimize possible pinch point hazards between benches.


Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. Available on 30" deep tables only.

Power access cutouts are specifically sized for 5 wide and 6 wide Logic G1000 grommet mounted electrical distributors (Y1425.).

For linear bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 60"-wide and wider sections. For 120° bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 54"-wide and wider sections.

### Dimensions



Renew™ Link Sit-to-Stand Bench

# Single Sided Rectangular Height Adjustable Bench *continued*

Specification Information						
Step 1.						
DU1A <input type="checkbox"/>						
Step 2. Edge						
S.	squared-edge <input type="checkbox"/>					
T.	thin-edge <input type="checkbox"/>					
Step 3. Depth						
24	24" deep (23" surface size) <input type="checkbox"/>					
30	30" deep (29" surface size) <input type="checkbox"/>					
Step 4. Width						
48	48" wide (47" surface size) <input type="checkbox"/>					
54	54" wide (53" surface size) <input type="checkbox"/>					
60	60" wide (59" surface size) <input type="checkbox"/>					
66	66" wide (65" surface size) <input type="checkbox"/>					
72	72" wide (71" surface size) <input type="checkbox"/>					
Step 5. Surface Material						
For squared-edge (S.)						
M	thermally-fused laminate top/thermoplastic edge <input type="checkbox"/>					
T	thermally-fused laminate top/universal edge <input type="checkbox"/>					
L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>					
W	veneer top/veneer edge <input type="checkbox"/>					
P	painted Formcoat® top/edge <input type="checkbox"/>					
U	high-pressure laminate/universal edge <input type="checkbox"/>					
For thin-edge (T.)						
L	high-pressure laminate top/thermoplastic edge <input type="checkbox"/>					
W	veneer top/veneer edge <input type="checkbox"/>					
P	painted Formcoat® top/edge <input type="checkbox"/>					
Step 6. Height Adjustment						
E	electric standard range <input type="checkbox"/>					
D	electric extended range <input type="checkbox"/>					
F	fixed table <input type="checkbox"/>					
Prices for Steps 1-6.						
	ME	MD	MF	TE	TD	TF
DU1AS. 24 48	\$5099	5347	3421	5101	5351	3421
54	\$5154	5433	3502	5180	5433	3502
60	\$5255	5514	3593	5257	5514	3581
66	\$5366	5679	3664	5343	5679	3664
72	\$5417	5736	3739	5417	5736	3739

30 48	\$5183	5437	3509	5186	5439	3509
54	\$5277	5537	3597	5277	5537	3600
60	\$5345	5604	3666	5345	5608	3668
66	\$5429	5692	3754	5433	5696	3754
72	\$5507	5798	3826	5512	5777	3829
	LE	LD	LF	WE	WD	WF
DU1AS. 24 48	\$5176	5429	3474	6128	6423	4444
54	\$5232	5516	3556	6221	6522	4541
60	\$5335	5598	3649	6313	6618	4630
66	\$5447	5765	3720	6416	6727	4735
72	\$5499	5822	3796	6506	6821	4825
30 48	\$5262	5520	3562	6232	6534	4549
54	\$5358	5621	3653	6339	6647	4658
60	\$5427	5688	3722	6418	6734	4741
66	\$5510	5779	3810	6522	6841	4843
72	\$5590	5886	3885	6614	6934	4934
	PE	PD	PF	UE	UD	UF
DU1AS. 24 48	\$5309	5567	3626	5178	5433	3474
54	\$5392	5656	3710	5259	5516	3556
60	\$5473	5738	3793	5337	5598	3634
66	\$5561	5832	3879	5424	5765	3720
72	\$5638	5913	3959	5499	5822	3796
30 48	\$5401	5662	3719	5264	5522	3562
54	\$5499	5761	3815	5358	5621	3656
60	\$5562	5840	3889	5427	5692	3724
66	\$5657	5928	3974	5516	5783	3810
72	\$5733	6013	4054	5595	5864	3888
	LE	LD	LF	WE	WD	WF
DU1AT. 24 48	\$5746	6026	4000	6796	7124	5077
54	\$5840	6120	4095	6904	7237	5187
60	\$5924	6211	4180	7009	7344	5286
66	\$6020	6308	4275	7119	7467	5402
72	\$6103	6402	4362	7220	7569	5502
30 48	\$5845	6127	4103	6914	7250	5197
54	\$5949	6238	4205	7034	7378	5317
60	\$6027	6320	4282	7127	7477	5410
66	\$6121	6417	4377	7239	7591	5523
72	\$6206	6508	4462	7342	7698	5625

# Single Sided Rectangular Height Adjustable Bench *continued*

		PE	PD	PF	UE	UD	UF
<b>DU1AT. 24</b>	<b>48</b>	\$5890	6177	4172	—	—	—
	<b>54</b>	\$5984	6274	4266	—	—	—
	<b>60</b>	\$6074	6367	4355	—	—	—
	<b>66</b>	\$6171	6472	4455	—	—	—
	<b>72</b>	\$6262	6562	4540	—	—	—
<b>30</b>	<b>48</b>	\$5992	6286	4276	—	—	—
	<b>54</b>	\$6098	6395	4379	—	—	—
	<b>60</b>	\$6178	6477	4459	—	—	—
	<b>66</b>	\$6276	6580	4558	—	—	—
	<b>72</b>	\$6365	6671	4646	—	—	—

## Step 7. Central Cable Trough

<b>ECT</b>	enhanced cable trough w/covers - data/power routing and cord management <a href="#">A</a>	+\$0
------------	---	------

## Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

<b>SUD</b>	simple up down <a href="#">A</a>	+\$0
<b>SRM</b>	digital read out with memory <a href="#">A</a>	+\$160

For fixed table (F)

<b>SNN</b>	no control <a href="#">A</a>	+\$0
------------	------------------------------	------

## Step 9. Workstation Cord Cover/Cable Management

For 24" deep (23" surface size) (24)

<b>PSC</b>	simple cable <a href="#">A</a>	+\$0
------------	--------------------------------	------

For 30" deep (29" surface size) (30)

<b>PSC</b>	simple cable <a href="#">A</a>	+\$0
<b>PHD</b>	high density cable trough <a href="#">A</a>	+\$299

## Step 10. Power Access Cutout - Tables 1 and 2

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 48" wide (47" surface size) (48), 54" wide (53" surface size) (54), or 60" wide (59" surface size) (60), or 66" wide (65" surface size) (66), or 72" wide (71" surface size) (72) with simple cable (PSC)

<b>NNN</b>	no cutout <a href="#">A</a>	+\$0
------------	-----------------------------	------

For 30" deep (29" surface size) (30) with 48" wide (47" surface size) (48) with high density cable trough (PHD)

<b>NNN</b>	no cutout <a href="#">A</a>	+\$0
------------	-----------------------------	------

For 30" deep (29" surface size) (30) with 54" wide (53" surface size) (54) with high density cable trough (PHD)

<b>NNN</b>	no cutout <a href="#">A</a>	+\$0
<b>LAC</b>	left cutout 6 port Y1425 <a href="#">A</a>	+\$45
<b>RAC</b>	right cutout 6 port Y1425 <a href="#">A</a>	+\$45
<b>LC5</b>	left cutout 5 port Y1425 <a href="#">A</a>	+\$45
<b>RC5</b>	right cutout 5 port Y1425 <a href="#">A</a>	+\$45

For 30" deep (29" surface size) (30) with 60" wide (59" surface size) (60), or 66" wide (65" surface size) (66), or 72" wide (71" surface size) (72) with high density cable trough (PHD)

<b>NNN</b>	no cutout <a href="#">A</a>	+\$0
<b>LAC</b>	left cutout <a href="#">A</a>	+\$45
<b>RAC</b>	right cutout <a href="#">A</a>	+\$45
<b>CAC</b>	center cutout <a href="#">A</a>	+\$45
<b>LC5</b>	left cutout 5 port Y1425 <a href="#">A</a>	+\$45
<b>RC5</b>	right cutout 5 port Y1425 <a href="#">A</a>	+\$45
<b>CC5</b>	center cutout 5 port Y1425 <a href="#">A</a>	+\$45

# Single Sided Rectangular Height Adjustable Bench *continued*

## Step 11.

### Top Finish

*For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)*

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
UBK	ultra black (CP)	A	+\$0
76	light brown walnut	A	+\$0
8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
CL	cool grey neutral	A	+\$0
HF	inner tone light	A	+\$0
HP	light anigre	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBR	phantom ecru	A	+\$0
LBS	phantom cocoa	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LBV	warm grey teak	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBJ	graphite twill	A	+\$0
LBQ	white twill	A	+\$0
LU	soft white	A	+\$0
WL	warm stone (CP)	A	+\$0
WN	warm grey neutral	A	+\$0

### Top Finish

*For thermally-fused laminate top/thermoplastic edge (M) or thermally-fused laminate top/universal edge (T)*

125	natural maple (CP)	A	+\$0
126	natural cherry (CP)	A	+\$0
127	walnut (CP)	A	+\$0
139	light ash (CP)	A	+\$0
140	warm ash (CP)	A	+\$0
91	white (CP)	A	+\$0
98	studio white (CP)	A	+\$0
LBA	clear on ash (CP)	A	+\$0
LBB	oak on ash (CP)	A	+\$0
LBC	walnut on ash (CP)	A	+\$0
LBF	neutral twill	A	+\$0
LBQ	white twill	A	+\$0
LBU	medium matte walnut (CP)	A	+\$0
LU	soft white	A	+\$0

### Top/Edge Finish

*For veneer top/veneer edge (W)*

2U	light brown walnut	A	+\$85
40	dark brown walnut	A	+\$85
CHD	noble cherry	A	+\$85
ET	clear on ash	A	+\$85
EU	oak on ash	A	+\$85
EV	walnut on ash	A	+\$85
EW	medium matte walnut	A	+\$85
UL	natural maple	A	+\$85
WHN	natural white oak	A	+\$85

### Top/Edge Finish

*For painted Formcoat® top/edge (P)*

8Q	folkstone grey (CP)	A	+\$0
91	white (CP)	A	+\$0
LU	soft white	A	+\$0

# Single Sided Rectangular Height Adjustable Bench *continued*

## Step 12. Edge Finish

*For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)*

<b>125</b>	natural maple (CP) <a href="#">A</a>	+\$0
<b>126</b>	natural cherry (CP) <a href="#">A</a>	+\$0
<b>127</b>	walnut (CP) <a href="#">A</a>	+\$0
<b>139</b>	light ash (CP) <a href="#">A</a>	+\$0
<b>140</b>	warm ash (CP) <a href="#">A</a>	+\$0
<b>G1</b>	graphite (CP) <a href="#">A</a>	+\$0
<b>UBK</b>	ultra black (CP) <a href="#">A</a>	+\$0
<b>76</b>	light brown walnut <a href="#">A</a>	+\$0
<b>8Q</b>	folkstone grey (CP) <a href="#">A</a>	+\$0
<b>91</b>	white (CP) <a href="#">A</a>	+\$0
<b>98</b>	studio white (CP) <a href="#">A</a>	+\$0
<b>CL</b>	cool grey neutral <a href="#">A</a>	+\$0
<b>HF</b>	inner tone light <a href="#">A</a>	+\$0
<b>HP</b>	light anigre <a href="#">A</a>	+\$0
<b>LBA</b>	clear on ash (CP) <a href="#">A</a>	+\$0
<b>LBR</b>	phantom ecru <a href="#">A</a>	+\$0
<b>LBS</b>	phantom cocoa <a href="#">A</a>	+\$0
<b>LBU</b>	medium matte walnut (CP) <a href="#">A</a>	+\$0
<b>LBV</b>	warm grey teak <a href="#">A</a>	+\$0
<b>LBB</b>	oak on ash (CP) <a href="#">A</a>	+\$0
<b>LBC</b>	walnut on ash (CP) <a href="#">A</a>	+\$0
<b>LBF</b>	neutral twill <a href="#">A</a>	+\$0
<b>LBJ</b>	graphite twill <a href="#">A</a>	+\$0
<b>LBQ</b>	white twill <a href="#">A</a>	+\$0
<b>LU</b>	soft white <a href="#">A</a>	+\$0
<b>WL</b>	warm stone (CP) <a href="#">A</a>	+\$0
<b>WN</b>	warm grey neutral <a href="#">A</a>	+\$0

## Step 13. Base Finish

### Metallic Paint

<b>611</b>	beige mist metallic (CP) <a href="#">A</a>	+\$0
<b>613</b>	silver (CP) <a href="#">A</a>	+\$0
<b>SNA</b>	satin aluminum <a href="#">A</a>	+\$30
<b>SNB</b>	satin bronze <a href="#">A</a>	+\$30
<b>SNC</b>	satin carbon <a href="#">A</a>	+\$30

### Sand Texture Paint

<b>BK</b>	black <a href="#">A</a>	+\$0
<b>UBK</b>	ultra black (CP) <a href="#">A</a>	+\$0


### Smooth Paint

<b>8Q</b>	folkstone grey (CP) <a href="#">A</a>	+\$0
<b>91</b>	white (CP) <a href="#">A</a>	+\$0
<b>98</b>	studio white (CP) <a href="#">A</a>	+\$0
<b>G1</b>	graphite (CP) <a href="#">A</a>	+\$0
<b>WL</b>	warm stone (CP) <a href="#">A</a>	+\$0
<b>WN</b>	warm grey neutral <a href="#">A</a>	+\$0

Renew™ Link Sit-to-Stand Bench

# Renew™ Link 120 Degree Height Adjustable Bench

DU3AS.  
DU3AT.



Renew™ Link Sit-to-Stand Bench

## Product Information

### Description

This back-to-back bench is a 3-workstation unit that can be used in back-to-back height adjustable benching applications in series with other Renew™ Link back-to-back benches. Each workstation has a C-leg configuration, comes in multiple edge styles, and has options for laminate top with thermoplastic edge or veneer top and edge. There are multiple height adjustment, wire management, and switch options. Glides have 1/2" of leveling adjustment. Shipped knocked down. Product is UL Listed.

### Notes

Floor-to-top-of-surface height adjustment ranges are 27"-46" for the electric standard range (EEE) option and 22"-48" for the electric extended range (DDD) option.

To power bench applications, order Connect™ separately. See planning guide for details.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 1" to minimize possible pinch point hazards between benches.

Simple cable cover (PSC) is facility installed only.




High density cable trough (PHD) can be accessed by users for daily cord management. Available on 30" deep tables only. Cutouts must be placed on surface above high-density cable trough.

Power access cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.). No cutouts can be specified when the simple cable under-worksurface cable management (PSC) option is selected.

When specifying height adjustable range (EEE or DDD), all 3 tables will be the same range (standard or extended).

For linear bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 60"-wide and wider sections. For 120° bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 54"-wide and wider sections.

## Dimensions



# Renew™ Link 120 Degree Height Adjustable Bench *continued*

## Specification Information

### Step 1.

**DU3A**

### Step 2. Edge

**S.** squared-edge

**T.** thin-edge

### Step 3. Depth

**24** 24" deep (23" surface size)

**30** 30" deep (29" surface size)

### Step 4. Width

**48** 48" wide (47" surface size)

**54** 54" wide (53" surface size)

**60** 60" wide (59" surface size)

### Step 5. Surface Material

#### For squared-edge (S.)

**L** high-pressure laminate top/thermoplastic edge

**M** thermally-fused laminate top/thermoplastic edge

**W** veneer top/veneer edge **A**

#### For thin-edge (T.)

**L** high-pressure laminate top/thermoplastic edge

**W** veneer top/veneer edge **A**

### Step 6. Height Adjustable Range Tables 1, 2, and 3

**DDD** electric extended range

**EEE** electric standard range

#### Prices for Steps 1-6.

		LDDD	LEEE	MDDD	MEEE	WDDD	WEEE
<b>DU3AS. 24</b>	<b>48</b>	\$30020	23282	29574	22936	35516	27545
	<b>54</b>	\$32088	24678	31611	24311	37962	29198
	<b>60</b>	\$34284	26159	33774	25770	40563	30948
	<b>30 48</b>	\$31600	24508	31130	24144	37384	28994
	<b>54</b>	\$33773	25978	33272	25592	39959	30735
	<b>60</b>	\$36091	27535	35555	27127	42697	32577
<b>DU3AT. 24</b>	<b>48</b>	\$32575	25263	—	—	38539	29888
	<b>54</b>	\$34818	26779	—	—	41192	31682
	<b>60</b>	\$37205	28385	—	—	44013	33581
	<b>30 48</b>	\$34288	26728	—	—	40565	31461
	<b>54</b>	\$36651	28189	—	—	43361	33350
	<b>60</b>	\$39162	29879	—	—	46332	35350

### Step 7. Central Cable Trough Tables 1, 2, and 3

#### For 48" wide (47" surface size) (48) or 54" wide (53" surface size) (54)

**BCT** basic cable trough - data/power routing and cord management +\$1200

**ECT** enhanced cable trough w/covers - data/power routing and cord management +\$2100

#### For 60" wide (59" surface size) (60)

**BCT** basic cable trough - data/power routing and cord management +\$1200

**ECT** enhanced cable trough w/covers - data/power routing and cord management +\$2100

### Step 8. Switch Option

#### For electric standard range (EEE)

**SRM** digital read out with memory +\$240

**SUD** simple up down +\$150

#### For electric extended range (DDD)

**SRM** digital read out with memory +\$480

**SUD** simple up down +\$150

### Step 9. Under Work Surface Cable Management Tables 1, 2, and 3

#### For 24" deep (23" surface size) (24)

**PSC** simple cable +\$0

#### For 30" deep (29" surface size) (30)

**MIX** 1 simple cable and 1 high density cable trough +\$825

**PHD** (2) high density cable trough +\$1650

**PSC** (2) simple cable +\$0

### Step 10. Power Access Cutout - Tables 1, 2, and 3

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 48" wide (47" surface size) (48), or 54" wide (53" surface size) (54), or 60" wide (59" surface size) (60) with (2) simple cable (PSC), or simple cable (PSC)

**NNN** no cutout +\$0

# Renew™ Link 120 Degree Height Adjustable Bench *continued*

For 30" deep (29" surface size) (30) with 48" wide (47" surface size) (48), or 54" wide (53" surface size) (54), or 60" wide (59" surface size) (60) with 1 simple cable and 1 high density cable trough (MIX), or (2) high density cable trough (PHD)

<b>NNN</b>	no cutout	+\$0
<b>LAC</b>	left cutout 6 port Y1425	+\$68
<b>RAC</b>	right cutout 6 port Y1425	+\$68
<b>LC5</b>	left cutout 5 port Y1425	+\$68
<b>RC5</b>	right cutout 5 port Y1425	+\$68

## Step 11.

### Top Finish

For high-pressure laminate top/thermoplastic edge (L)

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru <input type="checkbox"/>	+\$0
<b>LBS</b>	phantom cocoa <input type="checkbox"/>	+\$0
<b>LBU</b>	medium matte walnut (CP) <input type="checkbox"/>	+\$0
<b>LBV</b>	warm grey teak <input type="checkbox"/>	+\$0
<b>LT</b>	light tone	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

### Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LU</b>	soft white	+\$0

### Top/Edge Finish

For veneer top/veneer edge (W)

<b>2U</b>	light brown walnut <input type="checkbox"/>	+\$255
<b>40</b>	dark brown walnut <input type="checkbox"/>	+\$255
<b>CHD</b>	noble cherry <input type="checkbox"/>	+\$255
<b>ET</b>	clear on ash <input type="checkbox"/>	+\$255
<b>EU</b>	oak on ash <input type="checkbox"/>	+\$255
<b>EV</b>	walnut on ash <input type="checkbox"/>	+\$255
<b>EW</b>	medium matte walnut <input type="checkbox"/>	+\$255
<b>UL</b>	natural maple <input type="checkbox"/>	+\$255
<b>WHN</b>	natural white oak <input type="checkbox"/>	+\$255



# Renew™ Link 120 Degree Height Adjustable Bench *continued*

## Step 12. Edge Finish

*For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)*

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LU</b>	soft white	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

## Step 13. Base Finish

### Sand Texture Paint

<b>BK</b>	black	+\$0
<b>UBK</b>	ultra black (CP)	+\$0

### Smooth Paint

<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0


### Metallic Paint

<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$60
<b>SNB</b>	satin bronze	+\$60
<b>SNC</b>	satin carbon	+\$60

Renew™ Link Sit-to-Stand Bench

## End Caps - Enhanced Cable Trough

DU4B.  
DU4S.



Renew™ Link Sit-to-Stand Bench

### Product Information

#### Description

These cover plates create a clean and finished aesthetic at the end of runs. Finishes are available to match the base finishes of Renew™ Link and Nevi™ Link benches. Product is UL Listed.

#### Notes


For single sided bench runs, specify single sided (DU4S.EC). Single sided end caps (DU4S.EC) do not work with Nevi Link. For back to back bench runs, specify back to back (DU4B.EC).

Only 1 set of end caps needed per run. End caps are placed on each end of the run.

End Caps-Enhanced Cable Trough are for use with height adjustable benching solutions with the enhanced cable trough (ECT) wire management option.

For height adjustable benching solutions with the basic cable trough (BCT) wire management option, see the End Caps-Basic Cable Trough (DY4EC., DY4EF.).

### Dimensions



### Specification Information

#### Step 1.

#### DU4

#### Step 2. Single Sided or Back to Back

- S. single sided
- B. back to back

#### Step 3. End Cap Quantity

EC end cap - 2 per box

#### Prices for Steps 1-3.

DU4S. EC \$201

DU4B. EC \$250

#### Step 4. Finish

#### Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

#### Sand Texture Paint


BK	black	+\$0
UBK	ultra black (CP)	+\$0

#### Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Connecting Plate - Enhanced Cable Trough

DU4B.  
DU4S.



Product Information

Description

These cover plates create a clean and finished aesthetic where bench sections come together. Finishes are available to match the base finishes of Renew™ Link and Nevi™ Link benches. Connecting plates come 1 per package. Product is UL Listed.

Notes

For single sided bench runs, specify single sided (DU4S.CP). For back to back bench runs, specify back to back (DU4B.CP).

Connecting plates are required to connect 1 bench section to another section. The number of connecting plates needed in a run is 1 less than the number of bench sections in the run.

Connecting Plate-Enhanced Cable Trough is for use with height adjustable benching solutions with the enhanced cable trough (ECT) wire management option.

For height adjustable benching solutions with the basic cable trough (BCT) wire management option, see the Connecting Plate-Basic Cable Trough (DY4CP.).

Dimensions

Single Sided

Back to Back

Renew™ Link Sit-to-Stand Bench


Connecting Plate - Enhanced Cable  
Trough *continued*

Renew™ Link Sit-to-Stand Bench

Specification Information		
Step 1.		
DU4		
Step 2. Single Sided or Back to Back		
S.	single sided	
B.	back to back	
Step 3. Connecting Plate or End Cap		
CP	connecting plate (between tables) 1x box	
Prices for Steps 1-3.		
DU4S.	CP	\$243
DU4B.	CP	\$281
Step 4. Finish		
Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
Sand Texture Paint		
BK	black	+\$0
UBK	ultra black (CP)	+\$0
Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

# Renew™ Link Back-to-Back Leg Shroud

DU4C.



## Product Information

### Description




This metal shroud covers and wraps around the legs of Renew™ Link back-to-back units to create a unified and integrated leg aesthetic.

### Notes

To add shrouds to each end of a run, a quantity of 2 end-of-run shrouds must be ordered.

To add shrouds mid run, a quantity of 1 mid-run shrouds must be ordered for each connection point.

## Dimensions




Renew™ Link Sit-to-Stand Bench

# Renew™ Link Back-to-Back Leg Shroud *continued*


Renew™ Link Sit-to-Stand Bench

Specification Information		
Step 1.		
<b>DU4C.</b>		
Step 2. Location		
<b>EG</b>	end of run for gallery panel	
<b>ER</b>	end of run	
<b>MR</b>	mid run	
Step 3. Material		
<b>P</b>	painted steel	
Prices for Steps 1-3.		
		<b>P</b>
<b>DU4C.</b>	<b>EG</b>	\$248
	<b>ER</b>	\$302
	<b>MR</b>	\$494
Step 4. Height Range of Tables		
<i>For mid run (MR)</i>		
<b>D</b>	extended	+\$0
<b>E</b>	standard and fixed	+\$0
<i>For end of run for gallery panel (EG) or end of run (ER)</i>		
<b>N</b>	extended/standard/fixed	+\$0
Step 5. Finish		
<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$30
<b>SNB</b>	satin bronze	+\$30
<b>SNC</b>	satin carbon	+\$30
<b>BK</b>	black	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

End Caps - Basic Cable Trough DY4EC.




Product Information
Description
This cover plate creates a clean and finished aesthetic at the end of a run. Finishes are available to match the base finishes of Nevi™ Link benches. Product is UL Listed.
Notes
End Caps-Basic Cable Trough are for use with height adjustable benching solutions with the basic cable trough (BCT) wire management option. For height adjustable benching solutions with the enhanced cable trough (ECT) wire management option, see the End Caps-Enhanced Cable Trough (DU4B, DU4S.).
For back-to-back applications, specify end cap-2 per box (EC) option. End caps are placed on each end of the run.
For 120° applications, specify 1 option of 2 per box (EC) and 1 option of 1 per box (EF) for a total of 3 end caps.
Dimensions



Specification Information
Step 1.
DY4
Step 2. End Cap Quantity
EC. end cap - 2 per box
Prices for Steps 1-2.
DY4EC. \$218
Step 3. Finish
Metallic Paint
611 beige mist metallic (CP) +\$0
613 silver (CP) +\$0
SNA satin aluminum +\$30
SNB satin bronze +\$30
SNC satin carbon +\$30
Sand Texture Paint
BK black +\$0
UBK ultra black (CP) +\$0
Smooth Paint
G1 graphite (CP) +\$0
8Q folkstone grey (CP) +\$0
91 white (CP) +\$0
98 studio white (CP) +\$0
WL warm stone (CP) +\$0
WN warm grey neutral +\$0

# Connecting Plate - Basic Cable Trough

DY4CP.



## Product Information

### Description

This cover plate creates a clean and finished aesthetic where bench sections come together. Finishes are available to match the base finishes of Nevi™ Link benches. Package contains 1 connecting plate. Product is UL Listed.


### Notes

Connecting Plate-Basic Cable Trough are for use with height adjustable benching solutions with the basic cable trough (BCT) wire management option.

For height adjustable benching solutions with the enhanced cable trough (ECT) wire management option, see the Connecting Plate-Enhanced Cable Trough (DU4B., DU4S.).

Connecting plate is required to connect 1 bench section to another section. The number of connecting plates needed in a run is 1 less than the number of bench sections in the run.

## Dimensions



## Specification Information

### Step 1.

DY4

### Step 2. Connecting Plate or End Cap

CP. connecting plate (between tables) 1x box

### Prices for Steps 1-2.

DY4CP. \$244

### Step 3. Finish

#### Metallic Paint

<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$30
<b>SNB</b>	satin bronze	+\$30
<b>SNC</b>	satin carbon	+\$30

#### Sand Texture Paint

<b>BK</b>	black	+\$0
-----------	-------	------


#### Smooth Paint

<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0



# Single End Cap - Enhanced Cable Trough

DU4B.



## Product Information

### Description

These cover plates create a clean and finished aesthetic at the end of runs. Finishes are available to match the base finishes of Renew™ Link and Nevi™ Link benches. Product is UL Listed.

### Notes


For single sided bench runs, specify single sided (DU4S.EC). Single sided end caps (DU4S.EC) do not work with Nevi Link. For back to back bench runs, specify back to back (DU4B.EC).

Only 1 set of end caps needed per run. End caps are placed on each end of the run.

End Caps-Enhanced Cable Trough are for use with height adjustable benching solutions with the enhanced cable trough (ECT) wire management option.

For height adjustable benching solutions with the basic cable trough (BCT) wire management option, see the End Caps-Basic Cable Trough (DY4EC., DY4EF.).

## Dimensions



## Specification Information

### Step 1.

**DU4**

### Step 2. Single Sided or Back to Back

**B.** back to back

### Step 3. End Cap Quantity

**EF** end cap - 1 per box

### Prices for Steps 1-3.

**DU4B. EF** \$128

### Step 4. Finish

#### Metallic Paint


<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$30
<b>SNB</b>	satin bronze	+\$30
<b>SNC</b>	satin carbon	+\$30

#### Sand Texture Paint

<b>BK</b>	black	+\$0
<b>UBK</b>	ultra black (CP)	+\$0

#### Smooth Paint

<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0



Renew™ Link Sit-to-Stand Bench

Product Information

Description

This screen provides privacy between workstations and can create privacy and boundary from adjacent work areas. Installed height of all screen tops is 46". Screens are tackable fabric, laminate, or glass. Attachment hardware included.

Notes

Finish for glass screen hardware is always anodized (AN).

Back to back screen (BB) to be used with back to back bench applications. Gallery screens (BG, SG) to be used on the end of back to back or single sided bench applications, respectively, and in conjunction with end of run gallery panels (DU9R.).

For use with boundary gallery panel (DU9B.) in single sided applications, specify single sided boundary gallery screen (SG). Single sided gallery (DU8x.SG) and single sided boundary (DU8x.SB) screens do not work with Nevi™ Link.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Application-Width—Yardage

SG24—1.45

SG30—1.45

SB48—1.45

BG48—1.45

BB48—2.14

For horizontal fabric direction (R):

Application-Width—Yardage

SG24—0.97

SG30—1.14

SB48—1.71

SB54—1.90

SB60—2.07

SB66—2.27

SB72—2.46

BG48—1.71

BG60—2.07

BB48—3.15

BB54—3.52





BB60—3.91

BB66—4.28

BB72—4.67

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



**Specification Information****Step 1.****DU8****Step 2. Edge**

F. Pari fabric screen  
E. flat edge fabric screen

**Step 3. Application***For Pari fabric screen (F.) or flat edge fabric screen (E.)*

SG single side gallery  
SB single side boundary  
BG back to back gallery  
BB back to back

**Step 4. Width***For single side gallery (SG)*

24 24" wide  
30 30" wide

*For single side boundary (SB)*

48 48" wide  
54 54" wide  
60 60" wide  
66 66" wide  
72 72" wide

*For back to back gallery (BG)*

48 48" wide  
60 60" wide

*For back to back (BB)*

48 48" wide  
54 54" wide  
60 60" wide  
66 66" wide  
72 72" wide

**Step 5. Surface Material***For Pari fabric screen (F.) or flat edge fabric screen (E.) with 24" wide (24), 48" wide (48), or 30" wide (30)*

T tackable fabric  
R tackable fabric, horizontal

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)***R** tackable fabric, horizontal**Prices for Steps 1-5.**

		T	R
DU8F.	SG 24	\$855	830
	30	\$1161	1161
	SB 48	\$1245	1245
	54	—	\$1327
	60	—	\$1410
	66	—	\$1492
	72	—	\$1657
	BG 48	\$1245	1245
	60	—	\$1327
	BB 48	\$1989	1989
	54	—	\$2114
	60	—	\$2237
	66	—	\$2359
	72	—	\$2485

		T	R
DU8E.	SG 24	\$186	178
	30	\$525	505
	SB 48	\$608	589
	54	—	\$674
	60	—	\$787
	66	—	\$901
	72	—	\$1013
	BG 48	\$608	589
	60	—	\$702
	BB 48	\$1324	1324
	54	—	\$1452
	60	—	\$1578
	66	—	\$1686
	72	—	\$1795

**Step 6. Hardware Color**

NNN none +\$0

## Step 7. Fabric

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 24" wide (24), or 30" wide (30)*

Price Category 1	+\$0
Price Category 2	+\$17
Price Category 3	+\$41
Price Category 5	+\$120
Price Category B	+\$79
Price Category C	+\$79

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 48" wide (48)*

Price Category 1	+\$0
Price Category 2	+\$22
Price Category 3	+\$53
Price Category 5	+\$154
Price Category B	+\$101
Price Category C	+\$101

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 54" wide (54), or 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$28
Price Category 3	+\$66
Price Category 5	+\$192
Price Category B	+\$126
Price Category C	+\$126

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 66" wide (66)*

Price Category 1	+\$0
Price Category 2	+\$31
Price Category 3	+\$74
Price Category 5	+\$217
Price Category B	+\$143
Price Category C	+\$143

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 72" wide (72)*

Price Category 1	+\$0
Price Category 2	+\$34
Price Category 3	+\$80
Price Category 5	+\$235
Price Category B	+\$143
Price Category C	+\$143

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 48" wide (48)*

Price Category 1	+\$0
Price Category 2	+\$38
Price Category 3	+\$90
Price Category 5	+\$263
Price Category B	+\$155
Price Category C	+\$155

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 54" wide (54), or 60" wide (60)*

Price Category 1	+\$0
Price Category 2	+\$52
Price Category 3	+\$122
Price Category 5	+\$356
Price Category B	+\$234
Price Category C	+\$234

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 66" wide (66)*


Price Category 1	+\$0
Price Category 2	+\$59
Price Category 3	+\$140
Price Category 5	+\$410
Price Category B	+\$270
Price Category C	+\$270

*For Pari fabric screen (F.) or flat edge fabric screen (E.) with 72" wide (72)*

Price Category 1	+\$0
Price Category 2	+\$65
Price Category 3	+\$154
Price Category 5	+\$448
Price Category B	+\$294
Price Category C	+\$294

Gallery Panel

DU9B.  
DU9R.




Product Information


**Description**  
This gallery panel creates a finished and polished look to end of run or single sided applications. It also creates boundary for a single sided bench and an adjacent work space or aisle. The panel is laminate with thermoplastic edge, laminate with universal edge, or veneer with veneer edge. Edges are square. Glides have 1/2" of leveling adjustment.

**Notes**  
For end of run application, specify end of run panel (DU9R.).  
For single sided application on back side of work surface, specify single sided boundary panel (DU9B.). Single sided boundary gallery panel (DU9x.B) does not work with Nevi™ Link.  
When specifying 29" gallery panel with inserts to be used with 17"-high fabric screen (Pari or flat edge), overall combined height will align with trough-mounted screens at 46" high. Order 17"-high fabric screen separately.  
Grain direction is vertical on veneer, wood-grain and directional laminates.  
Wood-grain and directional laminates are not available on 66"-72" wide gallery panels and are not a recommended application when using ZZ open line wood-grain or directional laminates.

Dimensions



DU9R 1 1/4"



DU9B 1 1/4"

Renew™ Link Sit-to-Stand Bench

## Gallery Panel *continued*

Specification Information				
Step 1.				
DU9				
Step 2. Edge				
R.	end of run gallery panel			
B.	single sided boundary gallery panel (along back edge)			
Step 3. Width				
For end of run gallery panel (R.)				
24	24" wide - front edge to back edge for single sided bench			
30	30" wide - front edge to back edge for single sided bench			
48	48" wide - front edge to front edge for 24" deep back to back			
60	60" wide - front edge to front edge for 30" deep back to back			
For single sided boundary gallery panel (along back edge) (B.)				
48	48" wide			
54	54" wide			
60	60" wide			
66	66" wide			
72	72" wide			
Step 4. Height				
29	29" tall			
46	29" tall with inserts to be used with 17" tall fabric screens (Pari or Flat Edge)			
Step 5. Surface Material				
L	high-pressure laminate top/thermoplastic edge			
W	veneer top/veneer edge			
U	high-pressure laminate/universal edge			
Prices for Steps 1-5.				
		L	W	U
DU9R.	24 29	\$356	812	356
	46	\$451	906	451
	30 29	\$469	1023	469
	46	\$564	1117	564
	48 29	\$745	1588	745
	46	\$841	1684	841
	60 29	\$955	2020	955
	46	\$1060	2114	1060
		L	W	U
DU9B.	54 29	\$999	2040	970
	46	\$1107	2140	1043

48 29	\$853	1735	829
46	\$964	1840	937
60 29	\$1094	2238	1064
46	\$1209	2344	1174
66 29	\$1264	2568	1226
46	\$1372	2676	1334
72 29	\$1401	2857	1362
46	\$1512	2965	1467

### Step 6.

#### Surface Finish

*For 24" wide - front edge to back edge for single sided bench (24), 48" wide (48), 30" wide - front edge to back edge for single sided bench (30), 54" wide (54), 48" wide - front edge to front edge for 24" deep back to back (48), 60" wide (60), or 60" wide - front edge to front edge for 30" deep back to back (60) with high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)*

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Surface Finish

For 66" wide (66) or 72" wide (72) with high-pressure laminate top/  
thermoplastic edge (L), or high-pressure laminate/universal edge (U)

<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

Surface/Edge Finish

For veneer top/veneer edge (W)

<b>2U</b>	light brown walnut	+\$85
<b>40</b>	dark brown walnut	+\$85
<b>CHD</b>	noble cherry	+\$85
<b>ET</b>	clear on ash	+\$85
<b>EU</b>	oak on ash	+\$85
<b>EV</b>	walnut on ash	+\$85
<b>EW</b>	medium matte walnut	+\$85
<b>UL</b>	natural maple	+\$85
<b>WHN</b>	natural white oak	+\$85

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)

<b>125</b>	natural maple (CP)	+\$0
<b>126</b>	natural cherry (CP)	+\$0
<b>127</b>	walnut (CP)	+\$0
<b>139</b>	light ash (CP)	+\$0
<b>140</b>	warm ash (CP)	+\$0
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey (CP)	+\$0
<b>91</b>	white (CP)	+\$0
<b>98</b>	studio white (CP)	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>G1</b>	graphite (CP)	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HP</b>	light anigre	+\$0
<b>LBA</b>	clear on ash (CP)	+\$0
<b>LBB</b>	oak on ash (CP)	+\$0
<b>LBC</b>	walnut on ash (CP)	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut (CP)	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LU</b>	soft white	+\$0
<b>UBK</b>	ultra black (CP)	+\$0
<b>WL</b>	warm stone (CP)	+\$0
<b>WN</b>	warm grey neutral	+\$0

For high-pressure laminate/universal edge (U)

<b>PLY</b>	plywood edge	+\$50
------------	--------------	-------

Step 8. Bracket Finish

Metallic Paint

<b>611</b>	beige mist metallic (CP)	+\$0
<b>613</b>	silver (CP)	+\$0
<b>SNA</b>	satin aluminum	+\$10
<b>SNB</b>	satin bronze	+\$10
<b>SNC</b>	satin carbon	+\$10

Sand Texture Paint

<b>BK</b>	black	+\$0
<b>UBK</b>	ultra black (CP)	+\$0


Renew™ Link Sit-to-Stand Bench

Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0






Single Sided Gallery Panel Trim Piece


DU12.



Product Information
Description
This painted metal trim piece fills the gap between the end-of-run gallery panel and the boundary panel attached to the rear of the work station in single-sided applications. Package contains 1 trim piece.
Dimensions



Specification Information
Step 1.
DU12. <span>A</span> <span>\$234</span>
Step 2. Finish
Metallic Paint
611 beige mist metallic (CP) <span>A</span> <span>+\$0</span>
613 silver (CP) <span>A</span> <span>+\$0</span>
SNA satin aluminum <span>A</span> <span>+\$10</span>
SNB satin bronze <span>A</span> <span>+\$10</span>
SNC satin carbon <span>A</span> <span>+\$10</span>
Sand Texture Paint
BK black <span>A</span> <span>+\$0</span>
UBK ultra black (CP) <span>A</span> <span>+\$0</span>
Smooth Paint
8Q folkstone grey (CP) <span>A</span> <span>+\$0</span>
91 white (CP) <span>A</span> <span>+\$0</span>
98 studio white (CP) <span>A</span> <span>+\$0</span>
G1 graphite (CP) <span>A</span> <span>+\$0</span>
WL warm stone (CP) <span>A</span> <span>+\$0</span>
WN warm grey neutral <span>A</span> <span>+\$0</span>



Renew™ Link Sit-to-Stand Bench

Product Information

Description

This power entry connects a building's electrical from a wall, floor, or column to the end of a 4-circuit junction block and distributes up to 4 20-amp circuits. UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.

Notes

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.

Power entry can be field cut to the appropriate length.

For San Francisco, specify 3/8" flex metallic conduit option (C).

Finish color on liquid tight conduit is black. Finish color on metallic conduit is silver.

A licensed electrician must wire the power entry to the building's electrical system.

Dimensions

Specification Information

Step 1.

**DU1351.**

Step 2. Length


06	6' long
12	12' long
18	18' long
24	24' long

Step 3. Conduit Type

L	liquid tight conduit
C	3/8" flex metallic conduit


Prices for Steps 1-3.

		L	C
DU1351.	06	\$306	306
	12	\$438	438
	18	\$580	570
	24	\$730	730




Connect™-Power Entry, 4-Circuit,  
New York City


DU1352



Product Information	Specification Information
<div>Description</div> <p>This power entry connects a building's electrical from a wall, floor, or column to the end of a 4-circuit junction block and distributes up to 4 20-amp circuits. It includes a junction box and harness. It is UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.</p>	<div>Step 1.</div> <div>DU1352.08\$482</div>
<div>Notes</div> <p>Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.</p> <p>Power entry comes with an 8" harness.</p> <p>A licensed electrician must wire the power entry to the building's electrical system.</p> <p>For linear bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 60"-wide and wider sections. For 120° bench sections, the NYC Power Entry (DU1352.08) can only fit, and must be installed in, 54"-wide and wider sections.</p>	
<div>Dimensions</div>	



## Connect™-Junction Block to Junction Block Jumper, 4-Circuit



## Product Information

## Description


This adjustable power jumper distributes up to 4 20-amp circuits between 2 junction blocks. One end of the jumper extends an additional 3" when connecting to an adjacent junction block. It is UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.

## Notes

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.

Finish on 5/8" oval metallic conduit is silver.

## Dimensions



## Specification Information

Step 1.

DU1353.

### Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide


### Step 3. Type

**A** adjustable jumper

### Prices for Steps 1-3.

	A
DU1353. 24	\$181
30	\$197
36	\$211
42	\$220
48	\$224
54	\$246
60	\$255

Connect™-Block Connector, 4-Circuit      DU1354




Product Information

**Description**  
This connector connects 2 junction blocks together. Finish is black. Attachment hardware included. It is UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.

**Notes**  
Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.

Dimensions



Short Receptacle-to-Receptacle Block Connector

Specification Information

**Step 1.**  
**DU1354.S**      \$98



## Description

## Notes

For back-to-back applications, specify the 2-duplex block (DU1358.DB) or the 1-duplex block (DU1358.SB).


Order duplex receptacle, 4-circuit (DU1355.) separately.

To route power from building to junction block, order 4-circuit power entry (DU1351. or DU1352.) separately.

To route power between junction blocks, order junction block to junction block jumper (DU1353.) separately.

To connect 2 junction blocks together, order a short block to block connector (DU1354.S) separately.

### Single, Back-to-Back Junction Block



Step 1.

### Step 2. Junction Block Type

**SB** single back-to-back junction block

**DB** double back-to-back junction block

### Step 3. Attachment Hardware


**B** short 90° attachment to underside of surface

## B

DU1358.	SB	\$191
	DB	\$159

Connect™-Duplex Receptacle, 4-Circuit

DU1355



Product Information

Description

This 15- or 20-amp duplex receptacle attaches to a junction block to provide electrical access. Finish is black. Package of 1. It is UL Listed for use with Renew™ Link and Nevi™ Link in the US and Canada.


Notes

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.

Receptacle is labeled as I, II, III, or IV for circuit identification.

Order junction block (DU1358.) separately.

Dimensions



Specification Information

Step 1.

DU1355.

Step 2. Amps

15	15 amp
20	20 amp

Step 3. Circuit


1	circuit I
2	circuit II
3	circuit III
4	circuit IV

Prices for Steps 1-3.

		1	2	3	4
DU1355.	15	\$50	50	50	50
	20	\$60	60	60	60

# Logic G1000 Grommet Mounted Electrical Distributor

Y1425.



Renew™ Link Sit-to-Stand Bench

## Product Information

### Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

### Notes

Field cutting of grommet cutout is possible.


IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.

Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.


USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts. Refer to Renew Sit-to-Stand Tables planning guide for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.


## Dimensions




2 simplex receptacles with 1 powered USB A/C  
combo (H)




4 simplex receptacles with 1 powered USB A/C  
combo (I)



5 simplex receptacles with 1 powered USB A/C  
combo (J)



3 simplex receptacles (E)



5 simplex receptacles (F)



# Logic G1000 Grommet Mounted Electrical Distributor *continued*

## Specification Information

### Step 1.

**Y1425.**

### Step 2. Configuration

**H** 2 simplex receptacles, 1 powered USB A/C Combo

**I** 4 simplex receptacles, 1 powered USB A/C Combo

**E** 3 simplex receptacles

**F** 5 simplex receptacles

### Step 3. Power Type

**A** power cord with plug end

**C** IEC connector for Renew Tables

### Step 4. Cord/Conduit Length

#### For power cord with plug end (A)

**03** 3' cord/conduit

**06** 6' cord/conduit

**10** 10' cord/conduit

**20** 20' cord/conduit

#### For IEC connector for Renew Tables (C)

**03** 3' cord/conduit

### Prices for Steps 1-4.


		<b>03</b>	<b>06</b>	<b>10</b>	<b>20</b>
<b>Y1425.</b>	<b>H A</b>	\$900	900	914	929
	<b>C</b>	\$914	—	—	—
	<b>I A</b>	\$1042	1042	1059	1074
	<b>C</b>	\$1059	—	—	—
	<b>E A</b>	\$693	693	706	718
	<b>C</b>	\$706	—	—	—
	<b>F A</b>	\$836	836	851	867
	<b>C</b>	\$851	—	—	—

### Step 5. Finish

<b>613</b>	silver (CP)	+\$0
<b>91</b>	white (CP) <b>A</b>	+\$0
<b>98</b>	studio white (CP) <b>A</b>	+\$0
<b>BK</b>	black <b>A</b>	+\$0
<b>G1</b>	graphite (CP) <b>A</b>	+\$0
<b>UBK</b>	ultra black (CP)	+\$0

External Cable Manager

DU11B.  
DU11S.




Renew™ Link Sit-to-Stand Bench

Product Information

Description

This cable manager seamlessly routes cables from the central trough of height adjustable benching (Renew™ Link or Nevi™ Link) up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.

Dimensions



Specification Information

Step 1.

DU11

Step 2. Attachment

- B. high density trough attachment
- S. worksurface attachment

Prices for Steps 1-2.


DU11B.	\$282
DU11S.	\$282

Step 3. Finish

Price Category 4	+\$0
Price Category 5	+\$0

Height-Adjustable Vertical Cable Manager

DU15B.  
DU15S.




Product Information

Description

This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.

Dimensions



Specification Information

Step 1.

DU15 A

Step 2. Attachment

B. cable tray attachment A

S. worksurface attachment A

Step 3. Table Mechanism

D electric extended range

E electric standard range

Prices for Steps 1-3.

DU15B. D	\$169
E	\$169
DU15S. D	\$176
E	\$176

Step 4. Finish

613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
BK	black	+\$0
91	white (CP)	+\$0



## Index by Product Name

Nevi™ Link	
Cable Management Channel	page(s) 37
Cable Management Trough	38
Cable Management Trough, Work Surface Suspended	40
Cable Manager	39
Connecting Plate - Basic Cable Trough	13
Connecting Plate - Enhanced Cable Trough	15
Connect™ Block Connector, 4-Circuit	28
Connect™ Duplex Receptacle, 4-Circuit	30
Connect™ Junction Block, 4-Circuit	29
Connect™ Junction Block to Junction Block Jumper, 4-Circuit	27
Connect™ Power Entry, 4-Circuit	25
Connect™ Power Entry, 4-Circuit, New York City	26
End Caps - Basic Cable Trough	12
End Caps - Enhanced Cable Trough	14
External Cable Manager	34
Gallery Panel	21
Height-Adjustable Vertical Cable Manager	41
Hinged Cable Trough	35
Logic Mini	31
Logic Mini Grommet	33
Nevi Link 120 Degree Height Adjustable Bench	9
Nevi Link Back-to-Back Rectangular Height Adjustable Bench	5
Screen, Trough Mounted	18
Single End Cap - Basic Cable Trough	17
Renew™ Link	
Back to Back Trapezoid Height Adjustable Bench	page(s) 51
Connecting Plate - Basic Cable Trough	72
Connecting Plate - Enhanced Cable Trough	67
Connect™ Block Connector, 4-Circuit	85
Connect™ Duplex Receptacle, 4-Circuit	87
Connect™ Junction Block, 4-Circuit	86
Connect™ Junction Block to Junction Block Jumper, 4-Circuit	84
Connect™ Power Entry, 4-Circuit	82
Connect™ Power Entry, 4-Circuit, New York City	83
End Caps - Basic Cable Trough	71
End Caps - Enhanced Cable Trough	66
External Cable Manager	90
Gallery Panel	77
Height-Adjustable Vertical Cable Manager	91
Logic G1000 Grommet Mounted Electrical Distributor	88
Renew Link Back-to-Back Rectangular Height Adjustable Bench	45
Renew™ Link 120 Degree Height Adjustable Bench	62
Renew™ Link Back-to-Back Leg Shroud	69
Screen, Trough Mounted	74
Single End Cap - Enhanced Cable Trough	73
Single Sided Gallery Panel Trim Piece	81

Single Sided Rectangular Height Adjustable Bench	57
--	----



## Index by Product Number

AO382. Cable Management Trough, Work Surface Suspended	page(s) 40
DU1AS. Single Sided Rectangular Height Adjustable Bench	57
DU1AT.	
DU2AS. Renew Link Back-to-Back Rectangular Height Adjustable Bench	45
DU2AT.	
DU2TS. Back to Back Trapezoid Height Adjustable Bench	51
DU2TT.	
DU3AS. Renew™ Link 120 Degree Height Adjustable Bench	62
DU3AT.	
DU4B. Connecting Plate - Enhanced Cable Trough	15, 67
DU4B. End Caps - Enhanced Cable Trough	14, 66
DU4B. Single End Cap - Enhanced Cable Trough	73
DU4C. Renew™ Link Back-to-Back Leg Shroud	69
DU4S. Connecting Plate - Enhanced Cable Trough	15, 67
DU4S. End Caps - Enhanced Cable Trough	14, 66
DU8E. Screen, Trough Mounted	18, 74
DU8F.	
DU9B. Gallery Panel	21, 77
DU9R.	
DU11B. External Cable Manager	34, 90
DU11S.	
DU12. Single Sided Gallery Panel Trim Piece	81
DU15B. Height-Adjustable Vertical Cable Manager	41, 91
DU15S.	
DU1351 Connect™-Power Entry, 4-Circuit	25, 82
DU1352 Connect™-Power Entry, 4-Circuit, New York City	26, 83
DU1353 Connect™-Junction Block to Junction Block Jumper, 4-Circuit	27, 84
DU1354 Connect™-Block Connector, 4-Circuit	28, 85
DU1355 Connect™-Duplex Receptacle, 4-Circuit	30, 87
DU1358 Connect™-Junction Block, 4-Circuit	29, 86
DY2AS. Nevi Link Back-to-Back Rectangular Height Adjustable Bench	5
DY3AS. Nevi Link 120 Degree Height Adjustable Bench	9
DY4CP. Connecting Plate - Basic Cable Trough	13, 72
DY4EC. End Caps - Basic Cable Trough	12, 71
DY4EF. Single End Cap - Basic Cable Trough	17
FT19C. Cable Management Channel	37
FT199. Cable Management Trough	38
FV695. Cable Manager	39
Y1300. Hinged Cable Trough	35
Y1412. Logic Mini Grommet	33
Y1414. Logic Mini	31
Y1425. Logic G1000 Grommet Mounted Electrical Distributor	88







## 20-Day or Less/Assigned Lead-Time Order Information

GSA

### 20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

### Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian® Filing and Storage:

(616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at:

(866) 854 3048 ext 3400.

### Shipments and Delivery

Per Herman Miller Terms and Conditions.

### Changes and Cancellation

Per Herman Miller Terms and Conditions.



# Vary Easy Program

GSA

## Program Overview

The Vary Easy program offers expanded product selections beyond what is available through our standard offering. From expanded material and finish lists, to size availability, to completely new product configurations, the Vary Easy program offers it all at standard pricing, warranty, and lead-time.

## Specifying Vary Easy using Made-to-Measure Plus

Vary Easy products are now available by clicking the Vary Easy/Options tile in the Made-to-Measure Plus tool.

Made-to-Measure Plus is a web-based tool available through Omni that takes the guesswork out of specifying products and service parts. It's quickly evolving to become your one-stop shop for specifying Herman Miller products and service parts, particularly customized product like Vary Easy and HM Options.

Vary Easy products are no longer published in marketing SIF for importing into specIT and other third-party specifiers. Specifying through the Made-to-Measure Plus tool allows us to make frequent updates and offer more complex products. It allows you to easily specify and price products and download SIF files to import into your specification tool. The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead-time and are competitively priced.

For step-by-step instructions, reference the Made-to-Measure Plus page under Tools & Resources on Omni to watch the how-to video and to see how easy it is to specify Vary Easy products in Made-to-Measure Plus.

For Vary Easy product and specification questions, contact Product Services at 866 854 3048 (ext #1).

For technical questions about the Made-to-Measure Plus tool, contact Sales Technology Support at 866 854 3048 (ext #4) or [sts@hermanmiller.com](mailto:sts@hermanmiller.com).



# Stain-to-Match Program

GSA

## Stain-to-Match Program

### Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:

(800) 654 3910

### Ordering Products with Stain-to-Match Veneers

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
3. If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to: [options@hermanmiller.com](mailto:options@hermanmiller.com).
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

## Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.



# Customer's Own Material Order Information — Workspaces

GSA

## Customer's Own Material

### Program Overview

The Customer's Own Material (COM) program gives you the option of using textiles other than those listed. Herman Miller will test textiles for application to Herman Miller products and will process orders for those with approved COM textiles only. COM textiles are on assigned lead times.

Omni lists an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for COM is listed below. Questions about the COM program and requests for assistance may be directed to your COM representative at:

(616) 654 3400

(866) 854 3048 ext 6543400

### Customer's Own Material Warranty

Herman Miller does not warrant COM textiles. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

### Customer's Own Material Pricing

COM is a Category 1 fabric. There are no application charges for COM fabrics.

Ordering and payment for COM textile yardage are the responsibility of the customer and the textile supplier.

If desired, Herman Miller will purchase COM textiles directly from Maharam, Camira, C.F. Stinson, Guilford of Maine, Luna Textiles, Momentum Textiles and Ultrafabrics to simplify ordering and shipment. For this service, refer to the Supplier Connection program.

### Application Note

Herman Miller does not guarantee that Customer's Own Material (COM) fabric patterns will align across panels/tiles or from one screen to the next. We also do not guarantee that COM fabric designs will be positioned consistently in the same location across several panels, tiles, or screens.

### Textile Approval

1. Select a COM textile and a Herman Miller product.
2. If your textile does not show as tested in Omni, submit a request. You will be required to select a specific color of the textile and feature of the product to test, i.e., seat, back, etc.
3. Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

Customer’s Own Material  
Order Information —  
Workspaces

continued

GSA

Ordering Products with COM

- 1. Refer to the specific products to determine the yardage required for COM textiles.  
*Note: Yardage requirements are based on nondirectional, 54"-wide textiles. 66"-wide textiles are needed for application on 60"-wide products. Additional yardage may be needed due to the unique characteristics of a textile.*
- 2. Obtain the COM ID# in Omni. If the color you are ordering does not have a COM ID# assigned, click "Create ID".
- 3. Enter your order on Order Manager in Omni.
- 4. Upon receipt of your purchase order, Herman Miller will send you a PO acknowledgment.
- 5. Arrangements must be made for the textiles to be shipped from the supplier to Herman Miller for application to the Herman Miller products. Textiles must be tagged with the assigned identification number and the roll yardage quantity. See Omni for shipping procedures and current shipping addresses or contact a COM representative at (616) 654 3400 or (866) 854 3048 ext 6543400.  
Products will be scheduled for production when COM textiles are received at Herman Miller. Standard lead times in effect at that time will apply.

*Note: If textiles are to be purchased directly by Herman Miller through the Supplier Connection program, Herman Miller will handle the ordering and shipping process and will schedule your order for production upon receipt of your purchase order (dependent on textile availability). Refer to the Supplier Connection program for more information.*

Supplier Connection

Program Overview

The Supplier Connection program is a service offered by Herman Miller to purchase approved COM textiles directly from Maharam, Camira, C.F. Stinson, Guilford of Maine, Luna Textiles, Momentum Textiles and Ultrafabrics. When you select a textile through this program, Herman Miller will facilitate the ordering, scheduling, and shipment of the textile directly with the supplier.

Suppliers included in the Supplier Connection program keep an active inventory of textiles that are pre-approved for application to Herman Miller products. Pre-approval applies only to the suitability of a textile for manufacturing and application to a Herman Miller product. Omni provides an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for the Supplier Connection program is listed below. Questions and requests for assistance may be directed to your COM representative at:

(616) 654 3400  
(866) 854 3048 ext 6543400

Supplier Connection Warranty

Textiles purchased by Herman Miller through the Supplier Connection program are COM and are not warranted by Herman Miller. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Supplier Connection Pricing

Textiles purchased by Herman Miller through the Supplier Connection program are COM. COM is a Category 1 fabric. There are no application charges for COM fabrics.

Payment for textiles purchased by Herman Miller through the Supplier Connection program is the responsibility of the customer or dealer. Herman Miller will invoice the order at the suppliers prices published at the time of the order.



# Customer's Own Material Order Information — Workspaces

*continued*

## GSA

### Textile Approval

1. Select a COM textile and a Herman Miller product.
2. If your textile does not show as tested in Omni, submit a request.  
You will be required to select a specific color of the textile and feature of the product to test, i.e., seat, back, etc.
3. Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

### Ordering Products with Supplier Connection COM

1. Identify and include the following information on your purchase order:
  - Product number and option
  - Herman Miller's COM identification number
2. Enter your order on Order Manager in Omni.
3. Upon receipt of the purchase order, Herman Miller will process your order and send you a PO acknowledgment. Herman Miller will determine the yardage required to produce your product and will order and schedule for delivery the required textile. Standard lead times in effect at the time the textile is allocated at the supplier will apply to products ordered through this program.



# Textiles Application Chart — Workspaces

## GSA

• Available

[A] Assigned lead-time textile.

[A] Maharam textiles are on assigned lead times.

See following page for exception notes.

		Action Office® Panels/Connectors	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles/Channel Tiles	Canvas B-/E-Style Storage	Canvas Tackboards	Canvas Metal Desk Hutch Back Panel	Canvas Vista™ Movable Insert and Display Unit	OE1 Boundary Agile Wall Tile	OE1 Boundary Project Board and Screens	OE1 Nook Liner/Felt Screen Liner/Storage Trolley Liner	Overlay™ Performance Wall Cladding	Pari™ Screens/Flat Edge Screens/Channel Screens	Renew™ Link Screens	Exclave® Tackable Boards and Stowage Tackable Backdrop	Exclave Video-Friendly Tackable Boards and Stowage Tackable Backdrop	Personal Side Screen	Tu® Wood Storage Cubby Tackboard	Seating
Price Category 1																						
COM	Customer's Own Material <a href="#">A</a>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2V__	Chain	•	•	•	•	•	•	22	•	•	•	•	•	•	•	•	•	•	•	•	•	•
8T__	Crossing (85__)	2	2	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•	8	•	•	18
3DE__	Dex	6	2	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•	•	•	•	•
2I__	Grasscloth	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1MN__	Monologue	2	2	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•	•	•	•	•
5T__	Resonance	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
4SC__	Scatter	2	2				•		•	•	•	•	•		•	•	•	•		•	•	•
22F__	Slant	6	•		•	•	•	•		•	•	•	•		•	•	•	•			•	
235__	Tailored	•		•	•	•	•	8	•	•	•	•	•		•	•	•	•			•	•
1WS__	Whisper	2	2	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•		•	•	•
Price Category 2																						
3AR__	Aristo	2	2	•	•	•	•	•	2	•	•	•	•	•		•	•	•	•		•	•
51__	Cord	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•			•	
92__	Crepe	2	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	8	•	•	•
3EP__	Epic	2	2	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•		•	•	•
3DP__	Hint	•	•	•	•	•	•	•		•	•	•	•		•	•	•	•	•	•	•	•
4N__	Horizon	2	2	•	•	•	•	•	•	•	•	•			•	•	•	•		•	•	
1HA__	Medley	2	2	•	•	•	•	•	•	•	•	•	•		•	•	•	•	8	•	•	•
4ME__	Mellow	2	2	•	•	•	•	•	2	•	•	•	•	•		•	•	•	•		•	•
ZMA__	Metaphor - Maharam <a href="#">A</a>	2	2	2	2	•	•	•	2	•		•	•		•	•	•	•				
811__	Muse - Maharam <a href="#">A</a>	2	2	2	•		•	•	2	•		•	•	•	•	•	•	•		•		
3SL__	Sequel			2				2														•
4TE__	Terra	2	2	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•		•	•	•
3TW__	Twine	•	•	•	21	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
8R__	Twist (5S__)	5	2	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•		•	•	18
Price Category 3																						
43Z__	Fractal	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•		•	•	•
47__	Ground Cloth®	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	8	•	•	
ZM2__	Meld - Maharam <a href="#">A</a>	2	2	•	•	•	•	•	•	•	•	•	•		•	•	•	•		•		
4GE__	Parcel	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•		•	•	•
8W__	Strands	•	•	•	•	•	•	•	•	•	•		•		•	•	•	•		•	•	
Price Category 4																						
No fabrics available at this time.																						
Price Category 5																						
14A__	Hopsak	2	2	•	•		•	2	•	•	•	•			•			•			•	•
40G__	Method - Maharam <a href="#">A</a>	2	2	2	2	•	•	2	•	•	•	•	•		•	•	•	•		•		
ZNC__	Nico - Maharam <a href="#">A</a>	2	2	2	•	•	•	2	•	•	•	•	•		•	•	•	•		•		
Price Category 6																						
No fabrics available at this time.																						

continued on next page

# Textiles Application Chart — Workspaces

GSA *continued*

- Available

[A] Assigned lead-time textile.

[A] Maharam textiles are on assigned lead times.

See following page for exception notes.

	Action Office® Panels/Connectors	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace/Canvas Office Landscape® Privacy Doors	Canvas Tiles/Extended Width Tiles/Channel Tiles	Canvas B-/E-Style Storage	Canvas Tackboards	Canvas Metal Desk Hutch Back Panel	Canvas Vista™ Movable Insert and Display Unit	OE1 Boundary Agile Wall Tile	OE1 Boundary Project Board and Screens	OE1 Nook Liner/Felt Screen Liner/Storage Trolley Liner	Overlay™ Performance Wall Cladding	Pari™ Screens/Flat Edge Screens/Channel Screens	Renew™ Link Screens	Exclave® Tackable Boards and Stowage Tackable Backdrop	Exclave Video-Friendly Tackable Boards and Stowage Tackable Backdrop	Personal Side Screen	Tu® Wood Storage Cubby Tackboard	Seating
<b>Price Category A</b>																					
No fabrics available at this time.																					
<b>Price Category B</b>																					
VM__ Medium - Maharam [A]		2			•	20	•	•	•				•								•
TL__ Messenger - Maharam [A] *		2	•	20	•	2	•	•	•				•	•							•
<b>Price Category C</b>																					
Z27__ Manner - Maharam [A]	2	2	2	•	•	2	•	•	•				•	•							
Z3__ Metric - Maharam [A]	2	2			•	•	•	•	•				•	•							
<b>Price Category D</b>																					
ZMD__ Mode - Maharam [A]	2																•				•
ZS3__ Spiral - Maharam [A]	•	•	•	•	•	•	•	•	•				•								
<b>Price Category E</b>																					
TT__ Parallel - Maharam [A]	7	•		•	•	•	17	•	•	•				•							
<b>Price Category F</b>																					
8EX__ Emit - Maharam [A]	2	2	2	•	•	•	2	•	•												
<b>Price Category G-K</b>																					
No fabrics available at this time.																					

\* Available in select colors on 20-day lead-time.

Refer to “Textile Colors” for 20-day colors.

- 1 Refer to price book appendices and Omni for COM information.
- 2 Available on all products except 54” and 60” wide.
- 3 Not available on AO partial-glazed panels.
- 4 Not available on Action Office (AO®) acoustical panels.
- 5 (8R\_\_ ), (8T\_\_ ), (85\_\_ ), and (5S\_\_ ) not available on AO acoustical panels and not available on 54”- or 60”-wide products.
- 6 Not available on Action Office (AO®) connectors, cable management, and spacers.
- 7 Not available on AO acoustical panels; not available on AO2 cable management panel face.
- 8 Available in select colors. See the “Textile Colors” appendix.
- 17 Not available on Canvas E-style flipper doors.
- 18 Available on seating products in select colors. See the “Textile Colors” appendix.
- 20 Not available on Ethospace tackable tiles.
- 21 Not available on Ethospace connectors and cable management tiles.
- 22 Not available as railroaded application option for Chain and Moire on Canvas extended width tiles.

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric’s pattern may not align from one screen to the next, or from one panel to the next.

# Textile Colors

## GSA

### Price Category 1

**Customer's Own Material**  
Ancillary/Seating/Workspaces  
See Order Information in  
Appendices.  
Assigned lead-time textile. A

**8Z Pellicle®**  
Seating  
For New Aeron® Chairs  
56% elastomeric  
44% polyester  
23101 Mineral  
23102 Carbon  
23103 Graphite

**AireWeave™ 2**  
Seating  
For Mirra® 2 Chairs  
67% elastomeric  
33% antimony-free polyester  
1A701 Alpine  
1A702 Slate Grey  
1A703 Graphite  
1A704 Lime Green  
1A706 Urban Orange  
1A708 Twilight

**Chain**  
Workspaces  
66" wide  
100% recycled polyester  
with 12% ocean bound plastic  
2V01 Pearl  
2V02 Oyster  
2V03 Wheat  
2V04 Linen  
2V05 Wicker  
2V06 Bamboo  
2V07 Sage  
2V08 Spring Wood  
2V09 Iceberg

**Crossing**  
Seating/Workspaces  
54" wide  
86% antimony-free polyester  
14% polyester  
8T03 Wicker \*  
8T04 Porcelain \*  
8T05 Warm Grey \*  
8T10 Tomato  
8T17 Cerulean  
8T18 Indigo  
8T19 Shale \*  
8T22 Tin \*  
8T23 Graphite  
8T24 Black

**Crossing**  
Workspaces  
For systems products only.  
54" wide  
86% antimony-free polyester  
14% polyester  
8501 Ivory \*  
8502 Oyster \*

\* Crossing colors available  
on Exclave® Video-friendly  
Tackable Boards and Stowage  
Tackable Backdrop

**Dex**  
Seating/Workspaces  
54" wide  
67% recycled polyester  
33% polyester  
3DE01 Frost  
3DE02 Silver Pine  
3DE03 Stone  
3DE04 Shale  
3DE05 Charcoal  
3DE06 Gossamer  
3DE07 Pine

**Duo**  
Seating  
For Lino™ Chairs  
52% polyester  
48% elastomeric  
4RM01 Mineral  
4RM02 Poppy  
4RM03 Green Leaf  
4RM04 Jade  
4RM05 Shadow  
4RM06 Graphite

**Flexnet™**  
Seating  
For Caper® Chairs  
69% elastomeric  
31% polyester  
6V01 Black  
6V02 Silver Grey

**Grasscloth**  
Workspaces  
66" wide  
100% recycled polyester  
with 11% ocean bound plastic  
2I01 Silver Birch  
2I02 Pampas  
2I03 Sedge  
2I07 Lea  
2I08 Taro  
2I09 Steam Grey  
2I13 Gravel

**Intercept**  
Seating  
For Cosm™ Chairs  
60% elastomeric  
40% polyester  
84501 Graphite  
84502 Carbon  
84503 Mineral  
84504 Nightfall  
84505 Glacier  
84506 Canyon

**Lyris 2™**  
Seating  
For Setu® Chairs  
74% elastomeric  
26% polyester  
4W21 Alpine  
4W23 Chartreuse  
4W25 Berry Blue  
4W26 Slate Grey  
4W28 Chino  
4W31 Graphite

**Monologue**  
Ancillary/Seating/Workspaces  
54" wide  
56% recycled polyester  
44% polyester  
1MN01 Linen  
1MN02 Alabaster  
1MN04 Folkstone  
1MN05 Silver Pine  
1MN06 Slate  
1MN07 Seed  
1MN09 Persimmon  
1MN11 Meadow  
1MN12 Blue Sky  
1MN13 Blue Spruce  
1MN14 Deep Sea

Price category 1 continued on  
next page

# Textile Colors

continued  
GSA

## Price Category 1 continued

Appendix: Textile Colors

Resonance	
Workspaces	
66" wide	
100% polyester	
5T04	Greige
5T05	Porcelain
5T06	Alabaster
5T15	Iris
5T28	Sugar
5T47	Tobacco
5T54	Saltbush
5T57	Seed
5T58	Sepia
5T60	Iceberg
5T65	Red
5T68	Pistachio
5T71	Jade
5T72	Blue Green
5T74	Twilight

Ripple 3D Knit	
Seating	
Available only on Zeph® Chairs.	
knit to size	
99% recycled polyester	
1% lycra	
5H201	Black
5H202	Carbon
5H203	Alpine
5H204	Silt
5H205	Tea Rose
5H206	Cocoa
5H207	Persimmon
5H208	Blaze
5H209	Cayenne
5H210	Falcon
5H211	Mustard Seed
5H212	Patina
5H213	Olive
5H214	Moss
5H215	Aloe
5H216	Glacier
5H217	Ultramarine
5H218	Nightfall
5H219	Bluebell
5H220	Boysenberry
5H221	Nightfall/Bluebell
5H222	Patina/Alpine
5H223	Cayenne/Glacier
5H224	Tea Rose/Olive
5H225	Silt/Blaze

Scatter	
Ancillary/Seating/Workspaces	
54" wide	
100% recycled polyester,	
with 26% ocean bound plastic	
4SC01	Alpine
4SC02	Fog
4SC03	Shale
4SC04	Persimmon
4SC07	Olive
4SC08	Glacier
4SC09	Blue Sky
4SC10	Lagoon
4SC11	Slate Grey
4SC12	Blue Black
Scribe	
Ancillary/Seating/Workspaces	
54" wide	
100% recycled polyester	
with 53% ocean bound plastic	
3DN01	Spring Wood
3DN02	Poplar
3DN03	Pewter
3DN04	Deep Sea
3DN05	Fir
3DN06	Nutmeg
Slant	
Workspaces	
66" wide	
51% polyester	
49% recycled polyester	
22F04	Pesto
22F06	Neptune
22F07	Blueberry
22F10	Pumpkin
22F12	Silver Birch
22F13	Bluestone
22F15	Shale

Splash 3D Knit	
Seating	
Available only on Zeph® Chairs.	
knit to size	
98% recycled polyester	
2% lycra	
5H101	Black
5H102	Carbon
5H103	Alpine
5H104	Silt
5H105	Tea Rose
5H106	Cocoa
5H107	Persimmon
5H108	Blaze
5H109	Cayenne
5H110	Falcon
5H111	Mustard Seed
5H112	Patina
5H113	Olive
5H114	Moss
5H115	Aloe
5H116	Glacier
5H117	Ultramarine
5H118	Nightfall
5H119	Bluebell
5H120	Boysenberry
Stretch Knit	
Seating	
Assigned lead-time textile. <a href="#">A</a>	
Available only on Sayl®	
Suspension Back Work Chairs	
97% polyester, 3% spandex	
3DK01	Fog
3DK02	Slate Grey
3DK03	Java
3DK04	Black
3DK05	Red
3DK06	Green Apple
3DK07	Berry Blue

Price category 1 continued on  
next page

# Textile Colors

continued

GSA

## Price Category 1

continued

### Tailored

Ancillary/Seating/Workspaces  
54" wide

56% polyester

44% recycled polyester

23501 Studio White \* \*\*

23502 Sugar \*\*

23503 Tomato

23506 Chive

23508 Cobalt

23509 Cadet

23510 Fog

23511 Graphite

23512 Black

23513 Coffee

\* Color not available on Canvas Tiles.

\*\* Colors not available on Plex™ Lounge Furniture.

### Tuck 3D Knit

Seating

Available only on Fuld Nesting Chairs.

knit to size

56% polyester

44% recycled polyester

9NK01 Alpine

9NK02 Carbon

9NK03 Nightfall

9NK04 Olive

9NK05 Cocoa

9NK06 Canyon

### Whisper

Ancillary/Seating/Workspaces  
54" wide

73% recycled polyester

27% polyester,  
with 11.3% ocean bound plastic

1WS01 Sand Dollar

1WS02 Pebble

1WS03 Silver Birch

1WS04 Iceberg

1WS05 Silver Pine

1WS06 Carbon

1WS07 Cumin

1WS12 Willow

1WS13 Sea Grass

1WS14 Pool

1WS15 Blueberry

1WS16 Glacier

1WS17 Grey

1WS18 Canyon

## Price Category 2

### Aristo

Seating/Workspaces

54" wide

88% recycled polyester

12% polyester

Acrylic backing

3AR01 Forest Moss

3AR02 Light Brindle

3AR03 Mink

3AR04 Copper

3AR06 Cherry

3AR08 Green Apple

3AR10 Waterfall

3AR11 Cadet

3AR12 Tin

3AR13 Pewter

3AR14 Grey Brindle

3AR15 Grey Black

### Cord

Workspaces

66" wide

51% antimony-free polyester

49% polyester

5101 Ivory

5102 White Ash

5103 Linen

5104 Bamboo

5105 Sepia

5107 Sesame

5109 Bayou

5111 Spring Wood

5112 Summer White

### Crepe

Ancillary/Seating/Workspaces

54" wide

100% recycled polyester,

with 43.6% ocean bound plastic

9201 Licorice

9203 Smoke

9207 Cherry

9223 Cadet

9241 Beachglass

9249 Stone \*

9251 Fog \*

9252 Slate Grey

9261 Shale

9262 Graphite

9265 Mineral

9266 Persimmon

9267 Juniper

9268 Glacier

9269 Cascade

9270 Navy

\* Colors available on Exclave®

Video-friendly Tackable Boards and Stowage Tackable Backdrop

### Epic

Seating/Workspaces

54" wide

56% recycled polyester

44% polyester

Acrylic backing

3EP01 Alabaster

3EP02 Smoke

3EP03 Falcon

3EP05 Copper

3EP06 Urban Orange

3EP07 Poppy

3EP10 Clover

3EP11 Loden

3EP14 Peacock

3EP15 Cadet

3EP16 Indigo

3EP17 Spring Wood

3EP18 Grey Brindle

3EP19 Seed

3EP20 Carbon Dark

Price category 2 continued on next page

Textile Colors

continued

GSA

Price Category 2

continued

Appendix: Textile Colors

Hint	
Seating/Workspaces	
54" wide	
76% recycled polyester	
24% polyester	
3DP01	Sediment
3DP02	Gunmetal
3DP03	Silt
3DP04	Porcelain
3DP05	Indigo
3DP06	Fern
3DP07	Adobe
3DP08	Red Sea
Horizon	
Workspaces	
54" wide	
65% antimony-free polyester	
35% polyester	
4N01	Rye Grass
4N02	Sugar Pine
4N03	Silver Pine
4N04	White Ash
4N05	Spring Wood
4N08	Haystack
4N09	Oat Grass
4N13	Pine Cone
4N15	Elderberry
Marvel	
Seating	
54" wide	
100% pvc-free polyurethane	
1MV01	Summer White
1MV02	Sand Dollar
1MV03	Espresso
1MV04	Folkstone Grey
1MV05	Graphite
1MV06	Onyx
1MV07	Polar Blue
1MV08	Blush Grey
1MV12	Red
1MV14	Pine
1MV15	Teal Green
1MV16	Twilight

Medley	
Ancillary/Seating/Workspaces	
54" wide	
50% recycled polyester	
50% polyester	
1HA01	Stone *
1HA02	Trail
1HA03	Charcoal
1HA04	Cinder
1HA06	Papaya
1HA07	Chutney
1HA09	Feather Grey *
1HA11	Loden
1HA13	Bayou *
1HA14	Blue Grotto
1HA15	Blueberry
1HA22	Khaki
1HA23	Pewter
1HA24	Yellow Oxide
1HA25	Vintage Rose
1HA26	Raspberry
1HA27	Acai Berry
* Colors available on Exclave®	
Video-friendly Tackable Boards	
and Stowage Tackable Backdrop	
Mellow	
Seating/Workspaces	
54" wide	
100% recycled polyester,	
with 16% ocean bound plastic	
4ME01	Mineral
4ME04	Olive
4ME05	Glacier
4ME06	Oceanside
4ME07	Charcoal

Metaphor – Maharam	
Ancillary/Seating/Workspaces	
54" wide	
100% polyester	
Acrylic backing	
ZMA01/466553-001	Afterfeather
ZMA02/466553-002	Moonflower
ZMA03/466553-003	Handcraft
ZMA04/466553-004	Crossroad
ZMA05/466553-005	Chondrite
ZMA06/466553-006	Detective
ZMA07/466553-007	Steamship
ZMA08/466553-008	Electricity
ZMA09/466553-009	Takeoff
ZMA10/466553-010	Parachute
ZMA11/466553-011	Blueshift
ZMA12/466553-012	Dockyard
ZMA13/466553-013	Bathe
ZMA14/466553-014	Icebound
ZMA15/466553-015	Thermosphere
ZMA16/466553-016	Aboard
ZMA17/466553-017	Agateware
ZMA18/466553-018	Homeland
ZMA19/466553-019	Rockfall
ZMA20/466553-020	Undergrowth
ZMA21/466553-021	Gremolata
ZMA22/466553-022	Patina
ZMA23/466553-023	Sylvan
ZMA24/466553-024	Outfield
ZMA25/466553-025	Windbreak
ZMA26/466553-026	Saguaro
ZMA27/466553-027	Barnwood
ZMA28/466553-028	Cookshop
ZMA29/466553-029	Amandine
ZMA30/466553-030	Bodhran
ZMA31/466553-031	Centerstage
ZMA32/466553-032	Focaccia
ZMA33/466553-033	Bumblebee
ZMA34/466553-034	Microbrew
ZMA35/466553-035	Sauna
ZMA36/466553-036	Gazebo
ZMA37/466553-037	Pirouette
ZMA38/466553-038	Heartbeat
ZMA39/466553-039	Shino
ZMA40/466553-040	Sunrise

Metaphor continued	
ZMA41/466553-041	Florist
ZMA42/466553-042	Beadwork
ZMA43/466553-043	Framboise
ZMA44/466553-044	Wisteria
ZMA45/466553-045	Warrior
Muse – Maharam	
Ancillary/Seating/Workspaces	
54" wide	
100% post-consumer recycled polyester	
8I101/466487-001	Crescendo
8I102/466487-002	Resonate
8I103/466487-003	Runway
8I104/466487-004	Ascend
8I105/466487-005	Veil
8I106/466487-006	Refresh
8I107/466487-007	Clear
8I108/466487-008	Fantasy
8I109/466487-009	Miso
8I110/466487-010	Compass
8I111/466487-011	Bergamot
8I112/466487-012	Grasshopper
8I113/466487-013	Goal
8I114/466487-014	Mistletoe
8I115/466487-015	Seaglass
8I116/466487-016	Frigid
8I117/466487-017	Riverbend
8I118/466487-018	Noble
8I119/466487-019	Pulsar
8I120/466487-020	Velella
8I121/466487-021	Sailboat
8I122/466487-022	Sparse
8I123/466487-023	Vase
8I124/466487-024	Haven
8I125/466487-025	Mead
8I126/466487-026	Neat
8I127/466487-027	Jovial
8I128/466487-028	Theater
8I129/466487-029	Poinsettia
8I130/466487-030	Celebrate
8I131/466487-031	Spectacle

Price category 2 continued on next page



# Textile Colors

continued

## GSA

### Price Category 2

continued

Rhythm	
Seating	
54" wide	
100% polyester	
3002	Green Apple
3004	Bayou
3005	Berry Blue
3006	Iris
3007	Twilight
3009	Poppy
3010	Molasses
3012	Khaki
3013	Mink
3014	Black *
3015	Charcoal *

\* Colors available on Embody® Chair

Sequel	
Ancillary/Seating/Workspaces	
54" wide	
100% vinyl	
100% polyester knit backing	
Resilience® finish	
3SL01	White
3SL02	Pebble
3SL03	Mushroom
3SL04	Stone
3SL09	Seal
3SL10	Blue Fog
3SL11	Folkstone
3SL12	Shale
3SL13	Slate Grey
3SL14	Charcoal
3SL15	Carbon Dark
3SL28	Navy *

\* Color available on Eames® Tandem Sling Seating

Terra	
Ancillary/Seating/Workspaces	
54" wide	
100% post-consumer recycled biodegradable polyester *	
4TE01	Spring Wood
4TE02	Zinc
4TE03	Pine Cone
4TE04	Charcoal
* 1% biodegradation in 1,278 days under ASTM D5511 conditions. No evidence of further degradation.	

Twine	
Workspaces	
66" wide	
100% recycled polyester	
3TW01	Silver Birch
3TW02	Ivory
3TW03	Alabaster
3TW04	Bamboo
3TW05	Iceberg
3TW06	Charcoal
3TW07	Feather Grey
3TW08	Shale

Twist	
Ancillary/Seating/Workspaces	
54" wide	
80% antimony-free polyester	
13% recycled polyester	
7% polyester	
8R05	Wicker
8R10	Poppy
8R14	Tin
8R15	Shale
8R16	Graphite
8R17	Birch
8R18	Sepia
8R22	Blueberry
8R23	Green Apple
8R26	Gunmetal
8R27	Cinder
8R29	Pekoe
8R33	Forest
8R35	Waterfall
8R36	Midnight Blue
8R37	Carbon Dark

Twist	
Workspaces	
For systems products only.	
54" wide	
80% antimony-free polyester	
13% recycled polyester	
7% polyester	
5S03	Oyster

### Price Category 3

Ace	
Ancillary/Seating	
54" wide	
100% polyurethane	
Polyester knit backing	
Stain resistant finish	
3AC01	Summer White
3AC02	White Ash
3AC04	Metal
3AC05	Clay
3AC06	Chestnut
3AC08	Camelback
3AC09	Chipotle
3AC12	Artichoke
3AC13	Sepia Dark
3AC14	Aloe
3AC17	Oceanside
3AC18	Midnight
3AC20	Frost
3AC21	Lead
3AC22	Black

Fractal	
Ancillary/Seating/Workspaces	
58" wide	
84% recycled polyester	
16% polyester	
43Z01	Granite
43Z02	Golden Olive
43Z03	Verdant
43Z04	Cadet

Price category 3 continued on next page

# Textile Colors

continued

GSA

## Price Category 3

continued

Ground Cloth®	
Workspaces	
66" wide	
100% polyester	
4701	Vapor Grey
4721	Warm White *
4722	Fog *
4723	Straw *
4724	Red Orange *
4726	Green Apple *
4727	Caribbean *
4728	Midnight *
4729	Cappuccino *

\* Colors available on Exclave®  
Video-friendly Tackable Boards  
and Stowage Tackable Backdrop

Latitude	
Seating	
Colors for Mirra 2 Chairs	
100% polyester	
8M10	Alpine
8M17	Black
8M23	French Press
8M27	Cordovan
8M28	Ochre
8M29	Ultramarine
8M30	Olive

Meld - Maharam	
Seating/Workspaces	
Workspaces	
54" wide	
68% post-consumer recycled polyester	
32% polyester	
PFOA-Free stain resistant	
ZM201/466387-201	Vast
ZM202/466387-202	Panda **
ZM203/466387-203	Skyline *
ZM204/466387-204	Knight **
ZM205/466387-205	Quill **
ZM206/466387-206	Pipe
ZM207/466387-207	Grate *
ZM208/466387-208	Gloss
ZM209/466387-209	Bulb

Meld continued	
ZM210/466387-210	Bride
ZM211/466387-211	Stark
ZM212/466387-212	Seashell
ZM213/466387-213	Antler
ZM214/466387-214	Crater *
ZM215/466387-215	Perennial
ZM216/466387-216	Mulberry
ZM217/466387-217	Fuchsia *
ZM218/466387-218	Amethyst *
ZM219/466387-219	Merlot
ZM220/466387-220	Magma *
ZM221/466387-221	Rooster
ZM222/466387-222	Heat *
ZM223/466387-223	Clementine
ZM224/466387-224	Fox
ZM225/466387-225	Kiss *
ZM226/466387-226	Bare
ZM227/466387-227	Blonde
ZM228/466387-228	Mimosa
ZM229/466387-229	Comet *
ZM230/466387-230	Honeydew
ZM231/466387-231	Wild *
ZM232/466387-232	Vine
ZM233/466387-233	Seed
ZM234/466387-234	Kale *
ZM235/466387-235	Waterfall *
ZM236/466387-236	Nordic *
ZM237/466387-237	Reef *
ZM238/466387-238	Wave
ZM239/466387-239	Isle **
ZM240/466387-240	Creek
ZM241/466387-241	Mariner *
ZM242/466387-242	Globe
ZM243/466387-243	Spa

\* Colors available on  
20-day lead time.  
\*\* Colors available on  
10-day lead time.

Parcel	
Ancillary/Seating/Workspaces	
54" wide	
100% recycled polyester	
4GE01	Gunmetal
4GE02	Brindle
4GE03	Bayou
4GE04	Pesto
4GE05	Golden Olive
4GE06	Copper Sea
Saille - Geiger Textile	
Ancillary	
57" wide	
69% cotton	
31% polyester	
PFOA-Free stain resistant finish	
Acrylic backing	
18001	Coal
18002	Shale
18003	Haze
18004	Stone
18005	White *
18006	Beach
18007	Sand
18008	Blush
18009	Brick
18010	Fog
18011	Celadon
18012	Poolside
18013	Summer Sky
18014	Lake
18015	Midnight Blue

\* Color not available on Eames®  
Soft Pad Group Chairs/Ottomans.

Strands	
Workspaces	
66" wide	
100% recycled polyester	
8W01	Pebble
8W02	Porcelain
8W04	Honey
8W05	Khaki
8W06	Rye
8W07	Wicker
8W08	Tin
8W09	Cool Grey

# Textile Colors

continued

GSA

## Price Category 4

Cygnus	
Ancillary	
For Eames® Aluminum Group Chairs	
69% elastomeric	
31% polyester	
5401	Black
5402	Zinc
5403	Quartz

Daydream	
Ancillary/Seating	
54" wide	
48% wool	
41% recycled polyester	
9% nylon	
2% polyester	
3DM01	Rye Grass
3DM02	Silver Birch
3DM03	Pewter
3DM04	Graphite
3DM05	Black
3DM06	Lemongrass
3DM07	Permission
3DM08	Juniper
3DM09	Sea Grass
3DM10	Nightfall

Kalista - Geiger Textile	
Ancillary	
54" wide	
71% post-industrial recycled cotton	
18% post-industrial recycled polyester	
11% polyester	
PFOA-Free stain resistant finish	
1AL01	Cotton
1AL02	Natural
1AL03	Titanium
1AL04	Pewter
1AL05	Starry Night
1AL06	Red Hot
1AL07	Sun Kissed
1AL08	Dune
1AL09	Beach Glass
1AL10	Bluestone
1AL11	Seaside
1AL12	Night Sky

Lariat – Maharam	
Ancillary/Seating	
54" wide	
100% vinyl	
ZLR01/440401-001	001
ZLR02/440401-002	002
ZLR04/440401-004	004
ZLR06/440401-006	006
ZLR07/440401-007	007
ZLR08/440401-008	008
ZLR10/440401-010	010
ZLR11/440401-011	011
ZLR13/440401-013	013
ZLR14/440401-014	014
ZLR15/440401-015	015
ZLR16/440401-016	016
ZLR18/440401-018	018
ZLR20/440401-020	020
ZLR21/440401-021	021
ZLR24/440401-024	024
ZLR25/440401-025	025
ZLR26/440401-026	026
ZLR28/440401-028	028
ZLR31/440401-031	031
ZLR32/440401-032	032
ZLR33/440401-033	033
ZLR34/440401-034	034
ZLR38/440401-038	038
ZLR39/440401-039	Granite
ZLR40/440401-040	Linen
ZLR41/440401-041	Stella
ZLR42/440401-042	Saddle
ZLR43/440401-043	Holly
ZLR44/440401-044	Maroon
ZLR45/440401-045	Siren
ZLR46/440401-046	Reseda
ZLR47/440401-047	Purslane
ZLR48/440401-048	Spire
ZLR49/440401-049	Papyrus
ZLR50/440401-050	Chickadee
ZLR51/440401-051	Requiem

Sync	
Ancillary/Seating	
55" wide	
100% polyester	
3SY01	Pine Cone
3SY03	Canyon
3SY04	Truffle
3SY06	Everglade
3SY08	Nightfall
3SY09	Dark Mineral
3SY10	Slate Grey
3SY11	Dark Carbon
3SY12	Black

## Price Category 5

Arlo - Maharam	
Ancillary/Seating	
70% wool	
30% polyester	
5YT01	Turn
5YT02	Embers
5YT03	Parallel
5YT04	Octave
5YT05	Musing
5YT06	Summon
5YT07	Dynamic
5YT08	Signals
5YT09	Aspect
5YT10	Dedicate
5YT11	Juniper
5YT12	Cilantro
5YT13	Hawthorn
5YT14	Thread
5YT15	Spalted
5YT16	Warmer
5YT17	Misted
5YT18	Share
5YT19	Chord
5YT20	Heroic
5YT21	Arpeggio
5YT22	Roots
5YT23	Sumac
5YT24	Purl
5YT25	Homeward

Cozy	
Ancillary/Seating	
54" wide	
100% wool	
3CY01	Heathered Warm Grey
3CY02	Heathered Rye Grass
3CY03	Heathered Cool Grey
3CY05	Heathered Black
3CY06	Heathered Persimmon
3CY07	Heathered Loden
3CY09	Heathered Lagoon
3CY10	Heathered Twilight

Price category 5 continued on next page

# Textile Colors

continued

## GSA

### Price Category 5

continued

Hopsak	
Ancillary/Seating/Workspaces	
56" wide	
100% recycled polyester	
14A20	Black
14A22	Raw Umber Dark
14A26	Grey Blue Dark
14A30	Sepia Dark
14A38	Emerald Dark
14A39	Yellow Dark
14A40	Orange
14A41	Sienna
14A42	Olive Green Dark
14A43	Crimson
14A44	Crimson Dark Dark
14A45	Violet Dark
14A46	Pink Dark Dark
14A47	Ultramarine Dark
14A48	Cobalt Blue
14A49	Terra Cotta
14A50	Ochre Dark

Ingenuie - Geiger Textile	
Ancillary	
54" wide	
28% wool	
26% viscose	
25% acrylic	
16% polyester	
5% cotton	
PFOA-Free stain resistant finish	
1GH01	Sand
1GH02	Fog
1GH03	Flannel
1GH04	Trench
1GH05	Vermillion
1GH06	Adriatic
1GH07	Umber
1GH08	Charcoal

Method – Maharam	
Seating/Workspaces	
54" wide	
100% recycled polyester	
with 12% ocean-bound plastic	
40G01/466579-001	Inspire
40G02/466579-002	Rhea
40G03/466579-003	Noise
40G04/466579-004	Speedway
40G05/466579-005	Villanelle
40G06/466579-006	Maestro
40G07/466579-007	Destiny
40G08/466579-008	Possess
40G09/466579-009	Waterside
40G10/466579-010	Relax
40G11/466579-011	Delightful
40G12/466579-012	Parrotlet
40G13/466579-013	Verdurous
40G14/466579-014	Bosky
40G15/466579-015	Acreage
40G16/466579-016	Allude
40G17/466579-017	Tweed
40G18/466579-018	Korma
40G19/466579-019	Fossilize
40G20/466579-020	Cattail
40G21/466579-021	Shortcake
40G22/466579-022	Racecar
40G23/466579-023	Courtship
40G24/466579-024	Jam
40G25/466579-025	Sparrow

Nico - Maharam	
Ancillary/Seating/Workspaces	
54" wide	
63% wool	
21% polyester	
16% solution-dyed nylon	
ZNC01/466564-001	Alcazar
ZNC02/466564-002	Ironclad
ZNC03/466564-003	Tune
ZNC04/466564-004	Bridegroom
ZNC05/466564-005	Diode
ZNC06/466564-006	Jest

Nico continued	
ZNC07/466564-007	Sanctuary
ZNC08/466564-008	Aquarius
ZNC09/466564-009	Houseboat
ZNC10/466564-010	Olympian
ZNC11/466564-011	Tennis
ZNC12/466564-012	Dressage
ZNC13/466564-013	Zing
ZNC14/466564-014	Bitterroot
ZNC15/466564-015	Gemini
ZNC16/466564-016	Posh
ZNC17/466564-017	Sizzle
ZNC18/466564-018	Cheerful
ZNC19/466564-019	Watermelon
ZNC20/466564-020	Toucan
ZNC21/466564-021	Rosin
ZNC22/466564-022	Jousting
ZNC23/466564-023	Jojoba
ZNC24/466564-024	Dromedary
ZNC25/466564-025	Toasty
ZNC26/466564-026	Casaba
ZNC27/466564-027	Greenhouse
ZNC28/466564-028	Sibyl
ZNC29/466564-029	Spearmint
ZNC30/466564-030	Pothos
ZNC31/466564-031	Calathea
ZNC32/466564-032	Landscape
ZNC33/466564-033	Espalier
ZNC34/466564-034	Gecko
ZNC35/466564-035	Meditation

Summit	
Ancillary/Seating	
54" wide	
100% silicone	
Polyester knit backing	
3SU02	Oyster
3SU03	Zinc
3SU04	Sparrow
3SU07	Black
3SU09	Beachglass
3SU10	Midnight

Vionette - Geiger Textile	
Ancillary	
55" wide	
100% polyester	
1GJ01	White Sand Mix
1GJ02	Desert Mix
1GJ03	Light Gray Mix
1GJ04	Pewter Mix
1GJ05	Cobalt Mix
1GJ06	Prussian Blue Mix
1GJ07	Chocolate Mix
1GJ08	Champagne
1GJ09	Morning Sky
1GJ10	Aquatic
1GJ11	Sapphire
1GJ12	Midnight Blue
1GJ13	Shadow
1GJ14	Java
1GJ15	Carbon
1GJ16	Black
1GJ17	Claret
1GJ18	Poppy

# Textile Colors

continued

GSA

## Price Category 6

Balance	
Seating	
For Embody® chairs	
100% polyester	
3512	Carbon
3513	Black

Outdoor Weave	
Ancillary	
For Eames® Aluminum Group	
Outdoor Chairs	
50% elastomeric	
50% polypropylene	
7203	Lead
7205	Graphite

## Price Category 7

Customer's Own Leather	
Seating/Ancillary	
See Order Information in	
Appendices. Assigned lead-time	
textile. <a href="#">A</a>	

Beck – Maharam	
Ancillary/Seating	
55" wide	
78% wool	
22% nylon	
ZB301/466571-001	Overshadow
ZB302/466571-002	Molecule
ZB303/466571-003	Zeitgeist
ZB304/466571-004	Blacksmith
ZB305/466571-005	Cornerstone
ZB306/466571-006	Chainmail
ZB307/466571-007	Buckram
ZB308/466571-008	Callisto
ZB309/466571-009	Interlude
ZB310/466571-010	Letterpress
ZB311/466571-011	Memoir
ZB312/466571-012	Litmus
ZB313/466571-013	Stoic
ZB314/466571-014	Inkpad
ZB315/466571-015	Praxis
ZB316/466571-016	Astute
ZB317/466571-017	Percolate
ZB318/466571-018	Halocline
ZB319/466571-019	Semblance
ZB320/466571-020	Loch
ZB321/466571-021	Lido
ZB322/466571-022	Underwater
ZB323/466571-023	Tetrapod
ZB324/466571-024	Nymph
ZB325/466571-025	Appalachian
ZB326/466571-026	Menthol
ZB327/466571-027	Woodruff
ZB328/466571-028	Malachite
ZB329/466571-029	Botanist
ZB330/466571-030	Woodlet
ZB331/466571-031	Katydid
ZB332/466571-032	Exuberant
ZB333/466571-033	Retrospect

Beck continued	
ZB334/466571-034	Lambic
ZB335/466571-035	Argil
ZB336/466571-036	Brushstroke
ZB337/466571-037	Candescent
ZB338/466571-038	Reedbuck
ZB339/466571-039	Clayware
ZB340/466571-040	Curio
ZB341/466571-041	Whimsy
ZB342/466571-042	Effervescent
ZB343/466571-043	Lingonberry
ZB344/466571-044	Resplendent
ZB345/466571-045	Hollyhock
ZB346/466571-046	Filigree
ZB347/466571-047	Plutonic
ZB348/466571-048	Foundry
ZB349/466571-049	Patisserie
ZB390	Gold 007/032/033 *
ZB391	Russet 036/040/039 *
ZB392	Indigo 008/013/014 *
ZB393	Forest 006/031/028 *

\* Colors available only on  
Girard Color Wheel Ottoman.

Bellano - Geiger Textile	
Ancillary	
55" wide	
75% wool	
10% linen	
8% nylon	
7% alpaca	
1AX01	Pearl
1AX02	Fog
1AX03	Fawn
1AX04	Pumice
1AX05	Pewter
1AX06	Atlantic
1AX07	Black Green
1AX08	Adriatic
1AX09	Coffee
1AX10	Charcoal
1AX11	Umber
1AX12	Magenta
1AX13	Bittersweet
1AX14	Sunflower

Capri - Geiger Textile	
Ancillary	
55" wide	
36% cotton	
32% acrylic	
24% rayon	
8% polyester	
PFOA-Free stain resistant finish	
Acrylic backing	
17201	Snow
17202	Stone
17203	Trench
17204	Graphite
17205	Anthracite
17206	Light Silver
17207	Russet
17208	Chestnut Brown
17209	Sand
17210	Sterling
17211	Cobalt
17212	Ink

Mantle - Maharam	
Ancillary/Seating	
59% recycled polyester	
37% polyester	
4% spandex	
8PV01	Pavement
8PV02	Future
8PV03	Piper
8PV04	Manifesto
8PV05	Mapo
8PV06	Redwood
8PV07	Rocky
8PV08	Impala
8PV09	Warbler
8PV10	Guild
8PV11	Kinetic
8PV12	Behold
8PV13	Orb
8PV14	Sport
8PV15	Utopia
8PV16	True
8PV17	Galore

Price category 7 continued on  
next page

# Textile Colors

continued

## GSA

### Price Category 7

continued

### Price Category 8

#### Mantle continued

8PV18	Parsley
8PV19	Dare
8PV20	Branzino
8PV21	Network
8PV22	Standard
8PV23	Salamander
8PV24	Oscillate

#### Milaner - Geiger Textile

Ancillary	
55" wide	
56% wool, 10% acrylic	
10% alpaca, 10% cotton	
8% nylon, 6% rayon	
17101	Linen
17102	Flax
17103	Bark
17104	Deep Navy
17105	Charcoal
17106	Medium Grey
17107	Ash
17108	Crimson

#### Panno di Dolce - Geiger Textile

Ancillary	
55" wide	
65% wool	
20% nylon	
15% alpaca	
1AV01	Fog
1AV02	Dune
1AV03	Trench
1AV04	Flannel
1AV05	Charcoal
1AV06	Umber
1AV07	Deep Navy
1AV08	Graphite
1AV09	Orange
1AV10	Pink
1AV11	Deep Red
1AV12	Bright Green
1AV13	Cerulean Blue
1AV14	Deep Cerulean Blue

#### Resca - Geiger Textile

Ancillary
56" wide
75% wool
10% linen
8% nylon
7% alpaca

1AW01	Fog
1AW02	Dune
1AW03	Trench
1AW04	Flannel
1AW05	Umber
1AW06	Bordeaux

#### Rowan - Maharam

Ancillary/Seating
77% wool
12% nylon
6% acrylic
5% linen

5K301	Kingdom
5K302	Northern
5K303	Rabbit
5K304	Elephant
5K305	Furrow
5K306	Heirloom
5K307	Appear
5K308	Repose
5K309	Blackcurrant
5K310	Courage
5K311	Bordeaux
5K312	Cherish
5K313	Brickfield
5K314	Hibiscus
5K315	Carnelian
5K316	Cinnabar
5K317	Toasted
5K318	Revea
5K319	Cortado
5K320	Medallion
5K321	Polenta
5K322	Prized
5K323	Travertine
5K324	Companion
5K325	Library
5K326	Fable

#### Rowan continued

5K327	Pixie
5K328	Arboretum
5K329	Ease
5K330	Sapling
5K331	Cottonwood
5K332	Scout
5K333	Valleyside
5K334	Ornament
5K335	Zucchini
5K336	Ethereal
5K337	Springtide
5K338	Traverse
5K339	Untold
5K340	Flowing
5K341	Laguna
5K342	Cerulean
5K343	Soundscape
5K344	Message
5K345	Freefall
5K346	Musical
5K347	Puzzle
5K348	Operatic
5K349	Daydream
5K350	Shale
5K351	Forward
5K352	Anthracite

#### Wool Tweed - Geiger Textile

Ancillary	
54" wide	
80% wool, 20% nylon	
16601	Trench
16602	Pewter
16603	Ruby
16604	Blue Gray
16605	Navy
16606	Umber
16607	Charcoal

#### Luca - Maharam

Ancillary/Seating	
59" wide	
75% post-consumer recycled wool	
20% polyester	
5% nylon	
ZLU01/466566-001	Brioche
ZLU02/466566-002	Blanched
ZLU03/466566-003	Relic
ZLU04/466566-004	Sinter
ZLU05/466566-005	Scoria
ZLU06/466566-006	Austere
ZLU07/466566-007	Pigment
ZLU08/466566-008	Alkali
ZLU09/466566-009	Tidal
ZLU10/466566-010	Imbue
ZLU11/466566-011	Reservoir
ZLU12/466566-012	Brine
ZLU13/466566-013	Undertone
ZLU14/466566-014	Prelude
ZLU15/466566-015	Submerge
ZLU16/466566-016	Cypress
ZLU17/466566-017	Awash
ZLU18/466566-018	Adriatic
ZLU19/466566-019	Province
ZLU20/466566-020	Virescent
ZLU21/466566-021	Nettle
ZLU22/466566-022	Agrarian
ZLU23/466566-023	Serpentine
ZLU24/466566-024	Laurel
ZLU25/466566-025	Clarion
ZLU26/466566-026	Gooseberry
ZLU27/466566-027	Swelter
ZLU28/466566-028	Etruscan
ZLU29/466566-029	Coulis
ZLU30/466566-030	Rubescient
ZLU31/466566-031	Akoya
ZLU32/466566-032	Radiant
ZLU33/466566-033	Regent
ZLU34/466566-034	Spectral
ZLU35/466566-035	Thistle



# Textile Colors

continued

## GSA

### Price Category 9

Gemma – Maharam	
Ancillary/Seating	
55" wide	
85% wool	
15% nylon	
ZGE01/466568-001	Crinoline
ZGE02/466568-002	Angelic
ZGE03/466568-003	Savory
ZGE04/466568-004	Honeycomb
ZGE05/466568-005	Gilded
ZGE06/466568-006	Paddleboat
ZGE07/466568-007	Stagecoach
ZGE08/466568-008	Waterbuck
ZGE09/466568-009	Earnest
ZGE10/466568-010	Auric
ZGE11/466568-011	Carmine
ZGE12/466568-012	Serape
ZGE13/466568-013	Ferric
ZGE14/466568-014	Canyon
ZGE15/466568-015	Alembic
ZGE16/466568-016	Patio
ZGE17/466568-017	Sorrel
ZGE18/466568-018	Root
ZGE19/466568-019	Mansion
ZGE20/466568-020	Buff
ZGE21/466568-021	Starch
ZGE22/466568-022	Dawn
ZGE23/466568-023	Countryside
ZGE24/466568-024	Dewy
ZGE25/466568-025	Reliquary
ZGE26/466568-026	Deluge
ZGE27/466568-027	Overlay
ZGE28/466568-028	Electron
ZGE29/466568-029	Sheath
ZGE30/466568-030	Quietude
ZGE31/466568-031	Jargon
ZGE32/466568-032	Powder
ZGE33/466568-033	Tide
ZGE34/466568-034	Outwash
ZGE35/466568-035	Enamored
ZGE36/466568-036	Smitten
ZGE37/466568-037	Revere
ZGE38/466568-038	Mangosteen
ZGE39/466568-039	Allium
ZGE40/466568-040	Immense

Gemma continued	
ZGE41/466568-041	Chamber
ZGE42/466568-042	Cosmos
ZGE43/466568-043	Inkling
ZGE44/466568-044	Rainwater
ZGE45/466568-045	Shade
ZGE46/466568-046	Pendant
ZGE47/466568-047	Axial
ZGE48/466568-048	Fervent
ZGE49/466568-049	Legacy
ZGE50/466568-050	Caliber
ZGE51/466568-051	Temple
ZGE52/466568-052	Evenfall

Jasper - Maharam	
Seating	
53" wide	
55% wool	
27% solution-dyed nylon	
18% cotton	
ZJA01/466563-001	Thrill
ZJA02/466563-002	Anise
ZJA03/466563-003	Grapefruit
ZJA04/466563-004	Lifeguard
ZJA05/466563-005	Heartfelt
ZJA06/466563-006	Corsage
ZJA07/466563-007	Earthenware
ZJA08/466563-008	Bear
ZJA09/466563-009	Firelight
ZJA10/466563-010	Dreamcatcher
ZJA11/466563-011	Bobcat
ZJA12/466563-012	Glacial
ZJA13/466563-013	Vaporize
ZJA14/466563-014	Trapdoor
ZJA15/466563-015	Halcyon
ZJA16/466563-016	Observatory
ZJA17/466563-017	Steamboat
ZJA18/466563-018	Aquathlon
ZJA19/466563-019	Cloudless
ZJA20/466563-020	Briny
ZJA21/466563-021	Magical
ZJA22/466563-022	Picnic
ZJA23/466563-023	Herbage
ZJA24/466563-024	Pasture
ZJA25/466563-025	Courtyard
ZJA26/466563-026	Leapfrog

Leather	
Ancillary/Seating	
approx. 50 sq. ft. per hide	
100% leather	
2101	Ivory
2109	Black *
2110	Smoke
2111	Graphite
2112	Khaki
2113	Rattan
2114	Truffle
2115	Alpine
2116	Haze
2117	Sable Grey
2118	Dark Mineral **
2119	Dark Carbon ***
2120	Cranberry
2121	Deep Sea

\* Armpad color available on Aeron® Chair, Graphite.  
 \*\* Armpad color available on Aeron Chair, Mineral.  
 \*\*\* Armpad color available on Aeron Chair, Carbon.

### Price Category 10

Bristol Leather - Geiger Textile	
Ancillary	
approx. 55 sq. ft. per hide	
100% leather	
5-507	Black
5-511	Putty
5-519	Hunter
5-520	White
5-521	Ivory
5-522	Parchment
5-537	Caribbean
5-546	Pumice
5-547	Smoke
5-548	Charcoal
5-549	Dark Shale
5-556	Downtown Grey
5-557	City Night
5-559	Ash Grey
5-563	Champagne
5-564	Chestnut Brown
5-565	Dark Sienna
5-566	Earthen
5-567	Desert
5-568	British Green
5-579	Paris Blue
5-583	Atlantic
5-592	Camel
5-594	Taupe
5-597	Pure
5-598	Cream
5-600	Midnight Blue
5-603	Sangria
5-604	Swiss Red
5-605	Nordic Yellow
5-606	Sky Grey
5-608	Natural

Price category 10 continued on next page

# Textile Colors

continued

## GSA

### Price Category 10

continued

Firma – Maharam	
Ancillary/Seating	
55" wide	
78% wool	
22% nylon	
3KH01/466582-001	Wrath
3KH02/466582-002	Pantomime
3KH03/466582-003	Shaded
3KH04/466582-004	Prologue
3KH05/466582-005	Framework
3KH06/466582-006	Railroad
3KH07/466582-007	Grommet
3KH08/466582-008	Lunisolar
3KH09/466582-009	Snowpack
3KH10/466582-010	Coldsnap
3KH11/466582-011	Sealift
3KH12/466582-012	Brood
3KH13/466582-013	Intertidal
3KH14/466582-014	Confide
3KH15/466582-015	Secluded
3KH16/466582-016	Leisure
3KH17/466582-017	Portfolio
3KH18/466582-018	Strato
3KH19/466582-019	Fogbow
3KH20/466582-020	Snowcone
3KH21/466582-021	Kazoo
3KH22/466582-022	Esteem
3KH23/466582-023	Mackerel
3KH24/466582-024	Brooch
3KH25/466582-025	Caesious
3KH26/466582-026	Islet
3KH27/466582-027	Biosphere
3KH28/466582-028	Hilltop
3KH29/466582-029	Arboreal
3KH30/466582-030	Lineage
3KH31/466582-031	Comfrey
3KH32/466582-032	Circe
3KH33/466582-033	Ecosystem
3KH34/466582-034	Knack
3KH35/466582-035	Watt
3KH36/466582-036	Epiphany
3KH37/466582-037	Gamma
3KH38/466582-038	Taxicab
3KH39/466582-039	Varietal

Gemma Multi – Maharam	
Ancillary/Seating	
55" wide	
85% wool	
15% nylon	
ZGF01/466569-001	Andromeda
ZGF02/466569-002	Dappled
ZGF03/466569-003	Lyra
ZGF04/466569-004	Flaunt
ZGF05/466569-005	Celluloid
ZGF06/466569-006	Hydrozoa
ZGF07/466569-007	Firefly
ZGF08/466569-008	Pisces
ZGF09/466569-009	Strath
ZGF10/466569-010	Erosion
ZGF11/466569-011	Cabaret
ZGF12/466569-012	Candytuft
ZGF13/466569-013	Juice
ZGF14/466569-014	Fairground
ZGF15/466569-015	Copperplate
ZGF16/466569-016	Sunbird
ZGF17/466569-017	Cinematic
ZGF18/466569-018	Clairvoyant
ZGF19/466569-019	Crocus
ZGF20/466569-020	Memoir
ZGF21/466569-021	Roulette
ZGF22/466569-022	Voltaic
ZGF23/466569-023	Compote
ZGF24/466569-024	Lambent
ZGF25/466569-025	Twister
ZGF26/466569-026	Chronicle
ZGF27/466569-027	Sidereal
ZGF28/466569-028	Tanzanite
ZGF29/466569-029	Crystalize
ZGF30/466569-030	Chromium
ZGF31/466569-031	Pallium
ZGF32/466569-032	Spectre
ZGF33/466569-033	Courgette
ZGF34/466569-034	Viper
ZGF35/466569-035	Sunlit
ZGF36/466569-036	Heavenly
ZGF37/466569-037	Vernal
ZGF38/466569-038	Cress
ZGF39/466569-039	Limn
ZGF40/466569-040	Horseradish

Gemma Multi continued	
ZGF41/466569-041	Shandy
ZGF42/466569-042	Granary
ZGF43/466569-043	Percolate
ZGF44/466569-044	Motor
ZGF45/466569-045	Unicorn
ZGF46/466569-046	Lobster
ZGF47/466569-047	Rhododendron
ZGF48/466569-048	Taffy
ZGF49/466569-049	Rishi
ZGF50/466569-050	Backcountry
ZGF51/466569-051	Buckthorn
ZGF52/466569-052	Coniferous
ZGF53/466569-053	Delphic
ZGF54/466569-054	Hieroglyph
ZGF55/466569-055	Eiderdown
ZGF56/466569-056	Sandbar
ZGF57/466569-057	Tanager

Gemma Multi Reverse – Maharam	
Ancillary/Seating	
55" wide	
85% wool	
15% nylon	
ZGF58/466569-101	Andromeda
	Reverse
ZGF59/466569-102	Dappled
	Reverse
ZGF60/466569-103	Lyra
	Reverse
ZGF61/466569-104	Flaunt
	Reverse
ZGF62/466569-105	Celluloid
	Reverse
ZGF63/466569-106	Hydrozoa
	Reverse
ZGF64/466569-107	Firefly
	Reverse
ZGF65/466569-108	Pisces
	Reverse
ZGF66/466569-109	Strath
	Reverse
ZGF67/466569-110	Erosion
	Reverse

Gemma Multi Reverse continued	
ZGF68/466569-111	Cabaret
	Reverse
ZGF69/466569-112	Candytuft
	Reverse
ZGF70/466569-113	Juice
	Reverse
ZGF71/466569-114	Fairground
	Reverse
ZGF72/466569-115	Copperplate
	Reverse
ZGF73/466569-116	Sunbird
	Reverse
ZGF74/466569-117	Cinematic
	Reverse
ZGF75/466569-118	Clairvoyant
	Reverse
ZGF76/466569-119	Crocus
	Reverse
ZGF77/466569-120	Memoir
	Reverse
ZGF78/466569-121	Roulette
	Reverse
ZGF79/466569-122	Voltaic
	Reverse
ZGF80/466569-123	Compote
	Reverse
ZGF81/466569-124	Lambent
	Reverse
ZGF82/466569-125	Twister
	Reverse
ZGF83/466569-126	Chronicle
	Reverse
ZGF84/466569-127	Sidereal
	Reverse
ZGF85/466569-128	Tanzanite
	Reverse
ZGF86/466569-129	Crystalize
	Reverse
ZGF87/466569-130	Chromium
	Reverse
ZGF88/466569-131	Pallium
	Reverse
ZGF89/466569-132	Spectre
	Reverse

Price category 10 continued on next page



# Textile Colors

continued

## GSA

### Price Category 10

continued

#### Gemma Multi Reverse continued

ZGF90/466569-133	Courgette
	Reverse
ZGF91/466569-134	Viper
	Reverse
ZGF92/466569-135	Sunlit
	Reverse
ZGF93/466569-136	Heavenly
	Reverse
ZGF94/466569-137	Vernal
	Reverse
ZGF95/466569-138	Cress
	Reverse
ZGF96/466569-139	Limn
	Reverse
ZGF97/466569-140	Horseradish
	Reverse
ZGF98/466569-141	Shandy
	Reverse
ZGF99/466569-142	Granary
	Reverse
ZGFA0/466569-143	Percolate
	Reverse
ZGFA1/466569-144	Motor
	Reverse
ZGFA2/466569-145	Unicorn
	Reverse
ZGFA3/466569-146	Lobster
	Reverse
ZGFA4/466569-147	Rhododendron
	Reverse
ZGFA5/466569-148	Taffy
	Reverse
ZGFA6/466569-149	Rishi
	Reverse
ZGFA7/466569-150	Backcountry
	Reverse
ZGFA8/466569-151	Buckthorn
	Reverse
ZGFA9/466569-152	Coniferous
	Reverse
ZGFB0/466569-153	Delphic
	Reverse

#### Gemma Multi Reverse continued

ZGFB1/466569-154	Hieroglyph
	Reverse
ZGFB2/466569-155	Eiderdown
	Reverse
ZGFB3/466569-157	Tanager
	Reverse

#### Petra - Maharam

Ancillary/Seating	
55" wide	
70% wool	
19% linen	
11% nylon	
ZP401/466580-001	Hieroglyph
ZP402/466580-002	Interior
ZP403/466580-003	Samovar
ZP404/466580-004	Calcite
ZP405/466580-005	Silversmith
ZP406/466580-006	Rivet
ZP407/466580-007	Carpolite
ZP408/466580-008	Bonbon
ZP409/466580-009	Dreamy
ZP410/466580-010	Bejewel
ZP411/466580-011	Sashimi
ZP412/466580-012	Spirula
ZP413/466580-013	Chalet
ZP414/466580-014	Reindeer
ZP415/466580-015	Nostalgia
ZP416/466580-016	Trove
ZP417/466580-017	Narcissus
ZP418/466580-018	Yurt
ZP419/466580-019	Congee
ZP420/466580-020	Genepy
ZP421/466580-021	Herbaceous
ZP422/466580-022	Paddock
ZP423/466580-023	Precious
ZP424/466580-024	Biome
ZP425/466580-025	Tinted
ZP426/466580-026	Pelagic
ZP427/466580-027	Bluebill
ZP428/466580-028	Chicory
ZP429/466580-029	Eaglet
ZP430/466580-030	Permafrost
ZP431/466580-031	Atlantic
ZP432/466580-032	Airstream
ZP433/466580-033	Debonair

### Price Category 11

#### Felix - Maharam

Ancillary/Seating	
85% wool	
15% nylon	
3BS01	Angular
3BS02	Shark
3BS03	Easy
3BS04	Cue
3BS05	Rye
3BS06	Champion
3BS07	Between
3BS08	Propose
3BS09	Rising
3BS10	Tile
3BS11	Place
3BS12	Kernel
3BS13	Pinnacle
3BS14	Darling
3BS15	Seasonal
3BS16	Shipmate
3BS17	Jump
3BS18	Geyser
3BS19	Team

#### Prone Leather - Maharam

Ancillary	
approx. 50 sq. ft. per hide	
100% leather	
protective top coat	
1NX01/700020-001	Lotus
1NX02/700020-002	Timbre
1NX03/700020-003	Essence
1NX04/700020-004	Script
1NX05/700020-005	Gambit
1NX06/700020-006	Obsidian
1NX07/700020-007	Sail
1NX09/700020-009	Vine
1NX10/700020-010	Yarrow
1NX13/700020-013	Balsa
1NX14/700020-014	Shore
1NX15/700020-015	Bricolage
1NX17/700020-017	Ledge
1NX19/700020-019	Mantra
1NX20/700020-020	Java
1NX21/700020-021	Lute
1NX22/700020-022	Glow
1NX23/700020-023	Hickory

### Price Category A

No fabrics available at this time.

# Textile Colors

continued

GSA

## Price Category B

Medium – Maharam	
Ancillary/Seating/Workspaces	
54" wide	
100% polyester	
VM01/463490-001	Raven
VM02/463490-002	Smoke
VM03/463490-003	Alloy
VM04/463490-004	Flax
VM07/463490-007	Espresso
VM14/463490-014	Laser
VM16/463490-016	Port
VM22/463490-022	Marina
VM29/463490-029	Pistachio
VM32/463490-032	Prospect
VM36/463490-036	Delight
VM39/463490-039	Nautical
VM40/463490-040	Pool
VM44/463490-044	Washed
VM45/463490-045	Sculpture
VM46/463490-046	Thatched
VM47/463490-047	Hike
VM48/463490-048	Tangle
VM49/463490-049	Pacific
VM50/463490-050	Cosmic
VM53/463490-053	Nasturtium
Messenger — Maharam	
Ancillary/Seating/Workspaces	
54" wide	
78% post-industrial recycled polyester	
15% polyester	
7% nylon	
TI07/458640-007	Shadow
TI08/458640-008	Bayou *
TI24/458640-024	Poppy
TI25/458640-025	Mao
TI29/458640-029	Onyx *
TI31/458640-031	Cloud *
TI38/458640-038	Depth *
TI40/458640-040	Nile *
TI41/458640-041	Azure *
TI45/458640-045	Cactus *

Messenger continued	
TI46/458640-046	Ice *
TI48/458640-048	Neon
TI50/458640-050	Hydrangea
TI53/458640-053	Tangelo
TI54/458640-054	Lumine *
TI58/458640-058	Snow **
TI60/458640-060	Peridot
TI61/458640-061	Capri *
TI62/458640-062	Ultramarine
TI63/458640-063	Squall
TI66/458640-066	Cassis
TI67/458640-067	Aster
TI69/458640-069	Cherry
TI70/458640-070	Vibrant
TI71/458640-071	Satsuma *
TI72/458640-072	Maize
TI76/458640-076	Fossil
TI77/458640-077	Ash
TI78/458640-078	Tusk
TI79/458640-079	Oyster **
TI81/458640-081	Husk
TI84/458640-084	Robust
TI85/458640-085	Beyond
TI86/458640-086	Voyage *
TI87/458640-087	Everglade
TI89/458640-089	Blanch **
TI90/458640-090	Longspur
TI91/458640-091	Vireo
TI92/458640-092	Dipper
TI93/458640-093	Gale
TI94/458640-094	Hunter
TI95/458640-095	Lime
TI96/458640-096	Apple
TI97/458640-097	Krill
TI98/458640-098	Catalyst
* Colors available on 20-day lead time.	
** Colors not available on Eames Molded Fiberglass and Molded Plastic Side Chairs.	

## Price Category C

Manner - Maharam	
Ancillary/Seating/Workspaces	
54" wide	
65% post-industrial recycled polyester	
35% post-consumer recycled polyester	
Z2701/466177-001	Magic
Z2702/466177-002	Carob
Z2703/466177-003	Porpoise
Z2704/466177-004	Flint
Z2705/466177-005	Hush *
Z2706/466177-006	Nuance
Z2711/466177-011	Ember
Z2712/466177-012	Wagon
Z2713/466177-013	Ablaze
Z2714/466177-014	Peel
Z2716/466177-016	Butterscotch
Z2717/466177-017	Harvest
Z2720/466177-020	Parakeet
Z2722/466177-022	Aquatic
Z2723/466177-023	Cottage
Z2724/466177-024	Dahlia
Z2725/466177-025	Vivid
Z2726/466177-026	Basin
Z2727/466177-027	Schooner
Z2729/466177-029	Silverpoint
Z2730/466177-030	Lattice
Z2731/466177-031	Smoky
Z2732/466177-032	Magnetic
Z2733/466177-033	Woad
Z2734/466177-034	Resolute
Z2735/466177-035	Cruise
Z2736/466177-036	Atmospheric
Z2737/466177-037	Cloudburst
Z2738/466177-038	Tidewater
Z2739/466177-039	Firth
Z2740/466177-040	Oceanside
Z2741/466177-041	Grandeur
Z2742/466177-042	Comfort
Z2743/466177-043	Dill
Z2744/466177-044	Poplar
Z2745/466177-045	Citronella
Z2746/466177-046	Passerine

Manner continued	
Z2747/466177-047	Southwest
Z2748/466177-048	Roseate
Z2749/466177-049	Charisma
Z2750/466177-050	Siltstone
Z2751/466177-051	Kimono
Z2752/466177-052	Valiant
Z2753/466177-053	Baroness
* Color not available on Eames Aluminum Group, Executive Chairs, Upholstered Molded Plywood Chairs, and Sofa Compact.	
Merit - Maharam	
Seating	
54" wide	
76% post-industrial recycled polyester	
24% polyester	
PFOA-Free stain resistant	
88Z01/466444-001	Trickle
88Z02/466444-002	Beluga
88Z03/466444-003	Gunmetal
88Z04/466444-004	Blackout
88Z05/466444-005	Superior
88Z06/466444-006	Ocean
88Z07/466444-007	Highborn
88Z08/466444-008	Immersed
88Z09/466444-009	Rainfall
88Z10/466444-010	Blizzard
88Z11/466444-011	Poolside
88Z12/466444-012	Steel
88Z13/466444-013	Zircon
88Z14/466444-014	Ripple
88Z15/466444-015	Aegean
88Z16/466444-016	Armada
88Z17/466444-017	Hedera
88Z18/466444-018	Rainforest
88Z19/466444-019	Gator
88Z20/466444-020	Vineyard
88Z21/466444-021	Pine
88Z22/466444-022	Kiwi
88Z23/466444-023	Kookaburra

Price category C continued on next page

# Textile Colors

continued

## GSA

### Price Category C

continued

Merit continued	
88Z24/466444-024	Bellini
88Z25/466444-025	Sunflower
88Z26/466444-026	Sandstorm
88Z27/466444-027	Mudder
88Z28/466444-028	Lynx
88Z29/466444-029	Farro
88Z30/466444-030	Manila
88Z31/466444-031	Starfish
88Z32/466444-032	Brass
88Z33/466444-033	Arrow
88Z34/466444-034	Gelato
88Z35/466444-035	Nectarine
88Z36/466444-036	Macaron
88Z37/466444-037	Alert
88Z38/466444-038	Goji
88Z39/466444-039	Cabernet
88Z40/466444-040	Eggplant
88Z41/466444-041	Hawk
88Z42/466444-042	Stag
88Z43/466444-043	Overcast
Metric – Maharam	
Seating/Workspaces	
54" wide	
51% post-industrial recycled polyester	
49% polyester	
Z302/466014-002	Fog
Z303/466014-003	Fleece
Z312/466014-012	Cardinal
Z313/466014-013	Lava
Z318/466014-018	Pollen
Z320/466014-020	Alligator
Z323/466014-023	Tar
Z324/466014-024	Anchor
Z326/466014-026	Admiral
Z327/466014-027	Seaport
Z328/466014-028	Scuba
Z329/466014-029	Skate
Z330/466014-030	Hopscotch
Z331/466014-031	Film
Z332/466014-032	Whale
Z333/466014-033	Downpour
Z334/466014-034	Midday

Metric continued	
Z335/466014-035	Talisman
Z336/466014-036	Hedgerow
Z337/466014-037	Snorkel
Z338/466014-038	Highway
Z339/466014-039	Canary
Z340/466014-040	Sunny
Z341/466014-041	Aztec
Z342/466014-042	Fruit
Z343/466014-043	Galah
Z344/466014-044	Kiln
Z345/466014-045	Moth
Murmur - Maharam	
Seating	
55" wide	
100% polyester	
PFOA-Free stain resistant	
8EY01/466446-001	Gust
8EY02/466446-002	Harmonica
8EY03/466446-003	Canopy
8EY04/466446-004	Dim
8EY05/466446-005	Peppercorn
8EY06/466446-006	Cauldron
8EY07/466446-007	Conquer
8EY08/466446-008	Rapids
8EY09/466446-009	Seawater
8EY10/466446-010	Baby
8EY11/466446-011	Elderberry
8EY12/466446-012	Iceberg
8EY13/466446-013	Tallgrass
8EY14/466446-014	Underground
8EY15/466446-015	Biome
8EY16/466446-016	Cask
8EY17/466446-017	Argan
8EY18/466446-018	Sundown
8EY19/466446-019	Ignite
8EY20/466446-020	Sultry
8EY21/466446-021	Sangria

### Price Category D

Bluff - Maharam	
Ancillary/Seating	
54" wide	
100% polyurethane	
Ink-resistant protective top coat	
Polyester backing	
8I801/466489-001	Loom
8I802/466489-002	Helm
8I803/466489-003	Cruller
8I804/466489-004	Folklore
8I805/466489-005	Beguile
8I806/466489-006	Sherpa
8I807/466489-007	Teleport
8I808/466489-008	Annex
8I809/466489-009	Lorimer
8I810/466489-010	Cinema
8I811/466489-011	Zip
8I812/466489-012	Coach
8I813/466489-013	Supernova
8I814/466489-014	Pirate
8I815/466489-015	Academy
8I816/466489-016	Disco
8I817/466489-017	Equator
8I818/466489-018	Brink
8I819/466489-019	Scene
8I820/466489-020	Petrichor
8I821/466489-021	Exotic
8I822/466489-022	Fauna
8I823/466489-023	Calabash
8I824/466489-024	Fuscous
8I825/466489-025	Wildling
8I826/466489-026	Blitz
8I827/466489-027	Allspice
8I828/466489-028	Lumos
8I829/466489-029	Pilot
8I830/466489-030	Jukebox
8I831/466489-031	Dugout
8I832/466489-032	Claret
8I833/466489-033	Flamenco
Mode – Maharam	
Ancillary/Seating/Workspaces	
54" wide	
80% post-consumer recycled polyester	
20% polyester	
PFOA-Free stain resistant finish	
ZMD01/466337-001	Stroll
ZMD02/466337-002	Intaglio
ZMD03/466337-003	Ominous
ZMD04/466337-004	Machine
ZMD05/466337-005	Talus
ZMD06/466337-006	Marsh
ZMD07/466337-007	Hollow
ZMD08/466337-008	Sycamore
ZMD09/466337-009	Clavicle
ZMD10/466337-010	Billygoat
ZMD11/466337-011	Spindle
ZMD12/466337-012	Lemon
ZMD13/466337-013	Oxeye
ZMD14/466337-014	Henge
ZMD15/466337-015	Goldenrod
ZMD16/466337-016	Cottontail
ZMD17/466337-017	Lioness
ZMD18/466337-018	Oriole
ZMD19/466337-019	Rust
ZMD20/466337-020	Carotene
ZMD21/466337-021	Blush
ZMD22/466337-022	Vermillion
ZMD23/466337-023	Alder
ZMD24/466337-024	Kermes
ZMD25/466337-025	Barberry
ZMD26/466337-026	Petal
ZMD27/466337-027	Valley
ZMD28/466337-028	Odyssey
ZMD29/466337-029	Ballpoint
ZMD30/466337-030	Toile
ZMD31/466337-031	Paradise

Price category D continued on next page

# Textile Colors

continued

## GSA

### Price Category D

continued

#### Mode continued

ZMD32/466337-032	Angelfish
ZMD33/466337-033	Denim
ZMD34/466337-034	Crush
ZMD35/466337-035	Jetty
ZMD36/466337-036	Saltwater
ZMD37/466337-037	Mallard
ZMD38/466337-038	Celtic
ZMD39/466337-039	Eucalyptus
ZMD40/466337-040	Bonsai
ZMD41/466337-041	Sassafras
ZMD42/466337-042	Yucca
ZMD43/466337-043	Lichen

#### Spiral - Maharam

Workspaces	
66" wide	
100% polyester	
ZS301/901882-001	Chalk
ZS303/901882-003	Wheat
ZS304/901882-004	Mica
ZS305/901882-005	Pavement
ZS306/901882-006	Graphite

### Price Category E

#### Article – Maharam

Ancillary/Seating	
54" wide	
100% vinyl	
ZAT08/458600-008	Marina
ZAT13/458600-013	Flume
ZAT14/458600-014	Storm
ZAT15/458600-015	Toast
ZAT19/458600-019	Fleece
ZAT22/458600-022	Stone
ZAT26/458600-026	Mercury
ZAT29/458600-029	Bluegrass
ZAT31/458600-031	Truffle
ZAT32/458600-032	Gravel
ZAT33/458600-033	Value
ZAT34/458600-034	Tint
ZAT35/458600-035	Snowflake
ZAT36/458600-036	Chalice
ZAT37/458600-037	Trail
ZAT38/458600-038	Pyramid
ZAT39/458600-039	Desert
ZAT40/458600-040	Lei
ZAT41/458600-041	Rouge
ZAT42/458600-042	Karma
ZAT43/458600-043	Opal
ZAT44/458600-044	Periwinkle
ZAT45/458600-045	Vampire
ZAT46/458600-046	Surf
ZAT47/458600-047	Plumage

#### Micro – Maharam

Ancillary	
54" wide	
100% vinyl	
ZMB01/466099-001	Muslin
ZMB04/466099-004	Basalt
ZMB06/466099-006	Phantom
ZMB07/466099-007	Depth
ZMB08/466099-008	Cottage
ZMB09/466099-009	Hunter
ZMB11/466099-011	Tomatillo
ZMB12/466099-012	Brew
ZMB14/466099-014	Tang
ZMB15/466099-015	Risk

#### Parallel — Maharam

Workspaces	
66" wide	
100% recycled polyester	
TT03/901180-003	Fog
TT22/901180-022	Sterling
TT23/901180-023	Linen
TT24/901180-024	Pea
TT27/901180-027	Boulder
TT28/901180-028	Stream
TT29/901180-029	Shiitake
TT32/901180-032	Brandy
TT33/901180-033	Crater
TT36/901180-036	Quail

### Price Category F

#### Apt – Maharam

Ancillary/Seating	
54" wide	
100% polyurethane/silicone	
Ink-resistant protective top coat	
Polyester backing	
82T12/466392-012	Iris
82T13/466392-013	Nocturnal
82T14/466392-014	Fluid
82T15/466392-015	Eden
82T16/466392-016	Galactic
82T17/466392-017	Shoreline
82T18/466392-018	Jade
82T19/466392-019	Garden
82T20/466392-020	Botanic
82T21/466392-021	Chartreuse
82T23/466392-023	Lyric
82T24/466392-024	Turmeric
82T25/466392-025	Bengal
82T26/466392-026	Core
82T27/466392-027	Mantle
82T28/466392-028	Sorbet
82T32/466392-032	Oak
82T33/466392-033	Castle
82T34/466392-034	Follow
82T35/466392-035	Elixir
82T36/466392-036	Charm
82T37/466392-037	Descend
82T38/466392-009	Sketch
82T39/466392-010	Glacier
82T40/466392-031	Fortress
82T41/466392-030	Lotus
82T42/466392-001	Coconut
82T43/466392-011	Cobblestone
82T44/466392-029	Bloom
82T45/466392-022	Crepe
82T46/466392-006	Hickory
82T47/466392-007	Constellation
82T48/466392-008	Labyrinth
82T49/466392-002	Vibe
82T50/466392-003	Stampede
82T51/466392-004	Lumber
82T52/466392-005	Gingerbread

Price category F continued on next page

# Textile Colors

continued

## GSA

### Price Category F

continued

Emit – Maharam	Instill <i>continued</i>	Ledger – Maharam	Pepper - Maharam
Workspaces	74M19/466351-019 Koala	Ancillary/Seating	Seating
54” wide	74M20/466351-020 Dorsal	54” wide	58” wide
55% post-industrial recycled polyester	74M21/466351-021 Stealth	100% polyurethane	49% polyester
45% post-consumer recycled polyester	74M22/466351-022 Mosey	V9G1/463770-001 001	41% post-industrial recycled polyester
PFOA-free stain resistant	74M23/466351-023 Beachfront	V9G2/463770-002 002	10% post-consumer recycled polyester
8EX01/466378-001 Wed	74M24/466351-024 Discovery	V9G3/463770-003 003	PFOA-Free stain resistant
8EX02/466378-002 Zebra	74M25/466351-025 Grasp	V9G4/463770-004 004	Acrylic Backing
8EX03/466378-003 Chiffon	74M26/466351-026 Arboreous	V9GG/463770-017 017	8LW01/466486-001 Dojo
8EX05/466378-005 Nectar	74M27/466351-027 Yearling	V9GQ/463770-025 025	8LW02/466486-002 Marengo
8EX06/466378-006 Elk	74M28/466351-028 Allele	V9GS/463770-026 026	8LW03/466486-003 Harlequin
8EX08/466378-008 Goldenrod	74M29/466351-029 Eager	V9GU/463770-028 028	8LW04/466486-004 Pavlova
8EX09/466378-009 Beached	74M30/466351-030 Rise	V9GV/463770-029 029	8LW06/466486-006 Achiote
8EX10/466378-010 Samba	74M31/466351-031 Latte	V9GW/463770-030 030	8LW07/466486-007 Essence
8EX11/466378-011 Nest	74M32/466351-032 Compose	V9GX/463770-031 031	8LW08/466486-008 Genome
8EX14/466378-014 Groove	74M33/466351-033 Furrow	V9GY/463770-032 032	8LW09/466486-009 Myriad
8EX17/466378-017 Haiku	74M34/466351-034 Tenor	V9G18/463770-042 042	8LW10/466486-010 Terrarium
8EX18/466378-018 Bluefin	74M35/466351-035 Annatto	V9G19/463770-043 043	
8EX19/466378-019 Flow	74M36/466351-036 Together	V9G20/463770-044 044	<b>Pitch - Maharam</b>
8EX20/466378-020 Xenon	74M37/466351-037 Intention	V9G21/463770-045 045	Ancillary
8EX21/466378-021 Artem	74M38/466351-038 Overnight	V9G22/463770-046 046	54” wide
8EX22/466378-022 Zen	74M39/466351-039 Icecap		100% vinyl
8EX25/466378-025 Limeade	74M40/466351-040 Metamorphic	<b>Loop - Maharam</b>	ZPC04/466186-004 Pollen
	74M41/466351-041 Anthracite	Seating	ZPC07/466186-007 Apple
		57” wide	ZPC11/466186-011 Voyage
		48% post-industrial recycled polyester	ZPC12/466186-012 Turquoise
		26% polyester	ZPC14/466186-014 Inlet
		26% post-consumer recycled polyester	ZPC15/466186-015 Captain
		PFOA-Free stain resistant	ZPC16/466186-016 Aura
		Acrylic Backing	ZPC17/466186-017 Coastal
		ZLL01/466469-001 Opossum	ZPC18/466186-018 Fog
		ZLL02/466469-002 Foundation	ZPC19/466186-019 Coal
		ZLL03/466469-003 Naval	ZPC21/466186-021 Mulberry
		ZLL04/466469-004 Buoyant	ZPC24/466186-024 Flame
		ZLL05/466469-005 Mockingbird	ZPC26/466186-026 Tumbleweed
		ZLL06/466469-006 Dynasty	ZPC29/466186-029 Subtle
		ZLL07/466469-007 Zori	ZPC30/466186-030 Buff
		ZLL08/466469-008 Wildfire	
		ZLL09/466469-009 Floral	
		ZLL10/466469-010 Penguin	
			<i>Price category F continued on next page</i>
Instill – Maharam	Keen - Maharam		
Ancillary/Seating	Seating		
54” wide	54” wide		
100% polyurethane	61% polyester		
Ink-resistant protective top coat	39% polyolefin		
Polyester backing	PFOA-Free stain resistant		
74M01/466351-001 Page	Acrylic backing		
74M02/466351-002 Limestone	89N01/466433-001 Gaur		
74M03/466351-003 Bobwhite	89N02/466433-002 Lock		
74M04/466351-004 Loafer	89N03/466433-003 Elk		
74M07/466351-007 Shaker	89N04/466433-004 Oatmeal		
74M08/466351-008 Doe	89N05/466433-005 Lakefront		
74M09/466351-009 Ride	89N06/466433-006 Argent		
74M10/466351-010 Squire	89N07/466433-007 Coyote		
74M11/466351-011 Tannin	89N08/466433-008 Eventide		
74M12/466351-012 Vitis	89N09/466433-009 Canal		
74M14/466351-014 Quail	89N10/466433-010 Rosemary		
74M15/466351-015 Brittanica	89N11/466433-011 Herb		
74M16/466351-016 Narwhal	89N12/466433-012 Ruby		
74M18/466351-018 Stowaway	89N13/466433-013 Loganberry		



# Textile Colors

continued

## GSA

### Price Category F

continued

### Price Category G

### Price Category H

Appendix: Textile Colors

#### Scuba - Maharam

Ancillary
54" wide
100% polyurethane
V9B1/464930-001 Vanilla
V9B5/464930-005 Chinchilla
V9B6/464930-006 Mahogany
V9B7/464930-007 Jet
V9B8/464930-008 Charcoal
V9B9/464930-009 Dolphin
V9BA/464930-010 Drizzle
V9BC/464930-012 Conifer
V9BD/464930-013 Bottle
V9BF/464930-015 Tourmaline
V9BG/464930-016 Sapphire
V9BH/464930-017 Electric
V9BL/464930-020 Cabernet
V9BM/464930-021 Brick
V9BN/464930-022 Coral
V9BP/464930-023 Autumn

#### Strum - Maharam

Seating
54" wide
100% polyurethane
with silver-based antimicrobial
Z3301/466122-001 Overcast
Z3302/466122-002 Ridge
Z3304/466122-004 Pigeon
Z3307/466122-007 Bur
Z3308/466122-008 Abalone
Z3312/466122-012 Lemongrass

#### Compound - Maharam

Seating
54" wide
100% polyurethane
silane-based antimicrobial
ZC201/466196-001 Quartz
ZC203/466196-003 Weathered
ZC204/466196-004 Cliff
ZC205/466196-005 Espresso
ZC206/466196-006 Smolder
ZC207/466196-007 Blaze
ZC208/466196-008 Mandarin
ZC209/466196-009 Maple
ZC210/466196-010 Perennial
ZC211/466196-011 Mountainside
ZC212/466196-012 Tundra
ZC213/466196-013 Manatee
ZC214/466196-014 Marine
ZC215/466196-015 Twilight
ZC216/466196-016 Shelter
ZC217/466196-017 Vessel
ZC218/466196-018 Smoke
ZC219/466196-019 Fog

#### Gild - Maharam

Ancillary/Seating
54" wide
100% non-phthalate vinyl
Ink-resistant protective top coat
Polyester backing
8AR01/466432-005 Grapevine
8AR02/466432-009 Frosting
8AR03/466432-007 Smokey
8AR04/466432-003 Skylight
8AR05/466432-011 Sandstone
8AR06/466432-004 Hurricane
8AR07/466432-002 Wreath
8AR08/466432-001 Rainforest
8AR09/466432-012 Fudge
8AR10/466432-010 Lantern
8AR11/466432-006 Planet
8AR12/466432-008 Reflection

#### Sudden - Maharam

Ancillary
54" wide
100% polyurethane
ZSD02/463000-002 002
ZSD03/463000-003 003
ZSD05/463000-005 005
ZSD06/463000-006 006
ZSD07/463000-007 007
ZSD08/463000-008 008
ZSD09/463000-009 009
ZSD10/463000-010 010
ZSD11/463000-011 011
ZSD13/463000-013 013
ZSD15/463000-015 015
ZSD16/463000-016 016
ZSD17/463000-017 017
ZSD18/463000-018 018
ZSD19/463000-019 019
ZSD20/463000-020 020
ZSD24/463000-024 024
ZSD27/463000-027 027
ZSD36/463000-036 036

#### Circles - Maharam

Ancillary/Seating
55" wide
70% cotton
30% polyester
ZT01/458310-001 Khaki
ZT02/458310-002 Fatigue
ZT03/458310-003 Document
ZT04/458310-004 Engine

#### Dot Pattern - Maharam

Ancillary/Seating
55" wide
71% cotton
29% polyester
ZK01/458300-001 Document
ZK02/458300-002 Taupe
ZK04/458300-004 Red
ZK05/458300-005 Navy

#### Regatta - Maharam

Ancillary
54" wide
65% solution-dyed acrylic
35% solution-dyed polyester
ZRT01/466189-001 Drift
ZRT02/466189-002 Parasol
ZRT04/466189-004 Swell

#### Small Dot Pattern - Maharam

Ancillary/Seating
55" wide
71% cotton
29% polyester
ZL01/458320-001 Document
ZL02/458320-002 Sand
ZL03/458320-003 Khaki
ZL04/458320-004 Taupe
ZL05/458320-005 Charcoal
ZL06/458320-006 Document
Reverse
ZL07/458320-007 Red
ZL08/458320-008 Yellow
ZL09/458320-009 Green

Textile Colors

continued

GSA

Price Category I	Price Category J-O	Price Category P	Price Category Q
<div>Cursive – Maharam</div> <div>Seating</div> <div>54” wide</div> <div>67% solution-dyed acrylic</div> <div>33% solution-dyed polyester</div> <div>PFOA-Free stain resistant</div> <div>7CW01/466335-001 Fast</div> <div>7CW03/466335-003 Beachcomb</div> <div>7CW05/466335-005 Swift</div> <div>7CW06/466335-006 Jetstream</div> <div>7CW07/466335-007 Inkwell</div> <div>7CW08/466335-008 Rubber</div>	No fabrics available at this time.	<div>Layers Vineyard Small – Maharam</div> <div>Ancillary</div> <div>52” wide</div> <div>92% wool</div> <div>5% polyester</div> <div>3% nylon</div> <div>ZLS01/465920-001 Ochre/White</div> <div>ZLS02/465920-002 Scarlet/Peony</div> <div>ZLS03/465920-003 Taupe/Violet</div> <div>ZLS04/465920-004 Jade/Turquoise</div> <div>ZLS05/465920-005 Ginger/Rose</div>	<div>Brushed Camel – Maharam</div> <div>Ancillary</div> <div>58” wide</div> <div>100% baby camel hair</div> <div>ZBA01/465977-001 Albino</div> <div>ZBA02/465977-002 Natural</div>

Textile Colors

continued

GSA

Price Category R-Z

No fabrics available at this time.

Price Category 10M

Pace Leather – Maharam	
Ancillary	
approx. 50 sq. ft. per hide	
100% leather	
ZPA01/700011-001	Whisper
ZPA02/700011-002	Shy
ZPA03/700011-003	Granite
ZPA04/700011-004	Misty
ZPA05/700011-005	Studio
ZPA06/700011-006	Throne
ZPA07/700011-007	Proper
ZPA08/700011-008	Huron
ZPA09/700011-009	Darkroom
ZPA10/700011-010	Bark
ZPA11/700011-011	Raspberry
ZPA12/700011-012	Sangria
ZPA13/700011-013	Admiral
ZPA14/700011-014	Juniper
ZPA15/700011-015	Regal
ZPA16/700011-016	Vapor
ZPA17/700011-017	Valley
ZPA18/700011-018	Bushel
ZPA19/700011-019	Heirloom
ZPA20/700011-020	Palomino
ZPA21/700011-021	Bamboo
ZPA22/700011-022	Saffron
ZPA23/700011-023	Tearose
ZPA24/700011-024	Canyon
ZPA25/700011-025	Bistro
ZPA26/700011-026	Toffee
ZPA27/700011-027	Rodeo
ZPA28/700011-028	Mudslide
ZPA29/700011-029	Greige
ZPA30/700011-030	Reflection
ZPA31/700011-031	Pure
ZPA32/700011-032	Desert
ZPA33/700011-033	Griffin
ZPA34/700011-034	Urbane
ZPA35/700011-035	Woodrose





For more information about our products and services or to see a list of dealers, please visit us at [HermanMiller.com](http://HermanMiller.com) or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan


#### Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

® HermanMiller, , Action Office, Aeron, Aside, Canvas Office Landscape, Caper, Cosm, Co/Struc, Eames, Embody, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Intent, Layout Studio, Lino, Maharam, Meridian, Mirra, Motia, Nelson, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Sayl, Setu, Tu, Verus, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ AireWeave, Bubbletack, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Durawrap, Everywhere, Flex-Edge, Headway, Hopsak 2, Iota, Keyless Entry, Latitude, Lyris 2, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Renew, Stackable, Swoop, Thrive, TriFlex, Twist and Valor are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles® is a registered trademark of Place Textiles.