



Prices effective February 3, 2025

Published March 2025

Nevi™ Sit-to-Stand Tables

Introduction	page 2
Nevi™ Sit-to-Stand Tables	3
Adjustable Height Tables	5
Sit-to-Stand Table Bases	13
Ambit™ Storage	15
Power and Data Support	17
Screens	22
Ambit™ Shroud	52
Indices	59
By Name	59
By Number	61
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 3, 2025, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $\frac{1}{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Adjustable Height Tables

Sit-to-Stand Table Bases

Ambit™ Storage


Power and Data Support

Screens

Ambit™ Shroud

Rectangle Table with C-Foot

DW6ACS



Product Information

Description

This rectangular height-adjustable table has a C-leg configuration and laminate top with square thermoplastic edge or a laminate top with a thermoplastic backed plywood edge. Handsets available are a simple up/down touch switch or a programmable touch switch with memory positions. Adjustable width crossbeam included (adjustable for 48" to 72" worksurfaces). Glides have 1/2" leveling range. Shipped knocked down. Product is UL Listed.

Notes

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.


Table crossbeam acts as the worksurface stiffener and adjusts to accommodate worksurfaces 48"-72" wide.

Floor to top-of-surface height adjustment range is 28"-46 1/2" for the electric standard range (E) option, and 22 1/2"-48 7/8" for the electric extended range (D) option.

MicrobeCare™ is an antimicrobial coating that can be applied to a wide variety of Herman Miller Group surfaces to protect products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is a US Environmental Protection Agency (EPA) registered nonpublic health antimicrobial.

Dimensions



Specification Information

Step 1.

DW6AC

Step 2. Edge

S. squared-edge

Step 3. Depth

24 24" deep (23" surface size)

30 30" deep (29" surface size)

Step 4. Width

48 48" wide (46" surface size)

54 54" wide (52" surface size) A

60 60" wide (58" surface size)

66 66" wide (64" surface size) A

72 72" wide (70" surface size)

Step 5. Surface Material

J thermally-fused laminate top/thermoplastic edge with MicrobeCare™

K thermally-fused laminate top/universal edge with MicrobeCare™

M thermally-fused laminate top/thermoplastic edge

T thermally-fused laminate top/universal edge

L high-pressure laminate top/thermoplastic edge

U high-pressure laminate/universal edge A

A high-pressure laminate top/thermoplastic edge with MicrobeCare™ A

C high-pressure laminate top/universal edge with MicrobeCare™ A

Step 6. Mechanism

For 24" deep (23" surface size) (24)

E electric standard range

D electric extended range

For 30" deep (29" surface size) (30)

E electric standard range

D electric extended range

Step 7. Cross Beam

WB legs with cross beam

Rectangle Table with C-Foot *continued*

Nevi™ Adjustable Height Tables

Prices for Steps 1-7.

			JEWB	JDWB	KEWB	KDWB	MEWB	MDWB
DW6ACS.	24	48	\$2074	2263	2031	2217	1975	2165
		54	\$2145	2323	2102	2276	2045	2223
		60	\$2188	2364	2144	2316	2086	2266
		66	\$2245	2417	2200	2368	2145	2319
		72	\$2304	2470	2258	2420	2205	2371
30	48		\$2153	2334	2110	2287	2055	2233
		54	\$2232	2408	2187	2359	2134	2311
		60	\$2280	2456	2234	2406	2182	2357
		66	\$2361	2524	2308	2473	2263	2427
		72	\$2424	2594	2375	2542	2327	2496

			TEWB	TDWB	LEWB	LDWB	UEWB	UDWB
DW6ACS.	24	48	\$1975	2165	2017	2211	2017	2211
		54	\$2045	2223	2089	2271	2089	2271
		60	\$2086	2266	2131	2315	2131	2315
		66	\$2145	2319	2191	2369	2191	2369
		72	\$2205	2371	2252	2422	2252	2422
30	48		\$2055	2233	2099	2281	2099	2281
		54	\$2134	2311	2180	2361	2180	2361
		60	\$2182	2357	2229	2408	2229	2408
		66	\$2256	2427	2312	2479	2304	2479
		72	\$2327	2496	2377	2550	2377	2550

			AEWB	ADWB	CEWB	CDWB
DW6ACS.	24	48	\$2118	2312	2075	2265
		54	\$2191	2373	2147	2325
		60	\$2235	2415	2190	2366
		66	\$2293	2469	2247	2419
		72	\$2353	2523	2306	2472
30	48		\$2199	2384	2155	2336
		54	\$2280	2460	2234	2410
		60	\$2329	2509	2282	2458
		66	\$2412	2578	2357	2526
		72	\$2476	2650	2426	2597

Step 8. Switch Option

STS	simple up/down touch switch	+\$0
SRM	digital read out with memory A	+\$160

Step 9. Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP) A	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light A	+\$0
HP	light anigre A	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP) A	+\$0
LBC	walnut on ash (CP) A	+\$0
LBF	neutral twill A	+\$0
LBJ	graphite twill A	+\$0
LBQ	white twill A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut (CP) A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone A	+\$0
LU	soft white A	+\$0
WL	warm stone (CP) A	+\$0
WN	warm grey neutral A	+\$0

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Step 10. Edge Finish

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP) A	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light A	+\$0
HP	light anigre A	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP) A	+\$0
LBC	walnut on ash (CP) A	+\$0
LBF	neutral twill A	+\$0
LBJ	graphite twill A	+\$0
LBQ	white twill A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut (CP) A	+\$0
LBV	warm grey teak A	+\$0
LU	soft white A	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP) A	+\$0
WN	warm grey neutral A	+\$0

For thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/universal edge (T), high-pressure laminate/universal edge (U), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

PLY	plywood edge A	+\$50
------------	--	-------

Step 11. Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Rectangle Table with C-Foot *continued*


Nevi™ Adjustable Height Tables

Sand Texture Paint		
BK	black <input type="checkbox"/> A	+\$0
UBK	ultra black (CP)	+\$0
Smooth Paint		
8Q	folkstone grey (CP) <input type="checkbox"/> A	+\$0
91	white (CP) <input type="checkbox"/> A	+\$0
98	studio white (CP) <input type="checkbox"/> A	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP) <input type="checkbox"/> A	+\$0
WN	warm grey neutral <input type="checkbox"/> A	+\$0
Step 12. Glides		
57	glides	+\$0

Rectangle Table with T-Foot

DW6ATS

Nevi™ Adjustable Height Tables



Product Information

Description

This rectangular height-adjustable table has a T-leg configuration and laminate top with square thermoplastic edge or a laminate top with a thermoplastic backed plywood edge. Handsets available are a simple up/down touch switch or a programmable touch switch with memory positions. Adjustable width crossbeam included (adjustable for 48" to 72" worksurfaces). Glides have 1/2" leveling range. Shipped knocked down. Product is UL Listed.

Notes

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch point hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance.


Table crossbeam acts as the worksurface stiffener and adjusts to accommodate worksurfaces 48"-72" wide.

Floor to top-of-surface height adjustment range is 28"-46 1/2" for the electric standard range (E) option, and 22 1/2"-48 7/8" for the electric extended range (D) option.

MicrobeCare™ is an antimicrobial coating that can be applied to a wide variety of Herman Miller Group surfaces to protect products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is a US Environmental Protection Agency (EPA) registered nonpublic health antimicrobial.

Dimensions



Specification Information

Step 1.

DW6AT

Step 2. Edge

S. squared-edge

Step 3. Depth

24 24" deep (23" surface size)

30 30" deep (29" surface size)

Step 4. Width

48 48" wide (46" surface size)

54 54" wide (52" surface size) A

60 60" wide (58" surface size)

66 66" wide (64" surface size) A

72 72" wide (70" surface size)

Step 5. Surface Material

A high-pressure laminate top/thermoplastic edge with MicrobeCare™ A

C high-pressure laminate top/universal edge with MicrobeCare™ A

L high-pressure laminate top/thermoplastic edge

U high-pressure laminate/universal edge A

J thermally-fused laminate top/thermoplastic edge with MicrobeCare™ A

K thermally-fused laminate top/universal edge with MicrobeCare™ A

M thermally-fused laminate top/thermoplastic edge

T thermally-fused laminate top/universal edge A

Step 6. Mechanism

For 24" deep (23" surface size) (24)

E electric standard range

D electric extended range A

For 30" deep (29" surface size) (30)

E electric standard range

D electric extended range A

Step 7. Cross Beam

WB legs with cross beam

Rectangle Table with T-Foot *continued*

Nevi™ Adjustable Height Tables

Prices for Steps 1-7.

		AEWB	ADWB	CEWB	CDWB	LEWB	LDWB
DW6ATS. 24	48	\$2118	2312	2118	2312	2017	2211
	54	\$2191	2373	2191	2373	2089	2271
	60	\$2235	2415	2235	2415	2131	2315
	66	\$2293	2469	2293	2469	2191	2369
	72	\$2353	2523	2353	2523	2252	2422
30	48	\$2199	2384	2199	2384	2099	2281
	54	\$2280	2460	2280	2460	2180	2361
	60	\$2329	2509	2329	2509	2229	2408
	66	\$2412	2578	2405	2578	2312	2479
	72	\$2476	2650	2476	2650	2377	2550
		UEWB	UDWB	JEWB	JDWB	KEWB	KDWB
DW6ATS. 24	48	\$2017	2211	1990	2172	1990	2172
	54	\$2089	2271	2058	2229	2058	2229
	60	\$2131	2315	2099	2268	2099	2268
	66	\$2191	2369	2154	2319	2154	2319
	72	\$2252	2422	2211	2370	2211	2370
30	48	\$2099	2281	2066	2239	2066	2239
	54	\$2180	2361	2141	2310	2141	2310
	60	\$2229	2408	2187	2357	2187	2357
	66	\$2304	2479	2264	2422	2259	2422
	72	\$2377	2550	2326	2489	2326	2489
		MEWB	MDWB	TEWB	TDWB		
DW6ATS. 24	48	\$1894	2076	1894	2076		
	54	\$1962	2133	1962	2133		
	60	\$2003	2174	2003	2174		
	66	\$2058	2225	2058	2225		
	72	\$2116	2275	2116	2275		
30	48	\$1971	2142	1971	2142		
	54	\$2048	2217	2048	2217		
	60	\$2094	2261	2094	2261		
	66	\$2171	2328	2164	2328		
	72	\$2233	2394	2233	2394		

Step 8. Switch Option

STS	simple up/down touch switch	+\$0
SRM	digital read out with memory A	+\$160

Step 9. Top Finish

For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP) A	+\$0
91	white (CP)	+\$0
98	studio white (CP) A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
HP	light anigre A	+\$0
LBA	clear on ash (CP) A	+\$0
LBB	oak on ash (CP) A	+\$0
LBC	walnut on ash (CP) A	+\$0
LBF	neutral twill A	+\$0
LBJ	graphite twill A	+\$0
LBQ	white twill A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut (CP) A	+\$0
LBV	warm grey teak A	+\$0
LT	light tone A	+\$0
LU	soft white A	+\$0
WL	warm stone (CP) A	+\$0
WN	warm grey neutral A	+\$0

For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Step 10. Edge Finish

For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP) A	+\$0
91	white (CP)	+\$0
98	studio white (CP) A	+\$0
CL	cool grey neutral A	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light A	+\$0
HP	light anigre A	+\$0
LBA	clear on ash (CP) A	+\$0
LBB	oak on ash (CP) A	+\$0
LBC	walnut on ash (CP) A	+\$0
LBF	neutral twill A	+\$0
LBJ	graphite twill A	+\$0
LBQ	white twill A	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa A	+\$0
LBU	medium matte walnut (CP) A	+\$0
LBV	warm grey teak A	+\$0
LU	soft white A	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP) A	+\$0
WN	warm grey neutral A	+\$0

For high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate/universal edge (U), thermally-fused laminate top/universal edge with MicrobeCare™ (K), or thermally-fused laminate top/universal edge (T)

PLY	plywood edge A	+\$50
------------	--	-------

Step 11. Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30


Rectangle Table with T-Foot *continued*

Nevi™ Adjustable Height Tables

Sand Texture Paint		
BK	black	+\$0
UBK	ultra black (CP)	+\$0
Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP) <input type="checkbox"/> A	+\$0
98	studio white (CP) <input type="checkbox"/> A	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP) <input type="checkbox"/> A	+\$0
WN	warm grey neutral <input type="checkbox"/> A	+\$0
Step 12. Glides		
57	glides	+\$0

Table Base Kit - 2 Legs

DW7A.



Product Information


Description

This independent 2-leg kit converts existing work surfaces into height adjustable tables. Legs come in 2 depths and multiple widths with a simple up/down touch switch or a programmable touch switch with memory positions. Adjustable width crossbeam included (adjustable for 48" to 72" worksurfaces). Glides have 1/2" of leveling range. Shipped knocked down. Product is UL Recognized.

Notes

Height range of the electric standard range (E) option is 26.9"-45.4", and of the electric extended range (D) option is 21.4"-47.8". Range does not include thickness of worksurface.

Dimensions



Specification Information

Step 1.

DW7A.

Step 2. Depth

24	24" deep (23" surface size)
30	30" deep (29" surface size) [A]

Step 3. Foot Type

C	C foot
T	T foot [A]

Step 4. Mechanism

E	electric standard range [A]
D	electric extended range

Prices for Steps 1-4.

	E	D
DW7A. 24 C	\$1532	1852
T	\$1532	1852
30 C	\$1564	1880
T	\$1564	1880

Step 5. Switch Option

STS	simple up/down touch switch	+\$0
SRM	digital read out with memory [A]	+\$160

Step 6. Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$30
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

BK	black [A]	+\$0
UBK	ultra black (CP)	+\$0


Smooth Paint

8Q	folkstone grey (CP) [A]	+\$0
91	white (CP) [A]	+\$0
98	studio white (CP) [A]	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP) [A]	+\$0
WN	warm grey neutral [A]	+\$0

Table Base Kit - 2 Legs *continued*

Nevi™ Sit-to-Stand Table Bases

Step 7. Glides		
57	glides	+\$0



Product Information


Description

This suspended storage is painted metal and comes in 3 configurations: small, large open, and large closed. Options include a lock, and handed door opening on the large closed unit.


Notes

- Suspended units must be mounted on inside of table leg.
- Small and large open units are not handed. Lock is always on right side.
- Suspended storage is designed to mount to the underside of 30"-deep, C-leg, standard range, height-adjustable tables.
- See planning guide for additional information and for other height-adjustable table mounting capabilities.


Dimensions



Large suspended storage



Open suspended storage



Small suspended storage

Specification Information

Step 1.

IH200.

Step 2. Storage Type

C	large suspended storage, lock
K	small suspended storage, lock
L	large suspended storage, no lock
S	small suspended storage, no lock

Step 3. Configuration

For small suspended storage, lock (K) or small suspended storage, no lock (S)

S	standard
----------	----------

For large suspended storage, lock (C) or large suspended storage, no lock (L)

L	drawer, door hinged left
P	drawer, open
R	drawer, door hinged right

Step 4. Depth

For small suspended storage, lock (K) or small suspended storage, no lock (S)

13	13" deep
-----------	----------

For large suspended storage, lock (C) or large suspended storage, no lock (L)

16	16" deep
-----------	----------

Step 5. Width

For small suspended storage, lock (K) or small suspended storage, no lock (S)

10	10" wide
-----------	----------

For large suspended storage, lock (C) or large suspended storage, no lock (L)

10	10-1/4" wide
-----------	--------------

Step 6. Top Drawer Accessory

N	none
----------	------

Step 7. Bottom Accessory

N	none
----------	------

Prices for Steps 1-7.

		1310NN	1610NN
IH200.	C L	—	\$1108
	P	—	\$853
	R	—	\$1108
	K S	\$586	—
	L L	—	\$1053
	P	—	\$796
	R	—	\$1053
	S S	\$531	—

Step 8. Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
G1	graphite (CP)	+\$0
OLF	olive	+\$20
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 9. Door Pull Finish

For drawer, door hinged left (L) or drawer, door hinged right (R)

8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
UBK	ultra black (CP)	+\$0

Step 10. Lock

For large suspended storage, lock (C) or small suspended storage, lock (K)


KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
KD	keyed differently, black	+\$0

For large suspended storage, no lock (L) or small suspended storage, no lock (S)

NL	no lock	+\$0
-----------	---------	------

External Cable Manager

DU11B.
DU11S.




Product Information

Description

This cable manager seamlessly routes cables from the central trough of height adjustable benching (Renew™ Link or Nevi™ Link) up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.

Dimensions



Specification Information

Step 1.

DU11

Step 2. Attachment

- B.** high density trough attachment
- S.** worksurface attachment

Prices for Steps 1-2.


DU11B.	\$282
DU11S.	\$282

Step 3. Finish

Price Category 4	+\$0
Price Category 5	+\$0

Cable Management Channel

FT19C.



Product Information

Description

This channel attaches to the underside of a surface to hold and manage cords and cables. Attachment hardware included.

Dimensions

Specification Information

Step 1.

FT19C. A

Step 2. Width


08 8" wide A

40 40" wide A

Prices for Steps 1-2.


FT19C. 08	\$62
40	\$110

Nevi™ Power and Data Support



Cable Management Trough

FT199.




Product Information

Description

This trough attaches along the underside of a Canvas surface to hold and manage power/data cables. It includes two 14"-wide troughs. Finish is black. Attachment hardware is included.

Dimensions



Specification Information


Step 1.

FT199.

\$102

Height-Adjustable Vertical Cable Manager


DU15B.
DU15S.



Product Information

Description
This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.

Dimensions



Nevi™ Power and Data Support

Specification Information

Step 1.

DU15 A

Step 2. Attachment

- B.** cable tray attachment A
- S.** worksurface attachment A

Step 3. Table Mechanism

- D** electric extended range
- E** electric standard range

Prices for Steps 1-3.


DU15B. D	\$169
E	\$169
DU15S. D	\$176
E	\$176

Step 4. Finish

613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
BK	black	+\$0
91	white (CP)	+\$0

Easy Access Height-Adjustable Vertical Cable Manager

DU16B.
DU16S.




Product Information

Description

This cable manager organizes cords from the power source to the underside of a worksurface on height-adjustable products. It attaches with magnets to the height-adjustable leg column and the mesh sleeve travels up and down with the worksurface. Cable manager is compatible with all height-adjustable leg columns. Installation hardware included.

Dimensions



Specification Information

Step 1.

DU16 A

Step 2. Attachment

B. cable tray attachment A

S. worksurface attachment A

Step 3. Table Mechanism

D electric extended range A

E electric standard range A

Prices for Steps 1-3.

DU16B. D	\$206
E	\$206
DU16S. D	\$206
E	\$206

Step 4. Mesh Finish

UBK ultra black (CP) <input type="checkbox"/> A	+\$0
BK black <input type="checkbox"/> A	+\$0
SY silver grey <input type="checkbox"/> A	+\$0

Step 5. Cable Cover Finish

Metallic Paint


613 silver (CP) <input type="checkbox"/> A	+\$0
---	------

Sand Texture Paint

UBK ultra black (CP) <input type="checkbox"/> A	+\$0
91 white (CP) <input type="checkbox"/> A	+\$0
98 studio white (CP) <input type="checkbox"/> A	+\$0
BK black <input type="checkbox"/> A	+\$0
G1 graphite (CP) <input type="checkbox"/> A	+\$0

Pari Screen, Height Adjustable
Tables

Y1116.



Nevi™ Screens

Product Information

Description

This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

- Privacy and modesty panel actual width is 2" less than specified width.
- Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.
- Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 10" below work surface.
- Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.
- Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 10" below work surface.
- Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.
- Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 10" below work surface.
- Screens 54" wide and wider include an additional 1"-wide center mounting bracket.
- Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamping of other hardware to the surface.
- Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.
- Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.
- Attachment bracket finish is painted graphite.
- Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

- A—1.51
- B—1.89
- C—1.76
- D—2.14
- E—2.21
- F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

- 24—0.88
- 30—1.07
- 36—1.26
- 42—1.45
- 48—1.64
- 54—1.83
- 60—2.02
- 66—2.21
- 72—2.39

For heights C/D/E/F:

- 24—1.76
- 30—2.14
- 36—2.52
- 42—2.90
- 48—3.28
- 54—3.65
- 60—4.03
- 66—4.41
- 72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Pari Screen, Height Adjustable Tables *continued*

Specification Information

Step 1.

Y1116. A

Step 2. Height

A	privacy (42" high)	A
B	privacy & modesty (42" high/10" below surface)	A
C	privacy (46" high)	A
D	privacy & modesty (46" high/10" below surface)	A
E	privacy (53" high)	A
F	privacy & modesty (53" high/10" below surface)	A

Step 3. Width

24	24" wide	A
30	30" wide	A
36	36" wide	A
42	42" wide	A
48	48" wide	A
54	54" wide	A
60	60" wide	A
66	66" wide	A
72	72" wide	A

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

R	tackable fabric, horizontal	A
T	tackable fabric	A
D	tackable fabric, horizontal with MicrobeCare™	A
E	tackable fabric with MicrobeCare™	A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R	tackable fabric, horizontal	A
D	tackable fabric, horizontal with MicrobeCare™	A

Prices for Steps 1-4.

		R	T	D	E
Y1116. A	24	\$556	556	625	625
	30	\$645	645	712	712
	36	\$670	670	738	738
	42	\$710	710	779	779
	48	\$736	736	805	805
	54	\$808	—	876	—
	60	\$868	—	937	—
	66	\$927	—	998	—
	72	\$979	—	1046	—

B	24	\$671	671	739	739
	30	\$719	719	786	786
	36	\$765	765	832	832
	42	\$808	808	876	876
	48	\$897	897	965	965
	54	\$1009	—	1077	—
	60	\$1035	—	1103	—
	66	\$1113	—	1182	—
	72	\$1141	—	1210	—
C	24	\$632	632	700	700
	30	\$676	676	744	744
	36	\$724	724	792	792
	42	\$768	768	836	836
	48	\$848	848	915	915
	54	\$933	—	1000	—
	60	\$1039	—	1107	—
	66	\$1089	—	1157	—
	72	\$1133	—	1200	—
D	24	\$812	812	879	879
	30	\$855	855	923	923
	36	\$901	901	969	969
	42	\$946	946	1014	1014
	48	\$1017	1017	1087	1087
	54	\$1067	—	1135	—
	60	\$1130	—	1198	—
	66	\$1187	—	1255	—
	72	\$1218	—	1285	—
E	24	\$831	831	899	899
	30	\$876	876	944	944
	36	\$921	921	988	988
	42	\$993	993	1062	1062
	48	\$1022	1022	1091	1091
	54	\$1080	—	1150	—
	60	\$1102	—	1171	—
	66	\$1129	—	1197	—
	72	\$1155	—	1223	—
F	24	\$915	915	983	983
	30	\$959	959	1028	1028
	36	\$1006	1006	1074	1074
	42	\$1051	1051	1119	1119
	48	\$1131	1131	1199	1199
	54	\$1171	—	1238	—
	60	\$1214	—	1282	—
	66	\$1313	—	1380	—
	72	\$1338	—	1406	—

Nevi™ Screens

Pari Screen, Height Adjustable
Tables *continued*

Step 5. Cable Trough
For privacy & modesty (42" high/10" below surface) (B), privacy & modesty (46" high/10" below surface) (D), or privacy & modesty (53" high/10" below surface) (F)

NC	no cable way <input type="checkbox"/> A	+\$0
CW	cable way <input type="checkbox"/> A	+\$25


Step 6. Fabric

Price Category 1	+\$0
Price Category 2	+\$23
Price Category 3	+\$49
Price Category 4	+\$96
Price Category 5	+\$162
Price Category B	+\$86
Price Category C	+\$121
Price Category E	+\$182

Nevi™ Screens

Personal Side Screen

Y1117.



Product Information


Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Notes

- Screen height is 13" above work surface.
- Screen is not compatible with Layout Studio®.
- Screen can be used with work surfaces up to 1¼" thick.
- Bottom of attachment bracket extends 1½" below work surface.
- Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.
- For vertical fabric direction (T):
Height—Yardage
13—0.94
- For horizontal fabric direction (R):
Height—Yardage
13—1.00
- For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

Y1117. A

Step 2. Height

13 13" high A

Step 3. Surface Material

R tackable fabric, horizontal A

T tackable fabric A


Prices for Steps 1-3.

	R	T
Y1117. 13	\$498	498

Step 4. Fabric

Price Category 1	+\$0
Price Category 2	+\$13
Price Category 3	+\$28
Price Category 4	+\$53
Price Category 5	+\$90

Surface-Attached Screen, Flat Edge Y1118.



Nevi™ Screens

Product Information

Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

- Privacy and modesty panel actual width is 2" less than specified width.
- Privacy screen (A) top edge is 13" above top of work surface; bottom edge is 3¾" below work surface.
- Privacy & modesty screen (B) top edge is 13" above top of work surface; bottom edge is 10" below work surface.
- Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.
- Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.
- Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.
- Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.
- Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.
- Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.
- Screens 54" wide and wider include an additional 1"-wide center mounting bracket.
- Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.
- Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.
- Attachment brackets are inset from edge of screen by approximately 8" and require 2½" of work surface for attachment.
- Attachment bracket finish is painted graphite.
- Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

- A—1.51
- B—1.89
- C—1.76
- D—2.14
- E—2.21
- F—2.58

For horizontal fabric direction (R):

Width—Yardage

For heights A/B:

- 24—0.88
- 30—1.07
- 36—1.26
- 42—1.45
- 48—1.64
- 54—1.83
- 60—2.02
- 66—2.21
- 72—2.39

For heights C/D/E/F:

- 24—1.76
- 30—2.14
- 36—2.52
- 42—2.90
- 48—3.28
- 54—3.65
- 60—4.03
- 66—4.41
- 72—4.79


For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Surface-Attached Screen, Flat Edge

continued

Specification Information

Step 1.

Y1118. A

Step 2. Height

- A privacy (42" high) A
- B privacy & modesty (42" high/ 9" below surface) A
- C privacy (46" high) A
- D privacy & modesty (46" high/ 9" below surface) A
- E privacy (53" high) A
- F privacy & modesty (53" high/ 9" below surface) A

Step 3. Width

- 24 24" wide A
- 30 30" wide A
- 36 36" wide A
- 42 42" wide A
- 48 48" wide A
- 54 54" wide A
- 60 60" wide A
- 66 66" wide A
- 72 72" wide A

Step 4. Surface Material

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)

- R tackable fabric, horizontal A
- T tackable fabric A
- D tackable fabric, horizontal with MicrobeCare™ A
- E tackable fabric with MicrobeCare™ A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

- R tackable fabric, horizontal A
- D tackable fabric, horizontal with MicrobeCare™ A

Prices for Steps 1-4.

	R	T	D	E
Y1118. A 24	\$387	387	455	455
30	\$418	418	486	486
36	\$498	498	567	567
42	\$536	536	604	604
48	\$574	574	641	641
54	\$610	—	677	—
60	\$662	—	730	—
66	\$693	—	761	—
72	\$738	—	806	—

B 24	\$482	482	548	548
30	\$519	519	588	588
36	\$556	556	625	625
42	\$595	595	663	663
48	\$626	626	695	695
54	\$660	—	727	—
60	\$682	—	750	—
66	\$744	—	813	—
72	\$800	—	868	—
C 24	\$483	483	551	551
30	\$532	532	600	600
36	\$572	572	640	640
42	\$630	630	698	698
48	\$706	706	773	773
54	\$743	—	812	—
60	\$831	—	899	—
66	\$874	—	941	—
72	\$937	—	1005	—
D 24	\$606	606	675	675
30	\$676	676	744	744
36	\$754	754	821	821
42	\$771	771	840	840
48	\$803	803	872	872
54	\$826	—	892	—
60	\$914	—	982	—
66	\$988	—	1057	—
72	\$1029	—	1097	—
E 24	\$658	658	725	725
30	\$667	667	735	735
36	\$685	685	753	753
42	\$805	805	874	874
48	\$833	833	902	902
54	\$854	—	922	—
60	\$892	—	960	—
66	\$973	—	1042	—
72	\$1036	—	1104	—
F 24	\$796	796	864	864
30	\$805	805	874	874
36	\$819	819	887	887
42	\$833	833	902	902
48	\$844	844	913	913
54	\$855	—	923	—
60	\$946	—	1014	—
66	\$994	—	1063	—
72	\$1201	—	1269	—

Nevi™ Screens

Surface-Attached Screen, Flat Edge

continued

Nevi™ Screens

Step 5. Cable Trough

For privacy & modesty (42" high/ 9" below surface) (B), privacy & modesty (46" high/ 9" below surface) (D), or privacy & modesty (53" high/ 9" below surface) (F)

NC	no cable way <input type="checkbox"/> A	+\$0
CW	cable way <input type="checkbox"/> A	+\$25


Step 6. Fabric

Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$59
Price Category 4	+\$112
Price Category 5	+\$146
Price Category B	+\$97
Price Category C	+\$133
Price Category E	+\$182

For tackable fabric, horizontal (R) or tackable fabric, horizontal with MicrobeCare™ (D)

Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$59
Price Category 4	+\$112
Price Category 5	+\$146
Price Category B	+\$97
Price Category C	+\$133

Personal Side Screen, Rectangular Y1119.



Product Information


Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Notes

- Screen height is 13" above work surface.
- Screen is not compatible with Layout Studio®.
- Screen can be used with work surfaces up to 1¼" thick.
- Bottom of attachment bracket extends 1½" below work surface.
- Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.
- For vertical fabric direction (T):
Height—Yardage
13—0.94
- For horizontal fabric direction (R):
Height—Yardage
13—1.00
- For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

Y1119. A

Step 2. Height

13 13" high A

Step 3. Surface Material

R tackable fabric, horizontal A


T tackable fabric A

Prices for Steps 1-3.

	R	T
Y1119. 13	\$489	489

Step 4. Surface Finish

Price Category 1	+\$0
Price Category 2	+\$11
Price Category 3	+\$23
Price Category 4	+\$47
Price Category 5	+\$80



Nevi™ Screens

Product Information


Description

This screen attaches to an individual height adjustable work surface. It has a laminate surface with frameless design and comes in privacy and modesty sizes. Attachment hardware included.

Notes

- Privacy and modesty panel actual width is 2" less than specified width.
- Privacy screen (13A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.
- Privacy & modesty screen (13B) top edge aligns with the 42"-high Canvas datum line; bottom edge is 11 1/8" below work surface.
- Screens 54" wide and wider include an additional 1"-wide center mounting bracket.
- Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.
- Optional cable management trough is only available when specifying privacy & modesty height option (13B). Trough finish is graphite.
- Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.
- Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.

Y1120.

Step 2. Height

- 13A** privacy (13 1/2" above worksurface)
- 13B** privacy & modesty (13 1/2" above worksurface/11 1/8" below worksurface)

Step 3. Width

- 24** 24" wide
- 30** 30" wide
- 36** 36" wide
- 42** 42" wide
- 48** 48" wide
- 54** 54" wide
- 60** 60" wide
- 66** 66" wide
- 72** 72" wide

Step 4. Surface Material

- L** thermally-fused laminate
- U** thermally-fused laminate/universal edge

Prices for Steps 1-4.

			L	U
Y1120. 13A	24		\$264	264
	30		\$281	281
	36		\$295	295
	42		\$309	309
	48		\$324	324
	54		\$337	337
	60		\$348	348
	66		\$359	359
	72		\$373	373
	13B	24		\$326
30			\$343	343
36			\$361	361
42			\$380	380
48			\$398	398
54			\$412	412
60			\$430	430
66			\$442	442
72			\$457	457

Laminate Screen, Surface Attached

continued

Step 5. Grain Direction

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)

VTG	vertical grain	+\$0
HRG	horizontal grain	+\$0

For 66" wide (66) or 72" wide (72)

HRG	horizontal grain	+\$0
------------	------------------	------

Step 6. Cable Trough

For privacy (13½" above worksurface) (13A)

NC	no cable way	+\$0
-----------	--------------	------

For privacy & modesty (13½" above worksurface/11⅛" below worksurface) (13B)

NC	no cable way	+\$0
CW	cable way	+\$25

Step 7. Surface Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Edge Finish

For thermally-fused laminate (L)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For thermally-fused laminate/universal edge (U)

PLY	plywood edge	+\$50
------------	--------------	-------

Ambit™ Height Adjustable Table Screen, Thin Profile Fabric

Y1150.



Nevi™ Screens

Product Information


Description

This environmentally friendly, surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless, all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

- Privacy and modesty panel actual width is 2" less than specified width.
- For side-attached (S) privacy screens (A), (C), and (E), top edge is 13" above top of work surface; bottom edge is 3¾" below work surface.
- For side-attached (S) privacy & modesty screens (B), (D), and (F), top edge is 13" above top of work surface; bottom edge is 10" below work surface.
- For both top mount (T) and side mount (S) screens (A) and (B), top edge aligns with the 42"-high Canvas datum line.
- For both top mount (T) and side mount (S) screens (C) and (D), top edge aligns with the 46"-high Canvas datum line.
- For both top mount (T) and side mount (S) screens (E) and (F), top edge aligns with the 53"-high Canvas datum line.
- Side-attached (S) screens contain a center bracket.
- Side-attached (S) bracket finish is painted graphite; for top mount (T) screens bracket color is specified.

Dimensions



Specification Information

Step 1.

Y1150.

Step 2. Table Type

- MT Motia
- NL Nevi Link
- NT Nevi
- RL Renew Link
- RT Renew

Step 3. Application

For Motia (MT), Nevi (NT), or Renew (RT)

- L left hand return
- R right hand return
- S back screen only
- U right and left return screen, U screen

For Nevi Link (NL) or Renew Link (RL)

- L left hand return
- R right hand return
- U right and left return screen, U screen

Step 4. Attachment Method

For Motia (MT), Nevi (NT), or Renew (RT) with back screen only (S)

- S attached on outside of work surface (for use with freestanding table)

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

- S attached on outside of work surface (for use with freestanding table)
- T mounted on top of work surface (for benching applications)

For Nevi Link (NL) or Renew Link (RL) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

- T mounted on top of work surface (for benching applications)

Step 5. Height

For attached on outside of work surface (for use with freestanding table) (S)

- A privacy (42" high)
- B privacy & modesty (42" high/10" below surface)
- C privacy (46" high)
- D privacy & modesty (46" high/10" below surface)
- E privacy (53" high)
- F privacy & modesty (53" high/10" below surface)

Ambit™ Height Adjustable Table
Screen, Thin Profile Fabric *continued*

For mounted on top of work surface (for benching applications) (T)

A	privacy (42" high)
C	privacy (46" high)
E	privacy (53" high)

Step 6. Width

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy & modesty (42" high/10" below surface) (B) or privacy & modesty (46" high/10" below surface) (D)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Renew (RT) with back screen only (S) with privacy (42" high) (A), privacy & modesty (42" high/10" below surface) (B), privacy (46" high) (C), privacy & modesty (46" high/10" below surface) (D), privacy (53" high) (E), or privacy & modesty (53" high/10" below surface) (F)

36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Motia (MT) or Nevi (NT) with back screen only (S) with privacy (42" high) (A), privacy & modesty (42" high/10" below surface) (B), privacy (46" high) (C), privacy & modesty (46" high/10" below surface) (D), privacy (53" high) (E), or privacy & modesty (53" high/10" below surface) (F)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy & modesty (53" high/10" below surface) (F)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Motia (MT), Nevi Link (NL), Nevi (NT), Renew Link (RL), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy (42" high) (A) or privacy (46" high) (C)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

For Motia (MT), Nevi Link (NL), Nevi (NT), Renew Link (RL), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U) with privacy (53" high) (E)

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 7. Table Depth

For left hand return (L), right hand return (R), or right and left return screen, U screen (U)

24	24" deep
30	30" deep

For back screen only (S)

00	no depth selection needed
-----------	---------------------------

Step 8. Surface Material

R	tackable fabric, horizontal
----------	-----------------------------

Prices for Steps 1-8.

		SA3600R	SA4200R	SA4800R	SA4824R	SA4830R	SA5400R
Y1150.	MT L	—	—	—	\$797	809	—
	R	—	—	—	\$797	797	—
	S	—	—	\$563	—	—	598
	U	—	—	—	\$1066	1066	—
	NT L	—	—	—	\$797	797	—
	R	—	—	—	\$797	797	—
	S	—	—	\$563	—	—	598
	U	—	—	—	\$1066	1066	—
	RT L	—	—	—	\$797	797	—
	R	—	—	—	\$797	797	—
	S	\$489	526	563	—	—	598
	U	—	—	—	\$1066	1066	—

Ambit™ Height Adjustable Table
Screen, Thin Profile Fabric *continued*

Nevi™ Screens

		SA5424R	SA5430R	SA6000R	SA6024R	SA6030R	SA6600R
Y1150. MT	L	\$856	877	—	894	927	—
	R	\$856	877	—	894	927	—
	S	—	—	\$649	—	—	680
	U	\$1146	1175	—	1193	1238	—
NT	L	\$856	877	—	894	927	—
	R	\$856	877	—	894	927	—
	S	—	—	\$649	—	—	680
	U	\$1146	1175	—	1193	1238	—
RT	L	\$856	877	—	894	927	—
	R	\$856	877	—	894	927	—
	S	—	—	\$649	—	—	680
	U	\$1146	1175	—	1193	1238	—
		SA6624R	SA6630R	SA7200R	SA7224R	SA7230R	SB3600R
Y1150. MT	L	\$924	970	—	965	1022	—
	R	\$924	970	—	965	1022	—
	S	—	—	\$724	—	—	—
	U	\$1235	1296	—	1290	1368	—
NT	L	\$924	970	—	965	1022	—
	R	\$924	970	—	965	1022	—
	S	—	—	\$724	—	—	—
	U	\$1235	1296	—	1290	1368	—
RT	L	\$924	970	—	965	1022	—
	R	\$924	970	—	965	1022	—
	S	—	—	\$724	—	—	545
	U	\$1235	1296	—	1290	1368	—
		SB4200R	SB4800R	SB4824R	SB4830R	SB5400R	SB5424R
Y1150. MT	L	—	—	\$821	860	—	881
	R	—	—	\$821	821	—	881
	S	—	\$614	—	—	647	—
	U	—	—	\$1098	1098	—	1179
NT	L	—	—	\$821	821	—	881
	R	—	—	\$821	821	—	881
	S	—	\$614	—	—	647	—
	U	—	—	\$1098	1098	—	1179
RT	L	—	—	\$821	821	—	881
	R	—	—	\$821	821	—	881
	S	\$583	614	—	—	647	—
	U	—	—	\$1098	1098	—	1179
		SB5430R	SB6000R	SB6024R	SB6030R	SB6600R	SB6624R
Y1150. MT	L	\$903	—	917	951	—	949
	R	\$903	—	917	951	—	949
	S	—	\$669	—	—	730	—
	U	\$1208	—	1226	1270	—	1268

NT	L	\$903	—	917	951	—	949
	R	\$903	—	917	951	—	949
	S	—	\$669	—	—	730	—
	U	\$1208	—	1226	1270	—	1268
RT	L	\$903	—	917	951	—	949
	R	\$903	—	917	951	—	949
	S	—	\$669	—	—	730	—
	U	\$1208	—	1226	1270	—	1268
		SB6630R	SB7200R	SB7224R	SB7230R	SC3600R	SC4200R
Y1150. MT	L	\$994	—	989	1048	—	—
	R	\$994	—	989	1048	—	—
	S	—	\$785	—	—	—	—
	U	\$1328	—	1322	1401	—	—
NT	L	\$994	—	989	1048	—	—
	R	\$994	—	989	1048	—	—
	S	—	\$785	—	—	—	—
	U	\$1328	—	1322	1401	—	—
RT	L	\$994	—	989	1048	—	—
	R	\$994	—	989	1048	—	—
	S	—	\$785	—	—	561	617
	U	\$1328	—	1322	1401	—	—
		SC4800R	SC4824R	SC4830R	SC5400R	SC5424R	SC5430R
Y1150. MT	L	—	\$916	916	—	977	999
	R	—	\$916	916	—	977	999
	S	\$693	—	—	729	—	—
	U	—	\$1226	1226	—	1306	1334
NT	L	—	\$916	916	—	977	999
	R	—	\$916	916	—	977	999
	S	\$693	—	—	729	—	—
	U	—	\$1226	1226	—	1306	1334
RT	L	—	\$916	916	—	977	999
	R	—	\$916	916	—	977	999
	S	\$693	—	—	729	—	—
	U	—	\$1226	1226	—	1306	1334
		SC6000R	SC6024R	SC6030R	SC6600R	SC6624R	SC6630R
Y1150. MT	L	—	\$1013	1047	—	1044	1089
	R	—	\$1013	1047	—	1044	1089
	S	\$815	—	—	857	—	—
	U	—	\$1354	1398	—	1396	1457
NT	L	—	\$1013	1047	—	1044	1089
	R	—	\$1013	1047	—	1044	1089
	S	\$815	—	—	857	—	—
	U	—	\$1354	1398	—	1396	1457

Ambit™ Height Adjustable Table
Screen, Thin Profile Fabric *continued*

RT	L	—	\$1013	1047	—	1044	1089
	R	—	\$1013	1047	—	1044	1089
	S	\$815	—	—	857	—	—
	U	—	\$1354	1398	—	1396	1457
		SC7200R	SC7224R	SC7230R	SD3600R	SD4200R	SD4800R
Y1150.	MT	L	—	\$1084	1144	—	—
		R	—	\$1084	1144	—	—
		S	\$918	—	—	—	787
		U	—	\$1450	1529	—	—
	NT	L	—	\$1084	1144	—	—
		R	—	\$1084	1144	—	—
		S	\$918	—	—	—	787
		U	—	\$1450	1529	—	—
	RT	L	—	\$1084	1144	—	—
		R	—	\$1084	1144	—	—
		S	\$918	—	—	740	757
		U	—	\$1450	1529	—	—
		SD4824R	SD4830R	SD5400R	SD5424R	SD5430R	SD6000R
Y1150.	MT	L	\$932	932	—	992	1013
		R	\$932	932	—	992	1013
		S	—	—	\$809	—	897
		U	\$1248	1248	—	1327	1356
	NT	L	\$932	932	—	992	1013
		R	\$932	932	—	992	1013
		S	—	—	\$809	—	897
		U	\$1248	1248	—	1327	1356
	RT	L	\$932	932	—	992	1013
		R	\$932	932	—	992	1013
		S	—	—	\$809	—	897
		U	\$1248	1248	—	1327	1356
		SD6024R	SD6030R	SD6600R	SD6624R	SD6630R	SD7200R
Y1150.	MT	L	\$1028	1061	—	1059	1105
		R	\$1028	1061	—	1059	1105
		S	—	—	\$970	—	1010
		U	\$1375	1420	—	1418	1478
	NT	L	\$1028	1061	—	1059	1105
		R	\$1028	1061	—	1059	1105
		S	—	—	\$970	—	1010
		U	\$1375	1420	—	1418	1478
	RT	L	\$1028	1061	—	1059	1105
		R	\$1028	1061	—	1059	1105
		S	—	—	\$970	—	1010
		U	\$1375	1420	—	1418	1478

		SD7224R	SD7230R	SE3600R	SE4200R	SE4800R	SE4824R
Y1150.	MT	L	\$1100	1158	—	—	995
		R	\$1100	1158	—	—	995
		S	—	—	—	\$817	—
		U	\$1471	1550	—	—	1332
	NT	L	\$1100	1158	—	—	995
		R	\$1100	1158	—	—	995
		S	—	—	—	\$817	—
		U	\$1471	1550	—	—	1332
	RT	L	\$1100	1158	—	—	995
		R	\$1100	1158	—	—	995
		S	—	—	\$672	789	817
		U	\$1471	1550	—	—	1332
		SE4830R	SE5400R	SE5424R	SE5430R	SE6000R	SE6024R
Y1150.	MT	L	\$995	—	1055	1077	—
		R	\$995	—	1055	1077	—
		S	—	\$838	—	—	875
		U	\$1332	—	1412	1440	—
	NT	L	\$995	—	1055	1077	—
		R	\$995	—	1055	1077	—
		S	—	\$838	—	—	875
		U	\$1332	—	1412	1440	—
	RT	L	\$995	—	1055	1077	—
		R	\$995	—	1055	1077	—
		S	—	\$838	—	—	875
		U	\$1332	—	1412	1440	—
		SE6030R	SE6600R	SE6624R	SE6630R	SE7200R	SE7224R
Y1150.	MT	L	\$1125	—	1123	1167	—
		R	\$1125	—	1123	1167	—
		S	—	\$954	—	—	1016
		U	\$1505	—	1502	1563	—
	NT	L	\$1125	—	1123	1167	—
		R	\$1125	—	1123	1167	—
		S	—	\$954	—	—	1016
		U	\$1505	—	1502	1563	—
	RT	L	\$1125	—	1123	1167	—
		R	\$1125	—	1123	1167	—
		S	—	\$954	—	—	1016
		U	\$1505	—	1502	1563	—
		SE7230R	SF3600R	SF4200R	SF4800R	SF4824R	SF4830R
Y1150.	MT	L	\$1222	—	—	—	1076
		R	\$1222	—	—	—	1076
		S	—	—	—	\$829	—
		U	\$1635	—	—	—	1438

New!™ Screens

Ambit™ Height Adjustable Table
Screen, Thin Profile Fabric *continued*

Nevi™ Screens

NT	L	\$1222	—	—	—	1076	1076	
	R	\$1222	—	—	—	1076	1076	
	S	—	—	—	\$829	—	—	
	U	\$1635	—	—	—	1438	1438	
RT	L	\$1222	—	—	—	1076	1076	
	R	\$1222	—	—	—	1076	1076	
	S	—	\$804	809	829	—	—	
	U	\$1635	—	—	—	1438	1438	
		SF5400R	SF5424R	SF5430R	SF6000R	SF6024R	SF6030R	
Y1150.	MT	L	—	\$1137	1157	—	1173	1207
		R	—	\$1137	1157	—	1173	1207
		S	\$839	—	—	929	—	—
		U	—	\$1519	1548	—	1566	1611
	NT	L	—	\$1137	1157	—	1173	1207
		R	—	\$1137	1157	—	1173	1207
		S	\$839	—	—	929	—	—
		U	—	\$1519	1548	—	1566	1611
	RT	L	—	\$1137	1157	—	1173	1207
		R	—	\$1137	1157	—	1173	1207
		S	\$839	—	—	929	—	—
		U	—	\$1519	1548	—	1566	1611
		SF6600R	SF6624R	SF6630R	SF7200R	SF7224R	SF7230R	
Y1150.	MT	L	—	\$1203	1249	—	1244	1302
		R	—	\$1203	1249	—	1244	1302
		S	\$976	—	—	1179	—	—
		U	—	\$1609	1669	—	1662	1742
	NT	L	—	\$1203	1249	—	1244	1302
		R	—	\$1203	1249	—	1244	1302
		S	\$976	—	—	1179	—	—
		U	—	\$1609	1669	—	1662	1742
	RT	L	—	\$1203	1249	—	1244	1302
		R	—	\$1203	1249	—	1244	1302
		S	\$976	—	—	1179	—	—
		U	—	\$1609	1669	—	1662	1742
		TA4824R	TA4830R	TA5424R	TA5430R	TA6024R	TA6030R	
Y1150.	MT	L	\$797	797	856	877	894	927
		R	\$797	797	856	877	894	927
		U	\$1066	1066	1146	1175	1193	1238
	NL	L	\$797	797	856	877	894	927
		R	\$797	797	856	877	894	927
		U	\$1066	1066	1146	1175	1193	1238
	NT	L	\$797	797	856	877	894	927
		R	\$797	797	856	877	894	927
		U	\$1066	1066	1146	1175	1193	1238

	RL	L	\$797	797	856	877	894	927
		R	\$797	797	856	877	894	927
		U	\$1066	1066	1146	1175	1193	1238
	RT	L	\$797	797	856	877	894	927
		R	\$797	797	856	877	894	927
		U	\$1066	1066	1146	1175	1193	1238
		TA6624R	TA6630R	TA7224R	TA7230R	TC4824R	TC4830R	
Y1150.	MT	L	\$924	970	965	1022	916	916
		R	\$924	970	965	1022	916	916
		U	\$1235	1296	1290	1368	1226	1226
	NL	L	\$924	970	965	1022	916	916
		R	\$924	970	965	1022	916	916
		U	\$1235	1296	1290	1368	1226	1226
	NT	L	\$924	970	965	1022	916	916
		R	\$924	970	965	1022	916	916
		U	\$1235	1296	1290	1368	1226	1226
	RL	L	\$924	970	965	1022	916	916
		R	\$924	970	965	1022	916	916
		U	\$1235	1296	1290	1368	1226	1226
	RT	L	\$924	970	965	1022	916	916
		R	\$924	970	965	1022	916	916
		U	\$1235	1296	1290	1368	1226	1226
		TC5424R	TC5430R	TC6024R	TC6030R	TC6624R	TC6630R	
Y1150.	MT	L	\$977	999	1013	1047	1044	1089
		R	\$977	999	1013	1047	1044	1089
		U	\$1306	1334	1354	1398	1396	1457
	NL	L	\$977	999	1013	1047	1044	1089
		R	\$977	999	1013	1047	1044	1089
		U	\$1306	1334	1354	1398	1396	1457
	NT	L	\$977	999	1013	1047	1044	1089
		R	\$977	999	1013	1047	1044	1089
		U	\$1306	1334	1354	1398	1396	1457
	RL	L	\$977	999	1013	1047	1044	1089
		R	\$977	999	1013	1047	1044	1089
		U	\$1306	1334	1354	1398	1396	1457
	RT	L	\$977	999	1013	1047	1044	1089
		R	\$977	999	1013	1047	1044	1089
		U	\$1306	1334	1354	1398	1396	1457
		TC7224R	TC7230R	TE4824R	TE4830R	TE5424R	TE5430R	
Y1150.	MT	L	\$1084	1144	995	995	1055	1077
		R	\$1084	1144	995	995	1055	1077
		U	\$1450	1529	1332	1332	1412	1440

Ambit™ Height Adjustable Table
Screen, Thin Profile Fabric *continued*

NL	L	\$1084	1144	995	995	1055	1077
	R	\$1084	1144	995	995	1055	1077
	U	\$1450	1529	1332	1332	1412	1440
NT	L	\$1084	1144	995	995	1055	1077
	R	\$1084	1144	995	995	1055	1077
	U	\$1450	1529	1332	1332	1412	1440
RL	L	\$1084	1144	995	995	1055	1077
	R	\$1084	1144	995	995	1055	1077
	U	\$1450	1529	1332	1332	1412	1440
RT	L	\$1084	1144	995	995	1055	1077
	R	\$1084	1144	995	995	1055	1077
	U	\$1450	1529	1332	1332	1412	1440

		TE6024R	TE6030R	TE6624R	TE6630R	TE7224R	TE7230R
Y1150. MT	L	\$1091	1125	1123	1167	1163	1222
	R	\$1091	1125	1123	1167	1163	1222
	U	\$1460	1505	1502	1563	1556	1635
NL	L	\$1091	1125	1123	1167	1163	1222
	R	\$1091	1125	1123	1167	1163	1222
	U	\$1460	1505	1502	1563	1556	1635
NT	L	\$1091	1125	1123	1167	1163	1222
	R	\$1091	1125	1123	1167	1163	1222
	U	\$1460	1505	1502	1563	1556	1635
RL	L	\$1091	1125	1123	1167	1163	1222
	R	\$1091	1125	1123	1167	1163	1222
	U	\$1460	1505	1502	1563	1556	1635
RT	L	\$1091	1125	1123	1167	1163	1222
	R	\$1091	1125	1123	1167	1163	1222
	U	\$1460	1505	1502	1563	1556	1635

Step 9. Fabric	
Price Category 1	+\$0
Price Category 2	+\$31
Price Category 3	+\$71
Price Category 4	+\$134
Price Category 5	+\$220
Price Category B	+\$120
Price Category C	+\$160
Price Category E	+\$220

Step 10. Corner Cover Options		
<i>For mounted on top of work surface (for benching applications)</i>		
<i>(T)</i>		
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
CL	cool grey neutral	+\$0
DB3	glacier	+\$10
DN2	nightfall	+\$10
DR1	canyon	+\$10
G1	graphite (CP)	+\$0
OLF	olive	+\$10
WN	warm grey	+\$0

Step 11. Bracket Color Options		
<i>For mounted on top of work surface (for benching applications)</i>		
<i>(T)</i>		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$10
DN2	nightfall	+\$10
DR1	canyon	+\$10
OLF	olive	+\$10
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Step 12. Screen Accessories		
NN	none	+\$0
NH	name tag holder (YT410)	+\$43
MB	24" painted metal markerboard (Y1124.DP)	+\$170
ML	30" painted metal markerboard (Y1124.DP)	+\$182
DM	24" writeable markerboard (Y1124.DM)	+\$238
DL	30" writeable markerboard (Y1124.DM)	+\$265

Nevi™ Screens

Ambit™ Height Adjustable Table
 Screen, Thin Profile Fabric *continued*

Step 13. Screen Accessory Finish

For name tag holder (YT410) (NH)

613	silver (CP)	+\$0
------------	-------------	------

For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10


For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Nevi™ Screens

Ambit™ Height Adjustable Table
Screen, PET

Y1155.




Product Information

Description

This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless PET design with a flat edge and comes in privacy and modesty sizes. Attachment hardware included.

Dimensions



Specification Information

Step 1.

Y1155.

Step 2. Table Type

- MT** Motia
- NL** Nevi Link
- NT** Nevi
- RL** Renew Link
- RT** Renew

Step 3. Application

For Motia (MT), Nevi (NT), or Renew (RT)

- L** left hand return
- R** right hand return
- U** right and left return screen, U screen

For Nevi Link (NL) or Renew Link (RL)

- L** left hand return
- R** right hand return
- U** right and left return screen, U screen

Step 4. Attachment Method

For Motia (MT), Nevi (NT), or Renew (RT) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

- S** attached on outside of work surface (for use with freestanding table)
- T** mounted on top of work surface (for benching applications)

For Nevi Link (NL) or Renew Link (RL) with left hand return (L), right hand return (R), or right and left return screen, U screen (U)

- T** mounted on top of work surface (for benching applications)

Step 5. Height

For attached on outside of work surface (for use with freestanding table) (S)

- A** privacy (42" high)
- B** privacy & modesty (42" high/10" below surface)
- C** privacy (46" high)
- D** privacy & modesty (46" high/10" below surface)

For mounted on top of work surface (for benching applications) (T)

- A** privacy (42" high)
- C** privacy (46" high)

Ambit™ Height Adjustable Table
Screen, PET *continued*

Nevi™ Screens

Step 6. Width

48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 7. Table Depth

24	24" deep
30	30" deep

Prices for Steps 1-7.

		SA4824	SA4830	SA5424	SA5430	SA6024	SA6030
Y1155. MT	L	\$903	903	924	924	955	955
	R	\$903	903	924	924	955	955
	U	\$1009	1009	1083	1083	1115	1115
NT	L	\$903	903	924	924	955	955
	R	\$903	903	924	924	955	955
	U	\$1009	1009	1083	1083	1115	1115
RT	L	\$903	903	924	924	955	955
	R	\$903	903	924	924	955	955
	U	\$1009	1009	1083	1083	1115	1115

		SA6624	SA6630	SA7224	SA7230	SB4824	SB4830
Y1155. MT	L	\$977	977	999	999	935	935
	R	\$977	977	999	999	935	935
	U	\$1221	1221	1539	1539	1221	1221
NT	L	\$977	977	999	999	935	935
	R	\$977	977	999	999	935	935
	U	\$1221	1221	1539	1539	1221	1221
RT	L	\$977	977	999	999	935	935
	R	\$977	977	999	999	935	935
	U	\$1221	1221	1539	1539	1221	1221

		SB5424	SB5430	SB6024	SB6030	SB6624	SB6630
Y1155. MT	L	\$967	967	987	987	1019	1019
	R	\$967	967	987	987	1019	1019
	U	\$1274	1274	1327	1327	1539	1539
NT	L	\$967	967	987	987	1019	1019
	R	\$967	967	987	987	1019	1019
	U	\$1274	1274	1327	1327	1539	1539
RT	L	\$967	967	987	987	1019	1019
	R	\$967	967	987	987	1019	1019
	U	\$1274	1274	1327	1327	1539	1539

		SB7224	SB7230	SC4824	SC4830	SC5424	SC5430
Y1155. MT	L	\$1041	1041	955	955	977	977
	R	\$1041	1041	955	955	977	977
	U	\$1616	1616	1274	1274	1327	1327
NT	L	\$1041	1041	955	955	977	977
	R	\$1041	1041	955	955	977	977
	U	\$1616	1616	1274	1274	1327	1327
RT	L	\$1041	1041	955	955	977	977
	R	\$1041	1041	955	955	977	977
	U	\$1616	1616	1274	1274	1327	1327

		SC6024	SC6030	SC6624	SC6630	SC7224	SC7230
Y1155. MT	L	\$999	999	1019	1019	1041	1041
	R	\$999	999	1019	1019	1041	1041
	U	\$1380	1380	1486	1486	1592	1592
NT	L	\$999	999	1019	1019	1041	1041
	R	\$999	999	1019	1019	1041	1041
	U	\$1380	1380	1486	1486	1592	1592
RT	L	\$999	999	999	999	1041	1041
	R	\$999	999	999	999	1041	1041
	U	\$1380	1380	1486	1486	1592	1592

		SD4824	SD4830	SD5424	SD5430	SD6024	SD6030
Y1155. MT	L	\$1375	1375	1386	1386	1433	1433
	R	\$1375	1375	1386	1386	1433	1433
	U	\$1486	1486	1592	1592	1698	1698
NT	L	\$1375	1375	1386	1386	1433	1433
	R	\$1375	1375	1386	1386	1433	1433
	U	\$1486	1486	1592	1592	1698	1698
RT	L	\$1375	1375	1386	1386	1433	1433
	R	\$1375	1375	1386	1386	1433	1433
	U	\$1486	1486	1592	1592	1698	1698

		SD6624	SD6630	SD7224	SD7230	TA4824	TA4830
Y1155. MT	L	\$1492	1492	1598	1598	809	810
	R	\$1492	1492	1598	1598	809	810
	U	\$1910	1910	2122	2122	857	858
NL	L	—	—	—	—	\$809	810
	R	—	—	—	—	\$809	810
	U	—	—	—	—	\$857	858
NT	L	\$1491	1492	1598	1598	809	810
	R	\$1492	1492	1598	1598	809	810
	U	\$1910	1910	2122	2122	857	858
RL	L	—	—	—	—	\$809	810
	R	—	—	—	—	\$809	810
	U	—	—	—	—	\$857	858

Ambit™ Height Adjustable Table
Screen, PET *continued*

	RT	L	\$1492	1492	1598	1598	809	810
		R	\$1492	1492	1598	1598	809	810
		U	\$1910	1910	2122	2122	857	858
			TA5424	TA5430	TA6024	TA6030	TA6624	TA6630
Y1155.	MT	L	\$817	817	849	849	887	887
		R	\$817	817	849	849	887	887
		U	\$861	861	963	964	966	966
	NL	L	\$817	817	849	849	887	887
		R	\$817	817	849	849	887	887
		U	\$861	861	963	964	966	966
	NT	L	\$817	817	849	849	887	887
		R	\$817	817	849	849	887	887
		U	\$861	861	963	964	966	966
	RL	L	\$817	817	849	849	887	887
		R	\$817	817	849	849	887	887
		U	\$861	861	963	964	966	966
	RT	L	\$817	817	849	849	887	887
		R	\$817	817	849	849	887	887
		U	\$861	861	963	964	966	966
			TA7224	TA7230	TC4824	TC4830	TC5424	TC5430
Y1155.	MT	L	\$926	927	914	915	935	935
		R	\$926	927	914	915	935	935
		U	\$971	972	963	964	966	966
	NL	L	\$926	927	914	915	935	935
		R	\$926	927	914	915	935	935
		U	\$971	972	963	964	966	966
	NT	L	\$926	927	914	915	935	935
		R	\$926	927	914	915	935	935
		U	\$971	972	963	964	966	966
	RL	L	\$926	927	914	914	935	935
		R	\$926	927	914	914	935	935
		U	\$971	972	963	964	966	966
	RT	L	\$926	927	914	915	935	935
		R	\$926	927	914	915	935	935
		U	\$971	972	963	964	966	966
			TC6024	TC6030	TC6624	TC6630	TC7224	TC7230
Y1155.	MT	L	\$967	967	1009	1009	1080	1080
		R	\$967	967	1009	1009	1080	1080
		U	\$1136	1137	1139	1139	1302	1308
	NL	L	\$967	967	1009	1009	1080	1080
		R	\$967	967	1009	1009	1080	1080
		U	\$1136	1137	1139	1139	1308	1309

	NT	L	\$967	967	1009	1009	1080	1080
		R	\$967	967	1009	1009	1080	1080
		U	\$1136	1137	1139	1139	1302	1308
	RL	L	\$967	967	1009	1009	1080	1080
		R	\$967	967	1009	1009	1080	1080
		U	\$1136	1137	1139	1139	1308	1309
	RT	L	\$967	967	1009	1009	1080	1080
		R	\$967	967	1009	1009	1080	1080
		U	\$1136	1137	1139	1139	1302	1308

Step 8. Material

PHN	heathered nightfall	+\$0
PHO	heathered olive	+\$0
PLG	cool heathered grey	+\$0

Step 9. Bracket Color Options

For mounted on top of work surface (for benching applications)
(T)

98	studio white (CP)	+\$0
BK	black	+\$0
CRB	carbon (CP)	+\$0
DN2	nightfall	+\$10
OLF	olive	+\$10
UBK	ultra black (CP)	+\$0

Step 10. Screen Accessories

MB	24" painted metal markerboard (Y1124.DP)	+\$170
NN	none	+\$0
NH	name tag holder (YT410)	+\$43
ML	30" painted metal markerboard (Y1124.DP)	+\$182
DM	24" writeable markerboard (Y1124.DM)	+\$238
DL	30" writeable markerboard (Y1124.DM)	+\$265

Step 11. Screen Accessory Finish

For name tag holder (YT410) (NH)

613	silver (CP)	+\$0
------------	-------------	------

For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM), or 30" writeable markerboard (Y1124.DM) (DL)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10

Ambit™ Height Adjustable Table
 Screen, PET *continued*


For 24" painted metal markerboard (Y1124.DP) (MB), 30" painted metal
 markerboard (Y1124.DP) (ML), 24" writeable markerboard (Y1124.DM) (DM),
 or 30" writeable markerboard (Y1124.DM) (DL)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Nevi™ Screens

**Ambit™ Height Adjustable Table
Screen, Metal**

Y1160.




Product Information

Description
This surface-attached screen attaches to the work surface of a freestanding table. It is painted metal and comes in privacy size. An optional magnetic screen liner is user-adjustable without tools. Screen attachment hardware included.

Notes

Privacy panel actual width is 2" less than specified width.
Privacy screen (A) top edge is 13" above top of work surface.
Privacy screen (A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.
Screens 54" wide and wider include an additional 1"-wide center mounting bracket.
Attachment bracket finish is painted graphite.

Dimensions



Specification Information

Step 1.
Y1160.

Step 2. Table Type
MT Motia
NT Nevi
RT Renew

Step 3. Application
U right and left return screen, U screen

Step 4. Attachment Method
S attached on outside of work surface (for use with freestanding table)

Step 5. Height
A privacy (42" high)

Step 6. Width
48 48" wide
54 54" wide
60 60" wide
66 66" wide
72 72" wide

Step 7. Table Depth
30 30" deep

Step 8. Screen Liner
M magnetic liner
N none

Prices for Steps 1-8.

	SA4830M	SA4830N	SA5430M	SA5430N	SA6030M	SA6030N
Y1160. MT U	\$1458	824	1474	841	1493	860
NT U	\$1458	824	1474	841	1493	860
RT U	\$1458	824	1474	841	1493	860

	SA6630M	SA6630N	SA7230M	SA7230N
Y1160. MT U	\$1528	895	1673	1040
NT U	\$1528	895	1673	1040
RT U	\$1528	895	1673	1040

Nevi™ Screens

Ambit™ Height Adjustable Table
 Screen, Metal *continued*

Nevi™ Screens

Step 9. Surface Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$60
SNB	satin bronze	+\$60
SNC	satin carbon	+\$60
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
DB3	glacier	+\$50
DN2	nightfall	+\$50
DR1	canyon	+\$50
G1	graphite (CP)	+\$0
OLF	olive	+\$50
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 10. Magnetic Screen Liner Finish
For magnetic liner (M)

Price Category 4	+\$0
------------------	------

Step 11. Screen Accessories


NH	name tag holder (YT410)	+\$39
NN	none	+\$0

Step 12. Screen Accessory Finish
For name tag holder (YT410) (NH)

613	silver (CP)	+\$0
------------	-------------	------

Modesty Panel

Y1113.



Product Information

Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.


Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width 1/4" less than specified value.

Modesty panel is field installed.

Brackets are located to work with Connect™ 2-circuit power system.

Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

Dimensions



Specification Information

Step 1.

Y1113.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 3. Cable Trough

N	without added cable trough
Y	with added cable trough

Step 4. Surface Material

L	thermally-fused laminate top/thermoplastic edge
W	veneer top/veneer edge

Prices for Steps 1-4.

			L	W
Y1113.	24	N	\$276	487
		Y	\$489	720
	30	N	\$300	545
		Y	\$554	824
	36	N	\$327	605
		Y	\$601	907
	42	N	\$354	665
		Y	\$661	1002
	48	N	\$380	727
		Y	\$721	1101
	54	N	\$408	787
		Y	\$784	1195
	60	N	\$434	845
		Y	\$845	1290
	66	N	\$434	904
		Y	\$906	1386
	72	N	\$469	964
		Y	\$965	1481

Modesty Panel *continued*

Nevi™ Screens

Step 5. Finish

For thermally-fused laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For veneer top/veneer edge (W)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
UL	natural maple	+\$0


Step 6. Edge Finish

For thermally-fused laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Fabric Modesty Panel

Y1114.



Product Information

Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a fabric surface with aluminum top rail and attachment brackets. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.

For use with flip top table (DT5Ax.), modesty panel (Y1114.) is recommended to enable optimal folding functionality of the table.

Dimensions



Specification Information

Step 1.

Y1114. A

Step 2. Width


- 24 24" wide A
- 30 30" wide A
- 36 36" wide A
- 42 42" wide A
- 48 48" wide A
- 54 54" wide A
- 60 60" wide A
- 66 66" wide A
- 72 72" wide A

Prices for Steps 1-2.

Y1114. 24	\$251
30	\$274
36	\$297
42	\$314
48	\$334
54	\$375
60	\$395
66	\$417
72	\$433

Step 3. Fabric

Price Category 4 +\$28



Product Information

Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 4" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage



24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT354. A

Step 2. Attachment Type

CL Canvas Surface Attached, End of Run Left Handed A

CR Canvas Surface Attached, End of Run Right Handed A

Step 3. Height

42 42" high A

46 46" high A

Step 4. Width

24 24" wide A

30 30" wide A

36 36" wide A

Step 5. Surface Material

R tackable fabric, horizontal A

T tackable fabric A

Prices for Steps 1-5.

		24R	24T	30R	30T	36R	36T
FT354. CL 42		\$1139	1139	1178	1178	1212	1212
46		\$1198	1198	1245	1245	1294	1294
CR 42		\$1139	1139	1178	1178	1212	1212
46		\$1198	1198	1245	1245	1294	1294

Step 6. Bracket Finish

UBK ultra black (CP) A +\$0

8Q folkstone grey (CP) A +\$0

91 white (CP) A +\$0

98 studio white (CP) A +\$0

BK black A +\$0

G1 graphite (CP) A +\$0

SNA satin aluminum A +\$10

SNB satin bronze A +\$10

SNC satin carbon A +\$10

WL warm stone (CP) A +\$0

WN warm grey neutral A +\$0

Step 7. Fabric

Price Category 1 +\$0

Price Category 2 +\$20

Price Category 3 +\$48


Price Category 4 +\$84

Price Category 5 +\$102

Price Category B +\$378

Price Category C +\$128

Price Category E +\$203



Product Information

Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage

24—0.90


30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Nevi™ Screens

Dimensions



Flat Edge Screen, Delineation

continued

Specification Information

Step 1.

FT358.

Step 2. Attachment Type

- CL** Canvas Surface Attached, End of Run Left Handed
- CR** Canvas Surface Attached, End of Run Right Handed

Step 3. Height

- 42** 42" high
- 46** 46" high

Step 4. Width

- 24** 24" wide
- 30** 30" wide
- 36** 36" wide

Step 5. Surface Material

- R** tackable fabric, horizontal
- T** tackable fabric

Prices for Steps 1-5.

		24R	24T	30R	30T	36R	36T
FT358. CL	42	\$706	706	746	746	761	761
	46	\$768	768	813	813	841	841
	CR						
	42	\$706	706	746	746	761	761
	46	\$768	768	813	813	841	841

Step 6. Bracket Finish


- UBK** ultra black (CP) +\$0
- 8Q** folkstone grey (CP) +\$0
- 91** white (CP) +\$0
- 98** studio white (CP) +\$0
- BK** black +\$0
- G1** graphite (CP) +\$0
- SNA** satin aluminum +\$10
- SNB** satin bronze +\$10
- SNC** satin carbon +\$10
- WL** warm stone (CP) +\$0
- WN** warm grey neutral +\$0

Step 7. Fabric

- Price Category 1 +\$0
- Price Category 2 +\$20
- Price Category 3 +\$48
- Price Category 4 +\$84
- Price Category 5 +\$140
- Price Category B +\$68
- Price Category C +\$122
- Price Category E +\$203

Ambit™ Height Adjustable Table Leg Shroud

DV8SM.
DV8SN.
DV8SR.



Product Information

Description

This shroud stands on the floor and replaces the foot of the table. Shroud is available in all-metal, metal wrapper with laminate exterior panel, or metal wrapper with veneer exterior panel. A shroud can be added to one or both legs of a C-leg height-adjustable table. An optional tool rail can be specified.

Notes

Optional tool rail is not retrofittable.

Shroud is retrofittable to existing height-adjustable tables.

Distance between top of shroud and bottom of standard height-adjustable table range is 3.94".

Shroud not compatible with extended range height-adjustable tables.

Cable knockout at top-rear of shroud has bezel available in 3 colors.


Cord cutout at bottom-rear of shroud can route up to 4 cords.

Order optional accessories together or separately:

- Bag hook (YT700.)
- Accessory shelf (YT715.)
- Vertical cable manager (DU16.)

See planning guide for additional information.

Dimensions



Specification Information

Step 1.

DV8S

Step 2. Table Type

- M. Motia®
- N. Nevi
- R. Renew™

Step 3. Leg Type

- C C-leg

Step 4. Depth

- 24 24" deep (23" surface size)
- 30 30" deep (29" surface size)

Step 5. Mechanism

- E electric standard range

Step 6. Shroud Location

- L left
- R right

Step 7. Shroud Option Left

For left (L)

- SL high-pressure laminate panel + metal wrapper
- SM all metal
- SW veneer panel + metal wrapper

For right (R)

- SL high-pressure laminate panel + metal wrapper
- SM all metal
- SW veneer panel + metal wrapper

Prices for Steps 1-7.

		ELSL	ELSM	ELSW	ERSL	ERSM	ERSW
DV8SM. C	24	\$1030	938	1228	1030	938	1228
	30	\$1030	938	1228	1030	938	1228
DV8SN. C	24	\$1030	938	1228	1030	938	1228
	30	\$1030	938	1228	1030	938	1228
DV8SR. C	24	\$1030	938	1228	1030	938	1228
	30	\$1030	938	1228	1030	938	1228

Ambit™ Height Adjustable Table Leg Shroud *continued*

Step 8. Shroud Finish Left - Metal Wrapper

Metallic Paint

For all metal (SM)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For all metal (SM)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
G1	graphite (CP)	+\$0
OLF	olive	+\$20
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Laminate

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecrú	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Wood Veneer

For veneer panel + metal wrapper (SW)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$0
OU	walnut	+\$0
UL	natural maple	+\$0

Ambit™ Height Adjustable Table Leg
Shroud *continued*

Ambit™ Shroud

Step 9. Edge Finish Left		
<i>For high-pressure laminate panel + metal wrapper (SL)</i>		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 10. Shroud Finish Left		
<i>For high-pressure laminate panel + metal wrapper (SL) or veneer panel + metal wrapper (SW)</i>		

Metallic Paint		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint		
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Step 11. Shroud Cable Management Bezel Left		
<i>For left (L) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)</i>		
8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
UBK	ultra black (CP)	+\$0

Step 12. Shroud Finish Right - Metal Wrapper		
Metallic Paint		
<i>For all metal (SM)</i>		
611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint		
<i>For all metal (SM)</i>		
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Ambit™ Height Adjustable Table Leg Shroud *continued*

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Wood Veneer

For veneer panel + metal wrapper (SW)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
ET	clear on ash	+\$0
EU	oak on ash	+\$0
EV	walnut on ash	+\$0
EW	medium matte walnut	+\$0
OU	walnut	+\$0
UL	natural maple	+\$0

Step 13. Edge Finish Right

For high-pressure laminate panel + metal wrapper (SL)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 14. Shroud Finish Right

For high-pressure laminate panel + metal wrapper (SL) or veneer panel + metal wrapper (SW)

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Ambit™ Height Adjustable Table Leg
Shroud *continued*

Ambit™ Shroud

Sand Texture Paint		
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
DB3	glacier	+\$20
DN2	nightfall	+\$20
DR1	canyon	+\$20
OLF	olive	+\$20

Step 15. Shroud Cable Management Bezel Right <i>For right (R) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)</i>		
8Q	folkstone grey (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
UBK	ultra black (CP)	+\$0

Step 16. Tool Rail Left <i>For left (L) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)</i>		
1	none	+\$0
2	Ubi work tool attached	+\$95

Step 17. Accessory Options Left <i>For 30" deep (29" surface size) (30) with left (L) with Ubi work tool attached (2)</i>		
A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
C	YT716 - document holder	+\$0
F	YT715 - sm. shelf with canyon liner	+\$138
G	YT715 - sm. shelf with pesto liner	+\$138
H	YT715 - sm. shelf with bayou liner	+\$138
I	YT715 - sm. shelf with greystone liner	+\$138
J	YT715 - sm. shelf with charcoal liner	+\$138
E	YT715 - large accessory shelf - no liner	+\$187
K	YT715 - lg. shelf with canyon liner	+\$297
L	YT715 - lg. shelf with pesto liner	+\$297
M	YT715 - lg. shelf with bayou liner	+\$297
N	YT715 - lg. shelf with greystone liner	+\$297
O	YT715 - lg. shelf with charcoal liner	+\$297

<i>For 24" deep (23" surface size) (24) with left (L) with Ubi work tool attached (2)</i>		
A	None	+\$0
B	YT700 - bag hook	+\$55
D	YT715 - small accessory shelf - no liner	+\$81
F	YT715 - sm. shelf with canyon liner	+\$138

Step 18. Accessory Options Left Finish <i>For YT700 - bag hook (B), YT715 - small accessory shelf - no liner (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (J), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)</i>		
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0

Step 19. Tool Rail Right <i>For right (R) with high-pressure laminate panel + metal wrapper (SL), all metal (SM), or veneer panel + metal wrapper (SW)</i>		
1	none	+\$0
2	Ubi work tool attached	+\$95

Ambit™ Height Adjustable Table Leg Shroud *continued*

Step 20. Accessory Options Right

For 30" deep (29" surface size) (30) with right (R) with Ubi work tool attached (2)

A	None	+ \$0
B	YT700 - bag hook	+ \$55
D	YT715 - small accessory shelf - no liner	+ \$81
C	YT716 - document holder	+ \$0
F	YT715 - sm. shelf with canyon liner	+ \$138
G	YT715 - sm. shelf with pesto liner	+ \$138
H	YT715 - sm. shelf with bayou liner	+ \$138
I	YT715 - sm. shelf with greystone liner	+ \$138
J	YT715 - sm. shelf with charcoal liner	+ \$138
E	YT715 - large accessory shelf - no liner	+ \$187
K	YT715 - lg. shelf with canyon liner	+ \$297
L	YT715 - lg. shelf with pesto liner	+ \$297
M	YT715 - lg. shelf with bayou liner	+ \$297
N	YT715 - lg. shelf with greystone liner	+ \$297
O	YT715 - lg. shelf with charcoal liner	+ \$297

For 24" deep (23" surface size) (24) with right (R) with Ubi work tool attached (2)

A	None	+ \$0
B	YT700 - bag hook	+ \$55
D	YT715 - small accessory shelf - no liner	+ \$81
F	YT715 - sm. shelf with canyon liner	+ \$138

Step 21. Accessory Options Right Finish

For YT700 - bag hook (B), YT715 - small accessory shelf - no liner (D), YT715 - sm. shelf with canyon liner (F), YT715 - sm. shelf with pesto liner (G), YT715 - sm. shelf with bayou liner (H), YT715 - sm. shelf with greystone liner (I), YT715 - sm. shelf with charcoal liner (J), YT715 - large accessory shelf - no liner (E), YT715 - lg. shelf with canyon liner (K), YT715 - lg. shelf with pesto liner (L), YT715 - lg. shelf with bayou liner (M), YT715 - lg. shelf with greystone liner (N), or YT715 - lg. shelf with charcoal liner (O)

613	silver (CP)	+ \$0
UBK	ultra black (CP)	+ \$0
91	white (CP)	+ \$0
98	studio white (CP)	+ \$0
BK	black	+ \$0
G1	graphite (CP)	+ \$0

Step 22. Vertical Cable Management

1	none	+ \$0
3	shroud attached	+ \$156

Step 23. Vertical Cable Management Attachment

For shroud attached (3)

2	worksurface connected	+ \$0
3	horizontal cable trough connected	+ \$0

Step 24. Vertical Cable Management Finish

UBK	ultra black (CP)	+ \$0
BK	black	+ \$0
SY	silver grey	+ \$0

Index by Product Name

Nevi™ Sit-to-Stand Tables	
Ambit™ Height Adjustable Table Leg Shroud	page(s) 52
Ambit™ Height Adjustable Table Screen, Metal	43
Ambit™ Height Adjustable Table Screen, PET	39
Ambit™ Height Adjustable Table Screen, Thin Profile Fabric	32
Ambit™ Suspended Storage	15
Cable Management Channel	18
Cable Management Trough	19
Easy Access Height-Adjustable Vertical Cable Manager	21
External Cable Manager	17
Fabric Modesty Panel	47
Flat Edge Screen, Delineation	50
Height-Adjustable Vertical Cable Manager	20
Laminate Screen, Surface Attached	30
Modesty Panel	45
Pari Screen, Delineation	48
Pari Screen, Height Adjustable Tables	22
Personal Side Screen	25
Personal Side Screen, Rectangular	29
Rectangle Table with C-Foot	5
Rectangle Table with T-Foot	9
Surface-Attached Screen, Flat Edge	26
Table Base Kit - 2 Legs	13



Index by Product Number

DU11B. External Cable Manager	page(s) 17
DU11S.	
DU15B. Height-Adjustable Vertical Cable Manager	20
DU15S.	
DU16B. Easy Access Height-Adjustable Vertical Cable Manager	21
DU16S.	
DV8SM. Ambit™ Height Adjustable Table Leg Shroud	52
DV8SN.	
DV8SR.	
DW6ACS Rectangle Table with C-Foot	5
DW6ATS Rectangle Table with T-Foot	9
DW7A. Table Base Kit - 2 Legs	13
FT19C. Cable Management Channel	18
FT199. Cable Management Trough	19
FT354. Pari Screen, Delineation	48
FT358. Flat Edge Screen, Delineation	50
IH200. Ambit™ Suspended Storage	15
Y1113. Modesty Panel	45
Y1114. Fabric Modesty Panel	47
Y1116. Pari Screen, Height Adjustable Tables	22
Y1117. Personal Side Screen	25
Y1118. Surface-Attached Screen, Flat Edge	26
Y1119. Personal Side Screen, Rectangular	29
Y1120. Laminate Screen, Surface Attached	30
Y1150. Ambit™ Height Adjustable Table Screen, Thin Profile Fabric	32
Y1155. Ambit™ Height Adjustable Table Screen, PET	39
Y1160. Ambit™ Height Adjustable Table Screen, Metal	43



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian®

Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at:
(866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

© HermanMiller, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyris, Lyris 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsur® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Lisocore® is a registered trademark of Pyrus Panels GmbH.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.

Valor™ is among the trademarks owned by Nemschoff, Inc.