



Prices effective February 3, 2025

Published March 2025

Everywhere™ Tables

10-Day or Less

Introduction	page 2
Everywhere™ Tables 10-Day or Less	3
Standard-Height Tables	5
Standard-Height Table Legs and Bases	13
Screens	14
Power and Data Support	15
Accessories	18
Indices	23
By Name	23
By Number	25
Appendices	
10-Day or Less Order Information	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 3, 2025, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

For additional product information such as dimensional drawings and product descriptions, refer to the standard price books.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

Standard-Height Tables

Standard-Height Table Legs and Bases

Screens


Power and Data Support

Accessories



Rectangular Table

DT1AS.



Specification Information

Step 1.

DT1A

Step 2. Edge

S. squared-edge

Step 3. Depth

For squared-edge (S.)

18 18" deep

24 24" deep

30 30" deep

Step 4. Width

For 18" deep (18)

48 48" wide

60 60" wide

72 72" wide

For 24" deep (24) or 30" deep (30)

36 36" wide

42 42" wide

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For squared-edge (S.)

L high-pressure laminate top/thermoplastic edge

M thermally-fused laminate top/thermoplastic edge

U high-pressure laminate/universal edge

T thermally-fused laminate top/universal edge

Step 6. Leg Type

For 18" deep (18)

P post leg

For 24" deep (24) or 30" deep (30)

P post leg

Prices for Steps 1-6.

		LP	MP	UP	TP
DT1AS.	18 48	\$1114	1042	1114	1042
	60	\$1222	1142	1222	1142
	72	\$1320	1234	1320	1234
	24 36	\$1114	1042	1114	1042
	42	\$1170	1094	1170	1094
	48	\$1224	1143	1224	1143
	54	\$1299	1214	1299	1214
	60	\$1376	1286	1376	1286
	66	\$1472	1375	1472	1375
	72	\$1578	1475	1578	1475
	30 36	\$1157	1081	1157	1081
	42	\$1213	1134	1213	1134
	48	\$1277	1193	1277	1193
	54	\$1350	1262	1350	1262
	60	\$1433	1339	1433	1339
	66	\$1532	1432	1532	1432
	72	\$1638	1531	1638	1531

Rectangular Table *continued*

Step 7. Top Finish

For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For thermally-fused laminate top/thermoplastic edge (M) or thermally-fused laminate/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

For high-pressure laminate/universal edge (U) or thermally-fused laminate top/universal edge (T)

PLY	plywood edge	+\$50
-----	--------------	-------

Step 9. Leg Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Rectangular Table *continued*

Sand Texture Paint		
BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 10. Casters/Glides		
20	casters	+\$0
57	glides	+\$0


Step 11. Grommets

<i>For squared-edge (S.) with 18" deep (18)</i>		
NTG	no grommet	+\$0

<i>For squared-edge (S.) with 24" deep (24), or 30" deep (30)</i>		
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Square Table

DT1BS.



Specification Information

Step 1.

DT1B

Step 2. Edge

S. squared-edge

Step 3. Depth/Width

3030	30" deep x 30" wide
3636	36" deep x 36" wide
4242	42" deep x 42" wide
4848	48" deep x 48" wide

Step 4. Surface Material

For squared-edge (S.)

L	high-pressure laminate top/thermoplastic edge
M	thermally-fused laminate top/thermoplastic edge
U	high-pressure laminate/universal edge
T	thermally-fused laminate top/universal edge

Step 5. Leg/Base Type

<i>For 30" deep x 30" wide (3030)</i>	
P	post leg

<i>For 36" deep x 36" wide (3636)</i>	
P	post leg

<i>For 42" deep x 42" wide (4242)</i>	
P	post leg

<i>For 48" deep x 48" wide (4848)</i>	
P	post leg

Prices for Steps 1-5.

	P
DT1BS. 3030 L	\$1059
M	\$991
U	\$1059
T	\$991
3636 L	\$1268
M	\$1188
U	\$1268
T	\$1188

Everywhere™ Standard-Height Tables

4242	L	\$1455
	M	\$1364
	U	\$1455
	T	\$1364
4848	L	\$1629
	M	\$1526
	U	\$1629
	T	\$1526

Step 6. Top Finish

For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For thermally-fused laminate top/thermoplastic edge (M) or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Square Table *continued*

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

For high-pressure laminate/universal edge (U) or thermally-fused laminate top/universal edge (T)


PLY	plywood edge	+\$50
-----	--------------	-------

Step 8. Casters/Glides

20	casters	+\$0
57	glides	+\$0

Round Table

DT1CS.



Specification Information

Step 1.

DT1C

Step 2. Edge

S. squared-edge

Step 3. Diameter

30	30" diameter
36	36" diameter
42	42" diameter
48	48" diameter
60	60" diameter

Step 4. Surface Material

For squared-edge (S.)

L	high-pressure laminate top/thermoplastic edge
M	thermally-fused laminate top/thermoplastic edge

Step 5. Leg/Base Type

For 30" diameter (30) or 36" diameter (36)

P post leg

For 42" diameter (42)

P post leg

For 48" diameter (48) or 60" diameter (60)

P post leg

Prices for Steps 1-5.

	P
DT1CS. 30 L	\$1220
M	\$1133
36 L	\$1470
M	\$1364
42 L	\$1683
M	\$1562
48 L	\$1883
M	\$1747
60 L	\$2057
M	\$1908

Round Table *continued*

Step 6. Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Step 7. Edge Finish


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
CL	cool grey neutral	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0

Step 8. Casters/Glides

20	casters	+\$0
57	glides	+\$0

Oval Table

DT1DS.



Specification Information

Step 1.

DT1D

Step 2. Edge

S. squared-edge

Step 3. Depth

30 30" deep

36 36" deep

42 42" deep

Step 4. Width

For 30" deep (30)

48 48" wide

60 60" wide

For 36" deep (36)

60 60" wide

72 72" wide

For 42" deep (42)

72 72" wide

84 84" wide

Step 5. Surface Material

For squared-edge (S.)

M thermally-fused laminate top/thermoplastic edge

L high-pressure laminate top/thermoplastic edge

Step 6. Leg/Base Type

For 48" wide (48) or 60" wide (60)

P post leg

For 72" wide (72) or 84" wide (84)

P post leg

Prices for Steps 1-6.

	MP	LP
DT1DS. 30 48	\$1325	1442
60	\$1432	1557
36 60	\$1588	1728
72	\$1825	1985

42 72	\$1953	2124
84	\$2010	2187

Step 7. Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Oval Table *continued*

Step 8. Edge Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 9. Leg/Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BU	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 10. Casters/Glides


20	casters	+\$0
57	glides	+\$0

Step 11. Grommets

NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Standard-Height Table Leg

DT2A.



Specification Information

Step 1.

DT2A.

Step 2. Depth

18	18" deep
24	24" deep
30	30" deep

Step 3. Leg Type

For 18" deep (18)

P post leg

For 24" deep (24) or 30" deep (30)

P post leg

Step 4. Table Top Surface Material

For post leg (P)

P painted table top

Z high-pressure laminate or veneer table top

Prices for Steps 1-4.

	P	Z
DT2A. 18 P	\$812	812
24 P	\$812	812
30 P	\$812	812

Step 5. Leg Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0


Step 6. Casters/Glides

20	casters	+\$0
57	glides	+\$0

Everywhere™ Standard-Height Table Legs and Bases

Metal Straight Screen, Surface
Attached with Modesty

YT250.



Specification Information

Step 1.
YT250.

Step 2. Height

A 11" high

Step 3. Width

34 34" wide

46 46" wide

Prices for Steps 1-3.


	34	46
YT250. A	\$435	463

Step 4. Screen Finish

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
SNB	satin bronze	+\$10
91	white (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0

Modesty Panel

Y1113.



Specification Information

Step 1.
Y1113.

Step 2. Width

60 60" wide

Step 3. Cable Trough

Y with added cable trough

Step 4. Surface Material

L thermally-fused laminate top/thermoplastic edge

Prices for Steps 1-4.

	L
Y1113. 60 Y	\$845

Step 5. Finish


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0

Step 6. Edge Finish

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0

Connect™-S200

Y1322.



Specification Information

Step 1.

Y1322.

Step 2. Configuration

- 1 1 simplex receptacle, 1 data opening
- 2 2 simplex receptacles

Step 3. Power Type

- A power cord with plug end
- B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03 3' cord/conduit
- 06 6' cord/conduit
- 10 10' cord/conduit
- 20 20' cord/conduit

Prices for Steps 1-4.

		03	06	10	20
Y1322.	1 A	\$366	366	379	451
	B	\$442	442	455	525
	2 A	\$386	386	401	473
	B	\$464	464	479	552

Step 5. Wiring Type


- 4Z standard +\$0

Step 6. Finish

- 0H black +\$0
- 0I silver +\$0
- 0J white +\$0

Connect™-S300

Y1323.



Specification Information

Step 1.

Y1323.

Step 2. Configuration

- 3 2 simplex receptacles, 2 data openings
- 4 3 simplex receptacles, 3 data openings
- 5 2 simplex receptacles, 1 data opening, 1 charging USB port
- 6 3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

- A power cord with plug end
- B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03 3' cord/conduit
- 06 6' cord/conduit
- 10 10' cord/conduit
- 20 20' cord/conduit

Step 5. Attachment

- G grommet mount
- S surface clamp


Prices for Steps 1-5.

		03G	03S	06G	06S	10G	10S
Y1323.	3 A	\$415	415	415	415	433	433
	B	\$493	493	493	493	510	510
	4 A	\$517	517	517	517	530	530
	B	\$599	599	599	599	613	613
	5 A	\$580	580	580	580	597	597
	B	\$662	662	662	662	674	674
	6 A	\$681	681	681	681	699	699
	B	\$764	764	764	764	778	778

		20G	20S
Y1323.	3 A	\$504	504
	B	\$578	578
	4 A	\$606	606
	B	\$681	681
	5 A	\$668	668
	B	\$773	773
	6 A	\$768	768
	B	\$879	879

Step 6. Finish

0H	black	+\$0
0I	silver	+\$0
0J	white	+\$0



Specification Information

Step 1.

Y1324.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
5	3 simplex receptacles, 4 data openings
6	2 simplex receptacles, 1 data opening, 1 charging USB port
7	3 simplex receptacles, 3 data opening, 1 charging USB port
8	3 simplex receptacles, 2 data opening, 2 charging USB ports

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.


		03	06	10	20
Y1324. 3	A	\$578	578	594	666
	B	\$657	657	674	743
5	A	\$742	742	758	828
	B	\$821	821	831	901
6	A	\$743	743	758	828
	B	\$824	824	839	911
7	A	\$907	907	925	997
	B	\$988	988	1000	1069
8	A	\$1073	1073	1087	1160
	B	\$1154	1154	1164	1232

Step 5. Wiring Type

4Z	standard	+\$0
-----------	----------	------

Step 6. Finish

0K	silver anodized	+\$0
-----------	-----------------	------



Specification Information

Step 1.

Y1325.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
7	3 simplex receptacles, 3 data openings
5	2 simplex receptacles, 1 data opening, 1 charging USB port
6	3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.


		03	06	10	20
Y1325. 3	A	\$680	680	698	767
	B	\$762	762	773	844
7	A	\$782	782	801	870
	B	\$864	864	878	950
5	A	\$849	849	864	934
	B	\$929	929	941	1010
6	A	\$950	950	965	1038
	B	\$1028	1028	1045	1114

Step 5. Finish

0K	silver anodized				+\$0
-----------	-----------------	--	--	--	------

Cable Management Clip


DT9A.



Specification Information	
Step 1.	
DT9A.	\$60

Modesty Panel

Y1113.



Specification Information	
Step 1.	
Y1113.	

Step 2. Width	
60	60" wide

Step 3. Cable Trough	
Y	with added cable trough

Step 4. Surface Material	
L	thermally-fused laminate top/thermoplastic edge


Prices for Steps 1-4.	
	L
Y1113. 60 Y	\$845

Step 5. Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0

Step 6. Edge Finish		
125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
98	studio white (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0

Cable Management Trough, Work Surface Suspended

AO382.



Specification Information

Step 1.

AO382.

Step 2. Width

30 30" wide

40 40" wide

Prices for Steps 1-2.


AO382. 30	\$123
40	\$151

Step 3. Surface Finish

UBK ultra black (CP)	+\$0
MT medium tone	+\$0

Cord Manager

FV984.



Specification Information

Step 1.

FV984.

Step 2. Height


12 12" high

24 24" high

Prices for Steps 1-2.


FV984. 12	\$118
24	\$181

Connect™-Ganging Bracket Kit Y1338.



Specification Information	
Step 1.	
Y1338.	\$119

Connect™-S200 Y1322.



Specification Information	
Step 1.	
Y1322.	

Step 2. Configuration

- | | |
|---|--------------------------------------|
| 1 | 1 simplex receptacle, 1 data opening |
| 2 | 2 simplex receptacles |

Step 3. Power Type

- | | |
|---|--|
| A | power cord with plug end |
| B | conduit with open end, for hard-wiring |

Step 4. Cord/Conduit Length

- | | |
|----|------------------|
| 03 | 3' cord/conduit |
| 06 | 6' cord/conduit |
| 10 | 10' cord/conduit |
| 20 | 20' cord/conduit |

Prices for Steps 1-4.


				03	06	10	20
Y1322.	1	A		\$366	366	379	451
		B		\$442	442	455	525
	2	A		\$386	386	401	473
		B		\$464	464	479	552

Step 5. Wiring Type

- | | | |
|----|----------|------|
| 4Z | standard | +\$0 |
|----|----------|------|

Step 6. Finish

- | | | |
|----|--------|------|
| 0H | black | +\$0 |
| 0I | silver | +\$0 |
| 0J | white | +\$0 |



Specification Information

Step 1.

Y1323.

Step 2. Configuration

- 3** 2 simplex receptacles, 2 data openings
- 4** 3 simplex receptacles, 3 data openings
- 5** 2 simplex receptacles, 1 data opening, 1 charging USB port
- 6** 3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

- A** power cord with plug end
- B** conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03** 3' cord/conduit
- 06** 6' cord/conduit
- 10** 10' cord/conduit
- 20** 20' cord/conduit

Step 5. Attachment

- G** grommet mount
- S** surface clamp

Prices for Steps 1-5.

			03G	03S	06G	06S	10G	10S
Y1323.	3	A	\$415	415	415	415	433	433
		B	\$493	493	493	493	510	510
	4	A	\$517	517	517	517	530	530
		B	\$599	599	599	599	613	613
	5	A	\$580	580	580	580	597	597
		B	\$662	662	662	662	674	674
	6	A	\$681	681	681	681	699	699
		B	\$764	764	764	764	778	778


							20G	20S
Y1323.	3	A					\$504	504
		B					\$578	578
	4	A					\$606	606
		B					\$681	681
	5	A					\$668	668
		B					\$773	773
	6	A					\$768	768
		B					\$879	879

Step 6. Finish

0H	black	+\$0
0I	silver	+\$0
0J	white	+\$0

Connect™-S400

Y1324.



Specification Information

Step 1.

Y1324.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
5	3 simplex receptacles, 4 data openings
6	2 simplex receptacles, 1 data opening, 1 charging USB port
7	3 simplex receptacles, 3 data opening, 1 charging USB port
8	3 simplex receptacles, 2 data opening, 2 charging USB ports

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.

			03	06	10	20
Y1324.	3	A	\$578	578	594	666
		B	\$657	657	674	743
	5	A	\$742	742	758	828
		B	\$821	821	831	901
	6	A	\$743	743	758	828
		B	\$824	824	839	911
	7	A	\$907	907	925	997
		B	\$988	988	1000	1069
	8	A	\$1073	1073	1087	1160
		B	\$1154	1154	1164	1232

Step 5. Wiring Type


4Z	standard	+\$0
----	----------	------

Step 6. Finish

0K	silver anodized	+\$0
----	-----------------	------

Connect™-S500

Y1325.



Specification Information

Step 1.

Y1325.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
7	3 simplex receptacles, 3 data openings
5	2 simplex receptacles, 1 data opening, 1 charging USB port
6	3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.

			03	06	10	20
Y1325.	3	A	\$680	680	698	767
		B	\$762	762	773	844
	7	A	\$782	782	801	870
		B	\$864	864	878	950
	5	A	\$849	849	864	934
		B	\$929	929	941	1010
	6	A	\$950	950	965	1038
		B	\$1028	1028	1045	1114

Step 5. Finish

0K	silver anodized	+\$0
----	-----------------	------

Index by Product Name

Everywhere™ Tables 10-Day or Less	
Cable Management Clip	page(s) 18
Cable Management Trough, Work Surface Suspended	19
Connect™-Ganging Bracket Kit	20
Connect™-S200	15, 20
Connect™-S300	15, 21
Connect™-S400	16, 22
Connect™-S500	17, 22
Cord Manager	19
Metal Straight Screen, Surface Attached with Modesty	14
Modesty Panel	14, 18
Oval Table	11
Rectangular Table	5
Round Table	9
Square Table	7
Standard-Height Table Leg	13



Index by Product Number

AO382. Cable Management Trough, Work Surface Suspended	page(s) 19
DT1AS. Rectangular Table	5
DT1BS. Square Table	7
DT1CS. Round Table	9
DT1DS. Oval Table	11
DT2A. Standard-Height Table Leg	13
DT9A. Cable Management Clip	18
FV984. Cord Manager	19
Y1113. Modesty Panel	14, 18
Y1322. Connect™-S200	15, 20
Y1323. Connect™-S300	15, 21
Y1324. Connect™-S400	16, 22
Y1325. Connect™-S500	17, 22
Y1338. Connect™-Ganging Bracket Kit	20
YT250. Metal Straight Screen, Surface Attached with Modesty	14



10-Day or Less Order Information

10-Day or Less Program

10-day or less products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple West Michigan manufacturing facilities. These include Holland, Spring Lake, and Zeeland. Orders will be shipped within 10 business days or less from the date of Herman Miller acknowledgement.

Ordering Procedures

1. Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.
Order Entry fax number for Meridian® Filing and Storage:
(616) 846 9236.
Order Entry fax number for all other products:
(616) 654 3085.
2. Orders must be clearly marked “10-day or less program” and include only 10-day or less products. Orders not marked this way will be processed under standard lead times. Orders for standard lead times must be placed on a separate purchase order.
3. Only fabrics and finishes listed with each product are available through the 10-day or less program.
4. For any 10-day or less project over \$250,000 list price, please contact your Customer Care representative within 48 hours of order entry to reserve lead time.
5. For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

© HermanMiller, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bubbletack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyriss, Lyriss 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Lisocore® is a registered trademark of Pyrus Panels GmbH.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.

Valor™ is among the trademarks owned by Nemschoff, Inc.