



GSA prices effective October 7, 2024
(based on July 1, 2024, commercial price list)
Published March 2025

Conference Room and Multipurpose Tables Everywhere™ Tables

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!®, a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture
FSC/PSC 7110/7125
Contract Number: GS-03F-036DA
UEI: Q2K3MSZ843D8
Contract Period: December 21, 2015—December 20, 2025

MillerKnoll, Inc.
855 East Main Avenue
Zeeland, Michigan 49464
(616) 654 3000 Phone
(616) 654 8278 Fax
www.HermanMiller.com/government

Business Size: Large

Contract Information

1a. Special Item Numbers (SIN)

SIN 33721

Furniture Systems, Computer Furniture, Filing and Storage, Tables and Accessories, Upholstered Seating and Multi-Purpose Seating, Project Management, Reconfiguration and Relocation Services, Design/Layout and Installation Services

SIN 33721P

Packaged Offices

SIN 337127

Modular Laboratory Furniture Systems

SIN 339113H

Healthcare Furniture

SIN OLM

Order-Level Materials (OLMs)

This SIN is only for products and/or services used in direct support of the purchase of new furniture. It requires approval from the ordering Contract Officer. Please contact your local MillerKnoll Inc. representative to discuss the appropriate use of this SIN.

SIN 532289

Leasing

Contact MillerKnoll Inc participating government dealer for current leasing information.

1b. Lowest Priced Model

SIN 33721:	BVP3.S	\$7.27
SIN 33127:	TW113	\$5.81
SIN 339113H:	CR900NR	\$483.80

1c. Service Rates

Project Management

Furniture Project Manager: \$64.75 per hour
Furniture Project Coordinator: \$49.00 per hour
Build-Out Project Manager: \$80.00 per hour

Reconfiguration and Relocation Services

Not to exceed \$55 per hour.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

Design/Layout

Not to exceed \$65 per hour.

Installation Services

Not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation).

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

2. Maximum Order

SIN 33721, 337127, NEW, OLM

\$250,000 net product value

SIN 33721P

\$250,000 net value

SIN 339113H

\$500,000 net product value

3. Minimum Order

\$100 net

4. Geographic Coverage

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

5. Point of Production

Zeeland, Ottawa County, Michigan

Spring Lake, Ottawa County, Michigan

Elland, Yorkshire, United Kingdom

Hildebran, Burke County, North Carolina, USA

6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 33721

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Action Office 1	73.8%
Action Office 2	73.8%
Aeron	64.5%
Ambit Workspace Solutions	74.3%
Asari Chair	53.7%
Aside	64.2%
Bay Work Pod	56.7%
C-Style Overhead Storage	73.8%
Canvas Office Landscape Channel	74.8%
Canvas Office Landscape Dock	74.8%
Canvas Metal Desk	74.8%
Canvas Office Landscape Metal Storage	74.8%
Canvas Office Landscape Private Office	74.8%
Canvas Office Landscape Wood Storage	74.8%
Canvas Office Landscape Vista	74.8%
Canvas Office Landscape Wall	74.8%
Caper	61.5%
Commend Nurses Station	73.3%
Cosm	61.7%
Eames® Aluminum Group	58.7%
Eames Conference & Dining Tables	73.6%
Easton Family	54.91%
Embody	59.7%
Energy Distribution Systems	73.8%
Ethospace System	73.8%
Everywhere™ Tables	73.8%
Exclave	61.7%

Contract Information

continued

Fuld	59.7%
Headway™ Tables	73.8%
Intent Solution	58.7%
Layout Studio®	60.7%
Lighting	73.8%
Lino	63.7%
Meridian Laterals	67.3%
Meridian Pedestals	64.2%
Meridian Towers	62.7%
Meridian Storage	62.7%
Mirra 2	61.7%
Motia Tables	73.8%
NaughtOne	50.0%
Nemschoff	54.91%
Nevi™ Tables	73.8%
Nevi Link	73.8%
OE1 Boundary	72.8%
OE1 Community Elements	61.7%
OE1 Micro Packs	73.8%
OE1 Storage	72.8%
OE1 Tables and Benching	73.8%
Overlay™	62.7%
Plex® Lounge Furniture	59.5%
Pronta Stacking Chair	57.7%
Public Office Landscape	61.7%
Renew™ Tables	73.8%
Renew Link	73.8%
Sayl	62.2%
Setu	59.7%
Swoop Lounge Furniture	60.7%
Thrive Portfolio	62.0%
Thrive Portfolio-CBS Products Extension	62.0%
Tu Lateral Files	74.3%
Tu Pedestals	73.8%
Tu Storage	74.3%
Tu Towers	74.3%
Tu Wood Cases	74.3%
Tu Wood Cubbies	74.3%
Tu Wood Credenzas	74.3%
Tu Wood Pedestals	74.3%
Tu Wood Towers	74.3%
Valor™ Family	54.91%
Verus	63.7%
Zeph	60.2%

Services

Please refer to section 19 for Terms and Conditions of Installation/ Reconfiguration and Relocation Services.

Project Management

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local MillerKnoll Inc. representative to discuss the available labor categories (listed below). The hourly rates listed are “Not To Exceed” or “NTE” values.

Furniture Project Manager: \$64.75 per hour
Furniture Project Coordinator: \$49.00 per hour
Build-Out Project Manager: \$80.00 per hour

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

Design/Layout

Design service will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$65 per hour.

Installation Services

Installation Services will be provided by MillerKnoll Inc. or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation).

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 337127

Standard Lead Time, Single Order Net Purchase \$100 - 250,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Action Lab	58.5%
Compass System	58.5%
Co/Struc System	58.5%
Healthcare Carts	18.0%
Mora System	58.5%
Bedside Cabinets	58.5%

SIN 33721P

Packaged Office Furniture - Maximum Order \$250,000 (net).

Includes packaged furniture solutions for customers needing to furnish an office.

SIN 339113H

Standard Lead Time, Single Order Net Purchase \$100 - 500,000, includes approved Herman Miller Options Products.

Product Line	Discount From List
Nemschoff Healthcare Furniture	54.91%

7. Quantity Discounts

Reference item #6.

8. Payment Terms

Net 30 days

9. Foreign Items

None

10. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact MillerKnoll Inc. or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

Contract Information

continued

11. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

12. Ordering Address

a. MillerKnoll Inc.

Government Customer Care 0161
855 East Main Avenue
Zeeland MI 49464.

b. For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3.

13. Payment Address.

MillerKnoll Inc.
22764 Network Place
Chicago, IL 60673-1227

14. Warranty

MillerKnoll Inc. commercial warranty applies.

15. Export Packing Charge

Prices supplied on request.

16. Rental Maintenance and Repair Terms

Not applicable

17. Terms and Conditions of Installation/Reconfiguration and Relocation Services

* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

18. Terms and Conditions of Repair Parts

Not applicable

19. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

20. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/where-to-buy/contact-a-dealer/. Select your market by using the filter.

21. Preventive Maintenance

Not applicable

22a. Special Attributes.

2022

MillerKnoll earns its 15th consecutive perfect score in Human Rights Campaign Foundation's 2022 Corporate Equality Index.

2021

The OE1 Trolley and Micro Packs are both winners of the 2021 Archiproducts international design competition in the Office Category.

MillerKnoll is named to Michigan's Best and Brightest in Wellness List for 2021.

MillerKnoll is awarded Platinum Rating in CSR by EcoVadis.

OE1 is named winner of Wallpaper's "Most Futuristic Furniture" Category as part of their first-ever Smart Space Awards.

OE1 receives the Workplace category award from Fast Company's 2021 Innovation by Design Awards.

MillerKnoll is named to Fast Company's Annual List of the World's Most Innovative Companies for 2021.

MillerKnoll is recognized as a "Disclosure Leader" by the Chemical Footprint Project (CFP).

Contract Information

continued

MillerKnoll earns its 14th consecutive perfect score in Human Rights Campaign Foundation's 2021 Corporate Equality Index.

MillerKnoll is named to Newsweek's List of America's Most Responsible Companies 2021.

Great Lakes Women's Business Council awards MillerKnoll for "Excellence in Supplier Diversity" in the Best In Class category.

2020

Herman Miller is recognized with a 2020 FSC® Leadership Award for our commitment to responsible forestry management.

Herman Miller is named one of Investor's Business Daily Top 50 Best ESG (Environmental, Social, and Corporate Governance) Companies.

Working Mother names Herman Miller as one of the Best Companies for Dads.

Herman Miller is awarded Platinum Rating in CSR by EcoVadis.

Herman Miller is named Diversity Inc 2020 Noteworthy Company for recruitment efforts, employee development opportunities, leadership accountability, and supplier diversity.

Cosm, by Studio 7.5, receives an iF Gold Award in the Office and Industry category at the iF World Design Awards 2020.

Herman Miller earns its 13th consecutive perfect score in Human Rights Campaign Foundation's 2020 Corporate Equality Index.

2019

Mora System casework, designed by Collective Ten for Herman Miller, receives silver in the Industrial and Life Science Design/Medical Furniture category at the European Product Design Awards.

Mora System casework is awarded GOOD DESIGN Award 2019, selected for design excellence and innovation.

National Minority Supplier Diversity Council (NMSDC) names Herman Miller as the 2019 Class 1 Corporation of the Year for leadership in supplier diversity.

TIME Magazine names Cosm to its list of 100 Best Inventions of 2019.

Herman Miller is named #12 Overall and #2 in Manufacturing on Investor's Business Daily Best ESG (Environmental, Social, Governance) Companies.

Herman Miller is recognized as a silver level Certified Veteran-Friendly Employer by the Michigan Veterans Affairs Agency for a commitment to veteran hiring, retention, and development.

For the second year in a row, Herman Miller receives a Gold Medal from EcoVadis in recognition of Corporate Social Responsibility achievement measured in categories of environment, labor and human rights, ethics, and sustainable procurement.

Herman Miller is named "Frontrunner" in Chemical Footprint Project by Clean Production Action for our chemical management policies and practices.

Herman Miller receives International Interior Design Association and Contract's best showroom design award in the "Large Showroom" category at NeoCon.

Herman Miller earns its 12th consecutive perfect score in Human Rights Campaign Foundation's 2019 Corporate Equality Index.

Cosm, designed by Studio 7.5 for Herman Miller, receives a Red Dot Best of the Best Product Design Award in the "Office Chairs" category.

Lino, designed by Sam Hecht and Kim Colin for Herman Miller, receives an iF Design Award in the Product Design category.

2018

Overlay, designed by Birsell+Seck, receives Interior Design Best of Year Award in the Partitions and Wall Systems category.

Herman Miller receives the "Corporation of the Year" in consumer products award from the Michigan Minority Supplier Development Council.

Herman Miller achieves the Advanced Excellence in Supplier Diversity Award from the Great Lakes Women's Business Council for doing business with women-owned suppliers.

Great Lakes Women's Business Council awards Herman Miller for "Excellence in Supplier Diversity" in the Advanced category.

WEConnect awards Herman Miller an Honorable Mention for global supplier diversity initiatives.

As one of the top-scoring companies in the industry for the 14th consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2018 Sustainability Yearbook and receives the Silver Class distinction for excellent sustainability performance—economic, environmental, and social.

For the 11th consecutive year, Herman Miller receives a perfect score on the Human Rights Campaign Foundation's Corporate Equality Index and is designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly LGBT-related policies and practices.

Contract Information

continued

Herman Miller receives Gold Medal from EcoVadis in recognition of Corporate Social Sustainability achievement measured in categories of environment, labor and human rights, ethics, and sustainable procurement. EcoVadis operates the first web-based collaborative platform that allows companies to assess the environmental and social performance of their global suppliers.

Aeron receives Good Design Award from The Chicago Athenaeum Museum of Architecture and Design.

The Cosm Chair wins Mix Interiors “Product of the Year—Task” award.

2017

Herman Miller receives “Rising Star Award” from the Michigan Veterans Affairs Agency (MVAA) for exhibiting new and novel approaches to veteran recruitment and hiring.

Herman Miller is named the 2017 “Corporation of the Year” in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller receives a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award. SEAL Award winners are determined by a holistic methodology measuring applicants against established benchmarks that demonstrate impact and progress toward creating a healthy planet and a sustainable future.

Herman Miller earns the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller is named one of the Best and Brightest in Wellness for the 5th year in a row.

Herman Miller earns its 10th consecutive perfect score in Human Rights Campaign Foundation’s 2017 Corporate Equality Index.

As one of the top-scoring companies in the industry for the 13th consecutive year, Herman Miller has qualified for inclusion in RobecoSAM’s 2017 Sustainability Yearbook and receives the Bronze Class distinction for excellent economic, environmental, and social sustainability performance. The selection criteria for inclusion in the Yearbook becomes more rigorous each year, and only the top 15 percent of companies within each industry are selected.

Herman Miller once again earns the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience. Herman Miller is the only furniture manufacturer among the 160 companies across the U.S. and Canada honored with the award.

Herman Miller’s Mora wins Nightingale Silver Award in the “Furniture Collections” category at the 2017 Healthcare Design Conference.

2016

Herman Miller earns 9th consecutive perfect score in Human Rights Campaign Foundation’s Corporate Equality Index and is designated as Best Place to Work for LGBT equality.

Herman Miller is recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC) for being an outstanding partner in support of the growth of WMEAC’s programs. WMEAC’s award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (5th consecutive year) recognizes Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability. This award celebrates those companies that are making their businesses more sustainable, the lives of their employees better, and the community, both locally and globally, more responsible as a whole.

Herman Miller is recognized by the Michigan Minority Supplier Development Council (MMSDC) as a “Corporation of the Year”. Additionally, we are the only West Michigan company this year to receive an “Ambassadors Championing Excellence” Award from the MMSDC.

Herman Miller is recognized with “2016 Excellence in Supplier Diversity Award” from the Great Lakes Women’s Business Council.

Herman Miller is recognized as a 2016 Healthiest 100 Workplace in America, ranking 49th in the country for our commitment to health and exceptional corporate wellness programming.

Herman Miller receives the Best and Brightest in Wellness Award for the 4th year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

The Michigan Occupational Safety and Health Administration renews Herman Miller’s “Star” status, the highest workplace safety and health designation, for the Hickory facility in Spring Lake.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Herman Miller is named a 2016 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller is selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for the 12th consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

Contract Information

continued

22b. Section 508 Compliance

Not applicable

23. Unique Entity ID: Q2K3MSZ843D8

24. Registered in System for Award Management (www.SAM.gov) Database

25. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

26. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

Returns and restocking policy is not applicable to Options products, products under SIN 337127, 339113H, NaughtOne and Nemschoff products.

MillerKnoll Inc. Miscellaneous Information:

Federal ID Number: 38-0837640

Commercial and Government Entity Code (CAGE): 40636

Data Universal Numbering System (DUNS) 00-601-2801

Commercial Entity Code (CEC): 00702290J

Introduction	page 2
Everywhere™ Tables	3
Standard-Height Tables	5
Standard-Height Table Legs and Bases	64
Standing-Height Tables	68
Occasional Tables	74
Screens	81
Power and Data Support	95
Accessories	112
Indices	145
By Name	145
By Number	147
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Stain-to-Match Program	
Vary Easy Program	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective October 7, 2024, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.


All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.


Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Standard-Height Tables

Standard-Height Table Legs and Bases

Standing-Height Tables

Occasional Tables

Screens


Power and Data Support

Accessories



Rectangular Table

DT1AE.
DT1AS.
DT1AT.



Product Information

Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Height-adjustable legs have a 5" range in 1" increments.

Notes

18" depth available with square edge only.

C-leg and D-leg cannot be used with either the 18" deep or 36" deep tops.

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.

Cutouts available for all Connect™ power and data accessories (see Thrive™ Portfolio). Cutouts will be located in the center at approximately 3" from the rear edge of surface.

Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.

For additional details on available edge options see Appendices.

For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.


Note: UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P), T-leg (T) and C-leg (C) options.

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Rectangular Table *continued*

Specification Information	
Step 1.	
DT1A	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3. Depth	
<i>For squared-edge (S.)</i>	
18	18" deep
24	24" deep
30	30" deep
36	36" deep
<i>For thin-edge (T.) or eased-edge (E.)</i>	
24	24" deep
30	30" deep
36	36" deep
Step 4. Width	
<i>For 18" deep (18)</i>	
48	48" wide
60	60" wide
72	72" wide
<i>For 24" deep (24) or 30" deep (30)</i>	
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
<i>For 36" deep (36)</i>	
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 5. Surface Material						
<i>For squared-edge (S.)</i>						
L	high-pressure laminate top/thermoplastic edge					
M	thermally-fused laminate top/thermoplastic edge					
T	thermally-fused laminate top/universal edge					
W	veneer top/veneer edge A					
P	painted Formcoat® top/edge					
A	high-pressure laminate top/thermoplastic edge with MicrobeCare™ A					
J	thermally-fused laminate top/thermoplastic edge with MicrobeCare™ A					
B	veneer top/veneer edge with MicrobeCare™ A					
C	high-pressure laminate top/universal edge with MicrobeCare™ A					
K	thermally-fused laminate top/universal edge with MicrobeCare™ A					
<i>For thin-edge (T.)</i>						
W	veneer top/veneer edge A					
P	painted Formcoat® top/edge					
B	veneer top/veneer edge with MicrobeCare™ A					
<i>For eased-edge (E.)</i>						
P	painted Formcoat® top/edge					
Step 6. Leg Type						
<i>For 18" deep (18) or 36" deep (36)</i>						
P	post leg					
T	T-leg					
A	T-leg with height adjustment					
<i>For 24" deep (24) or 30" deep (30)</i>						
P	post leg					
T	T-leg					
A	T-leg with height adjustment					
C	C-leg					
D	C-leg with height adjustment					
Prices for Steps 1-6.						
	LP	LT	LA	LC	LD	MP
DT1AS. 18 48	\$1114	1442	1805	—	—	1042
60	\$1222	1586	1983	—	—	1142
72	\$1320	1712	2141	—	—	1234

Rectangular Table *continued*

24 36	\$1114	1442	1805	1442	1805	1042
42	\$1170	1518	1894	1518	1894	1094
48	\$1224	1589	1987	1589	1987	1143
54	\$1299	1688	2104	1688	2104	1214
60	\$1376	1786	2230	1786	2230	1286
66	\$1472	1913	2388	1913	2388	1375
72	\$1578	2048	2555	2048	2555	1475
30 36	\$1157	1501	1874	1501	1874	1081
42	\$1213	1578	1972	1578	1972	1134
48	\$1277	1656	2064	1656	2064	1193
54	\$1350	1753	2191	1753	2191	1262
60	\$1433	1859	2322	1859	2322	1339
66	\$1532	1987	2483	1987	2483	1432
72	\$1638	2125	2658	2125	2658	1531
36 42	\$1325	1704	2144	—	—	1238
48	\$1344	1690	2160	—	—	1256
54	\$1468	1820	2285	—	—	1371
60	\$1494	1843	2304	—	—	1396
66	\$1576	2017	2539	—	—	1472
72	\$1677	2146	2698	—	—	1568
	MT	MA	MC	MD	TP	TT
DT1AS. 18 48	\$1347	1687	—	—	1042	1347
60	\$1482	1853	—	—	1142	1482
72	\$1601	2001	—	—	1234	1601
24 36	\$1347	1687	1347	1687	1042	1347
42	\$1418	1770	1418	1770	1094	1418
48	\$1485	1857	1485	1857	1143	1485
54	\$1577	1966	1577	1966	1214	1577
60	\$1670	2084	1670	2084	1286	1670
66	\$1787	2232	1787	2232	1375	1787
72	\$1914	2387	1914	2387	1475	1914
30 36	\$1402	1750	1402	1750	1081	1402
42	\$1475	1843	1475	1843	1134	1475
48	\$1548	1930	1548	1930	1193	1548
54	\$1638	2047	1638	2047	1262	1638
60	\$1737	2169	1737	2169	1339	1737
66	\$1857	2321	1857	2321	1432	1857
72	\$1986	2484	1986	2484	1531	1986
36 42	\$1592	2004	—	—	1238	1592
48	\$1580	2019	—	—	1256	1580
54	\$1702	2136	—	—	1371	1702
60	\$1723	2153	—	—	1396	1723
66	\$1885	2373	—	—	1472	1885
72	\$2006	2521	—	—	1568	2006

		TA	TC	TD	WP	WT	WA
DT1AS. 18 48		\$1687	—	—	1281	1689	2130
60		\$1853	—	—	1419	1868	2351
72		\$2001	—	—	1540	2023	2547
24 36		\$1687	1347	1687	1281	1689	2130
42		\$1770	1418	1770	1350	1779	2242
48		\$1857	1485	1857	1422	1870	2358
54		\$1966	1577	1966	1511	1986	2506
60		\$2084	1670	2084	1607	2110	2660
66		\$2232	1787	2232	1725	2264	2849
72		\$2387	1914	2387	1850	2428	3054
30 36		\$1750	1402	1750	1337	1760	2220
42		\$1843	1475	1843	1404	1851	2333
48		\$1930	1548	1930	1484	1949	2455
54		\$2047	1638	2047	1573	2071	2606
60		\$2169	1737	2169	1674	2199	2768
66		\$2321	1857	2321	1796	2358	2970
72		\$2484	1986	2484	1932	2525	3181
36 42		\$2004	—	—	1796	2161	2540
48		\$2019	—	—	1842	2194	2583
54		\$2136	—	—	1990	2350	2733
60		\$2153	—	—	2056	2417	2837
66		\$2373	—	—	2330	2897	3308
72		\$2521	—	—	2441	3212	3710
		WC	WD	PP	PT	PA	PC
DT1AS. 18 48		—	—	\$1212	1570	1963	—
60		—	—	\$1334	1729	2158	—
72		—	—	\$1438	1866	2325	—
24 36		\$1689	2130	1212	1570	1963	1570
42		\$1779	2242	1271	1651	2057	1651
48		\$1870	2358	1335	1732	2163	1732
54		\$1986	2506	1412	1834	2293	1834
60		\$2110	2660	1498	1945	2426	1945
66		\$2264	2849	1601	2082	2597	2082
72		\$2428	3054	1715	2223	2777	2223
30 36		\$1760	2220	1256	1632	2041	1632
42		\$1851	2333	1323	1715	2145	1715
48		\$1949	2455	1389	1801	2248	1801
54		\$2071	2606	1466	1905	2381	1905
60		\$2199	2768	1558	2023	2524	2023
66		\$2358	2970	1666	2163	2700	2163
72		\$2525	3181	1782	2311	2890	2311

Everywhere™ Standard-Height Tables

Rectangular Table *continued*

Everywhere™ Standard-Height Tables

36	42	—	—	\$1441	1852	2326	—
48	—	—	—	\$1462	1838	2351	—
54	—	—	—	\$1596	1980	2483	—
60	—	—	—	\$1625	2005	2508	—
66	—	—	—	\$1651	2158	2734	—
72	—	—	—	\$1672	2330	2930	—
		PD	AP	AT	AA	AC	AD
DT1AS. 18	48	—	\$1220	1549	1912	—	—
	60	—	\$1329	1693	2090	—	—
	72	—	\$1427	1818	2247	—	—
24	36	\$1963	1207	1534	1896	1534	1896
	42	\$2057	1263	1610	1986	1610	1986
	48	\$2163	1331	1697	2094	1697	2094
	54	\$2293	1406	1796	2209	1796	2209
	60	\$2426	1482	1893	2337	1893	2337
	66	\$2597	1579	2018	2495	2018	2495
	72	\$2777	1685	2154	2660	2154	2660
30	36	\$2041	1248	1593	1966	1593	1966
	42	\$2145	1306	1671	2063	1671	2063
	48	\$2248	1384	1762	2172	1762	2172
	54	\$2381	1459	1860	2298	1860	2298
	60	\$2524	1540	1966	2427	1966	2427
	66	\$2700	1638	2094	2589	2094	2589
	72	\$2890	1746	2231	2765	2231	2765
36	42	—	\$1416	1798	2234	—	—
	48	—	\$1450	1800	2268	—	—
	54	—	\$1574	1927	2391	—	—
	60	—	\$1600	1950	2412	—	—
	66	—	\$1684	2125	2646	—	—
	72	—	\$1784	2252	2805	—	—
		JP	JT	JA	JC	JD	BP
DT1AS. 18	48	\$1139	1447	1786	—	—	1384
	60	\$1241	1582	1953	—	—	1520
	72	\$1335	1699	2099	—	—	1641
24	36	\$1128	1434	1773	1434	1773	1369
	42	\$1180	1504	1856	1504	1856	1437
	48	\$1243	1586	1957	1586	1957	1523
	54	\$1313	1677	2065	1677	2065	1610
	60	\$1385	1768	2183	1768	2183	1707
	66	\$1476	1886	2331	1886	2331	1825
	72	\$1574	2013	2486	2013	2486	1950

30	36	\$1166	1488	1837	1488	1837	1424
42	—	\$1220	1562	1928	1562	1928	1493
48	—	\$1293	1646	2030	1646	2030	1583
54	—	\$1363	1738	2147	1738	2147	1674
60	—	\$1440	1837	2269	1837	2269	1774
66	—	\$1531	1957	2418	1957	2418	1896
72	—	\$1630	2085	2584	2085	2584	2032
36	42	\$1323	1679	2089	—	—	1882
48	—	\$1355	1681	2119	—	—	1942
54	—	\$1470	1801	2235	—	—	2090
60	—	\$1496	1822	2254	—	—	2157
66	—	\$1573	1986	2474	—	—	2430
72	—	\$1668	2105	2621	—	—	2542
		BT	BA	BC	BD	CP	CT
DT1AS. 18	48	\$1790	2231	—	—	1220	1549
	60	\$1969	2453	—	—	1329	1693
	72	\$2123	2649	—	—	1427	1818
24	36	\$1777	2219	1777	2219	1207	1534
	42	\$1866	2330	1866	2330	1263	1610
	48	\$1972	2458	1972	2458	1331	1697
	54	\$2088	2605	2088	2605	1406	1796
	60	\$2210	2762	2210	2762	1482	1893
	66	\$2363	2951	2363	2951	1579	2018
	72	\$2528	3156	2528	3156	1685	2154
30	36	\$1848	2306	1848	2306	1248	1593
	42	\$1938	2421	1938	2421	1306	1671
	48	\$2050	2555	2050	2555	1384	1762
	54	\$2172	2707	2172	2707	1459	1860
	60	\$2300	2869	2300	2869	1540	1966
	66	\$2458	3071	2458	3071	1638	2094
	72	\$2626	3281	2626	3281	1746	2231
36	42	\$2248	2626	—	—	1416	1798
48	—	\$2295	2684	—	—	1450	1800
54	—	\$2451	2834	—	—	1574	1927
60	—	\$2517	2937	—	—	1600	1950
66	—	\$2998	3409	—	—	1684	2125
72	—	\$3312	3812	—	—	1784	2252
		CA	CC	CD	KP	KT	KA
DT1AS. 18	48	\$1912	—	—	1139	1447	1786
	60	\$2090	—	—	1241	1582	1953
	72	\$2247	—	—	1335	1699	2099

Rectangular Table *continued*

24	36	\$1896	1534	1896	1128	1434	1773
	42	\$1986	1610	1986	1180	1504	1856
	48	\$2094	1697	2094	1243	1586	1957
	54	\$2209	1796	2209	1313	1677	2065
	60	\$2337	1893	2337	1385	1768	2183
	66	\$2495	2018	2495	1476	1886	2331
	72	\$2660	2154	2660	1574	2013	2486
30	36	\$1966	1593	1966	1166	1488	1837
	42	\$2063	1671	2063	1220	1562	1928
	48	\$2172	1762	2172	1293	1646	2030
	54	\$2298	1860	2298	1363	1738	2147
	60	\$2427	1966	2427	1440	1837	2269
	66	\$2589	2094	2589	1531	1957	2418
	72	\$2765	2231	2765	1630	2085	2584
36	42	\$2234	—	—	1323	1679	2089
	48	\$2268	—	—	1355	1681	2119
	54	\$2391	—	—	1470	1801	2235
	60	\$2412	—	—	1496	1822	2254
	66	\$2646	—	—	1573	1986	2474
	72	\$2805	—	—	1668	2105	2621
							KC
DT1AS. 24	36					\$1434	1773
	42					\$1504	1856
	48					\$1586	1957
	54					\$1677	2065
	60					\$1768	2183
	66					\$1886	2331
	72					\$2013	2486
30	36					\$1488	1837
	42					\$1562	1928
	48					\$1646	2030
	54					\$1738	2147
	60					\$1837	2269
	66					\$1957	2418
	72					\$2085	2584
		TA	TC	TD	WP	WT	WA
DT1AT. 24	36	—	—	—	\$1540	2032	2556
	42	—	—	—	\$1618	2134	2689
	48	—	—	—	\$1707	2247	2827
	54	—	—	—	\$1814	2385	3003
	60	—	—	—	\$1929	2529	3189
	66	—	—	—	\$2068	2715	3419
	72	—	—	—	\$2219	2914	3664

Rectangular Table *continued*

Everywhere™ Standard-Height Tables

	30	36	\$2173	—	—	—	—	—
		42	\$2280	—	—	—	—	—
		48	\$2394	—	—	—	—	—
		54	\$2537	—	—	—	—	—
		60	\$2689	—	—	—	—	—
		66	\$2874	—	—	—	—	—
		72	\$3077	—	—	—	—	—
			JP	JT	JA	JC	JD	BP
DT1AT. 24	36		—	—	—	—	—	\$1626
		42	—	—	—	—	—	\$1705
		48	—	—	—	—	—	\$1808
		54	—	—	—	—	—	\$1914
		60	—	—	—	—	—	\$2030
		66	—	—	—	—	—	\$2170
		72	—	—	—	—	—	\$2320
	30	36	—	—	—	—	—	\$1689
		42	—	—	—	—	—	\$1773
		48	—	—	—	—	—	\$1879
		54	—	—	—	—	—	\$1988
		60	—	—	—	—	—	\$2109
		66	—	—	—	—	—	\$2257
		72	—	—	—	—	—	\$2412
	36	42	—	—	—	—	—	\$2245
		48	—	—	—	—	—	\$2310
		54	—	—	—	—	—	\$2492
		60	—	—	—	—	—	\$2569
		66	—	—	—	—	—	\$2897
		72	—	—	—	—	—	\$3025
			BT	BA	BC	BD	CP	CT
DT1AT. 24	36		\$2120	2644	2120	2644	—	—
		42	\$2221	2777	2221	2777	—	—
		48	\$2348	2927	2348	2927	—	—
		54	\$2486	3105	2486	3105	—	—
		60	\$2631	3291	2631	3291	—	—
		66	\$2816	3518	2816	3518	—	—
		72	\$3015	3764	3015	3764	—	—
	30	36	\$2198	2751	2198	2751	—	—
		42	\$2306	2889	2306	2889	—	—
		48	\$2440	3045	2440	3045	—	—
		54	\$2582	3229	2582	3229	—	—
		60	\$2738	3421	2738	3421	—	—
		66	\$2927	3661	2927	3661	—	—
		72	\$3132	3915	3132	3915	—	—

	36	42	\$2677	3134	—	—	—	—
		48	\$2732	3205	—	—	—	—
		54	\$2919	3378	—	—	—	—
		60	\$3002	3506	—	—	—	—
		66	\$3571	4070	—	—	—	—
		72	\$3955	4552	—	—	—	—
			WC	WD	PP	PT	PA	PC
DT1AE. 24	36		—	—	\$1289	1674	2090	1674
		42	—	—	\$1354	1756	2192	1756
		48	—	—	\$1419	1842	2303	1842
		54	—	—	\$1501	1952	2441	1952
		60	—	—	\$1597	2072	2583	2072
		66	—	—	\$1707	2215	2767	2215
		72	—	—	\$1825	2368	2959	2368
	30	36	—	—	\$1339	1739	2173	1739
		42	—	—	\$1408	1825	2280	1825
		48	—	—	\$1477	1916	2394	1916
		54	—	—	\$1565	2035	2537	2035
		60	—	—	\$1658	2155	2689	2155
		66	—	—	\$1771	2303	2874	2303
		72	—	—	\$1895	2463	3077	2463
	36	42	—	—	\$1534	1973	2481	—
		48	—	—	\$1556	1957	2503	—
		54	—	—	\$1698	2109	2645	—
		60	—	—	\$1732	2139	2670	—
		66	—	—	\$1807	2350	3001	—
		72	—	—	\$1938	2512	3126	—
			PD	AP	AT	AA	AC	AD
DT1AE. 24	36		\$2090	—	—	—	—	—
		42	\$2192	—	—	—	—	—
		48	\$2303	—	—	—	—	—
		54	\$2441	—	—	—	—	—
		60	\$2583	—	—	—	—	—
		66	\$2767	—	—	—	—	—
		72	\$2959	—	—	—	—	—
	30	36	\$2173	—	—	—	—	—
		42	\$2280	—	—	—	—	—
		48	\$2394	—	—	—	—	—
		54	\$2537	—	—	—	—	—
		60	\$2689	—	—	—	—	—
		66	\$2874	—	—	—	—	—
		72	\$3077	—	—	—	—	—

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M), thermally-fused laminate top/universal edge (T), thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), or thermally-fused laminate top/universal edge with MicrobeCare™ (K)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W) or veneer top/veneer edge with MicrobeCare™ (B)

2U	light brown walnut	A	+\$50
40	dark brown walnut	A	+\$50
CHD	noble cherry		+\$50
ET	clear on ash	A	+\$50
EU	oak on ash	A	+\$50
EV	walnut on ash	A	+\$50
EW	medium matte walnut	A	+\$50
UL	natural maple	A	+\$50
WHN	natural white oak		+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 9. Leg Finish

Metallic Paint

For post leg (P), T-leg (T), or C-leg (C)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For post leg (P), T-leg (T), or C-leg (C)

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

For post leg (P), T-leg (T), or C-leg (C)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For post leg (P), T-leg (T), or C-leg (C)

CD	polished aluminum	+\$110
-----------	-------------------	--------

Metallic Paint

For T-leg with height adjustment (A) or C-leg with height adjustment (D)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Smooth Paint

For T-leg with height adjustment (A) or C-leg with height adjustment (D)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Rectangular Table *continued*

<i>For T-leg with height adjustment (A) or C-leg with height adjustment (D)</i>		
CD	polished aluminum	+\$110

Step 10. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Step 11. Grommets		
--------------------------	--	--

<i>For squared-edge (S.) with 18" deep (18)</i>		
NTG	no grommet	+\$0


<i>For squared-edge (S.) with 24" deep (24), or 30" deep (30)</i>		
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

<i>For squared-edge (S.) with 36" deep (36)</i>		
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

<i>For thin-edge (T.) or eased-edge (E.) with 24" deep (24), or 30" deep (30), or 36" deep (36)</i>		
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Square Table

DT1BE.
DT1BS.
DT1BT.



Product Information


Description

This square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has multiple leg/ base options and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

- 48" tops available only with post leg option for optimum stability.
- 42" top (4242) with 4-column base (X) available only with glides. Casters are not compatible with this top/base combination.
- For additional details on available edge options see Appendices.
- For additional size, edge, and finish options, see Vary Easy Program in Appendices.
- UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.
- MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.
- MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.
- MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Square Table *continued*

Specification Information

Step 1.

DT1B

Step 2. Edge

- S.** squared-edge
- T.** thin-edge
- E.** eased-edge

Step 3. Depth/Width

- 3030** 30" deep x 30" wide
- 3636** 36" deep x 36" wide
- 4242** 42" deep x 42" wide
- 4848** 48" deep x 48" wide

Step 4. Surface Material

For squared-edge (S.)

- L** high-pressure laminate top/thermoplastic edge
- M** thermally-fused laminate top/thermoplastic edge
- U** high-pressure laminate/universal edge
- T** thermally-fused laminate top/universal edge
- W** veneer top/veneer edge A
- P** painted Formcoat® top/edge
- J** thermally-fused laminate top/thermoplastic edge with MicrobeCare™ A
- K** thermally-fused laminate top/universal edge with MicrobeCare™ A

For thin-edge (T.)

- W** veneer top/veneer edge A
- P** painted Formcoat® top/edge

For eased-edge (E.)

- P** painted Formcoat® top/edge

Step 5. Leg/Base Type

For 30" deep x 30" wide (3030)

- P** post leg
- X** 4-column base
- S** single-column base A

For 36" deep x 36" wide (3636)

- P** post leg
- X** 4-column base
- S** single-column base A

For 42" deep x 42" wide (4242)

- P** post leg
- X** 4-column base

For 48" deep x 48" wide (4848)

- P** post leg

Prices for Steps 1-5.

		P	X	S
DT1BS. 3030	L	\$1059	1370	1168
	M	\$991	1283	1094
	U	\$1059	1370	1168
	T	\$991	1283	1094
	W	\$1263	1666	1402
	P	\$1151	1495	1271
	J	\$1070	1361	1175
	K	\$1070	1361	1175
	3636 L	\$1268	1643	1399
	M	\$1188	1539	1311
	U	\$1268	1643	1399
	T	\$1188	1539	1311
	W	\$1533	2013	1704
	P	\$1383	1790	1522
	J	\$1266	1618	1390
	K	\$1266	1618	1390
	4242 L	\$1455	1888	—
	M	\$1364	1768	—
	U	\$1455	1888	—
	T	\$1364	1768	—
	W	\$1771	2325	—
	P	\$1583	2054	—
	J	\$1443	1848	—
	K	\$1443	1848	—
	4848 L	\$1629	—	—
	M	\$1526	—	—
	U	\$1629	—	—
	T	\$1526	—	—
	W	\$2079	—	—
	P	\$1772	—	—
	J	\$1626	—	—
	K	\$2154	—	—
		P	X	S
DT1BT. 3030	W	\$1515	1999	1684
	P	\$1228	1594	1354
3636	W	\$1838	2416	2041
	P	\$1468	1904	1620

4242	W	\$2124	2793	—
	P	\$1685	2190	—
4848	W	\$2493	—	—
	P	\$1889	—	—
		P	X	S
DT1BE. 3030	P	\$1228	1594	1354
3636	P	\$1468	1904	1620
4242	P	\$1685	2190	—
4848	P	\$1889	—	—

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M), thermally-fused laminate top/universal edge (T), thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), or thermally-fused laminate top/universal edge with MicrobeCare™ (K)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut	A	+\$50
40	dark brown walnut	A	+\$50
CHD	noble cherry		+\$50
ET	clear on ash	A	+\$50
EU	oak on ash	A	+\$50
EV	walnut on ash	A	+\$50
EW	medium matte walnut	A	+\$50
UL	natural maple	A	+\$50
WHN	natural white oak		+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Square Table *continued*

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Leg Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP) A	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Step 9. Casters/Glides

For post leg (P) or single-column base (S)

20	casters	+\$0
57	glides	+\$0

For 4-column base (X)


20	casters	+\$0
57	glides	+\$0

For 4-column base (X)

57	glides	+\$0
-----------	--------	------

Round Table

DT1CE.
DT1CS.
DT1CT.



Product Information

Description

This round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

48" and 60" tops available only with post leg option for optimum stability.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.


UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.

MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.

MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.

MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Round Table *continued*

Specification Information	
Step 1.	
DT1C	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3. Diameter	
30	30" diameter
36	36" diameter
42	42" diameter
48	48" diameter
60	60" diameter
Step 4. Surface Material	
<i>For squared-edge (S.)</i>	
L	high-pressure laminate top/thermoplastic edge
M	thermally-fused laminate top/thermoplastic edge
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
J	thermally-fused laminate top/thermoplastic edge with MicrobeCare™ A
<i>For thin-edge (T.)</i>	
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge
Step 5. Leg/Base Type	
<i>For 30" diameter (30) or 36" diameter (36)</i>	
P	post leg
X	4-column base
S	single-column base A
<i>For 42" diameter (42)</i>	
P	post leg
X	4-column base
<i>For 48" diameter (48) or 60" diameter (60)</i>	
P	post leg

Prices for Steps 1-5.				
		P	X	S
DT1CS. 30	L	\$1220	1590	1351
	M	\$1133	1475	1254
	W	\$1453	1913	1612
	P	\$1323	1719	1462
	J	\$1212	1554	1334
36	L	\$1470	1903	1550
	M	\$1364	1765	1439
	W	\$1453	2314	1954
	P	\$1586	2054	1675
	J	\$1443	1844	1517
42	L	\$1683	2090	—
	M	\$1562	1938	—
	W	\$2039	2675	—
	P	\$1820	2259	—
	J	\$1641	2017	—
48	L	\$1883	—	—
	M	\$1747	—	—
	W	\$2389	—	—
	P	\$2040	—	—
	J	\$1845	—	—
60	L	\$2057	—	—
	M	\$1908	—	—
	W	\$2617	—	—
	P	\$2220	—	—
	J	\$2008	—	—
		P	X	S
DT1CT. 30	W	\$1744	2297	1937
	P	\$1408	1830	1556
36	W	\$1744	2777	2347
	P	\$1687	2190	1784
42	W	\$2444	3209	—
	P	\$1941	2408	—
48	W	\$2866	—	—
	P	\$2170	—	—
60	W	\$3136	—	—
	P	\$2364	—	—
		P	X	S
DT1CE. 30	P	\$1408	1830	1556
36	P	\$1687	2190	1784
42	P	\$1941	2408	—
48	P	\$2170	—	—
60	P	\$2364	—	—

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M) or thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut	A	+\$50
40	dark brown walnut	A	+\$50
CHD	noble cherry		+\$50
ET	clear on ash	A	+\$50
EU	oak on ash	A	+\$50
EV	walnut on ash	A	+\$50
EW	medium matte walnut	A	+\$50
UL	natural maple	A	+\$50
WHN	natural white oak		+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Leg/Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint


8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP) A	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Step 9. Casters/Glides

20	casters	+\$0
57	glides	+\$0

Oval Table

DT1DE.
DT1DS.
DT1DT.




Product Information

Description
This oval table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.
Cutouts available for all Connect™ power and data accessories (see Thrive™ Portfolio). Cutouts will be located in the center, laterally and front to back.
For additional details on available edge options see Appendices.
For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT1D

Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

Step 3. Depth

- 30 30" deep
- 36 36" deep
- 42 42" deep

Step 4. Width

For 30" deep (30)

- 48 48" wide
- 60 60" wide

For 36" deep (36)

- 60 60" wide
- 72 72" wide

For 42" deep (42)

- 72 72" wide
- 84 84" wide

Step 5. Surface Material

For squared-edge (S.)

- M thermally-fused laminate top/thermoplastic edge
- L high-pressure laminate top/thermoplastic edge
- W veneer top/veneer edge ☐ A
- P painted Formcoat® top/edge

For thin-edge (T.)

- W veneer top/veneer edge ☐ A
- P painted Formcoat® top/edge

For eased-edge (E.)

- P painted Formcoat® top/edge

Oval Table *continued*

Step 6. Leg/Base Type

For 48" wide (48) or 60" wide (60)

P	post leg
G	double 3-column base, spanner

For 72" wide (72) or 84" wide (84)

P	post leg
E	double 3-column base
G	double 3-column base, spanner

Prices for Steps 1-6.

		MP	ME	MG	LP	LE	LG
DT1DS. 30	48	\$1325	—	2181	1442	—	2374
	60	\$1432	—	2357	1557	—	2564
36	60	\$1588	—	2616	1728	—	2846
	72	\$1825	3098	3009	1985	3369	3273
42	72	\$1953	3316	3218	2124	3606	3501
	84	\$2010	3408	3306	2187	3706	3596

		WP	WE	WG	PP	PE	PG
DT1DS. 30	48	\$1995	—	3347	1548	—	2552
	60	\$2162	—	3622	1672	—	2753
36	60	\$2411	—	4030	1853	—	3056
	72	\$2782	4790	4649	2134	3620	3515
42	72	\$2986	5132	4982	2282	3870	3758
	84	\$3072	5277	5126	2347	3980	3863

		WP	WE	WG	PP	PE	PG
DT1DT. 30	48	\$2394	—	4014	1648	—	2713
	60	\$2591	—	4342	1780	—	2927
36	60	\$2894	—	4836	1975	—	3254
	72	\$3342	5746	5580	2271	3854	3740
42	72	\$3585	6159	5977	2429	4121	4001
	84	\$3681	6335	6149	2500	4238	4113

		WP	WE	WG	PP	PE	PG
DT1DE. 30	48	—	—	—	\$1648	—	2713
	60	—	—	—	\$1780	—	2927
36	60	—	—	—	\$1975	—	3254
	72	—	—	—	\$2271	3854	3740
42	72	—	—	—	\$2429	4121	4001
	84	—	—	—	\$2500	4238	4113

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone <input type="checkbox"/>	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white <input type="checkbox"/>	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
CHD	noble cherry	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
EW	medium matte walnut A	+\$50
UL	natural maple A	+\$50
WHN	natural white oak	+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 8. Edge Finish

For thermally-fused laminate top/thermoplastic edge (M) or high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LT	light tone A	+\$0
LU	soft white	+\$0
SG	slate grey	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white A	+\$0

Step 9. Leg/Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Oval Table *continued*


Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BU	black	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Step 10. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Step 11. Grommets		
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

D-Shaped Table

DT1EE.
DT1ES.
DT1ET.



Product Information


Description

This D-shaped table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down. Height-adjustable legs have a 5" range in 1" increments.

Notes

Thin edge and eased edge tops available only with 30" deep surfaces.
T-leg and T-leg with height adjustment cannot be used with 18" deep tops.
Cable grommet options available through Vary Easy Program for round pass through grommet with 2 1/4" hole clearance. Holes are located 3" from rear edge and 6" from end for the L and R options. Covers not provided with painted surface option.
Cutouts available for all Connect™ power and data accessories (see Thrive™ Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.
Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.
For additional details on available edge options see Appendices.
For additional size, edge, and finish options, see Vary Easy Program in Appendices.
UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P) and T-leg (T) options.

Dimensions



D-Shaped Table *continued*

Specification Information	
Step 1.	
DT1E	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3. Depth/Width	
<i>For thin-edge (T.) or eased-edge (E.)</i>	
3060	30" deep x 60" wide
<i>For squared-edge (S.)</i>	
1836	18" deep x 36" wide
2448	24" deep x 48" wide
3060	30" deep x 60" wide
Step 4. Surface Material	
<i>For squared-edge (S.)</i>	
L	high-pressure laminate top/thermoplastic edge
M	thermally-fused laminate top/thermoplastic edge
W	veneer top/veneer edge <input type="checkbox"/>
P	painted Formcoat® top/edge
<i>For thin-edge (T.)</i>	
W	veneer top/veneer edge <input type="checkbox"/>
P	painted Formcoat® top/edge
<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge
Step 5. Leg Type	
<i>For 18" deep x 36" wide (1836)</i>	
P	post leg
<i>For 30" deep x 60" wide (3060) or 24" deep x 48" wide (2448)</i>	
P	post leg
T	T-leg
A	T-leg with height adjustment

Prices for Steps 1-5.				
		P	T	A
DT1ES. 1836	L	\$1140	—	—
	M	\$1060	—	—
	W	\$1252	—	—
	P	\$1236	—	—
2448	L	\$1368	2145	2596
	M	\$1271	1992	2412
	W	\$1518	2273	2888
	P	\$1481	2321	2810
3060	L	\$1573	2464	2980
	M	\$1461	2290	2768
	W	\$1757	2639	3351
	P	\$1700	2665	3226
		P	T	A
DT1ET. 3060	W	\$2104	3168	4022
	P	\$1808	2840	3435
		P	T	A
DT1EE. 3060	P	\$1808	2840	3435

D-Shaped Table *continued*

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut	A	+\$50
40	dark brown walnut	A	+\$50
CHD	noble cherry		+\$50
ET	clear on ash	A	+\$50
EU	oak on ash	A	+\$50
EV	walnut on ash	A	+\$50
EW	medium matte walnut	A	+\$50
UL	natural maple	A	+\$50
WHN	natural white oak		+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

D-Shaped Table *continued*

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Leg Finish

Metallic Paint

For post leg (P) or T-leg (T)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For post leg (P) or T-leg (T)

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

For post leg (P) or T-leg (T)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For post leg (P) or T-leg (T)

CD	polished aluminum	+\$110
-----------	-------------------	--------

Metallic Paint

For T-leg with height adjustment (A)

EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Smooth Paint

For T-leg with height adjustment (A)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For T-leg with height adjustment (A)


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
CD	polished aluminum	+\$110

Step 9. Casters/Glides


20	casters	+\$0
57	glides	+\$0

Soft Rectangle - Meeting Table

DT1FE.
DT1FS.
DT1FT.



Product Information
Description This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.
Notes When specifying grommets (253, 254, 255), cutouts will be located in the center of table. Cutouts available for all Connect™ power and data accessories (see Thrive™ Portfolio). Cutouts will be located in the center, laterally and front to back. For additional details on available edge options see Appendices. For additional size, edge, and finish options, see Vary Easy Program in Appendices.
Dimensions



Specification Information
Step 1. DT1F
Step 2. Edge S. squared-edge T. thin-edge E. eased-edge
Step 3. Depth 30 30" deep 36 36" deep 42 42" deep
Step 4. Width <i>For 30" deep (30)</i> 48 48" wide 60 60" wide <i>For 36" deep (36)</i> 60 60" wide 72 72" wide <i>For 42" deep (42)</i> 72 72" wide 84 84" wide
Step 5. Surface Material <i>For squared-edge (S.)</i> L high-pressure laminate top/thermoplastic edge M thermally-fused laminate top/thermoplastic edge W veneer top/veneer edge <input type="checkbox"/> A P painted Formcoat® top/edge <i>For thin-edge (T.)</i> W veneer top/veneer edge <input type="checkbox"/> A P painted Formcoat® top/edge <i>For eased-edge (E.)</i> P painted Formcoat® top/edge

Soft Rectangle - Meeting Table

continued

Step 6. Leg/Base Type

For 48" wide (48) or 60" wide (60)

P	post leg
G	double 3-column base, spanner
T	T-leg
A	T-leg with height adjustment

For 72" wide (72) or 84" wide (84)

P	post leg
E	double 3-column base
G	double 3-column base, spanner

Prices for Steps 1-6.

	LP	LE	LG	LT	LA	MP
DT1FS. 30 48	\$1658	—	2732	2334	2912	1524
60	\$1791	—	2948	2552	3356	1646
36 60	\$1985	—	3273	2880	2940	1825
72	\$2285	3878	3763	—	—	2101
42 84	\$2514	4257	4136	—	—	2310
72	\$2444	4146	4025	—	—	2248

	ME	MG	MT	MA	WP	WE
DT1FS. 30 48	—	\$2510	2146	2677	2296	—
60	—	\$2711	2346	3085	2483	—
36 60	—	\$3009	2648	2701	2771	—
72	\$3565	3460	—	—	3201	5510
42 84	\$3914	3802	—	—	3530	6070
72	\$3811	3700	—	—	3430	5901

	WG	WT	WA	PP	PE	PG
DT1FS. 30 48	\$3847	3480	3466	1776	—	2927
60	\$4162	3795	3999	1919	—	3160
36 60	\$4636	4269	3590	2130	—	3514
72	\$5347	—	—	2451	4159	4039
42 84	\$5889	—	—	2697	4571	4438
72	\$5727	—	—	2623	4450	4321

	PT	PA
DT1FS. 30 48	\$2508	3130
60	\$2741	3603
36 60	\$3089	3156

	ME	MG	MT	MA	WP	WE
DT1FT. 30 48	—	—	—	—	\$2752	—
60	—	—	—	—	\$2982	—

36 60	—	—	—	—	\$3323	—
72	—	—	—	—	\$3839	6609
42 84	—	—	—	—	\$4237	7282
72	—	—	—	—	\$4119	7079

	WG	WT	WA	PP	PE	PG
DT1FT. 30 48	\$4614	4173	4159	1892	—	3119
60	\$4991	4553	4798	2043	—	3369
36 60	\$5560	5118	4306	2270	—	3738
72	\$6413	—	—	2613	4430	4300
42 84	\$7066	—	—	2871	4874	4728
72	\$6872	—	—	2793	4737	4602

	PT	PA
DT1FT. 30 48	\$4000	4994
60	\$4373	5749
36 60	\$4932	5041

	WG	WT	WA	PP	PE	PG
DT1FE. 30 48	—	—	—	\$1892	—	3119
60	—	—	—	\$2043	—	3369
36 60	—	—	—	\$2270	—	3738
72	—	—	—	\$2613	4430	4300
42 84	—	—	—	\$2871	4874	4728
72	—	—	—	\$2793	4737	4602

	PT	PA
DT1FE. 30 48	\$2670	3334
60	\$2919	3835
36 60	\$3290	3360

Everywhere™ Standard-Height Tables

Soft Rectangle - Meeting Table

continued

Everywhere™ Standard-Height Tables

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut	A	+\$85
40	dark brown walnut	A	+\$85
CHD	noble cherry		+\$85
ET	clear on ash	A	+\$85
EU	oak on ash	A	+\$85
EV	walnut on ash	A	+\$85
EW	medium matte walnut	A	+\$85
UL	natural maple	A	+\$85
WHN	natural white oak		+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Soft Rectangle - Meeting Table

continued

Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0
X1	chalk white	+\$0

Step 9. Leg/Base Finish

Metallic Paint

For post leg (P), double 3-column base (E), double 3-column base, spanner (G), or T-leg (T)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For post leg (P), double 3-column base (E), double 3-column base, spanner (G), or T-leg (T)

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

For post leg (P), double 3-column base (E), double 3-column base, spanner (G), or T-leg (T)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For post leg (P), double 3-column base (E), double 3-column base, spanner (G), or T-leg (T)

CD	polished aluminum	+\$110
-----------	-------------------	--------

Metallic Paint

For T-leg with height adjustment (A)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Smooth Paint

For T-leg with height adjustment (A)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Soft Rectangle - Meeting Table


continued

Everywhere™ Standard-Height Tables

For T-leg with height adjustment (A)		
CD	polished aluminum	+\$110
Step 10. Casters/Glides		
20	casters	+\$0
57	glides	+\$0
Step 11. Grommets		
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Video Oval - Meeting Table

DT1GE.
DT1GS.
DT1GT.



Product Information

Description

This oval table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.


Cutouts available for all Connect™ power and data accessories (see Thrive™ Portfolio). Cutouts will be located in the center, laterally and front to back.

For optimum viewing, video camera should be placed 42" from large end of table.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT1G

Step 2. Edge

S. squared-edge
T. thin-edge
E. eased-edge

Step 3. Depth

42 42" deep

Step 4. Width

72 72" wide
84 84" wide

Step 5. Surface Material

For squared-edge (S.)

L high-pressure laminate top/thermoplastic edge
M thermally-fused laminate top/thermoplastic edge
W veneer top/veneer edge **A**
P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge **A**
P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 6. Leg/Base Type

E double 3-column base
G double 3-column base, spanner

Prices for Steps 1-6.

		LE	LG	ME	MG	WE	WG
DT1GS. 42	72	\$4216	4093	3835	3723	5951	5775
	84	\$4329	4205	3938	3826	6120	5939
						PE	PG
DT1GS. 42	72					\$4486	4357
	84					\$4610	4476
		LE	LG	ME	MG	WE	WG
DT1GT. 42	72	—	—	—	—	\$7138	6929
	84	—	—	—	—	\$7343	7126

	PE	PG
DT1GT. 42 72	\$5495	5337
84	\$5646	5481
	PE	PG
DT1GE. 42 72	\$4776	4641
84	\$4916	4768

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut	A	+\$85
40	dark brown walnut	A	+\$85
CHD	noble cherry		+\$85
ET	clear on ash	A	+\$85
EU	oak on ash	A	+\$85
EV	walnut on ash	A	+\$85
EW	medium matte walnut	A	+\$85
UL	natural maple	A	+\$85
WHN	natural white oak		+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 9. Leg/Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Step 10. Casters/Glides


20	casters	+\$0
57	glides	+\$0

Step 11. Grommets


NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Concave Rectangle

DT1HE.
DT1HS.
DT1HT.



Product Information
<p>Description</p> <p>This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have ½" leveling range. Shipped knocked down.</p> <p>Height-adjustable legs have a 5" range in 1" increments.</p>
<p>Notes</p> <p>When specifying grommets (253, 254, 255), cutouts will be located in the center of table.</p> <p>Cutouts available for all Connect™ power and data accessories (see Thrive™ Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.</p> <p>Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.</p> <p>For additional details on available edge options see Appendices.</p> <p>For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.</p> <p>UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P), T-leg (T) and C-leg (C) options.</p>
Dimensions



Specification Information
<p>Step 1.</p> <p>DT1H</p>
<p>Step 2. Edge</p> <p>S. squared-edge</p> <p>T. thin-edge</p> <p>E. eased-edge</p>
<p>Step 3. Depth</p> <p>30 30" deep</p> <p>36 36" deep</p>
<p>Step 4. Width</p> <p>60 60" wide</p> <p>66 66" wide</p> <p>72 72" wide</p>
<p>Step 5. Surface Material</p> <p><i>For squared-edge (S.)</i></p> <p>L high-pressure laminate top/thermoplastic edge</p> <p>M thermally-fused laminate top/thermoplastic edge</p> <p>W veneer top/veneer edge A</p> <p>P painted Formcoat® top/edge</p> <p><i>For thin-edge (T.)</i></p> <p>W veneer top/veneer edge A</p> <p>P painted Formcoat® top/edge</p> <p><i>For eased-edge (E.)</i></p> <p>P painted Formcoat® top/edge</p>
<p>Step 6. Leg Type</p> <p><i>For 30" deep (30)</i></p> <p>P post leg</p> <p>T T-leg</p> <p>A T-leg with height adjustment</p> <p>C C-leg</p> <p>D D-leg</p> <p><i>For 36" deep (36)</i></p> <p>P post leg</p> <p>T T-leg</p> <p>A T-leg with height adjustment</p>

Concave Rectangle *continued*

Prices for Steps 1-6.

		LP	LT	LA	LC	LD	MP
DT1HS. 30	60	\$1929	2505	3124	2505	3124	1771
	66	\$2068	2684	3351	2684	3351	1898
	72	\$2204	2865	3576	2865	3576	2023
36	60	\$2046	2594	3151	—	—	1879
	66	\$2152	2734	3446	—	—	1976
	72	\$2260	2875	3741	—	—	2075

		MT	MA	MC	MD	WP	WT
DT1HS. 30	60	\$2300	2868	2300	2868	2222	2921
	66	\$2464	3077	2464	3077	2391	3139
	72	\$2631	3284	2631	3284	2561	3356
36	60	\$2382	2893	—	—	2306	3002
	66	\$2510	3164	—	—	2474	3221
	72	\$2640	3436	—	—	2640	3436

		WA	WC	WD	PP	PT	PA
DT1HS. 30	60	\$3676	2921	3676	2069	2684	3351
	66	\$3949	3139	3949	2215	2876	3595
	72	\$4222	3356	4222	2363	3071	3835
36	60	\$3759	—	—	2194	2779	3380
	66	\$4034	—	—	2308	2932	3695
	72	\$4308	—	—	2425	3081	4014

		PC	PD
DT1HS. 30	60	\$2684	3351
	66	\$2876	3595
	72	\$3071	3835

		MT	MA	MC	MD	WP	WT
DT1HT. 30	60	—	—	—	—	\$2664	3499
	66	—	—	—	—	\$2866	3761
	72	—	—	—	—	\$3071	4025
36	60	—	—	—	—	\$2765	3600
	66	—	—	—	—	\$2968	3864
	72	—	—	—	—	\$3171	4127

		WA	WC	WD	PP	PT	PA
DT1HT. 30	60	\$4412	3499	4412	2203	2857	3572
	66	\$4740	3761	4740	2360	3063	3826
	72	\$5066	4025	5066	2517	3269	4084
36	60	\$4513	—	—	2333	2963	3599
	66	\$4836	—	—	2460	3122	3936
	72	\$5165	—	—	2580	3282	4273

		PC	PD
DT1HT. 30	60	\$2857	3572
	66	\$3063	3826
	72	\$3269	4084

		WA	WC	WD	PP	PT	PA
DT1HE. 30	60	—	—	—	\$2203	2857	3572
	66	—	—	—	\$2360	3063	3826
	72	—	—	—	\$2517	3269	4084
36	60	—	—	—	\$2333	2963	3599
	66	—	—	—	\$2460	3122	3936
	72	—	—	—	\$2580	3282	4273

		PC	PD
DT1HE. 30	60	\$2857	3572
	66	\$3063	3826
	72	\$3269	4084

Everywhere™ Standard-Height Tables

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut	A	+\$85
40	dark brown walnut	A	+\$85
CHD	noble cherry		+\$85
ET	clear on ash		+\$85
EU	oak on ash		+\$85
EV	walnut on ash		+\$85
EW	medium matte walnut	A	+\$85
UL	natural maple	A	+\$85
WHN	natural white oak		+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Concave Rectangle *continued*

Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 9. Leg Finish

Metallic Paint

For post leg (P), T-leg (T), C-leg (C), or D-leg (D)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For post leg (P), T-leg (T), C-leg (C), or D-leg (D)

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

For post leg (P), T-leg (T), C-leg (C), or D-leg (D)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For post leg (P), T-leg (T), C-leg (C), or D-leg (D)

CD	polished aluminum	+\$110
-----------	-------------------	--------

Metallic Paint

For T-leg with height adjustment (A)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Smooth Paint

For T-leg with height adjustment (A)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For T-leg with height adjustment (A)

CD	polished aluminum	+\$110
-----------	-------------------	--------


Step 10. Casters/Glides

20	casters	+\$0
57	glides	+\$0


Step 11. Grommets		
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425. - 3 port	+\$27
254	cutout for Y1420. or Y1425. - 5 port	+\$27
255	cutout for Y1420. or Y1425. - 6 port	+\$27

Soft Square Table

DT1JE.
DT1JS.
DT1JT.



Product Information
Description This square table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.
Notes 42" and 48" tops are available only with post legs for optimum stability. For additional details on available edge options see Appendices. For additional size, edge, and finish options, see Vary Easy Program in Appendices. UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.
Dimensions



Specification Information
Step 1. DT1J
Step 2. Edge S. squared-edge T. thin-edge E. eased-edge
Step 3. Depth/Width 3030 30" deep x 30" wide 3636 36" deep x 36" wide 4242 42" deep x 42" wide 4848 48" deep x 48" wide
Step 4. Surface Material For squared-edge (S.) L high-pressure laminate top/thermoplastic edge M thermally-fused laminate top/thermoplastic edge W veneer top/veneer edge <input type="checkbox"/> A P painted Formcoat® top/edge For thin-edge (T.) W veneer top/veneer edge <input type="checkbox"/> A P painted Formcoat® top/edge For eased-edge (E.) P painted Formcoat® top/edge
Step 5. Leg/Base Type For 30" deep x 30" wide (3030) or 36" deep x 36" wide (3636) P post leg S single-column base <input type="checkbox"/> A For 42" deep x 42" wide (4242) P post leg For 48" deep x 48" wide (4848) P post leg

Prices for Steps 1-5.

		P	S
DT1JS. 3030	L	\$1263	1393
	M	\$1162	1282
	W	\$1493	1656
	P	\$1355	1497
3636	L	\$1516	1670
	M	\$1394	1538
	W	\$1808	2006
	P	\$1625	1793
4242	L	\$1737	—
	M	\$1598	—
	W	\$2091	—
	P	\$1868	—
4848	L	\$1947	—
	M	\$1792	—
	W	\$2451	—
	P	\$2091	—
		P	S
DT1JT. 3030	W	\$1788	1983
	P	\$1446	1597
3636	W	\$2167	2408
	P	\$1733	1911
4242	W	\$2508	—
	P	\$1986	—
4848	W	\$2937	—
	P	\$2226	—
		P	S
DT1JE. 3030	P	\$1446	1597
3636	P	\$1733	1911
4242	P	\$1986	—
4848	P	\$2226	—

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut	+\$85
40	dark brown walnut	+\$85
CHD	noble cherry	+\$85
ET	clear on ash	+\$85
EU	oak on ash	+\$85
EV	walnut on ash	+\$85
EW	medium matte walnut	+\$85
UL	natural maple	+\$85
WHN	natural white oak	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Leg Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint


BK	black	+\$0
UBK	ultra black (CP)	+\$0

Everywhere™ Standard-Height Tables

Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110
Step 9. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Tear Drop Table

DT1KE.
DT1KS.
DT1KT.



Product Information

Description


This tear drop table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT1K A

Step 2. Edge

S. squared-edge
T. thin-edge
E. eased-edge

Step 3. Diameter

30 30" diameter
36 36" diameter

Step 4. Surface Material

For eased-edge (E.)

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge
P painted Formcoat® top/edge

For squared-edge (S.)

L high-pressure laminate top/thermoplastic edge
M thermally-fused laminate top/thermoplastic edge
W veneer top/veneer edge
P painted Formcoat® top/edge

Step 5. Leg/Base Type

S single-column base A

Prices for Steps 1-5.

		S
DT1KS. 30	L	\$1460
	M	\$1346
	W	\$1728
	P	\$1567
	36 L	\$1669
	M	\$1539
	W	\$2099
	P	\$1796
		S
DT1KT. 30	W	\$2079
	P	\$1669
	36 W	\$2516
	P	\$1913

Tear Drop Table *continued*

	S
DT1KE. 30 P	\$1669
36 P	\$1913

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut	A	+\$85
40	dark brown walnut	A	+\$85
CHD	noble cherry		+\$85
ET	clear on ash		+\$85
EU	oak on ash		+\$85
EV	walnut on ash		+\$85
EW	medium matte walnut	A	+\$85
UL	natural maple	A	+\$85
WHN	natural white oak		+\$85

Tear Drop Table *continued*

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Leg/Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint


8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Step 9. Casters/Glides


20	casters	+\$0
57	glides	+\$0

Classroom Curve Table

DT1LE.
DT1LS.
DT1LT.



Product Information
<p>Description</p> <p>This classroom table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have ½" leveling range. Shipped knocked down.</p> <p>Height-adjustable legs have a 5" range in 1" increments.</p>
<p>Notes</p> <p>Cable grommet options available through Vary Easy Program for round pass through grommet with 2¼" hole clearance. Holes are located 3" from rear edge and 6" from end for the L and R options. Covers not provided with painted surface option.</p> <p>Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.</p> <p>For additional details on available edge options see Appendices.</p> <p>For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.</p> <p>UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) and T-leg (T) options.</p>
<p>Dimensions</p>



Specification Information
<p>Step 1.</p> <p>DT1L</p>
<p>Step 2. Edge</p> <p>S. squared-edge</p> <p>T. thin-edge</p> <p>E. eased-edge</p>
<p>Step 3. Depth</p> <p><i>For squared-edge (S.)</i></p> <p>18 18" deep</p> <p>24 24" deep</p> <p><i>For thin-edge (T.)</i></p> <p>24 24" deep</p> <p><i>For eased-edge (E.)</i></p> <p>24 24" deep</p>
<p>Step 4. Width</p> <p><i>For 18" deep (18)</i></p> <p>60 60" wide</p> <p><i>For 24" deep (24)</i></p> <p>48 48" wide</p> <p>60 60" wide</p>
<p>Step 5. Surface Material</p> <p><i>For squared-edge (S.)</i></p> <p>L high-pressure laminate top/thermoplastic edge</p> <p>M thermally-fused laminate top/thermoplastic edge</p> <p>W veneer top/veneer edge A</p> <p>P painted Formcoat® top/edge</p> <p><i>For thin-edge (T.)</i></p> <p>W veneer top/veneer edge A</p> <p>P painted Formcoat® top/edge</p> <p><i>For eased-edge (E.)</i></p> <p>P painted Formcoat® top/edge</p>

Classroom Curve Table *continued*

Step 6. Leg Type

For 18" deep (18)

P post leg

For 24" deep (24)

P post leg

T T-leg

A T-leg with height adjustment

Prices for Steps 1-6.

		LP	LT	LA	MP	MT	MA
DT1LS. 18	60	\$1641	—	—	1513	—	—
	24 48	\$1642	2132	2669	1514	1967	2462
	60	\$1844	2399	2994	1702	2213	2762
		WP	WT	WA	PP	PT	PA
DT1LS. 18	60	\$1883	—	—	1767	—	—
	24 48	\$1885	2483	3129	1768	2298	2870
	60	\$2135	2802	3532	1988	2580	3221
		WP	WT	WA	PP	PT	PA
DT1LT. 24	48	\$2264	2981	3753	1882	2447	3057
	60	\$2559	3361	4237	2117	2749	3430
		WP	WT	WA	PP	PT	PA
DT1LE. 24	48	—	—	—	\$1882	2447	3057
	60	—	—	—	\$2117	2749	3430

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
CHD	noble cherry	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
EW	medium matte walnut A	+\$85
UL	natural maple A	+\$85
WHN	natural white oak	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 9. Leg Finish

Metallic Paint

For post leg (P) or T-leg (T)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For post leg (P) or T-leg (T)

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

For post leg (P) or T-leg (T)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For post leg (P) or T-leg (T)

CD	polished aluminum	+\$110
-----------	-------------------	--------

Metallic Paint

For T-leg with height adjustment (A)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Smooth Paint

For T-leg with height adjustment (A)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For T-leg with height adjustment (A)


CD	polished aluminum	+\$110
-----------	-------------------	--------

Step 10. Casters/Glides


20	casters	+\$0
57	glides	+\$0

Conference Corner Table

DT1ME.
DT1MS.
DT1MT.



Product Information
<p>Description</p> <p>This corner table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.</p>
<p>Notes</p> <p>Tables have an additional (5th) leg for stability. Additional ganging bracket kits (Y1338.) can be used with adjacent tables. For additional details on available edge options see Appendices.</p>
<p>Dimensions</p>



Specification Information		
Step 1.		
DT1M		
Step 2. Edge		
S.	squared-edge	
T.	thin-edge	
E.	eased-edge	
Step 3. Depth		
24	24" deep	
30	30" deep	
Step 4. Surface Material		
For squared-edge (S.)		
L	high-pressure laminate top/thermoplastic edge	
M	thermally-fused laminate top/thermoplastic edge	
W	veneer top/veneer edge A	
P	painted Formcoat® top/edge	
For thin-edge (T.)		
W	veneer top/veneer edge A	
P	painted Formcoat® top/edge	
For eased-edge (E.)		
P	painted Formcoat® top/edge	
Step 5. Leg/Base Type		
P	post leg	
Prices for Steps 1-5.		
		P
DT1MS. 24	L	\$1835
	M	\$1699
	W	\$2178
	P	\$1985
30	L	\$2204
	M	\$2041
	W	\$2640
	P	\$2376
		P
DT1MT. 24	W	\$2613
	P	\$2110
30	W	\$3171
	P	\$2531

	P
DT1ME. 24 P	\$2110
30 P	\$2531

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$85
40	dark brown walnut A	+\$85
CHD	noble cherry	+\$85
ET	clear on ash A	+\$85
EU	oak on ash A	+\$85
EV	walnut on ash A	+\$85
EW	medium matte walnut A	+\$85
UL	natural maple A	+\$85
WHN	natural white oak	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Leg/Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint


8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Step 9. Casters/Glides

20	casters	+\$0
57	glides	+\$0

Round Corner Table

DT1NE.
DT1NS.
DT1NT.



Product Information

Description

This corner table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

Tables have an additional (5th) leg for stability.



3 36" deep tables ganged together make an 84" diameter table.

Additional ganging bracket kits (Y1338.), sold separately, can be used to ensure proper alignment with adjacent tables.

For additional details on available edge options see Appendices.

UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.

Dimensions



Specification Information

Step 1.

DT1N

Step 2. Edge

S. squared-edge
T. thin-edge
E. eased-edge

Step 3. Depth

24 24" deep
30 30" deep
36 36" deep

Step 4. Surface Material

For squared-edge (S.)

L high-pressure laminate top/thermoplastic edge
M thermally-fused laminate top/thermoplastic edge
W veneer top/veneer edge **A**
P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge **A**
P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 5. Leg/Base Type

P post leg

Prices for Steps 1-5.

	P
DT1NS. 24 L	\$1837
M	\$1699
W	\$2178
P	\$1985
30 L	\$2206
M	\$2040
W	\$2640
P	\$2376
36 L	\$2572
M	\$2379
W	\$3107
P	\$2772

	P
DT1NT. 24 W	\$2613
P	\$2110
30 W	\$3171
P	\$2531
36 W	\$3726
P	\$2954
	P
DT1NE. 24 P	\$2110
30 P	\$2531
36 P	\$2954

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut	A	+\$85
40	dark brown walnut	A	+\$85
CHD	noble cherry		+\$85
ET	clear on ash	A	+\$85
EU	oak on ash	A	+\$85
EV	walnut on ash	A	+\$85
EW	medium matte walnut	A	+\$85
UL	natural maple	A	+\$85
WHN	natural white oak		+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Leg/Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint


8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Step 9. Casters/Glides

20	casters	+\$0
57	glides	+\$0

Flip-Top Rectangular Table

DT5AE.
DT5AS.
DT5AT.




Product Information

Description
This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has 2 paddles under the front edge that allow the surface to flip up, minimizing space for storage when not in use. The table has T-legs and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

- Thin edge and eased edge tops not available with 18" deep surfaces.
- Cable grommet options available through Vary Easy Program for round pass through grommet with 2 1/4" hole clearance. Holes are located 3" from rear edge and 6" from end for the L and R options. Covers not provided with painted surface option.
- Cutouts available for all Connect™ power and data accessories (see Thrive™ Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.
- Multiple tables can be nested for storage when surface is flipped up. First table in nest requires 23" of floor space. All additional tables require only 9" of additional space.
- Table top overhangs the base by 2 3/4" on each end.
- For additional details on available edge options see Appendices.
- Only fabric modesty panel (Y1114.) will enable flip top table to fold as intended. It is the recommended modesty panel for use with flip top tables. It is full length and folds out of the way for table storage.
- For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.
- UL listed when used with Connect single circuit electrical product (Y137x.) with T-leg (T) option.
- MicrobeCare™ is an antimicrobial coating applied to the laminate or veneer surface of this product.
- MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.
- MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

Dimensions



Flip-Top Rectangular Table *continued*

Specification Information	
Step 1.	
DT5A	
Step 2. Edge	
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3. Depth	
<i>For squared-edge (S.)</i>	
18	18" deep
24	24" deep
30	30" deep
<i>For eased-edge (E.)</i>	
24	24" deep
30	30" deep
<i>For thin-edge (T.)</i>	
24	24" deep
30	30" deep
Step 4. Width	
48	48" wide
60	60" wide
72	72" wide
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
L	high-pressure laminate top/thermoplastic edge
M	thermally-fused laminate top/thermoplastic edge
U	high-pressure laminate/universal edge
T	thermally-fused laminate top/universal edge
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
A	high-pressure laminate top/thermoplastic edge with MicrobeCare™ A
J	thermally-fused laminate top/thermoplastic edge with MicrobeCare™ A
B	veneer top/veneer edge with MicrobeCare™ A
C	high-pressure laminate top/universal edge with MicrobeCare™ A
K	thermally-fused laminate top/universal edge with MicrobeCare™ A

For thin-edge (T.)							
W	veneer top/veneer edge A						
P	painted Formcoat® top/edge						
B	veneer top/veneer edge with MicrobeCare™ A						
For eased-edge (E.)							
P	painted Formcoat® top/edge						
Step 6. Leg Type							
T	T-leg						
Prices for Steps 1-6.							
	LT	MT	UT	TT	WT	PT	
DT5AS. 18	48	\$2181	2043	2181	2043	2507	2379
	60	\$2290	2144	2290	2144	2640	2496
	72	\$2405	2252	2405	2252	2773	2619
24	48	\$2227	2086	2227	2086	2559	2427
	60	\$2338	2190	2338	2190	2697	2551
	72	\$2453	2298	2453	2298	2831	2674
30	48	\$2362	2213	2362	2213	2716	2569
	60	\$2571	2409	2571	2409	2968	2802
	72	\$2700	2529	2700	2529	3118	2941
		AT	JT	BT	CT	KT	
DT5AS. 18	48	\$2286	2141	2606	2286	2141	
	60	\$2392	2242	2739	2392	2242	
	72	\$2509	2351	2872	2509	2351	
24	48	\$2331	2183	2659	2331	2183	
	60	\$2442	2287	2795	2442	2287	
	72	\$2557	2395	2930	2557	2395	
30	48	\$2464	2308	2816	2464	2308	
	60	\$2678	2508	3067	2678	2508	
	72	\$2805	2628	3217	2805	2628	
		LT	MT	UT	TT	WT	PT
DT5AT. 24	48	—	—	—	—	\$3068	2587
	60	—	—	—	—	\$3232	2713
	72	—	—	—	—	\$3396	2848
30	48	—	—	—	—	\$3262	2739
	60	—	—	—	—	\$3558	2984
	72	—	—	—	—	\$3740	3133
		AT	JT	BT	CT	KT	
DT5AT. 24	48	—	—	\$3166	—	—	
	60	—	—	\$3331	—	—	
	72	—	—	\$3494	—	—	

Flip-Top Rectangular Table *continued*

	30	48	—	—	\$3359	—	—
	60		—	—	\$3658	—	—
	72		—	—	\$3838	—	—
			LT	MT	UT	TT	WT
DT5AE	24	48	—	—	—	—	\$2587
	60		—	—	—	—	\$2713
	72		—	—	—	—	\$2848
	30	48	—	—	—	—	\$2739
	60		—	—	—	—	\$2984
	72		—	—	—	—	\$3133

Step 7.

Top Finish

For high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or high-pressure laminate top/universal edge with MicrobeCare™ (C)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M), thermally-fused laminate top/universal edge (T), thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), or thermally-fused laminate top/universal edge with MicrobeCare™ (K)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W) or veneer top/veneer edge with MicrobeCare™ (B)

2U	light brown walnut	A	+\$50
40	dark brown walnut	A	+\$50
CHD	noble cherry		+\$50
ET	clear on ash	A	+\$50
EU	oak on ash	A	+\$50
EV	walnut on ash	A	+\$50
EW	medium matte walnut	A	+\$50
UL	natural maple	A	+\$50
WHN	natural white oak		+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Flip-Top Rectangular Table *continued*

Step 8. Edge Finish

For high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge (M), high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), or thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 9. Leg Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint


BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Step 10. Casters/Glides

20	casters	+\$0
57	glides	+\$0



Product Information


Description

This product is a kit of a full set of table legs with attachment hardware. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

- Height adjustable table legs have a 5" range in 1" increments.
- Tabletop must be no more than 30" deep and no less than 24" deep for C and D options. Tabletop must be no more than 36" deep and no less than 18" deep for P, A, and T options.
- Tabletops 54" and wider are recommended to have a steel support channel.
- Not recommended for tables wider than 84".
- Table leg must be located such that the floor glides are not more than 3" from the front and rear sides for table stability.
- Tabletop can over hang sides of table base by no more than 15" for tops 60" and wider.
- 1" long screws provided with base are recommended to attach to tabletop.
- Ensure mounting surface is no less than 1" thick.

Dimensions



Everywhere™ Standard-Height Table Legs and Bases

Standard-Height Table Leg *continued*

Specification Information

Step 1.

DT2A.

Step 2. Depth

18	18" deep
24	24" deep
30	30" deep
36	36" deep

Step 3. Leg Type

For 18" deep (18) or 36" deep (36)

P	post leg
T	T-leg
A	T-leg with height adjustment

For 24" deep (24) or 30" deep (30)

P	post leg
T	T-leg
A	T-leg with height adjustment
C	C-leg
D	C-leg with height adjustment

Step 4. Table Top Surface Material

For post leg (P)

P	painted table top
Z	high-pressure laminate or veneer table top

For T-leg (T), T-leg with height adjustment (A), C-leg (C), or C-leg with height adjustment (D)

N	laminate, painted or veneer table top
---	---------------------------------------

Prices for Steps 1-4.

	N	P	Z
DT2A. 18 P	—	\$812	812
T	\$1028	—	—
A	\$1564	—	—
24 P	—	\$812	812
T	\$1063	—	—
A	\$1616	—	—
C	\$1063	—	—
D	\$1635	—	—

30 P	—	\$812	812
T	\$1063	—	—
A	\$1616	—	—
C	\$1063	—	—
D	\$1635	—	—
36 P	—	\$812	812
T	\$1121	—	—
A	\$1674	—	—

Step 5. Leg Finish

Metallic Paint

For post leg (P), T-leg (T), or C-leg (C)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

For post leg (P), T-leg (T), or C-leg (C)

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

For post leg (P), T-leg (T), or C-leg (C)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For post leg (P), T-leg (T), or C-leg (C)

CD	polished aluminum	+\$110
----	-------------------	--------

Metallic Paint

For T-leg with height adjustment (A) or C-leg with height adjustment (D)

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0


Everywhere™ Standard-Height Table Legs and Bases

Everywhere™ Standard-Height Table Legs and Bases

Smooth Paint		
<i>For T-leg with height adjustment (A) or C-leg with height adjustment (D)</i>		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
<i>For T-leg with height adjustment (A) or C-leg with height adjustment (D)</i>		
CD	polished aluminum	+\$110
Step 6. Casters/Glides		
20	casters	+\$0
57	glides	+\$0

Standard-Height Table Base

DT2B.



Product Information

Description

This product is a kit of a full set of center column table legs with attachment hardware. It has either single column S or 4 column X leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

Tabletop must be no more than 42" deep and no less than 30" deep for X base.

Tabletop must be no more than 36" deep and no less than 24" deep for S base.


Table base to be centered side-to-side and left-to-right under tabletop.

Tabletop can over hang sides of table base by no more than 15" for tops 60" and wider.

1" long screws provided with base are recommended to attach to tabletop.

Ensure mounting surface is no less than 1" thick.

Dimensions



Specification Information

Step 1.

DT2B.

Step 2. Leg/Base Type

X 4-column base

S single-column base

Prices for Steps 1-2.

DT2B. X	\$1133
S	\$790

Step 3. Leg/Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint


8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Step 4. Casters/Glides


20	casters	+\$0
57	glides	+\$0

Standing-Height Square Table

DT3BE.
DT3BS.
DT3BT.



Product Information
<p>Description</p> <p>This 42"-high, square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.</p>
<p>Notes</p> <p>For additional details on available edge options see Appendices. For additional size, edge, and finish options, see Vary Easy Program in Appendices.</p>
<p>Dimensions</p>



Specification Information
<p>Step 1.</p> <p>DT3B</p>
<p>Step 2. Edge</p> <p>S. squared-edge T. thin-edge E. eased-edge</p>
<p>Step 3. Depth/Width</p> <p>3030 30" deep x 30" wide 3636 36" deep x 36" wide</p>
<p>Step 4. Surface Material</p> <p><i>For squared-edge (S.)</i></p> <p>L high-pressure laminate top/thermoplastic edge M thermally-fused laminate top/thermoplastic edge U high-pressure laminate/universal edge T thermally-fused laminate top/universal edge W veneer top/veneer edge A P painted Formcoat® top/edge</p> <p><i>For thin-edge (T.)</i></p> <p>W veneer top/veneer edge A P painted Formcoat® top/edge</p> <p><i>For eased-edge (E.)</i></p> <p>P painted Formcoat® top/edge</p>
<p>Step 5. Base Type</p> <p>X 4-column base</p>
<p>Prices for Steps 1-5.</p>

		X
DT3BS. 3030	L	\$1439
	M	\$1371
	U	\$1439
	T	\$1371
	W	\$1642
	P	\$1590
3636	L	\$1723
	M	\$1643
	U	\$1723
	T	\$1643
	W	\$1986
	P	\$1908

Standing-Height Square Table

continued

	X
DT3BT. 3030 W	\$1971
P	\$1693
3636 W	\$2377
P	\$2027
	X
DT3BE. 3030 P	\$1693
3636 P	\$2027

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M) or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
CHD	noble cherry	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
EW	medium matte walnut A	+\$50
UL	natural maple A	+\$50
WHN	natural white oak	+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Standing-Height Square Table

continued

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30


Sand Texture Paint

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

DT3CE.
DT3CS.
DT3CT.




Description

Notes

For additional details on available edge options see Appendices.
For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Step 1.

DT3C

Step 2. Edge

- S. squared-edge
- T. thin-edge
- E. eased-edge

Step 3. Diameter

- | | |
|----|--------------|
| 30 | 30" diameter |
| 36 | 36" diameter |

Step 4. Surface Material

For squared-edge (S.)

- | | |
|---|--|
| L | high-pressure laminate top/thermoplastic edge |
| M | thermally-fused laminate top/thermoplastic edge |
| W | veneer top/veneer edge A |
| P | painted Formcoat® top/edge |

For thin-edge (T.)

- W veneer top/veneer edge A
P painted Formcoat® top/edge

For eased-edge (E.)

- P** painted Formcoat® top/edge

Step 5. Base Type

- | | |
|---|---------------|
| X | 4-column base |
|---|---------------|

Prices for Steps 1-5.

		X
DT3CS. 30	L	\$1663
	M	\$1575
	W	\$1884
	P	\$1829
36	L	\$1995
	M	\$1889
	W	\$2279
	P	\$2193
		X
DT3CT. 30	W	\$2262
	P	\$1944
36	W	\$2737
	P	\$2331

Standing-Height Round Table *continued*

	X
DT3CE. 30 P	\$1944
36 P	\$2331

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut	A	+\$50
40	dark brown walnut	A	+\$50
CHD	noble cherry		+\$50
ET	clear on ash	A	+\$50
EU	oak on ash	A	+\$50
EV	walnut on ash	A	+\$50
EW	medium matte walnut	A	+\$50
UL	natural maple	A	+\$50
WHN	natural white oak		+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Standing-Height Round Table *continued*

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LU	soft white	+\$0

Step 8. Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint


BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Occasional Table, Square

DT4BS.
DT4BT.



Product Information

Description


This 16"-high, square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT4B

Step 2. Edge

- S. squared-edge
T. thin-edge

Step 3. Depth/Width

- 2424 24" deep x 24" wide
3030 30" deep x 30" wide
3636 36" deep x 36" wide

Step 4. Surface Material

For squared-edge (S.)

- L high-pressure laminate top/thermoplastic edge
M thermally-fused laminate top/thermoplastic edge
U high-pressure laminate/universal edge
T thermally-fused laminate top/universal edge
W veneer top/veneer edge ☐ A
P painted Formcoat® top/edge

For thin-edge (T.)

- W veneer top/veneer edge ☐ A
P painted Formcoat® top/edge

Step 5. Base Type

- S single-column base

Prices for Steps 1-5.

			S
DT4BS. 2424	L		\$1110
	M		\$1046
	U		\$1110
	T		\$1046
	W		\$1233
	P		\$1216
3030	L		\$1330
	M		\$1253
	U		\$1330
	T		\$1253
	W		\$1494
	P		\$1456

3636	L	\$1529
	M	\$1441
	U	\$1529
	T	\$1441
	W	\$1728
	P	\$1674
	S	
DT4BT. 2424	W	\$1479
	P	\$1292
3030	W	\$1793
	P	\$1549
3636	W	\$2079
	P	\$1782

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0








Top Finish

For thermally-fused laminate top/thermoplastic edge (M) or thermally-fused laminate top/universal edge (T)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut 	+\$50
40	dark brown walnut 	+\$50
CHD	noble cherry	+\$50
ET	clear on ash 	+\$50
EU	oak on ash 	+\$50
EV	walnut on ash 	+\$50
EW	medium matte walnut 	+\$50
UL	natural maple 	+\$50
WHN	natural white oak	+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint


BK	black	+\$0
UBK	ultra black (CP)	+\$0

Occasional Table, Square *continued*

Smooth Paint		
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110

Occasional Table, Round

DT4CS.
DT4CT.



Product Information

Description


This 16"-high, round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT4C

Step 2. Edge

- S. squared-edge
- T. thin-edge

Step 3. Diameter

- 30 30" diameter
- 36 36" diameter

Step 4. Surface Material

For squared-edge (S.)

- L high-pressure laminate top/thermoplastic edge
- M thermally-fused laminate top/thermoplastic edge
- W veneer top/veneer edge ☐ A
- P painted Formcoat® top/edge

For thin-edge (T.)

- W veneer top/veneer edge ☐ A
- P painted Formcoat® top/edge

Step 5. Base Type

- S single-column base

Prices for Steps 1-5.

		S
DT4CS. 30	L	\$1552
	M	\$1433
	W	\$1719
	P	\$1673
	36 L	\$1787
	M	\$1648
	W	\$1989
	P	\$1921
		S
DT4CT. 30	W	\$2058
	P	\$1781
	36 W	\$2385
	P	\$2047

Step 6.

Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
UBK	ultra black (CP)	+\$0
76	light brown walnut	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$0

Top Finish

For thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut (CP)	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut A	+\$50
40	dark brown walnut A	+\$50
CHD	noble cherry	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
EW	medium matte walnut A	+\$50
UL	natural maple A	+\$50
WHN	natural white oak	+\$50

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
LU	soft white	+\$0

Step 7. Edge Finish

For high-pressure laminate top/thermoplastic edge (L) or thermally-fused laminate top/thermoplastic edge (M)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 8. Base Finish

Metallic Paint


611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint

BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0
CD	polished aluminum	+\$110



Product Information

Description

This tackable fabric screen attaches to a work surface either at the seam or at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage


24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT354. A

Step 2. Attachment Type
CL Canvas Surface Attached, End of Run Left Handed A

CR Canvas Surface Attached, End of Run Right Handed A

Step 3. Height
42 42" high A

46 46" high A

Step 4. Width
24 24" wide A

30 30" wide A

36 36" wide A

Step 5. Surface Material
R tackable fabric, horizontal A

T tackable fabric A

Prices for Steps 1-5.

		24R	24T	30R	30T	36R	36T
FT354. CL	42	\$1139	1139	1178	1178	1212	1212
	46	\$1198	1198	1245	1245	1294	1294
	CR 42	\$1139	1139	1178	1178	1212	1212
	46	\$1198	1198	1245	1245	1294	1294

Step 6. Bracket Finish
UBK ultra black (CP) A +\$0

8Q folkstone grey (CP) A +\$0

91 white (CP) A +\$0

98 studio white (CP) A +\$0

BK black A +\$0

G1 graphite (CP) A +\$0

SNA satin aluminum A +\$10

SNB satin bronze A +\$10

SNC satin carbon A +\$10

WL warm stone (CP) A +\$0

WN warm grey neutral A +\$0

Step 7. Fabric

Price Category 1 A +\$0

Price Category 2 A +\$20


Price Category 3 A +\$48

Price Category 5 A +\$102

Price Category B A +\$378

Price Category C A +\$128

Flat Edge Screen, Surface Attached FT356.



Product Information

Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary with a tackable surface. Attachment hardware included.

Notes

Screen heights are overall datum heights to align with Canvas Office Landscape®; they are not the actual heights of screens.

42"-high (42) screen is a nominal 13" above work surface.

46"-high (46) screen is a nominal 17" above work surface.

53"-high (53) screen is a nominal 24" above work surface.

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 4" below surface to hide attachment hardware.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.49

46—1.73

53—2.18

For horizontal fabric direction (R):

Width—Yardage

40—1.34

42—1.51

46—1.62

48—1.71

52—1.81

54—1.90


60—2.07

66—2.27

72—2.46

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Everywhere™ Screens

Flat Edge Screen, Surface Attached

continued

Everywhere™ Screens

Specification Information

Step 1.

FT356.

Step 2. Attachment

C Canvas surface attached

Step 3. Height

42 42" high

46 46" high

53 53" high

Step 4. Width

40 39½" wide

42 42" wide

46 45½" wide

48 48" wide

52 51½" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

R tackable fabric, horizontal

T tackable fabric

For 51½" wide (52), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal

Prices for Steps 1-5.

		40R	40T	42R	42T	46R	46T
FT356. C	42	\$806	806	822	822	860	860
	46	\$869	869	908	908	939	939
	53	\$1124	1124	1232	1232	1248	1248

		48R	48T	52R	54R	60R	66R
FT356. C	42	\$879	879	907	933	1010	1057
	46	\$1002	1002	1033	1095	1186	1239
	53	\$1270	1270	1285	1304	1339	1347

72R

FT356. C	42	\$1124
	46	\$1294
	53	\$1355

Step 6. Bracket Finish

G1 graphite (CP) +\$0

Step 7. Fabric


For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

Price Category 1	+\$0
Price Category 2	+\$28
Price Category 3	+\$65
Price Category 5	+\$166
Price Category B	+\$132
Price Category C	+\$161
Price Category E	+\$203

For 51½" wide (52), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

Price Category 1	+\$0
Price Category 2	+\$32
Price Category 3	+\$78
Price Category 5	+\$188
Price Category B	+\$132
Price Category C	+\$198
Price Category E	+\$203

Flat Edge Screen, Surface Attached FT357. with Modesty



Product Information

Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary and modesty with a tackable surface. An optional cable management trough is available. Trough finish is graphite. Attachment hardware included.

Notes

Screen heights are overall datum heights to align with Canvas Office Landscape®; they are not the actual heights of screens.

42"-high (A42) screen is a nominal 13" above work surface.

46"-high (A46) screen is a nominal 17" above work surface.

53"-high (A53) screen is a nominal 24" above work surface.

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 9" below surface for modesty.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.90

46—2.14

53—2.59

For horizontal fabric direction (R):

Width—Yardage

40—2.87

42—3.02

46—3.22

48—3.41

52—3.63

54—3.78


60—4.17

66—4.54

72—4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Everywhere™ Screens

Flat Edge Screen, Surface Attached with Modesty *continued*

Specification Information

Step 1.

FT357.

Step 2. Attachment

C Canvas surface attached

Step 3. Height

A42 42" high/ 9" below surface

A46 46" high/ 9" below surface

A53 53" high/ 9" below surface

Step 4. Width

40 39½" wide

42 42" wide

46 45½" wide

48 48" wide

52 51½" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

R tackable fabric, horizontal

T tackable fabric

For 51½" wide (52), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal

Prices for Steps 1-5.

		40R	40T	42R	42T	46R	46T
FT357. C	A42	\$869	869	908	908	945	945
	A46	\$1043	1043	1113	1113	1117	1117
	A53	\$1245	1245	1274	1274	1280	1280

		48R	48T	52R	54R	60R	66R
FT357. C	A42	\$959	959	1004	1009	1110	1139
	A46	\$1128	1128	1170	1224	1241	1276
	A53	\$1292	1292	1298	1307	1327	1438

72R

FT357. C	A42	\$1218
	A46	\$1319
	A53	\$1486

Step 6. Cable Trough

NC no cable way +\$0

CW cable way +\$25

Step 7. Cable Trough Finish

G1 graphite (CP) +\$0

Step 8. Bracket Finish

G1 graphite (CP) +\$0

Step 9. Fabric

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

Price Category 1 +\$0

Price Category 2 +\$43

Price Category 3 +\$103

Price Category 5 +\$260

Price Category B +\$151

Price Category C +\$356

Price Category E +\$539

For 51½" wide (52), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

Price Category 1 +\$0

Price Category 2 +\$62


Price Category 3 +\$148

Price Category 5 +\$380

Price Category B +\$262

Price Category C +\$515

Price Category E +\$778



Product Information

Description

This tackable fabric screen attaches to a work surface at the right or left edge to provide division and boundary between workers. It attaches with no interference from supports below the work surface. Attachment hardware included.

Notes

Screen height is 13½" or 17½" above work surface, aligning with bead heights of 41" and 45".

Screen width matches work surface depths that have a 1" gap at the back edge.

2 attachment methods ship with the end-of-run right handed (CR) and end-of-run left handed (CL) screen. The screen can be installed using the bracket, or using threaded screws that drill bayonets directly into the surface.

See planning guide for exact location of holes.

End-of-run screen does not work on Canvas Beam.

See planning guide for applications and other compatible product lines.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.19

46—1.45

For horizontal fabric direction (R):

Width—Yardage


24—0.90

30—1.10

36—1.30

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Flat Edge Screen, Delineation

continued

Everywhere™ Screens

Specification Information

Step 1.

FT358.

Step 2. Attachment Type	
CL	Canvas Surface Attached, End of Run Left Handed
CR	Canvas Surface Attached, End of Run Right Handed

Step 3. Height	
42	42" high
46	46" high

Step 4. Width	
24	24" wide
30	30" wide
36	36" wide

Step 5. Surface Material	
R	tackable fabric, horizontal
T	tackable fabric


Prices for Steps 1-5.							
		24R	24T	30R	30T	36R	36T
FT358.	CL 42	\$706	706	746	746	761	761
	46	\$768	768	813	813	841	841
	CR 42	\$706	706	746	746	761	761
	46	\$768	768	813	813	841	841

Step 6. Bracket Finish		
UBK	ultra black (CP)	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
SNA	satin aluminum	+\$10
SNB	satin bronze	+\$10
SNC	satin carbon	+\$10
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Step 7. Fabric	
Price Category 1	+\$0
Price Category 2	+\$20
Price Category 3	+\$48
Price Category 5	+\$140
Price Category B	+\$68
Price Category C	+\$122
Price Category E	+\$203

Modesty Panel

Y1113.



Product Information

Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.


Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width 1/4" less than specified value.

Modesty panel is field installed.

Brackets are located to work with Connect™ 2-circuit power system.

Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

Dimensions



Specification Information

Step 1.

Y1113.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 3. Cable Trough

N	without added cable trough
Y	with added cable trough

Step 4. Surface Material

L	thermally-fused laminate top/thermoplastic edge
W	veneer top/veneer edge

Prices for Steps 1-4.

			L	W
Y1113.	24	N	\$276	487
		Y	\$489	720
	30	N	\$300	545
		Y	\$554	824
	36	N	\$327	605
		Y	\$601	907
	42	N	\$354	665
		Y	\$661	1002
	48	N	\$380	727
		Y	\$721	1101
	54	N	\$408	787
		Y	\$784	1195
	60	N	\$434	845
		Y	\$845	1290
	66	N	\$434	904
		Y	\$906	1386
	72	N	\$469	964
		Y	\$965	1481

Step 5. Finish

For thermally-fused laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For veneer top/veneer edge (W)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
UL	natural maple	+\$0


Step 6. Edge Finish

For thermally-fused laminate top/thermoplastic edge (L)


125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Pari Screen, Surface Attached with Modesty

FT353.



Product Information
Description
This tackable fabric screen attaches to a Canvas work surface to provide boundary and modesty with a tackable surface. An optional cable management trough is available. Trough finish is graphite. Attachment hardware included.
Notes
Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.
Screen extends 10" below surface for modesty.
Screen can be flush with back edge of surface, or provide a 1" gap.
Screens 48" wide and wider include an additional 1"-wide center mounting bracket.
Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.
For vertical fabric direction (T):
Height—Yardage
42—1.90
46—2.14
53—2.59
For horizontal fabric direction (R):
Width—Yardage
40—2.87
42—3.02
46—3.22
48—3.41
52—3.63
54—3.78
60—4.17
66—4.54
72—4.92
For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.




Everywhere™ Screens

Pari Screen, Surface Attached with Modesty *continued*

Specification Information							
Step 1.							
FT353. <input type="checkbox"/> A							
Step 2. Attachment							
C	Canvas surface attached						<input type="checkbox"/> A
Step 3. Height							
A42	42" high/10" below surface						<input type="checkbox"/> A
A46	46" high/10" below surface						<input type="checkbox"/> A
A53	53" high/10" below surface						<input type="checkbox"/> A
Step 4. Width							
40	39½" wide						<input type="checkbox"/> A
42	42" wide						<input type="checkbox"/> A
46	45½" wide						<input type="checkbox"/> A
48	48" wide						<input type="checkbox"/> A
52	51½" wide						<input type="checkbox"/> A
54	54" wide						<input type="checkbox"/> A
60	60" wide						<input type="checkbox"/> A
66	66" wide						<input type="checkbox"/> A
72	72" wide						<input type="checkbox"/> A
Step 5. Surface Material							
For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)							
R	tackable fabric, horizontal						<input type="checkbox"/> A
T	tackable fabric						<input type="checkbox"/> A
For 51½" wide (52)							
R	tackable fabric, horizontal						<input type="checkbox"/> A
For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)							
R	tackable fabric, horizontal						<input type="checkbox"/> A
Prices for Steps 1-5.							
		40R	40T	42R	42T	46R	46T
FT353. C	A42	\$1121	1121	1157	1157	1275	1275
	A46	\$1287	1287	1359	1359	1415	1415
	A53	\$1480	1480	1505	1505	1602	1602
		48R	48T	52R	54R	60R	66R
FT353. C	A42	\$1287	1287	1417	1449	1480	1595
	A46	\$1460	1460	1516	1530	1621	1703
	A53	\$1621	1621	1657	1678	1735	1883

		72R
FT353. C	A42	\$1639
	A46	\$1743
	A53	\$1917
Step 6. Cable Trough		
NC	no cable way <input type="checkbox"/> A	+\$0
CW	cable way <input type="checkbox"/> A	+\$25
Step 7. Cable Trough Finish		
G1	graphite (CP) <input type="checkbox"/> A	+\$0
Step 8. Bracket Finish		
G1	graphite (CP) <input type="checkbox"/> A	+\$0
Step 9. Fabric		
For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)		
Price Category 1 <input type="checkbox"/> A		+\$0
Price Category 2 <input type="checkbox"/> A		+\$43
Price Category 3 <input type="checkbox"/> A		+\$103
Price Category 5 <input type="checkbox"/> A		+\$0
Price Category B <input type="checkbox"/> A		+\$244
Price Category C <input type="checkbox"/> A		+\$336
For 51½" wide (52), 54" wide (54), or 60" wide (60)		
Price Category 1 <input type="checkbox"/> A		+\$0
Price Category 2 <input type="checkbox"/> A		+\$62
Price Category 3 <input type="checkbox"/> A		+\$148
Price Category 5 <input type="checkbox"/> A		+\$0
Price Category B <input type="checkbox"/> A		+\$322
Price Category C <input type="checkbox"/> A		+\$436
For 66" wide (66) or 72" wide (72)		
Price Category 1 <input type="checkbox"/> A		+\$0
Price Category 2 <input type="checkbox"/> A		+\$77
Price Category 3 <input type="checkbox"/> A		+\$185
Price Category 5 <input type="checkbox"/> A		+\$0
Price Category B <input type="checkbox"/> A		+\$378
Price Category C <input type="checkbox"/> A		+\$436



Product Information

Description

This tackable fabric screen attaches to a Canvas work surface to provide boundary with a tackable surface. Attachment hardware included.

Notes

Screen widths are actual dimensions, and extend to the end of Canvas work surfaces.

Screen extends 4" below surface to hide attachment hardware.

Screen can be flush with back edge of surface, or provide a 1" gap.

Screens 48" wide and wider include an additional 1"-wide center mounting bracket.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

42—1.49

46—1.73

53—2.18

For horizontal fabric direction (R):

Width—Yardage

40—1.34

42—1.51

46—1.62

48—1.71

52—1.81

54—1.90


60—2.07

66—2.27

72—2.46

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

FT351. A

Step 2. Attachment

C Canvas surface attached A

Step 3. Height

42 42" high A

46 46" high A

53 53" high A

Step 4. Width

40 39½" wide A

42 42" wide A

46 45½" wide A

48 48" wide A

52 51½" wide A

54 54" wide A

60 60" wide A

66 66" wide A

72 72" wide A

Step 5. Surface Material

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)

R tackable fabric, horizontal A

T tackable fabric A

For 51½" wide (52)

R tackable fabric, horizontal A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal A

Prices for Steps 1-5.

			40R	40T	42R	42T	46R	46T
FT351.	C	42	\$984	984	1019	1019	1032	1032
		46	\$1064	1064	1104	1104	1157	1157
		53	\$1287	1287	1390	1390	1449	1449
			48R	48T	52R	54R	60R	66R
FT351.	C	42	\$1050	1050	1136	1163	1242	1331
		46	\$1217	1217	1299	1331	1428	1505
		53	\$1465	1465	1530	1549	1576	1621

Pari Screen, Surface Attached

continued

Everywhere™ Screens

	72R
FT351. C 42	\$1402
46	\$1563
53	\$1651

Step 6. Bracket Finish

G1	graphite (CP) <input type="checkbox"/> A	+\$0
----	--	------

Step 7. Fabric

For 39½" wide (40), 42" wide (42), 45½" wide (46), or 48" wide (48)


Price Category 1	<input type="checkbox"/> A	+\$0
Price Category 2	<input type="checkbox"/> A	+\$28
Price Category 3	<input type="checkbox"/> A	+\$65
Price Category 5	<input type="checkbox"/> A	+\$0
Price Category B	<input type="checkbox"/> A	+\$136
Price Category C	<input type="checkbox"/> A	+\$167

For 51½" wide (52), 54" wide (54), or 60" wide (60)

Price Category 1	<input type="checkbox"/> A	+\$0
Price Category 2	<input type="checkbox"/> A	+\$32
Price Category 3	<input type="checkbox"/> A	+\$78
Price Category 5	<input type="checkbox"/> A	+\$0
Price Category B	<input type="checkbox"/> A	+\$160
Price Category C	<input type="checkbox"/> A	+\$234

For 66" wide (66) or 72" wide (72)

Price Category 1	<input type="checkbox"/> A	+\$0
Price Category 2	<input type="checkbox"/> A	+\$40
Price Category 3	<input type="checkbox"/> A	+\$94
Price Category 5	<input type="checkbox"/> A	+\$0
Price Category B	<input type="checkbox"/> A	+\$190
Price Category C	<input type="checkbox"/> A	+\$234



Product Information

Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Grommet mount attachment does not come with the mini grommet (order separately as needed). Cable clips and attachment hardware included. Product is UL listed.

Notes

Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Cable clips for cord management are intended for a 1-time installation.


Clamp versions can be reoriented in the field by a technician.

USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.


Cord color is predetermined. For white (91) finish cords will be white. For graphite (G1) finish cords will be black.

Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Dimensions



Surface Clamp



Grommet Mount

Specification Information

Step 1.

Y1414.

Step 2. Configuration

- L 1 simplex receptacles, 1 powered USB A/C Combo
- K 2 simplex receptacles

Step 3. Cord/Conduit Length

- 03 3' cord/conduit
- 06 6' cord/conduit
- 10 10' cord/conduit

Step 4. Attachment


- G grommet mount
- S surface clamp

Prices for Steps 1-4.

			G	S
Y1414.	L	03	\$471	471
		06	\$471	471
		10	\$483	483
	K	03	\$264	264
		06	\$264	264
		10	\$278	278

Step 5. Finish

- BK black ☐ +\$0
- UBK ultra black (CP) +\$0
- 91 white (CP) ☐ +\$0
- 98 studio white (CP) ☐ +\$0
- G1 graphite (CP) ☐ +\$0



Product Information

Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is ETL listed to UL962.

Notes

Cable clips for cord management are intended for a 1-time installation.

Clamp versions can be reoriented in the field by a technician.

Jumper length denotes distance between center points of each split point.

Cord length denotes distance from plug end to first split point.

Cord color is black for all module finish colors.


All branch lengths from main power cord to module are 12".

USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.


The cord head contains a circuit breaker when there are more than 3 simplex receptacles.

Grommet mount attachment (Y1415.xxxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.


Dimensions



Two Power Modules



Three Power Modules



Four Power Modules

Specification Information	
Step 1.	
Y1415.	

Step 2. Number of Modules	
2	two power modules
3	three power modules
4	four power modules

Step 3. Power Type	
M	1 simplex receptacles, 1 powered USB A/C Combo
K	2 simplex receptacles, all modules
N	first module has 1 AC simplex plus 1 powered USB A/C Combo all other modules have all AC simplexes

Step 4. Jumper Length	
36	36" between split points
48	48" between split points
60	60" between split points

Step 5. Attachment	
G	grommet mount
S	surface clamp

Step 6. Cord/Conduit Length	
06	6' cord/conduit
10	10' cord/conduit


Prices for Steps 1-6.

			36G06	36G10	36S06	36S10	48G06	48G10
Y1415.	2	M	\$1036	1050	1036	1050	1048	1063
		K	\$623	636	623	636	633	648
		N	\$829	843	829	843	841	855
	3	M	\$1542	1556	1542	1556	1564	1579
		K	\$942	959	942	959	968	979
		N	\$1151	1164	1151	1164	1173	1189
	4	M	\$2093	2108	2093	2108	2127	2142
		K	\$1266	1278	1266	1278	1300	1312
		N	\$1471	1486	1471	1486	1506	1519
			48S06	48S10	60G06	60G10	60S06	60S10
Y1415.	2	M	\$1048	1063	1060	1077	1060	1077
		K	\$633	648	643	659	643	659
		N	\$841	855	853	868	853	868
	3	M	\$1564	1579	1589	1602	1589	1602
		K	\$968	979	989	1002	989	1002
		N	\$1173	1189	1198	1211	1198	1211

4	M	\$2127	2142	2177	2191	2177	2191
	K	\$1300	1312	1331	1349	1331	1349
	N	\$1506	1519	1540	1554	1540	1554

Step 7. Finish		
91	white (CP)	A +\$0
98	studio white (CP)	A +\$0
BK	black	A +\$0
G1	graphite (CP)	A +\$0
UBK	ultra black (CP)	+\$0

Logic C1000 Universal Clamp Mount Distributor Y1423.



Product Information

Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

Notes


Clamp mounts on worksurfaces 1"1/4" thick.

Faceplate color matches unit color.


Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.


Dimensions



2 simplex receptacles with 1 powered USB A/C combo (H)




4 simplex receptacles with 1 powered USB A/C combo (I)



5 simplex receptacles with 1 powered USB A/C combo (J)



3 simplex receptacles (E)



5 simplex receptacles (F)

Logic C1000 Universal Clamp Mount
Distributor *continued*

Specification Information	
Step 1.	
Y1423.	

Step 2. Configuration	
H	2 simplex receptacles, 1 powered USB A/C Combo
I	4 simplex receptacles, 1 powered USB A/C Combo
E	3 simplex receptacles
F	5 simplex receptacles

Step 3. Power Type	
A	power cord with plug end

Step 4. Cord/Conduit Length	
03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit


Prices for Steps 1-4.				
		03	06	10
Y1423.	H A	\$633	633	648
	I A	\$761	761	773
	E A	\$425	425	440
	F A	\$555	555	567

Step 5. Finish		
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
BK	black <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0

Everywhere™ Power and Data Support

Logic G1000 Grommet Mounted Electrical Distributor

Y1425.



Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.


IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.

Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.


USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts. Refer to Renew Sit-to-Stand Tables planning guide for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.


Dimensions




2 simplex receptacles with 1 powered USB A/C combo (H)




4 simplex receptacles with 1 powered USB A/C combo (I)



5 simplex receptacles with 1 powered USB A/C combo (J)



3 simplex receptacles (E)



5 simplex receptacles (F)

Logic G1000 Grommet Mounted Electrical Distributor *continued*

Specification Information

Step 1.

Y1425.

Step 2. Configuration

H	2 simplex receptacles, 1 powered USB A/C Combo
I	4 simplex receptacles, 1 powered USB A/C Combo
E	3 simplex receptacles
F	5 simplex receptacles

Step 3. Power Type

A	power cord with plug end
C	IEC connector for Renew Tables

Step 4. Cord/Conduit Length

For power cord with plug end (A)

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

For IEC connector for Renew Tables (C)


03	3' cord/conduit
-----------	-----------------

Prices for Steps 1-4.

			03	06	10	20
Y1425.	H	A	\$900	900	914	929
		C	\$914	—	—	—
	I	A	\$1042	1042	1059	1074
		C	\$1059	—	—	—
	E	A	\$693	693	706	718
		C	\$706	—	—	—
	F	A	\$836	836	851	867
		C	\$851	—	—	—


Step 5. Finish

613	silver (CP)					+\$0
91	white (CP)	A				+\$0
98	studio white (CP)	A				+\$0
BK	black	A				+\$0
G1	graphite (CP)	A				+\$0
UBK	ultra black (CP)					+\$0




Product Information
Description
This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.
Notes
This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.
Dimensions

Specification Information
Step 1.
Y1412.
Step 2. Configuration
1 mini rectangle grommet
2 mini square grommet
Prices for Steps 1-2.
Y1412. 1 \$42
2 \$47
Step 3. Finish
91 white (CP) +\$0
98 studio white (CP) +\$0
BK black +\$0
G1 graphite (CP) +\$0
UBK ultra black (CP) +\$0




Grommet - Rectangle



Grommet - Square

Logic G1200 Grommet Pass Thru

Y1420.




Product Information
Description
This Logic Power Access Solutions™ grommet mounted metal enclosure provides access to cords kept beneath the surface. The unit has an integrated cord keeper.
Notes
Unit size is based on the grommet mounted electrical distributor (Y1425.) with simplex receptacles.
Dimensions

Specification Information		
Step 1.		
Y1420.		
Step 2. Configuration		
T	three outlet opening	
V	five outlet opening	
Prices for Steps 1-2.		
Y1420. T		\$303
V		\$333


Step 3. Finish		
613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
BK	black <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0

Everywhere™ Power and Data Support




Logic HD Cable Manager

Y1424.




Product Information
Description
This Logic Power Access Solutions™ stand-alone cable management tray mounts to the underside of most surfaces. It can be used with a Logic unit for cord storage, or used alone with cords routed through the back side of the unit. Tray drops down and holds cords in place while working and can be easily stowed back in place.
Dimensions



Specification Information
Step 1.
Y1424.
Step 2. Size
17 17" wide tray
Prices for Steps 1-2.
Y1424. 17
Step 3. Finish
613 silver (CP)
SNA satin aluminum
SNB satin bronze
SNC satin carbon
UBK ultra black (CP)
91 white (CP) A
98 studio white (CP) A
BK black A
G1 graphite (CP) A

Everywhere™ Power and Data Support



Product Information


Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Dimensions



Specification Information

Step 1.

Y1321.

Step 2. Power Type

- A power cord with plug end
- B conduit with open end, for hard-wiring

Step 3. Cord/Conduit Length

- 03 3' cord/conduit
- 06 6' cord/conduit
- 10 10' cord/conduit
- 20 20' cord/conduit

Prices for Steps 1-3.


	03	06	10	20
Y1321. A	\$308	308	322	395
B	\$386	386	401	473

Step 4. Wiring Type

- 4Z standard +\$0

Step 5. Finish

- 0H black +\$0



Product Information

Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver finish option (0I) or white finish option (0J) and standard wiring (4Z) has painted metal trim with white plastic simplex/data interior. Distributor with black finish option (0H) and standard wiring (4Z) has black painted trim with black plastic simplex/data interior. Distributor with PVC-free wiring option (LZ) has black plastic simplex/data interior, regardless of the finish color.

Dimensions



Specification Information

Step 1.

Y1322.

Step 2. Configuration

- | | |
|---|--------------------------------------|
| 1 | 1 simplex receptacle, 1 data opening |
| 2 | 2 simplex receptacles |

Step 3. Power Type

- | | |
|---|--|
| A | power cord with plug end |
| B | conduit with open end, for hard-wiring |

Step 4. Cord/Conduit Length

- | | |
|----|------------------|
| 03 | 3' cord/conduit |
| 06 | 6' cord/conduit |
| 10 | 10' cord/conduit |
| 20 | 20' cord/conduit |

Prices for Steps 1-4.


			03	06	10	20
Y1322.	1	A	\$366	366	379	451
		B	\$442	442	455	525
	2	A	\$386	386	401	473
		B	\$464	464	479	552

Step 5. Wiring Type

- | | | |
|----|----------|-------|
| 4Z | standard | +\$0 |
| LZ | PVC-free | +\$39 |

Step 6. Finish

- | | | |
|----|--------|------|
| 0H | black | +\$0 |
| 0I | silver | +\$0 |
| 0J | white | +\$0 |



Product Information

Description

This electrical distributor can grommet-mount flush in a surface, or clamp-mount to the edge. It can be configured with several combinations of simplex receptacles, data openings, and USB charging ports. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes


Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver option (0I) and white option (0J) have painted metal trim with white plastic simplex/data interiors. Black option (0H) has black painted trim with black plastic simplex/data interior.

Overall width for distributor with 4 openings is 8" wide. Overall width for distributor with 6 openings is 11" wide.

USB port charges at 2.1 amps.

Dimensions



Specification Information

Step 1.

Y1323.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
4	3 simplex receptacles, 3 data openings
5	2 simplex receptacles, 1 data opening, 1 charging USB port
6	3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Step 5. Attachment


G	grommet mount
S	surface clamp

Prices for Steps 1-5.

			03G	03S	06G	06S	10G	10S
Y1323.	3	A	\$415	415	415	415	433	433
		B	\$493	493	493	493	510	510
	4	A	\$517	517	517	517	530	530
		B	\$599	599	599	599	613	613
	5	A	\$580	580	580	580	597	597
		B	\$662	662	662	662	674	674
	6	A	\$681	681	681	681	699	699
		B	\$764	764	764	764	778	778

							20G	20S
Y1323.	3	A					\$504	504
		B					\$578	578
	4	A					\$606	606
		B					\$681	681
	5	A					\$668	668
		B					\$773	773
	6	A					\$768	768
		B					\$879	879

Step 6. Finish		
0H	black	+\$0
0I	silver	+\$0
0J	white	+\$0



Product Information

Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 4 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes


Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver anodized finish option (OK) and standard wiring (4Z) has anodized trim with white plastic simplex/data interior. Distributor with silver anodized finish option (OK) and PVC-free wiring (LZ) has anodized trim with black plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8 1/4" wide. Overall width for distributor with 3 simplex receptacles, 4 data openings option (5) is 12 3/4" wide.

Dimensions



Specification Information

Step 1.

Y1324.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
5	3 simplex receptacles, 4 data openings
6	2 simplex receptacles, 1 data opening, 1 charging USB port
7	3 simplex receptacles, 3 data opening, 1 charging USB port
8	3 simplex receptacles, 2 data opening, 2 charging USB ports

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.


		03	06	10	20
Y1324.	3 A	\$578	578	594	666
	B	\$657	657	674	743
	5 A	\$742	742	758	828
	B	\$821	821	831	901
	6 A	\$743	743	758	828
	B	\$824	824	839	911
	7 A	\$907	907	925	997
	B	\$988	988	1000	1069
	8 A	\$1073	1073	1087	1160
	B	\$1154	1154	1164	1232

Step 5. Wiring Type

4Z	standard	+\$0
LZ	PVC-free	+\$39

Step 6. Finish

OK	silver anodized	+\$0
----	-----------------	------



Product Information

Description

This electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The flip lid can be closed once devices are connected for a clean visual appearance. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 3 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver anodized option (0K) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8 $\frac{3}{8}$ " wide. Overall width for distributor with 3 simplex receptacles, 3 data openings option (4) is 11 $\frac{3}{8}$ " wide.

Dimensions



Specification Information

Step 1.

Y1325.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
7	3 simplex receptacles, 3 data openings
5	2 simplex receptacles, 1 data opening, 1 charging USB port
6	3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit


Prices for Steps 1-4.

			03	06	10	20
Y1325.	3	A	\$680	680	698	767
		B	\$762	762	773	844
	7	A	\$782	782	801	870
		B	\$864	864	878	950
	5	A	\$849	849	864	934
		B	\$929	929	941	1010
	6	A	\$950	950	965	1038
		B	\$1028	1028	1045	1114

Step 5. Finish

0K	silver anodized					+\$0
----	-----------------	--	--	--	--	------

Cable Management ClipDT9A.



Product Information

Description


This plastic clip snaps onto an Everywhere™ table leg to route cables or cords. Finish is clear. Package of 10.

Dimensions

Specification Information

Step 1.


DT9A. \$60



Everywhere™ Accessories

Vertical Cord Covers

DT9B.



Product Information

Description

These cord covers attach to Everywhere™ table T-leg and Y-leg sections that have either casters or glides. The covers are field installed, and are easily removed and reinstalled for ease of cable management.





Notes

The T cover works with both the (T) and (C) base options.

The Y cover works with both the (E) and (G) base options.

To ensure proper height of the covers, select (C) if your table has casters or select (G) if your table has glides.

Dimensions



Specification Information

Step 1.

DT9B.

Step 2. Leg Type

T T-leg
E Y-leg

Prices for Steps 1-2.

DT9B. T	\$395
E	\$395

Step 3. Caster or Glide Table

C	for table with caster base	+\$0
G	for table with glide base	+\$0

Step 4. Leg/Base Finish

Metallic Paint

611	beige mist metallic (CP)	+\$0
613	silver (CP)	+\$0
EH	metallic bronze	+\$0
SNA	satin aluminum	+\$30
SNB	satin bronze	+\$30
SNC	satin carbon	+\$30

Sand Texture Paint


BK	black	+\$0
UBK	ultra black (CP)	+\$0

Smooth Paint

8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Modesty Panel

Y1113.



Product Information

Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.


Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width 1/4" less than specified value.

Modesty panel is field installed.

Brackets are located to work with Connect™ 2-circuit power system.

Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

Dimensions



Specification Information

Step 1.

Y1113.

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide

Step 3. Cable Trough

N	without added cable trough
Y	with added cable trough

Step 4. Surface Material

L	thermally-fused laminate top/thermoplastic edge
W	veneer top/veneer edge

Prices for Steps 1-4.

			L	W
Y1113.	24	N	\$276	487
		Y	\$489	720
	30	N	\$300	545
		Y	\$554	824
	36	N	\$327	605
		Y	\$601	907
	42	N	\$354	665
		Y	\$661	1002
	48	N	\$380	727
		Y	\$721	1101
	54	N	\$408	787
		Y	\$784	1195
	60	N	\$434	845
		Y	\$845	1290
	66	N	\$434	904
		Y	\$906	1386
	72	N	\$469	964
		Y	\$965	1481

Step 5. Finish

For thermally-fused laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

For veneer top/veneer edge (W)

2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
UL	natural maple	+\$0


Step 6. Edge Finish

For thermally-fused laminate top/thermoplastic edge (L)

125	natural maple (CP)	+\$0
126	natural cherry (CP)	+\$0
127	walnut (CP)	+\$0
139	light ash (CP)	+\$0
140	warm ash (CP)	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey (CP)	+\$0
91	white (CP)	+\$0
98	studio white (CP)	+\$0
CL	cool grey neutral	+\$0
G1	graphite (CP)	+\$0
HF	inner tone light	+\$0
HP	light anigre	+\$0
LBA	clear on ash (CP)	+\$0
LBB	oak on ash (CP)	+\$0
LBC	walnut on ash (CP)	+\$0
LBF	neutral twill	+\$0
LBJ	graphite twill	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut (CP)	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
UBK	ultra black (CP)	+\$0
WL	warm stone (CP)	+\$0
WN	warm grey neutral	+\$0

Fabric Modesty Panel

Y1114.



Product Information

Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a fabric surface with aluminum top rail and attachment brackets. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.

For use with flip top table (DT5Ax.), modesty panel (Y1114.) is recommended to enable optimal folding functionality of the table.

Dimensions



Specification Information

Step 1.

Y1114. A

Step 2. Width

24	24" wide	A
30	30" wide	A
36	36" wide	A
42	42" wide	A
48	48" wide	A
54	54" wide	A
60	60" wide	A
66	66" wide	A
72	72" wide	A

Prices for Steps 1-2.

Y1114.	24	\$251
	30	\$274
	36	\$297
	42	\$314
	48	\$334
	54	\$375
	60	\$395
	66	\$417
	72	\$433


Step 3. Fabric

Price Category 4

+\$28

Cable Trough

Y1200.




Product Information

Description
This trough attaches to a table, desk, peninsula, or work surface to hold and conceal cords and cables. It pivots down to allow easy access when laying cords inside, and can be specified with an optional modesty panel. The modesty panel has a fabric surface with aluminum top rail. Attachment hardware is included.

Notes
Specify trough to be equal to or less than the surface width.

Dimensions



Specification Information

Step 1.
Y1200.

Step 2. Width		
24	24" wide	
30	30" wide	
36	36" wide	
42	42" wide	
48	48" wide	

Step 3. Modesty Panel Option		
N	no modesty panel	
M	modesty panel	

Prices for Steps 1-3.		
	N	M
Y1200. 24	\$392	500
30	\$428	562
36	\$469	613
42	\$514	670
48	\$553	728


Step 4. Cable Trough Finish		
AN	clear anodized aluminum	+\$0

Step 5. Modesty Panel Fabric		
<i>For modesty panel (M)</i>		
Price Category 4		+\$28

Everywhere™ Accessories


Cable Management Trough, Work
Surface Suspended

AO382.



Product Information
Description
This trough attaches under an Action Office® suspended work surface to manage cables. Attachment hardware is included.
Dimensions


Specification Information		
Step 1.		
AO382.		
Step 2. Width		
30	30" wide	
40	40" wide	
Prices for Steps 1-2.		
AO382. 30		\$123
40		\$151




Step 3. Surface Finish		
UBK	ultra black (CP)	+\$0
MT	medium tone	+\$0

Cord Manager

FV984.



Product Information
Description
This cord manager routes a cord from the underside of a hutch to the surface when a task light is attached. Color is black. Package of 6.
Dimensions




Specification Information
Step 1.
FV984.
Step 2. Height
12 12" high
24 24" high
30 29 1/2" high
Prices for Steps 1-2.
FV984. 12 \$118
24 \$181
30 \$217



Description

Notes

Dimensions



Specification Information

Step 1.

Y1414.

Step 2. Configuration

L 1 simplex receptacles, 1 powered USB A/C Combo**K** 2 simplex receptacles

Step 3. Cord/Conduit Length

03 3' cord/conduit**06** 6' cord/conduit**10** 10' cord/conduit

Step 4. Attachment


G grommet mount**S** surface clamp

Prices for Steps 1-4.

		G	S
Y1414. L	03	\$471	471
	06	\$471	471
	10	\$483	483
K	03	\$264	264
	06	\$264	264
	10	\$278	278

Step 5. Finish

BK	black <input type="checkbox"/>	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0




Product Information


Description
This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is ETL listed to UL962.

- Notes**
- Cable clips for cord management are intended for a 1-time installation.
 - Clamp versions can be reoriented in the field by a technician.
 - Jumper length denotes distance between center points of each split point.
 - Cord length denotes distance from plug end to first split point.
 - Cord color is black for all module finish colors.
 - All branch lengths from main power cord to module are 12".
 - USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.
 - The cord head contains a circuit breaker when there are more than 3 simplex receptacles.
 - Grommet mount attachment (Y1415.xxxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.


Dimensions



Two Power Modules



Three Power Modules



Four Power Modules

Specification Information

Step 1.

Y1415.
Step 2. Number of Modules

2	two power modules
3	three power modules
4	four power modules

Step 3. Power Type

M	1 simplex receptacles, 1 powered USB A/C Combo
K	2 simplex receptacles, all modules
N	first module has 1 AC simplex plus 1 powered USB A/C Combo all other modules have all AC simplexes

Step 4. Jumper Length

36	36" between split points
48	48" between split points
60	60" between split points

Step 5. Attachment

G	grommet mount
S	surface clamp

Step 6. Cord/Conduit Length

06	6' cord/conduit
10	10' cord/conduit

Prices for Steps 1-6.

			36G06	36G10	36S06	36S10	48G06	48G10
Y1415.	2	M	\$1036	1050	1036	1050	1048	1063
		K	\$623	636	623	636	633	648
		N	\$829	843	829	843	841	855
	3	M	\$1542	1556	1542	1556	1564	1579
		K	\$942	959	942	959	968	979
		N	\$1151	1164	1151	1164	1173	1189
	4	M	\$2093	2108	2093	2108	2127	2142
		K	\$1266	1278	1266	1278	1300	1312
		N	\$1471	1486	1471	1486	1506	1519
			48S06	48S10	60G06	60G10	60S06	60S10
Y1415.	2	M	\$1048	1063	1060	1077	1060	1077
		K	\$633	648	643	659	643	659
		N	\$841	855	853	868	853	868
	3	M	\$1564	1579	1589	1602	1589	1602
		K	\$968	979	989	1002	989	1002
		N	\$1173	1189	1198	1211	1198	1211


4	M	\$2127	2142	2177	2191	2177	2191
	K	\$1300	1312	1331	1349	1331	1349
	N	\$1506	1519	1540	1554	1540	1554

Step 7. Finish

91	white (CP)	<input type="checkbox"/>					+\$0
98	studio white (CP)	<input type="checkbox"/>					+\$0
BK	black	<input type="checkbox"/>					+\$0
G1	graphite (CP)	<input type="checkbox"/>					+\$0
UBK	ultra black (CP)						+\$0

Logic C1000 Universal Clamp Mount Distributor Y1423.

Distributor



Product Information






Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

Notes

- Clamp mounts on worksurfaces 1¹/₄" thick.
- Faceplate color matches unit color.
- Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.
- USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts.

Dimensions



Logic C1000 Universal Clamp Mount

Distributor *continued*

Specification Information

Step 1.

Y1423.

Step 2. Configuration

H 2 simplex receptacles, 1 powered USB A/C Combo

I 4 simplex receptacles, 1 powered USB A/C Combo

E 3 simplex receptacles

F 5 simplex receptacles

Step 3. Power Type

A power cord with plug end

Step 4. Cord/Conduit Length

03 3' cord/conduit

06 6' cord/conduit

10 10' cord/conduit

Prices for Steps 1-4.


		03	06	10
Y1423. H A		\$633	633	648
I A		\$761	761	773
E A		\$425	425	440
F A		\$555	555	567

Step 5. Finish

613	silver (CP)	+\$0
UBK	ultra black (CP)	+\$0
91	white (CP) <input type="checkbox"/> A	+\$0
98	studio white (CP) <input type="checkbox"/> A	+\$0
BK	black <input type="checkbox"/> A	+\$0
G1	graphite (CP) <input type="checkbox"/> A	+\$0

Logic G1000 Grommet Mounted
Electrical Distributor

Y1425.



Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB-A and USB-C charging ports. The unit is powered using a standard power cord with plug end, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

- Field cutting of grommet cutout is possible.
- IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.
- Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.
- USB ports provide a combined 20 watts of power to charge most devices and tablets at full speed. USB-C provides 15 watts of power and USB-A provides 10 watts of power individually. When using the USB-C and USB-A ports simultaneously, USB-C remains at 15 watts and USB-A reduces to 5 watts. Refer to Renew Sit-to-Stand Tables planning guide for specific application information.
- 20' cord/conduit length (20) is recommended for Exclave® applications.

Dimensions

2 simplex receptacles with 1 powered USB A/C combo (H)

4 simplex receptacles with 1 powered USB A/C combo (I)

5 simplex receptacles with 1 powered USB A/C combo (J)

3 simplex receptacles (E)

5 simplex receptacles (F)

Logic G1000 Grommet Mounted Electrical Distributor *continued*

Specification Information

Step 1.

Y1425.

Step 2. Configuration

H 2 simplex receptacles, 1 powered USB A/C Combo

I 4 simplex receptacles, 1 powered USB A/C Combo

E 3 simplex receptacles

F 5 simplex receptacles

Step 3. Power Type

A power cord with plug end

C IEC connector for Renew Tables

Step 4. Cord/Conduit Length

For power cord with plug end (A)

03 3' cord/conduit

06 6' cord/conduit

10 10' cord/conduit

20 20' cord/conduit

For IEC connector for Renew Tables (C)


03 3' cord/conduit

Prices for Steps 1-4.

		03	06	10	20
Y1425. H	A	\$900	900	914	929
	C	\$914	—	—	—
I	A	\$1042	1042	1059	1074
	C	\$1059	—	—	—
E	A	\$693	693	706	718
	C	\$706	—	—	—
F	A	\$836	836	851	867
	C	\$851	—	—	—

Step 5. Finish

613	silver (CP)	+\$0
91	white (CP) <input type="checkbox"/>	+\$0
98	studio white (CP) <input type="checkbox"/>	+\$0
BK	black <input type="checkbox"/>	+\$0
G1	graphite (CP) <input type="checkbox"/>	+\$0
UBK	ultra black (CP)	+\$0



Product Information

Description

This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.

Notes

This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.

Dimensions

Specification Information

Step 1.

Y1412.

Step 2. Configuration

1	mini rectangle grommet
2	mini square grommet


Prices for Steps 1-2.

Y1412. 1	\$42
2	\$47


Step 3. Finish

91	white (CP)	+\$0
98	studio white (CP)	+\$0
BK	black	+\$0
G1	graphite (CP)	+\$0
UBK	ultra black (CP)	+\$0

Everywhere™ Accessories




Grommet - Rectangle




Grommet - Square

Connect™-Ganging Bracket Kit


Y1338.



Product Information
Description
This kit has 2 clips that attach to the underside of 2 adjacent surfaces, ganging them together to provide stability and allowing electrical components to be routed from 1 surface to another. Finish is black.
Notes
Ganging bracket kit should not be used on 18"-deep Everywhere™ tables.
Dimensions



Specification Information
Step 1.
Y1338.
\$119



Product Information

Description


This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Dimensions

Everywhere™ Accessories



Specification Information

Step 1.

Y1321.

Step 2. Power Type

- A** power cord with plug end
- B** conduit with open end, for hard-wiring

Step 3. Cord/Conduit Length

- 03** 3' cord/conduit
- 06** 6' cord/conduit
- 10** 10' cord/conduit
- 20** 20' cord/conduit

Prices for Steps 1-3.


	03	06	10	20
Y1321. A	\$308	308	322	395
B	\$386	386	401	473

Step 4. Wiring Type

- 4Z** standard +\$0

Step 5. Finish

- 0H** black +\$0



Product Information

Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver finish option (0I) or white finish option (0J) and standard wiring (4Z) has painted metal trim with white plastic simplex/data interior. Distributor with black finish option (0H) and standard wiring (4Z) has black painted trim with black plastic simplex/data interior. Distributor with PVC-free wiring option (LZ) has black plastic simplex/data interior, regardless of the finish color.

Dimensions



Specification Information

Step 1.

Y1322.

Step 2. Configuration

- | | |
|---|--------------------------------------|
| 1 | 1 simplex receptacle, 1 data opening |
| 2 | 2 simplex receptacles |

Step 3. Power Type

- | | |
|---|--|
| A | power cord with plug end |
| B | conduit with open end, for hard-wiring |

Step 4. Cord/Conduit Length

- | | |
|----|------------------|
| 03 | 3' cord/conduit |
| 06 | 6' cord/conduit |
| 10 | 10' cord/conduit |
| 20 | 20' cord/conduit |

Prices for Steps 1-4.


			03	06	10	20
Y1322.	1	A	\$366	366	379	451
		B	\$442	442	455	525
	2	A	\$386	386	401	473
		B	\$464	464	479	552

Step 5. Wiring Type

- | | | |
|----|----------|-------|
| 4Z | standard | +\$0 |
| LZ | PVC-free | +\$39 |

Step 6. Finish

- | | | |
|----|--------|------|
| 0H | black | +\$0 |
| 0I | silver | +\$0 |
| 0J | white | +\$0 |



Product Information

Description

This electrical distributor can grommet-mount flush in a surface, or clamp-mount to the edge. It can be configured with several combinations of simplex receptacles, data openings, and USB charging ports. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes


Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver option (0I) and white option (0J) have painted metal trim with white plastic simplex/data interiors. Black option (0H) has black painted trim with black plastic simplex/data interior.

Overall width for distributor with 4 openings is 8" wide. Overall width for distributor with 6 openings is 11" wide.

USB port charges at 2.1 amps.

Dimensions



Specification Information

Step 1.

Y1323.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
4	3 simplex receptacles, 3 data openings
5	2 simplex receptacles, 1 data opening, 1 charging USB port
6	3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Step 5. Attachment


G	grommet mount
S	surface clamp

Prices for Steps 1-5.

			03G	03S	06G	06S	10G	10S
Y1323.	3	A	\$415	415	415	415	433	433
		B	\$493	493	493	493	510	510
	4	A	\$517	517	517	517	530	530
		B	\$599	599	599	599	613	613
	5	A	\$580	580	580	580	597	597
		B	\$662	662	662	662	674	674
	6	A	\$681	681	681	681	699	699
		B	\$764	764	764	764	778	778

							20G	20S
Y1323.	3	A					\$504	504
		B					\$578	578
	4	A					\$606	606
		B					\$681	681
	5	A					\$668	668
		B					\$773	773
	6	A					\$768	768
		B					\$879	879

Step 6. Finish		
0H	black	+\$0
0I	silver	+\$0
0J	white	+\$0



Product Information

Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 4 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes


Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver anodized finish option (OK) and standard wiring (4Z) has anodized trim with white plastic simplex/data interior. Distributor with silver anodized finish option (OK) and PVC-free wiring (LZ) has anodized trim with black plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8 1/4" wide. Overall width for distributor with 3 simplex receptacles, 4 data openings option (5) is 12 3/4" wide.

Dimensions



Specification Information

Step 1.

Y1324.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
5	3 simplex receptacles, 4 data openings
6	2 simplex receptacles, 1 data opening, 1 charging USB port
7	3 simplex receptacles, 3 data opening, 1 charging USB port
8	3 simplex receptacles, 2 data opening, 2 charging USB ports

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.


		03	06	10	20
Y1324.	3 A	\$578	578	594	666
	B	\$657	657	674	743
	5 A	\$742	742	758	828
	B	\$821	821	831	901
	6 A	\$743	743	758	828
	B	\$824	824	839	911
	7 A	\$907	907	925	997
	B	\$988	988	1000	1069
	8 A	\$1073	1073	1087	1160
	B	\$1154	1154	1164	1232

Step 5. Wiring Type

4Z	standard	+\$0
LZ	PVC-free	+\$39

Step 6. Finish

OK	silver anodized	+\$0
----	-----------------	------




Product Information

Description
This electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The flip lid can be closed once devices are connected for a clean visual appearance. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 3 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes
Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.
Silver anodized option (0K) has anodized trim with white plastic simplex/data interior.
Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8 3/8" wide. Overall width for distributor with 3 simplex receptacles, 3 data openings option (4) is 11 3/8" wide.

Dimensions



Specification Information

Step 1.
Y1325.

Step 2. Configuration	
3	2 simplex receptacles, 2 data openings
7	3 simplex receptacles, 3 data openings
5	2 simplex receptacles, 1 data opening, 1 charging USB port
6	3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type	
A	power cord with plug end
B	conduit with open end, for hard-wiring


Step 4. Cord/Conduit Length	
03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.		03	06	10	20
Y1325.	3 A	\$680	680	698	767
	B	\$762	762	773	844
7	A	\$782	782	801	870
	B	\$864	864	878	950
5	A	\$849	849	864	934
	B	\$929	929	941	1010
6	A	\$950	950	965	1038
	B	\$1028	1028	1045	1114

Step 5. Finish		
0K	silver anodized	+\$0

Connect™ - S720 - Connect Single
Circuit Power Unit

Y1372.



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. Cord length is 60". A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height tables.

To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.

Order single circuit power entry (Y1377.) separately.

Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver option (0I) and white option (0J) have painted metal trim with white plastic simplex/data interiors. Black option (0H) has black painted trim with black plastic simplex/data interior.

Dimensions

Specification Information

Step 1.

Y1372.

Step 2. Configuration

1	1 simplex receptacle, 1 data opening
2	2 simplex receptacles

Step 3. Cord Length

60	60" long
----	----------


Prices for Steps 1-3.

	60
Y1372. 1	\$530
2	\$553

Step 4. Finish


0H	black	+\$0
0I	silver	+\$0
0J	white	+\$0

Everywhere™ Accessories




Connect™ - S730 - Connect Single
Circuit Power Unit

Y1373.



Product Information
<p>Description</p> <p>This dedicated modular single circuit electrical distributor mounts flush in a surface or with an edge clamp mount. It has 2 simplex receptacles and 2 data openings, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.</p>
<p>Notes</p> <p>Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.</p> <p>UL listed when used in conjunction with most Everywhere™ fixed height tables.</p> <p>To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.</p> <p>Order single circuit power entry (Y1377.) separately.</p> <p>Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.</p> <p>Silver option (OI) and white option (OJ) have painted metal trim with white plastic simplex/data interiors. Black option (OH) has black painted trim with black plastic simplex/data interior.</p>
<p>Dimensions</p>




Specification Information				
Step 1.				
Y1373.				
Step 2. Configuration				
3	2 simplex receptacles, 2 data openings			
4	2 simplex receptacles, 1 data opening, 1 charging USB port			
Step 3. Cord Length				
60	60" long			
Step 4. Attachment				
G	grommet mount			
S	surface clamp			
Prices for Steps 1-4.				
			G	S
Y1373.	3	60	\$599	580
	4	60	\$764	749
Step 5. Finish				
0H	black			+\$0
0I	silver			+\$0
0J	white			+\$0

Everywhere™ Accessories


Connect™ - S740 - Connect Single
Circuit Power Unit

Y1374.



Product Information
<p>Description</p> <p>This dedicated modular single circuit electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.</p>
<p>Notes</p> <p>Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.</p> <p>UL listed when used in conjunction with most Everywhere™ fixed height tables.</p> <p>To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.</p> <p>Order single circuit power entry (Y1377.) separately.</p> <p>Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.</p> <p>Silver anodized option (OK) has anodized trim with white plastic simplex/data interior.</p> <p>Overall width for distributor with 2 simplex receptacles, 2 data openings is 8 1/4" wide.</p>

Dimensions




Connect™ - S740 - Connect Single
Circuit Power Unit *continued*

Specification Information		
Step 1.		
Y1374.		
Step 2. Configuration		
3	2 simplex receptacles, 2 data openings	
Step 3. Cord Length		
60	60" long	
Prices for Steps 1-3.		
		60
Y1374. 3		\$741
Step 4. Finish		
0K	silver anodized	+\$0

Connect™ - S750 - Connect Single
Circuit Power Unit

Y1375.



Product Information


Description

This dedicated modular single circuit electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The lid can be closed once devices are connected for a clean visual appearance. The distributor has 2 simplex receptacles and 2 data openings, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

- Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.
- UL listed when used in conjunction with most Everywhere™ fixed height tables.
- To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.
- Order single circuit power entry (Y1377.) separately.
- Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.
- Silver anodized option (OK) has anodized trim with white plastic simplex/data interior.
- Overall width for distributor with 2 simplex receptacles, 2 data openings is 8 3/8" wide.

Dimensions




Connect™ - S750 - Connect Single
Circuit Power Unit *continued*

Specification Information		
Step 1.		
Y1375.		
Step 2. Configuration		
3	2 simplex receptacles, 2 data openings	
4	2 simplex receptacles, 1 data opening, 1 charging USB port	
Step 3. Cord Length		
60	60" long	
Prices for Steps 1-3.		
		60
Y1375. 3		\$840
4		\$1007
Step 4. Finish		
0K	silver anodized	+\$0

Connect™ Single Circuit Electrical Power Entry

Y1377.



Product Information

Description

This standard receptacle 15-amp power entry provides power for single circuit electrical distributors. Up to 8 single circuit modular electrical distributors can be daisy chained and connected in any order. If more than 8 units are connected to this power entry, the system automatically shuts down and a red LED illuminates. A green LED indicates that more units can be connected and the system is ready. Standard attachment hardware is included.

Notes

UL listed when used in conjunction with most Everywhere™ fixed height tables.

Order electrical distributors (Y1372., Y1373., Y1374., Y1375.) and single circuit jumpers (Y1378.) separately.

Specification Information

Step 1.

Y1377.

Step 2. Cord Length

06	6' long
10	10' long

Prices for Steps 1-2.


Y1377. 06	\$678
10	\$712

Dimensions


Everywhere™ Accessories

Connect™ Single Circuit Electrical By-Pass Jumper

Y1378.



Product Information
<p>Description</p> <p>This electrical jumper provides additional length for the Connect™ single circuit modular electrical system. Jumpers are available in a variety of lengths and count as one of the 8 electrical distributors allowed per power entry.</p>
<p>Notes</p> <p>UL listed when used in conjunction with most Everywhere™ fixed height tables.</p> <p>Order electrical distributors (Y1372., Y1373., Y1374., Y1375.) and single circuit power entry (Y1377.) separately.</p>
<p>Dimensions</p>



Specification Information	
Step 1.	
Y1378.	
Step 2. Cord Length	
12	12" long
24	24" long
36	36" long
48	48" long
60	60" long
Prices for Steps 1-2.	
Y1378. 12	\$144
24	\$155
36	\$170
48	\$184
60	\$194

Index by Product Name

Everywhere™ Tables	
Cable Management Clip	page(s) 112
Cable Management Trough, Work Surface Suspended	118
Cable Trough	117
Classroom Curve Table	50
Concave Rectangle	38
Conference Corner Table	54
Connect™ Ganging Bracket Kit	129
Connect™ S100	106, 130
Connect™ S200	107, 131
Connect™ S300	108, 132
Connect™ S400	110, 134
Connect™ S500	111, 135
Connect™ S720 - Connect Single Circuit Power Unit	136
Connect™ S730 - Connect Single Circuit Power Unit	137
Connect™ S740 - Connect Single Circuit Power Unit	138
Connect™ S750 - Connect Single Circuit Power Unit	140
Connect™ Single Circuit Electrical By-Pass Jumper	143
Connect™ Single Circuit Electrical Power Entry	142
Cord Manager	119
D-Shaped Table	26
Fabric Modesty Panel	116
Flat Edge Screen, Delineation	87
Flat Edge Screen, Surface Attached	83
Flat Edge Screen, Surface Attached with Modesty	85
Flip-Top Rectangular Table	60
Logic C1000 Universal Clamp Mount Distributor	99, 124
Logic G1000 Grommet Mounted Electrical Distributor	101, 126
Logic G1200 Grommet Pass Thru	104
Logic HD Cable Manager	105
Logic Mini	95, 120
Logic Mini Grommet	103, 128
Logic Mini - Vine	97, 122
Modesty Panel	89, 114
Occasional Table, Round	78
Occasional Table, Square	74
Oval Table	22
Pari Screen, Delineation	81
Pari Screen, Surface Attached	93
Pari Screen, Surface Attached with Modesty	91
Rectangular Table	5
Round Corner Table	57
Round Table	18
Soft Rectangle - Meeting Table	30
Soft Square Table	43
Square Table	14
Standard-Height Table Base	67

Standard-Height Table Leg	64
Standing-Height Round Table	71
Standing-Height Square Table	68
Tear Drop Table	47
Vertical Cord Covers	113
Video Oval - Meeting Table	35

Index by Product Number

AO382. Cable Management Trough, Work Surface	
Suspended	page(s) 118
DT1AE. Rectangular Table	5
DT1AS.	
DT1AT.	
DT1BE. Square Table	14
DT1BS.	
DT1BT.	
DT1CE. Round Table	18
DT1CS.	
DT1CT.	
DT1DE. Oval Table	22
DT1DS.	
DT1DT.	
DT1EE. D-Shaped Table	26
DT1ES.	
DT1ET.	
DT1FE. Soft Rectangle - Meeting Table	30
DT1FS.	
DT1FT.	
DT1GE. Video Oval - Meeting Table	35
DT1GS.	
DT1GT.	
DT1HE. Concave Rectangle	38
DT1HS.	
DT1HT.	
DT1JE. Soft Square Table	43
DT1JS.	
DT1JT.	
DT1KE. Tear Drop Table	47
DT1KS.	
DT1KT.	
DT1LE. Classroom Curve Table	50
DT1LS.	
DT1LT.	
DT1ME. Conference Corner Table	54
DT1MS.	
DT1MT.	
DT1NE. Round Corner Table	57
DT1NS.	
DT1NT.	
DT2A. Standard-Height Table Leg	64
DT2B. Standard-Height Table Base	67
DT3BE. Standing-Height Square Table	68
DT3BS.	
DT3BT.	
DT3CE. Standing-Height Round Table	71

DT3CS.	
DT3CT.	
DT4BS. Occasional Table, Square	74
DT4BT.	
DT4CS. Occasional Table, Round	78
DT4CT.	
DT5AE. Flip-Top Rectangular Table	60
DT5AS.	
DT5AT.	
DT9A. Cable Management Clip	112
DT9B. Vertical Cord Covers	113
FT351. Pari Screen, Surface Attached	93
FT353. Pari Screen, Surface Attached with Modesty	91
FT354. Pari Screen, Delineation	81
FT356. Flat Edge Screen, Surface Attached	83
FT357. Flat Edge Screen, Surface Attached with Modesty	85
FT358. Flat Edge Screen, Delineation	87
FV984. Cord Manager	119
Y1113. Modesty Panel	89, 114
Y1114. Fabric Modesty Panel	116
Y1200. Cable Trough	117
Y1321. Connect™ - S100	106, 130
Y1322. Connect™ - S200	107, 131
Y1323. Connect™ - S300	108, 132
Y1324. Connect™ - S400	110, 134
Y1325. Connect™ - S500	111, 135
Y1338. Connect™ - Ganging Bracket Kit	129
Y1372. Connect™ - S720 - Connect Single Circuit Power Unit	136
Y1373. Connect™ - S730 - Connect Single Circuit Power Unit	137
Y1374. Connect™ - S740 - Connect Single Circuit Power Unit	138
Y1375. Connect™ - S750 - Connect Single Circuit Power Unit	140
Y1377. Connect™ Single Circuit Electrical Power Entry	142
Y1378. Connect™ Single Circuit Electrical By-Pass Jumper	143
Y1412. Logic Mini Grommet	103, 128
Y1414. Logic Mini	95, 120
Y1415. Logic Mini - Vine	97, 122
Y1420. Logic G1200 Grommet Pass Thru	104
Y1423. Logic C1000 Universal Clamp Mount Distributor	99, 124
Y1424. Logic HD Cable Manager	105
Y1425. Logic G1000 Grommet Mounted Electrical Distributor	101, 126





20-Day or Less/Assigned Lead-Time Order Information

GSA

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Meridian® Filing and Storage:

(616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at:

(866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Stain-to-Match Program

GSA

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer’s existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at:
(800) 654 3910

Ordering Products with Stain-to-Match Veneers

1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2” x 3” minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer’s signed approval.
3. If the sample meets the customer’s approval, sign the reverse side of the sample, scan and email the approval to:
options@hermanmiller.com.
4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.



Vary Easy Program

GSA

Program Overview

The Vary Easy program offers expanded product selections beyond what is available through our standard offering. From expanded material and finish lists, to size availability, to completely new product configurations, the Vary Easy program offers it all at standard pricing, warranty, and lead-time.

Specifying Vary Easy using Made-to-Measure Plus

Vary Easy products are now available by clicking the Vary Easy/Options tile in the Made-to-Measure Plus tool.

Made-to-Measure Plus is a web-based tool available through Omni that takes the guesswork out of specifying products and service parts. It's quickly evolving to become your one-stop shop for specifying Herman Miller products and service parts, particularly customized product like Vary Easy and HM Options.

Vary Easy products are no longer published in marketing SIF for importing into specIT and other third-party specifiers. Specifying through the Made-to-Measure Plus tool allows us to make frequent updates and offer more complex products. It allows you to easily specify and price products and download SIF files to import into your specification tool. The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead-time and are competitively priced.

For step-by-step instructions, reference the Made-to-Measure Plus page under Tools & Resources on Omni to watch the how-to video and to see how easy it is to specify Vary Easy products in Made-to-Measure Plus.

For Vary Easy product and specification questions, contact Product Services at 866 854 3048 (ext #1).

For technical questions about the Made-to-Measure Plus tool, contact Sales Technology Support at 866 854 3048 (ext #4) or sts@hermanmiller.com.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2025 Herman Miller, Inc., Zeeland, Michigan


Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

® HermanMiller, , Action Office, Aeron, Aside, Canvas Office Landscape, Caper, Cosm, Co/Struc, Eames, Embody, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Intent, Layout Studio, Lino, Maharam, Meridian, Mirra, Motia, Nelson, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Sayl, Setu, Tu, Verus, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ AireWeave, Bubbletack, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Durawrap, Everywhere, Flex-Edge, Headway, Hopsak 2, Iota, Keyless Entry, Latitude, Lyris 2, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Renew, Stackable, Swoop, Thrive, TriFlex, Twist and Valor are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles® is a registered trademark of Place Textiles.